REF.
HA202
.A22
1940
pt. 1

U. S. DEPARTMENT OF COMMERCE
JESSE H. JONES
SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR
PHILIP M. HAUSER, ASSISTANT DIRECTOR

VITAL STATISTICS OF THE UNITED STATES

1940

PART I

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF OCCURRENCE WITH SUPPLEMENTAL TABLES FOR HAWAII PUERTO RICO, AND THE VIRGIN ISLANDS

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
NATIONAL CENTER FOR HEALTH STATISTICS
REFERENCE SERVICE
WASHINGTON, D.C. 20201
JAN 24 1967

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1943

For sale by the Superintendent of Documents, Washington, D. C. - Price $2.00

CONTENTS

INTRODUCTION

	Page
Comparability of classification	1
Changing composition of the registration areas	1
Geographic classification	2
Classification by race	2
International List of Causes of Death	2
Nativity classification	3
Qualifying factors in interpretation and use of data	3
Age, sex, and race	3
Population estimates	4
Place of residence	4
Completeness of registration	4
Interpretation of cause-of-death tables	5
New Standard Certificate—Medical Certification	5
Old Standard Certificate—Medical Certificate of Death	5
Natality statistics	6
Birth-rate trend	6
Crude birth rates by State	7
Birth rates by month	8
Age of parents	8
Age, race, and nativity of mother	9
Natality statistics—Continued	
Plural births	9
Average number of children	9
Illegitimate births	9
Reporting of stillbirths	11
Illegitimate stillbirths	12
Mortality statistics	12
Death-rate trend	12
Crude death rates by State	12
Death rates by age, race, and sex	12
Death rates by month	13
Death-rate trend for selected causes of death	13
Death rates for selected causes of death, by age	15
Infant mortality statistics	16
Trend of infant mortality rate	16
Infant mortality by State	16
Infant death rates by age	16
Infant mortality by month	17
Infant death rates by cause of death	18

SUMMARY AND RATE TABLES

Table I.—Population, number of births and deaths, and crude rates: the registration States, United States, 1900-1940 ---- 20

Table II.—Enumerated population by cities and rural areas, and by race: United States and each State, April 1, 1940 ---- 20

Table III.—Enumerated population by age, race, and sex: United States, April 1, 1940 ---- 21

Table IV.—Population: United States and each State, 1930-1940 ---- 22

Table V.—Population, number of births and deaths, and crude rates: specified countries, 1938 ---- 22

Table VI.—Population, number of births and deaths, and crude rates: specified countries and selected years ---- 23

Table VII.—Crude birth rates (number of live births per 1,000 population): United States, each division and State, 1916-1940 ---- 24

Table VIII.—Crude stillbirth ratios (number of stillbirths per 1,000 live births): United States, each division and State, 1922-1940 ---- 25

Table IX.—Crude death rates (number of deaths per 1,000 population): United States, each division and State, 1916-1940 ---- 26

Table X.—Infant mortality rates (number of deaths under 1 year of age per 1,000 live births): United States, each division and State, 1916-1940 ---- 27

Table XI.—Deaths from each cause and crude death rates: United States, 1939 and 1940 ---- 28

Table XII.—Crude death rates (number of deaths per 100,000 enumerated population) for selected causes of death: United States, each division and State, 1940 ---- 34

Table XIII.—Population, births, deaths, infant mortality, and stillbirths: United States, 1940 ---- 36

Section A.—Cities having populations of 10,000 or more in 1940, cities having populations of 2,500 to 10,000 in 1940, and rural districts, in the United States and each State ---- 36

Section B.—Each county (including cities having populations of 10,000 or more in 1940) ---- 43

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table 1.—Live births by month and by population-size groups: United States and each State, 1940 ---- 152

Table 2.—Live births by specified race: United States and each State, 1940 ---- 155

Table 3.—Live births by race, parent nativity of white, and population-size groups: United States and each State, 1940 ---- 156

Table 4.—Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1940 ---- 160

Stillbirths

Table 5.—Stillbirths by month and by population-size groups: United States and each State, 1940 ---- 164

Table 6.—Stillbirths by race, parent nativity of white, and population-size groups: United States and each State, 1940 ---- 167

Table 7.—Stillbirths by number and sex of child, age of mother, and race, and for white by nativity of mother: United States, 1940 ---- 171

CONTENTS

GENERAL NATALITY AND MORTALITY TABLES—Continued

Total Deaths

Page

Table 8.—Deaths by month and by population-size groups: United States and each State, 1940 ---- 173

Table 9.—Deaths by specified race and by population-size groups: United States and each State, 1940 ---- 176

Table 10.—Deaths by age, sex, race, and population-size groups: United States and each State, 1940 ---- 178

Table 11.—Deaths from each cause, by age, race, and sex: United States, 1940 ---- 210

Table 12.—Deaths by specified race, nativity of white, sex, age, and population-size groups: United States and each State, 1940 ---- 254

Table 13.—Deaths from selected causes, by age, race, and sex: each State, 1940 ---- 268

Table 14.—Deaths from selected causes, by month: United States, 1940 ---- 415

Table 15.—Deaths from each cause, by race and sex: United States and each State, 1940 ---- 416

Table 16.—Deaths from each cause, by specified race and by sex: United States, 1940 ---- 480

Infant Deaths

Table 17.—Deaths under 1 year from selected causes, by age, sex, and race: United States and each State, 1940 ---- 486

Table 18.—Deaths under 1 year of age from selected causes, by population-size groups, and for all causes by race: United States and each State, 1940 ---- 525

Table 19.—Deaths under 1 year of age from selected causes, by month: each State, 1940 ---- 535

Table 20.—Deaths under 1 year, by age and by month: each State, 1940 ---- 560

SPECIAL JOINT-CAUSE-OF-DEATH TABLE

Associated causes of death in relation to primary causes of death ---- 569

Table 21.—Associated causes of death in relation to primary causes of death: United States, 1940 ---- 570

SUPPLEMENT

Hawaii ---- 627,628

Puerto Rico ---- 627,641

Virgin Islands ---- 627,650

VITAL STATISTICS OF THE UNITED STATES
PART 1. GEOGRAPHIC CLASSIFICATION BY PLACE OF OCCURRENCE

Introduction

This volume—Vital Statistics of the United States, Part I—contains official statistical tabulations of natality and mortality data for the calendar year 1940. Tables are presented giving detailed statistics of live births, stillbirths, total deaths, and infant deaths in continental United States. Supplementary tabulations for the Territory of Hawaii, for Puerto Rico, and the Virgin Islands are also included. The natality data are classified by geographic area, race of child, nativity of parents, month, et cetera. Mortality data are classified by geographic area, cause of death, age, race, sex, month, et cetera. The geographic classification in this report refers to the place of birth or death, irrespective of the usual place of residence of the mother of the child or the usual place of residence of the decedent. All of the tabulations are derived from transcripts of original birth and death certificates that are received from registration officials of States, cities, and of the outlying territory and possessions of the United States.

The present volume continues the new series of annual publications begun in 1937. It presents natality and mortality data based upon place of occurrence of the live birth, stillbirth, or death. The tables in this report correspond, with a few exceptions, to those published in the corresponding volumes for 1937, 1938, and 1939. Data compiled on a residence basis are published in a second volume entitled "Vital Statistics of the United States, Part II."

This volume was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, and Dr. Forrest E. Linder, Assistant Chief Statistician for Vital Statistics. Tabulations and introductory material were prepared under the immediate supervision of Dr. Robert D. Grove, Social Science Analyst, and Dr. Iwao M. Moriyama, Associate Biometrician.

COMPARABILITY OF CLASSIFICATION

Changing composition of the registration areas.—The first vital statistics published by the Federal Government related to 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the interval between the occurrence of a birth or a death and the census enumeration, these reports were inaccurate and incomplete. In 1880, however, the Bureau of the Census established a national "registration area" for deaths because, by that time, some of the States had efficient systems for the registration of vital statistics. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, and both birth and death figures for the entire country were compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902, the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time, however, not all of the States had enacted laws requiring the registration of births and deaths, and in many States the existing laws were poorly enforced. The important dates in the historical development of vital statistics in the various States and the year in which each State was admitted to the national registration areas are given in table A.

TABLE A.—IMPORTANT DATES IN THE HISTORY OF BIRTH AND DEATH REGISTRATION: UNITED STATES

STATE	FIRST STATE REGISTRATION LAW ENACTED		ENACTMENT OF PRESENT LAW (MODEL OR CONFORMING TO MODEL LAW)	RECORDS ON FILE FOR ENTIRE STATE		ADMITTED TO REGISTRATION AREA	
	Deaths	Births	Deaths and births	Deaths	Births	Deaths	Births
Alabama	1881	1881	1919	1908	1908	1925	1927
Arizona	1909	1909	1909	1909	1909	1926	1926
Arkansas	1881	1881	1913	1914	1914	1927	1927
California	1858	1877	1915	1905	1905	1906	1919
Colorado	1876	1876	1907	1907	1907	1906	1928
Connecticut	1852	1852	1905	1897	1897	1890	1915
Delaware	1861	1861	1913	1861	1881	1919	1921
District of Columbia	1874	1871	1907	1855	1871	1880	1915
Florida	1899	1899	1915	1877	1865	1919	1924
Georgia	1875	1823	1927	1919	1919	1928	1928
Idaho	1907	1907	1911	1911	1911	1922	1926
Illinois	1877	1877	1915	1916	1916	1918	1922
Indiana	1881	1907	1913	1900	1907	1900	1917
Iowa	1880	1880	1921	1880	1880	1923	1924
Kansas	1885	1885	1911	1911	1911	1914	1917
Kentucky	1851	1851	1911	1911	1911	1911	1917
Louisiana	1855	1855	1918	1889	1870	1918	1927
Maine	1821	1821	1892	1892	1892	1900	1915
Maryland	1880	1880	1912	1898	1898	1906	1916
Massachusetts	1840	1840	1903	1850	1850	1880	1915
Michigan	1867	1867	1925	1867	1867	1900	1915
Minnesota	1870	1870	1907	1900	1900	1910	1915
Mississippi	1878	1878	1912	1912	1912	1919	1921
Missouri	1891	1891	1909	1910	1910	1911	1927
Montana	1895	1895	1907	1907	1907	1910	1922
Nebraska	1905	1905	1927	1905	1905	1920	1920
Nevada	1911	1911	1929	1911	1911	1929	1929
New Hampshire	1850	1850	1891	1881	1881	1890	1915
New Jersey	1848	1848	1920	1848	1848	1880	1921
New Mexico	1907	1907	1929	1919	1919	1929	1929
New York	1847	1847	1913	1880	1880	1890	1915
North Carolina	1877	1877	1913	1914	1914	1916	1917
North Dakota	1899	1899	1907	1908	1908	1924	1924
Ohio	1867	1867	1908	1909	1909	1909	1917
Oklahoma	1907	1907	1917	1917	1917	1928	1928
Oregon	1903	1903	1915	1903	1903	1918	1919
Pennsylvania	1851	1851	1905	1906	1906	1906	1915
Rhode Island	1850	1850	1911	1852	1852	1890	1921
South Carolina	1878	1878	1914	1915	1915	1916	1928
South Dakota	1905	1905	1931	1905	1905	1930	1932
Tennessee	1881	1881	1913	1914	1914	1917	1927
Texas	1873	1873	1927	1903	1903	1933	1933
Utah	1898	1898	1905	1905	1905	1910	1917
Vermont	1856	1856	1906	1857	1857	1890	1915
Virginia	1853	1853	1912	1912	1912	1913	1917
Washington	1891	1891	1907	1907	1907	1908	1917
West Virginia	1866	1866	1921	1917	1917	1925	1925
Wisconsin	1852	1852	1907	1850	1840	1908	1917
Wyoming	1907	1907	1907	1909	1909	1922	1922

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities in the nonregistration States. The registration area in 1900 included 40.5 percent of the population of continental United States, and the population composition of this area was predominantly urban. Another important characteristic of this original registration area was the high proportion of white persons residing in the more industrialized sections of the country. Excluding cities in the nonregistration States, the population coverage of the death-registration States was much lower and represented 26.2 percent of the total population in the United States.

The gradual growth of both the death- and the birth-registration States, as distinguished from the registration area, is shown in table B, which presents for each year the estimated midyear population of the whole United States and the estimated midyear population and the number of States included in the registration system. Attention should be called to the difference between the data presented here and those published in the previous annual volumes. Heretofore, most of the national data published by the Bureau of the Census related to the registration areas, but in 1940 the statistical series for

the United States prior to the completion of the registration system was shifted from the registration area to the registration States basis. The reason for this change will be discussed later in greater detail. This change in population base, however, does not affect the natality statistics since the birth-registration area did not, at any time, include cities in the nonregistration States.

TABLE B.—GROWTH OF THE VITAL STATISTICS REGISTRATION AREAS: UNITED STATES

(The population for 1940 was enumerated in the Federal census of April 1. Populations for 1900-1939 are revised intercensal estimates as of July 1)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES			BIRTH-REGISTRATION STATES		
		Number of States	Estimated midyear population		Number of States	Estimated midyear population	
			Number	Percent of total		Number	Percent of total
1940	[1]131,669,275	48	[1]131,669,275	100.0	48	[1]131,669,275	100.0
1939	130,879,718	48	130,879,718	100.0	48	130,879,718	100.0
1938	129,824,939	48	129,824,939	100.0	48	129,824,939	100.0
1937	128,824,829	48	128,824,829	100.0	48	128,824,829	100.0
1936	128,053,180	48	128,053,180	100.0	48	128,053,180	100.0
1935	127,250,232	48	127,250,232	100.0	48	127,250,232	100.0
1934	126,373,773	48	126,373,773	100.0	48	126,373,773	100.0
1933	125,578,763	48	125,578,763	100.0	48	125,578,763	100.0
1932	124,840,471	47	118,903,899	95.2	47	118,903,899	95.2
1931	124,039,648	47	118,148,987	95.3	46	117,455,229	94.7
1930	123,076,741	47	117,238,278	95.3	46	116,544,946	94.7
1929	121,769,939	46	115,317,450	94.7	46	115,317,450	94.7
1928	120,501,115	44	113,636,160	94.3	44	113,636,160	94.3
1927	119,038,062	42	107,084,532	90.0	40	104,320,830	87.6
1926	117,399,225	41	103,822,683	88.4	35	90,400,590	77.0
1925	115,831,963	40	102,031,555	88.1	33	88,294,564	76.2
1924	114,113,463	39	99,318,098	87.0	33	87,000,295	76.2
1923	111,949,945	38	96,788,197	86.5	30	81,072,123	72.4
1922	110,054,778	37	92,702,901	84.2	30	79,560,746	72.3
1921	108,541,489	34	87,814,447	80.9	27	70,807,090	65.2
1920	106,466,420	34	86,079,263	80.9	23	63,597,307	59.7
1919	104,512,110	33	83,157,982	79.6	22	61,212,076	58.6
1918	103,202,801	30	79,008,412	76.6	20	55,153,782	53.4
1917	103,265,913	27	70,234,775	68.0	20	55,197,952	53.5
1916	101,965,984	26	66,971,177	65.7	11	32,944,013	32.3
1915	100,549,013	24	61,894,847	61.6	10	31,096,697	30.9
1914	99,117,567	24	60,963,309	61.5			
1913	97,226,814	23	58,156,740	59.8			
1912	95,331,300	22	54,847,700	57.5			
1911	93,867,814	22	53,929,644	57.5			
1910	92,406,536	20	47,470,437	51.4			
1909	90,491,525	18	44,223,513	48.9			
1908	88,708,976	17	38,634,759	43.6			
1907	87,000,271	15	34,552,837	39.7			
1906	85,436,556	15	33,782,288	39.5			
1905	83,819,666	10	21,767,880	26.0			
1904	82,164,974	10	21,332,076	26.0			
1903	80,632,152	10	20,943,222	26.0			
1902	79,160,196	10	20,582,907	26.0			
1901	77,585,128	10	20,257,453	26.1			
1900	76,094,134	10	19,965,446	26.2			
1890	[2]62,947,714	8	[2]19,659,440	31.2			
1880	[2]50,155,783	2	[2]8,538,366	17.0			

[1] Population enumerated in the Federal census of April 1.
[2] Population enumerated in the Federal census of May 31.
NOTE.—In every year the District of Columbia was in both areas, but is not included in the "Number of States."

Inasmuch as it is more difficult to obtain accurate and complete registration of births than of deaths, the national birth-registration area was not established until 1915. For this reason no birth statistics were published by the Bureau of the Census from 1900 to 1914. The original birth-registration area of 1915 consisted of 10 States and the District of Columbia, but other States were gradually added in the years following. The growth of this area is indicated also in tables A and B.

In 1933, for the first time, both the birth- and death-registration areas included all States, and since that year the annual publications have included data for the entire United States.

The change in areas for which data have been collected and tabulated makes it impossible to obtain a national series of geographically comparable data prior to 1933. However, rates for the expanding registration States are approximations to complete national rates, and general comparisons over a long period of years can be made. More exact trends for parts of the United States can be secured by use of some constant area, such as the original registration States, or the registration States of 1920. The annual crude birth, stillbirth, and death rates for the registration States are given in table I, and crude rates for the geographic divisions and for the individual States are shown in tables VII, VIII, IX, and X.

Geographic classification.—The geographic code[1] used in the tabulation of data published in this report gives a separate identifying number to each city having a population of 10,000 or more in 1940, and to certain towns and townships each having a population of 10,000 or more and a population density of 1,000 or more per square mile. The code also gives a separate number to each county, exclusive of these cities. Although villages and cities having populations of less than 10,000 are not individually identified, each county is divided into two parts, one consisting of "incorporated places" of 2,500 to 10,000, and another consisting of the remainder of the county. In this report most of the tables containing classifications by size-of-population groups show cities of 10,000 or more, cities of 2,500 to 10,000, and rural. Certain tables give a more detailed classification, namely, cities having populations of 100,000 or more; cities of 25,000 to 100,000; cities of 10,000 to 25,000; cities of 2,500 to 10,000; and rural. This finer classification is given where feasible in order to break the heterogeneity of large population groupings. The classification of cities used in the 1940 tabulations was based on population enumerated in the 1940 census, as of April 1.

Prior to 1930 the annual vital statistics data were tabulated in two groups—urban and rural. In this classification the urban group included all cities of 10,000 inhabitants or more and a few densely populated towns and townships. The rural group included all remaining areas. Under the definitions used for the 1910, 1920, 1930, and 1940 population censuses, "Urban" included all cities with populations in excess of 2,500, and "Rural" included the remaining areas. To give annual vital statistics data that could be more closely related to the population census, it was necessary, therefore, to divide into two groups the group previously defined as rural in vital statistics. Thus, by combining the areas of 2,500 to 10,000 with the urban, figures could be obtained that were comparable with those of the 1930 and 1940 population censuses. Also, by combining the areas of 2,500 to 10,000 with the rural, figures could likewise be obtained that were comparable with the rural as given in the vital statistics reports prior to 1930.

Most natality and mortality tables published since 1930 show the three-way population classifications: Cities in excess of 10,000, cities of 2,500 to 10,000, and rural; but some tables show the simple classifications "Urban" and "Rural." In these instances, where the dichotomous classification is shown, the rural includes all areas except cities of 10,000 or more. In the present volume the ambiguous terms "Urban" and "Rural" are avoided, and the table headings indicate the composition of each population group.

Classification by race.—The detailed racial classification given in this volume shows births and deaths classified by white, Negro, Indian, Chinese, Japanese, and a residual group of numerically minor races. In most tables such an extended classification is not justified, and the racial divisions are "White," "Negro," and "Other races." In tables where the main purpose is to isolate the major group, the classifications are simply "White" and "All other." In any case where the racial designation on the birth or death certificate is Mexican, the birth or death is tabulated with the white race. This allocation of Mexican births and deaths is consistent with that used prior to 1930 and for the years after 1934. In the annual reports for the years 1930 to 1934, the Mexicans were not classified with the white race but were tabulated with "Other races."

International List of Causes of Death.—The data in the mortality reports published by the Bureau of the Census are tabulated according to the numbers and titles of the detailed International List of Causes of Death. The International List is revised decennially in order that the terminology by which deaths are classified may be consistent with advances in medical science and changes in diagnostic practice.

[1] U.S. Bureau of the Census. "Instruction Manual. Part IA, Geographic Code." Geographic classification used in coding and tabulating vital statistics data. 1941 edition. 182 pp.

The tabulations for 1940 are classified according to the fifth revision of the International List of Causes of Death adopted by the International Commission, which met in Paris in October 1938. Complete titles of this list, with the official numbers and subdivisions, are given in the stub of table XI.

The fifth revision of the International List as adopted by the conference in 1938 conforms in many respects to the fourth revision adopted in 1929. Among the changes made in the list,[2] as adopted for use in the United States, the following seem to be of particular interest:

1. The titles included in the "Infectious and parasitic diseases" group have been arranged upon an etiological basis according to the organisms involved.
2. Title 13 (Tuberculosis of the respiratory system) has been divided so as to show separately deaths reported as involving occupational diseases of the lungs.
3. Numerous subdivisions have been added in the "Cancer and other tumors" group.
4. Title 58 (Acute rheumatic fever) and titles 90, 91, 92, 93, and 95 (Diseases of the heart) have been subdivided so as to provide separate information relating to the total number of deaths involving rheumatic affections of the heart.
5. Locomotor ataxia (tabes dorsalis), general paralysis of the insane, aneurysm of the aorta, and other diseases of syphilitic origin have been made subdivisions under title 30 (Syphilis).
6. Title 131 (Chronic nephritis) has been divided into two parts to show deaths for which arteriosclerotic conditions are reported in conjunction with chronic nephritis.
7. Numerous subdivisions have been created in titles 140-150 (Diseases of pregnancy, childbirth, and the puerperium). A major change introduced was to show whether the maternal death occurred before or after delivery.
8. Title 157 (Congenital malformations) has been subdivided into nine parts to indicate in more detail the various anatomical systems or parts of the body involved.
9. In the group, "Diseases peculiar to the first year of life," titles 160 and 161 have been limited to deaths under 1 year of age, instead of under 3 months of age as in the 1929 list.

In some tables it was necessary, because of space limitations, to abbreviate cause-of-death titles or to indicate the composition of groups of causes by giving only the list numbers. In such cases, reference may be made to table XI or to the 1938 revision of the Manual of the International List of Causes of Death for the complete titles. The manual gives, also, the main diseases or conditions included under each title.

TABLE C.—WHITE LIVE BIRTHS OF FOREIGN PARENTAGE: EXPANDING AND ORIGINAL BIRTH-REGISTRATION AREAS: UNITED STATES

YEAR	EXPANDING BIRTH-REGISTRATION AREA			ORIGINAL BIRTH-REGISTRATION AREA[1]		
	Total white live births	One or both parents foreign-born		Total white live births	One or both parents foreign-born	
		Number	Percent of total		Number	Percent of total
1940	2,067,953	196,444	9.5	620,898	102,547	16.5
1939	1,982,671	202,573	10.2	594,237	105,534	17.8
1938	2,005,955	220,286	11.0	611,915	117,413	19.2
1937	1,928,437	230,381	11.9	595,225	124,447	20.9
1936	1,881,883	241,647	12.8	587,359	131,589	22.4
1935	1,888,012	259,613	13.8	589,409	141,957	24.1
1934	1,866,231	255,643	13.7	587,024	152,717	26.0
1933	1,794,946	267,426	14.9	578,841	161,375	27.9
1932	1,805,155	296,124	16.4	616,299	183,344	29.7
1931	1,848,293	330,772	17.9	641,636	204,288	31.8
1930	1,946,841	384,982	19.8	678,387	229,482	33.8
1929	1,924,475	407,022	21.1	678,482	241,070	35.5
1928	1,982,246	434,789	21.9	705,001	260,067	36.9
1927	1,925,585	458,088	23.8	726,931	277,949	38.2
1926	1,707,034	465,746	27.3	723,449	285,047	39.4
1925	1,731,669	487,707	28.2	746,083	303,025	40.6
1924	1,762,872	514,452	29.2	768,364	321,777	41.9
1923	1,644,034	501,124	30.5	752,860	323,070	42.9
1922	1,629,387	510,167	31.3	750,806	329,573	43.9
1921	1,565,446	496,815	31.7	789,173	352,443	44.7
1920	1,395,523	440,585	31.6	755,866	340,806	45.1
1919	1,269,363	439,135	34.6	714,815	346,200	48.4
1918	1,288,711	461,277	35.8	784,495	384,607	49.0
1917	1,280,288	482,211	37.7	788,214	403,616	51.2
1916	799,817	407,966	51.0	772,512	402,888	52.2
1915	763,899	405,014	53.0	763,899	405,014	53.0

[1] Exclusive of Rhode Island.

[2] For a more detailed comparison of the 1929 and 1938 International Lists, see U. S. Bureau of the Census, "Manual of the International List of Causes of Death (fifth revision) and Joint Causes of Death (fourth edition)," pp. 47-51, 1940.

Nativity classification.—Early mortality reports published by the Bureau of the Census contained extensive tables showing nativity of the parents as well as nativity of the decedent, but the publication of these tables was discontinued in 1933. In the reports on birth statistics prior to 1937 more emphasis was placed upon country of birth of parents. Detailed tables showing specific country of birth of mother and specific country of birth of father, as well as more abridged classifications, have been published for each year through 1936. These data have been of historical importance in tracing the changing composition of the population of the United States. In recent years, however, the number of births to foreign-born parents has become a relatively small proportion of the total. Accordingly, since 1937, tables showing nativity of parents for births have been eliminated or revised. A continued decrease in the proportion of births to foreign-born parents will justify decreased emphasis on this classification in future volumes.

Table C shows the total number of births of white children in the expanding birth-registration area for each year beginning with 1915, and the percent of these having one or both parents of foreign birth. The same data are given for the 10 original birth-registration States. For this original registration area, white births of foreign or mixed parentage were 53.0 percent of all white births in 1915, whereas in 1940 this group comprised only 16.5 percent of the total. For the whole United States, in 1940, white births of foreign or mixed parentage were only 9.5 percent of the total white births.

QUALIFYING FACTORS IN INTERPRETATION AND USE OF DATA

While the data in this volume are available for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless cognizance is taken of various qualifying factors. Obviously the factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to catalog all of the pertinent factors in the use of vital statistics tabulations, but a few of the more important should be mentioned.

Most of the factors limiting the use of vital statistics data arise from imperfections in the original material or from the impracticability of tabulating or using these data in very detailed categories. These defects should not be ignored, yet their existence does not destroy the value of the data for most general purposes. Analysis of small differences or exact evaluation and interpretation of vital statistics requires careful study of many related elements. However, the trend of crude birth and death rates, the increase or decrease in the number of deaths from selected causes, and the major differences in rates among States, are all facts that will not be materially changed by finer analysis.

In order to draw conclusions or inferences from differences between the birth or death rates, it is necessary, particularly for small geographic areas, to take into account the number of births or deaths on which these rates are based. Although all of the rates presented in this volume have been computed without regard to the size of numbers involved, caution should be exercised in the interpretation of those based on small numbers since they are subject to a large amount of variation in proportion to their magnitude. In all such cases, a test of statistical significance should always be applied before making even a tentative deduction from rate differences. Although it would be desirable to introduce into these tables statistical measures of significance, it was not deemed practicable to do so at this time since the required degree of statistical reliability would differ with the uses of these data. A discussion of this problem, and a simple statistical test of significance, may be found in "The Registrar-General's Statistical Review of England and Wales."[3]

Age, sex, and race.—If crude death rates are used as an index of health conditions of a community, comparisons of rates for different States or cities are not strictly valid unless the age, sex, and racial compositions of the population of each area are taken into consideration. It is obvious that,

[3] "The Registrar-General's Statistical Review of England and Wales, 1937," pp. 18-24, H.M.S.O., London, 1940.

if the population in one State is generally older than that in another, the crude death-rate will be higher, even though there is no essential difference in the age-specific death rates.

Similar considerations apply also to crude birth rates. For example, comparison of birth rates of one area having a certain proportion of women of child-bearing age with the rates of another community of a different population composition would be erroneous if the rates are used as a measure of fertility.

Various methods have been devised to compensate for differences in the population composition of the areas to be compared. A necessary element of all such methods is the computation of specific birth or death rates for each of the factors to be considered. While the natality and mortality tables in this volume are sufficiently detailed for the most important of these computations, it is also essential to have the corresponding population figures for each separate age, sex, and racial group.

Population estimates.—Since birth and death rates are ratios of the number of births and deaths to population figures, accurate rates are partially dependent upon accurate population figures. Tabulations showing the number and composition of the population for various areas are available only for the years when regular decennial population censuses are taken. For intervening years population estimates must be used.

The crude birth and death rates for the United States and the individual States for the years 1930 to 1939, inclusive, presented in this volume may differ somewhat from those previously published for the same period. Any apparent discrepancies that may appear are due to the fact that the rates published during the period 1930 to 1938 were based upon extrapolated population figures, and the rates presented in the 1939 annual report were based on provisional population estimates obtained by arithmetic interpolations between the populations of 1930 and 1940 as enumerated in the decennial censuses. In this volume, the birth and death rates for the United States and individual States for the years 1930 to 1939 have been computed on the basis of intercensal population estimates obtained by various methods of interpolation using migration statistics, school census statistics, and data from other local sources in conjunction with the decennial population census data.

As a part of the program for the Sixteenth Decennial Census period, the Bureau of the Census undertook to make available population estimates for the intercensal years, which were more accurate estimates than could be obtained by the simple arithmetic interpolation method. By supplementing the decennial census enumeration data with population figures from various sources, it was possible to make population estimates that included such details as age, sex, race, and nativity for each year since 1900.

In revising these intercensal estimates, the State was selected as the smallest geographic unit for which estimates were made since population estimates for small areas are subject to relatively large errors. This limitation was a fairly serious one for vital statistics purposes since the most widely used national figures are for the death-registration area, which includes cities in the nonregistration States. Although it is possible to obtain fairly reliable estimates of population for cities having over 100,000 inhabitants, the large number of cities, many of them with populations under 100,000, participating in the registration system made detailed population estimates for the registration area impractical.

Since it was not feasible to revise the annual midyear population figures for the intercensal years during the period when the death-registration area was still incomplete, it was decided to fit vital statistics to the available population data for the registration States. In the future, it is expected that mortality trend data for the United States prior to the completion of the area in 1933 will be generally tabulated on the basis of the registration States. As mentioned before, the official natality statistics for the entire United States are not affected since the birth-registration area did not, at any time, with the exception of the District of Columbia, include cities in nonregistration States.

Place of residence.—Official national vital statistics and those published by most State and city agencies have, for the most part, been compiled according to the place of birth or death. Under this system of tabulation, the data are tabulated by the city, county, or State in which the birth or death occurred, irrespective of the usual place of residence of the mother of the child or the usual place of residence of the decedent.

The significance of this method of tabulation can be seen by considering the effect of population movement on death rates. For example, the hospital facilities in a city may attract patients from surrounding areas and, as a result, many of the deaths occurring in this city will not be deaths of residents of this city. The enumerated population of the city does not, under such conditions, represent the number of persons exposed to the risk of death; and the death rate does not accurately describe the mortality conditions of this particular city. A more correct figure is obtained by reallocating all deaths to the place of residence. Since there are many causes contributing to the movement of patients to some area other than their usual place of residence, it cannot be assumed that the direction of the movement is always from the rural to the urban areas. Similar nonresident factors affect the interpretation of birth statistics based upon place of occurrence. In order to determine the direction or the magnitude of the differences between rates based on births according to place of occurrence and those compiled according to place of residence, it is necessary to examine tabulations on both bases.

Since the data given in this volume are tabulated according to place of occurrence, figures for individual cities and counties or for population groups do not always give an accurate indication of relative health and fertility conditions. However, for larger areas such as a State, the tabulations compiled on either basis are essentially the same. Detailed tabulations by place of residence are given in "Vital Statistics of the United States, Part II."

Completeness of registration.—Although every State has adopted a vital statistics law requiring the registration of all births and deaths, these laws are not uniformly enforced. In most States where the registration organization is well established and where the persons responsible for filing certificates appreciate the value of registration to the individual as well as its value for statistical purposes, practically all births and deaths are registered. In other States, however, the underregistration is enough to affect the use of the tabulated data for certain purposes.

Detailed information on the completeness of registration in each State is not available. One condition required for admission to the national registration areas was that there exist a demonstrated completeness of registration of at least 90 percent. Using this as a criterion, all of the States were admitted to the registration areas by 1933, and although registration has become more complete in most States, it is likely that there has been regression in some States. Estimates of the completeness of registration in States, based on the comparison of vital statistics reports and enumerated census data, have been published elsewhere.[4] There is considerable evidence to show that birth registration is more incomplete than death registration. Especially incomplete is the registration of Negro births in isolated rural areas.

The most comprehensive Nation-wide test of completeness of birth registration ever made by the Bureau of the Census was made in 1940. The records of all births registered during a 4-month period—December 1939 and January, February, and March, 1940—were matched with those of infants under 4 months enumerated in the census as of April 1, 1940. Altogether, nearly one and a half million records were received for the test.

As a result of the matching process and subsequent field checks of the unmatched records, it was found that the registration of births in the United States was, according to preliminary figures, 93 percent complete. As may be seen from table D, which presents provisional data by States, there was some variation in the completeness of registration figures. The completeness of birth registration ranged from 76 percent in Arkansas to 99 percent in Connecticut, Massachusetts, Minnesota, New Hampshire, New Jersey, New York, and Rhode Island. These figures are subject to slight changes when the final counts are made.

[4] Whelpton, P. K. "The Completeness of Birth Registration in the United States." Journal of American Statistical Association, vol. 29, No. 186, pp. 125-136, 1934. Willcox, Walter F. "Introduction to the Vital Statistics of the United States, 1900-1930," pp. 80, 81, 1933.

TABLE D.—PERCENT COMPLETENESS OF BIRTH REGISTRATION, BY STATES: 1940

AREA	Percent completeness	AREA	Percent completeness
United States	93	Montana	98
		Nebraska	97
Alabama	85	Nevada	96
Arizona	84	New Hampshire	99
Arkansas	76	New Jersey	99
California	98		
Colorado	90	New Mexico	86
		New York	99
Connecticut	99	North Carolina	86
Delaware	97	North Dakota	95
District of Columbia	98	Ohio	95
Florida	90		
Georgia	81	Oklahoma	85
		Oregon	97
Idaho	95	Pennsylvania	97
Illinois	97	Rhode Island	99
Indiana	97	South Carolina	78
Iowa	95		
Kansas	96	South Dakota	95
		Tennessee	80
Kentucky	89	Texas	87
Louisiana	86	Utah	97
Maine	96	Vermont	97
Maryland	97		
Massachusetts	99	Virginia	92
		Washington	98
Michigan	98	West Virginia	86
Minnesota	99	Wisconsin	97
Mississippi	90	Wyoming	96
Missouri	90		

INTERPRETATION OF CAUSE-OF-DEATH TABLES

Cause-of-death data given in this volume are classified according to the fifth revision of the International List of Causes of Death. The use of this list in the tabulation of data by all States, and by various countries, results in similar cause-of-death titles for the various publications. Unfortunately, this use of a standard classification list, although essential for regional comparisons, does not assure strict comparability of the tabulated figures. A high degree of comparability could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificates is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made of the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. All of these investigations are extremely limited in scope since they are based upon comparisons of autopsy and clinical records in certain hospitals and pertain only to those cases that came up for post-mortem examinations. Despite the paucity of data regarding the accuracy of certification of death, the cause-of-death information given on the death certificate is, for the most part, probably fairly reliable.

One index of the quality of cause-of-death statistics is the proportion of death certificates coded International List numbers 199 and 200, which are the rubrics for ill-defined and unknown causes of death. This percentage indicates the care and consideration given to the certification of cause of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnoses made by the physicians in the various areas.

At the present time, the type of statement given for the cause of death varies considerably between States. As may be seen from table E, 27 States, in 1940, had less than 1 percent of all deaths classified in this ill-defined group, while in 6 States over 5 percent, and in 2 States over 10 percent were so classified. For deaths under 1 year of age, the corresponding figures are 19, 11, and 6 States, respectively. Obviously, if a high proportion of deaths were included in this poorly defined cause-of-death title, it means that there was an unknown deficiency in the number of deaths classified in the more precisely defined groups.

TABLE E.—FREQUENCY DISTRIBUTION OF STATES, SHOWING THE PERCENT OF TOTAL DEATHS AND OF INFANT DEATHS CODED INTERNATIONAL LIST NUMBERS 199 AND 200: 1940

PERCENT CODED 199 AND 200	NUMBER OF STATES	
	Total deaths	Deaths under 1 year
0.0 - 0.9	27	19
1.0 - 1.9	7	8
2.0 - 2.9	6	6
3.0 - 3.9	3	4
4.0 - 4.9	-	1
5.0 - 5.9	1	1
6.0 - 6.9	1	1
7.0 - 7.9	1	-
8.0 - 8.9	-	2
9.0 - 9.9	1	1
10.0+	2	6

NEW STANDARD CERTIFICATE

MEDICAL CERTIFICATION

20. Date of death: Month Nov. day 4
year 1940 hour 7 minute 15 p.m.

21. I hereby certify that I attended the deceased from Oct. 21, 1940, to Nov. 4, 1940; that I last saw h. im alive on Nov. 4, 1940; and that death occurred on the date and hour stated above.

	Duration
Immediate cause of death Hypostatic pneumonia	9 days
Due to Fracture of femur from automobile accident	14 days
Due to	
Other conditions (Include pregnancy within 3 months of death) Chronic arthritis	
Major findings: Of operations Reduction of fracture under anesthesia	
Of autopsy	

PHYSICIAN

Underline the cause to which death should be charged statistically.

OLD STANDARD CERTIFICATE

MEDICAL CERTIFICATE OF DEATH

21. DATE OF DEATH (month, day, and year) Nov. 4, 1940

22. I HEREBY CERTIFY, That I attended deceased from Oct. 21, 1940, to Nov. 4, 1940
I last saw h. im alive on Nov. 4, 1940; death is said to have occurred on the date stated above, at 7:15 p.m.

The principal cause of death and related causes of importance were as follows:

	Date of onset
Fracture of femur from automobile accident	10/21/40
Hypostatic pneumonia	10/26/40

Other contributory causes of importance:
Chronic arthritis

Name of operation Reduction of fracture under anesthesia Date of Nov. 4, 1940
What test confirmed diagnosis? Was there an autopsy? No

The form and content of the medical questions on the death certificate affect the type of certification and consequently the meaning of cause-of-death statistics. The medical certification part of the new standard death certificate recommended

in 1939 by the Bureau of the Census for adoption by the States differs from the corresponding part of the old standard certificate.

The new certificate asks for the immediate cause of death, which is defined as "The last of a series of disease entities which contribute to a death." The underlying cause of death is defined as "The disease entity which initiates the series of disease entities resulting in death." On the new standard death certificate, the underlying cause or causes of death are stated in the spaces following the words "Due to," in reverse order of occurrence from the immediate cause of death. As an example, the medical certification of an automobile accident death has been made according to the new and the old forms of standard death certificate. On the new standard certificate, the immediate cause of death is stated to be "Hypostatic pneumonia," which occurred as a result of a fractured femur from an automobile accident. The degree to which these principles are uniformly followed by physicians affects greatly the meaning and comparability of cause-of-death statistics.

The interpretation of data on cause of death is further qualified by the fact that, although in many instances the death is the result of a combination or sequence of causes, it is usually practicable to tabulate the death under one rubric only. This necessitates a choice of the primary cause from those given on the transcript of the death certificate. This selection of a primary cause is made according to rules given in the Manual of Joint Causes of Death. It is evident, however, that the effect of any such rules on the classification of deaths for specific causes will vary according to the completeness with which all the factors contributory to the death are reported. If a death is the result of several causes but only a single cause of death is given on the transcript, the Manual of Joint Causes of Death cannot, of course, be used. For this reason the omission of pertinent complicating factors or conditions contributing to the death may result in an incorrect statistical assignment of cause. Table F gives the frequency distribution of States (including the District of Columbia) showing the percent of transcripts of death certificates for 1940 on which only a single cause of death was stated.

TABLE F.—FREQUENCY DISTRIBUTION OF STATES SHOWING PERCENT OF ALL TRANSCRIPTS OF CERTIFICATES HAVING A SINGLE CAUSE OF DEATH: 1940

PERCENT HAVING SINGLE CAUSE	Number of States
30.0 - 34.9	3
35.0 - 39.9	9
40.0 - 44.9	14
45.0 - 49.9	6
50.0 - 54.9	6
55.0 - 59.9	6
60.0 - 64.9	5

In 17 States more than 50 percent of all transcripts had only a single cause of death. In contrast, as can be noted from table F, there were no States with less than 30 percent of the transcripts reporting only a single cause. This wide variation in the amount of information given on the statistical transcripts must have an appreciable effect on the exact meaning of death rates for certain specific causes.

The new standard certificate used in 1940 contains two modifications that should aid in solving the problems involved in interpreting and tabulating multiple causes of death. First, the immediate cause of death has been more clearly distinguished from the underlying cause or causes. Second, the attending physician is asked to "Underline the cause to which death should be charged statistically." Comparison of statistics tabulated according to these two principles with statistics tabulated according to the arbitrary rules of the Manual of Joint Causes of Death will add much to the interpretation of mortality statistics.

Apart from the question of comparability between areas, there is the additional problem of comparability for a given area between years. To a certain extent, time-trend studies of causes of death would be facilitated if the International List were maintained without change over a long period of years. However, if the list were rigidly fixed it would soon be inconsistent with current medical terminology. To obtain the advantages of frequent revision, and yet to retain a fixed list for a number of years, revisions of the list are made at an international conference every 10 years. In the process of revision, some causes of death included under one title may be transferred to other titles. Since it is difficult to evaluate the numerical importance of all such rearrangements, definite discontinuities are introduced into the time trends of death rates for certain specific causes of death.

Improvement in diagnostic procedures and development of medical knowledge and facilities are other important factors not to be overlooked in the study of changes in death rates for certain causes. For example, additional diagnostic cancer clinics located throughout the country may correctly diagnose many cancer deaths that might otherwise be classified in another disease classification or in the unknown or ill-defined cause group. Another example might be found in the case of syphilitic deaths. Deaths from syphilis are not always correctly reported, but the recent campaign to promote the prevention and treatment of this disease may influence the accuracy of the reporting of syphilis on the death certificate.

NATALITY STATISTICS

Detailed tabulations of the live births registered in the United States in 1940 are given in general natality tables, numbers 1 to 4, inclusive. In these tables the reported births are classified by place of birth, month of birth, race of child, nativity of parents, and other subjects. Additional information on birth statistics is included in the section containing summary and rate tables. The following paragraphs point out some of the more important facts for 1940 and give comparable figures for past years.

Birth-rate trend.—In 1940 there were 2,360,399 live births registered in the United States. The crude birth rate was 17.9 per 1,000 enumerated population, and was the highest reported for the United States since the completion of the birth-registration area in 1933.

The number of births reported for the birth-registration area and the crude birth rate for each year since 1915 are shown in table G. This table also gives the estimated midyear population of the continental United States and the estimated midyear population and percent of the total included in the expanding birth-registration area.

The general trend of the birth rate during the past years for the expanding birth-registration area may be seen from an examination of table G. The trend line is characterized by a relatively rapid decline in the rate from 1915 to 1933, when the birth rate dropped from 25.0 to 16.6 per 1,000 population. In 1933 there was a halt in the downward trend, after which the rate rose slowly from 16.6 in 1933 to 17.9 in 1940.

The trend of the rate for the 10 States and the District of Columbia, which composed the original birth-registration area in 1915, is similar to that for the expanding birth-registration area except that the rate remained almost constant during the period 1933 to 1937, with a significant rise in 1938. During the period of decline in the natality rate (1915 to 1933), the decrease in birth rate for the original birth-registration area was more rapid than that for the expanding area. Also, during the period of rising birth rates since 1933, the rate of increase in the original registration area was less rapid than that for the expanding registration area. These differences are due to the population composition of the two registration areas, the original registration area having an older population than that of the expanding registration area. The differences in the degree of urbanization, in racial composition, and in the economic status of the two registration areas are some of the other factors associated with these differences in the general natality trend.

The trend of the birth rate, as shown in table G, is affected somewhat by the fact that additional States were included in the registration area from year to year, and the more recently added States have, in general, higher birth rates than the original States. The additions to the area in various years are shown in table H.

[5] For a more detailed statement, see U. S. Bureau of the Census, "Physicians' Handbook on Birth and Death Registration," pp. 11-17, 1939.

TABLE G.—CRUDE BIRTH RATES: BIRTH-REGISTRATION AREA, UNITED STATES

(The rate for 1940 is based on the population enumerated in the Federal census of April 1. Rates for 1915-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	BIRTH-REGISTRATION AREA			
		Estimated midyear population		Live births	
		Number	Percent of total	Number	Rate per 1,000 population
1940	[1] 131,669,275	[1] 131,669,275	100.0	2,360,399	17.9
1939	130,879,718	130,879,718	100.0	2,265,588	17.3
1938	129,824,939	129,824,939	100.0	2,286,962	17.6
1937	128,824,829	128,824,829	100.0	2,203,337	17.1
1936	128,053,180	128,053,180	100.0	2,144,790	16.7
1935	127,250,232	127,250,232	100.0	2,155,105	16.9
1934	126,373,773	126,373,773	100.0	2,167,636	17.2
1933	125,578,763	125,578,763	100.0	2,081,232	16.6
1932	124,840,471	118,905,899	95.2	2,074,042	17.4
1931	124,039,648	117,455,229	94.7	2,112,760	18.0
1930	123,076,741	116,544,946	94.7	2,203,958	18.9
1929	121,769,939	115,317,450	94.7	2,169,920	18.8
1928	120,501,115	113,636,160	94.3	2,233,149	19.7
1927	119,038,062	104,320,850	87.6	2,137,836	20.5
1926	117,399,225	90,400,590	77.0	1,856,068	20.5
1925	115,831,965	88,294,564	76.2	1,878,880	21.3
1924	114,113,463	87,000,295	76.2	1,930,614	22.2
1923	111,949,945	81,072,123	72.4	1,792,646	22.1
1922	110,054,778	79,560,746	72.3	1,774,911	22.3
1921	108,541,489	70,807,090	65.2	1,714,261	24.2
1920	106,466,420	63,597,307	59.7	1,508,874	23.7
1919	104,512,110	61,212,076	58.6	1,373,438	22.4
1918	103,202,801	55,153,782	53.4	1,363,649	24.7
1917	103,265,913	55,197,952	53.5	1,353,792	24.5
1916	101,965,984	32,944,013	32.3	818,983	24.9
1915	100,549,013	31,098,697	30.9	776,304	25.0

[1] Population enumerated in the Federal census of April 1.

TABLE H.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE BIRTH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1915	Connecticut	1917	Virginia	1925	West Virginia
	Maine		Washington		
	Massachusetts		Wisconsin	1926	Arizona
	Michigan				Idaho
	Minnesota	1919	California	1927	Alabama
	New Hampshire		Oregon		Arkansas
	New York		South Carolina [3]		Louisiana
	Pennsylvania	1920	Nebraska		Missouri
	Rhode Island [1]	1921	Delaware		Tennessee
	Vermont		Mississippi	1928	Colorado
	Dist. of Columbia [2]		New Jersey		Georgia
1916	Maryland	1922	Illinois		Oklahoma
1917	Indiana		Montana	1929	Nevada
	Kansas		Wyoming		New Mexico
	Kentucky	1924	Florida	1932	South Dakota
	North Carolina		Iowa	1933	Texas
	Ohio		North Dakota		
	Utah				

[1] Dropped from the birth-registration area in 1919; readmitted in 1921.
[2] Included in States.
[3] Dropped from the birth-registration area in 1925; readmitted in 1928.

The effect of these newly added States on the birth rate for the area can be seen by comparing the trend of the rate for the original birth-registration area with the trend of the rate for the expanding area. The data for the original birth-registration area are presented in table J.

In spite of the declining birth rate as indicated in table G, there was still an excess of more than 943,000 births over deaths in the United States in 1940. Even in the original birth-registration area, where the death rate was higher and the birth rate was lower than that for the whole United States, there were 651,693 births compared with 439,490 deaths. Data on deaths in the original birth-registration area are included in table J in order to facilitate the comparison of rate trends.

Crude birth rates by State.—In table K are presented the crude birth and death rates for each State and geographic division for 1940. The reported crude birth rates ranged from 14.1 per 1,000 enumerated population for New Jersey to 27.7 for New Mexico. It is of interest to note that the difference between the highest and the lowest birth rates for individual States in 1940 was greater than the difference between the rates for the entire birth-registration area in 1915 and in 1940, despite the magnitude of the decline during this period.

TABLE J.—CRUDE BIRTH AND DEATH RATES: ORIGINAL BIRTH-REGISTRATION AREA,[1] UNITED STATES

(Exclusive of stillbirths. Rates for 1940 are based on the population enumerated in the Federal census of April 1. Rates for 1915-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

YEAR	Population	Live births	Total deaths	RATE PER 1,000 POPULATION	
				Live birth	Death
1940	[2] 39,814,763	651,693	439,490	16.4	11.0
1939	39,676,367	623,732	434,876	15.7	11.0
1938	39,543,578	629,900	427,902	15.9	10.8
1937	39,214,011	612,423	450,939	15.6	11.5
1936	39,044,554	602,951	451,391	15.4	11.6
1935	38,814,680	605,062	433,026	15.6	11.2
1934	38,545,182	602,101	434,205	15.6	11.3
1933	38,305,919	594,117	426,747	15.5	11.1
1932	38,112,159	631,467	428,350	16.6	11.2
1931	37,910,026	657,074	430,069	17.3	11.3
1930	37,701,234	694,435	432,479	18.4	11.5
1929	37,190,518	693,545	453,976	18.6	12.2
1928	36,553,749	719,569	450,564	19.7	12.3
1927	35,972,565	741,102	422,679	20.6	11.8
1926	35,665,908	735,708	453,386	20.6	12.7
1925	35,265,051	757,082	432,008	21.5	12.3
1924	34,709,957	778,525	420,300	22.4	12.1
1923	34,003,052	760,130	437,157	22.4	12.9
1922	33,438,089	755,808	414,938	22.6	12.4
1921	33,012,844	794,229	399,176	24.1	12.1
1920	32,450,814	773,648	445,780	23.9	13.7
1919	31,979,055	730,752	428,782	22.9	13.4
1918	31,244,889	783,997	607,605	25.1	19.4
1917	31,397,440	786,890	461,847	25.1	14.7
1916	30,930,435	770,718	454,669	24.9	14.7
1915	30,500,131	762,399	427,671	25.0	14.0

[1] Exclusive of Rhode Island.
[2] Population enumerated in the Federal census of April 1.

TABLE K.—CRUDE BIRTH AND DEATH RATES: UNITED STATES, EACH DIVISION AND STATE, 1940

(Exclusive of stillbirths. Rates are based on the populations enumerated in the Federal census of April 1)

DIVISION AND STATE	RATE PER 1,000 ENUMERATED POPULATION		DIVISION AND STATE	RATE PER 1,000 ENUMERATED POPULATION	
	Live birth	Death		Live birth	Death
United States	17.9	10.8	SOUTH ATLANTIC:		
			Delaware	17.2	12.2
GEOGRAPHIC DIVISIONS:			Maryland	16.6	12.1
New England	15.7	11.7	District of Columbia	23.1	13.0
Middle Atlantic	15.3	11.1	Virginia	20.6	11.0
East North Central	17.1	10.9	West Virginia	22.1	9.3
West North Central	17.5	10.3	North Carolina	22.6	9.0
South Atlantic	20.8	10.6	South Carolina	23.4	10.6
East South Central	21.8	10.4	Georgia	20.8	10.4
West South Central	19.9	9.6	Florida	17.8	12.1
Mountain	22.1	10.3			
Pacific	16.2	11.6	EAST SOUTH CENTRAL:		
			Kentucky	22.3	10.4
NEW ENGLAND:			Tennessee	19.1	10.3
Maine	17.8	12.5	Alabama	22.2	10.4
New Hampshire	17.3	12.7	Mississippi	24.1	10.6
Vermont	18.6	12.8			
Massachusetts	15.3	11.9	WEST SOUTH CENTRAL:		
Rhode Island	15.1	11.2	Arkansas	19.7	8.7
Connecticut	14.7	10.5	Louisiana	21.5	10.8
			Oklahoma	19.1	8.8
MIDDLE ATLANTIC:			Texas	19.7	9.7
New York	14.6	11.1			
New Jersey	14.1	10.8	MOUNTAIN:		
Pennsylvania	16.7	11.3	Montana	20.5	10.2
			Idaho	22.3	9.3
EAST NORTH CENTRAL:			Wyoming	20.1	8.5
Ohio	16.6	11.4	Colorado	18.8	11.1
Indiana	18.1	11.8	New Mexico	27.7	10.5
Illinois	15.6	11.2	Arizona	23.5	11.6
Michigan	18.9	9.9	Utah	24.6	8.9
Wisconsin	17.5	10.1	Nevada	18.7	12.7
WEST NORTH CENTRAL:			PACIFIC:		
Minnesota	19.0	9.6	Washington	16.2	11.5
Iowa	17.9	10.4	Oregon	16.4	11.3
Missouri	16.4	11.6	California	16.2	11.6
North Dakota	20.8	8.2			
South Dakota	18.1	8.5			
Nebraska	16.8	9.6			
Kansas	15.9	10.3			

The geographic variation in the birth rates, as seen in table K, indicates that the highest rates were reported for the Mountain, East South Central, and South Atlantic States. The lowest rates were reported for the Middle Atlantic, New England, and Pacific States. If differences in completeness of birth-registration are taken into account, it is probable that these variations would be even greater, since available evidence indicates that, in general, registration is more complete in States having low birth rates and less complete in States with relatively high rates. Variations in the age, racial, and marital compositions of the population, as well as in other conditions affecting fertility, contribute to these differences in the crude birth rates.

Birth rates by month.—The month-to-month variations in the crude birth rates are shown in table L for the years 1936 to 1940, inclusive. The usual seasonal distribution of birth rates in the United States is characterized by a minor peak in February or March, and by a major peak in August or September. During the years 1936 to 1939, the seasonal cycle in the birth rate generally started from a low point in January, rose to the minor February or March peak, and then decreased to a low point in May. The birth rate increased again to a major peak in August or September after which it usually declined rapidly to the lowest point of the year in December. In 1940 this general seasonal pattern was apparent in the birth rate except for the fact that the rate of decline after the major August peak was less than those for previous years. Also of interest was the general leveling off of the birth rate in November and December. In 1940 the highest rate, 19.2 per 1,000 enumerated population, occurred in August, and the lowest, 17.2, in November and December.

TABLE L.—ANNUAL BIRTH RATES PER 1,000 POPULATION, BY MONTH: UNITED STATES

(Exclusive of stillbirths. Rates for 1940 are based on the population enumerated in the Federal census of April 1. Rates for 1936-1939 are based on intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

MONTH	1940	1939	1938	1937	1936
Total	17.9	17.3	17.6	17.1	16.7
January	17.4	17.3	17.6	16.7	16.8
February	18.0	17.6	18.1	17.3	17.4
March	17.8	17.6	17.8	17.3	17.4
April	17.3	17.0	17.3	16.6	16.2
May	17.4	16.4	17.1	16.5	15.7
June	17.8	16.9	17.2	16.8	16.8
July	18.8	18.0	18.4	17.9	17.6
August	19.2	18.3	18.7	18.4	17.6
September	19.1	18.4	18.4	18.2	17.5
October	17.8	17.4	17.4	16.8	16.5
November	17.2	16.5	16.9	16.3	15.9
December	17.2	16.2	16.6	16.5	15.6

The birth rates by age of mother for the years 1936 to 1940, inclusive, are presented in table M, and similar rates by age of father are given in table N. Table O shows, for 1940, the proportionate distributions by age of father for each age-of-mother group. The rates by age of mother indicate increases for mothers in the age groups between 15 and 34 years, while the age-specific rates for fathers show increases for age groups between 15 and 39 years. In the other age groups, the rates have remained unchanged or have tended to show declines.

The highest birth rate by mothers was 125.3 per 1,000 female population in the age group, 20 to 24 years. By fathers, the highest rate was 124.4 per 1,000 male population in the 25 to 29 age group. In the examination of the specific birth rates by age of father, it should be mentioned that there was a relatively large number of fathers whose ages were not known. These unknown ages, probably related to illegitimate births, have not been distributed in the computation of the specific rates.

TABLE M.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 ENUMERATED FEMALE POPULATION) BY AGE OF MOTHER: UNITED STATES

(Exclusive of stillbirths. Rates for 1940 are based on populations enumerated in the Federal census of April 1. Rates for 1936-1939 are based on revised intercensal population estimates as of July 1)

AGE OF MOTHER	1940	1939	1938	1937	1936
All ages [1]	52.0	50.3	51.2	49.7	48.8
10 to 14 years	0.6	0.6	0.6	0.5	0.5
15 to 19 years	48.9	48.1	48.7	46.7	44.3
20 to 24 years	125.3	119.8	123.2	119.0	115.2
25 to 29 years	114.4	110.0	111.3	107.8	105.9
30 to 34 years	77.4	74.5	74.9	72.8	71.9
35 to 39 years	41.9	41.7	42.4	42.3	43.4
40 to 44 years	13.9	13.9	15.1	15.4	16.4
45 to 49 years	1.3	1.5	1.6	1.7	1.8
50 to 54 years	0.1	0.1	0.1	0.1	0.1

[1] Rate based on female population between 10 and 54 years of age.

TABLE N.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 ENUMERATED MALE POPULATION) BY AGE OF FATHER: UNITED STATES

(Exclusive of stillbirths. Rates for 1940 are based on populations enumerated in the Federal census of April 1. Rates for 1936-1939 are based on revised intercensal population estimates as of July 1)

AGE OF FATHER	1940	1939	1938	1937	1936
All ages [1]	42.7	41.2	42.0	40.9	40.2
10 to 14 years	0.0	0.0	0.0	0.0	0.0
15 to 19 years	6.2	6.0	5.9	5.4	5.1
20 to 24 years	79.5	76.8	79.1	76.2	73.0
25 to 29 years	124.4	119.2	121.2	117.1	114.3
30 to 34 years	102.8	98.5	99.2	94.9	92.4
35 to 39 years	67.4	64.8	64.9	63.6	64.0
40 to 44 years	36.8	35.7	37.4	38.3	39.3
45 to 49 years	17.5	17.7	18.6	19.1	19.5
50 to 54 years	7.2	7.4	7.8	7.7	8.0
55 years and over	1.6	1.6	1.8	1.8	1.9

[1] Rate based on male population 10 years of age and over.

TABLE O.—DISTRIBUTION OF LIVE BIRTHS, PER 1,000, BY AGE OF FATHER FOR EACH AGE-OF-MOTHER GROUP: UNITED STATES, 1940

AGE OF FATHER	AGE OF MOTHER									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	3.1	0	0	0	0	0	0	0	0	0
15 to 19 years	205.7	104.0	7.7	0.5	0.2	0.1	0.1	0.4	0	20.8
20 to 24 years	201.1	546.8	346.6	45.0	6.3	2.0	0.9	1.9	5.7	142.6
25 to 29 years	48.8	186.6	435.7	410.5	76.8	15.0	4.8	6.3	62.5	194.8
30 to 34 years	19.0	40.6	128.4	360.4	405.6	86.5	17.6	10.4	68.2	147.8
35 to 39 years	12.0	12.9	34.9	118.0	327.7	381.1	92.6	27.0	119.3	99.6
40 to 44 years	2.1	4.1	11.1	34.0	113.6	309.0	376.0	98.0	102.3	54.9
45 to 49 years	4.0	1.8	4.0	12.4	37.0	128.1	313.9	435.6	108.0	26.7
50 to 54 years	2.8	0.8	1.7	4.5	13.8	40.6	120.5	264.0	301.1	11.9
55 years and over	3.1	0.8	1.3	3.3	8.3	24.6	59.8	141.3	181.8	7.0
Not stated	498.3	101.5	28.7	13.4	10.7	13.1	13.8	15.2	51.1	294.1

Age of parents.—Detailed statistics of births by age of mother, age of father, and number of children tabulated by place of residence are given in "Vital Statistics of the United States, Part II." In the present volume, summaries of these tabulations for the total United States are given in several text tables.

Although the Bureau of the Census has collected marriage data for 1940 from 27 States and the District of Columbia, and divorce data for 1940 from 11 States, national statistics on marriage and divorce to which the birth statistics for 1940

could be related are not available. The 1940 population census data, when tabulated, will provide information concerning marital status and related facts that will make possible the computation of many valuable measures of fertility.

Age, race, and nativity of mother.—The difference in the birth rates by race is considerable. The rates in 1940 ranged from 31.7 per 1,000 female population for foreign-born white mothers to 82.9 for the mothers of "Other races." Table P, which shows age-specific birth rates by race and for the white race by nativity of mother, indicates that the rate for "Other races" was uniformly high in all age groups as compared with that for the whites and for the Negroes except for two age groups, 10 to 14 and 15 to 19 years. The age-specific birth rates for Negro women were generally higher in the younger age groups. There was some difference between the rates for native-born and foreign-born mothers of the white race. The birth rate for the native-born white mothers was higher than that for the foreign-born in all age groups except 25 to 29 and 30 to 34 years.

TABLE P.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 ENUMERATED FEMALE POPULATION) BY AGE OF MOTHER AND BY RACE: UNITED STATES, 1940

AGE OF MOTHER	Total	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
All ages[2]	52.0	51.0	52.7	31.7	59.6	82.9
10 to 14 years	0.6	0.2	0.2	0.2	3.1	0.8
15 to 19 years	48.9	42.1	42.2	32.6	102.7	60.5
20 to 24 years	125.3	123.8	123.6	121.8	135.4	179.0
25 to 29 years	114.4	116.9	116.6	121.7	91.9	190.3
30 to 34 years	77.4	78.6	78.0	84.4	65.2	142.4
35 to 39 years	41.9	41.9	41.9	41.4	40.6	94.8
40 to 44 years	13.9	13.7	13.9	12.4	15.4	40.2
45 to 49 years	1.3	1.2	1.3	1.1	2.1	5.8
50 to 54 years	0.1	0.0	0.0	0.0	0.2	0.6

[1] Includes "Country not stated."
[2] Rate based on female population between 10 and 54 years of age.

Plural births.—The great majority of births registered each year are single births. Of the total of 2,336,604 cases of live births in 1940, 2,311,378 were single births. In addition to these there were 24,976 cases of twins, 247 cases of triplets, and 3 cases of quadruplets, in each of which there was at least one live birth.

TABLE Q.—CASES OF LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Total cases	Cases of single births	CASES[1] OF PLURAL BIRTHS				Cases[1] of plural births per 1,000 total cases
			Total	Twins	Triplets	Quadruplets	
1940	2,336,604	2,311,378	25,226	24,976	247	3	10.8
1939	2,242,041	2,216,857	25,184	24,908	274	2	11.2
1938	2,262,770	2,236,863	25,907	25,644	262	1	11.4
1937	2,179,823	2,154,719	25,104	24,881	219	4	11.5
1936	2,121,519	2,096,667	24,852	24,569	277	6	11.7
1935	2,132,302	2,107,903	24,399	24,167	232	-	11.4
1934	2,144,111	2,118,997	25,114	24,866	242	6	11.7
1933	2,058,686	2,034,466	24,220	23,995	220	5	11.8
1932	2,051,396	2,027,134	24,262	24,020	236	6	11.8
1931	2,090,086	2,065,803	24,283	24,049	232	2	11.6
1930	2,180,312	2,155,094	25,218	24,963	249	6	11.8
1929	2,146,016	2,120,415	25,601	25,358	240	3	11.9
1928	2,208,784	2,182,879	25,905	25,619	285	1	11.7
1927	2,114,405	2,089,508	24,897	24,658	233	6	11.8
1926	1,836,188	1,815,108	21,080	20,885	192	3	11.5
1925	1,859,174	1,838,296	20,878	20,645	230	3	11.2
1924	1,909,869	1,887,776	22,093	21,864	226	3	11.6
1923	1,773,106	1,752,331	20,775	20,594	179	2	11.7
1922	1,755,561	1,735,074	20,487	20,284	199	4	11.7
1921	1,695,127	1,674,875	20,252	20,021	230	1	11.9
1920	1,492,552	1,475,113	17,419	17,229	184	6	11.7
1919	1,357,737	1,341,234	16,503	16,316	186	1	12.2
1918	1,349,015	1,333,526	15,489	15,342	147	-	11.5
1917	1,339,975	1,325,426	14,549	14,394	155	-	10.9
1916	811,119	802,892	8,227	8,139	86	2	10.1
1915	768,887	761,150	7,737	7,673	64	-	10.1

[1] Includes only those cases in which at least one was a live birth.

The proportion of plural-birth cases to the total number of cases of birth remains fairly constant from year to year. In 1940 there were 10.8 cases of plural births per 1,000 total cases, the lowest ratio since 1917. The highest proportion of plural births was recorded in 1919 when the ratio was 12.2 cases per 1,000. Since 1920 the ratio has varied between 10.8 and 11.9.

The total number of cases of live births; the cases of single births; and the cases of twins, triplets, and quadruplets, are given for the birth-registration area in table Q. An authentic case of quintuplets in the United States has never been reported during the time that the Bureau of the Census has been compiling annual birth data.

Average number of children.—Table R is a tabulation of the average number of children ever born to women bearing children in each specified year. These averages are given for the years 1929 to 1940, inclusive. In 1929 the average number of children ever born was 3.2. This figure has gradually declined to 2.7 in 1939 and 1940. The decrease in the average number of children is probably an indication of declining fertility. This interpretation is strengthened by the fact that there is a decrease in the average number of children for almost every age-of-mother group. The figures given cannot be directly interpreted as the average size of family in the whole population, inasmuch as only those mothers who gave birth during the current year are included. Moreover, the average for all ages is affected by changes in the marriage rate or in the average age at marriage, as well as by other factors. Thus, if a rapid increase in the marriage rate increased the proportion of first births, the average number of children would be decreased. This decrease would then be occurring at the same time that the reproductive rate of certain age groups would be increasing.

TABLE R.—AVERAGE NUMBER OF CHILDREN EVER BORN TO WOMEN WHO BORE CHILDREN, IN SPECIFIED YEARS: BIRTH-REGISTRATION AREA,[1] UNITED STATES

AGE OF MOTHER	AVERAGE NUMBER OF CHILDREN IN—											
	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929
All ages	2.7	2.7	2.8	2.8	2.9	3.0	3.1	3.1	3.1	3.1	3.1	3.2
Under 20 years	1.3	1.3	1.2	1.3	1.3	1.2	1.2	1.3	1.3	1.3	1.3	1.3
20 to 24 years	1.9	1.9	1.8	1.9	1.9	1.9	1.9	2.0	1.9	1.9	1.9	2.0
25 to 29 years	2.6	2.6	2.6	2.7	2.8	2.8	2.9	2.9	2.9	2.9	2.9	3.0
30 to 34 years	3.6	3.7	3.8	3.9	3.9	4.0	4.1	4.2	4.2	4.2	4.2	4.2
35 to 39 years	5.2	5.3	5.5	5.6	5.6	5.7	5.7	5.8	5.8	5.8	5.8	5.8
40 to 44 years	7.1	7.1	7.2	7.3	7.4	7.4	7.5	7.4	7.4	7.4	7.5	7.5
45 to 49 years	8.7	8.7	8.9	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.0	8.9
50 to 54 years	7.6	7.2	7.6	7.2	7.1	7.7	9.4	8.0	7.4	7.3	7.5	7.5
55 years and over	0	5.3	9.0	9.0	7.7	0	0	0	0	0	0	0
Not stated	3.1	3.2	3.3	3.3	3.3	3.3	2.8	2.6	2.4	2.6	2.5	2.8

[1] Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island from 1929 to 1932; Colorado, Massachusetts, and New Hampshire in 1933; Massachusetts and New Hampshire from 1934 to 1939; Massachusetts in 1940.

Illegitimate births.—The number of illegitimate live births and the rate per 1,000 total live births are given in table S. In 1940 there were 77,761 births in the United States (exclusive of California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming) reported as illegitimate, and the rate was 40.5 per 1,000 live births. This is the highest rate for illegitimacy recorded for the registration area since 1917 when these data were first made available. In that first year the rate was 20.2, and there was a steady increase in the years following. The trend of this rate is somewhat influenced by the changing character of the registration area from year to year. The rate for races other than white is very high, and the addition to the registration area of States with a high proportion of Negroes has accelerated the upward trend of the total rate. However, for the white group alone, there has been a marked increase in the proportion of recorded illegitimate births. In 1917 the rate for the white group in the registration area was 13.0, and in 1940 this rate was 19.5.

Data on illegitimate live births for 1938, 1939, and 1940 for individual States are given in table T. This table gives the number of illegitimate births and the rate for each State,

for "White" and "All other races." California, Massachusetts, and New York were not included for any year; Texas was excluded for 1938 and 1939; and Maryland, Nebraska, New Hampshire, and Wyoming were excluded for 1940. The birth certificates for these States did not require a statement concerning legitimacy. It must be recognized that the reporting of the fact of illegitimacy in other States is probably incomplete and inaccurate.

TABLE S.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,[1] UNITED STATES

YEAR	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	Total	White	All other races	Total	White	All other races
1940	77,761	32,132	45,629	40.5	19.5	169.5
1939	74,851	31,228	43,623	41.8	20.3	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,338	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,389	31,742	41,647	41.8	21.3	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	23,660	12,360	11,300	23.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,238	8,226	20.2	13.0	120.1

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940. These States did not require a statement concerning legitimacy of child.

NOTE.—Data not available for the years 1915 and 1916.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	1940	1939	1938	1940	1939	1938
UNITED STATES[1]	77,761	74,851	74,462	40.5	41.8	41.1
White	32,132	31,228	32,043	19.5	20.3	20.5
All other races	45,629	43,623	42,419	169.5	172.7	169.1
ALABAMA	5,358	5,347	5,178	85.1	87.1	83.5
White	660	652	702	17.0	17.2	18.1
All other races	4,698	4,695	4,476	195.5	199.8	192.8
ARIZONA	326	170	255	27.7	15.6	23.4
White	249	121	183	24.6	12.5	19.1
All other races	77	49	72	47.6	39.8	55.2
ARKANSAS	1,553	1,481	1,476	40.5	41.6	39.7
White	387	440	449	13.3	16.2	15.8
All other races	1,166	1,041	1,027	126.6	123.4	118.0
COLORADO	496	468	535	23.4	22.6	26.0
White	467	450	514	22.4	22.0	25.3
All other races	29	18	21	94.5	71.4	70.0
CONNECTICUT	459	479	479	18.2	20.4	20.1
White	396	412	423	16.1	18.0	18.3
All other races	63	67	56	98.7	107.9	90.5
DELAWARE	340	348	369	74.0	79.4	83.3
White	113	109	137	29.3	29.7	37.2
All other races	227	239	232	304.7	334.7	310.2
DISTRICT OF COLUMBIA	1,255	1,205	1,105	82.0	85.8	85.4
White	254	218	178	23.8	22.8	20.2
All other races	1,001	987	927	216.2	220.0	224.5
FLORIDA	2,155	,134	2,119	63.7	66.0	68.1
White	412	391	392	17.3	17.3	18.0
All other races	1,743	1,743	1,727	175.0	180.3	184.9
GEORGIA	4,997	4,950	4,893	76.9	76.4	75.7
White	598	604	609	15.2	15.5	15.7
All other races	4,399	4,346	4,284	171.2	168.1	166.5

See footnote at end of table.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	1940	1939	1938	1940	1939	1938
IDAHO	107	132	150	9.1	11.9	13.3
White	104	125	140	9.0	11.4	12.5
All other races	3	7	10	31.6	70.7	100.0
ILLINOIS	3,257	3,409	3,270	26.4	28.9	26.7
White	2,110	2,219	2,241	18.1	19.9	19.3
All other races	1,147	1,190	1,029	167.7	183.8	163.4
INDIANA	1,104	1,039	1,069	17.8	17.8	17.8
White	840	793	863	14.1	14.1	14.8
All other races	264	246	206	120.2	123.0	109.3
IOWA	733	771	794	16.1	17.6	18.4
White	699	745	767	15.5	17.1	17.9
All other races	34	26	27	142.9	95.2	94.4
KANSAS	457	515	481	15.9	17.7	16.3
White	318	398	376	11.5	14.2	13.1
All other races	139	117	105	132.5	115.0	112.2
KENTUCKY	1,798	1,630	1,642	28.3	26.9	26.5
White	1,252	1,130	1,125	20.7	19.7	19.2
All other races	546	500	517	170.9	155.6	161.9
LOUISIANA	4,218	4,072	4,066	82.8	83.4	83.2
White	520	501	529	17.4	17.5	18.4
All other races	3,698	3,571	3,537	175.6	176.1	175.2
MAINE	455	497	510	30.1	33.2	33.5
White	449	489	505	29.8	32.7	33.2
All other races	6	8	5	133.3	133.8	172.4
MARYLAND	———	1,823	2,228	———	64.4	76.8
White	———	459	546	———	20.7	24.0
All other races	———	1,364	1,682	———	221.2	267.0
MICHIGAN	2,277	2,214	2,329	23.0	23.4	24.0
White	1,779	1,746	1,902	18.7	19.3	20.4
All other races	498	468	427	120.8	121.6	119.4
MINNESOTA	1,146	1,143	1,158	21.6	22.8	23.1
White	1,050	1,069	1,085	20.0	21.6	21.6
All other races	96	74	93	138.9	112.5	142.2
MISSISSIPPI	4,717	4,423	4,397	89.7	85.5	81.9
White	275	292	263	11.9	12.5	10.9
All other races	4,442	4,131	4,134	150.9	145.2	139.7
MISSOURI	1,868	1,962	1,952	30.0	33.3	33.3
White	1,288	1,294	1,337	22.2	23.5	24.4
All other races	580	668	615	138.1	171.4	165.7
MONTANA	212	203	213	18.4	18.6	20.0
White	158	153	140	14.6	14.9	14.0
All other races	54	50	73	80.4	78.9	113.0
NEBRASKA	———	240	210	———	10.7	9.4
White	———	211	200	———	9.6	9.1
All other races	———	29	10	———	90.3	31.3
NEVADA	27	25	35	13.1	12.9	18.5
White	7	14	19	3.8	8.0	10.9
All other races	20	11	16	100.5	60.8	115.1
NEW HAMPSHIRE	———	173	183	———	21.8	23.4
White	———	172	181	———	21.7	23.1
All other races	———	1	2	———	142.9	250.0
NEW JERSEY	1,513	1,392	1,419	25.8	24.7	25.3
White	836	770	836	15.5	14.8	16.2
All other races	677	622	583	147.0	139.8	133.6
NEW MEXICO	533	561	566	36.2	39.5	39.6
White	482	489	499	33.7	35.8	36.5
All other races	51	72	67	118.3	128.8	105.5
NORTH CAROLINA	6,525	6,582	6,090	81.0	83.2	76.2
White	1,487	1,494	1,445	27.2	28.0	26.5
All other races	5,038	5,088	4,645	194.5	197.9	182.3
NORTH DAKOTA	289	291	294	21.6	22.1	22.5
White	245	246	247	18.9	19.4	19.6
All other races	44	45	47	103.0	99.8	105.9
OHIO	2,565	2,458	2,628	22.5	22.5	23.3
White	1,755	1,739	1,878	16.1	16.8	17.6
All other races	810	719	750	132.4	122.6	125.6
OKLAHOMA	1,394	1,286	1,238	31.3	29.6	28.0
White	678	698	653	16.9	17.7	16.3
All other races	716	588	585	157.2	142.4	138.8
OREGON	245	262	227	13.7	15.7	14.0
White	222	240	212	12.7	14.6	13.2
All other races	23	22	15	76.9	96.5	68.2
PENNSYLVANIA	5,598	5,754	5,619	33.8	35.7	33.9
White	3,793	4,016	4,092	24.3	26.5	26.0
All other races	1,805	1,738	1,527	191.2	186.7	173.0

See footnote at end of table.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	1940	1939	1938	1940	1939	1938
RHODE ISLAND	261	265	296	24.2	25.4	28.1
White	227	232	266	21.5	22.8	25.9
All other races	34	33	30	138.2	132.0	120.5
SOUTH CAROLINA	4,872	4,690	4,527	109.8	109.6	110.1
White	573	502	504	25.6	23.7	24.8
All other races	4,299	4,188	4,023	195.4	193.3	193.7
SOUTH DAKOTA	188	167	206	16.2	14.4	17.4
White	134	114	161	12.3	10.5	14.5
All other races	54	53	45	77.0	68.6	60.5
TENNESSEE	2,595	2,471	2,361	48.5	46.3	44.0
White	957	993	928	20.2	21.9	20.3
All other races	1,638	1,478	1,433	192.1	182.8	178.0
TEXAS	3,767	———	———	29.7	———	———
White	1,801	———	———	16.2	———	———
All other races	1,966	———	———	124.4	———	———
UTAH	95	116	128	7.0	8.9	9.7
White	89	107	121	6.6	8.3	9.2
All other races	6	9	7	40.8	72.0	61.4
VERMONT	214	186	198	32.0	29.2	31.4
White	214	184	198	32.0	28.9	31.4
All other races	-	2	-	0	666.7	0
VIRGINIA	4,169	3,900	3,997	75.5	73.7	74.7
White	1,092	1,035	1,072	27.5	27.3	27.9
All other races	3,077	2,865	2,925	197.8	190.5	194.6
WASHINGTON	480	477	532	17.1	18.0	19.9
White	412	438	466	15.0	16.9	17.9
All other races	68	39	66	91.8	61.6	98.5
WEST VIRGINIA	2,068	1,997	1,888	49.1	48.1	44.5
White	1,764	1,658	1,600	44.2	42.3	39.9
All other races	304	339	288	138.2	145.7	124.9
WISCONSIN	1,075	1,088	1,080	19.6	20.1	19.6
White	986	1,022	1,024	18.2	19.1	18.8
All other races	89	66	56	134.2	112.2	93.0
WYOMING	———	55	72	———	11.2	14.6
White	———	44	55	———	9.2	11.5
All other races	———	11	17	———	92.4	114.1

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940. These States did not require a statement concerning legitimacy of child.

Reporting of stillbirths.—Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a special stillbirth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it impossible to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year previous to 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on stillbirth definitions for the States are given in Vital Statistics—Special Reports, vol. 3, No. 2, table 13. Neither of these sources of definitions can be considered up-to-date since changes may occasionally be made in State procedures. It is expected that general adoption of the new standard stillbirth certificate will make these data more complete and uniform.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of parents, and other subjects, are given in tables 4, 5, 6, and 7 in the section containing general natality and mortality tables.

The total number of stillbirths and the ratio of stillbirths to 1,000 live births are given in table U for the birth-registration area for a series of years. The ratio of stillbirths to live births for the first year that these data are available (1918) was 40.1. For the years 1922 to 1930, inclusive, this ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. However, since 1930 it has been consistently decreasing; for 1940 it was 31.3 per 1,000 live births, which is 20.2 percent below the stillbirth ratio for 1930. This decrease in recent years must be due to factors other than changes in the registration area because the area has included the entire United States since 1933.

TABLE U.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	STILLBIRTHS	
		Number	Ratio per 1,000 live births
1940	2,360,399	73,802	31.3
1939	2,265,588	72,598	32.0
1938	2,286,962	73,467	32.1
1937	2,203,337	73,609	33.4
1936	2,144,790	73,735	34.4
1935	2,155,105	77,119	35.8
1934	2,167,636	78,503	36.2
1933	2,081,232	77,059	37.0
1932	2,074,042	78,351	37.8
1931	2,112,760	80,616	38.2
1930	2,203,958	86,466	39.2
1929	2,169,920	85,678	39.5
1928	2,233,149	89,765	40.2
1927	2,137,836	82,931	38.8
1926	1,856,068	70,716	38.1
1925	1,878,880	71,519	38.1
1924	1,930,614	75,817	39.3
1923	1,792,646	69,757	38.9
1922	1,774,911	70,010	39.4
1918	[1] 1,211,685	[1] 48,634	[1] 40.1

[1] Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

NOTE.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

TABLE W.—STILLBIRTHS BY LEGITIMACY AND RACE: UNITED STATES[1]

YEAR AND RACE	STILLBIRTHS					
	Number			Ratio per 1,000 live births		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1940						
Total	57,460	52,940	4,520	29.9	28.7	58.1
White	42,456	41,034	1,422	25.7	25.4	44.3
All other races	15,004	11,906	3,098	55.7	53.2	67.9
1939						
Total	55,708	50,906	4,802	31.1	29.7	64.2
White	40,905	39,481	1,424	26.6	26.2	45.6
All other races	14,803	11,425	3,378	58.6	54.7	77.4
1938						
Total	58,387	53,127	5,260	32.2	30.6	70.6
White	43,089	41,434	1,655	27.6	27.1	51.6
All other races	15,298	11,693	3,605	61.0	56.1	85.0
1937						
Total	62,705	57,357	5,348	33.7	32.1	71.4
White	46,164	44,481	1,683	28.8	28.3	52.2
All other races	16,541	12,876	3,665	63.5	59.1	85.8
1936						
Total	62,694	57,330	5,364	34.5	32.9	74.2
White	45,964	44,327	1,637	29.3	28.9	51.4
All other races	16,730	13,003	3,727	67.1	62.3	92.1
1935						
Total	65,936	60,182	5,754	36.1	34.3	76.6
White	48,401	46,601	1,800	30.7	30.3	53.4
All other races	17,535	13,581	3,954	69.2	64.1	95.4
1934						
Total	66,996	60,896	6,100	36.4	34.5	81.0
White	48,081	———	———	30.8	———	———
All other races	18,915	———	———	68.3	———	———
1933						
Total	64,913	59,052	5,861	37.0	35.1	79.9
White	46,755	44,901	1,854	31.3	30.7	58.4
All other races	18,158	14,151	4,007	69.3	64.2	96.2

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940. These States did not require a statement concerning legitimacy of child.

Illegitimate stillbirths.—The number of stillbirths reported as legitimate or illegitimate is shown in table W. As may be expected, the ratio of illegitimate stillbirths, 58.1 per 1,000 live births, was higher than the ratio for legitimate stillbirths, 28.7. Also, the stillbirth ratio for "All other races" was more than double that for the "White." Data in table W are for the years 1933 to 1940, inclusive, for "White" and "All other races." California, Massachusetts, and New York were not included in this table for any year; Texas was excluded for 1938 and 1939, and Maryland, Nebraska, New Hampshire, and Wyoming were excluded for 1940. The stillbirth certificates for these States did not require a statement concerning legitimacy.

MORTALITY STATISTICS

Detailed tables classifying all deaths in the United States for 1940, by place of death, age, race, sex, cause of death, and other subjects, are given in the section containing general mortality statistics, tables 8 to 16, inclusive. In addition to these tables, selected data for deaths are included in the summary and rate tables. Special tables (17, 18, 19, and 20) for deaths under 1 year of age are given in the section containing general natality and mortality tables.

Death-rate trend.—In 1940 there were 1,417,269 deaths registered in the United States. This represented a crude death rate of 10.8 per 1,000 enumerated population, a slight increase over the corresponding rate of 10.6 per 1,000 estimated population for 1939.

In 1900, the first year for which official annual mortality statistics for the United States were compiled, the crude death rate for the registration States was 17.2 per 1,000 estimated population. Except for the disproportionately high rate of 1918 caused by the influenza pandemic, the trend of the death rate since that year has been generally downward.

The crude death rate for 1940 was 37.2 percent lower than that for 1900. The rate of decline in the death rate, however, has not been uniform through the decades. The average annual rate of decrease in the crude death rate during the period 1900 to 1922 was approximately two and one-half times greater than the rate of decline during the past two decades.

Table Y, which gives the number of deaths and the death rate for each year, shows also the estimated midyear population of the continental United States and the estimated midyear populations and percent of total included in the death-registration States from 1900 to 1940, inclusive. The States that were added in various years are indicated in table Z. Even though the succession of rates in table Y does not refer to a strictly comparable geographic area, the consistent downward trend of the rate is not misleading. Essentially the same trend is evident in table J for a constant geographic area. Although there is considerable variation in the magnitude of the rate, similar trends for individual States may be seen in table IX.

Crude death rates by State.—The crude death rate for each State and geographic division is presented in table K. In 1940 the reported death rates ranged from 8.2 per 1,000 enumerated population in North Dakota to 12.8 in Vermont. The highest death rates were for the New England States, particularly for Vermont, New Hampshire, and Maine. Another relatively high mortality area was for States extending along the Pacific coast. Adjacent to the Pacific States is Nevada with a conspicuously high rate of 12.7 per 1,000 enumerated population. In general, the death rates were highest in the New England, Pacific, and Middle Atlantic States, and lowest in the West South Central, West North Central, and Mountain States. The average age of the general population, racial composition, and economic and occupational status are some of the more important factors associated with the regional variation in the crude death rates.

Death rates by age, race, and sex.—Age distributions by sex, race, and cause of death, are included in several of the general mortality tables. Summarized in table AA are death rates by age, race, and sex for 1940. This table shows marked sex differences in the death rates. The rate for males was 12.0 per 1,000 male population as compared with that for females, which was 9.5 per 1,000 female population. The sex difference in the death rates is apparent for all racial groups.

TABLE Y.—CRUDE DEATH RATES: DEATH-REGISTRATION STATES, UNITED STATES

(Exclusive of stillbirths. The rate for 1940 is based on the population enumerated in the Federal census of April 1. Rates for 1900-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES			
		Estimated midyear population		Total deaths	
		Number	Percent of total	Number	Rate per 1,000 population
1940	[1] 131,669,275	[1] 131,669,275	100.0	1,417,269	10.8
1939	130,879,718	130,879,718	100.0	1,387,897	10.6
1938	129,824,939	129,824,939	100.0	1,381,391	10.6
1937	128,824,829	128,824,829	100.0	1,450,427	11.3
1936	128,053,180	128,053,180	100.0	1,479,228	11.6
1935	127,250,232	127,250,232	100.0	1,392,752	10.9
1934	126,373,773	126,373,773	100.0	1,396,903	11.1
1933	125,578,763	125,578,763	100.0	1,342,106	10.7
1932	124,840,471	118,903,899	95.2	1,295,269	10.9
1931	124,039,648	118,148,987	95.3	1,307,275	11.1
1930	123,076,741	117,238,278	95.3	1,327,240	11.3
1929	121,769,939	115,317,450	94.7	1,369,757	11.9
1928	120,501,115	113,636,160	94.3	1,361,987	12.0
1927	119,038,062	107,084,532	90.0	1,211,627	11.3
1926	117,399,225	103,822,683	88.4	1,257,256	12.1
1925	115,831,963	102,031,555	88.1	1,191,809	11.7
1924	114,113,463	99,318,098	87.0	1,151,076	11.6
1923	111,949,945	96,788,197	86.5	1,174,065	12.1
1922	110,054,778	92,702,901	84.2	1,083,952	11.7
1921	108,541,489	87,814,447	80.9	1,009,673	11.5
1920	106,466,420	86,079,263	80.9	1,118,070	13.0
1919	104,512,110	83,157,982	79.6	1,072,263	12.9
1918	103,202,801	79,008,412	76.6	1,430,079	18.1
1917	103,265,913	70,254,775	68.0	981,239	14.0
1916	101,965,984	66,971,177	65.7	924,971	13.8
1915	100,549,013	61,894,847	61.6	815,500	13.2
1914	99,117,567	60,963,309	61.5	810,914	13.3
1913	97,226,814	58,156,740	59.8	802,909	13.8
1912	95,331,300	54,847,700	57.5	745,771	13.6
1911	93,867,814	53,929,644	57.5	749,918	13.9
1910	92,406,536	47,470,437	51.4	696,856	14.7
1909	90,491,525	44,223,513	48.9	630,057	14.2
1908	88,708,976	38,634,759	43.6	567,245	14.7
1907	87,000,271	34,552,837	39.7	550,245	15.9
1906	85,436,556	33,782,288	39.5	531,005	15.7
1905	83,819,666	21,767,980	26.0	345,863	15.9
1904	82,164,974	21,332,076	26.0	349,855	16.4
1903	80,632,152	20,943,222	26.0	327,295	15.6
1902	79,160,196	20,582,907	26.0	318,636	15.5
1901	77,585,128	20,237,453	26.1	332,203	16.4
1900	76,094,134	19,965,446	26.2	343,217	17.2

[1] Population enumerated in the Federal census of April 1.

TABLE Z.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE DEATH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1880	Massachusetts	1909	Ohio	1920	Nebraska
	New Jersey				
	Dist. of Columbia [1]	1910	Minnesota	1922	Georgia [5]
			Montana		Idaho
1890	Connecticut		North Carolina [4]		Wyoming
	Delaware [2]		Utah		
	New Hampshire			1923	Iowa
	New York	1911	Kentucky		
	Rhode Island		Missouri	1924	North Dakota
	Vermont				
		1913	Virginia	1925	Alabama
1900	Maine	1914	Kansas		West Virginia
	Michigan				
	Indiana	1916	South Carolina	1928	Arizona
1906	California	1917	Tennessee	1927	Arkansas
	Colorado				
	Maryland	1918	Illinois	1928	Oklahoma
	Pennsylvania		Louisiana		
	South Dakota [3]		Oregon	1929	Nevada
					New Mexico
1908	Washington	1919	Florida		
	Wisconsin		Mississippi	1933	Texas

[1] Included in States.
[2] Dropped from the registration area in 1900; readmitted in 1918.
[3] Dropped from the registration area in 1910; readmitted in 1930.
[4] Included only municipalities with populations of 1,000 or more in 1900 (about 16 percent of the total population); the remainder of the State was added to the area in 1916.
[5] Dropped from the registration area in 1925; readmitted in 1928.

TABLE AA.—DEATH RATES (NUMBER OF DEATHS PER 1,000 ENUMERATED POPULATION) BY AGE, SEX, AND RACE: UNITED STATES, 1940

(Exclusive of stillbirths)

AGE AND SEX	Total	White	Negro	Other races
All ages	10.8	10.4	13.9	12.4
Male	12.0	11.6	15.2	13.3
Female	9.5	9.2	12.6	11.1
Under 1 year	54.9	50.3	88.5	101.8
Male	61.9	56.7	100.6	113.1
Female	47.7	43.6	76.7	90.4
1 to 4 years	2.9	2.6	4.6	9.5
Male	3.1	2.8	5.1	9.2
Female	2.7	2.4	4.2	9.8
5 to 9 years	1.1	1.0	1.4	2.6
Male	1.2	1.2	1.5	2.8
Female	0.9	0.9	1.3	2.4
10 to 14 years	1.0	0.9	1.6	2.2
Male	1.1	1.1	1.7	2.0
Female	0.9	0.8	1.5	2.5
15 to 19 years	1.7	1.4	4.0	4.5
Male	1.9	1.7	3.7	4.2
Female	1.5	1.2	4.3	4.7
20 to 24 years	2.4	2.0	6.1	5.6
Male	2.7	2.3	6.5	4.9
Female	2.1	1.6	5.8	6.5
25 to 29 years	2.8	2.2	7.2	6.6
Male	3.1	2.5	7.8	5.5
Female	2.5	1.9	6.6	8.4
30 to 34 years	3.4	2.8	8.9	6.5
Male	3.7	3.1	9.6	6.5
Female	3.0	2.4	8.3	6.7
35 to 39 years	4.4	3.6	10.6	8.0
Male	4.9	4.1	11.5	7.8
Female	3.9	3.1	9.9	8.2
40 to 44 years	6.1	5.2	15.1	8.7
Male	7.0	6.1	15.8	9.2
Female	5.2	4.3	14.4	7.6
45 to 49 years	8.7	7.7	19.4	12.0
Male	10.1	9.2	20.9	13.0
Female	7.1	6.1	17.8	10.4
50 to 54 years	12.8	11.5	28.1	16.7
Male	15.1	13.9	30.1	18.0
Female	10.3	9.0	26.0	13.8
55 to 59 years	18.6	17.3	34.9	24.6
Male	22.1	20.9	36.6	26.8
Female	14.9	13.5	33.1	19.3
60 to 64 years	26.8	25.8	42.7	31.8
Male	31.5	30.6	44.9	34.1
Female	22.0	20.8	40.3	26.2
65 to 69 years	39.2	38.7	44.5	42.7
Male	44.9	44.6	49.1	46.4
Female	33.4	32.9	39.6	35.6
70 to 74 years	61.1	60.8	64.7	64.1
Male	68.0	67.8	70.1	72.5
Female	54.3	54.0	58.9	49.3
75 years and over	129.1	130.1	113.5	114.0
Male	137.1	137.8	126.8	121.6
Female	122.1	123.4	101.9	103.5

The death rates by race show the highest rate for Negroes and the lowest for the white race. The Negro death rate was 13.9 per 1,000 Negro population, and the rate for the white race was 10.4 deaths per 1,000 white population. The death rate for "Other races" was 12.4 per 1,000 persons in this population group.

The death rates by age indicate that the lowest mortality rates occurred in the age groups of 10 to 14 years and 5 to 9 years. The age-specific death rates increase gradually as old age approaches. However, except for the ages over 70 years, the most critical period of life is still under 1 year or the infant age.

Of interest is the fact that the death rates for females were generally lower than the death rates for males in every age group except those for "Other races" between the ages of 10 and 39 years. This fact may be related to the relatively high maternal mortality rate among persons in the "Other races" classification.

Death rates by month.—Table AB shows the crude death rates by month for the United States for the years 1936 to 1940. In general, death rates were consistently low during the months of August and September, whereas the highest rates were for the first 3 months of the year. In 1940 the maximum mortality rate occurred in January and February and the minimum rate in August. Between the January and February maximum rate of 12.6 deaths per 1,000 population and the August minimum mortality rate of 9.4, the downward and upward trends were, except for the month of July, continuous.

TABLE AB.—ANNUAL DEATH RATES PER 1,000 POPULATION, BY MONTH: UNITED STATES

(Exclusive of stillbirths. Rates for 1940 are based on the population enumerated in the Federal census of April 1. Rates for 1936-1939 are based on intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

MONTH	1940	1939	1938	1937	1936
Total	10.8	10.6	10.6	11.3	11.6
January	12.6	11.8	11.9	13.6	12.7
February	12.6	12.2	11.6	13.9	13.6
March	11.7	12.3	11.4	12.6	12.9
April	11.0	11.3	11.0	11.8	12.5
May	10.4	10.5	10.6	10.9	11.0
June	10.0	9.7	10.0	10.2	10.7
July	10.5	9.8	9.8	10.3	11.6
August	9.4	9.2	9.6	9.8	9.9
September	9.5	9.5	9.7	9.7	9.7
October	9.9	9.8	10.2	10.4	10.7
November	10.4	10.4	10.5	10.6	11.2
December	11.2	10.9	11.4	11.5	12.3

Since crude rates are summations of mortality rates for a large number of causes of death exhibiting varying seasonal characteristics in distribution, the annual swing in mortality rates is relatively small. However, an analysis of the component rates contributing to the total 1940 death rate showed a much wider range between the maximum and the minimum. The type of distribution also differed markedly according to the cause of death. For example, the death rates for respiratory diseases showed exceedingly high death rates during the winter months and very low rates in the summer. In contrast to this type of distribution, the death rates for the infectious intestinal diseases, such as typhoid and paratyphoid fever, diarrhea and enteritis, and dysentery, attained their peaks during the warm months of the year, after which the rates dwindled to relatively insignificant proportions. The death rates for diseases of older age, the so-called degenerative diseases, showed a distribution not unlike that for all causes of death. There was a slight dip in the death rate during the summer months after which the rates started to increase again. Accidental drownings and homicides occurred more frequently in the summer, but the death rate for suicide reached its peak during the spring months of the year. As may be seen from the tabulation of deaths from selected causes, by month (table 14), there were other interesting variations in the seasonality of mortality for specific causes of death, but, because of their high incidence, respiratory diseases had the greatest influence on the seasonal curve of mortality for all causes.

Death-rate trend for selected causes of death.—Tabulations of deaths by cause and other classifications are given in general mortality tables, numbers 11 and 13 to 16, inclusive. The number of deaths in the United States in 1940 and the crude death rate for each International List title and subdivision are given in table XI. Death rates for selected causes are tabulated in table XII for each State.

The trend of the death rates for certain causes may be seen in table AC, which presents death rates for selected causes in the expanding death-registration States during the period 1912 to 1940. In general, the trends are characterized by large reductions in the death rates for infectious diseases and by increases in the death rates for the so-called degenerative diseases, or diseases of older ages.

The six principal causes of death in 1912 were diseases of the heart; influenza and pneumonia; tuberculosis of the respiratory system; nephritis; intracranial lesions of vascular origin; and diarrhea, enteritis, and ulceration of intestines. Relatively high death rates were also reported for cancer and other malignant tumors; typhoid and paratyphoid fever; premature birth; and childhood diseases such as diphtheria, whooping cough, and scarlet fever.

TABLE AC.—DEATH RATES (NUMBER OF DEATHS PER 100,000 POPULATION) FOR SELECTED CAUSES OF DEATH: REGISTRATION STATES, UNITED STATES

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. Rates for 1940 are based on the population enumerated in the Federal census of April 1. Rates for 1912-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

YEAR	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Cancer and other malignant tumors 45-55	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Influenza and pneumonia (all forms) 33, 107-109
1940	1,076.4	1.1	0.5	0.5	2.2	1.1	42.2	3.7	1.1	14.4	120.3	26.6	2.8	1.6	90.9	292.5	70.3
1939	1,060.4	1.5	0.7	0.7	2.3	1.5	43.1	4.0	1.3	15.0	117.5	25.5	2.8	1.8	87.8	275.5	75.7
1938	1,064.0	1.9	0.8	0.9	3.7	2.0	44.7	4.4	1.8	15.9	114.9	23.9	2.9	2.5	85.9	269.7	80.4
1937	1,125.9	2.1	1.7	1.4	3.9	2.0	49.2	4.7	2.1	16.1	112.4	23.7	2.9	2.5	86.7	268.9	114.9
1936	1,155.2	2.5	2.4	1.9	2.1	2.4	50.8	5.1	3.1	16.2	111.4	23.7	3.0	2.9	91.0	266.6	119.6
1935	1,094.5	2.8	2.1	2.1	3.7	3.1	49.9	5.2	3.5	15.4	108.2	22.3	2.8	2.8	85.7	245.4	104.2
1934	1,105.4	3.4	1.0	2.0	5.9	3.3	51.2	5.5	3.6	15.9	106.4	22.2	2.8	2.9	85.5	240.3	96.9
1933	1,068.7	3.6	1.2	2.0	3.6	3.9	53.7	5.9	3.7	15.1	102.3	21.4	2.7	3.1	84.1	228.0	95.7
1932	1,087.7	3.7	1.4	2.2	4.5	4.4	56.1	6.4	2.1	15.4	102.3	22.0	3.1	3.0	87.5	224.1	107.3
1931	1,106.5	4.5	2.4	2.2	3.9	4.8	60.4	7.4	2.1	15.4	99.0	20.4	3.2	4.2	86.8	213.4	107.5
1930	1,132.1	4.8	3.6	1.9	4.8	4.9	63.0	8.1	2.9	15.7	97.4	19.1	3.4	5.2	89.0	214.2	102.5
1929	1,187.8	4.2	4.5	2.1	6.2	6.5	67.0	8.3	3.5	15.6	95.8	18.8	3.3	5.7	90.8	211.2	146.5
1928	1,198.6	4.9	2.6	1.9	5.4	7.2	69.3	9.0	3.6	16.4	95.7	19.0	3.6	6.0	92.0	207.7	142.5
1927	1,131.5	5.3	1.6	2.3	6.8	7.7	70.1	9.5	2.6	16.4	95.2	17.4	3.9	4.8	88.1	195.3	102.2
1926	1,211.0	6.4	1.3	2.5	8.8	7.4	74.9	10.5	1.9	17.1	94.6	17.9	4.0	3.4	91.3	198.6	141.7
1925	1,168.1	7.8	1.0	2.7	6.7	7.8	74.1	10.7	2.0	17.3	92.0	16.8	3.4	3.0	89.5	184.8	121.7
1924	1,159.0	6.6	0.9	3.1	8.1	9.3	76.5	11.4	2.4	17.8	90.4	16.4	2.7	2.2	97.2	175.7	115.2
1923	1,213.0	6.7	1.0	3.5	9.6	12.0	80.4	11.4	2.8	17.9	88.4	17.7	2.1	2.3	95.7	174.0	151.7
1922	1,169.3	7.4	0.9	3.5	5.5	14.6	83.3	12.0	3.5	18.0	86.2	18.3	2.0	2.7	92.1	165.0	132.3
1921	1,149.8	8.8	1.4	5.3	9.1	17.7	84.5	13.2	3.5	17.5	85.5	16.7	1.7	2.7	89.2	156.2	98.7
1920	1,298.9	7.6	1.6	4.6	12.5	15.3	99.8	13.4	3.4	16.5	83.4	16.1	1.8	2.5	93.0	159.6	207.3
1919	1,289.4	9.2	1.8	2.8	5.6	14.9	111.3	14.4	3.8	16.2	81.0	15.0	1.8	3.1	89.9	147.9	223.0
1918	1,810.0	12.3	3.4	3.1	17.0	14.0	132.9	16.9	3.0	18.7	80.8	16.1	1.7	4.0	94.0	171.6	588.5
1917	1,397.1	13.3	3.8	3.5	10.5	15.6	126.2	17.3	3.0	19.1	80.8	16.9	1.6	4.0	95.9	169.9	164.5
1916	1,381.1	13.2	2.1	3.1	10.5	13.9	121.0	17.4	2.8	18.6	81.0	16.9	1.6	2.7	94.7	167.2	163.3
1915	1,317.6	11.8	1.4	3.6	8.2	15.2	122.6	17.5	1.6	17.7	80.7	17.6	1.5	1.1	94.5	163.9	145.9
1914	1,330.2	14.7	1.7	6.6	10.2	17.2	123.0	18.7	1.7	16.7	78.7	16.2	1.5	1.0	93.6	158.2	132.4
1913	1,380.6	17.5	1.5	7.7	10.1	18.1	123.7	19.7	2.0	16.2	78.5	15.4	1.5	0.7	91.1	154.6	140.8
1912	1,359.7	16.1	2.0	6.0	9.2	17.6	125.9	19.5	2.3	15.1	77.0	15.1	1.5	0.4	91.9	158.7	138.4

YEAR	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130-132	Puerperal septicemia 140,142a, 147	Puerperal toxemias 141a,c, 144,148	Other puerperal causes 141b,d,e,f, 142b,143, 145,146, 149,150	Congenital malformations 157	Premature birth 159	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1940	6.8	10.3	9.9	9.0	8.6	81.5	2.8	1.7	2.3	10.0	24.6	14.4	6.2	26.2	47.4	142.9
1939	6.8	11.6	10.8	9.4	8.3	82.9	2.9	1.7	2.4	9.5	24.6	14.1	6.4	24.7	46.0	141.4
1938	6.5	14.3	11.0	9.7	8.3	77.4	2.6	1.9	3.2	9.3	25.2	15.3	6.8	25.1	47.2	144.0
1937	6.8	14.7	11.9	10.2	8.5	79.9	2.9	2.1	3.4	9.2	26.1	15.0	7.6	30.8	50.9	150.7
1936	6.7	16.4	12.9	10.5	8.3	83.5	3.6	2.2	3.7	9.4	26.3	14.3	8.0	29.7	56.2	159.0
1935	6.6	14.1	12.7	10.3	7.9	81.3	4.1	2.1	3.6	9.3	26.0	14.3	8.3	28.6	49.8	156.0
1934	6.1	18.4	14.3	10.3	7.7	84.3	4.0	2.4	3.8	10.0	27.8	14.9	9.5	28.6	51.3	163.3
1933	6.0	17.3	14.1	10.0	7.4	83.0	3.9	2.4	3.9	9.6	26.2	15.9	9.7	25.0	47.4	156.7
1932	6.0	16.1	14.1	10.1	7.2	87.4	4.1	2.6	4.3	10.3	27.5	17.4	9.0	23.6	47.7	154.8
1931	6.1	20.5	15.1	10.5	7.4	87.4	4.5	3.0	4.3	11.0	28.8	16.8	9.2	27.1	51.3	166.0
1930	6.2	26.0	15.2	10.2	7.2	91.0	4.6	3.5	4.6	11.2	31.5	15.6	8.8	26.7	53.8	175.4
1929	6.4	23.3	15.1	10.5	7.2	91.1	5.0	3.3	4.8	11.4	32.9	13.9	8.4	25.5	55.0	184.0
1928	6.4	26.4	15.1	10.4	7.5	94.9	4.9	3.6	5.1	11.8	34.5	13.5	8.6	23.2	55.6	190.2
1927	6.3	27.1	14.7	10.3	7.4	91.7	5.2	3.5	4.8	12.5	34.8	13.2	8.4	21.6	56.2	184.8
1926	6.0	32.9	14.7	10.9	7.2	97.3	5.2	3.8	5.2	13.3	36.6	12.6	8.4	19.9	58.1	196.7
1925	5.9	38.6	14.8	10.6	7.2	95.0	5.4	4.1	5.1	13.7	36.9	12.0	8.3	16.8	60.6	192.0
1924	5.5	33.7	14.4	10.3	7.3	87.8	5.6	4.2	5.3	14.0	39.2	11.9	8.1	15.3	59.4	201.1
1923	5.2	39.1	14.4	10.3	7.1	89.0	5.7	4.0	5.6	14.3	38.8	11.5	7.8	14.6	60.7	207.6
1922	5.0	38.9	13.9	10.4	7.4	87.7	5.6	4.3	5.6	14.4	39.4	11.7	8.0	12.4	56.7	200.5
1921	4.8	50.7	14.1	10.5	7.3	84.3	6.7	4.4	5.5	15.5	41.7	12.4	8.1	11.3	56.5	204.3
1920	3.6	53.7	13.2	10.5	7.1	88.8	6.5	4.8	7.7	15.2	43.6	10.2	6.8	10.3	60.7	217.8
1919	3.5	55.2	11.5	10.3	7.9	88.2	5.7	4.2	7.0	14.5	40.9	11.5	7.2	9.3	62.8	208.2
1918	3.9	72.2	11.9	11.3	9.6	97.4	6.4	4.5	11.5	16.0	47.3	12.3	6.5	9.3	73.2	258.9
1917	4.3	75.2	11.9	11.1	10.9	104.9	6.8	4.4	5.1	15.7	46.1	13.0	6.9	8.6	78.4	247.7
1916	4.4	75.5	12.1	11.0	11.8	103.1	6.5	4.2	5.2	15.9	46.4	13.7	6.3	7.1	75.5	252.5
1915	4.2	67.5	11.7	10.8	12.1	101.5	6.0	3.8	4.9	14.9	43.2	16.2	5.9	5.8	68.7	235.6
1914	4.0	75.1	11.5	11.3	12.5	99.2	6.8	3.8	4.8	15.7	42.8	16.1	6.2	4.2	73.5	250.6
1913	3.8	86.7	11.4	11.4	12.9	99.7	7.0	3.7	4.7	14.9	43.2	15.4	6.1	3.8	80.9	275.8
1912	3.8	79.6	10.9	11.7	13.1	99.7	6.2	3.5	4.8	14.6	41.6	15.6	5.4	2.8	79.0	271.2

*Refer to complete International List titles, table XI.

In the course of public health progress, the death rates for all of the above-mentioned causes of death, except diseases of the heart, nephritis, intracranial lesions of vascular origin, and cancer, have undergone substantial reductions and were, in 1940, the lowest rates ever recorded in the history of national vital statistics. On the other hand, the death rates for diseases of the heart and cancer were the highest ever reported for the registration States.

Influenza and pneumonia with a death rate of 138.4 per 100,000 population was the second leading cause of death in 1912. In 1940 this cause was fifth in the rank order with a death rate of 70.3 per 100,000 population. The death rate for this cause has decreased considerably in recent years because of the widespread use of sulfa drugs and pneumonia sera in treatment. The tuberculosis death rates also reflect a remarkable advance in the treatment and prevention of this disease. The death rate for tuberculosis of the respiratory system was 125.9 per 100,000 population in 1912. By 1940, the death rate for this cause had dropped to 42.2 per 100,000 population.

More striking has been the decline in the death rates for diseases such as typhoid and paratyphoid fever, which decreased from a rate of 16.1 per 100,000 population in 1912 to 1.1 in 1940. The death rate for diphtheria showed a drop from 17.6 per 100,000 population in 1912 to 1.1 in 1940. Diarrhea, enteritis,

and ulceration of the intestines is another cause of death that has exhibited large reductions in the death rate during the period 1912 to 1940.

The declining death rates for communicable diseases have had a marked effect upon the trend of the crude death rate, but this effect has been partially offset by the increasing death rates for causes such as diseases of the heart, cancer and other malignant tumors, diabetes mellitus, and motor-vehicle accidents. Partly because of the aging of the general population, and also because of improvements in diagnosis, the death rate for heart diseases has increased from 158.7 per 100,000 in 1912 to 292.5 in 1940. For a similar reason, the death rate for cancer has increased from 77.0 to 120.3 per 100,000 population during the same period. The death rate for diabetes mellitus shows a regular upward trend despite the widespread and continuous use of insulin by diabetics since its discovery in 1922. The diabetes death rate in 1940 was the highest ever reported for this cause since 1900. This trend merely reflects the well-known fact that insulin treatment is not a cure for the disease but prolongs the life of diabetics.

Motor-vehicle accident deaths were not considered to be of sufficient importance to be tabulated separately as a cause of death until 1906. In 1940 the death rate for motor-vehicle accidents was 26.2 per 100,000 population as compared with the rate of 2.8 in 1912.

The decline in the mortality rates for infectious and preventable diseases can be attributed largely to the development in public health and medical practice. Since the turn of the century, great progress has been made in environmental sanitation, particularly with respect to water and milk supply; disposal of domestic and industrial wastes; immunization; and improvements in diagnostic aids and in surgical and medical treatment of diseases.

The increases from such causes as heart diseases and cancer are doubtless due to several reasons. The prevention of deaths from diseases of infancy and childhood, together with the decline in the birth rate, is producing a population with a higher proportion of persons in the older age groups in the United States. This fact, in itself, tends to increase the total death rates for diseases associated primarily with advanced age. Also, there is little doubt that improved diagnostic facilities and techniques and greater hospitalization have increased the number of deaths certified as due to cancer, as well as to certain other diseases.

Death rates for selected causes of death, by age.—Table AD, which shows the age-specific death rates for selected causes in 1940, indicates the mortality experience of the various age groups with respect to a number of causes of death. Once the health hazards surrounding the period of infancy are overcome, the chances of survival are materially increased. Of all the age groups exposed to the risk of death, children between the ages of 5 and 14 years have the most favorable mortality experience. The death rate for this age group is about one-half of the next lowest mortality rate of 204.8 per 100,000 population for those 15 to 24 years of age. The death rates then increase gradually as old age approaches.

TABLE AD.—DEATH RATES (NUMBER OF DEATHS PER 100,000 ENUMERATED POPULATION) FOR SELECTED CAUSES OF DEATH, BY AGE: UNITED STATES, 1940

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List)

AGE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b
All ages	1,076.4	1.1	0.5	0.5	2.2	1.1	42.2	3.7	1.1	14.4	0.8	120.3	1.3	26.6	2.8	1.6	90.9	5.3	20.8
Under 1 year	5,493.8	1.1	7.2	1.8	99.7	7.1	10.8	13.8	6.1	61.9	2.4	4.4	0.3	1.5	0.1	0.2	11.9	48.4	1.4
1 to 4 years	289.6	0.9	1.7	2.6	9.7	9.0	5.3	7.0	2.0	1.3	1.8	4.8	0.9	0.8	0.0	0.1	1.5	8.9	1.0
5 to 14 years	103.7	1.0	0.5	1.1	0.3	1.7	3.6	1.9	0.6	0.5	1.6	3.0	2.6	1.4	0.1	0.1	0.9	4.3	4.8
15 to 24 years	204.8	1.5	0.4	0.3	0.0	0.2	35.2	3.0	0.5	2.3	1.0	5.4	1.4	2.4	0.4	0.3	1.7	3.3	6.5
25 to 34 years	305.9	1.3	0.2	0.2	0.0	0.1	52.9	3.4	0.5	7.1	0.6	17.3	1.0	2.8	1.1	0.7	5.5	3.1	9.9
35 to 44 years	520.1	1.0	0.3	0.2	0.0	0.2	56.1	3.3	0.8	17.8	0.2	61.1	0.8	6.7	2.3	1.2	21.5	3.3	16.2
45 to 54 years	1,059.9	0.8	0.3	0.1	0	0.2	62.4	3.9	1.1	29.6	0.1	168.8	0.5	25.0	4.9	2.4	79.1	4.6	25.3
55 to 64 years	2,226.2	1.0	0.3	0.1	0.0	0.2	72.0	4.2	1.5	39.0	0.1	369.6	0.9	87.2	9.4	3.9	212.8	5.9	40.5
65 to 74 years	4,799.5	1.0	0.2	0.0	0.0	0.2	76.0	4.8	2.3	41.0	0.1	695.2	1.4	189.3	13.4	7.9	569.2	7.6	85.7
75 to 84 years	11,257.0	0.4	0.1	0	0.1	0.4	75.2	5.2	4.3	32.5	0.1	1,161.0	3.0	274.6	12.0	13.7	1,451.7	12.6	203.8
85 years and over	22,890.2	0.3	0	0	0	0	59.1	2.9	10.7	29.8	0.3	1,319.0	5.6	214.4	4.8	20.0	2,540.8	35.7	347.5

AGE	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines (under 2 years) 119	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
All ages	77.1	194.7	70.3	6.8	7.6	9.9	9.0	8.6	6.0	81.5	2.8	4.0	10.0	24.6	14.4	6.2	26.2	47.4	132.2
Under 1 year	0.9	15.2	870.1	1.2	407.0	1.7	41.3	1.7	0.9	7.2	0	0	546.4	1,601.1	0	4.8	5.9	123.9	1,584.0
1 to 4 years	0.1	2.5	62.5	0.1	...	6.8	3.0	0.2	0.1	3.5	0	0	10.3	...	0	0.6	12.4	37.2	90.8
5 to 14 years	0.1	3.1	9.0	0.1	...	8.0	1.0	0.2	0.0	2.8	0.1	0.1	2.1	...	0.2	0.6	11.5	17.3	17.5
15 to 24 years	0.9	6.6	11.5	0.7	...	8.2	1.5	0.3	0.3	5.6	5.3	6.9	1.3	...	6.1	7.1	28.6	24.7	23.7
25 to 34 years	5.0	14.8	17.1	2.7	...	7.0	2.8	1.8	1.3	11.8	7.3	10.2	0.7	...	13.5	12.0	24.8	27.4	37.7
35 to 44 years	29.8	45.6	28.6	6.9	...	9.3	5.5	7.2	3.7	30.4	4.0	7.3	0.6	...	19.4	9.8	22.2	32.4	64.4
45 to 54 years	102.2	152.0	51.8	13.7	...	12.4	10.2	16.5	9.1	73.4	0.2	0.3	0.6	...	27.7	6.7	29.1	42.0	102.7
55 to 64 years	247.2	425.7	98.7	20.7	...	16.6	19.8	28.0	19.1	177.1	0	0	0.4	...	34.4	4.7	41.2	60.9	183.0
65 to 74 years	477.2	1,160.6	226.4	26.1	...	19.2	38.5	38.9	30.9	459.0	0	0	0.4	...	33.2	3.5	56.4	122.8	411.2
75 to 84 years	805.9	3,224.0	691.2	34.8	...	20.9	84.1	52.1	50.8	1,233.4	0	0	0.1	...	34.4	3.4	76.5	418.2	1,276.7
85 years and over	1,027.7	6,937.8	1,929.9	32.5	...	18.4	144.1	58.3	70.8	2,485.4	0	0	0	...	26.6	2.1	67.1	1,250.0	4,248.4

*Refer to complete International List titles, table XI.

The age-specific death rates for all causes are summations of the rates for the individual causes. The probability of dying from specific diseases differs with age, and each cause of death has its characteristic age distribution. In general, the various causes of death may be placed in the broad categories of infant causes, childhood diseases, diseases of adulthood, and causes peculiar to advanced age. There are other causes that overlap in the various age groups, and also some that affect all persons regardless of age in about the same manner.

INFANT MORTALITY STATISTICS

Detailed tables for infant mortality are given in the section containing general natality and mortality tables. Rates for geographic divisions and individual States for a series of years are given in rate table X; the number of infant deaths and death rates for each city and county are included in table XIII.

Trend of the infant mortality rate.—In 1940 there were 110,984 deaths of infants under 1 year of age registered in the United States. This is a slight increase in the number of infant deaths as compared with that reported for 1939, but the infant mortality rate of 47.0 per 1,000 live births for 1940 is the lowest ever recorded for the birth-registration area.

Rates for each year, together with the number of infant deaths and the number of live births, are given in table AE. These data are presented for the birth-registration area, inasmuch as the infant mortality rate is computed on the number of live births. The number of infant deaths for the death-registration States may be found in the general mortality tables in which the data are classified by age.

TABLE AE.—INFANT MORTALITY: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

YEAR	Live births	DEATHS UNDER 1 YEAR		YEAR	Live births	DEATHS UNDER 1 YEAR	
		Number	Rate per 1,000 live births			Number	Rate per 1,000 live births
1940	2,360,399	110,984	47.0	1927	2,137,836	138,017	64.6
1939	2,265,588	108,846	48.0	1926	1,856,068	136,118	73.3
1938	2,286,962	116,702	51.0	1925	1,878,880	134,652	71.7
1937	2,203,337	119,931	54.4	1924	1,930,614	136,730	70.8
1936	2,144,790	122,535	57.1	1923	1,792,646	138,259	77.1
1935	2,155,105	120,138	55.7	1922	1,774,911	135,228	76.2
1934	2,167,636	130,185	60.1	1921	1,714,261	129,588	75.6
1933	2,081,232	120,887	58.1	1920	1,508,874	129,531	85.8
1932	2,074,042	119,431	57.6	1919	1,373,438	119,000	86.6
1931	2,112,760	130,134	61.6	1918	1,383,649	137,647	100.9
1930	2,203,958	142,413	64.6	1917	1,353,792	126,950	93.8
1929	2,169,920	146,661	67.6	1916	818,983	82,734	101.0
1928	2,233,149	153,492	68.7	1915	776,304	77,572	99.9

As may be seen from table AE, the trend of the infant mortality rate has been steadily downward since the establishment of the birth-registration area. The infant mortality rate was 99.9 in 1915, and twice thereafter (in 1916 and 1918) the rate exceeded 100. It is of interest to note that while there was a definite rise in the infant mortality rate in 1918, the year of the influenza pandemic, the effect of the epidemic among infants was insignificant compared with its devastating results in the general population. Since 1918, there has been a steady and a rapid decrease in the infant death rate. The rate of 47.0 per 1,000 live births for 1940 is only 47 percent of that for 1915.

The reduction in infant mortality has occurred in both the white and Negro races, as shown in table AF. Although the rate for Negroes was considerably higher than that for the white race, the rate of decrease of the infant mortality rate for Negroes has been slightly greater than that for the white race. The infant death rate for "Other races" is based on relatively few deaths so the rate is quite variable.

TABLE AF.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY RACE: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

YEAR	Total	White	Negro	Other races	YEAR	Total	White	Negro	Other races
1940	47.0	43.2	72.9	91.0	1927	64.6	60.6	99.9	103.4
1939	48.0	44.3	73.2	97.2	1926	73.3	70.0	112.1	108.9
1938	51.0	47.1	77.9	102.4	1925	71.7	68.3	112.0	95.6
1937	54.4	50.3	82.0	108.9	1924	70.8	66.8	114.1	95.0
1936	57.1	52.9	86.1	120.0	1923	77.1	73.5	119.9	85.8
1935	55.7	51.9	81.9	110.8	1922	76.2	73.2	111.7	80.9
1934	60.1	54.5	91.0	114.5	1921	75.6	72.5	110.7	78.8
1933	58.1	52.8	85.4	127.5	1920	85.8	82.1	135.6	89.6
1932	57.6	53.3	84.1	103.5	1919	86.6	83.0	134.3	88.2
1931	61.6	56.7	92.7	117.8	1918	100.9	97.4	162.5	123.4
1930	64.6	59.6	99.5	141.1	1917	93.8	90.6	149.6	142.5
1929	67.6	63.2	101.5	119.3	1916	101.0	99.0	184.3	204.8
1928	68.7	64.0	105.9	111.8	1915	99.9	98.6	180.6	196.2

Infant mortality by State.—A comparison of the infant death rates for the various States and geographic divisions is given in table AG. The lowest rate, 32.9 per 1,000 live births, was reported for Oregon; and the highest rate, 99.6, for New Mexico. With a few exceptions, the rates were highest in the Mountain, West South Central, East South Central, and South Atlantic States and lowest in the Pacific and East North Central States. Low rates were also reported for certain States in the New England and Middle Atlantic States. The comparability of infant death rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained by this factor.

TABLE AG.—INFANT MORTALITY RATES: UNITED STATES, EACH DIVISION AND STATE, 1940

(Exclusive of stillbirths)

DIVISION AND STATE	Deaths under 1 year per 1,000 live births	DIVISION AND STATE	Deaths under 1 year per 1,000 live births
United States	47.0	WEST NORTH CENTRAL—Continued	
		Nebraska	35.7
GEOGRAPHIC DIVISIONS:		Kansas	38.1
New England	39.3	SOUTH ATLANTIC:	
Middle Atlantic	39.9	Delaware	48.9
East North Central	39.1	Maryland	49.6
West North Central	39.3	District of Columbia	47.0
South Atlantic	57.1	Virginia	59.3
East South Central	55.9	West Virginia	53.9
West South Central	61.1	North Carolina	57.4
Mountain	61.7	South Carolina	68.1
Pacific	38.0	Georgia	57.9
		Florida	53.6
NEW ENGLAND:			
Maine	53.5	EAST SOUTH CENTRAL:	
New Hampshire	40.0	Kentucky	52.8
Vermont	45.0	Tennessee	54.7
Massachusetts	37.5	Alabama	61.4
Rhode Island	38.2	Mississippi	54.3
Connecticut	34.1		
		WEST SOUTH CENTRAL:	
MIDDLE ATLANTIC:		Arkansas	45.7
New York	37.2	Louisiana	64.2
New Jersey	35.6	Oklahoma	49.7
Pennsylvania	44.7	Texas	68.6
EAST NORTH CENTRAL:		MOUNTAIN:	
Ohio	41.4	Montana	46.2
Indiana	41.9	Idaho	42.3
Illinois	35.3	Wyoming	46.3
Michigan	40.7	Colorado	59.8
Wisconsin	37.2	New Mexico	99.6
		Arizona	84.3
		Utah	40.6
WEST NORTH CENTRAL:		Nevada	51.9
Minnesota	33.3		
Iowa	36.7	PACIFIC:	
Missouri	46.9	Washington	35.7
North Dakota	45.1	Oregon	32.9
South Dakota	39.2	California	39.4

Infant death rates by age.—Death rates for infants at various ages during the first year of life are given in table AH. These data are given for the birth-registration area for each year beginning with 1927. The total infant death rate has decreased from 64.6 per 1,000 live births in 1927 to 47.0 in 1940, and the rate for infant deaths over 1 month has decreased from 28.5 to 18.3 in the same period. The most notable feature of table AH is that, although relatively large reductions have

been made for almost every age-group, little reduction has been made in the rate for deaths under 1 day. From 1927 to 1937, the rate for deaths under 1 day has been approximately 15 per 1,000 live births, but during the past 3 years the rate for deaths under 1 day has decreased somewhat. In 1940 the death rate for infants under 1 day of age was 13.9 per 1,000 live births.

TABLE AH.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

AGE	1940	1939	1938	1937	1936	1935	1934
Under 1 year	47.0	48.0	51.0	54.4	57.1	55.7	60.1
Under 1 day	13.9	14.1	14.1	14.7	15.1	15.0	15.4
1 day	3.5	3.7	3.6	3.7	3.9	3.7	3.9
2 days	2.2	2.3	2.3	2.3	2.5	2.4	2.6
3 to 6 days	3.6	3.7	3.7	4.0	4.3	4.4	4.6
1 week	2.4	2.5	2.6	2.9	3.0	3.1	3.4
2 weeks	1.6	1.6	1.8	1.9	2.0	2.0	2.3
3 weeks	1.4	1.4	1.5	1.7	1.8	1.8	1.9
Under 1 month	28.8	29.3	29.6	31.3	32.6	32.4	34.1
1 month	3.5	3.5	3.9	4.3	4.4	4.4	4.8
2 months	2.9	2.8	3.2	3.5	3.6	3.5	3.8
3 to 5 months	5.9	5.9	6.7	7.2	7.7	7.1	7.8
6 to 8 months	3.6	3.8	4.4	4.8	5.1	4.8	5.4
9 to 11 months	2.4	2.8	3.2	3.4	3.6	3.5	4.2
	1933	1932	1931	1930	1929	1928	1927
Under 1 year	56.1	57.6	61.6	64.6	67.6	68.7	64.6
Under 1 day	15.1	15.0	15.0	15.0	15.3	15.3	15.1
1 day	3.8	3.8	4.0	4.2	4.4	4.4	4.1
2 days	2.7	2.6	2.7	2.9	3.0	3.1	3.0
3 to 6 days	4.7	4.7	4.7	5.1	5.3	5.4	5.3
1 week	3.5	3.4	3.6	3.9	3.9	4.1	3.9
2 weeks	2.2	2.2	2.4	2.5	2.6	2.6	2.6
3 weeks	1.9	1.8	2.0	2.1	2.3	2.3	2.2
Under 1 month	34.0	33.5	34.6	35.7	36.9	37.2	36.1
1 month	4.5	4.7	5.0	5.3	5.6	5.5	5.1
2 months	3.5	3.6	4.0	4.2	4.3	4.4	4.0
3 to 5 months	7.2	7.2	8.0	8.8	9.2	9.3	8.6
6 to 8 months	5.0	4.9	5.7	6.2	6.5	6.9	6.1
9 to 11 months	3.9	3.8	4.3	4.6	5.1	5.4	4.7

Infant death rates at various ages during the first year of life, by race, are shown in table AJ for 1940. The difference between "White" and "Negro" infant mortality was proportionately greater during later infancy than during the first days of life. The rate for the white race under 1 day was 13.6 per 1,000 live births, or 84.0 percent of the rate of 16.2 for the Negroes. A similar comparison of death rates for infants of ages of 1 week and under shows that the rate for the white race was 71 percent of that for the Negroes. The rate for the white race over 1 week was 18.7 per 1,000 live births, or only 48.7 percent as high as that of 38.4 for Negroes.

Infant mortality by month.—Table AK shows the infant death rates for the United States, by month, for each year from 1936 to 1940, inclusive. There has been a general decline in the monthly infant mortality rate. The death rate for each month of 1940 was lower than that for the average rate for the corresponding month of the 4-year period, 1936 to 1939. The infant death rate for August 1940 was the lowest reported for any month during the past 5 years.

The seasonal distribution of infant mortality rates for 1940 was characterized by a slow decline in the rate from the January peak to the annual minimum of 40.5 deaths per 1,000 live births in August. The rate was also low for September, but during the last 3 months of the year, it increased rapidly. The infant death rate of 54.4 per 1,000 live births for December was slightly lower than the annual maximum of 55.5, which occurred in January.

TABLE AJ.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE, SEX, AND RACE: UNITED STATES, 1940

(Exclusive of stillbirths)

AGE AND SEX	Total	White	Negro	Other races
Under 1 year	47.0	43.2	72.9	91.0
Male	52.5	48.3	81.4	99.3
Female	41.3	37.8	64.4	82.4
Under 1 day	13.9	13.6	16.2	13.1
Male	15.7	15.3	18.2	16.3
Female	12.1	11.8	14.1	9.8
1 day	3.5	3.4	4.8	2.6
Male	4.1	3.9	5.3	2.3
Female	2.9	2.8	4.3	2.9
2 days	2.2	2.1	3.3	2.9
Male	2.7	2.5	4.0	2.9
Female	1.8	1.7	2.7	2.9
3 to 6 days	3.6	3.3	5.7	6.3
Male	4.2	3.8	6.7	9.1
Female	3.0	2.8	4.7	3.3
1 week	2.4	2.1	4.5	4.9
Male	2.7	2.4	5.1	6.1
Female	2.2	1.9	4.0	3.6
2 weeks	1.6	1.4	2.9	2.9
Male	1.7	1.5	3.1	2.7
Female	1.5	1.3	2.8	3.2
3 weeks	1.4	1.3	2.4	3.2
Male	1.6	1.4	2.7	3.9
Female	1.2	1.1	2.2	2.6
Under 1 month	28.8	27.2	39.9	35.9
Male	32.6	30.9	44.9	43.2
Female	24.7	23.3	34.8	28.2
1 month	3.5	3.1	6.2	8.5
Male	4.0	3.5	7.1	9.2
Female	3.0	2.6	5.3	7.8
2 months	2.9	2.6	4.9	6.5
Male	3.1	2.8	5.5	7.1
Female	2.6	2.3	4.4	5.9
3 months	2.4	2.1	4.3	7.3
Male	2.5	2.2	4.6	6.5
Female	2.2	1.9	4.1	8.1
4 months	1.9	1.7	3.5	5.6
Male	2.1	1.8	3.9	6.5
Female	1.8	1.6	3.0	4.7
5 months	1.6	1.4	3.0	5.2
Male	1.7	1.5	3.2	4.6
Female	1.5	1.3	2.9	5.7
6 months	1.4	1.2	2.6	5.3
Male	1.4	1.3	2.6	4.9
Female	1.3	1.1	2.6	5.7
7 months	1.2	1.0	2.2	3.8
Male	1.3	1.1	2.6	4.5
Female	1.0	0.9	1.8	3.0
8 months	1.0	0.9	2.0	3.7
Male	1.2	1.0	2.3	4.2
Female	0.9	0.8	1.7	3.2
9 months	0.9	0.8	1.6	4.6
Male	0.9	0.8	1.7	4.6
Female	0.8	0.7	1.5	4.7
10 months	0.8	0.7	1.3	2.6
Male	0.9	0.8	1.5	2.7
Female	0.7	0.6	1.1	2.4
11 months	0.7	0.7	1.3	2.1
Male	0.8	0.7	1.5	1.3
Female	0.7	0.6	1.2	3.0

TABLE AK.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY MONTH: UNITED STATES

(Exclusive of stillbirths)

MONTH	1940	1939	1938	1937	1936
Total	47.0	48.0	51.0	54.4	57.1
January	55.5	57.6	54.3	69.1	60.8
February	50.9	55.5	53.2	63.4	62.0
March	49.1	51.8	51.9	57.1	56.7
April	47.1	48.5	52.0	53.9	59.4
May	45.5	47.8	53.7	51.6	55.5
June	43.6	47.2	53.0	54.3	52.8
July	43.1	44.5	47.9	52.2	52.7
August	40.5	41.4	47.1	47.8	48.6
September	40.8	42.0	48.1	47.0	51.7
October	45.0	44.5	48.0	51.1	59.4
November	50.5	47.1	50.8	52.0	59.2
December	54.4	49.8	55.6	55.3	68.6

The infant mortality rates shown in table AK have been computed on the basis of the infant deaths recorded for each month and the live births occurring during the corresponding month.

These ratios are not rates in the true sense of the word since the base does not refer to the population exposed to the risk of dying each month. A comparison of these ratios with the monthly infant mortality rates based upon the "exposure to risk of dying" population shows relatively larger discrepancies in the magnitude of the rates, the monthly ratios being significantly lower than the monthly rates. The average deviation in the rates in 1940 was 3.2 infant deaths per 1,000 "infant" population, and in the peak months for births, July, August, and September, the difference between the two rates was slightly over 5 per 1,000. During the last 3 months of the year, however, the correspondence between the rates computed by the two different methods was relatively close. Despite the discrepancies in the results found by the two methods, the monthly infant death rates shown in table AK reflect the general seasonal trend of infant mortality experience.

In addition to the two methods of computing monthly infant mortality rates already mentioned, there are others that have found acceptance. One procedure is to distribute the annual birth total uniformly through each month according to the number of days in the month, and these monthly birth figures used as the population base in computing the monthly infant mortality rates. Another method, that of the Registrar-General's office,[6] allocates the infant deaths occurring each month to the month of birth. From these figures the separate probabilities of infants born in each month and dying in a particular month are computed and summated to obtain the infant mortality rate for that month.

Varying results in the monthly infant mortality rate will be obtained, depending upon the computation method used. In each case, the results will be consistently lower than those calculated on the basis of the exposed infant population. The subject of computing monthly infant mortality rates is an interesting one and warrants further study.

Infant death rates by cause of death.—As may be seen from table AL, which presents infant death rates for selected causes for the years 1936 to 1940, the principal causes of infant deaths are premature birth; pneumonia (all forms); congenital malformations; injury at birth; and diarrhea, enteritis, and ulceration of the intestines. Except for injury at birth and congenital malformations, the rates for the other principal causes of infant deaths showed marked decreases in recent years.

[6] Eighty-third Annual Report of the Registrar-General for England and Wales (1920), pp. XXIX-XXXI, London, 1922.

TABLE AL.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: UNITED STATES

(Exclusive of stillbirths)

CAUSE OF DEATH	1940	1939	1938	1937	1936
All causes	47.0	48.0	51.0	54.4	57.1
Cerebrospinal (meningococcus) meningitis—6	0.1	0.1	0.1	0.1	0.1
Scarlet fever—8	0.0	0.0	0.0	0.0	0.0
Whooping cough—9	0.9	0.9	1.4	1.4	0.8
Diphtheria—10	0.1	0.1	0.1	0.1	0.1
Erysipelas (infection by C. diphtheriae)—11	0.0	0.0	0.1	0.1	0.2
Tetanus—12	0.1	0.1	0.1	0.1	0.1
Tuberculosis of respiratory system, etc.*—13	0.1	0.1	0.1	0.1	0.1
Tuberculosis of meninges, etc.*—14	0.1	0.1	0.1	0.1	0.1
Tuberculosis (other forms)—15-22	0.0	0.0	0.1	0.1	0.1
Septicemia and purulent infection—24	0.1	0.0	0.1	0.0	0.1
Dysentery—27	0.4	0.4	0.5	0.5	0.5
Malaria—28	0.1	0.1	0.1	0.1	0.1
Syphilis—30	0.5	0.6	0.6	0.7	0.7
Influenza—33	1.1	1.0	0.9	1.7	1.6
Measles—35	0.1	0.1	0.3	0.2	0.1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	0.1	0.1	0.1	0.1	0.1
Diseases of thymus gland—64	0.4	0.4	0.5	0.5	0.5
Rickets—70	0.0	0.0	0.1	0.1	0.1
Hemorrhagic conditions—72	0.1	0.1	0.1	0.1	0.1
Anemias (except splenic anemia)—73	0.1	0.1	0.1	0.1	0.1
Encephalitis (nonepidemic)—80	0.0	0.0	0.0	0.0	0.0
Meningitis (not due to meningococcus)—81	0.2	0.2	0.2	0.3	0.3
Intracranial lesions of vascular origin—83	0.1	0.1	0.1	0.1	0.1
Convulsions—86	0.2	0.2	0.2	0.2	0.3
Diseases of ear and mastoid process—89	0.2	0.2	0.2	0.3	0.3
Other diseases, nervous system—82,84,85,87,88	0.1	0.1	0.1	0.1	0.1
Diseases of circulatory system—90-103	0.2	0.2	0.2	0.2	0.3
Pneumonia (all forms)—107-109	6.3	6.1	7.0	7.5	8.3
Other diseases of respiratory system—104-106,110-114	0.5	0.5	0.6	0.6	0.7
Diseases of buccal cavity, etc.*—115	0.1	0.1	0.1	0.1	0.1
Diseases of stomach—117,118	0.1	0.1	0.2	0.2	0.2
Diarrhea, enteritis, etc.*—119	3.5	4.0	5.0	5.3	5.7
Hernia—122a	0.0	0.1	0.1	0.1	0.1
Intestinal obstruction—122b	0.3	0.3	0.4	0.4	0.5
Peritonitis (cause not stated)—129	0.0	0.1	0.1	0.1	0.1
Other diseases, digestive system—116,121,123-128	0.1	0.1	0.1	0.1	0.1
Diseases, genito-urinary system—130,131,133-139	0.1	0.2	0.2	0.2	0.2
Diseases of skin and cellular tissue—151-153	0.1	0.1	0.1	0.1	0.1
Congenital malformations—157	4.7	4.6	4.5	4.6	4.9
Congenital debility—158	1.2	1.2	1.4	1.6	1.8
Premature birth—159	13.7	14.2	14.3	15.3	15.7
Injury at birth—160	4.5	4.5	4.4	4.4	4.5
Other diseases peculiar to first year—161	2.5	2.5	2.3	2.2	2.2
Accidental mechanical suffocation—182	0.5	0.4	0.4	0.4	0.5
Other violence or accident—166-181,183-195	0.6	0.6	0.6	0.6	0.7
Ill-defined and unknown causes—199,200	2.4	2.5	2.8	3.0	3.3
All other causes*	0.2	0.2	0.2	0.3	0.3

* Refer to complete International List titles, table XI.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: THE REGISTRATION STATES, UNITED STATES, 1900-1940

(For a description of the growth of the registration areas and the year of admission of each State, see p. 1. Death and birth rates for 1940 are based on the population enumerated in the Federal census of April 1. Death rates for 1900-1939 and birth rates for 1915-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES IN CONTINENTAL UNITED STATES				BIRTH-REGISTRATION STATES IN CONTINENTAL UNITED STATES					
		Estimated midyear population		Total deaths[1]		Estimated midyear population		Live births		Stillbirths	
		Number	Percent of total	Number	Rate per 1,000 population	Number	Percent of total	Number	Rate per 1,000 population	Number	Ratio per 1,000 live births
1940	[2]131,669,275	[2]131,669,275	100.0	1,417,269	10.8	[2]131,669,275	100.0	2,360,399	17.9	73,802	31.3
1939	130,879,718	130,879,718	100.0	1,387,897	10.6	130,879,718	100.0	2,265,588	17.3	72,598	32.0
1938	129,824,939	129,824,939	100.0	1,381,391	10.6	129,824,939	100.0	2,286,962	17.6	73,467	32.1
1937	128,824,829	128,824,829	100.0	1,450,427	11.3	128,824,829	100.0	2,203,337	17.1	73,609	33.4
1936	128,053,180	128,053,180	100.0	1,479,228	11.6	128,053,180	100.0	2,144,790	16.7	73,735	34.4
1935	127,250,232	127,250,232	100.0	1,392,752	10.9	127,250,232	100.0	2,155,105	16.9	77,119	35.8
1934	126,373,773	126,373,773	100.0	1,396,903	11.1	126,373,773	100.0	2,167,636	17.2	78,503	36.2
1933	125,578,763	125,578,763	100.0	1,342,106	10.7	125,578,763	100.0	2,081,232	16.6	77,059	37.0
1932	124,840,471	118,903,899	95.2	1,293,269	10.9	118,903,899	95.2	2,074,042	17.4	78,351	37.8
1931	124,039,648	118,148,987	95.3	1,307,273	11.1	117,455,229	94.7	2,112,760	18.0	80,616	38.2
1930	123,076,741	117,236,278	95.3	1,327,240	11.3	116,544,946	94.7	2,203,958	18.9	86,466	39.2
1929	121,769,939	115,317,450	94.7	1,369,757	11.9	115,317,450	94.7	2,169,920	18.8	85,678	39.5
1928	120,501,115	113,636,160	94.3	1,361,987	12.0	113,636,160	94.3	2,235,149	19.7	89,765	40.2
1927	119,038,062	107,084,532	90.0	1,211,627	11.3	104,320,830	87.6	2,137,836	20.5	82,931	38.8
1926	117,399,225	103,822,683	88.4	1,257,256	12.1	90,400,590	77.0	1,856,068	20.5	70,716	38.1
1925	115,831,963	102,031,555	88.1	1,191,809	11.7	88,294,564	76.2	1,878,880	21.3	71,519	38.1
1924	114,113,463	99,318,098	87.0	1,151,076	11.6	87,000,295	76.2	1,930,614	22.2	75,817	39.3
1923	111,949,945	96,788,197	86.5	1,174,065	12.1	81,072,123	72.4	1,792,646	22.1	69,757	38.9
1922	110,054,778	92,702,901	84.2	1,083,952	11.7	79,560,746	72.3	1,774,911	22.3	70,010	39.4
1921	108,541,489	87,814,447	80.9	1,009,673	11.5	70,807,090	65.2	1,714,261	24.2		
1920	106,466,420	86,079,263	80.9	1,118,070	13.0	63,597,307	59.7	1,508,874	23.7		
1919	104,512,110	83,157,982	79.6	1,072,263	12.9	61,212,076	58.6	1,373,438	22.4		
1918	103,202,801	79,008,412	76.6	1,430,079	18.1	55,153,782	53.4	1,365,649	24.7		
1917	103,265,913	70,234,775	68.0	981,239	14.0	55,197,952	53.5	1,353,792	24.5		
1916	101,965,984	66,971,177	65.7	924,971	13.8	32,944,013	32.3	818,983	24.9		
1915	100,549,013	61,894,847	61.6	815,500	13.2	31,096,697	30.9	776,304	25.0		
1914	99,117,567	60,963,309	61.5	810,914	13.3						
1913	97,226,814	58,156,740	59.8	802,909	13.8						
1912	95,331,300	54,847,700	57.5	745,771	13.6						
1911	93,867,814	53,929,644	57.5	749,918	13.9						
1910	92,406,536	47,470,437	51.4	696,856	14.7						
1909	90,491,525	44,223,515	48.9	630,057	14.2						
1908	88,708,976	38,634,759	43.6	567,245	14.7						
1907	87,000,271	34,552,837	39.7	550,245	15.9						
1906	85,436,556	33,782,288	39.5	531,005	15.7						
1905	83,819,666	21,767,980	26.0	345,863	15.9						
1904	82,164,974	21,332,076	26.0	349,855	16.4						
1903	80,632,152	20,943,222	26.0	327,295	15.6						
1902	79,160,196	20,582,907	26.0	318,636	15.5						
1901	77,585,128	20,237,453	26.1	332,203	16.4						
1900	76,094,134	19,965,446	26.2	343,217	17.2						

[1] Exclusive of stillbirths. [2] Population enumerated in the Federal census of April 1.

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1940

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races	White	Negro	Other races
UNITED STATES	131,669,275	67,972,823	6,253,588	197,291	50,242,047	6,611,930	391,596
Alabama	2,832,961	539,861	315,968	112	1,309,236	667,322	462
Arizona	499,261	164,300	7,638	2,043	262,492	7,355	55,433
Arkansas	1,949,387	326,770	104,843	297	1,139,314	377,735	428
California	6,907,387	4,685,883	107,564	108,818	1,910,880	16,742	77,500
Colorado	1,123,296	578,368	11,234	1,154	528,134	942	3,464
Connecticut	1,709,242	1,130,401	27,227	534	545,006	5,765	309
Delaware	266,505	120,964	18,381	87	109,564	17,495	14
District of Columbia	663,091	474,326	187,266	1,499	...	...	...
Florida	1,897,414	758,323	287,047	421	623,663	227,151	809
Georgia	3,123,723	693,653	379,756	399	1,344,625	705,171	119
Idaho	524,873	175,872	468	368	343,420	127	4,618
Illinois	7,897,241	5,447,281	357,120	5,249	2,056,921	30,326	344
Indiana	3,427,796	1,773,004	114,283	425	1,532,319	7,633	132
Iowa	2,538,268	1,068,577	15,343	311	1,452,114	1,351	572
Kansas	1,801,028	701,222	52,200	519	1,033,274	12,938	875
Kentucky	2,845,627	732,456	116,772	99	1,898,969	97,259	72
Louisiana	2,363,880	665,464	314,095	880	846,275	535,208	1,958
Maine	847,226	341,783	702	572	502,760	602	807
Maryland	1,821,244	892,720	186,956	675	625,761	114,975	157
Massachusetts	4,316,721	3,807,338	49,059	3,079	450,258	6,332	655
Michigan	5,256,106	3,257,113	194,464	3,290	1,782,530	13,881	4,828
Minnesota	2,792,300	1,378,903	9,531	1,664	1,390,079	397	11,726
Mississippi	2,183,796	254,538	178,028	316	851,789	896,550	2,575
Missouri	3,784,664	1,768,829	191,010	857	1,770,358	53,576	254
Montana	559,456	209,649	932	954	330,819	188	16,914

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1940—Continued

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races	White	Negro	Other races
Nebraska	1,315,834	500,053	13,618	477	797,571	553	3,562
Nevada	110,247	42,191	496	604	61,839	168	4,949
New Hampshire	491,524	282,877	261	87	208,112	153	34
New Jersey	4,160,165	3,202,358	190,539	1,876	728,729	36,434	229
New Mexico	531,818	172,209	3,313	879	320,103	1,359	33,955
New York	13,479,142	10,604,591	539,687	21,615	2,274,955	31,534	6,760
North Carolina	3,571,623	674,588	299,363	224	1,893,047	681,935	22,466
North Dakota	641,935	131,440	113	370	500,024	88	9,900
Ohio	6,907,612	4,309,507	302,087	1,392	2,257,024	37,374	228
Oklahoma	2,336,434	792,333	79,696	7,634	1,311,895	89,153	55,723
Oregon	1,089,684	524,814	2,229	4,632	550,917	336	6,756
Pennsylvania	9,900,180	6,167,828	416,354	2,697	3,259,163	53,818	322
Rhode Island	713,346	642,741	10,194	448	59,064	830	69
South Carolina	1,899,804	295,622	170,427	62	788,686	643,737	1,270
South Dakota	642,961	157,069	311	687	461,986	163	22,725
Tennessee	2,915,841	744,755	282,334	117	1,662,151	226,402	82
Texas	6,414,824	2,489,569	420,110	1,710	2,997,976	504,281	1,178
Utah	550,310	303,202	1,115	1,176	239,718	120	4,979
Vermont	359,231	123,028	188	23	235,778	196	18
Virginia	2,677,773	703,295	240,875	505	1,312,288	420,574	236
Washington	1,736,191	902,272	6,136	13,561	795,875	1,288	17,059
West Virginia	1,901,974	500,008	34,201	83	1,284,094	83,553	35
Wisconsin	3,137,587	1,666,360	11,346	1,438	1,446,392	812	11,239
Wyoming	250,742	92,497	708	372	154,100	248	2,817

TABLE III.—ENUMERATED POPULATION BY AGE, RACE, AND SEX: UNITED STATES, APRIL 1, 1940

AGE	Total	WHITE		NEGRO		OTHER RACES	
		Male	Female	Male	Female	Male	Female
All ages	131,669,275	59,448,548	58,766,322	6,269,038	6,596,480	344,006	244,881
Under 1 year	2,020,174	906,897	871,336	113,810	115,989	6,093	6,049
1 to 4 years	8,521,350	3,794,573	3,656,699	507,879	511,402	25,556	25,241
5 to 9 years	10,684,622	4,744,537	4,584,414	643,781	650,765	30,505	30,620
10 to 14 years	11,745,935	5,259,007	5,093,688	661,351	669,309	31,971	30,609
15 to 19 years	12,333,523	5,515,920	5,448,127	630,079	674,527	34,154	30,716
20 to 24 years	11,587,835	5,113,642	5,226,507	550,193	645,034	28,557	23,902
25 to 29 years	11,096,638	4,892,013	5,012,257	529,613	615,671	29,036	18,048
30 to 34 years	10,242,388	4,573,316	4,633,162	467,887	524,992	29,109	13,922
35 to 39 years	9,545,377	4,254,368	4,262,292	462,559	523,274	28,732	14,152
40 to 44 years	8,787,843	3,995,190	3,940,893	400,249	414,847	23,696	12,968
45 to 49 years	8,255,225	3,842,613	3,690,143	348,251	344,556	18,405	11,257
50 to 54 years	7,256,846	3,451,717	3,228,590	283,120	267,315	17,913	8,191
55 to 59 years	5,843,865	2,790,046	2,636,799	207,220	189,999	14,098	5,703
60 to 64 years	4,728,340	2,232,453	2,184,240	154,245	141,659	11,118	4,625
65 to 69 years	3,806,657	1,736,937	1,762,109	151,990	144,747	7,161	3,713
70 to 74 years	2,569,532	1,183,283	1,217,262	83,835	79,113	3,849	2,190
75 years and over	2,643,125	1,162,036	1,317,804	72,976	83,281	4,053	2,975

TABLE IV.—POPULATION: UNITED STATES[1] AND EACH STATE, 1930-1940

(Populations for 1940 were enumerated in the Federal census of April 1. Populations for 1930-1939 are revised intercensal estimates as of July 1)

AREA	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
United States (death-registration States)	117,238,278	118,148,987	118,903,899	125,578,763	126,373,773	127,250,232	128,053,180	128,824,829	129,824,939	130,879,718	131,669,275
Alabama	2,651,074	2,672,476	2,691,347	2,708,727	2,737,737	2,773,721	2,794,356	2,806,126	2,818,468	2,830,203	2,832,961
Arizona	437,290	444,024	449,987	455,690	461,666	468,393	474,197	479,525	485,367	493,038	499,261
Arkansas	1,859,808	1,853,653	1,845,181	1,846,465	1,890,689	1,903,243	1,904,004	1,913,255	1,935,571	1,951,737	1,949,387
California	5,708,856	5,823,400	5,893,625	5,961,515	6,055,129	6,168,251	6,331,817	6,516,704	6,646,238	6,780,864	6,907,387
Colorado	1,037,891	1,046,196	1,050,536	1,051,547	1,052,833	1,054,963	1,067,334	1,083,839	1,097,098	1,112,520	1,123,296
Connecticut	1,610,751	1,619,047	1,623,435	1,624,358	1,630,511	1,644,753	1,651,773	1,660,228	1,671,065	1,690,073	1,709,242
Delaware	239,214	242,050	244,742	247,474	249,619	251,441	252,270	253,416	257,014	262,555	266,505
District of Columbia	488,218	504,479	512,926	529,429	567,655	607,776	629,092	616,326	637,701	657,940	663,091
Florida	1,470,912	1,492,822	1,521,469	1,552,348	1,585,207	1,613,427	1,651,052	1,709,398	1,770,604	1,835,879	1,897,414
Georgia	2,912,468	2,942,531	2,964,888	2,987,994	3,006,112	2,996,094	3,016,307	3,070,568	3,115,634	3,132,508	3,123,723
Idaho	445,710	448,992	450,303	453,642	460,373	467,631	481,628	494,714	503,672	515,990	524,873
Illinois	7,636,407	7,664,860	7,701,934	7,725,813	7,723,645	7,747,056	7,792,394	7,816,073	7,836,090	7,877,777	7,897,241
Indiana	3,242,763	3,265,562	3,295,330	3,322,171	3,338,724	3,352,140	3,367,451	3,390,719	3,398,770	3,409,866	3,427,796
Iowa	2,471,920	2,474,254	2,477,571	2,480,777	2,493,393	2,506,515	2,492,330	2,483,884	2,482,946	2,514,940	2,538,268
Kansas	1,882,549	1,880,540	1,883,293	1,876,793	1,868,226	1,872,075	1,868,517	1,856,391	1,841,802	1,823,588	1,801,028
Kentucky	2,618,115	2,633,043	2,645,953	2,659,884	2,677,883	2,702,613	2,724,382	2,745,763	2,772,435	2,811,853	2,845,627
Louisiana	2,106,953	2,138,643	2,179,779	2,210,213	2,238,302	2,266,023	2,282,042	2,287,909	2,307,872	2,345,602	2,363,880
Maine	798,101	801,894	807,001	811,459	817,491	824,289	828,563	831,782	835,712	842,693	847,226
Maryland	1,655,607	1,656,494	1,677,416	1,693,622	1,708,869	1,727,877	1,743,062	1,752,442	1,764,730	1,793,164	1,821,244
Massachusetts	4,243,887	4,230,333	4,244,365	4,280,420	4,323,600	4,382,831	4,412,628	4,424,464	4,426,632	4,382,758	4,316,721
Michigan	4,834,206	4,797,513	4,779,661	4,780,040	4,797,965	4,837,606	4,888,556	4,967,787	5,055,518	5,156,210	5,256,108
Minnesota	2,571,858	2,599,698	2,623,621	2,645,897	2,663,535	2,684,371	2,703,471	2,719,839	2,733,340	2,761,777	2,792,300
Mississippi	2,007,634	2,006,351	2,024,500	2,057,655	2,079,207	2,090,841	2,099,740	2,109,947	2,143,930	2,177,446	2,183,796
Missouri	3,637,942	3,682,432	3,700,468	3,716,131	3,718,682	3,731,056	3,736,577	3,739,156	3,741,260	3,763,985	3,784,664
Montana	537,581	536,298	533,569	533,012	535,792	540,486	544,565	545,662	545,801	552,083	559,456
Nebraska	1,377,883	1,377,625	1,375,670	1,372,839	1,368,198	1,361,207	1,344,783	1,328,389	1,318,311	1,314,759	1,315,834
Nevada	91,580	94,545	96,127	96,844	99,194	100,883	101,893	103,998	105,513	107,508	110,247
New Hampshire	465,673	468,041	470,155	472,465	474,698	475,785	476,435	477,071	481,553	488,469	491,524
New Jersey	4,066,408	4,120,992	4,122,070	4,110,118	4,092,037	4,088,470	4,087,097	4,091,092	4,102,925	4,131,126	4,160,165
New Mexico	426,952	436,564	441,968	450,627	462,707	476,318	490,049	503,756	513,712	523,215	531,818
New York	12,629,162	12,791,350	12,914,459	13,022,728	13,137,390	13,259,727	13,376,165	13,423,837	13,451,806	13,496,699	13,479,142
North Carolina	3,171,108	3,206,641	3,264,916	3,318,377	3,359,276	3,380,227	3,400,525	3,432,099	3,475,530	3,531,938	3,571,623
North Dakota	680,062	674,886	667,226	662,705	660,094	657,293	651,616	644,348	640,064	640,381	641,935
Ohio	6,663,464	6,712,786	6,748,870	6,782,485	6,797,015	6,834,571	6,846,745	6,847,756	6,866,482	6,902,331	6,907,612
Oklahoma	2,399,954	2,404,119	2,396,414	2,395,310	2,393,698	2,388,702	2,366,852	2,335,153	2,324,861	2,333,953	2,336,434
Oregon	955,599	966,121	972,168	977,633	984,662	1,000,303	1,023,913	1,045,948	1,065,234	1,079,991	1,089,684
Pennsylvania	9,699,933	9,738,850	9,778,721	9,782,281	9,776,031	9,740,995	9,721,594	9,736,838	9,894,286	9,841,981	9,900,180
Rhode Island	685,869	680,970	677,403	675,294	675,106	677,689	686,474	693,586	694,127	701,268	713,346
South Carolina	1,750,170	1,780,245	1,792,612	1,807,864	1,822,339	1,833,103	1,841,282	1,853,869	1,872,754	1,890,800	1,899,804
South Dakota	693,332	693,758	692,141	689,504	682,478	674,157	666,206	656,374	648,792	644,673	642,961
Tennessee	2,616,805	2,652,714	2,705,333	2,740,654	2,776,234	2,789,544	2,783,302	2,788,049	2,816,491	2,872,630	2,915,841
Texas	—	—	—	5,983,658	6,016,700	6,084,422	6,153,451	6,216,936	6,275,998	6,349,193	6,414,824
Utah	509,121	514,610	518,620	522,263	524,229	526,580	527,018	528,113	533,621	542,828	550,310
Vermont	359,445	358,821	357,815	356,842	356,306	356,547	356,277	355,839	355,965	357,587	359,231
Virginia	2,432,915	2,475,090	2,500,468	2,521,555	2,555,524	2,593,630	2,623,963	2,654,517	2,687,674	2,695,584	2,677,773
Washington	1,564,987	1,569,787	1,566,169	1,569,228	1,582,993	1,595,995	1,624,359	1,655,280	1,678,333	1,705,651	1,736,191
West Virginia	1,737,437	1,765,751	1,787,639	1,804,979	1,830,495	1,856,354	1,867,012	1,864,438	1,865,869	1,887,458	1,901,974
Wisconsin	2,946,764	2,979,353	3,005,337	3,020,571	3,032,478	3,047,568	3,060,422	3,070,012	3,084,842	3,115,264	3,137,587
Wyoming	225,940	227,783	228,498	228,863	231,046	234,690	237,639	241,614	244,926	247,524	250,742

[1] Totals from 1933-1940 are for the entire United States; totals from 1930-1932 are for the death-registration States.

TABLE V.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED COUNTRIES, 1938

COUNTRY	Estimated population	LIVE BIRTHS		DEATHS[1]	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
United States	129,824,939	2,286,962	17.6	1,381,391	10.6
Australia	6,894,847	120,415	17.5	66,451	9.6
Belgium	[2] 8,386,553	132,345	15.8	109,631	13.1
British Guiana	337,521	10,016	29.7	8,704	25.8
Canada	11,195,000	229,446	20.5	106,817	9.5
Ceylon	5,810,000	208,389	35.9	122,299	21.0
Chile	4,618,809	154,927	[3] 33.5	113,719	[3] 24.6
Denmark	3,777,000	68,463	18.1	39,058	10.3
Egypt	16,237,000	704,376	43.4	429,248	26.4
Eire	2,937,000	56,753	19.3	40,066	13.6
England and Wales	41,215,000	621,204	15.1	478,829	11.6
Finland	3,849,208	76,695	19.9	47,901	12.4
France	[4] 41,980,000	612,138	14.6	646,879	15.4
Germany[5]	67,831,000	1,275,212	18.8	793,192	11.7
Hungary	9,060,283	182,206	20.1	130,628	14.4
Italy	43,778,534	1,037,180	23.7	612,229	14.0
Jamaica	[2] 1,173,645	37,970	32.4	19,124	16.3
Japan	72,222,700	1,928,321	26.7	1,259,805	17.4
Netherlands	8,683,458	178,413	20.5	74,044	8.5
New Zealand	1,517,712	27,249	17.9	14,754	9.7
Northern Ireland	1,286,000	25,742	20.0	17,649	13.7
Norway	[2] 2,921,000	45,957	[3] 15.7	29,013	[3] 9.9
Peru	[6] 6,500,000	186,520	[3] 28.7	97,279	[3] 15.0
Poland[5]	34,221,000	856,000	[3] 25.0	482,000	[3] 14.1
Roumania	19,750,004	585,197	29.6	379,278	19.2
Scotland	4,993,100	88,627	17.7	62,953	12.6
Sweden	6,297,468	93,499	[3] 14.8	72,577	11.5
Switzerland	4,194,600	63,790	15.2	48,576	11.6
Union of South Africa (European)	2,081,400	52,065	25.0	19,733	9.5
Uruguay	2,107,980	41,701	19.8	21,568	[3] 10.2
Venezuela	3,448,721	118,473	[3] 34.4	62,294	[3] 18.1

[1] Exclusive of stillbirths.
[2] Estimated as of Dec. 31, 1938.
[3] Rate computed.
[4] Estimated as of Dec. 31, 1938. Taken from the Annual Statistics of the League of Nations.
[5] Figures are for 1937.
[6] Population estimated for 1936. No later estimate available.

NOTE.—These figures were taken from the latest official vital statistics reports or yearbooks of each country unless otherwise specified.

TABLE VI.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED COUNTRIES AND SELECTED YEARS

COUNTRY AND YEAR	Estimated population	LIVE BIRTHS		TOTAL DEATHS [1]		DEATHS [1] UNDER 1 YEAR		STILLBIRTHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births
United States (registration States):									
1938	129,824,939	2,286,962	17.6	1,381,391	10.6	116,702	51.0	73,467	32.1
1937	128,824,829	2,203,337	17.1	1,450,427	11.3	119,931	54.4	73,609	33.4
1936	128,053,180	2,144,790	16.7	1,479,228	11.6	122,535	57.1	73,735	34.4
1935	127,250,232	2,155,105	16.9	1,392,752	10.9	120,138	55.7	77,119	35.8
1930	(2)	2,203,958	18.9	1,327,240	11.3	142,413	64.6	86,466	39.2
1925	(3)	1,878,800	21.3	1,191,809	11.7	134,652	71.7	71,519	38.1
1920	(4)	1,508,874	23.7	1,118,070	13.0	129,531	85.8	(5)	(5)
Australia:									
1938	6,894,847	120,415	17.5	66,451	9.6	4,607	38.3	(5)	(5)
1937	6,833,375	119,131	17.4	64,496	9.4	4,534	38.1	(5)	(5)
1936	6,777,744	116,073	17.1	63,932	9.4	4,778	41.2	(5)	(5)
1935	6,725,632	111,325	16.6	63,599	9.5	4,429	39.8	(5)	(5)
1930	6,466,019	128,399	19.9	55,331	8.6	6,065	47.2	(5)	(5)
1925	5,940,977	135,792	22.9	54,568	9.2	7,251	53.4	(5)	(5)
1920	5,359,142	136,406	25.5	56,289	10.5	9,431	69.1	(5)	(5)
Canada: [6]									
1938	11,195,000	229,446	20.5	106,817	9.5	14,517	[7] 63.3	6,426	[7] 28.0
1937	11,106,000	220,235	19.8	113,824	10.2	16,693	[7] 75.8	6,275	[7] 28.5
1936	11,014,000	220,371	20.0	107,050	9.7	14,574	[7] 66.1	6,350	[7] 28.8
1935	10,921,000	221,451	20.3	105,567	9.7	15,730	[7] 71.0	6,449	[7] 29.1
1930	10,195,000	243,495	23.9	109,306	10.7	21,742	[7] 89.3	7,707	[7] 31.7
1925	6,737,000	154,861	23.0	66,477	9.9	12,169	78.6	5,296	[7] 34.2
1920	6,272,000	166,741	26.6	77,722	12.4	16,695	100.1	(5)	(5)
Chile:									
1938	4,618,809	154,927	[7] 33.5	113,719	[7] 24.6	36,512	[7] 235.7	8,239	[7] 53.2
1937	4,572,147	153,354	33.5	109,795	24.0	36,914	[7] 240.7	8,224	[7] 53.6
1936	4,530,051	156,917	34.6	114,392	25.3	39,569	[7] 252.2	7,787	[7] 49.6
1935	4,485,792	153,151	34.1	112,364	25.0	38,432	[7] 250.9	7,848	[7] 51.2
1930	4,287,445	169,395	39.8	105,140	24.7	39,706	[7] 234.4	5,866	[7] 34.6
1925	3,929,086	156,225	39.8	108,787	27.7	40,276	[7] 257.8	4,757	[7] 30.4
1920	3,753,799	146,725	39.4	115,428	31.0	38,654	[7] 263.4	4,122	[7] 28.1
England, Scotland, Wales:									
1938	46,208,100	709,831	[7] 15.4	541,782	[7] 11.7	38,887	[7] 54.8	(5)	(5)
1937	46,007,600	698,367	[7] 15.2	578,516	[7] 12.6	42,225	[7] 60.5	(5)	(5)
1936	45,805,300	694,220	[7] 15.2	562,513	[7] 12.3	42,740	[7] 61.6	(5)	(5)
1935	45,598,000	686,684	[7] 15.1	542,732	[7] 11.9	40,846	[7] 59.5	(5)	(5)
1930	44,629,000	743,360	[7] 16.7	519,712	[7] 11.6	46,760	[7] 62.9	(5)	(5)
1925	43,802,000	814,719	[7] 18.6	538,348	[7] 12.3	62,746	[7] 77.0	(5)	(5)
1920	42,111,396	1,094,328	[7] 26.0	534,309	[7] 12.7	89,117	[7] 81.4	(5)	(5)
England and Wales:									
1938	41,215,000	621,204	15.1	478,829	11.6	32,724	[7] 52.7	24,729	[7] 39.8
1937	41,031,000	610,557	14.9	509,574	12.4	35,175	57.6	24,806	[7] 40.6
1936	40,839,000	605,292	14.8	495,764	12.1	35,425	58.5	25,045	[7] 41.4
1935	40,645,000	598,756	14.7	477,401	11.7	34,092	56.9	25,435	[7] 42.5
1930	39,801,000	648,811	16.3	455,427	11.4	38,908	60.0	27,577	[7] 42.5
1925	38,935,000	710,582	18.3	472,841	12.1	53,316	75.0	(5)	(5)
1920	37,247,000	957,782	25.5	466,130	12.4	76,552	79.9	(5)	(5)
Scotland:									
1938	4,993,100	88,627	17.7	62,953	12.6	6,163	69.5	(5)	(5)
1937	4,976,600	87,810	17.6	68,942	13.9	7,050	80.3	(5)	(5)
1936	4,966,300	88,928	17.9	66,749	13.4	7,315	82.3	(5)	(5)
1935	4,953,000	87,928	17.8	65,531	13.2	6,754	76.8	(5)	(5)
1930	4,828,000	94,549	19.6	64,285	13.3	7,852	83.0	(5)	(5)
1925	4,867,000	104,137	21.4	65,507	13.5	9,430	90.6	(5)	(5)
1920	4,864,396	136,546	28.1	68,179	14.0	12,565	92.0	(5)	(5)
France:									
1938	[8] 41,980,000	612,138	14.6	646,879	15.4	40,113	[7] 65.5	22,258	[7] 36.4
1937	41,950,000	616,863	[7] 14.7	623,503	[7] 14.9	40,084	[7] 65.0	23,006	[7] 37.3
1936	41,910,000	630,818	[7] 15.1	642,318	[7] 15.3	42,245	[7] 67.0	21,781	[7] 34.5
1935	41,940,000	640,527	[7] 15.3	658,379	[7] 15.7	44,137	[7] 68.9	21,929	[7] 34.2
1930	41,610,000	749,953	[7] 18.0	648,886	[7] 15.6	58,630	[7] 78.2	26,044	[7] 34.7
1925	40,610,000	770,060	[7] 19.0	707,816	[7] 17.4	68,529	[7] 89.0	28,986	[7] 37.6
1920	39,000,000	833,518	[7] 21.4	671,057	[7] 17.2	82,691	[7] 99.2	35,427	[7] 42.5
Germany: [9]									
1938	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
1937	67,831,000	1,275,212	18.8	793,192	11.7	81,596	[7] 64.0	31,362	[7] 24.6
1936	67,349,000	1,278,583	19.0	795,793	11.8	84,602	[7] 66.2	33,470	[7] 26.2
1935	66,871,000	1,263,976	18.9	792,018	11.8	86,649	[7] 68.6	33,099	[7] 26.2
1930	65,084,000	1,144,151	17.6	718,807	11.0	96,897	[7] 84.7	36,427	[7] 31.8
1925	63,166,000	1,311,259	20.8	753,017	11.9	137,927	[7] 105.2	44,414	[7] 33.9
1920	61,794,000	1,599,287	25.9	932,929	15.1	209,723	[7] 131.1	52,306	[7] 32.7
Italy:									
1938	43,778,534	1,037,180	23.7	612,229	14.0	110,221	106.3	34,205	[7] 33.0
1937	43,504,000	991,867	[7] 22.8	615,420	[7] 14.1	107,877	[7] 108.8	32,586	[7] 32.9
1936	42,993,602	962,686	22.4	589,636	13.7	96,680	100.2	32,229	[7] 33.5
1935	42,631,062	996,708	23.4	593,955	13.9	100,876	101.2	33,849	[7] 34.0
1930	40,887,590	1,092,678	26.7	576,751	14.1	115,283	105.5	39,886	[7] 36.5
1925	39,112,440	1,109,761	28.4	670,296	17.1	132,405	119.8	48,117	[7] 43.4
1920	36,366,198	1,158,041	31.8	681,749	18.7	146,718	127.3	52,387	[7] 45.2
Japan:									
1938	72,222,700	1,928,321	26.7	1,259,805	17.4	(5)	(5)	(5)	(5)
1937	71,252,800	2,180,734	30.6	1,207,899	17.0	230,701	[7] 105.8	111,485	[7] 51.1
1936	70,258,200	2,101,969	29.9	1,230,278	17.5	245,357	[7] 116.7	111,056	[7] 52.8
1935	69,254,148	2,190,704	31.6	1,161,936	16.8	233,706	[7] 106.7	115,593	[7] 52.8
1930	64,450,005	2,085,101	32.4	1,170,867	18.2	258,703	[7] 124.1	117,730	[7] 56.5
1925	59,736,822	2,086,091	34.9	1,210,706	20.3	297,008	[7] 142.4	124,403	[7] 59.6
1920	55,963,053	2,025,564	36.2	1,422,096	25.4	335,613	[7] 165.7	144,038	[7] 71.1

[1] Exclusive of stillbirths.
[2] For birth-registration area, 116,544,946; for death-registration States, 117,238,278.
[3] For birth-registration area, 88,294,564; for death-registration States, 102,031,555.
[4] For birth-registration area, 63,597,307; for death-registration States, 86,079,263.
[5] Not available.
[6] Excluding the Yukon and Northwest Territories. Registration area excluded the Province of Quebec in 1920 and 1925, but included it in 1930, 1935, 1936, 1937, and 1938.
[7] Rate computed.
[8] Estimated as of Dec. 31, 1938. From the Annual Statistics of the League of Nations.
[9] Including Saarland.

NOTE.—These figures were taken from the latest official vital statistics reports or yearbooks of each country unless otherwise specified.

TABLE VII.—CRUDE BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1916-1940

(For each State, rates are shown from the year of its admission to the birth-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the birth-registration area. Rates for 1916-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years. Rates for 1940 are based on the populations enumerated in the Federal census of April 1)

DIVISION AND STATE	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
UNITED STATES (birth-registration area)	24.9	24.5	24.7	22.4	23.7	24.2	22.3	22.1	22.2	21.3	20.5	20.5	19.7	18.8	18.9	18.0	17.4	16.6	17.2	16.9	16.7	17.1	17.6	17.3	17.9
GEOGRAPHIC DIVISIONS:																									
New England	24.6	25.1	25.4	—	—	23.3	21.9	21.7	22.2	20.7	19.8	19.4	18.8	17.8	17.8	16.8	16.3	15.2	15.3	15.0	14.7	14.7	14.8	15.0	15.7
Middle Atlantic	—	—	—	—	—	24.2	22.7	22.3	22.3	21.3	20.4	20.6	19.5	18.4	18.0	16.8	16.0	14.9	14.8	14.8	14.6	14.7	15.0	14.7	15.3
East North Central	—	—	—	—	—	—	20.7	20.6	20.9	20.1	19.5	19.3	18.6	18.2	18.2	16.8	15.9	15.0	15.5	15.7	15.8	16.3	17.0	16.4	17.1
West North Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17.2	16.5	17.3	16.7	16.8	16.6	17.1	17.0	17.5
South Atlantic	—	—	—	—	—	—	—	—	—	—	—	—	22.9	21.6	21.8	21.0	21.3	20.1	21.0	20.5	19.9	20.5	20.6	20.4	20.8
East South Central	—	—	—	—	—	—	—	—	—	—	—	24.0	22.6	21.9	22.6	21.8	22.0	20.6	21.8	21.4	20.8	21.2	21.9	21.2	21.8
West South Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18.3	19.5	18.7	18.2	18.7	19.6	19.2	19.9
Mountain	—	—	—	—	—	—	—	—	—	—	—	—	—	20.8	21.3	20.4	19.6	19.1	20.1	20.5	20.4	21.0	21.8	21.4	22.1
Pacific	—	—	—	17.5	19.1	19.2	18.3	18.4	18.7	17.6	16.6	16.1	15.4	14.6	14.7	14.0	13.3	12.7	13.2	13.2	13.6	14.6	15.4	15.3	16.2
NEW ENGLAND:																									
Maine	20.7	21.4	22.1	20.3	22.5	22.9	22.6	22.5	23.5	22.0	20.7	20.5	20.7	19.9	20.3	20.3	20.0	18.6	19.3	19.1	18.5	18.3	18.2	17.8	17.8
New Hampshire	21.7	21.4	21.9	19.8	22.4	22.6	21.7	20.5	22.1	20.5	18.9	18.9	18.5	17.5	17.9	16.6	16.6	15.6	16.6	16.3	16.1	16.0	16.3	16.2	17.3
Vermont	21.6	20.3	21.3	20.0	21.0	22.3	21.2	20.7	20.9	21.1	20.1	19.7	19.7	18.7	19.3	18.6	16.9	17.2	18.5	18.5	18.1	17.8	17.7	17.8	18.6
Massachusetts	25.1	25.6	25.9	23.2	23.6	23.3	21.9	22.0	22.3	20.7	19.9	19.5	18.7	17.5	17.3	16.4	16.1	14.8	14.8	14.4	14.0	14.0	13.8	14.5	15.3
Rhode Island	24.5	25.2	25.7	—	—	23.0	22.2	22.0	22.4	21.2	20.0	20.3	19.2	18.0	17.8	16.6	16.5	15.3	15.3	15.1	14.8	14.8	15.2	14.9	15.1
Connecticut	27.3	28.2	27.8	24.9	24.5	24.1	21.8	21.1	21.4	19.7	19.1	18.6	17.9	17.1	17.2	15.8	14.6	13.8	13.6	13.5	13.5	13.7	14.2	13.9	14.7
MIDDLE ATLANTIC:																									
New York	24.5	24.6	24.4	22.1	22.9	23.0	21.9	21.4	21.3	20.5	19.8	20.4	19.2	17.8	17.1	16.1	15.4	14.4	14.1	13.9	13.6	13.8	14.1	13.9	14.6
New Jersey	—	—	—	—	—	23.7	22.1	21.5	21.5	20.2	19.3	18.7	17.7	17.1	16.8	15.5	14.9	13.6	13.3	13.3	13.2	13.3	13.7	13.6	14.1
Pennsylvania	25.7	25.9	25.8	24.0	25.2	25.8	23.9	23.7	23.8	22.7	21.6	21.5	20.5	19.5	19.5	18.4	17.2	16.1	16.4	16.5	16.4	16.6	16.8	16.4	16.7
EAST NORTH CENTRAL:																									
Ohio	—	22.0	22.5	19.9	21.3	21.8	20.3	20.8	20.9	19.7	19.0	18.8	18.2	17.6	17.7	16.1	15.1	14.1	14.7	14.8	15.1	15.7	16.4	15.8	16.6
Indiana	—	21.7	22.4	20.4	22.0	22.9	21.6	21.5	22.0	20.6	19.9	19.5	18.8	18.2	18.3	17.1	16.1	15.2	15.7	15.8	16.0	16.5	17.7	17.1	18.1
Illinois	—	—	—	—	—	—	19.3	18.7	19.0	18.5	18.1	17.8	17.1	16.9	16.8	15.5	14.5	14.0	14.3	14.4	14.4	14.7	15.6	15.0	15.6
Michigan	25.9	25.8	26.0	23.4	24.9	24.9	22.9	22.9	23.3	22.9	22.2	21.8	21.0	20.7	20.5	19.0	17.9	16.9	17.5	18.1	18.1	18.4	19.2	18.3	18.9
Wisconsin	—	22.9	23.4	21.1	21.9	22.7	21.0	21.0	21.0	20.0	19.2	19.7	19.6	18.9	19.3	18.3	17.7	16.7	17.0	17.2	17.2	17.4	17.8	17.4	17.5
WEST NORTH CENTRAL:																									
Minnesota	24.0	23.5	24.4	22.1	23.3	23.6	23.3	22.6	22.1	21.2	20.5	19.7	19.1	18.2	18.4	18.0	17.7	16.8	17.2	17.1	17.6	17.7	18.3	18.2	19.0
Iowa	—	—	—	—	—	—	—	—	20.3	19.7	18.8	18.3	17.7	17.1	17.3	17.0	16.3	16.0	17.0	16.4	17.1	17.0	17.4	17.4	17.9
Missouri	—	—	—	—	—	—	—	—	—	—	—	18.6	17.6	16.9	17.1	16.5	16.2	15.4	15.9	15.4	15.0	15.2	15.7	15.6	16.4
North Dakota	—	—	—	—	—	—	—	—	22.2	22.5	22.9	22.4	22.5	21.7	21.7	21.3	21.1	19.9	22.0	20.8	20.8	19.6	20.4	20.5	20.8
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19.1	18.6	19.3	19.1	19.3	18.1	18.2	18.0	18.1
Nebraska	—	—	—	—	23.8	24.6	23.7	22.9	22.6	21.8	20.9	20.4	20.4	19.3	19.6	19.3	18.3	17.6	18.3	17.1	17.7	16.8	17.0	17.0	16.8
Kansas	—	22.1	22.6	20.7	22.4	23.4	21.5	21.7	21.0	20.1	19.1	18.9	18.3	17.5	17.9	17.4	16.8	16.4	17.4	16.3	16.1	15.8	16.1	16.0	15.9
SOUTH ATLANTIC:																									
Delaware	—	—	—	—	—	23.4	22.0	21.2	20.2	21.1	18.7	18.6	18.5	18.1	18.7	17.5	17.5	15.8	16.0	16.1	15.5	17.2	17.2	16.7	17.2
Maryland	23.8	23.8	23.2	23.5	24.7	24.8	22.9	22.8	22.5	21.8	20.9	20.3	19.8	18.5	18.5	17.4	17.2	16.2	16.0	15.8	15.3	15.8	16.4	15.8	16.6
Dist. of Columbia	20.0	19.4	19.5	18.4	20.0	20.1	20.2	19.9	20.3	19.7	19.0	19.0	18.7	18.4	19.2	18.5	19.8	18.8	17.9	17.8	18.6	20.0	20.3	21.3	23.1
Virginia	—	26.3	26.7	26.2	28.0	29.3	26.9	26.5	26.5	25.3	23.9	23.9	23.2	22.3	22.5	21.3	21.8	20.3	20.5	19.9	19.5	19.6	19.9	19.6	20.6
West Virginia	—	—	—	—	—	—	—	—	—	28.4	27.1	26.8	25.6	23.7	24.0	22.3	21.7	20.1	22.7	22.5	21.9	22.7	22.7	22.0	22.1
North Carolina	—	30.0	29.9	29.1	31.5	33.4	30.3	30.5	30.9	28.9	27.8	27.5	26.2	24.6	24.2	23.3	23.9	22.7	23.7	23.3	22.4	23.0	23.0	22.4	22.6
South Carolina	—	—	—	26.4	28.3	29.8	27.5	26.1	27.7	—	—	—	24.9	22.7	23.1	22.2	23.2	22.3	24.3	22.1	21.3	21.9	22.0	22.6	23.4
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	20.4	20.2	20.8	21.0	21.5	20.4	21.5	21.1	20.4	20.9	20.7	20.7	20.8
Florida	—	—	—	—	—	—	—	—	23.1	23.3	25.4	24.1	20.8	18.6	18.4	18.1	18.0	16.5	16.9	17.4	17.0	17.3	17.6	17.6	17.8
EAST SOUTH CENTRAL:																									
Kentucky	—	25.5	25.7	26.9	26.0	27.6	25.4	26.1	26.3	25.2	23.8	24.4	23.2	21.7	22.6	21.7	22.5	20.8	22.4	21.4	20.5	20.5	22.3	21.5	22.3
Tennessee	—	—	—	—	—	—	—	—	—	—	—	21.0	19.2	19.4	20.1	19.7	19.4	18.3	18.9	19.1	18.2	18.6	19.0	18.6	19.1
Alabama	—	—	—	—	—	—	—	—	—	—	—	25.9	24.1	23.8	24.0	23.5	23.4	21.9	23.2	22.4	21.5	22.0	22.0	21.7	22.2
Mississippi	—	—	—	—	—	25.3	23.7	23.1	23.1	23.6	26.3	25.1	24.3	22.8	24.0	22.5	22.9	21.5	23.0	23.1	23.5	24.7	25.0	23.8	24.1
WEST SOUTH CENTRAL:																									
Arkansas	—	—	—	—	—	—	—	—	—	—	—	21.9	20.7	20.2	22.1	22.1	20.3	19.4	19.8	18.7	17.6	18.4	19.2	18.2	19.7
Louisiana	—	—	—	—	—	—	—	—	—	—	—	22.7	20.3	20.2	20.4	20.3	19.9	18.0	19.2	18.7	19.2	20.1	21.2	20.8	21.5
Oklahoma	—	—	—	—	—	—	—	—	—	—	—	—	18.3	16.8	17.7	18.0	17.1	18.2	19.8	18.3	17.7	17.8	19.0	18.6	19.1
Texas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18.0	19.4	18.9	18.1	18.7	19.3	19.1	19.7
MOUNTAIN:																									
Montana	—	—	—	—	—	—	20.0	19.5	19.0	19.1	18.5	18.6	18.4	19.2	18.5	18.0	17.0	16.8	18.6	18.6	19.1	18.8	19.6	19.7	20.5
Idaho	—	—	—	—	—	—	—	—	—	—	21.1	20.5	20.2	19.7	20.6	20.2	19.4	18.9	20.4	20.2	21.2	21.0	22.4	21.5	22.3
Wyoming	—	—	—	—	—	—	25.0	23.4	24.3	22.4	20.2	20.4	20.4	19.8	19.8	19.8	18.6	18.4	19.8	18.6	20.0	18.7	20.2	19.8	20.1
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	18.9	17.8	18.1	17.7	16.8	16.3	17.0	17.9	17.1	18.1	18.8	18.6	18.8
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—	27.0	28.4	28.2	28.0	27.3	27.6	27.7	26.3	27.5	27.8	27.2	27.7
Arizona	—	—	—	—	—	—	—	—	—	—	20.8	20.6	21.2	22.3	23.7	21.1	18.9	17.8	18.4	19.5	20.1	21.9	22.4	22.2	23.5
Utah	—	30.7	33.1	29.2	31.2	31.9	29.7	28.8	29.1	28.2	26.6	25.7	25.7	24.4	25.4	23.4	23.1	22.8	24.1	24.1	23.8	24.0	24.8	24.0	24.6
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—	14.2	14.5	12.9	13.1	14.0	14.5	14.1	13.9	16.8	17.9	18.0	18.7
PACIFIC:																									
Washington	—	18.2	19.2	18.8	19.7	19.4	17.9	17.6	17.3	16.6	15.8	15.2	14.9	14.6	14.7	14.0	13.7	13.3	14.2	14.0	14.4	15.1	15.9	15.6	16.2
Oregon	—	—	—	17.5	19.0	19.4	18.4	18.0	18.3	17.5	16.3	15.8	15.0	14.0	14.1	13.7	13.2	12.5	13.3	13.2	13.6	14.8	15.3	15.5	16.4
California	—	—	—	16.9	18.9	19.1	18.4	18.8	19.2	18.0	16.8	16.4	15.6	14.7	14.8	14.0	13.3	12.6	12.9	13.0	13.3	14.5	15.3	15.3	16.2

TABLE VIII.—CRUDE STILLBIRTH RATIOS (NUMBER OF STILLBIRTHS PER 1,000 LIVE BIRTHS): UNITED STATES, EACH DIVISION AND STATE, 1922-1940

(The annual collection of stillbirth statistics was begun in 1922. See headnote, table VII)

DIVISION AND STATE	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
UNITED STATES (birth-registration area)	39.4	38.9	39.3	38.1	38.1	38.8	40.2	39.5	39.2	38.2	37.8	37.0	36.2	35.8	34.4	33.4	32.1	32.0	31.3
GEOGRAPHIC DIVISIONS:																			
New England	37.4	37.7	37.2	36.7	36.5	36.0	35.0	33.8	33.9	33.3	33.2	32.7	30.9	30.0	28.9	28.4	27.3	26.6	25.8
Middle Atlantic	40.9	41.1	41.0	39.7	40.2	39.5	40.5	38.7	38.6	39.0	38.7	38.9	38.1	36.0	35.5	34.6	33.8	37.9	39.2
East North Central	36.7	36.4	36.1	35.3	35.5	35.0	35.2	34.7	34.0	33.2	31.7	31.0	30.0	29.4	27.8	27.1	25.9	25.3	25.0
West North Central	—	—	—	—	—	—	—	—	—	—	31.8	29.7	29.6	30.0	28.1	26.9	26.9	25.0	25.0
South Atlantic	—	—	—	—	—	—	53.9	53.7	54.2	51.5	51.8	49.4	49.1	49.4	47.3	46.2	43.9	41.3	39.7
East South Central	—	—	—	—	—	43.7	45.6	45.8	46.2	43.0	42.4	43.5	42.1	42.4	41.7	41.0	39.4	38.8	37.1
West South Central	—	—	—	—	—	—	—	—	—	—	—	38.1	37.3	38.4	36.6	35.3	33.8	34.1	31.0
Mountain	—	—	—	—	—	—	—	28.4	27.9	27.8	28.1	27.2	26.6	25.4	25.9	23.9	23.7	23.1	22.7
Pacific	30.6	29.9	29.7	28.5	29.2	27.6	28.3	28.4	27.9	28.1	26.6	25.7	23.8	23.6	22.7	21.9	20.6	20.3	19.3
NEW ENGLAND:																			
Maine	44.9	42.5	40.4	39.6	40.7	39.2	40.2	38.9	35.7	36.6	33.9	37.0	35.3	33.8	30.8	32.9	34.5	30.4	29.4
New Hampshire	41.9	45.9	41.4	41.4	40.2	42.9	38.6	37.5	41.7	40.2	38.4	36.3	30.8	34.1	29.7	31.3	31.3	27.6	24.8
Vermont	29.8	31.7	33.3	30.1	31.8	31.0	29.5	29.3	28.1	27.9	30.5	31.3	32.9	28.7	28.4	30.4	26.7	27.5	25.8
Massachusetts	36.5	37.3	37.9	36.2	35.6	35.8	35.4	33.8	34.9	34.8	34.0	33.9	30.9	30.2	29.5	28.1	27.1	27.5	26.8
Rhode Island	37.8	34.1	33.2	34.7	36.3	34.6	33.6	34.5	33.9	32.3	34.2	28.1	28.9	28.7	29.6	31.3	27.1	25.4	28.3
Connecticut	35.7	37.0	34.6	37.6	36.6	34.4	31.8	30.6	29.1	27.1	28.9	27.8	28.1	26.4	25.3	23.2	22.1	21.9	20.2
MIDDLE ATLANTIC:																			
New York	42.5	42.7	43.7	41.9	42.4	41.3	42.8	40.9	40.9	41.5	41.6	42.7	41.2	39.7	39.6	38.0	38.3	47.8	51.9
New Jersey	40.6	42.5	40.8	39.9	40.8	41.4	40.1	39.7	38.0	39.3	37.4	36.2	36.2	34.1	33.5	30.9	29.8	28.1	26.1
Pennsylvania	39.2	38.9	38.4	37.3	37.7	36.8	38.0	36.0	36.2	35.9	35.7	35.3	35.1	32.3	31.6	31.9	29.9	29.7	28.6
EAST NORTH CENTRAL:																			
Ohio	39.4	38.9	37.9	37.8	37.7	37.5	37.0	37.2	36.0	34.7	33.9	32.8	32.7	31.9	29.8	28.8	27.5	27.0	25.9
Indiana	30.7	31.0	31.8	31.4	30.6	31.1	31.1	29.4	29.6	29.1	28.6	26.9	26.7	27.0	23.8	24.0	21.4	22.1	23.0
Illinois	36.0	39.1	38.6	36.1	36.4	35.1	36.1	34.6	33.6	34.3	30.9	29.8	30.2	29.6	27.6	26.5	26.2	25.3	25.6
Michigan	44.1	39.1	37.7	37.0	38.3	38.3	37.8	37.8	36.9	35.5	34.7	34.4	31.3	31.1	30.0	29.6	28.3	27.1	26.0
Wisconsin	27.3	26.7	28.3	29.7	28.9	28.3	29.2	29.9	29.9	28.3	27.4	28.7	25.4	23.8	24.3	23.8	23.0	21.9	22.0
WEST NORTH CENTRAL:																			
Minnesota	30.1	30.6	30.7	30.3	31.5	29.7	29.5	29.5	29.2	29.9	28.7	27.2	28.2	27.5	26.2	24.6	24.9	24.3	21.5
Iowa	—	—	33.7	32.6	27.6	28.7	26.6	30.6	31.4	31.8	31.6	28.3	26.9	26.9	27.1	25.6	25.4	23.5	22.5
Missouri	—	—	—	—	—	45.6	44.7	43.8	43.1	41.9	41.3	37.9	38.4	38.5	36.0	34.7	35.0	31.3	32.4
North Dakota	—	—	29.9	25.5	27.2	29.0	28.8	28.5	27.8	28.2	25.8	27.9	24.0	25.6	27.0	24.0	21.2	22.9	22.2
South Dakota	—	—	—	—	—	—	—	—	—	—	23.6	22.2	25.4	26.6	20.7	20.6	22.2	20.4	18.8
Nebraska	30.7	30.2	30.1	30.6	32.7	31.9	31.7	30.1	27.7	28.8	27.5	26.5	25.5	27.6	22.2	23.2	22.9	20.2	23.1
Kansas	33.0	32.4	29.2	32.4	33.4	32.2	32.9	33.7	31.1	29.0	28.2	26.2	26.5	27.3	26.2	23.7	23.5	22.4	24.7
SOUTH ATLANTIC:																			
Delaware	39.3	38.1	43.7	40.0	44.8	38.0	34.1	41.8	43.4	41.1	33.8	39.0	33.9	36.7	36.5	32.8	30.2	28.5	23.9
Maryland	72.2	68.7	70.6	67.6	68.4	72.1	69.7	71.9	69.2	66.4	64.4	64.6	57.9	55.7	48.6	47.1	43.6	45.0	43.6
District of Columbia	54.5	52.0	48.7	48.8	49.8	49.5	48.6	47.8	49.7	46.0	43.0	43.5	37.9	37.9	36.9	34.0	34.1	28.7	25.7
Virginia	44.3	44.3	46.2	42.8	44.1	43.0	44.2	44.4	45.2	43.8	44.4	42.9	43.3	42.4	43.6	41.8	40.0	38.9	36.8
West Virginia	—	—	—	38.4	38.1	38.2	38.5	39.0	37.2	38.8	36.9	37.3	39.4	39.4	37.3	39.2	39.5	36.2	35.4
North Carolina	42.2	40.9	43.0	46.4	44.9	42.8	48.4	47.1	48.8	45.3	46.7	41.4	41.4	41.3	40.9	39.7	38.5	36.3	34.4
South Carolina	62.4	58.4	63.6	—	—	—	67.8	67.2	65.8	62.0	63.9	58.9	56.4	60.9	58.2	55.1	50.6	45.7	47.1
Georgia	—	—	—	—	—	—	58.5	60.0	62.5	59.6	60.4	57.4	59.3	61.3	59.2	57.3	52.8	50.0	47.6
Florida	—	—	69.8	69.4	65.7	66.6	67.5	63.4	64.9	56.3	56.6	56.6	58.7	56.1	49.4	51.3	49.3	45.5	42.2
EAST SOUTH CENTRAL:																			
Kentucky	35.7	31.5	33.3	33.2	31.5	32.7	31.1	32.1	34.1	35.5	33.8	35.9	33.6	33.2	36.4	34.5	32.5	33.0	32.0
Tennessee	—	—	—	—	—	40.8	42.8	44.1	49.9	42.1	39.9	42.7	38.9	40.5	38.9	38.6	36.4	31.7	29.1
Alabama	—	—	—	—	—	49.2	52.0	53.0	52.7	48.9	49.1	47.4	49.7	48.2	44.2	42.5	41.8	40.5	39.9
Mississippi	54.4	53.7	52.7	53.8	51.8	53.2	57.7	54.5	48.6	45.6	47.3	48.5	46.4	47.8	47.5	48.6	47.5	51.1	48.2
WEST SOUTH CENTRAL:																			
Arkansas	—	—	—	—	—	46.0	45.9	43.3	43.2	38.9	39.8	38.9	35.7	37.8	38.0	36.0	33.5	35.3	27.0
Louisiana	—	—	—	—	—	53.9	58.4	53.4	52.3	49.5	50.5	50.2	48.2	49.4	47.4	45.5	42.5	43.2	38.0
Oklahoma	—	—	—	—	—	—	30.8	33.8	30.2	24.4	25.7	25.8	27.5	29.0	28.3	27.3	27.1	25.9	25.2
Texas	—	—	—	—	—	—	—	—	—	—	—	38.4	37.8	38.1	35.0	33.9	32.7	33.0	31.5
MOUNTAIN:																			
Montana	30.2	29.3	30.7	33.5	31.8	32.0	34.2	28.9	28.7	32.1	27.9	26.2	24.5	23.1	21.8	22.6	23.4	19.5	18.8
Idaho	—	—	—	—	26.3	24.0	25.5	26.3	22.2	19.8	27.0	23.6	22.5	22.9	24.7	23.3	20.3	21.6	21.5
Wyoming	34.7	33.3	34.4	30.2	31.2	29.3	28.5	22.6	30.0	26.0	26.4	20.0	19.5	19.7	14.3	21.2	18.6	17.6	20.0
Colorado	—	—	—	—	—	—	30.2	35.2	31.7	30.8	31.7	31.8	32.0	28.6	30.3	26.7	25.0	26.4	24.0
New Mexico	—	—	—	—	—	—	—	26.0	30.5	27.9	31.4	29.3	32.7	28.7	31.5	24.1	26.3	26.1	28.3
Arizona	—	—	—	—	29.2	30.1	27.6	29.6	28.8	31.1	25.3	30.5	27.3	27.9	29.0	25.3	27.3	23.2	24.8
Utah	25.5	23.4	23.3	24.8	23.5	23.6	25.3	22.5	21.9	23.0	20.6	21.4	19.1	21.6	20.3	20.6	21.2	21.4	18.7
Nevada	—	—	—	—	—	—	—	32.8	28.5	33.5	47.6	31.0	32.1	21.8	21.8	24.1	22.2	18.6	18.9
PACIFIC:																			
Washington	28.8	26.9	28.0	27.0	30.0	27.9	27.7	25.2	26.1	26.8	24.8	21.4	23.1	21.3	20.0	20.1	16.9	17.5	16.7
Oregon	31.3	32.4	31.6	30.5	31.9	30.4	28.8	31.2	28.5	27.2	25.1	26.6	23.9	22.4	21.3	21.9	21.5	19.3	21.1
California	31.1	30.4	29.9	28.6	28.5	27.0	28.4	28.9	28.3	28.6	27.3	26.8	24.0	24.4	23.7	22.4	21.5	21.1	19.6

TABLE IX.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 1,000 POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1916-1940

(Exclusive of stillbirths. For each State, rates are shown from the year of its admission to the death-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the death-registration area. Rates for 1916-1939 are based on revised intercensal population estimates as of July 1. They differ in some cases from rates previously published for these years. Rates for 1940 are based on the populations enumerated in the Federal census of April 1)

DIVISION AND STATE	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
UNITED STATES (death-registration States)	13.8	14.0	18.1	12.9	13.0	11.5	11.7	12.1	11.6	11.7	12.1	11.3	12.0	11.9	11.3	11.1	10.9	10.7	11.1	10.9	11.6	11.3	10.6	10.6	10.8
GEOGRAPHIC DIVISIONS:																									
New England	15.4	15.4	20.6	13.9	14.1	12.4	13.0	13.2	12.3	12.6	12.9	11.9	12.3	12.6	11.8	11.6	11.8	12.0	11.8	11.7	12.0	12.0	11.5	11.6	11.7
Middle Atlantic	15.1	15.1	20.4	13.6	13.8	12.3	12.6	13.0	12.3	12.3	12.9	11.9	12.5	12.3	11.5	11.5	11.2	11.1	11.2	11.1	11.4	11.5	10.9	11.0	11.1
East North Central	----	----	15.7	12.3	12.7	11.1	11.1	11.8	11.0	11.3	11.8	11.1	11.9	11.8	11.1	11.0	10.9	10.6	11.1	11.0	11.7	11.3	10.7	10.8	10.9
West North Central	----	----	----	----	----	----	----	----	----	----	----	----	----	----	10.4	10.3	10.3	10.2	10.8	10.5	11.4	10.6	10.1	10.2	10.3
South Atlantic	----	----	----	----	----	----	----	----	----	----	----	----	12.5	12.4	12.1	11.6	11.1	10.7	11.6	11.3	11.9	11.3	10.8	10.3	10.6
East South Central	----	----	----	----	----	----	----	----	----	11.3	12.0	10.9	12.2	12.3	11.5	10.8	10.5	10.4	10.9	10.6	11.6	11.1	10.5	10.2	10.4
West South Central	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	9.6	9.7	9.7	10.5	10.2	9.5	9.4	9.6
Mountain	----	----	----	----	----	----	----	----	----	----	----	----	----	12.1	12.0	11.2	10.9	10.6	11.1	11.6	11.9	11.8	10.7	10.5	10.3
Pacific	----	----	15.5	12.7	12.5	11.5	12.2	11.8	11.8	11.5	11.5	11.5	11.9	11.5	11.4	11.3	11.2	11.2	11.2	11.6	12.0	12.1	11.3	11.2	11.6
NEW ENGLAND:																									
Maine	15.7	15.0	19.2	14.7	15.4	14.0	14.7	14.9	13.7	13.6	14.3	13.8	13.8	14.2	13.9	13.1	13.3	13.7	13.4	13.4	13.7	13.8	12.6	12.8	12.5
New Hampshire	16.1	16.7	21.9	14.7	15.2	13.6	14.5	14.9	13.9	14.3	14.5	13.6	13.8	14.0	13.6	12.7	13.5	13.7	13.5	13.7	13.5	13.7	13.3	12.9	12.7
Vermont	15.8	14.8	19.5	14.5	15.7	14.1	14.6	15.1	13.7	14.5	14.6	13.7	13.7	14.7	13.0	12.5	13.3	12.9	13.7	13.4	13.9	14.0	12.9	12.7	12.8
Massachusetts	15.1	15.2	21.3	13.8	13.8	12.1	12.7	12.9	12.0	12.5	12.6	11.7	12.1	12.3	11.6	11.5	11.6	11.9	11.7	11.5	11.8	11.8	11.2	11.6	11.9
Rhode Island	15.9	15.8	20.6	14.1	14.2	12.3	12.7	13.1	12.5	12.1	12.9	11.7	12.4	13.0	11.7	11.7	11.9	11.7	11.4	11.6	11.8	12.0	11.9	11.1	11.2
Connecticut	15.6	15.7	20.6	13.4	13.6	11.4	12.2	12.2	11.5	11.7	12.0	10.8	11.4	11.5	10.7	10.7	10.4	10.7	10.7	10.7	10.8	10.8	10.5	10.5	10.5
MIDDLE ATLANTIC:																									
New York	15.4	15.4	19.5	14.0	14.1	12.5	13.1	13.1	12.8	12.7	13.4	12.6	13.1	12.7	11.7	11.7	11.4	11.4	11.3	11.2	11.5	11.5	10.9	11.1	11.1
New Jersey	15.1	14.7	20.7	13.0	12.9	11.5	11.9	12.0	11.4	11.5	11.9	10.8	11.3	11.6	10.7	10.8	10.4	10.6	10.7	10.6	11.0	11.0	10.7	10.8	10.8
Pennsylvania	14.7	15.0	22.2	13.4	13.8	12.4	12.3	13.2	12.1	12.2	12.6	11.4	12.2	12.1	11.5	11.5	11.2	10.8	11.2	11.1	11.5	11.8	10.8	11.0	11.3
EAST NORTH CENTRAL:																									
Ohio	13.8	14.0	16.9	12.8	12.8	11.3	11.2	12.1	11.1	11.4	12.1	11.2	12.1	12.3	11.4	11.3	11.3	10.8	11.3	11.3	11.8	11.7	10.9	11.1	11.4
Indiana	13.2	13.7	16.1	12.8	13.4	11.8	12.0	12.8	12.0	12.4	12.7	11.8	12.6	12.7	12.1	11.9	11.8	11.4	12.2	11.8	12.6	12.1	11.3	11.6	11.8
Illinois	----	----	16.4	12.1	12.4	10.7	10.9	11.6	10.7	11.2	11.5	11.0	11.9	11.5	10.9	11.2	10.8	10.7	11.3	11.0	11.9	11.2	10.8	11.0	11.2
Michigan	13.7	13.7	15.5	12.7	13.8	11.4	11.1	12.1	11.2	11.4	12.2	11.0	11.7	11.7	10.7	10.2	10.4	10.2	10.5	10.6	11.2	10.8	10.0	10.1	9.9
Wisconsin	11.6	11.3	13.5	10.8	11.1	10.1	9.9	10.4	10.0	10.3	10.4	10.1	10.9	10.7	10.4	10.1	10.1	9.8	10.0	10.1	10.9	10.4	10.0	10.1	10.1
WEST NORTH CENTRAL:																									
Minnesota	10.5	10.3	13.7	10.6	10.7	9.4	9.6	10.2	9.7	10.0	10.1	9.5	10.0	10.0	10.0	9.8	9.8	9.6	10.0	9.8	10.6	9.9	9.6	9.7	9.6
Iowa	----	----	----	----	----	----	----	10.5	9.8	10.0	10.5	10.0	10.3	10.4	10.6	10.4	10.4	10.3	10.7	10.5	11.4	10.7	10.3	10.5	10.4
Missouri	12.5	13.2	16.1	11.9	12.5	10.8	11.2	12.2	11.5	11.7	12.0	11.4	12.6	12.2	11.8	12.0	11.8	11.4	12.5	11.6	13.1	12.0	11.4	11.3	11.6
North Dakota	----	----	----	----	----	----	----	----	7.6	7.8	8.2	7.9	8.3	8.0	7.9	7.6	7.7	8.2	8.9	8.9	8.7	8.4	8.1	8.5	8.2
South Dakota	----	----	----	----	----	----	----	----	----	----	----	----	----	----	8.5	8.5	8.3	8.9	9.5	9.4	9.2	9.1	8.4	8.6	8.5
Nebraska	----	----	----	----	10.0	9.2	9.5	9.6	9.3	9.3	9.3	9.1	10.0	9.7	9.6	9.4	9.4	9.4	9.8	9.7	10.2	9.9	9.1	9.3	9.6
Kansas	11.6	11.9	15.4	10.9	11.5	10.2	10.5	10.9	9.9	10.2	10.4	10.1	11.3	10.4	10.4	9.9	10.4	10.5	10.7	10.9	11.6	10.3	10.1	10.1	10.3
SOUTH ATLANTIC:																									
Delaware	----	----	----	15.6	14.9	13.7	14.1	15.0	13.8	14.1	15.3	13.1	13.7	13.3	13.6	13.6	13.0	13.4	13.4	12.8	13.1	13.0	12.4	12.1	12.2
Maryland	15.9	16.5	22.9	15.2	14.6	13.4	13.4	14.5	13.6	13.9	14.4	13.2	13.5	13.5	13.2	13.1	12.5	12.2	12.3	12.3	12.6	12.6	11.8	11.6	12.1
Dist. of Columbia	18.1	17.4	22.9	14.3	14.7	13.6	14.0	15.7	14.4	15.2	15.8	14.7	15.1	15.4	15.1	15.3	15.5	14.9	14.6	14.0	14.5	14.2	12.5	12.6	13.0
Virginia	13.9	13.7	18.6	13.5	13.0	11.9	11.9	12.7	12.0	12.1	12.7	11.8	12.4	12.9	12.5	12.1	11.6	11.3	12.0	11.7	12.3	11.7	11.0	10.6	11.0
West Virginia	----	----	----	----	----	----	----	----	----	10.8	11.2	10.2	10.3	10.6	10.5	10.0	10.0	9.2	9.8	9.9	10.7	10.3	9.5	9.3	9.3
North Carolina	12.5	13.4	17.0	12.2	12.6	11.1	11.4	11.6	11.7	11.2	11.7	10.9	11.7	11.8	11.3	10.3	9.5	9.2	10.5	9.9	10.5	9.9	9.7	9.0	9.0
South Carolina	13.6	14.2	18.5	13.7	14.1	12.0	12.3	12.2	13.4	12.8	13.6	12.5	14.0	13.3	12.8	11.8	11.1	10.7	11.7	11.1	11.6	11.1	11.1	10.2	10.6
Georgia	----	----	----	----	----	----	10.4	11.4	11.9	----	----	----	12.4	12.2	12.1	11.2	10.8	10.4	11.8	11.4	12.4	11.2	10.8	10.2	10.4
Florida	----	----	----	13.2	13.2	11.8	12.0	12.9	13.7	13.3	14.7	12.8	13.2	12.6	12.4	12.1	12.0	12.1	12.8	12.4	12.7	12.3	11.9	11.6	12.1
EAST SOUTH CENTRAL:																									
Kentucky	12.5	13.6	16.8	12.7	11.8	10.5	10.8	11.8	10.6	11.3	11.8	10.7	11.8	11.9	11.3	11.0	11.0	10.7	11.3	10.9	11.9	11.3	10.6	10.5	10.4
Tennessee	----	13.2	16.3	12.4	12.2	10.6	10.6	11.6	11.2	11.0	12.3	11.1	12.0	12.1	11.5	10.8	10.6	10.3	10.9	10.8	11.7	10.8	10.4	10.0	10.3
Alabama	----	----	----	----	----	----	----	----	----	11.5	11.6	10.4	12.1	12.3	11.5	10.6	10.3	10.0	10.7	10.3	11.1	11.0	10.5	10.0	10.4
Mississippi	----	----	----	12.7	12.2	10.9	10.6	11.0	11.2	11.6	12.3	11.8	13.1	12.9	12.0	11.0	10.0	10.5	10.5	10.2	11.5	11.3	10.6	10.4	10.6
WEST SOUTH CENTRAL:																									
Arkansas	----	----	----	----	----	----	----	----	----	----	----	10.0	10.8	10.5	10.2	9.6	8.8	9.0	8.9	8.5	9.7	9.6	8.8	8.5	8.7
Louisiana	----	----	18.5	13.1	11.9	10.9	11.1	11.8	12.6	12.7	12.1	11.7	12.1	11.9	11.7	11.0	10.7	10.5	10.4	10.5	11.4	10.9	10.7	10.5	10.8
Oklahoma	----	----	----	----	----	----	----	----	----	----	----	----	8.9	9.0	8.2	7.8	8.0	9.5	8.9	8.8	9.8	9.1	8.6	8.7	8.8
Texas	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	9.9	9.9	10.1	10.7	10.5	9.6	9.5	9.7
MOUNTAIN:																									
Montana	11.9	13.1	18.0	10.8	9.7	8.6	9.4	9.1	9.2	9.7	10.2	10.1	10.7	10.9	10.1	9.8	9.9	9.8	10.5	11.6	11.5	11.2	10.4	10.7	10.2
Idaho	----	----	----	----	----	----	8.5	7.6	8.7	7.8	8.8	8.5	9.3	9.1	9.4	8.9	8.8	8.9	9.5	9.7	10.4	9.6	9.0	9.2	9.3
Wyoming	----	----	----	----	----	----	9.3	10.3	9.6	8.8	8.8	9.0	9.8	9.0	9.2	8.9	9.0	8.6	9.1	9.7	10.1	10.1	9.1	8.9	8.5
Colorado	11.1	11.8	19.5	12.8	14.6	12.4	13.7	12.5	12.4	12.3	12.1	12.7	13.9	12.8	12.7	11.9	12.0	11.4	11.9	12.4	12.8	12.8	11.5	11.3	11.1
New Mexico	----	----	----	----	----	----	----	----	----	----	----	----	----	15.3	15.4	14.1	13.5	12.9	13.2	13.2	12.7	12.7	11.6	11.3	10.5
Arizona	----	----	----	----	----	----	----	----	----	----	13.8	14.2	15.3	15.8	15.3	13.7	12.0	12.2	12.2	13.0	13.8	14.4	12.4	11.9	11.6
Utah	10.3	10.4	14.2	11.0	11.5	10.5	10.5	9.5	10.5	9.2	10.4	9.5	10.1	10.0	9.9	8.7	8.5	8.4	9.2	9.6	9.7	9.4	9.1	8.7	8.9
Nevada	----	----	----	----	----	----	----	----	----	----	----	----	----	13.3	12.7	14.2	14.0	12.7	13.1	13.1	14.1	12.7	12.1	11.7	12.7
PACIFIC:																									
Washington	9.4	9.5	13.2	10.8	11.0	9.4	10.1	9.7	9.9	10.2	10.3	10.4	10.8	10.6	10.7	10.5	10.6	10.6	11.1	11.4	11.9	11.5	11.0	10.9	11.5
Oregon	----	----	12.8	11.5	11.7	10.4	11.5	10.8	11.1	10.9	10.9	11.0	11.2	11.3	11.0	10.6	10.6	10.7	10.7	11.4	12.1	11.8	11.1	10.9	11.3
California	13.0	13.3	17.7	13.8	13.3	12.5	13.0	12.8	12.5	12.0	12.0	12.0	12.4	11.8	11.6	11.6	11.5	11.4	11.2	11.7	12.0	12.3	11.5	11.4	11.6

TABLE X.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS): UNITED STATES, EACH DIVISION AND STATE, 1916-1940

(Exclusive of stillbirths. See headnote, table VII)

DIVISION AND STATE	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
UNITED STATES (birth-registration area)	101.0	93.8	100.9	86.6	85.8	75.6	76.2	77.1	70.8	71.7	73.3	64.6	68.7	67.6	64.6	61.6	57.6	58.1	60.1	55.7	57.1	54.4	51.0	48.0	47.0
GEOGRAPHIC DIVISIONS:																									
New England	102.5	97.5	110.9	—	—	78.7	80.9	80.9	71.1	73.5	74.6	65.8	64.7	65.4	61.5	57.4	54.7	53.7	53.0	49.4	48.6	46.8	42.5	39.8	39.3
Middle Atlantic	—	—	—	—	—	80.4	81.8	79.6	73.2	73.8	75.4	63.6	67.9	64.6	62.1	61.0	55.2	52.5	52.8	48.9	48.3	46.4	42.6	41.7	39.9
East North Central	—	—	—	—	—	—	72.8	76.7	68.5	71.1	73.1	63.1	65.2	64.4	58.8	57.8	54.4	50.7	52.9	48.1	49.4	46.7	42.6	40.6	39.1
West North Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	50.3	51.9	53.1	50.0	49.9	47.3	43.6	40.3	39.3
South Atlantic	—	—	—	—	—	—	—	—	—	—	—	—	80.2	78.6	78.0	73.9	68.4	68.0	74.8	67.7	70.8	51.7	65.8	58.0	57.1
East South Central	—	—	—	—	—	—	—	—	—	—	—	65.6	74.6	73.4	70.2	62.7	61.6	63.9	67.8	60.1	65.2	60.4	60.6	55.7	55.9
West South Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	67.6	66.5	64.4	66.4	66.4	60.6	60.2	61.1
Mountain	—	—	—	—	—	—	—	—	—	—	—	—	—	90.1	88.3	82.0	71.2	76.1	74.5	77.5	77.7	74.7	66.3	63.7	61.7
Pacific	—	—	—	67.4	70.7	61.8	67.3	67.6	63.3	64.1	60.2	58.2	57.7	58.7	55.8	53.6	50.0	49.3	48.6	47.8	50.6	49.8	42.3	40.6	38.0
NEW ENGLAND:																									
Maine	108.2	93.3	101.2	90.6	101.6	88.0	86.5	88.5	80.8	76.3	80.0	80.0	72.5	77.4	75.7	71.5	63.1	66.3	70.6	63.0	64.1	65.3	56.2	52.4	53.5
New Hampshire	114.7	109.6	113.5	93.1	88.0	86.7	79.8	93.2	79.5	76.2	78.7	69.2	69.4	68.2	61.4	57.3	58.9	55.9	60.7	53.9	46.2	48.1	47.6	45.8	40.0
Vermont	93.1	85.0	93.0	85.5	96.2	77.8	73.1	76.0	70.2	72.4	72.0	69.8	65.2	65.8	64.8	59.9	63.2	53.0	52.6	48.8	58.0	49.5	48.4	45.6	45.0
Massachusetts	100.2	97.9	112.7	88.1	90.9	76.0	81.2	77.8	67.6	73.0	73.1	64.5	64.3	61.8	60.1	54.5	52.9	52.0	49.0	48.3	46.5	44.1	39.9	37.0	37.5
Rhode Island	111.2	107.5	125.6	—	—	92.7	85.2	94.3	79.9	72.8	82.0	66.5	67.2	72.0	61.8	60.8	57.2	55.5	53.9	47.2	48.2	47.6	43.8	39.4	38.2
Connecticut	101.3	93.8	107.2	86.3	91.9	73.1	77.3	76.5	68.7	73.3	72.1	58.8	58.6	64.4	56.0	53.8	49.4	48.4	48.8	42.7	42.0	40.4	36.3	35.9	34.1
MIDDLE ATLANTIC:																									
New York	94.1	91.4	96.8	83.6	86.3	75.4	77.0	72.1	69.2	67.6	70.5	59.4	65.0	60.8	58.8	57.4	52.8	53.6	51.9	48.0	47.0	45.1	40.6	39.3	37.2
New Jersey	—	—	—	—	—	74.1	78.6	71.6	70.0	68.9	70.1	61.3	65.2	60.1	56.5	56.8	50.2	46.3	49.1	46.2	44.3	39.4	39.5	38.7	35.6
Pennsylvania	114.2	111.0	128.5	100.0	97.1	87.7	88.2	90.4	78.5	82.0	82.4	69.0	72.1	70.5	68.0	66.7	60.0	53.4	55.0	50.8	51.2	50.3	45.9	45.6	44.7
EAST NORTH CENTRAL:																									
Ohio	—	92.1	94.1	89.6	82.9	75.1	71.7	74.7	66.6	69.6	75.9	61.8	66.1	68.8	60.7	60.0	58.5	52.7	53.7	50.4	51.2	49.6	43.3	42.9	41.4
Indiana	—	85.8	87.0	79.0	81.8	71.2	67.4	71.0	65.2	67.9	72.4	58.8	62.5	63.6	57.7	57.6	54.7	53.0	56.5	50.8	50.7	49.7	42.5	39.5	41.9
Illinois	—	—	—	—	—	—	76.1	81.9	71.0	72.5	69.4	64.4	64.2	61.4	55.8	58.6	52.8	49.0	52.8	45.9	46.8	43.1	40.9	38.0	35.3
Michigan	96.1	88.3	89.1	89.7	91.7	78.6	74.5	80.3	72.3	75.3	77.2	67.7	69.4	66.4	62.7	57.0	54.0	50.5	52.0	47.7	50.7	47.9	44.6	41.9	40.7
Wisconsin	—	77.8	79.0	79.6	76.5	72.1	70.8	69.9	64.7	67.2	69.1	59.1	61.4	59.6	55.7	53.1	50.4	48.5	49.4	46.0	47.7	43.4	41.8	40.2	37.2
WEST NORTH CENTRAL:																									
Minnesota	69.7	67.4	70.9	67.0	66.4	58.8	57.9	61.7	56.7	60.3	57.6	51.9	53.6	51.2	52.5	50.6	47.2	47.6	47.2	44.7	44.4	40.8	38.8	35.8	33.3
Iowa	—	—	—	—	—	—	—	—	54.9	56.0	58.7	55.5	53.0	52.6	53.9	49.0	47.9	48.3	50.6	47.1	48.2	44.2	40.5	38.8	36.7
Missouri	—	—	—	—	—	—	—	—	—	—	—	59.7	65.6	62.1	58.6	62.8	57.2	55.4	63.1	56.9	57.9	56.5	51.5	45.1	46.9
North Dakota	—	—	—	—	—	—	—	—	66.7	71.6	69.2	63.4	59.5	67.2	61.7	58.8	55.5	60.0	57.3	59.4	49.7	52.4	49.8	49.0	45.1
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	50.4	54.8	58.0	52.5	47.8	51.1	43.8	41.4	39.2
Nebraska	—	—	—	—	64.2	58.6	56.7	57.3	55.3	57.7	59.2	51.2	52.8	51.7	49.4	48.8	43.4	49.3	45.5	41.2	44.1	42.1	36.4	36.5	35.7
Kansas	—	77.5	79.5	69.7	73.1	62.5	64.8	62.9	59.0	61.7	65.3	55.3	59.0	57.6	52.6	47.9	48.1	53.5	48.5	50.3	51.8	44.4	43.0	39.4	38.1
SOUTH ATLANTIC:																									
Delaware	—	—	—	—	—	97.6	100.2	104.0	95.0	90.5	93.4	70.6	78.4	81.2	78.5	81.7	67.1	60.4	61.4	66.4	64.5	63.8	52.8	44.0	48.9
Maryland	121.0	119.9	140.4	105.4	104.1	93.6	94.1	94.6	86.2	90.0	87.1	81.5	79.6	79.9	75.3	80.5	69.0	65.8	70.4	62.0	69.1	61.5	55.7	50.3	49.6
Dist. of Columbia	106.0	97.4	111.6	85.3	91.0	83.5	84.9	91.8	76.0	87.4	85.0	67.6	65.1	70.7	70.8	67.0	72.9	67.2	65.3	59.4	72.4	60.8	48.1	47.7	47.0
Virginia	—	97.8	102.9	91.0	83.6	78.7	76.8	84.0	77.6	80.8	83.7	75.5	75.9	78.8	77.3	76.3	67.2	68.5	72.6	69.6	73.9	69.7	66.2	60.9	59.3
West Virginia	—	—	—	—	—	—	—	—	—	79.8	81.8	71.9	70.1	77.6	81.0	77.2	75.0	68.2	67.4	60.6	71.2	61.8	62.3	54.7	53.9
North Carolina	—	99.6	101.8	84.3	84.9	75.0	79.5	81.0	82.3	78.8	82.3	79.1	85.7	79.1	78.6	72.9	66.5	66.0	77.9	68.8	68.9	65.5	68.6	59.2	57.4
South Carolina	—	—	—	113.1	115.8	96.1	92.9	96.3	101.6	—	—	—	96.5	91.0	88.7	81.0	77.2	78.2	83.0	79.3	80.8	75.6	80.3	66.2	68.1
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	81.6	76.3	77.4	68.3	64.4	66.7	78.9	68.3	70.0	61.7	67.7	58.4	57.9
Florida	—	—	—	—	—	—	—	—	81.8	74.2	74.8	67.4	67.1	65.5	64.2	63.9	61.1	62.9	68.2	61.9	59.4	59.8	57.9	56.4	53.6
EAST SOUTH CENTRAL:																									
Kentucky	—	87.1	93.3	81.6	73.1	61.9	69.2	71.6	64.6	70.5	75.5	61.0	69.6	70.9	65.4	65.0	63.3	58.1	64.9	58.7	66.8	59.1	61.3	52.6	52.8
Tennessee	—	—	—	—	—	—	—	—	—	—	—	71.1	80.9	77.1	75.7	67.6	67.6	69.3	73.7	64.0	68.5	61.1	63.5	53.9	54.7
Alabama	—	—	—	—	—	—	—	—	—	—	—	64.4	75.0	73.6	72.1	61.4	60.9	65.1	67.8	62.8	66.8	62.4	60.8	59.9	61.4
Mississippi	—	—	—	—	—	68.4	68.0	68.1	71.3	68.5	70.0	66.8	73.8	72.1	67.7	55.9	53.6	63.6	64.8	53.9	58.2	58.9	56.7	56.2	54.3
WEST SOUTH CENTRAL:																									
Arkansas	—	—	—	—	—	—	—	—	—	—	—	60.9	66.9	58.1	51.5	49.0	45.3	54.4	54.1	47.1	50.9	54.5	51.4	46.0	45.7
Louisiana	—	—	—	—	—	—	—	—	—	—	—	77.4	78.4	74.0	78.2	65.9	64.8	70.1	69.1	69.4	71.9	65.6	67.1	63.0	64.2
Oklahoma	—	—	—	—	—	—	—	—	—	—	—	—	69.0	70.2	60.7	51.5	50.0	56.4	60.5	54.6	60.0	56.6	49.0	49.7	49.7
Texas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	75.5	71.9	71.7	71.2	73.9	65.1	67.0	68.6
MOUNTAIN:																									
Montana	—	—	—	—	—	—	70.2	71.5	66.9	70.9	76.9	66.4	61.4	64.0	58.5	60.5	51.4	51.5	53.5	60.0	57.0	50.5	45.5	49.0	46.2
Idaho	—	—	—	—	—	—	—	—	—	—	63.0	50.0	59.0	55.3	57.1	55.9	43.4	47.2	50.3	51.0	51.4	43.7	44.6	45.9	42.3
Wyoming	—	—	—	—	—	—	78.6	79.6	64.3	63.9	75.9	68.9	67.8	70.3	69.3	66.8	57.0	54.7	53.0	51.1	57.6	55.6	51.8	45.5	46.3
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	89.4	91.4	94.3	81.0	71.5	68.9	72.7	72.7	74.1	73.5	60.2	54.8	59.8
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—	145.5	145.4	134.4	119.4	136.1	126.3	129.3	121.8	123.7	108.7	109.0	99.6
Arizona	—	—	—	—	—	—	—	—	—	—	121.2	130.1	141.5	133.3	116.6	109.6	95.9	111.4	103.5	111.7	119.6	120.7	98.8	94.3	84.3
Utah	—	69.4	64.0	71.0	71.4	72.8	69.0	59.1	64.4	55.8	74.9	54.3	58.9	59.1	57.4	51.4	44.2	47.6	49.2	49.3	52.7	41.4	46.8	39.5	40.6
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—	67.2	68.3	74.4	69.8	73.2	59.3	71.0	69.8	40.2	47.7	44.8	51.9
PACIFIC:																									
Washington	—	69.3	68.9	63.1	66.4	55.5	61.7	56.5	56.2	56.4	56.4	49.8	48.1	49.0	48.7	48.3	45.2	38.8	43.2	45.2	45.4	39.9	38.7	36.8	35.7
Oregon	—	—	—	62.7	61.8	50.9	58.5	57.3	53.6	51.1	52.5	47.5	46.6	47.9	50.0	43.7	41.3	40.3	39.8	41.2	44.3	41.5	39.2	35.5	32.9
California	—	—	—	70.5	74.4	66.5	71.1	73.0	67.1	68.7	62.7	62.3	62.2	63.2	58.7	56.7	52.7	53.7	51.7	49.6	53.1	53.8	43.7	42.4	39.4

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940

(Exclusive of stillbirths. Capital letters are used to distinguish subdivisions introduced by the Division of Vital Statistics, Bureau of the Census, U. S. A., from internationally approved subdivisions listed as small letters. Rates for 1940 are based on the population enumerated in the Federal census of April 1. Rates for 1939 are based on the revised intercensal population estimated as of July 1. They differ in some cases from rates previously published for 1939)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	All causes	1,417,269	1,387,897	1,076.4	1,060.4
	I.—Infectious and parasitic diseases (Communicable diseases)	119,755	125,528	91.0	95.9
	Diseases due to bacteria (1-26)				
1	Typhoid fever	1,578	1,922	1.0	1.5
2	Paratyphoid fever	65	79	0.0	0.1
3	Plague	1	-	0.0	0
4	Cholera	-	-	0	0
5	Undulant fever (brucellosis)	114	97	0.1	0.1
6	Cerebrospinal (meningococcus) meningitis	694	863	0.5	0.7
7	Anthrax (infection by Bacillus anthracis)	7	9	0.0	0.0
8	Scarlet fever	668	853	0.5	0.7
9	Whooping cough	2,926	3,026	2.2	2.3
10	Diphtheria (infection by C. diphtheriae)	1,457	1,997	1.1	1.5
11	Erysipelas	451	635	0.3	0.5
12	Tetanus	560	637	0.4	0.5
13-22	Tuberculosis (all forms)	60,428	61,609	45.9	47.1
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	55,576	56,398	42.2	43.1
	(a) With mention of occupational disease of the lungs	742	682	0.6	0.5
	(b) Without mention of occupational disease of the lungs	52,795	53,809	40.1	41.1
	(c) Tuberculosis of unspecified site	2,039	1,907	1.5	1.5
14	Tuberculosis of the meninges and central nervous system	1,310	1,468	1.0	1.1
15	Tuberculosis of the intestines and peritoneum	904	971	0.7	0.7
16	Tuberculosis of the vertebral column	596	641	0.5	0.5
17	Tuberculosis of the bones and joints (except vertebral column)	256	274	0.2	0.2
	(a) Bones	107	114	0.1	0.1
	(b) Joints	149	160	0.1	0.1
18	Tuberculosis of the skin and subcutaneous cellular tissue	15	38	0.0	0.0
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes)	151	107	0.1	0.1
20	Tuberculosis of the genito-urinary system	436	456	0.3	0.3
21	Tuberculosis of other organs	117	104	0.1	0.1
	(a) Tuberculosis of the adrenal glands	55	49	0.0	0.0
	(b) Tuberculosis of other organs	62	55	0.0	0.0
22	Disseminated tuberculosis	1,087	1,152	0.8	0.9
	(a) Acute (generalized) miliary tuberculosis	972	1,035	0.7	0.8
	(b) Other and unspecified generalized tuberculosis	115	117	0.1	0.1
23	Leprosy	43	20	0.0	0.0
24	Septicemia and purulent infection (nonpuerperal)	1,495	1,640	1.1	1.3
	(a) Septicemia	1,418	1,547	1.1	1.2
	(b) Pyemia	32	50	0.0	0.0
	(c) Gas bacillus gangrene	33	36	0.0	0.0
	(d) Generalized Bacillus coli infection	12	7	0.0	0.0
25	Gonococcus infection	419	450	0.3	0.3
26	Other diseases due to bacteria (except dysentery)	189	262	0.1	0.2
	(a) Tularemia	189	261	0.1	0.2
	(b) Other diseases due to bacteria	-	1	0	0.0
	Dysentery (27)				
27	Dysentery	2,460	2,537	1.9	1.9
	(a) Bacillary	1,027	1,049	0.8	0.8
	(b) Amebic	238	270	0.2	0.2
	(c) Other and unspecified forms of dysentery	1,195	1,218	0.9	0.9
	Diseases due to protozoa (28,29)				
28	Malaria	1,442	1,761	1.1	1.3
	(a) Benign tertian malaria	71	91	0.1	0.1
	(b) Quartan malaria	7	15	0.0	0.0
	(c) Malignant tertian (estivo-autumnal) malaria	161	229	0.1	0.2
	(d) Malaria (unspecified form)	1,203	1,426	0.9	1.1
29	Other diseases due to parasitic protozoa (except spirochetes)	6	5	0.0	0.0
	Diseases due to spirochetes (30-32)				
30	Syphilis	19,006	19,604	14.4	15.0
	(a) Locomotor ataxia (tabes dorsalis)	740	787	0.6	0.6
	(b) General paralysis of the insane	4,423	4,508	3.4	3.4
	I.—Infectious and parasitic diseases—Continued				
	Diseases due to spirochetes (30-32)—Continued				
	Syphilis—Continued				
	(c) Other syphilis of the central nervous system	1,819	1,810	1.4	1.4
	(d) Aneurysm of the aorta	3,635	3,917	2.8	3.0
	(e) Other syphilis of the circulatory system	1,525	1,414	1.2	1.1
	(f) Congenital syphilis	1,290	1,270	1.0	1.0
	(g) Other and unspecified forms of syphilis	5,574	5,898	4.2	4.5
31	Relapsing fever	2	2	0.0	0.0
32	Other diseases due to spirochetes	294	372	0.2	0.3
	(a) Spirochetosis icterohaemorrhagica (Weil's disease)	50	78	0.0	0.1
	(b) Other diseases due to spirochetes	244	294	0.2	0.2
	Diseases due to filtrable viruses (33-38)				
33	Influenza (grippe)	20,157	21,464	15.3	16.4
	(a) With respiratory complications specified	12,223	13,526	9.3	10.3
	(b) Without respiratory complications specified	7,934	7,938	6.0	6.1
34	Smallpox	14	41	0.0	0.0
35	Measles	706	1,174	0.5	0.9
36	Acute poliomyelitis and acute polioencephalitis	1,026	773	0.6	0.6
37	Acute infectious encephalitis (lethargic)	875	846	0.7	0.6
	(a) Acute infectious encephalitis (lethargic)	211	159	0.2	0.1
	(b) Sequelae of encephalitis lethargica	230	224	0.2	0.2
	(c) Encephalitis lethargica (unqualified)	434	483	0.3	0.4
38	Other diseases due to filtrable viruses	167	200	0.1	0.2
	(a) Yellow fever	-	-	0	0
	(b) Rabies	41	40	0.0	0.0
	(c) Herpes zoster	10	19	0.0	0.0
	(d) German measles	10	11	0.0	0.0
	(e) Chickenpox	100	124	0.1	0.1
	(f) Other diseases ascribed to viruses	6	6	0.0	0.0
	Diseases due to Rickettsia (39)				
39	Typhus fever and typhus-like diseases (due to Rickettsia)	204	237	0.2	0.2
	(a) Exanthematic typhus (epidemic form)	-	-	0	0
	(b) Endemic typhus fever	84	90	0.1	0.1
	(c) Rocky Mountain spotted fever	83	92	0.1	0.1
	(d) Other typhus-like diseases	37	55	0.0	0.0
	Diseases caused by helminths (40-42)				
40	Ankylostomiasis	33	16	0.0	0.0
41	Hydatid disease	32	31	0.0	0.0
42	Other diseases caused by helminths	86	61	0.1	0.0
	Diseases due to fungi (43)				
43	Mycoses	335	325	0.3	0.2
	Other infectious and parasitic diseases (44) (Communicable diseases)				
44	Other infectious and parasitic (communicable) diseases	2,015	1,980	1.5	1.5
	(a) Venereal diseases (except gonorrhea and syphilis)	113	153	0.1	0.1
	(b) Lymphogranulomatosis (Hodgkin's disease)	1,777	1,705	1.3	1.3
	(c) Mumps	118	118	0.1	0.1
	(d) Other infectious and parasitic (communicable) diseases	7	4	0.0	0.0
	II.—Cancer and other tumors	164,906	160,395	125.2	122.6
45-55	Cancer and other malignant tumors	158,335	153,846	120.3	117.5
45	Cancer of the buccal cavity and pharynx	5,097	5,012	3.9	3.8
	(a) Lip	686	716	0.5	0.5
	(b) Tongue	1,199	1,142	0.9	0.9
	(c) Mouth	757	716	0.6	0.5
	(d) Jaw bone	918	924	0.7	0.7
	(e) Unspecified parts of the buccal cavity	58	53	0.0	0.0
	(f) Pharynx	1,479	1,461	1.1	1.1
46	Cancer of the digestive organs and peritoneum	72,742	71,690	55.2	54.8
	(a) Esophagus	2,805	2,621	2.1	2.0
	(b) Stomach	26,133	26,187	19.8	20.0
	(c) Duodenum	393	403	0.3	0.3

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	II.—Cancer and other tumors—Con.				
	Cancer and other malignant tumors—Continued				
	Cancer of the digestive organs and peritoneum—Continued				
	(d) Rectum and anus	8,860	8,566	6.7	6.5
	(e) Intestines (except duodenum and rectum)	17,797	17,181	13.5	13.1
	(f) Liver and biliary passages	9,747	9,962	7.4	7.6
	(g) Pancreas	5,357	5,283	4.1	4.0
	(h) Mesentery and peritoneum	1,045	1,008	0.8	0.8
	(m) Other and unspecified sites	605	479	0.5	0.4
47	Cancer of the respiratory system	9,543	8,663	7.2	6.6
	(a) Larynx	1,457	1,384	1.1	1.1
	(b) Trachea	48	57	0.0	0.0
	(c) Bronchus	1,970	1,516	1.5	1.2
	(d) Lung	5,430	5,120	4.1	3.9
	(e) Pleura	106	96	0.1	0.1
	(f) Mediastinum and unspecified sites	532	490	0.4	0.4
48	Cancer of the uterus	16,741	16,527	12.7	12.6
	(a) Cervix	6,519	6,194	5.0	4.7
	(b) Other and unspecified sites	10,222	10,333	7.8	7.9
49	Cancer of other female genital organs	4,363	4,210	3.3	3.2
	(a) Ovary	3,672	3,521	2.8	2.7
	(b) Fallopian tube and parametrium	25	33	0.0	0.0
	(c) Vagina	240	238	0.2	0.2
	(d) Vulva	382	374	0.3	0.3
	(e) Other and unspecified sites	44	44	0.0	0.0
50	Cancer of the breast	15,488	14,868	11.8	11.4
51	Cancer of the male genital organs	9,885	9,369	7.5	7.2
	(a) Scrotum	44	35	0.0	0.0
	(b) Prostate	8,946	8,514	6.8	6.5
	(c) Testes	555	528	0.4	0.4
	(d) Penis	317	272	0.2	0.2
	(e) Other and unspecified sites	23	20	0.0	0.0
52	Cancer of the urinary organs (male and female)	7,561	7,179	5.7	5.5
	(a) Kidney	2,392	2,221	1.8	1.7
	(b) Bladder	5,086	4,868	3.9	3.7
	(c) Other and unspecified sites	85	90	0.1	0.1
53	Cancer of the skin (except vulva and scrotum)	3,479	3,493	2.6	2.7
54	Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)	2,403	2,230	1.8	1.7
	(a) Glioma	1,263	1,061	1.0	0.8
	(b) Other and unspecified cancers of the brain and central nervous system	1,140	1,169	0.9	0.9
55	Cancer of other and unspecified organs	11,033	10,605	8.4	8.1
	(a) Adrenal gland	166	179	0.1	0.1
	(b) Bone (except jaw bone and accessory sinuses)	2,039	1,966	1.5	1.5
	(c) Thyroid gland	650	621	0.5	0.5
	(d) Nasal cavity and accessory sinuses	344	378	0.3	0.3
	(e) Other and unspecified organs	7,834	7,461	5.9	5.7
	Nonmalignant tumors and tumors of unspecified nature (56,57)				
56	Nonmalignant tumors (including dermoid cysts)	4,248	4,415	3.2	3.4
	(a) Ovary	757	754	0.6	0.6
	(b) Uterus	2,015	2,273	1.5	1.7
	(c) Other female genital organs	54	36	0.0	0.0
	(d) Brain and other parts of the central nervous system	826	791	0.6	0.6
	(e) Other and unspecified organs	596	561	0.5	0.4
57	Tumors of unspecified nature	2,323	2,134	1.8	1.6
	(a) Ovary	31	27	0.0	0.0
	(b) Uterus	31	28	0.0	0.0
	(c) Other female genital organs	17	14	0.0	0.0
	(d) Brain and other parts of the central nervous system	1,597	1,473	1.2	1.1
	(e) Other and unspecified organs	647	592	0.5	0.5
	III.—Rheumatism, diseases of nutrition and of the endocrine glands, other general diseases, and avitaminoses	47,568	45,975	36.1	35.1
	Rheumatic diseases (58,59)				
58	Acute rheumatic fever	1,725	1,733	1.3	1.3
	(a) Acute rheumatic pericarditis	74	81	0.1	0.1
	(b) Acute rheumatic endocarditis	693	768	0.5	0.6
	(c) Acute rheumatic myocarditis	158	144	0.1	0.1
	(d) Other acute rheumatic heart diseases	267	232	0.2	0.2
	(e) Other forms of acute rheumatic fever	379	367	0.3	0.3
	(f) Rheumatism (not specified as acute or chronic)	154	141	0.1	0.1
59	Chronic rheumatism and other rheumatic diseases	1,787	1,726	1.4	1.3
	(a) Rheumatoid arthritis	264	216	0.2	0.2

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	III.—Rheumatism, diseases of nutrition and of the endocrine glands, other general diseases, and avitaminoses—Continued				
	Rheumatic diseases (58,59)—Con.				
	Chronic rheumatism and other rheumatic diseases—Continued				
	(b) Other chronic articular rheumatism	1,452	1,438	1.1	1.1
	(c) Other and unspecified forms of chronic rheumatism	71	72	0.1	0.1
	Diseases of nutrition and of the endocrine glands and other general diseases (60-66)				
60	Gout	5	3	0.0	0.0
61	Diabetes mellitus	35,015	33,395	26.6	25.5
62	Diseases of the pituitary gland	165	150	0.1	0.1
63	Diseases of the thyroid and parathyroid glands	4,226	4,256	3.2	3.3
	(a) Simple goiter	211	199	0.2	0.2
	(b) Exophthalmic goiter	3,659	3,676	2.8	2.8
	(c) Myxedema and cretinism	267	268	0.2	0.2
	(d) Other diseases of the thyroid glands	63	90	0.0	0.1
	(e) Diseases of the parathyroid glands	26	25	0.0	0.0
64	Diseases of the thymus gland	1,299	1,182	1.0	0.9
65	Diseases of the adrenal glands (not specified as tuberculous)	425	382	0.3	0.3
	(a) Addison's disease (not specified as tuberculous)	311	307	0.2	0.2
	(b) Other diseases of the adrenal glands	114	75	0.1	0.1
66	Other general diseases	444	456	0.3	0.3
	(a) Osteomalacia	13	25	0.0	0.0
	(b) Other general diseases	431	431	0.3	0.3
	Avitaminoses (67-71)				
67	Scurvy	26	29	0.0	0.0
68	Beriberi	63	40	0.0	0.0
69	Pellagra (except alcoholic)	2,123	2,419	1.6	1.8
70	Rickets	161	143	0.1	0.1
71	Other avitaminoses	104	59	0.1	0.0
	IV.—Diseases of the blood and blood-forming organs	9,710	9,018	7.4	6.9
72	Hemorrhagic conditions	638	639	0.5	0.5
	(a) Primary purpuras	442	465	0.3	0.4
	(b) Hemophilia	196	173	0.1	0.1
	(c) Other hemorrhagic conditions	-	1	0	0.0
73	Anemias (except splenic anemia)	3,095	3,133	2.4	2.4
	(a) Pernicious anemia	2,122	2,181	1.6	1.7
	(b) Other hyperchromic anemias	89	89	0.1	0.1
	(c) Hypochromic anemias	14	18	0.0	0.0
	(d) Other and unspecified anemias	870	845	0.7	0.6
74	Leukemias and aleukemias	5,143	4,495	3.9	3.4
	(a) Leukemias	4,896	4,280	3.7	3.3
	(b) Aleukemias	247	215	0.2	0.2
75	Diseases of the spleen	508	441	0.4	0.3
	(a) Splenic anemia	89	97	0.1	0.1
	(b) Splenomegaly (of undetermined nature)	279	245	0.2	0.2
	(c) Other diseases of the spleen	140	99	0.1	0.1
76	Other diseases of the blood and blood-forming organs	326	310	0.2	0.2
	(a) Agranulocytosis	266	267	0.2	0.2
	(b) Erythrocytosis	34	27	0.0	0.0
	(c) Hemoglobinemia	3	2	0.0	0.0
	(d) Other diseases of the blood and blood-forming organs	23	14	0.0	0.0
	V.—Chronic poisoning and intoxication	2,724	2,771	2.1	2.1
77	Alcoholism (ethylism)	2,531	2,558	1.9	2.0
	(a) Alcoholic pellagra	3	7	0.0	0.0
	(b) Other deficiency states associated with alcoholism	65	78	0.0	0.1
	(c) Acute alcoholism	927	925	0.7	0.7
	(d) Chronic alcoholism	911	904	0.7	0.7
	(e) Other and unspecified alcoholism	625	644	0.5	0.5
78	Lead poisoning	100	97	0.1	0.1
	(a) Specified as occupational	48	48	0.0	0.0
	(b) Not specified as occupational	52	49	0.0	0.0
79	Chronic poisoning by other mineral or organic substances	93	116	0.1	0.1
	(a) Specified as occupational	15	14	0.0	0.0
	(b) Not specified as occupational	78	102	0.1	0.1
	VI.—Diseases of the nervous system and sense organs	136,345	131,703	103.6	100.6
80	Encephalitis (nonepidemic)	1,366	1,463	1.0	1.1
	(a) Intracranial abscess	466	465	0.4	0.4
	(b) Other encephalitis (nonepidemic)	900	998	0.7	0.8

498675 O - 43 - 3

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	VI.—Diseases of the nervous system and sense organs—Continued				
81	Meningitis (not due to meningococcus)	2,251	2,156	1.7	1.6
	(a) Simple meningitis	2,171	2,072	1.6	1.6
	(b) Acute cerebrospinal meningitis (not due to meningococcus)	80	84	0.1	0.1
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	2,749	2,771	2.1	2.1
83	Intracranial lesions of vascular origin	119,753	114,967	90.9	87.8
	(a) Cerebral hemorrhage or effusion (excluding birth injuries)	105,210	101,259	79.9	77.4
	(b) Cerebral embolism and thrombosis	10,240	9,532	7.8	7.3
	(c) Cerebral softening	762	757	0.6	0.6
	(d) Hemiplegia and other paralysis of unspecified origin	3,541	3,419	2.7	2.6
84	Mental diseases and deficiency (except general paralysis of the insane)	1,360	1,556	1.0	1.2
	(a) Mental deficiency	182	180	0.1	0.1
	(b) Schizophrenia (dementia praecox)	255	305	0.2	0.2
	(c) Manic-depressive psychosis	230	273	0.2	0.2
	(d) Other mental diseases	683	798	0.5	0.6
85	Epilepsy	2,274	2,233	1.7	1.7
86	Convulsions (under 5 years of age)	538	614	0.4	0.5
87	Other diseases of the nervous system	3,557	3,333	2.7	2.5
	(a) Chorea	30	28	0.0	0.0
	(b) Neuritis (except rheumatic or alcoholic)	149	153	0.1	0.1
	(c) Paralysis agitans (except result of encephalitis)	1,342	1,282	1.0	1.0
	(d) Disseminated sclerosis	1,240	1,141	0.9	0.9
	(e) Other diseases of the nervous system	796	729	0.6	0.6
88	Diseases of the organs of vision	50	81	0.0	0.1
89	Diseases of the ear and mastoid process	2,447	2,529	1.9	1.9
	(a) Otitis and other diseases of the ear	1,722	1,737	1.3	1.3
	(b) Diseases of the mastoid process	725	792	0.6	0.6
	VII.—Diseases of the circulatory system	413,954	388,456	314.4	296.8
90	Pericarditis (except acute rheumatic)	610	649	0.5	0.5
	(a) Chronic rheumatic pericarditis	30	29	0.0	0.0
	(b) Other pericarditis	580	620	0.4	0.5
91	Acute endocarditis (except rheumatic)	2,830	2,952	2.1	2.3
	(a) Bacterial endocarditis (acute, subacute, or unspecified)	1,822	1,895	1.4	1.4
	(b) Other acute or subacute endocarditis	709	712	0.5	0.5
	(c) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)	299	345	0.2	0.3
92	Chronic affections of the valves and endocardium	44,602	45,094	33.9	34.5
	(a) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	3,855	3,887	2.9	3.0
	(b) Diseases of the mitral valve (whether or not specified as rheumatic)	18,019	18,199	13.7	13.9
	(c) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	2,322	1,937	1.8	1.5
	(d) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	17,698	18,351	13.4	14.0
	(e) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over)	2,708	2,720	2.1	2.1
93	Diseases of the myocardium	201,319	190,341	152.9	145.4
	(a) Acute myocarditis (except rheumatic)	4,152	4,078	3.2	3.1
	(b) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)	725	809	0.6	0.6
	(c) Chronic myocarditis and myocardial degeneration, specified as rheumatic	1,323	1,020	1.0	0.8
	(d) Chronic myocarditis and myocardial degeneration, not specified as rheumatic	176,812	165,141	134.3	126.2
	(e) Other myocarditis (not specified as acute, chronic, or rheumatic)	18,307	19,293	13.9	14.7
94	Diseases of the coronary arteries and angina pectoris	101,463	89,423	77.1	68.3
	(a) Diseases of the coronary arteries	94,067	80,974	71.4	61.9
	(b) Angina pectoris	7,396	8,449	5.6	6.5
	VII.—Diseases of the circulatory system—Continued				
95	Other diseases of the heart	34,367	32,175	26.1	24.6
	(a) Functional diseases of the heart (without mention of organic lesion)	1,021	1,041	0.8	0.8
	(b) Other diseases of the heart, specified as rheumatic	5,736	5,026	4.4	3.8
	(c) Other diseases of the heart, not specified as rheumatic	27,610	26,108	21.0	19.9
96	Aneurysm (except of heart and aorta)	1,167	746	0.9	0.6
97	Arteriosclerosis (except coronary or renal sclerosis)	22,727	22,252	17.3	17.0
98	Gangrene	567	584	0.4	0.4
99	Other diseases of the arteries	1,857	1,872	1.4	1.4
100	Diseases of the veins	810	847	0.6	0.6
	(a) Varices	233	243	0.2	0.2
	(b) Other diseases of the veins	577	604	0.4	0.5
101	Diseases of the lymphatic system	88	118	0.1	0.1
102	High blood pressure (idiopathic)	1,374	1,234	1.0	0.9
103	Other diseases of the circulatory system	173	169	0.1	0.1
	VIII.—Diseases of the respiratory system	87,077	91,808	66.1	70.1
104	Diseases of the nasal fossae and accessory sinuses	1,125	1,141	0.9	0.9
	(a) Diseases of the nasal fossae	385	314	0.3	0.2
	(b) Diseases of the accessory sinuses	740	827	0.6	0.6
105	Diseases of the larynx	436	436	0.3	0.3
106	Bronchitis	3,958	3,808	3.0	2.9
	(a) Acute	1,253	1,168	1.0	0.9
	(b) Chronic	1,934	1,846	1.5	1.4
	(c) Unspecified	771	794	0.6	0.6
107	Bronchopneumonia (including capillary bronchitis)	34,539	35,524	26.2	27.1
108	Lobar pneumonia	33,169	38,299	25.2	29.3
109	Pneumonia (unspecified)	4,660	3,810	3.5	2.9
110	Pleurisy (not specified as tuberculous)	2,039	2,229	1.5	1.7
	(a) Empyema	1,141	1,242	0.9	0.9
	(b) Other and unspecified forms of pleurisy	898	987	0.7	0.8
111	Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs	3,038	2,729	2.3	2.1
	(a) Hemorrhagic infarction and thrombosis of the lungs	1,072	875	0.8	0.7
	(b) Acute edema of the lungs	151	124	0.1	0.1
	(c) Chronic and unspecified congestion of the lungs	1,835	1,730	1.4	1.3
112	Asthma	2,233	2,032	1.7	1.6
113	Pulmonary emphysema	156	123	0.1	0.1
114	Other diseases of the respiratory system (except tuberculosis)	1,724	1,677	1.3	1.3
	(a) Silicosis	235	176	0.2	0.1
	(b) Other and unspecified forms of pneumoconioses	149	124	0.1	0.1
	(c) Gangrene of lung	115	151	0.1	0.1
	(d) Abscess of lung	761	845	0.6	0.6
	(e) Other and unspecified diseases of the respiratory system	464	381	0.4	0.3
	IX.—Diseases of the digestive system	78,012	81,206	59.2	62.0
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa	3,434	3,851	2.6	2.9
	(a) Diseases of the teeth and gums	275	363	0.2	0.3
	(b) Septic sore throat	1,465	1,667	1.1	1.3
	(c) Diseases of the pharynx and tonsils	1,400	1,505	1.1	1.1
	(d) Diseases of other and unspecified parts of the buccal cavity and adnexa	294	316	0.2	0.2
116	Diseases of the esophagus	226	216	0.2	0.2
117	Ulcer of stomach or duodenum	8,948	8,875	6.8	6.8
	(a) Stomach	6,131	6,057	4.7	4.6
	(b) Duodenum	2,817	2,818	2.1	2.2
118	Other diseases of the stomach (except cancer)	2,150	2,229	1.6	1.7
119	Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age)	10,044	11,277	7.6	8.6
	(a) Diarrhea and enteritis	9,969	11,199	7.6	8.6
	(b) Ulceration of the intestines (except duodenum)	75	78	0.1	0.1
120	Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over)	3,529	3,851	2.7	2.9
	(a) Diarrhea and enteritis	2,740	3,103	2.1	2.4
	(b) Ulceration of the intestines (except duodenum)	789	748	0.6	0.6
121	Appendicitis	12,999	14,113	9.9	10.8
122	Hernia and intestinal obstruction	11,877	12,267	9.0	9.4
	(a) Hernia	5,054	5,155	3.8	3.9
	(b) Intestinal obstruction	6,823	7,112	5.2	5.4

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	IX.—Diseases of the digestive system—Continued				
123	Other diseases of the intestines	1,717	1,596	1.3	1.2
124	Cirrhosis of the liver	11,286	10,904	8.6	8.3
	(a) With mention of alcoholism	1,437	1,154	1.1	0.9
	(b) Without mention of alcoholism	9,849	9,750	7.5	7.4
125	Other diseases of the liver	1,602	1,687	1.2	1.3
	(a) Acute yellow atrophy of the liver (nonpuerperal)	532	573	0.4	0.4
	(b) Other diseases of the liver	1,070	1,114	0.8	0.9
126	Biliary calculi	4,641	4,525	3.5	3.5
127	Other diseasss of the gallbladder and biliary ducts	3,242	3,562	2.5	2.7
	(a) Cholecystitis (without mention of biliary calculus)	2,364	2,687	1.8	2.1
	(b) Other diseases of the gallbladder and biliary ducts	878	875	0.7	0.7
128	Diseases of the pancreas (except diabetes mellitus)	850	788	0.6	0.6
129	Peritonitis (cause not stated)	1,467	1,465	1.1	1.1
	X.—Diseases of the genito-urinary system	125,579	126,631	95.4	96.8
130	Acute nephritis	3,298	3,320	2.5	2.5
131	Chronic nephritis	99,541	100,851	75.6	77.0
	(a) Arteriosclerotic kidney	69,865	68,621	53.1	52.4
	(b) Other chronic nephritis	29,676	32,210	22.5	24.6
132	Nephritis unspecified (10 years of age and over)	4,512	4,361	3.4	3.3
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or the puerperium)	3,840	3,877	2.9	3.0
	(a) Pyelitis pyelonephritis, and pyelocystitis	2,762	2,786	2.1	2.1
	(b) Other diseases of the kidneys and ureters	1,078	1,091	0.8	0.8
134	Calculi of the urinary passages	1,814	1,780	1.4	1.4
	(a) Kidneys and ureters	1,418	1,386	1.1	1.1
	(b) Bladder	356	360	0.3	0.3
	(c) Other and unspecified parts of the urinary passages	40	34	0.0	0.0
135	Diseases of the urinary bladder	824	778	0.6	0.6
	(a) Cystitis	336	370	0.3	0.3
	(b) Other diseases of the bladder	488	408	0.4	0.3
136	Diseases of the urethra (except calculus)	591	520	0.4	0.4
	(a) Stricture of the urethra	381	348	0.3	0.3
	(b) Others under this title	210	172	0.2	0.1
137	Diseases of the prostate	8,775	8,635	6.7	6.6
	(a) Hypertrophy of the prostate	7,372	6,925	5.6	5.3
	(b) Other diseases of the prostate	1,403	1,710	1.1	1.3
138	Diseases of other male genital organs (not specified as venereal)	73	67	0.1	0.1
139	Diseases of the female genital organs	2,311	2,462	1.8	1.9
	(a) Ovaries, fallopian tubes, and parametria	1,623	1,654	1.2	1.3
	(b) Uterus	649	745	0.5	0.6
	(c) Other and unspecified female genital organs	39	63	0.0	0.0
	XI.—Diseases of pregnancy, childbirth, and the puerperium	8,876	9,151	6.7	7.0
140	Abortion with mention of infection	1,334	1,393	1.0	1.1
	(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of pyelitis	21	23	0.0	0.0
	(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of other infection	997	1,019	0.8	0.8
	(c) Self-induced abortion with mention of infection	183	209	0.1	0.2
	(d) Abortion (induced for non-therapeutic reason by persons other than the woman herself) with mention of infection	133	142	0.1	0.1
141	Abortion without mention of infection	348	393	0.3	0.3
	(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock, and toxemia	12	6	0.0	0.0
	(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock (but not toxemia)	109	130	0.1	0.1
	(c) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of toxemia (but not hemorrhage, trauma or shock)	68	87	0.1	0.1
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Continued				
	Abortion without mention of infection—Continued				
	(d) Abortion (spontaneous, therapeutic, or of unspecified origin) (without mention of hemorrhage, trauma or shock, or toxemia)	151	144	0.1	0.1
	(e) Self-induced abortion	11	11	0.0	0.0
	(f) Abortion (induced for non-therapeutic reasons by persons other than the woman herself)	17	15	0.0	0.0
142	Ectopic gestation	392	374	0.3	0.3
	(a) With mention of infection	85	88	0.1	0.1
	(b) Without mention of infection	307	286	0.2	0.2
143	Hemorrhage of pregnancy (death before delivery)	55	61	0.0	0.0
	(a) Placenta praevia	22	17	0.0	0.0
	(b) Premature separation of placenta	14	22	0.0	0.0
	(c) Other or unspecified hemorrhage of pregnancy	19	22	0.0	0.0
144	Toxemias of pregnancy (death before delivery)	939	990	0.7	0.8
	(a) Eclampsia of pregnancy	425	429	0.3	0.3
	(b) Albuminuria and nephritis of pregnancy	284	258	0.2	0.2
	(c) Acute yellow atrophy of liver (during pregnancy)	31	32	0.0	0.0
	(d) Other toxemias of pregnancy	199	271	0.2	0.2
145	Other diseases and accidents of pregnancy (death before delivery)	304	327	0.2	0.2
	(A) With mention of septic conditions	218	———	0.2	———
	(B) Without mention of septic conditions	86	———	0.1	———
146	Hemorrhage of childbirth and the puerperium	1,037	1,042	0.8	0.8
	(a) Placenta praevia (with childbirth)	230	271	0.2	0.2
	(b) Premature separation of placenta (with childbirth)	182	174	0.1	0.1
	(c) Other and unspecified hemorrhages of childbirth and the puerperium	625	597	0.5	0.5
147	Infection during childbirth and the puerperium	2,207	2,353	1.7	1.8
	(a) Puerperal pyelitis and pyelonephritis	85	89	0.1	0.1
	(b) General or local puerperal infection (except pyelitis)	1,377	1,549	1.0	1.2
	(c) Puerperal thrombophlebitis	200	165	0.2	0.1
	(d) Puerperal embolism and sudden death	545	550	0.4	0.4
148	Puerperal toxemias (excluding death before delivery)	1,231	1,149	0.9	0.9
	(a) Puerperal eclampsia	743	706	0.6	0.5
	(b) Puerperal albuminuria and nephritis	333	293	0.3	0.2
	(c) Acute yellow atrophy of the liver (puerperal)	20	23	0.0	0.0
	(d) Other puerperal toxemias	135	127	0.1	0.1
149	Other accidents and specified conditions of childbirth	550	575	0.4	0.4
	(a) Laceration, rupture, or other trauma of pelvic organs and tissue	114	139	0.1	0.1
	(b) Other specified conditions of childbirth	436	436	0.3	0.3
150	Other and unspecified conditions of childbirth and the puerperium	479	494	0.4	0.4
	(a) Infection of breast during lactation	-	2	0	0.0
	(b) Psychosis of the puerperium	14	13	0.0	0.0
	(c) Other and unspecified conditions of childbirth and the puerperium	465	479	0.4	0.4
	XII.—Diseases of the skin and cellular tissue	1,489	1,682	1.1	1.3
151	Carbuncle and furuncle	366	480	0.3	0.4
152	Phlegmon and acute abscess	466	519	0.4	0.4
153	Other diseases of the skin and cellular tissue	657	683	0.5	0.5
	XIII.—Diseases of the bones and organs of movement	1,190	1,369	0.9	1.0
154	Osteomyelitis and periostitis	721	913	0.5	0.7
	(a) Acute	111	185	0.1	0.1
	(b) Chronic or unspecified	610	728	0.5	0.6
155	Other diseases of the bones (except tuberculosis)	138	126	0.1	0.1

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population	
		1940	1939	1940	1939
	XIII.—Diseases of the bones and organs of movement—Con.				
156	Diseases of the joints and other organs of movement	331	330	0.3	0.3
	(a) Diseases of the joints (except tuberculosis and rheumatism)	167	186	0.1	0.1
	(b) Diseases of other and unapecified organs of movement	164	144	0.1	0.1
	XIV.—Congenital malformations	13,143	12,413	10.0	9.5
157	Congenital malformations (stillbirths not included)	13,143	12,413	10.0	9.5
	(a-d) Congenital malformations of the central nervous system:				
	(a) Congenital hydrocephalus	1,919	1,714	1.5	1.3
	(b) Spina bifida and meningocele	1,227	1,155	0.9	0.9
	(c) Anencephalus	301	270	0.2	0.2
	(d) Other congenital malformations of the central nervous system	480	447	0.4	0.3
	(e,f) Congenital malformations of the cardiovascular system:				
	(e) Congenital malformations of the heart	6,279	5,997	4.8	4.6
	(f) Other congenital malformations of the cardiovascular system	75	70	0.1	0.1
	(g,h,m) Other congenital malformations:				
	(g) Congenital malformations of the digestive system	1,951	1,883	1.5	1.4
	(h) Congenital malformations of the genito-urinary system	145	181	0.1	0.1
	(m) Other and unspecified congenital malformations	766	696	0.6	0.5
	XV.—Diseases peculiar to the first year of life	51,593	50,901	39.2	38.9
158	Congenital debility (cause not stated)	2,827	2,808	2.1	2.1
159	Premature birth (cause not stated)	32,346	32,251	24.6	24.6
160	Injury at birth	10,506	10,164	8.0	7.8
	(a) Intracranial or spinal hemorrhage	4,782	4,693	3.6	3.6
	(b) Other intracranial or spinal injuries	719	836	0.5	0.6
	(c) Other injuries at birth	5,005	4,635	3.8	3.5
161	Other diseases peculiar to the first year of life	5,914	5,678	4.5	4.3
	(a) Asphyxia (cause not specified), atelectasis	3,140	3,095	2.4	2.4
	(b) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	141	166	0.1	0.1
	(c) Other specified diseases peculiar to the first year of life	2,633	2,417	2.0	1.8
	XVI.—Senility	10,127	9,495	7.7	7.3
162	Senility	10,127	9,495	7.7	7.3
	(a) Senility with mention of senile dementia	770	649	0.6	0.5
	(b) Senility without mention of senile dementia	9,357	8,846	7.1	6.8
	XVII.—Violent or accidental deaths	124,121	119,687	94.3	91.4
163,164	Suicide	18,907	18,511	14.4	14.1
163	Suicide by poisoning	5,623	5,405	4.3	4.1
	Suicide by solid or liquid poisons:				
	(A) Arsenic and compounds	258	198	0.2	0.2
	(B) Barbituric acid and derivatives	299	222	0.2	0.2
	(C) Cresol compounds	345	343	0.3	0.3
	(D) Mercury and compounds	214	238	0.2	0.2
	(E) Nux vomica and strychnine	280	258	0.2	0.2
	(F) Carbolic acid and phenol	366	425	0.3	0.3
	(G) Other solid or liquid poisons	832	844	0.6	0.6
	Suicide by poisonous gases:				
	(H) Illuminating gas	1,520	1,407	1.2	1.1
	(M) Motor-vehicle exhaust gas	1,065	993	0.8	0.8
	(O) Other carbon monoxide gas	354	354	0.3	0.3
	(X) Other poisonous gases	110	123	0.1	0.1
164	Suicide by other means	13,284	13,106	10.1	10.0
	(a) Suicide by hanging or strangulation	3,554	3,504	2.7	2.7
	(b) Suicide by drowning	848	928	0.6	0.7
	(c) Suicide by firearms and explosives	7,073	6,944	5.4	5.3
	(d) Suicide by cutting or piercing instruments	717	724	0.5	0.6
	XVII.—Violent or accidental deaths—Continued				
	Suicide—Continued				
	Suicide by other means—Continued				
	(e) Suicide by jumping from high places	747	661	0.6	0.5
	(f) Suicide by crushing	150	165	0.1	0.1
	(g) Suicide by other or unspecified means	195	180	0.1	0.1
165-168	Homicide	8,208	8,394	6.2	6.4
165	Infanticide (homicide of infants under 1 year of age)	[1](97)	[1](98)	[1](0.1)	[1](0.1)
166	Homicide by firearms	4,655	4,799	3.5	3.7
167	Homicide by cutting or piercing instruments	2,064	2,048	1.6	1.6
168	Homicide by other means	1,489	1,547	1.1	1.2
169-195	Accidental deaths	96,885	92,623	73.6	70.8
169	Railway accidents (except collisions with motor vehicles)	3,200	3,394	2.4	2.6
170	Motor-vehicle accidents	34,501	32,386	26.2	24.7
	(a) Collisions between automobiles and trains	1,707	1,329	1.3	1.0
	(b) Collisions between automobiles and streetcars	132	150	0.1	0.1
	(c) Automobile accidents (except collisions with trains or streetcars)	32,245	30,468	24.5	23.3
	(d) Motorcycle accidents (except collisions with automobiles)	417	439	0.3	0.3
171	Streetcar and other road-transport accidents	633	734	0.5	0.6
	(a) Streetcar accidents (except collisions with trains or motor vehicles)	364	356	0.3	0.3
	(b) Other and unspecified road-transport accidents	269	378	0.2	0.3
172	Water-transport accidents	1,038	1,087	0.8	0.8
173	Air-transport accidents	565	396	0.4	0.3
174	Accidents in mines and quarries	1,919	1,540	1.5	1.2
175	Agricultural and forestry accidents	2,292	1,900	1.7	1.5
	(a) Accidents involving agricultural machinery and vehicles	857	769	0.7	0.6
	(b) Injury by animals, in agriculture	403	436	0.3	0.3
	(c) Other agricultural accidents	708	399	0.5	0.3
	(d) Accidents involving forestry machinery and vehicles	55	50	0.0	0.0
	(e) Other forestry accidents	269	246	0.2	0.2
176	Other accidents involving machinery	1,046	1,083	0.8	0.8
177	Food poisoning	546	548	0.4	0.4
178	Accidental absorption of poisonous gas	1,562	1,396	1.2	1.1
	(A) Illuminating gas	629	563	0.5	0.4
	(B) Motor-vehicle exhaust gas	287	302	0.2	0.2
	(C) Other carbon monoxide gas	435	353	0.3	0.3
	(X) Other poisonous gas	211	178	0.2	0.1
179	Acute accidental poisoning by solids or liquids	1,324	1,371	1.0	1.0
	(A) Arsenic and compounds	73	109	0.1	0.1
	(B) Barbituric acid and derivatives	246	201	0.2	0.2
	(C) Cresol compounds	32	31	0.0	0.0
	(D) Mercury and compounds	51	47	0.0	0.0
	(E) Nux vomica and strychnine	67	82	0.1	0.1
	(F) Carbolic acid and phenol	25	31	0.0	0.0
	(G) Lye and potash	111	120	0.1	0.1
	(H) Tobacco and derivatives	7	7	0.0	0.0
	(M) Narcotics	30	26	0.0	0.0
	(O) Methanol and other alcohols	139	127	0.1	0.1
	(X) Other and unspecified substances	543	590	0.4	0.5
180	Conflagration	2,239	1,794	1.7	1.4
181	Accidental burns (except conflagration)	5,270	4,851	4.0	3.7
182	Accidental mechanical suffocation	1,489	1,226	1.1	0.9
183	Accidental drowning	5,308	5,450	4.0	4.2
184	Accidental injury by firearms	2,390	2,582	1.8	2.0
185	Accidental injury by cutting or piercing instruments	507	550	0.4	0.4
186	Accidental injury by fall or crushing	23,175	23,307	17.6	17.8
	(a) Fall	22,752	22,878	17.3	17.5
	(b) Crushing	423	429	0.3	0.3
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	217	195	0.2	0.1
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	184	279	0.1	0.2
189	Hunger or thirst	26	36	0.0	0.0
190	Excessive cold	499	190	0.4	0.1
191	Excessive heat	787	527	0.6	0.4
192	Lightning	340	390	0.3	0.3
193	Accidents due to electric currents (except lightning)	655	674	0.5	0.5

[1] Included in figures for homicide.

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939 AND 1940—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS				List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population				Number		Rate per 100,000 population	
		1940	1939	1940	1939			1940	1939	1940	1939
	XVII.—Violent or accidental deaths—Continued						XVII.—Violent or accidental deaths—Continued				
	Accidental deaths—Continued						Accidental deaths—Continued				
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	100	102	0.1	0.1	196	Deaths of military personnel during operations of war	-	4	0	0.0
195	Other accidents	5,075	4,655	3.9	3.6	197	Deaths of civilians due to operations of war	-	-	0	0
	(a) Sequelae of preventive immunization, inoculation, or vaccination	15	13	0.0	0.0	198	Legal executions	121	155	0.1	0.1
	(b) Other accidents due to medical or surgical intervention	36	26	0.0	0.0		XVIII.—Ill-defined and unknown causes	21,100	19,710	16.0	15.1
	(c) Lack of care of the newborn	31	37	0.0	0.0	199	Sudden death	1,502	1,502	1.1	1.1
	(d) Obstruction, suffocation, or puncture by ingested objects	931	812	0.7	0.6	200	Ill-defined and unknown causes	19,598	18,208	14.9	13.9
	(e) Other and unspecified accidents	4,062	3,767	3.1	2.9		(a) Ill-defined	6,572	5,978	5.0	4.6
							(b) Found dead (cause unknown)	835	759	0.6	0.6
							(c) Unknown or unspecified cause	12,191	11,471	9.3	8.8

TABLE XII.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 100,000 ENUMERATED POPULATION)

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed

DIVISION AND STATE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
UNITED STATES	1,076.4	1.1	0.5	0.5	2.2	1.1	42.2	3.7	1.1	14.4	0.8	120.3	1.3	26.6	2.8	1.6	90.9
GEOGRAPHIC DIVISIONS:																	
New England	1,167.1	0.3	0.5	0.4	0.8	0.2	32.4	2.8	0.0	8.9	0.2	162.8	0.9	35.6	2.1	0.1	107.7
Middle Atlantic	1,113.1	0.4	0.5	0.4	1.1	0.3	41.1	3.5	0.1	14.3	0.2	147.1	1.5	38.4	3.1	0.2	81.5
East North Central	1,093.0	0.5	0.3	0.8	1.4	0.7	35.4	3.7	0.1	12.8	1.2	134.1	1.2	30.5	4.5	0.2	98.6
West North Central	1,027.1	0.7	0.4	0.6	1.6	0.9	26.3	2.4	0.3	11.0	1.5	129.1	1.1	26.5	3.4	0.2	99.8
South Atlantic	1,059.9	1.7	0.7	0.4	3.5	2.0	49.6	4.2	2.2	18.7	0.8	81.5	1.7	18.2	1.7	4.1	99.3
East South Central	1,042.1	2.0	0.9	0.6	5.1	2.1	57.1	5.3	4.3	16.7	0.7	73.8	1.8	13.9	1.5	5.3	86.1
West South Central	961.9	3.4	0.6	0.2	3.9	2.5	52.7	3.2	3.6	16.6	0.7	79.1	1.0	14.4	1.2	4.5	72.5
Mountain	1,034.2	1.3	0.8	0.8	4.3	1.2	52.7	4.7	0.1	12.4	1.1	96.2	1.2	16.1	3.3	0.8	69.0
Pacific	1,156.7	0.6	0.3	0.3	1.3	1.0	45.8	4.4	0.1	16.6	0.9	145.1	0.6	25.1	2.4	0.5	94.0
NEW ENGLAND:																	
Maine	1,248.8	0.5	1.1	0.7	2.5	0.7	26.2	3.7	0.1	9.0	0.5	155.0	1.3	32.1	1.9	0	130.4
New Hampshire	1,272.6	0.2	0.8	0.8	2.0	0.2	19.3	1.8	0	11.4	0.4	167.4	1.0	37.0	3.3	0	111.9
Vermont	1,283.3	0.6	1.7	0.3	1.4	0	39.0	2.5	0	7.2	0.6	152.3	0.6	33.7	3.3	0	126.7
Massachusetts	1,185.1	0.2	0.4	0.5	0.6	0.2	35.1	2.6	0	8.6	0.1	169.4	0.7	35.7	1.8	0.1	108.2
Rhode Island	1,119.2	0.7	0.7	0.3	0.3	0.3	30.4	2.7	0	9.3	0.3	157.6	0.4	38.8	1.7	0.1	101.9
Connecticut	1,046.4	0.3	0.3	0	0.3	0.2	31.8	3.2	0	9.1	0.2	153.2	1.4	35.8	2.5	0.2	92.1
MIDDLE ATLANTIC:																	
New York	1,112.4	0.3	0.4	0.3	1.0	0.1	42.6	3.8	0.2	15.7	0.1	158.6	1.3	40.6	3.0	0.1	73.4
New Jersey	1,083.8	0.4	0.1	0.4	0.6	0.6	39.8	3.2	0.0	12.3	0.1	145.7	1.9	36.4	2.4	0.2	90.2
Pennsylvania	1,126.2	0.7	0.9	0.5	1.3	0.4	39.4	3.1	0.0	13.4	0.3	132.1	1.7	36.3	3.4	0.2	88.8
EAST NORTH CENTRAL:																	
Ohio	1,138.8	0.7	0.4	0.6	1.9	0.4	36.7	3.8	0.0	14.5	0.9	136.8	1.4	31.3	5.3	0.1	112.3
Indiana	1,178.7	0.8	0.4	1.2	2.3	1.0	35.9	4.3	0.2	14.4	2.3	127.3	1.1	28.1	5.2	0.3	118.3
Illinois	1,117.2	0.5	0.2	0.9	0.8	1.1	42.4	3.7	0.3	13.4	0.7	144.1	1.2	34.1	4.0	0.3	85.1
Michigan	991.4	0.2	0.4	0.8	1.1	0.4	29.7	3.9	0.0	11.5	1.4	119.4	0.9	26.7	3.7	0.2	89.5
Wisconsin	1,007.6	0.1	0.2	0.8	1.0	0.2	24.2	2.3	0.1	7.4	1.5	134.8	1.7	28.4	5.0	0.1	96.4
WEST NORTH CENTRAL:																	
Minnesota	960.3	0.2	0.3	0.5	1.2	0.2	24.7	2.4	0	8.6	0.9	134.4	1.5	26.8	3.9	0.2	93.5
Iowa	1,039.1	0.6	0.4	0.9	1.0	0.6	15.4	1.7	0.0	7.0	2.5	137.0	1.1	28.4	3.4	0.1	112.2
Missouri	1,155.9	1.6	0.4	0.5	2.3	1.7	42.0	3.0	1.0	18.2	1.0	134.2	1.0	25.3	3.5	0.3	100.1
North Dakota	815.5	0.6	0.5	0.5	2.5	1.7	16.0	3.3	0	4.2	0.3	94.4	2.2	26.6	2.8	0.3	73.7
South Dakota	848.3	0	0.6	0.5	0.6	0.8	26.4	3.0	0	5.6	0.8	102.3	1.7	23.2	2.2	0.2	82.4
Nebraska	957.0	0.5	0.2	0.8	1.0	0.8	15.1	2.0	0.1	7.8	1.7	126.1	0.7	28.1	2.7	0.2	103.4
Kansas	1,034.0	0.6	0.7	0.4	1.8	0.7	23.1	1.8	0.3	11.8	2.3	123.3	0.5	26.0	3.4	0.3	104.4
SOUTH ATLANTIC:																	
Delaware	1,223.6	0.8	0.8	1.1	2.6	0	41.7	5.3	0	21.8	0.8	129.1	1.9	30.0	4.1	0	105.8
Maryland	1,213.8	0.6	0.4	0.5	3.7	0.4	73.8	5.3	0	21.5	0.2	137.5	1.9	31.2	2.5	0.4	98.4
District of Columbia	1,302.5	0.5	0.9	0.3	2.0	0.5	53.7	10.7	0.2	25.0	0.8	153.4	1.5	33.5	2.1	0.2	96.4
Virginia	1,104.6	1.1	1.1	0.4	5.0	1.9	52.5	5.6	0.2	17.7	1.0	82.2	1.8	20.1	2.4	2.2	108.5
West Virginia	926.7	1.9	1.3	1.1	6.3	1.9	42.1	4.0	0	15.1	3.1	77.2	1.3	17.4	2.7	0.6	77.2
North Carolina	898.2	1.1	0.6	0.3	2.5	3.0	46.7	3.2	1.7	12.3	0.4	58.2	1.9	14.2	1.1	4.7	88.9
South Carolina	1,062.5	4.1	0.5	0.1	2.5	2.8	44.2	3.2	6.2	19.6	0.5	56.4	2.2	12.6	0.6	8.5	104.3
Georgia	1,040.8	2.3	0.4	0.5	3.5	2.0	45.3	3.6	3.4	20.6	0.4	64.1	1.5	12.2	1.0	8.0	101.9
Florida	1,208.3	1.2	0.7	0.1	2.1	1.4	47.9	2.7	5.1	26.7	0.4	96.4	1.6	19.6	1.4	3.8	120.1
EAST SOUTH CENTRAL:																	
Kentucky	1,044.9	2.7	1.4	1.0	6.1	2.0	63.2	6.4	0.7	11.2	1.4	85.6	1.4	15.7	1.5	2.1	93.1
Tennessee	1,025.6	2.1	0.7	0.6	3.8	1.7	68.2	6.7	2.2	14.5	0.2	76.0	2.4	14.2	1.6	3.5	86.7
Alabama	1,042.4	1.5	0.8	0.5	4.2	2.2	48.6	4.3	7.3	20.7	0.6	65.3	1.7	12.2	1.4	8.6	84.4
Mississippi	1,060.3	1.5	0.5	0.1	6.6	2.7	45.4	3.4	8.0	21.7	0.4	66.2	1.5	13.4	1.4	7.7	78.3
WEST SOUTH CENTRAL:																	
Arkansas	874.7	4.7	0.5	0.2	2.8	3.2	49.0	1.6	9.1	13.5	0.8	64.5	1.2	10.5	0.9	5.3	68.6
Louisiana	1,085.0	3.4	0.6	0.0	6.3	2.1	56.2	2.6	3.7	29.2	0.7	87.7	0.8	17.5	1.8	3.2	70.6
Oklahoma	875.7	2.4	0.5	0.3	2.4	3.0	45.0	3.2	1.3	12.1	1.0	83.5	1.1	14.4	1.3	2.6	79.8
Texas	974.4	3.4	0.6	0.3	3.9	2.3	55.4	3.8	2.7	14.5	0.6	78.8	1.1	14.4	1.0	5.5	71.8
MOUNTAIN:																	
Montana	1,023.9	0.7	1.3	1.3	0.9	1.3	35.0	5.2	0.2	11.8	1.3	111.5	0.9	19.3	2.7	0.2	80.3
Idaho	931.7	1.3	0.8	1.5	1.3	0.2	13.9	4.2	0.2	8.0	0.6	89.5	1.7	17.5	5.0	0.6	75.4
Wyoming	851.9	0.8	2.0	0.4	0.4	1.6	14.8	2.0	0	14.8	3.6	84.5	1.2	16.4	1.2	0	65.8
Colorado	1,106.6	0.8	0.4	0.5	2.8	1.1	49.7	3.7	0	12.0	1.1	118.0	1.0	17.8	3.7	0.1	84.2
New Mexico	1,051.7	3.4	0.8	0.6	13.2	1.3	69.2	6.2	0.2	14.7	0.6	61.1	1.5	8.3	1.9	3.6	40.8
Arizona	1,164.7	1.4	1.4	0.6	10.4	3.2	162.8	8.0	0	22.0	0.6	82.1	1.0	11.0	2.0	1.0	57.3
Utah	895.0	0.9	0.4	0.9	2.0	0	13.6	2.5	0	4.9	1.1	91.0	1.8	19.4	4.5	0.5	59.1
Nevada	1,273.5	0.9	0.9	0	2.7	1.8	60.8	10.9	0	19.0	1.8	114.3	0	20.9	3.6	0.9	70.8
PACIFIC:																	
Washington	1,152.5	0.8	0.3	0.4	1.1	0.6	37.4	3.3	0	13.8	2.1	143.0	0.7	26.1	3.3	0.3	109.3
Oregon	1,129.7	1.0	0.6	0.2	0.5	1.0	24.4	2.8	0.1	12.1	0.6	139.1	1.0	25.9	3.5	0.4	103.4
California	1,162.1	0.5	0.2	0.3	1.5	1.1	51.3	5.0	0.1	18.0	0.7	146.6	0.5	24.7	2.0	0.6	88.7

* Refer to complete International List titles, table XI.

FOR SELECTED CAUSES OF DEATH: UNITED STATES, EACH DIVISION AND STATE, 1940

International List. Rates are based on populations enumerated in the Federal census of April 1)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, etc.* 119	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, etc.* 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5.3	20.8	77.1	194.7	70.3	6.8	7.6	9.9	9.0	8.6	6.0	81.5	2.8	4.0	10.0	24.6	14.4	6.2	26.2	47.4	132.2
4.7	24.7	115.6	250.7	58.7	7.9	3.2	10.5	9.4	9.1	7.4	78.1	2.2	2.5	11.7	19.8	14.7	1.5	17.9	46.6	114.5
4.5	24.2	91.1	251.4	55.9	7.7	3.2	9.4	9.5	10.8	6.8	79.9	2.3	2.4	10.1	19.5	15.3	2.8	20.4	45.5	106.9
5.2	21.9	80.5	217.9	61.0	6.5	3.5	10.4	9.6	9.6	7.5	81.1	2.2	2.9	11.1	21.3	15.1	3.7	30.7	47.8	117.4
5.6	23.3	81.2	166.3	71.0	6.5	4.6	11.2	9.5	7.2	7.5	76.9	2.6	2.9	10.9	22.0	14.6	2.6	21.9	48.0	124.8
6.3	17.2	56.7	153.2	85.6	5.5	11.2	7.7	7.7	5.7	3.4	104.2	3.7	6.6	9.1	33.6	11.5	13.2	29.2	48.0	150.3
5.9	19.9	43.0	130.4	95.7	5.6	12.6	9.3	7.7	4.6	3.5	85.3	3.9	7.3	8.2	31.3	8.5	16.0	22.3	48.4	195.5
5.5	12.6	52.7	125.1	89.7	5.2	21.4	10.3	8.6	5.8	4.1	71.3	3.5	5.8	8.3	30.2	9.9	9.5	23.9	42.7	155.5
7.4	19.6	61.1	143.9	77.6	8.3	17.3	14.1	9.0	6.5	6.5	59.7	3.6	5.0	11.6	34.5	17.6	5.3	58.3	58.6	162.6
4.8	20.8	103.3	223.3	59.8	9.8	4.7	9.5	9.3	15.2	5.9	74.3	1.8	2.7	9.2	19.8	25.3	4.5	40.3	50.6	122.8
6.0	25.0	122.5	216.8	67.4	6.3	5.7	12.7	11.0	4.8	5.5	91.8	3.0	4.2	14.3	31.4	15.7	1.5	22.4	52.5	162.5
5.5	26.2	134.5	253.5	72.2	10.0	2.8	12.4	11.2	7.7	9.6	91.6	2.0	3.5	12.8	19.1	16.3	1.4	25.4	54.9	142.2
5.3	30.6	113.9	245.0	84.6	8.6	5.3	13.9	14.8	6.1	8.9	83.0	3.3	3.3	12.2	30.3	16.7	0.8	24.2	51.5	151.2
4.9	26.5	118.9	266.6	60.9	8.5	3.0	9.8	9.1	9.4	7.7	73.8	2.1	2.2	11.4	18.4	13.3	1.5	15.6	47.5	109.6
3.2	21.9	108.5	244.1	58.9	7.9	2.0	12.9	9.1	10.0	6.2	98.3	1.7	2.1	13.0	16.8	12.6	1.4	12.8	38.6	92.1
3.5	19.7	101.7	230.3	39.4	6.3	2.5	8.7	7.7	11.1	7.3	68.9	2.0	2.1	10.1	16.7	17.9	1.8	20.2	41.1	96.8
4.5	25.8	95.6	263.3	48.8	8.7	2.9	9.6	9.6	11.5	6.9	66.3	2.2	2.2	9.9	17.3	16.7	2.8	18.3	44.0	103.8
3.7	21.9	90.0	244.2	50.5	8.1	2.1	10.1	8.6	11.1	6.3	80.2	1.9	2.3	7.8	16.9	16.4	2.3	23.0	42.1	100.1
4.8	22.9	85.4	238.2	68.0	6.1	4.1	8.9	9.8	9.6	6.8	98.1	2.6	2.8	11.2	23.6	12.9	2.9	22.1	48.9	113.9
5.2	23.3	90.7	202.6	70.1	7.0	4.4	9.9	10.0	9.3	7.5	78.6	2.4	3.0	11.0	22.4	15.8	4.6	30.7	55.5	127.7
6.5	22.8	91.8	205.1	75.2	5.4	4.0	10.7	9.2	7.5	7.0	113.6	2.5	2.7	11.1	22.3	16.9	3.3	35.7	53.8	128.3
5.4	22.7	65.7	262.3	53.4	7.5	2.8	10.7	9.9	11.4	8.4	94.1	1.9	2.8	9.4	18.1	14.6	4.6	29.4	43.8	105.5
4.2	20.1	82.8	190.6	52.8	6.0	3.3	9.8	9.2	9.2	6.5	56.7	2.1	3.4	13.9	24.0	13.9	3.0	32.8	42.1	115.4
4.9	18.8	78.7	199.5	58.1	5.1	3.4	11.1	9.4	8.6	7.4	59.4	2.4	2.5	11.1	21.0	15.1	1.3	24.9	44.2	116.4
5.6	20.4	95.7	147.7	64.6	6.3	2.5	10.6	8.9	6.9	8.7	41.8	1.9	2.4	12.4	22.7	14.4	1.2	22.3	47.2	117.0
6.3	25.6	98.9	159.4	67.3	6.7	2.6	10.1	9.5	5.4	8.0	68.5	2.9	3.3	11.0	22.4	15.2	1.3	22.1	48.5	133.6
5.6	30.6	65.7	200.2	96.2	6.2	8.3	11.9	10.8	9.7	6.9	112.9	2.9	3.1	10.7	21.4	15.9	5.4	21.7	50.9	122.4
6.7	12.3	63.9	129.9	54.4	7.0	6.4	11.1	7.3	3.3	6.4	48.1	1.2	2.3	9.2	31.9	9.5	1.4	18.1	40.7	114.8
3.9	13.5	62.8	128.5	51.9	3.9	4.5	10.6	7.8	5.4	6.4	47.0	2.2	4.0	12.4	21.8	11.0	2.2	15.6	41.8	140.8
4.5	20.4	73.2	150.9	58.6	7.1	2.8	12.6	9.0	7.1	7.8	67.5	3.2	2.2	9.7	21.1	16.8	1.0	19.3	47.7	123.6
5.4	21.8	84.9	171.5	54.9	7.6	3.7	11.7	9.2	6.8	7.3	95.3	2.9	3.0	10.0	19.0	12.8	2.2	26.9	47.2	128.4
4.5	26.3	81.8	236.0	69.4	7.5	5.3	10.1	9.8	8.6	6.4	133.6	5.3	4.1	9.4	25.5	14.3	4.5	35.6	49.5	130.6
4.8	26.0	88.3	233.6	70.6	6.4	6.6	6.4	9.2	7.8	4.8	126.6	1.9	2.7	10.5	25.2	16.3	7.7	29.1	49.2	102.0
4.2	20.1	77.8	237.4	89.1	7.2	10.3	12.1	11.9	14.3	6.9	115.1	3.2	3.6	10.6	42.4	20.7	13.7	22.6	48.9	149.1
7.1	20.3	59.7	168.0	95.8	5.6	8.9	7.3	6.8	5.0	3.1	108.8	3.2	6.0	9.4	36.8	14.9	10.5	31.7	50.8	141.0
5.4	14.4	46.9	124.9	79.2	4.7	8.1	7.0	5.9	4.6	4.7	71.2	3.3	4.1	12.2	34.8	10.3	8.4	20.6	69.0	133.9
6.8	14.6	38.2	114.0	75.4	3.5	13.7	6.3	5.7	4.2	2.7	96.1	3.8	7.9	9.4	37.2	8.1	10.8	28.4	36.7	133.8
8.1	16.5	42.2	131.8	101.4	4.9	19.6	6.5	6.7	4.1	2.2	109.1	5.4	10.5	6.7	34.8	6.3	13.2	32.1	44.2	188.2
6.2	12.2	44.8	136.0	92.1	5.7	12.7	9.0	8.6	4.8	2.5	111.3	4.3	7.6	6.8	31.9	9.1	20.0	26.4	41.6	176.6
5.8	19.0	90.3	165.8	85.9	8.3	7.7	10.3	10.7	8.6	4.0	99.6	4.3	7.3	9.1	28.7	15.0	21.6	39.3	57.3	178.8
5.3	18.1	56.3	157.1	95.5	6.3	13.1	10.4	7.1	5.3	4.6	74.4	2.9	5.1	11.9	35.8	10.1	14.3	27.2	55.5	133.2
5.8	21.5	45.1	123.7	104.9	5.6	10.8	8.6	8.3	5.2	4.0	70.8	3.6	5.5	7.3	24.4	8.8	16.6	19.9	42.5	197.2
6.9	18.6	36.3	125.4	93.2	5.4	12.8	7.8	7.2	4.1	2.1	95.7	4.7	8.9	7.4	36.6	8.3	16.4	21.3	45.4	213.7
5.7	21.8	31.5	111.1	86.7	5.0	14.0	10.7	8.6	3.8	3.0	105.3	4.7	10.4	5.5	27.7	6.4	17.0	20.7	51.0	250.8
5.0	12.2	32.1	102.8	97.8	4.2	13.7	10.7	7.9	3.7	3.2	73.7	3.6	6.0	6.8	18.5	6.3	10.0	15.6	41.1	163.3
4.7	19.0	48.9	188.6	107.2	6.1	14.9	9.7	10.1	9.0	3.5	91.8	4.4	7.1	8.8	37.1	8.5	12.0	24.2	44.8	158.0
5.1	14.1	48.7	107.1	83.0	5.3	9.5	12.0	9.2	5.4	5.4	63.7	3.2	4.4	9.3	29.7	8.4	6.4	20.9	36.5	134.5
6.1	9.9	61.8	115.1	83.2	5.1	30.5	9.8	8.1	5.4	4.1	65.7	3.3	5.8	8.1	31.4	12.1	9.6	27.3	44.7	167.2
7.0	21.6	64.5	173.2	60.8	10.5	7.3	14.7	10.5	9.7	8.2	52.0	3.0	3.2	11.3	32.7	20.7	5.2	28.1	69.5	136.4
9.1	18.9	63.4	138.5	61.3	10.1	6.7	16.0	9.0	4.0	5.1	61.0	3.4	4.6	11.8	30.1	17.5	3.4	37.7	62.1	136.0
9.2	16.0	57.4	132.8	49.1	3.2	7.6	14.0	6.8	6.4	4.4	51.0	3.6	4.8	12.8	27.1	23.1	5.6	34.2	51.8	101.7
7.1	22.9	66.9	169.6	88.0	10.6	14.7	14.7	8.8	6.6	8.1	80.3	4.1	3.6	11.0	34.5	19.1	4.6	33.1	57.8	143.6
6.0	12.6	29.0	79.9	76.7	5.6	41.4	12.2	8.1	4.3	4.3	46.3	4.9	8.1	9.8	42.7	13.2	6.4	40.4	48.5	324.2
6.0	11.0	58.5	120.8	121.8	4.6	42.1	14.0	7.0	7.4	6.4	50.7	4.4	7.4	11.4	36.3	13.4	9.2	48.3	59.3	159.8
9.4	27.8	73.4	143.4	63.2	7.6	4.4	12.4	10.2	5.3	5.6	49.1	1.6	4.9	14.5	34.7	12.2	2.9	33.8	49.2	126.5
3.6	20.0	88.0	198.6	77.1	9.1	5.4	13.6	15.4	15.4	7.3	61.7	3.6	5.4	10.0	33.6	40.8	8.2	78.0	102.5	166.9
5.5	23.6	112.7	201.4	65.9	10.9	2.3	9.8	10.1	7.2	6.5	73.2	1.9	3.1	8.8	17.1	22.8	3.5	30.6	62.6	130.3
5.3	25.7	121.5	158.5	55.5	8.9	1.7	10.1	9.1	7.0	5.3	117.3	1.7	2.5	10.5	17.6	17.3	3.3	34.6	63.6	136.2
4.5	19.4	98.0	239.0	58.9	9.6	5.8	9.3	9.2	18.5	5.8	67.8	1.9	2.7	9.0	20.9	27.2	4.9	43.7	45.5	118.7

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940

(Data in this table are shown for each county subdivided into urban places having populations of 10,000 or more in 1940 and into rural part, which includes places under 10,000 and the remainder of the county. All towns, townships, or districts having populations of 10,000 or more and population densities of 1,000 or more per square mile are classified as urban. Arlington County, Va., is classified as urban under this rule. All rates and ratios in this table have been computed without regard to the size of the numbers of births, deaths, infant deaths, or stillbirths on which the rates and ratios are based. Small numbers are subject to relatively large variations because of sampling errors, so a test of statistical significance should be made before making even a tentative deduction from rate or ratio differences)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		Births	Deaths	Birth	Death						
UNITED STATES	131,669,275	2,360,399	1,417,269	17.9	10.8	943,130	167	110,984	47.0	[2] 73,802	31.3
White	118,214,870	2,067,953	1,231,223	17.5	10.4	836,730	168	89,406	43.2	57,220	27.7
All other	13,454,405	292,446	186,046	21.7	13.8	106,400	157	21,578	73.8	16,582	56.7
Cities, 10,000 or more	62,715,897	1,235,587	765,070	19.7	12.2	470,517	161	54,170	43.8	40,202	32.5
White	57,140,970	1,123,309	676,147	19.7	11.8	447,162	166	45,695	40.7	33,430	29.8
All other	5,574,927	112,278	88,923	20.1	16.0	23,355	126	8,475	75.5	6,772	60.3
Cities, 2,500-10,000	11,707,805	270,480	152,608	23.1	13.0	117,872	177	13,801	51.0	8,403	31.1
White	10,831,853	251,404	136,395	23.2	12.6	115,009	184	12,095	48.1	7,104	28.3
All other	875,952	19,076	16,213	21.8	18.5	2,863	118	1,706	89.4	1,299	68.1
Rural	57,245,573	854,332	499,591	14.9	8.7	354,741	171	43,013	50.3	25,197	29.5
White	50,242,047	693,240	418,681	13.8	8.3	274,559	166	31,616	45.6	16,686	24.1
All other	7,003,526	161,092	80,910	23.0	11.6	80,182	199	11,397	70.7	8,511	52.8
Section A (States)											
ALABAMA	2,832,961	62,925	29,531	22.2	10.4	33,394	213	3,864	61.4	2,511	39.9
White	1,849,097	38,889	15,755	21.0	8.5	23,134	247	2,019	51.9	1,123	28.9
All other	983,864	24,036	13,776	24.4	14.0	10,260	174	1,845	76.8	1,388	57.7
Cities, 10,000 or more	648,983	15,748	9,682	24.4	15.0	6,066	163	1,108	70.4	700	44.5
White	391,818	10,233	5,055	26.1	12.9	5,178	202	571	55.8	320	31.3
All other	254,165	5,515	4,627	21.7	18.2	888	119	537	97.4	380	68.9
Cities, 2,500-10,000	209,958	5,234	2,860	24.9	13.6	2,374	183	358	68.4	214	40.9
White	148,043	3,801	1,766	25.7	11.9	2,035	215	234	61.6	118	31.0
All other	61,915	1,433	1,094	23.1	17.7	339	131	124	86.5	96	67.0
Rural	1,977,020	41,943	18,989	21.2	8.6	24,954	247	2,398	57.2	1,597	38.1
White	1,309,236	24,855	8,934	19.0	6.8	15,921	278	1,214	48.8	685	27.6
All other	667,784	17,088	8,055	25.6	12.1	9,033	212	1,184	69.3	912	53.4
ARIZONA	499,261	11,754	5,815	23.5	11.6	5,939	202	991	84.3	292	24.8
White	426,792	10,135	4,751	23.7	11.1	5,384	213	742	73.2	252	24.9
All other	72,469	1,619	1,064	22.3	14.7	555	152	249	153.8	40	24.7
Cities, 10,000 or more	102,232	4,189	2,414	41.0	23.6	1,775	174	316	75.4	98	23.4
White	94,726	3,932	2,190	41.5	23.1	1,742	180	290	73.8	87	22.1
All other	7,506	257	224	34.2	29.8	33	115	26	101.2	11	42.8
Cities, 2,500-10,000	71,749	3,089	1,257	43.1	17.5	1,832	246	204	66.0	78	25.3
White	69,574	2,980	1,207	42.8	17.3	1,773	247	196	65.8	75	25.2
All other	2,175	109	50	50.1	23.0	59	218	8	73.4	3	27.5
Rural	325,280	4,476	2,144	13.8	6.6	2,332	209	471	105.2	116	25.9
White	262,492	3,223	1,354	12.3	5.2	1,869	238	256	79.4	90	27.9
All other	62,788	1,253	790	20.0	12.6	463	159	215	171.6	26	20.8
ARKANSAS	1,949,387	38,359	17,052	19.7	8.7	21,307	225	1,752	45.7	[2] 1,034	27.0
White	1,466,084	29,147	11,800	19.9	8.0	17,347	247	1,251	42.9	602	20.7
All other	483,303	9,212	5,252	19.1	10.9	3,960	175	501	54.4	432	46.9
Cities, 10,000 or more	238,480	5,813	4,292	24.4	18.0	1,521	135	349	60.0	168	28.9
White	181,948	4,842	3,025	26.6	16.6	1,817	160	256	52.9	123	25.4
All other	56,532	971	1,267	17.2	22.4	-296	77	93	95.8	45	46.3
Cities, 2,500-10,000	193,430	4,600	2,647	23.8	13.7	1,953	174	246	53.5	145	31.5
White	144,822	3,807	1,924	26.3	13.3	1,883	198	178	46.8	98	25.7
All other	48,608	793	723	16.3	14.9	70	110	68	85.8	47	59.3
Rural	1,517,477	27,946	10,113	18.4	6.7	17,833	276	1,157	41.4	721	25.8
White	1,139,314	20,498	6,851	18.0	6.0	13,647	299	817	39.9	581	18.6
All other	378,163	7,448	3,262	19.7	8.6	4,186	228	340	45.6	340	45.6
CALIFORNIA	6,907,387	112,011	80,270	16.2	11.6	31,741	140	4,411	39.4	2,197	19.6
White	6,596,763	107,084	76,726	16.2	11.6	30,358	140	4,148	38.7	2,073	19.4
All other	310,624	4,927	3,544	15.9	11.4	1,383	139	263	53.4	124	25.2
Cities, 10,000 or more	4,312,103	75,379	51,413	17.5	11.9	23,966	147	2,700	35.8	1,458	19.3
White	4,110,344	71,808	49,244	17.5	12.0	22,564	146	2,549	35.5	1,372	19.1
All other	201,759	3,571	2,169	17.7	10.8	1,402	165	151	42.3	86	24.1
Cities, 2,500-10,000	590,162	13,022	6,918	22.1	11.7	6,104	188	491	37.7	254	19.5
White	575,539	12,709	6,736	22.1	11.7	5,973	189	468	36.8	244	19.2
All other	14,623	313	182	21.4	12.4	131	172	23	73.5	10	31.9
Rural	2,005,122	23,610	21,939	11.8	10.9	1,671	108	1,220	51.7	485	20.5
White	1,910,880	22,567	20,746	11.8	10.9	1,821	109	1,131	50.1	457	20.3
All other	94,242	1,043	1,193	11.1	12.7	-150	87	89	85.3	28	26.8
COLORADO	1,123,296	21,154	12,430	18.8	11.1	8,724	170	1,266	59.8	507	24.0
White	1,106,502	20,847	12,153	18.8	11.0	8,694	172	1,247	59.8	496	23.8
All other	16,794	307	277	18.3	16.5	30	111	19	61.9	11	35.8
Cities, 10,000 or more	478,269	10,214	6,406	21.4	13.4	3,808	159	518	50.7	249	24.4
White	466,655	10,013	6,221	21.5	13.3	3,792	161	509	50.8	240	24.0
All other	11,614	201	185	17.3	15.9	16	109	9	44.8	9	44.8
Cities, 2,500-10,000	112,487	3,499	1,645	31.1	14.6	1,854	213	242	69.2	98	28.0
White	111,713	3,477	1,638	31.1	14.7	1,839	212	241	69.3	98	28.2
All other	774	22	7	28.4	9.0	15	314	1	45.5	-	0
Rural	532,540	7,441	4,379	14.0	8.2	3,062	170	506	68.0	160	21.5
White	528,134	7,357	4,294	13.9	8.1	3,063	171	497	67.6	158	21.5
All other	4,406	84	85	19.1	19.3	-1	99	9	107.1	2	23.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
CONNECTICUT	1,709,242	25,195	17,886	14.7	10.5	7,309	141	858	34.1	508	20.2
White	1,675,407	24,557	17,438	14.7	10.4	7,119	141	819	33.4	493	20.1
All other	33,835	638	448	18.9	13.2	190	142	39	61.1	15	23.5
Cities, 10,000 or more	1,113,744	22,094	13,256	19.8	11.9	8,838	167	756	34.2	433	19.6
White	1,086,157	21,511	12,876	19.8	11.9	8,635	167	722	33.6	418	19.4
All other	27,587	583	380	21.1	13.8	203	153	34	58.3	15	25.7
Cities, 2,500-10,000	44,418	992	620	22.3	14.0	372	160	26	26.2	19	19.2
White	44,244	986	617	22.3	13.9	369	160	25	25.4	19	19.3
All other	174	6	3	34.5	17.2	3	200	1	166.7	-	0
Rural	551,080	2,109	4,010	3.8	7.3	-1,901	53	76	36.0	56	26.6
White	545,006	2,060	3,945	3.8	7.2	-1,885	52	72	35.0	56	27.2
All other	6,074	49	65	8.1	10.7	-16	75	4	81.6	-	0
DELAWARE	266,505	4,597	3,261	17.2	12.2	1,336	141	225	48.9	110	23.9
White	230,528	3,852	2,605	16.7	11.3	1,247	148	159	41.3	86	22.3
All other	35,977	745	656	20.7	18.2	89	114	66	88.6	24	32.2
Cities, 10,000 or more	112,504	2,767	1,500	24.6	13.3	1,267	184	117	42.3	57	20.6
White	98,175	2,462	1,245	25.1	12.7	1,217	198	88	35.7	53	21.5
All other	14,329	305	255	21.3	17.8	50	120	29	95.1	4	13.1
Cities, 2,500-10,000	26,928	688	457	25.5	17.0	231	151	44	64.0	19	27.6
White	22,789	576	347	25.3	15.2	229	166	35	60.8	15	26.0
All other	4,139	112	110	27.1	26.6	2	102	9	80.4	4	35.7
Rural	127,073	1,142	1,304	9.0	10.3	-162	88	64	56.0	34	29.8
White	109,564	814	1,013	7.4	9.2	-199	80	36	44.2	18	22.1
All other	17,509	328	291	18.7	16.6	37	113	28	85.4	16	48.8
DISTRICT OF COLUMBIA	663,091	15,309	8,637	23.1	13.0	6,672	177	719	47.0	393	25.7
White	474,326	10,679	5,678	22.5	12.0	5,001	188	394	36.9	209	19.6
All other	188,765	4,630	2,959	24.5	15.7	1,671	156	325	70.2	184	39.7
FLORIDA	1,897,414	33,818	22,926	17.8	12.1	10,892	148	1,814	53.6	1,428	42.2
White	1,381,986	23,858	15,245	17.3	11.0	8,613	156	1,047	43.9	686	28.8
All other	515,428	9,960	7,681	19.3	14.9	2,279	130	767	77.0	742	74.5
Cities, 10,000 or more	821,700	15,926	11,536	19.4	14.0	4,390	138	820	51.5	700	44.0
White	602,158	12,048	8,112	20.0	13.5	3,936	149	515	42.7	356	29.5
All other	219,542	3,878	3,424	17.7	15.6	454	113	305	78.6	344	88.7
Cities, 2,500-10,000	224,091	5,003	3,694	22.3	16.5	1,309	135	259	51.8	212	42.4
White	156,165	3,548	2,388	22.7	15.3	1,160	149	142	40.0	105	29.6
All other	67,926	1,455	1,306	21.4	19.2	149	111	117	80.4	107	73.5
Rural	851,623	12,889	7,696	15.1	9.0	5,193	167	735	57.0	516	40.0
White	623,663	8,262	4,745	13.2	7.6	3,517	174	390	47.2	225	27.2
All other	227,960	4,627	2,951	20.3	12.9	1,676	157	345	74.6	291	62.9
GEORGIA	3,123,723	64,998	32,513	20.8	10.4	32,485	200	3,761	57.9	3,096	47.6
White	2,038,278	39,305	17,530	19.3	8.6	21,775	224	1,870	47.6	1,352	34.4
All other	1,085,445	25,693	14,983	23.7	13.8	10,710	171	1,891	73.6	1,744	67.9
Cities, 10,000 or more	808,573	18,841	12,034	23.3	14.9	6,807	157	1,107	58.8	943	50.1
White	516,312	12,622	6,345	24.4	12.3	6,277	199	612	48.5	468	37.1
All other	292,261	6,219	5,689	21.3	19.5	530	109	495	79.6	475	76.4
Cities, 2,500-10,000	265,235	7,641	3,922	28.8	14.8	3,719	195	482	63.1	358	46.9
White	177,341	5,366	2,182	30.3	12.3	3,184	246	270	50.3	191	35.6
All other	87,894	2,275	1,740	25.9	19.8	535	131	212	93.2	167	73.4
Rural	2,049,915	38,516	16,557	18.8	8.1	21,959	233	2,172	56.4	1,795	46.6
White	1,344,625	21,317	9,003	15.9	6.7	12,314	237	988	46.3	693	32.5
All other	705,290	17,199	7,554	24.4	10.7	9,645	228	1,184	68.8	1,102	64.1
IDAHO	524,873	11,712	4,890	22.3	9.3	6,822	240	495	42.3	252	21.5
White	519,292	11,617	4,795	22.4	9.2	6,822	242	47[2]	40.7	249	21.4
All other	5,581	95	95	17.0	17.0	-	100	22	231.6	3	31.6
Cities, 10,000 or more	103,884	4,214	1,599	40.6	15.4	2,615	264	177	42.0	109	25.9
White	103,169	4,199	1,576	40.7	15.3	2,623	266	171	40.7	109	26.0
All other	715	15	23	21.0	32.2	-8	65	6	400.0	-	0
Cities, 2,500-10,000	72,824	3,326	1,094	45.7	15.0	2,232	304	130	39.1	62	18.6
White	72,703	3,312	1,091	45.6	15.0	2,221	304	130	39.3	61	18.4
All other	121	14	3	115.7	24.8	11	467	-	0	1	71.4
Rural	348,165	4,172	2,197	12.0	6.3	1,975	190	188	45.1	81	19.4
White	343,420	4,106	2,128	12.0	6.2	1,978	193	172	41.9	79	19.2
All other	4,745	66	69	13.9	14.5	-3	96	16	242.4	2	30.3
ILLINOIS	7,897,241	125,198	88,231	15.6	11.2	34,967	140	4,343	35.3	3,152	25.6
White	7,504,202	116,357	82,051	15.5	10.9	34,306	142	4,032	34.7	2,889	24.8
All other	393,039	6,841	6,180	17.4	15.7	661	111	311	45.5	263	38.4
Cities, 10,000 or more	5,057,782	89,069	57,858	17.6	11.4	31,231	154	2,922	32.8	2,306	25.9
White	4,709,711	82,808	52,804	17.6	11.2	30,004	157	2,657	32.1	2,069	25.0
All other	348,071	6,281	5,054	18.0	14.5	1,227	124	265	42.2	237	37.7
Cities, 2,500-10,000	751,868	12,698	8,257	16.9	11.0	4,441	154	524	41.3	342	26.9
White	737,570	12,559	8,075	17.0	10.9	4,484	156	507	40.4	335	26.7
All other	14,298	139	182	9.7	12.7	-43	76	17	122.3	7	50.4
Rural	2,087,591	21,411	22,116	10.3	10.6	-705	97	897	41.9	504	23.5
White	2,056,921	20,990	21,172	10.2	10.3	-182	99	868	41.4	485	23.1
All other	30,670	421	944	13.7	30.8	-523	45	29	68.9	19	45.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
INDIANA	3,427,796	61,963	40,402	18.1	11.8	21,561	153	2,596	41.9	1,423	23.0
White	3,305,323	59,766	38,463	18.1	11.6	21,303	155	2,441	40.8	1,346	22.5
All other	122,473	2,197	1,939	17.9	15.8	258	113	155	70.6	77	35.0
Cities, 10,000 or more	1,567,600	33,764	19,939	21.5	12.7	13,825	169	1,549	45.9	797	23.6
White	1,456,280	31,687	18,312	21.8	12.6	13,375	173	1,407	44.4	728	23.0
All other	111,320	2,077	1,627	18.7	14.6	450	128	142	68.4	69	33.2
Cities, 2,500-10,000	320,112	7,547	4,552	23.6	14.2	2,995	166	320	42.4	221	29.3
White	316,724	7,509	4,505	23.7	14.2	3,004	167	318	42.1	218	29.0
All other	3,388	38	47	11.2	13.9	-9	81	4	105.3	3	78.9
Rural	1,540,084	20,652	15,911	13.4	10.3	4,741	130	727	35.2	405	19.6
White	1,532,319	20,570	15,646	13.4	10.2	4,924	131	718	34.9	400	19.4
All other	7,765	82	265	10.6	34.1	-183	31	9	109.8	5	61.0
IOWA	2,538,268	45,464	26,376	17.9	10.4	19,088	172	1,670	36.7	1,022	22.5
White	2,520,691	45,226	26,085	17.9	10.3	19,141	173	1,645	36.4	1,005	22.2
All other	17,577	238	291	13.5	16.6	-53	82	25	105.0	17	71.4
Cities, 10,000 or more	771,333	20,097	10,510	26.1	13.6	9,587	191	819	40.8	483	24.0
White	757,027	19,891	10,313	26.3	13.6	9,578	193	799	40.2	466	23.4
All other	14,306	206	197	14.4	13.8	9	105	20	97.1	17	82.5
Cities, 2,500-10,000	312,898	9,170	5,245	29.3	16.8	3,925	175	380	41.4	254	27.7
White	311,550	9,160	5,203	29.4	16.7	3,957	176	379	41.4	254	27.7
All other	1,348	10	42	7.4	31.2	-32	24	1	100.0	-	0
Rural	1,454,037	16,197	10,621	11.1	7.3	5,576	152	471	29.1	285	17.6
White	1,452,114	16,175	10,569	11.1	7.3	5,606	153	467	28.9	285	17.6
All other	1,923	22	52	11.4	27.0	-30	42	4	181.8	-	0
KANSAS	1,801,028	28,695	18,622	15.9	10.3	10,073	154	1,093	38.1	710	24.7
White	1,734,496	27,646	17,558	15.9	10.1	10,088	157	1,018	36.8	669	24.2
All other	66,532	1,049	1,064	15.8	16.0	-15	99	75	71.5	41	39.1
Cities, 10,000 or more	551,970	11,729	6,989	21.2	12.7	4,740	168	466	39.7	299	25.5
White	504,038	10,930	6,266	21.7	12.4	4,664	174	408	37.3	267	24.4
All other	47,932	799	723	16.7	15.1	76	111	58	72.6	32	40.1
Cities, 2,500-10,000	201,971	5,922	3,036	29.3	15.0	2,886	195	246	41.5	153	25.8
White	197,184	5,825	2,957	29.5	15.0	2,868	197	240	41.2	149	25.6
All other	4,787	97	79	20.3	16.5	18	123	6	61.9	4	41.2
Rural	1,047,087	11,044	8,597	10.5	8.2	2,447	128	381	34.5	258	23.4
White	1,033,274	10,891	8,335	10.5	8.1	2,556	131	370	34.0	253	23.2
All other	13,813	153	262	11.1	19.0	-109	58	11	71.9	5	32.7
KENTUCKY	2,845,627	63,591	29,733	22.3	10.4	33,858	214	3,358	52.8	2,036	32.0
White	2,631,425	60,396	25,904	23.0	9.8	34,492	233	3,086	51.1	1,866	30.9
All other	214,202	3,195	3,829	14.9	17.9	-634	83	272	85.1	170	53.2
Cities, 10,000 or more	628,349	13,398	9,260	21.3	14.7	4,138	145	768	57.3	438	32.7
White	542,075	12,106	7,441	22.3	13.7	4,665	163	634	52.4	371	30.6
All other	86,274	1,292	1,819	15.0	21.1	-527	71	134	103.7	67	51.9
Cities, 2,500-10,000	220,978	5,753	3,868	26.0	17.5	1,885	149	425	73.9	229	39.8
White	190,381	5,292	3,255	27.8	17.1	2,037	163	391	73.9	198	37.4
All other	30,597	461	613	15.1	20.0	-152	75	34	73.8	31	67.2
Rural	1,996,300	44,440	16,605	22.3	8.3	27,835	268	2,165	48.7	1,369	30.8
White	1,898,969	42,998	15,208	22.6	8.0	27,790	283	2,061	47.9	1,297	30.2
All other	97,331	1,442	1,397	14.8	14.4	45	103	104	72.1	72	49.9
LOUISIANA	2,363,880	50,916	25,648	21.5	10.8	25,268	199	3,271	64.2	1,937	38.0
White	1,511,739	29,853	13,875	19.7	9.2	15,978	215	1,425	47.7	791	26.5
All other	852,141	21,063	11,773	24.7	13.8	9,290	179	1,846	87.6	1,146	54.4
Cities, 10,000 or more	762,445	20,267	12,414	26.6	16.3	7,853	163	1,435	70.8	861	42.5
White	516,187	12,573	7,189	24.4	13.9	5,384	175	670	53.3	376	29.9
All other	246,278	7,694	5,225	31.2	21.2	2,469	147	765	99.4	485	63.0
Cities, 2,500-10,000	217,994	6,006	3,194	27.6	14.7	2,812	188	385	64.1	231	38.5
White	149,297	4,479	1,831	30.0	12.3	2,648	245	221	49.3	118	26.3
All other	68,697	1,527	1,363	22.2	19.8	164	112	164	107.4	113	74.0
Rural	1,383,441	24,643	10,040	17.8	7.3	14,603	245	1,451	58.9	845	34.3
White	846,275	12,801	4,855	15.1	5.7	7,946	264	534	41.7	297	23.2
All other	537,166	11,842	5,185	22.0	9.7	6,657	228	917	77.4	548	46.3
MAINE	847,226	15,119	10,580	17.8	12.5	4,539	143	809	53.5	444	29.4
White	844,543	15,074	10,555	17.8	12.5	4,519	143	809	53.7	443	29.4
All other	2,683	45	25	16.8	9.3	20	180	-	0	1	22.2
Cities, 10,000 or more	254,821	5,444	3,934	21.4	15.4	1,510	138	271	49.8	155	28.5
White	254,034	5,431	3,921	21.4	15.4	1,510	139	271	49.9	155	28.5
All other	787	13	13	16.5	16.5	-	100	-	0	-	0
Cities, 2,500-10,000	88,236	2,189	1,278	24.8	14.5	911	171	122	55.7	71	32.4
White	87,749	2,170	1,277	24.7	14.6	893	170	122	56.2	70	32.3
All other	487	19	1	39.0	2.1	18	1,900	-	0	1	52.6
Rural	504,169	7,486	5,368	14.8	10.6	2,118	139	416	55.6	218	29.1
White	502,760	7,473	5,357	14.9	10.7	2,116	139	416	55.7	218	29.2
All other	1,409	13	11	9.2	7.8	2	118	-	0	-	0
MARYLAND	1,821,244	30,251	22,107	16.6	12.1	8,144	137	1,499	49.6	1,320	43.6
White	1,518,481	23,664	17,111	15.6	11.3	6,553	138	999	42.2	838	35.4
All other	302,763	6,587	4,996	21.8	16.5	1,591	132	500	75.9	482	73.2
Cities, 10,000 or more	1,012,162	19,926	13,653	19.7	13.5	6,273	146	988	49.6	873	43.8
White	830,797	15,752	10,590	19.0	12.7	5,162	149	686	43.6	583	35.7
All other	181,365	4,174	3,063	23.0	16.9	1,111	136	302	72.4	310	74.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
MARYLAND—Continued											
Cities, 2,500-10,000	68,189	1,798	1,060	26.4	15.5	738	170	85	47.3	85	47.3
White	61,923	1,628	909	26.3	14.7	719	179	78	47.9	66	40.5
All other	6,266	170	151	27.1	24.1	19	113	7	41.2	19	111.8
Rural	740,893	8,527	7,394	11.5	10.0	1,133	115	426	50.0	362	42.5
White	625,761	6,284	5,612	10.0	9.0	672	112	235	37.4	209	33.3
All other	115,132	2,243	1,782	19.5	15.5	461	126	191	85.2	153	68.2
MASSACHUSETTS	4,316,721	66,114	51,156	15.3	11.9	14,958	129	2,478	37.5	1,773	26.8
White	4,257,596	65,103	50,301	15.3	11.8	14,802	129	2,404	36.9	1,746	26.8
All other	59,125	1,011	855	17.1	14.5	156	118	74	73.2	27	26.7
Cities, 10,000 or more	3,569,683	60,775	42,854	17.0	12.0	17,921	142	2,297	37.8	1,639	27.0
White	3,519,688	59,911	42,137	17.0	12.0	17,774	142	2,229	37.2	1,616	27.0
All other	49,995	864	717	17.3	14.3	147	121	68	78.7	23	26.6
Cities, 2,500-10,000	289,793	3,180	2,763	11.0	9.5	417	115	89	28.0	81	25.5
White	287,650	3,136	2,741	10.9	9.5	395	114	88	28.1	80	25.5
All other	2,143	44	22	20.5	10.3	22	200	1	22.7	1	22.7
Rural	457,245	2,159	5,539	4.7	12.1	-3,380	39	92	42.6	53	24.5
White	450,258	2,056	5,423	4.6	12.0	-3,367	38	87	42.3	50	24.3
All other	6,987	103	116	14.7	16.6	-13	89	5	48.5	3	29.1
MICHIGAN	5,256,106	99,108	52,108	18.9	9.9	47,000	190	4,033	40.7	2,575	26.0
White	5,039,643	94,985	49,372	18.8	9.8	45,613	192	3,799	40.0	2,414	25.4
All other	216,463	4,123	2,736	19.0	12.6	1,387	151	234	56.8	161	39.0
Cities, 10,000 or more	3,046,231	65,864	29,089	21.6	9.5	36,775	226	2,682	40.7	1,737	26.4
White	2,854,549	62,078	26,972	21.7	9.4	35,106	230	2,476	39.9	1,590	25.6
All other	191,682	3,786	2,117	19.8	11.0	1,669	179	206	54.4	147	38.8
Cities, 2,500-10,000	408,636	10,349	5,130	25.3	12.6	5,219	202	442	42.7	290	28.0
White	402,564	10,269	5,052	25.5	12.5	5,217	203	439	42.8	286	27.9
All other	6,072	80	78	13.2	12.8	2	103	3	37.5	4	50.0
Rural	1,801,239	22,895	17,889	12.7	9.9	5,006	128	909	39.7	548	23.9
White	1,782,530	22,638	17,348	12.7	9.7	5,290	130	884	39.0	538	23.8
All other	18,709	257	541	13.7	28.9	-284	48	25	97.3	10	38.9
MINNESOTA	2,792,300	53,083	26,814	19.0	9.6	26,269	198	1,769	33.3	1,139	21.5
White	2,768,982	52,392	26,458	18.9	9.6	25,934	198	1,722	32.9	1,122	21.4
All other	23,318	691	356	29.6	15.3	335	194	47	68.0	17	24.6
Cities, 10,000 or more	1,078,246	23,746	12,632	22.0	11.7	11,114	188	765	32.2	569	24.0
White	1,067,860	23,586	12,477	22.1	11.7	11,109	189	761	32.3	566	24.0
All other	10,386	160	155	15.4	14.9	5	103	4	25.0	3	18.8
Cities, 2,500-10,000	311,852	9,743	4,131	31.2	13.2	5,612	236	365	37.5	235	24.1
White	311,043	9,716	4,114	31.2	13.2	5,602	236	363	37.4	234	24.1
All other	809	27	17	33.4	21.0	10	159	2	74.1	1	37.0
Rural	1,402,202	19,594	10,051	14.0	7.2	9,543	195	639	32.6	335	17.1
White	1,390,079	19,090	9,867	13.7	7.1	9,223	193	598	31.3	322	16.9
All other	12,123	504	184	41.6	15.2	320	274	41	81.3	13	25.8
MISSISSIPPI	2,183,796	52,575	23,154	24.1	10.6	29,421	227	2,854	54.3	2,534	48.2
White	1,106,327	23,135	9,600	20.9	8.7	13,535	241	1,072	46.3	620	26.8
All other	1,077,469	29,440	13,554	27.3	12.6	15,886	217	1,782	60.5	1,914	65.0
Cities, 10,000 or more	273,110	6,417	4,521	23.5	16.6	1,896	142	435	67.8	372	58.0
White	159,953	4,288	2,207	26.8	13.8	2,081	194	240	56.0	138	32.2
All other	113,157	2,129	2,314	18.8	20.4	-185	92	195	91.6	234	109.9
Cities, 2,500-10,000	159,772	3,746	2,426	23.4	15.2	1,320	154	259	69.1	213	56.9
White	94,585	2,172	1,197	23.0	12.7	975	181	130	59.9	80	36.8
All other	65,187	1,574	1,229	24.1	18.9	345	128	129	82.0	133	84.5
Rural	1,750,914	42,412	16,207	24.2	9.3	26,205	262	2,160	50.9	1,949	46.0
White	851,789	16,675	6,196	19.6	7.3	10,479	269	702	42.1	402	24.1
All other	899,125	25,737	10,011	28.6	11.1	15,726	257	1,458	56.6	1,547	60.1
MISSOURI	3,784,664	62,172	43,746	16.4	11.6	18,426	142	2,913	46.9	2,016	32.4
White	3,539,187	57,972	39,554	16.4	11.2	18,418	147	2,586	44.6	1,730	29.8
All other	245,477	4,200	4,192	17.1	17.1	8	100	327	77.9	286	68.1
Cities, 10,000 or more	1,666,617	30,688	22,725	18.4	13.6	7,963	135	1,378	44.9	1,104	36.0
White	1,493,292	27,618	19,690	18.5	13.2	7,928	140	1,164	42.1	870	31.5
All other	173,325	3,070	3,035	17.7	17.5	35	101	214	69.7	234	76.2
Cities, 2,500-10,000	294,079	6,120	4,240	20.8	14.4	1,880	144	334	54.6	221	36.1
White	275,537	5,823	3,862	21.1	14.0	1,961	151	300	51.5	206	35.4
All other	18,542	297	378	16.0	20.4	-81	79	34	114.5	15	50.5
Rural	1,823,968	25,364	16,781	13.9	9.2	8,583	151	1,201	47.4	691	27.2
White	1,770,358	24,531	16,002	13.9	9.0	8,529	153	1,122	45.7	654	26.7
All other	53,610	833	779	15.5	14.5	54	107	79	94.8	37	44.4
MONTANA	559,456	11,492	5,728	20.5	10.2	5,764	201	531	46.2	218	18.8
White	540,468	10,820	5,415	20.0	10.0	5,405	200	455	42.1	198	18.1
All other	18,988	672	313	35.4	16.5	359	215	76	113.1	20	29.8
Cities, 10,000 or more	134,779	4,353	1,875	32.3	13.9	2,478	232	188	43.2	82	18.8
White	133,581	4,333	1,858	32.4	13.9	2,475	233	186	42.9	82	18.9
All other	1,198	20	17	16.7	14.2	3	118	2	100.0	-	0
Cities, 2,500-10,000	76,756	2,949	1,033	38.4	13.5	1,916	285	93	31.5	51	17.3
White	76,068	2,928	1,028	38.5	13.5	1,900	285	91	31.1	51	17.4
All other	688	21	5	30.5	7.3	16	420	2	95.2	-	0
Rural	347,921	4,190	2,820	12.0	8.1	1,370	149	250	59.7	83	19.8
White	330,819	3,559	2,529	10.8	7.6	1,030	141	178	50.0	63	17.7
All other	17,102	631	291	36.9	17.0	340	217	72	114.1	20	31.7

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
NEBRASKA	1,315,834	22,162	12,592	16.8	9.6	9,570	176	792	35.7	512	23.1
White	1,297,624	21,833	12,335	16.8	9.5	9,498	177	754	34.5	501	22.9
All other	18,210	329	257	18.1	14.1	72	128	38	115.5	11	33.4
Cities, 10,000 or more	397,824	8,724	5,052	21.9	12.7	3,672	173	326	37.4	201	23.0
White	384,290	8,519	4,875	22.2	12.7	3,644	175	309	36.3	197	23.1
All other	13,534	205	177	15.1	13.1	28	116	17	82.9	4	19.5
Cities, 2,500-10,000	116,324	3,240	1,641	27.9	14.1	1,599	197	127	39.2	82	25.3
White	115,763	3,233	1,634	27.9	14.1	1,599	198	126	39.0	81	25.1
All other	561	7	7	12.5	12.5	-	100	1	142.9	1	142.9
Rural	801,686	10,198	5,899	12.7	7.4	4,299	173	339	33.2	229	22.5
White	797,571	10,081	5,826	12.6	7.3	4,255	173	319	31.6	223	22.1
All other	4,115	117	73	28.4	17.7	44	160	20	170.9	6	51.3
NEVADA	110,247	2,061	1,404	18.7	12.7	657	147	107	51.9	39	18.9
White	104,030	1,862	1,253	17.9	12.0	609	149	91	48.9	35	18.8
All other	6,217	199	151	32.0	24.3	48	132	16	80.4	4	20.1
Cities, 10,000 or more	21,317	273	212	12.8	9.9	61	129	5	18.3	7	25.6
White	20,893	267	208	12.8	10.0	59	128	4	15.0	7	26.2
All other	424	6	4	14.2	9.4	2	150	1	166.7	-	0
Cities, 2,500-10,000	21,974	519	339	23.6	15.4	180	153	33	63.6	9	17.3
White	21,298	501	315	23.5	14.8	186	159	33	65.9	9	18.0
All other	676	18	24	26.6	35.5	-6	75	-	0	-	0
Rural	66,956	1,269	853	19.0	12.7	416	149	69	54.4	23	18.1
White	61,839	1,094	730	17.7	11.8	364	150	54	49.4	19	17.4
All other	5,117	175	123	34.2	24.0	52	142	15	85.7	4	22.9
NEW HAMPSHIRE	491,524	8,503	6,255	17.3	12.7	2,248	136	340	40.0	211	24.8
White	490,989	8,495	6,243	17.3	12.7	2,252	136	339	39.9	211	24.8
All other	535	8	12	15.0	22.4	-4	67	1	125.0	-	0
Cities, 10,000 or more	238,150	4,834	3,055	20.3	12.8	1,779	158	194	40.1	132	27.3
White	237,813	4,830	3,048	20.3	12.8	1,782	158	193	40.0	132	27.3
All other	337	4	7	11.9	20.8	-3	57	1	250.0	-	0
Cities, 2,500-10,000	45,075	966	511	21.4	11.3	455	189	40	41.4	19	19.7
White	45,064	966	510	21.4	11.3	456	189	40	41.4	19	19.7
All other	11	-	1	0	90.9	-1	0	-	0	-	0
Rural	208,299	2,703	2,689	13.0	12.9	14	101	106	39.2	60	22.2
White	208,112	2,699	2,685	13.0	12.9	14	101	106	39.3	60	22.2
All other	187	4	4	21.4	21.4	-	100	-	0	-	0
NEW JERSEY	4,160,165	58,617	45,086	14.1	10.8	13,531	130	2,086	35.6	1,530	26.1
White	3,931,087	54,010	41,703	13.7	10.6	12,307	130	1,773	32.8	1,373	25.4
All other	229,078	4,607	3,383	20.1	14.8	1,224	136	313	67.9	157	34.1
Cities, 10,000 or more	2,816,956	49,258	30,543	17.5	10.8	18,715	161	1,713	34.8	1,280	26.0
White	2,641,552	45,458	28,213	17.2	10.7	17,245	161	1,464	32.2	1,157	25.5
All other	175,404	3,800	2,330	21.7	13.3	1,470	163	249	65.5	123	32.4
Cities, 2,500-10,000	577,817	4,436	5,609	7.7	9.7	-1,173	79	175	39.4	126	28.4
White	560,806	4,091	5,199	7.3	9.3	-1,108	79	151	36.9	110	26.9
All other	17,011	345	410	20.3	24.1	-65	84	24	69.6	16	46.4
Rural	765,392	4,923	8,934	6.4	11.7	-4,011	55	198	40.2	124	25.2
White	728,729	4,461	8,291	6.1	11.4	-3,830	54	158	35.4	106	23.8
All other	36,663	462	643	12.6	17.5	-181	72	40	86.6	18	39.0
NEW MEXICO	531,818	14,744	5,593	27.7	10.5	9,151	264	1,468	99.6	417	28.3
White	492,312	14,313	5,282	29.1	10.7	9,031	271	1,372	95.9	416	29.1
All other	39,506	431	311	10.9	7.9	120	139	96	222.7	1	2.3
Cities, 10,000 or more	89,940	3,016	1,336	33.5	14.9	1,680	226	259	85.9	93	30.8
White	87,257	2,995	1,263	34.3	14.5	1,732	237	229	76.5	93	31.1
All other	2,683	21	73	7.8	27.2	-52	29	30	(3)	-	0
Cities, 2,500-10,000	86,461	3,554	1,424	41.1	16.5	2,130	250	328	92.3	126	35.5
White	84,952	3,534	1,396	41.6	16.4	2,138	253	325	92.0	125	35.4
All other	1,509	20	28	13.3	18.6	-8	71	3	150.0	1	50.0
Rural	355,417	8,174	2,833	23.0	8.0	5,341	289	881	107.8	198	24.2
White	320,103	7,784	2,623	24.3	8.2	5,161	297	818	105.1	198	25.4
All other	35,314	390	210	11.0	5.9	180	186	63	161.5	-	0
NEW YORK	13,479,142	196,888	149,946	14.6	11.1	48,942	131	7,322	37.2	10,228	51.9
White	12,879,546	186,682	142,372	14.5	11.1	44,310	131	6,746	36.1	9,300	49.8
All other	599,596	10,206	7,574	17.0	12.6	2,632	135	576	56.4	928	90.9
Cities, 10,000 or more	10,533,286	167,527	114,021	15.9	10.8	53,506	147	6,078	36.3	9,445	56.4
White	9,982,967	158,101	107,446	15.8	10.8	50,655	147	5,547	35.1	8,541	54.0
All other	550,319	9,426	6,575	17.1	11.9	2,851	143	531	56.3	902	95.7
Cities, 2,500-10,000	632,607	10,381	7,754	16.4	12.3	2,627	134	470	45.3	301	29.0
White	621,624	10,142	7,617	16.3	12.3	2,525	133	456	45.0	291	28.7
All other	10,983	239	137	21.8	12.5	102	174	14	58.6	10	41.8
Rural	2,313,249	18,980	28,171	8.2	12.2	-9,191	67	774	40.8	484	25.5
White	2,274,955	18,439	27,309	8.1	12.0	-8,870	68	743	40.3	468	25.4
All other	38,294	541	862	14.1	22.5	-321	63	31	57.3	16	29.6
NORTH CAROLINA	3,571,623	80,582	32,081	22.6	9.0	48,501	251	4,629	57.4	2,773	34.4
White	2,567,635	54,676	20,362	21.3	7.9	34,314	269	2,715	49.7	1,417	25.9
All other	1,003,988	25,906	11,719	25.8	11.7	14,187	221	1,914	73.9	1,356	52.3
Cities, 10,000 or more	740,344	19,277	9,939	26.0	13.4	9,338	194	1,350	70.0	839	43.5
White	497,180	13,954	6,002	28.1	12.1	7,952	232	843	60.4	456	32.7
All other	243,164	5,323	3,937	21.9	18.2	1,386	135	507	95.2	383	72.0

See footnotes at end of table

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
NORTH CAROLINA—Continued											
Cities, 2,500-10,000	233,831	7,387	2,996	31.6	12.8	4,391	247	378	51.2	335	45.3
White	177,408	5,982	2,022	33.7	11.4	3,960	296	259	43.3	231	38.6
All other	56,423	1,405	974	24.9	17.3	431	144	119	84.7	104	74.0
Rural	2,597,448	53,918	19,146	20.8	7.4	34,772	282	2,901	53.8	1,599	29.7
White	1,893,047	34,740	12,338	18.4	6.5	22,402	282	1,613	46.4	730	21.0
All other	704,401	19,178	6,808	27.2	9.7	12,370	282	1,288	67.2	869	45.3
NORTH DAKOTA	641,935	13,356	5,235	20.8	8.2	8,121	255	603	45.1	297	22.2
White	631,464	12,929	5,069	20.5	8.0	7,860	255	558	43.2	290	22.4
All other	10,471	427	166	40.8	15.9	261	257	45	105.4	7	16.4
Cities, 10,000 or more	84,881	3,382	1,198	39.8	14.1	2,184	282	125	37.0	73	21.6
White	84,674	3,378	1,193	39.9	14.1	2,185	283	125	37.0	73	21.6
All other	207	4	5	19.3	24.2	-1	80	-	0	-	0
Cities, 2,500-10,000	47,042	2,042	832	43.4	17.7	1,210	245	98	48.0	41	20.1
White	46,766	2,039	826	43.6	17.7	1,213	247	97	47.6	41	20.1
All other	276	3	6	10.9	21.7	-3	50	1	333.3	-	0
Rural	510,012	7,932	3,205	15.6	6.3	4,727	247	380	47.9	183	23.1
White	500,024	7,512	3,050	15.0	6.1	4,462	246	336	44.7	176	23.4
All other	9,988	420	155	42.1	15.5	265	271	44	104.8	7	16.7
OHIO	6,907,612	114,900	78,662	16.6	11.4	36,238	146	4,759	41.4	2,976	25.9
White	6,566,531	108,780	73,533	16.6	11.2	35,247	148	4,416	40.6	2,725	25.1
All other	341,081	6,120	5,129	17.9	15.0	991	119	343	56.0	251	41.0
Cities, 10,000 or more	3,945,579	78,056	48,241	19.8	12.2	29,815	162	3,134	40.2	2,116	27.1
White	3,657,329	72,628	44,123	19.9	12.1	28,505	165	2,837	39.1	1,892	26.1
All other	288,250	5,428	4,118	18.8	14.3	1,310	132	297	54.7	224	41.3
Cities, 2,500-10,000	667,407	9,427	7,417	14.1	11.1	2,010	127	423	44.9	249	26.4
White	652,178	9,199	7,181	14.1	11.0	2,018	128	400	43.5	245	26.6
All other	15,229	228	236	15.0	15.5	-8	97	23	100.9	4	17.5
Rural	2,294,626	27,417	23,004	11.9	10.0	4,413	119	1,202	43.8	611	22.3
White	2,257,024	26,953	22,229	11.9	9.8	4,724	121	1,179	43.7	588	21.8
All other	37,602	464	775	12.3	20.6	-311	60	23	49.6	23	49.6
OKLAHOMA	2,336,434	44,574	20,461	19.1	8.8	24,113	218	2,214	49.7	1,124	25.2
White	2,104,228	40,018	17,542	19.0	8.3	22,476	228	1,865	46.6	942	23.5
All other	232,206	4,556	2,919	19.6	12.6	1,637	156	349	76.6	182	39.9
Cities, 10,000 or more	640,515	15,093	8,136	23.6	12.7	6,957	186	867	57.4	369	24.4
White	572,813	13,643	6,932	23.8	12.1	6,711	197	738	54.1	288	21.1
All other	67,702	1,450	1,204	21.4	17.8	246	120	129	89.0	81	55.9
Cities, 2,500-10,000	239,148	8,127	3,564	34.0	14.9	4,563	228	399	49.1	229	28.2
White	219,520	7,126	3,146	32.5	14.3	3,980	227	331	46.4	209	29.3
All other	19,628	1,001	418	51.0	21.3	583	239	68	67.9	20	20.0
Rural	1,456,771	21,354	8,761	14.7	6.0	12,593	244	948	44.4	526	24.6
White	1,311,895	19,249	7,464	14.7	5.7	11,785	258	796	41.4	445	23.1
All other	144,876	2,105	1,297	14.5	9.0	808	162	152	72.2	81	38.5
OREGON	1,089,684	17,848	12,310	16.4	11.3	5,538	145	588	32.9	377	21.1
White	1,075,731	17,549	12,068	16.3	11.2	5,481	145	562	32.0	368	21.0
All other	13,953	299	242	21.4	17.3	57	124	26	87.0	9	30.1
Cities, 10,000 or more	405,328	9,429	6,092	23.3	15.0	3,337	155	294	31.2	220	23.3
White	399,042	9,314	5,980	23.3	15.0	3,334	156	284	30.5	215	23.1
All other	6,286	115	112	18.3	17.8	3	103	10	87.0	5	43.5
Cities, 2,500-10,000	126,347	5,219	2,281	41.3	18.1	2,938	229	165	31.6	112	21.5
White	125,772	5,173	2,259	41.1	18.0	2,914	229	160	30.9	109	21.1
All other	575	46	22	80.0	38.3	24	209	5	108.7	3	65.2
Rural	558,009	3,200	3,937	5.7	7.1	-737	81	129	40.3	45	14.1
White	550,917	3,062	3,829	5.6	7.0	-767	80	118	38.5	44	14.4
All other	7,092	138	108	19.5	15.2	30	128	11	79.7	1	7.2
PENNSYLVANIA	9,900,180	165,680	111,498	16.7	11.3	54,182	149	7,400	44.7	4,738	28.6
White	9,426,989	156,241	104,361	16.6	11.1	51,880	150	6,768	43.3	4,348	27.8
All other	473,191	9,439	7,137	19.9	15.1	2,302	132	632	67.0	390	41.3
Cities, 10,000 or more	5,297,175	101,668	66,462	19.2	12.5	35,206	153	4,567	44.9	2,945	29.0
White	4,894,790	93,080	60,521	19.0	12.4	32,559	154	4,004	43.0	2,609	28.0
All other	402,385	8,588	5,941	21.3	14.8	2,647	145	563	65.6	336	39.1
Cities, 2,500-10,000	1,289,702	20,853	13,309	16.2	10.3	7,544	157	933	44.7	649	31.1
White	1,273,036	20,623	13,061	16.2	10.3	7,562	158	913	44.3	636	30.8
All other	16,666	230	248	13.8	14.9	-18	93	20	87.0	13	56.5
Rural	3,313,303	43,159	31,727	13.0	9.6	11,432	136	1,900	44.0	1,144	26.5
White	3,259,163	42,538	30,779	13.1	9.4	11,759	138	1,851	43.5	1,103	25.9
All other	54,140	621	948	11.5	17.5	-327	66	49	78.9	41	66.0
RHODE ISLAND	713,346	10,805	7,984	15.1	11.2	2,821	135	413	38.2	306	28.3
White	701,805	10,559	7,783	15.0	11.1	2,776	136	392	37.1	297	28.1
All other	11,541	246	201	21.3	17.4	45	122	21	85.4	9	36.6
Cities, 10,000 or more	626,967	10,212	7,140	16.3	11.4	3,072	143	389	38.1	291	28.5
White	616,441	9,989	6,983	16.2	11.3	3,026	143	371	37.1	283	28.3
All other	10,526	223	177	21.2	16.8	46	126	18	80.7	8	35.9
Cities, 2,500-10,000	26,416	143	253	5.4	9.6	-110	57	6	42.0	3	21.0
White	26,300	141	246	5.4	9.4	-105	57	6	42.6	3	21.3
All other	116	2	7	17.2	60.3	-5	29	-	0	-	0
Rural	59,963	450	591	7.5	9.9	-141	76	18	40.0	12	26.7
White	59,064	429	574	7.3	9.7	-145	75	15	35.0	11	25.6
All other	899	21	17	23.4	18.9	4	124	3	142.9	1	47.6

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
SOUTH CAROLINA	1,899,804	44,380	20,186	23.4	10.6	24,194	220	3,024	68.1	2,091	47.1
White	1,084,308	22,381	9,048	20.6	8.3	13,333	247	1,132	50.6	666	29.8
All other	815,496	21,999	11,138	27.0	13.7	10,861	198	1,892	86.0	1,425	64.8
Cities, 10,000 or more	290,556	8,967	5,388	30.9	18.5	3,579	166	676	75.4	483	53.9
White	179,587	5,881	2,878	32.7	16.0	3,003	204	350	59.5	222	37.7
All other	110,969	3,086	2,510	27.8	22.6	576	123	326	105.6	261	84.6
Cities, 2,500-10,000	175,555	5,203	2,468	29.6	14.1	2,735	211	356	68.4	302	58.0
White	116,035	3,625	1,321	31.2	11.4	2,304	274	193	53.2	145	40.0
All other	59,520	1,578	1,147	26.5	19.3	431	138	163	103.3	157	99.5
Rural	1,433,693	30,210	12,330	21.1	8.6	17,880	245	1,992	65.9	1,306	43.2
White	788,686	12,875	4,849	16.3	6.1	8,026	266	589	45.7	299	23.2
All other	645,007	17,335	7,481	26.9	11.6	9,854	232	1,403	80.9	1,007	58.1
SOUTH DAKOTA	642,961	11,619	5,454	18.1	8.5	6,165	213	456	39.2	218	18.8
White	619,075	10,918	5,086	17.6	8.2	5,832	215	387	35.4	202	18.5
All other	23,886	701	368	29.3	15.4	333	190	69	98.4	16	22.8
Cities, 10,000 or more	103,784	3,145	1,388	30.3	13.4	1,757	227	99	31.5	50	15.9
White	103,229	3,140	1,366	30.4	13.2	1,774	230	98	31.2	50	15.9
All other	555	5	22	9.0	39.6	-17	23	1	200.0	-	0
Cities, 2,500-10,000	54,303	2,030	939	37.4	17.3	1,091	216	87	42.9	46	22.7
White	53,860	1,962	908	36.4	16.9	1,054	216	80	40.8	43	21.9
All other	443	68	31	153.5	70.0	37	219	7	102.9	3	44.1
Rural	484,874	6,444	3,127	13.3	6.4	3,317	206	270	41.9	122	18.9
White	461,986	5,816	2,812	12.6	6.1	3,004	207	209	35.9	109	18.7
All other	22,888	628	315	27.4	13.8	313	199	61	97.1	13	20.7
TENNESSEE	2,915,841	55,815	29,904	19.1	10.3	25,911	187	3,052	54.7	1,626	29.1
White	2,406,906	47,290	22,118	19.6	9.2	25,172	214	2,441	51.6	1,186	25.1
All other	508,935	8,525	7,786	16.8	15.3	739	109	611	71.7	440	51.6
Cities, 10,000 or more	821,954	18,663	12,026	22.7	14.6	6,637	155	1,161	62.2	683	36.6
White	576,024	14,213	7,602	24.7	13.2	6,611	187	813	57.2	442	31.1
All other	245,930	4,450	4,424	18.1	18.0	26	101	348	78.2	241	54.2
Cities, 2,500-10,000	205,252	4,958	2,724	24.2	13.3	2,234	182	294	59.3	165	33.3
White	168,731	4,432	2,106	26.3	12.5	2,326	210	263	59.3	127	28.7
All other	36,521	526	618	14.4	16.9	-92	85	31	58.9	38	72.2
Rural	1,888,635	32,194	15,154	17.0	8.0	17,040	212	1,597	49.6	778	24.2
White	1,662,151	28,645	12,410	17.2	7.5	16,235	231	1,365	47.7	617	21.5
All other	226,484	3,549	2,744	15.7	12.1	805	129	232	65.4	161	45.4
TEXAS	6,414,824	126,687	62,503	19.7	9.7	64,184	203	8,685	68.6	3,986	31.5
White	5,487,545	110,885	50,902	20.2	9.3	59,983	218	7,344	66.2	2,978	26.9
All other	927,279	15,802	11,601	17.0	12.5	4,201	136	1,341	84.9	1,008	63.8
Cities, 10,000 or more	2,181,061	53,588	27,198	24.6	12.5	26,390	197	3,697	69.0	1,703	31.8
White	1,848,462	47,386	21,977	25.6	11.9	25,409	216	3,106	65.5	1,280	27.0
All other	332,599	6,202	5,221	18.6	15.7	981	119	591	95.3	423	68.2
Cities, 2,500-10,000	730,328	22,637	10,055	31.0	13.8	12,582	225	1,662	73.4	735	32.5
White	641,107	21,247	8,532	33.1	13.3	12,715	249	1,510	71.1	628	29.6
All other	89,221	1,390	1,523	15.6	17.1	-133	91	152	109.4	107	77.0
Rural	3,503,435	50,462	25,250	14.4	7.2	25,212	200	3,326	65.9	1,548	30.7
White	2,997,976	42,252	20,393	14.1	6.8	21,859	207	2,728	64.6	1,070	25.3
All other	505,459	8,210	4,857	16.2	9.6	3,353	169	598	72.8	478	58.2
UTAH	550,310	13,559	4,925	24.6	8.9	8,634	275	551	40.6	253	18.7
White	542,920	13,412	4,841	24.7	8.9	8,571	277	538	40.1	251	18.7
All other	7,390	147	84	19.9	11.4	63	175	13	88.4	2	13.6
Cities, 10,000 or more	223,561	6,765	2,699	30.3	12.1	4,066	251	269	39.8	139	20.5
White	221,659	6,743	2,661	30.4	12.0	4,082	253	268	39.7	139	20.6
All other	1,902	22	38	11.6	20.0	-16	58	1	45.5	-	0
Cities, 2,500-10,000	81,932	3,227	776	39.4	9.5	2,451	416	112	34.7	49	15.2
White	81,543	3,207	772	39.3	9.5	2,435	415	112	34.9	49	15.3
All other	389	20	4	51.4	10.3	16	500	-	0	-	0
Rural	244,817	3,567	1,450	14.6	5.9	2,117	246	170	47.7	65	18.2
White	239,718	3,462	1,408	14.4	5.9	2,054	246	158	45.0	63	18.2
All other	5,099	105	42	20.6	8.2	63	250	12	114.3	2	19.0
VERMONT	359,231	6,694	4,610	18.6	12.8	2,084	145	301	45.0	173	25.8
White	358,806	6,690	4,605	18.6	12.8	2,085	145	301	45.0	173	25.9
All other	425	4	5	9.4	11.8	-1	80	-	0	-	0
Cities, 10,000 or more	55,677	1,855	909	33.3	16.3	946	204	86	46.4	50	27.0
White	55,537	1,853	908	33.4	16.3	945	204	86	46.4	50	27.0
All other	140	2	1	14.3	7.1	1	200	-	0	-	0
Cities, 2,500-10,000	67,562	1,897	1,196	28.1	17.7	701	159	87	45.9	46	24.2
White	67,491	1,896	1,194	28.1	17.7	702	159	87	45.9	46	24.3
All other	71	1	2	14.1	28.2	-1	50	-	0	-	0
Rural	235,992	2,942	2,505	12.5	10.6	437	117	128	43.5	77	26.2
White	235,778	2,941	2,503	12.5	10.6	438	117	128	43.5	77	26.2
All other	214	1	2	4.7	9.3	-1	50	-	0	-	0
VIRGINIA	2,677,773	55,208	29,579	20.6	11.0	25,629	187	3,272	59.3	2,033	36.8
White	2,015,583	39,653	19,325	19.7	9.6	20,328	205	2,030	51.2	1,137	28.7
All other	662,190	15,555	10,254	23.5	15.5	5,301	152	1,242	79.8	896	57.6
Cities, 10,000 or more	769,278	16,185	10,186	21.0	13.2	5,999	159	949	58.6	695	42.9
White	555,451	11,830	6,424	21.3	11.6	5,406	184	545	46.1	372	31.4
All other	213,827	4,355	3,762	20.4	17.6	593	116	404	92.8	323	74.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section A (States)—Continued											
VIRGINIA—Continued											
Cities, 2,500-10,000	175,397	4,200	2,612	23.9	14.9	1,588	161	291	69.3	161	38.3
White	147,844	3,556	2,059	24.1	13.9	1,497	173	223	62.7	121	34.0
All other	27,553	644	553	23.4	20.1	91	116	68	105.6	40	62.1
Rural	1,733,098	34,823	16,781	20.1	9.7	18,042	208	2,032	58.4	1,177	33.8
White	1,312,288	24,267	10,842	18.5	8.3	13,425	224	1,262	52.0	644	26.5
All other	420,810	10,556	5,939	25.1	14.1	4,617	178	770	72.9	533	50.5
WASHINGTON	1,736,191	28,141	20,009	16.2	11.5	8,132	141	1,005	35.7	470	16.7
White	1,698,147	27,400	19,370	16.1	11.4	8,030	141	930	33.9	454	16.6
All other	38,044	741	639	19.5	16.8	102	116	75	101.2	16	21.6
Cities, 10,000 or more	805,441	18,518	11,456	23.0	14.2	7,062	162	601	32.5	310	16.7
White	786,828	18,187	11,161	23.1	14.2	7,026	163	584	32.1	301	16.6
All other	18,613	331	295	17.8	15.8	36	112	17	51.4	9	27.2
Cities, 2,500-10,000	116,528	3,551	1,647	30.5	14.1	1,904	216	120	33.8	68	19.1
White	115,444	3,487	1,606	30.2	13.9	1,881	217	112	32.1	67	19.2
All other	1,084	64	41	59.0	37.8	23	156	8	125.0	1	15.6
Rural	814,222	6,072	6,906	7.5	8.5	-834	88	284	46.8	92	15.2
White	795,875	5,726	6,603	7.2	8.3	-877	87	234	40.9	86	15.0
All other	18,347	346	303	18.9	16.5	43	114	50	144.5	6	17.3
WEST VIRGINIA	1,901,974	42,103	17,626	22.1	9.3	24,477	239	2,269	53.9	1,491	35.4
White	1,784,102	39,903	15,968	22.4	9.0	23,935	250	2,089	52.4	1,373	34.4
All other	117,872	2,200	1,658	18.7	14.1	542	133	180	81.8	118	53.6
Cities, 10,000 or more	381,392	9,503	5,670	24.9	14.9	3,833	168	569	59.9	361	38.0
White	356,174	9,115	5,110	25.6	14.3	4,005	178	530	58.1	331	36.3
All other	25,218	388	560	15.4	22.2	-172	69	39	100.5	30	77.3
Cities, 2,500-10,000	152,900	3,813	2,609	24.9	17.1	1,204	146	310	81.3	201	52.7
White	143,834	3,628	2,281	25.2	15.9	1,347	159	281	77.5	189	52.1
All other	9,066	185	328	20.4	36.2	-143	56	29	156.8	12	64.9
Rural	1,367,682	28,787	9,347	21.0	6.8	19,440	308	1,390	48.3	929	32.3
White	1,284,094	27,160	8,577	21.2	6.7	18,583	317	1,278	47.1	853	31.4
All other	83,588	1,627	770	19.5	9.2	857	211	112	68.8	76	46.7
WISCONSIN	3,137,587	54,848	31,614	17.5	10.1	23,234	173	2,041	37.2	1,207	22.0
White	3,112,752	54,185	31,222	17.4	10.0	22,963	174	1,988	36.7	1,186	21.9
All other	24,835	663	392	26.7	15.8	271	169	53	79.9	21	31.7
Cities, 10,000 or more	1,407,646	29,960	15,058	21.3	10.7	14,902	199	1,044	34.8	659	22.0
White	1,395,300	29,833	14,923	21.4	10.7	14,910	200	1,034	34.7	653	21.9
All other	12,346	127	135	10.3	10.9	-8	94	10	78.7	6	47.2
Cities, 2,500-10,000	271,498	7,375	3,872	27.2	14.3	3,503	190	313	42.4	194	26.3
White	271,060	7,363	3,861	27.2	14.2	3,502	191	312	42.4	194	26.3
All other	438	12	11	27.4	25.1	1	109	1	83.3	-	0
Rural	1,458,443	17,513	12,684	12.0	8.7	4,829	138	684	39.1	354	20.2
White	1,446,392	16,989	12,438	11.7	8.6	4,551	137	642	37.8	339	20.0
All other	12,051	524	246	43.5	20.4	278	213	42	80.2	15	28.6
WYOMING	250,742	5,052	2,136	20.1	8.5	2,916	237	234	46.3	101	20.0
White	246,597	4,930	2,054	20.0	8.3	2,876	240	213	43.2	95	19.3
All other	4,145	122	82	29.4	19.8	40	149	21	172.1	6	49.2
Cities, 10,000 or more	61,594	1,638	643	26.6	10.4	995	255	68	41.5	37	22.6
White	60,838	1,631	626	26.8	10.3	1,005	261	68	41.7	35	21.5
All other	756	7	17	9.3	22.5	-10	41	-	0	2	285.7
Cities, 2,500-10,000	31,983	1,031	453	32.2	14.2	578	228	43	41.7	19	18.4
White	31,659	1,023	441	32.3	13.9	582	232	41	40.1	17	16.6
All other	324	8	12	24.7	37.0	-4	67	2	250.0	2	250.0
Rural	157,165	2,383	1,040	15.2	6.6	1,343	229	123	51.6	45	18.9
White	154,100	2,276	987	14.8	6.4	1,289	231	104	45.7	43	18.9
All other	3,065	107	53	34.9	17.3	54	202	19	177.6	2	18.7
Section B (Counties including cities of 10,000 or more in 1940)											
ALABAMA (total)	2,832,961	62,925	29,531	22.2	10.4	33,394	213	3,864	61.4	2,511	39.9
Autauga	20,977	496	207	23.6	9.9	289	240	19	38.3	20	40.3
White	9,783	199	90	20.3	9.2	109	221	8	40.2	7	35.2
All other	11,194	297	117	26.5	10.5	180	254	11	37.0	13	43.8
Baldwin	32,324	757	341	23.4	10.5	416	222	44	58.1	26	34.3
White	24,240	520	236	21.5	9.7	284	220	22	42.3	17	32.7
All other	8,084	237	105	29.3	13.0	132	226	22	92.8	9	38.0
Barbour	32,722	838	369	25.6	11.3	469	227	42	50.1	42	50.1
White	14,563	289	159	19.8	10.9	130	182	13	45.0	9	31.1
All other	18,159	549	210	30.2	11.6	339	261	29	52.8	33	60.1
Bibb	20,155	474	156	23.5	7.7	318	304	21	44.3	19	40.1
White	13,519	300	81	22.2	6.0	219	370	12	40.0	10	33.3
All other	6,636	174	75	26.2	11.3	99	232	9	51.7	9	51.7
Blount	29,490	618	177	21.0	6.0	441	349	41	66.3	17	27.5
White	28,227	594	168	21.0	6.0	426	354	40	67.3	16	26.9
All other	1,263	24	9	19.0	7.1	15	267	1	41.7	1	41.7
Bullock	19,810	549	270	27.7	13.6	279	203	46	83.8	38	69.2
White	4,351	52	44	12.0	10.1	8	118	-	0	-	0
All other	15,459	497	226	32.1	14.6	271	220	46	92.6	38	76.5
Butler	32,447	778	317	24.0	9.8	461	245	38	48.8	31	39.8
White	16,759	360	172	21.5	10.3	188	209	18	50.0	8	22.2
All other	15,688	418	145	26.6	9.2	273	288	20	47.8	23	55.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ALABAMA—Continued											
Calhoun	63,319	1,322	640	20.9	10.1	682	207	107	80.9	60	45.4
Rural part	37,796	734	273	19.4	7.2	461	269	46	62.7	25	34.1
White	32,717	588	222	18.0	6.8	366	265	36	61.2	19	32.3
All other	5,079	146	51	28.7	10.0	95	286	10	68.5	6	41.1
Anniston	25,523	588	367	23.0	14.4	221	160	61	103.7	35	59.5
White	17,611	430	224	24.4	12.7	206	192	41	95.3	19	44.2
All other	7,912	158	143	20.0	18.1	15	110	20	126.6	16	101.3
Chambers	42,146	639	381	15.2	9.0	258	168	38	59.5	35	54.8
White	24,210	317	199	13.1	8.2	118	159	17	53.6	16	50.5
All other	17,936	322	182	18.0	10.1	140	177	21	65.2	19	59.0
Cherokee	19,928	510	160	25.6	8.0	350	319	26	51.0	9	17.6
White	18,203	455	142	25.0	7.8	313	320	24	52.7	9	19.8
All other	1,725	55	18	31.9	10.4	37	306	2	36.4	-	0
Chilton	27,955	612	250	21.9	8.9	362	245	38	62.1	22	35.9
White	23,320	494	200	21.2	8.6	294	247	25	50.6	15	30.4
All other	4,635	118	50	25.5	10.8	68	236	13	110.2	7	59.3
Choctaw	20,195	473	176	23.4	8.7	297	269	24	50.7	16	33.8
White	9,468	181	61	19.1	6.4	120	297	6	33.1	7	38.7
All other	10,727	292	115	27.2	10.7	177	254	18	61.6	9	30.8
Clarke	27,636	690	281	25.0	10.2	409	246	42	60.9	39	56.5
White	13,215	268	92	20.3	7.0	176	291	10	37.3	11	41.0
All other	14,421	422	189	29.3	13.1	233	223	32	75.8	28	66.4
Clay	16,907	382	143	22.6	8.5	239	267	20	52.4	10	26.2
White	14,289	308	118	21.6	8.3	190	261	14	45.5	6	19.5
All other	2,618	74	25	28.3	9.5	49	296	6	81.1	4	54.1
Cleburne	15,629	353	110	25.9	8.1	243	321	19	53.8	7	19.8
White	12,637	330	98	26.1	7.8	232	337	18	54.5	6	18.2
All other	992	23	12	23.2	12.1	11	192	1	43.5	1	43.5
Coffee	31,987	657	225	20.5	7.0	432	292	31	47.2	15	22.8
White	25,428	521	169	20.5	6.6	352	308	27	51.8	14	26.9
All other	6,559	136	56	20.7	8.5	80	243	4	29.4	1	7.4
Colbert	34,093	732	308	21.5	9.0	424	238	39	53.3	28	38.3
White	25,513	562	192	22.0	7.5	370	293	29	51.6	14	24.9
All other	8,580	170	116	19.8	13.5	54	147	10	58.8	14	82.4
Conecuh	25,489	623	250	24.4	9.8	373	249	46	73.8	30	48.2
White	14,139	305	126	21.6	8.9	179	242	16	52.5	12	39.3
All other	11,350	318	124	28.0	10.9	194	256	30	94.3	18	56.6
Coosa	13,460	273	94	20.3	7.0	179	290	11	40.3	16	58.6
White	8,563	121	56	14.1	6.5	65	216	5	41.3	3	24.8
All other	4,897	152	38	31.0	7.8	114	400	6	39.5	13	85.5
Covington	42,417	877	331	20.7	7.8	546	265	45	51.3	37	42.2
White	35,505	709	256	20.0	7.2	453	277	36	50.8	28	39.5
All other	6,912	168	75	24.3	10.9	93	224	9	53.6	9	53.6
Crenshaw	23,631	467	244	19.8	10.3	223	191	34	72.8	21	45.0
White	15,853	271	143	17.1	9.0	128	190	12	44.3	13	48.0
All other	7,778	196	101	25.2	13.0	95	194	22	112.2	8	40.8
Cullman	47,343	1,204	335	25.4	7.1	869	359	71	59.0	27	22.4
White	46,761	1,190	330	25.4	7.1	860	361	71	59.7	27	22.7
All other	582	14	5	24.1	8.6	9	280	-	0	-	0
Dale	22,685	498	204	22.0	9.0	294	244	18	36.1	21	42.2
White	17,446	353	139	20.2	8.0	214	254	9	25.5	12	34.0
All other	5,239	145	65	27.7	12.4	80	223	9	62.1	9	62.1
Dallas	55,245	1,453	987	26.3	17.9	466	147	143	98.4	82	56.4
Rural part	35,411	922	498	26.0	14.1	424	185	89	96.5	53	57.5
White	5,625	42	51	7.5	9.1	-9	82	4	95.2	4	95.2
All other	29,786	880	447	29.5	15.0	433	197	85	96.6	49	55.7
Selma	19,834	531	489	26.8	24.7	42	109	54	101.7	29	54.6
White	8,875	278	169	31.3	19.0	109	164	21	75.5	6	21.6
All other	10,959	253	320	23.1	29.2	-67	79	33	130.4	23	90.9
De Kalb	43,075	889	310	20.6	7.2	579	287	49	55.1	20	22.5
White	42,266	870	296	20.6	7.0	574	294	47	54.0	20	23.0
All other	809	19	14	23.5	17.3	5	136	2	105.3	-	0
Elmore	34,546	601	316	17.4	9.1	285	190	46	76.5	33	54.9
White	20,928	279	156	13.3	7.5	123	179	17	60.9	13	46.6
All other	13,618	322	160	23.6	11.7	162	201	29	90.1	20	62.1
Escambia	30,671	688	332	22.4	10.8	356	207	47	68.3	27	39.2
White	20,494	430	197	21.0	9.6	233	218	23	53.5	10	23.3
All other	10,177	258	135	25.4	13.3	123	191	24	93.0	17	65.9
Etowah	72,580	1,685	703	23.2	9.7	982	240	92	54.6	50	29.7
Rural part	35,605	769	239	21.6	6.7	530	322	30	39.0	12	15.6
White	32,601	697	200	21.4	6.1	497	349	26	37.3	11	15.8
All other	3,004	72	39	24.0	13.0	33	185	4	55.6	1	13.9
Gadsden	36,975	916	464	24.8	12.5	452	197	62	67.7	38	41.5
White	29,415	764	310	26.0	10.5	454	246	45	58.9	29	38.0
All other	7,560	152	154	20.1	20.4	-2	99	17	111.8	9	59.2
Fayette	21,651	455	148	21.0	6.8	307	307	21	46.2	14	30.8
White	18,585	402	123	21.6	6.6	279	327	16	39.8	11	27.4
All other	3,066	53	25	17.3	8.2	28	212	5	94.3	3	56.6
Franklin	27,552	723	240	26.2	8.7	483	301	33	45.6	29	40.1
White	26,087	684	215	26.2	8.2	469	318	30	43.9	26	38.0
All other	1,465	39	25	26.6	17.1	14	156	3	76.9	3	76.9
Geneva	29,172	585	245	20.1	8.4	340	239	35	59.8	22	37.6
White	25,147	497	181	19.8	7.2	316	275	23	46.3	17	34.2
All other	4,025	88	64	21.9	15.9	24	138	12	136.4	5	56.8
Greene	19,185	484	268	25.2	14.0	216	181	46	95.0	25	51.7
White	3,103	34	39	11.0	12.6	-5	87	4	117.6	1	29.4
All other	16,082	450	229	28.0	14.2	221	197	42	93.3	24	53.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ALABAMA—Continued											
Hale	25,533	629	281	24.6	11.0	348	224	45	71.5	29	46.1
White	7,177	104	58	14.5	8.1	46	179	9	86.5	3	28.8
All other	18,356	525	223	28.6	12.1	302	235	36	68.6	26	49.5
Henry	21,912	495	174	22.6	7.9	321	284	21	42.4	28	56.6
White	11,204	164	76	14.6	6.8	88	216	10	61.0	6	36.6
All other	10,708	331	98	30.9	9.2	233	338	11	33.2	22	66.5
Houston	45,665	877	473	19.2	10.4	404	185	51	58.2	37	42.2
Rural part	28,471	542	204	19.0	7.2	338	266	24	44.3	16	29.5
White	21,332	365	144	17.1	6.8	221	253	16	43.8	8	21.9
All other	7,139	177	60	24.8	8.4	117	295	8	45.2	8	45.2
Dothan	17,194	335	269	19.5	15.6	66	125	27	80.6	21	62.7
White	9,737	225	173	23.1	17.8	52	130	13	57.8	11	48.9
All other	7,457	110	96	14.8	12.9	14	115	14	127.3	10	90.9
Jackson	41,802	1,033	288	24.7	6.9	745	359	47	45.5	28	27.1
White	39,184	991	269	25.3	6.9	722	368	42	42.4	26	26.2
All other	2,618	42	19	16.0	7.3	23	221	5	119.0	2	47.6
Jefferson	459,930	9,799	5,348	21.3	11.6	4,451	183	609	62.1	395	40.3
Rural part	157,818	2,123	1,220	13.5	7.7	903	174	97	45.7	64	30.1
White	107,754	1,299	591	12.1	5.5	708	220	50	38.5	17	13.1
All other	50,064	824	629	16.5	12.6	195	131	47	57.0	47	57.0
Bessemer	22,826	329	261	14.4	11.4	68	126	23	69.9	21	63.8
White	9,545	139	87	14.6	9.1	52	160	4	28.8	2	14.4
All other	13,281	190	174	14.3	13.1	16	109	19	100.0	19	100.0
Birmingham	267,583	6,218	3,482	23.2	13.0	2,736	179	407	65.5	265	42.6
White	158,622	3,661	1,728	23.1	10.9	1,933	212	191	52.2	104	28.4
All other	108,961	2,557	1,754	23.5	16.1	803	146	216	84.5	161	63.0
Fairfield	11,703	1,129	385	96.5	32.9	744	293	82	72.6	45	39.9
White	4,835	724	148	149.7	30.6	576	489	32	44.2	20	27.6
All other	6,868	405	237	59.0	34.5	168	171	50	123.5	25	61.7
Lamar	19,708	396	117	20.1	5.9	279	338	19	48.0	14	35.4
White	16,731	327	96	19.5	5.7	231	341	17	52.0	10	30.6
All other	2,977	69	21	23.2	7.1	48	329	2	29.0	4	58.0
Lauderdale	46,230	971	382	21.0	8.3	589	254	59	60.8	37	38.1
Rural part	31,187	628	170	20.1	5.5	458	369	29	46.2	19	30.3
White	27,076	546	130	20.2	4.8	416	420	25	45.8	18	33.0
All other	4,111	82	40	19.9	9.7	42	205	4	48.8	1	12.2
Florence	15,043	343	212	22.8	14.1	131	162	30	87.5	18	52.5
White	11,688	287	154	24.6	13.2	133	186	25	87.1	11	38.3
All other	3,355	56	58	16.7	17.3	-2	97	5	89.3	7	125.0
Lawrence	27,880	625	262	22.4	9.4	363	239	50	80.0	15	24.0
White	21,600	531	187	24.6	8.7	344	284	39	73.4	10	18.8
All other	6,280	94	75	15.0	11.9	19	125	11	117.0	5	53.2
Lee	36,455	825	357	22.6	9.8	468	231	63	76.4	31	37.6
White	15,840	255	131	16.1	8.3	124	195	19	74.5	3	11.8
All other	20,615	570	226	27.6	11.0	344	252	44	77.2	28	49.1
Limestone	35,642	885	291	24.8	8.2	594	304	59	66.7	23	26.0
White	26,810	679	195	25.3	7.3	484	348	41	60.4	14	20.6
All other	8,832	206	96	23.3	10.9	110	215	18	87.4	9	43.7
Lowndes	22,661	665	324	29.3	14.3	341	205	50	75.2	46	69.2
White	3,457	24	46	6.9	13.3	-22	52	4	166.7	1	41.7
All other	19,204	641	278	33.4	14.5	363	231	46	71.8	45	70.2
Macon	27,654	696	549	25.2	19.9	147	127	50	71.8	35	50.3
White	4,946	59	40	11.9	8.1	19	148	3	50.8	-	0
All other	22,708	637	509	28.1	22.4	128	125	47	73.8	35	54.9
Madison	66,317	1,423	731	21.5	11.0	692	195	105	73.8	54	37.9
Rural part	53,267	1,051	438	19.7	8.2	613	240	75	71.4	30	28.5
White	39,592	768	249	19.4	6.3	519	308	47	61.2	19	24.7
All other	13,675	283	189	20.7	13.8	94	150	28	98.9	11	38.9
Huntsville	13,050	372	293	28.5	22.5	79	127	30	80.6	24	64.5
White	8,335	288	171	34.6	20.5	117	168	22	76.4	13	45.1
All other	4,715	84	122	17.8	25.9	-38	69	8	95.2	11	131.0
Marengo	35,736	757	361	21.2	10.1	396	210	42	55.5	33	43.6
White	9,727	159	71	16.3	7.3	88	224	3	18.9	2	12.6
All other	26,009	598	290	23.0	11.1	308	206	39	65.2	31	51.8
Marion	28,776	635	153	22.1	5.3	482	415	32	50.4	17	26.8
White	27,775	615	148	22.1	5.3	467	416	30	48.8	17	27.6
All other	1,001	20	5	20.0	5.0	15	400	2	100.0	-	0
Marshall	42,395	990	296	23.4	7.0	694	334	47	47.5	44	44.4
White	41,225	979	288	23.7	7.0	691	340	46	47.0	38	38.8
All other	1,170	11	8	9.4	6.8	3	138	1	90.9	6	545.5
Mobile	141,974	3,220	2,060	22.7	14.5	1,160	156	185	57.5	115	35.7
Rural part	63,254	1,099	767	17.4	12.1	332	143	49	44.6	33	30.0
White	40,690	603	274	14.8	6.7	329	220	20	33.2	12	19.9
All other	22,564	496	493	22.0	21.8	3	101	29	58.5	21	42.3
Mobile	78,720	2,121	1,293	26.9	16.4	828	164	136	64.1	82	38.7
White	49,606	1,435	731	28.9	14.7	704	196	80	55.7	32	22.3
All other	29,114	686	562	23.6	19.3	124	122	56	81.6	50	72.9
Monroe	29,465	739	267	25.1	9.1	472	277	50	67.7	37	50.1
White	13,848	271	81	19.6	5.8	190	335	14	51.7	10	36.9
All other	15,617	468	186	30.0	11.9	282	252	36	76.9	27	57.7
Montgomery	114,420	2,088	1,531	18.2	13.4	557	136	135	64.7	56	26.8
Rural part	36,336	561	360	15.4	9.9	201	156	23	41.0	11	19.6
White	13,535	101	101	7.5	7.5	-	100	4	39.6	2	19.8
All other	22,801	460	259	20.2	11.4	201	178	19	41.3	9	19.6
Montgomery	78,084	1,527	1,171	19.6	15.0	356	130	112	73.3	45	29.5
White	43,547	962	467	22.1	10.7	495	206	43	44.7	19	19.8
All other	34,537	565	704	16.4	20.4	-139	80	69	122.1	26	46.0

See footnotes at end of table.

498675 O - 43 - 4

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ALABAMA—Continued											
Morgan	48,148	971	436	20.2	9.1	535	223	49	50.5	33	34.0
Rural part	31,544	561	220	17.8	7.0	341	255	31	55.3	12	21.4
White	27,650	479	178	17.3	6.4	301	269	23	48.0	10	20.9
All other	3,894	82	42	21.1	10.8	40	195	8	97.6	2	24.4
Decatur	16,604	410	216	24.7	13.0	194	190	18	43.9	21	51.2
White	12,348	364	162	29.5	13.1	202	225	17	46.7	16	44.0
All other	4,256	46	54	10.8	12.7	-8	85	1	21.7	5	108.7
Perry	26,610	674	297	25.3	11.2	377	227	44	65.3	33	49.0
White	7,515	139	46	18.5	6.1	93	302	7	50.4	7	50.4
All other	19,095	535	251	28.0	13.1	284	213	37	69.2	26	48.6
Pickens	27,671	672	240	24.3	8.7	432	280	40	59.5	28	41.7
White	14,565	325	92	22.3	6.3	233	353	15	46.2	11	33.8
All other	13,106	347	148	26.5	11.3	199	234	25	72.0	17	49.0
Pike	32,493	659	371	20.3	11.4	288	178	29	44.0	32	48.6
White	17,307	344	198	19.9	11.4	146	174	19	55.2	16	46.5
All other	15,186	315	173	20.7	11.4	142	182	10	31.7	16	50.8
Randolph	25,516	558	230	21.9	9.0	328	243	36	64.5	26	46.6
White	19,652	395	158	20.1	8.0	237	250	24	60.8	17	43.0
All other	5,864	163	72	27.8	12.3	91	226	12	73.6	9	55.2
Russell	35,775	730	374	20.4	10.5	356	195	42	57.5	44	60.3
Rural part	20,424	518	198	25.4	9.7	320	262	29	56.0	31	59.8
White	4,334	66	46	15.2	10.6	20	143	5	75.8	1	15.2
All other	16,090	452	152	28.1	9.4	300	297	24	53.1	30	66.4
Phenix City	15,351	212	176	13.8	11.5	36	120	13	61.3	13	61.3
White	10,340	136	94	13.2	9.1	42	145	5	36.8	9	66.2
All other	5,011	76	82	15.2	16.4	-6	93	8	105.3	4	52.6
St. Clair	27,336	635	207	23.2	7.6	428	307	25	39.4	19	29.9
White	21,628	493	159	22.8	7.4	334	310	16	32.5	11	22.3
All other	5,708	142	48	24.9	8.4	94	296	9	63.4	8	56.3
Shelby	28,962	567	253	19.6	8.7	314	224	35	61.7	20	35.3
White	22,112	443	159	20.0	7.2	284	279	18	40.6	5	11.3
All other	6,850	124	94	18.1	13.7	30	132	17	137.1	15	121.0
Sumter	27,321	719	325	26.3	11.9	394	221	39	54.2	40	55.6
White	5,621	70	57	12.5	10.1	13	123	6	85.7	3	42.9
All other	21,700	649	268	29.9	12.4	381	242	33	50.8	37	57.0
Talladega	51,832	1,326	506	25.6	9.8	820	262	89	67.1	50	37.7
White	33,643	777	269	23.1	8.0	508	289	41	52.8	26	33.5
All other	18,189	549	237	30.2	13.0	312	232	48	87.4	24	43.7
Tallapoosa	35,270	869	300	24.6	8.5	569	290	50	57.5	37	42.6
White	24,023	572	208	23.8	8.7	364	275	30	52.4	18	31.5
All other	11,247	297	92	26.4	8.2	205	323	20	67.3	19	64.0
Tuscaloosa	76,036	1,365	1,112	18.0	14.6	253	123	95	69.6	68	49.8
Rural part	48,543	648	508	13.3	10.5	140	128	42	64.8	25	38.6
White	34,520	378	346	11.0	10.0	32	109	24	63.5	6	15.9
All other	14,023	270	162	19.3	11.6	108	167	18	66.7	19	70.4
Tuscaloosa	27,493	717	604	26.1	22.0	113	119	53	73.9	43	60.0
White	17,314	540	437	31.2	25.2	103	124	32	59.3	29	53.7
All other	10,179	177	167	17.4	16.4	10	106	21	118.6	14	79.1
Walker	64,201	1,468	530	22.9	8.3	938	277	104	70.8	41	27.9
White	57,298	1,357	443	23.7	7.7	914	306	95	70.0	36	26.5
All other	6,903	111	87	16.1	12.6	24	128	9	81.1	5	45.0
Washington	16,188	444	147	27.4	9.1	297	302	25	56.3	27	60.8
White	10,023	275	66	27.4	6.6	209	417	13	47.3	11	40.0
All other	6,165	169	81	27.4	13.1	88	209	12	71.0	16	94.7
Wilcox	26,279	748	338	28.5	12.9	410	221	59	78.9	38	50.8
White	5,706	95	49	16.6	8.6	46	194	3	31.6	4	42.1
All other	20,573	653	289	31.7	14.0	364	226	56	85.8	34	52.1
Winston	18,746	387	102	20.6	5.4	285	379	12	31.0	13	33.6
White	18,634	386	100	20.7	5.4	286	386	12	31.1	13	33.7
All other	112	1	2	8.9	17.9	-1	50	-	0	-	0
ARIZONA (total)	499,261	11,754	5,815	23.5	11.6	5,939	202	991	84.3	292	24.8
Apache	24,095	478	267	19.8	11.1	211	179	84	175.7	15	31.4
White	7,505	209	49	27.8	6.5	160	427	12	57.4	6	28.7
All other	16,590	269	218	16.2	13.1	51	123	72	267.7	9	33.5
Cochise	34,627	787	373	22.7	10.8	414	211	41	52.1	21	26.7
White	32,368	759	356	23.4	11.0	403	213	39	51.4	21	27.7
All other	2,259	28	17	12.4	7.5	11	165	2	71.4	-	0
Coconino	18,770	355	148	18.9	7.9	207	240	30	84.5	3	8.5
White	12,100	283	111	23.4	9.2	172	255	16	56.5	3	10.6
All other	6,670	72	37	10.8	5.5	35	195	14	194.4	-	0
Gila	23,867	499	221	20.9	9.3	278	226	30	60.1	14	28.1
White	21,031	399	171	19.0	8.1	228	233	18	45.1	13	32.6
All other	2,836	100	50	35.3	17.6	50	200	12	120.0	1	10.0
Graham	12,113	352	122	29.1	10.1	230	289	31	88.1	10	28.4
White	11,062	329	112	29.7	10.1	217	294	30	91.2	10	30.4
All other	1,051	23	10	21.9	9.5	13	230	1	43.5	-	0
Greenlee	8,698	251	73	28.9	8.4	178	344	13	51.8	8	31.9
White	8,674	251	73	28.9	8.4	178	344	13	51.8	8	31.9
All other	24	-	-	0	0	-	0	-	0	-	0
Maricopa	186,193	4,558	2,167	24.5	11.6	2,391	210	359	78.8	109	23.9
Rural part	120,779	1,688	593	14.0	4.9	1,095	285	138	81.8	43	25.5
White	113,288	1,529	528	13.5	4.7	1,001	290	118	77.2	40	26.2
All other	7,491	159	65	21.2	8.7	94	245	20	125.8	3	18.9
Phoenix	65,414	2,870	1,574	43.9	24.1	1,296	182	221	77.0	66	23.0
White	60,373	2,676	1,420	44.3	23.5	1,256	188	206	77.0	58	21.7
All other	5,041	194	154	38.5	30.5	40	126	15	77.3	8	41.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ARIZONA—Continued											
Mohave	8,591	200	82	23.3	9.5	118	244	8	40.0	7	35.0
White	8,001	172	73	21.5	9.1	99	236	7	40.7	6	34.9
All other	590	28	9	47.5	15.3	19	311	1	35.7	1	35.7
Navajo	25,309	616	311	24.3	12.3	305	198	80	129.9	9	14.6
White	12,817	325	129	25.4	10.1	196	252	32	98.5	6	18.5
All other	12,492	291	182	23.3	14.6	109	160	48	164.9	3	10.3
Pima	72,838	1,649	1,031	22.6	14.2	618	160	147	89.1	40	24.3
Rural part	36,020	330	191	9.2	5.3	139	173	52	157.6	8	24.2
White	28,848	175	70	6.1	2.4	105	250	19	108.6	3	17.1
All other	7,172	155	121	21.6	16.9	34	128	33	212.9	5	32.3
Tucson	36,818	1,319	840	35.8	22.8	479	157	95	72.0	32	24.3
White	34,353	1,256	770	36.6	22.4	486	163	84	66.9	29	23.1
All other	2,465	63	70	25.6	28.4	-7	90	11	174.6	3	47.6
Pinal	28,841	809	354	28.1	12.3	455	229	72	89.0	23	28.4
White	24,085	643	277	26.7	11.5	366	232	61	94.9	19	29.5
All other	4,756	166	77	34.9	16.2	89	216	11	66.3	4	24.1
Santa Cruz	9,482	217	81	22.9	8.5	136	268	10	46.1	5	23.0
White	9,151	211	78	23.1	8.5	133	271	10	47.4	5	23.7
All other	331	6	3	18.1	9.1	3	200	-	0	-	0
Yavapai	26,511	511	340	19.3	12.8	171	150	34	66.5	14	27.4
White	25,968	499	322	19.2	12.4	177	155	32	64.1	14	28.1
All other	543	12	18	22.1	33.1	-6	67	2	166.7	-	0
Yuma	19,326	472	245	24.4	12.7	227	193	52	110.2	14	29.7
White	17,168	419	212	24.4	12.3	207	198	45	107.4	11	26.3
All other	2,158	53	33	24.6	15.3	20	161	7	132.1	3	56.6
ARKANSAS (total)	1,949,387	38,359	17,052	19.7	8.7	21,307	225	1,752	45.7	[2] 1,034	27.0
Arkansas	24,437	420	150	17.2	6.1	270	280	18	42.9	8	19.0
White	18,882	337	107	17.8	5.7	230	315	16	47.5	5	14.8
All other	5,555	83	43	14.9	7.7	40	193	2	24.1	3	36.1
Ashley	26,785	631	172	23.6	6.4	459	367	27	42.8	17	26.9
White	14,481	310	70	21.4	4.8	240	443	15	48.4	4	12.9
All other	12,304	321	102	26.1	8.3	219	315	12	37.4	13	40.5
Baxter	10,281	178	69	17.3	6.7	109	258	7	39.3	4	22.5
White	10,281	178	69	17.3	6.7	109	258	7	39.3	4	22.5
All other	-	-	-	0	0	-	0	-	0	-	0
Benton	36,148	637	403	17.6	11.1	234	158	19	29.8	9	14.1
White	36,061	635	403	17.6	11.2	232	158	19	29.9	9	14.2
All other	87	2	-	23.0	0	2	(3)	-	0	-	0
Boone	15,860	355	145	22.4	9.1	210	245	13	36.6	3	8.5
White	15,860	354	145	22.3	9.1	209	244	13	36.7	3	8.5
All other	-	1	-	(3)	0	1	(3)	-	0	-	0
Bradley	18,097	354	136	19.6	7.5	218	260	13	36.7	7	19.8
White	11,849	230	95	19.4	8.0	135	242	12	52.2	2	8.7
All other	6,248	124	41	19.8	6.6	83	302	1	8.1	5	40.3
Calhoun	9,636	176	61	18.3	6.3	115	289	6	34.1	9	51.1
White	6,614	113	38	17.1	5.7	75	297	2	17.7	5	44.2
All other	3,022	63	23	20.8	7.6	40	274	4	63.5	4	63.5
Carroll	14,737	272	138	18.5	9.4	134	197	13	47.8	2	7.4
White	14,728	272	137	18.5	9.3	135	199	13	47.8	2	7.4
All other	9	-	1	0	111.1	-1	0	-	0	-	0
Chicot	27,452	604	204	22.0	7.4	400	296	10	16.6	14	23.2
White	11,418	279	50	24.4	4.4	229	558	5	17.9	4	14.3
All other	16,034	325	154	20.3	9.6	171	211	5	15.4	10	30.8
Clark	24,402	436	149	17.9	6.1	287	293	6	13.8	11	25.2
White	17,245	260	97	15.1	5.6	163	268	6	23.1	6	23.1
All other	7,157	176	52	24.6	7.3	124	338	-	0	5	28.4
Clay	28,386	433	196	15.3	6.9	237	221	19	43.9	17	39.3
White	28,384	433	195	15.3	6.9	238	222	19	43.9	17	39.3
All other	2	-	1	0	500.0	-1	0	-	0	-	0
Cleburne	13,134	305	88	23.2	6.7	217	347	10	32.8	6	19.7
White	13,133	305	88	23.2	6.7	217	347	10	32.8	6	19.7
All other	1	-	-	0	0	-	0	-	0	-	0
Cleveland	12,570	183	68	14.6	5.4	115	269	10	54.6	7	38.3
White	9,185	130	46	14.2	5.0	84	283	4	30.8	4	30.8
All other	3,385	53	22	15.7	6.5	31	241	6	113.2	3	56.6
Columbia	29,822	437	188	14.7	6.3	249	232	13	29.7	15	34.3
White	16,324	274	108	16.8	6.6	166	254	8	29.2	6	21.9
All other	13,498	163	80	12.1	5.9	83	204	5	30.7	9	55.2
Conway	21,536	541	215	25.1	10.0	326	252	22	40.7	18	33.3
White	16,247	387	140	23.8	8.6	247	276	16	41.3	8	20.7
All other	5,289	154	75	29.1	14.2	79	205	6	39.0	10	64.9
Craighead	47,200	1,113	494	23.6	10.5	619	225	74	66.5	31	27.9
Rural part	35,471	814	220	22.9	6.2	594	370	40	49.1	15	18.4
White	35,182	813	217	23.1	6.2	596	375	40	49.2	15	18.5
All other	289	1	3	3.5	10.4	-2	33	-	0	-	0
Jonesboro	11,729	299	274	25.5	23.4	25	109	34	113.7	16	53.5
White	10,376	272	257	26.2	24.8	15	106	32	117.6	16	58.8
All other	1,353	27	17	20.0	12.6	10	159	2	74.1	-	0
Crawford	23,920	497	156	20.8	6.5	341	319	23	46.3	7	14.1
White	23,012	478	144	20.8	6.3	334	332	19	39.7	7	14.6
All other	908	19	12	20.9	13.2	7	158	4	210.5	-	0
Crittenden	42,473	834	386	19.6	9.1	448	216	66	79.1	37	44.4
White	10,628	150	64	14.1	6.0	86	234	8	53.3	2	13.3
All other	31,845	684	322	21.5	10.1	362	212	58	84.8	35	51.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ARKANSAS—Continued											
Cross	26,046	466	113	17.9	4.3	353	412	14	30.0	10	21.5
White	15,789	315	40	20.0	2.5	275	788	6	19.0	6	19.0
All other	10,257	151	73	14.7	7.1	78	207	8	53.0	4	26.5
Dallas	14,471	307	116	21.2	8.0	191	265	18	58.6	5	16.3
White	9,140	195	66	21.3	7.2	129	295	12	61.5	3	15.4
All other	5,331	112	50	21.0	9.4	62	224	6	53.6	2	17.9
Desha	27,160	479	233	17.6	8.6	246	206	15	31.3	21	43.8
White	10,955	193	53	17.6	4.8	140	364	5	25.9	3	15.5
All other	16,205	286	180	17.6	11.1	106	159	10	35.0	18	62.9
Drew	19,831	425	172	21.4	8.7	253	247	17	40.0	13	30.6
White	11,607	244	92	21.0	7.9	152	265	8	32.8	6	24.6
All other	8,224	181	80	22.0	9.7	101	226	9	49.7	7	38.7
Faulkner	25,880	477	193	18.4	7.5	284	247	25	52.4	15	31.4
White	22,414	389	147	17.4	6.6	242	265	20	51.4	11	28.3
All other	3,466	88	46	25.4	13.3	42	191	5	56.8	4	45.5
Franklin	15,683	314	105	20.0	6.7	209	299	10	31.8	4	12.7
White	15,353	305	102	19.9	6.6	203	299	10	32.8	4	13.1
All other	330	9	3	27.3	9.1	6	300	-	0	-	0
Fulton	10,253	184	72	17.9	7.0	112	256	6	32.6	1	5.4
White	10,250	184	72	18.0	7.0	112	256	6	32.6	1	5.4
All other	3	-	-	0	0	-	0	-	0	-	0
Garland	41,664	715	578	17.2	13.9	137	124	36	50.3	12	16.8
Rural part	20,294	257	93	12.7	4.6	164	276	7	27.2	2	7.8
White	19,408	247	88	12.7	4.5	159	281	6	24.3	1	4.0
All other	886	10	5	11.3	5.6	5	200	1	100.0	1	100.0
Hot Springs	21,370	458	485	21.4	22.7	-27	94	29	63.3	10	21.8
White	17,187	408	409	23.7	23.8	-1	100	24	58.8	8	19.6
All other	4,183	50	76	12.0	18.2	-26	66	5	100.0	2	40.0
Grant	10,477	198	62	18.9	5.9	136	319	7	35.4	5	25.3
White	9,559	179	55	18.7	5.8	124	325	6	33.5	3	16.8
All other	918	19	7	20.7	7.6	12	271	1	52.6	2	105.3
Greene	30,204	577	219	19.1	7.3	358	263	36	62.4	13	22.5
White	30,148	577	219	19.1	7.3	358	263	36	62.4	13	22.5
All other	56	-	-	0	0	-	0	-	0	-	0
Hempstead	32,770	652	296	19.9	9.0	356	220	34	52.1	20	30.7
White	18,737	373	142	19.9	7.6	231	263	21	56.3	9	24.1
All other	14,033	279	154	19.9	11.0	125	181	13	46.6	11	39.4
Hot Spring	18,916	392	136	20.7	7.2	256	288	11	28.1	9	23.0
White	16,696	341	122	20.4	7.3	219	280	11	32.3	7	20.5
All other	2,220	51	14	23.0	6.3	37	364	-	0	2	39.2
Howard	16,621	272	112	16.4	6.7	160	243	9	33.1	6	22.1
White	12,650	176	74	13.9	5.8	102	238	2	11.4	3	17.0
All other	3,971	96	38	24.2	9.6	58	253	7	72.9	3	31.3
Independence	25,643	498	208	19.4	8.1	290	239	29	58.2	14	28.1
White	24,842	484	194	19.5	7.8	290	249	29	59.9	13	26.9
All other	801	14	14	17.5	17.5	-	100	-	0	1	71.4
Izard	12,834	235	72	18.3	5.6	163	326	5	21.3	5	21.3
White	12,694	233	71	18.4	5.6	162	328	5	21.5	5	21.5
All other	140	2	1	14.3	7.1	1	200	-	0	-	0
Jackson	26,427	562	211	21.3	8.0	351	266	29	51.6	12	21.4
White	22,350	495	172	22.1	7.7	323	288	28	56.6	8	16.2
All other	4,077	67	39	16.4	9.6	28	172	1	14.9	4	59.7
Jefferson	65,101	1,136	625	17.4	9.6	511	182	44	38.7	20	17.6
Rural part	43,811	711	296	16.2	6.8	415	240	24	33.8	16	22.5
White	14,814	167	66	11.3	4.5	101	253	4	24.0	4	24.0
All other	28,997	544	230	18.8	7.9	314	237	20	36.8	12	22.1
Pine Bluff	21,290	425	329	20.0	15.5	96	129	20	47.1	4	9.4
White	14,265	328	174	23.0	12.2	154	189	9	27.4	3	9.1
All other	7,025	97	155	13.8	22.1	-58	63	11	113.4	1	10.3
Johnson	18,795	429	133	22.8	7.1	296	323	12	28.0	18	42.0
White	18,499	426	129	23.0	7.0	297	330	12	28.2	18	42.3
All other	296	3	4	10.1	13.5	-1	75	-	0	-	0
Lafayette	16,851	287	105	17.0	6.2	182	273	8	27.9	10	34.8
White	8,725	115	45	13.2	5.2	70	256	3	26.1	3	26.1
All other	8,126	172	60	21.2	7.4	112	287	5	29.1	7	40.7
Lawrence	22,651	453	138	20.0	6.1	315	328	16	35.3	4	8.8
White	22,311	446	133	20.0	6.0	313	335	16	35.9	4	9.0
All other	340	7	5	20.6	14.7	2	140	-	0	-	0
Lee	26,810	458	240	17.1	9.0	218	191	30	65.5	18	39.3
White	9,800	152	59	15.5	6.0	93	258	8	52.6	1	6.6
All other	17,010	306	181	18.0	10.6	125	169	22	71.9	17	55.6
Lincoln	19,709	419	151	21.3	7.7	268	277	13	31.0	13	31.0
White	7,867	165	45	21.0	5.7	120	367	2	12.1	-	0
All other	11,842	254	106	21.4	9.0	148	240	11	43.3	13	51.2
Little River	15,932	318	100	20.0	6.3	218	318	11	34.6	12	37.7
White	10,087	213	48	21.1	4.6	167	463	8	37.6	8	37.6
All other	5,845	105	54	18.0	9.2	51	194	3	28.6	4	38.1
Logan	25,967	533	233	20.5	9.0	300	229	33	61.9	12	22.5
White	25,343	514	225	20.3	8.9	289	228	33	64.2	11	21.4
All other	624	19	8	30.4	12.8	11	238	-	0	1	52.6
Lonoke	29,802	554	222	18.6	7.4	332	250	27	48.7	14	25.3
White	21,131	379	127	17.9	6.0	252	298	10	26.4	7	18.5
All other	8,671	175	95	20.2	11.0	80	184	17	97.1	7	40.0
Madison	14,531	233	85	16.0	5.8	148	274	6	25.8	3	12.9
White	14,514	232	85	16.0	5.9	147	273	6	25.9	3	12.9
All other	17	1	-	58.8	0	1	(3)	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ARKANSAS—Continued											
Marion	9,464	172	50	18.2	5.3	122	344	9	52.3	4	23.3
White	9,464	172	50	18.2	5.3	122	344	9	52.3	4	23.3
All other	-	-	-	0	0	-	0	-	0	-	0
Miller	51,874	669	369	21.0	11.6	300	181	29	43.3	15	22.4
Rural part	20,053	288	102	14.4	5.1	186	282	10	34.7	3	10.4
White	14,172	214	52	15.1	3.7	162	412	8	37.4	-	0
All other	5,881	74	50	12.6	8.5	24	148	2	27.0	3	40.5
Texarkana [4]	11,821	381	267	32.2	22.6	114	143	19	49.9	12	31.5
White	8,143	344	181	42.2	22.2	163	190	9	26.2	8	23.3
All other	3,678	37	86	10.1	23.4	-49	43	10	270.3	4	108.1
Mississippi	80,217	1,832	633	22.8	7.9	1,199	289	123	67.1	44	24.0
Rural part	69,565	1,587	461	22.8	6.6	1,126	344	103	64.9	35	22.1
White	47,620	1,142	268	24.0	5.6	874	426	68	59.5	19	16.6
All other	21,945	445	193	20.3	8.8	252	231	35	78.7	16	36.0
Blytheville	10,652	245	172	23.0	16.1	73	142	20	81.6	9	36.7
White	7,497	196	117	26.1	15.6	79	168	14	71.4	5	25.5
All other	3,155	49	55	15.5	17.4	-6	89	6	122.4	4	81.6
Monroe	21,133	428	157	20.3	7.4	271	273	24	56.1	8	18.7
White	10,289	193	59	15.5	5.7	134	327	15	77.7	2	10.4
All other	10,844	235	98	21.7	9.0	137	240	9	38.3	6	25.5
Montgomery	8,876	159	42	17.9	4.7	117	379	4	25.2	5	31.4
White	8,785	159	42	18.1	4.8	117	379	4	25.2	5	31.4
All other	91	-	-	0	0	-	0	-	0	-	0
Nevada	19,869	351	105	17.7	5.3	246	334	9	25.6	6	17.1
White	12,522	274	68	21.9	5.4	206	403	7	25.5	2	7.3
All other	7,347	77	37	10.5	5.0	40	208	2	26.0	4	51.9
Newton	10,881	233	58	21.4	5.3	175	402	11	47.2	7	30.0
White	10,881	233	58	21.4	5.3	175	402	11	47.2	7	30.0
All other	-	-	-	0	0	-	0	-	0	-	0
Ouachita	31,151	648	273	20.8	8.8	375	237	34	52.5	31	47.8
White	16,446	336	133	20.4	8.1	203	253	15	44.6	7	20.8
All other	14,705	312	140	21.2	9.5	172	223	19	60.9	24	76.9
Perry	8,392	207	61	24.7	7.3	146	339	11	53.1	4	19.3
White	7,983	197	60	24.7	7.5	137	328	11	55.8	3	15.2
All other	409	10	1	24.4	2.4	9	1,000	-	0	1	100.0
Phillips	45,970	951	537	20.7	11.7	414	177	53	55.7	48	50.5
White	15,256	336	157	22.0	10.3	179	214	23	68.5	10	29.8
All other	30,714	615	380	20.0	12.4	235	162	30	48.8	38	61.8
Pike	11,786	229	52	19.4	4.4	177	440	4	17.5	3	13.1
White	11,116	220	47	19.8	4.2	173	468	4	18.2	3	13.6
All other	670	9	5	13.4	7.5	4	180	-	0	-	0
Poinsett	37,670	924	238	24.5	6.3	686	388	47	50.9	30	32.5
White	32,973	819	202	24.8	6.1	617	405	45	54.9	22	26.9
All other	4,697	105	36	22.4	7.7	69	292	2	19.0	8	76.2
Polk	15,832	322	153	20.3	9.7	169	210	10	31.1	8	24.8
White	15,826	322	153	20.3	9.7	169	210	10	31.1	8	24.8
All other	6	-	-	0	0	-	0	-	0	-	0
Pope	25,682	571	206	22.2	8.0	365	277	22	38.5	8	14.0
White	24,660	558	197	22.6	8.0	361	283	22	39.4	7	12.5
All other	1,022	13	9	12.7	8.8	4	144	-	0	1	76.9
Prairie	15,304	269	102	17.6	6.7	167	264	10	37.2	7	26.0
White	12,326	211	73	17.1	5.9	138	289	7	33.2	4	19.0
All other	2,978	58	29	19.5	9.7	29	200	3	51.7	3	51.7
Pulaski	156,085	3,117	2,457	20.0	15.7	660	127	189	60.6	104	33.4
Rural part	46,909	600	375	12.8	8.0	225	160	33	55.0	28	46.7
White	32,098	303	217	9.4	6.8	86	140	9	29.7	6	19.8
All other	14,811	297	158	20.1	10.7	139	188	24	80.8	22	74.1
Little Rock	88,059	2,247	1,932	25.5	21.9	315	116	143	63.6	65	28.9
White	65,914	1,797	1,270	27.3	19.3	527	141	109	60.7	49	27.3
All other	22,125	450	662	20.3	29.9	-212	68	34	75.6	16	35.6
North Little Rock	21,137	270	150	12.8	7.1	120	180	13	48.1	11	40.7
White	14,865	141	75	9.5	5.0	66	188	3	21.3	2	14.2
All other	6,272	129	75	20.6	12.0	54	172	10	77.5	9	69.8
Randolph	18,319	340	148	18.6	8.1	192	230	9	26.5	11	32.4
White	18,117	340	145	18.8	8.0	195	234	9	26.5	11	32.4
All other	202	-	3	0	14.9	-3	0	-	0	-	0
St. Francis	36,043	645	289	17.9	8.0	356	223	28	43.4	37	57.4
White	12,882	230	96	17.9	7.5	134	240	13	56.5	11	47.8
All other	23,161	415	193	17.9	8.3	222	215	15	36.1	26	62.7
Saline	19,163	356	234	18.6	12.2	122	152	11	30.9	12	33.7
White	18,239	344	174	18.9	9.5	170	198	11	32.0	12	34.9
All other	924	12	60	13.0	64.9	-48	20	-	0	-	0
Scott	13,300	308	77	23.2	5.8	231	400	16	51.9	5	16.2
White	12,846	301	71	23.4	5.5	230	424	15	49.8	4	13.3
All other	454	7	6	15.4	13.2	1	117	1	142.9	1	142.9
Searcy	11,942	234	61	19.6	5.1	173	384	2	8.5	4	17.1
White	11,934	234	61	19.6	5.1	173	384	2	8.5	4	17.1
All other	8	-	-	0	0	-	0	-	0	-	0
Sebastian	62,809	1,412	651	22.5	10.0	761	224	57	40.4	31	22.0
Rural part	26,225	384	134	14.6	5.1	250	287	10	26.0	4	10.4
White	25,761	378	132	14.7	5.1	246	286	10	26.5	4	10.6
All other	464	6	2	12.9	4.3	4	300	-	0	-	0
Fort Smith	36,584	1,028	497	28.1	13.6	531	207	47	45.7	27	26.3
White	32,330	950	425	29.4	13.1	525	224	38	40.0	23	24.2
All other	4,254	78	72	18.3	16.9	6	108	9	115.4	4	51.3
Sevier	15,248	339	130	22.2	8.5	209	261	12	35.4	2	5.9
White	13,641	301	114	22.1	8.4	187	264	10	33.2	2	6.6
All other	1,607	38	16	23.6	10.0	22	238	2	52.6	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ARKANSAS—Continued											
Sharp	11,497	209	80	18.2	7.0	129	261	5	23.9	3	14.4
White	11,488	209	80	18.2	7.0	129	261	5	23.9	3	14.4
All other	9	-	-	0	0	-	0	-	0	-	0
Stone	8,603	158	46	18.4	5.3	112	343	5	31.6	3	19.0
White	8,591	158	46	18.4	5.4	112	343	5	31.6	3	19.0
All other	12	-	-	0	0	-	0	-	0	-	0
Union	50,461	819	392	16.2	7.8	427	209	44	53.7	24	29.3
Rural part	34,603	359	206	10.4	6.0	153	174	20	55.7	10	27.9
White	21,254	194	125	9.1	5.9	69	155	7	36.1	2	10.3
All other	13,349	165	81	12.4	6.1	84	204	13	78.8	8	48.5
El Dorado	15,858	460	186	29.0	11.7	274	247	24	52.2	14	30.4
White	11,371	406	117	35.7	10.3	289	347	18	44.3	9	22.2
All other	4,487	54	69	12.0	15.4	-15	78	6	111.1	5	92.6
Van Buren	12,518	216	86	17.3	6.9	130	251	5	23.1	3	14.9
White	12,378	212	84	17.1	6.8	128	252	5	23.6	3	14.2
All other	140	4	2	28.6	14.3	2	200	-	0	-	0
Washington	41,114	832	484	20.2	11.8	348	172	40	48.1	25	30.0
White	40,676	810	476	19.9	11.7	334	170	40	49.4	23	28.4
All other	438	22	8	50.2	18.3	14	275	-	0	2	90.9
White	37,176	587	285	15.8	7.7	302	206	16	27.3	14	23.9
White	35,564	570	271	16.0	7.6	299	210	16	28.1	14	24.6
All other	1,612	17	14	10.5	8.7	3	121	-	0	-	0
Woodruff	22,133	423	149	19.1	6.7	274	284	19	44.9	11	26.0
White	13,235	251	70	19.0	5.3	181	359	11	43.8	5	19.9
All other	8,898	172	79	19.3	8.9	93	218	8	46.5	6	34.9
Yell	20,970	420	119	20.0	5.7	301	353	24	57.1	6	14.3
White	19,916	407	112	20.4	5.6	295	363	23	56.5	5	12.3
All other	1,054	13	7	12.3	6.6	6	186	1	76.9	1	76.9
CALIFORNIA (total)	6,907,387	112,011	80,270	16.2	11.6	31,741	140	4,411	39.4	2,197	19.6
Alameda	513,011	7,826	5,930	15.3	11.6	1,896	132	286	36.5	151	19.3
Rural part	62,951	413	1,158	6.6	18.4	-745	36	18	43.6	9	21.8
White	60,846	401	1,088	6.6	17.9	-687	37	17	42.4	8	20.0
All other	2,105	12	70	5.7	33.3	-58	17	1	83.3	1	83.3
Alameda	36,256	363	325	10.0	9.0	38	112	12	33.1	6	16.5
White	35,125	354	316	10.1	9.0	38	112	11	31.1	6	16.9
All other	1,131	9	9	8.0	8.0	-	100	1	111.1	-	0
Albany	11,493	394	72	34.3	6.3	322	547	11	27.9	10	25.4
White	11,469	391	71	34.1	6.2	320	551	11	28.1	10	25.6
All other	24	3	1	125.0	41.7	2	300	-	0	-	0
Berkeley	85,547	983	756	11.5	8.8	227	130	35	35.6	16	16.3
White	80,267	928	731	11.6	9.1	197	127	34	36.6	16	17.2
All other	5,280	55	25	10.4	4.7	30	220	1	18.2	-	0
Oakland	302,163	5,862	3,516	18.7	11.6	2,146	161	210	37.1	110	19.4
White	287,936	5,362	3,349	18.6	11.6	2,013	160	198	36.9	101	18.8
All other	14,227	300	167	21.1	11.7	133	180	12	40.0	9	30.0
San Leandro	14,601	11	103	0.8	7.1	-92	11	-	0	-	0
White	14,502	11	103	0.8	7.1	-92	11	-	0	-	0
All other	99	-	-	0	0	-	0	-	0	-	0
Alpine	323	2	13	6.2	40.2	-11	15	1	500.0	-	0
White	212	1	9	4.7	42.5	-8	11	-	0	-	0
All other	111	1	4	9.0	36.0	-3	25	1	1,000.0	-	0
Amador	8,973	80	87	8.9	9.7	-7	92	3	37.5	1	12.5
White	8,718	77	84	8.8	9.6	-7	92	3	39.0	1	13.0
All other	255	3	3	11.8	11.8	-	100	-	0	-	0
Butte	42,840	824	546	19.2	12.7	278	151	24	29.1	15	18.2
White	41,917	800	525	19.1	12.5	275	152	22	27.5	15	18.8
All other	923	24	21	26.0	22.8	3	114	2	83.3	-	0
Calaveras	8,221	67	101	8.1	12.3	-34	66	2	29.9	1	14.9
White	8,110	66	98	8.1	12.1	-32	67	1	15.2	1	15.2
All other	111	1	3	9.0	27.0	-2	33	1	1,000.0	-	0
Colusa	9,788	169	125	17.3	12.8	44	135	7	41.4	3	17.8
White	9,371	163	116	17.4	12.4	47	141	6	36.8	2	12.3
All other	417	6	9	14.4	21.6	-3	67	1	166.7	1	166.7
Contra Costa	100,450	1,270	767	12.6	7.6	503	166	40	31.5	25	19.7
Rural part	76,808	907	573	11.8	7.5	334	158	28	30.9	17	18.7
White	74,782	884	559	11.8	7.5	325	158	24	27.1	16	18.1
All other	2,026	23	14	11.4	6.9	9	164	4	173.9	1	43.5
Richmond	23,642	363	194	15.4	8.2	169	187	12	33.1	8	22.0
White	23,234	360	193	15.5	8.3	167	187	12	33.3	8	22.2
All other	408	3	1	7.4	2.5	2	300	-	0	-	0
Del Norte	4,745	78	72	16.4	15.2	6	108	1	12.8	1	12.8
White	4,274	68	62	15.9	14.5	6	110	-	0	1	14.7
All other	471	10	10	21.2	21.2	-	100	1	100.0	-	0
El Dorado	13,229	174	148	13.2	11.2	26	118	6	34.5	-	0
White	13,095	172	146	13.1	11.1	26	118	6	34.9	-	0
All other	134	2	2	14.9	14.9	-	100	-	0	-	0
Fresno	178,565	3,530	1,935	19.8	10.8	1,595	182	185	52.4	67	19.0
Rural part	117,880	1,651	943	14.0	8.0	708	175	83	50.3	23	13.9
White	112,140	1,603	886	14.3	7.9	717	181	80	49.9	23	14.3
All other	5,740	48	57	8.4	9.9	-9	84	3	62.5	-	0
Fresno	60,685	1,879	992	31.0	16.3	887	189	102	54.3	44	23.4
White	57,014	1,744	914	30.6	16.0	830	191	96	55.0	45	24.7
All other	3,671	135	78	36.8	21.2	57	173	6	44.4	1	7.4
Glenn	12,195	117	102	9.6	8.4	15	115	6	51.3	3	25.6
White	12,040	114	102	9.5	8.5	12	112	6	52.6	3	26.3
All other	155	3	-	19.4	0	3	(3)	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
CALIFORNIA—Continued											
Humboldt	45,812	748	557	16.3	12.2	191	134	26	34.8	13	17.4
Rural part	28,757	306	237	10.6	8.2	69	129	10	32.7	4	13.1
White	26,944	269	209	10.0	7.8	60	129	9	33.5	4	14.9
All other	1,813	37	28	20.4	15.4	9	132	1	27.0	-	0
Eureka	17,055	442	320	25.9	18.8	122	138	16	36.2	9	20.4
White	16,864	428	312	25.4	18.5	116	137	16	37.4	9	21.0
All other	191	14	8	73.3	41.9	6	175	-	0	-	0
Imperial	59,740	1,397	516	23.4	8.6	881	271	139	99.5	27	19.3
Rural part	38,005	722	347	19.0	9.1	375	208	78	108.0	15	20.8
White	33,898	647	299	19.1	8.8	348	216	73	112.8	12	18.5
All other	4,107	75	48	18.3	11.7	27	156	5	66.7	3	40.0
Brawley	11,718	444	109	37.9	9.3	335	407	52	117.1	5	11.3
White	11,075	424	98	38.3	8.8	326	433	48	113.2	5	11.8
All other	643	20	11	31.1	17.1	9	182	4	200.0	-	0
El Centro	10,017	231	60	23.1	6.0	171	385	9	39.0	7	30.3
White	8,556	222	55	25.9	6.4	167	404	8	36.0	4	18.0
All other	1,461	9	5	6.2	3.4	4	180	1	111.1	3	333.3
Inyo	7,625	134	81	17.6	10.6	53	165	3	22.4	2	14.9
White	6,662	120	71	18.0	10.7	49	169	3	25.0	2	16.7
All other	963	14	10	14.5	10.4	4	140	-	0	-	0
Kern	135,124	3,374	1,327	25.0	9.8	2,047	254	156	46.2	64	19.0
Rural part	105,872	2,313	1,019	21.8	9.6	1,294	227	115	49.7	50	21.6
White	101,664	2,190	949	21.5	9.3	1,241	231	105	47.9	46	21.0
All other	4,208	123	70	29.2	16.6	53	176	10	81.3	4	32.5
Bakersfield	29,252	1,061	308	36.3	10.5	753	344	41	38.6	14	13.2
White	27,674	1,044	303	37.7	10.9	741	345	40	38.3	14	13.4
All other	1,578	17	5	10.8	3.2	12	340	1	58.8	-	0
Kings	35,168	780	358	22.2	10.2	422	218	49	62.8	16	20.5
White	33,922	764	345	22.5	10.2	419	221	46	60.2	16	20.9
All other	1,246	16	13	12.8	10.4	3	123	3	187.5	-	0
Lake	8,069	84	103	10.4	12.8	-19	82	3	35.7	3	35.7
White	7,663	75	98	9.8	12.8	-23	77	2	26.7	1	13.3
All other	386	9	5	23.3	13.0	4	180	1	111.1	2	222.2
Lassen	14,479	345	104	23.8	7.2	241	332	14	40.6	5	14.5
White	14,239	341	97	23.9	6.8	244	352	12	35.2	5	14.7
All other	240	4	7	16.7	29.2	-3	57	2	500.0	-	0
Los Angeles	2,785,643	42,956	31,063	15.4	11.2	11,893	138	1,474	34.3	794	18.5
Rural part	535,204	6,228	6,025	11.6	11.3	203	103	178	28.6	114	18.3
White	520,662	6,086	5,848	11.7	11.2	238	104	176	28.9	111	18.2
All other	14,542	142	177	9.8	12.2	-35	80	2	14.1	3	21.1
Alhambra	38,935	460	304	11.8	7.8	156	151	10	21.7	16	34.8
White	38,737	459	303	11.8	7.8	156	151	10	21.8	16	34.9
All other	198	1	1	5.1	5.1	-	100	-	0	-	0
Bell	11,264	780	87	69.2	7.7	693	897	16	20.5	17	21.8
White	11,238	780	87	69.4	7.7	693	897	16	20.5	17	21.8
All other	26	-	-	0	0	-	0	-	0	-	0
Belvedere (twp.) [5]	37,192	545	177	14.7	4.8	368	308	7	12.8	9	16.5
White	36,452	536	171	14.7	4.7	365	313	7	13.1	9	16.8
All other	740	9	6	12.2	8.1	3	150	-	0	-	0
Beverly Hills	26,823	1	152	0.0	5.7	-151	1	-	0	1	1,000.0
White	25,876	1	152	0.0	5.9	-151	1	-	0	1	1,000.0
All other	947	-	-	0	0	-	0	-	0	-	0
Burbank	34,337	315	169	9.2	4.9	146	186	4	12.7	6	19.0
White	34,198	312	168	9.1	4.9	144	186	4	12.8	5	16.0
All other	139	3	1	21.6	7.2	2	300	-	0	1	333.3
Compton	16,198	340	153	21.0	9.4	187	222	18	52.9	4	11.8
White	16,126	334	152	20.7	9.4	182	220	18	53.9	3	9.0
All other	72	6	1	83.3	13.9	5	600	-	0	1	166.7
Glendale	82,582	2,053	1,085	24.9	13.1	968	189	54	26.3	35	17.0
White	81,992	2,049	1,085	25.0	13.2	964	189	54	26.4	34	16.6
All other	590	4	-	6.8	0	4	(3)	-	0	1	250.0
Huntington Park	28,648	374	191	13.1	6.7	183	196	11	29.4	7	18.7
White	28,614	374	190	13.1	6.6	184	197	11	29.4	7	18.7
All other	34	-	1	0	29.4	-1	0	-	0	-	0
Inglewood	30,114	577	278	19.2	9.2	299	208	18	31.2	9	15.6
White	29,877	575	278	19.2	9.3	297	207	18	51.3	9	15.7
All other	237	2	-	8.4	0	2	(3)	-	0	-	0
Long Beach	164,271	3,378	1,777	20.6	10.8	1,601	190	109	32.3	53	15.7
White	162,582	3,301	1,765	20.3	10.9	1,536	187	108	32.7	52	15.8
All other	1,689	77	12	45.6	7.1	65	642	1	13.0	1	13.0
Los Angeles	1,504,277	22,711	17,569	15.1	11.7	5,142	129	914	40.2	446	19.6
White	1,406,430	21,041	16,581	15.0	11.8	4,460	127	845	40.2	400	19.0
All other	97,847	1,670	988	17.1	10.1	682	169	69	41.3	46	27.5
Lynwood	10,982	88	51	8.0	4.6	37	173	2	22.7	1	11.4
White	10,979	88	51	8.0	4.6	37	173	2	22.7	1	11.4
All other	3	-	-	0	0	-	0	-	0	-	0
Maywood	10,731	317	158	29.5	14.7	159	201	7	22.1	6	18.9
White	10,728	308	154	28.7	14.4	154	200	7	22.7	6	19.5
All other	3	9	4	(3)	(3)	5	225	-	0	-	0
Monrovia	12,807	62	212	4.8	16.6	-150	29	1	16.1	-	0
White	12,120	61	199	5.0	16.4	-138	31	1	16.4	-	0
All other	687	1	13	1.5	18.9	-12	8	-	0	-	0
Pasadena	81,864	1,262	1,078	15.4	13.2	184	117	42	33.3	15	11.9
White	76,737	1,228	1,048	16.0	13.7	180	117	41	33.4	15	12.2
All other	5,127	34	30	6.6	5.9	4	113	1	29.4	-	0
Pomona	23,539	529	241	22.5	10.2	288	220	11	20.8	10	18.9
White	23,373	525	240	22.5	10.3	285	219	11	21.0	10	19.0
All other	166	4	1	24.1	6.0	3	400	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
CALIFORNIA—Continued											
Los Angeles—Continued											
Redondo Beach	13,092	32	77	2.4	5.9	-45	42	1	31.3	-	0
White	12,952	31	77	2.4	5.9	-46	40	1	32.3	-	0
All other	140	1	-	7.1	0	1	(3)	-	0	-	0
San Gabriel	11,867	40	55	3.4	4.6	-15	73	3	75.0	-	0
White	11,606	38	55	3.3	4.7	-17	69	3	78.9	-	0
All other	261	2	-	7.7	0	2	(3)	-	0	-	0
Santa Monica	53,500	1,401	734	26.2	13.7	667	191	28	20.0	19	13.6
White	51,691	1,380	714	26.7	13.8	666	193	26	18.8	19	13.8
All other	1,809	21	20	11.6	11.1	1	105	2	95.2	-	0
South Gate	26,945	953	159	35.4	5.9	794	599	23	24.1	13	13.6
White	26,926	953	159	35.4	5.9	794	599	23	24.1	13	13.6
All other	19	-	-	0	0	-	0	-	0	-	0
South Pasadena	14,356	2	146	0.1	10.2	-144	1	1	500.0	-	0
White	14,111	2	146	0.1	10.3	-144	1	1	500.0	-	0
All other	245	-	-	0	0	-	0	-	0	-	0
Whittier	16,115	508	185	31.5	11.5	323	275	16	31.5	13	25.6
White	16,035	507	185	31.6	11.5	322	274	16	31.6	13	25.6
All other	80	1	-	12.5	0	1	(3)	-	0	-	0
Madera	23,314	583	298	25.0	12.8	285	196	38	65.2	13	22.3
White	22,080	540	273	24.5	12.4	267	198	34	63.0	13	24.1
All other	1,234	43	25	34.8	20.3	18	172	4	93.0	-	0
Marin	52,907	439	498	8.3	9.4	-59	88	13	29.6	3	6.8
White	51,635	436	489	8.4	9.5	-53	89	12	27.5	2	4.6
All other	1,272	3	9	2.4	7.1	-6	33	1	333.3	1	333.3
Mariposa	5,605	24	42	4.3	7.5	-18	57	2	83.3	-	0
White	5,389	20	39	3.7	7.2	-19	51	2	100.0	-	0
All other	216	4	3	18.5	13.9	1	133	-	0	-	0
Mendocino	27,864	378	462	13.6	16.6	-84	82	22	58.2	11	29.1
White	26,392	339	416	12.8	15.8	-77	81	15	44.2	9	26.5
All other	1,472	39	46	26.5	31.3	-7	85	7	179.5	2	51.3
Merced	46,988	1,143	467	24.3	9.9	676	245	70	61.2	30	26.2
Rural part	36,853	831	376	22.5	10.2	455	221	55	66.2	28	33.7
White	35,422	802	362	22.6	10.2	440	222	54	67.3	26	32.4
All other	1,431	29	14	20.3	9.8	15	207	1	34.5	2	69.0
Merced	10,135	312	91	30.8	9.0	221	343	15	48.1	2	6.4
White	9,427	310	89	32.9	9.4	221	348	15	48.4	2	6.5
All other	708	2	2	2.8	2.8	-	100	-	0	-	0
Modoc	8,713	116	90	13.3	10.3	26	129	10	86.2	1	8.6
White	8,382	110	75	13.1	8.9	35	147	7	63.6	-	0
All other	331	6	15	18.1	45.3	-9	40	3	500.0	1	166.7
Mono	2,299	19	19	8.3	8.3	-	100	1	52.6	-	0
White	1,972	15	16	7.6	8.1	-1	94	1	66.7	-	0
All other	327	4	3	12.2	9.2	1	133	-	0	-	0
Monterey	73,032	1,367	725	18.7	9.9	642	189	60	43.9	31	22.7
Rural part	51,362	1,140	555	22.2	10.8	585	205	54	47.4	20	17.5
White	46,318	1,101	527	23.8	11.4	574	209	52	47.2	19	17.3
All other	5,044	39	28	7.7	5.6	11	139	2	51.3	1	25.6
Monterey	10,084	64	67	6.3	6.6	-3	96	3	46.9	3	46.9
White	9,459	58	64	6.1	6.8	-6	91	3	51.7	3	51.7
All other	625	6	3	9.6	4.8	3	200	-	0	-	0
Salinas	11,586	163	103	14.1	8.9	60	158	3	18.4	8	49.1
White	10,385	141	92	13.6	8.9	49	153	2	14.2	8	56.7
All other	1,201	22	11	18.3	9.2	11	200	1	45.5	-	0
Napa	28,503	388	823	13.6	28.9	-435	47	15	38.7	10	25.8
White	28,138	383	811	13.6	28.8	-428	47	15	39.2	10	26.1
All other	365	5	12	13.7	32.9	-7	42	-	0	-	0
Nevada	19,283	402	233	20.8	12.1	169	173	8	19.9	5	12.4
White	19,065	399	232	20.9	12.2	167	172	8	20.1	5	12.5
All other	218	3	1	13.8	4.6	2	300	-	0	-	0
Orange	130,760	2,201	1,466	16.8	11.2	735	150	103	46.8	39	17.7
Rural part	77,366	1,415	1,005	18.3	13.0	410	141	78	55.1	28	19.8
White	75,286	1,392	994	18.5	13.2	398	140	77	55.3	27	19.4
All other	2,080	23	11	11.1	5.3	12	209	1	43.5	1	43.5
Anaheim	11,031	47	82	4.3	7.4	-35	57	3	63.8	1	21.3
White	10,976	47	82	4.3	7.5	-35	57	3	63.8	1	21.3
All other	55	-	-	0	0	-	0	-	0	-	0
Fullerton	10,442	339	107	32.5	10.2	232	317	7	20.6	4	11.8
White	10,357	338	107	32.6	10.3	231	316	7	20.7	4	11.8
All other	85	1	-	11.8	0	1	(3)	-	0	-	0
Santa Ana	31,921	400	272	12.5	8.5	128	147	15	37.5	6	15.0
White	31,703	396	271	12.5	8.5	125	146	15	37.9	6	15.2
All other	218	4	1	18.3	4.6	3	400	-	0	-	0
Placer	28,108	254	412	9.0	14.7	-158	62	10	39.4	9	35.4
White	25,918	243	379	9.4	14.6	-136	64	7	28.8	9	37.0
All other	2,190	11	33	5.0	15.1	-22	33	3	272.7	-	0
Plumas	11,548	213	115	18.4	10.0	98	185	6	28.2	4	18.8
White	11,173	206	111	18.4	9.9	95	186	5	24.3	4	19.4
All other	375	7	4	18.7	10.7	3	175	1	142.9	-	0
Riverside	105,524	1,915	1,208	18.1	11.4	707	159	99	51.7	40	20.9
Rural part	70,828	906	604	12.8	8.5	302	150	58	64.0	18	19.9
White	67,951	849	556	12.5	8.2	293	153	49	57.7	18	21.2
All other	2,877	57	48	19.8	16.7	9	119	9	157.9	-	0
Riverside	34,696	1,009	604	29.1	17.4	405	167	41	40.6	22	21.8
White	32,828	978	585	29.8	17.8	393	167	38	38.9	22	22.5
All other	1,868	31	19	16.6	10.2	12	163	3	96.8	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
CALIFORNIA—Continued											
Sacramento	170,333	3,130	2,105	18.4	12.4	1,025	149	100	31.9	56	17.9
Rural part	64,375	204	357	3.2	5.5	-153	57	5	24.5	5	24.5
White	56,985	152	332	2.7	5.8	-180	46	1	6.6	2	13.2
All other	7,390	52	25	7.0	3.4	27	208	4	76.9	3	57.7
Sacramento	105,958	2,926	1,748	27.6	16.5	1,178	167	95	32.5	51	17.4
White	99,808	2,701	1,611	27.1	16.1	1,090	168	85	31.5	47	17.4
All other	6,150	225	137	36.6	22.3	88	164	10	44.4	4	17.8
San Benito	11,392	164	124	14.4	10.9	40	132	10	61.0	3	18.3
White	10,609	157	118	14.8	11.1	39	133	9	57.3	3	19.1
All other	783	7	6	8.9	7.7	1	117	1	142.9	-	0
San Bernardino	161,108	2,943	2,178	18.3	13.5	765	135	176	59.8	57	19.4
Rural part	88,941	1,181	989	13.3	11.1	192	119	57	48.3	21	17.8
White	87,171	1,155	952	13.2	10.9	203	121	56	48.5	21	18.2
All other	1,770	26	37	14.7	20.9	-11	70	1	38.5	-	0
Ontario	14,197	138	102	9.7	7.2	36	135	8	58.0	2	14.5
White	14,149	137	102	9.7	7.2	35	134	8	58.4	2	14.6
All other	48	1	-	20.8	0	1	(3)	-	0	-	0
Redlands	14,324	234	178	16.3	12.4	56	131	11	47.0	4	17.1
White	14,030	232	178	16.5	12.7	54	130	11	47.4	4	17.2
All other	294	2	-	6.8	0	2	(3)	-	0	-	0
San Bernardino	43,646	1,390	909	31.8	20.8	481	153	100	71.9	30	21.6
White	42,683	1,357	876	31.8	20.5	481	155	96	70.7	30	22.1
All other	963	33	33	34.3	34.3	-	100	4	121.2	-	0
San Diego	289,348	5,310	3,428	18.4	11.8	1,882	155	176	33.1	111	20.9
Rural part	75,663	496	588	6.6	7.8	-92	84	26	52.4	15	30.2
White	72,424	461	556	6.4	7.7	-95	83	22	47.7	15	32.5
All other	3,239	35	32	10.8	9.9	3	109	4	114.3	-	0
National City	10,344	411	156	39.7	15.1	255	263	7	17.0	8	19.5
White	10,258	404	155	39.4	15.1	249	261	7	17.3	7	17.3
All other	86	7	1	81.4	11.6	6	700	-	0	1	142.9
San Diego	203,341	4,403	2,684	21.7	13.2	1,719	164	143	32.5	88	20.0
White	196,946	4,235	2,605	21.5	13.2	1,630	163	138	32.6	85	20.1
All other	6,395	168	79	26.3	12.4	89	213	5	29.8	3	17.9
San Francisco, coextensive with San Francisco (city)	634,536	8,863	8,991	14.0	14.2	-128	99	271	30.6	204	23.0
White	602,701	8,415	8,607	14.0	14.3	-192	98	253	30.1	191	22.7
All other	31,835	448	384	14.1	12.1	64	117	18	40.2	13	29.0
San Joaquin	134,207	2,147	1,942	16.0	14.5	205	111	97	45.2	39	18.2
Rural part	68,414	1,041	1,276	15.2	18.7	-235	82	63	60.5	18	17.3
White	60,789	976	1,126	16.1	18.5	-150	87	60	61.5	16	16.4
All other	7,625	65	150	8.5	19.7	-85	43	3	46.2	2	30.8
Lodi	11,079	260	130	23.5	11.7	130	200	7	26.9	8	30.8
White	10,873	253	128	23.3	11.8	125	198	7	27.7	8	31.6
All other	206	7	2	34.0	9.7	5	350	-	0	-	0
Stockton	54,714	846	536	15.5	9.8	310	158	27	31.9	13	15.4
White	49,632	774	488	15.6	9.8	286	159	23	29.7	12	15.5
All other	5,082	72	48	14.2	9.4	24	150	4	55.6	1	13.9
San Luis Obispo	33,246	523	407	15.7	12.2	116	129	14	26.8	11	21.0
White	31,709	517	395	16.3	12.5	122	131	14	27.1	11	21.3
All other	1,537	6	12	3.9	7.8	-6	50	-	0	-	0
San Mateo	111,782	841	1,037	7.5	9.3	-196	81	26	30.9	15	17.8
Rural part	63,986	119	515	1.9	8.0	-396	23	6	50.4	3	25.2
White	62,210	112	497	1.8	8.0	-385	23	6	53.6	3	26.8
All other	1,776	7	18	3.9	10.1	-11	39	-	0	-	0
Burlingame	15,940	5	77	0.3	4.8	-72	6	-	0	-	0
White	15,902	5	77	0.3	4.8	-72	6	-	0	-	0
All other	38	-	-	0	0	-	0	-	0	-	0
Redwood City	12,453	60	70	4.8	5.6	-10	86	-	0	2	33.3
White	12,193	59	69	4.8	5.7	-10	86	-	0	2	33.9
All other	260	1	1	3.8	3.8	-	100	-	0	-	0
San Mateo	19,403	657	375	33.9	19.3	282	175	20	30.4	10	15.2
White	18,356	634	361	34.5	19.7	273	176	19	30.0	10	15.8
All other	1,047	23	14	22.0	13.4	9	164	1	43.5	-	0
Santa Barbara	70,555	1,340	753	19.0	10.7	587	178	53	39.6	21	15.7
Rural part	35,597	769	400	21.6	11.2	369	192	37	48.1	11	14.3
White	32,632	709	374	21.7	11.5	335	190	32	45.1	9	12.7
All other	2,965	60	26	20.2	8.8	34	231	5	83.3	2	33.3
Santa Barbara	34,958	571	353	16.3	10.1	218	162	16	28.0	10	17.5
White	33,709	560	345	16.6	10.2	215	162	16	28.6	10	17.9
All other	1,249	11	8	8.8	6.4	3	138	-	0	-	0
Santa Clara	174,949	3,036	2,282	17.4	13.0	754	133	125	41.2	67	22.1
Rural part	89,718	1,650	1,466	18.4	16.3	184	113	91	55.2	38	23.0
White	85,316	1,611	1,419	18.9	16.6	192	114	88	54.6	38	23.6
All other	4,402	39	47	8.9	10.7	-8	83	3	76.9	-	0
Palo Alto	16,774	527	212	31.4	12.6	315	249	15	28.5	9	17.1
White	16,199	521	207	32.2	12.8	314	252	14	26.9	9	17.3
All other	575	6	5	10.4	8.7	1	120	1	166.7	-	0
San Jose	68,457	859	604	12.5	8.8	255	142	19	22.1	20	23.3
White	67,406	800	592	11.9	8.8	208	135	18	22.5	19	23.8
All other	1,051	59	12	56.1	11.4	47	492	1	16.9	1	16.9
Santa Cruz	45,057	636	673	14.1	14.9	-37	95	26	40.9	20	31.4
Rural part	28,161	375	372	13.3	13.2	3	101	19	50.7	16	42.7
White	26,272	343	353	13.1	13.4	-10	97	18	52.5	16	46.6
All other	1,889	32	19	16.9	10.1	13	168	1	31.3	-	0
Santa Cruz	16,896	261	301	15.4	17.8	-40	87	7	26.8	4	15.3
White	16,639	259	300	15.6	18.0	-41	86	7	27.0	4	15.4
All other	257	2	1	7.8	3.9	1	200	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
CALIFORNIA—Continued											
Shasta	28,800	597	308	20.7	10.7	289	194	22	36.9	13	21.8
White	28,064	578	287	20.6	10.2	291	201	18	31.1	11	19.0
All other	736	19	21	25.8	28.5	-2	90	4	210.5	2	105.3
Sierra	3,025	39	30	12.9	9.9	9	130	-	0	-	0
White	2,957	39	29	13.2	9.8	10	134	-	0	-	0
All other	68	-	1	0	14.7	-1	0	-	0	-	0
Siskiyou	28,598	445	327	15.6	11.4	118	136	19	42.7	10	22.5
White	27,332	430	300	15.7	11.0	130	143	17	39.5	10	23.3
All other	1,266	15	27	11.8	21.3	-12	56	2	133.3	-	0
Solano	49,118	631	476	12.8	9.7	155	133	26	41.2	20	31.7
Rural part	29,046	178	257	6.1	8.8	-79	69	11	61.8	4	22.5
White	26,858	169	245	6.3	9.1	-76	69	11	65.1	4	23.7
All other	2,188	9	12	4.1	5.5	-3	75	-	0	-	0
Vallejo	20,072	453	219	22.6	10.9	234	207	15	33.1	16	35.3
White	19,057	443	210	23.2	11.0	233	211	13	29.3	16	36.1
All other	1,015	10	9	9.9	8.9	1	111	2	200.0	-	0
Sonoma	69,052	924	972	13.4	14.1	-48	95	32	34.6	14	15.2
Rural part	56,447	649	826	11.5	14.6	-177	79	22	33.9	10	15.4
White	55,072	617	797	11.2	14.5	-180	77	18	29.2	9	14.6
All other	1,375	32	29	23.3	21.1	3	110	4	125.0	1	31.3
Santa Rosa	12,605	275	146	21.8	11.6	129	188	10	36.4	4	14.5
White	12,416	271	144	21.8	11.6	127	188	10	36.9	4	14.8
All other	189	4	2	21.2	10.6	2	200	-	0	-	0
Stanislaus	74,866	1,523	724	20.3	9.7	799	210	55	36.1	27	17.7
Rural part	58,487	479	311	8.2	5.3	168	154	15	31.3	10	20.9
White	57,968	472	309	8.1	5.3	163	153	14	29.7	10	21.2
All other	519	7	2	13.5	3.9	5	350	1	142.9	-	0
Modesto	16,379	1,044	413	63.7	25.2	631	253	40	38.3	17	16.3
White	16,054	1,033	404	64.3	25.2	629	256	38	36.8	17	16.5
All other	325	11	9	33.8	27.7	2	122	2	181.8	-	0
Sutter	18,680	413	178	22.1	9.5	235	232	13	31.5	11	26.6
White	17,918	404	170	22.5	9.5	234	238	13	32.2	10	24.8
All other	762	9	8	11.8	10.5	1	113	-	0	1	111.1
Tehama	14,316	286	218	20.0	15.2	68	131	11	38.5	12	42.0
White	14,065	284	210	20.2	14.9	74	135	11	38.7	12	42.3
All other	251	2	8	8.0	31.9	-6	25	-	0	-	0
Trinity	3,970	31	51	7.8	12.8	-20	61	2	64.5	4	129.0
White	3,849	30	48	7.8	12.5	-18	63	2	66.7	4	133.3
All other	121	1	3	8.3	24.8	-2	33	-	0	-	0
Tulare	107,152	2,477	934	23.1	8.7	1,543	265	152	61.4	58	23.4
White	103,408	2,416	890	23.4	8.6	1,526	271	144	59.6	57	23.6
All other	3,744	61	44	16.3	11.8	17	139	8	131.1	1	16.4
Tuolumne	10,887	178	132	16.3	12.1	46	135	5	28.1	3	16.9
White	10,682	173	132	16.2	12.4	41	131	5	28.9	3	17.3
All other	205	5	-	24.4	0	5	(3)	-	0	-	0
Ventura	69,685	1,392	672	20.0	9.6	720	207	80	57.5	17	12.2
Rural part	56,421	1,091	582	19.3	10.3	509	187	74	67.8	14	12.8
White	55,281	1,075	567	19.4	10.3	508	190	73	67.9	12	11.2
All other	1,140	16	15	14.0	13.2	1	107	1	62.5	2	125.0
San Buenaventura	13,264	301	90	22.7	6.8	211	334	6	19.9	3	10.0
White	13,102	296	90	22.6	6.9	206	329	6	20.3	3	10.1
All other	162	5	-	30.9	0	5	(3)	-	0	-	0
Yolo	27,243	401	315	14.7	11.6	86	127	17	42.4	10	24.9
White	24,613	384	301	15.6	12.2	83	128	17	44.3	10	26.0
All other	2,630	17	14	6.5	5.3	3	121	-	0	-	0
Yuba	17,034	344	220	20.2	12.9	124	156	21	61.0	7	20.3
White	15,935	336	204	21.1	12.8	132	165	21	62.5	6	17.9
All other	1,099	8	16	7.3	14.6	-8	50	-	0	1	125.0
COLORADO (total)	1,123,296	21,154	12,430	18.8	11.1	8,724	170	1,266	59.8	507	24.0
Adams	22,481	224	308	10.0	13.7	-84	73	15	67.0	5	22.3
Alamosa	10,484	348	133	33.2	12.7	215	262	43	123.6	7	20.1
Arapahoe	32,150	172	212	5.3	6.6	-40	81	4	23.3	-	0
Archuleta	3,806	64	30	16.8	7.9	34	213	7	109.4	1	15.6
Baca	6,207	118	27	19.0	4.3	91	437	4	33.9	3	25.4
Bent	9,653	192	89	19.9	9.2	103	216	17	88.5	3	15.6
Boulder	37,438	680	436	18.2	11.6	244	156	34	50.0	21	30.9
Rural part	24,480	437	264	17.9	10.8	173	166	26	59.5	12	27.5
Boulder	12,958	243	172	18.8	13.3	71	141	8	32.9	9	37.0
Chaffee	8,109	146	107	18.0	13.2	39	136	9	61.6	4	27.4
Cheyenne	2,964	48	13	16.2	4.4	35	369	1	20.8	1	20.8
Clear Creek	3,784	35	33	9.2	8.7	2	106	1	28.6	1	28.6
Conejos	11,648	102	98	8.8	8.4	4	104	26	254.9	4	39.2
Costilla	7,533	72	35	9.6	4.6	37	206	2	27.8	3	41.7
Crowley	5,398	103	35	19.1	6.5	68	294	7	68.0	2	19.4
Custer	2,270	31	9	13.7	4.0	22	344	-	0	1	32.3
Delta	16,470	365	156	22.2	9.5	209	234	21	57.5	7	19.2
Denver, coextensive with Denver (city)	322,412	6,772	4,457	21.0	13.8	2,315	152	331	48.9	165	24.4
Dolores	1,958	15	16	7.7	8.2	-1	94	4	266.7	-	0
Douglas	3,496	12	25	3.4	7.2	-13	48	-	0	-	0
Eagle	5,561	80	51	14.9	9.5	29	157	17	212.5	3	37.5
Elbert	5,460	44	25	8.1	4.6	19	176	2	45.5	1	22.7
El Paso	54,025	903	782	16.7	14.5	121	115	37	41.0	21	23.3
Rural part	17,236	32	193	1.9	11.2	-161	17	-	0	-	0
Colorado Springs	36,789	871	589	23.7	16.0	282	148	37	42.5	21	24.1
Fremont	19,742	274	234	13.9	11.9	40	117	25	91.2	8	29.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
COLORADO—Continued											
Garfield	10,560	249	104	23.6	9.8	145	239	7	28.1	5	20.1
Gilpin	1,625	7	8	4.3	4.9	-1	88	1	142.9	1	142.9
Grand	3,587	31	21	8.6	5.9	10	148	1	32.3	1	32.3
Gunnison	6,192	94	62	15.2	10.0	32	152	6	63.8	1	10.6
Hinsdale	349	3	2	8.6	5.7	1	150	-	0	-	0
Huerfano	16,088	211	167	13.1	10.4	44	126	35	165.9	7	33.2
Jackson	1,798	12	5	6.7	2.8	7	240	1	83.3	-	0
Jefferson	30,725	190	225	6.2	7.3	-35	84	6	31.6	5	26.3
Kiowa	2,793	24	21	8.6	7.5	3	114	1	41.7	2	83.3
Kit Carson	7,512	193	53	25.7	7.1	140	364	11	57.0	2	10.4
Lake	6,883	139	64	20.2	9.3	75	217	13	93.5	3	21.6
La Plata	15,494	394	187	25.4	12.1	207	211	45	114.2	12	30.5
Larimer	35,539	657	309	18.5	8.7	348	213	29	44.1	12	18.3
Rural part	23,288	606	235	26.0	10.1	371	258	28	46.2	12	19.8
Fort Collins	12,251	51	74	4.2	6.0	-23	69	1	19.6	-	0
Las Animas	32,369	731	340	22.6	10.5	391	215	69	94.4	29	39.7
Rural part	19,146	429	221	22.4	11.5	208	194	40	93.2	13	30.3
Trinidad	13,223	302	119	22.8	9.0	183	254	29	96.0	16	53.0
Lincoln	5,882	125	35	21.3	6.0	90	357	2	16.0	6	48.0
Logan	18,370	438	135	23.8	7.3	303	324	20	45.7	7	16.0
Mesa	33,791	681	326	20.2	9.6	355	209	48	70.5	8	11.7
Rural part	21,312	306	165	14.4	7.7	141	185	25	81.7	2	6.5
Grand Junction	12,479	375	161	30.1	12.9	214	233	23	61.3	6	16.0
Mineral	975	8	4	8.2	4.1	4	200	-	0	-	0
Moffat	5,086	50	27	9.8	5.3	23	185	5	100.0	1	20.0
Montezuma	10,463	249	109	23.8	10.4	140	228	21	84.3	2	8.0
Montrose	15,418	341	138	22.1	9.0	203	247	19	55.7	6	17.6
Morgan	17,214	446	159	25.9	9.2	287	281	16	35.9	17	38.1
Otero	23,571	579	217	24.6	9.2	362	267	31	53.5	24	41.5
Ouray	2,089	38	23	18.2	11.0	15	165	3	78.9	2	52.6
Park	3,272	53	21	16.2	6.4	32	252	3	56.6	3	56.6
Phillips	4,948	96	41	19.4	8.3	55	234	3	30.7	2	20.8
Pitkin	1,836	14	12	7.6	6.5	2	117	-	0	-	0
Prowers	12,304	340	130	27.6	10.6	210	262	20	57.1	8	23.5
Pueblo	68,870	1,296	1,015	18.8	14.7	281	128	57	44.0	22	17.0
Rural part	16,708	372	499	22.3	29.9	-127	75	25	67.2	4	10.8
Pueblo	52,162	924	516	17.7	9.9	408	179	32	34.6	18	19.5
Rio Blanco	2,943	46	13	15.6	4.4	33	354	2	43.4	2	43.4
Rio Grande	12,404	316	155	25.5	12.5	161	204	46	145.6	1	3.2
Routt	10,525	221	104	21.0	9.9	117	213	7	31.7	7	31.7
Saguache	6,173	96	43	15.6	7.0	53	223	16	166.7	3	31.3
San Juan	1,439	23	26	16.0	18.1	-3	88	3	130.4	-	0
San Miguel	3,664	64	30	17.5	8.2	34	213	5	78.1	1	15.6
Sedgwick	5,294	132	44	24.9	8.3	88	300	3	22.7	-	0
Summit	1,754	17	11	9.7	6.3	6	155	1	58.8	2	117.6
Teller	6,463	107	76	16.6	11.8	31	141	5	46.7	6	56.1
Washington	8,336	105	38	12.6	4.6	67	276	3	28.6	1	9.5
Weld	63,747	1,324	538	20.8	8.4	786	246	88	66.5	32	24.2
Rural part	47,752	648	220	13.6	4.6	428	295	31	47.8	18	27.8
Greeley	15,995	676	318	42.3	19.9	358	213	57	84.3	14	20.7
Yuma	12,102	214	81	17.7	6.7	133	264	7	32.7	3	14.0
CONNECTICUT (total)	1,709,242	25,195	17,886	14.7	10.5	7,309	141	858	34.1	508	20.2
Fairfield	418,384	6,037	4,224	14.4	10.1	1,813	143	212	35.1	126	20.9
Rural part	127,586	473	836	3.7	6.6	-363	57	16	33.8	6	12.7
Bridgeport	147,121	3,000	1,653	20.4	11.2	1,347	181	104	34.7	79	26.3
Danbury	22,339	551	374	24.7	16.7	177	147	19	34.5	9	16.3
Norwalk	39,849	1,012	514	25.4	12.9	498	197	33	32.6	11	10.9
Shelton	10,971	18	125	1.6	11.4	-107	14	-	0	-	0
Stamford	47,938	968	599	20.2	12.5	369	162	38	39.3	21	21.7
Stratford (town)	22,580	15	123	0.7	5.4	-108	12	2	133.3	-	0
Hartford	450,189	6,754	4,360	15.0	9.7	2,394	155	215	31.8	118	17.5
Rural part	132,679	583	1,032	4.4	7.8	-449	56	18	30.9	14	24.0
Bristol	30,167	586	254	19.4	8.4	332	231	14	23.9	10	17.1
East Hartford (town)	18,615	6	100	0.3	5.4	-94	6	-	0	-	0
Hartford	166,267	4,481	2,149	27.0	12.9	2,332	209	134	29.9	73	16.3
New Britain	68,685	1,018	607	14.8	8.8	411	168	35	34.4	21	20.6
West Hartford (town)	33,776	80	218	2.4	6.5	-138	37	14	175.0	-	0
Litchfield	87,041	1,192	825	13.7	9.5	367	144	48	40.3	32	26.8
Rural part	60,053	585	553	9.7	9.2	32	106	19	32.5	21	35.9
Torrington	26,988	607	272	22.5	10.1	335	223	29	47.8	11	18.1
Middlesex	55,999	700	957	12.5	17.1	-257	73	22	31.4	11	15.7
Rural part	29,504	37	275	1.3	9.3	-238	13	1	27.0	2	54.1
Middletown	26,495	663	682	25.0	25.7	-19	97	21	31.7	9	13.6
New Haven	484,316	7,462	5,018	15.4	10.4	2,444	149	258	34.6	156	20.9
Rural part	98,572	304	602	3.1	6.1	-298	50	15	49.3	10	32.9
Ansonia	19,210	30	109	1.6	5.7	-79	28	1	33.3	-	0
Derby	10,287	501	198	48.7	19.2	303	253	15	29.9	9	18.0
Meriden	39,494	622	443	15.7	11.2	179	140	13	20.9	16	25.7
Naugatuck	15,388	7	90	0.5	5.8	-83	8	-	0	-	0
New Haven	160,605	3,775	2,168	23.5	13.5	1,607	174	118	31.3	72	19.1
Wallingford	11,425	26	113	2.3	9.9	-87	23	2	76.9	-	0
Waterbury	99,314	2,153	1,094	21.7	11.0	1,059	197	93	43.2	48	22.3
West Haven (town)	30,021	44	201	1.5	6.7	-157	22	1	22.7	1	22.7

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
CONNECTICUT—Continued											
New London	125,224	1,859	1,598	14.8	12.8	261	116	69	37.1	43	23.1
Rural part	71,116	215	597	3.0	8.4	-382	36	7	32.5	6	27.9
New London	30,456	925	491	30.4	16.1	434	188	35	37.8	21	22.7
Norwich	23,652	719	510	30.4	21.6	209	141	27	37.6	16	22.3
Tolland	31,866	372	325	11.7	10.2	47	114	15	40.3	9	24.2
Windham	56,223	819	579	14.6	10.3	240	141	19	23.2	13	15.9
Rural part	44,122	532	410	12.1	9.3	122	130	11	20.7	7	13.2
Willimantic	12,101	287	169	23.7	14.0	118	170	8	27.8	6	20.9
DELAWARE (total)	266,505	4,597	3,261	17.2	12.2	1,336	141	225	48.9	110	23.9
Kent	34,441	589	519	17.1	15.1	70	113	35	59.4	22	37.4
White	27,908	409	371	14.7	13.3	38	110	17	41.6	14	34.2
All other	6,533	180	148	27.6	22.7	32	122	18	100.0	8	44.4
New Castle	179,562	3,018	2,063	16.8	11.5	955	146	128	42.4	62	20.5
Rural part	67,058	251	563	3.7	8.4	-312	45	11	43.8	5	19.9
White	60,843	191	457	3.1	7.5	-266	42	10	52.4	4	20.9
All other	6,215	60	106	9.7	17.1	-46	57	1	16.7	1	16.7
Wilmington	112,504	2,767	1,500	24.6	13.3	1,267	184	117	42.3	57	20.6
White	98,175	2,462	1,245	25.1	12.7	1,217	198	88	35.7	53	21.5
All other	14,329	305	255	21.3	17.8	50	120	29	95.1	4	13.1
Sussex	52,502	990	679	18.9	12.9	311	146	62	62.6	26	26.3
White	43,602	790	532	18.1	12.2	258	148	44	55.7	15	19.0
All other	8,900	200	147	22.5	16.5	53	136	18	90.0	11	55.0
DISTRICT OF COLUMBIA	663,091	15,309	8,637	23.1	13.0	6,672	177	719	47.0	393	25.7
Washington	663,091	15,309	8,637	23.1	13.0	6,672	177	719	47.0	393	25.7
White	474,326	10,679	5,678	22.5	12.0	5,001	188	394	36.9	209	19.6
All other	188,765	4,630	2,959	24.5	15.7	1,671	156	325	70.2	184	39.7
FLORIDA (total)	1,897,414	33,818	22,926	17.8	12.1	10,892	148	1,814	53.6	1,428	42.2
Alachua	38,607	825	496	21.4	12.8	329	166	71	86.1	50	60.6
Rural part	24,850	398	245	16.0	9.9	153	162	42	105.5	31	77.9
White	13,987	171	93	12.2	6.6	78	184	11	64.3	5	29.2
All other	10,863	227	152	20.9	14.0	75	149	31	136.6	26	114.5
Gainesville	13,757	427	251	31.0	18.2	176	170	29	67.9	19	44.5
White	8,636	310	133	35.9	15.4	177	233	19	61.3	10	32.3
All other	5,121	117	118	22.8	23.0	-1	99	10	85.5	9	76.9
Baker	6,510	102	46	15.7	7.1	56	222	6	58.8	3	29.4
White	4,999	69	24	13.8	4.8	45	288	2	29.0	2	29.0
All other	1,511	33	22	21.8	14.6	11	150	4	121.2	1	30.3
Bay	20,686	509	200	24.6	9.7	309	255	25	49.1	18	35.4
Rural part	9,076	141	66	15.5	7.3	75	214	8	56.7	2	14.2
White	7,645	119	53	15.6	6.9	66	225	6	50.4	2	16.8
All other	1,431	22	13	15.4	9.1	9	169	2	90.9	-	0
Panama City	11,610	368	134	31.7	11.5	234	273	17	46.2	16	43.5
White	8,820	299	102	33.9	11.6	197	293	14	46.8	11	36.8
All other	2,790	69	32	24.7	11.5	37	216	3	43.5	5	72.5
Bradford	8,717	221	100	25.4	11.5	121	221	14	63.3	10	45.2
White	6,490	155	56	23.9	8.6	99	277	9	58.1	8	51.6
All other	2,227	66	44	29.6	19.8	22	150	5	75.8	2	30.3
Brevard	16,142	255	196	15.8	12.1	59	130	15	58.8	14	54.9
White	10,871	145	121	13.3	11.1	24	120	7	48.3	4	27.6
All other	5,271	110	75	20.9	14.2	35	147	8	72.7	10	90.9
Broward	39,794	721	420	18.1	10.6	301	172	36	49.9	36	49.9
Rural part	21,798	385	215	17.7	9.9	170	179	25	64.9	12	31.2
White	13,008	176	132	13.5	10.1	44	133	11	62.5	5	28.4
All other	8,790	209	83	23.8	9.4	126	252	14	67.0	7	33.5
Fort Lauderdale	17,996	336	205	18.7	11.4	131	164	11	32.7	24	71.4
White	12,814	212	142	16.5	11.1	70	149	5	23.6	13	61.3
All other	5,182	124	63	23.9	12.2	61	197	6	48.4	11	88.7
Calhoun	8,218	224	74	27.3	9.0	150	303	14	62.5	13	58.0
White	6,975	189	61	27.1	8.7	128	310	10	52.9	13	68.8
All other	1,243	35	13	28.2	10.5	22	269	4	114.3	-	0
Charlotte	3,663	34	29	9.3	7.9	5	117	-	0	3	88.2
White	2,990	29	20	9.7	6.7	9	145	-	0	2	69.0
All other	673	5	9	7.4	13.4	-4	56	-	0	1	200.0
Citrus	5,846	102	69	17.4	11.8	33	148	4	39.2	2	19.6
White	4,149	74	44	17.8	10.6	30	168	1	13.5	-	0
All other	1,697	28	25	16.5	14.7	3	112	3	107.1	2	71.4
Clay	6,468	90	79	13.9	12.2	11	114	5	55.6	3	33.3
White	4,733	60	54	12.7	11.4	6	111	4	66.7	1	16.7
All other	1,735	30	25	17.3	14.4	5	120	1	33.3	2	66.7
Collier	5,102	82	32	16.1	6.3	50	256	4	48.8	4	48.8
White	3,279	58	21	17.7	6.4	37	276	2	34.5	3	51.7
All other	1,823	24	11	13.2	6.0	13	218	2	83.3	1	41.7
Columbia	16,859	359	344	21.3	20.4	15	104	26	72.4	24	66.9
White	10,352	210	190	20.3	18.4	20	111	17	81.0	11	52.4
All other	6,507	149	154	22.9	23.7	-5	97	9	60.4	13	87.2
Dade	267,739	4,175	2,954	15.6	11.0	1,221	141	206	49.3	137	32.8
Rural part	67,555	941	656	13.9	9.7	285	143	42	44.6	27	28.7
White	55,513	642	506	11.6	9.1	136	127	19	29.6	14	21.8
All other	12,042	299	150	24.8	12.5	149	199	23	76.9	13	43.5
Miami	172,172	2,995	1,928	17.4	11.2	1,067	155	160	53.4	108	36.1
White	135,192	2,318	1,453	17.1	10.7	865	160	100	43.1	57	24.6
All other	36,980	677	475	18.3	12.8	202	143	60	88.6	51	75.3
Miami Beach	28,012	239	370	8.5	13.2	-131	65	4	16.7	2	8.4
White	27,204	239	368	8.8	13.5	-129	65	4	16.7	2	8.4
All other	808	-	2	0	2.5	-2	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
FLORIDA—Continued											
De Soto	7,792	173	82	22.2	10.5	91	211	6	34.7	5	28.9
White	6,198	142	58	22.9	9.4	84	245	3	21.1	4	28.2
All other	1,594	31	24	19.4	15.1	7	129	3	96.8	1	32.3
Dixie	7,018	150	85	21.4	12.1	65	176	18	120.0	9	60.0
White	3,973	84	40	21.1	10.1	44	210	9	107.1	6	71.4
All other	3,045	66	45	21.7	14.8	21	147	9	136.4	3	45.5
Duval	210,143	3,645	2,534	17.3	12.1	1,111	144	174	47.7	169	46.4
Rural part	37,078	204	209	5.5	5.6	-5	98	5	24.5	8	39.2
White	30,324	143	143	4.7	4.7	-	100	2	14.0	2	14.0
All other	6,754	61	66	9.0	9.8	-5	92	3	49.2	6	98.4
Jacksonville	173,065	3,441	2,325	19.9	13.4	1,116	148	169	49.1	161	46.8
White	111,247	2,360	1,307	21.2	11.7	1,053	181	114	48.3	62	26.3
All other	61,818	1,081	1,018	17.5	16.5	63	106	55	50.9	99	91.6
Escambia	74,667	1,671	875	22.4	11.7	796	191	111	66.4	69	41.3
Rural part	37,218	358	269	9.6	7.2	89	133	29	81.0	9	25.1
White	31,956	246	188	7.7	5.9	58	131	18	73.2	4	16.3
All other	5,262	112	81	21.3	15.4	31	138	11	98.2	5	44.6
Pensacola	37,449	1,313	606	35.1	16.2	707	217	82	62.5	60	45.7
White	25,080	1,088	366	42.6	14.6	702	292	54	50.6	35	32.8
All other	12,369	245	240	19.8	19.4	5	102	28	114.3	25	102.0
Flagler	3,008	51	29	17.0	9.6	22	176	-	0	3	58.8
White	1,669	12	12	7.2	7.2	-	100	-	0	-	0
All other	1,339	39	17	29.1	12.7	22	229	-	0	3	76.9
Franklin	5,991	124	45	20.7	7.5	79	276	6	48.4	2	16.1
White	3,994	84	20	21.0	5.0	64	420	4	47.6	1	11.9
All other	1,997	40	25	20.0	12.5	15	160	2	50.0	1	25.0
Gadsden	31,450	585	652	18.6	20.7	-67	90	52	88.9	31	53.0
White	13,939	217	287	15.6	20.6	-70	76	15	69.1	9	41.5
All other	17,511	368	365	21.0	20.8	3	101	37	100.5	22	59.8
Gilchrist	4,250	81	29	19.1	6.8	52	279	5	61.7	2	24.7
White	3,612	70	22	19.4	6.1	48	318	3	42.9	-	0
All other	638	11	7	17.2	11.0	4	157	2	181.8	2	181.8
Glades	2,745	39	11	14.2	4.0	28	355	-	0	4	102.6
White	1,691	24	6	14.2	3.5	18	400	-	0	1	41.7
All other	1,054	15	5	14.2	4.7	10	300	-	0	3	200.0
Gulf	6,951	143	64	20.6	9.2	79	223	5	35.0	4	28.0
White	4,566	97	42	21.2	9.2	55	231	2	20.6	1	10.3
All other	2,385	46	22	19.3	9.2	24	209	3	65.2	3	65.2
Hamilton	9,778	249	109	25.5	11.1	140	228	11	44.2	11	44.2
White	5,659	125	50	22.1	8.8	75	250	7	56.0	7	56.0
All other	4,119	124	59	30.1	14.3	65	210	4	32.3	4	32.3
Hardee	10,158	194	92	19.1	9.1	102	211	8	41.2	7	36.1
White	9,433	180	80	19.1	8.5	100	225	6	33.3	5	27.8
All other	725	14	12	19.3	16.6	2	117	2	142.9	2	142.9
Hendry	5,237	91	40	17.4	7.6	51	228	7	76.9	2	22.0
White	3,370	58	16	17.2	4.7	42	363	2	34.5	1	17.2
All other	1,867	33	24	17.7	12.9	9	138	5	151.5	1	30.3
Hernando	5,641	118	65	20.9	11.5	53	182	7	59.3	3	25.4
White	4,044	79	42	19.5	10.4	37	188	2	25.3	1	12.7
All other	1,597	39	23	24.4	14.4	16	170	5	128.2	2	51.3
Highlands	9,246	213	117	23.0	12.7	96	182	7	32.9	11	51.6
White	7,302	162	78	22.2	10.7	84	208	3	18.5	4	24.7
All other	1,944	51	39	26.2	20.1	12	131	4	78.4	7	137.3
Hillsborough	180,148	3,115	2,023	17.3	11.2	1,092	154	162	52.0	109	35.0
Rural part	71,757	1,170	704	16.3	9.8	466	166	63	53.8	29	24.8
White	63,485	1,023	529	16.1	8.3	494	193	48	46.9	22	21.5
All other	8,272	147	175	17.8	21.2	-28	84	15	102.0	7	47.6
Tampa	108,391	1,945	1,319	17.9	12.2	626	147	99	50.9	80	41.1
White	85,043	1,597	955	18.8	11.2	642	167	71	44.5	45	28.2
All other	23,348	348	384	14.9	15.6	-16	96	28	80.5	35	100.6
Holmes	15,447	315	112	20.4	7.3	203	281	13	41.3	9	28.6
White	14,681	299	103	20.4	7.0	196	290	13	43.5	7	23.4
All other	766	16	9	20.9	11.7	7	178	-	0	2	125.0
Indian River	8,957	154	109	17.2	12.2	45	141	11	71.4	4	26.0
White	6,288	104	74	16.5	11.8	30	141	6	57.7	3	28.8
All other	2,669	50	35	18.7	13.1	15	143	5	100.0	1	20.0
Jackson	34,428	722	332	21.0	9.6	390	217	32	44.3	32	44.3
White	22,019	467	173	21.2	7.9	294	270	20	42.8	11	23.6
All other	12,409	255	159	20.5	12.8	96	160	12	47.1	21	82.4
Jefferson	12,052	251	171	20.9	14.2	80	147	13	51.8	9	35.9
White	4,025	65	38	16.1	9.4	27	171	2	30.8	2	30.8
All other	8,027	186	133	23.2	16.6	53	140	11	59.1	7	37.6
Lafayette	4,405	88	27	20.0	6.1	61	326	3	34.1	1	11.4
White	3,971	82	22	20.8	5.5	60	373	3	36.6	1	12.2
All other	434	6	5	13.8	11.5	1	120	-	0	-	0
Lake	27,255	524	400	19.2	14.7	124	131	38	72.5	20	38.2
White	19,653	371	270	18.9	13.7	101	137	18	48.5	5	13.5
All other	7,602	153	130	20.1	17.1	23	118	20	130.7	15	98.0
Lee	17,488	389	213	22.2	12.2	176	183	26	66.8	15	38.6
Rural part	6,884	86	32	12.5	4.6	54	269	2	23.3	2	23.3
White	5,919	76	23	12.8	3.9	53	330	1	13.2	-	0
All other	965	10	9	10.4	9.3	1	111	1	100.0	2	200.0
Fort Myers	10,604	303	181	28.6	17.1	122	167	24	79.2	13	42.9
White	7,611	242	119	31.8	15.6	123	203	18	74.4	8	33.1
All other	2,993	61	62	20.4	20.7	-1	98	6	98.4	5	82.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
FLORIDA—Continued											
Leon	31,646	657	376	20.8	11.9	281	175	40	60.9	28	42.6
Rural part	15,406	336	224	21.8	14.5	112	150	28	83.3	13	38.7
White	5,787	85	43	14.7	7.4	42	198	5	58.8	-	0
All other	9,619	251	181	26.1	18.8	70	139	23	91.6	13	51.8
Tallahassee	16,240	321	152	19.8	9.4	169	211	12	37.4	15	46.7
White	9,753	204	81	20.9	8.3	123	252	5	24.5	8	39.2
All other	6,487	117	71	18.0	10.9	46	165	7	59.8	7	59.8
Levy	12,550	273	140	21.8	11.2	133	195	18	65.9	13	47.6
White	7,719	174	57	22.5	7.4	117	305	8	46.0	4	23.0
All other	4,831	99	83	20.5	17.2	16	119	10	101.0	9	90.9
Liberty	3,752	76	37	20.3	9.9	39	205	10	131.6	3	39.5
White	2,827	51	27	18.0	9.6	24	189	7	137.3	2	39.2
All other	925	25	10	27.0	10.8	15	250	3	120.0	1	40.0
Madison	16,190	341	177	21.1	10.9	164	193	19	55.7	18	52.8
White	8,460	162	65	19.1	7.7	97	249	9	55.6	2	12.3
All other	7,730	179	112	23.2	14.5	67	160	10	55.9	16	89.4
Manatee	26,098	480	294	18.4	11.3	186	163	20	41.7	19	39.6
White	19,212	319	205	16.6	10.7	114	156	9	28.2	3	9.4
All other	6,886	161	89	23.4	12.9	72	181	11	68.3	16	99.4
Marion	31,243	571	465	18.3	14.9	106	123	37	64.8	24	42.0
White	17,572	318	212	18.1	12.1	106	150	17	53.5	6	18.9
All other	13,671	253	253	18.5	18.5	-	100	20	79.1	18	71.1
Martin	6,295	104	82	16.5	13.0	22	127	5	48.1	6	57.7
White	4,043	65	54	16.1	13.4	11	120	2	30.8	2	30.8
All other	2,252	39	28	17.3	12.4	11	139	3	76.9	4	102.6
Monroe	14,078	229	204	16.3	14.5	25	112	15	65.5	12	52.4
Rural part	1,151	-	2	0	1.7	-2	0	-	0	-	0
White	951	-	2	0	2.1	-2	0	-	0	-	0
All other	200	-	-	0	0	-	0	-	0	-	0
Key West	12,927	229	202	17.7	15.6	27	113	15	65.5	12	52.4
White	10,562	167	151	15.8	14.3	16	111	7	41.9	9	53.9
All other	2,365	62	51	26.2	21.6	11	122	8	129.0	3	48.4
Nassau	10,826	200	107	18.5	9.9	93	187	9	45.0	3	15.0
White	7,185	114	46	15.9	6.4	68	248	6	52.6	1	8.8
All other	3,641	86	61	23.6	16.8	25	141	3	34.9	2	23.3
Okaloosa	12,900	254	112	19.7	8.7	142	227	13	51.2	15	59.1
White	11,747	232	100	19.7	8.5	132	232	12	51.7	14	60.3
All other	1,153	22	12	19.1	10.4	10	183	1	45.5	1	45.5
Okeechobee	3,000	36	18	12.0	6.0	18	200	-	0	-	0
White	2,441	31	16	12.7	6.6	15	194	-	0	-	0
All other	559	5	2	8.9	3.6	3	250	-	0	-	0
Orange	70,074	1,153	946	16.5	13.5	207	122	42	36.4	58	50.3
Rural part	33,338	343	316	10.3	9.5	27	109	9	26.2	7	20.4
White	26,867	221	223	8.2	8.3	-2	99	3	13.6	2	9.0
All other	6,471	122	93	18.9	14.4	29	131	6	49.2	5	41.0
Orlando	36,736	810	630	22.0	17.1	180	129	33	40.7	51	63.0
White	26,265	640	490	24.4	18.7	150	131	16	25.0	29	45.3
All other	10,471	170	140	16.2	13.4	30	121	17	100.0	22	129.4
Osceola	10,119	139	178	13.7	17.6	-39	78	14	100.7	5	36.0
White	8,046	108	147	13.4	18.3	-39	73	8	74.1	3	27.8
All other	2,073	31	31	15.0	15.0	-	100	6	193.5	2	64.5
Palm Beach	79,989	1,163	886	14.5	11.1	277	131	61	52.5	58	49.9
Rural part	46,296	530	353	11.4	7.6	177	150	28	52.8	33	62.3
White	29,206	220	194	7.5	6.6	26	113	5	22.7	10	45.5
All other	17,090	310	159	18.1	9.3	151	195	23	74.2	23	74.2
West Palm Beach	33,693	633	533	18.8	15.8	100	119	33	52.1	25	39.5
White	22,374	469	335	21.0	15.0	134	140	16	34.1	10	21.3
All other	11,319	164	198	14.5	17.5	-34	83	17	103.7	15	91.5
Pasco	13,981	261	162	18.7	11.6	99	161	15	57.5	10	38.3
White	11,705	208	131	17.8	11.2	77	159	10	48.1	7	33.7
All other	2,276	53	31	23.3	13.6	22	171	5	94.3	3	56.6
Pinellas	91,852	1,185	1,699	12.9	18.5	-514	70	50	42.2	58	48.9
Rural part	20,904	182	362	8.7	17.3	-180	50	5	27.5	8	44.0
White	19,277	164	342	8.5	17.7	-178	48	4	24.4	8	48.8
All other	1,627	18	20	11.1	12.3	-2	90	1	55.6	-	0
Clearwater	10,136	158	169	15.6	16.7	-11	93	8	50.6	9	57.0
White	7,601	126	133	16.6	17.5	-7	95	4	31.7	8	63.5
All other	2,535	32	36	12.6	14.2	-4	89	4	125.0	1	31.3
St. Petersburg	60,812	845	1,168	13.9	19.2	-323	72	37	43.8	41	48.5
White	48,794	641	1,014	13.1	20.8	-373	63	20	31.2	18	28.1
All other	12,018	204	154	17.0	12.8	50	132	17	83.3	23	112.7
Polk	86,665	1,680	955	19.4	11.0	725	176	66	39.3	58	34.5
Rural part	64,597	1,262	589	19.5	9.1	673	214	43	34.1	37	29.3
White	50,965	1,000	446	19.6	8.8	554	224	35	35.0	28	28.0
All other	13,632	262	143	19.2	10.5	119	183	8	30.5	9	34.4
Lakeland	22,068	418	366	18.9	16.6	52	114	23	55.0	21	50.2
White	17,182	344	316	20.0	18.4	28	109	18	52.3	15	43.6
All other	4,886	74	50	15.1	10.2	24	148	5	67.6	6	81.1
Putnam	18,698	353	250	18.9	13.4	103	141	17	48.2	28	79.3
White	10,809	234	134	21.6	12.4	100	175	7	29.9	9	38.5
All other	7,889	119	116	15.1	14.7	3	103	10	84.0	19	159.7
St. Johns	20,012	356	297	17.8	14.8	59	120	25	70.2	18	50.6
Rural part	7,922	59	38	7.4	4.8	21	155	5	84.7	6	101.7
White	4,085	6	12	1.5	2.9	-6	50	-	0	-	0
All other	3,837	53	26	13.8	6.8	27	204	5	94.3	6	113.2
St. Augustine	12,090	297	259	24.6	21.4	38	115	20	67.3	12	40.4
White	8,866	213	151	24.0	17.0	62	141	10	46.9	3	14.1
All other	3,224	84	108	26.1	33.5	-24	78	10	119.0	9	107.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
FLORIDA—Continued											
St. Lucie	11,871	244	151	20.6	12.7	93	162	16	65.6	10	41.0
White	7,791	129	92	16.6	11.8	37	140	6	46.5	5	38.8
All other	4,080	115	59	28.2	14.5	56	195	10	87.0	5	43.5
Santa Rosa	16,085	305	135	19.0	8.4	170	226	24	78.7	9	29.5
White	14,143	269	99	19.0	7.0	170	272	19	70.6	6	22.3
All other	1,942	36	36	18.5	18.5	-	100	5	138.9	3	83.3
Sarasota	16,106	269	228	16.7	14.2	41	118	15	55.8	6	22.3
Rural part	4,965	30	36	6.0	7.3	-6	83	1	33.3	-	0
White	4,192	19	28	4.5	6.7	-9	68	1	52.6	-	0
All other	773	11	8	14.2	10.3	3	138	-	0	-	0
Sarasota	11,141	239	192	21.5	17.2	47	124	14	58.6	6	25.1
White	8,334	181	137	21.7	16.4	44	132	10	55.2	4	22.1
All other	2,807	58	55	20.7	19.6	3	105	4	69.0	2	34.5
Seminole	22,304	367	248	16.5	11.1	119	148	20	54.5	10	27.2
Rural part	12,087	137	93	11.3	7.7	44	147	9	65.7	3	21.9
White	6,431	43	44	6.7	6.8	-1	98	2	46.5	-	0
All other	5,656	94	49	16.6	8.7	45	192	7	74.5	3	31.9
Sanford	10,217	230	155	22.5	15.2	75	148	11	47.8	7	30.4
White	5,119	136	69	26.6	13.5	67	197	2	14.7	2	14.7
All other	5,098	94	86	18.4	16.9	8	109	9	95.7	5	53.2
Sumter	11,041	189	124	17.1	11.2	65	152	13	68.8	12	63.5
White	7,961	112	69	14.1	8.7	43	162	9	80.3	4	35.7
All other	3,080	77	55	25.0	17.9	22	140	4	51.9	8	103.9
Suwannee	17,073	404	200	23.7	11.7	204	202	27	66.8	15	37.1
White	11,585	244	121	21.1	10.4	123	202	18	73.8	5	20.5
All other	5,488	160	79	29.2	14.4	81	203	9	56.3	10	62.5
Taylor	11,565	238	95	20.6	8.2	143	251	5	21.0	13	54.6
White	7,881	182	50	23.1	6.3	132	364	4	22.0	7	38.5
All other	3,684	56	45	15.2	12.2	11	124	1	17.9	6	107.1
Union	7,094	132	72	18.6	10.1	60	183	6	45.5	1	7.6
White	5,029	102	46	20.3	9.1	56	222	5	49.0	-	0
All other	2,065	30	26	14.5	12.6	4	115	1	33.3	1	33.3
Volusia	53,710	791	777	14.7	14.5	14	102	38	48.0	32	40.5
Rural part	31,126	412	386	13.2	12.4	26	107	19	46.1	14	34.0
White	23,244	257	267	11.1	11.5	-10	96	13	50.6	6	23.3
All other	7,882	155	119	19.7	15.1	36	130	6	38.7	8	51.6
Daytona Beach	22,584	379	391	16.8	17.3	-12	97	19	50.1	18	47.5
White	15,661	282	290	18.0	18.5	-8	97	8	28.4	7	24.8
All other	6,923	97	101	14.0	14.6	-4	96	11	113.4	11	113.4
Wakulla	5,463	94	37	17.2	6.8	57	254	4	42.6	9	95.7
White	3,617	36	12	10.0	3.3	24	300	1	27.8	6	166.7
All other	1,846	58	25	31.4	13.5	33	232	3	51.7	3	51.7
Walton	14,246	267	120	18.7	8.4	147	223	17	63.7	16	59.9
White	12,251	231	93	18.9	7.6	138	248	14	60.6	14	60.6
All other	1,995	36	27	18.0	13.5	9	133	3	83.3	2	55.6
Washington	12,302	223	99	18.1	8.0	124	225	12	53.8	13	58.3
White	10,037	167	65	16.6	6.5	102	257	7	41.9	9	53.9
All other	2,265	56	34	24.7	15.0	22	165	5	89.3	4	71.4
GEORGIA (total)	3,123,723	64,998	32,513	20.8	10.4	32,485	200	3,761	57.9	3,096	47.6
Appling	14,497	265	75	18.3	5.2	190	353	10	37.7	9	34.0
White	11,856	181	38	15.3	3.2	143	476	5	27.6	5	27.6
All other	2,641	84	37	31.8	14.0	47	227	5	59.5	4	47.6
Atkinson	7,093	178	55	25.1	7.8	123	324	7	39.3	7	39.3
White	5,422	133	31	24.5	5.7	102	429	3	22.6	6	45.1
All other	1,671	45	24	26.9	14.4	21	188	4	88.9	1	22.2
Bacon	8,096	182	74	22.5	9.1	108	246	19	104.4	11	60.4
White	7,042	154	60	21.9	8.5	94	257	17	110.4	10	64.9
All other	1,054	28	14	26.6	13.3	14	200	2	71.4	1	35.7
Baker	7,344	159	49	21.7	6.7	110	324	1	6.3	6	37.7
White	3,049	50	16	16.4	5.2	34	313	-	0	-	0
All other	4,295	109	33	25.4	7.7	76	330	1	9.2	6	55.0
Baldwin	24,190	335	642	13.8	26.5	-307	52	31	92.5	15	44.8
White	12.692	142	328	11.2	25.8	-186	43	12	84.5	1	7.0
All other	11,498	193	314	16.8	27.3	-121	61	19	98.4	14	72.5
Banks	8,753	185	88	21.2	10.1	97	210	13	70.3	4	21.6
White	8,072	170	48	21.1	5.9	122	354	10	58.8	4	23.5
All other	661	15	40	22.7	60.5	-25	38	3	200.0	-	0
Barrow	13,064	226	104	17.3	8.0	122	217	17	75.2	7	31.0
White	10,605	167	84	15.7	7.9	83	199	10	59.9	2	12.0
All other	2,459	59	20	24.0	8.1	39	295	7	118.6	5	84.7
Bartow	25,283	548	287	21.7	11.4	261	191	52	94.9	18	32.8
White	21,073	455	213	21.6	10.1	242	214	37	81.3	17	37.4
All other	4,210	93	74	22.1	17.6	19	126	15	161.3	1	10.8
Ben Hill	14,523	258	179	17.8	12.3	79	144	26	100.8	14	54.3
White	9,674	155	107	16.0	11.1	48	145	13	83.9	3	19.4
All other	4,849	103	72	21.2	14.8	31	143	13	126.2	11	106.8
Berrien	15,370	280	102	18.2	6.6	178	275	23	82.1	26	92.9
White	13,033	247	89	19.0	6.8	158	278	20	81.0	23	93.1
All other	2,337	33	13	14.1	5.6	20	254	3	90.9	3	90.9
Bibb	83,783	1,590	1,263	19.0	15.1	327	126	111	69.8	127	79.9
Rural part	25,918	175	183	6.8	7.1	-8	96	10	57.1	9	51.4
White	15,986	23	79	1.4	4.9	-56	29	2	87.0	-	0
All other	9,932	152	104	15.3	10.5	48	146	8	52.6	9	59.2
Macon	57,865	1,415	1,080	24.5	18.7	335	131	101	71.4	118	83.4
White	32,253	934	479	29.0	14.9	455	195	47	50.3	35	37.5
All other	25,612	481	601	18.8	23.5	-120	80	54	112.3	83	172.6

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Bleckley	9,655	212	101	22.0	10.5	111	210	19	89.6	8	37.7
White	6,331	118	49	18.6	7.7	69	241	4	33.9	3	25.4
All other	3,324	94	52	28.3	15.6	42	181	15	159.6	5	53.2
Brantley	6,871	158	45	23.0	6.5	113	351	4	25.3	7	44.3
White	5,727	140	36	24.4	6.3	104	389	3	21.4	7	50.0
All other	1,144	18	9	15.7	7.9	9	200	1	55.6	-	0
Brooks	20,497	508	202	24.8	9.9	306	251	31	61.0	38	74.8
White	9,990	196	89	19.6	8.9	107	220	11	56.1	16	81.6
All other	10,507	312	113	29.7	10.8	199	276	20	64.1	22	70.5
Bryan	6,288	122	74	19.4	11.8	48	165	7	57.4	7	57.4
White	3,735	46	31	12.3	8.3	15	148	2	43.5	2	43.5
All other	2,553	76	43	29.8	16.8	33	177	5	65.8	5	65.8
Bulloch	26,010	581	190	22.3	7.3	391	306	20	34.4	32	55.1
White	16,168	320	100	19.8	6.2	220	320	5	15.6	9	28.1
All other	9,842	261	90	26.5	9.1	171	290	15	57.5	23	88.1
Burke	26,520	691	291	26.1	11.0	400	237	35	50.7	39	56.4
White	6,654	76	43	11.4	6.5	33	177	2	26.3	5	65.8
All other	19,866	615	248	31.0	12.5	367	248	33	53.7	34	55.3
Butts	9,182	194	92	21.1	10.0	102	211	6	30.9	5	25.8
White	4,891	79	46	16.2	9.4	33	172	1	12.7	2	25.3
All other	4,291	115	46	26.8	10.7	69	250	5	43.5	3	26.1
Calhoun	10,438	254	97	24.3	9.3	157	262	23	90.6	6	23.6
White	3,309	47	18	14.2	5.4	29	261	1	21.3	-	0
All other	7,129	207	79	29.0	11.1	128	262	22	106.3	6	29.0
Camden	5,910	131	69	22.2	11.7	62	190	5	38.2	11	84.0
White	2,486	39	14	15.7	5.6	25	279	-	0	1	25.6
All other	3,424	92	55	26.9	16.1	37	167	5	54.3	10	108.7
Candler	9,103	145	101	15.9	11.1	44	144	12	82.8	7	48.3
White	5,996	93	62	15.5	10.3	31	150	2	21.5	5	53.8
All other	3,107	52	39	16.7	12.6	13	133	10	192.3	2	38.5
Carroll	34,156	674	318	19.7	9.3	356	212	51	75.7	37	54.9
White	26,903	498	228	18.5	8.5	270	218	35	70.3	26	52.2
All other	7,253	176	90	24.3	12.4	86	196	16	90.0	11	62.5
Catoosa	12,199	185	62	15.2	5.1	123	298	5	27.0	4	21.6
White	11,876	181	60	15.2	5.1	121	302	5	27.6	4	22.1
All other	323	4	2	12.4	6.2	2	200	-	0	-	0
Charlton	5,256	118	51	22.5	9.7	67	231	12	101.7	6	50.8
White	3,760	68	29	18.1	7.7	39	234	5	73.5	3	44.1
All other	1,496	50	22	33.4	14.7	28	227	7	140.0	3	60.0
Chatham	117,970	2,334	1,900	19.8	16.1	434	123	141	60.4	117	50.1
Rural part	21,974	174	238	7.9	10.8	-64	73	19	109.2	5	28.7
White	12,327	42	79	3.4	6.4	-37	53	3	71.4	2	47.6
All other	9,647	132	159	13.7	16.5	-27	83	16	121.2	3	22.7
Savannah	95,996	2,160	1,662	22.5	17.3	498	130	122	56.5	112	51.9
White	52,700	1,274	732	24.2	13.9	542	174	57	44.7	42	33.0
All other	43,296	886	930	20.5	21.5	-44	95	65	73.4	70	79.0
Chattahoochee	15,138	253	75	16.7	5.0	178	337	11	43.5	8	31.6
White	12,110	205	65	16.9	5.4	140	315	10	48.8	7	34.1
All other	3,028	48	10	15.9	3.3	38	480	1	20.8	1	20.8
Chattooga	18,532	473	114	25.5	6.2	359	415	19	40.2	2	4.2
White	16,720	441	102	26.4	6.1	339	432	18	40.8	2	4.5
All other	1,812	32	12	17.7	6.6	20	267	1	31.3	-	0
Cherokee	20,126	440	186	21.9	9.2	254	237	28	63.6	16	36.4
White	19,229	411	167	21.4	8.7	244	246	26	63.3	15	36.5
All other	897	29	19	32.3	21.2	10	153	2	69.0	1	34.5
Clarke	28,398	586	408	20.6	14.4	178	144	41	70.0	23	39.2
Rural part	7,748	126	57	16.3	7.4	69	221	7	55.6	5	39.7
White	4,971	50	25	10.1	5.0	25	200	3	60.0	3	60.0
All other	2,777	76	32	27.4	11.5	44	238	4	52.6	2	26.3
Athens	20,650	460	351	22.3	17.0	109	131	34	73.9	18	39.1
White	13,364	318	187	23.8	14.0	131	170	18	56.6	7	22.0
All other	7,286	142	164	19.5	22.5	-22	87	16	112.7	11	77.5
Clay	7,064	141	55	20.0	7.8	86	256	6	42.6	10	70.9
White	2,077	13	9	6.3	4.3	4	144	-	0	1	76.9
All other	4,987	128	46	25.7	9.2	82	278	6	46.9	9	70.3
Clayton	11,655	143	68	12.3	5.8	75	210	5	35.0	5	35.0
White	8,671	86	35	9.9	4.0	51	246	2	23.3	2	23.3
All other	2,984	57	33	19.1	11.1	24	173	3	52.6	3	52.6
Clinch	6,437	131	52	20.4	8.1	79	252	8	61.1	4	30.5
White	3,938	60	29	15.2	7.4	31	207	2	33.3	2	33.3
All other	2,499	71	23	28.4	9.2	48	309	6	84.5	2	28.2
Cobb	38,272	625	329	16.3	8.6	296	190	30	48.0	18	28.8
White	31,990	521	231	16.3	7.2	290	226	21	40.3	13	25.0
All other	6,282	104	98	16.6	15.6	6	106	9	86.5	5	48.1
Coffee	21,541	639	188	29.7	8.7	451	340	36	56.3	33	51.6
White	16,165	474	122	29.3	7.5	352	389	23	48.5	21	44.3
All other	5,376	165	66	30.7	12.3	99	250	13	78.8	12	72.7
Colquitt	33,012	772	262	23.4	7.9	510	295	43	55.7	35	45.3
Rural part	22,865	484	123	21.2	5.4	361	393	23	47.5	20	41.3
White	18,509	347	87	18.7	4.7	260	399	15	43.2	6	17.3
All other	4,356	137	36	31.5	8.3	101	381	8	58.4	14	102.2
Moultrie	10,147	288	139	28.4	13.7	149	207	20	69.4	15	52.1
White	6,446	214	91	33.2	14.1	123	235	13	60.7	10	46.7
All other	3,701	74	48	20.0	13.0	26	154	7	94.6	5	67.6
Columbia	9,433	184	60	19.5	6.4	124	307	5	27.2	13	70.7
White	3,769	54	14	14.3	3.7	40	386	1	18.5	1	18.5
All other	5,664	130	46	23.0	8.1	84	283	4	30.8	12	92.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Cook	11,919	224	87	18.8	7.3	137	257	10	44.6	17	75.9
White	8,728	168	56	19.2	6.4	112	300	7	41.7	10	59.5
All other	3,191	56	31	17.5	9.7	25	181	3	53.6	7	125.0
Coweta	26,972	479	236	17.8	8.7	243	203	26	54.3	17	35.5
White	16,149	226	119	14.0	7.4	107	190	13	57.5	5	22.1
All other	10,823	253	117	23.4	10.8	136	216	13	51.4	12	47.4
Crawford	7,128	178	74	25.0	10.4	104	241	7	39.3	17	95.5
White	3,105	44	24	14.2	7.7	20	183	1	22.7	1	22.7
All other	4,023	134	50	33.3	12.4	84	268	6	44.8	16	119.4
Crisp	17,540	448	219	25.5	12.5	229	205	32	71.4	31	69.2
White	9,426	235	94	24.9	10.0	141	250	15	63.8	8	34.0
All other	8,114	213	125	26.3	15.4	88	170	17	79.8	23	108.0
Dade	5,894	118	32	20.0	5.4	86	369	2	16.9	2	16.9
White	5,597	116	27	20.7	4.8	89	430	2	17.2	2	17.2
All other	297	2	5	6.7	16.8	-3	40	-	0	-	0
Dawson	4,479	93	12	20.8	2.7	81	775	3	32.3	1	10.8
White	4,415	93	12	21.1	2.7	81	775	3	32.3	1	10.8
All other	64	-	-	0	0	-	0	-	0	-	0
Decatur	22,234	524	262	23.6	11.8	262	200	25	47.7	37	70.6
White	11,473	251	107	21.9	9.3	144	235	8	31.9	16	63.7
All other	10,761	273	155	25.4	14.4	118	176	17	62.3	21	76.9
De Kalb	86,942	1,361	834	15.7	9.6	527	163	63	46.3	49	36.0
Rural part	41,387	1,241	605	30.0	14.6	636	205	49	39.5	46	37.1
White	33,470	1,064	507	31.8	15.1	557	210	38	35.7	37	34.8
All other	7,917	177	98	22.4	12.4	79	181	11	62.1	9	50.8
Atlanta (part)	28,994	25	125	(6)	(6)	-100	(6)	4	(6)	-	(6)
White	26,248	16	100	(6)	(6)	-84	(6)	1	(6)	-	(6)
All other	2,746	9	25	(6)	(6)	-16	(6)	3	(6)	-	(6)
Decatur	16,561	95	104	5.7	6.3	-9	91	10	105.3	3	31.6
White	13,255	18	59	1.4	4.5	-41	31	-	0	-	0
All other	3,306	77	45	23.3	13.6	32	171	10	129.9	3	39.0
Dodge	21,022	443	158	21.1	7.5	285	280	18	40.6	26	58.7
White	14,045	252	96	17.9	6.8	156	263	10	39.7	9	35.7
All other	6,977	191	62	27.4	8.9	129	308	8	41.9	17	89.0
Dooly	16,886	348	152	20.6	9.0	196	229	16	46.0	25	71.8
White	7,555	112	67	14.8	8.9	45	167	4	35.7	4	35.7
All other	9,331	236	85	25.3	9.1	151	278	12	50.8	21	89.0
Dougherty	28,565	533	401	18.7	14.0	132	133	30	56.3	24	45.0
Rural part	9,510	98	73	10.3	7.7	25	134	6	61.2	6	61.2
White	3,692	24	17	6.5	4.6	7	141	2	83.3	-	0
All other	5,818	74	56	12.7	9.6	18	132	4	54.1	6	81.1
Albany	19,055	435	328	22.8	17.2	107	133	24	55.2	18	41.4
White	9,336	244	123	26.1	13.2	121	198	10	41.0	9	36.9
All other	9,719	191	205	19.7	21.1	-14	93	14	73.3	9	47.1
Douglas	10,053	184	94	18.3	9.4	90	196	18	97.8	5	27.2
White	7,880	132	70	16.8	8.9	62	189	12	90.9	3	22.7
All other	2,173	52	24	23.9	11.0	28	217	6	115.4	2	38.5
Early	18,679	388	172	20.8	9.2	216	226	32	82.5	25	64.4
White	9,065	147	47	16.2	5.2	100	313	6	40.8	2	13.6
All other	9,614	241	125	25.1	13.0	116	193	26	107.9	23	95.4
Echols	2,964	68	19	22.9	6.4	49	358	2	29.4	4	58.8
White	1,899	49	11	25.8	5.8	38	445	1	20.4	-	0
All other	1,065	19	8	17.8	7.5	11	238	1	52.6	4	210.5
Effingham	9,646	190	105	19.7	10.9	85	181	13	68.4	13	68.4
White	5,644	87	44	15.4	7.8	43	198	2	23.0	7	80.5
All other	4,002	103	61	25.7	15.2	42	169	11	106.8	6	58.3
Elbert	19,618	413	190	21.1	9.7	223	217	21	50.8	24	58.1
White	11,887	225	97	18.9	8.2	128	232	9	40.0	4	17.8
All other	7,731	188	93	24.3	12.0	95	202	12	63.8	20	106.4
Emanuel	23,517	517	228	22.0	9.7	289	227	30	58.0	37	71.6
White	15,206	300	129	19.7	8.5	171	233	16	53.3	15	50.0
All other	8,311	217	99	26.1	11.9	118	219	14	64.5	22	101.4
Evans	7,401	162	77	21.9	10.4	85	210	14	86.4	9	55.6
White	4,908	98	37	20.0	7.5	61	265	4	40.8	4	40.8
All other	2,493	64	40	25.7	16.0	24	160	10	156.3	5	78.1
Fannin	14,752	363	118	24.6	8.0	245	308	25	68.9	7	19.3
White	14,675	363	116	24.7	7.9	247	313	25	68.9	7	19.3
All other	77	-	2	0	26.0	-2	0	-	0	-	0
Fayette	8,170	186	59	22.8	7.2	127	315	7	37.6	5	28.9
White	5,503	99	39	18.0	7.1	60	254	2	20.2	3	30.3
All other	2,667	87	20	32.6	7.5	67	435	5	57.5	2	23.0
Floyd	56,141	1,210	599	21.6	10.7	611	202	79	65.3	66	54.5
Rural part	29,859	422	200	14.1	6.7	222	211	18	42.7	11	26.1
White	26,701	358	164	13.4	6.1	194	218	13	36.3	9	25.1
All other	3,158	64	36	20.3	11.4	28	178	5	78.1	2	31.3
Rome	26,282	788	399	30.0	15.2	389	197	61	77.4	55	69.8
White	20,799	687	300	33.0	14.4	387	229	51	74.2	38	55.3
All other	5,483	101	99	18.4	18.1	2	102	10	99.0	17	168.3
Forsyth	11,322	230	42	20.3	3.7	188	548	9	39.1	5	21.7
White	11,281	230	42	20.4	3.7	188	548	9	39.1	5	21.7
All other	41	-	-	0	0	-	0	-	0	-	0
Franklin	15,612	317	130	20.3	8.3	187	244	14	44.2	13	41.0
White	13,342	284	111	21.3	8.3	173	256	12	42.3	10	35.2
All other	2,270	33	19	14.5	8.4	14	174	2	60.6	3	90.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Fulton	392,886	7,822	4,840	19.9	12.3	2,982	162	422	54.0	271	34.6
Rural part	95,034	557	638	5.9	6.7	-81	87	41	73.6	21	37.7
White	78,277	436	456	5.6	5.8	-20	96	22	50.5	15	34.4
All other	16,757	121	182	7.2	10.9	-61	66	19	157.0	6	49.6
Atlanta (part)	273,294	7,243	4,083	(6)	(6)	3,160	(6)	379	(6)	250	(6)
White	171,438	4,813	2,125	(6)	(6)	2,688	(6)	194	(6)	132	(6)
All other	101,856	2,430	1,958	(6)	(6)	472	(6)	185	(6)	118	(6)
Atlanta (total)	302,288	7,268	4,208	24.0	13.9	3,060	173	383	52.7	250	34.4
White	197,686	4,829	2,225	24.4	11.3	2,604	217	195	40.4	132	27.3
All other	104,602	2,439	1,983	23.3	19.0	456	123	188	77.1	118	48.4
District 1511, Center Hill [5]	12,155	3	62	0.2	5.1	-59	5	-	0	-	0
White	9,608	3	25	0.3	2.6	-22	12	-	0	-	0
All other	2,547	-	37	0	14.5	-37	0	-	0	-	0
East Point	12,403	19	57	1.5	4.6	-38	33	2	105.3	-	0
White	10,420	16	39	1.5	3.7	-23	41	2	125.0	-	0
All other	1,983	3	18	1.5	9.1	-15	17	-	0	-	0
Gilmer	9,001	258	66	26.7	7.3	192	391	8	31.0	2	7.8
White	8,952	258	66	28.8	7.4	192	391	8	31.0	2	7.8
All other	49	-	-	0	0	-	0	-	0	-	0
Glascock	4,547	82	26	18.0	5.7	56	315	7	85.4	-	0
White	3,326	66	14	19.8	4.2	52	471	5	75.8	-	0
All other	1,221	16	12	13.1	9.8	4	133	2	125.0	-	0
Glynn	21,920	485	291	22.1	13.3	194	167	45	92.8	18	37.1
Rural part	6,885	88	66	12.8	9.6	22	133	7	79.5	3	34.1
White	4,401	39	25	8.9	5.7	14	156	1	25.6	-	0
All other	2,484	49	41	19.7	16.5	8	120	6	122.4	3	61.2
Brunswick	15,035	397	225	26.4	15.0	172	176	38	95.7	15	37.8
White	8,955	265	106	29.6	11.8	159	250	19	71.7	10	37.7
All other	6,080	132	119	21.7	19.6	13	111	19	143.9	5	37.9
Gordon	18,445	414	126	22.4	6.8	288	329	21	50.7	11	26.6
White	17,242	384	109	22.3	6.3	275	352	20	52.1	7	18.2
All other	1,203	30	17	24.9	14.1	13	176	1	33.3	4	133.3
Grady	19,654	462	194	23.5	9.9	268	238	31	67.1	13	28.1
White	12,930	283	115	21.9	8.9	168	246	20	70.7	6	21.2
All other	6,724	179	79	26.6	11.7	100	227	11	61.5	7	39.1
Greene	13,709	247	143	18.0	10.4	104	173	14	56.7	10	40.5
White	6,554	79	54	12.1	8.2	25	146	4	50.6	1	12.7
All other	7,155	168	89	23.5	12.4	79	189	10	59.5	9	53.6
Gwinnett	29,087	543	185	18.7	6.4	358	294	29	53.4	20	36.8
White	25,751	467	155	18.1	6.0	312	301	22	47.1	12	25.7
All other	3,336	76	30	22.8	9.0	46	253	7	92.1	8	105.3
Habersham	14,771	370	136	25.0	9.2	234	272	17	45.9	14	37.8
White	14,104	356	123	25.2	8.7	233	289	17	47.8	14	39.3
All other	667	14	13	21.0	19.5	1	108	-	0	-	0
Hall	34,822	659	297	18.9	8.5	362	222	43	65.3	29	44.0
Rural part	24,579	392	144	15.9	5.9	248	272	24	61.2	12	30.6
White	23,498	360	132	15.3	5.6	228	273	22	61.1	12	33.3
All other	1,081	32	12	29.6	11.1	20	267	2	62.5	-	0
Gainesville	10,243	267	153	26.1	14.9	114	175	19	71.2	17	63.7
White	7,985	229	110	28.7	13.8	119	208	16	69.9	12	52.4
All other	2,258	38	43	16.8	19.0	-5	88	3	78.9	5	131.6
Hancock	12,764	291	138	22.8	10.8	153	211	18	61.9	9	30.9
White	3,581	34	35	9.5	9.8	-1	97	4	117.6	-	0
All other	9,183	257	103	28.0	11.2	154	250	14	54.5	9	35.0
Haralson	14,377	271	94	18.8	6.5	177	288	9	33.2	4	14.8
White	12,853	247	86	19.2	6.7	161	287	8	32.4	2	8.1
All other	1,524	24	8	15.7	5.2	16	300	1	41.7	2	83.3
Harris	11,428	245	125	21.4	10.9	120	196	17	69.4	8	32.7
White	4,626	49	43	10.6	9.3	6	114	1	20.4	-	0
All other	6,802	196	82	28.8	12.1	114	239	16	81.6	8	40.8
Hart	15,512	333	111	21.5	7.2	222	300	17	51.1	19	57.1
White	11,551	239	77	20.7	6.7	162	310	12	50.2	9	37.7
All other	3,961	94	34	23.7	8.6	60	276	5	53.2	10	106.4
Heard	8,610	133	63	15.4	7.3	70	211	10	75.2	2	15.0
White	6,023	79	49	13.1	8.1	30	161	9	113.9	1	12.7
All other	2,587	54	14	20.9	5.4	40	386	1	18.5	1	18.5
Henry	15,119	298	123	19.7	8.1	175	242	17	57.0	15	50.3
White	7,955	83	42	10.4	5.3	41	198	3	36.1	5	60.2
All other	7,164	215	81	30.0	11.3	134	265	14	65.1	10	46.5
Houston	11,303	237	105	21.0	9.3	132	226	14	59.1	20	84.4
White	3,984	50	25	12.6	6.3	25	200	2	40.0	4	80.0
All other	7,319	187	80	25.5	10.9	107	234	12	64.2	16	85.6
Irvin	12,936	269	102	20.8	7.9	167	264	20	74.3	10	37.2
White	8,178	144	61	17.6	7.5	83	236	10	69.4	3	20.8
All other	4,758	125	41	26.3	8.6	84	305	10	80.0	7	56.0
Jackson	20,089	442	149	22.0	7.4	293	297	19	43.0	17	38.5
White	16,548	379	115	22.9	6.9	264	330	17	44.9	16	42.2
All other	3,541	63	34	17.8	9.6	29	185	2	31.7	1	15.9
Jasper	8,772	181	112	20.6	12.8	69	162	13	71.8	15	82.9
White	3,777	49	40	13.0	10.6	9	123	2	40.8	1	20.4
All other	4,995	132	72	26.4	14.4	60	183	11	83.3	14	106.1
Jeff Davis	8,841	196	65	22.2	7.4	131	302	8	40.8	11	56.1
White	7,231	148	42	20.5	5.8	106	352	4	27.0	8	54.1
All other	1,610	48	23	29.8	14.3	25	209	4	83.3	3	62.5
Jefferson	20,040	500	148	25.0	7.4	352	338	16	32.0	25	50.0
White	8,583	124	56	14.4	6.5	68	221	4	32.3	4	32.3
All other	11,457	376	92	32.8	8.0	284	409	12	31.9	21	55.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Jenkins	11,843	333	138	28.1	11.7	195	241	17	51.1	20	60.1
White	5,306	173	66	32.6	12.4	107	262	9	52.0	7	40.5
All other	6,537	160	72	24.5	11.0	88	222	8	50.0	13	81.3
Johnson	12,953	240	45	18.5	3.5	195	533	8	33.3	15	62.5
White	8,029	139	22	17.3	2.7	117	632	3	21.6	4	28.8
All other	4,924	101	23	20.5	4.7	78	439	5	49.5	11	108.9
Jones	8,331	164	73	19.7	8.8	91	225	15	91.5	5	30.5
White	3,250	38	19	11.7	5.8	19	200	2	52.6	-	0
All other	5,081	126	54	24.8	10.6	72	233	13	103.2	5	39.7
Lamar	10,091	203	103	20.1	10.2	100	197	9	44.3	9	44.3
White	5,668	71	50	12.5	8.8	21	142	2	28.2	3	42.3
All other	4,423	132	53	29.8	12.0	79	249	7	53.0	6	45.5
Lanier	5,632	69	31	12.3	5.5	38	223	2	29.0	4	58.0
White	4,017	48	14	11.9	3.5	34	343	2	41.7	4	83.3
All other	1,615	21	17	13.0	10.5	4	124	-	0	-	0
Laurens	33,606	829	414	24.7	12.3	415	200	62	74.8	48	57.9
White	19,861	468	199	23.6	10.0	269	235	27	57.7	17	36.3
All other	13,745	361	215	26.3	15.6	146	168	35	97.0	31	85.9
Lee	7,837	179	86	22.8	11.0	93	208	12	67.0	13	72.6
White	1,695	22	9	11.6	4.7	13	244	1	45.5	2	90.9
All other	5,942	157	77	26.4	13.0	80	204	11	70.1	11	70.1
Liberty	8,595	167	114	19.4	13.3	53	146	18	107.8	19	113.8
White	3,077	50	21	16.2	6.8	29	238	4	80.0	1	20.0
All other	5,518	117	93	21.2	16.9	24	126	14	119.7	18	153.8
Lincoln	7,042	138	33	19.6	4.7	105	418	3	21.7	3	21.7
White	3,423	53	12	15.5	3.5	41	442	-	0	1	18.9
All other	3,619	85	21	23.5	5.8	64	405	3	35.3	2	23.5
Long	4,086	62	28	15.2	6.9	34	221	2	32.3	1	16.1
White	2,625	39	17	14.9	6.5	22	229	-	0	-	0
All other	1,461	23	11	15.7	7.5	12	209	2	87.0	1	43.5
Lowndes	31,860	717	358	22.5	11.2	359	200	36	50.2	42	58.6
Rural part	16,265	295	102	18.1	6.3	193	289	10	33.9	16	54.2
White	9,060	116	49	12.8	5.4	67	237	4	34.5	3	25.9
All other	7,205	179	53	24.8	7.4	126	338	6	33.5	13	72.6
Valdosta	15,595	422	256	27.1	16.4	166	165	26	61.6	26	61.6
White	8,126	261	137	32.1	16.9	124	191	17	65.1	10	38.3
All other	7,469	161	119	21.6	15.9	42	135	9	55.9	16	99.4
Lumpkin	6,223	141	27	22.7	4.3	114	522	3	21.3	3	21.3
White	6,003	135	25	22.5	4.2	110	540	3	22.2	3	22.2
All other	220	6	2	27.3	9.1	4	300	-	0	-	0
McDuffie	10,878	212	91	19.5	8.4	121	233	12	56.6	14	66.0
White	5,565	68	33	12.2	5.9	35	206	2	29.4	1	14.7
All other	5,313	144	58	27.1	10.9	86	248	10	69.4	13	90.3
McIntosh	5,292	151	78	28.5	14.7	73	194	9	59.6	7	46.4
White	2,135	30	24	14.1	11.2	6	125	2	66.7	1	33.3
All other	3,157	121	54	38.3	17.1	67	224	7	57.9	6	49.6
Macon	15,947	382	189	24.0	11.9	193	202	35	91.6	20	52.4
White	5,053	77	49	15.2	9.7	28	157	5	64.9	-	0
All other	10,894	305	140	28.0	12.9	165	218	30	98.4	20	65.6
Madison	13,431	266	105	19.8	7.8	161	253	10	37.6	13	48.9
White	10,826	196	86	18.1	7.9	110	228	4	20.4	8	40.8
All other	2,605	70	19	26.9	7.3	51	368	6	85.7	5	71.4
Marion	6,954	204	97	29.3	13.9	107	210	15	73.5	15	73.5
White	3,129	76	39	24.3	12.5	37	195	4	52.6	3	39.5
All other	3,825	128	58	33.5	15.2	70	221	11	85.9	12	93.8
Meriwether	22,055	467	221	21.2	10.0	246	211	18	38.5	27	57.8
White	10,334	182	83	17.6	8.0	99	219	3	16.5	3	16.5
All other	11,721	285	138	24.3	11.8	147	207	15	52.6	24	84.2
Miller	9,998	140	44	14.0	4.4	96	318	7	50.0	3	21.4
White	6,753	57	26	8.4	3.9	31	219	3	52.6	-	0
All other	3,245	83	18	25.6	5.5	65	461	4	48.2	3	36.1
Mitchell	23,261	572	195	24.6	8.4	377	293	34	59.4	34	59.4
White	10,996	197	71	17.9	6.5	126	277	9	45.7	9	45.7
All other	12,265	375	124	30.6	10.1	251	302	25	66.7	25	66.7
Monroe	10,749	248	122	23.1	11.3	126	203	11	44.4	19	76.6
White	4,596	79	46	17.2	10.0	33	172	2	25.3	4	50.6
All other	6,153	169	76	27.5	12.4	93	222	9	53.3	15	88.8
Montgomery	9,668	150	71	15.5	7.3	79	211	10	66.7	13	86.7
White	5,788	63	37	10.9	6.4	26	170	4	63.5	2	31.7
All other	3,880	87	34	22.4	8.8	53	256	6	69.0	11	126.4
Morgan	12,713	362	157	28.5	12.3	205	231	29	80.1	20	55.2
White	5,936	140	49	23.6	8.3	91	286	8	57.1	7	50.0
All other	6,777	222	108	32.8	15.9	114	206	21	94.6	13	58.6
Murray	11,137	246	108	22.1	9.7	138	228	18	73.2	15	61.0
White	10,756	231	103	21.5	9.6	128	224	18	77.9	15	64.9
All other	381	15	5	39.4	13.1	10	300	-	0	-	0
Muscogee	75,494	1,452	836	19.2	11.1	616	174	70	48.2	79	54.4
Rural part	22,214	109	109	4.9	4.9	-	100	8	73.4	4	36.7
White	13,674	51	58	3.7	4.2	-7	88	5	98.0	2	39.2
All other	8,540	58	51	6.8	6.0	7	114	3	51.7	2	34.5
Columbus	53,280	1,343	727	25.2	13.6	616	185	62	46.2	75	55.8
White	35,804	949	427	26.5	11.9	522	222	43	45.3	36	37.9
All other	17,476	394	300	22.5	17.2	94	131	19	48.2	39	99.0
Newton	18,576	365	199	19.6	10.7	166	183	17	46.6	12	32.9
White	12,154	220	99	18.1	8.1	121	222	5	22.7	6	27.3
All other	6,422	145	100	22.6	15.6	45	145	12	82.8	6	41.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Oconee	7,576	105	45	13.9	5.9	60	233	4	38.1	6	57.1
White	5,317	51	23	9.6	4.3	28	222	2	39.2	3	58.8
All other	2,259	54	22	23.9	9.7	32	245	2	37.0	3	55.6
Oglethorpe	12,430	260	126	20.9	10.1	134	206	24	92.3	11	42.3
White	6,934	108	55	15.6	7.9	53	196	5	46.3	4	37.0
All other	5,496	152	71	27.7	12.9	81	214	19	125.0	7	46.1
Paulding	12,832	251	87	19.6	6.8	164	289	11	43.8	6	23.9
White	11,534	227	80	19.7	6.9	147	284	11	48.5	5	22.0
All other	1,298	24	7	18.5	5.4	17	343	-	0	1	41.7
Peach	10,378	275	99	26.5	9.5	176	278	16	58.2	13	47.3
White	4,012	114	23	28.4	5.7	91	496	3	26.3	3	26.3
All other	6,366	161	76	25.3	11.9	85	212	13	80.7	10	62.1
Pickens	9,138	228	82	25.0	9.0	146	278	19	83.3	6	26.3
White	8,656	220	75	25.4	8.7	145	293	17	77.3	6	27.3
All other	480	8	7	16.7	14.6	1	114	2	250.0	-	0
Pierce	11,800	298	83	25.3	7.0	215	359	8	26.8	14	47.0
White	9,346	242	58	25.9	6.2	184	417	7	28.9	8	33.1
All other	2,454	56	25	22.8	10.2	31	224	1	17.9	6	107.1
Pike	10,375	235	112	22.7	10.8	123	210	14	59.6	10	42.6
White	5,310	83	50	15.6	9.4	33	166	6	72.3	1	12.0
All other	5,065	152	62	30.0	12.2	90	245	8	52.6	9	59.2
Polk	28,467	607	212	21.3	7.4	395	286	40	65.9	23	37.9
White	23,698	510	162	21.5	6.8	348	315	32	62.7	17	33.3
All other	4,769	97	50	20.3	10.5	47	194	8	82.5	6	61.9
Pulaski	9,829	197	97	20.0	9.9	100	203	8	40.6	13	66.0
White	4,470	88	46	19.7	10.3	42	191	5	56.8	3	34.1
All other	5,359	109	51	20.3	9.5	58	214	3	27.5	10	91.7
Putnam	8,514	205	92	24.1	10.8	113	223	12	58.5	10	48.8
White	3,417	56	30	16.4	8.8	26	187	3	53.6	1	17.9
All other	5,097	149	62	29.2	12.2	87	240	9	60.4	9	60.4
Quitman	3,435	76	33	22.1	9.6	43	230	4	52.6	4	52.6
White	1,057	7	9	6.6	8.5	-2	78	-	0	1	142.9
All other	2,378	69	24	29.0	10.1	45	288	4	58.0	3	43.5
Rabun	7,821	170	29	21.7	3.7	141	586	3	17.6	2	11.8
White	7,686	168	27	21.9	3.5	141	622	3	17.9	2	11.9
All other	135	2	2	14.8	14.8	-	100	-	0	-	0
Randolph	16,609	350	209	21.1	12.6	141	167	18	51.4	19	54.3
White	5,205	84	76	16.1	14.6	8	111	4	47.6	3	35.7
All other	11,404	266	133	23.3	11.7	133	200	14	52.6	16	60.2
Richmond	81,863	1,814	1,227	22.2	15.0	587	148	91	50.2	105	57.9
Rural part	15,944	162	109	10.2	6.8	53	149	8	49.4	5	30.9
White	9,803	42	61	4.3	6.2	-19	69	1	23.8	2	47.6
All other	6,141	120	48	19.5	7.8	72	250	7	58.3	3	25.0
Augusta	65,919	1,652	1,118	25.1	17.0	534	148	83	50.2	100	60.5
White	38,691	1,026	606	26.5	15.7	420	169	43	41.9	45	43.9
All other	27,228	626	512	23.0	18.8	114	122	40	63.9	55	87.9
Rockdale	7,724	149	69	19.3	8.9	80	216	12	80.5	9	60.4
White	5,276	75	33	14.2	6.3	42	227	4	53.3	6	80.0
All other	2,448	74	36	30.2	14.7	38	206	8	108.1	3	40.5
Schley	5,033	126	46	25.0	9.1	80	274	10	79.4	4	31.7
White	1,999	43	19	21.5	9.5	24	226	3	69.8	2	46.5
All other	3,034	83	27	27.4	8.9	56	307	7	84.3	2	24.1
Screven	20,353	456	225	22.4	11.1	231	203	40	87.7	43	94.3
White	8,746	135	55	15.4	6.3	80	245	10	74.1	8	59.3
All other	11,607	321	170	27.7	14.6	151	189	30	93.5	35	109.0
Seminole	8,492	265	57	31.2	6.7	208	465	13	49.1	11	41.5
White	5,035	178	19	35.4	3.8	159	937	8	44.9	3	16.9
All other	3,457	87	38	25.2	11.0	49	229	5	57.5	8	92.0
Spalding	28,427	524	336	18.4	11.8	188	156	55	105.0	42	80.2
Rural part	15,205	205	118	13.5	7.8	87	174	21	102.4	15	73.2
White	10,679	117	66	11.0	6.2	51	177	10	85.5	5	42.7
All other	4,526	88	52	19.4	11.5	36	169	11	125.0	10	113.6
Griffin	13,222	319	218	24.1	16.5	101	146	34	106.6	27	84.6
White	8,806	224	129	25.4	14.6	95	174	19	84.8	19	84.8
All other	4,416	95	89	21.5	20.2	6	107	15	157.9	8	84.2
Stephens	12,972	326	98	25.1	7.6	228	333	13	39.9	16	49.1
White	11,116	290	80	26.1	7.2	210	363	9	31.0	15	51.7
All other	1,856	36	18	19.4	9.7	18	200	4	111.1	1	27.8
Stewart	10,603	183	104	17.3	9.8	79	176	10	54.6	4	21.9
White	2,882	30	31	10.4	10.8	-1	97	1	33.3	1	33.3
All other	7,721	153	73	19.8	9.5	80	210	9	58.8	3	19.6
Sumter	24,502	535	311	21.8	12.7	224	172	41	76.6	29	54.2
White	9,504	139	108	14.6	11.4	31	129	9	64.7	1	7.2
All other	14,998	396	203	26.4	13.5	193	195	32	80.8	28	70.7
Talbot	8,141	181	127	22.2	15.6	54	143	30	165.7	8	44.2
White	2,460	23	46	9.3	18.7	-23	50	5	217.4	1	43.5
All other	5,681	158	81	27.8	14.3	77	195	25	158.2	7	44.3
Taliaferro	6,278	128	56	20.4	8.9	72	229	8	62.5	5	39.1
White	1,997	15	9	7.5	4.5	6	167	-	0	-	0
All other	4,281	113	47	26.4	11.0	66	240	8	70.8	5	44.2
Tattnall	16,243	232	120	14.3	7.4	112	193	3	12.9	13	56.0
White	12,076	166	65	13.7	5.4	101	255	3	18.1	8	48.2
All other	4,167	66	55	15.8	13.2	11	120	-	0	5	75.8
Taylor	10,768	217	75	20.2	7.0	142	289	3	13.8	8	36.9
White	5,586	81	27	14.5	4.8	54	300	-	0	2	24.7
All other	5,182	136	48	26.2	9.3	88	283	3	22.1	6	44.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Telfair	15,145	313	137	20.7	9.0	176	228	15	47.9	15	47.9
White	10,358	193	71	18.6	6.9	122	272	7	36.3	7	36.3
All other	4,787	120	66	25.1	13.8	54	182	8	66.7	8	66.7
Terrell	16,675	418	204	25.1	12.2	214	205	37	88.5	19	45.5
White	4,714	54	43	11.5	9.1	11	126	2	37.0	-	0
All other	11,961	364	161	30.4	13.5	203	226	35	96.2	19	52.2
Thomas	31,289	605	351	19.3	11.2	254	172	38	62.8	26	43.0
Rural part	18,606	319	126	17.1	6.8	193	253	20	62.7	9	28.2
White	10,847	132	64	12.2	5.9	68	206	8	60.6	-	0
All other	7,759	187	62	24.1	8.0	125	302	12	64.2	9	48.1
Thomasville	12,683	286	225	22.5	17.7	61	127	18	62.9	17	59.4
White	6,462	177	107	27.4	16.6	70	165	9	50.8	10	56.5
All other	6,221	109	118	17.5	19.0	-9	92	9	82.6	7	64.2
Tift	18,599	403	179	21.7	9.6	224	225	26	64.5	24	59.6
White	13,106	270	108	20.6	8.2	162	250	16	59.3	16	59.3
All other	5,493	133	71	24.2	12.9	62	187	10	75.2	8	60.2
Toombs	16,952	297	130	17.5	7.7	167	228	9	30.3	16	53.9
White	12,434	199	87	18.0	7.0	112	229	5	25.1	11	55.3
All other	4,518	98	43	21.7	9.5	55	228	4	40.8	5	51.0
Towns	4,925	108	20	21.9	4.1	88	540	11	101.9	4	37.0
White	4,925	108	19	21.9	3.9	89	568	10	92.6	4	37.0
All other	-	-	1	0	(3)	-1	0	1	(3)	-	0
Treutlen	7,632	134	48	17.6	6.3	86	279	3	22.4	4	29.9
White	5,353	91	31	17.1	5.8	60	294	2	22.0	-	0
All other	2,299	43	17	18.7	7.4	26	253	1	23.3	4	93.0
Troup	45,879	856	531	19.5	12.1	325	161	59	68.9	34	39.7
Rural part	21,896	424	260	19.4	11.9	164	163	28	66.0	15	35.4
White	12,138	218	125	18.0	10.3	93	174	9	41.3	6	27.5
All other	9,758	206	135	21.1	13.8	71	153	19	92.2	9	43.7
Lagrange	21,983	432	271	19.7	12.3	161	159	31	71.8	19	44.0
White	15,389	331	146	21.5	9.5	185	227	21	63.4	10	30.2
All other	6,594	101	125	15.3	19.0	-24	81	10	99.0	9	89.1
Turner	10,846	190	87	17.5	8.0	103	218	12	63.2	15	78.9
White	7,036	88	48	12.5	6.8	40	183	3	34.1	6	68.2
All other	3,810	102	39	26.8	10.2	63	262	9	88.2	9	88.2
Twiggs	9,117	232	70	25.4	7.7	162	331	10	43.1	9	38.8
White	3,253	48	17	14.8	5.2	31	282	-	0	-	0
All other	5,864	184	53	31.4	9.0	131	347	10	54.3	9	48.9
Union	7,680	202	61	26.3	7.9	141	331	17	84.2	11	54.5
White	7,669	202	61	26.3	8.0	141	331	17	84.2	11	54.5
All other	11	-	-	0	0	-	0	-	0	-	0
Upson	25,064	559	233	22.3	9.3	326	240	32	57.2	16	28.6
White	17,377	368	131	21.2	7.5	237	281	17	46.2	8	21.7
All other	7,687	191	102	24.8	13.3	89	187	15	78.5	8	41.9
Walker	31,024	589	183	19.0	5.9	406	322	22	37.4	18	30.6
White	28,789	540	168	18.8	5.8	372	321	18	33.3	17	31.5
All other	2,235	49	15	21.9	6.7	34	327	4	81.6	1	20.4
Walton	20,777	422	201	20.3	9.7	221	210	29	68.7	19	45.0
White	14,168	266	117	18.8	8.3	149	227	13	48.9	7	26.3
All other	6,609	156	84	23.6	12.7	72	186	16	102.6	12	76.9
Ware	27,929	610	362	21.8	13.0	248	169	18	29.5	45	73.8
Rural part	11,166	164	55	14.7	4.9	109	298	2	12.2	6	36.6
White	9,469	132	41	13.9	4.3	91	322	2	15.2	3	22.7
All other	1,697	32	14	18.9	8.2	18	229	-	0	3	93.8
Waycross	16,763	446	307	26.6	18.3	139	145	16	35.9	39	87.4
White	10,920	307	185	28.1	16.9	122	166	9	29.3	27	87.9
All other	5,843	139	122	23.8	20.9	17	114	7	50.4	12	86.3
Warren	10,236	216	90	21.1	8.8	126	240	17	78.7	10	46.3
White	3,571	37	21	10.4	5.9	16	176	-	0	-	0
All other	6,665	179	69	26.9	10.4	110	259	17	95.0	10	55.9
Washington	24,230	616	228	25.4	9.4	388	270	29	47.1	26	42.2
White	10,357	204	107	19.7	10.3	97	191	8	39.2	4	19.6
All other	13,873	412	121	29.7	8.7	291	340	21	51.0	22	53.4
Wayne	13,122	395	99	30.1	7.5	296	399	16	40.5	13	32.9
White	10,328	317	77	30.7	7.5	240	412	12	37.9	9	28.4
All other	2,794	78	22	27.9	7.9	56	355	4	51.3	4	51.3
Webster	4,726	83	34	17.6	7.2	49	244	1	12.0	8	96.4
White	1,834	25	16	13.6	8.7	9	156	1	40.0	2	80.0
All other	2,892	58	18	20.1	6.2	40	322	-	0	6	103.4
Wheeler	8,535	162	36	19.0	4.2	126	450	8	49.4	2	12.3
White	5,855	79	20	13.5	3.4	59	395	3	38.0	1	12.7
All other	2,680	83	16	31.0	6.0	67	519	5	60.2	1	12.0
White	6,417	173	39	27.0	6.1	134	444	10	57.8	6	34.7
White	6,050	163	36	26.9	6.0	127	453	10	61.3	6	36.8
All other	367	10	3	27.2	8.2	7	333	-	0	-	0
Whitfield	26,105	570	252	21.8	9.7	318	226	41	71.9	22	38.6
Rural part	15,657	224	108	14.3	6.9	116	207	18	80.4	3	13.4
White	15,333	218	105	14.2	6.8	113	208	18	82.6	3	13.8
All other	324	6	3	18.5	9.3	3	200	-	0	-	0
Dalton	10,448	346	144	33.1	13.8	202	240	23	66.5	19	54.9
White	9,307	316	132	34.0	14.2	184	239	23	72.8	16	50.6
All other	1,141	30	12	26.3	10.5	18	250	-	0	3	100.0
Wilcox	12,755	265	70	20.8	5.5	195	379	10	37.7	13	49.1
White	7,879	168	37	21.3	4.7	131	454	6	35.7	5	29.8
All other	4,876	97	33	19.9	6.8	64	294	4	41.2	8	82.5
Wilkes	15,084	396	190	26.3	12.6	206	208	12	30.3	30	75.8
White	6,041	165	60	27.3	9.9	105	275	2	12.1	11	66.7
All other	9,043	231	130	25.5	14.4	101	178	10	43.3	19	82.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
GEORGIA—Continued											
Wilkinson	11,025	227	108	20.6	9.8	119	210	19	83.7	14	61.7
White	5,618	97	36	17.3	6.4	61	269	5	51.5	1	10.3
All other	5,407	130	72	24.0	13.3	58	181	14	107.7	13	100.0
Worth	21,374	490	203	22.9	9.5	287	241	44	89.8	33	67.3
White	11,397	198	84	17.4	7.4	114	236	12	60.6	16	80.8
All other	9,977	292	119	29.3	11.9	173	245	32	109.6	17	58.2
IDAHO (total)	524,873	11,712	4,890	22.3	9.3	6,822	240	495	42.3	252	21.5
Ada	50,401	1,061	581	21.1	11.5	480	183	29	27.3	25	23.6
Rural part	24,271	17	138	0.7	5.7	-121	12	-	0	1	58.8
Boise City	26,130	1,044	443	40.0	17.0	601	236	29	27.8	24	23.0
Adams	3,407	104	45	30.5	13.2	59	231	3	28.8	-	0
Bannock	34,759	879	308	25.3	8.9	571	285	38	43.2	22	25.0
Rural part	16,626	135	66	8.1	4.0	69	205	7	51.9	2	14.8
Pocatello	18,133	744	242	41.0	13.3	502	307	31	41.7	20	26.9
Bear Lake	7,911	183	46	23.1	5.8	137	398	3	16.4	1	5.5
Benewah	7,332	158	78	21.5	10.6	80	203	14	88.6	2	12.7
Bingham	21,044	418	228	19.9	10.8	190	183	36	86.1	2	4.8
Blaine	5,295	124	49	23.4	9.3	75	253	4	32.3	2	16.1
Boise	2,333	1	18	0.4	7.7	-17	6	-	0	-	0
Bonner	15,667	293	151	18.7	9.6	142	194	10	34.1	5	17.1
Bonneville	25,697	953	240	37.1	9.3	713	397	46	48.3	23	24.1
Rural part	10,673	34	30	3.2	2.8	4	113	3	88.2	-	0
Idaho Falls	15,024	919	210	61.2	14.0	709	438	43	46.8	23	25.0
Boundary	5,987	126	48	21.0	8.0	78	263	3	23.8	4	31.7
Butte	1,877	43	21	22.9	11.2	22	205	2	46.5	1	23.3
Camas	1,360	33	6	24.3	4.4	27	550	1	30.3	1	30.3
Canyon	40,987	954	402	23.3	9.8	552	237	40	41.9	21	22.0
Rural part	28,838	452	214	15.7	7.4	238	211	18	39.8	9	19.9
Nampa	12,149	502	188	41.3	15.5	314	267	22	43.8	12	23.9
Caribou	2,284	81	69	35.5	30.2	12	117	6	74.1	3	37.0
Cassia	14,430	369	111	25.6	7.7	258	332	14	37.9	8	21.7
Clark	1,005	6	10	6.0	10.0	-4	60	1	166.7	-	0
Clearwater	8,243	151	119	18.3	14.4	32	127	7	46.4	3	19.9
Custer	3,549	44	33	12.4	9.3	11	133	2	45.5	-	0
Elmore	5,518	88	55	15.9	10.0	33	160	1	11.4	3	34.1
Franklin	10,229	288	66	28.2	6.5	222	436	14	48.6	6	20.8
Fremont	10,304	196	77	19.0	7.5	119	255	12	61.2	3	15.3
Gem	9,544	217	75	22.7	7.9	142	289	8	36.9	4	18.4
Gooding	9,257	280	89	30.2	9.6	191	315	15	53.6	6	21.4
Idaho	12,691	247	119	19.5	9.4	128	208	12	48.6	3	12.1
Jefferson	10,762	187	47	17.4	4.4	140	398	9	48.1	4	21.4
Jerome	9,900	146	64	14.7	6.5	82	228	9	61.6	6	41.1
Kootenai	22,283	338	223	15.2	10.0	115	152	10	29.6	10	29.6
Rural part	12,234	43	73	3.5	6.0	-30	59	1	23.3	1	23.3
Coeur d'Alene	10,049	295	150	29.4	14.9	145	197	9	30.5	9	30.5
Latah	18,804	371	170	19.7	9.0	201	218	15	40.4	5	13.5
Lemhi	6,521	102	50	15.6	7.7	52	204	2	19.6	2	19.6
Lewis	4,666	87	36	18.6	7.7	51	242	6	69.0	1	11.5
Lincoln	4,230	59	18	13.9	4.3	41	328	3	50.8	-	0
Madison	9,186	297	57	32.3	6.2	240	521	9	30.3	11	37.0
Minidoka	9,870	231	62	23.4	6.3	169	373	9	39.0	3	13.0
Nez Perce	18,873	440	286	23.3	15.2	154	154	29	65.9	19	43.2
Rural part	8,325	40	51	4.8	6.1	-11	78	5	125.0	1	25.0
Lewiston	10,548	400	235	37.9	22.3	165	170	24	60.0	18	45.0
Oneida	5,417	144	35	26.6	6.5	109	411	7	48.6	2	13.9
Owyhee	5,652	15	14	2.7	2.5	1	107	-	0	-	0
Payette	9,511	188	90	19.8	9.5	98	209	7	37.2	1	5.3
Power	3,965	121	46	30.5	11.6	75	263	1	8.3	3	24.8
Shoshone	21,230	448	209	21.1	9.8	239	214	10	22.3	13	29.0
Teton	3,601	89	24	24.7	6.7	65	371	4	44.9	7	78.7
Twin Falls	36,403	907	318	24.9	8.7	589	285	38	41.9	15	16.5
Rural part	24,552	597	187	24.3	7.6	410	319	19	31.8	12	20.1
Twin Falls	11,851	310	131	26.2	11.1	179	237	19	61.3	3	9.7
Valley	4,035	73	20	18.1	5.0	53	365	2	27.4	-	0
Washington	8,853	172	77	19.4	8.7	95	223	4	23.3	2	11.6
Yellowstone National Park (part)	-	-	-	(6)	(6)	-	(6)	-	(6)	-	(6)
ILLINOIS (total)	7,897,241	123,198	88,231	15.6	11.2	34,967	140	4,343	35.3	3,152	25.6
Adams	65,229	1,079	887	16.5	13.6	192	122	51	47.3	32	29.7
Rural part	24,760	101	213	4.1	8.6	-112	47	4	39.6	2	19.8
Quincy	40,469	978	674	24.2	16.7	304	145	47	48.1	30	30.7
Alexander	25,496	497	365	19.5	14.3	132	136	44	88.5	29	58.4
Rural part	11,089	218	105	19.7	9.5	113	208	20	91.7	12	55.0
Cairo	14,407	279	260	19.4	18.0	19	107	24	86.0	17	60.9
Bond	14,540	137	128	9.4	8.8	9	107	7	51.1	3	21.9
Boone	15,202	276	184	18.2	12.1	92	150	12	43.5	4	14.5
Brown	8,053	109	92	13.5	11.4	17	118	6	55.0	7	64.2
Bureau	37,600	616	426	16.4	11.3	190	145	12	19.5	20	32.5
Calhoun	8,207	171	84	20.8	10.2	87	204	9	52.6	2	11.7
Carroll	17,987	214	194	11.9	10.8	20	110	3	14.0	2	9.5
Cass	16,425	305	212	18.6	12.9	93	144	19	62.3	9	29.5
Champaign	70,578	1,267	697	18.0	9.9	570	182	45	35.5	30	23.7
Rural part	33,212	318	291	9.6	8.8	27	109	18	56.6	9	28.3
Champaign	23,302	550	272	23.6	11.7	278	202	17	30.9	14	25.5
Urbana	14,064	399	134	28.4	9.5	265	298	10	25.1	7	17.5

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ILLINOIS—Continued											
Christian	38,564	685	405	17.8	10.5	280	169	24	35.0	8	11.7
Clark	18,842	214	200	11.4	10.6	14	107	14	65.4	4	18.7
Clay	18,947	365	172	19.3	9.1	193	212	14	38.4	6	16.4
Clinton	22,912	358	215	15.6	9.4	143	167	16	44.7	9	25.1
Rural part	22,278	358	213	16.1	9.6	145	168	15	41.9	9	25.1
Centralia (part)	634	-	2	(6)	(6)	-2	(6)	1	(6)	-	(6)
Coles	38,470	692	451	18.0	11.7	241	153	33	47.7	21	30.3
Rural part	22,643	358	235	15.8	10.4	123	152	15	41.9	7	19.6
Mattoon	15,827	334	216	21.1	13.6	118	155	18	53.9	14	41.9
Cook	4,063,342	60,276	44,251	14.8	10.9	16,025	136	1,728	28.7	1,488	24.7
Rural part	222,033	2,015	4,039	9.1	18.2	-2,024	50	66	32.8	46	22.8
Berwyn	48,451	685	347	14.1	7.2	338	197	16	23.4	16	23.4
Blue Island	16,638	601	202	36.1	12.1	399	298	15	25.0	20	33.3
Brookfield	10,817	11	56	1.0	5.2	-45	20	-	0	1	90.9
Calumet City	13,241	45	58	3.4	4.4	-13	78	3	66.7	-	0
Chicago	3,396,808	50,931	36,441	15.0	10.7	14,490	140	1,486	29.2	1,280	25.1
White	3,114,564	45,571	32,279	14.6	10.4	13,292	141	1,273	27.9	1,090	23.9
All other	282,244	5,360	4,162	19.0	14.7	1,198	129	213	39.7	190	35.4
Chicago Heights	22,461	576	250	25.6	11.1	326	230	24	41.7	17	29.5
Cicero	64,712	50	298	0.8	4.6	-248	17	4	80.0	2	40.0
Elgin (part)	591	52	-	(6)	(6)	52	(6)	-	(6)	1	(6)
Elmwood Park	13,689	12	39	0.9	2.8	-27	31	1	83.3	-	0
Evanston	65,389	2,001	840	30.6	12.8	1,161	238	40	20.0	38	19.0
Forest Park	14,840	6	112	0.4	7.5	-106	5	-	0	-	0
Harvey	17,878	505	157	28.2	8.8	348	322	8	15.8	11	21.8
La Grange	10,479	6	59	0.6	5.6	-53	10	-	0	1	166.7
Maywood	26,648	26	154	1.0	5.8	-128	17	1	38.5	2	76.9
Melrose Park	10,933	373	121	34.1	11.1	252	308	12	32.2	7	18.8
Oak Park	66,015	2,375	850	36.0	12.9	1,525	279	50	21.1	46	19.4
Park Ridge	12,063	2	59	0.2	4.9	-57	3	1	500.0	-	0
Wilmette	17,226	4	109	0.2	6.3	-105	4	-	0	-	0
Winnetka	12,430	-	60	0	4.8	-60	0	1	(3)	-	0
Crawford	21,294	395	282	18.5	13.2	113	140	24	60.8	15	38.0
Cumberland	11,698	151	93	12.9	8.0	58	162	6	39.7	3	19.9
De Kalb	34,388	623	395	18.1	11.5	228	158	23	36.9	13	20.9
De Witt	18,244	300	174	16.4	9.5	126	172	8	26.7	3	10.0
Douglas	17,590	337	206	19.2	11.7	131	164	18	53.4	5	14.8
Du Page	103,480	804	832	7.8	8.0	-28	97	33	41.0	16	19.9
Rural part	88,022	336	632	3.8	7.2	-296	53	13	38.7	7	20.8
Elmhurst	15,458	468	200	30.3	12.9	268	234	20	42.7	9	19.2
Edgar	24,430	366	313	15.0	12.8	53	117	25	68.3	14	38.3
Edwards	8,974	122	83	13.6	9.2	39	147	4	32.8	3	24.6
Effingham	22,034	474	264	21.5	12.0	210	180	22	46.4	10	21.1
Fayette	29,159	593	317	20.3	10.9	276	187	32	54.0	16	27.0
Ford	15,007	213	160	14.2	10.7	53	133	6	28.2	5	23.5
Franklin	53,137	984	508	18.5	9.6	476	194	48	48.8	22	22.4
Rural part	40,754	641	341	15.7	8.4	300	188	35	54.6	9	14.0
West Frankfort	12,383	343	167	27.7	13.5	176	205	13	37.9	13	37.9
Fulton	44,627	757	480	17.0	10.8	277	158	31	41.0	20	26.4
Rural part	33,050	300	299	9.1	9.0	1	100	12	40.0	5	16.7
Canton	11,577	457	181	39.5	15.6	276	252	19	41.6	15	32.8
Gallatin	11,414	157	92	13.8	8.1	65	171	10	63.7	8	51.0
Greene	20,292	343	214	16.9	10.5	129	160	13	37.9	12	35.0
Grundy	18,398	276	167	15.0	9.1	109	165	6	21.7	4	14.5
Hamilton	13,454	254	154	18.9	11.4	100	165	8	31.5	6	23.6
Hancock	26,297	289	276	11.0	10.5	13	105	11	38.1	5	17.3
Hardin	7,759	148	90	19.1	11.6	58	164	14	94.6	7	47.3
Henderson	8,949	101	81	11.3	9.1	20	125	3	29.7	2	19.8
Henry	43,798	704	516	16.1	11.8	188	136	24	34.1	17	24.1
Rural part	28,897	265	259	9.9	9.6	6	102	11	41.5	3	11.3
Kewanee	16,901	439	257	26.0	15.2	182	171	13	29.6	14	31.9
Iroquois	32,496	541	337	16.6	10.4	204	161	14	25.9	12	22.2
Jackson	37,920	692	463	18.2	12.2	229	149	42	60.7	32	46.2
Jasper	13,431	178	111	13.3	8.3	67	160	4	22.5	4	22.5
Jefferson	34,375	613	373	17.8	10.9	240	164	27	44.0	22	35.9
Rural part	19,651	333	168	16.9	8.5	165	198	17	51.1	7	21.0
Mount Vernon	14,724	280	205	19.0	13.9	75	137	10	35.7	15	53.6
Jersey	13,636	180	127	13.2	9.3	53	142	2	11.1	4	22.2
Jo Daviess	19,989	224	221	11.2	11.1	3	101	14	62.5	3	13.4
Johnson	10,727	199	109	18.6	10.2	90	183	9	45.2	7	35.2
Kane	130,206	2,717	2,011	20.9	15.4	706	135	99	36.4	85	31.3
Rural part	45,294	320	405	7.1	8.9	-85	79	8	25.0	16	50.0
Aurora	47,170	1,421	670	30.1	14.2	751	212	47	33.1	42	29.6
Elgin (part)	37,742	976	936	(6)	(6)	40	(6)	44	(6)	27	(6)
Elgin (total)	38,333	1,028	936	26.8	24.4	92	110	44	42.8	28	27.2
Kankakee	60,877	927	1,200	15.2	19.7	-273	77	38	41.0	30	32.4
Rural part	38,636	289	874	7.5	22.6	-585	33	6	20.8	5	17.3
Kankakee	22,241	638	326	28.7	14.7	312	196	32	50.2	25	39.2
Kendall	11,105	30	99	2.7	8.9	-69	30	1	33.3	-	0
Knox	52,250	929	650	17.8	12.4	279	143	44	47.4	14	15.1
Rural part	23,374	137	185	5.9	7.9	-48	74	5	36.5	1	7.3
Galesburg	28,876	792	465	27.4	16.1	327	170	39	49.2	13	16.4
Lake	121,094	1,684	1,074	13.9	8.9	610	157	48	28.5	45	26.7
Rural part	72,377	1,002	749	13.8	10.3	253	134	33	32.9	22	22.0
Highland Park	14,476	224	107	15.5	7.4	117	209	8	35.7	7	31.3
Waukegan	34,241	458	218	13.4	6.4	240	210	7	15.3	16	34.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ILLINOIS—Continued											
La Salle	97,801	1,706	1,062	17.4	10.9	644	161	46	27.0	38	22.3
Rural part	54,054	441	484	8.2	9.0	-43	91	18	40.8	7	15.9
La Salle	12,812	295	164	23.0	12.8	131	180	2	6.8	7	23.7
Ottawa	16,005	430	200	26.9	12.5	230	215	14	32.6	9	20.9
Streator	14,930	540	214	36.2	14.3	326	252	12	22.2	15	27.8
Lawrence	21,075	345	193	16.4	9.2	152	179	13	37.7	2	5.8
Lee	34,604	594	494	17.2	14.3	100	120	31	52.2	10	16.8
Rural part	23,933	193	314	8.1	13.1	-121	61	16	82.9	3	15.5
Dixon	10,671	401	180	37.6	16.9	221	223	15	37.4	7	17.5
Livingston	38,838	524	455	13.5	11.7	69	115	13	24.8	9	17.2
Logan	29,438	404	436	13.7	14.8	-32	93	21	52.0	17	42.1
Rural part	16,686	86	118	5.2	7.1	-32	73	3	34.9	5	58.1
Lincoln	12,752	318	318	24.9	24.9	-	100	18	56.6	12	37.7
McDonough	26,944	516	369	19.2	13.7	147	140	21	40.7	17	32.9
McHenry	37,311	450	401	12.1	10.7	49	112	12	26.7	18	40.0
McLean	73,930	1,315	908	17.8	12.3	407	145	62	47.1	29	22.1
Rural part	41,062	446	409	10.9	10.0	37	109	22	49.3	5	11.2
Bloomington	32,868	869	499	26.4	15.2	370	174	40	46.0	24	27.6
Macon	84,693	1,589	1,028	18.8	12.1	561	155	64	40.3	36	22.7
Rural part	25,388	141	166	5.6	6.5	-25	85	8	56.7	1	7.1
Decatur	59,305	1,448	862	24.4	14.5	586	168	56	38.7	35	24.2
Macoupin	46,304	482	407	10.4	8.8	75	118	14	29.0	9	18.7
Madison	149,349	2,560	1,646	17.1	11.0	914	156	102	39.8	76	29.7
Rural part	95,120	838	838	8.8	8.8	-	100	31	37.0	20	23.9
Alton	31,255	1,089	522	34.8	16.7	567	209	47	43.2	37	34.0
Granite City	22,974	633	286	27.6	12.4	347	221	24	37.9	19	30.0
Marion	47,989	1,132	532	23.6	11.1	600	213	55	48.6	36	31.8
Rural part	32,280	462	280	14.3	8.7	182	165	30	64.9	15	32.5
Centralia (part)	15,709	670	252	(6)	(6)	418	(6)	25	(6)	21	(6)
Centralia (total)	16,343	670	254	41.0	15.5	416	264	26	38.8	21	31.3
Marshall	13,179	118	98	9.0	7.4	20	120	2	16.9	4	33.9
Mason	15,358	183	129	11.9	8.4	54	142	2	10.9	3	16.4
Massac	14,937	245	182	16.4	12.2	63	135	21	85.7	12	49.0
Menard	10,663	119	91	11.2	8.5	28	131	3	25.2	3	25.2
Mercer	17,701	214	158	12.1	8.9	56	135	7	32.7	5	23.4
Monroe	12,754	117	110	9.2	8.6	7	106	7	59.8	1	8.5
Montgomery	34,499	643	533	18.6	15.4	110	121	31	48.2	24	37.3
Morgan	36,378	633	794	17.4	21.8	-161	80	32	50.6	17	26.9
Rural part	16,534	164	161	9.9	9.7	3	102	8	48.8	3	18.3
Jacksonville	19,844	469	633	23.6	31.9	-164	74	24	51.2	14	29.9
Moultrie	13,477	182	154	13.5	11.4	28	118	5	27.5	3	16.5
Ogle	29,869	283	262	9.5	8.8	21	108	10	35.3	8	28.3
Peoria	153,374	3,279	2,027	21.4	13.2	1,252	162	110	33.5	88	26.8
Rural part	48,287	273	613	5.7	12.7	-340	45	10	36.6	10	36.6
Peoria	105,087	3,006	1,414	28.6	13.5	1,592	213	100	33.3	78	25.9
Perry	23,438	425	293	18.1	12.5	132	145	26	61.2	10	23.5
Piatt	14,659	151	119	10.3	8.1	32	127	5	33.1	2	13.2
Pike	25,340	345	227	13.6	9.0	118	152	9	26.1	8	23.2
Pope	7,999	135	64	16.9	8.0	71	211	6	44.4	5	37.0
Pulaski	15,875	284	179	17.9	11.3	105	159	20	70.4	13	45.8
Putnam	5,289	29	35	5.5	6.6	-6	83	1	34.5	-	0
Randolph	33,608	529	326	15.7	9.7	203	162	14	26.5	11	20.8
Richland	17,137	454	247	26.5	14.4	207	184	20	44.1	7	15.4
Rock Island	113,323	2,077	1,336	18.3	11.8	741	155	85	40.9	37	17.8
Rural part	23,581	122	105	5.2	4.5	17	116	7	57.4	2	16.4
East Moline	12,359	30	275	2.4	22.3	-245	11	2	66.7	-	0
Moline	34,608	1,348	525	39.0	15.2	823	257	36	26.7	15	11.1
Rock Island	42,775	577	431	13.5	10.1	146	134	40	69.3	20	34.7
St. Clair	166,899	2,610	1,783	15.6	10.7	827	146	146	55.9	96	36.8
Rural part	62,885	407	496	6.5	7.9	-89	82	19	46.7	15	36.9
Belleville	28,405	585	375	20.6	13.2	210	156	35	59.8	26	44.4
East St. Louis	75,609	1,618	912	21.4	12.1	706	177	92	56.9	55	34.0
Saline	38,066	713	439	18.7	11.5	274	162	35	49.1	21	29.5
Rural part	26,613	433	258	16.3	9.7	175	168	17	39.3	8	18.5
Harrisburg	11,453	280	181	24.4	15.8	99	155	18	64.3	13	46.4
Sangamon	117,912	2,003	1,516	17.0	12.9	487	132	76	37.9	46	23.0
Rural part	42,409	251	316	5.9	7.5	-65	79	4	15.9	6	23.9
Springfield	75,503	1,752	1,200	23.2	15.9	552	146	72	41.1	40	22.8
Schuyler	11,430	137	94	12.0	8.2	43	146	5	36.5	2	14.6
Scott	8,176	91	71	11.1	8.7	20	128	2	22.0	4	44.0
Shelby	26,290	441	297	16.8	11.3	144	148	15	34.0	12	27.2
Stark	8,881	71	76	8.0	8.6	-5	93	3	42.3	-	0
Stephenson	40,646	829	575	20.4	14.1	254	144	26	31.4	23	27.7
Rural part	18,280	121	164	6.6	9.0	-43	74	5	41.3	5	41.3
Freeport	22,366	708	411	31.7	18.4	297	172	21	29.7	18	25.4
Tazewell	58,362	651	409	11.2	7.0	242	159	29	44.5	15	23.0
Rural part	38,955	184	224	4.7	5.8	-40	82	6	32.6	2	10.9
Pekin	19,407	467	185	24.1	9.5	282	252	23	49.3	13	27.8
Union	21,528	395	455	18.3	21.1	-60	87	29	73.4	9	22.8
Vermilion	86,791	1,566	1,181	18.0	13.6	385	133	57	36.4	40	25.5
Rural part	49,872	455	481	9.1	9.6	-26	95	13	28.6	5	11.0
Danville	36,919	1,111	700	30.1	19.0	411	159	44	39.6	35	31.5
Wabash	13,724	273	172	19.9	12.5	101	159	12	44.0	4	14.7
Warren	21,286	390	249	18.3	11.7	141	157	10	25.6	12	30.8
Washington	15,801	175	158	11.1	10.0	17	111	5	28.6	6	34.3
Wayne	22,092	383	180	17.3	8.1	203	213	12	31.3	13	33.9
White	20,027	351	223	17.5	11.1	128	157	16	45.6	10	28.5

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
ILLINOIS—Continued											
Whiteside	43,338	794	444	18.3	10.2	350	179	27	34.0	16	20.2
Rural part	31,975	332	260	10.4	8.1	72	128	15	45.2	10	30.1
Sterling	11,363	462	184	40.7	16.2	278	251	12	26.0	6	13.0
Will	114,210	1,708	1,270	15.0	11.1	438	134	96	56.2	40	23.4
Rural part	71,845	731	671	10.2	9.3	60	109	30	41.0	13	17.8
Joliet	42,365	977	599	23.1	14.1	378	163	66	67.6	27	27.6
Williamson	51,424	855	591	16.6	11.5	264	145	58	67.8	35	40.9
Winnebago	121,178	1,958	1,142	16.2	9.4	816	171	61	31.2	47	24.0
Rural part	36,541	249	308	6.8	8.4	-59	81	8	32.1	7	28.1
Rockford	84,637	1,709	834	20.2	9.9	875	205	53	31.0	40	23.4
Woodford	19,124	176	176	9.2	9.2	-	100	5	28.4	5	28.4
INDIANA (total)	3,427,796	61,963	40,402	18.1	11.8	21,561	153	2,596	41.9	1,423	23.0
Adams	21,254	406	251	19.1	11.8	155	162	14	34.5	18	44.3
Allen	155,084	2,604	1,722	16.8	11.1	882	151	88	33.8	63	24.2
Rural part	36,674	337	346	9.2	9.4	-9	97	9	26.7	5	14.8
Fort Wayne	118,410	2,267	1,376	19.1	11.6	891	165	79	34.8	58	25.6
Bartholomew	28,276	561	317	19.8	11.2	244	177	25	44.6	10	17.8
Rural part	16,538	351	193	21.2	11.7	158	182	18	51.3	6	17.1
Columbus	11,738	210	124	17.9	10.6	86	169	7	33.3	4	19.0
Benton	11,117	124	104	11.2	9.4	20	119	7	56.5	-	0
Blackford	13,783	256	150	18.6	10.9	106	171	5	19.5	7	27.3
Boone	22,081	391	279	17.7	12.6	112	140	14	35.8	9	23.0
Brown	6,189	120	50	19.4	8.1	70	240	5	41.7	6	50.0
Carroll	15,410	169	140	11.0	9.1	29	121	6	35.5	4	23.7
Cass	36,908	647	682	17.5	18.5	-35	95	29	44.8	19	29.4
Rural part	16,731	150	329	9.0	19.7	-179	46	4	26.7	4	26.7
Logansport	20,177	497	353	24.6	17.5	144	141	25	50.3	15	30.2
Clark	31,020	537	352	17.3	11.3	185	153	22	41.0	19	35.4
Rural part	19,527	319	181	16.3	9.3	138	176	8	25.1	11	34.5
Jeffersonville	11,493	218	171	19.0	14.9	47	127	14	64.2	8	36.7
Clay	25,365	372	281	14.7	11.1	91	132	14	37.6	16	43.0
Clinton	28,411	459	333	16.2	11.7	126	138	20	43.6	6	13.1
Rural part	14,705	143	141	9.7	9.6	2	101	7	49.0	3	21.0
Frankfort	13,706	316	192	23.1	14.0	124	165	13	41.1	3	9.5
Crawford	10,171	197	110	19.4	10.8	87	179	13	66.0	3	15.2
Daviess	26,163	574	345	21.9	13.2	229	166	29	50.5	17	29.6
Dearborn	23,053	292	223	12.7	9.7	69	131	8	27.4	8	27.4
Decatur	17,722	312	228	17.6	12.9	84	137	11	35.3	6	19.2
De Kalb	24,756	459	292	18.5	11.8	167	157	16	34.9	7	15.3
Delaware	74,963	1,517	891	20.2	11.9	626	170	71	46.8	35	23.1
Rural part	25,243	196	192	7.8	7.6	4	102	4	20.4	5	25.5
Muncie	49,720	1,321	699	26.6	14.1	622	189	67	50.7	30	22.7
Dubois	22,579	465	196	20.6	8.7	269	237	17	36.6	7	15.1
Elkhart	72,634	1,244	781	17.1	10.8	463	159	46	37.0	27	21.7
Rural part	27,825	296	263	10.6	9.5	33	113	13	43.9	6	20.3
Elkhart	33,434	573	373	17.1	11.2	200	154	23	40.1	11	19.2
Goshen	11,375	375	145	33.0	12.7	230	259	10	26.7	10	26.7
Fayette	19,411	372	240	19.2	12.4	132	155	12	32.3	11	29.6
Rural part	6,513	63	61	9.7	9.4	2	103	-	0	1	15.9
Connersville	12,898	309	179	24.0	13.9	130	173	12	38.8	10	32.4
Floyd	35,061	650	485	18.5	13.8	165	134	33	50.8	12	18.5
Rural part	9,647	95	110	9.8	11.4	-15	86	5	52.6	-	0
New Albany	25,414	555	375	21.8	14.8	180	148	28	50.5	12	21.6
Fountain	18,299	207	211	11.3	11.5	-4	98	13	62.8	2	9.7
Franklin	14,412	228	121	15.8	8.4	107	188	3	13.2	3	13.2
Fulton	15,577	299	188	19.2	12.1	111	159	14	46.8	7	23.4
Gibson	30,709	543	341	17.7	11.1	202	159	23	42.4	14	25.8
Grant	55,813	1,060	741	19.0	13.3	319	143	57	53.8	24	22.6
Rural part	29,046	348	334	12.0	11.5	14	104	10	28.7	2	5.7
Marion	26,767	712	407	26.6	15.2	305	175	47	66.0	22	30.9
Greene	31,330	522	376	16.7	12.0	146	139	31	59.4	11	21.1
Hamilton	24,614	384	279	15.6	11.3	105	138	8	20.8	5	13.0
Hancock	17,302	198	183	11.4	10.6	15	108	5	25.3	5	25.3
Harrison	17,106	300	201	17.5	11.8	99	149	9	30.0	7	23.3
Hendricks	20,151	156	196	7.7	9.7	-40	80	-	0	3	19.2
Henry	40,208	836	496	20.8	12.3	340	169	45	53.8	17	20.3
Rural part	23,588	582	384	24.7	16.3	198	152	39	67.0	14	24.1
New Castle	16,620	254	112	15.3	6.7	142	227	6	23.6	3	11.8
Howard	47,752	997	571	20.9	12.0	426	175	41	41.1	22	22.1
Rural part	13,957	177	132	12.7	9.5	45	134	2	11.3	3	16.9
Kokomo	33,795	820	439	24.3	13.0	381	187	39	47.6	19	23.2
Huntington	29,931	523	389	17.5	13.0	134	134	18	34.4	9	17.2
Rural part	16,028	198	196	12.4	12.2	2	101	7	35.4	2	10.1
Huntington	13,903	325	193	23.4	13.9	132	168	11	33.8	7	21.5
Jackson	26,612	558	330	21.0	12.4	228	169	28	50.2	11	19.7
Jasper	14,397	341	139	23.7	9.7	202	245	8	23.5	7	20.5
Jay	22,601	370	293	16.4	13.0	77	126	18	48.6	12	32.4
Jefferson	19,912	344	384	17.3	19.3	-40	90	16	46.5	3	8.7
Jennings	13,680	204	158	14.9	11.5	46	129	7	34.3	4	19.6
Johnson	22,493	284	282	12.6	12.5	2	101	9	31.7	2	7.0
Knox	43,973	849	553	19.3	12.6	296	154	43	50.6	33	38.9
Rural part	25,745	445	238	17.3	9.2	207	187	16	36.0	13	29.2
Vincennes	18,228	404	315	22.2	17.3	89	128	27	66.8	20	49.5
Kosciusko	29,561	516	353	17.5	11.9	163	146	15	29.1	14	27.1
Lagrange	14,552	218	146	15.2	10.2	72	149	10	45.9	5	22.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
INDIANA—Continued											
Lake	293,195	6,069	2,547	20.7	8.7	3,522	238	256	42.2	138	22.7
Rural part	46,348	263	360	5.7	7.8	-97	73	15	57.0	2	7.6
East Chicago	54,637	1,309	505	24.0	9.2	804	259	72	55.0	38	29.0
Gary	111,719	2,811	1,048	25.2	9.4	1,763	268	117	41.6	69	24.5
White	91,246	2,426	788	26.6	8.6	1,638	308	90	37.1	56	23.1
All other	20,473	385	260	18.8	12.7	125	148	27	70.1	13	33.8
Hammond	70,184	1,631	590	23.2	8.4	1,041	276	49	30.0	28	17.2
Whiting	10,307	55	44	5.3	4.3	11	125	3	54.5	1	18.2
La Porte	63,660	1,230	828	19.3	13.0	402	149	52	42.3	38	30.9
Rural part	21,004	104	161	5.0	7.7	-57	65	4	38.5	6	57.7
La Porte	16,180	611	325	37.8	20.1	286	188	30	49.1	19	31.1
Michigan City	26,476	515	342	19.5	12.9	173	151	18	35.0	13	25.2
Lawrence	35,045	745	426	21.3	12.2	319	175	42	56.4	14	18.8
Rural part	22,531	440	204	19.5	9.1	236	216	21	47.7	6	13.6
Bedford	12,514	305	222	24.4	17.7	83	137	21	68.9	8	26.2
Madison	88,575	1,597	930	18.0	10.5	667	172	65	40.7	32	20.0
Rural part	36,090	417	285	11.6	7.9	132	146	9	21.6	5	12.0
Anderson	41,572	813	476	19.6	11.5	337	171	39	48.0	16	19.7
Elwood	10,913	367	169	33.6	15.5	198	217	17	46.3	11	30.0
Marion	460,926	8,640	5,993	18.7	13.0	2,647	144	396	45.8	202	23.4
Rural part	73,954	1,294	595	17.5	8.0	699	217	34	26.3	32	24.7
Indianapolis	386,972	7,346	5,398	19.0	13.9	1,948	136	362	49.3	170	23.1
White	335,755	6,355	4,597	18.9	13.7	1,758	138	302	47.5	148	23.3
All other	51,217	991	801	19.3	15.6	190	124	60	60.5	22	22.2
Marshall	25,935	482	328	18.6	12.6	154	147	18	37.3	12	24.9
Martin	10,300	212	101	20.6	9.8	111	210	13	61.3	4	18.9
Miami	27,926	519	363	18.6	13.0	156	143	22	42.4	7	13.5
Rural part	15,494	195	162	12.6	10.5	33	120	7	35.9	-	0
Peru	12,432	324	201	26.1	16.2	123	161	15	46.3	7	21.6
Monroe	36,534	775	347	21.2	9.5	428	223	39	50.3	15	19.4
Rural part	15,664	381	122	24.3	7.8	259	312	15	39.4	6	15.7
Bloomington	20,870	394	225	18.9	10.8	169	175	24	60.9	9	22.8
Montgomery	27,231	463	399	17.0	14.7	64	116	22	47.5	5	10.8
Rural part	16,142	98	167	6.1	10.3	-69	59	2	20.4	2	20.4
Crawfordsville	11,089	365	232	32.9	20.9	133	157	20	54.8	3	8.2
Morgan	19,801	320	255	16.2	12.9	65	125	10	31.3	9	28.1
Newton	10,775	112	79	10.4	7.3	33	142	4	35.7	2	17.9
Noble	22,776	406	306	17.8	13.4	100	133	14	34.5	12	29.6
Ohio	3,782	51	45	13.5	11.9	6	113	2	39.2	1	19.6
Orange	17,311	303	176	17.5	10.2	127	172	9	29.7	7	23.1
Owen	12,090	209	123	17.3	10.2	86	170	4	19.1	2	9.6
Parke	17,358	222	244	12.8	14.1	-22	91	11	49.5	1	4.5
Perry	17,770	316	164	17.8	9.2	152	193	13	41.1	9	28.5
Pike	17,045	274	151	16.1	8.9	123	181	13	47.4	7	25.5
Porter	27,836	414	287	14.9	10.3	127	144	16	38.6	9	21.7
Posey	19,183	257	209	13.4	10.9	48	123	9	35.0	4	15.6
Pulaski	12,056	254	117	21.1	9.7	137	217	11	43.3	7	27.6
Putnam	20,839	295	227	14.2	10.9	68	130	6	20.3	5	16.9
Randolph	26,766	533	356	19.9	13.3	177	150	17	31.9	18	33.8
Ripley	18,898	400	242	21.2	12.8	158	165	15	37.5	11	27.5
Rush	18,927	293	195	15.5	10.3	98	150	15	51.2	4	13.7
St. Joseph	161,823	2,680	1,518	16.6	9.4	1,162	177	112	41.8	61	22.8
Rural part	32,257	188	333	5.8	10.3	-145	56	8	42.6	2	10.6
Mishawaka	28,298	696	283	24.6	10.0	413	246	37	53.2	21	30.2
South Bend	101,268	1,796	902	17.7	8.9	894	199	67	37.3	38	21.2
Scott	8,978	189	79	21.1	8.8	110	239	-	0	8	42.3
Shelby	25,953	484	336	18.6	12.9	148	144	12	24.8	12	24.8
Rural part	15,162	197	163	13.0	10.8	34	121	6	30.5	3	15.2
Shelbyville	10,791	287	173	26.6	16.0	114	166	6	20.9	9	31.4
Spencer	16,211	283	188	17.5	11.6	95	151	13	45.9	9	31.8
Starke	12,258	206	116	16.8	9.5	90	178	3	14.6	2	9.7
Steuben	13,740	241	197	17.5	14.3	44	122	12	49.8	5	20.7
Sullivan	27,014	428	302	15.8	11.2	126	142	20	46.7	17	39.7
Switzerland	8,167	119	93	14.6	11.4	26	128	3	25.2	5	42.0
Tippecanoe	51,020	1,235	849	24.2	16.6	386	145	69	55.9	15	12.1
Rural part	22,222	90	217	4.1	9.8	-127	41	1	11.1	-	0
Lafayette	28,798	1,145	632	39.8	21.9	513	181	68	59.4	15	13.1
Tipton	15,135	282	186	18.6	12.3	96	152	12	42.6	10	35.5
Union	6,017	60	51	10.0	8.5	9	118	2	33.3	1	16.7
Vanderburgh	130,783	2,585	1,794	19.8	13.7	791	144	117	45.3	59	22.8
Rural part	33,721	405	420	12.0	12.5	-15	96	10	24.7	5	12.3
Evansville	97,062	2,180	1,374	22.5	14.2	806	159	107	49.1	54	24.8
Vermillion	21,787	370	281	17.0	12.9	89	132	18	48.6	16	43.2
Vigo	99,709	1,735	1,319	17.4	13.2	416	132	69	39.8	32	18.4
Rural part	37,016	386	263	10.4	7.1	123	147	12	21.1	3	7.8
Terre Haute	62,693	1,349	1,056	21.5	16.8	293	128	57	42.3	29	21.5
Wabash	26,601	437	313	16.4	11.8	124	140	13	29.7	11	25.2
Warren	9,055	174	101	19.2	11.2	73	172	8	46.0	1	5.7
Warrick	19,435	239	212	12.3	10.9	27	113	9	37.7	8	33.5
Washington	17,008	284	211	16.7	12.4	73	135	11	38.7	4	14.1
Wayne	59,229	1,082	849	18.3	14.3	233	127	43	39.7	27	25.0
Rural part	24,082	773	560	32.1	23.3	213	138	31	40.1	20	25.9
Richmond	35,147	309	289	8.8	8.2	20	107	12	38.8	7	22.7
Wells	19,099	353	238	18.5	12.5	115	148	14	39.7	5	14.2
White	17,037	237	166	13.9	9.7	71	143	10	42.2	1	4.2
Whitley	17,001	204	182	12.0	10.7	22	112	6	29.4	9	44.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
IOWA (total)	2,538,268	45,464	26,376	17.9	10.4	19,088	172	1,670	36.7	1,022	22.5
Adair	13,196	217	122	16.4	9.2	95	178	3	13.8	1	4.6
Adams	10,156	138	83	13.6	8.2	55	166	3	21.7	5	36.2
Allamakee	17,184	280	176	16.3	10.2	104	159	2	7.1	4	14.3
Appanoose	24,245	457	297	18.8	12.2	160	154	24	52.5	12	26.3
Audubon	11,790	161	83	13.7	7.0	78	194	8	49.7	3	18.6
Benton	22,879	334	188	14.6	8.2	146	178	13	38.9	9	26.9
Black Hawk	79,946	1,584	753	19.8	9.4	831	210	65	41.0	38	24.0
Rural part	28,203	307	212	10.9	7.5	95	145	11	35.8	4	13.0
Waterloo	51,743	1,277	541	24.7	10.5	736	236	54	42.3	34	26.6
Boone	29,782	421	324	14.1	10.9	97	130	16	38.0	12	28.5
Rural part	17,409	119	156	6.8	9.0	-37	76	4	33.6	2	16.8
Boone	12,373	302	168	24.4	13.6	134	180	12	39.7	10	33.1
Bremer	17,932	368	178	20.5	9.9	190	207	7	19.0	10	27.2
Buchanan	20,991	321	317	15.3	15.1	4	101	16	49.8	9	28.0
Buena Vista	19,838	378	167	19.1	8.4	211	226	14	37.0	7	18.5
Butler	17,986	203	108	11.3	6.0	95	188	7	34.5	5	24.6
Calhoun	17,584	317	145	18.0	8.2	172	219	10	31.5	7	22.1
Carroll	22,770	605	237	26.6	10.4	368	255	22	36.4	24	39.7
Cass	18,647	328	180	17.6	9.7	148	182	8	24.4	5	15.2
Cedar	16,884	131	122	7.8	7.2	9	107	7	53.4	3	22.9
Cerro Gordo	43,845	945	444	21.6	10.1	501	213	42	44.4	22	23.3
Rural part	16,765	133	104	7.9	6.2	29	128	5	37.6	2	15.0
Mason City	27,080	812	340	30.0	12.6	472	239	37	45.6	20	24.6
Cherokee	19,258	285	266	14.8	13.8	19	107	7	24.6	6	21.1
Chickasaw	15,227	281	157	18.5	10.3	124	179	10	35.6	9	32.0
Clarke	10,233	244	100	23.8	9.8	144	244	10	41.0	5	20.5
Clay	17,762	350	161	19.7	9.1	189	217	11	31.4	8	22.9
Clayton	24,334	342	251	14.1	10.3	91	136	14	40.9	11	32.2
Clinton	44,722	712	558	15.9	12.5	154	128	30	42.1	22	30.9
Rural part	18,452	100	152	5.4	8.2	-52	66	2	20.0	2	20.0
Clinton	26,270	612	406	23.3	15.5	206	151	28	45.8	20	32.7
Crawford	20,538	257	173	12.5	8.4	84	149	16	62.3	14	54.5
Dallas	24,649	362	235	14.7	9.5	127	154	10	27.6	10	27.6
Davis	11,136	120	97	10.8	8.7	23	124	1	8.3	5	41.7
Decatur	14,012	254	172	18.1	12.3	82	148	10	39.4	8	31.5
Delaware	18,487	276	173	14.9	9.4	103	160	14	50.7	4	14.5
Des Moines	36,804	648	467	17.6	12.7	181	139	24	37.0	19	29.3
Rural part	10,972	44	70	4.0	6.4	-26	63	-	0	-	0
Burlington	25,832	604	397	23.4	15.4	207	152	24	39.7	19	31.5
Dickinson	12,185	175	103	14.4	8.5	72	170	5	28.6	2	11.4
Dubuque	63,768	1,273	841	20.0	13.2	432	151	49	38.5	33	25.9
Rural part	19,876	213	131	10.7	6.6	82	163	6	28.2	3	14.1
Dubuque	43,892	1,060	710	24.2	16.2	350	149	43	40.6	30	28.3
Emmet	13,406	338	124	25.2	9.2	214	273	15	44.4	5	14.8
Fayette	29,151	539	289	18.5	9.9	250	187	14	26.0	8	14.8
Floyd	20,169	326	186	16.2	9.2	140	175	18	55.2	11	33.7
Franklin	16,379	279	164	17.0	10.0	115	170	14	50.2	6	21.5
Fremont	14,645	231	130	15.8	8.9	101	178	6	26.0	7	30.3
Greene	16,599	291	150	17.5	9.0	141	194	4	13.7	4	13.7
Grundy	13,518	131	85	9.7	6.3	46	154	3	22.9	-	0
Guthrie	17,210	231	138	13.4	8.0	93	167	8	34.6	5	21.6
Hamilton	19,922	359	192	18.0	9.6	167	187	17	47.4	7	19.5
Hancock	15,402	180	87	11.7	5.6	93	207	4	22.2	4	22.2
Hardin	22,530	389	235	17.3	10.4	154	166	16	41.1	9	23.1
Harrison	22,767	306	187	13.4	8.2	119	164	15	49.0	9	29.4
Henry	17,994	236	289	13.1	16.1	-53	82	11	46.6	3	12.7
Howard	13,531	242	125	17.9	9.2	117	194	12	49.6	4	16.5
Humboldt	13,459	150	83	11.1	6.2	67	181	5	33.3	2	13.3
Ida	11,047	182	90	16.5	8.1	92	202	2	11.0	5	27.5
Iowa	17,016	221	159	13.0	9.3	62	139	8	36.2	4	18.1
Jackson	19,181	317	194	16.5	10.1	123	163	12	37.9	2	6.3
Jasper	31,496	443	272	14.1	8.6	171	163	19	42.9	6	13.5
Rural part	21,034	218	137	10.4	6.5	81	159	5	22.9	2	9.2
Newton	10,462	225	135	21.5	12.9	90	167	14	62.2	4	17.8
Jefferson	15,762	242	147	15.4	9.3	95	165	9	37.2	7	28.9
Johnson	33,191	2,392	893	72.1	26.9	1,499	268	80	33.4	42	17.6
Rural part	16,009	89	142	5.6	8.9	-53	63	1	11.2	-	0
Iowa City	17,182	2,303	751	134.0	43.7	1,552	307	79	34.3	42	18.2
Jones	19,950	359	194	18.0	9.7	165	185	11	30.6	6	16.7
Keokuk	18,406	205	153	11.1	8.3	52	134	6	29.3	4	19.5
Kossuth	26,630	543	188	20.4	7.1	355	289	11	20.3	9	16.6
Lee	41,074	860	641	20.9	15.6	219	134	43	50.0	25	29.1
Rural part	11,935	123	115	10.3	9.6	8	107	5	40.7	1	8.1
Fort Madison	14,063	270	200	19.2	14.2	70	135	7	25.9	6	22.2
Keokuk	15,076	467	326	31.0	21.6	141	143	31	66.4	18	38.5
Linn	89,142	1,426	933	16.0	10.5	493	153	49	34.4	35	24.5
Rural part	27,022	165	250	6.1	9.3	-85	66	6	36.4	6	36.4
Cedar Rapids	82,120	1,261	683	20.3	11.0	578	185	43	34.1	29	23.0
Louisa	11,384	121	82	10.6	7.2	39	148	3	24.8	1	8.3
Lucas	14,571	221	137	15.2	9.4	84	161	12	54.3	7	31.7
Lyon	15,374	265	100	17.2	6.5	165	265	7	26.4	3	11.3
Madison	14,525	218	140	15.0	9.6	78	156	3	13.8	5	22.9
Mahaska	26,485	449	275	17.0	10.4	174	163	16	35.6	5	11.1
Rural part	15,461	125	86	8.1	5.6	39	145	1	8.0	3	24.0
Oskaloosa	11,024	324	189	29.4	17.1	135	171	15	46.3	2	6.2
Marion	27,019	364	331	13.5	12.3	33	110	15	41.2	9	24.7

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
IOWA—Continued											
Marshall	35,406	835	405	23.6	11.4	430	206	22	26.3	17	20.4
Rural part	16,166	128	134	7.9	8.3	-6	96	2	15.6	-	0
Marshalltown	19,240	707	271	36.7	14.1	436	261	20	28.3	17	24.0
Mills	15,064	145	129	9.6	8.6	16	112	4	27.6	5	34.5
Mitchell	14,121	227	128	16.1	9.1	99	177	9	39.6	8	35.2
Monona	18,238	317	116	17.4	6.4	201	273	6	18.9	12	37.9
Monroe	14,553	233	160	16.0	11.0	73	146	7	30.0	6	25.8
Montgomery	15,697	297	198	18.9	12.6	99	150	10	33.7	7	23.6
Muscatine	31,296	515	404	16.5	12.9	111	127	20	38.8	18	35.0
Rural part	13,010	80	110	6.1	8.5	-30	73	2	25.0	3	37.5
Muscatine	18,286	435	294	23.8	16.1	141	148	18	41.4	15	34.5
O'Brien	19,293	308	186	16.0	9.6	122	166	9	29.2	6	19.5
Osceola	10,607	225	82	21.2	7.7	143	274	10	44.4	3	13.3
Page	24,887	418	399	16.8	16.0	19	105	23	55.0	9	21.5
Palo Alto	16,170	325	135	20.1	8.3	190	241	16	49.2	7	21.5
Plymouth	23,502	486	213	20.7	9.1	273	228	14	28.8	6	12.3
Pocahontas	16,266	173	98	10.6	6.0	75	177	7	40.5	-	0
Polk	195,835	3,666	2,113	18.7	10.8	1,553	173	128	34.9	91	24.8
Rural part	36,016	289	238	8.0	6.6	51	121	10	34.6	6	20.8
Des Moines	159,819	3,377	1,875	21.1	11.7	1,502	180	118	34.9	85	25.2
Pottawattamie	66,756	1,138	719	17.0	10.8	419	158	43	37.8	22	19.3
Rural part	25,317	217	144	8.6	5.7	73	151	3	13.8	3	13.8
Council Bluffs	41,439	921	575	22.2	13.9	346	160	40	43.4	19	20.6
Poweshiek	18,758	368	198	19.6	10.6	170	186	12	32.6	3	8.2
Ringgold	11,137	149	86	13.4	7.7	63	173	4	26.8	2	13.4
Sac	17,639	225	100	12.8	5.7	125	225	3	13.3	5	22.2
Scott	84,748	1,576	1,041	18.6	12.3	535	151	69	43.8	24	15.2
Rural part	18,709	66	138	3.5	7.4	-72	48	1	15.2	1	15.2
Davenport	66,039	1,510	903	22.9	13.7	607	167	68	45.0	23	15.2
Shelby	16,720	269	123	16.1	7.4	146	219	7	26.0	3	11.2
Sioux	27,209	552	191	20.3	7.0	361	289	9	16.3	13	23.6
Story	33,434	531	260	15.9	7.8	271	204	14	26.4	12	22.8
Rural part	20,879	274	156	13.1	7.5	118	176	7	25.5	5	18.2
Ames	12,555	257	104	20.5	8.3	153	247	7	27.2	7	27.2
Tama	22,428	216	169	9.6	7.5	47	128	9	41.7	3	13.9
Taylor	14,258	180	147	12.6	10.3	33	122	7	38.9	4	22.2
Union	16,280	212	212	13.0	13.0	-	100	19	89.6	13	61.3
Van Buren	12,053	159	136	13.2	11.3	23	117	6	37.7	3	18.9
Wapello	44,280	822	512	18.6	11.6	310	161	32	38.9	20	24.3
Rural part	12,710	120	149	9.4	11.7	-29	81	4	33.3	3	25.0
Ottumwa	31,570	702	363	22.2	11.5	339	193	28	39.9	17	24.2
Warren	17,695	229	167	12.9	9.4	62	137	9	39.3	3	13.1
Washington	20,055	389	214	19.4	10.7	175	182	4	10.3	8	20.6
Wayne	13,308	154	134	11.6	10.1	20	115	5	32.5	9	58.4
Webster	41,521	961	428	23.1	10.3	533	225	44	45.8	19	19.8
Rural part	18,617	133	115	7.1	6.2	18	116	4	30.1	-	0
Fort Dodge	22,904	828	313	36.2	13.7	515	265	40	48.3	19	22.9
Winnebago	13,972	363	128	26.0	9.2	235	284	12	33.1	7	19.3
Winneshiek	22,263	397	215	17.8	9.7	182	185	14	35.3	4	10.1
Woodbury	103,627	2,105	1,104	20.3	10.7	1,001	191	104	49.4	51	24.2
Rural part	21,263	262	138	12.3	6.5	124	190	11	42.0	4	15.3
Sioux City	82,364	1,843	966	22.4	11.7	877	191	93	50.5	47	25.5
Worth	11,449	101	77	8.8	6.7	24	131	3	29.7	1	9.9
Wright	20,038	375	178	18.7	8.9	197	211	10	26.7	7	18.7
KANSAS (total)	1,801,028	28,695	18,622	15.9	10.3	10,073	154	1,093	38.1	710	24.7
Allen	19,874	285	258	14.3	13.0	27	110	11	38.6	10	35.1
Anderson	11,658	155	118	13.3	10.1	37	131	6	38.7	3	19.4
Atchison	22,222	340	266	15.3	12.0	74	128	19	55.9	4	11.8
Rural part	9,574	27	82	2.8	8.6	-55	33	2	74.1	-	0
Atchison	12,648	313	184	24.7	14.5	129	170	17	54.3	4	12.8
Barber	9,073	82	69	9.0	7.6	13	119	3	36.6	4	48.8
Barton	25,010	604	216	24.2	8.6	388	280	20	33.1	11	18.2
Bourbon	20,944	355	283	16.9	13.5	72	125	15	42.3	11	31.0
Rural part	10,387	53	60	5.1	5.8	-7	88	1	18.9	-	0
Fort Scott	10,557	302	223	28.6	21.1	79	135	14	46.4	11	36.4
Brown	17,395	245	202	14.1	11.6	43	121	7	28.6	8	32.7
Butler	32,013	403	221	12.6	6.9	182	182	8	19.9	17	42.2
Rural part	21,968	129	95	5.9	4.3	34	136	5	38.8	5	38.8
El Dorado	10,045	274	126	27.3	12.5	148	217	3	10.9	12	43.8
Chase	6,345	83	46	13.1	7.2	37	180	4	48.2	3	36.1
Chautauqua	9,233	149	76	16.1	8.2	73	196	7	47.0	4	26.8
Cherokee	29,817	524	331	17.6	11.1	193	158	15	28.6	13	24.8
Cheyenne	6,221	114	42	18.3	6.8	72	271	9	78.9	3	26.3
Clark	4,081	86	26	21.1	6.4	60	331	4	46.5	2	23.3
Clay	13,281	225	142	16.9	10.7	83	158	4	17.8	5	22.2
Cloud	17,247	340	238	19.7	13.8	102	143	11	32.4	6	17.6
Coffey	12,278	159	83	12.9	6.8	76	192	1	6.3	1	6.3
Comanche	4,412	54	30	12.2	6.8	24	180	4	74.1	1	18.5
Cowley	38,139	691	428	18.1	11.2	263	181	31	44.9	17	24.6
Rural part	25,387	413	299	16.3	11.8	114	138	18	43.6	11	26.6
Arkansas City	12,752	278	129	21.8	10.1	149	216	13	46.8	6	21.6
Crawford	44,191	598	562	13.5	12.7	36	106	24	40.1	16	26.8
Rural part	26,620	442	388	16.6	14.6	54	114	20	45.2	6	13.6
Pittsburg	17,571	156	174	8.9	9.9	-18	90	4	25.6	10	64.1
Decatur	7,434	97	53	13.0	7.1	44	183	2	20.6	11	113.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KANSAS—Continued											
Dickinson	22,929	304	225	13.3	9.8	79	135	8	26.3	11	36.2
Doniphan	12,936	184	115	14.2	8.9	69	160	3	16.3	5	27.2
Douglas	25,171	362	251	14.4	10.0	111	144	8	22.1	6	16.6
Rural part	10,781	73	82	6.8	7.6	-9	89	-	0	2	27.4
Lawrence	14,390	289	169	20.1	11.7	120	171	8	27.7	4	13.8
Edwards	6,377	64	52	10.0	8.2	12	123	4	62.5	3	46.9
Elk	8,180	112	87	13.7	10.6	25	129	7	62.5	6	53.6
Ellis	17,508	601	169	34.3	9.7	432	356	31	51.6	11	18.3
Ellsworth	9,855	183	96	18.6	9.7	87	191	7	38.3	4	21.9
Finney	10,092	286	108	28.3	10.7	178	265	12	42.0	3	10.5
Ford	17,254	362	238	21.0	13.8	124	152	20	55.2	19	52.5
Franklin	20,889	290	251	13.9	12.0	39	116	6	20.7	6	20.7
Rural part	10,696	101	104	9.4	9.7	-3	97	2	19.8	4	39.6
Ottawa	10,193	189	147	18.5	14.4	42	129	4	21.2	2	10.6
Geary	15,222	323	116	21.2	7.6	207	278	15	46.4	8	24.8
Gove	4,793	103	34	21.5	7.1	69	303	5	48.5	2	19.4
Graham	6,071	101	34	16.6	5.6	67	297	5	49.5	3	29.7
Grant	1,946	10	5	5.1	2.6	5	200	-	0	-	0
Gray	4,773	74	19	15.5	4.0	55	389	5	67.6	-	0
Greeley	1,638	22	7	13.4	4.3	15	314	-	0	-	0
Greenwood	16,495	240	158	14.5	9.6	82	152	6	25.0	3	12.5
Hamilton	2,645	73	22	27.6	8.3	51	332	3	41.1	1	13.7
Harper	12,068	289	169	23.9	14.0	120	171	10	34.6	11	38.1
Harvey	21,712	460	320	21.2	14.7	140	144	19	41.3	5	10.9
Rural part	10,664	82	161	7.7	15.1	-79	51	5	61.0	2	24.4
Newton	11,048	378	159	34.2	14.4	219	238	14	37.0	3	7.9
Haskell	2,088	26	6	12.5	2.9	20	433	-	0	1	38.5
Hodgeman	3,535	21	15	5.9	4.2	6	140	-	0	-	0
Jackson	13,382	180	138	13.5	10.3	42	130	9	50.0	3	16.7
Jefferson	12,718	139	80	10.9	6.3	59	174	3	21.6	3	21.6
Jewell	11,970	120	112	10.0	9.4	8	107	4	33.3	5	41.7
Johnson	33,327	207	223	6.2	6.7	-16	93	3	14.5	3	14.5
Kearny	2,525	54	18	21.4	7.1	36	300	2	37.0	-	0
Kingman	12,001	203	115	16.9	9.6	88	177	9	44.3	4	19.7
Kiowa	5,112	69	37	13.5	7.2	32	186	3	43.5	2	29.0
Labette	30,352	465	419	15.3	13.8	46	111	21	45.2	18	38.7
Rural part	16,058	339	218	21.1	13.6	121	156	15	44.2	13	38.3
Parsons	14,294	126	201	8.8	14.1	-75	63	6	47.6	5	39.7
Lane	2,821	39	20	13.8	7.1	19	195	1	25.6	-	0
Leavenworth	41,112	497	569	12.1	13.8	-72	87	29	58.4	19	38.2
Rural part	21,892	80	300	3.7	13.7	-220	27	5	62.5	1	12.5
Leavenworth	19,220	417	269	21.7	14.0	148	155	24	57.6	18	43.2
Lincoln	8,338	92	52	11.0	6.2	40	177	-	0	4	43.5
Linn	11,969	157	132	13.1	11.0	25	119	5	31.8	2	12.7
Logan	3,688	48	26	13.0	7.0	22	185	3	62.5	-	0
Lyon	26,424	473	273	17.9	10.3	200	173	8	16.9	11	23.3
Rural part	13,236	112	65	8.5	4.9	47	172	1	8.9	1	8.9
Emporia	13,188	361	208	27.4	15.8	153	174	7	19.4	10	27.7
McPherson	24,152	335	192	13.9	7.9	143	174	14	41.8	4	11.9
Marion	18,951	266	157	14.0	8.3	109	169	10	37.6	4	15.0
Marshall	20,986	285	222	13.6	10.6	63	128	11	38.6	8	28.1
Meade	5,522	97	37	17.6	6.7	60	262	3	30.9	-	0
Miami	19,489	250	248	12.8	12.7	2	101	6	24.0	1	4.0
Mitchell	11,339	220	120	19.4	10.6	100	183	4	18.2	6	27.3
Montgomery	49,729	813	582	16.3	11.7	231	140	45	55.4	23	28.3
Rural part	20,809	243	183	11.7	8.8	60	133	7	28.8	8	32.9
Coffeyville	17,355	360	206	20.7	11.9	154	175	22	61.1	10	27.8
Independence	11,565	210	193	18.2	16.7	17	109	16	76.2	5	23.8
Morris	10,363	151	89	14.6	8.6	62	170	3	19.9	6	39.7
Morton	2,186	45	30	20.6	13.7	15	150	4	88.9	-	0
Nemaha	16,761	304	163	18.1	9.7	141	187	10	32.9	8	26.3
Neosho	22,210	333	253	15.0	11.4	80	132	13	39.0	7	21.0
Rural part	12,068	157	96	13.0	8.0	61	164	4	25.5	4	25.5
Chanute	10,142	176	157	17.4	15.5	19	112	9	51.1	3	17.0
Ness	6,864	89	59	13.0	8.6	30	151	3	33.7	2	22.5
Norton	9,831	169	167	17.2	17.0	2	101	7	41.4	3	17.8
Osage	15,118	174	157	11.5	10.4	17	111	14	80.5	2	11.5
Osborne	9,835	92	65	9.4	6.6	27	142	2	21.7	3	32.6
Ottawa	9,224	107	84	11.6	9.1	23	127	3	28.0	2	18.7
Pawnee	10,300	108	145	10.5	14.1	-37	74	5	46.3	1	9.3
Phillips	10,435	155	80	14.9	7.7	75	194	5	32.3	1	6.5
Pottawatomie	14,015	175	119	12.5	8.5	56	147	2	11.4	4	22.9
Pratt	12,348	182	111	14.7	9.0	71	164	5	27.5	8	44.0
Rawlins	6,618	55	41	8.3	6.2	14	134	5	90.9	5	90.9
Reno	52,165	991	498	19.0	9.5	493	199	39	39.4	16	16.1
Rural part	22,152	120	145	5.4	6.5	-25	83	3	25.0	3	25.0
Hutchinson	30,013	871	353	29.0	11.8	518	247	36	41.3	13	14.9
Republic	13,124	173	130	13.2	9.9	43	133	7	40.5	5	28.9
Rice	17,213	312	155	18.1	9.0	157	201	12	38.5	6	19.2
Riley	20,617	320	187	15.5	9.1	133	171	16	50.0	8	25.0
Rural part	8,958	31	65	3.5	7.3	-34	48	1	32.3	-	0
Manhattan	11,659	289	122	24.8	10.5	167	237	15	51.9	8	27.7
Rooks	8,497	101	65	11.9	7.6	36	155	-	0	4	39.6
Rush	8,285	109	50	13.2	6.0	59	218	3	27.5	5	45.9
Russell	13,464	125	69	9.3	5.1	56	181	3	24.0	9	72.0
Saline	29,535	499	319	16.9	10.8	180	156	18	36.1	12	24.0
Rural part	8,462	26	57	3.1	6.7	-31	46	1	38.5	-	0
Salina	21,073	473	262	22.4	12.4	211	181	17	35.9	12	25.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KANSAS—Continued											
Scott	3,773	90	33	23.9	8.7	57	273	6	66.7	3	33.3
Sedgwick	143,311	2,749	1,501	19.2	10.5	1,248	183	97	35.3	60	21.8
Rural part	28,345	293	272	10.3	9.6	21	108	15	51.2	3	10.2
Wichita	114,966	2,456	1,229	21.4	10.7	1,227	200	82	33.4	57	23.2
Seward	6,540	186	79	28.4	12.1	107	235	6	32.3	5	26.9
Shawnee	91,247	1,473	1,278	16.1	14.0	195	115	55	37.3	38	25.8
Rural part	23,414	127	352	5.4	15.0	-225	36	10	78.7	3	23.6
Topeka	67,833	1,346	926	19.8	13.7	420	145	45	33.4	35	26.0
Sheridan	5,312	93	20	17.5	3.8	73	465	1	10.8	-	0
Sherman	6,421	128	39	19.9	6.1	89	328	3	23.4	5	39.1
Smith	10,582	148	94	14.0	8.9	54	157	3	20.3	4	27.0
Stafford	10,487	140	88	13.3	8.4	52	159	8	57.1	2	14.3
Stanton	1,443	6	6	4.2	4.2	-	100	-	0	-	0
Stevens	3,193	38	18	11.9	5.6	20	211	6	157.9	-	0
Sumner	26,163	351	226	13.4	8.6	125	155	11	31.3	10	28.5
Thomas	6,425	122	39	19.0	6.1	83	313	3	24.6	1	8.2
Trego	5,822	65	23	11.2	4.0	42	283	-	0	2	30.8
Wabaunsee	9,219	95	72	10.3	7.8	23	132	-	0	-	0
Wallace	2,216	18	18	8.1	8.1	-	100	4	222.2	-	0
Washington	15,921	149	103	9.4	6.5	46	145	4	26.8	4	26.8
Wichita	2,185	27	5	12.4	2.3	22	540	-	0	1	37.0
Wilson	17,723	281	196	15.9	11.1	85	143	19	67.6	5	17.8
Woodson	8,014	124	64	15.5	8.0	60	194	4	32.3	3	24.2
Wyandotte	145,071	2,555	1,725	17.6	11.9	830	148	112	43.8	72	28.2
Rural part	23,613	90	173	3.8	7.3	-83	52	2	22.2	1	11.1
Kansas City	121,458	2,465	1,552	20.3	12.8	913	159	110	44.6	71	28.8
White	100,390	2,113	1,219	21.0	12.1	894	173	86	40.7	58	27.4
All other	21,068	352	333	16.7	15.8	19	106	24	68.2	13	36.9
KENTUCKY (total)	2,845,627	63,591	29,733	22.3	10.4	33,858	214	3,358	52.8	2,036	32.0
Adair	18,566	483	173	26.0	9.3	310	279	29	60.0	12	24.8
White	17,463	461	157	26.4	9.0	304	294	29	62.9	12	26.0
All other	1,103	22	16	19.9	14.5	6	138	-	0	-	0
Allen	15,496	355	154	22.9	9.9	201	231	18	50.7	9	25.4
White	15,128	350	148	23.1	9.8	202	236	18	51.4	9	25.7
All other	368	5	6	13.6	16.3	-1	83	-	0	-	0
Anderson	8,936	174	82	19.5	9.2	92	212	3	17.2	8	46.0
White	8,436	165	74	19.6	8.8	91	223	2	12.1	7	42.4
All other	500	9	8	18.0	16.0	1	113	1	111.1	1	111.1
Ballard	9,480	143	99	15.1	10.4	44	144	8	55.9	4	28.0
White	8,710	134	91	15.4	10.4	43	147	8	59.7	4	29.9
All other	770	9	8	11.7	10.4	1	113	-	0	-	0
Barren	27,559	611	352	22.2	12.8	259	174	34	55.6	20	32.7
White	24,833	562	300	22.6	12.1	262	187	29	51.6	17	30.2
All other	2,726	49	52	18.0	19.1	-3	94	5	102.0	3	61.2
Bath	11,451	221	104	19.3	9.1	117	213	17	76.9	4	18.1
White	10,687	208	95	19.5	8.9	113	219	16	76.9	3	14.4
All other	764	13	9	17.0	11.8	4	144	1	76.9	1	76.9
Bell	43,812	1,405	512	32.1	11.7	893	274	111	79.0	47	33.5
Rural part	32,035	1,012	289	31.6	9.0	723	350	66	65.2	29	28.7
White	31,459	1,001	283	31.8	9.0	718	354	65	64.9	29	29.0
All other	576	11	6	19.1	10.4	5	183	1	90.9	-	0
Middlesborough	11,777	393	223	33.4	18.9	170	176	45	114.5	18	45.8
White	10,738	367	208	34.2	19.4	159	176	44	119.9	16	43.6
All other	1,039	26	15	25.0	14.4	11	173	1	38.5	2	76.9
Boone	10,820	172	101	15.9	9.3	71	170	4	23.3	5	29.1
White	10,511	168	97	16.0	9.2	71	173	4	23.8	5	29.8
All other	309	4	4	12.9	12.9	-	100	-	0	-	0
Bourbon	17,932	365	219	20.4	12.2	146	167	19	52.1	7	19.2
White	14,729	293	164	19.9	11.1	129	179	17	58.0	5	17.1
All other	3,203	72	55	22.5	17.2	17	131	2	27.8	2	27.8
Boyd	45,938	1,037	444	22.6	9.7	593	234	63	60.8	48	46.3
Rural part	16,401	295	129	18.0	7.9	166	229	21	71.2	7	23.7
White	16,345	294	128	18.0	7.8	166	230	21	71.4	7	23.8
All other	56	1	1	17.9	17.9	-	100	-	0	-	0
Ashland	29,537	742	315	25.1	10.7	427	235	42	56.6	41	55.3
White	28,701	735	304	25.6	10.6	431	242	42	57.1	39	53.1
All other	836	7	11	8.4	13.2	-4	64	-	0	2	285.7
Boyle	17,075	354	218	20.7	12.8	136	162	20	56.5	16	45.2
White	14,244	328	163	23.0	11.4	165	201	17	51.8	14	42.7
All other	2,831	26	55	9.2	19.4	-29	47	3	115.4	2	76.9
Bracken	9,389	135	77	14.4	8.2	58	175	7	51.9	5	37.0
White	9,166	134	73	14.6	8.0	61	184	7	52.2	5	37.3
All other	223	1	4	4.5	17.9	-3	25	-	0	-	0
Breathitt	23,946	745	150	31.1	6.3	595	497	15	20.1	38	51.0
White	23,818	744	148	31.2	6.2	596	503	15	20.2	38	51.1
All other	128	1	2	7.8	15.6	-1	50	-	0	-	0
Breckinridge	17,744	377	174	21.2	9.8	203	217	21	55.7	15	39.8
White	16,946	370	163	21.8	9.6	207	227	20	54.1	12	32.4
All other	798	7	11	8.8	13.8	-4	64	1	142.9	3	428.6
Bullitt	9,511	187	105	19.7	11.0	82	178	12	64.2	5	26.7
White	9,213	182	102	19.8	11.1	80	178	12	65.9	5	27.5
All other	298	5	3	16.8	10.1	2	167	-	0	-	0
Butler	14,371	279	110	19.4	7.7	169	254	13	46.6	9	32.3
White	14,099	277	108	19.6	7.7	169	256	13	46.9	7	25.3
All other	272	2	2	7.4	7.4	-	100	-	0	2	1,000.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KENTUCKY—Continued											
Caldwell	14,499	238	179	16.4	12.3	59	133	19	79.8	7	29.4
White	13,035	221	151	17.0	11.6	70	146	18	81.4	5	22.6
All other	1,464	17	28	11.6	19.1	-11	61	1	58.8	2	117.6
Calloway	19,041	362	193	19.0	10.1	169	188	19	52.5	8	22.1
White	18,101	349	172	19.3	9.5	177	203	17	48.7	6	17.2
All other	940	13	21	13.8	22.3	-8	62	2	153.8	2	153.8
Campbell	71,918	787	768	10.9	10.7	19	102	34	43.2	29	36.8
Rural part	30,253	501	422	16.6	13.9	79	119	26	51.9	23	45.9
White	30,212	497	417	16.5	13.8	80	119	26	52.3	22	44.3
All other	41	4	5	97.6	122.0	-1	80	-	0	1	250.0
Fort Thomas	11,034	28	66	2.5	6.0	-38	42	1	35.7	-	0
White	10,999	28	65	2.5	5.9	-37	43	1	35.7	-	0
All other	35	-	1	0	28.6	-1	0	-	0	-	0
Newport	30,631	258	280	8.4	9.1	-22	92	7	27.1	6	23.3
White	29,631	247	264	8.3	8.9	-17	94	6	24.3	6	24.3
All other	1,000	11	16	11.0	16.0	-5	69	1	90.9	-	0
Carlisle	7,650	151	87	19.7	11.4	64	174	8	53.0	3	19.9
White	7,432	148	84	19.9	11.3	64	176	8	54.1	3	20.3
All other	218	3	3	13.8	13.8	-	100	-	0	-	0
Carroll	8,657	142	86	16.4	9.9	56	165	7	49.3	5	35.2
White	8,348	137	78	16.4	9.3	59	176	7	51.1	5	36.5
All other	309	5	8	16.2	25.9	-3	63	-	0	-	0
Carter	25,545	754	190	29.5	7.4	564	397	33	43.8	44	58.4
White	25,496	753	188	29.5	7.4	565	401	33	43.8	43	57.1
All other	49	1	2	20.4	40.8	-1	50	-	0	1	1,000.0
Casey	19,962	565	157	28.3	7.9	408	360	24	42.5	11	19.5
White	19,883	565	154	28.4	7.7	411	367	24	42.5	11	19.5
All other	79	-	3	0	38.0	-3	0	-	0	-	0
Christian	36,129	551	752	15.3	20.8	-201	73	37	67.2	19	34.5
Rural part	24,405	386	532	15.8	21.8	-146	73	17	44.0	10	25.9
White	17,572	294	409	16.7	23.3	-115	72	11	37.4	6	20.4
All other	6,833	92	123	13.5	18.0	-31	75	6	65.2	4	43.5
Hopkinsville	11,724	165	220	14.1	18.8	-55	75	20	121.2	9	54.5
White	7,578	126	123	16.6	16.2	3	102	8	63.5	6	47.6
All other	4,146	39	97	9.4	23.4	-58	40	12	307.7	3	76.9
Clark	17,988	368	218	20.5	12.1	150	169	20	54.3	15	40.8
White	15,552	328	175	21.1	11.3	153	187	19	57.9	14	42.7
All other	2,436	40	43	16.4	17.7	-3	93	1	25.0	1	25.0
Clay	23,901	673	109	28.2	4.6	564	617	25	37.1	33	49.0
White	23,508	659	106	28.0	4.5	553	622	25	37.9	32	48.6
All other	393	14	3	35.6	7.6	11	467	-	0	1	71.4
Clinton	10,279	271	80	26.4	7.8	191	339	16	59.0	10	36.9
White	10,226	267	80	26.1	7.8	187	334	16	59.9	10	37.5
All other	53	4	-	75.5	0	4	(3)	-	0	-	0
Crittenden	12,115	210	129	17.3	10.6	81	163	8	38.1	5	23.8
White	11,878	210	122	17.7	10.3	88	172	8	38.1	5	23.8
All other	237	-	7	0	29.5	-7	0	-	0	-	0
Cumberland	11,923	255	95	21.4	8.0	160	268	12	47.1	10	39.2
White	11,143	248	90	22.3	8.1	158	276	12	48.4	10	40.3
All other	780	7	5	9.0	6.4	2	140	-	0	-	0
Daviess	52,335	1,104	533	21.1	10.2	571	207	65	58.9	37	33.5
Rural part	22,090	393	170	17.8	7.7	223	231	18	45.8	6	15.3
White	21,443	388	158	18.1	7.4	230	246	17	43.8	5	12.9
All other	647	5	12	7.7	18.5	-7	42	1	200.0	1	200.0
Owensboro	30,245	711	363	23.5	12.0	348	196	47	66.1	31	43.6
White	27,385	697	321	25.5	11.7	376	217	42	60.3	27	38.7
All other	2,860	14	42	4.9	14.7	-28	33	5	357.1	4	285.7
Edmonson	11,344	358	83	31.6	7.3	275	431	15	41.9	7	19.6
White	11,190	355	81	31.7	7.2	274	438	15	42.3	7	19.7
All other	154	3	2	19.5	13.0	1	150	-	0	-	0
Elliott	8,713	232	53	26.6	6.1	179	438	11	47.4	6	25.9
White	8,713	232	53	26.6	6.1	179	438	11	47.4	6	25.9
All other	-	-	-	0	0	-	0	-	0	-	0
Estill	17,978	508	125	28.3	7.0	383	406	23	45.3	12	23.6
White	17,876	508	124	28.4	6.9	384	410	23	45.3	12	23.6
All other	102	-	1	0	9.8	-1	0	-	0	-	0
Fayette	78,899	1,486	1,382	18.8	17.5	104	108	79	53.2	53	35.7
Rural part	29,595	98	173	3.3	5.8	-75	57	5	51.0	4	40.8
White	25,820	80	143	3.1	5.5	-63	56	4	50.0	3	37.5
All other	3,775	18	30	4.8	7.9	-12	60	1	55.6	1	55.6
Lexington	49,304	1,388	1,209	28.2	24.5	179	115	74	53.3	49	35.3
White	36,372	1,183	863	32.5	23.7	320	137	50	42.3	36	30.4
All other	12,932	205	346	15.9	26.8	-141	59	24	117.1	13	63.4
Fleming	13,327	299	164	22.4	12.3	135	182	17	56.9	10	33.4
White	12,776	291	151	22.8	11.8	140	193	15	51.5	10	34.4
All other	551	8	13	14.5	23.6	-5	62	2	250.0	-	0
Floyd	52,986	1,579	398	29.8	7.5	1,181	397	86	54.5	47	29.8
White	52,005	1,555	387	29.9	7.4	1,168	402	84	54.0	47	30.2
All other	981	24	11	24.5	11.2	13	218	2	83.3	-	0
Franklin	23,308	360	291	15.4	12.5	69	124	24	66.7	28	77.8
Rural part	11,816	118	72	10.0	6.1	46	164	4	33.9	6	50.8
White	11,325	116	69	10.2	6.1	47	168	4	34.5	6	51.7
All other	491	2	3	4.1	6.1	-1	67	-	0	-	0
Frankfort	11,492	242	219	21.1	19.1	23	111	20	82.6	22	90.9
White	9,812	222	175	22.6	17.8	47	127	16	72.1	21	94.6
All other	1,680	20	44	11.9	26.2	-24	45	4	200.0	1	50.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KENTUCKY—Continued											
Fulton	15,413	357	206	23.2	13.4	151	173	31	86.8	18	50.4
White	12,370	303	165	24.5	13.3	138	184	26	85.8	15	49.5
All other	3,043	54	41	17.7	13.5	13	132	5	92.6	3	55.6
Gallatin	4,307	95	50	22.1	11.6	45	190	4	42.1	3	31.6
White	4,168	89	47	21.4	11.3	42	189	4	44.9	3	33.7
All other	139	6	3	43.2	21.6	3	200	-	0	-	0
Garrard	11,910	232	111	19.5	9.3	121	209	13	56.0	11	47.4
White	10,525	210	84	20.0	8.0	126	250	10	47.6	10	47.6
All other	1,385	22	27	15.9	19.5	-5	81	3	136.4	1	45.5
Grant	9,876	178	117	18.0	11.8	61	152	5	28.1	6	33.7
White	9,733	174	113	17.9	11.6	61	154	5	28.7	6	34.5
All other	143	4	4	28.0	28.0	-	100	-	0	-	0
Graves	31,763	577	381	18.2	12.0	196	151	32	55.5	21	36.4
White	29,754	552	349	18.6	11.7	203	158	31	56.2	19	34.4
All other	2,009	25	32	12.4	15.9	-7	78	1	40.0	2	80.0
Grayson	17,562	422	149	24.0	8.5	273	283	16	37.9	10	23.7
White	17,456	420	148	24.1	8.5	272	284	16	38.1	8	19.0
All other	106	2	1	18.9	9.4	1	200	-	0	2	1,000.0
Green	12,321	264	124	21.4	10.1	140	213	8	30.3	5	18.9
White	11,418	246	108	21.5	9.5	138	228	6	24.4	5	20.3
All other	903	18	16	19.9	17.7	2	113	2	111.1	-	0
Greenup	24,917	618	206	24.8	8.3	412	300	34	55.0	20	32.4
White	24,747	615	204	24.9	8.2	411	301	34	55.3	20	32.5
All other	170	3	2	17.6	11.8	1	150	-	0	-	0
Hancock	6,807	147	73	21.6	10.7	74	201	11	74.8	6	40.8
White	6,557	143	71	21.8	10.8	72	201	11	76.9	6	42.0
All other	250	4	2	16.0	8.0	2	200	-	0	-	0
Hardin	29,108	485	282	16.7	9.7	203	172	18	37.1	9	18.6
White	27,903	470	259	16.8	9.3	211	181	18	38.3	9	19.1
All other	1,205	15	23	12.4	19.1	-8	65	-	0	-	0
Harlan	75,275	2,106	620	28.0	8.2	1,486	340	172	81.7	67	31.8
White	67,737	1,936	535	28.6	7.9	1,401	362	160	82.6	51	26.3
All other	7,538	170	85	22.6	11.3	85	200	12	70.6	16	94.1
Harrison	15,124	274	185	18.1	12.2	89	148	10	36.5	5	18.2
White	14,181	267	156	18.8	11.0	111	171	8	30.0	5	18.7
All other	943	7	29	7.4	30.8	-22	24	2	285.7	-	0
Hart	17,239	381	158	22.1	9.2	223	241	18	47.2	2	5.2
White	15,637	344	135	22.0	8.6	209	255	14	40.7	2	5.8
All other	1,602	37	23	23.1	14.4	14	161	4	108.1	-	0
Henderson	27,020	559	365	20.7	13.5	194	153	38	68.0	12	21.5
Rural part	13,860	262	134	18.9	9.7	128	196	19	72.5	5	19.1
White	12,314	227	107	18.4	8.7	120	212	15	66.1	1	4.4
All other	1,546	35	27	22.6	17.5	8	130	4	114.3	4	114.3
Henderson	13,160	297	231	22.6	17.6	66	129	19	64.0	7	23.6
White	10,515	258	164	24.5	15.6	94	157	17	65.9	5	19.4
All other	2,645	39	67	14.7	25.3	-28	58	2	51.3	2	51.3
Henry	12,220	234	92	19.1	7.5	142	254	7	29.9	4	17.1
White	11,201	218	85	19.5	7.6	133	256	7	32.1	4	18.3
All other	1,019	16	7	15.7	6.9	9	229	-	0	-	0
Hickman	9,142	116	102	12.7	11.2	14	114	11	94.8	1	8.6
White	8,127	89	82	11.0	10.1	7	109	9	101.1	1	11.2
All other	1,015	27	20	26.6	19.7	7	135	2	74.1	-	0
Hopkins	37,789	765	406	20.2	10.7	359	188	34	44.4	31	40.5
White	33,390	691	334	20.7	10.0	357	207	29	42.0	27	39.1
All other	4,399	74	72	16.8	16.4	2	103	5	67.6	4	54.1
Jackson	16,339	484	79	29.6	4.8	405	613	22	45.5	10	20.7
White	16,318	484	79	29.7	4.8	405	613	22	45.5	10	20.7
All other	21	-	-	0	0	-	0	-	0	-	0
Jefferson	385,392	7,015	5,244	18.2	13.6	1,771	134	359	51.2	186	26.5
Rural part	66,315	490	798	7.4	12.0	-308	61	18	36.7	13	26.5
White	62,307	458	637	7.4	10.2	-179	72	17	37.1	12	26.2
All other	4,008	32	161	8.0	40.2	-129	20	1	31.3	1	31.3
Louisville	319,077	6,525	4,446	20.4	13.9	2,079	147	341	52.3	173	26.5
White	271,867	5,799	3,522	21.3	13.0	2,277	165	276	47.6	145	25.0
All other	47,210	726	924	15.4	19.6	-198	79	65	89.5	28	38.6
Jessamine	12,174	140	126	11.5	10.3	14	111	9	64.3	1	7.1
White	10,592	122	102	11.5	9.6	20	120	6	49.2	1	8.2
All other	1,582	18	24	11.4	15.2	-6	75	3	166.7	-	0
Johnson	25,771	808	234	31.4	9.1	574	345	46	56.9	28	34.7
White	25,757	807	233	31.3	9.0	574	346	46	57.0	28	34.7
All other	14	1	1	71.4	71.4	-	100	-	0	-	0
Kenton	93,139	1,767	1,198	19.0	12.9	569	147	94	53.2	48	27.2
Rural part	31,121	189	198	6.1	6.3	-7	96	11	58.2	5	26.5
White	30,752	186	191	6.0	6.2	-5	97	11	59.1	4	21.5
All other	369	3	5	8.1	13.6	-2	60	-	0	1	333.3
Covington	62,018	1,578	1,002	25.4	16.2	576	157	83	52.6	43	27.2
White	58,858	1,530	935	26.0	15.9	595	164	77	50.3	40	26.1
All other	3,160	48	67	15.2	21.2	-19	72	6	125.0	3	62.5
Knott	20,007	593	113	29.6	5.6	480	525	22	37.1	24	40.5
White	19,739	590	112	29.9	5.7	478	527	21	35.6	24	40.7
All other	268	3	1	11.2	3.7	2	300	1	333.3	-	0
Knox	31,029	884	286	28.5	9.2	598	309	63	71.3	30	33.9
White	30,409	876	273	28.8	9.0	603	321	63	71.9	28	32.0
All other	620	8	13	12.9	21.0	-5	62	-	0	2	250.0
Larue	9,622	189	80	19.6	8.3	109	236	4	21.2	8	42.3
White	9,098	178	77	19.6	8.5	101	231	3	16.9	7	39.3
All other	524	11	3	21.0	5.7	8	367	1	90.9	1	90.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KENTUCKY—Continued											
Laurel	25,640	638	218	24.9	8.5	420	293	30	47.0	18	28.2
White	25,296	631	211	24.9	8.3	420	299	30	47.5	18	28.5
All other	344	7	7	20.3	20.3	-	100	-	0	-	0
Lawrence	17,275	478	184	27.7	10.7	294	260	21	43.9	16	33.5
White	17,180	477	160	27.8	10.5	297	265	21	44.0	16	33.5
All other	95	1	4	10.5	42.1	-3	25	-	0	-	0
Lee	10,860	247	52	22.7	4.9	195	475	4	16.2	4	16.2
White	10,761	243	51	22.6	4.7	192	476	4	16.5	4	16.5
All other	99	4	1	40.4	10.1	3	400	-	0	-	0
Leslie	14,981	548	63	36.6	4.2	485	870	16	29.2	15	27.4
White	14,956	548	63	36.6	4.2	485	870	16	29.2	15	27.4
All other	25	-	-	0	0	-	0	-	0	-	0
Letcher	40,592	1,399	302	34.5	7.4	1,097	463	76	54.3	43	30.7
White	38,534	1,364	275	35.4	7.1	1,089	496	75	55.0	42	30.8
All other	2,058	35	27	17.0	13.1	8	130	1	28.6	1	28.6
Lewis	15,686	429	137	27.3	8.7	292	313	19	44.3	9	21.0
White	15,656	429	137	27.4	8.8	292	313	19	44.3	9	21.0
All other	30	-	-	0	0	-	0	-	0	-	0
Lincoln	19,859	434	205	21.9	10.3	229	212	23	53.0	13	30.0
White	18,307	410	177	22.4	9.7	233	232	21	51.2	13	31.7
All other	1,552	24	28	15.5	18.0	-4	86	2	83.3	-	0
Livingston	9,127	230	84	25.2	9.2	146	274	12	52.2	8	34.8
White	8,903	227	79	25.5	8.9	148	287	12	52.9	8	35.2
All other	224	3	5	13.4	22.3	-2	60	-	0	-	0
Logan	23,345	454	265	19.4	11.4	189	171	23	50.7	16	35.2
White	20,027	429	218	21.4	10.9	211	197	20	46.6	15	35.0
All other	3,318	25	47	7.5	14.2	-22	53	3	120.0	1	40.0
Lyon	9,067	137	87	15.1	9.6	50	157	5	36.5	5	36.5
White	7,823	136	70	17.4	8.9	66	194	5	36.8	5	36.8
All other	1,244	1	17	0.8	13.7	-16	6	-	0	-	0
McCracken	48,534	929	607	19.1	12.5	322	153	54	58.1	34	36.6
Rural part	14,769	243	157	16.5	10.6	86	155	15	61.7	7	28.8
White	13,979	228	139	16.3	9.9	89	164	14	61.4	5	21.9
All other	790	15	18	19.0	22.8	-3	83	1	66.7	2	133.3
Paducah	33,765	686	450	20.3	13.3	236	152	39	56.9	27	39.4
White	27,572	575	321	20.9	11.6	254	179	30	52.2	23	40.0
All other	6,193	111	129	17.9	20.8	-18	86	9	81.1	4	36.0
McCreary	16,451	556	127	33.8	7.7	429	438	45	80.9	27	48.6
White	16,413	554	127	33.8	7.7	427	436	45	81.2	27	48.7
All other	38	2	-	52.6	0	2	(3)	-	0	-	0
McLean	11,446	224	101	19.6	8.8	123	222	10	44.6	7	31.3
White	11,199	221	99	19.7	8.8	122	223	10	45.2	7	31.7
All other	247	3	2	12.1	8.1	1	150	-	0	-	0
Madison	28,541	606	331	21.2	11.6	275	183	34	56.1	14	23.1
White	25,013	561	275	22.4	11.0	286	204	32	57.0	13	23.2
All other	3,528	45	56	12.8	15.9	-11	80	2	44.4	1	22.2
Magoffin	17,490	550	74	31.4	4.2	476	743	21	38.2	11	20.0
White	17,462	549	74	31.4	4.2	475	742	21	38.3	11	20.0
All other	28	1	-	35.7	0	1	(3)	-	0	-	0
Marion	16,913	469	166	27.7	9.8	303	283	30	64.0	16	34.1
White	15,462	443	145	28.7	9.4	298	306	27	60.9	15	33.9
All other	1,451	26	21	17.9	14.5	5	124	3	115.4	1	38.5
Marshall	16,602	328	133	19.8	8.0	195	247	9	27.4	3	9.1
White	16,446	323	131	19.6	8.0	192	247	8	24.8	3	9.3
All other	156	5	2	32.1	12.8	3	250	1	200.0	-	0
Martin	10,970	416	66	37.9	6.0	350	630	28	67.3	12	28.8
White	10,970	416	66	37.9	6.0	350	630	28	67.3	12	28.8
All other	-	-	-	0	0	-	0	-	0	-	0
Mason	19,066	424	284	22.2	14.9	140	149	22	51.9	19	44.8
White	16,969	391	246	23.0	14.5	145	159	18	46.0	17	43.5
All other	2,097	33	38	15.7	18.1	-5	87	4	121.2	2	60.6
Meade	8,827	188	71	21.3	8.0	117	265	10	53.2	7	37.2
White	8,461	183	67	21.6	7.9	116	273	9	49.2	7	38.3
All other	366	5	4	13.7	10.9	1	125	1	200.0	-	0
Menifee	5,691	164	39	28.8	6.9	125	421	3	18.3	8	48.8
White	5,667	164	39	28.9	6.9	125	421	3	18.3	8	48.8
All other	24	-	-	0	0	-	0	-	0	-	0
Mercer	14,629	255	163	17.4	11.1	92	156	10	39.2	8	31.4
White	13,356	232	140	17.4	10.5	92	166	8	34.5	8	34.5
All other	1,273	23	23	18.1	18.1	-	100	2	87.0	-	0
Metcalfe	10,853	252	100	23.2	9.2	152	252	15	59.5	4	15.9
White	10,317	233	96	22.6	9.3	137	243	15	64.4	4	17.2
All other	536	19	4	35.4	7.5	15	475	-	0	-	0
Monroe	14,070	389	124	27.6	8.8	265	314	20	51.4	16	41.1
White	13,620	386	115	28.3	8.4	271	336	20	51.8	16	41.5
All other	450	3	9	6.7	20.0	-6	33	-	0	-	0
Montgomery	12,280	276	127	22.5	10.3	149	217	8	29.0	11	39.9
White	10,658	251	103	23.6	9.7	148	244	8	31.9	8	31.9
All other	1,622	25	24	15.4	14.8	1	104	-	0	3	120.0
Morgan	16,827	462	130	27.5	7.7	332	355	27	58.4	11	23.8
White	16,825	462	130	27.5	7.7	332	355	27	58.4	11	23.8
All other	2	-	-	0	0	-	0	-	0	-	0
Muhlenberg	37,554	860	394	22.9	10.5	466	218	68	79.1	35	40.7
White	35,333	821	357	23.2	10.1	464	230	66	80.4	31	37.8
All other	2,221	39	37	17.6	16.7	2	105	2	51.3	4	102.6
Nelson	18,004	418	155	23.2	8.6	263	270	21	50.2	15	35.9
White	16,267	399	135	24.5	8.3	264	296	19	47.6	15	32.6
All other	1,737	19	20	10.9	11.5	-1	95	2	105.3	2	105.3

See footnotes at end of table.

498675 O - 43 - 6

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 38)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KENTUCKY—Continued											
Nicholas	8,617	162	107	18.8	12.4	55	151	10	61.7	1	6.2
White	8,121	150	98	18.5	12.1	52	153	9	60.0	1	6.7
All other	496	12	9	24.2	18.1	3	133	1	83.3	-	0
Ohio	24,421	463	237	19.0	9.7	226	195	26	56.2	22	47.5
White	23,757	451	229	19.0	9.6	222	197	25	55.4	22	48.8
All other	664	12	8	18.1	12.0	4	150	1	83.3	-	0
Oldham	10,718	125	116	11.7	10.8	9	108	3	24.0	7	56.0
White	9,415	116	107	12.3	11.4	9	108	2	17.2	7	60.3
All other	1,301	9	9	6.9	6.9	-	100	1	111.1	-	0
Owen	10,942	193	105	17.6	9.6	88	184	11	57.0	3	15.5
White	10,489	186	101	17.7	9.6	85	184	10	53.8	3	16.1
All other	453	7	4	15.5	8.8	3	175	1	142.9	-	0
Owsley	8,957	218	49	24.3	5.5	169	445	7	32.1	6	27.5
White	8,906	217	49	24.4	5.5	168	443	7	32.3	6	27.6
All other	51	1	-	19.6	0	1	(3)	-	0	-	0
Pendleton	10,392	193	107	18.6	10.3	86	180	6	31.1	8	41.5
White	10,220	190	100	18.6	9.8	90	190	5	26.3	8	42.1
All other	172	3	7	17.4	40.7	-4	43	1	333.3	-	0
Perry	47,828	1,457	312	30.5	6.5	1,145	467	65	44.6	55	37.7
White	45,765	1,413	291	30.9	6.4	1,122	486	63	44.6	53	37.5
All other	2,063	44	21	21.3	10.2	23	210	2	45.5	2	45.5
Pike	71,122	2,149	456	30.2	6.4	1,693	471	106	49.3	72	33.5
White	70,108	2,138	445	30.5	6.3	1,693	480	104	48.6	70	32.7
All other	1,014	11	11	10.8	10.8	-	100	2	181.8	2	181.8
Powell	7,671	202	61	26.3	8.0	141	331	10	49.5	4	19.8
White	7,446	196	58	26.3	7.8	138	338	9	45.9	4	20.4
All other	225	6	3	26.7	13.3	3	200	1	166.7	-	0
Pulaski	39,863	966	306	24.2	7.7	660	316	40	41.4	36	37.3
White	39,048	958	294	24.5	7.5	664	326	40	41.8	33	34.4
All other	815	8	12	9.8	14.7	-4	67	-	0	3	375.0
Robertson	3,419	65	36	19.0	10.5	29	181	6	92.3	2	30.8
White	3,379	64	36	18.9	10.7	28	178	6	93.8	2	31.3
All other	40	1	-	25.0	0	1	(3)	-	0	-	0
Rockcastle	17,165	443	127	25.8	7.4	316	349	25	56.4	19	42.9
White	17,136	441	127	25.7	7.4	314	347	25	56.7	19	43.1
All other	29	2	-	69.0	0	2	(3)	-	0	-	0
Rowan	12,734	381	84	29.9	6.6	297	454	12	31.5	17	44.6
White	12,718	380	84	29.9	6.6	296	452	12	31.6	17	44.7
All other	16	1	-	62.5	0	1	(3)	-	0	-	0
Russell	13,815	282	100	20.7	7.3	182	282	5	17.7	9	31.9
White	13,575	277	97	20.7	7.3	180	286	5	18.1	9	32.5
All other	240	5	3	20.8	12.5	2	167	-	0	-	0
Scott	14,314	257	175	18.0	12.2	82	147	19	73.9	11	42.8
White	12,190	232	142	19.0	11.6	90	163	15	64.7	10	43.1
All other	2,124	25	33	11.8	15.5	-8	76	4	160.0	1	40.0
Shelby	17,759	355	237	20.0	13.3	118	150	12	33.8	11	31.0
White	15,201	319	194	21.0	12.8	125	164	11	34.5	10	31.3
All other	2,558	36	43	14.1	16.8	-7	84	1	27.8	1	27.8
Simpson	11,752	212	141	18.0	12.0	71	150	13	61.3	6	28.3
White	10,021	200	116	20.0	11.6	84	172	12	60.0	6	30.0
All other	1,731	12	25	6.9	14.4	-13	48	1	83.3	-	0
Spencer	6,757	158	63	23.4	9.3	95	251	9	57.0	3	19.0
White	6,277	152	56	24.2	8.9	96	271	8	52.6	3	19.7
All other	480	6	7	12.5	14.6	-1	86	1	166.7	-	0
Taylor	13,556	337	159	24.9	11.7	178	212	18	53.4	17	50.4
White	12,407	321	142	25.9	11.4	179	226	15	46.7	15	46.7
All other	1,149	16	17	13.9	14.8	-1	94	3	187.5	2	125.0
Todd	14,234	305	186	21.4	13.1	119	164	23	75.4	7	23.0
White	11,022	254	123	23.0	11.2	131	207	16	63.0	5	19.7
All other	3,212	51	63	15.9	19.6	-12	81	7	137.3	2	39.2
Trigg	12,784	220	126	17.2	9.9	94	175	14	63.6	4	18.2
White	10,663	197	111	18.5	10.4	86	177	13	66.0	2	10.2
All other	2,121	23	15	10.8	7.1	8	153	1	43.5	2	87.0
Trimble	5,601	117	45	20.9	8.0	72	260	5	42.7	3	25.6
White	5,579	117	45	21.0	8.1	72	260	5	42.7	3	25.6
All other	22	-	-	0	0	-	0	-	0	-	0
Union	17,411	351	164	20.2	9.4	187	214	15	42.7	9	25.6
White	15,308	309	140	20.2	9.1	169	221	14	45.3	7	22.7
All other	2,103	42	24	20.0	11.4	18	175	1	23.8	2	47.6
Warren	36,631	780	421	21.3	11.5	359	185	50	64.1	19	24.4
Rural part	22,046	395	185	17.9	8.4	210	214	20	50.6	7	17.7
White	19,850	360	165	18.1	8.3	195	218	18	50.0	7	19.4
All other	2,196	35	20	15.9	9.1	15	175	2	57.1	-	0
Bowling Green	14,585	385	236	26.4	16.2	149	163	30	77.9	12	31.2
White	12,047	339	176	28.1	14.6	163	193	25	73.7	7	20.6
All other	2,538	46	60	18.1	23.6	-14	77	5	108.7	5	108.7
Washington	12,965	314	114	24.2	8.8	200	275	12	38.2	7	22.3
White	11,681	288	99	24.7	8.5	189	291	10	34.7	5	17.4
All other	1,284	26	15	20.2	11.7	11	173	2	76.9	2	76.9
Wayne	17,204	517	102	30.1	5.9	415	507	15	29.0	14	27.1
White	16,741	506	93	30.2	5.6	413	544	15	29.6	14	27.7
All other	463	11	9	23.8	19.4	2	122	-	0	-	0
Webster	19,198	319	199	16.6	10.4	120	160	25	78.4	6	18.8
White	16,502	300	167	18.2	10.1	133	180	22	73.3	4	13.3
All other	2,696	19	32	7.0	11.9	-13	59	3	157.9	2	105.3
Whitley	33,186	738	276	22.2	8.3	462	267	48	65.0	19	25.7
White	32,821	733	273	22.3	8.3	460	268	48	65.5	19	25.9
All other	365	5	3	13.7	8.2	2	167	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
KENTUCKY—Continued											
Wolfe	9,997	363	86	36.3	8.6	277	422	19	52.3	14	38.6
White	9,990	363	86	36.3	8.6	277	422	19	52.3	14	38.6
All other	7	-	-	0	0	-	0	-	0	-	0
Woodford	11,847	203	114	17.1	9.6	89	178	8	39.4	3	14.8
White	9,843	184	78	18.7	7.9	106	236	6	32.6	3	16.3
All other	2,004	19	36	9.5	18.0	-17	53	2	105.3	-	0
LOUISIANA (total)	2,363,880	50,916	25,648	21.5	10.8	25,268	199	3,271	64.2	1,937	38.0
Acadia	46,260	1,066	409	23.0	8.8	657	261	80	75.0	20	18.8
White	37,941	834	308	22.0	8.1	526	271	52	62.4	6	7.2
All other	8,319	232	101	27.9	12.1	131	230	28	120.7	14	60.3
Allen	17,540	405	129	23.1	7.4	276	314	26	64.2	21	51.9
White	12,986	301	84	23.2	6.5	217	358	13	43.2	14	46.5
All other	4,554	104	45	22.8	9.9	59	231	13	125.0	7	67.3
Ascension	21,215	423	215	19.9	10.1	208	197	36	85.1	19	44.9
White	13,267	275	108	20.7	8.1	167	255	13	47.3	4	14.5
All other	7,948	148	107	18.6	13.5	41	138	23	155.4	15	101.4
Assumption	18,541	474	166	25.6	9.0	308	286	41	86.5	21	44.3
White	11,010	241	67	21.9	6.1	174	360	15	62.2	13	53.9
All other	7,531	233	99	30.9	13.1	134	235	26	111.6	8	34.3
Avoyelles	39,256	804	301	20.5	7.7	503	267	34	42.3	24	29.9
White	28,677	508	181	17.7	6.3	327	281	17	33.5	13	25.6
All other	10,579	296	120	28.0	11.3	176	247	17	57.4	11	37.2
Beauregard	14,847	282	119	19.0	8.0	163	237	14	49.6	12	42.6
White	12,236	236	90	19.3	7.4	148	262	11	46.6	11	46.6
All other	2,611	46	29	17.6	11.1	17	159	3	65.2	1	21.7
Bienville	23,933	459	146	19.2	6.1	313	314	20	43.6	17	37.0
White	12,442	187	71	15.0	5.7	116	263	9	48.1	5	26.7
All other	11,491	272	75	23.7	6.5	197	363	11	40.4	12	44.1
Bossier	33,162	310	201	9.3	6.1	109	154	13	41.9	3	9.7
White	16,495	118	59	7.2	3.6	59	200	3	25.4	1	8.5
All other	16,667	192	142	11.5	8.5	50	135	10	52.1	2	10.4
Caddo	150,203	4,324	2,424	28.8	16.1	1,900	178	362	83.7	220	50.9
Rural part	52,036	539	339	10.4	6.5	200	159	39	72.4	30	55.7
White	24,217	182	111	7.5	4.8	71	164	7	38.5	4	22.0
All other	27,819	357	228	12.8	8.2	129	157	32	89.6	26	72.8
Shreveport	98,167	3,785	2,085	38.6	21.2	1,700	182	323	85.3	190	50.2
White	62,146	2,037	903	32.8	14.5	1,134	226	132	64.8	65	31.9
All other	36,021	1,748	1,182	48.5	32.8	566	148	191	109.3	125	71.5
Calcasieu	56,506	1,158	477	20.5	8.4	681	243	76	65.6	44	38.0
Rural part	35,299	528	178	15.0	5.0	350	297	17	32.2	7	13.3
White	28,660	407	126	14.2	4.4	281	323	11	27.0	5	12.3
All other	6,639	121	52	18.2	7.8	69	233	6	49.6	2	16.5
Lake Charles	21,207	630	299	29.7	14.1	331	211	59	93.7	37	58.7
White	12,884	448	170	34.8	13.2	278	264	29	64.7	18	40.2
All other	8,323	182	129	21.9	15.5	53	141	30	164.8	19	104.4
Caldwell	12,046	237	91	19.7	7.6	146	260	13	54.9	5	21.1
White	8,550	160	60	18.7	7.0	100	267	10	62.5	3	18.8
All other	3,496	77	31	22.0	8.9	46	248	3	39.0	2	26.0
Cameron	7,203	80	40	11.1	5.6	40	200	5	62.5	3	37.5
White	6,533	68	38	10.4	5.8	30	179	5	73.5	3	44.1
All other	670	12	2	17.9	3.0	10	600	-	0	-	0
Catahoula	14,618	231	86	15.8	5.9	145	269	6	26.0	5	21.6
White	9,273	131	41	14.1	4.4	90	320	3	22.9	2	15.3
All other	5,345	100	45	18.7	8.4	55	222	3	30.0	3	30.0
Claiborne	29,855	481	198	16.1	6.6	283	243	20	41.6	17	35.3
White	12,770	128	77	10.0	6.0	51	166	4	31.3	5	39.1
All other	17,085	353	121	20.7	7.1	232	292	16	45.3	12	34.0
Concordia	14,562	263	123	18.1	8.4	140	214	15	57.0	18	68.4
White	4,787	96	32	20.1	6.7	64	300	5	52.1	3	31.3
All other	9,775	167	91	17.1	9.3	76	184	10	59.9	15	89.8
De Soto	31,803	646	234	20.3	7.4	412	276	31	48.0	35	54.2
White	11,688	192	88	16.4	7.5	104	218	8	41.7	7	36.5
All other	20,115	454	146	22.6	7.3	308	311	23	50.7	28	61.7
East Baton Rouge	88,415	1,790	852	20.2	9.6	938	210	117	65.4	87	48.6
Rural part	53,696	1,321	555	24.6	10.3	766	238	78	59.0	51	38.8
White	31,682	916	277	28.9	8.7	639	331	31	33.8	20	21.8
All other	22,014	405	278	18.4	12.6	127	146	47	116.0	31	76.5
Baton Rouge	34,719	469	297	13.5	8.6	172	158	39	83.2	36	76.8
White	23,092	316	164	13.7	7.1	152	193	21	66.5	18	57.0
All other	11,627	153	133	13.2	11.4	20	115	18	117.6	18	117.6
East Carroll	19,023	396	157	20.8	8.3	239	252	16	40.4	24	60.6
White	6,232	133	26	21.3	4.2	107	512	6	45.1	8	60.2
All other	12,791	263	131	20.6	10.2	132	201	10	38.0	16	60.8
East Feliciana	18,039	278	428	15.4	23.7	-150	65	4	14.4	8	28.8
White	6,387	44	194	6.9	30.4	-150	23	1	22.7	2	45.5
All other	11,652	234	234	20.1	20.1	-	100	3	12.8	6	25.6
Evangeline	30,497	548	137	18.0	4.5	411	400	26	47.4	8	14.6
White	23,498	358	89	15.2	3.8	269	402	6	16.8	6	16.8
All other	6,999	190	48	27.1	6.9	142	396	20	105.3	2	10.5
Franklin	32,382	676	189	20.9	5.8	487	358	38	56.2	11	16.3
White	19,753	380	110	19.2	5.6	270	345	21	55.3	4	10.5
All other	12,629	296	79	23.4	6.3	217	375	17	57.4	7	23.6
Grant	15,933	170	102	10.7	6.4	68	167	10	58.8	8	47.1
White	11,954	92	68	7.7	5.7	24	135	5	54.3	6	65.2
All other	3,979	78	34	19.6	8.5	44	229	5	64.1	2	25.6

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
LOUISIANA—Continued											
Iberia	37,183	814	382	21.9	10.3	432	213	79	97.1	25	30.7
Rural part	23,436	456	202	19.5	8.6	254	226	51	111.8	13	28.5
White	14,236	214	90	15.0	6.3	124	238	12	56.1	2	9.3
All other	9,200	242	112	26.3	12.2	130	216	39	161.2	11	45.5
New Iberia	13,747	358	180	26.0	13.1	178	199	28	78.2	12	33.5
White	9,499	299	102	31.5	10.7	197	293	20	66.9	8	26.8
All other	4,248	59	78	13.9	18.4	-19	76	8	135.6	4	67.8
Iberville	27,721	604	350	21.8	12.6	254	173	51	84.4	21	34.8
White	13,512	281	147	20.8	10.9	134	191	13	46.3	5	17.8
All other	14,209	323	203	22.7	14.3	120	159	38	117.6	16	49.5
Jackson	17,807	310	116	17.4	6.5	194	267	14	45.2	10	32.3
White	12,194	217	91	17.8	7.5	126	238	11	50.7	5	23.0
All other	5,613	93	25	16.6	4.5	68	372	3	32.3	5	53.8
Jefferson	50,427	226	231	4.5	4.6	-5	98	8	35.4	5	22.1
Rural part	39,548	177	185	4.5	4.7	-8	96	7	39.5	4	22.6
White	33,768	153	139	4.5	4.1	14	110	4	26.1	4	26.1
All other	5,780	24	46	4.2	8.0	-22	52	3	125.0	-	0
Gretna	10,879	49	46	4.5	4.2	3	107	1	20.4	1	20.4
White	8,066	45	34	5.6	4.2	11	132	1	22.2	1	22.2
All other	2,813	4	12	1.4	4.3	-8	33	-	0	-	0
Jefferson Davis	24,191	564	202	23.3	8.4	362	279	36	63.8	19	33.7
White	18,174	400	128	22.0	7.0	272	313	18	45.0	12	30.0
All other	6,017	164	74	27.3	12.3	90	222	18	109.8	7	42.7
Lafayette	43,941	1,611	732	36.7	16.7	879	220	156	96.8	91	56.5
Rural part	24,731	401	144	16.2	5.8	257	278	32	79.8	14	34.9
White	16,268	206	82	12.7	5.0	124	251	13	63.1	1	4.9
All other	8,463	195	62	23.0	7.3	133	315	19	97.4	13	66.7
Lafayette	19,210	1,210	588	63.0	30.6	622	206	124	102.5	77	63.6
White	13,570	840	319	61.9	23.5	521	263	72	85.7	34	40.5
All other	5,640	370	269	65.6	47.7	101	138	52	140.5	43	116.2
Lafourche	38,615	938	331	24.3	8.6	607	283	50	53.3	36	38.4
White	32,659	796	237	24.4	7.3	559	336	35	44.0	27	33.9
All other	5,956	142	94	23.8	15.8	48	151	15	105.6	9	63.4
La Salle	10,959	199	58	18.2	5.3	141	343	4	20.1	6	30.2
White	9,587	174	46	18.1	4.8	128	378	3	17.2	4	23.0
All other	1,372	25	12	18.2	8.7	13	208	1	40.0	2	80.0
Lincoln	24,790	495	191	20.0	7.7	304	259	12	24.2	15	30.3
White	13,551	241	109	17.8	8.0	132	221	3	12.4	3	12.4
All other	11,239	254	82	22.6	7.3	172	310	9	35.4	12	47.2
Livingston	17,790	277	82	15.6	4.6	195	338	6	21.7	4	14.4
White	15,150	243	69	16.0	4.6	174	352	3	12.3	2	8.2
All other	2,640	34	13	12.9	4.9	21	262	3	88.2	2	58.8
Madison	18,443	399	176	21.6	9.5	223	227	26	65.2	21	52.6
White	5,655	117	37	20.7	6.5	80	316	7	59.8	1	8.5
All other	12,788	282	139	22.1	10.9	143	203	19	67.4	20	70.9
Morehouse	27,571	587	251	21.3	9.1	336	234	49	83.5	26	44.3
White	11,432	238	80	20.8	7.0	158	298	13	54.6	5	21.0
All other	16,139	349	171	21.6	10.6	178	204	38	103.2	21	60.2
Natchitoches	40,997	938	367	22.9	9.0	571	256	55	58.6	39	41.6
White	21,010	429	168	20.4	8.0	261	255	22	51.3	9	21.0
All other	19,987	509	199	25.5	10.0	310	256	33	64.8	30	58.9
Orleans, coextensive with New Orleans	494,537	12,052	8,096	24.4	16.4	3,956	149	775	64.3	424	35.2
White	344,775	7,335	5,041	21.3	14.6	2,294	146	348	47.4	196	26.7
All other	149,762	4,717	3,055	31.5	20.4	1,662	154	427	90.5	228	48.3
Ouachita	59,168	1,157	549	19.6	9.3	608	211	54	46.7	46	39.8
Rural part	30,859	384	171	12.4	5.5	213	225	18	41.7	9	23.4
White	21,720	221	92	10.2	4.2	129	240	6	27.1	5	22.6
All other	9,139	163	79	17.8	8.6	84	206	10	61.3	4	24.5
Monroe	28,309	773	378	27.3	13.4	395	204	38	49.2	37	47.9
White	16,421	561	199	34.2	12.1	362	282	24	42.8	15	26.7
All other	11,888	212	179	17.8	15.1	33	118	14	66.0	22	103.8
Plaquemines	12,318	223	79	18.1	6.4	144	282	16	71.7	8	35.9
White	6,864	105	35	15.3	5.1	70	300	3	28.6	3	28.6
All other	5,454	118	44	21.6	8.1	74	268	13	110.2	5	42.4
Pointe Coupee	24,004	496	255	20.7	10.6	241	195	39	78.6	28	56.5
White	10,448	162	74	15.5	7.1	88	219	7	43.2	3	18.5
All other	13,556	334	181	24.6	13.4	153	185	32	95.8	25	74.9
Rapides	73,370	2,017	1,468	27.5	20.0	549	137	139	68.9	105	52.1
Rural part	46,304	1,413	1,162	30.5	25.1	251	122	113	80.0	79	55.9
White	30,735	881	596	28.7	19.4	285	148	62	70.4	40	45.4
All other	15,569	532	566	34.2	36.4	-34	94	51	95.9	39	73.3
Alexandria	27,066	604	306	22.3	11.3	298	197	26	43.0	26	43.0
White	15,723	437	174	27.8	11.1	263	251	16	36.6	11	25.2
All other	11,343	167	132	14.7	11.6	35	127	10	59.9	15	89.8
Red River	15,881	317	120	20.0	7.6	197	264	24	75.7	19	59.9
White	7,883	112	43	14.2	5.5	69	260	3	26.8	4	35.7
All other	7,998	205	77	25.6	9.6	128	266	21	102.4	15	73.2
Richland	28,829	723	224	25.1	7.8	499	323	28	38.7	33	45.6
White	15,768	386	79	24.5	5.0	307	489	11	28.5	13	33.7
All other	13,061	337	145	25.8	11.1	192	232	17	50.4	20	59.3
Sabine	23,586	404	147	17.1	6.2	257	275	11	27.2	9	22.3
White	18,826	321	113	17.1	6.0	208	284	9	28.0	4	12.5
All other	4,760	83	34	17.4	7.1	49	244	2	24.1	5	60.2
St. Bernard	7,280	10	28	1.4	3.8	-18	36	-	0	-	0
White	5,854	8	17	1.4	2.9	-9	47	-	0	-	0
All other	1,426	2	11	1.4	7.7	-9	18	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
LOUISIANA—Continued											
St. Charles	12,321	141	70	11.4	5.7	71	201	7	49.6	2	14.2
White	8,412	107	31	12.7	3.7	76	345	3	28.0	1	9.3
All other	3,909	34	39	8.7	10.0	-5	87	4	117.6	1	29.4
St. Helena	9,542	106	36	11.1	3.8	70	294	-	0	-	0
White	4,494	39	19	8.7	4.2	20	205	-	0	-	0
All other	5,048	67	17	13.3	3.4	50	394	-	0	-	0
St. James	16,596	344	158	20.7	9.5	186	218	31	90.1	12	34.9
White	8,368	147	63	17.6	7.5	84	233	11	74.8	5	34.0
All other	8,228	197	95	23.9	11.5	102	207	20	101.5	7	35.5
St. John the Baptist	14,766	226	108	15.3	7.3	118	209	17	75.2	7	31.0
White	7,890	82	35	10.4	4.4	47	234	4	48.8	2	24.4
All other	6,876	144	73	20.9	10.6	71	197	13	90.3	5	34.7
St. Landry	71,481	1,931	687	27.0	9.6	1,244	281	178	92.2	49	25.4
White	37,660	701	261	18.6	6.9	440	269	40	57.1	14	20.0
All other	33,821	1,230	426	36.4	12.6	804	289	138	112.2	35	28.5
St. Martin	26,394	515	189	19.5	7.2	326	272	47	91.3	8	15.5
White	16,743	256	95	15.3	5.7	161	269	16	62.5	2	7.8
All other	9,651	259	94	26.8	9.7	165	276	31	119.7	6	23.2
St. Mary	31,458	783	274	24.9	8.7	509	286	33	42.1	27	34.5
White	17,152	401	114	23.4	6.6	287	352	10	24.9	11	27.4
All other	14,306	382	160	26.7	11.2	222	239	23	60.2	16	41.9
St. Tammany	23,624	286	178	12.1	7.5	108	161	15	52.4	12	42.0
White	16,316	144	121	8.8	7.4	23	119	7	48.6	3	20.8
All other	7,308	142	57	19.4	7.8	85	249	8	56.3	9	63.4
Tangipahoa	45,519	1,019	442	22.4	9.7	577	231	70	68.7	47	46.1
White	30,476	675	263	22.1	8.6	412	257	36	53.3	24	35.6
All other	15,043	344	179	22.9	11.9	165	192	34	98.8	23	66.9
Tensas	15,940	348	169	21.8	10.6	179	206	14	40.2	17	48.9
White	4,742	109	19	23.0	4.0	90	574	3	27.5	3	27.5
All other	11,198	239	150	21.3	13.4	89	159	11	46.0	14	58.6
Terrebonne	35,880	837	305	23.3	8.5	532	274	53	63.3	28	33.5
White	25,997	632	180	24.3	6.9	452	351	29	45.9	12	19.0
All other	9,883	205	125	20.7	12.6	80	164	24	117.1	16	78.0
Union	20,943	326	136	15.6	6.5	190	240	10	30.7	11	33.7
White	13,683	172	84	12.6	6.1	88	205	2	11.6	3	17.4
All other	7,260	154	52	21.2	7.2	102	296	8	51.9	8	51.9
Vermilion	37,750	702	262	18.6	6.9	440	268	48	68.4	24	34.2
White	32,706	597	212	18.3	6.5	385	282	39	65.3	18	30.2
All other	5,044	105	50	20.8	9.9	55	210	9	85.7	6	57.1
Vernon	19,142	283	105	14.8	5.5	178	270	11	38.9	5	17.7
White	16,722	254	87	15.2	5.2	167	292	9	35.4	4	15.7
All other	2,420	29	18	12.0	7.4	11	161	2	69.0	1	34.5
Washington	34,443	658	237	19.1	6.9	421	278	39	59.3	30	45.6
Rural part	19,839	321	98	16.2	4.9	223	328	17	53.0	9	28.0
White	13,635	194	59	14.2	4.3	135	329	11	56.7	4	20.6
All other	6,204	127	39	20.5	6.3	88	326	6	47.2	5	39.4
Bogalusa	14,604	337	139	23.1	9.5	198	242	22	65.3	21	62.3
White	9,991	255	83	25.5	8.3	172	307	7	27.5	10	39.2
All other	4,613	82	56	17.8	12.1	26	146	15	182.9	11	134.1
Webster	33,676	558	214	16.6	6.4	344	261	22	39.4	14	25.1
White	19,429	378	109	19.5	5.6	269	347	8	21.2	5	13.2
All other	14,247	180	105	12.6	7.4	75	171	14	77.8	9	50.0
West Baton Rouge	11,263	165	125	14.6	11.1	40	132	15	90.9	4	24.2
White	4,404	48	32	10.9	7.3	16	150	2	41.7	-	0
All other	6,859	117	93	17.1	13.6	24	126	13	111.1	4	34.2
West Carroll	19,252	429	112	22.3	5.8	317	383	13	30.3	10	23.3
White	15,001	316	62	21.1	4.1	254	510	10	31.6	5	15.8
All other	4,251	113	50	26.6	11.8	63	226	3	26.5	5	44.2
West Feliciana	11,720	214	126	18.3	10.8	88	170	10	46.7	4	18.7
White	2,765	16	31	5.8	11.2	-15	52	1	62.5	-	0
All other	8,955	198	95	22.1	10.6	103	208	9	45.5	4	20.2
Winn	16,923	183	56	10.8	3.3	127	327	3	16.4	6	32.8
White	12,645	120	32	9.5	2.5	88	375	-	0	2	16.7
All other	4,278	63	24	14.7	5.6	39	263	3	47.6	4	63.5
MAINE (total)	847,226	15,119	10,580	17.8	12.5	4,539	143	809	53.5	444	29.4
Androscoggin	76,679	1,498	1,015	19.5	13.2	483	148	82	54.7	48	32.0
Rural part	18,264	178	178	9.7	9.7	-	100	11	61.8	6	33.7
Auburn	19,817	105	151	5.3	7.6	-46	70	5	47.6	3	28.6
Lewiston	38,598	1,215	686	31.5	17.8	529	177	66	54.3	39	32.1
Aroostook	94,436	2,424	909	25.7	9.6	1,515	267	168	69.3	95	39.2
Cumberland	146,000	2,371	1,951	16.2	13.4	420	122	115	48.5	58	24.5
Rural part	45,489	453	465	10.0	10.2	-12	97	19	41.9	9	19.9
Portland	73,643	1,761	1,272	23.9	17.3	489	138	88	50.0	45	25.6
South Portland	15,781	17	111	1.1	7.0	-94	15	1	58.8	1	58.8
Westbrook	11,087	140	103	12.6	9.3	37	136	7	50.0	3	21.4
Franklin	19,896	389	248	19.6	12.5	141	157	13	33.4	11	28.3
Hancock	32,422	496	421	15.3	13.0	75	118	16	32.3	23	46.4
Kennebec	77,231	1,468	1,064	19.0	13.8	404	138	53	36.1	42	28.6
Rural part	41,183	547	505	13.3	12.3	42	108	22	40.2	19	34.7
Augusta	19,360	431	316	22.3	16.3	115	136	12	27.8	12	27.8
Waterville	16,688	490	243	29.4	14.6	247	202	19	38.8	11	22.4
Knox	27,191	381	417	14.0	15.3	-36	91	15	39.4	10	26.2
Lincoln	16,294	254	251	15.6	15.4	3	101	12	47.2	6	23.6
Oxford	42,662	645	451	15.1	10.6	194	143	32	49.6	18	27.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MAINE—Continued											
Penobscot	97,104	1,817	1,220	18.7	12.6	597	149	102	56.1	42	23.1
Rural part	67,282	1,254	601	18.6	8.9	653	209	68	54.2	27	21.5
Bangor	29,822	563	619	18.9	20.8	-56	91	34	60.4	15	26.6
Piscataquis	18,467	327	216	17.7	11.7	111	151	16	48.9	8	24.5
Sagadahoc	19,123	302	251	15.8	13.1	51	120	12	39.7	13	43.0
Rural part	8,888	86	94	9.7	10.6	-8	91	6	69.8	3	34.9
Bath	10,235	216	157	21.1	15.3	59	138	6	27.8	10	46.3
Somerset	38,245	583	460	15.2	12.0	123	127	37	63.5	13	22.3
Waldo	21,159	346	283	16.4	13.4	63	122	20	57.8	7	20.2
Washington	37,767	639	446	16.9	11.8	193	143	45	70.4	16	25.0
York	82,550	1,179	977	14.3	11.8	202	121	71	60.2	34	28.8
Rural part	62,760	673	701	10.7	11.2	-28	96	38	56.5	18	26.7
Biddeford	19,790	506	276	25.6	13.9	230	183	33	65.2	16	31.6
MARYLAND (total)	1,821,244	30,251	22,107	16.6	12.1	8,144	137	1,499	49.6	1,320	43.6
Allegany	86,973	1,981	1,037	22.8	11.9	944	191	113	57.0	70	35.3
Rural part	47,490	720	384	15.2	8.1	336	188	37	51.4	25	34.7
White	47,284	714	380	15.1	8.0	334	188	37	51.8	24	33.6
All other	206	6	4	29.1	19.4	2	150	-	0	1	166.7
Cumberland	39,483	1,261	653	31.9	16.5	608	193	76	60.3	45	35.7
White	38,367	1,236	623	32.2	16.2	613	198	75	60.7	44	35.6
All other	1,116	25	30	22.4	26.9	-5	83	1	40.0	1	40.0
Anne Arundel	68,375	924	717	13.5	10.5	207	129	46	49.8	46	49.8
Rural part	55,306	535	548	9.7	9.9	-13	98	26	48.6	26	48.6
White	41,318	265	276	6.4	6.7	-11	96	8	30.2	8	30.2
All other	13,988	270	272	19.3	19.4	-2	99	18	66.7	18	66.7
Annapolis	13,069	389	169	29.8	12.9	220	230	20	51.4	20	51.4
White	9,206	313	107	34.0	11.6	206	293	12	38.3	12	38.3
All other	3,863	76	62	19.7	16.0	14	123	8	105.3	8	105.3
Baltimore	155,825	1,035	1,334	6.6	8.6	-299	78	39	37.7	42	40.6
Rural part	127,023	911	1,227	7.2	9.7	-316	74	35	38.4	39	42.8
White	118,200	818	1,150	6.9	9.7	-332	71	27	33.0	31	37.9
All other	8,823	93	77	10.5	8.7	16	121	8	86.0	8	86.0
District 12 [5]	15,436	92	50	6.0	3.2	42	184	3	32.6	2	21.7
White	13,983	91	48	6.5	3.4	43	190	3	33.0	2	22.0
All other	1,453	1	2	0.7	1.4	-1	50	-	0	-	0
District 13 [5]	13,366	32	57	2.4	4.3	-25	56	1	31.3	1	31.3
White	13,112	32	56	2.4	4.3	-24	57	1	31.3	1	31.3
All other	254	-	1	0	3.9	-1	0	-	0	-	0
Baltimore (city)	859,100	16,361	11,556	19.0	13.5	4,805	142	784	47.9	699	42.7
White	692,705	12,479	8,782	18.0	12.7	3,697	142	506	40.5	424	34.0
All other	166,395	3,862	2,774	23.3	16.7	1,108	140	278	71.6	275	70.8
Calvert	10,484	255	129	24.3	12.3	126	198	17	66.7	13	51.0
White	5,604	119	74	21.2	13.2	45	161	7	58.8	8	42.0
All other	4,880	136	55	27.9	11.3	81	247	10	73.5	8	58.8
Caroline	17,549	306	193	17.4	11.0	113	159	12	39.2	12	39.2
White	14,102	217	142	15.4	10.1	75	153	6	27.6	7	32.3
All other	3,447	89	51	25.8	14.8	38	175	6	67.4	5	56.2
Carroll	39,054	430	752	11.0	19.3	-322	57	23	53.5	11	25.6
White	36,973	393	529	10.6	14.3	-136	74	20	50.9	10	25.4
All other	2,081	37	223	17.8	107.2	-186	17	3	81.1	1	27.0
Cecil	26,407	435	359	16.5	13.6	76	121	15	34.5	23	52.9
White	24,051	390	308	16.2	12.8	82	127	15	38.5	19	48.7
All other	2,356	45	51	19.1	21.6	-6	88	-	0	4	88.9
Charles	17,612	396	180	22.5	10.2	216	220	28	70.7	20	50.5
White	10,384	180	90	17.3	8.7	90	200	8	44.4	6	33.3
All other	7,228	216	90	29.9	12.5	126	240	20	92.6	14	64.8
Dorchester	28,006	476	389	17.0	13.9	87	122	31	65.1	42	88.2
Rural part	17,904	174	215	9.7	12.0	-41	81	11	63.2	18	103.4
White	12,710	72	149	5.7	11.7	-77	48	3	41.7	8	111.1
All other	5,194	102	66	19.6	12.7	36	155	8	78.4	10	98.0
Cambridge	10,102	302	174	29.9	17.2	128	174	20	66.2	24	79.5
White	7,207	220	103	30.5	14.3	117	214	13	59.1	14	63.6
All other	2,895	82	71	28.3	24.5	11	115	7	85.4	10	122.0
Frederick	57,312	1,031	772	18.0	13.5	259	134	47	45.6	33	32.0
Rural part	41,510	737	532	17.8	12.8	205	139	33	44.8	25	33.9
White	38,622	635	487	16.4	12.6	148	130	24	37.8	23	36.2
All other	2,888	102	45	35.3	15.6	57	227	9	88.2	2	19.6
Frederick	15,802	294	240	18.6	15.2	54	123	14	47.6	8	27.2
White	13,985	283	222	20.2	15.9	61	127	11	38.9	8	28.3
All other	1,817	11	18	6.1	9.9	-7	61	3	272.7	-	0
Garrett	21,981	468	162	21.3	7.4	306	289	22	47.0	15	32.1
White	21,976	468	160	21.3	7.3	308	293	22	47.0	15	32.1
All other	5	-	2	0	400.0	-2	0	-	0	-	0
Harford	35,060	489	373	13.9	10.6	116	131	19	38.9	12	24.5
White	31,076	410	315	13.2	10.1	95	130	16	39.0	8	19.5
All other	3,984	79	58	19.8	14.6	21	136	3	38.0	4	50.6
Howard	17,175	216	144	12.6	8.4	72	150	5	23.1	6	27.8
White	14,369	165	115	11.5	8.0	50	143	2	12.1	4	24.2
All other	2,806	51	29	18.2	10.3	22	176	3	58.8	2	39.2
Kent	13,465	241	171	17.9	12.7	70	141	8	33.2	17	70.5
White	9,404	151	111	16.1	11.8	40	136	1	6.6	7	46.4
All other	4,061	90	60	22.2	14.8	30	150	7	77.8	10	111.1
Montgomery	83,912	1,030	712	12.3	8.5	318	145	48	46.6	34	33.0
White	74,986	875	594	11.7	7.9	281	147	32	36.6	22	25.1
All other	8,926	155	118	17.4	13.2	37	131	16	103.2	12	77.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MARYLAND—Continued											
Prince Georges	89,490	503	675	5.6	7.5	-172	75	35	69.6	15	29.8
White	73,217	335	441	4.6	6.0	-106	76	17	50.7	5	14.9
All other	16,273	168	234	10.3	14.4	-66	72	18	107.1	10	59.5
Queen Annes	14,476	199	176	13.7	12.2	23	113	10	50.3	10	50.3
White	10,129	114	118	11.3	11.6	-4	97	5	43.9	3	26.3
All other	4,347	85	58	19.6	13.3	27	147	5	58.8	7	82.4
St. Marys	14,626	386	145	26.4	9.9	241	266	23	59.6	17	44.0
White	9,901	242	80	24.4	8.1	162	303	10	41.3	7	28.9
All other	4,725	144	65	30.5	13.8	79	222	13	90.3	10	69.4
Somerset	20,965	346	290	16.5	13.8	56	119	24	69.4	26	75.1
White	13,904	193	164	13.9	11.8	29	118	7	36.3	9	46.6
All other	7,061	153	126	21.7	17.8	27	121	17	111.1	17	111.1
Talbot	18,784	403	298	21.5	15.9	105	135	26	64.5	45	111.7
White	13,048	268	207	20.5	15.9	61	129	15	56.0	29	108.2
All other	5,736	135	91	23.5	15.9	44	148	11	81.5	16	118.5
Washington	68,838	1,270	751	18.4	10.9	519	169	50	39.4	55	43.3
Rural part	36,347	576	305	15.8	8.4	271	189	14	24.3	20	34.7
White	35,837	567	293	15.8	8.2	274	194	14	24.7	18	31.7
All other	510	9	12	17.6	23.5	-3	75	-	0	2	222.2
Hagerstown	32,491	694	446	21.4	13.7	248	156	36	51.9	35	50.4
White	31,211	667	415	21.4	13.3	252	161	35	52.5	34	51.0
All other	1,280	27	31	21.1	24.2	-4	87	1	37.0	1	37.0
Wicomico	34,530	764	539	22.1	15.6	225	142	46	60.2	48	62.8
Rural part	21,217	263	231	12.4	10.9	32	114	12	45.6	9	34.2
White	16,014	164	175	10.2	10.9	-11	94	7	42.7	3	18.3
All other	5,203	99	56	19.0	10.8	43	177	5	50.5	6	60.6
Salisbury	13,313	501	308	37.6	23.1	193	163	34	67.9	39	77.8
White	11,021	431	234	39.1	21.2	197	184	30	69.6	24	55.7
All other	2,292	70	74	30.5	32.3	-4	95	4	57.1	15	214.3
Worcester	21,245	306	253	14.4	11.9	53	121	28	91.5	9	29.4
White	14,575	157	163	10.8	11.2	-6	96	10	63.7	4	25.5
All other	6,670	149	90	22.3	13.5	59	166	18	120.8	5	33.6
MASSACHUSETTS (total)	4,316,721	66,114	51,156	15.3	11.9	14,958	129	2,478	37.5	1,773	26.8
Barnstable	37,295	511	508	13.7	13.6	3	101	23	45.0	10	19.6
Berkshire	122,273	1,996	1,455	16.3	11.9	541	137	60	30.1	49	24.5
Rural part	37,768	254	393	6.7	10.4	-139	65	2	7.9	7	27.6
Adams (town)	12,608	215	122	17.1	9.7	93	176	9	41.9	6	27.9
North Adams	22,213	389	285	17.5	12.8	104	136	13	33.4	15	38.6
Pittsfield	49,684	1,138	655	22.9	13.2	483	174	36	31.6	21	18.5
Bristol	364,637	5,614	4,326	15.4	11.9	1,288	130	241	42.9	172	30.6
Rural part	58,105	623	555	10.7	9.6	68	112	24	38.5	15	24.1
Attleboro	22,071	562	317	25.5	14.4	245	177	21	37.4	15	26.7
Fairhaven (town)	10,938	68	90	6.2	8.2	-22	76	-	0	1	14.7
Fall River	115,428	2,198	1,483	19.0	12.8	715	148	101	46.0	75	34.1
New Bedford	110,341	1,616	1,188	14.6	10.8	428	136	75	46.4	49	30.3
North Attleborough (town)	10,359	39	117	3.8	11.3	-78	33	2	51.3	1	25.6
Taunton	37,395	508	576	13.6	15.4	-68	88	18	35.4	16	31.5
Dukes	5,669	94	86	16.6	15.2	8	109	3	31.9	3	31.9
Essex	496,313	6,935	5,819	14.0	11.7	1,116	119	259	37.3	204	29.4
Rural part	46,207	238	558	5.2	12.1	-320	43	6	25.2	8	33.6
Amesbury (town)	10,862	171	144	15.7	13.3	27	119	9	52.6	4	23.4
Andover (town)	11,122	22	106	2.0	9.5	-84	21	-	0	4	181.8
Beverly	25,537	536	274	21.0	10.7	262	196	17	31.7	11	20.5
Danvers (town)	14,179	103	383	7.3	27.0	-280	27	4	38.8	5	48.5
Gloucester	24,046	386	281	16.1	11.7	105	137	10	25.9	13	33.7
Haverhill	46,752	681	592	14.6	12.7	89	115	28	41.1	24	35.2
Lawrence	84,323	1,441	954	17.1	11.3	487	151	72	50.0	41	28.5
Lynn	98,123	1,623	1,117	16.5	11.4	506	145	53	32.7	41	25.3
Marblehead (town)	10,856	70	102	6.4	9.4	-32	69	4	57.1	-	0
Methuen (town)	21,880	311	194	14.2	8.9	117	160	5	16.1	10	32.2
Newburyport	13,916	304	219	21.8	15.7	85	139	11	36.2	8	26.3
Peabody	21,711	113	143	5.2	6.6	-30	79	2	17.7	1	8.8
Salem	41,213	800	544	19.4	13.2	256	147	35	43.8	32	40.0
Saugus (town)	14,825	26	108	1.8	7.3	-82	24	1	38.5	-	0
Swampscott (town)	10,761	110	100	10.2	9.3	10	110	2	18.2	2	18.2
Franklin	49,453	660	571	13.3	11.5	89	116	20	30.3	15	22.7
Rural part	33,781	352	362	10.4	10.7	-10	97	7	19.9	12	34.1
Greenfield (town)	15,672	308	209	19.7	13.3	99	147	13	42.2	3	9.7
Hampden	332,107	4,894	3,630	14.7	10.9	1,264	135	172	35.1	154	31.5
Rural part	51,211	501	437	9.8	8.5	64	115	14	27.9	12	24.0
Chicopee	41,664	220	218	5.3	5.2	2	101	7	31.8	4	18.2
Holyoke	53,750	1,079	684	20.1	12.7	395	158	33	30.6	30	27.8
Springfield	149,554	2,676	1,876	17.9	12.5	800	143	104	38.9	94	35.1
Westfield	18,793	389	312	20.7	16.6	77	125	13	33.4	13	33.4
West Springfield (town)	17,135	29	103	1.7	6.0	-74	28	1	34.5	1	34.5
Hampshire	72,461	902	891	12.4	12.3	11	101	17	18.8	22	24.4
Rural part	37,351	330	312	8.8	8.4	18	106	5	15.2	9	27.3
Easthampton (town)	10,316	———	69	0	6.7	-69	0	-	0	-	0
Northampton	24,794	572	510	23.1	20.6	62	112	12	21.0	13	22.7
Middlesex	971,390	13,692	10,184	14.1	10.5	3,508	134	457	33.4	348	25.4
Rural part	113,443	745	1,381	6.6	12.2	-636	54	35	47.0	20	26.8
Arlington (town)	40,013	255	332	6.4	8.3	-77	77	11	43.1	9	35.3
Belmont (town)	26,867	11	156	0.4	5.8	-145	7	-	0	1	90.9
Cambridge	110,879	2,508	1,486	22.6	13.4	1,022	169	83	33.1	66	26.3
Everett	46,784	694	370	14.8	7.9	324	188	17	24.5	16	23.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MASSACHUSETTS—Continued											
Middlesex—Continued											
Framingham (town)	23,214	616	265	26.5	11.4	351	232	17	27.6	9	14.6
Lexington (town)	13,187	20	129	1.5	9.8	-109	16	1	50.0	1	50.0
Lowell	101,389	1,856	1,439	18.3	14.2	417	129	86	46.3	49	26.4
Malden	58,010	945	628	16.3	10.8	317	150	41	43.4	11	11.6
Marlborough	15,154	328	178	21.6	11.7	150	184	10	30.5	6	18.3
Medford	63,083	858	478	13.6	7.6	380	179	18	21.0	26	30.3
Melrose	25,333	534	290	21.1	11.4	244	184	15	28.1	19	35.6
Natick (town)	13,851	249	145	18.0	10.5	104	172	8	32.1	2	8.0
Newton	69,873	815	692	11.7	9.9	123	118	15	18.4	24	29.4
Reading (town)	10,866	35	111	3.2	10.2	-76	32	2	57.1	3	85.7
Somerville	102,177	1,261	882	12.3	8.6	379	143	43	34.1	43	34.1
Stoneham (town)	10,765	305	118	28.3	11.0	187	258	5	16.4	10	32.8
Wakefield (town)	16,223	70	103	4.3	6.3	-33	68	3	42.9	-	0
Waltham	40,020	894	496	22.3	12.4	398	180	29	32.4	20	22.4
Watertown (town)	35,427	29	194	0.8	5.5	-165	15	2	69.0	-	0
Winchester (town)	15,081	342	146	22.7	9.7	196	234	9	26.3	6	17.5
Woburn	19,751	322	165	16.3	8.4	157	195	7	21.7	7	21.7
Nantucket	3,401	47	55	13.8	16.2	-8	85	1	21.3	2	42.6
Norfolk	325,180	2,974	3,279	9.1	10.1	-305	91	83	27.9	92	30.9
Rural part	82,167	329	945	4.0	11.5	-616	35	13	39.5	7	21.3
Braintree (town)	16,378	9	146	0.5	8.9	-137	6	1	111.1	2	222.2
Brookline (town)	49,786	208	652	4.2	13.1	-444	32	1	4.8	4	19.2
Dedham (town)	15,508	29	91	1.9	5.9	-62	32	1	34.5	-	0
Milton (town)	18,708	85	148	4.5	7.9	-63	57	1	11.8	2	23.5
Needham (town)	12,445	83	101	6.7	8.1	-18	82	3	36.1	2	24.1
Norwood (town)	15,383	466	175	30.3	11.4	291	266	13	27.9	13	27.9
Quincy	75,810	1,092	658	14.4	8.7	434	166	28	25.6	21	19.2
Wellesley (town)	15,127	4	71	0.3	4.7	-67	6	1	250.0	-	0
Weymouth (town)	23,868	669	292	28.0	12.2	377	229	21	31.4	41	61.3
Plymouth	168,824	2,310	2,073	13.7	12.3	237	111	80	34.6	64	27.7
Rural part	93,381	556	1,043	6.0	11.2	-487	53	19	34.2	12	21.6
Brockton	62,343	1,492	866	23.9	13.9	626	172	54	36.2	43	28.8
Plymouth (town)	13,100	262	164	20.0	12.5	98	160	7	26.7	9	34.4
Suffolk	863,248	17,841	12,249	20.7	14.2	5,592	146	787	44.1	412	23.1
Boston	770,816	16,585	11,314	21.5	14.7	5,271	147	763	46.0	379	22.9
White	745,466	16,075	10,921	21.6	14.6	5,154	147	723	45.0	371	23.1
All other	25,350	510	393	20.1	15.5	117	130	40	78.4	8	15.7
Chelsea	41,259	580	573	14.1	13.9	7	101	12	20.7	21	36.2
Revere	34,405	237	212	6.9	6.2	25	112	8	33.8	5	21.1
Winthrop (town)	16,768	439	150	26.2	8.9	289	293	4	9.1	7	15.9
Worcester	504,470	7,644	6,030	15.2	12.0	1,614	127	275	36.0	226	29.6
Rural part	147,259	759	1,667	5.2	11.3	-908	46	29	38.2	17	22.4
Athol (town)	11,180	137	107	12.3	9.6	30	128	6	43.8	4	29.2
Clinton (town)	12,440	237	149	19.1	12.0	88	159	9	38.0	6	25.3
Fitchburg	41,824	768	433	18.4	10.4	335	177	29	37.8	26	33.9
Gardner	20,206	475	297	23.5	14.7	178	160	22	46.3	12	25.3
Leominster	22,226	321	201	14.4	9.0	120	160	11	34.3	16	49.8
Milford (town)	15,388	440	187	28.6	12.2	253	235	13	29.5	9	20.5
Northbridge (town)	10,242	231	61	22.6	6.0	170	379	2	8.7	7	30.3
Southbridge (town)	16,825	287	149	17.1	8.9	138	193	10	34.8	8	27.9
Webster (town)	13,186	263	98	19.9	7.4	165	268	10	38.0	11	41.8
Worcester	193,694	3,726	2,681	19.2	13.8	1,045	139	134	36.0	110	29.5
MICHIGAN (total)	5,256,106	99,108	52,108	18.9	9.9	47,000	190	4,033	40.7	2,575	26.0
Alcona	5,463	103	66	18.9	12.1	37	156	10	97.1	1	9.7
Alger	10,167	196	78	19.3	7.7	118	251	9	45.9	6	30.6
Allegan	41,839	683	535	16.3	12.8	148	128	27	39.5	11	16.1
Alpena	20,766	454	204	21.9	9.8	250	223	20	44.1	12	26.4
Rural part	7,958	116	50	14.6	6.3	66	232	4	34.5	2	17.2
Alpena	12,808	338	154	26.4	12.0	184	219	16	47.3	10	29.6
Antrim	10,964	212	115	19.3	10.5	97	184	6	28.3	6	28.3
Arenac	9,233	185	80	20.0	8.7	105	231	6	32.4	2	10.8
Baraga	9,356	170	87	18.2	9.3	83	195	8	47.1	4	23.5
Barry	22,613	435	303	19.2	13.4	132	144	11	25.3	16	36.8
Bay	74,981	1,642	823	21.9	11.0	819	200	87	53.0	41	25.0
Rural part	27,025	427	198	15.8	7.3	229	216	8	18.7	6	14.1
Bay City	47,956	1,215	625	25.3	13.0	590	194	79	65.0	35	28.8
Benzie	7,800	180	81	23.1	10.4	99	222	13	72.2	2	11.1
Berrien	89,117	1,586	940	17.8	10.5	646	169	49	30.9	27	17.0
Rural part	61,121	806	616	13.2	10.1	190	131	22	27.3	12	14.9
Benton Harbor	16,668	501	202	30.1	12.1	299	248	14	27.9	6	12.0
Niles	11,328	279	122	24.6	10.8	157	229	13	46.6	9	32.3
Branch	25,845	465	337	18.0	13.0	128	138	15	32.3	5	10.8
Calhoun	94,206	1,845	1,246	19.6	13.2	599	148	89	48.2	40	21.7
Rural part	50,753	594	638	11.7	12.6	-44	93	26	43.8	11	18.5
Battle Creek	43,453	1,251	608	28.8	14.0	643	206	63	50.4	29	23.2
Cass	21,910	268	286	12.2	13.1	-18	94	11	41.0	4	14.9
Charlevoix	13,031	258	138	19.8	10.6	120	187	16	62.0	13	50.4
Cheboygan	13,644	286	184	21.0	13.5	102	155	11	38.5	14	49.0
Chippewa	27,807	670	297	24.1	10.7	373	226	37	55.2	21	31.3
Rural part	11,960	143	83	12.0	6.9	60	172	6	42.0	3	21.0
Sault Ste. Marie	15,847	527	214	33.3	13.5	313	246	31	58.8	18	34.2
Clare	9,163	212	95	23.1	10.4	117	223	13	61.3	4	18.9
Clinton	26,671	472	298	17.7	11.2	174	158	27	57.2	18	38.1
Crawford	3,765	114	72	30.3	19.1	42	158	6	52.6	7	61.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MICHIGAN—Continued											
Delta	34,037	673	353	19.8	10.4	320	191	29	43.1	20	29.7
Rural part	19,207	162	125	8.4	6.5	37	130	11	67.9	8	49.4
Escanaba	14,830	511	228	34.5	15.4	283	224	18	35.2	12	23.5
Dickinson	28,731	521	283	18.1	9.8	238	184	20	38.4	17	32.6
Rural part	17,651	260	132	14.7	7.5	128	197	9	34.6	4	15.4
Iron Mountain	11,080	261	151	23.6	13.6	110	173	11	42.1	13	49.8
Eaton	34,124	529	376	15.5	11.0	153	141	21	39.7	9	17.0
Emmet	15,791	427	213	27.0	13.5	214	200	19	44.5	12	28.1
Genesee	227,944	4,587	1,869	20.1	8.2	2,718	245	189	41.2	124	27.0
Rural part	76,401	857	527	11.2	6.9	330	163	16	18.7	26	30.3
Flint	151.543	3,730	1,342	24.6	8.9	2,388	278	173	46.4	98	26.3
Gladwin	9,385	199	63	21.2	6.7	136	316	3	15.1	2	10.1
Gogebic	31,797	600	318	18.9	10.0	282	189	25	41.7	18	30.0
Rural part	18,428	364	226	19.8	12.3	138	161	19	52.2	12	33.0
Ironwood	13,369	236	92	17.7	6.9	144	257	6	25.4	6	25.4
Grand Traverse	23,390	541	427	23.1	18.3	114	127	26	48.1	8	14.8
Rural part	8,935	154	241	17.2	27.0	-87	64	5	32.5	1	6.5
Traverse City	14,455	387	186	26.8	12.9	201	208	21	54.3	7	18.1
Gratiot	32,205	765	371	23.8	11.5	394	206	37	48.4	17	22.2
Hillsdale	29,092	497	346	17.1	11.9	151	144	15	30.2	15	30.2
Houghton	47,651	877	576	18.4	12.1	301	152	34	38.8	20	22.8
Huron	32,584	701	373	21.5	11.4	328	188	44	62.8	16	22.8
Ingham	130,616	2,685	1,319	20.6	10.1	1,366	204	116	43.2	66	24.6
Rural part	51,863	467	444	9.0	8.6	23	105	22	47.1	13	27.8
Lansing	78,753	2,218	875	28.2	11.1	1,343	253	94	42.4	53	23.9
Ionia	35,710	670	426	18.8	11.9	244	157	30	44.8	20	29.9
Iosco	8,560	179	77	20.9	9.0	102	232	4	22.3	3	16.8
Iron	20,243	310	183	15.3	9.0	127	169	14	45.2	14	45.2
Isabella	25,982	625	254	24.1	9.8	371	246	34	54.4	10	16.0
Jackson	93,108	1,691	1,073	18.2	11.5	618	158	83	49.1	44	26.0
Rural part	43,452	223	326	5.1	7.5	-103	68	7	31.4	6	26.9
Jackson	49,656	1,468	747	29.6	15.0	721	197	76	51.8	38	25.9
Kalamazoo	100,085	1,801	1,235	18.0	12.3	566	146	55	30.5	39	21.7
Rural part	45,988	255	335	5.5	7.3	-80	76	14	54.9	4	15.7
Kalamazoo	54,097	1,546	900	28.6	16.6	646	172	41	26.5	35	22.6
Kalkaska	5,159	116	40	22.5	7.8	76	290	3	25.9	2	17.2
Kent	246,338	4,743	2,720	19.3	11.0	2,023	174	172	36.3	107	22.6
Rural part	82,046	1,516	898	18.5	10.9	618	169	52	34.3	38	25.1
Grand Rapids	164,292	3,227	1,822	19.6	11.1	1,405	177	120	37.2	69	21.4
Keweenaw	4,004	25	33	6.2	8.2	-8	76	3	120.0	-	0
Lake	4,798	69	60	14.4	12.5	9	115	6	87.0	-	0
Lapeer	32,116	471	368	14.7	11.5	103	128	27	57.3	13	27.6
Leelanau	8,436	118	76	14.0	9.0	42	155	6	50.8	7	59.3
Lenawee	53,110	1,024	632	19.3	11.9	392	162	41	40.0	21	20.5
Rural part	38,880	613	432	15.8	11.1	181	142	21	34.3	14	22.8
Adrian	14,230	411	200	28.9	14.1	211	206	20	48.7	7	17.0
Livingston	20,863	357	305	17.1	14.6	52	117	15	42.0	14	39.2
Luce	7,423	169	167	22.8	22.5	2	101	11	65.1	2	11.8
Mackinac	9,438	148	78	15.7	8.3	70	190	13	87.8	4	27.0
Macomb	107,638	1,637	881	15.2	8.2	756	186	78	47.6	41	25.0
Rural part	82,844	951	521	11.5	6.3	430	183	36	37.9	20	21.0
Mount Clemens	14,389	600	306	41.7	21.3	294	196	39	65.0	21	35.0
St. Clair Shores	10,405	86	54	8.3	5.2	32	159	3	34.9	-	0
Manistee	18,450	351	252	19.0	13.7	99	139	21	59.8	12	34.2
Marquette	47,144	935	492	19.8	10.4	443	190	51	54.5	26	27.8
Rural part	31,216	525	277	16.8	8.9	248	190	25	47.6	17	32.4
Marquette	15,928	410	215	25.7	13.5	195	191	26	63.4	9	22.0
Mason	19,378	349	217	18.0	11.2	132	161	18	51.6	6	17.2
Mecosta	16,902	352	212	20.8	12.5	140	166	12	34.1	13	36.9
Menominee	24,883	522	286	21.0	11.5	236	183	21	40.2	17	32.6
Rural part	14,653	213	137	14.5	9.3	76	155	9	42.3	6	28.2
Menominee	10,230	309	149	30.2	14.6	160	207	12	38.8	11	35.6
Midland	27,094	531	195	19.6	7.2	336	272	18	33.9	10	18.8
Rural part	16,785	336	118	20.0	7.0	218	285	8	23.8	3	8.9
Midland	10,329	195	77	18.9	7.5	118	253	10	51.3	7	35.9
Missaukee	8,054	172	66	21.4	8.2	106	261	7	40.7	8	46.5
Monroe	58,620	1,159	522	19.8	8.9	637	222	46	39.7	25	21.6
Rural part	40,142	396	277	9.9	6.9	119	143	17	42.9	8	20.2
Monroe	18,478	763	245	41.3	13.3	518	311	29	38.0	17	22.3
Montcalm	28,581	614	371	21.5	13.0	243	165	27	44.0	14	22.8
Montmorency	3,840	73	25	19.0	6.5	48	292	1	13.7	3	41.1
Muskegon	94,501	2,009	895	21.3	9.5	1,114	224	87	43.3	53	26.4
Rural part	30,757	238	230	7.7	7.5	8	103	15	63.0	5	21.0
Muskegon	47,697	1,720	591	36.1	12.4	1,129	291	68	39.5	48	27.9
Muskegon Heights	16,047	51	74	3.2	4.6	-23	69	4	78.4	-	0
Newaygo	19,286	377	206	19.5	10.7	171	183	19	50.4	8	21.2
Oakland	254,068	4,035	1,943	15.9	7.6	2,092	208	165	40.9	89	22.1
Rural part	128,636	1,232	951	9.6	7.4	281	130	48	39.0	23	18.7
Birmingham	11,196	18	40	1.6	3.6	-22	45	2	111.1	3	166.7
Ferndale	22,523	273	81	12.1	3.6	192	337	8	29.3	7	25.6
Pontiac	66,626	2,288	729	34.3	10.9	1,559	314	99	43.3	48	21.0
Royal Oak	25,087	224	142	8.9	5.7	82	158	8	35.7	8	35.7
Oceana	14,812	268	211	18.1	14.2	57	127	10	37.3	5	18.7
Ogemaw	8,720	200	112	22.9	12.8	88	179	10	50.0	9	45.0
Ontonagon	11,359	205	108	18.0	9.5	97	190	12	58.5	8	39.0
Osceola	13,309	284	154	21.3	11.6	130	184	6	21.1	10	35.2
Oscoda	2,543	50	17	19.7	6.7	33	294	1	20.0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MICHIGAN—Continued											
Otsego	5,827	102	72	17.5	12.4	30	142	6	58.8	2	19.6
Ottawa	59,660	1,225	551	20.5	9.2	674	222	39	31.8	37	30.2
Rural part	45,044	820	393	18.2	8.7	427	209	26	31.7	24	29.3
Holland	14,616	405	158	27.7	10.8	247	256	13	32.1	13	32.1
Presque Isle	12,250	.233	80	19.0	6.5	153	291	7	30.0	9	38.6
Roscommon	3,668	61	45	16.6	12.3	16	136	1	16.4	-	0
Saginaw	130,468	2,830	1,269	21.7	9.7	1,561	223	106	37.5	64	22.6
Rural part	47,674	480	313	10.1	6.6	167	153	12	25.0	9	18.8
Saginaw	82,794	2,350	956	28.4	11.5	1,394	246	94	40.0	55	23.4
St. Clair	76,222	1,434	865	18.8	11.3	569	166	82	57.2	40	27.9
Rural part	43,463	701	441	16.1	10.1	260	159	32	45.6	17	24.3
Port Huron	32,759	733	424	22.4	12.9	309	173	50	68.2	23	31.4
St. Joseph	31,749	657	433	20.7	13.6	224	152	28	42.6	13	19.8
Sanilac	30,114	571	351	19.0	11.7	220	163	23	40.3	18	31.5
Schoolcraft	9,524	254	100	26.7	10.5	154	254	6	23.6	8	31.5
Shiawassee	41,207	868	464	21.1	11.3	404	187	26	30.0	23	26.5
Rural part	26,783	280	262	10.5	9.8	18	107	13	46.4	9	32.1
Owosso	14,424	588	202	40.8	14.0	386	291	13	22.1	14	23.8
Tuscola	35,694	659	418	18.5	11.7	241	158	21	31.9	17	25.8
Van Buren	35,111	543	464	15.5	13.2	79	117	19	35.0	10	18.4
Washtenaw	80,810	1,652	1,503	20.4	18.6	149	110	93	56.3	44	26.6
Rural part	38,874	225	474	5.8	12.2	-249	47	11	48.9	6	26.7
Ann Arbor	29,815	1,101	884	36.9	29.6	217	125	73	66.3	32	29.1
Ypsilanti	12,121	326	145	26.9	12.0	181	225	9	27.6	6	18.4
Wayne	2,015,623	36,943	17,207	18.3	8.5	19,736	215	1,380	37.4	1,022	27.7
Rural part	139,221	1,625	2,058	11.7	14.8	-433	79	54	33.2	52	32.0
Dearborn	63,584	663	220	10.4	3.5	443	301	24	36.2	19	28.7
Detroit	1,623,452	30,138	13,506	18.6	8.3	16,632	223	1,158	38.4	812	26.9
White	1,472,662	27,089	11,813	18.4	8.0	15,276	229	996	36.8	688	25.4
All other	150,790	3,049	1,693	20.2	11.2	1,356	180	162	53.1	124	40.7
Ecorse	13,209	153	44	11.6	3.3	109	348	3	19.6	2	13.1
Grosse Pointe Park	12,646	8	70	0.6	5.5	-62	11	-	0	1	125.0
Hamtramck	49,839	925	282	18.6	5.7	643	328	30	32.4	25	27.0
Highland Park	50,810	1,899	565	37.4	11.1	1,334	336	50	26.3	69	36.3
Lincoln Park	15,236	91	38	6.0	2.5	53	239	2	22.0	3	33.0
River Rouge	17,008	239	108	14.1	6.3	131	221	7	29.3	5	20.9
Wyandotte	30,618	1,202	316	39.3	10.3	886	380	52	43.3	34	28.3
Wexford	17,976	399	242	22.2	13.5	157	165	20	50.1	13	32.6
MINNESOTA (total)	2,792,300	53,083	26,814	19.0	9.6	26,269	198	1,769	33.3	1,139	21.5
Aitkin	17,865	308	115	17.2	6.4	193	268	6	19.5	1	3.2
Anoka	22,443	213	211	9.5	9.4	2	101	4	18.8	1	4.7
Becker	26,562	628	252	23.6	9.5	376	249	27	43.0	14	22.3
Beltrami	26,107	645	264	24.7	10.1	381	244	24	37.2	20	31.0
Benton	16,106	187	70	11.6	4.3	117	267	7	37.4	2	10.7
Rural part	13,352	174	62	13.0	4.6	112	281	7	40.2	2	11.5
St. Cloud (part)	2,754	13	8	(6)	(6)	5	(8)	-	(6)	-	(6)
Big Stone	10,447	287	93	27.5	8.9	194	309	15	52.3	4	13.9
Blue Earth	36,203	796	393	22.0	10.9	403	203	20	25.1	10	12.6
Rural part	20,549	116	116	5.6	5.6	-	100	5	43.1	-	0
Mankato	15,654	680	277	43.4	17.7	403	245	15	22.1	10	14.7
Brown	25,544	751	271	29.4	10.6	480	277	29	38.6	16	21.3
Carlton	24,212	484	269	20.0	11.1	215	180	12	24.8	9	18.6
Carver	17,606	247	142	14.0	8.1	105	174	7	28.3	3	12.1
Cass	20,646	427	254	20.7	12.3	173	168	21	49.2	14	32.8
Chippewa	16,927	406	166	24.0	9.8	240	245	8	19.7	9	22.2
Chisago	13,124	121	128	9.2	9.8	-7	95	3	24.8	-	0
Clay	25,337	399	185	15.7	7.3	214	216	14	35.1	6	15.0
Clearwater	11,153	239	80	21.4	7.2	159	299	9	37.7	5	20.9
Cook	3,030	31	28	10.2	9.2	3	111	1	32.3	-	0
Cottonwood	16,143	366	110	22.7	6.8	256	333	11	30.1	6	16.4
Crow Wing	30,226	707	290	23.4	9.6	417	244	33	46.7	20	28.3
Rural part	18,155	274	127	15.1	7.0	147	216	15	54.7	5	18.2
Brainerd	12,071	433	163	35.9	13.5	270	266	18	41.6	15	34.6
Dakota	39,660	328	232	8.3	5.8	96	141	12	36.6	10	30.5
Rural part	27,816	313	205	11.3	7.4	108	153	11	35.1	10	31.9
South St. Paul	11,844	15	27	1.3	2.3	-12	56	1	66.7	-	0
Dodge	12,931	218	88	16.9	6.8	130	248	1	4.6	4	18.3
Douglas	20,369	341	206	16.7	10.1	135	166	14	41.1	10	29.3
Faribault	23,941	542	187	22.6	7.8	355	290	22	40.6	9	16.6
Fillmore	25,830	376	237	14.6	9.2	139	159	15	39.9	10	26.6
Freeborn	31,780	720	248	22.7	7.8	472	290	23	31.9	9	12.5
Rural part	19,580	146	106	7.5	5.4	40	138	5	34.2	2	13.7
Albert Lea	12,200	574	142	47.0	11.6	432	404	18	31.4	7	12.2
Goodhue	31,564	568	365	18.0	11.6	203	156	26	45.8	14	24.6
Grant	9,828	130	60	13.2	6.1	70	217	4	30.8	6	46.2
Hennepin	568,899	10,138	5,988	17.8	10.5	4,150	169	313	30.9	245	24.2
Rural part	76,529	267	735	3.5	9.6	-468	36	16	59.9	4	15.0
Minneapolis	492,370	9,871	5,253	20.0	10.7	4,618	188	297	30.1	241	24.4
Houston	14,735	209	109	14.2	7.4	100	192	1	4.8	6	28.7
Hubbard	11,085	238	81	21.5	7.3	157	294	13	54.6	2	8.4
Isanti	12,950	209	146	16.1	11.3	63	143	6	28.7	4	19.1
Itasca	32,996	673	215	20.4	6.5	458	313	21	31.2	13	19.3
Jackson	16,805	279	96	16.6	5.7	183	291	9	32.3	4	14.3
Kanabec	9,651	107	61	11.1	6.3	46	175	1	9.3	2	18.7
Kandiyohi	28,524	528	275	19.9	10.4	253	192	20	37.9	17	32.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MINNESOTA—Continued											
Kittson	10,717	213	78	19.9	7.3	135	273	5	23.5	5	23.5
Koochiching	16,930	368	145	21.7	8.6	223	254	21	57.1	8	21.7
Lac qui Parle	15,509	269	118	17.3	7.6	151	228	14	52.0	4	14.9
Lake	6,956	90	68	12.9	9.8	22	132	4	44.4	2	22.2
Lake of the Woods	5,975	98	30	16.4	5.0	68	327	2	20.4	-	0
Le Sueur	19,227	263	160	13.7	8.3	103	164	8	30.4	4	15.2
Lincoln	10,797	348	122	32.2	11.3	226	285	15	43.1	7	20.1
Lyon	21,569	547	173	25.4	8.0	374	316	20	36.6	11	20.1
McLeod	21,380	410	196	19.2	9.2	214	209	16	39.0	10	24.4
Mahnomen	8,054	137	44	17.0	5.5	93	311	7	51.1	1	7.3
Marshall	18,364	317	156	17.3	8.5	161	203	17	53.6	9	28.4
Martin	24,656	505	202	20.5	8.2	303	250	15	29.7	10	19.8
Meeker	19,277	349	147	18.1	7.6	202	237	10	28.7	10	28.7
Mille Lacs	15,558	308	137	19.8	8.8	171	225	10	32.5	2	6.5
Morrison	27,475	584	203	21.3	7.4	381	288	21	36.0	13	22.3
Mower	36,113	824	293	22.8	8.1	531	281	32	38.8	12	14.6
Rural part	17,806	247	124	13.9	7.0	123	199	3	12.1	1	4.0
Austin	18,307	577	169	31.5	9.2	408	341	29	50.3	11	19.1
Murray	15,060	294	100	19.5	6.6	194	294	11	37.4	3	10.2
Nicollet	18,282	291	318	15.9	17.4	-27	92	8	27.5	2	6.9
Nobles	21,215	466	156	22.0	7.4	310	299	12	25.8	8	17.2
Norman	14,746	280	101	19.0	6.8	179	277	10	35.7	4	14.3
Olmsted	42,658	1,008	1,113	23.6	26.1	-105	91	42	41.7	18	17.9
Rural part	16,346	242	110	14.8	6.7	132	220	6	24.8	4	16.5
Rochester	26,312	766	1,003	29.1	38.1	-237	76	36	47.0	14	18.3
Otter Tail	53,192	1,064	588	20.0	11.1	476	181	43	40.4	19	17.9
Rural part	42,344	681	319	16.1	7.5	362	213	22	32.3	10	14.7
Fergus Falls	10,848	383	269	35.3	24.8	114	142	21	54.8	9	23.5
Pennington	12,913	413	141	32.0	10.9	272	293	13	31.5	9	21.8
Pine	21,478	381	185	17.7	8.6	196	206	14	36.7	10	26.2
Pipestone	13,794	346	125	25.1	9.1	221	277	11	31.8	9	26.0
Polk	37,734	720	364	19.1	9.6	356	198	31	43.1	15	20.8
Pope	13,544	249	125	18.4	9.2	124	199	6	24.1	6	24.1
Ramsey	309,935	5,916	3,191	19.1	10.3	2,725	185	166	28.1	147	24.8
Rural part	22,199	32	107	1.4	4.8	-75	30	3	93.8	-	0
St. Paul	287,736	5,884	3,084	20.4	10.7	2,800	191	163	27.7	147	25.0
Red Lake	7,413	116	33	15.6	4.5	83	352	4	34.5	1	8.6
Redwood	22,290	349	145	15.7	6.5	204	241	9	25.8	6	17.2
Renville	24,625	347	155	14.1	6.3	192	224	6	17.3	8	23.1
Rice	32,160	727	319	22.6	9.9	408	228	29	39.9	14	19.3
Rural part	17,633	288	128	16.3	7.3	160	225	11	38.2	9	31.3
Faribault	14,527	439	191	30.2	13.1	248	230	18	41.0	5	11.4
Rock	10,933	218	81	19.9	7.4	137	269	7	32.1	4	18.3
Roseau	15,103	453	132	30.0	8.7	321	343	24	53.0	12	26.5
St. Louis	206,917	3,482	1,984	16.8	9.6	1,498	176	112	32.2	87	25.0
Rural part	77,203	700	524	9.1	6.8	176	134	26	37.1	14	20.0
Duluth	101,065	2,011	1,190	19.9	11.8	821	169	61	30.3	62	30.8
Hibbing	16,385	414	142	25.3	8.7	272	292	14	33.8	6	14.5
Virginia	12,264	357	128	29.1	10.4	229	279	11	30.8	5	14.0
Scott	15,585	296	148	19.0	9.5	148	200	10	33.8	5	16.9
Sherburne	10,456	131	85	12.5	8.1	46	154	2	15.3	1	7.6
Rural part	8,271	128	64	15.5	7.7	64	200	2	15.6	1	7.8
St. Cloud (part)	2,185	3	21	(6)	(6)	-18	(6)	-	(6)	-	(6)
Sibley	16,625	205	104	12.3	6.3	101	197	6	29.3	3	14.6
Stearns	67,200	1,829	606	27.2	9.0	1,223	302	59	32.3	26	14.2
Rural part	47,966	1,012	309	21.1	6.4	703	328	22	21.7	14	13.8
St. Cloud (part)	19,234	817	297	(6)	(6)	520	(6)	37	(6)	12	(6)
St. Cloud (total)	24,173	833	326	34.5	13.5	507	256	37	44.4	12	14.4
Steele	19,749	394	194	20.0	9.8	200	203	13	33.0	9	22.8
Stevens	11,039	268	97	24.3	8.8	171	276	10	37.3	4	14.9
Swift	15,469	305	118	19.7	7.6	187	258	9	29.5	4	13.1
Todd	27,438	631	252	23.0	9.2	379	250	24	38.0	7	11.1
Traverse	8,283	105	56	12.7	6.8	49	188	5	47.6	1	9.5
Wabasha	17,653	304	184	17.2	10.4	120	165	10	32.9	8	26.3
Wadena	12,772	399	106	31.2	8.3	293	376	11	27.6	9	22.6
Waseca	15,186	266	143	17.5	9.4	123	186	11	41.4	2	7.5
Washington	26,430	286	227	10.8	8.6	59	126	7	24.5	9	31.5
Watonwan	13,902	295	134	21.2	9.6	161	220	12	40.7	8	27.1
Wilkin	10,475	553	113	53.7	10.8	240	312	11	31.2	8	22.7
Winona	37,795	646	369	17.1	9.8	277	175	28	43.3	27	41.8
Rural part	15,305	137	101	9.0	6.6	36	136	2	14.6	2	14.6
Winona	22,490	509	268	22.6	11.9	241	190	26	51.1	25	49.1
Wright	27,550	431	205	15.6	7.4	226	210	4	9.3	5	11.6
Yellow Medicine	16,917	343	130	20.3	7.7	213	264	10	29.2	8	23.3
MISSISSIPPI (total)	2,183,796	52,575	23,154	24.1	10.6	29,421	227	2,854	54.3	2,534	48.2
Adams	27,238	772	641	28.3	23.5	131	120	47	60.9	36	46.6
Rural part	11,942	576	243	48.2	20.3	333	237	34	59.0	30	52.1
White	3,057	189	61	61.8	20.0	128	310	10	52.9	6	31.7
All other	8,885	387	182	43.6	20.5	205	213	24	62.0	24	62.0
Natchez	15,296	196	398	12.8	26.0	-202	49	13	66.3	6	30.6
White	7,287	152	94	20.9	12.9	58	162	10	65.8	3	19.7
All other	8,009	44	304	5.5	38.0	-260	14	3	68.2	3	68.2
Alcorn	26,969	575	320	21.3	11.9	255	180	43	74.8	19	33.0
White	22,246	474	251	21.3	11.3	223	189	34	71.7	17	35.9
All other	4,723	101	69	21.4	14.6	32	146	9	89.1	2	19.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MISSISSIPPI—Continued											
Amite	21,892	570	173	26.0	7.9	397	329	41	71.9	26	45.6
White	10,333	202	68	19.5	6.6	134	297	14	69.3	4	19.8
All other	11,559	368	105	31.8	9.1	263	350	27	73.4	22	59.8
Attala	30,227	724	248	24.0	8.2	476	292	41	56.6	26	35.9
White	16,848	355	128	21.1	7.6	227	277	17	47.9	3	8.5
All other	13,379	369	120	27.6	9.0	249	308	24	65.0	23	62.3
Benton	10,429	232	65	22.2	6.2	167	357	4	17.2	13	56.0
White	5,919	129	28	21.8	4.7	101	461	2	15.5	3	23.3
All other	4,510	103	37	22.8	8.2	66	278	2	19.4	10	97.1
Bolivar	67,574	1,756	793	26.0	11.7	963	221	98	55.8	70	39.9
White	18,070	404	138	22.4	7.6	266	293	15	37.1	8	19.8
All other	49,504	1,352	655	27.3	13.2	697	206	83	61.4	62	45.9
Calhoun	20,893	517	145	24.7	6.9	372	357	19	36.8	9	17.4
White	16,319	367	100	22.5	6.1	267	367	11	30.0	7	19.1
All other	4,574	150	45	32.8	9.8	105	333	8	53.3	2	13.3
Carroll	20,651	518	163	25.1	7.9	355	318	27	52.1	16	30.9
White	8,836	165	50	18.7	5.7	115	330	5	30.3	4	24.2
All other	11,815	353	113	29.9	9.6	240	312	22	62.3	12	34.0
Chickasaw	21,427	529	241	24.7	11.2	288	220	25	47.3	39	73.7
White	11,410	230	109	20.2	9.6	121	211	8	34.8	11	47.8
All other	10,017	299	132	29.8	13.2	167	227	17	56.9	28	93.6
Choctaw	13,548	282	90	20.8	6.6	192	313	4	14.2	9	31.9
White	9,657	174	57	18.0	5.9	117	305	3	17.2	4	23.0
All other	3,891	108	33	27.8	8.5	75	327	1	9.3	5	46.3
Claiborne	12,810	277	137	21.6	10.7	140	202	16	57.8	24	86.6
White	3,411	49	27	14.4	7.9	22	181	2	40.8	2	40.8
All other	9,399	228	110	24.3	11.7	118	207	14	61.4	22	96.5
Clarke	20,596	473	202	23.0	9.8	271	234	19	40.2	23	48.6
White	12,320	242	88	19.6	7.1	154	275	9	37.2	6	24.8
All other	8,276	231	114	27.9	13.8	117	203	10	43.3	17	73.6
Clay	19,030	500	214	26.3	11.2	286	234	23	46.0	26	52.0
White	7,496	138	69	18.4	9.2	69	200	6	43.5	3	21.7
All other	11,534	362	145	31.4	12.6	217	250	17	47.0	23	63.5
Coahoma	48,333	1,001	532	20.7	11.0	469	188	50	50.0	60	59.9
Rural part	36,165	805	397	22.3	11.0	408	203	37	46.0	49	60.9
White	5,512	74	43	13.4	7.8	31	172	9	121.6	1	13.5
All other	30,653	731	354	23.8	11.5	377	206	28	38.3	48	65.7
Clarksdale	12,168	196	135	16.1	11.1	61	145	13	66.3	11	56.1
White	5,479	107	54	19.5	9.9	53	198	7	65.4	1	9.3
All other	6,689	89	81	13.3	12.1	8	110	6	67.4	10	112.4
Copiah	33,974	751	302	22.1	8.9	449	249	35	46.6	31	41.3
White	16,107	256	121	14.7	7.5	115	195	9	38.1	3	12.7
All other	17,867	515	181	28.8	10.1	334	285	26	50.5	28	54.4
Covington	17,030	373	91	21.9	5.3	282	410	15	40.2	14	37.5
White	11,743	225	63	19.2	5.4	162	357	11	48.9	4	17.8
All other	5,287	148	28	28.0	5.3	120	529	4	27.0	10	67.6
De Soto	26,663	633	232	23.7	8.7	401	273	26	41.1	26	41.1
White	7,211	101	50	14.0	6.9	51	202	-	0	-	0
All other	19,452	532	182	27.3	9.4	350	292	26	48.9	26	48.9
Forrest	34,901	793	392	22.7	11.2	401	202	45	56.7	38	47.9
Rural part	13,875	221	95	15.9	6.8	126	233	8	36.2	8	36.2
White	10,707	140	65	13.1	6.1	75	215	4	28.6	4	28.6
All other	3,168	81	30	25.6	9.5	51	270	4	49.4	4	49.4
Hattiesburg	21,026	572	297	27.2	14.1	275	192	37	64.7	30	52.4
White	13,256	411	200	31.0	15.1	211	206	21	51.1	17	41.4
All other	7,770	161	97	20.7	12.5	64	166	16	99.4	13	80.7
Franklin	12,504	225	96	18.0	7.7	129	234	7	31.1	19	84.4
White	7,523	115	44	15.3	5.8	71	261	4	34.8	6	52.2
All other	4,981	110	52	22.1	10.4	58	212	3	27.3	13	118.2
George	8,704	225	62	25.9	7.1	163	363	13	57.8	7	31.1
White	7,484	183	52	24.5	7.0	131	352	13	71.0	6	32.8
All other	1,240	42	10	33.9	8.1	32	420	-	0	1	23.8
Greene	9,512	251	66	26.4	6.9	185	380	8	31.9	8	31.9
White	7,528	190	48	25.2	6.4	142	398	6	31.6	5	26.3
All other	1,984	61	18	30.7	9.1	43	339	2	32.8	3	49.2
Grenada	19,052	507	235	26.6	12.3	272	216	36	71.0	21	41.4
White	7,934	170	95	21.4	12.0	75	179	13	76.5	4	23.5
All other	11,118	337	140	30.3	12.6	197	241	23	68.2	17	50.4
Hancock	11,328	192	115	16.9	10.2	77	167	11	57.3	8	41.7
White	8,955	154	75	17.2	8.4	79	205	8	51.9	5	32.5
All other	2,373	38	40	16.0	16.9	-2	95	3	78.9	3	78.9
Harrison	50,799	997	677	19.6	13.3	320	147	68	68.2	49	49.1
Rural part	18,129	212	222	11.7	12.2	-10	95	26	122.6	11	51.9
White	14,022	142	174	10.1	12.4	-32	82	19	133.8	6	42.3
All other	4,107	70	48	17.0	11.7	22	146	7	100.0	5	71.4
Biloxi	17,475	407	216	23.3	12.4	191	188	24	59.0	17	41.8
White	14,889	369	184	24.8	12.4	185	201	22	59.6	13	35.2
All other	2,586	38	32	14.7	12.4	6	119	2	52.6	4	105.3
Gulfport	15,195	378	239	24.9	15.7	139	158	18	47.6	21	55.6
White	11,831	308	192	26.0	16.2	116	160	12	39.0	17	55.2
All other	3,364	70	47	20.8	14.0	23	149	6	85.7	4	57.1
Hinds	107,273	2,318	1,313	21.6	12.2	1,005	177	136	58.7	150	64.7
Rural part	45,166	997	399	22.1	8.8	598	250	45	45.1	73	73.2
White	13,975	140	82	10.0	5.9	58	171	2	14.3	4	28.6
All other	31,191	857	317	27.5	10.2	540	270	43	50.2	69	80.5
Jackson	62,107	1,321	914	21.3	14.7	407	145	91	68.9	77	58.3
White	37,851	856	452	22.6	11.9	404	189	40	46.7	20	23.4
All other	24,256	465	462	19.2	19.0	3	101	51	109.7	57	122.6

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MISSISSIPPI—Continued											
Holmes	39,710	1,046	437	26.3	11.0	609	239	49	46.8	67	64.1
White	9,209	158	99	17.2	10.8	59	160	4	25.3	7	44.3
All other	30,501	888	338	29.1	11.1	550	263	45	50.7	60	67.6
Humphreys	26,257	671	265	25.6	10.1	406	253	51	76.0	44	65.6
White	6,958	147	44	21.1	6.3	103	334	11	74.8	6	40.8
All other	19,299	524	221	27.2	11.5	303	237	40	76.3	38	72.5
Issaquena	6,433	159	66	24.7	10.3	93	241	13	81.8	8	50.3
White	1,228	23	8	18.7	6.5	15	288	2	87.0	-	0
All other	5,205	136	58	26.1	11.1	78	234	11	80.9	8	58.8
Itawamba	19,922	421	133	21.1	6.7	288	317	26	61.8	7	16.6
White	18,869	405	118	21.5	6.3	287	343	24	59.3	5	12.3
All other	1,053	16	15	15.2	14.2	1	107	2	125.0	2	125.0
Jackson	20,601	472	220	22.9	10.7	252	215	25	53.0	13	27.5
White	16,214	344	142	21.2	8.8	202	242	14	40.7	11	32.0
All other	4,387	128	78	29.2	17.8	50	164	11	85.9	2	15.6
Jasper	19,484	530	138	27.2	7.1	392	384	13	24.5	30	56.6
White	9,945	196	70	19.7	7.0	126	280	3	15.3	4	20.4
All other	9,539	334	68	35.0	7.1	266	491	10	29.9	26	77.8
Jefferson	13,969	279	124	20.0	8.9	155	225	10	35.8	18	64.5
White	3,206	37	26	11.5	8.1	11	142	2	54.1	1	27.0
All other	10,763	242	98	22.5	9.1	144	247	8	33.1	17	70.2
Jefferson Davis	15,869	448	124	28.2	7.8	324	361	23	51.3	13	29.0
White	7,087	179	44	25.3	6.2	135	407	7	39.1	2	11.2
All other	8,782	269	80	30.6	9.1	189	336	16	59.5	11	40.9
Jones	49,227	1,262	532	25.6	10.8	730	237	67	53.1	47	37.2
Rural part	28,629	603	173	21.1	6.0	430	349	22	36.5	9	14.9
White	22,720	417	129	18.4	5.7	288	323	14	33.6	4	9.6
All other	5,909	186	44	31.5	7.4	142	423	8	43.0	5	26.9
Laurel	20,598	659	359	32.0	17.4	300	184	45	68.3	38	57.7
White	12,341	476	181	38.6	14.7	295	263	27	56.7	16	33.6
All other	8,257	183	178	22.2	21.6	5	103	18	98.4	22	120.2
Kemper	21,867	596	193	27.3	8.8	403	309	32	53.7	34	57.0
White	8,665	168	64	19.4	7.4	104	263	3	17.9	6	35.7
All other	13,202	428	129	32.4	9.8	299	332	29	67.8	28	65.4
Lafayette	21,257	565	284	26.6	13.4	281	199	31	54.9	27	47.8
White	12,683	302	123	23.8	9.7	179	246	17	56.3	3	9.9
All other	8,574	263	161	30.7	18.8	102	163	14	53.2	24	91.3
Lamar	12,096	260	111	21.5	9.2	149	234	15	57.7	16	61.5
White	10,006	224	82	22.4	8.2	142	273	12	53.6	3	13.4
All other	2,090	36	29	17.2	13.9	7	124	3	83.3	13	361.1
Lauderdale	58,247	1,311	861	22.5	14.8	450	152	87	66.4	75	57.2
Rural part	22,766	503	205	22.1	9.0	298	245	20	39.8	19	37.8
White	12,807	175	90	13.7	7.0	85	194	4	22.9	2	11.4
All other	9,959	328	115	32.9	11.5	213	285	16	48.8	17	51.8
Meridian	35,481	808	656	22.8	18.5	152	123	67	82.9	56	69.3
White	22,628	600	381	26.5	16.8	219	157	47	78.3	19	31.7
All other	12,853	208	275	16.2	21.4	-67	76	20	96.2	37	177.9
Lawrence	13,983	299	114	21.4	8.2	185	262	22	73.6	19	63.5
White	8,762	157	55	17.9	6.3	102	285	8	51.0	1	6.4
All other	5,221	142	59	27.2	11.3	83	241	14	98.6	18	126.8
Leake	24,570	595	155	24.2	6.3	440	384	21	35.3	27	45.4
White	14,569	275	74	18.9	5.1	201	372	4	14.5	18	65.5
All other	10,001	320	81	32.0	8.1	239	395	17	53.1	9	28.1
Lee	38,838	846	385	21.8	9.9	461	220	47	55.6	33	39.0
White	26,622	550	224	20.7	8.4	326	246	33	60.0	14	25.5
All other	12,216	296	161	24.2	13.2	135	184	14	47.3	19	64.2
Leflore	53,406	1,611	626	30.2	11.7	985	257	103	63.9	97	60.2
Rural part	38,639	1,261	425	32.6	11.0	836	297	78	61.9	70	55.5
White	7,384	159	51	21.5	6.9	108	312	5	31.4	3	18.9
All other	31,255	1,102	374	35.3	12.0	728	295	73	66.2	67	60.8
Greenwood	14,767	350	201	23.7	13.6	149	174	25	71.4	27	77.1
White	7,010	221	80	31.5	11.4	141	276	18	81.4	6	27.1
All other	7,757	129	121	16.6	15.6	8	107	7	54.3	21	162.8
Lincoln	27,506	652	285	23.7	10.4	367	229	38	58.3	29	44.5
White	17,833	404	163	22.7	9.1	241	248	19	47.0	11	27.2
All other	9,673	248	122	25.6	12.6	126	203	19	76.6	18	72.6
Lowndes	35,245	731	369	20.7	10.5	362	198	34	46.5	32	43.8
Rural part	21,600	442	189	20.5	8.8	253	234	22	49.8	10	22.6
White	8,516	110	50	12.9	5.9	60	220	5	45.5	1	9.1
All other	13,084	332	139	25.4	10.6	193	259	17	51.2	9	27.1
Columbus	13,645	289	180	21.2	13.2	109	161	12	41.5	22	76.1
White	7,046	162	69	23.0	9.8	93	235	4	24.7	7	43.2
All other	6,599	127	111	19.2	16.8	16	114	8	63.0	15	118.1
Madison	37,504	1,066	413	28.4	11.0	653	258	61	57.2	75	70.4
White	8,787	148	59	16.8	6.7	89	251	4	27.0	6	40.5
All other	28,717	918	354	32.0	12.3	564	259	57	62.1	69	75.2
Marion	24,085	541	195	22.5	8.1	346	277	39	72.1	20	37.0
White	15,161	317	111	20.9	7.3	206	286	23	72.6	11	34.7
All other	8,924	224	84	25.1	9.4	140	267	16	71.4	9	40.2
Marshall	25,522	734	251	28.8	9.8	483	292	35	47.7	41	55.9
White	7,556	132	66	17.5	8.7	66	200	6	45.5	-	0
All other	17,966	602	185	33.5	10.3	417	325	29	48.2	41	68.1
Monroe	37,648	753	407	20.0	10.8	346	185	44	58.4	35	46.5
White	21,528	392	198	18.2	9.2	194	198	31	79.1	16	40.8
All other	16,120	361	209	22.4	13.0	152	173	13	36.0	19	52.6
Montgomery	15,703	389	154	24.8	9.8	235	253	16	41.1	28	72.0
White	8,945	187	82	20.9	9.2	105	228	6	32.1	10	53.5
All other	6,758	202	72	29.9	10.7	130	281	10	49.5	18	89.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MISSISSIPPI—Continued											
Neshoba	27,882	743	193	26.6	6.9	550	385	30	40.4	15	20.2
White	20,881	468	131	22.4	6.3	337	357	21	44.9	4	8.5
All other	7,001	275	62	39.3	8.9	213	444	9	32.7	11	40.0
Newton	24,249	561	218	23.1	9.0	343	257	26	46.3	26	46.3
White	15,538	313	141	20.1	9.1	172	222	14	44.7	9	28.8
All other	8,711	248	77	28.5	8.8	171	322	12	48.4	17	68.5
Noxubee	25,669	735	285	28.6	11.1	450	258	33	44.9	73	99.3
White	5,640	113	64	20.0	11.3	49	177	4	35.4	7	61.9
All other	20,029	622	221	31.1	11.0	401	281	29	46.6	66	106.1
Oktibbeha	22,151	562	212	25.4	9.6	350	265	19	33.8	22	39.1
White	9,063	189	68	20.9	7.5	121	278	7	37.0	6	31.7
All other	13,088	373	144	28.5	11.0	229	259	12	32.2	16	42.9
Panola	34,421	817	323	23.7	9.4	494	253	42	51.4	45	55.1
White	13,876	257	87	18.5	6.3	170	295	4	15.6	10	38.9
All other	20,545	560	236	27.3	11.5	324	237	38	67.9	35	62.5
Pearl River	19,125	471	199	24.6	10.4	272	237	38	80.7	26	55.2
White	14,973	369	134	24.6	8.9	235	275	25	67.8	21	56.9
All other	4,152	102	65	24.6	15.7	37	157	13	127.5	5	49.0
Perry	9,292	229	59	24.6	6.3	170	388	4	17.5	10	43.7
White	6,869	181	38	26.4	5.5	143	476	2	11.0	4	22.1
All other	2,423	48	21	19.8	8.7	27	229	2	41.7	6	125.0
Pike	35,002	836	382	23.9	10.9	454	219	63	75.4	33	39.5
White	19,291	412	179	21.4	9.3	233	230	23	55.8	12	29.1
All other	15,711	424	203	27.0	12.9	221	209	40	94.3	21	49.5
Pontotoc	22,904	501	187	21.9	8.2	314	268	32	63.9	13	25.9
White	18,229	381	126	20.9	6.9	255	302	22	57.7	7	18.4
All other	4,675	120	61	25.7	13.0	59	197	10	83.3	6	50.0
Prentiss	20,921	475	222	22.7	10.6	253	214	17	35.8	16	33.7
White	18,522	430	193	23.2	10.4	237	223	17	39.5	12	27.9
All other	2,399	45	29	18.8	12.1	16	155	-	0	4	88.9
Quitman	27,191	806	246	29.6	9.0	560	328	45	55.8	50	62.0
White	9,120	280	67	30.7	7.3	213	418	10	35.7	6	21.4
All other	18,071	526	179	29.1	9.9	347	294	35	66.5	44	83.7
Rankin	27,934	575	713	20.6	25.5	-138	81	17	29.6	10	17.4
White	13,260	168	252	12.7	19.0	-84	67	6	35.7	2	11.9
All other	14,674	407	461	27.7	31.4	-54	88	11	27.0	8	19.7
Scott	23,144	557	203	24.1	8.8	354	274	19	34.1	24	43.1
White	13,251	276	103	20.8	7.8	173	268	10	36.2	9	32.6
All other	9,893	281	100	28.4	10.1	181	281	9	32.0	15	53.4
Sharkey	15,433	363	127	23.5	8.2	236	286	13	35.8	22	60.6
White	4,317	67	20	15.5	4.6	47	335	5	74.6	-	0
All other	11,116	296	107	26.6	9.6	189	277	8	27.0	22	74.3
Simpson	22,024	450	239	20.4	10.9	211	188	26	57.8	16	35.6
White	14,935	268	170	17.9	11.4	98	158	17	63.4	5	18.7
All other	7,089	182	69	25.7	9.7	113	264	9	49.5	11	60.4
Smith	19,403	411	100	21.2	5.2	311	411	13	31.6	16	38.9
White	15,723	308	84	19.6	5.3	224	367	9	29.2	10	32.5
All other	3,680	103	16	28.0	4.3	87	644	4	38.8	6	58.3
Stone	6,155	122	74	19.8	12.0	48	165	10	82.0	5	41.0
White	4,562	83	45	18.2	9.9	38	184	7	84.3	3	36.1
All other	1,593	39	29	24.5	18.2	10	134	3	76.9	2	51.3
Sunflower	61,007	1,500	552	24.6	9.0	948	272	87	58.0	57	38.0
White	17,465	332	90	19.0	5.2	242	369	11	33.1	7	21.1
All other	43,542	1,168	462	26.8	10.6	706	253	76	65.1	50	42.8
Tallahatchie	34,166	949	332	27.8	9.7	617	286	51	53.7	34	35.8
White	11,676	257	78	22.0	6.7	179	329	11	42.8	7	27.2
All other	22,490	692	254	30.8	11.3	438	272	40	57.8	27	39.0
Tate	19,309	446	158	23.1	8.2	288	282	29	65.0	29	65.0
White	7,741	147	48	19.0	6.2	99	306	2	13.6	2	13.6
All other	11,568	299	110	25.8	9.5	189	272	27	90.3	27	90.3
Tippah	19,680	409	143	20.8	7.3	266	286	18	44.0	12	29.3
White	16,244	339	112	20.9	6.9	227	303	12	35.4	5	14.7
All other	3,436	70	31	20.4	9.0	39	226	6	85.7	7	100.0
Tishomingo	16,974	413	101	24.3	6.0	312	409	6	14.5	3	7.3
White	15,949	388	80	24.3	5.0	308	485	6	15.5	3	7.7
All other	1,025	25	21	24.4	20.5	4	119	-	0	-	0
Tunica	22,610	564	273	24.9	12.1	291	207	43	76.2	44	78.0
White	3,265	46	10	14.1	3.1	36	460	1	21.7	7	152.2
All other	19,345	518	263	26.8	13.6	255	197	42	81.1	37	71.4
Union	21,867	418	195	19.1	8.9	223	214	13	31.1	8	19.1
White	17,585	318	152	18.1	8.6	166	209	12	37.7	5	15.7
All other	4,282	100	43	23.4	10.0	57	233	1	10.0	3	30.0
Walthall	17,534	574	142	32.7	8.1	432	404	37	64.5	17	29.6
White	9,372	276	73	29.4	7.8	203	378	17	61.6	6	21.7
All other	8,162	298	69	36.5	8.5	229	432	20	67.1	11	36.9
Warren	39,595	928	701	23.4	17.7	227	132	66	71.1	52	56.0
Rural part	15,135	173	163	11.4	10.8	10	106	16	92.5	10	57.8
White	5,380	27	26	5.0	4.8	1	104	-	0	1	37.0
All other	9,755	146	137	15.0	14.0	9	107	16	109.6	9	61.6
Vicksburg	24,460	755	538	30.9	22.0	217	140	50	66.2	42	55.6
White	11,930	390	204	32.7	17.1	186	191	16	41.0	11	28.2
All other	12,530	365	334	29.1	26.7	31	109	34	93.2	31	84.9
Washington	67,576	1,585	864	23.5	12.8	721	183	90	56.8	98	61.8
Rural part	46,684	1,099	476	23.5	10.2	623	231	50	45.5	73	66.4
White	10,163	149	57	14.7	5.6	92	261	5	33.6	5	33.6
All other	36,521	950	419	26.0	11.5	531	227	45	47.4	68	71.6
Greenville	20,892	486	388	23.3	18.6	98	125	40	82.3	25	51.4
White	8,405	236	116	28.1	13.8	120	203	16	67.8	8	33.9
All other	12,487	250	272	20.0	21.8	-22	92	24	96.0	17	68.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MISSISSIPPI—Continued											
Wayne	16,928	458	132	27.1	7.8	326	347	14	30.6	20	43.7
White	11,156	277	73	24.8	6.5	204	379	8	28.9	11	39.7
All other	5,772	181	59	31.4	10.2	122	307	6	33.1	9	49.7
Webster	14,160	312	121	22.0	8.5	191	258	10	32.1	9	28.8
White	10,612	215	91	20.3	8.6	124	236	7	32.6	2	9.3
All other	3,548	97	30	27.3	8.5	67	323	3	30.9	7	72.2
Wilkinson	15,955	491	238	30.8	14.9	253	206	72	146.6	16	32.6
White	4,511	124	60	27.5	13.3	64	207	13	104.8	2	16.1
All other	11,444	367	178	32.1	15.6	189	206	59	160.8	14	38.1
Winston	22,751	569	171	25.0	7.5	398	333	27	47.5	18	31.6
White	13,638	295	80	21.6	5.9	215	369	12	40.7	8	27.1
All other	9,113	274	91	30.1	10.0	183	301	15	54.7	10	36.5
Yalobusha	18,387	433	186	23.5	10.1	247	233	22	50.8	13	30.0
White	9,872	186	89	18.8	9.0	97	209	5	26.9	4	21.5
All other	8,515	247	97	29.0	11.4	150	255	17	68.8	9	36.4
Yazoo	40,091	1,084	476	27.0	11.9	608	228	63	58.1	80	73.8
White	13,832	314	114	22.7	8.2	200	275	12	38.2	9	28.7
All other	26,259	770	562	29.3	13.8	408	213	51	66.2	71	92.2
MISSOURI (total)	3,784,664	62,172	43,746	16.4	11.6	18,426	142	2,913	46.9	2,016	32.4
Adair	20,246	447	303	22.1	15.0	144	148	15	33.6	17	38.0
Rural part	10,166	130	72	12.8	7.1	58	181	4	30.8	2	15.4
Kirksville	10,080	317	231	31.4	22.9	86	137	11	34.7	15	47.3
Andrew	13,015	132	139	10.1	10.7	-7	95	1	7.6	4	30.3
Atchison	12,897	180	100	14.0	7.8	80	180	6	33.3	4	22.2
Audrain	22,673	441	248	19.5	10.9	193	178	21	47.6	11	24.9
Barry	23,546	374	177	15.9	7.5	197	211	12	32.1	5	13.4
Barton	14,148	234	140	16.5	9.9	94	167	9	38.5	2	8.5
Bates	19,531	268	241	13.7	12.3	27	111	11	41.0	9	33.6
Benton	11,142	154	121	13.8	10.9	33	127	7	45.5	3	19.5
Bollinger	12,898	173	76	13.4	5.9	97	228	11	63.6	7	40.5
Boone	34,991	577	404	16.5	11.5	173	143	24	41.6	22	38.1
Rural part	16,592	224	158	13.5	9.5	66	142	10	44.6	7	31.3
Columbia	18,399	353	246	19.2	13.4	107	143	14	39.7	15	42.5
Buchanan	94,067	1,458	1,454	15.5	15.5	4	100	64	43.9	48	32.9
Rural part	18,356	152	139	8.3	7.6	13	109	5	32.9	10	65.8
St. Joseph	75,711	1,306	1,315	17.2	17.4	-9	99	59	45.2	38	29.1
Butler	34,276	873	429	25.5	12.5	444	203	71	81.3	28	32.1
Rural part	23,113	530	201	22.9	8.7	329	264	40	75.5	20	37.7
Poplar Bluff	11,163	343	228	30.7	20.4	115	150	31	90.4	8	23.3
Caldwell	11,629	152	129	13.1	11.1	23	118	5	32.9	10	65.8
Callaway	23,094	324	422	14.0	18.3	-98	77	9	27.8	6	18.5
Camden	8,971	169	80	18.8	8.9	89	211	8	47.3	5	29.6
Cape Girardeau	37,775	832	523	22.0	13.8	309	159	62	74.5	44	52.9
Rural part	18,349	245	140	13.4	7.6	105	175	10	40.8	6	24.5
Cape Girardeau	19,426	587	383	30.2	19.7	204	153	52	88.6	38	64.7
Carroll	17,814	307	218	17.2	12.2	89	141	16	52.1	12	39.1
Carter	6,226	126	54	20.2	8.7	72	233	9	71.4	6	47.6
Cass	19,534	234	219	12.0	11.2	15	107	6	25.6	9	38.5
Cedar	11,697	172	145	14.7	12.4	27	119	9	52.3	4	23.3
Chariton	18,084	292	181	16.1	10.0	111	161	12	41.1	11	37.7
Christian	13,538	211	99	15.6	7.3	112	213	3	14.2	8	37.9
Clark	10,166	134	97	13.2	9.5	37	138	3	22.4	2	14.9
Clay	30,417	332	387	10.9	12.7	-55	86	7	21.1	10	30.1
Clinton	13,261	162	140	12.2	10.6	22	116	4	24.7	4	24.7
Cole	34,912	548	379	15.7	10.9	169	145	38	69.3	21	38.3
Rural part	10,644	125	70	11.7	6.6	55	179	4	32.0	4	32.0
Jefferson City	24,268	423	309	17.4	12.7	114	137	34	80.4	17	40.2
Cooper	18,075	336	237	18.6	13.1	99	142	15	44.6	4	11.9
Crawford	12,693	174	99	13.7	7.8	75	176	9	51.7	1	5.7
Dade	11,248	125	108	11.1	9.6	17	116	7	56.0	3	24.0
Dallas	11,523	172	99	14.9	8.6	73	174	6	34.9	10	58.1
Daviess	13,398	156	136	11.6	10.2	20	115	9	57.7	6	38.5
De Kalb	9,751	125	94	12.8	9.6	31	133	4	32.0	1	8.0
Dent	11,763	216	111	18.4	9.4	105	195	16	74.1	6	27.8
Douglas	15,600	306	109	19.6	7.0	197	281	15	49.0	10	32.7
Dunklin	44,957	918	393	20.4	8.7	525	234	67	73.0	36	39.2
Franklin	33,868	566	340	16.7	10.0	226	166	32	56.5	19	33.6
Gasconade	12,414	147	141	11.8	11.4	6	104	10	68.0	8	54.4
Gentry	13,359	154	127	11.5	9.5	27	121	4	26.0	4	26.0
Greene	90,541	1,677	1,226	18.5	13.5	451	137	104	62.0	57	34.0
Rural part	29,303	323	290	11.0	9.9	33	111	20	61.9	12	37.2
Springfield	61,238	1,354	936	22.1	15.3	418	145	84	62.0	45	33.2
Grundy	15,716	315	199	20.0	12.7	116	158	9	28.6	8	25.4
Harrison	16,525	285	168	17.2	10.2	117	170	12	42.1	11	38.6
Henry	22,313	405	248	18.2	11.1	157	163	13	32.1	11	27.2
Hickory	6,506	91	57	14.0	8.8	34	160	1	11.0	4	44.0
Holt	12,476	179	86	14.3	6.9	93	208	6	33.5	3	16.8
Howard	13,026	175	151	13.4	11.6	24	116	8	45.7	5	28.6
Howell	22,270	463	243	20.8	10.9	220	191	24	51.8	10	21.6
Iron	10,440	267	135	25.6	12.9	132	198	10	37.5	7	26.2
Jackson	477,828	7,726	5,800	16.2	12.1	1,926	133	350	45.3	215	27.8
Rural part	62,584	377	554	6.0	8.9	-177	68	12	31.8	13	34.5
Independence	16,066	439	194	27.3	12.1	245	226	5	11.4	10	22.8
Kansas City	398,178	6,910	5,052	17.3	12.7	1,858	137	333	48.2	192	27.8
White	357,346	6,278	4,335	17.6	12.1	1,943	145	288	45.9	169	26.9
All other	41,832	632	717	15.1	17.1	-85	88	45	71.2	23	36.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MISSOURI—Continued											
Jasper	78,705	1,529	1,158	19.4	14.7	371	132	96	62.8	40	26.2
Rural part	31,905	435	414	13.6	13.0	21	105	20	46.0	16	36.8
Carthage	10,585	287	178	27.1	16.8	109	161	12	41.8	1	3.5
Joplin (part)	36,215	807	566	(6)	(6)	241	(6)	64	(6)	23	(6)
Joplin (total)	37,144	820	573	22.1	15.4	247	143	65	79.3	23	28.0
Jefferson	32,023	408	299	12.7	9.3	109	136	23	56.4	8	19.6
Johnson	21,617	275	271	12.7	12.5	4	101	9	32.7	12	43.6
Knox	8,878	108	82	12.2	9.2	26	132	2	18.5	2	18.5
Laclede	18,718	371	191	19.8	10.2	180	194	24	64.7	14	37.7
Lafayette	27,856	445	277	16.0	9.9	168	161	19	42.7	12	27.0
Lawrence	24,637	364	382	14.8	15.5	-18	95	13	35.7	14	38.5
Lewis	11,490	147	146	12.8	12.7	1	101	5	34.0	7	47.6
Lincoln	14,395	214	119	14.9	8.3	95	180	6	28.0	4	18.7
Linn	21,416	338	249	15.8	11.6	89	136	16	47.3	10	29.6
Livingston	18,000	283	230	15.7	12.8	53	123	9	31.8	9	31.8
McDonald	15,749	235	110	14.9	7.0	125	214	10	42.6	2	8.5
Macon	21,396	274	209	12.8	9.8	65	131	2	7.3	4	14.6
Madison	9,656	194	88	20.1	9.1	106	220	11	56.7	6	30.9
Maries	8,638	131	59	15.2	6.8	72	222	1	7.6	4	30.5
Marion	31,576	593	428	18.8	13.6	165	139	15	25.3	20	33.7
Rural part	10,711	82	99	7.7	8.3	-17	83	1	12.2	1	12.2
Hannibal	20,865	511	329	24.5	15.8	182	155	14	27.4	19	37.2
Mercer	8,766	147	85	16.8	9.7	62	173	3	20.4	1	6.8
Miller	14,798	293	131	19.8	8.9	162	224	14	47.8	10	34.1
Mississippi	23,149	555	221	24.0	9.5	334	251	44	79.3	23	41.4
Moniteau	11,775	174	154	14.8	13.1	20	113	14	80.5	4	23.0
Monroe	13,195	183	150	13.9	11.4	33	122	7	38.3	4	21.9
Montgomery	12,442	200	162	16.1	13.0	38	123	12	60.0	3	15.0
Morgan	11,140	165	119	14.8	10.7	46	139	8	48.5	3	18.2
New Madrid	39,787	892	341	22.4	8.6	551	262	98	109.9	31	34.8
Newton	29,039	552	305	19.0	10.5	247	181	22	39.9	22	39.9
Rural part	28,110	539	298	19.2	10.6	241	181	21	39.0	22	40.8
Joplin (part)	929	13	7	(6)	(6)	6	(6)	1	(6)	-	(6)
Nodaway	25,556	440	299	17.2	11.7	141	147	21	47.7	16	36.4
Oregon	13,390	239	109	17.8	8.1	130	219	11	46.0	5	20.9
Osage	12,375	211	91	17.1	7.4	120	232	4	19.0	2	9.5
Ozark	10,766	262	71	24.3	6.6	191	369	11	42.0	8	30.5
Pemiscot	46,857	995	392	21.2	8.4	603	254	96	96.5	25	25.1
Perry	15,358	283	114	18.4	7.4	169	248	12	42.4	3	10.6
Pettis	33,336	525	456	15.7	13.7	69	115	27	51.4	11	21.0
Rural part	12,908	130	99	10.1	7.7	31	131	1	7.7	-	0
Sedalia	20,428	395	357	19.3	17.5	38	111	26	65.8	11	27.8
Phelps	17,437	377	251	21.6	14.4	126	150	26	69.0	13	34.5
Pike	18,327	264	253	14.4	13.8	11	104	13	49.2	14	53.0
Platte	13,862	138	131	10.0	9.5	7	105	3	21.7	2	14.5
Polk	17,400	247	156	14.2	9.0	91	158	5	20.2	10	40.5
Pulaski	10,775	217	97	20.1	9.0	120	224	9	41.5	4	18.4
Putnam	11,327	196	129	17.3	11.4	67	152	7	35.7	3	15.3
Ralls	10,040	89	87	8.9	8.7	2	102	3	33.7	1	11.2
Randolph	24,458	328	379	13.4	15.5	-51	87	20	61.0	13	39.6
Rural part	11,538	141	142	12.2	12.3	-1	99	8	56.7	6	42.6
Moberly	12,920	187	237	14.5	18.3	-50	79	12	64.2	7	37.4
Ray	18,584	267	192	14.4	10.3	75	139	17	63.7	6	22.5
Reynolds	9,370	165	67	17.6	7.2	98	246	8	48.5	3	18.2
Ripley	12,606	260	110	20.6	8.7	150	236	12	46.2	10	38.5
St. Charles	25,562	417	324	16.3	12.7	93	129	18	43.2	13	31.2
Rural part	14,759	139	146	9.4	9.9	-7	95	7	50.4	4	28.8
St. Charles	10,803	278	178	25.7	16.5	100	156	11	39.6	9	32.4
St. Clair	13,146	234	128	17.8	9.7	106	183	6	25.6	4	17.1
St. Francois	35,950	702	450	19.5	12.5	252	156	32	45.6	32	45.6
St. Louis	274,230	1,985	2,500	7.2	9.1	-515	79	79	39.8	47	23.7
Rural part	171,935	613	1,413	3.6	8.2	-800	43	19	31.0	13	21.2
Clayton	13,069	577	354	44.2	27.1	223	163	35	60.7	18	31.2
Kirkwood	12,132	26	111	2.1	9.1	-85	23	-	0	-	0
Maplewood	12,875	20	95	1.6	7.4	-75	21	-	0	-	0
Richmond Heights	12,802	707	293	55.2	22.9	414	241	24	33.9	14	19.8
University City	33,023	21	135	0.6	4.1	-114	16	1	47.6	1	47.6
Webster Groves	18,394	21	99	1.1	5.4	-78	21	-	0	1	47.6
St. Louis (city)	816,048	14,806	10,892	18.1	13.3	3,914	136	555	37.5	622	42.0
White	706,794	12,788	9,040	18.1	12.8	3,748	141	417	32.6	434	33.9
All other	109,254	2,018	1,852	18.5	17.0	166	109	138	68.4	188	93.2
Ste. Genevieve	10,905	198	98	18.2	9.0	100	202	13	65.7	4	20.2
Saline	29,416	423	348	14.4	11.8	75	122	22	52.0	17	40.2
Schuyler	6,627	91	69	13.7	10.4	22	132	2	22.0	3	33.0
Scotland	8,557	127	85	14.8	9.9	42	149	3	23.6	2	15.7
Scott	30,377	552	228	18.2	7.5	324	242	38	68.8	14	25.4
Shannon	11,831	255	92	21.6	7.8	163	277	13	51.0	5	19.6
Shelby	11,224	162	125	14.4	11.1	37	130	1	6.2	3	18.5
Stoddard	33,009	711	268	21.5	8.1	443	265	41	57.7	24	33.8
Stone	11,298	200	105	17.7	9.3	95	190	14	70.0	4	20.0
Sullivan	13,701	219	123	16.0	9.0	96	178	9	41.1	1	4.6
Taney	10,323	194	84	18.8	8.1	110	231	9	46.4	4	20.6
Texas	19,613	365	188	18.4	9.5	177	194	18	49.3	9	24.7
Vernon	25,586	348	438	13.6	17.1	-90	79	9	25.9	10	28.7
Warren	7,734	80	78	10.3	10.1	2	103	1	12.5	2	25.0
Washington	17,492	317	119	18.1	6.8	198	266	25	78.9	4	12.6
Wayne	12,794	239	87	18.7	6.8	152	275	13	54.4	6	25.1
Webster	17,226	305	145	17.7	8.4	160	210	12	39.3	9	29.5
Worth	6,345	100	49	15.8	7.7	51	204	3	30.0	2	20.0
Wright	17,987	285	161	15.9	9.0	124	177	15	52.6	6	21.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
MONTANA (total)	559,456	11,492	5,728	20.5	10.2	5,764	201	531	46.2	216	18.8
Beaverhead	6,943	99	76	14.3	10.9	23	130	4	40.4	2	20.2
Big Horn	10,419	246	91	23.6	8.7	155	270	18	73.2	3	12.2
Blaine	9,566	212	70	22.2	7.3	142	303	10	47.2	5	23.6
Broadwater	3,451	59	24	17.1	7.0	35	246	-	0	-	0
Carbon	11,865	152	100	12.8	8.4	52	152	5	32.9	3	19.7
Carter	3,280	35	19	10.7	5.8	16	184	1	28.6	2	57.1
Cascade	41,999	987	438	23.5	10.4	549	225	36	36.5	17	17.2
Rural part	12,071	17	49	1.4	4.1	-32	35	1	58.8	-	0
Great Falls	29,928	970	389	32.4	13.0	581	249	35	36.1	17	17.5
Chouteau	7,316	58	55	7.9	7.5	3	105	1	17.2	1	17.2
Custer	10,422	264	135	25.3	13.0	129	196	9	34.1	3	11.4
Daniels	4,563	101	27	22.1	5.9	74	374	6	59.4	4	39.6
Dawson	8,618	214	92	24.8	10.7	122	233	11	51.4	5	23.4
Deer Lodge	13,627	262	344	19.2	25.2	-82	76	15	57.3	5	19.1
Rural part	2,623	2	206	0.8	78.5	-204	97	1	500.0	-	0
Anaconda	11,004	260	138	23.6	12.5	122	188	14	53.8	5	19.2
Fallon	3,719	55	26	14.8	7.0	29	212	5	90.9	-	0
Fergus	14,040	317	167	22.6	11.9	150	190	14	44.2	5	15.8
Flathead	24,271	498	211	20.5	8.7	287	236	17	34.1	6	12.0
Gallatin	18,269	385	181	21.1	9.9	204	213	7	18.2	9	23.4
Garfield	2,641	54	25	20.4	9.5	29	216	2	37.0	-	0
Glacier	9,034	226	88	25.0	9.7	138	257	23	101.8	9	39.8
Golden Valley	1,607	8	11	5.0	6.8	-3	73	-	0	-	0
Granite	3,401	18	41	5.3	12.1	-23	44	1	55.6	-	0
Hill	13,304	402	140	30.2	10.5	262	287	15	37.3	8	19.9
Jefferson	4,664	74	50	15.9	10.7	24	148	2	27.0	1	13.5
Judith Basin	3,655	4	11	1.1	3.0	-7	36	1	250.0	-	0
Lake	13,490	305	122	22.6	9.0	183	250	17	55.7	11	36.1
Lewis and Clark	22,131	489	234	22.1	10.6	255	209	13	26.6	9	18.4
Rural part	7,075	17	79	2.4	11.2	-62	22	2	117.6	-	0
Helena	15,056	472	155	31.3	10.3	317	305	11	23.3	9	19.1
Liberty	2,209	27	16	12.2	7.2	11	169	1	37.0	-	0
Lincoln	7,882	163	75	20.7	9.5	88	217	9	55.2	2	12.3
McCone	3,798	30	11	7.9	2.9	19	273	2	66.7	1	33.3
Madison	7,294	75	49	10.3	6.7	26	153	4	53.3	1	13.3
Meagher	2,237	19	25	8.5	11.2	-6	76	1	52.6	2	105.3
Mineral	2,135	19	20	8.9	9.4	-1	95	-	0	-	0
Missoula	29,038	765	338	26.3	11.6	427	226	23	30.1	9	11.8
Rural part	10,589	4	30	0.4	2.8	-26	13	2	500.0	-	0
Missoula	18,449	761	308	41.2	16.7	453	247	21	27.6	9	11.8
Musselshell	5,717	82	64	14.3	11.2	18	128	3	36.6	4	48.8
Park	11,566	202	119	17.5	10.3	83	170	9	44.6	5	24.8
Petroleum	1,083	3	9	2.8	8.3	-6	33	-	0	-	0
Phillips	7,892	160	60	20.3	7.6	100	267	8	50.0	3	18.8
Pondera	6,716	162	79	24.1	11.8	83	205	12	74.1	3	18.5
Powder River	3,159	44	28	13.9	8.9	16	157	3	68.2	-	0
Powell	6,152	108	61	17.6	9.9	47	177	7	64.8	2	18.5
Prairie	2,410	59	13	24.5	5.4	46	454	1	16.9	-	0
Ravalli	12,978	220	114	17.0	8.8	106	193	7	31.8	2	9.1
Richland	10,209	279	69	27.3	6.8	210	404	15	53.8	5	17.9
Roosevelt	9,806	272	87	27.7	8.9	185	313	17	62.5	2	7.4
Rosebud	6,477	159	88	24.5	13.6	71	181	12	75.5	7	44.0
Sanders	6,926	67	42	9.7	6.1	25	160	-	0	1	14.9
Sheridan	7,814	129	63	16.5	8.1	66	205	8	62.0	-	0
Silver Bow	53,207	951	747	17.9	14.0	204	127	55	57.8	29	30.5
Rural part	16,126	82	215	5.1	13.3	-133	38	7	85.4	-	0
Butte	37,081	869	532	23.4	14.3	337	163	48	55.2	29	33.4
Stillwater	5,694	59	48	10.4	8.4	11	123	5	84.7	-	0
Sweet Grass	3,719	73	29	19.6	7.8	44	252	3	41.1	1	13.7
Teton	6,922	78	34	11.3	4.9	44	229	3	38.5	-	0
Toole	6,769	146	40	21.6	5.9	106	365	4	27.4	3	20.5
Treasure	1,499	21	11	14.0	7.3	10	191	1	47.6	2	95.2
Valley	15,181	358	93	23.6	6.1	265	385	19	53.1	7	19.6
Wheatland	3,286	56	26	17.0	7.9	30	215	1	17.9	-	0
Wibaux	2,161	16	10	7.4	4.6	6	160	-	0	1	62.5
Yellowstone	41,182	1,166	482	28.3	11.7	684	242	65	55.7	16	13.7
Rural part	17,921	145	129	8.1	7.2	16	112	6	41.4	3	20.7
Billings	23,261	1,021	353	43.9	15.2	668	289	59	57.8	13	12.7
Yellowstone National Park (part)	43	-	-	(6)	(6)	-	(6)	-	(6)	-	(6)
NEBRASKA (total)	1,315,834	22,162	12,592	16.8	9.6	9,570	176	792	35.7	512	23.1
Adams	24,576	435	350	17.7	14.2	85	124	9	20.7	14	32.2
Rural part	9,431	73	158	7.7	16.8	-85	46	-	0	-	0
Hastings	15,145	362	192	23.9	12.7	170	189	9	24.9	14	38.7
Antelope	13,289	252	121	19.0	9.1	131	208	14	55.6	2	7.9
Arthur	1,045	5	1	4.8	1.0	4	500	-	0	-	0
Banner	1,403	3	4	2.1	2.9	-1	75	-	0	-	0
Blaine	1,538	13	6	8.5	3.9	7	217	-	0	1	76.9
Boone	12,127	200	91	16.5	7.5	109	220	6	30.0	4	20.0
Box Butte	10,736	255	122	23.8	11.4	133	209	5	19.6	9	35.3
Boyd	6,060	122	45	20.1	7.4	77	271	5	41.0	-	0
Brown	5,962	203	47	34.0	7.9	156	432	7	34.5	8	39.4
Buffalo	23,655	398	266	16.8	11.2	132	148	14	35.2	6	15.1
Burt	12,546	169	95	13.5	7.6	74	178	4	23.7	5	29.6
Butler	13,106	146	112	11.1	8.5	34	130	4	27.4	6	41.1
Cass	16,992	154	146	9.1	8.6	8	105	3	19.5	1	6.5

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEBRASKA—Continued											
Cedar	15,126	255	75	16.9	5.0	180	340	8	31.4	8	31.4
Chase	5,310	154	53	29.0	10.0	101	291	3	19.5	-	0
Cherry	9,637	150	87	15.6	9.0	63	172	11	73.3	3	20.0
Cheyenne	9,505	204	75	21.5	7.9	129	272	5	24.5	6	29.4
Clay	10,445	125	104	12.0	10.0	21	120	4	32.0	3	24.0
Colfax	10,627	93	77	8.8	7.2	16	121	2	21.5	1	10.8
Cuming	13,562	213	113	15.7	8.3	100	188	9	42.3	4	18.8
Custer	22,591	381	181	16.9	8.0	200	210	11	28.9	18	47.2
Dakota	9,836	105	70	10.7	7.1	35	150	9	85.7	4	38.1
Dawes	10,128	157	88	15.5	8.7	69	178	9	57.3	3	19.1
Dawson	17,890	402	163	22.5	9.1	239	247	15	37.3	10	24.9
Deuel	3,580	91	29	25.4	8.1	62	314	3	33.0	-	0
Dixon	10,413	174	74	16.7	7.1	100	235	2	11.5	2	11.5
Dodge	23,799	409	255	17.2	10.7	154	160	20	48.9	10	24.4
Rural part	11,937	136	76	11.4	6.4	60	179	6	44.1	4	29.4
Fremont	11,862	273	179	23.0	15.1	94	153	14	51.3	6	22.0
Douglas	247,562	4,476	2,812	18.1	11.4	1,664	159	152	34.0	101	22.6
Rural part	23,718	49	97	2.1	4.1	-48	51	-	0	2	40.8
Omaha	223,844	4,427	2,715	19.8	12.1	1,712	163	152	34.3	99	22.4
Dundy	5,122	90	37	17.6	7.2	53	243	4	44.4	1	11.1
Fillmore	11,417	129	109	11.3	9.5	20	118	8	62.0	2	15.5
Franklin	7,740	85	53	11.0	6.8	32	160	1	11.8	-	0
Frontier	6,417	71	34	11.1	5.3	37	209	3	42.3	1	14.1
Furnas	10,098	178	100	17.6	9.9	78	178	5	28.1	4	22.5
Gage	29,588	565	355	19.1	12.0	210	159	10	17.7	13	23.0
Rural part	18,705	162	194	8.7	10.4	-32	84	4	24.7	5	30.9
Beatrice	10,883	403	161	37.0	14.8	242	250	6	14.9	8	19.9
Garden	4,680	77	23	16.5	4.9	54	335	3	39.0	2	26.0
Garfield	3,444	95	29	27.6	8.4	66	328	2	21.1	1	10.5
Gosper	3,687	25	23	6.8	6.2	2	109	1	40.0	-	0
Grant	1,327	27	6	20.3	4.5	21	450	2	74.1	-	0
Greeley	6,845	137	48	20.0	7.0	89	285	9	65.7	8	58.4
Hall	27,523	535	337	19.4	12.2	198	159	33	61.7	8	15.0
Rural part	8,393	76	42	9.1	5.0	34	181	1	13.2	-	0
Grand Island	19,130	459	295	24.0	15.4	164	156	32	69.7	8	17.4
Hamilton	9,982	117	92	11.7	9.2	25	127	1	8.5	-	0
Harlan	7,130	70	54	9.8	7.6	16	130	3	42.9	-	0
Hayes	2,958	36	15	12.2	5.1	21	240	-	0	-	0
Hitchcock	6,404	106	47	16.6	7.3	59	226	3	28.3	1	9.4
Holt	16,552	369	177	22.3	10.7	192	208	15	40.7	8	21.7
Hooker	1,253	51	15	40.7	12.0	36	340	2	39.2	1	19.6
Howard	8,422	104	67	12.3	8.0	37	155	3	28.8	5	48.1
Jefferson	15,532	238	144	15.3	9.3	94	165	5	21.0	3	12.6
Johnson	8,662	132	75	15.2	8.7	57	176	3	22.7	2	15.2
Kearney	6,854	109	73	15.9	10.7	36	149	1	9.2	2	18.3
Keith	8,333	169	57	20.3	6.8	112	296	9	53.3	3	17.8
Keya Paha	3,235	18	7	5.6	2.2	11	257	2	111.1	2	111.1
Kimball	3,913	95	28	24.3	7.2	67	339	2	21.1	3	31.6
Knox	16,478	248	104	15.1	6.3	144	238	6	24.2	9	36.3
Lancaster	100,585	1,603	1,178	15.9	11.7	425	136	45	28.1	37	23.1
Rural part	18,601	69	223	3.7	12.0	-154	31	1	14.5	5	72.5
Lincoln	81,984	1,534	955	18.7	11.6	579	161	44	28.7	32	20.9
Lincoln	25,425	514	276	20.2	10.9	238	186	30	58.4	18	35.0
Rural part	12,996	144	62	11.1	4.8	82	232	7	48.6	7	48.6
North Platte	12,429	370	214	29.8	17.2	156	173	23	62.2	11	29.7
Logan	1,742	29	8	16.6	4.6	21	363	1	34.5	-	0
Loup	1,777	18	7	10.1	3.9	11	257	-	0	-	0
McPherson	1,175	4	8	3.4	6.8	-4	50	-	0	-	0
Madison	24,269	475	324	19.6	13.4	151	147	29	61.1	14	29.5
Rural part	13,779	122	145	8.9	10.5	-23	84	5	41.0	5	41.0
Norfolk	10,490	353	179	33.7	17.1	174	197	24	68.0	9	25.5
Merrick	9,354	113	84	12.1	9.0	29	135	3	26.5	5	44.2
Morrill	9,436	183	50	19.4	5.3	133	366	6	32.8	5	27.3
Nance	7,653	115	59	15.0	7.7	56	195	2	17.4	2	17.4
Nemaha	12,781	191	125	14.9	9.8	66	153	5	26.2	10	52.4
Nuckolls	10,446	168	91	16.1	8.7	77	185	6	35.7	4	23.8
Otoe	18,994	320	194	16.8	10.2	126	165	15	46.9	9	28.1
Pawnee	8,514	132	84	15.5	9.9	48	157	2	15.2	3	22.7
Perkins	5,197	51	17	9.8	3.3	34	300	-	0	1	19.6
Phelps	8,452	194	87	23.0	10.3	107	223	6	30.9	4	20.6
Pierce	10,211	170	72	16.6	7.1	98	236	5	29.4	4	23.5
Platte	20,191	406	164	20.1	8.1	242	248	12	29.6	7	17.2
Polk	8,748	105	75	12.0	8.6	30	140	3	28.6	1	9.5
Red Willow	11,951	227	110	19.0	9.2	117	206	11	48.5	5	22.0
Richardson	19,178	328	149	17.1	7.8	179	220	14	42.7	9	27.4
Rock	3,977	49	12	12.3	3.0	37	408	2	40.8	1	20.4
Saline	15,010	187	120	12.5	8.0	67	156	5	26.7	4	21.4
Sarpy	10,835	26	67	2.4	6.2	-41	39	4	153.8	-	0
Saunders	17,892	160	131	8.9	7.3	29	122	8	50.0	7	43.8
Scotts Bluff	33,917	810	264	23.9	7.8	546	307	35	43.2	21	25.9
Rural part	21,860	267	102	12.2	4.7	165	262	13	48.7	7	26.2
Scottsbluff	12,057	543	162	45.0	13.4	381	335	22	40.5	14	25.8
Seward	14,167	235	139	16.6	9.8	96	169	4	17.0	2	8.5
Sheridan	9,869	191	79	19.4	8.0	112	242	6	31.4	2	10.5
Sherman	7,764	156	46	20.1	5.9	110	339	1	6.4	5	32.1
Sioux	4,001	26	26	6.5	6.5	-	100	1	38.5	-	0
Stanton	6,887	85	49	12.3	7.1	36	173	4	47.1	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEBRASKA—Continued											
Thayer	12,262	219	113	17.9	9.2	106	194	10	45.7	3	13.7
Thomas	1,553	17	13	10.9	8.4	4	131	1	58.8	-	0
Thurston	10,243	250	104	24.4	10.2	146	240	21	84.0	10	40.0
Valley	8,163	137	59	16.8	7.2	78	232	3	21.9	3	21.9
Washington	11,578	121	88	10.5	7.6	33	138	5	41.3	3	24.8
Wayne	9,880	157	101	15.9	10.2	56	155	6	38.2	2	12.7
Webster	8,071	109	71	13.5	8.8	38	154	2	18.3	1	9.2
Wheeler	2,170	24	12	11.1	5.5	12	200	1	41.7	-	0
York	14,874	237	165	15.9	11.1	72	144	8	33.8	2	8.4
NEVADA (total)	110,247	2,061	1,404	18.7	12.7	657	147	107	51.9	39	18.9
Churchill	5,317	72	69	13.5	13.0	3	104	5	69.4	3	41.7
White	4,979	69	62	13.9	12.5	7	111	4	58.0	3	43.5
All other	338	3	7	8.9	20.7	-4	43	1	333.3	-	0
Clark	16,414	329	161	20.0	9.8	168	204	23	69.9	8	24.3
White	15,941	317	153	19.9	9.6	164	207	23	72.6	8	25.2
All other	473	12	8	25.4	16.9	4	150	-	0	-	0
Douglas	2,056	16	13	7.8	6.3	3	123	1	62.5	-	0
White	1,791	9	12	5.0	6.7	-3	75	1	111.1	-	0
All other	265	7	1	26.4	3.8	6	700	-	0	-	0
Elko	10,912	196	129	18.0	11.8	67	152	12	61.2	2	10.2
White	9,776	163	104	16.7	10.6	59	157	11	67.5	1	6.1
All other	1,136	33	25	29.0	22.0	8	132	1	30.3	1	30.3
Esmeralda	1,554	9	14	5.8	9.0	-5	64	-	0	1	111.1
White	1,507	9	11	6.0	7.3	-2	82	-	0	1	111.1
All other	47	-	3	0	63.8	-3	0	-	0	-	0
Eureka	1,361	10	12	7.3	8.8	-2	83	1	100.0	-	0
White	1,286	10	10	7.8	7.8	-	100	-	0	-	0
All other	75	-	2	0	26.7	-2	0	1	(3)	-	0
Humboldt	4,743	123	67	25.9	14.1	56	184	9	73.2	2	16.3
White	4,382	102	59	23.3	13.5	43	173	6	58.8	2	19.6
All other	361	21	8	58.2	22.2	13	263	3	142.9	-	0
Lander	1,745	15	14	8.6	8.0	1	107	1	66.7	-	0
White	1,510	12	12	7.9	7.9	-	100	1	83.3	-	0
All other	235	3	2	12.8	8.5	1	150	-	0	-	0
Lincoln	4,130	84	25	20.3	6.1	59	336	6	71.4	3	35.7
White	4,095	84	25	20.5	6.1	59	336	6	71.4	3	35.7
All other	35	-	-	0	0	-	0	-	0	-	0
Lyon	4,076	38	29	9.3	7.1	9	131	-	0	-	0
White	3,724	35	27	9.4	7.3	8	130	-	0	-	0
All other	352	3	2	8.5	5.7	1	150	-	0	-	0
Mineral	2,342	72	48	30.7	20.5	24	150	3	41.7	-	0
White	1,916	26	27	13.6	14.1	-1	96	-	0	-	0
All other	426	46	21	108.0	49.3	25	219	3	65.2	-	0
Nye	3,606	56	60	15.5	16.6	-4	93	3	53.6	1	17.9
White	3,210	53	54	16.5	16.8	-1	98	3	56.6	-	0
All other	396	3	6	7.6	15.2	-3	50	-	0	1	333.3
Ormsby	3,209	68	71	21.2	22.1	-3	96	6	88.2	2	29.4
White	2,931	36	38	12.3	13.0	-2	95	1	27.8	-	0
All other	278	32	33	115.1	118.7	-1	97	5	156.3	2	62.5
Pershing	2,713	25	38	9.2	14.0	-13	66	1	40.0	-	0
White	2,653	20	38	7.5	14.3	-18	53	1	50.0	-	0
All other	60	5	-	83.3	0	5	(3)	-	0	-	0
Storey	1,216	4	18	3.3	14.8	-14	22	-	0	-	0
White	1,190	3	18	2.5	15.1	-15	17	-	0	-	0
All other	26	1	-	38.5	0	1	(3)	-	0	-	0
Washoe	32,476	645	502	19.9	15.5	143	128	22	34.1	17	26.4
Rural part	11,159	372	290	33.3	26.0	82	128	17	45.7	10	26.9
White	10,260	354	267	34.5	26.0	87	133	16	45.2	10	28.2
All other	899	18	23	20.0	25.6	-5	78	1	55.6	-	0
Reno	21,317	273	212	12.8	9.9	61	129	5	18.3	7	25.6
White	20,893	267	208	12.8	10.0	59	128	4	15.0	7	26.2
All other	424	6	4	14.2	9.4	2	150	1	166.7	-	0
White Pine	12,377	299	134	24.2	10.8	165	223	14	46.8	-	0
White	11,986	293	128	24.4	10.7	165	229	14	47.8	-	0
All other	391	6	6	15.3	15.3	-	100	-	0	-	0
NEW HAMPSHIRE (total)	491,524	8,503	6,255	17.3	12.7	2,248	136	340	40.0	211	24.8
Belknap	24,328	392	311	16.1	12.8	81	126	10	25.5	14	35.7
Rural part	10,844	42	88	3.9	8.1	-46	48	-	0	2	47.6
Laconia	15,484	350	223	26.0	16.5	127	157	10	28.6	12	34.3
Carroll	15,589	273	250	17.5	16.0	23	109	9	33.0	7	25.6
Cheshire	34,953	570	409	16.3	11.7	161	139	14	24.6	9	15.8
Rural part	21,121	185	201	8.8	9.5	-16	92	2	10.8	3	16.2
Keene	13,832	385	208	27.8	15.0	177	185	12	31.2	6	15.6
Coos	59,274	778	422	19.8	10.7	356	184	33	42.4	25	32.1
Rural part	20,190	356	235	17.6	11.6	121	151	9	25.3	9	25.3
Berlin	19,084	422	187	22.1	9.8	235	226	24	56.9	16	37.9
Grafton	44,645	1,053	648	23.6	14.5	405	163	48	45.6	23	21.8
Hillsborough	144,888	2,459	1,724	17.0	11.9	735	143	111	45.1	75	30.5
Rural part	34,276	533	523	15.6	15.3	10	102	24	45.0	14	26.3
Manchester	77,685	1,266	843	16.3	10.9	423	150	61	48.2	41	32.4
Nashua	32,927	660	358	20.0	10.9	302	184	26	39.4	20	30.3
Merrimack	60.710	953	949	15.7	15.6	4	100	37	38.8	19	19.9
Rural part	33,539	406	394	12.1	11.7	12	103	21	51.7	8	19.7
Concord	27,171	547	555	20.1	20.4	-8	99	16	29.3	11	20.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW HAMPSHIRE—Continued											
Rockingham	58,142	912	775	15.7	13.3	137	118	36	39.5	18	19.7
Rural part	45,321	570	573	13.2	13.2	-3	99	22	38.6	10	17.5
Portsmouth	14,821	342	202	23.1	13.6	140	169	14	40.9	8	23.4
Strafford	43,553	720	490	16.5	11.3	230	147	26	36.1	13	18.1
Rural part	16,551	104	151	6.3	9.1	-47	69	6	57.7	2	19.2
Dover	14,990	281	212	18.7	14.1	69	133	10	35.6	7	24.9
Rochester	12,012	335	127	27.9	10.6	208	264	10	29.9	4	11.9
Sullivan	25,442	393	277	15.4	10.9	116	142	16	40.7	8	20.4
Rural part	13,298	147	137	11.1	10.3	10	107	5	34.0	1	6.8
Claremont (town)	12,144	246	140	20.3	11.5	106	176	11	44.7	7	28.5
NEW JERSEY (total)	4,160,165	58,617	45,086	14.1	10.8	13,531	130	2,086	35.6	1,530	26.1
Atlantic	124,066	1,634	1,743	13.2	14.0	-109	94	59	36.1	47	28.8
Rural part	48,922	506	597	10.3	12.2	-91	85	19	37.5	12	23.7
White	46,558	460	526	9.9	11.3	-66	87	17	37.0	10	21.7
All other	2,364	46	71	19.5	30.0	-25	65	2	43.5	2	43.5
Atlantic City	64,094	1,040	1,061	16.2	16.6	-21	98	39	37.5	32	30.8
White	48,347	767	766	15.9	15.8	1	100	17	22.2	23	30.0
All other	15,747	273	295	17.3	18.7	-22	93	22	80.6	9	33.0
Pleasantville	11,050	88	85	8.0	7.7	3	104	1	11.4	3	34.1
White	9,152	83	68	9.1	7.4	15	122	1	12.0	3	36.1
All other	1,898	5	17	2.6	9.0	-12	29	-	0	-	0
Bergen	409,646	3,774	3,317	9.2	8.1	457	114	108	28.6	80	21.2
Rural part	213,218	239	1,415	1.1	6.6	-1,176	17	11	46.0	7	29.3
White	211,024	234	1,385	1.1	6.6	-1,151	17	8	34.2	7	29.9
All other	2,194	5	30	2.3	13.7	-25	17	3	600.0	-	0
Bergenfield	10,275	5	42	0.5	4.1	-37	12	-	0	-	0
White	10,228	5	42	0.5	4.1	-37	12	-	0	-	0
All other	47	-	-	0	0	-	0	-	0	-	0
Cliffside Park	16,892	10	71	0.6	4.2	-61	14	1	100.0	-	0
White	16,878	10	71	0.6	4.2	-61	14	1	100.0	-	0
All other	14	-	-	0	0	-	0	-	0	-	0
Englewood	18,966	991	359	52.3	18.9	632	276	22	22.2	21	21.2
White	15,939	923	325	57.9	20.4	598	284	18	19.5	18	19.5
All other	3,027	68	34	22.5	11.2	34	200	4	58.8	3	44.1
Garfield	28,044	56	105	2.0	3.7	-49	53	2	35.7	1	17.9
White	27,817	54	104	1.9	3.7	-50	52	2	37.0	1	18.5
All other	227	2	1	8.8	4.4	1	200	-	0	-	0
Hackensack	26,279	1,340	557	51.0	21.2	783	241	45	33.6	28	20.9
White	23,138	1,232	511	53.2	22.1	721	241	36	29.2	27	21.9
All other	3,141	108	46	34.4	14.6	62	235	9	83.3	1	9.3
Lodi	11,552	18	58	1.6	5.0	-40	31	-	0	2	111.1
White	11,408	18	58	1.6	5.1	-40	31	-	0	2	111.1
All other	144	-	-	0	0	-	0	-	0	-	0
Lyndhurst (twp.)[5]	17,454	24	83	1.4	4.8	-59	29	1	41.7	-	0
White	17,421	24	83	1.4	4.8	-59	29	1	41.7	-	0
All other	33	-	-	0	0	-	0	-	0	-	0
Ridgefield Park	11,277	7	75	0.6	6.7	-68	9	1	142.9	-	0
White	11,261	7	75	0.6	6.7	-68	9	1	142.9	-	0
All other	16	-	-	0	0	-	0	-	0	-	0
Ridgewood	14,948	40	119	2.7	8.0	-79	34	2	50.0	-	0
White	14,404	40	116	2.8	8.1	-76	34	2	50.0	-	0
All other	544	-	3	0	5.5	-3	0	-	0	-	0
Rutherford	15,466	7	82	0.5	5.3	-75	9	1	142.9	1	142.9
White	15,040	6	82	0.4	5.5	-76	7	1	166.7	1	166.7
All other	426	1	-	2.3	0	1	(3)	-	0	-	0
Teaneck (twp.)[5]	25,275	1,037	351	41.0	13.9	686	295	22	21.2	20	19.3
White	25,117	1,030	346	41.0	13.8	684	298	21	20.4	20	19.4
All other	158	7	5	44.3	31.6	2	140	1	142.9	-	0
Burlington	97,013	1,224	1,148	12.6	11.8	76	107	46	37.6	29	23.7
Rural part	86,108	1,168	1,043	13.6	12.1	125	112	42	36.0	27	23.1
White	80,459	1,050	952	13.1	11.8	98	110	33	31.4	25	23.8
All other	5,649	118	91	20.9	16.1	27	130	9	76.3	2	16.9
Burlington	10,905	56	105	5.1	9.6	-49	53	4	71.4	2	35.7
White	9,542	48	95	5.0	10.0	-47	51	3	62.5	2	41.7
All other	1,363	8	10	5.9	7.3	-2	80	1	125.0	-	0
Camden	255,727	4,057	2,903	15.9	11.4	1,154	140	139	34.3	115	28.3
Rural part	94,069	420	1,047	4.5	11.1	-627	40	14	33.3	8	19.0
White	90,084	377	943	4.2	10.5	-566	40	10	26.5	4	10.6
All other	3,985	43	104	10.8	26.1	-61	41	4	93.0	4	93.0
Camden	117,536	3,482	1,546	29.6	13.2	1,936	225	119	34.2	103	29.6
White	104,995	3,116	1,377	29.7	13.1	1,739	226	95	30.5	89	28.6
All other	12,541	366	169	29.2	13.5	197	217	24	65.6	14	38.3
Collingswood	12,685	42	109	3.3	8.6	-67	39	1	23.8	-	0
White	12,662	42	109	3.3	8.6	-67	39	1	23.8	-	0
All other	23	-	-	0	0	-	0	-	0	-	0
Gloucester	13,692	63	103	4.6	7.5	-40	61	5	79.4	2	31.7
White	13,685	62	103	4.5	7.5	-41	60	5	80.6	2	32.3
All other	7	1	-	142.9	0	1	(3)	-	0	-	0
Pennsauken (twp.)[5]	17,745	50	98	2.8	5.5	-48	51	-	0	2	40.0
White	16,267	36	92	2.2	5.7	-56	39	-	0	1	27.8
All other	1,478	14	6	9.5	4.1	8	233	-	0	1	71.4
Cape May	28,919	234	443	8.1	15.3	-209	53	6	25.6	3	12.8
White	26,277	203	401	7.7	15.3	-198	51	6	29.6	3	14.8
All other	2,642	31	42	11.7	15.9	-11	74	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY. (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW JERSEY—Continued											
Cumberland	73,184	1,257	1,015	17.2	15.9	242	124	75	59.7	34	27.0
Rural part	42,388	524	508	12.4	12.0	16	103	26	49.6	15	24.8
White	38,743	442	471	11.4	12.2	-29	94	18	40.7	12	27.1
All other	3,645	82	37	22.5	10.2	45	222	8	97.6	1	12.2
Bridgeton	15,992	474	312	29.6	19.5	162	152	29	61.2	13	27.4
White	14,383	419	282	29.1	19.6	137	149	25	59.7	13	31.0
All other	1,609	55	30	34.2	18.6	25	183	4	72.7	-	0
Millville	14,806	259	195	17.5	13.2	64	133	20	77.2	8	30.9
White	14,659	255	190	17.4	13.0	65	134	20	78.4	8	31.4
All other	147	4	5	27.2	34.0	-1	80	-	0	-	0
Essex	837,340	12,662	8,968	15.1	10.7	3,694	141	437	34.5	298	23.5
Rural part	41,844	739	997	17.7	23.8	-258	74	25	33.8	18	24.4
White	40,873	651	847	15.9	20.7	-196	77	21	32.3	16	24.6
All other	971	88	150	90.6	154.5	-62	59	4	45.5	2	22.7
Belleville	28,167	48	176	1.7	6.2	-128	27	12	250.0	-	0
White	27,303	43	159	1.6	5.8	-116	27	8	186.0	-	0
All other	864	5	17	5.8	19.7	-12	29	4	800.0	-	0
Bloomfield	41,623	47	215	1.1	5.2	-168	22	2	42.6	-	0
White	40,769	47	213	1.2	5.2	-166	22	2	42.6	-	0
All other	854	-	2	0	2.3	-2	0	-	0	-	0
East Orange	68,945	575	553	8.3	8.0	22	104	19	33.0	9	15.7
White	62,973	532	515	8.4	8.2	17	103	18	33.8	9	16.9
All other	5,972	43	38	7.2	6.4	5	113	1	23.3	-	0
Irvington	55,328	358	443	6.4	8.0	-87	80	14	39.3	18	50.6
White	55,237	353	443	6.4	8.0	-90	80	14	39.7	18	51.0
All other	91	3	-	33.0	0	3	(3)	-	0	-	0
Maplewood (twp.) [5]	23,139	12	127	0.5	5.5	-115	9	-	0	-	0
White	22,618	11	126	0.5	5.5	-115	9	-	0	-	0
All other	521	1	1	3.1	3.1	-	100	-	0	-	0
Millburn (twp.) [5]	11,652	2	49	0.2	4.2	-47	4	1	500.0	-	0
White	11,365	2	47	0.2	4.1	-45	4	1	500.0	-	0
All other	287	-	2	0	7.0	-2	0	-	0	-	0
Montclair	39,807	557	362	14.0	9.1	195	154	14	25.1	17	30.5
White	32,998	552	333	16.1	10.1	199	160	14	25.3	17	32.0
All other	6,809	25	29	3.7	4.3	-4	86	-	0	-	0
Newark	429,760	8,498	5,011	19.8	11.7	3,487	170	291	34.2	203	23.9
White	385,534	7,445	4,392	19.4	11.5	3,053	170	221	29.7	163	21.9
All other	46,226	1,053	619	22.8	13.4	434	170	70	68.5	40	38.0
Nutley	21,954	27	131	1.2	6.0	-104	21	2	74.1	1	37.0
White	21,525	27	127	1.3	5.9	-100	21	2	74.1	1	37.0
All other	429	-	4	0	9.3	-4	0	-	0	-	0
Orange	33,717	1,789	700	50.1	19.6	1,089	256	57	31.9	32	17.9
White	30,065	1,853	811	55.0	20.3	1,042	271	47	28.4	26	15.7
All other	3,652	136	89	24.1	15.7	47	153	10	73.5	6	44.1
South Orange	13,742	3	76	0.2	5.5	-73	4	-	0	-	0
White	13,035	2	72	0.2	5.5	-70	3	-	0	-	0
All other	707	1	4	1.4	5.7	-3	25	-	0	-	0
West Orange	25,662	9	128	0.4	5.0	-119	7	-	0	-	0
White	25,431	9	127	0.4	5.0	-118	7	-	0	-	0
All other	231	-	1	0	4.3	-1	0	-	0	-	0
Gloucester	72,219	948	765	13.1	10.6	183	124	49	51.7	22	23.2
White	65,441	795	699	12.1	10.7	96	114	38	47.8	14	17.6
All other	6,778	153	66	22.6	9.7	87	232	11	71.9	8	52.3
Hudson	652,040	9,166	6,635	14.1	10.2	2,531	138	294	32.1	230	25.1
Rural part	18,227	12	415	0.7	22.8	-403	3	5	416.7	1	83.3
White	18,094	12	393	0.7	21.7	-381	3	5	416.7	1	83.3
All other	133	-	22	0	165.4	-22	0	-	0	-	0
Bayonne	79,198	747	603	9.4	7.6	144	124	25	33.5	21	28.1
White	77,419	752	590	9.5	7.6	142	124	25	34.2	20	27.3
All other	1,779	15	13	8.4	7.3	2	115	-	0	1	66.7
Harrison	14,171	20	55	1.4	3.9	-35	36	1	50.0	-	0
White	14,075	20	55	1.4	3.9	-35	36	1	50.0	-	0
All other	96	-	-	0	0	-	0	-	0	-	0
Hoboken	50,115	573	677	11.4	13.5	-104	85	19	33.2	18	31.4
White	49,819	572	675	11.5	13.5	-103	85	19	33.2	18	31.5
All other	296	1	2	3.4	6.8	-1	50	-	0	-	0
Jersey City	301,173	6,975	3,567	23.2	11.8	3,409	196	212	30.4	156	22.4
White	287,598	6,628	3,354	23.0	11.7	3,272	198	191	28.8	145	21.9
All other	13,575	350	213	25.8	15.7	137	164	21	60.0	11	31.4
Kearny	39,467	295	298	7.5	7.6	-3	99	7	23.7	11	37.3
White	39,228	294	298	7.5	7.6	-4	99	7	23.8	11	37.4
All other	239	1	-	4.2	0	1	(3)	-	0	-	0
North Bergen (twp.) [5]	39,714	47	202	1.2	5.1	-155	23	2	42.6	3	63.8
White	39,619	47	202	1.2	5.1	-155	23	2	42.6	3	63.8
All other	95	-	-	0	0	-	0	-	0	-	0
Union City	56,173	96	304	1.7	5.4	-208	32	4	41.7	7	72.9
White	56,124	95	304	1.7	5.4	-209	31	4	42.1	7	73.7
All other	49	1	-	20.4	0	1	(3)	-	0	-	0
Weehawken (twp.) [5]	14,343	360	345	25.1	24.0	15	104	17	47.2	12	33.3
White	14,330	360	343	25.1	23.9	17	105	17	47.2	12	33.3
All other	33	-	2	0	60.6	-2	0	-	0	-	0
West New York	39,439	40	169	1.0	4.3	-129	24	2	50.0	1	25.0
White	39,277	39	169	1.0	4.3	-130	23	2	51.3	1	25.6
All other	162	1	-	6.2	0	1	(3)	-	0	-	0
Hunterdon	36,786	289	386	7.3	10.5	-117	70	8	29.7	3	11.2
White	36,176	251	376	6.9	10.4	-125	67	6	23.9	3	12.0
All other	590	18	10	30.5	16.9	8	180	2	111.1	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW JERSEY—Continued											
Mercer	197,318	3,226	2,569	16.3	13.0	657	126	127	39.4	90	27.9
Rural part	72,621	392	718	5.4	9.9	-326	55	13	33.2	15	38.3
White	68,022	364	661	5.4	9.7	-297	55	9	24.7	14	38.5
All other	4,599	28	57	6.1	12.4	-29	49	4	142.9	1	35.7
Trenton	124,697	2,834	1,851	22.7	14.8	983	153	114	40.2	75	26.5
White	115,357	2,550	1,712	22.1	14.8	838	149	98	38.4	67	26.3
All other	9,340	284	139	30.4	14.9	145	204	16	56.3	8	28.2
Middlesex	217,077	3,011	1,994	13.9	9.2	1,017	151	105	34.9	88	29.2
Rural part	92,774	533	711	5.7	7.7	-178	75	15	28.1	7	13.1
White	90,824	519	687	5.7	7.6	-168	76	15	28.9	7	13.5
All other	1,950	14	24	7.2	12.3	-10	58	-	0	-	0
Carteret	11,976	68	39	5.7	3.3	29	174	4	58.8	1	14.7
White	11,693	65	36	5.6	3.1	29	181	3	46.2	1	15.4
All other	283	3	3	10.6	10.6	-	100	1	333.3	-	0
New Brunswick	33,180	1,343	608	40.5	18.3	735	221	45	33.5	42	31.3
White	31,069	1,260	559	40.6	18.0	701	225	40	31.7	40	31.7
All other	2,111	83	49	39.3	23.2	34	169	5	60.2	2	24.1
Perth Amboy	41,242	875	468	21.2	11.3	407	187	36	41.1	33	37.7
White	40,499	852	463	21.0	11.4	389	184	35	41.1	33	38.7
All other	743	23	5	31.0	6.7	18	460	1	43.5	-	0
South River	10,714	59	37	5.5	3.5	22	159	2	33.9	3	50.8
White	10,534	58	37	5.5	3.5	21	157	2	34.5	3	51.7
All other	180	1	-	5.6	0	1	(3)	-	0	-	0
Woodbridge (twp.)[5]	27,191	133	131	4.9	4.8	2	102	3	22.6	2	15.0
White	26,610	132	128	5.0	4.8	4	103	2	15.2	2	15.2
All other	581	1	3	1.7	5.2	-2	33	1	1,000.0	-	0
Monmouth	161,238	2,113	2,398	13.1	14.9	-285	88	88	41.6	53	25.1
Rural part	108,032	276	1,289	2.6	11.9	-1,013	21	14	50.7	10	36.2
White	102,011	254	1,179	2.5	11.6	-925	22	12	47.2	7	27.6
All other	6,021	22	110	3.7	18.3	-88	20	2	90.9	3	136.4
Asbury Park	14,617	33	113	2.3	7.7	-80	29	1	30.3	1	30.3
White	11,091	24	90	2.2	8.1	-66	27	1	41.7	1	41.7
All other	3,526	9	23	2.6	6.5	-14	39	-	0	-	0
Long Branch	17,408	863	449	49.6	25.8	414	192	28	32.4	21	24.5
White	15,898	719	400	45.2	25.2	319	180	24	33.4	18	22.3
All other	1,510	144	49	95.4	32.5	95	294	4	27.8	5	34.7
Neptune (twp.)[5]	10,207	784	400	76.8	39.2	384	196	38	48.5	18	23.0
White	8,602	679	340	78.9	39.5	339	200	28	41.2	17	25.0
All other	1,605	105	60	65.4	37.4	45	175	10	95.2	1	9.5
Red Bank	10,974	157	147	14.3	13.4	10	107	7	44.6	3	19.1
White	9,387	154	133	16.4	14.2	21	116	7	45.5	3	19.5
All other	1,587	3	14	1.9	8.8	-11	21	-	0	-	0
Morris	125,732	1,445	1,762	11.5	14.0	-317	82	59	40.8	30	20.8
Rural part	99,971	211	1,198	2.1	12.0	-987	18	16	75.8	6	28.4
White	98,174	207	1,134	2.1	11.6	-927	18	15	72.5	6	29.0
All other	1,797	4	64	2.2	35.6	-60	6	1	250.0	-	0
Dover	10,491	443	208	42.2	19.8	235	213	17	38.4	14	31.6
White	10,444	440	205	42.1	19.6	235	215	16	36.4	14	31.8
All other	47	3	3	63.8	63.8	-	100	1	333.3	-	0
Morristown	15,270	791	356	51.8	23.3	435	222	26	32.9	10	12.6
White	13,827	754	328	54.5	23.7	426	230	21	27.9	10	13.3
All other	1,443	37	28	25.6	19.4	9	132	5	135.1	-	0
Ocean	37,706	477	547	12.7	14.5	-70	87	21	44.0	11	23.1
White	36,358	454	520	12.5	14.3	-66	87	20	44.1	11	24.2
All other	1,348	23	27	17.1	20.0	-4	85	1	43.5	-	0
Passaic	309,353	3,650	3,301	18.3	10.7	2,349	171	202	55.8	180	28.3
Rural part	46,866	141	466	3.0	9.9	-325	30	3	21.3	4	28.4
White	46,464	134	454	2.9	9.8	-320	30	3	22.4	3	22.4
All other	402	7	12	17.4	29.9	-5	58	-	0	1	142.9
Clifton	48,827	46	231	0.9	4.7	-185	20	5	108.7	1	21.7
White	48,713	45	230	0.9	4.7	-185	20	4	88.9	1	22.2
All other	114	1	1	8.8	8.8	-	100	1	1,000.0	-	0
Hawthorne	12,610	25	73	2.0	5.8	-48	34	-	0	1	40.0
White	12,602	25	73	2.0	5.8	-48	34	-	0	1	40.0
All other	8	-	-	0	0	-	0	-	0	-	0
Passaic	61,394	2,260	798	36.8	13.0	1,462	283	78	34.5	60	26.5
White	59,365	2,203	770	37.1	13.0	1,433	286	75	34.0	56	25.4
All other	2,029	57	28	28.1	13.8	29	204	3	52.6	4	70.2
Paterson	139,656	3,178	1,733	22.8	12.4	1,445	183	118	36.5	94	29.6
White	135,300	3,090	1,676	22.8	12.4	1,414	184	108	35.0	92	29.8
All other	4,356	88	57	20.2	13.1	31	154	8	90.9	2	22.7
Salem	42,274	604	441	14.3	10.4	163	137	32	53.0	20	33.1
White	37,251	513	364	13.8	9.8	149	141	20	39.0	13	25.3
All other	5,023	91	77	18.1	15.3	14	118	12	131.9	7	76.9
Somerset	74,390	868	726	11.7	9.8	142	120	23	26.5	34	39.2
Rural part	63,804	860	643	13.5	10.1	217	134	22	25.6	34	39.5
White	62,057	834	623	13.4	10.0	211	134	21	25.2	33	39.6
All other	1,747	26	20	14.9	11.4	6	130	1	38.5	1	38.5
North Plainfield	10,586	8	83	0.8	7.8	-75	10	1	125.0	-	0
White	10,481	8	82	0.8	7.8	-74	10	1	125.0	-	0
All other	105	-	1	0	9.5	-1	0	-	0	-	0
Sussex	29,632	549	381	18.5	12.9	168	144	28	51.0	16	29.1
White	29,494	547	378	18.5	12.8	169	145	28	51.2	16	29.3
All other	138	2	3	14.5	21.7	-1	67	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW JERSEY—Continued											
Union	328,344	4,882	3,083	14.9	9.4	1,799	158	162	33.2	144	29.5
Rural part	34,984	57	242	1.6	6.9	-185	24	1	17.5	3	52.6
White	33,600	53	209	1.6	6.2	-156	25	1	18.9	1	18.9
All other	1,384	4	33	2.9	23.8	-29	12	-	0	2	500.0
Cranford (twp.) [5]	12,860	20	101	1.6	7.9	-81	20	2	100.0	2	100.0
White	12,021	17	97	1.4	8.1	-80	18	2	117.6	2	117.6
All other	839	3	4	3.6	4.8	-1	75	-	0	-	0
Elizabeth	109,912	2,438	1,376	22.2	12.5	1,062	177	80	32.8	87	35.7
White	104,910	2,213	1,284	21.1	12.2	929	172	68	30.7	74	33.4
All other	5,002	225	92	45.0	18.4	133	245	12	53.3	13	57.8
Hillside (twp.) [5]	18,556	14	87	0.8	4.7	-73	16	-	0	1	71.4
White	18,493	14	87	0.8	4.7	-73	16	-	0	1	71.4
All other	63	-	-	0	0	-	0	-	0	-	0
Linden	24,115	54	94	2.2	3.9	-40	57	2	37.0	1	18.5
White	23,212	50	90	2.2	3.9	-40	56	1	20.0	1	20.0
All other	903	4	4	4.4	4.4	-	100	1	250.0	-	0
Plainfield	37,469	1,205	515	32.2	13.7	690	234	43	35.7	35	29.0
White	32,880	1,081	453	32.9	13.8	628	239	37	34.2	33	30.5
All other	4,589	124	62	27.0	13.5	62	200	6	48.4	2	16.1
Rahway	17,498	497	188	28.4	10.7	309	264	17	34.2	8	16.1
White	16,599	483	180	29.1	10.8	303	268	17	35.2	8	16.6
All other	899	14	8	15.6	8.9	6	175	-	0	-	0
Roselle	13,597	11	65	0.8	4.8	-54	17	1	90.9	1	90.9
White	11,911	9	56	0.8	4.7	-47	16	-	0	1	111.1
All other	1,686	2	9	1.2	5.3	-7	22	1	500.0	-	0
Summit	16,165	523	233	32.4	14.4	290	224	14	26.8	6	11.5
White	14,746	493	223	33.4	15.1	270	221	14	28.4	6	12.2
All other	1,419	30	10	21.1	7.0	20	300	-	0	-	0
Union (twp.) [5]	24,730	28	91	1.1	3.7	-63	31	2	71.4	-	0
White	22,858	26	83	1.1	3.6	-57	31	1	38.5	-	0
All other	1,872	2	8	1.1	4.3	-6	25	1	500.0	-	0
Westfield	18,458	35	91	1.9	4.9	-56	38	-	0	-	0
White	17,297	31	79	1.8	4.6	-48	39	-	0	-	0
All other	1,161	4	12	3.4	10.3	-8	33	-	0	-	0
Warren	50,181	567	561	11.3	11.2	6	101	18	31.7	23	40.6
Rural part	31,867	200	291	6.3	9.1	-91	69	3	15.0	10	50.0
White	31,551	198	288	6.3	9.1	-90	69	3	15.2	10	50.5
All other	316	2	3	6.3	9.5	-1	67	-	0	-	0
Phillipsburg	18,314	367	270	20.0	14.7	97	136	15	40.9	13	35.4
White	18,268	365	269	20.0	14.7	96	136	14	38.4	13	35.6
All other	46	2	1	43.5	21.7	1	200	1	500.0	-	0
NEW MEXICO (total)	531,818	14,744	5,593	27.7	10.5	9,151	264	1,468	99.6	417	28.3
Bernalillo	69,391	1,954	960	28.2	13.8	994	204	206	105.4	66	33.8
Rural part	33,942	848	294	25.0	8.7	554	288	96	113.2	29	34.2
White	32,310	748	277	23.2	8.6	471	270	95	127.0	29	38.8
All other	1,632	100	17	61.3	10.4	83	588	1	10.0	-	0
Albuquerque	35,449	1,106	666	31.2	18.8	440	166	110	99.5	37	33.5
White	34,571	1,098	619	31.8	17.9	479	177	89	81.1	37	33.7
All other	878	8	47	9.1	53.5	-39	17	21	(3)	-	0
Catron	4,881	122	41	25.0	8.4	81	298	11	90.2	1	8.2
White	4,871	122	41	25.0	8.4	81	298	11	90.2	1	8.2
All other	10	-	-	0	0	-	0	-	0	-	0
Chaves	23,980	628	234	26.2	9.8	394	268	38	60.5	15	23.9
Rural part	10,498	173	45	16.5	4.3	128	384	6	34.7	3	17.3
White	10,458	173	45	16.5	4.3	128	384	6	34.7	3	17.3
All other	40	-	-	0	0	-	0	-	0	-	0
Roswell	13,482	455	189	33.7	14.0	266	241	32	70.3	12	26.4
White	13,008	450	183	34.6	14.1	267	246	32	71.1	12	26.7
All other	474	5	6	10.5	12.7	-1	83	-	0	-	0
Colfax	18,718	518	218	27.7	11.6	300	238	48	92.7	14	27.0
White	18,580	518	217	27.9	11.7	301	239	48	92.7	14	27.0
All other	138	-	1	0	7.2	-1	0	-	0	-	0
Curry	18,159	598	168	32.8	9.3	428	355	18	30.2	10	16.8
Rural part	8,094	37	24	4.6	3.0	13	154	3	81.1	-	0
White	8,069	37	23	4.6	2.9	14	161	2	54.1	-	0
All other	25	-	1	0	40.0	-1	0	1	(3)	-	0
Clovis	10,065	559	144	55.5	14.3	415	388	15	26.8	10	17.9
White	9,739	556	143	57.1	14.7	413	389	15	27.0	10	18.0
All other	326	3	1	9.2	3.1	2	300	-	0	-	0
De Baca	3,725	80	36	21.5	9.7	44	222	1	12.5	4	50.0
White	3,723	79	36	21.2	9.7	43	219	1	12.7	4	50.6
All other	2	1	-	500.0	0	1	(3)	-	0	-	0
Dona Ana	30,411	925	305	30.4	10.0	620	303	102	110.3	21	22.7
White	29,658	920	297	31.0	10.0	623	310	100	108.7	21	22.8
All other	753	5	8	6.6	10.6	-3	63	2	400.0	-	0
Eddy	24,311	786	235	32.3	9.7	551	334	65	82.7	24	30.5
White	23,814	777	229	32.6	9.6	548	339	63	81.1	23	29.6
All other	497	9	6	18.1	12.1	3	150	2	222.2	1	111.1
Grant	20,050	503	239	25.1	11.9	264	210	55	109.3	13	25.8
White	19,880	500	228	25.2	11.5	272	219	55	110.0	13	26.0
All other	170	3	11	17.6	64.7	-8	27	-	0	-	0
Guadalupe	8,646	275	95	31.8	11.0	180	289	36	130.9	8	29.1
White	8,644	275	94	31.8	10.9	181	293	36	130.9	8	29.1
All other	2	-	1	0	500.0	-1	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW MEXICO—Continued											
Harding	4,374	112	36	25.6	8.2	76	311	9	80.4	1	8.9
White	4,372	112	36	25.6	8.2	76	311	9	80.4	1	8.9
All other	2	-	-	0	0	-	0	-	0	-	0
Hidalgo	4,821	175	67	36.3	13.9	108	261	14	80.0	6	34.3
White	4,791	175	67	36.5	14.0	108	261	14	80.0	6	34.3
All other	30	-	-	0	0	-	0	-	0	-	0
Lea	21,154	416	105	19.7	5.0	311	396	14	33.7	6	14.4
Rural part	10,535	147	49	14.0	4.7	98	300	6	40.8	3	20.4
White	10,421	145	49	13.9	4.7	96	296	6	41.4	3	20.7
All other	114	2	-	17.5	0	2	(3)	-	0	-	0
Hobbs	10,619	269	56	25.3	5.3	213	480	8	29.7	3	11.2
White	9,983	265	54	26.5	5.4	211	491	8	30.2	3	11.3
All other	636	4	2	6.3	3.1	2	200	-	0	-	0
Lincoln	8,557	224	93	26.2	10.9	131	241	25	111.6	5	22.3
White	8,541	224	93	26.2	10.9	131	241	25	111.6	5	22.3
All other	16	-	-	0	0	-	0	-	0	-	0
Luna	6,457	193	64	29.9	9.9	129	302	10	51.8	7	36.3
White	6,385	193	63	30.2	9.9	130	306	10	51.8	7	36.3
All other	72	-	1	0	13.9	-1	0	-	0	-	0
McKinley	23,641	367	176	15.5	7.4	191	209	47	128.1	10	27.2
White	11,227	315	106	30.2	9.4	209	297	21	66.7	10	31.7
All other	12,414	52	70	4.2	5.6	-18	74	26	500.0	-	0
Mora	10,981	334	120	30.4	10.9	214	278	40	119.8	6	18.0
White	10,980	333	119	30.3	10.8	214	280	39	117.1	6	18.0
All other	1	1	1	1,000.0	1,000.0	-	100	1	1,000.0	-	0
Otero	10,522	253	103	24.0	9.8	150	246	26	102.8	6	23.7
White	9,551	231	88	24.2	9.2	143	263	24	103.9	6	26.0
All other	971	22	15	22.7	15.4	7	147	2	90.9	-	0
Quay	12,111	281	139	23.2	11.5	142	202	23	81.9	10	35.6
White	12,039	281	139	23.3	11.5	142	202	23	81.9	10	35.6
All other	72	-	-	0	0	-	0	-	0	-	0
Rio Arriba	25,352	905	269	35.7	10.6	636	336	104	114.9	21	23.2
White	23,562	846	251	35.9	10.7	595	337	102	120.6	21	24.8
All other	1,790	59	18	33.0	10.1	41	328	2	33.9	-	0
Roosevelt	14,549	295	92	20.3	6.3	203	321	10	33.9	10	33.9
White	14,546	295	92	20.3	6.3	203	321	10	33.9	10	33.9
All other	3	-	-	0	0	-	0	-	0	-	0
Sandoval	13,898	361	109	26.0	7.8	252	331	43	119.1	7	19.4
White	9,859	312	82	31.6	8.3	230	380	32	102.6	7	22.4
All other	4,039	49	27	12.1	6.7	22	181	11	224.5	-	0
San Juan	17,115	207	60	12.1	3.5	147	345	16	77.3	4	19.3
White	8,649	202	51	23.4	5.9	151	396	10	49.5	4	19.8
All other	8,466	5	9	0.6	1.1	-4	56	6	(3)	-	0
San Miguel	27,910	1,071	458	38.4	16.4	613	234	146	136.3	38	35.5
White	27,868	1,070	455	38.4	16.3	615	235	146	136.4	38	35.5
All other	42	1	3	23.8	71.4	-2	33	-	0	-	0
Santa Fe	30,826	903	377	29.3	12.2	526	240	120	132.9	40	44.3
Rural part	10,501	276	96	26.3	9.1	180	288	26	94.2	9	32.6
White	10,031	246	92	24.5	9.2	154	267	25	101.6	9	36.6
All other	470	30	4	63.8	8.5	26	750	1	33.3	-	0
Santa Fe	20,325	627	281	30.8	13.8	346	223	94	149.9	31	49.4
White	19,956	626	264	31.4	13.2	362	237	85	135.8	31	49.5
All other	369	1	17	2.7	46.1	-16	6	9	(3)	-	0
Sierra	6,962	138	70	19.8	10.1	68	197	7	50.7	6	43.5
White	6,902	138	70	20.0	10.1	68	197	7	50.7	6	43.5
All other	60	-	-	0	0	-	0	-	0	-	0
Socorro	11,422	415	184	36.3	16.1	231	226	48	115.7	13	31.3
White	11,140	409	180	36.7	16.2	229	227	47	114.9	13	31.8
All other	282	6	4	21.3	14.2	2	150	1	166.7	-	0
Taos	18,528	589	147	31.8	7.9	442	401	58	98.5	17	28.9
White	17,654	576	139	32.6	7.9	437	414	56	97.2	17	29.5
All other	874	13	8	14.9	9.2	5	163	2	153.8	-	0
Torrance	11,026	331	97	30.0	8.8	234	341	36	108.8	7	21.1
White	11,021	331	97	30.0	8.8	234	341	36	108.8	7	21.1
All other	5	-	-	0	0	-	0	-	0	-	0
Union	9,095	221	80	24.3	8.8	141	276	18	81.4	7	31.7
White	9,068	221	80	24.4	8.8	141	276	18	81 4	7	31.7
All other	27	-	-	0	0	-	0	-	0	-	0
Valencia	20,245	566	216	28.0	10.7	350	262	74	130.7	14	24.7
White	16,441	514	183	31.3	11.1	331	281	66	128.4	14	27.2
All other	3,804	52	33	13.7	8.7	19	158	8	153.8	-	0
NEW YORK (total)	13,479,142	196,888	149,946	14.6	11.1	46,942	131	7,322	37.2	10,228	51.9
Albany	221,315	3,227	2,808	14.6	12.7	419	115	132	40.9	68	21.1
Rural part	52,669	97	497	1.8	9.4	-400	20	2	20.6	2	20.6
Albany	150,577	2,762	1,963	21.2	15.0	799	141	119	43.1	55	19.9
Cohoes	21,955	330	240	15.0	10.9	90	138	10	30.3	8	24.2
Watervliet	16,114	38	108	2.4	6.7	-70	35	1	26.3	3	78.9
Allegany	39,681	710	496	17.9	12.5	214	143	27	38.0	17	23.9
Broome	165,749	2,884	1,824	17.4	11.0	1,060	158	87	30.2	67	23.2
Rural part	51,699	312	360	6.0	7.0	-48	87	6	19.2	3	9.6
Binghamton	78,309	1,412	1,057	18.0	13.5	355	134	43	30.5	36	25.5
Endicott	17,702	552	145	31.2	8.2	407	381	16	29.0	11	19.9
Johnson City	18,039	608	262	33.7	14.5	346	232	22	36.2	17	28.0
Cattaraugus	72,652	1,449	963	19.9	13.3	486	150	87	60.0	32	22.1
Rural part	51,146	735	648	14.4	12.7	87	113	51	69.4	15	20.4
Olean	21,506	714	315	33.2	14.6	399	227	36	50.4	17	23.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants undsr 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW YORK—Continued											
Cayuga	65,508	1,077	847	16.4	12.9	230	127	34	31.6	22	20.4
Rural part	29,755	184	362	6.2	12.2	-178	51	8	43.5	4	21.7
Auburn	35,753	893	485	25.0	13.6	408	184	26	29.1	18	20.2
Chautauqua	123,580	1,852	1,543	15.0	12.5	309	120	92	49.7	46	24.8
Rural part	63,229	427	717	6.8	11.3	-290	60	22	51.5	11	25.8
Dunkirk	17,713	352	236	19.9	13.3	116	149	19	54.0	7	19.9
Jamestown	42,638	1,073	590	25.2	13.8	483	182	51	47.5	28	26.1
Chemung	73,718	1,295	871	17.6	11.8	424	149	50	38.6	32	24.7
Rural part	28,612	74	210	2.6	7.3	-136	35	1	13.5	5	67.6
Elmira	45,106	1,221	661	27.1	14.7	560	185	49	40.1	27	22.1
Chenango	36,454	629	546	17.3	15.0	83	115	31	49.3	22	35.0
Clinton	54,006	1,183	619	21.9	11.5	564	191	61	51.6	23	19.4
Rural part	37,655	446	317	11.8	8.4	129	141	22	49.3	5	11.2
Plattsburgh	16,351	737	302	45.1	18.5	435	244	39	52.9	18	24.4
Columbia	41,464	512	611	12.3	14.7	-99	84	20	39.1	12	23.4
Rural part	29,947	164	351	5.5	11.7	-187	47	6	36.6	3	18.3
Hudson	11,517	348	260	30.2	22.6	88	134	14	40.2	9	25.9
Cortland	33,668	722	438	21.4	13.0	284	165	35	48.5	30	41.6
Rural part	17,787	120	185	6.7	10.4	-65	65	8	66.7	5	41.7
Cortland	15,881	602	253	37.9	15.9	349	238	27	44.9	25	41.5
Delaware	40,989	713	474	17.4	11.6	239	150	28	39.3	16	22.4
Dutchess	120,542	1,435	2,167	11.9	18.0	-732	66	59	41.1	42	29.3
Rural part	67,492	517	1,490	7.7	22.1	-973	35	22	42.6	25	48.4
Beacon	12,572	211	183	16.8	14.6	28	115	14	66.4	4	19.0
Poughkeepsie	40,478	707	494	17.5	12.2	213	143	23	32.5	13	18.4
Erie	798,377	12,536	9,088	15.7	11.4	3,448	138	507	40.4	362	28.9
Rural part	166,798	900	1,489	5.4	8.9	-589	60	28	31.1	24	26.7
Buffalo	575,901	10,550	7,153	18.3	12.4	3,397	147	414	39.2	309	29.3
Kenmore	18,612	11	95	0.6	5.1	-84	12	1	90.9	-	0
Lackawanna	24,058	1,030	269	42.8	11.2	761	383	61	59.2	29	28.2
Tonawanda	13,008	45	82	3.5	6.3	-37	55	3	66.7	-	0
Essex	34,178	667	510	19.5	14.9	157	131	34	51.0	22	33.0
Franklin	44,286	871	646	19.7	14.6	225	135	55	63.1	27	31.0
Fulton	48,597	645	660	13.3	13.6	-15	98	27	41.9	15	23.3
Rural part	14,602	127	158	8.7	10.8	-31	80	3	23.6	3	23.6
Gloversville	23,329	477	407	20.4	17.4	70	117	24	50.3	12	25.2
Johnstown	10,666	41	95	3.8	8.9	-54	43	-	0	-	0
Genesee	44,481	816	626	18.3	14.1	190	130	38	46.6	21	25.7
Rural part	27,214	109	242	4.0	8.9	-133	45	7	64.2	3	27.5
Batavia	17,267	707	384	40.9	22.2	323	184	31	43.8	18	25.5
Greene	27,926	369	424	13.2	15.2	-55	87	13	35.2	11	29.8
Hamilton	4,188	29	45	6.9	10.7	-16	64	2	69.0	1	34.5
Herkimer	59,527	848	765	14.2	12.9	83	111	38	44.8	25	29.5
Rural part	49,364	616	597	12.5	12.1	19	103	26	42.2	18	29.2
Little Falls	10,163	232	168	22.8	16.5	64	138	12	51.7	7	30.2
Jefferson	84,003	1,473	1,058	17.5	12.6	415	139	76	51.6	34	23.1
Rural part	50,618	629	536	12.4	10.6	93	117	28	44.5	11	17.5
Watertown	33,385	844	522	25.3	15.6	322	162	48	56.9	23	27.3
Lewis	22,815	391	251	17.1	11.0	140	156	16	40.9	18	46.0
Livingston	38,510	345	523	9.0	13.6	-178	66	9	26.1	7	20.3
Madison	39,598	741	545	18.7	13.8	196	136	19	25.6	21	28.3
Rural part	29,307	389	345	13.3	11.8	44	113	8	20.6	7	18.0
Oneida	10,291	352	200	34.2	19.4	152	176	11	31.3	14	39.8
Monroe	438,230	6,176	5,041	14.1	11.5	1,135	123	212	34.3	128	20.7
Rural part	89,879	477	1,180	5.3	13.1	-703	40	22	46.1	13	27.3
Irondequoit (town)	23,376	25	85	1.1	3.6	-60	29	1	40.0	-	0
Rochester	324,975	5,674	3,776	17.5	11.6	1,898	150	189	33.3	115	20.3
Montgomery	59,142	774	773	13.1	13.1	1	100	34	43.9	23	29.7
Rural part	25,813	159	301	6.2	11.7	-142	53	6	37.7	2	12.6
Amsterdam	33,329	615	472	18.5	14.2	143	130	28	45.5	21	34.1
Nassau	406,748	4,397	3,283	10.8	8.1	1,114	134	125	28.4	116	26.4
Rural part	268,981	2,125	2,178	7.9	8.1	-53	98	77	36.2	74	34.8
Floral Park	12,950	143	78	11.0	6.0	65	183	1	7.0	6	42.0
Freeport	20,410	333	146	16.3	7.2	187	228	9	27.0	6	18.0
Garden City	11,223	-	62	0	5.5	-62	0	-	0	-	0
Glen Cove	12,415	572	165	46.1	13.3	407	347	14	24.5	23	40.2
Hempstead	20,856	343	127	16.4	6.1	216	270	9	26.2	6	17.5
Lynbrook	14,557	26	79	1.8	5.4	-53	33	-	0	-	0
Mineola	10,064	827	234	82.2	23.3	593	353	14	16.9	1	1.2
Rockville Centre	18,613	12	122	0.6	6.6	-110	10	1	83.3	-	0
Valley Stream	18,679	16	92	1.0	5.5	-76	17	-	0	-	0
New York City[7]	7,454,995	106,704	75,817	14.3	10.2	30,887	141	3,732	35.0	7,900	74.0
White	6,977,501	98,593	70,017	14.1	10.0	28,576	141	3,274	33.2	7,053	71.5
All other	477,494	8,111	5,800	17.0	12.1	2,311	140	458	56.5	847	104.4
Niagara	180,110	2,925	1,572	18.3	9.8	1,353	186	107	36.6	75	25.6
Rural part	37,448	226	398	6.0	10.6	-172	57	12	53.1	9	39.8
Lockport	24,379	589	345	24.2	14.2	244	171	26	44.1	14	23.8
Niagara Falls	78,029	1,596	658	20.5	8.4	938	243	58	36.3	38	23.8
North Tonawanda	20,254	514	171	25.4	8.4	343	301	11	21.4	14	27.2
Oneida	203,636	3,197	2,868	15.7	14.1	329	111	127	39.7	102	31.9
Rural part	68,904	367	819	5.3	11.9	-452	45	16	43.6	11	30.0
Rome	34,214	799	625	23.4	18.3	174	128	45	56.3	25	31.3
Utica	100,518	2,031	1,424	20.2	14.2	607	143	66	32.5	66	32.5
Onondaga	295,108	4,602	3,335	15.6	11.3	1,267	138	196	42.6	129	28.0
Rural part	89,141	245	842	2.7	9.4	-597	29	13	53.1	10	40.8
Syracuse	205,967	4,357	2,493	21.2	12.1	1,864	175	183	42.0	119	27.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NEW YORK—Continued											
Ontario	55,307	866	758	15.7	13.7	108	114	42	48.5	25	28.9
Rural part	39,752	583	571	14.7	14.4	12	102	33	56.6	15	25.7
Geneva	15,555	283	187	18.2	12.0	96	151	9	31.8	10	35.3
Orange	140,113	2,158	1,957	15.4	14.0	201	110	86	39.9	60	27.8
Rural part	86,322	1,184	960	13.7	11.1	224	123	42	35.5	33	27.9
Middletown	21,908	421	539	19.2	24.6	-118	78	21	49.9	18	42.8
Newburgh	31,883	553	458	17.3	14.4	95	121	23	41.6	9	16.3
Orleans	27,760	390	421	14.0	15.2	-31	93	19	48.7	9	23.1
Oswego	71,275	1,182	911	16.6	12.8	271	130	49	41.5	15	12.7
Rural part	35,851	356	475	9.9	13.2	-119	75	17	47.8	3	8.4
Fulton	13,362	349	139	26.1	10.4	210	251	11	31.5	6	17.2
Oswego	22,062	477	297	21.6	13.5	180	161	21	44.0	6	12.6
Otsego	46,082	740	755	16.1	16.4	-15	98	25	33.8	20	27.0
Rural part	34,351	393	562	11.4	16.4	-169	70	18	45.8	8	20.4
Oneonta	11,731	347	193	29.6	16.5	154	180	7	20.2	12	34.6
Putnam	16,555	124	199	7.5	12.0	-75	62	3	24.2	3	24.2
Rensselaer	121,834	1,834	1,770	15.1	14.5	64	104	94	51.3	46	25.1
Rural part	40,762	162	436	4.0	10.7	-274	37	7	43.2	3	18.5
Rensselaer	10,768	18	88	1.7	8.2	-70	20	2	111.1	1	55.6
Troy	70,304	1,654	1,246	23.5	17.7	408	133	85	51.4	42	25.4
Rockland	74,261	978	1,266	13.2	17.0	-288	77	34	34.8	17	17.4
St. Lawrence	91,098	1,752	1,293	19.2	14.2	459	135	89	50.8	62	35.4
Rural part	63,424	1,135	797	17.9	12.6	338	142	64	56.4	38	33.5
Massena	11,328	212	72	18.7	6.4	140	294	8	37.7	5	23.6
Ogdensburg	16,346	405	424	24.8	25.9	-19	96	17	42.0	19	46.9
Saratoga	65,606	739	826	11.3	12.6	-87	89	25	33.8	15	20.3
Rural part	51,901	482	570	9.3	11.0	-88	85	14	29.0	9	18.7
Saratoga Springs	13,705	257	256	18.8	18.7	1	100	11	42.8	6	23.3
Schenectady	122,494	1,651	1,342	13.5	11.0	309	123	49	29.7	31	18.8
Rural part	34,945	104	289	3.0	8.3	-185	36	4	38.5	2	19.2
Schenectady	87,549	1,547	1,053	17.7	12.0	494	147	45	29.1	29	18.7
Schoharie	20,812	276	284	13.3	13.6	-8	97	9	32.6	4	14.5
Schuyler	12,979	202	197	15.6	15.2	5	103	10	49.5	3	14.9
Seneca	25,732	351	547	13.6	21.3	-196	64	22	62.7	9	25.6
Steuben	84,927	1,613	1,202	19.0	14.2	411	134	77	47.7	43	26.7
Rural part	53,066	804	764	15.2	14.4	40	105	43	53.5	14	17.4
Corning	16,212	498	220	30.7	13.6	278	226	23	46.2	16	32.1
Hornell	15,649	311	218	19.9	13.9	93	143	11	35.4	13	41.8
Suffolk	197,355	2,605	3,770	13.2	19.1	-1,165	69	95	36.5	68	26.1
Sullivan	37,901	514	540	13.6	14.2	-26	95	23	44.7	18	35.0
Tioga	27,072	394	381	14.6	14.1	13	103	15	38.1	7	17.8
Tompkins	42,340	649	568	15.3	13.4	81	114	27	41.6	18	27.7
Rural part	22,610	124	235	5.5	10.4	-111	53	3	24.2	1	8.1
Ithaca	19,730	525	333	26.6	16.9	192	158	24	45.7	17	32.4
Ulster	87,017	1,140	1,197	13.1	13.8	-57	95	38	33.3	38	33.3
Rural part	58,428	419	599	7.2	10.3	-180	70	9	21.5	17	40.6
Kingston	28,589	721	598	25.2	20.9	123	121	29	40.2	21	29.1
Warren	36,035	856	469	23.8	13.6	367	175	46	53.7	21	24.5
Rural part	17,199	189	182	11.0	10.6	7	104	9	47.6	4	21.2
Glens Falls	18,836	667	307	35.4	16.3	360	217	37	55.5	17	25.5
Washington	46,726	701	579	15.0	12.4	122	121	30	42.8	20	28.5
Wayne	52,747	600	653	11.4	12.4	-53	92	27	45.0	18	30.0
Westchester	573,558	7,638	5,370	13.3	9.4	2,268	142	252	33.0	178	23.3
Rural part	182,483	1,381	1,877	7.6	10.3	-496	74	59	42.7	44	31.9
Mamaroneck	13,034	14	55	1.1	4.2	-41	25	-	0	-	0
Mount Vernon	67,362	1,003	523	14.9	7.8	480	192	28	27.9	19	18.9
New Rochelle	58,408	787	534	13.5	9.1	253	147	29	36.8	17	21.6
Ossining	15,996	234	167	14.6	10.4	67	140	8	34.2	3	12.8
Peekskill	17,311	405	207	23.4	12.0	198	196	12	29.6	12	29.6
Port Chester	23,073	799	287	34.6	12.4	512	278	26	32.5	15	18.8
Scarsdale	12,966	-	46	0	3.5	-46	0	-	0	-	0
White Plains	40,327	966	423	24.0	10.5	543	228	32	33.1	18	18.6
Yonkers	142,598	2,049	1,251	14.4	8.8	798	164	58	28.3	50	24.4
Wyoming	31,394	510	388	16.2	12.4	122	131	12	23.5	9	17.6
Yates	16,361	231	246	14.1	15.0	-15	94	14	60.6	5	21.8
NORTH CAROLINA (total)	3,571,623	80,582	32,081	22.6	9.0	48,501	251	4,629	57.4	2,773	34.4
Alamance	57,427	1,169	362	20.4	6.3	807	323	30	25.7	27	23.1
Rural part	45,229	930	308	20.6	6.8	622	302	25	26.9	21	22.6
White	35,348	674	222	19.1	6.3	452	304	16	23.7	10	14.8
All other	9,881	256	86	25.9	8.7	170	298	9	35.2	11	43.0
Burlington	12,198	239	54	19.6	4.4	185	443	5	20.9	6	25.1
White	11,484	219	50	19.1	4.4	169	438	5	22.8	4	18.3
All other	714	20	4	28.0	5.6	16	500	-	0	2	100.0
Alexander	13,454	319	69	23.7	5.1	250	462	9	28.2	9	28.2
White	12,516	280	81	22.4	4.9	219	459	9	32.1	7	25.0
All other	938	39	8	41.6	8.5	31	488	-	0	2	51.5
Alleghany	8,341	150	59	18.0	7.1	91	254	14	93.3	3	20.0
White	8,032	149	56	18.6	7.0	93	266	13	87.2	3	20.1
All other	309	1	3	3.2	9.7	-2	33	1	1,000.0	-	0
Anson	28,443	775	269	27.2	9.5	506	288	40	51.6	34	43.9
White	14,516	367	132	25.3	9.1	235	278	16	43.6	13	35.4
All other	13,927	408	137	29.3	9.8	271	298	24	58.8	21	51.5
Ashe	22,664	479	192	21.1	8.5	287	249	39	81.4	12	25.1
White	22,189	469	186	21.1	8.4	283	252	38	81.0	12	25.8
All other	475	10	6	21.1	12.6	4	167	1	100.0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH CAROLINA—Continued											
Avery	13,561	451	101	33.3	7.4	350	447	28	62.1	12	26.6
White	13,302	444	99	33.4	7.4	345	448	28	63.1	12	27.0
All other	259	7	2	27.0	7.7	5	350	-	0	-	0
Beaufort	36,431	892	486	24.5	13.3	406	184	78	87.4	33	37.0
White	22,631	513	257	22.7	11.4	256	200	38	74.1	10	19.5
All other	13,800	379	229	27.5	16.6	150	166	40	105.5	23	60.7
Bertie	26,201	769	269	29.4	10.3	500	286	58	75.4	24	31.2
White	11,324	246	107	21.7	9.4	139	230	10	40.7	2	8.1
All other	14,877	523	162	35.2	10.9	361	323	48	91.8	22	42.1
Bladen	27,156	742	213	27.3	7.8	529	348	47	63.3	25	33.7
White	15,981	379	112	23.7	7.0	267	338	26	68.6	6	15.8
All other	11,175	363	101	32.5	9.0	262	359	21	57.9	19	52.3
Brunswick	17,125	407	168	23.8	9.8	239	242	29	71.3	20	49.1
White	11,326	219	101	19.3	8.9	118	217	12	54.8	7	32.0
All other	5,799	188	67	32.4	11.6	121	281	17	90.4	13	69.1
Buncombe	108,755	2,135	1,258	19.6	11.6	877	170	102	47.8	55	25.8
Rural part	57,445	861	593	15.0	10.3	268	145	36	41.8	15	17.4
White	54,725	812	463	14.8	8.5	349	175	36	44.3	12	14.8
All other	2,720	49	130	18.0	47.8	-81	38	-	0	3	61.2
Asheville	51,310	1,274	665	24.8	13.0	609	192	66	51.8	40	31.4
White	37,873	1,090	479	28.8	12.6	611	228	52	47.7	29	26.6
All other	13,437	184	186	13.7	13.8	-2	99	14	76.1	11	59.8
Burke	38,615	798	410	20.7	10.6	388	195	23	28.8	18	22.6
White	35,444	743	381	21.0	10.7	362	195	21	28.3	14	18.8
All other	3,171	55	29	17.3	9.1	26	190	2	36.4	4	72.7
Cabarrus	59,393	1,122	426	18.9	7.2	696	263	75	66.8	45	40.1
Rural part	43,821	1,024	318	23.4	7.3	706	322	66	64.5	39	38.1
White	37,142	869	244	23.4	6.6	625	356	49	56.4	31	35.7
All other	6,679	155	74	23.2	11.1	81	209	17	109.7	8	51.6
Concord	15,572	98	108	6.3	6.9	-10	91	9	91.8	6	61.2
White	12,450	58	67	4.7	5.4	-9	87	5	86.2	2	34.5
All other	3,122	40	41	12.8	13.1	-1	98	4	100.0	4	100.0
Caldwell	35,795	999	270	27.9	7.5	729	370	47	47.0	34	34.0
White	33,117	944	242	28.5	7.3	702	390	46	48.7	31	32.8
All other	2,678	55	28	20.5	10.5	27	196	1	18.2	3	54.5
Camden	5,440	91	60	16.7	11.0	31	152	9	98.9	3	33.0
White	3,195	40	31	12.5	9.7	9	129	3	75.0	1	25.0
All other	2,245	51	29	22.7	12.9	22	176	6	117.6	2	39.2
Carteret	18,284	389	186	21.3	10.2	203	209	26	66.8	18	46.3
White	15,581	329	142	21.1	9.1	187	232	21	63.8	14	42.6
All other	2,703	60	44	22.2	16.3	16	136	5	83.3	4	66.7
Caswell	20,032	476	113	23.8	5.6	363	421	21	44.1	17	35.7
White	10,918	193	58	17.7	5.3	135	333	7	36.3	1	5.2
All other	9,114	283	55	31.1	6.0	228	515	14	49.5	16	56.5
Catawba	51,653	1,202	375	23.3	7.3	827	321	60	49.9	32	26.6
Rural part	38,166	728	223	19.1	5.8	505	326	34	46.7	15	20.6
White	35,099	659	196	18.8	5.6	463	336	31	47.0	13	19.7
All other	3,067	69	27	22.5	8.8	42	256	3	43.5	2	29.0
Hickory	13,487	474	152	35.1	11.3	322	312	26	54.9	17	35.9
White	11,389	429	127	37.7	11.2	302	338	22	51.3	16	37.3
All other	2,098	45	25	21.4	11.9	20	180	4	88.9	1	22.2
Chatham	24,726	464	206	18.8	8.3	258	225	17	36.6	15	32.3
White	16,813	252	140	15.0	8.3	112	180	8	31.7	4	15.9
All other	7,913	212	66	26.8	8.3	146	321	9	42.5	11	51.9
Cherokee	18,813	490	149	26.0	7.9	341	329	22	44.9	14	28.6
White	18,602	481	146	25.9	7.8	335	329	22	45.7	14	29.1
All other	211	9	3	42.7	14.2	6	300	-	0	-	0
Chowan	11,572	274	113	23.7	9.8	161	242	18	65.7	13	47.4
White	6,139	130	54	21.2	8.8	76	241	7	53.8	3	23.1
All other	5,433	144	59	26.5	10.9	85	244	11	76.4	10	69.4
Clay	6,405	138	42	21.5	6.6	96	329	11	79.7	4	29.0
White	6,326	137	40	21.7	6.3	97	343	11	80.3	4	29.2
All other	79	1	2	12.7	25.3	-1	50	-	0	-	0
Cleveland	58,055	1,322	375	22.8	8.5	947	353	68	51.4	39	29.5
Rural part	44,018	879	203	20.0	4.6	676	433	30	34.1	19	21.6
White	34,321	632	163	18.4	4.7	469	388	20	31.6	8	12.7
All other	9,697	247	40	25.5	4.1	207	618	10	40.5	11	44.5
Shelby	14,037	443	172	31.6	12.3	271	258	38	85.8	20	45.1
White	10,887	366	138	33.6	12.7	228	265	35	95.6	17	46.4
All other	3,150	77	34	24.4	10.8	43	226	3	39.0	3	39.0
Columbus	45,663	1,254	375	27.5	8.2	879	334	81	64.6	54	43.1
White	30,988	775	221	25.0	7.1	554	351	45	58.1	21	27.1
All other	14,675	479	154	32.6	10.5	325	311	36	75.2	33	68.9
Craven	31,298	648	370	20.7	11.8	278	175	35	54.0	34	52.5
Rural part	19,483	390	167	20.0	8.6	223	234	15	38.5	18	46.2
White	11,289	183	64	16.2	5.7	119	286	5	27.3	3	16.4
All other	8,194	207	103	25.3	12.6	104	201	10	48.3	15	72.5
New Bern	11,815	258	203	21.8	17.2	55	127	20	77.5	16	62.0
White	5,976	139	76	23.3	12.7	63	183	8	57.6	4	28.8
All other	5,839	119	127	20.4	21.8	-8	94	12	100.8	12	100.8
Cumberland	59,320	1,343	719	22.6	12.1	624	187	100	74.5	61	45.4
Rural part	41,892	841	255	20.1	6.1	586	330	23	27.3	22	26.2
White	28,427	522	149	18.4	5.2	373	350	12	23.0	13	24.9
All other	13,465	319	106	23.7	7.9	213	301	11	34.5	9	28.2
Fayetteville	17,428	502	464	28.8	26.6	38	108	77	153.4	39	77.7
White	10,456	369	293	35.3	28.0	76	126	64	173.4	27	73.2
All other	6,972	133	171	19.1	24.5	-38	78	13	97.7	12	90.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH CAROLINA—Continued											
Currituck	6,709	76	65	11.3	9.7	11	117	7	92.1	-	0
White	4,371	45	41	10.3	9.4	4	110	5	111.1	-	0
All other	2,338	31	24	13.3	10.3	7	129	2	64.5	-	0
Dare	6,041	87	48	14.4	7.9	39	181	4	46.0	3	34.5
White	5,570	80	43	14.4	7.7	37	186	3	37.5	2	25.0
All other	471	7	5	14.9	10.6	2	140	1	142.9	1	142.9
Davidson	53,377	1,127	407	21.1	7.6	720	277	66	58.6	25	22.2
Rural part	31,786	615	234	19.3	7.4	381	263	36	58.5	8	13.0
White	29,501	557	204	18.9	6.9	353	273	32	57.5	6	10.8
All other	2,285	58	30	25.4	13.1	28	193	4	69.0	2	34.5
Lexington	10,550	248	100	23.5	9.5	148	248	9	36.3	9	36.3
White	8,866	214	84	24.1	9.5	130	255	8	37.4	7	32.7
All other	1,684	34	16	20.2	9.5	18	213	1	29.4	2	58.8
Thomasville	11,041	264	73	23.9	6.6	191	362	21	79.5	8	30.3
White	9,114	228	54	25.0	5.9	174	422	17	74.5	6	26.3
All other	1,927	36	19	18.7	9.9	17	189	4	111.1	2	55.6
Davie	14,909	315	121	21.1	8.1	194	260	16	50.8	8	25.4
White	12,730	250	94	19.6	7.4	156	266	9	36.0	4	16.0
All other	2,179	65	27	29.8	12.4	38	241	7	107.7	4	61.5
Duplin	39,739	954	275	24.0	6.9	679	347	40	41.9	32	33.5
White	25,572	583	160	22.8	6.3	423	364	25	42.9	16	27.4
All other	14,167	371	115	26.2	8.1	256	323	15	40.4	16	43.1
Durham	80,244	1,928	1,122	24.0	14.0	806	172	136	70.5	90	46.7
Rural part	20,049	244	114	12.2	5.7	130	214	9	36.9	8	32.8
White	14,868	152	73	10.2	4.9	79	208	5	32.9	5	32.9
All other	5,181	92	41	17.8	7.9	51	224	4	43.5	3	32.6
Durham	60,195	1,684	1,008	28.0	16.7	676	167	127	75.4	82	48.7
White	36,840	1,042	610	28.3	16.6	432	171	68	65.3	35	33.6
All other	23,355	642	398	27.5	17.0	244	161	59	91.9	47	73.2
Edgecombe	49,162	1,212	450	24.7	9.2	762	269	77	63.5	40	33.0
Rural part	37,184	925	350	24.9	9.4	575	264	66	71.4	26	28.1
White	16,377	298	138	18.2	8.4	160	216	20	67.1	8	26.8
All other	20,807	627	212	30.1	10.2	415	296	46	73.4	18	28.7
Rocky Mount (part)	11,978	287	100	(6)	(6)	187	(6)	11	(6)	14	(6)
White	6,116	179	50	(6)	(6)	129	(6)	6	(6)	7	(6)
All other	5,862	108	50	(6)	(6)	58	(6)	5	(6)	7	(6)
Forsyth	126,475	2,522	1,260	19.9	10.0	1,262	200	196	77.7	82	32.5
Rural part	46,660	528	314	11.3	6.7	214	168	38	72.0	12	22.7
White	41,521	435	247	10.5	5.9	188	176	31	71.3	10	23.0
All other	5,139	93	67	18.1	13.0	26	139	7	75.3	2	21.5
Winston-Salem	79,815	1,994	946	25.0	11.9	1,048	211	158	79.2	70	35.1
White	43,789	1,276	448	29.1	10.2	828	285	63	49.4	30	23.5
All other	36,026	718	498	19.9	13.8	220	144	95	132.3	40	55.7
Franklin	30,382	648	211	21.3	6.9	437	307	40	61.7	26	40.1
White	17,339	290	112	16.7	6.5	178	259	13	44.8	7	24.1
All other	13,043	358	99	27.4	7.6	259	362	27	75.4	19	53.1
Gaston	87,531	1,739	565	19.9	6.5	1,174	308	71	40.8	53	30.5
Rural part	66,218	1,162	336	17.5	5.1	826	346	40	34.4	24	20.7
White	58,002	1,016	270	17.5	4.7	746	376	29	28.5	15	14.8
All other	8,216	146	66	17.8	8.0	80	221	11	75.3	9	61.6
Gastonia	21,313	577	229	27.1	10.7	348	252	31	53.7	29	50.3
White	16,939	508	171	30.0	10.1	337	297	26	51.2	24	47.2
All other	4,374	69	58	15.8	13.3	11	119	5	72.5	5	72.5
Gates	10,060	246	114	24.5	11.3	132	216	22	89.4	17	69.1
White	5,088	86	58	16.9	11.4	28	148	4	46.5	4	46.5
All other	4,972	160	56	32.2	11.3	104	286	18	112.5	13	81.3
Graham	6,418	162	33	25.2	5.1	129	491	5	30.9	7	43.2
White	6,244	159	28	25.5	4.5	131	568	4	25.2	7	44.0
All other	174	3	5	17.2	28.7	-2	60	1	333.3	-	0
Granville	29,344	683	252	23.3	8.6	431	271	31	45.4	31	45.4
White	14,379	277	110	19.3	7.7	167	252	11	39.7	6	21.7
All other	14,965	406	142	27.1	9.5	264	286	20	49.3	25	61.6
Greene	18,548	491	98	26.5	5.3	393	501	18	32.6	12	24.4
White	10,464	248	45	23.7	4.3	203	551	5	20.2	5	20.2
All other	8,084	243	53	30.1	6.6	190	458	11	45.3	7	28.8
Guilford	153,916	3,059	1,329	19.9	8.6	1,730	230	148	48.4	86	28.1
Rural part	56,102	727	381	13.0	6.8	346	191	38	52.3	12	16.5
White	48,165	583	282	12.1	5.9	301	207	32	54.9	5	8.6
All other	7,937	144	99	18.1	12.5	45	145	6	41.7	7	48.6
Greensboro	59,319	1,435	645	24.2	10.9	790	222	70	48.8	53	36.9
White	42,968	1,137	413	26.5	9.6	724	275	47	41.3	30	26.4
All other	16,351	298	232	18.2	14.2	66	128	23	77.2	23	77.2
High Point	38,495	897	303	23.3	7.9	594	296	40	44.6	21	23.4
White	30,618	747	220	24.4	7.2	527	340	34	45.5	16	21.4
All other	7,877	150	83	19.0	10.5	67	181	6	40.0	5	33.3
Halifax	56,512	1,505	482	26.6	8.5	1,023	312	88	58.5	80	53.2
White	24,452	497	169	20.3	6.9	328	294	13	26.2	27	54.3
All other	32,060	1,008	313	31.4	9.8	695	322	75	74.4	53	52.6
Harnett	44,239	1,068	307	24.1	6.9	761	348	64	59.9	32	30.0
White	31,990	728	197	22.8	6.2	531	370	35	48.1	12	16.5
All other	12,249	340	110	27.8	9.0	230	309	29	85.3	20	58.8
Haywood	34,804	799	233	23.0	6.7	566	343	41	51.3	14	17.5
White	33,910	783	222	23.1	6.5	561	353	38	48.5	14	17.9
All other	894	16	11	17.9	12.3	5	145	3	187.5	-	0
Henderson	26,049	591	278	22.7	10.7	313	213	25	42.3	25	42.3
White	25,916	547	234	22.9	9.8	313	234	21	38.4	21	38.4
All other	2,133	44	44	20.6	20.6	-	100	4	90.9	4	90.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH CAROLINA—Continued											
Hertford	19,352	445	184	23.0	9.5	261	242	32	71.9	15	33.7
White	7,904	121	63	15.3	8.0	58	192	5	41.3	1	8.5
All other	11,448	324	121	28.3	10.6	203	268	27	83.3	14	43.2
Hoke	14,937	358	236	24.0	15.8	122	152	15	41.9	13	36.3
White	5,753	94	75	16.3	13.0	19	125	2	21.3	2	21.3
All other	9,184	264	161	28.7	17.5	103	164	13	49.2	11	41.7
Hyde	7,860	172	65	21.9	8.3	107	265	9	52.3	4	23.3
White	4,818	75	39	16.2	8.4	36	192	1	13.3	-	0
All other	3,242	97	26	29.9	8.0	71	373	8	82.5	4	41.2
Iredell	50,424	1,152	531	22.8	10.5	621	217	80	69.4	34	29.5
Rural part	38,984	834	337	21.4	8.6	497	247	46	55.2	27	32.4
White	31,071	633	214	20.4	6.9	419	296	23	36.3	11	17.4
All other	7,913	201	123	25.4	15.5	78	163	23	114.4	16	79.6
Statesville	11,440	318	194	27.8	17.0	124	164	34	106.9	7	22.0
White	9,778	304	164	31.1	16.8	140	185	29	95.4	6	19.7
All other	1,662	14	30	8.4	18.1	-16	47	5	357.1	1	71.4
Jackson	19,366	486	166	25.1	8.6	320	293	32	65.8	17	35.0
White	17,963	471	146	26.2	8.1	325	323	28	55.2	16	34.0
All other	1,403	15	20	10.7	14.3	-5	75	6	400.0	1	66.7
Johnston	63,798	1,481	433	23.2	6.8	1,048	342	56	37.8	39	26.3
White	50,327	1,134	318	22.5	6.3	816	357	35	30.9	24	21.2
All other	13,471	347	115	25.8	8.5	232	302	21	60.5	15	43.2
Jones	10,926	233	80	21.3	7.3	153	291	15	64.4	12	51.5
White	6,127	116	40	18.9	6.5	76	290	8	69.0	4	34.5
All other	4,799	117	40	24.4	8.3	77	293	7	59.8	8	68.4
Lee	18,743	494	189	26.4	10.1	305	261	20	40.5	12	24.3
White	13,393	351	108	26.2	8.1	243	325	8	22.8	10	28.5
All other	5,350	143	81	26.7	15.1	62	177	12	83.9	2	14.0
Lenoir	41,211	1,055	489	25.6	11.9	566	216	80	75.8	54	51.2
Rural part	25,823	488	189	18.9	7.3	299	258	30	61.5	19	38.9
White	14,717	156	89	10.6	6.0	67	175	6	38.5	3	19.2
All other	11,106	332	100	29.9	9.0	232	332	24	72.3	16	48.2
Kinston	15,388	567	300	36.8	19.5	267	189	50	88.2	35	61.7
White	8,681	424	195	48.8	22.5	229	217	41	96.7	24	56.6
All other	6,707	143	105	21.3	15.7	38	136	9	62.9	11	76.9
Lincoln	24,187	499	185	20.6	7.6	314	270	32	64.1	11	22.0
White	20,890	422	154	20.2	7.4	268	274	27	64.0	11	26.1
All other	3,297	77	31	23.4	9.4	46	248	5	64.9	-	0
McDowell	22,996	559	214	24.3	9.3	345	261	29	51.9	11	19.7
White	21,166	523	183	24.7	8.6	340	286	26	49.7	10	19.1
All other	1,830	36	31	19.7	16.9	5	116	3	83.3	1	27.8
Macon	15,880	385	121	24.2	7.6	264	318	23	59.7	6	15.6
White	15,414	382	117	24.8	7.6	265	326	23	60.2	6	15.7
All other	466	3	4	6.4	8.6	-1	75	-	0	-	0
Madison	22,522	493	147	21.9	6.5	346	335	25	50.7	13	26.4
White	22,300	486	145	21.8	6.5	341	335	25	51.4	13	26.7
All other	222	7	2	31.5	9.0	5	350	-	0	-	0
Martin	26,111	634	187	24.3	7.2	447	339	35	55.2	19	30.0
White	13,427	271	102	20.2	7.6	169	266	14	51.7	7	25.8
All other	12,684	363	85	28.6	6.7	278	427	21	57.9	12	33.1
Mecklenburg	151,826	3,139	1,445	20.7	9.5	1,694	217	169	53.8	137	43.6
Rural part	50,927	487	333	9.6	6.5	154	146	34	69.8	19	39.0
White	39,032	261	200	6.7	5.1	61	131	14	53.6	10	38.3
All other	11,895	226	133	19.0	11.2	93	170	20	88.5	9	39.8
Charlotte	100,899	2,652	1,112	26.3	11.0	1,540	238	135	50.9	118	44.5
White	69,475	1,961	668	28.2	9.6	1,293	294	74	37.7	53	27.0
All other	31,424	691	444	22.0	14.1	247	156	61	88.3	65	94.1
Mitchell	15,980	399	103	25.0	6.4	296	387	18	45.1	5	12.5
White	15,912	397	103	24.9	6.5	294	385	18	45.3	5	12.6
All other	68	2	-	29.4	0	2	(3)	-	0	-	0
Montgomery	18,280	293	113	16.0	6.9	180	259	7	23.9	9	30.7
White	12,533	203	83	16.2	6.6	120	245	4	19.7	5	24.6
All other	5,747	90	30	24.0	8.0	60	300	3	33.3	4	44.4
Moore	30,969	608	239	19.6	7.7	369	254	28	46.1	23	37.8
White	21,625	408	156	18.9	7.2	252	262	11	27.0	14	34.3
All other	9,344	200	83	21.4	8.9	117	241	17	85.0	9	45.0
Nash	55,608	1,443	653	25.9	11.7	790	221	100	69.3	59	40.9
Rural part	42,018	937	281	22.3	6.7	656	333	46	49.1	26	27.7
White	23,573	366	121	15.5	5.1	245	302	11	30.1	2	5.5
All other	18,445	571	160	31.0	8.7	411	357	35	61.3	24	42.0
Rocky Mount (part)	13,590	506	372	(6)	(6)	134	(6)	54	(6)	33	(6)
White	8,682	338	216	(6)	(6)	122	(6)	29	(6)	18	(6)
All other	4,908	168	156	(6)	(6)	12	(6)	25	(6)	15	(6)
Rocky Mount (total)	25,568	793	472	31.0	18.5	321	168	65	82.0	47	59.3
White	14,798	517	266	34.9	18.0	251	194	35	67.7	25	48.4
All other	10,770	276	206	25.6	19.1	70	134	30	108.7	22	79.7
New Hanover	47,935	1,169	751	24.4	15.7	418	156	88	75.3	34	29.1
Rural part	14,526	15	118	1.0	8.1	-103	13	7	466.7	4	266.7
White	10,977	8	68	0.7	6.2	-60	12	8	750.0	2	250.0
All other	3,551	7	50	2.0	14.1	-43	14	1	142.9	2	285.7
Wilmington	33,407	1,154	633	34.5	18.9	521	182	81	70.2	30	26.0
White	19,880	728	319	36.6	16.0	409	228	51	70.1	9	12.4
All other	13,527	426	314	31.5	23.2	112	136	30	70.4	21	49.3
Northampton	28,299	653	151	23.1	5.3	502	432	23	35.2	20	30.6
White	10,766	133	55	12.4	5.1	78	242	2	15.0	4	30.1
All other	17,533	520	96	29.7	5.5	424	542	21	40.4	16	30.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH CAROLINA—Continued											
Onslow	17,939	458	170	25.5	9.5	288	269	41	89.5	14	30.6
White	13,077	292	106	22.3	8.1	186	275	22	75.3	5	17.1
All other	4,862	166	64	34.1	13.2	102	259	19	114.5	9	54.2
Orange	23,072	346	159	15.0	6.9	187	218	8	23.1	14	40.5
White	15,911	170	101	10.7	6.3	69	168	3	17.6	3	17.6
All other	7,161	176	58	24.6	8.1	118	303	5	28.4	11	62.5
Pamlico	9,708	233	80	24.0	8.2	153	291	11	47.2	1	4.3
White	6,328	129	54	20.4	8.5	75	239	7	54.3	-	0
All other	3,378	104	26	30.8	7.7	78	400	4	38.5	1	9.6
Pasquotank	20,568	362	247	17.6	12.0	115	147	27	74.6	28	77.3
Rural part	9,004	142	63	15.8	7.0	79	225	11	77.5	8	56.3
White	4,705	45	34	9.6	7.2	11	132	3	66.7	1	22.2
All other	4,299	97	29	22.6	6.7	68	334	8	82.5	7	72.2
Elizabeth City	11,564	220	184	19.0	15.9	36	120	16	72.7	20	90.9
White	7,099	137	97	19.3	13.7	40	141	9	65.7	8	58.4
All other	4,465	83	87	18.6	19.5	-4	95	7	84.3	12	144.6
Pender	17,710	394	149	22.2	8.4	245	264	22	55.8	12	30.5
White	9,491	162	61	17.1	6.4	101	266	3	18.5	4	24.7
All other	8,219	232	88	28.2	10.7	144	264	19	81.9	8	34.5
Perquimans	9,773	186	76	19.0	7.8	110	245	10	53.8	10	53.8
White	5,045	78	38	15.5	7.5	40	205	1	12.8	1	12.8
All other	4,728	108	38	22.8	8.0	70	284	9	83.3	9	83.3
Person	25,029	615	165	24.6	6.6	450	373	16	26.0	18	29.3
White	15,685	352	102	22.4	6.5	250	345	7	19.9	8	22.7
All other	9,344	263	63	28.1	6.7	200	417	9	34.2	10	38.0
Pitt	61,244	1,422	505	23.2	8.2	917	282	107	75.2	59	41.5
Rural part	48,570	1,079	332	22.2	6.8	747	325	73	67.7	35	32.4
White	25,677	459	149	17.9	5.8	310	308	16	34.9	6	13.1
All other	22,893	620	183	27.1	8.0	437	339	57	91.9	29	46.8
Greenville	12,674	343	173	27.1	13.6	170	198	34	99.1	24	70.0
White	6,480	168	79	25.9	12.2	89	213	18	107.1	9	53.6
All other	6,194	175	94	28.3	15.2	81	186	16	91.4	15	85.7
Polk	11,874	253	91	21.3	7.7	162	278	16	63.2	9	35.6
White	10,231	206	75	20.1	7.3	131	275	12	58.3	8	40.0
All other	1,643	47	16	28.6	9.7	31	294	4	85.1	1	21.3
Randolph	44,554	909	313	20.4	7.0	596	290	32	35.2	24	26.4
White	40,226	803	270	20.0	6.7	533	297	26	32.4	19	23.7
All other	4,328	106	43	24.5	9.9	63	247	6	56.6	5	47.2
Richmond	36,810	835	336	22.7	9.1	499	249	50	59.9	15	18.0
White	24,538	547	205	22.3	8.4	342	267	33	60.3	7	12.8
All other	12,272	288	131	23.5	10.7	157	220	17	59.0	8	27.8
Robeson	76,860	2,250	733	29.3	9.5	1,517	307	151	67.1	81	36.0
White	34,658	876	322	25.3	9.3	554	272	55	62.8	31	35.4
All other	42,202	1,374	411	32.6	9.7	963	334	96	69.9	50	36.4
Rockingham	57,898	1,112	448	19.2	7.7	664	248	64	57.6	43	38.7
Rural part	47,511	882	319	18.6	6.7	563	276	44	49.9	36	40.8
White	39,188	705	243	18.0	6.2	462	290	33	46.8	23	32.6
All other	8,323	177	76	21.3	9.1	101	233	11	62.1	13	73.4
Reidsville	10,387	230	129	22.1	12.4	101	178	20	87.0	7	30.4
White	6,655	170	74	25.5	11.1	96	230	11	64.7	3	17.6
All other	3,732	60	55	16.1	14.7	5	109	9	150.0	4	66.7
Rowan	69,206	1,194	528	17.3	7.6	666	226	61	51.1	37	31.0
Rural part	50,169	706	281	14.1	5.6	425	251	27	38.2	14	19.8
White	41,914	539	182	12.9	4.3	357	296	13	24.1	5	9.3
All other	8,255	167	99	20.2	12.0	68	169	14	83.8	9	53.9
Salisbury	19,037	488	247	25.6	13.0	241	198	34	69.7	23	47.1
White	14,324	414	171	28.9	11.9	243	242	24	58.0	19	45.9
All other	4,713	74	76	15.7	16.1	-2	97	10	135.1	4	54.1
Rutherford	45,577	1,021	325	22.4	7.1	696	314	47	46.0	31	30.4
White	39,445	860	279	21.8	7.1	581	308	38	44.2	22	25.6
All other	6,132	161	46	26.3	7.5	115	350	9	55.9	9	55.9
Sampson	47,440	1,195	332	25.2	7.0	863	360	54	45.2	56	46.9
White	30,449	720	186	23.6	6.1	534	387	25	34.7	26	36.1
All other	16,991	475	146	28.0	8.6	329	325	29	61.1	30	63.2
Scotland	23,232	508	208	21.9	9.0	300	244	38	74.8	22	43.3
White	10,788	215	91	19.9	8.4	124	236	16	74.4	10	46.5
All other	12,444	293	117	23.5	9.4	176	250	22	75.1	12	41.0
Stanly	32,834	673	274	20.5	8.3	399	246	33	49.0	18	26.7
White	28,916	610	237	21.1	8.2	373	257	31	50.8	13	21.3
All other	3,918	63	37	16.1	9.4	26	170	2	31.7	5	79.4
Stokes	22,656	525	169	23.2	7.5	356	311	43	81.9	9	17.1
White	20,364	471	152	23.1	7.5	319	310	40	84.9	7	14.9
All other	2,292	54	17	23.6	7.4	37	318	3	55.6	2	37.0
Surry	41,783	1,061	378	25.4	9.0	683	281	57	53.7	41	38.6
White	39,252	1,002	353	25.5	9.0	649	284	52	51.9	37	36.9
All other	2,531	59	25	23.3	9.9	34	236	5	84.7	4	67.8
Swain	12,177	355	71	29.2	5.8	284	500	15	42.3	11	31.0
White	10,627	265	53	24.9	5.0	212	500	12	45.3	11	41.5
All other	1,550	90	18	58.1	11.6	72	500	3	33.3	-	0
Transylvania	12,241	285	100	23.3	8.2	185	285	19	66.7	14	49.1
White	11,400	278	94	24.4	8.2	184	296	19	68.3	11	39.6
All other	841	7	6	8.3	7.1	1	117	-	0	3	428.6
Tyrrell	5,556	143	50	25.7	9.0	93	286	5	35.0	4	28.0
White	3,545	80	34	22.8	9.6	46	235	3	37.5	1	12.5
All other	2,011	63	16	31.3	8.0	47	394	2	31.7	3	47.6
Union	39,097	989	320	25.3	8.2	669	309	52	52.6	36	36.4
White	29,920	699	201	23.4	6.7	498	348	33	47.2	18	25.8
All other	9,177	290	119	31.6	13.0	171	244	19	65.5	18	62.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH CAROLINA—Continued											
Vance	29,961	694	262	23.2	8.7	432	265	35	50.4	31	44.7
White	15,996	306	128	19.1	8.0	178	239	11	35.9	10	32.7
All other	13,965	388	134	27.8	9.6	254	290	24	61.9	21	54.1
Wake	109,544	2,175	1,210	19.9	11.0	965	180	124	57.0	86	39.5
Rural part	62,647	1,076	449	17.2	7.2	627	240	45	41.8	32	29.7
White	41,651	541	230	13.0	5.5	311	235	10	18.5	7	12.9
All other	20,996	535	219	25.5	10.4	316	244	35	65.4	25	46.7
Raleigh	46,897	1,099	761	23.4	16.2	338	144	79	71.9	54	49.1
White	31,061	739	467	23.8	15.0	272	158	49	66.3	28	37.9
All other	15,836	360	294	22.7	18.6	66	122	30	83.3	26	72.2
Warren	23,145	604	239	26.1	10.3	365	253	63	104.3	38	62.9
White	8,036	135	68	16.8	8.5	67	199	9	66.7	6	44.4
All other	15,109	469	171	31.0	11.3	298	274	54	115.1	32	68.2
Washington	12,323	289	126	23.5	10.2	163	229	23	79.6	14	48.4
White	6,857	120	55	17.5	8.0	65	218	9	75.0	6	50.0
All other	5,466	169	71	30.9	13.0	98	238	14	82.8	8	47.3
Watauga	18,114	419	145	23.1	8.0	274	289	29	69.2	4	9.5
White	17,750	416	144	23.4	8.1	272	289	29	69.7	4	9.6
All other	364	3	1	8.2	2.7	2	300	-	0	-	0
Wayne	58,328	1,245	846	21.3	14.5	399	147	100	80.3	48	38.6
Rural part	41,054	796	553	19.4	13.5	243	144	47	59.0	17	21.4
White	23,634	431	140	18.2	5.9	291	308	25	58.0	10	23.2
All other	17,420	365	413	21.0	23.7	-48	88	22	60.3	7	19.2
Goldsboro	17,274	449	293	26.0	17.0	156	153	53	118.0	31	69.0
White	9,384	229	136	24.4	14.5	93	168	23	100.4	14	61.1
All other	7,890	220	157	27.9	19.9	63	140	30	136.4	17	77.3
Wilkes	43,003	1,104	310	25.7	7.2	794	356	48	43.5	26	23.6
White	40,177	1,035	283	25.8	7.0	752	366	41	39.6	23	22.2
All other	2,826	69	27	24.4	9.6	42	256	7	101.4	3	43.5
Wilson	50,219	1,247	514	24.8	10.2	733	243	84	67.4	45	36.1
Rural part	30,985	670	195	21.6	6.3	475	344	32	47.8	18	26.9
White	19,232	305	92	15.9	4.8	213	332	8	26.2	6	19.7
All other	11,753	365	103	31.1	8.8	262	354	24	65.8	12	32.9
Wilson	19,234	577	319	30.0	16.6	258	181	52	90.1	27	46.8
White	9,916	341	136	34.4	13.7	205	251	25	73.3	11	32.3
All other	9,318	236	183	25.3	19.6	53	129	27	114.4	16	67.8
Yadkin	20,657	354	133	17.1	6.4	221	266	22	62.1	4	11.3
White	19,482	339	124	17.4	6.4	215	273	21	61.9	4	11.8
All other	1,175	15	9	12.8	7.7	6	167	1	66.7	-	0
Yancey	17,202	467	102	27.1	5.9	365	458	26	55.7	5	10.7
White	17,044	465	101	27.3	5.9	384	460	26	55.9	5	10.8
All other	158	2	1	12.7	6.3	1	200	-	0	-	0
NORTH DAKOTA (total)	641,935	13,356	5,235	20.8	8.2	8,121	255	603	45.1	297	22.2
Adams	4,664	72	32	15.4	6.9	40	225	4	55.6	-	0
Barnes	17,814	330	157	18.5	8.8	173	210	15	45.5	5	15.2
Benson	12,629	231	84	18.3	6.7	147	275	10	43.3	5	21.6
Billings	2,531	11	5	4.3	2.0	6	220	-	0	1	90.9
Bottineau	13,253	294	104	22.2	7.8	190	283	10	34.0	4	13.6
Bowman	3,860	92	28	23.8	7.3	64	329	3	32.6	2	21.7
Burke	7,653	137	50	17.9	6.5	87	274	3	21.9	1	7.3
Burleigh	22,736	643	274	28.3	12.1	369	235	27	42.0	14	21.8
Rural part	7,240	50	22	6.9	3.0	28	227	1	20.0	-	0
Bismarck	15,496	593	252	38.3	16.3	341	235	26	43.8	14	23.6
Cass	52,849	1,459	581	27.6	11.0	878	251	37	25.4	28	19.2
Rural part	20,269	204	191	10.1	9.4	13	107	8	39.2	8	39.2
Fargo	32,580	1,255	390	38.5	12.0	865	322	29	23.1	20	15.9
Cavalier	13,923	306	103	22.0	7.4	203	297	9	29.4	5	16.3
Dickey	9,696	177	76	18.3	7.8	101	233	5	28.2	5	28.2
Divide	7,086	116	47	16.4	6.6	69	247	5	43.1	5	43.1
Dunn	8,376	111	36	13.3	4.3	75	308	8	72.1	3	27.0
Eddy	5,741	129	42	22.5	7.3	87	307	10	77.5	4	31.0
Emmons	11,699	260	49	22.2	4.2	211	531	13	50.0	5	19.2
Foster	5,824	111	42	19.1	7.2	69	264	6	54.1	3	27.0
Golden Valley	3,498	98	31	28.0	8.9	67	316	4	40.8	5	51.0
Grand Forks	34,518	944	383	27.3	11.1	561	246	39	41.3	19	20.1
Rural part	14,290	144	135	10.1	9.4	9	107	7	48.6	1	6.9
Grand Forks	20,228	800	248	39.5	12.3	552	323	32	40.0	18	22.5
Grant	8,264	159	50	19.2	6.1	109	318	21	132.1	6	37.7
Griggs	5,818	83	41	14.3	7.0	42	202	2	24.1	6	72.3
Hettinger	7,457	181	36	24.3	4.8	145	503	6	33.1	3	16.6
Kidder	6,692	115	22	17.2	3.3	93	523	8	69.6	3	26.1
La Moure	10,298	179	62	17.4	6.0	117	289	4	22.3	3	16.8
Logan	7,561	153	42	20.2	5.6	111	364	11	71.9	6	39.2
McHenry	14,034	164	62	11.7	4.4	102	265	6	36.6	5	30.5
McIntosh	8,984	150	40	16.7	4.5	110	375	10	66.7	3	20.0
McKenzie	8,426	125	33	14.8	3.9	92	379	5	40.0	2	16.0
McLean	16,082	317	89	19.7	5.5	228	356	14	44.2	4	12.6
Mercer	9,611	213	41	22.2	4.3	172	520	6	28.2	5	23.5
Morton	20,184	448	169	22.2	8.4	279	265	35	78.1	14	31.3
Mountrail	10,482	160	53	15.3	5.1	107	302	3	18.8	3	18.8
Nelson	9,129	149	66	16.3	7.2	83	226	5	33.6	3	20.1
Oliver	3,859	23	8	6.0	2.1	15	288	2	87.0	-	0
Pembina	15,671	238	97	15.2	6.2	141	245	10	42.0	12	50.4
Pierce	9,208	368	106	40.0	11.5	262	347	18	48.9	8	21.7

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
NORTH DAKOTA—Continued											
Ramsey	15,626	354	164	22.7	10.5	190	216	28	79.1	4	11.3
Ransom	10,061	144	62	14.3	6.2	82	232	6	41.7	6	41.7
Renville	5,533	63	21	11.4	3.8	42	300	-	0	4	63.5
Richland	20,519	183	138	8.9	6.7	45	133	9	49.2	3	16.4
Rolette	12,583	325	166	25.8	13.2	159	196	24	73.8	5	15.4
Sargent	8,693	89	53	10.2	6.1	36	168	2	22.5	-	0
Sheridan	6,616	61	24	9.2	3.6	37	254	2	32.8	1	16.4
Sioux	4,419	129	41	29.2	9.3	88	315	16	124.0	2	15.5
Slope	2,932	44	9	15.0	3.1	35	489	3	68.2	1	22.7
Stark	15,414	410	157	26.6	10.2	253	261	21	51.2	10	24.4
Steele	6,193	109	39	17.6	6.3	70	279	5	45.9	5	45.9
Stutsman	23,495	431	299	18.3	12.7	132	144	17	39.4	13	30.2
Towner	7,200	110	32	15.3	4.4	78	344	4	36.4	1	9.1
Traill	12,300	163	90	13.3	7.3	73	181	6	36.8	1	6.1
Walsh	20,747	511	165	24.6	8.0	346	310	15	29.4	6	11.7
Ward	31,981	913	381	28.5	11.9	532	240	42	46.0	25	27.4
Rural part	15,404	179	73	11.6	4.7	106	245	4	22.3	4	22.3
Minot	16,577	734	308	44.3	18.6	426	238	38	51.8	21	28.6
Wells	11,198	227	99	20.3	8.8	128	229	13	57.3	4	17.6
Williams	16,315	344	154	21.1	9.4	190	223	16	46.5	6	17.4
OHIO (total	6,907,612	114,900	78,662	16.6	11.4	36,238	146	4,759	41.4	2,976	25.9
Adams	21,705	400	237	18.4	10.9	163	169	32	80.0	17	42.5
Allen	73,303	1,554	963	21.2	13.1	591	161	43	27.7	38	24.5
Rural part	28,592	391	331	13.7	11.6	60	118	6	15.3	8	20.5
Lima	44,711	1,163	632	26.0	14.1	531	184	37	31.8	30	25.8
Ashland	29,785	516	355	17.3	11.9	161	145	22	42.6	8	15.5
Rural part	17,332	141	169	8.1	9.8	-28	83	9	63.8	1	7.1
Ashland	12,453	375	186	30.1	14.9	189	202	13	34.7	7	18.7
Ashtabula	68,674	1,072	803	15.6	11.7	269	133	46	42.9	38	35.4
Rural part	47,269	627	554	13.3	11.7	73	113	27	43.1	24	38.3
Ashtabula	21,405	445	249	20.8	11.6	196	179	19	42.7	14	31.5
Athens	46,166	874	591	18.9	12.8	283	148	54	61.8	31	35.5
Auglaize	28,037	385	297	13.7	10.6	88	130	20	51.9	6	15.6
Belmont	95,614	1,575	1,040	16.5	10.9	535	151	83	52.7	41	26.0
Rural part	67,086	735	649	11.0	9.7	86	113	38	51.7	14	19.0
Bellaire	13,799	372	181	27.0	13.1	191	206	16	43.0	13	34.9
Martins Ferry	14,729	468	210	31.8	14.3	258	223	29	62.0	14	29.9
Brown	21,638	296	243	13.7	11.2	53	122	15	50.7	6	20.3
Butler	120,249	2,378	1,214	19.8	10.1	1,164	196	100	42.1	52	21.9
Rural part	38,437	271	251	7.1	6.5	20	108	5	18.5	4	14.8
Hamilton	50,592	1,226	631	24.2	12.5	595	194	62	50.6	27	22.0
Middletown	31,220	881	332	28.2	10.6	549	265	33	37.5	21	23.8
Carroll	17,449	240	157	13.8	9.0	83	153	10	41.7	2	8.3
Champaign	25,258	402	319	15.9	12.6	83	126	16	39.8	12	29.9
Clark	95,647	1,605	1,198	16.8	12.5	407	134	89	55.5	34	21.2
Rural part	24,985	242	303	9.7	12.1	-61	80	10	41.3	2	8.3
Springfield	70,662	1,363	895	19.3	12.7	468	152	79	58.0	32	23.5
Clermont	34,109	401	380	11.8	10.6	41	111	11	27.4	10	24.9
Clinton	22,574	351	254	15.5	11.3	97	138	11	31.3	11	31.3
Columbiana	90,121	1,867	1,072	20.7	11.9	795	174	82	43.9	51	27.3
Rural part	54,265	731	548	13.5	10.1	183	133	32	43.8	18	24.6
East Liverpool	23,555	677	312	28.7	13.2	365	217	28	41.4	17	26.1
Salem	12,301	459	212	37.3	17.2	247	217	22	47.9	16	34.9
Coshocton	30,594	544	379	17.8	12.4	165	144	22	40.4	16	29.4
Rural part	19,085	242	189	12.7	9.9	53	128	8	33.1	7	28.9
Coshocton	11,509	302	190	26.2	16.5	112	159	14	46.4	9	29.8
Crawford	35,571	677	456	19.0	12.8	221	148	30	44.3	10	14.8
Cuyahoga	1,217,250	18,843	12,469	15.5	10.2	6,374	151	647	34.3	461	24.5
Rural part	100,654	515	848	5.1	8.4	-333	61	24	46.6	14	27.2
Cleveland	878,336	16,377	9,873	18.6	11.2	6,504	166	565	34.5	392	23.9
White	793,417	14,821	8,733	18.7	11.0	6,088	170	492	33.2	327	22.1
All other	84,919	1,556	1,140	18.3	13.4	416	136	73	46.9	65	41.8
Cleveland Heights	54,992	5	361	0.1	6.6	-356	1	7	(3)	1	200.0
East Cleveland	39,495	1,379	461	34.9	11.7	918	299	27	19.6	37	26.8
Euclid	17,866	17	88	1.0	4.9	-71	19	1	58.8	-	0
Garfield Heights	18,989	20	83	1.2	4.9	-63	24	2	100.0	-	0
Lakewood	69,180	495	597	7.2	8.6	-102	83	20	40.4	15	30.3
Parma	16,365	34	68	2.1	4.2	-34	50	1	29.4	2	58.8
Shaker Heights	23,393	1	90	0.0	3.8	-89	1	-	0	-	0
Darke	38,831	631	454	16.2	11.7	177	139	22	34.9	14	22.2
Defiance	24,367	509	267	20.9	11.0	242	191	18	35.4	12	23.6
Delaware	26,780	395	338	14.7	12.6	57	117	7	17.7	19	48.1
Erie	43,201	655	583	15.2	13.5	72	112	23	35.1	16	24.4
Rural part	18,327	90	233	4.9	12.7	-143	39	5	55.6	1	11.1
Sandusky	24,874	565	550	22.7	14.1	215	161	18	31.9	15	26.5
Fairfield	48,490	909	535	18.7	11.0	374	170	41	45.1	26	28.6
Rural part	26,550	280	235	10.5	8.9	45	119	11	39.3	4	14.3
Lancaster	21,940	629	300	28.7	13.7	329	210	30	47.7	22	35.0
Fayette	21,385	339	260	15.9	12.2	79	130	18	53.1	8	23.6
Franklin	388,712	6,588	5,202	16.9	13.4	1,386	127	273	41.4	172	26.1
Rural part	82,625	433	708	5.2	8.6	-275	61	20	46.2	10	23.1
Columbus	306,087	6,155	4,494	20.1	14.7	1,661	137	253	41.1	162	26.3
White	270,183	5,524	3,951	20.4	14.6	1,573	140	227	41.1	141	25.5
All other	35,904	631	543	17.6	15.1	88	116	26	41.2	21	33.3
Fulton	23,626	425	291	18.0	12.3	134	146	14	32.9	11	25.9
Gallia	24,930	494	472	19.8	18.9	22	105	32	64.8	12	24.3
Geauga	19,430	237	213	12.2	11.0	24	111	12	50.6	4	16.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OHIO—Continued											
Greene	35,863	493	378	13.7	10.5	115	130	16	32.5	7	14.2
Rural part	25,230	255	216	10.1	8.6	39	118	7	27.5	4	15.7
Xenia	10,633	238	162	22.4	15.2	76	147	9	37.8	3	12.6
Guernsey	38,822	555	451	14.3	11.6	104	123	33	59.5	19	34.2
Rural part	23,778	288	231	12.0	9.7	55	124	16	55.9	8	28.0
Cambridge	15,044	269	220	16.6	14.6	49	122	17	63.2	11	40.9
Hamilton	621,987	10,479	8,113	16.8	13.0	2,366	129	415	39.6	302	28.8
Rural part	132,367	977	972	7.4	7.3	5	101	21	21.5	18	18.4
Cincinnati	455,610	9,450	6,947	20.7	15.2	2,503	136	392	41.5	283	29.9
White	399,853	8,294	6,062	20.7	15.2	2,232	137	316	38.1	233	28.1
All other	55,757	1,156	885	20.7	15.9	271	131	76	65.7	50	43.3
Norwood	34,010	52	194	1.5	5.7	-142	27	2	38.5	1	19.2
Hancock	40,793	873	577	21.4	14.1	296	151	29	33.2	16	18.3
Rural part	18,432	210	217	11.4	11.8	-7	97	5	23.8	4	19.0
Findlay	20,228	450	308	22.2	15.2	142	146	20	44.4	10	22.2
Fostoria (part)	2,133	213	52	(6)	(6)	161	(6)	4	(6)	2	(6)
Hardin	27,061	482	385	17.8	14.2	97	125	33	68.5	15	31.1
Harrison	20,313	261	252	10.4	12.4	9	104	16	61.3	3	11.5
Henry	22,756	377	207	16.6	9.1	170	182	14	37.1	9	23.9
Highland	27,099	475	346	17.5	12.8	129	137	23	48.4	15	31.6
Hocking	21,504	409	232	19.0	10.8	177	176	23	56.2	10	24.4
Holmes	17,876	402	179	22.5	10.0	223	225	17	42.3	15	37.3
Huron	34,800	559	498	16.1	14.3	61	112	28	50.1	14	25.0
Jackson	27,004	521	288	19.3	10.7	233	181	32	61.4	16	30.7
Jefferson	98,129	1,837	921	18.7	9.4	916	199	71	38.6	52	28.3
Rural part	60,478	703	386	11.6	6.4	317	182	25	35.6	12	17.1
Steubenville	37,651	1,134	535	30.1	14.2	599	212	46	40.6	40	35.3
Knox	31,024	524	477	16.9	15.4	47	110	17	32.4	13	24.8
Rural part	20,902	152	232	7.3	11.1	-80	66	2	13.2	1	6.6
Mount Vernon	10,122	372	245	36.8	24.2	127	152	15	40.3	12	32.3
Lake	50,020	614	515	12.3	10.3	99	119	28	45.6	20	32.6
Rural part	37,785	125	300	3.3	7.9	-175	42	12	96.0	3	24.0
Painesville	12,235	489	215	40.0	17.6	274	227	16	32.7	17	34.8
Lawrence	46,705	881	484	18.9	10.4	397	182	58	65.8	26	29.5
Rural part	30,854	402	238	13.0	7.7	164	169	23	57.2	7	17.4
Ironton	15,851	479	246	30.2	15.5	233	195	35	73.1	19	39.7
Licking	62,279	901	793	14.5	12.7	108	114	37	41.1	24	26.6
Rural part	30,792	265	339	8.6	11.0	-74	78	11	41.5	5	18.9
Newark	31,487	636	454	20.2	14.4	182	140	26	40.9	19	29.9
Logan	29,624	524	377	17.7	12.7	147	139	22	42.0	17	32.4
Lorain	112,390	1,862	1,170	16.6	10.4	692	159	60	32.2	49	26.3
Rural part	43,145	383	459	8.9	10.6	-76	83	13	33.9	10	26.1
Elyria	25,120	693	325	27.6	12.9	368	213	16	23.1	22	31.7
Lorain	44,125	786	386	17.8	8.7	400	204	31	39.4	17	21.6
Lucas	344,333	5,755	4,065	16.7	11.7	1,690	142	289	50.2	152	26.4
Rural part	61,984	421	363	6.8	5.9	58	116	18	42.8	6	14.3
Toledo	282,349	5,334	3,702	18.9	13.1	1,632	144	271	50.8	146	27.4
Madison	21,811	334	219	15.3	10.0	115	153	13	38.9	4	12.0
Mahoning	240,251	4,138	2,331	17.2	9.7	1,807	178	136	32.9	116	28.0
Rural part	47,103	248	450	5.3	9.6	-202	55	8	32.3	3	12.1
Campbell	13,785	84	42	6.1	3.0	42	200	3	35.7	1	11.9
Struthers	11,739	52	53	4.4	4.5	-1	98	1	19.2	3	57.7
Youngstown (part)	167,624	3,754	1,786	(6)	(6)	1,968	(6)	124	(6)	109	(6)
Youngstown (total)	167,720	3,754	1,786	22.4	10.6	1,968	210	124	33.0	109	29.0
Marion	44,898	854	539	19.0	12.0	315	158	47	55.0	24	28.1
Rural part	14,081	122	160	8.7	11.4	-38	76	13	106.6	2	16.4
Marion	30,817	732	379	23.8	12.3	353	193	34	46.4	22	30.1
Medina	33,034	604	393	18.3	11.9	211	154	17	28.1	19	31.5
Meigs	24,104	396	253	16.4	10.5	143	157	19	48.0	11	27.8
Mercer	26,256	482	303	18.4	11.5	179	159	27	56.0	9	18.7
Miami	52,632	1,033	712	19.6	13.5	321	145	34	32.9	21	20.3
Rural part	36,583	637	440	17.4	12.0	197	145	18	28.3	13	20.4
Piqua	16,049	396	272	24.7	15.7	124	146	16	40.4	8	20.2
Monroe	18,641	283	183	15.2	9.8	100	155	10	35.3	5	17.7
Montgomery	295,480	5,326	3,698	18.0	12.5	1,628	144	182	34.2	115	21.6
Rural part	84,762	457	896	5.4	10.6	-439	51	20	43.8	10	21.9
Dayton	210,718	4,869	2,802	23.1	13.3	2,067	174	162	33.3	105	21.6
Morgan	14,227	245	210	17.2	14.8	35	117	18	73.5	3	12.2
Morrow	15,646	213	174	13.6	11.1	39	122	9	42.3	4	18.8
Muskingum	69,795	1,370	940	19.6	13.5	430	146	64	46.7	38	27.7
Rural part	32,295	288	300	8.9	9.3	-12	96	11	38.2	5	17.4
Zanesville	37,500	1,082	640	28.9	17.1	442	169	53	49.0	33	30.5
Noble	14,587	208	159	14.3	10.9	49	131	5	24.0	4	19.2
Ottawa	24,360	258	286	10.6	11.7	-28	90	13	50.4	8	31.0
Paulding	15,527	238	181	15.3	11.7	57	131	12	50.4	9	37.8
Perry	31,087	407	288	13.1	9.3	119	141	24	59.0	12	29.5
Pickaway	27,889	495	356	17.7	12.8	139	139	26	52.5	12	24.2
Pike	16,113	335	172	20.8	10.6	163	195	19	56.7	8	23.9
Portage	46,660	593	466	12.7	10.0	127	127	22	37.1	12	20.2
Preble	23,329	299	282	12.8	12.1	17	106	6	20.1	6	20.1
Putnam	25,016	354	203	14.2	8.1	151	174	10	28.2	2	5.6
Richland	73,853	1,345	849	18.2	11.5	496	158	65	48.3	51	37.9
Rural part	36,699	432	368	11.8	10.0	64	117	17	39.4	16	37.0
Mansfield	37,154	913	481	24.6	12.9	432	190	48	52.6	35	38.3
Ross	52,147	1,165	649	22.3	12.4	516	180	86	73.8	28	24.0
Rural part	32,018	687	368	21.5	11.5	319	187	52	75.7	14	20.4
Chillicothe	20,129	478	281	23.7	14.0	197	170	34	71.1	14	29.3
Sandusky	41,014	889	503	21.7	12.3	386	177	38	42.7	19	21.4
Rural part	26,304	809	378	30.8	14.4	431	214	35	43.3	19	23.5
Fremont	14,710	80	125	5.4	8.5	-45	64	3	37.5	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OHIO—Continued											
Scioto	86,565	1,599	951	18.5	11.0	648	168	129	80.7	57	35.6
Rural part	46,099	729	288	15.8	6.2	441	253	51	70.0	18	24.7
Portsmouth	40,466	870	663	21.5	16.4	207	131	78	89.7	39	44.8
Seneca	48,499	639	622	13.2	12.8	17	103	29	45.4	13	20.3
Rural part	21,077	234	245	11.1	11.6	-11	96	9	38.5	8	34.2
Fostoria (part)	11,320	48	122	(6)	(6)	-74	(6)	3	(6)	1	(6)
Fostoria (total)	13,453	261	174	19.4	12.9	87	150	7	26.8	3	11.5
Tiffin	16,102	357	255	22.2	15.8	102	140	17	47.6	4	11.2
Shelby	26,071	458	271	17.6	10.4	187	169	17	37.1	7	15.3
Stark	234,887	3,734	2,594	15.9	11.0	1,140	144	143	38.3	92	24.6
Rural part	77,437	541	813	7.0	10.5	-272	67	18	33.3	5	9.2
Alliance	22,405	494	294	22.0	13.1	200	168	21	42.5	12	24.3
Canton	108,401	2,127	1,149	19.6	10.6	978	185	81	38.1	55	25.9
Massillon	26,644	572	338	21.4	12.7	234	169	23	40.2	20	35.0
Summit	339,405	5,262	3,041	15.5	9.0	2,221	173	176	33.4	147	27.9
Rural part	50,040	295	450	5.9	9.0	-155	66	10	33.9	5	16.9
Akron	244,791	4,318	2,166	17.6	8.8	2,152	199	150	34.7	124	28.7
Barberton	24,028	614	246	25.6	10.2	368	250	15	24.4	18	29.3
Cuyahoga Falls	20,546	35	179	1.7	8.7	-144	20	1	28.6	-	0
Trumbull	132,315	1,872	1,128	14.1	8.5	744	166	95	50.7	40	21.4
Rural part	73,109	421	491	5.8	6.7	-70	86	28	66.5	4	9.5
Niles	16,273	67	100	4.1	6.1	-33	67	2	29.9	1	14.9
Warren	42,837	1,384	537	32.3	12.5	847	258	65	47.0	35	25.3
Youngstown (part)	96	-	-	(6)	(6)	-	(6)	-	(6)	-	(6)
Tuscarawas	68,816	1,209	828	17.6	12.0	381	146	51	42.2	45	37.2
Rural part	56,488	1,088	719	19.3	12.7	369	151	48	44.1	40	36.8
New Philadelphia	12,328	121	109	9.8	8.8	12	111	3	24.8	5	41.3
Union	20,012	271	212	13.5	10.6	59	128	19	70.1	6	22.1
Van Wert	26,759	468	337	17.5	12.6	131	139	17	36.3	20	42.7
Vinton	11,573	263	126	22.7	10.9	137	209	11	41.8	6	22.8
Warren	29,894	402	300	13.4	10.0	102	134	13	32.3	6	14.9
Washington	43,537	733	585	16.8	13.4	148	125	30	40.9	22	30.0
Rural part	28,994	402	308	13.9	10.6	94	131	16	39.8	8	19.9
Marietta	14,543	331	277	22.8	19.0	54	119	14	42.3	14	42.3
Wayne	50,520	754	562	14.9	11.1	192	134	34	45.1	18	23.9
Rural part	38,877	479	403	12.3	10.3	76	119	27	56.4	8	16.7
Wooster	11,543	275	159	23.8	13.8	116	173	7	25.5	10	36.4
Williams	25,510	385	300	15.1	11.8	85	128	7	18.2	10	26.0
Wood	51,796	779	519	15.0	10.0	260	150	24	30.8	11	14.1
Wyandot	19,218	262	207	13.6	10.8	55	127	8	30.5	4	15.3
OKLAHOMA (total)	2,336,434	44,574	20,461	19.1	8.8	24,113	218	2,214	49.7	1,124	25.2
Adair	15,755	242	114	15.4	7.2	128	212	11	45.5	2	8.3
White	11,967	204	88	17.0	7.4	116	232	10	49.0	2	9.8
All other	3,788	38	26	10.0	6.9	12	146	1	26.3	-	0
Alfalfa	14,129	209	121	14.8	8.6	88	173	7	33.5	5	23.9
White	14,126	209	121	14.8	8.6	88	173	7	33.5	5	23.9
All other	3	-	-	0	0	-	0	-	0	-	0
Atoka	18,702	417	127	22.3	6.8	290	328	29	69.5	20	48.0
White	17,088	384	116	22.5	6.8	268	331	28	72.9	18	46.9
All other	1,614	33	11	20.4	6.8	22	300	1	30.3	2	60.6
Beaver	8,648	155	65	17.9	7.5	90	238	4	25.8	3	19.4
White	8,647	155	65	17.9	7.5	90	238	4	25.8	3	19.4
All other	1	-	-	0	0	-	0	-	0	-	0
Beckham	22,169	546	207	24.6	9.3	339	264	22	40.3	7	12.8
White	21,814	542	203	24.8	9.3	339	267	20	36.9	7	12.9
All other	355	4	4	11.3	11.3	-	100	2	500.0	-	0
Blaine	18,543	395	169	21.3	9.1	226	234	20	50.6	8	20.3
White	16,274	356	134	21.9	8.2	222	266	17	47.8	6	16.9
All other	2,269	39	35	17.2	15.4	4	111	3	76.9	2	51.3
Bryan	38,138	865	299	22.7	7.8	566	289	40	46.2	27	31.2
Rural part	28,111	558	169	19.8	6.0	389	330	23	41.2	15	26.9
White	25,422	545	152	21.4	6.0	393	359	23	42.2	14	25.7
All other	2,689	13	17	4.8	6.3	-4	76	-	0	1	76.9
Durant	10,027	307	130	30.6	13.0	177	236	17	55.4	12	39.1
White	9,668	294	129	30.4	13.3	165	228	16	54.4	11	37.4
All other	359	13	1	36.2	2.8	12	1,300	1	76.9	1	76.9
Caddo	41,567	867	325	20.9	7.8	542	267	37	42.7	25	28.8
White	37,337	802	272	21.5	7.3	530	295	28	34.9	21	26.2
All other	4,230	65	53	15.4	12.5	12	123	9	138.5	4	61.5
Canadian	27,329	497	244	18.2	8.9	253	204	30	60.4	10	20.1
Rural part	17,251	224	95	13.0	5.5	129	236	13	58.0	6	26.8
White	16,298	167	67	10.2	4.1	100	249	5	29.9	3	18.0
All other	953	57	28	59.8	29.4	29	204	8	140.4	3	52.6
El Reno	10,078	273	149	27.1	14.8	124	183	17	62.3	4	14.7
White	9,311	257	130	27.6	14.0	127	198	15	58.4	4	15.6
All other	767	16	19	20.9	24.8	-3	84	2	125.0	-	0
Carter	43,292	740	371	17.1	8.6	369	199	43	58.1	16	21.6
Rural part	26,406	336	126	12.7	4.8	210	267	14	41.7	5	14.9
White	23,769	302	114	12.7	4.8	188	265	14	46.4	4	13.2
All other	2,637	34	12	12.9	4.6	22	283	-	0	1	29.4
Ardmore	16,886	404	245	23.9	14.5	159	165	29	71.8	11	27.2
White	14,056	360	209	25.6	14.9	151	172	27	75.0	8	22.2
All other	2,830	44	36	15.5	12.7	8	122	2	45.5	3	68.2
Cherokee	21,030	566	177	26.9	8.4	389	320	22	38.9	14	24.7
White	16,725	328	117	19.6	7.0	211	280	13	39.6	7	21.3
All other	4,305	238	60	55.3	13.9	178	397	9	37.8	7	29.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OKLAHOMA—Continued											
Choctaw	28,358	674	211	23.8	7.4	463	319	38	56.4	23	34.1
White	22,108	516	162	22.9	7.3	354	319	31	60.1	20	38.8
All other	6,250	158	49	25.3	7.8	109	322	7	44.3	3	19.0
Cimarron	3,654	31	24	8.5	6.6	7	129	-	0	1	32.3
White	3,654	31	23	8.5	6.3	8	135	-	0	1	32.3
All other	-	-	1	0	(3)	-1	0	-	0	-	0
Cleveland	27,728	399	289	14.4	10.4	110	138	13	32.6	6	15.0
Rural part	16,299	186	34	11.4	2.1	152	547	3	16.1	3	16.1
White	15,868	182	33	11.5	2.1	149	552	3	16.5	3	16.5
All other	431	4	1	9.3	2.3	3	400	-	0	-	0
Norman	11,429	213	255	18.6	22.3	-42	84	10	46.9	3	14.1
White	11,410	212	252	18.6	22.1	-40	84	10	47.2	3	14.2
All other	19	1	3	52.6	157.9	-2	33	-	0	-	0
Coal	12,811	215	80	16.8	6.2	135	269	8	37.2	8	37.2
White	11,867	210	74	17.7	6.2	136	284	7	33.3	6	28.6
All other	944	5	6	5.3	6.4	-1	83	1	200.0	2	400.0
Comanche	38,988	1,040	309	26.7	7.9	731	337	55	52.9	18	17.3
Rural part	20,933	411	106	19.6	5.1	305	388	15	36.5	5	12.2
White	19,437	400	96	20.6	4.9	304	417	13	32.5	5	12.5
All other	1,496	11	10	7.4	6.7	1	110	2	181.8	-	0
Lawton	18,055	629	203	34.8	11.2	426	310	40	63.6	13	20.7
White	16,442	408	129	24.8	7.8	279	316	16	39.2	6	14.7
All other	1,613	221	74	137.0	45.9	147	299	24	108.6	7	31.7
Cotton	12,884	219	85	17.0	6.6	134	258	8	36.5	10	45.7
White	12,389	201	83	16.2	6.7	118	242	8	39.8	10	49.8
All other	495	18	2	36.4	4.0	16	900	-	0	-	0
Craig	21,083	390	333	18.5	15.8	57	117	27	69.2	13	33.3
White	19,363	369	314	19.1	16.2	55	118	25	67.8	13	35.2
All other	1,720	21	19	12.2	11.0	2	111	2	95.2	-	0
Creek	55,503	945	450	17.0	8.1	495	210	45	47.6	45	47.6
Rural part	43,254	710	302	16.4	7.0	408	235	32	45.1	31	43.7
White	37,519	638	252	17.0	6.7	386	253	28	43.9	25	39.2
All other	5,735	72	50	12.6	8.7	22	144	4	55.6	6	83.3
Sapulpa	12,249	235	148	19.2	12.1	87	159	13	55.3	14	59.6
White	10,518	205	113	19.5	10.7	92	181	11	53.7	12	58.5
All other	1,731	30	35	17.3	20.2	-5	86	2	66.7	2	66.7
Custer	23,068	451	341	19.6	14.8	110	132	31	68.7	10	22.2
White	22,053	399	287	18.1	13.0	112	139	25	62.7	9	22.6
All other	1,015	52	54	51.2	53.2	-2	96	6	115.4	1	19.2
Delaware	18,592	245	126	13.2	6.8	119	194	13	53.1	5	20.4
White	15,670	223	105	14.2	6.7	118	212	11	49.3	4	17.9
All other	2,922	22	21	7.5	7.2	1	105	2	90.9	1	45.5
Dewey	11,981	224	78	18.7	6.5	146	287	13	58.0	4	17.9
White	11,688	221	75	18.9	6.4	146	295	13	58.8	4	18.1
All other	293	3	3	10.2	10.2	-	100	-	0	-	0
Ellis	8,466	263	95	31.1	11.2	168	277	10	38.0	5	19.0
White	8,466	263	95	31.1	11.2	168	277	10	38.0	5	19.0
All other	-	-	-	0	0	-	0	-	0	-	0
Garfield	45,484	810	509	17.8	11.2	301	159	27	33.3	13	16.0
Rural part	17,403	100	94	5.7	5.4	6	106	1	10.0	-	0
White	17,289	99	94	5.7	5.4	5	105	1	10.1	-	0
All other	114	1	-	8.8	0	1	(3)	-	0	-	0
Enid	28,081	710	415	25.3	14.8	295	171	26	36.6	13	18.3
White	27,022	694	402	25.7	14.9	292	173	26	37.5	13	18.7
All other	1,059	16	13	15.1	12.3	3	123	-	0	-	0
Garvin	31,150	751	226	24.1	7.3	525	332	32	42.6	9	12.0
White	29,213	709	211	24.3	7.2	498	336	31	43.7	8	11.3
All other	1,937	42	15	21.7	7.7	27	280	1	23.8	1	23.8
Grady	41,116	842	332	20.5	8.1	510	254	41	48.7	22	26.1
Rural part	27,005	364	134	13.5	5.0	230	272	13	35.7	7	19.2
White	26,475	359	134	13.6	5.1	225	268	13	36.2	7	19.5
All other	530	5	-	9.4	0	5	(3)	-	0	-	0
Chickasha	14,111	478	198	33.9	14.0	280	241	28	58.6	15	31.4
White	12,495	442	169	35.4	13.5	273	262	20	45.2	15	33.9
All other	1,616	36	29	22.3	17.9	7	124	8	222.2	-	0
Grant	13,128	95	64	7.2	4.9	31	148	4	42.1	2	21.1
White	13,115	95	64	7.2	4.9	31	148	4	42.1	2	21.1
All other	13	-	-	0	0	-	0	-	0	-	0
Greer	14,550	253	120	17.4	8.2	133	211	9	35.6	6	23.7
White	14,013	241	118	17.2	8.4	123	204	9	37.3	6	24.9
All other	537	12	2	22.3	3.7	10	600	-	0	-	0
Harmon	10,019	204	76	20.4	7.6	128	268	11	53.9	15	73.5
White	9,802	197	74	20.1	7.5	123	266	10	50.8	14	71.1
All other	217	7	2	32.3	9.2	5	350	1	142.9	1	142.9
Harper	6,454	106	37	16.4	5.7	69	286	4	37.7	4	37.7
White	6,451	103	37	16.0	5.7	66	278	4	38.8	4	38.8
All other	3	3	-	1,000.0	0	3	(3)	-	0	-	0
Haskell	17,324	322	98	18.6	5.7	224	329	12	37.3	10	31.1
White	16,305	296	93	18.2	5.7	203	318	12	40.5	9	30.4
All other	1,019	26	5	25.5	4.9	21	520	-	0	1	38.5
Hughes	29,189	566	195	19.4	6.7	371	290	19	33.6	10	17.7
White	25,514	511	159	20.0	6.2	352	321	14	27.4	9	17.6
All other	3,675	55	36	15.0	9.8	19	153	5	90.9	1	18.2
Jackson	22,708	374	148	16.5	6.5	226	253	9	24.1	14	37.4
White	21,387	360	139	16.8	6.5	221	259	8	22.2	14	38.9
All other	1,321	14	9	10.6	6.8	5	156	1	71.4	-	0
Jefferson	15,107	306	116	20.3	7.7	190	264	12	39.2	11	35.9
White	14,788	296	113	20.0	7.6	183	262	12	40.5	11	37.2
All other	319	10	3	31.3	9.4	7	333	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OKLAHOMA—Continued											
Johnston	15,960	327	70	20.5	4.4	257	467	11	33.6	8	24.5
White	14,702	310	62	21.1	4.2	248	500	9	29.0	6	19.4
All other	1,258	17	8	13.5	6.4	9	213	2	117.6	2	117.6
Kay	47,084	814	431	17.3	9.2	383	189	42	51.6	19	23.3
Rural part	30,290	383	256	12.6	8.5	127	150	25	65.3	8	20.9
White	29,064	374	245	12.9	8.4	129	153	24	64.2	8	21.4
All other	1,226	9	11	7.3	9.0	-2	82	1	111.1	-	0
Ponca City	16,794	431	175	25.7	10.4	256	246	17	39.4	11	25.5
White	15,858	400	156	25.2	9.8	244	256	15	37.5	9	22.5
All other	936	31	19	33.1	20.3	12	163	2	64.5	2	64.5
Kingfisher	15,617	262	114	16.8	7.3	148	230	10	38.2	5	19.1
White	13,706	221	90	16.1	6.6	131	246	6	27.1	2	9.0
All other	1,911	41	24	21.5	12.6	17	171	4	97.6	3	73.2
Kiowa	22,817	440	180	19.3	7.9	260	244	14	31.8	11	25.0
White	21,105	401	154	19.0	7.3	247	260	10	24.9	10	24.9
All other	1,712	39	26	22.8	15.2	13	150	4	102.6	1	25.6
Latimer	12,380	386	204	31.2	16.5	182	189	20	51.8	14	36.3
White	11,523	208	140	18.1	12.1	68	149	8	38.5	11	52.9
All other	857	178	64	207.7	74.7	114	278	12	67.4	3	16.9
Le Flore	45,866	736	258	16.0	5.6	478	285	28	38.0	15	20.4
White	42,799	690	238	16.1	5.6	452	290	22	31.9	15	21.7
All other	3,067	46	20	15.0	6.5	26	230	6	130.4	-	0
Lincoln	29,529	516	210	17.5	7.1	306	246	17	32.9	12	23.3
White	26,660	457	190	17.1	7.1	267	241	15	32.8	12	26.3
All other	2,869	59	20	20.6	7.0	39	295	2	33.9	-	0
Logan	25,245	466	322	18.5	12.8	144	145	25	53.6	10	21.5
Rural part	15,227	217	108	14.3	7.1	109	201	8	36.9	4	18.4
White	11,900	151	75	12.7	6.3	76	201	5	33.1	2	13.2
All other	3,327	66	33	19.8	9.9	33	200	3	45.5	2	30.3
Guthrie	10,018	249	214	24.9	21.4	35	116	17	68.3	6	24.1
White	7,933	193	179	24.3	22.6	14	108	14	72.5	6	31.1
All other	2,085	56	35	26.9	16.8	21	160	3	53.6	-	0
Love	11,433	225	60	19.7	5.2	165	375	9	40.0	3	13.3
White	10,693	218	54	20.4	5.1	164	404	9	41.3	3	13.8
All other	740	7	6	9.5	8.1	1	117	-	0	-	0
McClain	19,205	417	78	21.7	4.1	339	535	8	19.2	11	26.4
White	18,569	410	71	22.1	3.8	339	577	8	19.5	11	26.8
All other	636	7	7	11.0	11.0	-	100	-	0	-	0
McCurtain	41,318	713	300	17.3	7.3	413	238	46	64.5	16	22.4
White	30,995	614	210	19.8	6.8	404	292	35	57.0	12	19.5
All other	10,323	99	90	9.6	8.7	9	110	11	111.1	4	40.4
McIntosh	24,097	506	188	21.0	7.8	318	269	30	59.3	25	49.4
White	18,533	413	128	22.3	6.9	285	323	22	53.3	17	41.2
All other	5,564	93	60	16.7	10.8	33	155	8	86.0	8	86.0
Major	11,946	215	84	18.0	7.0	131	256	9	41.9	1	4.7
White	11,914	214	84	18.0	7.1	130	255	9	42.1	1	4.7
All other	32	1	-	31.3	0	1	(3)	-	0	-	0
Marshall	12,384	247	91	19.9	7.3	156	271	18	72.9	5	20.2
White	11,496	240	83	20.9	7.2	157	289	17	70.8	5	20.8
All other	888	7	8	7.9	9.0	-1	88	1	142.9	-	0
Mayes	21,668	414	212	19.1	9.8	202	195	28	67.6	11	26.6
White	19,738	382	190	19.4	9.6	192	201	27	70.7	10	26.2
All other	1,930	32	22	16.6	11.4	10	145	1	31.3	1	31.3
Murray	13,841	258	127	18.6	9.2	131	203	8	31.0	10	38.8
White	13,155	246	121	18.7	9.2	125	203	8	32.3	10	40.7
All other	686	12	6	17.5	8.7	6	200	-	0	-	0
Muskogee	65,914	1,116	911	16.9	13.8	205	123	73	65.4	23	20.6
Rural part	33,582	307	252	9.1	7.5	55	122	16	52.1	5	16.3
White	23,830	214	98	9.0	4.1	116	218	11	51.4	1	4.7
All other	9,752	93	154	9.5	15.8	-61	60	5	53.8	4	43.0
Muskogee	32,332	809	659	25.0	20.4	150	123	57	70.5	18	22.2
White	25,119	693	480	27.6	19.1	213	144	47	67.8	12	17.3
All other	7,213	116	179	16.1	24.8	-63	65	10	86.2	6	51.7
Noble	14,826	168	126	11.3	8.5	42	133	9	53.6	2	11.9
White	13,702	162	115	11.8	8.4	47	141	6	37.0	2	12.3
All other	1,124	6	11	5.3	9.8	-5	55	3	500.0	-	0
Nowata	15,774	280	142	17.8	9.0	138	197	19	67.9	8	28.6
White	13,767	251	119	18.2	8.6	132	211	17	67.7	7	27.9
All other	2,007	29	23	14.4	11.5	6	126	2	69.0	1	34.5
Okfuskee	26,279	551	211	21.0	8.0	340	261	30	54.4	10	18.1
White	18,652	422	136	22.6	7.3	286	310	22	52.1	9	21.3
All other	7,627	129	75	16.9	9.8	54	172	8	62.0	1	7.8
Oklahoma	244,159	4,818	2,469	19.7	10.1	2,349	195	294	61.0	97	20.1
Rural part	39,735	363	156	9.1	3.9	207	233	14	38.6	4	11.0
White	36,160	299	134	8.3	3.7	165	223	10	33.4	2	6.7
All other	3,575	64	22	17.9	6.2	42	291	4	62.5	2	31.3
Oklahoma City	204,424	4,455	2,313	21.8	11.3	2,142	193	280	62.9	93	20.9
White	184,715	4,066	2,030	22.0	11.0	2,036	200	254	62.5	68	16.7
All other	19,709	389	283	19.7	14.4	106	137	26	66.8	25	64.3
Okmulgee	50,101	905	507	18.1	10.1	398	179	54	59.7	31	34.3
Rural part	34,050	529	308	15.5	9.0	221	172	34	64.3	19	35.9
White	25,609	415	231	16.2	9.0	184	180	24	57.8	13	31.3
All other	8,441	114	77	13.5	9.1	37	148	10	87.7	6	52.6
Okmulgee	18,051	376	199	23.4	12.4	177	189	20	53.2	12	31.9
White	12,263	327	141	26.7	11.5	186	232	14	42.8	9	27.5
All other	5,788	49	58	12.9	15.3	-9	84	6	122.4	3	61.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OKLAHOMA—Continued											
Osage	41,502	646	301	15.6	7.3	345	215	30	46.4	22	34.1
White	37,966	589	263	15.5	6.9	326	224	27	45.8	19	32.3
All other	3,536	57	38	16.1	10.7	19	150	3	52.6	3	52.6
Ottawa	35,849	752	374	21.0	10.4	378	201	44	58.5	27	35.9
White	34,416	736	366	21.4	10.6	370	201	43	58.4	27	36.7
All other	1,433	16	8	11.2	5.6	8	200	1	62.5	-	0
Pawnee	17,395	414	156	23.8	9.0	258	265	27	65.2	9	21.7
White	15,866	299	124	18.8	7.8	175	241	13	43.5	7	23.4
All other	1,529	115	32	75.2	20.9	83	359	14	121.7	2	17.4
Payne	36,057	711	278	19.7	7.7	433	256	23	32.3	21	29.5
Rural part	25,960	455	206	17.5	7.9	249	221	18	39.6	18	39.6
White	24,573	435	192	17.7	7.8	243	227	15	34.5	17	39.1
All other	1,387	20	14	14.4	10.1	6	143	3	150.0	1	50.0
Stillwater	10,097	256	72	25.4	7.1	184	356	5	19.5	3	11.7
White	9,673	239	64	24.7	6.6	175	373	4	16.7	3	12.6
All other	424	17	8	40.1	18.9	9	213	1	58.8	-	0
Pittsburg	48,985	960	499	19.6	10.0	461	192	50	52.1	25	26.0
Rural part	36,584	655	231	17.9	6.3	424	284	32	48.9	14	21.4
White	32,746	634	217	19.4	6.6	417	292	32	50.5	12	18.9
All other	3,838	21	14	5.5	3.6	7	150	-	0	2	95.2
McAlester	12,401	305	268	24.6	21.6	37	114	18	59.0	11	36.1
White	10,798	283	226	26.2	20.9	57	125	18	63.6	10	35.3
All other	1,603	22	42	13.7	26.2	-20	52	-	0	1	45.5
Pontotoc	39,792	859	346	21.6	8.7	513	248	54	62.9	18	21.0
Rural part	24,649	340	125	13.8	5.1	215	272	13	38.2	6	17.6
White	23,630	329	116	13.9	4.9	213	284	13	39.5	5	15.2
All other	1,019	11	9	10.8	8.8	2	122	-	0	1	90.9
Ada	15,143	519	221	34.3	14.6	298	235	41	79.0	12	23.1
White	14,264	497	201	34.8	14.1	296	247	37	74.4	10	20.1
All other	879	22	20	25.0	22.8	2	110	4	181.8	2	90.9
Pottawatomie	54,377	1,018	479	18.7	8.8	539	213	51	50.1	30	29.5
Rural part	32,324	471	193	14.6	6.0	278	244	20	42.5	11	23.4
White	30,277	428	180	14.1	5.9	248	238	20	46.7	9	21.0
All other	2,047	43	13	21.0	6.4	30	331	-	0	2	46.5
Shawnee	22,053	547	286	24.8	13.0	261	191	31	56.7	19	34.7
White	20,895	517	234	24.7	11.2	283	221	27	52.2	17	32.9
All other	1,158	30	52	25.9	44.9	-22	58	4	133.3	2	66.7
Pushmataha	19,466	353	99	18.1	5.1	254	357	13	36.8	16	45.3
White	17,933	342	90	19.1	5.0	252	380	13	38.0	15	43.9
All other	1,533	11	9	7.2	5.9	2	122	-	0	1	90.9
Roger Mills	10,736	110	47	10.2	4.4	63	234	4	36.4	4	36.4
White	10,641	107	45	10.1	4.2	62	238	4	37.4	4	37.4
All other	95	3	2	31.6	21.1	1	150	-	0	-	0
Rogers	21,078	605	216	28.7	10.2	389	280	25	41.3	7	11.6
White	19,723	402	166	20.4	8.4	236	242	16	39.8	6	14.9
All other	1,355	203	50	149.8	36.9	153	406	9	44.3	1	4.9
Seminole	61,201	942	371	15.4	6.1	571	254	51	54.1	18	19.1
Rural part	39,339	386	171	9.8	4.3	215	226	24	62.2	6	15.5
White	33,267	302	119	9.1	3.6	183	254	13	43.0	4	13.2
All other	6,072	84	52	13.8	8.6	32	162	11	131.0	2	23.8
Seminole	11,547	344	103	29.8	8.9	241	334	14	40.7	6	17.4
White	10,487	321	88	30.6	8.4	233	365	11	34.3	4	12.5
All other	1,060	23	15	21.7	14.2	8	153	3	130.4	2	87.0
Wewoka	10,315	212	97	20.6	9.4	115	219	13	61.3	6	28.3
White	8,163	180	68	22.1	8.3	112	265	9	50.0	3	16.7
All other	2,152	32	29	14.9	13.5	3	110	4	125.0	3	93.8
Sequoyah	23,138	503	175	21.7	7.6	328	287	33	65.6	14	27.8
White	19,935	455	142	22.8	7.1	313	320	31	68.1	13	28.6
All other	3,203	48	33	15.0	10.3	15	145	2	41.7	1	20.8
Stephens	31,090	649	231	20.9	7.4	418	281	24	37.0	14	21.6
White	30,546	631	222	20.7	7.3	409	284	23	36.5	14	22.2
All other	544	18	9	33.1	16.5	9	200	1	55.6	-	0
Texas	9,896	152	77	15.4	7.8	75	197	2	13.2	2	13.2
White	9,891	150	77	15.2	7.8	73	195	2	13.3	2	13.3
All other	5	2	-	400.0	0	2	(3)	-	0	-	0
Tillman	20,754	402	145	19.4	7.0	257	277	19	47.3	9	22.4
White	18,328	354	120	19.3	6.5	234	295	14	39.5	8	22.6
All other	2,426	48	25	19.8	10.3	23	192	5	104.2	1	20.8
Tulsa	193,363	3,583	1,816	18.5	9.4	1,767	197	175	48.8	89	24.8
Rural part	51,206	638	243	12.5	4.7	395	263	22	34.5	10	15.7
White	47,400	602	215	12.7	4.5	387	280	18	29.9	10	16.6
All other	3,806	36	28	9.5	7.4	8	129	4	111.1	-	0
Tulsa	142,157	2,945	1,573	20.7	11.1	1,372	187	153	52.0	79	26.8
White	126,352	2,676	1,330	21.2	10.5	1,346	201	128	47.8	58	21.7
All other	15,805	269	243	17.0	15.4	26	111	25	92.9	21	78.1
Wagoner	21,642	427	156	19.7	7.2	271	274	24	56.2	19	44.5
White	15,960	285	98	17.9	6.1	187	291	10	35.1	11	38.6
All other	5,682	142	58	25.0	10.2	84	245	14	98.6	8	56.3
Washington	30,559	561	320	18.4	10.5	241	175	31	55.3	11	19.6
Rural part	14,292	165	107	11.5	7.5	58	154	10	60.6	3	18.2
White	13,040	155	91	11.9	7.0	64	170	9	58.1	2	12.9
All other	1,252	10	16	8.0	12.8	-6	63	1	100.0	1	100.0
Bartlesville	16,267	396	213	24.3	13.1	183	186	21	53.0	8	20.2
White	15,371	379	202	24.7	13.1	177	188	19	50.1	7	18.5
All other	896	17	11	19.0	12.3	6	155	2	117.6	1	58.8
Washita	22,279	323	133	14.5	6.0	190	243	11	34.1	5	15.5
White	21,949	316	132	14.4	6.0	184	239	11	34.8	5	15.8
All other	330	7	1	21.2	3.0	6	700	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
OKLAHOMA—Continued											
Woods	14,915	300	120	20.1	8.0	180	250	4	13.3	6	20.0
White	14,915	299	119	20.0	8.0	180	251	4	13.4	6	20.1
All other	-	1	1	(3)	(3)	-	100	-	0	-	0
Woodward	16,270	300	266	18.4	16.3	34	113	11	36.7	10	33.3
White	16,240	300	264	18.5	16.3	36	114	11	36.7	10	33.3
All other	30	-	2	0	66.7	-2	0	-	0	-	0
OREGON (total)	1,089,684	17,848	12,310	16.4	11.3	5,538	145	588	32.9	377	21.1
Baker	18,297	332	214	18.1	11.7	118	155	13	39.2	8	24.1
Benton	18,629	332	174	17.8	9.3	158	191	14	42.2	6	18.1
Clackamas	57,130	540	564	9.5	9.9	-24	96	14	25.9	15	27.8
Clatsop	24,697	435	246	17.6	10.0	189	177	14	32.2	7	16.1
Rural part	14,308	74	77	5.2	5.4	-3	96	-	0	1	13.5
Astoria	10,389	361	169	34.7	16.3	192	214	14	38.8	6	16.6
Columbia	20,971	253	139	12.1	6.6	114	182	7	27.7	10	39.5
Coos	32,466	657	352	20.2	10.8	305	187	27	41.1	15	22.8
Crook	5,533	104	41	18.8	7.4	63	254	5	48.1	3	28.8
Curry	4,301	43	41	10.0	9.5	2	105	1	23.3	-	0
Deschutes	18,631	413	184	22.2	9.9	229	224	19	46.0	6	14.5
Rural part	8,610	100	45	11.6	5.2	55	222	6	60.0	1	10.0
Bend	10,021	313	139	31.2	13.9	174	225	13	41.5	5	16.0
Douglas	25,728	310	272	12.0	10.6	38	114	12	38.7	5	16.1
Gilliam	2,844	20	7	7.0	2.5	13	286	-	0	-	0
Grant	6,380	77	44	12.1	6.9	33	175	1	13.0	2	26.0
Harney	5,374	103	54	19.2	10.0	49	191	2	19.4	-	0
Hood River	11,580	219	84	18.9	7.3	135	261	11	50.2	3	13.7
Jackson	36,213	614	412	17.0	11.4	202	149	16	26.1	13	21.2
Rural part	24,932	169	244	6.8	9.8	-75	69	5	29.6	2	11.8
Medford	11,281	445	168	39.4	14.9	277	265	11	24.7	11	24.7
Jefferson	2,042	36	20	17.6	9.8	16	180	1	27.8	-	0
Josephine	16,301	295	190	18.1	11.7	105	155	10	33.9	3	10.2
Klamath	40,497	939	372	23.2	9.2	567	252	54	57.5	22	23.4
Rural part	24,000	167	140	7.0	5.8	27	119	15	89.8	5	29.9
Klamath Falls	16,497	772	232	46.8	14.1	540	333	39	50.5	17	22.0
Lake	6,293	135	46	21.5	7.3	89	293	4	29.6	1	7.4
Lane	69,096	1,368	653	19.8	9.5	715	209	43	31.4	38	27.8
Rural part	48,258	315	266	6.5	5.5	49	118	10	31.7	8	25.4
Eugene	20,838	1,053	387	50.5	18.6	666	272	33	31.3	30	28.5
Lincoln	14,549	163	131	11.2	9.0	32	124	3	18.4	2	12.3
Linn	30,485	531	316	17.4	10.4	215	168	19	35.8	4	7.5
Malheur	19,767	452	131	22.9	6.6	321	345	10	22.1	7	15.5
Marion	75,246	1,324	1,142	17.6	15.2	182	116	41	31.0	27	20.4
Rural part	44,338	437	385	9.9	8.7	52	114	12	27.5	10	22.9
Salem	30,908	887	757	28.7	24.5	130	117	29	32.7	17	19.2
Morrow	4,337	59	36	13.6	8.3	23	164	3	50.8	1	16.9
Multnomah	355,099	5,653	4,715	15.9	13.3	938	120	158	27.9	134	23.7
Rural part	49,705	55	475	1.1	9.6	-420	12	3	54.5	-	0
Portland	305,394	5,598	4,240	18.3	13.9	1,358	132	155	27.7	134	23.9
Polk	19,989	225	158	11.3	7.9	67	142	6	26.7	5	22.2
Sherman	2,321	6	8	2.6	3.4	-2	75	-	0	-	0
Tillamook	12,263	179	132	14.6	10.8	47	136	10	55.9	3	16.8
Umatilla	26,030	333	340	12.8	13.1	-7	98	15	45.0	5	15.0
Union	17,399	325	171	18.7	9.8	154	190	14	43.1	9	27.7
Wallowa	7,623	89	58	11.7	7.6	31	153	2	22.5	-	0
Wasco	13,069	303	193	23.2	14.8	110	157	10	33.0	9	29.7
Washington	39,194	441	360	11.3	9.2	81	123	10	22.7	6	13.6
Wheeler	2,974	32	15	10.8	5.0	17	213	2	62.5	-	0
Yamhill	26,336	508	295	19.3	11.2	213	172	17	33.5	8	15.7
PENNSYLVANIA (total)	9,900,180	165,680	111,498	16.7	11.3	54,182	149	7,400	44.7	4,738	28.6
Adams	39,435	636	388	16.1	9.8	248	164	27	42.5	8	12.6
White	39,182	629	384	16.1	9.8	245	164	27	42.9	8	12.7
All other	253	7	4	27.7	15.8	3	175	-	0	-	0
Allegheny	1,411,539	23,971	15,819	17.0	11.2	8,152	152	1,081	45.1	680	28.4
Rural part	414,007	3,095	3,921	7.5	9.5	-826	79	116	37.5	76	24.6
White	401,676	2,975	3,576	7.4	8.9	-601	83	103	34.6	71	23.9
All other	12,331	120	345	9.7	28.0	-225	35	13	108.3	5	41.7
Bellevue	10,488	462	201	44.1	19.2	261	230	10	21.6	10	21.6
White	10,269	441	199	42.9	19.4	242	222	9	20.4	10	22.7
All other	219	21	2	95.9	9.1	19	1,050	1	47.6	-	0
Braddock	18,326	833	281	45.5	15.3	552	296	35	42.0	31	37.2
White	16,085	728	253	45.3	15.7	475	288	31	42.6	22	30.2
All other	2,241	105	28	46.9	12.5	77	375	4	38.1	9	85.7
Carnegie	12,663	83	77	6.6	6.1	6	108	7	84.3	3	36.1
White	12,239	79	72	6.5	5.9	7	110	5	63.3	2	25.3
All other	424	4	5	9.4	11.8	-1	80	2	500.0	1	250.0
Clairton	16,381	127	54	7.8	3.3	73	235	3	23.6	5	39.4
White	14,057	98	44	7.0	3.1	54	223	1	10.2	3	30.6
All other	2,324	29	10	12.5	4.3	19	290	2	69.0	2	69.0
Coraopolis	11,086	56	53	5.1	4.8	3	106	1	17.9	-	0
White	10,194	47	45	4.6	4.4	2	104	1	21.3	-	0
All other	892	9	8	10.1	9.0	1	113	-	0	-	0
Dormont	12,974	5	66	0.4	5.1	-61	8	-	0	-	0
White	12,954	5	65	0.4	5.0	-60	8	-	0	-	0
All other	20	-	1	0	50.0	-1	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Allegheny—Continued											
Duquesne	20,693	136	117	6.6	5.7	19	116	5	36.8	2	14.7
White	18,988	115	112	6.1	5.9	3	103	3	26.1	-	0
All other	1,705	21	5	12.3	2.9	16	420	2	95.2	2	95.2
Harrison (twp.)[5]	13,161	571	239	43.4	18.2	332	239	31	54.3	19	33.3
White	13,031	568	237	43.6	18.2	331	240	31	54.6	19	33.5
All other	130	3	2	23.1	15.4	1	150	-	0	-	0
Homestead	19,041	530	229	27.8	12.0	301	231	18	34.0	15	28.3
White	15,653	488	191	31.2	12.2	297	255	15	30.7	14	28.7
All other	3,388	42	38	12.4	11.2	4	111	3	71.4	1	23.8
McKeesport	55,355	1,652	782	29.8	14.1	870	211	96	58.1	49	29.7
White	53,155	1,572	732	29.6	13.8	840	215	86	54.7	39	24.8
All other	2,200	80	50	36.4	22.7	30	160	10	125.0	10	125.0
McKees Rocks	17,021	56	89	3.3	5.2	-33	63	6	107.1	2	35.7
White	16,646	55	86	3.3	5.2	-31	64	5	90.9	2	36.4
All other	375	1	3	2.7	8.0	-2	33	1	1,000.0	-	0
Mount Lebanon (twp.)[5]	19,571	7	84	0.4	4.3	-77	8	-	0	1	142.9
White	19,481	7	84	0.4	4.3	-77	8	-	0	1	142.9
All other	90	-	-	0	0	-	0	-	0	-	0
Munhall	13,900	39	83	2.8	6.0	-44	47	6	153.8	1	25.6
White	13,827	39	82	2.8	5.9	-43	48	6	153.8	1	25.6
All other	73	-	1	0	13.7	-1	0	-	0	-	0
North Braddock	15,679	78	82	5.0	5.2	-4	95	2	25.6	1	12.8
White	15,200	71	81	4.7	5.3	-10	88	2	28.2	1	14.1
All other	479	7	1	14.6	2.1	6	700	-	0	-	0
Pittsburgh	671,659	14,936	8,768	22.2	13.1	6,168	170	702	47.0	426	28.5
White	609,236	13,530	7,913	22.2	13.0	5,617	171	606	44.8	366	27.1
All other	62,423	1,406	855	22.5	13.7	551	164	96	68.3	60	42.7
Shaler (twp.)[5]	11,185	72	66	6.4	5.9	6	109	3	41.7	1	13.9
White	11,171	71	66	6.4	5.9	5	108	3	42.3	1	14.1
All other	14	1	-	71.4	0	1	(3)	-	0	-	0
Stowe (twp.)[5]	12,577	425	113	33.8	9.0	312	376	14	32.9	5	11.8
White	12,521	419	107	33.5	8.5	312	392	13	31.0	5	11.9
All other	56	6	6	107.1	107.1	-	100	1	166.7	-	0
Swissvale	15,919	51	115	3.2	7.2	-64	44	2	39.2	-	0
White	15,373	49	110	3.2	7.2	-61	45	2	40.8	-	0
All other	546	2	5	3.7	9.2	-3	40	-	0	-	0
Wilkinsburg	29,853	757	399	25.4	13.4	358	190	24	31.7	33	43.6
White	29,366	753	388	25.6	13.2	365	194	22	29.2	33	43.8
All other	487	4	11	8.2	22.6	-7	36	2	500.0	-	0
Armstrong	81,087	1,498	667	18.5	8.2	831	225	80	53.4	32	21.4
White	80,099	1,475	662	18.4	8.3	813	223	79	53.6	30	20.3
All other	988	23	5	23.3	5.1	18	460	1	43.5	2	87.0
Beaver	156,754	2,215	1,330	14.1	8.5	885	167	95	42.9	69	31.2
Rural part	92,239	1,440	910	15.6	9.9	530	158	55	38.2	48	33.3
White	89,877	1,397	849	15.5	9.4	548	161	54	38.7	43	30.8
All other	2,362	43	61	18.2	25.8	-18	70	1	23.3	5	116.3
Aliquippa	27,025	271	130	10.0	4.8	141	208	16	59.0	5	18.5
White	24,026	207	97	8.6	4.0	110	213	10	48.3	4	19.3
All other	2,997	64	33	21.4	11.0	31	194	6	93.8	1	15.6
Ambridge	18,968	146	82	7.7	4.3	64	178	4	27.4	4	27.4
White	18,752	145	80	7.7	4.3	65	181	4	27.6	4	27.6
All other	216	1	2	4.6	9.3	-1	50	-	0	-	0
Beaver Falls	17,098	354	207	20.7	12.1	147	171	20	56.5	12	33.9
White	16,163	328	189	20.3	11.7	139	174	16	48.8	10	30.5
All other	935	26	18	27.8	19.3	8	144	4	153.8	2	76.9
Ellwood City (part)	1,426	4	1	(6)	(6)	3	(6)	-	(6)	-	(6)
White	1,426	4	1	(6)	(6)	3	(6)	-	(6)	-	(6)
All other	-	-	-	(6)	(6)	-	(6)	-	(6)	-	(6)
Bedford	40,809	787	427	19.3	10.5	360	184	38	48.3	18	22.9
White	40,579	785	423	19.3	10.4	362	186	38	48.4	18	22.9
All other	230	2	4	8.7	17.4	-2	50	-	0	-	0
Berks	241,884	3,295	2,904	13.6	12.0	391	113	138	41.3	139	42.2
Rural part	131,316	1,969	1,687	15.0	12.8	282	117	84	42.7	85	43.2
White	130,914	1,955	1,647	14.9	12.6	308	119	84	43.0	85	43.5
All other	402	14	40	34.8	99.5	-26	35	-	0	-	0
Reading	110,568	1,326	1,217	12.0	11.0	109	109	52	39.2	54	40.7
White	108,646	1,289	1,191	11.9	11.0	98	108	50	38.8	51	39.6
All other	1,922	37	26	19.3	13.5	11	142	2	54.1	3	81.1
Blair	140,358	2,667	1,658	19.0	11.8	1,009	161	137	51.4	74	27.7
Rural part	60,144	967	643	16.1	10.7	324	150	46	47.6	20	20.7
White	59,709	960	634	16.1	10.6	326	151	46	47.9	20	20.8
All other	435	7	9	16.1	20.7	-2	78	-	0	-	0
Altoona	80,214	1,700	1,015	21.2	12.7	685	167	91	53.5	54	31.8
White	79,472	1,682	997	21.2	12.5	685	169	90	53.5	53	31.5
All other	742	18	18	24.3	24.3	-	100	1	55.6	1	55.6
Bradford	50,615	1,060	715	20.9	14.1	345	148	50	47.2	36	34.0
White	50,475	1,060	714	21.0	14.1	346	148	50	47.2	36	34.0
All other	140	-	1	0	7.1	-1	0	-	0	-	0
Bucks	107,715	1,397	1,085	13.0	10.1	312	129	46	32.9	39	27.9
Rural part	95,820	1,177	992	12.3	10.4	185	119	39	33.1	33	28.0
White	94,120	1,162	974	12.3	10.3	188	119	38	32.7	32	27.5
All other	1,700	15	18	8.8	10.6	-3	83	1	66.7	1	66.7
Bristol	11,895	220	93	18.5	7.8	127	237	7	31.8	6	27.3
White	11,612	216	91	18.6	7.8	125	237	7	32.4	6	27.8
All other	283	4	2	14.1	7.1	2	200	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Butler	87,590	1,405	895	16.0	10.2	510	157	57	40.6	40	28.5
Rural part	63,113	1,224	693	19.4	11.0	531	177	48	39.2	33	27.0
White	62,980	1,218	693	19.3	11.0	525	176	48	39.4	33	27.1
All other	133	6	-	45.1	0	6	(3)	-	0	-	0
Butler	24,477	181	202	7.4	8.3	-21	90	9	49.7	7	38.7
White	24,326	179	201	7.4	8.3	-22	89	9	50.3	7	39.1
All other	151	2	1	13.2	6.6	1	200	-	0	-	0
Cambria	213,459	4,361	2,283	20.4	10.7	2,078	191	218	50.0	134	30.7
Rural part	146,791	2,172	1,247	14.8	8.5	925	174	122	56.2	58	26.7
White	145,990	2,171	1,220	14.9	8.4	951	178	122	56.2	58	26.7
All other	801	1	27	1.2	33.7	-26	4	-	0	-	0
Johnstown	66,668	2,189	1,036	32.8	15.5	1,153	211	96	43.9	76	34.7
White	65,093	2,126	1,009	32.7	15.5	1,117	211	96	45.2	74	34.8
All other	1,575	63	27	40.0	17.1	36	233	-	0	2	31.7
Cameron	6,852	59	62	8.6	9.0	-3	95	1	16.9	2	33.9
White	6,830	59	62	8.6	9.1	-3	95	1	16.9	2	33.9
All other	22	-	-	0	0	-	0	-	0	-	0
Carbon	61,735	650	591	10.5	9.6	59	110	32	49.2	26	40.0
White	61,729	650	591	10.5	9.6	59	110	32	49.2	26	40.0
All other	6	-	-	0	0	-	0	-	0	-	0
Centre	52,608	1,279	596	24.3	11.3	683	215	69	53.9	39	30.5
White	52,210	1,279	587	24.5	11.2	692	218	69	53.9	39	30.5
All other	398	-	9	0	22.6	-9	0	-	0	-	0
Chester	135,626	2,145	1,704	15.8	12.6	441	126	111	51.7	61	28.4
Rural part	96,049	942	1,061	9.8	11.0	-119	89	50	53.1	28	29.7
White	87,655	847	948	9.7	10.8	-101	89	35	41.3	20	23.6
All other	8,394	95	113	11.3	13.5	-18	84	15	157.9	8	84.2
Coatesville	14,006	101	95	7.2	6.8	6	106	7	69.3	3	29.7
White	12,063	54	64	4.5	5.3	-10	84	2	37.0	1	18.5
All other	1,943	47	31	24.2	16.0	16	152	5	106.4	2	42.6
Phoenixville	12,282	304	173	24.8	14.1	131	176	10	32.9	7	23.0
White	11,988	296	165	24.7	13.8	131	179	9	30.4	6	20.3
All other	294	8	8	27.2	27.2	-	100	1	125.0	1	125.0
West Chester	13,289	798	375	60.0	28.2	423	213	44	55.1	23	28.8
White	10,851	653	314	60.2	28.9	339	208	31	47.5	18	27.6
All other	2,438	145	61	59.5	25.0	84	238	13	89.7	5	34.5
Clarion	38,410	774	326	20.2	8.5	448	237	37	47.8	16	20.7
White	38,387	774	326	20.2	8.5	448	237	37	47.8	16	20.7
All other	23	-	-	0	0	-	0	-	0	-	0
Clearfield	92,094	1,884	890	20.5	9.7	994	212	108	57.3	52	27.6
Rural part	80,014	1,466	693	18.3	8.7	773	212	75	51.2	35	23.9
White	79,687	1,459	692	18.3	8.7	767	211	75	51.4	35	24.0
All other	327	7	1	21.4	3.1	6	700	-	0	-	0
Du Bois	12,080	418	197	34.6	16.3	221	212	33	78.9	17	40.7
White	12,069	418	196	34.6	16.2	222	213	33	78.9	17	40.7
All other	11	-	1	0	90.9	-1	0	-	0	-	0
Clinton	34,557	725	348	21.0	10.1	377	208	32	44.1	18	24.8
Rural part	23,747	291	180	12.3	7.6	111	162	16	55.0	6	20.6
White	23,728	291	180	12.3	7.6	111	162	16	55.0	6	20.6
All other	19	-	-	0	0	-	0	-	0	-	0
Lock Haven	10,810	434	168	40.1	15.5	266	258	16	36.9	12	27.6
White	10,786	434	168	40.2	15.6	266	258	16	36.9	12	27.6
All other	24	-	-	0	0	-	0	-	0	-	0
Columbia	51,413	874	573	17.0	11.1	301	153	33	37.8	35	40.0
Rural part	38,232	598	414	15.6	10.8	184	144	19	31.8	28	46.8
White	38,163	598	412	15.7	10.8	186	145	19	31.8	28	46.8
All other	69	-	2	0	29.0	-2	0	-	0	-	0
Berwick	13,181	276	159	20.9	12.1	117	174	14	50.7	7	25.4
White	13,162	276	159	21.0	12.1	117	174	14	50.7	6	21.7
All other	19	-	-	0	0	-	0	-	0	1	(3)
Crawford	71,644	1,465	908	20.4	12.7	557	161	68	46.4	27	18.4
Rural part	52,725	650	568	12.3	10.8	82	114	31	47.7	8	12.3
White	52,408	648	564	12.4	10.8	84	115	31	47.8	8	12.3
All other	317	2	4	6.3	12.6	-2	50	-	0	-	0
Meadville	18,919	815	540	43.1	18.0	475	240	37	45.4	19	23.3
White	18,348	806	335	43.9	18.3	471	241	36	44.7	18	22.3
All other	571	9	5	15.8	8.8	4	180	1	111.1	1	111.1
Cumberland	74,806	1,166	792	15.6	10.6	374	147	40	34.3	33	28.3
Rural part	60,822	687	562	11.3	9.2	125	122	19	27.7	13	18.9
White	60,520	687	557	11.4	9.2	130	123	19	27.7	13	18.9
All other	302	-	5	0	16.6	-5	0	-	0	-	0
Carlisle	13,984	479	230	34.3	16.4	249	208	21	43.8	20	41.8
White	13,082	456	212	34.9	16.2	244	215	20	43.9	19	41.7
All other	902	23	18	25.5	20.0	5	128	1	43.5	1	43.5
Dauphin	177,410	2,906	2,215	16.4	12.5	693	131	116	39.9	84	28.9
Rural part	80,402	870	818	10.8	10.2	52	106	25	28.7	21	24.1
White	79,064	860	785	10.9	9.9	75	110	24	27.9	20	23.3
All other	1,338	10	33	7.5	24.7	-23	30	1	100.0	1	100.0
Harrisburg	83,893	1,952	1,279	23.3	15.2	673	153	82	42.0	57	29.2
White	76,609	1,794	1,152	23.4	15.0	642	156	69	38.5	50	27.9
All other	7,284	158	127	21.7	17.4	31	124	13	82.3	7	44.3
Steelton	13,115	84	116	6.4	8.8	-32	72	9	107.1	6	71.4
White	10,601	59	82	5.6	7.7	-23	72	4	67.8	5	84.7
All other	2,514	25	34	9.9	13.5	-9	74	5	200.0	1	40.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live-births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Delaware	310,756	3,742	2,683	12.0	8.6	1,059	139	154	41.2	111	29.7
Rural part	145,823	1,093	1,144	7.5	7.8	-51	96	34	31.1	32	29.3
White	136,269	1,044	1,077	7.7	7.9	-33	97	30	28.7	31	29.7
All other	9,554	49	67	5.1	7.0	-18	73	4	81.6	1	20.4
Chester	59,285	1,080	643	18.2	10.8	437	168	56	51.9	43	39.8
White	49,102	804	478	16.4	9.7	326	168	35	43.5	24	29.9
All other	10,183	276	165	27.1	16.2	111	167	21	76.1	19	68.8
Darby	10,334	1,114	254	107.8	24.6	860	439	43	38.6	24	21.5
White	8,871	1,107	241	124.8	27.2	866	459	41	37.0	24	21.7
All other	1,463	7	13	4.8	8.9	-6	54	2	285.7	-	0
Haverford (twp.) [5]	27,594	16	171	0.6	6.2	-155	9	-	0	1	62.5
White	26,743	13	166	0.5	6.2	-153	8	-	0	1	76.9
All other	851	3	5	3.5	5.9	-2	60	-	0	-	0
Lansdowne	10,837	5	89	0.5	8.2	-84	6	2	400.0	1	200.0
White	10,481	-	87	0	8.3	-87	0	-	0	1	(3)
All other	356	5	2	14.0	5.6	3	250	2	400.0	-	0
Upper Darby (twp.) [5]	56,883	434	382	7.6	6.7	52	114	19	43.8	10	23.0
White	56,446	434	377	7.7	6.7	57	115	19	43.8	10	23.0
All other	437	-	5	0	11.4	-5	0	-	0	-	0
Elk	34,443	639	331	18.6	9.6	308	193	35	54.8	17	26.6
White	34,358	639	329	18.6	9.6	310	194	35	54.8	17	26.6
All other	85	-	2	0	23.5	-2	0	-	0	-	0
Erie	180,889	3,313	2,187	18.3	12.1	1,126	151	140	42.3	79	23.8
Rural part	63,934	700	717	10.9	11.2	-17	98	26	37.1	13	18.6
White	63,847	699	713	10.9	11.2	-14	98	26	37.2	13	18.6
All other	87	1	4	11.5	46.0	-3	25	-	0	-	0
Erie	116,955	2,613	1,470	22.3	12.6	1,143	178	114	43.6	66	25.3
White	115,565	2,588	1,445	22.4	12.5	1,143	179	113	43.7	65	25.1
All other	1,390	25	25	18.0	18.0	-	100	1	40.0	1	40.0
Fayette	200,999	4,126	1,847	20.5	9.2	2,279	223	216	52.4	147	35.6
Rural part	165,572	2,942	1,153	17.8	7.0	1,789	255	120	40.8	87	29.6
White	157,159	2,778	1,044	17.7	6.6	1,734	266	110	39.6	80	28.8
All other	8,413	164	109	19.5	13.0	55	150	10	61.0	7	42.7
Connellsville	13,608	456	236	33.5	17.3	220	193	24	52.6	28	61.4
White	13,132	443	226	33.7	17.2	217	196	23	51.9	26	58.7
All other	476	13	10	27.3	21.0	3	130	1	76.9	2	153.8
Uniontown	21,819	728	458	33.4	21.0	270	159	72	98.9	32	44.0
White	20,644	687	427	33.3	20.7	260	161	65	94.6	25	36.4
All other	1,175	41	31	34.9	26.4	10	132	7	170.7	7	170.7
Forest	5,791	82	60	14.2	10.4	22	137	4	48.8	2	24.4
White	5,791	82	60	14.2	10.4	22	137	4	48.8	2	24.4
All other	-	-	-	0	0	-	0	-	0	-	0
Franklin	69,378	1,347	823	19.4	11.9	524	164	48	35.6	35	26.0
Rural part	44,295	511	441	11.5	10.0	70	116	23	45.0	10	19.6
White	43,485	510	423	11.7	9.7	87	121	23	45.1	10	19.6
All other	810	1	18	1.2	22.2	-17	6	-	0	-	0
Chambersburg	14,852	499	237	33.6	16.0	262	211	19	38.1	20	40.1
White	14,256	484	223	34.0	15.6	261	217	19	39.3	20	41.3
All other	596	15	14	25.2	23.5	1	107	-	0	-	0
Waynesboro	10,231	337	145	32.9	14.2	192	232	6	17.8	5	14.8
White	10,105	332	143	32.9	14.2	189	232	6	18.1	4	12.0
All other	126	5	2	39.7	15.9	3	250	-	0	1	200.0
Fulton	10,673	217	96	20.3	9.0	121	226	11	50.7	9	41.5
White	10,577	210	96	19.9	9.1	114	219	11	52.4	8	38.1
All other	96	7	-	72.9	0	7	(3)	-	0	1	142.9
Greene	44,671	867	410	19.4	9.2	457	211	32	36.9	28	32.3
White	44,253	862	405	19.5	9.2	457	213	31	36.0	26	30.2
All other	418	5	5	12.0	12.0	-	100	1	200.0	2	400.0
Huntingdon	41,836	871	461	20.8	11.0	410	189	52	59.7	22	25.3
White	40,796	856	454	21.0	11.1	402	189	51	59.6	22	25.7
All other	1,040	15	7	14.4	6.7	8	214	1	66.7	-	0
Indiana	79,854	1,481	745	18.5	9.3	736	199	84	56.7	46	31.1
Rural part	69,804	1,435	678	20.6	9.7	757	212	84	58.5	45	31.4
White	69,227	1,419	666	20.5	9.6	753	213	84	59.2	44	31.0
All other	577	16	12	27.7	20.8	4	133	-	0	1	62.5
Indiana	10,050	46	67	4.6	6.7	-21	69	-	0	1	21.7
White	10,030	46	67	4.6	6.7	-21	69	-	0	1	21.7
All other	20	-	-	0	0	-	0	-	0	-	0
Jefferson	54,090	1,037	573	19.2	10.6	464	181	51	49.2	32	30.9
White	54,026	1,036	573	19.2	10.6	463	181	51	49.2	32	30.9
All other	64	1	-	15.6	0	1	(3)	-	0	-	0
Juniata	15,373	268	155	17.4	10.1	113	173	10	37.3	9	33.6
White	15,290	268	155	17.5	10.1	113	173	10	37.3	9	33.6
All other	83	-	-	0	0	-	0	-	0	-	0
Lackawanna	301,243	4,793	3,494	15.9	11.6	1,299	137	250	52.2	169	35.3
Rural part	94,942	1,141	1,017	12.0	10.7	124	112	39	34.2	37	32.4
White	94,843	1,141	1,011	12.0	10.7	130	113	39	34.2	37	32.4
All other	99	-	6	0	60.6	-6	0	-	0	-	0
Carbondale	19,371	536	301	27.7	15.5	235	178	35	65.3	24	44.8
White	19,366	536	301	27.7	15.5	235	178	35	65.3	24	44.8
All other	5	-	-	0	0	-	0	-	0	-	0
Dickson City	11,548	77	65	6.7	5.6	12	118	4	51.9	3	39.0
White	11,548	77	65	6.7	5.6	12	118	4	51.9	3	39.0
All other	-	-	-	0	0	-	0	-	0	-	0
Dunmore	23,066	138	210	6.0	9.1	-72	66	26	188.4	6	43.5
White	23,065	138	210	6.0	9.1	-72	66	26	188.4	6	43.5
All other	1	-	-	0	0	-	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Lackawanna—Continued											
Old Forge	11,892	92	56	7.7	4.7	36	164	6	65.2	1	10.9
White	11,891	92	56	7.7	4.7	36	164	6	65.2	1	10.9
All other	1	-	-	0	0	-	0	-	0	-	0
Scranton	140,404	2,809	1,845	20.0	13.1	964	152	140	49.8	98	34.9
White	139,647	2,798	1,830	20.0	13.1	968	153	139	49.7	97	34.7
All other	757	11	15	14.5	19.8	-4	73	1	90.9	1	90.9
Lancaster	212,504	3,799	2,542	17.9	12.0	1,257	149	184	48.4	102	26.8
Rural part	139,612	1,901	1,267	13.6	9.1	634	150	59	31.0	45	23.7
White	138,863	1,895	1,254	13.6	9.0	641	151	58	30.6	45	23.7
All other	749	6	13	8.0	17.4	-7	46	1	166.7	-	0
Columbia	11,547	210	157	18.2	13.6	53	134	8	38.1	3	14.3
White	11,196	204	151	18.2	13.5	53	135	8	39.2	3	14.7
All other	351	6	6	17.1	17.1	-	100	-	0	-	0
Lancaster	61,345	1,688	1,118	27.5	18.2	570	151	117	69.3	54	32.0
White	59,834	1,654	1,096	27.6	18.3	558	151	116	70.1	51	30.8
All other	1,511	34	22	22.5	14.6	12	155	1	29.4	3	88.2
Lawrence	96,877	1,769	983	18.3	10.1	786	180	53	30.0	55	31.1
Rural part	38,336	277	238	7.2	6.2	39	116	9	32.5	11	39.7
White	38,005	275	235	7.2	6.2	40	117	9	32.7	11	40.0
All other	331	2	3	6.0	9.1	-1	67	-	0	-	0
Ellwood City (part)	10,903	266	126	(6)	(6)	140	(6)	9	(6)	14	(6)
White	10,853	264	122	(6)	(6)	142	(6)	9	(6)	14	(6)
All other	50	2	4	(6)	(6)	-2	(6)	-	(6)	-	(6)
Ellwood City (total)	12,329	270	127	21.9	10.3	143	213	9	33.3	14	51.9
White	12,279	268	123	21.8	10.0	145	218	9	33.6	14	52.2
All other	50	2	4	40.0	80.0	-2	50	-	0	-	0
New Castle	47,638	1,226	619	25.7	13.0	607	198	35	28.5	30	24.5
White	45,947	1,192	592	25.9	12.9	600	201	32	26.8	28	23.5
All other	1,691	34	27	20.1	16.0	7	126	3	88.2	2	58.6
Lebanon	72,641	1,312	826	18.1	11.4	486	159	63	48.0	44	33.5
Rural part	45,435	557	347	12.3	7.6	210	161	21	37.7	13	23.3
White	45,292	556	344	12.3	7.6	212	162	21	37.8	13	23.4
All other	143	1	3	7.0	21.0	-2	33	-	0	-	0
Lebanon	27,206	755	479	27.8	17.6	276	158	42	55.6	31	41.1
White	27,079	751	476	27.7	17.6	275	158	42	55.9	31	41.3
All other	127	4	3	31.5	23.6	1	133	-	0	-	0
Lehigh	177,533	3,639	2,357	20.5	13.3	1,282	154	208	57.2	121	33.3
Rural part	68,982	1,348	748	19.5	10.8	600	180	66	49.0	38	28.2
White	68,924	1,341	744	19.5	10.8	597	180	64	47.7	37	27.6
All other	58	7	4	120.7	69.0	3	175	2	285.7	1	142.9
Allentown	96,904	2,252	1,530	23.2	15.8	722	147	142	63.1	79	35.1
White	96,524	2,245	1,523	23.3	15.8	722	147	141	62.8	79	35.2
All other	380	7	7	18.4	18.4	-	100	1	142.9	-	0
Bethlehem (part)	11,647	39	79	(6)	(6)	-40	(6)	-	(6)	4	(6)
White	11,605	39	77	(6)	(6)	-38	(6)	-	(6)	4	(6)
All other	42	-	2	(6)	(6)	-2	(6)	-	(6)	-	(6)
Luzerne	441,518	6,964	4,787	15.8	10.8	2,177	145	333	47.8	232	33.3
Rural part	206,812	1,901	1,798	9.2	8.7	103	106	111	58.4	53	27.9
White	206,726	1,901	1,791	9.2	8.7	110	106	111	58.4	53	27.9
All other	86	-	7	0	81.4	-7	0	-	0	-	0
Hanover (twp.) [5]	16,439	110	109	6.7	6.6	1	101	4	36.4	2	18.2
White	16,423	110	109	6.7	6.6	1	101	4	36.4	2	18.2
All other	16	-	-	0	0	-	0	-	0	-	0
Hazleton	38,009	1,168	496	30.7	13.0	672	235	46	39.4	23	19.7
White	38,007	1,168	496	30.7	13.1	672	235	46	39.4	23	19.7
All other	2	-	-	0	0	-	0	-	0	-	0
Kingston	20,679	568	281	27.5	13.6	287	202	16	28.2	28	49.3
White	20,677	567	280	27.4	13.5	287	203	16	28.2	28	49.4
All other	2	1	1	500.0	500.0	-	100	-	0	-	0
Nanticoke	24,387	559	323	22.9	13.2	236	173	31	55.5	15	26.8
White	24,380	558	323	22.9	13.2	235	173	31	55.6	15	26.9
All other	7	1	-	142.9	0	1	(3)	-	0	-	0
Pittston	17,828	133	146	7.5	8.2	-13	91	10	75.2	7	52.6
White	17,826	133	146	7.5	8.2	-13	91	10	75.2	7	52.6
All other	2	-	-	0	0	-	0	-	0	-	0
Plains (twp.) [5]	15,621	115	93	7.4	6.0	22	124	6	52.2	1	8.7
White	15,616	115	93	7.4	6.0	22	124	6	52.2	1	8.7
All other	5	-	-	0	0	-	0	-	0	-	0
Plymouth	15,507	122	134	7.9	8.6	-12	91	8	65.6	3	24.6
White	15,506	122	133	7.9	8.6	-11	92	8	65.6	3	24.6
All other	1	-	1	0	1,000.0	-1	0	-	0	-	0
Wilkes-Barre	86,236	2,288	1,407	26.5	16.3	881	163	101	44.1	100	43.7
White	85,393	2,271	1,380	26.6	16.2	891	165	98	43.2	98	43.2
All other	843	17	27	20.2	32.0	-10	63	3	176.5	2	117.6
Lycoming	93,633	1,753	1,087	18.7	11.6	666	161	68	38.8	48	27.4
Rural part	49,278	520	425	10.6	8.6	95	122	19	36.5	19	36.5
White	49,056	516	423	10.5	8.6	93	122	19	36.8	19	36.8
All other	222	4	2	18.0	9.0	2	200	-	0	-	0
Williamsport	44,355	1,233	662	27.8	14.9	571	186	49	39.7	29	23.5
White	43,417	1,210	648	27.9	14.9	562	187	48	39.7	29	24.0
All other	938	23	14	24.5	14.9	9	164	1	43.5	-	0
McKean	56,673	1,039	584	18.3	10.3	455	178	42	40.4	34	32.7
Rural part	38,982	555	346	14.2	8.9	209	160	20	36.0	20	36.0
White	38,881	554	345	14.2	8.9	209	161	20	36.1	20	36.1
All other	101	1	1	9.9	9.9	-	100	-	0	-	0
Bradford	17,691	484	238	27.4	13.5	246	203	22	45.5	14	28.9
White	17,584	479	237	27.2	13.5	242	202	22	45.9	14	29.2
All other	107	5	1	46.7	9.3	4	500	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Mercer	101,039	1,900	1,209	18.8	12.0	691	157	86	45.3	53	27.9
Rural part	61,518	934	774	15.2	12.6	160	121	44	47.1	23	24.6
White	61,095	924	768	15.1	12.6	156	120	42	45.5	22	23.8
All other	423	10	6	23.6	14.2	4	167	2	200.0	1	100.0
Farrell	13,899	113	70	8.1	5.0	43	161	3	26.5	2	17.7
White	12,340	92	57	7.5	4.6	35	161	2	21.7	2	21.7
All other	1,559	21	13	13.5	8.3	8	162	1	47.6	-	0
Sharon	25,622	853	365	33.3	14.2	488	234	39	45.7	28	32.8
White	25,190	832	343	33.0	13.6	489	243	36	43.3	27	32.5
All other	432	21	22	48.6	50.9	-1	95	3	142.9	1	47.6
Mifflin	42,993	1,009	512	23.5	11.9	497	197	71	70.4	35	34.7
Rural part	29,976	907	429	30.3	14.3	478	211	67	73.9	32	35.3
White	29,808	904	427	30.3	14.3	477	212	67	74.1	32	35.4
All other	168	3	2	17.9	11.9	1	150	-	0	-	0
Lewistown	13,017	102	83	7.8	6.4	19	123	4	39.2	3	29.4
White	12,909	101	83	7.8	6.4	18	122	4	39.6	3	29.7
All other	108	1	-	9.3	0	1	(3)	-	0	-	0
Monroe	29,802	498	386	16.7	13.0	112	129	27	54.2	16	32.1
White	29,562	496	380	16.8	12.9	116	131	27	54.4	15	30.2
All other	240	2	6	8.3	25.0	-4	33	-	0	1	500.0
Montgomery	289,247	4,013	3,232	13.9	11.2	781	124	136	33.9	104	25.9
Rural part	140,591	681	1,069	4.8	7.6	-388	64	25	36.7	17	25.0
White	135,898	666	1,039	4.9	7.6	-373	64	22	33.0	13	19.5
All other	4,693	15	30	3.2	6.4	-15	50	3	200.0	4	266.7
Abington (twp.)[5]	20,857	847	434	40.6	20.8	413	195	31	36.6	26	30.7
White	19,264	763	405	39.6	21.0	358	188	24	31.5	23	30.1
All other	1,593	84	29	52.7	18.2	55	290	7	83.3	3	35.7
Cheltenham (twp.)[5]	19,082	11	144	0.6	7.5	-133	8	2	181.8	-	0
White	17,906	11	138	0.6	7.7	-127	8	1	90.9	-	0
All other	1,176	-	6	0	5.1	-6	0	1	(3)	-	0
Conshohocken	10,776	36	67	3.3	6.2	-31	54	1	27.8	1	27.8
White	10,466	36	65	3.4	6.2	-29	55	1	27.8	1	27.8
All other	310	-	2	0	6.5	-2	0	-	0	-	0
Lower Merion (twp.)[5]	39,566	696	421	17.6	10.6	275	165	12	17.2	19	27.3
White	36,259	630	387	17.4	10.7	243	163	10	15.9	18	28.6
All other	3,307	66	34	20.0	10.3	32	194	2	30.3	1	15.2
Norristown	38,181	1,199	763	31.4	20.0	436	157	37	30.9	25	20.9
White	35,503	1,128	706	31.8	19.9	422	160	33	29.3	24	21.3
All other	2,678	71	57	26.5	21.3	14	125	4	56.3	1	14.1
Pottstown	20,194	543	334	26.9	16.5	209	163	28	51.6	16	29.5
White	19,585	528	322	27.0	16.4	206	164	25	47.3	15	28.4
All other	609	15	12	24.6	19.7	3	125	3	200.0	1	66.7
Montour	15,466	609	442	39.4	28.6	167	138	30	49.3	16	26.3
White	15,406	609	430	39.5	27.9	179	142	30	49.3	16	26.3
All other	60	-	12	0	200.0	-12	0	-	0	-	0
Northampton	168,959	1,956	1,489	11.6	8.8	467	131	65	33.2	44	22.5
Rural part	88,527	1,412	910	15.9	10.3	502	155	52	36.8	37	26.2
White	88,480	1,403	901	15.9	10.2	502	156	51	36.4	37	26.4
All other	47	9	9	191.5	191.5	-	100	1	111.1	-	0
Bethlehem (part)	46,843	162	264	(6)	(6)	-102	(6)	4	(6)	1	(6)
White	46,236	160	259	(6)	(6)	-99	(6)	4	(6)	-	(6)
All other	607	2	5	(6)	(6)	-3	(6)	-	(6)	1	(6)
Bethlehem (total)	58,490	201	343	3.4	5.9	-142	59	4	19.9	5	24.9
White	57,841	199	336	3.4	5.8	-137	59	4	20.1	4	20.1
All other	649	2	7	3.1	10.8	-5	29	-	0	1	500.0
Easton	33,589	382	315	11.4	9.4	67	121	9	23.6	6	15.7
White	33,024	378	310	11.4	9.4	68	122	7	18.5	6	15.9
All other	565	4	5	7.1	8.8	-1	80	2	500.0	-	0
Northumberland	126,887	1,797	1,310	14.2	10.3	487	137	110	61.2	53	29.5
Rural part	74,835	1,224	774	16.4	10.3	450	158	68	55.6	42	34.3
White	74,705	1,224	771	16.4	10.3	453	159	68	55.6	42	34.3
All other	130	-	3	0	23.1	-3	0	-	0	-	0
Mount Carmel	17,780	84	119	4.7	6.7	-35	71	11	131.0	1	11.9
White	17,780	84	119	4.7	6.7	-35	71	11	131.0	1	11.9
All other	-	-	-	0	0	-	0	-	0	-	0
Shamokin	18,810	93	161	4.9	8.6	-68	58	7	75.3	-	0
White	18,792	93	160	4.9	8.5	-67	58	7	75.3	-	0
All other	18	-	1	0	55.6	-1	0	-	0	-	0
Sunbury	15,462	396	256	25.6	16.6	140	155	24	60.6	10	25.3
White	15,456	395	256	25.6	16.6	139	154	24	60.8	10	25.3
All other	6	1	-	166.7	0	1	(3)	-	0	-	0
Perry	23,213	368	218	15.9	9.4	150	169	9	24.5	11	29.9
White	23,182	368	218	15.9	9.4	150	169	9	24.5	11	29.9
All other	31	-	-	0	0	-	0	-	0	-	0
Philadelphia, coextensive with Philadelphia (city)	1,931,334	30,979	24,844	16.0	12.9	6,135	125	1,259	40.6	751	24.2
White	1,678,577	25,819	21,080	15.4	12.6	4,739	122	954	36.9	591	22.9
All other	252,757	5,160	3,764	20.4	14.9	1,396	137	305	59.1	160	31.0
Pike	7,452	45	102	6.0	13.7	-57	44	-	0	3	66.7
White	7,430	45	100	6.1	13.5	-55	45	-	0	3	66.7
All other	22	-	2	0	90.9	-2	0	-	0	-	0
Potter	18,201	322	206	17.7	11.3	116	156	17	52.8	6	18.6
White	18,180	322	204	17.7	11.2	118	158	17	52.8	6	18.6
All other	21	-	2	0	95.2	-2	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Schuylkill	228,331	3,818	2,685	16.7	11.8	1,133	142	186	48.7	106	27.8
Rural part	158,083	2,530	1,847	16.0	11.7	683	137	126	49.8	71	28.1
White	158,032	2,530	1,844	16.0	11.7	686	137	126	49.8	71	28.1
All other	51	-	3	0	58.8	-3	0	-	0	-	0
Mahanoy City	13,442	100	113	7.4	8.4	-13	88	1	10.0	1	10.0
White	13,442	100	113	7.4	8.4	-13	88	1	10.0	1	10.0
All other	-	-	-	0	0	-	0	-	0	-	0
Pottsville	24,530	1,032	495	42.1	20.2	537	208	49	47.5	30	29.1
White	24,164	1,026	488	42.5	20.2	538	210	48	46.8	30	29.2
All other	366	6	7	16.4	19.1	-1	86	1	166.7	-	0
Shenandoah	19,790	100	134	5.1	6.8	-34	75	7	70.0	2	20.0
White	19,787	100	134	5.1	6.8	-34	75	7	70.0	2	20.0
All other	3	-	-	0	0	-	0	-	0	-	0
Tamaqua	12,486	56	96	4.5	7.7	-40	58	3	53.6	2	35.7
White	12,478	56	95	4.5	7.6	-39	59	3	53.6	2	35.7
All other	8	-	1	0	125.0	-1	0	-	0	-	0
Snyder	20,208	331	197	16.4	9.7	134	168	9	27.2	8	24.2
White	20,194	331	197	16.4	9.8	134	168	9	27.2	8	24.2
All other	14	-	-	0	0	-	0	-	0	-	0
Somerset	84,957	1,702	791	20.0	9.3	911	215	81	47.6	50	29.4
White	84,789	1,700	785	20.0	9.3	915	217	80	47.1	50	29.4
All other	168	2	6	11.9	35.7	-4	33	1	500.0	-	0
Sullivan	7,504	55	71	7.3	9.5	-16	77	2	36.4	4	72.7
White	7,503	55	71	7.3	9.5	-16	77	2	36.4	4	72.7
All other	1	-	-	0	0	-	0	-	0	-	0
Susquehanna	33,893	458	363	13.5	10.7	95	126	16	34.9	13	28.4
White	33,808	454	361	13.4	10.7	93	126	16	35.2	13	28.6
All other	85	4	2	47.1	23.5	2	200	-	0	-	0
Tioga	35,004	625	460	17.9	13.1	165	136	36	57.6	20	32.0
White	34,884	622	458	17.8	13.1	164	136	36	57.9	20	32.2
All other	120	3	2	25.0	16.7	1	150	-	0	-	0
Union	20,247	393	210	19.4	10.4	183	187	12	30.5	10	25.4
White	20,023	392	210	19.6	10.5	182	187	12	30.6	10	25.5
All other	224	1	-	4.5	0	1	(3)	-	0	-	0
Venango	63,958	1,095	804	17.1	12.6	291	136	61	55.7	27	24.7
Rural part	43,579	589	502	13.5	11.5	87	117	39	66.2	15	25.5
White	43,159	587	498	13.6	11.5	91	118	39	66.4	14	23.9
All other	420	2	6	4.8	14.3	-4	33	-	0	1	500.0
Oil City	20,379	506	302	24.8	14.8	204	168	22	43.5	12	23.7
White	20,238	505	300	25.0	14.8	205	168	22	43.6	12	23.8
All other	141	1	2	7.1	14.2	-1	50	-	0	-	0
Warren	42,789	611	706	14.3	16.5	-95	87	27	44.2	15	24.5
Rural part	27,898	161	467	5.8	16.7	-306	34	9	55.9	3	18.6
White	27,818	160	461	5.8	16.6	-301	35	9	56.3	3	18.8
All other	80	1	6	12.5	75.0	-5	17	-	0	-	0
Warren	14,891	450	239	30.2	16.0	211	188	18	40.0	12	26.7
White	14,888	450	239	30.2	16.1	211	188	18	40.0	12	26.7
All other	3	-	-	0	0	-	0	-	0	-	0
Washington	210,852	4,013	1,950	19.0	9.2	2,063	206	177	44.1	128	31.9
Rural part	148,123	2,585	1,230	17.5	8.3	1,355	210	96	37.1	67	25.9
White	142,254	2,480	1,143	17.4	8.0	1,337	217	90	36.3	58	23.4
All other	5,869	105	87	17.9	14.8	18	121	6	57.1	9	85.7
Canonsburg	12,599	532	183	42.2	14.5	349	291	29	54.5	19	35.7
White	12,195	516	164	42.3	13.4	352	315	27	52.3	18	34.9
All other	404	16	19	39.6	47.0	-3	84	2	125.0	1	62.5
Charleroi	10,784	70	73	6.5	6.8	-3	96	3	42.9	4	57.1
White	10,614	65	73	6.1	6.9	-8	89	3	46.2	4	61.5
All other	170	5	-	29.4	0	5	(3)	-	0	-	0
Donora	13,180	76	68	5.8	5.2	8	112	6	78.9	5	65.8
White	12,096	58	62	4.8	5.1	-4	94	4	69.0	3	51.7
All other	1,084	18	6	16.6	5.5	12	300	2	111.1	2	111.1
Washington	26,166	750	396	28.7	15.1	354	189	43	57.3	33	44.0
White	23,905	713	363	29.8	15.2	350	196	42	58.9	30	42.1
All other	2,261	37	33	16.4	14.6	4	112	1	27.0	3	81.1
Wayne	29,934	354	386	11.8	12.9	-32	92	17	48.0	9	25.4
White	29,759	354	379	11.9	12.7	-25	93	17	48.0	9	25.4
All other	175	-	7	0	40.0	-7	0	-	0	-	0
Westmoreland	303,411	4,953	2,627	16.3	8.7	2,326	189	197	39.8	161	32.5
Rural part	193,402	2,450	1,490	12.7	7.7	960	164	99	40.4	70	28.6
White	190,187	2,394	1,439	12.6	7.6	955	166	94	39.3	67	28.0
All other	3,215	56	51	17.4	15.9	5	110	5	89.3	3	53.6
Arnold	10,898	93	45	8.5	4.1	48	207	1	10.8	-	0
White	10,861	93	45	8.6	4.1	48	207	1	10.8	-	0
All other	37	-	-	0	0	-	0	-	0	-	0
Greensburg	16,743	850	341	50.8	20.4	509	249	34	40.0	39	45.9
White	16,532	837	328	50.6	19.8	509	255	33	39.4	37	44.2
All other	211	13	13	61.6	61.6	-	100	1	76.9	2	153.8
Jeannette	16,220	120	87	7.4	5.4	33	138	3	25.0	7	58.3
White	15,928	118	86	7.4	5.4	32	137	3	25.4	6	50.8
All other	292	2	1	6.8	3.4	1	200	-	0	1	500.0
Latrobe	11,111	499	178	44.9	16.0	321	280	18	36.1	15	30.1
White	11,058	486	174	44.0	15.7	312	279	18	37.0	15	30.9
All other	53	13	4	245.3	75.5	9	325	-	0	-	0
Monessen	20,257	189	113	9.3	5.6	76	167	10	52.9	10	52.9
White	18,881	159	102	8.4	5.4	57	156	8	50.3	8	50.3
All other	1,376	30	11	21.8	8.0	19	273	2	66.7	2	66.7

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 56)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
PENNSYLVANIA—Continued											
Westmoreland—Continued											
New Kensington	24,055	650	295	27.0	12.3	355	220	25	38.5	19	29.2
White	23,207	629	276	27.1	11.9	353	228	23	36.6	18	28.6
All other	848	21	19	24.8	22.4	2	111	2	95.2	1	47.6
Vandergrift	10,725	102	78	9.5	7.3	24	131	7	68.6	1	9.8
White	10,583	102	74	9.6	7.0	28	138	7	68.6	1	9.8
All other	142	-	4	0	28.2	-4	0	-	0	-	0
Wyoming	16,702	235	202	14.1	12.1	33	116	12	51.1	7	29.8
White	16,696	235	202	14.1	12.1	33	116	12	51.1	7	29.8
All other	6	-	-	0	0	-	0	-	0	-	0
York	178,022	3,264	1,891	18.3	10.6	1,373	173	107	32.8	84	25.7
Rural part	108,234	1,391	944	12.9	8.7	447	147	35	25.2	32	23.0
White	107,697	1,385	934	12.9	8.7	451	148	35	25.3	32	23.1
All other	537	6	10	11.2	18.6	-4	600	-	0	-	0
Hanover	13,076	485	189	37.1	14.5	296	257	11	22.7	12	24.7
White	13,066	485	188	37.1	14.4	297	258	11	22.7	12	24.7
All other	10	-	1	0	100.0	-1	0	-	0	-	0
York	56,712	1,388	758	24.5	13.4	630	183	61	43.9	40	28.8
White	54,280	1,314	733	24.2	13.5	581	179	57	43.4	35	26.6
All other	2,432	74	25	30.4	10.3	49	296	4	54.1	5	67.6
RHODE ISLAND (total)	713,346	10,805	7,984	15.1	11.2	2,821	135	413	38.2	306	28.3
Bristol	25,548	137	160	5.4	6.3	-23	86	4	29.2	4	29.2
Rural part	14,389	58	74	4.0	5.1	-16	78	2	34.5	2	34.5
Bristol (town)	11,159	79	86	7.1	7.7	-7	92	2	25.3	2	25.3
Kent	58,311	422	460	7.2	7.9	-38	92	17	40.3	12	28.4
Rural part	11,366	88	100	7.7	8.8	-12	88	2	22.7	2	22.7
Warwick	28,757	100	227	3.5	7.9	-127	44	4	40.0	5	50.0
West Warwick (town)	18,188	234	133	12.9	7.3	101	176	11	47.0	5	21.4
Newport	46,696	633	549	13.6	11.8	84	115	21	33.2	9	14.2
Rural part	16,164	56	153	3.5	9.5	-97	37	2	35.7	2	35.7
Newport	30,532	577	396	18.9	13.0	181	146	19	32.9	7	12.1
Providence	550,298	9,012	6,422	16.4	11.7	2,590	140	344	38.2	263	29.2
Rural part	23,166	125	267	5.4	11.5	-142	47	2	16.0	2	16.0
Central Falls	25,248	535	188	21.2	7.4	347	285	25	46.7	19	35.5
Cranston	47,085	241	1,007	5.1	21.4	-766	24	9	37.3	8	33.2
Cumberland (town)	10,625	59	92	5.6	8.7	-33	64	1	16.9	1	16.9
East Providence (town)	32,165	103	208	3.2	6.5	-105	50	3	29.1	2	19.4
Johnston (town)	10,672	35	69	3.3	6.5	-34	51	1	28.6	2	57.1
Lincoln (town)	10,577	57	73	5.4	6.9	-16	78	4	70.2	2	35.1
North Providence (town)	12,156	37	90	3.0	7.4	-53	41	2	54.1	1	27.0
Pawtucket	75,797	1,050	823	13.9	10.9	227	128	45	42.9	42	40.0
Providence	253,504	5,802	3,142	22.9	12.4	2,660	185	215	37.1	155	26.7
Woonsocket	49,303	968	463	19.6	9.4	505	209	37	38.2	29	30.0
Washington	32,493	601	393	18.5	12.1	208	153	27	44.9	18	30.0
Rural part	21,294	266	250	12.5	11.7	16	106	16	60.2	7	26.3
Westerly (town)	11,199	335	143	29.9	12.8	192	234	11	32.8	11	32.8
SOUTH CAROLINA (total)	1,899,804	44,380	20,186	23.4	10.6	24,194	220	3,024	68.1	2,091	47.1
Abbeville	22,931	478	220	20.8	9.6	258	217	25	52.3	19	39.7
White	13,190	223	94	16.9	7.1	129	237	9	40.4	5	22.4
All other	9,741	255	126	26.2	12.9	129	202	16	62.7	14	54.9
Aiken	49,916	939	549	18.8	11.0	390	171	83	88.4	35	37.3
White	28,995	511	279	17.6	9.6	232	183	39	76.3	13	25.4
All other	20,921	428	270	20.5	12.9	158	159	44	102.8	22	51.4
Allendale	13,040	344	157	26.4	12.0	187	219	22	64.0	32	93.0
White	3,630	54	34	14.9	9.4	20	159	2	37.0	3	55.6
All other	9,410	290	123	30.8	13.1	167	236	20	69.0	29	100.0
Anderson	88,712	1,865	773	21.0	8.7	1,092	241	111	59.5	67	35.9
Rural part	69,288	1,108	401	16.0	5.8	707	276	67	60.5	38	34.3
White	51,916	744	247	14.3	4.8	497	301	35	47.0	18	24.2
All other	17,372	364	154	21.0	8.9	210	236	32	87.9	20	54.9
Anderson	19,424	757	372	39.0	19.2	385	203	44	58.1	29	38.3
White	13,407	679	236	50.6	17.6	443	288	29	42.7	22	32.4
All other	6,017	78	136	13.0	22.6	-58	57	15	192.3	7	89.7
Bamberg	18,643	407	170	21.8	9.1	237	239	24	59.0	32	78.6
White	7,339	117	71	15.9	9.7	46	165	5	42.7	5	42.7
All other	11,304	290	99	25.7	8.8	191	293	19	65.5	27	93.1
Barnwell	20,138	524	167	26.0	8.3	357	314	26	49.6	35	66.8
White	7,519	143	53	19.0	7.0	90	270	4	28.0	6	42.0
All other	12,619	381	114	30.2	9.0	267	334	22	57.7	29	76.1
Beaufort	22,037	473	354	21.5	16.1	119	134	35	74.0	22	46.5
White	7,255	111	35	15.3	4.8	76	317	2	18.0	1	9.0
All other	14,782	362	319	24.5	21.6	43	113	33	91.2	21	58.0
Berkeley	27,128	756	329	27.9	12.1	427	230	67	88.6	36	47.6
White	9,548	183	66	19.2	6.9	117	277	13	71.0	2	10.9
All other	17,580	573	263	32.6	15.0	310	218	54	94.2	34	59.3
Calhoun	16,229	440	183	27.1	11.3	257	240	36	81.8	23	52.3
White	4,351	44	33	10.1	7.6	11	133	-	0	3	68.2
All other	11,878	396	150	33.3	12.6	246	264	36	90.9	20	50.5
Charleston	121,105	3,132	1,759	25.9	14.5	1,373	178	208	66.4	189	60.3
Rural part	49,830	781	549	15.7	11.0	232	142	57	73.0	42	53.8
White	21,999	144	121	6.5	5.5	23	119	4	27.8	4	27.8
All other	27,831	637	428	22.9	15.4	209	149	53	83.2	38	59.7
Charleston	71,275	2,351	1,210	33.0	17.0	1,141	194	151	64.2	147	62.5
White	39,488	1,110	482	28.1	12.2	628	230	40	36.0	29	26.1
All other	31,787	1,241	728	39.0	22.9	513	170	111	89.4	118	95.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
SOUTH CAROLINA—Continued											
Cherokee	33,290	761	253	22.9	7.6	508	301	35	46.0	29	38.1
White	25,495	595	157	23.3	6.2	438	379	22	37.0	18	30.3
All other	7,795	166	96	21.3	12.3	70	173	13	78.3	11	66.3
Chester	32,579	783	301	24.0	9.2	482	260	49	62.6	30	38.3
White	16,948	356	132	21.0	7.8	224	270	19	53.4	11	30.9
All other	15,631	427	169	27.3	10.8	258	253	30	70.3	19	44.5
Chesterfield	35,963	904	269	25.1	7.5	635	336	55	60.8	32	35.4
White	22,262	470	136	21.1	6.1	334	346	23	48.9	8	17.0
All other	13,701	434	133	31.7	9.7	301	326	32	73.7	24	55.3
Clarendon	31,500	719	363	22.8	11.5	356	198	86	119.6	28	38.9
White	8,923	178	75	19.9	8.4	103	237	11	61.8	5	28.1
All other	22,577	541	288	24.0	12.8	253	188	75	138.6	23	42.5
Colleton	26,268	592	284	22.5	10.8	308	208	34	57.4	45	76.0
White	12,249	201	99	16.4	8.1	102	203	5	24.9	13	64.7
All other	14,019	391	185	27.9	13.2	206	211	29	74.2	32	81.8
Darlington	45,198	1,173	496	26.0	11.0	677	236	96	81.8	56	47.7
White	22,627	611	205	27.0	9.1	406	298	40	65.5	15	24.5
All other	22,571	562	291	24.9	12.9	271	193	56	99.6	41	73.0
Dillon	29,625	732	222	24.7	7.5	510	330	53	72.4	30	41.0
White	14,910	328	89	22.0	6.0	239	369	20	61.0	10	30.5
All other	14,715	404	133	27.5	9.0	271	304	33	81.7	20	49.5
Dorchester	19,928	520	233	26.1	11.7	287	223	51	98.1	49	94.2
White	8,484	148	69	17.4	10.5	59	166	16	108.1	9	60.8
All other	11,444	372	144	32.5	12.6	228	258	35	94.1	40	107.5
Edgefield	17,894	445	190	24.9	10.6	255	234	23	51.7	21	47.2
White	6,594	94	46	14.3	7.0	48	204	1	10.6	4	42.6
All other	11,300	351	144	31.1	12.7	207	244	22	62.7	17	48.4
Fairfield	24,187	609	211	25.2	8.7	398	289	30	49.3	33	54.2
White	9,214	219	69	23.8	7.5	150	317	7	32.0	8	36.5
All other	14,973	390	142	26.0	9.5	248	275	23	59.0	25	64.1
Florence	70,582	1,759	939	24.9	13.3	820	187	177	100.6	123	69.9
Rural part	54,528	1,195	431	21.9	7.9	764	277	92	77.0	57	47.7
White	29,282	562	185	19.2	6.3	377	304	28	49.8	21	37.4
All other	25,246	633	246	25.1	9.7	387	257	64	101.1	36	56.9
Florence	16,054	564	508	35.1	31.6	56	111	85	150.7	66	117.0
White	9,345	351	269	37.6	28.8	82	130	55	156.7	41	116.8
All other	6,709	213	239	31.7	35.6	-26	89	30	140.8	25	117.4
Georgetown	26,352	670	267	25.4	10.1	403	251	42	62.7	28	41.8
White	10,976	218	51	19.9	4.6	167	427	6	27.5	4	18.3
All other	15,376	452	216	29.4	14.0	236	209	36	79.6	24	53.1
Greenville	136,580	2,854	1,296	20.9	9.5	1,558	220	156	54.7	97	34.0
Rural part	101,846	1,935	667	19.0	6.5	1,268	290	89	46.0	51	26.4
White	85,392	1,623	517	19.0	6.1	1,106	314	74	45.6	31	19.1
All other	16,454	312	150	19.0	9.1	162	208	15	48.1	20	64.1
Greenville	34,734	919	629	26.5	18.1	290	146	67	72.9	46	50.1
White	20,750	571	354	27.5	17.1	217	161	38	66.5	26	45.5
All other	13,984	348	275	24.9	19.7	73	127	29	83.3	20	57.5
Greenwood	40,083	783	419	19.5	10.5	364	187	40	51.1	31	39.6
Rural part	27,063	394	175	14.6	6.5	219	225	14	35.5	13	33.0
White	16,364	177	72	10.8	4.4	105	246	8	45.2	3	16.9
All other	10,699	217	103	20.3	9.6	114	211	6	27.6	10	46.1
Greenwood	13,020	389	244	29.9	18.7	145	159	26	66.8	18	46.3
White	8,866	290	131	32.7	14.8	159	221	17	58.6	10	34.5
All other	4,154	99	113	23.8	27.2	-14	88	9	90.9	8	80.8
Hampton	17,465	308	218	17.6	12.5	90	141	40	129.9	27	87.7
White	7,370	67	58	9.1	7.9	9	116	5	74.6	2	29.9
All other	10,095	241	160	23.9	15.8	81	151	35	145.2	25	103.7
Horry	51,951	1,428	433	27.5	8.3	995	330	103	72.1	71	49.7
White	37,879	981	265	25.9	7.0	716	370	57	58.1	30	30.6
All other	14,072	447	168	31.8	11.9	279	266	46	102.9	41	91.7
Jasper	11,011	295	162	26.8	14.7	133	182	18	61.0	16	54.2
White	3,955	88	47	22.3	11.9	41	187	4	45.5	6	68.2
All other	7,056	207	115	29.3	16.3	92	180	14	67.6	10	48.3
Kershaw	32,913	838	279	25.5	8.5	559	300	51	60.9	24	28.6
White	15,311	266	118	17.4	7.7	148	225	14	52.6	12	45.1
All other	17,602	572	161	32.5	9.1	411	355	37	64.7	12	21.0
Lancaster	33,542	803	267	23.9	8.0	536	301	53	66.0	18	22.4
White	22,147	529	141	23.9	6.4	388	375	27	51.0	9	17.0
All other	11,395	274	126	24.0	11.1	148	217	26	94.9	9	32.8
Laurens	44,185	822	393	18.6	8.9	429	209	40	48.7	28	34.1
White	27,843	506	194	18.2	7.0	312	261	15	25.7	11	21.7
All other	16,342	316	199	19.3	12.2	117	159	27	85.4	17	53.8
Lee	24,908	727	224	29.2	9.0	503	325	37	50.9	41	55.4
White	8,590	118	72	13.7	8.4	46	164	4	33.9	3	25.4
All other	16,318	609	152	37.3	9.3	457	401	33	54.2	38	62.4
Lexington	35,994	685	287	19.0	8.0	398	239	36	52.6	39	56.9
White	27,067	458	182	16.9	6.7	276	252	19	41.5	15	32.8
All other	8,927	227	105	25.4	11.8	122	216	17	74.9	24	105.7
McCormick	10,367	281	91	27.1	8.8	190	309	21	74.7	16	56.9
White	3,330	43	22	12.9	6.6	21	195	4	93.0	3	69.8
All other	7,037	238	69	33.8	9.8	169	345	17	71.4	13	54.6
Marion	30,107	825	303	27.4	10.1	522	272	54	65.5	47	57.0
White	13,287	398	103	30.0	7.8	295	386	15	37.7	18	45.2
All other	16,820	427	200	25.4	11.9	227	214	39	91.3	29	67.9
Marlboro	33,281	888	346	26.7	10.4	542	257	79	89.0	42	47.3
White	15,052	360	146	23.9	9.7	214	247	30	83.3	12	33.3
All other	18,229	528	200	29.0	11.0	328	264	49	92.8	30	56.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
SOUTH CAROLINA—Continued											
Newberry	33,577	698	315	20.8	9.4	383	222	36	51.6	21	30.1
White	19,335	335	132	17.3	6.8	203	254	9	26.9	7	20.9
All other	14,242	363	183	25.5	12.8	180	198	27	74.4	14	38.6
Oconee	36,512	833	272	22.8	7.4	561	306	49	58.8	20	24.0
White	30,743	723	210	23.5	6.8	513	344	42	58.1	10	13.8
All other	5,769	110	62	19.1	10.7	48	177	7	63.6	10	90.9
Orangeburg	63,707	1,938	851	30.4	13.4	1,087	228	186	96.0	130	67.1
Rural part	53,186	1,533	588	28.8	11.1	945	261	141	92.0	96	62.6
White	18,018	294	120	16.3	6.7	174	245	8	27.2	4	13.6
All other	35,168	1,239	468	35.2	13.3	771	265	133	107.3	92	74.3
Orangeburg	10,521	405	263	38.5	25.0	142	154	45	111.1	34	84.0
White	5,773	257	129	44.5	22.3	128	199	20	77.8	16	62.3
All other	4,748	148	134	31.2	28.2	14	110	25	168.9	18	121.6
Pickens	37,111	815	236	22.0	6.4	579	345	26	31.9	22	27.0
White	32,220	685	182	21.3	5.6	503	376	19	27.7	13	19.0
All other	4,891	130	54	26.6	11.0	76	241	7	53.8	9	69.2
Richland	104,843	2,190	1,933	20.9	18.4	257	113	144	65.8	76	34.7
Rural part	42,447	566	827	13.3	19.5	-261	68	33	58.3	17	30.0
White	22,281	97	285	4.4	12.8	-188	34	3	30.9	1	10.3
All other	20,166	469	542	23.3	26.9	-73	87	30	64.0	16	34.1
Columbia	62,396	1,624	1,106	26.0	17.7	518	147	111	68.3	59	36.3
White	40,191	1,159	660	28.8	16.4	499	176	63	54.4	28	24.2
All other	22,205	465	446	20.9	20.1	19	104	48	103.2	31	66.7
Saluda	17,192	292	143	17.0	8.3	149	204	12	41.1	13	44.5
White	9,548	141	66	14.8	6.9	75	214	3	21.3	4	26.4
All other	7,644	151	77	19.8	10.1	74	196	9	59.6	9	59.6
Spartanburg	127,733	2,425	1,144	19.0	9.0	1,281	212	160	66.0	102	42.1
Rural part	95,484	1,375	532	14.4	5.6	843	258	72	52.4	43	31.3
White	76,416	1,016	374	13.3	4.9	642	272	41	40.4	29	28.5
All other	19,068	359	158	18.8	8.3	201	227	31	86.4	14	39.0
Spartanburg	32,249	1,050	612	32.6	19.0	438	172	88	83.8	59	56.2
White	20,844	756	371	36.3	17.8	385	204	52	68.8	35	46.3
All other	11,405	294	241	25.8	21.1	53	122	36	122.4	24	81.6
Sumter	52,463	1,360	643	25.9	12.3	717	212	104	76.5	54	39.7
Rural part	36,589	966	400	26.4	10.9	566	242	84	87.0	46	47.6
White	9,574	152	62	15.9	6.5	90	245	9	59.2	7	46.1
All other	27,015	814	338	30.1	12.5	476	241	75	92.1	39	47.9
Sumter	15,874	394	243	24.8	15.3	151	162	20	50.8	8	20.3
White	9,118	275	115	30.2	12.6	160	239	9	32.7	3	10.9
All other	6,756	119	128	17.6	18.9	-9	93	11	92.4	5	42.0
Union	31,360	639	251	20.4	8.0	388	255	33	51.6	18	28.2
White	20,112	368	139	18.3	6.9	229	265	18	48.9	5	13.6
All other	11,248	271	112	24.1	10.0	159	242	15	55.4	13	48.0
Williamsburg	41,011	1,209	398	29.5	9.7	811	304	84	69.5	97	80.2
White	13,739	324	107	23.6	7.8	217	303	17	52.5	7	21.6
All other	27,272	885	291	32.5	10.7	594	304	67	75.7	90	101.7
York	58,663	1,419	593	24.2	10.1	826	239	94	66.2	47	33.1
Rural part	43,654	905	392	20.7	9.0	513	231	55	60.8	30	33.1
White	25,442	497	190	19.5	7.5	307	262	28	56.3	16	32.2
All other	18,212	408	202	22.4	11.1	206	202	27	66.2	14	34.3
Rock Hill	15,009	514	201	34.2	13.4	313	256	39	75.9	17	33.1
White	11,805	433	131	36.7	11.1	302	331	27	62.4	12	27.7
All other	3,204	81	70	25.3	21.8	11	116	12	148.1	5	61.7
SOUTH DAKOTA (total)	642,961	11,619	5,454	18.1	8.5	6,165	213	456	39.2	218	18.8
Armstrong	42	-	-	0	0	-	0	-	0	-	0
Aurora	5,387	65	43	12.1	8.0	22	151	4	61.5	-	0
Beadle	19,648	401	192	20.4	9.8	209	209	11	27.4	3	7.5
Rural part	8,805	60	37	6.8	4.2	23	162	3	50.0	-	0
Huron	10,843	341	155	31.4	14.3	186	220	8	23.5	3	8.8
Bennett	3,983	56	25	14.1	6.3	31	224	3	53.6	2	35.7
Bon Homme	10,241	136	69	13.3	6.7	67	197	6	44.1	4	29.4
Brookings	16,560	307	142	18.5	8.6	165	216	12	39.1	4	13.0
Brown	29,676	589	265	19.8	8.9	324	222	17	28.9	14	23.8
Rural part	12,661	66	45	5.2	3.6	21	147	1	15.2	2	30.3
Aberdeen	17,015	523	220	30.7	12.9	303	238	16	30.6	12	22.9
Brule	6,195	103	52	16.6	8.4	51	198	7	68.0	2	19.4
Buffalo	1,853	46	28	24.8	15.1	18	164	1	21.7	-	0
Butte	8,004	164	76	20.5	9.5	88	216	14	85.4	5	30.5
Campbell	5,033	52	21	10.3	4.2	31	248	2	38.5	1	19.2
Charles Mix	13,449	248	97	18.4	7.2	151	256	9	36.3	6	24.2
Clark	8,955	148	68	16.5	7.6	80	218	2	13.5	3	20.3
Clay	9,592	172	75	17.9	7.8	97	229	7	40.7	2	11.6
Codington	17,014	447	179	26.3	10.5	268	250	11	24.6	8	17.9
Rural part	6,397	27	27	4.2	4.2	-	100	-	0	-	0
Watertown	10,617	420	152	39.6	14.3	268	276	11	26.2	8	19.0
Corson	6,755	83	34	12.3	5.0	49	244	3	36.1	1	12.0
Custer	6,023	76	63	12.6	10.5	13	121	5	65.8	1	13.2
Davison	15,336	442	248	28.8	16.2	194	178	18	40.7	8	18.1
Rural part	4,703	17	20	3.6	4.3	-3	85	1	58.8	1	58.8
Mitchell	10,633	425	228	40.0	21.4	197	186	17	40.0	7	16.5
Day	13,565	240	113	17.7	8.3	127	212	9	37.5	8	33.3
Deuel	8,450	90	45	10.7	5.3	45	200	5	55.6	2	22.2
Dewey	5,709	116	38	20.3	6.7	78	305	5	43.1	2	17.2
Douglas	6,348	98	40	15.4	6.3	58	245	2	20.4	3	30.6
Edmunds	7,814	135	46	17.3	5.9	89	293	5	37.0	2	14.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
SOUTH DAKOTA—Continued											
Fall River	8,089	150	93	18.5	11.5	57	161	6	40.0	4	26.7
Faulk	5,168	95	33	18.4	6.4	62	288	5	52.6	-	0
Grant	10,552	179	76	17.0	7.2	103	236	8	44.7	4	22.3
Gregory	9,554	203	72	21.2	7.5	131	282	8	39.4	4	19.7
Haakon	3,515	21	24	6.0	6.8	-3	88	1	47.6	-	0
Hamlin	7,562	121	54	16.0	7.1	67	224	3	24.8	1	8.3
Hand	7,166	101	60	14.1	8.4	41	168	6	59.4	1	9.9
Hanson	5,400	70	35	13.0	6.5	35	200	3	42.9	2	28.6
Harding	3,010	39	17	13.0	5.6	22	229	1	25.6	-	0
Hughes	6,624	275	121	41.5	18.3	154	227	14	50.9	3	10.9
Hutchinson	12,668	245	63	19.3	5.0	182	389	3	12.2	5	20.4
Hyde	3,113	35	16	11.2	5.1	19	219	-	0	-	0
Jackson	1,955	45	19	23.0	9.7	26	237	4	88.9	-	0
Jerauld	4,752	45	33	9.5	6.9	12	136	2	44.4	1	22.2
Jones	2,509	57	16	22.7	6.4	41	356	2	35.1	2	35.1
Kingsbury	10,831	152	64	14.0	5.9	88	238	2	13.2	-	0
Lake	12,412	269	102	21.7	8.2	167	264	5	18.6	6	22.3
Lawrence	19,093	404	197	21.2	10.3	207	205	23	56.9	12	29.7
Lincoln	13,171	171	96	13.0	7.3	75	178	7	40.9	4	23.4
Lyman	5,045	42	23	8.3	4.6	19	183	1	23.8	-	0
McCook	9,793	154	61	15.7	6.2	93	252	4	26.0	4	26.0
McPherson	8,353	198	84	23.7	10.1	114	236	10	50.5	3	15.2
Marshall	8,880	182	79	20.5	8.9	103	230	8	44.0	4	22.0
Meade	9,735	126	55	12.9	5.6	71	229	3	23.8	4	31.7
Mellette	4,107	45	26	11.0	6.3	19	173	2	44.4	1	22.2
Miner	6,836	116	47	17.0	6.9	69	247	4	34.5	3	25.9
Minnehaha	57,697	1,102	526	19.1	9.1	576	210	36	32.7	13	11.8
Rural part	16,865	152	83	9.0	4.9	69	183	6	39.5	-	0
Sioux Falls	40,832	950	443	23.3	10.8	507	214	30	31.6	13	13.7
Moody	9,341	140	75	15.0	8.0	65	187	4	28.6	3	21.4
Pennington	23,799	570	221	24.0	9.3	349	258	18	31.6	7	12.3
Rural part	9,955	84	31	8.4	3.1	53	271	1	11.9	-	0
Rapid City	13,844	486	190	35.1	13.7	296	256	17	35.0	7	14.4
Perkins	6,585	96	56	14.6	8.5	40	171	4	41.7	3	31.3
Potter	4,614	57	25	12.4	5.4	32	228	3	52.6	-	0
Roberts	15,887	295	139	18.6	8.7	156	212	20	67.8	8	27.1
Sanborn	5,754	39	28	6.8	4.9	11	139	1	25.6	1	25.6
Shannon	5,366	171	55	31.9	10.2	116	311	18	105.3	3	17.5
Spink	12,527	162	120	12.9	9.6	42	135	6	37.0	3	18.5
Stanley	1,959	6	15	3.1	7.7	-9	40	-	0	-	0
Sully	2,668	34	10	12.7	3.7	24	340	-	0	2	58.8
Todd	5,714	148	69	25.9	12.1	79	214	12	81.1	6	40.5
Tripp	9,937	225	78	22.6	7.8	147	288	8	35.6	7	31.1
Turner	13,270	159	70	12.0	5.3	89	227	4	25.2	3	18.9
Union	11,675	111	41	9.5	3.5	70	271	1	9.0	2	18.0
Walworth	7,274	128	67	17.6	9.2	61	191	7	54.7	2	15.6
Washabaugh	1,980	17	15	8.6	7.6	2	113	2	117.6	-	0
Washington	1,789	7	13	3.9	7.3	-6	54	4	571.4	-	0
Yankton	16,725	328	280	19.8	16.7	48	117	10	30.5	4	12.2
Ziebach	2,875	70	26	24.3	9.0	44	269	5	71.4	2	28.6
TENNESSEE (total)	2,915,841	55,815	29,904	19.1	10.3	25,911	187	3,052	54.7	1,626	29.1
Anderson	26,504	427	123	16.1	4.6	304	347	29	67.9	10	23.4
White	26,007	425	122	16.3	4.7	303	348	29	68.2	10	23.5
All other	497	2	1	4.0	2.0	1	200	-	0	-	0
Bedford	23,151	383	271	16.5	11.7	112	141	23	60.1	13	33.9
White	19,583	346	216	17.7	11.0	130	160	22	63.6	9	26.0
All other	3,568	37	55	10.4	15.4	-18	67	1	27.0	4	108.1
Benton	11,976	191	118	15.9	9.9	73	162	12	62.8	3	15.7
White	11,692	190	116	16.3	9.9	74	164	11	57.9	3	15.8
All other	284	1	2	3.5	7.0	-1	50	1	1,000.0	-	0
Bledsoe	8,358	230	79	27.5	9.5	151	291	13	56.5	2	8.7
White	7,784	227	72	29.2	9.2	155	315	13	57.3	2	8.8
All other	574	3	7	5.2	12.2	-4	43	-	0	-	0
Blount	41,116	1,028	297	25.0	7.2	731	346	50	48.6	29	28.2
White	39,007	998	266	25.5	6.8	730	374	48	48.2	26	26.1
All other	2,109	32	31	15.2	14.7	1	103	2	62.5	3	93.8
Bradley	28,498	673	276	23.6	9.7	397	244	56	83.2	19	28.2
Rural part	17,147	380	124	22.2	7.2	256	306	27	71.1	8	21.1
White	16,462	368	117	22.4	7.1	251	315	26	70.7	8	21.7
All other	685	12	7	17.5	10.2	5	171	1	83.3	-	0
Cleveland	11,351	293	152	25.8	13.4	141	193	29	99.0	11	37.5
White	10,036	261	125	26.0	12.5	136	209	28	99.6	10	38.3
All other	1,315	32	27	24.3	20.5	5	119	3	93.8	1	31.3
Campbell	31,131	754	220	24.2	7.1	534	343	43	57.0	11	14.6
White	30,626	748	212	24.4	6.9	536	353	42	56.1	11	14.7
All other	505	6	8	11.9	15.8	-2	75	1	166.7	-	0
Cannon	9,880	247	105	25.0	10.6	142	235	9	36.4	8	32.4
White	9,573	244	102	25.5	10.7	142	239	9	36.9	8	32.8
All other	307	3	3	9.8	9.8	-	100	-	0	-	0
Carroll	25,978	350	223	13.5	8.6	127	157	15	42.9	7	20.0
White	21,886	316	180	14.4	8.2	136	176	12	38.0	6	19.0
All other	4,092	34	43	8.3	10.5	-9	79	3	88.2	1	29.4
Carter	35,127	831	298	23.7	8.5	533	279	61	73.4	16	19.3
White	34,624	821	288	23.7	8.3	533	285	59	71.9	15	18.3
All other	503	10	10	19.9	19.9	-	100	2	200.0	1	100.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TENNESSEE—Continued											
Cheatham	9,928	121	62	12.2	6.2	59	195	4	33.1	1	8.3
White	9,036	111	57	12.3	6.3	54	195	4	36.0	1	9.0
All other	892	10	5	11.2	5.6	5	200	-	0	-	0
Chester	11,124	120	85	10.8	7.6	35	141	9	75.0	3	25.0
White	9,332	102	72	10.9	7.7	30	142	8	78.4	3	29.4
All other	1,792	18	13	10.0	7.3	5	138	1	55.6	-	0
Claiborne	24,657	517	138	21.0	5.6	379	375	14	27.1	9	17.4
White	24,142	509	135	21.1	5.6	374	377	12	23.6	9	17.7
All other	515	8	3	15.5	5.8	5	267	2	250.0	-	0
Clay	10,904	179	42	16.4	3.9	137	426	4	22.3	6	33.5
White	10,625	178	41	16.8	3.9	137	434	4	22.5	6	33.7
All other	279	1	1	3.6	3.6	-	100	-	0	-	0
Cocke	24,083	570	216	23.7	9.0	354	264	33	57.9	21	36.8
White	23,412	558	204	23.8	8.7	354	274	33	59.1	21	37.6
All other	671	12	12	17.9	17.9	-	100	-	0	-	0
Coffee	18,959	362	186	19.1	9.8	176	195	24	66.3	5	13.8
White	17,872	351	173	19.6	9.7	178	203	22	62.7	5	14.2
All other	1,087	11	13	10.1	12.0	-2	85	2	181.8	-	0
Crockett	17,330	316	166	18.2	9.6	150	190	22	69.6	7	22.2
White	13,732	249	121	18.1	8.8	128	206	16	64.3	5	20.1
All other	3,598	67	45	18.6	12.5	22	149	6	89.6	2	29.9
Cumberland	15,592	319	96	20.5	6.2	223	332	12	37.6	9	28.2
White	15,591	319	96	20.5	6.2	223	332	12	37.6	9	28.2
All other	1	-	-	0	0	-	0	-	0	-	0
Davidson	257,267	5,000	3,587	19.4	13.9	1,413	139	282	56.4	146	29.2
Rural part	89,865	940	879	10.5	9.8	61	107	40	42.6	8	8.5
White	80,382	856	676	10.6	8.4	180	127	35	40.9	5	5.8
All other	9,483	84	203	8.9	21.4	-119	41	5	59.5	3	35.7
Nashville	167,402	4,060	2,708	24.3	16.2	1,352	150	242	59.6	138	34.0
White	120,072	3,112	1,709	25.9	14.2	1,403	182	164	52.7	90	28.9
All other	47,330	948	999	20.0	21.1	-51	95	78	82.3	48	50.6
Decatur	10,261	158	103	15.4	10.0	55	153	8	50.6	4	25.3
White	9,620	152	93	15.8	9.7	59	163	8	52.6	3	19.7
All other	641	6	10	9.4	15.6	-4	60	-	0	1	166.7
De Kalb	14,588	233	106	16.0	7.3	127	220	22	94.4	4	17.2
White	14,140	227	99	16.1	7.0	128	229	22	96.9	4	17.6
All other	448	6	7	13.4	15.6	-1	86	-	0	-	0
Dickson	19,718	356	126	18.1	6.4	230	283	12	33.7	7	19.7
White	17,932	342	111	19.1	6.2	231	308	10	29.2	6	17.5
All other	1,786	14	15	7.8	8.4	-1	93	2	142.9	1	71.4
Dyer	34,920	656	340	18.8	9.7	316	193	31	47.3	29	44.2
Rural part	24,886	468	199	18.8	8.0	269	235	20	42.7	21	44.9
White	22,578	437	164	19.4	7.3	273	266	18	41.2	20	45.8
All other	2,308	31	35	13.4	15.2	-4	89	2	64.5	1	32.3
Dyersburg	10,034	188	141	18.7	14.1	47	133	11	58.5	8	42.6
White	7,223	159	107	22.0	14.8	52	149	9	56.6	7	44.0
All other	2,811	29	34	10.3	12.1	-5	85	2	69.0	1	34.5
Fayette	30,322	612	292	20.2	9.6	320	210	47	76.8	29	47.4
White	8,343	152	55	18.2	6.6	97	276	6	39.5	3	19.7
All other	21,979	460	237	20.9	10.8	223	194	41	89.1	26	56.5
Fentress	14,262	256	35	17.9	2.5	221	731	2	7.8	3	11.7
White	14,262	256	35	17.9	2.5	221	731	2	7.8	3	11.7
All other	-	-	-	0	0	-	0	-	0	-	0
Franklin	23,892	363	170	15.2	7.1	193	214	13	35.8	7	19.3
White	21,301	345	135	16.2	6.3	210	256	11	31.9	6	17.4
All other	2,591	18	35	6.9	13.5	-17	51	2	111.1	1	55.6
Gibson	44,835	737	425	16.4	9.5	312	173	37	50.2	26	35.3
White	35,612	624	289	17.5	8.1	335	216	31	49.7	10	[illegible]
All other	9,223	113	136	12.3	14.7	-23	83	6	53.1	16	[illegible]
Giles	29,240	480	314	16.4	10.7	166	153	21	43.8	10	[illegible]
White	22,294	367	219	16.5	9.8	148	168	17	46.3	7	[illegible]
All other	6,946	113	95	16.3	13.7	18	119	4	35.4	3	[illegible]
Grainger	14,356	311	128	21.7	8.9	183	243	16	51.4	7	22.5
White	14,094	309	125	21.9	8.9	184	247	16	51.8	7	22.7
All other	262	2	3	7.6	11.5	-1	67	-	0	-	0
Greene	39,405	862	429	21.9	10.9	433	201	58	67.3	17	19.7
White	38,141	838	405	22.0	10.6	433	207	56	66.8	17	20.3
All other	1,264	24	24	19.0	19.0	-	100	2	83.3	-	0
Grundy	11,552	305	89	26.4	7.7	216	343	17	55.7	2	6.6
White	11,486	302	87	26.3	7.6	215	347	16	53.0	2	6.6
All other	66	3	2	45.5	30.3	1	150	1	333.3	-	0
Hamblen	18,611	412	212	22.1	11.4	200	194	30	72.8	10	24.3
White	16,996	380	182	22.4	10.7	198	209	27	71.1	9	23.7
All other	1,615	32	30	19.8	18.6	2	107	3	93.8	1	31.3
Hamilton	180,478	3,489	2,223	19.3	12.3	1,266	157	205	58.8	140	40.1
Rural part	52,315	573	407	11.0	7.8	166	141	26	45.4	17	29.7
White	49,103	555	328	11.3	6.7	227	169	24	43.2	16	28.8
All other	3,212	18	79	5.6	24.6	-61	23	2	111.1	1	55.6
Chattanooga	128,163	2,916	1,816	22.8	14.2	1,100	161	179	61.4	123	42.2
White	91,742	2,352	1,108	25.6	12.1	1,244	212	121	51.4	68	28.9
All other	36,421	564	708	15.5	19.4	-144	80	58	102.8	55	97.[illegible]
Hancock	11,231	216	47	19.2	4.2	169	460	8	37.0	5	23.1
White	10,997	210	46	19.1	4.2	164	457	7	33.3	5	23.8
All other	234	6	1	25.6	4.3	5	600	1	166.7	-	0
Hardeman	23,590	376	412	15.9	17.5	-36	91	14	37.2	12	31.9
White	14,774	240	221	16.2	15.0	19	109	4	16.7	5	20.8
All other	8,816	136	191	15.4	21.7	-55	71	10	73.5	7	51.5

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TENNESSEE—Continued											
Hardin	17,806	297	136	16.7	7.6	161	218	11	37.0	6	20.2
White	16,284	274	120	16.8	7.4	154	228	11	40.1	6	21.9
All other	1,522	23	16	15.1	10.5	7	144	-	0	-	0
Hawkins	28,523	445	180	15.6	6.3	265	247	17	38.2	11	24.7
White	27,522	423	170	15.4	6.2	253	249	16	37.8	11	26.0
All other	1,001	22	10	22.0	10.0	12	220	1	45.5	-	0
Haywood	27,699	501	268	18.1	9.7	233	187	39	77.8	23	45.9
White	10,133	217	85	21.4	8.4	132	255	13	59.9	6	27.6
All other	17,566	284	183	16.2	10.4	101	155	26	91.5	17	59.9
Henderson	19,220	268	155	13.9	8.1	113	173	14	52.2	9	33.6
White	17,519	250	137	14.3	7.8	113	182	13	52.0	8	32.0
All other	1,701	18	18	10.6	10.6	-	100	1	55.6	1	55.6
Henry	25,877	354	289	13.7	11.2	65	122	26	73.4	9	25.4
White	21,524	305	222	14.2	10.3	83	137	22	72.1	6	19.7
All other	4,353	49	67	11.3	15.4	-18	73	4	81.6	3	61.2
Hickman	14,873	298	111	20.0	7.5	187	268	16	53.7	10	33.6
White	13,886	284	98	20.5	7.1	186	290	16	56.3	9	31.7
All other	987	14	13	14.2	13.2	1	108	-	0	1	71.4
Houston	6,432	129	55	20.1	8.6	74	235	7	54.3	8	62.0
White	5,959	121	46	20.3	7.7	75	263	7	57.9	6	49.6
All other	473	8	9	16.9	19.0	-1	89	-	0	2	250.0
Humphreys	12,421	217	93	17.5	7.5	124	233	9	41.5	9	41.5
White	11,725	203	87	17.3	7.4	116	233	9	44.3	9	44.3
All other	696	14	6	20.1	8.6	8	233	-	0	-	0
Jackson	15,082	316	86	21.0	5.7	230	367	15	47.5	5	15.8
White	14,872	312	86	21.0	5.8	226	363	15	48.1	5	16.0
All other	210	4	-	19.0	0	4	(3)	-	0	-	0
Jefferson	18,621	422	180	22.7	9.7	242	234	20	47.4	12	28.4
White	17,533	402	162	22.9	9.2	240	248	17	42.3	9	22.4
All other	1,088	20	18	18.4	16.5	2	111	3	150.0	3	150.0
Johnson	12,998	271	98	20.8	7.5	173	277	12	44.3	8	29.5
White	12,805	266	95	20.8	7.4	171	280	11	41.4	7	26.3
All other	193	5	3	25.9	15.5	2	167	1	200.0	1	200.0
Knox	178,468	3,585	1,952	20.1	10.9	1,633	184	176	49.1	97	27.1
Rural part	66,888	897	470	13.4	7.0	427	191	24	26.8	22	24.5
White	64,785	881	437	13.6	6.7	444	202	24	27.2	22	25.0
All other	2,103	16	33	7.6	15.7	-17	48	-	0	-	0
Knoxville	111,580	2,688	1,482	24.1	13.3	1,206	181	152	56.5	75	27.9
White	95,474	2,448	1,224	25.6	12.8	1,224	200	141	57.6	68	27.8
All other	16,106	240	258	14.9	16.0	-18	93	11	45.8	7	29.2
Lake	11,235	241	83	21.5	7.4	158	290	12	49.8	8	33.2
White	8,014	211	60	26.3	7.5	151	352	12	56.9	7	33.2
All other	3,221	30	23	9.3	7.1	7	130	-	0	1	33.3
Lauderdale	24,461	485	201	19.8	8.2	284	241	30	61.9	13	26.8
White	15,344	293	100	19.1	6.5	193	293	15	51.2	3	10.2
All other	9,117	192	101	21.1	11.1	91	190	15	78.1	10	52.1
Lawrence	28,726	599	257	20.9	8.9	342	233	26	43.4	12	20.0
White	28,025	588	245	21.0	8.7	343	240	26	44.2	11	18.7
All other	701	11	12	15.7	17.1	-1	92	-	0	1	90.9
Lewis	5,849	116	47	19.8	8.0	69	247	3	25.9	1	8.6
White	5,585	113	42	20.2	7.5	71	269	3	26.5	1	8.8
All other	264	3	5	11.4	18.9	-2	60	-	0	-	0
Lincoln	27,214	539	270	19.8	9.9	269	200	23	42.7	9	16.7
White	23,066	449	215	19.5	9.3	234	209	18	40.1	8	17.8
All other	4,148	90	55	21.7	13.3	35	164	5	55.6	1	11.1
Loudon	19,838	404	144	20.4	7.3	260	281	11	27.2	11	27.2
White	19,229	393	136	20.4	7.1	257	289	11	28.0	11	28.0
All other	609	11	8	18.1	13.1	3	138	-	0	-	0
McMinn	30,781	628	262	20.4	8.5	366	240	28	44.6	13	20.7
White	28,946	612	232	21.1	8.0	380	264	28	45.8	12	19.6
All other	1,835	16	30	8.7	16.3	-14	53	-	0	1	62.5
McNairy	20,424	314	156	15.4	7.6	158	201	22	70.1	4	12.7
White	19,076	304	145	15.9	7.6	159	210	20	65.8	4	13.2
All other	1,348	10	11	7.4	8.2	-1	91	2	200.0	-	0
Macon	14,904	251	121	16.8	8.1	130	207	8	31.9	9	35.9
White	14,676	248	120	16.9	8.2	128	207	8	32.3	9	36.3
All other	228	3	1	13.2	4.4	2	300	-	0	-	0
Madison	54,115	801	622	14.8	11.5	179	129	56	69.9	34	42.4
Rural part	29,783	433	228	14.5	7.7	205	190	23	53.1	13	30.0
White	19,074	259	130	13.6	6.8	129	199	12	46.3	7	27.0
All other	10,709	174	98	16.2	9.2	76	178	11	63.2	6	34.5
Jackson	24,332	368	394	15.1	16.2	-26	93	33	89.7	21	57.1
White	15,547	290	240	18.7	15.4	50	121	16	55.2	16	55.2
All other	8,785	78	154	8.9	17.5	-76	51	17	217.9	5	64.1
Marion	19,140	442	157	23.1	8.2	285	282	27	61.1	11	24.9
White	17,724	416	135	23.5	7.6	281	308	26	62.5	8	19.2
All other	1,416	26	22	18.4	15.5	4	118	1	38.5	3	115.4
Marshall	16,030	307	189	19.2	11.8	118	162	10	32.6	9	29.3
White	13,931	264	156	19.0	11.2	108	169	6	22.7	8	30.3
All other	2,099	43	33	20.5	15.7	10	130	4	93.0	1	23.3
Maury	40,357	796	493	19.7	12.2	303	161	50	62.8	26	32.7
Rural part	29,778	549	306	18.4	10.3	243	179	30	54.6	15	27.3
White	22,583	413	214	18.3	9.5	199	193	23	55.7	10	24.2
All other	7,195	136	92	18.9	12.8	44	148	7	51.5	5	36.8
Columbia	10,579	247	187	23.3	17.7	60	132	20	81.0	11	44.5
White	7,642	193	123	25.3	16.1	70	157	16	82.9	10	51.8
All other	2,937	54	64	18.4	21.8	-10	84	4	74.1	1	18.5

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TENNESSEE—Continued											
Meigs	6,393	162	31	25.3	4.8	131	523	5	30.9	3	18.5
White	6,043	151	29	25.0	4.8	122	521	5	33.1	3	19.9
All other	350	11	2	31.4	5.7	9	550	-	0	-	0
Monroe	24,275	617	213	25.4	8.8	404	290	25	40.5	22	35.7
White	23,374	598	201	25.6	8.6	397	298	24	40.1	20	33.4
All other	901	19	12	21.1	13.3	7	158	1	52.6	2	105.3
Montgomery	33,346	548	389	16.4	11.7	159	141	40	73.0	25	45.6
Rural part	21,515	326	220	15.2	10.2	106	148	26	79.8	14	42.9
White	15,721	222	134	14.1	8.5	88	166	13	58.6	12	54.1
All other	5,794	104	86	17.9	14.8	18	121	13	125.0	2	19.2
Clarksville	11,831	222	169	18.8	14.3	53	131	14	63.1	11	49.5
White	7,786	176	102	22.6	13.1	74	173	12	68.2	8	45.5
All other	4,045	46	67	11.4	16.6	-21	69	2	43.5	3	65.2
Moore	4,093	57	39	13.9	9.5	18	146	4	70.2	-	0
White	3,842	50	37	13.0	9.6	13	135	4	80.0	-	0
All other	251	7	2	27.9	8.0	5	350	-	0	-	0
Morgan	15,242	293	86	19.2	5.6	207	341	10	34.1	5	17.1
White	14,828	293	84	19.8	5.7	209	349	10	34.1	5	17.1
All other	414	-	2	0	4.8	-2	0	-	0	-	0
Obion	30,978	489	318	15.8	10.3	171	154	25	51.1	6	12.3
White	26,874	447	277	16.6	10.3	170	161	21	47.0	4	8.9
All other	4,104	42	41	10.2	10.0	1	102	4	95.2	2	47.6
Overton	18,883	426	127	22.6	6.7	299	335	20	46.9	15	35.2
White	18,767	425	126	22.6	6.7	299	337	20	47.1	15	35.3
All other	116	1	1	8.6	8.6	-	100	-	0	-	0
Perry	7,535	158	56	21.0	7.4	102	282	1	6.3	1	6.3
White	7,298	153	54	21.0	7.4	99	283	1	6.5	1	6.5
All other	237	5	2	21.1	8.4	3	250	-	0	-	0
Pickett	6,213	128	30	20.6	4.8	98	427	5	39.1	1	7.8
White	6,206	128	30	20.6	4.8	98	427	5	39.1	1	7.8
All other	7	-	-	0	0	-	0	-	0	-	0
Polk	15,473	240	90	15.5	5.8	150	267	23	95.8	10	41.7
White	15,390	239	90	15.5	5.8	149	266	23	96.2	10	41.8
All other	83	1	-	12.0	0	1	(3)	-	0	-	0
Putnam	26,250	490	201	18.7	7.7	289	244	20	40.8	17	34.7
White	25,687	485	194	18.9	7.6	291	250	20	41.2	16	33.0
All other	563	5	7	8.9	12.4	-2	71	-	0	1	200.0
Rhea	16,353	409	135	25.0	8.3	274	303	23	56.2	7	17.1
White	15,490	386	125	24.9	8.1	261	309	22	57.0	6	15.5
All other	863	23	10	26.7	11.6	13	230	1	43.5	1	43.5
Roane	27,795	691	238	24.9	8.6	453	290	42	60.8	17	24.6
White	26,387	669	218	25.4	8.3	451	307	41	61.3	17	25.4
All other	1,408	22	20	15.6	14.2	2	110	1	45.5	-	0
Robertson	29,046	462	262	15.9	9.0	200	176	24	51.9	14	30.3
White	23,312	373	192	16.0	8.2	181	194	21	56.3	11	29.5
All other	5,734	89	70	15.5	12.2	19	127	3	33.7	3	33.7
Rutherford	33,604	616	374	18.3	11.1	242	165	27	43.8	21	34.1
White	26,824	475	303	17.7	11.3	172	157	22	46.3	13	27.4
All other	6,780	141	71	20.8	10.5	70	199	5	35.5	8	56.7
Scott	15,966	257	57	16.1	3.6	200	451	9	35.0	6	23.3
White	15,965	257	57	16.1	3.6	200	451	9	35.0	6	23.3
All other	1	-	-	0	0	-	0	-	0	-	0
Sequatchie	5,038	130	33	25.8	6.6	97	394	-	0	4	30.8
White	5,030	130	33	25.8	6.6	97	394	-	0	4	30.8
All other	8	-	-	0	0	-	0	-	0	-	0
Sevier	23,291	475	166	20.4	7.1	309	286	32	67.4	10	21.1
White	23,073	471	165	20.4	7.2	306	285	31	65.8	10	21.2
All other	218	4	1	18.3	4.6	3	400	1	250.0	-	0
Shelby	358,250	6,886	4,990	19.2	13.9	1,896	138	420	61.0	262	38.0
Rural part	65,308	648	641	9.9	9.8	7	101	31	47.8	34	52.5
White	31,549	113	244	3.6	7.7	-131	46	4	35.4	3	26.5
All other	33,759	535	397	15.8	11.8	138	135	27	50.5	31	57.9
Memphis	292,942	6,238	4,349	21.3	14.8	1,889	143	389	62.4	228	36.6
White	171,406	3,839	2,331	22.4	13.6	1,508	165	227	59.1	115	30.0
All other	121,536	2,399	2,018	19.7	16.6	381	119	162	67.5	113	47.1
Smith	16,148	273	133	16.9	8.2	140	205	13	47.6	4	14.7
White	15,118	257	126	17.0	8.3	131	204	13	50.6	3	11.7
All other	1,030	16	7	15.5	6.8	9	229	-	0	1	62.5
Stewart	13,549	248	123	18.3	9.1	125	202	12	48.4	11	44.4
White	13,053	243	116	18.6	8.9	127	209	12	49.4	10	41.2
All other	496	5	7	10.1	14.1	-2	71	-	0	1	200.0
Sullivan	69,085	1,520	482	22.0	7.0	1,038	315	81	53.3	47	30.9
Rural part	40,677	661	195	16.2	4.8	466	339	24	36.3	11	16.6
White	40,398	655	192	16.2	4.8	463	341	24	36.6	11	16.8
All other	279	6	3	21.5	10.8	3	200	-	0	-	0
Bristol[6]	14,004	203	106	14.5	7.6	97	192	9	44.3	11	54.2
White	13,016	183	94	14.1	7.2	89	195	7	38.3	9	49.2
All other	988	20	12	20.2	12.1	8	167	2	100.0	2	100.0
Kingsport	14,404	656	181	45.5	12.6	475	362	48	73.2	25	38.1
White	13,475	645	167	47.9	12.4	478	386	44	68.2	24	37.2
All other	929	11	14	11.8	15.1	-3	79	4	363.6	1	90.9
Sumner	32,719	542	283	16.6	8.6	259	192	16	29.5	12	22.1
White	28,315	465	215	16.4	7.6	250	216	13	28.0	8	17.2
All other	4,404	77	68	17.5	15.4	9	113	3	39.0	4	51.9
Tipton	28,036	437	211	15.6	7.5	226	207	23	52.6	10	22.9
White	17,049	268	105	15.7	6.2	163	255	16	59.7	6	22.4
All other	10,987	169	106	15.4	9.6	63	159	7	41.4	4	23.7
Trousdale	6,113	91	53	14.9	8.7	38	172	4	44.0	3	33.0
White	4,980	73	41	14.7	8.2	32	178	4	54.8	-	0
All other	1,133	18	12	15.9	10.6	6	150	-	0	3	166.7

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TENNESSEE—Continued											
Unicoi	14,128	342	109	24.2	7.7	233	314	21	61.4	14	40.9
White	14,117	342	109	24.2	7.7	233	314	21	61.4	14	40.9
All other	11	-	-	0	0	-	0	-	0	-	0
Union	9,030	99	58	11.0	6.4	41	171	10	101.0	-	0
White	9,028	99	57	11.0	6.3	42	174	10	101.0	-	0
All other	2	-	1	0	500.0	-1	0	-	0	-	0
Van Buren	4,090	64	35	15.6	8.6	29	183	9	140.6	-	0
White	4,009	64	35	16.0	8.7	29	183	9	140.6	-	0
All other	81	-	-	0	0	-	0	-	0	-	0
Warren	19,764	345	205	17.5	10.4	140	168	23	66.7	5	14.5
White	18,441	332	186	18.0	10.1	146	178	23	69.3	4	12.0
All other	1,323	13	19	9.8	14.4	-6	68	-	0	1	76.9
Washington	51,631	1,013	574	19.6	11.1	439	176	56	55.3	36	35.5
Rural part	26,299	429	233	16.3	8.9	196	184	21	49.0	15	35.0
White	25,923	424	222	16.4	8.6	202	191	21	49.5	15	35.4
All other	376	5	11	13.3	29.3	-6	45	-	0	-	0
Johnson City	25,332	584	341	23.1	13.5	243	171	35	59.9	21	36.0
White	22,605	555	272	24.6	12.0	283	204	30	54.1	17	30.6
All other	2,727	29	69	10.6	25.3	-40	42	5	172.4	4	137.9
Wayne	13,638	257	113	18.8	8.3	144	227	13	50.6	2	7.8
White	13,244	255	110	19.3	8.3	145	232	13	51.0	2	7.8
All other	394	2	3	5.1	7.6	-1	67	-	0	-	0
Weakley	29,498	385	339	13.1	11.5	46	114	23	59.7	14	36.4
White	27,062	362	309	13.4	11.4	53	117	20	55.2	13	35.9
All other	2,436	23	30	9.4	12.3	-7	77	3	130.4	1	43.5
White	15,983	314	166	19.6	10.4	148	189	28	89.2	6	19.1
White	15,326	309	155	20.2	10.1	154	199	26	84.1	5	16.2
All other	657	5	11	7.6	16.7	-6	45	2	400.0	1	200.0
Williamson	25,220	470	256	18.6	10.2	214	184	16	34.0	5	10.6
White	19,594	360	181	18.4	9.2	179	199	12	33.3	4	11.1
All other	5,626	110	75	19.6	13.3	35	147	4	36.4	1	9.1
Wilson	25,267	415	285	16.4	11.3	130	146	25	60.2	7	16.9
White	20,704	353	229	17.0	11.1	124	154	21	59.5	4	11.3
All other	4,563	62	56	13.6	12.3	6	111	4	64.5	3	48.4
TEXAS (total)	6,414,824	126,687	62,503	19.7	9.7	64,184	203	8,685	68.6	3,986	31.5
Anderson	37,092	584	405	15.7	10.9	179	144	43	73.6	21	36.0
Rural part	24,948	352	207	14.1	8.3	145	170	19	54.0	12	34.1
White	16,651	240	115	14.4	6.9	125	209	14	58.3	6	25.0
All other	8,297	112	92	13.5	11.1	20	122	5	44.6	6	53.6
Palestine	12,144	232	198	19.1	16.3	34	117	24	103.4	9	38.8
White	8,644	203	122	23.5	14.1	81	166	15	73.9	6	29.6
All other	3,500	29	76	8.3	21.7	-47	38	9	310.3	3	103.4
Andrews	1,277	6	6	4.7	4.7	-	100	1	166.7	-	0
White	1,270	6	6	4.7	4.7	-	100	1	166.7	-	0
All other	7	-	-	0	0	-	0	-	0	-	0
Angelina	32,201	650	300	20.2	9.3	350	217	36	55.4	19	29.2
White	27,341	589	237	21.5	8.7	352	249	31	52.6	14	23.8
All other	4,860	61	63	12.6	13.0	-2	97	5	82.0	5	82.0
Aransas	3,469	61	15	17.6	4.3	46	407	1	16.4	4	65.6
White	3,402	60	14	17.6	4.1	46	429	1	16.7	4	66.7
All other	67	1	1	14.9	14.9	-	100	-	0	-	0
Archer	7,599	69	34	9.1	4.5	35	203	1	14.5	2	29.0
White	7,583	69	34	9.1	4.5	35	203	1	14.5	2	29.0
All other	16	-	-	0	0	-	0	-	0	-	0
Armstrong	2,495	41	11	16.4	4.4	30	373	1	24.4	4	97.6
White	2,489	41	11	16.5	4.4	30	373	1	24.4	4	97.6
All other	6	-	-	0	0	-	0	-	0	-	0
Atascosa	19,275	492	193	25.5	10.0	299	255	45	91.5	6	12.2
White	19,077	488	191	25.6	10.0	297	255	43	88.1	6	12.3
All other	198	4	2	20.2	10.1	2	200	2	500.0	-	0
Austin	17,384	298	191	17.1	11.0	107	156	17	57.0	10	33.6
White	12,986	214	122	16.5	9.4	92	175	7	32.7	5	23.4
All other	4,398	84	69	19.1	15.7	15	122	10	119.0	5	59.5
Bailey	6,318	108	26	17.1	4.1	82	415	3	27.8	-	0
White	6,169	107	22	17.3	3.6	85	486	2	18.7	-	0
All other	149	1	4	6.7	26.8	-3	25	1	1,000.0	-	0
Bandera	4,234	52	39	12.3	9.2	13	133	2	38.5	5	96.2
White	4,231	52	39	12.3	9.2	13	133	2	38.5	5	96.2
All other	3	-	-	0	0	-	0	-	0	-	0
Bastrop	21,610	422	233	19.5	10.8	189	181	25	59.2	26	61.6
White	14,509	259	153	17.9	10.5	106	169	13	50.2	14	54.1
All other	7,101	163	80	23.0	11.3	83	204	12	73.6	12	73.6
Baylor	7,755	164	62	21.1	8.0	102	265	9	54.9	3	18.3
White	7,617	162	58	21.3	7.6	104	279	9	55.6	3	18.5
All other	138	2	4	14.5	29.0	-2	50	-	0	-	0
Bee	16,481	405	188	24.6	11.4	217	215	46	113.6	7	17.3
White	15,962	389	183	24.4	11.5	206	213	46	118.3	7	18.0
All other	519	16	5	30.8	9.6	11	320	-	0	-	0
Bell	44,863	844	539	18.8	12.0	305	157	42	49.8	30	35.5
Rural part	29,519	499	254	16.9	8.6	245	196	21	42.1	14	28.1
White	27,077	456	219	16.8	8.1	237	208	20	43.9	13	28.5
All other	2,442	43	35	17.6	14.3	8	123	1	23.3	1	23.3
Temple	15,344	345	285	22.5	18.6	60	121	21	60.9	16	46.4
White	12,556	297	235	23.7	18.7	62	126	18	60.6	14	47.1
All other	2,788	48	50	17.2	17.9	-2	96	3	62.5	2	41.7

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Bexar	338,176	7,491	4,542	22.2	13.4	2,949	165	775	103.5	261	34.8
Rural part	84,322	706	732	8.4	8.7	-26	96	79	111.9	15	21.2
White	82,298	694	712	8.4	8.7	-18	97	78	112.4	15	21.6
All other	2,024	12	20	5.9	9.9	-8	60	1	83.3	-	0
San Antonio	253,854	6,785	3,810	26.7	15.0	2,975	178	696	102.6	246	36.3
White	234,022	6,444	3,493	27.5	14.9	2,951	184	664	103.0	224	34.8
All other	19,832	341	317	17.2	16.0	24	108	32	93.8	22	64.5
Blanco	4,264	73	31	17.1	7.3	42	235	1	13.7	4	54.8
White	4,107	72	31	17.5	7.5	41	232	1	13.9	4	55.6
All other	157	1	-	6.4	0	1	(3)	-	0	-	0
Borden	1,396	6	3	4.3	2.1	3	200	-	0	-	0
White	1,373	6	3	4.4	2.2	3	200	-	0	-	0
All other	23	-	-	0	0	-	0	-	0	-	0
Bosque	15,761	289	126	18.3	8.0	163	229	12	41.5	9	31.1
White	15,255	280	117	18.4	7.7	163	239	11	39.3	7	25.0
All other	506	9	9	17.8	17.8	-	100	1	111.1	2	222.2
Bowie	50,208	896	447	17.8	8.9	449	200	40	44.6	45	50.2
Rural part	33,189	601	231	18.1	7.0	370	260	22	36.6	21	34.9
White	23,077	406	130	17.6	5.6	276	312	14	34.5	7	17.2
All other	10,112	195	101	19.3	10.0	94	193	8	41.0	14	71.8
Texarkana[9]	17,019	295	216	17.3	12.7	79	137	18	61.0	24	81.4
White	11,892	222	126	18.7	10.6	96	176	8	36.0	9	40.5
All other	5,127	73	90	14.2	17.6	-17	81	10	137.0	15	205.5
Brazoria	27,069	467	219	17.3	8.1	248	213	15	32.1	8	17.1
White	19,934	381	147	19.1	7.4	234	259	11	28.9	6	15.7
All other	7,135	86	72	12.1	10.1	14	119	4	46.5	2	23.3
Brazos	26,977	581	286	21.5	10.6	295	203	41	70.6	26	44.8
Rural part	15,135	189	96	12.5	6.3	93	197	15	79.4	9	47.6
White	8,867	44	47	5.0	5.3	-3	94	5	113.6	-	0
All other	6,268	145	49	23.1	7.8	96	296	10	69.0	9	62.1
Bryan	11,842	392	190	33.1	16.0	202	206	26	66.3	17	43.4
White	8,079	323	119	40.0	14.7	204	271	18	55.7	9	27.9
All other	3,763	69	71	18.3	18.9	-2	97	8	115.9	8	115.9
Brewster	6,478	176	71	27.2	11.0	105	248	21	119.3	6	34.1
White	6,407	174	70	27.2	10.9	104	249	20	114.9	6	34.5
All other	71	2	1	28.2	14.1	1	200	1	500.0	-	0
Briscoe	4,056	59	20	14.5	4.9	39	295	6	101.7	1	16.9
White	3,962	56	20	14.1	5.0	36	280	6	107.1	1	17.9
All other	94	3	-	31.9	0	3	(3)	-	0	-	0
Brooks	6,362	200	72	31.4	11.3	128	278	28	140.0	4	20.0
White	6,322	200	72	31.6	11.4	128	278	28	140.0	4	20.0
All other	40	-	-	0	0	-	0	-	0	-	0
Brown	25,924	532	282	20.5	10.9	250	189	30	56.4	14	26.3
Rural part	12,526	119	87	9.5	6.9	32	137	5	42.0	1	8.4
White	12,518	119	86	9.5	6.9	33	138	5	42.0	1	8.4
All other	8	-	1	0	125.0	-1	0	-	0	-	0
Brownwood	13,398	413	195	30.8	14.6	218	212	25	60.5	13	31.5
White	12,835	406	186	31.6	14.5	220	218	23	56.7	13	32.0
All other	563	7	9	12.4	16.0	-2	78	2	285.7	-	0
Burleson	18,334	317	159	17.3	8.7	158	199	15	47.3	12	37.9
White	11,567	180	78	15.6	6.7	102	231	9	50.0	6	33.3
All other	6,767	137	81	20.2	12.0	56	169	6	43.8	6	43.8
Burnet	10,771	195	88	18.1	8.2	107	222	9	46.2	6	30.8
White	10,588	194	87	18.3	8.2	107	223	9	46.4	6	30.9
All other	183	1	1	5.5	5.5	-	100	-	0	-	0
Caldwell	24,893	577	334	23.2	13.4	243	173	63	109.2	17	29.5
White	21,002	524	288	25.0	13.7	236	182	62	118.3	12	22.9
All other	3,891	53	46	13.6	11.8	7	115	1	18.9	5	94.3
Calhoun	5,911	151	59	25.5	10.0	92	256	9	59.6	4	26.5
White	5,336	131	54	24.6	10.1	77	243	9	68.7	4	30.5
All other	575	20	5	34.8	8.7	15	400	-	0	-	0
Callahan	11,568	165	86	14.3	7.4	79	192	7	42.4	5	30.3
White	11,548	164	86	14.2	7.4	78	191	7	42.7	5	30.5
All other	20	1	-	50.0	0	1	(3)	-	0	-	0
Cameron	83,202	2,517	1,115	30.3	13.4	1,402	226	399	158.5	98	38.9
Rural part	47,813	1,460	650	30.5	13.6	810	225	240	164.4	58	39.7
White	47,503	1,457	644	30.7	13.6	813	226	240	164.7	58	39.8
All other	310	3	6	9.7	19.4	-3	50	-	0	-	0
Brownsville	22,083	746	348	33.8	15.8	398	214	116	155.5	28	37.5
White	21,983	745	348	33.9	15.8	397	214	116	155.7	28	37.6
All other	100	1	-	10.0	0	1	(3)	-	0	-	0
Harlingen	13,306	311	117	23.4	8.8	194	266	43	138.3	12	38.6
White	12,813	309	113	24.1	8.8	196	273	42	135.9	12	38.8
All other	493	2	4	4.1	8.1	-2	50	1	500.0	-	0
Camp	10,285	171	94	16.6	9.1	77	182	4	23.4	7	40.9
White	6,066	117	59	19.3	9.7	58	198	4	34.2	4	34.2
All other	4,219	54	35	12.8	8.3	19	154	-	0	3	55.6
Carson	6,624	47	27	7.1	4.1	20	174	3	63.8	-	0
White	6,611	47	27	7.1	4.1	20	174	3	63.8	-	0
All other	13	-	-	0	0	-	0	-	0	-	0
Cass	33,496	686	283	20.5	8.4	403	242	24	35.0	23	33.5
White	22,231	455	177	20.5	8.0	278	257	13	28.6	10	22.0
All other	11,265	231	106	20.5	9.4	125	218	11	47.6	13	56.3
Castro	4,631	69	17	14.9	3.7	52	406	1	14.5	2	29.0
White	4,628	69	17	14.9	3.7	52	406	1	14.5	2	29.0
All other	3	-	-	0	0	-	0	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Chambers	7,511	106	51	14.1	6.8	55	208	3	28.3	5	47.2
White	5,770	68	32	11.8	5.5	36	213	2	29.4	2	29.4
All other	1,741	38	19	21.8	10.9	19	200	1	26.3	3	78.9
Cherokee	43,970	778	579	17.7	13.2	199	134	35	45.0	31	39.8
White	31,403	667	374	21.2	11.9	293	178	28	42.0	22	33.0
All other	12,567	111	205	8.8	16.3	-94	54	7	63.1	9	81.1
Childress	12,149	236	93	19.4	7.7	143	254	10	42.4	10	42.4
White	11,713	233	90	19.9	7.7	143	259	8	34.3	8	34.3
All other	436	3	3	6.9	6.9	-	100	2	666.7	2	666.7
Clay	12,524	150	64	12.0	5.1	86	234	6	40.0	2	13.3
White	12,387	148	62	11.9	5.0	86	239	6	40.5	2	13.5
All other	137	2	2	14.6	14.6	-	100	-	0	-	0
Cochran	3,735	77	12	20.6	3.2	65	642	3	39.0	-	0
White	3,662	75	10	20.5	2.7	65	750	3	40.0	-	0
All other	73	2	2	27.4	27.4	-	100	-	0	-	0
Coke	4,590	48	30	10.5	6.5	18	160	5	104.2	1	20.8
White	4,552	47	30	10.3	6.6	17	157	5	106.4	1	21.3
All other	38	1	-	26.3	0	1	(3)	-	0	-	0
Coleman	20,571	385	155	18.7	7.5	230	248	19	49.4	3	7.8
White	20,161	375	150	18.6	7.4	225	250	18	48.0	3	8.0
All other	410	10	5	24.4	12.2	5	200	1	100.0	-	0
Collin	47,190	798	404	16.9	8.6	394	198	35	43.9	24	30.1
White	43,214	745	347	17.2	8.0	398	215	28	37.6	16	21.5
All other	3,976	53	57	13.3	14.3	-4	93	7	132.1	8	150.9
Collingsworth	10,331	203	72	19.6	7.0	131	282	8	39.4	3	14.8
White	9,945	193	68	19.4	6.8	125	284	8	41.5	2	10.4
All other	386	10	4	25.9	10.4	6	250	-	0	1	100.0
Colorado	17,812	255	192	14.3	10.8	63	133	27	105.9	12	47.1
White	12,352	157	119	12.7	9.6	38	132	14	89.2	7	44.6
All other	5,460	98	73	17.9	13.4	25	134	13	132.7	5	51.0
Comal	12,321	256	168	20.8	13.6	88	152	35	136.7	9	35.2
White	12,026	251	165	20.9	13.7	86	152	35	139.4	8	31.9
All other	295	5	3	16.9	10.2	2	167	-	0	1	200.0
Comanche	19,245	162	154	8.4	8.0	8	105	10	61.7	5	30.9
White	19,244	162	154	8.4	8.0	8	105	10	61.7	5	30.9
All other	1	-	-	0	0	-	0	-	0	-	0
Concho	6,192	73	42	11.8	6.8	31	174	7	95.9	2	27.4
White	6,165	73	42	11.8	6.8	31	174	7	95.9	2	27.4
All other	27	-	-	0	0	-	0	-	0	-	0
Cooke	24,909	473	231	19.0	9.3	242	205	25	52.9	12	25.4
White	23,909	465	216	19.4	9.0	249	215	22	47.3	11	23.7
All other	1,000	8	15	8.0	15.0	-7	53	3	375.0	1	125.0
Coryell	20,226	320	152	15.8	7.5	168	211	11	34.4	8	25.0
White	19,570	313	145	16.0	7.4	168	216	11	35.1	8	25.6
All other	656	7	7	10.7	10.7	-	100	-	0	-	0
Cottle	7,079	169	51	23.9	7.2	118	331	8	47.3	3	17.8
White	6,682	163	46	24.4	6.9	117	354	7	42.9	1	6.1
All other	397	6	5	15.1	12.6	1	120	1	166.7	2	333.3
Crane	2,841	25	8	8.8	2.8	17	313	2	80.0	2	80.0
White	2,809	25	8	8.9	2.8	17	313	2	80.0	2	80.0
All other	32	-	-	0	0	-	0	-	0	-	0
Crockett	2,809	54	29	19.2	10.3	25	186	8	148.1	-	0
White	2,694	53	28	19.7	10.4	25	189	7	132.1	-	0
All other	115	1	1	8.7	8.7	-	100	1	1,000.0	-	0
Crosby	10,046	168	49	16.7	4.9	119	343	5	29.8	5	29.8
White	9,296	159	46	17.1	4.9	113	346	4	25.2	5	31.4
All other	750	9	3	12.0	4.0	6	300	1	111.1	-	0
Culberson	1,653	23	13	13.9	7.9	10	177	-	0	1	43.5
White	1,642	23	13	14.0	7.9	10	177	-	0	1	43.5
All other	11	-	-	0	0	-	0	-	0	-	0
Dallam	6,494	59	42	9.1	6.5	17	140	5	84.7	1	16.9
White	6,494	59	42	9.1	6.5	17	140	5	84.7	1	16.9
All other	-	-	-	0	0	-	0	-	0	-	0
Dallas	398,564	7,259	4,095	18.2	10.3	3,164	177	411	56.6	226	31.1
Rural part	79,084	348	540	4.4	6.8	-192	64	20	57.5	9	25.9
White	69,887	283	421	4.0	6.0	-138	67	14	49.5	5	17.7
All other	9,197	65	119	7.1	12.9	-54	55	6	92.3	4	61.5
Dallas	294,734	6,909	3,485	23.4	11.8	3,424	198	391	56.6	217	31.4
White	244,246	5,750	2,635	23.5	10.8	3,115	218	265	46.1	128	22.3
All other	50,488	1,159	850	23.0	16.8	309	136	126	108.7	89	76.8
Highland Park	10,288	2	38	0.2	3.7	-36	5	-	0	-	0
White	8,970	-	35	0	3.9	-35	0	-	0	-	0
All other	1,318	2	3	1.5	2.3	-1	66	-	0	-	0
University Park	14,458	-	32	0	2.2	-32	0	-	0	-	0
White	13,748	-	28	0	2.0	-28	0	-	0	-	0
All other	710	-	4	0	5.6	-4	0	-	0	-	0
Dawson	15,367	473	99	30.8	6.4	374	478	26	55.0	7	14.8
White	14,868	453	94	30.5	6.3	359	482	23	50.8	7	15.5
All other	499	20	5	40.1	10.0	15	400	3	150.0	-	0
Deaf Smith	6,056	124	54	20.5	8.9	70	230	8	64.5	7	56.5
White	6,055	124	54	20.5	8.9	70	230	8	64.5	7	56.5
All other	1	-	-	0	0	-	0	-	0	-	0
Delta	12,858	264	90	20.5	7.0	174	293	12	45.5	12	45.5
White	11,765	242	81	20.6	6.9	161	299	11	45.5	11	45.5
All other	1,093	22	9	20.1	8.2	13	244	1	45.5	1	45.5

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Denton	33,658	669	342	19.9	10.2	327	196	41	61.3	15	22.4
Rural part	22,466	403	184	17.9	8.2	219	219	24	59.6	9	22.3
White	21,422	381	167	17.8	7.8	214	228	16	42.0	8	21.0
All other	1,044	22	17	21.1	16.3	5	129	8	363.6	1	45.5
Denton	11,192	266	158	23.8	14.1	108	168	17	63.9	6	22.6
White	10,041	249	143	24.8	14.2	106	174	14	56.2	5	20.1
All other	1,151	17	15	14.8	13.0	2	113	3	176.5	1	58.8
De Witt	24,935	490	284	19.7	11.4	206	173	48	98.0	19	38.8
White	21,122	436	227	20.6	10.7	209	192	46	105.5	15	34.4
All other	3,813	54	57	14.2	14.9	-3	95	2	37.0	4	74.1
Dickens	7,847	184	64	23.4	8.2	120	288	6	32.6	5	27.2
White	7,476	180	62	24.1	8.3	118	290	6	33.3	5	27.8
All other	371	4	2	10.8	5.4	2	200	-	0	-	0
Dimmit	8,542	241	132	28.2	15.5	109	183	42	174.3	14	58.1
White	8,517	241	132	28.3	15.5	109	183	42	174.3	14	58.1
All other	25	-	-	0	0	-	0	-	0	-	0
Donley	7,487	117	52	15.6	6.9	65	225	6	51.3	1	8.5
White	7,251	110	50	15.2	6.9	60	220	5	45.5	1	9.1
All other	236	7	2	29.7	8.5	5	350	1	142.9	-	0
Duval	20,565	509	174	24.8	8.5	335	293	48	94.3	19	37.3
White	20,442	508	172	24.9	8.4	336	295	48	94.5	19	37.4
All other	123	1	2	8.1	16.3	-1	50	-	0	-	0
Eastland	30,345	857	308	28.2	10.1	549	278	43	50.2	28	32.7
White	29,822	846	298	28.4	10.0	548	284	42	49.6	27	31.9
All other	523	11	10	21.0	19.1	1	110	1	90.9	1	90.9
Ector	15,051	342	81	22.7	5.4	261	422	17	49.7	13	38.0
White	14,529	333	73	22.9	5.0	260	456	16	48.0	12	36.0
All other	522	9	8	17.2	15.3	1	113	1	111.1	1	111.1
Edwards	2,933	57	33	19.4	11.3	24	173	11	193.0	1	17.5
White	2,922	57	33	19.5	11.3	24	173	11	193.0	1	17.5
All other	11	-	-	0	0	-	0	-	0	-	0
Ellis	47,733	743	470	15.6	9.8	273	158	43	57.9	35	47.1
White	37,038	615	348	16.6	9.4	267	177	33	53.7	19	30.9
All other	10,695	128	122	12.0	11.4	6	105	10	78.1	16	125.0
El Paso	131,067	3,601	1,607	27.5	12.3	1,994	224	303	84.1	79	21.9
Rural part	34,257	816	320	23.8	9.3	496	255	65	79.7	13	15.9
White	33,751	814	306	24.1	9.1	508	266	65	79.9	13	16.0
All other	506	2	14	4.0	27.7	-12	14	-	0	-	0
El Paso	96,810	2,785	1,287	28.8	13.3	1,498	216	238	85.5	66	23.7
White	94,323	2,734	1,252	29.0	13.3	1,482	218	236	86.3	64	23.4
All other	2,487	51	35	20.5	14.1	16	146	2	39.2	2	39.2
Erath	20,760	353	177	17.0	8.5	176	199	17	48.2	15	42.5
White	20,524	350	176	17.1	8.6	174	199	17	48.6	15	42.9
All other	236	3	1	12.7	4.2	2	300	-	0	-	0
Falls	35,984	630	377	17.5	10.5	253	167	38	60.3	33	52.4
White	23,937	461	219	19.3	9.1	242	211	20	43.4	21	45.6
All other	12,047	169	158	14.0	13.1	11	107	18	106.5	12	71.0
Fannin	41,064	645	350	15.7	8.5	295	184	31	48.1	30	46.5
White	36,731	603	300	16.4	8.2	303	201	29	48.1	28	46.4
All other	4,333	42	50	9.7	11.5	-8	84	2	47.6	2	47.6
Fayette	29,246	489	273	16.7	9.3	216	179	29	59.3	16	32.7
White	22,923	352	187	15.4	8.2	165	188	16	45.5	9	25.6
All other	6,323	137	86	21.7	13.6	51	159	13	94.9	7	51.1
Fisher	12,932	213	75	16.5	5.8	138	284	6	28.2	1	4.7
White	12,397	206	67	16.6	5.4	139	307	4	19.4	1	4.9
All other	535	7	8	13.1	15.0	-1	88	2	285.7	-	0
Floyd	10,659	186	67	17.5	6.3	119	278	5	26.9	7	37.6
White	10,397	184	66	17.7	6.3	118	279	4	21.7	4	21.7
All other	262	2	1	7.6	3.8	1	200	1	500.0	3	(3)
Foard	5,237	100	33	19.1	6.3	67	303	8	80.0	5	50.0
White	5,009	89	32	17.8	6.4	57	278	8	89.9	4	44.9
All other	228	11	1	48.2	4.4	10	1,100	-	0	1	90.9
Fort Bend	32,963	600	293	18.2	8.9	307	205	62	103.3	23	38.3
White	23,845	456	184	19.1	7.7	272	248	47	103.1	16	35.1
All other	9,118	144	109	15.8	12.0	35	132	15	104.2	7	48.6
Franklin	8,378	142	82	16.9	9.8	60	173	12	84.5	3	21.1
White	7,853	135	77	17.2	9.8	58	175	12	88.9	2	14.8
All other	525	7	5	13.3	9.5	2	140	-	0	1	142.9
Freestone	21,138	390	164	18.5	7.8	226	238	11	28.2	12	30.8
White	12,524	219	78	17.5	6.2	141	281	1	4.6	4	18.3
All other	8,614	171	86	19.9	10.0	85	199	10	58.5	8	46.8
Frio	9,207	259	151	28.1	16.4	108	172	47	181.5	7	27.0
White	9,097	254	150	27.9	16.5	104	169	47	185.0	7	27.6
All other	110	5	1	45.5	9.1	4	500	-	0	-	0
Gaines	8,136	179	37	22.0	4.5	142	484	6	33.5	5	27.9
White	8,003	178	34	22.2	4.2	144	524	6	33.7	5	28.1
All other	133	1	3	7.5	22.6	-2	33	-	0	-	0
Galveston	81,173	1,521	982	18.7	12.1	539	155	67	44.0	33	21.7
Rural part	20,311	167	82	8.2	4.0	85	204	5	29.9	5	29.9
White	18,025	154	66	8.5	3.7	88	233	3	19.5	3	19.5
All other	2,286	13	16	5.7	7.0	-3	81	2	153.8	2	153.8
Galveston	60,862	1,354	900	22.2	14.8	454	150	62	45.8	28	20.7
White	45,353	1,071	651	23.6	14.4	420	165	45	42.0	16	14.9
All other	15,509	283	249	18.2	16.1	34	114	17	60.1	12	42.4
Garza	5,678	104	39	18.3	6.9	65	287	6	57.7	1	9.6
White	5,527	102	39	18.5	7.1	63	262	6	58.8	1	9.8
All other	151	2	-	13.2	0	2	(3)	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Gillespie	10,670	202	89	18.9	8.3	113	227	12	59.4	11	54.5
White	10,624	202	88	19.0	8.3	114	230	12	59.4	11	54.5
All other	46	-	1	0	21.7	-1	0	-	0	-	0
Glasscock	1,193	2	2	1.7	1.7	-	100	-	0	-	0
White	1,172	2	2	1.7	1.7	-	100	-	0	-	0
All other	21	-	-	0	0	-	0	-	0	-	0
Goliad	8,798	176	86	20.0	9.8	90	205	16	90.9	8	45.5
White	7,900	160	76	20.3	9.6	84	211	15	93.8	7	43.8
All other	898	16	10	17.8	11.1	6	160	1	62.5	1	62.5
Gonzales	26,075	454	254	17.4	9.7	200	179	45	99.1	11	24.2
White	20,564	364	176	17.7	8.6	188	207	31	85.2	8	22.0
All other	5,511	90	78	16.3	14.2	12	115	14	155.6	3	33.3
Gray	23,911	533	153	22.3	6.4	380	348	20	37.5	20	37.5
Rural part	11,016	62	32	5.6	2.9	30	194	-	0	4	64.5
White	10,998	62	32	5.6	2.9	30	194	-	0	4	64.5
All other	18	-	-	0	0	-	0	-	0	-	0
Pampa	12,895	471	121	36.5	9.4	350	389	20	42.5	16	34.0
White	12,554	465	112	37.0	8.9	353	415	19	40.9	15	32.3
All other	341	6	9	17.6	26.4	-3	67	1	166.7	1	166.7
Grayson	69,499	1,300	743	18.7	10.7	557	175	72	55.4	33	25.4
Rural part	36,762	437	255	11.9	6.9	182	171	12	27.5	8	18.3
White	34,745	414	237	11.9	6.8	177	175	10	24.2	7	16.9
All other	2,017	23	18	11.4	8.9	5	128	2	87.0	1	43.5
Denison	15,581	423	227	27.1	14.6	196	186	23	54.4	9	21.3
White	12,878	374	154	29.0	12.0	220	243	12	32.1	8	21.4
All other	2,703	49	73	18.1	27.0	-24	67	11	224.5	1	20.4
Sherman	17,156	440	261	25.6	15.2	179	169	37	84.1	16	36.4
White	15,058	411	227	27.3	15.1	184	181	31	75.4	11	26.8
All other	2,098	29	34	13.8	16.2	-5	85	6	206.9	5	172.4
Gregg	58,027	1,153	463	19.9	8.0	690	249	43	37.3	41	35.6
Rural part	44,269	500	208	11.3	4.7	292	240	20	40.0	14	28.0
White	33,967	434	157	12.8	4.6	277	276	15	34.6	11	25.3
All other	10,302	66	51	6.4	5.0	15	129	5	75.8	3	45.5
Longview	13,758	653	255	47.5	18.5	398	256	23	35.2	27	41.3
White	9,617	477	142	49.6	14.8	335	336	15	31.4	13	27.3
All other	4,141	176	113	42.5	27.3	63	156	8	45.5	14	79.5
Grimes	21,960	326	198	14.8	9.0	128	165	24	73.6	14	42.9
White	13,142	190	113	14.5	8.6	77	168	10	52.6	3	15.8
All other	8,818	136	85	15.4	9.6	51	160	14	102.9	11	80.9
Guadalupe	25,596	455	278	17.8	10.9	177	164	46	101.1	10	22.0
White	21,461	399	233	18.6	10.9	166	171	43	107.8	7	17.5
All other	4,135	56	45	13.5	10.9	11	124	3	53.6	3	53.6
Hale	18,813	396	145	21.0	7.7	251	273	18	45.5	7	17.7
White	18,371	389	136	21.2	7.4	253	286	15	38.6	6	15.4
All other	442	7	9	15.8	20.4	-2	78	3	428.6	1	142.9
Hall	12,117	269	104	22.2	8.6	165	259	18	55.8	4	14.9
White	11,708	262	98	22.4	8.4	164	267	14	53.4	4	15.3
All other	409	7	6	17.1	14.7	1	117	1	142.9	-	0
Hamilton	13,303	237	111	17.8	8.3	126	214	8	33.8	4	16.9
White	13,303	237	111	17.8	8.3	126	214	8	33.8	4	16.9
All other	-	-	-	0	0	-	0	-	0	-	0
Hansford	2,783	26	18	9.3	6.5	8	144	2	76.9	-	0
White	2,783	26	18	9.3	6.5	8	144	2	76.9	-	0
All other	-	-	-	0	0	-	0	-	0	-	0
Hardeman	11,073	209	91	18.9	8.2	118	230	4	19.1	9	43.1
White	10,495	195	83	18.6	7.9	112	235	4	20.5	8	41.0
All other	578	14	8	24.2	13.8	6	175	-	0	1	71.4
Hardin	15,875	285	120	18.0	7.6	165	238	13	45.6	9	31.6
White	13,251	233	89	17.6	6.7	144	262	8	34.3	5	21.5
All other	2,624	52	31	19.8	11.8	21	168	5	96.2	4	76.9
Harris	528,961	10,077	4,810	19.1	9.1	5,267	210	475	47.1	289	28.7
Rural part	144,447	875	420	6.0	2.9	455	208	38	43.5	22	25.2
White	126,860	798	343	6.3	2.7	455	233	28	35.1	18	22.5
All other	17,587	75	77	4.3	4.4	-2	97	10	133.3	4	53.3
Houston	384,514	9,204	4,390	23.9	11.4	4,814	210	437	47.5	267	29.0
White	297,959	7,491	3,099	25.1	10.4	4,392	242	296	39.5	173	23.1
All other	86,555	1,713	1,291	19.8	14.9	422	133	141	82.3	94	54.9
Harrison	50,900	945	515	18.6	10.1	430	183	60	63.5	56	59.3
Rural part	32,490	643	249	19.8	7.7	394	258	32	49.8	35	54.4
White	10,964	143	74	13.0	6.7	69	193	3	21.0	3	21.0
All other	21,526	500	175	23.2	8.1	325	286	29	58.0	32	64.0
Marshall	18,410	302	266	16.4	14.4	36	114	28	92.7	21	69.5
White	10,336	214	141	20.7	13.6	73	152	16	74.8	7	37.7
All other	8,074	88	125	10.9	15.5	-37	70	12	136.4	14	159.1
Hartley	1,873	100	30	53.4	16.0	70	333	2	20.0	3	30.0
White	1,870	100	30	53.5	16.0	70	333	2	20.0	3	30.0
All other	3	-	-	0	0	-	0	-	0	-	0
Haskell	14,905	215	103	14.4	6.9	112	209	14	65.1	6	27.9
White	14,342	205	95	14.3	6.6	110	216	11	53.7	6	29.3
All other	563	10	8	17.8	14.2	2	125	3	300.0	-	0
Hays	15,349	250	180	16.3	11.7	70	139	30	120.0	6	24.0
White	13,898	238	151	17.1	10.9	87	158	27	113.4	6	25.2
All other	1,451	12	29	8.3	20.0	-17	41	3	250.0	-	0
Hemphill	4,170	79	27	18.9	6.5	52	293	2	25.3	-	0
White	4,168	79	27	19.0	6.5	52	293	2	25.3	-	0
All other	2	-	-	0	0	-	0	-	0	-	0

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 38)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Henderson	31,822	577	213	18.1	6.7	364	271	18	31.2	17	29.5
White	25,707	471	155	18.3	6.0	316	304	15	31.8	11	23.4
All other	6,115	106	58	17.3	9.5	48	183	3	28.3	6	56.6
Hidalgo	106,059	3,068	1,351	28.9	12.7	1,717	227	462	150.6	95	31.0
Rural part	94,182	2,597	1,168	27.6	12.4	1,429	222	402	154.8	78	30.0
White	93,587	2,584	1,161	27.6	12.4	1,423	223	399	154.4	77	29.8
All other	595	13	7	21.8	11.8	6	186	3	230.8	1	76.9
McAllen	1,877	471	183	39.7	15.4	288	257	60	127.4	17	36.1
White	11,778	468	181	39.7	15.4	287	259	60	128.2	17	36.3
All other	99	3	2	30.3	20.2	1	150	-	0	-	0
Hill	38,355	612	342	16.0	8.9	270	179	28	45.8	16	26.1
White	33,268	523	274	15.7	8.2	249	191	18	34.4	13	24.9
All other	5,087	89	68	17.5	13.4	21	131	10	112.4	3	33.7
Hockley	12,693	263	60	20.7	4.7	203	438	15	57.0	5	19.0
White	12,308	258	57	21.0	4.6	201	453	14	54.3	4	15.5
All other	385	5	3	13.0	7.8	2	167	1	200.0	1	200.0
Hood	6,674	77	62	11.5	9.3	15	124	4	51.9	6	77.9
White	6,590	75	62	11.4	9.4	13	121	4	53.3	6	80.0
All other	84	2	-	23.8	0	2	(3)	-	0	-	0
Hopkins	30,274	490	269	16.2	8.9	221	182	37	75.5	12	24.5
White	27,230	446	243	16.4	8.9	203	184	32	71.7	9	20.2
All other	3,044	44	26	14.5	8.5	18	169	5	113.6	3	68.2
Houston	31,137	656	274	21.1	8.8	382	239	28	42.7	17	25.9
White	19,256	386	135	20.0	7.0	251	286	14	36.3	9	23.3
All other	11,881	270	139	22.7	11.7	131	194	14	51.9	8	29.6
Howard	20,990	425	195	20.2	9.3	230	218	36	84.7	15	35.3
Rural part	8,386	36	53	4.3	6.3	-17	68	6	166.7	-	0
White	8,345	36	53	4.3	6.4	-17	68	6	166.7	-	0
All other	41	-	-	0	0	-	0	-	0	-	0
Big Spring	12,604	389	142	30.9	11.3	247	274	30	77.1	15	38.6
White	12,047	379	140	31.5	11.6	239	271	30	79.2	15	39.6
All other	557	10	2	18.0	3.6	8	500	-	0	-	0
Hudspeth	3,149	74	25	23.5	7.9	49	296	10	135.1	1	13.5
White	3,016	72	24	23.9	8.0	48	300	9	125.0	1	13.9
All other	133	2	1	15.0	7.5	1	200	1	500.0	-	0
Hunt	48,793	875	440	17.9	9.0	435	199	41	46.9	24	27.4
Rural part	34,798	616	264	17.7	7.6	352	233	23	37.3	13	21.1
White	31,173	562	227	18.0	7.3	335	248	18	32.0	8	14.2
All other	3,625	54	37	14.9	10.2	17	146	5	92.6	5	92.6
Greenville	13,995	259	176	18.5	12.6	83	147	18	69.5	11	42.5
White	11,330	222	151	19.6	13.3	71	147	13	58.6	7	31.5
All other	2,665	37	25	13.9	9.4	12	148	5	135.1	4	108.1
Hutchinson	19,069	453	110	23.8	5.8	343	412	21	46.4	6	13.2
Rural part	9,051	70	26	7.7	2.9	44	269	3	42.9	-	0
White	9,049	70	26	7.7	2.9	44	269	3	42.9	-	0
All other	2	-	-	0	0	-	0	-	0	-	0
Borger	10,018	383	84	38.2	8.4	299	456	18	47.0	6	15.7
White	9,760	380	79	38.9	8.1	301	481	16	42.1	6	15.8
All other	258	3	5	11.6	19.4	-2	60	2	666.7	-	0
Irion	1,963	27	7	13.8	3.6	20	386	2	74.1	-	0
White	1,940	27	7	13.9	3.6	20	386	2	74.1	-	0
All other	23	-	-	0	0	-	0	-	0	-	0
Jack	10,206	178	74	17.4	7.3	104	241	3	16.9	5	28.1
White	10,114	175	72	17.3	7.1	103	243	2	11.4	5	28.6
All other	92	3	2	32.6	21.7	1	150	1	333.3	-	0
Jackson	11,720	213	69	18.2	5.9	144	309	4	18.8	11	51.6
White	9,939	184	48	18.5	4.8	136	383	3	16.3	7	38.0
All other	1,781	29	21	16.3	11.8	8	138	1	34.5	4	137.9
Jasper	17,491	394	167	22.5	9.5	227	236	13	33.0	14	35.5
White	12,449	277	121	22.3	9.7	156	229	9	32.5	9	32.5
All other	5,042	117	46	23.2	9.1	71	254	4	34.2	5	42.7
Jeff Davis	2,375	61	14	25.7	5.9	47	436	3	49.2	-	0
White	2,356	61	14	25.9	5.9	47	436	3	49.2	-	0
All other	19	-	-	0	0	-	0	-	0	-	0
Jefferson	145,329	2,919	1,255	20.1	8.6	1,664	233	156	53.4	97	33.2
Rural part	40,128	410	215	10.2	5.4	195	191	12	29.3	14	34.1
White	34,279	266	151	7.8	4.4	115	176	3	11.3	11	41.4
All other	5,849	144	64	24.6	10.9	80	225	9	62.5	3	20.8
Beaumont	59,061	1,460	674	24.7	11.4	786	217	83	56.8	47	32.2
White	40,105	1,069	390	26.7	9.7	679	274	41	38.4	28	26.2
All other	18,956	391	284	20.6	15.0	107	138	42	107.4	19	48.6
Port Arthur	46,140	1,049	366	22.7	7.9	683	287	61	58.2	36	34.3
White	37,068	908	278	24.5	7.5	630	327	51	56.2	23	25.3
All other	9,072	141	88	15.5	9.7	53	160	10	70.9	13	92.2
Jim Hogg	5,449	150	60	27.5	11.0	90	250	20	133.3	2	13.3
White	5,416	148	58	27.3	10.7	90	255	18	121.6	2	13.5
All other	33	2	2	60.6	60.6	-	100	2	1,000.0	-	0
Jim Wells	20,239	479	238	23.7	11.8	241	201	66	137.8	10	20.9
White	19,874	472	232	23.7	11.7	240	203	64	135.6	10	21.2
All other	365	7	6	19.2	16.4	1	117	2	285.7	-	0
Johnson	30,384	501	335	16.5	11.0	166	150	29	57.9	13	25.9
Rural part	19,828	268	211	13.5	10.6	57	127	19	70.9	5	18.7
White	19,042	259	203	13.6	10.7	56	128	19	73.4	5	19.3
All other	784	9	8	11.5	10.2	1	113	-	0	-	0
Cleburne	10,558	233	124	22.1	11.7	109	188	10	42.9	8	34.3
White	9,784	226	115	23.1	11.8	111	197	9	39.8	7	31.0
All other	774	7	9	9.0	11.6	-2	78	1	142.9	1	142.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Jones	23,378	467	156	20.0	6.7	311	299	21	45.0	9	19.3
White	22,339	437	145	19.6	6.5	292	301	16	36.6	8	18.3
All other	1,039	30	11	28.9	10.6	19	273	5	166.7	1	33.3
Karnes	19,248	448	203	23.3	10.5	245	221	49	109.4	13	29.0
White	18,274	430	189	23.5	10.3	241	228	46	107.0	12	27.9
All other	974	18	14	18.5	14.4	4	129	3	166.7	1	55.6
Kaufman	38,308	640	447	16.7	11.7	193	143	40	62.5	25	39.1
Rural part	27,827	492	193	17.7	6.9	299	255	28	56.9	15	30.5
White	20,208	356	126	17.6	6.2	230	283	17	47.8	7	19.7
All other	7,619	136	67	17.9	8.8	69	203	11	80.9	8	58.8
Terrell	10,481	148	254	14.1	24.2	-106	58	12	81.1	10	67.6
White	7,574	100	216	13.2	28.5	-116	46	9	90.0	4	40.0
All other	2,907	48	38	16.5	13.1	10	126	3	62.5	6	125.0
Kendall	5,080	85	48	16.7	9.4	37	177	8	94.1	2	23.5
White	5,004	84	47	16.8	9.4	37	179	7	83.3	2	23.8
All other	76	1	1	13.2	13.2	-	100	1	1,000.0	-	0
Kenedy	700	22	3	31.4	4.3	19	733	1	45.5	1	45.5
White	700	22	3	31.4	4.3	19	733	1	45.5	1	45.5
All other	-	-	-	0	0	-	0	-	0	-	0
Kent	3,413	51	13	14.9	3.8	38	392	1	19.6	1	19.6
White	3,337	51	12	15.3	3.6	39	425	1	19.6	1	19.6
All other	76	-	1	0	13.2	-1	0	-	0	-	0
Kerr	11,650	177	312	15.2	26.8	-135	57	23	129.9	4	22.6
White	10,996	172	259	15.6	23.6	-87	66	22	127.9	4	23.3
All other	654	5	53	7.6	81.0	-48	9	1	200.0	-	0
Kimble	5,064	76	36	15.0	7.1	40	211	8	105.3	3	39.5
White	5,042	75	36	14.9	7.1	39	208	8	106.7	3	40.0
All other	22	1	-	45.5	0	1	(3)	-	0	-	0
King	1,066	4	6	3.8	5.6	-2	67	1	250.0	-	0
White	1,048	4	6	3.8	5.7	-2	67	1	250.0	-	0
All other	18	-	-	0	0	-	0	-	0	-	0
Kinney	4,533	69	33	15.2	7.3	36	209	6	87.0	3	43.5
White	4,269	65	30	15.2	7.0	35	217	6	92.3	3	46.2
All other	264	4	3	15.2	11.4	1	133	-	0	-	0
Kleberg	13,344	356	152	26.7	11.4	204	234	42	118.0	9	25.3
White	12,806	349	148	27.3	11.6	201	236	41	117.5	9	25.8
All other	538	7	4	13.0	7.4	3	175	1	142.9	-	0
Knox	10,090	267	74	26.5	7.3	193	361	6	22.5	2	7.5
White	9,776	260	70	26.6	7.2	190	371	5	19.2	2	7.7
All other	314	7	4	22.3	12.7	3	175	1	142.9	-	0
Lamar	50,425	1,096	618	21.7	12.3	478	177	64	58.4	37	33.8
Rural part	31,747	579	218	18.2	6.9	361	266	23	39.7	22	38.0
White	26,457	458	174	17.3	6.6	284	263	17	37.1	11	24.0
All other	5,290	121	44	22.9	8.3	77	275	6	49.6	11	90.9
Paris	18,678	517	400	27.7	21.4	117	129	41	79.3	15	29.0
White	14,753	478	308	32.4	20.9	170	155	32	66.9	11	23.0
All other	3,925	39	92	9.9	23.4	-53	42	9	230.8	4	102.6
Lamb	17,606	451	113	25.6	6.4	338	399	19	42.1	15	33.3
White	16,885	446	109	26.4	6.5	337	409	18	40.4	15	33.6
All other	721	5	4	6.9	5.5	1	125	1	200.0	-	0
Lampasas	9,167	212	120	23.1	13.1	92	177	12	56.6	8	37.7
White	8,909	206	116	23.1	13.0	90	178	12	58.3	8	38.8
All other	258	6	4	23.3	15.5	2	150	-	0	-	0
La Salle	8,003	217	101	27.1	12.6	116	215	33	152.1	11	50.7
White	8,000	217	101	27.1	12.6	116	215	33	152.1	11	50.7
All other	3	-	-	0	0	-	0	-	0	-	0
Lavaca	25,485	461	287	18.1	11.3	174	161	27	58.6	14	30.4
White	22,265	402	244	18.1	11.0	158	165	21	52.2	12	29.9
All other	3,220	59	43	18.3	13.4	16	137	6	101.7	2	33.9
Lee	12,751	197	98	15.4	7.7	99	201	14	71.1	3	15.2
White	9,096	129	67	14.2	7.4	62	193	7	54.3	2	15.5
All other	3,655	68	31	18.6	8.5	37	219	7	102.9	1	14.7
Leon	17,733	209	130	11.8	7.3	79	161	8	38.3	14	67.0
White	10,218	114	65	11.2	6.4	49	175	3	26.3	5	43.9
All other	7,515	95	65	12.6	8.6	30	146	5	52.6	9	94.7
Liberty	24,541	501	207	20.4	8.4	294	242	29	57.9	18	35.9
White	18,465	372	132	20.1	7.1	240	282	17	45.7	11	29.6
All other	6,076	129	75	21.2	12.3	54	172	12	93.0	7	54.3
Limestone	33,781	490	292	14.5	8.6	198	168	28	57.1	17	34.7
White	23,990	384	193	16.0	8.0	191	199	18	46.9	11	28.6
All other	9,791	106	99	10.8	10.1	7	107	10	94.3	6	56.6
Lipscomb	3,764	57	31	15.1	8.2	26	184	4	70.2	1	17.5
White	3,764	57	31	15.1	8.2	26	184	4	70.2	1	17.5
All other	-	-	-	0	0	-	0	-	0	-	0
Live Oak	9,799	188	80	19.2	8.2	108	235	19	101.1	2	10.6
White	9,748	187	78	19.2	8.0	109	240	19	101.6	2	10.7
All other	51	1	2	19.6	39.2	-1	50	-	0	-	0
Llano	5,996	92	58	15.3	9.7	34	159	6	65.2	4	43.5
White	5,944	92	58	15.5	9.8	34	159	6	65.2	4	43.5
All other	52	-	-	0	0	-	0	-	0	-	0
Loving	285	-	1	0	3.5	-1	0	-	0	-	0
White	285	-	1	0	3.5	-1	0	-	0	-	0
All other	-	-	-	0	0	-	0	-	0	-	0
Lubbock	51,782	1,349	422	26.1	8.1	927	320	79	58.6	38	28.2
Rural part	19,929	256	95	12.8	4.8	161	269	19	74.2	7	27.3
White	19,088	250	86	13.1	4.5	164	291	18	72.0	6	24.0
All other	841	6	9	7.1	10.7	-3	67	1	166.7	1	166.7
Lubbock	31,853	1,093	327	34.3	10.3	766	334	60	54.9	31	28.4
White	29,619	1,063	295	35.9	10.0	768	360	54	50.8	27	25.4
All other	2,234	30	32	13.4	14.3	-2	94	6	200.0	4	133.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Lynn	11,931	197	48	16.5	4.0	149	410	10	50.8	6	30.5
White	11,404	193	45	16.9	3.9	148	429	10	51.8	6	31.1
All other	527	4	3	7.6	5.7	1	133	-	0	-	0
McCulloch	13,208	267	123	20.2	9.3	144	217	13	48.7	9	33.7
White	12,736	257	116	20.2	9.1	141	222	13	50.6	7	27.2
All other	472	10	7	21.2	14.8	3	143	-	0	2	200.0
McLennan	101,898	1,725	1,211	16.9	11.9	514	142	94	54.5	61	35.4
Rural part	45,916	545	395	11.9	8.6	150	138	18	33.0	17	31.2
White	37,437	370	295	9.9	7.9	75	125	5	13.5	5	13.5
All other	8,479	175	100	20.6	11.8	75	175	13	74.3	12	68.6
Waco	55,982	1,180	816	21.1	14.6	364	145	76	64.4	44	37.3
White	44,944	966	610	21.5	13.6	356	158	52	53.8	25	25.9
All other	11,038	214	206	19.4	18.7	8	104	24	112.1	19	88.8
McMullen	1,374	21	23	15.3	16.7	-2	91	2	95.2	1	47.6
White	1,372	21	23	15.3	16.8	-2	91	2	95.2	1	47.6
All other	2	-	-	0	0	-	0	-	0	-	0
Madison	12,029	255	94	21.2	7.8	161	271	8	31.4	8	31.4
White	8,165	169	66	20.7	8.1	103	256	5	29.6	1	5.9
All other	3,864	86	28	22.3	7.2	58	307	3	34.9	7	81.4
Marion	11,457	194	101	16.9	8.8	93	192	14	72.2	11	56.7
White	4,740	85	46	17.9	9.7	39	185	7	82.4	6	70.6
All other	6,717	109	55	16.2	8.2	54	198	7	64.2	5	45.9
Martin	5,556	73	20	13.1	3.6	53	365	4	54.8	3	41.1
White	5,426	68	20	12.5	3.7	48	340	4	58.8	2	29.4
All other	130	5	-	38.5	0	5	(3)	-	0	1	200.0
Mason	5,378	85	35	15.8	6.5	50	243	7	82.4	1	11.8
White	5,278	84	34	15.9	6.4	50	247	7	83.3	1	11.9
All other	100	1	1	10.0	10.0	-	100	-	0	-	0
Matagorda	20,066	444	195	22.1	9.7	249	228	25	56.3	21	47.3
White	15,117	351	138	23.2	9.1	213	254	19	54.1	12	34.2
All other	4,949	93	57	18.8	11.5	36	163	6	64.5	9	96.8
Maverick	10,071	259	121	25.7	12.0	138	214	36	139.0	9	34.7
White	10,047	259	120	25.8	11.9	139	216	36	139.0	9	34.7
All other	24	-	1	0	41.7	-1	0	-	0	-	0
Medina	16,106	387	186	24.0	11.5	201	208	57	147.3	7	18.1
White	15,802	379	183	24.0	11.6	196	207	56	147.8	6	15.8
All other	304	8	3	26.3	9.9	5	267	1	125.0	1	125.0
Menard	4,521	81	27	17.9	6.0	54	300	2	24.7	2	24.7
White	4,459	81	27	18.2	6.1	54	300	2	24.7	2	24.7
All other	62	-	-	0	0	-	0	-	0	-	0
Midland	11,721	284	82	24.2	7.0	202	346	20	70.4	5	17.6
White	10,714	264	75	24.6	7.0	189	352	20	75.8	5	18.9
All other	1,007	20	7	19.9	7.0	13	286	-	0	-	0
Milam	33,120	573	275	17.3	8.3	298	208	39	68.1	19	33.2
White	25,430	397	183	15.6	7.2	214	217	17	42.8	12	30.2
All other	7,690	176	92	22.9	12.0	84	191	22	125.0	7	39.8
Mills	7,951	105	54	13.2	6.8	51	194	3	28.6	-	0
White	7,951	105	53	13.2	6.7	52	198	3	28.6	-	0
All other	-	-	1	0	(3)	-1	0	-	0	-	0
Mitchell	12,477	266	89	21.3	7.1	177	299	19	71.4	7	26.3
White	11,679	255	83	21.8	7.1	172	307	17	66.7	7	27.5
All other	798	11	6	13.8	7.5	5	183	2	181.8	-	0
Montague	20,442	299	184	14.6	9.0	115	163	12	40.1	12	40.1
White	20,440	299	184	14.6	9.0	115	163	12	40.1	12	40.1
All other	2	-	-	0	0	-	0	-	0	-	0
Montgomery	23,055	416	239	18.0	10.4	177	174	26	62.5	27	64.9
White	15,907	314	139	19.7	8.7	175	226	15	47.8	21	66.9
All other	7,148	102	100	14.3	14.0	2	102	11	107.8	6	58.8
Moore	4,461	91	9	20.4	2.0	82	1,011	3	33.0	3	33.0
White	4,453	91	9	20.4	2.0	82	1,011	3	33.0	3	33.0
All other	8	-	-	0	0	-	0	-	0	-	0
Morris	9,810	128	78	13.0	8.0	50	164	7	54.7	1	7.8
White	6,087	80	53	13.1	8.7	27	151	4	50.0	-	0
All other	3,723	48	25	12.9	6.7	23	192	3	62.5	1	20.8
Motley	4,994	112	44	22.4	8.8	68	255	7	62.5	3	26.8
White	4,728	110	41	23.3	8.7	69	268	7	63.6	2	18.2
All other	266	2	3	7.5	11.3	-1	67	-	0	1	500.0
Nacogdoches	35,392	574	279	16.2	7.9	295	206	41	71.4	25	43.6
White	25,880	457	197	17.7	7.6	260	232	24	52.5	11	24.1
All other	9,512	117	82	12.3	8.6	35	143	17	145.3	14	119.7
Navarro	51,308	834	473	16.3	9.2	361	176	52	62.4	25	30.0
Rural part	36,076	475	208	13.2	5.8	267	228	19	40.0	12	25.3
White	26,882	350	130	13.0	4.8	220	269	8	22.9	5	14.3
All other	9,194	125	78	13.6	8.5	47	160	11	88.0	7	56.0
Corsicana	15,232	359	265	23.6	17.4	94	135	33	91.9	13	36.2
White	11,697	321	186	27.4	15.9	135	173	28	87.2	8	24.9
All other	3,535	38	79	10.7	22.3	-41	48	5	131.6	5	131.6
Newton	13,700	281	107	20.5	7.8	174	263	6	21.4	13	46.3
White	8,133	153	56	18.8	6.9	97	273	4	26.1	6	39.2
All other	5,567	128	51	23.0	9.2	77	251	2	15.6	7	54.7
Nolan	17,309	445	174	25.7	10.1	271	256	35	78.7	10	22.5
Rural part	6,942	162	55	23.3	7.9	107	295	7	43.2	3	18.5
White	6,826	162	53	23.7	7.8	109	306	7	43.2	3	18.5
All other	116	-	2	0	17.2	-2	0	-	0	-	0
Sweetwater	10,367	283	119	27.3	11.5	164	238	28	98.9	7	24.7
White	9,799	276	112	28.2	11.4	164	246	27	97.8	6	21.7
All other	568	7	7	12.3	12.3	-	100	1	142.9	1	142.9

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Nueces	92,661	2,569	987	27.7	10.7	1,582	260	264	102.8	88	34.3
Rural part	35,360	790	339	22.3	9.6	451	233	110	139.2	27	34.2
White	34,506	776	328	22.5	9.5	448	237	109	140.5	25	32.2
All other	854	14	11	16.4	12.9	3	127	1	71.4	2	142.9
Corpus Christi	57,301	1,779	648	31.0	11.3	1,131	275	154	86.6	61	34.3
White	52,742	1,722	596	32.6	11.3	1,126	289	145	84.2	55	31.9
All other	4,559	57	52	12.5	11.4	5	110	9	157.9	6	105.3
Ochiltree	4,213	76	28	18.0	6.6	48	271	2	26.3	2	26.3
White	4,213	76	28	18.0	6.6	48	271	2	26.3	2	26.3
All other	-	-	-	0	0	-	0	-	0	-	0
Oldham	1,385	12	5	8.7	3.6	7	240	-	0	2	166.7
White	1,381	11	5	8.0	3.6	6	220	-	0	2	181.8
All other	4	1	-	250.0	0	1	(3)	-	0	-	0
Orange	17,382	300	153	17.3	8.8	147	196	11	36.7	15	50.0
White	15,302	254	120	16.6	7.8	134	212	10	39.4	9	35.4
All other	2,080	46	33	22.1	15.9	13	139	1	21.7	6	130.4
Palo Pinto	18,456	311	186	16.9	10.1	125	167	21	67.5	6	19.3
White	17,904	305	178	17.0	9.9	127	171	20	65.6	6	19.7
All other	552	6	8	10.9	14.5	-2	75	1	166.7	-	0
Panola	22,513	257	158	11.4	7.0	99	163	9	35.0	12	46.7
White	12,792	163	88	12.7	6.9	75	185	2	12.3	8	49.1
All other	9,721	94	70	9.7	7.2	24	134	7	74.5	4	42.6
Parker	20,482	294	183	14.4	8.9	111	161	11	37.4	13	44.2
White	20,218	290	182	14.3	9.0	108	159	11	37.9	12	41.4
All other	264	4	1	15.2	3.8	3	400	-	0	1	250.0
Parmer	5,890	18	16	3.1	2.7	2	113	4	222.2	2	111.1
White	5,853	17	16	2.9	2.7	1	106	4	235.3	1	58.8
All other	37	1	-	27.0	0	1	(3)	-	0	1	100.0
Pecos	8,185	182	56	22.2	6.8	126	325	17	93.4	3	16.5
White	8,105	181	56	22.3	6.9	125	323	17	93.9	3	16.6
All other	80	1	-	12.5	0	1	(3)	-	0	-	0
Polk	20,835	527	179	25.5	8.7	348	294	21	39.8	18	34.2
White	14,221	364	93	25.6	6.5	271	391	11	30.2	8	22.0
All other	6,414	163	86	25.4	13.4	77	190	10	61.3	10	61.3
Potter	54,265	1,149	430	21.2	7.9	719	267	79	68.8	24	20.9
Rural part	4,242	26	28	6.1	6.6	-2	93	1	38.5	1	38.5
White	4,236	23	27	5.4	6.4	-4	85	1	43.5	1	43.5
All other	6	3	1	500.0	166.7	2	300	-	0	-	0
Amarillo (part)	50,023	1,123	402	(6)	(6)	721	(6)	78	(6)	23	(6)
White	47,280	1,095	382	(6)	(6)	713	(6)	76	(6)	23	(6)
All other	2,743	28	20	(6)	(6)	8	(6)	2	(6)	-	(6)
Amarillo (total)	51,686	1,123	406	21.7	7.9	717	277	78	69.5	23	20.5
White	48,900	1,095	386	22.4	7.9	709	284	76	69.4	23	21.0
All other	2,786	28	20	10.1	7.2	8	140	2	71.4	-	0
Presidio	10,925	308	89	28.2	8.1	219	346	24	77.9	9	29.2
White	10,890	307	89	28.2	8.2	218	345	24	78.2	9	29.3
All other	35	1	-	28.6	0	1	(3)	-	0	-	0
Rains	7,334	142	43	19.4	5.9	99	330	7	49.3	8	56.3
White	6,694	127	39	19.0	5.8	88	326	6	47.2	6	47.2
All other	640	15	4	23.4	6.3	11	375	1	66.7	2	133.3
Randall	7,185	95	40	13.2	5.6	55	238	2	21.1	2	21.1
Rural part	5,522	95	36	17.2	6.5	59	264	2	21.1	2	21.1
White	5,519	95	36	17.2	6.5	59	264	2	21.1	2	21.1
All other	3	-	-	0	0	-	0	-	0	-	0
Amarillo (part)	1,663	-	4	(6)	(6)	-4	(6)	-	(6)	-	(6)
White	1,620	-	4	(6)	(6)	-4	(6)	-	(6)	-	(6)
All other	43	-	-	(6)	(6)	-	(6)	-	(6)	-	(6)
Reagan	1,997	28	4	14.0	2.0	24	700	2	71.4	-	0
White	1,954	28	4	14.3	2.0	24	700	2	71.4	-	0
All other	43	-	-	0	0	-	0	-	0	-	0
Real	2,420	37	13	15.3	5.4	24	285	3	81.1	3	81.1
White	2,420	37	13	15.3	5.4	24	285	3	81.1	3	81.1
All other	-	-	-	0	0	-	0	-	0	-	0
Red River	29,769	548	275	18.4	9.2	273	199	26	47.4	29	52.9
White	22,960	434	200	18.9	8.7	234	217	19	43.8	19	43.8
All other	6,809	114	75	16.7	11.0	39	152	7	61.4	10	87.7
Reeves	8,006	233	73	29.1	9.1	160	319	19	81.5	7	30.0
White	7,731	227	72	29.4	9.3	155	315	19	83.7	7	30.8
All other	275	6	1	21.8	3.6	5	600	-	0	-	0
Refugio	10,383	251	87	24.2	8.4	164	289	14	55.8	7	27.9
White	9,276	232	74	25.0	8.0	158	314	13	56.0	7	30.2
All other	1,107	19	13	17.2	11.7	6	146	1	52.6	-	0
Roberts	1,289	8	5	6.2	3.9	3	160	-	0	-	0
White	1,289	8	5	6.2	3.9	3	160	-	0	-	0
All other	-	-	-	0	0	-	0	-	0	-	0
Robertson	25,710	502	279	19.5	10.9	223	180	48	95.6	14	27.9
White	14,954	237	115	15.8	7.7	122	206	20	84.4	4	16.9
All other	10,756	265	164	24.6	15.2	101	162	28	105.7	10	37.7
Rockwall	7,051	88	52	12.5	7.4	36	169	2	22.7	2	22.7
White	5,217	67	44	12.8	8.4	23	152	2	29.9	1	14.9
All other	1,834	21	8	11.5	4.4	13	263	-	0	1	47.6
Runnels	18,903	384	133	20.3	7.0	251	289	22	57.3	13	33.9
White	18,404	375	131	20.4	7.1	244	286	21	56.0	11	29.3
All other	499	9	2	18.0	4.0	7	450	1	111.1	2	222.2
Rusk	51,023	614	437	12.0	8.6	177	141	44	71.7	23	37.5
White	35,277	499	265	14.1	7.5	234	188	24	48.1	17	34.1
All other	15,746	115	172	7.3	10.9	-57	67	20	173.9	6	52.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Sabine	10,896	156	49	14.3	4.5	107	318	1	6.4	-	0
White	8,386	125	40	14.9	4.8	85	313	-	0	-	0
All other	2,510	31	9	12.4	3.6	22	344	1	32.3	-	0
San Augustine	12,471	171	74	13.7	5.9	97	231	6	35.1	3	17.5
White	8,873	123	49	13.9	5.5	74	251	3	24.4	2	16.3
All other	3,598	48	25	13.3	6.9	23	192	3	62.5	1	20.8
San Jacinto	9,056	122	77	13.5	8.5	45	158	15	123.0	4	32.8
White	4,316	48	21	11.1	4.9	27	229	2	41.7	-	0
All other	4,740	74	56	15.6	11.8	18	132	13	175.7	4	54.1
San Patricio	28,871	687	344	23.8	11.9	343	200	100	145.6	22	32.0
White	28,111	678	330	24.1	11.7	348	205	99	146.0	22	32.4
All other	760	9	14	11.8	18.4	-5	64	1	111.1	-	0
San Saba	11,012	152	70	13.8	6.4	82	217	7	46.1	5	32.9
White	10,845	152	67	14.0	6.2	85	227	7	46.1	5	32.9
All other	167	-	3	0	18.0	-3	0	-	0	-	0
Schleicher	3,083	45	19	14.6	6.2	26	237	3	66.7	4	88.9
White	2,964	39	17	13.2	5.7	22	229	1	25.6	4	102.6
All other	119	6	2	50.4	16.8	4	300	2	333.3	-	0
Scurry	11,545	220	61	19.1	5.3	159	361	11	50.0	8	36.4
White	11,341	216	59	19.0	5.2	157	366	10	46.3	8	37.0
All other	204	4	2	19.6	9.8	2	200	1	250.0	-	0
Shackelford	6,211	55	29	8.9	4.7	26	190	2	36.4	-	0
White	6,016	52	29	8.6	4.8	23	179	2	38.5	-	0
All other	195	3	-	15.4	0	3	(3)	-	0	-	0
Shelby	29,235	481	263	16.5	9.0	218	183	19	39.5	20	41.6
White	21,713	425	187	19.6	8.6	238	227	14	32.9	14	32.9
All other	7,522	56	76	7.4	10.1	-20	74	5	89.3	6	107.1
Sherman	2,026	31	9	15.3	4.4	22	344	2	64.5	-	0
White	2,026	31	9	15.3	4.4	22	344	2	64.5	-	0
All other	-	-	-	0	0	-	0	-	0	-	0
Smith	69,090	1,303	591	18.9	8.6	712	220	45	34.5	53	40.7
Rural part	40,811	714	315	17.5	7.7	399	227	16	22.4	30	42.0
White	25,908	392	168	15.1	6.5	224	233	9	23.0	8	20.4
All other	14,903	322	147	21.6	9.9	175	219	7	21.7	22	68.3
Tyler	28,279	589	276	20.8	9.8	313	213	29	49.2	23	39.0
White	20,879	496	177	23.8	8.5	319	280	20	40.3	18	36.3
All other	7,400	93	99	12.6	13.4	-6	94	9	96.8	5	53.8
Somervell	3,071	21	26	6.8	8.5	-5	81	1	47.6	1	47.6
White	3,071	21	26	6.8	8.5	-5	81	1	47.6	1	47.6
All other	-	-	-	0	0	-	0	-	0	-	0
Starr	13,312	445	143	33.4	10.7	302	311	41	92.1	7	15.7
White	13,309	445	143	33.4	10.7	302	311	41	92.1	7	15.7
All other	3	-	-	0	0	-	0	-	0	-	0
Stephens	12,356	153	97	12.4	7.9	56	158	9	58.8	6	39.2
White	12,013	152	91	12.7	7.6	61	167	8	52.6	6	39.5
All other	343	1	6	2.9	17.5	-5	17	1	1,000.0	-	0
Sterling	1,404	19	4	13.5	2.8	15	475	1	52.6	-	0
White	1,380	19	4	13.8	2.9	15	475	1	52.6	-	0
All other	24	-	-	0	0	-	0	-	0	-	0
Stonewall	5,589	72	23	12.9	4.1	49	313	2	27.8	-	0
White	5,332	68	20	12.8	3.8	48	340	1	14.7	-	0
All other	257	4	3	15.6	11.7	1	133	1	250.0	-	0
Sutton	3,977	79	35	19.9	8.8	44	226	12	151.9	4	50.6
White	3,895	79	35	20.3	9.0	44	226	12	151.9	4	50.6
All other	82	-	-	0	0	-	0	-	0	-	0
Swisher	6,528	169	36	25.9	5.5	133	469	3	17.8	3	17.8
White	6,484	169	36	26.1	5.6	133	469	3	17.8	3	17.8
All other	44	-	-	0	0	-	0	-	0	-	0
Tarrant	225,521	3,975	2,351	17.6	10.4	1,624	169	182	45.8	103	25.9
Rural part	47,859	216	310	4.5	6.5	-94	70	9	41.7	7	32.4
White	44,621	212	299	4.8	6.7	-87	71	8	37.7	7	33.0
All other	3,238	4	11	1.2	3.4	-7	36	1	250.0	-	0
Fort Worth	177,662	3,759	2,041	21.2	11.5	1,718	184	173	46.0	96	25.5
White	152,345	3,286	1,653	21.6	10.9	1,633	199	135	41.1	76	23.1
All other	25,317	473	388	18.7	15.3	85	122	38	80.3	20	42.3
Taylor	44,147	810	388	18.3	8.8	422	209	36	44.4	21	25.9
Rural part	17,535	182	125	10.4	7.1	57	146	4	22.0	5	27.5
White	17,397	181	122	10.4	7.0	59	148	4	22.1	5	27.6
All other	138	1	3	7.2	21.7	-2	33	-	0	-	0
Abilene	26,612	628	263	23.6	9.9	365	239	32	51.0	16	25.5
White	25,096	601	246	23.9	9.8	355	244	28	46.6	15	25.0
All other	1,516	27	17	17.8	11.2	10	159	4	148.1	1	37.0
Terrell	2,952	65	27	22.0	9.1	38	241	6	92.3	-	0
White	2,923	64	27	21.9	9.2	37	237	6	93.8	-	0
All other	29	1	-	34.5	0	1	(3)	-	0	-	0
Terry	11,160	284	90	25.4	8.1	194	316	14	49.3	1	3.5
White	10,846	278	88	25.6	8.1	190	316	14	50.4	1	3.6
All other	314	6	2	19.1	6.4	4	300	-	0	-	0
Throckmorton	4,275	44	20	10.3	4.7	24	220	1	22.7	4	90.9
White	4,274	44	20	10.3	4.7	24	220	1	22.7	4	90.9
All other	1	-	-	0	0	-	0	-	0	-	0
Titus	19,228	353	169	18.4	8.8	184	209	12	34.0	17	48.2
White	16,114	313	141	19.4	8.8	172	222	10	31.9	11	35.1
All other	3,114	40	28	12.8	9.0	12	143	2	50.0	6	150.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	Births and deaths (exclusive of stillbirths): Number: Births	Number: Deaths	Rate per 1,000 population: Birth	Rate per 1,000 population: Death	Excess of births over deaths [1]	Births per 100 deaths	Infant mortality (Deaths of infants under 1 year of age, exclusive of stillbirths): Number	Rate per 1,000 live births	Stillbirths: Number	Ratio per 1,000 live births
Section B—Continued											
TEXAS—Continued											
Tom Green	39,302	889	444	22.6	11.3	445	200	44	49.5	21	23.6
Rural part	13,500	180	121	13.3	9.0	59	149	7	38.9	7	38.9
White	13,133	178	117	13.6	8.9	61	152	6	33.7	6	33.7
All other	367	2	4	5.4	10.9	-2	50	1	500.0	1	500.0
San Angelo	25,802	709	323	27.5	12.5	386	220	37	52.2	14	19.7
White	24,041	693	298	28.8	12.4	395	233	31	44.7	11	15.9
All other	1,761	16	25	9.1	14.2	-9	64	6	375.0	3	187.5
Travis	111,053	2,156	1,302	19.4	11.7	854	166	141	65.4	71	32.9
Rural part	23,123	189	159	8.2	6.9	30	119	22	116.4	2	10.6
White	18,433	127	119	6.9	6.5	8	107	15	118.1	1	7.9
All other	4,690	62	40	13.2	8.5	22	155	7	112.9	1	16.1
Austin	87,930	1,967	1,143	22.4	13.0	824	172	119	60.5	69	35.1
White	73,025	1,674	911	22.9	12.5	763	184	107	63.9	50	29.9
All other	14,905	293	232	19.7	15.6	61	126	12	41.0	19	64.8
Trinity	13,705	173	81	12.6	5.9	92	214	7	40.5	9	52.0
White	10,644	141	48	13.2	4.5	93	294	5	35.5	5	35.5
All other	3,061	32	33	10.5	10.8	-1	97	2	62.5	4	125.0
Tyler	11,948	214	94	17.9	7.9	120	228	8	37.4	14	65.4
White	9,742	175	74	18.0	7.6	101	236	7	40.0	10	57.1
All other	2,206	39	20	17.7	9.1	19	195	1	25.6	4	102.6
Upshur	26,178	540	220	20.6	8.4	320	245	25	46.3	15	27.8
White	18,840	397	133	21.1	7.1	264	298	12	30.2	4	10.1
All other	7,338	143	87	19.5	11.9	56	164	13	90.9	11	76.9
Upton	4,297	91	17	21.2	4.0	74	535	1	11.0	4	44.0
White	4,086	89	17	21.8	4.2	72	524	1	11.2	4	44.9
All other	211	2	-	9.5	0	2	(3)	-	0	-	0
Uvalde	13,246	308	148	23.3	11.2	160	208	26	84.4	10	32.5
White	13,035	307	146	23.6	11.2	161	210	26	84.7	10	32.6
All other	211	1	2	4.7	9.5	-1	50	-	0	-	0
Val Verde	15,453	453	190	29.3	12.3	263	238	55	121.4	8	17.7
Rural part	2,110	10	15	4.7	7.1	-5	67	4	400.0	-	0
White	2,076	10	14	4.8	6.7	-4	71	4	400.0	-	0
All other	34	-	1	0	29.4	-1	0	-	0	-	0
Del Rio	13,343	443	175	33.2	13.1	268	253	51	115.1	8	18.1
White	13,067	437	172	33.4	13.2	265	254	51	116.7	8	18.3
All other	276	6	3	21.7	10.9	3	200	-	0	-	0
Van Zandt	31,155	552	219	17.7	7.0	333	252	19	34.4	14	25.4
White	28,956	505	204	17.4	7.0	301	248	17	33.7	11	21.8
All other	2,199	47	15	21.4	6.8	32	313	2	42.6	3	63.8
Victoria	23,741	504	282	21.2	11.9	222	179	45	89.3	25	49.6
Rural part	12,175	140	79	11.5	6.5	61	177	12	85.7	3	21.4
White	10,633	125	66	11.8	6.2	59	189	12	96.0	3	24.0
All other	1,542	15	13	9.7	8.4	2	115	-	0	-	0
Victoria	11,566	364	203	31.5	17.6	161	179	33	90.7	22	60.4
White	9,977	345	171	34.6	17.1	174	202	31	89.9	18	52.2
All other	1,589	19	32	12.0	20.1	-13	59	2	105.3	4	210.5
Walker	19,868	302	191	15.2	9.6	111	158	13	43.0	9	29.8
White	11,047	182	95	16.5	8.6	87	192	9	49.5	2	11.0
All other	8,821	120	96	13.6	10.9	24	125	4	33.3	7	58.3
Waller	10,280	218	131	21.2	12.7	87	166	16	73.4	8	36.7
White	5,286	91	43	17.2	8.1	48	212	7	76.9	2	22.0
All other	4,994	127	88	25.4	17.6	39	144	9	70.9	6	47.2
Ward	9,575	241	52	25.2	5.4	189	463	21	87.1	6	24.9
White	9,388	238	51	25.4	5.4	187	467	21	88.2	6	25.2
All other	187	3	1	16.0	5.3	2	300	-	0	-	0
Washington	25,387	485	291	19.1	11.5	194	167	38	78.4	15	30.9
White	15,726	269	152	17.1	9.7	117	177	17	63.2	2	7.4
All other	9,661	216	139	22.4	14.4	77	155	21	97.2	13	60.2
Webb	45,916	943	556	20.5	12.1	387	170	149	158.0	42	44.5
Rural part	6,642	122	51	18.4	7.7	71	239	16	131.1	4	32.8
White	6,599	121	51	18.3	7.7	70	237	16	132.2	4	33.1
All other	43	1	-	23.3	0	1	(3)	-	0	-	0
Laredo	39,274	821	505	20.9	12.9	316	163	133	162.0	38	46.3
White	39,147	820	502	20.9	12.8	318	163	133	162.2	38	46.3
All other	127	1	3	7.9	23.6	-2	33	-	0	-	0
Wharton	36,158	937	383	25.9	10.6	554	245	80	85.4	30	32.0
White	26,942	734	265	27.2	9.8	469	277	63	85.8	15	20.4
All other	9,216	203	118	22.0	12.8	85	172	17	83.7	15	73.9
Wheeler	12,411	332	93	26.8	7.5	239	357	10	30.1	3	9.0
White	12,209	331	91	27.1	7.5	240	364	10	30.2	3	9.1
All other	202	1	2	5.0	9.9	-1	50	-	0	-	0
Wichita	73,604	1,598	734	21.7	10.0	864	218	92	57.6	39	24.4
Rural part	28,492	344	228	12.1	8.0	116	151	9	26.2	4	11.6
White	28,040	342	228	12.2	8.1	114	150	9	26.3	4	11.7
All other	452	2	-	4.4	0	2	(3)	-	0	-	0
Wichita Falls	45,112	1,254	506	27.8	11.2	748	248	83	66.2	35	27.9
White	41,078	1,176	443	28.6	10.8	733	265	74	62.9	29	24.7
All other	4,034	78	63	19.3	15.6	15	124	9	115.4	6	76.9
Wilbarger	20,474	474	156	23.2	7.6	318	304	28	59.1	11	23.2
White	18,797	439	141	23.4	7.5	298	311	23	52.4	11	25.1
All other	1,677	35	15	20.9	8.9	20	233	5	142.9	-	0
Willacy	13,230	390	162	29.5	12.2	228	241	57	146.2	12	30.8
White	13,069	386	161	29.5	12.3	225	240	57	147.7	12	31.1
All other	161	4	1	24.8	6.2	3	400	-	0	-	0
Williamson	41,698	720	400	17.3	9.6	320	180	34	47.2	23	31.9
White	34,879	593	327	17.0	9.4	266	181	24	40.5	16	27.0
All other	6,819	127	73	18.6	10.7	54	174	10	78.7	7	55.1

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
TEXAS—Continued											
Wilson	17,066	317	160	18.6	9.4	157	198	24	75.7	12	37.9
White	16,649	309	152	18.6	9.1	157	203	21	68.0	11	35.6
All other	417	8	8	19.2	19.2	-	100	3	375.0	1	125.0
Winkler	6,141	156	22	25.4	3.6	134	709	6	38.5	3	19.2
White	5,998	154	21	25.7	3.5	133	733	6	39.0	3	19.5
All other	143	2	1	14.0	7.0	1	200	-	0	-	0
Wise	19,074	361	156	18.9	8.2	205	231	10	27.7	5	13.9
White	18,878	360	155	19.1	8.2	205	232	9	25.0	5	13.9
All other	196	1	1	5.1	5.1	-	100	1	1,000.0	-	0
Wood	24,360	427	218	17.5	8.9	209	196	26	60.9	10	23.4
White	20,620	382	173	18.5	8.4	209	221	24	62.8	8	20.9
All other	3,740	45	45	12.0	12.0	-	100	2	44.4	2	44.4
Yoakum	5,354	85	12	15.9	2.2	73	708	1	11.8	4	47.1
White	5,233	85	12	16.2	2.3	73	708	1	11.8	4	47.1
All other	121	-	-	0	0	-	0	-	0	-	0
Young	19,004	442	148	23.3	7.8	294	299	17	38.5	11	24.9
White	18,768	440	147	23.4	7.8	293	299	17	38.6	11	25.0
All other	236	2	1	8.5	4.2	1	200	-	0	-	0
Zapata	3,916	116	44	29.6	11.2	72	264	10	86.2	3	25.9
White	3,916	116	44	29.6	11.2	72	264	10	86.2	3	25.9
All other	-	-	-	0	0	-	0	-	0	-	0
Zavala	11,603	239	120	20.6	10.3	119	199	40	167.4	11	46.0
White	11,544	235	119	20.4	10.3	116	197	39	166.0	11	46.8
All other	59	4	1	67.8	16.9	3	400	1	250.0	-	0
UTAH (total)	550,310	13,559	4,925	24.6	8.9	8,634	275	551	40.6	253	18.7
Beaver	5,014	131	50	26.1	10.0	81	262	3	22.9	1	7.6
Box Elder	18,832	500	130	26.6	6.9	370	385	17	34.0	4	8.0
Cache	29,797	808	206	27.1	6.9	602	392	17	21.0	14	17.3
Rural part	17,929	150	83	8.4	4.6	67	181	3	20.0	3	20.0
Logan	11,868	658	123	55.4	10.4	535	535	14	21.3	11	16.7
Carbon	18,459	445	147	24.1	8.0	298	303	26	58.4	10	22.5
Daggett	564	6	1	10.6	1.8	5	600	1	166.7	-	0
Davis	15,784	115	109	7.3	6.9	6	106	3	26.1	3	26.1
Duchesne	8,958	219	48	24.4	5.4	171	456	15	68.5	2	9.1
Emery	7,072	158	45	22.3	6.4	113	351	7	44.3	1	6.3
Garfield	5,253	127	20	24.2	3.8	107	635	5	39.4	2	15.7
Grand	2,070	78	20	37.7	9.7	58	390	4	51.3	1	12.8
Iron	8,331	274	75	32.9	9.0	199	365	8	29.2	7	25.5
Juab	7,392	144	52	19.5	7.0	92	277	9	62.5	2	13.9
Kane	2,561	88	18	34.4	7.0	70	489	3	34.1	3	34.1
Millard	9,613	241	56	25.1	5.8	185	430	7	29.0	4	16.6
Morgan	2,611	21	9	8.0	3.4	12	233	-	0	1	47.6
Piute	2,203	43	12	19.5	5.4	31	358	3	69.8	-	0
Rich	2,028	34	6	16.8	3.0	28	567	3	88.2	-	0
Salt Lake	211,623	5,261	2,143	24.9	10.1	3,118	245	195	37.1	108	20.5
Rural part	61,689	1,011	281	16.4	4.6	730	360	26	25.7	14	13.8
Salt Lake City	149,934	4,250	1,862	28.3	12.4	2,388	228	169	39.8	94	22.1
San Juan	4,712	61	17	12.9	3.6	44	359	1	16.4	2	32.8
Sanpete	16,063	394	140	24.5	8.7	254	281	22	55.8	10	25.4
Sevier	12,112	358	110	29.6	9.1	248	325	15	41.9	9	25.1
Summit	8,714	193	91	22.1	10.4	102	212	10	51.8	6	31.1
Tooele	9,133	184	73	20.1	8.0	111	252	7	38.0	2	10.9
Uintah	9,898	345	87	34.9	8.8	258	397	27	78.3	6	17.4
Utah	57,382	1,516	593	26.4	10.3	923	256	66	43.5	20	13.2
Rural part	39,311	974	354	24.8	9.0	620	275	39	40.0	13	13.3
Provo	18,071	542	239	30.0	13.2	303	227	27	49.8	7	12.9
Wasatch	5,754	160	40	27.8	7.0	120	400	5	31.3	4	25.0
Washington	9,269	249	66	26.9	7.1	183	377	7	28.1	3	12.0
Wayne	2,394	64	10	26.7	4.2	54	640	1	15.6	1	15.6
Weber	56,714	1,342	551	23.7	9.7	791	244	64	47.7	27	20.1
Rural part	13,026	27	76	2.1	5.8	-49	36	5	185.2	-	0
Ogden	43,688	1,315	475	30.1	10.9	840	277	59	44.9	27	20.5
VERMONT (total)	359,231	6,694	4,610	18.6	12.8	2,084	145	301	45.0	173	25.8
Addison	17,944	318	209	17.7	11.6	109	152	5	15.7	10	31.4
Bennington	22,266	378	314	17.0	14.1	64	120	19	50.3	6	15.9
Caledonia	24,320	469	322	19.3	13.2	147	146	24	51.2	12	25.6
Chittenden	52,098	1,362	719	26.1	13.8	643	189	61	44.8	46	33.8
Rural part	24,412	323	255	13.2	10.4	68	127	16	49.5	8	24.8
Burlington	27,686	1,039	464	37.5	16.8	575	224	45	43.3	38	36.6
Essex	6,490	93	61	14.3	9.4	32	152	5	53.8	3	32.3
Franklin	29,601	562	359	19.0	12.1	203	157	38	67.6	11	19.6
Grand Isle	5,802	31	39	8.2	10.3	-8	79	2	64.5	2	64.5
Lamoille	11,028	214	152	19.4	13.8	62	141	8	37.4	3	14.0
Orange	17,048	232	218	13.6	12.8	14	106	12	51.7	13	56.0
Orleans	21,718	446	244	20.5	11.2	202	183	29	65.0	11	24.7
Rutland	45,658	758	606	16.6	13.3	152	125	34	44.9	13	17.2
Rural part	28,556	290	294	10.2	10.3	-4	99	7	24.1	7	24.1
Rutland	17,082	468	312	27.4	18.3	156	150	27	57.7	6	12.8
Washington	41,546	778	594	18.7	14.3	184	131	40	51.4	17	21.9
Rural part	30,637	430	461	14.0	15.0	-31	93	26	60.5	11	25.6
Barre	10,909	348	133	31.9	12.2	215	262	14	40.2	6	17.2
Windham	27,850	538	405	19.3	14.5	133	133	11	20.4	14	26.0
Windsor	37,862	515	368	13.6	9.7	147	140	13	25.2	12	23.3

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
VIRGINIA [10] (total)	2,677,773	55,208	29,579	20.6	11.0	25,629	187	3,272	59.3	2,033	36.8
Accomack	33,030	460	414	13.9	12.5	46	111	51	110.9	24	52.2
White	20,453	211	225	10.3	11.0	-14	94	12	56.9	8	37.9
All other	12,577	249	189	19.8	15.0	60	132	39	156.6	16	64.3
Albemarle	24,652	1,067	584	43.3	23.7	483	183	71	66.5	48	45.0
White	18,990	844	427	44.4	22.5	417	198	58	68.7	34	40.3
All other	5,662	223	157	39.4	27.7	66	142	13	58.3	14	62.8
Alexandria (city)	33,523	689	357	20.6	10.6	332	193	37	53.7	25	36.3
White	28,219	583	271	20.7	9.6	312	215	26	44.6	21	36.0
All other	5,304	106	86	20.0	16.2	20	123	11	103.8	4	37.7
Alleghany	22,688	421	157	18.6	6.9	264	268	22	52.3	18	42.8
White	20,598	372	135	18.1	6.6	237	276	17	45.7	17	45.7
All other	2,090	49	22	23.4	10.5	27	223	5	102.0	1	20.4
Amelia	8,495	229	96	27.0	11.3	133	239	10	43.7	11	48.0
White	4,175	93	32	22.3	7.7	61	291	2	21.5	3	32.3
All other	4,320	136	64	31.5	14.8	72	213	8	58.8	8	58.8
Amherst	20,273	308	173	15.2	8.5	135	178	18	58.4	12	39.0
White	14,090	162	135	11.5	9.6	27	120	11	67.9	3	18.5
All other	6,183	146	38	23.6	6.1	108	384	7	47.9	9	61.6
Appomattox	9,020	157	84	17.4	9.3	73	187	7	44.6	9	57.3
White	6,581	96	61	14.6	9.3	35	157	6	62.5	6	62.5
All other	2,439	61	23	25.0	9.4	38	265	1	16.4	3	49.2
Arlington [11]	57,040	88	269	1.5	4.7	-181	33	5	56.8	1	11.4
White	51,998	59	231	1.1	4.4	-172	26	2	33.9	1	16.9
All other	5,042	29	38	5.8	7.5	-9	76	3	103.4	-	0
Augusta	42,772	788	372	18.4	8.7	416	212	32	40.6	20	25.4
White	39,537	730	328	18.5	8.3	402	223	29	39.7	18	24.7
All other	3,235	58	44	17.9	13.6	14	132	3	51.7	2	34.5
Bath	7,191	142	65	19.7	9.0	77	218	11	77.5	5	35.2
White	6,394	134	55	21.0	8.6	79	244	11	82.1	5	37.3
All other	797	8	10	10.0	12.5	-2	80	-	0	-	0
Bedford	29,687	544	356	18.3	12.0	188	153	33	60.7	8	14.7
White	23,339	401	267	17.2	11.4	134	150	24	59.9	4	10.0
All other	6,348	143	89	22.5	14.0	54	161	9	62.9	4	28.0
Bland	6,731	141	66	20.9	9.8	75	214	10	70.9	10	70.9
White	6,615	139	63	21.0	9.5	76	221	10	71.9	10	71.9
All other	116	2	3	17.2	25.9	-1	67	-	0	-	0
Botetourt	16,447	309	165	18.8	10.0	144	187	24	77.7	8	25.9
White	14,528	265	134	18.2	9.2	131	198	18	67.9	7	26.4
All other	1,919	44	31	22.9	16.2	13	142	6	136.4	1	22.7
Bristol (city) [12]	9,768	392	183	40.1	18.7	209	214	21	53.6	21	53.6
White	8,721	375	158	43.0	18.1	217	237	16	42.7	18	48.0
All other	1,047	17	25	16.2	23.9	-8	68	5	294.1	3	176.5
Brunswick	19,575	478	195	24.4	10.0	283	245	32	66.9	14	29.3
White	8,691	145	78	16.7	9.0	67	186	13	89.7	4	27.6
All other	10,884	333	117	30.6	10.7	216	285	19	57.1	10	30.0
Buchanan	31,477	1,134	236	36.0	7.5	898	481	86	75.8	34	30.0
White	31,470	1,134	236	36.0	7.5	898	481	86	75.8	34	30.0
All other	7	-	-	0	0	-	0	-	0	-	0
Buckingham	13,398	296	137	22.1	10.2	159	216	18	60.8	13	43.9
White	7,733	127	67	16.4	8.7	60	190	5	39.4	7	55.1
All other	5,665	169	70	29.8	12.4	99	241	13	76.9	6	35.5
Buena Vista (city)	4,335	88	33	20.3	7.6	55	267	4	45.5	1	11.4
White	4,074	86	30	21.1	7.4	56	287	4	46.5	1	11.6
All other	261	2	3	7.7	11.5	-1	67	-	0	-	0
Campbell	26,048	486	216	18.7	8.3	270	225	28	57.6	17	35.0
White	19,324	307	132	15.9	6.8	175	233	10	32.6	7	22.8
All other	6,724	179	84	26.6	12.5	95	213	18	100.6	10	55.9
Caroline	13,945	294	122	21.1	8.7	172	241	18	61.2	7	23.8
White	6,934	92	56	13.3	8.1	36	164	3	32.6	-	0
All other	7,011	202	66	28.8	9.4	136	306	15	74.3	7	34.7
Carroll	25,904	546	170	21.1	6.6	376	321	25	45.8	19	34.8
White	25,572	544	167	21.3	6.5	377	326	25	46.0	18	33.1
All other	332	2	3	6.0	9.0	-1	67	-	0	1	500.0
Charles City	4,275	108	49	25.3	11.5	59	220	6	55.6	2	18.5
White	919	5	4	5.4	4.4	1	125	-	0	-	0
All other	3,356	103	45	30.7	13.4	58	229	6	58.3	2	19.4
Charlotte	15,861	321	159	20.2	10.0	162	202	20	62.3	14	43.6
White	9,169	142	66	15.5	7.2	76	215	7	49.3	1	7.0
All other	6,692	179	93	26.7	13.9	86	192	13	72.6	13	72.6
Charlottesville (city)	19,400	275	189	14.2	9.7	86	146	11	40.0	11	40.0
White	15,246	255	145	16.7	9.5	110	176	9	35.3	10	39.2
All other	4,154	20	44	4.8	10.6	-24	45	2	100.0	1	50.0
Chesterfield	31,183	325	225	10.4	7.2	100	144	19	58.5	8	24.6
White	24,932	162	153	6.5	6.1	9	106	9	55.6	6	37.0
All other	6,251	163	72	26.1	11.5	91	226	10	61.3	2	12.3
Clarke	7,159	103	76	14.4	10.6	27	136	8	77.7	3	29.1
White	5,853	77	54	13.2	9.2	23	143	7	90.9	2	26.0
All other	1,306	26	22	19.9	16.8	4	118	1	38.5	1	38.5
Clifton Forge (city)	6,461	111	138	17.2	21.4	-27	80	11	99.1	2	18.0
White	5,214	106	102	20.3	19.6	4	104	9	84.9	2	18.9
All other	1,247	5	36	4.0	28.9	-31	14	2	400.0	-	0
Craig	3,769	58	27	15.4	7.2	31	215	3	51.7	3	51.7
White	3,719	57	27	15.3	7.3	30	211	3	52.6	3	52.6
All other	50	1	-	20.0	0	1	(3)	-	0	-	0
Culpeper	13,365	231	128	17.3	9.6	103	180	12	51.9	7	30.3
White	9,151	131	72	14.3	7.9	59	182	2	15.3	3	22.9
All other	4,214	100	56	23.7	13.3	44	179	10	100.0	4	40.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
VIRGINIA [10] —Continued											
Cumberland	7,505	148	77	19.7	10.3	71	192	7	47.3	8	54.1
White	3,124	37	33	11.8	10.6	4	112	1	27.0	-	0
All other	4,381	111	44	25.3	10.0	67	252	6	54.1	8	72.1
Danville (city)	32,749	1,017	527	31.1	16.1	490	193	73	71.8	45	44.2
White	22,578	798	357	35.3	15.8	441	224	50	62.7	31	38.8
All other	10,171	219	170	21.5	16.7	49	129	23	105.0	14	63.9
Dickenson	21,266	715	113	33.6	5.3	602	633	39	54.5	19	26.6
White	20,717	705	109	34.0	5.3	596	647	38	53.9	18	25.5
All other	549	10	4	18.2	7.3	6	250	1	100.0	1	100.0
Dinwiddie	18,166	284	490	15.6	27.0	-206	58	20	70.4	11	38.7
White	6,448	73	48	11.3	7.4	25	152	3	41.1	-	0
All other	11,718	211	442	18.0	37.7	-231	48	17	80.6	11	52.1
Elizabeth City	32,283	282	361	8.7	11.2	-79	78	19	67.4	19	67.4
White	25,275	181	195	7.2	7.7	-14	93	9	49.7	9	49.7
All other	7,008	101	166	14.4	23.7	-65	61	10	99.0	10	99.0
Essex	7,006	107	92	15.3	13.1	15	116	7	65.4	5	46.7
White	3,389	36	33	10.6	9.7	3	109	1	27.8	1	27.8
All other	3,617	71	59	19.6	16.3	12	120	6	84.5	4	56.3
Fairfax	40,929	280	274	6.8	6.7	6	102	10	35.7	1	3.6
White	34,412	231	223	6.7	6.5	8	104	6	26.0	-	0
All other	6,517	49	51	7.5	7.8	-2	96	4	81.6	1	20.4
Fauquier	21,039	379	214	18.0	10.2	165	177	18	47.5	14	36.9
White	14,906	236	148	15.8	9.9	88	159	12	50.8	9	38.1
All other	6,133	143	66	23.3	10.8	77	217	6	42.0	5	35.0
Floyd	11,967	303	106	25.3	8.9	197	286	13	42.9	10	33.0
White	11,465	286	101	24.9	8.8	185	283	13	45.5	10	35.0
All other	502	17	5	33.9	10.0	12	340	-	0	-	0
Fluvanna	7,088	104	66	14.7	9.3	38	158	3	28.8	3	28.8
White	4,312	51	41	11.8	9.5	10	124	1	19.6	1	19.6
All other	2,776	53	25	19.1	9.0	28	212	2	37.7	2	37.7
Franklin	25,864	555	175	21.5	6.8	380	317	11	19.8	12	21.6
White	22,144	472	139	21.3	6.3	333	340	11	23.3	7	14.8
All other	3,720	83	36	22.3	9.7	47	231	-	0	5	60.2
Frederick	14,008	221	113	15.8	8.1	108	196	12	54.3	3	13.6
White	13,592	214	104	15.7	7.7	110	206	9	42.1	2	9.3
All other	416	7	9	16.8	21.6	-2	78	3	428.6	1	142.9
Fredericksburg (city)	10,066	360	199	35.8	19.8	161	181	19	52.8	12	33.3
White	8,209	308	148	37.5	18.0	160	208	15	48.7	8	26.0
All other	1,857	52	51	28.0	27.5	1	102	4	76.9	4	76.9
Giles	14,635	355	165	24.3	11.3	190	215	30	84.5	6	16.9
White	14,102	340	152	24.1	10.8	188	224	28	82.4	6	17.6
All other	533	15	13	28.1	24.4	2	115	2	133.3	-	0
Gloucester	9,548	124	105	13.0	11.0	19	118	3	24.2	7	56.5
White	6,368	78	65	12.2	10.2	13	120	1	12.8	3	38.5
All other	3,180	46	40	14.5	12.6	6	115	2	43.5	4	87.0
Goochland	8,454	174	86	20.6	10.2	88	202	4	23.0	8	46.0
White	4,054	69	30	17.0	7.4	39	230	1	14.5	1	14.5
All other	4,400	105	56	23.9	12.7	49	188	3	28.6	7	66.7
Grayson	21,916	458	200	20.9	9.1	258	229	26	56.8	10	21.8
White	21,094	434	186	20.6	8.8	248	233	24	55.3	10	23.0
All other	822	24	14	29.2	17.0	10	171	2	83.3	-	0
Greene	5,218	78	36	14.9	6.9	42	217	4	51.3	5	64.1
White	4,433	67	24	15.1	5.4	43	279	4	59.7	4	59.7
All other	785	11	12	14.0	15.3	-1	92	-	0	1	90.9
Greensville	14,866	361	128	24.3	8.6	233	282	20	55.4	26	72.0
White	5,953	110	46	18.5	7.7	64	239	7	63.6	3	27.3
All other	8,913	251	82	28.2	9.2	169	306	13	51.8	23	91.6
Halifax	41,271	1,020	403	24.7	9.8	617	253	45	44.1	45	44.1
White	22,809	449	184	19.7	8.1	265	244	18	40.1	14	31.2
All other	18,462	571	219	30.9	11.9	352	261	27	47.3	31	54.3
Hampton (city)	5,898	257	156	43.6	26.4	101	165	16	62.3	10	38.9
White	4,148	199	92	48.0	22.2	107	216	11	55.3	6	30.2
All other	1,752	58	64	33.1	36.5	-6	91	5	86.2	4	69.0
Hanover	18,500	333	178	18.0	9.6	155	187	15	45.0	18	54.1
White	11,933	174	97	14.6	8.1	77	179	5	28.7	5	28.7
All other	6,567	159	81	24.2	12.3	78	196	10	62.9	13	81.8
Harrisonburg (city)	8,768	335	244	38.2	27.8	91	137	44	131.3	16	47.8
White	7,993	311	228	38.9	28.5	83	136	43	138.3	16	51.4
All other	775	24	16	31.0	20.6	8	150	1	41.7	-	0
Henrico	41,960	267	335	6.4	8.0	-68	80	19	71.2	8	30.0
White	34,982	152	206	4.3	5.9	-54	74	7	46.1	3	19.7
All other	6,978	115	129	16.5	18.5	-14	89	12	104.3	5	43.5
Henry	26,481	781	201	29.5	7.6	580	389	35	44.8	19	24.3
White	19,292	505	106	26.2	5.5	399	476	20	39.6	9	17.8
All other	7,189	276	95	38.4	13.2	181	291	15	54.3	10	36.2
Highland	4,875	98	47	20.1	9.6	51	209	6	61.2	6	61.2
White	4,789	98	45	20.5	9.4	53	218	6	61.2	5	51.0
All other	86	-	2	0	23.3	-2	0	-	0	1	(3)
Hopewell (city)	8,679	169	58	19.5	6.5	113	302	5	29.6	6	35.5
White	7,306	144	38	19.7	5.2	106	379	3	20.8	4	27.8
All other	1,373	25	18	18.2	13.1	7	139	2	80.0	2	80.0
Isle of Wight	13,381	262	147	19.6	11.0	115	178	25	95.4	9	34.4
White	6,486	82	48	12.6	7.4	34	171	6	73.2	-	0
All other	6,895	180	99	26.1	14.4	81	182	19	105.6	9	50.0
James City	4,907	78	45	15.9	9.2	33	173	6	76.9	7	89.7
White	2,738	15	16	5.5	5.8	-1	94	-	0	-	0
All other	2,169	63	29	29.0	13.4	34	217	6	95.2	7	111.1

See footnotes at end of table.

498675 O - 43 - 10

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
VIRGINIA [10] —Continued											
King and Queen	6,954	142	73	20.4	10.5	69	195	10	70.4	2	14.1
White	3,264	53	23	16.2	7.0	30	230	1	18.9	-	0
All other	3,690	89	50	24.1	13.6	39	178	9	101.1	2	22.5
King George	5,431	85	58	15.7	10.7	27	147	7	82.4	1	11.8
White	3,609	43	32	11.9	8.9	11	134	1	23.3	-	0
All other	1,822	42	26	23.1	14.3	16	162	6	142.9	1	23.8
King William	7,855	141	76	18.0	9.7	65	186	8	56.7	8	56.7
White	3,994	42	35	10.5	8.8	7	120	1	23.8	1	23.8
All other	3,861	99	41	25.6	10.6	58	241	7	70.7	7	70.7
Lancaster	8,786	145	114	16.5	13.0	31	127	7	48.3	10	69.0
White	4,992	65	54	13.0	10.8	11	120	3	46.2	4	61.5
All other	3,794	80	60	21.1	15.8	20	133	4	50.0	6	75.0
Lee	39,296	1,122	308	28.6	7.8	814	364	72	64.2	46	41.0
White	38,650	1,113	302	28.8	7.8	811	369	72	64.7	46	41.3
All other	646	9	6	13.9	9.3	3	150	-	0	-	0
Loudoun	20,291	365	257	18.0	12.7	108	142	22	60.3	12	32.9
White	16,192	276	206	17.0	12.7	70	134	15	54.3	7	25.4
All other	4,099	89	51	21.7	12.4	38	175	7	78.7	5	56.2
Louisa	13,665	233	124	17.1	9.1	109	188	8	34.3	11	47.2
White	8,115	105	57	12.9	7.0	48	184	1	9.5	-	0
All other	5,550	128	67	23.1	12.1	61	191	7	54.7	11	85.9
Lunenburg	13,844	301	118	21.7	8.5	183	255	19	63.1	10	33.2
White	7,714	117	54	15.2	7.0	63	217	5	42.7	1	8.5
All other	6,130	184	64	30.0	10.4	120	288	14	76.1	9	48.9
Lynchburg (city)	44,541	1,169	630	26.2	14.1	539	186	76	65.0	36	30.8
White	34,305	906	395	26.4	11.5	511	229	52	57.4	27	29.8
All other	10,236	263	235	25.7	23.0	28	112	24	91.3	9	34.2
Madison	8,465	119	74	14.1	8.7	45	161	6	50.4	1	8.4
White	6,303	68	46	10.8	7.3	22	148	2	29.4	1	14.7
All other	2,162	51	28	23.6	13.0	23	182	4	78.4	-	0
Martinsville (city)	10,080	308	93	30.6	9.2	215	331	13	42.2	3	9.7
White	8,068	240	72	29.7	8.9	168	333	9	37.5	3	12.5
All other	2,012	68	21	33.8	10.4	47	324	4	58.8	-	0
Mathews	7,149	49	89	6.9	12.4	-40	55	-	0	1	20.4
White	5,376	26	60	4.8	11.2	-34	43	-	0	1	38.5
All other	1,773	23	29	13.0	16.4	-6	79	-	0	-	0
Mecklenburg	31,933	800	297	25.1	9.3	503	269	46	57.5	19	23.8
White	15,611	259	123	16.6	7.9	136	211	16	61.8	1	3.9
All other	16,322	541	174	33.1	10.7	367	311	30	55.5	18	33.3
Middlesex	6,673	79	72	11.8	10.8	7	110	8	101.3	2	25.3
White	3,781	30	28	7.9	7.4	2	107	-	0	-	0
All other	2,892	49	44	16.9	15.2	5	111	8	163.3	2	40.8
Montgomery	21,206	423	236	19.9	11.1	187	179	25	59.1	18	42.6
White	19,637	395	216	20.1	11.0	179	183	23	58.2	17	43.0
All other	1,569	28	20	17.8	12.7	8	140	2	71.4	1	35.7
Nansemond	22,771	458	286	20.1	12.6	172	159	40	87.3	23	50.2
White	7,470	99	66	13.3	8.8	33	150	2	20.2	1	10.1
All other	15,301	359	220	23.5	14.4	139	163	38	105.8	22	61.3
Nelson	16,241	274	127	16.9	7.8	147	216	16	58.4	8	29.2
White	11,942	171	76	14.3	6.4	95	225	7	40.9	4	23.4
All other	4,299	103	51	24.0	11.9	52	202	9	87.4	4	38.8
New Kent	4,092	67	28	16.4	6.8	39	239	1	14.9	1	14.9
White	1,717	15	12	8.7	7.0	3	125	-	0	-	0
All other	2,375	52	16	21.9	6.7	36	325	1	19.2	1	19.2
Newport News (city)	37,067	1,141	585	30.8	15.8	556	195	58	50.8	30	26.3
White	21,772	774	288	35.6	13.2	486	269	50	38.8	10	12.9
All other	15,295	367	297	24.0	19.4	70	124	28	76.3	20	54.5
Norfolk	35,828	848	345	23.7	9.6	503	246	45	53.1	26	30.7
White	23,375	549	194	23.5	8.3	355	283	25	45.5	11	20.0
All other	12,453	299	151	24.0	12.1	148	198	20	66.9	15	50.2
Norfolk (city)	144,332	2,798	1,785	19.4	12.4	1,013	157	173	61.8	158	55.8
White	98,248	1,844	1,015	18.8	10.3	829	182	77	41.8	69	37.4
All other	46,084	954	770	20.7	16.7	184	124	96	100.6	87	91.2
Northampton	17,597	365	292	20.7	16.6	73	125	32	87.7	21	57.5
White	8,098	123	121	15.2	14.9	2	102	9	73.2	4	32.5
All other	9,499	242	171	25.5	18.0	71	142	23	95.0	17	70.2
Northumberland	10,463	169	130	16.2	12.4	39	130	11	65.1	4	23.7
White	6,138	71	73	11.6	11.9	-2	97	2	28.2	1	14.1
All other	4,325	98	57	22.7	13.2	41	172	9	91.8	3	30.6
Nottoway	15,556	284	252	18.3	16.2	32	113	31	109.2	11	38.7
White	8,397	105	74	12.5	8.8	31	142	6	57.1	-	0
All other	7,159	179	178	25.0	24.9	1	101	25	139.7	11	61.5
Orange	12,649	167	121	13.2	9.6	46	138	8	47.9	5	29.9
White	9,010	81	79	9.0	8.8	2	103	4	49.4	3	37.0
All other	3,639	86	42	23.6	11.5	44	205	4	46.5	2	23.3
Page	14,863	315	159	21.2	10.7	156	198	22	69.8	17	54.0
White	14,192	302	143	21.3	10.1	159	211	18	59.6	16	53.0
All other	671	13	16	19.4	23.8	-3	81	4	307.7	1	76.9
Patrick	18,613	443	131	26.7	7.9	312	338	23	51.9	10	22.6
White	15,240	398	120	26.1	7.9	278	332	18	45.2	7	17.6
All other	1,373	45	11	32.8	8.0	34	409	5	111.1	3	66.7
Petersburg (city)	30,631	611	468	19.9	15.3	143	131	47	76.9	46	75.3
White	17,137	335	212	19.5	12.4	123	158	13	38.8	21	62.7
All other	13,494	276	256	20.5	19.0	20	108	34	123.2	25	90.6
Pittsylvania	61,697	1,128	465	18.3	7.5	663	243	61	54.1	40	35.5
White	42,708	576	271	13.5	6.3	305	213	29	50.3	16	27.8
All other	18,989	552	194	29.1	10.2	358	285	32	58.0	24	43.5

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
VIRGINIA [10]—Continued											
Portsmouth (city)	50,745	919	643	18.1	12.7	276	143	69	75.1	52	56.6
White	31,268	546	275	17.5	8.8	271	199	25	45.8	16	29.3
All other	19,477	373	368	19.2	18.9	5	101	44	118.0	36	96.5
Powhatan	5,671	95	57	16.8	10.1	38	167	5	52.6	3	31.6
White	3,165	34	11	10.7	3.5	23	309	1	29.4	-	0
All other	2,506	61	46	24.3	18.4	15	133	4	65.6	3	49.2
Prince Edward	14,922	428	250	28.7	16.8	178	171	43	100.5	16	37.4
White	7,734	209	114	27.0	14.7	95	183	20	95.7	4	19.1
All other	7,188	219	136	30.5	18.9	83	161	23	105.0	12	54.8
Prince George	12,226	198	101	16.2	8.3	97	196	10	50.5	9	45.5
White	7,306	81	39	11.1	5.3	42	208	4	49.4	1	12.3
All other	4,920	117	62	23.8	12.6	55	189	6	51.3	8	68.4
Prince William	17,738	297	154	16.7	8.7	143	193	11	37.0	6	20.2
White	15,175	245	117	16.1	7.7	128	209	9	36.7	4	16.3
All other	2,563	52	37	20.3	14.4	15	141	2	38.5	2	38.5
Princess Anne	19,984	306	442	15.3	22.1	-136	69	22	71.9	17	55.6
White	12,234	117	202	9.6	16.5	-85	58	9	76.9	3	25.6
All other	7,750	189	240	24.4	31.0	-51	79	13	68.8	14	74.1
Pulaski	22,767	552	223	24.2	9.8	329	248	32	58.0	15	27.2
White	20,704	500	194	24.1	9.4	306	258	26	52.0	12	24.0
All other	2,063	52	29	25.2	14.1	23	179	6	115.4	3	57.7
Radford (city)	6,990	149	45	21.3	6.4	104	331	7	47.0	6	40.3
White	6,430	138	36	21.5	5.6	102	383	5	36.2	6	43.5
All other	560	11	9	19.6	16.1	2	122	2	181.8	-	0
Rappahannock	7,208	126	50	17.5	6.9	76	252	1	7.9	10	79.4
White	5,618	97	38	17.3	6.8	59	255	-	0	6	61.9
All other	1,590	29	12	18.2	7.5	17	242	1	34.5	4	137.9
Richmond	6,634	110	66	16.6	9.9	44	167	7	63.6	9	81.8
White	4,101	58	45	14.1	11.0	13	129	6	103.4	1	17.2
All other	2,533	52	21	20.5	8.3	31	248	1	19.2	8	153.8
Richmond (city)	193,042	4,178	2,793	21.6	14.5	1,385	150	209	50.0	166	39.7
White	131,706	2,945	1,733	22.4	13.2	1,212	170	114	38.7	76	25.8
All other	61,336	1,233	1,060	20.1	17.3	173	116	95	77.0	90	73.0
Roanoke	42,697	453	439	10.6	10.2	14	103	22	48.6	7	15.5
White	39,561	403	356	10.2	9.0	47	113	19	47.1	6	14.9
All other	3,336	50	83	15.0	24.9	-33	60	3	60.0	1	20.0
Roanoke (city)	69,287	1,711	818	24.7	11.8	893	209	94	54.9	66	38.6
White	56,472	1,467	628	26.0	11.1	839	234	77	52.5	44	30.0
All other	12,815	244	190	19.0	14.8	54	128	17	69.7	22	90.2
Rockbridge	22,384	453	236	20.2	10.5	217	193	18	39.7	10	22.1
White	20,101	414	206	20.6	10.2	208	201	16	38.6	9	21.7
All other	2,283	39	30	17.1	13.1	9	130	2	51.3	1	25.6
Rockingham	31,289	453	221	14.5	7.1	232	205	17	37.5	6	13.2
White	30,453	441	211	14.5	6.9	230	209	17	38.5	6	13.6
All other	836	12	10	14.4	12.0	2	120	-	0	-	0
Russell	26,627	773	224	29.0	8.4	549	345	40	51.7	19	24.6
White	25,914	757	213	29.2	8.2	544	355	39	51.5	18	23.8
All other	713	16	11	22.4	15.4	5	145	1	62.5	1	62.5
Scott	26,989	612	221	22.7	8.2	391	277	31	50.7	16	26.1
White	26,680	611	217	22.9	8.1	394	282	30	49.1	16	26.2
All other	309	1	4	3.2	12.9	-3	25	1	1,000.0	-	0
Shenandoah	20,898	353	208	16.9	10.0	145	170	17	48.2	8	22.7
White	20,561	347	203	16.9	9.9	144	171	17	49.0	7	20.2
All other	337	6	5	17.8	14.8	1	120	-	0	1	166.7
Smyth	28,861	714	365	24.7	12.6	349	196	52	72.8	21	29.4
White	28,314	697	356	24.6	12.6	341	196	51	73.2	21	30.1
All other	547	17	9	31.1	16.5	8	189	1	58.8	-	0
Southampton	26,442	639	310	24.2	11.7	329	206	57	89.2	26	40.7
White	10,191	174	103	17.1	10.1	71	169	8	46.0	4	23.0
All other	16,251	465	207	28.6	12.7	258	225	49	105.4	22	47.3
South Norfolk (city)	8,038	96	51	11.9	6.3	45	188	3	31.3	3	31.3
White	6,446	58	30	9.0	4.7	28	193	1	17.2	2	34.5
All other	1,592	38	21	23.9	13.2	17	181	2	52.6	1	26.3
Spotsylvania	9,905	158	98	16.0	9.9	60	161	5	31.6	8	50.6
White	7,118	98	53	13.8	7.4	45	185	4	40.8	5	51.0
All other	2,787	60	45	21.5	16.1	15	133	1	16.7	3	50.0
Stafford	9,548	124	77	13.0	8.1	47	161	8	64.5	1	8.1
White	8,103	85	60	10.5	7.4	25	142	4	47.1	-	0
All other	1,445	39	17	27.0	11.8	22	229	4	102.6	1	25.6
Staunton (city)	13,337	255	355	19.1	26.6	-100	72	12	47.1	12	47.1
White	11,694	222	319	19.0	27.3	-97	70	9	40.5	10	45.0
All other	1,643	33	36	20.1	21.9	-3	92	3	90.9	2	60.6
Suffolk (city)	11,343	246	242	21.7	21.3	4	102	27	109.8	15	61.0
White	7,504	161	129	21.5	17.2	32	125	14	87.0	8	49.7
All other	3,839	85	113	22.1	29.4	-28	75	13	152.9	7	82.4
Surry	6,193	134	92	21.6	14.9	42	146	16	119.4	8	59.7
White	2,392	26	20	10.9	8.4	6	130	2	76.9	2	76.9
All other	3,801	108	72	28.4	18.9	36	150	14	129.6	6	55.6
Sussex	12,485	293	148	23.5	11.9	145	198	19	64.8	18	61.4
White	4,121	42	51	10.2	12.4	-9	82	2	47.6	3	71.4
All other	8,364	251	97	30.0	11.6	154	259	17	67.7	15	59.8
Tazewell	41,607	1,267	350	30.5	8.4	917	362	73	57.6	34	26.8
White	38,623	1,208	312	31.3	8.1	896	387	67	55.5	31	25.7
All other	2,984	59	38	19.8	12.7	21	155	6	101.7	3	50.8
Warren	11,352	257	117	22.6	10.3	140	220	16	62.3	3	11.7
White	10,295	227	101	22.0	9.8	126	225	14	61.7	3	13.2
All other	1,057	30	16	28.4	15.1	14	188	2	66.7	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
VIRGINIA [10]—Continued											
Warwick	9,248	68	64	7.4	6.9	4	106	4	58.8	2	29.4
White	6,703	11	41	1.6	6.1	-30	27	3	272.7	-	0
All other	2,545	57	23	22.4	9.0	34	248	1	17.5	2	35.1
Washington	38,197	932	321	24.4	8.4	611	290	52	55.8	25	26.8
White	36,765	904	292	24.6	7.9	612	310	50	55.3	23	25.4
All other	1,432	28	29	19.6	20.3	-1	97	2	71.4	2	71.4
Westmoreland	9,512	176	110	18.5	11.6	66	160	18	102.3	8	45.5
White	5,015	53	53	10.6	10.6	-	100	4	75.5	1	18.9
All other	4,497	123	57	27.4	12.7	66	216	14	113.8	7	56.9
Williamsburg (city)	3,942	60	171	15.2	43.4	-111	35	1	16.7	2	33.3
White	3,107	47	159	15.1	51.2	-112	30	-	0	2	42.6
All other	835	13	12	15.6	14.4	1	108	1	76.9	-	0
Winchester (city)	12,095	420	233	34.7	19.3	187	180	26	61.9	19	45.2
White	11,027	387	206	35.1	18.7	181	188	23	59.4	17	43.9
All other	1,068	33	27	30.9	25.3	6	122	3	90.9	2	60.6
Wise	52,458	1,499	453	28.6	8.6	1,046	331	98	65.4	52	34.7
White	49,645	1,435	409	28.9	8.2	1,026	351	92	64.1	49	34.1
All other	2,813	64	44	22.8	15.6	20	145	6	93.8	3	46.9
Wythe	22,721	513	183	22.6	8.1	330	280	20	39.0	12	23.4
White	21,360	487	160	22.8	7.5	327	304	17	34.9	11	22.6
All other	1,361	26	23	19.1	16.9	3	113	3	115.4	1	38.5
York	8,857	148	75	16.7	8.5	73	197	8	54.1	2	13.5
White	5,634	51	33	9.1	5.9	18	155	3	58.8	-	0
All other	3,223	97	42	30.1	13.0	55	231	5	51.5	2	20.6
WASHINGTON (total)	1,736,191	28,141	20,009	16.2	11.5	8,132	141	1,005	35.7	470	16.7
Adams	6,209	56	44	9.0	7.1	12	127	1	17.9	1	17.9
Asotin	8,365	55	88	6.6	10.5	-33	63	2	36.4	-	0
Benton	12,053	98	68	8.1	5.6	30	144	1	10.2	-	0
Chelan	34,412	750	343	21.8	10.0	407	219	30	40.0	10	13.3
Rural part	22,792	187	149	8.2	6.5	38	126	12	64.2	4	21.4
Wenatchee	11,620	563	194	48.5	16.7	369	290	18	32.0	6	10.7
Clallam	21,848	401	226	18.4	10.3	175	177	19	47.4	10	24.9
Clark	49,852	726	508	14.6	10.2	218	143	20	27.5	18	24.8
Rural part	31,064	195	184	6.3	5.9	11	106	5	25.6	-	0
Vancouver	18,788	531	324	28.3	17.2	207	164	15	28.2	18	33.9
Columbia	5,549	82	48	14.8	8.7	34	171	-	0	1	12.2
Cowlitz	40,155	887	346	22.1	8.6	541	256	32	36.1	16	18.0
Rural part	27,770	301	227	10.8	8.2	74	133	13	43.2	5	16.6
Longview	12,385	586	119	47.3	9.6	467	492	19	32.4	11	18.8
Douglas	8,651	28	42	3.2	4.9	-14	67	-	0	-	0
Ferry	4,701	56	38	11.9	8.1	18	147	1	17.9	1	17.9
Franklin	6,307	209	97	33.1	15.4	112	215	3	14.4	5	23.9
Garfield	3,383	65	29	19.2	8.6	36	224	-	0	1	15.4
Grant	14,668	112	73	7.6	5.0	39	153	4	35.7	3	26.8
Grays Harbor	53,166	926	565	17.4	10.6	361	164	30	32.4	17	18.4
Rural part	23,485	207	176	8.8	7.5	31	118	4	19.3	4	19.3
Aberdeen	18,846	711	292	37.7	15.5	419	243	24	33.8	13	18.3
Hoquiam	10,835	8	97	0.7	9.0	-89	8	2	250.0	-	0
Island	6,098	65	66	10.7	10.8	-1	98	-	0	3	46.2
Jefferson	8,918	137	77	15.4	8.6	60	178	5	36.5	2	14.6
King	504,980	7,325	6,086	14.5	12.1	1,239	120	236	32.2	126	17.2
Rural part	136,678	807	1,080	5.9	7.9	-273	75	25	31.0	17	21.1
Seattle	368,302	6,518	5,006	17.7	13.6	1,512	130	211	32.4	109	16.7
Kitsap	44,387	774	442	17.4	10.0	332	175	27	34.9	11	14.2
Rural part	29,253	137	260	4.7	8.9	-123	53	10	73.0	3	21.9
Bremerton	15,134	637	182	42.1	12.0	455	350	17	26.7	6	12.6
Kittitas	20,230	366	187	18.1	9.2	179	196	19	51.9	6	16.4
Klickitat	11,357	170	100	15.0	8.8	70	170	9	52.9	-	0
Lewis	41,393	743	468	17.9	11.3	275	159	31	41.7	12	16.2
Lincoln	11,361	132	67	11.6	5.9	65	197	1	7.6	1	7.6
Mason	11,603	216	125	18.6	10.8	91	173	8	37.0	2	9.3
Okanogan	24,546	668	227	27.2	9.2	441	294	30	44.9	18	26.9
Pacific	15,928	213	182	13.4	11.4	31	117	5	23.5	2	9.4
Pend Oreille	7,156	148	72	20.7	10.1	76	206	8	54.1	1	6.8
Pierce	182,081	2,864	2,554	15.7	14.0	310	112	80	27.9	45	15.7
Rural part	72,673	401	807	5.5	11.1	-406	50	8	20.0	5	12.5
Tacoma	109,408	2,463	1,747	22.5	16.0	716	141	72	29.2	40	16.2
San Juan	3,157	18	19	5.7	6.0	-1	95	-	0	-	0
Skagit	37,650	594	559	15.8	14.8	35	106	20	33.7	7	11.8
Skamania	4,633	20	37	4.3	8.0	-17	54	1	50.0	-	0
Snohomish	88,754	1,472	986	16.6	11.1	486	149	46	31.3	22	14.9
Rural part	58,530	535	525	9.1	9.0	10	102	22	41.1	8	15.0
Everett	30,224	937	461	31.0	15.3	476	203	24	25.6	14	14.9
Spokane	164,652	2,871	2,329	17.4	14.1	542	123	115	40.1	47	16.4
Rural part	42,651	136	637	3.2	14.9	-501	21	9	66.2	1	7.4
Spokane	122,001	2,735	1,692	22.4	13.9	1,043	162	106	38.8	46	16.8
Stevens	19,275	399	210	20.7	10.9	189	190	21	52.6	5	12.5
Thurston	37,285	545	339	14.6	9.1	206	161	23	42.2	10	18.3
Rural part	24,031	113	126	4.7	5.2	-13	90	6	53.1	3	26.5
Olympia	13,254	432	213	32.6	16.1	219	203	17	39.4	7	16.2
Wahkiakum	4,286	31	30	7.2	7.0	1	103	1	32.3	-	0
Walla Walla	30,547	503	455	16.5	14.9	48	111	17	33.8	9	17.9
Rural part	12,438	23	127	1.8	10.2	-104	18	3	130.4	-	0
Walla Walla	18,109	480	328	26.5	18.1	152	146	14	29.2	9	18.8

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
WASHINGTON—Continued											
Whatcom	60,355	1,004	635	16.6	10.5	369	158	37	36.9	17	18.9
Rural part	31,041	280	245	9.0	7.9	35	114	14	50.0	4	14.3
Bellingham	29,314	724	390	24.7	13.3	334	186	23	31.8	13	18.0
Whitman	27,221	346	214	12.7	7.9	132	162	13	37.6	7	20.2
Yakima	99,019	2,066	1,028	20.9	10.4	1,038	201	109	52.8	34	16.5
Rural part	71,798	873	617	12.2	8.6	256	141	70	80.2	18	20.6
Yakima	27,221	1,193	411	43.8	15.1	782	290	39	32.7	16	13.4
WEST VIRGINIA (total)	1,901,974	42,103	17,626	22.1	9.3	24,477	239	2,269	53.9	1,491	35.4
Barbour	19,869	434	209	21.8	10.5	225	208	27	62.2	16	36.9
White	18,651	401	194	21.5	10.4	207	207	22	54.9	15	37.4
All other	1,218	33	15	27.1	12.3	18	220	5	151.5	1	30.3
Berkeley	29,016	494	341	17.0	11.8	153	145	36	72.9	20	40.5
Rural part	13,953	151	95	10.8	6.8	56	159	11	72.8	2	13.2
White	13,520	149	88	11.0	6.5	81	169	11	73.8	2	13.4
All other	433	2	7	4.6	16.2	-5	29	-	0	-	0
Martinsburg	15,063	343	246	22.8	16.3	97	139	25	72.9	18	52.5
White	14,211	320	229	22.5	16.1	91	140	23	71.9	18	56.3
All other	852	23	17	27.0	20.0	6	135	2	87.0	-	0
Boone	28,556	757	146	26.5	5.1	611	518	29	38.3	21	27.7
White	27,803	741	140	26.7	5.0	601	529	28	37.8	21	28.3
All other	753	16	6	21.2	8.0	10	267	1	62.5	-	0
Braxton	21,658	500	169	23.1	7.8	331	296	30	60.0	16	32.0
White	21,498	500	168	23.3	7.8	332	298	30	60.0	16	32.0
All other	160	-	1	0	6.3	-1	0	-	0	-	0
Brooke	25,513	311	155	12.2	6.1	156	201	10	32.2	9	28.9
White	24,707	301	145	12.2	5.9	156	208	9	29.9	8	26.6
All other	806	10	10	12.4	12.4	-	100	1	100.0	1	100.0
Cabell	97,459	2,194	1,138	22.5	11.7	1,056	193	103	46.9	82	37.4
Rural part	21,893	439	138	20.1	6.3	301	318	12	27.3	14	31.9
White	21,707	438	136	20.2	6.3	302	322	12	27.4	14	32.0
All other	186	1	2	5.4	10.8	-1	50	-	0	-	0
Huntington (part)	75,566	1,755	1,000	(5)	(5)	755	(5)	91	(5)	68	(5)
White	71,065	1,686	917	(5)	(5)	769	(5)	86	(5)	61	(5)
All other	4,501	69	83	(5)	(5)	-14	(5)	5	(5)	7	(5)
Huntington (total)	78,836	1,785	1,089	22.6	13.8	696	164	91	51.0	68	38.1
White	74,322	1,716	998	23.1	13.4	718	172	86	50.1	61	35.5
All other	4,514	69	91	15.3	20.2	-22	76	5	72.5	7	101.4
Calhoun	12,455	301	94	24.2	7.5	207	320	20	66.4	15	49.8
White	12,448	301	93	24.2	7.5	208	324	20	66.4	15	49.8
All other	7	-	1	0	142.9	-1	0	-	0	-	0
Clay	15,206	391	85	25.7	5.6	306	460	14	35.8	13	33.2
White	15,005	388	85	25.9	5.7	303	456	14	36.1	13	33.5
All other	201	3	-	14.9	0	3	(3)	-	0	-	0
Doddridge	10,923	194	82	17.8	7.5	112	237	10	51.5	3	15.5
White	10,918	194	82	17.8	7.5	112	237	10	51.5	3	15.5
All other	5	-	-	0	0	-	0	-	0	-	0
Fayette	80,628	2,169	677	26.9	8.4	1,492	320	126	58.1	77	35.5
White	68,485	1,884	524	27.5	7.7	1,360	360	102	54.1	62	32.9
All other	12,143	285	153	23.5	12.6	132	186	24	84.2	15	52.6
Gilmer	12,046	227	75	18.8	6.2	152	303	10	44.1	6	26.4
White	12,044	227	75	18.8	6.2	152	303	10	44.1	6	26.4
All other	2	-	-	0	0	-	0	-	0	-	0
Grant	8,805	183	78	20.8	8.9	105	235	18	98.4	5	27.3
White	8,556	181	76	21.2	8.9	105	238	18	99.4	5	27.6
All other	249	2	2	8.0	8.0	-	100	-	0	-	0
Greenbrier	38,520	842	372	21.9	9.7	470	226	59	70.1	35	41.6
White	36,090	809	342	22.4	9.5	467	237	54	66.7	34	42.0
All other	2,430	33	30	13.6	12.3	3	110	5	151.5	1	30.3
Hampshire	12,974	232	123	17.9	9.5	109	189	8	34.5	9	38.8
White	12,791	229	117	17.9	9.1	112	196	6	26.2	9	39.3
All other	183	3	6	16.4	32.8	-3	50	2	666.7	-	0
Hancock	31,572	360	154	11.4	4.9	206	234	17	47.2	12	33.3
White	30,250	336	146	11.1	4.8	190	230	15	44.6	12	35.7
All other	1,322	24	8	18.2	6.1	16	300	2	83.3	-	0
Hardy	10,813	199	72	18.4	6.7	127	276	5	25.1	9	45.2
White	10,424	190	68	18.2	6.5	122	279	5	26.3	8	42.1
All other	389	9	4	23.1	10.3	5	225	-	0	1	111.1
Harrison	82,911	1,554	752	18.7	9.1	802	207	87	56.0	51	32.8
Rural part	52,332	844	331	16.1	6.3	513	255	42	49.8	23	27.3
White	51,530	833	326	16.2	6.3	507	256	42	50.4	20	24.0
All other	802	11	5	13.7	6.2	6	220	-	0	3	272.7
Clarksburg	30,579	710	421	23.2	13.8	289	169	45	63.4	28	39.4
White	29,450	690	380	23.4	12.9	310	182	44	63.8	28	40.6
All other	1,129	20	41	17.7	36.3	-21	49	1	50.0	-	0
Jackson	16,598	370	152	22.3	9.2	218	243	25	67.6	9	24.3
White	16,597	370	152	22.3	9.2	218	243	25	67.6	9	24.3
All other	1	-	-	0	0	-	0	-	0	-	0
Jefferson	16,762	310	203	18.5	12.1	107	153	26	83.9	4	12.9
White	14,067	253	170	18.0	12.1	83	149	22	87.0	4	15.8
All other	2,695	57	33	21.2	12.2	24	173	4	70.2	-	0
Kanawha	195,619	4,643	1,712	23.7	8.8	2,931	271	225	48.5	181	39.0
Rural part	117,328	2,303	683	19.6	5.8	1,620	337	92	39.9	63	27.4
White	111,143	2,214	629	19.9	5.7	1,585	352	85	38.4	62	28.0
All other	6,185	89	54	14.4	8.7	35	165	7	78.7	1	11.2

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
WEST VIRGINIA[2]—Continued											
Kanawha—Continued											
Charleston	67,914	2,187	992	32.2	14.6	1,195	220	129	59.0	112	51.2
White	60,887	2,097	837	34.4	13.7	1,260	251	114	54.4	97	46.3
All other	7,027	90	155	12.8	22.1	-65	58	15	166.7	15	166.7
South Charleston	10,377	153	37	14.7	3.6	116	414	4	26.1	6	39.2
White	10,241	153	35	14.9	3.4	118	437	2	13.1	6	39.2
All other	136	-	2	0	14.7	-2	0	2	(3)	-	0
Lewis	22,271	344	334	15.4	15.0	10	103	17	49.4	16	46.5
White	22,177	344	334	15.5	15.1	10	103	17	49.4	16	46.5
All other	94	-	-	0	0	-	0	-	0	-	0
Lincoln	22,886	565	162	24.7	7.1	403	349	34	60.2	13	23.0
White	22,886	564	162	24.6	7.1	402	348	34	60.3	13	23.0
All other	-	1	-	(3)	0	1	(3)	-	0	-	0
Logan	67,768	1,957	484	28.9	7.1	1,473	404	81	41.4	67	34.2
White	59,988	1,794	394	29.9	6.6	1,400	455	71	39.6	65	36.2
All other	7,780	163	90	21.0	11.6	73	181	10	61.3	2	12.3
McDowell	94,354	2,891	883	30.6	9.4	2,008	327	193	66.8	122	42.2
White	70,437	2,353	597	33.4	8.5	1,756	394	154	65.4	83	35.3
All other	23,917	538	286	22.5	12.0	252	188	39	72.5	39	72.5
Marion	68,683	1,348	662	19.6	9.6	686	204	58	43.0	56	41.5
Rural part	45,578	753	264	16.5	5.8	489	285	26	34.5	37	49.1
White	42,750	698	248	16.3	5.8	450	281	25	35.8	36	51.6
All other	2,828	55	16	19.4	5.7	39	344	1	18.2	1	18.2
Fairmont	23,105	595	398	25.8	17.2	197	149	32	53.8	19	31.9
White	21,167	563	362	26.6	17.1	201	156	31	55.1	17	30.2
All other	1,938	32	36	16.5	18.6	-4	89	1	31.3	2	62.5
Marshall	40,189	552	408	13.7	10.2	144	135	34	61.6	24	43.5
Rural part	26,021	424	273	16.3	10.5	151	155	28	66.0	21	49.5
White	25,895	416	272	16.1	10.5	144	153	27	64.9	21	50.5
All other	126	8	1	63.5	7.9	7	800	1	125.0	-	0
Moundsville	14,168	128	135	9.0	9.5	-7	95	6	46.9	3	23.4
White	13,413	127	118	9.5	8.8	9	108	6	47.2	3	23.6
All other	755	1	17	1.3	22.5	-16	6	-	0	-	0
Mason	22,270	451	235	20.3	10.6	216	192	21	46.6	12	26.6
White	21,598	446	175	20.7	8.1	271	255	20	44.8	12	26.9
All other	672	5	60	7.4	89.3	-55	8	1	200.0	-	0
Mercer	68,289	1,624	690	23.8	10.1	934	235	122	75.1	54	33.3
Rural part	47,648	1,133	358	23.8	7.5	775	316	74	65.3	33	29.1
White	43,698	1,048	316	24.0	7.2	732	332	63	60.1	33	31.5
All other	3,950	85	42	21.5	10.6	43	202	11	129.4	-	0
Bluefield[13]	20,641	491	332	23.8	16.1	159	148	48	97.8	21	42.8
White	17,038	454	257	26.6	15.1	197	177	44	96.9	21	46.3
All other	3,603	37	75	10.3	20.8	-38	49	4	108.1	-	0
Mineral	22,215	459	205	20.7	9.2	254	224	31	67.5	20	43.6
White	21,537	441	197	20.5	9.1	244	224	31	70.3	20	45.4
All other	678	18	8	26.5	11.8	10	225	-	0	-	0
Mingo	40,802	1,117	322	27.4	7.9	795	347	60	53.7	46	41.2
White	37,703	1,079	268	28.6	7.1	811	403	59	54.7	42	38.9
All other	3,099	38	54	12.3	17.4	-16	70	1	26.3	4	105.3
Monongalia	51,252	973	464	19.0	9.1	509	210	40	41.1	32	32.9
Rural part	34,597	680	250	19.7	7.2	430	272	22	32.4	30	44.1
White	33,273	667	234	20.0	7.0	433	285	22	33.0	29	43.5
All other	1,324	13	16	9.8	12.1	-3	81	-	0	1	76.9
Morgantown	16,655	293	214	17.6	12.8	79	137	18	61.4	2	6.8
White	16,297	290	205	17.8	12.6	85	141	18	62.1	2	6.9
All other	358	3	9	8.4	25.1	-6	33	-	0	-	0
Monroe	13,577	251	93	18.5	6.8	158	270	10	39.8	14	55.8
White	12,975	244	88	18.8	6.8	156	277	9	36.9	13	53.3
All other	602	7	5	11.6	8.3	2	140	1	142.9	1	142.9
Morgan	8,743	149	64	17.0	7.3	85	233	8	53.7	6	40.3
White	8,542	146	61	17.1	7.1	85	239	8	54.8	6	41.1
All other	201	3	3	14.9	14.9	-	100	-	0	-	0
Nicholas	24,070	485	154	20.1	6.4	331	315	20	41.2	18	37.1
White	24,046	485	154	20.2	6.4	331	315	20	41.2	18	37.1
All other	24	-	-	0	0	-	0	-	0	-	0
Ohio	73,115	1,715	1,026	23.5	14.0	689	167	78	45.5	46	26.8
Rural part	12,016	55	100	4.6	8.3	-45	55	6	109.1	4	72.7
White	11,504	55	96	4.8	8.3	-41	57	5	90.9	4	72.7
All other	512	-	4	0	7.8	-4	0	1	(3)	-	0
Wheeling	61,099	1,660	926	27.2	15.2	734	179	72	43.4	42	25.3
White	59,186	1,616	885	27.3	15.0	731	183	70	43.3	41	25.4
All other	1,913	44	41	23.0	21.4	3	107	2	45.5	1	22.7
Pendleton	10,884	216	75	19.8	6.9	141	288	13	60.2	6	27.8
White	10,732	212	75	19.8	7.0	137	283	13	61.3	6	28.3
All other	152	4	-	26.3	0	4	(3)	-	0	-	0
Pleasants	6,692	128	61	19.1	9.1	67	210	2	15.6	6	46.9
White	6,691	128	61	19.1	9.1	67	210	2	15.6	6	46.9
All other	1	-	-	0	0	-	0	-	0	-	0
Pocahontas	13,906	299	191	21.5	13.7	108	157	19	63.5	16	53.5
White	13,260	290	133	21.9	10.0	157	218	17	58.6	15	51.7
All other	646	9	58	13.9	89.8	-49	16	2	222.2	1	111.1
Preston	30,416	629	352	20.7	11.6	277	179	47	74.7	18	28.6
White	30,348	627	351	20.7	11.6	276	179	46	73.4	18	28.7
All other	68	2	1	29.4	14.7	1	200	1	500.0	-	0
Putnam	19,511	362	118	18.6	6.0	244	307	15	41.4	8	22.1
White	19,365	361	117	18.6	6.0	244	309	15	41.6	8	22.2
All other	146	1	1	6.8	6.8	-	100	-	0	-	0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
WEST VIRGINIA—Continued											
Raleigh	86,687	2,214	731	25.5	8.4	1,483	303	114	51.5	86	38.8
Rural part	73,835	1,808	371	24.5	5.0	1,437	487	76	42.0	59	32.6
White	63,179	1,616	317	25.6	5.0	1,299	510	66	40.8	49	30.3
All other	10,656	192	54	18.0	5.1	138	356	10	52.1	10	52.1
Beckley	12,852	406	360	31.6	28.0	46	113	38	93.6	27	66.5
White	10,591	347	297	32.8	28.0	50	117	32	92.2	23	66.3
All other	2,261	59	63	26.1	27.9	-4	94	6	101.7	4	67.8
Randolph	30,259	730	300	24.1	9.9	430	243	47	64.4	38	52.1
White	29,868	723	293	24.2	9.8	430	247	47	65.0	38	52.6
All other	391	7	7	17.9	17.9	-	100	-	0	-	0
Ritchie	15,389	271	138	17.6	9.0	133	196	11	40.6	4	14.8
White	15,380	271	138	17.6	9.0	133	196	11	40.6	4	14.8
All other	9	-	-	0	0	-	0	-	0	-	0
Roane	20,787	407	259	19.6	12.5	148	157	24	59.0	17	41.8
White	20,784	407	259	19.6	12.5	148	157	24	59.0	17	41.8
All other	3	-	-	0	0	-	0	-	0	-	0
Summers	20,409	449	211	22.0	10.3	238	213	20	44.5	21	46.8
White	19,333	438	192	22.7	9.9	246	228	19	43.4	21	47.9
All other	1,076	11	19	10.2	17.7	-8	58	1	90.9	-	0
Taylor	19,919	360	195	18.1	9.8	165	185	20	55.6	12	33.3
White	19,341	343	184	17.7	9.5	159	186	18	52.5	12	35.0
All other	578	17	11	29.4	19.0	6	155	2	117.6	-	0
Tucker	13,173	277	108	21.0	8.2	169	256	20	72.2	8	28.9
White	13,105	276	107	21.1	8.2	169	258	20	72.5	8	29.0
All other	68	1	1	14.7	14.7	-	100	-	0	-	0
Tyler	12,559	208	127	16.6	10.1	81	164	12	57.7	4	19.2
White	12,532	208	127	16.6	10.1	81	164	12	57.7	4	19.2
All other	27	-	-	0	0	-	0	-	0	-	0
Upshur	18,360	363	191	19.8	10.4	172	190	6	16.5	19	52.3
White	18,205	362	189	19.9	10.4	173	192	6	16.6	18	49.7
All other	155	1	2	6.5	12.9	-1	50	-	0	1	1,000.0
Wayne	35,566	731	319	20.6	9.0	412	229	42	57.5	15	20.5
Rural part	32,296	701	230	21.7	7.1	471	305	42	59.9	15	21.4
White	32,229	699	230	21.7	7.1	469	304	42	60.1	15	21.5
All other	67	2	-	29.9	0	2	(3)	-	0	-	0
Huntington (part)	3,270	30	89	(6)	(6)	-59	(6)	-	(6)	-	(6)
White	3,257	30	81	(6)	(6)	-51	(6)	-	(6)	-	(6)
All other	13	-	8	(6)	(6)	-8	(6)	-	(6)	-	(6)
Webster	18,080	447	99	24.7	5.5	348	452	17	38.0	8	17.9
White	18,079	447	99	24.7	5.5	348	452	17	38.0	8	17.9
All other	1	-	-	0	0	-	0	-	0	-	0
Wetzel	22,342	394	210	17.6	9.4	184	188	26	66.0	8	20.3
White	22,313	394	209	17.7	9.4	185	189	26	66.0	8	20.3
All other	29	-	1	0	34.5	-1	0	-	0	-	0
Wirt	6,475	119	62	18.4	9.6	57	192	6	50.4	3	25.2
White	6,442	119	62	18.5	9.6	57	192	6	50.4	3	25.2
All other	33	-	-	0	0	-	0	-	0	-	0
Wood	62,399	1,200	719	19.2	11.5	481	167	71	59.2	32	26.7
Rural part	32,296	448	199	13.9	6.2	249	225	10	22.3	17	37.9
White	32,271	447	198	13.9	6.1	249	226	10	22.4	17	38.0
All other	25	1	1	40.0	40.0	-	100	-	0	-	0
Parkersburg	30,103	752	520	25.0	17.3	232	145	61	81.1	15	19.9
White	29,371	742	507	25.3	17.3	235	146	60	80.9	14	18.9
All other	732	10	13	13.7	17.8	-3	77	1	100.0	1	100.0
Wyoming	29,774	753	185	25.3	6.2	568	407	45	59.8	23	30.5
White	27,228	701	165	25.7	6.1	536	425	37	52.8	18	25.7
All other	2,546	52	20	20.4	7.9	32	260	8	153.8	5	96.2
WISCONSIN (total)	3,137,587	54,848	31,614	17.5	10.1	23,234	173	2,041	37.2	1,207	22.0
Adams	8,449	140	67	16.6	7.9	73	209	2	14.3	3	21.4
Ashland	21,801	531	304	24.4	13.9	227	175	27	50.8	9	16.9
Rural part	10,700	104	80	9.7	7.5	24	130	6	57.7	2	19.2
Ashland	11,101	427	224	38.5	20.2	203	191	21	49.2	7	16.4
Barron	34,289	727	389	21.2	11.3	338	187	24	33.0	21	28.9
Bayfield	15,827	138	132	8.7	8.3	6	105	6	43.5	5	36.2
Brown	83,109	2,010	829	24.2	10.0	1,181	242	77	38.3	53	26.4
Rural part	36,874	240	166	6.5	4.5	74	145	7	29.2	4	16.7
Green Bay	46,235	1,770	663	38.3	14.3	1,107	267	70	39.5	49	27.7
Buffalo	16,090	242	121	15.0	7.5	121	200	9	37.2	8	33.1
Burnett	11,382	166	101	14.6	8.9	65	164	9	54.2	4	24.1
Calumet	17,618	190	117	10.8	6.6	73	162	6	31.6	4	21.1
Chippewa	40,703	769	455	18.9	11.2	314	169	48	62.4	20	26.0
Rural part	30,335	446	281	14.7	9.3	165	159	29	65.0	11	24.7
Chippewa Falls	10,368	323	174	31.2	16.8	149	186	19	58.8	9	27.9
Clark	33,972	562	249	16.5	7.3	313	226	24	42.7	15	26.7
Columbia	32,517	587	379	18.1	11.7	208	155	16	27.3	11	18.7
Crawford	18,328	407	162	22.2	8.8	245	251	21	51.6	6	14.7
Dane	130,660	2,442	1,698	18.7	13.0	744	144	88	36.0	38	15.6
Rural part	63,213	427	618	6.8	9.8	-191	69	16	37.5	3	7.0
Madison	67,447	2,015	1,080	29.9	16.0	935	187	72	35.7	35	17.4
Dodge	54,280	693	476	12.8	8.8	217	146	23	33.2	14	20.2
Rural part	41,170	364	308	8.8	7.5	56	118	12	33.0	9	24.7
Beaver Dam	10,356	317	150	30.6	14.5	167	211	11	34.7	4	12.6
Watertown (part)	2,754	12	18	(6)	(6)	-6	(6)	-	(6)	1	(6)
Door	19,095	330	171	17.3	9.0	159	193	11	33.3	14	42.4

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
WISCONSIN—Continued											
Douglas	47,119	843	523	17.9	11.1	320	161	33	39.1	32	38.0
Rural part	11,983	70	99	5.8	8.3	-29	71	4	57.1	4	57.1
Superior	35,136	773	424	22.0	12.1	349	182	29	37.5	28	36.2
Dunn	27,375	492	235	18.0	8.6	257	209	15	30.5	18	36.6
Eau Claire	46,999	1,089	577	23.2	12.3	512	189	55	50.5	21	19.3
Rural part	16,254	107	103	6.6	6.3	4	104	5	46.7	-	0
Eau Claire	30,745	982	474	31.9	15.4	508	207	50	50.9	21	21.4
Florence	4,177	43	27	10.3	6.5	16	159	1	23.3	1	23.3
Fond du Lac	62,353	1,122	677	18.0	10.9	445	166	34	30.3	23	20.5
Rural part	35,144	357	248	10.2	7.1	109	144	10	28.0	6	16.8
Fond du Lac	27,209	765	429	28.1	15.8	336	178	24	31.4	17	22.2
Forest	11,805	277	93	23.5	7.9	184	298	15	54.2	6	21.7
Grant	40,639	787	393	19.4	9.7	394	200	35	44.5	18	22.9
Green	23,146	399	253	17.2	10.9	146	158	10	25.1	8	20.1
Green Lake	14,092	191	135	13.6	9.6	56	141	7	36.6	6	31.4
Iowa	20,595	371	241	18.0	11.7	130	154	15	40.4	6	16.2
Iron	10,049	65	59	6.5	5.9	6	110	3	46.2	3	46.2
Jackson	16,599	322	160	19.4	9.6	162	201	6	18.6	2	6.2
Jefferson	38,868	635	438	16.3	11.3	197	145	18	28.3	10	15.7
Rural part	30,321	226	287	7.5	9.5	-61	79	10	44.2	3	13.3
Watertown (part)	8,547	409	151	(6)	(6)	258	(8)	8	(6)	7	(6)
Watertown (total)	11,301	421	169	37.3	15.0	252	249	8	19.0	8	19.0
Juneau	18,708	341	217	18.2	11.6	124	157	16	46.9	7	20.5
Kenosha	63,505	1,020	561	16.1	8.8	459	182	32	31.4	19	18.6
Rural part	14,740	59	103	4.0	7.0	-44	57	2	33.9	-	0
Kenosha	48,765	961	458	19.7	9.4	503	210	30	31.2	19	19.8
Kewaunee	16,680	305	168	18.3	10.1	137	182	17	55.7	6	19.7
La Crosse	59,653	1,492	792	25.0	13.3	700	188	53	35.5	34	22.8
Rural part	16,946	135	141	8.0	8.3	-6	96	4	29.6	1	7.4
La Crosse	42,707	1,357	651	31.8	15.2	706	208	49	36.1	33	24.3
Lafayette	18,695	219	156	11.7	8.3	63	140	11	50.2	3	13.7
Langlade	23,227	456	241	19.6	10.4	215	189	23	50.4	5	11.0
Lincoln	22,536	522	251	23.2	11.1	271	208	25	47.9	7	13.4
Manitowoc	61,617	1,027	544	16.7	8.8	483	189	28	27.3	25	24.3
Rural part	26,911	264	192	9.8	7.1	72	138	6	22.7	5	18.9
Manitowoc	24,404	531	257	21.8	10.5	274	207	17	32.0	17	32.0
Two Rivers	10,302	232	95	22.5	9.2	137	244	5	21.6	3	12.9
Marathon	75,915	1,394	560	18.4	7.4	834	249	50	35.9	20	14.3
Rural part	48,647	582	199	12.0	4.1	383	292	15	25.8	3	5.2
Wausau	27,268	812	361	29.8	13.2	451	225	35	43.1	17	20.9
Marinette	36,225	455	323	12.6	8.9	132	141	19	41.8	12	26.4
Rural part	22,042	210	147	9.5	6.7	63	143	6	28.6	5	23.8
Marinette	14,183	245	176	17.3	12.4	69	139	13	53.1	7	28.6
Marquette	9,097	98	83	10.8	9.1	15	118	-	0	1	10.2
Milwaukee	766,885	12,360	7,472	16.1	9.7	4,888	165	402	32.5	280	22.7
Rural part	78,401	1,616	1,772	20.6	22.6	-156	91	83	51.4	52	32.2
Cudahy	10,561	75	42	7.1	4.0	33	179	-	0	1	13.3
Milwaukee	587,472	10,220	5,252	17.4	8.9	4,968	195	311	30.4	221	21.6
Shorewood	15,184	3	52	0.2	3.4	-49	6	-	0	-	0
South Milwaukee	11,134	167	71	15.0	6.4	96	235	3	18.0	4	24.0
Wauwatosa	27,769	142	152	5.1	5.5	-10	93	2	14.1	1	7.0
West Allis	36,364	137	131	3.8	3.6	6	105	3	21.9	1	7.3
Monroe	30,080	698	303	23.2	10.1	395	230	28	40.1	22	31.5
Oconto	27,075	466	217	17.2	8.0	249	215	13	27.9	3	6.4
Oneida	18,938	383	200	20.2	10.6	183	192	15	39.2	12	31.3
Outagamie	70,032	1,534	724	21.9	10.3	810	212	62	40.4	25	16.3
Rural part	41,596	559	340	13.4	8.2	219	164	25	44.7	10	17.9
Appleton	28,436	975	384	34.3	13.5	591	254	37	37.9	15	15.4
Ozaukee	18,985	125	163	6.6	8.6	-38	77	4	32.0	2	16.0
Pepin	7,897	138	78	17.5	9.9	60	177	8	58.0	3	21.7
Pierce	21,471	332	206	15.5	9.6	126	161	12	36.1	7	21.1
Polk	26,197	464	268	17.7	10.2	196	173	21	45.3	12	25.9
Portage	35,800	646	322	18.0	9.0	324	201	20	31.0	21	32.5
Rural part	20,023	258	131	12.9	6.5	127	197	6	23.3	8	31.0
Stevens Point	15,777	388	191	24.6	12.1	197	203	14	36.1	13	33.5
Price	18,467	323	160	17.5	8.7	163	202	11	34.1	10	31.0
Racine	94,047	1,389	909	14.8	9.7	480	153	48	34.6	31	22.3
Rural part	26,852	241	297	9.0	11.1	-56	81	13	53.9	6	24.9
Racine	67,195	1,148	612	17.1	9.1	536	188	35	30.5	25	21.8
Richland	20,381	491	194	24.1	9.5	297	253	16	32.6	14	28.5
Rock	80,173	1,413	890	17.6	11.1	523	159	61	43.2	20	14.2
Rural part	31,816	317	280	10.0	8.8	37	113	4	12.6	2	6.3
Beloit	25,365	605	314	23.9	12.4	291	193	28	46.3	15	24.8
Janesville	22,992	491	296	21.4	12.9	195	166	29	59.1	3	6.1
Rusk	17,737	377	158	21.3	8.9	219	239	15	39.8	9	23.9
St. Croix	24,842	367	247	14.8	9.9	120	149	16	43.6	12	32.7
Sauk	33,700	579	351	17.2	10.4	228	165	25	43.2	13	22.5
Sawyer	11,540	273	130	23.7	11.3	143	210	16	58.6	3	11.0
Shawano	35,378	690	336	19.5	9.5	354	205	39	56.5	13	18.8
Sheboygan	78,221	1,400	852	18.4	11.2	548	164	45	32.1	25	17.9
Rural part	35,583	269	334	7.6	9.4	-65	81	14	52.0	4	14.9
Sheboygan	40,638	1,131	518	27.8	12.7	613	218	31	27.4	21	18.6
Taylor	20,105	398	139	19.8	6.9	259	286	20	50.3	8	20.1
Trempealeau	24,381	429	221	17.6	9.1	208	194	10	23.3	15	35.0
Vernon	29,940	492	259	16.4	8.7	233	190	23	46.7	7	14.2
Vilas	8,894	109	53	12.3	6.0	56	206	4	36.7	3	27.5
Walworth	33,103	449	458	13.6	13.8	-9	98	21	46.8	9	20.0

See footnotes at end of table.

TABLE XIII.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1940—Continued

(See headnote on p. 36)

AREA	Population enumerated April 1, 1940	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths [1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
		BIRTHS	DEATHS	BIRTH	DEATH						
Section B—Continued											
WISCONSIN—Continued											
Washburn	12,496	226	81	18.1	6.5	145	279	7	31.0	3	13.3
Washington	28,430	428	308	15.1	10.8	120	139	14	32.7	7	16.4
Waukesha	62,744	934	681	14.9	10.9	253	137	32	34.3	20	21.4
Rural part	43,502	370	455	8.5	10.5	-85	81	14	37.8	4	10.8
Waukesha	19,242	564	226	29.3	11.7	338	250	18	31.9	16	28.4
Waupaca	34,614	486	360	14.0	10.4	126	135	23	47.3	23	47.3
Waushara	14,268	189	112	13.2	7.8	77	169	7	37.0	5	26.5
Winnebago	80,507	1,260	931	15.7	11.6	329	135	47	37.3	26	20.6
Rural part	20,292	118	231	5.8	11.4	-113	51	6	50.8	2	16.9
Menasha	10,481	30	60	2.9	5.7	-30	50	2	66.7	-	0
Neenah	10,645	367	134	34.5	12.6	233	274	14	38.1	11	30.0
Oshkosh	39,089	745	506	19.1	12.9	239	147	25	33.6	13	17.4
Wood	44,465	1,101	474	24.8	10.7	627	232	44	40.0	26	23.6
Rural part	22,690	260	142	11.5	6.3	118	183	5	19.2	1	3.8
Marshfield	10,359	412	208	39.8	20.1	204	198	21	51.0	17	41.3
Wisconsin Rapids	11,416	429	124	37.6	10.9	305	346	18	42.0	8	18.6
WYOMING (total)	250,742	5,052	2,136	20.1	8.5	2,916	237	234	46.3	101	20.0
Albany	13,946	286	107	20.5	7.7	179	267	12	42.0	8	28.0
Rural part	3,319	2	10	0.6	3.0	-8	20	-	0	-	0
Laramie	10,627	284	97	26.7	9.1	187	293	12	42.3	8	28.2
Big Horn	12,911	329	91	25.5	7.0	238	362	15	45.6	2	6.1
Campbell	6,048	132	63	21.8	10.4	69	210	5	37.9	4	30.3
Carbon	12,644	237	108	18.7	8.5	129	219	10	42.2	3	12.7
Converse	6,631	112	76	16.9	11.5	36	147	4	35.7	-	0
Crook	5,463	65	38	11.9	7.0	27	171	4	61.5	-	0
Fremont	16,095	350	164	21.7	10.2	186	213	33	94.3	9	25.7
Goshen	12,207	236	73	19.3	6.0	163	323	10	42.4	6	25.4
Hot Springs	4,607	92	39	20.0	8.5	53	236	5	54.3	2	21.7
Johnson	4,980	83	41	16.7	8.2	42	202	3	36.1	1	12.0
Laramie	33,651	610	246	18.1	7.3	364	248	31	50.8	9	14.8
Rural part	11,177	56	47	5.0	4.2	9	119	2	35.7	1	17.9
Cheyenne	22,474	554	199	24.7	8.9	355	278	29	52.3	8	14.4
Lincoln	10,286	272	68	26.4	6.6	204	400	9	33.1	4	14.7
Natrona	23,858	434	199	18.2	8.3	235	218	17	39.2	13	30.0
Rural part	5,894	23	21	3.9	3.6	2	110	-	0	2	87.0
Casper	17,964	411	178	22.9	9.9	233	231	17	41.4	11	26.8
Niobrara	5,988	126	63	21.0	10.5	63	200	13	103.2	3	23.8
Park	10,976	240	83	21.9	7.6	157	289	3	12.5	2	8.3
Platte	8,013	170	62	21.2	7.7	108	274	6	35.3	1	5.9
Sheridan	19,255	403	215	20.9	11.2	188	187	11	27.3	12	29.8
Rural part	8,726	14	46	1.6	5.3	-32	30	1	71.4	2	142.9
Sheridan	10,529	389	169	36.9	16.1	220	230	10	25.7	10	25.7
Sublette	2,778	18	16	6.5	5.8	2	113	-	0	1	55.6
Sweetwater	19,407	378	168	19.5	8.7	210	225	19	50.3	8	21.2
Teton	2,543	80	26	31.5	10.2	54	308	3	37.5	2	25.0
Uinta	7,223	125	107	17.3	14.8	18	117	7	56.0	5	40.0
Washakie	5,858	164	50	28.0	8.5	114	328	8	48.8	3	18.3
Weston	4,958	107	31	21.6	6.3	76	345	6	56.1	3	28.0
Yellowstone National Park (part)	416	3	2	([6])	([6])	1	([6])	-	([6])	-	([6])
Yellowstone National Park (total)[14]	459	3	2	6.5	4.4	1	150	-	0	-	0

[1] A minus sign (-) indicates an excess of deaths over births.
[2] Includes 114 stillbirths, transcripts for which were received after the publication of the United States Summary of Vital Statistics, 1940, vol. 14, No. 2.
[3] Rate not computed.
[4] Includes data for Texarkana, Ark., only.
[5] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[6] Rates not computed for part of an area.
[7] Beginning with 1939, data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.
[8] Includes data for Bristol, Tenn., only.
[9] Includes data for Texarkana, Tex., only.
[10] Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Alexandria, Arlington County,[11] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[11] Classified as urban under special rule. See headnote, p. 36.
[12] Includes data for Bristol, Va., only.
[13] Includes data for Bluefield, W. Va., only.
[14] Totals for Yellowstone National Park are shown under Wyoming because the greater proportion of the Park is located in Wyoming. These totals are not included in the State totals.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures and rates for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County.

White and all other races are shown separately for minor areas in a State only when the 1940 population of all other races in that State exclusive of cities of 100,000 or more formed at least 5 percent of the total or numbered 100,000 or more. Each city of 100,000 or more is also shown by race when the 1940 population of all other races formed at least 10 percent of the total or numbered 20,000 or more.

GENERAL NATALITY AND MORTALITY TABLES

GENERAL TABLES—LIVE BIRTHS

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	2,360,399	194,247	188,279	198,090	186,743	194,123	192,404	210,125	213,669	206,103	198,763	185,710	192,143
Cities of 100,000 or more	694,490	56,243	53,961	56,842	53,871	56,465	57,078	62,433	62,613	60,294	59,616	56,618	58,456
Cities of 25,000 to 100,000	320,271	25,603	24,721	25,892	24,930	25,810	26,134	28,861	29,066	27,970	27,638	26,266	27,380
Cities of 10,000 to 25,000	220,826	17,794	16,935	17,982	16,838	17,932	17,959	20,091	20,079	19,658	19,055	18,004	18,499
Cities of 2,500 to 10,000	270,480	21,761	21,501	22,644	20,912	21,753	21,541	24,091	24,650	23,762	23,475	21,734	22,656
Rural	854,332	72,846	71,161	74,730	70,192	72,163	69,692	74,649	77,261	74,419	68,979	63,088	65,152
ALABAMA	62,925	5,613	5,421	5,540	5,154	5,053	4,999	5,411	5,412	5,380	5,077	4,722	5,143
Cities of 100,000 or more	6,218	524	541	517	446	493	458	536	575	528	524	486	590
Cities of 25,000 to 100,000	5,869	507	465	463	473	431	441	484	533	520	527	488	537
Cities of 10,000 to 25,000	3,661	311	289	254	271	282	274	333	334	347	351	298	317
Cities of 2,500 to 10,000	5,234	431	430	450	405	387	474	450	469	427	457	417	437
Rural	41,943	3,840	3,696	3,856	3,559	3,460	3,352	3,608	3,501	3,558	3,218	3,033	3,262
ARIZONA	11,754	1,013	921	1,035	880	962	887	1,029	1,047	1,037	988	952	1,005
Cities of 25,000 to 100,000	4,189	363	345	339	311	335	317	391	378	370	355	342	345
Cities of 2,500 to 10,000	3,089	295	253	271	226	250	228	267	305	279	265	217	233
Rural	4,476	355	323	425	343	377	342	371	364	388	368	393	427
ARKANSAS	38,359	3,393	3,325	3,253	2,889	2,897	3,012	3,473	3,652	3,491	3,161	2,776	3,037
Cities of 25,000 to 100,000	3,275	311	227	251	208	214	261	301	295	308	291	273	335
Cities of 10,000 to 25,000	2,538	228	216	213	168	187	192	239	223	259	197	196	220
Cities of 2,500 to 10,000	4,600	429	390	365	308	315	357	411	423	437	389	359	417
Rural	27,946	2,425	2,492	2,424	2,205	2,181	2,202	2,522	2,711	2,487	2,284	1,948	2,065
CALIFORNIA	112,011	8,604	8,470	9,153	8,935	9,389	9,026	9,467	10,237	9,975	9,864	9,165	9,726
Cities of 100,000 or more	47,943	3,693	3,583	3,952	3,825	4,141	3,917	3,968	4,352	4,305	4,193	3,908	4,106
Cities of 25,000 to 100,000	17,302	1,191	1,166	1,304	1,415	1,426	1,384	1,522	1,603	1,544	1,636	1,522	1,589
Cities of 10,000 to 25,000	10,134	789	759	833	853	802	827	861	893	916	901	857	843
Cities of 2,500 to 10,000	13,022	977	1,006	1,080	1,012	1,077	1,009	1,126	1,193	1,141	1,147	1,056	1,198
Rural	23,610	1,954	1,956	1,984	1,830	1,943	1,889	1,990	2,196	2,069	1,987	1,822	1,990
COLORADO	21,154	1,725	1,756	1,882	1,795	1,886	1,841	1,785	1,782	1,631	1,676	1,657	1,738
Cities of 100,000 or more	6,772	568	546	597	561	598	609	610	549	529	525	509	571
Cities of 25,000 to 100,000	1,795	146	158	145	133	163	157	138	155	132	154	156	158
Cities of 10,000 to 25,000	1,647	118	153	163	128	156	125	138	154	117	122	130	143
Cities of 2,500 to 10,000	3,499	266	298	348	306	310	297	289	303	283	285	277	257
Rural	7,441	627	601	629	667	659	653	610	621	590	590	585	609
CONNECTICUT	25,195	2,036	1,937	2,064	1,988	2,049	2,062	2,256	2,517	2,074	2,152	2,088	1,972
Cities of 100,000 or more	11,256	881	845	894	867	893	907	1,015	1,248	917	942	941	906
Cities of 25,000 to 100,000	8,678	715	685	711	721	721	709	794	783	713	753	707	666
Cities of 10,000 to 25,000	2,160	185	160	188	170	163	168	186	216	188	182	195	159
Cities of 2,500 to 10,000	992	85	77	91	76	96	69	76	90	85	82	76	89
Rural	2,109	170	170	180	154	176	209	185	180	171	193	169	152
DELAWARE	4,597	404	354	399	368	348	366	423	431	388	378	390	343
Cities of 100,000 or more	2,767	230	205	236	215	193	208	268	273	231	246	240	222
Cities of 2,500 to 10,000	688	60	61	61	71	50	50	69	65	53	43	54	51
Rural	1,142	114	88	102	82	105	108	91	93	104	89	96	70
DISTRICT OF COLUMBIA	15,309	1,240	1,146	1,185	1,148	1,150	1,243	1,397	1,413	1,361	1,279	1,329	1,418
FLORIDA	33,818	3,008	2,732	2,813	2,367	2,341	2,290	2,628	3,077	3,091	3,106	3,097	3,268
Cities of 100,000 or more	8,381	750	609	648	548	513	566	663	786	807	830	813	848
Cities of 25,000 to 100,000	3,840	309	290	323	245	254	273	294	340	320	396	381	415
Cities of 10,000 to 25,000	3,705	309	303	282	245	255	241	270	367	350	354	364	365
Cities of 2,500 to 10,000	5,003	469	426	432	358	337	324	386	448	451	436	432	504
Rural	12,889	1,171	1,104	1,128	971	982	886	1,015	1,136	1,163	1,090	1,107	1,136
GEORGIA	64,998	5,611	5,432	5,765	5,417	5,374	5,212	5,582	5,890	5,625	5,247	4,858	4,987
Cities of 100,000 or more	7,268	604	563	593	539	625	561	611	655	626	638	590	663
Cities of 25,000 to 100,000	7,358	627	552	558	521	536	579	686	678	650	649	631	691
Cities of 10,000 to 25,000	4,215	346	360	358	319	308	295	411	392	388	365	332	341
Cities of 2,500 to 10,000	7,641	623	693	634	593	616	663	645	706	630	664	588	586
Rural	38,516	3,411	3,264	3,622	3,445	3,289	3,114	3,229	3,459	3,331	2,951	2,715	2,706
IDAHO	11,712	904	960	1,017	941	1,017	968	1,104	1,037	935	964	892	973
Cities of 25,000 to 100,000	1,044	69	89	96	76	86	75	95	96	81	90	94	97
Cities of 10,000 to 25,000	3,170	260	243	263	256	239	228	274	261	253	317	290	306
Cities of 2,500 to 10,000	3,326	216	271	260	283	312	265	321	310	275	266	275	272
Rural	4,172	359	357	398	346	380	400	414	370	326	291	233	298
ILLINOIS	123,198	10,144	9,789	9,991	9,228	10,162	10,159	11,342	11,502	10,712	10,470	9,777	9,922
Cities of 100,000 or more	53,937	4,373	4,232	4,471	4,091	4,571	4,563	4,923	4,941	4,651	4,492	4,259	4,370
Cities of 25,000 to 100,000	22,897	1,808	1,795	1,799	1,645	1,891	1,828	2,174	2,118	2,016	2,004	1,865	1,954
Cities of 10,000 to 25,000	12,255	1,022	916	950	905	929	971	1,153	1,200	1,054	1,070	1,065	1,020
Cities of 2,500 to 10,000	12,698	995	983	1,000	892	1,012	935	1,160	1,165	1,174	1,179	1,104	1,099
Rural	21,411	1,946	1,863	1,771	1,695	1,759	1,862	1,932	2,078	1,817	1,725	1,484	1,479

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA	61,963	5,096	5,003	5,054	4,655	5,043	5,098	5,608	5,766	5,318	5,268	4,900	5,154
Cities of 100,000 or more	14,220	1,119	1,150	1,172	1,029	1,114	1,232	1,234	1,362	1,182	1,225	1,179	1,222
Cities of 25,000 to 100,000	13,928	1,157	1,091	1,117	1,035	1,127	1,097	1,262	1,304	1,190	1,213	1,160	1,175
Cities of 10,000 to 25,000	5,616	479	455	431	408	443	472	526	484	520	503	437	458
Cities of 2,500 to 10,000	7,547	584	646	602	561	579	624	709	719	648	653	585	637
Rural	20,652	1,757	1,661	1,732	1,622	1,780	1,673	1,877	1,897	1,778	1,674	1,539	1,662
IOWA	45,464	3,773	3,675	3,742	3,543	3,723	3,784	4,066	4,207	3,855	3,865	3,568	3,663
Cities of 100,000 or more	3,377	279	276	268	243	274	264	316	307	285	308	275	282
Cities of 25,000 to 100,000	10,602	856	836	879	826	870	881	939	999	882	903	877	854
Cities of 10,000 to 25,000	6,118	504	495	469	495	451	523	552	606	524	489	483	527
Cities of 2,500 to 10,000	9,170	752	720	782	699	789	766	837	832	788	767	714	724
Rural	16,197	1,382	1,348	1,344	1,280	1,339	1,350	1,422	1,463	1,376	1,398	1,219	1,276
KANSAS	28,695	2,499	2,333	2,369	2,107	2,271	2,382	2,590	2,604	2,516	2,415	2,297	2,312
Cities of 100,000 or more	4,921	424	363	381	357	399	428	429	456	426	439	385	434
Cities of 25,000 to 100,000	2,217	164	158	195	168	187	194	162	209	178	185	201	216
Cities of 10,000 to 25,000	4,591	403	389	390	311	346	358	433	426	437	381	352	365
Cities of 2,500 to 10,000	5,922	510	477	468	450	439	477	526	548	508	527	522	470
Rural	11,044	998	946	935	821	900	925	1,040	965	967	883	837	827
KENTUCKY	63,591	5,371	5,357	5,675	5,241	5,530	5,197	5,449	5,573	5,403	5,186	4,732	4,877
Cities of 100,000 or more	6,525	539	517	491	461	507	560	599	581	574	551	582	563
Cities of 25,000 to 100,000	5,363	473	415	445	410	420	458	483	494	463	484	382	436
Cities of 10,000 to 25,000	1,510	139	114	107	125	126	127	155	118	132	115	117	135
Cities of 2,500 to 10,000	5,753	448	459	496	466	534	470	492	517	512	488	417	454
Rural	44,440	3,772	3,852	4,136	3,779	3,943	3,582	3,720	3,863	3,722	3,548	3,234	3,289
LOUISIANA	50,916	4,625	4,289	4,011	3,403	3,406	3,637	4,492	4,926	4,957	4,560	4,133	4,477
Cities of 100,000 or more	12,052	1,083	949	843	693	742	924	1,042	1,208	1,198	1,172	1,037	1,161
Cities of 25,000 to 100,000	5,631	501	455	417	393	363	372	514	554	523	509	489	541
Cities of 10,000 to 25,000	2,584	234	194	185	157	172	167	232	262	272	247	217	245
Cities of 2,500 to 10,000	6,006	536	512	476	362	375	431	560	601	604	519	543	487
Rural	24,643	2,271	2,179	2,090	1,798	1,754	1,743	2,144	2,301	2,360	2,113	1,847	2,043
MAINE	15,119	1,188	1,162	1,289	1,298	1,349	1,281	1,308	1,336	1,270	1,264	1,182	1,192
Cities of 25,000 to 100,000	3,539	265	247	320	337	298	287	318	333	271	265	266	332
Cities of 10,000 to 25,000	1,905	136	149	169	157	165	182	154	185	173	147	160	128
Cities of 2,500 to 10,000	2,189	154	173	184	181	184	180	196	190	200	205	182	160
Rural	7,486	633	593	616	623	702	632	640	628	626	647	574	572
MARYLAND	30,251	2,488	2,421	2,512	2,343	2,433	2,519	2,690	2,745	2,534	2,596	2,409	2,561
Cities of 100,000 or more	16,361	1,265	1,265	1,328	1,241	1,275	1,372	1,482	1,465	1,334	1,476	1,378	1,480
Cities of 25,000 to 100,000	1,955	179	155	163	148	154	181	143	196	180	165	137	154
Cities of 10,000 to 25,000	1,610	154	112	131	101	132	131	162	134	145	116	137	155
Cities of 2,500 to 10,000	1,798	141	158	147	130	167	160	160	159	152	154	128	142
Rural	8,527	749	731	743	723	705	675	743	791	723	685	629	630
MASSACHUSETTS	66,114	5,221	5,181	5,624	5,374	5,458	5,632	5,863	5,746	5,723	5,543	5,292	5,457
Cities of 100,000 or more	32,426	2,493	2,577	2,786	2,676	2,730	2,728	2,818	2,857	2,824	2,673	2,554	2,710
Cities of 25,000 to 100,000	17,458	1,445	1,324	1,443	1,428	1,436	1,506	1,567	1,473	1,472	1,500	1,430	1,414
Cities of 10,000 to 25,000	10,911	881	839	924	838	890	952	960	933	943	933	894	924
Cities of 2,500 to 10,000	3,180	237	282	275	260	245	279	319	265	286	257	242	233
Rural	2,159	165	159	196	172	157	167	199	218	198	180	172	176
MICHIGAN	99,108	7,972	7,883	8,311	8,024	8,543	8,256	8,933	8,686	8,348	8,419	7,848	7,885
Cities of 100,000 or more	37,095	3,094	2,956	2,966	2,983	3,116	3,121	3,382	3,185	3,133	3,083	2,975	3,091
Cities of 25,000 to 100,000	20,803	1,624	1,686	1,707	1,608	1,793	1,761	1,870	1,820	1,723	1,806	1,722	1,683
Cities of 10,000 to 25,000	7,966	616	574	702	631	717	626	713	753	647	701	627	659
Cities of 2,500 to 10,000	10,349	833	794	915	849	898	824	897	958	918	857	774	852
Rural	22,895	1,805	1,873	2,021	1,953	2,019	1,924	2,071	1,980	1,927	1,972	1,750	1,600
MINNESOTA	53,083	4,138	4,000	4,637	4,402	4,566	4,352	4,828	4,841	4,659	4,453	4,062	4,145
Cities of 100,000 or more	17,766	1,453	1,380	1,460	1,460	1,549	1,403	1,604	1,612	1,573	1,494	1,367	1,411
Cities of 25,000 to 100,000	766	49	58	70	63	62	62	82	67	74	52	50	77
Cities of 10,000 to 25,000	5,214	394	401	465	401	458	438	457	482	461	458	390	409
Cities of 2,500 to 10,000	9,743	749	721	907	818	786	810	881	856	838	838	780	759
Rural	19,594	1,493	1,440	1,735	1,660	1,711	1,639	1,804	1,824	1,713	1,611	1,475	1,489
MISSISSIPPI	52,575	4,664	4,584	4,490	4,217	4,066	4,137	4,510	4,859	4,824	4,140	3,770	4,314
Cities of 25,000 to 100,000	2,129	195	170	163	166	158	139	188	195	191	187	158	219
Cities of 10,000 to 25,000	4,288	365	336	325	273	328	294	346	432	443	387	361	398
Cities of 2,500 to 10,000	3,746	349	376	324	251	259	300	325	330	303	302	281	346
Rural	42,412	3,755	3,702	3,678	3,527	3,321	3,404	3,651	3,902	3,887	3,264	2,970	3,351
MISSOURI	62,172	5,243	5,168	5,062	4,352	4,824	5,055	5,678	5,763	5,621	5,520	4,901	4,985
Cities of 100,000 or more	21,716	1,844	1,686	1,661	1,463	1,634	1,791	1,984	2,040	2,008	2,010	1,840	1,755
Cities of 25,000 to 100,000	3,501	261	323	300	270	237	313	320	294	342	310	256	275
Cities of 10,000 to 25,000	5,471	437	437	414	389	438	414	514	515	518	482	423	490
Cities of 2,500 to 10,000	6,120	465	513	526	401	477	492	560	559	574	559	490	504
Rural	25,364	2,236	2,209	2,161	1,829	2,038	2,045	2,300	2,355	2,179	2,159	1,892	1,961
MONTANA	11,492	872	871	1,039	973	1,040	969	984	1,043	946	964	891	900
Cities of 25,000 to 100,000	1,839	133	126	181	157	175	168	157	188	123	154	124	153
Cities of 10,000 to 25,000	2,514	189	174	207	226	220	222	202	228	227	214	201	204
Cities of 2,500 to 10,000	2,949	224	234	278	236	249	234	280	268	241	255	233	217
Rural	4,190	326	337	373	354	396	345	345	359	355	341	333	326
NEBRASKA	22,162	1,840	1,823	1,896	1,782	1,759	1,828	1,845	2,049	1,866	1,875	1,758	1,741
Cities of 100,000 or more	4,427	339	372	379	374	352	361	398	407	369	377	345	354
Cities of 25,000 to 100,000	1,534	131	110	118	112	118	158	139	126	139	136	125	142
Cities of 10,000 to 25,000	2,763	232	221	230	206	244	230	237	248	227	242	221	225
Cities of 2,500 to 10,000	3,240	244	255	256	254	240	265	278	297	311	310	272	258
Rural	10,198	894	865	913	836	805	834	893	971	820	810	795	762

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	2,061	167	155	193	158	156	165	202	186	193	153	167	166
Cities of 10,000 to 25,000	273	21	26	24	22	14	19	34	17	28	23	23	22
Cities of 2,500 to 10,000	519	43	31	41	41	50	36	55	50	49	47	32	44
Rural	1,269	103	98	128	95	92	110	113	119	116	83	112	100
NEW HAMPSHIRE	8,503	668	669	751	673	701	716	821	748	691	700	688	677
Cities of 25,000 to 100,000	2,473	201	193	234	185	208	201	241	213	203	205	202	187
Cities of 10,000 to 25,000	2,361	174	172	209	187	201	224	223	199	194	196	192	190
Cities of 2,500 to 10,000	966	74	78	77	73	72	71	108	84	80	86	76	87
Rural	2,703	219	226	231	228	220	220	249	252	214	213	218	213
NEW JERSEY	58,617	4,775	4,482	4,723	4,741	4,861	4,836	5,385	5,284	5,192	4,958	4,600	4,780
Cities of 100,000 or more	27,406	2,240	2,107	2,259	2,193	2,219	2,250	2,391	2,462	2,395	2,368	2,202	2,320
Cities of 25,000 to 100,000	14,514	1,152	1,120	1,202	1,184	1,218	1,197	1,398	1,308	1,224	1,203	1,156	1,152
Cities of 10,000 to 25,000	7,338	578	589	545	587	626	614	696	678	719	628	514	564
Cities of 2,500 to 10,000	4,436	374	319	332	340	366	347	413	391	439	366	367	382
Rural	4,923	431	347	385	437	432	428	487	445	415	393	361	362
NEW MEXICO	14,744	1,180	1,254	1,392	1,289	1,330	1,247	1,285	1,204	1,165	1,150	1,100	1,148
Cities of 25,000 to 100,000	1,106	86	90	95	81	78	99	99	89	94	94	91	110
Cities of 10,000 to 25,000	1,910	150	136	181	153	161	154	180	150	151	158	156	180
Cities of 2,500 to 10,000	3,554	286	312	313	334	298	275	314	308	282	273	270	289
Rural	8,174	658	716	803	721	793	719	692	657	638	625	583	569
NEW YORK	196,888	15,510	15,185	16,599	16,140	16,464	16,423	18,230	17,392	16,689	16,599	15,738	15,919
Cities of 100,000 or more	134,127	10,619	10,337	11,258	11,067	11,101	11,208	12,464	11,805	11,287	11,336	10,816	10,829
Cities of 25,000 to 100,000	16,391	1,240	1,192	1,374	1,329	1,382	1,379	1,502	1,456	1,452	1,387	1,299	1,399
Cities of 10,000 to 25,000	17,009	1,313	1,319	1,465	1,313	1,417	1,432	1,573	1,505	1,451	1,471	1,401	1,349
Cities of 2,500 to 10,000	10,381	818	803	858	881	880	868	987	902	859	864	824	837
Rural	18,980	1,520	1,534	1,644	1,550	1,684	1,536	1,704	1,724	1,640	1,541	1,398	1,505
NORTH CAROLINA	80,582	6,793	6,366	6,915	6,807	7,056	6,652	6,952	7,131	7,026	6,537	6,108	6,239
Cities of 100,000 or more	2,652	220	193	210	197	194	215	261	239	227	256	212	228
Cities of 25,000 to 100,000	10,330	854	783	796	841	813	883	895	934	948	821	842	920
Cities of 10,000 to 25,000	6,295	582	490	540	465	495	489	575	548	536	530	527	518
Cities of 2,500 to 10,000	7,387	616	591	612	542	638	625	625	681	604	618	587	648
Rural	53,918	4,521	4,309	4,757	4,762	4,916	4,440	4,596	4,729	4,711	4,312	3,940	3,925
NORTH DAKOTA	13,356	1,040	1,021	1,100	1,204	1,188	1,151	1,209	1,194	1,160	1,108	1,018	963
Cities of 25,000 to 100,000	1,255	99	104	116	108	108	105	105	109	116	108	87	90
Cities of 10,000 to 25,000	2,127	160	128	194	172	184	172	213	182	198	180	175	169
Cities of 2,500 to 10,000	2,042	163	157	152	199	203	175	167	179	171	179	148	149
Rural	7,932	618	632	638	725	693	699	724	724	675	641	608	555
OHIO	114,900	9,177	9,023	9,650	8,974	9,617	9,430	10,370	10,498	9,946	9,939	9,102	9,174
Cities of 100,000 or more	52,384	4,193	4,093	4,356	4,026	4,431	4,279	4,855	4,786	4,530	4,513	4,112	4,210
Cities of 25,000 to 100,000	15,566	1,200	1,198	1,267	1,207	1,230	1,222	1,419	1,386	1,312	1,339	1,301	1,285
Cities of 10,000 to 25,000	10,306	856	779	836	823	853	848	912	935	913	892	848	831
Cities of 2,500 to 10,000	9,427	731	710	827	734	775	789	858	845	780	854	759	765
Rural	27,417	2,217	2,243	2,364	2,184	2,328	2,292	2,326	2,546	2,411	2,341	2,082	2,083
OKLAHOMA	44,574	3,913	3,711	3,754	3,284	3,320	3,414	3,920	4,139	4,057	3,827	3,494	3,741
Cities of 100,000 or more	7,400	649	602	585	510	521	555	677	700	675	659	626	641
Cities of 25,000 to 100,000	1,519	121	129	131	93	107	115	135	156	148	136	110	138
Cities of 10,000 to 25,000	6,174	500	483	495	438	444	473	526	556	579	563	535	582
Cities of 2,500 to 10,000	8,127	638	615	678	628	643	620	703	765	713	727	637	760
Rural	21,354	2,005	1,882	1,865	1,615	1,605	1,651	1,879	1,962	1,942	1,742	1,586	1,620
OREGON	17,848	1,356	1,362	1,532	1,410	1,613	1,596	1,648	1,650	1,453	1,397	1,373	1,458
Cities of 100,000 or more	5,598	445	436	493	442	489	508	516	500	426	436	433	474
Cities of 25,000 to 100,000	887	67	79	61	63	86	91	69	105	72	61	65	68
Cities of 10,000 to 25,000	2,944	181	211	261	208	300	264	270	269	250	242	249	239
Cities of 2,500 to 10,000	5,219	416	375	453	408	450	431	506	489	430	423	416	422
Rural	3,200	247	261	264	289	288	302	287	287	275	235	210	255
PENNSYLVANIA	165,680	13,504	12,682	13,424	13,367	13,396	13,847	15,286	14,726	14,609	13,998	13,341	13,500
Cities of 100,000 or more	52,663	4,381	4,055	4,257	4,296	4,206	4,445	4,769	4,530	4,559	4,397	4,374	4,394
Cities of 25,000 to 100,000	26,130	2,047	1,924	2,033	2,122	2,035	2,208	2,424	2,384	2,322	2,237	2,154	2,240
Cities of 10,000 to 25,000	22,875	1,830	1,716	1,831	1,825	1,916	1,947	2,171	2,010	2,040	1,900	1,833	1,856
Cities of 2,500 to 10,000	20,853	1,710	1,620	1,725	1,640	1,640	1,670	1,870	1,960	1,810	1,853	1,665	1,690
Rural	43,159	3,536	3,367	3,578	3,484	3,599	3,577	4,052	3,842	3,878	3,611	3,315	3,320
RHODE ISLAND	10,805	836	806	887	855	906	913	1,008	935	951	912	845	921
Cities of 100,000 or more	5,802	439	433	489	438	477	484	557	524	502	510	448	501
Cities of 25,000 to 100,000	3,574	276	272	296	303	308	313	305	301	307	297	292	304
Cities of 10,000 to 25,000	836	68	56	57	70	72	64	84	81	95	64	54	71
Cities of 2,500 to 10,000	143	13	13	13	14	9	7	19	10	10	8	14	13
Rural	450	40	32	32	30	40	45	43	49	37	33	37	32
SOUTH CAROLINA	44,380	3,722	3,481	3,806	3,704	3,818	3,536	3,715	4,045	3,856	3,566	3,464	3,867
Cities of 25,000 to 100,000	5,944	470	507	471	451	461	455	479	561	532	530	501	526
Cities of 10,000 to 25,000	3,023	230	213	247	244	271	260	256	286	239	264	258	275
Cities of 2,500 to 10,000	5,203	380	385	475	457	446	415	447	484	448	381	431	454
Rural	30,210	2,642	2,376	2,613	2,552	2,640	2,406	2,533	2,714	2,637	2,391	2,294	2,412
SOUTH DAKOTA	11,619	957	983	1,003	917	987	931	1,071	997	990	941	933	909
Cities of 25,000 to 100,000	950	83	86	63	79	80	70	84	83	85	85	67	85
Cities of 10,000 to 25,000	2,195	171	162	173	168	199	179	222	186	197	175	174	189
Cities of 2,500 to 10,000	2,030	141	177	173	173	165	146	181	188	195	161	167	163
Rural	6,444	562	558	594	497	543	636	584	540	513	520	525	472

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE	55,815	4,763	4,777	4,759	4,475	4,884	4,607	4,774	5,157	4,800	4,449	4,114	4,256
Cities of 100,000 or more	15,902	1,359	1,300	1,292	1,131	1,265	1,255	1,375	1,410	1,435	1,281	1,346	1,453
Cities of 25,000 to 100,000	584	52	48	50	61	51	39	47	55	41	51	44	45
Cities of 10,000 to 25,000	2,177	183	189	172	179	179	195	199	175	175	185	156	190
Cities of 2,500 to 10,000	4,958	462	446	461	405	373	377	409	370	422	458	390	385
Rural	32,194	2,707	2,794	2,784	2,699	3,016	2,741	2,744	3,147	2,727	2,474	2,178	2,183
TEXAS	126,687	10,842	10,019	10,081	9,064	9,287	9,500	11,079	11,846	11,973	11,198	10,542	11,256
Cities of 100,000 or more	26,657	2,231	2,127	2,089	1,710	1,795	1,849	2,289	2,522	2,540	2,530	2,440	2,535
Cities of 25,000 to 100,000	17,791	1,521	1,387	1,357	1,285	1,325	1,401	1,640	1,679	1,697	1,486	1,417	1,596
Cities of 10,000 to 25,000	9,140	790	690	639	588	662	707	871	830	881	844	817	821
Cities of 2,500 to 10,000	22,637	1,945	1,729	1,684	1,581	1,593	1,613	1,973	2,129	2,178	2,151	1,964	2,097
Rural	50,462	4,355	4,086	4,312	3,900	3,912	3,930	4,306	4,686	4,677	4,187	3,904	4,207
UTAH	13,559	989	1,049	1,206	1,125	1,283	1,212	1,211	1,138	1,110	1,091	1,036	1,109
Cities of 100,000 or more	4,250	325	316	357	349	385	376	379	354	363	339	348	359
Cities of 25,000 to 100,000	1,315	104	99	105	120	125	119	115	108	111	107	96	106
Cities of 10,000 to 25,000	1,200	81	92	131	110	119	111	106	82	91	97	93	87
Cities of 2,500 to 10,000	3,227	226	244	277	262	310	284	278	287	254	282	254	269
Rural	3,567	253	298	336	284	344	322	333	307	291	266	245	286
VERMONT	6,694	497	521	564	528	525	564	675	634	540	583	523	540
Cities of 25,000 to 100,000	1,039	89	73	76	71	89	88	92	100	108	86	82	85
Cities of 10,000 to 25,000	816	54	56	61	58	70	72	74	68	55	82	86	80
Cities of 2,500 to 10,000	1,897	138	139	184	147	146	158	194	173	143	167	140	168
Rural	2,942	216	253	243	252	220	246	315	293	234	248	215	207
VIRGINIA	55,208	4,396	4,494	4,793	4,574	4,804	4,544	4,752	4,750	4,973	4,534	4,127	4,467
Cities of 100,000 or more	6,976	575	553	535	497	558	584	632	577	659	615	594	597
Cities of 25,000 to 100,000	7,345	574	624	644	568	584	575	625	647	653	614	586	651
Cities of 10,000 to 25,000	1,864	136	130	161	140	163	173	177	151	182	159	153	139
Cities of 2,500 to 10,000	4,200	325	321	337	349	348	350	378	352	378	359	332	371
Rural	34,823	2,786	2,866	3,116	3,020	3,151	2,862	2,940	3,023	3,101	2,787	2,462	2,709
WASHINGTON	28,141	2,250	2,167	2,424	2,370	2,484	2,363	2,605	2,514	2,359	2,265	2,093	2,267
Cities of 100,000 or more	11,716	908	890	1,013	977	1,098	998	1,092	1,027	964	952	867	930
Cities of 25,000 to 100,000	2,854	227	215	256	244	248	235	243	260	238	240	233	235
Cities of 10,000 to 25,000	3,948	290	289	337	348	329	319	385	370	329	316	304	332
Cities of 2,500 to 10,000	3,551	279	274	311	277	300	307	298	325	293	301	270	316
Rural	6,072	526	499	527	524	509	504	587	532	535	456	419	454
WEST VIRGINIA	42,103	3,461	3,378	3,552	3,336	3,629	3,456	3,768	3,952	3,808	3,411	3,213	3,139
Cities of 25,000 to 100,000	7,094	528	558	569	505	594	552	626	621	684	643	645	569
Cities of 10,000 to 25,000	2,409	196	187	194	184	208	186	215	263	228	195	162	191
Cities of 2,500 to 10,000	3,813	303	282	279	274	330	281	334	361	423	331	320	295
Rural	28,787	2,434	2,351	2,510	2,373	2,497	2,437	2,593	2,707	2,473	2,242	2,086	2,084
WISCONSIN	54,848	4,368	4,316	4,775	4,495	4,723	4,666	4,863	4,935	4,594	4,604	4,237	4,272
Cities of 100,000 or more	10,220	864	758	821	818	857	856	897	895	871	947	808	828
Cities of 25,000 to 100,000	14,318	1,133	1,114	1,211	1,161	1,225	1,206	1,295	1,280	1,218	1,184	1,160	1,131
Cities of 10,000 to 25,000	5,422	404	416	446	413	442	461	485	544	439	470	443	459
Cities of 2,500 to 10,000	7,375	524	595	682	629	630	616	658	687	620	596	555	583
Rural	17,513	1,443	1,433	1,615	1,474	1,569	1,527	1,528	1,529	1,446	1,407	1,271	1,271
WYOMING	5,052	418	385	399	429	452	443	450	443	428	413	410	382
Cities of 10,000 to 25,000	1,638	135	117	130	130	156	139	136	148	147	147	124	129
Cities of 2,500 to 10,000	1,031	84	77	72	76	105	97	96	74	83	86	98	83
Rural	2,383	199	191	197	223	191	207	218	221	198	180	188	170

TABLE 2.—LIVE BIRTHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1940

AREA	Total births	White	Negro	Indian	Chinese	Japanese	Minor races
UNITED STATES	2,360,399	2,067,953	278,869	9,547	1,098	1,873	1,059
Alabama	62,925	38,889	24,017	14	1	1	3
Arizona	11,754	10,135	244	1,255	35	12	73
Arkansas	38,359	29,147	9,198	6	6	-----	2
California	112,011	107,084	1,845	462	591	1,480	549
Colorado	21,154	20,847	204	60	1	29	13
Connecticut	25,195	24,557	632	2	1	-----	3
Delaware	4,597	3,852	744	-----	1	-----	-----
District of Columbia	15,309	0,679	4,597	3	18	2	10
Florida	33,818	23,858	9,900	48	8	-----	4
Georgia	64,998	39,305	25,682	1	8	-----	2
Idaho	11,712	11,617	5	75	2	12	1
Illinois	123,198	116,357	6,749	5	33	7	47
Indiana	61,963	59,766	2,190	-----	2	2	3
Iowa	45,464	45,226	214	20	1	1	2
Kansas	28,695	27,646	995	49	-----	-----	5
Kentucky	65,591	60,396	3,195	-----	-----	-----	-----
Louisiana	50,916	29,853	20,998	53	4	-----	8
Maine	15,119	15,074	19	23	1	-----	2
Maryland	30,251	23,664	6,572	3	5	1	6
Massachusetts	86,114	85,103	960	8	30	1	12
Michigan	99,108	94,985	3,941	162	6	-----	14
Minnesota	55,083	52,392	133	542	5	1	10
Mississippi	52,575	23,135	29,338	76	24	-----	2
Missouri	62,172	57,972	4,176	11	5	1	7
Montana	11,492	10,820	19	641	1	3	8
Nebraska	22,162	21,833	210	116	1	2	-----
Nevada	2,061	1,862	9	181	3	6	-----
New Hampshire	8,503	8,495	8	-----	-----	-----	-----
New Jersey	58,617	54,010	4,578	2	20	5	2
New Mexico	14,744	14,313	40	385	4	2	-----
New York	196,888	186,682	9,753	221	150	23	59
North Carolina	80,582	54,676	25,056	843	4	-----	3
North Dakota	13,356	12,929	-------	423	3	-----	1
Ohio	114,900	108,780	6,089	9	21	1	-----
Oklahoma	44,574	40,018	2,629	1,837	1	-----	89
Oregon	17,848	17,549	29	168	20	63	19
Pennsylvania	165,680	156,241	9,395	7	14	2	21
Rhode Island	10,805	10,559	240	4	1	-----	1
South Carolina	44,380	22,381	21,978	16	-----	-----	5
South Dakota	11,619	10,918	4	696	-----	-----	1
Tennessee	55,815	47,290	8,523	-----	1	-----	1
Texas	126,687	110,885	15,736	24	26	9	7
Utah	13,559	13,412	9	103	1	30	4
Vermont	6,694	6,690	3	1	-----	-----	-----
Virginia	55,208	39,653	15,518	26	1	1	9
Washington	28,141	27,400	86	407	31	171	46
West Virginia	42,103	39,903	2,199	-----	1	-----	-----
Wisconsin	54,848	54,185	203	453	5	-----	2
Wyoming	5,052	4,930	7	106	1	5	3

TABLE 3.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	2,360,399	2,067,953	1,837,526	91,364	31,485	46,652	57,564	811	652	53	1,846	278,869	13,577
Cities of 100,000 or more	694,490	620,931	503,839	47,102	11,457	23,742	34,037	429	109	21	195	70,891	2,668
Cities of 25,000 to 100,000	320,271	296,021	260,608	14,063	4,843	8,030	7,982	168	76	8	243	23,617	633
Cities of 10,000 to 25,000	220,826	206,357	187,296	7,977	2,753	4,231	3,854	62	66	5	113	13,880	589
Cities of 2,500 to 10,000	270,480	251,404	232,639	7,616	3,048	3,945	3,829	49	80	3	195	17,543	1,533
Rural	854,332	693,240	653,144	14,606	9,384	6,704	7,862	103	321	16	1,100	152,938	8,154
ALABAMA	82,925	38,889	37,977	120	649	42	33	1	7	-------	60	24,017	19
Cities of 100,000 or more	6,218	3,661	3,502	38	86	13	16	-------	-------	-------	6	2,557	-------
Cities of 25,000 to 100,000	5,869	4,131	3,967	39	103	8	11	1	-------	-------	2	1,736	2
Cities of 10,000 to 25,000	3,661	2,441	2,418	11	6	3	2	-------	-------	-------	1	1,220	-------
Cities of 2,500 to 10,000	5,234	3,801	3,720	4	67	4	2	-------	-------	-------	4	1,430	3
Rural	41,943	24,855	24,370	28	387	14	2	-------	7	-------	47	17,074	14
ARIZONA	11,754	10,135	8,011	804	102	526	674	9	3	4	2	244	1,375
Cities of 25,000 to 100,000	4,189	3,932	3,254	251	51	202	166	4	-------	3	1	131	126
Cities of 2,500 to 10,000	3,089	2,980	2,224	279	23	177	274	2	1	-------	-------	57	52
Rural	4,476	3,223	2,533	274	28	147	234	3	2	1	1	56	1,197
ARKANSAS	38,359	29,147	28,620	55	293	35	16	-------	45	-------	83	9,198	14
Cities of 25,000 to 100,000	3,275	2,747	2,637	15	78	8	2	-------	6	-------	1	528	-------
Cities of 10,000 to 25,000	2,538	2,095	2,048	6	23	9	5	-------	1	-------	3	443	-------
Cities of 2,500 to 10,000	4,600	3,807	3,747	16	27	3	1	-------	-------	-------	13	790	3
Rural	27,946	20,498	20,188	18	165	15	8	-------	38	-------	66	7,437	11
CALIFORNIA	112,011	107,084	87,267	8,464	548	4,519	6,199	47	23	8	9	1,845	3,082
Cities of 100,000 or more	47,943	45,055	36,079	3,834	266	2,346	2,495	23	6	4	2	1,274	1,614
Cities of 25,000 to 100,000	17,302	16,802	14,074	1,226	58	687	744	7	4	-------	2	170	330
Cities of 10,000 to 25,000	10,134	9,951	8,426	690	41	338	449	3	3	-------	1	48	135
Cities of 2,500 to 10,000	13,022	12,709	10,645	839	56	418	742	3	4	-------	2	36	277
Rural	23,610	22,567	18,043	1,875	127	730	1,769	11	6	4	2	317	726
COLORADO	21,154	20,847	19,122	810	274	241	383	4	9	1	3	204	103
Cities of 100,000 or more	6,772	6,617	6,040	251	141	82	98	1	3	-------	1	137	18
Cities of 25,000 to 100,000	1,795	1,759	1,645	43	27	14	30	-------	-------	-------	-------	36	-------
Cities of 10,000 to 25,000	1,647	1,637	1,517	59	19	22	20	-------	-------	-------	-------	7	3
Cities of 2,500 to 10,000	3,499	3,477	3,233	111	40	38	50	1	2	1	1	11	11
Rural	7,441	7,357	6,687	346	47	85	185	2	4	-------	1	13	71
CONNECTICUT	25,195	24,557	19,202	2,262	333	1,262	1,476	18	4	-------	2	632	6
Cities of 100,000 or more	11,256	10,855	8,528	1,011	101	561	646	7	1	-------	-------	399	2
Cities of 25,000 to 100,000	8,678	8,526	6,540	811	142	443	582	5	1	-------	2	148	4
Cities of 10,000 to 25,000	2,180	2,130	1,719	187	16	104	100	2	2	-------	-------	30	-------
Cities of 2,500 to 10,000	992	986	796	73	10	57	49	1	-------	-------	-------	6	-------
Rural	2,109	2,060	1,619	180	64	97	99	1	-------	-------	-------	49	-------
DELAWARE	4,597	3,852	3,504	123	110	56	56	1	1	-------	1	744	1
Cities of 100,000 or more	2,767	2,462	2,197	109	60	45	50	1	-------	-------	-------	304	1
Cities of 2,500 to 10,000	688	576	546	8	13	6	2	-------	1	-------	-------	112	-------
Rural	1,142	814	761	6	37	5	4	-------	-------	-------	1	328	-------
DISTRICT OF COLUMBIA	15,309	10,679	9,579	363	223	230	209	2	8	2	63	4,597	33
FLORIDA	33,818	23,858	22,444	509	426	282	155	3	14	-------	25	9,900	60
Cities of 100,000 or more	8,381	6,275	5,729	233	101	125	82	-------	2	-------	3	2,092	14
Cities of 25,000 to 100,000	3,840	3,057	2,819	94	56	64	21	1	1	-------	1	783	-------
Cities of 10,000 to 25,000	3,705	2,716	2,581	55	34	27	17	-------	-------	-------	2	988	1
Cities of 2,500 to 10,000	5,003	3,548	3,401	61	36	27	16	1	-------	-------	6	1,450	5
Rural	12,889	8,262	7,914	66	199	39	19	1	11	-------	13	4,587	40
GEORGIA	64,998	39,305	38,380	141	646	63	44	1	17	-------	13	25,682	11
Cities of 100,000 or more	7,268	4,829	4,616	48	116	27	19	-------	2	-------	1	2,438	1
Cities of 25,000 to 100,000	7,358	4,870	4,727	40	74	16	12	-------	1	-------	-------	2,479	9
Cities of 10,000 to 25,000	4,215	2,923	2,882	11	22	4	2	-------	2	-------	-------	1,292	-------
Cities of 2,500 to 10,000	7,641	5,366	5,268	12	73	3	3	1	3	-------	3	2,275	-------
Rural	38,516	21,317	20,887	30	361	13	8	-------	9	-------	9	17,198	1
IDAHO	11,712	11,617	10,995	293	74	197	48	1	6	-------	3	5	90
Cities of 25,000 to 100,000	1,044	1,042	991	22	17	8	2	1	1	-------	-------	1	1
Cities of 10,000 to 25,000	3,170	3,157	2,956	91	50	62	14	-------	3	-------	1	2	11
Cities of 2,500 to 10,000	3,326	3,312	3,149	68	12	67	16	-------	-------	-------	-------	2	12
Rural	4,172	4,106	3,899	112	15	60	16	-------	2	-------	2	-------	66
ILLINOIS	123,198	116,357	101,742	6,266	2,023	2,555	3,626	62	32	5	48	6,749	92
Cities of 100,000 or more	53,937	48,521	38,098	4,460	1,229	1,772	2,878	55	16	5	8	5,333	83
Cities of 25,000 to 100,000	22,897	22,282	20,500	800	224	389	336	2	3	-------	28	611	4
Cities of 10,000 to 25,000	12,255	12,005	11,172	370	132	162	163	1	2	-------	3	247	3
Cities of 2,500 to 10,000	12,698	12,559	11,895	291	141	111	113	1	3	-------	4	139	-------
Rural	21,411	20,990	20,077	345	297	119	136	3	8	-------	5	419	2
INDIANA	61,963	59,766	57,371	909	550	444	437	4	31	-------	20	2,190	7
Cities of 100,000 or more	14,220	12,714	11,723	389	207	178	205	1	8	-------	3	1,504	2
Cities of 25,000 to 100,000	13,928	13,411	12,646	331	114	148	161	3	4	-------	2	516	1
Cities of 10,000 to 25,000	5,616	5,562	5,441	43	33	20	19	-------	4	-------	2	52	2
Cities of 2,500 to 10,000	7,547	7,509	7,363	35	60	31	16	-------	3	-------	1	38	-------
Rural	20,652	20,570	20,196	111	136	67	36	-------	12	-------	12	80	2

TABLE 3.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
IOWA	45,464	45,226	42,933	934	713	393	240	3	8	—	2	214	24
Cities of 100,000 or more	3,377	3,278	3,015	68	139	30	25	—	—	—	1	96	3
Cities of 25,000 to 100,000	10,602	10,547	9,880	239	229	111	85	2	1	—	—	52	3
Cities of 10,000 to 25,000	6,118	6,066	5,760	82	163	41	19	—	1	—	—	50	2
Cities of 2,500 to 10,000	9,170	9,160	8,815	158	79	67	38	1	2	—	—	7	3
Rural	16,197	16,175	15,463	387	103	144	73	—	4	—	1	9	13
KANSAS	28,695	27,646	26,540	349	370	137	234	4	7	2	3	995	54
Cities of 100,000 or more	4,921	4,469	4,162	80	140	25	61	—	2	1	—	452	—
Cities of 25,000 to 100,000	2,217	2,102	1,977	36	43	13	32	1	—	—	—	113	2
Cities of 10,000 to 25,000	4,591	4,559	4,194	43	50	25	43	2	1	—	1	229	3
Cities of 2,500 to 10,000	5,922	5,825	5,668	42	63	22	25	1	1	1	2	81	16
Rural	11,044	10,891	10,539	148	74	54	73	—	3	—	—	120	33
KENTUCKY	63,591	60,396	59,526	142	644	41	41	—	—	—	2	3,195	—
Cities of 100,000 or more	6,525	5,799	5,650	55	60	16	17	—	—	—	1	726	—
Cities of 25,000 to 100,000	5,363	4,967	4,852	35	56	13	11	—	—	—	—	396	—
Cities of 10,000 to 25,000	1,510	1,340	1,321	3	15	1	—	—	—	—	—	170	—
Cities of 2,500 to 10,000	5,753	5,292	5,215	15	54	4	4	—	—	—	—	461	—
Rural	44,440	42,998	42,488	34	459	7	9	—	—	—	1	1,442	—
LOUISIANA	50,916	29,853	28,981	263	436	100	65	—	3	—	5	20,998	65
Cities of 100,000 or more	12,052	7,335	6,949	154	127	62	38	—	1	—	4	4,711	6
Cities of 25,000 to 100,000	5,631	3,351	3,230	31	71	12	6	—	1	—	—	2,279	1
Cities of 10,000 to 25,000	2,584	1,887	1,824	13	41	2	6	—	—	—	1	697	—
Cities of 2,500 to 10,000	6,006	4,479	4,389	20	60	5	5	—	—	—	—	1,522	5
Rural	24,643	12,801	12,589	45	137	19	10	—	1	—	—	11,789	53
MAINE	15,119	15,074	12,341	1,040	291	957	432	12	1	—	—	19	26
Cities of 25,000 to 100,000	3,539	3,529	2,776	250	109	254	134	5	1	—	—	10	—
Cities of 10,000 to 25,000	1,905	1,902	1,483	179	32	141	66	1	—	—	—	1	2
Cities of 2,500 to 10,000	2,189	2,170	1,724	167	46	163	67	3	—	—	—	6	13
Rural	7,486	7,473	6,358	444	104	399	165	3	—	—	—	2	11
MARYLAND	30,251	23,664	22,307	605	212	268	223	4	2	—	43	6,572	15
Cities of 100,000 or more	16,361	12,479	11,445	486	127	221	197	3	—	—	—	3,872	10
Cities of 25,000 to 100,000	1,955	1,903	1,851	26	19	6	1	—	—	—	—	51	1
Cities of 10,000 to 25,000	1,610	1,370	1,330	21	5	7	7	—	—	—	—	239	1
Cities of 2,500 to 10,000	1,798	1,628	1,554	32	12	17	9	1	—	—	3	168	2
Rural	8,527	6,284	6,127	40	49	17	9	—	2	—	40	2,242	1
MASSACHUSETTS	66,114	65,103	49,235	5,881	1,414	4,204	4,249	98	9	8	5	960	51
Cities of 100,000 or more	32,426	31,687	23,155	2,950	877	2,112	2,516	66	5	3	3	700	39
Cities of 25,000 to 100,000	17,438	17,360	13,198	1,628	202	1,214	1,099	14	2	2	1	73	5
Cities of 10,000 to 25,000	10,911	10,864	8,683	899	187	624	455	12	1	3	—	46	1
Cities of 2,500 to 10,000	3,180	3,136	2,590	242	51	150	101	1	—	—	1	43	1
Rural	2,159	2,056	1,609	162	97	104	78	5	1	—	—	98	5
MICHIGAN	99,108	94,985	79,932	6,476	1,235	3,774	3,444	37	52	4	31	3,941	182
Cities of 100,000 or more	37,095	33,903	25,338	3,555	604	2,087	2,284	24	6	2	3	3,169	23
Cities of 25,000 to 100,000	20,803	20,360	17,591	1,184	273	733	542	7	15	1	14	425	18
Cities of 10,000 to 25,000	7,966	7,815	6,973	417	63	216	139	1	4	—	2	145	6
Cities of 2,500 to 10,000	10,349	10,269	9,377	428	90	233	134	1	5	—	1	57	23
Rural	22,895	22,638	20,653	892	205	505	345	4	22	1	11	145	112
MINNESOTA	53,083	52,392	47,597	2,161	1,072	987	545	21	6	—	3	133	558
Cities of 100,000 or more	17,766	17,613	15,244	982	648	431	292	11	2	—	3	124	29
Cities of 25,000 to 100,000	766	766	703	23	10	20	10	—	—	—	—	—	—
Cities of 10,000 to 25,000	5,214	5,207	4,855	177	64	70	38	3	—	—	—	3	4
Cities of 2,500 to 10,000	9,743	9,716	9,015	321	144	166	69	1	—	—	—	3	24
Rural	19,594	19,090	17,780	658	206	300	136	6	4	—	—	3	501
MISSISSIPPI	52,575	23,135	22,642	79	305	17	19	—	37	—	36	29,338	102
Cities of 25,000 to 100,000	2,129	1,456	1,415	9	26	4	1	—	1	—	—	673	—
Cities of 10,000 to 25,000	4,288	2,832	2,755	28	35	2	8	—	3	—	1	1,448	8
Cities of 2,500 to 10,000	3,746	2,172	2,121	8	27	4	3	—	5	—	4	1,516	58
Rural	42,412	16,675	16,351	34	217	7	7	—	28	—	31	25,701	36
MISSOURI	62,172	57,972	55,135	743	1,370	334	348	6	30	—	6	4,176	24
Cities of 100,000 or more	21,716	19,066	17,135	571	811	248	292	6	3	—	—	2,635	15
Cities of 25,000 to 100,000	3,501	3,424	3,303	22	69	12	17	—	—	—	1	75	2
Cities of 10,000 to 25,000	5,471	5,128	4,958	53	66	28	22	—	1	—	—	343	—
Cities of 2,500 to 10,000	6,120	5,823	5,697	30	79	11	4	—	2	—	—	297	—
Rural	25,364	24,531	24,042	67	345	35	13	—	24	—	5	826	7
MONTANA	11,492	10,820	9,506	857	80	367	209	—	—	—	1	19	653
Cities of 25,000 to 100,000	1,839	1,832	1,609	114	19	69	21	—	—	—	—	5	2
Cities of 10,000 to 25,000	2,514	2,501	2,267	117	24	62	31	—	—	—	—	6	7
Cities of 2,500 to 10,000	2,949	2,928	2,597	158	18	107	49	—	—	—	1	1	20
Rural	4,190	3,559	3,033	270	19	129	108	—	—	—	—	7	624
NEBRASKA	22,162	21,833	20,609	557	258	211	184	1	9	—	4	210	119
Cities of 100,000 or more	4,427	4,229	3,805	174	117	60	68	—	3	—	2	196	2
Cities of 25,000 to 100,000	1,534	1,530	1,450	39	13	18	10	—	—	—	—	4	—
Cities of 10,000 to 25,000	2,763	2,760	2,625	67	19	26	22	—	1	—	—	1	2
Cities of 2,500 to 10,000	3,240	3,233	3,119	63	24	12	13	—	2	—	—	5	2
Rural	10,198	10,081	9,610	214	85	95	71	1	3	—	2	4	113

TABLE 3.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
NEVADA	2,061	1,862	1,676	91	9	43	42	—	—	1	—	9	190
Cities of 10,000 to 25,000	273	267	234	14	1	10	8	—	—	—	—	—	6
Cities of 2,500 to 10,000	519	501	457	22	3	12	7	—	—	—	—	5	13
Rural	1,269	1,094	985	55	5	21	27	—	—	1	—	4	171
NEW HAMPSHIRE	8,503	8,495	6,997	576	209	456	240	7	10	—	—	8	—
Cities of 25,000 to 100,000	2,473	2,470	1,943	209	61	166	84	3	4	—	—	3	—
Cities of 10,000 to 25,000	2,361	2,360	1,929	158	58	131	79	—	5	—	—	1	—
Cities of 2,500 to 10,000	966	966	817	60	18	54	17	—	—	—	—	—	—
Rural	2,703	2,699	2,308	149	72	105	60	4	1	—	—	4	—
NEW JERSEY	58,617	54,010	43,756	4,554	537	2,176	2,933	12	28	3	11	4,578	29
Cities of 100,000 or more	27,406	25,040	19,829	2,310	313	1,072	1,505	6	3	1	1	2,357	9
Cities of 25,000 to 100,000	14,514	13,604	10,837	1,259	89	589	816	3	6	1	4	898	12
Cities of 10,000 to 25,000	7,338	6,814	5,682	476	56	284	305	2	6	—	3	520	4
Cities of 2,500 to 10,000	4,436	4,091	3,529	270	22	111	154	—	5	—	—	343	2
Rural	4,923	4,461	3,879	239	57	120	153	1	8	1	3	460	2
NEW MEXICO	14,744	14,313	12,861	435	486	215	293	8	9	1	5	40	391
Cities of 25,000 to 100,000	1,106	1,098	998	26	46	13	13	2	—	—	—	7	1
Cities of 10,000 to 25,000	1,910	1,897	1,791	30	53	15	6	—	1	—	1	11	2
Cities of 2,500 to 10,000	3,554	3,534	3,080	148	144	83	70	4	4	—	1	14	6
Rural	8,174	7,784	6,992	231	243	104	204	2	4	1	3	8	382
NEW YORK	196,888	186,682	138,337	19,015	2,573	9,449	17,140	150	4	3	11	9,753	453
Cities of 100,000 or more	134,127	125,330	86,073	15,312	1,543	7,294	14,971	125	1	1	10	8,499	298
Cities of 25,000 to 100,000	16,391	16,033	13,204	1,199	264	674	684	7	1	—	—	349	9
Cities of 10,000 to 25,000	17,009	16,738	14,104	1,034	325	603	666	6	—	—	—	257	14
Cities of 2,500 to 10,000	10,381	10,142	8,769	556	153	350	309	3	1	1	—	179	60
Rural	18,980	18,439	16,187	914	288	528	510	9	1	1	1	469	72
NORTH CAROLINA	80,582	54,676	52,980	117	275	39	38	2	42	—	1,183	25,056	850
Cities of 100,000 or more	2,652	1,961	1,864	18	11	6	6	—	4	—	52	690	1
Cities of 25,000 to 100,000	10,330	7,276	6,984	52	36	15	18	—	5	—	166	3,051	3
Cities of 10,000 to 25,000	6,295	4,717	4,573	16	31	6	6	1	2	—	82	1,572	6
Cities of 2,500 to 10,000	7,387	5,982	5,809	11	26	5	3	1	5	—	122	1,365	40
Rural	53,918	34,740	33,750	20	171	7	5	—	26	—	761	18,378	800
NORTH DAKOTA	13,356	12,929	11,321	827	185	376	210	4	4	—	2	—	427
Cities of 25,000 to 100,000	1,255	1,253	1,048	52	119	24	7	2	—	—	1	—	2
Cities of 10,000 to 25,000	2,127	2,125	1,934	110	8	52	19	1	1	—	—	—	2
Cities of 2,500 to 10,000	2,042	2,039	1,820	117	13	61	27	1	—	—	—	—	3
Rural	7,932	7,512	6,519	548	45	239	157	—	3	—	1	—	420
OHIO	114,900	108,780	100,100	3,812	1,312	1,639	1,883	18	11	—	5	6,089	31
Cities of 100,000 or more	52,384	47,820	41,990	2,555	796	1,129	1,331	16	1	—	2	4,541	23
Cities of 25,000 to 100,000	15,366	14,790	13,695	508	126	225	233	2	1	—	—	572	4
Cities of 10,000 to 25,000	10,306	10,018	9,415	271	82	112	137	—	1	—	—	286	2
Cities of 2,500 to 10,000	9,427	9,199	8,847	161	77	49	62	—	1	—	2	228	—
Rural	27,417	26,953	26,153	317	231	124	120	—	7	—	1	462	2
OKLAHOMA	44,574	40,018	38,803	173	857	87	40	—	36	—	22	2,629	1,927
Cities of 100,000 or more	7,400	6,742	6,427	57	189	30	18	—	13	—	8	596	62
Cities of 25,000 to 100,000	1,519	1,387	1,345	5	32	4	—	—	—	—	1	107	25
Cities of 10,000 to 25,000	6,174	5,514	5,380	24	92	9	4	—	4	—	1	361	299
Cities of 2,500 to 10,000	8,127	7,126	6,954	29	117	15	3	—	7	—	1	330	671
Rural	21,354	19,249	18,697	58	427	29	15	—	12	—	11	1,235	870
OREGON	17,848	17,549	15,925	724	180	532	166	10	4	1	7	29	270
Cities of 100,000 or more	5,598	5,498	4,721	532	97	249	90	6	1	—	2	25	75
Cities of 25,000 to 100,000	887	882	807	31	7	30	7	—	—	—	—	1	4
Cities of 10,000 to 25,000	2,944	2,934	2,727	95	21	67	19	1	1	—	3	—	10
Cities of 2,500 to 10,000	5,219	5,173	4,820	156	36	127	31	—	2	—	1	2	44
Rural	3,200	3,062	2,850	110	19	59	19	3	—	1	1	1	137
PENNSYLVANIA	165,680	156,241	139,604	7,512	2,270	2,681	4,101	40	13	1	19	9,395	44
Cities of 100,000 or more	52,663	46,024	38,823	3,131	750	1,312	1,968	25	6	1	8	6,601	38
Cities of 25,000 to 100,000	26,130	25,070	22,510	1,141	423	416	569	7	2	—	2	1,057	3
Cities of 10,000 to 25,000	22,875	21,986	19,646	1,102	374	339	519	6	—	—	—	889	—
Cities of 2,500 to 10,000	20,853	20,623	18,764	893	255	262	444	1	2	—	2	229	1
Rural	43,159	42,538	39,861	1,245	468	352	601	1	3	—	7	619	2
RHODE ISLAND	10,805	10,559	8,030	1,029	223	700	562	14	—	—	1	240	6
Cities of 100,000 or more	5,802	5,641	4,379	526	100	337	290	8	—	—	1	157	4
Cities of 25,000 to 100,000	3,574	3,516	2,571	360	101	281	199	4	—	—	—	57	1
Cities of 10,000 to 25,000	836	832	621	95	8	59	47	2	—	—	—	3	1
Cities of 2,500 to 10,000	143	141	107	16	2	5	11	—	—	—	—	2	—
Rural	450	429	352	32	12	18	15	—	—	—	—	21	—
SOUTH CAROLINA	44,380	22,381	21,707	59	562	23	24	2	1	—	3	21,978	21
Cities of 25,000 to 100,000	5,944	3,596	3,367	21	182	13	12	1	—	—	—	2,347	1
Cities of 10,000 to 25,000	3,023	2,285	2,234	8	37	3	2	—	—	—	1	737	1
Cities of 2,500 to 10,000	5,203	3,625	3,517	15	90	1	2	—	—	—	—	1,578	—
Rural	30,210	12,875	12,589	15	253	6	8	1	1	—	2	17,316	19

TABLE 3.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
SOUTH DAKOTA	11,619	10,918	10,148	359	190	142	61	1	11	—	6	4	697
Cities of 25,000 to 100,000	950	950	849	29	59	7	6	—	—	—	—	—	—
Cities of 10,000 to 25,000	2,195	2,190	2,041	56	52	30	9	—	1	—	1	2	3
Cities of 2,500 to 10,000	2,030	1,962	1,834	63	34	18	10	—	2	—	1	2	66
Rural	6,444	5,816	5,424	211	45	87	36	1	8	—	4	—	628
TENNESSEE	55,815	47,290	46,033	86	1,040	52	32	—	28	—	19	8,523	2
Cities of 100,000 or more	15,902	11,751	11,294	54	337	37	26	—	3	—	—	4,150	1
Cities of 25,000 to 100,000	584	555	541	4	8	1	1	—	—	—	—	29	—
Cities of 10,000 to 25,000	2,177	1,907	1,854	4	44	5	—	—	—	—	—	269	1
Cities of 2,500 to 10,000	4,958	4,432	4,315	10	98	1	2	—	3	—	3	526	—
Rural	32,194	28,645	28,029	14	553	8	3	—	22	—	16	3,549	—
TEXAS	126,687	110,885	96,202	5,495	1,877	2,748	4,318	167	48	5	25	15,736	66
Cities of 100,000 or more	26,657	22,971	19,758	1,176	682	570	748	30	4	1	2	3,656	30
Cities of 25,000 to 100,000	17,791	16,088	13,189	948	356	542	964	73	13	—	3	1,693	10
Cities of 10,000 to 25,000	9,140	8,327	7,390	299	156	206	251	16	7	2	—	810	3
Cities of 2,500 to 10,000	22,637	21,247	18,919	926	249	458	664	16	8	—	7	1,384	6
Rural	50,462	42,252	36,946	2,146	434	972	1,691	32	16	2	13	8,193	17
UTAH	13,559	13,412	12,542	412	56	269	127	3	2	—	1	9	138
Cities of 100,000 or more	4,250	4,236	3,833	201	28	111	60	3	—	—	—	7	7
Cities of 25,000 to 100,000	1,315	1,307	1,241	33	3	20	10	—	—	—	—	2	6
Cities of 10,000 to 25,000	1,200	1,200	1,135	30	4	25	6	—	—	—	—	—	—
Cities of 2,500 to 10,000	3,227	3,207	3,019	87	10	64	25	—	1	—	1	—	20
Rural	3,567	3,462	3,314	61	11	49	26	—	1	—	—	—	105
VERMONT	6,694	6,690	5,519	409	142	315	296	4	4	—	1	3	1
Cities of 25,000 to 100,000	1,039	1,038	843	60	46	57	29	3	—	—	—	1	—
Cities of 10,000 to 25,000	816	815	694	55	10	31	23	1	1	—	—	1	—
Cities of 2,500 to 10,000	1,897	1,896	1,583	125	31	99	57	—	1	—	—	1	—
Rural	2,942	2,941	2,399	169	55	128	187	—	2	—	1	—	1
VIRGINIA	55,208	39,653	38,459	225	745	138	79	1	3	—	3	15,518	37
Cities of 100,000 or more	6,976	4,789	4,547	88	69	43	38	1	1	—	2	2,182	5
Cities of 25,000 to 100,000	7,345	5,468	5,275	44	105	32	12	—	—	—	—	1,876	1
Cities of 10,000 to 25,000	1,864	1,573	1,528	16	19	4	6	—	—	—	—	290	1
Cities of 2,500 to 10,000	4,200	3,556	3,438	16	84	9	9	—	—	—	—	643	1
Rural	34,823	24,267	23,671	61	468	50	14	—	2	—	1	10,527	29
WASHINGTON	28,141	27,400	23,540	1,778	302	1,289	436	12	21	2	20	86	655
Cities of 100,000 or more	11,716	11,438	9,505	899	177	616	232	6	2	—	1	66	212
Cities of 25,000 to 100,000	2,854	2,825	2,411	180	17	165	47	2	2	1	—	4	25
Cities of 10,000 to 25,000	3,948	3,924	3,488	214	33	147	35	1	5	—	1	1	23
Cities of 2,500 to 10,000	3,551	3,487	3,103	163	27	150	35	1	3	—	5	8	56
Rural	6,072	5,726	5,033	322	48	211	87	2	9	1	13	7	339
WEST VIRGINIA	42,103	39,903	37,313	491	1,769	102	206	6	—	—	13	2,199	1
Cities of 25,000 to 100,000	7,094	6,861	6,333	98	345	39	38	1	—	—	7	233	—
Cities of 10,000 to 25,000	2,409	2,254	2,092	46	86	10	19	—	1	—	—	155	—
Cities of 2,500 to 10,000	3,813	3,628	3,391	58	141	14	22	1	—	—	1	184	1
Rural	28,787	27,160	25,497	289	1,197	39	127	4	2	—	5	1,627	—
WISCONSIN	54,848	54,185	49,697	1,964	1,003	844	649	12	5	1	10	203	460
Cities of 100,000 or more	10,220	10,164	8,807	632	185	267	266	3	2	—	2	48	8
Cities of 25,000 to 100,000	14,318	14,268	12,980	496	335	251	197	5	—	—	4	35	15
Cities of 10,000 to 25,000	5,422	5,401	5,100	141	75	63	22	—	—	—	—	5	16
Cities of 2,500 to 10,000	7,375	7,363	6,977	178	106	63	36	1	1	—	1	4	8
Rural	17,513	16,989	15,833	517	302	200	128	3	2	1	3	111	413
WYOMING	5,052	4,930	4,478	215	32	97	99	1	1	1	6	7	115
Cities of 10,000 to 25,000	1,638	1,631	1,516	61	8	24	19	—	1	—	2	3	4
Cities of 2,500 to 10,000	1,031	1,023	902	57	7	31	24	1	—	—	1	3	5
Rural	2,383	2,276	2,060	97	17	42	56	—	—	1	3	1	106

TABLE 4.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1940

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS				
UNITED STATES	26,056	22,048	3,858	150
2 males	8,766	7,504	1,213	49
Both living	7,715	6,708	961	46
1 living	581	446	133	2
Both stillborn	470	350	119	1
1 male, 1 female	8,638	7,181	1,413	44
Both living	7,902	6,690	1,173	39
1 living—M	253	174	77	2
F	283	211	69	3
Both stillborn	200	106	94	-----
2 females	8,594	7,334	1,205	57
Both living	7,749	6,701	1,000	48
1 living	493	374	112	7
Both stillborn	352	259	91	2
Both unknown	38	29	9	-----
Both stillborn	38	29	9	-----
ALABAMA:				
2 males	263	152	111	-----
Both living	223	140	83	-----
1 living	30	8	22	-----
Both stillborn	10	4	6	-----
1 male, 1 female	271	147	124	-----
Both living	229	135	94	-----
1 living—M	17	5	12	-----
F	16	7	9	-----
Both stillborn	9	-----	9	-----
2 females	243	140	102	1
Both living	204	124	79	1
1 living	26	12	14	-----
Both stillborn	13	4	9	-----
ARIZONA:				
2 males	40	34	-----	6
Both living	39	33	-----	6
1 living	1	1	-----	-----
1 male, 1 female	44	40	-----	4
Both living	38	35	-----	3
1 living—M	3	3	-----	-----
F	2	1	-----	1
Both stillborn	1	1	-----	-----
2 females	48	41	1	6
Both living	46	40	1	5
1 living	1	-----	-----	1
Both stillborn	1	1	-----	-----
ARKANSAS:				
2 males	171	123	48	-----
Both living	147	112	35	-----
1 living	10	7	3	-----
Both stillborn	14	4	10	-----
1 male, 1 female	201	146	55	-----
Both living	178	129	49	-----
1 living—M	4	3	1	-----
F	14	13	1	-----
Both stillborn	5	1	4	-----
2 females	146	109	37	-----
Both living	131	99	32	-----
1 living	6	3	3	-----
Both stillborn	9	7	2	-----
CALIFORNIA:				
2 males	398	381	4	13
Both living	357	342	4	11
1 living	33	31	-----	2
Both stillborn	8	8	-----	-----
1 male, 1 female	372	360	7	5
Both living	359	349	6	4
1 living—M	6	4	1	1
F	5	5	-----	-----
Both stillborn	2	2	-----	-----
2 females	395	376	7	12
Both living	360	342	7	11
1 living	20	19	-----	1
Both stillborn	15	15	-----	-----
COLORADO:				
2 males	58	56	2	-----
Both living	57	55	2	-----
1 living	1	1	-----	-----
1 male, 1 female	57	57	-----	-----
Both living	53	53	-----	-----
1 living—M	2	2	-----	-----
F	2	2	-----	-----
2 females	50	49	-----	1
Both living	49	48	-----	1
1 living	1	1	-----	-----
Both unknown	1	1	-----	-----
Both stillborn	1	1	-----	-----
CONNECTICUT:				
2 males	81	77	4	-----
Both living	71	68	3	-----
1 living	3	3	-----	-----
Both stillborn	7	6	1	-----
1 male, 1 female	82	79	3	-----
Both living	77	74	3	-----
1 living—M	2	2	-----	-----
F	2	2	-----	-----
Both stillborn	1	1	-----	-----
CASES OF TWINS—Con.				
CONNECTICUT—Continued				
2 females	93	91	2	-----
Both living	89	87	2	-----
1 living	2	2	-----	-----
Both stillborn	2	2	-----	-----
DELAWARE:				
2 males	16	14	2	-----
Both living	13	12	1	-----
1 living	2	1	1	-----
Both stillborn	1	1	-----	-----
1 male, 1 female	19	13	6	-----
Both living	17	12	5	-----
1 living—M	1	-----	1	-----
F	1	1	-----	-----
2 females	13	12	1	-----
Both living	12	11	1	-----
1 living	1	1	-----	-----
DISTRICT OF COLUMBIA:				
2 males	52	38	14	-----
Both living	49	36	13	-----
1 living	2	1	1	-----
Both stillborn	1	1	-----	-----
1 male, 1 female	49	29	20	-----
Both living	47	28	19	-----
1 living—F	2	1	1	-----
2 females	64	44	20	-----
Both living	60	42	18	-----
1 living	3	2	1	-----
Both stillborn	1	-----	1	-----
FLORIDA:				
2 males	131	82	49	-----
Both living	109	73	36	-----
1 living	14	6	8	-----
Both stillborn	8	3	5	-----
1 male, 1 female	119	67	51	1
Both living	102	61	40	1
1 living—M	5	2	3	-----
F	5	4	1	-----
Both stillborn	7	-----	7	-----
2 females	137	87	50	-----
Both living	114	75	39	-----
1 living	12	6	6	-----
Both stillborn	11	6	5	-----
GEORGIA:				
2 males	225	119	106	-----
Both living	175	95	80	-----
1 living	16	10	6	-----
Both stillborn	34	14	20	-----
1 male, 1 female	236	125	111	-----
Both living	199	113	86	-----
1 living—M	15	5	10	-----
F	4	2	2	-----
Both stillborn	18	5	13	-----
2 females	235	123	112	-----
Both living	194	105	89	-----
1 living	18	8	10	-----
Both stillborn	23	10	13	-----
IDAHO:				
2 males	39	38	-----	1
Both living	38	37	-----	1
1 living	1	1	-----	-----
1 male, 1 female	46	45	-----	1
Both living	46	45	-----	1
2 females	26	26	-----	-----
Both living	25	25	-----	-----
1 living	1	1	-----	-----
ILLINOIS:				
2 males	467	437	30	-----
Both living	414	388	26	-----
1 living	27	24	3	-----
Both stillborn	26	25	1	-----
1 male, 1 female	394	374	20	-----
Both living	366	351	15	-----
1 living—M	9	8	1	-----
F	15	12	3	-----
Both stillborn	4	3	1	-----
2 females	423	399	24	-----
Both living	382	359	23	-----
1 living	24	24	-----	-----
Both stillborn	17	16	1	-----
Both unknown	1	1	-----	-----
Both stillborn	1	1	-----	-----
INDIANA:				
2 males	233	226	7	-----
Both living	208	201	7	-----
1 living	18	18	-----	-----
Both stillborn	7	7	-----	-----
1 male, 1 female	234	222	12	-----
Both living	222	210	12	-----
1 living—M	4	4	-----	-----
F	5	5	-----	-----
Both stillborn	3	3	-----	-----
2 females	234	225	9	-----
Both living	218	210	8	-----
1 living	9	9	-----	-----
Both stillborn	7	6	1	-----
CASES OF TWINS—Con.				
IOWA:				
2 males	170	168	2	-----
Both living	156	154	2	-----
1 living	7	7	-----	-----
Both stillborn	7	7	-----	-----
1 male, 1 female	170	170	-----	-----
Both living	161	161	-----	-----
1 living—M	6	6	-----	-----
F	3	3	-----	-----
2 females	189	186	1	2
Both living	152	151	1	-----
1 living	14	12	-----	2
Both stillborn	3	3	-----	-----
KANSAS:				
2 males	108	105	3	-----
Both living	93	90	3	-----
1 living	12	12	-----	-----
Both stillborn	3	3	-----	-----
1 male, 1 female	81	76	5	-----
Both living	74	69	5	-----
1 living—M	3	3	-----	-----
F	3	3	-----	-----
Both stillborn	1	1	-----	-----
2 females	97	91	6	-----
Both living	83	78	5	-----
1 living	7	6	1	-----
Both stillborn	7	7	-----	-----
KENTUCKY:				
2 males	258	244	14	-----
Both living	224	213	11	-----
1 living	8	8	-----	-----
Both stillborn	26	23	3	-----
1 male, 1 female	234	216	18	-----
Both living	212	196	16	-----
1 living—M	8	8	-----	-----
F	8	8	-----	-----
Both stillborn	6	4	2	-----
2 females	261	245	16	-----
Both living	243	228	15	-----
1 living	8	8	-----	-----
Both stillborn	10	9	1	-----
LOUISIANA:				
2 males	224	124	99	1
Both living	203	117	85	1
1 living	17	5	12	-----
Both stillborn	4	2	2	-----
1 male, 1 female	235	115	119	1
Both living	213	107	105	1
1 living—M	5	2	3	-----
F	7	2	5	-----
Both stillborn	10	4	6	-----
2 females	223	134	89	-----
Both living	205	123	82	-----
1 living	14	9	5	-----
Both stillborn	4	2	2	-----
Both unknown	1	-----	1	-----
Both stillborn	1	-----	1	-----
MAINE:				
2 males	65	65	-----	-----
Both living	60	60	-----	-----
1 living	2	2	-----	-----
Both stillborn	1	1	-----	-----
1 male, 1 female	51	51	-----	-----
Both living	45	45	-----	-----
1 living—M	2	2	-----	-----
F	3	3	-----	-----
Both stillborn	1	1	-----	-----
2 females	52	51	-----	1
Both living	45	44	-----	1
1 living	3	3	-----	-----
Both stillborn	4	4	-----	-----
MARYLAND:				
2 males	105	75	30	-----
Both living	87	66	21	-----
1 living	8	5	3	-----
Both stillborn	10	4	6	-----
1 male, 1 female	98	69	29	-----
Both living	84	63	21	-----
1 living—M	4	2	2	-----
F	5	2	3	-----
Both stillborn	5	2	3	-----
2 females	120	87	33	-----
Both living	98	74	24	-----
1 living	7	3	4	-----
Both stillborn	15	10	5	-----
Both unknown	5	3	2	-----
Both stillborn	5	3	2	-----
MASSACHUSETTS:				
2 males	223	218	5	-----
Both living	198	193	5	-----
1 living	14	14	-----	-----
Both stillborn	11	11	-----	-----
1 male, 1 female	199	191	8	-----
Both living	187	179	8	-----
1 living—M	5	5	-----	-----
F	7	7	-----	-----

TABLE 4.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1940—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
MASSACHUSETTS—Continued				
2 females	219	215	4	—
Both living	200	196	4	—
1 living	11	11	—	—
Both stillborn	8	8	—	—
MICHIGAN:				
2 males	330	316	12	2
Both living	304	292	10	2
1 living	14	13	1	—
Both stillborn	12	11	1	—
1 male, 1 female	309	295	14	—
Both living	297	284	13	—
1 living—M	7	7	—	—
Both stillborn	5	4	1	—
2 females	356	336	19	1
Both living	334	317	17	—
1 living	12	9	2	1
Both stillborn	10	10	—	—
MINNESOTA:				
2 males	195	190	2	3
Both living	173	168	2	3
1 living	14	14	—	—
Both stillborn	8	8	—	—
1 male, 1 female	204	203	1	—
Both living	192	191	1	—
1 living—M	6	6	—	—
F	4	4	—	—
Both stillborn	2	2	—	—
2 females	219	215	1	3
Both living	211	207	1	3
1 living	5	5	—	—
Both stillborn	3	3	—	—
MISSISSIPPI:				
2 males	217	82	135	—
Both living	184	76	108	—
1 living	17	3	14	—
Both stillborn	16	3	13	—
1 male, 1 female	214	83	130	1
Both living	192	79	112	1
1 living—M	4	—	4	—
F	8	2	6	—
Both stillborn	10	2	8	—
2 females	211	75	136	—
Both living	170	66	104	—
1 living	26	7	19	—
Both stillborn	15	2	13	—
MISSOURI:				
2 males	244	227	17	—
Both living	219	206	13	—
1 living	7	7	—	—
Both stillborn	18	14	4	—
1 male, 1 female	229	205	24	—
Both living	199	181	18	—
1 living—M	4	3	1	—
F	11	10	1	—
Both stillborn	15	11	4	—
2 females	242	229	13	—
Both living	220	208	12	—
1 living	10	10	—	—
Both stillborn	12	11	1	—
Both unknown	4	3	1	—
Both stillborn	4	3	1	—
MONTANA:				
2 males	34	32	—	2
Both living	33	31	—	2
1 living	1	1	—	—
1 male, 1 female	63	56	—	7
Both living	61	54	—	7
1 living—M	1	1	—	—
F	1	1	—	—
2 females	45	44	—	1
Both living	39	39	—	—
1 living	3	3	—	—
Both stillborn	3	2	—	1
NEBRASKA:				
2 males	94	93	—	1
Both living	84	83	—	1
1 living	7	7	—	—
Both stillborn	3	3	—	—
1 male, 1 female	84	81	3	—
Both living	75	73	2	—
1 living—M	3	3	—	—
F	4	3	1	—
Both stillborn	2	2	—	—
2 females	66	65	1	—
Both living	58	57	1	—
1 living	6	6	—	—
Both stillborn	2	2	—	—
Both unknown	1	1	—	—
Both stillborn	1	1	—	—
NEVADA:				
2 males	8	7	—	1
Both living	7	6	—	1
1 living	1	1	—	—
CASES OF TWINS—Con.				
NEVADA—Continued				
1 male, 1 female	5	5	—	—
Both living	5	5	—	—
2 females	7	6	—	1
Both living	6	6	—	—
1 living	1	—	—	1
NEW HAMPSHIRE:				
2 males	26	26	—	—
Both living	24	24	—	—
Both stillborn	2	2	—	—
1 male, 1 female	30	30	—	—
Both living	27	27	—	—
1 living—M	1	1	—	—
F	2	2	—	—
2 females	15	15	—	—
Both living	14	14	—	—
Both stillborn	1	1	—	—
NEW JERSEY:				
2 males	216	204	12	—
Both living	190	180	10	—
1 living	18	17	1	—
Both stillborn	8	7	1	—
1 male, 1 female	198	175	23	—
Both living	188	167	21	—
1 living—M	2	2	—	—
F	7	5	2	—
Both stillborn	1	1	—	—
2 females	218	200	18	—
Both living	199	182	17	—
1 living	13	12	1	—
Both stillborn	6	6	—	—
NEW MEXICO:				
2 males	54	53	—	1
Both living	45	44	—	1
1 living	5	5	—	—
Both stillborn	4	4	—	—
1 male, 1 female	62	59	1	2
Both living	56	53	1	2
1 living—M	3	3	—	—
F	2	2	—	—
Both stillborn	1	1	—	—
2 females	66	63	2	1
Both living	60	57	2	1
1 living	3	3	—	—
Both stillborn	3	3	—	—
NEW YORK:				
2 males	727	676	51	—
Both living	632	594	38	—
1 living	49	43	6	—
Both stillborn	46	39	7	—
1 male, 1 female	628	587	41	—
Both living	578	543	35	—
1 living—M	14	14	—	—
F	20	16	4	—
Both stillborn	16	14	2	—
2 females	718	682	34	2
Both living	650	617	32	1
1 living	41	41	—	—
Both stillborn	27	24	2	1
Both unknown	24	19	5	—
Both stillborn	24	19	5	—
NORTH CAROLINA:				
2 males	341	225	115	1
Both living	285	198	87	—
1 living	32	14	18	—
Both stillborn	24	13	10	1
1 male, 1 female	347	195	150	2
Both living	306	183	121	2
1 living—M	12	3	9	—
F	16	5	11	—
Both stillborn	13	4	9	—
2 females	330	212	114	4
Both living	286	193	89	4
1 living	29	14	15	—
Both stillborn	15	5	10	—
NORTH DAKOTA:				
2 males	61	58	—	3
Both living	59	56	—	3
1 living	1	1	—	—
Both stillborn	1	1	—	—
1 male, 1 female	59	58	—	1
Both living	56	55	—	1
1 living—M	2	2	—	—
Both stillborn	1	1	—	—
2 females	49	47	—	2
Both living	46	44	—	2
1 living	2	2	—	—
Both stillborn	1	1	—	—
OHIO:				
2 males	434	407	27	—
Both living	379	354	25	—
1 living	31	30	1	—
Both stillborn	24	23	1	—
CASES OF TWINS—Con.				
OHIO—Continued				
1 male, 1 female	412	378	34	—
Both living	383	354	29	—
1 living—M	7	6	1	—
F	11	10	1	—
Both stillborn	11	8	3	—
2 females	403	377	26	—
Both living	367	344	23	—
1 living	25	22	3	—
Both stillborn	11	11	—	—
Both unknown	1	1	—	—
Both stillborn	1	1	—	—
OKLAHOMA:				
2 males	198	180	10	8
Both living	179	164	7	8
1 living	10	8	2	—
Both stillborn	9	8	1	—
1 male, 1 female	208	185	14	9
Both living	193	173	11	9
1 living—M	7	4	3	—
F	6	6	—	—
Both stillborn	2	2	—	—
2 females	214	183	19	12
Both living	197	169	16	12
1 living	10	9	1	—
Both stillborn	7	5	2	—
OREGON:				
2 males	70	68	1	1
Both living	64	62	1	1
1 living	3	3	—	—
Both stillborn	3	3	—	—
1 male, 1 female	61	61	—	—
Both living	56	56	—	—
1 living—M	3	3	—	—
Both stillborn	2	2	—	—
2 females	66	65	—	1
Both living	63	62	—	1
1 living	2	2	—	—
Both stillborn	1	1	—	—
PENNSYLVANIA:				
2 males	582	553	29	—
Both living	529	503	26	—
1 living	33	31	2	—
Both stillborn	20	19	1	—
1 male, 1 female	606	551	55	—
Both living	551	501	50	—
1 living—M	28	23	5	—
F	24	24	—	—
Both stillborn	3	3	—	—
2 females	537	503	34	—
Both living	493	462	31	—
1 living	27	25	2	—
Both stillborn	17	16	1	—
RHODE ISLAND:				
2 males	31	30	1	—
Both living	29	28	1	—
1 living	1	1	—	—
Both stillborn	1	1	—	—
1 male, 1 female	36	34	2	—
Both living	33	31	2	—
1 living—M	1	1	—	—
F	2	2	—	—
2 females	38	34	4	—
Both living	34	31	3	—
1 living	3	2	1	—
Both stillborn	1	1	—	—
SOUTH CAROLINA:				
2 males	189	91	98	—
Both living	146	77	69	—
1 living	25	6	19	—
Both stillborn	18	8	10	—
1 male, 1 female	197	77	120	—
Both living	163	70	93	—
1 living—M	10	2	8	—
F	11	2	9	—
Both stillborn	13	3	10	—
2 females	182	71	111	—
Both living	157	64	93	—
1 living	11	3	8	—
Both stillborn	14	4	10	—
SOUTH DAKOTA:				
2 males	36	34	—	2
Both living	34	32	—	2
Both stillborn	2	2	—	—
1 male, 1 female	38	33	—	5
Both living	35	31	—	4
1 living—F	3	2	—	1
2 females	37	35	—	2
Both living	37	35	—	2
TENNESSEE:				
2 males	171	141	30	—
Both living	154	126	28	—
1 living	8	8	—	—
Both stillborn	9	7	2	—

TABLE 4.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1940—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
TENNESSEE—Continued				
1 male, 1 female	213	173	40	—
Both living	204	166	38	—
1 living—M	5	3	2	—
F	2	2	—	—
Both stillborn	2	2	—	—
2 females	191	163	28	—
Both living	173	150	23	—
1 living	11	8	3	—
Both stillborn	7	5	2	—
TEXAS:				
2 males	477	415	62	—
Both living	412	362	50	—
1 living	38	33	5	—
Both stillborn	27	20	7	—
1 male, 1 female	499	418	79	2
Both living	457	387	68	2
1 living—M	13	11	2	—
F	16	13	3	—
Both stillborn	13	7	6	—
2 females	488	431	57	—
Both living	430	386	44	—
1 living	32	26	6	—
Both stillborn	26	19	7	—
UTAH:				
2 males	37	36	—	1
Both living	35	34	—	1
1 living	2	2	—	—
1 male, 1 female	49	48	—	1
Both living	48	47	—	1
1 living—M	1	1	—	—
2 females	34	34	—	—
Both living	32	32	—	—
Both stillborn	2	2	—	—
VERMONT:				
2 males	25	25	—	—
Both living	23	23	—	—
1 living	1	1	—	—
Both stillborn	1	1	—	—
1 male, 1 female	25	25	—	—
Both living	23	23	—	—
1 living—F	2	2	—	—
2 females	20	20	—	—
Both living	18	18	—	—
1 living	2	2	—	—
VIRGINIA:				
2 males	214	145	69	—
Both living	183	125	58	—
1 living	17	13	4	—
Both stillborn	14	7	7	—
1 male, 1 female	232	149	83	—
Both living	200	135	65	—
1 living—M	9	2	7	—
F	13	7	6	—
Both stillborn	10	5	5	—
2 females	197	132	65	—
Both living	176	120	56	—
1 living	12	6	6	—
Both stillborn	9	6	3	—
WASHINGTON:				
2 males	79	77	1	1
Both living	75	73	1	1
1 living	3	3	—	—
Both stillborn	1	1	—	—
1 male, 1 female	82	81	—	1
Both living	78	78	—	—
1 living—M	2	1	—	1
F	2	2	—	—
2 females	78	78	—	—
Both living	75	75	—	—
1 living	2	2	—	—
Both stillborn	1	1	—	—
WEST VIRGINIA:				
2 males	169	158	11	—
Both living	146	136	10	—
1 living	12	11	1	—
Both stillborn	11	11	—	—
1 male, 1 female	174	164	10	—
Both living	163	154	9	—
1 living—M	6	6	—	—
F	2	2	—	—
Both stillborn	3	2	1	—
2 females	138	132	6	—
Both living	124	119	5	—
1 living	10	9	1	—
Both stillborn	4	4	—	—
WISCONSIN:				
2 males	165	164	—	1
Both living	153	152	—	1
1 living	5	5	—	—
Both stillborn	7	7	—	—
1 male, 1 female	170	169	1	—
Both living	164	164	—	—
1 living—M	1	—	1	—
F	3	3	—	—
Both stillborn	2	2	—	—
CASES OF TWINS—Con.				
WISCONSIN—Continued				
2 females	168	164	1	3
Both living	158	155	1	2
1 living	7	6	—	1
Both stillborn	3	3	—	—
WYOMING:				
2 males	17	17	—	—
Both living	14	14	—	—
Both stillborn	3	3	—	—
1 male, 1 female	12	11	—	1
Both living	10	10	—	—
1 living—F	2	1	—	1
2 females	13	12	—	1
Both living	12	11	—	1
Both stillborn	1	1	—	—
CASES OF TRIPLETS				
UNITED STATES	263	206	55	2
3 males	65	52	12	1
All living	48	41	6	1
2 living	7	4	3	—
1 living	7	6	1	—
All stillborn	3	1	2	—
2 males, 1 female	53	42	11	—
All living	42	32	10	—
2 living—2M	2	2	—	—
1M, 1F	3	2	1	—
1 living—M	1	1	—	—
F	2	2	—	—
All stillborn	3	3	—	—
1 male, 2 females	70	53	17	—
All living	55	46	9	—
2 living—2F	4	3	1	—
1M, 1F	5	3	2	—
1 living—M	2	1	1	—
F	2	—	2	—
All stillborn	2	—	2	—
3 females	73	57	15	1
All living	53	42	10	1
2 living	4	3	1	—
1 living	10	9	1	—
All stillborn	6	3	3	—
All unknown	2	2	—	—
All stillborn	2	2	—	—
ALABAMA:				
2 males, 1 female	2	1	1	—
All living	2	1	1	—
1 male, 2 females	2	2	—	—
All living	2	2	—	—
3 females	3	1	2	—
All living	2	1	1	—
1 living	1	—	1	—
ARIZONA:				
2 males, 1 female	1	1	—	—
All living	1	1	—	—
ARKANSAS:				
2 males, 1 female	3	1	2	—
All living	2	—	2	—
2 living—2M	1	1	—	—
1 male, 2 females	2	2	—	—
All living	2	2	—	—
3 females	2	—	2	—
All living	2	—	2	—
CALIFORNIA:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	2	2	—	—
All living	2	2	—	—
1 male, 2 females	2	2	—	—
All living	2	2	—	—
3 females	2	2	—	—
All living	2	2	—	—
COLORADO:				
3 males	1	1	—	—
All living	1	1	—	—
CONNECTICUT:				
3 females	4	4	—	—
1 living	4	4	—	—
DISTRICT OF COLUMBIA:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	1	—	1	—
All living	1	—	1	—
FLORIDA:				
3 males	1	—	1	—
All living	1	—	1	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
CASES OF TRIPLETS—Con.				
GEORGIA:				
3 males	4	—	4	—
All living	2	—	2	—
2 living	1	—	1	—
All stillborn	1	—	1	—
2 males, 1 female	1	—	1	—
All living	1	—	1	—
1 male, 2 females	6	1	5	—
All living	2	1	1	—
1 living—F	2	—	2	—
All stillborn	2	—	2	—
3 females	4	3	1	—
All living	1	—	1	—
1 living	3	3	—	—
ILLINOIS:				
3 males	2	2	—	—
All living	1	1	—	—
1 living	1	1	—	—
2 males, 1 female	2	2	—	—
All living	2	2	—	—
1 male, 2 females	6	6	—	—
All living	5	5	—	—
2 living—2F	1	1	—	—
INDIANA:				
3 males	1	—	1	—
2 living	1	—	1	—
2 males, 1 female	3	3	—	—
All living	2	2	—	—
1 living—F	1	1	—	—
1 male, 2 females	1	1	—	—
2 living—2F	1	1	—	—
3 females	3	3	—	—
All living	1	1	—	—
2 living	2	2	—	—
IOWA:				
3 males	3	3	—	—
All living	2	2	—	—
2 living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	2	2	—	—
All living	2	2	—	—
3 females	1	1	—	—
All living	1	1	—	—
KANSAS:				
3 males	1	—	1	—
All living	1	—	1	—
1 male, 2 females	1	1	—	—
2 living—2F	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
KENTUCKY:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	2	2	—	—
All living	2	2	—	—
3 females	2	2	—	—
All living	1	1	—	—
2 living	1	1	—	—
LOUISIANA:				
3 males	1	—	1	—
All living	1	—	1	—
2 males, 1 female	1	—	1	—
All living	1	—	1	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
MAINE:				
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
MARYLAND:				
1 male, 2 females	1	1	—	—
All living	1	1	—	—
MASSACHUSETTS:				
3 males	4	4	—	—
All living	3	3	—	—
2 living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	3	3	—	—
All living	3	3	—	—
3 females	3	3	—	—
All living	3	3	—	—
MICHIGAN:				
3 males	3	2	1	—
All living	2	2	—	—
1 living	1	—	1	—

TABLE 4.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1940—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
MICHIGAN—Continued				
2 males, 1 female	1	—	1	—
All living	1	—	1	—
1 male, 2 females	2	1	1	—
All living	2	1	1	—
3 females	2	2	—	—
All living	2	2	—	—
MINNESOTA:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	2	2	—	—
1 living—M	1	1	—	—
F	1	1	—	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
3 females	2	2	—	—
All living	2	2	—	—
MISSISSIPPI:				
3 males	2	1	1	—
All living	1	1	—	—
2 living	1	—	1	—
2 males, 1 female	2	2	—	—
All living	1	1	—	—
All stillborn	1	1	—	—
1 male, 2 females	2	1	1	—
All living	1	1	—	—
1 living—M	1	—	1	—
3 females	3	1	2	—
All living	2	1	1	—
All stillborn	1	—	1	—
MISSOURI:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	3	3	—	—
All living	3	3	—	—
1 male, 2 females	4	4	—	—
All living	4	4	—	—
MONTANA:				
3 males	2	2	—	—
All living	2	2	—	—
NEBRASKA:				
3 males	3	3	—	—
All living	1	1	—	—
1 living	2	2	—	—
3 females	1	1	—	—
All stillborn	1	1	—	—
NEW HAMPSHIRE:				
2 males, 1 female	1	1	—	—
All living	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
NEW JERSEY:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	2	2	—	—
All living	1	1	—	—
All stillborn	1	1	—	—
1 male, 2 females	2	1	1	—
All living	1	1	—	—
2 living—1M, 1F	1	—	1	—
All unknown	1	1	—	—
All stillborn	1	1	—	—
NEW MEXICO:				
3 males	3	2	—	1
All living	3	2	—	1
NEW YORK:				
3 males	4	4	—	—
All living	4	4	—	—
2 males, 1 female	4	4	—	—
All living	3	3	—	—
2 living—2M	1	1	—	—

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
NEW YORK—Continued				
1 male, 2 females	3	3	—	—
All living	1	1	—	—
2 living—1M, 1F	1	1	—	—
1 living—M	1	1	—	—
3 females	8	7	1	—
All living	6	6	—	—
1 living	1	1	—	—
All stillborn	1	—	1	—
All unknown	1	1	—	—
All stillborn	1	1	—	—
NORTH CAROLINA:				
3 males	3	2	1	—
All living	1	1	—	—
1 living	1	1	—	—
All stillborn	1	—	1	—
2 males, 1 female	2	1	1	—
All living	1	—	1	—
All stillborn	1	1	—	—
1 male, 2 females	3	2	1	—
All living	2	2	—	—
2 living—2F	1	—	1	—
3 females	2	1	1	—
All living	1	1	—	—
All stillborn	1	—	1	—
NORTH DAKOTA:				
2 males, 1 female	1	1	—	—
All living	1	1	—	—
OHIO:				
3 males	2	2	—	—
All living	1	1	—	—
2 living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
OKLAHOMA:				
3 males	2	2	—	—
All living	2	2	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	2	1	1	—
All living	2	1	1	—
3 females	3	2	—	1
All living	3	2	—	1
OREGON:				
2 males, 1 female	2	2	—	—
All living	2	2	—	—
PENNSYLVANIA:				
3 males	2	2	—	—
All living	1	1	—	—
2 living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
1 male, 2 females	3	1	2	—
All living	3	1	2	—
3 females	6	6	—	—
All living	5	5	—	—
All stillborn	1	1	—	—
SOUTH CAROLINA:				
1 male, 2 females	2	1	1	—
All living	2	1	1	—
3 females	1	1	—	—
All living	1	1	—	—
TENNESSEE:				
3 males	4	3	1	—
All living	4	3	1	—
1 male, 2 females	3	2	1	—
All living	2	2	—	—
2 living—1M, 1F	1	—	1	—
3 females	2	2	—	—
All living	2	2	—	—

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
TEXAS:				
3 males	6	6	—	—
All living	3	3	—	—
1 living	2	2	—	—
All stillborn	1	1	—	—
1 male, 2 females	4	3	1	—
All living	4	3	1	—
3 females	8	5	3	—
All living	6	3	3	—
1 living	1	1	—	—
All stillborn	1	1	—	—
UTAH:				
3 males	1	1	—	—
All living	1	1	—	—
1 male, 2 females	1	1	—	—
All living	1	1	—	—
VERMONT:				
3 males	1	1	—	—
All living	1	1	—	—
VIRGINIA:				
2 males, 1 female	3	1	2	—
All living	2	1	1	—
2 living—1M, 1F	1	—	1	—
1 male, 2 females	3	2	1	—
All living	2	1	1	—
2 living—1M, 1F	1	1	—	—
3 females	4	1	3	—
All living	3	1	2	—
2 living	1	—	1	—
WASHINGTON:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
WEST VIRGINIA:				
2 males, 1 female	3	2	1	—
All living	1	—	1	—
2 living—1M, 1F	2	2	—	—
1 male, 2 females	3	2	1	—
All living	2	1	1	—
2 living—1M, 1F	1	1	—	—
3 females	1	1	—	—
All living	1	1	—	—
WISCONSIN:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
WYOMING:				
3 males	1	1	—	—
All living	1	1	—	—
2 males, 1 female	1	1	—	—
All living	1	1	—	—
CASES OF QUADRUPLETS				
UNITED STATES	3	1	2	—
4 males	1	—	1	—
All living	1	—	1	—
1 male, 3 females	2	1	1	—
All living	1	1	—	—
3 living—1M, 2F	1	—	1	—
ALABAMA:				
1 male, 3 females	1	1	—	—
All living	1	1	—	—
FLORIDA:				
1 male, 3 females	1	—	1	—
3 living—1M, 2F	1	—	1	—
SOUTH CAROLINA:				
4 males	1	—	1	—
All living	1	—	1	—

TABLE 5.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

AREA	Total still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	[1] 73,802	6,310	5,899	6,282	6,284	6,345	5,994	6,555	6,247	6,179	5,964	5,773	5,970
Cities of 100,000 or more	23,968	1,956	1,833	1,947	1,934	2,055	1,986	2,113	2,041	2,099	1,966	1,959	2,079
Cities of 25,000 to 100,000	9,434	786	737	749	741	813	760	843	786	825	799	800	795
Cities of 10,000 to 25,000	6,800	564	539	536	539	561	586	600	598	611	588	527	553
Cities of 2,500 to 10,000	8,403	690	657	710	692	743	708	751	757	659	688	653	695
Rural	25,197	2,314	2,133	2,340	2,378	2,173	1,954	2,248	2,065	1,985	1,925	1,834	1,848
ALABAMA	2,511	234	241	239	257	216	199	206	193	190	188	173	175
Cities of 100,000 or more	265	19	22	26	22	17	23	28	16	22	19	22	30
Cities of 25,000 to 100,000	243	23	22	15	26	21	11	23	18	24	21	17	22
Cities of 10,000 to 25,000	192	16	16	10	20	14	13	13	23	19	18	18	12
Cities of 2,500 to 10,000	214	31	17	13	23	22	20	17	15	19	14	12	11
Rural	1,597	145	164	175	166	142	132	125	122	106	116	104	100
ARIZONA	292	25	19	25	17	32	21	27	34	24	29	22	17
Cities of 25,000 to 100,000	98	6	5	5	5	8	10	8	11	7	15	12	6
Cities of 2,500 to 10,000	78	7	6	7	5	8	4	8	10	8	6	4	5
Rural	116	12	8	13	7	16	7	11	13	9	8	6	6
ARKANSAS	1,034	100	113	106	88	77	85	99	83	79	75	61	68
Cities of 25,000 to 100,000	92	5	6	11	9	12	7	8	13	1	8	7	5
Cities of 10,000 to 25,000	76	9	8	9	3	5	6	7	7	9	4	4	5
Cities of 2,500 to 10,000	145	8	16	17	8	12	15	9	8	15	12	12	13
Rural	721	78	83	69	68	48	57	75	55	54	51	38	45
CALIFORNIA	2,197	172	163	182	171	166	186	188	194	201	169	209	196
Cities of 100,000 or more	952	78	63	75	85	63	78	86	89	82	73	92	88
Cities of 25,000 to 100,000	311	29	27	23	17	25	17	25	26	33	24	38	27
Cities of 10,000 to 25,000	195	13	14	17	13	13	22	11	14	29	16	18	15
Cities of 2,500 to 10,000	254	19	19	26	20	28	26	17	21	18	23	18	19
Rural	485	33	40	41	36	37	43	49	44	39	33	43	47
COLORADO	507	45	47	36	48	39	51	56	47	33	33	25	47
Cities of 100,000 or more	165	14	17	11	13	11	19	23	18	11	9	6	13
Cities of 25,000 to 100,000	39	4	4	5	4	3	2	8	2	2	1	3	1
Cities of 10,000 to 25,000	45	7	2	2	3	5	1	3	5	-	8	2	7
Cities of 2,500 to 10,000	98	8	10	8	11	7	11	9	4	9	4	6	11
Rural	160	12	14	10	17	13	18	13	18	11	11	8	15
CONNECTICUT	508	51	32	38	42	33	40	40	57	39	34	48	54
Cities of 100,000 or more	224	24	14	16	24	14	18	19	25	14	15	22	19
Cities of 25,000 to 100,000	169	18	8	13	9	9	15	12	21	18	12	16	18
Cities of 10,000 to 25,000	40	2	3	2	2	3	3	2	1	3	4	5	10
Cities of 2,500 to 10,000	19	1	1	2	2	2	1	2	1	3	1	2	1
Rural	56	6	6	5	5	5	3	5	9	1	2	3	6
DELAWARE	110	13	9	11	10	9	13	6	10	8	7	9	5
Cities of 100,000 or more	57	6	7	5	7	5	6	3	5	2	6	3	2
Cities of 2,500 to 10,000	19	5	-	4	-	1	2	1	1	1	1	2	1
Rural	34	2	2	2	3	3	5	2	4	5	-	4	2
DISTRICT OF COLUMBIA	393	31	36	30	24	35	30	51	30	32	31	27	36
FLORIDA	1,428	124	106	103	93	115	133	130	119	144	140	105	116
Cities of 100,000 or more	349	26	27	24	22	28	33	30	32	37	33	25	32
Cities of 25,000 to 100,000	179	21	13	12	7	22	14	12	5	20	22	15	16
Cities of 10,000 to 25,000	172	11	9	13	13	13	14	20	14	18	18	13	16
Cities of 2,500 to 10,000	212	18	15	13	14	15	21	24	28	12	18	14	20
Rural	516	48	42	41	37	37	51	44	40	57	49	38	32
GEORGIA	3,096	293	259	292	296	257	250	273	240	259	246	243	188
Cities of 100,000 or more	250	19	18	20	24	20	25	20	20	19	21	20	24
Cities of 25,000 to 100,000	460	46	40	34	44	44	38	32	40	33	43	39	27
Cities of 10,000 to 25,000	233	19	23	21	26	15	22	26	11	20	14	25	11
Cities of 2,500 to 10,000	358	39	26	34	28	33	24	37	23	26	28	31	29
Rural	1,795	170	152	183	174	145	141	158	146	161	140	128	97
IDAHO	252	22	25	24	16	16	21	23	22	17	22	17	27
Cities of 25,000 to 100,000	24	1	2	4	3	2	2	1	-	3	5	-	1
Cities of 10,000 to 25,000	85	7	8	7	8	2	4	10	8	4	9	9	9
Cities of 2,500 to 10,000	62	6	6	3	3	3	8	4	8	3	4	3	11
Rural	81	8	9	10	2	9	7	8	6	7	4	5	6
ILLINOIS	3,152	258	278	229	266	272	264	302	256	244	254	279	250
Cities of 100,000 or more	1,358	117	124	98	105	121	120	126	102	110	107	126	102
Cities of 25,000 to 100,000	587	41	60	41	48	55	50	55	49	42	50	46	50
Cities of 10,000 to 25,000	361	30	26	25	32	32	27	38	34	26	25	31	35
Cities of 2,500 to 10,000	342	17	25	28	31	22	24	44	29	26	37	30	29
Rural	504	53	43	37	50	42	43	39	42	40	35	46	34
INDIANA	1,423	129	81	119	118	122	109	126	119	133	113	120	134
Cities of 100,000 or more	335	27	20	23	25	32	24	24	22	39	23	34	42
Cities of 25,000 to 100,000	315	27	18	27	31	15	23	29	26	31	28	34	26
Cities of 10,000 to 25,000	147	11	10	14	10	17	9	8	11	21	14	10	12
Cities of 2,500 to 10,000	221	29	12	19	16	20	19	28	28	7	10	12	21
Rural	405	35	21	36	36	38	34	37	32	35	38	30	33
IOWA	1,022	73	79	80	82	72	102	89	88	89	91	78	99
Cities of 100,000 or more	85	6	6	9	8	8	4	6	7	7	7	9	8
Cities of 25,000 to 100,000	258	18	13	21	22	19	27	23	23	22	29	21	20
Cities of 10,000 to 25,000	140	12	7	13	12	14	14	12	12	11	11	6	16
Cities of 2,500 to 10,000	254	18	23	17	14	13	33	23	19	27	18	20	29
Rural	285	19	30	20	26	18	24	25	27	22	26	22	26

[1] Includes 114 stillbirths, transcripts for which were received after the publication of the United States Summary of Vital Statistics, 1940, vol. 14, No. 2.

TABLE 5.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS	710	56	59	47	66	62	57	78	52	60	59	60	54
Cities of 100,000 or more	128	8	12	3	14	10	11	12	9	8	14	11	16
Cities of 25,000 to 100,000	48	2	2	2	2	3	4	13	4	6	6	4	-
Cities of 10,000 to 25,000	123	8	8	10	13	11	13	20	8	8	8	10	6
Cities of 2,500 to 10,000	153	16	14	13	13	11	10	14	12	14	14	13	9
Rural	258	22	23	19	24	27	19	19	19	24	17	22	23
KENTUCKY	2,036	186	168	217	197	173	84	274	149	150	139	132	167
Cities of 100,000 or more	173	19	11	13	15	12	20	15	16	14	12	9	17
Cities of 25,000 to 100,000	197	12	17	12	13	17	12	37	9	11	19	15	23
Cities of 10,000 to 25,000	68	5	3	3	11	5	3	7	6	6	8	6	5
Cities of 2,500 to 10,000	229	18	22	25	23	21	7	33	23	13	19	14	11
Rural	1,369	132	115	164	135	118	42	182	95	106	81	88	111
LOUISIANA	1,937	177	170	139	163	160	156	172	182	153	181	126	158
Cities of 100,000 or more	424	33	31	27	33	27	31	42	47	36	39	32	46
Cities of 25,000 to 100,000	289	20	39	20	21	29	24	33	21	19	23	15	25
Cities of 10,000 to 25,000	148	16	19	4	14	12	12	13	16	10	12	11	9
Cities of 2,500 to 10,000	231	22	14	18	23	20	24	21	17	22	17	13	20
Rural	845	86	67	70	72	72	65	63	81	66	90	55	58
MAINE	444	37	26	31	39	39	40	36	47	41	23	44	41
Cities of 25,000 to 100,000	99	5	10	6	5	10	12	8	6	10	9	5	13
Cities of 10,000 to 25,000	56	7	1	2	8	2	5	2	8	4	5	6	6
Cities of 2,500 to 10,000	71	5	1	10	3	5	7	8	11	9	1	7	4
Rural	218	20	14	13	23	22	16	18	22	18	8	26	18
MARYLAND	1,320	124	107	111	98	114	108	108	100	117	104	122	107
Cities of 100,000 or more	699	61	56	63	49	56	56	53	55	80	52	64	54
Cities of 25,000 to 100,000	80	8	7	8	8	5	6	5	4	7	7	7	8
Cities of 10,000 to 25,000	94	13	7	6	6	11	9	7	10	6	7	5	7
Cities of 2,500 to 10,000	85	6	7	4	6	8	7	8	5	7	5	12	10
Rural	362	36	30	30	29	34	30	35	26	17	33	34	28
MASSACHUSETTS	1,773	132	132	162	149	148	138	146	163	154	152	143	154
Cities of 100,000 or more	865	56	57	92	81	81	69	65	79	72	71	63	79
Cities of 25,000 to 100,000	466	35	34	35	33	38	32	46	40	48	43	45	37
Cities of 10,000 to 25,000	308	31	25	24	23	18	25	30	27	26	30	23	26
Cities of 2,500 to 10,000	81	5	11	8	7	6	7	2	8	7	5	8	7
Rural	53	5	5	3	5	5	5	3	9	1	3	4	5
MICHIGAN	2,575	207	206	210	211	228	221	230	227	223	201	202	209
Cities of 100,000 or more	979	86	78	81	65	84	81	85	82	94	78	79	86
Cities of 25,000 to 100,000	551	45	37	43	54	52	48	50	44	37	34	51	56
Cities of 10,000 to 25,000	207	15	16	15	9	21	20	18	26	22	19	15	11
Cities of 2,500 to 10,000	290	22	21	21	32	25	27	22	23	19	27	31	20
Rural	548	39	54	50	51	46	45	55	52	51	43	26	36
MINNESOTA	1,139	110	99	97	109	93	82	103	94	91	97	70	94
Cities of 100,000 or more	450	40	47	42	35	32	35	37	33	47	39	23	40
Cities of 25,000 to 100,000	14	-	2	2	-	1	-	1	2	2	2	1	1
Cities of 10,000 to 25,000	105	9	7	11	7	11	9	12	12	7	7	7	6
Cities of 2,500 to 10,000	235	25	19	17	21	24	13	24	19	15	25	15	18
Rural	335	36	24	25	46	25	25	29	28	20	24	24	29
MISSISSIPPI	2,534	210	197	256	281	229	198	211	193	197	191	175	196
Cities of 25,000 to 100,000	133	12	3	11	16	11	12	6	16	11	8	15	12
Cities of 10,000 to 25,000	239	13	14	16	28	22	23	19	18	24	19	18	23
Cities of 2,500 to 10,000	213	12	15	22	22	28	20	13	19	16	19	10	17
Rural	1,949	171	165	207	215	168	143	173	140	146	145	132	144
MISSOURI	2,016	146	153	147	169	184	184	169	183	217	165	156	137
Cities of 100,000 or more	814	54	56	59	66	79	78	75	89	91	63	53	51
Cities of 25,000 to 100,000	107	5	5	15	7	13	10	10	8	15	7	6	6
Cities of 10,000 to 25,000	183	13	15	11	11	16	18	9	12	18	16	24	20
Cities of 2,500 to 10,000	221	14	31	12	22	17	18	20	14	21	18	16	18
Rural	691	60	52	50	63	59	60	55	60	72	61	57	42
MONTANA	216	16	19	19	21	20	19	16	20	13	16	22	15
Cities of 25,000 to 100,000	46	3	4	5	3	2	8	1	4	6	4	3	3
Cities of 10,000 to 25,000	36	1	3	3	6	3	2	2	4	1	3	4	4
Cities of 2,500 to 10,000	51	2	7	-	6	-	2	8	7	3	4	9	3
Rural	83	10	5	11	6	15	7	5	5	3	5	6	5
NEBRASKA	512	48	48	44	33	42	28	49	52	39	43	47	39
Cities of 100,000 or more	99	8	9	9	9	5	5	14	10	6	7	11	6
Cities of 25,000 to 100,000	32	-	2	5	4	-	3	1	2	3	4	4	4
Cities of 10,000 to 25,000	70	5	8	5	5	4	1	10	8	10	6	3	5
Cities of 2,500 to 10,000	82	6	4	8	5	11	6	7	6	7	11	7	4
Rural	229	29	25	17	10	22	13	17	26	13	15	22	20
NEVADA	39	1	4	4	1	3	4	5	5	1	3	4	4
Cities of 10,000 to 25,000	7	-	1	2	-	-	1	1	1	-	-	1	-
Cities of 2,500 to 10,000	9	-	-	-	1	2	2	1	-	1	2	-	-
Rural	23	1	3	2	-	1	1	3	4	-	1	3	4
NEW HAMPSHIRE	211	22	14	17	15	22	19	20	18	12	22	13	17
Cities of 25,000 to 100,000	72	9	4	3	2	5	8	8	10	5	8	5	5
Cities of 10,000 to 25,000	60	5	2	5	4	13	4	5	3	4	6	4	5
Cities of 2,500 to 10,000	19	2	3	4	-	-	2	2	-	1	4	-	1
Rural	60	6	5	5	9	4	5	5	5	2	4	4	6

TABLE 5.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY	1,530	129	137	134	116	127	144	122	126	129	142	109	115
Cities of 100,000 or more	718	58	69	61	61	67	71	50	49	59	65	50	58
Cities of 25,000 to 100,000	391	33	42	25	23	30	36	36	42	27	36	31	30
Cities of 10,000 to 25,000	171	14	12	15	11	9	15	16	15	22	20	11	11
Cities of 2,500 to 10,000	126	11	4	18	11	14	9	4	12	10	13	7	13
Rural	124	13	10	15	10	7	13	16	8	11	8	10	3
NEW MEXICO	417	33	37	50	36	43	29	23	37	36	26	37	30
Cities of 25,000 to 100,000	37	2	1	7	4	2	4	1	4	2	2	5	3
Cities of 10,000 to 25,000	56	6	5	8	4	3	7	-	2	7	6	4	4
Cities of 2,500 to 10,000	126	9	10	13	8	17	5	9	20	6	5	13	11
Rural	198	16	21	22	20	21	13	13	11	21	13	15	12
NEW YORK	10,228	830	760	839	827	955	818	902	863	852	868	819	895
Cities of 100,000 or more	8,614	694	633	701	709	803	691	755	720	724	735	696	753
Cities of 25,000 to 100,000	384	29	28	37	28	35	38	39	24	30	29	29	38
Cities of 10,000 to 25,000	445	44	37	39	26	40	34	49	39	34	40	28	35
Cities of 2,500 to 10,000	301	25	24	23	21	33	19	23	31	28	26	25	23
Rural	484	38	38	39	43	44	36	36	49	36	38	41	46
NORTH CAROLINA	2,773	258	225	268	243	270	248	230	222	222	223	186	178
Cities of 100,000 or more	118	9	7	12	10	14	11	15	10	9	7	7	7
Cities of 25,000 to 100,000	397	35	36	37	32	33	35	38	29	41	26	26	29
Cities of 10,000 to 25,000	324	27	39	32	24	23	30	19	26	32	29	23	20
Cities of 2,500 to 10,000	335	24	28	31	34	36	35	23	30	19	38	25	12
Rural	1,599	163	115	156	143	164	137	135	127	121	123	105	110
NORTH DAKOTA	297	27	23	28	21	32	23	21	21	21	30	27	23
Cities of 25,000 to 100,000	20	2	3	3	1	-	3	1	2	-	2	3	-
Cities of 10,000 to 25,000	53	4	8	4	1	3	2	6	5	5	8	4	3
Cities of 2,500 to 10,000	41	3	1	4	2	6	4	2	6	1	4	4	4
Rural	183	18	11	17	17	23	14	12	8	15	16	16	16
OHIO	2,976	252	246	263	227	250	235	270	261	258	230	251	233
Cities of 100,000 or more	1,376	132	97	124	109	111	109	149	106	114	109	117	99
Cities of 25,000 to 100,000	446	30	46	41	36	42	27	32	38	42	35	36	41
Cities of 10,000 to 25,000	294	25	23	23	20	27	31	21	36	21	24	20	23
Cities of 2,500 to 10,000	249	21	14	18	13	24	24	21	27	20	15	24	28
Rural	611	44	66	57	49	46	44	47	54	61	47	54	42
OKLAHOMA	1,124	127	86	96	97	75	81	92	88	97	99	93	93
Cities of 100,000 or more	172	18	13	11	12	8	15	7	12	18	21	16	21
Cities of 25,000 to 100,000	31	6	-	1	1	-	3	1	-	2	6	4	7
Cities of 10,000 to 25,000	166	12	14	11	15	12	18	19	16	10	16	12	11
Cities of 2,500 to 10,000	229	19	12	18	17	16	14	25	18	23	18	30	19
Rural	526	72	47	55	52	39	31	40	42	44	38	31	35
OREGON	377	32	35	38	25	25	33	31	27	32	27	33	39
Cities of 100,000 or more	134	11	14	8	9	12	8	11	8	13	12	16	12
Cities of 25,000 to 100,000	17	2	2	5	-	2	1	-	1	2	-	1	1
Cities of 10,000 to 25,000	69	3	9	7	5	6	5	11	3	4	5	5	6
Cities of 2,500 to 10,000	112	8	9	11	9	5	13	7	11	10	7	5	17
Rural	45	8	1	7	2	-	6	2	4	3	3	6	3
PENNSYLVANIA	4,738	364	371	392	388	377	433	409	414	420	396	408	366
Cities of 100,000 or more	1,395	107	106	110	117	113	129	118	119	111	113	129	123
Cities of 25,000 to 100,000	830	62	57	64	65	71	67	70	70	88	73	72	71
Cities of 10,000 to 25,000	720	51	53	56	55	59	71	59	72	70	61	63	50
Cities of 2,500 to 10,000	649	48	62	53	49	54	66	51	57	59	50	59	41
Rural	1,144	96	93	109	102	80	100	111	96	92	99	85	81
RHODE ISLAND	306	28	20	26	17	21	28	34	38	21	18	27	28
Cities of 100,000 or more	155	11	11	14	10	9	17	17	18	13	10	14	11
Cities of 25,000 to 100,000	112	13	9	9	5	10	6	12	14	3	6	12	13
Cities of 10,000 to 25,000	24	3	-	2	1	1	2	5	1	3	2	1	3
Cities of 2,500 to 10,000	3	-	-	-	-	1	2	-	-	-	-	-	-
Rural	12	1	-	1	1	-	1	-	5	2	-	-	1
SOUTH CAROLINA	2,091	182	138	179	242	182	152	167	168	183	159	173	166
Cities of 25,000 to 100,000	311	29	24	26	30	32	27	24	21	28	25	27	18
Cities of 10,000 to 25,000	172	15	7	12	19	18	17	13	10	20	14	11	16
Cities of 2,500 to 10,000	302	25	20	39	32	28	20	16	26	22	24	25	25
Rural	1,306	113	87	102	161	104	88	114	111	113	96	110	107
SOUTH DAKOTA	218	25	12	13	23	21	19	21	12	16	20	20	18
Cities of 25,000 to 100,000	13	-	-	2	2	-	2	1	2	2	-	-	2
Cities of 10,000 to 25,000	37	2	-	1	4	3	6	1	4	1	4	8	3
Cities of 2,500 to 10,000	46	7	4	-	7	8	1	4	1	2	2	5	5
Rural	122	16	8	10	10	10	10	15	5	11	14	7	6
TENNESSEE	1,626	155	140	121	166	159	125	130	143	135	111	129	112
Cities of 100,000 or more	564	45	44	39	49	45	46	48	50	62	37	50	49
Cities of 25,000 to 100,000	21	2	2	1	2	1	1	2	-	1	2	2	5
Cities of 10,000 to 25,000	98	11	5	7	5	15	10	7	8	6	7	12	5
Cities of 2,500 to 10,000	165	15	17	12	22	18	10	13	13	11	15	12	7
Rural	778	82	72	62	88	80	58	60	72	55	50	53	46
TEXAS	3,986	347	324	338	281	309	327	352	353	346	332	313	364
Cities of 100,000 or more	826	75	62	74	55	66	61	55	85	77	66	75	75
Cities of 25,000 to 100,000	531	46	48	39	28	39	46	45	46	55	54	44	41
Cities of 10,000 to 25,000	346	36	29	34	24	26	24	28	29	37	26	24	29
Cities of 2,500 to 10,000	735	53	56	52	46	59	58	71	73	66	70	57	74
Rural	1,548	137	129	139	128	119	138	153	120	111	116	113	145

TABLE 5.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

AREA	Total still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	253	19	24	20	24	24	13	24	18	20	23	15	29
Cities of 100,000 or more	94	4	6	4	11	12	8	7	3	10	10	6	13
Cities of 25,000 to 100,000	27	3	2	1	2	4	-	3	4	2	1	4	1
Cities of 10,000 to 25,000	18	1	3	1	3	-	1	1	2	-	1	3	2
Cities of 2,500 to 10,000	49	3	4	6	5	1	2	8	4	3	5	1	7
Rural	65	8	9	8	3	7	2	5	5	5	6	1	6
VERMONT	173	21	16	8	23	20	10	15	16	7	13	9	15
Cities of 25,000 to 100,000	38	8	3	2	5	4	2	4	4	1	2	1	2
Cities of 10,000 to 25,000	12	-	2	1	1	1	1	1	-	-	3	1	1
Cities of 2,500 to 10,000	46	5	2	2	5	6	3	4	5	1	2	4	7
Rural	77	8	9	3	12	9	4	6	7	5	6	3	5
VIRGINIA	2,033	170	166	179	178	180	155	185	179	156	166	144	175
Cities of 100,000 or more	322	24	30	28	28	22	19	34	43	29	18	20	27
Cities of 25,000 to 100,000	301	31	22	23	26	27	22	20	26	26	23	25	30
Cities of 10,000 to 25,000	72	5	7	2	7	5	8	4	6	7	13	1	7
Cities of 2,500 to 10,000	161	19	15	14	10	8	12	15	21	12	15	7	13
Rural	1,177	91	92	112	107	118	94	112	83	82	97	91	98
WASHINGTON	470	31	33	37	34	43	38	35	48	38	55	36	42
Cities of 100,000 or more	195	12	18	14	12	19	19	12	18	13	24	18	16
Cities of 25,000 to 100,000	43	4	2	1	6	5	1	3	9	6	3	1	2
Cities of 10,000 to 25,000	72	7	6	5	3	4	7	8	5	6	7	6	8
Cities of 2,500 to 10,000	68	2	-	6	7	7	5	6	5	4	11	5	10
Rural	92	6	7	11	6	8	6	6	11	9	10	6	6
WEST VIRGINIA	1,491	130	113	128	132	145	132	125	128	120	115	104	119
Cities of 25,000 to 100,000	265	33	13	20	24	29	20	20	22	25	16	21	22
Cities of 10,000 to 25,000	96	10	10	8	11	12	7	12	5	4	6	1	10
Cities of 2,500 to 10,000	201	13	13	19	16	20	21	23	16	14	12	15	19
Rural	929	74	77	81	81	84	84	70	85	77	81	67	68
WISCONSIN	1,207	104	85	101	100	103	99	125	101	105	74	101	109
Cities of 100,000 or more	221	24	12	21	16	14	16	21	15	24	20	14	24
Cities of 25,000 to 100,000	310	21	13	27	28	26	24	36	24	26	26	32	27
Cities of 10,000 to 25,000	128	8	11	12	11	11	9	13	11	14	6	9	13
Cities of 2,500 to 10,000	194	19	15	17	19	17	21	17	21	18	7	9	14
Rural	354	32	34	24	26	35	29	38	30	23	15	37	31
WYOMING	101	4	12	9	4	6	10	9	7	5	9	7	19
Cities of 10,000 to 25,000	37	-	4	6	2	1	1	2	4	2	1	2	12
Cities of 2,500 to 10,000	19	-	2	1	-	1	4	3	1	1	2	-	4
Rural	45	4	6	2	2	4	5	4	2	2	6	5	3

TABLE 6.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

AREA	Total still-births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	[1] 73,802	57,220	47,961	2,941	1,631	1,386	2,950	82	58	5	206	16,236	346
Cities of 100,000 or more	23,968	19,930	14,536	1,742	582	809	2,039	64	14	2	142	3,962	76
Cities of 25,000 to 100,000	9,434	7,758	6,560	410	237	200	325	6	5	-	15	1,660	16
Cities of 10,000 to 25,000	6,800	5,742	5,069	217	156	118	156	2	9	1	14	1,039	19
Cities of 2,500 to 10,000	8,403	7,104	6,411	211	191	110	158	3	8	-	12	1,255	44
Rural	25,197	16,686	15,385	361	465	149	272	7	22	2	23	8,320	191
ALABAMA	2,511	1,123	1,064	3	43	1	3	-	7	-	2	1,388	-
Cities of 100,000 or more	265	104	93	1	6	1	2	-	1	-	-	161	-
Cities of 25,000 to 100,000	243	128	118	1	8	-	1	-	-	-	-	115	-
Cities of 10,000 to 25,000	192	88	86	-	1	-	-	-	-	-	1	104	-
Cities of 2,500 to 10,000	214	118	110	-	8	-	-	-	-	-	-	96	-
Rural	1,597	685	657	1	20	-	-	-	6	-	1	912	-
ARIZONA	292	252	175	23	3	12	37	1	-	-	1	7	33
Cities of 25,000 to 100,000	98	87	68	5	2	2	10	-	-	-	-	5	6
Cities of 2,500 to 10,000	78	75	45	12	-	9	9	-	-	-	-	1	2
Rural	116	90	62	6	1	1	18	1	-	-	1	1	25
ARKANSAS	1,034	602	596	1	5	-	-	-	-	-	-	432	-
Cities of 25,000 to 100,000	92	72	70	-	2	-	-	-	-	-	-	20	-
Cities of 10,000 to 25,000	76	51	51	-	-	-	-	-	-	-	-	25	-
Cities of 2,500 to 10,000	145	98	97	1	-	-	-	-	-	-	-	47	-
Rural	721	381	378	-	3	-	-	-	-	-	-	340	-
CALIFORNIA	2,197	2,073	1,586	177	26	82	195	1	4	1	1	54	70
Cities of 100,000 or more	952	876	647	86	15	44	83	-	1	-	-	40	36
Cities of 25,000 to 100,000	311	306	247	22	-	11	26	-	-	-	-	2	3
Cities of 10,000 to 25,000	195	190	154	15	2	7	12	-	-	-	-	1	4
Cities of 2,500 to 10,000	254	244	200	18	2	5	18	-	1	-	-	1	9
Rural	485	457	338	36	7	15	56	1	2	1	1	10	18
COLORADO	507	496	458	24	11	5	14	-	-	-	4	9	2
Cities of 100,000 or more	165	159	141	6	5	1	4	-	-	-	2	5	1
Cities of 25,000 to 100,000	39	37	30	6	1	-	-	-	-	-	-	2	-
Cities of 10,000 to 25,000	45	44	42	1	-	-	1	-	-	-	-	1	-
Cities of 2,500 to 10,000	98	98	84	4	3	3	3	-	-	-	1	-	-
Rural	160	158	141	7	2	1	6	-	-	-	1	1	1

[1] Includes 114 stillbirths, transcripts for which were received after the publication of the United States Summary of Vital Statistics, 1940, vol. 14, No. 2.

TABLE 6.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total still-births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
CONNECTICUT	508	493	367	51	5	22	48	-	-	-	-	15	-
Cities of 100,000 or more	224	214	149	21	2	10	32	-	-	-	-	10	-
Cities of 25,000 to 100,000	169	167	124	24	2	5	12	-	-	-	-	2	-
Cities of 10,000 to 25,000	40	37	31	1	-	3	2	-	-	-	-	3	-
Cities of 2,500 to 10,000	19	19	17	1	-	1	-	-	-	-	-	-	-
Rural	56	56	46	4	1	3	2	-	-	-	-	-	-
DELAWARE	110	86	77	4	4	-	1	-	-	-	-	24	-
Cities of 100,000 or more	57	53	46	4	2	-	1	-	-	-	-	4	-
Cities of 2,500 to 10,000	19	15	14	-	1	-	-	-	-	-	-	4	-
Rural	34	18	17	-	1	-	-	-	-	-	-	16	-
DISTRICT OF COLUMBIA	393	209	186	5	6	5	5	-	-	-	2	183	1
FLORIDA	1,428	686	641	16	22	5	1	-	-	-	1	739	3
Cities of 100,000 or more	349	164	143	11	7	3	-	-	-	-	-	184	1
Cities of 25,000 to 100,000	179	94	89	2	3	-	-	-	-	-	-	85	-
Cities of 10,000 to 25,000	172	98	95	1	2	-	-	-	-	-	-	74	-
Cities of 2,500 to 10,000	212	105	100	-	3	1	-	-	-	-	1	107	-
Rural	516	225	214	2	7	1	1	-	-	-	-	289	2
GEORGIA	3,096	1,352	1,303	1	44	-	1	-	2	-	1	1,742	2
Cities of 100,000 or more	250	132	130	-	1	-	1	-	-	-	-	118	-
Cities of 25,000 to 100,000	460	196	187	-	9	-	-	-	-	-	-	263	1
Cities of 10,000 to 25,000	233	140	134	1	5	-	-	-	-	-	-	93	-
Cities of 2,500 to 10,000	358	191	184	-	7	-	-	-	-	-	-	167	-
Rural	1,795	693	668	-	22	-	-	-	2	-	1	1,101	1
IDAHO	252	249	227	10	1	6	5	-	-	-	-	-	3
Cities of 25,000 to 100,000	24	24	23	1	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	85	85	75	4	1	1	4	-	-	-	-	-	-
Cities of 2,500 to 10,000	62	61	56	2	-	3	-	-	-	-	-	-	1
Rural	81	79	73	3	-	2	1	-	-	-	-	-	2
ILLINOIS	3,152	2,889	2,475	164	66	44	131	-	-	1	8	263	-
Cities of 100,000 or more	1,358	1,167	894	115	37	28	90	-	-	1	2	191	-
Cities of 25,000 to 100,000	587	554	496	21	10	6	17	-	-	-	4	33	-
Cities of 10,000 to 25,000	361	348	322	11	5	3	6	-	-	-	1	13	-
Cities of 2,500 to 10,000	342	335	308	9	5	4	8	-	-	-	1	7	-
Rural	504	485	455	8	9	3	10	-	-	-	-	19	-
INDIANA	1,423	1,346	1,252	27	33	6	21	-	4	-	3	76	1
Cities of 100,000 or more	335	294	262	9	9	3	10	-	1	-	-	40	1
Cities of 25,000 to 100,000	315	289	255	13	8	2	9	-	1	-	1	26	-
Cities of 10,000 to 25,000	147	145	133	2	5	-	1	-	2	-	2	2	-
Cities of 2,500 to 10,000	221	218	213	1	3	1	-	-	-	-	-	3	-
Rural	405	400	389	2	8	-	1	-	-	-	-	5	-
IOWA	1,022	1,005	950	20	16	6	12	1	-	-	-	14	3
Cities of 100,000 or more	85	81	72	4	3	-	2	-	-	-	-	4	-
Cities of 25,000 to 100,000	258	248	231	5	4	1	6	1	-	-	-	8	2
Cities of 10,000 to 25,000	140	137	133	-	3	1	-	-	-	-	-	2	1
Cities of 2,500 to 10,000	254	254	242	3	4	4	1	-	-	-	-	-	-
Rural	285	285	272	8	2	-	3	-	-	-	-	-	-
KANSAS	710	669	633	14	13	4	5	-	-	-	-	41	-
Cities of 100,000 or more	128	109	99	1	5	3	1	-	-	-	-	19	-
Cities of 25,000 to 100,000	48	47	44	1	1	-	1	-	-	-	-	1	-
Cities of 10,000 to 25,000	123	111	105	2	3	1	-	-	-	-	-	12	-
Cities of 2,500 to 10,000	153	149	141	5	2	-	1	-	-	-	-	4	-
Rural	258	253	244	5	2	-	2	-	-	-	-	5	-
KENTUCKY	2,036	1,866	1,325	3	34	2	1	-	1	-	-	170	-
Cities of 100,000 or more	173	145	141	2	1	-	1	-	-	-	-	28	-
Cities of 25,000 to 100,000	197	171	162	-	9	-	-	-	-	-	-	26	-
Cities of 10,000 to 25,000	68	55	53	-	2	-	-	-	-	-	-	13	-
Cities of 2,500 to 10,000	229	198	194	-	3	-	-	-	1	-	-	31	-
Rural	1,369	1,297	1,275	1	19	2	-	-	-	-	-	72	-
LOUISIANA	1,937	791	678	5	14	1	1	-	5	-	87	1,143	3
Cities of 100,000 or more	424	196	100	1	3	1	1	-	4	-	86	228	-
Cities of 25,000 to 100,000	289	109	105	2	2	-	-	-	-	-	-	179	1
Cities of 10,000 to 25,000	148	71	69	1	1	-	-	-	-	-	-	77	-
Cities of 2,500 to 10,000	231	118	116	-	2	-	-	-	-	-	-	113	-
Rural	845	297	288	1	6	-	-	-	1	-	1	546	2
MAINE	444	443	355	25	21	26	16	-	-	-	-	-	1
Cities of 25,000 to 100,000	99	99	75	2	8	6	8	-	-	-	-	-	-
Cities of 10,000 to 25,000	56	56	43	4	2	5	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	71	70	56	8	2	2	2	-	-	-	-	-	1
Rural	218	218	181	11	9	13	4	-	-	-	-	-	-
MARYLAND	1,320	838	761	13	34	12	12	2	2	-	2	482	-
Cities of 100,000 or more	699	424	363	11	25	12	8	2	1	-	2	275	-
Cities of 25,000 to 100,000	80	78	74	-	4	-	-	-	-	-	-	2	-
Cities of 10,000 to 25,000	94	61	60	1	-	-	-	-	-	-	-	33	-
Cities of 2,500 to 10,000	85	66	62	-	1	-	3	-	-	-	-	19	-
Rural	362	209	202	1	4	-	1	-	1	-	-	153	-
MASSACHUSETTS	1,773	1,746	1,251	156	59	128	148	4	-	-	-	26	1
Cities of 100,000 or more	865	847	584	81	30	62	87	3	-	-	-	18	-
Cities of 25,000 to 100,000	466	464	330	49	10	39	35	1	-	-	-	2	-
Cities of 10,000 to 25,000	308	305	235	18	11	21	20	-	-	-	-	3	-
Cities of 2,500 to 10,000	81	80	66	3	3	3	5	-	-	-	-	1	-
Rural	53	50	36	5	5	3	1	-	-	-	-	2	1

TABLE 6.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total still-births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MICHIGAN	2,575	2,414	1,942	166	49	110	128	2	3	1	13	151	10
Cities of 100,000 or more	979	850	592	90	17	62	78	1	-	-	10	129	-
Cities of 25,000 to 100,000	551	538	438	37	12	20	29	-	-	-	2	12	1
Cities of 10,000 to 25,000	207	202	174	10	3	10	4	-	1	-	-	5	-
Cities of 2,500 to 10,000	290	286	260	10	2	11	2	-	1	-	-	1	3
Rural	548	538	478	19	15	7	15	1	1	1	1	4	6
MINNESOTA	1,139	1,122	973	66	40	27	15	1	-	-	-	3	14
Cities of 100,000 or more	450	447	370	33	22	14	7	1	-	-	-	3	-
Cities of 25,000 to 100,000	14	14	11	1	1	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	105	105	97	3	3	2	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	235	234	212	10	5	2	5	-	-	-	-	-	1
Rural	335	322	283	19	9	8	3	-	-	-	-	-	13
MISSISSIPPI	2,534	620	593	1	22	1	1	-	1	-	1	1,911	3
Cities of 25,000 to 100,000	133	39	33	-	4	-	1	-	1	-	-	94	-
Cities of 10,000 to 25,000	239	99	95	1	3	-	-	-	-	-	-	140	-
Cities of 2,500 to 10,000	213	80	75	-	3	1	-	-	-	-	1	131	2
Rural	1,949	402	390	-	12	-	-	-	-	-	-	1,546	1
MISSOURI	2,016	1,730	1,622	19	68	7	12	-	2	-	-	286	-
Cities of 100,000 or more	814	603	538	16	32	7	10	-	-	-	-	211	-
Cities of 25,000 to 100,000	107	99	93	2	3	-	1	-	-	-	-	8	-
Cities of 10,000 to 25,000	183	168	161	1	4	-	1	-	1	-	-	15	-
Cities of 2,500 to 10,000	221	206	199	-	7	-	-	-	-	-	-	15	-
Rural	691	654	631	-	22	-	-	-	1	-	-	37	-
MONTANA	216	196	168	13	3	7	5	-	-	-	-	-	20
Cities of 25,000 to 100,000	46	46	41	3	-	1	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	36	36	30	3	1	-	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	51	51	44	3	1	2	1	-	-	-	-	-	-
Rural	83	63	53	4	1	4	1	-	-	-	-	-	20
NEBRASKA	512	501	454	15	9	11	10	-	-	-	2	5	6
Cities of 100,000 or more	99	95	82	1	6	5	1	-	-	-	-	4	-
Cities of 25,000 to 100,000	32	32	29	1	1	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	70	70	64	2	-	2	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	82	81	73	3	1	2	1	-	-	-	1	1	-
Rural	229	223	206	8	1	1	6	-	-	-	1	-	6
NEVADA	39	35	31	2	-	-	2	-	-	-	-	-	4
Cities of 10,000 to 25,000	7	7	6	1	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	9	9	9	-	-	-	-	-	-	-	-	-	-
Rural	23	19	16	1	-	-	2	-	-	-	-	-	4
NEW HAMPSHIRE	211	211	167	18	9	10	6	-	-	-	1	-	-
Cities of 25,000 to 100,000	72	72	55	10	1	3	3	-	-	-	-	-	-
Cities of 10,000 to 25,000	60	60	46	4	3	3	3	-	-	-	1	-	-
Cities of 2,500 to 10,000	19	19	14	-	3	2	-	-	-	-	-	-	-
Rural	60	60	52	4	2	2	-	-	-	-	-	-	-
NEW JERSEY	1,530	1,373	1,054	120	39	40	111	2	2	1	4	156	1
Cities of 100,000 or more	718	630	493	49	16	15	55	1	-	-	1	87	1
Cities of 25,000 to 100,000	391	366	252	48	12	17	35	-	1	-	1	25	-
Cities of 10,000 to 25,000	171	161	132	8	4	6	9	-	1	1	-	10	-
Cities of 2,500 to 10,000	126	110	97	6	2	-	5	-	-	-	-	16	-
Rural	124	106	80	9	5	2	7	1	-	-	2	18	-
NEW MEXICO	417	416	355	9	30	6	15	1	-	-	-	1	-
Cities of 25,000 to 100,000	37	37	32	-	2	2	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	56	56	49	1	3	1	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	126	125	101	4	13	1	6	-	-	-	-	1	-
Rural	198	198	173	4	12	2	6	1	-	-	-	-	-
NEW YORK	10,228	9,300	5,946	1,045	256	494	1,472	51	4	1	31	904	24
Cities of 100,000 or more	8,614	7,734	4,695	938	206	425	1,386	50	2	1	31	861	19
Cities of 25,000 to 100,000	384	375	291	25	11	19	28	-	1	-	-	9	-
Cities of 10,000 to 25,000	445	432	338	37	11	24	22	-	-	-	-	12	1
Cities of 2,500 to 10,000	301	291	233	16	10	16	16	-	-	-	-	7	3
Rural	484	468	389	29	18	10	20	1	1	-	-	15	1
NORTH CAROLINA	2,773	1,417	1,363	3	25	-	-	-	-	-	26	1,337	19
Cities of 100,000 or more	118	53	50	-	1	-	-	-	-	-	2	65	-
Cities of 25,000 to 100,000	397	202	194	2	2	-	-	-	-	-	4	195	-
Cities of 10,000 to 25,000	324	201	191	-	2	-	-	-	-	-	8	123	-
Cities of 2,500 to 10,000	335	231	222	1	3	-	-	-	-	-	5	101	3
Rural	1,599	730	706	-	17	-	-	-	-	-	7	853	16
NORTH DAKOTA	297	290	238	24	8	15	5	-	-	-	-	-	7
Cities of 25,000 to 100,000	20	20	13	-	7	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	53	53	49	1	-	2	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	41	41	35	4	-	1	1	-	-	-	-	-	-
Rural	183	176	141	19	1	12	3	-	-	-	-	-	7
OHIO	2,976	2,725	2,461	101	55	40	64	-	2	-	2	251	-
Cities of 100,000 or more	1,376	1,185	1,018	70	26	28	39	-	2	-	2	191	-
Cities of 25,000 to 100,000	446	428	388	12	10	7	11	-	-	-	-	18	-
Cities of 10,000 to 25,000	294	279	257	7	6	2	7	-	-	-	-	15	-
Cities of 2,500 to 10,000	249	245	229	6	5	3	2	-	-	-	-	4	-
Rural	611	588	569	6	8	-	5	-	-	-	-	23	-
OKLAHOMA	1,124	942	903	8	29	-	1	-	-	-	3	121	61
Cities of 100,000 or more	172	126	119	4	1	-	1	-	-	-	1	42	4
Cities of 25,000 to 100,000	31	25	25	-	-	-	-	-	-	-	-	6	-
Cities of 10,000 to 25,000	166	157	129	-	8	-	-	-	-	-	-	17	12
Cities of 2,500 to 10,000	229	209	200	1	8	-	-	-	-	-	-	8	12
Rural	526	445	430	1	12	-	-	-	-	-	2	48	33

TABLE 6.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Contd.

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
OREGON	377	368	311	25	6	15	10	-	1	-	-	-	9
Cities of 100,000 or more	134	129	98	16	1	8	6	-	-	-	-	-	5
Cities of 25,000 to 100,000	17	17	16	-	-	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	69	69	53	5	2	5	3	-	1	-	-	-	-
Cities of 2,500 to 10,000	112	109	102	3	2	1	1	-	-	-	-	-	3
Rural	45	44	42	1	1	-	-	-	-	-	-	-	1
PENNSYLVANIA	4,738	4,348	3,761	217	121	79	166	3	1	-	-	390	-
Cities of 100,000 or more	1,395	1,170	950	80	36	33	69	1	1	-	-	225	-
Cities of 25,000 to 100,000	830	771	661	45	23	16	26	-	-	-	-	59	-
Cities of 10,000 to 25,000	720	668	574	35	19	11	28	1	-	-	-	52	-
Cities of 2,500 to 10,000	649	636	570	25	13	10	18	-	-	-	-	13	-
Rural	1,144	1,103	1,006	32	30	9	25	1	-	-	-	41	-
RHODE ISLAND	306	297	197	35	18	22	25	-	-	-	-	8	1
Cities of 100,000 or more	155	150	107	18	5	8	12	-	-	-	-	5	-
Cities of 25,000 to 100,000	112	109	66	11	11	11	10	-	-	-	-	2	1
Cities of 10,000 to 25,000	24	24	15	5	1	1	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	3	3	2	-	-	1	-	-	-	-	-	-	-
Rural	12	11	7	1	1	1	1	-	-	-	-	1	-
SOUTH CAROLINA	2,091	666	630	-	33	1	2	-	-	-	-	1,423	2
Cities of 25,000 to 100,000	311	118	109	-	7	1	1	-	-	-	-	193	-
Cities of 10,000 to 25,000	172	104	99	-	4	-	1	-	-	-	-	67	1
Cities of 2,500 to 10,000	302	145	139	-	6	-	-	-	-	-	-	157	-
Rural	1,306	299	283	-	16	-	-	-	-	-	-	1,006	1
SOUTH DAKOTA	218	202	176	8	12	4	1	-	-	-	1	-	16
Cities of 25,000 to 100,000	13	13	13	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	37	37	31	1	4	-	-	-	-	-	1	-	-
Cities of 2,500 to 10,000	46	43	38	3	2	-	-	-	-	-	-	-	3
Rural	122	109	94	4	6	4	1	-	-	-	-	-	13
TENNESSEE	1,626	1,186	1,145	3	34	-	1	-	1	-	2	440	-
Cities of 100,000 or more	564	341	327	3	10	-	1	-	-	-	-	223	-
Cities of 25,000 to 100,000	21	17	17	-	-	-	-	-	-	-	-	4	-
Cities of 10,000 to 25,000	98	84	80	-	3	-	-	-	1	-	-	14	-
Cities of 2,500 to 10,000	165	127	121	-	5	-	-	-	-	-	1	38	-
Rural	778	617	600	-	16	-	-	-	-	-	1	161	-
TEXAS	3,986	2,978	2,439	168	95	76	176	11	8	-	5	1,006	2
Cities of 100,000 or more	826	601	484	35	28	14	36	4	-	-	-	224	1
Cities of 25,000 to 100,000	531	422	306	36	15	20	39	3	-	-	3	109	-
Cities of 10,000 to 25,000	346	257	215	13	7	4	15	1	2	-	-	89	-
Cities of 2,500 to 10,000	735	628	533	30	13	12	33	3	3	-	1	107	-
Rural	1,548	1,070	901	54	32	26	53	-	3	-	1	477	1
UTAH	253	251	229	12	3	3	3	1	-	-	-	-	2
Cities of 100,000 or more	94	94	85	4	2	1	2	-	-	-	-	-	-
Cities of 25,000 to 100,000	27	27	25	-	-	1	-	1	-	-	-	-	-
Cities of 10,000 to 25,000	18	18	18	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	49	49	41	5	1	1	1	-	-	-	-	-	-
Rural	65	63	60	3	-	-	-	-	-	-	-	-	2
VERMONT	173	173	125	19	6	8	13	-	2	-	-	-	-
Cities of 25,000 to 100,000	38	38	31	4	2	-	-	-	1	-	-	-	-
Cities of 10,000 to 25,000	12	12	7	5	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	46	46	33	2	2	2	7	-	-	-	-	-	-
Rural	77	77	54	8	2	6	6	-	1	-	-	-	-
VIRGINIA	2,033	1,137	1,073	4	54	-	4	-	1	-	1	895	1
Cities of 100,000 or more	322	145	137	3	4	-	-	-	1	-	-	176	1
Cities of 25,000 to 100,000	301	171	165	-	3	-	3	-	-	-	-	130	-
Cities of 10,000 to 25,000	72	56	49	1	6	-	-	-	-	-	-	16	-
Cities of 2,500 to 10,000	161	121	114	-	6	-	1	-	-	-	-	40	-
Rural	1,177	644	608	-	35	-	-	-	-	-	1	533	-
WASHINGTON	470	454	387	24	10	23	9	-	-	-	1	11	5
Cities of 100,000 or more	195	186	158	8	4	12	3	-	-	-	1	4	5
Cities of 25,000 to 100,000	43	43	38	3	-	-	2	-	-	-	-	-	-
Cities of 10,000 to 25,000	72	72	63	4	2	2	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	68	67	56	4	1	4	2	-	-	-	-	1	-
Rural	92	86	72	5	3	5	1	-	-	-	-	6	-
WEST VIRGINIA	1,491	1,373	1,239	13	99	3	13	-	5	-	1	118	-
Cities of 25,000 to 100,000	265	241	213	2	20	1	5	-	-	-	-	24	-
Cities of 10,000 to 25,000	96	90	79	3	7	-	1	-	-	-	-	6	-
Cities of 2,500 to 10,000	201	189	157	1	24	1	4	-	2	-	-	12	-
Rural	929	853	790	7	48	1	3	-	3	-	1	76	-
WISCONSIN	1,207	1,186	1,060	55	35	15	20	1	-	-	-	8	13
Cities of 100,000 or more	221	217	183	16	8	4	5	1	-	-	-	4	-
Cities of 25,000 to 100,000	310	308	277	14	7	6	4	-	-	-	-	1	1
Cities of 10,000 to 25,000	128	128	118	3	4	1	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	194	194	182	6	4	-	2	-	-	-	-	-	-
Rural	354	339	300	16	12	4	7	-	-	-	-	3	12
WYOMING	101	95	79	8	3	2	3	-	-	-	-	3	3
Cities of 10,000 to 25,000	37	35	29	1	3	-	2	-	-	-	-	2	-
Cities of 2,500 to 10,000	19	17	15	1	-	1	-	-	-	-	-	1	1
Rural	45	43	35	6	-	1	1	-	-	-	-	-	2

TABLE 7.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES,[1] 1940

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE			Negro	Other races
		Total[2]	Mother native	Mother foreign		
Total[1]	[3]72,029	55,474	51,067	4,138	16,210	345
Male	38,369	29,097	27,188	1,771	9,119	173
Female	29,385	22,574	21,008	1,448	6,644	167
Not stated	4,255	3,803	2,871	919	447	5
10 to 14 years	185	47	47	-	136	2
15 to 19 years	9,227	5,659	5,587	52	3,526	42
20 to 24 years	17,553	13,142	12,817	299	4,314	97
25 to 29 years	16,818	13,666	12,867	780	3,072	80
30 to 34 years	13,128	10,841	9,667	1,158	2,237	50
35 to 39 years	9,113	7,375	6,194	1,172	1,690	48
40 to 44 years	3,697	3,080	2,536	541	598	19
45 to 49 years	483	382	298	83	96	5
50 to 54 years	7	5	5	-	2	-
Not stated	1,818	1,277	1,049	53	539	2
FIRST CHILD	23,869	19,992	18,852	1,072	3,792	85
Male	12,748	10,526	10,054	437	2,180	42
Female	9,619	8,083	7,704	348	1,495	41
Not stated	1,502	1,383	1,094	267	117	2
10 to 14 years	161	44	44	-	115	2
15 to 19 years	5,899	4,015	3,964	35	1,857	27
20 to 24 years	7,853	6,740	6,569	157	1,077	36
25 to 29 years	5,415	4,991	4,652	332	408	16
30 to 34 years	2,962	2,753	2,426	323	208	1
35 to 39 years	1,100	1,023	837	183	75	2
40 to 44 years	217	208	175	32	9	-
45 to 49 years	20	19	17	2	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	241	198	167	8	42	1
SECOND CHILD	13,460	10,883	10,104	752	2,525	52
Male	7,003	5,572	5,265	291	1,408	23
Female	5,437	4,373	4,114	250	1,035	29
Not stated	1,020	938	725	211	82	-
10 to 14 years	24	3	3	-	21	-
15 to 19 years	2,119	1,153	1,141	8	956	10
20 to 24 years	4,198	3,276	3,195	75	898	24
25 to 29 years	3,539	3,184	2,980	197	347	8
30 to 34 years	2,207	2,030	1,775	251	170	7
35 to 39 years	998	906	728	177	90	2
40 to 44 years	229	209	168	40	19	1
45 to 49 years	15	14	12	2	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	130	107	101	2	23	-
THIRD CHILD	8,595	6,688	6,101	576	1,871	36
Male	4,424	3,372	3,155	212	1,030	22
Female	3,440	2,651	2,469	178	777	12
Not stated	731	665	477	186	64	2
15 to 19 years	652	274	271	3	377	1
20 to 24 years	2,415	1,567	1,532	34	833	15
25 to 29 years	2,370	1,990	1,894	95	369	11
30 to 34 years	1,796	1,616	1,418	197	176	4
35 to 39 years	989	904	727	174	80	5
40 to 44 years	277	257	191	66	20	-
45 to 49 years	24	20	13	7	4	-
Not stated	72	60	55	-	12	-
FOURTH CHILD	5,857	4,298	3,917	374	1,531	28
Male	3,115	2,250	2,090	157	850	15
Female	2,359	1,716	1,601	115	628	13
Not stated	383	330	226	102	53	-
15 to 19 years	165	42	42	-	121	2
20 to 24 years	1,263	664	657	7	591	8
25 to 29 years	1,755	1,305	1,244	60	436	14
30 to 34 years	1,389	1,162	1,051	110	225	2
35 to 39 years	904	794	659	135	109	1
40 to 44 years	292	268	214	54	24	-
45 to 49 years	29	25	19	6	3	1
50 to 54 years	2	1	1	-	1	-
Not stated	58	37	30	2	21	-
FIFTH CHILD	4,191	3,037	2,760	273	1,119	35
Male	2,263	1,611	1,491	117	633	19
Female	1,710	1,240	1,133	106	454	16
Not stated	218	186	136	50	32	-
15 to 19 years	28	5	5	-	22	1
20 to 24 years	625	282	275	7	338	5
25 to 29 years	1,217	819	786	32	384	14
30 to 34 years	1,129	880	810	69	240	9
35 to 39 years	836	739	623	116	96	1
40 to 44 years	291	262	223	39	26	3
45 to 49 years	31	27	18	9	2	2
Not stated	34	23	20	1	11	-
SIXTH CHILD	2,996	2,099	1,874	224	880	17
Male	1,641	1,151	1,043	108	483	7
Female	1,248	865	773	91	373	10
Not stated	107	83	58	25	24	-
15 to 19 years	9	2	1	1	7	-
20 to 24 years	276	98	95	3	177	1
25 to 29 years	756	442	430	12	308	6
30 to 34 years	860	646	587	59	208	6
SIXTH CHILD—Continued						
35 to 39 years	748	604	524	80	140	4
40 to 44 years	282	259	197	62	23	-
45 to 49 years	37	31	27	4	6	-
50 to 54 years	1	1	1	-	-	-
Not stated	27	16	12	3	11	-
SEVENTH CHILD	2,263	1,517	1,371	145	731	15
Male	1,212	782	706	75	423	7
Female	965	664	617	47	293	8
Not stated	86	71	48	23	15	-
20 to 24 years	116	39	37	2	75	2
25 to 29 years	466	212	205	7	252	2
30 to 34 years	719	498	467	31	215	6
35 to 39 years	641	491	430	61	145	5
40 to 44 years	267	236	200	36	31	-
45 to 49 years	35	26	18	8	9	-
50 to 54 years	1	1	1	-	-	-
Not stated	18	14	13	-	4	-
EIGHTH CHILD	1,833	1,216	1,091	121	601	16
Male	980	642	582	59	329	9
Female	804	540	485	52	258	6
Not stated	49	34	24	10	14	1
20 to 24 years	59	13	13	-	46	-
25 to 29 years	274	115	109	6	157	2
30 to 34 years	578	366	338	26	208	4
35 to 39 years	605	444	399	44	152	9
40 to 44 years	266	234	196	37	31	1
45 to 49 years	37	35	28	7	2	-
Not stated	14	9	8	1	5	-
NINTH CHILD	1,425	882	777	105	528	15
Male	795	486	430	56	304	5
Female	594	369	331	38	215	10
Not stated	36	27	16	11	9	-
20 to 24 years	30	7	7	-	23	-
25 to 29 years	191	66	60	6	124	1
30 to 34 years	379	216	191	25	159	4
35 to 39 years	534	364	328	36	163	7
40 to 44 years	252	204	170	34	45	3
45 to 49 years	27	20	16	4	7	-
Not stated	12	5	5	-	7	-
TENTH CHILD	1,085	671	603	66	403	11
Male	615	380	349	30	230	5
Female	449	277	243	33	166	6
Not stated	21	14	11	3	7	-
20 to 24 years	14	-	-	-	14	-
25 to 29 years	75	24	21	3	50	1
30 to 34 years	255	138	130	7	115	2
35 to 39 years	433	275	244	30	154	4
40 to 44 years	270	207	184	23	60	3
45 to 49 years	32	22	19	3	9	1
Not stated	6	5	5	-	1	-
ELEVENTH CHILD	782	485	417	68	289	8
Male	444	274	239	35	164	6
Female	325	203	173	30	120	2
Not stated	13	8	5	3	5	-
20 to 24 years	6	1	1	-	5	-
25 to 29 years	38	13	12	1	24	1
30 to 34 years	146	62	54	8	81	3
35 to 39 years	319	201	175	26	116	2
40 to 44 years	228	170	143	27	56	2
45 to 49 years	36	31	25	6	5	-
Not stated	9	7	7	-	2	-
TWELFTH CHILD	605	370	319	51	232	3
Male	331	190	167	23	140	1
Female	260	169	146	23	89	2
Not stated	14	11	6	5	3	-
25 to 29 years	26	6	5	1	20	-
30 to 34 years	89	39	34	5	49	1
35 to 39 years	231	134	113	21	96	1
40 to 44 years	210	157	137	20	52	1
45 to 49 years	41	31	27	4	10	-
50 to 54 years	1	-	-	-	1	-
Not stated	7	3	3	-	4	-
THIRTEENTH CHILD	399	248	212	35	146	5
Male	233	157	136	21	74	2
Female	159	86	72	13	70	3
Not stated	7	5	4	1	2	-
25 to 29 years	9	2	2	-	7	-
30 to 34 years	49	22	20	2	27	-
35 to 39 years	160	90	75	15	67	3
40 to 44 years	152	115	101	14	36	1
45 to 49 years	26	18	13	4	7	1
Not stated	3	1	1	-	2	-

See footnotes at end of table.

TABLE 7.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES,[1] 1940—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE			Negro	Other races
		Total[2]	Mother native	Mother foreign		
FOURTEENTH CHILD	238	124	107	17	114	-
Male	117	64	56	8	53	-
Female	120	59	50	9	61	-
Not stated	1	1	1	-	-	-
25 to 29 years	6	2	2	-	4	-
30 to 34 years	27	7	7	-	20	-
35 to 39 years	83	38	36	2	45	-
40 to 44 years	96	57	47	10	39	-
45 to 49 years	23	19	14	5	4	-
Not stated	3	1	1	-	2	-
FIFTEENTH CHILD	184	90	73	17	91	3
Male	96	48	38	10	46	2
Female	85	40	33	7	44	1
Not stated	3	2	2	-	1	-
25 to 29 years	4	-	-	-	4	-
30 to 34 years	12	4	3	1	8	-
35 to 39 years	60	24	20	4	36	-
40 to 44 years	88	54	44	10	31	3
45 to 49 years	19	8	6	2	11	-
Not stated	1	-	-	-	1	-
SIXTEENTH CHILD	75	42	34	8	33	-
Male	51	29	23	6	22	-
Female	23	12	10	2	11	-
Not stated	1	1	1	-	-	-
25 to 29 years	2	-	-	-	2	-
30 to 34 years	7	4	4	-	3	-
35 to 39 years	24	13	11	2	11	-
40 to 44 years	33	18	14	4	15	-
45 to 49 years	9	7	5	2	2	-
SEVENTEENTH CHILD	61	31	27	4	30	-
Male	34	14	13	1	20	-
Female	25	15	12	3	10	-
Not stated	2	2	2	-	-	-
30 to 34 years	5	2	1	1	3	-
35 to 39 years	13	4	4	-	9	-
40 to 44 years	36	22	20	2	14	-
45 to 49 years	6	3	2	1	3	-
Not stated	1	-	-	-	1	-
EIGHTEENTH CHILD	39	18	15	3	20	1
Male	23	10	7	3	12	1
Female	15	7	7	-	8	-
Not stated	1	1	1	-	-	-
30 to 34 years	4	2	2	-	2	-
35 to 39 years	12	4	4	-	8	-
40 to 44 years	16	7	6	1	8	1
45 to 49 years	7	5	3	2	2	-
NINETEENTH CHILD	20	11	11	-	9	-
Male	11	5	5	-	6	-
Female	9	6	6	-	3	-
30 to 34 years	1	-	-	-	1	-
35 to 39 years	8	4	4	-	4	-
40 to 44 years	9	6	6	-	3	-
45 to 49 years	2	1	1	-	1	-
TWENTIETH CHILD	5	3	3	-	2	-
Male	3	1	1	-	2	-
Female	2	2	2	-	-	-
30 to 34 years	1	1	1	-	-	-
35 to 39 years	2	1	1	-	1	-
40 to 44 years	2	1	1	-	1	-
TWENTY-FIRST CHILD	5	-	-	-	5	-
Male	2	-	-	-	2	-
Female	3	-	-	-	3	-
35 to 39 years	2	-	-	-	2	-
40 to 44 years	3	-	-	-	3	-
TWENTY-SECOND CHILD	5	1	1	-	4	-
Male	4	1	1	-	3	-
Female	1	-	-	-	1	-
35 to 39 years	1	-	-	-	1	-
40 to 44 years	3	1	1	-	2	-
Not stated	1	-	-	-	1	-
TWENTY-THIRD CHILD	2	1	1	-	1	-
Male	1	1	1	-	-	-
Female	1	-	-	-	1	-
35 to 39 years	1	-	-	-	1	-
45 to 49 years	1	1	1	-	-	-
TWENTY-FOURTH CHILD	2	2	2	-	-	-
Female	2	2	2	-	-	-
35 to 39 years	2	2	2	-	-	-
TWENTY-FIFTH CHILD	4	2	2	-	2	-
Male	1	-	-	-	1	-
Female	3	2	2	-	[3]1	-
35 to 39 years	3	1	1	-	2	-
40 to 44 years	1	1	1	-	-	-
TWENTY-SEVENTH CHILD	4	1	1	-	3	-
Male	2	1	1	-	1	-
Female	2	-	-	-	2	-
40 to 44 years	3	-	-	-	3	-
45 to 49 years	1	1	1	-	-	-
NOT STATED	4,025	2,762	2,392	227	1,248	15
Male	2,240	1,530	1,335	122	703	7
Female	1,725	1,191	1,023	103	526	8
Not stated	60	41	34	2	19	-
15 to 19 years	355	168	163	5	186	1
20 to 24 years	698	455	436	14	237	6
25 to 29 years	675	495	465	28	176	4
30 to 34 years	513	393	348	43	119	1
35 to 39 years	404	315	249	66	87	2
40 to 44 years	174	127	97	30	47	-
45 to 49 years	25	18	13	5	7	-
Not stated	1,181	791	621	36	389	1

[1] Exclusive of Massachusetts.
[2] Includes "Country not stated."
[3] Includes 114 stillbirths, transcripts for which were received after the publication of the United States Summary of Vital Statistics, 1940, vol. 14, No. 2.

TABLE 8.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,417,269	140,940	131,131	130,399	118,489	116,121	108,006	116,605	104,317	102,909	110,401	112,665	125,286
Cities of 100,000 or more	449,271	43,863	41,052	41,391	37,954	37,281	34,309	36,704	32,281	32,754	35,452	35,819	40,411
Cities of 25,000 to 100,000	189,311	18,623	17,257	17,104	15,748	15,599	14,397	15,436	13,833	13,817	14,999	15,342	17,156
Cities of 10,000 to 25,000	126,488	12,207	11,403	11,320	10,616	10,316	9,692	10,272	9,443	9,416	10,120	10,230	11,453
Cities of 2,500 to 10,000	152,608	15,034	13,799	13,865	12,651	12,498	11,467	12,733	11,545	11,184	12,016	12,289	13,527
Rural	499,591	51,213	47,620	46,719	41,520	40,427	38,141	41,460	37,215	35,738	37,814	38,985	42,739
ALABAMA	29,531	3,433	2,995	2,686	2,361	2,282	2,155	2,541	2,262	2,091	2,252	2,192	2,281
Cities of 100,000 or more	3,482	358	322	313	295	285	257	302	282	262	288	253	265
Cities of 25,000 to 100,000	3,899	446	358	292	327	274	312	343	299	291	312	272	373
Cities of 10,000 to 25,000	2,301	246	223	221	184	178	162	192	183	172	167	194	179
Cities of 2,500 to 10,000	2,860	308	287	268	243	212	190	228	235	204	235	241	209
Rural	16,989	2,075	1,805	1,592	1,312	1,333	1,234	1,476	1,263	1,162	1,250	1,232	1,255
ARIZONA	5,815	538	494	520	480	508	497	443	439	395	437	463	601
Cities of 25,000 to 100,000	2,414	249	219	202	211	192	191	166	195	160	188	193	248
Cities of 2,500 to 10,000	1,257	106	133	125	106	122	94	99	77	77	80	101	137
Rural	2,144	183	142	193	163	194	212	178	167	158	169	169	216
ARKANSAS	17,052	1,857	1,853	1,533	1,322	1,288	1,294	1,456	1,365	1,174	1,292	1,235	1,383
Cities of 25,000 to 100,000	2,429	239	245	191	184	171	199	222	212	165	203	192	206
Cities of 10,000 to 25,000	1,863	178	188	176	135	162	139	157	150	129	151	144	154
Cities of 2,500 to 10,000	2,647	263	266	232	186	187	207	220	229	213	211	200	233
Rural	10,113	1,177	1,154	934	817	768	749	857	774	667	727	699	790
CALIFORNIA	80,270	7,282	6,688	6,729	6,253	6,347	6,145	6,377	6,163	6,063	6,468	7,058	8,697
Cities of 100,000 or more	36,285	3,287	3,140	3,099	2,879	2,953	2,725	2,810	2,797	2,755	2,878	3,137	3,825
Cities of 25,000 to 100,000	9,986	894	814	793	793	769	738	789	789	791	823	885	1,108
Cities of 10,000 to 25,000	5,142	508	417	431	412	365	425	383	359	379	428	438	597
Cities of 2,500 to 10,000	6,918	676	585	603	544	506	476	588	530	545	567	584	714
Rural	21,939	1,917	1,732	1,803	1,625	1,754	1,781	1,807	1,688	1,593	1,772	2,014	2,453
COLORADO	12,430	1,131	1,025	1,122	1,038	945	938	944	1,034	968	1,008	1,087	1,192
Cities of 100,000 or more	4,457	393	388	403	348	353	349	326	361	336	339	408	453
Cities of 25,000 to 100,000	1,105	109	91	102	117	99	77	79	80	88	81	85	97
Cities of 10,000 to 25,000	844	83	68	85	68	65	65	56	66	66	65	68	89
Cities of 2,500 to 10,000	1,645	146	121	152	140	124	134	130	124	128	135	153	158
Rural	4,379	400	355	380	365	304	313	353	403	350	388	373	395
CONNECTICUT	17,886	1,764	1,563	1,689	1,557	1,495	1,315	1,453	1,294	1,306	1,383	1,492	1,575
Cities of 100,000 or more	5,970	622	521	547	534	487	426	497	416	453	448	482	537
Cities of 25,000 to 100,000	5,375	513	470	522	486	457	417	415	385	365	409	483	453
Cities of 10,000 to 25,000	1,911	200	150	183	153	168	142	174	142	124	155	157	163
Cities of 2,500 to 10,000	620	60	64	54	50	60	37	47	53	37	55	45	58
Rural	4,010	369	358	383	334	323	293	320	298	327	316	325	364
DELAWARE	3,261	329	295	306	273	260	245	316	259	236	225	222	295
Cities of 100,000 or more	1,500	146	144	136	117	115	120	137	118	107	117	101	144
Cities of 2,500 to 10,000	457	60	42	37	32	37	37	46	34	29	27	35	41
Rural	1,304	123	109	133	124	110	88	133	107	100	81	86	110
DISTRICT OF COLUMBIA	8,637	863	801	734	762	711	665	757	591	600	671	700	782
FLORIDA	22,926	2,549	2,469	2,211	1,958	1,789	1,702	1,575	1,609	1,503	1,727	1,771	2,063
Cities of 100,000 or more	5,572	602	580	546	465	399	430	409	417	373	409	419	523
Cities of 25,000 to 100,000	3,307	401	386	386	305	257	222	197	198	198	226	224	307
Cities of 10,000 to 25,000	2,657	289	305	263	246	209	170	173	188	179	191	207	237
Cities of 2,500 to 10,000	3,694	356	413	362	320	294	285	253	276	232	278	286	339
Rural	7,696	901	785	654	622	630	595	543	530	521	623	635	657
GEORGIA	32,513	3,699	3,097	3,019	2,644	2,586	2,460	2,711	2,422	2,290	2,651	2,344	2,590
Cities of 100,000 or more	4,208	438	392	377	365	347	310	341	332	266	378	301	361
Cities of 25,000 to 100,000	4,986	526	454	468	394	389	367	386	370	363	446	392	431
Cities of 10,000 to 25,000	2,840	292	294	261	241	226	214	237	207	203	230	175	260
Cities of 2,500 to 10,000	3,922	419	381	371	311	304	292	389	298	280	285	303	289
Rural	16,557	2,024	1,576	1,542	1,333	1,320	1,277	1,358	1,215	1,178	1,312	1,173	1,249
IDAHO	4,890	412	392	421	387	398	388	370	389	377	431	416	509
Cities of 25,000 to 100,000	443	34	40	37	37	40	27	24	21	38	41	42	62
Cities of 10,000 to 25,000	1,156	96	89	97	89	76	87	71	72	91	108	115	165
Cities of 2,500 to 10,000	1,094	90	76	84	67	87	71	85	100	73	114	110	137
Rural	2,197	192	187	203	194	195	203	190	196	175	168	149	145
ILLINOIS	88,231	8,696	8,187	8,023	7,369	7,389	6,731	7,594	6,399	6,431	6,784	6,931	7,697
Cities of 100,000 or more	37,855	3,593	3,447	3,501	3,253	3,247	2,977	3,312	2,628	2,691	3,013	2,969	3,224
Cities of 25,000 to 100,000	12,911	1,252	1,200	1,154	1,013	1,099	949	1,078	982	938	968	1,071	1,207
Cities of 10,000 to 25,000	7,092	739	675	642	570	579	520	611	543	515	522	539	637
Cities of 2,500 to 10,000	8,257	813	746	674	634	680	588	692	641	652	656	688	793
Rural	22,116	2,299	2,119	2,052	1,899	1,784	1,697	1,901	1,605	1,635	1,625	1,664	1,836
INDIANA	40,402	3,924	3,843	3,837	3,510	3,428	3,089	3,418	2,784	2,834	3,072	3,145	3,518
Cities of 100,000 or more	8,724	819	827	806	813	713	701	694	610	600	649	685	807
Cities of 25,000 to 100,000	7,840	775	733	739	668	642	625	649	557	564	628	568	692
Cities of 10,000 to 25,000	3,375	334	327	308	291	319	258	284	221	239	246	261	287
Cities of 2,500 to 10,000	4,552	430	447	437	380	392	326	376	319	340	362	347	396
Rural	15,911	1,566	1,509	1,547	1,358	1,362	1,179	1,415	1,077	1,091	1,187	1,284	1,336
IOWA	26,376	2,651	2,553	2,423	2,337	2,218	1,953	2,183	1,854	1,875	2,013	2,032	2,284
Cities of 100,000 or more	1,875	185	179	170	171	157	115	166	142	139	128	162	161
Cities of 25,000 to 100,000	5,884	602	569	527	526	476	494	494	449	385	417	449	496
Cities of 10,000 to 25,000	2,751	248	249	230	232	222	218	242	208	220	221	217	244
Cities of 2,500 to 10,000	5,245	537	521	507	458	472	354	434	332	385	419	367	459
Rural	10,621	1,079	1,035	989	950	891	772	847	725	746	828	837	924
KANSAS	18,622	2,002	1,729	1,700	1,630	1,468	1,319	1,568	1,463	1,336	1,323	1,445	1,639
Cities of 100,000 or more	2,781	278	271	245	233	215	202	198	240	214	216	232	237
Cities of 25,000 to 100,000	1,279	123	106	120	102	98	89	114	110	92	107	96	122
Cities of 10,000 to 25,000	2,929	331	258	272	269	240	194	207	234	203	202	234	285
Cities of 2,500 to 10,000	3,036	305	256	267	270	228	221	278	257	220	207	263	264
Rural	8,597	965	838	796	756	687	613	771	622	607	591	620	731
KENTUCKY	29,733	3,017	2,890	2,869	2,410	2,391	2,101	2,331	2,229	2,184	2,304	2,380	2,627
Cities of 100,000 or more	4,446	452	442	434	355	346	301	381	343	320	337	329	406
Cities of 25,000 to 100,000	3,619	356	322	330	285	309	254	283	278	291	291	294	326
Cities of 10,000 to 25,000	1,195	118	109	124	92	83	84	114	95	86	91	102	97
Cities of 2,500 to 10,000	3,868	372	291	353	329	299	317	329	314	303	323	308	330
Rural	16,605	1,719	1,726	1,628	1,349	1,354	1,145	1,224	1,199	1,184	1,262	1,347	1,468

TABLE 8.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA	25,648	2,829	2,831	2,267	2,000	1,951	1,857	2,028	1,950	1,744	1,917	2,006	2,268
Cities of 100,000 or more	8,096	936	942	693	597	616	553	634	615	569	613	649	679
Cities of 25,000 to 100,000	3,066	291	330	273	248	223	225	262	244	196	223	262	289
Cities of 10,000 to 25,000	1,252	114	124	108	94	100	92	114	112	95	96	78	125
Cities of 2,500 to 10,000	3,194	373	351	291	258	266	252	253	226	199	226	229	270
Rural	10,040	1,115	1,084	902	803	746	735	765	753	685	759	788	905
MAINE	10,580	1,027	884	902	889	882	849	842	790	751	903	932	929
Cities of 25,000 to 100,000	2,577	234	205	219	221	216	257	211	198	161	202	223	230
Cities of 10,000 to 25,000	1,357	139	120	108	125	116	96	97	104	97	121	114	120
Cities of 2,500 to 10,000	1,278	137	113	112	110	101	104	100	90	87	94	110	120
Rural	5,368	517	446	463	433	449	392	434	398	406	486	465	459
MARYLAND	22,107	2,335	2,251	2,071	1,804	1,785	1,607	1,895	1,555	1,536	1,707	1,677	1,884
Cities of 100,000 or more	11,556	1,245	1,121	1,110	985	960	828	989	802	794	892	866	964
Cities of 25,000 to 100,000	1,099	113	125	93	89	69	76	84	90	78	87	100	95
Cities of 10,000 to 25,000	998	76	98	76	73	84	86	89	62	69	95	86	104
Cities of 2,500 to 10,000	1,060	103	112	119	67	98	91	82	70	76	66	85	91
Rural	7,394	798	795	673	590	574	526	651	531	519	567	540	630
MASSACHUSETTS	51,156	4,918	4,543	4,646	4,333	4,145	3,909	4,104	3,602	3,838	4,233	4,235	4,650
Cities of 100,000 or more	22,349	2,194	2,022	2,098	1,957	1,809	1,656	1,733	1,587	1,651	1,849	1,792	2,001
Cities of 25,000 to 100,000	12,644	1,222	1,080	1,106	1,029	1,057	1,005	1,032	835	947	1,056	1,058	1,217
Cities of 10,000 to 25,000	7,861	733	694	698	670	599	615	621	531	581	685	696	738
Cities of 2,500 to 10,000	2,763	271	267	238	234	227	187	237	205	202	218	253	224
Rural	5,539	498	480	506	443	453	446	481	444	457	425	436	470
MICHIGAN	52,108	4,917	4,429	4,540	4,460	4,446	4,007	4,511	3,893	3,808	4,173	4,319	4,605
Cities of 100,000 or more	16,670	1,597	1,451	1,465	1,428	1,460	1,266	1,435	1,201	1,201	1,320	1,338	1,508
Cities of 25,000 to 100,000	8,864	823	797	755	748	770	673	750	668	645	736	707	792
Cities of 10,000 to 25,000	3,555	353	289	322	293	310	260	297	272	277	274	289	319
Cities of 2,500 to 10,000	5,130	451	438	449	456	453	405	435	413	363	384	464	419
Rural	17,889	1,693	1,454	1,549	1,535	1,453	1,403	1,594	1,339	1,322	1,459	1,521	1,567
MINNESOTA	26,814	2,342	2,322	2,532	2,263	2,228	2,101	2,235	2,065	2,076	2,096	2,210	2,344
Cities of 100,000 or more	9,527	877	914	875	791	770	727	757	698	740	721	764	893
Cities of 25,000 to 100,000	1,003	81	68	90	75	90	81	93	89	88	88	76	84
Cities of 10,000 to 25,000	2,102	175	188	180	192	155	165	159	175	181	169	188	175
Cities of 2,500 to 10,000	4,131	370	323	418	346	338	340	350	299	308	318	345	376
Rural	10,051	839	829	969	859	875	788	876	804	759	800	837	816
MISSISSIPPI	23,154	2,552	2,310	2,180	2,028	1,743	1,724	2,029	1,751	1,595	1,670	1,758	1,814
Cities of 25,000 to 100,000	1,570	162	141	126	128	139	83	138	125	109	147	129	143
Cities of 10,000 to 25,000	2,951	289	258	242	427	211	188	227	219	231	235	203	221
Cities of 2,500 to 10,000	2,426	242	217	224	209	172	182	226	205	199	150	213	187
Rural	16,207	1,859	1,694	1,588	1,264	1,221	1,271	1,438	1,202	1,056	1,138	1,213	1,263
MISSOURI	43,746	4,313	4,301	4,112	3,574	3,498	3,200	3,624	3,296	3,335	3,250	3,393	3,850
Cities of 100,000 or more	15,944	1,564	1,529	1,418	1,283	1,293	1,206	1,353	1,164	1,198	1,183	1,285	1,468
Cities of 25,000 to 100,000	2,959	271	276	288	244	262	194	263	234	216	222	228	261
Cities of 10,000 to 25,000	3,822	352	360	356	282	300	302	299	321	306	298	327	319
Cities of 2,500 to 10,000	4,240	387	380	339	367	348	316	358	344	338	342	329	392
Rural	16,781	1,739	1,756	1,711	1,398	1,295	1,182	1,351	1,233	1,277	1,205	1,224	1,410
MONTANA	5,728	427	467	520	484	511	447	457	469	439	509	463	535
Cities of 25,000 to 100,000	921	69	98	83	82	68	65	62	62	70	102	77	83
Cities of 10,000 to 25,000	954	66	87	87	76	75	81	79	71	72	80	83	97
Cities of 2,500 to 10,000	1,033	74	77	99	79	97	62	78	93	80	88	78	128
Rural	2,820	218	205	251	247	271	239	238	243	217	239	225	227
NEBRASKA	12,592	1,356	1,059	1,142	1,148	1,001	932	1,146	901	922	941	939	1,105
Cities of 100,000 or more	2,715	305	238	240	219	204	210	250	206	214	199	198	232
Cities of 25,000 to 100,000	955	95	90	98	82	76	71	86	57	70	68	67	95
Cities of 10,000 to 25,000	1,382	124	124	122	131	123	93	122	96	106	128	99	114
Cities of 2,500 to 10,000	1,641	188	105	127	158	135	116	155	135	112	131	128	151
Rural	5,899	644	502	555	558	463	442	533	407	420	415	447	513
NEVADA	1,404	120	110	106	118	102	141	111	125	89	106	121	155
Cities of 10,000 to 25,000	212	22	20	13	22	15	25	15	17	21	8	17	17
Cities of 2,500 to 10,000	339	26	39	22	26	26	35	23	29	24	25	28	36
Rural	853	72	51	71	70	61	81	73	79	44	73	76	102
NEW HAMPSHIRE	6,255	580	547	621	492	525	482	491	499	435	530	511	542
Cities of 25,000 to 100,000	1,756	157	134	196	138	153	125	147	116	117	153	165	155
Cities of 10,000 to 25,000	1,299	124	119	135	104	107	107	90	93	93	116	89	122
Cities of 2,500 to 10,000	511	54	47	52	34	38	30	37	45	36	48	44	46
Rural	2,689	245	247	238	216	227	220	217	245	189	213	213	219
NEW JERSEY	45,086	4,389	4,111	4,145	3,774	3,865	3,417	3,739	3,347	3,317	3,501	3,676	3,805
Cities of 100,000 or more	15,084	1,504	1,415	1,459	1,245	1,286	1,176	1,191	1,052	1,086	1,140	1,244	1,286
Cities of 25,000 to 100,000	9,655	953	846	867	811	834	693	785	737	721	790	815	803
Cities of 10,000 to 25,000	5,804	536	525	519	504	502	426	490	438	438	431	476	519
Cities of 2,500 to 10,000	5,609	557	497	484	474	461	420	462	440	395	474	458	487
Rural	8,934	839	828	816	740	782	702	811	680	677	666	683	710
NEW MEXICO	5,593	539	452	444	429	411	437	482	525	490	437	418	529
Cities of 25,000 to 100,000	666	66	43	57	48	63	51	52	58	62	56	54	56
Cities of 10,000 to 25,000	670	78	66	44	47	50	43	46	64	51	48	54	79
Cities of 2,500 to 10,000	1,424	107	122	98	138	100	92	134	115	130	128	117	143
Rural	2,833	288	221	245	196	198	251	250	288	247	205	193	251
NEW YORK	149,946	13,903	12,953	14,095	12,898	13,007	11,940	12,350	10,663	11,183	12,112	11,982	12,860
Cities of 100,000 or more	93,877	8,747	8,140	8,814	8,177	8,180	7,515	7,585	6,433	7,071	7,667	7,473	8,075
Cities of 25,000 to 100,000	10,399	984	870	985	904	906	756	849	712	799	836	895	903
Cities of 10,000 to 25,000	9,745	898	829	921	850	845	769	762	766	695	823	781	806
Cities of 2,500 to 10,000	7,754	704	659	730	628	671	647	657	555	603	631	598	671
Rural	28,171	2,570	2,455	2,645	2,339	2,405	2,253	2,497	2,197	2,015	2,155	2,235	2,405
NORTH CAROLINA	32,081	3,475	3,096	3,030	2,665	2,489	2,409	2,632	2,357	2,350	2,503	2,441	2,634
Cities of 100,000 or more	1,112	94	95	124	91	90	73	102	77	81	80	93	112
Cities of 25,000 to 100,000	5,433	534	470	495	431	430	423	487	412	435	446	421	449
Cities of 10,000 to 25,000	3,394	320	328	306	283	243	295	286	252	253	271	276	281
Cities of 2,500 to 10,000	2,996	338	263	297	231	257	217	264	227	195	230	236	241
Rural	19,146	2,189	1,940	1,808	1,629	1,469	1,401	1,493	1,389	1,386	1,476	1,415	1,551
NORTH DAKOTA	5,235	451	389	458	441	433	426	399	437	392	453	459	497
Cities of 25,000 to 100,000	390	32	23	35	31	40	38	28	32	30	38	38	25
Cities of 10,000 to 25,000	808	60	66	64	62	58	62	70	71	66	73	72	84
Cities of 2,500 to 10,000	832	71	70	67	70	64	78	51	75	47	76	80	83
Rural	3,205	288	230	292	278	271	248	250	259	249	266	269	305

TABLE 8.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO	78,662	7,730	6,847	7,550	6,634	6,460	5,787	6,803	5,683	5,691	6,266	6,294	6,917
Cities of 100,000 or more	32,919	3,150	2,893	3,137	2,784	2,659	2,450	2,888	2,374	2,404	2,720	2,584	2,876
Cities of 25,000 to 100,000	8,841	894	788	822	741	733	596	743	606	653	696	723	846
Cities of 10,000 to 25,000	6,481	597	572	568	537	585	465	599	468	487	510	538	555
Cities of 2,500 to 10,000	7,417	747	618	703	613	601	554	633	532	525	610	601	680
Rural	23,004	2,342	1,976	2,320	1,959	1,882	1,722	1,940	1,703	1,622	1,730	1,848	1,960
OKLAHOMA	20,461	2,121	1,945	1,955	1,597	1,538	1,419	1,664	1,522	1,477	1,565	1,634	2,024
Cities of 100,000 or more	3,886	349	346	352	317	303	289	362	291	280	291	338	388
Cities of 25,000 to 100,000	1,074	107	89	100	83	95	100	78	72	77	81	93	99
Cities of 10,000 to 25,000	3,176	302	306	312	243	243	232	243	232	217	248	273	325
Cities of 2,500 to 10,000	3,564	389	311	321	265	273	226	288	263	288	302	291	347
Rural	8,761	974	893	870	689	624	592	693	664	615	643	639	865
OREGON	12,310	1,126	1,068	1,116	961	1,035	989	896	940	905	1,019	1,010	1,245
Cities of 100,000 or more	4,240	406	398	390	325	350	342	301	335	309	331	342	411
Cities of 25,000 to 100,000	757	64	65	73	64	59	58	46	60	64	57	58	89
Cities of 10,000 to 25,000	1,095	92	89	86	79	91	85	86	75	94	97	84	137
Cities of 2,500 to 10,000	2,281	227	181	218	168	178	190	162	170	159	183	201	244
Rural	3,937	337	335	349	325	357	314	301	300	279	351	325	364
PENNSYLVANIA	111,498	11,570	10,936	10,333	9,533	9,031	8,482	8,873	7,548	7,953	8,467	8,926	9,846
Cities of 100,000 or more	38,144	4,137	3,758	3,656	3,275	3,141	2,822	2,942	2,526	2,658	2,836	3,002	3,391
Cities of 25,000 to 100,000	15,509	1,554	1,593	1,463	1,288	1,269	1,213	1,221	1,010	1,093	1,149	1,280	1,376
Cities of 10,000 to 25,000	12,809	1,337	1,148	1,123	1,086	1,024	997	1,013	874	975	1,015	1,051	1,166
Cities of 2,500 to 10,000	13,309	1,410	1,289	1,212	1,180	1,068	1,027	1,105	903	959	1,057	1,052	1,047
Rural	31,727	3,132	3,148	2,879	2,704	2,529	2,423	2,592	2,235	2,268	2,410	2,541	2,866
RHODE ISLAND	7,984	776	738	704	713	655	585	617	585	594	641	649	727
Cities of 100,000 or more	3,142	316	287	302	280	262	230	225	215	241	247	242	295
Cities of 25,000 to 100,000	3,312	307	319	277	296	270	259	247	247	242	269	269	310
Cities of 10,000 to 25,000	686	69	51	64	58	61	40	67	66	51	61	53	45
Cities of 2,500 to 10,000	253	29	22	14	20	21	20	23	19	17	26	21	21
Rural	591	55	59	47	59	41	36	55	38	43	38	64	56
SOUTH CAROLINA	20,186	2,300	1,909	1,902	1,673	1,640	1,628	1,685	1,493	1,466	1,471	1,538	1,481
Cities of 25,000 to 100,000	3,557	421	318	318	273	292	279	294	259	278	273	268	284
Cities of 10,000 to 25,000	1,831	183	165	172	136	136	173	144	138	127	161	150	146
Cities of 2,500 to 10,000	2,468	223	216	266	218	212	182	208	195	192	175	208	173
Rural	12,330	1,473	1,210	1,146	1,046	1,000	994	1,039	901	869	862	912	878
SOUTH DAKOTA	5,454	464	475	534	490	490	357	477	407	429	443	441	447
Cities of 25,000 to 100,000	443	38	40	39	46	31	36	39	28	38	38	30	40
Cities of 10,000 to 25,000	945	67	81	89	66	92	69	80	78	84	83	84	92
Cities of 2,500 to 10,000	939	79	96	97	76	81	65	79	63	84	79	70	70
Rural	3,127	280	278	309	302	286	187	279	238	223	243	257	245
TENNESSEE	29,904	3,181	3,057	3,000	2,509	2,345	2,217	2,436	2,277	2,066	2,121	2,275	2,420
Cities of 100,000 or more	10,355	1,084	1,008	993	851	832	733	847	835	696	812	818	846
Cities of 25,000 to 100,000	341	31	32	31	41	21	26	36	17	20	21	30	35
Cities of 10,000 to 25,000	1,330	139	139	119	115	104	113	94	115	103	89	83	117
Cities of 2,500 to 10,000	2,724	291	240	260	251	210	213	215	215	179	207	230	233
Rural	15,154	1,636	1,638	1,597	1,271	1,178	1,132	1,244	1,095	1,068	992	1,114	1,189
TEXAS	62,503	6,282	6,148	5,529	4,925	5,166	5,138	5,293	4,884	4,297	4,639	4,673	5,529
Cities of 100,000 or more	13,726	1,354	1,312	1,185	1,068	1,125	1,140	1,123	1,111	957	1,021	1,034	1,296
Cities of 25,000 to 100,000	8,440	899	832	730	637	686	685	762	680	543	622	603	761
Cities of 10,000 to 25,000	5,032	501	453	430	378	459	392	449	379	371	397	390	433
Cities of 2,500 to 10,000	10,055	985	946	887	846	856	797	842	804	712	741	747	892
Rural	25,250	2,543	2,605	2,297	1,996	2,040	2,124	2,117	1,910	1,714	1,858	1,899	2,147
UTAH	4,925	446	371	405	411	406	421	373	391	324	403	436	538
Cities of 100,000 or more	1,862	171	133	137	156	143	162	142	161	122	146	164	225
Cities of 25,000 to 100,000	475	41	33	48	31	44	38	29	40	31	51	41	48
Cities of 10,000 to 25,000	362	35	51	27	25	28	36	27	25	24	35	24	45
Cities of 2,500 to 10,000	776	67	54	61	62	54	70	63	54	49	73	86	83
Rural	1,450	132	120	132	137	137	115	112	111	98	98	121	137
VERMONT	4,610	468	389	419	370	384	396	365	356	333	351	369	410
Cities of 25,000 to 100,000	464	45	28	41	44	43	37	43	32	34	41	35	41
Cities of 10,000 to 25,000	445	46	34	40	37	36	47	32	37	25	31	43	37
Cities of 2,500 to 10,000	1,196	130	104	111	93	104	95	98	77	95	95	91	103
Rural	2,505	247	223	227	196	201	217	192	210	179	184	200	229
VIRGINIA	29,579	3,082	3,009	2,781	2,511	2,314	2,211	2,344	2,136	2,090	2,305	2,227	2,569
Cities of 100,000 or more	4,578	506	442	389	407	346	353	400	299	338	383	320	395
Cities of 25,000 to 100,000	4,297	474	418	365	348	349	322	382	288	309	326	345	371
Cities of 10,000 to 25,000	1,311	120	131	110	101	101	110	114	106	93	118	94	113
Cities of 2,500 to 10,000	2,612	256	258	255	207	227	183	206	201	170	233	188	228
Rural	16,781	1,726	1,760	1,662	1,448	1,291	1,243	1,242	1,242	1,180	1,245	1,280	1,462
WASHINGTON	20,009	1,726	1,684	1,762	1,616	1,648	1,532	1,464	1,595	1,545	1,616	1,741	2,080
Cities of 100,000 or more	8,445	773	719	737	673	667	610	615	672	654	718	708	899
Cities of 25,000 to 100,000	1,262	97	103	128	95	85	86	74	107	112	116	127	132
Cities of 10,000 to 25,000	1,749	136	148	159	130	144	144	133	134	140	141	160	180
Cities of 2,500 to 10,000	1,647	136	143	119	130	129	131	131	146	127	117	137	201
Rural	6,906	584	571	619	588	623	561	511	536	512	524	609	.668
WEST VIRGINIA	17,626	1,805	1,706	1,720	1,425	1,490	1,330	1,314	1,263	1,280	1,378	1,395	1,520
Cities of 25,000 to 100,000	3,948	367	363	393	342	332	328	299	285	280	302	329	328
Cities of 10,000 to 25,000	1,722	160	154	146	124	137	132	144	132	137	161	146	149
Cities of 2,500 to 10,000	2,609	265	226	269	199	236	181	202	188	188	216	203	236
Rural	9,347	1,013	963	912	760	785	689	669	658	675	699	717	807
WISCONSIN	31,614	3,045	2,755	2,892	2,839	2,820	2,474	2,719	2,285	2,316	2,453	2,423	2,593
Cities of 100,000 or more	5,252	518	435	506	455	459	410	500	350	374	412	387	446
Cities of 25,000 to 100,000	7,157	678	633	647	662	622	557	575	508	570	567	550	588
Cities of 10,000 to 25,000	2,649	242	222	235	222	247	220	230	204	199	184	224	220
Cities of 2,500 to 10,000	3,872	357	347	341	348	345	301	346	299	292	294	294	308
Rural	12,684	1,250	1,118	1,163	1,152	1,147	986	1,068	924	881	996	968	1,051
WYOMING	2,136	198	167	164	191	174	158	170	171	180	181	181	201
Cities of 10,000 to 25,000	643	60	52	46	62	43	54	53	48	51	61	54	59
Cities of 2,500 to 10,000	453	49	39	39	40	47	29	36	31	36	25	43	39
Rural	1,040	89	76	79	89	84	75	81	92	93	95	84	103

TABLE 9.—DEATHS BY SPECIFIED RACE AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Minor races
UNITED STATES	1,417,269	1,231,223	178,743	4,791	1,184	856	472
Cities of 100,000 or more	449,271	394,765	52,984	158	781	396	187
Cities of 25,000 to 100,000	189,311	168,416	20,503	189	78	88	37
Cities of 10,000 to 25,000	126,488	112,966	13,184	231	39	44	24
Cities of 2,500 to 10,000	152,608	136,395	15,648	391	57	76	41
Rural	499,591	418,681	76,424	3,822	229	252	183
ALABAMA	29,531	15,755	13,768	7	-	1	-
Cities of 100,000 or more	3,482	1,728	1,754	-	-	-	-
Cities of 25,000 to 100,000	3,899	2,169	1,730	-	-	-	-
Cities of 10,000 to 25,000	2,301	1,158	1,143	-	-	-	-
Cities of 2,500 to 10,000	2,860	1,766	1,091	3	-	-	-
Rural	16,989	8,934	8,050	4	-	1	-
ARIZONA	5,815	4,751	205	836	16	4	3
Cities of 25,000 to 100,000	2,414	2,190	123	82	15	1	3
Cities of 2,500 to 10,000	1,257	1,207	34	12	1	3	-
Rural	2,144	1,354	48	742	-	-	-
ARKANSAS	17,052	11,800	5,248	3	2	-	1
Cities of 25,000 to 100,000	2,429	1,695	734	-	-	-	-
Cities of 10,000 to 25,000	1,863	1,330	532	-	1	-	-
Cities of 2,500 to 10,000	2,647	1,924	722	-	1	-	-
Rural	10,113	6,851	3,258	3	-	-	1
CALIFORNIA	80,270	76,726	1,664	378	542	625	335
Cities of 100,000 or more	36,285	34,518	1,022	24	320	271	130
Cities of 25,000 to 100,000	9,986	9,689	153	15	35	73	21
Cities of 10,000 to 25,000	5,142	5,037	33	8	17	32	15
Cities of 2,500 to 10,000	6,918	6,736	32	25	34	58	33
Rural	21,939	20,746	424	306	136	191	136
COLORADO	12,430	12,153	223	40	3	11	-
Cities of 100,000 or more	4,457	4,318	132	1	2	4	-
Cities of 25,000 to 100,000	1,105	1,062	41	1	-	1	-
Cities of 10,000 to 25,000	844	841	3	-	-	-	-
Cities of 2,500 to 10,000	1,645	1,638	5	-	1	1	-
Rural	4,379	4,294	42	38	-	5	-
CONNECTICUT	17,886	17,438	435	5	3	1	4
Cities of 100,000 or more	5,970	5,740	225	-	3	-	2
Cities of 25,000 to 100,000	5,375	5,263	110	-	-	1	1
Cities of 10,000 to 25,000	1,911	1,873	36	2	-	-	-
Cities of 2,500 to 10,000	620	617	3	-	-	-	-
Rural	4,010	3,945	61	3	-	-	1
DELAWARE	3,261	2,605	656	-	-	-	-
Cities of 100,000 or more	1,500	1,245	255	-	-	-	-
Cities of 2,500 to 10,000	457	347	110	-	-	-	-
Rural	1,304	1,013	291	-	-	-	-
DISTRICT OF COLUMBIA	8,637	5,678	2,939	7	11	1	1
FLORIDA	22,926	15,245	7,661	15	1	-	4
Cities of 100,000 or more	5,572	3,715	1,849	6	-	-	2
Cities of 25,000 to 100,000	3,307	2,573	734	-	-	-	-
Cities of 10,000 to 25,000	2,657	1,824	832	-	-	-	1
Cities of 2,500 to 10,000	3,694	2,388	1,305	3	-	-	-
Rural	7,696	4,745	2,943	6	1	-	1
GEORGIA	32,513	17,530	14,976	-	5	-	2
Cities of 100,000 or more	4,208	2,225	1,982	-	1	-	-
Cities of 25,000 to 100,000	4,986	2,544	2,439	-	3	-	-
Cities of 10,000 to 25,000	2,840	1,576	1,264	-	-	-	-
Cities of 2,500 to 10,000	3,922	2,182	1,740	-	-	-	-
Rural	16,557	9,003	7,551	-	1	-	2
IDAHO	4,890	4,795	11	70	6	8	-
Cities of 25,000 to 100,000	443	436	2	-	5	-	-
Cities of 10,000 to 25,000	1,156	1,140	6	8	-	2	-
Cities of 2,500 to 10,000	1,094	1,091	-	1	1	1	-
Rural	2,197	2,128	3	61	-	5	-
ILLINOIS	88,231	82,051	6,091	5	70	3	11
Cities of 100,000 or more	37,855	33,649	4,139	4	57	2	4
Cities of 25,000 to 100,000	12,911	12,340	565	-	4	1	1
Cities of 10,000 to 25,000	7,092	6,815	277	-	-	-	-
Cities of 2,500 to 10,000	8,257	8,075	182	-	-	-	-
Rural	22,116	21,172	928	1	9	-	6
INDIANA	40,402	38,463	1,937	-	2	-	-
Cities of 100,000 or more	8,724	7,607	1,116	-	1	-	-
Cities of 25,000 to 100,000	7,840	7,395	444	-	1	-	-
Cities of 10,000 to 25,000	3,375	3,310	65	-	-	-	-
Cities of 2,500 to 10,000	4,552	4,505	47	-	-	-	-
Rural	15,911	15,646	265	-	-	-	-
IOWA	26,376	26,085	277	12	1	1	-
Cities of 100,000 or more	1,875	1,803	71	-	1	-	-
Cities of 25,000 to 100,000	5,884	5,797	85	2	-	-	-
Cities of 10,000 to 25,000	2,751	2,713	37	-	-	1	-
Cities of 2,500 to 10,000	5,245	5,203	40	2	-	-	-
Rural	10,621	10,569	44	8	-	-	-
KANSAS	18,622	17,558	1,039	25	-	-	-
Cities of 100,000 or more	2,781	2,393	387	1	-	-	-
Cities of 25,000 to 100,000	1,279	1,165	114	-	-	-	-
Cities of 10,000 to 25,000	2,929	2,708	218	3	-	-	-
Cities of 2,500 to 10,000	3,036	2,957	70	9	-	-	-
Rural	8,597	8,335	250	12	-	-	-
KENTUCKY	29,733	25,904	3,828	1	-	-	-
Cities of 100,000 or more	4,446	3,522	924	-	-	-	-
Cities of 25,000 to 100,000	3,619	3,008	611	-	-	-	-
Cities of 10,000 to 25,000	1,195	911	284	-	-	-	-
Cities of 2,500 to 10,000	3,868	3,255	613	-	-	-	-
Rural	16,605	15,208	1,396	1	-	-	-
LOUISIANA	25,648	13,875	11,741	16	12	1	3
Cities of 100,000 or more	8,096	5,041	3,045	-	7	1	2
Cities of 25,000 to 100,000	3,066	1,440	1,625	-	1	-	-
Cities of 10,000 to 25,000	1,252	708	544	-	-	-	-
Cities of 2,500 to 10,000	3,194	1,831	1,362	1	-	-	-
Rural	10,040	4,855	5,165	15	4	-	1
MAINE	10,580	10,555	18	7	-	-	-
Cities of 25,000 to 100,000	2,577	2,569	6	2	-	-	-
Cities of 10,000 to 25,000	1,357	1,352	5	-	-	-	-
Cities of 2,500 to 10,000	1,278	1,277	-	1	-	-	-
Rural	5,368	5,357	7	4	-	-	-
MARYLAND	22,107	17,111	4,982	1	6	3	4
Cities of 100,000 or more	11,556	8,782	2,765	-	4	1	4
Cities of 25,000 to 100,000	1,099	1,038	61	-	-	-	-
Cities of 10,000 to 25,000	998	770	228	-	-	-	-
Cities of 2,500 to 10,000	1,060	909	151	-	-	-	-
Rural	7,394	5,612	1,777	1	2	2	-
MASSACHUSETTS	51,156	50,301	784	11	55	1	4
Cities of 100,000 or more	22,349	21,762	540	3	41	1	2
Cities of 25,000 to 100,000	12,644	12,559	81	-	2	-	2
Cities of 10,000 to 25,000	7,861	7,816	42	-	3	-	-
Cities of 2,500 to 10,000	2,763	2,741	19	2	1	-	-
Rural	5,539	5,423	102	6	8	-	-
MICHIGAN	52,108	49,372	2,615	96	11	1	13
Cities of 100,000 or more	16,670	14,897	1,758	5	8	-	2
Cities of 25,000 to 100,000	8,864	8,629	223	7	1	1	3
Cities of 10,000 to 25,000	3,555	3,446	100	8	-	-	1
Cities of 2,500 to 10,000	5,130	5,052	53	23	-	-	2
Rural	17,889	17,348	481	53	2	-	5
MINNESOTA	26,814	26,458	161	183	9	2	1
Cities of 100,000 or more	9,527	9,379	134	6	7	1	-
Cities of 25,000 to 100,000	1,003	997	4	1	-	1	-
Cities of 10,000 to 25,000	2,102	2,101	1	-	-	-	-
Cities of 2,500 to 10,000	4,131	4,114	6	10	1	-	-
Rural	10,051	9,867	16	166	1	-	1
MISSISSIPPI	23,154	9,600	13,519	27	8	-	-
Cities of 25,000 to 100,000	1,570	833	737	-	-	-	-
Cities of 10,000 to 25,000	2,951	1,374	1,572	1	4	-	-
Cities of 2,500 to 10,000	2,426	1,197	1,222	5	2	-	-
Rural	16,207	6,196	9,988	21	2	-	-
MISSOURI	43,746	39,554	4,172	9	9	1	1
Cities of 100,000 or more	15,944	13,375	2,558	-	9	1	1
Cities of 25,000 to 100,000	2,959	2,831	127	1	-	-	-
Cities of 10,000 to 25,000	3,822	3,484	335	3	-	-	-
Cities of 2,500 to 10,000	4,240	3,862	377	1	-	-	-
Rural	16,781	16,002	775	4	-	-	-
MONTANA	5,728	5,415	19	282	8	2	2
Cities of 25,000 to 100,000	921	912	3	4	1	-	1
Cities of 10,000 to 25,000	954	946	5	2	1	-	-
Cities of 2,500 to 10,000	1,033	1,028	-	4	-	1	-
Rural	2,820	2,529	11	272	6	1	1
NEBRASKA	12,592	12,335	192	63	1	1	-
Cities of 100,000 or more	2,715	2,555	158	2	-	-	-
Cities of 25,000 to 100,000	955	944	11	-	-	-	-
Cities of 10,000 to 25,000	1,382	1,376	5	-	-	1	-
Cities of 2,500 to 10,000	1,641	1,634	6	1	-	-	-
Rural	5,899	5,826	12	60	1	-	-

TABLE 9.—DEATHS BY SPECIFIED RACE AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Minor races
NEVADA	1,404	1,253	25	111	13	2	-
Cities of 10,000 to 25,000	212	208	1	2	1	-	-
Cities of 2,500 to 10,000	339	315	15	7	2	-	-
Rural	853	730	9	102	10	2	-
NEW HAMPSHIRE	6,255	6,243	9	-	3	-	-
Cities of 25,000 to 100,000	1,756	1,754	2	-	-	-	-
Cities of 10,000 to 25,000	1,299	1,294	4	-	1	-	-
Cities of 2,500 to 10,000	511	510	-	-	1	-	-
Rural	2,689	2,685	3	-	1	-	-
NEW JERSEY	45,086	41,703	3,369	2	10	1	1
Cities of 100,000 or more	15,084	13,795	1,279	2	7	-	1
Cities of 25,000 to 100,000	9,655	8,969	686	-	-	-	-
Cities of 10,000 to 25,000	5,804	5,449	354	-	1	-	-
Cities of 2,500 to 10,000	5,609	5,199	410	-	-	-	-
Rural	8,934	8,291	640	-	2	1	-
NEW MEXICO	5,593	5,282	75	235	-	1	-
Cities of 25,000 to 100,000	666	619	14	32	-	1	-
Cities of 10,000 to 25,000	670	644	10	16	-	-	-
Cities of 2,500 to 10,000	1,424	1,396	27	1	-	-	-
Rural	2,833	2,623	24	186	-	-	-
NEW YORK	149,946	142,372	7,238	81	202	39	14
Cities of 100,000 or more	93,877	87,687	5,941	22	187	30	10
Cities of 25,000 to 100,000	10,399	10,183	212	2	-	1	1
Cities of 10,000 to 25,000	9,745	9,576	164	2	3	-	-
Cities of 2,500 to 10,000	7,754	7,617	123	8	3	3	-
Rural	28,171	27,309	798	47	9	5	3
NORTH CAROLINA	32,081	20,362	11,519	198	-	-	2
Cities of 100,000 or more	1,112	668	444	-	-	-	-
Cities of 25,000 to 100,000	5,433	3,222	2,208	3	-	-	-
Cities of 10,000 to 25,000	3,394	2,112	1,273	8	-	-	1
Cities of 2,500 to 10,000	2,996	2,022	952	22	-	-	-
Rural	19,146	12,338	6,642	165	-	-	1
NORTH DAKOTA	5,235	5,069	10	155	-	1	-
Cities of 25,000 to 100,000	390	390	-	-	-	-	-
Cities of 10,000 to 25,000	808	803	2	3	-	-	-
Cities of 2,500 to 10,000	832	826	2	3	-	1	-
Rural	3,205	3,050	6	149	-	-	-
OHIO	78,662	73,533	5,116	3	10	-	-
Cities of 100,000 or more	32,919	29,481	3,430	1	7	-	-
Cities of 25,000 to 100,000	8,841	8,370	469	-	2	-	-
Cities of 10,000 to 25,000	6,481	6,272	208	-	1	-	-
Cities of 2,500 to 10,000	7,417	7,181	236	-	-	-	-
Rural	23,004	22,229	773	2	-	-	-
OKLAHOMA	20,461	17,542	2,129	761	1	2	26
Cities of 100,000 or more	3,886	3,360	509	8	1	-	8
Cities of 25,000 to 100,000	1,074	882	183	8	-	-	1
Cities of 10,000 to 25,000	3,176	2,690	370	111	-	-	5
Cities of 2,500 to 10,000	3,564	3,146	247	164	-	1	6
Rural	8,761	7,464	820	470	-	1	6
OREGON	12,310	12,068	54	112	49	21	6
Cities of 100,000 or more	4,240	4,152	37	4	30	13	4
Cities of 25,000 to 100,000	757	753	1	2	1	-	-
Cities of 10,000 to 25,000	1,095	1,075	4	14	1	1	-
Cities of 2,500 to 10,000	2,281	2,259	6	12	4	-	-
Rural	3,937	3,829	6	80	13	7	2
PENNSYLVANIA	111,498	104,361	7,083	8	32	4	10
Cities of 100,000 or more	38,144	33,459	4,647	3	25	3	7
Cities of 25,000 to 100,000	15,509	14,785	722	-	1	1	-
Cities of 10,000 to 25,000	12,809	12,277	531	1	-	-	-
Cities of 2,500 to 10,000	13,309	13,061	245	2	1	-	-
Rural	31,727	30,779	938	2	5	-	3
RHODE ISLAND	7,984	7,783	193	6	2	-	-
Cities of 100,000 or more	3,142	3,033	106	1	2	-	-
Cities of 25,000 to 100,000	3,312	3,250	61	1	-	-	-
Cities of 10,000 to 25,000	686	680	6	-	-	-	-
Cities of 2,500 to 10,000	253	246	7	-	-	-	-
Rural	591	574	13	4	-	-	-
SOUTH CAROLINA	20,186	9,048	11,131	5	1	-	1
Cities of 25,000 to 100,000	3,557	1,867	1,690	-	-	-	-
Cities of 10,000 to 25,000	1,831	1,011	819	1	-	-	-
Cities of 2,500 to 10,000	2,468	1,321	1,147	-	-	-	-
Rural	12,330	4,849	7,475	4	1	-	1
SOUTH DAKOTA	5,454	5,086	7	358	2	1	-
Cities of 25,000 to 100,000	443	440	-	2	1	-	-
Cities of 10,000 to 25,000	945	926	1	18	-	-	-
Cities of 2,500 to 10,000	939	908	4	27	-	-	-
Rural	3,127	2,812	2	311	1	1	-
TENNESSEE	29,904	22,118	7,779	2	5	-	-
Cities of 100,000 or more	10,355	6,372	3,978	-	5	-	-
Cities of 25,000 to 100,000	341	272	69	-	-	-	-
Cities of 10,000 to 25,000	1,330	958	372	-	-	-	-
Cities of 2,500 to 10,000	2,724	2,106	618	-	-	-	-
Rural	15,154	12,410	2,742	2	-	-	-
TEXAS	62,503	50,902	11,565	6	17	3	10
Cities of 100,000 or more	13,726	10,880	2,826	1	13	3	3
Cities of 25,000 to 100,000	8,440	7,035	1,400	1	1	-	3
Cities of 10,000 to 25,000	5,032	4,062	969	1	-	-	-
Cities of 2,500 to 10,000	10,055	8,532	1,523	-	-	-	-
Rural	25,250	20,393	4,847	3	3	-	4
UTAH	4,925	4,841	29	40	2	13	-
Cities of 100,000 or more	1,862	1,837	18	-	1	6	-
Cities of 25,000 to 100,000	475	465	6	-	1	3	-
Cities of 10,000 to 25,000	362	359	2	-	-	1	-
Cities of 2,500 to 10,000	776	772	2	1	-	1	-
Rural	1,450	1,408	1	39	-	2	-
VERMONT	4,610	4,605	5	-	-	-	-
Cities of 25,000 to 100,000	464	464	-	-	-	-	-
Cities of 10,000 to 25,000	445	444	1	-	-	-	-
Cities of 2,500 to 10,000	1,196	1,194	2	-	-	-	-
Rural	2,505	2,503	2	-	-	-	-
VIRGINIA	29,579	19,325	10,237	11	2	-	4
Cities of 100,000 or more	4,578	2,748	1,829	-	-	-	1
Cities of 25,000 to 100,000	4,297	2,657	1,639	-	1	-	-
Cities of 10,000 to 25,000	1,311	1,019	292	-	-	-	-
Cities of 2,500 to 10,000	2,612	2,059	553	-	-	-	-
Rural	16,781	10,842	5,924	11	1	-	3
WASHINGTON	20,009	19,370	155	336	44	96	8
Cities of 100,000 or more	8,445	8,186	114	54	30	58	3
Cities of 25,000 to 100,000	1,262	1,247	6	6	-	3	-
Cities of 10,000 to 25,000	1,749	1,728	2	10	5	4	-
Cities of 2,500 to 10,000	1,647	1,606	5	29	2	5	-
Rural	6,906	6,603	28	237	7	26	5
WEST VIRGINIA	17,626	15,968	1,657	-	1	-	-
Cities of 25,000 to 100,000	3,948	3,607	341	-	-	-	-
Cities of 10,000 to 25,000	1,722	1,503	219	-	-	-	-
Cities of 2,500 to 10,000	2,609	2,281	327	-	1	-	-
Rural	9,347	8,577	770	-	-	-	-
WISCONSIN	31,614	31,222	178	209	5	-	-
Cities of 100,000 or more	5,252	5,175	73	3	1	-	-
Cities of 25,000 to 100,000	7,157	7,107	31	17	2	-	-
Cities of 10,000 to 25,000	2,649	2,641	-	8	-	-	-
Cities of 2,500 to 10,000	3,872	3,861	2	9	-	-	-
Rural	12,684	12,438	72	172	2	-	-
WYOMING	2,136	2,054	21	53	2	5	1
Cities of 10,000 to 25,000	643	626	13	1	-	2	1
Cities of 2,500 to 10,000	453	441	7	3	1	1	-
Rural	1,040	987	1	49	1	2	-

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	UNITED STATES	1,417,269	110,984	11,709	5,940	3,878	3,151	135,662	11,570	11,683	21,168
2	Both sexes—White	1,231,223	89,406	9,045	4,717	3,170	2,560	108,898	9,595	9,425	15,678
3	All other	186,046	21,578	2,664	1,223	708	591	26,764	1,975	2,258	5,490
4	Male—White	690,901	51,421	4,924	2,589	1,729	1,430	62,093	5,573	5,580	9,264
5	All other	100,102	12,136	1,473	672	369	296	14,946	1,065	1,178	2,471
6	Female—White	540,322	37,985	4,121	2,128	1,441	1,130	46,805	4,022	3,845	6,414
7	All other	85,944	9,442	1,191	551	339	295	11,818	910	1,080	3,019
8	Cities of 100,000 or more—White	394,765	23,248	2,033	1,133	832	670	27,916	2,584	2,549	3,792
9	All other	54,506	4,863	460	205	146	127	5,801	443	523	1,284
10	Male—White	217,541	13,548	1,099	616	463	390	16,116	1,511	1,455	2,142
11	All other	29,045	2,739	262	122	80	61	3,264	233	262	545
12	Female—White	177,224	9,700	934	517	369	280	11,800	1,073	1,094	1,650
13	All other	25,461	2,124	198	83	66	66	2,537	210	261	739
14	Cities of 10,000 to 100,000—White	281,382	22,447	2,197	1,167	773	674	27,258	2,492	2,362	3,769
15	All other	34,417	3,612	407	216	125	114	4,474	389	424	1,106
16	Male—White	153,229	12,900	1,204	643	401	376	15,524	1,447	1,400	2,133
17	All other	18,188	2,024	227	117	61	57	2,486	210	232	475
18	Female—White	128,153	9,547	993	524	372	298	11,734	1,045	962	1,636
19	All other	16,229	1,588	180	99	64	57	1,988	179	192	631
20	Cities of 2,500 to 10,000—White	136,395	12,095	1,264	662	431	336	14,788	1,297	1,355	2,184
21	All other	16,213	1,706	217	118	72	53	2,166	180	212	523
22	Male—White	76,263	7,006	679	353	237	176	8,451	785	822	1,252
23	All other	8,689	983	122	71	37	28	1,241	98	107	240
24	Female—White	60,132	5,089	585	309	194	160	6,337	512	533	912
25	All other	7,524	723	95	47	35	25	925	82	105	283
26	Rural—White	418,681	31,616	3,551	1,755	1,134	880	38,936	3,222	3,159	5,953
27	All other	80,910	11,397	1,580	684	365	297	14,323	963	1,099	2,577
28	Male—White	243,868	17,967	1,942	977	628	488	22,002	1,830	1,903	3,737
29	All other	44,180	6,390	862	362	191	150	7,955	524	577	1,211
30	Female—White	174,813	13,649	1,609	778	506	392	16,934	1,392	1,256	2,216
31	All other	36,730	5,007	718	322	174	147	6,368	439	522	1,366
32	ALABAMA	29,531	3,864	444	219	155	133	4,815	360	365	725
33	Both sexes—White	15,755	2,019	242	129	87	79	2,556	184	181	293
34	All other	13,776	1,845	202	90	68	54	2,259	176	184	432
35	Male—White	8,909	1,186	137	78	49	35	1,485	96	107	158
36	All other	7,199	1,060	125	43	32	27	1,287	93	94	190
37	Female—White	6,846	833	105	51	38	44	1,071	88	74	135
38	All other	6,577	785	77	47	36	27	972	83	90	242
39	Cities of 100,000 or more—White	1,728	191	17	10	10	8	236	16	21	25
40	All other	1,754	216	20	7	6	4	253	13	22	50
41	Male—White	990	107	10	9	4	3	133	9	9	13
42	All other	913	128	14	4	5	1	152	8	9	18
43	Female—White	738	84	7	1	6	5	103	7	12	12
44	All other	841	88	6	3	1	3	101	5	13	32
45	Cities of 10,000 to 100,000—White	3,327	380	46	22	17	22	487	37	31	77
46	All other	2,873	321	40	14	15	13	403	40	45	93
47	Male—White	1,887	230	27	11	9	8	285	21	20	37
48	All other	1,491	173	31	9	8	6	227	18	27	39
49	Female—White	1,440	150	19	11	8	14	202	16	11	40
50	All other	1,382	148	9	5	7	7	176	22	18	54
51	Cities of 2,500 to 10,000—White	1,766	234	28	21	7	14	304	32	34	44
52	All other	1,094	124	13	7	7	5	156	15	12	38
53	Male—White	989	132	15	10	5	5	167	21	20	27
54	All other	533	66	11	3	3	2	85	10	7	17
55	Female—White	777	102	13	11	2	9	137	11	14	17
56	All other	561	58	2	4	4	3	71	5	5	21
57	Rural—White	8,934	1,214	151	76	53	35	1,529	99	95	147
58	All other	8,055	1,184	129	62	40	32	1,447	108	105	251
59	Male—White	5,043	717	85	48	31	19	900	45	58	81
60	All other	4,262	693	69	27	16	18	823	57	51	116
61	Female—White	3,891	497	66	28	22	16	629	54	37	66
62	All other	3,793	491	60	35	24	14	624	51	54	135
63	ARIZONA	5,815	991	186	75	42	26	1,320	78	78	149
64	Both sexes—White	4,751	742	103	42	29	14	930	44	50	101
65	All other	1,064	249	83	33	13	12	390	34	28	48
66	Male—White	3,004	416	53	15	13	9	506	26	25	51
67	All other	540	126	42	12	10	4	194	16	7	23
68	Female—White	1,747	326	50	27	16	5	424	18	25	50
69	All other	524	123	41	21	3	8	196	18	21	25
70	Cities of 10,000 to 100,000—White	2,190	290	41	15	16	9	371	17	24	37
71	All other	224	26	9	2	-	1	38	5	3	9
72	Male—White	1,369	160	23	3	9	7	202	8	13	18
73	All other	137	16	5	-	-	-	21	1	-	5
74	Female—White	821	130	18	12	7	2	169	9	11	19
75	All other	87	10	4	2	-	1	17	2	3	4
76	Cities of 2,500 to 10,000—White	1,207	196	20	14	6	2	238	14	15	22
77	All other	50	8	-	-	-	-	8	-	2	1
78	Male—White	759	111	11	6	3	-	131	9	7	9
79	All other	25	6	-	-	-	-	6	-	1	-
80	Female—White	448	85	9	8	3	2	107	5	8	13
81	All other	25	2	-	-	-	-	2	-	1	1
82	Rural—White	1,354	256	42	13	7	3	321	13	11	42
83	All other	790	215	74	31	13	11	344	31	23	38
84	Male—White	876	145	19	6	1	2	173	9	5	24
85	All other	378	104	37	12	10	4	167	15	6	18
86	Female—White	478	111	23	7	6	1	148	4	6	18
87	All other	412	111	37	19	3	7	177	16	17	20
88	ARKANSAS	17,052	1,752	309	148	77	73	2,359	217	209	389
89	Both sexes—White	11,800	1,251	220	107	64	53	1,695	155	141	223
90	All other	5,252	501	89	41	13	20	664	62	68	166
91	Male—White	6,811	699	116	60	35	25	935	93	91	121
92	All other	2,758	281	51	23	8	8	371	38	36	71
93	Female—White	4,989	552	104	47	29	28	760	62	50	102
94	All other	2,494	220	38	18	5	12	293	24	32	95

GROUPS: UNITED STATES AND EACH STATE, 1940

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
27,831	30,695	34,579	41,670	53,689	71,596	92,817	108,476	126,885	149,039	156,986	142,554	112,713	59,112	20,722	4,861	1,259	1,702	1
20,203	22,149	25,443	30,874	41,088	57,811	76,909	94,118	113,752	135,378	146,062	135,059	107,922	56,016	19,014	4,058	609	1,162	2
7,628	8,546	9,136	10,796	12,601	13,785	15,908	14,358	13,133	13,661	10,924	7,495	4,791	3,096	1,708	803	650	540	3
11,709	12,421	14,180	17,577	24,263	35,162	47,891	58,445	68,219	77,416	80,274	70,897	53,650	25,788	7,978	1,532	230	759	4
3,734	4,308	4,696	5,522	6,537	7,529	8,850	7,967	7,303	7,794	6,155	4,165	2,579	1,544	829	376	252	302	5
8,494	9,728	11,263	13,297	16,825	22,649	29,018	35,673	45,533	57,962	65,788	64,162	54,272	30,228	11,036	2,526	379	403	6
3,894	4,238	4,440	5,274	6,064	6,256	7,058	6,391	5,830	5,867	4,769	3,330	2,212	1,552	879	427	398	238	7
5,404	6,666	8,441	10,949	15,844	22,770	30,545	36,258	42,077	46,261	46,493	39,391	28,080	13,297	4,236	923	134	155	8
2,016	2,508	3,147	3,984	4,841	5,120	5,655	4,739	4,106	3,845	2,863	1,775	912	478	233	108	82	43	9
2,885	3,496	4,571	6,190	9,200	13,749	19,142	22,528	25,046	25,652	24,373	19,346	12,697	5,458	1,546	297	38	103	10
951	1,237	1,648	2,094	2,516	2,851	3,162	2,654	2,304	2,093	1,514	888	441	206	98	50	27	27	11
2,519	3,170	3,870	4,759	6,644	9,021	11,403	13,730	17,031	20,609	22,120	20,045	15,383	7,839	2,690	626	96	52	12
1,065	1,271	1,499	1,890	2,325	2,289	2,493	2,065	1,902	1,752	1,349	887	471	272	135	58	55	16	13
4,769	5,249	6,001	7,197	9,270	13,368	17,792	21,739	26,340	30,717	32,873	29,954	23,116	11,860	4,060	804	116	276	14
1,554	1,830	1,860	2,227	2,567	2,678	3,080	2,841	2,453	2,594	1,747	1,192	698	440	224	101	67	71	15
2,650	2,860	3,141	3,917	5,163	7,740	10,685	13,287	15,267	17,172	17,638	15,219	10,803	5,123	1,547	286	46	181	16
773	934	973	1,110	1,265	1,379	1,690	1,548	1,366	1,339	969	663	350	204	111	43	27	41	17
2,119	2,389	2,860	3,280	4,107	5,628	7,107	8,452	11,073	13,545	15,235	14,735	12,313	6,737	2,513	518	70	95	18
781	896	887	1,117	1,302	1,299	1,390	1,293	1,087	1,055	778	529	348	236	113	58	40	30	19
2,540	2,726	2,871	3,395	4,100	5,660	7,342	9,372	11,391	14,102	15,897	15,276	12,411	6,620	2,331	519	62	176	20
743	830	853	920	1,066	1,093	1,350	1,256	1,144	1,211	950	668	406	300	129	74	69	70	21
1,450	1,508	1,621	1,901	2,391	3,377	4,462	5,787	6,821	8,075	8,812	8,122	6,221	3,096	995	192	19	103	22
392	433	434	468	527	577	736	688	606	677	538	403	216	142	66	30	32	38	23
1,090	1,218	1,250	1,494	1,709	2,283	2,880	3,585	4,570	6,027	7,085	7,154	6,190	3,524	1,336	327	43	73	24
351	397	419	452	539	516	614	568	538	534	412	265	190	158	63	44	37	32	25
7,490	7,508	8,130	9,333	11,874	16,013	21,230	26,749	33,944	44,298	50,799	50,458	44,315	24,239	8,387	1,812	297	555	26
3,315	3,378	3,276	3,665	4,127	4,894	5,823	5,522	5,430	6,211	5,364	3,860	2,775	1,878	1,122	520	432	356	27
4,724	4,557	4,847	5,569	7,509	10,296	13,602	16,843	21,085	26,517	29,451	28,210	23,929	12,111	3,890	757	127	372	28
1,618	1,704	1,641	1,850	2,229	2,742	3,262	3,077	3,027	3,685	3,134	2,211	1,572	992	554	253	166	196	29
2,766	2,951	3,283	3,764	4,365	5,717	7,628	9,906	12,859	17,781	21,348	22,228	20,386	12,128	4,497	1,055	170	183	30
1,697	1,674	1,635	1,815	1,898	2,152	2,561	2,445	2,403	2,526	2,230	1,649	1,203	886	568	267	266	160	31
909	1,025	1,079	1,239	1,358	1,636	1,928	2,062	2,168	2,453	2,305	1,904	1,564	940	394	131	95	76	32
389	415	453	515	530	645	800	1,150	1,307	1,500	1,471	1,327	1,138	628	207	32	6	28	33
520	610	626	724	828	991	1,128	912	861	953	834	577	426	312	187	99	89	48	34
230	231	251	286	307	376	506	734	838	865	817	662	570	269	84	13	5	19	35
266	273	284	339	404	547	600	477	466	555	445	311	217	154	86	52	34	25	36
159	184	202	229	223	269	294	416	469	635	654	665	588	359	123	19	1	9	37
254	337	342	385	424	444	528	435	395	398	389	266	209	158	101	47	55	23	38
39	39	55	67	70	95	114	148	182	177	147	130	100	38	24	3	1	1	39
74	70	102	145	157	176	169	106	119	104	95	45	24	15	7	3	5	-	40
22	22	26	32	45	59	76	98	121	106	84	68	38	17	9	2	-	1	41
36	30	45	75	73	91	88	54	68	54	58	28	14	4	2	3	3	-	42
17	17	29	35	25	36	38	50	61	71	63	62	62	21	15	1	1	-	43
38	40	57	70	84	85	81	52	51	50	37	17	10	11	5	-	2	-	44
93	109	136	133	137	163	198	291	308	320	266	247	176	84	30	4	-	-	45
143	182	158	194	217	239	263	242	169	181	100	88	45	36	15	5	11	4	46
53	59	77	78	76	86	131	196	204	188	146	117	76	26	11	-	-	-	47
78	80	72	94	97	136	145	128	92	113	45	43	21	17	10	3	5	1	48
40	50	59	55	61	77	67	95	104	132	120	130	100	58	19	4	-	-	49
65	102	86	100	120	103	118	114	77	68	55	45	24	19	5	2	6	3	50
59	70	59	68	66	55	103	133	118	156	150	106	119	61	25	3	1	-	51
44	71	72	57	67	74	99	80	66	73	55	47	25	11	14	5	6	7	52
38	39	31	39	44	28	63	85	80	79	79	52	57	28	10	1	1	-	53
23	25	34	26	27	34	44	41	29	38	31	32	12	6	5	-	3	4	54
21	31	28	29	22	27	40	48	38	77	71	54	62	33	15	2	-	-	55
21	46	38	31	40	40	55	39	37	35	24	15	13	5	9	5	3	3	56
198	197	203	247	257	332	385	578	699	847	908	844	743	445	128	22	4	27	57
259	287	294	328	387	502	597	484	507	595	584	397	332	250	151	86	67	37	58
117	111	117	137	142	203	236	355	433	492	508	425	399	198	54	10	4	18	59
129	138	133	144	207	286	323	254	277	350	311	208	170	127	69	46	23	20	60
81	86	86	110	115	129	149	223	266	355	400	419	344	247	74	12	-	9	61
130	149	161	184	180	216	274	230	230	245	273	189	162	123	82	40	44	17	62
209	186	206	211	272	330	367	366	412	420	389	338	245	164	40	14	8	13	63
152	135	167	173	236	281	321	332	367	386	346	304	225	147	27	11	7	9	64
57	51	39	38	36	49	46	34	45	34	43	34	20	17	13	3	1	4	65
88	69	98	113	167	200	231	228	251	273	223	206	141	78	14	6	2	8	66
22	20	19	19	17	26	29	23	29	21	26	17	12	11	5	2	1	1	67
64	66	69	60	69	81	90	104	116	113	123	98	84	69	13	5	5	1	68
35	31	20	19	19	23	17	11	16	13	17	17	8	6	8	1	-	3	69
62	74	91	92	120	151	167	162	189	176	147	127	88	72	15	2	3	3	70
12	10	4	9	7	30	20	9	16	15	17	11	4	4	2	-	1	-	71
35	35	48	59	93	103	113	118	123	117	97	82	51	41	8	1	1	3	72
6	4	3	7	6	15	14	7	13	8	13	7	3	2	1	-	1	-	73
27	39	43	33	27	48	54	44	66	59	50	45	37	31	7	1	2	-	74
6	6	1	2	1	15	6	2	3	7	4	4	1	2	1	-	-	-	75
37	19	30	37	47	58	74	84	87	100	117	101	65	45	6	3	3	5	76
1	2	2	4	6	-	1	5	5	3	4	2	1	2	1	-	-	-	77
20	12	17	24	29	39	52	51	62	76	74	67	45	23	4	2	1	5	78
1	2	1	-	1	-	1	2	3	2	3	-	-	2	-	-	-	-	79
17	7	13	13	18	19	22	33	25	24	43	34	20	22	2	1	2	-	80
-	-	1	4	5	-	-	3	2	1	1	2	1	-	1	-	-	-	81
53	42	46	44	69	72	80	86	91	110	82	76	72	30	6	6	1	1	82
44	39	33	25	23	19	25	20	24	16	22	21	15	11	10	3	-	4	83
33	22	33	30	45	58	66	59	66	80	52	57	45	14	2	3	-	-	84
15	14	15	12	10	11	14	14	13	11	10	10	9	7	4	2	-	1	85
20	20	13	14	24	14	14	27	25	30	30	19	27	16	4	3	1	1	86
29	25	18	13	13	8	11	6	11	5	12	11	6	4	6	1	-	3	87
513	531	560	612	733	821	1,072	1,131	1,383	1,620	1,561	1,258	1,016	595	199	45	32	196	88
282	293	313	329	433	504	627	730	974	1,196	1,237	1,028	853	483	155	24	5	120	89
231	238	247	283	300	317	445	401	409	424	324	230	163	112	44	21	27	76	90
142	149	166	175	245	312	388	480	581	750	716	594	455	240	78	12	4	76	91
107	106	119	138	138	148	229	218	232	250	200	138	94	46	25	10	13	31	92
140	144	147	154	188	192	239	250	383	446	521	434	398	243	79	12	1	44	93
124	132	128	145	162	169	216	183	177	174	124	92	69	66	19	11	14	45	94

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	ARKANSAS—Continued										
1	Cities of 10,000 to 100,000—White	3,025	256	44	22	18	10	350	52	40	63
2	All other	1,267	93	11	3	1	5	113	16	14	34
3	Male—White	1,792	143	24	15	10	6	198	31	28	35
4	All other	669	52	4	1	-	1	58	12	5	14
5	Female—White	1,233	113	20	7	8	4	152	21	12	28
6	All other	598	41	7	2	1	4	55	4	9	20
7	Cities of 2,500 to 10,000—White	1,924	178	25	16	15	11	245	20	33	42
8	All other	723	68	7	7	2	4	88	6	8	25
9	Male—White	1,100	109	11	9	9	5	143	13	20	20
10	All other	360	35	4	5	1	1	46	4	5	11
11	Female—White	824	69	14	7	6	6	102	7	13	22
12	All other	363	33	3	2	1	3	42	2	3	14
13	Rural—White	6,851	817	151	69	31	32	1,100	83	68	118
14	All other	3,262	340	71	31	10	11	463	40	46	107
15	Male—White	3,919	447	81	36	16	14	594	49	43	66
16	All other	1,729	194	43	17	7	6	267	22	26	46
17	Female—White	2,932	370	70	33	15	18	506	34	25	52
18	All other	1,533	146	28	14	3	5	196	18	20	61
19	CALIFORNIA	80,270	4,411	421	220	165	120	5,337	501	458	969
20	Both sexes—White	76,726	4,148	390	205	158	111	5,012	467	427	883
21	All other	3,544	263	31	15	7	9	325	34	31	86
22	Male—White	45,187	2,390	222	122	93	69	2,896	279	258	537
23	All other	2,335	145	16	9	2	6	178	15	16	47
24	Female—White	31,539	1,758	168	83	65	42	2,116	188	169	346
25	All other	1,209	118	15	6	5	3	147	19	15	39
26	Cities of 100,000 or more—White	34,518	1,627	139	84	63	42	1,955	181	150	283
27	All other	1,767	115	13	6	3	5	142	12	11	35
28	Male—White	19,825	998	75	52	36	28	1,189	107	87	166
29	All other	1,107	58	7	4	1	4	74	4	4	16
30	Female—White	14,693	629	64	32	27	14	766	74	63	117
31	All other	660	57	6	2	2	1	68	8	7	19
32	Cities of 10,000 to 100,000—White	14,726	922	78	28	33	15	1,076	78	83	160
33	All other	402	36	3	2	1	-	42	3	2	8
34	Male—White	7,933	499	44	13	16	12	584	47	55	87
35	All other	268	23	-	-	1	-	24	2	1	4
36	Female—White	6,793	423	34	15	17	3	492	31	28	73
37	All other	134	13	3	2	-	-	18	1	1	4
38	Cities of 2,500 to 10,000—White	6,736	468	38	15	20	13	554	49	42	86
39	All other	182	23	1	2	-	-	26	1	2	5
40	Male—White	3,976	275	20	10	17	6	328	33	26	58
41	All other	136	14	-	2	-	-	16	-	1	2
42	Female—White	2,760	193	18	5	3	7	226	16	16	28
43	All other	46	9	1	-	-	-	10	1	1	3
44	Rural—White	20,746	1,131	135	78	42	41	1,427	159	152	354
45	All other	1,193	89	14	5	3	4	115	18	16	38
46	Male—White	13,453	618	83	47	24	23	795	92	90	226
47	All other	824	50	9	3	-	2	64	9	10	25
48	Female—White	7,293	513	52	31	18	18	632	67	62	128
49	All other	369	39	5	2	3	2	51	9	6	13
50	COLORADO	12,430	1,266	112	74	40	32	1,524	135	134	234
51	Both sexes—White	12,153	1,247	106	73	40	31	1,497	130	129	229
52	All other	277	19	6	1	-	1	27	5	5	5
53	Male—White	7,082	722	60	41	18	19	860	83	81	141
54	All other	167	11	3	-	-	-	14	4	4	4
55	Female—White	5,071	525	46	32	22	12	637	47	48	88
56	All other	110	8	3	1	-	1	13	1	1	1
57	Cities of 100,000 or more—White	4,318	324	20	16	6	10	376	31	39	70
58	All other	139	7	2	-	-	1	10	2	2	2
59	Male—White	2,368	183	11	11	2	7	214	21	23	47
60	All other	78	6	1	-	-	-	7	2	1	1
61	Female—White	1,950	141	9	5	4	3	162	10	16	23
62	All other	61	1	1	-	-	1	3	-	1	1
63	Cities of 10,000 to 100,000—White	1,903	185	13	15	8	1	222	17	20	36
64	All other	46	2	1	1	-	-	4	1	-	1
65	Male—White	1,042	101	9	5	5	-	120	8	15	21
66	All other	32	1	1	-	-	-	2	1	-	1
67	Female—White	861	84	4	10	3	1	102	9	5	15
68	All other	14	1	-	1	-	-	2	-	-	-
69	Cities of 2,500 to 10,000—White	1,638	241	17	10	7	9	284	21	28	41
70	All other	7	1	-	-	-	-	1	-	-	-
71	Male—White	957	146	10	8	2	5	171	13	17	20
72	All other	5	1	-	-	-	-	1	-	-	-
73	Female—White	681	95	7	2	5	4	113	8	11	21
74	All other	2	-	-	-	-	-	-	-	-	-
75	Rural—White	4,294	497	56	32	19	11	615	61	42	82
76	All other	85	9	3	-	-	-	12	2	3	2
77	Male—White	2,715	292	30	17	9	7	355	41	26	53
78	All other	52	3	1	-	-	-	4	1	3	2
79	Female—White	1,579	205	26	15	10	4	260	20	16	29
80	All other	33	6	2	-	-	-	8	1	-	-
81	CONNECTICUT	17,888	858	60	36	26	32	1,012	72	105	170
82	Both sexes—White	17,438	819	58	36	26	28	967	70	98	160
83	All other	448	39	2	-	-	4	45	2	7	10
84	Male—White	9,443	477	30	20	11	14	552	41	57	97
85	All other	240	21	1	-	-	1	23	2	6	2
86	Female—White	7,995	342	28	16	15	14	415	29	41	63
87	All other	208	18	1	-	-	3	22	-	1	8
88	Cities of 100,000 or more—White	5,740	334	22	15	8	13	392	20	38	44
89	All other	230	22	1	-	-	1	24	-	5	5
90	Male—White	3,128	198	10	8	3	7	226	9	23	26
91	All other	115	13	-	-	-	-	13	-	4	1
92	Female—White	2,612	136	12	7	5	6	166	11	15	18
93	All other	115	9	1	-	-	1	11	-	1	4

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
97	90	104	108	144	146	208	225	284	298	295	220	155	90	32	2	-	22	1
41	61	70	85	96	91	129	109	101	93	70	59	32	20	11	3	3	16	2
51	48	58	58	82	91	128	157	179	196	172	132	70	47	12	1	-	18	3
18	25	39	45	45	38	58	63	62	57	47	42	17	10	6	3	-	7	4
46	42	46	50	62	55	80	68	105	102	123	88	85	43	20	1	-	4	5
25	36	31	40	51	53	71	46	39	36	23	17	15	10	5	-	3	9	6
50	60	54	56	67	106	98	108	163	203	188	161	144	71	24	5	1	25	7
32	41	35	48	44	37	73	57	57	52	31	33	18	15	3	4	5	11	8
25	26	28	30	35	75	62	74	105	118	113	86	74	28	11	3	1	12	9
14	17	12	25	15	23	45	30	27	22	19	19	10	5	2	2	2	5	10
25	34	26	26	32	33	36	34	58	85	75	75	70	43	13	2	-	13	11
18	24	23	23	29	14	28	27	30	30	12	14	8	10	1	2	3	6	12
135	143	155	165	222	252	321	397	527	695	754	647	554	322	99	17	4	73	13
158	136	142	150	160	189	243	235	251	279	223	138	115	77	30	14	19	49	14
66	75	80	87	128	148	198	249	307	436	431	376	311	165	53	8	3	46	15
77	64	68	68	78	87	126	125	143	171	134	77	67	31	17	5	11	19	16
69	68	75	78	94	104	123	148	220	259	323	271	243	157	46	9	1	27	17
81	72	74	82	82	102	117	110	108	108	89	61	46	46	13	9	8	30	18
1,339	1,558	1,779	2,346	3,160	4,284	5,655	6,648	7,935	8,851	9,273	8,521	6,568	3,440	1,253	283	60	52	19
1,227	1,397	1,603	2,122	2,917	4,026	5,336	6,315	7,626	8,545	9,046	8,358	6,462	3,370	1,228	266	44	49	20
112	161	176	224	243	258	319	333	309	306	227	163	106	70	25	17	16	3	21
737	806	978	1,275	1,879	2,584	3,521	4,231	4,913	5,163	5,056	4,549	3,233	1,608	525	103	18	38	22
67	98	118	156	157	163	213	246	222	223	157	107	63	51	16	10	9	3	23
490	591	625	847	1,038	1,442	1,815	2,084	2,713	3,382	3,990	3,809	3,229	1,762	703	163	26	11	24
45	63	58	68	86	95	106	87	87	83	70	56	43	19	9	7	7	-	25
453	595	703	1,043	1,355	1,919	2,554	3,011	3,722	4,048	4,140	3,724	2,695	1,387	474	103	15	8	26
49	80	86	104	135	149	187	177	172	156	105	89	37	23	8	6	3	1	27
253	322	402	605	857	1,179	1,648	2,023	2,339	2,360	2,225	1,941	1,267	634	177	36	2	6	28
32	46	47	66	88	88	118	125	121	102	68	63	18	17	4	3	2	1	29
200	273	301	438	498	740	906	988	1,383	1,688	1,915	1,783	1,428	753	297	67	13	2	30
17	34	39	38	47	61	69	52	51	54	37	26	19	6	4	3	1	-	31
201	213	228	291	417	628	831	1,113	1,315	1,600	1,884	1,884	1,530	812	295	66	10	11	32
19	18	21	20	21	31	33	34	34	35	29	21	16	11	3	1	-	-	33
124	123	119	163	237	366	524	678	774	878	992	952	690	384	117	21	8	10	34
15	10	18	14	11	16	26	28	26	23	18	13	9	7	3	-	-	-	35
77	90	109	128	180	262	307	435	541	722	892	932	840	428	178	45	2	1	36
4	8	3	6	10	15	7	6	8	12	11	8	7	4	-	1	-	-	37
111	125	120	159	240	305	417	501	599	727	820	748	646	320	126	32	5	4	38
9	6	5	15	9	15	10	17	7	21	12	5	11	3	1	2	-	-	39
68	78	83	95	152	193	252	346	383	428	468	434	348	141	47	11	2	2	40
5	5	5	10	6	13	7	13	6	20	11	1	10	2	1	2	-	-	41
43	47	37	64	88	112	165	155	216	299	352	314	298	179	79	21	3	2	42
4	1	-	5	3	2	3	4	1	1	1	4	1	1	-	-	-	-	43
462	464	552	629	905	1,174	1,534	1,690	1,990	2,170	2,202	2,002	1,591	851	333	65	14	26	44
35	57	64	85	78	63	89	105	96	94	81	48	42	33	13	8	13	2	45
292	283	374	412	633	846	1,097	1,184	1,417	1,497	1,371	1,222	928	449	184	35	6	20	46
15	37	48	66	52	46	62	80	69	78	60	30	26	25	8	5	7	2	47
170	181	178	217	272	328	437	506	573	673	831	780	663	402	149	30	8	6	48
20	20	16	19	26	17	27	25	27	16	21	18	16	8	5	3	6	-	49
260	266	291	340	436	496	641	849	1,048	1,202	1,378	1,329	1,048	549	190	34	6	40	50
247	256	282	329	415	481	625	826	1,018	1,184	1,354	1,314	1,033	543	182	34	6	39	51
13	10	9	11	21	15	16	23	30	18	24	15	15	6	8	-	-	1	52
141	137	158	175	241	296	418	529	627	688	797	747	550	282	89	16	1	25	53
6	4	5	5	16	8	8	17	15	10	15	10	12	2	7	-	-	1	54
106	119	124	154	174	185	207	297	391	496	557	567	483	261	93	18	5	14	55
7	6	4	6	5	7	8	6	15	8	9	5	3	4	1	-	-	-	56
70	75	100	125	149	169	260	355	402	457	517	478	375	186	63	5	3	13	57
4	6	6	7	9	9	11	11	13	9	13	8	12	2	3	-	-	-	58
37	37	54	67	74	98	166	218	228	245	279	254	175	97	27	1	-	6	59
1	2	4	3	6	3	4	9	8	4	7	5	9	-	2	-	-	-	60
33	38	46	58	75	71	94	137	174	212	238	224	200	89	36	4	3	7	61
3	4	2	4	3	6	7	2	5	5	6	3	3	2	1	-	-	-	62
27	30	48	39	63	62	80	113	164	200	246	237	165	96	24	6	-	8	63
3	-	1	2	6	-	1	5	6	5	6	2	1	1	-	-	-	1	64
8	14	25	19	34	38	53	65	103	112	138	122	87	43	7	4	-	6	65
2	-	1	1	4	-	1	3	1	5	6	1	1	1	-	-	-	1	66
19	16	23	20	29	24	27	48	61	88	108	115	78	53	17	2	-	2	67
1	-	-	1	2	-	-	2	5	-	-	1	-	-	-	-	-	-	68
32	46	36	33	32	63	71	91	136	151	180	170	129	60	20	7	1	6	69
-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-	70
20	23	18	10	19	33	45	50	83	99	116	98	69	34	12	2	-	5	71
-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	72
12	23	18	23	13	30	26	41	53	52	64	72	60	26	8	5	1	1	73
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	74
118	105	98	132	171	187	214	267	316	376	411	429	364	201	75	16	2	12	75
8	4	2	2	6	6	4	7	7	4	4	4	2	3	5	-	-	-	76
78	63	61	79	114	127	134	196	213	232	264	273	219	108	43	9	1	8	77
3	2	-	1	6	5	3	5	4	1	1	3	2	1	5	-	-	-	78
42	42	37	53	57	60	60	71	103	144	147	156	145	93	32	7	1	4	79
3	2	2	1	-	1	1	2	3	3	3	1	-	2	-	-	-	-	80
228	298	322	401	557	854	1,256	1,617	1,861	2,221	2,255	1,992	1,531	755	292	68	6	13	81
206	279	305	372	524	831	1,224	1,586	1,814	2,187	2,226	1,962	1,518	745	281	67	6	10	82
22	19	17	29	33	23	32	31	47	34	29	30	13	10	11	1	-	3	83
118	170	165	214	292	512	745	942	1,059	1,224	1,179	935	684	319	107	22	3	6	84
12	7	10	16	18	14	24	17	25	16	14	14	6	6	5	-	-	3	85
88	109	140	158	232	319	479	644	755	963	1,047	1,027	834	426	174	45	3	4	86
10	12	7	13	15	9	8	14	22	18	15	16	7	4	6	1	-	-	87
62	85	99	136	204	322	425	588	626	728	747	568	397	171	70	18	-	-	88
6	9	8	18	11	14	16	19	25	19	16	20	5	6	4	-	-	-	89
38	49	48	72	100	190	266	343	362	387	404	291	184	77	30	5	-	-	90
2	4	5	10	5	9	12	9	12	8	7	8	2	3	1	-	-	-	91
26	36	51	64	104	132	159	245	264	341	343	277	213	94	40	13	-	-	92
4	5	3	8	6	5	4	10	13	11	9	12	3	3	3	-	-	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	CONNECTICUT—Continued											
1	Cities of 10,000 to 100,000	White	7,136	388	32	12	13	9	454	34	40	73
2		All other	150	12	1	-	-	3	16	2	1	5
3	Male	White	3,775	224	19	7	6	5	261	20	22	37
4		All other	78	5	1	-	-	1	7	2	1	1
5	Female	White	3,361	164	13	5	7	4	193	14	18	36
6		All other	72	7	-	-	-	2	9	-	-	4
7	Cities of 2,500 to 10,000	White	617	25	-	1	-	2	28	3	2	6
8		All other	3	1	-	-	-	-	1	-	-	-
9	Male	White	311	10	-	-	-	-	10	2	2	3
10		All other	-	-	-	-	-	-	-	-	-	-
11	Female	White	306	15	-	1	-	2	18	1	-	3
12		All other	3	1	-	-	-	-	1	-	-	-
13	Rural	White	3,945	72	4	8	5	4	93	13	18	37
14		All other	65	4	-	-	-	-	4	-	1	-
15	Male	White	2,229	45	1	5	2	2	55	10	10	31
16		All other	47	3	-	-	-	-	3	-	1	-
17	Female	White	1,716	27	3	3	3	2	38	3	8	6
18		All other	18	1	-	-	-	-	1	-	-	-
19	DELAWARE		3,261	225	19	8	9	6	267	16	26	53
20	Both sexes	White	2,605	159	11	6	8	3	187	12	23	35
21		All other	656	66	8	2	1	3	80	4	3	18
22	Male	White	1,379	77	5	4	6	1	93	8	13	19
23		All other	356	36	4	1	1	2	44	3	1	11
24	Female	White	1,226	82	6	2	2	2	94	4	10	16
25		All other	300	30	4	1	-	1	36	1	2	7
26	Cities of 100,000 or more	White	1,245	88	6	2	5	-	101	7	15	17
27		All other	255	29	2	-	-	1	32	1	1	4
28	Male	White	636	47	4	2	4	-	57	6	9	10
29		All other	143	17	1	-	-	-	18	1	-	3
30	Female	White	609	41	2	-	1	-	44	1	6	7
31		All other	112	12	1	-	-	1	14	-	1	1
32	Cities of 2,500 to 10,000	White	347	35	3	2	1	1	42	2	3	7
33		All other	110	9	-	-	-	-	9	1	-	5
34	Male	White	190	15	-	1	-	-	16	1	2	2
35		All other	60	4	-	-	-	-	4	1	-	3
36	Female	White	157	20	3	1	1	1	26	1	1	5
37		All other	50	5	-	-	-	-	5	-	-	2
38	Rural	White	1,013	36	2	2	2	2	44	3	5	11
39		All other	291	28	6	2	1	2	39	2	2	9
40	Male	White	553	15	1	1	2	1	20	1	2	7
41		All other	153	15	3	1	1	2	22	1	1	5
42	Female	White	460	21	1	1	-	1	24	2	3	4
43		All other	138	13	3	1	-	-	17	1	1	4
44	DISTRICT OF COLUMBIA		8,637	719	43	22	18	15	817	59	48	95
45	Both sexes	White	5,678	394	23	12	11	4	444	31	23	43
46		All other	2,959	325	20	10	7	11	373	28	25	52
47	Male	White	3,185	241	18	5	5	4	273	18	10	20
48		All other	1,536	178	15	3	5	4	205	14	13	24
49	Female	White	2,493	153	5	7	6	-	171	13	13	13
50		All other	1,423	147	5	7	2	7	168	14	12	28
51	FLORIDA		22,926	1,814	170	105	76	58	2,223	176	202	359
52	Both sexes	White	15,245	1,047	90	55	38	34	1,264	114	133	168
53		All other	7,681	767	80	50	38	24	959	62	69	191
54	Male	White	9,361	601	52	33	24	18	728	62	85	97
55		All other	4,362	452	39	29	27	12	559	36	32	94
56	Female	White	5,884	446	38	22	14	16	536	52	48	71
57		All other	3,319	315	41	21	11	12	400	26	37	97
58	Cities of 100,000 or more	White	3,715	285	21	6	10	9	331	26	27	36
59		All other	1,857	143	16	3	5	7	174	18	15	47
60	Male	White	2,255	164	13	4	7	3	191	14	19	19
61		All other	1,001	89	11	3	4	4	111	13	8	20
62	Female	White	1,460	121	8	2	3	6	140	12	8	17
63		All other	856	54	5	-	1	3	63	5	7	27
64	Cities of 10,000 to 100,000	White	4,397	230	25	19	7	7	288	24	32	36
65		All other	1,567	162	11	8	5	5	191	6	15	33
66	Male	White	2,623	128	9	13	6	5	161	12	22	26
67		All other	873	94	6	5	2	3	110	3	5	16
68	Female	White	1,774	102	16	6	1	2	127	12	10	10
69		All other	694	68	5	3	3	2	81	3	10	17
70	Cities of 2,500 to 10,000	White	2,388	142	13	8	8	8	179	22	24	32
71		All other	1,306	117	17	11	8	2	155	13	13	37
72	Male	White	1,487	81	7	3	5	3	99	13	15	20
73		All other	771	67	8	7	8	1	91	8	4	17
74	Female	White	901	61	6	5	3	5	80	9	9	12
75		All other	535	50	9	4	-	1	64	5	9	20
76	Rural	White	4,745	390	31	22	13	10	466	42	50	64
77		All other	2,951	345	36	28	20	10	439	25	26	74
78	Male	White	2,996	228	23	13	6	7	277	23	29	32
79		All other	1,717	202	14	14	13	4	247	12	15	41
80	Female	White	1,749	162	8	9	7	3	189	19	21	32
81		All other	1,234	143	22	14	7	6	192	13	11	33
82	GEORGIA		32,513	3,761	441	197	109	93	4,601	353	344	816
83	Both sexes	White	17,530	1,870	210	97	61	48	2,286	194	179	336
84		All other	14,983	1,891	231	100	48	45	2,315	159	165	480
85	Male	White	10,217	1,090	114	50	33	32	1,319	109	117	210
86		All other	8,030	1,112	133	60	28	25	1,358	90	92	222
87	Female	White	7,313	780	96	47	28	16	967	85	62	126
88		All other	6,953	779	98	40	20	20	957	69	73	258
89	Cities of 100,000 or more	White	2,225	195	16	8	7	5	231	19	21	39
90		All other	1,983	188	18	9	2	2	219	23	12	53
91	Male	White	1,234	106	8	4	4	3	125	12	15	25
92		All other	1,032	100	12	7	1	1	121	9	7	24
93	Female	White	991	89	8	4	3	2	106	7	6	14
94		All other	951	88	6	2	1	1	98	14	5	29

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
103	128	134	145	185	325	537	649	762	897	844	828	591	291	88	24	2	2	1
11	7	6	8	17	6	12	7	16	9	9	7	2	2	6	1	-	-	2
54	74	70	83	101	195	314	388	435	512	433	368	245	124	31	9	1	-	3
5	1	4	4	10	2	9	5	8	5	4	4	1	2	3	-	-	-	4
49	54	64	62	84	130	223	261	327	385	411	460	348	167	57	15	1	2	5
6	6	2	4	7	4	3	2	8	4	5	3	1	-	3	1	-	-	6
6	9	7	11	22	20	26	42	59	70	81	86	63	56	12	5	2	1	7
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	8
5	5	4	8	12	10	12	24	39	44	41	33	32	19	3	1	1	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	4	3	3	10	10	14	18	20	26	40	53	31	37	9	4	1	-	11
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	12
35	57	65	80	113	164	236	307	367	492	554	480	467	227	111	20	2	7	13
5	3	3	3	5	3	4	5	6	6	4	2	5	2	1	-	-	3	14
23	42	43	51	79	117	153	187	223	281	301	243	225	99	43	7	1	5	15
5	2	1	2	3	3	3	3	5	3	3	2	3	1	1	-	-	3	16
12	15	22	29	34	47	83	120	144	211	253	237	242	128	68	13	1	2	17
-	1	2	1	2	-	1	2	1	3	1	-	2	1	-	-	-	-	18
55	68	71	73	117	148	215	255	295	349	371	360	293	158	52	12	1	6	19
37	43	49	47	75	120	163	196	222	291	323	303	272	150	45	9	-	3	20
18	25	22	26	42	28	52	59	73	58	48	57	21	8	7	3	1	3	21
19	25	25	22	36	69	89	120	129	167	171	149	132	67	21	4	-	1	22
7	16	13	14	25	15	29	33	37	35	30	29	7	4	-	1	-	2	23
18	18	24	25	39	51	74	76	93	124	152	154	140	83	24	5	-	2	24
11	9	9	12	17	13	23	26	36	23	18	28	14	4	7	2	1	1	25
18	18	31	24	48	67	101	108	110	150	154	124	89	44	16	3	-	-	26
6	7	14	13	23	14	19	23	30	24	20	14	5	1	2	1	1	-	27
9	9	14	12	25	37	54	70	62	78	78	51	29	20	5	1	-	-	28
2	2	8	9	13	7	12	16	14	15	12	7	3	1	-	-	-	-	29
9	9	17	12	23	30	47	38	48	72	76	73	60	24	11	2	-	-	30
4	5	6	4	10	7	7	7	16	9	8	7	2	-	2	1	1	-	31
8	6	7	8	5	15	26	21	25	31	41	34	40	21	4	-	-	1	32
8	6	4	6	6	2	4	10	12	12	6	11	4	2	1	1	-	-	33
3	5	3	4	2	10	15	14	17	21	24	21	21	6	3	-	-	-	34
3	5	2	2	3	1	3	7	8	7	3	5	1	1	-	1	-	-	35
5	1	4	4	3	5	11	7	8	10	17	13	19	15	1	-	-	1	36
5	1	2	4	3	1	1	3	4	5	3	6	3	1	1	-	-	-	37
11	19	11	15	22	38	36	67	87	110	128	145	143	85	25	6	-	2	38
4	12	4	7	13	12	29	26	31	22	22	32	12	5	4	1	-	3	39
7	11	8	6	9	22	20	36	50	68	69	77	82	41	13	3	-	1	40
2	9	3	3	9	7	14	10	15	13	15	17	3	2	-	-	-	2	41
4	8	3	9	13	16	16	31	37	42	59	68	61	44	12	3	-	1	42
2	3	1	4	4	5	15	16	16	9	7	15	9	3	4	1	-	1	43
172	252	295	363	511	594	675	649	823	883	813	653	532	263	106	23	7	4	44
70	120	143	180	281	368	394	414	585	626	644	540	451	223	80	15	1	2	45
102	132	152	183	230	226	281	235	238	257	169	113	81	40	26	8	6	2	46
46	64	86	109	186	243	268	262	370	334	315	267	189	81	29	3	-	2	47
42	61	81	103	111	135	157	128	136	136	78	50	31	16	10	3	1	1	48
24	56	57	71	95	125	126	152	215	292	329	273	262	142	51	12	1	-	49
60	71	71	80	119	91	124	107	102	121	91	63	50	24	16	5	5	1	50
608	784	874	957	1,173	1,385	1,637	1,791	1,875	2,254	2,240	1,830	1,394	726	254	71	29	84	51
250	331	370	403	558	757	915	1,152	1,402	1,763	1,858	1,597	1,252	647	207	52	8	44	52
358	453	504	554	615	628	722	639	473	491	382	233	142	79	47	19	21	40	53
160	199	214	236	355	511	635	781	908	1,118	1,125	978	664	351	98	25	2	29	54
177	262	298	300	303	365	412	374	272	296	241	152	79	40	29	10	8	23	55
90	132	156	167	203	246	280	371	494	645	733	619	588	296	109	27	6	15	56
181	191	206	254	312	263	310	265	201	195	141	81	63	39	18	9	13	17	57
63	85	98	112	161	219	262	320	371	417	412	345	247	127	40	10	2	4	58
67	116	143	187	186	183	196	144	119	105	75	34	13	11	11	3	7	3	59
42	41	53	63	96	140	181	224	242	262	243	206	130	66	18	3	-	2	60
31	62	90	91	87	96	112	79	63	55	42	20	6	3	6	1	3	2	61
21	44	45	49	65	79	81	96	129	155	169	139	117	61	22	7	2	2	62
36	54	53	96	99	87	84	65	56	50	33	14	7	8	5	2	4	1	63
60	77	96	102	131	180	267	365	431	528	583	544	373	192	59	16	2	11	64
84	110	99	114	124	143	162	142	94	88	71	44	27	10	4	2	2	2	65
32	47	52	59	79	108	189	239	262	330	325	345	192	103	22	9	1	8	66
47	64	55	71	55	82	95	81	52	48	43	22	13	5	3	1	-	2	67
28	30	44	43	52	72	78	126	169	198	258	199	181	89	37	7	1	3	68
37	46	44	43	69	61	67	61	42	40	28	22	14	5	1	1	2	-	69
41	62	72	63	87	116	120	170	202	292	299	258	207	99	31	5	-	7	70
51	96	97	81	126	115	127	109	79	72	59	32	16	7	4	6	1	10	71
22	38	44	37	56	87	76	117	130	182	194	159	119	55	18	4	-	2	72
23	60	61	45	71	80	66	69	45	52	38	24	6	2	2	2	1	4	73
19	24	28	26	31	29	44	53	72	110	105	99	88	44	13	1	-	5	74
28	36	36	36	55	35	61	40	34	20	21	8	10	5	2	4	-	6	75
86	107	104	126	179	242	266	297	398	526	564	450	425	229	77	21	4	22	76
156	131	165	172	179	187	237	244	181	226	177	123	86	51	28	8	11	25	77
64	73	65	77	124	176	189	201	274	344	363	268	223	127	40	9	1	17	78
76	76	92	93	90	107	159	145	112	141	118	86	54	30	18	6	4	15	79
22	34	39	49	55	66	77	96	124	182	201	182	202	102	37	12	3	5	80
80	55	73	79	89	80	98	99	69	65	59	37	32	21	10	2	7	10	81
1,106	1,240	1,368	1,475	1,706	1,920	2,380	2,306	2,442	2,760	2,455	1,991	1,709	911	369	97	71	93	82
403	399	498	589	649	850	1,050	1,251	1,515	1,802	1,752	1,477	1,323	677	226	41	10	43	83
703	841	870	886	1,057	1,070	1,330	1,075	927	958	703	514	386	234	143	56	61	50	84
241	216	285	337	395	566	699	801	964	1,093	998	745	674	321	90	14	4	19	85
343	441	456	440	509	566	724	553	509	536	395	301	227	118	63	27	31	29	86
162	183	213	252	254	284	351	430	551	709	754	732	649	356	136	27	6	24	87
360	400	414	446	548	504	606	522	418	422	308	213	159	116	80	29	30	21	88
41	69	64	68	95	122	157	199	247	214	197	176	137	85	20	2	1	1	89
106	144	149	154	195	185	180	149	123	119	73	35	33	15	8	2	5	1	90
16	38	32	49	59	69	92	120	161	113	108	87	66	38	7	1	1	-	91
57	74	83	91	104	95	95	71	63	52	29	19	21	10	3	1	3	-	92
25	31	32	39	36	53	65	79	86	101	89	89	71	47	13	1	-	1	93
49	70	66	63	91	90	85	78	60	67	44	16	12	5	5	1	2	1	94

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	GEORGIA—Continued										
1	Cities of 10,000 to 100,000—White	4,120	417	59	25	17	13	531	48	46	88
2	All other	3,706	307	47	29	7	10	400	37	31	135
3	Male—White	2,383	252	32	13	7	11	315	26	25	46
4	All other	1,977	189	27	17	4	4	241	25	19	60
5	Female—White	1,737	165	27	12	10	2	216	22	21	42
6	All other	1,729	118	20	12	3	6	159	12	12	75
7	Cities of 2,500 to 10,000—White	2,182	270	25	19	14	6	334	22	29	60
8	All other	1,740	212	28	11	7	10	268	17	15	71
9	Male—White	1,301	169	14	9	10	2	204	16	19	40
10	All other	895	121	16	7	5	6	155	8	8	33
11	Female—White	881	101	11	10	4	4	130	6	10	20
12	All other	845	91	12	4	2	4	113	9	7	38
13	Rural—White	9,003	988	110	45	23	24	1,190	105	83	149
14	All other	7,554	1,184	138	51	32	23	1,428	82	107	221
15	Male—White	5,299	563	60	24	12	16	675	55	58	99
16	All other	4,126	702	78	29	18	14	841	48	58	105
17	Female—White	3,704	425	50	21	11	8	515	50	25	50
18	All other	3,428	482	60	22	14	9	587	34	49	116
19	IDAHO	4,890	495	55	28	12	17	607	61	79	111
20	Both sexes—White	4,795	473	52	28	12	16	581	59	77	107
21	All other	95	22	3	-	-	1	26	2	2	4
22	Male—White	3,038	283	30	19	5	9	346	40	47	74
23	All other	56	15	1	-	-	1	17	1	1	3
24	Female—White	1,757	190	22	9	7	7	235	19	30	33
25	All other	39	7	2	-	-	-	9	1	1	1
26	Cities of 10,000 to 100,000—White	1,576	171	16	5	4	10	206	24	28	35
27	All other	23	6	-	-	-	-	6	-	-	-
28	Male—White	940	97	10	3	1	4	115	14	16	20
29	All other	15	4	-	-	-	-	4	-	-	-
30	Female—White	636	74	6	2	3	6	91	10	12	15
31	All other	8	2	-	-	-	-	2	-	-	-
32	Cities of 2,500 to 10,000—White	1,091	130	12	6	2	3	153	10	21	22
33	All other	3	-	-	-	-	-	-	-	-	-
34	Male—White	693	85	4	4	1	2	96	7	17	16
35	All other	2	-	-	-	-	-	-	-	-	-
36	Female—White	398	45	8	2	1	1	57	3	4	6
37	All other	1	-	-	-	-	-	-	-	-	-
38	Rural—White	2,128	172	24	17	6	3	222	25	28	50
39	All other	69	16	3	-	-	1	20	2	2	4
40	Male—White	1,405	101	16	12	3	3	135	19	14	38
41	All other	39	11	1	-	-	1	13	1	1	3
42	Female—White	723	71	8	5	3	-	87	6	14	12
43	All other	30	5	2	-	-	-	7	1	1	1
44	ILLINOIS	88,231	4,343	421	239	167	138	5,308	608	594	1,031
45	Both sexes—White	82,051	4,032	379	202	159	121	4,893	573	533	885
46	All other	6,180	311	42	37	8	17	415	35	61	146
47	Male—White	46,087	2,300	205	117	90	72	2,784	348	313	519
48	All other	3,463	192	27	26	7	8	260	18	31	64
49	Female—White	35,964	1,732	174	85	69	49	2,109	225	220	366
50	All other	2,717	119	15	11	1	9	155	17	30	82
51	Cities of 100,000 or more—White	33,649	1,370	145	75	68	49	1,707	225	208	309
52	All other	4,206	216	30	23	6	14	289	21	43	102
53	Male—White	18,939	793	73	47	35	36	984	138	113	167
54	All other	2,237	133	20	17	5	7	182	13	23	43
55	Female—White	14,710	577	72	28	33	13	723	87	95	142
56	All other	1,969	83	10	6	1	7	107	8	20	59
57	Cities of 10,000 to 100,000—White	19,155	1,287	108	59	37	35	1,526	171	128	216
58	All other	848	49	9	9	1	2	70	10	11	27
59	Male—White	10,348	718	64	30	17	14	843	110	75	131
60	All other	460	30	6	4	1	-	41	4	5	9
61	Female—White	8,807	569	44	29	20	21	683	61	53	85
62	All other	388	19	3	5	-	2	29	6	6	18
63	Cities of 2,500 to 10,000—White	8,075	507	37	23	12	16	595	54	61	117
64	All other	182	17	-	1	-	-	18	1	1	4
65	Male—White	4,336	292	21	13	9	10	345	30	40	69
66	All other	101	11	-	1	-	-	12	-	1	2
67	Female—White	3,739	215	16	10	3	6	250	24	21	48
68	All other	81	6	-	-	-	-	6	1	-	2
69	Rural—White	21,172	868	89	45	42	21	1,065	123	136	243
70	All other	944	29	3	4	1	1	38	3	6	13
71	Male—White	12,464	497	47	27	29	12	612	70	85	152
72	All other	665	18	1	4	1	1	25	1	2	10
73	Female—White	8,708	371	42	18	13	9	453	53	51	91
74	All other	279	11	2	-	-	-	13	2	4	3
75	INDIANA	40,402	2,596	235	157	85	74	3,147	320	312	477
76	Both sexes—White	38,463	2,441	224	151	80	71	2,967	304	299	429
77	All other	1,939	155	11	6	5	3	180	16	13	48
78	Male—White	21,021	1,413	137	81	46	47	1,724	186	176	244
79	All other	1,002	93	6	4	1	2	106	8	4	18
80	Female—White	17,442	1,028	87	70	34	24	1,243	118	123	185
81	All other	937	62	5	2	4	1	74	8	9	30
82	Cities of 100,000 or more—White	7,607	533	60	36	28	19	676	94	78	95
83	All other	1,117	92	6	2	4	3	107	9	6	31
84	Male—White	4,153	310	35	17	16	11	389	60	41	53
85	All other	562	60	5	2	1	2	70	3	3	10
86	Female—White	3,454	223	25	19	12	8	287	34	37	42
87	All other	555	32	1	-	3	1	37	6	3	21
88	Cities of 10,000 to 100,000—White	10,705	874	65	46	17	24	1,026	104	85	135
89	All other	510	50	4	3	1	-	58	3	3	9
90	Male—White	5,769	499	40	25	9	19	592	62	54	75
91	All other	253	26	-	2	-	-	28	2	-	5
92	Female—White	4,936	375	25	21	8	5	434	42	31	60
93	All other	257	24	4	1	1	-	30	1	3	4

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
110	108	138	159	177	231	281	311	383	409	401	294	246	105	40	4	2	8	1
169	230	269	277	349	298	391	288	254	218	146	90	65	29	18	3	1	8	2
60	55	82	102	111	157	194	208	249	249	213	127	111	35	11	2	1	4	3
83	125	147	141	169	168	219	152	140	116	76	39	30	13	9	1	1	3	4
50	53	56	57	66	74	87	103	134	160	188	167	135	70	29	2	1	4	5
86	105	122	136	180	130	172	136	114	102	70	51	35	16	9	2	-	5	6
60	70	62	82	81	92	102	143	173	225	223	174	145	72	22	7	1	3	7
85	110	103	91	120	115	151	152	123	109	60	64	30	25	13	4	7	7	8
36	39	38	47	44	59	80	102	116	146	118	80	75	32	6	2	-	2	9
44	50	51	47	57	56	75	76	58	61	34	46	15	6	5	2	3	5	10
24	31	24	35	37	33	22	41	57	79	105	94	70	40	16	5	1	1	11
41	60	52	44	63	59	76	76	65	48	26	18	15	19	8	2	4	2	12
192	152	234	260	296	405	510	578	712	954	931	833	795	415	144	28	6	31	13
343	357	349	364	393	472	608	486	427	512	424	325	258	165	104	47	48	34	14
129	84	133	139	181	281	333	371	438	585	559	451	422	216	66	9	2	13	15
159	192	175	161	179	247	335	254	248	307	256	197	161	89	46	23	24	21	16
63	68	101	121	115	124	177	207	274	369	372	392	373	199	78	19	4	18	17
184	165	174	203	214	225	273	232	179	205	168	128	97	76	58	24	24	13	18
127	102	116	138	151	241	254	348	391	452	480	522	404	197	84	19	2	4	19
125	99	114	134	151	233	251	341	384	447	473	517	401	196	80	19	2	4	20
2	3	2	4	-	8	3	7	7	5	7	5	3	1	4	-	-	-	21
83	59	63	82	102	157	171	236	265	275	298	320	254	107	45	9	1	4	22
-	-	1	2	-	4	3	5	5	3	6	3	2	-	-	-	-	-	23
42	40	51	52	49	76	80	105	119	172	175	197	147	89	35	10	1	-	24
2	3	1	2	-	4	-	2	2	2	1	2	1	1	4	-	-	-	25
43	28	45	52	46	87	78	112	131	137	148	169	120	62	22	3	-	-	26
-	1	1	-	-	2	2	2	3	1	1	2	2	-	-	-	-	-	27
24	17	22	30	25	60	50	76	86	74	84	103	72	36	13	3	-	-	28
-	-	-	-	-	-	2	2	2	1	1	2	1	-	-	-	-	-	29
19	11	23	22	21	27	28	36	45	63	64	66	48	26	9	-	-	-	30
-	1	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	31
24	24	18	30	35	39	52	80	87	107	113	125	91	41	13	4	-	2	32
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	33
16	9	8	21	26	28	30	52	58	67	71	78	61	22	7	1	-	2	34
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	35
8	15	10	9	9	11	22	28	29	40	42	47	30	19	6	3	-	-	36
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
58	47	51	52	70	107	121	149	166	203	212	223	190	93	45	12	2	2	38
1	2	1	4	-	6	-	5	4	3	6	3	1	1	4	-	-	-	39
43	33	33	31	51	69	91	108	121	134	143	139	121	49	25	5	1	2	40
-	-	1	2	-	4	-	3	3	1	5	1	1	-	-	-	-	-	41
15	14	18	21	19	38	30	41	45	69	69	84	69	44	20	7	1	-	42
1	2	-	2	-	2	-	2	1	2	1	2	-	1	4	-	-	-	43
1,405	1,650	2,080	2,542	3,617	4,967	6,678	7,486	8,312	9,730	10,501	9,472	7,267	3,476	1,167	263	39	38	44
1,193	1,404	1,738	2,053	3,013	4,357	6,005	6,906	7,809	9,260	10,164	9,253	7,163	3,406	1,146	247	35	35	45
212	246	342	489	604	630	673	580	503	470	337	219	104	70	21	16	4	3	46
690	776	931	1,177	1,812	2,689	3,731	4,285	4,787	5,290	5,498	4,788	3,544	1,524	467	91	15	28	47
105	124	179	257	342	367	403	341	291	279	185	109	55	33	5	12	2	1	48
503	628	807	876	1,201	1,648	2,274	2,621	3,022	3,970	4,666	4,465	3,619	1,882	679	156	20	7	49
107	122	163	232	262	263	270	239	212	191	152	110	49	37	16	4	2	2	50
462	612	813	1,016	1,492	2,162	3,125	3,577	3,667	3,932	3,859	3,084	2,141	882	294	67	9	6	51
154	180	266	374	432	430	488	403	332	290	197	124	51	30	13	6	1	-	52
245	318	439	589	860	1,302	1,977	2,255	2,274	2,216	2,018	1,551	993	360	106	25	3	6	53
75	85	138	192	225	226	258	237	176	163	103	52	25	12	3	6	-	-	54
217	294	374	427	632	860	1,148	1,322	1,393	1,716	1,841	1,533	1,148	522	188	42	6	-	55
79	95	128	182	207	204	210	166	156	127	94	72	26	18	10	-	1	-	56
319	344	432	455	564	863	1,235	1,462	1,708	2,134	2,373	2,259	1,784	838	277	49	9	9	57
25	26	35	60	71	64	82	76	73	74	63	35	19	17	4	5	1	-	58
180	185	217	255	295	469	682	914	978	1,191	1,282	1,132	905	367	114	14	3	6	59
11	13	17	29	37	51	51	41	44	53	36	18	8	6	2	3	1	-	60
139	159	215	200	269	394	553	548	730	943	1,091	1,127	879	471	163	35	6	3	61
14	13	18	31	34	33	31	35	29	21	27	17	11	11	2	2	-	-	62
133	148	147	181	236	310	419	539	661	899	1,086	1,045	813	415	175	34	3	4	63
6	4	9	9	6	12	15	16	15	17	16	11	12	8	1	-	-	1	64
76	79	76	93	136	190	234	301	396	483	595	544	372	198	68	8	1	2	65
2	2	5	6	3	8	10	9	9	9	6	6	7	4	-	-	-	-	66
57	69	71	88	100	120	185	238	265	416	491	501	441	217	107	26	2	2	67
4	2	4	3	3	4	5	7	6	8	10	5	5	4	1	-	-	1	68
279	300	346	401	721	1,002	1,226	1,328	1,773	2,295	2,846	2,865	2,425	1,271	400	97	14	16	69
27	36	32	46	95	124	108	85	83	89	61	49	22	15	3	5	2	2	70
189	194	199	240	521	728	838	815	1,139	1,400	1,603	1,561	1,274	599	179	44	8	14	71
17	24	19	30	77	102	84	54	62	54	40	33	15	11	-	3	1	1	72
90	106	147	161	200	274	388	513	634	895	1,243	1,304	1,151	672	221	53	6	2	73
10	12	13	16	18	22	24	31	21	35	21	16	7	4	3	2	1	1	74
650	677	806	963	1,233	1,713	2,147	2,800	3,489	4,211	4,976	5,162	4,133	2,305	677	153	17	34	75
587	590	708	845	1,099	1,544	1,985	2,628	3,355	4,040	4,847	5,048	4,068	2,272	660	146	13	29	76
63	87	98	118	154	169	162	172	134	171	129	114	65	33	17	7	4	5	77
347	332	386	437	610	862	1,191	1,574	1,902	2,277	2,675	2,591	2,078	1,039	304	60	7	19	78
28	50	55	60	63	88	83	77	71	91	66	62	39	21	7	2	-	3	79
240	258	322	408	489	682	794	1,054	1,453	1,763	2,172	2,457	1,990	1,233	356	86	6	10	80
35	37	43	58	71	81	79	95	63	80	63	52	26	12	10	5	4	2	81
122	124	184	211	311	442	518	616	752	828	834	745	577	298	80	19	2	1	82
34	57	64	69	86	104	107	88	89	89	65	58	28	17	5	2	2	-	83
68	57	95	102	177	253	336	384	447	470	440	375	248	126	27	4	2	1	84
15	33	34	34	38	54	53	40	45	46	29	28	15	9	3	-	-	4	85
56	67	89	109	134	189	182	232	305	358	394	370	329	172	53	15	-	-	86
19	24	30	35	48	50	54	48	44	43	36	30	13	8	2	2	2	-	87
156	182	217	264	329	445	626	793	999	1,103	1,274	1,341	949	496	137	34	2	8	88
8	9	15	32	27	47	38	62	31	49	39	36	24	9	7	2	-	2	89
90	100	113	126	174	236	369	472	547	625	705	666	472	202	70	13	-	6	90
3	5	9	17	10	21	22	22	16	24	21	22	17	6	1	1	-	1	91
66	82	104	138	155	209	257	321	452	478	569	675	477	294	67	21	2	2	92
5	4	6	15	17	26	16	40	15	25	18	14	7	3	6	1	-	1	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	INDIANA—Continued										
1	Cities of 2,500 to 10,000—White	4,505	316	32	20	10	8	386	25	27	49
2	All other	47	4	-	1	-	-	5	1	1	-
3	Male—White	2,419	186	19	12	8	6	231	18	17	29
4	All other	17	1	-	-	-	-	1	-	-	-
5	Female—White	2,086	130	13	8	2	2	155	7	10	20
6	All other	30	3	-	1	-	-	4	1	1	-
7	Rural—White	15,646	718	67	49	25	20	879	81	109	150
8	All other	265	9	1	-	-	-	10	3	3	8
9	Male—White	8,680	418	43	27	13	11	512	46	64	87
10	All other	170	6	1	-	-	-	7	3	1	3
11	Female—White	6,966	300	24	22	12	9	367	35	45	63
12	All other	95	3	-	-	-	-	3	-	2	5
13	IOWA	28,376	1,670	144	90	54	52	2,010	206	217	283
14	Both sexes—White	26,085	1,645	144	88	54	52	1,983	204	214	278
15	All other	291	25	-	2	-	-	27	2	3	5
16	Male—White	14,415	943	90	51	34	30	1,148	125	121	183
17	All other	154	14	-	2	-	-	16	-	3	2
18	Female—White	11,670	702	54	37	20	22	835	79	93	95
19	All other	137	11	-	-	-	-	11	2	-	3
20	Cities of 100,000 or more—White	1,803	110	13	6	4	3	136	21	10	15
21	All other	72	8	-	-	-	-	8	1	-	1
22	Male—White	1,015	66	12	4	4	-	86	12	5	9
23	All other	34	7	-	-	-	-	7	-	-	-
24	Female—White	788	44	1	2	-	3	50	9	5	6
25	All other	38	1	-	-	-	-	1	1	-	1
26	Cities of 10,000 to 100,000—White	8,510	689	61	37	21	24	832	92	82	105
27	All other	125	12	-	2	-	-	14	1	1	2
28	Male—White	4,591	391	35	22	15	17	480	62	44	69
29	All other	64	6	-	2	-	-	8	-	1	-
30	Female—White	3,919	298	26	15	6	7	352	30	38	36
31	All other	61	6	-	-	-	-	6	1	-	2
32	Cities of 2,500 to 10,000—White	5,203	379	23	18	11	9	440	43	50	54
33	All other	42	1	-	-	-	-	1	-	1	1
34	Male—White	2,864	224	14	9	5	5	257	24	28	34
35	All other	29	1	-	-	-	-	1	-	1	1
36	Female—White	2,339	155	9	9	6	4	183	19	22	20
37	All other	13	-	-	-	-	-	-	-	-	-
38	Rural—White	10,569	467	47	27	18	16	575	48	72	104
39	All other	52	4	-	-	-	-	4	-	1	1
40	Male—White	5,945	262	29	16	10	8	325	27	44	71
41	All other	27	-	-	-	-	-	-	-	1	1
42	Female—White	4,624	205	18	11	8	8	250	21	28	33
43	All other	25	4	-	-	-	-	4	-	-	-
44	KANSAS	18,622	1,093	117	65	43	28	1,346	143	140	227
45	Both sexes—White	17,558	1,018	114	61	40	28	1,261	135	135	218
46	All other	1,064	75	3	4	3	-	85	8	5	9
47	Male—White	9,966	580	64	41	27	17	729	76	73	129
48	All other	557	37	2	3	1	-	43	5	2	5
49	Female—White	7,592	438	50	20	13	11	532	59	62	89
50	All other	507	38	1	1	2	-	42	3	3	4
51	Cities of 100,000 or more—White	2,393	164	21	9	5	3	202	25	26	31
52	All other	388	28	1	-	1	-	30	5	3	2
53	Male—White	1,358	95	9	7	3	1	115	9	14	16
54	All other	177	14	-	-	1	-	15	4	1	1
55	Female—White	1,035	69	12	2	2	2	87	16	12	15
56	All other	211	14	1	-	-	-	15	1	2	1
57	Cities of 10,000 to 100,000—White	3,873	244	28	8	11	12	303	27	42	58
58	All other	335	30	-	2	-	-	32	1	-	3
59	Male—White	2,114	151	13	5	7	7	183	19	20	32
60	All other	171	13	-	2	-	-	15	1	-	1
61	Female—White	1,759	93	15	3	4	5	120	8	22	26
62	All other	164	17	-	-	-	-	17	-	-	2
63	Cities of 2,500 to 10,000—White	2,957	240	30	19	8	8	305	20	23	39
64	All other	79	6	1	1	1	-	9	1	-	-
65	Male—White	1,629	134	16	12	5	5	172	13	13	21
66	All other	48	4	1	1	-	-	6	-	-	-
67	Female—White	1,328	106	14	7	3	3	133	7	10	18
68	All other	31	2	-	-	1	-	3	1	-	-
69	Rural—White	8,335	370	35	25	16	5	451	63	44	90
70	All other	262	11	1	1	1	-	14	1	2	4
71	Male—White	4,865	200	26	17	12	4	259	35	26	60
72	All other	161	6	1	-	-	-	7	-	1	3
73	Female—White	3,470	170	9	8	4	1	192	28	18	30
74	All other	101	5	-	1	1	-	7	1	1	1
75	KENTUCKY	29,733	3,358	459	204	123	77	4,221	346	276	633
76	Both sexes—White	25,904	3,086	424	190	111	73	3,884	315	245	529
77	All other	3,829	272	35	14	12	4	337	31	31	104
78	Male—White	14,382	1,765	236	111	52	37	2,201	169	142	317
79	All other	2,074	139	21	5	7	3	175	16	20	47
80	Female—White	11,522	1,321	188	79	59	36	1,683	146	103	212
81	All other	1,755	133	14	9	5	1	162	15	11	57
82	Cities of 100,000 or more—White	3,522	276	24	19	8	8	335	36	27	55
83	All other	924	65	10	2	3	-	80	8	4	15
84	Male—White	1,888	182	12	14	4	4	216	22	17	34
85	All other	476	31	5	1	3	-	40	2	3	7
86	Female—White	1,634	94	12	5	4	4	119	14	10	21
87	All other	448	34	5	1	-	-	40	6	1	8
88	Cities of 10,000 to 100,000—White	3,919	358	45	19	13	14	449	37	35	70
89	All other	895	69	1	2	4	2	78	12	6	27
90	Male—White	2,064	193	26	13	4	6	242	17	22	41
91	All other	497	38	1	1	3	2	45	7	5	15
92	Female—White	1,855	165	19	6	9	8	207	20	13	29
93	All other	398	31	-	1	1	-	33	5	1	12

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
76	61	62	104	99	154	181	284	386	476	579	626	504	305	90	24	1	6	1
1	-	-	3	2	2	-	1	3	6	8	2	7	2	2	1	-	-	2
47	38	36	56	60	82	106	167	207	262	319	309	249	138	39	6	-	3	3
-	-	-	2	-	-	-	-	2	2	3	1	4	1	1	-	-	-	4
29	23	26	48	39	72	75	117	179	214	260	317	255	167	51	18	1	3	5
1	-	-	1	2	2	-	1	1	4	5	1	3	1	1	1	-	-	6
233	223	245	266	360	503	660	935	1,218	1,633	2,160	2,336	2,038	1,173	353	69	8	14	7
20	21	19	14	19	16	17	21	11	27	17	18	6	5	3	2	2	3	8
144	137	142	153	199	291	380	551	701	920	1,211	1,241	1,109	573	168	37	5	9	9
10	12	12	7	15	13	8	15	8	19	13	11	3	5	2	1	-	2	10
89	86	103	113	161	212	280	384	517	713	949	1,095	929	600	185	32	3	5	11
10	9	7	7	4	3	9	6	3	8	4	7	3	-	1	1	2	1	12
344	392	396	516	635	889	1,246	1,690	2,056	2,735	3,555	3,548	3,135	1,704	656	134	17	12	13
337	386	385	506	625	875	1,225	1,652	2,027	2,704	3,526	3,534	3,123	1,695	648	130	17	11	14
7	6	11	10	10	14	21	38	29	31	29	14	12	9	8	4	-	1	15
204	212	180	287	349	479	716	982	1,199	1,562	1,939	1,902	1,613	861	289	51	7	6	16
3	2	6	4	6	3	12	19	18	19	17	9	5	3	6	-	-	1	17
133	174	205	219	276	396	509	670	828	1,142	1,587	1,632	1,510	834	359	79	10	5	18
4	4	5	6	4	11	9	19	11	12	12	5	7	6	2	4	-	-	19
22	35	30	43	87	98	101	138	146	169	226	211	183	83	39	7	1	2	20
2	1	-	3	1	3	5	9	7	11	10	3	2	1	3	1	-	-	21
13	16	10	28	49	66	73	82	89	100	126	115	88	32	13	3	-	-	22
1	1	-	-	-	-	2	3	6	5	6	1	-	-	2	-	-	-	23
9	19	20	15	38	32	28	56	57	69	100	96	95	51	26	4	1	2	24
1	-	-	3	1	3	3	6	1	6	4	2	2	1	1	1	-	-	25
142	143	151	193	249	346	465	627	694	864	1,081	1,020	817	425	146	30	4	2	26
2	2	5	4	6	6	9	21	15	10	13	5	2	3	2	2	-	-	27
79	75	65	99	140	184	276	365	388	488	550	532	397	216	66	14	-	2	28
2	-	3	3	4	-	7	10	6	5	7	4	1	1	2	-	-	-	29
63	68	86	94	109	162	189	262	306	376	531	488	420	209	80	16	4	-	30
-	2	2	1	2	6	2	11	9	5	6	1	1	2	-	2	-	-	31
59	81	87	105	110	163	257	327	386	550	720	698	618	292	124	33	2	4	32
1	2	1	-	1	1	6	4	3	8	2	5	3	1	-	1	-	-	33
51	42	41	57	56	85	143	187	218	317	410	390	325	145	60	12	-	2	34
-	1	-	-	1	1	3	3	2	8	2	4	1	-	-	-	-	-	35
28	39	46	48	54	78	114	140	168	233	310	308	293	147	64	21	2	2	36
1	1	1	-	-	-	3	1	1	-	-	1	2	1	-	1	-	-	37
114	127	117	165	179	268	402	560	801	1,121	1,499	1,605	1,505	895	339	60	10	3	38
2	1	5	3	2	4	1	4	4	2	4	1	5	4	3	-	-	1	39
81	79	64	103	104	144	224	348	504	657	853	865	803	468	150	22	7	2	40
-	-	3	1	1	2	-	3	4	1	2	-	3	2	2	-	-	1	41
33	48	53	62	75	124	178	212	297	464	646	740	702	427	189	38	3	1	42
2	1	2	2	1	2	1	1	-	1	2	1	2	2	1	-	-	-	43
300	257	335	379	486	676	979	1,243	1,557	2,021	2,260	2,266	2,132	1,249	492	110	16	8	44
278	233	309	337	434	606	867	1,143	1,456	1,924	2,160	2,183	2,083	1,207	472	97	12	7	45
21	24	26	42	52	70	112	100	101	97	100	83	49	42	20	13	4	1	46
158	122	170	192	262	352	544	674	878	1,143	1,254	1,217	1,101	618	220	44	6	4	47
12	13	11	16	24	36	65	52	60	51	56	45	24	22	9	4	2	-	48
121	111	139	145	172	254	323	469	578	781	906	966	982	589	252	53	6	3	49
9	11	15	26	28	34	47	48	41	46	44	38	25	20	11	9	2	1	50
45	31	52	57	73	113	166	181	230	251	252	250	222	134	39	9	3	1	51
6	10	8	17	20	28	54	53	36	29	27	32	12	12	1	2	1	-	52
30	14	33	35	48	77	109	102	141	141	149	125	102	70	18	7	2	1	53
2	5	4	5	5	13	30	22	22	11	11	12	8	4	1	1	-	-	54
15	17	19	22	25	36	57	79	89	110	103	125	120	64	21	2	1	-	55
4	5	4	12	15	15	24	31	14	18	16	20	4	8	-	1	1	-	56
56	52	67	80	93	131	184	257	349	384	508	481	411	264	109	12	1	4	57
7	7	12	13	13	12	28	33	34	36	32	25	16	15	8	6	1	1	58
22	24	31	37	58	72	102	150	204	221	286	264	201	137	46	4	-	1	59
5	5	6	4	5	2	14	20	19	19	18	15	8	7	4	3	-	-	60
34	28	36	43	35	59	82	107	145	163	222	217	210	127	63	8	1	3	61
2	2	6	9	8	10	14	13	15	17	14	10	8	8	4	3	1	1	62
53	56	61	62	74	100	145	209	227	329	352	321	308	190	69	12	2	-	63
2	1	1	5	4	5	8	3	6	9	7	8	4	3	2	1	-	-	64
31	25	33	38	40	51	92	120	141	191	184	177	156	93	32	6	-	-	65
-	1	1	2	1	2	4	2	5	6	6	7	1	3	1	-	-	-	66
22	31	28	24	34	49	53	89	86	138	168	144	152	97	37	6	2	-	67
2	-	-	3	3	3	4	1	1	3	1	1	3	-	1	1	-	-	68
125	94	129	138	194	262	372	496	650	960	1,048	1,131	1,142	619	255	64	6	2	69
6	6	5	7	15	25	22	11	25	23	34	18	17	12	9	4	2	-	70
75	59	73	82	116	152	241	302	392	590	635	651	642	318	124	27	4	2	71
5	2	-	5	13	19	17	8	14	15	21	11	7	8	3	-	2	-	72
50	35	58	56	78	110	131	194	258	370	413	480	500	301	131	37	2	-	73
1	4	5	2	2	6	5	3	11	8	13	7	10	4	6	4	-	-	74
791	792	809	900	1,033	1,317	1,568	1,845	2,100	2,839	3,119	3,027	2,322	1,257	407	95	18	18	75
663	641	641	728	825	1,039	1,256	1,535	1,796	2,473	2,782	2,763	2,180	1,148	362	74	10	15	76
128	151	168	172	208	278	312	310	304	366	337	264	142	109	45	21	8	3	77
395	371	362	424	479	614	746	928	1,065	1,386	1,507	1,444	1,104	518	165	30	7	8	78
82	76	89	98	109	152	182	167	173	206	178	142	75	52	21	9	5	-	79
268	270	279	304	346	425	510	607	751	1,087	1,275	1,319	1,076	630	197	44	3	7	80
46	75	79	74	99	126	130	143	131	160	159	122	67	57	24	12	3	3	81
52	70	85	91	138	169	229	277	324	371	411	392	288	127	35	6	1	3	82
23	29	36	48	61	80	101	82	88	76	85	57	24	17	6	-	3	1	83
32	39	46	54	75	95	128	167	198	205	210	176	119	42	11	1	1	2	84
12	12	20	22	33	53	47	46	48	44	44	25	9	5	2	-	2	-	85
20	31	39	37	63	74	101	110	128	166	201	216	169	85	24	5	-	1	86
11	17	16	26	28	27	54	36	40	32	41	32	15	12	4	-	1	1	87
98	95	92	116	163	177	241	293	312	403	417	410	283	154	58	15	1	-	88
29	38	49	42	53	81	81	72	70	83	73	45	27	18	6	5	-	-	89
49	55	44	64	91	103	145	172	172	208	210	194	141	66	20	8	-	-	90
18	23	25	22	24	41	55	37	40	42	43	26	15	9	3	2	-	-	91
49	40	48	52	72	74	96	121	140	195	207	216	142	88	38	7	1	-	92
11	15	24	20	29	40	26	35	30	41	30	19	12	9	3	3	-	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	KENTUCKY—Continued										
1	Cities of 2,500 to 10,000—White	3,255	391	64	29	15	8	507	55	36	76
2	All other	613	34	6	4	1	-	45	5	8	12
3	Male—White	1,839	214	38	14	8	3	277	31	17	44
4	All other	322	14	4	2	-	-	20	2	5	5
5	Female—White	1,416	177	26	15	7	5	230	24	19	32
6	All other	291	20	2	2	1	-	25	3	3	7
7	Rural—White	15,208	2,061	291	123	75	43	2,593	187	147	328
8	All other	1,397	104	18	6	4	2	134	6	13	50
9	Male—White	8,591	1,176	160	70	36	24	1,466	99	86	198
10	All other	779	56	11	1	1	1	70	5	7	20
11	Female—White	6,617	885	131	53	39	19	1,127	88	61	130
12	All other	618	48	7	5	3	1	64	1	6	30
13	LOUISIANA	25,648	3,271	339	162	103	88	3,963	270	297	536
14	Both sexes—White	13,875	1,425	157	84	53	43	1,762	138	141	232
15	All other	11,773	1,846	182	78	50	45	2,201	132	156	304
16	Male—White	8,026	791	79	50	31	28	979	78	88	147
17	All other	6,313	1,041	106	36	22	21	1,226	71	95	141
18	Female—White	5,849	634	78	34	22	15	783	60	53	85
19	All other	5,460	805	76	42	28	24	975	61	61	163
20	Cities of 100,000 or more—White	5,041	348	45	22	15	12	442	33	48	58
21	All other	3,055	427	29	13	9	13	491	24	45	66
22	Male—White	2,826	203	25	17	13	10	268	15	27	31
23	All other	1,638	234	17	7	5	7	270	12	31	28
24	Female—White	2,215	145	20	5	2	2	174	18	21	27
25	All other	1,417	193	12	6	4	6	221	12	14	38
26	Cities of 10,000 to 100,000—White	2,148	322	38	22	12	9	403	33	28	43
27	All other	2,170	338	38	15	15	7	413	37	35	82
28	Male—White	1,271	161	18	11	6	5	201	18	19	22
29	All other	1,158	202	26	9	5	4	246	23	18	34
30	Female—White	877	161	20	11	6	4	202	15	9	21
31	All other	1,012	136	12	6	10	3	167	14	17	48
32	Cities of 2,500 to 10,000—White	1,831	221	24	12	9	6	272	24	25	45
33	All other	1,363	164	25	8	4	2	203	15	23	39
34	Male—White	1,046	132	10	9	2	5	158	17	15	30
35	All other	751	99	16	4	1	1	121	7	12	16
36	Female—White	785	89	14	3	7	1	114	7	10	15
37	All other	612	65	9	4	3	1	82	8	11	23
38	Rural—White	4,855	534	50	28	17	16	645	48	40	86
39	All other	5,185	917	90	42	22	23	1,094	56	53	117
40	Male—White	2,883	295	26	13	10	8	352	28	27	64
41	All other	2,766	506	47	16	11	9	589	29	34	63
42	Female—White	1,972	239	24	15	7	8	293	20	13	22
43	All other	2,419	411	43	26	11	14	505	27	19	54
44	MAINE	10,580	809	69	29	23	24	954	97	75	129
45	Both sexes—White	10,555	809	69	28	22	24	952	97	75	127
46	All other	25	-	-	1	1	-	2	-	-	2
47	Male—White	5,761	487	39	13	13	13	565	66	41	74
48	All other	16	-	-	-	1	-	1	-	-	2
49	Female—White	4,794	322	30	15	9	11	387	31	34	53
50	All other	9	-	-	1	-	-	1	-	-	-
51	Cities of 10,000 to 100,000—White	3,921	271	24	10	12	12	329	29	33	49
52	All other	13	-	-	1	1	-	2	-	-	-
53	Male—White	2,074	153	13	5	5	8	184	18	19	26
54	All other	8	-	-	-	1	-	1	-	-	-
55	Female—White	1,847	118	11	5	7	4	145	11	14	23
56	All other	5	-	-	1	-	-	1	-	-	-
57	Cities of 2,500 to 10,000—White	1,277	122	9	1	1	4	137	13	16	15
58	All other	1	-	-	-	-	-	-	-	-	-
59	Male—White	705	76	4	-	1	1	82	10	9	7
60	All other	-	-	-	-	-	-	-	-	-	-
61	Female—White	572	46	5	1	-	3	55	3	7	8
62	All other	1	-	-	-	-	-	-	-	-	-
63	Rural—White	5,357	416	36	17	9	8	486	55	26	63
64	All other	11	-	-	-	-	-	-	-	-	2
65	Male—White	2,982	258	22	8	7	4	299	38	13	41
66	All other	8	-	-	-	-	-	-	-	-	2
67	Female—White	2,375	158	14	9	2	4	187	17	13	22
68	All other	3	-	-	-	-	-	-	-	-	-
69	MARYLAND	22,107	1,499	136	64	58	29	1,786	147	161	355
70	Both sexes—White	17,111	999	84	44	39	19	1,185	92	110	178
71	All other	4,996	500	52	20	19	10	601	55	51	177
72	Male—White	9,412	581	44	22	19	12	678	60	74	109
73	All other	2,716	273	31	12	9	6	331	28	21	83
74	Female—White	7,699	418	40	22	20	7	507	32	36	69
75	All other	2,280	227	21	8	10	4	270	27	30	94
76	Cities of 100,000 or more—White	8,782	506	48	21	20	7	602	48	45	72
77	All other	2,774	278	27	12	8	4	329	31	28	71
78	Male—White	4,789	302	27	10	11	4	354	34	31	43
79	All other	1,492	162	14	6	1	2	185	19	15	28
80	Female—White	3,993	204	21	11	9	3	248	14	14	29
81	All other	1,282	116	13	6	7	2	144	12	13	45
82	Cities of 10,000 to 100,000—White	1,808	180	10	6	7	5	208	7	16	32
83	All other	289	24	5	1	2	2	34	2	2	7
84	Male—White	991	94	4	4	3	4	109	5	11	17
85	All other	147	9	3	-	2	2	16	2	-	3
86	Female—White	817	86	6	2	4	1	99	2	5	15
87	All other	142	15	2	1	-	-	18	-	2	4
88	Cities of 2,500 to 10,000—White	909	78	6	3	1	3	91	7	11	13
89	All other	151	7	3	1	2	-	13	3	1	2
90	Male—White	492	50	3	-	-	3	56	5	7	8
91	All other	80	4	2	1	1	-	8	2	-	1
92	Female—White	417	28	3	3	1	-	35	2	4	5
93	All other	71	3	1	-	1	-	5	1	1	1

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
116	106	99	122	99	147	158	188	237	273	300	329	229	129	39	8	-	2	1
28	25	27	27	43	39	37	54	55	66	48	35	22	22	9	1	4	1	2
75	59	57	71	57	90	95	127	151	159	157	171	122	52	23	3	-	1	3
20	12	16	19	23	16	25	27	31	30	25	20	8	11	5	-	2	-	4
41	47	42	51	42	57	63	61	86	114	143	158	107	77	16	5	-	1	5
8	13	11	8	20	23	12	27	24	36	23	15	14	11	4	1	2	1	6
397	370	365	399	425	546	628	777	923	1,426	1,654	1,632	1,380	738	230	45	8	10	7
48	59	56	55	51	78	93	102	91	141	131	127	69	52	24	15	1	1	8
239	218	215	235	256	326	378	462	546	814	930	903	722	358	111	18	6	5	9
32	29	28	35	29	42	55	57	54	90	66	71	43	27	11	7	1	-	10
158	152	150	164	169	220	250	315	377	612	724	729	658	380	119	27	2	5	11
16	30	28	20	22	36	38	45	37	51	65	56	26	25	13	8	-	1	12
734	794	880	1,073	1,201	1,472	1,902	1,982	2,025	2,360	2,166	1,525	1,216	720	298	121	81	32	13
296	344	387	421	515	709	951	1,098	1,254	1,473	1,437	1,075	897	514	169	44	11	7	14
438	450	493	652	686	763	951	884	771	887	729	450	319	206	129	77	70	25	15
168	199	232	250	320	452	623	740	787	881	770	558	440	218	71	17	3	5	16
210	234	237	314	360	422	533	471	422	498	410	246	165	111	67	35	29	16	17
128	145	155	171	195	257	328	358	467	592	667	517	457	296	98	27	8	2	18
228	216	256	338	326	341	418	413	349	389	319	204	154	95	62	42	41	9	19
78	98	138	143	200	286	418	469	530	574	576	422	323	144	47	9	1	4	20
117	120	158	202	252	250	346	248	224	202	138	72	45	23	8	8	2	14	21
35	58	75	81	120	186	278	304	331	329	283	196	137	51	16	2	-	3	22
49	67	83	100	130	146	204	133	131	115	63	31	19	9	3	3	1	10	23
43	40	63	62	80	100	140	165	199	245	293	226	186	93	31	7	1	1	24
68	53	75	102	122	104	142	115	93	87	75	41	26	14	5	5	1	4	25
46	58	63	76	95	106	132	155	200	213	199	118	107	45	22	4	2	-	26
105	105	109	145	136	145	159	171	134	137	106	62	39	21	13	8	5	3	27
27	33	35	51	66	66	84	116	125	132	126	67	59	16	6	2	-	-	28
51	53	44	52	72	76	91	92	75	81	70	36	19	11	6	2	3	3	29
19	25	28	25	29	40	48	39	75	81	73	51	48	29	16	2	2	-	30
54	52	65	93	64	69	68	79	59	56	36	26	20	10	7	6	2	-	31
48	59	64	77	65	94	112	139	150	159	162	133	96	73	26	4	2	-	32
49	54	61	72	77	79	118	110	88	116	101	63	39	22	12	9	12	1	33
22	33	41	37	38	54	70	92	96	95	92	66	50	27	9	4	-	-	34
22	33	29	42	37	37	65	60	48	69	63	38	21	14	8	5	6	-	35
26	26	23	40	27	40	42	47	54	64	70	67	48	46	17	-	2	-	36
27	21	32	30	40	42	53	50	40	47	38	27	18	8	4	4	6	1	37
124	129	122	125	155	223	289	335	374	527	500	402	369	252	74	27	6	3	38
167	171	165	233	221	289	328	355	325	432	384	253	196	140	96	52	51	7	39
84	75	81	81	96	146	191	228	235	325	269	229	194	124	40	9	3	2	40
88	81	81	120	121	163	173	186	168	233	214	143	106	77	50	25	19	3	41
40	54	41	44	59	77	98	107	139	202	231	173	175	128	34	18	3	1	42
79	90	84	113	100	126	155	169	157	199	170	110	90	63	46	27	32	4	43
136	138	178	200	207	333	488	668	893	1,167	1,395	1,375	1,176	652	260	48	9	2	44
136	137	178	200	205	333	486	668	891	1,165	1,392	1,373	1,172	651	259	47	9	2	45
-	1	-	-	2	-	2	-	2	2	3	2	4	1	1	1	-	-	46
70	76	94	112	102	175	321	402	523	634	788	720	579	286	114	14	3	2	47
-	1	-	-	2	-	1	-	1	1	2	1	1	1	1	1	-	-	48
66	61	84	88	103	158	165	266	368	531	604	653	593	365	145	33	6	-	49
-	-	-	-	-	-	1	-	1	1	1	1	3	-	-	-	-	-	50
53	64	79	97	91	154	212	295	379	449	492	482	378	184	62	8	1	1	51
-	-	-	-	1	-	-	-	2	-	2	2	2	1	1	-	-	-	52
28	32	36	53	45	75	135	180	208	242	277	242	176	73	24	-	-	1	53
-	-	-	-	1	-	-	-	1	-	2	1	-	1	1	-	-	-	54
25	32	43	44	46	79	77	115	171	207	215	240	202	111	38	8	1	-	55
-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	56
26	18	26	25	26	35	53	93	109	135	165	140	137	72	32	4	-	-	57
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	58
10	7	16	13	9	18	36	57	68	81	99	59	78	31	15	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
16	11	10	12	17	17	17	36	41	54	66	81	59	41	17	4	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	62
57	55	73	78	88	144	221	280	403	581	735	751	657	395	165	35	8	1	63
-	1	-	-	1	-	2	-	-	2	-	-	2	-	-	1	-	-	64
32	37	42	46	48	82	150	165	247	311	412	419	325	182	75	14	3	1	65
-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	66
25	18	31	32	40	62	71	115	156	270	323	332	332	213	90	21	5	-	67
-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	68
506	513	585	713	891	1,195	1,564	1,776	2,074	2,366	2,424	2,142	1,688	838	272	70	13	28	69
294	287	325	438	552	808	1,115	1,341	1,723	1,986	2,100	1,926	1,565	771	239	56	5	15	70
212	226	260	275	339	387	449	435	351	380	324	216	123	67	33	14	8	13	71
184	160	196	270	359	512	691	827	1,009	1,116	1,073	980	687	315	85	17	1	9	72
115	118	155	153	210	218	229	241	191	207	177	112	64	30	11	11	2	9	73
110	127	129	168	193	296	424	514	714	870	1,027	946	878	456	154	39	4	6	74
97	108	105	122	129	169	220	194	160	173	147	104	59	37	22	3	6	4	75
143	132	164	222	336	453	666	777	953	1,086	1,047	921	697	301	88	24	1	4	76
96	111	143	181	231	274	291	269	197	193	157	85	48	23	7	2	3	4	77
80	74	93	131	226	284	422	492	561	600	495	445	282	108	27	5	-	2	78
50	53	78	105	141	150	154	141	110	109	78	41	22	8	3	1	1	2	79
63	58	71	91	110	169	244	285	392	486	552	476	415	193	61	19	1	2	80
46	58	65	76	90	124	137	128	87	84	79	44	26	15	4	1	2	2	81
34	48	41	54	55	85	104	115	182	199	197	193	138	78	16	5	1	-	82
8	21	11	10	12	21	21	24	23	35	21	18	9	5	4	-	-	1	83
24	23	25	29	28	54	66	73	115	112	107	100	59	27	5	2	-	-	84
6	12	6	3	8	9	8	12	12	17	11	12	7	-	2	-	-	1	85
10	25	16	25	27	31	38	42	67	87	90	93	79	51	11	3	1	-	86
2	9	5	7	4	12	13	12	11	18	10	6	2	5	2	-	-	-	87
17	14	13	16	30	32	55	67	80	81	117	99	94	46	20	5	-	1	88
4	1	10	7	2	11	13	17	16	12	14	11	9	2	-	1	1	1	89
13	9	10	12	19	15	32	38	44	47	65	48	38	16	9	-	-	1	90
2	1	5	2	1	5	6	12	7	3	10	7	5	1	-	1	-	1	91
4	5	3	4	11	17	23	29	36	34	52	51	56	30	11	5	-	-	92
2	-	5	5	1	6	7	5	9	9	4	4	4	1	-	-	1	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	MARYLAND—Continued											
1	Rural	White	5,612	235	20	14	11	4	284	30	38	61
2		All other	1,782	191	17	6	7	4	225	19	20	97
3	Male	White	3,140	135	10	8	5	1	159	16	25	41
4		All other	997	98	12	5	5	2	122	5	6	53
5	Female	White	2,472	100	10	6	6	3	125	14	13	20
6		All other	785	93	5	1	2	2	103	14	14	44
7	MASSACHUSETTS		51,156	2,478	201	107	108	63	2,957	255	283	450
8	Both sexes	White	50,301	2,404	197	103	107	62	2,873	252	277	432
9		All other	855	74	4	4	1	1	84	3	6	18
10	Male	White	25,986	1,375	114	60	55	32	1,636	153	169	257
11		All other	498	39	4	4	-	-	47	3	3	10
12	Female	White	24,315	1,029	83	43	52	30	1,237	99	108	175
13		All other	357	35	-	-	1	1	37	-	3	8
14	Cities of 100,000 or more	White	21,762	1,330	113	54	63	36	1,596	130	143	181
15		All other	587	59	3	2	1	1	66	2	3	8
16	Male	White	11,280	771	66	26	30	19	912	75	83	108
17		All other	326	32	3	2	-	-	37	2	1	3
18	Female	White	10,482	559	47	28	33	17	684	55	60	73
19		All other	261	27	-	-	1	1	29	-	2	5
20	Cities of 10,000 to 100,000	White	20,375	899	64	42	29	16	1,050	100	89	172
21		All other	130	9	1	1	-	-	11	1	1	5
22	Male	White	10,274	507	33	30	16	8	594	64	59	97
23		All other	74	3	1	1	-	-	5	1	1	4
24	Female	White	10,101	392	31	12	13	8	456	36	30	75
25		All other	56	6	-	-	-	-	6	-	-	1
26	Cities of 2,500 to 10,000	White	2,741	88	8	5	4	6	111	9	15	23
27		All other	22	1	-	-	-	-	1	-	-	1
28	Male	White	1,432	48	5	3	3	3	62	4	10	16
29		All other	17	1	-	-	-	-	1	-	-	1
30	Female	White	1,309	40	3	2	1	3	49	5	5	7
31		All other	5	-	-	-	-	-	-	-	-	-
32	Rural	White	5,423	87	12	2	11	4	116	13	30	56
33		All other	116	5	-	1	-	-	6	-	2	4
34	Male	White	3,000	49	10	1	6	2	68	10	17	36
35		All other	81	3	-	1	-	-	4	-	1	2
36	Female	White	2,423	38	2	1	5	2	48	3	13	20
37		All other	35	2	-	-	-	-	2	-	1	2
38	MICHIGAN		52,108	4,033	326	207	116	111	4,793	416	451	720
39	Both sexes	White	49,372	3,799	310	189	106	102	4,506	400	418	651
40		All other	2,736	234	16	18	10	9	287	16	33	69
41	Male	White	27,924	2,242	156	106	65	58	2,627	234	246	425
42		All other	1,506	129	9	11	4	4	157	10	14	27
43	Female	White	21,448	1,557	154	83	41	44	1,879	166	172	226
44		All other	1,230	105	7	7	6	5	130	6	19	42
45	Cities of 100,000 or more	White	14,897	1,282	98	61	37	27	1,505	117	119	170
46		All other	1,773	169	9	10	4	4	196	12	15	45
47	Male	White	8,184	762	58	26	23	16	885	74	63	105
48		All other	925	93	4	9	1	1	108	7	7	21
49	Female	White	6,713	520	40	35	14	11	620	43	56	65
50		All other	848	76	5	1	3	3	88	5	8	24
51	Cities of 10,000 to 100,000	White	12,075	1,194	104	74	30	32	1,434	129	145	175
52		All other	344	37	2	2	4	4	49	-	3	3
53	Male	White	6,565	717	45	44	16	19	841	68	83	105
54		All other	194	24	2	1	2	2	31	-	2	-
55	Female	White	5,510	477	59	30	14	13	593	61	62	70
56		All other	150	13	-	1	2	2	18	-	1	3
57	Cities of 2,500 to 10,000	White	5,052	439	17	15	8	12	491	42	43	72
58		All other	78	3	-	1	-	-	4	2	1	1
59	Male	White	2,798	260	6	5	5	7	283	26	32	53
60		All other	60	1	-	1	-	-	2	1	1	1
61	Female	White	2,254	179	11	10	3	5	208	16	11	19
62		All other	18	2	-	-	-	-	2	1	-	-
63	Rural	White	17,348	884	91	39	31	31	1,076	112	111	234
64		All other	541	25	5	5	2	1	38	2	14	20
65	Male	White	10,377	503	47	31	21	16	618	66	68	162
66		All other	327	11	3	-	1	1	16	2	4	5
67	Female	White	6,971	381	44	8	10	15	458	46	43	72
68		All other	214	14	2	5	1	-	22	-	10	15
69	MINNESOTA		26,814	1,769	153	97	53	53	2,125	214	188	336
70	Both sexes	White	26,458	1,722	149	95	51	48	2,065	203	181	324
71		All other	356	47	4	2	2	5	60	11	7	12
72	Male	White	15,322	1,003	78	51	37	21	1,190	122	103	195
73		All other	200	30	3	2	1	3	39	4	4	7
74	Female	White	11,136	719	71	44	14	27	875	81	78	129
75		All other	156	17	1	-	1	2	21	7	3	5
76	Cities of 100,000 or more	White	9,379	517	45	28	13	12	615	64	55	83
77		All other	148	4	-	-	1	1	6	-	1	2
78	Male	White	5,172	295	20	16	10	6	347	35	30	42
79		All other	83	4	-	-	1	1	6	-	1	-
80	Female	White	4,207	222	25	12	3	6	268	29	25	41
81		All other	65	-	-	-	-	-	-	-	-	2
82	Cities of 10,000 to 100,000	White	3,098	244	25	16	8	10	303	34	29	49
83		All other	7	-	-	-	-	-	-	-	-	1
84	Male	White	1,774	144	15	10	6	6	181	23	16	26
85		All other	6	-	-	-	-	-	-	-	-	1
86	Female	White	1,324	100	10	6	2	4	122	11	13	23
87		All other	1	-	-	-	-	-	-	-	-	-
88	Cities of 2,500 to 10,000	White	4,114	363	32	20	12	5	432	28	30	57
89		All other	17	2	-	-	1	-	3	-	1	-
90	Male	White	2,397	208	21	10	10	1	250	17	15	35
91		All other	8	-	-	-	-	-	-	-	-	-
92	Female	White	1,717	155	11	10	2	4	182	11	15	22
93		All other	9	2	-	-	1	-	3	-	1	-

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
100	93	107	146	131	238	290	382	508	620	739	713	636	346	115	22	3	10	1
104	93	96	77	94	81	124	125	115	140	132	102	57	37	22	11	4	7	2
67	54	68	98	86	159	171	224	289	357	406	387	308	164	44	10	1	6	3
57	52	66	43	60	54	61	76	62	78	78	52	30	21	6	9	1	5	4
33	39	39	48	45	79	119	158	219	263	333	326	328	182	71	12	2	4	5
47	41	30	34	34	27	63	49	53	62	54	50	27	16	16	2	3	2	6
525	645	763	1,032	1,639	2,416	3,195	3,954	5,203	6,438	6,963	6,059	4,716	2,398	894	207	34	130	7
505	629	735	996	1,592	2,361	3,104	3,874	5,123	6,355	6,867	6,016	4,685	2,380	885	201	29	130	8
20	16	28	36	47	55	91	80	80	83	96	43	31	18	9	6	5	-	9
270	334	396	549	898	1,378	1,849	2,270	2,855	3,378	3,436	2,838	1,973	914	281	60	6	86	10
16	7	18	24	24	29	52	55	43	51	60	23	16	10	2	5	-	-	11
235	295	339	447	694	983	1,255	1,604	2,268	2,977	3,431	3,178	2,712	1,466	604	141	23	44	12
4	9	10	12	23	26	39	25	37	32	36	20	15	8	7	1	5	-	13
243	319	363	483	782	1,101	1,446	1,840	2,305	2,789	2,902	2,369	1,633	763	268	63	5	38	14
9	7	16	26	34	40	64	58	58	58	66	31	20	12	2	6	3	-	15
123	162	192	265	419	624	842	1,100	1,277	1,472	1,416	1,115	678	287	89	18	2	21	16
7	2	10	17	16	22	33	37	29	33	41	15	9	7	-	5	-	-	17
120	157	171	218	363	477	604	740	1,028	1,317	1,486	1,254	955	476	179	45	3	17	18
2	5	6	9	18	18	31	21	29	23	25	16	11	5	2	1	3	-	19
172	214	249	377	582	927	1,211	1,474	2,068	2,598	2,863	2,512	2,039	1,117	408	82	13	58	20
3	4	3	4	7	9	14	4	14	17	14	6	8	2	2	-	1	-	21
87	112	133	197	330	541	723	827	1,119	1,376	1,434	1,167	820	410	122	21	1	40	22
3	3	3	3	4	2	9	3	7	8	9	3	5	1	-	-	-	-	23
85	102	116	180	252	386	488	647	949	1,222	1,429	1,345	1,219	707	286	61	12	18	24
-	1	-	1	3	7	5	1	7	9	5	3	3	1	2	-	1	-	25
18	36	28	35	72	105	132	190	252	315	391	409	339	168	65	18	6	4	26
1	-	-	-	2	1	1	4	1	3	2	3	-	1	-	-	1	-	27
12	24	16	20	44	61	78	112	152	168	215	184	151	70	20	8	2	3	28
1	-	-	-	2	1	-	3	1	3	1	2	-	1	-	-	-	-	29
6	12	12	15	28	44	54	78	100	147	176	225	188	98	45	10	4	1	30
-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	1	-	31
72	60	95	101	156	228	315	370	498	653	711	726	674	332	144	38	5	30	32
7	5	9	6	4	5	12	14	7	7	14	3	3	3	5	-	-	-	33
48	36	55	67	105	152	206	231	307	362	371	372	324	147	50	13	1	22	34
5	2	5	4	2	4	10	12	6	7	9	3	2	1	2	-	-	-	35
24	24	40	34	51	76	109	139	191	291	340	354	350	185	94	25	4	8	36
2	3	4	2	2	1	2	2	1	-	5	-	1	2	3	-	-	-	37
917	974	1,126	1,469	2,010	2,693	3,553	4,121	4,539	5,322	5,746	5,559	4,434	2,257	795	162	16	35	38
809	846	966	1,262	1,733	2,395	3,295	3,896	4,379	5,156	5,617	5,440	4,385	2,233	784	157	13	31	39
108	128	160	207	277	298	258	225	160	166	129	119	49	24	11	5	3	4	40
450	481	546	719	1,002	1,473	2,035	2,362	2,622	2,931	3,094	2,883	2,293	1,086	326	62	7	20	41
47	69	79	102	150	172	175	122	97	95	72	67	26	12	7	1	2	3	42
359	365	420	543	731	922	1,260	1,534	1,757	2,225	2,523	2,557	2,092	1,147	458	95	6	11	43
61	59	81	105	127	126	83	103	63	71	57	52	23	12	4	4	1	1	44
254	268	374	508	696	980	1,315	1,391	1,379	1,488	1,406	1,310	976	452	145	36	5	3	45
70	90	110	143	197	194	183	144	101	90	80	56	24	13	5	2	2	1	46
115	127	201	278	383	588	828	856	810	829	701	618	456	204	52	7	1	3	47
32	51	49	65	91	111	122	67	58	46	38	27	11	9	3	-	1	1	48
139	141	173	230	313	392	487	535	569	659	705	692	520	248	93	29	4	-	49
38	39	61	78	106	83	61	77	43	44	42	29	13	4	2	2	1	-	50
205	233	230	303	414	553	815	947	1,082	1,203	1,313	1,211	953	509	177	33	3	8	51
11	17	14	27	30	37	28	19	22	28	13	23	9	5	5	1	-	-	52
113	126	120	154	238	316	477	562	613	663	700	633	456	222	59	11	2	3	53
3	9	9	14	21	17	21	11	15	16	7	10	3	1	3	1	-	-	54
92	107	110	149	176	237	338	385	469	540	613	578	497	287	118	22	1	5	55
8	8	5	13	9	20	7	8	7	12	6	13	6	4	2	-	-	-	56
89	83	82	115	199	235	256	346	421	528	595	610	489	244	88	16	1	7	57
6	2	2	2	10	19	6	3	4	3	4	5	2	1	-	-	1	-	58
48	51	46	72	125	152	150	194	256	278	323	318	238	105	33	10	1	3	59
5	2	2	-	10	17	6	1	3	-	3	3	1	1	-	-	1	-	60
41	32	36	43	74	83	106	152	165	249	272	292	251	139	55	6	-	4	61
1	-	-	2	-	2	-	2	1	3	1	2	1	-	-	-	-	-	62
261	262	280	336	424	627	909	1,212	1,497	1,937	2,303	2,309	1,967	1,028	374	72	4	13	63
21	19	34	35	40	48	41	59	33	45	32	35	14	5	1	2	-	3	64
174	177	179	215	256	417	580	750	943	1,160	1,370	1,314	1,143	555	182	34	3	11	65
7	7	19	23	28	27	26	43	21	33	24	27	11	1	1	-	-	2	66
87	85	101	121	168	210	329	462	554	777	933	995	824	473	192	38	1	2	67
14	12	15	12	12	21	15	16	12	12	8	8	3	4	-	2	-	1	68
398	406	489	587	785	1,094	1,548	1,843	2,259	2,742	3,264	3,546	2,885	1,502	478	106	10	9	69
385	396	473	576	767	1,081	1,532	1,812	2,229	2,716	3,241	3,517	2,874	1,493	469	105	10	9	70
13	10	16	11	18	13	16	31	30	26	23	29	11	9	9	1	-	-	71
257	226	247	335	436	657	955	1,139	1,377	1,612	1,877	2,005	1,572	748	222	40	2	5	72
5	6	11	7	13	7	9	17	19	16	14	11	5	3	2	1	-	-	73
128	170	226	241	331	424	577	673	852	1,104	1,364	1,512	1,302	745	247	65	8	4	74
8	4	5	4	5	6	7	14	11	10	9	18	6	6	7	-	-	-	75
101	114	152	220	268	400	584	728	881	1,006	1,193	1,283	980	481	133	30	4	4	76
3	3	5	2	9	9	11	22	24	12	13	13	7	4	2	-	-	-	77
66	64	64	129	133	223	362	453	518	578	657	669	516	211	60	13	-	2	78
3	-	3	-	7	4	7	11	13	9	9	5	3	2	-	-	-	-	79
35	50	88	91	135	177	222	275	363	428	536	614	464	270	73	17	4	2	80
-	3	2	2	2	5	4	11	11	3	4	8	4	2	2	-	-	-	81
53	55	80	103	112	159	210	227	262	319	347	335	247	128	35	10	1	-	82
1	-	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	83
34	30	46	59	58	95	106	139	165	184	202	197	130	66	14	3	-	-	84
1	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	85
19	25	34	44	54	64	104	88	97	135	145	138	117	62	21	7	1	-	86
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	87
69	72	77	93	109	158	206	277	330	424	486	533	424	221	71	13	1	3	88
2	2	1	1	-	1	1	1	1	2	-	-	1	-	-	-	-	-	89
49	39	44	55	53	81	128	172	181	252	306	329	238	114	32	5	-	2	90
1	2	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	91
20	33	33	38	56	77	78	105	149	172	180	204	186	107	39	8	1	1	92
1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	MINNESOTA—Continued										
1	Rural—White	9,867	598	47	31	18	21	715	77	67	135
2	All other	184	41	4	2	-	4	51	11	5	9
3	Male—White	5,979	356	22	15	11	8	412	47	42	92
4	All other	103	26	3	2	-	2	33	4	3	6
5	Female—White	3,888	242	25	16	7	13	303	30	25	43
6	All other	81	15	1	-	-	2	18	7	2	3
7	MISSISSIPPI	23,154	2,854	456	185	99	94	3,688	278	289	623
8	Both sexes—White	9,600	1,072	166	71	48	40	1,397	116	109	173
9	All other	13,554	1,782	290	114	51	54	2,291	162	180	450
10	Male—White	5,457	607	75	37	25	24	768	60	60	101
11	All other	7,038	988	151	64	29	28	1,260	86	98	197
12	Female—White	4,143	465	91	34	23	16	629	56	49	72
13	All other	6,516	794	139	50	22	26	1,031	76	82	253
14	Cities of 10,000 to 100,000—White	2,207	240	31	15	9	9	304	25	38	53
15	All other	2,314	195	31	8	9	8	251	29	37	123
16	Male—White	1,264	131	19	7	7	7	171	12	19	28
17	All other	1,224	113	14	4	6	4	141	19	26	57
18	Female—White	943	109	12	8	2	2	133	13	19	25
19	All other	1,090	82	17	4	3	4	110	10	11	66
20	Cities of 2,500 to 10,000—White	1,197	130	29	16	9	7	191	23	16	26
21	All other	1,229	129	21	13	5	4	172	24	18	40
22	Male—White	639	78	11	8	4	2	103	8	12	15
23	All other	624	82	11	7	2	1	103	11	8	17
24	Female—White	558	52	18	8	5	5	88	15	4	11
25	All other	605	47	10	6	3	3	69	13	10	23
26	Rural—White	6,196	702	106	40	30	24	902	68	55	94
27	All other	10,011	1,458	238	93	37	42	1,868	109	125	287
28	Male—White	3,554	398	45	22	14	15	494	40	29	58
29	All other	5,190	793	126	53	21	23	1,016	56	64	123
30	Female—White	2,642	304	61	18	16	9	408	28	26	36
31	All other	4,821	665	112	40	16	19	852	53	61	164
32	MISSOURI	43,746	2,913	360	176	115	91	3,655	277	317	522
33	Both sexes—White	39,554	2,586	313	162	106	83	3,250	255	285	441
34	All other	4,192	327	47	14	9	8	405	22	32	81
35	Male—White	22,122	1,496	170	95	61	48	1,870	142	167	245
36	All other	2,240	190	21	4	3	4	222	10	24	34
37	Female—White	17,432	1,090	143	67	45	35	1,380	113	118	196
38	All other	1,952	137	26	10	6	4	183	12	8	47
39	Cities of 100,000 or more—White	13,375	705	58	44	28	28	863	62	74	107
40	All other	2,569	183	18	6	4	6	217	14	18	38
41	Male—White	7,315	411	30	21	16	15	493	37	46	58
42	All other	1,312	111	4	2	2	2	121	5	14	16
43	Female—White	6,060	294	28	23	12	13	370	25	28	49
44	All other	1,257	72	14	4	2	4	96	9	4	22
45	Cities of 10,000 to 100,000—White	6,315	459	57	37	20	20	593	67	68	87
46	All other	466	31	2	1	-	1	35	3	2	8
47	Male—White	3,500	272	31	26	11	13	353	35	40	43
48	All other	242	13	1	-	-	1	15	2	1	7
49	Female—White	2,815	187	26	11	9	7	240	32	28	44
50	All other	224	18	1	1	-	-	20	1	1	1
51	Cities of 2,500 to 10,000—White	3,862	300	37	12	13	7	369	26	37	63
52	All other	378	34	6	2	1	-	43	2	5	10
53	Male—White	2,138	179	19	7	8	4	217	15	19	32
54	All other	222	16	4	1	1	-	22	1	4	1
55	Female—White	1,724	121	18	5	5	3	152	11	18	31
56	All other	156	18	2	1	-	-	21	1	1	9
57	Rural—White	16,002	1,122	161	69	45	28	1,425	100	106	184
58	All other	779	79	21	5	4	1	110	3	7	25
59	Male—White	9,169	634	90	41	26	16	807	55	62	112
60	All other	464	50	12	1	-	1	64	2	5	10
61	Female—White	6,833	488	71	28	19	12	618	45	44	72
62	All other	315	29	9	4	4	-	46	1	2	15
63	MONTANA	5,728	531	48	38	29	21	667	58	72	95
64	Both sexes—White	5,415	455	33	24	25	15	552	51	62	85
65	All other	313	76	15	14	4	6	115	7	10	10
66	Male—White	3,428	263	16	12	7	10	308	26	40	58
67	All other	163	45	5	6	1	2	59	4	5	3
68	Female—White	1,987	192	17	12	18	5	244	25	22	27
69	All other	150	31	10	8	3	4	56	3	5	7
70	Cities of 10,000 to 100,000—White	1,858	186	9	7	8	9	219	14	12	20
71	All other	17	2	-	-	-	-	2	-	-	-
72	Male—White	1,074	116	3	2	-	5	126	7	9	9
73	All other	9	1	-	-	-	-	1	-	-	-
74	Female—White	784	70	6	5	8	4	93	7	3	11
75	All other	8	1	-	-	-	-	1	-	-	-
76	Cities of 2,500 to 10,000—White	1,028	91	9	6	8	1	115	9	18	9
77	All other	5	2	-	-	-	-	2	-	-	-
78	Male—White	642	49	6	4	2	1	62	7	10	6
79	All other	2	1	-	-	-	-	1	-	-	-
80	Female—White	386	42	3	2	6	-	53	2	8	3
81	All other	3	1	-	-	-	-	1	-	-	-
82	Rural—White	2,529	178	15	11	9	5	218	28	32	58
83	All other	291	72	15	14	4	6	111	7	10	10
84	Male—White	1,712	98	7	6	5	4	120	12	21	43
85	All other	152	43	5	6	1	2	57	4	5	3
86	Female—White	817	80	8	5	4	1	98	16	11	15
87	All other	139	29	10	8	3	4	54	3	5	7
88	NEBRASKA	12,592	792	76	42	39	24	973	112	98	170
89	Both sexes—White	12,335	754	70	41	37	23	925	111	95	162
90	All other	257	38	6	1	2	1	48	1	3	8
91	Male—White	7,072	436	38	21	22	15	532	68	51	103
92	All other	138	24	1	-	1	1	27	1	1	4
93	Female—White	5,263	318	32	20	15	8	393	43	44	59
94	All other	119	14	5	1	1	-	21	-	2	4

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
162	155	164	160	278	364	532	580	756	967	1,215	1,366	1,223	663	230	52	4	2	1
7	5	9	8	8	3	4	8	5	10	10	16	2	5	7	1	-	-	2
108	93	93	92	192	258	359	375	513	598	712	810	688	357	116	19	2	1	3
-	4	6	7	5	2	2	5	5	5	5	6	1	1	2	1	-	-	4
54	62	71	68	86	106	173	205	243	369	503	556	535	306	114	33	2	1	5
7	1	3	1	3	1	2	3	-	5	5	10	1	4	5	-	-	-	6
840	827	849	905	960	1,117	1,391	1,552	1,696	2,062	1,871	1,435	1,253	859	348	128	99	84	7
194	210	236	235	298	403	461	664	740	1,035	964	795	829	505	164	38	6	28	8
648	617	613	670	662	714	930	888	956	1,027	907	640	424	354	184	90	93	56	9
123	127	123	149	170	251	279	432	459	631	505	418	429	257	86	9	1	19	10
312	308	277	308	291	330	490	480	509	589	520	365	246	175	95	44	29	29	11
71	83	113	86	128	152	182	232	281	404	459	377	400	248	78	29	5	9	12
334	309	336	362	371	384	440	408	447	438	387	275	178	179	89	46	64	27	13
51	42	68	76	92	120	143	206	189	237	192	142	122	75	17	3	1	11	14
168	171	161	135	164	155	171	168	146	154	101	75	38	34	19	5	5	4	15
25	20	39	47	55	84	97	132	111	139	96	71	71	31	7	1	1	7	16
74	95	83	61	75	83	85	90	87	93	56	45	21	16	9	2	3	3	17
26	22	29	29	37	36	46	74	78	98	96	71	51	44	10	2	-	4	18
94	76	78	74	89	72	86	78	59	61	45	30	17	18	10	3	2	1	19
26	36	34	29	42	61	53	83	91	110	115	100	83	50	18	7	-	3	20
60	69	67	81	65	83	90	75	76	93	67	43	35	37	11	9	10	4	21
19	20	12	23	31	31	34	55	57	67	49	46	27	21	6	1	-	2	22
33	39	29	37	28	34	45	39	37	48	35	27	19	19	5	4	4	3	23
7	16	22	6	11	30	19	28	34	43	66	54	56	29	12	6	-	1	24
27	30	38	44	37	49	45	36	39	45	32	16	16	18	6	5	6	1	25
117	132	134	130	164	222	265	375	460	688	657	553	624	380	129	28	5	14	26
418	377	385	454	433	476	669	645	734	780	739	522	351	283	154	76	78	48	27
79	87	72	79	84	136	148	245	291	425	360	301	331	205	73	7	-	10	28
205	174	165	210	188	213	360	351	385	448	429	293	206	140	81	38	22	23	29
38	45	62	51	80	86	117	130	169	263	297	252	293	175	56	21	5	4	30
213	203	220	244	245	263	309	294	349	332	310	229	145	143	73	38	56	25	31
673	773	908	1,135	1,461	1,961	2,575	3,193	3,741	4,657	5,377	5,224	4,098	2,209	769	172	42	7	32
557	628	741	894	1,111	1,628	2,154	2,798	3,396	4,336	5,067	4,967	3,971	2,147	742	150	33	3	33
116	145	167	241	350	333	421	395	345	321	310	257	127	62	27	22	9	4	34
318	345	400	491	594	951	1,308	1,681	1,998	2,523	2,906	2,687	2,048	1,030	341	65	9	3	35
62	80	82	128	170	183	231	211	187	186	178	139	58	27	15	9	2	2	36
239	283	341	403	517	677	846	1,117	1,398	1,813	2,161	2,280	1,923	1,117	401	85	24	-	37
54	65	85	113	180	150	190	184	158	135	132	118	69	35	12	13	7	2	38
157	198	255	339	475	711	932	1,196	1,411	1,573	1,741	1,553	1,048	487	161	27	4	1	39
77	82	109	177	242	234	300	266	222	213	151	123	41	21	8	9	5	2	40
86	106	124	189	239	397	580	722	851	898	960	780	488	187	63	9	1	1	41
40	39	49	96	105	120	158	136	116	128	78	62	17	4	3	2	2	1	42
71	92	131	150	236	314	352	474	560	675	781	773	560	300	98	18	3	-	43
37	43	60	81	137	114	142	130	106	85	73	61	24	17	5	7	3	1	44
116	127	153	175	212	275	370	478	507	690	730	721	556	276	91	19	4	-	45
14	12	21	18	31	20	37	44	44	27	47	47	31	17	3	3	2	-	46
68	67	80	93	104	156	209	293	292	409	422	395	275	122	33	9	2	-	47
9	8	16	8	17	9	20	23	17	14	27	22	14	9	3	1	-	-	48
48	60	73	82	108	119	161	185	215	281	308	326	281	154	58	10	2	-	49
5	4	5	10	14	11	17	21	27	13	20	25	17	8	-	2	2	-	50
66	67	89	83	84	158	199	231	301	385	468	474	411	249	84	17	1	-	51
5	11	9	13	24	23	43	25	23	32	45	32	19	10	2	2	-	-	52
35	37	53	38	50	93	114	125	165	210	264	264	230	125	44	7	1	-	53
5	5	6	5	13	15	26	17	17	17	32	22	10	2	1	1	-	-	54
31	30	36	45	34	65	85	106	136	175	204	210	181	124	40	10	-	-	55
-	6	3	8	11	8	17	8	6	15	13	10	9	8	1	1	-	-	56
218	236	244	297	340	484	653	893	1,177	1,688	2,128	2,219	1,956	1,135	406	87	24	2	57
20	40	28	33	53	56	41	60	56	49	67	55	36	14	14	8	2	2	58
129	135	143	171	201	305	405	541	690	1,006	1,260	1,248	1,055	596	201	40	5	2	59
8	28	11	19	35	39	27	35	37	27	41	33	17	12	8	5	-	1	60
89	101	101	126	139	179	248	352	487	682	868	971	901	539	205	47	19	-	61
12	12	17	14	18	17	14	25	19	22	26	22	19	2	6	3	2	1	62
134	107	132	146	158	255	414	457	570	603	569	599	395	205	66	21	2	5	63
127	96	122	133	147	247	403	440	556	584	554	581	388	198	63	21	-	5	64
7	11	10	13	11	6	11	17	14	19	15	18	7	7	3	-	2	-	65
84	56	66	84	94	149	265	319	371	380	366	366	231	113	33	15	-	4	66
4	6	5	6	3	3	4	9	10	13	8	13	4	3	-	-	1	-	67
43	40	56	49	53	98	138	121	185	204	188	215	157	85	30	6	-	1	68
3	5	5	7	8	3	7	8	4	6	7	5	3	4	3	-	1	-	69
43	37	53	52	57	100	159	155	208	189	175	176	125	45	14	2	-	3	70
-	-	1	1	-	1	3	1	1	1	3	1	1	1	-	-	-	-	71
28	19	23	37	31	54	90	106	119	112	99	108	65	21	8	1	-	2	72
-	-	1	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	73
15	18	30	15	26	46	69	49	89	77	76	68	60	24	6	1	-	1	74
-	-	-	1	-	1	2	-	1	-	2	-	-	-	-	-	-	-	75
21	15	12	22	20	46	72	64	127	117	111	115	68	48	13	4	-	2	76
-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	77
11	8	9	13	11	26	47	43	91	81	72	63	42	31	5	2	-	2	78
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	79
10	7	3	9	9	20	25	21	36	36	39	52	26	17	8	2	-	-	80
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	81
63	44	57	59	70	101	172	221	221	278	268	290	195	105	36	15	-	-	82
7	11	9	12	10	5	8	16	13	17	12	18	6	6	3	-	2	-	83
45	29	34	34	52	69	128	170	161	187	195	195	124	61	20	12	-	-	84
4	6	4	6	3	3	3	8	10	11	7	12	3	2	-	-	1	-	85
18	15	23	25	18	32	44	51	60	91	73	95	71	44	16	3	-	-	86
3	5	5	6	7	2	5	8	3	6	5	4	3	4	3	-	1	-	87
173	208	203	282	330	462	669	833	1,015	1,268	1,536	1,634	1,400	815	322	60	10	19	88
165	195	197	266	320	450	645	811	994	1,247	1,523	1,621	1,391	811	317	60	10	19	89
8	13	6	16	10	12	24	22	21	21	13	13	9	4	5	-	-	-	90
85	98	106	149	179	258	390	509	605	744	899	917	779	406	145	32	2	15	91
5	6	4	8	4	4	11	13	17	10	5	9	3	2	4	-	-	-	92
80	97	91	117	141	192	255	302	389	503	624	704	612	405	172	28	8	4	93
3	7	2	8	6	8	13	9	4	11	8	4	6	2	1	-	-	-	94

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	NEBRASKA—Continued											
1	Cities of 100,000 or more	White	2,555	135	11	9	11	7	173	25	18	18
2		All other	160	17	3	-	1	-	21	-	-	1
3	Male	White	1,430	73	7	4	8	5	97	16	11	13
4		All other	78	9	-	-	1	-	10	-	-	-
5	Female	White	1,125	62	4	5	3	2	76	9	7	5
6		All other	82	8	3	-	-	-	11	-	-	1
7	Cities of 10,000 to 100,000	White	2,320	174	18	9	7	5	213	26	17	45
8		All other	17	-	-	-	-	-	-	-	-	-
9	Male	White	1,286	100	9	4	2	3	118	15	8	27
10		All other	12	-	-	-	-	-	-	-	-	-
11	Female	White	1,034	74	9	5	5	2	95	11	9	18
12		All other	5	-	-	-	-	-	-	-	-	-
13	Cities of 2,500 to 10,000	White	1,634	126	9	6	8	4	153	23	17	28
14		All other	7	1	-	-	-	-	1	1	-	1
15	Male	White	925	83	5	4	5	3	100	13	8	17
16		All other	6	1	-	-	-	-	1	1	-	1
17	Female	White	709	43	4	2	3	1	53	10	9	11
18		All other	1	-	-	-	-	-	-	-	-	-
19	Rural	White	5,826	319	32	17	11	7	386	37	43	71
20		All other	73	20	3	1	1	1	26	-	3	6
21	Male	White	3,431	180	17	9	7	4	217	24	24	46
22		All other	42	14	1	-	-	1	16	-	1	3
23	Female	White	2,395	139	15	8	4	3	169	13	19	25
24		All other	31	6	2	1	1	-	10	-	2	3
25	NEVADA		1,404	107	10	4	5	3	129	12	10	31
26	Both sexes	White	1,253	91	8	3	4	3	109	11	5	25
27		All other	151	16	2	1	1	-	20	1	5	6
28	Male	White	890	51	3	1	1	2	58	7	4	18
29		All other	83	9	-	-	-	-	9	1	2	4
30	Female	White	363	40	5	2	3	1	51	4	1	7
31		All other	68	7	2	1	1	-	11	-	3	2
32	Cities of 10,000 to 100,000	White	208	4	1	-	-	1	6	-	-	3
33		All other	4	1	-	-	-	-	1	-	-	-
34	Male	White	132	4	1	-	-	1	6	-	-	1
35		All other	1	1	-	-	-	-	1	-	-	-
36	Female	White	76	-	-	-	-	-	-	-	-	2
37		All other	3	-	-	-	-	-	-	-	-	-
38	Cities of 2,500 to 10,000	White	315	33	4	1	3	-	41	5	2	8
39		All other	24	-	-	-	-	-	-	-	-	1
40	Male	White	236	19	2	-	1	-	22	3	2	6
41		All other	13	-	-	-	-	-	-	-	-	1
42	Female	White	79	14	2	1	2	-	19	2	-	2
43		All other	11	-	-	-	-	-	-	-	-	-
44	Rural	White	730	54	3	2	1	2	62	6	3	14
45		All other	123	15	2	1	1	-	19	1	5	5
46	Male	White	522	28	-	1	-	1	30	4	2	11
47		All other	69	8	-	-	-	-	8	1	2	3
48	Female	White	208	26	3	1	1	1	32	2	1	3
49		All other	54	7	2	1	1	-	11	-	3	2
50	NEW HAMPSHIRE		6,255	340	27	26	9	12	414	32	35	57
51	Both sexes	White	6,243	339	27	26	9	12	413	32	35	57
52		All other	12	1	-	-	-	-	1	-	-	-
53	Male	White	3,428	186	18	16	5	7	232	18	21	38
54		All other	8	-	-	-	-	-	-	-	-	-
55	Female	White	2,815	153	9	10	4	5	181	14	14	19
56		All other	4	1	-	-	-	-	1	-	-	-
57	Cities of 10,000 to 100,000	White	3,048	193	14	13	6	7	233	18	13	23
58		All other	7	1	-	-	-	-	1	-	-	-
59	Male	White	1,619	101	11	8	5	3	128	8	7	15
60		All other	4	-	-	-	-	-	-	-	-	-
61	Female	White	1,429	92	3	5	1	4	105	10	6	8
62		All other	3	1	-	-	-	-	1	-	-	-
63	Cities of 2,500 to 10,000	White	510	40	4	-	1	-	45	3	3	8
64		All other	1	-	-	-	-	-	-	-	-	-
65	Male	White	276	23	3	-	-	-	26	2	2	6
66		All other	1	-	-	-	-	-	-	-	-	-
67	Female	White	234	17	1	-	1	-	19	1	1	2
68		All other	-	-	-	-	-	-	-	-	-	-
69	Rural	White	2,685	106	9	13	2	5	135	11	19	26
70		All other	4	-	-	-	-	-	-	-	-	-
71	Male	White	1,533	62	4	8	-	4	78	8	12	17
72		All other	3	-	-	-	-	-	-	-	-	-
73	Female	White	1,152	44	5	5	2	1	57	3	7	9
74		All other	1	-	-	-	-	-	-	-	-	-
75	NEW JERSEY		45,086	2,086	162	82	93	70	2,493	260	291	481
76	Both sexes	White	41,703	1,773	132	67	78	62	2,112	224	254	404
77		All other	3,383	313	30	15	15	8	381	36	37	77
78	Male	White	22,486	1,026	72	44	43	38	1,223	130	143	234
79		All other	1,728	157	13	8	9	5	192	20	13	32
80	Female	White	19,217	747	60	23	35	24	889	94	111	170
81		All other	1,655	156	17	7	6	3	189	16	24	45
82	Cities of 100,000 or more	White	13,795	781	53	27	23	29	913	71	90	121
83		All other	1,289	151	14	8	6	3	182	13	16	32
84	Male	White	7,607	465	29	15	13	20	542	41	49	67
85		All other	677	74	5	4	4	3	90	8	6	12
86	Female	White	6,188	316	24	12	10	9	371	30	41	54
87		All other	612	77	9	4	2	-	92	5	10	20
88	Cities of 10,000 to 100,000	White	14,418	683	50	21	30	27	811	82	92	141
89		All other	1,041	98	10	4	5	5	122	14	6	19
90	Male	White	7,567	380	29	17	13	13	452	45	53	81
91		All other	481	53	5	1	2	2	63	5	2	9
92	Female	White	6,851	303	21	4	17	14	359	37	39	60
93		All other	560	45	5	3	3	3	59	9	4	10

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
32	52	56	71	78	130	178	226	245	264	299	304	217	112	39	11	2	5	1
5	8	5	13	7	9	19	18	12	16	10	8	4	2	2	-	-	-	2
18	23	30	35	32	73	112	152	151	145	168	166	118	46	15	5	-	4	3
3	5	3	7	2	3	6	10	8	7	3	7	2	1	1	-	-	-	4
14	29	26	36	46	57	66	74	94	119	131	138	99	66	24	6	2	1	5
2	3	2	6	5	6	13	8	4	9	7	1	2	1	1	-	-	-	6
37	35	44	54	60	91	121	157	184	248	275	274	236	139	51	9	2	2	7
1	-	-	-	-	-	2	1	4	2	1	2	1	2	1	-	-	-	8
12	17	23	30	35	52	77	93	103	141	163	151	130	61	25	4	-	1	9
1	-	-	-	-	-	2	-	4	1	1	1	-	1	1	-	-	-	10
25	18	21	24	25	39	44	64	81	107	112	123	106	78	26	5	2	1	11
-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	12
25	22	29	34	41	57	80	107	111	163	183	190	196	108	54	8	-	4	13
-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	14
14	6	13	20	26	29	45	53	68	90	110	109	109	63	24	4	-	4	15
-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	16
12	16	16	14	15	28	35	54	43	73	73	81	87	45	30	4	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	18
70	86	68	107	141	172	266	321	454	572	766	853	742	452	173	32	6	8	19
2	5	1	3	2	3	1	3	5	3	2	3	3	-	2	-	-	-	20
41	52	40	64	86	104	156	211	283	368	458	491	422	236	81	19	2	6	21
1	1	1	1	1	1	1	3	5	2	1	1	1	-	2	-	-	-	22
29	34	28	43	55	68	110	110	171	204	308	362	320	216	92	13	4	2	23
1	4	-	2	1	2	-	-	-	1	1	2	2	-	-	-	-	-	24
31	44	45	60	65	83	116	124	127	137	129	114	88	35	13	4	2	5	25
27	38	40	44	61	75	104	117	115	132	116	103	85	30	11	2	-	3	26
4	6	5	16	4	8	12	7	12	5	13	11	3	5	2	2	2	2	27
21	22	23	27	41	54	82	104	88	104	78	76	62	14	5	1	-	1	28
2	3	2	8	2	5	9	4	5	3	6	8	1	4	2	1	2	-	29
6	16	17	17	20	21	22	13	27	28	38	27	23	16	6	1	-	2	30
2	3	3	8	2	3	3	3	7	2	7	3	2	1	-	1	-	2	31
2	1	7	4	17	12	22	21	22	27	19	25	9	5	4	-	-	2	32
-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	33
1	-	5	2	9	9	16	19	13	20	11	15	4	-	1	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	1	2	2	8	3	6	2	9	7	8	10	5	5	3	-	-	2	36
-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	37
6	9	15	9	11	25	24	27	27	29	30	22	21	2	2	-	-	-	38
-	-	1	2	1	4	4	1	4	1	2	2	-	1	-	-	-	-	39
6	8	8	5	8	18	21	22	23	25	23	17	18	1	-	-	-	-	40
-	-	-	1	1	3	2	-	1	1	-	2	-	1	-	-	-	-	41
-	1	7	4	3	7	3	5	4	4	7	5	3	1	2	-	-	-	42
-	-	1	1	-	1	2	1	3	-	2	-	-	-	-	-	-	-	43
19	28	18	31	33	38	58	69	66	76	67	56	55	23	5	2	-	1	44
4	5	4	13	3	4	8	6	8	4	11	9	3	3	2	2	2	2	45
14	14	10	20	24	27	45	63	52	59	44	44	40	13	4	1	-	1	46
2	3	2	7	1	2	7	4	4	2	6	6	1	3	2	1	2	-	47
5	14	8	11	9	11	13	6	14	17	23	12	15	10	1	1	-	-	48
2	2	2	6	2	2	1	2	4	2	5	3	2	-	-	1	-	2	49
80	74	70	128	159	212	331	446	574	693	845	858	689	348	155	35	6	14	50
80	73	69	127	156	210	331	446	573	691	845	858	689	348	155	35	6	14	51
-	1	1	1	3	2	-	-	1	2	-	-	-	-	-	-	-	-	52
52	44	40	73	92	109	196	282	355	385	473	463	327	148	59	11	3	7	53
-	-	1	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-	54
28	29	29	54	64	101	135	164	218	306	372	395	362	200	96	24	3	7	55
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	56
43	43	39	67	86	109	194	229	285	338	387	396	311	152	64	11	1	6	57
-	1	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	58
26	26	21	34	51	58	116	151	169	182	208	203	135	55	20	3	1	2	59
-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	60
17	17	18	33	35	51	78	78	116	156	179	193	176	97	44	8	-	4	61
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
8	3	8	5	13	18	25	31	59	61	63	68	44	29	10	3	1	2	63
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	64
5	1	6	2	6	9	12	19	39	34	29	40	22	12	2	1	-	1	65
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	66
3	2	2	3	7	9	13	12	20	27	34	28	22	17	8	2	1	1	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
29	27	22	55	57	83	112	186	229	292	395	394	334	167	81	21	4	6	69
-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	70
21	17	13	37	35	42	68	112	147	169	236	220	170	81	37	7	2	4	71
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	72
8	10	9	18	22	41	44	74	82	123	159	174	164	86	44	14	2	2	73
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	74
633	760	977	1,223	1,764	2,707	3,380	4,055	4,818	5,382	5,376	4,654	3,374	1,715	590	128	19	6	75
527	637	807	1,011	1,482	2,424	3,077	3,719	4,568	5,114	5,193	4,496	3,292	1,656	568	120	12	6	76
106	123	170	212	282	283	303	336	250	268	183	158	82	59	22	8	7	-	77
306	339	455	568	854	1,382	1,905	2,254	2,650	2,740	2,657	2,210	1,499	686	207	35	5	4	78
53	50	83	106	139	142	173	182	136	156	96	77	40	24	9	2	3	-	79
221	298	352	443	628	1,042	1,172	1,465	1,918	2,374	2,536	2,286	1,793	970	361	85	7	2	80
53	73	87	106	143	141	130	154	114	112	87	81	42	35	13	6	4	-	81
196	225	300	363	598	923	1,132	1,391	1,577	1,688	1,603	1,272	837	357	106	28	3	1	82
37	45	71	96	126	122	132	118	71	83	59	42	23	13	4	1	3	-	83
111	107	172	217	337	505	709	866	910	927	854	641	378	124	40	7	2	1	84
13	19	34	52	69	60	79	67	42	50	29	18	17	7	3	-	2	-	85
85	118	128	146	261	418	423	525	667	761	749	631	459	233	66	21	1	-	86
24	26	37	44	57	62	53	51	29	33	30	24	6	6	1	1	1	-	87
182	206	237	343	487	826	1,112	1,287	1,643	1,806	1,798	1,512	1,082	535	205	45	4	2	88
27	24	38	48	80	89	86	123	97	87	58	56	29	23	11	1	3	-	89
90	113	123	188	273	471	667	754	932	914	908	708	476	229	71	15	2	2	90
16	11	19	16	29	45	44	62	50	42	26	24	7	7	3	-	1	-	91
72	93	114	155	214	355	445	533	711	892	890	804	606	306	134	30	2	-	92
11	13	19	32	51	44	42	61	47	45	32	32	22	16	8	1	2	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	NEW JERSEY—Continued										
1	Cities of 2,500 to 10,000 — White	5,199	151	10	10	10	2	183	34	24	40
2	All other	410	24	3	1	-	-	28	2	11	11
3	Male — White	2,760	85	7	6	7	2	107	21	11	21
4	All other	202	11	1	1	-	-	13	2	2	2
5	Female — White	2,439	66	3	4	3	-	76	13	13	19
6	All other	208	13	2	-	-	-	15	-	9	9
7	Rural — White	8,291	158	19	9	15	4	205	37	48	102
8	All other	643	40	3	2	4	-	49	7	4	15
9	Male — White	4,552	96	7	6	10	3	122	23	30	65
10	All other	368	19	2	2	3	-	26	5	3	9
11	Female — White	3,739	62	12	3	5	1	83	14	18	37
12	All other	275	21	1	-	1	-	23	2	1	6
13	NEW MEXICO	5,593	1,468	161	49	42	27	1,747	77	85	158
14	Both sexes — White	5,282	1,372	144	43	38	26	1,623	74	85	147
15	All other	311	96	17	6	4	1	124	3	-	11
16	Male — White	3,026	780	76	18	16	11	901	43	47	79
17	All other	184	55	9	4	3	1	72	2	-	5
18	Female — White	2,256	592	68	25	22	15	722	31	38	68
19	All other	127	41	8	2	1	-	52	1	-	6
20	Cities of 10,000 to 100,000 — White	1,263	229	14	5	8	5	261	25	26	39
21	All other	73	30	1	1	-	-	32	-	-	4
22	Male — White	757	127	8	1	3	2	141	15	11	22
23	All other	47	22	-	-	-	-	22	-	-	1
24	Female — White	506	102	6	4	5	3	120	10	15	17
25	All other	26	8	1	1	-	-	10	-	-	3
26	Cities of 2,500 to 10,000 — White	1,396	325	29	9	9	10	382	18	28	42
27	All other	28	3	-	-	-	-	3	-	-	-
28	Male — White	814	191	18	3	4	4	220	9	16	20
29	All other	19	2	-	-	-	-	2	-	-	-
30	Female — White	582	134	11	6	5	6	162	9	12	22
31	All other	9	1	-	-	-	-	1	-	-	-
32	Rural — White	2,623	818	101	29	21	11	980	31	31	66
33	All other	210	63	16	5	4	1	89	3	-	7
34	Male — White	1,455	462	50	14	9	5	540	19	20	37
35	All other	118	31	9	4	3	1	48	2	-	4
36	Female — White	1,168	356	51	15	12	6	440	12	11	29
37	All other	92	32	7	1	1	-	41	1	-	3
38	NEW YORK	149,946	7,322	538	345	243	215	8,663	801	867	1,405
39	Both sexes — White	142,372	6,746	486	326	225	196	7,979	744	780	1,208
40	All other	7,574	576	52	19	18	19	684	57	87	197
41	Male — White	77,725	3,927	266	169	124	111	4,597	441	450	729
42	All other	4,068	325	31	12	11	9	388	28	40	80
43	Female — White	64,647	2,819	220	157	101	85	3,382	303	330	479
44	All other	3,506	251	21	7	7	10	296	29	47	117
45	Cities of 100,000 or more — White	87,687	4,264	280	213	136	120	5,013	453	482	717
46	All other	6,190	497	38	14	14	16	579	45	74	158
47	Male — White	48,032	2,454	143	111	77	70	2,855	268	275	405
48	All other	3,273	283	22	8	9	8	330	22	33	59
49	Female — White	39,655	1,810	137	102	59	50	2,158	185	207	312
50	All other	2,917	214	16	6	5	8	249	23	41	99
51	Cities of 10,000 to 100,000 — White	19,759	1,283	82	43	43	32	1,483	119	119	179
52	All other	385	34	5	2	-	1	42	5	4	6
53	Male — White	10,356	774	51	24	22	15	886	69	64	116
54	All other	195	20	3	2	-	-	25	3	2	2
55	Female — White	9,403	509	31	19	21	17	597	50	55	63
56	All other	190	14	2	-	-	1	17	2	2	4
57	Cities of 2,500 to 10,000 — White	7,617	456	36	20	12	10	534	54	47	79
58	All other	137	14	2	1	-	-	17	1	1	2
59	Male — White	3,991	274	19	6	6	6	311	37	33	48
60	All other	79	5	2	1	-	-	8	1	1	2
61	Female — White	3,626	182	17	14	6	4	223	17	14	31
62	All other	58	9	-	-	-	-	9	-	-	-
63	Rural — White	27,309	743	88	50	34	34	949	118	132	233
64	All other	862	31	7	2	4	2	46	6	8	31
65	Male — White	15,346	425	53	28	19	20	545	67	78	160
66	All other	521	17	4	1	2	1	25	2	4	17
67	Female — White	11,963	318	35	22	15	14	404	51	54	73
68	All other	341	14	3	1	2	1	21	4	4	14
69	NORTH CAROLINA	32,081	4,629	462	241	153	105	5,590	386	398	815
70	Both sexes — White	20,362	2,715	237	138	88	65	3,243	241	217	379
71	All other	11,719	1,914	225	103	65	40	2,347	145	181	436
72	Male — White	11,503	1,589	129	75	46	35	1,874	118	129	221
73	All other	6,188	1,058	123	50	29	16	1,276	81	103	179
74	Female — White	8,859	1,126	108	63	42	30	1,369	123	88	158
75	All other	5,531	856	102	53	36	24	1,071	64	78	257
76	Cities of 100,000 or more — White	668	74	6	7	3	3	93	10	11	9
77	All other	444	61	5	6	1	-	73	3	3	19
78	Male — White	400	44	3	6	1	2	56	8	7	5
79	All other	237	32	2	2	1	-	37	2	1	10
80	Female — White	268	30	3	1	2	1	37	2	4	4
81	All other	207	29	3	4	-	-	36	1	2	9
82	Cities of 10,000 to 100,000 — White	5,354	769	89	43	27	15	943	77	75	130
83	All other	3,493	446	53	25	20	13	557	43	53	131
84	Male — White	3,059	454	55	27	12	9	557	42	43	67
85	All other	1,798	247	29	15	8	6	305	19	25	49
86	Female — White	2,275	315	34	16	15	6	386	35	32	63
87	All other	1,695	199	24	10	12	7	252	24	28	82
88	Cities of 2,500 to 10,000 — White	2,022	259	25	21	11	8	324	28	30	48
89	All other	974	119	14	7	11	2	153	9	20	38
90	Male — White	1,150	149	12	10	6	2	179	12	22	28
91	All other	509	75	5	2	3	1	86	6	14	16
92	Female — White	872	110	13	1	5	6	145	16	8	18
93	All other	465	44	9	5	8	1	67	3	6	20

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
61	71	106	122	158	266	337	432	511	621	697	662	506	266	85	14	1	2	1
29	18	29	33	40	25	26	38	26	32	22	18	8	10	1	2	1	-	2
39	40	58	64	100	165	211	264	312	348	327	306	223	110	28	4	-	1	3
14	4	17	18	22	12	17	19	12	22	11	8	4	3	-	-	-	-	4
22	31	48	58	58	101	126	168	199	273	370	356	283	156	57	10	1	1	5
15	14	12	15	18	13	9	19	14	10	11	10	4	7	1	2	1	-	6
108	135	164	183	239	409	496	609	837	999	1,095	1,050	867	498	172	33	4	1	7
13	36	32	35	36	47	59	57	56	66	44	42	22	13	6	4	-	-	8
66	79	102	99	144	241	318	370	496	551	568	555	422	223	68	9	1	-	9
10	16	13	20	19	25	33	34	32	42	30	27	12	7	3	2	-	-	10
42	56	62	84	95	168	178	239	341	448	527	495	445	275	104	24	3	1	11
3	20	19	15	17	22	26	23	24	24	14	15	10	6	3	2	-	-	12
174	161	168	198	219	234	266	261	309	335	394	327	238	154	47	15	5	21	13
158	149	159	192	205	223	253	251	294	320	376	310	230	149	46	15	5	18	14
16	12	9	6	14	11	13	10	15	15	18	17	8	5	1	-	-	3	15
86	86	80	107	121	148	169	158	174	185	224	160	121	77	25	6	2	7	16
5	7	7	2	10	9	8	8	10	9	12	8	5	2	1	-	-	2	17
72	63	79	85	84	75	84	93	120	135	152	130	109	72	21	9	3	11	18
11	5	2	4	4	2	5	2	5	6	6	9	3	3	-	-	-	1	19
44	48	42	57	75	85	84	63	82	88	82	64	55	26	8	3	1	5	20
5	4	1	1	1	-	2	3	3	4	4	2	4	1	-	-	-	2	21
23	25	25	32	47	55	65	38	53	59	54	41	33	12	5	-	1	-	22
3	4	1	-	1	-	1	2	1	3	3	-	4	-	-	-	-	1	23
21	23	17	25	28	30	19	25	29	29	28	23	22	14	3	3	-	5	24
2	-	-	1	-	-	1	1	2	1	1	2	-	1	-	-	-	1	25
35	38	50	63	47	57	66	81	84	100	108	83	56	40	10	5	-	3	26
2	2	2	1	5	-	3	-	4	3	1	1	-	1	-	-	-	-	27
21	25	20	35	25	41	42	58	59	47	64	47	30	25	6	2	-	2	28
-	2	2	-	3	-	2	-	4	2	-	1	-	1	-	-	-	-	29
14	13	30	28	22	16	24	23	25	53	44	36	26	15	4	3	-	1	30
2	-	-	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	31
79	63	67	72	83	81	103	107	128	132	186	163	119	83	28	7	4	10	32
9	6	6	4	8	11	8	7	8	8	13	14	4	3	1	-	-	1	33
42	36	35	40	49	52	62	62	62	79	106	92	58	40	14	4	1	5	34
2	1	4	2	6	9	5	6	5	4	9	7	1	1	1	-	-	1	35
37	27	32	32	34	29	41	45	66	53	80	71	61	43	14	3	3	5	36
7	5	2	2	2	2	3	1	3	4	4	7	3	2	-	-	-	-	37
2,053	2,428	3,176	4,172	6,120	8,609	11,511	13,298	16,061	17,770	18,225	15,549	11,298	5,609	1,792	436	68	35	38
1,741	2,043	2,645	3,591	5,412	7,836	10,753	12,678	15,515	17,286	17,878	15,309	11,149	5,548	1,762	420	61	34	39
312	385	531	581	708	773	758	620	546	484	347	240	149	61	30	16	7	1	40
974	1,064	1,477	2,066	3,265	4,842	6,664	7,695	8,978	9,488	9,335	7,504	5,055	2,274	644	138	21	24	41
128	188	286	322	385	462	440	359	317	251	185	103	64	24	9	7	1	1	42
767	979	1,168	1,525	2,147	2,994	4,089	4,983	6,537	7,798	8,543	7,805	6,094	3,274	1,118	282	40	10	43
184	197	245	259	323	311	318	261	229	233	162	137	85	37	21	9	6	-	44
1,055	1,331	1,769	2,490	3,743	5,488	7,441	8,686	10,269	10,843	10,538	8,347	5,479	2,559	755	173	34	22	45
264	328	443	500	590	636	637	508	438	372	268	175	104	39	18	8	6	-	46
550	858	966	1,435	2,264	3,414	4,625	5,303	5,985	5,928	5,420	3,964	2,386	997	256	52	9	17	47
105	156	236	281	314	376	364	289	257	188	133	66	43	11	8	2	-	-	48
505	673	803	1,055	1,479	2,074	2,816	3,383	4,284	4,915	5,118	4,383	3,093	1,562	499	121	25	5	49
159	172	207	219	276	260	273	219	181	184	135	109	61	28	10	6	6	-	50
261	254	323	422	633	919	1,317	1,533	2,053	2,352	2,597	2,229	1,723	888	274	70	7	4	51
11	12	23	20	35	32	33	28	28	36	25	15	12	8	6	4	-	-	52
142	149	177	240	345	540	750	893	1,130	1,260	1,308	1,088	733	350	86	22	4	4	53
5	4	12	9	17	16	16	16	16	18	15	8	4	4	1	2	-	-	54
119	105	146	182	288	379	567	640	923	1,092	1,289	1,141	990	538	188	48	3	-	55
6	8	11	11	18	16	17	12	12	18	10	7	8	4	5	2	-	-	56
85	98	114	135	208	297	415	575	672	892	1,018	957	812	434	147	39	3	2	57
4	1	7	8	11	14	10	10	18	9	5	10	2	4	1	1	-	1	58
54	59	70	74	117	175	257	334	376	469	521	463	343	176	59	14	-	1	59
3	1	6	6	6	8	6	6	6	6	3	5	-	3	-	1	-	1	60
31	39	44	61	91	122	158	241	296	423	497	494	469	258	88	25	3	1	61
1	-	1	2	5	6	4	4	12	3	2	5	2	1	1	-	-	-	62
340	360	439	544	828	1,132	1,580	1,884	2,521	3,199	3,725	3,776	3,135	1,667	586	138	17	6	63
33	44	58	53	72	91	78	74	82	67	49	40	31	10	5	3	1	-	64
228	198	264	317	539	713	1,032	1,165	1,487	1,831	2,086	1,989	1,593	751	243	50	8	2	65
15	27	32	26	48	62	54	48	38	39	34	24	17	6	-	2	1	-	66
112	162	175	227	289	419	548	719	1,034	1,368	1,639	1,787	1,542	916	343	88	9	4	67
18	17	26	27	24	29	24	26	24	28	15	16	14	4	5	1	-	-	68
1,121	1,151	1,164	1,239	1,455	1,668	1,869	2,180	2,537	2,989	2,344	2,015	1,619	967	355	103	50	66	69
527	518	584	605	779	922	1,090	1,407	1,710	2,146	1,830	1,654	1,360	796	237	64	13	40	70
594	633	580	634	676	746	779	773	827	843	514	361	259	171	118	39	37	26	71
304	308	313	327	462	553	674	869	1,013	1,237	1,023	868	688	371	94	20	6	31	72
297	328	296	318	360	386	400	405	450	478	308	190	140	82	65	14	13	19	73
223	210	271	278	317	369	416	538	697	909	807	786	672	425	143	44	7	9	74
297	305	284	318	316	360	379	368	377	365	206	171	119	89	53	25	24	7	75
21	12	22	29	31	34	51	47	79	74	56	35	33	14	7	-	-	-	76
21	35	43	33	31	38	32	31	35	14	13	8	5	2	2	1	1	1	77
8	7	14	18	18	23	36	35	44	43	40	17	11	7	3	-	-	-	78
12	21	24	18	14	22	19	14	21	5	7	4	2	-	2	1	-	1	79
13	5	8	11	13	11	15	12	35	31	16	18	22	7	4	-	-	-	80
9	14	19	15	17	16	13	17	14	9	6	4	3	2	-	-	1	-	81
182	179	202	193	235	305	324	418	448	501	393	326	238	139	30	5	-	11	82
212	225	205	247	254	273	270	252	242	234	114	78	48	24	12	7	8	4	83
94	98	105	101	144	183	216	267	279	294	221	165	104	56	12	2	-	9	84
102	115	99	132	129	123	144	127	140	126	59	49	30	9	7	3	3	3	85
68	81	97	92	91	122	108	151	169	207	172	161	134	83	18	3	-	2	86
110	110	106	115	125	150	126	125	102	108	55	29	18	15	5	4	5	1	87
71	56	77	82	87	96	117	136	175	164	171	160	105	66	21	6	1	3	88
59	57	55	63	65	71	59	69	77	64	53	22	15	14	7	4	1	1	89
35	31	47	40	54	59	71	92	108	93	94	87	54	30	9	1	1	3	90
29	29	28	27	32	37	33	31	41	35	34	11	8	8	3	-	-	1	91
38	25	30	42	33	37	46	44	67	71	77	73	51	36	12	5	-	-	92
30	28	27	36	33	34	26	38	36	29	19	11	7	6	4	4	1	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	NORTH CAROLINA—Continued										
1	Rural—White	12,338	1,613	117	67	47	39	1,883	126	101	194
2	All other	6,808	1,288	153	65	33	25	1,564	90	105	250
3	Male—White	6,894	942	59	32	27	22	1,082	56	57	121
4	All other	3,644	704	87	31	17	9	848	54	63	104
5	Female—White	5,444	671	58	35	20	17	801	70	44	73
6	All other	3,164	584	66	34	16	16	716	36	42	146
7	NORTH DAKOTA	5,235	603	52	35	19	17	726	65	63	73
8	Both sexes—White	5,069	558	49	29	18	14	668	55	61	62
9	All other	166	45	3	6	1	3	58	10	2	11
10	Male—White	3,032	319	31	16	12	7	385	27	22	38
11	All other	90	23	2	4	-	1	30	8	2	4
12	Female—White	2,037	239	18	13	6	7	283	28	39	24
13	All other	76	22	1	2	1	2	28	2	-	7
14	Cities of 10,000 to 100,000—White	1,193	125	19	5	4	4	157	21	8	15
15	All other	5	-	-	-	-	-	-	-	-	1
16	Male—White	685	70	10	3	1	2	86	11	4	8
17	All other	4	-	-	-	-	-	-	-	-	1
18	Female—White	508	55	9	2	3	2	71	10	4	7
19	All other	1	-	-	-	-	-	-	-	-	-
20	Cities of 2,500 to 10,000—White	826	97	10	9	5	3	124	11	21	15
21	All other	6	1	-	-	-	-	1	-	-	1
22	Male—White	483	52	8	4	3	2	69	7	8	8
23	All other	3	1	-	-	-	-	1	-	-	-
24	Female—White	343	45	2	5	2	1	55	4	13	7
25	All other	3	-	-	-	-	-	-	-	-	1
26	Rural—White	3,050	336	20	15	9	7	387	23	32	32
27	All other	155	44	3	6	1	3	57	10	2	9
28	Male—White	1,864	197	13	9	8	3	230	9	10	22
29	All other	83	22	2	4	-	1	29	8	2	3
30	Female—White	1,186	139	7	6	1	4	157	14	22	10
31	All other	72	22	1	2	1	2	28	2	-	6
32	OHIO	78,662	4,759	468	239	143	126	5,735	540	519	928
33	Both sexes—White	73,533	4,416	430	221	129	118	5,314	504	468	790
34	All other	5,129	343	38	18	14	8	421	36	51	138
35	Male—White	40,246	2,568	214	117	68	67	3,034	296	278	488
36	All other	2,817	190	26	10	7	5	238	18	23	61
37	Female—White	33,287	1,848	216	104	61	51	2,280	208	190	302
38	All other	2,312	153	12	8	7	3	183	18	28	77
39	Cities of 100,000 or more—White	29,481	1,763	166	83	53	54	2,119	211	188	260
40	All other	3,438	235	26	10	13	5	289	28	33	73
41	Male—White	15,877	1,014	86	39	31	27	1,197	125	111	142
42	All other	1,836	130	19	6	6	4	165	13	16	27
43	Female—White	13,604	749	80	44	22	27	922	86	77	118
44	All other	1,602	105	7	4	7	1	124	15	17	46
45	Cities of 10,000 to 100,000—White	14,642	1,074	98	63	23	24	1,282	125	107	179
46	All other	680	62	7	7	-	1	77	2	2	20
47	Male—White	7,696	636	47	34	10	17	744	73	63	111
48	All other	369	32	4	4	-	-	40	2	2	9
49	Female—White	6,946	438	51	29	13	7	538	52	44	68
50	All other	311	30	3	3	-	1	37	-	-	11
51	Cities of 2,500 to 10,000—White	7,181	400	36	22	17	8	483	39	47	93
52	All other	236	23	2	-	-	1	26	1	2	6
53	Male—White	3,768	239	15	19	7	5	285	27	30	58
54	All other	136	17	1	-	-	1	19	-	-	5
55	Female—White	3,413	161	21	3	10	3	198	12	17	35
56	All other	100	6	1	-	-	-	7	1	2	1
57	Rural—White	22,229	1,179	130	53	36	32	1,430	129	126	258
58	All other	775	23	3	1	1	1	29	5	14	39
59	Male—White	12,905	679	66	25	20	18	808	71	74	177
60	All other	476	11	2	-	1	-	14	3	5	20
61	Female—White	9,324	500	64	28	16	14	622	58	52	81
62	All other	299	12	1	1	-	1	15	2	9	19
63	OKLAHOMA	20,461	2,214	253	148	104	89	2,808	240	232	434
64	Both sexes—White	17,542	1,865	208	120	91	78	2,362	204	195	322
65	All other	2,919	349	45	28	13	11	446	36	37	112
66	Male—White	10,317	1,060	119	65	44	42	1,330	112	125	176
67	All other	1,562	199	19	15	6	7	246	20	23	44
68	Female—White	7,225	805	89	55	47	36	1,032	92	70	146
69	All other	1,357	150	26	13	7	4	200	16	14	68
70	Cities of 100,000 or more—White	3,360	382	42	20	14	13	471	47	35	57
71	All other	526	51	5	4	2	2	64	8	4	14
72	Male—White	2,007	240	28	12	6	5	291	29	20	26
73	All other	286	36	2	3	-	-	41	5	2	9
74	Female—White	1,353	142	14	8	8	8	180	18	15	31
75	All other	240	15	3	1	2	2	23	3	2	5
76	Cities of 10,000 to 100,000—White	3,572	356	47	24	17	17	461	39	44	64
77	All other	678	78	4	9	3	3	97	11	7	29
78	Male—White	2,054	192	20	12	9	10	243	18	28	35
79	All other	342	30	2	2	1	2	37	6	4	10
80	Female—White	1,518	164	27	12	8	7	218	21	16	29
81	All other	336	48	2	7	2	1	60	5	3	19
82	Cities of 2,500 to 10,000—White	3,146	331	33	20	20	11	415	48	46	71
83	All other	418	68	5	2	4	4	83	7	6	14
84	Male—White	1,851	178	20	11	12	7	228	24	34	35
85	All other	217	39	3	2	2	3	49	3	3	6
86	Female—White	1,295	153	13	9	8	4	187	24	12	36
87	All other	201	29	2	-	2	1	34	4	3	8
88	Rural—White	7,464	796	86	56	40	37	1,015	70	70	130
89	All other	1,297	152	31	13	4	2	202	10	20	55
90	Male—White	4,405	450	51	30	17	20	568	41	43	80
91	All other	717	94	12	8	3	2	119	6	14	19
92	Female—White	3,059	346	35	26	23	17	447	29	27	50
93	All other	580	58	19	5	1	-	83	4	6	36

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
273	271	283	301	426	487	598	806	1,008	1,407	1,210	1,133	984	577	179	53	12	26	1
302	316	277	291	326	364	418	421	473	531	334	253	191	131	97	27	27	20	2
167	172	147	168	246	288	351	475	582	807	668	599	519	278	70	17	5	19	3
154	163	145	141	185	204	204	233	248	312	208	126	100	65	53	10	10	14	4
106	99	136	133	180	199	247	331	426	600	542	534	465	299	109	36	7	7	5
148	153	132	150	141	160	214	188	225	219	126	127	91	66	44	17	17	6	6
100	108	84	103	137	186	245	389	439	561	582	593	464	213	76	16	4	8	7
93	101	80	99	136	179	242	382	434	552	573	583	458	210	75	15	3	8	8
7	7	4	4	1	7	3	7	5	9	9	10	6	3	1	1	1	-	9
58	69	53	55	82	106	150	247	283	341	367	329	268	114	40	10	2	6	10
1	-	2	4	-	4	2	3	4	7	6	6	3	1	1	1	1	-	11
35	32	27	44	54	73	92	135	171	211	206	254	190	96	35	5	1	2	12
6	7	2	-	1	3	1	4	1	2	3	4	3	2	-	-	-	-	13
22	20	26	30	41	48	80	100	118	128	131	115	84	32	13	3	1	-	14
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	15
12	13	17	13	15	22	49	59	71	82	89	62	45	15	9	2	1	-	16
-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	17
10	7	9	17	26	26	31	41	47	46	42	53	39	17	4	1	-	-	18
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
18	22	13	7	24	30	40	64	68	89	87	90	69	16	12	2	-	4	20
-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	21
10	15	4	2	13	14	23	45	41	58	55	49	40	11	7	1	-	3	22
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
8	7	9	5	11	16	17	19	27	31	32	41	29	5	5	1	-	1	24
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	25
53	59	41	62	71	101	122	218	248	335	355	378	305	162	50	10	2	4	26
6	7	4	3	1	6	3	7	2	8	8	10	6	3	1	1	1	-	27
36	41	32	40	54	70	78	143	151	201	223	218	183	88	24	7	1	3	28
1	-	2	3	-	3	2	3	2	6	6	6	3	1	1	1	1	-	29
17	18	9	22	17	31	44	75	97	134	132	160	122	74	26	3	1	1	30
5	7	2	-	1	3	1	4	-	2	2	4	3	2	-	-	-	-	31
1,213	1,391	1,664	2,010	2,809	3,859	4,893	6,072	7,127	8,546	9,490	8,992	7,523	3,769	1,275	257	37	13	32
1,051	1,181	1,379	1,654	2,345	3,353	4,405	5,658	6,761	8,172	9,133	8,795	7,396	3,682	1,237	237	26	12	33
162	210	285	376	464	506	488	414	366	374	357	197	127	87	38	20	11	1	34
629	676	771	917	1,351	1,980	2,632	3,429	3,957	4,538	4,902	4,456	3,643	1,651	516	87	6	9	35
76	103	141	200	242	299	279	245	209	213	209	118	68	47	16	9	3	-	36
422	505	608	717	994	1,373	1,773	2,229	2,804	3,634	4,231	4,339	3,753	2,031	721	150	20	3	37
86	107	144	176	222	207	209	169	157	161	148	79	59	40	22	11	8	1	38
435	512	650	738	1,171	1,665	2,201	2,730	3,040	3,460	3,430	2,994	2,240	1,019	340	70	6	2	39
102	157	205	284	346	357	361	305	230	221	204	107	66	35	17	10	8	-	40
227	290	351	394	649	978	1,309	1,644	1,778	1,895	1,758	1,424	1,036	416	132	19	1	1	41
44	76	102	145	176	199	198	180	123	115	128	63	33	19	6	6	2	-	42
208	222	299	344	522	687	892	1,086	1,262	1,565	1,672	1,570	1,204	603	208	51	5	1	43
58	81	103	139	170	158	163	125	107	106	76	44	33	16	11	4	6	-	44
227	248	298	337	460	699	860	1,093	1,351	1,600	1,833	1,634	1,348	678	227	44	7	5	45
13	22	23	50	47	57	51	50	56	61	59	35	20	21	7	7	-	-	46
138	124	157	191	248	378	483	649	745	847	969	804	599	276	77	15	1	4	47
6	12	8	26	20	28	29	32	36	34	33	23	12	12	1	2	-	-	48
89	124	141	146	212	321	377	444	606	753	864	830	749	402	150	29	6	1	49
7	10	15	24	27	29	22	18	18	27	26	12	8	9	6	5	-	-	50
89	87	113	142	171	269	334	436	628	729	982	1,017	872	441	177	27	3	2	51
7	3	9	6	13	12	16	14	23	26	26	14	11	15	3	1	2	-	52
58	52	66	76	94	150	193	273	362	373	505	484	410	190	75	6	-	1	53
4	1	6	5	5	8	11	6	12	16	13	8	6	6	3	1	1	-	54
31	35	47	66	77	119	141	163	266	356	477	533	462	251	102	21	3	1	55
3	2	3	1	8	4	5	8	11	10	13	6	5	9	-	-	1	-	56
300	354	318	417	543	720	1,010	1,399	1,742	2,383	2,888	3,150	2,936	1,544	493	96	10	3	57
40	28	48	36	58	80	60	45	57	66	68	41	30	16	11	2	1	1	58
206	210	197	256	360	474	647	863	1,072	1,423	1,670	1,744	1,598	769	232	47	4	3	59
22	14	25	24	41	64	41	27	36	48	35	24	17	10	6	-	-	-	60
94	124	121	161	183	246	363	536	670	960	1,218	1,406	1,338	775	261	49	6	-	61
18	14	23	12	17	16	19	18	21	18	33	17	13	6	5	2	1	1	62
483	516	557	645	742	916	1,067	1,271	1,542	2,013	2,159	1,935	1,531	896	317	92	17	48	63
345	379	431	484	566	728	887	1,093	1,340	1,769	1,971	1,787	1,447	832	287	71	8	34	64
138	137	126	161	176	188	180	178	202	244	188	148	84	64	30	21	9	14	65
164	206	220	249	335	437	553	679	848	1,122	1,187	1,068	851	461	148	26	2	18	66
58	63	68	67	99	96	96	104	112	137	115	88	48	36	21	9	5	7	67
181	173	211	235	231	291	334	414	492	647	784	719	596	371	139	45	6	16	68
80	74	58	94	77	92	84	74	90	107	73	60	36	28	9	12	4	7	69
71	75	111	107	157	178	200	239	275	309	365	304	205	105	33	10	1	5	70
30	25	34	44	45	39	48	41	30	38	25	19	4	4	1	5	2	2	71
34	40	56	46	94	101	139	157	175	198	225	187	122	45	15	3	-	4	72
12	11	19	19	26	16	28	30	14	20	10	14	2	2	-	4	1	1	73
37	35	55	61	63	77	61	82	100	111	140	117	83	60	18	7	1	1	74
18	14	15	25	19	23	20	11	16	18	15	5	2	2	1	1	1	1	75
64	87	88	111	133	193	215	229	273	360	396	312	256	162	51	20	2	12	76
32	29	34	43	55	46	46	37	45	46	39	38	16	16	3	5	1	3	77
30	43	42	57	75	131	128	144	167	241	228	181	141	85	22	7	2	6	78
9	12	21	19	30	28	22	16	25	32	28	20	10	8	3	-	-	2	79
34	44	46	54	58	62	87	85	106	119	168	131	115	77	29	13	-	6	80
23	17	13	24	25	18	24	21	20	14	11	18	6	8	-	5	1	1	81
74	88	76	92	116	133	165	195	235	310	311	319	230	147	53	12	1	9	82
18	17	18	17	20	26	24	29	29	34	30	16	20	4	4	-	-	2	83
38	50	42	49	75	86	100	125	144	193	181	185	133	90	30	6	-	3	84
8	11	9	8	9	16	8	17	16	13	18	9	11	-	2	-	-	1	85
38	38	34	43	41	47	65	70	91	117	130	134	97	57	23	6	1	6	86
10	6	9	9	11	10	16	12	13	21	12	7	9	4	2	-	-	1	87
136	129	156	174	160	224	307	430	557	790	899	852	756	418	150	29	4	8	88
58	66	40	57	56	77	62	71	98	126	94	75	44	40	22	11	6	7	89
62	73	80	97	91	119	186	253	362	490	553	515	455	241	81	10	-	5	90
29	29	19	21	34	36	38	41	57	72	59	45	25	26	16	5	4	3	91
74	56	76	77	69	105	121	177	195	300	346	337	301	177	69	19	4	3	92
29	37	21	36	22	41	24	30	41	54	55	30	19	14	6	6	2	4	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	OREGON		12,310	588	51	37	23	21	720	98	84	157
2	Both sexes	White	12,068	562	48	35	21	20	686	94	81	151
3		All other	242	26	3	2	2	1	34	4	3	6
4	Male	White	7,336	338	28	22	11	12	411	57	50	102
5		All other	164	14	2	1	2	1	20	2	2	4
6	Female	White	4,732	224	20	13	10	8	275	37	31	49
7		All other	78	12	1	1	-	-	14	2	1	2
8	Cities of 100,000 or more	White	4,152	149	14	6	5	4	178	25	13	26
9		All other	88	6	-	-	-	-	6	-	-	-
10	Male	White	2,388	89	8	2	3	2	104	12	8	18
11		All other	62	4	-	-	-	-	4	-	-	-
12	Female	White	1,764	60	6	4	2	2	74	13	5	8
13		All other	26	2	-	-	-	-	2	-	-	-
14	Cities of 10,000 to 100,000	White	1,828	135	4	3	4	4	150	10	14	24
15		All other	24	4	-	-	-	-	4	-	-	-
16	Male	White	1,096	74	2	3	3	4	86	6	8	18
17		All other	14	1	-	-	-	-	1	-	-	-
18	Female	White	732	61	2	-	1	-	64	4	6	6
19		All other	10	3	-	-	-	-	3	-	-	-
20	Cities of 2,500 to 10,000	White	2,259	160	13	8	5	5	191	22	25	35
21		All other	22	5	-	-	1	1	7	-	1	2
22	Male	White	1,381	105	8	5	1	2	121	12	14	19
23		All other	17	4	-	-	1	1	6	-	-	1
24	Female	White	878	55	5	3	4	3	70	10	11	16
25		All other	5	1	-	-	-	-	1	-	1	1
26	Rural	White	3,829	118	17	18	7	7	167	37	29	66
27		All other	108	11	3	2	1	-	17	4	2	4
28	Male	White	2,471	70	10	12	4	4	100	27	20	47
29		All other	71	5	2	1	1	-	9	2	2	3
30	Female	White	1,358	48	7	6	3	3	67	10	9	19
31		All other	37	6	1	1	-	-	8	2	-	1
32	PENNSYLVANIA		111,498	7,400	632	289	221	193	8,735	797	825	1,344
33	Both sexes	White	104,361	6,768	575	261	197	181	7,982	744	741	1,175
34		All other	7,137	632	57	28	24	12	753	53	84	169
35	Male	White	56,648	3,812	322	147	104	96	4,481	436	449	684
36		All other	3,876	341	31	12	13	6	403	31	44	67
37	Female	White	47,713	2,956	253	114	93	85	3,501	308	292	491
38		All other	3,261	291	26	16	11	6	350	22	40	102
39	Cities of 100,000 or more	White	33,459	1,862	151	80	51	51	2,195	211	196	321
40		All other	4,685	405	38	15	19	7	484	34	52	105
41	Male	White	17,846	1,039	84	45	29	27	1,224	108	107	175
42		All other	2,518	223	23	6	11	4	267	23	24	40
43	Female	White	15,613	823	67	35	22	24	971	103	89	146
44		All other	2,167	182	15	9	8	3	217	11	28	65
45	Cities of 10,000 to 100,000	White	27,062	2,142	200	90	62	55	2,549	256	228	342
46		All other	1,256	158	14	8	3	4	187	14	17	26
47	Male	White	14,453	1,254	110	53	30	28	1,475	163	140	205
48		All other	639	80	6	3	1	1	91	6	12	9
49	Female	White	12,609	888	90	37	32	27	1,074	93	88	137
50		All other	617	78	8	5	2	3	96	8	5	17
51	Cities of 2,500 to 10,000	White	13,061	913	69	27	25	28	1,062	104	103	154
52		All other	248	20	3	1	1	1	26	3	6	6
53	Male	White	6,930	508	44	17	13	18	600	66	63	86
54		All other	134	12	1	1	-	1	15	1	3	3
55	Female	White	6,131	405	25	10	12	10	462	38	40	68
56		All other	114	8	2	-	1	-	11	2	3	3
57	Rural	White	30,779	1,851	155	64	59	47	2,176	173	214	358
58		All other	948	49	2	4	1	-	56	2	9	32
59	Male	White	17,419	1,011	84	32	32	23	1,182	99	139	218
60		All other	585	26	1	2	1	-	30	1	5	15
61	Female	White	13,360	840	71	32	27	24	994	74	75	140
62		All other	363	23	1	2	-	-	26	1	4	17
63	RHODE ISLAND		7,984	413	42	16	12	16	499	48	45	54
64	Both sexes	White	7,783	392	41	14	12	16	475	48	45	51
65		All other	201	21	1	2	-	-	24	-	-	3
66	Male	White	4,087	238	25	9	6	7	285	35	23	31
67		All other	110	11	-	2	-	-	13	-	-	1
68	Female	White	3,696	154	16	5	6	9	190	13	22	20
69		All other	91	10	1	-	-	-	11	-	-	2
70	Cities of 100,000 or more	White	3,033	199	20	5	8	5	237	23	25	20
71		All other	109	16	-	1	-	-	17	-	-	1
72	Male	White	1,566	120	15	4	3	2	144	16	13	15
73		All other	62	7	-	1	-	-	8	-	-	-
74	Female	White	1,467	79	5	1	5	3	93	7	12	5
75		All other	47	9	-	-	-	-	9	-	-	1
76	Cities of 10,000 to 100,000	White	3,930	172	20	7	3	11	213	21	14	23
77		All other	68	2	1	1	-	-	4	-	-	-
78	Male	White	2,088	105	10	4	2	5	126	16	7	14
79		All other	34	1	-	1	-	-	2	-	-	-
80	Female	White	1,842	67	10	3	1	6	87	5	7	9
81		All other	34	1	1	-	-	-	2	-	-	-
82	Cities of 2,500 to 10,000	White	246	6	-	-	-	-	6	1	1	3
83		All other	7	-	-	-	-	-	-	-	-	2
84	Male	White	135	2	-	-	-	-	2	1	1	-
85		All other	3	-	-	-	-	-	-	-	-	1
86	Female	White	111	4	-	-	-	-	4	-	-	3
87		All other	4	-	-	-	-	-	-	-	-	1
88	Rural	White	574	15	1	2	1	-	19	3	5	5
89		All other	17	3	-	-	-	-	3	-	-	-
90	Male	White	298	11	-	1	1	-	13	2	2	2
91		All other	11	3	-	-	-	-	3	-	-	-
92	Female	White	276	4	1	1	-	-	6	1	3	3
93		All other	6	-	-	-	-	-	-	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
208	215	211	252	365	521	759	954	1,116	1,426	1,536	1,552	1,228	630	207	48	9	14	1
194	201	201	246	357	514	738	935	1,099	1,410	1,518	1,534	1,214	624	205	47	7	12	2
14	14	10	6	8	7	21	19	17	16	18	18	14	6	2	1	2	2	3
130	127	127	140	217	314	514	636	724	854	931	891	659	329	91	21	4	7	4
10	9	5	2	3	5	16	14	14	12	14	16	10	2	1	1	-	2	5
64	74	74	106	140	200	224	299	375	556	587	643	555	295	114	26	3	5	6
4	5	5	4	5	2	5	5	3	4	4	2	4	4	1	-	2	-	7
39	56	65	86	140	222	324	361	416	507	557	482	368	214	54	16	3	-	8
4	2	1	3	3	4	12	11	10	9	7	9	5	2	-	-	-	-	9
21	28	32	52	86	146	222	223	267	289	323	251	182	96	18	9	1	-	10
4	1	-	1	2	3	8	7	8	7	6	7	4	-	-	-	-	-	11
18	28	33	34	54	76	102	138	149	218	234	231	186	118	36	7	2	-	12
-	1	1	2	1	1	4	4	2	2	1	2	1	2	-	-	-	-	13
38	37	35	42	52	80	100	137	147	229	200	239	170	90	29	2	-	3	14
1	3	2	1	2	1	1	1	-	1	2	2	-	1	1	-	-	1	15
27	25	24	23	27	42	69	96	98	131	113	129	96	59	17	-	-	2	16
1	3	1	-	-	-	1	1	-	-	2	2	-	1	-	-	-	1	17
11	12	11	19	25	38	31	41	49	98	87	110	74	31	12	2	-	1	18
-	-	1	1	2	1	-	-	-	1	-	-	-	-	1	-	-	-	19
44	34	47	44	49	83	114	167	205	260	274	307	204	100	41	9	2	2	20
-	-	2	-	-	1	-	2	-	1	2	2	-	1	-	-	-	1	21
28	15	28	24	30	43	69	115	125	161	170	210	114	57	21	4	1	-	22
-	-	1	-	-	1	-	2	-	1	1	2	-	1	-	-	-	1	23
16	19	19	20	19	40	45	52	80	99	104	97	90	43	20	5	1	2	24
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	25
73	74	54	74	116	129	200	270	331	414	487	506	472	220	81	20	2	7	26
9	9	5	2	3	1	8	5	7	5	7	5	9	2	1	1	2	-	27
54	59	43	41	74	83	154	202	234	273	325	301	267	117	35	8	2	5	28
5	5	3	1	1	1	7	4	6	4	5	5	6	-	1	1	-	-	29
19	15	11	33	42	46	46	68	97	141	162	205	205	103	46	12	-	2	30
4	4	2	1	2	-	1	1	1	1	2	-	3	2	-	-	2	-	31
1,795	2,051	2,315	2,925	3,963	5,811	7,801	9,271	11,118	12,630	13,087	11,870	8,770	4,486	1,469	310	47	78	32
1,567	1,790	1,983	2,432	3,359	5,168	7,086	8,619	10,524	12,090	12,666	11,579	8,611	4,413	1,435	288	40	69	33
228	261	332	493	604	643	715	652	594	540	421	291	159	73	34	22	7	9	34
897	975	1,102	1,347	1,905	3,075	4,321	5,229	6,062	6,666	6,677	5,776	3,990	1,896	517	110	11	42	35
102	131	176	251	357	558	408	381	334	300	225	164	79	33	12	7	4	9	36
670	815	881	1,085	1,454	2,093	2,765	3,390	4,462	5,424	5,989	5,803	4,621	2,517	918	178	29	27	37
126	130	156	242	247	285	307	271	260	240	196	127	80	40	22	15	3	-	38
410	558	621	823	1,247	1,864	2,607	3,051	3,712	4,180	4,073	3,434	2,356	1,168	334	80	11	7	39
163	186	240	345	441	444	488	427	381	330	257	158	78	39	19	10	2	2	40
222	306	353	466	716	1,140	1,627	1,857	2,092	2,237	2,037	1,572	1,015	445	110	31	4	2	41
73	88	124	178	256	250	276	253	215	175	132	85	30	16	7	3	1	2	42
188	252	268	357	531	724	980	1,194	1,620	1,943	2,036	1,862	1,341	723	224	49	7	5	43
90	98	116	167	185	194	212	174	166	155	125	73	48	23	12	7	1	-	44
455	474	560	649	883	1,485	1,919	2,312	2,805	3,017	2,992	2,703	2,005	991	346	58	9	24	45
26	32	46	85	87	98	120	115	103	91	88	63	32	14	5	3	2	2	46
247	241	284	325	467	833	1,135	1,378	1,602	1,626	1,561	1,335	892	389	115	23	3	14	47
10	16	26	38	50	50	61	63	58	44	47	33	16	4	-	2	1	2	48
208	233	276	324	416	652	784	934	1,203	1,391	1,431	1,368	1,113	602	231	35	6	10	49
16	16	20	47	37	48	59	52	45	47	41	30	16	10	5	1	1	-	50
194	203	226	314	391	623	859	1,073	1,288	1,501	1,601	1,475	1,080	572	182	45	2	9	51
9	4	11	13	14	20	17	22	28	24	12	16	8	4	2	2	1	-	52
107	95	130	174	226	361	516	625	710	819	813	744	459	240	73	18	-	5	53
6	4	4	4	8	8	10	15	12	15	6	9	6	3	-	1	1	-	54
87	108	96	140	165	262	343	448	578	682	788	731	621	332	109	27	2	4	55
3	-	7	9	6	12	7	7	16	9	6	7	2	1	2	1	-	-	56
508	555	576	646	838	1,196	1,701	2,183	2,719	3,392	4,000	3,967	3,170	1,682	573	105	18	29	57
30	39	35	50	62	81	90	88	82	95	64	54	41	16	8	7	2	5	58
321	333	335	382	496	741	1,043	1,369	1,658	1,984	2,266	2,125	1,624	822	219	38	4	21	59
13	23	22	31	43	50	61	50	49	66	40	37	27	10	5	1	1	5	60
187	222	241	264	342	455	658	814	1,061	1,408	1,734	1,842	1,546	860	354	67	14	8	61
17	16	13	19	19	31	29	38	33	29	24	17	14	6	3	6	1	-	62
67	109	114	149	231	379	506	751	841	1,035	1,139	872	683	314	111	33	4	-	63
63	105	112	143	224	363	482	730	818	1,008	1,122	864	675	311	108	32	4	-	64
4	4	2	6	7	16	24	21	23	27	17	8	8	3	3	1	-	-	65
30	56	48	85	114	203	283	449	483	549	564	397	275	130	34	11	2	-	66
1	2	2	3	4	7	15	9	13	18	8	4	6	1	2	1	-	-	67
35	49	64	58	110	160	199	281	335	459	558	467	400	181	74	21	2	-	68
3	2	-	3	3	9	9	12	10	9	9	4	2	2	1	-	-	-	69
24	40	55	56	86	145	201	316	361	365	405	316	222	96	32	7	1	-	70
1	2	1	2	5	10	12	13	10	14	7	6	7	-	1	-	-	-	71
11	18	23	32	44	74	122	194	214	189	186	131	92	38	9	1	-	-	72
-	2	1	1	4	5	8	7	6	9	3	3	5	-	-	-	-	-	73
13	22	32	24	42	71	79	122	147	176	219	185	130	58	23	6	1	-	74
1	-	-	1	1	5	4	6	4	5	4	3	2	-	1	-	-	-	75
27	47	45	70	111	191	236	349	391	548	606	452	358	157	52	17	2	-	76
1	1	-	3	2	5	6	8	12	8	9	2	1	3	2	1	-	-	77
15	25	20	41	53	113	128	216	230	307	327	215	149	65	16	6	1	-	78
1	-	-	2	-	2	3	2	6	6	4	1	1	1	2	1	-	-	79
14	22	25	29	58	78	108	133	161	241	279	237	209	92	36	11	1	-	80
-	1	-	1	2	3	3	6	6	2	5	1	-	2	-	-	-	-	81
5	13	7	12	12	15	18	18	20	28	25	25	15	14	6	2	-	-	82
2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	83
2	9	1	10	7	8	14	12	12	17	8	17	4	8	2	-	-	-	84
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	85
3	4	6	2	5	7	4	6	8	11	17	8	11	6	4	2	-	-	86
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
7	5	5	5	15	12	27	47	46	67	86	71	80	44	18	6	1	-	88
-	1	-	-	-	1	5	-	1	5	1	-	-	-	-	-	-	-	89
4	4	4	2	10	8	19	27	27	36	43	34	30	19	7	4	1	-	90
-	-	-	-	-	-	3	-	1	3	1	-	-	-	-	-	-	-	91
3	1	1	3	5	4	8	20	19	31	43	37	50	25	11	2	-	-	92
-	1	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	SOUTH CAROLINA	20,186	3,024	362	174	108	69	3,737	280	236	507
2	Both sexes—White	9,048	1,132	106	66	57	18	1,379	99	81	146
3	All other	11,138	1,892	256	108	51	51	2,358	181	155	361
4	Male—White	5,251	633	56	44	31	11	775	56	46	77
5	All other	5,828	1,083	142	64	27	26	1,342	103	78	185
6	Female—White	3,797	499	50	22	26	7	604	43	35	69
7	All other	5,310	809	114	44	24	25	1,016	78	77	176
8	Cities of 10,000 to 100,000—White	2,878	350	44	26	25	9	454	39	22	63
9	All other	2,510	326	42	21	11	8	408	40	44	83
10	Male—White	1,681	209	25	17	13	6	270	18	11	34
11	All other	1,326	192	20	12	5	6	235	19	24	40
12	Female—White	1,197	141	19	9	12	3	184	21	11	29
13	All other	1,184	134	22	9	6	2	173	21	20	43
14	Cities of 2,500 to 10,000—White	1,321	193	27	10	5	1	236	18	22	21
15	All other	1,147	163	19	7	8	5	202	15	14	54
16	Male—White	763	108	13	7	1	1	130	11	13	12
17	All other	572	91	12	3	5	2	113	11	6	31
18	Female—White	558	85	14	3	4	-	106	7	9	9
19	All other	575	72	7	4	3	3	89	4	8	23
20	Rural—White	4,849	589	35	30	27	8	689	42	37	62
21	All other	7,481	1,403	195	80	32	38	1,748	126	97	224
22	Male—White	2,807	316	18	20	17	4	375	27	22	31
23	All other	3,930	800	110	49	17	18	994	73	48	114
24	Female—White	2,042	273	17	10	10	4	314	15	15	31
25	All other	3,551	603	85	31	15	20	754	53	49	110
26	SOUTH DAKOTA	5,454	456	48	31	20	15	570	68	56	108
27	Both sexes—White	5,086	387	31	22	11	14	465	55	47	85
28	All other	368	69	17	9	9	1	105	13	9	23
29	Male—White	3,023	217	16	15	9	6	263	37	25	53
30	All other	195	50	7	6	2	-	65	8	6	7
31	Female—White	2,063	170	15	7	2	8	202	18	22	32
32	All other	173	19	10	3	7	1	40	5	3	16
33	Cities of 10,000 to 100,000—White	1,366	98	10	8	5	3	124	18	15	26
34	All other	22	1	1	1	-	-	3	-	-	8
35	Male—White	801	55	8	3	4	1	71	11	8	15
36	All other	14	-	-	1	-	-	1	-	-	2
37	Female—White	565	43	2	5	1	2	53	7	7	11
38	All other	8	1	1	-	-	-	2	-	-	4
39	Cities of 2,500 to 10,000—White	908	80	5	3	1	2	91	16	3	16
40	All other	31	7	1	1	1	-	10	2	-	-
41	Male—White	534	41	2	3	1	1	48	15	1	12
42	All other	19	6	1	1	-	-	8	1	-	-
43	Female—White	374	39	3	-	-	1	43	1	2	4
44	All other	12	1	-	-	1	-	2	1	-	-
45	Rural—White	2,812	209	16	11	5	9	250	21	29	43
46	All other	315	61	15	7	8	1	92	11	9	17
47	Male—White	1,688	121	6	9	4	4	144	11	16	26
48	All other	162	44	6	4	2	-	56	7	6	5
49	Female—White	1,124	88	10	2	1	5	106	10	13	17
50	All other	153	17	9	3	6	1	36	4	3	12
51	TENNESSEE	29,904	3,052	424	218	112	93	3,899	308	327	639
52	Both sexes—White	22,118	2,441	306	164	94	77	3,082	237	235	409
53	All other	7,786	611	118	54	18	16	817	71	92	230
54	Male—White	12,436	1,408	149	83	52	40	1,732	127	143	217
55	All other	4,122	337	74	33	9	10	463	32	47	96
56	Female—White	9,682	1,033	157	81	42	37	1,350	110	92	192
57	All other	3,664	274	44	21	9	6	354	39	45	134
58	Cities of 100,000 or more—White	6,372	653	74	49	29	24	829	83	81	120
59	All other	3,983	309	48	21	7	5	390	34	35	99
60	Male—White	3,593	362	38	26	13	13	452	45	51	67
61	All other	2,101	176	26	12	2	3	219	12	15	43
62	Female—White	2,779	291	36	23	16	11	377	38	30	53
63	All other	1,882	133	22	9	5	2	171	22	20	56
64	Cities of 10,000 to 100,000—White	1,230	160	21	15	6	4	206	17	19	30
65	All other	441	39	8	-	1	2	50	5	10	12
66	Male—White	738	108	10	8	5	1	132	8	10	10
67	All other	243	16	5	-	1	2	24	3	6	2
68	Female—White	492	52	11	7	1	3	74	9	9	20
69	All other	198	23	3	-	-	-	26	2	4	10
70	Cities of 2,500 to 10,000—White	2,106	263	33	23	12	11	342	35	35	39
71	All other	618	31	4	7	1	1	44	7	9	21
72	Male—White	1,201	160	20	14	6	5	205	25	19	22
73	All other	330	21	2	6	1	-	30	3	7	12
74	Female—White	905	103	13	9	6	6	137	10	16	17
75	All other	288	10	2	1	-	1	14	4	2	9
76	Rural—White	12,410	1,365	178	77	47	38	1,705	102	100	220
77	All other	2,744	232	58	26	9	8	333	25	38	98
78	Male—White	6,904	778	81	35	28	21	943	49	63	118
79	All other	1,448	124	41	15	5	5	190	14	19	39
80	Female—White	5,506	587	97	42	19	17	762	53	37	102
81	All other	1,296	108	17	11	4	3	143	11	19	59
82	TEXAS	62,503	8,685	1,310	500	291	220	11,006	725	766	1,457
83	Both sexes—White	50,902	7,344	1,142	432	247	184	9,349	601	604	1,080
84	All other	11,601	1,341	168	68	44	36	1,657	124	162	377
85	Male—White	29,329	4,152	605	212	137	96	5,202	340	350	546
86	All other	6,163	751	89	43	23	19	925	62	78	164
87	Female—White	21,573	3,192	537	220	110	88	4,147	261	254	534
88	All other	5,438	590	79	25	21	17	732	62	84	213
89	Cities of 100,000 or more—White	10,880	1,360	198	69	52	30	1,709	109	118	217
90	All other	2,846	337	39	9	8	8	401	29	30	85
91	Male—White	6,157	775	105	32	28	19	959	60	74	101
92	All other	1,534	189	22	5	5	2	223	17	13	42
93	Female—White	4,723	585	93	37	24	11	750	49	44	116
94	All other	1,312	148	17	4	3	6	178	12	17	43

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
804	825	781	832	1,097	1,261	1,564	1,574	1,462	1,501	1,275	924	795	411	182	44	35	61	1
240	236	251	271	371	458	594	737	826	928	816	662	576	261	88	13	1	12	2
564	587	530	561	726	803	970	837	636	573	457	262	219	150	94	31	34	49	3
143	155	157	148	243	301	383	475	497	535	476	327	292	112	39	6	-	8	4
270	261	266	285	391	392	518	421	333	312	235	157	116	67	45	15	10	26	5
97	81	94	123	128	157	211	252	329	393	342	335	284	149	49	7	1	4	6
294	326	264	276	335	411	452	416	303	261	222	105	103	83	49	16	24	23	7
85	114	134	96	129	151	205	235	256	273	230	184	140	66	26	2	-	-	8
166	182	154	191	214	207	245	185	122	116	62	36	16	16	10	5	5	2	9
48	77	54	46	85	90	140	149	158	163	143	79	69	21	14	2	-	-	10
82	82	91	101	117	110	122	101	64	53	33	22	10	5	7	3	3	1	11
37	41	40	50	44	61	65	86	98	110	87	105	71	45	12	-	-	-	12
83	101	83	90	97	97	123	84	58	63	29	14	6	11	3	2	2	1	13
36	22	35	37	63	75	88	110	117	120	106	93	79	31	11	-	-	1	14
60	61	67	62	61	82	113	105	80	60	41	20	15	11	7	3	4	10	15
20	16	19	24	32	50	53	74	70	72	67	45	38	12	4	-	-	1	16
37	28	31	31	34	29	60	37	44	32	21	10	5	4	3	1	1	5	17
19	9	16	13	31	25	35	36	47	48	39	48	41	19	7	-	-	-	18
23	35	36	31	27	53	53	68	36	28	20	10	10	7	4	2	3	5	19
119	96	112	138	179	232	301	392	453	535	482	385	357	164	51	11	1	11	20
328	343	309	308	451	514	612	547	434	397	354	206	188	123	77	23	25	37	21
75	62	74	78	126	161	190	252	269	300	266	203	185	79	21	4	-	7	22
150	153	144	153	240	253	336	283	225	227	181	125	101	58	35	11	6	20	23
44	34	38	60	53	71	111	140	184	235	216	182	172	85	30	7	1	4	24
186	190	165	155	211	261	276	264	209	170	173	81	87	65	42	12	19	17	25
118	81	90	106	154	208	274	322	449	499	661	662	595	298	97	18	3	17	26
96	82	81	93	147	195	260	310	432	482	641	645	571	289	93	17	3	17	27
22	19	9	13	7	13	14	12	17	17	20	17	24	9	4	1	-	-	28
51	34	39	57	81	121	153	198	269	298	380	385	346	168	43	8	-	14	29
10	5	7	6	3	10	7	6	8	6	11	12	14	1	2	1	-	-	30
45	28	42	36	66	74	107	112	163	184	261	260	225	121	50	9	3	3	31
12	14	2	7	4	3	7	6	9	11	9	5	10	8	2	-	-	-	32
36	15	22	24	57	61	82	100	116	135	161	152	126	71	20	2	1	2	33
4	1	1	-	-	2	-	1	1	1	2	-	-	-	-	-	-	-	34
17	8	5	13	30	37	49	65	72	83	92	95	78	37	11	2	-	2	35
4	-	1	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-	36
19	7	17	11	27	24	33	35	44	52	69	57	48	34	9	-	1	-	37
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	38
17	17	18	26	32	39	46	49	74	86	132	98	78	43	13	4	-	10	39
1	2	1	-	-	-	1	2	3	1	1	2	5	-	-	-	-	-	40
8	10	11	17	17	24	22	28	49	59	74	60	47	19	2	3	-	8	41
1	-	1	-	-	-	1	1	2	-	-	2	2	-	-	-	-	-	42
9	7	7	9	15	15	24	21	25	27	58	38	31	24	11	1	-	2	43
-	2	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	44
43	30	41	43	58	95	132	161	242	261	348	395	367	175	60	11	2	5	45
17	16	7	13	7	11	13	9	13	15	17	15	19	9	4	1	-	-	46
26	16	23	27	34	60	82	105	148	156	214	230	221	112	30	3	-	4	47
5	5	5	6	3	8	6	4	5	6	9	10	12	1	2	1	-	-	48
17	14	18	16	24	35	50	56	94	105	134	165	146	63	30	8	2	1	49
12	11	2	7	4	3	7	5	8	9	8	5	7	8	2	-	-	-	50
865	954	989	1,129	1,229	1,530	1,829	2,074	2,283	3,007	2,975	2,400	1,913	1,006	367	102	30	49	51
505	536	590	659	726	926	1,142	1,478	1,725	2,349	2,461	2,066	1,717	887	291	64	8	25	52
360	418	399	470	503	604	687	596	558	658	514	334	196	119	76	38	22	24	53
271	297	314	358	425	570	684	884	1,041	1,330	1,415	1,111	902	434	140	25	3	13	54
182	207	191	243	245	336	382	325	283	378	289	180	111	56	36	17	8	13	55
234	239	276	301	301	356	458	594	684	1,019	1,046	955	815	453	151	39	5	12	56
178	211	208	227	258	268	305	271	275	280	225	154	85	63	38	21	14	11	57
156	169	191	236	271	345	435	514	542	654	627	467	365	202	68	12	1	4	58
180	231	245	279	319	390	403	312	279	337	234	112	47	31	14	5	3	4	59
85	100	106	134	151	216	272	322	350	363	356	232	177	80	27	3	1	3	60
96	113	113	143	153	221	224	170	145	198	131	57	24	11	7	3	1	2	61
71	69	85	102	120	129	163	192	192	291	271	235	188	122	41	9	-	1	62
84	118	132	136	166	169	179	142	134	139	103	55	23	20	7	2	2	2	63
18	37	41	46	53	63	81	76	118	117	109	91	64	31	10	2	-	1	64
16	22	22	23	25	40	42	35	33	35	34	17	7	3	6	1	1	2	65
11	23	21	26	34	43	52	57	76	73	66	47	30	15	4	-	-	-	66
8	15	7	14	13	28	26	23	19	19	16	11	3	2	3	-	-	1	67
7	14	20	20	19	20	29	19	42	44	43	44	34	16	6	2	-	1	68
8	7	15	9	12	12	16	12	14	16	18	6	4	1	3	1	1	1	69
65	68	59	58	85	98	118	130	142	209	223	170	129	68	26	3	1	3	70
32	38	29	35	37	36	51	52	43	48	52	39	17	12	7	4	2	3	71
35	37	19	33	52	63	80	67	78	128	119	82	75	31	10	1	-	-	72
18	21	18	21	14	13	33	34	20	18	21	24	12	4	3	1	1	2	73
30	31	40	25	33	35	38	43	64	81	104	88	54	37	16	2	1	3	74
14	17	11	14	23	23	18	18	23	30	31	15	5	8	4	3	1	1	75
266	262	299	319	317	420	508	758	923	1,369	1,502	1,338	1,159	586	187	47	6	17	76
132	127	103	133	122	138	191	197	203	238	194	166	125	73	49	28	16	15	77
140	137	168	165	188	248	280	418	537	766	874	750	620	308	99	21	2	10	78
60	58	53	65	65	74	99	98	99	143	121	88	72	39	25	13	6	8	79
126	125	131	154	129	172	228	340	386	603	628	588	539	278	88	26	4	7	80
72	69	50	68	57	64	92	99	104	95	73	78	53	34	24	15	10	7	81
1,752	1,940	2,076	2,308	2,590	3,052	3,716	4,213	4,438	5,386	5,368	4,487	3,799	2,188	852	202	104	78	82
1,287	1,397	1,516	1,621	1,758	2,167	2,731	3,339	3,756	4,490	4,586	4,048	3,558	2,012	744	153	53	52	83
465	543	560	687	832	885	985	874	682	896	782	439	241	176	108	49	51	26	84
675	749	836	903	1,021	1,335	1,748	2,165	2,396	2,702	2,707	2,327	1,871	992	346	58	26	34	85
215	276	253	325	410	473	542	501	374	500	443	257	143	102	58	26	22	14	86
612	648	680	718	737	832	983	1,174	1,360	1,788	1,879	1,721	1,687	1,020	398	95	27	18	87
250	267	307	362	422	412	443	373	308	396	339	182	98	74	50	23	29	12	88
255	276	328	397	453	545	708	877	934	1,024	979	836	627	339	119	21	8	1	89
113	141	180	207	262	254	276	247	179	168	131	68	29	17	15	7	6	1	90
125	146	180	210	248	333	442	571	599	598	562	454	283	154	46	9	3	-	91
48	69	94	99	145	136	144	149	105	93	79	36	19	11	9	2	-	1	92
130	130	148	187	205	212	266	306	335	426	417	382	344	185	73	12	5	1	93
65	72	86	108	117	118	132	98	74	75	52	32	10	6	6	5	6	-	94

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	TEXAS—Continued										
1	Cities of 10,000 to 100,000—White	11,097	1,746	247	104	56	52	2,205	143	131	216
2	All other	2,375	254	25	11	8	7	305	24	37	74
3	Male—White	6,285	981	128	49	34	24	1,216	79	77	115
4	All other	1,232	146	14	6	5	5	176	10	19	34
5	Female—White	4,812	765	119	55	22	28	989	64	54	101
6	All other	1,143	108	11	5	3	2	129	14	18	40
7	Cities of 2,500 to 10,000—White	8,532	1,510	252	97	47	39	1,945	127	136	212
8	All other	1,523	152	23	10	4	6	195	15	20	51
9	Male—White	4,903	866	120	43	21	18	1,068	73	77	101
10	All other	830	95	13	6	2	4	120	11	8	19
11	Female—White	3,629	644	132	54	26	21	877	54	59	111
12	All other	693	57	10	4	2	2	75	4	12	32
13	Rural—White	20,393	2,728	445	162	92	63	3,490	222	219	435
14	All other	4,857	598	81	38	24	15	756	56	75	167
15	Male—White	11,984	1,530	252	88	54	35	1,959	128	122	229
16	All other	2,567	321	40	26	11	8	406	24	38	69
17	Female—White	8,409	1,198	193	74	38	28	1,531	94	97	206
18	All other	2,290	277	41	12	13	7	350	32	37	98
19	UTAH	4,925	551	47	35	26	23	682	75	74	114
20	Both sexes—White	4,841	538	42	35	24	22	661	74	71	112
21	All other	84	13	5	-	2	1	21	1	3	2
22	Male—White	2,759	316	28	19	12	12	387	45	43	77
23	All other	47	6	2	-	-	-	8	1	-	2
24	Female—White	2,082	222	14	16	12	10	274	29	28	35
25	All other	37	7	3	-	2	1	13	-	3	-
26	Cities of 100,000 or more—White	1,837	169	10	8	6	9	202	26	12	34
27	All other	25	-	-	-	-	-	-	-	-	1
28	Male—White	1,053	100	5	4	2	5	116	14	7	25
29	All other	15	-	-	-	-	-	-	-	-	1
30	Female—White	784	69	5	4	4	4	86	12	5	9
31	All other	10	-	-	-	-	-	-	-	-	-
32	Cities of 10,000 to 100,000—White	824	99	2	4	6	5	116	9	17	17
33	All other	13	1	-	-	-	1	2	-	2	-
34	Male—White	448	56	1	2	4	2	65	5	11	11
35	All other	9	1	-	-	-	-	1	-	-	-
36	Female—White	376	43	1	2	2	3	51	4	6	6
37	All other	4	-	-	-	-	1	1	-	2	-
38	Cities of 2,500 to 10,000—White	772	112	15	9	5	3	144	18	17	15
39	All other	4	-	-	-	-	-	-	-	-	1
40	Male—White	440	67	10	7	3	2	89	10	10	8
41	All other	3	-	-	-	-	-	-	-	-	1
42	Female—White	332	45	5	2	2	1	55	8	7	7
43	All other	1	-	-	-	-	-	-	-	-	-
44	Rural—White	1,408	158	15	14	7	5	199	21	25	46
45	All other	42	12	5	-	2	-	19	1	1	-
46	Male—White	818	93	12	6	3	3	117	16	15	33
47	All other	20	5	2	-	-	-	7	1	-	-
48	Female—White	590	65	3	8	4	2	82	5	10	13
49	All other	22	7	3	-	2	-	12	-	1	-
50	VERMONT	4,610	301	20	11	11	7	350	32	29	41
51	Both sexes—White	4,605	301	20	11	11	7	350	32	29	41
52	All other	5	-	-	-	-	-	-	-	-	-
53	Male—White	2,503	173	12	5	9	5	204	18	21	28
54	All other	4	-	-	-	-	-	-	-	-	-
55	Female—White	2,102	128	8	6	2	2	146	14	8	13
56	All other	1	-	-	-	-	-	-	-	-	-
57	Cities of 10,000 to 100,000—White	908	86	4	1	3	1	95	7	12	10
58	All other	1	-	-	-	-	-	-	-	-	-
59	Male—White	484	50	2	1	1	1	55	3	7	5
60	All other	1	-	-	-	-	-	-	-	-	-
61	Female—White	424	36	2	-	2	-	40	4	5	5
62	All other	-	-	-	-	-	-	-	-	-	-
63	Cities of 2,500 to 10,000—White	1,194	87	7	6	1	3	104	6	4	10
64	All other	2	-	-	-	-	-	-	-	-	-
65	Male—White	647	49	3	2	1	2	57	3	4	8
66	All other	1	-	-	-	-	-	-	-	-	-
67	Female—White	547	38	4	4	-	1	47	3	-	2
68	All other	1	-	-	-	-	-	-	-	-	-
69	Rural—White	2,503	128	9	4	7	3	151	19	13	21
70	All other	2	-	-	-	-	-	-	-	-	-
71	Male—White	1,372	74	7	2	7	2	92	12	10	15
72	All other	2	-	-	-	-	-	-	-	-	-
73	Female—White	1,131	54	2	2	-	1	59	7	3	6
74	All other	-	-	-	-	-	-	-	-	-	-
75	VIRGINIA	29,579	3,272	319	173	104	77	3,945	284	277	644
76	Both sexes—White	19,325	2,030	198	110	66	48	2,452	186	144	335
77	All other	10,254	1,242	121	63	38	29	1,493	98	133	309
78	Male—White	10,947	1,130	116	60	33	27	1,366	108	92	197
79	All other	5,515	674	59	34	21	13	801	50	72	150
80	Female—White	8,378	900	82	50	33	21	1,086	78	52	138
81	All other	4,739	568	62	29	17	16	692	48	61	159
82	Cities of 100,000 or more—White	2,748	191	24	12	6	5	238	19	17	35
83	All other	1,830	191	18	10	5	3	227	15	15	51
84	Male—White	1,526	116	12	9	4	4	145	11	9	24
85	All other	942	96	7	6	3	1	113	7	6	30
86	Female—White	1,222	75	12	3	2	1	93	8	8	11
87	All other	888	95	11	4	2	2	114	8	9	21
88	Cities of 10,000 to 100,000—White	3,676	354	36	20	20	12	442	33	23	50
89	All other	1,932	213	15	14	4	6	252	19	22	61
90	Male—White	2,077	195	19	8	11	8	241	23	20	28
91	All other	981	118	6	8	1	3	136	9	14	21
92	Female—White	1,599	159	17	12	9	4	201	10	3	22
93	All other	951	95	9	6	3	3	116	10	8	40

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
286	326	356	406	405	511	626	788	870	965	917	760	651	347	142	24	8	14	1
69	123	120	152	193	183	228	232	158	172	120	58	42	21	20	7	9	8	2
155	176	183	217	210	299	392	498	545	610	543	401	323	152	71	9	5	9	3
40	59	62	78	79	81	126	134	84	95	66	36	18	12	11	3	3	6	4
131	150	173	189	195	212	234	290	325	355	374	359	328	195	71	15	3	5	5
49	64	58	74	114	102	102	98	74	77	54	22	24	9	9	4	6	2	6
228	272	249	264	264	326	430	488	564	679	701	641	551	304	106	23	10	12	7
78	87	78	95	116	110	122	93	75	124	107	59	27	35	17	8	8	3	8
103	143	136	154	155	198	287	331	361	401	419	385	293	155	48	4	5	6	9
41	51	28	42	56	63	67	54	46	70	58	33	19	20	13	4	6	1	10
125	129	113	110	109	128	145	157	203	278	282	256	258	149	58	19	5	6	11
37	36	50	53	60	47	55	39	29	54	49	26	8	15	4	4	2	2	12
518	523	583	554	636	785	967	1,186	1,388	1,622	1,989	1,811	1,729	1,022	377	85	27	25	13
185	192	182	233	261	338	359	302	270	432	424	254	143	103	56	27	28	14	14
292	284	337	322	408	505	627	765	891	1,093	1,183	1,087	972	531	181	36	13	19	15
86	97	69	106	130	193	205	164	139	242	240	152	87	59	25	17	13	6	16
226	239	246	232	228	280	340	421	497	729	806	724	757	491	196	49	14	6	17
99	95	113	127	131	145	154	138	131	190	184	102	56	44	31	10	15	8	18
99	133	141	154	164	207	284	350	396	412	455	481	436	205	51	12	-	-	19
95	131	138	153	162	206	280	341	389	404	450	479	435	200	50	10	-	-	20
4	2	3	1	2	1	4	9	7	8	5	2	1	5	1	2	-	-	21
56	81	78	100	100	123	196	218	237	215	253	240	190	92	26	2	-	-	22
3	1	1	-	2	-	4	7	6	6	2	1	-	3	-	-	-	-	23
39	50	60	53	62	83	84	123	152	189	197	239	245	108	24	8	-	-	24
1	1	2	1	-	1	-	2	1	2	3	1	1	2	1	2	-	-	25
28	39	63	58	87	99	110	132	162	172	182	178	164	64	22	3	-	-	26
1	-	-	1	1	1	2	6	4	4	2	1	-	-	1	-	-	-	27
19	22	39	38	58	59	61	88	98	87	97	95	71	27	11	1	-	-	28
1	-	-	-	1	-	2	4	3	2	1	-	-	-	-	-	-	-	29
9	17	24	20	29	40	29	44	64	85	85	83	93	37	11	2	-	-	30
-	-	-	1	-	1	-	2	1	2	1	1	-	-	1	-	-	-	31
15	23	23	35	26	27	53	64	71	65	80	84	64	32	3	-	-	-	32
1	1	1	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	33
8	11	8	21	14	15	33	39	43	32	48	42	27	14	1	-	-	-	34
1	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	35
7	12	15	14	12	12	20	25	28	33	32	42	37	18	2	-	-	-	36
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
18	21	25	28	19	35	41	66	62	56	58	60	54	26	5	4	-	-	38
-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	39
8	12	16	16	9	22	29	39	38	37	32	26	22	14	2	1	-	-	40
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	41
10	9	9	12	10	13	12	27	24	19	26	34	32	12	3	3	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	43
34	48	27	32	30	45	76	79	94	111	130	157	153	78	20	3	-	-	44
2	1	2	-	-	-	2	1	3	1	2	-	1	4	-	2	-	-	45
21	36	15	25	19	27	53	52	58	59	76	77	70	37	12	-	-	-	46
1	-	1	-	-	-	2	1	3	1	-	-	-	3	-	-	-	-	47
13	12	12	7	11	18	23	27	36	52	54	80	83	41	8	3	-	-	48
1	1	1	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	49
62	51	57	69	102	164	225	290	424	515	614	582	541	315	108	21	4	14	50
62	51	57	69	102	163	225	289	424	515	614	581	540	315	108	21	4	13	51
-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	52
43	33	25	41	56	90	140	164	230	292	344	318	252	139	47	7	1	10	53
-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	54
19	18	32	28	46	73	85	125	194	223	270	263	288	176	61	14	3	3	55
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	56
12	11	17	18	27	51	44	70	83	97	121	102	79	31	16	1	-	4	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	58
8	5	4	8	16	22	28	47	43	59	68	49	29	16	8	1	-	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60
4	6	13	10	11	29	16	23	40	38	53	53	50	15	8	-	-	1	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
15	12	13	14	29	46	76	88	117	137	134	137	138	81	24	7	-	2	63
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	64
9	8	8	8	9	23	49	51	64	80	73	77	70	33	9	3	-	1	65
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	66
6	4	5	6	20	23	27	37	53	57	61	60	68	48	15	4	-	1	67
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	68
35	28	27	37	46	66	105	131	224	281	359	342	323	203	68	13	4	7	69
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	70
26	20	13	25	31	45	63	66	123	153	203	192	153	90	30	3	1	6	71
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	72
9	8	14	12	15	21	42	65	101	128	156	150	170	113	38	10	3	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
845	833	864	1,019	1,141	1,539	1,983	2,143	2,579	2,953	2,726	2,348	1,930	975	387	93	30	41	75
445	428	464	546	570	814	1,053	1,275	1,633	2,099	2,091	1,933	1,648	813	308	60	9	19	76
400	405	400	473	571	725	930	868	946	854	635	415	282	162	79	33	21	22	77
280	260	275	327	357	508	643	800	951	1,258	1,173	1,032	807	355	124	21	4	9	78
212	218	223	251	296	405	501	483	508	469	351	222	153	84	33	12	7	14	79
165	168	189	219	213	306	410	475	682	841	918	901	841	458	184	39	5	10	80
188	187	177	222	275	320	429	385	438	385	284	193	129	78	46	21	14	8	81
57	56	62	84	116	152	173	204	285	312	311	251	226	99	42	6	2	1	82
81	86	94	110	130	190	211	162	166	150	74	31	22	4	7	-	2	2	83
36	41	33	50	74	92	122	129	172	180	169	111	77	31	14	3	2	1	84
44	41	58	59	61	100	113	84	82	67	41	16	14	2	2	-	1	1	85
21	15	29	34	42	60	51	75	113	132	142	140	149	68	28	3	-	-	86
37	45	36	51	69	90	98	78	84	83	33	15	8	2	5	-	1	1	87
78	90	95	126	111	176	241	293	311	433	403	344	251	115	49	10	1	1	88
74	84	93	115	112	143	203	183	187	147	110	62	32	19	4	4	4	2	89
47	53	53	78	65	116	153	189	182	253	216	179	110	46	23	1	-	1	90
39	44	44	59	60	76	104	98	93	77	51	29	12	9	1	3	2	-	91
31	37	42	48	46	60	88	104	129	180	187	165	141	69	26	9	1	-	92
35	40	49	56	52	67	99	85	94	70	59	33	20	10	3	1	2	2	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	VIRGINIA—Continued										
1	Cities of 2,500 to 10,000—White	2,059	223	26	7	7	2	265	19	16	41
2	All other	553	68	5	3	2	2	80	6	5	16
3	Male—White	1,180	111	15	1	4	2	133	13	6	22
4	All other	295	35	1	1	1	1	39	2	2	9
5	Female—White	879	112	11	6	3	-	132	6	10	19
6	All other	258	33	4	2	1	1	41	4	3	7
7	Rural—White	10,842	1,262	112	71	33	29	1,507	115	88	209
8	All other	5,939	770	83	36	27	18	934	58	91	181
9	Male—White	6,164	708	70	42	14	13	847	61	57	123
10	All other	3,297	425	45	19	16	8	513	32	50	90
11	Female—White	4,678	554	42	29	19	16	660	54	31	86
12	All other	2,642	345	38	17	11	10	421	26	41	91
13	WASHINGTON	20,009	1,005	87	48	47	32	1,219	141	146	284
14	Both sexes—White	19,370	930	72	41	37	28	1,108	123	136	251
15	All other	639	75	15	7	10	4	111	18	10	33
16	Male—White	11,815	558	40	19	24	13	654	68	91	165
17	All other	407	41	9	6	3	4	63	11	5	21
18	Female—White	7,555	372	32	22	13	15	454	55	45	86
19	All other	232	34	6	1	7	-	48	7	5	12
20	Cities of 100,000 or more—White	8,186	378	27	12	19	13	449	48	56	68
21	All other	259	11	1	1	6	-	19	9	2	16
22	Male—White	4,802	238	11	4	12	6	271	30	32	37
23	All other	181	8	1	1	2	-	12	6	1	10
24	Female—White	3,384	140	16	8	7	7	178	18	24	31
25	All other	78	3	-	-	4	-	7	3	1	6
26	Cities of 10,000 to 100,000—White	2,975	206	15	7	6	6	240	26	33	45
27	All other	36	6	-	3	-	-	9	1	-	1
28	Male—White	1,763	121	9	3	3	3	139	14	23	33
29	All other	22	3	-	2	-	-	5	1	-	-
30	Female—White	1,212	85	6	4	3	3	101	12	10	12
31	All other	14	3	-	1	-	-	4	-	-	1
32	Cities of 2,500 to 10,000—White	1,606	112	11	5	1	1	130	6	18	31
33	All other	41	8	5	1	-	2	16	1	-	2
34	Male—White	991	64	8	3	1	-	76	3	15	22
35	All other	22	4	1	1	-	2	8	-	-	-
36	Female—White	615	48	3	2	-	1	54	3	3	9
37	All other	19	4	4	-	-	-	8	1	-	2
38	Rural—White	6,603	234	19	17	11	8	289	43	29	107
39	All other	303	50	9	2	4	2	67	7	8	14
40	Male—White	4,259	135	12	9	8	4	168	21	21	73
41	All other	182	26	7	2	1	2	38	4	4	11
42	Female—White	2,344	99	7	8	3	4	121	22	8	34
43	All other	121	24	2	-	3	-	29	3	4	3
44	WEST VIRGINIA	17,626	2,269	248	139	80	71	2,807	220	199	340
45	Both sexes—White	15,968	2,089	229	129	77	70	2,594	211	179	297
46	All other	1,658	180	19	10	3	1	213	9	20	43
47	Male—White	9,203	1,216	127	62	37	44	1,486	114	109	162
48	All other	997	100	9	5	2	-	116	5	9	23
49	Female—White	6,765	873	102	67	40	26	1,108	97	70	135
50	All other	661	80	10	5	1	1	97	4	11	20
51	Cities of 10,000 to 100,000—White	5,110	530	71	50	23	17	691	81	66	108
52	All other	560	39	4	2	2	-	47	2	5	16
53	Male—White	2,915	308	45	21	12	9	395	39	40	46
54	All other	333	22	3	1	2	-	28	1	3	8
55	Female—White	2,195	222	26	29	11	8	296	42	26	62
56	All other	227	17	1	1	-	-	19	1	2	8
57	Cities of 2,500 to 10,000—White	2,281	281	42	21	10	10	364	36	35	66
58	All other	328	29	3	7	-	1	40	3	4	4
59	Male—White	1,331	163	26	12	5	6	212	18	25	40
60	All other	197	14	2	4	-	-	20	1	2	2
61	Female—White	950	118	16	9	5	4	152	18	10	26
62	All other	131	15	1	3	-	1	20	2	2	2
63	Rural—White	8,577	1,278	116	58	44	43	1,539	94	78	123
64	All other	770	112	12	1	1	-	126	4	11	23
65	Male—White	4,957	745	56	29	20	29	879	57	44	76
66	All other	467	64	4	-	-	-	68	3	4	13
67	Female—White	3,620	533	60	29	24	14	660	37	34	47
68	All other	303	48	8	1	1	-	58	1	7	10
69	WISCONSIN	31,614	2,041	163	93	60	72	2,429	273	272	390
70	Both sexes—White	31,222	1,988	158	89	56	71	2,362	267	265	381
71	All other	392	53	5	4	4	1	67	6	7	9
72	Male—White	17,572	1,140	84	47	28	40	1,339	159	149	232
73	All other	231	27	4	4	2	1	38	3	2	6
74	Female—White	13,650	848	74	42	28	31	1,023	108	116	149
75	All other	161	26	1	-	2	-	29	3	5	3
76	Cities of 100,000 or more—White	5,175	309	23	5	7	8	352	37	40	36
77	All other	77	2	-	1	-	-	3	1	-	-
78	Male—White	2,717	185	9	3	3	6	206	21	16	20
79	All other	56	2	-	1	-	-	3	-	-	-
80	Female—White	2,458	124	14	2	4	2	146	16	24	16
81	All other	21	-	-	-	-	-	-	1	-	-
82	Cities of 10,000 to 100,000—White	9,748	725	63	41	22	29	880	91	88	123
83	All other	58	8	1	1	2	-	12	2	2	2
84	Male—White	5,391	423	34	22	11	13	503	54	48	66
85	All other	28	4	1	1	-	-	6	1	1	2
86	Female—White	4,357	302	29	19	11	16	377	37	40	57
87	All other	30	4	-	-	2	-	6	1	1	-
88	Cities of 2,500 to 10,000—White	3,861	312	26	15	12	4	369	48	31	55
89	All other	11	1	-	-	-	-	1	-	-	-
90	Male—White	2,131	179	14	8	7	2	210	26	16	29
91	All other	4	-	-	-	-	-	-	-	-	-
92	Female—White	1,730	133	12	7	5	2	159	22	15	26
93	All other	7	1	-	-	-	-	1	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
57	49	63	60	58	80	131	140	180	242	210	223	131	64	21	3	1	5	1
26	18	21	30	36	31	52	48	61	43	39	16	12	8	1	1	1	2	2
30	24	39	34	32	51	70	87	109	153	128	129	71	37	8	1	-	3	3
17	13	12	17	18	16	24	31	30	24	20	7	7	4	-	1	-	2	4
27	25	24	26	26	29	61	53	71	89	82	94	60	27	13	2	1	2	5
9	5	9	13	18	15	28	17	31	19	19	9	5	4	1	-	1	-	6
253	233	244	276	285	406	508	638	857	1,112	1,167	1,115	1,040	535	196	41	5	12	7
219	217	192	218	293	361	464	475	532	514	412	306	216	131	67	28	14	16	8
167	142	150	165	186	249	298	395	488	672	660	613	549	241	79	16	2	4	9
112	120	109	116	157	213	260	270	303	301	239	170	120	69	30	8	4	11	10
86	91	94	111	99	157	210	243	369	440	507	502	491	294	117	25	3	8	11
107	97	83	102	136	148	204	205	229	213	173	136	96	62	37	20	10	5	12
327	362	397	497	616	924	1,246	1,515	1,884	2,217	2,502	2,434	1,903	950	317	74	16	38	13
306	344	370	474	590	894	1,211	1,477	1,824	2,161	2,462	2,398	1,875	941	305	72	13	35	14
21	18	27	23	26	30	35	38	60	56	40	36	28	9	12	2	3	3	15
191	200	239	296	343	559	782	993	1,195	1,327	1,543	1,435	1,039	484	148	31	5	27	16
18	9	21	13	12	15	27	28	43	39	24	24	17	5	8	1	1	2	17
115	144	131	178	247	335	429	484	629	834	919	963	836	457	157	41	8	8	18
3	9	6	10	14	15	8	10	17	17	16	12	11	4	4	1	2	1	19
93	124	157	198	248	421	557	672	827	970	1,066	996	760	338	109	18	2	9	20
8	6	10	10	12	13	19	26	36	27	15	17	6	3	3	-	-	2	21
53	62	90	125	133	244	346	443	534	570	687	543	384	159	46	4	-	9	22
7	4	9	5	6	6	14	20	30	19	10	13	4	2	2	-	-	1	23
40	62	67	73	115	177	211	229	293	400	379	453	376	179	63	14	2	-	24
1	2	1	5	6	7	5	6	6	8	5	4	2	1	1	-	-	1	25
54	54	57	79	100	156	186	233	258	307	365	353	245	116	50	14	3	1	26
-	-	1	-	1	1	4	1	3	5	6	1	1	-	1	-	-	-	27
32	34	36	47	50	103	118	155	172	178	212	209	124	53	20	9	2	-	28
-	-	1	-	-	1	2	1	1	4	4	1	1	-	-	-	-	-	29
22	20	21	32	50	53	68	78	86	129	153	144	121	63	30	5	1	1	30
-	-	-	-	1	-	2	-	2	1	2	-	-	-	1	-	-	-	31
29	33	22	45	48	67	91	121	152	166	205	167	159	81	24	7	1	3	32
3	2	-	1	1	1	2	1	3	4	-	-	2	-	1	-	-	1	33
17	18	18	21	28	41	58	83	95	96	133	108	91	50	14	2	-	2	34
3	-	-	-	-	1	2	1	1	2	-	-	2	-	1	-	-	1	35
12	15	4	24	20	26	33	38	57	70	72	59	68	31	10	5	1	1	36
-	2	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	37
130	133	134	152	194	250	377	451	587	718	826	882	711	406	122	33	7	22	38
10	10	16	12	12	15	10	10	18	20	19	18	19	6	7	2	3	-	39
89	86	95	103	132	171	260	312	394	483	511	575	440	222	68	16	3	16	40
8	5	11	8	6	7	9	6	11	14	10	10	10	3	5	1	1	-	41
41	47	39	49	62	79	117	139	193	235	315	307	271	184	54	17	4	6	42
2	5	5	4	6	8	1	4	7	6	9	8	9	3	2	1	2	-	43
479	526	522	672	733	816	932	1,107	1,311	1,568	1,710	1,464	1,203	708	215	54	8	32	44
417	452	450	542	593	664	794	979	1,188	1,443	1,617	1,414	1,167	689	203	47	6	22	45
62	74	72	130	140	152	138	128	123	125	93	50	36	19	12	7	2	10	46
258	293	263	301	356	408	474	601	720	849	942	794	614	335	93	16	1	14	47
31	50	46	80	87	97	86	90	72	81	47	30	19	13	6	2	-	7	48
159	159	187	241	237	256	320	378	468	594	675	620	553	354	110	31	5	8	49
31	24	26	50	53	55	52	38	51	44	46	20	17	6	6	5	2	3	50
149	156	158	191	246	266	313	382	425	459	473	417	303	165	48	8	1	4	51
11	27	27	41	63	59	51	45	55	38	35	14	12	6	1	2	1	2	52
82	97	83	94	147	165	193	232	272	278	266	219	160	81	19	4	1	2	53
6	19	16	21	41	39	31	31	29	26	15	10	4	3	-	1	-	1	54
67	59	75	97	99	101	120	150	153	181	207	198	143	84	29	4	-	2	55
5	8	11	20	22	20	20	14	26	12	20	4	8	3	1	1	1	1	56
59	80	78	86	118	115	136	159	166	188	198	150	137	70	28	6	-	6	57
16	17	15	29	27	25	41	22	24	22	12	14	3	5	2	1	-	2	58
38	49	52	48	71	72	76	103	92	123	116	75	68	31	13	4	-	5	59
7	8	10	17	16	17	24	18	17	17	5	9	2	3	2	-	-	-	60
21	31	26	38	47	43	60	56	74	65	82	75	69	39	15	2	-	1	61
9	9	5	12	11	8	17	4	7	5	7	5	1	2	-	1	-	2	62
209	216	214	265	229	283	345	438	597	796	946	847	727	454	127	33	5	12	63
35	30	30	60	50	68	46	61	44	65	46	22	21	8	9	4	1	6	64
138	147	128	159	138	171	205	266	356	448	560	500	386	223	61	8	-	7	65
18	23	20	42	30	41	51	41	26	38	27	11	13	7	4	1	-	6	66
71	69	86	106	91	112	140	172	241	348	386	347	341	251	66	25	5	5	67
17	7	10	18	20	27	15	20	18	27	19	11	8	1	5	3	1	-	68
424	445	564	705	934	1,329	1,884	2,194	2,720	3,282	3,946	4,006	3,379	1,702	585	114	21	16	69
417	433	548	681	902	1,305	1,849	2,169	2,696	3,245	3,929	3,982	3,370	1,697	581	109	19	15	70
7	12	16	24	32	24	35	25	24	37	17	24	9	5	4	5	2	1	71
253	252	290	387	526	787	1,141	1,329	1,622	1,835	2,200	2,143	1,783	826	253	46	10	10	72
4	9	5	15	18	19	24	19	14	21	10	11	4	4	2	1	1	1	73
164	181	258	294	376	518	708	840	1,074	1,410	1,729	1,839	1,587	871	328	63	9	5	74
3	3	11	9	14	5	11	6	10	16	7	13	5	1	2	4	1	-	75
37	54	88	105	197	363	460	479	530	555	597	550	422	198	60	12	1	2	76
1	2	-	4	12	11	14	8	8	8	2	2	-	1	-	-	-	-	77
13	31	39	48	125	241	292	269	297	280	300	228	180	85	20	4	-	2	78
-	2	-	2	9	11	13	6	6	3	-	-	-	1	-	-	-	-	79
24	23	49	57	72	122	168	210	233	275	297	322	242	113	40	8	1	-	80
1	-	-	2	3	-	1	2	2	5	2	2	-	-	-	-	-	-	81
140	172	178	231	284	412	577	702	867	1,015	1,268	1,187	909	436	159	21	4	4	82
-	4	-	3	4	2	4	4	-	6	1	5	4	-	1	2	-	-	83
88	94	95	125	154	227	348	440	506	552	688	651	462	210	70	6	1	3	84
-	2	-	-	-	1	2	3	-	4	1	3	2	-	-	-	-	-	85
52	76	83	106	130	185	229	262	361	463	580	536	447	226	89	15	3	1	86
-	2	-	3	4	1	2	1	-	2	-	2	2	-	1	2	-	-	87
46	47	70	84	94	118	176	234	295	398	483	528	441	248	74	18	2	2	88
1	-	1	1	2	-	-	1	-	1	-	1	-	-	-	-	1	1	89
26	25	39	44	51	70	101	135	165	224	275	275	240	134	32	12	1	1	90
-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	91
20	22	31	40	43	48	75	99	130	174	208	253	201	114	42	6	1	1	92
1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	93

TABLE 10.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	WISCONSIN—Continued											
1	Rural	White	12,438	642	46	28	15	30	761	91	106	167
2		All other	246	42	4	2	2	1	51	3	5	7
3	Male	White	7,333	353	27	14	7	19	420	58	69	117
4		All other	143	21	3	2	2	1	29	2	1	4
5	Female	White	5,105	289	19	14	8	11	341	33	37	50
6		All other	103	21	1	-	-	-	22	1	4	3
7	WYOMING		2,136	234	23	13	8	6	284	33	29	50
8	Both sexes	White	2,054	213	18	12	8	5	256	29	27	48
9		All other	82	21	5	1	-	1	28	4	2	2
10	Male	White	1,342	120	10	9	1	2	142	13	15	31
11		All other	58	14	5	-	-	-	19	3	2	1
12	Female	White	712	93	8	3	7	3	114	16	12	17
13		All other	24	7	-	1	-	1	9	1	-	1
14	Cities of 10,000 to 100,000	White	626	68	5	4	-	2	79	9	5	5
15		All other	17	-	-	-	-	-	-	-	1	-
16	Male	White	381	42	4	2	-	-	48	5	3	2
17		All other	12	-	-	-	-	-	-	-	1	-
18	Female	White	245	26	1	2	-	2	31	4	2	3
19		All other	5	-	-	-	-	-	-	-	-	-
20	Cities of 2,500 to 10,000	White	441	41	4	2	3	2	52	5	5	16
21		All other	12	2	-	-	-	-	2	-	1	-
22	Male	White	303	27	2	2	-	2	33	1	3	10
23		All other	9	1	-	-	-	-	1	-	1	-
24	Female	White	138	14	2	-	3	-	19	4	2	6
25		All other	3	1	-	-	-	-	1	-	-	-
26	Rural	White	987	104	9	6	5	1	125	15	17	27
27		All other	53	19	5	1	-	1	26	4	-	2
28	Male	White	658	51	4	5	1	-	61	7	9	19
29		All other	37	13	5	-	-	-	18	3	-	1
30	Female	White	329	53	5	1	4	1	64	8	8	8
31		All other	16	6	-	1	-	1	8	1	-	1

GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
194	160	212	261	327	412	636	754	1,004	1,277	1,581	1,717	1,598	815	288	58	12	7	1
5	6	15	16	14	11	17	12	16	22	14	16	5	4	3	3	1	-	2
126	102	117	170	196	249	400	485	654	779	937	989	901	397	131	24	8	4	3
4	5	5	13	7	7	9	9	8	14	9	8	2	3	2	1	1	-	4
68	58	95	91	131	163	236	269	350	498	644	728	697	418	157	34	4	3	5
1	1	10	3	7	4	8	3	8	8	5	8	3	1	1	2	-	-	6
46	76	53	78	80	114	139	157	168	196	206	164	160	74	20	3	-	6	7
45	75	50	74	80	112	132	150	166	191	201	160	157	73	20	3	-	5	8
1	1	3	4	-	2	7	7	2	5	5	4	3	1	-	-	-	1	9
29	55	31	49	45	79	89	119	114	128	141	101	99	44	12	2	-	4	10
1	-	2	3	-	2	5	7	1	3	4	3	1	-	-	-	-	1	11
16	20	19	25	35	33	43	31	52	63	60	59	58	29	8	1	-	1	12
-	1	1	1	-	-	2	-	1	2	1	1	2	1	-	-	-	-	13
12	17	9	24	31	37	46	43	57	59	62	48	56	18	9	-	-	-	14
-	-	3	2	-	-	2	2	1	3	1	1	1	-	-	-	-	-	15
4	10	6	13	18	27	23	33	35	29	40	35	35	11	4	-	-	-	16
-	-	2	1	-	-	1	2	1	2	1	1	-	-	-	-	-	-	17
8	7	3	11	13	10	23	10	22	30	22	13	21	7	5	-	-	-	18
-	-	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	19
9	18	12	16	15	25	28	35	32	31	38	39	40	21	2	2	-	-	20
-	-	-	1	-	1	2	3	-	-	1	1	-	-	-	-	-	-	21
7	15	7	14	6	16	17	27	25	23	28	26	30	13	1	1	-	-	22
-	-	-	1	-	1	1	3	-	-	1	-	-	-	-	-	-	-	23
2	3	5	2	9	9	11	8	7	8	10	13	10	8	1	1	-	-	24
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	25
24	40	29	34	34	50	58	72	77	101	101	73	61	34	9	1	-	5	26
1	1	-	1	-	1	3	2	1	2	3	2	2	1	-	-	-	1	27
18	30	18	22	21	36	49	59	54	76	73	40	34	20	7	1	-	4	28
1	-	-	1	-	1	3	2	-	1	2	2	1	-	-	-	-	1	29
6	10	11	12	13	14	9	13	23	25	28	33	27	14	2	-	-	1	30
-	1	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	31

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,417,269	110,984	11,709	5,940	3,878	3,151	135,662	11,570	11,683	21,168	27,831
	All races—Male	791,003	63,557	6,397	3,261	2,098	1,726	77,039	6,638	6,758	11,735	15,443
	Female	626,266	47,427	5,312	2,679	1,780	1,425	58,623	4,932	4,925	9,433	12,388
	White—M	690,901	51,421	4,924	2,589	1,729	1,430	62,093	5,573	5,580	9,264	11,709
	F	540,322	37,985	4,121	2,128	1,441	1,130	46,805	4,022	3,845	6,414	8,494
	Negro—M	95,517	11,447	1,357	603	340	274	14,021	980	1,115	2,327	3,593
	F	83,226	8,895	1,068	489	303	269	11,024	837	1,005	2,874	3,739
	Other races—M	4,585	689	116	69	29	22	925	85	63	144	141
	F	2,718	547	123	62	36	26	794	73	75	145	155
	I.—Infectious and parasitic diseases	119,755	8,698	2,897	1,509	935	745	14,784	2,197	1,924	4,782	7,327
	White—M	52,219	3,285	1,085	568	367	290	5,595	911	656	1,107	1,778
	F	34,308	2,727	1,029	536	329	277	4,898	762	581	1,426	2,404
	Negro—M	17,480	1,412	379	197	113	86	2,187	226	255	776	1,276
	F	13,816	1,089	315	159	96	75	1,734	220	381	1,297	1,706
	Other races—M	1,173	110	42	24	13	7	196	42	29	81	72
	F	759	75	47	25	17	10	174	36	42	95	91
1	Typhoid fever	1,378	15	7	25	19	20	86	92	126	193	157
	White—M	546	4	2	9	4	6	25	17	49	68	50
	F	409	3	3	10	6	10	32	34	38	61	51
	Negro—M	232	5	-	2	6	3	16	17	15	31	25
	F	182	3	2	3	3	1	12	23	23	30	30
	Other races—M	3	-	-	-	-	-	-	-	-	1	1
	F	6	-	-	1	-	-	1	1	1	2	-
2	Paratyphoid fever	65	7	3	1	-	1	12	3	1	2	3
	White—M	39	5	-	1	-	-	6	2	1	2	1
	F	18	2	2	-	-	1	5	1	-	-	2
	Negro—M	6	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-
3	Plague	1	-	-	-	-	-	-	-	1	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-
5	Undulant fever (brucellosis)	114	2	1	1	-	-	4	2	3	5	10
	White—M	67	-	1	-	-	-	1	1	-	3	6
	F	33	2	-	1	-	-	3	1	-	2	2
	Negro—M	8	-	-	-	-	-	-	-	-	-	2
	F	4	-	-	-	-	-	-	-	1	-	-
	Other races—M	1	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	694	145	67	31	24	25	292	66	41	56	34
	White—M	386	75	37	10	13	9	144	34	23	35	20
	F	224	51	21	14	7	10	103	27	16	14	11
	Negro—M	49	15	6	3	1	2	27	1	1	3	3
	F	30	4	2	4	3	3	16	2	1	4	-
	Other races—M	2	-	-	-	-	-	-	1	-	-	-
	F	3	-	1	-	-	1	2	1	-	-	-
7	Anthrax (infection by Bacillus anthracis)	7	-	-	-	1	-	1	-	-	-	1
	White—M	5	-	-	-	1	-	1	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	668	37	57	54	58	55	261	181	66	41	22
	White—M	304	20	33	27	30	17	127	83	26	15	15
	F	329	13	22	26	25	29	115	88	39	25	7
	Negro—M	15	1	1	1	3	5	11	3	-	-	-
	F	19	3	1	-	-	4	8	6	1	1	-
	Other races—M	1	-	-	-	-	-	-	1	-	-	-
9	Whooping cough	2,926	2,015	534	183	74	38	2,844	56	11	1	5
	White—M	996	738	144	40	23	14	959	24	4	1	3
	F	1,135	766	234	72	25	17	1,114	14	2	-	2
	Negro—M	359	242	65	27	10	4	348	10	1	-	-
	F	375	238	74	35	15	2	364	6	4	-	-
	Other races—M	34	18	10	4	-	-	32	2	-	-	-
	F	27	13	7	5	1	1	27	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)	1,457	143	230	231	160	147	911	303	71	22	22
	White—M	649	66	117	100	68	57	408	141	31	6	7
	F	569	48	71	88	65	65	337	125	25	12	11
	Negro—M	104	19	22	21	10	9	81	14	2	2	2
	F	112	10	17	18	13	15	73	20	8	2	2
	Other races—M	17	-	2	3	3	1	9	3	2	-	-
	F	6	-	1	1	1	-	3	-	3	-	-
11	Erysipelas	451	83	6	3	3	-	95	6	4	10	9
	White—M	229	37	3	-	1	-	41	5	2	6	5
	F	197	37	1	1	2	-	41	1	2	4	4
	Negro—M	12	3	1	2	-	-	6	-	-	-	-
	F	8	3	1	-	-	-	4	-	-	-	-
	Other races—M	4	3	-	-	-	-	3	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
12	Tetanus	560	135	8	6	15	17	181	75	42	25	25
	White—M	250	43	5	3	7	11	69	39	24	12	11
	F	126	30	3	1	3	4	41	15	8	3	6
	Negro—M	119	42	-	1	4	1	48	14	5	5	4
	F	62	19	-	1	1	1	22	6	5	5	4
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	1	-	-	-
13-22	Tuberculosis (all forms)	60,428	496	480	247	182	138	1,543	469	775	3,375	5,752
	White—M	26,598	163	161	79	61	48	502	140	152	552	1,260
	F	16,613	153	158	70	50	42	473	129	200	1,022	1,932
	Negro—M	8,401	70	85	38	33	20	246	80	127	585	1,031
	F	7,482	69	61	42	21	18	211	64	241	1,049	1,373
	Other races—M	796	22	12	7	6	5	52	27	21	78	69
	F	538	19	13	11	11	5	59	29	34	89	87

RACE, AND SEX: UNITED STATES, 1940

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
30,695	34,579	41,670	53,689	71,596	92,817	108,476	126,885	149,039	156,986	142,554	112,713	59,112	20,722	4,861	1,259	1,702	
16,729	18,876	23,099	30,800	42,691	56,741	66,412	75,522	85,210	86,429	75,062	56,229	27,332	8,807	1,908	482	1,061	
13,966	15,703	18,571	22,889	28,905	36,076	42,064	51,363	63,829	70,557	67,492	56,484	31,780	11,915	2,953	777	641	
12,421	14,180	17,577	24,263	35,162	47,891	58,445	68,219	77,416	80,274	70,897	53,650	25,788	7,978	1,532	230	759	
9,728	11,263	13,297	16,825	22,649	29,018	35,673	45,533	57,962	65,788	64,162	54,272	30,228	11,036	2,526	379	403	
4,149	4,508	5,297	6,318	7,289	8,528	7,589	6,924	7,462	5,876	3,968	2,451	1,461	778	358	236	289	
4,086	4,347	5,158	5,965	6,139	6,945	6,281	5,709	5,735	4,861	3,221	2,130	1,500	840	414	385	231	
159	188	225	219	240	322	378	379	332	279	197	128	83	51	18	16	13	
152	93	116	99	117	113	110	121	132	108	109	82	52	39	13	13	7	
8,021	8,041	8,216	8,661	8,857	9,267	8,437	7,412	6,591	5,410	4,023	2,966	1,772	700	178	54	135	
2,279	2,793	3,189	3,912	4,522	5,219	5,005	4,449	3,656	2,816	1,903	1,341	727	253	50	6	52	
2,571	2,341	2,120	1,886	1,738	1,747	1,738	1,749	1,926	1,880	1,747	1,415	898	360	86	17	18	
1,413	1,460	1,588	1,766	1,709	1,456	1,079	747	650	434	206	113	62	36	18	11	32	
1,597	1,327	1,194	996	802	744	510	376	291	221	149	85	80	40	21	18	27	
77	76	92	75	57	81	88	69	49	50	15	8	2	7	1	1	5	
84	44	33	23	29	20	17	22	19	9	3	4	3	4	2	1	1	
148	130	94	69	51	63	56	48	32	23	8	1	-	-	-	-	1	1
68	55	35	30	21	34	32	27	14	14	6	-	-	-	-	-	1	
33	30	29	16	17	16	15	15	12	8	1	1	-	-	-	-	-	
28	30	21	15	9	11	5	3	5	1	-	-	-	-	-	-	-	
18	15	9	7	4	2	4	3	1	-	1	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	3	5	8	3	4	3	2	4	5	1	-	1	-	-	-	1	2
2	1	3	4	-	2	3	2	3	4	1	-	1	-	-	-	1	
1	1	-	2	3	1	-	-	1	1	-	-	-	-	-	-	-	
-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	10	9	8	11	13	8	5	6	5	5	1	1	-	-	-	-	5
4	7	4	6	7	7	5	3	5	3	4	1	-	-	-	-	-	
1	2	4	1	4	3	3	2	1	2	1	-	1	-	-	-	-	
2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	27	29	29	30	21	20	14	8	2	1	2	-	-	-	-	-	6
14	21	19	18	18	13	11	10	5	-	1	-	-	-	-	-	-	
6	4	7	5	6	5	9	4	3	2	-	2	-	-	-	-	-	
2	1	3	2	4	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	7
-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
19	17	24	11	9	5	7	2	1	2	-	-	-	-	-	-	-	8
5	7	8	8	5	2	1	1	-	1	-	-	-	-	-	-	-	
14	9	14	2	4	3	6	1	1	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	1	-	-	1	-	-	1	2	-	-	-	-	-	2	9
-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	
1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	14	13	15	18	12	12	9	3	8	4	4	-	-	-	-	1	10
6	5	5	5	5	6	8	5	3	4	3	1	-	-	-	-	-	
6	7	6	8	13	4	2	4	-	4	1	3	-	-	-	-	1	
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	17	6	6	16	21	31	23	47	45	39	39	15	10	2	-	-	11
6	9	2	2	11	7	18	13	26	23	19	21	8	4	1	-	-	
4	8	4	4	3	11	12	8	21	22	18	18	7	4	1	-	-	
-	-	-	-	1	-	1	2	-	-	1	-	-	1	-	-	-	
-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
18	31	19	28	25	18	12	18	14	15	7	5	3	-	-	-	1	12
6	8	6	11	10	9	6	9	11	11	3	3	2	-	-	-	-	
6	10	5	7	5	3	1	4	2	4	4	2	-	-	-	-	-	
4	9	8	5	6	2	4	2	1	-	-	-	1	-	-	-	1	
2	3	-	5	4	4	1	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6,245	5,775	5,448	5,438	5,222	5,058	4,409	3,641	2,975	2,179	1,256	568	187	32	12	2	69	13-22
1,746	2,056	2,222	2,661	2,962	3,133	2,846	2,328	1,768	1,220	655	272	77	12	7	-	27	
2,069	1,773	1,511	1,222	1,031	954	893	862	881	761	519	263	94	13	1	-	10	
1,060	932	887	953	810	614	407	268	202	113	45	18	5	3	1	1	13	
1,228	913	729	520	360	290	197	122	83	44	24	8	8	1	1	1	15	
65	67	69	61	40	56	55	48	28	34	13	6	1	2	1	-	3	
75	54	30	21	19	11	11	13	13	7	-	1	2	1	1	-	1	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
	Tuberculosis (all forms)—Continued											
13	Tuberculosis of respiratory system, etc.*	55,576	218	218	404	71	60	671	229	579	3,049	5,366
	White—M	24,767	67	63	27	20	18	195	49	95	476	1,157
	F	15,121	64	63	29	16	17	189	57	150	923	1,823
	Negro—M	7,662	30	45	16	12	8	111	44	86	518	946
	F	6,833	36	31	22	10	10	109	39	208	970	1,293
	Other races—M	716	10	5	4	5	4	28	18	16	72	64
	F	477	11	11	6	8	3	39	22	24	84	83
14	Tuberculosis of meninges, etc.*	1,310	169	161	97	74	50	551	147	95	90	89
	White—M	512	58	55	42	29	21	205	63	36	27	26
	F	416	60	66	29	24	17	196	37	32	31	33
	Negro—M	175	22	14	8	14	6	64	20	15	17	18
	F	141	13	19	13	6	4	55	14	5	11	9
	Other races—M	36	9	7	2	1	-	19	7	1	1	2
	F	30	7	-	3	-	2	12	6	6	3	1
15	Tuberculosis of intestines and peritoneum	904	11	7	4	2	4	28	11	28	82	90
	White—M	244	5	4	-	-	2	11	3	5	11	20
	F	319	2	2	2	-	1	7	8	4	15	24
	Negro—M	144	1	-	1	-	-	2	-	10	18	20
	F	169	2	1	-	1	1	5	-	6	36	25
	Other races—M	15	-	-	-	-	-	-	-	2	-	-
	F	13	1	-	1	1	-	3	-	1	2	1
16	Tuberculosis of vertebral column	596	1	1	7	7	5	21	20	22	33	40
	White—M	249	-	-	3	4	2	9	11	3	9	12
	F	184	1	-	2	-	1	4	4	6	9	11
	Negro—M	98	-	1	1	3	1	6	3	6	9	10
	F	56	-	-	1	-	-	1	2	7	4	6
	Other races—M	8	-	-	-	-	1	1	-	-	2	1
	F	1	-	-	-	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	256	1	5	2	4	1	13	10	10	15	17
	White—M	121	-	-	-	1	1	2	5	3	5	7
	F	67	-	3	2	1	-	6	3	2	3	3
	Negro—M	32	1	1	-	2	-	4	1	2	3	4
	F	34	-	1	-	-	-	1	1	3	4	3
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	15	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
	Negro—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	131	5	2	2	1	-	10	7	7	7	6
	White—M	47	2	2	1	1	-	6	2	-	2	2
	F	37	2	-	-	-	-	2	-	2	1	-
	Negro—M	21	1	-	-	-	-	1	3	2	2	3
	F	22	-	-	-	-	-	-	2	1	2	1
	Other races—M	2	-	-	-	-	-	-	-	2	-	-
	F	2	-	-	1	-	-	1	-	-	-	-
20	Tuberculosis of genito-urinary system	436	1	1	-	-	1	3	-	1	12	27
	White—M	246	1	-	-	-	-	1	-	-	6	7
	F	137	-	1	-	-	1	2	-	-	3	10
	Negro—M	28	-	-	-	-	-	-	-	-	1	4
	F	23	-	-	-	-	-	-	-	1	1	6
	Other races—M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-
21	Tuberculosis of other organs	117	1	1	-	-	-	2	-	-	3	6
	White—M	54	-	1	-	-	-	1	-	-	-	2
	F	34	1	-	-	-	-	1	-	-	1	1
	Negro—M	15	-	-	-	-	-	-	-	-	1	2
	F	13	-	-	-	-	-	-	-	-	1	1
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	1,087	89	84	31	23	17	244	45	33	84	111
	White—M	351	30	26	6	6	4	72	7	10	16	27
	F	293	23	23	6	9	5	66	20	4	30	27
	Negro—M	225	15	24	12	2	5	58	9	6	16	24
	F	189	18	9	6	4	3	40	6	10	20	29
	Other races—M	16	3	-	1	-	-	4	2	-	2	2
	F	13	-	2	-	2	-	4	1	3	-	2
23	Leprosy	43	-	-	-	-	-	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-
	Negro—M	9	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,495	132	31	34	20	19	236	80	76	60	62
	White—M	776	73	16	14	10	14	127	47	38	37	23
	F	486	46	13	12	8	5	84	29	27	13	28
	Negro—M	108	7	1	2	1	-	11	2	5	6	7
	F	110	5	1	5	1	-	12	2	5	3	4
	Other races—M	7	1	-	-	-	-	1	-	1	1	-
	F	8	-	-	1	-	-	1	-	-	-	-
25	Gonococcus infection	419	18	-	-	1	-	19	-	3	28	59
	White—M	50	2	-	-	-	-	2	-	-	-	5
	F	150	4	-	-	-	-	4	-	-	8	28
	Negro—M	42	5	-	-	-	-	5	-	-	3	1
	F	173	6	-	-	1	-	7	-	3	17	24
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	1
26	Other diseases due to bacteria (except dysentery)	189	-	1	1	-	2	4	2	1	7	8
	White—M	103	-	-	-	-	1	1	2	-	2	4
	F	51	-	1	-	-	-	1	-	-	1	2
	Negro—M	19	-	-	1	-	1	2	-	-	2	1
	F	16	-	-	-	-	-	-	-	1	2	1

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
5,867	5,417	5,145	5,132	4,904	4,768	4,158	3,452	2,810	2,037	1,170	536	178	30	12	2	64	13
1,645	1,938	2,114	2,523	2,818	2,999	2,710	2,224	1,689	1,152	607	258	74	11	7	-	26	
1,957	1,676	1,423	1,151	944	851	817	795	820	695	485	247	89	12	1	-	10	
979	867	838	906	760	587	387	259	186	107	42	17	5	3	1	1	12	
1,155	847	677	474	326	269	179	115	77	42	23	7	7	1	1	1	13	
59	60	64	58	38	52	54	47	26	34	13	6	1	2	1	-	3	
72	29	29	20	18	10	11	12	12	7	-	1	2	1	1	-	-	
71	60	40	39	44	28	17	21	10	4	1	1	1	-	-	-	1	14
26	18	18	21	22	11	12	16	7	2	1	1	-	-	-	-	-	
20	16	11	9	6	12	5	4	3	1	-	-	-	-	-	-	-	
8	13	3	4	10	3	-	-	-	-	-	-	-	-	-	-	-	
17	9	7	5	5	1	-	-	-	1	-	-	1	-	-	-	1	
-	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
91	87	84	66	64	69	49	42	47	30	22	7	4	-	-	-	3	15
17	21	16	25	15	22	18	18	18	12	8	3	1	-	-	-	-	
27	31	28	21	28	32	18	19	22	17	12	3	3	-	-	-	-	
19	13	16	8	14	6	9	3	3	-	2	-	-	-	-	-	1	
25	17	21	10	6	7	3	1	4	1	-	1	-	-	-	-	1	
2	3	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	
1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	
50	51	46	50	51	53	46	34	27	26	16	8	1	-	-	-	1	16
14	21	20	24	27	32	24	16	9	9	7	1	-	-	-	-	1	
16	7	10	9	17	14	19	14	14	15	7	7	1	-	-	-	-	
13	14	10	11	3	3	3	2	2	2	1	-	-	-	-	-	-	
6	8	5	5	4	4	-	2	1	-	1	-	-	-	-	-	-	
-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	16	12	13	16	20	30	17	17	18	7	7	-	2	-	-	-	17
6	9	5	7	8	12	13	10	10	9	5	4	-	1	-	-	-	
3	1	2	1	4	6	9	5	6	8	2	2	-	1	-	-	-	
5	2	3	2	1	1	1	1	-	1	-	1	-	-	-	-	-	
1	4	2	3	3	1	7	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
2	2	-	1	-	2	1	1	2	4	-	-	-	-	-	-	-	18
-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	
-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	14	7	9	5	6	8	4	5	12	10	6	1	-	-	-	-	19
1	3	2	4	1	1	3	1	3	7	5	3	1	-	-	-	-	
2	2	-	2	1	3	5	3	1	5	5	3	-	-	-	-	-	
3	1	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	
1	8	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
24	47	43	52	65	49	36	34	14	17	10	2	-	-	-	-	-	20
13	24	23	32	38	28	26	21	11	9	6	1	-	-	-	-	-	
5	16	18	14	18	19	9	9	2	7	4	1	-	-	-	-	-	
4	4	1	4	5	1	1	1	1	1	-	-	-	-	-	-	-	
1	3	1	2	4	1	-	3	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	4	7	5	21	14	16	6	14	8	4	-	-	-	-	-	-	21
1	1	3	1	11	5	12	3	4	6	4	-	-	-	-	-	-	
1	1	2	2	6	6	3	3	6	1	-	-	-	-	-	-	-	
2	1	-	-	2	2	-	-	4	1	-	-	-	-	-	-	-	
3	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	77	64	71	52	49	48	30	29	23	16	1	2	-	-	-	-	22
23	21	21	24	22	22	27	18	16	11	12	1	1	-	-	-	-	
38	22	17	12	7	10	8	10	6	11	4	-	1	-	-	-	-	
26	17	15	16	13	11	6	2	5	1	-	-	-	-	-	-	-	
18	16	10	18	9	5	7	-	1	-	-	-	-	-	-	-	-	
3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
4	4	2	4	8	4	7	1	1	3	3	1	-	-	-	-	1	23
2	3	1	2	5	2	2	1	1	1	1	1	-	-	-	-	-	
1	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	
1	-	-	2	1	1	3	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
57	78	73	84	100	106	98	114	86	60	52	39	23	6	3	-	2	24
24	30	32	47	43	58	54	62	56	32	33	23	10	2	-	-	-	
22	32	28	20	29	30	26	37	17	17	15	16	10	3	3	-	-	
5	6	8	6	13	7	8	3	9	6	3	-	1	-	-	-	2	
6	9	5	11	13	11	8	10	4	4	1	-	1	1	-	-	-	
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	
74	62	63	46	22	8	11	7	4	5	5	-	1	1	-	1	-	25
3	5	4	3	3	2	7	4	2	5	4	-	1	-	-	-	-	
30	28	23	19	8	1	2	-	-	-	-	-	-	1	-	-	-	
5	3	4	4	8	2	2	1	2	-	1	-	-	-	-	1	-	
35	28	31	20	3	3	-	2	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	9	24	20	14	31	19	15	12	5	4	1	-	-	-	-	-	26
4	5	12	11	9	24	8	9	6	3	3	-	-	-	-	-	-	
4	3	3	5	5	6	9	5	5	1	-	1	-	-	-	-	-	
5	1	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
2	-	3	2	-	-	2	-	1	1	1	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
27	Dysentery	2,460	1,039	370	145	47	21	1,622	34	20	16	44
	White—M	1,033	471	145	64	22	7	709	16	10	11	13
	F	853	348	130	53	17	7	555	16	3	3	15
	Negro—M	301	117	48	15	3	-	183	-	5	1	11
	F	224	77	35	10	3	7	132	1	2	1	5
	Other races—M	28	15	7	3	1	-	26	-	-	-	-
	F	21	11	5	-	1	-	17	1	-	-	-
28	Malaria	1,442	124	66	50	34	21	295	75	63	59	64
	White—M	391	32	17	10	8	5	72	14	17	13	14
	F	302	26	8	9	7	3	53	17	12	9	11
	Negro—M	377	31	18	19	9	6	83	15	16	18	18
	F	361	34	21	11	10	7	83	29	17	19	21
	Other races—M	7	1	1	1	-	-	3	-	-	-	-
	F	4	-	1	-	-	-	1	-	1	-	-
29	Other diseases due to parasitic protozoa, etc.*	6	1	-	-	-	-	1	-	-	-	-
	White—M	1	1	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
	Negro—M	2	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
30a	Locomotor ataxia (tabes dorsalis)	740	-	-	-	-	-	-	-	1	1	3
	White—M	525	-	-	-	-	-	-	-	-	-	1
	F	133	-	-	-	-	-	-	-	1	1	2
	Negro—M	68	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
30b	General paralysis of insane	4,423	-	-		-	-	-	2	10	25	43
	White—M	2,404	-	-	-	-	-	-	-	3	12	9
	F	687	-	-	-	-	-	-	-	3	8	7
	Negro—M	999	-	-	-	-	-	-	1	2	4	15
	F	294	-	-	-	-	-	-	1	2	1	11
	Other races—M	37	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-
30d	Aneurysm of aorta	3,635	-	-	-	-	-	-	-	5	9	27
	White—M	2,022	-	-	-	-	-	-	-	3	2	8
	F	512	-	-	-	-	-	-	-	1	1	2
	Negro—M	816	-	-	-	-	-	-	-	-	-	8
	F	252	-	-	-	-	-	-	-	1	6	8
	Other races—M	30	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-
30c,e, f,g	Syphilis (other forms)	10,208	1,251	65	26	13	8	1,363	33	60	160	293
	White—M	3,817	302	16	4	4	-	326	9	22	20	38
	F	1,601	211	13	5	2	2	233	6	9	33	53
	Negro—M	2,958	434	22	10	3	4	473	10	11	44	76
	F	1,697	274	12	7	4	2	299	7	17	61	124
	Other races—M	80	18	-	-	-	-	18	-	1	-	-
	F	55	12	2	-	-	-	14	1	-	2	2
31	Relapsing fever	2	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-
	Negro—F	1	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	294	9	19	11	8	6	53	15	7	17	21
	White—M	125	4	4	4	5	4	21	4	2	3	9
	F	98	4	9	5	2	2	22	7	3	11	6
	Negro—M	30	-	2	2	-	-	4	2	1	-	2
	F	37	1	4	-	-	-	5	2	1	3	4
	Other races—M	3	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	12,223	1,665	390	150	88	64	2,357	160	127	219	192
	White—M	4,778	697	144	61	38	28	968	57	44	69	57
	F	4,647	491	119	47	30	22	709	57	39	57	50
	Negro—M	1,401	247	69	27	15	11	369	20	19	37	33
	F	1,323	207	44	12	5	3	271	23	25	56	51
	Other races—M	40	15	3	2	-	-	20	3	-	-	-
	F	34	8	11	1	-	-	20	-	-	-	1
33b	Influenza, without respiratory complications specified	7,934	1,031	281	121	75	62	1,570	151	111	150	150
	White—M	3,121	408	121	50	32	26	637	68	42	68	52
	F	3,206	355	105	49	26	23	558	60	40	35	52
	Negro—M	763	145	27	13	10	8	203	12	14	20	21
	F	798	110	24	5	6	4	149	10	15	27	25
	Other races—M	25	9	1	2	-	-	12	1	-	-	-
	F	21	4	3	2	1	1	11	-	-	-	-
34	Smallpox	14	2	1	-	-	1	4	1	-	-	-
	White—M	5	-	-	-	-	1	1	-	-	-	-
	F	8	2	1	-	-	-	3	1	-	-	-
	Negro—F	1	-	-	-	-	-	-	-	-	-	-
35	Measles	706	182	168	76	46	37	509	81	32	17	17
	White—M	306	85	78	40	17	14	234	31	11	6	7
	F	287	62	67	31	21	13	194	33	15	10	8
	Negro—M	43	16	7	2	1	6	32	5	1	-	2
	F	40	11	7	1	5	2	26	8	2	1	-
	Other races—M	17	4	6	1	1	-	12	3	2	-	-
	F	13	4	3	1	1	2	11	1	1	-	-
36	Poliomyelitis and polioencephalitis (acute)	1,026	48	51	47	25	34	205	204	163	146	94
	White—M	592	19	24	26	10	16	95	115	97	97	55
	F	362	24	23	17	13	12	89	70	60	42	32
	Negro—M	39	2	2	3	1	2	10	12	3	3	3
	F	30	3	2	1	1	4	11	6	2	3	4
	Other races—M	2	-	-	-	-	-	-	-	1	1	-
	F	1	-	-	-	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
35	28	35	37	36	46	67	64	83	88	69	59	51	14	7	2	3	27
11	4	14	13	11	14	29	25	35	33	34	23	21	5	-	-	2	
13	12	5	14	8	10	23	22	31	40	28	22	24	5	4	-	-	
8	5	9	6	8	12	8	4	8	12	5	9	2	1	2	1	1	
3	7	7	4	9	9	6	13	8	3	2	4	4	2	1	1	-	
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	
54	61	69	81	74	103	74	86	82	62	69	28	18	15	4	3	3	28
8	20	17	16	22	33	17	31	27	21	22	11	10	4	2	-	-	
14	9	17	13	14	19	15	15	22	19	25	9	3	4	1	-	1	
15	12	14	32	23	22	27	24	20	15	12	5	-	5	-	-	1	
17	20	20	19	15	26	15	15	13	7	10	3	5	2	1	3	1	
-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
-	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	10	16	30	43	100	97	128	128	97	55	19	4	3	1	-	1	30a
2	3	9	16	26	74	76	96	94	69	39	12	4	2	1	-	1	
1	2	3	8	11	15	14	16	23	17	11	7	-	1	-	-	-	
-	4	4	3	6	10	6	12	10	8	5	-	-	-	-	-	-	
-	1	-	3	-	1	-	3	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	
73	242	450	587	622	687	533	452	324	189	104	45	28	3	-	-	4	30b
21	91	186	303	330	400	327	302	199	126	53	26	14	-	-	-	2	
12	47	69	77	88	96	77	53	54	32	36	14	12	2	-	-	-	
23	77	148	154	161	148	101	69	52	27	11	3	1	-	-	-	2	
16	24	44	49	39	38	24	21	13	3	4	2	1	1	-	-	-	
1	2	3	4	4	4	4	7	6	1	-	-	-	-	-	-	-	
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
54	118	193	328	438	556	543	468	372	285	151	57	24	5	-	-	2	30d
14	26	66	127	213	317	347	324	251	190	93	27	13	-	-	-	1	
4	10	15	39	43	58	61	68	64	60	47	25	10	4	-	-	-	
25	62	85	125	133	143	107	50	44	23	7	4	-	-	-	-	-	
11	18	26	33	48	35	19	20	11	9	4	1	1	1	-	-	-	
-	1	1	3	1	3	9	5	2	3	-	-	-	-	-	-	1	
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
427	592	784	870	1,026	1,114	1,033	874	729	489	222	85	29	12	3	-	10	30c,e,
56	114	197	259	352	489	545	509	408	267	142	42	15	5	-	-	2	f,g
69	97	107	139	148	156	159	136	98	88	37	23	6	2	1	-	-	
145	218	285	302	353	311	243	168	155	103	31	11	7	4	2	-	6	
146	157	188	162	158	145	74	53	54	28	11	9	1	1	-	-	2	
4	1	6	5	9	9	9	5	9	3	1	-	-	-	-	-	-	
7	5	1	3	6	4	3	3	4	-	-	-	-	-	-	-	-	
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	24	20	22	19	12	20	16	11	9	10	4	4	-	1	-	-	32
3	10	8	9	12	7	8	8	8	3	6	3	1	-	-	-	-	
2	8	2	8	4	1	6	3	2	5	4	1	3	-	-	-	-	
1	3	3	3	1	3	2	3	1	-	-	-	-	-	1	-	-	
2	3	6	2	2	1	3	2	-	1	-	-	-	-	-	-	-	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
260	324	370	423	501	616	686	742	907	1,028	1,095	1,072	732	311	61	18	22	33a
58	99	118	131	182	251	297	324	388	422	436	446	292	109	20	1	9	
94	104	122	115	126	151	190	255	385	469	561	566	381	171	33	9	3	
44	57	61	95	105	109	98	87	74	64	48	34	27	11	4	1	4	
63	61	67	82	85	105	99	73	58	69	48	25	31	16	4	5	6	
1	1	-	-	1	-	2	1	2	4	-	-	1	3	-	1	-	
-	2	2	-	2	-	-	2	-	-	2	1	-	1	-	1	-	
149	146	197	233	238	321	350	376	513	628	752	873	624	283	82	28	9	33b
45	43	65	74	76	125	140	158	208	261	288	390	246	108	19	5	3	
55	44	71	79	71	91	112	137	207	258	387	419	332	147	40	8	3	
26	15	25	29	43	46	46	43	55	55	35	29	18	11	8	7	2	
23	43	35	51	48	57	49	36	41	51	40	33	28	14	14	8	1	
-	1	1	-	-	1	2	1	1	2	1	-	-	2	-	-	-	
-	-	-	-	-	1	1	1	1	1	1	2	-	1	1	-	-	
-	1	-	1	-	-	2	2	2	1	-	-	-	-	-	-	-	34
-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	8	8	3	4	1	3	4	1	4	2	-	-	-	-	-	1	35
5	3	2	2	1	-	-	2	-	1	1	-	-	-	-	-	-	
6	4	4	-	3	1	2	2	1	3	1	-	-	-	-	-	-	
-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	45	28	17	12	6	8	4	6	1	1	2	1	-	-	-	1	36
53	26	18	9	8	2	5	3	4	1	-	2	1	-	-	-	1	
25	14	8	8	4	4	3	-	2	-	1	-	-	-	-	-	-	
4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
37	Acute infectious encephalitis (lethargic)	875	23	15	26	18	9	88	26	29	40	46
	White—M	474	8	6	13	8	3	38	14	12	20	21
	F	333	10	9	5	7	3	34	8	12	17	23
	Negro—M	37	1	-	2	1	1	5	2	3	2	2
	F	18	2	-	-	1	1	4	1	1	1	-
	Other races—M	8	2	-	1	-	1	4	1	-	-	-
	F	5	-	-	2	1	-	3	-	1	-	-
38	Other diseases due to filtrable viruses	167	43	17	12	9	4	85	22	7	4	3
	White—M	82	15	10	4	3	3	35	12	4	3	1
	F	72	25	6	8	4	1	44	8	2	-	2
	Negro—M	9	2	1	-	1	-	4	2	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	1	-	-	1	-	2	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
39	Typhus fever, typhus-like diseases*	204	2	1	4	1	2	10	11	16	9	10
	White—M	121	2	-	1	-	1	4	7	6	4	5
	F	51	-	1	2	1	1	5	4	8	3	2
	Negro—M	16	-	-	1	-	-	1	-	1	1	1
	F	16	-	-	-	-	-	-	-	1	1	2
40	Ankylostomiasis	33	-	3	2	2	2	9	5	3	5	2
	White—M	11	-	2	1	-	-	3	1	3	1	-
	F	13	-	-	-	2	1	3	3	-	1	2
	Negro—M	6	-	1	-	-	-	1	1	-	3	-
	F	3	-	-	1	-	1	2	-	-	-	-
41	Hydatid disease	32	-	-	-	-	-	-	-	-	-	1
	White—M	15	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1
	Negro—F	1	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	86	6	13	10	5	4	38	4	5	3	4
	White—M	30	1	6	2	1	1	11	2	1	1	2
	F	31	1	5	2	2	1	11	1	2	2	2
	Negro—M	9	1	-	4	-	2	7	-	-	-	-
	F	16	3	2	2	2	-	9	1	2	-	-
43	Mycoses	335	31	5	4	-	1	41	3	7	9	23
	White—M	183	8	-	2	-	-	10	2	6	4	13
	F	82	8	-	2	-	1	11	1	1	2	3
	Negro—M	34	6	1	-	-	-	7	-	-	1	4
	F	25	7	4	-	-	-	11	-	-	1	3
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	2	-	-	1	-
44	Other infectious and parasitic diseases	2,015	13	7	11	7	7	45	35	37	68	121
	White—M	1,161	6	3	3	1	4	17	24	22	34	62
	F	663	5	4	6	4	2	21	6	13	26	45
	Negro—M	89	1	-	1	1	1	4	3	2	5	4
	F	90	-	-	1	1	-	2	2	-	3	10
	Other races—M	12	1	-	-	-	-	1	-	-	-	-
	II.—Cancer and other tumors	164,906	145	114	132	136	130	657	428	455	629	970
	White—M	72,836	73	57	73	72	53	328	222	191	318	452
	F	80,470	61	51	52	55	61	280	167	229	242	387
	Negro—M	4,151	4	-	3	2	9	18	24	15	34	35
	F	6,958	5	6	4	6	6	27	14	18	33	88
	Other races—M	310	1	-	-	-	1	2	1	-	1	5
	F	181	1	-	-	1	-	2	-	2	1	3
45-55	Cancer and other malignant tumors	158,335	89	83	106	108	108	494	321	346	495	792
	White—M	71,109	45	39	61	59	44	248	173	148	265	400
	F	76,674	39	39	39	45	50	212	124	174	181	301
	Negro—M	3,999	1	-	3	1	7	12	16	10	28	21
	F	8,088	2	5	3	3	6	19	8	12	19	65
	Other races—M	298	1	-	-	-	1	2	-	-	1	4
	F	167	1	-	-	-	-	1	-	2	1	1
45	Cancer of buccal cavity and pharynx	5,097	3	-	1	1	2	7	15	8	11	13
	White—M	3,882	1	-	-	-	2	3	7	1	5	7
	F	930	2	-	1	1	-	4	7	5	4	3
	Negro—M	176	-	-	-	-	-	-	1	1	1	1
	F	91	-	-	-	-	-	-	-	1	1	2
	Other races—M	15	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
45a	Cancer of lip	686	-	-	-	-	-	-	-	-	-	-
	White—M	610	-	-	-	-	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	-	-	-
	Negro—M	9	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
45b	Cancer of tongue	1,199	1	-	-	-	-	1	-	-	-	-
	White—M	918	-	-	-	-	-	-	-	-	-	-
	F	214	1	-	-	-	-	1	-	-	-	-
	Negro—M	50	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
45c	Cancer of mouth	757	-	-	1	-	-	1	1	2	-	1
	White—M	561	-	-	-	-	-	-	-	-	-	-
	F	156	-	-	1	-	-	1	1	1	-	-
	Negro—M	23	-	-	-	-	-	-	-	-	-	1
	F	15	-	-	-	-	-	-	-	1	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
39	57	51	68	71	73	82	69	69	40	12	11	3	-	-	-	1	37
18	30	27	38	43	42	54	44	35	21	6	8	2	-	-	-	1	
17	23	20	24	22	28	24	22	31	18	6	3	1	-	-	-	-	
-	4	2	3	5	1	2	2	3	1	-	-	-	-	-	-	-	
2	-	2	2	-	2	2	1	-	-	-	-	-	-	-	-	-	
2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	6	2	4	4	3	2	4	2	2	6	2	3	1	1	-	-	38
4	4	2	2	2	2	2	3	2	-	3	1	-	-	-	-	-	
-	2	-	1	2	-	-	1	-	1	3	1	3	1	1	-	-	
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	10	10	11	22	25	12	12	11	6	11	4	1	-	-	-	-	39
6	4	6	6	14	14	8	10	9	5	10	2	1	-	-	-	-	
3	3	1	-	4	9	3	2	1	-	1	2	-	-	-	-	-	
2	1	1	3	2	-	1	-	1	1	-	-	-	-	-	-	-	
2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	
1	3	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	40
-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	1	4	2	8	3	4	2	2	-	2	1	-	-	-	-	41
-	-	1	-	1	5	2	4	1	-	-	1	-	-	-	-	-	
-	2	-	4	-	3	1	-	1	2	-	1	1	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	3	4	2	4	2	6	1	2	3	2	-	-	-	-	-	-	42
-	-	1	1	3	1	3	-	1	2	1	-	-	-	-	-	-	
2	2	2	-	1	-	3	1	1	-	1	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
20	14	23	23	35	25	29	35	21	12	7	6	2	-	-	-	-	43
8	5	11	16	21	15	22	23	13	6	3	3	2	-	-	-	-	
3	4	8	4	5	6	4	11	7	5	4	3	-	-	-	-	-	
4	2	-	2	9	2	-	1	1	1	-	-	-	-	-	-	-	
3	2	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	
2	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
148	167	142	146	176	204	193	174	131	105	67	36	15	4	1	-	-	44
77	96	88	78	106	131	120	109	70	65	32	22	6	2	-	-	-	
52	47	29	41	54	61	62	61	50	38	32	13	9	2	1	-	-	
5	10	8	16	8	4	7	3	7	1	2	-	-	-	-	-	-	
13	14	13	11	8	5	4	1	3	-	1	-	-	-	-	-	-	
1	-	4	-	-	3	-	-	1	1	-	1	-	-	-	-	-	
1,581	2,858	4,813	7,895	11,951	15,854	18,625	21,380	23,103	21,872	16,758	9,908	3,899	918	182	29	141	
537	753	1,182	2,225	3,933	6,175	8,217	10,052	11,333	11,075	8,606	4,951	1,797	361	72	5	51	
763	1,600	2,781	4,524	6,650	8,125	9,030	10,062	10,581	9,954	7,693	4,757	1,972	515	88	12	58	
56	81	138	284	425	592	544	580	538	389	227	88	49	11	7	3	13	
212	409	688	822	905	910	762	629	571	412	212	103	75	27	13	9	19	
5	5	12	25	17	38	56	45	53	19	15	5	3	2	1	-	-	
8	10	12	15	21	14	16	12	27	23	5	4	3	2	1	-	-	
1,290	2,406	4,139	7,059	11,012	15,168	18,111	20,960	22,726	21,602	16,558	9,768	3,846	901	177	29	135	45-55
465	665	1,081	2,079	3,743	5,983	8,047	9,889	11,199	10,979	8,554	4,922	1,784	359	71	5	50	
620	1,362	2,417	4,010	6,014	7,709	8,733	9,847	10,369	9,804	7,554	4,654	1,937	501	85	12	54	
43	71	128	267	409	582	535	566	534	384	224	87	48	11	7	3	13	
151	295	490	668	808	844	725	603	549	393	206	97	71	26	12	9	18	
4	4	11	24	17	36	56	44	51	19	15	4	3	2	1	-	-	
7	9	12	11	21	14	15	11	24	23	5	4	3	2	1	-	-	
30	33	67	121	262	411	584	668	750	782	650	384	206	51	6	3	5	45
15	19	41	78	186	319	452	538	590	630	505	303	148	31	3	-	1	
12	9	17	19	46	80	87	97	128	127	125	79	53	20	3	2	3	
2	3	4	14	17	28	25	25	19	14	15	2	2	-	-	1	1	
1	2	4	6	12	10	18	6	11	10	5	-	2	-	-	-	-	
-	-	1	3	1	3	2	2	2	1	-	-	-	-	-	-	-	
-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	
2	7	5	10	28	29	58	68	78	123	126	91	44	13	3	1	-	45a
1	6	4	10	25	27	52	61	74	111	108	86	34	9	2	-	-	
-	-	1	-	2	2	4	4	3	10	16	5	10	4	1	1	-	
1	1	-	-	-	-	2	3	1	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	
6	8	14	25	68	130	144	176	179	201	128	70	38	7	2	1	1	45b
2	5	9	13	55	97	118	144	134	155	101	50	30	4	1	-	-	
4	3	4	3	8	19	16	23	40	40	21	20	8	3	1	-	-	
-	-	-	6	3	12	7	6	4	4	6	-	-	-	-	1	1	
-	-	1	2	1	2	3	2	1	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	9	10	32	79	97	93	120	98	97	59	46	8	-	-	2	45c
-	-	6	7	23	56	76	77	91	74	78	43	24	6	-	-	-	
1	-	1	2	6	15	15	11	25	20	17	16	20	2	-	-	2	
-	1	1	1	1	4	3	4	4	1	1	-	1	-	-	-	-	
-	-	1	-	2	3	3	1	-	3	1	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
	Cancer of buccal cavity and pharynx—Continued											
45d	Cancer of jaw bone	918	2	-	-	-	1	3	8	3	4	7
	White—M	659	1	-	-	-	1	2	4	-	1	3
	F	195	1	-	-	-	-	1	4	3	1	2
	Negro—M	32	-	-	-	-	-	-	-	-	1	-
	F	29	-	-	-	-	-	-	-	-	1	2
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
45e	Cancer of unspecified parts of buccal cavity	58	-	-	-	-	-	-	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-
	Negro—M	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	1,479	-	-	-	1	1	2	6	3	7	5
	White—M	1,091	-	-	-	-	1	1	3	1	4	4
	F	291	-	-	-	1	-	1	2	1	3	1
	Negro—M	59	-	-	-	-	-	-	1	1	-	-
	F	29	-	-	-	-	-	-	-	-	-	-
	Other races—M	9	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum	72,742	27	8	12	11	12	70	41	18	53	151
	White—M	37,264	17	4	7	8	8	44	22	6	27	72
	F	31,261	10	4	4	3	4	25	15	11	19	68
	Negro—M	2,219	-	-	1	-	-	1	4	-	5	3
	F	1,738	-	-	-	-	-	-	-	1	2	10
	Other races—M	188	-	-	-	-	-	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-
46a	Cancer of esophagus	2,805	1	-	-	-	-	1	-	1	-	-
	White—M	2,033	-	-	-	-	-	-	-	-	-	-
	F	574	1	-	-	-	-	1	-	1	-	-
	Negro—M	139	-	-	-	-	-	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	-
	Other races—M	11	-	-	-	-	-	-	-	-	-	-
46b	Cancer of stomach	26,133	1	-	-	-	-	1	2	2	8	34
	White—M	14,900	-	-	-	-	-	-	1	-	5	16
	F	9,261	1	-	-	-	-	1	1	1	3	14
	Negro—M	1,123	-	-	-	-	-	-	-	-	1	1
	F	725	-	-	-	-	-	-	-	1	1	3
	Other races—M	86	-	-	-	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-
46c	Cancer of duodenum	393	-	-	-	-	-	-	-	-	-	-
	White—M	212	-	-	-	-	-	-	-	-	-	-
	F	168	-	-	-	-	-	-	-	-	-	-
	Negro—M	6	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-
46d	Cancer of rectum and anus	8,860	1	-	-	-	-	1	2	-	6	18
	White—M	4,738	1	-	-	-	-	1	1	-	3	9
	F	3,663	-	-	-	-	-	-	1	-	3	6
	Negro—M	201	-	-	-	-	-	-	-	-	-	-
	F	237	-	-	-	-	-	-	-	-	-	3
	Other races—M	16	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
46e	Cancer of intestines, etc.*	17,797	2	-	3	3	3	11	8	7	22	47
	White—M	7,887	2	-	3	1	3	9	6	4	13	22
	F	9,273	-	-	-	2	-	2	2	3	8	21
	Negro—M	283	-	-	-	-	-	-	-	-	1	2
	F	312	-	-	-	-	-	-	-	-	-	2
	Other races—M	28	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-
46f	Cancer of liver and biliary passages	9,747	16	4	3	3	2	28	11	3	3	22
	White—M	3,914	9	2	1	2	-	14	6	1	1	7
	F	5,253	7	2	2	1	2	14	2	2	1	14
	Negro—M	267	-	-	-	-	-	-	3	-	1	-
	F	278	-	-	-	-	-	-	-	-	-	1
	Other races—M	26	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-
46g	Cancer of pancreas	5,357	1	-	1	-	-	2	-	-	3	8
	White—M	2,871	1	-	1	-	-	2	-	-	2	6
	F	2,240	-	-	-	-	-	-	-	-	1	2
	Negro—M	139	-	-	-	-	-	-	-	-	-	-
	F	85	-	-	-	-	-	-	-	-	-	-
	Other races—M	17	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
46h	Cancer of mesentery and peritoneum	1,045	4	4	5	5	7	25	18	5	11	20
	White—M	465	3	2	2	5	5	17	8	1	5	11
	F	523	1	2	2	-	2	7	9	4	5	8
	Negro—M	26	-	-	1	-	-	1	1	-	2	-
	F	28	-	-	-	-	-	-	-	-	1	1
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
46m	Cancer of other and unspecified sites	605	1	-	-	-	-	1	-	-	-	2
	White—M	244	1	-	-	-	-	1	-	-	-	1
	F	306	-	-	-	-	-	-	-	-	-	1
	Negro—M	35	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
8	5	15	26	42	63	107	116	131	124	140	70	37	8	-	-	1	45d
4	2	8	14	21	44	72	87	98	104	106	56	29	3	-	-	1	
2	2	6	7	9	17	23	22	25	18	30	13	5	5	-	-	-	
1	-	1	2	9	-	5	5	1	2	3	1	1	-	-	-	-	
1	1	-	2	3	1	7	2	6	-	1	-	2	-	-	-	-	
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	3	3	5	8	5	5	13	7	4	2	1	-	-	-	45e
1	-	1	3	1	4	7	5	4	11	4	1	1	-	-	-	-	
-	-	-	-	1	-	1	-	1	1	3	2	1	1	-	-	-	
-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
12	12	23	47	89	135	170	210	237	223	152	90	39	14	1	1	1	45f
7	6	13	31	61	91	127	164	189	175	108	67	30	9	-	-	-	
5	4	5	7	20	27	28	37	34	38	38	23	9	5	1	1	1	
-	1	2	5	3	11	8	7	9	6	5	-	-	-	-	-	-	
-	1	2	2	5	4	5	1	4	4	1	-	-	-	-	-	-	
-	-	1	2	-	2	2	1	1	-	-	-	-	-	-	-	-	
318	635	1,172	2,280	3,876	6,180	8,124	10,226	11,745	11,675	8,858	4,991	1,819	386	54	9	61	46
132	266	477	1,009	1,858	3,148	4,374	5,530	6,310	6,117	4,472	2,428	782	142	22	2	24	
136	290	513	948	1,558	2,424	3,181	4,114	4,902	5,151	4,179	2,474	983	223	22	2	25	
19	30	77	160	256	339	304	331	292	204	111	39	22	8	5	1	8	
26	47	97	150	188	240	216	216	195	171	81	46	31	9	4	4	4	
2	1	6	11	8	22	42	30	34	16	11	2	1	2	-	-	-	
3	1	2	2	8	7	7	5	12	16	4	2	-	2	1	-	-	
3	11	24	61	162	298	376	455	467	422	299	158	54	8	4	-	1	46a
2	7	9	29	100	210	272	355	339	323	233	106	37	6	4	-	1	
1	3	6	9	21	56	76	80	108	87	57	51	15	2	-	-	-	
-	-	7	15	29	25	20	12	15	8	6	-	2	-	-	-	-	
-	1	2	8	12	7	5	3	4	3	2	1	-	-	-	-	-	
-	-	-	-	-	-	3	5	1	1	1	-	-	-	-	-	-	
83	164	336	728	1,274	2,074	2,810	3,670	4,365	4,335	3,442	1,902	708	155	15	4	21	46b
33	72	147	364	702	1,193	1,704	2,220	2,589	2,501	1,914	1,026	343	56	5	2	9	
31	67	123	229	374	602	844	1,137	1,501	1,633	1,428	826	344	88	5	1	8	
5	11	34	76	117	170	142	185	176	104	54	26	10	4	3	1	3	
13	12	27	54	74	101	97	111	77	76	38	21	11	5	2	-	1	
1	1	4	4	3	5	18	16	16	9	6	2	-	1	-	-	-	
-	1	1	1	4	3	5	1	6	12	2	1	-	1	-	-	-	
2	7	6	10	23	30	49	41	58	64	49	35	13	4	-	-	2	46c
2	3	3	3	16	18	28	24	28	38	22	16	8	2	-	-	1	
-	4	2	6	5	11	17	17	29	24	27	19	4	2	-	-	1	
-	-	-	1	-	-	3	-	-	2	-	-	-	-	-	-	-	
-	-	1	-	2	1	1	-	1	-	-	-	1	-	-	-	-	
40	117	184	334	494	847	1,018	1,281	1,368	1,348	982	572	181	53	10	2	2	46d
18	53	74	134	209	436	569	727	789	757	548	303	77	24	5	-	1	
16	38	88	165	240	337	391	492	532	554	411	260	100	26	2	-	1	
1	8	8	10	19	34	34	29	18	18	13	3	2	2	2	-	-	
5	18	14	24	25	35	20	30	24	19	9	6	2	1	-	2	-	
-	-	-	1	1	4	4	2	4	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	
103	192	334	647	995	1,460	1,937	2,362	2,717	2,845	2,226	1,273	493	88	14	2	14	46e
39	73	126	265	411	634	903	1,103	1,252	1,319	987	514	167	31	5	-	4	
54	104	173	324	511	749	948	1,185	1,389	1,473	1,204	743	311	53	9	-	7	
4	7	10	25	31	40	37	39	34	21	18	6	5	2	-	-	1	
5	8	22	32	37	33	38	35	36	27	14	9	9	1	-	2	2	
-	-	2	-	3	3	10	-	4	3	2	-	1	-	-	-	-	
1	-	1	1	2	1	1	-	2	2	1	1	-	1	-	-	-	
43	65	147	263	490	815	1,058	1,339	1,616	1,583	1,246	682	255	56	7	1	14	46f
13	18	50	88	173	319	460	535	702	647	475	282	101	15	2	-	5	
22	39	71	134	254	410	524	731	843	868	741	390	144	39	3	1	6	
5	3	6	17	35	36	38	39	27	34	16	3	2	-	-	-	2	
1	5	20	20	26	41	33	29	40	31	12	7	8	1	2	-	1	
1	-	-	4	1	7	3	3	3	1	2	-	-	1	-	-	-	
1	-	-	-	1	2	-	2	1	2	-	-	-	-	-	-	-	
17	39	96	165	322	501	698	837	925	852	501	286	80	16	2	-	7	46g
8	19	48	100	194	268	370	463	513	440	246	146	37	5	1	-	3	
7	17	34	48	99	187	285	344	379	396	247	138	43	10	1	-	2	
2	1	8	9	20	26	21	19	18	8	4	1	-	-	-	-	2	
-	2	6	8	8	17	18	6	7	7	4	1	-	1	-	-	-	
-	-	-	-	-	3	3	4	6	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	
25	37	40	56	85	100	120	154	130	114	54	36	11	2	2	-	-	46h
18	20	20	23	46	42	45	69	51	52	21	12	5	1	-	-	-	
5	16	15	23	35	51	70	82	74	56	32	24	6	1	2	-	-	
1	-	2	6	1	3	2	3	3	1	-	-	-	-	-	-	-	
2	1	3	3	3	4	3	-	2	4	1	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	5	16	31	55	58	87	99	112	59	47	24	4	-	-	-	46m
1	1	-	3	7	28	23	34	47	40	26	23	7	2	-	-	-	
-	2	1	10	19	21	26	46	47	60	32	23	16	2	-	-	-	
1	-	2	1	4	5	7	5	1	8	-	-	1	-	-	-	-	
-	-	2	1	1	1	1	2	4	4	1	1	-	-	-	-	-	
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
47	Cancer of respiratory system	9,543	3	-	4	6	4	17	16	23	35	70
	White—M	7,002	1	-	2	4	1	8	8	10	18	47
	F	2,088	2	-	2	2	3	9	7	13	11	17
	Negro—M	313	-	-	-	-	-	-	1	-	4	4
	F	111	-	-	-	-	-	-	-	-	2	2
	Other races—M	25	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
47a	Cancer of larynx	1,457	-	-	-	-	-	-	-	-	2	3
	White—M	1,255	-	-	-	-	-	-	-	-	1	3
	F	156	-	-	-	-	-	-	-	-	-	-
	Negro—M	44	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
47d,e	Cancer of lung and pleura	5,536	1	-	3	4	2	10	8	18	22	44
	White—M	3,805	-	-	1	3	1	5	6	6	12	28
	F	1,477	1	-	2	1	1	5	2	12	7	11
	Negro—M	163	-	-	-	-	-	-	-	-	2	3
	F	69	-	-	-	-	-	-	-	-	1	2
	Other races—M	19	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
47b, c,f	Cancer of other respiratory organs	2,550	2	-	1	2	2	7	8	5	11	23
	White—M	1,962	1	-	1	1	-	3	2	4	5	16
	F	455	1	-	-	1	2	4	5	1	4	6
	Negro—M	106	-	-	-	-	-	-	1	-	2	1
	F	25	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
48	Cancer of uterus—F	16,741	-	1	-	-	-	1	1	2	12	75
	White—F	14,295	-	1	-	-	-	1	1	2	9	45
	Negro—F	2,402	-	-	-	-	-	-	-	-	2	29
	Other races—F	44	-	-	-	-	-	-	-	-	1	1
49	Cancer of other female genital organs	4,363	4	-	2	-		6	6	15	26	45
	White—F	4,161	2	-	2	-	-	4	6	14	24	39
	Negro—F	198	2	-	-	-	-	2	-	1	2	6
	Other races—F	4	-	-	-	-	-	-	-	-	-	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	3,697	3	-	-	-	-	3	6	15	23	45
	White—F	3,541	2	-	-	-	-	2	6	14	21	39
	Negro—F	152	1	-	-	-	-	1	-	1	2	6
	Other races—F	4	-	-	-	-	-	-	-	-	-	-
49c-e	Cancer of other female genital organs	666	1	-	2	-	-	3	-	-	3	-
	White—F	620	-	-	2	-	-	2	-	-	3	-
	Negro—F	46	1	-	-	-	-	1	-	-	-	-
50	Cancer of breast	15,488	3	-	-	-	-	3	1	-	3	15
	White—M	164	-	-	-	-	-	-	-	-	-	-
	F	14,347	3	-	-	-	-	3	1	-	3	14
	Negro—M	16	-	-	-	-	-	-	-	-	-	-
	F	944	-	-	-	-	-	-	-	-	-	1
	Other races—F	17	-	-	-	-	-	-	-	-	-	-
51	Cancer of male genital organs	9,885	-	1	2	2	1	6	4	1	22	74
	White—M	9,253	-	1	2	2	1	6	4	1	21	67
	Negro—M	618	-	-	-	-	-	-	-	-	1	4
	Other races—M	14	-	-	-	-	-	-	-	-	-	3
51b	Cancer of prostate	8,946	-	-	1	1	1	3	1	1	2	1
	White—M	8,404	-	-	1	1	1	3	1	1	2	-
	Negro—M	534	-	-	-	-	-	-	-	-	-	1
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
51a,c, d,e	Cancer of other male genital organs	939	-	1	1	1	-	3	3	-	20	73
	White—M	849	-	1	1	1	-	3	3	-	19	67
	Negro—M	84	-	-	-	-	-	-	-	-	1	3
	Other races—M	6	-	-	-	-	-	-	-	-	-	3
52	Cancer of urinary organs	7,561	19	18	31	19	31	118	41	20	13	21
	White—M	4,674	11	7	20	11	12	61	22	12	8	12
	F	2,514	7	10	9	8	14	48	12	7	4	9
	Negro—M	204	-	-	-	-	4	4	4	-	-	-
	F	142	-	1	2	-	1	4	3	-	1	-
	Other races—M	19	1	-	-	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-
52a	Cancer of kidney	2,392	18	18	31	18	31	116	40	18	12	19
	White—M	1,420	10	7	20	10	12	59	22	10	7	10
	F	860	7	10	9	8	14	48	12	7	4	9
	Negro—M	59	-	-	-	-	4	4	4	-	-	-
	F	43	-	1	2	-	1	4	3	-	1	-
	Other races—M	8	1	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-
52b	Cancer of bladder	5,086	1	-	-	1	-	2	1	2	1	2
	White—M	3,228	1	-	-	1	-	2	1	2	1	2
	F	1,605	-	-	-	-	-	-	-	-	-	-
	Negro—M	142	-	-	-	-	-	-	-	-	-	-
	F	94	-	-	-	-	-	-	-	-	-	-
	Other races—M	11	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-
52c	Cancer of other and unspecified sites	83	-	-	-	-	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-
	Negro—M	3	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
75	112	222	476	956	1,364	1,545	1,593	1,280	928	530	220	61	12	2	-	6	47
45	74	148	348	705	1,036	1,200	1,195	942	636	377	153	37	9	1	-	5	
21	25	55	86	188	249	274	345	292	260	142	66	23	3	1	-	1	
5	8	12	28	42	65	48	34	33	19	8	1	1	-	-	-	-	
3	3	5	12	18	10	18	16	10	10	2	-	-	-	-	-	-	
1	2	2	2	1	4	4	3	3	2	1	-	-	-	-	-	-	
-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	
3	5	11	55	112	195	208	214	219	209	131	69	17	4	-	-	-	47a
2	5	7	48	88	167	178	180	194	160	107	59	12	4	-	-	-	
-	-	-	2	19	18	14	26	20	23	20	9	5	-	-	-	-	
-	-	2	4	4	8	9	5	4	4	3	1	-	-	-	-	-	
1	-	1	1	-	1	6	3	1	1	1	-	-	-	-	-	-	
-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
38	78	130	247	544	779	908	968	751	534	298	117	29	7	2	-	4	47d,e
20	47	81	164	368	560	670	693	516	329	202	73	16	5	1	-	3	
13	21	38	60	141	181	203	241	207	184	90	44	13	2	1	-	1	
5	5	7	11	20	31	25	22	17	11	4	-	-	-	-	-	-	
-	3	3	10	13	4	7	9	8	8	1	-	-	-	-	-	-	
-	2	1	2	-	3	2	3	3	2	1	-	-	-	-	-	-	
-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
34	29	81	174	300	390	429	411	310	185	101	34	15	1	-	-	2	47b,
23	22	60	136	249	309	352	322	232	127	68	21	9	-	-	-	2	c,f
8	4	17	24	28	50	57	78	65	53	32	13	5	1	-	-	-	
-	3	3	13	18	26	14	7	12	4	1	-	1	-	-	-	-	
2	-	1	1	5	5	5	4	1	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
253	628	1,058	1,543	1,995	2,165	2,081	1,933	1,864	1,435	920	519	185	39	12	1	19	48
176	452	805	1,229	1,631	1,833	1,805	1,732	1,693	1,321	855	493	168	28	8	-	8	
74	170	246	309	358	330	273	200	166	112	65	25	16	11	4	1	11	
3	6	7	5	6	2	3	1	5	2	-	1	1	-	-	-	-	
61	126	221	335	489	576	616	604	470	354	231	118	44	13	1	2	4	49
47	116	196	312	470	551	588	586	455	348	229	115	42	13	1	1	4	
14	9	24	23	19	24	27	18	15	6	2	3	2	-	-	1	-	
-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
56	113	198	310	444	536	557	509	380	267	142	68	18	4	-	-	3	49a,b
45	104	182	291	429	515	533	497	368	262	141	67	18	4	-	-	3	
11	8	15	19	15	20	23	12	12	5	1	1	-	-	-	-	-	
-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
5	13	23	25	45	40	59	95	90	87	89	50	26	9	1	2	1	49c-e
2	12	14	21	41	36	55	89	87	86	88	48	24	9	1	1	1	
3	1	9	4	4	4	4	6	3	1	1	2	2	-	-	1	-	
89	308	654	1,141	1,693	1,920	1,897	2,031	1,853	1,530	1,145	758	315	99	18	4	11	50
1	2	3	9	9	14	13	26	25	23	27	5	3	4	-	-	-	
74	277	559	1,012	1,526	1,760	1,778	1,909	1,733	1,460	1,087	736	299	90	16	2	8	
1	-	1	1	1	3	1	3	1	2	-	1	-	-	-	-	1	
13	28	89	118	155	142	104	90	92	43	31	15	12	5	2	2	2	
-	1	2	1	2	1	1	3	2	2	-	1	1	-	-	-	-	
78	95	72	104	151	291	591	1,076	1,777	2,033	1,892	1,148	384	60	15	1	10	51
73	90	63	85	118	235	515	986	1,654	1,947	1,820	1,117	370	60	13	-	8	
4	4	9	19	32	55	76	89	120	86	70	30	14	-	2	1	2	
1	1	-	-	1	1	-	1	3	-	2	1	-	-	-	-	-	
2	4	10	37	105	230	532	1,019	1,691	1,964	1,808	1,093	365	54	15	1	8	51b
2	4	8	30	81	182	461	936	1,576	1,885	1,744	1,063	351	54	13	-	7	
-	-	2	7	24	47	71	82	112	79	62	29	14	-	2	1	1	
-	-	-	-	-	1	-	1	3	-	2	1	-	-	-	-	-	
76	91	62	67	46	61	59	57	86	69	84	55	19	6	-	-	2	51a,c,
71	86	55	55	37	53	54	50	78	62	76	54	19	6	-	-	1	d,e
4	4	7	12	8	8	5	7	8	7	8	1	-	-	-	-	1	
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
27	52	90	224	393	573	908	993	1,158	1,168	870	522	225	31	7	1	6	52
14	21	48	138	261	422	585	642	711	698	552	319	126	13	3	1	5	
7	22	30	63	102	199	275	297	391	436	304	195	91	17	4	-	1	
3	2	5	10	13	29	26	30	28	28	12	6	3	1	-	-	-	
3	7	7	11	14	21	19	18	21	6	2	2	3	-	-	-	-	
-	-	-	2	-	1	3	4	6	-	-	-	2	-	-	-	-	
-	-	-	-	3	1	-	2	1	-	-	-	-	-	-	-	-	
22	32	44	119	199	283	345	316	312	252	163	69	27	2	-	-	2	52a
12	16	28	80	128	177	238	197	174	136	82	29	13	1	-	-	2	
5	12	9	32	61	92	96	101	126	113	79	40	13	1	-	-	-	
3	2	3	3	4	8	6	12	7	2	1	-	-	-	-	-	-	
2	2	4	2	6	6	4	4	2	1	1	-	1	-	-	-	-	
-	-	-	2	-	-	1	1	3	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
4	20	43	102	192	379	550	663	833	906	700	453	192	29	7	1	4	52b
1	5	20	57	133	242	343	440	530	560	469	290	111	12	3	1	3	
2	10	19	29	40	101	171	187	260	316	220	155	74	16	4	-	1	
-	-	2	7	8	21	19	18	21	26	10	6	3	1	-	-	-	
1	5	2	9	8	13	15	14	18	4	1	2	2	-	-	-	-	
-	-	-	-	-	1	2	3	3	-	-	-	2	-	-	-	-	
-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	
1	-	3	3	2	11	13	14	13	10	7	-	6	-	-	-	-	52c
1	-	-	1	-	3	4	5	7	2	1	-	2	-	-	-	-	
-	-	2	2	1	6	8	9	5	7	5	-	4	-	-	-	-	
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
53	Cancer of skin, etc.*	3,479	2	1	1	-	3	7	6	6	6	17
	White—M	2,144	2	-	1	-	1	4	5	-	4	7
	F	1,252	-	1	-	-	1	2	1	6	2	7
	Negro—M	45	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	1	1	-	-	-	3
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
54	Cancer of central nervous system*	2,403	9	28	24	39	27	127	110	101	82	86
	White—M	1,344	4	13	10	20	9	56	61	48	39	50
	F	968	4	15	11	18	14	62	44	48	38	32
	Negro—M	48	-	-	2	1	1	4	2	3	2	1
	F	35	-	-	1	-	2	3	3	2	3	3
	Other races—M	7	-	-	-	-	1	1	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-
55	Cancer of other and unspecified organs	11,033	19	26	29	30	28	132	80	152	232	225
	White—M	5,382	9	14	19	14	10	66	44	70	143	138
	F	4,878	9	8	10	13	14	54	30	68	67	69
	Negro—M	360	1	-	-	-	2	3	4	6	15	8
	F	372	-	4	-	3	2	9	2	7	6	9
	Other races—M	27	-	-	-	-	-	-	-	-	1	1
	F	14	-	-	-	-	-	-	-	1	-	-
56a-c	Nonmalignant tumors of female genital organs	2,826	-	-	-	-	-	-	-	2	15	36
	White—F	2,146	-	-	-	-	-	-	-	1	11	26
	Negro—F	674	-	-	-	-	-	-	-	1	4	10
	Other races—F	6	-	-	-	-	-	-	-	-	-	-
56d	Nonmalignant tumors of central nervous system*	826	1	6	2	5	5	19	20	31	32	38
	White—M	412	-	3	1	2	5	11	14	17	14	21
	F	352	-	3	-	2	-	5	5	12	14	15
	Negro—M	29	1	-	-	1	-	2	-	2	1	-
	F	29	-	-	1	-	-	1	1	-	3	2
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	596	27	9	8	5	1	50	12	8	18	15
	White—M	268	13	5	4	3	-	25	4	1	8	3
	F	267	11	4	4	1	1	21	6	6	7	7
	Negro—M	25	1	-	-	-	-	1	2	-	1	1
	F	38	2	-	-	1	-	3	-	1	2	4
57a-c	Tumors, female genital organs (nature unspecified)	79	-	-	-	-	-	-	-	-	-	4
	White—F	57	-	-	-	-	-	-	-	-	-	3
	Negro—F	18	-	-	-	-	-	-	-	-	-	1
	Other races—F	4	-	-	-	-	-	-	-	-	-	-
57d	Tumors, central nervous system* (nature unspecified)	1,597	17	12	10	13	13	65	65	58	60	75
	White—M	793	11	9	4	7	4	35	24	19	25	26
	F	674	5	3	6	5	8	27	31	32	28	31
	Negro—M	67	-	-	-	-	1	1	5	3	4	9
	F	55	1	-	-	-	-	1	4	4	3	6
	Other races—M	4	-	-	-	-	-	-	1	-	-	1
	F	4	-	-	-	1	-	1	-	-	-	2
57e	Tumors, other organs (nature unspecified)	647	11	4	6	5	3	29	10	10	9	10
	White—M	256	4	1	3	1	-	9	7	6	6	2
	F	300	6	2	3	2	2	15	1	4	1	4
	Negro—M	31	1	-	-	-	1	2	1	-	-	4
	F	56	-	1	-	2	-	3	1	-	2	-
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	47,568	1,407	188	100	63	74	1,832	425	625	634	576
	White—M	16,188	748	86	46	25	31	936	166	227	242	221
	F	26,972	471	70	41	29	28	639	187	294	278	251
	Negro—M	1,394	103	17	6	5	4	135	22	45	52	40
	F	2,858	73	13	7	4	11	108	47	57	61	63
	Other races—M	92	8	2	-	-	-	10	-	2	1	-
	F	64	4	-	-	-	-	4	3	-	-	1
58a	Acute rheumatic pericarditis	74	1	1	-	2	1	5	13	21	7	3
	White—M	34	-	-	-	-	1	1	7	8	3	2
	F	28	1	1	-	2	-	4	6	8	3	-
	Negro—M	4	-	-	-	-	-	-	-	1	1	-
	F	8	-	-	-	-	-	-	-	4	-	1
58b	Acute rheumatic endocarditis	693	3	3	5	6	14	31	104	145	98	74
	White—M	288	2	-	1	4	5	12	41	57	37	30
	F	290	1	1	3	1	6	12	46	67	45	37
	Negro—M	40	-	2	-	1	-	3	4	10	4	3
	F	71	-	-	1	-	3	4	12	10	11	4
	Other races—M	3	-	-	-	-	-	-	-	1	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
58c	Acute rheumatic myocarditis	158	-	-	-	5	2	7	22	23	15	14
	White—M	49	-	-	-	2	-	2	5	8	7	1
	F	72	-	-	-	3	-	3	11	9	5	8
	Negro—M	15	-	-	-	-	1	1	3	1	2	1
	F	22	-	-	-	-	1	1	3	5	1	4
58d	Other acute rheumatic heart diseases	267	-	1	6	4	10	21	63	77	35	11
	White—M	110	-	-	1	1	5	7	23	31	17	6
	F	110	-	1	3	-	3	7	31	36	11	4
	Negro—M	23	-	-	2	-	1	3	5	4	6	-
	F	24	-	-	-	3	1	4	4	6	1	1

* Refer to complete International List titles, table II.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
29	42	51	71	108	165	221	276	417	465	533	534	344	130	42	5	4	53
15	17	37	43	71	104	144	185	269	301	326	327	204	59	18	2	2	
11	21	11	21	31	52	63	83	132	151	200	201	138	71	23	3	2	
1	1	1	1	1	5	8	4	10	4	4	4	1	-	-	-	-	
2	3	2	6	5	4	6	3	6	9	3	1	1	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	
112	122	177	212	301	327	285	193	90	45	19	7	4	1	-	-	2	54
57	68	98	121	173	188	180	117	55	20	9	2	1	-	-	-	1	
48	50	72	85	117	128	97	72	32	23	10	5	3	1	-	-	1	
3	4	6	4	7	7	2	1	1	1	-	-	-	-	-	-	-	
4	-	-	1	4	3	4	3	1	1	-	-	-	-	-	-	-	
-	-	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
218	253	355	552	788	1,066	1,259	1,367	1,322	1,187	910	567	259	79	20	3	7	55
113	108	166	248	362	517	584	670	643	607	466	268	113	41	11	-	4	
88	100	159	235	345	433	585	612	611	527	423	290	137	35	7	2	1	
5	19	13	30	40	51	45	49	30	26	4	4	5	2	-	-	1	
11	26	16	32	35	60	40	33	32	25	15	5	4	1	2	1	1	
-	-	1	5	6	4	3	3	2	-	1	-	-	-	-	-	-	
1	-	-	2	-	1	2	-	4	2	1	-	-	-	-	-	-	
117	241	423	532	575	297	169	110	110	83	47	45	11	6	3	-	4	56a-c
69	146	246	393	495	255	138	95	96	71	44	42	8	5	2	-	3	
48	94	177	135	80	42	30	15	14	12	3	3	3	1	1	-	1	
-	1	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	
47	58	67	83	98	101	77	61	40	24	18	9	3	-	-	-	-	56d
19	24	31	38	55	47	43	34	20	14	7	2	1	-	-	-	-	
21	29	34	34	37	47	30	21	19	9	11	7	2	-	-	-	-	
3	1	2	5	4	4	4	1	-	-	-	-	-	-	-	-	-	
3	4	-	6	2	1	-	4	1	1	-	-	-	-	-	-	-	
1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
19	21	27	31	50	53	64	54	49	50	39	22	10	4	-	-	-	56e
6	9	7	12	28	29	26	22	29	27	15	12	3	-	-	-	-	
9	7	16	13	20	21	34	23	18	20	20	8	7	4	-	-	-	
1	-	1	3	2	1	-	7	-	2	2	1	-	-	-	-	-	
3	5	3	3	-	2	4	2	2	1	2	1	-	-	-	-	-	
4	8	5	6	6	10	5	7	8	4	5	6	1	-	-	-	-	57a-c
2	7	3	3	4	7	5	5	4	2	5	6	1	-	-	-	-	
2	1	2	3	2	3	-	1	1	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	
90	104	123	151	168	171	146	139	98	47	19	14	4	-	-	-	-	57d
40	51	56	85	91	90	80	85	43	30	7	5	1	-	-	-	-	
37	41	52	58	63	69	64	51	52	16	11	8	3	-	-	-	-	
8	7	6	5	8	4	1	2	2	1	1	-	-	-	-	-	-	
4	5	9	2	6	8	1	1	1	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	20	29	33	42	54	53	49	72	62	72	44	24	7	2	-	2	57e
7	4	7	11	16	26	21	22	42	25	23	10	8	2	1	-	1	
5	8	13	13	17	17	26	20	23	32	48	32	14	5	1	-	1	
1	2	1	4	2	1	4	4	2	2	-	-	1	-	-	-	-	
1	5	7	5	7	10	2	3	3	3	1	2	1	-	-	-	-	
-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
661	710	923	1,361	2,142	3,390	4,917	6.368	7,294	6,965	4,945	2,634	932	162	30	11	31	
222	238	271	409	659	1,018	1,542	2,005	2,381	2,417	1,848	968	323	71	11	2	11	
299	314	398	613	1,089	1,883	2,887	3,938	4,503	4,245	2,914	1,576	563	72	13	3	13	
43	40	63	73	87	141	120	137	128	115	81	37	22	5	3	2	3	
97	116	186	258	290	332	341	268	271	176	88	52	23	13	3	4	4	
-	2	2	5	8	12	14	14	8	5	9	-	-	-	-	-	-	
-	-	3	3	9	4	13	6	3	7	5	1	1	1	-	-	-	
6	2	1	2	3	1	1	1	5	1	2	-	-	-	-	-	-	58a
2	1	1	1	2	-	1	-	4	-	1	-	-	-	-	-	-	
3	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
58	56	44	35	9	9	11	7	5	3	2	2	-	-	-	-	-	58b
32	28	18	15	5	2	4	2	2	1	-	2	-	-	-	-	-	
15	19	18	11	2	6	3	3	2	2	2	-	-	-	-	-	-	
3	3	3	5	-	-	1	-	1	-	-	-	-	-	-	-	-	
8	5	5	4	2	1	3	2	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	11	11	11	5	3	2	4	7	7	3	2	1	-	-	-	-	58c
2	5	2	3	3	-	-	1	4	3	3	-	-	-	-	-	-	
7	5	4	5	1	3	1	-	3	4	-	2	1	-	-	-	-	
-	1	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	
1	-	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
11	16	11	3	7	3	3	5	1	-	-	-	-	-	-	-	-	58d
3	7	5	2	3	2	1	2	1	-	-	-	-	-	-	-	-	
5	6	2	-	3	1	1	3	-	-	-	-	-	-	-	-	-	
2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatism, diseases of nutrition, etc.*—Continued											
58e,f	Other forms of acute rheumatic fever, etc.*	533	3	4	4	7	4	22	52	73	50	19
	White—M	200	2	-	4	5	-	11	15	27	21	8
	F	198	1	2	-	1	4	8	24	29	18	5
	Negro—M	60	-	-	-	1	-	1	2	8	6	4
	F	74	-	2	-	-	-	2	11	9	5	2
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	1,787	-	-	-	-	-	-	-	9	10	15
	White—M	605	-	-	-	-	-	-	-	2	5	6
	F	1,052	-	-	-	-	-	-	-	6	4	6
	Negro—M	59	-	-	-	-	-	-	-	-	1	1
	F	62	-	-	-	-	-	-	-	1	-	2
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-
60	Gout	5	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	35,015	30	22	16	17	17	102	97	213	290	273
	White—M	12,438	15	12	9	4	10	50	44	77	112	115
	F	20,168	10	8	7	11	5	41	45	102	132	121
	Negro—M	716	2	2	-	2	-	6	1	16	24	19
	F	1,594	2	-	-	-	2	4	7	18	22	17
	Other races—M	66	1	-	-	-	-	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1
62	Diseases of pituitary gland	165	2	1	1	-	1	5	6	6	17	6
	White—M	54	1	-	1	-	1	3	3	2	9	2
	F	100	1	-	-	-	-	1	1	4	7	2
	Negro—M	5	-	1	-	-	-	1	1	-	-	2
	F	6	-	-	-	-	-	-	1	-	1	-
63a	Simple goiter	211	3	-	-	-	-	3	-	1	1	2
	White—M	35	1	-	-	-	-	1	-	-	-	1
	F	133	1	-	-	-	-	1	-	1	1	1
	Negro—M	10	1	-	-	-	-	1	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	3,659	2	-	2	-	1	5	-	15	37	55
	White—M	574	2	-	-	-	1	3	-	-	4	10
	F	2,830	-	-	2	-	-	2	-	14	28	36
	Negro—M	38	-	-	-	-	-	-	-	-	-	3
	F	199	-	-	-	-	-	-	-	-	5	6
	Other races—M	7	-	-	-	-	-	-	-	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	356	32	9	6	2	1	50	6	6	10	14
	White—M	99	13	3	5	-	1	22	4	1	3	9
	F	242	18	6	1	2	-	27	1	5	5	5
	Negro—M	4	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	1	1	-	2	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	1,299	1,051	81	32	13	14	1,191	38	12	19	12
	White—M	711	584	45	17	8	5	659	15	6	10	8
	F	455	359	31	13	5	6	414	17	4	7	3
	Negro—M	64	53	1	1	-	1	56	2	2	1	1
	F	59	47	4	1	-	2	54	2	-	1	-
	Other races—M	5	5	-	-	-	-	5	-	-	-	-
	F	5	3	-	-	-	-	3	2	-	-	-
65	Diseases of adrenal glands*	425	19	5	2	1	1	28	1	4	15	17
	White—M	197	14	5	2	1	-	22	-	2	9	12
	F	209	5	-	-	-	-	5	1	2	5	5
	Negro—M	8	-	-	-	-	1	1	-	-	1	-
	F	11	-	-	-	-	-	-	-	-	-	-
66	Other general diseases	444	113	20	13	2	3	151	12	9	10	7
	White—M	163	42	5	2	-	2	51	7	3	4	4
	F	183	38	10	6	1	1	56	-	5	3	2
	Negro—M	53	22	3	1	-	-	26	2	-	2	1
	F	42	9	1	4	1	-	15	3	1	1	-
	Other races—M	3	2	1	-	-	-	3	-	-	-	-
67	Scurvy	26	11	5	1	-	-	17	-	-	-	2
	White—M	15	6	3	-	-	-	9	-	-	-	2
	F	7	2	1	1	-	-	4	-	-	-	-
	Negro—M	2	2	-	-	-	-	2	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-
	Other races—M	1	-	1	-	-	-	1	-	-	-	-
68	Beriberi	63	3	1	-	-	-	4	1	-	1	-
	White—M	33	-	-	-	-	-	-	-	-	-	-
	F	18	1	1	-	-	-	2	1	-	1	-
	Negro—M	5	1	-	-	-	-	1	-	-	-	-
	F	6	1	-	-	-	-	1	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2,123	5	5	2	2	-	14	5	9	19	47
	White—M	472	1	-	2	-	-	3	1	2	1	4
	F	798	3	-	-	1	-	4	2	2	3	13
	Negro—M	243	1	1	-	1	-	3	1	2	4	5
	F	603	-	4	-	-	-	4	1	3	11	25
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
70	Rickets	161	113	27	7	2	5	154	4	1	-	1
	White—M	70	55	12	1	-	-	68	1	-	-	-
	F	45	27	8	4	2	3	44	-	-	-	1
	Negro—M	26	18	5	1	-	-	24	1	1	-	-
	F	19	12	2	1	-	2	17	2	-	-	-
	Other races—F	1	1	-	-	-	-	1	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
28	18	22	14	20	23	28	29	31	27	34	22	17	2	1	-	1	58e,f
11	5	12	5	11	9	5	15	12	8	7	11	6	-	1	-	-	
10	6	5	5	6	6	10	10	12	11	15	8	8	2	-	-	-	
3	6	-	1	-	8	6	-	2	5	6	1	1	-	-	-	-	
4	1	5	3	3	-	7	4	5	2	6	2	2	-	-	-	1	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
26	16	40	26	54	113	96	161	216	280	304	253	133	28	4	2	1	59
8	7	20	13	25	37	31	51	74	106	101	87	21	9	-	1	1	
12	7	13	9	24	56	56	96	124	157	192	162	107	18	3	-	-	
1	2	3	-	1	11	2	11	10	8	4	1	3	-	-	-	-	
5	-	4	4	4	8	6	3	8	8	4	2	1	-	1	1	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	1	2	1	1	1	-	-	-	
-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	60
-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	
279	319	442	778	1,438	2,447	3,944	5,275	6,155	5,914	4,126	2,101	678	101	20	6	17	61
114	135	152	263	475	806	1,308	1,767	2,116	2,135	1,632	805	267	48	8	1	8	
119	127	175	325	701	1,342	2,292	3,213	3,754	3,563	2,395	1,250	387	44	10	3	7	
23	16	34	36	59	82	81	89	81	70	41	20	11	3	2	-	2	
23	41	79	150	189	206	240	189	194	118	50	26	13	6	-	2	-	
-	-	1	2	8	11	13	13	7	4	6	-	-	-	-	-	-	
-	-	1	2	6	-	10	4	3	4	2	-	-	-	-	-	-	
11	8	9	12	13	13	20	14	9	8	5	2	1	-	-	-	-	62
3	-	1	2	8	2	10	4	1	2	1	1	-	-	-	-	-	
8	7	8	8	5	11	9	9	8	6	4	1	1	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
9	5	5	22	14	30	27	25	27	19	14	6	1	-	-	-	-	63a
2	1	-	3	4	4	4	6	2	4	2	1	-	-	-	-	-	
7	3	2	11	7	17	18	17	20	13	10	4	-	-	-	-	-	
-	1	1	2	1	3	1	-	-	-	-	-	-	-	-	-	-	
-	-	2	6	2	6	4	2	5	2	1	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
96	129	164	254	318	446	459	535	474	379	199	72	15	3	-	-	4	63b
20	25	29	50	56	79	84	78	63	43	24	4	-	-	-	-	2	
61	82	100	155	256	341	352	436	400	329	173	65	15	3	-	-	2	
1	5	4	11	2	3	2	5	1	1	-	-	-	-	-	-	-	
14	16	28	34	21	20	20	15	10	6	1	3	-	-	-	-	-	
-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	2	1	3	2	1	1	-	-	1	-	-	-	-	-	-	
17	6	13	16	15	27	37	41	42	26	18	10	1	1	-	-	-	63c-e
5	1	1	2	7	6	17	8	5	4	2	-	1	1	-	-	-	
11	4	11	13	7	21	19	32	34	21	16	10	-	-	-	-	-	
-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	
1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
8	6	4	5	-	1	1	-	1	-	1	-	-	-	-	-	-	64
3	3	3	1	-	-	1	-	1	-	1	-	-	-	-	-	-	
3	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	25	32	47	41	39	43	29	26	21	19	9	4	1	-	-	-	65
7	9	10	26	15	17	17	16	10	10	7	4	3	1	-	-	-	
15	15	21	19	25	20	23	12	13	10	12	5	1	-	-	-	-	
-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	
2	1	1	1	1	1	1	-	2	1	-	-	-	-	-	-	-	
11	5	13	16	23	21	27	23	15	28	21	19	22	6	4	-	1	66
4	3	3	5	9	8	9	7	5	9	12	10	6	2	2	-	-	
4	-	6	7	10	7	13	14	7	16	8	9	15	1	-	-	-	
-	-	2	2	2	2	3	2	3	2	-	-	1	1	1	-	1	
3	2	2	2	2	4	2	-	-	1	1	-	-	2	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	6	6	5	7	7	5	6	2	6	1	4	2	-	-	-	-	68
-	4	5	-	5	4	4	4	1	3	1	1	1	-	-	-	-	
-	1	1	2	2	1	-	2	-	1	-	3	1	-	-	-	-	
-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	
-	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
63	78	102	112	169	199	207	204	267	236	186	124	56	15	1	3	7	69
6	4	8	15	28	39	45	42	73	85	52	38	18	8	-	-	-	
16	25	31	38	59	49	89	87	123	89	80	55	26	3	-	-	4	
9	5	11	12	19	29	18	25	25	26	28	13	6	-	-	2	-	
32	44	52	47	63	81	54	48	45	35	25	18	6	4	1	1	3	
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatism, diseases of nutrition, etc.* —Continued											
71	Other avitaminoses	104	16	3	3	-	-	22	1	1	-	4
	White—M	36	10	1	1	-	-	12	-	1	-	1
	F	34	3	-	1	-	-	4	1	-	-	2
	Negro—M	19	3	2	1	-	-	6	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1
	IV.—Diseases of the blood and blood-forming organs	9,710	551	151	144	147	112	1,105	340	266	308	307
	White—M	4,846	273	77	77	72	71	570	180	146	158	142
	F	4,256	213	61	59	63	34	430	141	109	121	123
	Negro—M	287	35	6	4	8	3	56	13	6	15	20
	F	286	22	5	4	4	4	39	5	4	13	20
	Other races—M	27	8	2	-	-	-	10	1	1	-	2
	F	8	-	-	-	-	-	-	-	-	1	-
72	Hemorrhagic conditions	638	241	18	11	7	4	281	26	21	32	28
	White—M	298	131	12	7	3	1	154	11	13	15	10
	F	285	76	6	2	4	3	91	15	8	16	16
	Negro—M	27	20	-	1	-	-	21	-	-	1	1
	F	21	8	-	1	-	-	9	-	-	-	1
	Other races—M	7	6	-	-	-	-	6	-	-	-	-
73a	Pernicious anemia	2,122	10	7	2	3	1	23	4	8	10	18
	White—M	961	5	5	1	3	-	14	2	2	2	5
	F	1,067	5	1	1	-	1	8	-	4	5	7
	Negro—M	29	-	1	-	-	-	1	2	-	3	1
	F	64	-	-	-	-	-	-	-	2	-	5
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
73b-d	Other anemias (except splenic)	973	148	27	7	13	7	202	21	18	29	35
	White—M	362	56	11	4	4	2	77	10	9	6	12
	F	475	71	12	2	7	3	95	9	9	14	14
	Negro—M	49	10	3	-	-	-	13	1	-	3	3
	F	86	11	1	1	2	2	17	1	-	6	6
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
74a	Leukemias	4,896	99	85	104	112	86	486	248	171	191	162
	White—M	2,719	51	41	55	59	59	265	140	102	114	91
	F	1,927	42	38	45	46	23	194	93	65	67	53
	Negro—M	145	1	2	2	6	3	14	10	3	5	11
	F	85	3	4	2	1	1	11	4	1	4	5
	Other races—M	15	2	-	-	-	-	2	1	-	-	2
	F	5	-	-	-	-	-	-	-	-	1	-
74b	Aleukemias	247	4	3	6	3	3	19	19	16	13	10
	White—M	119	2	2	2	1	2	9	10	7	5	2
	F	116	2	1	4	2	1	10	9	8	5	8
	Negro—M	5	-	-	-	-	-	-	-	1	2	-
	F	6	-	-	-	-	-	-	-	-	1	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
75	Diseases of spleen	508	45	10	8	5	8	76	16	24	22	31
	White—M	255	26	6	4	-	5	41	5	12	11	10
	F	210	15	2	3	3	2	25	11	9	8	16
	Negro—M	25	4	-	1	2	-	7	-	2	1	3
	F	14	-	-	-	-	1	1	-	1	2	2
	Other races—M	3	-	2	-	-	-	2	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	326	4	1	6	4	3	18	6	8	11	23
	White—M	132	2	-	4	2	2	10	2	1	5	12
	F	176	2	1	2	1	1	7	4	6	6	9
	Negro—M	7	-	-	-	-	-	-	-	-	-	1
	F	10	-	-	-	1	-	1	-	-	-	1
	Other races—M	1	-	-	-	-	-	-	-	1	-	-
	V.—Chronic poisoning and intoxication	2,724	-	7	15	10	2	34	7	3	8	36
	White—M	2,032	-	4	2	2	-	8	2	3	3	16
	F	311	-	2	7	1	-	10	1	-	1	5
	Negro—M	266	-	-	3	2	1	6	3	-	4	10
	F	81	-	1	3	5	1	10	1	-	-	3
	Other races—M	29	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	-	-
77a	Alcoholic pellagra	3	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-
	Negro—F	2	-	-	-	-	-	-	-	-	-	-
77b-e	Other alcoholism (ethylism)	2,528	-	-	1	3	2	6	6	3	7	32
	White—M	1,916	-	-	-	1	-	1	2	3	3	12
	F	264	-	-	-	-	-	-	-	-	-	5
	Negro—M	256	-	-	1	1	1	3	3	-	4	10
	F	66	-	-	-	1	1	2	1	-	-	3
	Other races—M	23	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	-
78	Lead poisoning	100	-	7	14	7	-	28	1	-	-	3
	White—M	70	-	4	2	1	-	7	-	-	-	3
	F	15	-	2	7	1	-	10	1	-	-	-
	Negro—M	5	-	-	2	1	-	3	-	-	-	-
	F	10	-	1	3	4	-	8	-	-	-	-
79	Chronic poisoning by other mineral substances*	93	-	-	-	-	-	-	-	-	1	1
	White—M	45	-	-	-	-	-	-	-	-	-	1
	F	32	-	-	-	-	-	-	-	-	1	-
	Negro—M	5	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races—M	6	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
2	4	3	3	5	6	6	8	9	8	10	6	1	5	-	-	-	71
-	-	-	3	2	2	1	1	5	2	2	2	-	2	-	-	-	
1	3	1	-	1	1	1	3	3	3	6	2	1	1	-	-	-	
-	1	1	-	2	-	1	-	1	2	2	2	-	1	-	-	-	
1	-	1	-	-	3	3	4	-	1	-	-	-	1	-	-	-	
275	305	364	433	554	714	739	892	892	878	728	436	126	33	6	1	8	
123	138	163	195	263	348	371	458	468	465	361	229	52	8	4	-	4	
113	128	168	185	237	323	320	398	401	398	358	205	71	23	2	-	2	
16	15	12	22	23	20	22	21	12	6	4	2	1	-	-	-	1	
22	23	20	28	29	20	20	14	11	8	5	-	2	2	-	1	-	
1	1	1	2	-	2	4	-	-	1	-	-	-	-	-	-	1	
-	-	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-	
21	23	22	20	26	24	23	22	13	26	16	8	3	2	-	-	1	72
2	8	5	5	10	12	10	6	10	15	5	4	2	-	-	-	1	
15	12	15	12	15	10	13	16	2	11	11	4	1	2	-	-	-	
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
3	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	19	27	45	63	132	151	231	296	386	360	240	72	13	3	-	2	73a
7	6	8	16	20	52	58	103	138	203	173	115	31	4	2	-	-	
2	10	16	23	31	73	78	115	155	179	186	125	40	8	1	-	1	
1	1	-	2	2	2	6	6	1	-	1	-	-	-	-	-	-	
9	2	3	4	10	5	9	7	2	4	-	-	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
32	30	34	31	47	47	49	58	77	84	78	57	28	11	2	1	2	73b-d
12	8	8	7	18	15	20	24	29	39	24	29	10	2	1	-	2	
12	12	19	16	17	25	18	29	40	41	50	28	18	8	1	-	-	
4	2	1	2	5	3	6	2	3	1	-	-	-	-	-	-	-	
4	8	6	6	6	4	5	3	5	3	4	-	-	1	-	1	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
156	179	214	269	345	415	424	493	429	331	259	116	19	7	-	-	2	74a
77	88	114	138	176	225	243	286	251	184	141	74	7	2	-	-	1	
68	75	86	104	143	169	160	191	169	141	94	40	10	5	-	-	-	
8	8	7	13	14	12	10	11	7	5	3	2	1	-	-	-	1	
2	7	7	12	11	7	6	4	2	-	1	-	1	-	-	-	-	
1	1	-	1	-	2	4	-	-	1	-	-	-	-	-	-	-	
-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	
10	17	10	13	16	18	24	24	11	15	6	4	1	-	-	-	1	74b
4	9	6	8	8	11	9	11	5	8	3	3	1	-	-	-	-	
5	6	3	3	7	6	15	13	6	7	3	1	-	-	-	-	1	
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
21	22	37	32	32	38	44	33	34	20	15	8	2	-	1	-	-	75
13	15	16	14	16	20	25	15	19	10	9	3	-	-	1	-	-	
6	4	17	13	14	15	18	17	15	9	6	5	2	-	-	-	-	
1	3	2	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	1	2	-	3	-	-	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
16	15	20	23	25	40	24	31	32	16	14	3	1	-	-	-	-	76
8	4	6	7	15	13	6	13	16	6	6	1	1	-	-	-	-	
5	9	12	14	10	25	18	17	14	10	8	2	-	-	-	-	-	
1	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
2	1	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
94	243	350	346	384	355	304	204	176	93	59	17	2	-	1	-	8	
56	154	239	249	287	282	257	178	143	84	49	14	1	-	1	-	6	
14	25	46	42	45	46	30	13	20	5	5	2	-	-	-	-	1	
17	46	46	40	31	21	16	7	11	3	3	1	-	-	-	-	1	
6	14	17	12	14	3	-	-	1	-	-	-	-	-	-	-	-	
1	4	1	2	6	3	1	5	1	1	1	-	1	-	-	-	-	
-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	
-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	77a
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
90	226	336	330	363	329	289	189	158	83	54	17	1	-	1	-	8	77b-e
52	145	233	239	275	263	244	168	131	76	47	14	1	-	1	-	6	
14	22	41	38	40	42	28	11	14	3	3	2	-	-	-	-	1	
17	44	45	39	30	19	16	7	11	3	3	1	-	-	-	-	1	
6	12	15	12	12	2	-	-	1	-	-	-	-	-	-	-	-	
1	3	1	1	5	3	1	3	1	1	1	-	-	-	-	-	-	
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	5	5	6	12	8	8	11	10	-	-	-	-	-	-	-	78
1	2	4	5	4	10	8	8	10	8	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	14	9	11	13	14	7	7	7	-	5	-	1	-	-	-	-	79
3	7	2	5	7	9	5	2	2	-	2	-	-	-	-	-	-	
-	3	5	4	5	3	2	2	5	-	2	-	-	-	-	-	-	
-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system, etc.*	136,345	1,989	531	284	211	163	3,178	693	686	910	947
	White—M	60,741	961	238	136	92	79	1,506	343	351	453	453
	F	58,525	672	214	111	87	65	1,149	262	228	295	318
	Negro—M	8,033	191	41	17	14	9	272	45	58	86	97
	F	8,666	138	32	16	18	7	211	37	43	69	73
	Other races—M	227	12	1	-	-	1	14	5	2	4	6
	F	153	15	5	4	-	2	26	1	4	3	-
80	Encephalitis (nonepidemic)	1,366	101	59	42	31	17	250	74	76	80	69
	White—M	708	40	27	20	10	6	103	39	41	43	31
	F	509	50	21	19	17	10	117	23	25	27	28
	Negro—M	83	6	4	3	2	1	16	6	8	4	6
	F	54	4	6	-	2	-	12	5	2	5	4
	Other races—M	8	1	-	-	-	-	1	-	-	1	-
	F	4	-	1	-	-	-	1	1	-	-	-
81	Meningitis (not due to meningococcus)	2,251	556	147	84	53	41	881	129	115	121	87
	White—M	1,142	263	61	41	30	22	417	60	55	57	45
	F	670	174	60	28	13	12	287	43	31	31	21
	Negro—M	237	62	12	7	5	4	90	14	15	18	10
	F	176	48	11	6	5	3	73	10	11	14	9
	Other races—M	13	5	1	-	-	-	6	2	1	-	2
	F	13	4	2	2	-	-	8	-	2	1	-
82	Diseases of spinal cord (see exceptions)*	2,749	23	17	12	15	10	77	51	43	53	52
	White—M	1,497	11	7	6	9	4	37	18	14	35	29
	F	1,041	9	8	5	5	5	32	13	24	15	18
	Negro—M	96	-	-	-	-	-	-	-	4	2	4
	F	110	3	2	1	1	1	8	-	1	1	-
	Other races—M	3	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-
83a	Cerebral hemorrhage or effusion*	105,210	214	37	26	9	13	299	66	68	138	162
	White—M	45,824	117	14	13	5	4	153	36	34	56	55
	F	45,831	76	19	13	2	6	116	26	21	56	58
	Negro—M	6,204	10	1	-	-	1	12	-	8	13	30
	F	7,098	9	2	-	2	1	14	3	4	13	19
	Other races—M	161	1	-	-	-	-	1	1	-	-	-
	F	92	1	1	-	-	1	3	-	1	-	-
83b,c	Cerebral embolism, thrombosis, and softening	11,002	15	5	5	6	4	35	16	17	28	45
	White—M	5,234	8	4	2	1	2	17	8	6	12	19
	F	5,126	6	1	3	4	1	15	7	6	11	23
	Negro—M	316	-	-	-	1	1	2	-	2	2	1
	F	301	-	-	-	-	-	-	1	3	3	2
	Other races—M	16	1	-	-	-	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-
83d	Hemiplegia, other paralysis, etc.*	3,541	12	8	6	6	2	34	16	19	14	26
	White—M	1,423	3	5	1	2	1	12	8	6	4	10
	F	1,285	6	3	2	3	1	15	6	6	5	7
	Negro—M	403	3	-	1	-	-	4	1	4	4	4
	F	420	-	-	1	1	-	2	1	3	-	5
	Other races—M	5	-	-	-	-	-	-	-	-	1	-
	F	7	-	-	1	-	-	1	-	-	-	-
84	Mental diseases and deficiency (see exception)*	1,360	38	15	5	5	-	63	17	13	52	93
	White—M	451	16	3	3	1	-	23	5	8	19	35
	F	621	22	11	2	4	-	39	7	3	16	30
	Negro—M	148	-	1	-	-	-	1	4	-	10	11
	F	135	-	-	-	-	-	-	1	1	7	17
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-
85	Epilepsy	2,274	31	14	15	14	13	87	73	131	247	238
	White—M	1,109	15	3	5	7	3	33	30	74	122	126
	F	783	8	9	6	6	9	38	28	35	73	77
	Negro—M	236	4	2	3	1	1	11	7	12	30	22
	F	136	4	-	1	-	-	5	8	9	19	13
	Other races—M	5	-	-	-	-	-	-	-	1	1	-
	F	5	-	-	-	-	-	-	-	-	2	-
86	Convulsions (under 5 years)	538	410	72	26	19	11	538	...	...	...	...
	White—M	231	182	27	7	8	7	231	...	...	...	...
	F	162	109	32	13	5	3	162	...	...	...	...
	Negro—M	84	70	10	1	3	-	84	...	...	...	...
	F	56	45	3	5	3	-	56	...	...	...	...
	Other races—M	2	1	-	-	-	1	2	...	...	...	...
	F	3	3	-	-	-	-	3	...	...	...	...
87	Other diseases of nervous system	3,557	87	34	16	16	14	167	76	58	53	77
	White—M	1,763	47	22	10	4	8	91	36	30	24	33
	F	1,575	28	10	6	9	4	57	26	21	25	33
	Negro—M	130	8	2	-	1	-	11	12	3	-	6
	F	81	3	-	-	2	1	6	2	4	3	4
	Other races—M	5	1	-	-	-	-	1	-	-	1	1
	F	3	-	-	-	-	1	1	-	-	-	-
88	Diseases of organs of vision	50	7	1	-	2	1	11	5	4	3	1
	White—M	21	4	-	-	1	-	5	2	2	-	1
	F	20	-	1	-	1	1	3	2	2	3	-
	Negro—M	2	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	3	1	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	2,447	495	122	47	35	37	736	190	142	121	97
	White—M	1,338	255	65	28	14	22	384	101	81	81	69
	F	902	184	39	14	18	13	268	81	54	33	23
	Negro—M	94	28	9	2	1	1	41	1	2	3	3
	F	93	19	8	2	2	1	32	5	5	4	-
	Other races—M	8	2	-	-	-	-	2	2	-	-	2
	F	12	7	1	1	-	-	9	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
1,160	1,472	2,107	3,472	5,760	8,493	10,942	13,716	18,248	20,343	19,315	14,925	7,167	2,127	449	85	150	
534	595	807	1,175	2,082	3,276	4,714	6,518	8,487	9,652	9,088	6,727	2,998	771	139	14	58	
375	464	676	1,212	2,147	3,123	4,191	5,333	7,677	9,111	9,161	7,539	3,779	1,191	222	34	38	
132	195	287	448	697	987	963	857	1,010	756	524	292	175	78	34	13	27	
111	208	326	623	815	1,070	1,040	956	1,038	785	523	344	207	84	53	23	27	
3	7	7	11	10	21	20	35	22	25	11	15	5	2	1	1	-	
5	3	4	3	9	16	14	17	14	14	8	8	3	1	-	-	-	
77	83	91	87	88	107	84	69	63	30	23	8	5	1	-	-	1	80
42	43	51	41	54	61	49	43	29	14	16	3	4	1	-	-	-	
18	29	31	33	23	41	32	25	28	16	7	5	1	-	-	-	-	
14	4	3	6	7	1	1	-	6	-	-	-	-	-	-	-	1	
1	4	5	6	3	4	2	1	-	-	-	-	-	-	-	-	-	
1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
97	71	113	91	110	121	99	74	61	33	25	11	5	3	-	-	4	81
49	46	61	44	54	69	60	41	39	22	8	6	5	1	-	-	3	
26	15	26	23	32	33	28	27	17	10	13	4	-	2	-	-	1	
16	7	11	15	12	12	7	3	3	1	2	1	-	-	-	-	-	
6	2	14	9	11	6	4	3	2	-	2	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
61	63	84	112	172	235	269	330	365	338	241	157	49	11	2	1	3	82
33	30	46	56	96	125	157	182	198	198	127	85	24	4	2	-	1	
20	24	28	43	55	77	89	131	143	129	100	68	22	7	-	1	2	
4	5	5	4	9	11	11	9	10	8	7	1	2	-	-	-	-	
4	4	5	9	12	20	12	8	12	3	7	3	1	-	-	-	-	
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
334	638	1,155	2,392	4,338	6,755	8,849	11,250	15,010	16,852	16,092	12,485	6,000	1,758	377	73	119	83a
132	227	361	712	1,447	2,464	3,671	5,255	6,873	7,924	7,488	5,625	2,506	634	112	12	47	
104	157	346	795	1,620	2,493	3,411	4,374	6,324	7,550	7,699	6,293	3,163	978	189	28	30	
46	117	198	351	559	843	818	731	861	646	445	252	149	67	28	10	20	
49	134	245	522	697	926	920	845	923	697	449	295	175	76	47	23	22	
-	3	5	9	7	17	18	30	21	21	7	13	5	2	1	-	-	
3	-	-	3	8	12	11	15	8	14	4	7	2	1	-	-	-	
55	77	107	169	339	514	754	1,081	1,567	1,840	1,849	1,454	755	246	40	9	5	83b,c
16	33	51	68	138	234	385	582	766	913	912	642	319	95	15	2	1	
26	31	41	69	132	202	281	427	717	861	888	792	423	143	24	5	2	
6	1	10	18	35	35	43	40	46	33	22	5	5	6	1	2	1	
7	12	4	14	33	41	42	30	35	30	21	13	7	2	-	-	1	
-	-	1	-	-	1	2	2	1	3	3	2	-	-	-	-	-	
-	-	-	-	1	1	1	-	2	-	3	-	1	-	-	-	-	
29	34	38	89	132	193	249	315	465	558	563	476	207	58	17	1	8	83d
16	10	11	29	37	55	73	117	195	241	285	211	77	18	5	-	3	
5	11	10	19	32	52	85	103	156	224	204	211	95	33	5	-	1	
3	5	6	14	30	38	51	42	57	51	39	26	16	3	2	1	2	
5	8	11	27	33	47	39	51	55	41	35	27	19	4	5	-	2	
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	
80	100	97	100	99	116	108	104	83	81	51	55	29	10	4	1	4	84
29	28	24	24	28	35	43	38	29	23	17	23	12	6	1	-	1	
27	39	46	55	50	53	52	45	39	48	29	25	12	3	1	-	2	
9	13	10	12	17	18	8	10	12	5	2	3	1	-	1	-	1	
15	18	16	9	4	10	5	11	3	5	3	4	4	1	1	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
240	228	199	169	154	107	103	80	85	53	41	24	8	4	-	-	3	85
120	97	94	75	69	48	58	42	47	31	22	14	4	2	-	-	1	
82	85	63	62	64	38	29	30	33	14	18	10	3	1	-	-	-	
24	30	28	20	12	17	8	6	3	5	-	-	-	-	-	-	1	
13	15	13	11	8	4	7	2	2	3	1	-	1	1	-	-	1	
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	86
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
87	93	127	160	205	211	312	296	438	467	376	223	92	29	8	-	2	87
33	38	61	67	99	115	165	152	247	242	181	102	36	8	3	-	-	
42	44	54	81	87	83	131	123	176	214	184	118	54	19	3	-	-	
5	5	8	4	11	7	12	15	11	6	5	2	2	2	2	-	1	
7	6	4	8	8	6	4	4	4	5	4	1	-	-	-	-	1	
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
2	-	-	1	-	3	2	2	2	2	4	6	1	1	-	-	-	88
2	-	-	-	-	-	2	1	-	-	1	4	1	-	-	-	-	
-	-	-	1	-	1	-	-	2	2	2	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
98	85	96	102	123	131	113	115	109	89	50	26	16	6	1	-	1	89
62	43	47	59	60	70	51	65	64	44	31	12	10	2	1	-	1	
25	29	31	31	52	50	53	48	42	43	17	12	6	4	-	-	-	
5	8	8	4	5	5	4	1	1	1	1	1	-	-	-	-	-	
4	5	9	8	6	4	5	1	2	1	1	1	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of circulatory system	413,954	413	100	76	85	77	751	664	1,183	1,576	1,911
	White—M	219,542	191	47	36	31	34	339	271	480	693	780
	F	158,511	152	37	27	42	28	286	256	516	619	782
	Negro—M	18,584	34	10	7	3	6	60	73	72	106	141
	F	16,414	33	5	5	9	8	60	57	105	152	203
	Other races—M	658	2	-	1	-	-	3	2	2	4	2
	F	245	1	1	-	-	1	3	5	8	2	3
90a	Chronic rheumatic pericarditis	30	-	-	-	-	-	-	1	4	2	-
	White—M	9	-	-	-	-	-	-	-	-	1	-
	F	13	-	-	-	-	-	-	-	2	1	-
	Negro—M	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-
	Other races—F	2	-	-	-	-	-	-	-	2	-	-
90b	Other pericarditis	580	15	10	7	2	1	35	17	16	17	21
	White—M	292	6	2	4	-	-	12	7	7	8	8
	F	189	7	6	2	2	1	18	6	7	7	8
	Negro—M	59	1	2	-	-	-	3	2	1	-	2
	F	40	1	-	1	-	-	2	2	1	2	3
91a,b	Bacterial, acute, and subacute endocarditis	2,531	22	10	12	11	8	63	70	100	173	225
	White—M	1,191	9	5	8	4	3	29	24	44	65	82
	F	1,005	10	4	3	7	3	27	28	50	94	112
	Negro—M	154	1	1	-	-	1	3	10	2	5	16
	F	168	2	-	-	-	1	3	6	4	9	15
	Other races—M	11	-	-	1	-	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-
91c	Endocarditis (unspecified, under 45 years)	299	6	3	-	3	3	15	16	28	31	24
	White—M	113	3	-	-	1	1	5	7	12	15	10
	F	104	1	3	-	1	1	6	7	11	10	11
	Negro—M	34	1	-	-	1	-	2	1	3	2	-
	F	48	1	-	-	-	1	2	1	2	4	3
92a	Diseases of aortic valve, etc.*	3,855	4	1	1	1	-	7	3	12	11	31
	White—M	1,935	2	-	1	1	-	4	1	5	5	18
	F	1,157	2	-	-	-	-	2	1	6	2	7
	Negro—M	473	-	1	-	-	-	1	1	1	2	3
	F	283	-	-	-	-	-	-	-	-	2	3
	Other races—M	6	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
92b	Diseases of mitral valve, etc.*	18,019	27	7	8	11	7	60	100	217	290	321
	White—M	7,987	12	3	2	6	5	28	27	95	138	138
	F	7,608	12	3	3	3	1	22	48	95	114	143
	Negro—M	1,175	2	1	2	-	1	6	11	10	12	15
	F	1,197	1	-	1	2	-	4	12	16	25	27
	Other races—M	35	-	-	-	-	-	-	-	-	1	-
	F	17	-	-	-	-	-	-	2	1	-	-
92c	Chronic rheumatic endocarditis, etc.*	2,322	1	-	-	-	4	5	46	95	99	99
	White—M	1,178	1	-	-	-	1	2	23	40	55	49
	F	989	-	-	-	-	3	3	20	44	40	44
	Negro—M	70	-	-	-	-	-	-	2	5	2	3
	F	79	-	-	-	-	-	-	1	5	1	2
	Other races—M	5	-	-	-	-	-	-	-	1	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
92d	Other chronic endocarditis, etc.*	17,698	31	4	3	4	4	46	38	75	126	137
	White—M	8,077	14	2	3	2	-	21	18	25	54	53
	F	7,557	12	2	-	2	3	19	14	36	47	61
	Negro—M	1,034	3	-	-	-	1	4	2	3	7	11
	F	1,002	2	-	-	-	-	2	4	9	17	12
	Other races—M	17	-	-	-	-	-	-	-	1	1	-
	F	11	-	-	-	-	-	-	-	1	-	-
92e	Endocarditis (unspecified, 45 years and over)	2,708	...	...	...	...	...	...	...	...	...	...
	White—M	1,310	...	...	...	...	...	...	...	...	...	...
	F	1,022	...	...	...	...	...	...	...	...	...	...
	Negro—M	178	...	...	...	...	...	...	...	...	...	...
	F	195	...	...	...	...	...	...	...	...	...	...
	Other races—M	1	...	...	...	...	...	...	...	...	...	...
	F	2	...	...	...	...	...	...	...	...	...	...
93a	Acute myocarditis (except rheumatic)	4,152	34	8	4	6	5	57	11	24	45	37
	White—M	2,020	18	5	2	3	2	30	2	11	21	12
	F	1,540	10	3	2	2	3	20	4	7	15	16
	Negro—M	295	3	-	-	1	-	4	2	2	4	3
	F	289	3	-	-	-	-	3	3	4	5	5
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1
93b	Myocarditis (unspecified, under 45 years)	725	24	4	1	3	5	37	13	21	35	42
	White—M	259	12	2	-	-	1	15	7	4	9	12
	F	197	10	1	1	2	1	15	1	10	13	10
	Negro—M	132	-	-	-	-	1	1	4	3	9	8
	F	154	2	1	-	1	2	6	1	4	4	12
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	1,323	-	-	1	1	-	2	10	21	20	23
	White—M	580	-	-	-	-	-	-	2	8	13	11
	F	628	-	-	1	-	-	1	6	10	6	4
	Negro—M	46	-	-	-	-	-	-	-	2	-	2
	F	62	-	-	-	1	-	1	1	1	1	6
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-

*Refer to complete International List titles, table II.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
2,569	4,051	6,355	11,084	17,993	26,773	34,454	43,821	55,178	61,259	58,308	48,317	25,786	9,085	2,047	410	379	
1,060	1,707	3,024	5,830	10,216	15,931	21,077	25,881	30,831	32,792	29,506	23,233	11,363	3,553	686	110	179	
918	1,348	1,806	2,788	4,522	6,613	9,292	13,946	20,058	25,008	26,345	23,519	13,473	5,033	1,138	155	90	
275	483	720	1,203	1,691	2,267	2,182	2,167	2,384	1,839	1,251	769	458	233	98	52	60	
307	495	781	1,231	1,506	1,887	1,814	1,726	1,796	1,531	1,093	719	454	245	117	87	48	
2	12	18	24	45	59	73	84	79	71	83	46	29	12	6	2	-	
7	6	6	8	13	16	16	17	30	18	30	31	9	9	2	4	2	
2	2	3	-	1	-	2	2	3	2	3	2	1	-	-	-	-	90a
1	-	-	-	-	-	1	-	3	-	1	2	-	-	-	-	-	
1	2	1	-	-	-	1	-	-	2	2	-	1	-	-	-	-	
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	22	27	33	32	53	44	41	40	55	35	33	18	8	1	-	3	90b
16	7	12	18	12	33	28	25	23	27	20	16	7	3	1	-	2	
5	11	5	11	12	12	3	8	10	22	15	16	9	4	-	-	-	
6	3	5	3	4	5	7	5	6	4	-	1	2	-	-	-	-	
2	1	5	1	4	3	6	3	1	2	-	-	-	1	-	-	1	
215	225	184	175	186	175	172	182	121	109	54	60	31	8	3	-	-	91a,b
100	92	76	84	94	99	108	107	59	54	25	26	19	3	1	-	-	
88	100	79	60	62	48	46	54	45	46	26	27	10	3	-	-	-	
15	12	14	13	16	13	9	7	8	2	2	3	2	1	1	-	-	
11	18	12	17	13	15	9	13	9	7	1	4	-	1	1	-	-	
-	3	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35	45	44	61	...	...	...	...	...	...	...	...	...	...	...	...	...	91c
13	17	10	24	...	...	...	...	...	...	...	...	...	...	...	...	...	
10	13	16	20	...	...	...	...	...	...	...	...	...	...	...	...	...	
6	7	6	7	...	...	...	...	...	...	...	...	...	...	...	...	...	
6	8	12	10	...	...	...	...	...	...	...	...	...	...	...	...	...	
56	70	116	161	223	349	371	452	499	490	416	359	158	52	11	4	4	92a
20	31	50	51	110	179	204	252	275	272	194	175	64	18	3	1	3	
6	8	20	34	38	66	75	126	146	159	180	169	80	26	4	1	1	
20	21	29	41	53	65	55	48	42	39	28	10	8	2	3	1	-	
10	10	15	35	22	39	35	24	36	19	14	5	6	6	1	1	-	
-	-	1	-	-	-	2	2	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
398	530	661	867	1,023	1,248	1,337	1,638	2,070	2,189	2,197	1,713	829	251	50	12	18	92b
131	186	266	355	431	542	632	794	991	1,038	1,008	746	339	86	11	1	6	
201	259	293	355	391	442	465	596	791	915	1,013	858	435	139	24	3	6	
25	41	40	66	101	134	120	123	160	118	85	56	25	12	8	5	2	
37	41	60	90	97	124	116	120	122	116	86	49	30	11	7	3	4	
1	3	-	1	3	6	4	5	2	2	5	1	-	3	-	-	-	
3	-	2	-	-	-	-	2	4	-	-	3	-	-	-	-	-	
98	131	160	150	210	210	194	177	214	135	133	113	43	8	1	1	-	92c
49	78	78	85	105	109	102	86	119	76	61	41	18	1	1	-	-	
39	44	70	61	89	77	76	80	83	55	66	70	23	5	-	-	-	
4	4	4	5	7	9	8	5	5	2	4	1	1	1	-	-	-	
6	5	8	1	9	14	8	5	6	2	2	1	1	1	-	1	-	
-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
153	262	314	471	687	979	1,266	1,641	2,266	2,645	2,691	2,191	1,219	385	71	18	17	92d
59	90	106	171	278	443	606	798	1,102	1,303	1,266	1,016	501	130	28	2	7	
59	110	133	184	251	319	417	607	890	1,112	1,296	1,088	655	221	30	7	1	
17	30	36	61	77	105	113	121	145	116	69	49	33	20	5	5	5	
18	31	36	54	80	108	129	113	126	113	56	35	30	13	8	4	4	
-	-	1	1	1	2	1	2	3	1	2	1	-	-	-	-	-	
-	1	2	-	-	2	-	-	-	-	2	2	-	1	-	-	-	
...	...	...	...	176	203	259	296	338	429	440	336	158	52	15	2	4	92e
...	...	...	...	72	96	136	159	159	219	215	162	77	11	5	-	1	
...	...	...	...	56	45	76	89	119	171	196	154	70	35	9	2	-	
...	...	...	...	26	26	23	29	19	19	20	5	5	1	2	-	3	
...	...	...	...	21	36	24	19	40	19	9	15	6	5	1	-	-	
...	...	...	...	1	-	-	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	
68	100	115	180	234	265	352	392	509	514	473	430	237	82	18	3	6	93a
24	35	49	82	109	128	194	200	282	272	232	198	102	26	8	-	3	
20	27	39	47	69	76	96	133	178	195	203	213	121	48	10	3	-	
11	20	16	29	26	33	25	31	28	21	16	7	10	5	-	-	2	
13	17	11	22	29	28	35	28	20	24	22	12	4	3	-	-	1	
-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
53	107	156	261	...	...	...	...	...	...	...	...	...	...	...	...	...	93b
14	27	53	98	...	...	...	...	...	...	...	...	...	...	...	...	...	
16	31	39	62	...	...	...	...	...	...	...	...	...	...	...	...	...	
7	16	34	50	...	...	...	...	...	...	...	...	...	...	...	...	...	
16	32	29	50	...	...	...	...	...	...	...	...	...	...	...	...	...	
-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	
-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
26	40	40	64	97	123	112	105	177	159	143	98	42	14	6	1	-	93c
13	17	15	34	39	61	47	53	78	71	60	36	14	6	2	-	-	
13	19	21	22	46	52	53	39	86	77	78	57	28	8	2	-	-	
-	1	1	4	5	5	4	7	7	3	2	2	-	-	1	-	-	
-	2	3	3	7	3	8	6	6	8	3	1	-	-	1	1	-	
-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of circulatory system—Contd.											
93d	Other chronic myocarditis, etc.*	176,812	21	4	3	4	3	35	27	54	99	155
	White—M	86,296	7	2	2	2	2	15	12	17	47	57
	F	76,217	7	2	1	2	1	13	9	21	30	62
	Negro—M	7,271	5	-	-	-	-	5	5	7	6	19
	F	6,635	2	-	-	-	-	2	1	8	14	16
	Other races—M	292	-	-	-	-	-	-	-	-	2	-
	F	101	-	-	-	-	-	-	-	1	-	1
93e	Other myocarditis (unspecified)	18,307	7	1	1	-	-	9	9	6	14	27
	White—M	9,030	4	-	-	-	-	4	5	2	5	12
	F	7,117	2	-	-	-	-	2	3	2	3	6
	Negro—M	1,129	1	1	-	-	-	2	-	-	3	-
	F	995	-	-	1	-	-	1	1	2	3	8
	Other races—M	19	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	1
94a	Diseases of coronary arteries	94,067	16	4	1	3	2	26	9	15	60	120
	White—M	63,082	6	4	1	-	2	13	8	6	24	56
	F	26,849	5	-	-	3	-	8	1	6	20	42
	Negro—M	2,336	1	-	-	-	-	1	-	1	6	9
	F	1,657	4	-	-	-	-	4	-	1	10	13
	Other races—M	118	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	1	-	-
94b	Angina pectoris	7,398	2	-	-	-	1	3	3	1	5	21
	White—M	4,849	2	-	-	-	1	3	1	-	2	4
	F	2,067	-	-	-	-	-	-	1	-	1	9
	Negro—M	279	-	-	-	-	-	-	1	-	1	2
	F	196	-	-	-	-	-	-	-	1	1	6
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
95a	Functional diseases of heart, etc.*	1,021	6	2	2	-	-	10	2	1	4	6
	White—M	489	2	1	2	-	-	5	1	-	2	4
	F	453	2	1	-	-	-	3	1	1	-	2
	Negro—M	44	-	-	-	-	-	-	-	-	-	-
	F	34	2	-	-	-	-	2	-	-	2	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
95b	Other diseases of heart (rheumatic)	5,736	1	1	9	13	21	45	200	375	371	334
	White—M	2,614	1	-	4	3	12	20	92	146	159	154
	F	2,537	-	-	3	7	5	15	74	171	159	145
	Negro—M	266	-	1	1	-	2	4	17	23	28	10
	F	309	-	-	1	3	2	6	16	33	28	25
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	2	1	-
95c	Other diseases of heart (not rheumatic)	27,610	137	27	14	19	10	207	70	82	128	187
	White—M	14,175	56	14	4	6	3	83	27	39	55	66
	F	9,048	57	8	7	10	5	87	20	28	37	51
	Negro—M	2,348	12	2	2	1	-	17	15	6	17	29
	F	1,941	10	3	1	2	2	18	7	9	19	41
	Other races—M	69	2	-	-	-	-	2	1	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-
96	Aneurysm (except of heart and aorta)	1,167	-	1	-	-	-	1	2	12	13	21
	White—M	688	-	-	-	-	-	-	2	6	3	10
	F	331	-	1	-	-	-	1	-	4	8	9
	Negro—M	91	-	-	-	-	-	-	-	-	-	1
	F	51	-	-	-	-	-	-	-	2	2	1
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	22,727	-	-	-	-	-	-	-	-	-	6
	White—M	11,238	-	-	-	-	-	-	-	-	-	1
	F	9,914	-	-	-	-	-	-	-	-	-	3
	Negro—M	812	-	-	-	-	-	-	-	-	-	2
	F	702	-	-	-	-	-	-	-	-	-	-
	Other races—M	51	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-
98	Gangrene	567	8	1	2	1	-	12	2	6	2	6
	White—M	271	4	1	-	1	-	6	-	3	-	3
	F	169	2	-	2	-	-	4	2	1	-	2
	Negro—M	72	1	-	-	-	-	1	-	1	1	1
	F	52	-	-	-	-	-	-	-	1	1	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-
99	Other diseases of arteries	1,857	19	4	2	1	1	27	5	3	13	19
	White—M	949	14	3	1	-	1	19	1	1	5	8
	F	766	3	1	1	1	-	6	4	1	5	9
	Negro—M	65	1	-	-	-	-	1	-	-	1	2
	F	72	1	-	-	-	-	1	-	1	2	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
100	Diseases of veins	810	3	-	1	1	1	6	4	8	6	24
	White—M	341	2	-	-	1	-	3	2	6	3	9
	F	398	1	-	-	-	1	2	2	-	2	14
	Negro—M	33	-	-	1	-	-	1	-	2	1	-
	F	35	-	-	-	-	-	-	-	-	-	1
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
101	Diseases of lymphatic system	88	23	6	3	1	-	33	6	3	4	2
	White—M	45	14	2	2	1	-	19	2	2	2	1
	F	29	7	2	-	-	-	9	4	1	1	1
	Negro—M	7	1	1	1	-	-	3	-	-	1	-
	F	5	1	-	-	-	-	1	-	-	-	-
	Other races—F	2	-	1	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table II.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
303	660	1,292	2,869	5,310	9,053	12,661	17,661	24,098	29,114	29,205	24,876	13,381	4,617	1,030	187	125	93d
107	221	488	1,186	2,500	4,629	6,949	9,510	12,482	14,666	14,072	11,455	5,673	1,749	348	52	61	
107	205	355	786	1,581	2,696	3,970	6,416	9,742	12,866	14,001	12,706	7,284	2,669	592	69	37	
32	111	195	410	615	896	916	919	1,022	846	562	336	198	88	41	24	18	
56	123	251	478	586	802	791	766	798	692	514	336	203	104	44	41	9	
1	-	3	8	20	23	26	43	40	37	37	27	17	4	3	1	-	
-	-	-	1	8	7	9	7	14	7	19	16	6	3	2	-	-	
32	54	98	172	820	1,239	1,601	1,925	2,433	2,657	2,673	2,448	1,563	558	124	23	22	93e
12	24	48	80	361	610	857	1,032	1,258	1,363	1,310	1,177	587	226	42	8	7	
8	17	20	42	213	321	446	613	871	1,089	1,200	1,166	721	298	64	8	4	
5	6	15	26	132	147	168	154	167	113	82	50	29	15	6	2	7	
7	7	15	23	114	156	125	123	154	87	78	50	23	18	12	5	3	
-	-	-	1	-	3	1	2	3	2	3	2	2	-	-	-	-	
-	-	-	-	-	2	4	1	-	3	-	3	1	1	-	-	1	
295	690	1,627	3,468	6,055	8,744	11,109	13,229	14,463	13,654	10,360	6,475	2,664	722	168	26	88	94a
154	415	1,115	2,553	4,585	6,718	8,364	9,406	9,585	8,511	6,139	3,598	1,378	339	55	14	46	
71	143	268	491	942	1,440	2,244	3,345	4,433	4,841	4,025	2,804	1,233	358	101	10	23	
41	67	121	236	297	366	295	278	267	156	102	38	28	14	6	-	7	
28	62	116	182	218	209	185	178	161	135	80	26	23	9	4	1	12	
-	1	7	6	11	9	21	19	13	7	13	6	2	-	2	1	-	
1	2	-	-	2	2	-	3	4	4	1	3	-	2	-	-	-	
29	62	152	223	422	631	832	969	1,195	1,115	852	587	215	54	10	-	15	94b
9	27	87	153	304	475	618	677	798	707	517	316	115	26	3	-	7	
7	14	31	28	66	90	156	235	357	376	306	265	94	24	6	-	1	
6	13	21	20	28	40	34	36	28	19	16	3	4	2	1	-	4	
7	7	13	21	24	25	24	21	12	13	12	2	2	2	-	-	3	
-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	
7	11	17	41	38	66	72	99	147	128	140	124	74	23	8	1	2	95a
3	6	7	18	17	35	39	55	81	60	64	55	24	8	2	1	2	
3	4	6	15	13	19	25	37	58	62	76	63	45	15	5	-	-	
1	-	2	3	4	8	2	7	5	4	-	5	3	-	-	-	-	
-	1	2	5	4	3	6	-	3	2	-	1	2	-	1	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
406	470	494	530	524	486	427	291	311	206	134	85	40	6	-	-	1	95b
196	202	223	226	244	232	217	145	155	99	55	48	18	3	-	-	-	
154	211	218	247	238	217	175	128	158	100	71	34	20	2	-	-	-	
25	32	21	24	17	19	16	12	10	5	3	-	1	1	-	-	-	
31	23	32	31	25	17	19	6	7	2	5	3	1	-	-	-	1	
-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
255	394	609	972	1,407	2,090	2,547	2,972	3,663	3,746	3,364	2,761	1,423	534	122	30	47	95c
95	157	245	452	728	1,141	1,434	1,680	2,056	1,993	1,674	1,370	613	218	40	6	23	
76	80	129	202	288	430	638	840	1,120	1,363	1,431	1,196	706	253	58	7	8	
42	78	114	154	199	289	271	244	306	225	135	104	47	32	10	5	9	
40	77	119	157	185	221	193	200	192	154	108	88	54	29	13	10	7	
-	1	2	4	6	6	10	5	7	9	10	1	2	2	1	-	-	
2	1	-	3	1	3	1	3	2	2	6	2	1	-	-	2	-	
27	46	52	71	105	117	107	163	144	114	95	50	19	6	1	-	1	96
11	25	25	29	56	74	70	109	98	74	59	27	8	2	-	-	-	
10	10	14	24	26	25	26	40	33	35	30	20	10	4	1	-	1	
2	7	12	13	14	10	6	10	9	2	4	1	-	-	-	-	-	
4	4	1	4	8	7	4	4	3	3	1	2	1	-	-	-	-	
-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	9	26	69	159	350	550	1,160	1,991	3,244	4,369	5,097	3,606	1,587	386	92	19	97
4	5	12	28	54	142	282	587	1,043	1,749	2,286	2,554	1,671	660	131	22	7	
1	-	1	11	46	107	146	396	732	1,260	1,891	2,383	1,814	853	220	42	8	
-	1	5	18	31	58	61	101	122	123	95	83	54	34	13	9	2	
2	3	8	12	28	41	58	71	84	102	87	71	60	35	22	17	1	
-	-	-	-	-	2	3	5	8	10	8	6	6	3	-	-	-	
-	-	-	-	-	-	-	-	2	-	2	-	1	2	-	2	1	
-	14	11	10	19	22	29	34	51	53	82	87	79	33	8	5	2	98
-	6	4	2	3	11	9	13	25	23	41	55	45	14	5	2	1	
-	4	1	3	6	2	8	10	13	18	24	25	29	14	3	2	-	
-	3	2	3	6	5	7	5	7	11	10	4	3	2	-	-	-	
-	1	4	2	4	4	5	6	6	3	6	2	2	3	-	1	1	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	30	44	93	95	132	144	179	197	252	238	214	90	51	5	3	1	99
6	13	17	48	53	70	71	108	103	118	132	104	53	16	2	1	-	
11	14	19	30	28	49	55	58	79	122	100	104	36	32	3	1	-	
3	2	5	6	9	6	10	7	5	2	2	2	-	1	-	-	1	
2	1	3	9	4	7	7	4	9	10	4	4	1	2	-	1	-	
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	
20	23	34	46	71	83	103	87	84	90	66	33	14	6	1	-	1	100
10	12	13	20	28	38	40	36	39	35	30	7	7	2	-	-	1	
7	7	13	21	33	41	47	47	41	52	33	26	6	4	-	-	-	
1	1	2	2	4	2	9	1	3	2	2	-	-	-	-	-	-	
2	3	5	3	5	2	6	3	1	1	1	-	1	-	1	-	-	
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	3	1	1	3	7	4	3	5	1	5	3	1	2	-	-	-	101
1	1	-	-	-	6	1	1	3	1	2	2	1	-	-	-	-	
-	1	-	1	1	-	1	2	2	-	3	-	-	2	-	-	-	
-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of circulatory system—Contd.											
102	High blood pressure (idiopathic)	1,374	-	-	-	-	-	-	-	1	1	14
	White—M	482	-	-	-	-	-	-	-	-	-	3
	F	552	-	-	-	-	-	-	-	1	1	5
	Negro—M	148	-	-	-	-	-	-	-	-	-	2
	F	186	-	-	-	-	-	-	-	-	-	3
	Other races—M	4	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-
103	Other diseases of circulatory system	173	6	2	1	-	1	10	-	3	7	9
	White—M	62	2	1	-	-	-	3	-	1	2	1
	F	55	2	-	1	-	-	3	-	1	3	6
	Negro—M	31	1	-	-	-	-	1	-	-	-	1
	F	23	1	1	-	-	-	2	-	1	2	1
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	1	-	-	-	-
	VIII.—Diseases of respiratory system	87,077	16,142	2,858	1,111	527	384	21,022	994	845	1,330	1,318
	White—M	41,368	7,077	1,237	464	224	157	9,159	429	325	547	469
	F	31,522	5,433	963	412	200	135	7,143	351	333	440	411
	Negro—M	7,689	1,869	327	112	52	44	2,404	107	106	157	204
	F	5,763	1,469	278	98	41	41	1,927	98	70	173	222
	Other races—M	435	153	31	13	2	5	204	4	3	7	7
	F	300	141	22	12	8	2	185	5	6	6	5
104	Diseases of nasal fossae, accessory sinuses	1,125	260	23	8	4	8	303	30	66	97	70
	White—M	516	73	9	5	1	5	93	11	30	54	36
	F	337	55	7	1	1	1	65	11	24	29	19
	Negro—M	142	64	4	1	2	-	71	7	5	10	9
	F	113	57	2	-	-	2	61	1	7	3	5
	Other races—M	10	7	-	-	-	-	7	-	-	1	1
	F	7	4	1	1	-	-	6	-	-	-	-
105	Diseases of larynx	436	108	82	42	26	9	267	25	6	6	4
	White—M	241	57	52	17	19	5	150	19	5	3	2
	F	143	31	24	20	7	3	85	6	-	3	1
	Negro—M	27	8	3	3	-	1	15	-	1	-	-
	F	23	12	2	2	-	-	16	-	-	-	1
	Other races—M	2	-	1	-	-	-	1	-	-	-	-
106a	Acute bronchitis	1,253	322	114	44	20	15	515	21	15	18	3
	White—M	583	152	70	22	12	9	265	9	10	5	1
	F	544	117	32	19	7	4	179	11	4	10	1
	Negro—M	68	30	7	-	1	1	39	1	-	1	-
	F	47	19	3	1	-	-	23	-	1	2	1
	Other races—M	6	1	2	1	-	1	5	-	-	-	-
	F	5	3	-	1	-	-	4	-	-	-	-
106b	Chronic bronchitis	1,934	30	7	9	2	1	49	9	10	26	17
	White—M	1,106	19	3	4	1	1	28	4	4	9	11
	F	710	7	1	4	1	-	13	5	4	13	3
	Negro—M	66	2	2	-	-	-	4	-	-	-	2
	F	44	2	1	1	-	-	4	-	1	3	1
	Other races—M	6	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	1	-	-
106c	Bronchitis (unspecified)	771	188	68	34	18	8	316	17	5	5	7
	White—M	376	95	43	17	12	4	171	9	4	2	1
	F	314	64	18	15	3	3	103	7	-	1	4
	Negro—M	38	18	2	1	-	-	21	-	-	1	2
	F	37	8	4	1	3	1	17	1	1	1	-
	Other races—M	3	2	-	-	-	-	2	-	-	-	-
	F	3	1	1	-	-	-	2	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	34,539	10,136	1,537	551	219	167	12,610	361	242	307	276
	White—M	15,832	4,592	652	213	89	70	5,616	146	91	130	106
	F	13,704	3,446	531	214	86	58	4,335	133	103	114	95
	Negro—M	2,560	1,057	172	64	22	15	1,330	37	31	24	32
	F	2,127	872	154	45	19	21	1,111	41	15	37	43
	Other races—M	185	82	18	8	-	2	110	2	-	1	-
	F	131	87	10	7	3	1	108	2	2	1	-
108	Lobar pneumonia	33,169	3,257	704	280	156	119	4,516	371	363	610	649
	White—M	15,922	1,351	279	125	62	47	1,864	161	130	236	220
	F	11,102	1,182	243	91	58	41	1,615	121	139	172	179
	Negro—M	3,475	385	94	27	20	17	543	45	50	99	114
	F	2,445	283	75	31	13	12	414	41	39	99	130
	Other races—M	152	35	6	3	1	1	46	-	3	1	3
	F	93	21	7	3	2	1	34	3	2	3	3
109	Pneumonia (unspecified)	4,660	1,488	206	82	43	33	1,852	73	62	101	90
	White—M	1,944	564	76	31	11	7	689	28	21	46	24
	F	1,399	404	56	23	22	13	518	23	21	24	23
	Negro—M	708	277	36	13	2	8	336	11	16	13	20
	F	508	199	31	15	4	4	253	9	3	15	19
	Other races—M	55	22	4	-	1	1	28	2	-	2	3
	F	46	22	3	-	3	-	28	-	1	1	1
110	Pleurisy (not tuberculous)	2,039	149	50	30	21	13	263	33	55	75	77
	White—M	1,148	77	21	16	12	5	131	16	12	29	33
	F	593	52	26	13	7	7	105	13	19	30	29
	Negro—M	170	12	2	1	2	1	18	2	2	6	8
	F	109	5	1	-	-	-	6	2	2	8	6
	Other races—M	12	1	-	-	-	-	1	-	-	1	-
	F	7	2	-	-	-	-	2	-	-	1	1
111	Hemorrhagic infarction, thrombosis, edema*	3,038	98	17	8	3	1	127	14	8	20	40
	White—M	1,360	46	9	3	-	1	59	7	6	6	9
	F	1,408	36	7	3	1	-	47	6	2	14	18
	Negro—M	130	9	-	1	1	-	11	-	-	-	8
	F	124	4	1	1	1	-	7	1	-	-	5
	Other races—M	12	2	-	-	-	-	2	-	-	-	-
	F	4	1	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
23	41	67	83	89	132	149	115	144	145	126	136	76	23	7	-	2	102
10	10	21	27	31	55	62	45	47	56	39	45	26	4	-	-	1	
3	13	14	30	26	35	46	46	65	66	69	71	41	15	5	-	-	
5	5	14	7	15	20	20	13	12	6	12	9	5	2	1	-	-	
5	13	18	19	17	21	21	11	19	16	4	11	4	2	1	-	1	
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
9	10	11	13	7	16	10	8	15	13	14	6	5	3	1	2	1	103
2	3	4	6	2	5	6	3	7	5	4	2	3	2	-	-	1	
2	1	1	1	1	4	1	1	6	6	10	4	2	1	1	-	-	
1	2	5	4	4	5	2	3	1	1	-	-	-	-	-	1	-	
4	4	1	2	-	2	-	1	1	1	-	-	-	-	-	1	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,625	1,940	2,324	2,896	3,770	4,411	4,912	5,535	6,365	7,175	7,298	6,783	4,117	1,778	449	88	104	
597	715	985	1,343	1,957	2,385	2,799	3,062	3,341	3,649	3,713	3,159	1,798	732	148	15	41	
487	633	629	740	944	1,091	1,318	1,721	2,300	2,957	3,218	3,377	2,153	952	248	41	35	
278	326	400	506	522	573	468	433	408	330	193	118	68	40	24	10	14	
256	256	291	293	323	347	302	284	282	207	149	108	76	46	26	15	12	
3	7	12	10	18	12	21	22	29	25	15	12	13	4	2	4	1	
4	3	7	4	6	3	4	13	5	7	10	9	9	4	1	3	1	
66	60	55	62	51	63	37	36	31	18	15	18	18	18	8	2	1	104
37	30	29	41	28	32	17	15	19	7	9	12	5	9	2	-	-	
21	18	16	14	20	25	13	14	9	9	5	4	8	8	4	-	1	
4	8	3	5	1	5	5	5	2	-	-	-	1	1	-	-	-	
4	4	6	2	2	1	2	2	1	1	1	2	4	-	2	2	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
10	14	11	10	16	10	12	13	10	3	7	4	7	-	-	-	1	105
2	5	3	6	8	7	8	9	4	2	3	3	2	-	-	-	-	
4	5	5	4	7	2	2	3	5	1	4	1	4	-	-	-	1	
2	3	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	
2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
8	15	10	15	14	30	31	40	39	65	85	126	113	56	29	6	1	106a
1	1	2	9	6	14	14	25	19	28	44	50	45	20	12	2	1	
4	8	4	3	3	9	14	12	18	34	39	73	64	34	16	4	-	
2	2	1	2	2	5	2	3	1	2	1	1	2	1	-	-	-	
1	2	3	1	3	2	1	-	1	-	1	1	2	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
28	29	35	78	103	123	178	194	213	203	269	184	133	49	3	1	-	106b
16	12	14	50	66	86	127	127	133	106	137	97	57	21	1	-	-	
10	14	14	18	28	25	38	57	74	88	123	82	72	25	2	1	-	
1	1	2	7	7	9	8	5	3	5	7	2	1	2	-	-	-	
1	2	3	2	2	3	5	4	3	3	2	3	2	-	-	-	-	
-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
6	8	7	13	13	12	20	26	29	44	47	72	70	44	8	2	-	106c
2	4	3	7	5	6	11	7	18	23	25	33	23	19	3	-	-	
3	2	3	3	4	5	3	14	8	19	20	38	46	24	5	2	-	
-	-	1	2	4	-	-	3	1	1	1	-	1	-	-	-	-	
1	2	-	1	-	1	6	2	1	1	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
372	427	496	607	838	1,013	1,270	1,514	2,030	2,744	3,099	3,156	1,981	876	231	44	45	107
126	152	215	268	387	506	651	787	1,010	1,343	1,554	1,440	843	353	81	8	19	
135	155	152	181	286	314	409	531	799	1,198	1,406	1,621	1,078	493	129	20	17	
48	58	67	97	97	110	114	108	121	113	78	37	31	9	7	6	5	
63	60	57	57	64	80	87	81	90	80	51	50	22	19	12	5	2	
-	2	5	2	4	2	6	6	10	9	7	7	6	-	2	3	1	
-	-	-	2	-	1	3	1	-	1	3	1	1	2	-	2	1	
777	988	1,208	1,434	1,912	2,273	2,360	2,726	3,014	3,097	2,845	2,258	1,199	420	92	15	42	108
286	371	490	639	1,001	1,201	1,323	1,506	1,564	1,602	1,480	1,067	565	172	24	4	16	
200	274	281	329	394	500	602	819	1,086	1,232	1,209	1,097	569	213	52	5	14	
165	198	270	295	315	349	260	236	199	157	79	51	22	14	7	3	4	
123	138	162	166	190	213	165	145	151	94	70	35	31	19	9	3	8	
-	4	1	3	10	8	9	10	11	11	4	1	5	2	-	-	-	
3	3	4	2	2	2	1	10	3	1	3	7	7	-	-	-	-	
111	100	151	145	155	173	219	195	224	249	259	264	148	82	16	4	7	109
39	34	53	62	72	93	118	87	109	113	129	121	71	34	1	-	-	
26	30	38	30	28	34	50	58	59	97	104	125	65	34	9	1	2	
19	20	21	35	23	27	31	29	36	20	13	11	7	11	6	-	3	
24	16	16	17	26	19	16	18	20	14	8	5	5	1	-	2	2	
2	-	2	1	2	-	4	1	-	3	2	1	-	1	-	1	-	
1	-	1	-	4	-	-	2	-	2	3	1	-	1	-	-	-	
68	93	115	146	171	164	156	164	156	129	89	67	27	10	1	-	-	110
27	42	66	76	114	102	113	102	96	80	56	34	13	6	-	-	-	
20	28	28	39	25	31	26	39	50	38	27	30	12	3	1	-	-	
13	13	8	20	20	22	13	11	7	5	2	-	-	-	-	-	-	
8	9	10	11	10	9	4	11	1	4	4	2	2	-	-	-	-	
-	1	1	-	2	-	-	1	2	2	-	1	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
50	56	61	107	121	131	157	194	243	303	352	456	341	188	54	13	2	111
19	21	25	39	60	65	80	95	114	152	149	214	137	80	21	1	1	
10	23	20	40	42	49	59	85	108	135	190	227	196	101	28	8	-	
8	5	4	13	7	12	10	6	15	11	4	8	2	2	2	1	1	
12	7	12	13	12	4	8	8	4	5	6	6	5	5	2	2	-	
1	-	-	2	-	1	-	-	2	-	2	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of respiratory system—Contd.											
112	Asthma	2,233	28	26	13	7	4	78	13	11	21	34
	White—M	1,089	15	13	6	3	1	38	7	4	6	6
	F	869	10	8	5	3	3	29	4	6	13	25
	Negro—M	153	-	2	1	1	-	4	-	1	-	-
	F	111	2	3	-	-	-	5	2	-	2	3
	Other races—M	9	1	-	1	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
113	Pulmonary emphysema	156	9	1	-	-	1	11	2	-	1	-
	White—M	114	5	-	-	-	-	5	-	-	-	-
	F	34	3	1	-	-	1	5	2	-	1	-
	Negro—M	6	1	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
114a,b	Silicosis, other forms of pneumoconioses	384	-	-	-	-	-	-	-	-	-	2
	White—M	370	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
	Negro—M	9	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
114c-e	Other diseases of respiratory system (except tuberculosis)	1,340	69	23	10	8	5	115	25	20	43	49
	White—M	767	31	10	5	2	2	50	12	8	21	20
	F	362	26	9	4	4	1	44	9	11	16	14
	Negro—M	137	6	3	-	1	1	11	4	-	3	9
	F	71	6	1	1	1	1	10	-	1	3	6
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	IX.—Diseases of the digestive system	78,012	9,945	2,312	916	549	417	14,139	1,579	1,472	1,833	1,750
	White—M	40,118	4,614	982	419	268	202	6,485	769	713	926	808
	F	27,995	3,347	786	312	202	155	4,802	599	559	598	565
	Negro—M	5,075	1,032	303	95	41	29	1,500	98	97	149	181
	F	4,268	783	203	72	30	26	1,114	99	96	153	184
	Other races—M	315	78	15	9	6	3	111	6	2	4	8
	F	241	91	23	9	2	2	127	8	5	3	4
115	Diseases of buccal cavity and adnexa, etc.*	3,434	223	145	115	107	105	695	346	191	190	205
	White—M	1,575	108	70	61	53	50	342	162	73	73	94
	F	1,326	88	58	40	45	42	273	131	81	83	69
	Negro—M	222	18	7	7	6	8	46	22	12	16	19
	F	293	8	8	6	3	4	29	28	23	17	22
	Other races—M	11	-	1	-	-	-	1	2	1	1	-
	F	7	1	1	1	-	1	4	1	1	-	1
116	Diseases of esophagus	226	7	6	6	3	2	24	4	1	2	1
	White—M	118	2	1	-	1	-	4	3	1	-	-
	F	76	4	2	1	1	1	9	1	-	1	1
	Negro—M	13	1	-	4	-	-	5	-	-	-	-
	F	18	-	3	1	1	1	6	-	-	1	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	8,948	25	3	1	1	2	32	6	8	39	123
	White—M	6,745	10	1	1	1	2	15	5	3	22	65
	F	1,340	12	2	-	-	-	14	1	4	10	16
	Negro—M	592	1	-	-	-	-	1	-	-	5	29
	F	222	1	-	-	-	-	1	-	1	2	11
	Other races—M	46	1	-	-	-	-	1	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	-
118	Other diseases of stomach (except cancer)	2,150	287	50	19	18	5	379	16	15	31	43
	White—M	881	126	18	6	6	1	157	4	4	8	18
	F	531	94	15	6	7	-	122	7	5	8	7
	Negro—M	381	39	9	3	4	2	57	2	-	7	10
	F	368	27	7	3	1	2	40	2	6	8	8
	Other races—M	5	1	-	-	-	-	1	-	-	-	-
	F	4	-	1	1	-	-	2	1	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	10,044	8,222	1,822	...	...	...	10,044	...	...	...	...
	White—M	4,454	3,715	739	...	...	...	4,454	...	...	...	...
	F	3,419	2,803	616	...	...	...	3,419	...	...	...	...
	Negro—M	1,121	857	264	...	...	...	1,121	...	...	...	...
	F	860	688	172	...	...	...	860	...	...	...	...
	Other races—M	83	71	12	...	...	...	83	...	...	...	...
	F	107	88	19	...	...	...	107	...	...	...	...
120	Diarrhea, enteritis, etc.* (2 years and over)	3,529	...	...	499	175	76	750	131	63	87	84
	White—M	1,372	...	...	202	72	31	305	55	33	38	31
	F	1,494	...	...	164	81	31	256	46	23	33	31
	Negro—M	289	...	...	65	19	6	90	16	2	8	7
	F	329	...	...	53	15	6	74	12	5	8	14
	Other races—M	24	...	...	8	6	2	16	1	-	-	-
	F	21	...	...	7	2	-	9	1	-	-	1
121	Appendicitis	12,999	35	87	156	182	154	614	811	978	1,158	794
	White—M	7,209	23	53	90	99	80	345	409	507	659	440
	F	4,392	7	32	57	68	60	224	317	360	355	230
	Negro—M	771	4	-	5	8	7	24	40	66	75	68
	F	577	1	1	4	7	6	19	38	42	64	50
	Other races—M	29	-	-	-	-	-	-	3	1	1	5
	F	21	-	1	-	-	1	2	4	2	2	1
122a	Hernia	5,054	91	13	7	3	4	118	12	15	25	39
	White—M	2,754	54	7	3	3	2	69	9	7	15	23
	F	1,835	17	-	1	-	1	19	1	3	1	8
	Negro—M	316	19	5	3	-	1	28	2	5	7	7
	F	135	1	-	-	-	-	1	-	-	2	1
	Other races—M	9	-	1	-	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table II.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
61	73	98	133	201	217	245	238	215	207	160	139	57	22	5	1	4	112
15	12	33	55	87	108	153	143	132	111	77	59	26	11	3	-	3	
33	47	47	55	80	79	71	66	54	80	72	70	27	10	1	-	-	
7	6	8	9	25	17	14	17	15	12	8	7	1	-	1	-	1	
6	8	10	13	9	12	6	11	10	4	3	3	2	1	-	1	-	
-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
-	7	-	7	10	13	15	18	17	24	11	12	2	5	1	-	-	113
-	4	-	5	9	12	12	14	12	17	10	8	2	4	-	-	-	
-	1	-	-	1	1	3	4	5	5	1	3	-	1	1	-	-	
-	1	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	4	12	25	36	73	71	64	57	19	13	5	2	-	-	-	-	114a,b
1	2	11	21	34	72	71	63	57	18	13	5	2	-	-	-	-	
-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	1	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	68	85	114	129	116	141	113	87	70	47	22	19	8	1	-	1	114c-e
26	25	41	65	80	81	101	82	54	47	27	16	7	3	-	-	1	
21	27	21	24	26	17	28	18	25	20	18	6	12	5	-	-	-	
9	10	12	16	19	15	10	9	7	2	-	-	-	-	1	-	-	
11	6	11	9	4	3	2	2	-	1	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	
2,026	2,570	3,288	4,260	5,288	6,263	6,519	6,562	6,290	5,413	4,161	2,777	1,221	414	87	20	80	
896	1,228	1,574	2,164	2,884	3,552	3,758	3,734	3,453	2,904	2,166	1,336	536	151	39	4	38	
660	812	1,033	1,331	1,695	1,975	2,205	2,396	2,408	2,247	1,812	1,361	630	239	38	8	22	
220	244	334	345	371	421	307	236	229	136	101	48	26	15	3	3	11	
234	275	327	386	315	287	216	158	165	111	67	28	27	8	6	4	8	
7	6	13	21	21	15	24	30	29	10	4	1	2	-	-	-	1	
9	5	7	13	2	13	9	8	6	5	11	3	-	1	1	1	-	
180	183	149	150	174	170	158	162	128	110	100	77	37	21	3	4	1	115
93	89	60	76	88	72	73	81	58	45	40	34	14	6	-	1	1	
55	54	50	39	54	71	66	69	56	53	50	38	20	11	1	2	-	
8	12	11	9	15	12	8	8	5	4	7	4	1	2	-	1	-	
23	27	27	26	17	14	10	4	8	8	3	1	2	2	2	-	-	
1	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	5	5	8	10	12	15	19	25	31	24	23	12	3	1	1	-	116
-	2	-	3	2	8	6	11	19	18	19	11	8	2	1	-	-	
-	-	3	2	4	3	6	7	6	11	5	12	4	1	-	-	-	
-	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	
-	2	-	1	2	-	2	1	-	2	-	-	-	-	-	1	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
225	346	533	726	962	1,167	1,194	999	934	733	494	296	99	18	4	1	9	117
151	236	406	546	754	908	977	799	704	547	334	202	57	8	2	-	4	
27	46	39	71	95	135	125	147	174	150	146	86	41	10	1	1	1	
33	47	63	69	72	97	66	37	36	19	7	7	-	-	-	-	4	
14	17	22	34	36	23	19	7	11	16	6	-	1	-	1	-	-	
-	-	3	6	5	4	7	8	9	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	
61	65	102	132	168	180	163	164	171	148	132	88	50	28	5	2	7	118
11	19	29	34	64	78	77	87	70	75	54	41	19	8	1	1	2	
10	10	10	16	22	20	29	33	53	43	55	38	21	17	4	-	1	
20	21	28	40	45	40	29	18	24	14	15	4	3	3	-	-	1	
19	15	35	42	37	42	27	25	24	16	7	5	7	-	-	1	2	
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	119
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
113	111	142	144	132	163	186	174	204	245	264	257	172	74	17	4	12	120
32	35	50	56	50	64	74	70	75	97	103	101	68	22	7	1	5	
50	47	57	52	51	50	76	74	94	123	132	147	92	47	9	-	4	
14	12	16	16	11	28	13	13	12	10	8	3	7	2	-	-	1	
17	17	19	18	20	20	23	13	19	14	19	5	5	2	1	2	2	
-	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-	-	
-	-	-	2	-	1	-	2	1	1	-	1	-	1	-	1	-	
711	774	823	874	940	989	894	861	730	494	320	153	50	16	3	-	14	121
383	433	451	496	530	576	547	491	396	277	161	70	19	7	2	-	10	
210	212	225	244	299	319	295	333	297	199	150	80	29	9	1	-	4	
69	64	82	70	61	55	32	24	23	11	6	-	1	-	-	-	-	
44	62	62	58	46	35	18	12	14	7	3	2	1	-	-	-	-	
2	2	2	4	3	3	1	1	-	-	-	1	-	-	-	-	-	
3	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	
42	85	108	202	306	403	497	582	646	665	597	428	199	63	13	4	5	122a
23	44	48	90	140	175	252	342	352	368	353	264	127	41	9	1	2	
6	22	36	74	122	170	201	200	257	261	215	151	63	17	3	3	2	
9	11	16	26	29	36	25	21	26	23	24	9	6	4	1	-	1	
4	8	7	11	15	19	18	17	10	12	4	3	2	1	-	-	-	
-	-	1	-	-	2	1	2	-	1	-	-	1	-	-	-	-	
-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Contd.											
122b	Intestinal obstruction	6,823	744	107	54	34	33	972	110	87	130	153
	White—M	2,814	431	55	31	20	17	554	64	41	62	52
	F	3,001	223	31	11	10	10	285	29	33	39	60
	Negro—M	434	60	10	7	1	3	81	6	6	12	14
	F	542	26	9	5	3	2	45	10	5	16	27
	Other races—M	21	3	1	-	-	1	5	-	-	1	-
	F	11	1	1	-	-	-	2	1	2	-	-
123	Other diseases of intestines	1,717	77	7	9	2	7	102	18	15	20	40
	White—M	841	28	4	4	1	5	42	11	8	6	11
	F	612	24	1	4	-	2	31	5	6	5	19
	Negro—M	132	13	2	1	1	-	17	1	1	4	4
	F	127	12	-	-	-	-	12	1	-	5	6
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of liver	11,286	35	11	4	-	4	54	23	29	29	48
	White—M	7,101	11	5	2	-	1	19	10	10	9	21
	F	3,409	16	5	2	-	1	24	8	15	14	21
	Negro—M	452	2	1	-	-	-	3	2	-	1	4
	F	258	5	-	-	-	2	7	3	4	5	1
	Other races—M	50	1	-	-	-	-	1	-	-	-	1
	F	16	-	-	-	-	-	-	-	-	-	-
125	Other diseases of liver	1,602	53	15	10	4	8	90	35	21	41	67
	White—M	714	35	8	5	1	5	54	14	9	10	25
	F	611	12	6	5	2	2	27	15	5	14	25
	Negro—M	131	2	-	-	1	-	3	5	3	7	3
	F	136	4	1	-	-	1	6	1	4	10	13
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1
126	Biliary calculi	4,641	-	-	-	-	-	-	-	1	4	26
	White—M	1,441	-	-	-	-	-	-	-	-	2	4
	F	3,070	-	-	-	-	-	-	-	-	2	19
	Negro—M	27	-	-	-	-	-	-	-	-	-	1
	F	75	-	-	-	-	-	-	-	1	-	2
	Other races—M	10	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-
127	Other diseases of gallbladder, biliary ducts	3,242	19	2	4	-	2	27	7	2	15	19
	White—M	1,110	12	2	2	-	1	17	1	1	2	4
	F	1,923	2	-	2	-	-	4	5	1	7	11
	Negro—M	59	2	-	-	-	1	3	-	-	1	2
	F	122	2	-	-	-	-	2	1	-	5	2
	Other races—M	9	1	-	-	-	-	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	850	15	8	1	-	1	25	-	3	7	18
	White—M	445	8	4	-	-	1	13	-	1	2	4
	F	357	7	4	1	-	-	12	-	2	5	9
	Negro—M	29	-	-	-	-	-	-	-	-	-	2
	F	16	-	-	-	-	-	-	-	-	-	1
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	1,467	112	36	31	20	14	213	60	43	57	92
	White—M	564	51	15	12	11	6	95	22	15	18	16
	F	599	38	14	18	8	5	83	33	21	21	39
	Negro—M	106	14	5	-	1	1	21	2	2	6	11
	F	190	8	2	-	-	2	12	3	5	10	26
	Other races—M	6	-	-	1	-	-	1	-	-	1	-
	F	2	1	-	-	-	-	1	-	-	1	-
	X.—Diseases of genito-urinary system	125,579	331	123	114	86	62	716	332	401	734	1,088
	White—M	59,983	163	43	51	34	33	324	134	156	246	391
	F	46,264	101	54	36	34	18	243	136	177	301	427
	Negro—M	10,210	43	12	18	10	5	88	28	37	58	74
	F	8,806	20	13	8	7	5	53	32	30	121	192
	Other races—M	216	4	1	-	1	-	6	-	-	4	-
	F	100	-	-	1	-	1	2	2	1	4	4
130	Acute nephritis	3,298	132	71	63	44	34	344	145	93	142	147
	White—M	1,309	60	24	31	19	19	153	58	47	50	65
	F	1,019	41	31	16	14	8	110	53	28	49	36
	Negro—M	509	19	7	11	7	4	48	15	13	20	19
	F	453	11	9	5	4	3	32	18	5	22	27
	Other races—M	5	1	-	-	-	-	1	-	-	1	-
	F	3	-	-	-	-	-	-	1	-	-	-
131a	Arteriosclerotic kidney	69,865	6	1	5	2	2	16	42	47	118	217
	White—M	31,554	5	-	1	1	1	8	16	16	45	89
	F	28,411	1	-	3	-	-	4	21	22	41	85
	Negro—M	5,033	-	-	1	-	-	1	1	3	14	12
	F	4,707	-	1	-	1	-	2	2	6	14	30
	Other races—M	102	-	-	-	-	-	-	-	-	2	-
	F	58	-	-	-	-	1	1	-	-	2	1
131b	Other chronic nephritis	29,676	8	12	18	26	19	83	97	161	253	349
	White—M	13,540	3	4	7	11	9	34	39	66	107	163
	F	11,226	4	4	6	11	9	34	43	79	115	126
	Negro—M	2,557	1	3	3	1	-	8	8	10	11	19
	F	2,272	-	1	1	2	1	5	6	5	19	40
	Other races—M	62	-	-	-	1	-	1	-	-	-	-
	F	19	-	-	1	-	-	1	1	1	1	1
132	Nephritis unspecified (10 years and over)	4,512	...	...	...	...	...	...	...	41	55	70
	White—M	2,025	...	...	...	...	...	...	...	15	20	22
	F	1,487	...	...	...	...	...	...	...	14	19	25
	Negro—M	564	...	...	...	...	...	...	...	8	5	11
	F	420	...	...	...	...	...	...	...	4	10	11
	Other races—M	10	...	...	...	...	...	...	...	-	1	-
	F	6	...	...	...	...	...	...	...	-	-	1

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
219	259	315	386	397	478	507	512	590	553	488	394	187	57	17	1	11	122b
43	73	63	106	128	210	222	227	264	220	213	162	79	16	11	-	4	
107	115	161	185	186	178	210	228	262	305	250	221	102	38	5	-	2	
23	24	25	25	31	34	38	30	38	16	14	9	4	1	-	1	2	
41	46	63	68	50	56	35	25	24	10	11	2	2	2	1	-	3	
3	-	1	2	2	-	2	2	1	2	-	-	-	-	-	-	-	
2	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
62	63	80	109	126	162	184	188	176	154	117	59	24	12	3	-	3	123
19	22	29	50	74	97	98	104	89	84	54	26	9	5	1	-	2	
25	17	22	34	33	47	64	66	74	61	53	31	13	6	-	-	-	
8	8	13	5	11	8	18	11	10	5	5	1	-	1	1	-	-	
10	15	15	20	8	10	4	6	3	3	4	1	2	-	1	-	1	
-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
123	254	496	833	1,140	1,416	1,435	1,520	1,346	1,135	717	464	165	46	7	1	5	124
58	131	283	487	720	928	972	1,043	888	730	466	239	68	14	2	-	3	
43	87	148	239	322	388	376	399	390	365	231	210	94	30	4	1	-	
11	22	41	54	55	71	53	49	33	26	11	10	1	2	1	-	2	
10	14	20	45	37	22	26	19	25	10	3	5	2	-	-	-	-	
1	-	4	5	6	3	7	8	9	4	1	-	-	-	-	-	-	
-	-	-	3	-	4	1	2	1	-	5	-	-	-	-	-	-	
86	105	110	109	119	147	151	113	129	105	94	51	22	6	-	-	1	125
33	43	42	41	49	81	72	54	64	53	39	17	11	2	-	-	1	
23	33	36	41	42	43	67	43	53	48	50	32	10	4	-	-	-	
11	9	18	9	15	13	8	11	8	4	2	1	1	-	-	-	-	
19	19	11	16	11	10	4	4	4	-	3	1	-	-	-	-	-	
-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
54	93	155	254	374	479	591	700	684	538	379	201	78	25	-	2	3	126
11	18	34	58	106	155	167	216	248	187	143	57	24	10	-	-	1	
39	71	113	178	256	313	400	469	417	344	234	144	53	15	-	1	2	
-	1	2	3	2	2	4	3	5	2	1	-	-	-	-	1	-	
2	3	5	11	9	6	13	9	9	3	1	-	1	-	-	-	-	
-	-	-	-	1	1	2	2	4	-	-	-	-	-	-	-	-	
2	-	1	4	-	2	5	1	1	2	-	-	-	-	-	-	-	
45	83	115	152	257	303	342	388	366	384	338	233	107	41	13	-	5	127
12	23	26	44	90	108	114	128	151	140	126	86	25	8	2	-	2	
19	45	77	89	145	161	214	238	197	234	208	145	78	32	10	-	3	
8	1	3	5	11	8	2	9	4	1	-	-	1	-	-	-	-	
5	10	9	13	10	22	9	10	11	7	1	2	2	1	-	-	-	
-	1	-	1	1	-	1	1	2	-	-	-	1	-	-	-	-	
1	3	-	-	-	4	2	2	1	2	3	-	-	-	1	-	-	
27	51	73	80	85	93	110	97	76	51	32	15	6	2	-	-	1	128
15	32	41	48	53	44	58	39	37	25	23	7	2	1	-	-	-	
10	13	20	24	29	42	49	55	39	25	9	8	4	1	-	-	1	
1	4	8	4	2	5	2	1	-	-	-	-	-	-	-	-	-	
1	2	4	3	1	2	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	
78	93	82	101	98	101	92	83	85	67	65	38	13	2	1	-	3	129
12	28	12	29	36	48	49	42	38	38	38	19	6	1	1	-	1	
36	40	36	43	35	35	27	35	39	25	24	18	6	1	-	-	2	
5	7	6	9	9	11	8	1	5	1	1	-	1	-	-	-	-	
25	18	28	20	16	6	7	5	3	3	2	1	-	-	-	-	-	
-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,454	2,018	2,852	4,233	5,551	7,620	9,354	12,045	15,761	18,236	17,750	14,627	7,596	2,355	527	148	181	
436	591	781	1,271	2,089	3,184	4,302	5,995	7,977	9,522	9,521	7,856	3,853	1,063	197	29	65	
575	741	1,078	1,601	1,959	2,439	2,965	4,032	5,532	6,764	6,829	5,906	3,228	1,034	225	28	44	
151	252	402	562	738	1,074	1,153	1,109	1,376	1,199	814	521	291	142	58	39	44	
286	427	577	789	739	900	899	872	842	715	561	329	213	110	43	48	28	
3	6	3	4	16	19	23	30	24	30	18	11	8	5	4	2	-	
3	1	11	6	10	4	12	7	10	6	7	4	3	1	-	2	-	
151	182	177	220	201	246	230	215	207	182	182	131	63	27	6	1	6	130
50	59	54	67	76	97	82	93	88	83	86	61	30	8	1	-	1	
44	40	45	72	48	62	59	61	75	62	69	57	25	16	4	1	3	
22	41	41	34	35	52	53	30	33	26	11	8	6	-	1	-	1	
35	41	36	47	41	35	36	30	11	11	15	5	2	3	-	-	1	
-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
376	642	1,091	2,034	3,070	4,320	5,367	7,086	9,274	10,723	10,514	8,687	4,451	1,307	303	83	97	131a
129	189	321	625	1,192	1,848	2,436	3,378	4,360	4,988	5,021	4,187	2,016	536	101	16	35	
131	226	348	735	1,005	1,357	1,772	2,567	3,677	4,674	4,710	4,034	2,171	644	150	13	24	
53	93	183	294	421	572	598	580	701	573	407	261	129	68	28	19	22	
60	131	232	375	438	530	543	540	523	472	358	196	131	55	21	32	18	
2	3	1	1	8	11	11	15	8	12	12	6	3	3	3	1	-	
1	-	6	4	6	2	7	6	5	4	6	3	1	1	-	2	-	
410	558	704	967	1,206	1,835	2,297	2,828	3,706	4,168	3,991	3,420	1,827	599	124	40	53	131b
172	221	216	309	456	738	1,048	1,298	1,768	2,053	1,972	1,721	863	232	41	7	16	
151	193	276	340	444	601	728	979	1,322	1,579	1,630	1,437	803	279	48	8	11	
29	54	78	124	151	250	277	294	355	335	231	147	93	41	15	10	17	
57	89	129	191	150	240	235	246	248	193	155	111	65	45	19	15	9	
1	1	2	3	4	5	9	10	9	7	2	3	2	2	1	-	-	
-	-	3	-	1	1	-	1	4	1	1	1	1	-	-	-	-	
101	104	160	219	239	266	328	368	458	546	561	483	325	129	35	13	11	132
28	36	56	72	90	99	126	172	213	289	290	259	158	59	13	5	3	
31	25	34	64	73	68	102	112	146	173	203	185	134	55	14	5	5	
20	20	31	40	38	57	60	46	61	60	41	28	20	11	6	2	1	
22	22	38	43	37	41	37	36	37	24	27	11	11	4	2	1	2	
-	1	-	-	3	1	1	2	-	-	-	-	1	-	-	-	-	
-	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of genito-urinary system—Contd.											
133	Other diseases of kidneys, ureters, etc.*	3,840	156	35	23	12	7	233	43	29	61	84
	White—M	1,669	83	11	8	3	4	109	17	6	22	35
	F	1,598	50	19	10	8	1	88	16	16	22	32
	Negro—M	300	14	2	3	1	1	21	2	3	7	4
	F	280	7	2	2	-	1	12	6	4	10	13
	Other races—M	8	2	1	-	-	-	3	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
134	Calculi of urinary passages	1,814	1	3	3	-	-	7	1	5	3	25
	White—M	1,155	-	3	2	-	-	5	1	3	-	10
	F	565	1	-	1	-	-	2	-	2	3	12
	Negro—M	46	-	-	-	-	-	-	-	-	-	2
	F	40	-	-	-	-	-	-	-	-	-	1
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
135	Diseases of urinary bladder	824	15	-	1	1	-	17	1	5	1	8
	White—M	425	4	-	1	-	-	5	1	2	-	2
	F	243	4	-	-	1	-	5	-	3	1	4
	Negro—M	120	4	-	-	-	-	4	-	-	-	1
	F	33	2	-	-	-	-	2	-	-	-	1
	Other races—M	3	1	-	-	-	-	1	-	-	-	-
136	Diseases of urethra (except calculus)	591	1	-	-	-	-	1	-	1	-	8
	White—M	310	-	-	-	-	-	-	-	1	-	2
	F	28	-	-	-	-	-	-	-	-	-	1
	Negro—M	249	1	-	-	-	-	1	-	-	-	5
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
137	Diseases of prostate	8,775	-	-	-	-	-	-	1	-	1	1
	White—M	7,954	-	-	-	-	-	-	-	-	1	1
	Negro—M	801	-	-	-	-	-	-	1	-	-	-
	Other races—M	20	-	-	-	-	-	-	-	-	-	-
138	Diseases of other male genital organs (not venereal)	73	12	1	1	1	-	15	1	-	2	3
	White—M	42	8	1	1	-	-	10	-	-	1	2
	Negro—M	31	4	-	-	1	-	5	1	-	1	1
139a	Diseases of ovaries, fallopian tubes, parametria	1,623	-	-	-	-	-	-	1	11	83	152
	White—F	1,085	-	-	-	-	-	-	1	8	42	91
	Negro—F	534	-	-	-	-	-	-	-	3	40	60
	Other races—F	4	-	-	-	-	-	-	-	-	1	1
139b	Diseases of uterus	649	-	-	-	-	-	-	-	8	13	22
	White—F	573	-	-	-	-	-	-	-	5	8	13
	Negro—F	74	-	-	-	-	-	-	-	3	5	9
	Other races—F	2	-	-	-	-	-	-	-	-	-	-
139c	Diseases of other female genital organs*	39	-	-	-	-	-	-	-	-	2	2
	White—F	29	-	-	-	-	-	-	-	-	1	2
	Negro—F	10	-	-	-	-	-	-	-	-	1	-
	XI.—Diseases of pregnancy, childbirth, puerperium	8,876	-	-	-	-	-	-	-	45	1,139	1,775
	White—F	6,614	-	-	-	-	-	-	-	10	671	1,313
	Negro—F	2,180	-	-	-	-	-	-	-	35	454	438
	Other races—F	82	-	-	-	-	-	-	-	-	14	24
140	Abortion with mention of infection	1,334	-	-	-	-	-	-	-	8	182	334
	White—F	1,005	-	-	-	-	-	-	-	1	108	245
	Negro—F	321	-	-	-	-	-	-	-	7	71	86
	Other races—F	8	-	-	-	-	-	-	-	-	3	3
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	80	-	-	-	-	-	-	-	-	2	18
	White—F	60	-	-	-	-	-	-	-	-	1	14
	Negro—F	20	-	-	-	-	-	-	-	-	1	4
141b, d-f	Other abortions (nonseptic)*	268	-	-	-	-	-	-	-	1	31	48
	White—F	200	-	-	-	-	-	-	-	-	15	36
	Negro—F	66	-	-	-	-	-	-	-	1	16	9
	Other races—F	2	-	-	-	-	-	-	-	-	-	1
142a	Ectopic gestation, with mention of infection	85	-	-	-	-	-	-	-	-	-	16
	White—F	66	-	-	-	-	-	-	-	-	-	11
	Negro—F	19	-	-	-	-	-	-	-	-	-	5
142b	Ectopic gestation, without mention of infection	307	-	-	-	-	-	-	-	-	10	38
	White—F	231	-	-	-	-	-	-	-	-	3	22
	Negro—F	76	-	-	-	-	-	-	-	-	7	14
143	Hemorrhage of pregnancy (death before delivery)	55	-	-	-	-	-	-	-	-	3	2
	White—F	35	-	-	-	-	-	-	-	-	1	2
	Negro—F	19	-	-	-	-	-	-	-	-	2	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	939	-	-	-	-	-	-	-	6	188	198
	White—F	622	-	-	-	-	-	-	-	1	105	138
	Negro—F	302	-	-	-	-	-	-	-	5	81	55
	Other races—F	15	-	-	-	-	-	-	-	-	2	5
145	Other diseases of pregnancy (death before delivery)*	304	-	-	-	-	-	-	-	-	45	69
	White—F	225	-	-	-	-	-	-	-	-	29	48
	Negro—F	76	-	-	-	-	-	-	-	-	16	18
	Other races—F	3	-	-	-	-	-	-	-	-	-	3
146	Hemorrhage of childbirth and puerperium	1,037	-	-	-	-	-	-	-	-	71	151
	White—F	827	-	-	-	-	-	-	-	-	48	127
	Negro—F	193	-	-	-	-	-	-	-	-	20	22
	Other races—F	17	-	-	-	-	-	-	-	-	3	2

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
85	130	181	220	272	300	308	325	383	383	334	263	139	51	14	1	1	133
32	42	62	84	117	122	134	150	172	192	167	121	62	17	5	-	1	
30	51	73	87	98	125	122	135	167	159	139	134	65	30	6	1	-	
7	13	21	17	30	27	30	29	30	19	23	6	8	1	2	-	-	
16	23	25	31	26	25	22	11	13	9	5	2	3	3	1	-	-	
-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	
-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	
34	57	77	134	173	198	192	234	183	210	143	94	37	5	1	1	-	134
15	29	50	73	92	113	128	157	122	153	103	65	31	3	1	1	-	
19	22	22	52	68	69	52	67	49	53	39	26	6	2	-	-	-	
-	2	2	2	8	5	5	7	10	-	1	2	-	-	-	-	-	
-	4	3	7	4	9	4	2	2	3	-	1	-	-	-	-	-	
-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
12	23	15	24	32	39	73	77	88	111	104	95	64	24	9	1	1	135
4	4	2	5	9	11	25	40	47	75	71	63	42	12	5	-	-	
4	8	8	14	15	22	27	22	24	19	18	21	19	5	3	-	1	
2	7	2	4	6	5	14	12	13	16	15	8	2	7	1	1	-	
2	4	3	1	2	1	7	3	3	1	-	2	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
16	23	47	47	59	77	64	57	61	62	35	23	7	2	1	-	-	136
2	8	10	18	24	33	44	40	32	44	28	15	7	1	1	-	-	
-	-	2	-	2	5	2	2	1	6	2	5	-	-	-	-	-	
14	15	35	29	32	39	18	15	26	11	5	3	-	1	-	-	-	
-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
6	8	15	31	50	185	372	759	1,321	1,807	1,859	1,420	677	208	34	8	12	137
4	3	8	16	32	120	277	663	1,172	1,641	1,779	1,361	643	195	29	-	9	
2	5	7	15	18	65	93	95	145	159	77	58	33	13	5	7	3	
-	-	-	-	-	-	2	1	4	7	3	1	1	-	-	1	-	
2	2	4	5	2	5	7	5	5	4	7	3	1	-	-	-	-	138
-	-	2	2	1	3	2	4	3	4	4	3	1	-	-	-	-	
2	2	2	3	1	2	5	1	2	-	3	-	-	-	-	-	-	
221	234	301	251	162	69	54	38	26	13	6	1	-	-	-	-	-	139a
136	129	207	166	128	57	42	34	26	12	5	1	-	-	-	-	-	
84	105	94	84	34	12	12	4	-	1	1	-	-	-	-	-	-	
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	52	78	76	81	78	54	51	46	26	14	7	4	2	-	-	-	139b
27	45	62	67	76	72	53	51	42	26	14	6	4	2	-	-	-	
9	7	16	9	4	6	1	-	4	-	-	1	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	3	2	5	4	2	8	2	3	1	-	-	1	1	-	-	-	139c
2	2	1	4	2	1	6	2	3	1	-	-	1	1	-	-	-	
1	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	
1,984	1,790	1,498	583	70	3	-	-	-	-	-	-	-	-	-	-	9	
1,504	1,423	1,172	461	53	2	-	-	-	-	-	-	-	-	-	-	5	
449	360	310	114	17	-	-	-	-	-	-	-	-	-	-	-	3	
11	7	16	8	-	1	-	-	-	-	-	-	-	-	-	-	1	
306	256	170	69	8	-	-	-	-	-	-	-	-	-	-	-	1	140
254	210	146	58	3	-	-	-	-	-	-	-	-	-	-	-	-	
72	45	23	11	5	-	-	-	-	-	-	-	-	-	-	-	1	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21	15	16	8	-	-	-	-	-	-	-	-	-	-	-	-	-	141a,c
16	11	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	55	48	15	3	-	-	-	-	-	-	-	-	-	-	-	-	141b, d-f
53	44	37	12	3	-	-	-	-	-	-	-	-	-	-	-	-	
16	11	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	26	9	6	2	-	-	-	-	-	-	-	-	-	-	-	1	142a
19	21	9	4	1	-	-	-	-	-	-	-	-	-	-	-	1	
6	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
92	88	66	13	1	1	-	-	-	-	-	-	-	-	-	-	-	142a
72	65	54	13	1	1	-	-	-	-	-	-	-	-	-	-	-	
20	23	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	16	16	8	1	-	-	-	-	-	-	-	-	-	-	-	-	143
6	11	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
184	157	134	66	5	1	-	-	-	-	-	-	-	-	-	-	-	144
118	114	95	48	3	-	-	-	-	-	-	-	-	-	-	-	-	
64	41	37	17	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
60	48	56	19	5	1	-	-	-	-	-	-	-	-	-	-	1	145
45	39	44	13	5	1	-	-	-	-	-	-	-	-	-	-	1	
15	9	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
228	243	226	108	9	-	-	-	-	-	-	-	-	-	-	-	1	146
189	197	169	89	8	-	-	-	-	-	-	-	-	-	-	-	-	
38	44	53	15	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, puerperium—Continued											
147	Infection during childbirth and puerperium	2,207	-	-	-	-	-	-	-	16	268	462
	White F	1,710	-	-	-	-	-	-	-	4	162	344
	Negro F	482	-	-	-	-	-	-	-	12	102	114
	Other races F	15	-	-	-	-	-	-	-	-	4	4
148	Puerperal toxemias (excluding death before delivery)	1,231	-	-	-	-	-	-	-	13	236	262
	White F	863	-	-	-	-	-	-	-	4	133	187
	Negro F	358	-	-	-	-	-	-	-	9	101	73
	Other races F	10	-	-	-	-	-	-	-	-	2	2
149	Other accidents and specified conditions of childbirth	550	-	-	-	-	-	-	-	1	39	104
	White F	452	-	-	-	-	-	-	-	-	29	84
	Negro F	94	-	-	-	-	-	-	-	1	10	17
	Other races F	4	-	-	-	-	-	-	-	-	-	3
150	Other and unspecified conditions of childbirth and puerperium	479	-	-	-	-	-	-	-	-	64	77
	White F	318	-	-	-	-	-	-	-	-	37	55
	Negro F	154	-	-	-	-	-	-	-	-	27	21
	Other races F	7	-	-	-	-	-	-	-	-	-	1
	XII.—Diseases of skin and cellular tissue	1,489	300	29	14	8	5	356	18	29	51	55
	White M	651	133	11	8	4	4	160	10	14	20	19
	F	592	97	14	4	3	1	119	5	14	26	29
	Negro M	116	41	3	-	-	-	44	2	1	-	3
	F	114	24	-	2	-	-	26	-	-	4	4
	Other races M	10	5	-	-	1	-	6	-	-	1	-
	F	6	-	1	-	-	-	1	1	-	-	-
151	Carbuncle and furuncle	366	20	1	6	1	1	29	6	5	16	14
	White M	205	7	-	1	1	1	10	3	3	9	5
	F	123	6	1	3	-	-	10	2	2	7	9
	Negro M	12	4	-	-	-	-	4	1	-	-	-
	F	22	3	-	2	-	-	5	-	-	-	-
	Other races M	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	466	59	12	6	5	3	85	8	18	19	27
	White M	218	26	5	6	1	2	40	3	10	10	12
	F	158	19	4	-	3	1	27	3	8	6	9
	Negro M	49	10	2	-	-	-	12	1	-	-	2
	F	35	3	-	-	-	-	3	-	-	2	4
	Other races M	3	1	-	-	1	-	2	-	-	1	-
	F	3	-	1	-	-	-	1	1	-	-	-
153	Other diseases of skin and cellular tissue	657	221	16	2	2	1	242	4	6	16	14
	White M	228	100	6	1	2	1	110	4	1	1	2
	F	311	72	9	1	-	-	82	-	4	13	11
	Negro M	55	27	1	-	-	-	28	-	1	-	1
	F	57	18	-	-	-	-	18	-	-	2	-
	Other races M	5	4	-	-	-	-	4	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	1,190	29	21	25	19	13	107	75	107	86	52
	White M	626	16	11	10	13	3	53	39	65	53	28
	F	401	5	9	11	4	6	35	26	29	20	9
	Negro M	89	6	-	3	1	3	13	4	5	7	10
	F	62	1	1	1	-	1	4	4	8	5	4
	Other races M	7	-	-	-	-	-	-	2	-	-	1
	F	5	1	-	-	1	-	2	-	-	1	-
154	Osteomyelitis and periostitis	721	16	17	20	18	9	80	68	91	59	34
	White M	423	9	10	8	12	2	41	36	55	38	21
	F	187	1	7	8	4	6	26	23	24	12	3
	Negro M	60	5	-	3	1	-	9	3	5	6	6
	F	42	1	-	1	-	1	3	4	7	3	3
	Other races M	6	-	-	-	-	-	-	2	-	-	1
	F	3	-	-	-	1	-	1	-	-	-	-
155	Other diseases of bones (except tuberculosis)	138	4	-	1	-	3	8	-	-	2	2
	White M	45	2	-	1	-	1	4	-	-	-	-
	F	82	2	-	-	-	-	2	-	-	1	-
	Negro M	7	-	-	-	-	2	2	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races F	1	-	-	-	-	-	-	-	-	1	-
156	Diseases of joints, other organs of movement	331	9	4	4	1	1	19	7	16	25	16
	White M	158	5	1	1	1	-	8	3	10	15	7
	F	132	2	2	3	-	-	7	3	5	7	6
	Negro M	22	1	-	-	-	1	2	1	-	1	2
	F	17	-	1	-	-	-	1	-	1	2	1
	Other races M	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-
	XIV.—Congenital malformations	13,143	11,038	498	197	118	67	11,918	288	186	187	122
	White M	6,720	5,729	239	86	45	30	6,129	138	79	97	67
	F	5,596	4,666	211	97	56	32	5,062	127	87	74	49
	Negro M	454	351	25	5	9	2	392	18	12	11	3
	F	317	248	20	7	7	3	285	5	7	5	3
	Other races M	31	24	2	2	-	-	28	1	-	-	-
	F	25	20	1	-	1	-	22	1	1	-	-
157a-d	Congenital malformations of central nervous system	3,927	3,212	224	92	43	25	3,596	93	54	48	30
	White M	1,750	1,408	104	43	18	11	1,584	47	23	27	15
	F	1,971	1,666	98	43	17	11	1,835	40	25	13	15
	Negro M	105	66	10	3	5	2	86	6	3	6	-
	F	86	60	10	3	3	1	77	-	2	2	-
	Other races M	6	4	2	-	-	-	6	-	-	-	-
	F	9	8	-	-	-	-	8	-	1	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
498	456	364	120	21	-	-	-	-	-	-	-	-	-	-	-	2	147
393	384	305	101	16	-	-	-	-	-	-	-	-	-	-	-	1	
102	71	57	18	5	-	-	-	-	-	-	-	-	-	-	-	1	
3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
235	223	178	71	10	-	-	-	-	-	-	-	-	-	-	-	3	148
173	165	139	53	7	-	-	-	-	-	-	-	-	-	-	-	2	
60	57	37	17	3	-	-	-	-	-	-	-	-	-	-	-	1	
2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
135	119	108	43	1	-	-	-	-	-	-	-	-	-	-	-	-	149
111	105	85	37	1	-	-	-	-	-	-	-	-	-	-	-	-	
23	14	23	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	88	107	37	4	-	-	-	-	-	-	-	-	-	-	-	-	150
75	57	67	23	4	-	-	-	-	-	-	-	-	-	-	-	-	
25	31	36	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	49	70	64	77	105	79	117	86	86	65	65	42	14	2	3	3	
19	22	25	27	39	44	35	63	41	34	31	20	21	5	-	2	-	
29	20	29	25	25	37	31	37	35	37	27	37	20	7	2	-	1	
3	2	6	3	8	8	6	6	7	7	6	4	-	-	-	-	-	
2	5	10	9	5	13	6	11	3	8	1	3	-	1	-	1	2	
-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
16	16	24	25	27	39	31	27	30	17	15	15	11	2	-	-	1	151
9	10	11	14	18	23	16	16	23	10	8	9	6	2	-	-	-	
6	5	12	7	6	7	12	11	6	5	5	5	5	-	-	-	1	
-	1	-	1	-	-	-	-	1	2	2	-	-	-	-	-	-	
1	-	1	3	3	7	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
21	16	31	24	26	38	21	42	24	23	16	10	10	4	-	2	1	152
9	8	9	12	12	15	10	30	11	9	6	1	7	2	-	2	-	
9	5	10	6	7	14	8	5	11	11	6	8	3	2	-	-	-	
3	1	6	2	6	5	1	2	2	2	3	1	-	-	-	-	-	
-	2	6	4	1	3	2	5	-	1	1	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
16	17	15	15	24	28	27	48	32	46	34	40	21	8	2	1	1	153
1	4	5	1	9	6	9	17	7	15	17	10	8	1	-	-	-	
14	10	7	12	12	16	11	21	18	21	16	24	12	5	2	-	-	
-	-	-	-	2	3	5	4	4	3	1	3	-	-	-	-	-	
1	3	3	2	1	3	2	6	3	7	-	3	-	1	-	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
45	55	44	55	60	77	61	77	85	59	46	46	38	9	3	-	3	
26	21	25	33	37	38	34	48	42	24	18	24	11	6	-	-	1	
10	22	11	17	15	23	23	21	36	30	24	18	25	2	3	-	2	
4	5	4	1	4	12	2	5	5	3	3	2	-	-	-	-	-	
4	7	3	4	3	2	2	3	2	1	1	2	2	1	-	-	-	
-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
28	35	24	34	36	51	30	30	43	24	15	20	12	5	1	-	1	154
18	12	14	20	26	25	23	23	26	10	10	13	8	4	-	-	-	
4	14	6	12	4	15	5	3	12	10	4	4	3	1	1	-	1	
1	3	2	1	4	9	1	3	3	2	1	1	-	-	-	-	-	
4	6	1	1	1	1	1	1	2	1	-	2	1	-	-	-	-	
-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	4	3	2	6	4	19	20	18	16	13	14	1	1	-	1	155
1	-	3	2	1	3	-	9	7	6	4	5	-	-	-	-	-	
1	1	-	1	1	3	3	9	13	11	11	8	14	1	1	-	1	
1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	19	16	18	22	20	27	28	22	17	15	13	12	3	1	-	1	156
7	9	8	11	10	10	11	16	9	8	4	6	3	2	-	-	1	
5	7	5	4	10	5	15	9	11	9	9	6	8	-	1	-	-	
2	2	2	-	-	3	1	2	2	-	1	1	-	-	-	-	-	
-	1	1	3	2	1	-	1	-	-	1	-	1	1	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95	65	61	54	48	41	23	21	16	8	3	-	-	-	-	-	7	
50	31	35	19	22	19	10	6	10	5	2	-	-	-	-	-	3	
41	28	21	32	18	17	13	14	5	3	1	-	-	-	-	-	4	
-	3	3	2	5	3	-	1	1	-	-	-	-	-	-	-	-	
3	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	14	19	9	12	18	4	4	2	-	-	-	-	-	-	-	1	157a-d
10	10	12	4	6	5	2	3	1	-	-	-	-	-	-	-	1	
11	3	5	5	6	10	2	1	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—Congenital malformations—Continued											
157e,f	Congenital malformations of cardiovascular system	6,354	5,213	224	78	59	34	5,608	157	113	122	85
	White—M	3,435	2,899	110	30	21	15	3,075	72	49	62	47
	F	2,534	2,006	97	42	31	18	2,194	75	51	55	32
	Negro—M	205	168	8	1	3	-	180	6	8	3	3
	F	155	122	8	4	3	1	138	3	5	2	3
	Other races—M	13	10	-	1	-	-	11	-	-	-	-
	F	12	8	1	-	1	-	10	1	-	-	-
157g, h,m	Other congenital malformations	2,862	2,613	50	27	16	8	2,714	38	19	17	7
	White—M	1,535	1,422	25	13	6	4	1,470	17	7	8	5
	F	1,091	994	16	12	8	3	1,033	12	11	6	2
	Negro—M	144	117	7	1	1	-	126	6	1	2	-
	F	76	66	2	-	1	1	70	2	-	1	-
	Other races—M	12	10	-	1	-	-	11	1	-	-	-
	F	4	4	-	-	-	-	4	-	-	-	-
	XV.—Diseases peculiar to the first year of life	51,593	51,593	...	...	...	...	51,593	...	...	...	...
	White—M	25,521	25,521	...	...	...	...	25,521	...	...	...	...
	F	17,935	17,935	...	...	...	...	17,935	...	...	...	...
	Negro—M	4,328	4,328	...	...	...	...	4,328	...	...	...	...
	F	3,468	3,468	...	...	...	...	3,468	...	...	...	...
	Other races—M	208	208	...	...	...	...	208	...	...	...	...
	F	133	133	...	...	...	...	133	...	...	...	...
158	Congenital debility (cause not stated)	2,827	2,827	...	...	...	...	2,827	...	...	...	...
	White—M	1,030	1,030	...	...	...	...	1,030	...	...	...	...
	F	759	759	...	...	...	...	759	...	...	...	...
	Negro—M	569	569	...	...	...	...	569	...	...	...	...
	F	430	430	...	...	...	...	430	...	...	...	...
	Other races—M	19	19	...	...	...	...	19	...	...	...	...
	F	20	20	...	...	...	...	20	...	...	...	...
159	Premature birth (cause not stated)	32,346	32,346	...	...	...	...	32,346	...	...	...	...
	White—M	15,696	15,696	...	...	...	...	15,696	...	...	...	...
	F	11,603	11,603	...	...	...	...	11,603	...	...	...	...
	Negro—M	2,558	2,558	...	...	...	...	2,558	...	...	...	...
	F	2,299	2,299	...	...	...	...	2,299	...	...	...	...
	Other races—M	123	123	...	...	...	...	123	...	...	...	...
	F	67	67	...	...	...	...	67	...	...	...	...
160	Injury at birth	10,506	10,506	...	...	...	...	10,506	...	...	...	...
	White—M	5,844	5,844	...	...	...	...	5,844	...	...	...	...
	F	3,586	3,586	...	...	...	...	3,586	...	...	...	...
	Negro—M	636	636	...	...	...	...	636	...	...	...	...
	F	395	395	...	...	...	...	395	...	...	...	...
	Other races—M	21	21	...	...	...	...	21	...	...	...	...
	F	24	24	...	...	...	...	24	...	...	...	...
161	Other diseases peculiar to the first year of life	5,914	5,914	...	...	...	...	5,914	...	...	...	...
	White—M	2,951	2,951	...	...	...	...	2,951	...	...	...	...
	F	1,987	1,987	...	...	...	...	1,987	...	...	...	...
	Negro—M	565	565	...	...	...	...	565	...	...	...	...
	F	344	344	...	...	...	...	344	...	...	...	...
	Other races—M	45	45	...	...	...	...	45	...	...	...	...
	F	22	22	...	...	...	...	22	...	...	...	...
162	XVI.—Senility	10,127	-	-	-	-	-	-	-	-	-	-
	White—M	3,542	-	-	-	-	-	-	-	-	-	-
	F	4,323	-	-	-	-	-	-	-	-	-	-
	Negro—M	1,099	-	-	-	-	-	-	-	-	-	-
	F	1,074	-	-	-	-	-	-	-	-	-	-
	Other races—M	49	-	-	-	-	-	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-
	XVII.—Violent or accidental deaths	124,121	2,720	1,440	1,115	891	832	6,998	3,346	3,299	6,732	9,229
	White—M	76,949	1,150	697	558	457	422	3,284	1,908	2,135	4,341	6,001
	F	31,607	949	525	385	310	274	2,443	960	651	1,258	1,365
	Negro—M	11,165	335	123	92	57	59	666	271	381	836	1,395
	F	3,660	258	81	66	63	68	536	186	107	252	420
	Other races—M	573	13	8	9	2	4	36	16	20	34	34
	F	167	15	6	5	2	5	33	5	5	11	14
163,164	Suicide	18,907	-	-	-	-	-	-	1	48	434	1,028
	White—M	13,990	-	-	-	-	-	-	1	35	239	697
	F	4,294	-	-	-	-	-	-	-	7	162	255
	Negro—M	388	-	-	-	-	-	-	-	5	14	36
	F	129	-	-	-	-	-	-	-	-	13	24
	Other races—M	88	-	-	-	-	-	-	-	1	6	8
	F	18	-	-	-	-	-	-	-	-	-	8
163	Suicide by poisoning	5,623	-	-	-	-	-	-	-	5	138	330
	White—M	3,454	-	-	-	-	-	-	-	1	47	170
	F	2,020	-	-	-	-	-	-	-	3	77	136
	Negro—M	67	-	-	-	-	-	-	-	1	2	4
	F	58	-	-	-	-	-	-	-	-	11	13
	Other races—M	16	-	-	-	-	-	-	-	-	1	3
	F	8	-	-	-	-	-	-	-	-	-	4
164	Suicide by other means	13,284	-	-	-	-	-	-	1	43	296	698
	White—M	10,536	-	-	-	-	-	-	1	34	192	527
	F	2,274	-	-	-	-	-	-	-	4	85	119
	Negro—M	321	-	-	-	-	-	-	-	4	12	32
	F	71	-	-	-	-	-	-	-	-	2	11
	Other races—M	72	-	-	-	-	-	-	-	1	5	5
	F	10	-	-	-	-	-	-	-	-	-	4

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
61	42	34	37	29	16	14	10	11	5	3	-	-	-	-	-	5	157e,f
34	15	20	14	14	10	8	2	7	3	2	-	-	-	-	-	1	
25	23	14	22	11	7	6	8	4	2	1	-	-	-	-	-	4	
-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	9	8	8	7	5	5	7	3	3	-	-	-	-	-	-	1	157g, h,m
6	6	3	1	2	4	-	1	2	2	-	-	-	-	-	-	1	
5	2	2	5	1	-	5	5	1	1	-	-	-	-	-	-	-	
-	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	159
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	160
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
-	-	-	-	1	11	32	117	306	896	1,477	2,533	2,384	1,533	528	283	26	162
-	-	-	-	-	2	2	33	103	308	538	1,019	882	501	111	37	6	
-	-	-	-	-	1	9	22	82	274	611	1,135	1,154	726	250	52	7	
-	-	-	-	-	6	11	24	62	166	183	200	170	133	64	72	8	
-	-	-	-	1	2	10	38	57	140	128	163	161	155	100	115	4	
-	-	-	-	-	-	-	-	2	3	6	11	9	11	1	5	1	
-	-	-	-	-	-	-	-	-	5	11	5	8	7	2	2	-	
8,648	7,993	7,835	7,542	8,190	8,205	7,770	7,168	7,002	6,767	6,350	5,724	3,435	1,283	291	45	269	
5,495	5,089	5,156	5,188	5,837	5,971	5,741	5,112	4,458	3,803	3,021	2,447	1,227	413	65	2	175	
1,298	1,288	1,246	1,258	1,400	1,395	1,425	1,595	2,096	2,535	3,094	3,140	2,098	812	197	22	31	
1,418	1,258	1,135	867	746	632	454	305	297	190	135	66	45	22	13	7	48	
389	291	251	186	159	149	126	118	123	115	87	59	54	31	14	14	13	
55	56	59	35	39	50	40	32	23	20	5	6	7	4	1	-	1	
13	11	8	8	9	8	4	6	5	4	8	6	6	1	1	-	1	
1,350	1,532	1,751	1,818	2,156	2,144	1,989	1,650	1,261	858	522	258	82	17	-	1	27	163,164
880	1,008	1,203	1,280	1,565	1,650	1,608	1,543	999	702	448	225	71	14	-	-	22	
391	441	464	476	522	444	347	284	239	144	70	32	10	2	-	-	4	
48	53	41	44	44	34	25	16	17	5	3	-	-	1	-	1	1	
18	21	18	10	8	9	4	1	4	1	1	-	1	-	-	-	-	
12	8	6	6	15	6	5	6	2	6	-	1	-	-	-	-	-	
3	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	
467	545	639	644	708	642	478	395	270	188	106	44	14	4	-	-	6	163
235	306	382	383	448	444	338	280	182	119	72	29	10	4	-	-	4	
211	218	243	247	242	190	136	112	85	68	32	15	3	-	-	-	2	
11	12	5	7	11	7	2	1	3	-	1	-	-	-	-	-	-	
6	8	7	5	3	1	2	-	-	-	1	-	1	-	-	-	-	
2	1	1	1	4	-	-	2	-	1	-	-	-	-	-	-	-	
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
883	987	1,092	1,174	1,448	1,502	1,511	1,255	991	670	416	214	68	13	-	1	21	164
645	702	821	897	1,117	1,206	1,270	1,063	817	583	376	196	61	10	-	-	18	
180	223	221	229	280	254	211	172	154	76	38	17	7	2	-	-	2	
37	41	38	37	33	27	23	15	14	5	2	-	-	1	-	1	1	
10	13	9	5	5	8	2	1	4	1	-	-	-	-	-	-	-	
10	7	5	5	11	6	5	4	2	5	-	1	-	-	-	-	-	
1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
165-168	Homicide[1]	8,208	97	12	18	9	11	147	59	71	498	1,201
	White—M	2,927	46	5	9	5	6	71	32	19	111	304
	F	796	40	4	6	4	4	58	18	22	46	98
	Negro—M	3,539	5	1	1	-	-	7	3	19	233	608
	F	873	5	2	2	-	1	10	6	9	101	189
	Other races—M	60	-	-	-	-	-	-	-	2	4	3
	F	13	1	-	-	-	-	1	-	-	3	1
166	Homicide by firearms	4,655	8	2	8	3	3	24	25	41	312	688
	White—M	1,733	3	-	3	1	1	8	16	12	88	186
	F	467	4	1	3	2	2	12	5	12	30	68
	Negro—M	1,997	1	-	1	-	-	2	1	10	142	344
	F	420	-	1	1	-	-	2	3	6	48	87
	Other races—M	31	-	-	-	-	-	-	-	1	2	2
	F	7	-	-	-	-	-	-	-	-	2	1
167	Homicide by cutting or piercing instruments	2,064	5	2	1	-	-	8	5	12	142	388
	White—M	431	3	-	-	-	-	3	3	2	9	72
	F	83	2	1	1	-	-	4	1	2	6	12
	Negro—M	1,218	-	1	-	-	-	1	1	6	77	227
	F	320	-	-	-	-	-	-	-	2	50	77
	Other races—M	11	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
168	Homicide by other means	1,489	84	8	9	6	8	115	29	18	44	125
	White—M	763	40	5	6	4	5	60	13	5	14	46
	F	246	34	2	2	2	2	42	12	8	10	16
	Negro—M	324	4	-	-	-	-	4	1	3	14	37
	F	133	5	1	1	-	1	8	3	1	3	25
	Other races—M	18	-	-	-	-	-	-	-	1	2	1
	F	5	1	-	-	-	-	1	-	-	1	-
169-195	Accidental deaths	96,885	2,623	1,428	1,097	882	821	6,851	3,286	3,180	5,792	6,971
	White—M	59,982	1,104	692	549	452	416	3,213	1,875	2,081	3,991	4,988
	F	26,517	909	521	379	306	270	2,385	942	622	1,050	1,014
	Negro—M	7,167	330	122	91	57	59	659	268	357	581	734
	F	2,658	253	79	64	63	67	526	180	98	138	207
	Other races—M	425	13	8	9	2	4	36	16	17	24	23
	F	136	14	6	5	2	5	32	5	5	8	5
169	Railway accidents (except collisions with motor vehicles)	3,200	1	13	14	7	4	39	47	65	138	226
	White—M	2,561	1	9	8	4	3	25	29	51	103	167
	F	181	-	3	4	1	1	9	11	9	9	10
	Negro—M	392	-	-	-	1	-	1	4	4	25	38
	F	42	-	1	1	1	-	3	3	1	1	7
	Other races—M	22	-	-	1	-	-	1	-	-	-	4
	F	2	-	-	-	-	-	-	-	-	-	-
170a	Collisions between automobiles and trains	1,707	5	4	5	6	9	29	28	59	203	224
	White—M	1,212	2	3	2	6	6	19	12	32	125	155
	F	403	3	1	3	-	3	10	16	25	69	56
	Negro—M	67	-	-	-	-	-	-	-	-	7	10
	F	11	-	-	-	-	-	-	-	1	1	3
	Other races—M	13	-	-	-	-	-	-	-	1	1	-
	F	1	-	-	-	-	-	-	-	-	-	-
170b	Collisions between automobiles and streetcars	132	1	-	-	2	-	3	1	1	11	15
	White—M	100	-	-	-	1	-	1	1	1	9	10
	F	22	1	-	-	1	-	2	-	-	1	4
	Negro—M	8	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	32,245	114	206	222	276	325	1,143	1,394	1,094	2,691	3,482
	White—M	22,381	50	89	133	159	186	617	844	706	1,841	2,528
	F	6,780	51	103	71	92	104	421	409	261	630	576
	Negro—M	2,272	3	6	11	13	20	53	86	89	169	307
	F	590	6	6	6	10	11	39	49	30	38	56
	Other races—M	182	3	1	-	1	1	6	5	6	9	11
	F	40	1	1	1	1	3	7	1	2	4	2
170d	Motorcycle accidents (except collisions with automobiles)	417	-	-	-	-	1	1	2	5	77	143
	White—M	370	-	-	-	-	1	1	1	3	63	131
	F	36	-	-	-	-	-	-	1	2	11	11
	Negro—M	10	-	-	-	-	-	-	-	-	2	1
	Other races—M	1	-	-	-	-	-	-	-	-	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	364	-	3	1	-	1	5	4	10	14	7
	White—M	249	-	2	-	-	1	3	2	8	8	5
	F	92	-	1	-	-	-	1	1	-	4	2
	Negro—M	16	-	-	-	-	-	-	-	2	2	-
	F	6	-	-	1	-	-	1	1	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	269	-	2	7	5	3	17	17	38	33	12
	White—M	177	-	-	5	1	1	7	13	22	25	5
	F	43	-	2	2	2	2	8	4	11	2	2
	Negro—M	36	-	-	-	1	-	1	-	4	5	3
	F	9	-	-	-	1	-	1	-	1	1	2
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
172	Water-transport accidents	1,036	-	-	5	5	2	12	36	57	147	135
	White—M	830	-	-	2	3	2	7	23	40	111	106
	F	90	-	-	3	1	-	4	8	8	13	17
	Negro—M	105	-	-	-	1	-	1	4	8	21	12
	F	2	-	-	-	-	-	-	1	1	-	-
	Other races—M	7	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	1	-

[1] Includes figures for infanticide (165).

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
1,359	1,200	1,050	740	602	445	294	203	149	74	50	27	5	3	-	-	31	165-168
368	370	330	300	270	240	176	132	91	51	26	19	3	1	-	-	13	
84	94	81	76	62	42	26	33	26	9	12	5	2	1	-	-	3	
712	592	516	307	224	145	74	33	26	12	12	2	-	-	-	-	14	
188	128	112	52	41	15	11	5	5	-	-	-	-	1	-	-	-	
6	15	9	5	2	3	7	-	1	1	-	1	-	-	-	-	1	
1	1	2	-	3	-	-	-	-	1	-	-	-	-	-	-	-	
842	729	587	429	343	250	144	103	70	27	13	10	1	2	-	-	15	166
263	245	210	195	154	133	84	60	41	19	5	8	-	1	-	-	5	
55	64	48	54	41	22	13	22	10	3	4	1	1	-	-	-	2	
433	344	272	151	120	85	41	18	18	4	4	1	-	-	-	-	7	
86	69	52	27	25	8	2	3	1	-	-	-	-	1	-	-	-	
4	7	4	2	2	2	4	-	-	-	-	-	-	-	-	-	1	
1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
392	318	302	175	126	79	54	20	17	10	8	2	1	-	-	-	5	167
64	60	55	37	36	32	26	10	10	5	4	-	1	-	-	-	2	
14	11	5	8	4	6	1	3	4	-	1	1	-	-	-	-	-	
237	203	197	112	77	37	23	6	2	5	3	1	-	-	-	-	3	
76	41	42	16	8	3	3	1	1	-	-	-	-	-	-	-	-	
1	3	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
125	153	161	136	133	116	96	80	62	37	29	15	3	1	-	-	11	168
41	65	65	68	80	75	66	62	40	27	17	11	2	-	-	-	6	
15	19	28	14	17	14	12	8	12	6	7	3	1	1	-	-	1	
42	45	47	44	27	23	10	9	6	3	5	-	-	-	-	-	4	
26	18	18	9	8	4	6	1	3	-	-	-	-	-	-	-	-	
1	5	2	1	-	-	2	-	1	1	-	1	-	-	-	-	-	
-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
5,905	5,242	5,043	4,976	5,425	5,616	5,487	5,312	5,591	5,834	5,778	5,439	3,348	1,263	291	44	211	169-195
4,235	3,702	3,598	3,602	3,998	4,081	3,957	3,636	3,368	3,149	2,547	2,203	1,153	398	65	2	140	
823	753	701	706	818	909	1,052	1,278	1,831	2,382	3,012	3,103	2,086	809	197	22	24	
636	603	572	514	475	453	335	254	253	173	120	84	43	21	13	6	33	
165	142	123	124	110	125	111	112	114	114	86	59	53	30	14	14	13	
37	33	44	24	22	41	28	26	20	13	5	4	7	4	1	-	-	
9	9	5	6	4	7	4	6	5	3	8	6	6	1	1	-	1	
247	289	301	306	295	337	279	226	139	107	79	46	14	1	-	-	19	169
193	222	224	260	239	289	244	197	113	83	63	36	9	-	-	-	14	
9	10	9	9	10	13	18	12	11	14	9	7	1	1	-	-	-	
39	52	65	32	42	29	13	14	12	6	7	1	3	-	-	-	5	
2	2	1	2	3	5	4	2	1	3	-	2	-	-	-	-	-	
4	3	2	3	1	-	-	1	2	1	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
181	141	129	112	126	107	112	91	70	51	26	13	4	-	-	-	1	170a
134	101	83	82	98	74	90	73	54	40	25	11	3	-	-	-	1	
28	28	37	22	24	28	15	16	14	11	1	2	1	-	-	-	-	
15	12	6	4	4	4	4	1	-	-	-	-	-	-	-	-	-	
2	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
2	-	2	2	-	1	2	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
21	12	9	14	13	11	9	4	3	2	-	2	1	-	-	-	-	170b
15	12	5	11	8	10	8	4	2	-	-	2	1	-	-	-	-	
4	-	2	1	3	1	1	-	1	2	-	-	-	-	-	-	-	
2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2,642	2,173	1,958	1,824	2,103	2,148	2,149	1,986	1,878	1,582	1,125	559	199	37	10	-	68	170c
1,881	1,534	1,354	1,273	1,490	1,506	1,518	1,454	1,239	1,121	796	396	147	26	2	-	48	
448	355	334	342	383	409	460	418	454	392	290	140	39	7	4	-	8	
231	209	191	168	171	176	127	74	88	55	33	18	9	3	4	-	11	
64	53	50	32	42	38	30	21	24	8	5	3	4	1	-	-	1	
15	19	26	8	15	17	12	15	10	6	-	2	-	-	-	-	-	
3	3	3	1	2	2	2	4	3	-	1	-	-	-	-	-	-	
93	27	17	9	6	7	7	3	3	7	6	3	1	-	-	-	-	170d
87	26	14	9	6	5	5	3	3	6	3	3	1	-	-	-	-	
4	1	-	-	-	2	-	-	-	1	3	-	-	-	-	-	-	
2	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	13	16	27	30	35	35	36	38	39	27	16	5	-	-	-	-	171a
4	9	14	22	22	21	22	27	25	27	14	11	5	-	-	-	-	
1	2	1	1	8	12	12	7	13	9	13	5	-	-	-	-	-	
2	2	-	3	-	2	-	-	-	3	-	-	-	-	-	-	-	
-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
4	6	6	8	12	11	18	19	21	19	16	5	5	2	-	-	-	171b
2	4	3	4	10	8	13	14	13	12	12	4	5	1	-	-	-	
-	-	-	-	-	-	2	3	3	4	3	1	-	-	-	-	-	
2	2	3	2	1	3	2	2	4	1	1	-	-	-	-	-	-	
-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
133	112	105	88	61	45	34	22	26	18	1	4	-	-	-	-	2	172
110	94	82	75	53	36	30	18	25	15	1	2	-	-	-	-	2	
10	7	9	2	2	4	2	1	1	-	-	2	-	-	-	-	-	
12	9	12	11	4	5	2	3	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Accidental deaths—Continued											
173	Air-transport accidents	565	-	1	-	-	-	1	4	3	43	166
	White—M	517	-	1	-	-	-	1	2	2	38	149
	F	43	-	-	-	-	-	-	2	1	5	15
	Negro—M	4	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
174	Accidents in mines and quarries	1,919	1	-	-	-	1	2	16	14	61	211
	White—M	1,771	1	-	-	-	1	2	12	12	55	201
	F	8	-	-	-	-	-	-	3	-	1	-
	Negro—M	139	-	-	-	-	-	-	1	2	5	10
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
175a-c	Agricultural accidents	1,968	2	18	14	15	8	57	37	64	117	105
	White—M	1,740	1	14	10	13	6	44	27	51	98	88
	F	73	-	4	4	2	2	12	9	4	3	4
	Negro—M	138	-	-	-	-	-	-	-	9	13	12
	F	10	1	-	-	-	-	1	1	-	1	-
	Other races—M	7	-	-	-	-	-	-	-	-	2	1
175d,e	Forestry accidents	324	-	-	-	-	-	-	2	-	13	41
	White—M	291	-	-	-	-	-	-	1	-	12	35
	F	1	-	-	-	-	-	-	1	-	-	-
	Negro—M	31	-	-	-	-	-	-	-	-	1	6
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	1,046	-	2	7	6	9	24	12	15	38	98
	White—M	923	-	1	4	5	4	14	10	13	34	83
	F	24	-	1	2	1	2	6	2	-	-	2
	Negro—M	91	-	-	-	-	2	2	-	2	3	12
	F	3	-	-	-	-	1	1	-	-	-	-
	Other races—M	5	-	-	1	-	-	1	-	-	1	1
177	Food poisoning	548	73	32	27	12	6	150	23	17	21	19
	White—M	221	29	13	9	6	3	60	12	6	7	4
	F	176	24	9	12	5	2	52	4	4	8	6
	Negro—M	80	11	6	4	-	-	21	5	5	2	2
	F	65	8	2	2	1	1	14	2	2	3	7
	Other races—M	1	-	-	-	-	-	-	-	-	1	-
	F	3	1	2	-	-	-	3	-	-	-	-
178	Accidental absorption of poisonous gas	1,562	13	15	2	5	3	38	20	15	56	118
	White—M	1,110	7	9	1	5	1	23	9	11	37	78
	F	389	6	5	1	-	2	14	9	3	18	32
	Negro—M	39	-	1	-	-	-	1	1	-	1	4
	F	18	-	-	-	-	-	-	1	1	-	4
	Other races—M	6	-	-	-	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	1,324	44	196	84	36	17	377	19	9	26	46
	White—M	659	16	79	33	15	6	149	7	5	8	15
	F	473	17	67	29	13	7	133	4	1	12	25
	Negro—M	112	5	24	12	5	3	49	4	-	2	4
	F	67	5	25	10	3	1	44	3	1	4	5
	Other races—M	9	-	1	-	-	-	1	-	-	-	1
	F	4	1	-	-	-	-	1	1	2	-	-
180	Conflagration	2,239	113	88	79	62	65	407	148	65	120	168
	White—M	984	37	30	33	23	30	153	50	25	30	48
	F	584	33	28	23	20	21	125	63	19	28	32
	Negro—M	362	19	22	10	10	7	68	17	8	25	37
	F	299	24	8	13	9	7	61	18	13	37	51
	Other races—M	7	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
181	Accidental burns (except conflagration)	5,270	166	503	289	225	180	1,163	359	150	144	251
	White—M	2,077	63	131	119	78	52	443	86	51	64	110
	F	2,021	54	107	110	102	70	443	177	67	49	86
	Negro—M	547	30	40	33	13	14	130	29	13	14	29
	F	602	17	23	25	32	42	139	67	19	18	23
	Other races—M	13	1	1	1	-	1	4	-	-	-	1
	F	10	1	1	1	-	1	4	-	-	1	2
182	Accidental mechanical suffocation	1,489	1,244	22	6	3	4	1,279	17	11	17	20
	White—M	696	526	7	3	-	4	540	12	8	13	19
	F	485	434	12	2	3	-	451	4	3	3	-
	Negro—M	175	154	1	1	-	-	156	1	-	1	1
	F	123	120	2	-	-	-	122	-	-	-	-
	Other races—M	5	5	-	-	-	-	5	-	-	-	-
	F	5	5	-	-	-	-	5	-	-	-	-
183	Accidental drowning	5,308	37	187	142	88	53	507	504	686	781	477
	White—M	3,910	21	127	88	66	37	339	378	481	528	332
	F	611	11	51	44	18	12	136	66	94	75	45
	Negro—M	678	4	3	6	3	2	18	46	120	182	96
	F	54	1	4	-	1	-	6	6	4	9	5
	Other races—M	43	-	2	3	-	2	7	3	6	5	1
	F	12	-	-	1	-	-	1	3	1	2	-
184	Accidental injury by firearms	2,390	6	12	16	24	26	84	125	306	411	287
	White—M	1,696	1	6	4	9	14	34	63	232	317	207
	F	197	1	3	8	9	4	25	32	17	26	14
	Negro—M	386	3	3	3	4	4	17	18	44	53	49
	F	101	1	-	1	2	4	8	10	12	14	17
	Other races—M	9	-	-	-	-	-	-	2	1	1	-
	F	1	-	-	-	-	-	-	-	-	-	-
185	Accidental injury by cutting or piercing instruments	507	6	15	6	13	11	51	61	50	32	27
	White—M	284	1	11	5	6	8	31	38	29	26	14
	F	81	1	3	1	6	2	13	11	8	-	2
	Negro—M	101	3	1	-	-	1	5	7	8	8	8
	F	38	1	-	-	1	-	2	3	5	3	3
	Other races—M	3	-	-	-	-	-	-	2	-	-	-

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
141	87	43	36	16	7	8	4	3	1	-	-	-	-	-	-	2	173
133	85	40	32	15	7	8	3	1	1	-	-	-	-	-	-	2	
8	2	3	4	1	-	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
288	221	238	213	205	187	144	56	36	10	9	2	2	-	-	-	4	174
271	197	213	196	191	174	137	53	32	10	8	2	1	-	-	-	4	
-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
16	23	24	17	14	12	7	3	3	-	1	-	1	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	74	99	112	144	172	160	202	191	154	92	61	20	4	-	-	1	175a-c
86	63	85	97	131	161	145	183	178	146	82	57	18	3	-	-	1	
2	2	4	5	1	1	5	6	5	1	5	2	2	-	-	-	-	
13	9	8	9	12	9	8	11	9	8	5	2	2	1	-	-	-	
-	-	1	1	-	1	-	2	1	1	-	-	-	-	-	-	-	
1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
44	45	40	31	29	28	29	16	5	1	1	-	-	-	-	-	1	175d,e
37	42	37	27	24	25	28	15	5	1	1	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	3	3	4	5	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
152	150	101	98	117	95	72	53	32	20	4	2	-	-	-	-	3	176
111	109	87	90	107	90	64	52	31	20	4	1	-	-	-	-	3	
2	-	2	2	1	-	4	1	1	-	-	1	-	-	-	-	-	
18	18	12	6	9	5	4	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	30	23	25	33	30	34	20	28	26	21	16	9	2	-	-	-	177
5	9	6	10	15	15	17	10	17	12	8	6	3	1	-	-	-	
7	8	6	3	7	10	7	6	9	13	11	8	6	1	-	-	-	
3	7	7	4	7	4	6	2	1	1	2	1	-	-	-	-	-	
4	6	4	8	4	3	4	2	1	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	109	111	105	128	144	142	96	110	93	90	50	28	4	2	-	2	178
77	71	80	79	99	120	108	80	80	67	48	24	14	3	1	-	1	
21	31	22	18	26	22	29	12	26	26	41	25	13	1	-	-	-	
-	4	8	6	3	2	3	3	1	-	1	-	-	-	-	-	1	
2	2	1	2	-	-	1	-	2	-	-	1	1	-	-	-	-	
1	1	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	
74	99	105	107	123	87	73	60	49	34	14	11	5	2	-	-	2	179
27	49	51	58	76	55	47	40	31	20	9	8	2	1	-	-	1	
35	38	44	39	41	27	21	18	17	10	5	3	2	-	-	-	-	
8	7	7	9	5	4	4	3	-	4	-	-	1	1	-	-	-	
3	3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	1	
1	2	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142	153	114	123	112	92	98	105	115	85	88	77	29	8	5	2	3	180
50	61	51	70	68	53	62	64	51	47	48	33	13	2	2	-	3	
35	30	33	27	22	15	10	19	35	25	23	34	9	-	2	-	-	
32	28	23	17	16	10	14	17	17	8	11	4	4	4	1	1	-	
24	13	7	7	6	13	12	4	10	7	4	6	3	2	-	1	-	
1	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
261	255	208	202	225	257	237	240	264	316	290	243	141	50	9	7	18	181
115	119	110	99	111	109	107	92	107	106	103	77	51	10	2	-	7	
77	83	64	63	67	79	75	89	98	146	136	131	66	20	3	-	2	
43	32	21	24	25	28	27	30	28	25	18	14	6	5	1	2	3	
27	20	12	16	22	19	27	28	30	39	33	20	17	14	3	5	6	
1	-	1	-	-	1	1	-	1	-	-	1	1	1	-	-	-	
-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
15	21	15	20	17	21	8	10	5	4	6	1	-	1	-	-	1	182
10	14	11	17	13	16	6	6	3	2	6	-	-	-	-	-	-	
4	5	2	1	2	1	1	3	1	2	-	1	-	1	-	-	-	
1	2	2	2	2	4	1	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295	346	282	284	288	257	205	187	121	76	57	28	7	2	-	-	38	183
204	188	211	219	232	214	182	158	98	60	45	24	3	2	-	-	32	
30	16	13	24	23	23	6	19	18	10	10	4	2	-	-	-	1	
49	38	33	33	27	16	13	9	6	5	1	-	-	-	-	-	4	
5	2	3	4	4	-	1	1	1	1	-	-	1	-	-	-	1	
4	2	1	3	2	4	3	-	-	-	1	-	1	-	-	-	-	
3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
235	171	183	134	126	110	90	53	45	29	9	8	-	1	-	-	3	184
155	104	117	94	95	86	74	42	35	22	8	7	-	1	-	-	3	
12	16	10	12	7	7	8	3	3	3	1	1	-	-	-	-	-	
52	43	29	28	21	13	5	7	5	4	-	-	-	-	-	-	-	
14	8	4	2	3	4	3	1	1	-	-	-	-	-	-	-	-	
1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	27	37	26	31	28	22	30	22	15	8	4	4	1	-	-	3	185
13	13	20	15	16	8	15	16	12	9	5	4	2	1	-	-	-	
3	3	3	-	4	10	5	5	7	3	2	-	1	-	-	-	1	
11	8	11	8	9	10	1	4	2	-	1	-	1	-	-	-	1	
3	3	3	3	2	-	-	5	1	1	-	-	-	-	-	-	1	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Accidental deaths—Continued											
186a	Accidental injury by fall	22,752	103	90	55	28	32	308	181	181	204	237
	White—M	9,993	43	55	28	17	22	165	104	133	154	176
	F	11,881	41	28	18	7	9	103	34	35	37	36
	Negro—M	481	10	3	5	2	1	21	16	9	11	18
	F	325	7	1	-	2	-	10	6	2	2	7
	Other races—M	45	2	1	2	-	-	5	1	2	-	-
	F	27	-	2	2	-	-	4	-	-	-	-
186b	Accidental injury by crushing	423	2	1	4	3	4	14	12	8	20	39
	White—M	325	2	-	-	1	3	6	10	7	15	31
	F	27	-	1	4	1	1	7	1	1	1	-
	Negro—M	67	-	-	-	1	-	1	1	-	4	8
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*	217	2	4	1	5	2	14	13	11	18	18
	White—M	107	1	-	-	2	-	3	4	2	13	9
	F	51	-	3	1	2	-	6	3	5	3	3
	Negro—M	35	1	1	-	-	2	4	4	3	1	3
	F	23	-	-	-	-	-	-	2	1	1	3
	Other races—F	1	-	-	-	1	-	1	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	184	4	5	6	4	3	22	22	23	8	9
	White—M	125	3	2	4	3	2	14	12	17	6	7
	F	39	1	3	2	1	1	8	7	2	1	2
	Negro—M	12	-	-	-	-	-	-	2	4	1	-
	F	5	-	-	-	-	-	-	-	-	-	-
	Other races—M	3	-	-	-	-	-	-	1	-	-	-
189	Hunger or thirst	26	13	3	-	-	-	16	-	-	-	-
	White—M	8	2	-	-	-	-	2	-	-	-	-
	F	7	4	1	-	-	-	5	-	-	-	-
	Negro—M	6	3	2	-	-	-	5	-	-	-	-
	F	5	4	-	-	-	-	4	-	-	-	-
190	Excessive cold	498	24	-	1	1	-	26	1	4	7	20
	White—M	255	9	-	-	1	-	10	-	3	5	13
	F	62	5	-	1	-	-	6	1	-	1	-
	Negro—M	132	6	-	-	-	-	6	-	1	-	5
	F	40	4	-	-	-	-	4	-	-	1	2
	Other races—M	6	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	787	42	5	4	-	2	53	3	4	7	18
	White—M	493	18	2	1	-	-	21	2	-	4	9
	F	188	17	3	3	-	2	25	-	1	1	2
	Negro—M	86	4	-	-	-	-	4	1	3	2	4
	F	35	3	-	-	-	-	3	-	-	-	1
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
192	Lightning	340	1	-	-	1	2	4	5	27	48	32
	White—M	245	-	-	-	-	1	1	5	17	37	24
	F	38	1	-	-	-	-	1	-	5	5	2
	Negro—M	38	-	-	-	-	1	1	-	4	3	4
	F	17	-	-	-	-	-	-	-	1	3	2
	Other races—M	2	-	-	-	1	-	1	-	-	-	-
193	Accidents due to electric currents (except lightning)	655	4	3	3	2	2	14	17	28	58	80
	White—M	578	4	2	-	-	2	8	14	19	47	71
	F	38	-	1	2	2	-	5	3	4	3	2
	Negro—M	35	-	-	1	-	-	1	-	3	8	6
	F	3	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	1
194	Poisoning by venomous animals (except in agriculture and forestry)*	100	9	8	3	1	3	24	16	1	1	4
	White—M	48	3	3	-	-	-	6	8	1	-	1
	F	29	3	4	2	1	1	11	2	-	-	2
	Negro—M	17	2	-	-	-	1	3	5	-	1	1
	F	3	1	-	-	-	-	1	1	-	-	-
	Other races—M	2	-	1	1	-	-	2	-	-	-	-
	F	1	-	-	-	-	1	1	-	-	-	-
195a	Sequelae of preventive immunization, etc.*	15	5	-	1	-	-	6	2	-	1	-
	White—M	9	1	-	1	-	-	2	1	-	1	-
	F	3	2	-	-	-	-	2	-	-	-	-
	Negro—M	3	2	-	-	-	-	2	1	-	-	-
195b	Other accidents due to medical or surgical intervention	36	1	-	1	-	-	2	4	1	7	7
	White—M	10	1	-	-	-	-	1	3	1	1	2
	F	18	-	-	-	-	-	-	-	-	5	3
	Negro—M	3	-	-	1	-	-	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	2
195d	Obstruction, suffocation, etc.*	931	390	125	48	20	5	588	28	11	9	20
	White—M	488	183	65	29	13	2	292	6	4	3	7
	F	323	143	46	13	5	3	210	15	5	4	7
	Negro—M	69	35	8	4	2	-	49	2	-	2	5
	F	46	27	5	2	-	-	34	3	2	-	-
	Other races—M	4	1	1	-	-	-	2	-	-	-	1
	F	1	1	-	-	-	-	1	-	-	-	-
195c,	Other and unspecified accidents	4,093	197	65	44	27	38	371	128	149	210	209
	White—M	2,539	78	31	27	15	18	169	74	108	158	148
	F	1,020	56	31	14	11	19	131	39	27	22	18
	Negro—M	394	35	1	-	1	1	38	10	12	28	37
	F	106	23	2	3	-	-	28	3	1	2	6
	Other races—M	20	1	-	-	-	-	1	2	1	2	1
	F	14	4	-	-	-	-	4	-	-	-	1

*Refer to complete International List titles, table II.

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
281	360	441	563	688	899	1,020	1,335	1,932	2,726	3,446	3,959	2,653	1,082	246	31	19	186a
186	242	321	398	501	624	656	708	877	1,106	1,099	1,350	811	319	53	2	8	
48	68	62	84	136	187	304	570	995	1,555	2,293	2,572	1,809	744	177	22	10	
20	35	37	58	34	60	36	30	30	19	17	13	6	4	4	3	-	
6	12	19	17	14	18	21	25	30	41	31	19	17	12	11	4	1	
1	-	2	5	3	7	2	2	-	4	3	1	5	2	-	-	-	
-	3	-	1	-	3	1	-	-	1	3	4	5	1	1	-	-	
40	33	54	32	39	34	45	21	12	9	6	2	1	-	-	-	2	186b
30	24	40	25	32	26	37	19	12	6	3	1	-	-	-	-	1	
1	1	2	2	-	3	2	1	-	1	2	1	1	-	-	-	-	
8	8	11	5	6	4	6	1	-	2	1	-	-	-	-	-	1	
-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	18	11	21	12	17	12	12	9	11	4	2	-	-	-	-	3	187
7	12	8	8	7	10	6	5	1	6	2	1	-	-	-	-	3	
4	3	-	3	2	3	5	2	5	2	1	1	-	-	-	-	-	
-	1	1	6	3	3	1	2	2	1	-	-	-	-	-	-	-	
-	2	2	4	-	1	-	3	1	2	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	7	6	6	6	11	8	10	15	7	8	4	5	1	-	-	-	188
5	4	3	4	3	10	7	8	9	6	5	3	2	-	-	-	-	
-	1	1	-	3	1	-	1	5	1	2	1	2	1	-	-	-	
-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	
-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	2	-	-	1	2	-	1	2	-	-	-	-	-	189
1	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	18	22	25	27	35	38	34	53	56	45	31	21	5	4	1	4	190
14	8	14	14	15	18	21	20	26	25	25	13	7	1	-	-	3	
4	3	1	3	3	3	1	2	2	11	7	10	2	1	1	-	-	
4	6	5	5	9	5	14	10	21	14	8	6	7	3	3	-	-	
-	-	2	3	-	7	1	1	3	5	3	2	5	-	-	1	-	
-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	
17	28	28	55	55	91	83	74	75	61	58	44	26	6	2	1	-	191
7	16	16	40	38	65	64	48	52	39	29	27	12	4	-	-	-	
1	3	6	3	7	12	10	12	15	16	22	15	13	2	2	-	-	
9	8	4	7	8	9	6	6	7	4	4	-	-	-	-	-	-	
-	1	2	5	2	2	2	7	1	2	3	2	1	-	-	1	-	
-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
25	38	28	28	26	19	16	14	15	9	5	-	-	-	-	-	1	192
19	27	24	17	21	13	11	11	10	5	3	-	-	-	-	-	-	
1	4	2	3	1	3	5	1	3	1	1	-	-	-	-	-	-	
2	5	2	5	2	2	-	1	2	3	1	-	-	-	-	-	1	
2	2	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
92	72	81	71	55	31	21	16	16	2	3	-	-	-	-	-	-	193
85	64	75	66	51	27	18	15	14	1	3	-	-	-	-	-	-	
3	4	2	2	2	2	2	1	2	1	-	-	-	-	-	-	-	
4	3	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	8	3	1	9	4	4	4	10	3	3	1	1	-	-	-	1	194
1	4	2	1	5	2	3	1	8	1	2	1	1	-	-	-	-	
1	3	1	-	2	1	-	2	1	1	1	-	-	-	-	-	1	
-	1	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	195a
-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	6	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	195b
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	24	28	23	29	24	31	31	28	21	8	10	7	-	-	-	-	195d
9	16	18	13	14	18	22	21	16	16	3	6	4	-	-	-	-	
4	6	6	7	12	5	8	10	9	5	5	3	2	-	-	-	-	
1	-	3	2	3	-	1	-	-	-	-	1	-	-	-	-	-	
1	2	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
205	207	239	243	255	256	241	241	221	244	222	233	160	54	13	2	10	195c,e
153	157	178	175	192	188	180	176	128	111	83	93	40	23	5	-	2	
15	16	18	23	14	25	33	38	76	118	125	132	115	30	8	-	1	
30	27	36	36	26	30	24	19	12	10	8	3	2	-	-	-	6	
6	5	4	7	2	11	3	7	4	2	5	3	3	1	-	2	1	
-	2	2	1	-	4	1	1	-	2	-	-	-	-	-	-	-	
1	-	1	1	1	-	-	-	1	1	1	2	-	-	-	-	-	

TABLE 11.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
198	Legal executions	121	-	-	-	-	-	-	-	-	8	29
	White—M	50	-	-	-	-	-	-	-	-	-	12
	Negro—M	71	-	-	-	-	-	-	-	-	8	17
	XVIII.—Ill-defined and unknown causes	21,100	5,683	440	188	93	68	6,472	184	159	229	368
	White—M	7,019	1,487	110	55	23	21	1,696	53	39	60	84
	F	4,120	1,156	95	38	26	16	1,331	42	28	44	56
	Negro—M	5,097	1,663	111	41	23	14	1,852	46	45	56	104
	F	4,435	1,264	95	37	13	13	1,422	32	44	82	116
	Other races—M	225	63	12	11	4	1	91	5	2	3	2
	F	204	50	17	6	4	3	80	6	1	4	6
199	Sudden death	1,502	194	10	9	3	2	218	10	12	15	16
	White—M	646	62	3	2	1	1	69	4	4	5	4
	F	294	47	2	3	2	-	54	2	4	3	2
	Negro—M	303	39	4	4	-	-	47	3	1	2	4
	F	250	44	1	-	-	-	45	1	3	5	6
	Other races—M	5	1	-	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	1	2	-	-	-	-
200a	Ill-defined causes	6,572	616	133	58	25	17	849	42	53	64	106
	White—M	2,991	172	39	24	9	8	252	14	15	20	36
	F	1,339	139	47	13	6	4	209	15	12	15	18
	Negro—M	1,180	164	18	10	6	3	201	9	12	9	22
	F	1,000	137	24	8	2	2	173	4	13	19	29
	Other races—M	37	3	1	3	-	-	7	-	1	1	1
	F	25	1	4	-	2	-	7	-	-	-	-
200b,c	Unknown or unspecified	13,026	4,873	297	121	65	49	5,405	132	94	150	246
	White—M	3,382	1,253	68	29	13	12	1,375	35	20	35	44
	F	2,487	970	46	22	18	12	1,068	25	12	26	36
	Negro—M	3,614	1,460	89	27	17	11	1,604	34	32	25	78
	F	3,185	1,083	70	29	11	11	1,204	27	28	58	81
	Other races—M	183	59	11	8	4	1	83	5	1	2	1
	F	175	48	13	6	2	2	71	6	1	4	6

RACE, AND SEX: UNITED STATES, 1940—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
34	19	11	8	7	-	-	3	1	1	-	-	-	-	-	-	-	198
12	9	5	6	4	-	-	1	-	1	-	-	-	-	-	-	-	
22	10	6	2	3	-	-	2	1	-	-	-	-	-	-	-	-	
424	419	570	750	900	1,235	1,308	1,450	1,646	1,526	1,268	955	595	311	81	62	168	
91	105	141	223	335	447	581	625	692	624	528	326	199	90	9	4	69	
71	76	83	110	112	178	196	256	302	340	323	285	164	70	14	7	32	
123	98	159	196	232	315	282	289	344	303	237	190	96	63	36	24	27	
131	133	175	213	213	277	233	256	282	231	157	135	126	77	18	46	36	
2	4	4	5	3	7	13	13	13	18	15	15	4	3	1	1	3	
6	3	8	3	5	11	3	11	13	10	10	6	6	8	3	-	1	
21	31	58	74	90	132	185	145	158	127	101	65	35	21	2	2	4	199
3	9	12	24	34	49	82	78	91	71	51	29	16	8	-	-	3	
4	4	10	13	9	20	31	25	17	23	29	23	15	6	-	-	-	
9	8	19	20	27	33	31	17	35	18	12	7	3	5	1	-	1	
5	10	17	17	20	29	21	24	14	13	9	6	1	2	1	1	-	
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
152	155	233	318	410	554	608	641	672	607	502	307	172	70	13	16	28	200a
37	52	83	131	195	254	349	349	355	314	266	143	82	28	2	1	13	
27	22	29	39	48	81	87	126	145	160	127	104	47	20	2	3	3	
44	34	64	74	93	115	98	88	93	78	64	32	20	12	5	7	8	
44	44	53	71	73	100	70	69	75	52	38	27	23	9	4	5	5	
-	2	1	1	1	2	4	6	3	2	4	-	-	1	-	-	-	
-	1	3	2	-	2	-	3	1	1	3	1	-	-	-	-	1	
251	233	279	358	400	549	535	664	816	792	665	583	388	220	66	64	136	200b,c
51	44	46	68	106	144	150	198	246	239	209	154	101	54	7	3	53	
40	50	44	58	55	77	78	105	140	157	167	158	102	44	12	4	29	
70	56	76	102	112	167	153	184	216	207	161	151	73	46	30	17	20	
82	79	105	125	120	148	142	163	193	166	110	102	102	66	13	40	31	
2	2	3	4	2	4	9	7	9	15	11	13	4	2	1	-	3	
6	2	5	1	5	9	3	7	12	8	7	5	6	8	3	-	-	

498675 O - 43 - 17

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940

/ (Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
UNITED STATES, all ages	791,003	626,266	529,779	422,335	150,188	113,804	10,934	4,183	95,517	83,226	2,527	2,264	1,049	155	633	223	376	96
Under 1 year	63,557	47,427	51,289	37,873	30	23	102	89	11,447	8,895	602	475	20	25	46	25	21	22
1 to 4 years	13,482	11,196	10,606	8,772	22	21	44	27	2,574	2,129	216	229	8	5	8	9	4	4
5 to 9 years	6,638	4,932	5,536	3,986	12	22	25	14	980	837	74	61	3	3	6	3	2	6
10 to 14 years	6,758	4,925	5,498	3,791	50	33	32	21	1,115	1,005	49	63	4	7	8	5	2	—
15 to 19 years	11,735	9,433	9,038	6,250	158	135	68	29	2,327	2,874	107	121	18	6	18	15	1	3
20 to 24 years	15,443	12,388	11,291	8,219	274	229	144	46	3,593	3,739	88	125	21	8	27	18	5	4
25 to 29 years	16,729	13,966	11,703	9,195	562	465	156	68	4,149	4,086	83	130	28	7	14	13	34	2
30 to 34 years	18,876	15,703	12,968	10,253	1,020	927	192	83	4,508	4,347	100	81	32	3	9	5	47	4
35 to 39 years	23,099	18,571	15,232	11,581	2,030	1,615	315	101	5,297	5,158	93	87	50	7	17	17	65	5
40 to 44 years	30,800	22,889	19,686	13,899	4,153	2,800	424	126	6,318	5,965	72	69	85	7	27	15	35	8
45 to 49 years	42,691	28,905	26,346	17,774	8,139	4,710	677	165	7,289	6,139	94	70	92	11	18	28	36	8
50 to 54 years	56,741	36,076	33,612	21,568	13,246	7,236	1,033	214	8,528	6,945	104	79	107	12	83	14	28	8
55 to 59 years	66,412	42,064	40,808	26,049	16,491	9,378	1,146	246	7,589	6,281	116	76	107	7	122	23	33	4
60 to 64 years	75,522	51,363	48,157	32,832	18,722	12,360	1,340	341	6,924	5,709	124	95	120	6	107	16	28	6
65 to 69 years	85,210	63,829	55,861	42,349	20,178	15,153	1,377	460	7,462	5,735	147	113	99	9	70	7	16	3
70 to 74 years	86,429	70,557	57,357	47,486	21,687	17,745	1,230	557	5,876	4,661	145	95	90	5	35	5	9	3
75 to 79 years	75,062	67,492	49,922	46,787	20,015	16,861	960	514	3,968	3,221	121	98	66	4	10	5	—	2
80 to 84 years	56,229	56,484	39,168	41,085	13,737	12,696	745	491	2,451	2,130	75	77	46	3	5	—	2	2
85 to 89 years	27,332	31,780	18,716	22,478	6,755	7,485	317	265	1,461	1,500	43	50	35	—	3	—	2	2
90 to 94 years	8,807	11,915	5,605	7,931	2,260	2,995	113	110	778	840	41	39	8	—	—	—	2	—
95 to 99 years	1,908	2,953	1,048	1,762	463	734	21	30	358	414	13	13	5	—	—	—	—	—
100 years and over	482	777	122	237	95	133	13	9	236	385	13	13	1	—	—	—	2	—
Not stated	1,061	641	210	178	89	48	460	177	289	231	7	7	4	—	—	—	2	—
CITIES OF 100,000 OR MORE, all ages	246,586	202,685	141,430	118,506	72,079	57,593	4,032	1,125	27,840	25,144	90	68	684	97	280	116	151	36
Under 1 year	16,287	11,824	13,516	9,673	10	6	22	21	2,689	2,075	8	5	13	19	18	15	11	10
1 to 4 years	3,093	2,513	2,549	2,087	11	8	8	5	510	401	5	3	7	3	2	5	1	1
5 to 9 years	1,744	1,283	1,500	1,062	1	6	10	5	225	201	3	3	2	2	2	2	1	2
10 to 14 years	1,717	1,355	1,421	1,072	25	16	9	6	255	252	—	1	3	7	3	1	1	—
15 to 19 years	2,687	2,389	2,071	1,591	63	54	8	5	525	722	5	3	8	6	7	7	—	1
20 to 24 years	3,836	3,584	2,750	2,407	116	96	19	16	920	1,049	2	6	15	5	11	5	3	—
25 to 29 years	4,733	4,441	3,198	2,905	262	247	36	18	1,201	1,255	2	4	17	5	4	5	13	2
30 to 34 years	6,219	5,369	3,994	3,353	523	504	54	13	1,603	1,489	3	3	19	2	6	3	17	2
35 to 39 years	8,284	6,649	4,956	3,832	1,118	899	116	28	2,023	1,869	5	8	32	3	10	9	24	1
40 to 44 years	11,716	8,969	6,655	4,938	2,364	1,665	181	41	2,414	2,303	3	4	63	7	18	6	18	5
45 to 49 years	16,580	11,310	8,886	6,177	4,535	2,782	328	62	2,737	2,255	6	6	67	7	7	19	14	2
50 to 54 years	22,304	13,896	11,368	7,229	7,280	4,103	494	71	3,021	2,461	13	8	75	9	43	11	10	4
55 to 59 years	25,182	15,815	12,982	8,296	8,954	5,348	592	86	2,492	2,065	7	—	87	4	56	14	12	2
60 to 64 years	27,350	18,833	14,563	10,033	9,880	6,886	603	112	2,144	1,783	9	2	83	6	56	8	12	3
65 to 69 years	27,745	22,361	14,918	12,227	10,185	8,241	549	141	1,999	1,743	5	2	62	4	20	3	7	—
70 to 74 years	25,887	23,469	13,989	12,925	9,985	9,030	399	165	1,437	1,340	3	2	61	4	9	3	4	—
75 to 79 years	20,234	20,932	10,737	12,128	8,338	7,794	271	123	841	882	5	4	36	1	6	—	—	—
80 to 84 years	13,138	15,854	7,273	9,822	5,240	5,457	184	104	421	467	1	—	17	3	1	—	1	1
85 to 89 years	5,664	8,111	3,116	4,771	2,278	3,017	64	51	185	269	4	3	15	—	1	—	1	—
90 to 94 years	1,644	2,825	816	1,571	713	1,101	17	18	96	134	—	1	2	—	—	—	—	—
95 to 99 years	347	684	134	347	158	274	5	5	50	58	—	—	—	—	—	—	—	—
100 years and over	65	151	15	46	21	48	2	2	27	55	—	—	—	—	—	—	—	—
Not stated	130	68	23	14	19	11	61	27	25	16	1	—	—	—	—	—	1	—
CITIES OF 25,000 TO 100,000, all ages	102,362	86,949	70,352	60,306	19,702	16,405	1,155	496	10,878	9,625	106	83	68	10	71	17	30	7
Under 1 year	8,728	6,472	7,480	5,520	4	7	14	10	1,188	917	30	13	—	2	9	2	3	1
1 to 4 years	1,842	1,530	1,538	1,280	3	1	7	3	286	230	6	11	1	2	—	2	1	1
5 to 9 years	954	720	807	601	2	5	4	1	137	110	2	3	—	—	2	—	—	—
10 to 14 years	916	630	760	508	6	5	2	3	144	110	2	3	1	—	1	1	—	—
15 to 19 years	1,440	1,239	1,145	884	24	21	4	1	259	326	5	6	—	—	2	1	1	—
20 to 24 years	1,923	1,674	1,415	1,182	34	34	20	6	444	443	4	8	1	—	5	1	—	—
25 to 29 years	2,203	1,948	1,563	1,328	73	70	14	6	542	534	6	9	2	—	1	1	2	—
30 to 34 years	2,439	2,235	1,707	1,556	115	143	30	11	575	525	4	—	2	—	—	—	6	—
35 to 39 years	3,086	2,715	2,103	1,752	233	255	33	13	708	690	2	2	2	1	1	2	4	—
40 to 44 years	4,019	3,291	2,667	2,075	487	376	46	17	805	819	5	2	5	—	2	2	2	—
45 to 49 years	5,718	4,226	3,703	2,754	1,092	662	65	21	845	780	6	6	4	2	2	—	1	1
50 to 54 years	7,688	5,233	4,791	3,276	1,695	1,062	109	28	1,069	865	5	1	8	1	8	—	3	—
55 to 59 years	9,077	6,029	5,818	3,857	2,194	1,353	104	28	941	787	3	3	7	—	9	1	1	—
60 to 64 years	10,124	7,459	6,651	4,935	2,474	1,813	140	41	834	668	7	2	4	—	11	—	3	—
65 to 69 years	11,147	8,884	7,383	6,059	2,805	2,122	161	55	774	635	5	7	6	2	11	2	2	2
70 to 74 years	11,027	9,766	7,372	6,645	2,961	2,575	124	78	553	464	6	2	6	—	5	—	—	2
75 to 79 years	9,307	9,255	6,227	6,406	2,593	2,485	102	62	369	298	4	2	11	—	1	2	—	—
80 to 84 years	6,396	7,533	4,437	5,458	1,686	1,831	83	58	183	185	2	1	4	—	1	—	—	—
85 to 89 years	3,020	4,152	2,034	2,953	846	1,045	25	26	112	128	1	—	2	—	—	—	—	—
90 to 94 years	948	1,508	597	1,023	286	419	12	8	50	56	1	2	1	—	—	—	1	—
95 to 99 years	197	334	118	203	56	98	1	4	22	29	—	—	—	—	—	—	—	—
100 years and over	52	59	14	29	17	14	—	—	21	16	—	—	—	—	—	—	—	—
Not stated	111	57	22	22	16	9	55	16	17	10	—	—	1	—	—	—	—	—
CITIES OF 10,000 TO 25,000, all ages	69,055	57,433	49,918	41,600	11,343	9,044	759	302	6,831	6,353	119	112	34	5	33	11	18	6
Under 1 year	6,196	4,663	5,389	4,000	2	4	11	6	764	615	25	34	2	1	3	1	—	2
1 to 4 years	1,244	1,057	1,072	902	1	1	3	—	163	145	5	8	—	—	—	—	—	1
5 to 9 years	703	504	630	434	2	3	2	1	65	65	4	1	—	—	—	—	—	—
10 to 14 years	716	524	622	442	4	3	6	1	83	75	—	3	—	—	1	—	—	—
15 to 19 years	1,168	1,028	949	715	8	12	3	3	200	285	6	13	2	—	—	—	—	—
20 to 24 years	1,500	1,226	1,149	881	18	14	14	2	308	321	7	6	1	—	3	2	—	—
25 to 29 years	1,591	1,337	1,156	936	36	42	18	7	372	343	5	6	1	1	2	2	1	—
30 to 34 years	1,675	1,512	1,213	1,078	57	59	19	13	371	358	9	4	1	—	1	—	4	—
35 to 39 years	1,941	1,682	1,399	1,131	120	123	29	6	381	415	3	6	4	1	1	—	4	—
40 to 44 years	2,409	2,118	1,708	1,436	233	198	22	5	440	472	4	5	1	—	1	—	—	2
45 to 49 years	3,401	2,701	2,248	1,816	585	360	47	15	512	501	4	5	1	2	2	2	2	—
50 to 54 years	4,687	3,264	3,099	2,156	942	571	49	14	583	519	5	3	3	—	4	—	2	1
55 to 59 years	5,758	3,716	3,867	2,532	1,235	667	69	15	571	501	3	1	2	—	9	—	2	—
60 to 64 years	6,509	4,701	4,512	3,254	1,398	1,006	94	24	490	413	7	3	5	—	4	1	1	—
65 to 69 years	7,364	5,716	5,273	4,083	1,462	1,193	88	33	529	399	9	7	1	—	1	1	1	—
70 to 74 years	7,580	6,247	5,374	4,498	1,727	1,408	80	31	383	308	10	1	4	—	1	1	1	—
75 to 79 years	6,575	8,009	4,547	4,380	1,687	1,368	63	34	269	222	6	4	3	—	—	1	—	—
80 to 84 years	4,757	5,128	3,460	3,878	1,081	1,050	56	38	155	162	2	—	3	—	—	—	—	—
85 to 89 years	2,307	2,821	1,676	2,049	519	640	23	24	88	107	1	1	—	—	—	—	—	—
90 to 94 years	710	1,118	466	799	177	256	9	8	54	55	4	—	—	—	—	—	—	—
95 to 99 years	132	242	78	160	33	53	—	—	21	28	—	1	—	—	—	—	—	—
100 years and over	21	51	9	18	5	7	1	2	6	24	—	—	—	—	—	—	—	—
Not stated	111	68	22	22	13	6	53	20	23	20	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
CITIES OF 2,500 TO 10,000, all ages	84,952	67,656	63,515	51,172	11,727	8,479	1,021	481	8,340	7,308	209	182	54	3	53	23	33	8
Under 1 year	7,989	5,812	6,988	5,076	8	—	10	13	914	687	58	31	2	1	7	1	2	3
1 to 4 years	1,703	1,450	1,437	1,240	2	4	6	4	242	190	14	12	—	—	2	—	—	—
5 to 9 years	883	594	780	507	3	1	2	4	93	75	3	6	1	—	—	—	1	1
10 to 14 years	929	638	814	530	5	1	3	2	100	98	6	5	—	—	1	2	—	—
15 to 19 years	1,492	1,195	1,229	890	13	17	10	5	236	271	2	9	2	—	—	3	—	—
20 to 24 years	1,842	1,441	1,406	1,061	25	25	19	4	376	338	11	10	—	—	4	3	1	—
25 to 29 years	1,941	1,615	1,445	1,184	44	25	19	9	417	389	13	8	—	—	1	—	2	—
30 to 34 years	2,055	1,669	1,526	1,186	79	54	16	10	425	413	6	6	—	—	—	—	3	—
35 to 39 years	2,369	1,946	1,757	1,392	122	89	22	13	455	441	6	9	—	—	1	1	6	1
40 to 44 years	2,918	2,248	2,066	1,521	281	172	44	16	512	527	9	8	4	—	1	4	1	—
45 to 49 years	3,954	2,799	2,812	1,984	511	287	54	12	550	510	13	4	4	—	3	2	7	—
50 to 54 years	5,198	3,494	3,565	2,391	831	464	66	25	719	601	8	11	4	—	4	2	1	—
55 to 59 years	6,475	4,153	4,550	2,925	1,146	636	91	24	660	554	12	11	2	1	11	2	3	—
60 to 64 years	7,427	5,108	5,428	3,724	1,282	807	111	39	583	525	16	11	3	—	2	1	2	1
65 to 69 years	8,752	6,561	6,496	4,997	1,462	972	117	58	646	521	9	13	10	—	12	—	—	—
70 to 74 years	9,350	7,497	6,937	5,733	1,751	1,296	124	56	524	404	6	7	3	—	3	1	2	—
75 to 79 years	8,525	7,419	6,159	5,708	1,857	1,389	106	57	395	257	5	5	3	1	—	1	—	1
80 to 84 years	6,457	6,380	4,822	4,960	1,318	1,179	81	51	200	180	8	9	7	—	—	—	1	1
85 to 89 years	3,258	3,682	2,371	2,827	682	667	43	30	135	155	2	3	4	—	1	—	—	—
90 to 94 years	1,061	1,399	754	1,034	235	290	6	12	63	61	1	2	1	—	—	—	1	—
95 to 99 years	222	371	140	248	49	77	3	2	28	44	—	—	2	—	—	—	—	—
100 years and over	51	80	10	26	8	17	1	—	32	36	—	1	—	—	—	—	—	—
Not stated	141	105	23	28	13	10	67	35	35	31	1	1	2	—	—	—	—	—
RURAL, all ages	288,048	211,543	204,564	150,751	35,337	22,283	3,967	1,779	41,628	34,796	2,003	1,819	209	20	196	56	144	39
Under 1 year	24,357	18,656	17,916	13,604	6	6	45	39	5,892	4,601	481	392	3	2	9	6	5	6
1 to 4 years	5,600	4,646	4,010	3,263	5	7	20	15	1,373	1,163	186	195	—	—	4	2	2	1
5 to 9 years	2,354	1,831	1,819	1,382	4	7	7	3	460	386	62	48	—	1	2	1	—	3
10 to 14 years	2,480	1,778	1,881	1,239	10	8	12	9	533	470	41	51	—	—	2	1	1	—
15 to 19 years	4,948	3,582	3,644	2,170	50	31	43	15	1,107	1,270	89	90	6	—	9	4	—	2
20 to 24 years	6,342	4,463	4,571	2,688	81	60	72	18	1,545	1,588	64	95	4	3	4	7	1	4
25 to 29 years	6,261	4,625	4,341	2,842	147	81	69	28	1,617	1,565	57	103	8	1	6	5	16	—
30 to 34 years	6,488	4,918	4,528	3,080	246	167	73	36	1,534	1,562	78	68	10	1	2	2	17	2
35 to 39 years	7,419	5,579	5,017	3,474	437	249	115	41	1,730	1,743	77	62	12	2	4	5	27	3
40 to 44 years	9,738	6,263	6,590	3,929	788	389	131	47	2,147	1,844	51	50	12	—	5	3	14	1
45 to 49 years	13,038	7,869	8,697	5,043	1,416	619	183	55	2,645	2,093	65	49	16	—	4	5	12	5
50 to 54 years	16,864	10,189	10,789	6,516	2,498	1,036	315	76	3,136	2,499	73	56	17	2	24	1	12	3
55 to 59 years	19,920	12,351	13,591	8,439	2,962	1,374	290	93	2,925	2,374	91	61	9	2	37	6	15	2
60 to 64 years	24,112	15,262	17,003	10,886	3,690	1,848	392	125	2,873	2,320	85	75	25	—	34	6	10	2
65 to 69 years	30,202	20,307	21,791	14,983	4,264	2,625	462	173	3,514	2,437	119	84	20	3	26	1	6	1
70 to 74 years	32,585	23,578	23,685	17,685	5,263	3,436	503	227	2,979	2,145	120	83	16	1	17	—	2	1
75 to 79 years	30,421	23,877	22,252	18,165	5,540	3,825	418	238	2,094	1,562	101	83	13	2	3	1	—	1
80 to 84 years	25,501	21,589	19,176	16,967	4,412	3,179	341	240	1,492	1,136	62	67	15	—	3	—	—	—
85 to 89 years	13,103	13,014	9,519	9,878	2,430	2,116	162	134	941	841	35	43	14	—	1	—	1	2
90 to 94 years	4,444	5,065	2,972	3,504	849	929	69	64	515	534	35	34	4	—	—	—	—	—
95 to 99 years	1,010	1,322	578	804	167	232	12	19	237	255	15	12	3	—	—	—	—	—
100 years and over	293	436	74	118	44	47	9	5	150	254	13	12	1	—	—	—	2	—
Not stated	568	343	120	92	28	12	224	79	189	154	5	6	1	—	—	—	1	—
ALABAMA, all ages	16,108	13,423	8,534	6,600	207	126	168	120	7,197	6,571	1	6	—	—	1	—	—	—
Under 1 year	2,246	1,618	1,179	829	1	—	6	4	1,060	783	—	2	—	—	—	—	—	—
1 to 4 years	526	425	299	237	—	—	—	1	227	186	—	1	—	—	—	—	—	—
5 to 9 years	189	171	96	87	—	—	—	1	93	83	—	—	—	—	—	—	—	—
10 to 14 years	201	164	107	73	—	—	—	1	94	90	—	—	—	—	—	—	—	—
15 to 19 years	348	377	154	134	1	—	3	1	190	241	—	1	—	—	—	—	—	—
20 to 24 years	496	413	229	159	—	—	1	—	266	254	—	—	—	—	—	—	—	—
25 to 29 years	504	521	226	181	—	1	5	2	273	337	—	—	—	—	—	—	—	—
30 to 34 years	535	544	245	197	3	1	3	4	284	342	—	—	—	—	—	—	—	—
35 to 39 years	625	614	280	227	4	1	2	1	339	385	—	—	—	—	—	—	—	—
40 to 44 years	711	647	294	221	7	2	6	—	404	424	—	—	—	—	—	—	—	—
45 to 49 years	923	713	363	256	6	3	7	10	546	444	1	—	—	—	—	—	—	—
50 to 54 years	1,106	822	478	282	14	8	14	4	600	527	—	1	—	—	—	—	—	—
55 to 59 years	1,211	851	704	401	19	8	11	7	477	435	—	—	—	—	—	—	—	—
60 to 64 years	1,304	864	786	448	30	7	22	14	466	395	—	—	—	—	—	—	—	—
65 to 69 years	1,420	1,033	817	605	31	19	17	11	555	398	—	—	—	—	—	—	—	—
70 to 74 years	1,262	1,043	774	617	31	20	12	17	444	389	—	—	—	—	1	—	—	—
75 to 79 years	973	931	613	629	28	20	21	16	311	265	—	1	—	—	—	—	—	—
80 to 84 years	787	777	532	549	21	12	17	7	217	209	—	—	—	—	—	—	—	—
85 to 89 years	423	517	252	334	8	13	9	12	154	158	—	—	—	—	—	—	—	—
90 to 94 years	170	224	79	112	3	7	2	4	86	101	—	—	—	—	—	—	—	—
95 to 99 years	65	66	12	16	—	3	1	—	52	47	—	—	—	—	—	—	—	—
100 years and over	39	56	5	—	—	1	—	—	34	55	—	—	—	—	—	—	—	—
Not stated	44	32	10	6	—	—	9	3	25	23	—	—	—	—	—	—	—	—
ARIZONA, all ages	3,544	2,271	2,346	1,421	543	309	115	17	132	73	391	445	14	2	1	3	2	1
Under 1 year	542	449	414	324	2	1	—	1	10	10	115	112	—	1	—	—	1	—
1 to 4 years	158	171	90	98	—	—	—	—	4	—	64	73	—	—	—	—	—	—
5 to 9 years	42	36	26	17	—	—	—	1	—	—	16	18	—	—	—	—	—	—
10 to 14 years	32	46	24	25	—	—	1	—	—	—	7	20	—	—	—	1	—	—
15 to 19 years	74	75	48	48	2	2	1	—	1	1	22	23	—	—	—	1	—	—
20 to 24 years	110	99	81	57	1	7	6	—	6	2	16	33	—	—	—	—	—	—
25 to 29 years	89	97	62	57	6	8	1	1	4	3	15	28	1	—	—	—	—	—
30 to 34 years	117	89	79	54	16	15	3	—	7	2	12	18	—	—	—	—	—	—
35 to 39 years	132	79	88	48	13	11	12	1	7	6	10	13	1	—	—	—	1	—
40 to 44 years	184	88	120	56	42	13	5	—	5	4	11	14	1	—	—	1	—	—
45 to 49 years	226	104	147	64	47	17	6	—	17	11	8	11	1	1	—	—	—	—
50 to 54 years	260	107	160	67	63	21	8	2	14	7	12	10	2	—	1	—	—	—
55 to 59 years	251	115	162	72	58	31	8	1	10	2	13	9	—	—	—	—	—	—
60 to 64 years	280	132	176	80	59	34	16	2	11	5	17	11	1	—	—	—	—	—
65 to 69 years	294	126	195	81	69	30	9	2	11	4	10	8	—	—	—	—	—	1
70 to 74 years	249	140	154	84	54	38	15	1	14	5	10	12	2	—	—	—	—	—
75 to 79 years	223	115	143	69	52	27	11	2	5	6	10	11	2	—	—	—	—	—
80 to 84 years	153	92	107	61	31	21	3	2	2	2	8	6	2	—	—	—	—	—
85 to 89 years	89	75	54	45	21	23	3	1	3	2	7	4	1	—	—	—	—	—
90 to 94 years	19	21	12	6	2	7	—	—	—	1	5	7	—	—	—	—	—	—
95 to 99 years	8	6	2	4	4	1	—	—	—	—	2	1	—	—	—	—	—	—
100 years and over	3	5	1	3	1	2	—	—	1	—	—	—	—	—	—	—	—	—
Not stated	9	4	1	1	—	—	7	—	—	—	1	3	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ARKANSAS, all ages	9,569	7,483	6,322	4,682	142	88	347	219	2,755	2,491	1	2	2	—	—	—	—	1
Under 1 year	980	772	688	547	—	—	11	5	281	219	—	1	—	—	—	—	—	—
1 to 4 years	326	281	227	199	—	—	9	9	90	73	—	—	—	—	—	—	—	—
5 to 9 years	131	86	86	60	—	—	7	2	38	24	—	—	—	—	—	—	—	—
10 to 14 years	127	82	86	49	—	—	5	1	36	32	—	—	—	—	—	—	—	—
15 to 19 years	192	197	118	100	—	—	3	2	71	95	—	—	—	—	—	—	—	—
20 to 24 years	249	264	135	135	1	—	6	5	107	124	—	—	—	—	—	—	—	—
25 to 29 years	255	276	142	139	—	—	7	5	106	132	—	—	—	—	—	—	—	—
30 to 34 years	285	275	157	135	1	—	8	12	119	128	—	—	—	—	—	—	—	—
35 to 39 years	313	299	165	152	1	—	9	2	137	145	—	—	1	—	—	—	—	—
40 to 44 years	383	350	237	179	—	1	8	8	137	162	—	—	1	—	—	—	—	—
45 to 49 years	460	361	296	185	1	2	15	5	148	169	—	—	—	—	—	—	—	—
50 to 54 years	617	455	367	227	9	3	12	9	229	216	—	—	—	—	—	—	—	—
55 to 59 years	698	433	454	258	12	4	14	8	218	183	—	—	—	—	—	—	—	—
60 to 64 years	823	560	537	363	23	8	31	12	232	177	—	—	—	—	—	—	—	—
65 to 69 years	1,000	620	692	402	17	16	41	28	249	174	1	—	—	—	—	—	—	—
70 to 74 years	916	645	659	482	24	13	33	26	200	124	—	—	—	—	—	—	—	—
75 to 79 years	752	526	538	386	22	21	34	27	138	92	—	—	—	—	—	—	—	—
80 to 84 years	549	467	413	366	18	11	24	21	94	69	—	—	—	—	—	—	—	—
85 to 89 years	286	309	219	231	7	5	14	7	46	64	—	1	—	—	—	—	—	1
90 to 94 years	101	98	67	72	5	3	4	4	25	19	—	—	—	—	—	—	—	—
95 to 99 years	22	23	11	11	—	—	1	1	10	11	—	—	—	—	—	—	—	—
100 years and over	17	15	2	1	1	—	1	—	13	14	—	—	—	—	—	—	—	—
Not stated	107	89	26	23	—	1	50	20	31	45	—	—	—	—	—	—	—	—
CALIFORNIA, all ages	47,522	32,748	32,675	23,998	11,662	7,356	850	185	935	729	221	157	456	86	448	177	275	60
Under 1 year	2,535	1,876	2,390	1,757	—	—	—	1	62	44	31	20	3	14	35	21	14	19
1 to 4 years	539	387	503	357	2	1	1	—	12	11	7	8	6	3	6	5	2	2
5 to 9 years	294	207	278	187	1	1	—	—	3	8	6	3	1	2	5	2	—	4
10 to 14 years	274	184	252	163	5	6	1	—	6	3	2	7	1	3	5	2	2	—
15 to 19 years	584	385	518	332	17	12	2	2	17	11	8	10	12	5	9	11	1	2
20 to 24 years	804	535	688	442	40	40	9	8	33	19	4	6	10	3	18	16	2	1
25 to 29 years	904	654	723	524	70	62	13	5	35	39	6	6	14	5	13	12	30	1
30 to 34 years	1,096	683	831	545	129	76	18	4	47	45	16	4	12	3	5	3	38	3
35 to 39 years	1,431	915	1,007	655	241	183	27	9	50	40	9	7	25	4	15	14	57	3
40 to 44 years	2,036	1,124	1,423	833	407	199	49	6	70	61	8	8	32	1	19	12	28	6
45 to 49 years	2,747	1,537	1,905	1,121	631	318	50	3	81	58	8	4	36	5	14	25	24	3
50 to 54 years	3,734	1,921	2,429	1,360	984	440	108	15	85	76	14	7	45	8	50	10	19	5
55 to 59 years	4,477	2,171	2,849	1,539	1,261	532	121	13	89	52	15	9	35	5	87	17	20	4
60 to 64 years	5,155	2,800	3,413	1,966	1,385	731	115	16	79	59	7	7	44	6	72	12	20	3
65 to 69 years	5,386	3,465	3,575	2,464	1,479	901	109	17	98	61	16	8	49	7	52	6	8	1
70 to 74 years	5,213	4,060	3,408	2,865	1,572	1,098	76	27	64	52	19	7	39	5	29	5	6	1
75 to 79 years	4,656	3,865	2,913	2,674	1,578	1,114	58	21	55	36	13	11	30	4	9	4	—	1
80 to 84 years	3,296	3,272	2,118	2,354	1,073	860	42	15	23	31	10	9	25	3	4	—	1	—
85 to 89 years	1,659	1,781	1,037	1,245	552	507	19	10	13	11	10	7	26	—	1	—	1	1
90 to 94 years	541	712	345	485	176	213	4	5	5	5	5	4	6	—	—	—	—	—
95 to 99 years	113	170	56	116	45	46	2	1	3	6	3	1	4	—	—	—	—	—
100 years and over	27	33	8	12	10	14	—	—	4	1	3	6	1	—	—	—	1	—
Not stated	41	11	8	2	4	2	26	7	1	—	1	—	—	—	—	—	1	—
COLORADO, all ages	7,249	5,161	5,726	4,188	1,185	795	171	88	135	88	20	20	3	—	9	2	—	—
Under 1 year	733	533	722	524	—	—	—	1	6	2	2	6	1	—	2	—	—	—
1 to 4 years	141	117	138	112	—	—	—	—	2	3	1	2	—	—	—	—	—	—
5 to 9 years	87	48	83	46	—	—	—	1	3	—	1	1	—	—	—	—	—	—
10 to 14 years	85	49	80	48	1	—	—	—	1	1	3	—	—	—	—	—	—	—
15 to 19 years	145	89	139	83	1	3	1	2	2	1	—	—	—	—	2	—	—	—
20 to 24 years	147	113	138	103	1	2	2	1	4	5	2	2	—	—	—	—	—	—
25 to 29 years	141	125	130	113	4	2	3	4	3	5	1	1	—	—	—	—	—	—
30 to 34 years	163	128	150	119	5	5	3	—	4	2	1	2	—	—	—	—	—	—
35 to 39 years	180	160	157	135	13	12	5	7	3	5	2	1	—	—	—	—	—	—
40 to 44 years	257	179	201	160	33	12	7	2	16	5	—	—	—	—	—	—	—	—
45 to 49 years	304	192	250	166	42	17	4	2	8	6	—	—	—	—	—	1	—	—
50 to 54 years	426	215	322	162	82	42	14	3	6	7	1	—	—	—	1	1	—	—
55 to 59 years	546	303	408	234	107	58	14	5	14	5	2	1	1	—	—	—	—	—
60 to 64 years	642	406	460	315	140	67	27	9	10	12	1	3	—	—	4	—	—	—
65 to 69 years	698	504	528	393	145	90	15	13	10	7	—	1	—	—	—	—	—	—
70 to 74 years	812	566	600	421	178	127	19	9	14	9	—	—	1	—	—	—	—	—
75 to 79 years	757	572	538	421	199	143	10	3	10	5	—	—	—	—	—	—	—	—
80 to 84 years	562	486	402	369	133	109	15	5	11	3	1	—	—	—	—	—	—	—
85 to 89 years	284	265	198	189	78	67	6	5	2	4	—	—	—	—	—	—	—	—
90 to 94 years	96	94	70	59	19	32	—	2	5	1	2	—	—	—	—	—	—	—
95 to 99 years	16	18	12	11	4	7	—	—	—	—	—	—	—	—	—	—	—	—
100 years and over	1	5	—	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated	26	14	—	—	—	—	25	14	1	—	—	—	—	—	—	—	—	—
CONNECTICUT, all ages	9,683	8,203	5,656	5,067	3,701	2,887	86	41	229	206	4	1	3	—	1	—	3	1
Under 1 year	498	360	475	342	—	—	2	—	18	18	1	—	—	—	—	—	2	—
1 to 4 years	77	77	75	73	—	—	—	—	2	4	—	—	—	—	—	—	—	—
5 to 9 years	43	29	41	29	—	—	—	—	2	—	—	—	—	—	—	—	—	—
10 to 14 years	63	42	57	41	—	—	—	—	6	1	—	—	—	—	—	—	—	—
15 to 19 years	99	71	94	60	3	3	—	—	2	8	—	—	—	—	—	—	—	—
20 to 24 years	130	98	111	83	6	5	1	—	12	10	—	—	—	—	—	—	—	—
25 to 29 years	177	121	152	98	17	11	1	—	6	12	—	—	—	—	—	—	1	—
30 to 34 years	175	147	143	120	22	20	—	—	10	7	—	—	—	—	—	—	—	—
35 to 39 years	230	171	177	120	35	38	2	—	16	13	—	—	—	—	—	—	—	—
40 to 44 years	310	247	199	147	91	84	2	1	17	15	—	—	1	—	—	—	—	—
45 to 49 years	526	328	256	191	251	126	5	2	14	9	—	—	—	—	—	—	—	—
50 to 54 years	769	487	355	252	379	225	11	2	23	8	1	—	—	—	—	—	—	—
55 to 59 years	959	658	475	348	456	294	11	2	16	14	—	—	1	—	—	—	—	—
60 to 64 years	1,084	777	538	395	510	357	11	3	25	22	—	—	—	—	—	—	—	—
65 to 69 years	1,240	981	639	547	573	414	12	2	15	17	1	1	—	—	—	—	—	—
70 to 74 years	1,193	1,062	619	600	551	438	9	9	13	14	—	—	—	—	1	—	—	1
75 to 79 years	949	1,043	515	610	409	410	11	7	12	16	1	—	1	—	—	—	—	—
80 to 84 years	690	841	433	561	248	269	3	4	6	7	—	—	—	—	—	—	—	—
85 to 89 years	325	430	211	296	106	125	2	5	6	4	—	—	—	—	—	—	—	—
90 to 94 years	112	180	73	125	33	47	1	2	5	6	—	—	—	—	—	—	—	—
95 to 99 years	22	46	13	28	9	17	—	—	—	1	—	—	—	—	—	—	—	—
100 years and over	3	3	2	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Not stated	9	4	3	—	1	3	2	1	3	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
DELAWARE, all ages	1,735	1,526	1,177	1,058	187	159	15	9	356	300	—	—	—	—	—	—	—	—
Under 1 year	115	112	75	82	1	—	1	—	36	30	—	—	—	—	—	—	—	—
1 to 4 years	24	18	16	12	—	—	—	—	8	6	—	—	—	—	—	—	—	—
5 to 9 years	11	5	8	4	—	—	—	—	3	1	—	—	—	—	—	—	—	—
10 to 14 years	14	12	13	10	—	—	—	—	1	2	—	—	—	—	—	—	—	—
15 to 19 years	30	23	19	16	—	—	—	—	11	7	—	—	—	—	—	—	—	—
20 to 24 years	26	29	17	18	1	—	1	—	7	11	—	—	—	—	—	—	—	—
25 to 29 years	41	27	23	18	2	—	—	—	16	9	—	—	—	—	—	—	—	—
30 to 34 years	38	33	25	20	—	4	—	—	13	9	—	—	—	—	—	—	—	—
35 to 39 years	36	37	20	21	2	3	—	1	14	12	—	—	—	—	—	—	—	—
40 to 44 years	61	56	31	35	5	4	—	—	25	17	—	—	—	—	—	—	—	—
45 to 49 years	84	64	51	51	16	—	2	—	15	13	—	—	—	—	—	—	—	—
50 to 54 years	118	97	65	60	24	14	—	—	29	23	—	—	—	—	—	—	—	—
55 to 59 years	153	102	95	58	25	18	—	—	33	26	—	—	—	—	—	—	—	—
60 to 64 years	166	129	116	72	12	21	1	—	37	36	—	—	—	—	—	—	—	—
65 to 69 years	202	147	131	99	33	25	3	—	35	23	—	—	—	—	—	—	—	—
70 to 74 years	201	170	142	127	28	22	1	3	30	18	—	—	—	—	—	—	—	—
75 to 79 years	178	182	132	132	15	21	2	1	29	28	—	—	—	—	—	—	—	—
80 to 84 years	139	154	116	126	15	13	3	1	7	14	—	—	—	—	—	—	—	—
85 to 89 years	71	87	60	71	7	12	—	—	4	4	—	—	—	—	—	—	—	—
90 to 94 years	21	31	19	22	2	1	—	1	—	7	—	—	—	—	—	—	—	—
95 to 99 years	5	7	3	3	1	1	—	1	1	2	—	—	—	—	—	—	—	—
100 years and over	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Not stated	3	3	—	1	—	—	1	1	2	1	—	—	—	—	—	—	—	—
DISTRICT OF COLUMBIA, all ages	4,721	3,916	2,713	2,102	378	304	94	87	1,519	1,420	4	3	11	—	1	—	1	—
Under 1 year	419	300	237	148	—	—	4	5	176	147	—	—	2	—	—	—	—	—
1 to 4 years	59	39	30	17	—	—	2	1	27	21	—	—	—	—	—	—	—	—
5 to 9 years	32	27	16	11	—	—	2	2	14	14	—	—	—	—	—	—	—	—
10 to 14 years	23	25	10	12	—	—	—	1	13	12	—	—	—	—	—	—	—	—
15 to 19 years	54	41	28	13	1	—	1	—	24	28	—	—	—	—	—	—	—	—
20 to 24 years	88	84	46	24	—	—	—	—	42	59	—	1	—	—	—	—	—	—
25 to 29 years	125	127	61	52	2	3	1	1	60	71	—	—	1	—	—	—	—	—
30 to 34 years	167	128	84	57	1	—	1	—	79	71	—	—	1	—	—	—	1	—
35 to 39 years	212	151	101	62	6	8	2	1	103	79	—	1	—	—	—	—	—	—
40 to 44 years	297	214	168	86	14	8	4	1	108	118	—	1	3	—	—	—	—	—
45 to 49 years	378	216	214	104	23	16	6	5	134	91	1	—	—	—	—	—	—	—
50 to 54 years	425	250	227	101	34	21	7	4	155	124	1	—	1	—	—	—	—	—
55 to 59 years	390	259	210	131	45	19	7	2	126	107	1	—	—	—	1	—	—	—
60 to 64 years	506	317	306	174	52	36	12	5	136	102	—	—	—	—	—	—	—	—
65 to 69 years	470	413	278	236	42	45	14	11	135	121	—	—	1	—	—	—	—	—
70 to 74 years	393	420	251	273	55	47	9	9	77	91	—	—	1	—	—	—	—	—
75 to 79 years	317	336	211	228	52	33	4	12	50	63	—	—	—	—	—	—	—	—
80 to 84 years	220	312	147	210	30	35	12	17	31	50	—	—	—	—	—	—	—	—
85 to 89 years	97	166	66	111	12	24	3	7	14	24	1	—	1	—	—	—	—	—
90 to 94 years	39	67	19	40	8	8	2	3	10	16	—	—	—	—	—	—	—	—
95 to 99 years	6	17	2	11	1	1	—	—	3	5	—	—	—	—	—	—	—	—
100 years and over	1	6	—	1	—	—	—	—	1	5	—	—	—	—	—	—	—	—
Not stated	3	1	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
FLORIDA, all ages	13,723	9,203	7,892	5,102	1,162	658	307	124	4,350	3,311	8	7	—	1	—	—	4	—
Under 1 year	1,053	761	600	445	—	—	1	1	447	311	5	4	—	—	—	—	—	—
1 to 4 years	254	175	124	89	—	—	3	1	107	84	—	1	—	—	—	—	—	—
5 to 9 years	98	78	58	51	1	1	3	—	36	26	—	—	—	—	—	—	—	—
10 to 14 years	117	85	85	47	—	—	—	1	32	37	—	—	—	—	—	—	—	—
15 to 19 years	191	168	96	71	—	—	1	—	94	97	—	—	—	—	—	—	—	—
20 to 24 years	337	271	156	88	1	—	3	2	177	180	—	1	—	—	—	—	—	—
25 to 29 years	461	323	192	127	3	5	4	—	261	191	—	—	—	—	—	—	1	—
30 to 34 years	512	362	204	144	5	8	5	4	298	206	—	—	—	—	—	—	—	—
35 to 39 years	536	421	222	160	11	6	3	1	299	253	1	—	—	1	—	—	—	—
40 to 44 years	658	515	317	189	27	9	11	5	302	312	—	—	—	—	—	—	1	—
45 to 49 years	876	509	433	214	60	26	18	6	365	263	—	—	—	—	—	—	—	—
50 to 54 years	1,047	590	497	239	104	31	34	10	410	310	1	—	—	—	—	—	1	—
55 to 59 years	1,155	636	649	306	112	59	20	6	372	265	1	—	—	—	—	—	1	—
60 to 64 years	1,180	695	758	410	137	72	33	12	272	200	—	1	—	—	—	—	—	—
65 to 69 years	1,414	840	911	542	159	90	48	13	296	195	—	—	—	—	—	—	—	—
70 to 74 years	1,366	874	915	588	177	124	33	21	241	141	—	—	—	—	—	—	—	—
75 to 79 years	1,130	700	766	508	173	97	39	14	152	81	—	—	—	—	—	—	—	—
80 to 84 years	743	651	545	509	104	70	15	9	79	63	—	—	—	—	—	—	—	—
85 to 89 years	391	335	278	250	66	39	7	7	40	39	—	—	—	—	—	—	—	—
90 to 94 years	127	127	76	93	16	15	6	1	29	18	—	—	—	—	—	—	—	—
95 to 99 years	35	36	21	22	4	4	—	1	10	9	—	—	—	—	—	—	—	—
100 years and over	10	19	1	3	1	2	—	1	8	13	—	—	—	—	—	—	—	—
Not stated	52	32	8	7	1	—	20	8	23	17	—	—	—	—	—	—	—	—
GEORGIA, all ages	18,247	14,266	9,642	6,966	203	112	372	235	8,025	6,951	—	—	4	1	—	—	1	1
Under 1 year	2,202	1,559	1,089	778	—	—	1	2	1,112	779	—	—	—	—	—	—	—	—
1 to 4 years	475	365	227	185	1	—	1	2	246	177	—	—	—	1	—	—	—	—
5 to 9 years	199	154	107	85	1	—	1	—	90	69	—	—	—	—	—	—	—	—
10 to 14 years	209	135	115	61	—	—	2	1	92	73	—	—	—	—	—	—	—	—
15 to 19 years	432	384	202	124	1	—	7	2	222	258	—	—	—	—	—	—	—	—
20 to 24 years	584	522	232	160	1	—	8	2	343	360	—	—	—	—	—	—	—	—
25 to 29 years	657	583	205	179	—	—	11	4	441	400	—	—	—	—	—	—	—	—
30 to 34 years	741	627	281	204	—	—	4	9	456	414	—	—	—	—	—	—	—	—
35 to 39 years	777	698	319	242	2	1	16	9	440	446	—	—	—	—	—	—	—	—
40 to 44 years	904	802	367	242	9	2	19	10	509	548	—	—	—	—	—	—	—	—
45 to 49 years	1,132	788	529	267	12	2	25	15	566	504	—	—	—	—	—	—	—	—
50 to 54 years	1,423	957	642	332	18	11	39	8	722	606	—	—	2	—	—	—	—	—
55 to 59 years	1,354	952	746	408	26	6	29	16	551	522	—	—	1	—	—	—	1	—
60 to 64 years	1,473	969	902	523	23	10	39	18	508	418	—	—	1	—	—	—	—	—
65 to 69 years	1,629	1,151	1,020	670	27	14	46	25	536	422	—	—	—	—	—	—	—	—
70 to 74 years	1,393	1,062	923	713	35	19	40	22	395	308	—	—	—	—	—	—	—	—
75 to 79 years	1,046	945	890	688	24	17	31	27	301	212	—	—	—	—	—	—	—	1
80 to 84 years	901	808	636	605	14	16	24	26	227	159	—	—	—	—	—	—	—	—
85 to 89 years	439	472	307	328	4	12	10	16	118	116	—	—	—	—	—	—	—	—
90 to 94 years	153	216	84	132	3	—	3	4	63	80	—	—	—	—	—	—	—	—
95 to 99 years	41	56	14	25	—	—	—	2	27	29	—	—	—	—	—	—	—	—
100 years and over	35	36	1	6	1	—	2	—	31	30	—	—	—	—	—	—	—	—
Not stated	48	45	4	9	1	—	14	15	29	21	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
IDAHO, all ages	3,094	1,796	2,493	1,494	468	244	77	19	7	4	37	33	6	—	6	2	—	—
Under 1 year	298	197	283	189	—	—	—	1	—	—	15	7	—	—	—	—	—	—
1 to 4 years	65	47	63	44	—	—	—	1	—	—	2	2	—	—	—	—	—	—
5 to 9 years	41	20	40	19	—	—	—	—	—	—	1	1	—	—	—	—	—	—
10 to 14 years	48	31	46	29	1	—	—	1	—	—	1	1	—	—	—	—	—	—
15 to 19 years	77	34	74	32	—	—	—	1	—	—	2	1	—	—	1	—	—	—
20 to 24 years	83	44	81	41	2	1	—	—	—	—	—	2	—	—	—	—	—	—
25 to 29 years	59	43	55	39	2	1	2	—	—	—	—	3	—	—	—	—	—	—
30 to 34 years	64	52	59	48	2	2	2	1	—	—	1	1	—	—	—	—	—	—
35 to 39 years	84	54	75	51	4	—	3	1	—	1	2	1	—	—	—	—	—	—
40 to 44 years	102	49	90	49	10	—	2	—	—	—	—	—	—	—	—	—	—	—
45 to 49 years	161	80	126	69	26	6	5	1	1	2	2	2	—	—	1	—	—	—
50 to 54 years	174	80	133	68	35	10	3	2	1	—	—	—	—	—	2	—	—	—
55 to 59 years	241	107	180	87	48	17	8	1	1	—	2	2	1	—	1	—	—	—
60 to 64 years	270	121	216	105	38	14	11	—	2	—	3	1	—	—	—	1	—	—
65 to 69 years	278	174	217	140	47	31	11	1	—	—	—	2	2	—	1	—	—	—
70 to 74 years	304	176	213	136	73	37	12	2	2	—	4	1	—	—	—	—	—	—
75 to 79 years	323	199	238	149	77	45	5	3	—	—	1	1	2	—	—	1	—	—
80 to 84 years	256	148	187	102	62	44	5	1	—	1	1	—	1	—	—	—	—	—
85 to 89 years	107	90	80	64	25	25	2	—	—	—	—	1	—	—	—	—	—	—
90 to 94 years	45	39	31	26	12	7	2	2	—	—	—	4	—	—	—	—	—	—
95 to 99 years	9	10	6	7	3	3	—	—	—	—	—	—	—	—	—	—	—	—
100 years and over	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
ILLINOIS, all ages	49,550	38,681	31,291	25,381	13,891	10,286	905	297	3,382	2,709	2	3	67	3	3	—	9	2
Under 1 year	2,492	1,851	2,295	1,728	3	—	2	4	191	119	—	—	1	—	—	—	—	—
1 to 4 years	552	413	483	376	—	1	1	—	68	36	—	—	—	—	—	—	—	—
5 to 9 years	366	242	346	224	1	1	1	—	18	16	—	—	—	1	—	—	—	—
10 to 14 years	344	250	308	219	4	1	1	—	31	29	—	—	—	1	—	—	—	—
15 to 19 years	583	448	506	355	8	10	5	1	64	82	—	—	—	—	—	—	—	—
20 to 24 years	795	610	668	491	17	9	5	3	105	105	—	—	—	1	—	—	—	1
25 to 29 years	900	750	727	588	37	34	12	6	124	122	—	—	—	—	—	—	—	—
30 to 34 years	1,110	970	840	740	76	63	15	4	174	162	—	1	2	—	—	—	3	—
35 to 39 years	1,434	1,108	970	749	179	122	28	5	255	231	—	—	2	—	—	—	—	1
40 to 44 years	2,154	1,463	1,371	926	402	262	39	13	333	262	—	—	8	—	—	—	1	—
45 to 49 years	3,056	1,911	1,829	1,187	798	448	62	13	359	262	—	1	6	—	—	—	2	—
50 to 54 years	4,134	2,544	2,272	1,509	1,368	740	91	25	391	269	—	1	11	—	—	—	1	—
55 to 59 years	4,626	2,860	2,458	1,708	1,701	885	126	28	327	239	2	—	9	—	2	—	1	—
60 to 64 years	5,078	3,234	2,908	1,948	1,744	1,050	135	24	284	212	—	—	5	—	1	—	1	—
65 to 69 years	5,569	4,161	3,313	2,630	1,855	1,299	122	41	270	191	—	—	9	—	—	—	—	—
70 to 74 years	5,683	4,818	3,464	2,971	1,929	1,656	105	39	177	152	—	—	8	—	—	—	—	—
75 to 79 years	4,897	4,575	2,955	2,856	1,778	1,580	55	29	107	110	—	—	2	—	—	—	—	—
80 to 84 years	3,599	3,668	2,255	2,453	1,244	1,139	45	27	52	49	—	—	3	—	—	—	—	—
85 to 89 years	1,557	1,919	975	1,208	524	649	25	25	32	37	—	—	1	—	—	—	—	—
90 to 94 years	472	695	274	409	185	267	8	3	5	16	—	—	—	—	—	—	—	—
95 to 99 years	103	160	63	93	27	62	1	1	12	4	—	—	—	—	—	—	—	—
100 years and over	17	22	7	12	7	8	1	—	2	2	—	—	—	—	—	—	—	—
Not stated	29	9	4	1	4	—	20	6	1	2	—	—	—	—	—	—	—	—
INDIANA, all ages	22,023	18,379	19,009	16,223	1,769	1,105	243	114	1,000	937	—	—	2	—	—	—	—	—
Under 1 year	1,506	1,090	1,411	1,028	—	—	2	—	93	62	—	—	—	—	—	—	—	—
1 to 4 years	324	227	310	214	—	—	1	1	13	12	—	—	—	—	—	—	—	—
5 to 9 years	194	126	184	118	—	—	2	—	8	8	—	—	—	—	—	—	—	—
10 to 14 years	180	132	176	123	—	—	—	—	4	9	—	—	—	—	—	—	—	—
15 to 19 years	262	215	242	184	2	1	—	—	18	30	—	—	—	—	—	—	—	—
20 to 24 years	375	275	342	239	1	1	4	—	28	35	—	—	—	—	—	—	—	—
25 to 29 years	382	295	323	255	5	1	4	2	50	37	—	—	—	—	—	—	—	—
30 to 34 years	441	365	372	312	10	6	4	4	55	43	—	—	—	—	—	—	—	—
35 to 39 years	497	466	413	392	19	16	5	—	59	58	—	—	1	—	—	—	—	—
40 to 44 years	673	560	550	462	49	25	11	2	63	71	—	—	—	—	—	—	—	—
45 to 49 years	950	763	749	637	104	42	9	3	88	81	—	—	—	—	—	—	—	—
50 to 54 years	1,274	873	997	736	181	55	13	3	83	79	—	—	—	—	—	—	—	—
55 to 59 years	1,651	1,149	1,372	965	181	83	21	6	77	95	—	—	—	—	—	—	—	—
60 to 64 years	1,973	1,516	1,670	1,325	207	120	25	8	70	63	—	—	1	—	—	—	—	—
65 to 69 years	2,368	1,843	2,029	1,614	212	133	36	16	91	80	—	—	—	—	—	—	—	—
70 to 74 years	2,741	2,235	2,392	2,022	249	133	34	17	66	63	—	—	—	—	—	—	—	—
75 to 79 years	2,653	2,509	2,326	2,246	237	192	28	19	62	52	—	—	—	—	—	—	—	—
80 to 84 years	2,117	2,016	1,894	1,821	170	148	14	21	39	26	—	—	—	—	—	—	—	—
85 to 89 years	1,060	1,245	936	1,130	93	97	10	6	21	12	—	—	—	—	—	—	—	—
90 to 94 years	311	366	264	311	36	42	4	3	7	10	—	—	—	—	—	—	—	—
95 to 99 years	62	91	48	77	12	9	—	—	2	5	—	—	—	—	—	—	—	—
100 years and over	7	10	6	5	1	1	—	—	—	4	—	—	—	—	—	—	—	—
Not stated	22	12	3	7	—	—	16	3	3	2	—	—	—	—	—	—	—	—
IOWA, all ages	14,569	11,807	11,848	9,795	2,441	1,820	126	55	147	130	5	7	1	—	1	—	—	—
Under 1 year	957	713	940	701	1	1	2	—	14	10	—	1	—	—	—	—	—	—
1 to 4 years	207	153	205	132	—	—	—	1	2	—	—	—	—	—	—	—	—	—
5 to 9 years	125	81	125	79	—	—	—	—	—	2	—	—	—	—	—	—	—	—
10 to 14 years	124	93	119	93	2	—	—	—	2	—	1	—	—	—	—	—	—	—
15 to 19 years	185	98	183	94	—	1	—	—	1	3	1	—	—	—	—	—	—	—
20 to 24 years	207	137	199	131	3	2	2	—	2	2	—	2	—	—	1	—	—	—
25 to 29 years	214	178	209	173	3	1	—	—	2	3	—	1	—	—	—	—	—	—
30 to 34 years	186	210	177	200	1	5	2	—	5	4	1	1	—	—	—	—	—	—
35 to 39 years	291	225	277	211	9	7	1	1	4	6	—	—	—	—	—	—	—	—
40 to 44 years	355	280	314	264	30	11	5	1	6	4	—	—	—	—	—	—	—	—
45 to 49 years	482	407	423	376	50	20	6	—	3	11	—	—	—	—	—	—	—	—
50 to 54 years	728	518	630	476	75	30	11	3	12	8	—	1	—	—	—	—	—	—
55 to 59 years	1,001	689	851	595	122	70	9	5	17	18	1	1	1	—	—	—	—	—
60 to 64 years	1,217	839	1,029	718	163	103	7	7	18	11	—	—	—	—	—	—	—	—
65 to 69 years	1,581	1,154	1,308	952	244	186	10	4	19	12	—	—	—	—	—	—	—	—
70 to 74 years	1,956	1,599	1,493	1,301	428	276	18	10	17	12	—	—	—	—	—	—	—	—
75 to 79 years	1,911	1,637	1,407	1,253	478	371	17	8	9	5	—	—	—	—	—	—	—	—
80 to 84 years	1,618	1,517	1,179	1,163	418	341	16	6	5	7	—	—	—	—	—	—	—	—
85 to 89 years	864	840	576	592	276	238	9	4	2	6	1	—	—	—	—	—	—	—
90 to 94 years	295	361	169	242	115	116	5	1	6	2	—	—	—	—	—	—	—	—
95 to 99 years	51	83	28	43	23	36	—	—	—	4	—	—	—	—	—	—	—	—
100 years and over	7	10	7	6	—	4	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	7	5	—	—	—	1	6	4	1	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
KANSAS, all ages	10,523	8,099	8,756	6,713	1,084	819	126	60	539	500	18	7	—	—	—	—	—	—
Under 1 year	617	476	580	438	—	—	—	—	33	38	4	—	—	—	—	—	—	—
1 to 4 years	155	98	149	93	—	1	—	—	5	3	1	1	—	—	—	—	—	—
5 to 9 years	81	62	76	59	—	—	—	—	5	2	—	1	—	—	—	—	—	—
10 to 14 years	75	65	73	62	—	—	—	—	2	3	—	—	—	—	—	—	—	—
15 to 19 years	134	93	128	89	1	—	—	—	4	4	1	—	—	—	—	—	—	—
20 to 24 years	170	130	156	118	1	3	1	—	12	8	—	1	—	—	—	—	—	—
25 to 29 years	135	122	118	108	—	2	4	1	12	11	1	—	—	—	—	—	—	—
30 to 34 years	181	154	162	135	6	3	2	1	11	15	—	—	—	—	—	—	—	—
35 to 39 years	208	171	178	141	11	3	3	1	16	26	—	—	—	—	—	—	—	—
40 to 44 years	286	200	248	156	10	13	4	3	23	27	1	1	—	—	—	—	—	—
45 to 49 years	388	288	330	244	18	9	4	1	35	34	1	—	—	—	—	—	—	—
50 to 54 years	609	370	497	299	36	23	11	1	65	46	—	1	—	—	—	—	—	—
55 to 59 years	726	517	619	437	49	27	6	5	51	48	1	—	—	—	—	—	—	—
60 to 64 years	938	619	778	511	87	59	13	8	60	41	—	—	—	—	—	—	—	—
65 to 69 years	1,194	827	1,001	684	128	91	14	6	51	46	—	—	—	—	—	—	—	—
70 to 74 years	1,310	950	1,074	784	163	115	17	7	52	44	4	—	—	—	—	—	—	—
75 to 79 years	1,262	1,004	991	805	207	155	19	6	44	38	1	—	—	—	—	—	—	—
80 to 84 years	1,125	1,007	898	813	191	156	12	13	24	24	—	1	—	—	—	—	—	—
85 to 89 years	640	609	488	490	124	93	6	6	21	19	1	1	—	—	—	—	—	—
90 to 94 years	229	263	172	195	41	57	7	—	8	11	1	—	—	—	—	—	—	—
95 to 99 years	48	62	34	44	10	9	—	—	4	9	—	—	—	—	—	—	—	—
100 years and over	8	8	5	6	1	—	—	—	1	2	1	—	—	—	—	—	—	—
Not stated	4	4	1	2	—	—	3	1	—	1	—	—	—	—	—	—	—	—
KENTUCKY, all ages	16,456	13,277	13,994	11,220	296	260	92	42	2,073	1,755	1	—	—	—	—	—	—	—
Under 1 year	1,904	1,454	1,764	1,320	—	—	1	1	139	133	—	—	—	—	—	—	—	—
1 to 4 years	472	391	434	362	—	—	2	—	36	29	—	—	—	—	—	—	—	—
5 to 9 years	185	161	169	145	—	1	—	—	16	15	—	—	—	—	—	—	—	—
10 to 14 years	162	114	142	103	—	—	—	—	20	11	—	—	—	—	—	—	—	—
15 to 19 years	364	269	313	210	2	—	2	2	47	57	—	—	—	—	—	—	—	—
20 to 24 years	477	314	392	266	1	—	2	2	82	46	—	—	—	—	—	—	—	—
25 to 29 years	447	345	370	267	—	1	1	2	76	75	—	—	—	—	—	—	—	—
30 to 34 years	451	358	359	277	2	—	1	2	89	79	—	—	—	—	—	—	—	—
35 to 39 years	522	378	420	304	1	—	3	—	98	74	—	—	—	—	—	—	—	—
40 to 44 years	588	445	470	343	7	2	2	1	109	99	—	—	—	—	—	—	—	—
45 to 49 years	766	551	592	417	10	6	12	2	151	126	1	—	—	—	—	—	—	—
50 to 54 years	928	640	727	498	12	9	7	3	182	130	—	—	—	—	—	—	—	—
55 to 59 years	1,095	750	897	592	24	14	7	1	167	143	—	—	—	—	—	—	—	—
60 to 64 years	1,238	862	1,029	704	30	25	6	2	173	131	—	—	—	—	—	—	—	—
65 to 69 years	1,592	1,247	1,341	1,054	29	28	16	5	206	160	—	—	—	—	—	—	—	—
70 to 74 years	1,685	1,434	1,456	1,219	43	51	8	5	178	159	—	—	—	—	—	—	—	—
75 to 79 years	1,586	1,441	1,381	1,278	60	38	3	3	142	122	—	—	—	—	—	—	—	—
80 to 84 years	1,179	1,143	1,053	1,033	39	37	12	6	75	67	—	—	—	—	—	—	—	—
85 to 89 years	570	687	489	598	28	31	1	1	52	57	—	—	—	—	—	—	—	—
90 to 94 years	186	221	156	186	8	11	1	—	21	24	—	—	—	—	—	—	—	—
95 to 99 years	39	56	30	38	—	5	—	1	9	12	—	—	—	—	—	—	—	—
100 years and over	12	6	6	3	—	—	1	—	5	3	—	—	—	—	—	—	—	—
Not stated	8	10	4	3	—	1	4	3	—	3	—	—	—	—	—	—	—	—
LOUISIANA, all ages	14,339	11,309	7,281	5,433	536	328	209	88	6,290	5,451	7	9	12	—	1	—	3	—
Under 1 year	1,832	1,439	790	631	—	—	1	3	1,040	802	1	3	—	—	—	—	—	—
1 to 4 years	373	319	188	148	—	—	—	1	185	170	—	—	—	—	—	—	—	—
5 to 9 years	149	121	77	60	—	—	1	—	71	61	—	—	—	—	—	—	—	—
10 to 14 years	183	114	88	53	—	—	—	—	95	61	—	—	—	—	—	—	—	—
15 to 19 years	288	248	146	84	—	—	1	1	140	162	—	1	1	—	—	—	—	—
20 to 24 years	378	356	164	127	1	—	3	1	210	228	—	—	—	—	—	—	—	—
25 to 29 years	433	361	193	140	1	2	5	3	233	216	1	—	—	—	—	—	—	—
30 to 34 years	469	411	220	151	6	3	6	1	236	255	—	1	1	—	—	—	—	—
35 to 39 years	564	509	232	163	5	3	13	5	314	338	—	—	—	—	—	—	—	—
40 to 44 years	680	521	300	183	11	6	9	6	358	326	—	—	—	—	1	—	1	—
45 to 49 years	874	598	415	246	27	6	10	5	421	341	—	—	1	—	—	—	—	—
50 to 54 years	1,156	746	557	311	45	16	21	1	533	418	—	—	—	—	—	—	—	—
55 to 59 years	1,211	771	656	328	65	25	19	5	469	412	—	1	1	—	—	—	1	—
60 to 64 years	1,209	816	687	431	75	29	25	7	418	349	1	—	2	—	—	—	1	—
65 to 69 years	1,379	981	765	539	79	43	37	10	495	386	2	3	1	—	—	—	—	—
70 to 74 years	1,180	986	678	593	75	66	17	8	407	319	1	—	2	—	—	—	—	—
75 to 79 years	804	721	481	465	62	41	15	11	246	204	—	—	—	—	—	—	—	—
80 to 84 years	605	611	371	415	54	33	15	9	165	154	—	—	—	—	—	—	—	—
85 to 89 years	329	391	197	256	17	34	4	6	109	95	—	—	2	—	—	—	—	—
90 to 94 years	138	160	58	78	11	16	2	4	67	62	—	—	—	—	—	—	—	—
95 to 99 years	52	69	13	22	2	4	2	1	35	42	—	—	—	—	—	—	—	—
100 years and over	32	49	3	7	—	1	—	—	28	41	1	—	—	—	—	—	—	—
Not stated	21	11	2	2	—	—	3	—	15	9	—	—	1	—	—	—	—	—
MAINE, all ages	5,777	4,803	4,678	3,909	1,050	874	33	11	12	6	4	3	—	—	—	—	—	—
Under 1 year	487	322	486	322	1	—	—	—	—	—	—	—	—	—	—	—	—	—
1 to 4 years	79	66	78	64	—	1	—	—	—	—	1	1	—	—	—	—	—	—
5 to 9 years	66	51	66	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 to 14 years	41	34	40	33	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	76	53	69	51	4	2	1	—	1	—	1	—	—	—	—	—	—	—
20 to 24 years	70	66	62	63	8	3	—	—	—	—	—	—	—	—	—	—	—	—
25 to 29 years	77	61	71	57	5	4	—	—	—	—	1	—	—	—	—	—	—	—
30 to 34 years	94	84	82	77	12	7	—	—	—	—	—	—	—	—	—	—	—	—
35 to 39 years	112	88	95	77	17	11	—	—	—	—	—	—	—	—	—	—	—	—
40 to 44 years	104	103	84	82	17	21	1	—	2	—	—	—	—	—	—	—	—	—
45 to 49 years	175	158	143	130	31	28	1	—	—	—	—	—	—	—	—	—	—	—
50 to 54 years	322	166	239	116	80	49	2	—	1	—	—	1	—	—	—	—	—	—
55 to 59 years	402	266	296	194	103	71	3	1	—	—	—	—	—	—	—	—	—	—
60 to 64 years	524	369	393	281	124	87	6	—	1	1	—	—	—	—	—	—	—	—
65 to 69 years	635	532	495	391	134	139	5	1	1	1	—	—	—	—	—	—	—	—
70 to 74 years	790	605	600	482	185	121	3	1	2	—	—	1	—	—	—	—	—	—
75 to 79 years	721	654	564	490	154	159	2	4	1	1	—	—	—	—	—	—	—	—
80 to 84 years	580	596	464	490	110	100	5	3	1	3	—	—	—	—	—	—	—	—
85 to 89 years	287	365	245	319	39	45	2	1	1	—	—	—	—	—	—	—	—	—
90 to 94 years	115	145	91	125	23	20	—	—	1	—	—	—	—	—	—	—	—	—
95 to 99 years	15	33	13	28	1	5	—	—	—	—	1	—	—	—	—	—	—	—
100 years and over	3	6	2	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
MARYLAND, all ages	12,128	9,979	8,027	6,638	1,220	993	165	68	2,705	2,277	—	1	5	1	2	1	4	—
Under 1 year	854	645	576	410	—	—	5	8	273	226	—	—	—	—	—	1	—	—
1 to 4 years	155	132	96	88	—	—	1	1	58	43	—	—	—	—	—	—	—	—
5 to 9 years	88	59	60	32	—	—	—	—	28	27	—	—	—	—	—	—	—	—
10 to 14 years	95	66	72	34	1	1	1	1	21	30	—	—	—	—	—	—	—	—
15 to 19 years	192	163	106	68	2	—	1	1	83	94	—	—	—	—	—	—	—	—
20 to 24 years	299	207	178	109	5	1	1	—	113	97	—	—	—	—	1	—	1	—
25 to 29 years	278	255	154	122	3	4	3	1	118	108	—	—	—	—	—	—	—	—
30 to 34 years	351	234	185	117	7	10	4	2	155	105	—	—	1	—	1	—	—	—
35 to 39 years	423	290	255	159	12	9	3	—	153	122	—	—	—	—	—	—	—	—
40 to 44 years	569	322	309	175	41	16	9	2	210	129	—	—	—	—	—	—	—	—
45 to 49 years	730	465	428	254	70	38	14	4	215	169	—	—	1	—	—	—	2	—
50 to 54 years	920	644	567	364	108	57	16	3	229	219	—	1	—	—	—	—	—	—
55 to 59 years	1,068	708	659	426	147	83	21	5	240	193	—	—	1	1	—	—	—	—
60 to 64 years	1,200	874	806	601	189	107	14	6	190	160	—	—	1	—	—	—	—	—
65 to 69 years	1,523	1,043	909	723	189	144	18	3	207	173	—	—	—	—	—	—	—	—
70 to 74 years	1,250	1,174	906	847	152	175	15	5	176	147	—	—	1	—	—	—	—	—
75 to 79 years	1,092	1,050	827	817	139	123	14	6	112	104	—	—	—	—	—	—	—	—
80 to 84 years	751	937	587	747	85	122	15	9	63	59	—	—	—	—	—	—	1	—
85 to 89 years	345	493	260	379	52	72	3	5	30	37	—	—	—	—	—	—	—	—
90 to 94 years	96	176	67	131	17	20	1	3	11	22	—	—	—	—	—	—	—	—
95 to 99 years	28	42	16	29	1	10	—	—	11	3	—	—	—	—	—	—	—	—
100 years and over	3	10	1	3	—	1	—	—	2	6	—	—	—	—	—	—	—	—
Not stated	18	10	3	3	—	—	6	3	9	4	—	—	—	—	—	—	—	—
MASSACHUSETTS, all ages	26,484	24,672	15,725	14,462	10,097	9,729	164	124	435	349	10	1	49	6	1	—	3	1
Under 1 year	1,414	1,064	1,373	1,026	—	—	2	3	37	34	1	—	1	1	—	—	—	—
1 to 4 years	269	210	260	206	—	1	1	1	7	2	—	—	1	—	—	—	—	—
5 to 9 years	156	99	152	99	—	—	1	—	3	—	—	—	—	—	—	—	—	—
10 to 14 years	172	111	165	105	4	3	—	—	3	3	—	—	—	—	—	—	—	—
15 to 19 years	267	183	245	162	12	13	—	—	7	8	—	—	3	—	—	—	—	—
20 to 24 years	286	239	258	226	10	9	2	—	16	4	—	—	—	—	—	—	—	—
25 to 29 years	341	304	311	263	20	28	3	4	7	8	—	—	—	1	—	—	—	—
30 to 34 years	414	349	331	271	63	67	2	1	15	10	1	—	1	—	—	—	1	—
35 to 39 years	573	459	460	345	83	102	6	—	23	11	—	—	1	1	—	—	—	—
40 to 44 years	922	717	659	449	235	239	4	6	18	21	—	—	6	2	—	—	—	—
45 to 49 years	1,407	1,009	844	617	521	364	13	2	25	25	—	—	4	1	—	—	—	—
50 to 54 years	1,901	1,294	1,013	670	825	583	11	2	44	39	1	—	6	—	—	—	1	—
55 to 59 years	2,325	1,629	1,140	833	1,123	766	7	5	44	25	2	—	7	—	1	—	1	—
60 to 64 years	2,898	2,305	1,500	1,084	1,329	1,176	26	8	35	37	1	—	7	—	—	—	—	—
65 to 69 years	3,429	3,009	1,773	1,499	1,590	1,460	15	18	48	32	—	—	3	—	—	—	—	—
70 to 74 years	3,496	3,467	1,769	1,736	1,646	1,673	21	22	53	35	1	1	6	—	—	—	—	—
75 to 79 years	2,861	3,198	1,499	1,740	1,333	1,423	6	15	19	20	2	—	2	—	—	—	—	—
80 to 84 years	1,989	2,727	1,151	1,703	808	991	14	18	16	14	—	—	—	—	—	—	—	1
85 to 89 years	924	1,474	566	918	341	543	7	5	8	8	1	—	1	—	—	—	—	—
90 to 94 years	283	611	176	379	104	223	1	2	2	7	—	—	—	—	—	—	—	—
95 to 99 years	65	142	41	96	19	43	—	2	5	1	—	—	—	—	—	—	—	—
100 years and over	6	28	4	17	2	6	—	—	—	5	—	—	—	—	—	—	—	—
Not stated	86	44	35	18	29	16	22	10	—	—	—	—	—	—	—	—	—	—
MICHIGAN, all ages	29,430	22,678	19,355	15,132	8,112	6,169	457	147	1,434	1,181	56	40	10	1	1	—	5	8
Under 1 year	2,371	1,662	2,237	1,554	3	—	2	3	124	92	5	12	—	—	—	—	—	1
1 to 4 years	413	347	381	319	2	2	2	1	25	20	2	3	—	—	—	—	1	2
5 to 9 years	244	172	234	165	—	1	—	—	9	4	1	1	—	—	—	—	—	1
10 to 14 years	260	191	243	170	2	2	1	—	11	19	2	—	1	—	—	—	—	—
15 to 19 years	452	268	406	221	15	5	4	—	27	40	—	1	—	—	—	—	—	1
20 to 24 years	497	420	423	342	22	15	5	2	42	56	4	3	1	1	—	—	—	1
25 to 29 years	550	424	445	336	34	27	2	2	68	55	1	4	—	—	—	—	—	—
30 to 34 years	625	501	487	359	52	57	7	4	77	81	1	—	1	—	—	—	—	—
35 to 39 years	821	648	583	435	124	105	12	3	100	104	2	1	—	—	—	—	—	—
40 to 44 years	1,152	858	745	530	238	196	19	5	144	124	4	3	1	—	—	—	1	—
45 to 49 years	1,645	1,048	975	647	466	263	32	12	161	124	7	1	4	—	—	—	—	1
50 to 54 years	2,210	1,343	1,225	871	764	385	46	4	170	81	4	2	—	—	1	—	—	—
55 to 59 years	2,484	1,637	1,490	1,043	832	479	40	12	117	101	5	2	—	—	—	—	—	—
60 to 64 years	2,719	1,820	1,600	1,173	969	573	53	11	93	61	3	2	1	—	—	—	—	—
65 to 69 years	3,026	2,296	1,912	1,453	960	755	59	17	93	69	1	2	—	—	—	—	1	—
70 to 74 years	3,166	2,580	1,976	1,624	1,058	879	60	20	64	55	6	1	1	—	—	—	1	1
75 to 79 years	2,950	2,609	1,748	1,563	1,090	974	45	20	61	50	6	2	—	—	—	—	—	—
80 to 84 years	2,319	2,115	1,398	1,320	865	759	30	13	26	23	—	—	—	—	—	—	—	—
85 to 89 years	1,098	1,159	618	693	451	446	17	8	11	12	1	—	—	—	—	—	—	—
90 to 94 years	333	462	183	257	137	196	6	5	6	4	—	—	—	—	—	—	1	—
95 to 99 years	63	99	40	52	19	42	3	1	1	4	—	—	—	—	—	—	—	—
100 years and over	9	7	1	—	6	6	—	—	2	1	—	—	—	—	—	—	—	—
Not stated	23	12	5	5	3	2	12	4	2	1	1	—	—	—	—	—	—	—
MINNESOTA, all ages	15,522	11,292	9,524	7,034	5,705	4,065	93	37	92	69	96	87	9	—	2	—	1	—
Under 1 year	1,033	736	1,000	716	1	—	2	3	4	—	26	17	—	—	—	—	—	—
1 to 4 years	196	160	187	156	—	—	—	—	1	—	8	4	—	—	—	—	—	—
5 to 9 years	126	88	119	81	2	—	1	—	—	—	4	7	—	—	—	—	—	—
10 to 14 years	107	81	102	78	1	—	—	—	2	—	2	3	—	—	—	—	—	—
15 to 19 years	202	134	189	127	6	2	—	—	1	2	6	3	—	—	—	—	—	—
20 to 24 years	262	156	252	126	3	2	2	—	2	—	1	8	1	—	1	—	—	—
25 to 29 years	232	174	217	167	9	3	—	—	1	3	4	1	—	—	—	—	1	—
30 to 34 years	258	251	239	212	8	14	—	—	6	3	4	2	1	—	—	—	—	—
35 to 39 years	342	245	295	224	39	16	1	1	1	2	6	2	—	—	—	—	—	—
40 to 44 years	449	336	387	303	47	26	2	2	7	3	4	2	2	—	—	—	—	—
45 to 49 years	664	430	526	370	127	52	4	2	5	5	2	1	—	—	—	—	—	—
50 to 54 years	864	584	699	461	244	112	12	4	6	5	2	2	1	—	—	—	—	—
55 to 59 years	1,156	687	758	467	360	205	21	1	13	11	3	3	1	—	—	—	—	—
60 to 64 years	1,396	863	833	541	529	309	15	2	12	11	5	—	1	—	1	—	—	—
65 to 69 years	1,628	1,114	947	665	654	439	11	—	11	5	4	5	1	—	—	—	—	—
70 to 74 years	1,891	1,373	936	696	932	662	9	6	9	3	4	6	1	—	—	—	—	—
75 to 79 years	2,016	1,530	859	710	1,140	799	6	3	4	8	7	10	—	—	—	—	—	—
80 to 84 years	1,577	1,308	649	546	920	749	3	7	4	4	1	2	—	—	—	—	—	—
85 to 89 years	751	751	251	287	497	454	—	4	2	2	1	4	—	—	—	—	—	—
90 to 94 years	224	254	65	80	156	167	1	—	1	2	1	5	—	—	—	—	—	—
95 to 99 years	41	65	14	19	26	46	—	—	—	—	1	—	—	—	—	—	—	—
100 years and over	2	8	—	1	2	7	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	5	4	—	1	2	1	3	2	—	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
MISSISSIPPI, all ages	12,495	10,659	5,214	4,015	101	40	142	88	7,013	6,506	17	10	8	—	—	—	—	—
Under 1 year	1,595	1,259	605	463	—	—	2	2	984	792	3	2	1	—	—	—	—	—
1 to 4 years	433	401	160	162	—	—	1	2	270	234	2	3	—	—	—	—	—	—
5 to 9 years	146	132	60	55	—	—	—	1	85	76	—	—	1	—	—	—	—	—
10 to 14 years	158	131	58	49	—	—	2	—	98	81	—	1	—	—	—	—	—	—
15 to 19 years	298	325	100	69	—	1	1	2	196	252	1	1	—	—	—	—	—	—
20 to 24 years	435	405	120	68	—	—	3	3	311	333	1	1	—	—	—	—	—	—
25 to 29 years	435	392	120	80	2	—	5	3	307	309	—	—	1	—	—	—	—	—
30 to 34 years	400	449	118	113	1	—	4	—	277	336	—	—	—	—	—	—	—	—
35 to 39 years	457	448	144	83	3	1	2	2	306	362	1	—	1	—	—	—	—	—
40 to 44 years	461	499	164	126	1	1	5	1	288	370	2	1	1	—	—	—	—	—
45 to 49 years	581	536	243	149	4	—	4	3	330	384	—	—	—	—	—	—	—	—
50 to 54 years	769	622	266	172	6	3	7	7	489	440	—	—	1	—	—	—	—	—
55 to 59 years	912	640	411	228	12	3	9	1	478	408	1	—	1	—	—	—	—	—
60 to 64 years	968	728	438	273	12	4	9	4	507	447	1	—	1	—	—	—	—	—
65 to 69 years	1,220	842	589	390	15	8	27	6	588	438	1	—	—	—	—	—	—	—
70 to 74 years	1,025	846	477	445	10	3	18	13	520	387	—	—	—	—	—	—	—	—
75 to 79 years	785	652	398	360	10	9	10	8	365	275	—	—	—	—	—	—	—	—
80 to 84 years	675	578	403	382	12	3	14	15	245	178	1	—	—	—	—	—	—	—
85 to 89 years	432	427	244	240	6	1	7	7	175	179	—	—	—	—	—	—	—	—
90 to 94 years	181	167	79	74	4	3	3	1	95	89	2	—	—	—	—	—	—	—
95 to 99 years	55	75	9	27	—	—	—	2	44	45	—	1	—	—	—	—	—	—
100 years and over	30	69	1	5	—	—	—	—	28	64	1	—	—	—	—	—	—	—
Not stated	48	36	7	4	3	—	9	5	29	27	—	—	—	—	—	—	—	—
MISSOURI, all ages	24,362	19,384	19,572	15,688	2,089	1,555	461	189	2,222	1,950	8	1	8	1	1	—	1	—
Under 1 year	1,688	1,227	1,494	1,089	—	—	2	1	188	137	2	—	—	—	—	—	—	—
1 to 4 years	406	336	372	290	—	—	2	—	32	46	—	—	—	—	—	—	—	—
5 to 9 years	152	125	142	111	—	—	—	2	10	12	—	—	—	—	—	—	—	—
10 to 14 years	191	126	167	118	—	—	—	—	24	8	—	—	—	—	—	—	—	—
15 to 19 years	279	243	243	195	1	—	1	1	34	47	—	—	—	—	—	—	—	—
20 to 24 years	380	293	312	236	2	3	4	—	61	54	1	—	—	—	—	—	—	—
25 to 29 years	425	348	337	277	6	5	2	1	80	64	—	1	—	—	—	—	—	—
30 to 34 years	482	426	388	335	4	5	8	1	81	85	1	—	—	—	—	—	—	—
35 to 39 years	619	516	460	385	18	15	13	3	126	113	1	—	1	—	—	—	—	—
40 to 44 years	764	697	552	493	34	22	8	2	170	179	—	—	—	1	—	—	—	—
45 to 49 years	1,134	827	862	626	66	42	23	9	183	150	—	—	—	—	—	—	—	—
50 to 54 years	1,539	1,036	1,149	779	123	59	36	8	228	190	—	—	2	—	1	—	—	—
55 to 59 years	1,892	1,301	1,473	992	169	118	39	7	210	184	—	—	1	—	—	—	—	—
60 to 64 years	2,185	1,556	1,743	1,231	208	152	47	15	185	158	—	—	2	—	—	—	—	—
65 to 69 years	2,709	1,948	2,182	1,625	283	170	58	18	183	135	1	—	1	—	—	—	1	—
70 to 74 years	3,084	2,293	2,493	1,901	332	223	81	37	177	132	1	—	—	—	—	—	—	—
75 to 79 years	2,826	2,398	2,250	1,991	371	255	66	34	138	118	—	—	1	—	—	—	—	—
80 to 84 years	2,106	1,992	1,749	1,656	261	241	38	26	57	69	1	—	—	—	—	—	—	—
85 to 89 years	1,057	1,152	868	954	137	152	25	11	27	35	—	—	—	—	—	—	—	—
90 to 94 years	556	413	274	316	63	74	4	11	15	12	—	—	—	—	—	—	—	—
95 to 99 years	74	98	54	68	9	16	2	1	9	13	—	—	—	—	—	—	—	—
100 years and over	11	31	7	20	2	3	—	1	2	7	—	—	—	—	—	—	—	—
Not stated	5	2	1	—	—	—	2	—	2	2	—	—	—	—	—	—	—	—
MONTANA, all ages	3,591	2,157	2,356	1,461	977	518	95	8	12	7	141	141	6	2	2	—	2	—
Under 1 year	308	223	263	191	—	—	—	1	1	1	42	30	1	—	—	—	1	—
1 to 4 years	59	77	45	52	—	—	—	—	—	—	14	25	—	—	—	—	—	—
5 to 9 years	30	28	26	24	—	1	—	—	—	—	4	3	—	—	—	—	—	—
10 to 14 years	45	27	40	20	—	2	—	—	—	—	5	5	—	—	—	—	—	—
15 to 19 years	61	34	57	26	—	1	1	—	—	—	3	7	—	—	—	—	—	—
20 to 24 years	88	46	79	41	2	2	3	—	—	—	4	3	—	—	—	—	—	—
25 to 29 years	62	45	52	38	3	2	1	—	—	—	6	5	—	—	—	—	—	—
30 to 34 years	71	61	61	53	4	2	1	1	—	—	5	5	—	—	—	—	—	—
35 to 39 years	90	56	70	43	9	5	5	1	—	—	6	7	—	—	—	—	—	—
40 to 44 years	97	61	75	45	15	6	4	2	—	—	3	8	—	—	—	—	—	—
45 to 49 years	152	101	111	80	29	18	9	—	—	1	2	2	1	—	—	—	—	—
50 to 54 years	269	145	168	94	86	43	11	1	3	2	1	4	—	1	—	—	—	—
55 to 59 years	328	129	203	83	106	38	10	—	1	—	8	8	—	—	—	—	—	—
60 to 64 years	381	189	218	128	138	56	15	1	—	1	9	3	—	—	1	—	—	—
65 to 69 years	393	210	220	137	150	67	10	—	1	—	8	5	2	1	1	—	1	—
70 to 74 years	374	195	234	120	128	68	4	—	2	1	6	6	—	—	—	—	—	—
75 to 79 years	379	220	207	118	155	97	4	—	2	—	10	5	1	—	—	—	—	—
80 to 84 years	235	160	134	96	88	61	9	—	—	—	3	3	1	—	—	—	—	—
85 to 89 years	116	89	68	53	42	32	3	—	2	1	1	3	—	—	—	—	—	—
90 to 94 years	33	33	21	17	12	13	—	—	—	—	—	3	—	—	—	—	—	—
95 to 99 years	15	6	4	2	10	4	1	—	—	—	—	—	—	—	—	—	—	—
100 years and over	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Not stated	4	1	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—
NEBRASKA, all ages	7,210	5,382	5,286	3,957	1,644	1,264	142	62	101	91	35	28	1	—	1	—	—	—
Under 1 year	460	332	436	315	—	—	—	3	9	8	15	6	—	—	—	—	—	—
1 to 4 years	99	82	95	74	—	—	1	1	1	3	2	4	—	—	—	—	—	—
5 to 9 years	69	43	67	41	—	—	1	2	1	—	—	—	—	—	—	—	—	—
10 to 14 years	52	46	51	43	—	—	—	1	—	—	1	2	—	—	—	—	—	—
15 to 19 years	107	63	96	59	2	—	5	—	2	2	2	2	—	—	—	—	—	—
20 to 24 years	90	83	82	79	1	—	2	1	4	2	1	1	—	—	—	—	—	—
25 to 29 years	104	104	94	94	3	2	1	1	4	4	2	3	—	—	—	—	—	—
30 to 34 years	110	93	98	89	6	2	2	—	3	1	1	1	—	—	—	—	—	—
35 to 39 years	157	125	132	110	15	6	4	1	8	6	—	2	—	—	—	—	—	—
40 to 44 years	183	147	160	134	16	6	3	1	3	5	1	1	—	—	—	—	—	—
45 to 49 years	262	200	229	170	22	19	7	3	4	6	—	2	—	—	—	—	—	—
50 to 54 years	401	268	325	217	56	34	9	4	10	13	1	—	—	—	—	—	—	—
55 to 59 years	522	311	408	257	87	42	14	3	12	9	1	—	—	—	—	—	—	—
60 to 64 years	622	393	462	293	127	93	16	3	13	4	3	—	—	—	1	—	—	—
65 to 69 years	754	514	549	365	180	130	15	8	8	11	2	—	—	—	—	—	—	—
70 to 74 years	904	632	598	404	287	209	14	11	5	7	—	1	—	—	—	—	—	—
75 to 79 years	926	708	574	450	323	251	20	3	8	3	1	1	—	—	—	—	—	—
80 to 84 years	782	618	486	375	282	233	11	4	2	4	—	2	1	—	—	—	—	—
85 to 89 years	408	407	246	255	157	147	3	5	2	2	—	—	—	—	—	—	—	—
90 to 94 years	149	173	74	96	70	72	1	4	2	1	2	—	—	—	—	—	—	—
95 to 99 years	32	28	20	12	11	16	1	—	—	—	—	—	—	—	—	—	—	—
100 years and over	2	8	2	5	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Not stated	15	4	2	2	1	—	12	2	—	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
NEVADA, all ages	973	431	629	284	191	75	70	4	13	12	55	56	13	—	2	—	—	—
Under 1 year	60	47	51	40	—	—	—	—	1	—	7	7	1	—	—	—	—	—
1 to 4 years	7	15	7	11	—	—	—	—	—	—	—	4	—	—	—	—	—	—
5 to 9 years	8	4	7	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10 to 14 years	6	4	4	1	—	—	—	—	—	—	2	3	—	—	—	—	—	—
15 to 19 years	22	9	16	7	1	—	1	—	—	—	4	2	—	—	—	—	—	—
20 to 24 years	23	8	20	5	1	1	—	—	—	—	1	2	1	—	—	—	—	—
25 to 29 years	25	19	19	15	2	1	1	—	—	—	2	3	1	—	—	—	—	—
30 to 34 years	25	20	20	16	2	1	1	—	—	—	2	3	—	—	—	—	—	—
35 to 39 years	35	25	19	15	3	1	5	1	—	2	8	6	—	—	—	—	—	—
40 to 44 years	43	22	29	17	9	3	3	—	2	1	—	1	—	—	—	—	—	—
45 to 49 years	59	24	39	13	8	7	7	1	3	—	2	3	—	—	—	—	—	—
50 to 54 years	91	25	49	16	29	5	4	1	2	2	4	1	1	—	2	—	—	—
55 to 59 years	108	16	57	12	35	1	12	—	1	1	3	2	—	—	—	—	—	—
60 to 64 years	93	34	61	19	20	8	7	—	2	3	—	4	3	—	—	—	—	—
65 to 69 years	107	30	79	21	19	7	6	—	1	—	1	2	1	—	—	—	—	—
70 to 74 years	84	45	46	27	24	11	8	—	—	1	5	6	1	—	—	—	—	—
75 to 79 years	84	30	49	18	20	9	7	—	1	1	7	2	—	—	—	—	—	—
80 to 84 years	63	25	41	11	14	12	7	—	—	—	—	2	1	—	—	—	—	—
85 to 89 years	18	17	11	11	3	5	—	—	—	1	3	—	1	—	—	—	—	—
90 to 94 years	7	6	4	3	1	3	—	—	—	—	1	—	1	—	—	—	—	—
95 to 99 years	2	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
100 years and over	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Not stated	1	4	—	1	—	—	1	1	—	—	—	2	—	—	—	—	—	—
NEW HAMPSHIRE, all ages	3,436	2,819	2,441	2,056	917	731	70	28	6	3	—	—	2	1	—	—	—	—
Under 1 year	186	154	183	152	—	—	3	1	—	1	—	—	—	—	—	—	—	—
1 to 4 years	46	28	43	28	1	—	2	—	—	—	—	—	—	—	—	—	—	—
5 to 9 years	18	14	18	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 to 14 years	21	14	19	14	1	—	1	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	38	19	35	18	3	1	—	—	—	—	—	—	—	—	—	—	—	—
20 to 24 years	52	28	51	27	1	1	—	—	—	—	—	—	—	—	—	—	—	—
25 to 29 years	44	30	41	25	2	4	1	—	—	1	—	—	—	—	—	—	—	—
30 to 34 years	41	29	35	26	5	3	—	—	—	—	—	—	1	—	—	—	—	—
35 to 39 years	74	54	58	49	14	5	1	—	1	—	—	—	—	—	—	—	—	—
40 to 44 years	95	64	71	42	19	22	2	—	2	—	—	—	1	—	—	—	—	—
45 to 49 years	110	102	77	69	29	31	3	1	1	—	—	—	—	1	—	—	—	—
50 to 54 years	196	135	127	94	66	36	3	5	—	—	—	—	—	—	—	—	—	—
55 to 59 years	282	164	178	106	97	58	7	—	—	—	—	—	—	—	—	—	—	—
60 to 64 years	355	219	243	153	104	65	8	—	—	1	—	—	—	—	—	—	—	—
65 to 69 years	387	306	264	205	113	100	8	1	2	—	—	—	—	—	—	—	—	—
70 to 74 years	473	372	305	238	161	129	7	5	—	—	—	—	—	—	—	—	—	—
75 to 79 years	463	395	304	279	149	108	10	8	—	—	—	—	—	—	—	—	—	—
80 to 84 years	327	362	237	273	88	87	2	2	—	—	—	—	—	—	—	—	—	—
85 to 89 years	148	200	103	146	40	54	5	—	—	—	—	—	—	—	—	—	—	—
90 to 94 years	59	96	40	74	18	19	1	3	—	—	—	—	—	—	—	—	—	—
95 to 99 years	11	24	7	19	3	4	1	1	—	—	—	—	—	—	—	—	—	—
100 years and over	3	3	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	7	7	2	2	—	4	5	1	—	—	—	—	—	—	—	—	—	—
NEW JERSEY, all ages	24,214	20,872	14,261	12,632	8,020	6,531	205	54	1,717	1,652	2	—	7	3	1	—	1	—
Under 1 year	1,183	903	1,021	746	1	—	4	1	157	153	—	—	—	3	—	—	—	—
1 to 4 years	232	175	196	141	1	1	—	—	35	33	—	—	—	—	—	—	—	—
5 to 9 years	150	110	129	91	1	3	—	—	20	16	—	—	—	—	—	—	—	—
10 to 14 years	156	135	141	109	2	2	—	—	13	24	—	—	—	—	—	—	—	—
15 to 19 years	266	215	227	165	6	5	1	—	32	45	—	—	—	—	—	—	—	—
20 to 24 years	359	274	289	216	14	4	3	1	53	53	—	—	—	—	—	—	—	—
25 to 29 years	389	371	313	273	25	24	1	1	50	73	—	—	—	—	—	—	—	—
30 to 34 years	538	439	398	296	56	55	1	1	83	87	—	—	—	—	—	—	—	—
35 to 39 years	674	549	445	360	115	85	9	—	105	106	1	—	—	—	—	—	—	—
40 to 44 years	993	771	604	458	243	168	7	2	138	143	1	—	—	—	—	—	—	—
45 to 49 years	1,524	1,183	782	661	574	377	26	4	140	141	—	—	2	—	—	—	—	—
50 to 54 years	2,078	1,302	1,046	668	839	501	20	3	170	130	—	—	2	—	1	—	—	—
55 to 59 years	2,436	1,619	1,249	864	980	596	25	5	179	154	—	—	2	—	—	—	1	—
60 to 64 years	2,786	2,052	1,504	1,081	1,115	834	31	3	136	114	—	—	—	—	—	—	—	—
65 to 69 years	2,896	2,486	1,575	1,417	1,144	953	21	4	155	112	—	—	1	—	—	—	—	—
70 to 74 years	2,753	2,623	1,496	1,495	1,141	1,031	20	10	96	87	—	—	—	—	—	—	—	—
75 to 79 years	2,287	2,367	1,281	1,442	908	841	21	3	77	81	—	—	—	—	—	—	—	—
80 to 84 years	1,539	1,835	960	1,197	529	589	10	7	40	42	—	—	—	—	—	—	—	—
85 to 89 years	710	1,005	456	645	228	320	2	5	24	35	—	—	—	—	—	—	—	—
90 to 94 years	216	374	128	244	79	115	—	2	9	13	—	—	—	—	—	—	—	—
95 to 99 years	37	91	20	57	14	26	1	2	2	6	—	—	—	—	—	—	—	—
100 years and over	8	11	1	4	4	3	—	—	3	4	—	—	—	—	—	—	—	—
Not stated	4	2	2	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—
NEW MEXICO, all ages	3,210	2,583	2,741	2,108	221	124	64	24	49	26	134	101	—	—	1	—	—	—
Under 1 year	835	633	778	592	—	—	2	—	4	3	51	38	—	—	—	—	—	—
1 to 4 years	138	141	120	130	—	—	1	—	—	—	17	11	—	—	—	—	—	—
5 to 9 years	45	32	43	31	—	—	—	—	—	—	2	1	—	—	—	—	—	—
10 to 14 years	47	38	44	38	—	—	3	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	84	74	77	68	—	—	2	—	1	2	4	4	—	—	—	—	—	—
20 to 24 years	91	83	85	68	—	2	1	2	1	3	4	8	—	—	—	—	—	—
25 to 29 years	93	68	82	60	4	3	—	—	4	1	3	4	—	—	—	—	—	—
30 to 34 years	87	81	75	74	4	4	1	1	4	—	3	2	—	—	—	—	—	—
35 to 39 years	109	89	97	76	8	6	2	3	—	2	2	2	—	—	—	—	—	—
40 to 44 years	131	88	103	77	15	5	3	2	6	3	4	1	—	—	—	—	—	—
45 to 49 years	157	77	131	67	16	8	1	—	7	—	2	2	—	—	—	—	—	—
50 to 54 years	177	89	136	78	25	6	8	—	6	3	2	2	—	—	—	—	—	—
55 to 59 years	166	95	130	82	24	9	4	2	2	1	5	1	—	—	1	—	—	—
60 to 64 years	184	125	148	110	20	9	6	1	4	1	6	4	—	—	—	—	—	—
65 to 69 years	194	141	152	120	23	13	10	2	3	1	6	5	—	—	—	—	—	—
70 to 74 years	236	158	194	129	26	22	4	1	—	2	12	4	—	—	—	—	—	—
75 to 79 years	188	139	149	115	26	11	5	4	2	1	6	8	—	—	—	—	—	—
80 to 84 years	126	112	102	100	15	9	4	—	3	—	2	3	—	—	—	—	—	—
85 to 89 years	79	75	69	60	6	8	2	4	1	2	1	1	—	—	—	—	—	—
90 to 94 years	26	21	19	16	5	5	1	—	—	—	1	—	—	—	—	—	—	—
95 to 99 years	6	9	4	8	2	1	—	—	—	—	—	—	—	—	—	—	—	—
100 years and over	2	3	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	9	12	2	9	1	—	4	2	1	1	1	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
NEW YORK, all ages	81,793	68,153	47,147	40,103	29,542	24,344	1,036	200	3,782	3,456	51	30	188	14	35	4	12	2
Under 1 year	4,252	3,070	3,916	2,803	4	6	7	10	309	240	7	6	6	4	2	1	1	—
1 to 4 years	733	608	658	557	10	6	2	—	59	43	2	1	1	—	1	1	—	—
5 to 9 years	469	332	439	298	1	5	1	—	28	29	—	—	—	—	—	—	—	—
10 to 14 years	490	377	435	320	14	6	1	4	38	44	—	1	2	2	—	—	—	—
15 to 19 years	809	596	701	447	28	31	—	1	78	117	1	—	1	—	—	—	—	—
20 to 24 years	1,102	951	913	722	53	44	8	1	126	181	—	1	2	1	—	1	—	—
25 to 29 years	1,252	1,176	934	872	126	104	4	3	179	195	2	1	7	1	—	—	—	—
30 to 34 years	1,763	1,413	1,207	940	259	226	11	2	277	245	—	—	7	—	—	—	2	—
35 to 39 years	2,388	1,784	1,516	1,099	526	420	24	6	304	256	2	2	13	1	1	—	2	—
40 to 44 years	3,650	2,470	2,143	1,417	1,070	724	52	6	358	321	1	—	20	1	5	—	1	1
45 to 49 years	5,304	3,305	2,746	1,803	1,978	1,180	118	11	428	308	5	2	25	1	2	—	2	—
50 to 54 years	7,104	4,407	3,455	2,298	3,065	1,774	144	17	405	312	5	3	25	3	5	—	—	—
55 to 59 years	8,054	5,244	3,942	2,577	3,584	2,398	169	8	322	259	4	1	25	—	6	1	2	—
60 to 64 years	9,295	6,766	4,676	3,479	4,150	3,040	172	18	283	227	—	2	26	—	7	—	1	—
65 to 69 years	9,739	8,031	5,129	4,212	4,232	3,563	127	23	228	230	9	2	11	—	3	—	—	1
70 to 74 years	9,520	8,705	5,144	4,725	4,110	3,794	81	24	169	161	4	1	10	—	2	—	—	—
75 to 79 years	7,607	7,942	4,213	4,671	3,237	3,113	54	21	93	134	5	3	5	—	—	—	—	—
80 to 84 years	5,119	6,179	3,118	3,905	1,902	2,166	35	23	61	82	2	3	1	—	—	—	—	—
85 to 89 years	2,298	3,311	1,377	2,044	889	1,221	8	9	21	37	1	—	1	—	1	—	—	—
90 to 94 years	653	1,139	386	724	254	388	4	6	9	20	—	1	—	—	—	—	—	—
95 to 99 years	145	291	86	173	52	107	—	2	6	9	1	—	—	—	—	—	—	—
100 years and over	22	46	8	14	12	25	1	1	—	6	—	—	—	—	—	—	1	—
Not stated	25	10	5	3	6	3	13	4	1	—	—	—	—	—	—	—	—	—
NORTH CAROLINA, all ages	17,691	14,390	11,252	8,717	127	67	124	75	6,077	5,442	110	88	—	—	—	—	1	1
Under 1 year	2,647	1,982	1,581	1,125	—	—	8	1	1,023	834	34	22	—	—	—	—	1	—
1 to 4 years	503	458	283	243	—	—	2	—	210	203	8	12	—	—	—	—	—	—
5 to 9 years	199	187	118	123	—	—	—	—	80	62	1	2	—	—	—	—	—	—
10 to 14 years	232	166	128	88	—	—	1	—	101	78	2	—	—	—	—	—	—	—
15 to 19 years	400	415	218	157	—	—	3	1	174	256	5	1	—	—	—	—	—	—
20 to 24 years	601	520	298	221	—	—	6	2	292	295	5	2	—	—	—	—	—	—
25 to 29 years	636	515	304	207	1	1	3	2	322	301	6	4	—	—	—	—	—	—
30 to 34 years	609	555	309	264	—	3	4	4	294	280	2	4	—	—	—	—	—	—
35 to 39 years	645	594	321	273	2	3	4	2	310	311	8	5	—	—	—	—	—	—
40 to 44 years	822	633	455	314	4	1	3	2	359	313	1	2	—	—	—	—	—	1
45 to 49 years	939	729	535	359	14	5	4	5	384	356	2	4	—	—	—	—	—	—
50 to 54 years	1,074	795	657	409	10	4	7	3	397	372	3	7	—	—	—	—	—	—
55 to 59 years	1,274	906	850	530	8	3	11	5	401	366	4	2	—	—	—	—	—	—
60 to 64 years	1,463	1,074	988	685	18	6	7	6	446	374	4	3	—	—	—	—	—	—
65 to 69 years	1,715	1,274	1,206	895	18	9	13	5	463	355	15	10	—	—	—	—	—	—
70 to 74 years	1,331	1,013	998	793	22	9	3	5	304	205	4	1	—	—	—	—	—	—
75 to 79 years	1,058	957	847	768	13	10	8	8	186	169	4	2	—	—	—	—	—	—
80 to 84 years	828	791	671	658	7	4	10	10	140	118	—	1	—	—	—	—	—	—
85 to 89 years	453	514	361	412	9	6	1	7	82	86	—	3	—	—	—	—	—	—
90 to 94 years	159	196	93	140	—	2	1	1	63	52	2	1	—	—	—	—	—	—
95 to 99 years	34	69	19	43	1	1	—	—	14	25	—	—	—	—	—	—	—	—
100 years and over	19	31	6	7	—	—	—	—	13	24	—	—	—	—	—	—	—	—
Not stated	50	16	6	3	—	—	25	6	19	7	—	—	—	—	—	—	—	—
NORTH DAKOTA, all ages	3,122	2,113	1,767	1,215	1,243	821	22	1	8	2	81	74	—	—	1	—	—	—
Under 1 year	342	261	319	239	—	—	—	—	—	—	23	22	—	—	—	—	—	—
1 to 4 years	73	50	65	44	1	—	—	—	—	—	7	6	—	—	—	—	—	—
5 to 9 years	35	30	27	27	—	1	—	—	—	—	8	2	—	—	—	—	—	—
10 to 14 years	24	39	21	39	1	—	—	—	—	—	2	—	—	—	—	—	—	—
15 to 19 years	42	31	36	22	1	2	1	—	—	—	4	7	—	—	—	—	—	—
20 to 24 years	59	41	54	35	2	—	2	—	—	—	1	6	—	—	—	—	—	—
25 to 29 years	69	39	66	32	2	—	1	—	—	—	—	7	—	—	—	—	—	—
30 to 34 years	55	29	46	25	7	2	—	—	—	—	2	2	—	—	—	—	—	—
35 to 39 years	59	44	50	41	5	3	—	—	1	—	3	—	—	—	—	—	—	—
40 to 44 years	82	55	69	44	13	10	—	—	—	1	—	—	—	—	—	—	—	—
45 to 49 years	110	76	82	53	24	20	—	—	—	—	4	3	—	—	—	—	—	—
50 to 54 years	152	93	101	67	46	25	3	—	—	—	2	1	—	—	—	—	—	—
55 to 59 years	250	139	143	84	103	51	1	—	—	—	3	4	—	—	—	—	—	—
60 to 64 years	267	172	150	91	112	80	1	—	2	—	2	1	—	—	—	—	—	—
65 to 69 years	348	213	164	98	176	112	1	1	2	—	4	2	—	—	1	—	—	—
70 to 74 years	373	209	144	76	222	130	1	—	—	1	6	2	—	—	—	—	—	—
75 to 79 years	335	258	105	91	220	163	4	—	1	—	5	4	—	—	—	—	—	—
80 to 84 years	271	193	78	62	186	128	4	—	1	—	2	3	—	—	—	—	—	—
85 to 89 years	115	98	38	29	75	67	1	—	—	—	1	2	—	—	—	—	—	—
90 to 94 years	41	35	4	15	36	20	—	—	—	—	1	—	—	—	—	—	—	—
95 to 99 years	11	5	4	—	6	5	—	—	—	—	1	—	—	—	—	—	—	—
100 years and over	3	1	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Not stated	6	2	1	—	3	2	2	—	—	—	—	—	—	—	—	—	—	—
OHIO, all ages	43,063	35,599	32,859	28,086	6,843	5,036	544	165	2,806	2,310	3	—	8	2	—	—	—	—
Under 1 year	2,758	2,001	2,564	1,848	1	—	3	—	190	153	—	—	—	—	—	—	—	—
1 to 4 years	514	462	465	432	1	—	—	—	48	30	—	—	—	—	—	—	—	—
5 to 9 years	314	226	294	206	—	1	2	1	18	18	—	—	—	—	—	—	—	—
10 to 14 years	301	218	274	188	1	1	3	1	23	28	—	—	—	—	—	—	—	—
15 to 19 years	549	379	479	297	8	5	1	—	61	77	—	—	—	—	—	—	—	—
20 to 24 years	705	508	620	413	2	7	7	2	76	86	—	—	—	—	—	—	—	—
25 to 29 years	779	612	651	495	19	10	6	—	102	107	—	—	1	—	—	—	—	—
30 to 34 years	912	752	721	556	40	48	10	4	141	144	—	—	—	—	—	—	—	—
35 to 39 years	1,117	893	824	649	84	65	9	3	199	176	—	—	1	—	—	—	—	—
40 to 44 years	1,593	1,216	1,122	851	209	140	20	3	242	221	—	—	—	1	—	—	—	—
45 to 49 years	2,279	1,580	1,529	1,120	417	247	34	6	298	207	1	—	—	—	—	—	—	—
50 to 54 years	2,911	1,982	1,893	1,424	682	343	57	6	278	209	1	—	—	—	—	—	—	—
55 to 59 years	3,674	2,398	2,431	1,776	915	446	83	7	243	169	—	—	2	—	—	—	—	—
60 to 64 years	4,166	2,961	3,010	2,235	875	560	72	9	208	157	—	—	1	—	—	—	—	—
65 to 69 years	4,751	3,795	3,592	2,960	880	653	66	21	209	160	1	—	3	1	—	—	—	—
70 to 74 years	5,111	4,579	3,965	3,444	878	764	59	23	209	148	—	—	—	—	—	—	—	—
75 to 79 years	4,574	4,418	3,621	3,608	798	706	37	25	118	79	—	—	—	—	—	—	—	—
80 to 84 years	3,711	3,812	2,984	3,174	610	552	49	27	68	59	—	—	—	—	—	—	—	—
85 to 89 years	1,698	2,071	1,350	1,706	287	306	14	19	47	40	—	—	—	—	—	—	—	—
90 to 94 years	532	743	403	584	107	131	6	6	16	22	—	—	—	—	—	—	—	—
95 to 99 years	96	161	60	106	25	42	2	2	9	11	—	—	—	—	—	—	—	—
100 years and over	9	28	3	12	3	8	—	—	3	8	—	—	—	—	—	—	—	—
Not stated	9	4	4	2	1	1	4	—	—	1	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS.		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
OKLAHOMA, all ages	11,879	8,582	9,603	6,845	398	236	316	144	1,175	954	366	395	1	—	2	—	18	8
Under 1 year	1,259	955	1,058	804	—	—	2	1	123	87	76	63	—	—	—	—	—	—
1 to 4 years	317	277	268	227	—	—	2	—	25	28	21	22	—	—	—	—	1	—
5 to 9 years	132	108	112	91	—	—	—	1	15	10	4	6	—	—	—	—	1	—
10 to 14 years	148	84	124	70	—	—	1	—	18	8	5	6	—	—	—	—	—	—
15 to 19 years	220	214	172	144	—	1	4	1	33	40	11	28	—	—	—	—	—	—
20 to 24 years	222	261	163	180	—	—	1	1	43	58	14	22	—	—	—	—	1	—
25 to 29 years	269	247	201	171	2	—	3	2	47	43	16	30	—	—	—	—	—	1
30 to 34 years	288	269	214	209	—	1	6	1	48	42	20	16	—	—	—	—	—	—
35 to 39 years	316	329	241	224	3	5	5	6	57	72	10	22	—	—	—	—	—	—
40 to 44 years	434	308	325	224	5	4	5	3	85	66	14	11	—	—	—	—	—	—
45 to 49 years	533	383	419	278	7	7	11	6	69	75	23	15	—	—	—	—	4	2
50 to 54 years	649	418	505	322	26	5	22	7	75	66	19	16	—	—	—	—	2	2
55 to 59 years	783	488	638	396	19	9	22	9	84	57	17	17	—	—	2	—	1	—
60 to 64 years	960	582	789	457	22	19	37	16	78	63	32	25	—	—	—	—	2	2
65 to 69 years	1,259	754	1,019	607	53	26	50	14	108	76	27	31	—	—	—	—	2	—
70 to 74 years	1,302	857	1,081	711	69	51	37	22	94	54	18	19	1	—	—	—	2	—
75 to 79 years	1,156	779	948	660	78	41	42	18	75	41	13	19	—	—	—	—	—	—
80 to 84 years	899	632	754	545	66	30	31	21	35	21	13	14	—	—	—	—	—	1
85 to 89 years	497	399	408	343	35	22	18	6	32	24	3	4	—	—	—	—	1	—
90 to 94 years	169	148	134	127	8	9	6	3	12	5	8	4	—	—	—	—	1	—
95 to 99 years	35	57	23	42	3	3	—	—	9	10	—	2	—	—	—	—	—	—
100 years and over	7	10	1	4	—	2	1	—	3	3	2	1	—	—	—	—	—	—
Not stated	25	25	6	9	2	1	10	6	7	5	—	2	—	—	—	—	—	—
OREGON, all ages	7,500	4,810	5,705	3,848	1,448	829	183	55	35	19	66	46	45	4	12	9	6	—
Under 1 year	352	236	338	223	—	—	—	1	1	—	10	10	—	1	2	1	1	—
1 to 4 years	79	53	73	51	—	—	—	—	—	—	6	2	—	—	—	—	—	—
5 to 9 years	59	39	57	36	—	1	—	—	—	1	2	1	—	—	—	—	—	—
10 to 14 years	52	32	49	30	1	—	—	1	—	—	2	1	—	—	—	—	—	—
15 to 19 years	106	51	100	49	1	—	1	—	1	—	3	2	—	—	—	—	—	—
20 to 24 years	140	68	128	63	2	—	—	1	3	—	4	2	2	2	1	—	—	—
25 to 29 years	136	79	120	71	4	3	3	—	3	1	5	3	—	—	1	1	—	—
30 to 34 years	132	79	117	67	5	7	5	—	1	1	4	3	—	—	—	1	—	—
35 to 39 years	142	110	122	98	13	7	5	1	—	2	1	—	—	—	—	2	1	—
40 to 44 years	220	145	185	125	22	13	10	2	1	1	1	4	1	—	—	—	—	—
45 to 49 years	319	202	251	179	51	21	12	—	2	—	2	1	1	—	—	1	—	—
50 to 54 years	530	229	378	183	113	38	23	3	5	3	4	2	2	—	4	—	1	—
55 to 59 years	650	304	493	241	125	53	18	5	3	1	2	1	7	1	2	2	—	—
60 to 64 years	738	378	549	304	155	65	20	6	2	1	3	1	5	—	1	1	3	—
65 to 69 years	866	560	659	437	172	116	23	3	4	2	3	2	4	—	1	—	—	—
70 to 74 years	945	591	670	453	236	125	25	9	1	2	7	2	6	—	—	—	—	—
75 to 79 years	907	645	637	487	237	147	17	9	6	2	2	—	8	—	—	—	—	—
80 to 84 years	669	559	466	413	179	135	14	7	1	1	4	3	5	—	—	—	—	—
85 to 89 years	331	299	228	227	97	63	4	5	1	1	—	3	1	—	—	—	—	—
90 to 94 years	92	115	67	84	24	29	—	1	—	—	—	1	1	—	—	—	—	—
95 to 99 years	22	26	15	20	6	5	—	1	—	—	1	—	—	—	—	—	—	—
100 years and over	4	5	2	3	2	—	—	—	—	—	—	2	—	—	—	—	—	—
Not stated	9	5	1	4	3	1	3	—	—	—	—	—	2	—	—	—	—	—
PENNSYLVANIA, all ages	60,524	50,974	42,300	37,253	13,827	10,241	521	219	3,824	3,259	7	1	32	—	4	—	9	1
Under 1 year	4,153	3,247	3,807	2,949	1	2	4	5	341	291	—	—	—	—	—	—	—	—
1 to 4 years	731	604	667	543	1	2	1	—	62	59	—	—	—	—	—	—	—	—
5 to 9 years	467	330	435	306	—	2	1	—	31	22	—	—	—	—	—	—	—	—
10 to 14 years	493	332	445	289	1	1	3	2	44	40	—	—	—	—	—	—	—	—
15 to 19 years	751	593	673	484	8	7	3	—	67	102	—	—	—	—	—	—	—	—
20 to 24 years	999	796	881	655	13	14	3	1	102	126	—	—	—	—	—	—	—	—
25 to 29 years	1,106	945	930	790	40	23	5	2	131	130	—	—	—	—	—	—	—	—
30 to 34 years	1,278	1,037	1,050	823	66	54	6	4	173	156	1	—	2	—	—	—	—	—
35 to 39 years	1,598	1,327	1,178	948	156	134	13	3	250	241	—	—	—	—	—	—	1	1
40 to 44 years	2,262	1,701	1,507	1,168	377	280	21	6	350	247	—	—	5	—	—	—	2	—
45 to 49 years	3,433	2,378	2,130	1,543	924	541	21	9	354	284	—	1	4	—	—	—	—	—
50 to 54 years	4,729	3,072	2,718	1,867	1,545	887	58	11	403	307	—	—	2	—	1	—	2	—
55 to 59 years	5,610	3,661	3,337	2,319	1,837	1,054	55	17	377	271	—	—	2	—	—	—	2	—
60 to 64 years	6,396	4,722	4,007	3,144	2,000	1,298	55	20	324	260	2	—	6	—	2	—	—	—
65 to 69 years	6,966	5,664	4,583	3,925	1,999	1,478	84	21	292	240	2	—	4	—	—	—	2	—
70 to 74 years	6,902	6,185	4,744	4,421	1,855	1,532	78	36	221	196	—	—	3	—	1	—	—	—
75 to 79 years	5,940	5,930	4,161	4,433	1,572	1,349	43	21	161	127	1	—	2	—	—	—	—	—
80 to 84 years	4,069	4,701	3,056	3,761	907	833	27	27	77	80	—	—	2	—	—	—	—	—
85 to 89 years	1,929	2,557	1,515	1,998	370	505	11	14	33	40	—	—	—	—	—	—	—	—
90 to 94 years	529	940	409	724	106	187	2	7	11	22	1	—	—	—	—	—	—	—
95 to 99 years	117	193	74	132	36	46	—	—	7	15	—	—	—	—	—	—	—	—
100 years and over	15	32	4	20	7	6	—	3	4	3	—	—	—	—	—	—	—	—
Not stated	51	27	9	11	6	6	27	10	9	—	—	—	—	—	—	—	—	—
RHODE ISLAND, all ages	4,197	3,787	2,381	2,151	1,688	1,534	18	11	104	89	4	2	2	—	—	—	—	—
Under 1 year	249	164	238	154	—	—	—	—	11	10	—	—	—	—	—	—	—	—
1 to 4 years	49	37	47	36	—	—	—	—	2	1	—	—	—	—	—	—	—	—
5 to 9 years	35	13	35	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 to 14 years	23	22	23	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	32	22	31	20	—	—	—	—	1	2	—	—	—	—	—	—	—	—
20 to 24 years	31	36	29	33	1	—	—	—	1	3	—	—	—	—	—	—	—	—
25 to 29 years	58	51	52	45	4	4	—	—	2	2	—	—	—	—	—	—	—	—
30 to 34 years	50	64	40	52	7	12	1	—	2	—	—	—	—	—	—	—	—	—
35 to 39 years	88	61	67	43	17	15	1	—	3	3	—	—	—	—	—	—	—	—
40 to 44 years	118	113	79	76	34	33	1	1	4	3	—	—	—	—	—	—	—	—
45 to 49 years	210	169	115	92	87	68	1	—	6	9	1	—	—	—	—	—	—	—
50 to 54 years	298	208	156	110	126	89	1	—	13	8	1	1	1	—	—	—	—	—
55 to 59 years	458	293	228	152	221	129	—	—	9	12	—	—	—	—	—	—	—	—
60 to 64 years	496	345	261	175	220	159	2	1	12	10	—	—	1	—	—	—	—	—
65 to 69 years	567	468	283	244	261	213	5	2	17	8	1	1	—	—	—	—	—	—
70 to 74 years	572	567	265	273	298	282	1	3	7	9	1	—	—	—	—	—	—	—
75 to 79 years	401	471	173	225	223	242	1	—	4	4	—	—	—	—	—	—	—	—
80 to 84 years	281	402	150	228	122	170	3	2	6	2	—	—	—	—	—	—	—	—
85 to 89 years	131	183	84	113	46	66	—	2	1	2	—	—	—	—	—	—	—	—
90 to 94 years	36	75	18	33	16	41	—	—	2	1	—	—	—	—	—	—	—	—
95 to 99 years	12	21	6	11	5	10	—	—	1	—	—	—	—	—	—	—	—	—
100 years and over	2	2	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
SOUTH CAROLINA, all ages	11,079	9,107	5,137	3,760	81	25	33	12	5,823	5,308	4	1	1	—	—	—	—	1
Under 1 year	1,716	1,308	632	499	—	—	1	—	1,081	808	2	—	—	—	—	—	—	1
1 to 4 years	401	312	142	105	—	—	—	—	258	207	1	—	—	—	—	—	—	—
5 to 9 years	159	121	56	43	—	—	—	—	103	78	—	—	—	—	—	—	—	—
10 to 14 years	124	112	46	35	—	—	—	—	78	77	—	—	—	—	—	—	—	—
15 to 19 years	262	245	76	69	—	—	1	—	185	176	—	—	—	—	—	—	—	—
20 to 24 years	413	391	142	97	—	—	1	—	270	294	—	—	—	—	—	—	—	—
25 to 29 years	416	407	153	81	1	—	1	—	261	326	—	—	—	—	—	—	—	—
30 to 34 years	423	358	154	93	1	1	2	—	266	264	—	—	—	—	—	—	—	—
35 to 39 years	433	399	145	121	—	1	3	1	285	276	—	—	—	—	—	—	—	—
40 to 44 years	634	463	239	128	4	—	—	—	389	335	1	—	1	—	—	—	—	—
45 to 49 years	693	568	297	156	3	1	1	—	392	411	—	—	—	—	—	—	—	—
50 to 54 years	901	663	367	207	11	1	5	3	518	452	—	—	—	—	—	—	—	—
55 to 59 years	896	678	464	259	8	2	3	1	421	416	—	—	—	—	—	—	—	—
60 to 64 years	830	632	487	321	6	5	4	3	333	302	—	1	—	—	—	—	—	—
65 to 69 years	847	654	521	387	12	4	2	2	312	261	—	—	—	—	—	—	—	—
70 to 74 years	711	564	460	337	15	5	1	—	235	222	—	—	—	—	—	—	—	—
75 to 79 years	484	440	316	330	8	3	3	2	157	105	—	—	—	—	—	—	—	—
80 to 84 years	408	387	284	283	6	1	2	—	116	103	—	—	—	—	—	—	—	—
85 to 89 years	179	232	109	148	3	1	—	—	67	83	—	—	—	—	—	—	—	—
90 to 94 years	84	98	37	49	1	—	1	—	45	49	—	—	—	—	—	—	—	—
95 to 99 years	21	23	5	7	1	—	—	—	15	16	—	—	—	—	—	—	—	—
100 years and over	10	25	—	1	—	—	—	—	10	24	—	—	—	—	—	—	—	—
Not stated	34	27	5	4	1	—	2	—	26	23	—	—	—	—	—	—	—	—
SOUTH DAKOTA, all ages	3,218	2,236	2,128	1,460	848	589	47	14	4	3	188	170	2	—	1	—	—	—
Under 1 year	267	189	216	169	—	—	1	1	—	—	50	19	—	—	—	—	—	—
1 to 4 years	61	53	46	31	—	—	—	1	—	—	15	21	—	—	—	—	—	—
5 to 9 years	45	23	37	18	—	—	—	—	—	—	8	5	—	—	—	—	—	—
10 to 14 years	31	25	24	22	—	—	1	—	—	—	6	3	—	—	—	—	—	—
15 to 19 years	60	48	53	32	—	—	—	—	—	—	7	16	—	—	—	—	—	—
20 to 24 years	61	57	47	43	1	2	3	—	—	—	10	12	—	—	—	—	—	—
25 to 29 years	39	42	33	28	1	—	—	—	—	1	5	13	—	—	—	—	—	—
30 to 34 years	46	44	38	40	1	2	—	—	—	—	7	2	—	—	—	—	—	—
35 to 39 years	63	43	55	35	2	—	—	1	—	—	6	7	—	—	—	—	—	—
40 to 44 years	84	70	77	62	3	4	1	—	—	—	3	4	—	—	—	—	—	—
45 to 49 years	131	77	104	69	12	5	5	—	—	—	10	3	—	—	—	—	—	—
50 to 54 years	160	114	123	89	29	18	1	—	—	—	7	7	—	—	—	—	—	—
55 to 59 years	204	118	153	94	41	18	4	—	1	—	3	6	1	—	1	—	—	—
60 to 64 years	277	172	188	104	74	57	7	2	—	1	8	8	—	—	—	—	—	—
65 to 69 years	304	195	201	121	93	62	4	1	—	—	6	11	—	—	—	—	—	—
70 to 74 years	391	270	226	148	148	110	6	3	1	1	9	8	1	—	—	—	—	—
75 to 79 years	397	265	200	132	182	126	3	2	1	—	11	5	—	—	—	—	—	—
80 to 84 years	360	235	185	134	156	90	5	1	—	—	14	10	—	—	—	—	—	—
85 to 89 years	169	129	88	63	78	58	2	—	1	—	—	8	—	—	—	—	—	—
90 to 94 years	45	52	20	22	22	28	1	—	—	—	2	2	—	—	—	—	—	—
95 to 99 years	9	9	6	3	2	6	—	—	—	—	1	—	—	—	—	—	—	—
100 years and over	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	14	3	8	—	3	1	3	2	—	—	—	—	—	—	—	—	—	—
TENNESSEE, all ages	16,558	13,346	12,045	9,380	189	153	202	149	4,117	3,662	1	1	4	1	—	—	—	—
Under 1 year	1,745	1,307	1,406	1,031	—	—	2	2	336	274	—	—	1	—	—	—	—	—
1 to 4 years	450	397	322	317	—	—	2	—	126	79	—	—	—	1	—	—	—	—
5 to 9 years	159	149	127	109	—	1	—	—	32	39	—	—	—	—	—	—	—	—
10 to 14 years	190	137	142	90	—	—	1	2	47	45	—	—	—	—	—	—	—	—
15 to 19 years	313	326	217	192	—	—	—	—	96	134	—	—	—	—	—	—	—	—
20 to 24 years	453	412	269	233	—	—	2	1	180	178	1	—	1	—	—	—	—	—
25 to 29 years	504	450	295	237	—	—	2	2	207	211	—	—	—	—	—	—	—	—
30 to 34 years	505	484	309	273	1	—	4	3	191	208	—	—	—	—	—	—	—	—
35 to 39 years	601	528	352	294	1	4	5	3	242	227	—	—	1	—	—	—	—	—
40 to 44 years	670	559	410	294	3	4	12	3	244	258	—	—	1	—	—	—	—	—
45 to 49 years	906	624	553	348	7	6	10	2	336	268	—	—	—	—	—	—	—	—
50 to 54 years	1,066	763	661	444	15	11	8	3	382	305	—	—	—	—	—	—	—	—
55 to 59 years	1,209	865	846	571	15	10	23	13	325	271	—	—	—	—	—	—	—	—
60 to 64 years	1,324	959	997	649	26	19	18	16	283	275	—	—	—	—	—	—	—	—
65 to 69 years	1,708	1,299	1,292	979	21	17	17	23	378	280	—	—	—	—	—	—	—	—
70 to 74 years	1,704	1,271	1,353	1,010	28	16	34	20	289	225	—	—	—	—	—	—	—	—
75 to 79 years	1,291	1,109	1,053	910	28	26	30	19	180	154	—	—	—	—	—	—	—	—
80 to 84 years	1,013	900	862	778	27	20	13	17	111	85	—	—	—	—	—	—	—	—
85 to 89 years	490	516	415	437	10	11	9	5	56	63	—	—	—	—	—	—	—	—
90 to 94 years	178	189	131	139	6	7	3	5	38	37	—	1	—	—	—	—	—	—
95 to 99 years	42	60	23	37	1	1	1	1	17	21	—	—	—	—	—	—	—	—
100 years and over	11	19	3	5	—	—	—	—	8	14	—	—	—	—	—	—	—	—
Not stated	26	23	7	3	—	—	6	9	13	11	—	—	—	—	—	—	—	—
TEXAS, all ages	35,492	27,011	25,719	18,999	2,960	2,350	650	224	6,136	5,429	4	2	16	1	3	—	4	6
Under 1 year	4,903	3,782	4,135	3,176	10	10	7	6	750	589	—	—	1	—	—	—	—	1
1 to 4 years	1,224	1,097	1,046	950	1	4	3	1	174	141	—	1	—	—	—	—	—	—
5 to 9 years	402	323	340	260	—	1	—	—	61	62	—	—	1	—	—	—	—	—
10 to 14 years	428	338	343	246	5	5	2	3	77	83	1	1	—	—	—	—	—	—
15 to 19 years	710	747	525	514	15	15	6	5	164	213	—	—	—	—	—	—	—	—
20 to 24 years	890	862	627	572	34	39	14	1	215	249	—	—	—	—	—	—	—	1
25 to 29 years	1,025	915	672	582	62	63	15	3	275	267	—	—	1	—	—	—	—	—
30 to 34 years	1,089	987	746	581	77	95	13	4	253	307	—	—	—	—	—	—	—	—
35 to 39 years	1,228	1,080	781	596	105	114	17	8	323	362	—	—	1	—	—	—	1	—
40 to 44 years	1,431	1,159	880	636	117	92	24	9	410	422	—	—	—	—	—	—	—	—
45 to 49 years	1,808	1,244	1,138	714	163	111	34	7	470	409	—	—	2	1	—	—	1	2
50 to 54 years	2,290	1,426	1,514	828	185	147	49	8	538	442	—	—	1	—	2	—	1	1
55 to 59 years	2,666	1,547	1,804	986	310	178	51	10	499	373	1	—	1	—	—	—	—	—
60 to 64 years	2,770	1,668	2,018	1,090	316	249	62	21	369	307	—	—	5	—	—	—	—	1
65 to 69 years	3,202	2,184	2,279	1,504	336	253	87	31	499	396	1	—	—	—	—	—	—	—
70 to 74 years	3,150	2,218	2,273	1,580	334	273	100	26	441	339	—	—	2	—	—	—	—	—
75 to 79 years	2,584	1,903	1,884	1,440	386	252	57	29	255	182	—	—	1	—	1	—	—	—
80 to 84 years	2,014	1,785	1,564	1,472	246	185	61	30	143	98	—	—	—	—	—	—	—	—
85 to 89 years	1,094	1,094	820	864	154	145	18	11	101	74	1	—	—	—	—	—	—	—
90 to 94 years	404	448	270	307	69	86	7	5	58	50	—	—	—	—	—	—	—	—
95 to 99 years	84	118	40	74	17	18	1	3	26	23	—	—	—	—	—	—	—	—
100 years and over	48	56	11	13	13	14	2	—	22	29	—	—	—	—	—	—	—	—
Not stated	48	30	9	14	5	1	20	3	13	12	—	—	—	—	—	—	1	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
UTAH, all ages	2,806	2,119	2,199	1,608	528	467	32	7	17	12	17	23	2	—	11	2	—	—
Under 1 year	322	229	315	222	—	—	1	—	—	—	5	7	—	—	1	—	—	—
1 to 4 years	73	58	71	51	—	—	—	1	—	—	2	5	—	—	—	1	—	—
5 to 9 years	46	29	45	29	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10 to 14 years	43	31	43	28	—	—	—	—	—	1	—	1	—	—	—	1	—	—
15 to 19 years	79	35	75	32	1	2	1	1	1	—	—	—	—	—	1	—	—	—
20 to 24 years	59	40	55	38	1	1	—	—	2	—	1	1	—	—	—	—	—	—
25 to 29 years	82	51	73	49	3	1	5	—	1	—	—	1	—	—	—	—	—	—
30 to 34 years	79	62	72	56	4	3	2	1	—	1	1	1	—	—	—	—	—	—
35 to 39 years	100	54	91	48	6	5	3	—	—	1	—	—	—	—	—	—	—	—
40 to 44 years	102	62	84	57	13	5	3	—	2	—	—	—	—	—	—	—	—	—
45 to 49 years	123	84	97	72	23	11	3	—	—	1	—	—	—	—	—	—	—	—
50 to 54 years	200	84	162	72	33	12	1	—	2	—	1	—	—	—	1	—	—	—
55 to 59 years	225	125	168	101	49	21	1	1	3	2	—	—	—	—	4	—	—	—
60 to 64 years	243	153	186	115	48	37	3	—	2	1	2	—	—	—	2	—	—	—
65 to 69 years	221	191	154	139	57	48	4	2	2	2	1	—	1	—	2	—	—	—
70 to 74 years	255	200	182	135	70	62	1	—	2	1	—	2	—	—	—	—	—	—
75 to 79 years	241	240	148	158	89	80	3	1	—	1	—	—	1	—	—	—	—	—
80 to 84 years	190	246	119	147	70	98	1	—	—	—	—	1	—	—	—	—	—	—
85 to 89 years	95	110	45	47	47	61	—	—	—	—	3	2	—	—	—	—	—	—
90 to 94 years	26	25	13	8	13	16	—	—	—	1	—	—	—	—	—	—	—	—
95 to 99 years	2	10	1	4	1	4	—	—	—	—	—	2	—	—	—	—	—	—
100 years and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VERMONT, all ages	2,507	2,103	2,030	1,735	434	339	39	28	4	1	—	—	—	—	—	—	—	—
Under 1 year	173	128	173	127	—	—	—	1	—	—	—	—	—	—	—	—	—	—
1 to 4 years	31	18	31	17	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5 to 9 years	18	14	18	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 to 14 years	21	8	20	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	28	13	27	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20 to 24 years	43	19	42	17	—	1	1	1	—	—	—	—	—	—	—	—	—	—
25 to 29 years	33	18	28	16	3	1	2	1	—	—	—	—	—	—	—	—	—	—
30 to 34 years	25	32	23	28	2	3	—	1	—	—	—	—	—	—	—	—	—	—
35 to 39 years	41	28	32	25	7	3	2	—	—	—	—	—	—	—	—	—	—	—
40 to 44 years	56	46	46	38	9	8	1	—	—	—	—	—	—	—	—	—	—	—
45 to 49 years	91	73	74	61	16	12	—	—	1	—	—	—	—	—	—	—	—	—
50 to 54 years	140	85	103	67	35	16	2	2	—	—	—	—	—	—	—	—	—	—
55 to 59 years	164	126	125	103	36	21	3	1	—	1	—	—	—	—	—	—	—	—
60 to 64 years	230	194	177	148	49	44	4	2	—	—	—	—	—	—	—	—	—	—
65 to 69 years	292	223	221	194	69	25	2	4	—	—	—	—	—	—	—	—	—	—
70 to 74 years	344	270	270	209	70	58	4	3	—	—	—	—	—	—	—	—	—	—
75 to 79 years	319	263	264	211	53	45	1	7	1	—	—	—	—	—	—	—	—	—
80 to 84 years	253	288	198	227	49	59	5	2	1	—	—	—	—	—	—	—	—	—
85 to 89 years	139	176	118	144	18	31	3	1	—	—	—	—	—	—	—	—	—	—
90 to 94 years	47	61	35	52	10	7	2	2	—	—	—	—	—	—	—	—	—	—
95 to 99 years	7	14	5	12	1	2	1	—	—	—	—	—	—	—	—	—	—	—
100 years and over	1	3	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated	11	3	—	2	5	1	5	—	1	—	—	—	—	—	—	—	—	—
VIRGINIA, all ages	16,462	13,117	10,452	8,106	352	200	143	72	5,507	4,730	5	6	1	1	—	—	2	2
Under 1 year	1,804	1,468	1,123	898	—	—	7	2	674	565	—	2	—	1	—	—	—	—
1 to 4 years	363	310	235	186	—	—	1	—	127	124	—	—	—	—	—	—	—	—
5 to 9 years	158	126	108	78	—	—	—	—	50	47	—	—	—	—	—	—	—	1
10 to 14 years	164	113	92	52	—	—	—	—	72	61	—	—	—	—	—	—	—	—
15 to 19 years	347	297	197	138	—	—	—	—	149	159	1	—	—	—	—	—	—	—
20 to 24 years	492	353	275	164	—	—	5	1	211	188	—	—	—	—	—	—	1	—
25 to 29 years	478	355	254	167	3	—	3	1	217	187	1	—	—	—	—	—	—	—
30 to 34 years	498	366	269	186	1	1	5	2	222	176	—	—	1	—	—	—	—	1
35 to 39 years	578	441	310	214	3	4	14	1	251	222	—	—	—	—	—	—	—	—
40 to 44 years	653	488	330	207	20	4	7	2	296	275	—	—	—	—	—	—	—	—
45 to 49 years	913	626	479	300	20	2	9	4	405	320	—	—	—	—	—	—	—	—
50 to 54 years	1,144	839	605	388	28	17	10	5	500	429	1	—	—	—	—	—	—	—
55 to 59 years	1,283	860	765	459	28	11	7	5	481	384	1	1	—	—	—	—	1	—
60 to 64 years	1,459	1,120	880	668	55	8	16	6	508	438	—	—	—	—	—	—	—	—
65 to 69 years	1,727	1,226	1,193	804	55	31	10	6	468	385	1	—	—	—	—	—	—	—
70 to 74 years	1,524	1,202	1,116	882	41	26	16	10	351	284	—	—	—	—	—	—	—	—
75 to 79 years	1,254	1,094	974	859	40	35	18	7	222	193	—	—	—	—	—	—	—	—
80 to 84 years	960	970	759	804	39	30	9	7	153	128	—	1	—	—	—	—	—	—
85 to 89 years	439	536	339	431	12	21	4	6	84	78	—	—	—	—	—	—	—	—
90 to 94 years	157	230	119	173	5	10	—	1	33	45	—	1	—	—	—	—	—	—
95 to 99 years	33	60	19	38	2	—	—	1	12	20	—	1	—	—	—	—	—	—
100 years and over	11	19	3	5	—	—	1	—	7	14	—	—	—	—	—	—	—	—
Not stated	23	18	8	5	—	—	1	5	14	8	—	—	—	—	—	—	—	—
WASHINGTON, all ages	12,222	7,787	8,243	5,548	3,329	1,949	243	58	103	52	183	153	40	4	73	23	8	—
Under 1 year	599	406	558	370	—	1	—	1	2	2	35	31	—	—	4	1	—	—
1 to 4 years	118	96	95	82	1	—	—	—	1	—	20	12	—	—	1	2	—	—
5 to 9 years	79	62	66	55	2	—	—	—	1	—	8	6	—	—	1	1	1	—
10 to 14 years	96	50	91	44	—	1	—	—	—	—	3	3	—	1	2	1	—	—
15 to 19 years	186	98	163	81	2	5	—	—	—	—	15	8	1	1	5	3	—	—
20 to 24 years	209	118	182	109	6	6	3	—	2	—	8	2	3	—	5	1	—	—
25 to 29 years	209	153	184	137	13	7	3	—	5	—	2	9	1	—	—	—	1	—
30 to 34 years	260	137	210	115	22	16	7	—	4	—	11	5	1	—	3	1	2	—
35 to 39 years	309	188	255	159	35	15	6	4	5	2	5	7	1	—	1	1	1	—
40 to 44 years	355	261	280	217	61	28	2	2	5	4	5	7	—	1	2	2	—	—
45 to 49 years	574	350	438	272	111	63	10	—	4	4	6	9	3	1	1	1	1	—
50 to 54 years	809	437	546	326	210	97	26	6	7	2	8	3	2	—	10	3	—	—
55 to 59 years	1,021	494	641	351	327	128	25	5	7	4	2	3	5	—	13	3	1	—
60 to 64 years	1,238	646	778	447	380	176	37	6	13	7	10	8	5	—	15	2	—	—
65 to 69 years	1,366	851	880	574	418	251	29	9	17	10	10	6	4	—	7	1	1	—
70 to 74 years	1,567	935	957	626	567	290	19	3	8	8	11	8	4	—	1	—	—	—
75 to 79 years	1,459	975	869	607	540	350	26	6	13	5	6	7	5	—	—	—	—	—
80 to 84 years	1,056	847	649	557	375	273	15	6	4	2	8	9	4	—	1	—	—	—
85 to 89 years	489	461	290	289	186	167	8	1	2	—	2	4	—	—	1	—	—	—
90 to 94 years	156	161	85	99	61	58	2	—	3	1	5	3	—	—	—	—	—	—
95 to 99 years	32	42	21	27	10	13	—	1	—	—	1	1	—	—	—	—	—	—
100 years and over	6	10	3	4	2	4	—	—	—	—	1	2	—	—	—	—	—	—
Not stated	29	9	2	—	—	—	25	8	—	1	1	—	1	—	—	—	—	—

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
WEST VIRGINIA, all ages	10,200	7,426	8,534	6,501	545	230	124	34	996	661	—	—	1	—	—	—	—	—
Under 1 year	1,316	953	1,215	871	—	—	1	2	100	80	—	—	—	—	—	—	—	—
1 to 4 years	286	252	270	235	—	—	—	—	16	17	—	—	—	—	—	—	—	—
5 to 9 years	119	101	114	97	—	—	—	—	5	4	—	—	—	—	—	—	—	—
10 to 14 years	118	81	109	70	—	—	—	—	9	11	—	—	—	—	—	—	—	—
15 to 19 years	185	155	161	135	—	—	1	—	23	20	—	—	—	—	—	—	—	—
20 to 24 years	289	190	251	159	3	—	4	—	31	31	—	—	—	—	—	—	—	—
25 to 29 years	343	183	289	157	1	—	3	2	50	24	—	—	—	—	—	—	—	—
30 to 34 years	309	213	253	183	4	4	6	—	46	26	—	—	—	—	—	—	—	—
35 to 39 years	381	291	288	236	10	4	3	1	80	50	—	—	—	—	—	—	—	—
40 to 44 years	443	290	321	223	31	13	4	1	87	53	—	—	—	—	—	—	—	—
45 to 49 years	505	311	352	239	49	17	7	—	97	55	—	—	—	—	—	—	—	—
50 to 54 years	560	372	398	294	65	25	11	1	86	52	—	—	—	—	—	—	—	—
55 to 59 years	691	416	513	348	77	28	11	2	90	38	—	—	—	—	—	—	—	—
60 to 64 years	792	519	623	442	78	23	19	3	72	51	—	—	—	—	—	—	—	—
65 to 69 years	930	638	765	567	73	24	11	5	81	44	—	—	—	—	—	—	—	—
70 to 74 years	989	721	864	641	66	34	12	—	47	46	—	—	—	—	—	—	—	—
75 to 79 years	824	640	737	590	49	24	8	6	29	20	—	—	1	—	—	—	—	—
80 to 84 years	633	570	579	530	28	16	7	7	19	17	—	—	—	—	—	—	—	—
85 to 89 years	348	360	321	339	8	13	6	2	13	6	—	—	—	—	—	—	—	—
90 to 94 years	99	116	90	105	1	4	2	1	6	6	—	—	—	—	—	—	—	—
95 to 99 years	18	36	15	29	1	1	—	1	2	5	—	—	—	—	—	—	—	—
100 years and over	1	7	1	4	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Not stated	21	11	5	7	1	—	8	1	7	3	—	—	—	—	—	—	—	—
WISCONSIN, all ages	17,803	13,811	12,060	9,619	5,359	3,969	153	62	104	74	122	87	5	—	—	—	—	—
Under 1 year	1,167	874	1,140	845	—	2	—	1	6	7	21	19	—	—	—	—	—	—
1 to 4 years	210	178	199	175	—	—	—	—	2	1	9	2	—	—	—	—	—	—
5 to 9 years	162	111	157	107	1	1	1	—	—	1	3	2	—	—	—	—	—	—
10 to 14 years	151	121	147	116	1	—	1	—	—	—	2	5	—	—	—	—	—	—
15 to 19 years	238	152	230	143	2	4	—	2	2	1	4	2	—	—	—	—	—	—
20 to 24 years	257	167	242	161	8	2	3	1	—	—	4	3	—	—	—	—	—	—
25 to 29 years	261	184	248	174	3	6	1	1	6	2	3	1	—	—	—	—	—	—
30 to 34 years	295	269	276	248	12	10	2	—	2	4	3	7	—	—	—	—	—	—
35 to 39 years	402	303	347	262	37	31	3	1	10	8	5	1	—	—	—	—	—	—
40 to 44 years	544	390	454	323	68	52	4	1	11	12	7	2	—	—	—	—	—	—
45 to 49 years	806	523	651	438	132	79	4	1	16	2	3	3	—	—	—	—	—	—
50 to 54 years	1,165	719	838	560	288	146	15	2	19	6	5	5	—	—	—	—	—	—
55 to 59 years	1,348	846	937	645	380	192	12	3	9	4	9	2	1	—	—	—	—	—
60 to 64 years	1,636	1,084	1,074	776	529	294	19	4	9	3	4	7	1	—	—	—	—	—
65 to 69 years	1,856	1,426	1,228	987	595	417	12	6	8	11	12	5	1	—	—	—	—	—
70 to 74 years	2,210	1,736	1,302	1,035	870	687	28	7	1	2	9	5	—	—	—	—	—	—
75 to 79 years	2,154	1,852	1,154	1,081	969	743	20	15	2	7	7	6	2	—	—	—	—	—
80 to 84 years	1,787	1,592	976	957	794	622	13	8	1	2	3	3	—	—	—	—	—	—
85 to 89 years	830	872	349	432	474	437	3	2	—	—	4	1	—	—	—	—	—	—
90 to 94 years	255	330	95	135	153	191	5	2	—	—	2	2	—	—	—	—	—	—
95 to 99 years	47	67	14	15	32	48	—	—	—	1	1	3	—	—	—	—	—	—
100 years and over	11	10	2	4	8	5	—	—	—	—	1	1	—	—	—	—	—	—
Not stated	11	5	—	—	3	—	7	5	—	—	1	—	—	—	—	—	—	—
WYOMING, all ages	1,400	736	1,054	602	248	101	40	9	13	8	37	16	2	—	5	—	1	—
Under 1 year	134	100	120	93	—	—	—	—	—	1	13	6	1	—	—	—	—	—
1 to 4 years	27	23	22	21	—	—	—	—	1	—	4	2	—	—	—	—	—	—
5 to 9 years	16	17	12	16	1	—	—	—	—	—	3	1	—	—	—	—	—	—
10 to 14 years	17	12	15	12	—	—	—	—	1	—	—	—	—	—	1	—	—	—
15 to 19 years	32	18	30	16	—	1	1	—	—	—	1	1	—	—	—	—	—	—
20 to 24 years	30	16	27	16	1	—	1	—	—	—	1	—	—	—	—	—	—	—
25 to 29 years	55	21	49	19	4	1	2	—	—	—	—	1	—	—	—	—	—	—
30 to 34 years	33	20	29	18	2	1	—	—	2	1	—	—	—	—	—	—	—	—
35 to 39 years	52	26	45	22	3	3	1	—	—	1	2	—	—	—	—	—	1	—
40 to 44 years	45	35	38	33	6	1	1	1	—	—	—	—	—	—	—	—	—	—
45 to 49 years	81	33	60	30	16	3	3	—	1	—	—	—	1	—	—	—	—	—
50 to 54 years	94	45	68	34	20	9	1	—	2	2	2	—	—	—	1	—	—	—
55 to 59 years	126	31	93	23	22	7	4	1	2	—	4	—	—	—	1	—	—	—
60 to 64 years	115	53	81	46	30	5	5	1	1	—	—	1	—	—	—	—	—	—
65 to 69 years	131	65	86	52	35	11	7	—	1	1	—	1	—	—	2	—	—	—
70 to 74 years	145	61	98	49	41	11	2	—	1	—	3	1	—	—	—	—	—	—
75 to 79 years	104	60	71	36	24	22	6	1	1	1	2	—	—	—	—	—	—	—
80 to 84 years	100	60	69	44	28	12	2	2	—	1	1	1	—	—	—	—	—	—
85 to 89 years	44	30	33	16	10	11	1	2	—	—	—	1	—	—	—	—	—	—
90 to 94 years	12	8	7	6	4	2	1	—	—	—	—	—	—	—	—	—	—	—
95 to 99 years	2	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
100 years and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	5	1	—	—	—	—	4	1	—	—	1	—	—	—	—	—	—	—

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes	29,531	3,864	444	219	155	133	360	365	725	909	1,025	1,079	1,239	1,358	1,636	1,928	2,062	2,168	2,453	2,305	1,904	1,564	940	394	131	95	76
	White—M	8,909	1,186	137	78	49	35	96	107	158	230	231	251	286	307	376	506	734	838	865	817	662	570	269	84	13	5	19
	F	6,846	833	105	51	38	44	88	74	135	159	184	202	229	225	269	294	416	469	635	654	665	568	359	123	19	1	9
	All other—M	7,199	1,060	125	43	32	27	93	94	190	266	273	284	339	404	547	600	477	466	555	445	311	217	154	86	52	34	25
	F	6,577	785	77	47	36	27	83	90	242	254	337	342	385	424	444	528	455	395	398	389	266	209	158	101	47	55	23
1,2	Typhoid, paratyphoid fever	43	1	-	1	-	-	1	4	5	8	3	8	5	3	1	2	1	-	-	-	-	-	-	-	-	-	-
	White—M	14	-	-	1	-	-	-	1	2	3	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	13	1	-	-	-	-	-	-	2	1	-	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	3	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	5	2	1	1	-	1	-	2	3	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	14	3	1	1	1	-	1	-	1	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	2	-	3	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	120	84	18	10	2	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	25	20	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	18	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	35	26	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	20	6	2	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	61	9	14	7	11	9	9	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	22	5	5	3	3	-	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	3	4	2	6	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	9	1	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,378	8	7	1	1	2	4	19	116	173	182	138	136	125	107	80	74	68	54	36	31	8	4	-	-	-	4
	White—M	281	2	1	1	-	-	-	-	4	18	22	19	31	29	25	22	31	29	20	9	13	3	1	-	-	-	1
	F	254	1	2	-	-	-	-	1	7	24	32	29	24	17	18	15	19	18	15	17	9	3	2	-	-	-	1
	All other—M	400	2	3	-	1	1	2	4	33	55	54	43	31	47	42	32	14	11	11	9	4	1	-	-	-	-	-
	F	443	3	1	-	-	1	2	14	72	76	74	47	50	32	22	11	10	10	8	1	5	1	1	-	-	-	2
14-22	Tuberculosis (other forms)	121	10	6	3	7	1	6	5	6	17	11	12	7	8	6	4	3	1	2	4	-	-	1	-	-	-	1
	White—M	24	4	1	-	-	-	2	-	-	3	-	2	2	1	1	3	1	1	1	2	-	-	-	-	-	-	-
	F	16	-	1	-	1	1	-	-	1	3	1	1	-	1	1	1	-	-	1	2	-	-	1	-	-	-	-
	All other—M	45	4	3	1	4	-	4	3	2	7	3	4	2	4	1	-	2	-	-	-	-	-	-	-	-	-	1
	F	36	2	1	2	2	-	-	2	3	4	7	5	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	86	22	18	6	3	-	-	1	1	3	2	1	3	-	3	1	3	4	3	3	3	3	2	1	-	-	-
	White—M	28	9	3	1	1	-	-	-	-	2	1	-	1	-	-	-	2	2	2	2	1	1	-	-	-	-	-
	F	28	8	8	3	1	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-
	All other—M	14	3	4	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
	F	16	2	3	1	1	-	-	-	-	1	-	-	2	-	3	-	-	1	-	-	2	-	-	-	-	-	-
28	Malaria	206	13	8	7	6	4	8	15	10	6	7	10	8	13	12	17	11	15	10	8	6	7	2	-	3	-	-
	White—M	44	3	-	2	1	-	-	3	1	2	-	2	2	1	1	5	2	5	3	4	3	1	2	-	1	-	-
	F	36	2	-	1	-	1	1	2	1	-	2	1	3	3	4	2	-	2	3	2	2	3	-	-	1	-	-
	All other—M	77	4	2	2	4	2	4	6	5	1	4	5	2	7	4	8	7	5	2	2	-	1	-	-	-	-	-
	F	49	4	6	2	1	1	3	4	3	3	1	2	1	2	3	2	2	3	2	-	1	2	-	-	1	-	-
30	Syphilis	586	87	3	4	-	1	2	4	19	27	37	44	45	61	74	55	42	33	27	13	4	-	3	-	-	-	1
	White—M	86	8	-	-	-	-	-	-	-	1	2	7	7	4	6	19	12	11	7	1	1	-	-	-	-	-	-
	F	30	3	-	-	-	-	-	1	2	2	3	1	-	4	5	-	2	2	3	-	1	-	1	-	-	-	-
	All other—M	283	45	1	3	-	1	2	-	6	10	16	19	21	33	52	23	17	13	10	8	1	-	2	-	-	-	-
	F	187	31	2	1	-	-	-	3	11	14	16	17	17	20	11	13	11	7	7	4	1	-	-	-	-	-	1
33	Influenza	941	139	30	17	8	8	20	8	23	15	30	37	32	39	41	52	45	53	60	67	67	68	55	19	4	1	3
	White—M	235	53	6	7	3	3	3	3	4	3	4	10	6	8	6	8	8	18	10	18	18	18	14	3	-	-	1
	F	279	25	6	7	1	3	8	2	8	5	7	3	8	9	11	15	8	14	23	18	33	40	19	6	-	-	-
	All other—M	219	37	11	3	2	2	5	1	6	2	8	6	10	10	13	17	15	8	15	21	7	4	10	5	1	-	-
	F	208	24	7	-	2	-	4	2	5	5	11	18	8	12	11	12	14	13	12	10	9	6	12	5	3	1	2
35	Measles	35	11	8	2	4	1	2	-	-	2	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	12	2	4	2	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	3	3	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	7	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	-	2	3	1	1	2	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	2	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	681	-	-	-	-	-	2	-	3	3	8	12	18	25	50	58	90	105	96	93	64	37	10	2	-	1	4
	White—M	256	-	-	-	-	-	1	-	-	-	1	1	3	5	13	17	44	49	43	38	21	16	2	1	-	-	1
	F	222	-	-	-	-	-	-	-	1	1	5	6	4	10	11	14	23	30	27	32	34	17	6	-	-	-	1
	All other—M	106	-	-	-	-	-	1	-	2	-	2	1	7	5	14	13	17	14	11	10	4	1	1	-	-	1	2
	F	97	-	-	-	-	-	-	-	-	2	-	4	4	5	12	14	6	12	15	13	5	3	1	1	-	-	-
48,49	Cancer of female genital organs	404	-	-	-	-	-	-	-	-	3	11	27	38	52	57	40	44	41	36	23	17	8	3	2	-	-	2
	White—F	207	-	-	-	-	-	-	-	-	2	4	10	15	30	26	20	21	26	24	12	9	4	2	1	-	-	1
	All other—F	197	-	-	-	-	-	-	-	-	1	7	17	23	22	31	20	23	15	12	11	8	4	1	1	-	-	1

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
50	Cancer of breast	160	-	-	-	-	-	-	-	-	-	1	5	16	16	25	24	21	9	16	12	5	7	1	1	-	-	1
	White——M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	111	-	-	-	-	-	-	-	-	-	1	3	12	9	17	16	16	9	10	8	5	4	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	-	2	4	7	8	8	4	-	4	4	-	3	-	1	-	-	1
45,47, 51-55	Cancer (other forms)	605	3	1	3	1	2	2	4	5	9	14	18	12	24	33	62	73	67	88	57	63	40	16	5	2	-	1
	White——M	313	1	-	2	1	1	2	2	1	3	4	7	9	10	17	24	37	40	48	28	46	19	9	2	-	-	-
	F	159	2	-	-	-	-	-	1	3	4	4	2	-	7	6	15	20	12	23	16	11	21	7	3	2	-	-
	All other—M	65	-	-	-	-	1	-	-	1	1	2	2	1	2	3	16	6	7	13	7	3	-	-	-	-	-	-
	F	68	-	1	1	-	-	-	1	-	1	4	7	2	5	7	7	10	8	4	6	3	-	-	-	-	-	1
58	Acute rheumatic fever	48	-	-	1	1	1	5	8	10	2	1	1	2	2	2	-	4	-	2	3	1	-	2	-	-	-	-
	White——M	6	-	-	-	-	-	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	1	1	2	2	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	13	-	-	1	-	-	2	-	2	1	-	1	-	1	-	-	2	-	-	1	1	-	1	-	-	-	-
	F	20	-	-	-	1	-	1	5	4	-	1	-	2	-	1	-	2	-	1	1	-	-	1	-	-	-	-
61	Diabetes mellitus	345	1	1	1	1	2	2	7	8	6	10	6	14	14	31	20	35	39	64	31	29	12	8	2	-	1	-
	White——M	105	-	1	1	-	1	-	4	3	1	5	1	1	3	6	4	10	15	20	11	10	6	2	-	-	-	-
	F	125	-	-	-	1	1	1	2	1	2	2	1	2	7	8	6	15	14	28	14	12	4	4	-	-	-	-
	All other—M	46	1	-	-	-	-	-	-	2	3	3	2	4	-	4	1	3	6	5	4	5	1	1	1	-	-	-
	F	69	-	-	-	-	-	1	1	2	-	-	2	7	4	13	9	7	4	11	2	2	1	1	1	-	1	-
65b	Exophthalmic goiter	41	-	-	-	-	-	-	-	-	1	2	5	3	9	1	5	2	2	6	2	2	-	1	-	-	-	-
	White——M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	1	1	2	-	4	1	3	2	1	5	2	2	-	1	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	2	3	-	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	244	-	-	-	-	-	-	-	3	6	10	8	10	15	23	24	29	11	26	32	23	15	7	2	-	-	-
	White——M	49	-	-	-	-	-	-	-	-	2	1	-	-	1	-	2	7	3	10	11	2	7	2	1	-	-	-
	F	71	-	-	-	-	-	-	-	1	2	2	2	3	8	5	3	11	2	7	12	8	3	2	-	-	-	-
	All other—M	40	-	-	-	-	-	-	-	1	-	1	-	3	1	7	5	2	3	4	3	7	1	2	-	-	-	-
	F	84	-	-	-	-	-	-	-	1	2	6	6	4	5	11	14	9	3	5	6	6	4	1	1	-	-	-
77	Alcoholism (ethylism)	34	-	-	-	-	-	-	-	-	-	5	5	2	8	3	6	3	-	-	1	-	-	-	-	-	-	1
	White——M	15	-	-	-	-	-	-	-	-	-	-	3	1	5	-	4	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	2	2	-	3	2	2	1	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,391	3	-	1	-	-	1	3	6	8	17	24	48	96	165	250	251	279	330	324	249	176	102	34	10	3	11
	White——M	693	3	-	-	-	-	-	-	1	-	4	3	5	20	28	50	67	100	103	112	89	69	29	5	1	-	4
	F	594	-	-	-	-	-	-	2	2	2	4	5	6	11	28	34	56	61	96	91	82	60	37	14	2	-	1
	All other—M	529	-	-	-	-	-	-	-	2	4	4	9	15	22	52	86	71	56	67	51	35	21	18	8	4	1	3
	F	575	-	-	1	-	-	1	1	1	2	5	7	22	43	57	80	57	62	64	70	43	26	18	7	3	2	3
80-82, 84-88	Other diseases of nervous system, etc.*	328	41	8	1	5	4	17	18	13	14	12	21	16	18	18	27	24	25	15	11	8	8	2	1	-	-	1
	White——M	89	12	2	-	1	2	3	6	2	4	1	5	5	2	6	6	8	10	4	3	2	4	1	-	-	-	-
	F	100	8	4	1	2	1	8	4	2	7	2	5	3	8	5	4	13	4	4	6	5	3	-	1	-	-	-
	All other—M	86	12	1	-	1	1	4	7	7	2	4	6	7	5	5	9	1	6	6	-	1	-	1	-	-	-	-
	F	53	9	1	-	1	-	2	1	2	1	5	5	1	3	2	8	2	5	1	2	-	1	-	-	-	-	1
89,104, 115	Diseases of ear, nose, and throat	195	40	8	3	4	5	8	13	11	13	16	11	8	4	5	9	9	5	7	4	1	3	2	4	1	1	-
	White——M	62	12	3	-	1	3	4	4	3	5	5	3	4	2	1	2	3	2	3	-	1	1	-	-	-	-	-
	F	35	5	2	-	-	1	2	3	2	2	5	3	-	-	-	2	3	2	1	-	-	1	1	-	-	-	-
	All other—M	47	10	1	2	2	-	1	3	4	4	1	2	2	1	2	1	1	1	2	2	-	-	1	3	-	1	-
	F	51	13	2	1	1	1	1	3	2	2	5	3	2	1	2	4	2	-	1	2	-	1	-	1	1	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	526	1	-	-	-	1	11	14	16	10	14	22	23	25	26	37	36	52	60	51	55	45	15	6	3	1	2
	White——M	162	1	-	-	-	1	2	2	5	1	2	9	7	2	4	8	11	13	28	20	24	14	5	3	-	-	-
	F	130	-	-	-	-	-	6	6	1	3	2	6	5	6	4	7	7	8	11	11	20	20	4	2	-	-	1
	All other—M	105	-	-	-	-	-	2	4	3	3	3	2	4	8	9	8	8	17	9	10	3	4	4	-	3	-	1
	F	129	-	-	-	-	-	1	2	7	3	7	5	7	9	9	14	10	14	12	10	8	7	2	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,027	-	-	-	-	-	1	-	1	5	8	18	45	67	101	94	139	140	133	115	72	52	25	7	2	-	2
	White——M	566	-	-	-	-	-	1	-	1	1	1	5	24	33	56	54	82	98	69	61	45	22	10	2	-	-	1
	F	214	-	-	-	-	-	-	-	-	3	1	1	5	5	4	9	23	20	41	40	18	28	13	2	1	-	-
	All other—M	148	-	-	-	-	-	-	-	-	-	2	7	10	18	25	20	15	13	17	8	6	1	2	2	1	-	1
	F	99	-	-	-	-	-	-	-	-	1	4	5	6	11	16	11	19	9	6	6	3	1	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,552	9	-	2	1	2	12	13	15	29	31	49	98	150	201	312	353	401	475	436	372	310	176	68	16	15	6
	White——M	1,114	4	-	1	-	-	1	3	1	2	5	5	21	20	38	73	121	136	167	169	137	132	57	16	4	-	1
	F	853	1	-	1	1	2	2	4	3	5	5	7	17	19	21	36	53	79	110	128	145	106	72	31	3	1	1
	All other—M	862	2	-	-	-	-	6	3	6	11	7	18	34	58	81	107	93	101	123	76	58	32	24	13	4	4	3
	F	723	2	-	-	-	-	3	3	5	11	14	19	26	55	61	96	86	85	75	63	32	40	23	8	5	10	1
107-109	Pneumonia (all forms)	1,699	408	73	25	20	16	36	27	36	36	39	60	49	65	61	54	88	107	127	110	90	84	59	23	2	-	4
	White——M	502	128	21	7	7	1	10	4	9	5	6	14	8	11	10	9	27	36	45	38	39	30	26	8	1	-	2
	F	412	85	14	7	2	3	7	7	5	7	7	12	6	7	8	4	18	27	30	38	38	44	27	9	-	-	-
	All other—M	440	108	19	5	4	5	10	9	13	13	9	16	24	29	33	23	23	29	33	18	4	5	3	3	1	-	1
	F	345	87	19	6	7	7	9	7	9	11	17	18	11	18	10	18	20	15	19	16	9	5	3	3	-	-	1
117	Ulcer of stomach or duodenum	153	-	-	1	-	-	-	-	5	7	9	6	16	11	19	18	15	16	12	6	6	5	1	-	-	-	-
	White——M	91	-	-	1	-	-	-	-	2	3	7	4	9	7	9	9	11	8	9	4	3	4	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	3	1	2	3	1	-	-	-	-	-
	All other—M	37	-	-	-	-	-	-	-	2	2	1	2	5	3	7	7	2	4	2	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	1	-	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	517	260	103	46	11	7	5	-	7	1	1	2	5	3	5	8	5	6	3	6	9	11	10	2	-	1	-
	White—M	180	80	47	22	4	5	1	-	2	-	-	-	-	-	1	3	1	3	1	-	2	5	4	1	-	-	-
	F	147	64	28	13	3	3	2	-	2	-	-	1	2	-	1	1	2	1	2	5	7	5	4	1	-	-	-
	All other—M	105	70	21	5	-	-	1	-	1	-	1	-	-	-	1	2	-	-	-	1	-	-	2	-	-	-	-
	F	85	46	7	6	4	1	1	-	2	1	-	1	3	3	2	2	2	2	-	-	-	1	-	-	-	1	-
121	Appendicitis	222	-	-	-	1	1	22	23	27	21	18	22	16	15	12	17	13	7	5	1	1	-	-	-	-	-	-
	White—M	89	-	-	-	-	-	6	9	14	12	8	8	1	7	3	8	8	3	2	-	-	-	-	-	-	-	-
	F	50	-	-	-	1	1	6	6	4	5	1	6	6	2	1	3	3	3	2	-	-	-	-	-	-	-	-
	All other—M	45	-	-	-	-	-	3	4	2	2	8	5	3	3	7	4	1	1	1	1	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	7	4	7	2	1	3	6	3	1	2	1	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	22	4	2	-	2	4	2	2	5	5	8	14	20	19	14	16	11	12	16	10	8	5	-	1	1	-
	White—M	72	10	3	1	-	-	4	1	-	1	2	1	5	7	4	4	3	8	5	7	3	2	1	-	-	-	-
	F	41	1	-	-	-	2	-	1	1	-	-	2	6	3	4	2	5	2	1	4	1	4	2	-	-	-	-
	All other—M	50	9	1	-	-	-	-	-	-	2	-	-	-	5	6	4	5	1	4	3	4	2	2	-	1	1	-
	F	40	2	-	1	-	-	-	-	1	2	3	5	3	5	5	4	3	-	2	2	2	-	-	-	-	-	-
124	Cirrhosis of the liver	115	-	-	-	-	-	1	1	-	1	5	3	3	7	13	21	15	9	14	12	5	4	1	-	-	-	-
	White—M	55	-	-	-	-	-	-	-	-	-	1	1	2	1	5	5	10	7	7	7	5	4	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	2	-	3	2	-	-	1	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	-	-	2	2	1	3	4	8	3	1	1	2	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	1	1	-	-	2	-	-	3	4	3	-	1	3	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.●	59	-	-	-	-	-	-	-	1	-	2	5	1	3	10	4	4	7	4	6	9	1	1	1	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	1	1	2	2	4	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	2	5	2	3	5	1	1	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,712	5	5	6	2	3	13	13	17	25	36	54	92	114	141	224	227	262	357	360	321	224	136	42	14	10	9
	White—M	829	-	2	3	-	3	3	5	5	2	3	9	13	18	25	43	71	91	124	143	106	97	47	11	1	3	1
	F	600	4	2	-	1	-	1	3	4	6	7	11	19	11	22	30	34	47	81	83	103	69	49	10	3	-	-
	All other—M	694	-	1	2	-	-	5	2	3	5	10	11	30	36	50	83	64	69	100	84	63	31	17	9	8	5	6
	F	589	1	-	1	1	-	4	3	5	12	16	23	30	49	44	68	58	55	52	50	49	27	23	12	2	2	2
137	Diseases of the prostate	115	-	-	-	-	-	1	-	-	-	1	1	-	1	2	4	10	10	14	28	19	15	6	3	-	-	-
	White—M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	9	17	9	9	2	3	-	-	-
	All other—M	57	-	-	-	-	-	1	-	-	-	1	1	-	1	1	3	7	6	5	11	10	6	4	-	-	-	-
140, 142a, 147	Puerperal septicemia	134	-	-	-	-	-	-	2	21	24	30	21	22	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	5	10	10	8	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	81	-	-	-	-	-	-	2	16	14	20	13	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	145	-	-	-	-	-	-	2	38	18	27	21	28	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	61	-	-	-	-	-	-	-	11	6	14	12	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	84	-	-	-	-	-	-	2	27	12	13	9	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	107	-	-	-	-	-	-	-	7	12	24	27	31	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	44	-	-	-	-	-	-	-	4	7	10	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	63	-	-	-	-	-	-	-	3	5	14	14	22	5	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	211	174	5	4	2	3	5	4	2	-	1	2	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-
	White—M	90	75	3	1	-	1	2	1	-	-	-	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	77	69	2	1	1	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	26	17	-	1	-	1	1	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	18	13	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,036	1,036	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	228	228	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	194	194	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	236	-	-	-	-	-	-	2	15	18	22	25	16	21	24	25	21	22	11	10	1	3	-	-	-	-	-
	White—M	166	-	-	-	-	-	-	-	5	11	12	18	11	11	19	19	18	19	10	9	1	3	-	-	-	-	-
	F	50	-	-	-	-	-	-	1	9	4	9	4	4	9	2	3	1	3	1	-	-	-	-	-	-	-	-
	All other—M	16	-	-	-	-	-	-	1	1	2	1	3	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide	466	3	-	1	-	-	3	6	34	87	95	72	58	36	25	16	15	10	3	1	-	-	-	-	-	-	1
	White—M	110	2	-	-	-	-	1	3	6	11	17	16	10	12	10	4	9	5	3	1	-	-	-	-	-	-	-
	F	18	1	-	-	-	-	1	1	-	2	4	3	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1
	All other—M	270	-	-	1	-	-	1	1	21	54	59	45	38	18	13	10	6	3	-	-	-	-	-	-	-	-	-
	F	68	-	-	-	-	-	-	1	7	20	15	8	7	5	2	2	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	603	3	5	4	8	5	30	32	55	88	52	47	55	38	34	30	27	30	23	16	7	10	2	-	-	-	2
	White—M	337	-	4	2	4	2	7	13	26	51	38	28	32	26	13	21	16	20	13	9	4	6	1	-	-	-	1
	F	99	1	-	2	2	3	11	6	12	14	5	8	4	6	7	3	4	3	3	3	2	2	-	-	-	-	-
	All other—M	135	-	1	-	1	-	7	10	12	23	10	9	12	5	11	6	7	6	6	4	1	2	1	-	-	-	1
	F	32	2	-	-	1	-	5	3	5	-	1	2	7	1	3	-	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,286	103	43	23	24	21	55	61	85	100	88	67	77	62	47	58	58	56	45	58	42	46	36	16	5	2	8
	White—M	506	58	13	7	10	5	13	24	34	57	48	32	39	24	24	17	26	25	13	19	14	12	7	1	1	-	3
	F	260	23	7	5	4	9	13	10	12	5	6	7	4	2	1	8	7	12	13	22	19	33	25	11	2	-	-
	All other—M	360	16	20	2	4	2	13	20	33	33	29	25	27	27	18	24	19	13	10	11	5	-	4	1	-	1	3
	F	160	26	3	9	6	5	16	7	6	5	5	3	7	9	4	9	6	6	9	6	4	1	-	3	2	1	2
	All other causes*	5,302	1,361	72	30	29	29	61	49	99	101	134	152	163	157	232	253	253	264	312	349	311	354	246	153	68	58	12
	White—M	1,216	351	15	6	10	9	21	16	23	23	26	30	22	32	39	57	82	76	81	72	59	85	46	27	4	2	2
	F	1,033	249	16	3	8	5	9	8	26	17	25	25	27	13	40	29	41	56	63	79	90	91	75	31	5	-	2
	All other—M	1,530	459	25	11	7	8	15	11	16	25	23	29	41	46	75	75	61	72	96	97	89	103	54	40	29	20	3
	F	1,523	302	16	10	4	7	16	14	34	36	60	68	73	66	78	92	69	60	72	101	73	75	71	55	30	36	5

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	All causes	5,815	951	186	75	42	26	78	78	149	209	186	206	211	272	330	367	366	412	420	389	338	245	164	40	14	8	13
	White—M	3,004	416	53	15	13	9	26	25	51	88	69	98	113	167	200	231	228	251	273	223	206	141	78	14	6	2	8
	F	1,747	326	50	27	16	5	18	25	50	64	66	69	60	69	81	90	104	116	113	123	98	84	69	13	5	5	1
	All other—M	540	126	42	12	10	4	16	7	23	22	20	19	19	17	26	29	23	29	21	26	17	12	11	5	2	1	1
	F	524	123	41	21	3	8	18	21	25	35	31	20	19	19	23	17	11	16	13	17	17	8	6	8	1	-	3
1,2	Typhoid, paratyphoid fever	7	-	-	1	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	52	27	15	7	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	9	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	13	4	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	16	3	2	4	1	1	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	7	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	813	4	12	4	3	3	15	17	54	80	71	75	62	90	95	72	45	48	27	21	9	5	1	1	1	-	-
	White—M	422	-	1	-	-	-	2	2	4	20	22	42	33	69	67	52	38	32	18	12	6	1	1	-	-	-	-
	F	175	3	3	-	-	-	2	1	17	25	28	18	17	10	16	7	4	8	6	3	2	3	-	-	-	-	-
	All other—M	103	1	3	1	1	2	3	3	15	13	7	8	8	7	8	6	2	6	3	3	1	-	-	1	1	-	-
	F	115	-	5	3	2	1	8	11	18	22	14	5	4	4	4	7	1	2	-	3	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	40	2	5	1	-	-	4	1	4	1	2	3	2	2	3	1	2	3	2	-	1	-	-	-	-	-	1
	White—M	19	-	4	-	-	-	2	-	-	1	-	1	2	2	2	-	1	1	2	-	1	-	-	-	-	-	-
	F	7	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	All other—M	7	2	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1
27	Dysentery	35	20	6	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	1	-	-	-
	White—M	12	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	10	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	110	23	2	-	-	-	1	2	1	3	5	5	5	7	11	8	10	9	9	1	4	3	-	-	-	-	1
	White—M	49	5	-	-	-	-	-	2	-	-	-	-	2	4	4	7	7	3	6	1	4	3	-	-	-	-	1
	F	27	9	1	-	-	-	1	-	-	2	2	3	-	1	2	-	2	2	2	-	-	-	-	-	-	-	-
	All other—M	16	5	-	-	-	-	-	-	-	1	-	-	3	-	4	-	1	1	1	-	-	-	-	-	-	-	-
	F	18	4	1	-	-	-	-	-	1	-	3	2	-	2	1	1	-	3	-	-	-	-	-	-	-	-	-
33	Influenza	130	44	9	2	5	1	2	2	2	3	1	2	3	4	1	8	1	7	2	9	7	5	8	1	1	-	-
	White—M	60	22	1	-	3	1	-	1	1	1	1	-	1	2	-	6	1	3	2	5	3	3	3	-	-	-	-
	F	54	18	3	2	2	-	1	1	1	2	-	-	2	2	-	2	-	3	-	3	4	1	5	1	1	-	-
	All other—M	7	2	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	2	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
35	Measles	24	6	9	2	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	1	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	185	-	-	-	-	-	-	-	-	-	3	2	3	8	13	20	32	13	33	25	14	11	6	2	-	-	-
	White—M	94	-	-	-	-	-	-	-	-	-	1	1	2	5	4	10	14	7	18	13	9	6	2	2	-	-	-
	F	75	-	-	-	-	-	-	-	-	-	1	1	-	3	7	8	17	4	12	9	4	5	4	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	2	2	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	54	-	-	-	-	-	-	-	1	1	5	3	4	7	9	6	4	2	5	5	-	1	-	1	-	-	-
	White—F	46	-	-	-	-	-	-	-	-	-	3	2	4	6	7	6	4	2	5	5	-	1	-	1	-	-	-
	All other—F	8	-	-	-	-	-	-	-	1	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
50	Cancer of breast	24	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	3	4	2	2	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	3	3	2	2	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	147	1	-	-	-	1	1	2	1	4	-	1	4	5	6	15	23	15	17	20	16	10	5	-	-	-	-
	White—M	105	-	-	-	-	-	1	1	-	2	-	-	3	5	2	9	17	11	12	15	13	10	4	-	-	-	-
	F	33	1	-	-	-	-	-	-	1	1	-	1	-	-	4	4	6	3	4	4	3	-	1	-	-	-	-
	All other—M	6	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	55	-	-	-	-	-	-	-	-	2	1	1	-	1	2	7	9	6	9	7	6	2	2	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	3	6	4	1	4	1	1	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	5	-	5	5	1	1	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	10	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	2	1	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	19	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	-	2	2	1	2	1	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	2	2	1	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	286	-	-	-	-	-	1	1	2	-	2	1	6	6	10	20	25	39	42	45	41	25	17	1	1	1	-
	White—M	139	-	-	-	-	-	-	1	1	-	1	1	3	3	4	7	7	18	23	28	20	11	11	-	-	-	-
	F	109	-	-	-	-	-	-	-	-	-	-	-	2	2	2	11	13	17	14	12	17	12	5	1	-	1	-
	All other—M	25	-	-	-	-	-	1	-	1	-	1	-	-	1	1	2	2	3	3	3	3	2	1	-	1	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	1	2	2	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	51	7	2	1	1	-	3	1	4	2	-	2	5	6	3	4	2	-	5	2	1	-	-	-	-	-	-
	White—M	23	3	1	-	-	-	-	-	3	1	-	-	2	4	-	3	2	-	4	-	-	-	-	-	-	-	-
	F	18	1	1	-	1	-	2	1	-	-	-	1	2	2	3	1	-	-	1	1	1	-	-	-	-	-	-
	All other—M	6	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	30	11	1	3	2	-	2	1	1	2	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	10	2	-	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	9	1	-	1	1	-	2	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	55	-	-	-	-	-	1	1	1	4	2	2	4	5	5	5	5	5	5	5	2	2	1	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	1	1	-	1	2	2	2	3	2	3	5	3	2	2	1	-	-	-	-
	F	20	-	-	-	-	-	-	1	-	3	2	1	2	3	3	-	3	1	-	1	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	292	-	-	-	-	-	-	-	-	-	-	4	5	8	22	25	39	47	40	41	31	18	8	1	2	-	1
	White—M	209	-	-	-	-	-	-	-	-	-	-	1	3	6	17	18	34	35	33	26	21	9	4	1	-	-	1
	F	64	-	-	-	-	-	-	-	-	-	-	2	2	1	3	6	2	11	3	13	7	8	4	-	2	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	4	2	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	603	1	-	-	-	1	3	1	4	4	8	6	7	16	31	48	52	64	85	73	83	59	39	6	6	4	2
	White—M	373	-	-	-	-	1	2	-	-	2	6	3	4	9	22	30	34	45	56	48	50	37	15	3	4	1	1
	F	178	1	-	-	-	-	-	1	4	2	2	1	3	5	6	13	14	15	22	21	26	17	21	1	1	2	-
	All other—M	32	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	3	5	3	5	2	2	1	-	1	-
	F	20	-	-	-	-	-	1	-	-	-	-	2	-	-	-	2	2	1	2	1	2	3	1	1	1	-	1
107-109	Pneumonia (all forms)	478	206	38	12	4	3	6	5	5	4	6	5	9	9	10	9	22	18	18	25	24	20	14	4	-	1	1
	White—M	204	81	12	1	1	-	1	1	2	2	2	2	5	6	5	7	15	8	12	14	11	8	5	1	-	1	1
	F	155	61	15	3	2	2	1	1	1	1	4	3	2	2	2	2	4	9	6	8	10	7	7	2	-	-	-
	All other—M	59	34	5	4	1	-	1	-	1	1	-	-	1	-	2	-	2	1	-	1	2	2	1	-	-	-	-
	F	60	30	6	4	-	1	3	3	1	-	-	-	1	1	1	-	1	-	-	2	1	3	1	1	-	-	-
117	Ulcer of stomach or duodenum	23	1	-	-	-	-	-	-	-	-	-	2	2	1	4	3	3	1	3	2	-	-	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	2	2	-	4	1	2	1	3	2	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
119,120	Diarrhea, enteritis, etc.*	243	173	37	13	6	-	-	2	-	-	-	-	-	2	-	-	1	3	1	1	2	-	1	1	-	-	-
	White—M	94	74	10	3	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-
	F	73	53	10	4	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	All other—M	37	21	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	39	25	9	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	70	-	-	1	1	1	3	6	7	7	7	5	2	2	5	4	2	9	4	1	-	1	-	1	-	-	1
	White—M	31	-	-	-	1	-	2	2	3	2	4	5	2	-	1	2	1	3	-	-	-	1	-	1	-	-	1
	F	28	-	-	1	-	-	-	4	3	1	3	-	-	1	3	1	1	5	4	1	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	35	8	2	-	-	1	-	2	1	1	1	2	-	2	2	1	1	3	4	1	-	2	1	-	-	-	-
	White—M	18	5	-	-	-	1	-	-	-	-	-	1	-	1	2	1	1	-	3	1	-	2	-	-	-	-	-
	F	11	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	3	1	-	-	-	1	-	-	-	-
	All other—M	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	37	-	-	-	-	-	-	-	-	-	-	-	3	3	5	5	4	3	6	4	2	2	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	3	3	5	3	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	1	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	32	1	-	-	-	-	-	-	-	2	3	5	-	4	4	3	1	3	-	3	2	-	1	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	1	-	1	1	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	-	2	-	1	-	-	1	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
130-132	Nephritis	253	1	-	3	-	2	1	3	1	4	3	3	3	9	11	25	20	26	25	37	28	26	14	6	2	-	-
	White—M	139	-	-	1	-	-	-	1	-	2	1	-	3	4	7	15	11	16	16	15	23	14	5	4	1	-	-
	F	89	-	-	1	-	1	1	1	1	-	1	3	-	5	4	8	5	7	8	19	5	11	6	1	1	-	-
	All other—M	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	3	-	1	1	1	-	-	-
	F	11	-	-	1	-	1	-	1	-	2	1	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-
137	Diseases of the prostate	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	-	5	2	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	5	2	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	22	-	-	-	-	-	-	-	4	4	5	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	4	3	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	14	-	-	-	-	-	-	-	1	4	-	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	9	-	-	-	-	-	-	-	-	3	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	23	-	-	-	-	-	-	-	1	3	2	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	15	-	-	-	-	-	-	-	1	2	1	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1
157	Congenital malformations	57	46	4	3	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	26	22	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	19	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	67	-	-	-	-	-	-	-	4	6	3	2	6	11	6	6	4	7	1	4	4	3	-	-	-	-	-
	White—M	51	-	-	-	-	-	-	-	2	1	2	2	4	8	6	6	3	6	1	4	3	3	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	2	5	-	-	2	2	-	-	1	1	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	46	1	-	-	-	-	-	1	2	-	3	8	7	5	5	7	-	3	1	2	1	-	-	-	-	-	-
	White—M	27	-	-	-	-	-	-	1	-	-	1	5	4	2	4	5	-	3	-	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	2	2	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	241	1	2	2	1	1	10	3	21	32	18	15	16	15	17	15	14	17	15	11	7	4	3	-	-	-	1
	White—M	153	1	1	2	-	1	7	1	15	26	12	10	9	8	10	8	7	11	8	7	3	3	2	-	-	-	1
	F	65	-	1	-	-	-	3	2	5	5	3	3	7	3	6	4	6	4	4	3	4	1	1	-	-	-	-
	All other—M	19	-	-	-	1	-	-	-	1	1	3	2	-	3	-	3	1	2	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	296	28	14	7	5	6	9	12	15	23	21	15	21	15	14	15	6	15	8	11	16	11	12	-	-	1	-
	White—M	181	12	7	2	2	3	4	9	11	19	12	12	16	9	11	10	3	7	6	5	9	5	7	-	-	-	-
	F	68	7	3	4	3	1	4	1	3	2	4	-	2	4	2	1	3	3	2	3	4	6	5	-	-	1	-
	All other—M	28	3	2	1	-	-	1	2	1	1	3	3	3	-	1	2	-	2	-	2	1	-	-	-	-	-	-
	F	19	6	2	-	-	2	-	-	-	1	2	-	-	2	-	-	-	1	-	1	2	-	-	-	-	-	-
	All other causes*	620	195	23	6	10	2	8	7	9	10	8	15	15	22	25	24	31	37	38	27	30	31	29	14	1	1	4
	White—M	294	75	4	-	2	1	5	3	4	5	1	9	8	12	11	17	19	23	27	15	15	18	15	2	1	-	2
	F	175	60	5	2	4	1	1	3	4	4	4	6	4	6	7	4	8	9	8	6	7	9	6	5	-	1	1
	All other—M	72	28	6	1	4	-	-	1	1	-	1	-	-	1	3	1	3	3	1	2	3	4	6	2	-	-	1
	F	79	30	8	3	-	-	2	-	-	1	2	-	3	3	4	2	1	2	2	4	5	-	2	5	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	17,052	1,752	309	148	77	73	217	209	389	513	531	560	612	733	821	1,072	1,131	1,383	1,620	1,561	1,258	1,016	595	199	45	32	198
	White—M	6,811	699	116	60	35	25	93	91	121	142	149	166	175	245	312	388	480	591	750	716	594	455	240	76	12	4	76
	F	4,989	552	104	47	29	28	62	50	102	140	144	147	154	188	192	239	250	383	446	521	434	398	243	79	12	1	44
	All other—M	2,758	281	51	23	8	8	38	36	71	107	106	119	138	138	148	229	218	232	250	200	138	94	46	25	10	13	31
	F	2,494	220	38	18	5	12	24	32	95	124	132	128	145	162	169	216	183	177	174	124	92	69	66	19	11	14	45
1,2	Typhoid, paratyphoid fever	92	1	-	1	1	3	5	6	13	7	11	11	7	8	5	2	4	3	4	-	-	-	-	-	-	-	-
	White—M	32	-	-	-	-	-	-	3	5	4	4	6	1	4	3	1	1	-	-	-	-	-	-	-	-	-	-
	F	24	-	-	1	-	2	1	1	6	1	2	1	3	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	All other—M	22	1	-	-	1	1	2	1	1	2	2	2	3	2	1	-	-	1	2	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	2	1	1	-	3	2	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	3	-	1	-	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	55	37	9	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	11	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	24	17	4	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	6	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	63	8	13	21	4	5	7	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	2	8	10	3	1	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	3	5	8	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	955	2	-	2	-	1	2	10	57	112	114	112	74	86	54	81	57	48	50	46	24	10	3	1	-	1	8
	White—M	266	-	-	1	-	-	-	-	7	15	20	27	15	21	23	31	22	16	22	16	17	7	1	1	-	-	4
	F	238	-	-	-	-	1	-	-	7	23	30	30	15	29	6	18	14	16	12	24	7	3	2	-	-	-	1
	All other—M	218	-	-	-	-	-	2	2	18	32	24	27	25	22	16	12	12	12	11	2	-	-	-	-	-	1	2
	F	233	2	-	1	-	-	-	8	27	42	40	28	19	14	9	20	9	4	5	4	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	32	1	2	1	-	-	2	2	1	4	4	2	1	1	-	2	5	2	-	-	2	-	-	-	-	-	-
	White—M	13	1	1	1	-	-	-	-	-	1	1	1	-	-	-	1	3	1	-	-	2	-	-	-	-	-	-
	F	9	-	1	-	-	-	2	1	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	133	50	29	10	5	3	2	2	1	-	2	-	1	2	2	3	3	2	4	4	2	3	2	-	-	-	1
	White—M	46	18	7	4	5	1	1	-	1	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-	-	-	-
	F	40	16	9	3	-	-	1	1	-	-	-	-	-	1	-	2	3	-	1	2	-	-	1	-	-	-	-
	All other—M	31	12	10	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	1
	F	16	4	3	2	-	2	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
28	Malaria	177	17	7	4	3	1	10	6	4	11	7	10	9	9	9	10	14	11	9	8	8	1	4	3	-	-	2
	White—M	44	4	2	2	1	1	3	5	1	3	1	2	2	2	3	2	3	3	1	1	1	1	-	1	-	-	-
	F	43	6	1	1	2	-	1	1	1	3	2	3	2	3	-	1	2	1	4	4	1	1	1	1	-	-	1
	All other—M	44	3	3	1	-	-	2	-	2	4	-	1	-	3	2	2	5	5	3	3	3	-	-	1	-	-	1
	F	46	4	1	-	-	-	4	-	-	1	4	4	5	1	4	5	4	2	1	-	3	-	3	-	-	-	-
30	Syphilis	263	28	1	1	-	-	1	1	3	10	13	24	27	25	33	33	18	21	14	7	-	2	1	-	-	-	-
	White—M	77	2	-	-	-	-	-	-	-	-	1	6	6	11	12	18	4	6	5	4	-	1	1	-	-	-	-
	F	31	5	1	1	-	-	-	1	-	1	3	2	5	2	3	2	1	2	1	1	-	-	-	-	-	-	-
	All other—M	102	15	-	-	-	-	1	-	1	4	5	7	13	7	11	11	9	10	6	2	-	-	-	-	-	-	-
	F	53	6	-	-	-	-	-	-	2	5	4	9	3	5	7	2	4	3	2	-	-	1	-	-	-	-	-
33	Influenza	692	77	23	6	5	4	7	9	13	16	10	12	22	14	34	39	32	34	66	82	68	62	43	8	2	-	4
	White—M	253	37	11	2	2	3	4	3	1	5	1	1	7	5	9	13	11	14	28	28	27	22	15	2	-	-	2
	F	252	20	9	2	1	-	-	-	4	7	5	7	7	3	8	10	4	12	22	43	32	28	22	4	2	-	-
	All other—M	94	11	2	2	2	-	2	2	5	3	2	1	4	2	8	4	9	5	11	6	2	6	4	1	-	-	-
	F	93	9	1	-	-	1	1	4	3	1	2	3	4	4	9	12	8	3	5	5	7	6	2	1	-	-	2
35	Measles	13	5	2	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	4	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)	15	1	-	2	-	2	5	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	2	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	516	1	-	-	1	-	-	-	2	3	4	11	19	23	21	45	56	82	89	58	50	29	12	3	-	-	7
	White—M	233	1	-	-	1	-	-	-	-	2	1	5	6	10	4	13	22	36	47	27	30	16	6	2	-	-	4
	F	207	-	-	-	-	-	-	-	2	1	3	4	8	11	10	19	24	31	33	23	20	11	4	1	-	-	2
	All other—M	40	-	-	-	-	-	-	-	-	-	-	2	1	1	5	8	6	8	6	3	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	4	1	2	5	4	7	3	5	-	2	2	-	-	-	1
48,49	Cancer of female genital organs	233	-	-	-	-	-	-	-	1	1	6	12	14	38	35	26	26	29	16	15	7	5	1	-	-	-	1
	White—F	151	-	-	-	-	-	-	-	1	-	5	7	8	24	20	18	16	18	10	12	6	5	1	-	-	-	-
	All other—F	82	-	-	-	-	-	-	-	-	1	1	5	6	14	15	8	10	11	6	3	1	-	-	-	-	-	1

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Contd.																											
50	Cancer of breast	115	-	-	-	-	-	-	-	-	-	-	4	11	5	10	20	12	15	19	6	4	6	2	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	93	-	-	-	-	-	-	-	-	-	-	4	8	4	7	18	10	12	14	5	2	6	2	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	2	3	5	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	394	1	-	1	3	3	3	3	4	7	5	6	12	11	28	30	47	50	63	37	34	28	9	4	1	1	3
	White—M	230	-	-	1	1	-	-	1	1	2	3	2	5	5	13	19	24	27	39	27	25	23	7	2	1	-	2
	F	98	-	-	-	2	1	3	1	3	3	2	2	2	3	9	5	12	16	15	5	7	4	-	2	-	-	1
	All other—M	42	1	-	-	-	1	-	1	-	1	-	-	4	2	2	2	6	6	7	4	2	-	2	-	-	1	-
	F	24	-	-	-	-	1	-	-	-	1	-	2	1	1	4	4	5	1	2	1	-	1	-	-	-	-	-
58	Acute rheumatic fever	24	-	1	-	-	-	-	3	3	1	1	-	1	-	1	3	1	2	4	1	1	-	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	2	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	F	11	-	1	-	-	-	-	2	-	1	1	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
61	Diabetes mellitus	204	1	-	-	-	-	2	2	4	6	5	5	4	11	13	19	18	34	35	16	15	9	1	1	-	-	3
	White—M	77	1	-	-	-	-	1	1	1	3	3	4	-	3	3	3	8	13	18	5	8	-	-	1	-	-	1
	F	86	-	-	-	-	-	-	1	3	1	1	1	1	5	4	12	6	15	11	8	7	8	-	-	-	-	2
	All other—M	14	-	-	-	-	-	1	-	-	-	-	-	3	2	1	1	1	2	2	1	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	2	1	-	-	1	5	3	3	4	4	2	-	1	1	-	-	-	-
65b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	3	1	2	1	1	1	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	1	2	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	104	-	-	-	-	-	-	-	-	3	4	4	9	4	12	4	6	15	12	12	9	5	4	-	-	-	1
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	3	-	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	1	-	-	2	-	9	1	2	7	3	3	4	2	3	-	-	-	1
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	3	2	2	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	2	4	4	5	3	3	3	2	5	4	3	-	1	1	-	-	-	-
77	Alcoholism (ethylism)	15	-	-	-	-	-	-	-	-	-	1	1	5	2	-	1	1	2	1	1	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	1	2	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,537	1	2	2	-	-	2	-	3	3	7	8	14	48	76	102	131	153	221	190	163	118	54	16	4	4	15
	White—M	532	-	1	1	-	-	-	-	2	2	2	2	6	9	22	26	41	69	101	87	73	52	19	5	3	1	8
	F	427	1	-	1	-	-	2	-	-	-	1	2	4	12	18	28	40	38	63	66	63	47	27	9	-	1	4
	All other—M	177	-	-	-	-	-	-	-	-	-	2	-	2	6	13	22	25	25	28	20	18	9	2	2	1	1	1
	F	201	-	1	-	-	-	-	-	1	1	2	4	2	21	23	26	25	21	29	17	9	10	6	-	-	1	2
80-82, 84-88	Other diseases of nervous system, etc.*	194	13	4	1	2	2	5	8	8	11	12	11	12	13	10	7	12	7	14	10	14	11	3	1	-	-	3
	White—M	79	6	2	-	2	-	3	2	2	4	2	4	7	3	4	3	5	6	6	4	7	4	1	1	-	-	1
	F	47	5	1	-	-	-	-	1	2	2	2	1	2	4	3	1	3	-	3	4	6	5	1	-	-	-	1
	All other—M	38	2	1	-	-	1	2	4	2	1	4	2	2	2	2	3	2	-	3	1	1	2	1	-	-	-	-
	F	30	-	-	1	-	1	-	1	2	4	4	4	1	4	1	-	2	1	2	1	-	-	-	-	-	-	1
89,104, 115	Diseases of ear, nose, and throat	97	15	3	4	-	2	10	5	7	6	3	3	4	7	1	3	6	4	2	3	4	2	1	1	-	-	1
	White—M	46	5	3	3	-	1	4	2	5	-	-	2	3	4	-	-	3	2	1	-	4	2	1	-	-	-	1
	F	24	1	-	1	-	1	5	2	-	4	-	-	-	1	-	1	2	2	1	2	-	-	-	1	-	-	-
	All other—M	13	3	-	-	-	-	1	-	1	-	2	1	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	F	14	6	-	-	-	-	-	1	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	257	1	-	-	-	-	1	8	5	7	2	7	8	6	9	12	16	16	34	39	20	31	10	2	1	1	1
	White—M	98	-	-	-	-	-	1	3	2	3	-	2	1	4	5	3	5	4	12	26	8	14	4	-	-	-	1
	F	82	1	-	-	-	-	-	2	1	4	1	4	3	1	-	4	4	8	9	9	9	15	5	1	1	-	-
	All other—M	32	-	-	-	-	-	-	1	2	-	1	-	1	1	2	2	3	3	8	3	2	1	-	1	-	1	-
	F	25	-	-	-	-	-	-	2	-	-	-	1	3	-	2	3	4	1	5	1	1	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	626	-	-	-	-	-	-	-	1	2	6	7	19	31	40	55	83	81	98	92	51	30	17	3	2	-	8
	White—M	399	-	-	-	-	-	-	-	-	-	-	3	8	19	26	37	64	54	67	60	28	17	10	3	1	-	2
	F	118	-	-	-	-	-	-	-	-	1	2	3	2	1	3	7	8	12	19	22	17	13	7	-	-	-	1
	All other—M	66	-	-	-	-	-	-	-	-	1	3	1	5	6	5	9	6	7	9	7	4	-	-	-	1	-	2
	F	43	-	-	-	-	-	-	-	1	-	1	-	4	5	6	2	5	8	3	3	2	-	-	-	-	-	3
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,004	5	1	1	-	1	2	7	13	12	21	31	28	66	94	146	156	240	271	303	255	175	104	37	3	3	29
	White—M	851	3	-	1	-	-	-	3	2	3	5	13	5	19	42	48	73	105	138	135	121	72	38	12	1	-	12
	F	560	2	1	-	-	1	-	1	3	2	6	6	5	9	19	23	22	53	69	106	83	74	50	21	1	-	3
	All other—M	316	-	-	-	-	-	1	1	4	2	4	11	9	19	18	37	39	45	26	33	29	19	10	2	-	1	6
	F	277	-	-	-	-	-	1	2	4	5	6	1	9	19	15	38	22	37	38	29	22	10	6	2	1	2	8
107-109	Pneumonia (all forms)	1,215	255	55	19	11	9	24	10	23	26	21	25	30	44	46	61	57	70	97	100	77	76	46	14	5	-	14
	White—M	439	102	18	6	4	-	8	3	6	1	10	1	8	11	17	28	19	25	32	50	37	28	14	8	-	-	3
	F	408	83	23	5	6	4	6	3	5	7	4	7	7	13	9	8	15	23	35	33	33	40	27	4	2	-	6
	All other—M	201	34	6	3	-	1	4	3	8	10	3	9	5	14	8	17	15	13	22	11	2	7	1	1	2	-	2
	F	167	36	8	5	1	4	6	1	4	8	4	8	10	6	12	8	8	9	8	6	5	1	4	1	1	-	3
117	Ulcer of stomach or duodenum	82	1	-	-	-	1	-	-	-	4	3	3	7	6	6	11	9	7	11	5	1	5	1	-	-	-	1
	White—M	50	1	-	-	-	1	-	-	-	3	2	1	4	4	4	6	7	4	6	4	-	2	-	-	-	-	1
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	3	-	1	2	1	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	1	-	1	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	387	186	82	22	3	3	6	1	1	-	1	4	3	3	3	7	4	10	9	7	9	6	6	1	-	1	9
	White—M	146	74	40	7	1	-	1	-	-	-	-	-	-	1	-	2	2	2	2	2	4	2	2	1	-	-	3
	F	126	57	25	9	-	2	-	1	1	-	1	3	-	1	1	1	1	5	3	4	2	3	3	-	-	-	3
	All other—M	64	31	9	5	1	1	3	-	-	-	-	-	1	1	1	2	-	3	4	-	1	-	-	-	-	-	1
	F	51	24	8	1	1	-	2	-	-	-	-	1	2	-	1	2	1	-	-	1	2	1	1	-	-	1	2
121	Appendicitis	209	1	-	4	2	4	24	23	23	12	14	22	19	12	13	5	7	9	5	2	4	-	1	-	-	-	3
	White—M	110	-	-	2	2	1	11	15	13	6	9	9	8	5	9	2	4	5	4	2	1	-	1	-	-	-	1
	F	53	-	-	-	-	1	11	2	6	1	4	7	5	4	1	1	1	4	1	-	2	-	-	-	-	-	2
	All other—M	32	1	-	2	-	2	1	6	3	3	1	1	5	2	1	2	1	-	-	-	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	1	-	1	2	-	5	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	154	13	3	3	2	1	5	1	1	7	3	4	5	9	7	16	15	17	10	11	7	10	1	1	1	-	1
	White—M	65	9	2	2	1	-	4	1	1	4	-	1	2	1	3	4	5	7	2	4	5	6	1	-	-	-	-
	F	46	1	-	-	1	1	1	-	-	1	-	2	2	5	4	4	5	5	4	4	1	4	-	1	-	-	-
	All other—M	26	1	1	-	-	-	-	-	-	1	2	1	1	2	-	4	-	5	3	3	1	-	-	-	-	-	1
	F	17	2	-	1	-	-	-	-	-	1	1	-	-	1	-	4	5	-	1	-	-	-	-	-	1	-	-
124	Cirrhosis of the liver	73	-	-	-	-	-	-	-	-	-	1	2	3	6	3	6	15	9	6	9	3	6	2	2	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	2	2	3	-	3	9	5	5	4	3	1	1	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	1	4	-	3	1	1	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	62	-	-	-	-	-	1	-	-	-	2	3	1	3	5	6	5	14	5	6	3	2	3	2	-	-	1
	White—M	19	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	5	1	1	1	1	2	-	-	-	1
	F	34	-	-	-	-	-	1	-	-	-	-	2	1	2	2	3	3	6	3	5	2	1	1	2	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,437	3	1	2	5	2	5	6	8	15	13	22	37	55	64	109	127	147	201	197	161	132	72	19	8	3	25
	White—M	594	1	-	1	1	1	3	1	-	5	4	2	5	17	23	36	49	57	90	96	77	69	40	7	2	1	6
	F	348	2	1	1	2	1	1	2	4	7	4	5	11	13	12	15	19	39	48	52	47	35	17	4	1	-	5
	All other—M	278	-	-	-	1	-	-	1	2	-	-	8	7	9	14	38	34	29	42	37	22	17	5	4	3	1	4
	F	217	-	-	-	1	-	1	2	2	3	5	7	14	16	15	20	25	22	21	12	15	11	10	4	2	1	8
137	Diseases of the prostate	107	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	7	20	19	22	11	10	2	-	1	1
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	15	13	17	9	8	2	-	-	1
	All other—M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	5	6	5	2	2	-	-	1	-
140, 142a, 147	Puerperal septicemia	70	-	-	-	-	-	-	1	7	27	13	11	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	45	-	-	-	-	-	-	1	5	18	8	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	25	-	-	-	-	-	-	-	2	9	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	60	-	-	-	-	-	-	2	24	7	11	5	6	4	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	31	-	-	-	-	-	-	-	11	5	5	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	29	-	-	-	-	-	-	2	13	2	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	57	-	-	-	-	-	-	-	10	10	9	8	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	4	6	6	6	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	21	-	-	-	-	-	-	-	6	4	3	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	132	111	6	-	1	1	3	1	2	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2
	White—M	61	52	1	-	-	1	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	53	44	3	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
	All other—M	11	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	168	168	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	123	-	-	-	-	-	-	1	4	6	10	10	12	3	16	15	17	10	7	7	2	3	-	-	-	-	-
	White—M	90	-	-	-	-	-	-	1	2	3	6	6	7	2	13	9	14	8	7	7	2	3	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	2	3	3	4	3	-	3	5	3	1	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	194	1	-	-	-	-	-	4	14	26	37	25	27	21	7	8	8	6	3	-	4	1	1	-	-	-	1
	White—M	56	-	-	-	-	-	-	-	1	8	8	6	3	6	5	5	6	3	3	-	1	1	-	-	-	-	-
	F	19	1	-	-	-	-	-	1	1	4	3	2	1	2	-	-	1	2	-	-	-	-	1	-	-	-	-
	All other—M	94	-	-	-	-	-	-	1	6	7	22	14	20	13	2	3	1	1	-	-	3	-	-	-	-	-	1
	F	25	-	-	-	-	-	-	2	6	7	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	304	1	1	-	1	5	17	10	31	36	37	22	18	17	22	18	15	17	11	11	5	4	2	-	-	-	3
	White—M	202	-	-	-	-	3	10	8	18	27	20	16	11	15	15	11	9	12	8	9	3	4	1	-	-	-	2
	F	58	1	1	-	1	2	5	2	8	5	12	2	2	2	1	5	3	2	1	2	-	-	-	-	-	-	1
	All other—M	34	-	-	-	-	-	1	-	4	4	4	4	4	-	5	1	2	2	2	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	1	-	1	-	1	-	1	1	1	1	-	-	1	-	1	-	-	-	-
169, 171-195	Other accidents	802	37	24	14	12	16	32	45	50	58	56	43	48	36	33	32	26	39	39	32	41	37	31	7	3	-	11
	White—M	389	13	7	5	6	9	14	24	31	26	29	23	26	25	21	17	15	19	24	10	13	12	10	3	1	-	6
	F	208	10	7	5	5	4	10	11	7	12	10	1	8	5	1	4	2	10	11	16	24	23	16	4	1	-	1
	All other—M	147	10	8	3	-	1	5	8	9	15	12	15	12	1	10	8	6	7	4	5	2	-	3	-	-	-	3
	F	58	4	2	1	1	2	3	2	3	5	5	4	2	5	1	3	3	3	-	1	2	2	2	-	1	-	1
	All other causes*	2,603	514	40	23	11	4	31	27	44	51	59	68	67	94	106	130	109	167	169	222	187	195	146	71	15	17	36
	White—M	935	190	10	8	5	2	15	9	13	9	13	16	21	33	32	40	42	74	59	89	73	84	56	24	3	2	15
	F	681	142	11	8	4	2	7	11	13	13	16	20	16	13	35	19	17	31	44	58	56	64	49	23	4	-	5
	All other—M	479	98	9	2	2	-	7	3	4	15	8	8	6	17	14	30	26	36	40	46	37	27	16	13	3	6	6
	F	508	84	10	5	-	-	2	4	14	14	22	24	24	31	25	41	24	26	26	29	21	20	25	11	5	9	12

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	All causes	80,270	4,411	421	220	165	120	501	458	969	1,339	1,558	1,779	2,346	3,160	4,284	5,655	6,648	7,935	8,851	9,273	8,521	6,568	3,440	1,253	283	60	52
	White—M	45,187	2,390	222	122	93	69	279	258	537	737	806	978	1,275	1,879	2,584	3,521	4,231	4,913	5,163	5,056	4,549	3,233	1,608	525	103	18	38
	F	31,539	1,758	168	83	65	42	188	169	348	490	591	625	847	1,038	1,442	1,815	2,084	2,713	3,382	3,990	3,809	3,229	1,762	703	163	26	11
	All other—M	2,335	145	16	9	2	6	15	16	47	67	98	118	156	157	163	213	246	222	223	157	107	63	51	16	10	9	3
	F	1,209	118	15	6	5	3	19	15	39	45	63	58	68	86	95	106	87	87	83	70	56	43	19	9	7	7	-
1,2	Typhoid, paratyphoid fever	36	2	-	-	-	-	1	1	8	3	2	6	4	1	-	4	1	1	-	1	1	-	-	-	-	-	-
	White—M	20	2	-	-	-	-	-	-	4	1	2	4	2	-	-	3	-	1	-	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	1	3	1	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	2	2	1	1	1	1	-	2	1	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	9	1	1	1	-	-	-	-	2	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	-	1	1	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	19	1	2	2	-	2	2	2	2	-	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	10	-	1	1	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	1	1	1	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	102	75	19	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	45	34	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	36	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	76	8	6	5	7	5	16	5	-	-	4	3	2	3	2	2	4	-	1	3	-	-	-	-	-	-	-
	White—M	43	5	4	4	4	3	7	2	-	-	1	1	1	1	1	2	4	-	1	2	-	-	-	-	-	-	-
	F	27	3	2	1	3	1	7	1	-	-	3	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,544	12	20	15	8	6	21	34	171	237	299	279	320	352	330	379	327	284	197	124	70	40	13	-	2	-	4
	White—M	2,075	4	12	6	4	3	10	11	45	80	101	144	154	227	235	279	237	219	139	85	40	26	9	-	2	-	3
	F	994	5	6	7	4	3	9	19	91	114	138	88	104	75	65	59	54	43	44	25	28	10	3	-	-	-	-
	All other—M	338	1	2	1	-	-	-	1	15	24	36	31	43	42	22	32	35	20	12	13	2	4	1	-	-	-	1
	F	137	2	-	1	-	-	2	3	20	19	24	16	19	8	8	9	1	2	2	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	343	20	21	14	7	7	19	17	21	35	21	18	14	27	22	18	13	22	11	10	3	2	-	1	-	-	-
	White—M	166	7	11	7	1	4	7	6	7	14	8	7	8	17	14	7	7	17	5	9	1	2	-	-	-	-	-
	F	125	8	8	4	6	1	10	6	12	14	6	7	5	6	4	9	6	4	5	1	2	-	-	1	-	-	-
	All other—M	37	4	2	1	-	2	1	-	1	4	6	4	1	4	3	2	-	1	1	-	-	-	-	-	-	-	-
	F	15	1	-	2	-	-	1	5	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	90	43	9	6	5	-	2	1	3	2	1	-	-	3	1	2	5	2	-	2	1	1	1	-	-	-	-
	White—M	48	19	5	4	3	-	1	1	3	1	-	-	-	2	1	2	3	2	-	1	-	-	-	-	-	-	-
	F	37	22	3	2	1	-	1	-	-	1	1	-	-	1	-	-	2	-	-	1	1	-	1	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White—M	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,245	32	-	-	-	-	1	2	-	14	19	38	57	104	132	166	168	184	152	110	57	16	10	3	-	-	-
	White—M	865	18	-	-	-	-	-	-	-	6	6	18	32	71	95	117	126	133	110	83	34	8	7	1	-	-	-
	F	239	13	-	-	-	-	1	-	-	4	6	9	11	18	25	28	27	18	27	20	19	8	3	2	-	-	-
	All other—M	114	1	-	-	-	-	-	2	-	3	5	7	10	11	10	16	15	12	14	5	3	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	1	2	4	4	4	2	5	-	1	1	2	1	-	-	-	-	-	-
33	Influenza	625	53	13	9	7	4	8	9	11	7	11	15	18	22	22	29	53	40	38	57	54	58	48	34	4	1	-
	White—M	304	27	5	3	4	3	3	5	7	5	5	9	7	14	13	14	29	20	22	24	23	27	20	14	1	-	-
	F	292	21	6	6	2	1	5	4	3	2	6	5	9	7	8	14	21	18	16	32	31	28	26	18	2	1	-
	All other—M	16	2	1	-	-	-	-	-	1	-	-	-	1	-	-	1	3	2	-	1	-	-	2	2	-	-	-
	F	13	3	1	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	3	-	-	1	-	-
35	Measles	13	4	2	-	-	1	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	-	-	1	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	47	-	5	-	2	-	6	4	4	9	8	2	4	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	White—M	24	-	1	-	-	-	3	2	3	5	5	-	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	22	-	3	-	2	-	3	2	1	4	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,404	1	1	1	1	1	1	1	3	7	14	35	70	119	236	367	540	608	692	691	562	308	111	27	6	1	-
	White—M	2,346	1	-	1	-	1	1	-	2	5	4	17	36	62	139	203	311	332	379	356	285	144	53	12	2	-	-
	F	1,861	-	1	-	1	-	-	1	1	2	9	16	28	46	81	145	195	245	284	314	260	159	56	13	3	1	-
	All other—M	147	-	-	-	-	-	-	-	-	-	1	1	5	9	10	15	26	23	22	16	12	3	2	1	1	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	8	8	7	5	5	2	-	1	-	-	-
48,49	Cancer of female genital organs	1,356	-	-	-	-	-	-	1	2	9	16	37	87	108	163	163	175	155	157	141	77	42	16	6	1	-	-
	White—F	1,318	-	-	-	-	-	-	1	2	9	13	33	83	102	157	156	172	152	156	140	76	41	16	6	1	-	-
	All other—F	40	-	-	-	-	-	-	-	-	-	3	4	4	6	6	7	3	3	1	1	1	1	-	-	-	-	-

* Refer to complete International list titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
50	Cancer of breast	1,126	-	-	-	-	-	-	-	-	1	3	21	30	74	124	139	138	168	147	113	92	51	16	9	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	2	1	-	-	-	-	-	-
	F	1,091	-	-	-	-	-	-	-	-	1	3	20	30	69	117	133	137	163	144	111	90	50	15	8	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	1	-	5	5	6	-	3	1	-	1	1	1	1	-	-	-
45,47, 51-55	Cancer (other forms)	3,242	4	5	5	5	3	11	23	15	22	34	48	74	138	167	281	355	449	453	416	364	234	102	27	5	1	1
	White—M	2,350	1	3	5	4	1	7	13	8	19	17	31	50	86	108	186	269	331	344	311	277	182	78	16	2	-	1
	F	788	1	2	-	1	2	4	9	6	3	14	16	23	43	50	84	73	101	94	100	77	50	22	11	2	-	-
	All other—M	85	1	-	-	-	-	-	-	1	-	2	1	-	7	8	8	12	14	13	3	9	2	2	-	1	1	-
	F	19	1	-	-	-	-	-	1	-	-	1	-	1	2	1	3	1	3	2	2	1	-	-	-	-	-	-
58	Acute rheumatic fever	32	-	1	-	1	-	5	3	5	3	3	3	1	-	-	2	2	-	-	-	-	1	2	-	-	-	-
	White—M	14	-	-	-	1	-	1	3	2	2	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	15	-	1	-	-	-	4	-	2	1	2	1	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,708	2	-	1	1	-	4	7	8	14	14	6	20	30	59	99	184	238	288	337	234	113	43	2	3	1	-
	White—M	661	-	-	-	1	-	2	-	3	2	8	1	9	11	24	36	68	93	117	122	103	38	20	2	1	-	-
	F	991	2	-	1	-	-	1	7	4	11	6	5	11	18	30	56	104	132	167	210	125	75	23	-	2	1	-
	All other—M	32	-	-	-	-	-	-	-	1	-	-	-	-	-	2	4	8	8	3	3	3	-	-	-	-	-	-
	F	24	-	-	-	-	-	1	-	-	1	-	-	-	1	3	3	4	5	1	2	3	-	-	-	-	-	-
63b	Exophthalmic goiter	137	-	-	-	-	-	-	-	-	3	3	6	7	9	18	22	13	17	15	13	8	3	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	3	2	-	1	1	-	-	-	-	-	-
	F	108	-	-	-	-	-	-	-	-	3	2	5	5	4	16	15	10	14	14	12	7	3	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	43	-	-	-	-	-	-	1	-	-	1	-	1	-	6	7	5	3	5	3	5	5	-	1	-	-	-
	White—M	26	-	-	-	-	-	-	1	-	-	1	-	-	-	3	5	3	3	2	2	2	3	-	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	3	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	165	-	-	-	1	-	-	-	-	-	2	10	22	15	22	23	22	16	14	11	6	1	-	-	-	-	-
	White—M	132	-	-	-	-	-	-	-	-	-	1	9	17	11	17	17	20	12	13	10	5	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	1	3	4	4	5	1	1	-	-	1	-	-	-	-	-	-
	All other—M	12	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	1	3	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,128	20	3	3	-	1	4	7	7	6	11	27	37	90	205	323	449	636	841	1,046	1,035	823	404	117	31	2	-
	White—M	2,888	13	1	1	-	-	3	5	4	5	9	13	20	38	82	148	218	326	412	500	498	355	179	47	10	1	-
	F	3,016	7	2	2	-	1	1	1	3	1	2	11	14	40	107	155	195	275	401	512	528	454	217	67	19	1	-
	All other—M	123	-	-	-	-	-	-	-	-	-	-	1	2	6	9	9	20	20	19	18	6	6	6	1	-	-	-
	F	101	-	-	-	-	-	-	1	-	-	-	2	1	6	7	11	16	15	9	16	3	8	2	2	2	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	669	32	11	3	8	4	27	20	20	30	26	33	32	35	50	55	51	52	54	58	35	24	7	1	-	1	-
	White—M	378	15	6	2	6	3	15	12	12	15	12	21	15	19	32	31	35	31	29	30	20	15	2	-	-	-	-
	F	263	15	4	1	2	1	11	6	7	14	13	9	15	14	16	20	16	20	21	28	15	9	5	1	-	-	-
	All other—M	16	1	-	-	-	-	-	1	1	1	1	2	1	1	1	3	-	1	1	-	-	-	-	-	-	1	-
	F	12	1	1	-	-	-	1	1	-	-	-	1	1	1	1	1	-	-	3	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	313	34	6	6	9	2	35	16	20	17	15	15	15	18	20	17	11	16	11	10	8	4	3	4	1	-	-
	White—M	178	18	5	4	6	2	23	11	10	7	10	10	10	13	13	6	7	7	6	1	5	-	1	3	-	-	-
	F	116	13	1	1	3	-	11	5	9	6	4	3	3	3	6	11	4	8	5	9	3	4	2	1	1	-	-
	All other—M	16	2	-	-	-	-	1	-	1	4	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,337	1	-	-	1	1	6	12	17	29	34	54	83	94	101	117	110	137	158	140	106	77	39	16	4	-	-
	White—M	678	-	-	-	1	1	3	7	8	9	18	26	40	52	60	69	60	80	76	69	51	27	14	7	-	-	-
	F	617	1	-	-	-	-	1	5	8	19	16	26	42	41	35	44	43	53	77	68	52	49	25	9	3	-	-
	All other—M	24	-	-	-	-	-	1	-	-	1	-	2	-	-	3	3	3	3	3	1	3	1	-	-	-	-	-
	F	18	-	-	-	-	-	1	-	1	-	-	-	1	1	3	1	4	1	2	2	-	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	6,772	3	-	-	-	-	-	-	1	3	10	37	103	202	421	626	771	1,022	1,032	993	751	514	200	67	11	2	3
	White—M	4,717	2	-	-	-	-	-	-	-	3	6	26	83	166	346	521	630	769	704	602	437	277	104	33	6	1	1
	F	1,948	-	-	-	-	-	-	-	1	-	4	8	15	28	67	87	133	239	319	378	305	230	95	33	4	1	1
	All other—M	83	1	-	-	-	-	-	-	-	-	-	2	4	6	6	13	5	11	8	11	8	5	1	-	1	-	1
	F	24	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	3	3	1	2	1	2	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	16,509	10	1	2	5	1	8	9	19	31	47	89	151	288	536	934	1,237	1,713	2,215	2,617	2,616	2192	1,210	459	90	18	11
	White—M	9,337	3	1	2	2	-	3	4	10	14	24	50	94	178	350	628	850	1,100	1,361	1,445	1,343	1,082	541	188	36	9	9
	F	6,686	6	-	-	3	1	5	5	5	17	18	29	50	86	152	251	334	557	783	1,117	1,226	1,077	642	263	50	7	2
	All other—M	298	1	-	-	-	-	-	-	4	-	1	9	4	11	18	34	39	35	47	35	25	11	19	4	1	-	-
	F	188	-	-	-	-	-	-	-	-	-	4	1	3	13	16	21	14	21	24	20	22	12	8	4	3	2	-
107-109	Pneumonia (all forms)	3,443	550	96	22	12	11	24	17	43	18	45	64	94	114	161	180	201	213	267	336	338	302	207	90	27	10	1
	White—M	1,961	273	58	10	6	9	16	8	27	8	25	28	54	73	110	120	127	139	164	203	197	143	107	43	12	1	-
	F	1,282	222	30	9	6	2	6	8	14	10	18	33	33	31	43	49	61	67	86	119	129	151	91	45	15	3	1
	All other—M	128	24	4	2	-	-	-	1	1	-	2	2	5	10	6	7	11	4	12	11	9	3	7	2	-	5	-
	F	72	31	4	1	-	-	2	-	1	-	-	1	2	-	2	4	2	3	5	3	3	5	2	-	-	1	-
117	Ulcer of stomach or duodenum	664	-	-	-	-	-	-	1	-	5	10	17	25	45	63	95	103	87	79	57	31	31	15	-	-	-	-
	White—M	530	-	-	-	-	-	-	-	-	4	8	14	20	36	52	82	92	71	58	40	18	25	10	-	-	-	-
	F	102	-	-	-	-	-	-	1	-	-	1	2	2	3	5	13	9	11	15	16	13	6	5	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	-	1	-	1	2	5	5	-	2	5	5	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	499	368	33	7	5	2	2	2	7	3	1	5	5	5	4	6	8	9	9	4	6	4	4	-	-	-	-
	White—M	266	193	20	6	2	1	2	-	5	3	1	2	2	1	2	4	4	6	2	2	3	2	3	-	-	-	-
	F	202	149	11	1	2	1	-	2	2	-	-	3	3	3	2	2	3	3	7	2	3	2	1	-	-	-	-
	All other-M	16	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	15	12	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	642	1	2	5	9	3	26	39	45	51	32	32	43	40	55	57	48	55	46	35	21	10	3	1	1	-	2
	White—M	401	1	2	4	5	1	15	24	25	24	16	19	25	28	39	38	37	32	27	18	11	6	1	-	1	-	2
	F	223	-	-	1	4	2	10	15	19	7	12	12	15	9	15	19	9	23	19	17	9	3	2	1	-	-	-
	All other-M	11	-	-	-	-	-	1	-	-	-	2	-	2	2	-	-	2	-	-	-	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	636	35	2	7	2	2	4	2	2	8	13	8	25	38	31	51	48	66	60	74	65	54	28	8	2	-	1
	White—M	327	23	-	6	2	-	3	1	-	5	4	4	7	18	15	29	27	33	30	30	38	28	19	5	-	-	-
	F	286	10	1	1	-	1	-	1	2	3	8	3	13	18	16	20	20	32	28	43	26	26	8	3	2	-	1
	All other-M	17	2	1	-	-	1	-	-	-	-	1	-	4	1	-	1	1	1	2	1	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	1,278	3	1	-	-	-	4	2	-	5	19	43	70	106	155	176	184	171	144	89	66	28	6	5	1	-	-
	White—M	806	1	-	-	-	-	2	-	-	2	7	21	38	64	97	119	126	123	84	62	42	14	3	1	-	-	-
	F	411	-	1	-	-	-	1	1	-	3	8	22	26	35	53	51	50	43	52	23	21	13	3	4	1	-	-
	All other-M	43	1	-	-	-	-	-	-	-	-	1	-	4	5	5	4	7	3	8	4	-	1	-	-	-	-	-
	F	18	1	-	-	-	-	1	1	-	-	3	-	2	2	-	2	1	2	-	-	3	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	403	1	-	-	-	-	-	-	1	2	5	6	10	15	26	35	48	59	63	49	42	26	12	3	-	-	-
	White—M	162	1	-	-	-	-	-	-	1	-	-	4	3	5	9	11	20	27	30	18	20	9	4	-	-	-	-
	F	230	-	-	-	-	-	-	-	-	2	5	2	7	8	15	23	26	30	32	31	22	17	7	3	-	-	-
	All other-M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	4,682	7	-	1	2	-	8	7	12	33	41	68	84	141	212	293	355	493	593	626	660	597	321	92	26	8	2
	White—M	2,431	4	-	-	2	-	4	3	6	19	23	28	38	62	117	170	197	276	323	313	347	293	155	38	10	2	1
	F	2,050	3	-	1	-	-	3	4	5	14	14	36	35	72	74	103	130	196	250	298	292	287	163	53	12	4	1
	All other-M	115	-	-	-	-	-	-	-	-	-	3	4	2	3	12	12	15	15	7	9	16	9	2	1	4	1	-
	F	86	-	-	-	-	-	1	-	1	-	1	-	9	4	9	8	13	6	13	6	5	8	1	-	-	1	-
137	Diseases of the prostate	531	-	-	-	-	-	-	-	-	-	1	-	1	4	3	8	17	35	88	103	138	83	40	8	2	-	-
	White—M	522	-	-	-	-	-	-	-	-	-	1	-	1	4	2	8	17	35	83	102	137	82	40	8	2	-	-
	All other-M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	1	1	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	128	-	-	-	-	-	-	1	12	31	38	21	16	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	121	-	-	-	-	-	-	1	10	27	37	21	16	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	61	-	-	-	-	-	-	-	6	11	13	13	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	54	-	-	-	-	-	-	-	5	10	10	13	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	7	-	-	-	-	-	-	-	1	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	123	-	-	-	-	-	-	-	6	33	27	26	21	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	114	-	-	-	-	-	-	-	6	30	26	24	19	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	9	-	-	-	-	-	-	-	-	3	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	625	505	22	8	7	4	13	10	12	8	6	4	11	3	4	2	-	1	3	1	-	-	-	-	-	-	1
	White—M	342	280	12	3	2	3	3	7	7	7	2	3	7	2	1	1	-	-	1	-	-	-	-	-	-	-	1
	F	259	207	7	5	5	1	9	3	5	1	3	-	4	1	3	1	-	1	2	1	-	-	-	-	-	-	-
	All other-M	13	10	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	8	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,441	1,441	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	755	755	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	607	607	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,878	-	-	-	-	-	-	1	39	95	141	133	187	216	193	207	192	173	148	65	53	22	7	2	-	-	4
	White—M	1,373	-	-	-	-	-	-	1	21	58	96	85	128	159	126	151	158	139	122	53	49	17	5	2	-	-	3
	F	423	-	-	-	-	-	-	-	13	29	35	40	53	50	54	50	31	27	22	8	4	4	2	-	-	-	1
	All other-M	69	-	-	-	-	-	-	-	5	5	8	6	5	6	11	5	3	7	3	4	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	3	2	2	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide	337	5	2	-	1	3	9	5	15	29	43	48	42	26	34	27	16	14	10	3	2	2	-	-	-	-	1
	White—M	175	2	1	-	1	1	3	1	7	14	18	23	20	18	18	17	10	11	5	3	1	1	-	-	-	-	-
	F	85	3	1	-	-	2	5	4	3	7	14	6	10	3	9	7	3	3	4	-	1	-	-	-	-	-	-
	All other-M	58	-	-	-	-	-	-	-	2	6	7	14	9	5	6	3	3	-	1	-	-	1	-	-	-	-	1
	F	19	-	-	-	-	-	1	-	3	2	4	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	3,018	8	21	11	21	27	85	75	230	287	234	194	192	209	209	206	243	222	182	154	128	54	18	4	2	-	2
	White—M	2,177	4	8	6	13	14	56	52	166	223	179	148	131	164	152	150	173	165	118	112	92	32	13	3	1	-	2
	F	680	3	12	5	7	8	27	19	54	53	45	33	36	38	48	41	53	45	51	40	35	20	5	1	1	-	-
	All other-M	128	1	-	-	-	2	2	4	8	9	7	12	23	6	7	10	14	8	11	2	-	2	-	-	-	-	-
	F	33	-	1	-	1	3	-	-	2	2	3	1	2	1	2	5	3	4	2	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	3,142	93	58	46	22	16	91	67	135	157	172	171	182	194	183	188	172	170	168	183	213	215	168	54	13	2	9
	White—M	2,102	45	30	24	13	8	61	51	115	129	137	140	148	164	152	154	138	127	101	94	99	84	64	16	-	-	8
	F	914	37	22	17	8	8	22	11	15	23	26	24	25	21	26	24	25	37	62	83	113	131	100	38	13	2	1
	All other-M	98	7	2	4	-	-	7	4	4	4	6	5	9	5	5	9	8	5	4	6	1	-	3	-	-	-	-
	F	28	4	4	1	1	-	1	1	1	1	3	2	-	4	-	1	1	1	1	-	-	-	1	-	-	-	-
	All other causes*	6,635	1,054	58	34	14	12	53	53	65	100	117	141	172	249	311	347	376	423	507	597	673	629	386	212	51	13	10
	White—M	3,504	634	29	19	9	10	23	25	26	47	48	68	68	110	155	184	223	248	292	350	368	299	156	85	17	4	7
	F	2,820	361	26	14	4	2	26	25	34	44	58	56	84	119	133	137	151	152	191	228	292	319	222	122	32	5	3
	All other-M	190	23	1	1	1	-	1	2	1	4	8	8	14	8	8	20	11	18	20	11	8	10	4	5	2	1	-
	F	121	16	-	-	-	-	3	1	4	5	3	9	6	12	15	6	11	5	4	8	5	1	4	-	-	3	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	All causes	12,430	1,266	112	74	40	32	135	134	234	260	266	291	340	436	496	641	849	1,048	1,202	1,378	1,329	1,048	549	190	34	6	40
	White—M	7,082	722	60	41	18	19	83	81	141	141	157	158	175	241	296	418	529	627	688	797	747	550	282	89	16	1	25
	F	5,071	525	46	32	22	12	47	48	88	106	119	124	154	174	185	207	297	391	496	557	567	485	261	93	18	5	14
	All other—M	167	11	3	-	-	-	4	4	4	6	4	5	5	16	8	8	17	15	10	15	10	12	2	7	-	-	1
	F	110	8	3	1	-	1	1	1	1	7	6	4	6	5	7	8	6	15	8	9	5	3	4	1	-	-	-
1,2	Typhoid, paratyphoid fever	9	-	-	-	1	-	2	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	1	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	31	27	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	1	-	1	3	-	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	White—M	6	1	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	558	2	1	2	1	-	5	5	22	34	45	44	59	70	45	65	48	40	26	24	13	5	3	1	-	-	-
	White—M	345	1	1	2	-	-	2	1	3	14	18	23	36	44	34	55	36	26	19	16	10	1	2	1	-	-	-
	F	181	1	-	-	1	-	2	2	16	15	22	21	21	21	8	10	9	11	7	6	3	4	1	-	-	-	-
	All other—M	19	-	-	-	-	-	1	1	2	3	1	-	1	5	2	-	-	2	-	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	1	1	2	4	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	42	2	1	4	2	-	3	-	5	1	3	3	2	2	3	3	2	5	2	-	1	-	-	-	-	-	-
	White—M	23	-	1	3	1	-	2	-	1	-	-	2	-	2	3	3	-	2	2	-	1	-	-	-	-	-	-
	F	15	2	-	1	1	-	-	-	2	1	2	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	14	5	2	1	-	-	2	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	6	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	135	13	1	-	-	-	-	1	-	1	1	5	8	11	11	17	22	15	11	11	3	2	1	1	-	-	-
	White—M	94	8	1	-	-	-	-	1	-	-	-	1	6	7	7	12	18	12	7	8	2	2	1	1	-	-	-
	F	25	3	-	-	-	-	-	-	-	1	1	2	2	2	2	1	2	3	2	3	1	-	-	-	-	-	-
	All other—M	12	2	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
33	Influenza	151	35	3	2	1	-	3	-	2	4	2	3	2	4	5	6	8	8	9	14	15	14	7	4	-	-	-
	White—M	64	19	1	1	1	-	1	-	2	-	-	1	1	2	3	4	4	4	6	4	2	5	1	2	-	-	-
	F	87	16	2	1	-	-	2	-	-	4	2	2	1	2	2	2	4	4	3	10	13	9	6	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	14	4	2	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	3	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	-	1	-	-	-	3	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	636	-	-	-	-	-	2	-	-	2	2	4	8	15	28	37	88	84	100	91	95	55	22	2	-	-	1
	White—M	319	-	-	-	-	-	2	-	-	-	-	2	5	7	11	18	51	41	46	43	46	33	12	2	-	-	-
	F	304	-	-	-	-	-	-	-	-	2	2	2	3	8	16	18	37	38	53	46	48	20	10	-	-	-	1
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	167	-	-	-	-	-	-	-	1	-	2	2	12	13	12	18	22	16	25	22	11	10	1	-	-	-	-
	White—F	165	-	-	-	-	-	-	-	1	-	2	2	12	13	12	18	22	15	25	22	11	10	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
50	Cancer of breast	121	-	-	-	-	-	1	-	-	-	1	1	3	4	9	11	20	15	23	12	8	9	1	3	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	120	-	-	-	-	-	1	-	-	-	1	1	3	4	9	11	20	15	23	12	7	9	1	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	402	-	-	1	1	2	2	2	6	5	5	4	6	11	21	22	33	51	53	61	55	31	22	4	2	-	2
	White—M	298	-	-	-	-	2	1	1	6	4	4	2	3	6	11	16	24	41	37	48	47	22	17	4	1	-	1
	F	95	-	-	1	1	-	-	1	-	-	1	2	2	4	9	6	8	10	16	10	8	9	5	-	1	-	1
	All other—M	7	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	3	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	-	-	-	-	6	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	200	-	-	-	-	-	-	2	4	4	1	6	2	1	7	8	16	27	42	41	18	17	3	1	-	-	-
	White—M	84	-	-	-	-	-	-	1	3	1	1	4	-	1	3	2	8	10	17	13	6	11	3	-	-	-	-
	F	114	-	-	-	-	-	-	1	1	3	-	2	2	-	4	6	8	17	25	27	12	5	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	42	-	-	-	-	-	-	-	1	2	1	-	1	3	4	7	2	5	7	6	3	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	1	2	1	-	1	3	3	5	-	4	3	6	3	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	-	2	1	2	4	3	4	3	2	2	3	3	1	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	1	2	2	3	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	946	4	1	1	-	1	1	-	2	4	1	4	4	16	23	31	57	100	139	175	158	129	75	16	1	1	2
	White—M	473	2	-	-	-	-	1	-	1	1	-	3	-	4	8	13	33	60	74	84	83	64	31	7	1	1	2
	F	455	2	1	1	-	-	-	-	1	3	1	1	4	9	14	15	24	36	61	91	75	63	44	9	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	-	1	-	-	-	-	-
	F	11	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	4	2	-	-	1	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	136	15	2	2	2	-	3	2	7	7	9	7	9	5	9	6	8	8	8	9	9	6	2	1	-	-	-
	White—M	75	7	-	1	-	-	2	1	4	3	5	4	6	3	6	5	4	4	3	6	6	4	1	-	-	-	-
	F	58	8	1	1	2	-	1	1	3	4	4	3	3	1	3	1	4	3	5	3	3	2	1	1	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	80	21	3	2	-	2	5	5	5	3	3	2	3	3	2	2	1	3	4	2	5	1	3	-	-	-	-
	White—M	40	11	1	2	-	-	3	4	2	1	3	-	1	2	1	2	-	1	2	1	2	-	1	-	-	-	-
	F	39	10	2	-	-	2	2	1	3	2	-	2	2	1	1	-	-	2	2	1	3	1	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	257	-	-	-	1	-	10	12	5	6	10	9	12	15	18	17	16	21	22	22	32	18	7	5	-	-	1
	White—M	116	-	-	-	-	-	5	7	2	3	3	2	8	9	5	5	5	7	11	12	15	11	3	2	-	-	1
	F	136	-	-	-	1	-	5	5	3	3	7	7	3	6	11	12	9	14	10	9	17	7	4	3	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	752	1	-	-	-	-	-	-	-	-	4	2	8	24	34	59	75	114	104	132	103	62	20	7	-	1	2
	White—M	554	-	-	-	-	-	-	-	-	-	3	1	4	20	28	53	60	82	70	93	71	47	14	6	-	-	2
	F	189	1	-	-	-	-	-	-	-	-	1	1	3	2	5	6	14	31	33	39	31	14	6	1	-	1	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,905	6	1	-	-	-	3	6	5	12	9	13	18	29	45	82	141	199	244	311	317	258	141	48	11	-	6
	White—M	1,082	3	1	-	-	-	1	3	5	7	5	7	6	13	25	52	93	133	149	188	171	126	71	14	5	-	4
	F	783	3	-	-	-	-	2	3	-	5	4	6	12	14	19	27	42	62	91	119	141	128	67	30	6	-	2
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	4	3	1	3	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	2	1	4	1	1	2	1	-	-	-
107-109	Pneumonia (all forms)	857	210	32	13	6	6	6	9	10	9	12	17	16	22	20	31	30	52	57	86	70	54	49	12	2	-	6
	White—M	501	118	16	6	5	4	5	5	6	5	4	13	7	13	15	23	23	26	38	52	44	34	29	6	1	-	3
	F	315	90	14	7	1	2	1	4	3	3	8	3	7	9	5	6	6	23	18	31	25	20	19	6	1	-	3
	All other—M	14	2	1	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2	-	2	1	-	1	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	119	-	-	-	-	-	-	-	-	1	-	5	10	3	17	17	10	11	12	17	6	4	5	-	-	-	1
	White—M	92	-	-	-	-	-	-	-	-	1	-	4	10	3	12	15	8	8	10	13	1	3	4	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	-	-	5	2	2	2	1	4	5	1	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
119,120	Diarrhea, enteritis, etc.*	201	151	14	10	3	1	2	1	-	-	-	1	1	3	-	-	3	3	1	2	2	-	3	-	-	-	-
	White—M	111	86	6	6	2	-	2	-	-	-	-	1	-	2	-	-	1	-	-	2	1	-	2	-	-	-	-
	F	86	64	8	3	1	1	-	1	-	-	-	-	-	1	-	-	2	2	1	-	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	165	-	1	-	3	6	13	17	22	5	8	11	9	10	7	12	11	9	8	4	6	2	-	-	-	-	1
	White—M	91	-	-	-	1	1	6	8	13	2	6	4	6	6	5	7	7	6	7	1	4	1	-	-	-	-	-
	F	72	-	1	-	2	5	7	9	9	3	2	6	3	4	2	5	4	2	1	3	2	1	-	-	-	-	1
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	99	8	-	-	-	-	2	1	1	3	3	4	6	2	4	6	8	9	8	9	10	10	4	-	-	-	1
	White—M	49	5	-	-	-	-	2	1	1	2	1	1	1	1	3	2	3	3	4	4	5	6	3	-	-	-	1
	F	50	3	-	-	-	-	-	-	-	1	2	3	5	1	1	4	5	6	4	5	5	4	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	74	1	-	-	-	-	-	1	-	-	1	1	-	7	5	9	6	12	10	9	7	3	2	-	-	-	-
	White—M	52	-	-	-	-	-	-	-	-	-	1	1	-	5	3	5	4	9	8	8	7	1	-	-	-	-	-
	F	21	1	-	-	-	-	-	1	-	-	-	-	-	2	2	4	2	3	2	-	-	2	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.	91	-	-	-	-	-	-	-	1	1	-	1	4	4	7	6	14	13	13	12	5	6	3	1	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	4	2	8	6	3	3	2	-	-	-	-
	F	52	-	-	-	-	-	-	-	1	1	-	-	3	4	2	3	9	11	5	6	2	3	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	902	1	1	1	-	-	3	7	15	6	3	8	8	22	30	36	55	74	106	128	166	146	56	22	3	1	6
	White—M	481	-	1	-	-	-	3	3	13	2	1	4	2	6	13	18	32	43	59	67	90	76	29	13	3	-	3
	F	400	1	-	1	-	-	-	3	2	4	2	3	6	15	13	18	21	29	46	55	72	69	27	9	-	1	3
	All other—M	14	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	2	-	3	3	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	1	1	-	-	-	-	-	-
137	Diseases of the prostate	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	15	17	29	13	6	2	-	-	1
	White—M	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	15	17	29	13	6	2	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	46	-	-	-	-	-	-	-	4	13	13	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	44	-	-	-	-	-	-	-	4	12	12	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	17	-	-	-	-	-	-	-	2	1	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	2	1	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	23	-	-	-	-	-	-	-	1	5	4	2	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	1	3	4	2	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	124	102	7	1	1	1	7	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	64	51	5	-	1	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	50	2	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	387	387	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	215	-	-	-	-	-	-	2	6	15	15	19	25	21	28	18	18	14	15	13	3	3	-	-	-	-	-
	White—M	170	-	-	-	-	-	-	2	4	9	10	15	18	16	23	13	15	13	13	13	3	3	-	-	-	-	-
	F	45	-	-	-	-	-	-	-	2	6	5	4	7	5	5	5	3	1	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	52	2	-	1	-	1	1	-	2	9	5	4	5	6	5	6	3	1	1	-	-	-	-	-	-	-	-
	White—M	38	1	-	1	-	1	-	-	2	8	3	4	2	5	5	5	2	-	1	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	-	1	-	-	1	2	-	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	372	3	3	4	1	2	10	18	47	41	34	16	23	17	23	20	27	18	22	19	14	7	2	-	-	-	1
	White—M	260	1	1	3	1	2	8	14	30	32	26	10	13	12	17	18	18	12	14	11	11	4	2	-	-	-	-
	F	109	2	2	1	-	-	2	4	17	9	8	6	10	4	6	2	9	6	7	8	3	2	-	-	-	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	649	28	17	15	6	5	24	23	30	36	36	35	29	33	30	34	26	29	28	32	45	58	34	13	-	-	3
	White—M	459	17	10	7	4	4	17	20	26	33	33	27	27	30	26	31	20	24	20	17	22	24	13	4	-	-	3
	F	177	11	7	8	2	1	7	2	3	2	1	7	1	3	4	2	4	5	8	14	23	34	20	8	-	-	-
	All other—M	10	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	All other causes*	1,291	235	17	11	3	3	16	8	20	25	23	38	29	49	39	51	76	82	82	95	119	124	77	47	15	3	6
	White—M	711	150	10	8	1	3	7	4	11	12	7	20	10	21	17	33	52	49	42	66	63	56	35	25	5	-	4
	F	549	79	5	3	2	-	8	3	9	13	15	15	19	25	21	17	24	31	39	27	53	65	42	19	10	3	2
	All other—M	22	4	1	-	-	-	1	1	-	-	1	-	-	2	-	-	-	1	1	2	2	3	-	3	-	-	-
	F	9	2	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	All causes	17,886	858	60	36	26	32	72	105	170	228	298	322	401	557	854	1,256	1,617	1,861	2,221	2,255	1,992	1,531	755	292	68	6	13
	White—M	9,443	477	30	20	11	14	41	57	97	118	170	165	214	292	512	745	942	1,059	1,224	1,179	935	684	319	107	22	3	6
	F	7,995	342	28	16	15	14	29	41	63	88	109	140	158	232	319	479	644	755	963	1,047	1,027	834	426	174	45	3	4
	All other—M	240	21	1	-	-	1	2	6	2	12	7	10	16	18	14	24	17	25	16	14	14	6	8	5	-	-	3
	F	208	18	1	-	-	3	-	1	8	10	12	7	13	15	9	8	14	22	18	15	16	7	4	6	1	-	-
1,2	Typhoid, paratyphoid fever	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	543	2	1	-	1	1	2	5	24	44	60	49	46	37	49	57	52	49	29	17	13	3	1	1	-	-	-
	White—M	318	2	-	-	1	-	2	1	6	14	28	19	24	20	36	43	44	40	17	9	8	3	-	1	-	-	-
	F	186	-	-	-	-	-	-	3	17	23	27	26	18	12	9	14	7	7	12	6	4	-	1	-	-	-	-
	All other—M	26	-	1	-	-	1	-	1	-	2	3	2	2	5	3	-	1	2	-	2	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	5	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	54	3	5	1	2	-	-	1	1	7	4	4	6	2	5	3	5	2	-	3	-	-	-	-	-	-	-
	White—M	25	-	3	-	1	-	-	-	1	3	2	1	5	1	2	-	4	1	-	1	-	-	-	-	-	-	-
	F	22	3	2	1	1	-	-	1	-	1	2	2	-	1	3	1	1	1	-	2	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	156	1	-	-	-	-	-	-	1	2	1	2	5	14	12	30	21	26	14	14	9	1	3	-	-	-	-
	White—M	97	-	-	-	-	-	-	-	-	1	1	-	2	8	9	14	13	22	9	10	6	-	2	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	1	-	1	-	7	6	3	5	3	2	1	-	-	-	-	-
	All other—M	22	1	-	-	-	-	-	-	-	1	-	1	2	3	3	6	2	1	-	1	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	1	-	-	-	-	-	-
33	Influenza	59	7	4	-	-	1	-	-	-	1	3	4	-	1	2	4	5	5	5	4	7	5	1	-	-	-	-
	White—M	31	3	2	-	-	-	-	-	-	1	3	3	-	-	2	1	5	3	3	1	1	2	1	-	-	-	-
	F	26	3	2	-	-	1	-	-	-	-	-	1	-	1	-	2	-	2	2	3	6	3	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,221	-	-	-	-	-	1	-	-	5	8	10	15	36	54	118	152	169	208	189	135	83	30	7	-	-	1
	White—M	647	-	-	-	-	-	1	-	-	3	7	5	7	20	38	68	79	94	111	97	65	37	10	4	-	-	1
	F	554	-	-	-	-	-	-	-	-	1	1	5	7	15	15	48	70	73	98	89	68	44	19	3	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-	3	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	1	2	1	-	-	-	-
48,49	Cancer of female genital organs	313	-	-	-	-	-	-	1	1	2	1	5	11	15	34	35	53	48	35	34	22	11	4	1	-	-	-
	White—F	304	-	-	-	-	-	-	1	1	1	-	5	10	15	33	35	51	45	35	34	22	11	4	1	-	-	-
	All other—F	9	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
50	Cancer of breast	288	-	-	-	-	-	-	-	-	-	-	6	6	20	32	23	45	38	34	39	25	17	2	-	1	-	-
	White——M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	279	-	-	-	-	-	-	-	-	-	-	6	6	19	32	23	43	35	33	38	24	17	2	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	796	1	2	1	-	2	2	6	3	6	10	7	9	18	31	65	78	117	121	107	103	69	30	7	1	-	-
	White——M	592	-	2	1	-	-	1	1	1	4	7	4	7	12	21	47	61	92	91	87	73	55	20	4	1	-	-
	F	194	1	-	-	-	2	1	5	2	2	3	3	2	5	10	16	17	22	29	19	29	14	9	3	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	24	1	-	-	-	-	3	4	3	2	4	2	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	White——M	11	1	-	-	-	-	1	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	2	2	2	1	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	612	-	1	-	-	-	-	1	2	3	2	7	6	10	11	47	80	84	109	113	80	42	9	3	2	-	-
	White——M	221	-	1	-	-	-	-	1	1	1	1	5	3	3	7	21	34	28	37	29	31	14	3	1	-	-	-
	F	380	-	-	-	-	-	-	-	1	2	1	-	3	7	4	25	44	54	70	84	48	28	6	1	2	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	1	-	1	-	-	1	-	-	-
63b	Exophthalmic goiter	42	-	-	-	-	-	-	-	-	1	2	1	2	5	5	3	6	11	4	-	1	1	-	-	-	-	-
	White——M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	1	-	1	1	3	5	3	5	10	4	-	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	51	-	-	-	-	-	-	-	-	-	-	5	8	5	18	5	5	2	1	1	1	-	-	-	-	-	-
	White——M	47	-	-	-	-	-	-	-	-	-	-	5	7	4	16	5	5	2	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,575	2	1	-	1	1	2	-	1	3	5	3	14	9	57	105	132	183	227	250	287	179	88	41	4	-	-
	White——M	717	2	1	-	-	1	1	-	1	2	2	1	8	2	27	43	60	101	120	123	106	71	33	11	1	-	-
	F	834	-	-	-	1	-	1	-	-	1	3	2	6	6	29	61	71	77	102	125	157	107	55	27	3	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	-	-	2	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	2	2	1	-	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	146	10	5	1	1	2	2	5	5	9	13	3	5	9	8	6	10	13	10	12	7	5	4	1	-	-	-
	White——M	83	6	-	1	-	1	-	5	3	4	10	2	3	6	4	2	6	8	4	9	3	4	2	-	-	-	-
	F	58	3	5	-	1	1	1	-	2	4	3	1	1	3	4	4	4	4	6	3	4	1	2	1	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	60	7	1	-	-	1	4	6	2	3	4	3	3	2	1	3	3	2	9	1	2	1	2	-	-	-	-
	White——M	30	4	-	-	-	-	1	3	1	2	2	3	1	-	-	3	2	1	5	-	1	-	1	-	-	-	-
	F	25	3	1	-	-	1	3	2	-	-	1	-	2	2	1	-	1	1	4	1	1	1	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	337	-	-	-	-	1	4	13	18	9	12	24	24	25	33	31	37	27	26	22	15	10	3	2	1	-	-
	White——M	141	-	-	-	-	-	1	7	8	6	6	9	8	9	13	14	13	11	12	10	8	5	-	-	1	-	-
	F	184	-	-	-	-	1	3	5	8	3	6	13	16	15	19	15	23	15	13	12	7	5	3	2	-	-	-
	All other—M	5	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,739	1	-	-	1	-	-	-	1	-	5	11	25	64	106	163	210	233	308	236	196	106	62	9	2	-	-
	White——M	1,168	1	-	-	-	-	-	-	1	-	5	9	16	48	93	128	166	164	190	142	111	59	31	4	-	-	-
	F	545	-	-	-	1	-	-	-	-	-	-	2	7	15	12	34	42	63	113	90	83	47	31	5	2	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	5	3	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	4	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,937	3	1	-	-	1	2	3	8	12	5	13	31	58	109	176	292	413	546	645	625	570	273	120	24	3	4
	White——M	1,933	2	1	-	-	-	1	1	5	5	4	4	11	34	59	107	163	233	303	331	281	233	102	42	8	2	1
	F	1,928	1	-	-	-	-	1	2	2	5	1	8	17	21	45	64	120	170	235	309	335	332	169	72	16	1	2
	All other—M	36	-	-	-	-	-	-	-	-	2	-	-	2	1	2	4	4	5	3	1	2	4	2	3	-	-	1
	F	40	-	-	-	-	1	-	-	1	-	-	1	1	2	3	1	5	5	5	4	7	1	-	3	-	-	-
107-109	Pneumonia (all forms)	614	71	6	5	2	1	2	5	12	7	10	11	8	22	23	35	45	53	58	71	59	59	32	14	3	-	-
	White——M	364	40	3	4	1	-	2	3	8	6	7	9	5	10	18	25	28	34	38	39	35	25	20	3	1	-	-
	F	239	28	3	1	1	1	-	2	4	1	3	2	3	9	5	10	17	17	19	31	24	33	12	11	2	-	-
	All other—M	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	108	-	-	-	-	-	-	-	-	1	3	3	3	7	15	13	14	16	9	11	10	3	-	-	-	-	-
	White——M	91	-	-	-	-	-	-	-	-	1	3	3	3	6	14	10	14	13	8	9	6	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	3	1	2	4	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
119,120	Diarrhea, enteritis, etc.*	62	39	4	1	1	-	1	-	1	1	1	-	2	4	-	1	1	2	2	1	-	-	-	-	-	-	-
	White—M	34	25	1	1	-	-	-	-	1	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	27	14	3	-	1	-	1	-	-	-	1	-	-	2	-	-	1	2	1	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	148	1	1	1	3	1	5	6	3	9	6	11	8	7	14	14	12	12	12	9	11	1	1	-	-	-	-
	White—M	97	1	1	-	1	1	1	4	2	3	5	7	4	5	11	10	11	10	7	8	4	1	-	-	-	-	-
	F	46	-	-	1	2	-	4	1	-	5	1	4	3	2	3	4	1	2	5	1	6	-	1	-	-	-	-
	All other—M	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	132	5	1	-	-	1	1	3	-	-	3	5	2	3	5	7	17	20	18	16	9	12	4	-	-	-	-
	White—M	69	4	1	-	-	1	1	2	-	-	1	3	1	2	1	2	9	11	6	10	4	8	2	-	-	-	-
	F	62	1	-	-	-	-	-	1	-	-	2	1	1	1	4	5	8	9	12	6	5	4	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	190	-	-	-	-	-	-	1	-	-	2	3	9	14	17	30	29	21	22	18	13	8	3	-	-	-	-
	White—M	128	-	-	-	-	-	-	-	-	-	1	1	4	10	13	23	22	13	15	14	5	6	1	-	-	-	-
	F	62	-	-	-	-	-	-	1	-	-	1	2	5	4	4	7	7	8	7	4	8	2	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	125	-	-	-	-	-	-	-	1	1	1	1	2	6	9	14	21	14	21	14	10	8	2	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	1	1	1	2	4	9	5	3	10	4	4	3	-	-	-	-	-
	F	76	-	-	-	-	-	-	-	1	1	-	-	1	4	5	5	16	11	10	10	5	5	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,178	1	-	-	1	-	1	2	2	5	5	17	22	32	55	70	96	115	156	183	169	138	72	26	8	-	2
	White—M	589	1	-	-	-	-	1	-	1	3	1	7	9	14	20	38	54	52	87	95	84	67	39	12	3	-	1
	F	554	-	-	-	1	-	-	2	1	2	4	9	11	14	32	30	40	60	64	83	82	69	31	13	5	-	1
	All other—M	21	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	2	3	4	2	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	2	1	1	1	1	1	-	-	-
137	Diseases of the prostate	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	14	18	14	9	8	5	-	-	-
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	13	18	14	9	8	5	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	35	-	-	-	-	-	-	-	-	7	11	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	-	7	10	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	14	-	-	-	-	-	-	-	1	3	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	1	3	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	22	-	-	-	-	-	-	-	1	3	5	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	-	3	5	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	173	143	4	2	3	2	2	2	7	-	3	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	87	73	2	1	-	1	1	1	3	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	81	66	2	1	3	1	1	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	286	286	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	145	145	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	306	-	-	-	-	-	-	-	6	15	20	26	28	27	39	33	30	27	23	15	12	4	4	-	-	-	1
	White—M	223	-	-	-	-	-	-	-	4	6	14	17	22	15	29	25	22	20	18	14	10	3	4	-	-	-	-
	F	77	-	-	-	-	-	-	-	2	5	6	9	4	11	9	8	8	6	5	1	2	1	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	31	3	-	-	1	-	1	-	1	3	1	1	3	4	2	2	1	2	2	2	-	1	-	-	-	-	1
	White—M	21	2	-	-	-	-	-	-	-	2	1	-	2	2	2	1	1	2	2	2	-	1	-	-	-	-	1
	F	7	1	-	-	1	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	345	-	-	5	1	3	11	5	26	31	27	12	16	17	20	30	29	25	38	21	12	11	3	-	-	-	2
	White—M	270	-	-	3	1	3	9	4	22	28	20	10	12	14	17	21	22	18	27	17	8	9	3	-	-	-	2
	F	60	-	-	2	-	-	2	1	3	2	4	1	2	3	3	8	5	6	9	4	3	2	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	2	-	2	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	702	16	9	9	4	6	17	16	19	19	28	21	35	26	29	45	43	39	47	66	59	75	46	19	7	1	1
	White—M	419	9	3	4	3	2	14	13	18	14	23	18	29	19	25	36	37	28	28	32	17	25	14	7	1	-	-
	F	264	6	5	5	1	3	2	2	1	4	4	1	3	7	3	9	4	11	19	34	41	49	32	12	5	1	-
	All other—M	14	-	-	-	-	-	1	1	-	1	1	2	3	-	1	-	2	-	-	-	1	-	-	-	-	-	1
	F	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	All other causes*	1,355	250	12	8	4	5	7	16	20	16	28	30	35	49	56	82	86	88	115	123	106	99	68	36	15	2	1
	White—M	700	154	8	4	3	3	2	8	9	7	11	16	18	19	28	44	56	47	61	67	49	43	23	15	6	1	-
	F	617	84	4	4	1	1	5	7	11	9	12	14	14	28	28	36	29	38	52	52	56	55	43	23	9	1	1
	All other—M	16	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	2	1	-	-	-	-	-	-
	F	22	4	-	-	-	1	-	1	-	-	5	-	2	2	-	-	-	2	-	2	-	1	2	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	All causes	3,261	225	19	8	9	6	16	26	53	55	68	71	73	117	148	215	255	295	349	371	360	293	158	52	12	1	6
	White—M	1,379	77	5	4	6	1	8	13	19	19	25	25	22	36	69	89	120	129	167	171	149	132	67	21	4	-	1
	F	1,226	82	6	2	2	2	4	10	16	18	18	24	25	39	51	74	76	93	124	152	154	140	83	24	5	-	2
	All other—M	356	36	4	1	1	2	3	1	11	7	16	13	14	25	15	29	33	37	35	30	29	7	4	-	1	-	2
	F	300	30	4	1	-	1	1	2	7	11	9	9	12	17	13	23	26	36	23	18	28	14	4	7	2	1	1
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	111	-	-	-	-	-	-	-	9	5	13	9	9	10	10	13	10	5	7	3	4	2	1	-	-	-	1
	White—M	44	-	-	-	-	-	-	-	1	-	4	5	3	3	7	7	4	2	5	1	1	1	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	3	-	3	1	1	3	1	2	3	3	2	2	2	1	1	-	-	-	-
	All other—M	25	-	-	-	-	-	-	-	1	2	3	3	3	4	1	4	3	-	-	-	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	4	3	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	14	2	-	2	-	-	2	-	-	1	3	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	1	-	-	-	-	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	58	3	-	-	-	-	-	-	-	3	2	-	6	1	7	8	4	9	5	8	1	1	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1	2	1	3	3	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-	-	-
	All other—M	21	2	-	-	-	-	-	-	-	-	-	-	-	1	4	4	1	4	1	3	-	1	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	3	2	-	1	-	1	2	-	2	-	1	-	-	-	-	-	-	-
33	Influenza	28	2	-	-	-	-	-	-	-	1	2	1	-	1	3	3	1	-	3	4	3	2	2	-	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	1	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	1	2	1	1	1	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	157	-	-	-	-	-	-	-	-	-	-	1	1	5	6	20	20	24	21	29	16	12	1	1	-	-	-
	White—M	72	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	8	9	13	14	7	7	1	1	-	-	-
	F	68	-	-	-	-	-	-	-	-	-	-	1	-	3	3	9	8	9	7	14	9	5	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	39	-	-	-	-	-	-	-	-	1	2	2	-	7	5	6	2	2	4	4	4	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	-	1	2	2	-	5	4	6	-	2	4	3	4	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
50	Cancer of breast	42	-	-	-	-	-	-	-	-	-	-	1	5	3	5	4	5	-	5	8	2	4	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	1	4	3	5	3	5	-	4	7	2	4	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	106	1	-	-	-	-	-	1	1	1	1	1	-	5	6	5	16	12	15	16	14	8	3	-	-	-	-
	White—M	70	1	-	-	-	-	-	-	-	-	1	-	-	3	3	2	12	7	9	13	8	8	3	-	-	-	-
	F	25	-	-	-	-	-	-	1	-	1	-	1	-	2	1	3	2	3	4	3	4	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	80	-	-	1	-	-	-	1	1	-	-	-	1	1	5	9	11	5	17	12	9	6	1	-	-	-	-
	White—M	28	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	6	1	5	3	5	2	1	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	3	10	9	4	3	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	2	-	-	1	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	1	1	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	282	-	-	-	-	-	-	-	-	-	2	-	1	2	10	15	20	34	34	53	44	41	20	5	-	-	1
	White—M	121	-	-	-	-	-	-	-	-	-	1	-	-	-	3	6	8	18	18	24	17	17	7	2	-	-	-
	F	113	-	-	-	-	-	-	-	-	-	1	-	1	-	5	6	9	10	11	21	13	23	10	2	-	-	1
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	4	-	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	2	3	10	1	2	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	26	2	2	-	1	-	1	1	1	2	3	1	1	1	1	1	2	1	2	-	-	1	-	2	-	-	-
	White—M	10	1	1	-	1	-	1	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	F	10	1	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	1	-	-	-	1	-	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	12	2	-	-	1	-	2	-	-	1	-	-	1	-	-	1	-	1	-	-	2	-	-	1	-	-	-
	White—M	6	-	-	-	-	-	2	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	70	-	-	-	-	-	-	-	2	3	4	1	2	4	5	6	8	5	6	6	9	3	6	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	1	1	1	1	2	3	5	5	4	3	1	3	2	2	-	-	-	-
	F	27	-	-	-	-	-	-	-	2	1	1	-	-	2	2	1	1	1	3	4	5	-	4	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	218	-	-	-	-	-	-	-	-	-	-	-	2	8	11	19	29	29	34	33	24	16	10	3	-	-	-
	White—M	122	-	-	-	-	-	-	-	-	-	-	-	-	5	9	15	20	16	20	14	11	7	4	1	-	-	-
	F	77	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	7	10	10	14	12	9	6	2	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	3	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	629	-	-	-	-	-	-	2	2	2	3	9	6	13	26	39	47	74	71	91	80	83	60	16	5	-	-
	White—M	261	-	-	-	-	-	-	1	-	2	-	4	1	4	10	18	17	26	29	49	32	33	24	9	2	-	-
	F	234	-	-	-	-	-	-	1	2	-	1	2	2	4	8	10	13	24	28	28	30	41	32	7	1	-	-
	All other—M	63	-	-	-	-	-	-	-	-	-	1	2	2	2	4	5	6	13	7	10	7	1	2	-	1	-	-
	F	71	-	-	-	-	-	-	-	-	-	1	1	1	3	4	6	11	11	7	4	11	8	2	-	1	-	-
107-109	Pneumonia (all forms)	157	36	4	1	-	1	-	2	5	2	3	2	3	6	2	11	7	7	16	10	14	16	4	2	2	-	1
	White—M	58	8	1	-	-	1	-	1	2	1	2	1	-	3	1	6	4	5	7	4	4	6	1	-	-	-	-
	F	57	12	-	-	-	-	-	1	1	1	-	1	1	-	-	2	2	1	6	6	7	9	3	2	2	-	-
	All other—M	29	8	3	1	-	-	-	-	2	-	-	-	2	3	1	2	1	-	2	-	2	1	-	-	-	-	1
	F	13	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	20	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	4	2	1	2	-	2	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
119,120	Diarrhea, enteritis, etc.*	18	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	White—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	All other—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	27	-	-	-	-	-	3	2	1	1	1	-	-	4	2	3	2	3	3	1	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	2	2	-	1	1	-	-	2	1	-	-	2	2	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	26	1	-	-	-	-	-	1	-	-	-	2	2	2	1	-	3	3	1	2	3	5	-	-	-	-	-
	White—M	12	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	-	1	3	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	1	-	4	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	23	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	3	5	3	1	3	1	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	2	1	3	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	2	1	3	1	-	-	-	-	1
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	2	1	2	1	-	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	356	-	1	-	-	-	-	-	2	2	4	5	4	8	6	9	25	34	53	56	73	43	25	6	-	-	-
	White—M	141	-	-	-	-	-	-	-	1	-	2	-	-	1	1	3	10	10	22	26	30	23	9	3	-	-	-
	F	140	-	1	-	-	-	-	-	1	1	-	1	2	2	2	1	9	11	19	21	35	17	15	2	-	-	-
	All other—M	34	-	-	-	-	-	-	-	-	-	2	2	1	2	1	3	2	1	8	5	4	2	1	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	1	-	2	1	3	2	2	4	12	4	4	4	1	-	1	-	-	-
157	Diseases of the prostate	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	3	4	-	1	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	3	-	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	14	-	-	-	-	-	-	-	-	4	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	7	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	25	23	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	38	-	-	-	-	-	-	-	2	2	3	5	1	5	4	4	7	3	1	-	-	1	-	-	-	-	-
	White—M	27	-	-	-	-	-	-	-	2	-	3	3	1	2	4	1	7	2	1	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	2	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	12	1	-	-	-	-	-	-	1	2	2	-	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	1	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	95	-	-	1	1	1	-	6	16	6	3	3	6	5	6	10	2	6	7	4	6	2	3	-	-	-	1
	White—M	58	-	-	1	-	-	-	3	9	5	1	3	4	2	4	4	1	5	3	3	5	2	3	-	-	-	-
	F	22	-	-	-	1	1	-	2	4	-	-	-	1	1	2	5	-	1	2	1	1	-	-	-	-	-	-
	All other—M	15	-	-	-	-	-	-	1	3	1	2	-	1	2	-	1	1	-	2	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	132	5	2	3	1	1	5	5	6	7	7	8	7	5	2	3	11	5	10	4	13	8	8	5	-	-	1
	White—M	63	-	-	1	-	-	2	5	3	5	5	3	2	3	1	2	6	2	7	2	1	4	7	1	-	-	1
	F	44	5	2	2	-	-	2	-	-	2	-	2	1	2	1	1	3	1	1	2	10	4	1	2	-	-	-
	All other—M	18	-	-	-	1	-	1	-	2	-	2	2	3	-	-	-	2	2	2	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	All other causes*	294	60	5	-	1	2	2	2	3	6	4	9	6	10	15	11	10	19	24	17	28	31	14	9	5	1	-
	White—M	116	23	2	-	1	-	-	-	-	2	2	3	3	1	10	2	5	9	13	7	13	12	4	2	2	-	-
	F	123	25	1	-	-	1	2	2	1	4	2	4	2	3	3	4	3	7	6	9	12	16	10	4	2	-	-
	All other—M	29	8	1	-	-	1	-	-	1	-	-	2	-	3	1	1	2	2	3	-	3	1	-	-	-	-	-
	F	26	4	1	-	-	-	-	-	1	-	-	-	1	3	1	4	-	1	2	1	-	2	-	3	1	1	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	All causes	8,637	719	43	22	18	15	59	48	95	172	252	295	363	511	594	675	649	823	883	813	653	532	263	106	23	7	4
	White—M	3,185	241	18	5	5	4	18	10	30	46	64	86	109	186	243	268	262	370	334	315	267	189	81	29	3	-	2
	F	2,493	153	5	7	6	-	13	13	13	24	56	57	71	95	125	126	152	215	292	329	273	262	142	51	12	1	-
	All other—M	1,536	178	15	3	5	4	14	13	24	42	61	81	103	111	135	157	128	136	136	78	50	31	16	10	3	1	1
	F	1,423	147	5	7	2	7	14	12	28	60	71	71	80	119	91	124	107	102	121	91	63	50	24	16	5	5	1
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	-	-	-	-	-	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	10	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	356	2	1	2	1	1	-	1	24	41	39	28	37	34	35	28	20	22	20	11	5	2	2	-	-	-	-
	White—M	98	-	-	1	-	-	-	-	-	1	4	5	10	10	13	11	10	13	9	7	3	1	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	1	4	6	2	5	3	4	1	1	4	5	1	2	1	1	-	-	-	-
	All other—M	125	-	1	-	1	-	-	1	8	10	12	13	16	15	15	12	8	4	6	2	-	-	1	-	-	-	-
	F	92	2	-	1	-	1	-	-	15	26	17	8	6	6	3	4	1	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	71	2	6	2	2	4	2	3	6	5	11	6	2	8	4	4	1	1	1	-	-	1	-	-	-	-	-
	White—M	7	1	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	12	-	1	-	-	-	-	-	1	-	3	1	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	21	-	3	1	2	1	1	-	1	3	2	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	31	1	1	1	-	3	1	3	4	2	6	2	1	3	1	1	-	-	-	-	-	1	-	-	-	-	-
27	Dysentery	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	166	8	-	-	-	-	-	-	-	1	4	7	19	16	25	22	16	20	12	9	5	1	-	1	-	-	-
	White—M	53	1	-	-	-	-	-	-	-	-	1	-	2	-	8	7	7	11	7	7	2	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	1	1	2	2	1	-	-	-	-	-
	All other—M	75	5	-	-	-	-	-	-	-	1	2	4	14	13	14	8	7	4	3	-	-	-	-	-	-	-	-
	F	24	2	-	-	-	-	-	-	-	-	-	2	2	2	3	6	-	4	1	-	1	-	-	1	-	-	-
33	Influenza	50	8	3	-	-	-	1	1	2	-	4	-	1	2	1	4	1	1	5	1	5	7	1	2	-	-	-
	White—M	16	2	1	-	-	-	-	-	1	-	1	-	-	1	-	3	1	-	3	-	-	3	-	-	-	-	-
	F	21	1	1	-	-	-	1	1	1	-	1	-	-	-	1	1	-	-	2	1	3	4	1	2	-	-	-
	All other—M	5	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	408	-	-	1	-	-	-	-	-	1	5	5	6	26	42	36	46	61	59	61	34	14	7	3	1	-	-
	White—M	180	-	-	-	-	-	-	-	-	-	2	2	2	12	21	17	15	38	20	26	15	6	3	1	-	-	-
	F	134	-	-	1	-	-	-	-	-	-	2	2	1	4	10	6	21	15	22	24	16	6	2	2	-	-	-
	All other—M	54	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	8	6	11	4	2	1	2	-	1	-	-
	F	40	-	-	-	-	-	-	-	-	1	1	1	2	8	4	4	2	2	6	7	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	146	-	-	-	-	-	-	-	-	1	2	3	15	13	23	16	16	15	14	9	11	4	4	-	-	-	-
	White—F	98	-	-	-	-	-	-	-	-	-	1	1	5	9	17	9	13	11	9	8	8	3	4	-	-	-	-
	All other—F	48	-	-	-	-	-	-	-	-	1	1	2	10	4	6	7	3	4	5	1	3	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
50	Cancer of breast	106	-	-	-	-	-	-	-	-	-	-	1	6	15	13	9	14	13	14	9	7	2	2	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	-	-	-	-	-	-	-	-	-	-	-	5	14	8	8	12	10	12	6	6	1	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	2	3	2	2	1	1	-	1	-	-	-
45,47, 51-55	Cancer (other forms)	357	-	2	-	-	-	3	3	1	8	4	10	6	19	33	38	34	52	53	28	38	20	4	-	1	-	-
	White—M	216	-	2	-	-	-	3	-	1	7	4	5	4	13	24	20	16	32	29	17	25	14	-	-	-	-	-
	F	79	-	-	-	-	-	-	2	-	-	-	2	1	2	5	8	7	9	17	9	10	3	3	-	1	-	-
	All other—M	43	-	-	-	-	-	-	-	-	1	-	1	1	1	2	7	7	9	7	2	2	2	1	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	-	2	-	3	2	3	4	2	-	-	1	1	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	2	5	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	222	-	-	-	-	-	1	-	2	5	3	3	5	11	6	17	25	32	35	32	27	14	4	-	-	-	-
	White—M	65	-	-	-	-	-	-	-	2	1	1	-	2	2	2	5	3	9	9	11	9	6	3	-	-	-	-
	F	102	-	-	-	-	-	-	-	-	2	1	1	2	5	-	5	14	12	19	18	15	7	1	-	-	-	-
	All other—M	19	-	-	-	-	-	-	-	-	2	-	1	-	-	3	-	3	5	-	1	3	1	-	-	-	-	-
	F	36	-	-	-	-	-	1	-	-	-	1	1	1	4	1	7	5	6	7	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	14	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	3	3	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	2	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	26	-	-	-	-	-	-	-	-	-	-	5	7	4	5	2	1	2	-	-	-	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	1	7	2	1	1	-	2	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	639	6	-	-	-	-	1	-	1	1	2	9	13	21	39	63	64	73	84	90	80	55	29	5	2	1	-
	White—M	198	1	-	-	-	-	1	-	1	-	1	2	2	9	11	14	21	25	25	24	33	19	9	-	-	-	-
	F	213	1	-	-	-	-	-	-	-	1	1	2	1	2	9	13	17	24	26	39	31	26	15	5	-	-	-
	All other—M	99	2	-	-	-	-	-	-	-	-	-	1	2	5	8	16	12	13	15	10	8	5	1	-	-	1	-
	F	129	2	-	-	-	-	-	-	-	-	-	4	8	5	11	20	14	11	18	17	8	5	4	-	2	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	64	11	1	1	1	2	-	1	3	3	4	3	3	3	2	5	3	4	2	7	4	1	-	-	-	-	-
	White—M	27	5	-	-	-	2	-	-	1	2	2	1	-	1	1	3	-	1	-	5	3	-	-	-	-	-	-
	F	17	1	1	1	-	-	-	1	1	-	1	-	-	1	-	1	2	2	1	2	1	1	-	-	-	-	-
	All other—M	12	3	-	-	-	-	-	-	1	1	-	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	8	2	-	-	1	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	28	2	-	-	1	-	-	2	2	-	3	2	5	1	1	2	2	1	2	-	1	1	-	-	-	-	-
	White—M	12	1	-	-	-	-	-	1	1	-	2	-	2	-	1	2	1	-	-	-	1	-	-	-	-	-	-
	F	11	1	-	-	1	-	-	-	-	-	1	2	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	133	-	-	-	-	-	2	8	2	3	8	10	10	5	6	9	11	12	14	12	11	4	4	1	-	-	1
	White—M	44	-	-	-	-	-	-	2	1	1	2	2	4	3	4	4	3	3	4	5	3	1	2	-	-	-	-
	F	44	-	-	-	-	-	-	3	-	1	2	6	4	2	2	1	2	3	4	6	4	2	1	1	-	-	-
	All other—M	14	-	-	-	-	-	-	2	-	-	-	2	-	-	-	3	1	2	3	-	1	-	-	-	-	-	-
	F	31	-	-	-	-	-	2	1	1	1	4	-	2	-	-	1	5	4	3	1	3	1	1	-	-	-	1
94	Diseases of coronary arteries, angina pectoris	516	-	-	-	-	-	-	-	-	-	3	5	6	25	50	63	51	83	78	59	46	34	13	1	1	-	-
	White—M	320	-	-	-	-	-	-	-	-	-	2	1	6	19	32	45	37	56	46	30	25	14	5	1	1	-	-
	F	134	-	-	-	-	-	-	-	-	-	-	-	-	5	6	8	3	19	23	23	20	20	7	-	-	-	-
	All other—M	35	-	-	-	-	-	-	-	-	-	1	3	-	1	5	7	7	4	4	1	1	-	1	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	1	-	-	7	3	4	4	3	5	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,574	2	1	-	-	1	1	2	7	7	14	17	31	81	80	114	146	180	203	216	183	157	90	46	11	3	1
	White—M	534	-	-	-	-	-	-	-	1	2	2	4	9	23	23	28	53	75	78	75	66	53	26	13	2	-	1
	F	446	-	-	-	-	-	-	-	-	1	2	2	3	8	14	22	19	36	55	75	62	71	45	24	7	-	-
	All other—M	294	2	1	-	-	-	1	-	2	1	4	4	11	19	25	32	41	42	35	34	16	14	4	5	1	-	-
	F	300	-	-	-	-	1	-	2	4	3	6	7	8	31	18	32	33	27	33	32	19	19	15	4	1	3	-
107-109	Pneumonia (all forms)	541	75	8	2	1	-	5	2	2	12	11	25	24	25	34	40	38	47	53	39	35	38	17	8	-	-	-
	White—M	197	26	5	2	-	-	2	-	-	3	4	7	7	5	11	12	18	17	18	17	15	19	7	4	-	-	-
	F	133	14	-	-	-	-	1	1	-	4	2	3	3	3	6	5	7	14	15	17	13	14	8	3	-	-	-
	All other—M	119	17	2	-	1	-	2	1	1	2	3	10	10	11	8	19	8	9	8	3	2	1	1	-	-	-	-
	F	92	18	1	-	-	-	-	-	1	3	2	5	4	6	9	4	7	7	12	2	5	4	1	1	-	-	-
117	Ulcer of stomach or duodenum	48	1	-	-	-	-	-	-	-	-	2	-	4	10	6	5	7	3	4	3	1	1	1	-	-	-	-
	White—M	34	1	-	-	-	-	-	-	-	-	1	-	2	8	4	3	4	3	4	2	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	85	64	4	1	-	-	-	-	-	2	-	3	1	-	1	2	2	1	-	1	1	-	-	2	-	-	-
	White—M	26	21	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
	F	18	11	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	1	-	-	-
	All other—M	26	21	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	15	11	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	80	-	-	1	-	-	6	6	7	4	4	5	11	6	7	7	4	5	3	3	1	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	2	2	2	1	1	3	3	4	3	-	2	2	-	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	1	1	2	-	2	-	3	-	1	3	1	-	-	1	1	-	-	-	-	-	-
	All other—M	22	-	-	-	-	-	1	3	3	1	1	-	2	2	3	3	-	1	2	-	-	-	-	-	-	-	-
	F	16	-	-	1	-	-	2	-	-	2	-	2	3	-	-	1	1	2	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	79	5	-	1	-	1	-	-	-	1	2	2	11	7	7	12	7	6	5	3	2	5	1	1	-	-	-
	White—M	25	1	-	-	-	-	-	-	-	-	1	-	3	2	1	7	4	2	2	-	-	2	-	-	-	-	-
	F	20	-	-	1	-	-	-	-	-	-	-	-	1	2	2	1	1	1	2	3	2	3	1	-	-	-	-
	All other—M	19	4	-	-	-	1	-	-	-	1	-	1	3	-	2	3	-	3	1	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	4	3	2	1	2	-	-	-	-	-	-	1	-	-	-
124	Cirrhosis of the liver	95	3	-	-	-	-	-	-	-	-	5	1	7	13	14	9	8	11	14	8	-	1	1	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	2	1	4	6	11	7	7	8	8	7	-	-	-	-	-	-	-
	F	22	1	-	-	-	-	-	-	-	-	3	-	2	3	2	-	1	2	5	1	-	1	1	-	-	-	-
	All other—M	8	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	46	-	-	-	-	-	-	-	-	-	1	1	-	4	5	5	3	8	7	3	3	3	2	1	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	-	1	1	-	1	1	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	6	6	2	2	3	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	763	-	1	-	-	-	1	1	2	6	14	21	27	44	47	56	64	35	100	103	90	73	31	15	2	-	-
	White—M	262	-	-	-	-	-	-	1	1	1	5	7	9	10	17	18	30	26	33	39	32	21	10	2	-	-	-
	F	260	-	-	-	-	-	-	-	1	2	1	4	3	7	10	7	14	14	40	45	43	43	18	7	1	-	-
	All other—M	110	-	-	-	-	-	-	-	-	-	2	3	9	14	15	15	8	14	13	7	5	2	2	1	-	-	-
	F	131	-	1	-	-	-	1	-	-	3	6	7	6	13	5	16	12	11	14	12	10	7	1	5	1	-	-
137	Diseases of the prostate	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	5	9	1	5	1	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	6	1	5	1	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	3	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	21	-	-	-	-	-	-	-	1	5	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	1	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	7	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	17	-	-	-	-	-	-	-	-	1	5	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	70	57	3	1	1	-	2	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	18	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	18	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	7	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	14	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	281	281	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	137	-	-	-	-	-	-	-	3	10	13	21	17	19	24	9	7	2	5	3	2	1	1	-	-	-	-
	White—M	74	-	-	-	-	-	-	-	2	4	4	14	7	12	15	5	3	-	3	3	2	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	5	5	6	8	5	7	3	4	2	2	-	-	1	1	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	1	-	3	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	91	-	-	-	-	-	-	1	2	8	16	13	12	12	10	4	4	4	5	-	-	-	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	2	2	3	8	1	3	1	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	55	-	-	-	-	-	-	-	2	5	11	11	6	4	7	1	2	2	4	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	3	3	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	150	-	1	1	2	-	8	2	11	19	11	16	8	12	6	14	7	10	5	10	2	3	1	1	-	-	-
	White—M	89	-	-	1	-	-	2	1	9	12	8	9	3	6	5	7	5	8	4	4	2	2	-	1	-	-	-
	F	27	-	-	-	1	-	3	1	2	-	1	4	2	2	-	2	1	2	-	5	-	-	1	-	-	-	-
	All other—M	25	-	1	-	1	-	3	-	-	5	2	1	3	2	-	5	1	-	-	-	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	2	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	324	20	2	5	1	3	7	4	8	9	15	24	19	23	14	17	13	19	23	25	21	29	17	4	1	1	-
	White—M	133	10	1	-	-	-	2	1	5	5	6	12	8	14	6	14	10	7	10	7	6	5	4	-	-	-	-
	F	102	2	-	2	1	-	-	-	1	-	1	3	3	3	5	2	1	7	6	15	13	22	12	2	1	-	-
	All other—M	57	5	-	1	-	1	4	2	2	3	8	6	7	4	3	1	2	2	4	1	-	-	-	1	-	-	-
	F	32	3	1	2	-	2	1	1	-	1	-	3	1	2	-	-	-	3	3	2	2	2	1	1	-	1	-
	All other causes*	843	153	9	3	7	2	12	5	9	16	32	31	35	49	50	59	29	61	57	59	57	56	30	14	4	2	2
	White—M	289	54	6	1	5	2	5	-	2	6	4	5	7	13	24	26	8	25	20	21	22	18	9	5	-	-	1
	F	230	38	-	-	2	-	5	1	3	1	6	5	7	8	9	13	6	16	16	24	19	27	17	4	2	1	-
	All other—M	168	41	3	-	-	-	-	3	2	5	9	11	10	6	9	7	6	11	15	9	9	4	3	3	1	-	1
	F	156	20	-	2	-	-	2	1	2	4	13	10	11	22	8	13	9	9	6	5	7	7	1	2	1	1	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	All causes	22,926	1,814	170	105	76	58	176	202	359	608	784	874	957	1,173	1,585	1,637	1,791	1,875	2,254	2,240	1,830	1,394	726	254	71	29	84
	White—M	9,361	601	52	33	24	18	62	85	97	160	199	214	236	355	511	635	781	908	1,118	1,125	978	664	351	98	25	2	29
	F	5,884	446	38	22	14	16	52	48	71	90	132	156	167	203	246	280	371	494	645	733	619	588	296	109	27	6	15
	All other—M	4,362	452	39	29	27	12	36	32	94	177	262	298	300	303	365	412	374	272	296	241	152	79	40	29	10	8	23
	F	3,319	315	41	21	11	12	26	37	97	181	191	206	254	312	263	310	265	201	195	141	81	63	39	18	9	13	17
1,2	Typhoid, paratyphoid fever	23	-	-	2	-	-	3	2	1	3	1	4	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	1	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	-	2	-	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	6	-	1	-	-	-	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	6	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	39	29	2	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	11	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	26	4	3	8	2	3	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	2	5	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	3	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	909	2	-	2	-	-	-	13	41	120	91	103	109	82	73	69	63	51	38	26	13	10	-	-	-	-	3
	White—M	257	-	-	-	-	-	-	-	3	8	7	19	20	22	31	27	35	30	26	16	8	4	-	-	-	-	1
	F	99	2	-	-	-	-	-	-	4	14	8	4	13	7	5	4	12	6	5	8	3	4	-	-	-	-	-
	All other—M	300	-	-	1	-	-	-	3	13	42	38	51	40	35	23	23	12	8	6	-	2	2	-	-	-	-	1
	F	253	-	-	1	-	-	-	10	21	56	38	29	36	18	14	15	4	7	1	2	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	51	6	1	1	-	-	2	-	5	3	1	6	8	2	4	2	1	4	-	1	1	3	-	-	-	-	-
	White—M	19	1	-	1	-	-	-	-	1	-	-	-	4	1	2	2	-	4	-	1	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-
	All other—M	12	4	-	-	-	-	1	-	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	1	1	-	-	-	-	-	1	2	-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	30	9	4	3	-	1	-	-	-	1	-	2	1	-	-	1	2	-	2	1	2	1	-	-	-	-	-
	White—M	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	All other—M	9	4	2	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	8	2	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria	96	7	-	4	1	2	4	1	2	6	6	5	4	5	6	6	1	8	6	11	7	1	1	1	-	1	-
	White—M	23	1	-	1	-	1	1	1	-	-	-	1	1	-	2	-	1	2	3	2	4	1	1	-	-	-	-
	F	16	1	-	-	1	-	1	-	-	1	1	1	-	1	-	1	-	-	1	5	1	-	-	1	-	-	-
	All other—M	24	3	-	2	-	-	-	-	-	2	4	-	2	1	3	1	-	3	1	-	2	-	-	-	-	-	-
	F	33	2	-	1	-	1	2	-	2	3	1	3	1	3	1	4	-	3	1	4	-	-	-	-	-	1	-
30	Syphilis	506	42	-	2	1	1	1	2	6	13	42	44	52	50	47	49	46	36	34	24	7	2	3	-	-	-	2
	White—M	105	3	-	-	-	-	-	1	-	1	1	5	5	3	6	17	15	16	15	10	3	1	3	-	-	-	-
	F	42	10	-	-	-	-	-	-	1	1	3	3	2	5	5	-	5	5	1	1	-	-	-	-	-	-	-
	All other—M	235	12	-	1	1	-	-	-	3	5	20	24	27	26	24	25	22	12	17	9	4	1	-	-	-	-	2
	F	124	17	-	1	-	1	1	1	2	6	18	12	18	16	12	7	4	3	1	4	-	-	-	-	-	-	-
33	Influenza	569	66	14	5	7	2	3	10	15	12	13	15	24	30	33	44	38	37	42	38	41	41	21	12	2	3	1
	White—M	156	20	3	2	3	1	1	3	3	2	-	3	5	2	3	10	9	5	16	16	15	16	13	5	-	-	-
	F	140	19	2	-	-	-	-	2	3	2	1	2	4	5	2	4	6	9	14	12	18	21	6	6	1	1	-
	All other—M	133	15	3	3	4	1	2	2	3	1	7	4	8	9	18	16	9	10	5	6	2	1	-	1	1	1	1
	F	140	12	6	-	-	-	-	3	6	7	5	6	7	14	10	14	14	13	7	4	6	3	2	-	-	1	-
35	Measles	7	2	1	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	2	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	735	-	-	-	-	-	-	-	-	1	2	7	17	28	50	69	74	86	122	115	86	51	17	3	1	1	5
	White—M	353	-	-	-	-	-	-	-	-	-	-	3	7	6	27	33	42	45	60	55	42	19	11	1	1	-	1
	F	275	-	-	-	-	-	-	-	-	1	1	-	4	9	10	20	17	28	51	55	39	31	5	2	-	-	2
	All other—M	57	-	-	-	-	-	-	-	-	-	-	1	2	8	5	9	8	10	7	3	3	1	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	1	3	4	5	8	7	7	3	4	2	2	-	1	-	-	1	2
48,49	Cancer of female genital organs	300	-	-	-	-	-	-	-	-	3	5	21	29	35	37	33	35	33	26	18	13	6	3	1	-	-	2
	White—F	202	-	-	-	-	-	-	-	-	2	2	8	16	15	27	22	24	30	22	15	12	4	2	-	-	-	1
	All other—F	98	-	-	-	-	-	-	-	-	1	3	13	13	20	10	11	11	3	4	3	1	2	1	1	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
50	Cancer of breast	160	-	-	-	-	-	-	-	-	-	1	2	14	13	19	19	10	20	17	21	12	7	3	2	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	134	-	-	-	-	-	-	-	-	-	-	1	10	10	13	15	9	20	13	19	12	7	3	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	1	4	3	6	4	1	-	4	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	635	-	1	-	2	2	1	3	6	5	7	12	12	22	46	42	73	84	82	82	73	48	22	3	3	-	4
	White——M	415	-	1	-	2	-	1	2	2	2	5	7	5	14	19	21	45	53	57	61	55	37	19	3	2	-	2
	F	128	-	-	-	-	1	-	1	1	1	-	3	3	4	12	11	15	17	18	14	12	10	3	-	1	-	1
	All other—M	66	-	-	-	-	1	-	-	2	1	1	1	3	3	12	7	11	10	4	4	4	1	-	-	-	-	1
	F	26	-	-	-	-	-	-	-	1	1	1	1	1	1	3	3	2	4	5	3	2	-	-	-	-	-	-
58	Acute rheumatic fever	30	-	-	-	1	2	7	2	-	-	2	3	-	1	2	2	1	2	3	1	1	-	-	-	-	-	-
	White——M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	1	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	1	-	2	1	-	-	-	1	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	1	3	-	-	-	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	372	-	-	-	-	-	1	7	4	1	6	10	12	17	19	26	40	55	58	51	33	22	9	-	1	-	-
	White——M	136	-	-	-	-	-	-	2	1	1	2	2	1	2	6	5	16	23	26	21	18	5	4	-	1	-	-
	F	157	-	-	-	-	-	1	3	2	-	1	2	3	4	6	12	15	24	24	28	12	15	5	-	-	-	-
	All other—M	28	-	-	-	-	-	-	1	1	-	3	2	2	2	1	5	2	3	4	-	2	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	1	-	-	-	4	6	9	6	4	7	5	4	2	1	2	-	-	-	-	-
63b	Exophthalmic goiter	27	-	-	-	-	-	-	-	1	2	-	2	2	2	1	2	6	5	1	2	1	-	-	-	-	-	-
	White——M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	3	4	1	2	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	72	-	3	-	-	-	-	1	2	3	1	7	2	5	4	7	5	7	14	6	1	3	-	-	-	-	1
	White——M	11	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	1	1	2	1	-	1	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	4	5	1	-	1	-	-	-	-	1
	All other—M	11	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	3	2	1	-	-	-	-	-	-
	F	30	-	2	-	-	-	-	-	1	3	1	2	1	4	2	4	2	1	4	2	-	1	-	-	-	-	-
77	Alcoholism (ethylism)	55	-	-	-	1	-	1	1	-	2	4	8	12	5	5	6	2	4	3	-	1	-	-	-	-	-	-
	White——M	26	-	-	-	-	-	-	1	-	-	2	2	6	2	3	4	1	3	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	All other—M	16	-	-	-	-	-	1	-	-	1	1	5	1	2	1	-	1	1	1	-	1	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,279	2	1	-	-	-	3	2	7	7	7	25	44	105	138	210	254	252	339	298	267	188	84	29	4	2	11
	White——M	844	2	1	-	-	-	1	1	3	3	-	3	7	25	27	59	84	93	128	140	143	79	36	8	-	-	1
	F	628	-	-	-	-	-	1	-	2	2	-	4	10	14	21	39	51	65	104	85	82	91	38	17	-	1	1
	All other—M	402	-	-	-	-	-	-	1	2	1	4	8	13	33	41	50	57	46	55	42	24	10	5	3	2	-	5
	F	405	-	-	-	-	-	1	-	-	1	3	10	14	33	49	62	62	48	52	31	18	8	5	1	2	1	4
80-82, 84-88	Other diseases of nervous system, etc.*	180	19	3	6	3	1	3	7	11	6	7	7	5	12	11	9	22	6	17	8	9	8	-	-	-	-	-
	White——M	80	6	2	2	-	-	2	3	4	4	3	3	1	6	5	3	6	6	11	4	6	3	-	-	-	-	-
	F	39	2	-	1	1	-	1	3	3	-	-	1	1	2	3	1	5	-	6	2	2	5	-	-	-	-	-
	All other—M	42	7	1	2	2	1	-	1	1	2	4	1	1	1	3	3	10	-	-	2	-	-	-	-	-	-	-
	F	19	4	-	1	-	-	-	-	3	-	-	2	2	3	-	2	1	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	110	14	4	1	2	1	12	5	4	5	8	2	9	9	1	9	7	4	4	2	4	1	1	-	-	1	-
	White——M	34	2	2	-	1	1	4	-	2	4	2	1	-	4	-	4	2	1	1	-	1	1	-	-	-	1	-
	F	28	3	1	1	-	-	4	2	1	-	1	-	1	1	1	2	1	2	2	2	2	-	1	-	-	-	-
	All other—M	17	5	-	-	1	-	3	-	-	-	1	-	1	-	-	1	3	1	-	-	1	-	-	-	-	-	-
	F	31	4	1	-	-	-	1	3	1	1	4	1	7	4	-	2	1	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	360	-	-	-	-	1	1	4	9	5	14	16	9	25	35	30	28	39	48	35	28	19	10	4	-	-	-
	White——M	146	-	-	-	-	1	-	2	5	3	3	3	6	11	13	8	12	15	19	16	12	9	6	2	-	-	-
	F	110	-	-	-	-	-	-	1	1	-	6	5	1	7	11	8	7	10	14	13	14	8	4	-	-	-	-
	All other—M	62	-	-	-	-	-	-	-	2	1	2	5	2	2	8	11	5	6	10	5	1	1	-	1	-	-	-
	F	42	-	-	-	-	-	1	1	1	1	3	3	-	5	3	3	4	8	5	1	1	1	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,714	-	-	-	-	-	-	-	1	5	8	17	41	72	119	181	206	235	262	268	165	90	35	4	-	-	5
	White——M	1,139	-	-	-	-	-	-	-	-	3	1	6	21	46	75	133	146	164	183	181	108	48	21	1	-	-	2
	F	390	-	-	-	-	-	-	-	-	-	1	2	6	8	13	19	43	51	63	77	52	40	12	3	-	-	-
	All other—M	113	-	-	-	-	-	-	-	1	-	2	5	8	12	17	22	12	15	9	4	5	1	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	2	4	4	6	6	14	7	5	5	7	6	-	1	2	-	-	-	3
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,145	4	1	1	3	1	5	6	5	15	13	47	54	104	162	194	299	332	450	465	370	332	176	74	18	1	15
	White——M	1,418	3	1	-	1	-	1	2	2	2	1	11	7	29	53	76	125	159	235	228	200	160	76	32	7	-	7
	F	930	-	-	-	1	1	1	4	-	1	3	5	9	17	27	27	56	88	125	164	137	145	81	28	6	1	3
	All other—M	476	1	-	1	1	-	1	-	3	5	2	20	19	34	53	48	73	48	59	50	20	16	7	11	2	-	2
	F	321	-	-	-	-	-	2	-	-	7	7	11	19	24	29	43	45	37	31	21	13	11	12	3	3	-	3
107-109	Pneumonia (all forms)	1,060	206	40	15	9	6	8	9	22	31	44	35	39	44	54	59	46	60	64	72	64	65	43	15	5	1	4
	White——M	395	62	11	7	2	2	1	1	5	8	8	10	11	11	24	19	24	27	25	36	34	35	24	6	1	1	-
	F	252	50	10	1	2	1	2	3	4	5	8	5	3	7	6	12	11	14	13	22	19	25	15	8	3	-	3
	All other—M	240	64	12	5	4	1	3	2	4	7	15	14	13	11	14	15	8	13	16	9	5	1	2	-	1	-	1
	F	173	30	7	2	1	2	2	3	9	11	13	6	12	15	10	13	3	6	10	5	6	4	2	1	-	-	-
117	Ulcer of stomach or duodenum	158	1	-	-	-	-	-	-	-	8	7	13	11	16	17	18	16	12	16	12	5	3	3	-	-	-	-
	White——M	83	-	-	-	-	-	-	-	-	2	2	4	6	4	10	9	11	7	11	9	3	3	2	-	-	-	-
	F	20	1	-	-	-	-	-	-	-	-	1	1	1	3	1	-	1	3	3	3	1	-	1	-	-	-	-
	All other—M	36	-	-	-	-	-	-	-	-	4	3	4	4	4	5	5	3	2	2	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	2	1	4	-	5	1	4	1	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 69	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	217	117	30	9	7	-	1	1	2	-	1	1	5	3	7	9	4	4	3	4	5	2	2	-	-	-	-
	White—M	79	43	14	2	2	-	-	1	1	-	-	1	-	1	2	2	1	2	2	2	2	-	1	-	-	-	-
	F	45	26	5	3	2	-	1	-	1	-	-	-	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-
	All other—M	51	31	5	1	2	-	-	-	-	-	-	-	3	1	1	4	2	-	-	-	1	-	-	-	-	-	-
	F	42	17	6	3	1	-	-	-	-	-	1	-	2	1	3	2	1	2	-	1	1	1	-	-	-	-	-
121	Appendicitis	195	-	1	3	1	2	11	8	16	8	11	17	16	18	13	13	17	11	9	9	6	4	1	-	-	-	-
	White—M	83	-	-	2	-	-	7	5	8	4	6	4	2	6	4	8	9	5	2	5	3	2	1	-	-	-	-
	F	42	-	1	1	-	2	1	2	2	1	1	3	3	1	3	-	5	4	5	3	2	2	-	-	-	-	-
	All other—M	40	-	-	-	1	-	2	-	2	3	4	5	8	4	2	3	2	1	2	-	1	-	-	-	-	-	-
	F	30	-	-	-	-	-	1	1	4	-	-	5	3	7	4	2	1	1	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	11	5	-	-	-	5	3	5	4	7	15	12	12	8	14	8	11	21	25	13	14	7	3	2	-	-
	White—M	73	6	1	-	-	-	2	1	-	2	1	1	1	-	3	7	2	6	9	12	4	7	5	1	2	-	-
	F	61	2	1	-	-	-	-	1	-	1	2	4	1	2	2	1	5	3	12	10	6	4	2	2	-	-	-
	All other—M	28	-	2	-	-	-	-	1	2	-	2	4	2	4	1	4	1	1	-	1	2	1	-	-	-	-	-
	F	41	3	1	-	-	-	3	-	3	1	2	6	8	6	2	2	-	1	-	-	1	2	-	-	-	-	-
124	Cirrhosis of the liver	163	1	-	-	-	-	-	-	-	1	1	3	7	14	18	24	19	20	17	19	11	7	1	-	-	-	-
	White—M	95	1	-	-	-	-	-	-	-	1	1	1	3	8	10	14	8	12	12	13	8	3	-	-	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	5	2	5	3	4	1	-	-	-	-
	All other—M	26	-	-	-	-	-	-	-	-	-	-	1	3	4	2	4	6	3	2	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	75	1	-	-	-	-	-	-	1	3	-	-	3	2	7	12	2	11	11	8	8	2	2	2	-	-	-
	White—M	29	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	5	2	5	6	1	1	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	-	3	-	3	1	-	5	6	3	2	1	-	1	-	-	-
	All other—M	10	-	-	-	-	-	-	-	1	2	-	-	-	1	1	3	-	-	1	-	-	-	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis	1,889	3	-	2	2	4	2	3	6	18	33	28	51	91	111	159	168	172	195	279	243	176	105	24	6	4	4
	White—M	742	-	-	1	2	2	-	1	2	6	5	3	6	26	34	43	53	84	89	110	121	84	55	10	2	-	3
	F	495	1	-	-	-	-	1	1	1	2	9	5	14	15	16	18	29	35	50	92	81	74	39	9	3	-	-
	All other—M	391	2	-	1	-	-	-	1	2	3	13	9	12	21	42	57	49	36	34	53	29	11	7	3	1	4	1
	F	261	-	-	-	-	2	1	-	1	7	6	11	19	29	19	41	37	17	22	24	12	7	4	2	-	-	-
137	Diseases of the prostate	133	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	7	8	21	33	22	22	9	3	1	-	-
	White—M	110	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	6	15	31	22	21	8	3	1	-	-
	All other—M	23	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	6	2	6	2	-	1	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	81	-	-	-	-	-	-	1	15	22	14	14	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	43	-	-	-	-	-	-	-	7	11	9	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	38	-	-	-	-	-	-	1	8	11	5	4	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	71	-	-	-	-	-	-	1	15	17	19	10	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	9	5	8	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	37	-	-	-	-	-	-	1	6	12	11	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	67	-	-	-	-	-	-	1	8	12	17	11	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	37	-	-	-	-	-	-	-	4	5	11	8	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	30	-	-	-	-	-	-	1	4	7	6	3	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	172	143	12	1	2	-	6	-	3	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	73	63	5	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	62	52	4	-	1	-	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	24	18	2	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	545	545	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	197	197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	285	-	-	-	-	-	-	1	4	11	33	33	24	32	38	34	19	16	16	11	8	2	-	-	-	-	3
	White—M	200	-	-	-	-	-	-	1	1	4	20	23	15	20	27	26	14	14	12	10	8	2	-	-	-	-	3
	F	74	-	-	-	-	-	-	-	2	5	9	10	7	11	10	8	5	2	4	1	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	409	1	-	-	-	-	-	-	18	52	84	82	61	34	27	16	14	9	5	2	1	1	-	-	-	-	2
	White—M	92	1	-	-	-	-	-	-	4	5	10	10	11	12	12	4	9	9	3	1	-	-	-	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	1	3	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	257	-	-	-	-	-	-	-	9	33	57	66	41	18	14	12	3	-	-	1	1	1	-	-	-	-	1
	F	49	-	-	-	-	-	-	-	5	13	14	5	7	2	1	-	1	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	746	4	1	3	6	10	24	30	45	83	95	74	50	44	49	55	24	30	42	33	23	12	3	-	-	-	6
	White—M	423	-	-	-	3	3	8	18	25	49	58	36	31	24	28	27	15	20	32	18	15	6	3	-	-	-	4
	F	126	4	1	1	2	3	11	5	8	10	11	14	5	2	3	9	3	9	6	8	6	5	-	-	-	-	-
	All other—M	156	-	-	1	1	2	3	4	12	21	21	15	12	13	14	18	5	-	3	6	2	1	-	-	-	-	2
	F	41	-	-	1	-	2	2	3	-	3	5	9	2	5	4	1	1	1	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,088	40	18	19	13	8	39	51	55	64	87	61	64	64	57	50	50	42	62	63	65	50	39	20	4	-	3
	White—M	483	9	5	6	4	4	21	29	19	33	43	30	26	30	28	27	23	26	28	27	23	17	14	8	2	-	1
	F	267	13	6	4	2	2	6	9	6	3	9	10	5	10	7	5	11	8	23	27	36	28	24	10	2	-	1
	All other—M	261	11	4	7	1	1	9	11	25	22	32	18	32	18	14	14	12	7	5	6	5	4	1	1	-	-	1
	F	77	7	3	2	6	1	3	2	5	6	3	3	1	6	8	4	4	1	6	3	1	1	-	1	-	-	-
	All other causes*	2,918	527	25	11	12	11	26	19	24	53	89	110	118	161	164	159	184	186	204	201	221	201	126	54	24	15	13
	White—M	989	161	4	5	3	2	8	5	4	11	15	17	25	37	52	43	67	63	91	93	112	98	47	17	6	-	3
	F	678	93	5	1	2	3	10	5	6	10	23	27	19	34	31	30	26	41	48	54	62	59	33	20	11	3	2
	All other—M	673	163	6	2	5	5	6	3	4	18	20	31	36	29	43	48	49	33	43	35	33	25	18	9	3	3	3
	F	578	110	10	3	2	1	2	6	10	14	31	35	38	61	38	38	42	29	22	19	14	19	10	8	4	9	3

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	All causes	32,513	3,761	441	197	109	93	353	344	816	1,106	1,240	1,368	1,475	1,706	1,920	2,380	2,306	2,442	2,760	2,455	1,991	1,709	911	369	97	71	93
	White—M	10,217	1,090	114	50	33	32	109	117	210	241	216	285	337	395	566	699	801	964	1,093	998	745	674	521	90	14	4	19
	F	7,313	780	96	47	28	16	85	62	126	162	163	213	252	254	284	351	430	551	709	754	732	649	356	136	27	6	24
	All other—M	8,030	1,112	133	60	28	25	90	92	222	343	441	456	440	509	566	724	553	509	536	395	301	227	118	63	27	31	29
	F	6,953	779	98	40	20	20	69	73	258	360	400	414	446	548	504	606	522	418	422	308	213	159	116	80	29	30	21
1,2	Typhoid, paratyphoid fever	73	1	1	-	-	-	1	5	6	11	12	11	10	2	3	3	4	-	1	1	-	-	-	-	-	-	1
	White—M	15	-	-	-	-	-	-	-	3	-	3	4	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1
	F	14	-	-	-	-	-	-	-	1	3	1	1	3	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	All other—M	23	-	-	-	-	-	1	1	1	1	4	5	6	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	21	1	1	-	-	-	-	4	1	7	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	2	1	2	-	2	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	1	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	16	3	1	1	2	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	3	-	-	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	110	71	27	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	23	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	22	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	30	20	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	14	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	64	9	15	17	5	7	9	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	26	3	6	10	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	20	2	5	5	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	3	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,416	2	3	3	2	2	7	18	101	189	220	181	148	114	96	91	75	47	51	37	12	9	2	1	-	-	5
	White—M	309	-	-	-	-	-	-	1	1	15	23	28	35	33	44	35	22	22	22	21	4	2	1	-	-	-	-
	F	204	1	-	-	-	-	2	1	7	20	24	28	23	11	9	11	22	9	15	12	6	2	-	-	-	-	1
	All other—M	392	-	-	-	1	-	1	4	24	70	73	51	31	34	29	28	16	9	10	3	2	2	-	-	-	-	4
	F	511	1	3	3	1	2	4	12	69	84	100	74	59	36	14	17	15	7	4	1	-	3	1	1	-	-	-
14-22	Tuberculosis (other forms)	114	11	4	2	2	-	5	6	12	7	9	11	10	11	8	5	6	1	2	-	1	-	-	-	-	-	1
	White—M	14	4	-	-	1	-	2	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	22	3	1	1	1	-	1	2	1	1	2	2	2	2	2	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	40	2	2	1	-	-	1	2	8	3	3	4	6	3	2	1	-	1	1	-	-	-	-	-	-	-	-
	F	38	2	1	-	-	-	1	2	3	3	4	4	2	3	3	2	6	-	1	-	-	-	-	-	-	-	1
27	Dysentery	123	45	17	2	1	-	3	1	2	3	4	4	2	1	1	5	4	6	4	4	3	4	3	3	1	-	-
	White—M	37	14	4	1	-	-	1	1	1	1	1	-	-	-	-	2	-	4	3	-	1	1	1	1	-	-	-
	F	29	8	4	1	-	-	2	-	-	-	1	2	-	1	-	-	1	1	1	-	2	2	1	1	1	-	-
	All other—M	34	13	7	-	1	-	-	-	1	1	2	2	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-
	F	23	10	2	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	-	2	-	1	1	1	-	-	-
28	Malaria	107	7	2	5	-	3	6	6	6	9	5	6	4	7	4	3	8	7	5	6	4	1	2	1	-	-	-
	White—M	29	2	1	-	-	-	1	3	3	2	-	4	1	1	1	-	2	4	-	1	1	-	1	1	-	-	-
	F	14	1	-	1	-	-	-	-	-	1	2	-	1	1	-	-	2	1	2	-	1	-	1	-	-	-	-
	All other—M	34	3	-	3	-	1	2	1	3	3	-	-	1	2	2	1	4	-	1	4	2	1	-	-	-	-	-
	F	30	1	1	1	-	2	3	2	-	3	3	2	1	3	1	2	-	2	2	1	-	-	-	-	-	-	-
30	Syphilis	642	73	6	-	-	1	4	1	17	36	47	64	61	85	56	61	41	23	25	22	5	7	5	1	-	-	1
	White—M	124	11	-	-	-	-	-	-	1	1	2	6	11	19	11	15	16	8	7	10	1	2	2	1	-	-	-
	F	37	8	-	-	-	-	-	-	-	2	4	4	4	1	4	2	-	1	2	4	-	1	-	-	-	-	-
	All other—M	306	37	4	-	-	1	2	1	3	13	23	36	27	47	28	32	18	10	9	7	4	2	1	-	-	-	1
	F	175	17	2	-	-	-	2	-	13	20	18	18	19	18	13	12	7	4	7	1	-	2	2	-	-	-	-
33	Influenza	883	110	25	9	6	3	7	12	19	23	26	33	38	45	38	53	63	38	59	63	67	68	53	16	7	2	-
	White—M	231	32	5	4	3	1	4	3	2	7	2	4	9	8	4	15	14	19	19	17	17	22	15	4	1	-	-
	F	249	15	6	1	1	-	2	3	1	2	5	8	14	7	4	7	10	7	19	24	32	35	32	10	3	1	-
	All other—M	208	41	7	2	2	2	-	2	8	3	11	11	7	18	15	15	15	6	15	10	9	5	2	2	-	-	-
	F	195	22	7	2	-	-	1	4	8	11	8	10	8	12	15	16	24	6	6	12	9	6	4	-	3	1	-
35	Measles	24	5	6	1	1	-	5	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	6	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	2	-	1	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	2	2	2	-	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	751	-	-	-	-	1	1	-	1	3	8	16	23	33	61	85	81	89	136	104	56	32	13	5	1	-	2
	White—M	286	-	-	-	-	1	-	-	1	1	-	5	8	10	26	29	35	43	47	43	19	15	2	1	-	-	-
	F	271	-	-	-	-	-	-	-	-	2	1	2	3	9	19	25	25	23	69	36	32	14	7	2	1	-	1
	All other—M	103	-	-	-	-	-	1	-	-	-	1	4	8	1	8	21	7	14	14	14	2	3	3	2	-	-	-
	F	91	-	-	-	-	-	-	-	-	-	6	5	4	13	8	10	14	9	6	11	3	-	1	-	-	-	1
48,49	Cancer of female genital organs	404	-	-	-	-	-	-	-	2	6	13	26	40	49	60	59	33	39	34	15	13	6	6	1	-	-	2
	White—F	231	-	-	-	-	-	-	-	1	1	3	10	15	23	35	37	21	27	27	10	9	5	4	1	-	-	2
	All other—F	173	-	-	-	-	-	-	-	1	5	10	16	25	26	25	22	12	12	7	5	4	1	2	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
50	Cancer of breast	203	-	-	-	-	-	-	-	-	2	3	5	17	22	28	28	22	15	15	20	13	11	2	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	144	-	-	-	-	-	-	-	-	1	-	3	11	15	18	19	14	13	13	17	11	8	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	1	2	2	5	7	10	9	8	2	2	3	2	3	1	-	-	-	-
45,47, 51-55	Cancer (other forms)	643	1	1	1	2	3	4	6	7	6	14	16	16	31	54	80	70	59	80	65	55	40	24	5	2	-	1
	White—M	356	1	-	-	-	1	2	5	3	3	5	6	8	15	37	39	38	28	51	45	32	21	13	3	-	-	-
	F	138	-	1	-	1	-	-	-	1	1	4	4	4	5	5	13	16	19	11	10	13	15	11	2	1	-	1
	All other—M	89	-	-	1	1	-	1	1	1	1	4	4	2	4	7	12	8	9	15	7	8	3	-	-	-	-	-
	F	60	-	-	-	-	2	1	-	2	1	1	2	2	7	5	16	8	3	3	3	2	1	-	-	1	-	-
58	Acute rheumatic fever	46	-	-	-	2	-	5	8	6	-	3	4	7	1	-	1	3	1	-	1	1	1	2	-	-	-	-
	White—M	11	-	-	-	1	-	1	2	3	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	10	-	-	-	1	-	1	1	1	-	1	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	All other—M	14	-	-	-	-	-	3	4	2	-	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	-	-	1	5	1	-	-	2	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	380	1	-	-	-	1	2	6	10	9	5	8	17	18	21	35	38	51	46	53	34	17	5	-	1	-	2
	White—M	142	-	-	-	-	-	-	3	4	4	2	7	5	6	8	7	13	19	19	22	14	7	1	-	-	-	1
	F	139	1	-	-	-	1	2	-	3	1	2	1	6	2	5	11	16	19	17	25	17	7	2	-	-	-	1
	All other—M	40	-	-	-	-	-	-	2	3	2	-	-	1	4	2	8	2	3	4	5	1	1	1	-	1	-	-
	F	59	-	-	-	-	-	-	1	-	2	1	-	5	6	6	9	7	10	6	1	2	2	1	-	-	-	-
63b	Exophthalmic goiter	31	-	-	-	-	-	-	-	-	-	2	2	2	4	4	4	2	8	2	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	1	7	-	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	251	1	1	-	-	-	-	1	1	7	8	12	20	12	22	29	16	31	23	24	23	14	5	-	-	1	-
	White—M	42	-	-	-	-	-	-	-	-	1	-	-	1	2	3	7	3	3	4	9	6	3	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	1	5	6	4	6	3	6	14	15	8	11	8	3	-	-	-	-
	All other—M	30	1	-	-	-	-	-	1	-	-	1	1	-	-	2	7	4	3	-	3	4	2	1	-	-	-	-
	F	89	-	1	-	-	-	-	-	1	6	6	6	13	6	11	12	3	11	4	4	2	1	1	-	-	1	-
77	Alcoholism (ethylism)	74	-	-	-	1	-	-	-	-	2	5	13	11	8	9	11	4	4	5	-	-	1	-	-	-	-	-
	White—M	50	-	-	-	1	-	-	-	-	-	2	9	9	5	4	10	4	4	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	16	-	-	-	-	-	-	-	-	2	1	3	1	2	4	1	-	-	2	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,182	3	1	1	1	1	1	9	6	20	28	55	90	152	246	364	385	368	431	359	285	219	90	35	14	5	13
	White—M	942	2	1	-	-	-	1	4	2	2	2	8	11	22	37	68	110	124	160	148	115	85	28	8	3	-	1
	F	714	1	-	1	-	-	-	2	-	4	5	6	11	16	32	50	75	85	98	103	102	72	33	13	1	-	4
	All other—M	744	-	-	-	-	1	-	2	3	8	9	18	33	49	92	123	96	94	74	50	34	31	14	5	3	2	3
	F	782	-	-	-	1	-	-	1	1	6	12	23	35	65	85	123	104	65	99	58	34	31	15	9	7	3	5
80-82, 84-88	Other diseases of nervous system, etc.*	358	49	14	7	4	3	20	13	24	19	18	17	24	19	15	21	23	13	15	19	10	2	4	3	-	-	2
	White—M	108	11	4	3	1	1	8	4	14	4	7	4	6	3	3	5	13	3	4	7	1	-	2	-	-	-	-
	F	78	8	5	-	1	1	3	3	-	1	2	4	6	8	6	6	4	2	3	5	5	2	1	1	-	-	1
	All other—M	98	19	2	1	-	-	6	3	5	8	5	3	8	2	3	8	4	6	7	4	2	-	-	1	-	-	1
	F	74	11	3	3	2	1	3	3	5	6	4	6	4	6	3	2	2	2	1	3	2	-	1	1	-	-	-
89,104, 115	Diseases of ear, nose, and throat	193	27	10	10	2	7	16	12	15	6	4	7	8	14	5	10	12	5	8	2	5	5	2	1	-	-	-
	White—M	64	5	2	2	-	1	8	3	8	3	-	3	2	3	1	3	4	3	7	2	2	-	2	-	-	-	-
	F	48	4	3	5	2	2	4	3	3	1	2	1	1	2	1	2	4	1	-	-	1	5	-	1	-	-	-
	All other—M	35	10	1	1	-	3	2	1	2	1	-	1	2	3	-	5	2	-	-	-	1	-	-	-	-	-	-
	F	46	8	4	2	-	1	2	5	2	1	2	2	3	6	3	-	2	1	1	-	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	381	-	-	-	-	-	4	7	11	10	11	16	23	23	22	35	29	31	47	31	34	26	17	3	-	-	1
	White—M	101	-	-	-	-	-	-	1	3	1	1	3	6	2	6	7	5	13	21	13	4	8	6	1	-	-	-
	F	93	-	-	-	-	-	3	2	3	4	1	1	4	5	2	6	4	6	10	8	13	12	6	2	-	-	1
	All other—M	96	-	-	-	-	-	-	2	3	-	5	5	7	7	9	13	12	4	7	3	11	5	3	-	-	-	-
	F	91	-	-	-	-	-	1	2	2	5	4	7	6	9	5	9	8	8	9	7	6	1	2	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,399	2	-	-	-	-	-	1	6	4	20	22	35	86	132	147	191	191	199	157	110	61	21	10	1	-	3
	White—M	760	-	-	-	-	-	-	1	-	-	3	4	12	34	78	91	118	129	114	80	57	22	11	5	-	-	1
	F	332	1	-	-	-	-	-	-	-	2	2	7	5	9	13	14	27	35	64	62	43	37	9	1	-	-	1
	All other—M	161	-	-	-	-	-	-	-	3	1	11	6	8	20	20	26	21	16	10	8	5	2	1	2	1	-	-
	F	146	1	-	-	-	-	-	-	3	1	4	5	10	23	21	16	25	11	11	7	5	-	-	2	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,248	7	-	1	2	5	16	17	20	37	61	111	136	224	284	406	392	501	547	486	399	345	162	59	13	6	11
	White—M	1,401	2	-	-	1	1	4	4	5	4	6	11	18	42	63	105	130	193	226	201	159	149	60	13	1	1	2
	F	896	3	-	-	-	1	2	5	1	4	14	8	15	18	21	39	49	90	115	149	136	127	65	25	6	1	2
	All other—M	1,049	-	-	-	1	1	7	6	5	12	23	51	54	81	105	129	115	132	108	81	63	35	17	11	5	1	6
	F	902	2	-	1	-	2	3	2	9	17	18	41	49	83	95	133	98	86	98	55	41	34	20	10	1	3	1
107-109	Pneumonia (all forms)	1,994	453	79	29	14	9	39	27	50	57	78	64	89	91	105	109	97	87	118	118	94	93	50	31	7	3	3
	White—M	569	128	22	3	4	3	12	9	10	9	10	16	14	16	25	23	26	32	42	52	40	40	19	11	2	-	1
	F	413	83	9	5	2	1	5	4	8	3	9	8	14	9	7	14	22	13	32	43	35	45	27	11	2	1	1
	All other—M	563	138	32	14	4	2	14	7	15	15	31	26	39	37	40	41	25	22	23	16	11	3	1	4	1	1	1
	F	449	104	16	7	4	3	8	7	17	30	28	14	22	29	33	31	24	20	21	7	8	5	3	5	2	1	-
117	Ulcer of stomach or duodenum	177	-	-	-	-	-	-	-	-	7	5	13	29	15	19	26	22	9	16	6	4	4	1	1	-	-	-
	White—M	90	-	-	-	-	-	-	-	-	1	2	2	13	8	13	14	12	5	9	4	2	4	-	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	2	-	2	-	3	1	3	3	2	-	-	1	-	-	-	-
	All other—M	47	-	-	-	-	-	-	-	-	3	-	6	12	3	3	8	7	1	3	-	1	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	3	2	3	4	2	3	1	2	-	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	540	293	105	26	9	4	7	2	1	2	6	11	6	8	5	3	6	2	8	13	4	9	7	2	-	-	1
	White—M	161	91	30	10	3	1	2	1	-	-	1	1	-	3	2	1	1	-	1	4	-	4	4	1	-	-	-
	F	134	76	22	5	-	-	2	1	-	-	2	3	2	2	-	1	-	-	4	6	2	3	1	1	-	-	1
	All other—M	152	74	37	7	6	3	3	-	1	-	1	5	3	2	2	-	3	1	-	1	-	1	2	-	-	-	-
	F	93	52	16	4	-	-	-	-	-	2	2	2	1	1	1	1	2	1	3	2	2	1	-	-	-	-	-
121	Appendicitis	281	-	-	1	2	1	16	19	37	27	20	27	27	25	18	9	15	17	10	7	1	-	1	-	-	-	1
	White—M	108	-	-	-	-	1	7	8	19	12	4	11	7	7	4	3	5	10	5	3	1	-	-	-	-	-	1
	F	59	-	-	1	2	-	4	5	4	6	4	2	4	5	6	2	5	4	2	2	-	-	1	-	-	-	-
	All other—M	63	-	-	-	-	-	-	4	7	5	6	7	11	7	5	4	2	2	1	2	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	5	2	7	4	6	7	5	6	3	-	3	1	2	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	270	18	6	3	2	1	3	4	7	7	17	20	12	15	21	21	25	18	17	18	11	17	3	4	-	-	-
	White—M	76	7	-	-	1	1	1	3	1	4	2	5	-	-	3	6	8	7	5	9	4	6	3	2	-	-	-
	F	71	2	1	-	-	-	2	-	4	2	5	5	2	3	4	4	6	4	7	6	5	9	-	-	-	-	-
	All other—M	64	6	2	2	-	-	-	-	1	-	5	6	6	3	8	6	4	2	5	3	2	2	-	1	-	-	-
	F	59	3	3	1	1	-	-	1	1	1	5	4	4	9	6	5	7	5	2	-	-	-	-	1	-	-	-
124	Cirrhosis of the liver	149	1	-	-	-	-	1	-	3	2	4	9	9	9	22	17	17	17	17	12	4	3	2	-	-	-	-
	White—M	78	1	-	-	-	-	-	-	-	2	1	5	4	4	12	5	10	8	13	9	2	-	2	-	-	-	-
	F	27	-	-	-	-	-	1	-	1	-	-	-	1	2	3	5	3	4	3	1	1	2	-	-	-	-	-
	All other—M	33	-	-	-	-	-	-	-	-	-	3	3	3	3	6	6	4	3	-	1	-	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	2	-	-	1	1	-	1	1	-	2	1	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	77	1	-	-	-	-	-	-	-	-	6	2	2	6	12	8	6	10	8	3	3	7	1	2	-	-	-
	White—M	24	1	-	-	-	-	-	-	-	-	-	-	-	2	4	4	1	5	3	1	-	1	1	1	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	4	2	1	2	7	3	5	5	3	2	3	6	-	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,478	2	7	5	6	3	14	10	23	35	52	84	103	155	192	272	294	401	451	407	359	344	163	48	15	11	12
	White—M	1,116	1	2	-	-	1	4	3	3	10	6	12	15	26	40	58	84	137	172	157	149	149	64	14	4	2	3
	F	830	-	1	1	3	1	4	3	5	9	7	11	16	27	35	29	42	85	114	123	128	110	54	15	6	-	1
	All other—M	800	1	1	4	2	1	2	3	6	4	20	28	37	45	55	93	89	85	109	71	50	56	22	9	2	5	2
	F	732	-	3	-	1	-	4	1	9	12	19	35	35	57	62	92	79	94	56	56	42	29	23	10	3	4	6
137	Diseases of the prostate	160	-	-	-	-	-	-	-	-	-	-	2	1	3	-	10	12	17	28	22	19	29	9	4	2	2	-
	White—M	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	18	17	14	23	8	4	1	-	-
	All other—M	59	-	-	-	-	-	-	-	-	-	-	2	1	3	-	7	6	10	10	5	5	6	1	-	1	2	-
140, 142a, 147	Puerperal septicemia	133	-	-	-	-	-	-	1	31	32	26	22	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	10	15	9	10	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	78	-	-	-	-	-	-	1	21	17	17	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	120	-	-	-	-	-	-	1	23	32	18	19	19	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	60	-	-	-	-	-	-	-	10	18	8	9	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	60	-	-	-	-	-	-	1	13	14	10	10	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	117	-	-	-	-	-	-	-	16	17	23	24	26	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	7	9	12	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	70	-	-	-	-	-	-	-	9	8	11	16	19	7	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	213	177	9	2	-	2	8	6	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	98	85	2	2	-	2	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	63	3	-	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	25	20	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	9	2	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	995	995	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	362	362	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	249	249	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	283	-	-	-	-	-	-	1	9	35	28	34	22	33	30	32	20	18	6	9	4	1	1	-	-	-	-
	White—M	193	-	-	-	-	-	-	-	4	20	19	22	13	18	22	27	15	14	5	8	4	1	1	-	-	-	-
	F	53	-	-	-	-	-	-	-	3	8	5	9	5	7	5	4	3	2	1	1	-	-	-	-	-	-	-
	All other—M	29	-	-	-	-	-	-	1	1	4	4	2	1	8	3	1	2	2	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	625	-	-	-	-	-	-	8	51	158	132	93	70	40	39	18	10	9	6	6	2	-	-	-	-	-	3
	White—M	98	-	-	-	-	-	-	1	1	15	11	13	18	9	12	5	4	3	3	2	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	1	1	5	3	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	420	-	-	-	-	-	-	4	30	95	97	68	43	28	24	12	4	4	3	4	1	-	-	-	-	-	3
	F	91	-	-	-	-	-	-	2	19	23	21	11	7	2	2	1	2	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	824	5	6	4	5	5	29	28	114	103	87	68	70	44	48	51	42	33	37	23	10	5	4	-	-	-	3
	White—M	456	1	2	3	1	2	8	17	66	63	45	44	41	23	26	24	20	23	23	12	6	4	1	-	-	-	1
	F	113	3	2	1	1	2	9	3	20	11	7	5	10	4	5	5	8	4	4	5	2	1	1	-	-	-	-
	All other—M	212	-	2	-	2	1	9	4	24	26	28	18	17	14	15	19	10	5	8	5	2	-	1	-	-	-	2
	F	43	1	-	-	1	-	3	4	4	3	7	1	2	3	2	3	4	1	2	1	-	-	1	-	-	-	-
169, 171-195	Other accidents	1,298	92	33	21	20	17	62	49	87	87	77	83	65	79	55	55	53	52	64	59	74	49	43	13	2	2	5
	White—M	434	10	8	4	7	4	17	14	31	33	32	30	31	35	21	21	25	18	21	18	19	21	10	3	-	-	1
	F	258	18	11	5	4	4	13	3	13	6	6	7	4	3	4	5	7	12	12	19	40	23	28	7	2	-	-
	All other—M	416	41	6	8	3	4	21	24	36	36	28	37	25	28	21	25	14	14	20	12	7	2	1	1	-	1	1
	F	192	23	8	4	6	5	11	8	7	12	11	9	5	13	9	4	7	8	11	10	8	3	4	2	-	1	3
	All other causes*	4,636	1,292	59	31	18	11	44	54	86	112	129	151	168	202	179	212	185	224	239	281	262	279	206	120	31	39	20
	White—M	1,152	293	16	5	6	8	12	23	19	22	21	17	37	35	53	63	56	76	69	82	70	83	62	15	2	1	6
	F	950	206	13	9	6	-	13	15	15	16	21	32	29	37	19	27	30	53	41	68	81	98	66	42	4	3	6
	All other—M	1,361	461	18	10	4	3	11	11	25	26	38	43	38	51	55	69	54	49	75	74	74	63	47	25	13	19	5
	F	1,173	332	12	7	2	-	8	5	27	48	49	59	64	79	52	53	45	46	54	57	37	35	33	38	12	16	3

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	All causes	4,890	495	55	28	12	17	61	79	111	127	102	116	138	151	241	254	348	591	452	480	522	404	197	84	19	2	4
	White—M	3,038	283	30	19	5	9	40	47	74	83	59	65	82	102	157	171	236	265	275	298	320	254	107	45	9	1	4
	F	1,757	190	22	9	7	7	19	30	33	42	40	51	52	49	76	80	105	119	172	175	197	147	89	35	10	1	-
	All other—M	56	15	1	-	-	1	1	1	3	-	-	1	2	-	4	3	5	5	3	6	3	2	-	-	-	-	-
	F	39	7	2	-	-	-	1	1	1	2	3	1	2	-	4	-	2	2	2	1	2	1	1	4	-	-	-
1,2	Typhoid, paratyphoid fever	7	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	1	2	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	4	-	1	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	75	-	-	1	-	1	1	1	3	5	6	2	4	2	7	4	10	8	5	6	5	2	-	-	-	-	-
	White—M	49	-	-	-	-	1	1	-	1	1	5	1	2	2	5	3	9	7	4	3	2	2	-	-	-	-	-
	F	15	-	-	1	-	-	-	-	-	4	-	1	2	-	-	1	1	1	1	1	2	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	22	5	2	-	-	-	3	1	-	2	-	1	3	-	-	1	3	1	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	3	1	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	8	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	42	4	-	-	-	-	-	-	1	1	1	3	-	4	4	5	4	2	4	6	1	1	-	1	-	-	-
	White—M	31	2	-	-	-	-	-	-	-	-	-	3	-	3	4	3	4	1	3	6	-	1	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	1	1	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	98	14	4	-	1	-	1	1	3	1	2	1	1	4	7	3	2	3	4	9	14	8	11	4	-	-	-
	White—M	58	9	3	-	-	-	1	1	2	1	1	-	-	2	4	2	2	1	3	5	9	6	5	1	-	-	-
	F	37	3	1	-	1	-	-	-	1	-	1	1	1	2	3	1	-	2	1	4	5	2	6	2	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
35	Measles	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	240	-	-	-	-	-	-	-	-	1	1	3	3	7	10	13	26	36	34	34	39	23	10	-	-	-	-
	White—M	130	-	-	-	-	-	-	-	-	1	1	-	-	4	7	7	17	18	15	15	24	18	3	-	-	-	-
	F	107	-	-	-	-	-	-	-	-	-	-	3	2	3	3	6	8	18	19	19	14	5	7	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	46	-	-	-	-	-	-	-	-	-	-	4	1	3	5	7	5	10	4	3	3	1	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	-	-	-	4	1	3	5	7	5	10	4	3	3	1	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
50	Cancer of breast	32	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	7	1	3	7	-	3	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	7	1	3	7	-	3	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	152	-	-	2	-	-	1	2	-	4	4	1	1	3	11	10	19	15	19	20	16	15	7	4	-	-	-
	White—M	120	-	-	2	-	-	1	1	-	3	4	-	-	3	9	8	15	9	17	14	15	12	3	4	-	-	-
	F	31	-	-	-	-	-	-	1	-	1	-	1	1	-	2	2	4	3	2	6	1	3	4	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	1	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	92	-	-	-	-	-	-	4	1	3	-	-	-	-	-	8	15	11	12	15	15	7	2	1	-	-	-
	White—M	45	-	-	-	-	-	-	3	1	2	-	-	-	-	-	3	7	3	2	8	10	4	1	1	-	-	-
	F	47	-	-	-	-	-	-	1	-	1	-	-	-	-	-	5	6	8	10	7	5	3	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	26	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	7	1	2	3	3	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	5	1	1	3	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	3	-	2	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	396	-	-	-	-	-	1	-	-	1	2	1	2	7	17	16	29	40	63	65	63	58	24	6	-	-	1
	White—M	212	-	-	-	-	-	1	-	-	1	-	-	1	2	7	8	13	20	36	37	33	35	13	4	-	-	1
	F	179	-	-	-	-	-	-	-	-	-	1	1	1	5	9	8	16	18	27	27	30	23	11	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	66	3	1	1	-	1	-	2	4	7	3	2	6	1	4	3	4	3	5	5	8	3	-	-	-	-	-
	White—M	38	-	-	1	-	-	-	2	3	4	2	1	3	1	3	1	3	1	2	4	4	3	-	-	-	-	-
	F	27	3	1	-	-	1	-	-	-	3	1	1	3	-	1	2	1	2	3	1	4	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	48	7	3	-	-	4	5	2	5	5	1	2	3	1	2	1	1	1	-	1	-	2	1	1	-	-	-
	White—M	26	4	1	-	-	1	3	2	2	2	1	1	3	1	1	1	-	-	-	1	-	1	1	-	-	-	-
	F	22	3	2	-	-	3	2	-	3	3	-	1	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	99	-	-	-	-	-	1	6	4	5	2	-	5	5	5	5	11	9	11	6	15	8	1	-	-	-	-
	White—M	56	-	-	-	-	-	1	2	2	1	1	-	4	3	1	2	8	7	7	4	11	2	-	-	-	-	-
	F	42	-	-	-	-	-	-	4	2	4	1	-	1	2	4	2	3	2	4	2	4	6	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	333	-	-	-	-	-	-	-	-	-	-	2	5	8	21	29	44	42	53	47	45	27	6	3	1	-	-
	White—M	247	-	-	-	-	-	-	-	-	-	-	1	5	7	17	21	36	34	35	34	32	21	2	1	1	-	-
	F	83	-	-	-	-	-	-	-	-	-	-	1	-	1	4	7	8	7	18	13	12	6	4	2	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	727	2	-	-	-	-	1	2	1	5	3	3	8	15	27	33	53	69	97	110	118	104	50	20	3	2	1
	White—M	456	2	-	-	-	-	-	1	1	4	1	2	5	7	13	24	42	46	62	66	74	65	31	7	1	1	1
	F	267	-	-	-	-	-	1	1	-	1	2	1	3	8	14	9	10	23	34	43	44	38	19	13	2	1	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
107-109	Pneumonia (all forms)	224	54	11	2	1	3	5	5	4	-	2	5	3	4	4	7	11	14	14	22	23	16	9	5	-	-	-
	White—M	157	29	8	1	-	3	2	3	4	-	1	4	1	2	3	5	5	11	7	16	16	5	8	3	-	-	-
	F	78	21	3	1	1	-	3	2	-	-	1	1	2	2	1	2	5	3	6	5	6	10	1	2	-	-	-
	All other—M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	53	1	-	-	-	-	-	-	-	-	1	2	1	4	8	6	7	6	7	3	5	2	-	-	-	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	1	1	3	7	5	7	5	7	2	4	2	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
119,120	Diarrhea, enteritis, etc.*	45	32	3	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-
	White—M	16	12	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	24	17	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	84	-	-	2	-	2	4	11	10	5	4	8	5	7	3	6	3	2	5	4	2	1	-	-	-	-	-
	White—M	58	-	-	1	-	1	2	8	7	4	2	6	3	7	1	4	2	1	3	4	1	1	-	-	-	-	-
	F	25	-	-	1	-	1	2	3	3	1	2	2	2	-	2	1	1	1	2	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	6	-	1	-	-	-	-	-	2	3	-	-	1	4	3	3	1	4	4	5	4	2	1	2	-	1
	White—M	34	6	-	1	-	-	-	-	-	1	2	-	-	1	4	-	2	1	2	2	4	3	1	1	2	-	1
	F	12	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	1	-	1	2	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	21	1	-	-	-	-	-	1	-	-	-	-	1	-	2	2	3	2	-	4	2	3	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	3	2	3	-	-	-	-	-
	F	5	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	4	5	4	-	2	3	2	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	4	2	1	-	2	3	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-152	Nephritis	320	-	-	-	-	-	5	2	3	-	5	3	9	8	15	13	27	32	36	40	55	39	19	8	1	-	-
	White—M	189	-	-	-	-	-	3	-	1	-	1	2	5	4	10	9	15	23	18	24	33	24	11	6	-	-	-
	F	126	-	-	-	-	-	2	2	1	-	4	1	3	4	4	4	11	9	18	15	22	15	8	2	1	-	-
	All other—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	3	4	11	2	2	1	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	3	4	11	2	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	18	-	-	-	-	-	-	-	1	5	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	1	5	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	20	-	-	-	-	-	-	-	2	3	3	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	2	3	3	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	62	51	1	2	-	-	-	2	2	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	32	-	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	25	19	1	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	92	-	-	-	-	-	-	1	4	9	5	7	13	11	8	6	9	11	3	2	2	-	1	-	-	-	-
	White—M	77	-	-	-	-	-	-	1	3	6	3	4	11	9	6	6	9	11	3	2	2	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	3	2	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	18	-	-	-	-	-	-	-	3	1	-	-	1	3	4	3	1	1	1	-	-	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	2	1	-	-	1	2	2	3	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	198	2	3	1	2	-	7	12	27	27	16	18	14	12	14	11	5	8	6	6	4	1	2	-	-	-	-
	White—M	146	1	1	-	1	-	6	11	17	23	12	12	10	11	10	9	3	8	3	3	2	1	2	-	-	-	-
	F	52	1	2	1	1	-	1	1	10	4	4	6	4	1	4	2	2	-	3	3	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	326	18	16	10	5	3	14	12	22	17	19	22	20	13	25	19	13	15	14	11	16	11	8	2	-	-	1
	White—M	259	11	10	9	2	1	10	2	22	17	17	21	19	13	24	19	12	15	8	10	6	5	4	1	-	-	1
	F	62	6	6	1	3	2	4	10	-	-	2	-	-	-	1	-	-	-	5	1	10	6	4	1	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	589	125	6	-	3	2	8	7	6	13	6	8	10	18	27	30	22	35	39	39	50	59	37	27	12	-	-
	White—M	357	77	3	-	2	1	5	4	3	8	-	3	3	12	15	21	15	29	30	27	24	37	19	14	5	-	-
	F	205	42	1	-	1	-	2	2	3	3	6	5	6	6	10	9	5	5	8	11	25	21	17	10	7	-	-
	All other—M	13	5	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-
	F	14	1	2	-	-	-	1	1	-	2	-	-	-	-	1	-	1	-	-	-	1	-	1	3	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	All causes	88,231	4,343	421	239	167	138	608	594	1,031	1,405	1,650	2,080	2,542	3,617	4,967	6,678	7,486	8,312	9,730	10,501	9,472	7,267	3,476	1,167	263	39	38
	White—M	46,087	2,300	205	117	90	72	348	315	519	690	776	931	1,177	1,812	2,689	3,751	4,285	4,787	5,290	5,498	4,788	3,544	1,524	467	91	15	28
	F	35,964	1,732	174	85	69	49	225	220	366	503	628	807	876	1,201	1,648	2,274	2,621	3,022	3,970	4,666	4,465	3,619	1,882	679	156	20	7
	All other—M	3,463	192	27	26	7	8	18	31	64	105	124	179	257	342	367	403	341	291	279	185	109	55	33	5	12	2	1
	F	2,717	119	15	11	1	9	17	30	82	107	122	163	232	262	263	270	239	212	191	152	110	49	37	16	4	2	2
1,2	Typhoid, paratyphoid fever	40	1	-	3	1	-	1	1	2	7	4	3	1	1	3	3	2	2	1	2	2	-	-	-	-	-	-
	White—M	25	1	-	2	-	-	-	1	1	6	2	1	1	-	1	1	1	2	1	2	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	-	1	1	2	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	2	2	1	-	1	2	1	1	3	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	10	2	1	1	-	-	1	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	69	1	12	4	7	7	17	5	3	3	2	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	40	1	8	3	5	2	8	3	2	3	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	3	1	2	2	9	2	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	67	43	15	3	2	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	31	19	5	2	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	51	20	8	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	87	5	8	11	1	7	26	11	4	1	3	1	1	1	3	-	1	2	-	1	-	-	-	-	-	-	-
	White—M	36	2	5	2	1	4	14	3	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	3	2	7	-	1	12	7	1	-	1	1	-	1	2	-	1	2	-	1	-	-	-	-	-	-	-
	All other—M	4	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	3,352	11	12	3	4	1	6	26	158	300	339	314	359	362	351	313	267	201	186	82	55	30	11	-	1	-	-
	White—M	1,664	3	3	-	1	1	1	8	27	75	123	126	157	173	219	212	203	122	104	57	31	13	4	-	1	-	-
	F	920	6	4	1	-	-	2	5	48	122	118	116	102	78	63	57	36	49	49	21	19	17	7	-	-	-	-
	All other—M	462	2	4	1	3	-	-	5	27	42	47	44	63	76	52	32	24	24	8	4	4	-	-	-	-	-	-
	F	306	-	1	1	-	-	3	8	36	61	51	28	37	35	17	12	4	6	5	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	293	14	18	9	4	3	6	9	22	20	24	33	17	18	27	21	16	4	17	6	1	1	1	-	-	-	-
	White—M	88	1	6	1	1	2	2	3	4	3	4	4	6	5	13	10	6	2	10	3	1	1	-	-	-	-	-
	F	107	7	5	4	2	1	3	1	8	9	14	9	4	6	9	7	7	2	7	2	-	-	-	-	-	-	-
	All other—M	54	3	5	2	1	-	2	4	2	5	5	11	3	6	2	2	1	-	-	-	-	-	-	-	-	-	-
	F	44	3	2	2	-	-	1	1	8	3	1	9	4	1	3	2	2	-	-	1	-	-	1	-	-	-	-
27	Dysentery	52	6	3	1	2	-	7	3	1	-	2	2	1	-	1	3	3	1	3	7	2	4	-	-	-	-	-
	White—M	30	4	-	1	2	-	3	2	1	-	1	-	1	-	1	2	2	1	3	3	1	2	-	-	-	-	-
	F	20	2	3	-	-	-	4	-	-	-	1	2	-	-	-	1	1	-	-	3	1	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	21	1	-	-	-	-	-	-	1	-	2	-	2	2	4	3	2	1	-	1	2	-	-	-	-	-	-
	White—M	11	1	-	-	-	-	-	-	1	-	2	-	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,058	21	2	-	-	1	1	3	3	5	11	36	62	100	132	167	157	126	114	59	40	13	5	-	-	-	-
	White—M	602	8	1	-	-	-	1	3	2	3	4	13	24	41	81	98	91	87	69	43	23	7	3	-	-	-	-
	F	204	7	-	-	-	1	-	-	1	-	-	10	10	18	20	27	28	21	25	14	15	5	2	-	-	-	-
	All other—M	201	5	1	-	-	-	-	-	-	2	3	10	20	33	24	36	32	15	16	2	1	1	-	-	-	-	-
	F	51	1	-	-	-	-	-	-	-	-	4	3	8	8	7	6	6	3	4	-	1	-	-	-	-	-	-
33	Influenza	612	52	22	7	8	2	15	4	8	8	14	20	16	21	27	37	38	44	47	52	43	64	43	14	4	1	1
	White—M	285	25	16	5	6	1	11	3	4	4	2	10	8	7	11	19	22	23	17	23	14	30	17	6	-	-	1
	F	278	23	5	2	2	1	4	1	2	2	11	7	6	12	7	17	11	16	28	25	28	33	24	8	3	-	-
	All other—M	31	3	-	-	-	-	-	-	-	1	-	2	1	2	8	-	5	4	-	2	-	1	1	-	-	1	-
	F	18	1	1	-	-	-	-	-	2	1	1	1	1	-	1	1	-	1	2	2	1	-	1	-	1	-	-
35	Measles	18	3	3	2	1	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	58	2	2	4	-	2	11	11	10	5	4	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	34	-	-	2	-	1	5	5	9	2	4	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	23	2	2	2	-	1	5	6	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	5,389	1	-	1	3	-	2	1	2	7	12	36	79	177	307	532	614	768	894	811	650	345	117	28	1	-	1
	White—M	2,932	1	-	1	3	-	1	1	1	4	4	21	33	95	178	287	355	429	525	433	335	163	52	10	-	-	-
	F	2,246	-	-	-	-	-	1	-	1	2	6	15	41	65	99	206	229	307	337	365	307	182	63	18	1	-	1
	All other—M	151	-	-	-	-	-	-	-	-	-	1	-	2	15	20	22	20	17	22	7	4	-	1	-	-	-	-
	F	80	-	-	-	-	-	-	-	-	1	1	-	3	2	10	17	10	15	10	6	4	-	1	-	-	-	-
48,49	Cancer of female genital organs	1,413	-	-	-	-	-	-	-	2	11	20	54	103	121	183	192	179	157	150	114	68	42	12	3	2	-	-
	White—F	1,294	-	-	-	-	-	-	-	2	9	17	51	87	101	165	177	162	147	141	110	67	41	12	3	2	-	-
	All other—F	119	-	-	-	-	-	-	-	-	2	3	3	16	20	18	15	17	10	9	4	1	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

498675 O - 43 - 20

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
50	Cancer of breast	1,117	-	-	-	-	-	-	-	1	-	7	27	32	87	137	152	137	146	133	99	78	45	26	5	4	-	1
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	3	3	1	2	1	-	1	-	-	-
	F	1,051	-	-	-	-	-	-	-	1	-	7	25	28	76	127	142	132	137	129	98	74	42	24	4	4	-	1
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	2	4	8	9	6	4	6	1	-	2	1	2	-	-	-	-
45,47, 51-55	Cancer (other forms)	3,459	4	5	6	5	4	22	11	24	25	32	33	69	157	251	323	421	435	480	458	355	233	80	19	5	1	1
	White—M	2,519	3	2	4	1	3	12	6	19	23	19	18	35	109	186	234	291	341	350	332	283	183	54	7	2	1	1
	F	817	1	3	2	4	1	10	5	5	2	11	11	29	36	51	66	113	81	117	115	66	49	24	12	3	-	-
	All other—M	97	-	-	-	-	-	-	-	-	-	1	2	3	9	10	20	14	10	12	9	5	1	1	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	2	2	3	4	3	3	3	1	2	1	-	1	-	-	-	-
58	Acute rheumatic fever	96	1	-	1	3	2	17	20	10	7	7	7	4	3	1	3	3	-	-	-	3	3	1	-	-	-	-
	White—M	39	1	-	-	1	-	6	8	2	3	2	7	2	1	1	1	2	-	-	-	1	-	1	-	-	-	-
	F	45	-	-	1	1	1	9	10	6	4	1	-	2	2	-	2	1	-	-	-	2	3	-	-	-	-	-
	All other—M	8	-	-	-	1	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,693	3	1	2	2	1	3	10	12	24	16	18	26	73	129	214	313	401	453	475	335	130	44	5	-	1	2
	White—M	965	2	1	2	1	-	3	2	5	13	6	7	13	22	39	68	101	134	163	164	148	49	20	1	-	-	1
	F	1,593	1	-	-	1	1	-	6	6	11	8	9	9	36	72	125	191	251	274	300	183	79	24	4	-	1	1
	All other—M	43	-	-	-	-	-	-	1	1	-	1	-	-	3	4	7	5	4	9	5	1	2	-	-	-	-	-
	F	92	-	-	-	-	-	-	1	-	-	1	2	4	12	14	14	16	12	7	6	3	-	-	-	-	-	-
63b	Exophthalmic goiter	316	-	-	-	-	-	-	3	1	5	10	6	14	13	29	44	47	47	41	38	14	4	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	1	1	1	-	4	6	9	9	11	6	5	3	1	-	-	-	-	-	-
	F	251	-	-	-	-	-	-	3	-	4	9	6	10	7	18	32	34	40	36	35	13	4	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	20	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	3	3	4	3	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	3	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	73	-	-	-	-	-	-	-	1	1	-	4	7	14	12	11	6	4	4	7	1	1	-	-	-	-	-
	White—M	58	-	-	-	-	-	-	-	1	1	-	4	2	9	10	8	6	4	4	7	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	3	3	1	3	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,722	9	-	5	-	-	7	3	11	8	20	44	59	146	281	463	552	674	942	1,096	1,086	790	402	99	21	2	2
	White—M	3,122	2	-	2	-	-	4	2	5	4	9	18	27	56	114	190	261	356	484	535	487	358	162	33	12	-	1
	F	3,235	7	-	3	-	-	2	1	6	4	10	16	21	65	117	222	239	277	410	534	573	421	231	66	8	2	-
	All other—M	160	-	-	-	-	-	-	-	-	-	-	3	6	4	25	25	24	17	26	9	10	8	3	-	-	-	-
	F	205	-	-	-	-	-	1	-	-	-	1	7	5	21	25	26	28	24	22	18	16	3	6	-	1	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	792	38	17	10	3	3	13	19	31	28	36	46	44	41	64	57	58	57	69	59	48	35	11	3	1	-	1
	White—M	407	19	10	6	2	2	9	14	16	17	19	22	21	22	31	29	30	30	35	25	28	15	4	-	-	-	1
	F	339	18	7	4	1	-	4	4	13	9	12	18	18	16	27	23	25	24	34	31	20	20	7	3	1	-	-
	All other—M	25	-	-	-	-	-	-	-	1	1	2	2	3	3	3	4	2	2	-	2	-	-	-	-	-	-	-
	F	21	1	-	-	-	1	-	1	1	1	3	4	2	-	3	1	1	1	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	425	40	15	8	13	11	34	25	22	28	21	31	20	20	27	23	25	19	14	5	10	7	4	3	-	-	-
	White—M	252	26	7	5	7	8	21	13	13	20	14	18	13	11	15	12	12	13	8	2	7	3	2	2	-	-	-
	F	150	12	8	2	6	2	12	11	9	6	6	9	5	6	10	10	12	6	6	3	2	4	2	1	-	-	-
	All other—M	15	2	-	1	-	1	1	1	-	1	-	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,791	1	1	-	2	2	20	44	45	48	58	96	112	100	113	135	114	126	177	191	163	147	72	20	3	-	1
	White—M	891	1	1	-	-	1	13	19	21	22	29	49	44	62	54	75	62	59	98	102	76	65	29	7	2	-	-
	F	793	-	-	-	2	1	5	21	19	22	24	39	53	33	47	49	45	66	70	79	84	80	42	11	-	-	1
	All other—M	41	-	-	-	-	-	1	-	1	1	1	6	6	2	4	6	5	1	2	2	1	1	-	-	1	-	-
	F	66	-	-	-	-	-	1	4	4	3	4	2	9	3	8	5	2	-	7	8	2	1	1	2	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,189	-	-	-	-	-	-	-	2	8	16	42	76	183	344	470	601	706	770	786	596	382	151	41	11	2	2
	White—M	3,582	-	-	-	-	-	-	-	-	5	11	31	60	149	277	377	462	541	515	486	349	208	83	19	6	1	2
	F	1,498	-	-	-	-	-	-	-	2	2	5	9	9	24	50	73	124	154	248	287	243	174	66	22	5	1	-
	All other—M	65	-	-	-	-	-	-	-	-	-	-	1	4	5	9	12	12	9	2	8	2	-	1	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	1	-	1	3	5	8	8	3	2	5	5	2	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart	20,712	13	3	4	2	1	20	29	39	66	106	190	289	507	853	1,389	1,725	2,077	2,657	3,232	3,080	2,579	1,279	465	100	20	7
	White—M	10,605	4	2	4	2	1	10	11	18	33	42	85	128	241	450	792	1,008	1,241	1,422	1,682	1,468	1,194	540	187	27	8	5
	F	8,624	7	1	-	-	-	8	12	17	29	49	67	65	143	253	377	522	666	1,067	1,423	1,527	1,336	713	266	66	9	1
	All other—M	821	1	-	-	-	-	1	2	1	1	8	20	36	64	80	130	110	102	96	78	40	25	15	3	7	1	-
	F	662	1	-	-	-	-	1	4	3	3	7	18	40	59	70	90	85	68	72	49	45	24	11	9	-	2	1
107-109	Pneumonia (all forms)	3,608	526	110	41	13	10	39	25	52	43	71	83	110	154	172	255	248	264	284	331	295	282	126	61	11	-	2
	White—M	1,912	272	43	17	5	5	19	9	25	17	38	39	48	75	108	161	151	160	163	189	138	137	61	27	3	-	2
	F	1,298	198	49	14	7	4	16	14	17	20	21	28	30	41	34	51	69	79	96	124	145	138	65	34	8	-	-
	All other—M	283	35	11	7	-	-	3	1	4	2	10	11	24	27	24	25	16	20	15	13	8	6	1	-	-	-	-
	F	135	21	7	3	1	1	1	1	6	4	2	7	8	11	6	18	12	5	10	5	4	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	594	1	-	-	-	-	-	-	5	6	12	28	33	55	45	85	88	64	52	59	37	18	5	1	-	-	-
	White—M	482	1	-	-	-	-	-	-	3	5	11	21	26	48	39	71	72	60	38	42	32	10	3	-	-	-	-
	F	86	-	-	-	-	-	-	-	2	1	-	5	5	3	5	10	12	4	11	12	5	8	2	1	-	-	-
	All other—M	23	-	-	-	-	-	-	-	-	-	1	2	2	3	1	4	4	-	3	3	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	361	183	35	9	6	3	8	3	4	6	3	4	6	5	4	11	10	12	11	11	10	12	4	1	-	-	-
	White—M	204	112	25	4	1	1	7	-	4	4	-	1	4	3	1	5	5	6	4	5	7	4	1	-	-	-	-
	F	135	57	10	4	5	2	-	3	-	2	3	3	2	1	3	3	5	5	6	6	3	8	3	1	-	-	-
	All other—M	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	10	6	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	847	-	2	6	17	11	57	49	63	48	52	41	62	54	75	85	60	63	45	33	15	6	3	-	-	-	-
	White—M	474	-	1	4	11	5	32	24	33	28	29	22	31	33	41	54	42	35	23	15	7	3	1	-	-	-	-
	F	319	-	1	1	6	5	24	24	22	15	20	15	25	18	26	24	15	28	20	17	8	3	2	-	-	-	-
	All other—M	31	-	-	1	-	-	1	-	6	2	2	3	5	2	3	2	2	-	1	1	-	-	-	-	-	-	-
	F	23	-	-	-	-	1	-	1	2	3	1	1	1	1	5	5	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	783	35	12	2	3	2	8	6	16	11	14	14	27	46	58	67	68	86	87	86	75	36	20	3	-	-	1
	White—M	375	22	9	-	1	1	5	3	11	4	3	5	8	15	17	32	34	36	42	49	44	23	8	2	-	-	1
	F	365	12	2	1	2	1	2	2	5	5	9	9	15	24	34	29	30	48	41	37	31	15	12	1	-	-	-
	All other—M	20	1	-	1	-	-	-	1	-	-	-	-	2	2	4	3	2	1	3	-	-	-	-	-	-	-	-
	F	23	-	1	-	-	-	1	-	-	2	2	-	2	5	3	3	2	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	903	5	1	-	-	-	1	4	3	3	8	19	43	73	80	118	118	119	104	92	66	28	17	1	-	-	-
	White—M	584	3	-	-	-	-	-	2	1	2	5	11	27	44	51	75	81	81	75	67	42	12	5	-	-	-	-
	F	282	2	1	-	-	-	1	1	1	1	3	7	11	27	24	38	32	32	27	23	22	16	12	1	-	-	-
	All other—M	25	-	-	-	-	-	-	-	-	-	-	1	4	2	4	5	2	3	2	1	1	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	3	3	-	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	865	1	-	1	-	-	-	-	-	4	7	18	31	37	62	88	100	71	71	68	57	32	8	8	1	-	-
	White—M	202	-	-	1	-	-	-	-	-	-	2	2	5	12	18	21	36	24	28	18	24	9	2	-	-	-	-
	F	448	-	-	-	-	-	-	-	-	4	5	15	24	24	43	67	63	45	41	46	33	23	6	8	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	2	3	-	-	-	-	-	-	-
150-152	Nephritis	7,431	8	3	2	1	-	14	18	34	45	61	104	120	193	301	458	522	658	907	1,095	1,197	996	489	157	43	3	2
	White—M	3,565	7	2	1	1	-	8	6	18	25	33	29	51	61	131	230	240	337	438	513	616	509	222	64	21	2	2
	F	3,407	1	1	1	-	-	6	10	18	16	22	55	43	90	116	189	236	263	417	538	551	470	255	87	21	1	-
	All other—M	219	-	-	-	-	-	-	1	-	3	1	3	11	16	29	23	25	29	30	20	13	7	7	1	-	-	-
	F	240	-	-	-	-	-	-	1	-	1	5	17	15	26	25	16	21	29	22	24	17	10	5	5	1	-	-
137	Diseases of the prostate	639	-	-	-	-	-	-	-	-	-	-	-	1	3	1	12	27	63	102	141	143	95	35	13	2	-	1
	White—M	604	-	-	-	-	-	-	-	-	-	-	-	1	2	-	11	20	60	90	134	141	95	35	13	1	-	1
	All other—M	35	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	3	12	7	2	-	-	-	1	-	-
140, 142a, 147	Puerperal septicemia	147	-	-	-	-	-	-	-	17	29	30	36	24	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	124	-	-	-	-	-	-	-	13	26	25	32	19	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	23	-	-	-	-	-	-	-	4	3	5	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	74	-	-	-	-	-	-	-	9	8	20	17	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	71	-	-	-	-	-	-	-	8	8	20	16	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	145	-	-	-	-	-	-	-	10	29	43	31	24	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	128	-	-	-	-	-	-	-	9	27	40	24	20	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	17	-	-	-	-	-	-	-	1	2	3	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	741	635	26	13	7	1	12	7	16	6	6	2	3	2	2	-	3	-	-	-	-	-	-	-	-	-	-
	White—M	376	319	14	7	2	-	9	2	12	2	5	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	332	290	9	4	5	1	3	5	3	4	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	19	16	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	10	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,428	1,428	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	742	742	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	597	597	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,156	-	-	-	-	-	-	-	30	55	65	88	106	131	125	144	139	98	82	51	29	9	2	2	-	-	-
	White—M	868	-	-	-	-	-	-	-	16	40	40	58	77	89	93	116	107	81	67	44	27	9	2	2	-	-	-
	F	261	-	-	-	-	-	-	-	11	14	23	28	26	34	28	26	31	17	14	7	2	-	-	-	-	-	-
	All other—M	18	-	-	-	-	-	-	-	1	-	1	-	2	6	4	2	1	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	2	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	364	11	1	-	-	-	5	5	13	32	52	60	47	52	29	16	10	12	11	7	-	-	-	-	-	-	1
	White—M	160	7	-	-	-	-	3	3	3	9	24	20	18	26	16	8	7	6	4	6	-	-	-	-	-	-	-
	F	37	1	1	-	-	-	2	1	2	1	5	3	3	4	3	1	2	2	5	1	-	-	-	-	-	-	-
	All other—M	125	2	-	-	-	-	-	1	6	16	18	28	18	17	7	4	1	4	2	-	-	-	-	-	-	-	1
	F	42	1	-	-	-	-	-	-	2	6	5	9	8	5	3	3	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,321	8	11	10	22	24	76	73	174	220	186	165	121	136	175	162	192	139	159	127	91	37	9	1	-	-	3
	White—M	1,702	3	4	7	14	14	45	49	121	164	140	128	81	101	131	124	151	106	118	93	68	31	6	1	-	-	2
	F	501	4	6	2	7	8	27	22	52	42	33	29	25	27	35	24	32	29	36	29	22	6	3	-	-	-	1
	All other—M	94	1	-	1	1	2	4	1	1	10	9	7	11	8	8	11	9	2	4	3	1	-	-	-	-	-	-
	F	24	-	1	-	-	-	-	1	-	4	4	1	4	-	1	3	-	2	1	2	-	-	-	-	-	-	-
169, 171-195	Other accidents	3,457	97	39	33	11	14	82	100	114	135	121	159	167	197	224	227	234	237	244	258	259	303	152	51	11	3	5
	White—M	2,179	49	18	15	4	6	52	71	87	100	87	100	134	160	182	185	201	163	148	130	100	122	47	12	1	-	5
	F	1,091	32	18	12	7	5	25	18	18	21	25	26	14	22	27	28	27	62	89	125	154	181	104	38	10	3	-
	All other—M	148	11	2	5	-	2	2	9	7	13	8	13	14	13	15	15	3	7	4	2	3	-	1	1	-	-	-
	F	39	5	1	1	-	1	3	2	2	1	1	-	5	2	-	1	3	5	3	1	2	-	-	-	-	-	-
	All other causes*	6,617	1,153	42	37	24	21	68	65	74	106	153	182	223	306	328	391	383	425	436	557	563	558	347	163	42	6	4
	White—M	3,358	635	21	17	16	12	38	37	32	45	59	58	83	129	162	206	208	235	235	286	283	287	160	73	15	3	3
	F	2,846	421	21	16	8	7	26	24	34	54	60	91	93	133	125	165	148	161	187	254	261	261	179	90	23	3	1
	All other—M	199	46	-	4	-	1	1	2	3	4	4	6	13	19	22	10	15	16	9	5	12	2	2	-	3	-	-
	F	254	31	-	-	-	1	3	2	5	3	10	27	34	25	19	10	12	13	5	12	7	8	6	-	1	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	All causes	40,402	2,596	235	157	85	74	320	312	477	650	677	806	963	1,235	1,713	2,147	2,800	3,489	4,211	4,976	5,162	4,133	2,305	677	153	17	34
	White—M	21,021	1,415	137	81	46	47	186	176	244	347	332	386	437	610	862	1,191	1,574	1,902	2,277	2,675	2,591	2,078	1,089	304	60	7	19
	F	17,442	1,028	87	70	34	24	118	123	185	240	258	322	408	489	682	794	1,054	1,453	1,763	2,172	2,457	1,990	1,233	356	86	6	10
	All other—M	1,002	93	6	4	1	2	8	4	18	28	50	55	60	63	88	83	77	71	91	66	62	39	21	7	2	-	3
	F	937	62	5	2	4	1	8	9	30	35	37	43	58	71	81	79	95	63	80	63	52	26	12	10	5	4	2
1,2	Typhoid, paratyphoid fever	29	-	-	1	-	1	1	-	2	4	4	3	1	2	2	1	1	2	1	2	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	1	-	-	3	2	1	1	1	1	1	1	-	1	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	-	2	1	2	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	3	4	-	2	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	40	2	3	5	3	3	11	3	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	1	2	2	1	1	7	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	1	1	3	1	2	4	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	79	50	13	7	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	34	22	6	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	26	6	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	34	2	-	3	3	2	14	1	4	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	21	2	-	1	2	2	7	1	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	2	1	-	7	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,232	8	5	1	-	1	8	11	56	134	115	116	122	89	88	95	71	79	80	76	38	28	10	1	-	-	-
	White—M	541	3	2	1	-	-	4	4	8	40	39	52	49	34	48	51	47	44	48	35	17	10	4	1	-	-	-
	F	495	5	3	-	-	-	-	1	25	64	47	50	45	34	25	30	20	32	31	38	21	18	6	-	-	-	-
	All other—M	108	-	-	-	-	1	4	1	9	11	13	8	18	14	11	11	2	2	1	2	-	-	-	-	-	-	-
	F	88	-	-	-	-	-	-	5	14	19	16	6	10	7	4	3	2	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	146	9	11	4	3	2	7	5	13	5	5	9	11	12	7	11	4	6	10	4	4	3	1	-	-	-	-
	White—M	72	4	4	2	2	2	4	1	5	3	-	5	7	5	5	7	1	5	4	-	4	2	-	-	-	-	-
	F	56	4	6	1	1	-	2	4	6	1	3	3	3	3	2	3	3	1	4	4	-	1	1	-	-	-	-
	All other—M	6	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	12	1	1	-	-	-	1	-	2	1	1	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	28	5	4	2	-	-	1	-	-	1	1	-	1	-	-	1	1	-	2	3	2	1	1	-	-	-	-
	White—M	14	1	3	2	-	-	1	-	-	-	1	-	1	-	-	-	1	-	1	3	-	-	-	-	-	-	-
	F	11	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	8	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	494	27	-	-	-	-	1	2	4	8	8	26	33	51	55	66	60	55	36	29	23	5	4	1	-	-	-
	White—M	297	16	-	-	-	-	1	1	2	3	2	8	14	25	29	44	41	44	24	20	17	4	1	1	-	-	-
	F	103	7	-	-	-	-	-	-	-	1	3	7	12	12	10	11	7	7	11	5	6	1	3	-	-	-	-
	All other—M	66	2	-	-	-	-	-	1	-	2	2	9	4	9	13	9	8	3	1	3	-	-	-	-	-	-	-
	F	28	2	-	-	-	-	-	-	2	2	1	2	3	5	3	2	4	1	-	1	-	-	-	-	-	-	-
33	Influenza	666	66	21	6	6	4	11	4	7	5	13	16	16	15	24	24	33	32	51	74	76	81	51	23	5	2	-
	White—M	301	31	12	2	4	2	6	1	3	3	5	2	7	6	13	15	18	16	27	36	31	32	15	11	2	1	-
	F	328	32	8	3	2	2	5	3	4	2	5	9	8	8	5	7	12	14	23	34	44	48	34	12	3	1	-
	All other—M	17	2	-	1	-	-	-	-	-	-	2	4	-	1	2	-	2	1	-	-	-	1	1	-	-	-	-
	F	20	1	1	-	-	-	-	-	-	-	1	1	1	-	4	2	1	1	1	4	1	-	1	-	-	-	-
35	Measles	4	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	79	4	1	6	1	2	13	8	13	12	8	5	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	51	2	1	3	1	1	8	5	6	10	7	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	27	2	-	3	-	-	5	3	7	2	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,026	4	-	-	-	1	-	1	3	3	8	18	32	56	82	132	194	308	308	342	279	178	68	7	1	-	1
	White—M	985	2	-	-	-	-	-	-	1	1	5	8	13	22	25	69	95	164	161	174	124	84	35	1	-	-	1
	F	980	2	-	-	-	1	-	1	2	2	2	7	17	31	50	55	92	137	139	160	150	92	33	6	1	-	-
	All other—M	34	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	4	5	6	4	3	1	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	2	1	2	3	5	3	2	2	4	2	1	-	-	-	-	-
48,49	Cancer of female genital organs	638	-	-	-	-	-	-	1	1	2	9	17	27	51	75	83	80	79	73	63	43	19	12	1	2	-	-
	White—F	598	-	-	-	-	-	-	-	1	2	9	13	23	44	69	76	77	76	71	63	42	17	12	1	2	-	-
	All other—F	40	-	-	-	-	-	-	1	-	-	-	4	4	7	6	7	3	3	2	-	1	2	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
50	Cancer of breast	421	-	-	-	-	-	-	-	-	1	2	16	17	22	37	46	37	56	64	42	48	19	8	4	2	-	-
	White——M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	1	-	-	-
	F	386	-	-	-	-	-	-	-	-	1	1	14	13	21	36	42	32	56	56	38	45	19	7	3	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	2	4	1	1	3	5	-	6	3	1	-	1	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,280	-	4	2	1	1	6	5	5	8	10	13	19	40	66	76	148	133	183	208	168	112	56	11	5	-	-
	White——M	850	-	3	1	1	1	-	2	4	6	7	5	8	23	40	42	101	82	126	147	124	82	36	7	2	-	-
	F	403	-	1	1	-	-	5	3	1	2	3	8	10	14	24	31	45	48	50	56	44	30	20	4	3	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	5	4	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	39	1	1	-	1	-	8	9	6	3	-	-	2	2	1	1	-	1	-	2	-	1	-	-	-	-	-
	White——M	15	-	-	-	-	-	3	3	3	2	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	19	1	1	-	-	-	3	6	3	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	964	2	-	-	2	-	-	6	6	9	5	7	15	17	28	67	110	140	153	188	141	59	23	4	-	-	2
	White——M	378	1	-	-	1	-	-	4	2	2	1	1	5	11	10	29	34	52	63	60	63	28	7	4	-	-	-
	F	545	-	-	-	1	-	-	2	4	7	3	6	7	5	13	34	65	84	87	106	75	30	15	-	-	-	1
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	1	-	-	-	-	1
	F	33	1	-	-	-	-	-	-	-	-	1	-	3	1	4	4	9	4	3	1	1	-	1	-	-	-	-
65b	Exophthalmic goiter	179	-	-	-	-	-	-	1	1	2	2	6	6	11	11	15	19	22	36	26	11	6	2	1	-	-	1
	White——M	22	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	1	4	2	4	-	-	-	-	-	-	-
	F	149	-	-	-	-	-	-	1	1	2	1	4	2	9	8	11	15	18	34	22	11	6	2	1	-	-	1
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	4	-	-	-	-	-	-
	White——M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	36	-	-	-	-	-	-	-	-	-	1	1	4	5	1	6	6	4	3	2	2	-	-	-	-	-	1
	White——M	31	-	-	-	-	-	-	-	-	-	1	1	3	4	-	5	5	4	3	2	2	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,055	11	2	1	-	-	3	1	6	8	10	17	32	52	110	171	270	367	556	671	790	599	295	67	12	2	2
	White——M	1,981	6	1	-	-	-	3	1	4	3	4	12	10	26	38	78	124	183	275	374	380	288	134	33	2	2	-
	F	1,926	5	1	1	-	-	-	-	2	4	6	3	17	21	56	80	127	166	257	285	395	300	156	33	10	-	1
	All other—M	64	-	-	-	-	-	-	-	-	1	-	-	4	-	3	6	6	5	13	8	7	7	4	-	-	-	-
	F	84	-	-	-	-	-	-	-	-	-	-	2	1	5	13	7	13	13	11	4	8	4	1	1	-	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	393	25	10	6	-	1	11	8	6	13	13	18	19	20	22	31	30	31	33	31	30	23	10	2	-	-	-
	White——M	201	14	3	1	-	1	6	6	2	8	7	4	12	7	15	13	18	13	18	20	14	12	5	2	-	-	-
	F	180	9	6	5	-	-	5	2	4	4	6	10	6	13	7	16	12	18	14	11	16	11	5	-	-	-	-
	All other—M	7	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	223	24	7	9	8	6	24	14	10	14	7	8	8	11	12	9	8	9	14	6	7	3	4	1	-	-	-
	White——M	117	16	5	5	2	2	12	7	5	8	6	2	6	7	7	3	6	5	5	3	2	1	2	-	-	-	-
	F	101	8	2	4	6	4	12	7	5	5	1	6	2	3	5	5	2	4	8	2	5	2	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	780	2	-	1	1	1	12	16	14	19	14	28	25	36	37	62	62	69	70	93	90	82	34	11	-	1	-
	White——M	381	1	-	-	-	1	4	3	5	9	2	12	14	16	21	21	39	40	36	52	45	46	11	3	-	-	-
	F	353	1	-	1	-	-	7	11	8	10	10	15	10	17	15	33	18	25	29	38	39	36	22	8	-	-	-
	All other—M	22	-	-	-	-	-	-	1	1	-	1	-	-	-	1	4	2	2	1	3	5	-	1	-	-	-	-
	F	24	-	-	-	1	-	1	1	-	-	1	1	1	3	-	4	3	2	4	-	1	-	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	3,146	1	-	-	-	-	-	-	1	5	12	22	40	94	214	278	345	403	507	501	368	234	94	21	5	-	1
	White——M	2,134	1	-	-	-	-	-	-	1	3	8	17	27	72	152	214	266	295	331	324	216	137	53	13	3	-	1
	F	917	-	-	-	-	-	-	-	-	2	1	5	9	15	48	48	69	100	165	169	147	90	41	7	1	-	-
	All other—M	55	-	-	-	-	-	-	-	-	-	3	-	3	3	5	10	6	4	9	3	5	4	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	1	4	9	6	4	4	2	5	-	3	-	1	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,031	5	1	1	1	-	11	19	18	19	32	39	63	113	185	269	412	616	824	1,087	1,270	1,120	669	205	39	4	9
	White——M	3,598	3	1	-	-	-	7	5	6	11	11	17	27	59	98	151	242	342	448	590	638	559	278	85	16	2	2
	F	3,158	2	-	1	1	-	4	12	11	8	17	18	34	36	67	91	145	249	334	461	601	543	383	114	21	1	4
	All other—M	130	-	-	-	-	-	-	-	1	-	3	3	1	9	7	9	12	14	20	18	14	10	6	1	-	-	2
	F	145	-	-	-	-	-	-	2	-	-	1	1	1	9	13	18	13	11	22	18	17	8	2	5	2	1	1
107-109	Pneumonia (all forms)	1,913	409	63	27	12	5	24	15	20	21	27	34	35	37	53	82	93	113	112	173	208	175	126	40	9	-	-
	White——M	992	220	37	15	5	3	15	8	7	8	15	19	14	22	24	57	55	67	57	90	110	81	46	13	4	-	-
	F	786	153	21	11	6	2	9	7	8	11	8	10	14	9	17	19	24	39	47	79	90	92	79	27	4	-	-
	All other—M	74	20	2	-	-	-	-	-	2	-	2	2	6	2	10	5	5	5	5	1	5	1	1	-	-	-	-
	F	61	16	3	1	1	-	-	-	3	2	2	3	1	4	2	1	9	2	3	3	3	1	-	-	1	-	-
117	Ulcer of stomach or duodenum	185	-	-	-	-	-	-	-	2	4	3	4	11	7	21	19	16	25	19	28	20	3	2	-	-	-	1
	White——M	134	-	-	-	-	-	-	-	1	1	2	3	8	7	15	15	13	22	15	17	12	2	1	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	1	1	1	1	-	5	3	2	3	4	10	8	1	1	-	-	-	1
	All other—M	7	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	214	121	17	12	1	2	1	2	2	-	2	1	1	3	3	1	2	3	3	9	7	12	8	1	-	-	-
	White—M	115	69	11	7	1	2	-	2	-	-	-	-	1	2	-	-	1	3	2	3	2	5	3	1	-	-	-
	F	90	47	6	5	-	-	-	-	2	-	2	1	-	1	2	1	1	-	-	5	5	7	5	-	-	-	-
	All other-M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
121	Appendicitis	367	3	4	7	4	9	19	37	26	19	18	15	19	29	24	24	27	26	24	16	8	5	4	-	-	-	-
	White—M	222	2	2	5	3	7	9	23	17	11	9	10	12	16	16	14	18	18	16	8	2	3	1	-	-	-	-
	F	127	-	2	2	1	2	10	14	7	7	8	4	5	10	7	7	8	7	8	7	6	2	3	-	-	-	-
	All other-M	9	1	-	-	-	-	-	-	1	-	1	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	1	-	1	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	315	26	2	-	4	-	1	-	5	3	6	6	11	13	15	24	30	21	30	32	39	28	15	1	2	1	-
	White—M	148	20	2	-	2	-	1	-	3	-	-	2	2	6	8	10	10	12	16	17	18	14	4	-	1	-	-
	F	151	5	-	-	2	-	-	-	2	3	4	4	9	6	6	11	17	8	13	14	21	14	9	1	1	1	-
	All other-M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-	1	-	-	1	-	-	-	-
124	Cirrhosis of the liver	258	1	1	-	-	-	-	-	-	-	3	1	7	21	20	22	32	43	32	32	21	14	6	1	1	-	-
	White—M	168	1	-	-	-	-	-	-	-	-	3	-	4	13	15	10	26	27	23	20	15	6	3	1	1	-	-
	F	83	-	1	-	-	-	-	-	-	-	-	1	3	5	5	10	4	16	9	12	6	8	3	-	-	-	-
	All other-M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	241	1	-	-	-	-	-	-	-	2	-	3	9	12	6	19	30	43	19	36	28	20	9	2	1	-	1
	White—M	63	-	-	-	-	-	-	-	-	-	-	-	2	1	-	8	4	14	7	12	5	7	2	-	1	-	-
	F	175	-	-	-	-	-	-	-	-	1	-	3	7	11	5	11	26	29	12	24	23	13	7	2	-	-	1
	All other-M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,893	4	-	2	-	-	6	11	11	12	26	30	51	64	124	138	228	350	460	595	689	604	353	105	28	-	2
	White—M	1,961	4	-	1	-	-	4	6	4	9	10	13	16	22	48	71	107	169	246	298	370	310	187	51	13	-	2
	F	1,724	-	-	1	-	-	2	5	7	2	13	11	24	33	57	57	94	153	190	276	297	283	155	51	13	-	-
	All other-M	105	-	-	-	-	-	-	-	-	1	1	2	3	2	10	5	12	14	13	12	12	7	6	3	2	-	-
	F	103	-	-	-	-	-	-	-	-	-	2	4	8	7	9	5	15	14	11	9	10	4	5	-	-	-	-
137	Diseases of the prostate	216	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	12	32	43	55	40	16	10	-	-	-
	White—M	211	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	12	31	41	53	40	16	10	-	-	-
	All other-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	85	-	-	-	-	-	-	-	10	16	24	16	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	8	14	23	15	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	6	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	42	-	-	-	-	-	-	-	7	8	5	7	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	7	7	4	6	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	51	-	-	-	-	-	-	-	6	8	10	9	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	4	7	9	8	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	379	342	13	2	2	-	5	5	4	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	217	193	9	2	2	-	3	3	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	154	142	4	-	-	-	2	2	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other-M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	765	765	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	408	408	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	303	303	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	578	-	-	-	-	-	-	1	10	25	38	46	38	55	64	68	71	52	37	29	19	21	3	-	-	-	1
	White—M	435	-	-	-	-	-	-	1	5	20	27	36	23	35	41	57	58	42	29	24	14	19	3	-	-	-	1
	F	137	-	-	-	-	-	-	-	5	4	10	10	15	20	20	10	13	10	8	5	5	2	-	-	-	-	-
	All other-M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	113	1	-	1	-	-	1	1	2	8	18	19	14	14	8	6	10	2	3	1	1	-	-	-	-	-	3
	White—M	60	-	-	1	-	-	1	1	2	4	4	8	7	8	5	4	8	1	1	1	1	-	-	-	-	-	3
	F	12	1	-	-	-	-	-	-	-	1	2	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	All other-M	34	-	-	-	-	-	-	-	-	3	11	7	4	4	2	1	1	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,225	4	6	5	6	5	43	44	99	140	100	83	63	81	95	77	76	82	64	72	49	19	6	3	1	-	2
	White—M	895	3	2	3	2	2	28	25	72	113	79	60	47	63	73	53	58	61	43	53	33	12	6	2	-	-	2
	F	285	1	4	2	4	3	13	19	24	21	15	15	13	15	20	21	16	20	19	18	14	7	-	-	1	-	-
	All other-M	35	-	-	-	-	-	1	-	-	4	5	8	3	3	1	2	2	1	2	1	1	-	-	1	-	-	-
	F	10	-	-	-	-	-	1	-	3	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,843	66	19	23	12	14	37	55	72	65	64	71	80	59	73	74	84	99	124	145	214	208	127	43	10	1	4
	White—M	1,076	32	14	16	9	11	24	45	59	52	52	53	65	47	49	65	68	71	77	65	62	83	58	11	4	-	4
	F	708	31	3	7	3	2	10	9	11	11	10	13	10	8	19	9	14	24	42	77	146	123	89	30	6	1	-
	All other-M	46	1	2	-	-	-	2	1	2	1	2	5	5	4	4	-	1	4	4	1	4	2	-	1	-	-	-
	F	13	2	-	-	-	1	1	-	-	1	-	-	-	-	1	-	1	-	1	2	2	-	-	1	-	-	-
	All other causes*	3,648	602	23	20	10	10	37	25	22	39	50	70	93	120	142	144	200	205	246	333	409	411	288	110	30	6	3
	White—M	1,837	334	14	7	8	7	25	16	10	13	21	27	27	47	62	74	100	89	139	179	212	210	148	53	11	2	2
	F	1,681	234	9	13	2	3	11	9	10	24	25	36	50	63	72	58	91	106	95	150	192	194	139	54	18	2	1
	All other-M	78	23	-	-	-	-	1	-	1	1	2	3	4	4	5	7	5	8	6	1	1	4	1	1	-	-	-
	F	72	11	-	-	-	-	-	-	1	1	2	4	12	6	3	5	4	2	6	3	4	3	-	2	1	2	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	All causes	26,376	1,670	144	90	54	52	206	217	283	344	392	396	516	635	889	1,246	1,690	2,056	2,735	3,555	3,548	3,135	1,704	656	134	17	12
	White—M	14,415	943	90	51	34	30	125	121	183	204	212	180	287	349	479	716	982	1,199	1,562	1,939	1,902	1,613	861	289	51	7	6
	F	11,670	702	54	37	20	22	79	93	95	133	174	205	219	276	396	509	670	828	1,142	1,587	1,632	1,510	834	359	79	10	5
	All other—M	154	14	-	2	-	-	-	3	2	3	2	6	4	6	3	12	19	18	19	17	9	5	3	6	-	-	1
	F	137	11	-	-	-	-	2	-	3	4	4	5	6	4	11	9	19	11	12	12	5	7	6	2	4	-	-
1,2	Typhoid, paratyphoid fever	14	-	1	-	-	-	2	-	2	1	1	1	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	2	-	1	-	-	3	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	-	1	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	22	-	1	4	3	-	7	1	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	2	2	-	4	1	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	23	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	14	-	-	-	-	2	3	1	-	1	-	1	1	-	1	2	-	-	-	-	-	2	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	10	-	-	-	-	2	2	-	-	1	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	391	-	1	1	1	-	1	4	11	21	41	36	25	37	27	37	40	29	20	30	16	12	1	-	-	-	-
	White—M	197	-	1	1	-	-	1	1	3	9	16	16	11	18	18	19	22	19	13	17	6	6	-	-	-	-	-
	F	174	-	-	-	1	-	-	3	7	9	22	17	13	17	7	18	16	10	5	12	10	6	1	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	2	2	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	44	2	1	-	-	-	1	2	4	2	3	4	2	2	1	4	7	5	3	1	-	-	-	-	-	-	-
	White—M	27	-	1	-	-	-	-	-	4	1	2	3	2	2	1	2	4	2	2	1	-	-	-	-	-	-	-
	F	16	2	-	-	-	-	1	1	-	1	1	1	-	-	-	2	3	3	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-
	White—M	6	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	177	5	-	-	-	-	-	2	4	2	1	7	9	11	20	29	25	22	13	11	10	3	3	-	-	-	-
	White—M	119	4	-	-	-	-	-	1	3	-	-	1	8	6	13	21	14	18	11	8	7	2	2	-	-	-	-
	F	43	-	-	-	-	-	-	1	1	2	-	4	1	5	5	4	7	3	2	3	3	1	1	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	4	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Influenza	424	32	5	8	2	1	7	8	5	4	5	6	10	13	5	16	15	18	32	27	57	66	54	25	2	1	-
	White—M	210	17	4	5	1	1	5	4	4	2	2	1	5	6	2	4	7	12	23	14	24	32	24	11	-	-	-
	F	210	14	1	2	1	-	2	4	1	2	3	5	5	7	3	12	8	6	8	13	33	34	30	14	1	1	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
35	Measles	13	2	-	-	-	-	3	2	1	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	8	2	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	64	-	1	3	-	-	11	15	10	9	4	5	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	45	-	1	3	-	-	7	8	7	9	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	4	7	3	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,698	-	-	-	1	1	-	1	1	-	6	9	20	31	68	100	138	195	215	348	300	170	74	17	-	-	3
	White—M	920	-	-	-	1	-	-	-	-	-	2	2	10	15	32	62	76	119	119	195	160	87	35	5	-	-	-
	F	766	-	-	-	-	1	-	1	1	-	4	7	9	16	36	38	60	75	94	152	137	83	37	12	-	-	3
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	-	-	-	-
48,49	Cancer of female genital organs	398	-	-	-	-	-	-	-	-	-	7	5	11	30	37	42	51	38	73	53	31	15	5	-	-	-	-
	White—F	390	-	-	-	-	-	-	-	-	-	7	4	10	30	35	42	49	37	73	52	31	15	5	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	1	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
50	Cancer of breast	353	-	-	-	-	-	-	-	-	-	1	6	8	19	25	40	54	44	45	49	30	18	9	4	-	-	1
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	1	-	1	-	-	-
	F	343	-	-	-	-	-	-	-	-	-	1	6	8	19	25	40	53	43	45	45	29	17	9	3	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,029	-	1	3	3	3	3	4	5	13	15	10	[illegible]	23	50	71	90	110	118	170	152	100	51	9	-	-	-
	White—M	771	-	1	2	2	-	1	2	4	7	10	6	[illegible]	18	34	37	66	83	96	140	121	74	41	6	-	-	-
	F	249	-	-	1	1	3	2	1	-	5	5	4		5	15	33	23	26	21	30	30	26	10	3	-	-	-
	All other—M	5	-	-	-	-	-	-	1	-	-	-	-		-	-	1	-	1	1	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	27	-	-	-	-	2	6	9	3	-	1	-	2	1	-	-	-	-	-	2	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	1	4	5	1	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	1	2	4	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	722	-	1	-	-	1	5	5	3	6	8	6	7	8	14	34	62	78	143	125	121	69	19	7	-	-	-
	White—M	295	-	1	-	-	1	2	-	-	4	5	1	1	3	1	16	29	32	65	43	47	35	6	3	-	-	-
	F	418	-	-	-	-	-	3	5	2	2	3	5	6	5	11	16	33	45	76	81	74	34	13	4	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	86	-	-	-	-	-	-	1	1	3	2	1	-	8	3	7	6	16	11	19	6	1	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	2	2	1	-	-	-	-	-
	F	78	-	-	-	-	-	-	1	1	3	1	1	-	6	3	7	6	16	11	17	4	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	24	-	-	-	-	-	-	-	-	1	-	4	-	4	2	1	3	2	5	1	1	-	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	1	-	2	-	4	2	1	3	2	5	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	2,848	5	2	2	-	-	1	3	2	5	3	6	13	20	51	99	159	207	371	470	595	494	241	85	12	2	-
	White—M	1,410	1	1	1	-	-	1	2	1	2	1	5	5	11	25	48	79	121	175	243	296	235	117	38	2	-	-
	F	1,415	4	1	1	-	-	-	1	1	2	2	1	8	9	26	50	75	83	190	223	298	257	124	47	10	2	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	5	2	2	2	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	377	25	4	2	3	3	12	5	15	14	16	11	13	15	18	21	35	29	25	42	30	22	14	3	-	-	-
	White—M	207	13	3	1	2	2	8	2	9	10	13	5	8	5	9	9	19	17	14	21	16	13	7	1	-	-	-
	F	164	11	1	1	1	1	4	3	5	4	3	6	5	10	9	11	15	12	11	21	13	8	7	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	161	24	6	2	1	3	14	9	4	10	9	7	10	5	8	4	10	9	4	6	8	6	1	1	-	-	-
	White—M	85	16	5	1	1	2	9	3	3	3	6	4	7	1	2	1	6	3	2	2	3	4	-	1	-	-	-
	F	75	8	1	1	-	1	5	6	1	7	3	3	3	4	5	3	4	6	2	4	5	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	600	1	-	1	-	-	7	16	11	9	12	12	18	16	31	31	40	47	76	88	75	64	31	11	3	-	-
	White—M	302	-	-	-	-	-	3	9	4	8	4	5	10	9	11	16	28	29	41	42	30	32	18	2	1	-	-
	F	286	1	-	-	-	-	4	7	7	1	8	7	7	7	19	15	11	17	33	45	44	31	13	8	1	-	-
	All other—M	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	2,510	1	-	-	-	-	-	1	2	2	7	9	26	63	98	162	216	318	376	453	362	272	98	30	12	1	1
	White—M	1,707	1	-	-	-	-	-	1	2	1	3	6	20	49	79	122	165	230	269	284	236	159	58	14	7	1	-
	F	786	-	-	-	-	-	-	-	-	1	4	3	5	14	18	37	47	82	106	168	126	113	40	16	5	-	1
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,045	8	1	-	1	-	6	8	8	15	17	19	23	26	75	127	218	308	471	675	738	713	417	134	31	5	1
	White—M	2,132	5	1	-	-	-	3	4	4	6	11	4	12	13	39	77	128	168	272	360	371	376	202	60	11	4	1
	F	1,863	3	-	-	1	-	3	4	4	9	6	15	11	11	35	45	84	134	193	306	362	333	212	72	19	1	-
	All other—M	30	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	5	6	5	2	1	2	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	3	-	2	2	-	1	-	-
107-109	Pneumonia (all forms)	1,285	189	30	12	7	5	14	10	12	8	11	14	24	18	33	36	58	68	101	138	149	175	106	50	16	1	-
	White—M	663	104	16	5	5	3	6	4	5	4	6	5	17	12	17	22	32	34	60	65	80	76	55	25	5	-	-
	F	606	78	14	7	2	2	8	6	7	4	4	8	6	5	16	13	25	32	41	73	69	98	51	25	11	1	-
	All other—M	8	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	8	2	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	170	-	-	-	-	-	-	-	1	3	2	7	10	9	16	18	21	18	18	18	12	13	3	-	-	-	1
	White—M	145	-	-	-	-	-	-	-	1	2	2	7	9	9	14	18	20	16	14	13	8	9	2	-	-	-	1
	F	25	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	2	4	5	4	4	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
119,120	Diarrhea, enteritis, etc.*	108	54	12	4	1	-	1	1	3	1	3	2	1	-	1	-	-	3	2	1	6	9	2	-	1	-	-
	White—M	59	32	9	2	1	-	1	1	1	-	1	1	-	-	1	-	-	2	-	-	1	4	2	-	-	-	-
	F	46	20	3	2	-	-	-	-	2	1	2	-	1	-	-	-	-	1	2	1	5	5	-	-	1	-	-
	All other-M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	257	1	4	2	1	7	16	21	28	10	11	10	17	16	17	21	18	19	13	11	9	4	-	1	-	-	-
	White—M	173	1	2	1	1	5	12	13	18	7	3	9	15	10	12	15	9	12	7	9	9	3	-	-	-	-	-
	F	82	-	2	1	-	2	4	8	9	3	8	1	2	5	5	6	9	7	6	2	-	1	-	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	240	19	3	-	-	-	1	1	3	5	5	2	6	10	9	11	19	24	26	30	27	22	9	4	3	1	-
	White—M	132	10	3	-	-	-	-	1	3	1	2	-	1	2	5	5	11	15	18	12	18	15	5	2	3	-	-
	F	108	9	-	-	-	-	1	-	-	4	3	2	5	8	4	6	8	9	8	18	9	7	4	2	-	1	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	138	-	-	-	-	-	-	1	-	2	1	2	2	8	7	11	15	21	18	19	18	8	2	2	1	-	-
	White—M	88	-	-	-	-	-	-	1	-	1	-	2	2	6	6	8	11	13	13	11	10	3	-	1	-	-	-
	F	48	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	4	8	5	8	7	5	2	-	1	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	202	2	-	-	-	-	-	-	-	1	1	2	4	7	18	19	18	25	18	19	25	26	12	5	-	-	-
	White—M	69	2	-	-	-	-	-	-	-	-	-	-	-	4	7	6	3	5	12	5	11	6	6	2	-	-	-
	F	133	-	-	-	-	-	-	-	-	1	1	2	4	3	11	13	15	20	6	14	14	20	6	3	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,739	2	-	-	-	-	5	7	2	14	15	9	17	39	54	71	92	133	216	288	277	284	151	55	8	-	-
	White—M	928	2	-	-	-	-	2	3	1	9	10	2	11	17	29	41	54	76	117	166	151	135	75	23	4	-	-
	F	780	-	-	-	-	-	3	4	1	5	5	7	5	21	24	30	32	53	94	115	126	147	74	30	4	-	-
	All other-M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	-	-	1	2	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	3	3	-	2	1	-	-	-	-
137	Diseases of the prostate	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	13	24	45	62	47	35	3	1	-	1
	White—M	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	24	45	62	47	35	3	1	-	1
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	74	-	-	-	-	-	-	-	2	17	17	18	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	74	-	-	-	-	-	-	-	2	17	17	18	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	34	-	-	-	-	-	-	-	5	8	3	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	5	8	3	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	51	-	-	-	-	-	-	-	2	5	14	12	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	51	-	-	-	-	-	-	-	2	5	14	12	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	280	236	13	5	6	1	4	3	4	3	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	141	120	7	1	3	-	2	1	2	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	138	115	6	4	3	1	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	569	569	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	386	-	-	-	-	-	-	-	6	13	26	20	46	29	31	46	53	39	34	24	7	9	3	-	-	-	-
	White—M	297	-	-	-	-	-	-	-	4	10	21	11	28	22	22	40	42	32	28	19	7	8	3	-	-	-	-
	F	87	-	-	-	-	-	-	-	2	3	5	8	18	7	9	6	10	7	6	5	-	1	-	-	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	54	-	-	-	-	-	-	-	1	2	2	6	3	6	2	3	4	1	-	-	-	2	1	-	-	-	1
	White—M	20	-	-	-	-	-	-	-	1	1	1	2	1	4	2	2	4	-	-	-	-	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	4	2	2	-	1	-	1	-	-	-	1	-	-	-	-	1
	All other-M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	562	2	2	6	5	6	18	20	49	67	46	52	42	32	36	29	37	35	31	29	21	12	4	-	-	-	1
	White—M	443	1	1	3	3	5	15	14	41	56	36	26	33	26	28	23	30	24	25	22	17	11	2	-	-	-	1
	F	116	1	1	3	2	1	3	5	8	10	10	6	9	6	8	6	7	11	5	7	4	1	2	-	-	-	-
	All other-M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,231	49	28	17	9	8	33	33	40	39	40	33	37	41	48	56	48	47	64	97	124	161	109	55	13	1	1
	White—M	728	28	13	12	7	5	23	30	36	35	37	27	27	38	40	45	39	34	33	49	51	55	40	21	2	-	1
	F	495	19	15	5	2	3	8	3	4	4	3	6	9	2	8	11	8	13	31	48	73	106	69	33	11	1	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	All other causes*	2,685	417	25	16	9	8	22	23	29	25	31	55	40	69	79	95	128	132	166	264	278	335	247	155	31	5	1
	White—M	1,431	248	19	9	5	5	13	9	18	11	11	22	17	31	27	53	70	66	103	144	156	182	124	70	15	2	1
	F	1,229	165	6	7	4	3	9	14	11	13	20	31	22	36	52	39	57	65	61	118	121	152	121	84	15	3	-
	All other-M	16	3	-	-	-	-	-	-	-	1	-	1	1	2	-	2	1	1	1	2	-	-	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	1	1	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	All causes	18,622	1,093	117	65	43	28	143	140	227	300	257	335	379	486	676	979	1,243	1,557	2,021	2,260	2,266	2,132	1,249	492	110	16	8
	White—M	9,966	580	64	41	27	17	76	73	129	158	122	170	192	262	352	544	674	878	1,143	1,254	1,217	1,101	618	220	44	6	4
	F	7,592	438	50	20	13	11	59	62	89	121	111	139	145	172	254	323	469	578	781	906	966	982	589	252	53	6	3
	All other—M	557	37	2	3	1	-	5	2	5	12	13	11	16	24	36	65	52	60	51	56	45	24	22	9	4	2	-
	F	507	38	1	1	2	-	3	3	4	9	11	15	26	28	34	47	48	41	46	44	38	25	20	11	9	2	1
1,2	Typhoid, paratyphoid fever	11	-	-	1	-	1	1	1	-	2	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	White—M	7	-	-	1	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	5	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	8	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	1	-	-	2	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	32	22	5	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	13	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	7	3	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	1	1	2	1	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	416	2	-	1	-	-	1	7	15	37	30	29	31	43	39	44	38	25	29	23	13	6	1	1	1	-	-
	White—M	214	1	-	-	-	-	-	-	2	13	8	16	15	28	20	29	20	17	18	14	5	5	1	1	1	-	-
	F	149	1	-	1	-	-	1	5	9	18	15	10	13	12	11	10	14	6	9	6	7	1	-	-	-	-	-
	All other—M	27	-	-	-	-	-	-	1	2	4	2	-	-	1	4	4	2	2	2	2	1	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	1	2	2	5	3	3	2	4	1	2	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	32	1	2	-	1	-	1	2	-	3	-	-	2	2	3	-	5	4	2	3	1	-	-	-	-	-	-
	White—M	15	1	-	-	-	-	-	1	-	1	-	-	-	-	2	-	4	4	1	1	-	-	-	-	-	-	-
	F	12	-	1	-	-	-	1	-	-	1	-	-	2	2	-	-	1	-	1	2	1	-	-	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
	White—M	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	213	6	1	-	-	-	-	-	1	2	2	5	9	15	17	29	24	28	36	17	13	4	3	1	-	-	-
	White—M	132	4	1	-	-	-	-	-	1	-	2	2	4	10	9	15	12	20	28	15	8	1	-	-	-	-	-
	F	43	2	-	-	-	-	-	-	-	1	-	2	1	3	4	5	8	6	3	-	3	3	2	-	-	-	-
	All other—M	28	-	-	-	-	-	-	-	-	1	-	1	2	1	4	8	3	-	3	1	2	-	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	2	1	-	-	-	-	-	-	-
33	Influenza	310	37	9	3	3	-	4	6	5	2	8	6	7	5	10	9	17	14	15	26	23	49	31	15	6	-	-
	White—M	138	21	8	1	3	-	3	2	3	-	3	2	2	1	3	3	9	3	9	15	10	18	11	7	1	-	-
	F	154	11	1	-	-	-	1	4	2	1	4	4	5	4	6	5	6	9	6	10	13	30	20	8	4	-	-
	All other—M	9	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F	9	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-
35	Measles	15	5	3	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	42	-	1	1	-	2	6	14	5	6	3	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	26	-	-	-	-	1	3	9	5	3	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	16	-	1	1	-	1	3	5	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,037	-	-	-	-	-	1	-	-	2	4	9	5	22	44	69	92	152	154	173	155	102	38	13	2	-	-
	White—M	531	-	-	-	-	-	1	-	-	1	3	5	2	9	18	34	47	84	85	90	83	44	20	4	1	-	-
	F	459	-	-	-	-	-	-	-	-	1	1	3	1	12	23	26	41	59	64	77	71	55	17	8	-	-	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	3	3	3	4	1	-	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	6	2	2	-	3	-	1	1	-	-
48,49	Cancer of female genital organs	293	-	-	-	-	-	-	-	-	-	4	11	14	27	20	48	42	57	30	30	16	14	2	-	-	-	-
	White—F	264	-	-	-	-	-	-	-	-	-	4	11	12	24	19	38	36	36	29	26	14	13	2	-	-	-	-
	All other—F	29	-	-	-	-	-	-	-	-	-	-	-	2	3	1	8	6	1	1	4	2	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
50	Cancer of breast	205	-	-	-	-	-	-	-	-	-	1	4	6	14	15	19	38	20	32	21	16	11	6	1	1	-	-
	White——M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	192	-	-	-	-	-	-	-	-	-	1	4	5	12	14	19	36	20	29	18	16	11	5	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	2	3	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	685	-	2	-	5	-	2	2	4	10	6	6	9	20	21	49	49	93	104	100	101	55	36	9	2	-	-
	White——M	490	-	-	-	4	-	1	1	2	9	3	3	3	13	19	30	29	66	78	78	77	46	21	5	2	-	-
	F	174	-	2	-	1	-	1	1	2	1	3	3	5	6	2	18	20	20	23	19	21	9	15	4	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	2	3	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	-	2	3	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	469	1	-	1	-	-	1	6	5	3	2	7	2	6	15	25	40	70	73	79	72	40	14	6	1	-	-
	White——M	192	-	-	1	-	-	-	-	3	2	1	1	-	1	9	9	16	26	29	29	35	21	5	3	1	-	-
	F	257	1	-	-	-	-	1	6	2	1	1	4	2	4	4	15	22	40	44	48	33	19	9	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	4	-	-	4	-	-	2	-	-	-
63b	Exophthalmic goiter	62	-	-	-	-	-	-	-	2	1	-	2	2	3	4	5	13	8	7	8	4	3	-	-	-	-	-
	White——M	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	1	1	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	2	1	-	1	1	2	2	3	12	7	7	6	3	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-
	White——M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	1	1	1	-	1	-	-	-	-	-
	White——M	9	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,881	1	-	2	-	-	2	-	4	1	7	2	13	14	37	75	127	246	273	297	342	317	152	54	14	1	-
	White——M	938	-	-	2	-	-	-	-	4	-	3	-	7	8	14	41	63	93	144	141	186	159	67	28	6	-	-
	F	879	1	-	-	-	-	2	-	-	-	3	2	6	5	20	28	55	72	119	150	149	154	80	26	6	1	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	4	3	2	1	1	-	1	-	-
	F	40	-	-	-	-	-	-	-	-	1	1	-	-	1	2	4	4	5	6	3	5	3	4	-	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	251	13	2	4	1	1	9	5	5	10	4	5	7	15	14	17	18	25	30	27	19	16	2	2	-	-	-
	White——M	126	6	1	4	1	-	5	2	4	4	2	3	4	10	3	12	10	11	16	11	7	8	1	1	-	-	-
	F	118	7	1	-	-	1	4	3	1	6	1	2	3	4	9	4	8	13	14	16	11	8	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	97	10	4	3	-	-	3	8	7	5	7	4	4	3	3	3	8	3	-	7	1	7	3	4	-	-	-
	White——M	48	4	2	1	-	-	3	4	4	2	6	2	2	1	-	1	3	3	-	4	-	3	1	2	-	-	-
	F	42	5	2	2	-	-	-	4	3	2	1	1	2	2	1	2	5	-	-	3	1	3	1	2	-	-	-
	All other—M	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-		-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-		-	-	1	1	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	393	-	-	-	-	2	3	3	4	8	3	8	12	13	14	25	22	39	3	50	53	55	30	5	-	-	1
	White——M	209	-	-	-	-	1	-	-	2	3	-	4	7	6	6	17	13	23	17	26	28	31	13	2	-	-	-
	F	157	-	-	-	-	1	1	3	2	5	3	3	5	4	5	5	5	12	15	21	24	23	16	3	-	-	1
	All other—M	15	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	4	3	-	1	-	-	1	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	-	1	1	2	1	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,529	1	-	-	-	-	-	-	1	3	5	11	12	37	69	85	151	195	260	254	200	147	77	18	2	1	-
	White——M	1,055	-	-	-	-	-	-	-	1	2	3	7	10	32	52	67	120	142	188	164	124	89	42	12	-	-	-
	F	438	1	-	-	-	-	-	-	-	1	2	3	2	2	11	13	28	47	69	87	72	58	34	6	1	1	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	6	2	3	3	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	-	1	-	1	-	1	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,088	2	2	-	1	-	2	5	12	9	4	20	25	44	63	107	177	243	371	478	494	534	314	145	28	5	3
	White——M	1,643	-	-	-	1	-	1	1	8	5	2	7	18	26	33	55	102	144	193	282	264	269	158	58	12	3	1
	F	1,241	1	2	-	-	-	1	4	4	4	1	9	6	12	17	30	53	78	151	171	208	249	146	81	10	1	2
	All other—M	116	-	-	-	-	-	-	-	-	-	-	2	-	2	9	16	11	18	12	15	13	6	6	3	2	1	-
	F	88	1	-	-	-	-	-	-	-	-	1	2	1	4	4	6	11	3	15	10	9	10	4	3	4	-	-
107-109	Pneumonia (all forms)	678	138	24	12	4	2	12	8	8	11	7	12	15	5	25	19	17	31	48	59	73	60	51	25	10	1	1
	White——M	324	60	12	9	1	2	8	3	3	6	3	6	8	5	12	10	7	19	19	27	31	32	22	16	2	-	1
	F	298	58	10	3	3	-	4	4	5	5	3	3	6	-	11	3	5	11	25	27	41	28	27	9	7	-	-
	All other—M	28	5	1	-	-	-	-	-	-	-	1	2	1	-	2	5	3	1	3	2	-	-	1	-	1	-	-
	F	28	15	1	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	1	3	1	-	1	-	-	1	-
117	Ulcer of stomach or duodenum	137	-	-	-	-	-	-	-	-	3	1	3	8	11	10	21	16	14	18	11	8	10	2	1	-	-	-
	White——M	108	-	-	-	-	-	-	-	-	3	-	2	8	9	8	17	15	9	14	9	7	5	1	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	1	5	4	1	1	4	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	122	53	15	2	3	1	7	3	2	-	2	2	2	2	-	-	1	-	2	4	9	5	6	2	1	-	-
	White—M	57	26	6	1	2	-	3	2	1	-	1	1	1	1	-	-	-	-	-	2	4	3	2	1	-	-	-
	F	57	20	7	1	1	1	4	1	1	-	1	1	1	-	-	-	1	-	2	2	5	2	4	1	1	-	-
	All other-M	7	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	210	-	1	3	1	3	11	13	17	15	9	7	22	14	23	14	14	15	5	12	6	3	2	-	-	-	-
	White—M	139	-	1	3	-	2	7	7	11	12	4	3	15	11	18	9	8	9	4	9	3	2	1	-	-	-	-
	F	62	-	-	-	1	1	3	5	6	2	5	4	4	2	5	5	6	5	1	2	3	1	1	-	-	-	-
	All other-M	7	-	-	-	-	-	1	1	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	165	12	-	1	-	-	-	-	2	2	5	4	5	4	6	10	15	13	17	18	24	14	9	3	-	-	1
	White—M	87	6	-	-	-	-	-	-	1	1	3	2	1	3	-	7	7	8	7	10	14	9	6	2	-	-	-
	F	58	5	-	-	-	-	-	-	1	1	1	1	3	1	4	2	6	4	9	6	7	5	2	1	-	-	-
	All other-M	9	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	3	-	1	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	1	1	-	-	-	-	-	-	1
124	Cirrhosis of the liver	122	-	-	-	-	-	1	1	1	1	1	3	3	4	7	12	13	22	13	10	14	10	5	1	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	1	1	2	4	5	9	11	16	10	4	10	6	4	1	-	-	-
	F	36	-	-	-	-	-	1	1	1	1	-	2	1	-	2	2	2	6	2	6	4	4	1	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	132	-	-	1	-	-	-	-	-	1	4	8	-	3	7	17	13	18	16	14	15	9	3	2	1	-	-
	White—M	39	-	-	1	-	-	-	-	-	-	1	3	-	-	1	6	2	1	4	8	7	3	1	-	1	-	-
	F	87	-	-	-	-	-	-	-	-	1	2	5	-	3	6	9	10	17	11	6	8	6	2	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-
130-132	Nephritis	1,717	-	1	-	1	1	4	2	3	9	10	15	21	27	46	89	106	149	193	260	286	265	168	50	9	2	-
	White—M	888	-	-	-	1	1	1	1	1	3	1	10	8	9	21	51	48	81	109	136	148	142	88	22	4	2	-
	F	676	-	1	-	-	-	2	1	2	5	8	4	7	12	21	24	40	51	64	106	115	113	72	23	5	-	-
	All other-M	82	-	-	-	-	-	1	-	-	-	1	1	2	3	-	7	11	8	10	12	11	9	3	3	-	-	-
	F	71	-	-	-	-	-	-	-	-	1	-	-	4	3	4	7	7	9	10	6	12	1	5	2	-	-	-
137	Diseases of the prostate	178	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	9	20	30	35	37	29	4	2	1	-
	White—M	167	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	9	19	30	34	33	27	3	2	-	-
	All other-M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	2	1	-	1	-
140, 142a, 147	Puerperal septicemia	53	-	-	-	-	-	-	-	6	19	5	13	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	51	-	-	-	-	-	-	-	6	17	5	13	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	19	-	-	-	-	-	-	-	4	3	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	4	3	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	35	-	-	-	-	-	-	-	7	6	8	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	7	6	7	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	180	150	8	2	2	-	7	2	2	-	1	1	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-
	White—M	105	89	3	-	1	-	4	-	2	-	1	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	F	72	58	5	2	1	-	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	343	343	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	251	-	-	-	-	-	-	1	9	11	19	14	15	22	30	27	17	18	18	16	10	2	2	-	-	-	-
	White—M	175	-	-	-	-	-	-	1	4	9	15	12	12	17	18	20	15	13	13	14	9	2	1	-	-	-	-
	F	51	-	-	-	-	-	-	-	4	2	4	2	3	4	10	6	2	5	5	2	1	-	1	-	-	-	-
	All other-M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	39	-	-	-	1	-	-	-	1	3	6	7	9	2	4	3	-	-	-	1	1	1	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	1	1	3	2	2	1	1	1	-	-	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	All other-M	13	-	-	-	-	-	-	-	-	2	2	1	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	484	3	3	2	3	2	13	11	36	55	40	35	28	28	34	35	34	31	24	30	14	18	3	-	-	-	2
	White—M	356	-	1	1	2	2	10	11	24	42	27	29	22	18	25	24	22	23	17	24	12	16	2	-	-	-	2
	F	104	3	2	1	1	-	2	-	10	12	10	6	4	7	6	10	9	6	5	6	2	2	-	-	-	-	-
	All other-M	18	-	-	-	-	-	1	-	1	1	3	-	2	2	2	1	2	1	1	-	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	850	23	15	16	8	4	17	24	42	22	20	35	29	34	35	54	39	32	56	60	81	87	73	36	7	1	-
	White—M	494	10	11	8	5	3	9	20	35	18	16	29	20	24	30	37	34	24	33	28	25	31	30	11	3	-	-
	F	326	11	4	7	2	1	7	4	6	3	4	6	7	6	5	13	5	6	20	29	55	56	41	25	3	-	-
	All other-M	19	-	-	1	-	-	1	-	1	1	-	-	1	3	-	4	-	1	3	2	-	-	1	-	-	-	-
	F	11	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	1	1	-
	All other causes*	1,791	282	18	5	5	5	17	12	17	34	25	34	45	37	52	68	78	97	128	137	164	249	185	94	23	4	-
	White—M	900	140	10	4	4	3	12	7	7	16	7	15	17	12	20	33	43	54	74	77	83	120	91	40	8	1	-
	F	797	106	6	1	1	2	5	5	9	16	18	17	21	19	29	26	28	35	49	52	75	122	88	51	15	3	-
	All other-M	51	12	-	-	-	-	-	-	-	1	1	2	2	3	2	3	2	6	3	4	4	2	3	1	-	-	-
	F	43	4	-	-	-	-	-	-	1	1	1	-	3	3	1	2	5	2	2	4	2	5	3	2	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes	29,733	3,358	459	204	123	77	346	276	633	791	792	809	900	1,033	1,517	1,568	1,845	2,100	2,839	3,119	3,027	2,322	1,257	407	95	18	18
	White—M	14,382	1,765	236	111	52	37	169	142	317	395	371	362	424	479	614	746	928	1,065	1,386	1,507	1,444	1,104	518	165	30	7	8
	F	11,522	1,521	188	79	59	36	146	103	212	268	270	279	304	346	425	510	607	731	1,087	1,275	1,319	1,076	630	197	44	3	7
	All other—M	2,074	139	21	5	7	3	16	20	47	82	76	89	98	109	152	182	167	173	206	178	142	75	52	21	9	5	-
	F	1,755	133	14	9	5	1	15	11	57	46	75	79	74	99	126	130	143	131	160	159	122	67	57	24	12	3	3
1,2	Typhoid, paratyphoid fever	76	-	-	1	-	1	5	8	12	13	7	4	5	4	2	3	2	4	2	2	-	-	-	-	-	-	1
	White—M	42	-	-	-	-	1	2	3	5	7	3	2	5	2	2	2	2	3	1	1	-	-	-	-	-	-	1
	F	24	-	-	1	-	-	1	5	6	6	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cerebrospinal (meningococcus) meningitis	39	7	4	1	4	3	6	8	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	4	3	-	3	1	4	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	3	1	1	-	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	29	2	2	4	2	3	8	5	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	1	1	4	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	1	1	-	1	1	5	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	174	112	37	13	4	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	74	50	12	5	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	89	57	23	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	56	7	11	5	9	3	15	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	3	9	2	4	2	9	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	4	2	3	5	1	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,799	6	7	4	1	2	4	11	114	165	182	167	155	147	153	129	125	96	127	92	62	31	15	3	-	-	1
	White—M	771	4	1	-	1	-	1	6	36	49	57	61	66	81	81	69	59	51	65	42	23	11	5	1	-	-	1
	F	713	-	3	1	-	1	2	4	35	75	88	66	65	42	44	39	49	31	59	44	36	18	9	2	-	-	-
	All other—M	174	1	1	1	-	-	-	1	15	24	16	19	19	14	23	16	8	10	1	4	-	1	-	-	-	-	-
	F	141	1	2	2	-	1	1	-	28	17	21	21	5	10	5	5	9	4	2	2	3	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	183	11	18	8	3	2	13	4	9	10	14	14	7	8	10	9	10	6	12	7	7	-	1	-	-	-	-
	White—M	78	6	4	4	1	-	6	1	3	3	4	4	4	6	6	2	8	3	4	5	4	-	-	-	-	-	-
	F	73	4	11	4	1	1	4	2	3	3	6	6	1	2	3	3	2	3	8	2	3	-	1	-	-	-	-
	All other—M	19	1	2	-	1	1	3	-	2	1	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	1	-	-	-	-	1	1	3	2	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	118	54	24	9	4	-	1	-	-	1	-	-	-	-	1	-	1	4	-	5	3	4	3	2	2	-	-
	White—M	64	32	15	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	2	1	-	-	-
	F	47	19	6	3	2	-	1	-	-	-	-	-	-	-	1	-	1	3	-	3	2	3	1	-	2	-	-
	All other—M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
28	Malaria	19	-	-	-	1	-	-	-	1	2	-	-	2	1	1	2	2	1	2	2	1	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	2	2	-	1	-	-	-	-	-
	F	6	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	318	35	5	1	-	-	-	2	3	6	12	12	21	32	34	31	32	20	25	19	12	7	5	4	-	-	-
	White—M	155	14	2	1	-	-	-	2	-	2	7	5	12	14	15	17	17	8	11	13	6	5	4	-	-	-	-
	F	69	12	2	-	-	-	-	-	2	-	2	4	4	8	5	6	7	3	4	4	3	-	1	2	-	-	-
	All other—M	63	4	1	-	-	-	-	-	-	3	3	1	3	7	10	3	6	8	7	1	3	2	-	1	-	-	-
	F	31	5	-	-	-	-	-	-	1	1	-	2	2	3	4	5	2	1	3	1	-	-	-	1	-	-	-
33	Influenza	701	100	24	10	4	1	10	5	10	14	13	10	6	30	21	39	27	31	46	74	85	64	54	19	3	1	-
	White—M	293	56	8	7	2	1	4	1	3	5	2	5	1	12	7	14	16	13	17	26	36	31	20	6	-	-	-
	F	309	33	12	3	2	-	6	3	3	5	8	4	4	9	7	12	6	13	21	40	45	31	30	10	2	-	-
	All other—M	47	6	4	-	-	-	-	-	-	1	2	-	1	4	3	8	2	3	4	4	3	-	2	-	-	-	-
	F	52	5	-	-	-	-	-	1	4	3	1	1	-	5	4	5	3	2	4	4	1	2	2	3	1	1	-
35	Measles	16	7	3	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	10	4	2	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	39	9	3	2	4	2	7	3	1	1	-	-	-	1	-	2	-	1	1	-	1	-	1	-	-	-	-
	White—M	18	3	3	1	1	1	4	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-
	F	19	6	-	1	2	1	3	2	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,155	2	1	-	1	-	2	-	3	4	9	13	20	30	80	77	88	139	197	201	178	80	28	2	-	-	-
	White—M	548	-	-	-	-	-	1	-	1	4	2	5	6	12	32	29	33	75	106	106	90	36	9	1	-	-	-
	F	520	2	1	-	1	-	1	-	1	-	6	8	11	12	40	34	50	48	84	79	82	43	17	-	-	-	-
	All other—M	46	-	-	-	-	-	-	-	-	-	1	-	-	1	5	8	3	10	4	9	3	1	-	1	-	-	-
	F	41	-	-	-	-	-	-	-	1	-	-	-	3	5	3	6	2	6	3	7	3	-	2	-	-	-	-
48,49	Cancer of female genital organs	402	1	-	-	-	-	-	1	-	2	7	26	22	36	55	49	50	39	45	34	16	12	3	2	1	1	-
	White—F	345	-	-	-	-	-	-	1	-	2	5	20	18	31	44	43	44	34	43	28	15	12	2	2	-	1	-
	All other—F	57	1	-	-	-	-	-	-	-	-	2	6	4	5	11	6	6	5	2	6	1	-	1	-	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13 —DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
50	Cancer of breast	219	-	-	-	-	-	-	-	-	-	3	3	15	21	17	21	25	27	26	29	16	10	5	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	191	-	-	-	-	-	-	-	-	-	-	2	11	19	15	19	22	25	22	28	14	9	4	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	3	1	4	2	2	2	3	1	4	-	2	1	1	-	-	-	-
45,47, 51-55	Cancer (other forms)	661	1	2	1	-	6	3	2	10	9	6	10	19	20	32	50	77	69	90	75	86	58	31	1	3	-	-
	White—M	437	1	1	1	-	-	3	2	4	4	4	6	15	10	15	27	44	53	56	58	68	41	22	1	1	-	-
	F	181	-	1	-	-	6	-	-	4	4	1	4	4	9	14	18	25	13	22	16	16	14	8	-	2	-	-
	All other—M	26	-	-	-	-	-	-	-	2	1	-	-	-	1	2	1	3	1	8	1	2	3	1	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	5	2	4	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	41	-	-	-	1	-	5	7	4	4	1	2	3	1	1	-	2	1	1	2	3	2	1	-	-	-	-
	White—M	20	-	-	-	1	-	1	5	2	-	1	1	2	-	1	-	-	-	1	1	2	1	1	-	-	-	-
	F	11	-	-	-	-	-	2	1	2	1	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	448	-	-	-	-	-	3	5	10	7	15	8	10	13	19	29	44	56	79	73	50	16	11	-	-	-	-
	White—M	178	-	-	-	-	-	1	1	5	5	10	3	6	5	3	10	19	19	28	31	18	6	8	-	-	-	-
	F	223	-	-	-	-	-	2	4	4	2	4	4	2	6	12	17	17	31	42	33	30	10	3	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	1	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	1	-	1	1	2	1	4	2	6	4	7	7	1	-	-	-	-	-	-
63b	Exophthalmic goiter	43	-	-	-	-	-	-	-	1	-	1	4	5	4	3	7	6	1	1	5	2	2	-	-	-	-	1
	White—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	1	-	1	2	3	3	3	5	5	1	-	4	2	1	-	-	-	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	60	-	-	-	-	-	1	-	-	-	1	-	5	-	3	4	7	5	15	11	3	5	-	-	-	-	-
	White—M	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	7	5	1	1	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	1	-	4	-	1	4	5	5	8	6	2	3	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	40	-	-	-	-	-	-	-	1	1	2	7	4	6	6	1	5	2	2	2	1	-	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	1	1	2	4	3	5	6	1	3	1	1	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,649	4	1	-	-	1	4	1	4	10	10	23	26	54	75	151	192	269	399	460	444	339	129	43	9	-	1
	White—M	1,192	1	-	-	-	-	3	-	2	6	3	7	9	17	33	59	79	125	181	234	213	163	43	11	2	-	1
	F	1,097	3	1	-	-	-	1	-	2	2	5	9	6	19	26	58	71	104	164	182	189	157	70	24	4	-	-
	All other—M	187	-	-	-	-	1	-	-	-	2	-	3	7	10	3	17	21	21	22	25	16	6	7	5	1	-	-
	F	193	-	-	-	-	-	-	1	-	-	2	4	4	8	13	17	21	19	32	19	26	13	9	3	2	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	359	44	17	8	4	3	11	11	21	9	17	7	15	10	23	21	23	26	26	14	26	16	6	1	-	-	-
	White—M	166	22	6	4	1	1	5	3	8	7	10	5	6	7	10	9	8	14	11	7	12	6	4	-	-	-	-
	F	156	18	10	3	3	2	4	5	9	2	4	1	6	3	11	11	13	10	11	7	11	9	2	1	-	-	-
	All other—M	24	2	1	1	-	-	1	2	2	-	1	1	2	-	-	1	1	2	3	-	3	1	-	-	-	-	-
	F	13	2	-	-	-	-	1	1	2	-	2	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	150	21	5	5	2	-	20	8	14	13	9	3	4	10	8	9	2	4	7	2	3	-	1	-	-	-	-
	White—M	71	8	-	5	1	-	9	6	8	5	5	2	1	6	4	4	1	1	3	-	1	-	1	-	-	-	-
	F	65	13	5	-	1	-	9	2	4	7	3	-	3	3	2	5	1	3	1	2	1	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	2	1	1	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
90a,92b, 92c,93c 95b	Chronic rheumatic diseases of heart	515	1	1	2	1	-	9	14	13	10	14	11	18	17	23	28	36	39	70	76	69	45	16	1	1	-	-
	White—M	246	1	-	1	1	-	6	10	10	4	8	5	8	3	8	12	19	17	36	36	31	21	7	1	1	-	-
	F	195	-	1	-	-	-	2	3	3	5	2	3	6	10	9	10	8	15	24	32	32	22	8	-	-	-	-
	All other—M	32	-	-	-	-	-	-	-	-	1	1	2	2	1	1	2	5	4	6	3	4	-	-	-	-	-	-
	F	42	-	-	1	-	-	1	1	-	-	3	1	2	3	5	4	4	3	4	5	2	2	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,601	1	1	-	-	-	-	-	4	7	14	15	31	74	95	140	189	208	242	221	192	107	62	13	4	-	1
	White—M	925	-	1	-	-	-	-	-	3	3	7	7	15	44	58	90	115	133	146	120	98	52	25	6	2	-	-
	F	480	-	-	-	-	-	-	-	-	2	2	3	9	16	22	23	33	51	77	76	79	49	29	6	2	-	1
	All other—M	118	-	-	-	-	-	-	-	-	1	5	2	1	6	11	21	12	16	15	11	10	4	3	-	-	-	-
	F	78	1	-	-	-	-	-	-	1	1	-	3	6	8	4	6	9	8	4	14	5	2	5	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,471	10	2	-	2	-	10	9	14	20	29	40	54	87	182	243	326	398	605	744	744	563	278	92	18	1	2
	White—M	2,056	5	-	-	1	-	5	3	9	7	11	16	24	37	62	111	152	193	290	339	360	272	116	34	7	1	1
	F	1,741	4	2	-	1	-	3	4	4	9	9	15	10	28	63	68	90	132	215	310	315	261	143	49	6	-	-
	All other—M	370	1	-	-	-	-	1	1	-	2	5	6	11	10	32	38	46	39	58	54	33	18	12	3	-	-	-
	F	304	-	-	-	-	-	1	1	1	2	4	3	9	12	25	26	38	34	42	41	36	12	7	6	3	-	1
107-109	Pneumonia (all forms)	2,017	505	93	40	17	11	33	13	38	23	38	36	31	36	73	47	63	95	128	188	184	176	107	35	7	1	1
	White—M	942	253	52	18	8	7	14	6	16	9	13	12	12	18	34	24	31	54	60	80	84	77	43	14	4	1	-
	F	838	211	32	22	9	4	15	7	15	10	14	14	9	9	18	12	19	29	48	93	85	86	58	17	1	-	1
	All other—M	135	23	5	-	-	-	1	-	3	3	7	6	4	6	13	8	10	5	11	8	6	7	4	3	2	-	-
	F	102	18	4	-	-	-	3	-	2	1	4	4	6	5	8	3	3	7	9	7	9	6	2	1	-	-	-
117	Ulcer of stomach or duodenum	179	-	-	-	-	-	1	-	2	2	10	14	15	17	16	15	22	17	17	15	9	7	-	-	-	-	-
	White—M	122	-	-	-	-	-	1	-	-	-	6	10	11	15	13	10	14	12	10	10	5	5	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	2	-	2	1	3	2	1	2	5	3	5	3	4	2	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	2	1	2	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	2	1	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
119,120	Diarrhea, enteritis, etc.*	495	278	96	19	3	1	3	1	3	3	4	3	5	3	4	6	6	7	10	7	10	15	4	4	-	-	-
	White—M	258	145	59	9	1	1	1	1	1	1	2	-	3	1	3	2	3	2	4	3	4	7	2	3	-	-	-
	F	187	109	32	7	2	-	2	-	-	-	-	1	2	-	-	3	3	4	5	3	3	8	2	1	-	-	-
	All other-M	22	13	3	1	-	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	28	11	2	2	-	-	-	-	1	1	2	1	-	2	1	-	-	-	1	1	3	-	-	-	-	-	-
121	Appendicitis	297	3	1	6	4	5	16	21	36	29	16	15	15	15	19	17	22	17	19	7	9	3	-	2	-	-	-
	White—M	171	2	1	4	4	2	9	12	23	21	9	6	6	7	10	13	15	11	11	4	1	-	-	-	-	-	-
	F	90	1	-	1	-	2	5	7	11	7	4	6	7	5	4	2	4	4	7	1	7	3	-	2	-	-	-
	All other-M	21	-	-	-	-	1	2	2	1	-	1	2	1	3	2	-	1	2	-	2	1	-	-	-	-	-	-
	F	15	-	-	1	-	-	-	-	1	1	2	1	1	-	3	2	2	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	201	18	-	1	-	1	4	3	7	5	3	7	7	13	9	14	15	13	20	16	18	19	6	2	-	-	-
	White—M	105	10	-	1	-	-	3	1	6	2	-	4	4	4	7	7	10	7	11	8	6	11	3	-	-	-	-
	F	66	5	-	-	-	1	1	1	-	3	3	2	1	5	1	3	3	3	7	8	8	7	2	2	-	-	-
	All other-M	17	3	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	-	2	-	3	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	1	3	-	-	1	-	1	-	-	-	-
124	Cirrhosis of the liver	151	-	1	-	-	-	-	-	1	1	1	2	9	12	11	24	25	24	12	13	5	8	2	-	-	-	-
	White—M	106	-	1	-	-	-	-	-	-	1	1	1	6	4	9	15	19	18	10	11	5	4	1	-	-	-	-
	F	31	-	-	-	-	-	-	-	1	-	-	1	2	2	1	6	6	4	1	2	-	4	1	-	-	-	-
	All other-M	10	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	-	2	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	151	-	-	-	-	-	-	-	-	-	4	1	9	8	6	10	13	26	20	11	10	8	3	1	1	-	-
	White—M	41	-	-	-	-	-	-	-	-	-	-	-	3	2	2	5	3	6	8	6	4	1	-	1	-	-	-
	F	86	-	-	-	-	-	-	-	-	-	3	1	6	6	4	5	10	19	10	5	6	7	3	-	1	-	-
	All other-M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-152	Nephritis	2,116	6	9	6	1	-	8	8	13	17	13	27	43	61	78	121	150	183	253	304	334	274	164	46	8	5	4
	White—M	993	5	4	3	1	-	4	1	6	9	7	10	14	20	35	48	54	83	119	159	157	154	72	23	3	2	-
	F	759	1	4	3	-	-	4	5	3	8	4	13	16	30	22	34	41	61	81	97	137	100	68	20	4	-	3
	All other-M	205	-	-	-	-	-	-	2	2	-	1	3	7	6	12	16	18	19	29	29	30	12	14	2	1	2	-
	F	159	-	1	-	-	-	-	-	2	-	1	1	6	5	9	23	17	20	24	19	10	8	10	1	-	1	1
157	Diseases of the prostate	129	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	10	22	25	23	13	13	10	2	-	-
	White—M	109	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	21	19	20	11	12	10	2	-	-
	All other-M	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	6	3	2	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	83	-	-	-	-	-	-	-	7	20	13	19	16	5	2	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	74	-	-	-	-	-	-	-	5	18	11	19	14	5	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	9	-	-	-	-	-	-	-	2	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	71	-	-	-	-	-	-	1	21	18	12	9	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	67	-	-	-	-	-	-	1	21	17	11	7	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	75	-	-	-	-	-	-	-	8	10	20	13	18	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	65	-	-	-	-	-	-	-	8	9	17	10	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	10	-	-	-	-	-	-	-	-	1	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	339	300	14	6	1	2	3	3	2	1	1	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White—M	192	174	9	4	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	134	116	4	2	-	2	2	2	2	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other-M	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,018	1,018	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	540	540	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	397	397	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	286	-	-	-	-	-	-	1	17	22	16	22	32	26	23	26	35	26	20	10	9	1	-	-	-	-	-
	White—M	207	-	-	-	-	-	-	-	9	15	11	14	24	18	17	21	28	20	12	9	8	1	-	-	-	-	-
	F	63	-	-	-	-	-	-	1	6	7	5	7	8	6	3	4	6	4	5	1	-	-	-	-	-	-	-
	All other-M	12	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	2	3	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	406	1	-	-	-	-	3	2	26	69	63	59	45	36	31	32	17	11	6	3	1	1	-	-	-	-	-
	White—M	246	-	-	-	-	-	2	1	13	40	41	34	27	23	18	21	9	7	6	3	-	1	-	-	-	-	-
	F	28	1	-	-	-	-	1	-	4	9	1	2	3	2	1	2	1	-	-	-	1	-	-	-	-	-	-
	All other-M	113	-	-	-	-	-	-	-	9	18	17	18	13	10	10	8	6	4	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	2	4	5	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	773	2	4	7	8	7	35	25	87	116	69	54	42	44	44	48	53	35	28	27	22	8	4	2	-	-	2
	White—M	555	-	3	6	6	4	16	17	63	90	53	45	31	30	31	33	39	25	18	20	13	8	1	1	-	-	2
	F	167	2	1	1	2	3	18	6	20	23	11	4	8	8	8	10	9	9	7	7	7	-	3	-	-	-	-
	All other-M	42	-	-	-	-	-	-	2	4	3	4	4	3	5	3	4	4	1	3	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-
169, 171-195	Other accidents	1,579	86	40	19	30	13	64	69	72	95	88	88	92	59	68	63	72	47	83	96	105	123	70	26	7	2	2
	White—M	921	45	20	11	6	8	30	47	60	72	68	71	74	44	54	38	55	26	35	37	40	47	20	11	1	-	1
	F	493	34	18	7	19	5	27	15	9	9	13	6	7	5	7	15	11	12	36	51	58	68	45	13	3	-	-
	All other-M	118	4	1	-	4	-	5	6	2	13	5	11	10	10	4	10	3	6	8	3	5	1	1	2	3	1	-
	F	47	3	1	1	1	-	2	1	1	1	2	-	1	-	3	-	3	3	4	5	2	7	4	-	-	1	1
	All other causes*	3,008	706	33	25	11	8	34	22	43	47	53	56	66	83	84	97	114	142	181	245	284	304	234	95	31	7	1
	White—M	1,401	376	19	13	3	5	17	10	17	17	22	15	26	32	35	47	65	74	93	108	133	129	96	40	7	3	1
	F	1,255	282	14	11	6	3	15	11	20	20	20	30	27	33	29	35	37	52	69	105	123	149	120	45	17	2	-
	All other-M	170	39	-	-	1	-	2	1	3	5	3	2	7	7	10	8	7	8	11	14	12	15	7	4	2	2	-
	F	180	29	-	1	1	-	-	-	3	5	8	9	6	11	10	7	5	8	8	20	16	11	11	6	5	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	All causes	25,648	3,271	339	162	103	88	270	297	536	734	794	880	1,073	1,201	1,472	1,902	1,982	2,025	2,360	2,166	1,525	1,216	720	298	121	81	32
	White—M	8,026	791	79	50	31	28	78	88	147	168	199	232	250	320	452	623	740	787	881	770	558	440	218	71	17	3	5
	F	5,849	634	78	34	22	15	60	53	85	128	145	155	171	195	257	328	358	467	592	667	517	457	296	98	27	8	2
	All other—M	6,313	1,041	106	36	22	21	71	95	141	210	234	237	314	360	422	533	471	422	498	410	246	165	111	67	35	29	16
	F	5,460	805	76	42	28	24	61	61	163	228	216	256	338	326	341	418	413	349	389	319	204	154	95	62	42	41	9
1,2	Typhoid, paratyphoid fever	81	4	-	2	1	2	5	7	16	10	9	8	4	5	1	3	-	2	1	-	1	-	-	-	-	-	-
	White—M	14	-	-	1	-	-	1	2	1	-	1	3	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	12	1	-	-	-	-	1	1	2	3	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	All other—M	28	1	-	1	1	1	2	2	7	2	6	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	27	2	-	-	-	1	1	2	6	5	2	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	2	1	-	1	2	1	3	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	1	-	-	1	-	-	2	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	150	101	25	16	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	18	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	51	37	11	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	32	7	10	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	50	7	6	11	10	5	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	3	3	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	-	3	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	2	2	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	1	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,329	9	3	2	2	3	5	14	57	141	163	148	144	154	119	103	97	74	53	34	10	6	1	1	1	1	4
	White—M	377	-	-	-	-	-	-	-	3	12	22	23	28	50	45	47	49	40	32	19	6	1	-	-	-	-	-
	F	184	2	1	1	-	-	-	2	8	17	25	25	27	13	16	10	7	11	5	9	1	3	1	-	-	-	-
	All other—M	442	4	2	-	1	1	3	5	17	50	55	49	52	55	41	38	29	17	9	6	2	2	-	1	1	-	2
	F	326	3	-	1	1	2	2	7	29	62	61	51	37	16	17	8	12	6	7	-	1	-	-	-	-	1	2
14-22	Tuberculosis (other forms)	62	5	3	1	-	-	2	2	5	3	9	5	9	4	4	1	1	3	1	2	-	1	1	-	-	-	-
	White—M	9	1	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	1	1	1	-	1	1	-	-	-	-
	All other—M	21	1	2	-	-	-	1	1	2	1	2	2	4	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	22	2	1	1	-	-	-	-	3	2	5	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	72	23	1	5	1	1	-	-	-	4	2	1	1	2	6	3	7	-	7	6	1	1	-	-	-	-	-
	White—M	15	1	-	2	-	-	-	-	-	-	1	-	1	-	3	-	3	-	3	-	-	1	-	-	-	-	-
	F	18	3	-	1	1	1	-	-	-	2	-	1	-	1	1	-	1	-	1	5	-	-	-	-	-	-	-
	All other—M	26	12	1	2	-	-	-	-	-	2	1	-	-	1	1	1	1	-	2	1	1	-	-	-	-	-	-
	F	13	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-
28	Malaria	88	9	6	4	6	2	8	3	3	2	3	4	6	4	3	3	4	3	3	1	6	2	1	1	-	1	-
	White—M	20	1	-	-	2	1	1	1	-	-	1	3	3	-	2	1	-	1	2	-	-	-	1	-	-	-	-
	F	15	2	1	1	-	1	2	-	-	-	1	-	1	-	1	-	1	-	-	1	3	-	-	-	-	-	-
	All other—M	24	3	1	2	2	-	1	-	2	2	1	-	2	2	-	1	-	1	1	-	1	1	-	1	-	-	-
	F	29	3	4	1	2	-	4	2	1	-	-	1	-	2	-	1	3	1	-	-	2	1	-	-	-	1	-
30	Syphilis	691	107	6	-	2	-	4	5	7	12	24	43	77	61	89	75	61	42	35	22	12	4	-	1	1	-	1
	White—M	127	7	-	-	-	-	1	-	1	-	1	7	11	12	11	21	17	10	13	4	7	3	-	1	-	-	-
	F	21	3	-	-	-	-	-	1	-	-	-	2	1	4	3	4	-	1	1	1	-	-	-	-	-	-	-
	All other—M	376	67	5	-	1	-	1	2	3	7	11	22	41	33	45	38	38	24	17	14	4	1	-	-	1	-	1
	F	167	30	1	-	1	-	2	2	3	5	12	12	24	12	30	12	6	7	4	3	1	-	-	-	-	-	-
33	Influenza	755	164	29	15	7	7	16	9	10	23	18	19	26	26	20	34	40	31	45	37	50	63	35	17	7	6	1
	White—M	197	32	9	5	1	2	3	2	-	3	3	6	6	7	4	6	11	14	14	10	20	22	12	3	2	-	-
	F	189	35	7	5	3	3	5	2	-	3	2	2	3	1	5	4	8	5	16	11	17	23	17	9	2	-	1
	All other—M	196	52	7	4	2	1	5	3	5	9	4	6	9	12	5	10	12	6	11	7	7	10	4	2	-	3	-
	F	173	45	6	1	1	1	3	2	5	8	9	5	8	6	6	14	9	6	4	1	6	8	2	3	3	3	-
35	Measles	13	4	3	-	1	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	-	-	1	-	4	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	1	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	818	-	-	1	-	-	1	-	1	2	7	9	18	42	60	108	110	118	122	101	54	32	28	3	1	1	1
	White—M	301	-	-	-	-	-	1	-	-	-	2	5	4	11	15	31	44	48	49	39	24	17	10	1	-	-	-
	F	221	-	-	-	-	-	-	-	1	2	-	2	5	14	15	19	22	31	30	37	20	10	12	1	-	-	-
	All other—M	157	-	-	1	-	-	-	-	-	-	4	1	3	8	17	32	25	22	20	17	5	-	1	-	-	-	1
	F	139	-	-	-	-	-	-	-	-	-	1	1	6	9	13	26	19	17	23	8	5	5	3	1	1	1	-
48,49	Cancer of female genital organs	358	-	-	-	-	-	-	-	2	2	8	21	27	30	46	57	33	38	37	27	15	10	2	2	1	-	-
	White—F	178	-	-	-	-	-	-	-	2	-	2	5	8	13	20	30	18	22	24	17	9	7	1	-	-	-	-
	All other—F	180	-	-	-	-	-	-	-	-	2	6	16	19	17	26	27	15	16	13	10	6	3	1	2	1	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Contd.																											
50	Cancer of breast	180	-	-	-	-	-	-	-	-	-	3	3	10	17	25	33	24	17	7	19	9	6	4	1	-	2	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	123	-	-	-	-	-	-	-	-	-	2	2	4	14	15	27	18	10	5	11	7	5	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	-	-	-	-	-	-	-	-	-	1	1	6	3	10	6	6	7	2	6	1	1	1	1	-	2	-
45,47, 51-55	Cancer (other forms)	717	1	1	2	-	1	5	1	6	12	12	18	12	26	42	87	89	106	101	90	56	32	10	5	2	-	-
	White—M	380	-	-	-	-	1	1	-	3	4	4	9	7	10	14	45	53	55	56	52	34	22	6	2	2	-	-
	F	140	1	1	1	-	-	-	-	1	4	7	2	1	5	11	12	12	20	17	19	15	7	1	3	-	-	-
	All other—M	154	-	-	1	-	-	2	-	2	2	-	5	1	5	12	20	19	22	20	11	6	3	3	-	-	-	-
	F	63	-	-	-	-	-	2	1	-	2	1	2	3	6	5	10	5	9	8	8	1	-	-	-	-	-	-
58	Acute rheumatic fever	20	-	-	-	-	-	5	4	4	1	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	1	3	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	413	-	-	-	1	-	-	3	6	2	6	9	16	16	18	34	54	69	65	57	36	16	3	1	-	1	-
	White—M	96	-	-	-	-	-	-	-	2	-	-	2	1	2	4	6	9	22	15	16	13	4	-	-	-	-	-
	F	194	-	-	-	1	-	-	-	1	2	2	2	8	5	6	12	31	33	38	32	17	7	1	-	-	-	-
	All other—M	46	-	-	-	-	-	-	1	3	-	3	1	3	1	4	6	2	4	5	4	3	4	1	1	-	-	-
	F	77	-	-	-	-	-	-	2	-	-	1	4	6	10	4	10	12	10	7	5	3	1	1	-	-	1	-
63b	Exophthalmic goiter	43	-	-	-	-	-	-	1	2	1	-	4	3	10	4	5	5	1	4	1	2	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	-	1	-	1	-	3	1	2	3	1	2	1	2	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	2	-	-	2	3	3	1	2	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	75	-	-	-	-	-	1	-	1	-	3	2	7	10	-	9	7	8	8	7	7	3	2	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	3	2	1	1	-	-	-	-
	All other—M	13	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2	3	2	1	1	-	-	-	-	-
	F	45	-	-	-	-	-	1	-	-	-	3	2	6	8	-	5	5	6	3	2	3	1	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	1	1	1	3	10	3	4	3	1	2	-	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	1	-	1	7	2	2	2	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	1	-	1	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	1,668	4	-	1	2	-	-	4	7	6	9	21	43	52	143	139	191	206	242	216	167	109	67	27	9	2	1
	White—M	467	3	-	-	1	-	-	1	3	2	6	4	7	4	28	30	43	65	80	78	55	30	19	8	-	-	-
	F	405	1	-	1	-	-	-	1	-	1	1	3	10	10	24	28	46	40	59	63	49	44	19	4	2	-	1
	All other—M	385	-	-	-	-	-	-	1	1	3	2	9	6	18	45	39	51	49	48	32	35	16	17	8	2	1	-
	F	413	-	-	-	1	-	-	1	3	-	-	5	20	20	46	44	51	52	55	43	28	19	12	7	5	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	225	25	13	5	-	1	10	9	13	10	19	15	13	16	11	13	14	11	15	7	1	3	-	1	-	-	-
	White—M	80	3	3	1	-	-	1	3	7	4	10	5	3	6	4	5	8	4	8	4	1	-	-	-	-	-	-
	F	51	5	4	2	-	1	3	2	1	2	4	3	3	4	-	3	4	4	4	1	-	1	-	-	-	-	-
	All other—M	60	10	4	1	-	-	4	2	1	3	3	7	5	5	3	4	-	1	3	2	-	2	-	-	-	-	-
	F	34	7	2	1	-	-	2	2	4	1	2	-	2	1	4	1	2	2	-	-	-	-	-	1	-	-	-
89,104, 115	Diseases of ear, nose, and throat	112	22	8	2	2	5	10	11	7	4	6	6	6	4	2	3	2	3	2	1	-	4	-	-	1	1	-
	White—M	45	12	2	1	1	4	2	6	1	2	2	1	1	3	1	1	1	2	1	1	-	-	-	-	-	-	-
	F	26	5	2	-	-	1	5	1	2	2	2	1	-	-	1	2	-	-	-	-	-	2	-	-	-	-	-
	All other—M	20	4	2	-	-	-	1	2	2	-	2	2	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F	21	1	2	1	1	-	2	2	2	-	-	2	4	-	-	-	1	-	-	-	-	1	-	-	1	1	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	450	-	-	1	-	1	7	8	11	15	11	15	24	29	23	31	44	45	42	53	33	35	20	-	3	1	-
	White—M	104	-	-	-	-	-	2	-	4	2	3	4	5	2	4	8	11	18	9	13	9	8	2	-	-	-	-
	F	100	-	-	-	-	-	1	5	3	3	1	2	6	5	6	2	10	1	7	14	12	13	9	-	-	-	-
	All other—M	113	-	-	1	-	1	3	2	1	2	2	3	7	12	7	10	11	9	12	12	7	5	3	-	2	1	-
	F	133	-	-	-	-	-	1	1	3	6	5	6	6	10	6	11	12	17	14	14	5	9	6	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	1,157	-	-	-	-	-	-	1	3	2	7	18	39	58	85	139	145	147	201	125	88	56	27	8	1	2	5
	White—M	629	-	-	-	-	-	-	-	2	1	4	6	15	25	49	79	98	93	111	59	47	28	10	2	-	-	-
	F	235	-	-	-	-	-	-	-	-	-	2	2	4	2	9	20	15	28	47	45	23	23	11	4	-	-	-
	All other—M	155	-	-	-	-	-	-	-	1	-	-	6	11	12	12	21	20	16	24	10	13	3	2	1	-	1	2
	F	138	-	-	-	-	-	-	1	-	1	1	4	9	19	15	19	12	10	19	11	5	2	4	1	1	1	3
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,459	12	-	5	1	1	3	5	14	19	37	71	95	169	239	394	423	477	638	637	474	380	227	89	34	11	4
	White—M	1,457	4	-	3	-	1	-	1	6	2	7	12	14	37	73	124	150	176	225	217	166	145	66	22	5	1	-
	F	1,111	2	-	1	-	-	-	1	1	3	5	11	12	18	25	52	56	113	159	207	170	139	101	28	7	2	-
	All other—M	988	4	-	-	-	-	2	2	1	3	14	19	32	56	77	115	99	105	139	120	70	53	35	24	9	6	3
	F	903	2	-	1	1	-	1	1	6	11	11	29	37	58	64	103	118	83	115	93	68	43	25	17	13	2	1
107-109	Pneumonia (all forms)	1,779	521	83	25	16	14	26	23	37	49	49	54	69	62	71	89	84	91	103	107	75	63	36	21	6	3	2
	White—M	448	112	13	7	3	2	6	5	10	8	9	10	12	13	18	16	26	36	33	36	29	22	14	7	-	1	-
	F	365	91	17	2	7	-	1	2	7	9	3	3	7	9	11	15	13	22	30	30	30	31	14	8	3	-	-
	All other—M	543	183	34	6	4	5	11	11	6	11	18	23	27	22	25	36	23	18	27	31	7	6	5	2	-	-	2
	F	423	135	19	10	2	7	8	5	14	21	19	18	23	18	17	22	22	15	13	10	9	4	3	4	3	2	-
117	Ulcer of stomach or duodenum	144	-	-	-	-	-	-	-	2	3	6	12	11	18	13	18	22	9	11	13	2	4	-	-	-	-	-
	White—M	87	-	-	-	-	-	-	-	1	2	5	5	4	10	6	11	17	5	8	7	2	4	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	2	-	2	-	-	-	-	-	-	-
	All other—M	36	-	-	-	-	-	-	-	-	1	1	4	5	4	5	6	4	1	2	3	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	-	-	1	2	3	-	1	1	1	1	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	417	307	45	13	3	4	7	3	-	1	2	3	-	-	1	3	7	3	1	8	2	1	2	1	-	-	-
	White—M	108	82	9	1	2	-	3	-	-	-	1	-	-	-	-	-	2	1	1	2	1	1	1	1	-	-	-
	F	88	61	9	4	-	1	-	2	-	-	1	2	-	-	-	1	1	1	-	3	1	-	1	-	-	-	-
	All other—M	108	79	15	3	-	1	2	1	-	-	-	1	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-
	F	113	85	12	5	1	2	2	-	-	1	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	229	2	1	4	2	3	16	27	19	15	14	18	19	23	11	14	13	10	5	7	4	2	-	-	-	-	-
	White—M	98	1	1	4	1	2	7	7	7	1	7	9	7	8	2	11	10	4	2	3	3	1	-	-	-	-	-
	F	52	-	-	-	-	1	4	7	6	5	2	3	4	2	4	-	3	5	1	3	1	1	-	-	-	-	-
	All other—M	37	-	-	-	-	-	3	6	2	6	2	2	3	7	1	3	-	1	1	-	-	-	-	-	-	-	-
	F	42	1	-	-	1	-	2	7	4	3	3	4	5	6	4	-	-	-	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	239	21	3	1	1	1	5	3	2	8	10	13	17	11	18	19	19	15	23	18	12	10	5	3	1	-	-
	White—M	69	4	-	-	-	1	3	1	1	1	2	1	3	3	5	5	8	8	8	8	3	1	2	1	-	-	-
	F	67	5	1	-	-	-	-	-	-	-	-	5	5	6	5	3	6	1	10	4	3	8	3	1	1	-	-
	All other—M	54	9	1	1	1	-	-	1	-	2	3	2	3	-	4	5	4	3	4	3	6	1	-	1	-	-	-
	F	49	3	1	-	-	-	2	1	1	5	5	5	6	2	4	6	1	3	1	3	-	-	-	-	-	-	-
124	Cirrhosis of the liver	212	4	4	-	-	1	2	2	2	1	4	5	8	20	22	25	23	27	24	23	9	6	-	-	-	-	-
	White—M	104	-	3	-	-	-	2	1	1	1	2	2	2	10	11	14	12	9	11	15	8	-	-	-	-	-	-
	F	49	3	-	-	-	-	-	-	-	-	-	1	1	2	6	6	6	11	4	4	1	4	-	-	-	-	-
	All other—M	33	-	1	-	-	-	-	-	1	-	1	1	3	3	1	5	2	6	5	3	-	1	-	-	-	-	-
	F	26	1	-	-	-	1	-	1	-	-	1	1	2	5	4	-	3	1	4	1	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	82	1	-	-	-	1	1	-	1	1	3	4	2	4	4	9	9	11	15	5	6	3	1	-	-	1	-
	White—M	31	1	-	-	-	-	-	-	-	-	-	1	-	1	3	3	6	2	8	2	2	3	-	-	-	-	-
	F	35	-	-	-	-	-	1	-	-	1	-	2	2	3	1	2	3	7	5	3	4	-	1	-	-	-	-
	All other—M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
	F	13	-	-	-	-	-	-	-	1	-	3	1	-	1	-	4	-	2	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,169	8	4	-	-	2	6	13	9	17	25	44	66	90	117	190	217	218	293	292	231	159	101	38	14	14	1
	White—M	578	2	-	-	-	2	1	3	3	1	4	9	5	12	34	53	53	67	74	84	75	58	29	9	-	-	-
	F	525	-	1	-	-	-	-	4	-	3	8	8	8	17	24	28	34	49	76	81	77	55	35	13	2	2	-
	All other—M	546	5	1	-	-	-	2	6	4	3	5	12	19	23	28	62	67	55	81	69	38	24	20	11	7	3	1
	F	520	1	2	-	-	-	3	-	2	10	8	15	34	38	31	47	63	47	62	58	41	22	17	5	5	9	-
137	Diseases of the prostate	134	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	12	13	24	32	14	17	6	4	2	1	1
	White—M	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	19	16	10	14	3	1	-	-	-
	All other—M	65	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	10	9	5	16	4	3	3	3	2	1	1
140, 142a, 147	Puerperal septicemia	103	-	-	-	-	-	-	1	22	25	18	16	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	1	3	12	12	6	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	57	-	-	-	-	-	-	-	19	13	6	10	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	73	-	-	-	-	-	-	1	20	14	16	12	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	6	3	6	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	51	-	-	-	-	-	-	1	14	11	10	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	96	-	-	-	-	-	-	-	13	19	20	25	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	2	8	11	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	57	-	-	-	-	-	-	-	11	11	9	15	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	209	167	9	3	1	2	6	9	3	4	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	81	63	4	2	-	1	2	4	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	62	53	3	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	46	36	2	-	-	-	3	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	20	15	-	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	876	876	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	186	186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	234	234	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	224	224	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	202	-	-	-	-	-	-	2	5	11	16	26	23	16	27	18	17	16	14	7	2	1	-	-	-	-	1
	White—M	145	-	-	-	-	-	-	2	2	6	8	16	18	11	23	11	15	12	13	5	1	1	-	-	-	-	1
	F	42	-	-	-	-	-	-	-	3	3	7	7	4	5	3	4	1	3	1	1	-	-	-	-	-	-	-
	All other—M	14	-	-	-	-	-	-	-	-	2	1	3	1	-	1	3	1	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
165-168	Homicide	284	-	-	1	-	-	-	3	19	50	56	29	33	21	26	17	14	5	6	2	1	1	-	-	-	-	-
	White—M	73	-	-	-	-	-	-	-	2	6	12	5	9	8	4	11	8	3	2	2	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	1	-	-	-	3	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	169	-	-	-	-	-	-	2	15	33	37	19	20	12	18	4	4	1	3	-	1	-	-	-	-	-	-
	F	32	-	-	1	-	-	-	-	2	11	7	2	4	-	1	1	2	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	571	3	2	-	2	3	23	31	60	86	63	39	37	36	40	40	36	22	22	15	3	5	1	-	1	-	1
	White—M	339	1	-	-	2	2	10	14	34	59	39	28	22	19	23	21	23	14	15	9	1	2	-	-	-	-	1
	F	82	1	1	-	-	1	3	5	13	8	10	1	9	7	4	6	3	1	4	4	1	-	-	-	-	-	-
	All other—M	122	1	-	-	-	-	6	10	13	17	13	8	4	9	7	11	8	5	3	2	1	3	-	-	1	-	-
	F	28	-	1	-	-	-	4	2	-	2	1	2	2	1	6	2	2	2	-	-	-	-	1	-	-	-	-
169, 171-195	Other accidents	1,059	58	46	22	24	13	44	43	93	75	55	57	63	52	47	44	34	56	52	47	29	57	25	13	4	2	4
	White—M	420	10	15	10	11	4	17	14	41	34	27	30	34	23	22	20	20	28	19	11	10	11	4	2	-	-	3
	F	199	5	14	5	3	1	9	2	7	7	8	4	2	4	7	3	3	10	13	17	13	32	19	7	3	1	-
	All other—M	306	21	10	4	4	5	12	25	36	27	20	17	23	22	17	13	8	11	15	5	2	6	1	2	-	-	-
	F	134	22	7	3	6	3	6	2	9	7	-	6	4	3	1	8	3	7	5	14	4	8	1	2	1	1	1
	All other causes*	2,723	803	37	20	14	9	34	44	44	82	76	79	99	114	124	130	122	125	138	146	113	124	117	61	32	31	5
	White—M	734	199	13	10	-	1	11	17	6	12	14	23	17	26	39	36	38	43	49	54	28	40	38	11	8	1	-
	F	651	147	9	2	5	2	13	7	14	22	21	26	17	23	26	30	33	31	30	37	39	40	45	22	7	3	-
	All other—M	725	274	5	6	5	3	4	8	7	20	19	10	25	28	39	39	30	31	35	37	32	19	18	10	10	12	3
	F	613	183	10	2	4	3	6	14	17	28	22	20	40	37	20	25	21	20	24	18	14	25	18	18	7	15	2

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	All causes	10,580	809	69	29	23	24	97	75	129	136	138	178	200	207	333	488	668	893	1,167	1,395	1,375	1,176	652	260	48	9	2
	White—M	5,761	487	39	13	13	13	66	41	74	70	76	94	112	102	175	321	402	523	634	788	720	579	286	114	14	3	2
	F	4,794	322	30	15	9	11	31	34	53	66	61	84	88	103	158	165	266	368	531	604	653	593	365	145	33	6	-
	All other—M	18	-	-	-	1	-	-	-	2	-	1	-	-	2	-	1	-	1	1	2	1	1	1	1	1	-	-
	F	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	-	-	-	1	-	1	1	-	1	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	1	-	1	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	21	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	222	-	1	1	-	-	-	3	10	20	22	27	18	19	12	11	22	15	16	11	9	4	1	-	-	-	-
	White—M	117	-	1	1	-	-	-	1	3	2	11	17	12	8	4	10	17	9	8	6	4	3	-	-	-	-	-
	F	104	-	-	-	-	-	-	2	7	18	11	10	6	11	8	1	5	6	7	5	5	1	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	31	1	1	1	1	1	1	1	2	1	1	5	6	1	1	2	2	2	1	-	-	-	-	-	-	-	-
	White—M	17	-	1	-	-	1	1	-	2	-	1	5	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	-	1	-	1	-	-	3	1	1	2	1	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	76	4	-	-	-	-	-	-	-	1	1	-	9	5	11	9	12	7	9	3	3	1	1	-	-	-	-
	White—M	56	1	-	-	-	-	-	-	-	1	-	-	8	3	8	8	9	7	6	3	2	-	-	-	-	-	-
	F	20	3	-	-	-	-	-	-	-	-	1	-	1	2	3	1	3	-	3	-	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	97	17	3	1	1	2	3	3	-	-	1	-	3	1	3	1	8	4	10	7	7	7	6	8	1	-	-
	White—M	49	13	1	1	1	-	2	-	-	-	-	-	1	1	1	1	2	4	5	3	4	4	-	5	-	-	-
	F	48	4	2	-	-	2	1	3	-	-	1	-	2	-	2	-	6	-	5	4	3	3	6	3	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	9	1	3	-	1	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	655	-	-	-	-	-	-	-	1	-	5	6	7	11	24	47	70	71	107	126	96	60	19	4	1	-	-
	White—M	339	-	-	-	-	-	-	-	-	-	3	4	5	6	12	23	42	36	50	74	39	35	8	1	1	-	-
	F	315	-	-	-	-	-	-	-	1	-	2	2	2	5	12	24	28	35	57	52	56	25	11	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	*Cancer of female genital organs*	155	-	-	-	-	-	1	-	-	3	1	4	7	10	20	13	16	16	22	16	14	9	3	-	-	-	-
	White—F	155	-	-	-	-	-	1	-	-	3	1	4	7	10	20	13	16	16	22	16	14	9	3	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
50	Cancer of breast	112	1	-	-	-	-	-	-	-	1	1	3	1	6	5	13	15	16	11	13	11	11	3	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	112	1	-	-	-	-	-	-	-	1	1	3	1	6	5	13	15	16	11	13	11	11	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	391	-	1	2	-	-	4	2	7	-	2	2	8	4	14	21	31	53	54	65	52	34	26	7	2	-	-
	White—M	269	-	-	-	-	-	2	-	4	-	-	1	5	2	6	16	22	33	41	48	40	27	15	6	1	-	-
	F	122	-	1	2	-	-	2	2	3	-	2	1	3	2	8	5	9	20	13	17	12	7	11	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	-	-	2	-	2	-	2	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	272	-	-	-	-	-	-	4	3	1	1	4	2	1	6	7	24	36	60	45	48	23	6	1	-	-	-
	White—M	114	-	-	-	-	-	-	1	1	-	1	1	1	-	2	5	8	15	22	19	24	9	4	1	-	-	-
	F	157	-	-	-	-	-	-	3	2	1	-	3	1	1	4	2	16	21	38	26	24	13	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
63b	Exophthalmic goiter	16	-	-	-	-	-	-	-	2	-	-	1	-	2	-	3	3	2	1	2	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	2	-	-	1	-	1	-	3	3	2	-	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	9	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,105	3	-	1	-	1	-	1	1	1	2	1	6	7	24	39	57	92	157	175	217	190	98	27	4	1	-
	White—M	574	2	-	-	-	-	-	-	-	1	-	1	3	6	10	20	28	58	85	92	111	96	46	14	1	-	-
	F	530	1	-	1	-	1	-	1	1	-	2	-	3	1	14	19	29	34	72	82	106	94	52	13	3	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	87	11	3	2	1	-	1	1	1	9	1	2	-	3	3	4	3	10	12	8	5	4	3	-	-	-	-
	White—M	49	8	2	-	-	-	-	1	-	7	1	1	-	2	-	2	2	6	6	4	3	3	1	-	-	-	-
	F	37	3	1	2	1	-	1	-	1	2	-	1	-	-	3	2	1	4	6	4	2	1	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	51	5	2	-	3	-	4	4	1	2	3	2	4	3	5	2	3	3	3	-	1	1	-	-	-	-	-
	White—M	26	3	2	-	-	-	3	3	-	1	1	-	1	1	3	2	3	1	1	-	1	-	-	-	-	-	-
	F	25	2	-	-	3	-	1	1	1	1	2	2	3	2	2	-	-	2	2	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	212	-	-	-	-	-	1	1	4	3	4	8	10	8	12	7	10	17	26	24	24	36	11	6	-	-	-
	White—M	101	-	-	-	-	-	-	1	4	2	2	3	3	3	5	4	6	7	10	13	15	14	7	2	-	-	-
	F	110	-	-	-	-	-	1	-	-	1	2	5	7	5	7	3	4	10	16	11	9	21	4	4	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,038	-	-	-	-	-	-	1	-	2	1	5	8	20	38	75	94	135	180	183	146	89	41	15	4	-	1
	White—M	678	-	-	-	-	-	-	-	-	1	1	4	6	17	30	62	71	104	120	106	85	48	16	6	-	-	1
	F	359	-	-	-	-	-	-	1	-	1	-	1	2	3	8	13	23	31	59	77	61	41	25	9	4	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,837	1	3	-	-	-	2	2	8	3	6	6	13	16	37	57	93	143	208	326	331	314	181	70	15	2	-
	White—M	1,000	-	3	-	-	-	1	2	6	1	3	4	9	11	23	40	55	88	123	195	179	147	81	25	4	-	-
	F	832	1	-	-	-	-	1	-	2	2	3	2	4	5	14	17	38	54	85	131	152	166	99	44	10	2	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
107-109	Pneumonia (all forms)	474	100	17	1	-	4	3	1	4	3	6	9	5	8	10	26	16	29	32	52	44	57	32	12	3	-	-
	White—M	251	60	8	1	-	3	2	1	1	2	4	3	1	1	4	18	13	18	18	30	22	25	11	5	-	-	-
	F	221	40	9	-	-	1	1	-	2	1	2	6	4	7	6	7	3	11	14	22	22	32	21	7	3	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	53	-	-	-	-	-	-	1	-	-	1	5	3	1	6	5	5	6	4	11	3	1	1	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	1	4	3	1	6	5	3	4	3	10	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	2	1	1	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
119,120	Diarrhea, enteritis, etc.*	60	43	5	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	-	1	-
	White—M	39	29	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	-
	F	21	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	108	1	3	1	1	-	14	9	17	9	3	4	7	1	2	5	6	4	6	6	5	2	1	1	-	-	-
	White—M	70	1	2	1	1	-	10	3	13	6	2	3	7	1	1	4	4	3	4	2	1	-	-	1	-	-	-
	F	38	-	1	-	-	-	4	6	4	3	1	1	-	-	1	1	2	1	2	4	4	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	93	10	1	1	-	1	2	2	1	2	2	3	3	2	-	3	4	9	11	9	10	10	3	4	-	-	-
	White—M	46	7	-	-	-	1	2	-	1	1	1	1	-	-	-	2	1	2	8	2	7	7	1	2	-	-	-
	F	47	3	1	1	-	-	-	2	-	1	1	2	3	2	-	1	3	7	3	7	3	3	2	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	41	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	5	4	7	7	5	2	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	3	4	4	1	2	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	3	1	3	3	4	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	47	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	3	9	3	10	4	4	1	1	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	4	2	3	1	-	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	3	6	2	6	2	1	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	778	-	1	-	-	-	1	3	2	4	3	7	14	12	13	36	51	79	97	112	149	107	56	27	2	2	-
	White—M	385	-	-	-	-	-	1	2	-	2	-	6	5	4	7	24	32	39	50	66	67	42	21	16	1	-	-
	F	392	-	1	-	-	-	-	1	2	2	3	1	9	8	6	12	19	40	47	45	82	65	35	11	1	2	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	8	13	22	13	3	2	-	-	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	8	13	22	13	3	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	25	-	-	-	-	-	-	-	3	7	2	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	3	7	2	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	21	-	-	-	-	-	-	-	5	4	2	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	5	4	2	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	15	-	-	-	-	-	-	-	2	2	2	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	2	2	2	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	121	97	7	2	1	2	1	2	2	1	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	66	56	4	1	1	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	55	41	3	1	-	2	1	-	2	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	155	155	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	133	-	-	-	-	-	-	-	3	7	2	9	8	8	17	17	20	17	9	10	1	1	1	3	-	-	-
	White—M	109	-	-	-	-	-	-	-	3	6	1	6	7	6	15	14	16	13	8	8	1	1	1	3	-	-	-
	F	24	-	-	-	-	-	-	-	-	1	1	3	1	2	2	3	4	4	1	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	13	-	-	-	-	-	-	-	1	1	2	-	-	2	-	1	1	1	2	1	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	190	-	1	-	3	1	28	6	18	14	20	9	7	8	10	13	10	9	15	9	4	4	-	1	-	-	-
	White—M	141	-	-	-	2	1	21	4	12	10	15	8	6	5	6	13	7	8	11	5	4	2	-	1	-	-	-
	F	48	-	1	-	1	-	7	2	5	4	5	1	1	3	4	-	3	1	4	4	-	2	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	445	21	4	9	2	5	22	12	20	22	17	17	14	15	15	18	22	27	20	44	31	44	30	11	3	-	-
	White—M	284	10	2	5	2	2	14	10	18	18	13	15	14	13	15	16	18	20	8	23	13	20	13	1	1	-	-
	F	158	11	2	4	-	3	8	2	2	4	3	2	-	2	-	1	4	7	12	21	17	24	17	10	2	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,190	208	8	4	6	3	3	11	9	8	19	16	23	23	32	41	61	66	75	106	129	142	122	58	15	3	1
	White—M	612	129	4	2	4	2	2	5	4	4	11	5	11	4	12	23	38	36	28	58	67	79	54	22	5	2	1
	F	575	79	4	2	2	1	1	6	5	4	8	11	12	19	20	18	23	29	47	47	62	62	68	36	8	1	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	All causes	22,107	1,499	136	64	58	29	147	161	355	506	513	585	713	891	1,195	1,564	1,776	2,074	2,366	2,424	2,142	1,688	838	272	70	13	28
	White—M	9,412	581	44	22	19	12	60	74	109	184	160	196	270	359	512	691	827	1,009	1,116	1,073	980	687	315	85	17	1	9
	F	7,699	418	40	22	20	7	32	36	69	110	127	129	168	193	296	424	514	714	870	1,027	946	878	456	154	39	4	6
	All other—M	2,716	273	31	12	9	6	28	21	83	115	118	155	153	210	218	229	241	191	207	177	112	64	30	11	11	2	9
	F	2,280	227	21	8	10	4	27	30	94	97	108	105	122	129	169	220	194	160	173	147	104	59	37	22	3	6	4
1,2	Typhoid, paratyphoid fever	11	-	-	-	-	-	1	1	1	2	1	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	2	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	-	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	67	45	10	4	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	14	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	12	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	15	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	2	-	-	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,344	6	12	5	3	2	9	17	105	144	126	131	154	110	102	105	85	88	78	34	17	7	4	-	-	-	-
	White—M	454	2	3	-	-	-	1	2	4	18	27	34	57	29	47	58	34	56	49	20	11	2	-	-	-	-	-
	F	218	-	2	1	-	1	1	-	8	26	21	26	26	12	17	12	16	12	16	8	5	5	3	-	-	-	-
	All other—M	392	3	4	3	1	1	1	2	43	45	38	47	49	56	29	23	24	12	5	5	1	-	-	-	-	-	-
	F	260	1	3	1	2	-	6	13	50	55	40	24	22	13	9	12	11	8	8	1	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	97	2	3	2	7	2	7	4	8	11	9	8	3	2	5	10	4	2	5	2	-	-	1	-	-	-	-
	White—M	27	-	1	-	3	-	1	2	2	2	-	1	-	1	1	5	2	1	3	1	-	-	1	-	-	-	-
	F	22	1	-	1	1	1	1	-	1	-	2	4	1	-	-	4	2	-	2	1	-	-	-	-	-	-	-
	All other—M	28	1	1	-	2	1	2	1	3	6	5	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	1	1	1	-	3	1	2	3	2	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	19	11	1	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	9	6	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	391	21	2	1	1	-	-	1	5	6	18	22	39	41	47	52	49	33	23	17	11	-	-	2	-	-	-
	White—M	107	2	-	-	-	-	-	1	-	1	2	2	5	6	13	14	20	19	8	9	5	-	-	-	-	-	-
	F	31	-	-	1	-	-	-	-	-	-	1	1	5	2	3	3	5	2	2	3	2	-	-	1	-	-	-
	All other—M	174	9	2	-	-	-	-	-	-	2	6	14	19	24	25	25	21	10	11	3	3	-	-	-	-	-	-
	F	79	10	-	-	1	-	-	-	5	3	9	5	10	9	6	10	3	2	2	2	1	-	-	1	-	-	-
33	Influenza	145	25	5	3	1	1	2	4	5	4	3	2	4	3	3	4	7	6	14	9	7	18	10	3	2	-	-
	White—M	48	8	2	-	-	1	-	1	2	-	-	-	2	1	2	1	4	3	7	3	-	6	4	1	-	-	-
	F	54	4	1	2	-	-	1	1	2	4	-	1	2	1	-	1	2	1	2	4	5	10	6	2	2	-	-
	All other—M	16	5	1	-	1	-	1	-	-	-	-	1	-	1	1	-	-	2	2	-	1	-	-	-	-	-	-
	F	27	8	1	1	-	-	-	2	1	-	3	-	-	-	-	2	1	-	3	2	1	2	-	-	-	-	-
35	Measles	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestives organs, peritoneum	1,049	-	-	1	-	-	1	-	1	3	11	15	16	34	64	80	115	138	181	171	122	56	28	6	3	1	2
	White—M	468	-	-	-	-	-	-	-	1	3	4	5	6	10	24	29	55	64	93	77	62	21	10	2	1	-	1
	F	445	-	-	1	-	-	1	-	-	-	5	6	6	8	20	30	43	54	78	84	53	34	18	3	-	-	1
	All other—M	82	-	-	-	-	-	-	-	-	-	-	-	3	9	16	10	11	13	7	7	5	-	-	-	1	-	-
	F	54	-	-	-	-	-	-	-	-	-	2	4	1	7	4	11	6	7	3	3	2	1	-	1	1	1	-
48,49	Cancer of female genital organs	345	-	-	1	-	-	-	-	-	3	7	13	29	17	36	47	42	48	44	27	18	9	3	-	-	-	1
	White—F	273	-	-	1	-	-	-	-	-	3	4	9	18	13	26	37	34	43	36	23	16	8	1	-	-	-	1
	All other—F	72	-	-	-	-	-	-	-	-	-	3	4	11	4	10	10	8	5	8	4	2	1	2	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
50	Cancer of breast	276	-	-	-	-	-	-	-	-	-	-	4	9	19	35	43	36	46	28	24	15	7	8	2	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	239	-	-	-	-	-	-	-	-	-	-	3	6	16	29	37	31	44	25	21	11	7	8	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	1	3	3	5	6	4	2	3	3	3	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	834	2	2	1	5	3	10	4	9	12	9	13	29	28	48	74	99	113	96	120	80	51	21	4	1	-	-
	White—M	532	-	-	1	-	2	3	2	4	8	6	7	13	17	24	50	63	75	70	73	63	36	13	2	-	-	-
	F	198	2	2	-	4	-	5	1	5	3	3	3	10	7	14	12	20	20	17	33	16	12	7	1	1	-	-
	All other—M	74	-	-	-	-	1	2	-	-	1	-	2	4	3	4	10	10	15	5	13	-	3	-	1	-	-	-
	F	30	-	-	-	1	-	-	1	-	-	-	1	2	1	6	2	6	3	4	1	1	-	1	-	-	-	-
58	Acute rheumatic fever	35	-	-	-	1	-	8	-	3	1	4	4	3	3	1	1	1	4	-	-	-	1	-	-	-	-	-
	White—M	18	-	-	-	1	-	4	-	1	1	3	2	-	1	-	-	-	4	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	3	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	568	-	-	-	-	-	1	1	2	5	3	5	8	17	23	43	58	85	95	107	74	27	10	4	-	-	-
	White—M	158	-	-	-	-	-	1	1	1	1	1	3	4	2	7	12	14	25	23	30	21	9	1	2	-	-	-
	F	351	-	-	-	-	-	-	-	-	3	1	1	3	8	13	23	34	51	66	71	51	15	9	2	-	-	-
	All other—M	18	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	3	2	3	1	1	1	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	-	-	6	2	7	7	7	3	5	1	2	-	-	-	-	-
63b	Exophthalmic goiter	46	-	-	-	-	-	-	-	-	-	1	2	-	3	4	8	5	7	7	6	2	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	2	-	1	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	1	1	-	3	4	6	5	4	5	5	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	54	-	-	-	-	-	-	1	-	1	2	1	10	10	7	9	6	4	2	-	1	-	-	-	-	-	-
	White—M	37	-	-	-	-	-	-	1	-	1	1	-	7	6	4	8	5	3	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	1	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,793	2	-	1	-	-	-	3	1	5	6	17	15	34	74	134	131	182	306	287	270	189	95	31	7	-	3
	White—M	685	-	-	1	-	-	-	1	-	2	2	5	3	12	24	48	41	77	128	123	107	73	31	6	-	-	1
	F	725	-	-	-	-	-	-	1	1	2	3	3	4	2	20	35	44	73	112	119	130	101	52	18	4	-	1
	All other—M	173	2	-	-	-	-	-	1	-	-	-	6	2	9	14	19	18	13	35	23	14	6	4	3	3	-	1
	F	210	-	-	-	-	-	-	-	-	1	1	3	6	11	16	32	28	19	31	22	19	9	8	4	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	174	21	7	2	1	2	2	8	9	9	8	7	5	10	13	10	12	11	15	10	7	3	1	-	-	-	1
	White—M	73	6	2	-	-	1	2	5	3	4	3	2	-	5	4	4	6	3	10	8	3	1	1	-	-	-	-
	F	57	3	3	1	1	1	-	2	4	3	2	1	1	2	4	4	6	6	5	2	4	2	-	-	-	-	-
	All other—M	24	6	2	1	-	-	-	-	2	-	1	3	2	1	4	-	-	1	-	-	-	-	-	-	-	-	1
	F	20	6	-	-	-	-	-	1	-	2	2	1	2	2	1	2	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	87	12	6	-	2	4	6	6	2	3	7	4	4	3	9	2	5	3	3	-	3	2	1	-	-	-	-
	White—M	48	5	2	-	-	2	4	2	1	3	4	3	3	2	7	1	2	2	3	-	2	-	-	-	-	-	-
	F	24	6	1	-	-	1	-	4	-	-	-	-	1	1	2	1	2	1	-	-	1	2	1	-	-	-	-
	All other—M	6	-	1	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	-	1	1	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	473	-	-	1	1	-	5	9	13	17	17	23	26	33	43	38	43	34	49	36	37	25	16	5	2	-	-
	White—M	187	-	-	-	-	-	1	5	6	5	6	7	14	12	18	12	19	12	20	12	21	9	7	-	1	-	-
	F	178	-	-	1	1	-	1	2	4	7	9	13	11	14	13	13	13	12	11	20	8	12	9	4	-	-	-
	All other—M	53	-	-	-	-	-	2	2	2	3	1	3	-	1	4	10	3	4	9	2	3	3	-	-	1	-	-
	F	55	-	-	-	-	-	1	-	1	2	1	-	1	6	8	3	8	6	9	2	5	1	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,609	-	-	-	-	-	-	-	1	1	6	19	27	92	116	174	213	245	221	208	147	91	29	11	4	-	4
	White—M	1,005	-	-	-	-	-	-	-	-	1	3	10	19	60	77	119	148	160	138	120	86	47	10	5	-	-	2
	F	419	-	-	-	-	-	-	-	1	-	1	2	-	9	16	23	38	61	72	74	52	43	18	5	3	-	1
	All other—M	107	-	-	-	-	-	-	-	-	-	2	3	3	16	10	17	13	13	10	9	6	1	1	1	1	-	1
	F	78	-	-	-	-	-	-	-	-	-	-	4	5	7	13	15	14	11	1	5	3	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,254	3	-	-	-	-	4	1	8	14	17	37	42	82	154	236	340	442	548	638	649	601	295	103	33	4	3
	White—M	1,775	1	-	-	-	-	1	-	2	5	5	4	16	35	65	96	161	210	246	275	280	228	107	27	10	-	1
	F	1,755	2	-	-	-	-	-	1	4	5	5	11	4	21	36	65	88	151	208	274	307	329	161	63	19	3	-
	All other—M	377	-	-	-	-	-	2	-	1	2	2	11	13	11	27	40	50	39	48	51	34	22	13	5	3	1	2
	F	347	-	-	-	-	-	1	-	1	2	5	11	9	15	26	37	41	42	46	38	28	22	14	8	1	-	-
107-109	Pneumonia (all forms)	1,141	236	34	12	7	2	12	4	10	9	28	24	22	30	62	63	66	80	82	100	108	90	47	9	3	-	1
	White—M	476	85	10	6	3	1	4	1	5	3	7	7	9	14	28	30	26	39	37	42	57	37	20	2	1	-	-
	F	345	58	11	4	1	-	4	2	2	1	10	4	2	4	4	9	14	22	28	41	45	46	26	4	2	-	1
	All other—M	162	42	8	2	1	1	2	-	-	2	3	6	5	8	14	13	15	10	10	11	3	5	1	-	-	-	-
	F	158	51	5	-	2	-	2	1	3	3	8	7	6	4	16	11	9	9	7	6	3	2	-	3	-	-	-
117	Ulcer of stomach or duodenum	116	-	-	-	-	-	-	1	-	3	3	7	2	8	12	24	14	12	10	8	6	4	1	-	-	-	1
	White—M	76	-	-	-	-	-	-	1	-	1	-	3	1	4	10	19	9	9	6	4	6	2	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	1	3	2	-	1	-	-	-	-	-
	All other—M	24	-	-	-	-	-	-	-	-	1	2	4	1	3	1	2	4	2	1	1	-	1	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
119,120	Diarrhea, enteritis, etc.*	156	108	12	-	1	-	3	-	2	4	4	1	-	3	1	1	2	1	5	1	4	2	1	-	-	-	-
	White—M	54	34	5	-	-	-	2	-	-	2	1	-	-	3	1	-	-	-	3	-	2	1	-	-	-	-	-
	F	45	29	3	-	1	-	-	-	1	1	2	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-
	All other—M	30	22	3	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	27	23	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
121	Appendicitis	116	-	-	2	2	1	4	12	10	4	6	5	6	11	6	12	10	4	11	4	4	-	-	1	-	-	1
	White—M	46	-	-	2	1	1	-	3	2	2	3	2	3	3	4	4	5	1	5	3	1	-	-	-	-	-	1
	F	44	-	-	-	1	-	1	5	4	2	2	-	2	4	1	5	4	3	6	1	2	-	-	1	-	-	-
	All other—M	13	-	-	-	-	-	2	2	1	-	1	1	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	1	2	3	-	-	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	167	10	1	-	-	1	1	1	1	5	8	5	5	11	7	14	14	22	12	12	18	10	6	2	-	-	1
	White—M	76	4	1	-	-	1	-	1	-	3	2	4	1	3	4	5	6	12	4	6	10	4	5	-	-	-	-
	F	60	4	-	-	-	-	-	-	-	1	4	-	3	2	2	4	5	6	7	5	8	6	1	2	-	-	-
	All other—M	14	1	-	-	-	-	1	-	1	-	1	-	-	2	1	2	2	2	1	-	-	-	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	1	1	1	1	4	-	3	1	2	-	1	-	-	-	-	-	-	1
124	Cirrhosis of the liver	142	-	-	-	-	-	-	-	-	1	2	1	6	12	22	22	18	17	20	12	3	5	1	-	-	-	-
	White—M	90	-	-	-	-	-	-	-	-	-	-	1	4	6	12	15	16	15	12	5	-	4	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	1	2	-	2	2	5	7	1	2	6	6	3	1	1	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	88	-	1	-	-	-	-	-	-	-	-	2	5	6	4	5	13	11	12	17	8	2	1	-	-	1	-
	White—M	22	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	3	8	2	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	2	2	4	4	1	10	9	9	9	6	2	1	-	-	1	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,305	-	-	1	1	-	3	2	14	18	22	33	42	71	116	159	187	235	275	345	318	261	152	39	7	2	2
	White—M	898	-	-	-	1	-	1	-	7	5	10	10	8	22	35	49	68	95	118	140	134	118	61	14	2	-	-
	F	827	-	-	-	-	-	1	-	5	8	4	7	8	13	27	40	47	82	89	141	135	119	76	22	3	-	-
	All other—M	283	-	-	-	-	-	-	1	1	3	1	10	9	16	25	29	44	31	34	30	26	11	8	1	1	-	2
	F	297	-	-	1	-	-	1	1	1	2	7	6	17	20	29	41	28	27	34	34	23	13	7	2	1	2	-
137	Diseases of the prostate	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	21	24	21	18	11	10	3	-	-	-
	White—M	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	17	21	19	15	9	9	3	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	2	3	2	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	34	-	-	-	-	-	-	1	8	1	8	5	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	20	-	-	-	-	-	-	-	4	1	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	14	-	-	-	-	-	-	1	4	-	3	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
141a,c, 144,148	Puerperal toxemias	13	-	-	-	-	-	-	1	2	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	37	-	-	-	-	-	-	-	5	7	8	7	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	1	4	8	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	4	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	191	161	8	1	2	-	1	2	2	3	3	1	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-
	White—M	94	84	3	-	-	-	-	2	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	48	2	1	2	-	-	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	22	18	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	11	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	459	459	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	182	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	297	-	-	-	-	-	-	1	6	21	18	31	34	28	33	25	33	28	19	8	8	2	1	-	-	-	1
	White—M	192	-	-	-	-	-	-	1	2	13	7	23	21	20	20	14	23	19	15	4	6	2	1	-	-	-	1
	F	82	-	-	-	-	-	-	-	2	3	8	5	11	6	11	10	10	8	3	3	2	-	-	-	-	-	-
	All other—M	16	-	-	-	-	-	-	-	-	4	3	2	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
165-168	Homicide	140	3	1	-	-	-	-	2	9	27	29	20	19	14	3	5	2	2	1	1	2	-	-	-	-	-	-
	White—M	32	2	-	-	-	-	-	1	1	4	4	3	3	2	1	3	2	2	1	1	2	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	1	2	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	77	-	1	-	-	-	-	1	6	17	19	12	10	8	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	2	5	4	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	530	1	3	1	3	5	20	21	51	85	45	38	30	26	24	33	39	31	27	28	11	7	1	-	-	-	-
	White—M	349	1	-	1	2	2	11	13	34	55	24	22	21	16	17	21	28	26	20	19	8	7	1	-	-	-	-
	F	77	-	2	-	1	1	3	3	9	10	8	3	3	3	2	5	8	3	5	5	3	-	-	-	-	-	-
	All other—M	86	-	1	-	-	2	4	4	7	15	10	11	5	7	5	6	2	2	1	4	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	2	1	1	5	3	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	896	62	17	7	9	3	24	41	38	45	37	31	52	63	43	46	51	35	55	59	60	64	31	16	3	1	3
	White—M	463	19	6	3	5	-	10	24	22	32	27	18	33	40	29	30	36	26	23	25	21	19	5	8	1	-	1
	F	246	20	6	3	2	1	4	8	5	3	2	3	7	4	2	5	5	4	24	27	35	43	24	8	1	-	-
	All other—M	125	15	2	1	2	-	4	5	9	8	5	8	12	17	11	8	4	3	4	3	2	-	-	-	1	-	1
	F	62	8	3	-	-	2	6	4	2	2	3	2	-	2	1	3	6	2	4	4	2	2	2	-	-	1	1
	All other causes*	1,459	307	9	15	7	-	11	12	21	25	35	41	45	59	72	77	72	84	96	111	113	141	63	31	5	4	3
	White—M	585	125	4	5	2	-	6	4	9	6	7	15	13	26	32	37	27	31	45	46	52	51	27	12	1	1	1
	F	523	86	3	2	4	-	3	5	2	10	7	6	14	21	19	27	26	38	32	43	44	77	32	17	4	-	1
	All other—M	198	59	1	5	-	-	2	2	2	4	14	7	9	6	11	7	12	12	15	10	8	9	2	-	-	1	-
	F	153	37	1	3	1	-	-	1	8	5	7	13	9	6	10	6	7	3	4	12	9	4	2	2	-	2	1

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	All causes	51,156	2,478	201	107	108	63	255	283	450	525	645	763	1,052	1,639	2,416	3,195	3,954	5,203	6,438	6,963	6,059	4,716	2,398	894	207	34	130
	White—M	25,986	1,375	114	60	55	32	153	169	257	270	334	396	549	898	1,378	1,849	2,270	2,855	3,378	3,436	2,838	1,973	914	281	60	6	86
	F	24,315	1,029	83	43	52	30	99	108	175	235	295	339	447	694	983	1,255	1,604	2,268	2,977	3,431	3,178	2,712	1,466	604	141	23	44
	All other—M	498	39	4	4	-	-	3	3	10	16	7	18	24	24	29	52	55	43	51	60	23	16	10	2	5	-	-
	F	357	35	-	-	1	1	-	3	8	4	9	10	12	23	26	39	25	37	32	36	20	15	8	7	1	5	-
1,2	Typhoid, paratyphoid fever	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	2	-	-	-	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	5	1	1	-	1	1	-	1	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	4	-	-	-	1	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	22	2	-	2	-	4	4	1	2	1	-	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	1	-	-	2	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	-	1	-	4	2	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	24	20	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	10	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	1	3	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	2	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,516	6	5	3	2	-	2	9	52	107	136	125	121	151	172	154	121	131	101	60	34	13	4	2	-	-	5
	White—M	975	5	2	2	-	-	2	1	10	45	67	60	85	115	129	110	101	88	78	36	21	10	2	2	-	-	4
	F	470	1	3	1	2	-	-	6	34	58	65	58	27	31	37	35	16	36	22	23	12	3	1	-	-	-	1
	All other—M	45	-	-	-	-	-	-	1	4	3	1	4	5	3	6	8	3	5	-	1	-	-	1	-	-	-	-
	F	26	-	-	-	-	-	-	1	4	3	3	3	4	2	-	1	1	2	1	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	115	2	6	3	4	2	3	3	7	5	13	12	8	6	7	6	10	7	2	3	2	2	-	-	-	-	-
	White—M	52	1	2	1	3	-	1	2	3	1	9	6	2	4	4	1	5	3	1	1	2	-	-	-	-	-	-
	F	56	1	4	2	1	2	2	1	3	3	4	5	5	2	3	4	5	4	1	2	-	2	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	371	7	1	1	2	-	1	1	1	-	5	5	10	36	49	52	52	57	41	32	13	5	-	-	-	-	-
	White—M	257	3	1	-	2	-	-	1	-	-	-	2	5	23	32	40	40	44	29	21	10	4	-	-	-	-	-
	F	84	4	-	1	-	-	1	-	1	-	3	2	2	11	14	7	9	11	6	8	3	1	-	-	-	-	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	1	3	2	2	5	2	1	5	3	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
33	Influenza	147	14	9	4	3	4	2	3	2	-	3	2	5	6	3	8	7	5	17	13	12	11	7	5	1	-	1
	White—M	71	8	8	1	-	2	2	1	1	-	-	2	3	3	1	6	4	3	9	4	5	2	3	2	1	-	-
	F	73	4	1	3	3	2	-	2	1	-	3	-	2	3	2	2	3	2	8	9	7	9	4	2	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
35	Measles	12	4	5	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	4	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,522	-	-	-	-	-	1	-	1	8	8	27	45	93	163	281	380	462	614	609	473	241	90	18	2	-	6
	White—M	1,722	-	-	-	-	-	1	-	-	5	2	12	18	39	79	147	209	225	333	293	217	96	32	9	1	-	4
	F	1,767	-	-	-	-	-	-	-	1	3	6	15	27	50	82	127	170	235	277	309	253	144	57	9	-	-	2
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	1	-	1	4	2	-	1	-	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	3	3	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	851	-	-	-	-	-	-	-	-	4	7	20	40	60	84	91	109	120	104	80	69	36	16	7	1	-	3
	White—F	835	-	-	-	-	-	-	-	-	4	7	20	40	58	83	89	107	118	103	77	69	35	16	5	1	-	3
	All other—F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	3	-	1	-	2	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
50	Cancer of breast	806	-	-	-	-	-	-	-	-	-	1	5	24	43	90	70	93	107	111	98	63	61	28	8	-	-	4
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-
	F	793	-	-	-	-	-	-	-	-	-	1	5	24	43	89	69	90	103	111	96	61	61	28	8	-	-	4
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	2,135	-	3	2	6	2	8	15	10	22	24	25	25	68	114	175	236	284	343	308	242	141	55	16	3	-	8
	White—M	1,497	-	1	2	4	2	4	6	6	18	14	16	17	42	80	115	156	195	252	225	182	105	40	6	3	-	6
	F	611	-	2	-	2	-	4	9	4	4	10	8	7	24	31	56	78	85	88	79	59	36	15	10	-	-	2
	All other—M	23	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	4	3	4	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever	30	-	-	2	-	1	3	9	4	2	-	-	1	2	1	-	-	2	2	-	-	1	-	-	-	-	-
	White—M	14	-	-	1	-	-	2	5	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	16	-	-	1	-	1	1	4	2	2	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,542	-	-	2	1	-	2	7	7	2	8	8	18	27	46	86	172	216	308	280	188	122	35	4	-	-	3
	White—M	528	-	-	-	-	-	2	4	2	-	5	3	6	15	19	21	58	76	100	97	59	42	13	3	-	-	3
	F	996	-	-	2	1	-	-	3	5	2	3	4	12	11	25	62	110	140	205	181	128	79	22	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	-	3	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter	77	-	-	-	-	-	-	-	1	3	2	3	2	6	6	7	12	12	12	9	2	-	-	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	1	-	1	1	1	3	-	3	2	3	2	1	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	3	1	2	1	2	6	4	10	9	10	8	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	177	-	-	-	-	-	-	-	-	-	8	11	17	*30	17	29	18	17	20	10	-	-	-	-	-	-	-
	White—M	147	-	-	-	-	-	-	-	-	-	7	11	14	27	13	23	15	17	13	7	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	3	-	7	1	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,671	6	2	-	1	-	-	2	2	4	9	19	32	67	163	218	344	461	679	848	799	592	296	86	26	5	10
	White—M	1,942	3	-	-	1	-	-	1	1	1	4	11	18	23	61	105	166	220	312	350	314	205	110	24	4	1	7
	F	2,637	2	2	-	-	-	-	-	1	3	5	7	13	41	95	102	170	229	357	480	477	381	184	62	20	3	3
	All other—M	50	1	-	-	-	-	-	-	-	-	-	-	1	2	2	5	8	5	7	11	3	3	-	-	2	-	-
	F	42	-	-	-	-	-	-	1	-	-	-	1	-	1	5	6	-	7	3	7	5	3	2	-	-	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	388	26	11	6	7	2	12	10	15	11	13	14	26	21	24	35	28	27	28	24	22	12	10	2	1	-	1
	White—M	222	18	8	4	2	2	8	7	8	4	5	11	18	10	14	22	16	16	16	13	8	8	4	-	-	-	-
	F	158	6	3	2	5	-	4	3	7	6	7	3	8	10	10	13	11	11	12	10	13	4	6	2	1	-	1
	All other—M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	213	33	7	2	3	3	15	8	13	10	14	13	4	7	9	15	17	10	10	10	5	4	1	-	-	-	-
	White—M	106	17	5	2	1	2	8	3	7	7	7	7	1	4	5	6	7	7	4	4	2	-	-	-	-	-	-
	F	101	14	2	-	2	1	7	4	6	2	7	6	3	3	4	9	8	3	6	6	3	4	1	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,142	-	-	-	2	-	9	24	38	33	35	52	73	85	99	99	84	89	101	97	93	75	39	8	4	-	3
	White—M	517	-	-	-	1	-	5	11	22	12	24	22	32	39	46	57	41	47	47	35	39	21	11	2	-	-	3
	F	611	-	-	-	-	-	4	13	14	21	11	28	40	46	52	39	42	41	53	62	54	54	28	5	4	-	-
	All other—M	6	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	1	-	-	1	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,134	-	-	-	-	-	1	-	4	1	5	16	67	161	293	402	549	718	841	803	634	396	160	55	11	2	15
	White—M	3,422	-	-	-	-	-	-	-	2	-	3	10	58	137	242	325	423	520	543	491	368	205	59	22	4	-	10
	F	1,671	-	-	-	-	-	1	-	2	1	2	6	9	22	48	68	119	192	293	307	265	191	98	33	7	2	5
	All other—M	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	4	3	3	-	-	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	2	1	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	11,508	5	-	-	2	1	6	18	22	25	33	38	70	143	273	510	679	1,209	1,604	1,968	1,870	1,663	901	354	83	15	16
	White—M	5,460	4	-	-	1	-	-	8	9	11	14	20	32	69	152	287	402	652	823	970	845	675	340	109	24	3	10
	F	5,881	1	-	-	1	1	6	10	13	12	18	17	33	71	112	206	263	534	756	969	1,014	974	555	241	58	10	6
	All other—M	95	-	-	-	-	-	-	-	-	2	-	-	4	1	6	8	10	11	13	17	8	9	4	1	1	-	-
	F	72	-	-	-	-	-	-	-	-	-	1	1	1	2	3	9	4	12	12	12	3	5	2	3	-	2	-
107-109	Pneumonia (all forms)	2,480	316	43	18	12	2	14	18	18	20	29	39	50	73	107	120	128	183	249	287	282	241	149	78	21	2	3
	White—M	1,296	161	21	11	5	2	8	5	12	12	15	20	36	48	73	76	78	104	141	142	150	98	54	16	5	-	3
	F	1,124	137	20	6	7	-	6	11	6	7	14	16	12	24	33	42	46	75	104	120	125	141	94	62	15	1	-
	All other—M	41	10	2	1	-	-	-	-	-	1	-	3	1	1	1	1	3	3	2	3	5	2	1	-	1	-	-
	F	19	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	2	2	-	-	-	-	1	-
117	Ulcer of stomach or duodenum	367	1	-	-	-	-	-	2	1	-	3	11	14	30	34	52	37	55	47	33	23	14	6	1	1	-	2
	White—M	291	-	-	-	-	-	-	-	1	-	3	10	11	28	30	46	32	44	35	27	14	9	1	-	-	-	2
	F	75	1	-	-	-	-	-	2	-	-	-	1	3	4	4	6	5	11	12	5	9	5	5	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
119,120	Diarrhea, enteritis, etc.*	183	123	6	2	2	-	-	3	-	3	4	3	4	5	1	6	4	6	5	3	1	-	1	-	1	-	-
	White—M	100	74	2	2	1	-	-	2	-	1	1	-	-	4	-	3	1	4	3	-	-	-	1	-	1	-	-
	F	82	48	4	-	1	-	-	1	-	2	3	3	4	1	1	3	3	2	2	3	1	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	424	1	7	6	9	5	25	24	30	16	16	19	10	27	33	31	42	34	36	21	15	12	3	1	-	-	1
	White—M	242	-	5	4	8	2	11	16	18	9	13	14	5	12	22	16	25	17	18	15	8	5	-	-	-	-	1
	F	178	1	2	2	1	3	14	8	11	7	3	5	5	13	11	14	17	17	20	6	7	7	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	393	11	2	2	-	1	2	5	4	8	4	4	7	17	21	32	34	40	52	49	39	33	19	5	1	-	1
	White—M	199	8	2	1	-	-	1	2	3	5	-	3	2	8	14	16	17	22	32	23	14	17	5	3	1	-	-
	F	187	2	-	-	-	1	1	2	1	3	4	1	5	9	6	16	17	18	18	25	25	16	14	2	-	-	1
	All other—M	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	406	1	-	-	-	-	1	3	1	-	5	7	13	29	39	53	48	56	52	48	24	16	5	3	1	-	1
	White—M	269	1	-	-	-	-	-	1	1	-	5	2	7	18	24	37	37	37	33	33	19	11	2	-	-	-	1
	F	133	-	-	-	-	-	-	2	-	-	-	5	6	9	15	15	11	19	19	15	5	5	3	3	1	-	-
	All other—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	332	-	-	-	-	-	-	-	1	-	1	3	14	17	23	35	46	46	40	46	28	17	9	4	-	-	2
	White—M	106	-	-	-	-	-	-	-	1	-	-	1	4	1	9	12	12	15	12	17	14	1	5	2	-	-	-
	F	224	-	-	-	-	-	-	-	-	-	1	2	9	16	14	23	33	31	28	29	14	16	4	2	-	-	2
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,185	2	2	1	2	1	3	8	17	32	25	31	40	107	133	208	236	328	419	505	425	382	183	66	13	2	14
	White—M	1,487	1	1	1	-	-	1	6	8	23	17	17	17	45	73	103	123	172	198	217	170	163	86	29	6	-	10
	F	1,639	1	1	-	2	1	1	2	8	9	8	14	21	56	58	97	105	148	215	280	250	216	97	37	7	1	4
	All other—M	35	-	-	-	-	-	1	-	1	-	-	-	2	1	-	5	7	4	4	7	2	1	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	1	4	2	1	3	2	-	-	-	1	-
137	Diseases of the prostate	313	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	8	28	50	76	68	45	22	11	1	-	1
	White—M	308	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	8	27	49	75	67	44	22	11	1	-	1
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	89	-	-	-	-	-	-	-	4	13	22	21	24	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	88	-	-	-	-	-	-	-	4	13	22	20	24	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	30	-	-	-	-	-	-	-	3	4	9	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	3	4	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	67	-	-	-	-	-	-	-	2	6	25	14	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	65	-	-	-	-	-	-	-	2	6	24	14	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	494	411	19	7	7	-	7	6	4	6	3	4	3	3	1	4	5	-	1	1	1	-	-	-	-	-	1
	White—M	245	207	10	4	2	-	3	3	2	3	1	3	2	1	-	2	-	-	-	1	-	-	-	-	-	-	1
	F	243	198	9	3	5	-	4	3	2	3	2	1	1	2	1	2	5	-	1	-	1	-	-	-	-	-	-
	All other—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	796	796	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	452	452	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	574	-	-	-	-	-	-	3	9	18	38	36	45	51	65	86	54	66	38	30	20	9	4	-	-	-	2
	White—M	425	-	-	-	-	-	-	3	7	12	31	20	31	32	49	67	40	53	30	20	15	9	4	-	-	-	2
	F	140	-	-	-	-	-	-	-	2	6	7	13	13	18	15	19	12	13	7	10	5	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	66	4	-	-	-	-	1	1	3	8	-	5	8	5	7	3	8	6	1	5	1	-	-	-	-	-	-
	White—M	36	1	-	-	-	-	1	-	2	4	-	5	4	1	2	3	5	4	1	2	1	-	-	-	-	-	-
	F	23	3	-	-	-	-	-	1	1	3	-	-	3	3	3	-	1	2	-	3	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	675	3	2	6	8	11	42	22	50	49	31	32	32	19	41	50	62	49	51	50	38	20	5	1	-	-	1
	White—M	502	2	1	4	3	6	31	19	40	39	22	22	25	15	31	40	45	41	38	31	28	15	3	-	-	-	1
	F	153	1	1	2	5	4	11	2	9	7	7	10	7	4	8	8	13	7	11	18	10	5	2	1	-	-	-
	All other—M	17	-	-	-	-	-	-	1	1	3	2	-	-	-	2	1	3	1	2	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,051	46	31	16	19	8	51	46	71	44	48	69	70	97	99	98	114	126	155	219	231	195	124	52	10	1	11
	White—M	1,172	26	19	9	11	6	37	41	61	33	37	58	54	73	80	77	83	76	77	102	89	72	33	9	2	-	7
	F	843	17	10	6	8	2	13	5	6	8	8	9	15	21	17	20	30	49	76	117	141	122	87	43	8	1	4
	All other—M	26	1	2	1	-	-	1	-	3	3	3	2	1	3	1	1	-	1	2	-	-	-	1	-	-	-	-
	F	10	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	1	3	-	-	-	-
	All other causes*	3,781	630	34	20	14	14	36	31	50	60	56	59	93	130	193	173	212	243	302	356	341	354	225	107	26	7	15
	White—M	1,853	367	22	10	10	8	23	18	26	24	25	25	39	58	91	81	117	117	149	180	175	154	83	32	7	2	10
	F	1,867	248	12	10	4	6	13	13	24	35	29	32	49	69	97	88	90	121	147	172	165	199	142	74	18	5	5
	All other—M	29	10	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	2	6	2	1	-	-	1	-	-	-
	F	32	5	-	-	-	-	-	-	-	1	2	2	3	2	4	2	4	3	-	2	-	1	-	-	1	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	All causes	52,108	4,033	326	207	116	111	416	451	720	917	974	1,126	1,469	2,010	2,693	3,553	4,121	4,539	5,322	5,746	5,559	4,434	2,257	795	162	16	35
	White—M	27,924	2,242	156	106	65	58	234	246	425	450	481	546	719	1,002	1,473	2,035	2,362	2,622	2,931	3,094	2,883	2,293	1,086	326	62	7	20
	F	21,448	1,557	154	83	41	44	166	172	226	359	365	420	543	731	922	1,260	1,534	1,757	2,225	2,523	2,557	2,092	1,147	458	95	6	11
	All other—M	1,506	129	9	11	4	4	10	14	27	47	69	79	102	150	172	175	122	97	95	72	67	26	12	7	1	2	3
	F	1,230	105	7	7	6	5	6	19	42	61	59	81	105	127	126	83	103	63	71	57	52	23	12	4	4	1	1
1,2	Typhoid, paratyphoid fever	10	-	-	-	-	-	-	2	2	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	19	6	3	2	-	1	1	-	-	-	-	1	1	-	2	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	8	3	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	41	3	2	1	4	2	11	7	2	2	1	2	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	White—M	18	1	1	-	2	2	5	2	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	23	2	1	1	2	-	6	5	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	57	32	17	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	23	14	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	15	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	-	2	-	-	3	4	1	2	1	-	-	1	1	-	1	2	-	-	1	1	-	-	-	-	-
	White—M	12	-	-	2	-	-	2	3	-	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,563	5	5	5	2	2	6	19	89	142	158	159	152	145	134	156	123	85	79	49	27	16	3	1	-	-	1
	White—M	781	-	2	2	2	-	1	1	19	40	46	72	69	70	84	109	90	59	62	26	15	8	3	1	-	-	-
	F	440	3	1	1	-	1	3	6	29	59	68	48	38	37	30	31	20	15	13	19	11	6	-	-	-	-	1
	All other—M	178	1	1	-	-	1	1	3	9	16	19	19	28	25	17	14	8	9	2	4	1	-	-	-	-	-	-
	F	164	1	1	2	-	-	1	9	32	27	25	20	17	13	3	2	5	2	2	-	-	2	-	-	-	-	-
14-22	Tuberculosis (other forms)	204	14	9	9	7	4	14	6	9	13	12	14	10	17	19	9	9	11	8	6	3	1	-	-	-	-	-
	White—M	101	7	2	4	2	-	8	3	3	9	6	5	4	11	11	5	6	5	3	3	3	1	-	-	-	-	-
	F	59	4	4	2	3	2	3	1	4	2	3	4	2	3	5	3	2	5	4	3	-	-	-	-	-	-	-
	All other—M	31	1	2	2	2	1	2	1	1	1	3	3	3	3	2	1	1	1	1	-	-	-	-	-	-	-	-
	F	13	2	1	1	-	1	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	17	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	3	-	-	-	-
	White—M	12	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	607	16	-	2	-	-	-	1	4	6	11	25	39	45	84	86	98	59	56	40	20	8	6	-	-	-	1
	White—M	341	7	-	1	-	-	-	-	3	3	4	9	20	18	38	48	64	42	38	26	10	7	3	-	-	-	-
	F	137	6	-	1	-	-	-	-	-	1	5	7	8	9	10	20	20	15	10	13	8	1	3	-	-	-	-
	All other—M	98	2	-	-	-	-	-	-	1	1	1	7	8	13	27	15	10	2	7	1	2	-	-	-	-	-	1
	F	31	1	-	-	-	-	-	1	-	1	1	2	3	5	9	3	4	-	1	-	-	-	-	-	-	-	-
33	Influenza	264	39	9	10	2	1	5	3	6	2	4	3	2	11	9	8	12	15	16	26	22	25	23	10	1	-	-
	White—M	135	21	5	5	1	1	2	3	3	1	2	2	2	4	4	7	7	9	6	12	7	13	14	4	-	-	-
	F	121	17	4	4	1	-	3	-	3	1	2	1	-	5	4	1	5	6	9	12	15	12	9	6	1	-	-
	All other—M	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Measles	18	5	4	5	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	3	4	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	72	2	-	-	-	5	16	16	15	4	5	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	43	1	-	-	-	2	9	10	10	3	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	1	-	-	-	3	7	6	5	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,855	1	-	-	-	-	1	-	2	7	7	24	38	101	145	274	320	395	455	443	344	204	68	24	1	-	1
	White—M	1,563	-	-	-	-	-	1	-	1	1	5	12	16	48	70	160	180	236	247	261	164	117	33	10	1	-	-
	F	1,212	1	-	-	-	-	-	-	-	5	2	11	18	46	62	104	134	148	197	175	175	87	32	14	-	-	1
	All other—M	52	-	-	-	-	-	-	-	1	1	-	1	2	6	8	8	2	7	7	5	3	-	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	4	4	4	2	2	-	2	-	-	-	-
48,49	Cancer of female genital organs	819	-	-	-	-	-	-	2	1	6	10	23	60	84	79	114	105	99	89	85	34	20	7	-	-	-	1
	White—F	768	-	-	-	-	-	-	2	1	5	8	21	47	78	74	108	101	95	85	84	33	19	7	-	-	-	-
	All other—F	51	-	-	-	-	-	-	-	-	1	2	2	13	6	5	6	4	4	4	1	1	1	-	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
50	Cancer of breast	648	-	-	-	-	-	-	-	-	1	3	10	30	50	54	81	96	87	64	56	50	49	12	4	-	-	1
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	-	-	1	1	-	-	-	-	-
	F	624	-	-	-	-	-	-	-	-	1	3	10	28	45	50	78	94	83	62	56	49	48	12	4	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	2	2	2	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,953	4	1	3	3	4	13	11	16	21	24	23	55	76	120	171	219	238	270	237	226	134	66	13	3	-	2
	White—M	1,581	4	1	2	1	4	10	7	11	11	14	13	26	47	83	115	147	165	197	172	182	111	47	7	2	-	2
	F	524	-	-	1	2	-	3	4	5	9	9	9	24	24	36	51	63	69	66	59	42	22	19	6	1	-	-
	All other—M	35	-	-	-	-	-	-	-	-	1	1	-	3	2	1	4	7	3	6	4	2	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	2	1	1	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	45	-	1	1	1	2	8	4	4	3	5	6	1	2	3	-	3	-	-	-	-	1	-	-	-	-	-
	White—M	20	-	-	1	-	-	5	-	2	1	4	3	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F	23	-	1	-	1	1	3	4	2	1	1	3	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,402	1	-	1	1	-	6	12	15	10	8	8	16	32	71	92	170	201	249	233	156	92	23	4	-	1	-
	White—M	510	-	-	-	-	-	2	5	6	5	4	4	6	12	27	33	52	69	85	84	61	39	14	1	-	1	-
	F	843	-	-	1	1	-	4	6	7	5	4	3	9	15	36	56	108	127	155	146	95	53	9	3	-	-	-
	All other—M	20	1	-	-	-	-	-	-	2	-	-	-	-	1	3	2	2	3	5	1	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	1	-	-	-	1	1	4	5	1	8	2	4	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	192	-	-	-	-	-	-	1	1	2	4	-	6	18	12	25	26	27	22	26	16	6	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	1	5	4	5	7	7	5	2	6	-	-	-	-	-	-
	F	144	-	-	-	-	-	-	1	1	1	4	-	3	12	8	19	19	19	17	24	10	6	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	2	-	-	-	1	-	1	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	62	-	-	-	-	1	-	-	-	-	1	5	10	8	8	7	12	2	4	2	1	1	-	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	1	4	8	7	6	5	10	2	4	1	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	1	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,703	8	3	-	1	-	1	4	4	8	21	23	38	101	163	261	367	495	625	780	789	625	296	70	18	1	1
	White—M	2,267	5	2	-	-	-	1	2	1	3	8	10	19	42	76	117	163	250	296	390	400	314	131	26	10	-	1
	F	2,278	2	1	-	1	-	-	2	3	4	10	9	16	43	75	119	181	227	317	374	379	304	159	43	8	1	-
	All other—M	72	1	-	-	-	-	-	-	-	1	2	-	2	5	3	12	9	8	6	9	8	4	1	1	-	-	-
	F	86	-	-	-	-	-	-	-	-	-	1	4	1	11	9	13	14	10	6	7	2	3	5	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	543	40	9	4	7	1	18	22	20	20	19	23	23	27	39	30	44	34	48	49	39	16	6	4	-	-	1
	White—M	289	24	1	2	5	-	11	9	8	10	11	14	17	12	27	15	21	14	25	25	21	12	2	2	-	-	1
	F	233	15	7	2	1	1	7	13	9	8	7	8	6	14	10	12	20	20	21	24	18	4	4	2	-	-	-
	All other—M	11	-	1	-	-	-	-	-	2	1	1	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	1	-	-	-	1	1	-	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	222	22	8	10	6	9	21	8	10	17	10	7	6	5	15	17	7	17	9	5	6	5	2	-	-	-	-
	White—M	129	11	6	6	4	5	14	2	5	10	10	6	4	1	10	9	2	9	6	1	2	5	1	-	-	-	-
	F	80	10	2	3	2	3	6	5	5	3	-	1	2	2	4	7	5	8	3	4	4	-	1	-	-	-	-
	All other—M	7	1	-	1	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	1,058	1	2	-	2	-	17	26	21	31	50	39	43	69	78	78	74	84	104	96	110	78	40	13	2	-	-
	White—M	519	1	-	-	-	-	7	9	10	15	23	12	22	29	44	41	44	40	50	52	54	38	21	7	-	-	-
	F	489	-	1	-	-	-	10	15	9	14	24	24	20	32	26	32	25	42	52	43	54	39	19	6	2	-	-
	All other—M	28	-	1	-	-	-	-	2	2	1	2	2	1	4	4	4	1	1	2	-	-	1	-	-	-	-	-
	F	22	-	-	-	2	-	-	-	-	1	1	1	-	4	4	1	4	1	-	1	2	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,353	1	-	-	1	-	2	1	1	3	11	30	85	149	299	403	519	568	642	629	506	347	122	17	13	1	3
	White—M	3,019	1	-	-	-	-	1	1	-	1	8	22	63	120	239	316	409	420	424	412	302	198	69	8	2	1	2
	F	1,280	-	-	-	1	-	1	-	1	2	2	6	19	19	48	76	101	143	209	211	199	149	53	9	11	-	-
	All other—M	44	-	-	-	-	-	-	-	-	-	1	1	1	5	7	9	7	3	5	1	3	-	-	-	-	-	1
	F	30	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	2	2	4	5	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	10,020	10	5	1	-	1	7	16	20	45	44	72	132	241	358	580	746	898	1,219	1,489	1,667	1,386	751	272	47	7	6
	White—M	5,195	3	-	1	-	-	2	9	15	15	22	28	68	112	184	338	445	517	649	796	832	677	351	107	18	3	3
	F	4,313	7	4	-	-	1	4	6	5	25	16	30	40	74	116	173	244	337	517	646	789	691	393	163	29	1	2
	All other—M	276	-	-	-	-	-	1	1	-	3	2	7	12	23	28	43	34	25	29	24	25	10	6	-	-	2	1
	F	236	-	1	-	-	-	-	-	-	2	4	7	12	32	30	26	23	19	24	23	21	8	1	2	-	1	-
107-109	Pneumonia (all forms)	2,512	597	81	58	13	7	20	18	24	51	54	47	78	90	119	145	149	133	161	191	188	178	111	46	12	-	1
	White—M	1,347	315	37	19	6	3	10	12	15	17	12	19	44	55	63	92	87	75	102	98	104	85	53	21	5	-	-
	F	964	238	42	15	6	4	10	5	8	7	10	15	19	20	34	36	48	49	54	86	79	91	56	24	7	-	1
	All other—M	134	22	1	2	1	-	-	-	1	3	10	10	8	16	17	12	11	6	2	5	4	2	-	1	-	-	-
	F	67	22	1	2	-	-	-	1	-	4	2	3	7	1	5	5	3	3	3	2	1	-	2	-	-	-	-
117	Ulcer of stomach or duodenum	313	1	-	-	-	-	-	1	1	2	10	8	18	26	27	47	37	31	36	25	25	12	3	3	-	-	-
	White—M	238	-	-	-	-	-	-	1	1	1	8	8	14	19	22	39	27	27	26	17	15	8	3	2	-	-	-
	F	59	1	-	-	-	-	-	-	-	1	2	-	1	5	2	5	7	3	9	8	10	4	-	1	-	-	-
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	3	2	3	2	2	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
119,120	Diarrhea, enteritis, etc.*	243	149	22	4	-	1	-	3	4	4	1	2	6	2	2	4	5	1	3	7	9	7	4	3	-	-	-
	White—M	135	88	12	2	-	-	-	2	3	1	-	1	3	1	-	3	4	1	2	4	2	4	1	1	-	-	-
	F	94	51	9	-	-	1	-	1	1	3	1	1	3	1	2	-	1	-	1	3	7	3	3	2	-	-	-
	All other—M	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	514	1	4	3	10	11	26	43	40	37	27	22	30	38	40	49	33	34	29	19	14	3	-	-	-	-	1
	White—M	302	1	3	2	5	6	11	24	33	24	11	14	22	22	21	29	24	16	12	10	10	1	-	-	-	-	1
	F	176	-	-	1	5	5	15	16	7	10	9	4	6	12	18	14	9	16	14	9	4	2	-	-	-	-	-
	All other—M	20	-	-	-	-	-	-	1	-	1	5	1	1	2	1	4	-	2	2	-	-	-	-	-	-	-	-
	F	16	-	1	-	-	-	-	2	-	2	2	3	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	483	33	4	2	2	2	3	6	7	6	8	13	18	17	33	42	49	44	58	41	48	30	11	6	-	-	-
	White—M	251	23	2	1	2	1	2	2	3	4	2	4	5	9	12	18	23	25	35	23	25	20	7	3	-	-	-
	F	206	10	2	1	-	1	1	4	2	1	5	8	9	5	17	21	25	17	22	17	22	10	4	2	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1	1	1	-	-	-	1	-	-	-
	F	15	-	-	-	-	-	-	-	2	1	1	-	3	1	2	2	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	483	2	-	-	-	1	4	-	-	1	6	12	17	44	44	65	58	57	60	41	24	27	16	3	1	-	-
	White—M	306	2	-	-	-	1	2	-	-	-	2	7	10	26	30	47	44	40	37	23	16	11	7	1	-	-	-
	F	163	-	-	-	-	-	2	-	-	-	4	3	7	14	13	17	13	16	23	18	8	14	9	2	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	2	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	342	1	-	-	-	-	-	1	-	2	4	10	10	17	31	37	49	43	33	32	37	24	8	3	-	-	-
	White—M	96	1	-	-	-	-	-	-	-	1	2	-	3	2	8	11	15	10	12	9	14	6	1	1	-	-	-
	F	237	-	-	-	-	-	-	-	-	1	1	8	7	15	21	25	33	33	20	23	23	18	7	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	-	1	2	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,980	10	-	4	4	2	4	17	22	25	40	48	71	98	140	195	229	283	348	444	414	341	170	57	12	1	1
	White—M	1,520	6	-	3	1	-	1	11	8	11	19	22	28	48	60	93	121	164	185	206	227	193	87	21	4	1	-
	F	1,285	4	-	1	3	2	2	5	13	13	19	21	30	36	54	82	89	103	148	225	171	141	82	33	7	-	1
	All other—M	88	-	-	-	-	-	-	1	-	-	2	3	6	6	11	14	7	12	9	8	4	2	-	3	-	-	-
	F	87	-	-	-	-	-	1	-	1	1	-	2	7	8	15	6	12	4	6	5	12	5	1	-	1	-	-
137	Diseases of the prostate	300	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	25	39	70	60	55	25	8	2	-	-
	White—M	291	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	24	39	68	57	54	24	8	2	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	112	-	-	-	-	-	-	1	13	18	22	34	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	106	-	-	-	-	-	-	-	12	18	21	31	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	60	-	-	-	-	-	-	-	4	19	10	9	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	3	15	8	9	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	117	-	-	-	-	-	-	-	6	20	29	24	27	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	110	-	-	-	-	-	-	-	6	20	27	21	25	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	729	614	31	11	5	3	18	10	9	7	3	5	4	1	2	1	1	3	-	-	-	-	-	-	-	-	1
	White—M	389	333	12	5	4	2	9	4	4	5	3	3	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	326	270	19	6	-	1	9	5	4	2	-	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-	1
	All other—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,262	1,262	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	694	694	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	480	480	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	730	-	-	-	-	-	-	3	16	47	48	47	55	70	82	97	78	66	49	40	20	7	3	1	-	-	1
	White—M	569	-	-	-	-	-	-	3	13	30	33	34	44	56	54	75	65	57	43	34	18	5	3	1	-	-	1
	F	145	-	-	-	-	-	-	-	3	14	12	10	11	14	26	19	12	9	6	5	2	2	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	2	3	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	157	3	-	-	1	-	-	-	11	16	18	15	16	26	16	15	7	6	5	-	2	-	-	-	-	-	-
	White—M	67	2	-	-	1	-	-	-	6	6	8	2	6	6	7	12	3	4	4	-	-	-	-	-	-	-	-
	F	28	1	-	-	-	-	-	-	2	3	1	2	2	6	2	1	4	1	1	-	2	-	-	-	-	-	-
	All other—M	49	-	-	-	-	-	-	-	3	4	5	11	7	11	5	2	-	1	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	3	4	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,722	5	12	17	14	12	76	71	160	175	132	115	92	100	109	106	108	116	111	87	57	33	11	1	-	-	2
	White—M	1,238	3	7	11	11	9	46	49	123	115	104	85	66	71	76	75	82	86	79	65	41	24	8	-	-	-	2
	F	432	2	5	6	2	1	28	20	37	56	23	24	20	22	29	29	22	28	31	21	14	8	3	1	-	-	-
	All other—M	40	-	-	-	-	1	2	2	-	4	3	4	5	5	3	2	3	1	1	1	2	1	-	-	-	-	-
	F	12	-	-	-	1	1	-	-	-	-	2	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,214	92	44	35	20	21	67	71	111	91	91	92	93	99	120	111	115	110	115	149	174	180	138	58	11	1	5
	White—M	1,372	46	25	18	10	11	41	50	89	72	77	69	71	86	98	87	85	77	73	88	59	73	42	18	2	-	5
	F	760	43	18	14	8	9	25	18	19	13	11	16	15	10	12	20	23	31	37	61	107	107	94	39	9	1	-
	All other—M	57	1	1	3	1	-	1	2	3	6	1	4	6	2	9	3	5	-	4	-	4	-	1	-	-	-	-
	F	25	2	-	-	1	1	-	1	-	-	2	3	1	1	1	1	2	2	1	-	4	-	1	1	-	-	-
	All other causes*	5,056	1,045	48	33	9	16	45	41	49	70	81	119	155	176	227	238	240	287	314	346	467	520	329	173	39	4	5
	White—M	2,618	617	24	15	7	10	31	21	29	32	27	57	51	64	104	122	124	164	183	185	232	266	159	75	16	1	2
	F	2,158	369	22	17	2	6	11	20	18	33	41	45	75	85	90	98	99	91	122	151	225	248	168	96	20	3	3
	All other—M	129	34	1	1	-	-	1	-	-	-	8	2	4	14	14	13	10	8	5	3	6	2	2	1	-	-	-
	F	151	25	1	-	-	-	2	-	2	5	5	15	25	13	19	5	7	4	4	7	4	4	-	1	3	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	All causes	26,814	1,769	153	97	53	53	214	188	336	398	406	489	587	785	1,094	1,548	1,843	2,259	2,742	3,264	3,546	2,885	1,502	478	106	10	9
	White—M	15,322	1,003	78	51	37	21	122	103	195	257	226	247	335	436	657	955	1,139	1,377	1,612	1,877	2,005	1,572	748	222	40	2	5
	F	11,136	719	71	44	14	27	81	78	129	128	170	226	241	331	424	577	673	852	1,104	1,364	1,512	1,302	745	247	65	8	4
	All other—M	200	30	3	2	1	3	4	4	7	5	6	11	7	13	7	9	17	19	16	14	11	5	3	2	1	-	-
	F	156	17	1	-	1	2	7	3	5	8	4	5	4	5	6	7	14	11	10	9	18	6	6	7	-	-	-
1,2	Typhoid, paratyphoid fever	6	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	-	-	-	-	-	-	2	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	15	1	1	1	2	2	2	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	2	1	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	33	22	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	10	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	1	1	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	689	5	-	-	2	1	3	6	29	41	56	58	57	61	52	76	67	56	34	36	27	15	5	2	-	-	-
	White—M	408	2	-	-	1	-	1	2	11	10	24	25	35	31	33	62	50	45	21	25	18	8	4	-	-	-	-
	F	237	-	-	-	1	-	-	3	13	24	28	29	19	25	19	14	13	8	12	11	9	7	1	1	-	-	-
	All other—M	28	2	-	-	-	1	1	1	3	1	3	3	2	3	-	-	3	3	1	-	-	-	-	1	-	-	-
	F	16	1	-	-	-	-	1	-	2	6	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	67	1	3	2	1	2	5	2	1	2	7	5	6	2	6	2	4	4	2	5	3	2	-	-	-	-	-
	White—M	32	-	-	1	1	-	2	2	-	-	2	4	4	1	4	1	4	2	1	2	-	1	-	-	-	-	-
	F	30	-	3	1	-	-	2	-	1	2	5	1	2	1	2	1	-	2	-	3	3	1	-	-	-	-	-
	All other—M	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	1	1	-	-	-
	White—M	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	239	1	-	-	-	-	-	-	-	3	-	7	14	16	24	42	35	35	20	23	13	5	1	-	-	-	-
	White—M	163	1	-	-	-	-	-	-	-	3	-	3	7	6	19	32	21	25	14	19	11	2	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	2	6	8	5	9	10	5	4	2	2	3	1	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	2	1	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-
33	Influenza	239	19	16	3	-	2	3	-	5	3	1	3	5	6	4	5	11	12	19	24	35	32	20	10	1	-	-
	White—M	115	10	7	2	-	1	-	-	3	3	1	-	3	5	2	4	7	7	7	9	18	11	10	5	-	-	-
	F	122	8	9	1	-	1	3	-	2	-	-	2	2	1	2	1	4	5	12	15	17	21	10	5	1	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	6	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	1	-	-	-	-	4	6	4	1	4	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	3	3	4	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	1	3	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,875	1	-	-	-	-	-	-	1	3	6	13	22	39	80	141	167	251	306	300	292	175	58	19	1	-	-
	White—M	1,111	1	-	-	-	-	-	-	1	3	3	3	10	22	51	74	103	138	188	184	187	104	30	8	1	-	-
	F	752	-	-	-	-	-	-	-	-	-	3	10	11	17	29	63	63	111	118	114	103	71	28	11	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	1	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	349	-	-	-	-	-	-	-	2	-	4	13	15	24	42	39	44	48	36	31	22	19	6	3	1	-	-
	White—F	344	-	-	-	-	-	-	-	2	-	4	13	15	24	41	39	43	47	36	29	22	19	6	3	1	-	-
	All other—F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
50	Cancer of breast	343	-	-	-	-	-	-	-	-	-	-	8	13	29	25	47	41	51	39	33	36	13	5	2	-	1	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	340	-	-	-	-	-	-	-	-	-	-	8	13	29	25	47	39	51	38	33	36	13	5	2	-	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,187	1	1	-	3	3	7	7	10	19	19	16	30	40	61	80	115	129	156	170	163	112	35	8	2	-	-
	White—M	862	1	-	-	3	1	2	4	8	14	12	8	21	24	41	52	83	92	116	133	126	88	25	6	2	-	-
	F	313	-	1	-	-	2	5	3	2	4	6	8	9	16	20	27	29	36	37	36	37	23	10	2	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	2	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	41	-	-	-	-	-	7	9	4	3	4	3	1	1	1	-	-	1	1	2	3	1	-	-	-	-	-
	White—M	19	-	-	-	-	-	4	2	2	2	2	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-
	F	20	-	-	-	-	-	2	6	2	1	2	3	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	747	2	1	1	2	2	-	4	4	8	8	4	11	9	15	41	59	87	130	149	112	73	23	1	-	-	1
	White—M	290	2	-	1	-	2	-	1	1	2	2	2	7	4	6	17	26	28	55	54	47	25	7	1	-	-	-
	F	451	-	1	-	2	-	-	3	3	6	6	2	4	5	9	24	32	58	72	94	65	48	16	-	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	109	-	-	-	-	-	-	-	-	-	2	5	7	2	8	14	11	18	17	10	13	1	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	1	3	1	-	1	-	-	-	-	-	-
	F	94	-	-	-	-	-	-	-	-	-	1	3	5	2	7	11	10	15	16	10	12	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	42	-	-	-	-	-	-	-	-	-	-	2	4	5	3	7	10	3	5	2	1	-	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	-	2	3	3	2	5	10	3	5	2	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,612	9	1	-	1	-	5	3	4	4	7	10	11	48	73	118	190	241	305	432	494	399	190	53	11	-	3
	White—M	1,364	4	-	-	1	-	2	2	3	2	6	7	7	19	33	57	104	138	155	231	260	219	88	20	6	-	-
	F	1,232	3	1	-	-	-	3	1	1	2	-	3	4	26	39	60	84	102	149	201	232	179	101	33	5	-	3
	All other—M	7	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	1	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	2	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	283	22	5	2	3	2	5	9	12	15	12	10	14	15	21	14	15	23	13	28	26	14	4	1	-	-	-
	White—M	164	11	2	1	1	-	2	8	9	11	4	4	7	9	13	8	10	14	9	16	14	9	2	-	-	-	-
	F	115	10	3	1	2	1	3	1	3	4	8	6	7	6	8	6	5	9	4	10	11	4	2	1	-	-	-
	All other—M	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	155	22	7	2	1	3	9	9	10	6	8	4	5	7	7	15	6	5	7	6	4	6	3	2	1	-	-
	White—M	90	15	4	2	1	1	4	3	5	3	7	1	2	5	4	8	3	2	7	3	3	4	2	1	-	-	-
	F	60	5	2	-	-	2	5	6	5	2	1	3	3	2	3	6	3	3	-	3	1	2	1	1	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	569	-	-	1	-	-	5	9	20	9	10	18	21	35	32	43	53	52	64	61	61	52	14	8	1	-	-
	White—M	280	-	-	-	-	-	2	6	7	5	2	8	9	18	11	20	25	27	35	39	31	25	6	3	1	-	-
	F	285	-	-	1	-	-	3	3	13	3	7	10	12	17	21	23	28	24	29	22	29	27	8	5	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,673	-	-	-	-	-	-	-	-	1	4	6	30	68	126	181	240	338	405	429	420	256	135	22	10	-	2
	White—M	1,894	-	-	-	-	-	-	-	-	1	3	4	25	58	106	149	188	256	296	283	279	152	80	11	1	-	2
	F	763	-	-	-	-	-	-	-	-	-	1	2	5	9	19	31	51	77	108	144	138	104	54	11	9	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	2	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,125	4	-	-	-	-	5	13	10	11	14	21	33	44	81	145	218	320	478	637	807	725	408	123	25	1	2
	White—M	2,228	3	-	-	-	-	3	10	5	7	9	14	22	26	49	92	138	191	280	345	401	364	196	62	9	-	2
	F	1,858	1	-	-	-	-	1	3	5	4	5	6	11	18	31	53	74	125	191	288	396	358	212	59	16	1	-
	All other—M	23	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	3	4	6	1	4	2	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	6	1	-	2	-	-	-
107-109	Pneumonia (all forms)	1,565	193	37	16	5	7	9	7	20	21	18	22	23	28	43	48	83	78	110	188	211	211	122	51	14	-	-
	White—M	868	113	20	11	-	2	4	4	11	13	13	9	11	14	28	36	57	53	56	94	121	118	55	22	3	-	-
	F	655	67	15	5	5	5	5	3	7	7	5	11	12	12	13	12	24	24	53	92	85	91	65	27	10	-	-
	All other—M	25	9	2	-	-	-	-	-	1	-	-	2	-	2	2	-	1	1	1	2	-	-	-	1	1	-	-
	F	17	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	5	2	2	1	-	-	-
117	Ulcer of stomach or duodenum	177	-	-	-	-	-	-	-	-	-	4	3	10	10	14	28	24	19	25	16	13	7	3	1	-	-	-
	White—M	145	-	-	-	-	-	-	-	-	-	3	3	10	8	11	26	19	17	21	13	7	5	2	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	5	2	4	3	6	2	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
119,120	Diarrhea, enteritis, etc.*	123	63	6	3	3	1	1	1	2	2	1	4	2	1	2	5	8	1	2	3	2	5	5	-	-	-	-
	White—M	66	38	2	-	2	-	-	1	1	2	1	-	1	1	1	3	4	1	2	1	-	2	3	-	-	-	-
	F	53	23	3	2	1	1	1	-	1	-	-	4	1	-	1	2	4	-	-	2	2	3	2	-	-	-	-
	All other-M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	296	1	1	4	7	2	23	24	31	13	13	16	23	22	16	27	15	13	19	9	12	3	-	2	-	-	-
	White—M	185	1	-	1	6	1	12	14	20	9	8	12	14	14	8	15	11	11	12	5	8	2	-	1	-	-	-
	F	109	-	1	3	1	1	10	10	11	4	5	4	9	8	8	11	4	2	7	4	4	1	-	1	-	-	-
	All other-M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	248	16	5	-	1	1	2	1	1	2	4	6	4	8	14	23	18	26	25	31	23	20	14	3	-	-	-
	White—M	158	13	3	-	1	1	2	1	-	2	3	3	3	6	11	13	7	18	17	14	17	10	10	3	-	-	-
	F	89	3	2	-	-	-	-	-	1	-	1	3	1	2	3	10	11	7	8	17	6	10	4	-	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	194	1	-	-	-	-	-	1	-	1	1	3	8	17	15	23	23	22	16	30	14	10	8	1	-	-	-
	White—M	143	1	-	-	-	-	-	-	-	-	1	3	6	10	13	18	19	16	10	24	12	6	4	-	-	-	-
	F	51	-	-	-	-	-	-	1	-	1	-	-	2	7	2	5	4	6	6	6	2	4	4	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	242	-	-	-	-	-	-	-	-	-	-	7	7	11	14	20	28	37	29	35	28	15	10	1	-	-	-
	White—M	83	-	-	-	-	-	-	-	-	-	-	2	1	5	2	5	9	15	9	15	10	7	3	-	-	-	-
	F	153	-	-	-	-	-	-	-	-	-	-	5	5	6	12	14	18	20	20	19	18	8	7	1	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,167	3	-	-	-	1	6	1	10	18	16	21	20	40	46	71	69	88	125	162	180	178	84	24	3	1	-
	White—M	661	-	-	-	-	1	4	1	6	10	6	12	11	19	25	40	41	59	65	86	112	103	46	11	2	1	-
	F	488	3	-	-	-	-	1	-	4	8	10	8	9	20	19	30	28	28	57	72	68	73	37	12	1	-	-
	All other-M	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	3	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	1	-	2	1	1	-	-	-
137	Diseasss of the prostate	254	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	20	30	40	58	61	27	9	-	-	-
	White—M	252	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	20	30	40	57	61	26	9	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	52	-	-	-	-	-	-	-	4	13	17	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	50	-	-	-	-	-	-	-	4	12	17	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	1	2	8	3	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	2	8	3	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	42	-	-	-	-	-	-	-	1	6	6	11	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	42	-	-	-	-	-	-	-	1	6	6	11	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	345	279	13	7	3	1	9	8	5	3	4	2	2	1	2	3	-	2	1	-	-	-	-	-	-	-	-
	White—M	182	146	7	5	3	-	7	1	4	2	2	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	160	132	6	2	-	1	2	6	1	1	2	2	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-
	All other-M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	633	633	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	355	355	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	269	269	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	402	-	-	-	-	-	-	4	7	25	23	27	29	37	48	49	52	43	22	13	13	8	2	-	-	-	-
	White—M	311	-	-	-	-	-	-	3	3	21	16	17	20	29	37	42	38	35	19	10	13	7	1	-	-	-	-
	F	87	-	-	-	-	-	-	-	4	3	7	10	9	8	11	6	14	8	3	2	-	1	1	-	-	-	-
	All other-M	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	33	1	-	-	-	-	1	3	-	3	3	3	1	4	2	3	4	2	3	-	-	-	-	-	-	-	-
	White—M	23	-	-	-	-	-	1	1	-	1	2	2	-	4	2	3	3	2	2	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	2	-	2	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	622	1	6	13	3	6	31	9	45	83	40	36	31	58	48	40	33	38	35	42	25	16	1	2	-	-	-
	White—M	469	-	2	8	3	4	23	4	28	69	32	27	25	31	42	30	23	29	22	34	20	11	1	1	-	-	-
	F	148	1	4	5	-	2	8	5	17	14	7	7	5	7	6	9	10	9	13	8	5	5	-	1	-	-	-
	All other-M	5	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,317	41	27	21	6	8	37	35	56	59	48	47	43	52	57	88	67	67	72	97	121	142	86	31	7	1	1
	White—M	862	22	16	11	5	2	22	25	45	49	42	37	36	41	46	78	55	53	43	64	58	64	32	14	1	-	1
	F	435	18	11	10	1	6	11	7	8	10	4	10	6	9	10	10	11	14	29	33	61	78	54	17	6	1	-
	All other-M	9	-	-	-	-	-	1	1	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	3	2	1	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
	All other causes*	2,619	418	18	13	8	7	34	14	31	18	34	60	54	51	106	108	122	128	190	221	311	309	231	98	29	6	-
	White—M	1,430	249	12	8	5	4	20	5	15	12	17	31	30	20	52	59	70	75	111	130	169	163	114	44	14	1	-
	F	1,155	161	6	5	1	2	14	9	14	6	17	27	24	30	51	48	50	53	77	90	140	145	114	51	15	5	-
	All other-M	15	5	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	-	1	1	1	-	1	-	-	-	-
	F	19	3	-	-	1	1	-	-	1	-	-	2	-	-	2	-	1	-	1	-	1	1	2	3	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	All causes	23,154	2,854	456	185	99	94	278	289	623	840	827	849	905	960	1,117	1,391	1,552	1,696	2,062	1,871	1,435	1,253	859	348	128	99	84
	White—M	5,457	607	75	37	25	24	60	60	101	123	127	123	149	170	251	279	432	459	631	505	418	429	257	86	9	1	19
	F	4,143	465	91	34	23	16	56	49	72	71	83	113	86	128	152	182	232	281	404	459	377	400	248	78	29	5	9
	All other—M	7,038	988	151	64	29	28	86	98	197	312	308	277	308	291	330	490	480	509	589	520	365	246	175	95	44	29	29
	F	6,516	794	139	50	22	26	76	82	253	334	309	336	362	371	384	440	408	447	438	387	275	178	179	89	46	64	27
1,2	Typhoid, paratyphoid fever	33	-	-	-	-	-	2	3	5	7	4	1	2	2	3	1	1	1	-	1	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	2	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	1	-	2	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	3	3	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	144	101	23	8	6	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	16	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	20	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	44	28	8	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	42	6	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	59	11	11	7	7	9	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	3	2	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	3	5	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	15	2	3	3	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	3	1	1	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	992	3	2	2	-	2	6	12	78	150	147	117	85	79	70	61	57	31	31	35	14	5	2	1	-	-	2
	White—M	155	-	-	1	-	1	1	-	4	7	11	11	16	13	15	14	23	11	10	11	3	2	1	-	-	-	-
	F	98	-	1	-	-	-	-	1	2	4	12	8	3	14	6	6	6	5	8	12	7	2	1	-	-	-	-
	All other—M	341	1	1	-	-	-	3	2	27	61	48	38	34	30	28	19	17	9	9	10	2	1	-	1	-	-	-
	F	398	2	-	1	-	1	2	9	45	78	76	60	32	22	21	22	11	6	4	2	2	-	-	-	-	-	2
14-22	Tuberculosis (other forms)	74	3	1	-	2	-	4	5	8	10	10	5	6	7	4	3	3	-	-	2	-	-	1	-	-	-	-
	White—M	11	-	-	-	1	-	-	2	1	-	-	-	-	3	1	-	2	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other—M	30	2	1	-	-	-	1	3	4	5	5	1	5	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	29	1	-	-	1	-	3	-	3	4	5	4	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	155	36	32	8	1	1	2	2	-	4	2	4	6	4	4	5	6	5	6	8	6	5	3	1	3	1	-
	White—M	32	9	6	4	-	-	1	1	-	1	-	-	1	-	-	-	1	1	1	-	3	1	1	1	-	-	-
	F	35	6	14	-	1	1	1	-	-	-	-	-	-	2	1	1	2	1	1	3	-	-	-	-	1	-	-
	All other—M	53	12	6	4	-	-	-	-	-	3	2	-	4	1	2	3	2	2	1	4	3	2	1	-	1	-	-
	F	35	9	6	-	-	-	-	1	-	-	-	4	1	1	1	1	1	1	3	1	-	2	1	-	1	1	-
28	Malaria	175	21	7	10	3	3	17	9	12	3	8	1	2	8	7	11	10	6	14	3	9	6	1	2	-	1	1
	White—M	30	4	1	2	1	1	2	1	3	-	1	-	-	1	3	2	1	1	-	2	2	2	-	-	-	-	-
	F	22	2	-	-	-	-	5	-	1	-	-	-	1	-	1	1	1	1	3	1	3	2	-	-	-	-	-
	All other—M	70	10	4	5	-	-	3	5	2	1	3	1	-	5	3	5	6	4	7	-	2	2	-	2	-	-	-
	F	53	5	2	3	2	2	7	3	6	2	4	-	1	2	-	3	2	-	4	-	2	-	1	-	-	1	1
30	Syphilis	474	57	5	4	-	-	1	2	14	19	30	37	53	50	30	56	32	20	23	26	10	1	2	1	-	-	1
	White—M	40	3	-	-	-	-	-	-	-	-	2	-	6	7	1	7	4	1	5	1	3	-	-	-	-	-	-
	F	11	1	1	-	-	-	-	-	-	-	4	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	All other—M	275	32	1	2	-	-	-	-	5	10	12	24	32	27	18	38	23	12	14	17	5	-	1	1	-	-	1
	F	148	21	3	2	-	-	1	2	9	9	12	12	15	16	11	11	4	6	4	7	2	-	1	-	-	-	-
33	Influenza	820	144	37	10	5	6	18	14	24	11	21	19	25	18	29	38	37	48	35	62	64	60	63	17	8	4	3
	White—M	200	27	10	1	1	2	5	2	6	1	1	4	2	3	5	3	9	11	12	23	19	23	24	5	-	-	1
	F	181	17	5	3	1	-	3	5	2	2	3	1	3	4	5	4	5	9	11	16	27	26	21	5	3	-	-
	All other—M	220	62	11	4	1	3	6	4	5	5	6	6	10	5	6	17	8	12	9	11	8	4	7	4	3	2	1
	F	219	38	11	2	2	1	4	3	11	3	11	8	10	6	13	14	15	16	3	12	10	7	11	3	2	2	1
35	Measles	11	2	2	-	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	1	-	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	593	-	-	-	1	-	1	-	-	5	5	11	17	26	50	53	70	81	98	74	51	30	11	6	-	-	3
	White—M	185	-	-	-	-	-	-	-	-	1	1	3	1	4	11	18	20	28	30	24	24	10	3	1	-	-	-
	F	182	-	-	-	1	-	1	-	-	1	2	1	4	7	11	12	22	19	30	26	19	17	5	3	-	-	1
	All other—M	112	-	-	-	-	-	-	-	-	1	1	2	6	8	10	9	15	19	18	14	4	2	-	1	-	-	2
	F	114	-	-	-	-	-	-	-	-	2	1	5	6	7	18	14	13	15	14	10	4	1	3	1	-	-	-
48,49	Cancer of female genital organs	307	-	-	-	-	-	-	-	1	2	7	16	27	30	51	35	55	22	23	9	15	10	2	1	-	1	-
	White—F	134	-	-	-	-	-	-	-	-	-	-	4	6	12	24	18	27	10	8	5	10	9	1	-	-	-	-
	All other—F	173	-	-	-	-	-	-	-	1	2	7	12	21	18	27	17	28	12	15	4	5	1	1	1	-	1	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
50	Cancer of breast	125	-	-	-	-	-	-	-	-	-	-	5	8	11	26	19	12	15	15	5	3	4	1	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	-	1	5	7	10	11	4	8	10	3	1	4	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	4	3	4	16	7	7	6	5	2	2	-	1	-	-	-	1
45,47, 51-55	Cancer (other forms)	421	1	1	-	-	2	2	4	7	7	12	7	9	16	30	31	43	33	70	50	44	26	17	4	3	-	2
	White—M	193	1	-	-	-	-	-	1	2	2	4	6	3	7	15	14	22	14	30	22	21	15	10	3	1	-	-
	F	91	-	-	-	-	2	1	-	2	1	1	-	2	2	4	7	8	6	21	13	11	6	4	-	-	-	-
	All other—M	98	-	-	-	-	-	1	2	2	2	4	-	3	3	8	8	11	11	13	11	9	5	2	-	1	-	2
	F	39	-	1	-	-	-	-	1	1	2	3	1	1	4	3	2	2	2	6	4	3	-	1	1	1	-	-
58	Acute rheumatic fever	32	-	-	-	1	1	3	5	3	3	1	2	2	2	-	-	3	2	1	1	2	-	-	-	-	-	-
	White—M	5	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	1	-	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	1	1	4	2	1	1	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
61	Diabetes mellitus	292	2	1	-	-	-	-	3	11	8	4	7	11	15	18	21	27	32	48	35	23	17	7	1	-	-	1
	White—M	79	1	1	-	-	-	-	1	7	2	1	2	2	4	4	2	7	8	15	8	5	6	3	-	-	-	-
	F	86	-	-	-	-	-	-	1	1	1	-	2	-	5	4	4	8	11	16	18	4	8	2	1	-	-	-
	All other—M	41	-	-	-	-	-	-	1	1	3	1	-	2	-	1	5	4	5	5	4	5	1	2	-	-	-	1
	F	86	1	-	-	-	-	-	-	2	2	2	3	7	6	9	10	8	8	12	5	9	2	-	-	-	-	-
63b	Exophthalmic goiter	30	-	-	-	-	-	-	1	1	4	2	1	3	2	3	4	3	4	-	-	1	-	-	-	-	-	1
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	3	2	-	2	1	1	4	1	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	169	1	-	1	-	-	-	-	3	6	4	15	13	11	10	22	11	14	14	14	18	7	3	1	-	1	-
	White—M	10	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	-	-	1	-	-	-
	F	40	1	-	-	-	-	-	-	-	-	1	3	2	3	2	3	4	3	5	4	6	2	1	-	-	-	-
	All other—M	33	-	-	-	-	-	-	-	1	1	2	2	1	1	2	3	1	5	2	3	4	2	2	-	-	1	-
	F	86	-	-	-	-	-	-	-	2	5	1	10	10	6	6	16	6	4	6	5	6	3	-	-	-	-	-
77	Alcoholism (ethylism)	23	-	-	-	-	-	1	-	-	1	1	4	3	2	4	-	2	-	4	1	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	2	-	2	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	1	-	-	1	-	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,710	3	-	-	1	1	4	4	5	5	13	15	33	64	100	127	179	240	274	211	166	146	79	23	7	4	6
	White—M	426	2	-	-	-	1	1	1	-	1	3	-	5	7	14	12	39	57	81	51	61	55	32	3	-	-	-
	F	351	-	-	-	1	-	3	-	1	-	2	4	3	3	16	20	35	45	53	59	33	45	18	6	3	-	1
	All other—M	423	-	-	-	-	-	-	2	3	2	3	6	8	15	23	41	48	60	73	48	35	28	15	7	1	2	3
	F	510	1	-	-	-	-	-	1	1	2	5	5	17	39	47	54	57	78	67	53	37	18	14	7	3	2	2
80-82, 84-88	Other diseases of nervous system, etc.*	243	39	10	3	4	5	13	13	12	12	11	9	13	9	14	13	10	12	18	11	5	5	1	-	-	-	1
	White—M	67	9	1	1	1	1	4	2	3	3	3	2	2	2	4	3	3	5	7	5	3	3	-	-	-	-	-
	F	47	5	-	1	-	3	1	4	2	2	2	2	-	3	3	5	3	2	3	3	-	1	1	-	-	-	1
	All other—M	74	17	3	-	3	1	4	4	5	3	3	3	5	3	4	2	1	2	6	2	2	1	-	-	-	-	-
	F	55	8	6	1	-	-	4	3	2	4	3	2	6	1	3	3	3	3	2	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	125	17	8	-	3	4	10	9	8	4	7	11	6	6	6	3	4	2	3	4	2	2	3	-	1	1	1
	White—M	25	4	2	-	1	1	-	1	2	2	3	1	-	1	2	-	-	1	2	-	-	-	1	-	-	-	1
	F	31	4	2	-	1	1	2	5	3	-	2	3	1	1	3	-	1	1	1	-	-	-	-	-	-	-	-
	All other—M	32	7	2	-	-	1	3	-	2	2	2	4	-	1	-	2	2	-	-	1	1	2	-	-	-	-	-
	F	37	2	2	-	1	1	5	3	1	-	-	3	5	3	1	1	1	-	-	3	1	-	2	-	1	1	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	476	1	1	-	-	1	5	6	9	12	9	11	18	19	24	30	35	41	52	66	56	46	17	8	4	3	2
	White—M	122	1	-	-	-	1	2	2	3	1	-	1	-	4	5	3	6	13	17	19	24	14	4	2	-	-	-
	F	84	-	1	-	-	-	-	-	2	2	1	4	2	2	-	3	3	5	12	13	10	18	4	2	-	-	-
	All other—M	137	-	-	-	-	-	-	2	1	3	1	2	6	5	8	14	16	14	14	17	12	9	6	4	2	1	-
	F	133	-	-	-	-	-	3	2	3	6	7	4	10	8	11	10	10	9	9	17	10	5	3	-	2	2	2
94	Diseases of coronary arteries, angina pectoris	688	-	-	-	-	-	1	-	1	3	9	11	25	34	48	69	93	100	99	72	54	40	18	6	1	-	4
	White—M	366	-	-	-	-	-	1	-	-	1	2	1	11	20	20	42	57	53	59	43	22	25	6	2	1	-	-
	F	140	-	-	-	-	-	-	-	-	-	-	1	1	1	4	12	16	22	18	20	24	9	9	2	-	-	1
	All other—M	97	-	-	-	-	-	-	-	-	-	6	2	6	6	11	10	12	13	15	6	3	2	3	1	-	-	1
	F	85	-	-	-	-	-	-	-	1	2	1	7	7	7	13	5	8	12	7	3	5	4	-	1	-	-	2
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,427	4	2	-	-	1	5	6	10	14	19	51	58	80	116	188	221	267	346	324	260	231	139	53	15	7	10
	White—M	702	-	-	-	-	-	2	1	3	1	2	3	11	18	27	38	62	82	124	94	73	89	47	17	-	-	8
	F	512	1	-	-	-	1	1	2	-	3	-	7	2	6	13	18	28	35	68	91	86	74	47	18	8	2	1
	All other—M	644	1	2	-	-	-	1	1	2	4	11	13	24	24	40	67	69	79	87	76	57	42	25	9	6	4	-
	F	569	2	-	-	-	-	1	2	5	6	6	28	21	32	36	65	62	71	67	63	44	26	20	9	1	1	1
107-109	Pneumonia (all forms)	1,074	262	66	24	16	4	22	22	26	23	27	28	37	51	30	42	50	59	63	72	54	49	33	20	5	3	6
	White—M	233	60	11	4	5	-	2	3	6	2	1	3	5	1	5	7	10	16	15	17	18	20	13	8	-	-	1
	F	217	47	15	5	2	1	6	3	2	1	1	4	2	3	5	2	5	10	19	22	20	22	11	7	-	-	2
	All other—M	375	92	21	6	7	1	9	9	13	17	13	12	17	21	11	18	22	19	18	21	10	4	7	4	1	1	1
	F	249	63	19	9	2	2	5	7	5	3	12	9	13	6	9	15	13	14	11	12	6	3	2	1	4	2	2
117	Ulcer of stomach or duodenum	110	-	-	-	-	-	-	-	-	2	12	4	4	12	16	14	11	9	13	5	1	4	2	-	1	-	-
	White—M	48	-	-	-	-	-	-	-	-	1	3	1	2	7	8	6	5	6	5	-	1	3	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	4	1	-	1	2	-	-	-	-
	All other—M	29	-	-	-	-	-	-	-	-	1	7	3	1	2	5	5	-	3	2	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	2	-	-	3	2	2	3	-	2	4	-	-	-	-	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
119,120	Diarrhea, enteritis, etc.*	417	192	113	29	8	2	5	2	-	-	4	2	3	4	4	3	1	5	5	14	8	5	7	1	-	-	-
	White—M	80	41	20	4	-	2	1	-	-	-	-	-	-	-	-	1	-	2	2	4	1	1	1	-	-	-	-
	F	90	31	22	6	5	-	2	-	-	-	1	-	1	-	-	-	-	2	-	8	3	4	4	1	-	-	-
	All other—M	133	66	39	12	2	-	2	1	-	-	2	1	1	2	1	1	-	1	-	1	1	-	-	-	-	-	-
	F	114	54	32	7	1	-	-	1	-	-	1	1	1	2	3	1	1	-	3	1	3	-	2	-	-	-	-
121	Appendicitis	234	-	1	3	-	-	22	35	24	22	18	16	17	20	11	7	12	6	8	5	2	3	1	1	-	-	-
	White—M	64	-	-	1	-	-	7	8	3	6	2	4	6	8	-	2	7	2	2	3	-	2	-	1	-	-	-
	F	43	-	1	1	-	-	5	6	10	2	3	1	1	2	1	2	1	3	2	1	-	1	-	-	-	-	-
	All other—M	82	-	-	-	-	-	5	13	9	11	10	6	7	5	7	2	3	1	3	-	-	-	-	-	-	-	-
	F	45	-	-	1	-	-	5	8	2	3	3	5	3	5	3	1	1	-	1	1	2	-	1	-	-	-	-
122	Hernia, intestinal obstruction	187	15	4	-	2	2	3	1	11	4	7	7	9	10	10	13	16	12	19	15	11	10	6	1	1	-	-
	White—M	39	5	1	-	1	-	-	1	1	1	-	-	1	1	4	-	4	3	2	3	2	5	3	-	1	-	-
	F	41	3	-	-	-	-	2	-	2	-	1	-	5	3	1	4	1	2	4	4	5	2	1	1	-	-	-
	All other—M	64	6	2	-	-	1	1	-	6	2	2	4	1	3	1	5	6	3	10	3	3	3	2	-	-	-	-
	F	43	1	1	-	1	1	-	-	2	1	4	3	2	3	4	4	5	4	3	3	1	-	-	-	-	-	-
124	Cirrhosis of the liver	82	-	-	-	-	-	1	-	1	-	2	3	3	3	14	6	11	10	11	7	4	3	2	-	-	1	-
	White—M	31	-	-	-	-	-	1	-	-	-	-	-	1	-	7	2	4	4	4	2	2	2	2	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	2	4	1	-	1	-	-	-	1	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	2	3	1	3	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	4	1	2	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	66	2	-	-	-	-	-	-	-	1	-	1	3	8	5	5	9	10	8	4	3	5	1	1	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	2	1	1	1	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	6	7	4	1	2	3	1	1	-	-	-
	All other—M	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	-	1	1	2	-	1	-	-	-	-	-
130-132	Nephritis	2,300	8	3	4	1	1	3	10	18	18	26	39	58	96	116	180	216	234	328	318	229	200	124	34	14	10	12
	White—M	535	1	-	2	1	-	-	2	2	2	2	3	3	11	19	30	58	48	96	80	59	67	37	5	4	-	1
	F	407	3	-	-	-	-	-	1	2	4	3	4	7	7	10	19	15	45	50	76	56	63	33	8	1	-	-
	All other—M	741	3	2	1	-	1	1	5	4	2	10	13	19	27	40	70	81	80	112	101	88	41	30	13	6	2	9
	F	619	1	1	1	-	-	2	2	10	10	11	19	29	51	47	61	62	61	70	61	46	29	24	8	3	8	2
137	Diseases of the prostate	127	-	-	-	-	-	-	-	-	-	-	1	-	-	1	10	6	12	19	29	20	13	12	3	-	1	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	11	8	8	8	2	-	-	-
	All other—M	79	-	-	-	-	-	-	-	-	-	-	1	-	-	1	10	4	8	14	18	12	5	4	1	-	1	-
140, 142a, 147	Puerperal septicemia	102	-	-	-	-	-	-	2	24	19	25	20	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	35	-	-	-	-	-	-	-	5	3	9	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	67	-	-	-	-	-	-	2	19	16	16	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	138	-	-	-	-	-	-	2	37	29	13	27	19	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	1	8	10	4	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	98	-	-	-	-	-	-	1	29	19	9	19	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	90	-	-	-	-	-	-	-	17	13	22	14	19	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	-	5	4	7	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	59	-	-	-	-	-	-	-	12	9	15	9	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	120	98	5	4	2	2	3	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	54	45	2	1	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	32	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	16	11	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	604	604	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	139	-	-	-	-	-	-	-	2	11	13	19	16	12	7	18	12	7	13	8	1	-	1	-	-	-	1
	White—M	97	-	-	-	-	-	-	-	1	7	7	11	12	9	3	11	10	5	12	6	1	-	1	-	-	-	1
	F	15	-	-	-	-	-	-	-	1	2	2	2	1	2	2	1	-	-	-	2	-	-	-	-	-	-	-
	All other—M	22	-	-	-	-	-	-	-	-	1	3	5	3	1	1	3	2	2	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	372	1	-	-	-	-	1	1	37	89	70	49	49	22	20	14	9	4	3	1	1	-	-	-	-	-	1
	White—M	53	-	-	-	-	-	-	-	1	10	11	7	8	2	8	2	3	-	1	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	3	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other—M	251	-	-	-	-	-	-	1	26	59	53	33	31	15	8	11	6	4	2	1	1	-	-	-	-	-	-
	F	58	-	-	-	-	-	1	-	10	17	5	8	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	453	1	5	2	2	10	20	22	25	72	54	36	25	22	51	29	25	18	23	11	6	7	4	1	-	-	2
	White—M	262	1	1	-	1	3	7	11	18	44	32	25	17	10	20	19	11	13	10	7	4	4	2	-	-	-	2
	F	51	-	3	-	1	1	5	4	3	8	3	2	2	3	3	3	4	1	3	1	-	1	-	-	-	-	-
	All other—M	107	-	-	1	-	3	4	5	3	15	16	7	2	9	7	7	7	4	9	3	2	1	1	1	-	-	-
	F	33	-	1	1	-	3	4	2	1	5	3	2	4	-	1	-	3	-	1	-	-	1	1	-	-	-	-
169, 171-195	Other accidents	1,114	48	31	23	15	18	36	43	125	152	97	97	48	32	37	40	33	32	32	44	44	39	41	18	4	-	7
	White—M	274	9	7	5	2	2	8	11	21	17	24	25	21	10	18	17	11	9	12	9	8	12	8	6	-	-	2
	F	143	6	4	6	5	1	4	2	9	2	3	5	-	2	-	6	6	3	9	14	12	17	22	5	-	-	-
	All other—M	428	17	12	8	3	7	12	23	58	55	47	48	22	15	13	13	15	13	8	12	15	5	2	2	1	-	2
	F	269	16	8	4	3	8	12	7	37	58	23	19	5	5	6	4	1	7	3	9	9	5	9	5	3	-	3
	All other causes*	4,805	1,173	82	41	17	18	48	43	62	110	109	124	161	175	165	222	227	302	343	325	248	274	255	143	61	61	16
	White—M	739	189	7	7	4	5	9	8	12	7	9	9	11	11	26	23	43	54	61	54	48	59	50	29	2	1	1
	F	592	138	10	6	1	3	9	9	5	13	11	24	8	21	17	17	15	21	36	37	37	61	59	18	13	2	1
	All other—M	1,746	462	28	15	9	7	18	13	16	35	33	33	52	52	63	95	94	119	133	133	100	84	65	44	22	15	6
	F	1,728	384	37	13	5	3	12	13	29	55	56	58	90	91	59	87	75	108	113	101	63	70	81	52	24	43	8

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes	43,746	2,913	360	176	115	91	277	317	522	673	775	908	1,135	1,461	1,961	2,575	3,193	3,741	4,657	5,377	5,224	4,098	2,209	769	172	42	7
	White—M	22,122	1,496	170	95	61	48	142	167	245	318	345	400	491	594	951	1,308	1,681	1,998	2,523	2,906	2,687	2,048	1,030	341	65	9	3
	F	17,432	1,090	145	67	45	35	113	118	196	239	283	341	403	517	677	846	1,117	1,398	1,815	2,161	2,280	1,923	1,117	401	85	24	-
	All other—M	2,240	190	21	4	3	4	10	24	34	62	80	82	128	170	183	231	211	187	186	178	139	58	27	15	9	2	2
	F	1,952	137	26	10	6	4	12	8	47	54	65	85	113	180	150	190	184	158	135	132	118	69	35	12	13	7	2
1,2	Typhoid, paratyphoid fever	59	-	1	-	-	2	2	8	7	4	6	2	6	5	2	2	5	1	3	2	1	-	-	-	-	-	-
	White—M	32	-	1	-	-	2	1	3	3	2	5	1	3	2	2	-	2	1	2	1	1	-	-	-	-	-	-
	F	24	-	-	-	-	-	1	4	4	2	1	1	3	3	-	1	2	-	1	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	4	1	2	1	1	1	-	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	3	1	1	-	1	1	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	-	3	2	2	1	4	2	1	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	2	2	1	-	3	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	88	62	18	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	36	27	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	31	9	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	63	3	12	13	7	4	9	6	2	2	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	33	1	5	4	5	2	7	4	-	2	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	30	2	7	9	2	2	2	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,589	13	6	3	1	1	3	11	71	119	149	128	152	156	121	136	140	107	92	81	60	27	8	3	-	-	1
	White—M	747	4	3	1	-	1	-	2	14	37	49	49	70	73	67	83	83	66	54	45	29	13	3	-	-	-	1
	F	495	5	1	2	1	-	3	4	23	42	54	48	38	40	27	26	36	32	29	33	29	14	5	3	-	-	-
	All other—M	191	3	-	-	-	-	-	3	10	17	27	16	20	23	17	20	15	8	8	2	2	-	-	-	-	-	-
	F	156	1	2	-	-	-	-	2	24	23	19	15	24	20	10	7	6	1	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	115	5	4	3	3	3	4	3	5	6	12	8	9	7	8	5	7	3	8	8	3	1	-	-	-	-	-
	White—M	48	-	2	2	1	1	4	2	-	4	3	3	1	2	5	3	4	2	4	4	-	1	-	-	-	-	-
	F	38	3	1	-	1	1	-	-	2	2	6	1	5	2	2	1	-	1	3	4	3	-	-	-	-	-	-
	All other—M	14	-	-	-	1	1	-	1	1	-	3	3	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	15	2	1	1	-	-	-	-	2	-	-	1	3	3	-	-	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery	75	24	11	8	1	1	-	-	-	3	2	-	-	2	2	-	2	4	4	4	1	3	2	1	-	-	-
	White—M	36	8	5	6	1	1	-	-	-	2	1	-	-	2	1	-	1	2	2	2	-	2	-	-	-	-	-
	F	31	10	5	2	-	-	-	-	-	1	1	-	-	-	1	-	1	1	2	2	1	1	2	1	-	-	-
	All other—M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria	38	2	3	1	1	-	2	2	1	1	-	2	1	2	3	5	2	2	2	-	3	1	1	1	-	-	-
	White—M	18	-	1	1	1	-	1	-	-	-	-	1	-	2	-	3	-	1	2	-	2	1	1	1	-	-	-
	F	18	2	1	-	-	-	1	2	1	1	-	-	1	-	2	2	1	1	-	-	1	-	-	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	688	25	2	-	2	1	-	-	3	13	8	23	45	66	68	87	110	89	57	48	28	10	2	-	1	-	-
	White—M	354	6	-	-	-	-	-	-	1	3	3	9	12	26	36	46	70	60	34	24	17	6	-	-	1	-	-
	F	130	8	1	-	2	-	-	-	2	5	-	4	10	13	7	12	13	13	15	10	9	4	2	-	-	-	-
	All other—M	137	7	1	-	-	-	-	-	-	-	3	3	17	19	19	20	16	13	6	12	1	-	-	-	-	-	-
	F	67	4	-	-	-	1	-	-	-	5	2	7	6	8	6	9	11	3	2	2	1	-	-	-	-	-	-
33	Influenza	806	81	19	12	9	5	11	6	6	7	8	13	15	17	17	33	35	42	60	85	97	110	78	28	8	4	-
	White—M	398	46	7	6	4	3	8	4	4	2	4	6	3	6	8	22	20	24	28	53	36	53	35	13	2	1	-
	F	370	32	10	4	4	1	2	2	2	4	4	4	12	10	6	7	13	15	29	29	59	55	42	15	6	3	-
	All other—M	21	2	2	2	-	1	1	-	-	1	-	-	-	-	2	-	1	2	3	2	-	2	-	-	-	-	-
	F	17	1	-	-	1	-	-	-	-	-	-	3	-	1	1	4	1	1	-	1	2	-	1	-	-	-	-
35	Measles	21	7	5	3	-	-	3	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	4	2	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	3	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	38	-	1	1	-	1	10	3	7	7	3	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	26	-	1	-	-	1	6	2	6	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	1	-	-	4	1	1	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,352	-	-	-	1	-	1	-	1	5	8	16	31	63	103	181	259	320	357	403	314	174	69	22	3	1	-
	White—M	1,143	-	-	-	1	-	-	-	-	1	3	5	10	30	38	87	134	156	200	196	151	88	33	8	2	-	-
	F	1,047	-	-	-	-	-	1	-	1	3	3	8	19	24	52	72	109	140	142	188	155	81	34	14	-	1	-
	All other—M	95	-	-	-	-	-	-	-	-	-	1	1	2	6	8	16	5	19	11	12	8	3	2	-	1	-	-
	F	47	-	-	-	-	-	-	-	-	1	1	2	-	3	5	6	11	5	4	7	-	2	-	-	-	-	-
48,49	Cancer of female genital organs	704	-	-	-	-	-	-	-	1	1	9	24	44	78	81	86	100	84	81	58	25	23	7	2	-	-	-
	White—F	622	-	-	-	-	-	-	-	1	-	6	19	39	60	72	77	85	82	78	52	21	21	7	2	-	-	-
	All other—F	82	-	-	-	-	-	-	-	-	1	3	5	5	18	9	9	15	2	3	6	4	2	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
50	Cancer of breast	490	-	-	-	-	-	-	-	-	1	3	17	20	27	53	60	63	62	56	50	36	31	9	2	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	1	1	-	-	-	-
	F	448	-	-	-	-	-	-	-	-	1	3	16	16	20	50	56	58	59	49	48	35	28	7	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	1	3	7	3	3	5	3	5	-	1	2	1	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,554	5	3	1	4	4	9	9	17	25	20	26	27	44	88	125	179	163	195	248	189	86	68	16	2	-	1
	White—M	1,082	4	1	1	4	1	6	6	10	16	14	14	21	19	57	86	119	115	146	193	135	64	37	11	1	-	1
	F	396	1	2	-	-	3	3	2	7	8	4	9	6	15	25	31	50	41	42	45	46	20	30	5	1	-	-
	All other—M	48	-	-	-	-	-	-	1	-	-	-	-	-	6	3	5	8	4	5	6	8	1	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	2	3	-	4	3	3	2	3	2	4	-	1	-	-	-	-	-
58	Acute rheumatic fever	39	-	-	-	1	-	4	10	6	1	2	4	2	4	-	1	-	2	1	-	1	-	-	-	-	-	-
	White—M	13	-	-	-	1	-	-	3	3	-	1	2	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	20	-	-	-	-	-	3	6	3	1	1	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Diabetes mellitus	959	-	-	2	-	-	5	3	14	6	7	11	11	21	34	63	90	150	160	174	123	63	17	3	2	-	-
	White—M	381	-	-	1	-	-	3	3	4	2	2	4	4	10	11	26	33	56	62	68	52	31	6	2	1	-	-
	F	522	-	-	1	-	-	2	-	9	3	4	3	5	7	22	27	49	87	91	98	70	31	11	1	1	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	6	2	3	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	1	1	1	3	2	2	1	8	4	1	5	5	1	1	-	-	-	-	-
63b	Exophthalmic goiter	132	-	-	-	-	-	-	-	1	2	-	2	3	9	9	11	24	23	26	11	7	3	1	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	3	4	3	3	2	-	-	-	-	-	-
	F	102	-	-	-	-	-	-	-	1	-	-	1	1	6	8	9	18	18	23	8	5	3	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	13	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	2	2	-	1	-	-	-
	White—M	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	38	-	-	-	-	-	-	-	-	1	-	1	4	4	6	8	4	4	2	-	4	-	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	1	3	3	3	8	2	4	2	-	4	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,790	3	-	-	1	1	5	8	6	3	11	15	33	67	123	173	260	354	515	648	683	522	264	71	16	8	-
	White—M	1,775	2	-	-	1	1	2	3	2	2	5	10	11	28	55	68	90	152	259	333	338	241	124	36	10	2	-
	F	1,682	1	-	-	-	-	3	3	3	1	4	3	11	18	46	73	123	163	210	270	315	260	132	32	5	6	-
	All other—M	150	-	-	-	-	-	-	2	1	-	1	2	8	8	9	11	17	13	22	27	17	8	2	2	-	-	-
	F	183	-	-	-	-	-	-	-	-	-	1	-	3	13	13	21	30	26	24	18	13	13	6	1	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	431	25	14	5	4	2	9	11	16	18	15	19	25	15	18	23	39	27	44	41	34	23	4	-	-	-	-
	White—M	230	19	9	3	4	2	4	4	11	10	9	10	13	3	7	12	22	14	23	23	14	11	3	-	-	-	-
	F	169	5	4	2	-	-	3	6	4	5	5	9	8	10	11	10	13	12	20	17	14	11	-	-	-	-	-
	All other—M	14	-	1	-	-	-	1	-	1	2	1	-	2	1	-	-	1	1	1	1	-	-	1	-	-	-	-
	F	18	1	-	-	-	-	1	1	-	1	-	-	2	1	-	1	3	-	-	-	6	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	213	34	6	8	5	7	11	14	11	5	12	6	7	10	9	14	8	10	13	12	5	3	1	2	-	-	-
	White—M	102	15	3	5	1	4	7	10	4	1	9	2	2	3	3	3	7	3	6	6	3	3	1	1	-	-	-
	F	96	16	3	2	4	3	4	4	6	3	2	3	3	5	5	10	1	7	6	6	2	-	-	1	-	-	-
	All other—M	9	3	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,157	1	-	1	1	2	8	20	14	20	25	31	45	48	59	77	60	109	143	122	155	115	79	17	4	1	-
	White—M	552	1	-	1	-	-	3	9	7	7	14	16	19	12	29	39	28	60	70	58	67	60	43	9	-	-	-
	F	477	-	-	-	1	1	3	9	3	12	6	8	18	29	20	29	25	40	81	47	74	47	33	8	2	1	-
	All other—M	54	-	-	-	-	-	2	1	-	-	3	4	2	5	4	4	4	5	5	9	2	4	-	-	-	-	-
	F	74	-	-	-	-	1	-	1	4	1	2	3	6	2	6	5	3	4	7	8	12	4	3	-	2	-	-
94	Diseases of coronary arteries, angina pectoris	2,485	1	-	-	-	-	-	1	2	4	7	16	44	63	136	184	253	312	386	425	327	225	70	25	3	1	-
	White—M	1,624	1	-	-	-	-	-	-	1	2	6	9	32	44	101	126	182	216	262	270	199	124	33	12	3	1	-
	F	743	-	-	-	-	-	-	1	-	2	1	4	5	9	21	42	55	83	111	143	119	98	36	13	-	-	-
	All other—M	69	-	-	-	-	-	-	-	-	-	-	2	3	6	10	10	10	7	7	7	5	2	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	-	-	1	4	4	4	6	6	6	6	5	4	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,578	8	4	1	1	-	5	15	11	22	26	49	75	129	212	378	501	672	965	1,224	1,281	1,128	604	212	45	9	1
	White—M	3,980	3	2	-	1	-	3	9	4	14	13	23	35	52	110	200	285	387	540	662	686	576	279	94	19	3	-
	F	2,929	3	1	1	-	-	2	6	7	6	9	17	19	34	47	87	144	204	343	493	547	519	305	110	21	4	-
	All other—M	342	-	1	-	-	-	-	-	-	2	1	5	7	22	28	51	37	45	48	37	30	14	9	3	2	-	-
	F	327	2	-	-	-	-	-	-	-	-	3	4	14	21	27	40	35	36	34	32	58	19	11	5	3	2	1
107-109	Pneumonia (all forms)	2,836	458	83	26	12	8	23	27	30	27	39	42	61	80	91	139	149	156	241	274	319	271	179	81	15	3	2
	White—M	1,369	216	34	13	7	3	10	8	11	10	11	20	27	31	40	66	77	78	122	158	164	136	91	30	5	-	1
	F	1,112	157	28	11	5	3	9	16	13	11	18	15	22	26	28	42	46	50	102	100	138	128	87	47	8	2	-
	All other—M	215	46	7	-	-	1	1	1	4	4	5	4	9	13	13	22	22	20	13	10	12	5	1	1	1	-	-
	F	140	39	14	2	-	1	3	2	2	2	5	3	3	10	10	9	4	8	4	6	5	2	-	3	1	1	1
117	Ulcer of stomach or duodenum	235	-	-	-	-	-	-	-	-	8	1	8	14	15	28	22	24	34	25	26	17	9	3	-	1	-	-
	White—M	178	-	-	-	-	-	-	-	-	5	-	6	13	9	22	18	22	27	20	19	9	6	1	-	1	-	-
	F	46	-	-	-	-	-	-	-	-	1	1	2	1	3	3	3	1	7	5	7	7	3	2	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	2	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
119,120	Diarrhea, enteritis, etc.*	466	242	72	18	9	5	9	1	2	1	3	4	4	2	3	6	7	5	10	9	17	18	11	6	2	-	-
	White—M	222	114	58	10	5	3	3	1	1	1	1	2	2	-	3	1	3	-	6	4	8	7	6	2	1	-	-
	F	192	97	27	5	2	2	5	-	1	-	2	1	2	2	-	2	4	3	3	5	8	11	5	4	1	-	-
	All other—M	28	20	4	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	24	11	3	2	2	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-
121	Appendicitis	450	-	3	2	9	3	29	26	39	21	29	34	28	26	40	37	33	31	31	16	7	4	2	-	-	-	-
	White—M	246	-	3	2	6	2	16	14	23	12	16	14	16	14	22	18	18	18	14	9	5	3	1	-	-	-	-
	F	174	-	-	-	2	1	12	11	14	7	13	14	7	10	14	17	13	13	15	7	2	1	1	-	-	-	-
	All other—M	18	-	-	-	-	-	1	1	1	1	-	4	3	2	2	1	1	-	1	-	-	-	-	-	-	-	-
	F	12	-	-	-	1	-	-	-	1	1	-	2	2	-	2	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	410	29	2	1	2	4	7	3	3	3	8	11	13	17	29	27	33	28	45	44	47	32	17	5	-	-	-
	White—M	189	20	2	1	2	1	3	1	1	3	1	2	4	4	8	14	14	15	19	21	24	18	7	4	-	-	-
	F	178	8	-	-	-	2	2	1	1	-	4	5	6	8	17	9	17	7	23	20	23	14	10	1	-	-	-
	All other—M	18	1	-	-	-	1	-	1	1	-	1	1	-	2	2	1	1	4	1	1	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	2	-	-	-	2	3	3	3	2	3	1	2	2	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	369	2	-	-	-	-	-	-	-	-	3	2	15	25	35	42	41	51	50	33	33	28	6	3	-	-	-
	White—M	227	-	-	-	-	-	-	-	-	-	1	-	7	13	27	28	25	34	35	17	24	13	3	-	-	-	-
	F	114	1	-	-	-	-	-	-	-	-	2	1	-	9	5	12	15	11	14	16	8	15	2	3	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	1	6	2	-	2	-	4	1	-	1	-	1	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	2	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	260	-	-	-	-	-	-	1	-	3	1	5	6	6	28	21	36	25	45	33	21	13	13	2	1	-	-
	White—M	89	-	-	-	-	-	-	1	-	2	-	1	2	1	10	9	11	13	8	12	10	5	2	2	-	-	-
	F	162	-	-	-	-	-	-	-	-	1	1	4	4	5	17	10	23	12	33	21	11	8	11	-	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	-	-	-	-	-	-
130-132	Nephritis	4,274	6	2	2	-	2	4	8	7	19	16	36	67	118	160	219	285	391	548	698	737	563	286	78	18	4	-
	White—M	2,132	3	1	-	-	1	2	2	2	11	10	12	22	35	58	97	142	196	300	381	379	290	141	42	4	1	-
	F	1,665	2	1	2	-	1	2	6	5	6	5	14	27	39	57	65	90	141	194	275	307	251	134	32	7	2	-
	All other—M	253	1	-	-	-	-	-	-	-	1	1	3	14	20	26	25	28	19	34	27	33	8	7	2	4	-	-
	F	224	-	-	-	-	-	-	-	-	1	-	7	4	24	19	32	25	35	20	15	18	14	4	2	3	1	-
137	Diseases of the prostate	281	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	24	26	65	78	49	14	10	1	1	-
	White—M	267	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	24	26	58	76	49	14	9	1	-	-
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	7	2	-	-	1	-	1	-
140, 142a, 147	Puerperal septicemia	111	-	-	-	-	-	-	-	15	24	24	28	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	101	-	-	-	-	-	-	-	11	22	22	27	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	52	-	-	-	-	-	-	-	9	8	16	6	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	45	-	-	-	-	-	-	-	7	7	14	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	66	-	-	-	-	-	-	-	8	11	15	13	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	57	-	-	-	-	-	-	-	7	11	11	12	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	9	-	-	-	-	-	-	-	1	-	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	404	348	13	9	4	2	4	5	6	1	3	1	1	1	4	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	229	198	6	6	3	2	1	2	5	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	160	137	5	3	1	-	3	3	1	1	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-
	All other—M	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	809	809	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	424	424	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	603	-	-	-	-	-	-	1	12	37	40	45	50	51	60	62	67	67	54	24	17	12	3	-	-	1	-
	White—M	446	-	-	-	-	-	-	1	4	31	26	33	30	32	48	45	55	55	40	20	14	9	3	-	-	-	-
	F	141	-	-	-	-	-	-	-	7	6	12	10	17	17	12	14	12	12	14	3	2	3	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	-	-	1	1	-	-	-	-	1	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	206	1	1	-	-	2	2	-	12	27	33	28	23	23	16	13	7	4	6	3	2	2	-	-	-	-	1
	White—M	75	1	-	-	-	-	-	-	1	7	9	10	8	12	5	6	2	2	6	2	2	2	-	-	-	-	-
	F	27	-	1	-	-	2	1	-	2	7	4	2	-	1	2	2	-	2	-	1	-	-	-	-	-	-	-
	All other—M	84	-	-	-	-	-	1	-	6	12	16	10	12	8	8	5	5	-	-	-	-	-	-	-	-	-	1
	F	20	-	-	-	-	-	-	-	3	1	4	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	822	2	5	8	5	9	27	31	70	82	70	59	43	43	42	56	69	49	49	50	35	10	7	1	-	-	-
	White—M	583	2	4	7	3	3	19	16	53	57	51	44	32	28	29	41	50	36	32	34	28	6	7	1	-	-	-
	F	181	-	1	1	1	6	8	11	16	12	15	12	6	10	8	9	13	12	15	14	7	4	-	-	-	-	-
	All other—M	50	-	-	-	-	-	-	4	1	9	4	3	5	5	4	6	5	1	2	1	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	-	4	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,926	61	30	23	16	10	33	63	69	64	67	74	66	71	101	92	104	120	118	161	182	197	135	53	14	1	1
	White—M	1,046	33	14	12	5	7	15	45	53	51	49	55	49	52	75	62	74	70	65	70	67	67	37	18	1	-	-
	F	723	22	13	8	8	3	16	10	13	9	9	13	11	9	15	16	20	39	44	79	108	122	93	32	11	-	-
	All other—M	105	4	1	1	2	-	1	8	2	3	7	6	5	8	8	10	8	8	6	4	4	5	1	2	-	-	1
	F	52	2	2	2	1	-	1	-	1	1	2	-	1	2	3	4	2	3	3	8	3	3	4	1	2	1	-
	All other causes*	3,635	651	36	16	12	9	31	19	34	59	69	94	105	126	169	184	184	216	236	296	332	340	249	124	36	8	-
	White—M	1,696	341	18	8	4	4	14	10	14	16	24	30	35	40	68	86	94	107	127	158	158	162	118	46	13	1	-
	F	1,576	241	17	7	8	4	13	8	15	32	32	43	44	57	72	72	65	88	94	118	153	168	125	74	21	5	-
	All other—M	183	47	1	-	-	-	2	1	4	5	5	8	10	5	16	13	16	7	8	9	13	6	2	4	1	-	-
	F	180	22	-	1	-	1	2	-	1	6	8	13	16	24	13	13	9	14	7	11	8	4	4	-	1	2	-

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	All causes	5,728	531	48	38	29	21	58	72	95	134	107	132	146	158	253	414	457	570	603	569	599	395	205	66	21	2	5
	White—M	3,428	263	16	12	7	10	26	40	58	84	56	66	84	94	149	265	319	371	380	366	366	231	113	33	15	-	4
	F	1,987	192	17	12	18	5	25	22	27	43	40	56	49	53	98	138	121	185	204	188	215	157	85	30	6	-	1
	All other—M	163	45	5	6	1	2	4	5	3	4	6	5	6	3	3	4	9	10	13	8	13	4	3	-	-	1	-
	F	150	31	10	8	3	4	3	5	7	3	5	5	7	8	3	7	8	4	6	7	5	3	4	3	-	1	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	196	4	1	-	-	2	1	7	8	8	6	12	10	10	15	23	27	23	15	15	8	1	-	-	-	-	-
	White—M	119	-	-	-	-	-	-	-	-	2	2	4	3	8	12	20	22	19	11	9	6	1	-	-	-	-	-
	F	35	1	-	-	-	-	-	1	1	3	2	7	4	1	2	2	1	3	2	3	2	-	-	-	-	-	-
	All other—M	20	2	-	-	-	-	-	3	2	2	1	-	2	-	-	1	3	1	1	2	-	-	-	-	-	-	-
	F	22	1	1	-	-	2	1	3	5	1	1	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	29	3	2	1	-	1	2	1	4	3	-	3	2	-	2	1	-	1	1	1	1	-	-	-	-	-	-
	White—M	10	-	-	-	-	1	-	-	3	1	-	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	2	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	6	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	66	4	-	-	-	-	-	-	-	1	-	-	4	4	10	10	9	4	8	5	7	-	-	-	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	7	3	7	3	4	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	-	3	-	4	3	1	-	-	1	3	-	-	-	-	-	-
	All other—M	6	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
33	Influenza	58	9	2	-	-	1	-	1	1	4	2	2	1	1	2	2	4	2	4	7	7	-	3	2	1	-	-
	White—M	33	6	-	-	-	-	-	-	1	2	1	2	-	1	1	1	2	1	2	4	5	-	2	1	1	-	-
	F	22	3	-	-	-	-	-	1	-	2	1	-	1	-	1	1	2	1	2	3	2	-	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	295	-	-	-	-	-	-	-	-	1	1	2	4	4	16	28	24	52	49	38	44	21	6	3	-	-	-
	White—M	172	-	-	-	-	-	-	-	-	1	1	-	1	2	5	13	15	31	30	24	32	13	3	1	-	-	-
	F	115	-	-	-	-	-	-	-	-	-	-	2	3	1	11	15	9	19	17	13	12	8	3	2	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	84	-	-	-	-	-	-	-	-	-	1	3	3	5	15	17	8	7	12	8	4	1	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	-	-	-	3	1	5	15	16	8	7	11	8	4	1	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
50	Cancer of breast	52	-	-	-	-	-	-	-	-	-	-	1	1	1	2	13	5	7	8	9	2	3	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	-	-	-	-	-	1	1	1	2	13	5	7	8	9	2	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-56	Cancer (other forms)	195	-	-	-	-	1	-	1	2	3	4	4	5	5	2	25	15	30	39	24	21	10	1	2	1	-	-
	White—M	153	-	-	-	-	1	-	1	1	2	3	4	4	3	2	21	9	24	51	22	16	6	1	1	1	-	-
	F	37	-	-	-	-	-	-	-	1	1	1	-	1	2	-	2	5	6	7	1	5	4	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	108	1	-	-	-	-	-	1	1	-	-	-	-	4	6	12	9	15	21	8	18	9	3	-	-	-	-
	White—M	35	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	5	3	6	5	6	3	2	-	-	-	-
	F	72	-	-	-	-	-	-	-	1	-	-	-	-	3	6	9	4	12	15	3	12	6	1	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85b	Exophthalmic goiter	15	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	-	1	3	-	3	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	-	-	3	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	21	-	-	-	-	-	-	-	-	-	2	2	3	1	3	3	2	2	-	-	2	1	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	1	1	3	1	3	3	2	2	-	-	2	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	449	1	1	1	1	1	1	-	-	1	-	-	6	6	16	24	27	57	66	71	75	56	28	9	-	-	1
	White—M	249	1	-	-	-	-	-	-	-	-	-	-	4	4	7	14	18	32	34	37	49	33	12	3	-	-	1
	F	191	-	-	-	1	-	1	-	-	1	-	-	1	2	9	9	9	24	30	34	26	23	15	6	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	63	9	5	2	1	-	1	2	3	4	5	3	2	3	1	2	5	1	2	3	4	3	1	-	1	-	-
	White—M	35	4	2	2	1	-	1	1	1	3	2	1	1	2	1	2	3	-	1	2	1	3	-	-	1	-	-
	F	25	5	2	-	-	-	-	1	2	1	3	2	1	-	-	-	2	1	1	1	2	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	39	5	-	-	-	2	3	1	3	5	2	2	1	2	2	2	1	3	-	4	-	-	-	1	-	-	-
	White—M	24	2	-	-	-	2	-	-	3	4	1	2	-	2	2	2	-	2	-	2	-	-	-	-	-	-	-
	F	14	3	-	-	-	-	3	1	-	1	-	-	1	-	-	-	1	1	-	2	-	-	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	121	-	-	-	-	-	-	4	1	7	4	9	5	2	4	16	5	11	14	10	16	9	2	1	1	-	-
	White—M	67	-	-	-	-	-	-	1	-	3	2	3	3	1	-	9	2	6	9	9	8	7	2	1	1	-	-
	F	51	-	-	-	-	-	-	3	1	4	2	6	1	-	4	7	3	5	5	1	8	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	361	-	-	-	-	-	-	-	-	1	3	4	5	3	15	35	53	58	53	56	38	24	11	2	-	-	-
	White—M	277	-	-	-	-	-	-	-	-	-	2	1	4	3	14	31	46	46	39	40	28	15	6	2	-	-	-
	F	82	-	-	-	-	-	-	-	-	1	1	2	1	-	1	4	7	12	14	16	9	9	5	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d, 95a,c	Diseases of heart (other forms)	969	3	-	-	-	-	1	1	6	4	4	6	11	24	26	56	82	101	126	144	155	117	75	18	9	-	-
	White—M	599	-	-	-	-	-	-	-	2	4	2	4	6	15	21	39	55	66	81	95	88	66	38	10	7	-	-
	F	337	2	-	-	-	-	1	1	4	-	1	2	4	9	5	15	26	33	42	42	59	49	33	7	2	-	-
	All other—M	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	4	6	2	2	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	3	2	-	2	1	-	-	-
107-109	Pneumonia (all forms)	282	60	6	7	3	3	2	5	3	5	5	1	5	4	13	12	15	22	19	17	36	19	12	4	1	1	2
	White—M	169	25	2	3	-	1	1	4	2	4	3	-	5	1	6	10	13	16	14	12	25	10	9	1	-	-	2
	F	84	22	2	2	2	1	-	-	1	1	2	1	-	2	5	1	2	6	4	5	11	8	2	3	1	-	-
	All other—M	13	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	16	7	-	-	1	-	1	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	1	-	-	1	-
117	Ulcer of stomach or duodenum	59	-	-	-	-	1	-	-	1	-	1	2	7	4	4	9	5	9	7	3	3	-	1	2	-	-	-
	White—M	49	-	-	-	-	1	-	-	1	-	-	2	6	4	4	7	5	7	6	3	2	-	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	1	-	1	-	1	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
119,120	Diarrhea, enteritis, etc.*	58	36	5	4	2	-	-	2	-	-	-	-	1	2	1	2	1	-	-	-	1	-	-	-	-	-	1
	White—M	25	15	1	1	-	-	-	2	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	1
	F	15	6	3	1	2	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	82	1	-	1	2	1	4	5	13	5	5	10	2	4	2	6	9	8	-	2	-	-	2	-	-	-	-
	White—M	55	-	-	-	-	1	1	2	10	4	4	7	2	3	2	4	6	7	-	2	-	-	-	-	-	-	-
	F	24	1	-	1	2	-	2	3	3	1	1	1	-	1	-	2	3	1	-	-	-	-	2	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	59	5	-	1	-	-	1	1	-	-	1	2	1	-	2	3	11	8	10	5	7	-	1	-	-	-	-
	White—M	38	3	-	1	-	-	1	-	-	-	-	2	1	-	-	2	8	7	5	2	5	-	1	-	-	-	-
	F	20	2	-	-	-	-	-	1	-	-	-	-	-	-	2	1	3	1	5	3	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	54	-	-	-	-	-	-	-	-	-	-	-	1	7	3	5	8	8	9	3	6	4	-	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	5	2	4	5	6	7	3	2	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	2	-	4	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	46	-	-	-	-	-	1	-	-	1	2	1	-	2	3	3	9	5	7	8	3	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	1	-	-	-	-	-	-
	F	32	-	-	-	-	-	1	-	-	1	2	1	-	1	2	2	5	4	3	7	2	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	291	-	-	-	-	-	1	1	2	3	1	6	8	7	13	17	27	39	34	41	47	24	16	2	1	-	1
	White—M	166	-	-	-	-	-	-	1	-	1	-	4	4	2	4	7	15	21	20	30	31	14	11	-	1	-	-
	F	115	-	-	-	-	-	1	-	1	2	1	1	3	5	9	10	10	16	12	11	15	10	5	2	-	-	1
	All other—M	7	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	39	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	4	2	7	9	8	2	1	-	-	-
	White—M	38	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	4	2	7	9	8	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	17	-	-	-	-	-	-	-	1	4	4	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	1	4	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	-	2	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	9	-	-	-	-	-	-	-	3	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	63	54	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	40	34	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	116	-	-	-	-	-	-	-	2	8	8	7	9	7	15	11	18	8	9	9	4	1	-	-	-	-	-
	White—M	96	-	-	-	-	-	-	-	2	5	7	6	7	6	10	9	17	8	9	6	3	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	3	-	1	2	1	4	2	1	-	-	3	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	29	2	-	-	-	-	-	1	2	1	1	2	4	3	5	3	2	1	1	-	-	-	-	1	-	-	-
	White—M	18	1	-	-	-	-	-	1	1	1	1	1	2	1	4	2	1	-	1	-	-	-	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	157	-	1	-	2	2	6	3	15	22	9	9	10	10	12	10	10	13	9	5	7	2	-	-	-	-	-
	White—M	109	-	-	-	1	1	1	1	10	19	8	5	7	7	10	6	9	9	8	2	5	-	-	-	-	-	-
	F	41	-	1	-	1	1	4	2	5	3	-	3	3	2	2	3	1	2	1	3	2	2	-	-	-	-	-
	All other—M	7	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	389	14	6	8	7	2	15	23	15	24	21	14	17	21	22	26	26	21	19	16	24	33	12	2	1	-	-
	White—M	283	7	3	3	1	1	9	19	15	20	14	10	15	17	21	25	22	15	16	11	12	19	6	1	1	-	-
	F	94	6	3	3	6	-	6	4	-	2	5	2	2	3	1	1	4	6	3	5	11	14	6	1	-	-	-
	All other—M	7	-	-	1	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	609	124	7	9	5	2	13	4	7	14	11	14	10	6	19	33	36	47	55	48	46	48	29	16	5	1	-
	White—M	333	55	2	2	1	1	9	2	4	6	2	3	4	2	9	20	27	31	37	34	23	30	18	9	2	-	-
	F	220	47	3	3	3	1	3	2	3	6	8	11	6	4	10	12	6	13	16	12	18	15	10	5	3	-	-
	All other—M	31	14	2	1	-	-	1	-	-	-	1	-	-	-	-	-	1	2	1	1	4	1	1	-	-	1	-
	F	25	8	-	3	1	-	-	-	-	2	-	-	-	-	-	1	2	1	1	1	1	2	-	2	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	All causes	12,592	792	76	42	39	24	112	98	170	173	208	203	282	330	462	669	833	1,015	1,268	1,536	1,634	1,400	815	322	60	10	19
	White—M	7,072	436	38	21	22	15	68	51	103	85	98	106	149	179	258	390	509	605	744	899	917	779	406	145	32	2	15
	F	5,263	318	32	20	15	8	43	44	59	80	97	91	117	141	192	255	302	389	503	624	704	612	405	172	28	8	4
	All other—M	138	24	1	-	1	1	1	1	4	5	6	4	8	4	4	11	13	17	10	5	9	3	2	4	-	-	-
	F	119	14	5	1	1	-	-	2	4	3	7	2	8	6	8	13	9	4	11	8	4	6	2	1	-	-	-
1,2	Typhoid, paratyphoid fever	6	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	-	-	1	1	4	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	6	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	-	-	1	1	2	2	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	199	-	1	-	-	1	-	2	9	21	25	10	16	21	12	18	17	13	10	11	8	2	1	-	-	-	1
	White—M	102	-	-	-	-	-	-	-	2	8	9	5	12	14	6	8	9	8	7	8	4	1	-	-	-	-	1
	F	71	-	-	-	-	-	-	1	3	9	10	3	4	6	6	8	7	4	2	2	4	1	1	-	-	-	-
	All other—M	18	-	-	-	-	1	-	-	2	3	3	2	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	26	2	2	1	-	-	2	3	2	-	2	-	2	2	1	4	1	1	-	-	1	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	2	-	1	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F	12	2	-	-	-	-	-	2	1	-	1	-	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	103	5	1	-	-	-	-	-	-	-	1	4	3	5	8	14	18	13	11	8	7	3	-	1	-	-	1
	White—M	66	1	-	-	-	-	-	-	-	-	-	1	2	4	6	9	14	10	6	7	4	1	-	-	-	-	1
	F	23	-	1	-	-	-	-	-	-	-	-	3	1	1	2	1	3	2	2	1	3	2	-	1	-	-	-
	All other—M	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-
33	Influenza	197	20	3	2	-	1	3	2	5	-	3	1	6	3	4	4	11	15	17	14	20	28	20	13	1	1	-
	White—M	101	12	1	2	-	1	-	1	3	-	1	1	3	2	2	1	7	8	9	5	9	15	10	6	1	1	-
	F	94	8	2	-	-	-	3	1	2	-	2	-	3	-	2	2	4	7	8	9	11	13	10	7	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	6	1	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	23	-	2	1	2	-	2	2	4	3	4	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	10	-	-	1	1	-	2	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	12	-	2	-	1	-	-	2	1	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	820	-	-	-	-	1	1	-	-	1	4	3	14	17	34	56	96	95	110	128	128	89	52	8	1	-	2
	White—M	450	-	-	-	-	-	1	-	-	-	2	1	5	12	18	27	54	56	63	67	74	51	14	4	-	-	1
	F	358	-	-	-	-	1	-	-	-	1	2	2	6	5	15	29	41	38	45	59	53	38	18	3	1	-	1
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	185	-	1	-	-	-	1	1	1	2	2	5	6	18	17	12	31	25	18	21	14	5	2	3	-	-	-
	White—F	182	-	1	-	-	-	1	1	1	2	2	5	6	18	16	12	31	25	17	21	14	5	2	2	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
50	Cancer of breast	162	-	-	-	-	-	-	-	-	-	-	2	12	11	21	21	15	19	23	9	13	8	6	-	1	1	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	157	-	-	-	-	-	-	-	-	-	-	2	11	11	20	21	15	19	22	8	12	8	6	-	1	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	492	1	-	1	1	2	11	1	7	3	5	8	11	15	13	31	34	56	62	77	73	38	32	9	1	-	-
	White—M	362	-	-	-	-	-	8	-	4	2	2	3	9	9	9	24	25	40	50	55	59	33	24	6	-	-	-
	F	127	1	-	1	1	2	3	1	3	1	3	5	2	6	4	7	9	15	12	21	13	5	8	3	1	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	370	-	-	-	1	-	2	5	4	4	4	5	2	1	13	19	28	39	64	73	59	36	9	2	-	-	-
	White—M	160	-	-	-	1	-	1	1	1	2	2	2	1	1	6	6	11	17	24	41	24	15	4	-	-	-	-
	F	206	-	-	-	-	-	1	4	3	2	2	3	1	-	7	12	16	22	40	32	34	20	5	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
63b	Exophthalmic goiter	35	-	-	-	-	-	-	-	-	-	2	1	3	2	3	2	4	4	5	5	3	-	-	1	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	1	-	1	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	2	3	5	4	3	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	1	2	1	1	-	4	2	-	-	1	-	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	2	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,360	2	-	1	-	1	2	1	3	-	5	4	8	13	30	56	63	118	162	229	260	224	125	42	9	-	2
	White—M	741	-	-	-	-	1	2	1	2	-	4	3	1	6	12	31	35	70	109	127	133	127	53	18	5	-	1
	F	595	2	-	1	-	-	-	-	1	-	1	1	5	5	15	23	24	47	52	99	124	96	70	24	4	-	1
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	1	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	-	1	2	2	1	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	147	13	3	1	-	-	4	8	3	8	6	2	5	5	6	8	9	12	12	18	11	9	4	-	-	-	-
	White—M	82	8	2	-	-	-	1	5	1	6	2	1	3	2	3	3	9	8	4	12	7	3	2	-	-	-	-
	F	64	5	-	1	-	-	3	3	2	2	4	1	2	3	3	5	-	4	8	6	4	6	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	59	4	2	1	1	1	4	7	2	2	2	6	1	4	6	3	4	2	2	3	1	-	1	-	-	-	-
	White—M	35	1	1	1	-	-	2	4	2	2	1	2	1	2	5	3	2	1	2	1	1	-	1	-	-	-	-
	F	23	2	1	-	1	1	2	3	-	-	1	4	-	2	1	-	2	1	-	2	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	268	2	-	-	-	-	3	3	6	7	8	5	8	5	21	13	18	28	32	34	34	25	14	4	-	-	-
	White—M	140	-	-	-	-	-	1	1	4	4	2	2	2	3	12	5	9	21	20	17	17	12	8	-	-	-	-
	F	126	2	-	-	-	-	2	2	2	3	6	2	5	2	9	8	9	5	12	17	17	13	6	4	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	963	-	-	-	-	-	-	-	-	-	2	2	16	20	44	77	103	118	131	154	144	93	44	12	1	-	2
	White—M	689	-	-	-	-	-	-	-	-	-	-	1	12	18	35	60	90	83	96	99	101	56	28	7	1	-	2
	F	264	-	-	-	-	-	-	-	-	-	1	1	3	2	8	16	11	34	33	55	42	37	16	5	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,985	5	2	1	-	-	2	-	8	10	9	9	16	30	37	82	110	144	243	310	345	344	193	68	17	2	-
	White—M	1,098	2	-	-	-	-	2	-	5	3	4	5	8	15	19	51	70	100	136	186	181	180	93	27	11	-	-
	F	853	3	2	1	-	-	-	-	2	7	5	4	8	13	16	28	35	39	102	120	163	160	100	37	6	2	-
	All other—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	3	1	1	2	-	2	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	1	2	3	-	2	-	-	-	-	-
107-109	Pneumonia (all forms)	574	93	7	4	3	1	3	3	7	5	7	11	7	13	14	27	22	26	39	48	81	82	50	18	3	-	-
	White—M	328	45	6	2	1	-	2	-	5	2	2	6	6	8	9	16	11	14	25	22	55	56	25	8	2	-	-
	F	222	37	1	2	2	1	1	3	2	3	5	4	1	4	5	8	9	9	12	26	25	26	25	10	1	-	-
	All other—M	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
	F	13	5	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	93	1	-	-	-	-	1	-	-	2	2	6	2	4	13	11	9	10	11	8	8	3	1	1	-	-	-
	White—M	75	1	-	-	-	-	-	-	-	1	2	5	2	4	13	8	8	9	7	6	6	2	-	1	-	-	-
	F	18	-	-	-	-	-	1	-	-	1	-	1	-	-	-	3	1	1	4	2	2	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	75	29	8	6	2	2	-	2	-	1	3	-	-	-	-	2	-	3	2	2	7	3	-	3	-	-	-
	White—M	34	12	2	3	1	1	-	2	-	1	2	-	-	-	-	1	-	1	2	2	3	1	-	-	-	-	-
	F	38	15	6	3	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	4	2	-	3	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	166	-	1	1	7	2	11	18	18	4	8	12	11	6	12	15	8	10	9	5	4	4	-	-	-	-	-
	White—M	94	-	1	1	4	2	5	8	13	1	6	7	3	4	7	9	5	5	5	1	3	4	-	-	-	-	-
	F	71	-	-	-	3	-	6	10	5	3	1	5	8	2	5	6	3	5	4	4	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	118	9	1	1	-	-	-	-	2	-	5	2	4	1	9	4	4	15	11	12	14	16	5	2	1	-	-
	White—M	58	4	1	1	-	-	-	-	2	-	1	1	1	-	4	1	2	5	6	7	8	10	2	1	1	-	-
	F	55	5	-	-	-	-	-	-	-	-	4	1	1	1	5	3	2	8	5	5	6	5	3	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	94	-	-	-	-	-	-	-	1	2	-	1	4	3	3	9	14	11	8	14	14	8	2	-	-	-	-
	White—M	60	-	-	-	-	-	-	-	-	1	-	1	3	1	1	8	9	9	5	10	9	3	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-	5	2	3	4	5	4	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	102	-	-	-	-	-	-	-	-	-	-	1	2	3	6	9	12	15	14	20	11	6	2	1	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	1	5	9	3	4	1	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	6	14	9	11	8	2	1	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	888	1	-	1	-	1	5	5	2	4	2	9	17	25	25	35	54	80	105	132	142	140	70	30	2	1	2
	White—M	509	1	-	-	-	1	4	2	2	3	-	4	10	8	14	19	32	48	62	76	78	85	40	18	1	-	1
	F	371	-	-	1	-	-	1	3	-	1	2	5	7	15	10	15	21	31	42	55	63	55	29	12	1	1	1
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	4	10	23	21	23	14	3	1	-	-
	White—M	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	10	23	21	23	14	3	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	42	-	-	-	-	-	-	-	6	11	8	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	5	11	7	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	1	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	21	-	-	-	-	-	-	-	1	5	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	1	5	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	127	110	3	-	3	-	3	3	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	74	67	1	-	1	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	52	43	2	-	1	-	1	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	278	278	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	221	-	-	-	-	-	-	-	2	7	12	14	14	23	33	25	20	20	20	14	10	5	1	-	-	-	1
	White—M	166	-	-	-	-	-	-	-	2	6	9	10	11	19	21	13	18	17	12	12	10	5	-	-	-	-	1
	F	52	-	-	-	-	-	-	-	-	1	2	3	3	4	12	11	2	3	8	2	-	-	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	15	1	-	-	-	-	-	1	-	1	-	1	3	2	1	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	254	1	1	3	2	1	12	2	27	22	20	13	20	16	10	20	21	20	20	8	5	7	1	1	-	-	1
	White—M	180	-	1	3	-	1	7	2	16	15	13	11	18	13	7	16	13	13	13	6	4	6	1	-	-	-	1
	F	72	1	-	-	2	-	5	-	11	7	7	2	2	3	3	4	6	7	7	2	1	1	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	628	17	18	6	8	3	16	20	28	22	27	24	28	17	20	29	34	28	29	42	58	68	48	26	7	1	4
	White—M	389	10	12	3	5	2	13	16	24	14	22	23	20	12	18	25	27	18	17	22	32	22	20	8	-	-	4
	F	228	7	6	3	2	1	3	4	4	7	4	1	7	3	2	3	7	8	11	20	26	45	28	18	7	1	-
	All other—M	7	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	1,309	187	15	9	5	3	14	6	14	22	16	24	26	39	44	52	63	71	86	110	138	130	137	76	15	4	3
	White—M	698	104	8	4	5	3	7	4	8	10	6	9	11	19	27	31	34	38	48	73	70	63	66	38	9	1	2
	F	581	72	5	5	-	-	7	1	5	10	10	15	14	20	16	20	28	31	37	36	65	67	70	37	6	3	1
	All other—M	15	7	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-
	F	15	4	1	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	1	2	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	All causes	1,404	107	10	4	5	3	12	10	31	31	44	45	60	65	83	116	124	127	137	129	114	88	35	13	4	2	5
	White—M	890	51	3	1	1	2	7	4	18	21	22	23	27	41	54	82	104	88	104	78	76	62	14	5	1	-	1
	F	365	40	5	2	3	1	4	1	7	6	16	17	17	20	21	22	13	27	28	38	27	23	16	6	1	-	2
	All other—M	83	9	-	-	-	-	1	2	4	2	3	2	8	2	5	9	4	5	3	6	8	1	4	2	1	2	-
	F	68	7	2	1	1	-	-	3	2	2	3	3	8	2	3	3	3	7	2	7	3	2	1	-	1	-	2
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	67	-	-	1	-	-	-	3	5	2	4	5	1	3	6	8	11	6	5	3	2	2	-	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	-	-	1	2	-	3	2	6	9	5	5	2	1	2	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	1	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	-	2	3	-	1	1	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	12	3	-	-	1	-	1	1	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	21	1	-	-	-	-	-	-	-	-	-	-	3	2	3	2	2	3	1	1	2	-	-	1	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	3	1	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	13	4	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	2	1	-	-	-	-	2	-	-	-
	White—M	8	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-
	F	5	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	65	-	-	-	-	1	-	-	-	-	-	1	4	3	1	8	4	8	15	12	5	3	1	-	-	-	1
	White—M	44	-	-	-	-	1	-	-	-	-	-	1	2	-	1	4	4	4	12	9	4	2	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	-	3	1	2	1	1	1	-	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	9	-	-	-	-	-	1	-	-	-	-	-	1	2	3	-	-	1	-	-	-	-	1	-	-	-	-
	White—F	9	-	-	-	-	-	1	-	-	-	-	-	1	2	3	-	-	1	-	-	-	-	1	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
50	Cancer of breast	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	1	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	42	-	-	-	-	-	-	-	1	-	1	-	-	1	2	4	3	5	8	2	6	6	3	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	1	-	-	-	-	1	1	5	2	4	7	1	5	3	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	1	1	3	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	23	-	-	-	-	1	-	-	1	-	-	2	-	1	1	4	1	3	4	2	2	1	-	-	-	-	-
	White—M	12	-	-	-	-	1	-	-	1	-	-	1	-	-	-	2	1	2	2	-	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	2	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	21	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	3	4	3	-	1	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	4	3	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	78	-	-	-	-	-	-	-	-	-	2	2	1	3	1	6	8	7	11	12	10	8	4	2	1	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	7	5	9	6	7	5	1	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	2	5	2	3	3	2	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	10	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	1	1	2	1	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	4	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	22	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	3	2	1	2	4	2	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	1	-	1	1	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	97	-	-	-	-	-	-	-	-	-	-	1	3	4	8	8	16	13	10	14	11	4	4	-	-	-	1
	White—M	82	-	-	-	-	-	-	-	-	-	-	1	-	4	8	8	16	10	8	13	8	2	3	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	3	2	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	219	-	-	-	-	-	-	-	3	1	2	3	2	2	9	17	18	25	29	30	30	33	11	3	-	-	1
	White—M	154	-	-	-	-	-	-	-	-	-	2	2	1	1	8	14	16	17	19	22	19	25	6	2	-	-	-
	F	57	-	-	-	-	-	-	-	3	1	-	1	1	1	1	3	2	6	9	7	10	6	4	1	-	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-
107-109	Pneumonia (all forms)	72	13	2	-	1	-	-	-	1	-	1	2	4	2	4	4	4	4	8	8	6	3	3	1	-	-	1
	White—M	37	6	-	-	-	-	-	-	1	-	1	1	2	2	4	2	3	2	5	4	3	2	1	-	-	-	-
	F	17	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	3	2	1	-	1	-	-	-
	All other—M	10	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	2	-	-	-	-
	F	8	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1
117	Ulcer of stomach or duodenum	10	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	-	-	-	-	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
119,120	Diarrhea, enteritis, etc.*	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	15	-	-	-	-	-	-	-	2	-	1	2	-	1	3	-	-	4	2	-	-	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	4	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	17	3	-	-	-	-	-	-	1	-	-	3	-	1	1	-	3	2	-	2	1	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	17	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	3	4	1	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	3	4	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	68	1	-	-	-	-	-	-	-	-	-	-	1	2	3	7	7	9	11	11	9	4	3	-	-	-	-
	White—M	38	1	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	4	9	3	5	3	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	2	6	3	1	2	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
157	Diseases of the prostate	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	1	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	45	-	-	-	-	-	-	-	-	3	2	4	8	6	5	5	6	-	3	-	2	1	-	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	2	-	2	6	5	3	4	6	-	3	-	2	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	-	-	-	-	-	-	-	1	-	2	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	86	1	-	-	-	-	1	1	7	11	10	3	8	12	5	8	6	5	3	3	1	1	-	-	-	-	-
	White—M	64	-	-	-	-	-	-	1	6	10	5	2	5	10	2	6	5	5	2	3	1	1	-	-	-	-	-
	F	19	-	-	-	-	-	1	-	1	-	4	1	3	2	3	2	1	-	1	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	113	2	1	2	2	1	4	2	6	7	12	5	9	4	4	10	8	5	4	5	8	6	1	3	1	-	1
	White—M	73	-	-	-	-	-	4	1	3	7	11	4	5	2	3	6	8	4	3	1	7	3	-	1	-	-	-
	F	22	2	1	1	2	1	-	-	2	-	-	-	1	1	1	1	-	-	1	2	1	3	1	1	-	-	-
	All other—M	12	-	-	-	-	-	-	-	1	-	1	-	2	1	-	3	-	1	-	1	-	-	-	1	1	-	-
	F	6	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	All other causes*	145	23	4	1	1	-	3	1	-	1	2	1	5	6	9	11	12	9	11	15	11	11	4	1	1	2	-
	White—M	92	16	1	1	-	-	2	1	-	1	-	-	1	4	7	9	8	5	9	9	8	9	1	-	-	-	-
	F	32	6	2	-	1	-	1	-	-	-	2	-	3	-	2	1	3	2	1	3	1	2	2	-	-	-	-
	All other—M	13	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	2	1	-	1	1	-	2	-
	F	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-	-	1	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	All causes	6,255	340	27	26	9	12	32	35	57	80	74	70	128	159	212	331	446	574	693	845	858	689	348	155	35	6	14
	White—M	3,428	186	18	16	5	7	18	21	38	52	44	40	73	92	109	196	282	355	385	473	463	327	148	59	11	3	7
	F	2,815	153	9	10	4	5	14	14	19	28	29	29	54	64	101	135	164	218	306	372	395	362	200	96	24	3	7
	All other—M	8	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	95	-	-	-	-	1	-	-	2	5	7	3	8	13	8	7	10	11	4	9	4	1	2	-	-	-	-
	White—M	59	-	-	-	-	1	-	-	-	-	5	-	3	7	6	7	9	7	4	5	4	-	1	-	-	-	-
	F	35	-	-	-	-	-	-	-	2	5	2	2	5	6	2	-	1	4	-	4	-	1	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	-	-	-	1	-	1	-	-	3	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	56	4	-	-	-	-	-	-	-	-	1	1	3	4	5	4	9	6	7	6	4	2	-	-	-	-	-
	White—M	33	2	-	-	-	-	-	-	-	-	-	1	2	2	3	3	7	3	3	2	4	1	-	-	-	-	-
	F	21	2	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	3	3	4	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	48	6	1	-	-	-	-	-	-	1	1	-	1	1	1	1	3	3	7	4	4	8	2	4	-	-	-
	White—M	26	3	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	7	2	1	3	1	2	-	-	-
	F	21	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	3	5	1	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	401	-	-	-	-	-	-	-	-	-	1	1	8	9	9	27	41	60	70	74	54	55	8	3	1	-	-
	White—M	220	-	-	-	-	-	-	-	-	-	1	-	6	5	2	15	21	33	39	45	30	19	3	1	-	-	-
	F	180	-	-	-	-	-	-	-	-	-	-	1	2	4	7	12	20	27	30	29	24	16	5	2	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	104	-	-	-	-	-	-	-	-	-	1	6	7	6	12	9	9	12	15	12	6	6	2	1	-	-	-
	White—F	104	-	-	-	-	-	-	-	-	-	1	6	7	6	12	9	9	12	15	12	6	6	2	1	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

498675 O - 43 - 23

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Con.																											
50	Cancer of breast	75	-	-	-	-	-	-	-	-	-	1	-	2	4	8	6	9	7	9	9	11	4	3	1	1	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	-	-	-	-	-	-	-	-	-	1	-	2	4	7	6	9	7	9	9	11	4	3	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	243	-	-	-	-	-	1	1	1	-	-	1	1	6	9	18	25	30	37	55	26	21	10	1	-	-	-
	White—M	176	-	-	-	-	-	-	-	-	-	-	-	1	4	6	11	16	22	24	46	21	18	7	-	-	-	-
	F	67	-	-	-	-	-	1	1	1	-	-	1	-	2	3	7	9	8	13	9	5	3	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	182	-	-	-	-	-	-	1	-	-	-	-	1	5	8	8	24	27	26	26	30	17	9	-	-	-	-
	White—M	78	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	12	14	11	7	18	7	1	-	-	-	-
	F	104	-	-	-	-	-	-	1	-	-	-	-	1	2	5	6	12	13	15	19	12	10	8	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	-	2	4	1	1	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	2	4	1	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	14	-	-	-	-	-	-	-	-	-	1	-	-	5	3	1	2	1	1	-	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	1	-	-	5	3	-	2	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	550	-	-	-	-	-	1	-	1	-	2	-	3	1	9	24	35	44	74	110	93	85	43	20	2	-	3
	White—M	266	-	-	-	-	-	1	-	1	-	1	-	2	1	5	16	21	25	39	45	50	37	12	8	1	-	1
	F	284	-	-	-	-	-	-	-	-	-	1	-	1	-	4	8	14	19	35	65	43	48	31	12	1	-	2
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	66	8	-	1	1	2	-	-	2	1	2	2	2	2	7	7	2	7	7	6	3	2	1	1	-	-	-
	White—M	44	7	-	1	1	1	-	-	2	1	1	-	1	1	3	6	1	4	6	3	2	2	-	1	-	-	-
	F	22	1	-	-	-	1	-	-	-	-	1	2	1	1	4	1	1	3	1	3	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	27	3	2	1	-	-	1	-	2	-	1	1	-	2	1	1	1	3	3	3	-	-	2	-	-	-	-
	White—M	11	2	2	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	16	1	-	1	-	-	-	-	1	-	1	-	-	-	1	1	1	3	2	2	-	-	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	129	-	-	-	-	-	-	4	1	2	1	2	8	6	6	10	11	13	12	19	16	9	8	-	1	-	-
	White—M	63	-	-	-	-	-	-	3	-	2	-	1	2	4	2	5	4	7	4	8	11	4	6	-	-	-	-
	F	65	-	-	-	-	-	-	1	1	-	1	1	5	2	4	5	7	6	8	11	5	5	2	-	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	661	-	-	-	-	-	-	-	1	-	2	5	9	14	23	49	70	89	93	112	95	63	26	8	1	-	1
	White—M	448	-	-	-	-	-	-	-	-	-	1	5	6	7	22	42	56	65	61	78	54	37	11	2	-	-	1
	F	212	-	-	-	-	-	-	-	1	-	1	-	3	6	1	7	14	24	32	34	41	26	15	6	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,246	-	-	-	-	-	-	2	1	7	5	1	6	8	26	51	76	94	154	187	242	224	102	46	8	3	3
	White—M	661	-	-	-	-	-	-	1	-	4	4	1	5	3	12	28	56	59	84	108	125	98	43	24	3	2	1
	F	584	-	-	-	-	-	-	1	1	3	1	-	1	5	13	23	20	35	70	79	117	126	59	22	5	1	2
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	307	51	7	9	2	1	2	1	1	-	3	-	4	3	4	9	12	25	22	26	51	59	17	13	3	-	2
	White—M	162	29	5	5	1	1	1	-	-	-	2	-	4	3	1	5	9	15	14	16	24	14	9	3	1	-	-
	F	145	22	2	4	1	-	1	1	1	-	1	-	-	-	3	4	3	10	8	10	27	25	8	10	2	-	2
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	49	-	-	-	-	-	-	-	-	1	1	1	3	3	6	2	9	5	3	9	3	3	-	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	1	1	1	3	2	5	2	9	4	3	8	1	3	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Con.																											
119,120	Diarrhea, enteritis, etc.*	21	11	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	-	-	-	-	-
	White—M	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	61	-	1	2	1	-	5	3	6	4	-	2	5	2	3	9	3	5	3	2	1	1	2	1	-	-	-
	White—M	39	-	-	1	-	-	3	2	4	3	-	1	4	1	1	5	2	4	2	2	1	-	2	1	-	-	-
	F	22	-	1	1	1	-	2	1	2	1	-	1	1	1	2	4	1	1	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	55	2	-	-	-	-	1	-	1	-	-	3	1	2	2	2	1	10	9	9	4	4	2	-	2	-	-
	White—M	28	1	-	-	-	-	1	-	1	-	-	2	1	-	-	1	-	7	6	3	1	2	-	-	2	-	-
	F	27	1	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	3	3	6	3	2	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	38	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	6	7	5	4	-	1	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	4	2	6	2	2	-	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1	3	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	47	-	-	-	-	-	-	-	-	1	-	-	-	2	4	7	6	6	6	2	8	2	2	-	1	-	-
	White—M	20	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	3	3	2	2	1	1	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	3	-	6	1	1	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	450	1	-	-	-	-	-	2	5	4	4	1	7	6	18	23	27	45	61	70	84	49	33	7	2	1	-
	White—M	237	-	-	-	-	-	-	2	2	3	2	-	4	3	6	13	11	32	36	36	44	25	15	2	-	1	-
	F	212	1	-	-	-	-	-	-	3	1	2	1	3	3	12	10	16	12	25	34	40	24	18	5	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	42	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	6	5	14	6	6	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	6	5	14	6	6	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	10	-	-	-	-	-	-	-	-	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	8	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	65	55	1	1	-	-	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	27	1	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	28	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	80	-	-	-	-	-	-	-	3	7	4	7	9	9	7	5	7	3	5	7	3	3	1	-	-	-	-
	White—M	67	-	-	-	-	-	-	-	3	7	2	7	8	8	7	3	4	3	2	7	3	2	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	3	-	3	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	7	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	125	1	1	3	1	3	6	6	16	18	7	5	5	4	11	9	3	4	5	4	4	5	2	-	-	-	2
	White—M	92	-	1	2	1	1	4	1	14	15	7	4	3	3	9	5	2	4	3	2	3	5	1	-	-	-	2
	F	31	-	-	1	-	2	2	5	2	3	-	1	2	-	2	4	1	-	2	2	1	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	270	9	5	5	1	2	5	8	7	11	6	11	11	14	6	13	13	18	16	27	18	34	12	13	4	-	1
	White—M	166	5	3	4	-	1	3	8	7	9	5	10	10	11	5	11	9	16	10	11	8	10	4	2	3	-	1
	F	104	4	2	1	1	1	2	-	-	2	1	1	1	3	1	2	4	2	6	16	10	24	8	11	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	565	83	3	2	1	3	3	4	6	3	11	8	13	21	13	22	30	36	28	42	72	60	53	35	9	2	2
	White—M	283	48	1	-	1	2	1	1	2	1	8	3	6	11	4	9	19	21	14	24	38	31	24	12	1	-	1
	F	281	35	2	2	-	1	2	3	4	2	3	5	7	9	9	13	11	15	14	18	34	29	29	23	8	2	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																											
	All causes	45,086	2086	162	82	93	70	260	291	481	633	760	977	1,223	1,764	2,707	3,380	4,055	4,818	5,382	5,376	4,654	3,374	1,715	590	128	19	6
	White—M	22,486	1,026	72	44	45	38	130	143	254	306	339	455	568	854	1,382	1,905	2,254	2,650	2,740	2,657	2,210	1,489	686	207	35	5	4
	F	19,217	747	60	23	35	24	94	111	170	221	298	352	443	628	1,042	1,172	1,465	1,918	2,374	2,536	2,286	1,793	970	361	85	7	2
	All other—M	1,728	157	13	8	9	5	20	13	32	53	50	83	106	139	142	173	182	136	156	96	77	40	24	9	2	3	-
	F	1,655	156	17	7	6	3	16	24	45	53	73	87	106	143	141	130	154	114	112	87	81	42	35	13	6	4	-
1,2	Typhoid, paratyphoid fever	15	-	-	-	-	-	1	2	-	2	1	1	1	-	1	4	1	1	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	2	-	1	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	2	-	2	2	2	5	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	12	1	-	1	1	1	4	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	23	14	4	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	5	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	2	-	2	4	2	10	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	-	-	2	2	1	6	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,655	5	6	3	3	1	4	12	58	136	155	173	172	172	151	154	148	123	81	55	23	14	5	-	1	-	-
	White—M	855	1	1	-	1	-	-	-	13	37	49	76	69	93	102	106	107	90	49	38	14	6	2	-	1	-	-
	F	414	3	1	-	-	-	1	1	16	51	50	51	49	33	32	28	23	25	20	11	9	8	2	-	-	-	-
	All other—M	209	-	1	2	-	-	1	1	8	22	23	21	33	31	15	19	12	5	11	5	-	-	1	-	-	-	-
	F	177	1	3	1	2	1	2	10	21	26	33	25	21	15	4	1	6	3	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	132	6	7	2	6	2	2	4	9	8	13	12	6	9	7	11	10	8	2	3	4	1	-	-	-	-	-
	White—M	50	-	3	-	2	1	-	1	1	2	7	5	3	3	3	4	7	4	1	2	1	-	-	-	-	-	-
	F	33	2	-	1	2	-	-	1	3	3	1	1	1	1	4	4	2	4	-	1	1	1	-	-	-	-	-
	All other—M	27	3	3	-	1	1	2	-	1	2	2	4	-	3	-	2	-	-	1	-	2	-	-	-	-	-	-
	F	22	1	1	1	1	-	-	2	4	1	3	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	510	13	-	-	-	-	-	2	6	5	7	32	24	36	62	86	77	55	43	35	12	14	1	-	-	-	-
	White—M	245	-	-	-	-	-	-	1	1	-	3	8	10	18	27	36	43	34	30	21	6	6	1	-	-	-	-
	F	102	4	-	-	-	-	-	-	4	2	2	8	3	5	11	15	12	9	7	11	4	5	-	-	-	-	-
	All other—M	106	5	-	-	-	-	-	-	1	1	1	7	7	7	17	24	16	9	6	3	1	1	-	-	-	-	-
	F	57	4	-	-	-	-	-	1	-	2	1	9	4	6	7	11	6	3	-	-	1	2	-	-	-	-	-
33	Influenza	166	14	11	3	2	-	2	3	1	2	3	5	8	8	8	8	4	11	12	12	20	10	10	8	1	-	-
	White—M	72	6	2	2	1	-	1	2	1	1	2	2	5	5	4	4	3	3	6	8	5	3	2	4	-	-	-
	F	76	5	6	-	1	-	1	-	-	-	1	2	3	1	3	4	1	6	5	3	15	7	7	4	1	-	-
	All other—M	10	2	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-
	F	8	1	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	8	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	6	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,976	1	-	-	-	-	-	-	2	5	8	18	46	91	169	280	352	454	487	484	335	163	71	8	2	-	-
	White—M	1,569	1	-	-	-	-	-	-	1	3	5	10	18	42	86	142	205	266	246	255	186	81	18	3	1	-	-
	F	1,303	-	-	-	-	-	-	-	1	2	3	8	26	39	72	118	130	174	228	226	144	76	51	4	1	-	-
	All other—M	61	-	-	-	-	-	-	-	-	-	-	-	-	6	7	12	9	6	11	2	4	4	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	2	4	4	8	8	8	2	1	1	2	2	1	-	-	-
48,49	Cancer of female genital organs	673	-	-	-	-	-	1	2	-	3	7	14	32	63	72	79	83	100	84	64	38	26	5	-	-	-	-
	White—F	621	-	-	-	-	-	1	2	-	3	6	13	26	55	64	73	76	92	81	62	36	26	5	-	-	-	-
	All other—F	52	-	-	-	-	-	-	-	-	-	1	1	6	8	8	6	7	8	3	2	2	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Contd.																											
50	Cancer of breast	582	-	-	-	-	-	-	-	-	-	2	10	19	50	76	73	69	70	65	58	39	31	15	4	1	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-
	F	555	-	-	-	-	-	-	-	-	-	2	10	18	45	70	69	68	62	63	58	39	31	15	4	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	4	6	3	1	6	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,832	-	3	2	4	1	7	5	16	14	19	28	32	57	109	183	254	256	268	225	186	114	55	12	2	-	-
	White—M	1,305	-	2	2	2	1	5	3	10	8	11	22	18	38	67	131	189	204	191	161	138	76	18	7	1	-	-
	F	455	-	-	-	1	-	1	1	5	6	6	5	12	12	31	42	60	42	70	62	44	34	15	5	1	-	-
	All other—M	51	-	-	-	-	-	-	-	1	-	1	1	2	4	5	9	5	9	6	1	3	2	2	-	-	-	-
	F	21	-	1	-	1	-	1	1	-	-	1	-	-	3	6	1	-	1	1	1	1	2	-	-	-	-	-
58	Acute rheumatic fever	77	-	-	-	-	2	8	14	14	6	12	6	5	2	2	-	2	1	-	2	-	1	-	-	-	-	-
	White—M	33	-	-	-	-	1	5	8	6	1	5	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	39	-	-	-	-	1	1	6	5	5	7	4	3	1	1	-	1	1	-	2	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,513	-	-	-	1	-	1	4	5	4	3	12	14	27	64	115	156	270	287	260	172	80	37	1	-	-	-
	White—M	475	-	-	-	-	-	-	2	-	2	1	6	6	11	22	43	45	90	80	79	55	20	12	1	-	-	-
	F	947	-	-	-	-	-	1	2	4	2	1	5	5	12	31	60	92	169	194	173	112	59	25	-	-	-	-
	All other—M	27	-	-	-	1	-	-	-	-	-	-	-	1	-	2	2	5	5	5	3	3	-	-	-	-	-	-
	F	64	-	-	-	-	-	-	-	1	-	1	1	2	4	9	10	14	6	8	5	2	1	-	-	-	-	-
63b	Exophthalmic goiter	100	-	-	-	-	-	-	-	-	-	2	5	10	13	15	9	14	12	10	6	4	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	2	-	3	3	1	3	1	2	1	-	-	-	-	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	2	3	9	8	11	8	9	11	8	5	4	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	2	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	70	-	-	-	-	-	-	-	-	1	-	7	12	8	11	13	11	2	3	1	1	-	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	-	5	10	4	9	11	9	2	1	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,751	8	2	-	-	1	1	3	1	7	11	15	38	76	175	244	348	429	586	598	567	380	183	67	11	-	-
	White—M	1,579	3	1	-	-	-	-	-	1	4	6	6	13	23	69	101	156	204	252	270	235	146	65	21	3	-	-
	F	1,953	5	1	-	-	1	1	3	-	2	5	4	16	44	88	115	154	204	303	305	315	227	110	42	8	-	-
	All other—M	90	-	-	-	-	-	-	-	-	1	-	3	4	2	7	14	17	10	14	10	3	3	1	1	-	-	-
	F	129	-	-	-	-	-	-	-	-	-	-	2	5	7	11	14	21	11	17	13	14	4	7	3	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	400	28	4	2	4	6	12	10	11	24	22	22	24	29	27	24	32	27	31	24	22	10	4	1	-	-	-
	White—M	192	17	2	1	3	4	6	2	9	18	11	10	8	10	13	14	14	13	15	15	5	4	-	-	-	-	-
	F	184	9	2	1	1	1	4	8	2	4	11	10	11	16	12	8	16	14	16	11	17	6	3	1	-	-	-
	All other—M	15	1	-	-	-	1	1	-	-	2	-	1	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	1	-	-	-	-	1	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	153	17	4	3	1	2	9	6	13	6	10	10	5	9	15	10	8	12	2	3	4	2	2	-	-	-	-
	White—M	88	11	4	3	-	1	5	1	10	3	4	5	3	6	8	4	3	8	2	2	2	1	2	-	-	-	-
	F	51	4	-	-	1	1	4	2	2	2	5	2	2	2	7	5	5	3	-	1	2	1	-	-	-	-	-
	All other—M	7	2	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	913	1	-	-	3	2	15	36	44	41	46	67	56	59	81	67	76	73	76	60	59	30	14	6	1	-	-
	White—M	377	-	-	-	1	1	7	12	14	20	19	32	22	21	26	30	33	33	36	30	19	13	6	2	-	-	-
	F	460	-	-	-	2	1	6	24	27	19	26	27	29	28	44	27	39	36	32	28	36	16	8	4	1	-	-
	All other—M	30	1	-	-	-	-	1	-	2	1	-	4	1	4	5	4	1	2	3	-	1	-	-	-	-	-	-
	F	46	-	-	-	-	-	1	-	1	1	1	4	4	6	6	6	3	2	5	2	3	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,746	-	-	-	-	-	-	1	1	-	13	25	54	158	262	388	488	590	618	482	341	206	91	22	3	1	2
	White—M	2,486	-	-	-	-	-	-	-	-	-	8	15	38	120	201	306	343	408	387	291	205	107	45	8	2	1	1
	F	1,158	-	-	-	-	-	-	-	1	-	4	7	11	24	49	71	126	171	219	186	132	97	44	14	1	-	1
	All other—M	70	-	-	-	-	-	-	-	-	-	1	3	3	10	8	6	15	7	10	3	2	1	1	-	-	-	-
	F	32	-	-	-	-	-	-	1	-	-	-	-	2	4	4	5	4	4	2	2	2	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	10,161	10	2	1	2	2	10	17	19	23	45	69	120	195	404	636	830	1,100	1,391	1,627	1,517	1206	641	232	54	8	-
	White—M	4,952	5	-	1	1	-	2	7	7	10	24	40	56	99	188	364	463	596	754	755	719	510	248	85	16	2	-
	F	4,617	4	2	-	1	1	4	7	12	9	16	22	35	64	161	208	286	451	570	808	739	669	375	139	34	-	-
	All other—M	270	1	-	-	-	-	1	1	-	2	1	2	11	14	21	30	42	27	31	32	28	10	7	4	2	3	-
	F	322	-	-	-	-	1	3	2	-	2	4	5	18	18	34	34	39	26	36	32	31	17	11	4	2	3	-
107-109	Pneumonia (all forms)	1,935	298	41	15	7	7	7	23	22	19	21	44	50	69	123	112	134	155	179	171	189	140	71	27	8	3	-
	White—M	944	130	14	6	4	5	2	8	6	6	9	19	24	34	68	70	77	86	94	88	88	64	33	8	1	-	-
	F	761	101	15	4	3	2	3	13	13	9	9	17	13	20	31	30	35	60	75	79	92	73	37	18	6	3	-
	All other—M	125	36	4	2	-	-	1	2	1	2	-	4	8	8	16	9	12	6	6	2	6	1	-	-	-	-	-
	F	105	31	8	3	-	-	1	-	2	2	3	4	5	7	9	3	10	3	4	2	3	2	1	1	1	-	-
117	Ulcer of stomach or duodenum	336	-	-	-	-	-	-	-	1	3	7	9	21	24	55	35	59	30	31	29	18	11	3	-	-	-	-
	White—M	271	-	-	-	-	-	-	-	1	2	4	5	18	19	45	29	53	25	23	25	10	9	3	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	2	2	3	3	6	2	5	3	6	3	7	2	-	-	-	-	-
	All other—M	19	-	-	-	-	-	-	-	-	1	1	2	-	1	3	4	1	2	2	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Contd.																											
119,120	Diarrhea, enteritis, etc.*	169	79	8	1	4	1	3	1	1	3	5	2	6	9	6	5	10	4	8	4	-	2	5	2	-	-	-
	White—M	77	42	3	-	2	1	1	1	-	1	3	1	1	4	1	4	5	2	3	-	-	1	1	-	-	-	-
	F	72	25	4	1	2	-	2	-	1	2	2	1	3	4	5	1	3	2	4	4	-	1	4	1	-	-	-
	All other—M	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	F	11	7	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	421	-	-	8	7	1	20	18	25	23	15	16	29	38	43	43	31	42	28	17	9	6	1	1	-	-	-
	White—M	229	-	-	5	4	1	9	9	17	16	8	8	16	17	22	26	17	23	13	12	2	3	1	-	-	-	-
	F	162	-	-	3	2	-	10	9	7	4	6	6	10	16	17	14	12	18	12	5	7	3	-	1	-	-	-
	All other—M	17	-	-	-	1	-	1	-	-	1	-	1	3	3	2	1	1	1	2	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	2	1	1	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	356	22	-	1	2	1	2	2	6	3	4	8	8	21	30	15	38	34	45	39	37	24	9	4	1	-	-
	White—M	174	12	-	-	-	1	2	1	2	1	1	4	3	10	13	5	17	23	19	21	21	10	4	3	1	-	-
	F	148	7	-	-	2	-	-	1	2	1	3	2	5	7	12	7	20	10	20	17	15	12	4	1	-	-	-
	All other—M	13	1	-	1	-	-	-	-	2	-	-	-	-	3	1	1	1	-	1	1	-	-	1	-	-	-	-
	F	21	2	-	-	-	-	-	-	-	1	-	2	-	1	4	2	-	1	5	-	1	2	-	-	-	-	-
124	Cirrhosis of the liver	460	-	-	-	-	-	-	1	-	1	3	8	20	32	57	62	50	66	59	52	24	13	7	4	-	-	1
	White—M	299	-	-	-	-	-	-	-	-	-	2	4	14	18	33	47	34	45	38	33	17	9	3	1	-	-	1
	F	150	-	-	-	-	-	-	1	-	1	1	4	5	10	24	14	15	19	20	18	7	4	4	3	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	264	-	-	-	-	-	-	-	1	1	4	7	10	10	22	24	37	40	37	29	27	12	3	-	-	-	-
	White—M	65	-	-	-	-	-	-	-	-	-	2	1	-	3	4	7	14	5	11	7	7	3	1	-	-	-	-
	F	187	-	-	-	-	-	-	-	1	1	1	5	10	6	16	15	21	34	26	21	20	9	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	1	-	1	-	-	1	-	-	-	-
130-132	Nephritis	3,336	-	2	1	1	-	4	6	21	26	29	51	55	128	153	223	258	349	437	488	478	358	199	57	8	2	2
	White—M	1,491	-	1	1	-	-	1	3	12	13	15	28	26	46	60	99	117	165	196	209	220	179	76	22	-	1	1
	F	1,523	-	1	-	1	-	2	2	8	10	11	17	21	54	77	92	103	146	193	243	230	163	108	32	7	1	1
	All other—M	164	-	-	-	-	-	1	-	1	-	-	5	4	10	7	16	20	19	27	21	11	11	9	2	-	-	-
	F	158	-	-	-	-	-	-	1	-	3	3	1	4	18	9	16	18	19	21	15	17	5	6	1	1	-	-
137	Diseases of the prostate	251	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	13	27	39	45	51	39	22	2	1	-	-
	White—M	237	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	22	35	45	51	38	22	1	1	-	-
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	-	-	1	-	1	-	-	-
140, 142a, 147	Puerperal septicemia	79	-	-	-	-	-	-	-	4	17	23	12	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	64	-	-	-	-	-	-	-	2	14	19	9	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	15	-	-	-	-	-	-	-	2	3	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	27	-	-	-	-	-	-	-	4	5	6	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	5	6	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	69	-	-	-	-	-	-	-	-	11	19	18	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	60	-	-	-	-	-	-	-	-	9	17	16	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	9	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	325	271	10	2	3	2	9	3	7	4	1	2	2	4	2	1	-	1	-	-	1	-	-	-	-	-	-
	White—M	163	140	8	-	1	-	4	2	3	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	145	117	2	1	2	2	4	1	4	3	1	2	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	11	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	703	703	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	251	251	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	681	-	-	-	-	-	-	2	6	18	40	39	59	58	98	90	88	65	51	32	19	12	4	-	-	-	-
	White—M	480	-	-	-	-	-	-	1	4	11	26	21	43	42	66	67	70	47	29	26	13	10	4	-	-	-	-
	F	185	-	-	-	-	-	-	1	2	6	13	16	14	16	28	22	17	18	18	6	6	2	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	2	-	-	-	-	-	-	-	-
165-168	Homicide	96	4	1	-	1	-	-	1	4	9	9	9	17	14	12	5	4	3	1	1	-	1	-	-	-	-	-
	White—M	43	2	1	-	-	-	-	1	1	5	3	4	4	6	7	5	1	1	-	1	-	1	-	-	-	-	-
	F	18	2	-	-	1	-	-	-	2	3	1	1	1	-	3	-	1	2	1	-	-	-	-	-	-	-	-
	All other—M	25	-	-	-	-	-	-	-	-	1	2	4	9	5	2	-	2	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	3	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	955	3	4	4	7	9	28	19	60	71	73	62	61	47	83	79	66	79	72	65	43	16	3	1	-	-	-
	White—M	664	2	1	1	7	6	17	13	33	51	50	38	42	35	67	55	43	58	52	51	28	12	2	-	-	-	-
	F	210	1	3	1	-	2	9	5	19	9	13	10	11	11	12	22	17	20	18	10	12	3	1	1	-	-	-
	All other—M	63	-	-	1	-	1	1	-	6	9	7	11	5	1	4	2	6	1	1	3	3	1	-	-	-	-	-
	F	18	-	-	1	-	-	1	1	2	2	3	3	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,750	48	26	15	13	11	58	55	73	74	67	72	62	88	118	124	109	111	116	134	127	134	72	36	6	1	-
	White—M	1,036	20	12	8	7	5	30	41	58	58	44	50	48	63	97	95	78	67	70	67	41	40	25	9	3	-	-
	F	594	18	13	6	3	6	19	8	9	12	13	16	8	13	15	24	26	33	42	62	83	92	45	26	2	-	-
	All other—M	88	6	-	1	2	-	5	5	6	4	8	6	5	11	4	5	3	10	2	2	3	-	-	-	-	-	-
	F	32	4	1	-	1	-	4	1	-	-	2	-	1	1	2	-	2	1	2	3	-	2	2	1	1	1	-
	All other causes*	3,345	536	26	10	13	13	38	32	44	56	54	82	107	141	188	168	192	214	232	270	285	314	202	95	28	4	1
	White—M	1,551	288	15	8	3	7	21	16	21	29	17	24	45	54	67	85	91	121	102	144	119	143	92	32	5	1	1
	F	1,531	184	9	2	7	4	13	12	17	20	30	40	45	61	101	72	86	76	123	115	157	165	106	61	22	3	-
	All other—M	125	32	2	-	2	1	4	1	1	2	1	3	8	7	10	7	9	10	7	6	6	5	1	-	-	-	-
	F	138	32	-	-	1	1	-	3	5	5	6	15	9	19	10	4	6	7	-	5	3	1	3	2	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes	5,593	1,468	161	49	42	27	77	85	158	174	161	168	198	219	234	266	261	309	335	394	327	238	154	47	15	5	21
	White—M	3,026	780	76	18	16	11	43	47	79	86	86	80	107	121	148	169	158	174	185	224	180	121	77	25	6	2	7
	White—F	2,256	592	68	25	22	15	31	38	68	72	63	79	85	84	75	84	93	120	135	152	130	109	72	21	9	3	11
	All other—M	184	55	9	4	3	1	2	-	5	5	7	7	2	10	9	8	8	10	9	12	8	5	2	1	-	-	2
	All other—F	127	41	8	2	1	-	1	-	6	11	5	2	4	4	2	5	2	5	6	6	9	3	3	-	-	-	1
1,2	Typhoid, paratyphoid fever	18	-	-	-	2	-	3	4	1	1	1	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	1	-	1	3	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	1	-	2	1	-	1	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	70	51	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	22	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	White—M	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	368	1	3	-	-	-	-	7	19	32	35	38	38	45	53	35	24	17	12	5	4	-	-	-	-	-	-
	White—M	217	-	1	-	-	-	-	1	3	13	16	18	25	34	36	29	19	11	7	3	1	-	-	-	-	-	-
	White—F	120	1	-	-	-	-	-	6	10	15	18	17	12	9	12	3	5	5	5	1	1	-	-	-	-	-	-
	All other—M	21	-	-	-	-	-	-	-	3	1	1	2	-	2	5	3	-	1	-	1	2	-	-	-	-	-	-
	All other—F	10	-	2	-	-	-	-	-	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	33	4	-	-	2	1	2	-	6	5	3	3	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	16	2	-	-	1	1	2	-	1	2	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	1	-	-	-	5	3	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	75	62	4	4	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	34	31	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	32	24	2	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	78	12	3	-	-	-	-	1	2	1	2	1	6	12	10	10	7	5	2	2	2	-	-	-	-	-	-
	White—M	54	9	2	-	-	-	-	1	-	1	2	1	4	8	7	6	6	3	1	1	2	-	-	-	-	-	-
	White—F	16	-	1	-	-	-	-	-	2	-	-	-	2	2	2	3	1	2	-	1	-	-	-	-	-	-	-
	All other—M	7	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	All other—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	69	18	3	1	-	2	1	2	2	-	2	2	2	-	1	5	2	3	9	2	5	5	2	-	-	-	-
	White—M	38	11	2	-	-	-	1	1	1	-	1	2	2	-	1	3	1	2	5	-	4	-	1	-	-	-	-
	White—F	31	7	1	1	-	2	-	1	1	-	1	-	-	-	-	2	1	1	4	2	1	5	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	11	3	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	142	-	-	-	-	-	1	-	-	-	-	3	5	6	15	14	8	18	23	19	15	10	5	-	-	-	-
	White—M	84	-	-	-	-	-	1	-	-	-	-	-	4	4	8	10	6	12	11	11	8	6	3	-	-	-	-
	White—F	56	-	-	-	-	-	-	-	-	-	-	3	1	2	7	4	2	6	11	7	7	4	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
46,49	Cancer of female genital organs	55	-	-	-	-	-	-	-	-	-	-	3	4	5	6	8	10	6	6	2	3	1	1	-	-	-	-
	White—F	54	-	-	-	-	-	-	-	-	-	-	3	4	5	6	7	10	6	6	2	3	1	1	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
50	Cancer of breast	27	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	2	3	-	1	1	1	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	2	3	-	1	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	101	1	1	-	-	-	1	1	2	2	1	4	1	4	3	8	12	9	14	17	10	3	5	1	-	-	1
	White—M	65	-	1	-	-	-	1	-	1	1	1	1	-	-	3	3	6	8	10	16	6	3	3	1	-	-	-
	F	32	1	-	-	-	-	-	1	1	1	-	2	1	3	-	5	6	1	4	-	3	-	2	-	-	-	1
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White—M	6	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	44	-	1	-	-	-	-	-	2	1	-	-	-	1	2	2	5	2	8	7	10	2	1	-	-	-	-
	White—M	21	-	1	-	-	-	-	-	2	1	-	-	-	1	-	1	1	1	5	3	4	1	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	3	4	5	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	10	-	-	-	-	-	-	-	-	-	-	1	3	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	3	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	19	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	1	4	1	2	1	3	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	3	1	2	-	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	217	-	-	-	-	-	-	-	-	1	1	2	3	4	11	13	19	36	26	33	23	24	18	1	2	-	-
	White—M	116	-	-	-	-	-	-	-	-	-	1	1	3	2	6	6	12	21	10	17	15	14	8	-	-	-	-
	F	94	-	-	-	-	-	-	-	-	1	-	1	-	2	5	5	7	15	16	14	7	9	9	1	2	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	45	10	-	-	1	-	1	-	5	2	3	1	1	3	1	-	1	5	3	4	1	3	-	-	-	-	-
	White—M	26	6	-	-	-	-	-	-	2	-	1	-	1	1	-	-	1	4	3	3	1	3	-	-	-	-	-
	F	16	3	-	-	1	-	1	-	3	1	1	1	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	32	1	2	1	3	2	6	2	1	3	1	-	2	2	-	1	1	1	1	-	-	1	-	-	1	-	-
	White—M	17	-	-	1	3	1	3	1	-	1	1	-	1	1	-	1	-	1	1	-	-	-	-	-	1	-	-
	F	14	-	2	-	-	1	3	1	1	2	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	67	-	-	-	-	-	1	2	9	3	1	3	5	4	6	4	4	8	5	7	1	1	2	-	-	-	1
	White—M	31	-	-	-	-	-	-	1	3	1	-	-	3	2	3	2	3	7	2	4	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	1	1	5	2	1	3	2	2	3	2	1	1	3	3	1	1	2	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	154	-	-	-	-	-	-	-	-	-	2	2	9	6	12	13	28	13	26	17	16	5	4	1	-	-	-
	White—M	109	-	-	-	-	-	-	-	-	-	-	1	5	5	10	12	21	7	19	14	11	2	2	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	2	1	3	-	2	-	7	6	6	3	5	3	2	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	425	2	1	-	1	-	-	2	5	6	2	4	8	10	14	29	22	41	42	81	59	46	35	9	4	-	2
	White—M	233	1	-	-	-	-	-	1	1	3	2	3	4	5	11	21	17	18	26	46	29	26	14	3	2	-	-
	F	178	1	1	-	1	-	-	1	3	3	-	1	4	5	3	7	5	19	15	31	29	20	19	6	2	-	2
	All other—M	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	-	3	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-
107-109	Pneumonia (all forms)	339	142	19	5	3	5	4	3	9	2	9	3	7	9	11	12	13	14	15	16	14	13	6	1	1	1	2
	White—M	172	69	10	2	-	2	3	2	7	1	4	2	4	5	9	8	4	8	9	6	8	5	4	-	-	-	-
	F	147	61	8	3	2	3	1	1	2	-	4	1	3	4	2	4	7	5	6	10	5	8	2	1	1	1	2
	All other—M	10	5	1	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	10	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	30	1	-	-	-	-	-	-	-	1	-	2	2	6	3	4	6	1	2	2	-	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	1	-	2	2	5	3	3	5	1	2	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
119,120	Diarrhea, enteritis, etc.*	241	199	21	4	3	-	1	1	1	1	1	2	1	-	-	-	-	1	-	3	1	1	-		-	-	-
	White—M	128	106	13	1	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F	111	93	8	3	2	-	-	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-		-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
121	Appendicitis	65	-	1	1	3	3	5	5	11	4	5	4	2	3	5	2	1	1	4	1	2		1	-	-	-	-
	White—M	39	-	-	-	-	-	4	5	7	2	4	3	2	-	4	2	1	1	3	-	-		-	-	-	-	-
	F	26	-	1	1	3	3	1	-	4	2	1	1	-	3	1	-	-	-	1	1	2		1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
122	Hernia, intestinal obstruction	43	3	-	-	-	1	-	2	-	1	1	6	1	1	5	1	2	2	5	4	2	4	2	-	-	-	-
	White—M	16	1	-	-	-	1	-	-	-	-	1	2	-	-	1	1	-	-	2	2	1	2	2	-	-	-	-
	F	24	2	-	-	-	-	-	2	-	1	-	4	1	1	4	-	2	1	2	1	1	2	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	23	-	-	-	-	-	-	-	1	1	-	-	-	2	2	5	2	1	2	3	4	-	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	1	2	4	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	23	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	6	4	4	1	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	-	-	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	3	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	246	-	3	-	-	-	1	1	3	6	5	3	6	8	4	14	17	26	29	42	36	27	11	2	1	-	1
	White—M	136	-	1	-	-	-	-	-	1	4	-	1	3	4	3	9	9	18	16	25	17	19	5	1	-	-	-
	F	108	-	2	-	-	-	1	1	2	2	5	2	3	3	1	5	8	7	13	17	19	6	6	1	1	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	10	4	-	1	-	-	1
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	10	4	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
140, 142a, 147	Puerperal septicemia	26	-	-	-	-	-	-	-	3	5	4	4	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	2	5	4	4	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	17	-	-	-	-	-	-	-	2	5	2	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	1	5	2	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	26	-	-	-	-	-	-	-	4	3	4	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	4	2	4	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	52	47	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	34	31	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	14	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	227	227	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	70	-	-	-	-	-	-	1	1	8	12	9	8	9	8	5	2	3	1	-	1	-	-	-	-	-	2
	White—M	57	-	-	-	-	-	-	-	1	6	11	7	6	6	7	4	2	3	1	-	1	-	-	-	-	-	2
	F	13	-	-	-	-	-	-	1	-	2	1	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	34	-	-	-	-	-	-	-	-	8	2	5	6	1	3	5	3	1	-	-	-	-	-	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	5	2	4	4	-	3	4	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	215	1	3	2	-	2	14	10	23	22	16	19	15	24	12	8	8	13	6	7	6	2	-	1	-	-	1
	White—M	155	-	1	1	-	2	8	7	18	18	12	10	13	16	10	6	6	9	5	6	4	1	-	1	-	-	1
	F	51	1	2	1	-	-	6	3	5	3	2	7	2	8	-	1	2	3	1	1	2	1	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	258	10	10	9	9	3	14	18	27	24	14	12	14	15	6	15	14	9	12	7	6	6	3	1	-	-	-
	White—M	187	6	6	3	6	-	8	12	23	18	11	12	12	13	6	12	12	6	10	4	3	3	1	-	-	-	-
	F	65	3	4	6	3	2	5	6	3	5	3	-	2	2	-	2	2	3	2	3	3	3	2	1	-	-	-
	All other—M	6	1	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,539	671	65	17	11	5	14	18	19	22	25	19	22	25	24	42	38	60	70	103	91	73	57	29	6	4	9
	White—M	770	367	33	9	4	2	6	11	6	6	8	5	8	7	12	20	19	27	31	51	48	29	34	18	3	2	4
	F	640	263	24	5	4	3	6	7	13	12	10	12	12	13	9	20	14	28	29	44	34	39	21	10	3	2	3
	All other—M	70	23	4	2	2	-	1	-	-	1	3	1	1	2	1	-	4	3	7	6	4	2	1	1	-	-	1
	F	59	18	4	1	1	-	1	-	-	3	4	1	1	3	2	2	1	2	3	2	5	3	1	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	149,946	7,322	538	345	243	215	801	867	1,405	2,053	2,428	3,176	4,172	6,120	8,609	11,511	13,298	16,061	17,770	18,225	15,549	11,298	5,609	1,792	436	68	35
	White—M	77,725	3,927	266	169	124	111	441	450	729	974	1,064	1,477	2,063	3,265	4,842	6,664	7,695	8,978	9,488	9,335	7,504	5,055	2,274	644	138	21	24
	F	64,647	2,819	220	157	101	85	303	330	479	767	979	1,168	1,525	2,147	2,994	4,089	4,983	6,537	7,798	8,543	7,805	6,094	3,274	1,118	282	40	10
	All other—M	4,068	325	31	12	11	9	28	40	80	128	188	286	322	385	462	440	359	317	251	185	103	64	24	9	7	1	1
	F	3,506	251	21	7	7	10	29	47	117	184	197	245	259	323	311	318	261	229	233	162	137	85	37	21	9	6	-
1,2	Typhoid, paratyphoid fever	38	2	-	-	1	-	2	1	6	2	3	3	3	3	-	3	1	3	3	2	-	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	4	-	3	1	2	2	-	1	1	2	2	2	-	-	-	-	-	-	-
	F	15	1	-	-	1	-	-	1	2	2	-	2	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	55	6	1	1	1	1	1	3	6	4	1	3	4	6	6	4	1	4	2	-	-	-	-	-	-	-	-
	White—M	36	3	1	-	-	-	1	2	4	3	1	2	2	3	5	3	1	4	1	-	-	-	-	-	-	-	-
	F	13	2	-	1	1	-	-	1	2	1	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	39	1	2	4	3	-	12	5	2	2	1	-	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	13	-	1	2	2	-	1	1	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	-	1	2	1	-	9	4	2	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	140	109	20	1	4	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	63	54	4	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	47	12	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	14	-	1	4	1	1	3	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,746	13	11	3	7	3	6	27	211	428	512	556	529	606	609	624	515	417	306	193	106	43	17	1	1	-	2
	White—M	3,202	6	4	-	3	3	1	6	49	96	164	228	257	371	413	471	386	309	210	123	63	29	7	-	1	-	2
	F	1,451	2	5	3	1	-	1	10	65	181	195	169	154	133	83	83	78	78	85	61	40	14	9	1	-	-	-
	All other—M	620	3	2	-	2	-	3	1	33	54	77	89	70	71	87	47	41	23	6	8	3	-	-	-	-	-	-
	F	473	2	-	-	1	-	1	10	64	97	76	70	48	31	26	23	10	7	5	1	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	513	9	28	10	8	12	19	22	35	41	33	39	41	35	38	41	29	17	19	18	16	2	-	-	-	-	1
	White—M	204	4	7	6	3	3	9	7	10	10	7	10	14	19	19	19	15	9	10	9	13	-	-	-	-	-	1
	F	164	5	11	2	2	6	8	6	10	9	11	7	14	10	10	15	11	7	8	7	3	2	-	-	-	-	-
	All other—M	83	-	4	1	2	2	-	6	9	13	8	11	7	4	6	6	2	1	-	1	-	-	-	-	-	-	-
	F	62	-	6	1	1	1	2	3	6	9	7	11	6	2	3	1	1	-	1	1	-	-	-	-	-	-	-
27	Dysentery	29	6	2	1	-	1	-	1	-	-	-	-	2	2	1	2	6	1	1	1	-	1	1	-	-	-	-
	White—M	16	5	1	-	-	-	-	1	-	-	-	-	2	-	1	1	2	1	-	1	-	1	-	-	-	-	-
	F	11	1	1	1	-	-	-	-	-	-	-	-	-	2	-	1	3	-	1	-	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	25	-	-	-	-	-	1	-	-	3	1	3	3	7	3	2	-	1	1	-	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	1	-	-	2	-	1	2	3	2	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	2,110	42	1	1	-	-	2	3	14	26	37	61	133	203	260	331	272	284	223	111	67	26	9	1	2	-	1
	White—M	1,181	12	-	1	-	-	1	1	5	6	6	15	50	100	128	190	188	186	155	73	49	11	3	-	-	-	1
	F	351	13	1	-	-	-	-	-	4	6	6	5	17	27	37	55	35	53	34	27	15	9	5	1	1	-	-
	All other—M	419	13	-	-	-	-	1	2	2	4	14	32	48	54	65	67	42	36	24	9	1	3	1	-	1	-	-
	F	159	4	-	-	-	-	-	-	3	10	11	9	18	22	30	19	7	9	10	2	2	3	-	-	-	-	-
33	Influenza	414	50	29	11	7	5	6	-	5	6	6	7	9	17	20	16	24	18	37	30	38	39	27	5	1	1	-
	White—M	201	28	15	5	3	3	3	-	3	4	1	1	5	7	12	8	15	9	19	13	18	15	15	-	1	-	-
	F	195	18	11	5	3	2	3	-	2	1	4	5	3	7	8	8	8	8	18	17	20	24	14	5	-	1	-
	All other—M	15	2	3	1	1	-	-	-	-	1	-	1	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	16	2	5	4	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	2	2	3	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	-	1	-	-	-	1	4	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	3	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	10,007	2	1	1	-	1	1	5	7	16	40	80	165	338	590	959	1,234	1,544	1,584	1,582	1,043	566	198	39	9	1	1
	White—M	5,267	1	-	1	-	1	1	1	5	6	22	43	71	156	313	523	694	860	895	805	510	269	75	10	4	-	1
	F	4,448	1	1	-	-	-	-	4	-	10	18	33	79	149	239	390	498	644	661	755	521	292	120	28	5	-	-
	All other—M	178	-	-	-	-	-	-	-	1	-	-	3	9	15	27	28	26	28	18	11	8	2	2	-	-	-	-
	F	114	-	-	-	-	-	-	-	1	-	-	1	6	18	11	18	16	12	10	11	4	3	1	1	-	1	-
48,49	Cancer of female genital organs	2,369	2	-	-	-	-	-	-	8	10	26	68	117	182	283	324	320	313	283	193	143	72	17	7	-	-	1
	White—F	2,220	2	-	-	-	-	-	-	8	6	22	51	107	165	264	297	306	301	270	188	140	70	16	6	-	-	1
	All other—F	149	-	-	-	-	-	-	-	-	4	4	17	10	17	19	27	14	12	13	5	3	2	1	1	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
50	Cancer of breast	2,313	-	-	-	-	-	-	-	-	4	14	42	103	179	272	298	258	311	287	220	162	96	49	16	2	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	1	3	1	1	4	-	-	-	-	-	-
	F	2,213	-	-	-	-	-	-	-	-	4	13	38	96	164	258	277	251	298	283	216	155	96	47	15	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	-	-	-	-	-	-	-	-	-	-	2	7	14	14	19	6	10	3	3	3	-	2	1	-	-	-
45,47, 51-55	Cancer (other forms)	6,693	5	9	13	11	4	35	47	50	46	60	102	139	277	503	692	790	976	969	863	606	332	119	27	12	2	4
	White—M	4,865	4	4	7	5	-	26	24	30	34	40	62	93	176	353	505	578	712	751	655	459	232	86	16	7	2	4
	F	1,642	1	5	6	6	4	9	22	18	7	16	30	37	79	128	161	184	246	204	197	143	94	30	11	4	-	-
	All other—M	136	-	-	-	-	-	-	1	1	2	1	5	8	16	17	20	18	13	11	10	4	6	2	-	1	-	-
	F	50	-	-	-	-	-	-	-	1	3	3	5	1	6	5	6	10	5	3	1	-	-	1	-	-	-	-
58	Acute rheumatic fever	177	1	1	3	1	2	27	37	23	14	15	14	9	8	7	5	2	3	2	2	1	-	-	-	-	-	-
	White—M	78	1	-	-	-	1	11	18	9	6	9	4	3	3	6	1	1	3	1	-	1	-	-	-	-	-	-
	F	86	-	1	2	1	1	14	17	10	8	4	10	4	5	1	4	1	-	1	2	-	-	-	-	-	-	-
	All other—M	4	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	2	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,471	1	2	-	-	2	8	11	17	17	27	22	41	99	208	418	692	960	1,009	922	625	293	82	10	4	1	-
	White—M	1,896	1	1	-	-	1	4	4	7	7	10	13	21	36	83	145	238	299	322	338	235	98	29	4	-	-	-
	F	3,408	-	1	-	-	1	4	7	8	9	12	7	13	49	103	247	427	643	665	569	386	194	52	6	4	1	-
	All other—M	40	-	-	-	-	-	-	-	-	-	1	-	3	5	6	6	5	5	4	3	2	-	-	-	-	-	-
	F	127	-	-	-	-	-	-	-	2	1	4	2	4	9	16	20	22	13	18	12	2	1	1	-	-	-	-
63b	Exophthalmic goiter	400	-	-	-	-	-	-	-	9	6	8	20	22	25	48	54	50	63	43	28	17	7	-	-	-	-	-
	White—M	78	-	-	-	-	-	-	-	1	5	1	4	3	8	10	10	11	11	9	4	-	1	-	-	-	-	-
	F	305	-	-	-	-	-	-	-	8	1	7	13	18	14	35	42	39	50	32	23	17	6	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	-	1	2	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	18	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	3	2	-	2	2	2	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
77	Alcoholism (ethylism)	416	-	-	-	-	-	1	-	-	2	9	31	59	58	72	62	59	27	19	9	8	-	-	-	-	-	-
	White—M	301	-	-	-	-	-	1	-	-	2	6	15	33	37	54	52	47	23	16	8	7	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	5	11	10	11	4	10	4	2	1	-	-	-	-	-	-	-
	All other—M	41	-	-	-	-	-	-	-	-	-	3	7	10	5	7	5	2	-	1	-	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	4	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	9,896	20	2	3	-	1	5	7	15	18	19	60	99	197	371	566	820	1,098	1,395	1,662	1,579	1,186	566	177	39	7	4
	White—M	4,354	11	2	2	-	-	2	6	6	8	8	32	49	73	157	257	387	528	635	764	685	455	202	69	10	2	4
	F	5,240	8	-	1	-	1	3	1	9	10	10	17	40	105	176	269	396	542	723	871	864	698	359	104	28	5	-
	All other—M	142	1	-	-	-	-	-	-	-	-	-	2	5	9	18	22	20	12	17	13	15	4	2	2	-	-	-
	F	160	-	-	-	-	-	-	-	-	-	1	9	5	10	20	18	17	16	20	14	15	9	3	2	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	1,250	72	25	21	13	13	21	37	44	53	54	57	73	83	85	90	101	101	107	92	65	31	9	2	-	1	-
	White—M	688	40	12	8	7	6	8	21	31	30	33	29	41	33	47	64	62	53	56	55	32	16	3	1	-	-	-
	F	493	23	10	13	5	7	11	13	11	20	19	23	24	43	26	23	38	45	48	36	32	15	6	1	-	1	-
	All other—M	38	4	3	-	1	-	2	1	1	2	2	3	4	4	4	1	1	3	1	1	-	-	-	-	-	-	-
	F	31	5	-	-	-	-	-	2	1	1	-	2	4	3	8	2	-	-	2	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	605	58	23	17	10	15	36	28	32	27	29	39	39	37	36	44	28	30	29	27	6	7	6	2	-	-	-
	White—M	316	36	12	4	6	6	20	12	19	17	17	23	14	21	19	20	17	16	15	13	3	5	-	1	-	-	-
	F	244	20	9	12	4	8	13	16	12	6	11	9	18	12	13	20	10	11	14	14	3	2	6	1	-	-	-
	All other—M	27	-	2	1	-	1	1	-	1	3	-	2	5	2	4	3	-	2	-	-	-	-	-	-	-	-	-
	F	18	2	-	-	-	-	2	-	-	1	1	5	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	3,478	1	1	1	4	7	55	131	149	156	203	237	265	330	306	279	265	219	233	211	198	145	65	14	3	-	-
	White—M	1,592	1	-	1	1	5	26	55	74	75	83	111	127	153	132	141	128	113	111	99	77	54	19	5	1	-	-
	F	1,696	-	-	-	2	1	24	53	63	67	96	106	114	160	163	126	130	100	115	110	118	89	46	9	2	-	-
	All other—M	86	-	1	-	-	-	3	7	4	5	12	15	7	9	4	7	3	3	3	-	2	1	-	-	-	-	-
	F	104	-	-	-	1	1	2	16	8	9	12	3	17	8	7	5	4	3	4	2	1	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	12,889	-	-	-	-	1	-	2	2	5	17	83	204	503	884	1,362	1,627	1,906	1,992	1,843	1,281	779	289	80	20	4	3
	White—M	8,856	-	-	-	-	1	-	1	1	4	13	65	157	411	717	1,118	1,224	1,357	1,305	1,136	738	423	133	32	5	3	2
	F	3,790	-	-	-	-	-	-	-	1	1	4	11	28	62	155	206	373	522	656	689	530	354	152	47	15	1	1
	All other—M	159	-	-	-	-	-	-	-	-	-	-	7	7	20	20	23	18	20	19	15	5	2	2	1	-	-	-
	F	84	-	-	-	-	-	-	1	-	-	-	-	2	10	12	13	12	9	12	3	8	-	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	35,497	13	7	4	-	2	12	22	46	61	88	138	281	633	1,183	1,977	2,796	3,891	5,126	5,905	5,618	4,407	2,524	748	187	23	3
	White—M	17,511	6	5	3	-	2	7	8	23	33	43	55	152	329	656	1,121	1,599	2,119	2,676	2,908	2,583	1,943	937	247	66	7	1
	F	16,659	5	2	1	-	-	4	13	19	24	33	68	101	198	389	714	1,028	1,590	2,284	2,861	2,932	2,401	1,569	490	116	13	2
	All other—M	641	2	-	-	-	-	1	-	1	3	4	8	17	49	75	70	78	98	88	72	40	27	3	2	2	1	-
	F	688	-	-	-	-	-	-	1	3	1	4	7	31	57	63	72	91	84	78	64	63	36	15	9	3	4	-
107-109	Pneumonia (all forms)	6,164	894	121	52	20	14	58	56	61	82	78	122	172	221	320	390	436	482	582	609	546	462	262	91	27	5	1
	White—M	3,258	458	59	22	9	6	28	18	32	33	28	58	85	128	194	231	273	300	328	304	286	221	103	43	9	2	-
	F	2,510	347	55	24	10	4	26	33	23	40	33	46	62	58	93	120	139	159	241	288	250	235	156	46	16	3	1
	All other—M	252	60	5	1	-	2	-	3	3	6	9	9	17	25	21	27	18	19	8	8	5	2	2	2	-	-	-
	F	144	29	2	5	1	2	4	2	3	3	6	9	8	10	12	12	6	4	5	9	5	4	1	-	2	-	-
117	Ulcer of stomach or duodenum	1,173	6	-	-	-	-	-	-	5	10	22	38	57	97	130	178	174	143	127	80	61	33	12	-	-	-	-
	White—M	962	2	-	-	-	-	-	-	1	5	18	28	47	88	116	142	151	124	103	61	50	18	8	-	-	-	-
	F	165	3	-	-	-	-	-	-	4	4	2	4	5	7	8	24	17	18	22	17	11	15	4	-	-	-	-
	All other—M	39	1	-	-	-	-	-	-	-	1	2	4	5	-	5	11	6	1	2	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
119,120	Diarrhea, enteritis, etc.*	579	362	28	6	1	-	4	-	8	6	16	13	20	16	12	12	10	14	13	12	8	9	6	1	2	-	-
	White—M	286	191	13	2	1	-	2	-	4	4	6	6	10	5	7	6	4	8	2	7	4	1	2	-	1	-	-
	F	246	152	12	4	-	-	2	-	3	2	8	6	10	10	5	6	6	6	11	5	4	8	4	1	1	-	-
	All other—M	29	24	1	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	15	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	1,294	3	8	21	20	22	70	79	85	59	56	67	80	90	110	98	107	104	94	63	34	18	4	-	1	-	1
	White—M	731	3	4	12	8	9	42	40	57	36	31	41	54	60	64	53	56	56	51	36	14	3	1	-	-	-	-
	F	509	-	4	9	12	11	23	35	25	21	24	22	19	23	41	42	46	46	40	27	20	14	3	-	1	-	1
	All other—M	29	-	-	-	-	-	1	2	2	1	1	1	6	3	4	2	4	-	2	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	2	4	2	1	1	-	3	1	4	1	1	1	2	1	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	1,299	52	8	3	2	3	8	9	10	11	16	34	40	61	82	112	122	141	154	163	129	90	36	9	3	-	1
	White—M	681	33	1	2	2	2	5	7	8	3	7	16	19	29	43	49	67	77	82	85	77	40	22	3	2	-	-
	F	559	17	6	1	-	-	2	2	2	6	5	12	15	25	34	57	52	58	68	76	50	50	13	6	1	-	1
	All other—M	29	1	1	-	-	-	1	-	-	1	3	2	3	1	2	4	2	4	2	-	1	-	1	-	-	-	-
	F	30	1	-	-	-	1	-	-	-	1	1	4	3	6	3	2	1	2	2	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver	1,556	3	-	1	-	-	1	4	2	7	16	34	76	116	200	219	206	213	161	144	67	62	20	3	1	-	-
	White—M	976	-	-	1	-	-	-	2	1	2	6	16	42	73	121	134	139	156	111	95	37	32	7	1	-	-	-
	F	523	3	-	-	-	-	1	2	1	4	7	11	27	38	64	80	65	53	46	49	29	27	13	2	1	-	-
	All other—M	32	-	-	-	-	-	-	-	-	1	-	4	3	2	11	3	1	3	1	-	1	2	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	3	3	4	3	4	2	1	1	3	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	930	-	1	-	-	-	-	-	-	1	8	15	41	65	75	100	105	139	142	108	78	33	15	2	2	-	-
	White—M	355	-	1	-	-	-	-	-	-	-	3	3	15	21	19	49	31	58	60	48	32	11	4	-	-	-	-
	F	555	-	-	-	-	-	-	-	-	1	5	11	23	41	53	48	72	78	81	60	45	22	11	2	2	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	1	2	-	-	1	-	-	-	-	-	-
130-132	Nephritis	8,943	10	1	4	4	3	22	30	39	72	83	108	187	317	416	628	723	940	1,156	1,330	1,217	990	488	136	34	2	3
	White—M	4,203	6	1	2	-	-	9	15	19	39	41	51	81	134	191	318	381	480	550	621	575	440	184	51	13	-	1
	F	4,521	3	-	2	3	3	11	15	19	28	35	37	71	136	181	246	303	426	565	679	619	537	299	82	18	2	1
	All other—M	180	1	-	-	1	-	1	-	-	2	3	8	16	21	17	33	20	15	17	9	4	6	3	1	1	-	1
	F	239	-	-	-	-	-	1	-	1	3	4	12	19	26	27	31	19	19	24	21	19	7	2	2	2	-	-
137	Diseases of the prostate	959	-	-	-	-	-	-	-	-	1	1	-	2	2	7	27	55	96	156	212	194	131	63	9	3	-	-
	White—M	933	-	-	-	-	-	-	-	-	1	1	-	1	2	5	26	53	95	151	201	192	130	63	9	3	-	-
	All other—M	26	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	5	11	2	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	292	-	-	-	-	-	-	-	13	66	83	69	43	14	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	243	-	-	-	-	-	-	-	9	50	71	57	39	13	4	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	49	-	-	-	-	-	-	-	4	16	12	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	84	-	-	-	-	-	-	-	4	16	15	26	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	3	16	12	25	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	209	-	-	-	-	-	-	-	9	24	60	66	32	15	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	185	-	-	-	-	-	-	-	6	20	53	57	32	14	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	24	-	-	-	-	-	-	-	3	4	7	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,334	1,087	49	25	8	8	27	26	18	23	10	12	10	12	8	4	4	1	1	1	-	-	-	-	-	-	-
	White—M	693	567	23	13	3	3	15	14	9	13	7	7	5	4	5	1	3	-	1	-	-	-	-	-	-	-	-
	F	589	485	21	11	3	5	12	10	7	9	3	4	4	8	2	2	1	1	-	1	-	-	-	-	-	-	-
	All other—M	32	19	3	1	2	-	-	1	2	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	20	16	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,337	2,337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,242	1,242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	882	882	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	2,252	-	-	-	-	-	-	2	42	94	142	184	227	232	296	295	208	178	145	109	60	27	6	5	-	-	-
	White—M	1,578	-	-	-	-	-	-	1	23	58	70	120	145	162	206	218	164	142	106	88	47	21	4	3	-	-	-
	F	633	-	-	-	-	-	-	-	15	30	68	60	77	63	83	76	44	36	38	21	13	6	1	2	-	-	-
	All other—M	26	-	-	-	-	-	-	1	2	3	2	3	4	5	4	1	-	-	1	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	2	3	2	1	1	2	3	-	-	-	-	-	-	-	1	-	-	-	-
165-168	Homicide	379	13	2	3	2	-	9	4	16	34	52	56	54	39	26	28	6	20	8	1	2	3	-	-	-	-	1
	White—M	205	8	2	2	1	-	8	-	8	17	20	29	21	19	20	18	6	15	6	1	1	2	-	-	-	-	1
	F	53	5	-	1	1	-	1	3	2	6	5	5	8	4	-	6	-	2	2	-	1	1	-	-	-	-	-
	All other—M	95	-	-	-	-	-	-	1	5	10	15	18	22	13	5	4	-	2	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	12	4	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,466	2	7	19	26	27	116	80	152	224	167	141	139	128	171	191	204	219	156	133	87	51	21	3	1	-	1
	White—M	1,813	-	1	13	19	19	73	56	116	177	128	106	100	99	134	139	151	166	109	95	61	33	15	2	-	-	1
	F	550	2	6	6	5	6	35	20	35	41	31	22	27	21	31	42	42	48	42	38	26	16	6	1	1	-	-
	All other—M	76	-	-	-	-	2	5	4	1	5	6	12	7	5	6	8	9	4	2	-	-	-	-	-	-	-	-
	F	27	-	-	-	2	-	3	-	-	1	2	1	5	3	-	2	2	1	3	-	-	2	-	-	-	-	-
169, 171-195	Other accidents	5,929	156	61	48	37	36	115	104	142	197	178	253	284	335	383	396	393	406	453	515	524	472	287	125	19	5	5
	White—M	3,539	75	36	28	20	23	72	82	111	154	137	178	218	270	306	295	281	268	239	249	188	139	98	47	3	1	3
	F	2,128	66	19	15	14	12	34	11	22	34	23	46	40	40	61	78	93	131	205	258	333	308	186	77	16	4	2
	All other—M	192	11	1	5	2	-	5	9	8	7	15	23	16	20	12	21	16	4	6	6	1	1	3	-	-	-	-
	F	70	6	5	-	1	1	4	2	1	2	3	6	10	5	4	2	3	3	3	2	2	4	-	1	-	-	-
	All other causes*	11,155	1,982	80	60	52	29	113	77	117	176	218	270	349	521	577	679	653	770	750	831	961	903	609	279	63	14	2
	White—M	5,470	1,129	54	27	29	16	58	42	58	82	89	100	133	226	281	332	340	413	397	437	462	391	256	100	12	4	2
	F	5,101	725	22	32	23	12	51	29	49	80	105	130	167	241	251	316	275	329	330	380	484	495	344	174	48	9	-
	All other—M	257	67	2	1	-	1	2	1	2	3	7	13	17	19	29	14	22	17	12	7	8	7	3	1	2	-	-
	F	307	61	2	-	-	-	2	5	8	11	17	27	32	35	16	17	16	11	11	7	7	10	6	4	1	1	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes	32,081	4,629	462	241	153	105	386	398	815	1,121	1,151	1,164	1,239	1,455	1,668	1,869	2,180	2,537	2,989	2,344	2,015	1,619	967	355	103	50	66
	White—M	11,503	1,589	129	75	46	35	118	129	221	304	308	313	327	462	553	674	869	1,013	1,237	1,023	868	688	371	94	20	6	31
	F	8,859	1,126	108	63	42	30	123	88	158	223	210	271	278	317	369	416	538	697	909	807	786	672	425	143	44	7	9
	All other—M	6,188	1,058	123	50	29	16	81	103	179	297	328	296	318	360	386	400	405	450	478	308	190	140	82	65	14	13	19
	F	5,531	856	102	53	36	24	64	78	257	297	305	284	316	316	360	379	368	377	365	206	171	119	89	53	25	24	7
1,2	Typhoid, paratyphoid fever	39	1	1	1	-	1	3	3	5	4	7	6	1	-	2	1	-	2	-	1	-	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	1	1	-	-	2	4	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	13	-	-	1	-	1	-	1	2	3	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	10	1	-	-	-	-	-	1	2	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	22	3	2	1	1	1	1	1	4	3	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	11	1	2	-	-	1	1	1	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	2	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	1	1	2	-	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	1	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	89	57	22	2	3	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	15	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	25	14	6	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	15	8	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	107	12	22	21	12	13	18	-	2	2	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	42	6	9	8	4	4	8	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	36	5	3	5	4	8	7	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	-	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	1	5	7	2	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,667	5	8	2	1	2	5	28	127	204	217	190	150	197	175	121	83	52	43	24	19	8	1	-	1	-	4
	White—M	386	1	1	-	-	-	-	1	7	17	22	28	29	77	65	50	26	23	21	9	6	1	1	-	-	-	1
	F	257	1	-	-	1	1	1	3	6	27	29	47	22	21	22	15	16	13	11	6	10	5	-	-	-	-	-
	All other—M	529	-	6	2	-	1	2	9	30	64	74	55	51	72	67	40	26	10	9	6	2	2	-	-	-	-	1
	F	495	3	1	-	-	-	2	15	84	96	92	60	48	27	21	16	15	6	2	3	1	-	-	-	1	-	2
14-22	Tuberculosis (other forms)	116	10	8	4	2	1	3	8	15	12	14	8	6	4	5	4	6	1	-	4	-	1	-	-	-	-	-
	White—M	23	2	3	2	-	-	-	1	1	-	-	1	1	1	4	1	3	-	-	3	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	1	1	1	1	2	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	39	4	2	1	1	1	1	2	3	5	7	4	3	2	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	43	3	3	1	1	-	1	4	10	6	5	1	1	1	1	3	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery	60	24	6	1	-	-	-	-	-	2	2	2	4	1	-	2	1	4	2	2	3	2	2	-	-	-	-
	White—M	19	10	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	1	-	-	-	-
	F	12	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	All other—M	16	6	1	-	-	-	-	-	-	1	1	-	2	1	-	1	-	1	1	-	-	-	1	-	-	-	-
	F	13	4	1	-	-	-	-	-	-	-	1	2	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-
28	Malaria	61	3	5	2	-	1	2	4	2	-	-	3	2	2	6	7	1	3	7	2	4	1	1	2	1	-	-
	White—M	19	1	3	-	-	-	-	-	1	-	-	2	-	-	1	4	-	-	2	1	3	-	-	-	1	-	-
	F	15	-	1	-	-	-	-	1	-	-	-	1	-	1	1	2	1	-	4	-	1	1	-	1	-	-	-
	All other—M	15	1	-	2	-	1	2	2	-	-	-	-	2	-	2	1	-	1	-	1	-	-	-	-	-	-	-
	F	12	1	1	-	-	-	-	1	1	-	-	-	-	1	2	-	-	2	1	-	-	-	1	1	-	-	-
30	Syphilis	438	61	1	2	1	1	2	5	10	24	32	42	46	53	55	30	15	27	20	7	1	2	-	-	-	-	1
	White—M	75	6	1	-	-	-	-	1	-	2	1	6	12	8	8	8	4	7	9	1	1	-	-	-	-	-	-
	F	38	7	-	1	-	-	-	-	-	-	2	6	2	4	7	2	1	2	1	2	-	1	-	-	-	-	-
	All other—M	215	30	-	1	-	1	1	2	5	8	18	13	24	28	29	18	9	16	8	3	-	-	-	-	-	-	1
	F	110	18	-	-	1	-	1	2	5	14	11	17	8	13	11	2	1	2	2	1	-	1	-	-	-	-	-
33	Influenza	691	138	25	15	4	2	9	8	19	14	10	15	23	19	23	33	36	40	63	46	49	44	33	13	5	2	3
	White—M	223	51	7	4	1	-	3	1	5	2	2	1	7	4	8	12	12	11	20	16	15	14	16	5	2	1	3
	F	207	26	2	5	2	1	1	1	2	4	1	3	5	2	2	8	3	18	27	19	22	27	17	5	3	1	-
	All other—M	118	27	9	1	-	1	-	3	5	2	3	6	3	5	7	2	11	7	11	5	6	3	-	1	-	-	-
	F	143	34	7	5	1	-	5	3	7	6	4	5	8	8	6	11	10	4	5	6	6	-	-	2	-	-	-
35	Measles	11	3	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	16	1	2	2	-	1	4	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	766	-	-	1	-	1	2	-	-	4	7	11	24	38	64	52	92	116	138	95	54	38	21	4	1	-	3
	White—M	313	-	-	1	-	1	-	-	-	4	4	7	12	8	13	16	40	52	61	42	24	16	8	1	1	-	2
	F	271	-	-	-	-	-	1	-	-	-	2	3	4	14	25	16	31	36	47	39	22	21	9	1	-	-	-
	All other—M	102	-	-	-	-	-	1	-	-	-	1	-	2	8	10	11	16	16	17	8	7	-	2	2	-	-	1
	F	80	-	-	-	-	-	-	-	-	-	-	1	6	8	16	9	5	12	13	6	1	1	2	-	-	-	-
48,49	Cancer of female genital organs	410	-	-	-	-	-	-	1	2	4	11	23	42	41	50	63	58	32	38	23	12	2	6	-	2	-	-
	White—F	265	-	-	-	-	-	-	1	1	1	4	15	30	25	31	44	38	20	27	15	8	2	2	-	1	-	-
	All other—F	145	-	-	-	-	-	-	-	1	3	7	8	12	16	19	19	20	12	11	8	4	-	4	-	1	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
50	Cancer of breast	208	-	-	-	-	-	-	-	-	-	3	3	10	30	19	29	20	28	28	12	16	5	4	-	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	149	-	-	-	-	-	-	-	-	-	3	2	7	18	15	15	13	24	20	10	14	4	4	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	-	1	3	11	4	13	7	4	7	1	2	1	-	-	1	-	-
45,47, 51-55	Cancer (other forms)	694	2	2	2	2	4	8	6	10	11	13	24	23	30	37	50	84	87	83	73	68	38	30	4	3	-	-
	White—M	346	1	-	1	-	2	4	2	3	6	7	8	8	15	17	18	36	47	48	38	40	23	20	1	1	-	-
	F	207	1	2	-	1	1	1	3	3	2	3	8	11	8	9	19	26	21	20	23	20	13	7	3	2	-	-
	All other—M	82	-	-	-	-	-	3	-	2	1	1	4	2	3	7	8	8	16	10	11	3	2	1	-	-	-	-
	F	59	-	-	1	1	1	-	1	2	2	2	4	2	4	4	5	14	3	5	1	5	-	2	-	-	-	-
58	Acute rheumatic fever	68	-	1	-	-	2	10	12	6	8	4	3	5	4	-	2	1	4	-	1	2	1	2	-	-	-	-
	White—M	13	-	-	-	-	-	1	2	2	-	-	1	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	3	4	-	3	2	2	2	2	-	-	-	-	-	1	1	1	2	-	-	-	-
	All other—M	14	-	1	-	-	1	1	2	4	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	1	3	4	-	4	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	506	1	2	-	1	-	5	8	13	10	7	11	13	18	32	43	61	69	75	72	33	20	10	2	-	-	-
	White—M	186	-	-	-	-	-	2	1	5	3	3	6	3	6	4	13	21	28	30	31	13	10	5	2	-	-	-
	F	193	1	2	-	-	-	2	-	3	3	3	2	2	5	9	16	25	25	33	31	18	10	3	-	-	-	-
	All other—M	45	-	-	-	1	-	-	4	2	3	1	1	3	2	6	5	4	6	5	1	-	-	1	-	-	-	-
	F	82	-	-	-	-	-	1	3	3	1	-	2	5	5	13	9	11	10	7	9	2	-	1	-	-	-	-
63b	Exophthalmic goiter	41	-	-	-	-	-	-	-	-	1	6	3	-	4	4	7	5	3	5	2	1	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	3	-	3	-	4	3	2	5	2	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	4	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	169	-	-	-	-	-	-	1	1	4	4	4	4	12	16	13	20	15	24	18	20	10	3	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	3	5	6	8	8	5	2	-	-	-	-
	F	80	-	-	-	-	-	-	-	-	4	1	2	1	6	9	6	11	4	11	9	12	3	1	-	-	-	-
	All other—M	17	-	-	-	-	-	-	-	-	-	2	-	1	3	1	1	2	3	2	-	-	2	-	-	-	-	-
	F	25	-	-	-	-	-	-	1	1	-	-	1	2	2	5	2	4	3	3	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	73	-	-	1	-	-	1	-	-	2	7	15	14	12	9	3	4	-	4	1	-	-	-	-	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	3	5	8	9	5	2	3	-	3	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	28	-	-	1	-	-	-	-	-	2	3	8	6	3	3	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,175	5	2	1	2	-	2	2	4	10	19	47	59	121	189	290	320	441	526	398	309	245	135	33	10	3	2
	White—M	1,114	2	-	1	-	-	1	2	2	3	5	10	11	30	46	72	112	167	190	167	131	107	43	10	1	-	1
	F	946	2	1	-	1	-	-	-	1	2	3	10	14	35	48	74	71	111	157	136	110	97	58	11	3	1	-
	All other—M	563	1	1	-	1	-	-	-	1	3	8	12	17	23	43	66	70	92	95	51	36	16	17	7	2	1	-
	F	552	-	-	-	-	-	1	-	-	2	3	15	17	33	52	78	67	71	84	44	32	25	17	5	4	1	1
80-82, 84-88	Other diseases of nervous system, etc.*	415	59	12	8	8	2	19	22	23	32	22	28	19	26	20	16	16	22	17	18	10	6	6	1	-	-	3
	White—M	141	19	5	5	1	-	5	11	8	7	9	3	5	7	3	7	8	9	9	8	5	2	4	-	-	-	1
	F	121	17	5	1	2	2	6	6	6	8	3	8	5	5	6	3	6	7	6	9	4	3	2	1	-	-	-
	All other—M	89	12	1	1	3	-	6	3	4	7	7	9	6	9	9	4	1	3	1	1	-	-	-	-	-	-	2
	F	64	11	1	1	2	-	2	2	5	10	3	8	3	5	2	2	1	3	1	-	1	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	242	67	13	4	5	4	20	17	17	10	11	11	1	5	9	6	8	11	9	2	4	4	3	-	1	-	-
	White—M	85	15	7	1	4	2	4	10	7	3	5	2	-	1	5	2	3	5	3	1	3	1	1	-	-	-	-
	F	74	25	2	3	1	-	9	5	5	1	2	3	-	-	2	1	4	2	4	1	1	2	1	-	-	-	-
	All other—M	36	13	2	-	-	1	4	2	2	3	2	2	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-
	F	47	14	2	-	-	1	3	-	3	3	2	4	1	4	1	3	1	1	1	-	-	1	1	-	1	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	522	4	1	-	-	-	12	22	20	9	18	18	16	17	30	37	37	46	56	47	56	43	25	6	1	-	1
	White—M	174	2	1	-	-	-	3	9	5	3	5	3	4	3	10	16	12	10	19	18	22	19	7	2	1	-	-
	F	166	2	-	-	-	-	3	8	7	2	3	3	5	-	9	5	8	12	21	18	24	18	16	2	-	-	-
	All other—M	99	-	-	-	-	-	2	3	2	2	4	8	2	5	6	10	8	16	11	9	5	3	1	2	-	-	-
	F	83	-	-	-	-	-	4	2	6	2	6	4	5	9	5	6	9	8	5	2	5	3	1	-	-	-	1
94	Diseases of coronary arteries, angina pectoris	1,366	1	1	-	-	-	-	-	3	6	13	18	53	72	102	138	174	191	231	144	117	59	28	11	-	-	4
	White—M	816	1	1	-	-	-	-	-	-	1	1	13	21	44	71	91	111	120	138	81	66	35	15	3	-	-	3
	F	343	-	-	-	-	-	-	-	2	2	6	3	8	9	13	18	42	46	67	49	40	20	12	5	-	-	1
	All other—M	118	-	-	-	-	-	-	-	-	2	1	-	12	12	12	17	14	18	15	8	2	2	-	3	-	-	-
	F	89	-	-	-	-	-	-	-	1	1	5	2	12	7	6	12	7	7	11	6	9	2	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,071	18	3	2	6	1	13	13	33	32	50	66	100	137	187	305	365	462	613	501	451	381	214	74	22	12	10
	White—M	1,581	7	-	1	2	-	3	5	7	3	7	11	25	35	59	107	155	191	267	230	185	161	88	26	4	1	3
	F	1,217	4	-	-	3	-	5	2	8	8	6	13	14	26	32	65	83	127	173	162	192	161	95	27	6	2	3
	All other—M	665	4	2	1	-	-	3	3	8	6	22	18	33	35	45	69	67	72	107	63	35	32	14	13	6	4	3
	F	608	3	1	-	1	1	2	3	10	15	15	24	28	41	51	64	60	72	66	46	39	27	19	8	6	5	1
107-109	Pneumonia (all forms)	2,003	691	104	41	17	13	28	26	42	45	60	53	73	52	56	66	70	88	103	102	98	88	49	31	4	2	3
	White—M	617	222	18	10	3	3	7	5	7	12	14	10	18	19	13	17	23	37	34	37	50	29	19	10	-	-	2
	F	553	141	30	9	6	4	7	6	10	9	10	11	17	8	20	15	18	16	38	49	38	46	27	16	2	-	-
	All other—M	447	179	26	11	3	2	7	10	11	14	23	20	25	13	10	16	17	18	14	7	7	10	1	1	-	2	-
	F	386	149	32	11	5	4	5	5	14	10	13	12	13	12	13	18	12	17	17	9	3	3	2	4	2	-	1
117	Ulcer of stomach or duodenum	125	-	1	-	1	-	-	-	3	5	10	8	13	14	12	10	13	14	11	2	6	-	1	-	-	-	1
	White—M	69	-	-	-	1	-	-	-	2	1	5	4	6	7	7	7	10	7	7	2	3	-	-	-	-	-	-
	F	22	-	1	-	-	-	-	-	-	-	2	1	3	2	1	2	-	3	3	-	3	-	1	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	-	3	3	2	4	3	3	1	3	3	1	-	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	618	398	90	35	11	4	3	2	3	4	5	2	4	6	5	2	5	4	8	8	9	4	5	1	-	-	-
	White—M	176	116	27	12	4	1	1	1	-	-	1	-	1	-	-	-	2	1	-	6	2	-	1	-	-	-	-
	F	158	90	23	10	2	2	1	-	-	2	1	1	1	2	2	1	1	1	4	2	5	4	2	1	-	-	-
	All other—M	154	106	27	5	3	-	1	-	1	1	1	-	2	2	1	-	-	1	2	-	1	-	-	-	-	-	-
	F	130	86	13	8	2	1	-	1	2	1	2	1	-	2	2	1	2	1	2	-	1	-	2	-	-	-	-
121	Appendicitis	226	-	2	2	4	2	11	23	27	24	19	12	18	8	12	7	9	17	13	7	4	3	-	-	1	-	1
	White—M	100	-	-	-	1	1	3	9	13	12	5	7	7	4	7	4	6	9	4	3	2	1	-	-	1	-	1
	F	63	-	2	1	-	-	5	9	8	5	2	2	3	1	2	1	3	5	8	2	2	2	-	-	-	-	-
	All other—M	31	-	-	1	2	1	3	2	3	3	4	-	3	2	2	2	-	1	1	1	-	-	-	-	-	-	-
	F	32	-	-	-	1	-	-	3	3	4	8	3	5	1	1	-	-	2	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	205	23	6	4	-	-	3	6	5	5	11	11	7	9	15	9	15	12	18	11	16	10	6	3	-	-	-
	White—M	73	10	2	2	-	-	-	2	1	2	1	4	1	1	1	4	4	7	4	5	10	5	5	2	-	-	-
	F	53	4	2	1	-	-	1	2	2	-	3	4	3	1	6	2	3	4	5	1	5	3	1	-	-	-	-
	All other—M	45	7	2	1	-	-	1	1	1	2	3	1	-	4	2	1	5	-	6	4	1	2	-	1	-	-	-
	F	34	2	-	-	-	-	1	1	1	1	4	2	3	3	6	2	3	1	3	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	149	-	-	1	-	-	-	-	-	1	2	13	5	17	13	18	21	14	19	17	5	1	1	-	-	-	1
	White—M	89	-	-	-	-	-	-	-	-	1	2	5	3	10	7	15	11	7	10	12	5	1	-	-	-	-	-
	F	25	-	-	1	-	-	-	-	-	-	-	2	1	1	2	1	6	5	4	2	-	-	-	-	-	-	-
	All other—M	22	-	-	-	-	-	-	-	-	-	-	4	-	2	2	1	3	2	4	3	-	-	-	-	-	-	1
	F	13	-	-	-	-	-	-	-	-	-	-	2	1	4	2	1	1	-	1	-	-	-	1	-	-	-	-
126,127	Biliary calculi, etc.	95	3	-	-	-	-	1	-	-	-	4	4	1	10	6	4	10	16	10	8	8	6	4	-	-	-	-
	White—M	29	2	-	-	-	-	-	-	-	-	2	2	-	2	2	1	3	2	3	5	3	2	-	-	-	-	-
	F	56	1	-	-	-	-	1	-	-	-	1	1	1	4	4	2	6	13	6	3	5	4	4	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	3,432	6	4	7	5	5	20	12	25	36	42	75	90	142	197	216	330	383	501	397	357	328	163	56	15	9	11
	White—M	1,172	2	-	3	3	1	3	3	8	7	10	13	15	26	45	59	113	111	191	173	148	150	67	12	3	1	5
	F	972	-	1	1	1	1	12	2	4	10	12	15	17	29	39	39	73	96	142	117	138	119	65	27	10	1	1
	All other—M	668	2	2	3	-	2	3	3	4	10	5	23	21	48	51	59	68	89	89	74	45	32	19	9	-	3	4
	F	620	2	1	-	1	1	2	4	9	9	15	24	37	39	62	59	76	87	79	33	26	27	12	8	2	4	1
137	Diseases of the prostate	129	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	7	14	35	17	23	18	1	7	1	-	1
	White—M	97	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	11	22	14	23	14	1	5	1	-	1
	All other—M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	13	3	-	4	-	2	-	-	-
140, 142a, 147	Puerperal septicemia	134	-	-	-	-	-	-	1	21	44	20	20	17	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	69	-	-	-	-	-	-	-	4	25	7	13	12	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	65	-	-	-	-	-	-	1	17	19	13	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,o, 144,148	Puerperal toxemias	144	-	-	-	-	-	-	1	31	35	22	27	16	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	68	-	-	-	-	-	-	-	14	19	10	15	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	76	-	-	-	-	-	-	1	17	16	12	12	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	138	-	-	-	-	-	-	-	15	26	23	28	30	16	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	84	-	-	-	-	-	-	-	5	19	18	17	12	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	54	-	-	-	-	-	-	-	10	7	5	11	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	337	294	9	1	5	3	9	2	5	4	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	150	134	4	-	2	2	2	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	109	97	-	-	-	1	4	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	49	40	2	1	2	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	23	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,328	1,328	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	474	474	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	369	369	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	252	252	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	233	233	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	291	-	-	-	-	-	-	-	10	35	38	31	31	22	34	23	31	13	9	8	6	-	-	-	-	-	-
	White—M	211	-	-	-	-	-	-	-	4	18	25	24	20	16	27	21	25	10	9	6	6	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	5	8	9	4	10	5	5	2	3	3	-	1	-	-	-	-	-	-	-
	All other—M	17	-	-	-	-	-	-	-	1	5	2	2	1	1	1	-	3	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	387	1	-	1	-	-	1	4	34	85	82	69	42	17	14	15	9	2	5	1	1	1	1	-	-	-	2
	White—M	91	1	-	1	-	-	1	1	4	18	18	13	5	8	5	6	5	1	1	1	1	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	1	2	4	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	230	-	-	-	-	-	-	1	22	49	54	46	31	6	5	6	4	-	3	-	-	1	-	-	-	-	2
	F	54	-	-	-	-	-	-	2	7	17	8	6	6	2	3	2	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,014	9	5	9	18	13	49	33	113	145	114	91	72	58	64	50	42	45	33	24	12	6	5	1	-	-	3
	White—M	595	3	2	3	7	8	24	19	66	82	74	54	41	33	42	33	24	27	21	14	8	5	3	-	-	-	2
	F	154	4	1	1	7	2	15	4	23	18	12	13	8	10	5	1	6	9	6	6	1	-	1	-	-	-	1
	All other—M	207	1	-	3	2	1	6	9	17	40	23	18	18	13	13	12	10	7	4	4	3	1	1	1	-	-	-
	F	58	1	2	2	2	2	4	1	7	5	5	6	5	2	4	4	2	2	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,312	107	46	27	20	10	59	66	91	119	94	72	56	66	47	42	41	54	53	57	47	55	61	12	3	4	3
	White—M	571	28	19	10	8	4	19	23	37	66	51	41	36	35	24	24	23	23	28	17	19	15	18	1	-	-	2
	F	302	21	10	4	3	1	13	13	13	9	6	5	6	11	6	3	10	18	14	30	22	36	35	9	3	1	-
	All other—M	294	29	13	5	3	1	14	25	35	36	22	23	12	17	14	9	6	7	6	6	3	2	3	2	-	-	1
	F	145	29	4	8	6	4	13	5	6	8	15	3	2	3	3	6	2	6	5	4	3	2	5	-	-	3	-
	All other causes*	3,960	1,294	54	39	22	18	54	57	71	99	123	95	147	152	154	149	170	202	189	191	193	189	146	94	31	18	9
	White—M	1,285	456	13	10	5	5	18	15	21	25	20	23	25	49	50	56	65	78	74	70	64	71	47	14	4	3	4
	F	1,026	288	11	14	7	5	18	15	17	23	34	24	45	35	32	32	26	51	44	61	65	67	60	34	14	1	3
	All other—M	862	327	15	7	4	2	12	14	13	21	28	16	29	35	33	35	44	37	41	36	34	26	21	21	6	3	2
	F	787	223	15	8	6	6	6	13	20	30	41	32	48	33	39	26	35	36	30	24	30	25	18	25	7	11	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes	5,235	603	52	35	19	17	65	63	73	100	108	84	103	137	186	245	389	439	561	582	593	464	213	76	16	4	8
	White—M	3,032	319	31	16	12	7	27	22	38	58	69	53	55	82	106	150	247	263	341	367	329	268	114	40	10	2	6
	F	2,037	239	18	13	6	7	28	39	24	35	32	27	44	54	73	92	135	171	211	206	254	190	96	35	5	1	2
	All other—M	90	25	2	4	-	1	8	2	4	1	-	2	4	-	4	2	3	4	7	6	6	3	1	1	1	1	-
	F	76	22	1	2	1	2	2	-	7	6	7	2	-	1	3	1	4	1	2	3	4	3	2	-	-	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	10	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	-	1	2	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	103	3	2	-	-	-	6	-	6	10	10	12	10	5	7	4	7	3	8	4	3	2	1	-	-	-	-
	White—M	53	1	-	-	-	-	1	-	1	2	4	9	5	3	3	4	4	3	6	3	3	1	-	-	-	-	-
	F	29	-	2	-	-	-	3	-	1	4	3	2	5	2	2	-	2	-	2	1	-	-	-	-	-	-	-
	All other—M	7	1	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	14	1	-	-	-	-	-	-	3	3	3	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	21	-	1	-	-	1	2	1	2	2	3	-	1	-	-	2	2	2	1	1	-	-	-	-	-	-	-
	White—M	13	-	1	-	-	-	1	-	1	1	3	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	27	3	-	-	-	-	-	-	1	-	-	-	1	1	3	2	3	1	6	4	-	1	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	6	3	-	1	1	-	-	-	-
	F	6	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	64	8	1	2	-	1	1	1	1	-	1	-	1	6	-	1	3	2	2	12	4	6	7	3	1	-	-
	White—M	28	3	1	2	-	1	-	-	1	-	1	-	-	2	-	-	3	-	2	5	2	2	2	1	-	-	-
	F	36	5	-	-	-	-	1	1	-	-	-	-	1	4	-	1	-	2	-	7	2	4	5	2	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	345	-	-	-	-	-	-	1	-	2	2	2	3	11	15	27	47	46	48	56	51	27	8	1	-	-	-
	White—M	213	-	-	-	-	-	-	1	-	1	2	-	1	5	7	19	32	25	30	40	29	16	5	-	-	-	-
	F	130	-	-	-	-	-	-	-	-	1	-	2	1	6	6	8	15	21	17	16	22	11	3	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	47	-	-	-	-	-	-	-	-	2	-	3	4	2	8	5	7	6	5	-	2	1	2	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	-	2	-	3	4	2	8	5	7	6	5	-	2	1	2	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Con.																											
50	Cancer of breast	45	-	-	-	-	-	-	-	-	-	-	-	2	2	6	7	6	7	10	3	1	-	-	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	2	2	6	7	6	7	10	2	1	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	169	1	-	1	1	2	1	1	1	2	4	2	4	2	4	11	17	15	27	30	19	15	6	2	1	-	-
	White—M	126	1	-	-	1	-	1	1	1	2	2	-	2	2	3	9	12	10	21	25	17	10	4	1	1	-	-
	F	41	-	-	1	-	2	-	-	-	-	2	1	2	-	1	2	5	5	5	5	2	5	2	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	14	-	-	-	-	-	1	3	3	1	-	-	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	3	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	171	1	-	-	-	-	2	2	1	2	1	1	-	4	2	7	18	23	32	30	18	22	3	1	-	-	1
	White—M	75	-	-	-	-	-	-	-	1	1	-	1	-	3	1	3	7	9	15	15	7	9	2	-	-	-	1
	F	93	1	-	-	-	-	2	2	-	1	1	-	-	1	1	3	10	14	17	14	11	13	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	18	-	-	-	-	-	-	1	-	-	2	1	1	1	1	1	3	3	-	2	2	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	3	-	2	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	473	1	-	-	-	-	1	-	-	1	2	1	3	7	21	20	52	40	69	71	97	60	17	7	2	-	1
	White—M	272	1	-	-	-	-	-	-	-	1	1	-	1	5	15	8	35	25	38	48	50	31	9	2	1	-	1
	F	194	-	-	-	-	-	1	-	-	-	1	1	2	2	6	12	16	13	30	22	46	28	8	5	1	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	80	18	3	2	-	-	-	1	3	2	2	4	-	2	7	4	5	5	8	3	5	4	-	1	1	-	-
	White—M	51	12	2	1	-	-	-	-	2	2	1	3	-	1	5	2	2	3	5	3	3	2	-	1	1	-	-
	F	26	6	1	1	-	-	-	1	-	-	-	1	-	1	1	2	3	2	3	-	2	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	43	8	4	-	-	-	3	5	3	2	3	1	3	-	1	2	1	1	1	1	-	1	-	-	-	-	-
	White—M	24	5	4	-	-	-	1	-	1	1	2	1	3	-	-	2	-	3	-	1	-	-	-	-	-	-	-
	F	17	2	-	-	-	-	2	5	2	1	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	79	-	-	-	-	-	2	4	2	1	2	5	6	2	4	7	8	10	9	6	7	3	1	-	-	-	-
	White—M	42	-	-	-	-	-	1	1	-	1	1	2	3	1	2	3	7	6	3	3	6	1	1	-	-	-	-
	F	35	-	-	-	-	-	1	2	2	-	1	3	3	1	1	4	1	4	6	3	1	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	410	-	-	-	-	-	-	-	1	1	-	2	2	10	16	36	44	64	69	72	51	22	14	5	1	-	-
	White—M	304	-	-	-	-	-	-	-	1	1	-	2	1	10	16	29	37	47	50	50	31	15	12	4	-	-	-
	F	104	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	7	16	19	22	20	9	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	834	1	-	1	-	2	1	1	2	3	6	5	6	19	17	29	56	73	117	134	161	125	56	18	-	-	1
	White—M	490	-	-	-	-	2	1	-	1	2	4	2	4	11	9	18	35	47	64	83	87	78	29	12	-	-	1
	F	327	-	-	1	-	-	-	1	1	1	2	3	1	7	7	10	20	25	50	49	72	46	25	6	-	-	-
	All other—M	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	1	1	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	1	-	-	-	-
107-109	Pneumonia (all forms)	285	82	15	5	-	-	1	2	6	2	1	4	1	4	5	8	11	22	14	21	26	34	14	6	-	-	1
	White—M	162	48	7	2	-	-	-	1	3	1	1	2	1	2	2	5	6	11	12	13	12	20	7	5	-	-	1
	F	112	29	7	2	-	-	-	1	3	1	-	1	-	2	2	3	5	11	2	7	14	14	7	1	-	-	-
	All other—M	5	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	45	-	-	-	-	-	-	-	-	1	1	1	1	4	3	1	10	4	8	5	2	2	2	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	1	1	1	1	3	2	-	9	4	6	5	1	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

498675 O - 43 - 24

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Con.																											
119,120	Diarrhea, enteritis, etc.*	57	39	2	3	1	-	2	-	-	1	-	-	1	-	-	-	-	1	-	2	1	2	1	-	1	-	-
	White—M	26	22	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	24	11	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	71	-	1	3	1	1	11	6	6	6	5	4	2	2	2	5	4	2	6	2	2	-	-	-	-	-	-
	White—M	40	-	-	1	-	-	4	3	3	3	4	4	2	2	2	5	-	1	4	1	1	-	-	-	-	-	-
	F	30	-	1	2	1	1	6	3	3	3	1	-	-	-	-	-	4	1	2	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	8	-	-	1	-	-	2	1	-	1	-	1	3	-	3	9	4	4	2	5	3	-	-	-	-	-
	White—M	22	6	-	-	1	-	-	-	1	-	1	-	-	-	-	2	2	1	2	-	5	1	-	-	-	-	-
	F	25	2	-	-	-	-	-	2	-	-	-	-	1	3	-	1	7	3	2	2	-	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	21	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	4	4	3	1	1	1	-	1	-	-
	White—M	15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	2	3	3	-	1	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	1	-	-	-	1	4	5	3	5	6	7	5	4	-	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	-	3	4	2	2	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	5	3	2	3	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-
150-152	Nephritis	309	-	-	1	1	1	1	4	1	5	3	6	4	5	14	19	25	34	38	36	46	36	19	5	3	-	2
	White—M	179	-	-	-	1	1	-	1	-	3	2	5	-	2	7	9	11	19	27	21	28	22	13	3	3	-	1
	F	126	-	-	1	-	-	1	3	-	2	1	1	4	3	7	10	13	14	11	15	17	14	6	2	-	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Diseases of the prostate	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	7	4	12	7	4	-	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	7	4	12	7	4	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	8	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	-	2	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	2	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	59	49	1	1	-	-	2	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	32	24	-	1	-	-	1	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	24	22	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	61	-	-	-	-	-	-	-	2	7	6	3	8	5	7	2	9	4	4	1	1	2	-	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	2	7	6	3	6	3	6	2	9	4	3	1	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	1	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	1	-	-	-	1	-	-	-	2	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	1	-	-	-	2	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	116	1	1	1	3	1	3	-	9	9	15	6	11	4	11	6	7	7	9	6	4	1	1	-	-	-	-
	White—M	90	1	1	1	2	-	2	-	6	8	10	4	8	4	9	6	7	4	8	5	2	1	1	-	-	-	-
	F	23	-	-	-	1	1	1	-	3	1	4	1	2	-	2	-	-	3	1	1	2	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	261	12	12	6	4	1	9	15	10	18	17	9	6	8	15	8	13	12	11	19	12	25	15	3	2	1	-
	White—M	172	5	11	4	3	-	4	8	8	13	16	9	6	8	12	6	9	11	6	10	3	11	7	1	1	-	-
	F	82	7	1	1	1	1	4	5	1	4	1	-	-	-	3	2	3	1	5	9	7	14	8	2	1	1	-
	All other—M	5	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes*	594	145	5	7	5	2	7	12	10	7	11	7	12	22	14	20	16	33	32	45	55	56	40	23	3	3	2
	White—M	296	77	1	4	4	-	4	4	4	3	4	3	5	13	2	10	9	22	15	20	26	34	17	10	2	2	1
	F	261	52	3	1	1	1	2	8	4	4	6	4	7	9	12	9	7	11	16	23	25	19	23	12	1	-	1
	All other—M	21	9	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	1	-
	F	18	7	-	1	-	-	-	-	2	-	1	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	All causes	78,662	4,759	468	239	143	126	540	519	928	1,215	1,391	1,664	2,010	2,809	3,859	4,893	6,072	7,127	8,546	9,490	8,992	7,523	3,769	1,275	257	37	13
	White—M	40,246	2,568	214	117	68	67	296	278	488	629	676	771	917	1,351	1,980	2,632	3,429	3,957	4,538	4,902	4,456	3,643	1,651	516	87	6	9
	F	35,287	1,948	216	104	61	51	208	190	302	422	505	608	717	994	1,373	1,773	2,229	2,804	3,634	4,231	4,339	3,753	2,031	721	150	20	3
	All other—M	2,817	190	26	10	7	5	18	23	61	76	103	141	200	242	299	279	245	209	213	209	118	68	47	16	9	3	-
	F	2,512	153	12	8	7	3	18	28	77	86	107	144	176	222	207	209	169	157	161	148	79	59	40	22	11	8	1
1,2	Typhoid, paratyphoid fever	50	3	1	1	1	-	1	3	8	4	4	2	1	2	2	2	5	3	4	2	1	-	-	-	-	-	-
	White—M	28	2	-	1	-	-	1	1	5	1	3	1	-	-	2	2	3	2	2	1	1	-	-	-	-	-	-
	F	20	1	1	-	1	-	-	2	2	3	1	1	1	1	-	-	2	1	2	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	26	11	4	3	-	1	1	1	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	14	6	3	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	5	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	43	-	6	4	4	2	14	3	2	-	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	-	4	3	2	2	6	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	-	2	1	2	-	7	2	2	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	128	87	24	5	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	54	42	3	4	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	56	31	18	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	31	3	5	1	2	2	9	4	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	-	2	1	-	1	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	15	2	3	-	1	1	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	2,532	3	10	3	1	-	10	25	115	240	248	241	218	257	240	211	212	178	119	99	69	22	8	2	1	-	-
	White—M	1,204	2	2	1	-	-	2	5	20	68	91	97	86	120	140	142	153	111	72	51	29	8	3	1	-	-	-
	F	719	-	3	1	-	-	4	3	29	97	76	69	73	59	46	31	39	55	37	39	38	13	5	1	1	-	-
	All other—M	368	-	3	1	-	-	2	5	29	35	43	44	44	47	40	30	16	11	9	6	2	1	-	-	-	-	-
	F	241	1	2	-	1	-	2	12	37	40	38	31	15	31	14	8	4	1	1	3	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	260	16	18	9	5	6	9	11	22	16	19	13	11	15	23	22	13	7	8	8	7	2	-	-	-	-	-
	White—M	102	7	4	3	3	3	3	3	6	7	5	4	3	6	11	7	12	5	3	3	2	2	-	-	-	-	-
	F	86	7	9	3	1	2	3	3	6	6	4	4	2	6	5	13	-	2	2	3	5	-	-	-	-	-	-
	All other—M	41	1	4	2	-	-	1	2	6	1	5	3	2	3	5	1	1	-	2	2	-	-	-	-	-	-	-
	F	31	1	1	1	1	1	2	3	4	2	5	2	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	16	7	1	1	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-
	White—M	9	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	6	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,004	59	-	-	-	-	1	4	4	14	22	47	81	91	109	133	143	126	84	54	18	10	4	-	-	-	-
	White—M	544	20	-	-	-	-	-	1	1	3	6	20	35	46	46	74	88	92	56	36	10	8	2	-	-	-	-
	F	218	20	-	-	-	-	1	2	2	6	9	11	19	20	20	24	30	17	19	9	6	2	1	-	-	-	-
	All other—M	169	14	-	-	-	-	-	-	1	3	3	10	19	18	25	25	20	11	8	9	2	-	1	-	-	-	-
	F	73	5	-	-	-	-	-	1	-	2	4	6	8	7	18	10	5	6	1	-	-	-	-	-	-	-	-
33	Influenza	1,006	110	21	10	6	6	14	7	18	17	18	20	26	38	42	29	51	61	80	80	113	117	76	36	9	1	-
	White—M	451	47	8	2	4	1	5	2	8	6	6	10	13	17	24	14	32	37	29	41	53	55	26	7	4	-	-
	F	504	61	12	7	1	4	9	3	9	9	12	9	8	15	14	15	17	20	45	36	57	59	49	27	5	1	-
	All other—M	24	1	1	1	1	1	-	1	-	1	-	-	1	2	3	-	1	3	4	-	1	2	-	-	-	-	-
	F	27	1	-	-	-	-	-	1	1	1	-	1	4	4	1	-	1	1	2	3	2	1	1	2	-	-	-
35	Measles	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	62	4	-	2	-	2	16	7	11	8	2	3	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	38	3	-	2	-	2	10	4	7	4	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	19	1	-	-	-	-	4	3	4	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,420	8	-	2	1	2	3	3	2	8	19	29	65	138	226	341	467	574	725	773	530	366	112	22	4	-	-
	White—M	2,261	7	-	1	1	2	2	2	1	4	8	8	37	57	105	198	254	317	379	403	249	172	46	7	1	-	-
	F	2,003	1	-	1	-	-	1	1	1	3	10	20	21	67	100	127	195	237	322	359	271	185	64	14	3	-	-
	All other—M	94	-	-	-	-	-	-	-	-	-	-	1	5	4	16	9	12	15	12	8	7	4	1	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	1	1	-	2	10	5	7	6	5	12	3	3	5	1	1	-	-	-
48,49	Cancer of female genital organs	1,328	-	-	-	-	-	-	2	-	5	12	42	58	116	145	187	169	162	156	129	91	37	14	1	1	-	1
	White—F	1,230	-	-	-	-	-	-	2	-	5	10	40	45	100	131	177	157	153	148	124	87	37	12	1	-	-	1
	All other—F	98	-	-	-	-	-	-	-	-	-	2	2	13	16	14	10	12	9	8	5	4	-	2	-	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
50	Cancer of breast	908	-	-	-	-	-	-	-	1	-	7	13	35	71	76	101	116	116	105	102	78	48	28	10	1	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	871	-	-	-	-	-	-	-	1	-	6	11	32	63	71	98	112	111	102	100	77	48	28	10	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	2	3	8	5	3	3	4	2	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	2,795	2	4	3	10	3	6	22	25	21	31	43	52	87	166	271	318	313	367	387	338	216	81	25	3	1	-
	White—M	1,884	2	3	1	4	2	2	8	16	14	23	18	29	51	105	172	222	216	256	266	252	158	54	9	1	-	-
	F	804	-	1	2	6	1	4	13	6	7	7	21	20	27	50	79	82	88	99	107	82	56	27	16	2	1	-
	All other—M	79	-	-	-	-	-	-	1	2	-	-	2	1	7	8	15	11	6	8	13	4	1	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	1	-	1	2	2	2	3	5	3	3	4	1	-	1	-	-	-	-	-
58	Acute rheumatic fever	98	-	1	1	-	1	17	23	11	8	6	6	2	2	4	2	1	3	4	2	2	-	2	-	-	-	-
	White—M	49	-	-	1	-	-	7	10	7	3	3	5	1	1	2	1	-	-	4	-	2	-	2	-	-	-	-
	F	40	-	-	-	-	1	9	11	3	4	3	-	1	1	2	-	1	2	-	2	-	-	-	-	-	-	-
	All other—M	5	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Diabetes mellitus	2,165	1	2	-	2	-	8	8	10	9	17	24	23	44	104	155	253	345	370	368	253	121	36	10	2	-	-
	White—M	714	1	-	-	-	-	5	4	2	4	5	10	8	11	33	49	79	100	122	126	94	43	13	4	1	-	-
	F	1,337	-	2	-	2	-	2	3	6	4	11	11	13	19	61	97	156	234	232	229	153	75	20	6	1	-	-
	All other—M	30	-	-	-	-	-	-	-	-	-	-	2	-	3	-	3	4	4	5	5	2	1	1	-	-	-	-
	F	84	-	-	-	-	-	1	1	2	1	1	1	2	11	10	6	14	7	11	8	4	2	2	-	-	-	-
65b	Exophthalmic goiter	364	-	-	-	-	-	-	-	1	4	5	10	9	15	27	44	40	58	60	52	22	13	4	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	-	-	2	1	1	4	3	8	7	10	8	9	1	2	-	-	-	-	-
	F	290	-	-	-	-	-	-	-	1	3	2	8	6	6	23	36	33	44	52	42	20	10	4	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-	-	4	-	1	1	1	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	1	-	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	102	-	-	-	-	-	-	-	-	1	6	11	11	12	17	11	8	8	9	2	4	2	-	-	-	-	-
	White—M	83	-	-	-	-	-	-	-	-	1	4	10	8	10	13	8	7	6	8	2	4	2	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	1	1	1	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	7,758	5	4	-	1	-	4	4	8	7	22	34	53	135	237	399	543	790	1,023	1,344	1,315	1,110	521	163	32	3	1
	White—M	3,611	4	4	-	-	-	3	2	1	3	10	16	20	50	87	162	247	421	465	658	631	519	237	62	9	-	-
	F	3,692	1	-	-	1	-	1	2	4	2	9	11	22	48	105	177	243	329	502	617	646	576	275	99	19	3	-
	All other—M	211	-	-	-	-	-	-	-	-	1	2	1	5	19	23	24	19	17	29	33	25	4	5	1	3	-	-
	F	244	-	-	-	-	-	-	-	3	1	1	6	6	18	22	36	34	23	27	36	13	11	4	1	1	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	756	43	19	9	6	2	12	18	27	30	34	29	33	33	42	46	60	68	65	86	49	31	10	3	-	-	1
	White—M	389	24	9	5	-	-	8	10	14	17	12	13	15	16	22	24	33	38	40	44	24	13	7	1	-	-	-
	F	334	17	9	3	5	2	4	7	9	12	18	12	18	15	16	18	25	30	25	41	24	18	3	2	-	-	1
	All other—M	23	1	1	1	-	-	-	1	3	-	2	2	-	2	4	3	1	-	-	1	1	-	-	-	-	-	-
	F	10	1	-	-	1	-	-	-	1	1	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	361	34	16	14	4	10	30	18	16	14	17	21	12	15	25	16	22	19	17	15	10	9	5	1	1	-	-
	White—M	191	14	7	11	1	8	11	7	13	8	12	12	4	11	13	7	9	11	11	9	4	5	1	1	1	-	-
	F	154	18	8	3	1	1	19	11	3	4	4	7	7	4	8	9	13	8	6	6	6	4	4	-	-	-	-
	All other—M	10	2	1	-	2	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Chronic rheumatic diseases of heart	1,612	-	-	-	-	-	17	36	37	34	42	51	48	98	107	115	122	134	173	175	188	154	56	21	2	2	-
	White—M	775	-	-	-	-	-	7	19	16	19	19	20	14	55	59	49	66	66	103	82	78	68	25	8	1	1	-
	F	730	-	-	-	-	-	7	14	18	13	18	28	31	34	34	52	44	63	64	87	103	79	29	11	1	-	-
	All other—M	53	-	-	-	-	-	1	-	-	-	2	1	3	4	9	5	6	4	4	4	4	5	-	1	-	-	-
	F	54	-	-	-	-	-	2	3	3	2	3	2	-	5	5	9	6	1	2	2	3	2	2	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	6,265	1	-	-	-	-	2	4	4	7	12	51	105	238	362	528	662	860	1,011	952	728	478	203	45	10	2	-
	White—M	4,119	-	-	-	-	-	2	2	2	2	7	31	68	170	269	393	488	582	665	618	427	269	98	24	1	1	-
	F	1,912	1	-	-	-	-	-	2	2	3	2	12	23	44	58	100	156	247	322	318	292	203	89	19	8	1	-
	All other—M	139	-	-	-	-	-	-	-	-	1	2	3	4	12	23	22	15	17	15	9	5	3	6	1	1	-	-
	F	95	-	-	-	-	-	-	-	-	1	1	5	10	12	12	13	3	14	9	7	4	3	-	1	-	-	-
90b,91,	Diseases of heart (other forms)	13,994	7	3	1	2	3	10	18	36	31	54	91	136	232	415	620	975	1,225	1,813	2,214	2,394	2,24	1143	369	70	6	2
	White—M	6,948	5	-	-	1	2	4	8	17	14	23	46	53	105	193	339	556	667	981	1,098	1,171	1,004	485	147	27	-	2
	F	6,264	2	3	1	1	1	4	8	15	13	22	31	49	75	144	180	333	485	738	1,019	1,181	1,085	623	209	39	3	-
	All other—M	421	-	-	-	-	-	1	1	1	2	2	3	13	22	40	56	57	46	54	53	26	20	17	7	-	-	-
	F	361	-	-	-	-	-	1	1	3	2	7	11	21	30	38	45	29	27	40	44	16	15	18	6	4	3	-
107-109	Pneumonia (all forms)	3,834	633	108	39	10	15	41	28	36	39	53	68	79	97	148	186	204	278	319	327	389	402	213	92	26	4	-
	White—M	1,891	309	48	16	4	4	21	13	19	15	19	32	42	41	84	92	114	150	175	164	206	180	85	44	14	1	-
	F	1,620	279	50	21	6	10	19	13	13	18	25	19	22	32	38	58	64	99	122	140	178	212	123	45	11	3	-
	All other—M	189	20	7	2	-	1	1	1	1	5	5	9	8	16	17	22	15	20	15	12	4	4	4	-	-	-	-
	F	134	25	3	-	-	-	-	1	3	1	4	8	7	8	9	14	11	9	7	11	2	6	1	3	1	-	-
117	Ulcer of stomach or duodenum	481	-	-	-	-	-	2	-	1	4	9	21	36	43	50	48	73	59	45	37	35	14	3	1	-	-	-
	White—M	378	-	-	-	-	-	2	-	-	2	7	15	29	32	40	43	57	45	39	31	26	9	-	1	-	-	-
	F	70	-	-	-	-	-	-	-	1	1	1	5	-	3	4	4	13	11	4	6	8	5	3	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	-	1	1	-	6	8	3	1	3	2	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
119,120	Diarrhea, enteritis, etc.*	447	257	49	10	4	1	4	2	2	3	5	3	3	5	8	7	5	8	15	14	8	17	10	6	1	-	-
	White—M	243	148	26	7	3	1	2	1	1	1	3	-	3	2	2	6	1	5	8	4	3	9	4	2	1	-	-
	F	179	97	19	2	1	-	2	-	1	2	1	3	-	2	5	1	3	3	7	8	4	8	6	4	-	-	-
	All other-M	12	6	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	13	6	2	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	686	2	8	11	11	10	41	30	45	34	35	55	34	56	56	63	48	50	36	35	17	7	2	-	-	-	-
	White—M	413	2	6	6	8	7	23	14	31	23	27	33	23	34	35	34	28	29	21	19	6	3	1	-	-	-	-
	F	244	-	2	5	3	3	18	14	13	10	7	18	9	15	16	27	19	19	14	16	11	4	1	-	-	-	-
	All other-M	20	-	-	-	-	-	-	2	-	1	1	3	1	3	4	2	1	1	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	1	1	4	1	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	691	36	6	1	1	1	3	6	6	7	11	17	15	41	42	54	60	62	78	82	63	62	29	6	1	1	-
	White—M	341	23	4	-	1	1	2	3	4	3	5	6	3	14	20	26	29	35	43	40	32	35	9	3	-	-	-
	F	313	11	1	1	-	-	1	3	1	3	6	8	7	24	16	25	26	24	34	41	30	26	20	3	1	1	-
	All other-M	19	2	1	-	-	-	-	-	-	-	-	1	1	1	2	2	4	2	1	-	1	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	1	-	2	4	2	4	1	1	1	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	641	-	-	-	-	-	-	-	1	1	3	11	17	45	53	76	85	82	90	81	53	32	10	1	-	-	-
	White—M	428	-	-	-	-	-	-	-	1	-	1	8	11	29	37	57	57	61	63	49	33	17	4	-	-	-	-
	F	190	-	-	-	-	-	-	-	-	-	-	2	3	12	15	18	26	19	24	29	20	15	6	1	-	-	-
	All other-M	15	-	-	-	-	-	-	-	-	-	2	-	3	2	1	1	1	1	2	2	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	521	1	-	-	-	-	1	1	2	5	5	6	18	27	37	58	59	73	77	60	54	27	5	4	1	-	-
	White—M	147	1	-	-	-	-	1	-	-	1	-	1	1	4	10	17	12	27	27	17	15	9	2	2	-	-	-
	F	364	-	-	-	-	-	-	1	1	4	5	5	17	20	26	40	46	45	48	43	39	18	3	2	1	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	5,429	6	2	1	-	4	10	14	30	35	44	68	102	135	220	274	384	502	653	800	871	760	367	122	21	2	2
	White—M	2,664	2	2	1	-	4	3	6	12	20	21	28	38	37	95	132	201	262	311	426	444	375	181	55	7	-	1
	F	2,417	4	-	-	-	-	7	8	16	11	18	21	35	67	101	109	146	198	307	350	403	365	178	60	14	-	1
	All other-M	169	-	-	-	-	-	-	-	2	2	2	7	14	16	11	13	21	19	15	17	10	12	5	3	-	-	-
	F	179	-	-	-	-	-	-	-	-	2	3	12	15	15	13	20	16	25	20	7	14	8	3	4	-	2	-
137	Diseases of the prostate	522	-	-	-	-	-	-	-	-	-	-	-	1	1	3	9	16	38	70	104	105	97	56	18	3	-	1
	White—M	498	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	37	67	100	103	93	55	18	3	-	1
	All other-M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	3	4	2	4	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	165	-	-	-	-	-	-	1	18	33	37	39	26	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	156	-	-	-	-	-	-	-	16	31	34	38	26	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	9	-	-	-	-	-	-	1	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	74	-	-	-	-	-	-	-	9	14	21	14	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	70	-	-	-	-	-	-	-	7	14	20	13	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	4	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145,146, 149,150	Other puerperal causes	131	-	-	-	-	-	-	-	8	20	32	30	27	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	117	-	-	-	-	-	-	-	6	17	29	26	25	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	14	-	-	-	-	-	-	-	2	3	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	757	624	44	15	5	4	12	10	12	10	4	2	2	2	4	2	1	1	2	1	-	-	-	-	-	-	-
	White—M	411	345	23	3	4	1	9	4	7	5	2	1	-	1	3	-	-	-	2	1	-	-	-	-	-	-	-
	F	319	254	21	11	1	3	3	6	5	5	2	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	All other-M	13	11	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,548	1,548	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	831	831	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	595	595	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicides	1,088	-	-	-	-	-	-	-	27	43	67	77	91	99	137	129	113	114	69	59	33	22	8	-	-	-	-
	White—M	822	-	-	-	-	-	-	-	14	36	43	51	67	66	103	102	97	95	50	43	28	19	8	-	-	-	-
	F	247	-	-	-	-	-	-	-	8	6	22	21	22	31	33	27	15	19	19	16	5	3	-	-	-	-	-
	All other-M	12	-	-	-	-	-	-	-	2	-	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	316	8	-	4	-	1	7	1	12	33	33	46	57	28	35	15	18	6	3	4	4	1	-	-	-	-	-
	White—M	123	4	-	1	-	-	4	-	7	16	11	14	15	9	11	8	12	3	3	3	1	1	-	-	-	-	-
	F	45	2	-	2	-	-	1	1	4	5	2	5	5	3	5	2	3	2	-	1	2	-	-	-	-	-	-
	All other-M	111	1	-	-	-	-	-	-	1	7	14	19	27	15	18	5	2	1	-	-	1	-	-	-	-	-	-
	F	37	1	-	1	-	1	2	-	-	5	6	8	10	1	1	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,119	5	13	17	11	20	94	50	166	230	178	126	116	140	137	123	163	131	129	115	81	51	17	3	2	-	1
	White—M	1,542	2	5	9	9	11	61	38	118	183	140	94	86	102	89	88	121	94	92	79	62	40	15	3	-	-	1
	F	477	3	8	7	1	7	28	10	40	37	32	26	19	31	35	25	39	32	35	32	17	10	2	-	1	-	-
	All other-M	77	-	-	-	-	1	2	2	6	6	3	6	10	3	13	8	2	5	2	4	2	1	-	-	1	-	-
	F	23	-	-	1	1	1	3	-	2	4	3	-	1	4	-	2	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	3,833	120	48	40	27	18	91	113	133	129	134	132	158	170	208	207	209	215	223	308	395	379	260	89	24	-	3
	White—M	2,259	65	21	20	12	9	59	88	111	106	111	106	124	140	164	166	151	149	137	146	130	140	74	22	5	-	3
	F	1,423	43	26	16	11	9	26	20	17	15	17	17	17	15	33	35	46	58	81	154	263	237	184	66	17	-	-
	All other-M	110	9	1	-	3	-	5	5	5	6	4	6	14	11	10	4	12	5	2	4	2	1	-	-	1	-	-
	F	41	3	-	4	1	-	1	-	-	2	2	3	3	4	1	2	-	3	3	4	-	1	2	1	1	-	-
	All other causes*	7,281	1,114	51	31	22	9	48	41	59	91	122	165	229	251	344	404	452	457	541	619	673	792	484	224	42	15	1
	White—M	3,688	645	29	16	10	5	24	21	25	39	46	58	76	107	159	203	277	282	292	332	335	385	212	95	11	3	1
	F	3,086	390	17	14	11	3	20	18	29	44	57	69	101	106	148	163	142	149	221	256	310	400	262	124	25	7	-
	All other-M	269	51	2	1	1	1	3	-	2	3	6	14	15	16	19	24	19	16	19	22	16	4	6	3	3	3	-
	F	238	28	3	-	-	-	1	2	3	5	15	24	37	22	18	14	14	10	9	9	12	3	4	2	3	2	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	All causes	20,461	2,214	253	148	104	89	240	232	434	483	516	557	645	742	916	1,067	1,271	1,542	2,013	2,159	1,935	1,531	896	317	92	17	48
	White—M	10,317	1,060	119	65	44	42	112	125	176	164	206	220	249	335	437	553	679	848	1,122	1,187	1,068	851	461	148	26	2	18
	F	7,225	805	89	55	47	36	92	70	146	181	173	211	235	231	291	334	414	492	647	784	719	596	371	139	45	6	16
	All other—M	1,562	199	19	15	6	7	20	23	44	58	63	68	67	99	96	96	104	112	137	115	88	48	36	21	9	5	7
	F	1,357	150	26	13	7	4	16	14	68	80	74	58	94	77	92	84	74	90	107	73	60	36	28	9	12	4	7
1,2	Typhoid, paratyphoid fever	55	-	2	3	-	4	3	5	8	4	7	2	3	3	2	-	2	2	2	2	1	-	-	-	-	-	-
	White—M	23	-	1	-	-	1	-	2	2	2	5	1	1	2	-	-	1	2	2	1	-	-	-	-	-	-	-
	F	23	-	1	3	-	3	3	2	3	2	2	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	-	1	-	-	-	2	2	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	1	1	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	57	41	9	4	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	25	18	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	21	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	69	1	17	15	11	12	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	-	9	12	2	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	6	3	8	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,051	5	1	6	1	1	4	7	77	107	132	109	92	86	84	75	69	60	52	41	23	13	3	1	-	-	2
	White—M	409	1	-	2	-	1	-	2	7	19	29	35	35	42	40	48	45	39	24	20	11	6	1	-	-	-	2
	F	300	1	-	-	-	-	2	3	17	42	43	41	29	22	17	14	16	10	12	16	8	6	1	-	-	-	-
	All other—M	156	-	-	1	1	-	2	1	19	14	24	15	13	13	15	10	4	8	7	4	4	1	-	-	-	-	-
	F	186	3	1	3	-	-	-	1	34	32	36	18	15	9	12	3	4	3	9	1	-	-	1	1	-	-	-
14-22	Tuberculosis (other forms)	75	5	3	-	2	1	1	5	6	5	4	7	6	5	5	6	2	4	2	5	1	-	-	-	-	-	-
	White—M	21	-	1	-	1	-	-	-	1	1	1	1	1	2	1	3	1	3	1	2	1	-	-	-	-	-	-
	F	23	2	2	-	1	1	-	1	1	2	1	2	1	-	2	2	1	1	-	3	-	-	-	-	-	-	-
	All other—M	14	2	-	-	-	-	1	2	2	1	1	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	17	1	-	-	-	-	-	2	2	1	1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	80	34	8	5	1	3	2	1	-	-	1	-	-	-	1	-	3	2	5	2	5	5	1	1	-	-	-
	White—M	33	12	5	1	-	1	1	-	-	-	-	-	-	-	1	-	1	1	4	-	3	2	-	1	-	-	-
	F	30	10	2	4	1	1	1	-	-	-	1	-	-	-	-	-	2	1	1	2	2	1	1	-	-	-	-
	All other—M	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	8	6	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	30	2	1	1	4	-	2	1	1	2	-	2	1	1	1	2	-	2	2	1	3	1	-	-	-	-	-
	White—M	13	2	1	-	1	-	1	1	-	1	-	1	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-
	F	9	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis	283	21	1	-	-	-	1	-	2	8	5	12	26	35	36	36	33	23	26	6	9	-	3	-	-	-	-
	White—M	149	11	1	-	-	-	1	-	1	1	1	1	11	11	22	19	22	14	18	6	6	-	3	-	-	-	-
	F	42	4	-	-	-	-	-	-	1	1	2	5	3	7	5	7	2	1	1	-	3	-	-	-	-	-	-
	All other—M	58	2	-	-	-	-	-	-	-	3	-	5	9	11	5	5	7	6	5	-	-	-	-	-	-	-	-
	F	34	4	-	-	-	-	-	-	-	3	2	1	3	6	4	5	2	2	2	-	-	-	-	-	-	-	-
33	Influenza	568	77	20	7	3	4	7	7	3	12	5	9	18	12	17	15	25	30	35	58	60	73	42	19	6	2	2
	White—M	258	34	8	2	-	3	2	3	1	2	1	3	4	9	6	6	10	11	16	33	33	38	22	9	2	-	-
	F	217	24	5	3	3	1	5	3	1	6	3	3	8	2	10	5	7	13	14	19	22	29	20	6	3	1	1
	All other—M	53	15	2	2	-	-	-	1	1	1	-	1	1	1	-	1	4	2	4	5	3	4	-	4	1	-	-
	F	40	4	5	-	-	-	-	-	-	3	1	2	5	-	1	3	4	4	1	1	2	2	-	-	-	1	1
35	Measles	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	23	1	2	-	1	3	4	2	3	3	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	White—M	12	1	1	-	-	1	3	-	2	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	9	-	1	-	1	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	868	1	-	-	-	-	1	-	2	1	6	9	20	33	50	54	82	122	154	143	93	62	31	4	-	-	-
	White—M	455	-	-	-	-	-	-	-	1	1	3	3	7	13	25	22	40	71	90	80	51	35	12	1	-	-	-
	F	348	1	-	-	-	-	1	-	1	-	1	4	10	15	18	26	38	45	51	56	35	24	19	3	-	-	-
	All other—M	33	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	2	3	9	1	5	1	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	1	1	1	4	4	2	2	3	4	6	2	2	-	-	-	-	-
48,49	Cancer of female genital organs	308	-	-	-	-	-	1	-	2	5	3	17	27	34	33	51	32	38	25	13	16	6	4	-	-	-	1
	White—F	259	-	-	-	-	-	1	-	2	4	3	13	18	31	27	45	26	33	20	11	15	6	4	-	-	-	-
	All other—F	49	-	-	-	-	-	-	-	-	1	-	4	9	3	6	6	6	5	5	2	1	-	-	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
50	Cancer of breast	145	-	-	-	-	-	-	-	-	-	2	6	7	11	14	20	19	17	15	12	9	5	7	1	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	132	-	-	-	-	-	-	-	-	-	2	5	6	9	12	19	17	16	15	11	8	4	7	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-	1	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	630	-	-	3	1	1	4	9	3	5	5	15	18	28	40	42	55	71	82	87	78	39	34	7	2	1	-
	White—M	418	-	-	2	-	-	1	6	2	4	4	8	10	14	17	28	34	45	51	69	60	32	24	5	2	-	-
	F	181	-	-	1	1	1	3	3	1	1	1	7	6	12	21	12	17	20	24	15	16	6	10	2	-	1	-
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	4	3	2	2	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	25	-	-	-	-	-	5	4	3	2	-	-	-	4	-	-	-	-	3	-	4	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	15	-	-	-	-	-	5	3	1	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	337	-	1	-	-	1	2	4	6	4	6	5	3	5	20	16	34	39	68	55	36	20	10	1	-	-	1
	White—M	144	-	1	-	-	-	-	1	3	-	4	2	1	1	8	7	14	15	27	28	18	9	4	1	-	-	-
	F	157	-	-	-	-	-	2	1	3	3	2	1	1	3	6	3	18	20	36	24	17	10	6	-	-	-	1
	All other—M	13	-	-	-	-	-	-	-	-	1	-	1	-	-	5	3	-	-	2	2	-	1	-	-	-	-	-
	F	23	-	-	-	-	1	-	2	-	-	-	1	1	1	3	3	2	4	3	1	1	-	-	-	-	-	-
65b	Exophthalmic goiter	30	-	-	-	-	-	-	1	-	1	1	1	2	3	1	1	4	5	5	4	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	1	-	1	1	1	1	3	1	1	3	5	5	2	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	61	-	-	-	1	-	-	-	-	-	1	1	-	1	5	2	7	14	6	8	7	6	1	1	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	4	2	1	1	-	-	-
	F	33	-	-	-	1	-	-	-	-	-	-	1	-	-	3	1	5	9	3	4	2	4	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	3	-	1	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	27	-	-	-	-	-	-	-	-	1	3	6	4	1	1	6	-	3	1	-	-	1	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	2	2	3	-	-	3	-	3	1	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,865	4	1	1	2	-	1	2	5	3	7	16	16	33	59	78	152	190	306	319	309	208	107	31	10	-	5
	White—M	946	2	1	-	1	-	1	1	-	2	3	9	3	13	26	35	67	106	163	153	176	119	48	12	3	-	2
	F	694	2	-	-	1	-	-	1	5	-	3	4	8	10	21	28	56	54	113	133	109	78	47	16	3	-	2
	All other—M	110	-	-	1	-	-	-	-	-	-	1	1	3	2	6	7	15	12	12	18	13	7	7	3	1	-	1
	F	115	-	-	-	-	-	-	-	-	1	-	2	2	8	6	8	14	18	18	15	11	4	5	-	3	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	277	25	6	7	6	2	11	8	15	10	9	15	16	13	11	12	13	21	21	25	11	15	7	1	1	-	-
	White—M	136	11	2	3	3	1	5	3	9	2	5	6	9	3	5	6	6	13	12	15	4	10	3	-	-	-	-
	F	97	6	4	2	2	1	5	2	4	4	2	4	5	7	3	4	5	7	8	10	5	2	4	1	-	-	-
	All other—M	20	3	-	-	-	-	1	3	1	1	2	1	1	-	2	1	1	1	-	-	1	-	-	-	1	-	-
	F	24	5	-	2	1	-	-	-	1	3	-	2	1	3	1	1	1	-	1	-	1	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	118	15	5	3	7	2	15	8	6	9	4	5	5	6	4	4	2	6	2	1	5	2	-	2	-	-	-
	White—M	59	4	2	2	3	1	4	4	4	8	1	4	3	3	1	2	-	4	1	-	5	2	-	1	-	-	-
	F	35	4	2	-	4	-	7	1	1	1	2	1	2	2	2	1	2	1	-	1	-	-	-	1	-	-	-
	All other—M	11	3	1	-	-	-	2	1	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	13	4	-	1	-	1	2	2	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	330	-	-	-	1	1	3	8	13	6	7	10	10	8	14	29	22	24	39	45	45	30	11	3	1	-	-
	White—M	144	-	-	-	1	1	1	5	5	2	3	1	3	3	5	10	8	15	20	17	22	15	5	2	-	-	-
	F	120	-	-	-	-	-	1	2	7	1	3	8	5	2	5	10	7	6	10	17	16	14	5	-	1	-	-
	All other—M	33	-	-	-	-	-	-	1	1	-	-	-	-	3	1	4	2	3	3	7	6	-	1	1	-	-	-
	F	33	-	-	-	-	-	1	-	-	3	1	1	2	-	3	5	5	-	6	4	1	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,137	-	-	-	-	1	-	-	1	2	3	6	27	47	70	97	128	148	177	191	113	78	34	11	2	-	1
	White—M	800	-	-	-	-	1	-	-	1	1	1	3	16	35	58	76	100	96	125	132	74	49	27	5	-	-	-
	F	288	-	-	-	-	-	-	-	-	-	1	3	7	8	7	18	21	45	47	55	36	27	6	5	2	-	-
	All other—M	29	-	-	-	-	-	-	-	-	1	-	-	2	2	2	3	5	5	3	2	2	1	-	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	2	2	2	2	1	1	1	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,503	9	2	1	-	-	7	8	8	6	17	22	30	70	94	133	176	269	354	403	374	285	155	60	12	2	6
	White—M	1,351	3	1	-	-	-	3	6	1	3	7	12	15	32	39	67	96	160	195	216	204	165	88	32	2	-	4
	F	850	4	1	1	-	-	3	2	6	3	7	7	8	18	29	37	44	74	108	155	144	108	56	26	7	1	1
	All other—M	177	1	-	-	-	-	1	-	1	-	2	2	4	9	13	14	24	22	34	22	15	3	7	-	1	1	1
	F	125	1	-	-	-	-	-	-	-	-	1	1	3	11	13	15	12	13	17	10	11	9	4	2	2	-	-
107-109	Pneumonia (all forms)	1,371	347	57	14	12	18	18	17	21	22	25	28	44	40	48	50	55	51	83	87	115	109	69	29	8	2	2
	White—M	653	140	28	7	6	8	9	9	7	7	9	8	15	17	21	25	31	28	45	48	59	60	43	20	3	-	-
	F	487	134	15	4	2	8	5	6	8	6	7	14	17	10	18	15	18	15	29	33	44	42	24	6	5	1	1
	All other—M	131	49	7	2	1	2	2	1	1	4	4	4	4	8	5	6	4	3	4	4	9	4	-	2	-	1	-
	F	100	24	7	1	3	-	2	1	5	5	5	2	8	5	4	4	2	5	5	2	3	3	2	1	-	-	1
117	Ulcer of stomach or duodenum	124	-	-	-	-	-	-	-	2	1	7	5	4	11	15	17	9	13	14	9	11	5	-	1	-	-	-
	White—M	84	-	-	-	-	-	-	-	1	-	6	2	3	7	13	13	7	7	9	6	7	3	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	4	1	2	2	1	-	1	-	-	-
	All other—M	15	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	2	3	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	315	178	44	15	10	5	5	-	2	1	2	2	1	4	3	2	3	5	6	6	7	9	2	1	1	1	-
	White—M	132	81	15	4	6	2	2	-	-	1	-	2	-	2	2	-	-	2	3	4	1	3	1	-	1	-	-
	F	115	54	21	8	2	3	2	-	2	-	1	-	-	-	1	1	3	2	2	1	5	5	1	1	-	-	-
	All other—M	32	19	4	2	2	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	36	24	4	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	1	-
121	Appendicitis	281	-	1	2	4	4	26	27	31	22	26	15	14	19	19	18	20	9	15	6	1	2	-	-	-	-	-
	White—M	167	-	-	2	1	2	13	17	19	11	15	10	7	12	11	14	14	5	11	2	1	-	-	-	-	-	-
	F	78	-	1	-	3	1	9	5	8	6	6	4	4	6	4	4	5	4	4	2	-	2	-	-	-	-	-
	All other—M	19	-	-	-	-	1	2	3	1	3	2	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	2	2	3	2	3	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	214	25	4	-	1	-	4	3	2	5	5	3	15	11	14	11	12	15	15	24	21	9	11	2	-	-	2
	White—M	94	13	2	-	1	-	2	2	2	2	2	2	1	3	5	4	5	7	7	5	15	4	8	1	-	-	1
	F	96	12	2	-	-	-	2	-	-	2	3	-	9	7	7	6	6	5	6	16	5	5	2	1	-	-	-
	All other—M	13	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	2	1	2	1	-	1	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	1	1	1	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	127	1	-	-	-	-	-	-	2	2	1	1	8	11	7	13	13	12	15	16	9	10	3	3	-	-	-
	White—M	78	-	-	-	-	-	-	-	1	-	-	1	5	5	7	8	8	9	11	11	6	4	2	-	-	-	-
	F	36	1	-	-	-	-	-	-	1	1	1	-	3	4	-	2	5	1	3	4	1	5	1	3	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	1	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	127	-	-	-	-	-	1	-	2	1	3	2	4	4	8	9	13	19	22	13	11	12	-	1	2	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	5	2	5	5	4	5	-	-	-	-	-
	F	80	-	-	-	-	-	1	-	1	1	2	1	2	2	5	4	7	16	15	7	7	7	-	1	1	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	-	-	1	-	-	-	-	1	-	-
130-132	Nephritis	1,489	2	1	3	1	3	6	4	7	7	24	13	29	29	60	71	91	128	205	254	209	187	109	28	8	2	8
	White—M	733	1	1	2	-	2	4	1	1	2	11	3	6	10	21	36	42	66	109	133	106	103	55	10	3	1	4
	F	535	-	-	1	1	1	2	3	5	4	10	5	12	7	20	19	32	41	67	90	80	70	48	13	2	-	2
	All other—M	136	1	-	-	-	-	-	-	1	-	2	2	4	9	11	9	13	11	17	20	13	9	6	4	2	-	2
	F	85	-	-	-	-	-	-	-	-	1	1	3	7	3	8	7	4	10	12	11	10	5	-	1	1	1	-
137	Diseases of the prostate	159	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	9	23	33	35	26	13	5	1	-	-
	White—M	141	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	8	19	28	34	25	11	4	1	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	1	1	2	1	-	-	-
140, 142a, 147	Puerperal septicemia	75	-	-	-	-	-	-	-	13	18	17	11	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	8	13	14	11	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	17	-	-	-	-	-	-	-	5	5	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	50	-	-	-	-	-	-	-	14	15	10	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	13	11	9	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	9	-	-	-	-	-	-	-	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	52	-	-	-	-	-	-	-	4	9	10	11	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	43	-	-	-	-	-	-	-	3	7	8	10	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	9	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	218	188	8	3	-	-	10	2	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	125	108	5	1	-	-	6	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	72	3	2	-	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	695	695	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	361	361	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	260	260	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	196	-	-	-	-	-	-	-	7	9	13	19	21	18	34	19	4	14	22	10	4	-	2	-	-	-	-
	White—M	157	-	-	-	-	-	-	-	4	6	8	11	17	15	28	17	3	13	20	9	4	-	2	-	-	-	-
	F	26	-	-	-	-	-	-	-	3	2	1	6	3	1	5	2	1	-	1	1	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	149	-	-	-	-	-	-	4	4	18	17	29	18	19	16	8	6	1	2	4	1	1	-	-	-	-	1
	White—M	53	-	-	-	-	-	-	-	-	2	8	10	4	7	7	5	3	1	1	3	1	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	1	1	1	-	4	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	69	-	-	-	-	-	-	3	3	10	7	15	8	10	5	3	3	-	1	-	-	-	-	-	-	-	1
	F	13	-	-	-	-	-	-	-	-	5	2	-	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	489	3	3	5	3	6	17	17	59	67	34	45	30	21	22	20	27	28	22	21	22	7	3	1	-	-	6
	White—M	327	2	1	2	1	5	12	9	39	42	26	31	22	16	13	12	15	18	17	15	17	6	3	1	-	-	2
	F	123	1	2	2	2	-	3	7	17	19	5	10	5	2	4	7	11	8	4	5	5	1	-	-	-	-	3
	All other—M	30	-	-	1	-	1	2	-	2	4	2	4	1	3	4	1	1	2	1	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
169, 171-195	Other accidents	853	51	28	24	16	5	40	40	58	48	50	38	31	37	27	36	41	15	39	46	59	66	37	15	4	-	2
	White—M	514	33	17	15	8	2	22	27	42	32	39	27	26	26	18	20	32	7	19	29	21	31	10	8	1	-	2
	F	234	14	8	6	7	2	11	8	11	6	4	6	1	4	4	6	5	4	12	16	34	31	25	6	3	-	-
	All other—M	80	2	-	2	1	1	5	5	4	9	6	4	3	6	5	7	3	2	7	1	2	4	1	-	-	-	-
	F	25	2	3	1	-	-	2	-	1	1	1	1	1	1	-	3	1	2	1	-	2	-	1	1	-	-	-
	All other causes*	2,505	485	25	24	16	9	23	33	38	39	42	53	64	68	79	110	107	131	148	209	227	240	197	88	34	7	9
	White—M	1,180	222	8	8	9	5	10	19	17	8	9	19	19	28	32	58	59	76	91	113	118	120	88	34	8	1	1
	F	939	178	9	10	5	3	7	12	10	24	22	23	30	27	28	31	31	30	32	73	92	107	84	46	18	2	5
	All other—M	194	51	3	4	-	1	2	1	3	4	4	4	3	8	5	12	11	15	10	14	8	8	11	5	3	3	1
	F	190	32	5	2	2	-	4	1	8	3	7	7	12	5	14	9	6	10	15	9	9	5	14	3	5	1	2

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	All causes	12,310	588	51	37	23	21	98	84	157	208	215	211	252	365	521	759	954	1,116	1,426	1,536	1,552	1,228	650	207	48	9	14
	White—M	7,336	338	28	22	11	12	57	50	102	130	127	127	140	217	314	514	636	724	854	931	891	659	329	91	21	4	7
	F	4,732	224	20	13	10	8	37	31	49	64	74	74	106	140	200	224	299	375	556	587	643	555	295	114	26	3	5
	All other—M	164	14	2	1	2	1	2	2	4	10	9	5	2	3	5	16	14	14	12	14	16	10	2	1	1	-	2
	F	78	12	1	1	-	-	2	1	2	4	5	5	4	5	2	5	5	3	4	4	2	4	4	1	-	2	-
1,2	Typhoid, paratyphoid fever	11	-	-	-	-	-	1	1	-	-	-	1	1	1	-	1	1	1	1	1	-	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	1	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	3	1	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	3	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	266	1	-	-	1	-	2	1	6	19	25	20	26	23	22	25	25	18	23	13	12	4	-	-	-	-	-
	White—M	155	-	-	-	-	-	-	1	2	3	9	7	11	11	21	19	21	16	15	8	7	4	-	-	-	-	-
	F	82	-	-	-	-	-	-	-	2	9	11	12	13	10	1	4	3	2	8	4	3	-	-	-	-	-	-
	All other—M	16	1	-	-	1	-	1	-	2	3	2	-	1	1	-	1	-	-	-	1	2	-	-	-	-	-	-
	F	13	-	-	-	-	-	1	-	-	4	3	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	31	2	-	2	-	-	2	-	2	2	1	2	2	2	2	3	1	2	3	2	-	-	1	-	-	-	-
	White—M	22	1	-	-	-	-	1	-	2	1	1	2	1	2	1	3	1	1	2	2	-	-	1	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	All other—M	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	132	3	-	-	-	-	-	-	-	-	2	4	7	5	11	16	23	24	12	14	5	3	2	1	-	-	-
	White—M	96	-	-	-	-	-	-	-	-	-	1	3	4	1	7	12	17	20	10	13	4	1	2	1	-	-	-
	F	26	3	-	-	-	-	-	-	-	-	1	-	3	4	4	1	2	3	2	1	-	2	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	162	12	1	1	-	1	3	3	2	1	3	1	2	4	4	8	5	9	12	18	27	21	15	6	2	-	1
	White—M	89	6	-	1	-	1	2	2	2	1	2	1	-	3	3	7	2	4	5	10	17	11	6	2	1	-	-
	F	70	4	1	-	-	-	1	1	-	-	-	-	2	1	1	1	3	5	7	8	10	10	9	4	1	-	1
	All other—M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	12	2	-	1	-	-	3	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	2	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	-	-	-	-	-	3	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	717	-	-	-	-	-	2	-	-	2	2	3	6	9	34	57	75	91	133	123	100	54	21	5	-	-	-
	White—M	424	-	-	-	-	-	1	-	-	1	-	-	2	8	21	33	53	56	77	75	52	32	11	2	-	-	-
	F	284	-	-	-	-	-	1	-	-	1	2	3	3	1	12	22	21	34	56	45	48	22	10	3	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	175	-	-	-	-	-	-	-	-	1	3	1	5	18	15	21	26	26	24	13	12	7	1	1	1	-	-
	White—F	174	-	-	-	-	-	-	-	-	1	3	1	5	17	15	21	26	26	24	13	12	7	1	1	1	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
50	Cancer of breast	121	-	-	-	-	-	-	-	-	-	1	2	4	9	25	13	15	17	17	9	4	2	2	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F	117	-	-	-	-	-	-	-	-	-	1	2	4	9	25	13	15	17	13	9	4	2	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	503	-	2	1	1	-	1	1	3	8	8	5	8	15	34	41	43	54	64	79	68	46	14	6	1	-	-
	White—M	373	-	1	1	1	-	1	1	1	7	4	3	4	12	23	31	25	40	43	56	61	34	9	5	-	-	-
	F	122	-	1	-	-	-	-	-	2	1	3	2	4	2	10	9	17	13	20	12	7	12	5	1	1	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	-	-	2	1	2	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	White—M	6	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	282	1	-	-	-	-	4	5	5	4	1	2	1	3	13	16	30	24	44	54	35	28	10	2	-	-	-
	White—M	126	1	-	-	-	-	2	3	2	-	-	1	1	3	8	10	10	8	19	28	14	11	4	1	-	-	-
	F	153	-	-	-	-	-	2	2	3	4	1	1	-	-	5	6	20	14	25	25	21	17	6	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	38	-	-	-	-	-	-	-	-	-	1	1	1	2	5	4	8	7	1	4	4	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	6	1	-	1	2	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	2	6	1	3	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	22	-	-	-	-	-	-	-	-	-	-	1	2	5	3	3	3	2	-	-	2	-	1	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	3	2	-	-	2	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,127	3	-	1	-	-	-	-	1	-	2	-	1	11	19	43	65	116	160	204	207	178	85	26	5	-	-
	White—M	579	1	-	1	-	-	-	-	-	-	1	-	1	3	1	22	35	62	88	108	111	88	45	10	2	-	-
	F	535	1	-	-	-	-	-	-	1	-	1	-	-	8	18	21	29	53	70	94	93	88	39	16	3	-	-
	All other—M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	135	6	1	-	2	-	-	3	10	6	6	11	4	8	6	10	16	8	9	8	6	10	3	2	-	-	-
	White—M	83	4	1	-	-	-	-	2	5	3	4	6	3	5	3	5	11	5	5	7	4	6	3	1	-	-	-
	F	51	2	-	-	2	-	-	-	5	3	2	5	1	3	3	5	5	3	4	1	2	4	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	58	5	-	2	3	1	4	4	4	3	1	2	4	3	1	3	2	5	4	2	2	2	-	1	-	-	-
	White—M	32	4	-	2	1	-	3	2	2	1	1	1	2	2	1	2	1	3	1	-	1	2	-	-	-	-	-
	F	24	-	-	-	2	1	1	2	1	2	-	1	2	1	-	1	1	2	3	2	1	-	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	280	-	-	-	-	-	2	5	2	5	3	8	13	17	18	29	23	16	32	29	31	34	8	5	-	-	-
	White—M	144	-	-	-	-	-	-	1	1	3	-	3	6	12	8	17	14	12	17	16	16	11	4	3	-	-	-
	F	133	-	-	-	-	-	2	4	1	1	3	5	7	5	10	11	9	4	14	13	15	23	4	2	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,324	-	-	-	-	-	-	-	1	-	1	8	14	37	51	128	171	173	217	202	162	94	55	4	2	1	3
	White—M	958	-	-	-	-	-	-	-	-	-	1	8	11	31	41	109	143	138	146	152	103	58	31	2	1	1	2
	F	358	-	-	-	-	-	-	-	1	-	-	-	3	6	10	18	27	35	67	70	59	35	24	1	1	-	1
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,727	1	-	-	2	-	3	1	3	5	4	6	14	20	49	84	103	147	236	282	303	255	145	49	15	2	-
	White—M	1,052	1	-	-	1	-	1	-	2	3	4	5	7	14	32	66	73	101	155	169	161	154	75	19	8	1	-
	F	653	-	-	-	1	-	2	1	1	2	-	1	7	6	16	17	28	44	81	111	135	97	69	30	4	-	-
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	6	4	1	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
107-109	Pneumonia (all forms)	443	53	6	2	2	-	5	2	7	7	9	5	6	9	21	16	23	29	42	52	60	49	23	13	-	2	-
	White—M	257	29	2	1	2	-	4	1	5	2	4	2	1	5	16	10	18	19	23	39	36	22	10	5	-	1	-
	F	168	19	2	1	-	-	1	-	2	4	5	3	5	4	4	6	3	8	17	13	24	26	12	8	-	1	-
	All other—M	14	3	1	-	-	-	-	1	-	1	-	-	-	-	1	-	2	2	2	-	-	1	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	97	-	-	-	-	-	-	-	-	-	1	3	4	9	6	13	11	14	15	10	5	5	1	-	-	-	-
	White—M	85	-	-	-	-	-	-	-	-	-	1	3	3	9	5	11	9	13	12	9	5	4	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	2	1	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
119,120	Diarrhea, enteritis, etc.*	31	15	3	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	1	2	3	1	-	-	-	-	-
	White—M	12	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	17	6	2	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	1	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	110	-	1	2	-	1	7	8	8	7	7	7	5	6	12	5	10	8	8	3	1	3	1	-	-	-	-
	White—M	61	-	1	2	-	1	3	2	5	3	6	3	5	2	7	2	6	6	4	1	1	-	1	-	-	-	-
	F	48	-	-	-	-	-	4	6	3	4	1	4	-	3	5	3	4	2	4	2	-	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	99	6	1	-	-	2	2	-	3	2	1	2	2	3	1	4	8	6	14	18	7	10	4	2	1	-	-
	White—M	67	4	-	-	-	1	2	-	2	1	1	1	-	2	-	2	5	5	10	11	6	8	3	2	1	-	-
	F	30	2	1	-	-	-	-	-	1	1	-	1	2	1	1	1	3	1	4	7	1	2	1	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	76	-	-	-	-	-	-	-	1	-	1	5	4	5	9	10	9	11	8	6	3	3	1	-	-	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	2	1	2	7	9	6	8	6	4	-	2	1	-	-	-	-
	F	27	-	-	-	-	-	-	-	1	-	1	3	3	2	2	1	3	3	2	2	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	58	-	-	-	-	-	-	-	-	-	-	-	1	3	6	2	4	12	9	6	7	4	3	1	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	3	2	2	3	1	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	3	5	6	4	5	1	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,278	-	-	-	-	-	9	2	5	4	9	7	12	22	36	64	89	123	171	179	220	206	84	28	7	-	1
	White—M	703	-	-	-	-	-	4	2	4	1	4	2	8	8	19	33	50	64	109	104	126	105	42	15	2	-	1
	F	555	-	-	-	-	-	4	-	1	3	4	4	4	14	17	29	37	56	60	73	93	98	41	12	5	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	2	1	1	-	1	1	-	-	-	-
137	Diseases of the prostate	96	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	9	10	18	24	15	8	4	-	-	-
	White—M	94	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	8	9	18	24	15	8	4	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	18	-	-	-	-	-	-	-	4	2	3	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	4	2	3	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	22	-	-	-	-	-	-	-	2	5	9	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	2	5	9	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	114	85	3	3	3	-	4	4	1	1	1	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	67	53	1	3	2	-	1	2	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	44	29	2	-	1	-	3	2	1	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	192	192	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicides	188	-	-	-	-	-	-	-	3	5	17	7	11	16	13	30	25	21	11	9	11	5	3	-	-	-	1
	White—M	151	-	-	-	-	-	-	-	2	3	11	5	9	11	9	27	19	19	10	8	11	5	2	-	-	-	-
	F	31	-	-	-	-	-	-	-	1	1	3	1	2	5	4	3	5	2	1	1	-	-	1	-	-	-	1
	All other—M	6	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	36	-	-	-	-	-	-	-	4	5	3	6	3	3	3	4	2	2	1	-	-	-	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	-	3	4	-	5	3	3	3	3	2	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	377	2	1	3	1	3	9	9	26	45	32	20	25	13	22	25	33	24	22	20	21	11	8	-	-	-	2
	White—M	273	1	-	2	-	2	6	5	19	40	26	15	17	8	14	20	27	16	13	15	12	6	7	-	-	-	2
	F	96	1	1	1	1	1	3	4	6	4	6	4	8	5	6	5	5	7	9	5	8	5	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	693	24	21	11	2	5	20	15	39	49	37	39	22	46	33	35	33	34	39	38	57	47	33	12	1	-	1
	White—M	490	14	15	6	1	3	18	11	34	43	35	34	21	42	28	27	31	28	19	23	23	21	11	2	-	-	-
	F	167	9	6	5	1	2	2	4	5	4	1	2	1	2	5	4	1	6	20	15	34	25	21	10	1	-	1
	All other—M	12	1	-	-	-	-	-	-	-	2	1	2	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	All other causes*	1,199	168	5	6	5	6	9	10	11	15	15	21	30	33	39	42	67	79	83	117	150	129	98	37	15	4	5
	White—M	647	90	3	2	2	3	3	8	7	7	7	12	12	13	28	25	41	58	48	59	88	55	50	17	6	1	2
	F	522	73	1	3	2	3	6	2	3	8	8	9	16	20	10	14	26	20	35	52	60	72	47	20	9	2	1
	All other—M	21	1	1	-	1	-	-	-	1	-	-	-	1	-	1	3	-	1	-	4	2	2	1	-	-	-	2
	F	9	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	All causes	111,498	7,400	632	289	221	193	797	825	1,344	1,795	2,051	2,515	2,925	3,963	5,811	7,801	9,271	11,118	12,630	13,087	11,870	8,770	4,486	1,469	310	47	78
	White—M	56,648	3,812	322	147	104	96	436	449	684	897	975	1,102	1,347	1,905	3,075	4,321	5,229	6,062	6,666	6,677	5,776	3,990	1,996	517	110	11	42
	F	47,713	2,956	253	114	93	85	308	292	491	670	815	881	1,085	1,454	2,093	2,765	3,390	4,462	5,424	5,989	5,803	4,621	2,517	918	178	29	27
	All other—M	3,876	341	31	12	13	6	31	44	67	102	131	176	251	357	358	408	381	334	300	225	164	79	33	12	7	4	9
	F	3,261	291	26	16	11	6	22	40	102	126	130	156	242	247	285	307	271	260	240	196	127	80	40	22	15	3	-
1,2	Typhoid, paratyphoid fever	66	-	-	-	2	-	4	10	7	5	5	7	6	3	2	8	3	2	2	-	-	-	-	-	-	-	-
	White—M	33	-	-	-	-	-	2	5	6	1	3	3	3	-	1	7	1	1	-	-	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	2	2	1	4	2	4	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	91	17	8	3	5	6	10	6	6	3	2	6	2	8	3	2	3	1	-	-	-	-	-	-	-	-	-
	White—M	59	10	4	2	3	4	6	4	4	2	1	6	-	6	2	2	3	-	-	-	-	-	-	-	-	-	-
	F	32	7	4	1	2	2	4	2	2	1	1	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	48	4	6	2	2	3	7	6	5	4	1	1	4	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	17	2	2	1	1	-	4	1	2	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	26	1	3	1	1	2	3	4	3	1	1	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	131	94	25	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	56	39	13	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	59	46	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	44	4	7	4	8	1	12	4	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	24	2	6	3	-	-	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	1	1	1	7	1	1	2	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,905	15	16	5	4	2	13	28	187	380	429	378	350	334	366	357	327	258	206	133	80	27	10	-	-	-	-
	White—M	1,952	5	5	1	1	1	1	3	24	94	147	163	171	172	232	246	236	185	133	78	38	12	4	-	-	-	-
	F	1,156	5	6	2	1	1	4	7	76	180	174	125	100	79	66	67	51	48	59	51	35	15	4	-	-	-	-
	All other—M	452	1	3	1	1	-	4	4	26	44	56	53	49	61	46	36	29	22	10	3	2	-	1	-	-	-	-
	F	345	4	2	1	1	-	4	14	61	62	52	37	30	22	22	8	11	3	4	1	5	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	308	19	15	8	5	8	16	13	9	23	22	23	19	27	19	23	20	12	7	11	7	4	-	-	-	-	-
	White—M	119	8	6	3	1	4	10	4	-	11	7	12	3	11	5	9	7	4	3	5	5	1	-	-	-	-	-
	F	114	7	7	4	-	2	3	5	5	5	8	8	7	7	9	10	10	4	2	6	2	3	-	-	-	-	-
	All other—M	38	1	1	-	1	1	2	3	2	3	2	2	4	4	3	3	2	3	1	-	-	-	-	-	-	-	-
	F	37	3	1	1	1	1	1	1	2	4	5	1	5	5	2	1	1	1	1	-	-	-	-	-	-	-	-
27	Dysentery	21	6	2	1	-	-	-	-	2	-	1	-	1	1	-	-	1	2	2	1	-	-	-	1	-	-	-
	White—M	11	2	1	1	-	-	-	1	1	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-
	F	9	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,322	48	3	1	-	1	2	7	9	20	29	63	114	136	154	193	159	149	104	86	31	12	1	-	-	-	-
	White—M	671	14	1	-	-	-	-	4	5	5	8	23	41	58	75	108	97	94	63	52	17	5	1	-	-	-	-
	F	215	10	2	-	-	1	1	2	3	7	8	12	14	16	24	27	22	21	13	19	8	5	-	-	-	-	-
	All other—M	316	17	-	1	-	-	-	1	-	3	9	18	37	46	44	40	34	28	19	14	5	-	-	-	-	-	-
	F	120	7	-	-	-	-	1	-	1	5	4	10	22	16	11	18	6	6	9	1	1	2	-	-	-	-	-
33	Influenza	1,185	142	41	10	10	12	18	9	16	16	22	24	39	28	50	61	73	75	88	102	106	117	85	35	5	-	1
	White—M	568	71	20	7	5	6	7	6	9	9	11	11	12	13	30	37	31	43	41	47	45	55	33	15	3	-	1
	F	532	59	17	2	5	6	11	3	7	6	9	10	16	8	14	16	34	29	42	49	59	60	50	18	2	-	-
	All other—M	46	10	2	1	-	-	-	-	-	1	1	2	6	3	2	3	3	2	1	3	2	2	1	1	-	-	-
	F	39	2	2	-	-	-	-	-	-	-	1	1	5	4	4	5	5	1	4	3	-	-	1	1	-	-	-
35	Measles	13	5	2	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	31	-	1	2	2	-	6	7	2	2	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	18	-	-	1	2	-	3	5	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	9	-	1	-	-	-	2	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	6,219	-	1	-	1	1	4	3	6	11	28	56	111	225	355	560	725	920	998	968	733	363	121	21	4	-	4
	White—M	3,158	-	1	-	1	-	2	1	4	5	13	20	44	104	173	295	390	486	538	517	344	154	55	8	2	-	1
	F	2,819	-	-	-	-	1	2	2	2	6	12	33	53	103	161	235	297	397	433	421	378	204	62	12	2	-	3
	All other—M	137	-	-	-	-	-	-	-	-	-	1	3	5	11	14	16	21	24	19	13	7	3	-	-	-	-	-
	F	105	-	-	-	-	-	-	-	-	-	2	-	9	7	7	14	17	13	8	17	4	2	4	1	-	-	-
48,49	Cancer of female genital organs	1,770	-	-	1	-	-	1	-	2	4	27	60	98	144	204	220	237	253	187	149	105	55	20	2	-	-	1
	White—F	1,649	-	-	1	-	-	1	-	2	2	24	47	84	130	192	198	227	237	180	146	101	54	20	2	-	-	1
	All other—F	121	-	-	-	-	-	-	-	-	2	3	13	14	14	12	22	10	16	7	3	4	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
50	Cancer of breast	1,233	-	-	-	-	-	-	-	-	2	8	23	47	86	124	151	152	167	156	131	95	68	20	2	1	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	2	2	1	1	-	-	-	-
	F	1,173	-	-	-	-	-	-	-	-	2	7	22	39	82	115	141	145	162	148	129	92	67	19	2	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	1	1	8	3	9	8	6	5	6	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	3,856	1	2	12	4	5	20	28	31	48	41	43	95	142	259	393	443	487	532	536	393	223	85	27	5	1	2
	White—M	2,696	-	1	8	3	2	9	14	24	33	20	26	49	95	171	269	308	352	390	394	296	161	52	14	3	-	2
	F	1,013	1	1	4	1	3	11	13	6	15	20	16	39	39	65	97	116	119	128	130	86	59	29	12	2	1	-
	All other—M	116	-	-	-	-	-	-	-	1	-	1	1	5	7	19	21	15	10	11	9	10	3	2	1	-	-	-
	F	31	-	-	-	-	-	-	1	-	-	-	-	2	1	4	6	4	6	3	3	1	-	-	-	-	-	-
58	Acute rheumatic fever	172	2	-	-	2	4	26	37	19	12	12	10	13	8	5	3	2	4	5	2	1	4	-	-	1	-	-
	White—M	91	-	-	-	1	2	11	17	12	7	6	6	7	5	4	1	-	2	4	1	1	3	-	-	1	-	-
	F	69	2	-	-	-	2	14	15	6	5	5	1	6	3	1	2	2	2	1	1	-	1	-	-	-	-	-
	All other—M	6	-	-	-	-	-	1	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,596	4	3	3	-	1	10	14	21	25	22	32	33	65	152	274	442	619	654	610	383	175	47	6	1	-	-
	White—M	1,054	2	1	2	-	1	6	6	7	15	7	16	8	22	40	82	109	160	184	176	124	67	16	2	1	-	-
	F	2,370	2	1	1	-	-	4	6	12	7	13	13	17	30	97	178	297	433	452	414	254	105	30	4	-	-	-
	All other—M	44	-	1	-	-	-	-	2	1	-	1	1	3	1	3	2	8	7	5	6	2	1	-	-	-	-	-
	F	128	-	-	-	-	-	-	-	1	3	1	2	5	12	12	12	28	19	13	14	3	2	1	-	-	-	-
63b	Exophthalmic goiter	340	-	-	1	-	-	-	2	3	1	6	7	16	17	33	54	42	50	46	33	18	9	2	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	1	3	6	2	3	6	1	5	7	2	-	-	-	-	-	-	-
	F	290	-	-	1	-	-	-	2	2	1	5	4	8	12	25	48	40	44	39	31	18	8	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	2	3	5	-	1	-	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	17	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	1	3	5	1	-	-	1	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	220	-	-	-	-	-	-	-	-	3	7	14	26	23	33	29	33	22	16	4	5	4	-	-	-	-	1
	White—M	181	-	-	-	-	-	-	-	-	1	2	12	17	20	28	24	29	20	15	4	5	3	-	-	-	-	1
	F	19	-	-	-	-	-	-	-	-	-	2	1	3	-	4	3	2	2	1	-	-	1	-	-	-	-	-
	All other—M	15	-	-	-	-	-	-	-	-	1	2	-	5	3	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,794	14	5	4	4	3	8	5	12	18	32	44	107	196	345	549	743	954	1,284	1,463	1,340	1,019	481	136	21	2	5
	White—M	4,016	9	2	2	2	1	1	2	2	7	20	20	42	77	136	234	362	467	592	692	628	457	202	47	10	-	2
	F	4,256	4	3	2	2	2	7	2	8	10	8	10	42	84	169	237	310	436	621	716	669	543	272	85	10	1	3
	All other—M	228	1	-	-	-	-	-	1	-	1	1	5	6	13	15	38	38	24	27	26	20	7	2	2	-	1	-
	F	294	-	-	-	-	-	-	-	2	-	3	9	17	22	25	40	33	27	44	29	23	12	5	2	1	-	-
80-82, 84-88	Other diseases of nervous system etc.*	1,134	110	28	12	11	5	32	41	48	44	57	55	45	51	71	87	77	80	91	77	62	34	10	6	-	-	-
	White—M	578	53	13	4	5	1	13	30	21	25	30	26	26	23	34	47	45	52	52	38	24	9	3	4	-	-	-
	F	487	42	14	8	4	3	11	9	21	18	22	27	16	24	32	38	28	25	39	38	36	24	6	2	-	-	-
	All other—M	35	7	-	-	-	-	4	1	2	1	2	1	2	2	3	1	3	2	-	1	2	-	1	-	-	-	-
	F	34	8	1	-	2	1	4	1	4	-	3	1	1	2	2	1	1	1	-	-	-	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	471	67	19	8	8	9	37	21	25	24	27	21	20	20	27	27	18	25	27	17	12	6	3	2	-	1	-
	White—M	232	32	11	6	4	5	19	11	13	13	14	10	12	11	12	17	5	6	13	10	5	2	1	-	-	-	-
	F	201	31	7	2	4	4	15	7	10	9	11	7	5	7	11	9	9	18	12	7	7	4	2	2	-	1	-
	All other—M	16	1	1	-	-	-	2	-	-	1	2	3	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	F	22	3	-	-	-	-	1	3	2	1	-	1	3	-	3	-	3	-	2	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	2,263	-	-	3	3	3	39	71	97	77	110	113	123	122	166	173	173	163	209	188	215	124	65	19	6	-	1
	White—M	1,110	-	-	2	1	2	14	23	57	42	53	56	51	56	87	93	97	83	109	96	100	56	25	5	2	-	-
	F	1,039	-	-	1	1	-	20	42	36	32	51	50	66	56	64	67	64	71	93	88	112	67	40	13	4	-	1
	All other—M	59	-	-	-	-	1	3	2	2	1	4	3	2	4	6	4	11	6	7	2	-	1	-	-	-	-	-
	F	55	-	-	-	1	-	2	4	2	2	2	4	4	6	9	9	1	3	-	2	3	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	8,458	-	-	-	-	-	-	-	4	19	23	64	146	340	616	822	1,128	1,265	1,284	1,133	867	479	189	54	17	-	8
	White—M	5,688	-	-	-	-	-	-	-	3	11	15	41	113	252	473	625	836	877	861	696	506	248	102	20	5	-	4
	F	2,525	-	-	-	-	-	-	-	1	6	7	20	18	63	106	159	259	356	396	425	349	226	85	34	11	-	4
	All other—M	157	-	-	-	-	-	-	-	-	-	-	1	9	15	25	26	21	21	19	7	9	3	1	-	-	-	-
	F	88	-	-	-	-	-	-	-	-	2	1	2	6	10	12	12	12	11	8	5	3	2	1	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	23,585	30	7	6	3	3	22	47	82	88	104	148	230	422	812	1,290	1,771	2,487	3,176	3,700	3,787	3,011	1,658	572	102	16	9
	White—M	11,639	14	4	4	1	-	11	18	38	37	42	66	96	178	415	703	994	1,384	1,668	1,900	1,815	1,337	672	199	35	4	4
	F	10,710	13	2	2	2	3	10	26	41	45	53	61	92	148	285	435	634	946	1,349	1,665	1,883	1,618	959	363	61	11	3
	All other—M	628	1	1	-	-	-	1	-	1	3	4	11	19	49	57	80	73	76	88	62	53	28	13	3	2	1	2
	F	608	2	-	-	-	-	-	3	2	3	5	10	23	47	55	72	70	79	71	73	36	30	14	7	4	2	-
107-109	Pneumonia (all forms)	5,543	1,197	166	64	30	16	52	46	56	63	80	131	123	186	252	293	373	436	412	455	446	378	194	68	21	1	4
	White—M	2,857	583	91	33	14	4	25	17	35	29	36	60	67	98	138	175	257	264	217	225	215	166	81	19	6	-	2
	F	2,131	482	61	19	11	10	23	18	16	20	32	48	27	49	61	69	86	134	171	203	216	206	108	45	13	1	2
	All other—M	329	60	7	4	3	2	3	9	3	7	4	15	22	32	33	33	21	22	14	18	10	1	3	1	2	-	-
	F	226	72	7	8	2	-	1	2	2	7	8	8	7	7	20	16	9	16	10	9	5	5	2	3	-	-	-
117	Ulcer of stomach or duodenum	606	4	1	-	-	-	-	-	-	6	13	19	35	49	79	71	89	77	68	41	35	13	4	1	1	-	-
	White—M	472	2	-	-	-	-	-	-	-	5	8	18	31	34	61	53	76	64	54	28	23	10	4	-	1	-	-
	F	92	2	1	-	-	-	-	-	-	1	3	1	1	8	9	9	8	13	13	10	9	3	-	1	-	-	-
	All other—M	30	-	-	-	-	-	-	-	-	-	2	-	2	5	4	7	5	-	1	2	2	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	-	-	-	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	600	361	45	10	3	3	5	5	7	12	9	6	12	10	11	9	16	9	10	20	17	7	10	2	1	-	-
	White—M	306	191	21	5	1	3	2	5	4	5	3	3	5	5	6	4	9	4	4	9	7	5	3	1	1	-	-
	F	259	151	22	5	2	-	3	-	2	4	5	2	6	3	4	4	5	5	6	11	9	2	7	1	-	-	-
	All other-M	19	12	1	-	-	-	-	-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	7	1	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
121	Appendicitis	886	2	8	7	8	8	53	71	71	58	43	44	48	62	76	78	65	60	50	51	28	9	3	2	-	-	1
	White—M	505	1	6	3	3	4	31	46	38	36	25	27	28	32	42	47	40	28	27	19	15	3	2	1	-	-	1
	F	335	1	2	3	2	3	18	23	26	19	15	14	17	25	31	28	23	30	22	12	13	6	1	1	-	-	-
	All other-M	25	-	-	-	1	-	2	1	4	2	1	1	2	4	1	2	1	2	1	-	-	-	-	-	-	-	-
	F	21	-	-	1	2	1	2	1	3	1	2	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	968	74	12	2	4	2	8	3	12	8	19	25	30	38	55	86	89	113	108	90	98	64	15	11	1	1	-
	White—M	464	47	7	2	2	1	7	1	7	3	4	11	9	14	15	42	42	56	56	45	45	35	9	4	1	1	-
	F	451	23	3	-	2	1	1	2	3	5	10	10	14	20	37	39	43	51	49	44	51	30	6	7	-	-	-
	All other-M	28	4	1	-	-	-	-	-	1	-	2	2	1	3	1	3	3	4	1	1	1	-	-	-	-	-	-
	F	25	-	1	-	-	-	-	-	1	-	3	2	6	1	2	2	1	2	2	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	946	2	-	1	-	1	1	3	1	3	11	12	45	47	87	120	126	124	144	105	69	32	8	3	-	-	1
	White—M	584	-	-	-	-	-	1	-	-	1	7	4	28	29	60	82	80	83	88	61	42	14	2	1	-	-	1
	F	325	1	-	1	-	1	-	3	1	2	4	7	12	12	24	34	41	38	51	41	26	18	6	2	-	-	-
	All other-M	23	-	-	-	-	-	-	-	-	-	-	1	2	4	2	3	4	2	1	3	1	-	-	-	-	-	-
	F	14	1	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	1	4	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	678	-	-	-	-	-	-	-	3	5	10	16	31	40	68	75	73	96	99	77	46	22	13	2	1	-	1
	White—M	208	-	-	-	-	-	-	-	1	-	4	4	7	9	25	19	26	27	40	22	15	5	3	-	-	-	1
	F	451	-	-	-	-	-	-	-	1	3	5	12	20	27	43	54	46	68	58	54	31	16	10	2	1	-	-
	All other-M	5	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	2	-	-	4	2	-	2	1	-	1	-	-	1	-	-	-	-	-
130-132	Nephritis	9,714	5	8	3	8	3	25	30	47	52	72	113	145	286	367	566	725	965	1,301	1,505	1,449	1,179	613	203	29	6	9
	White—M	4,496	4	2	1	7	2	10	16	23	22	36	52	44	106	154	256	365	479	644	702	686	537	273	65	5	1	4
	F	4,621	1	5	2	1	1	14	13	23	25	51	40	71	129	153	256	286	408	583	753	724	616	329	130	18	4	5
	All other-M	309	-	1	-	-	-	1	-	1	4	3	9	11	23	25	31	45	43	44	28	17	15	4	2	2	-	-
	F	288	-	-	-	-	-	-	1	-	1	2	12	19	28	35	23	29	35	30	22	22	11	7	6	4	1	-
137	Diseases of the prostate	658	-	-	-	-	-	-	-	-	-	-	2	1	2	6	9	25	69	119	137	143	100	35	8	1	-	1
	White—M	633	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	22	66	114	132	143	97	35	8	1	-	1
	All other-M	25	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	3	5	5	-	3	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	256	-	-	-	-	-	-	-	26	56	61	51	41	17	3	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	222	-	-	-	-	-	-	-	20	47	52	45	39	17	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	34	-	-	-	-	-	-	-	6	9	9	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	109	-	-	-	-	-	-	-	11	26	24	21	19	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	103	-	-	-	-	-	-	-	9	25	23	21	17	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	6	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	173	-	-	-	-	-	-	-	8	29	41	38	36	17	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	156	-	-	-	-	-	-	-	7	26	36	37	30	16	3	1	-	-	-	-	-	-	-	-	-	-	-
	All other-F	17	-	-	-	-	-	-	-	1	3	5	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,111	944	42	14	10	9	21	13	17	7	7	6	1	4	3	3	2	5	2	-	-	-	-	-	-	-	1
	White—M	545	473	17	5	3	4	10	4	12	3	3	1	1	1	2	1	1	2	2	-	-	-	-	-	-	-	-
	F	527	439	22	8	7	5	11	8	5	4	4	4	-	3	-	2	1	3	-	-	-	-	-	-	-	-	1
	All other-M	21	16	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,334	2,334	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,213	1,213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	906	906	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,277	-	-	-	-	-	1	-	21	58	72	101	95	111	139	150	161	144	98	72	29	18	5	-	-	-	2
	White—M	954	-	-	-	-	-	1	-	13	43	45	61	70	81	103	108	130	119	78	57	26	13	5	-	-	-	1
	F	294	-	-	-	-	-	-	-	8	12	24	37	22	25	33	39	29	24	18	14	3	5	-	-	-	-	1
	All other-M	23	-	-	-	-	-	-	-	-	3	2	3	3	3	2	1	2	1	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	283	10	3	1	-	1	2	3	13	27	34	33	29	28	24	27	21	9	9	5	2	-	1	-	-	-	1
	White—M	121	2	1	1	-	1	1	1	4	8	10	11	14	6	11	15	14	7	8	4	2	-	-	-	-	-	-
	F	57	5	1	-	-	-	1	2	5	5	4	8	3	7	4	5	3	1	1	1	-	-	1	-	-	-	-
	All other-M	83	1	-	-	-	-	-	-	3	9	15	10	11	14	7	7	4	1	-	-	-	-	-	-	-	-	1
	F	22	2	1	-	-	-	-	-	1	5	5	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,185	3	9	14	23	21	133	75	176	213	174	126	101	100	141	177	133	133	147	121	110	37	12	2	-	-	4
	White—M	1,649	1	6	9	16	13	99	53	133	173	139	95	69	67	110	139	102	100	113	94	79	26	8	2	-	-	3
	F	441	2	3	3	6	8	30	20	39	36	28	22	19	23	23	24	27	26	32	26	30	10	4	-	-	-	-
	All other-M	75	-	-	2	1	-	3	2	3	4	7	5	13	8	6	10	2	4	1	1	1	1	-	-	-	-	1
	F	20	-	-	-	-	-	1	-	1	-	-	4	-	2	2	4	2	3	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	4,843	122	67	30	28	37	119	135	163	205	224	207	215	227	273	344	294	306	348	347	385	405	248	79	24	1	10
	White—M	3,068	61	37	14	15	21	71	105	137	181	198	162	176	186	223	289	224	206	194	161	152	141	75	22	11	-	6
	F	1,572	45	24	13	13	14	41	20	19	17	21	28	20	23	33	41	60	89	144	177	226	251	173	56	13	-	1
	All other-M	160	11	5	1	-	-	3	10	7	4	4	14	17	15	15	12	10	9	7	5	4	2	-	1	-	1	3
	F	43	5	1	2	-	2	4	-	-	3	1	3	2	3	2	2	-	2	3	4	3	1	-	-	-	-	-
	All other causes*	9,034	1,760	80	48	32	21	88	82	118	138	138	172	271	329	425	513	502	576	658	732	772	772	530	204	69	16	9
	White—M	4,538	967	42	25	11	13	46	45	44	66	55	72	94	128	199	276	286	336	350	403	371	369	229	78	22	5	6
	F	3,945	663	31	22	18	6	40	31	61	56	72	73	133	162	189	192	182	215	265	306	375	386	292	124	40	10	1
	All other-M	297	83	4	-	3	1	1	2	8	8	4	8	13	19	22	22	20	15	15	14	16	9	5	1	1	1	2
	F	254	47	3	1	-	1	1	4	5	8	7	19	31	20	15	23	14	10	8	9	10	8	4	1	5	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	All causes	7,984	413	42	16	12	16	48	45	54	67	109	114	149	231	379	506	751	841	1,035	1,139	872	683	314	111	33	4	-
	White—M	4,087	238	25	9	6	7	35	23	31	30	56	48	85	114	203	283	449	483	549	564	397	275	130	34	11	2	-
	F	3,696	154	16	5	6	9	13	22	20	33	49	64	58	110	160	199	281	355	459	558	467	400	181	74	21	2	-
	All other—M	110	11	-	2	-	-	-	-	1	1	2	2	3	4	7	15	9	13	18	8	4	6	1	2	1	-	-
	F	91	10	1	-	-	-	-	-	2	3	2	-	3	3	9	9	12	10	9	9	4	2	2	1	-	-	-
1,2	Typhoid, paratyphoid fever	5	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	217	-	1	-	-	-	2	1	6	10	25	13	20	24	19	18	33	19	14	9	2	-	1	-	-	-	-
	White—M	131	-	1	-	-	-	2	-	-	3	13	3	17	12	13	13	24	14	11	4	1	-	-	-	-	-	-
	F	74	-	-	-	-	-	-	1	5	4	12	8	1	11	6	4	9	5	2	4	1	-	1	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	19	2	-	1	-	-	1	1	2	3	2	-	2	1	-	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	6	1	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	1	-	2	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	66	3	1	-	-	-	1	-	1	-	-	-	5	2	4	10	12	11	11	4	1	-	-	-	-	-	-
	White—M	46	1	-	-	-	-	1	-	-	-	-	-	4	1	2	8	8	8	9	3	1	-	-	-	-	-	-
	F	11	-	1	-	-	-	-	-	1	-	-	-	-	1	2	1	2	3	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
33	Influenza	31	5	3	1	1	-	1	1	-	1	-	-	-	2	1	-	4	2	1	3	3	2	-	-	-	-	-
	White—M	15	3	3	1	-	-	-	-	-	1	-	-	-	1	1	-	2	-	1	-	2	-	-	-	-	-	-
	F	16	2	-	-	1	-	1	1	-	-	-	-	-	1	-	-	2	2	-	3	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	521	-	-	-	-	-	2	-	-	2	1	3	5	15	15	45	54	71	103	98	58	54	12	3	-	-	-
	White—M	275	-	-	-	-	-	1	-	-	1	-	2	3	6	10	22	30	39	61	45	32	18	5	-	-	-	-
	F	255	-	-	-	-	-	1	-	-	1	1	1	2	9	5	23	21	30	38	51	26	16	7	3	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	133	-	-	-	-	-	-	-	-	-	1	3	3	11	9	21	18	21	19	15	10	2	-	-	-	-	-
	White—F	127	-	-	-	-	-	-	-	-	-	1	3	3	11	9	19	18	20	17	14	10	2	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																											
50	Cancer of breast	129	-	-	-	-	-	-	-	-	-	-	2	5	8	16	14	22	18	12	9	11	8	3	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	126	-	-	-	-	-	-	-	-	-	-	2	5	8	16	13	21	17	12	9	11	8	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	341	-	-	-	-	-	1	1	1	-	4	2	8	7	14	26	25	58	56	66	38	21	11	2	-	-	-
	White—M	246	-	-	-	-	-	1	-	-	-	2	2	5	4	11	16	17	47	42	48	26	15	8	2	-	-	-
	F	87	-	-	-	-	-	-	1	1	-	1	-	3	3	3	9	8	9	11	17	12	6	3	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	277	-	-	-	-	1	-	1	-	-	-	3	-	5	6	17	42	41	54	45	32	21	5	1	1	-	-
	White—M	92	-	-	-	-	1	-	-	-	-	-	-	-	1	3	5	15	15	13	17	11	8	1	1	1	-	-
	F	178	-	-	-	-	-	-	1	-	-	-	3	-	4	5	11	24	24	40	28	21	13	4	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	-	1	1	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	1	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	14	-	-	-	-	-	-	-	-	-	2	1	-	-	1	8	1	2	-	1	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	2	1	-	-	1	4	1	2	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	727	1	-	-	-	-	1	-	1	1	1	5	4	11	22	45	65	75	107	137	101	99	36	12	3	-	-
	White—M	341	1	-	-	-	-	1	-	1	-	1	2	2	2	12	22	33	37	62	70	49	30	11	4	1	-	-
	F	370	-	-	-	-	-	-	-	-	1	-	3	2	7	10	18	29	37	42	66	51	69	25	8	2	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	64	5	1	1	-	1	-	3	3	2	3	2	1	6	5	4	-	3	7	9	6	-	-	2	-	-	-
	White—M	37	3	-	-	-	1	-	1	3	-	3	-	-	4	-	4	-	2	7	6	3	-	-	-	-	-	-
	F	24	-	1	1	-	-	-	2	-	2	-	2	1	1	5	-	-	1	-	3	3	-	-	2	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	23	1	-	-	-	2	2	1	2	1	5	1	-	-	2	1	-	-	2	2	-	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	2	1	1	1	2	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-
	F	11	1	-	-	-	2	-	-	1	-	3	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	156	-	-	-	-	-	-	1	1	1	11	5	5	10	24	20	15	10	13	12	13	10	3	2	-	-	-
	White—M	68	-	-	-	-	-	-	1	1	1	6	3	4	5	9	8	7	6	3	9	3	2	-	-	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	5	2	1	5	14	12	6	3	10	3	10	7	3	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	774	-	1	-	-	-	-	-	1	2	-	3	11	17	58	74	103	135	118	123	75	33	12	5	2	1	-
	White—M	519	-	1	-	-	-	-	-	-	1	-	2	7	14	44	57	82	96	81	72	35	16	7	3	1	-	-
	F	243	-	-	-	-	-	-	-	1	1	-	1	3	3	9	15	21	37	36	51	40	16	5	2	1	1	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,741	-	-	1	-	-	1	-	5	6	4	9	10	34	58	70	135	150	247	304	272	265	121	36	11	2	-
	White—M	798	-	-	1	-	-	1	-	4	-	1	4	3	22	32	35	87	81	115	130	113	105	50	9	4	1	-
	F	901	-	-	-	-	-	-	-	1	6	3	5	7	12	22	30	44	62	128	168	155	157	68	25	7	1	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	3	3	2	2	1	2	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	4	1	3	2	1	2	-	-	-	-
107-109	Pneumonia (all forms)	389	61	12	2	1	2	2	2	5	3	6	3	8	5	20	14	27	21	37	44	51	35	20	6	2	-	-
	White—M	187	31	5	2	-	-	2	-	3	2	2	1	5	3	12	9	22	10	17	23	19	9	9	1	-	-	-
	F	191	26	7	-	1	2	-	2	2	1	4	2	3	-	7	4	5	10	20	21	30	26	11	5	2	-	-
	All other—M	10	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	56	-	-	-	-	-	-	-	-	1	-	3	3	4	7	9	16	3	5	4	1	-	-	-	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	1	-	3	3	4	6	9	15	2	3	4	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																											
119,120	Diarrhea, enteritis, etc.*	26	14	-	-	-	-	1	1	-	-	-	1	-	2	-	1	-	-	1	2	1	-	1	1	-	-	-
	White—M	13	8	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	12	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	92	1	2	1	-	1	7	5	7	4	3	2	6	4	7	7	11	8	4	5	4	3	-	-	-	-	-
	White—M	58	1	2	-	-	-	5	4	5	1	1	1	4	3	6	5	5	5	4	3	1	2	-	-	-	-	-
	F	33	-	-	1	-	1	2	1	2	3	2	1	2	1	1	1	6	3	-	2	3	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	65	5	-	-	-	-	1	1	-	-	3	1	-	4	3	4	2	8	10	11	6	2	3	-	1	-	-
	White—M	34	3	-	-	-	-	-	1	-	-	1	1	-	1	1	3	2	5	6	4	3	1	2	-	-	-	-
	F	31	2	-	-	-	-	1	-	-	-	2	-	-	3	2	1	-	3	4	7	3	1	1	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	71	-	-	-	-	-	1	-	-	-	-	2	4	5	7	8	10	10	11	7	2	3	1	-	-	-	-
	White—M	50	-	-	-	-	-	1	-	-	-	-	1	3	3	4	6	7	7	9	5	2	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	3	3	2	2	-	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	44	-	-	-	-	-	-	-	-	-	-	1	2	1	5	3	8	7	3	6	3	2	1	1	1	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	2	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	5	5	1	4	3	2	1	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	701	-	2	-	-	-	-	3	3	1	1	10	7	15	29	32	72	75	105	121	88	74	41	17	5	-	-
	White—M	338	-	1	-	-	-	-	-	1	-	1	4	3	9	11	19	40	47	37	59	45	32	18	8	3	-	-
	F	347	-	1	-	-	-	-	3	2	1	-	6	3	6	15	13	30	25	66	59	42	41	23	9	2	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	1	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-
137	Diseases of the prostate	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	8	7	5	5	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	8	7	4	5	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	12	-	-	-	-	-	-	-	-	4	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	4	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	-	-	2	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	-	2	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	93	82	2	1	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	50	46	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	35	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	90	-	-	-	-	-	-	-	1	3	6	3	9	5	9	12	13	7	14	5	3	-	-	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	-	3	3	-	5	3	6	9	11	5	9	4	3	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	1	-	3	3	4	2	3	2	2	2	4	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	10	1	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	1	-	-	1	2	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	91	-	-	2	4	2	2	2	2	5	9	7	3	2	6	7	9	5	8	8	7	-	1	-	-	-	-
	White—M	69	-	-	1	3	2	-	2	2	4	8	4	3	2	6	5	7	4	6	6	4	-	-	-	-	-	-
	F	20	-	-	1	1	-	2	-	-	1	1	3	-	-	-	2	1	1	1	2	3	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	275	6	7	1	1	2	10	11	7	9	4	10	5	7	7	13	19	29	26	36	26	23	10	5	1	-	-
	White—M	165	5	6	1	-	1	8	9	7	6	2	8	4	5	4	11	12	18	17	19	9	9	3	1	-	-	-
	F	107	1	1	-	1	1	2	2	-	2	2	2	1	2	3	1	7	11	9	17	17	14	7	4	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	526	104	7	2	3	2	7	7	2	5	9	10	14	16	22	21	30	46	37	44	50	38	26	17	6	1	-
	White—M	269	61	4	1	2	1	6	2	-	3	7	5	7	3	6	9	17	25	24	21	27	21	10	5	1	1	-
	F	244	36	3	1	1	1	1	5	2	2	2	5	6	13	15	12	13	21	12	22	23	16	16	11	5	-	-
	All other—M	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes	20,186	3,024	562	174	108	69	280	236	507	804	823	781	832	1,097	1,261	1,564	1,574	1,462	1,501	1,275	924	795	411	182	44	35	61
	White—M	5,251	633	56	44	31	11	56	46	77	143	155	157	148	243	301	383	475	497	535	476	327	292	112	39	6	-	8
	F	3,797	499	50	22	26	7	43	35	69	97	81	94	123	128	157	211	262	329	393	342	335	284	149	49	7	1	4
	All other—M	5,828	1,083	142	64	27	26	103	78	185	270	261	266	285	391	392	518	421	333	312	235	157	116	67	45	15	10	25
	F	5,310	809	114	44	24	25	78	77	176	294	326	264	276	335	411	452	416	303	261	222	105	103	83	49	16	24	23
1,2	Typhoid, paratyphoid fever	78	-	1	-	1	-	7	7	11	15	8	7	8	5	2	3	1	1	-	-	1	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	42	-	-	-	-	-	1	3	7	10	4	4	3	5	1	3	-	1	-	-	-	-	-	-	-	-	-
	F	26	-	1	-	1	-	5	4	2	5	2	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	1	1	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	48	36	9	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	19	12	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	54	3	7	9	12	8	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	1	3	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	2	2	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	1	1	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	1	1	2	2	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	840	4	7	1	-	2	5	16	62	155	122	100	80	62	53	65	34	22	32	10	4	2	-	1	-	-	1
	White—M	126	1	-	-	-	-	-	-	-	6	11	14	16	15	10	18	7	9	13	4	2	-	-	-	-	-	-
	F	89	1	-	-	-	1	1	1	2	13	6	9	9	6	3	7	13	6	7	3	-	-	-	1	-	-	-
	All other—M	297	1	3	-	-	-	4	5	33	55	37	33	27	27	21	22	8	4	10	3	2	2	-	-	-	-	-
	F	328	1	4	1	-	1	-	10	27	81	68	44	28	14	19	18	6	3	2	-	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	60	6	1	5	1	-	5	3	5	10	5	4	3	5	4	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	6	1	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	-	1	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	26	2	1	2	-	-	3	3	2	6	3	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	19	1	-	2	1	-	1	-	2	3	2	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	67	25	11	4	2	1	-	-	-	5	3	3	1	1	1	1	2	1	4	-	1	-	1	-	-	-	-
	White—M	16	6	3	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	8	1	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	22	13	1	-	1	-	1	-	-	2	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	21	5	5	1	-	1	-	-	-	3	-	1	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-
28	Malaria	117	18	13	3	4	1	5	2	6	8	4	5	8	6	6	7	7	4	2	5	2	1	-	-	-	-	-
	White—M	19	2	2	-	-	-	-	-	1	1	-	2	2	1	1	-	1	2	-	2	1	1	-	-	-	-	-
	F	12	1	1	-	1	-	1	-	1	-	1	-	-	-	1	3	1	-	-	-	1	-	-	-	-	-	-
	All other—M	36	5	5	1	3	1	1	-	1	2	2	-	1	2	1	2	4	1	2	2	-	-	-	-	-	-	-
	F	50	10	5	2	-	-	3	2	3	5	1	3	5	3	3	2	1	1	-	1	-	-	-	-	-	-	-
30	Syphilis	373	58	3	4	1	-	2	3	10	13	33	36	38	37	38	25	23	14	13	9	3	7	-	1	-	-	2
	White—M	27	1	-	-	-	-	-	-	-	1	4	1	1	3	-	3	3	5	2	2	-	-	-	-	-	-	1
	F	19	3	-	-	-	-	-	-	1	2	1	3	3	-	1	1	1	1	-	-	-	2	-	-	-	-	-
	All other—M	216	32	3	1	1	-	2	1	6	4	16	22	23	23	25	11	15	7	11	5	2	5	-	1	-	-	-
	F	111	22	-	3	-	-	-	2	3	6	12	10	11	11	12	10	4	1	-	2	1	-	-	-	-	-	1
33	Influenza	655	132	33	9	6	6	22	12	22	20	19	20	19	37	36	35	39	42	29	20	24	31	26	9	4	-	3
	White—M	121	19	5	3	2	-	4	1	3	1	2	4	5	2	2	6	7	10	8	8	8	15	4	2	-	-	-
	F	129	27	5	1	1	-	4	2	2	2	5	1	2	5	3	3	7	10	6	8	11	9	9	4	2	-	-
	All other—M	206	47	14	4	2	4	7	3	7	7	8	6	5	11	20	17	11	12	4	1	3	4	4	-	2	-	3
	F	199	39	9	1	1	2	7	6	10	10	4	9	7	19	11	9	14	10	11	3	2	3	9	3	-	-	-
35	Measles	15	5	1	2	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	1	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
36	Poliomyelitis, polioencephalitis (acute)	10	1	1	-	1	-	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	432	-	1	1	-	-	-	-	1	1	8	10	11	35	30	46	57	72	63	46	25	18	5	1	-	-	1
	White—M	155	-	1	-	-	-	-	-	1	-	2	1	-	9	5	14	19	28	22	19	8	6	-	1	-	-	1
	F	142	-	-	1	-	-	-	-	-	-	1	1	4	4	9	10	15	25	28	17	14	10	5	-	-	-	-
	All other—M	82	-	-	-	-	-	-	-	-	-	2	2	2	14	6	15	14	14	7	4	3	-	1	-	-	-	-
	F	73	-	-	-	-	-	-	-	-	1	3	6	5	8	10	9	9	7	6	6	-	2	1	-	-	-	-
48,49	Cancer of female genital organs	243	-	-	-	-	-	-	-	2	7	10	15	19	23	37	36	28	23	17	14	8	1	2	1	-	-	2
	White—F	122	-	-	-	-	-	-	-	2	3	4	7	10	9	15	19	11	16	10	7	6	1	1	1	-	-	-
	All other—F	121	-	-	-	-	-	-	-	-	4	6	6	9	14	22	17	17	7	7	7	2	-	1	-	-	-	2

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
50	Cancer of breast	97	-	-	-	-	-	-	-	-	-	1	4	7	9	17	11	9	11	14	9	3	1	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	3	3	5	9	5	7	6	12	7	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	1	1	4	4	8	6	2	5	2	2	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other forms)	300	-	-	1	-	2	3	3	5	5	5	9	8	15	29	27	33	29	42	40	22	15	7	-	-	-	-
	White—M	158	-	-	-	-	-	2	-	2	2	2	5	2	4	17	14	15	18	29	21	12	9	4	-	-	-	-
	F	76	-	-	1	-	-	1	2	1	2	2	2	2	2	4	6	12	6	7	10	8	5	3	-	-	-	-
	All other—M	49	-	-	-	-	2	-	1	2	-	1	1	1	6	5	5	5	4	4	9	2	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	1	3	3	3	2	1	1	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	42	-	1	1	-	2	4	11	5	1	5	4	1	1	-	-	2	1	1	-	1	1	-	-	-	-	-
	White—M	12	-	-	1	-	1	1	5	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	18	-	1	-	-	1	2	4	3	1	2	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	239	-	-	-	-	1	1	2	4	6	5	3	2	13	16	20	39	36	39	17	17	15	2	-	1	-	-
	White—M	67	-	-	-	-	-	-	1	-	1	-	-	-	2	1	2	11	13	14	7	8	6	1	-	-	-	-
	F	89	-	-	-	-	-	1	-	-	1	-	2	1	1	3	7	13	15	18	9	9	8	1	-	-	-	-
	All other—M	24	-	-	-	-	-	-	-	3	3	4	-	-	2	2	1	4	2	2	-	-	-	-	-	1	-	-
	F	59	-	-	-	-	1	-	1	1	1	1	1	1	8	10	10	11	6	5	1	-	1	-	-	-	-	-
65b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	-	3	1	5	-	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	161	-	-	-	-	-	-	1	6	5	6	8	5	5	14	23	16	11	23	16	7	8	6	-	-	1	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	3	8	1	2	2	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	3	5	15	4	3	3	2	-	-	-	-
	All other—M	26	-	-	-	-	-	-	-	1	-	1	-	1	1	1	8	3	2	-	3	3	-	1	-	-	1	-
	F	66	-	-	-	-	-	-	1	5	4	5	6	1	2	10	10	9	3	5	1	-	3	1	-	-	-	-
77	Alcoholism (ethylism)	42	-	-	-	-	1	-	-	-	1	2	6	5	14	4	3	-	2	-	-	1	1	-	-	-	-	2
	White—M	30	-	-	-	-	-	-	-	-	-	1	5	4	9	3	3	-	2	-	-	1	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	1	1	1	1	5	1	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,982	6	1	-	-	-	-	2	5	7	20	36	47	123	178	272	260	235	229	232	142	94	50	23	8	5	7
	White—M	485	4	-	-	-	-	-	-	1	1	4	6	3	17	28	49	54	69	70	80	49	28	15	5	-	-	2
	F	401	1	1	-	-	-	-	-	1	2	-	4	5	9	25	40	48	40	55	62	45	36	18	6	2	-	1
	All other—M	534	1	-	-	-	-	-	2	2	1	7	14	21	51	59	98	72	55	54	44	27	10	8	5	1	1	1
	F	562	-	-	-	-	-	-	-	1	3	9	12	18	46	66	85	86	71	50	46	21	20	9	7	5	4	3
80-82, 84-88	Other diseases of nervous system, etc.*	216	30	7	6	2	2	8	7	13	14	16	13	12	15	13	16	13	6	5	10	3	3	2	-	-	-	-
	White—M	63	7	3	1	1	-	3	-	3	3	8	4	2	3	6	3	7	3	2	4	-	-	-	-	-	-	-
	F	59	5	2	1	-	1	1	2	3	1	2	5	5	6	3	6	2	2	2	6	1	3	-	-	-	-	-
	All other—M	54	12	1	3	1	-	3	3	4	6	4	3	2	2	2	3	1	1	-	-	2	-	1	-	-	-	-
	F	40	6	1	1	-	1	1	2	3	4	2	1	3	4	2	4	3	-	1	-	-	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	153	43	10	4	2	-	6	12	6	14	7	8	7	6	10	4	7	2	1	1	3	-	-	-	-	-	-
	White—M	34	5	5	3	-	-	-	1	1	5	2	2	1	1	3	-	3	-	1	-	1	-	-	-	-	-	-
	F	24	4	2	-	1	-	-	1	1	4	2	1	-	2	2	1	-	-	-	1	2	-	-	-	-	-	-
	All other—M	57	25	3	-	1	-	5	4	1	-	-	2	5	1	2	2	4	2	-	-	-	-	-	-	-	-	-
	F	38	9	-	1	-	-	1	6	3	5	3	3	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	314	3	1	-	-	2	11	8	3	14	2	13	7	17	27	24	39	30	36	26	22	20	5	3	-	1	-
	White—M	75	-	1	-	-	-	1	-	-	6	1	1	1	1	4	2	12	6	17	8	9	3	2	-	-	-	-
	F	61	1	-	-	-	1	2	1	1	2	-	2	2	-	3	4	7	4	6	6	6	12	-	1	-	-	-
	All other—M	86	1	-	-	-	1	3	3	2	2	-	4	1	8	13	8	7	11	11	5	1	2	-	2	-	1	-
	F	92	1	-	-	-	-	5	4	-	4	1	6	3	8	7	10	13	9	2	7	6	3	3	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	801	-	-	-	-	-	-	-	2	7	8	12	23	55	82	107	119	117	107	72	50	27	7	5	-	-	1
	White—M	458	-	-	-	-	-	-	-	-	1	3	4	10	33	44	65	81	69	65	45	20	15	2	1	-	-	-
	F	171	-	-	-	-	-	-	-	-	2	-	2	3	3	13	14	16	31	26	23	23	11	2	2	-	-	-
	All other—M	89	-	-	-	-	-	-	-	1	1	1	3	5	11	15	16	11	11	9	-	3	-	1	-	-	-	1
	F	83	-	-	-	-	-	-	-	1	3	4	3	5	8	10	12	11	6	7	4	4	1	2	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,503	4	3	1	2	1	9	20	21	28	45	64	90	135	212	252	269	269	262	265	195	203	83	46	9	4	11
	White—M	716	-	-	-	-	-	1	4	2	1	5	10	12	27	50	48	80	85	89	106	80	76	29	7	2	-	2
	F	491	1	2	-	1	1	-	2	4	3	2	4	10	8	18	16	32	56	62	67	77	78	33	14	1	-	1
	All other—M	665	2	-	-	1	-	4	3	6	13	18	25	34	56	73	100	82	71	61	42	23	24	11	8	1	1	6
	F	631	1	1	1	-	-	4	11	9	11	20	25	34	44	73	88	75	57	50	50	15	25	10	17	5	3	2
107-109	Pneumonia (all forms)	1,271	408	60	22	13	7	27	14	33	49	37	46	32	52	42	64	62	52	48	52	46	49	39	11	3	3	-
	White—M	303	84	6	5	4	1	6	4	4	7	4	6	5	9	9	19	13	17	18	22	22	25	10	3	-	-	-
	F	222	63	4	1	3	-	2	2	5	4	2	4	3	6	2	8	14	11	15	15	19	17	15	6	1	-	-
	All other—M	413	153	25	9	3	5	10	7	13	17	13	21	12	24	11	20	23	15	8	9	3	3	6	1	2	2	-
	F	333	108	25	7	3	1	9	1	11	21	18	15	12	13	20	17	12	11	7	6	2	4	8	1	-	1	-
117	Ulcer of stomach or duodenum	94	-	-	-	-	-	-	-	2	3	3	5	13	10	11	16	11	11	2	4	1	2	-	-	-	-	-
	White—M	41	-	-	-	-	-	-	-	1	1	-	1	4	2	5	7	5	8	1	3	1	2	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	3	1	-	-	-	-	-	-	-	-
	All other—M	30	-	-	-	-	-	-	-	1	2	2	2	4	7	3	5	3	-	-	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	3	1	3	3	3	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	442	270	102	26	5	-	3	-	3	3	5	2	4	-	-	3	2	1	1	2	6	2	2	-	-	-	-
	White—M	82	56	11	6	2	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	3	-	1	-	-	-	-
	F	67	47	10	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-
	All other—M	159	92	44	10	2	-	2	-	-	-	2	1	-	-	-	2	1	-	1	1	-	-	1	-	-	-	-
	F	134	75	37	8	-	-	-	-	3	3	3	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	123	2	1	3	2	1	5	9	11	14	11	11	9	8	6	9	6	4	4	6	1	-	-	-	-	-	-
	White—M	41	1	-	3	2	1	3	3	2	1	1	4	3	3	4	2	4	3	-	-	1	-	-	-	-	-	-
	F	31	-	1	-	-	-	-	3	1	4	4	2	-	3	-	3	-	-	4	6	-	-	-	-	-	-	-
	All other—M	30	1	-	-	-	-	1	2	3	6	4	5	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	1	1	5	3	2	-	4	1	1	2	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	128	11	2	1	1	-	1	1	1	7	4	5	6	10	9	14	7	11	14	8	7	4	2	1	-	-	1
	White—M	34	5	1	-	1	-	-	-	-	-	1	-	-	1	-	3	1	4	7	3	3	3	1	-	-	-	-
	F	24	-	-	-	-	-	1	1	-	1	1	1	1	3	1	2	1	3	2	3	2	-	1	-	-	-	-
	All other—M	34	4	-	1	-	-	-	-	1	1	1	-	3	-	4	3	3	3	4	2	2	1	-	1	-	-	-
	F	36	2	1	-	-	-	-	-	-	5	1	4	2	6	4	6	2	1	1	-	-	-	-	-	-	-	1
124	Cirrhosis of the liver	77	1	1	1	-	-	-	-	1	3	2	3	6	7	4	11	11	9	2	3	5	5	1	-	-	-	1
	White—M	38	-	-	1	-	-	-	-	-	2	1	1	2	2	1	6	4	6	1	2	5	3	1	-	-	-	-
	F	11	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	1	1	1	1	-	1	-	-	-	-	-
	All other—M	20	1	-	-	-	-	-	-	-	1	1	1	1	3	1	2	5	2	-	-	-	1	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	1	-	-	-	-	-	-	2	2	2	3	3	3	6	5	4	6	3	-	-	1	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	4	2	1	-	-	1	-	-	-
	F	21	-	-	1	-	-	-	-	-	-	-	-	2	2	2	2	3	4	-	3	2	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,072	2	1	2	5	1	6	3	16	19	43	43	80	126	139	209	242	229	271	224	164	140	65	23	5	4	10
	White—M	547	-	-	-	-	-	1	-	-	6	4	8	4	21	32	45	67	64	84	75	50	56	19	9	2	-	-
	F	405	-	-	-	2	-	1	2	-	1	5	3	13	14	17	22	31	47	73	51	53	40	25	3	1	1	-
	All other—M	593	2	-	1	2	-	3	1	5	3	17	14	28	50	40	78	70	70	62	54	38	29	11	8	2	-	5
	F	527	-	1	1	1	1	1	-	11	9	17	18	35	41	50	64	74	48	52	44	23	15	10	3	-	3	5
137	Diseases of the prostate	78	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	8	9	11	16	13	9	1	1	1	-	-
	White—M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	11	9	9	1	-	-	-	-
	All other—M	32	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	4	4	5	4	-	-	1	1	-	-
140, 142a, 147	Puerperal septicemia	102	-	-	-	-	-	-	2	14	25	29	17	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	4	9	11	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	63	-	-	-	-	-	-	2	10	16	18	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	98	-	-	-	-	-	-	-	25	23	23	18	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	-	9	11	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	67	-	-	-	-	-	-	-	16	12	20	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	101	-	-	-	-	-	-	-	12	21	21	14	23	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	-	3	8	4	4	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	70	-	-	-	-	-	-	-	9	13	17	10	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	128	108	4	1	2	1	4	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	48	41	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	42	40	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	19	16	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	11	2	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	662	662	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	129	129	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	119	-	-	-	-	-	-	-	3	13	19	16	14	14	9	8	7	4	9	-	3	-	-	-	-	-	-
	White—M	88	-	-	-	-	-	-	-	2	10	15	9	7	11	9	6	6	4	8	-	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	2	3	2	3	3	-	1	-	-	-	-	2	-	-	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	1	1	5	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	250	-	1	1	-	-	1	4	26	51	51	29	30	13	17	8	4	5	4	1	2	-	-	2	-	-	-
	White—M	46	-	-	1	-	-	-	-	3	9	9	2	3	3	6	3	1	4	2	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	1	-	-	-	-	-	1	-	-	-
	All other—M	151	-	-	-	-	-	1	4	15	32	30	17	25	9	8	4	1	-	2	1	2	-	-	-	-	-	-
	F	45	-	1	-	-	-	-	-	8	9	11	9	2	-	3	-	1	-	-	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents	609	1	6	3	5	1	41	26	59	90	70	62	43	37	38	35	30	19	23	4	11	1	1	-	-	-	3
	White—M	309	1	3	1	2	1	17	9	25	49	40	30	31	20	15	16	19	11	13	2	3	1	-	-	-	-	-
	F	73	-	3	1	2	-	7	2	9	8	5	2	1	6	5	6	3	4	6	-	2	-	-	-	-	-	1
	All other—M	194	-	-	-	1	-	10	13	24	32	18	25	11	10	15	12	7	4	3	2	4	-	1	-	-	-	2
	F	33	-	-	1	-	-	7	2	1	1	7	5	-	1	3	1	1	-	1	-	2	-	-	-	-	-	-
169, 171-195	Other accidents	839	92	16	25	18	16	50	33	56	60	58	44	36	40	42	47	29	30	22	30	31	33	20	9	-	-	2
	White—M	248	20	2	8	7	3	5	8	17	20	22	22	10	15	18	14	10	10	5	15	6	7	2	2	-	-	-
	F	147	16	5	3	3	1	7	6	5	1	4	2	2	2	2	3	6	7	7	8	21	17	15	3	-	-	1
	All other—M	305	36	4	9	3	5	24	12	30	30	29	18	21	19	15	18	6	7	5	3	-	8	1	1	-	-	1
	F	139	20	5	5	5	7	14	7	4	9	3	2	3	4	7	12	7	6	5	4	4	1	2	3	-	-	-
	All other causes*	3,087	1,091	56	35	22	10	35	28	51	84	108	82	115	136	126	154	150	143	167	126	97	102	83	44	13	17	12
	White—M	550	162	9	6	3	2	8	7	8	7	6	7	14	25	26	31	39	42	49	27	21	24	17	8	2	-	-
	F	404	114	6	5	7	-	4	6	7	9	11	10	17	17	14	14	14	25	28	23	21	28	21	7	-	-	-
	All other—M	1,105	465	30	18	4	3	13	6	13	31	30	33	41	42	41	57	51	31	47	39	33	26	20	17	5	4	5
	F	1,028	350	11	8	8	5	10	9	23	37	61	32	43	52	45	52	46	47	43	37	22	24	25	12	6	13	7

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes	5,454	456	48	31	20	15	68	56	108	118	81	90	106	154	206	274	322	449	499	661	662	595	298	97	18	3	17
	White—M	3,023	217	16	15	9	6	37	25	53	51	34	39	57	81	121	153	198	269	298	380	385	346	168	43	8	-	14
	F	2,063	170	15	7	2	8	18	22	32	45	28	42	36	66	74	107	112	163	184	261	260	225	121	50	9	3	3
	All other—M	195	50	7	6	2	-	8	6	7	10	5	7	6	3	10	7	6	8	6	11	12	14	1	2	1	-	-
	F	173	19	10	3	7	1	5	3	16	12	14	2	7	4	3	7	6	9	11	9	5	10	8	2	-	-	-
1,2	Typhoid, paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	170	4	2	1	3	-	7	4	16	22	17	13	9	7	7	9	10	11	14	6	2	4	2	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	2	1	3	5	3	5	4	3	6	5	9	3	1	4	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	2	5	4	2	3	-	1	5	3	3	2	-	-	-	1	-	-	-	-
	All other—M	43	1	1	1	1	-	3	2	4	9	3	5	3	1	2	-	-	1	2	3	1	-	-	-	-	-	-
	F	42	3	1	-	2	-	4	2	8	7	7	1	-	1	-	1	1	2	1	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	19	2	1	1	-	-	2	1	2	-	3	2	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	White—M	8	1	-	-	-	-	1	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	All other—M	4	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	36	3	1	-	-	-	-	1	1	-	2	1	4	4	3	4	4	2	4	-	2	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	2	3	-	2	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	1	-	-	-	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	101	15	3	3	1	-	3	2	-	2	-	1	4	2	2	2	4	6	2	12	12	13	6	5	-	-	1
	White—M	52	8	3	-	-	-	1	1	-	-	-	-	4	1	1	2	3	3	2	5	6	4	4	3	-	-	1
	F	41	5	-	2	-	-	-	1	-	2	-	1	-	1	-	-	1	3	-	6	6	9	2	2	-	-	-
	All other—M	5	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
35	Measles	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	325	-	-	-	-	-	-	-	-	3	-	1	2	10	12	22	35	44	51	58	45	29	10	1	-	-	-
	White—M	190	-	-	-	-	-	-	-	-	1	-	-	1	5	7	14	21	24	26	36	27	21	6	1	-	-	-
	F	128	-	-	-	-	-	-	-	-	2	-	1	1	5	5	6	12	20	25	22	17	8	4	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	51	-	-	-	-	-	-	1	-	-	-	2	3	3	6	9	2	3	5	9	4	2	2	-	-	-	-
	White—F	49	-	-	-	-	-	-	1	-	-	-	2	3	3	5	9	2	2	5	9	4	2	2	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Con.																											
50	Cancer of breast	61	-	-	-	-	-	-	-	-	-	-	1	1	5	3	6	3	15	5	10	7	5	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	3	14	5	10	6	4	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	223	-	-	-	-	-	-	1	-	3	2	1	2	10	11	16	15	29	27	36	36	19	12	2	-	-	1
	White—M	160	-	-	-	-	-	-	-	-	1	-	-	2	5	7	12	10	22	19	28	28	15	9	1	-	-	1
	F	60	-	-	-	-	-	-	1	-	2	2	1	-	4	4	4	5	6	8	7	8	4	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	-	-	-	2	-	2	3	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	149	-	-	-	-	-	1	1	3	-	-	2	3	2	4	4	21	11	29	31	18	15	6	-	-	-	-
	White—M	66	-	-	-	-	-	-	-	2	-	-	1	2	-	1	1	8	8	10	11	7	10	5	-	-	-	-
	F	78	-	-	-	-	-	1	1	1	-	-	1	1	1	2	3	13	3	19	18	10	5	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	14	-	-	-	-	-	-	-	1	-	-	1	-	3	-	2	2	3	1	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	1	-	3	-	2	1	3	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	530	1	-	-	-	-	-	-	2	-	-	-	-	11	16	25	33	67	48	95	103	79	38	9	1	-	2
	White—M	290	-	-	-	-	-	-	-	2	-	-	-	-	5	9	14	15	42	24	54	56	42	19	6	-	-	2
	F	232	1	-	-	-	-	-	-	-	-	-	-	-	5	7	10	17	24	23	41	46	36	18	3	1	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	89	10	1	3	-	1	4	2	4	1	2	3	7	5	3	1	6	5	15	4	8	2	1	1	-	-	-
	White—M	53	6	-	2	-	-	2	-	2	1	1	1	3	4	2	-	5	2	12	-	7	1	1	1	-	-	-
	F	30	2	-	1	-	1	2	1	1	-	1	2	4	1	1	1	1	3	2	4	1	1	-	-	-	-	-
	All other—M	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	25	-	1	1	1	1	1	3	3	-	-	-	3	1	2	-	2	2	-	1	2	1	-	-	-	-	-
	White—M	15	-	1	1	-	-	-	2	2	-	-	-	2	1	1	-	1	1	-	1	1	1	-	-	-	-	-
	F	8	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	87	-	-	-	-	-	-	4	-	3	2	-	3	3	5	12	7	4	15	15	3	9	3	1	-	-	-
	White—M	45	-	-	-	-	-	-	1	-	1	2	-	3	3	4	4	3	4	8	7	2	-	3	-	-	-	-
	F	39	-	-	-	-	-	-	3	-	2	-	-	-	-	1	8	4	-	5	6	1	8	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	404	-	-	-	-	-	-	-	-	2	1	1	5	12	21	24	39	59	56	67	63	30	18	4	-	-	2
	White—M	294	-	-	-	-	-	-	-	-	1	-	1	4	11	16	18	33	42	46	47	37	23	11	2	-	-	2
	F	108	-	-	-	-	-	-	-	-	1	-	-	1	1	5	6	6	15	10	20	25	7	7	2	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	826	-	-	-	-	1	2	2	6	6	4	4	6	18	20	39	55	82	94	133	155	141	53	19	2	1	5
	White—M	473	-	-	-	-	-	-	1	2	4	2	3	3	5	9	25	34	40	59	76	81	81	31	12	2	-	3
	F	329	-	-	-	-	1	2	1	4	2	2	1	2	10	9	13	20	22	34	53	70	53	20	7	-	1	2
	All other—M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	4	4	3	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	4	1	-	-	-	-
107-109	Pneumonia (all forms)	233	41	10	1	3	1	2	5	3	5	-	6	5	2	6	10	5	13	16	23	18	32	19	4	2	-	1
	White—M	122	14	3	1	-	1	2	1	1	3	-	3	3	2	4	7	3	6	11	10	12	19	13	1	1	-	1
	F	93	18	4	-	1	-	-	4	1	2	-	3	2	-	2	2	2	6	5	12	6	13	6	3	1	-	-
	All other—M	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	25	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	2	4	5	5	1	1	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	2	3	4	3	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Con.																											
119,120	Diarrhea, enteritis, etc.*	50	28	3	2	2	-	1	-	-	-	-	1	1	1	-	-	-	1	-	-	2	7	1	1	1	-	-
	White—M	17	8	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
	F	18	6	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	4	1	1	1	-	-
	All other—M	12	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	68	-	1	3	2	2	5	8	8	3	2	4	4	4	3	1	5	2	3	3	4	1	-	-	-	-	-
	White—M	49	-	1	2	2	2	3	5	6	1	2	3	2	2	2	1	4	1	3	2	4	1	-	-	-	-	-
	F	17	-	-	1	-	-	2	3	2	2	-	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	50	1	-	2	-	-	1	1	-	1	-	3	-	3	4	2	6	3	6	5	4	5	3	-	-	-	-
	White—M	30	1	-	2	-	-	1	1	-	1	-	1	-	2	2	1	4	1	3	3	1	4	2	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	2	3	2	3	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	-	-	-	-	-	-	-	1	-	-	-	-	2	4	3	2	5	2	5	4	5	2	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	2	1	3	3	3	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	2	1	2	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	1	-	-	2	1	6	6	4	5	2	3	3	5	-	3	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	3	3	-	2	-	-	-
	F	25	-	-	-	-	-	-	-	-	1	-	-	1	1	4	5	3	4	1	2	-	2	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	302	1	1	-	1	-	2	-	4	4	5	4	5	7	9	14	16	30	37	38	50	42	24	6	1	-	1
	White—M	185	1	-	-	-	-	1	-	2	1	1	1	3	4	6	10	8	19	23	28	30	27	15	1	1	-	1
	F	113	-	1	-	-	-	1	-	1	2	4	2	2	3	3	4	7	11	14	10	19	15	9	5	-	-	-
	All other—M	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157	Diseases of the prostate	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	7	13	5	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	7	13	5	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	14	-	-	-	-	-	-	-	6	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	4	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	12	-	-	-	-	-	-	-	-	3	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	-	2	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	14	-	-	-	-	-	-	-	1	2	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	1	1	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	80	70	2	1	-	-	3	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	35	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	33	2	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	71	-	-	-	-	-	-	-	1	7	6	5	6	9	10	8	8	5	2	3	-	-	1	-	-	-	-
	White—M	58	-	-	-	-	-	-	-	-	6	3	2	5	8	7	8	7	4	2	3	-	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	2	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	1	-	-	-	1	2	1	-	2	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	1	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	100	1	1	-	1	1	8	4	10	16	7	3	4	4	8	8	7	6	6	3	2	-	-	-	-	-	-
	White—M	66	1	-	-	1	-	5	3	6	9	5	3	3	2	7	5	4	5	5	1	1	-	-	-	-	-	-
	F	29	-	-	-	-	1	3	1	4	7	1	-	-	2	1	2	3	-	1	2	1	-	-	-	-	-	-
	All other—M	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	269	7	5	7	1	2	12	9	21	15	10	9	5	5	14	10	17	15	18	16	22	30	14	4	1	-	-
	White—M	187	5	3	4	1	-	10	7	18	15	8	8	3	4	14	8	14	12	12	8	14	18	1	2	-	-	-
	F	73	2	2	2	-	2	1	1	3	-	1	1	2	1	-	1	3	3	5	7	8	13	12	2	1	-	-
	All other—M	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	All other causes*	752	128	11	4	4	4	6	5	9	11	10	13	11	11	22	31	12	35	29	75	84	106	78	37	10	2	4
	White—M	368	59	4	2	2	2	4	2	4	3	3	5	6	4	11	9	8	19	10	47	51	54	41	11	4	-	3
	F	285	44	3	1	-	1	-	1	2	7	5	6	3	7	10	16	3	12	13	23	26	39	33	22	5	2	
	All other—M	52	18	1	-	-	-	2	1	1	-	-	1	-	-	1	3	-	1	3	4	3	10	-	2	1	-	-
	F	47	7	3	1	2	1	-	1	2	1	2	1	2	-	-	3	1	3	3	1	4	3	4	2	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	All causes	29,904	3,052	424	218	112	93	308	327	639	865	954	989	1,129	1,229	1,530	1,829	2,074	2,283	3,007	2,975	2,400	1,913	1006	367	102	30	49
	White—M	12,436	1408	149	83	52	40	127	143	217	271	297	314	358	425	570	684	864	1,041	1,330	1,415	1,111	902	434	140	25	3	13
	F	9,682	1033	157	81	42	37	110	92	192	234	239	276	301	301	356	458	594	684	1,019	1,046	955	815	453	151	39	5	12
	All other—M	4,122	337	74	33	9	10	32	47	96	182	207	191	243	245	336	382	325	283	378	289	180	111	56	38	17	8	13
	F	3,664	274	44	21	9	6	39	45	134	178	211	208	227	258	268	305	271	275	280	225	154	85	63	38	21	14	11
1,2	Typhoid, paratyphoid fever	61	-	-	1	1	1	5	5	6	5	8	8	3	5	2	2	2	2	3	2	-	-	-	-	-	-	-
	White—M	25	-	-	-	-	1	-	3	-	1	4	2	2	4	-	1	2	2	2	1	-	-	-	-	-	-	-
	F	19	-	-	1	1	-	2	-	5	2	2	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	1	2	-	2	1	3	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	6	4	-	-	-	1	1	-	1	1	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	8	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	1	3	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	3	2	-	1	3	7	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	2	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	111	66	29	10	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	32	22	6	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	32	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	17	5	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10	Diphtheria	49	3	7	8	8	8	8	4	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	27	2	4	5	7	2	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	19	1	3	2	-	6	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,990	13	7	7	1	3	10	34	131	212	213	212	167	140	139	140	118	105	129	110	62	26	7	-	-	-	4
	White—M	653	3	2	2	1	2	-	4	14	29	44	62	53	49	62	64	59	50	50	57	30	12	4	-	-	-	-
	F	656	3	-	1	-	1	4	4	40	67	67	62	51	39	40	40	42	41	63	43	30	14	3	-	-	-	1
	All other—M	333	4	3	2	-	-	3	9	26	41	48	44	35	31	23	23	12	9	11	7	-	-	-	-	-	-	2
	F	348	3	2	2	-	-	3	17	51	75	54	44	28	21	14	13	5	5	5	3	2	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	194	19	7	4	7	4	8	9	10	20	15	14	10	14	16	3	11	6	9	2	5	1	-	-	-	-	-
	White—M	61	8	2	3	2	2	2	2	-	1	3	7	4	4	5	1	5	2	5	-	2	1	-	-	-	-	-
	F	54	5	3	-	3	2	3	2	2	6	3	6	2	2	3	-	3	2	3	2	2	-	-	-	-	-	-
	All other—M	36	4	1	1	1	-	-	2	2	3	6	1	1	4	5	1	1	1	1	-	1	-	-	-	-	-	-
	F	43	2	1	-	1	-	3	3	6	10	3	-	3	4	3	1	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery	165	58	27	19	4	-	2	2	1	2	2	2	1	1	2	3	2	8	7	5	9	2	5	1	-	-	-
	White—M	72	34	11	6	1	-	1	-	1	1	-	2	-	-	-	-	1	1	3	2	5	-	3	-	-	-	-
	F	61	19	7	8	2	-	-	2	-	1	2	-	-	-	1	1	1	3	4	3	4	1	1	1	-	-	-
	All other—M	15	4	4	3	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	17	1	5	2	-	-	1	-	-	-	-	-	-	1	-	1	-	4	-	-	-	1	1	-	-	-	-
28	Malaria	65	1	3	4	1	3	3	2	1	2	3	4	4	2	5	4	3	9	5	2	4	-	-	-	-	-	-
	White—M	23	-	1	2	-	1	-	-	-	1	-	-	1	-	3	2	3	3	4	1	1	-	-	-	-	-	-
	F	15	-	1	1	-	-	2	1	-	-	2	-	-	1	-	1	-	4	1	-	1	-	-	-	-	-	-
	All other—M	12	-	1	-	-	1	-	1	-	1	-	1	1	1	2	-	-	1	-	1	1	-	-	-	-	-	-
	F	15	1	-	1	1	1	1	-	1	-	1	3	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-
30	Syphilis	423	45	2	-	-	-	3	-	8	10	13	38	45	46	48	51	28	32	21	23	8	2	-	-	-	-	-
	White—M	124	14	-	-	-	-	2	-	1	1	2	7	10	14	16	19	8	17	2	7	3	1	-	-	-	-	-
	F	46	8	-	-	-	-	-	-	2	2	2	6	4	7	5	2	1	1	4	1	-	1	-	-	-	-	-
	All other—M	168	12	1	-	-	-	1	-	4	1	4	16	19	19	20	21	15	9	12	12	2	-	-	-	-	-	-
	F	85	11	1	-	-	-	-	-	1	6	5	9	12	6	7	9	4	5	3	3	-	-	-	-	-	-	-
33	Influenza	928	94	33	10	3	6	11	11	15	13	26	20	27	34	27	44	43	61	70	91	96	89	67	26	7	2	2
	White—M	326	36	15	3	-	1	5	5	4	5	7	2	10	6	7	16	15	27	28	28	31	38	28	7	1	1	-
	F	345	33	7	4	3	5	5	2	3	1	4	9	4	8	7	5	14	16	30	41	49	44	32	13	4	1	1
	All other—M	137	12	10	2	-	-	1	2	2	3	6	3	6	6	9	13	10	11	7	13	9	5	3	3	1	-	-
	F	120	13	1	1	-	-	-	2	6	4	9	6	7	14	4	10	4	7	5	9	7	2	4	3	1	-	1
35	Measles	17	4	3	1	1	-	1	-	2	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	1	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	916	2	-	-	-	-	1	-	1	3	3	13	18	26	47	85	102	117	150	159	97	54	27	4	2	-	5
	White—M	390	1	-	-	-	-	-	-	1	1	-	7	4	5	21	30	38	60	61	78	47	20	10	2	1	-	3
	F	379	1	-	-	-	-	-	-	-	2	1	2	9	11	15	32	33	41	71	65	43	33	16	2	1	-	1
	All other—M	81	-	-	-	-	-	1	-	-	-	1	2	1	4	8	14	16	9	12	8	2	1	1	-	-	-	1
	F	66	-	-	-	-	-	-	-	-	-	1	2	4	6	3	9	15	7	6	8	5	-	-	-	-	-	-
48,49	Cancer of female genital organs	393	1	-	-	-	-	-	1	-	1	10	20	33	34	44	59	53	49	34	28	13	11	1	-	-	-	1
	White—F	302	-	-	-	-	-	-	1	-	1	5	14	26	22	28	45	42	42	31	24	12	9	-	-	-	-	-
	All other—F	91	1	-	-	-	-	-	-	-	-	5	6	7	12	16	14	11	7	3	4	1	2	1	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
50	Cancer of breast	187	-	-	-	-	-	-	-	1	1	3	3	16	11	34	23	18	23	24	12	9	8	-	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	148	-	-	-	-	-	-	-	1	1	3	2	9	9	28	14	15	19	20	11	7	8	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	1	7	2	6	8	2	3	4	1	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	720	1	3	-	3	3	5	9	10	10	12	12	16	30	44	46	59	85	122	83	69	67	24	2	5	-	-
	White—M	396	-	1	-	1	1	2	2	4	5	6	5	8	12	18	20	32	50	70	50	46	43	14	2	4	-	-
	F	219	1	1	-	2	1	2	6	6	3	5	-	5	8	15	19	19	26	28	22	19	22	8	-	1	-	-
	All other—M	68	-	-	-	-	-	-	-	-	1	1	5	2	7	5	3	6	7	16	7	4	2	2	-	-	-	-
	F	37	-	1	-	-	1	1	1	-	1	-	2	1	3	6	4	2	2	8	4	-	-	-	-	-	-	-
58	Acute rheumatic fever	70	-	-	1	2	-	13	11	4	4	4	2	4	1	4	1	2	3	5	3	2	1	2	1	-	-	-
	White—M	20	-	-	-	1	-	3	5	1	2	1	1	1	-	2	-	-	2	-	-	-	1	-	-	-	-	-
	F	27	-	-	1	1	-	7	6	2	-	2	1	-	-	1	-	-	-	-	1	2	-	2	1	-	-	-
	All other—M	8	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	2	2	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	3	-	-	1	1	-	2	1	1	-	2	1	3	-	-	-	-	-	-	-	-
61	Diabetes mellitus	415	-	3	-	-	-	4	5	4	8	7	7	11	15	21	34	42	51	78	66	33	15	8	2	1	-	-
	White—M	159	-	2	-	-	-	3	3	3	4	3	3	3	1	4	10	16	17	30	29	17	6	4	-	1	-	-
	F	154	-	1	-	-	-	-	1	1	3	3	1	2	4	5	9	19	23	34	23	14	8	2	1	-	-	-
	All other—M	36	-	-	-	-	-	-	1	-	-	1	2	3	2	2	5	4	2	3	8	2	1	-	-	-	-	-
	F	66	-	-	-	-	-	1	-	-	1	-	1	3	8	10	10	3	9	11	6	-	-	2	1	-	-	-
63b	Exophthalmic goiter	46	-	-	-	-	-	-	1	-	-	3	2	1	6	4	6	7	4	6	3	1	-	-	1	-	-	1
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1
	F	32	-	-	-	-	-	-	1	-	-	1	2	-	4	3	4	5	4	6	-	1	-	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	102	-	-	-	-	-	1	-	-	2	2	1	3	3	8	10	9	8	23	15	8	4	4	-	-	-	1
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	1	6	9	2	1	3	-	-	-	-
	F	50	-	-	-	-	-	1	-	-	2	-	1	1	1	2	3	5	6	16	3	5	3	1	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	2	1	-	-	-	-	-	1
77	Alcoholism (ethylism)	46	-	-	-	-	-	1	1	3	-	3	5	11	4	3	5	5	2	2	-	1	-	-	-	-	-	-
	White—M	34	-	-	-	-	-	1	1	-	-	2	4	7	3	2	5	5	1	2	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	3	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	2,529	10	2	1	-	1	-	2	4	5	5	21	47	84	139	188	257	241	410	378	329	255	107	34	5	-	4
	White—M	1,004	5	-	1	-	1	-	2	-	-	2	2	19	23	36	57	94	98	181	174	145	111	42	9	-	-	2
	F	859	3	2	-	-	-	-	-	2	3	1	4	6	13	33	57	79	73	124	138	138	115	53	13	1	-	1
	All other—M	323	-	-	-	-	-	-	-	2	1	-	8	13	19	35	38	38	33	51	32	23	16	5	6	2	-	1
	F	343	2	-	-	-	-	-	-	-	1	2	7	9	29	35	36	46	37	54	34	23	13	7	6	2	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	325	35	5	8	5	2	8	8	21	17	21	12	15	18	11	20	19	21	20	23	15	11	5	2	3	-	-
	White—M	144	16	3	5	3	1	4	6	7	6	7	5	5	6	5	9	9	10	12	9	10	3	2	-	1	-	-
	F	99	11	1	2	2	1	2	-	8	7	5	3	6	5	5	2	5	8	3	11	3	6	2	1	-	-	-
	All other—M	44	6	1	-	-	-	-	-	3	2	7	3	2	4	-	3	3	1	3	2	1	1	-	1	1	-	-
	F	38	2	-	1	-	-	2	2	3	2	2	1	2	3	1	6	2	2	2	1	1	1	1	-	1	-	-
89,104, 115	Diseases of ear, nose, and throat	169	14	9	3	2	3	18	9	13	12	4	9	10	6	6	8	8	11	3	11	6	1	1	-	1	-	1
	White—M	78	8	3	1	2	1	9	6	7	6	1	7	3	3	2	4	3	5	-	5	1	1	-	-	-	-	-
	F	62	4	4	2	-	1	7	3	5	3	2	1	4	-	3	3	4	4	2	3	4	-	1	-	1	-	1
	All other—M	10	2	1	-	-	-	1	-	-	1	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	F	19	-	1	-	-	1	1	-	1	2	1	1	2	2	1	1	-	2	-	2	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	628	-	-	1	-	-	7	19	23	10	18	15	19	28	33	39	51	55	87	73	63	52	26	7	-	-	2
	White—M	218	-	-	-	-	-	6	9	10	3	5	5	7	6	8	5	11	20	31	30	27	24	9	2	-	-	-
	F	187	-	-	-	-	-	1	6	6	5	6	7	5	10	8	6	12	16	26	19	22	21	9	2	-	-	-
	All other—M	114	-	-	1	-	-	-	2	3	2	5	-	3	3	10	17	13	5	19	12	10	4	4	2	-	-	1
	F	109	-	-	-	-	-	-	2	4	-	4	3	4	9	7	11	15	14	11	12	4	3	4	1	-	-	1
94	Diseases of coronary arteries, angina pectoris	1,515	1	-	-	-	1	-	-	3	3	8	10	29	51	101	121	159	165	198	186	150	85	28	14	2	-	-
	White—M	824	-	-	-	-	1	-	-	1	1	4	3	19	38	73	82	112	114	123	108	77	46	15	7	-	-	-
	F	366	1	-	-	-	-	-	-	1	2	3	2	6	4	12	17	29	40	58	70	64	36	13	6	2	-	-
	All other—M	74	-	-	-	-	-	-	-	-	-	-	3	3	6	14	9	14	6	9	3	4	2	-	1	-	-	-
	F	51	-	-	-	-	-	-	-	1	-	1	2	1	3	2	13	4	5	8	5	5	1	-	-	-	-	-
90b,91, 92a,d,e, 93ab,de, 95a,c	Diseases of heart (other forms)	3,607	8	-	1	1	-	5	4	12	21	27	35	81	115	185	255	319	388	551	547	436	356	180	61	9	7	3
	White—M	1,517	2	-	-	-	-	4	2	3	6	6	8	16	30	52	78	115	161	252	267	215	181	84	30	3	2	-
	F	1,079	5	-	1	1	-	1	2	4	9	8	12	22	24	32	48	78	98	167	177	158	133	75	22	-	1	1
	All other—M	535	1	-	-	-	-	-	-	2	2	5	5	14	28	49	73	67	61	85	67	34	22	11	4	2	2	1
	F	476	-	-	-	-	-	-	-	3	4	8	10	29	33	52	56	59	68	47	36	29	20	10	5	4	2	1
107-109	Pneumonia (all forms)	2,132	448	71	32	8	10	23	17	42	33	33	51	63	62	85	99	119	121	165	217	156	143	85	37	8	2	2
	White—M	860	211	26	9	5	1	6	6	13	11	10	10	20	28	34	33	48	49	59	102	76	56	33	11	2	-	1
	F	686	129	23	16	2	5	10	6	12	4	3	9	10	9	13	21	29	39	52	77	69	78	45	22	2	1	-
	All other—M	322	61	12	5	1	4	3	4	7	6	9	17	20	15	22	27	24	16	28	26	5	3	1	3	2	1	-
	F	264	47	10	2	-	-	4	1	10	12	11	15	13	10	16	18	18	17	26	12	6	6	6	1	2	-	1
117	Ulcer of stomach or duodenum	164	1	-	-	-	-	1	1	2	5	12	8	12	20	14	18	17	13	17	11	5	6	-	1	-	-	-
	White—M	107	-	-	-	-	-	1	-	2	4	10	3	9	15	8	8	11	9	11	9	3	4	-	-	-	-	-
	F	23	1	-	-	-	-	-	-	-	1	-	2	1	1	1	5	5	2	1	2	-	-	-	1	-	-	-
	All other—M	16	-	-	-	-	-	-	-	-	-	1	2	-	2	1	5	-	2	2	-	1	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	-	-	1	1	2	2	4	2	1	-	3	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
119,120	Diarrhea, enteritis, etc.*	454	223	92	30	6	3	4	1	2	-	4	4	2	2	4	8	6	3	3	16	21	10	6	2	2	-	-
	White—M	187	114	21	10	4	2	-	-	-	-	-	1	1	1	1	1	2	2	-	7	10	4	5	1	-	-	-
	F	167	71	44	12	1	-	3	-	2	-	-	1	1	-	1	2	1	1	2	7	10	6	1	-	1	-	-
	All other—M	55	21	17	5	-	1	-	-	-	-	1	-	-	1	1	5	2	-	1	-	-	-	-	-	-	-	-
	F	45	17	10	3	1	-	1	1	-	-	3	2	-	-	1	-	1	-	-	2	1	-	-	1	1	-	-
121	Appendicitis	251	-	1	1	-	2	13	24	24	20	17	20	24	13	17	16	15	12	10	11	5	4	2	-	-	-	-
	White—M	124	-	-	-	-	2	6	10	6	7	11	11	11	10	8	7	9	6	5	7	4	3	1	-	-	-	-
	F	62	-	-	1	-	-	3	9	8	4	3	2	4	1	2	4	5	5	4	4	1	1	1	-	-	-	-
	All other—M	33	-	-	-	-	-	1	4	5	7	-	3	4	1	4	3	1	-	-	-	-	-	-	-	-	-	-
	F	32	-	1	-	-	-	3	1	5	2	3	4	5	1	3	2	-	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	243	20	3	5	-	-	2	2	7	6	3	10	15	13	13	21	20	18	29	20	13	10	8	4	-	-	1
	White—M	82	8	1	4	-	-	-	-	1	2	1	1	2	3	2	5	8	8	10	11	4	6	4	1	-	-	-
	F	86	6	1	1	-	-	2	1	3	1	1	6	8	5	2	7	4	3	14	7	7	2	3	2	-	-	-
	All other—M	41	6	1	-	-	-	-	1	1	1	1	1	3	1	5	6	3	3	3	2	-	2	-	-	-	-	1
	F	34	-	-	-	-	-	-	-	2	2	-	2	2	4	4	3	5	4	2	-	2	-	1	1	-	-	-
124	Cirrhosis of the liver	153	-	-	-	-	-	-	-	1	1	2	5	5	15	23	19	22	23	13	12	9	3	-	-	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	1	1	2	3	5	15	8	14	15	7	6	4	3	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	1	2	-	5	4	5	2	4	5	5	4	-	-	-	-	-	-
	All other—M	26	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	5	4	1	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	116	1	-	1	-	-	1	-	-	1	-	2	9	5	9	8	13	15	17	10	8	12	4	-	-	-	-
	White—M	32	1	-	-	-	-	-	-	-	1	-	2	4	1	3	2	1	2	6	3	1	5	-	-	-	-	-
	F	69	-	-	1	-	-	-	-	-	-	-	-	4	3	5	6	9	9	9	6	6	7	4	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	2	2	-	1	-	-	-	-	-	-
130-132	Nephritis	2,065	6	1	6	4	-	8	7	14	22	24	39	45	66	98	112	157	212	270	312	277	210	118	33	15	4	5
	White—M	860	3	-	4	2	-	1	3	5	8	8	10	7	11	34	39	66	86	109	147	126	112	62	14	3	-	-
	F	628	2	-	1	-	-	5	3	5	5	4	11	11	19	18	28	35	60	92	100	102	69	41	9	7	-	3
	All other—M	297	-	1	-	1	-	2	1	1	5	4	9	14	12	27	21	28	35	41	31	26	21	7	4	3	1	2
	F	280	1	-	1	1	-	-	-	3	4	8	9	13	24	21	24	28	31	28	34	23	8	8	6	2	3	-
137	Diseases of the prostate	190	-	-	-	-	-	-	-	-	-	-	-	1	1	1	9	9	14	25	44	39	32	12	2	1	-	-
	White—M	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	15	36	33	29	8	2	1	-	-
	All other—M	50	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	6	10	8	6	3	4	-	-	-	-
140, 142a, 147	Puerperal septicemia	104	-	-	-	-	-	-	2	15	13	32	21	14	5	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	73	-	-	-	-	-	-	-	11	8	20	17	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	31	-	-	-	-	-	-	2	4	5	12	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
141a,c, 144,148	Puerperal toxemias	76	-	-	-	-	-	-	1	16	26	12	10	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	11	20	8	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	21	-	-	-	-	-	-	1	5	6	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	85	-	-	-	-	-	-	-	9	9	19	20	21	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	65	-	-	-	-	-	-	-	6	5	16	15	16	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	20	-	-	-	-	-	-	-	3	4	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	214	183	6	6	1	1	3	4	1	2	2	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	116	101	3	4	-	-	2	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	73	3	2	1	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	712	712	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	325	325	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	258	-	-	-	-	-	-	1	9	31	24	25	29	19	28	19	32	15	11	5	6	4	-	-	-	-	-
	White—M	192	-	-	-	-	-	-	1	5	20	15	18	19	14	24	15	23	14	10	5	5	4	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	4	8	6	4	6	5	3	3	6	1	1	-	1	-	-	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	1	2	1	4	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	485	5	-	-	-	-	1	-	32	87	96	67	64	38	30	26	10	12	10	1	4	2	-	-	-	-	-
	White—M	147	3	-	-	-	-	-	-	8	21	22	22	18	12	9	11	5	9	4	-	2	1	-	-	-	-	-
	F	25	2	-	-	-	-	1	-	3	3	3	3	2	1	2	-	1	-	3	-	-	1	-	-	-	-	-
	All other—M	254	-	-	-	-	-	-	-	14	55	54	33	40	20	14	13	4	2	2	1	2	-	-	-	-	-	-
	F	59	-	-	-	-	-	-	-	7	8	17	9	4	5	5	2	-	1	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	579	4	1	2	7	3	27	26	58	76	59	48	32	36	28	29	31	36	34	22	12	3	3	1	-	-	1
	White—M	375	3	-	-	2	-	14	17	40	52	40	38	19	22	15	18	24	24	23	13	6	2	2	1	-	-	-
	F	103	-	1	1	3	2	9	5	14	9	9	7	5	4	3	6	4	6	6	6	4	1	-	-	-	-	-
	All other—M	85	1	-	1	2	1	4	4	3	13	9	2	5	9	9	3	2	5	5	3	2	-	1	-	-	-	1
	F	14	-	-	-	-	-	-	-	1	2	1	1	3	1	1	2	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,239	65	36	14	17	20	38	52	78	77	69	52	63	60	43	59	56	44	78	76	72	74	58	23	10	2	3
	White—M	628	29	18	6	8	10	14	32	59	46	45	30	38	34	25	35	30	24	33	27	22	31	18	11	2	-	1
	F	354	22	12	5	7	5	14	8	5	8	7	7	10	8	6	9	12	9	30	37	40	39	37	10	6	-	1
	All other—M	176	10	5	1	-	2	5	10	11	18	15	9	8	15	9	11	9	8	11	7	5	1	2	1	2	-	1
	F	81	4	1	2	2	3	5	2	3	5	2	6	7	3	3	4	5	3	4	5	5	3	1	1	-	2	-
	All other causes*	4,868	999	65	41	27	15	61	51	56	91	135	139	146	189	207	239	249	298	367	395	357	360	218	108	31	13	11
	White—M	1,979	450	26	16	12	9	29	21	19	24	34	33	32	64	73	88	104	142	176	185	155	153	83	40	6	-	5
	F	1,589	328	24	15	11	5	18	18	19	34	29	43	39	52	49	54	75	77	109	137	133	157	103	43	13	2	2
	All other—M	638	123	7	5	3	1	8	4	6	14	27	16	32	28	48	56	40	45	40	33	39	25	15	13	4	4	2
	F	662	98	8	5	1	-	6	8	12	19	45	47	43	45	37	41	30	34	42	40	30	25	17	12	8	7	2

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	All causes	62,503	8,585	1,310	500	291	220	725	766	1,457	1,752	1,940	2,076	2,308	2,590	3,052	3,716	4,213	4,438	5,386	5,368	4,487	3,799	2,188	852	202	104	78
	White—M	29,329	4,152	605	212	137	96	340	350	546	675	749	836	903	1,021	1,335	1,748	2,165	2,396	2,702	2,707	2,327	1,871	992	346	58	26	34
	F	21,573	3,192	537	220	110	88	261	254	534	612	648	680	718	737	832	985	1,174	1,360	1,788	1,879	1,721	1,687	1,020	398	95	27	18
	All other—M	6.163	751	89	43	23	19	62	78	164	215	276	253	325	410	473	542	501	374	500	443	257	143	102	58	26	22	14
	F	5,438	590	79	25	21	17	62	84	213	250	267	307	362	422	412	443	373	308	396	339	182	98	74	50	23	29	12
1,2	Typhoid, paratyphoid fever	216	4	2	3	5	2	21	25	42	17	25	17	8	10	8	12	7	5	1	2	-	-	-	-	-	-	-
	White—M	87	3	-	1	3	1	5	9	18	4	10	6	3	5	3	6	5	3	-	2	-	-	-	-	-	-	-
	F	63	1	2	1	1	1	9	8	9	4	7	6	3	3	2	3	1	1	1	-	-	-	-	-	-	-	-
	All other—M	30	-	-	1	-	-	5	3	4	2	4	4	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-
	F	36	-	-	-	1	-	2	5	11	7	4	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	40	10	3	1	3	-	4	1	4	1	2	2	4	-	-	2	-	1	1	-	1	-	-	-	-	-	-
	White—M	21	3	1	1	2	-	2	1	1	-	1	1	3	-	-	2	-	1	1	-	1	-	-	-	-	-	-
	F	14	6	1	-	1	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	17	4	1	-	2	2	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	2	1	-	1	2	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping [illegible]	25[illegible]	183	42	14	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	[illegible]	81	15	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		[illegible]	[illegible]2	6	-	-		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other	[illegible]	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		[illegible]	14	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	150	21	31	23	15	18	35	3	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	66	14	18	8	6	5	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	6	8	12	7	10	19	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	12	1	3	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	2	-	1	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,553	18	22	4	4	8	17	55	323	438	493	402	324	276	267	225	190	159	125	104	56	28	9	3	-	-	5
	White—M	1,520	7	7	-	2	3	10	19	79	131	157	156	145	137	140	132	116	96	71	64	28	11	6	1	-	-	2
	F	1,320	7	12	4	1	5	6	26	166	192	212	163	106	78	83	52	50	43	39	31	22	16	2	2	-	-	2
	All other—M	363	2	1	-	-	-	-	3	22	57	57	35	37	33	33	28	19	13	10	5	5	1	1	-	-	-	1
	F	350	2	2	-	1	-	1	7	56	58	67	48	36	28	11	13	5	7	3	4	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	244	18	23	9	3	5	22	14	19	19	16	14	15	13	5	9	8	15	9	6	2	-	-	-	-	-	-
	White—M	107	13	11	4	-	4	11	7	4	5	5	6	7	7	-	4	3	10	4	1	1	-	-	-	-	-	-
	F	81	3	10	2	3	1	7	1	8	9	6	3	5	2	4	3	3	4	2	4	1	-	-	-	-	-	-
	All other—M	30	-	1	2	-	-	2	3	4	3	2	1	3	1	1	-	2	1	3	1	-	-	-	-	-	-	-
	F	26	2	1	1	-	-	2	3	3	2	3	4	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	646	345	120	28	7	7	5	4	2	6	4	6	3	8	5	9	5	11	14	15	17	9	13	-	-	1	2
	White—M	305	182	55	12	3	4	2	3	1	1	-	1	1	3	2	4	2	4	4	4	8	2	5	-	-	-	2
	F	269	135	51	12	3	3	3	-	1	4	3	5	2	2	1	2	1	6	8	8	8	4	7	-	-	-	-
	All other—M	45	18	7	2	-	-	-	1	-	1	-	-	-	2	1	2	2	-	1	3	1	3	-	-	-	1	-
	F	27	10	7	2	1	-	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	1	-	-	-	-
28	Malaria	175	20	10	4	4	1	7	12	9	8	6	5	10	8	3	14	6	10	10	10	7	4	4	3	-	-	-
	White—M	48	8	4	-	1	-	3	2	1	2	2	-	1	2	-	3	2	3	3	2	2	3	3	1	-	-	-
	F	62	9	2	2	-	1	2	5	4	3	2	2	2	-	2	5	3	5	2	5	4	1	1	-	-	-	-
	All other—M	30	-	2	2	-	-	-	1	2	1	1	1	3	6	1	1	1	2	3	2	-	-	-	1	-	-	-
	F	35	3	2	-	3	-	2	4	2	2	1	2	4	-	-	5	-	-	2	1	1	-	-	1	-	-	-
30	Syphilis	928	124	7	1	2	1	-	8	17	27	38	64	90	107	89	102	75	63	48	38	16	6	3	1	-	-	1
	White—M	378	49	4	1	1	-	-	3	4	1	7	19	21	45	33	42	44	37	28	24	9	4	2	-	-	-	-
	F	110	15	-	-	-	-	-	3	5	7	7	9	11	9	9	8	4	6	5	6	2	2	1	1	-	-	-
	All other—M	285	29	1	-	-	1	-	1	3	5	14	24	39	35	37	42	19	14	10	6	4	-	-	-	-	-	1
	F	155	31	2	-	1	-	-	1	5	14	10	12	19	18	10	10	8	6	5	2	1	-	-	-	-	-	-
33	Influenza	1,729	250	52	17	12	6	21	31	32	34	39	54	39	61	71	90	77	95	131	133	153	159	99	54	14	5	-
	White—M	643	109	20	7	5	-	7	12	11	11	10	13	6	14	19	37	32	35	44	47	63	73	41	21	6	-	-
	F	679	97	25	5	4	4	6	8	10	8	19	19	18	19	20	19	26	37	53	46	75	77	48	31	4	1	-
	All other—M	203	24	5	4	2	1	1	5	3	4	4	5	6	17	17	18	12	13	20	18	11	5	4	-	3	1	-
	F	204	20	2	1	1	1	7	6	8	11	6	17	9	11	15	16	7	10	14	22	4	4	6	2	1	3	-
35	Measles	218	54	69	28	15	15	19	10	3	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	103	25	38	13	8	5	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	98	24	31	14	6	4	7	4	3	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	9	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	38	6	3	2	-	1	4	6	5	3	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	17	1	1	2	-	1	-	3	3	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	14	4	1	-	-	-	3	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,018	1	-	1	-	-	1	1	2	9	15	32	61	92	119	170	238	279	338	285	209	113	44	6	1	-	1
	White—M	1,029	-	-	1	-	-	1	-	2	6	4	14	25	38	50	73	116	161	184	159	114	53	22	4	1	-	1
	F	755	1	-	-	-	-	-	-	-	3	6	11	22	33	41	59	92	99	125	105	83	55	20	-	-	-	-
	All other—M	126	-	-	-	-	-	-	-	-	-	2	3	3	13	11	26	19	10	17	10	7	2	1	2	-	-	-
	F	108	-	-	-	-	-	-	1	-	-	3	4	11	8	17	12	11	9	12	11	5	3	1	-	-	-	-
48,49	Cancer of female genital organs	778	-	-	-	-	-	1	2	1	7	16	35	61	103	104	100	89	69	68	58	29	18	14	2	-	-	1
	White—F	626	-	-	-	-	-	1	2	-	6	11	25	48	76	72	79	79	59	59	53	27	16	14	1	-	-	-
	All other—F	132	-	-	-	-	-	-	-	1	1	5	12	13	27	32	21	10	10	9	5	2	2	-	1	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
50	Cancer of breast	398	-	-	-	-	-	-	-	-	-	4	15	31	28	48	69	44	45	36	29	30	11	4	4	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	-
	F	344	-	-	-	-	-	-	-	-	-	4	14	25	23	38	60	41	40	26	26	28	11	4	4	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	1	6	5	8	8	3	4	8	3	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,858	1	5	7	4	6	16	16	16	23	22	38	47	79	116	169	192	232	233	220	186	146	61	18	-	4	1
	White—M	1,173	-	4	3	4	1	11	6	10	17	13	27	25	40	51	97	116	148	153	155	134	108	39	10	-	-	1
	F	521	1	1	3	-	3	4	10	3	5	8	8	17	30	51	46	51	63	58	51	43	36	18	7	-	4	-
	All other—M	105	-	-	-	-	1	1	-	1	-	1	2	1	6	6	16	15	17	16	10	6	2	3	1	-	-	-
	F	59	-	-	1	-	1	-	-	2	1	-	1	4	3	8	10	10	4	6	4	3	-	1	-	-	-	-
58	Acute rheumatic fever	68	1	1	1	-	-	6	11	8	3	4	5	2	-	2	3	3	3	5	2	6	-	2	-	-	-	-
	White—M	20	1	-	-	-	-	3	4	3	1	-	2	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-
	F	22	-	-	-	-	-	1	3	5	1	1	1	1	-	-	1	1	1	3	-	2	-	1	-	-	-	-
	All other—M	10	-	-	-	-	-	-	2	-	-	2	1	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-
	F	16	-	1	1	-	-	2	2	-	1	1	1	1	-	2	-	1	1	1	-	1	-	-	-	-	-	-
61	Diabetes mellitus	922	2	1	1	-	-	5	16	21	15	15	11	25	38	56	69	96	135	128	116	91	50	27	4	-	-	-
	White—M	358	1	-	-	-	-	3	7	8	8	4	6	7	10	20	23	32	50	45	50	44	22	16	2	-	-	-
	F	426	1	-	1	-	-	1	6	10	5	5	3	10	12	15	30	49	69	68	60	44	26	10	1	-	-	-
	All other—M	42	-	1	-	-	-	-	2	1	1	2	-	3	3	5	3	8	5	2	3	2	-	1	-	-	-	-
	F	96	-	-	-	-	-	1	1	2	1	4	2	5	13	16	13	7	11	13	3	1	2	-	1	-	-	-
63b	Exophthalmic goiter	65	-	-	-	-	-	-	1	3	3	10	3	7	6	7	2	11	2	5	3	2	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	-	-	1	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	1	3	3	5	2	3	2	5	1	7	2	5	2	2	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	5	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	354	1	1	-	1	-	2	1	2	5	11	8	14	14	25	28	38	34	48	46	28	22	13	7	1	-	4
	White—M	78	-	-	-	-	-	-	-	-	-	2	-	1	1	8	3	9	9	12	14	6	6	5	2	-	-	-
	F	150	1	-	-	-	-	1	-	2	1	5	3	7	6	10	11	17	14	21	19	11	11	6	2	-	-	2
	All other—M	34	-	-	-	1	-	1	-	-	2	-	-	1	1	-	1	4	5	7	4	5	2	-	-	-	-	-
	F	92	-	1	-	-	-	-	1	-	2	4	5	5	6	7	13	8	6	8	9	6	3	2	3	1	-	2
77	Alcoholism (ethylism)	57	-	-	-	-	-	-	-	1	-	2	6	9	7	6	6	9	7	1	2	-	-	-	-	1	-	-
	White—M	49	-	-	-	-	-	-	-	1	-	1	5	6	6	5	5	9	7	1	2	-	-	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,604	22	6	2	-	3	10	9	12	11	22	41	71	135	188	333	439	514	689	729	579	468	240	63	9	5	4
	White—M	1,928	10	2	1	-	1	5	1	6	2	5	18	24	28	57	107	168	255	303	326	283	205	96	19	2	2	2
	F	1,725	7	3	1	-	2	3	4	4	6	10	9	14	37	56	103	145	159	253	285	237	224	125	35	2	-	1
	All other—M	422	3	-	-	-	-	1	2	-	2	3	6	12	30	29	58	61	36	64	56	27	17	9	4	1	1	-
	F	529	2	1	-	-	-	1	2	2	1	4	8	21	40	46	65	65	64	69	62	32	22	10	5	4	2	1
80-82, 84-88	Other diseases of nervous system, etc.*	675	108	28	15	16	5	19	21	37	28	34	35	31	27	30	43	33	38	43	28	25	16	8	2	5	-	-
	White—M	308	50	11	8	12	3	11	11	15	11	12	14	14	15	9	16	19	15	21	10	15	8	4	2	2	-	-
	F	234	35	12	6	3	1	7	6	12	11	12	15	11	6	11	14	10	12	17	11	10	7	3	-	2	-	-
	All other—M	78	15	2	1	1	1	-	3	7	4	7	5	3	4	6	4	2	6	4	2	-	-	-	-	1	-	-
	F	55	8	3	-	-	-	1	1	3	2	3	1	3	2	4	9	2	5	1	5	-	1	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	389	78	27	11	16	3	29	25	24	18	12	11	18	17	18	20	12	9	7	13	4	8	3	3	3	-	-
	White—M	177	35	13	3	7	2	12	11	6	7	5	4	6	12	11	11	5	6	4	6	2	5	2	1	1	-	-
	F	145	30	10	6	6	-	12	10	12	9	4	6	5	3	3	6	5	3	3	6	1	1	1	1	2	-	-
	All other—M	29	7	1	1	2	1	-	1	6	2	-	1	1	1	1	1	-	-	-	-	1	2	-	-	-	-	-
	F	38	6	3	1	1	-	5	3	-	-	3	-	6	1	3	2	2	-	-	1	-	-	-	1	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	634	3	-	-	1	1	9	21	16	15	21	24	24	32	38	49	50	48	66	66	63	42	30	10	2	3	-
	White—M	275	1	-	-	1	1	2	7	9	3	10	5	6	13	15	22	19	24	23	30	40	28	11	4	1	-	-
	F	242	2	-	-	-	-	5	9	5	7	10	13	13	11	12	17	21	13	28	20	19	10	18	6	1	2	-
	All other—M	63	-	-	-	-	-	1	1	1	-	1	2	2	5	6	4	4	7	12	9	3	4	-	-	-	1	-
	F	54	-	-	-	-	-	1	4	1	5	-	4	3	3	5	6	6	4	3	7	1	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,964	1	1	-	-	-	4	3	5	9	22	51	111	179	273	385	490	532	584	527	350	268	122	37	5	3	2
	White—M	2,483	-	1	-	-	-	3	-	1	1	8	20	56	101	168	267	356	361	385	325	199	139	68	20	1	2	1
	F	1,088	-	-	-	-	-	-	2	2	5	5	7	22	37	54	62	87	133	168	171	139	126	48	16	4	1	1
	All other—M	217	-	-	-	-	-	1	1	1	1	3	10	17	17	29	39	31	22	17	14	6	2	5	1	-	-	-
	F	176	1	-	-	-	-	-	-	1	2	6	14	16	24	22	17	16	16	16	17	6	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,383	37	6	2	2	2	10	23	36	43	49	104	136	224	345	493	672	758	1,047	1,032	900	786	466	138	51	13	8
	White—M	3,533	17	4	1	-	1	5	5	13	12	19	36	39	62	134	231	353	421	507	527	469	377	208	66	18	4	4
	F	2,381	14	2	1	1	1	1	11	18	17	14	20	32	42	66	103	140	192	342	363	333	358	223	61	24	2	-
	All other—M	760	2	-	-	-	-	3	2	2	5	8	20	27	61	73	86	98	74	105	76	57	26	19	6	6	1	3
	F	709	4	-	-	1	-	1	5	3	9	8	28	38	59	72	73	81	71	93	66	41	25	16	5	3	6	1
107-109	Pneumonia (all forms)	3,611	1,048	221	81	37	22	63	47	65	78	73	70	95	101	124	145	146	162	196	223	217	207	126	50	8	1	5
	White—M	1,515	451	98	31	14	12	20	20	15	25	24	20	25	29	51	58	59	77	92	101	110	94	65	21	2	-	1
	F	1,328	397	83	37	16	6	29	15	23	24	18	23	26	32	29	40	44	59	63	86	87	106	54	24	4	1	2
	All other—M	425	116	22	9	5	2	5	7	12	9	15	8	27	24	29	30	21	17	22	19	10	5	4	4	2	-	1
	F	343	84	18	4	2	2	9	5	15	20	16	19	17	16	15	17	22	9	19	17	10	2	3	1	-	-	1
117	Ulcer of stomach or duodenum	326	3	1	-	-	-	1	1	1	4	9	16	21	19	29	54	40	37	34	25	16	9	3	1	-	1	1
	White—M	230	2	1	-	-	-	1	1	1	2	4	10	19	12	18	42	30	27	26	19	8	5	2	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	1	3	5	-	1	5	3	6	3	7	3	7	4	-	1	-	1	-
	All other—M	37	-	-	-	-	-	-	-	-	1	2	1	2	2	4	9	4	7	1	2	1	-	-	-	-	-	1
	F	9	1	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	1	-	-	1	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
119,120	Diarrhea, enteritis, etc.*	2,366	1598	356	65	24	15	20	8	8	9	9	2	16	9	17	15	26	19	24	26	28	28	22	19	2	-	1
	White—M	1,105	781	170	33	10	5	10	3	4	1	2	1	4	2	7	5	8	7	10	9	11	10	7	4	-	-	1
	F	1,022	670	152	26	11	9	7	5	4	5	6	-	7	5	6	6	14	8	8	14	14	16	14	13	2	-	-
	All other—M	124	79	18	5	2	-	1	-	-	1	1	1	2	-	1	2	-	2	2	2	1	2	1	1	-	-	-
	F	115	68	16	1	1	1	2	-	-	2	-	-	3	2	3	2	4	2	4	1	2	-	-	1	-	-	-
121	Appendicitis	627	6	5	9	6	7	42	52	77	47	42	48	41	45	28	43	36	22	27	16	12	11	4	1	-	-	-
	White—M	325	4	4	4	3	3	19	19	35	24	19	29	21	25	16	25	22	14	17	9	6	5	1	1	-	-	-
	F	183	1	1	5	2	1	16	23	27	9	9	9	10	10	6	11	8	7	7	6	6	6	3	-	-	-	-
	All other—M	74	1	-	-	1	2	6	4	10	7	9	6	5	7	5	4	4	1	1	1	-	-	-	-	-	-	-
	F	45	-	-	-	-	1	1	6	5	7	5	4	5	3	1	3	2	-	2	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	522	58	12	7	1	2	13	5	7	13	12	21	23	37	25	34	46	40	41	42	33	23	20	6	-	-	1
	White—M	206	32	9	4	-	2	5	1	2	2	2	5	7	11	8	14	20	16	19	16	13	5	11	2	-	-	-
	F	195	18	3	2	-	-	3	1	2	7	3	9	9	13	10	7	13	17	16	19	12	18	8	4	-	-	1
	All other—M	72	7	-	1	-	-	4	1	1	3	2	4	4	8	5	5	8	3	4	5	6	-	1	-	-	-	-
	F	49	1	-	-	1	-	1	2	2	1	5	3	3	5	2	8	5	4	2	2	2	-	-	-	-	-	-
124	Cirrhosis of the liver	347	1	1	-	-	1	2	2	-	1	1	12	23	18	34	35	42	48	44	38	23	13	4	4	-	-	-
	White—M	215	-	-	-	-	-	-	2	-	-	1	8	13	10	16	22	27	32	33	21	16	10	1	3	-	-	-
	F	84	1	1	-	-	-	-	-	-	1	-	2	6	5	10	7	11	10	6	12	6	3	2	1	-	-	-
	All other—M	31	-	-	-	-	-	1	-	-	-	-	2	2	1	6	4	4	4	3	3	1	-	-	-	-	-	-
	F	17	-	-	-	-	1	1	-	-	-	-	-	2	2	2	2	-	2	2	2	-	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	264	1	-	-	-	-	-	-	1	1	2	8	9	16	26	21	27	28	29	39	25	17	9	5	-	-	-
	White—M	94	-	-	-	-	-	-	-	-	-	1	2	1	4	8	7	9	11	10	18	10	11	1	1	-	-	-
	F	155	1	-	-	-	-	-	-	1	1	1	5	7	8	15	13	14	17	19	21	15	6	7	4	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	4	-	-	-	-	-	1	-	-	-	-
130-132	Nephritis	4,215	11	12	8	5	6	19	16	33	35	59	65	91	177	224	262	338	379	543	594	544	438	234	93	15	10	4
	White—M	1,918	4	4	4	2	5	11	8	6	11	12	20	26	51	80	98	152	192	265	306	264	223	123	44	5	4	-
	F	1,313	5	6	2	1	1	6	4	16	9	20	19	29	46	52	66	82	114	156	176	199	178	88	26	7	2	3
	All other—M	545	-	1	1	1	-	1	1	6	7	9	7	8	28	48	52	62	49	80	73	48	25	16	16	3	3	-
	F	439	2	1	1	1	-	1	3	5	8	18	19	28	52	44	46	42	24	42	39	33	12	7	7	2	1	1
137	Diseases of the prostate	408	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	19	38	60	83	79	64	40	10	1	1	-
	White—M	340	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	9	29	50	63	75	61	36	9	1	-	-
	All other—M	68	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	10	9	10	20	4	3	4	1	-	1	-
140, 142a, 147	Puerperal septicemia	211	-	-	-	-	-	-	6	31	53	45	36	30	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	143	-	-	-	-	-	-	2	17	35	32	26	23	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	68	-	-	-	-	-	-	4	14	18	13	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	175	-	-	-	-	-	-	2	38	45	28	30	24	6	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	128	-	-	-	-	-	-	2	24	33	21	24	17	6	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	47	-	-	-	-	-	-	-	14	12	7	6	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	197	-	-	-	-	-	-	-	24	32	41	47	36	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	150	-	-	-	-	-	-	-	15	25	32	38	26	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	47	-	-	-	-	-	-	-	9	7	9	9	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	522	437	16	9	5	3	20	8	6	5	6	1	2	3	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	250	216	6	2	2	1	7	5	2	2	2	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	231	186	8	7	3	1	11	3	4	3	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	25	20	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,015	2,015	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	989	989	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	711	711	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	777	-	-	-	-	-	-	6	21	44	72	94	79	76	83	79	82	42	34	35	18	9	-	1	-	-	2
	White—M	568	-	-	-	-	-	-	5	8	24	49	58	53	52	63	63	72	34	30	27	18	9	-	1	-	-	2
	F	177	-	-	-	-	-	-	1	10	16	20	29	21	23	19	13	7	7	3	8	-	-	-	-	-	-	-
	All other—M	21	-	-	-	-	-	-	-	2	2	3	3	2	1	1	3	2	1	1	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	2	-	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	618	1	-	1	-	-	-	-	40	83	115	108	93	55	47	27	19	11	5	4	3	1	-	-	-	-	5
	White—M	240	-	-	-	-	-	-	-	6	17	44	42	38	23	23	14	11	11	1	3	3	1	-	-	-	-	3
	F	50	1	-	1	-	-	-	-	4	11	4	13	3	6	4	1	1	-	1	-	-	-	-	-	-	-	-
	All other—M	258	-	-	-	-	-	-	-	17	42	51	41	45	19	19	11	7	-	3	1	-	-	-	-	-	-	2
	F	70	-	-	-	-	-	-	-	13	13	16	12	7	7	1	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,754	8	27	14	18	20	52	82	172	197	178	147	148	107	109	109	96	81	70	56	33	18	6	1	1	-	4
	White—M	1,207	4	14	7	8	9	29	52	116	146	128	106	100	70	81	73	63	61	53	40	25	13	5	1	-	-	3
	F	383	3	12	7	10	9	19	22	41	38	33	24	28	23	18	26	24	15	11	11	7	2	-	-	-	-	-
	All other—M	125	-	-	-	-	1	1	3	11	9	13	13	15	11	8	9	9	4	6	5	1	3	1	-	1	-	1
	F	39	1	1	-	-	1	3	5	4	4	4	4	5	3	2	1	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,870	168	84	63	39	26	117	126	163	214	184	163	165	127	152	114	116	86	121	149	121	188	109	51	13	4	7
	White—M	1,613	62	42	28	19	11	65	79	103	153	126	111	123	86	101	74	78	49	73	61	48	66	33	12	4	1	5
	F	813	64	26	25	16	10	31	22	15	26	19	26	21	16	20	16	19	23	42	69	68	119	71	36	9	2	-
	All other—M	316	25	10	6	2	3	11	21	38	28	31	23	18	18	27	15	10	6	4	9	2	1	5	-	-	1	2
	F	128	17	6	4	2	2	10	4	7	7	8	3	3	7	4	9	9	8	2	10	3	2	-	1	-	-	-
	All other causes*	8,307	2,018	114	69	38	29	101	88	128	148	175	221	269	302	324	369	394	381	523	574	580	619	449	255	70	53	18
	White—M	3,681	995	48	30	19	13	52	37	52	44	57	70	73	101	132	165	195	188	227	263	300	314	178	94	15	13	6
	F	2,870	665	51	32	14	13	34	33	45	61	62	82	106	90	80	90	97	119	165	182	209	248	223	119	34	11	5
	All other—M	947	215	10	4	4	-	11	8	9	15	28	22	33	52	61	58	61	46	72	84	45	38	27	21	9	12	2
	F	809	143	5	3	1	3	4	8	22	28	28	47	57	59	51	56	41	28	59	45	26	19	21	21	12	17	5

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	All causes	4,925	551	47	35	26	23	75	74	114	99	133	141	154	164	207	284	350	396	412	455	481	436	205	51	12	-	-
	White—M	2,759	316	28	19	12	12	45	43	77	56	81	78	100	100	123	196	218	237	215	253	240	190	92	26	2	-	-
	F	2,082	222	14	16	12	10	29	28	35	39	50	60	53	62	83	84	123	152	189	197	239	245	108	24	8	-	-
	All other—M	47	6	2	-	-	-	1	-	2	3	1	1	-	2	-	4	7	6	6	2	1	-	3	-	-	-	-
	F	37	7	3	-	2	1	-	3	-	1	1	2	1	-	1	-	2	1	2	3	1	1	2	1	2	-	-
1,2	Typhoid, paratyphoid fever	5	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	11	8	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	75	-	1	-	1	-	-	-	1	1	7	5	6	6	6	11	12	8	3	4	3	-	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	1	-	4	3	4	3	5	10	11	5	2	2	3	-	-	-	-	-	-
	F	17	-	1	-	-	-	-	-	-	-	2	1	2	3	1	1	1	2	1	2	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	14	-	1	-	1	-	-	1	-	-	-	4	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	27	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	5	4	2	3	-	3	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	4	3	1	2	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	102	14	2	-	-	-	2	1	2	2	3	4	1	4	3	3	6	7	8	5	5	17	8	5	-	-	-
	White—M	52	7	1	-	-	-	1	1	2	2	1	3	1	2	2	-	3	4	5	2	1	11	2	1	-	-	-
	F	47	7	1	-	-	-	1	-	-	-	2	-	-	2	1	3	2	2	3	3	4	6	6	4	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	-	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	224	-	-	-	-	-	-	1	-	-	1	3	3	3	6	14	27	35	31	34	31	27	8	-	-	-	-
	White—M	125	-	-	-	-	-	-	-	-	-	1	2	1	3	3	9	15	26	16	16	17	13	3	-	-	-	-
	F	92	-	-	-	-	-	-	1	-	-	-	1	2	-	3	4	9	9	13	17	14	14	5	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	56	-	-	-	-	-	-	-	-	-	1	2	3	5	7	6	7	9	5	6	3	1	1	-	-	-	-
	White—F	56	-	-	-	-	-	-	-	-	-	1	2	3	5	7	6	7	9	5	6	3	1	1	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
50	Cancer of breast	44	-	-	-	-	-	-	-	-	-	-	1	3	4	3	8	6	9	2	3	2	2	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	1	3	3	3	8	5	8	2	3	2	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	177	1	-	-	1	3	3	2	1	1	2	3	6	8	10	15	22	18	15	25	21	17	2	1	-	-	-
	White—M	129	-	-	-	-	1	2	-	1	1	1	3	5	7	8	12	16	11	12	21	15	10	2	1	-	-	-
	F	47	1	-	-	1	2	1	2	-	-	1	-	1	1	2	2	6	7	3	4	6	7	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	1	-	4	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	107	-	-	-	1	-	1	-	1	3	2	-	2	1	3	3	10	15	18	20	11	12	4	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	1	4	7	10	5	2	2	-	-	-	-
	F	71	-	-	-	1	-	1	-	-	2	1	-	2	1	2	2	9	11	11	10	6	10	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	1	1	1	-	-	3	4	4	1	3	4	1	2	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	-	1	-	-	3	3	4	1	3	4	1	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	325	1	-	-	-	-	1	1	-	-	-	1	1	1	9	16	22	27	47	57	59	53	22	6	1	-	-
	White—M	147	-	-	-	-	-	1	-	-	-	-	1	-	-	4	5	14	14	19	35	19	23	9	3	-	-	-
	F	177	1	-	-	-	-	-	1	-	-	-	-	1	1	5	11	8	13	27	22	40	30	13	3	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	68	5	6	-	1	3	6	1	4	4	2	2	7	-	3	3	3	4	5	4	5	-	-	-	-	-	-
	White—M	32	1	2	-	-	1	4	1	1	1	1	-	4	-	1	3	1	2	3	3	3	-	-	-	-	-	-
	F	33	4	2	-	1	1	2	-	3	3	1	2	3	-	2	-	2	2	2	1	2	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	52	10	1	2	2	-	8	2	5	1	7	1	1	3	2	1	2	1	1	-	1	1	-	-	-	-	-
	White—M	37	8	1	1	1	-	4	2	5	1	7	-	-	3	1	1	-	-	1	-	-	1	-	-	-	-	-
	F	15	2	-	1	1	-	4	-	-	-	-	1	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	153	-	-	2	1	2	5	8	7	12	12	15	8	11	12	11	8	3	10	10	10	2	4	-	-	-	-
	White—M	69	-	-	1	1	-	4	2	5	8	6	5	5	2	3	8	5	-	2	5	5	-	2	-	-	-	-
	F	81	-	-	1	-	2	1	5	2	4	6	10	3	9	9	2	3	3	7	5	5	2	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	404	-	-	-	1	-	-	-	1	-	2	5	8	17	24	59	37	60	58	40	50	26	12	4	-	-	-
	White—M	289	-	-	-	-	-	-	-	1	-	-	5	7	14	19	52	29	42	42	26	29	15	7	1	-	-	-
	F	114	-	-	-	1	-	-	-	-	-	2	-	1	2	5	7	8	18	16	14	21	11	5	3	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	789	2	1	1	-	1	3	7	6	6	5	9	14	15	24	40	56	70	92	112	107	132	67	15	4	-	-
	White—M	399	1	1	1	-	-	3	2	2	2	3	3	5	10	17	28	37	38	45	58	53	54	29	7	-	-	-
	F	382	1	-	-	-	1	-	5	3	3	2	6	8	5	7	12	18	31	46	53	54	78	37	8	4	-	-
	All other—M	5	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	248	68	8	1	2	3	5	3	5	2	3	7	5	7	10	8	21	15	12	13	22	19	5	2	-	-	-
	White—M	142	41	6	-	1	1	4	2	3	-	2	6	3	8	8	3	14	10	8	6	8	6	2	2	-	-	-
	F	101	27	2	1	1	2	1	1	2	2	-	1	2	1	2	5	7	4	4	6	14	13	3	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	42	-	-	-	-	-	-	-	-	-	3	1	-	4	4	7	5	5	2	5	4	1	1	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	3	1	-	2	4	7	3	5	1	4	3	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
119,120	Diarrhea, enteritis, etc.*	56	20	4	5	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	2	-	-	-	-	-
	White—M	25	12	2	5	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	68	-	-	2	1	-	3	4	8	5	2	5	2	8	2	4	7	9	4	-	2	-	-	-	-	-	-
	White—M	51	-	-	1	-	-	2	4	7	4	1	3	2	6	1	3	6	5	4	-	2	-	-	-	-	-	-
	F	17	-	-	1	1	-	1	-	1	1	1	2	-	2	1	1	1	4	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	56	5	-	-	-	-	1	3	1	3	1	-	3	3	4	4	1	2	7	4	8	5	-	1	-	-	-
	White—M	24	4	-	-	-	-	1	2	1	2	-	-	2	-	-	3	1	2	2	1	2	1	-	-	-	-	-
	F	31	1	-	-	-	-	-	1	-	1	1	-	1	3	3	1	-	-	5	3	6	4	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	29	-	-	-	-	-	-	-	-	-	1	2	2	2	2	4	3	5	2	1	3	1	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	2	3	1	1	2	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	31	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	3	6	5	5	3	1	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	2	1	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	3	5	3	3	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	270	-	-	-	-	-	2	1	8	1	5	10	9	4	12	10	31	31	25	33	44	25	17	1	1	-	-
	White—M	142	-	-	-	-	-	2	1	5	1	3	3	6	2	6	6	19	21	11	16	20	9	9	1	1	-	-
	F	126	-	-	-	-	-	-	-	3	-	2	7	3	2	6	4	11	10	13	17	24	16	8	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	12	11	1	2	-	-	-
	White—M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	12	11	1	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	11	-	-	-	-	-	-	-	2	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	2	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	16	-	-	-	-	-	-	-	1	3	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	1	3	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	80	68	5	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	40	35	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	31	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	191	191	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	67	-	-	-	-	-	-	-	4	4	7	5	9	5	6	7	9	4	3	2	2	-	-	-	-	-	-
	White—M	49	-	-	-	-	-	-	-	2	3	4	2	8	4	5	5	7	3	3	2	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	2	1	3	3	1	1	1	2	2	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	16	-	-	-	-	-	-	-	2	-	3	3	2	2	2	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	2	-	2	2	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	186	3	3	2	3	3	6	7	17	17	18	12	22	7	14	5	15	2	7	9	7	7	2	-	-	-	-
	White—M	136	2	3	2	2	3	3	6	12	9	15	11	19	4	10	3	8	1	5	6	6	4	2	-	-	-	-
	F	48	1	-	-	1	-	3	1	5	7	1	1	3	3	4	2	7	1	2	2	1	3	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	271	9	8	11	4	3	10	16	19	20	20	17	18	18	8	12	8	16	8	7	17	15	5	2	-	-	-
	White—M	196	5	7	4	4	2	8	14	16	16	18	16	14	14	7	12	5	14	5	3	5	4	4	1	-	-	-
	F	74	4	1	7	-	1	2	2	2	4	2	1	4	4	1	-	3	2	5	4	12	11	1	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	560	144	5	6	3	2	10	11	11	10	9	11	10	13	21	18	18	27	30	43	45	53	42	12	6	-	-
	White—M	296	85	2	2	1	1	3	4	7	4	3	5	5	7	10	12	12	19	18	24	27	20	17	7	1	-	-
	F	238	54	2	4	2	1	6	6	4	5	6	6	5	6	11	5	5	6	10	18	16	32	21	4	5	-	-
	All other—M	13	3	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	2	1	-	1	-	2	-	-	-	-
	F	13	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	2	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,610	301	20	11	11	7	32	29	41	62	51	57	69	102	164	225	290	424	515	614	582	541	315	108	21	4	14
	White—M	2,503	173	12	5	9	5	18	21	28	43	33	25	41	56	90	140	164	250	292	344	318	252	139	47	7	1	10
	White—F	2,102	128	8	6	2	2	14	8	13	19	18	32	28	46	73	85	125	194	223	270	263	288	176	61	14	3	3
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	140	-	-	-	-	-	-	1	2	4	6	4	7	10	9	15	27	20	16	12	4	1	-	-	-	-	2
	White—M	107	-	-	-	-	-	-	-	-	1	3	1	5	9	9	15	21	16	15	10	2	1	-	-	-	-	1
	White—F	33	-	-	-	-	-	-	1	2	3	3	3	2	1	-	-	6	4	3	2	2	-	-	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	White—F	6	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	26	1	-	-	1	-	-	-	-	-	-	-	-	4	3	3	3	5	4	1	1	-	-	-	-	-	-
	White—M	18	1	-	-	1	-	-	-	-	-	-	-	-	1	2	3	2	5	1	1	1	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	3	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	50	5	1	-	-	-	-	1	-	-	1	-	2	-	2	-	5	2	5	5	8	5	3	2	2	1	-
	White—M	19	3	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	1	2	4	1	-	1	-	-	-
	White—F	30	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	4	-	4	3	3	4	3	1	2	1	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	235	-	-	-	-	-	-	-	-	-	-	1	3	4	9	12	12	37	57	47	31	28	8	5	-	1	-
	White—M	104	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	3	12	15	22	21	13	2	2	-	1	-
	White—F	131	-	-	-	-	-	-	-	-	-	-	1	1	2	4	8	9	25	22	25	10	15	6	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	76	-	-	-	-	-	-	-	-	-	1	2	3	6	5	11	8	4	10	6	8	9	3	-	-	-	-
	White—F	76	-	-	-	-	-	-	-	-	-	1	2	3	6	5	11	8	4	10	6	8	9	3	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

498675 O - 43 - 26

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
50	Cancer of breast	63	-	-	-	-	-	-	-	-	-	-	1	-	1	6	6	7	14	7	8	5	4	3	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	-	-	1	-	1	6	6	7	13	7	8	5	4	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	173	-	-	-	1	-	1	-	2	1	1	1	2	4	2	7	12	23	25	31	26	21	11	2	-	-	-
	White—M	129	-	-	-	-	-	1	-	2	1	-	-	1	2	1	3	10	17	16	27	23	17	8	-	-	-	-
	F	44	-	-	-	1	-	-	-	-	-	1	1	1	2	1	4	2	6	9	4	3	4	3	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	121	-	-	-	-	-	-	1	-	-	-	2	1	-	4	9	8	23	28	22	13	6	2	2	-	-	-
	White—M	48	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	1	9	12	10	7	2	-	1	-	-	-
	F	73	-	-	-	-	-	-	-	-	-	-	2	1	-	3	5	7	14	16	12	6	4	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	2	3	-	-	1	1	-	3	-	2	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	455	-	-	-	-	-	-	-	-	-	-	-	3	4	14	19	34	41	66	83	91	61	29	8	1	-	1
	White—M	222	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	11	18	39	47	46	28	15	4	-	-	-
	F	232	-	-	-	-	-	-	-	-	-	-	-	2	3	7	13	23	23	27	36	45	33	14	4	1	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	46	5	1	1	-	-	2	2	4	2	2	5	1	1	2	2	1	3	4	1	4	1	1	-	1	-	-
	White—M	23	1	-	1	-	-	-	2	3	2	1	3	1	-	1	1	1	1	1	1	1	-	1	-	1	-	-
	F	23	4	1	-	-	-	2	-	1	-	1	2	-	1	1	1	-	2	3	-	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	19	2	-	-	-	-	2	-	1	1	1	-	1	2	-	-	1	2	1	-	2	1	1	1	-	-	-
	White—M	13	2	-	-	-	-	1	-	1	-	1	-	1	1	-	-	1	1	1	-	1	1	1	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	110	-	-	-	-	-	-	1	1	1	1	1	1	3	4	8	6	15	14	15	14	12	8	5	-	-	-
	White—M	59	-	-	-	-	-	-	1	1	1	1	-	1	3	1	5	5	8	9	6	7	5	4	1	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	7	5	9	7	7	4	4	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	409	-	-	1	-	-	-	-	-	1	-	1	3	6	21	28	41	54	61	66	55	46	18	5	1	-	1
	White—M	288	-	-	1	-	-	-	-	-	1	-	1	3	5	18	26	34	40	43	43	36	24	10	2	-	-	1
	F	120	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	14	18	23	19	21	8	3	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	880	1	-	-	1	-	-	1	1	-	2	3	2	6	23	29	44	63	117	136	150	167	92	31	7	1	3
	White—M	462	-	-	-	1	-	-	1	1	-	2	2	-	2	14	20	23	29	67	77	82	77	43	15	4	-	2
	F	417	1	-	-	-	-	-	-	-	-	-	1	2	4	9	9	21	34	50	59	68	90	49	16	3	1	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	254	38	4	2	-	-	-	1	1	1	2	-	1	4	2	9	11	13	13	37	35	35	32	9	1	-	3
	White—M	130	22	2	1	-	-	-	1	1	1	1	-	1	4	1	5	7	7	6	22	15	15	11	5	-	-	2
	F	124	16	2	1	-	-	-	-	-	-	1	-	-	-	1	4	4	6	7	15	20	20	21	4	1	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	31	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	6	3	3	3	4	-	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	6	3	2	2	3	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
119,120	Diarrhea, enteritis, etc.*	25	17	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-	-
	White—M	14	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	11	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	50	-	-	-	1	1	1	3	6	3	2	1	4	2	6	4	5	1	3	5	-	1	1	-	-	-	-
	White—M	25	-	-	-	-	-	1	1	4	1	2	1	2	1	2	3	4	1	1	-	-	-	1	-	-	-	-
	F	25	-	-	-	1	1	-	2	2	2	-	-	2	1	4	1	1	-	2	5	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	53	4	1	-	-	-	2	-	2	1	-	-	1	1	2	3	3	8	3	7	9	1	4	-	1	-	-
	White—M	35	3	1	-	-	-	2	-	2	1	-	-	-	-	1	3	2	6	3	4	4	-	2	-	1	-	-
	F	18	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	3	5	1	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	22	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	4	6	3	1	-	2	2	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	2	1	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	1	-	-	1	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	32	-	-	-	-	-	-	-	-	-	3	1	-	1	3	3	2	6	2	3	3	2	3	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	-	2	1	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	3	1	-	1	2	2	1	2	2	3	1	1	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	298	1	-	-	-	-	1	1	-	1	3	1	4	8	12	24	20	25	35	56	47	35	18	4	1	1	-
	White—M	154	-	-	-	-	-	-	1	-	1	2	-	4	3	6	15	8	11	20	31	26	17	6	2	1	-	-
	F	144	1	-	-	-	-	1	-	-	-	1	1	-	5	6	9	12	14	15	25	21	18	12	2	-	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	9	3	2	1	-	-	1
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	9	3	2	1	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	12	-	-	-	-	-	-	-	2	3	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	2	3	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	5	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145,146, 149,150	Other puerperal causes	7	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	44	37	1	1	-	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	15	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	22	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	60	-	-	-	-	-	-	-	-	6	4	4	3	6	4	1	4	7	7	8	2	1	2	1	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	5	3	4	3	4	3	1	3	6	7	6	1	1	2	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	1	-	2	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	87	-	-	-	-	3	5	8	8	18	5	3	3	3	2	7	4	4	2	5	4	2	-	-	-	-	1
	White—M	72	-	-	-	-	3	3	6	7	17	4	3	3	2	2	7	3	3	1	4	1	2	-	-	-	-	1
	F	15	-	-	-	-	-	2	2	1	1	1	-	-	1	-	-	1	1	1	1	3	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	185	8	4	2	3	-	8	6	4	9	8	11	5	5	7	7	5	7	18	13	8	24	14	6	2	-	1
	White—M	112	3	2	1	3	-	6	5	4	7	7	8	5	5	6	7	4	5	12	7	2	7	2	3	-	-	1
	F	73	5	2	1	-	-	2	1	-	2	1	3	-	-	1	-	1	2	6	6	6	17	12	3	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	454	68	4	2	2	2	5	-	5	7	3	5	9	10	15	11	14	28	25	35	49	70	58	24	4	-	1
	White—M	230	42	4	-	2	1	2	-	1	4	1	2	6	5	4	5	7	17	15	15	24	34	29	9	-	-	1
	F	224	26	-	2	-	1	3	-	2	3	2	3	3	5	11	6	7	11	10	20	25	36	29	15	4	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	All causes	29,579	3272	319	173	104	77	284	277	644	845	833	864	1,019	1,141	1,539	1,983	2,143	2,579	2,953	2,726	2,348	1,930	975	387	93	30	41
	White—M	10,947	1,130	116	60	33	27	108	92	197	280	260	275	327	357	508	643	800	951	1,258	1,173	1,032	807	355	124	21	4	9
	F	8,378	900	82	50	33	21	78	52	138	165	168	189	219	213	308	410	475	682	841	918	901	841	458	184	39	5	10
	All other—M	5,515	674	59	34	21	13	50	72	150	212	218	223	251	296	405	501	483	508	469	351	222	153	84	33	12	7	14
	F	4,739	568	62	29	17	16	48	61	159	188	187	177	222	275	320	429	385	438	385	284	193	129	78	46	21	14	8
1,2	Typhoid, paratyphoid fever	30	-	-	1	2	-	2	2	2	6	2	3	1	4	1	-	1	2	1	-	-	-	-	-	-	-	-
	White—M	12	-	-	1	-	-	-	1	1	3	1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	All other—M	9	-	-	-	2	-	1	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	29	4	5	2	1	1	3	-	5	2	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	2	-	-	-	1	-	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	1	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	1	1	2	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	133	86	30	6	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	34	23	8	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	23	8	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	28	19	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	21	10	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	52	8	13	10	7	2	8	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	27	5	7	4	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	14	2	2	4	1	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,406	5	7	3	-	1	10	22	122	189	158	134	120	110	114	73	74	85	72	55	35	12	4	-	-	-	1
	White—M	348	3	4	-	-	-	-	2	4	19	22	33	35	29	35	25	28	37	34	16	16	5	-	-	-	-	1
	F	316	-	-	-	-	-	-	3	18	30	33	30	27	14	21	14	15	27	27	31	17	5	4	-	-	-	-
	All other—M	375	1	2	1	-	1	6	8	34	59	54	33	28	41	39	23	20	10	8	3	2	2	-	-	-	-	-
	F	367	1	1	2	-	-	4	9	66	81	49	38	30	26	19	11	11	11	3	5	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	151	9	8	6	2	1	10	3	12	22	6	11	10	9	14	3	10	2	2	4	4	1	-	1	-	-	1
	White—M	46	3	4	1	2	-	1	-	4	4	-	1	6	3	4	-	7	-	1	2	2	-	-	1	-	-	-
	F	26	2	1	2	-	1	3	-	1	-	-	3	2	2	4	2	1	-	-	1	1	-	-	-	-	-	-
	All other—M	45	2	1	2	-	-	4	2	5	11	4	2	1	2	4	1	2	-	-	1	-	1	-	-	-	-	-
	F	34	2	2	1	-	-	2	1	2	7	2	5	1	2	2	-	-	2	1	-	1	-	-	-	-	-	1
27	Dysentery	78	39	5	8	4	1	-	1	-	3	1	-	-	1	1	1	1	2	5	2	1	-	2	-	-	-	-
	White—M	29	12	3	5	1	-	-	-	-	1	-	-	-	1	-	-	1	2	1	1	-	-	1	-	-	-	-
	F	21	7	1	1	2	-	-	-	-	2	1	-	-	-	-	-	-	-	4	1	1	-	1	-	-	-	-
	All other—M	11	6	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	17	14	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	5	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	475	52	2	1	-	-	2	5	4	10	15	35	43	44	68	63	40	29	25	22	11	3	1	-	-	-	-
	White—M	99	9	-	-	-	-	1	1	-	-	1	4	3	8	11	14	10	9	11	9	6	1	1	-	-	-	-
	F	38	5	1	-	-	-	-	1	-	1	2	4	2	2	4	6	3	3	2	1	1	-	-	-	-	-	-
	All other—M	249	24	-	1	-	-	-	-	4	3	5	20	28	26	46	29	25	13	9	11	4	1	-	-	-	-	-
	F	89	14	1	-	-	-	1	3	-	6	7	7	10	8	7	14	2	4	3	1	-	1	-	-	-	-	-
33	Influenza	688	102	21	12	11	4	8	9	15	13	15	17	31	22	26	38	48	44	38	44	56	57	37	13	5	1	1
	White—M	199	34	7	4	3	1	3	1	4	3	2	2	4	2	4	8	16	11	17	14	17	23	16	1	1	1	-
	F	212	28	8	2	2	-	3	4	2	2	4	4	10	4	3	8	10	9	10	18	20	27	21	10	3	-	-
	All other—M	127	15	2	2	5	2	2	3	3	5	3	6	7	9	6	12	10	16	3	4	8	3	-	-	-	-	1
	F	150	25	4	4	1	1	-	1	6	3	6	5	10	7	13	10	12	8	8	8	11	4	-	2	1	-	-
35	Measles	22	6	6	-	1	1	2	1	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	7	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	9	1	4	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	27	5	1	1	-	4	4	3	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	1	-	1	-	2	4	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	927	-	-	-	-	-	-	-	3	1	5	12	15	42	46	89	108	153	138	128	96	67	15	6	1	-	2
	White—M	359	-	-	-	-	-	-	-	1	-	1	3	3	16	13	26	39	61	53	62	44	29	5	3	-	-	-
	F	349	-	-	-	-	-	-	-	1	-	2	4	5	12	12	33	32	51	61	52	39	30	10	3	-	-	2
	All other—M	120	-	-	-	-	-	-	-	1	-	-	-	3	10	14	14	22	26	12	7	5	6	-	-	-	-	-
	F	99	-	-	-	-	-	-	-	-	1	2	5	4	4	7	16	15	15	12	7	8	2	-	-	1	-	-
48,49	Cancer of female genital organs	349	-	-	-	-	-	-	-	1	3	7	7	18	27	45	65	42	36	45	26	13	8	4	1	-	1	-
	White—F	234	-	-	-	-	-	-	-	1	1	5	4	15	17	29	42	24	26	27	20	11	8	4	-	-	-	-
	All other—F	115	-	-	-	-	-	-	-	-	2	2	3	3	10	16	23	18	10	18	6	2	-	-	1	-	1	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
50	Cancer of breast	203	2	-	-	-	-	-	-	-	-	4	1	8	17	23	23	32	27	27	19	11	4	3	1	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	156	2	-	-	-	-	-	-	-	-	2	1	6	13	16	18	23	20	21	18	9	4	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	2	-	2	4	7	5	9	5	5	-	2	-	1	-	1	-	-
45,47, 51-55	Cancer (other forms)	723	1	1	1	1	4	5	6	11	9	11	12	21	17	48	71	75	82	104	100	66	45	23	7	1	1	-
	White—M	407	1	-	1	1	1	2	2	5	5	8	7	11	8	25	38	39	46	57	65	37	27	16	5	-	-	-
	F	173	-	1	-	-	3	-	3	2	2	1	1	8	5	13	11	14	19	25	21	22	16	3	2	1	-	-
	All other—M	112	-	-	-	-	-	1	1	3	2	1	2	2	3	7	20	18	13	20	9	7	2	1	-	-	-	-
	F	31	-	-	-	-	-	2	-	1	-	1	2	-	1	3	2	4	4	2	5	-	-	3	-	-	1	-
58	Acute rheumatic fever	49	-	-	-	1	-	11	16	6	2	-	-	2	2	1	1	-	1	3	1	-	1	-	-	-	-	1
	White—M	15	-	-	-	-	-	5	3	2	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	16	-	-	-	1	-	5	5	2	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	4	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
61	Diabetes mellitus	539	-	-	-	-	2	1	2	8	3	6	6	14	16	32	53	57	90	94	72	54	19	7	2	-	-	1
	White—M	168	-	-	-	-	2	-	-	3	1	1	2	4	5	5	12	20	26	27	22	27	8	1	1	-	-	1
	F	234	-	-	-	-	-	1	-	2	1	5	2	1	1	13	19	19	43	50	44	22	9	2	-	-	-	-
	All other—M	41	-	-	-	-	-	-	-	1	-	-	-	3	1	7	8	3	5	2	3	2	2	5	1	-	-	-
	F	96	-	-	-	-	-	-	2	2	1	-	2	6	9	7	14	15	16	15	3	3	-	1	-	-	-	-
63b	Exophthalmic goiter	63	-	-	-	-	-	-	1	1	1	4	4	3	2	4	10	7	8	9	3	3	3	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	1	-	-	3	2	1	1	3	8	6	8	5	3	3	3	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	59	-	-	-	-	-	-	-	-	1	1	2	3	8	4	7	7	5	9	4	5	2	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	4	1	4	1	1	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	6	3	3	3	1	1	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	81	-	-	-	-	-	1	-	-	3	3	14	13	9	13	5	10	8	2	1	-	1	-	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	-	1	2	9	9	6	10	1	9	7	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-
	All other—M	15	-	-	-	-	-	1	-	-	1	1	3	2	3	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,905	7	2	-	2	-	2	5	3	8	14	17	45	89	146	237	292	376	439	424	334	298	112	37	6	6	4
	White—M	930	4	-	-	1	-	1	2	-	2	5	4	6	12	32	47	75	106	166	155	145	110	47	9	1	-	-
	F	851	3	2	-	-	-	1	1	1	2	3	4	7	16	24	43	61	96	112	151	135	124	40	22	3	-	-
	All other—M	514	-	-	-	-	-	-	-	1	3	4	6	16	22	40	68	71	74	77	57	29	26	14	-	1	1	4
	F	610	-	-	-	1	-	-	2	1	1	2	3	16	39	50	79	85	100	84	61	25	38	11	6	1	5	-
80-82, 84-88	Other diseases of nervous system, etc.*	343	34	10	6	4	3	11	13	22	22	19	18	51	10	22	16	17	13	30	16	12	4	8	2	-	-	-
	White—M	115	13	4	3	-	1	3	3	5	5	5	6	11	2	9	3	6	5	16	8	3	1	3	-	-	-	-
	F	96	4	4	1	2	2	2	2	6	7	3	3	7	4	3	0	4	6	9	5	7	3	4	2	-	-	-
	All other—M	70	7	2	1	-	-	4	4	6	8	6	5	3	3	7	6	3	1	2	2	-	-	-	-	-	-	-
	F	62	10	-	1	2	-	2	4	5	2	5	4	10	1	3	1	4	1	3	1	2	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	190	39	9	5	3	4	17	7	14	11	8	14	7	6	3	8	6	5	6	4	5	2	3	3	-	1	-
	White—M	82	16	4	1	1	3	7	4	5	4	2	7	2	5	1	4	3	3	3	2	3	-	-	2	-	-	-
	F	39	4	3	1	2	1	2	1	4	1	2	2	3	-	1	1	2	1	1	2	-	2	1	1	-	1	-
	All other—M	30	9	1	2	-	-	3	-	3	4	1	2	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	F	39	10	1	1	-	-	5	2	2	2	3	3	1	1	1	1	1	1	1	-	1	-	2	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	543	2	-	2	-	-	11	7	13	13	12	21	19	30	28	41	34	57	67	58	52	48	20	6	2	-	-
	White—M	195	2	-	-	-	-	5	3	3	5	3	8	9	11	12	8	11	17	21	24	20	25	7	1	-	-	-
	F	175	-	-	1	-	-	2	1	7	6	3	5	3	10	6	12	12	15	23	20	20	18	9	1	1	-	-
	All other—M	87	-	-	-	-	-	4	-	3	-	3	3	4	4	3	10	6	13	15	5	6	2	3	1	-	-	-
	F	86	-	-	1	-	-	-	3	-	2	3	3	3	5	7	11	5	12	8	9	6	3	1	3	1	-	-
94	Diseases of coronary arteries, angina pectoris	1,599	1	-	-	-	-	-	-	-	3	6	16	39	63	111	188	208	250	249	224	132	66	51	6	2	-	4
	White—M	981	-	-	-	-	-	-	-	-	-	4	2	20	36	67	127	140	156	161	158	72	42	12	3	-	-	1
	F	359	-	-	-	-	-	-	-	-	1	1	3	5	5	13	21	36	54	59	66	51	24	18	1	-	-	1
	All other—M	158	-	-	-	-	-	-	-	-	1	1	8	11	12	20	23	24	21	17	11	5	-	-	1	2	-	1
	F	101	1	-	-	-	-	-	-	-	1	-	3	3	10	11	17	8	19	12	9	4	-	1	1	-	-	1
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of heart (other forms)	4,499	7	3	1	2	2	9	4	21	16	26	47	68	109	203	329	394	497	656	606	573	513	275	96	30	9	3
	White—M	1,652	2	1	-	-	-	3	3	8	3	11	8	15	34	51	96	137	155	269	267	245	208	95	32	9	-	-
	F	1,366	3	1	1	2	-	2	-	3	9	3	12	11	14	32	57	68	124	183	179	229	239	133	43	13	4	1
	All other—M	813	1	-	-	-	2	3	1	3	1	7	12	21	33	58	93	107	124	120	94	55	39	25	8	3	2	1
	F	668	1	1	-	-	-	1	-	7	3	5	15	21	28	62	85	82	94	84	66	44	27	22	13	5	3	1
107-109	Pneumonia (all forms)	1,878	455	85	37	11	8	24	27	37	29	41	37	52	59	80	88	92	113	111	126	143	121	64	26	8	2	4
	White—M	573	127	24	12	4	1	8	9	15	8	11	8	18	10	18	24	24	28	41	45	51	56	19	7	3	1	1
	F	487	103	12	11	4	2	6	7	5	3	5	5	4	9	14	12	18	23	26	49	70	47	32	17	3	-	-
	All other—M	451	116	24	8	2	4	2	9	7	9	17	14	15	26	36	27	31	36	23	18	12	5	6	1	1	-	2
	F	367	109	23	6	1	1	8	2	10	9	8	10	15	14	12	25	19	26	21	14	10	13	7	1	1	1	1
117	Ulcer of stomach or duodenum	149	-	-	-	-	-	-	-	1	4	5	8	10	13	24	22	12	17	10	10	7	4	2	-	-	-	-
	White—M	83	-	-	-	-	-	-	-	1	1	2	5	5	6	15	11	5	9	8	8	5	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	1	-	1	2	1	-	-	-	-
	All other—M	37	-	-	-	-	-	-	-	-	2	3	2	2	4	6	7	4	4	-	1	1	1	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	1	2	1	1	4	2	1	1	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	316	206	32	9	1	2	1	1	1	3	3	5	2	3	2	5	5	3	6	3	6	11	4	2	-	-	-
	White—M	95	69	10	4	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	3	3	1	-	-	-	-
	F	88	52	9	2	-	1	1	-	-	2	1	2	-	-	-	-	2	-	2	1	2	7	2	2	-	-	-
	All other-M	70	49	8	1	1	-	-	-	1	-	-	-	1	1	1	3	1	1	-	1	-	-	1	-	-	-	-
	F	63	36	5	2	-	1	-	1	-	1	2	2	1	2	-	2	-	2	3	1	1	1	-	-	-	-	-
121	Appendicitis	195	-	1	2	7	2	16	13	28	13	10	14	12	13	14	12	9	16	2	5	5	1	-	-	-	-	-
	White—M	80	-	1	1	2	1	4	7	12	4	4	5	7	7	6	3	2	7	1	4	2	-	-	-	-	-	-
	F	59	-	-	-	1	-	9	3	8	5	3	4	3	2	4	2	5	5	1	1	3	-	-	-	-	-	-
	All other-M	34	-	-	1	2	-	-	2	8	2	3	3	2	1	2	3	2	3	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	2	1	3	1	-	2	-	2	-	3	2	4	-	1	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	181	18	1	3	2	-	1	1	1	9	8	8	8	14	7	12	16	10	20	16	12	9	3	2	-	-	-
	White—M	57	6	-	1	1	-	-	-	-	3	1	1	1	1	-	2	8	3	8	9	4	5	2	1	-	-	-
	F	51	5	1	-	1	-	1	-	-	1	3	3	2	8	2	1	1	4	7	2	5	3	-	1	-	-	-
	All other-M	45	5	-	-	-	-	-	1	1	5	3	3	1	2	3	3	6	3	3	4	1	1	-	-	-	-	-
	F	28	2	-	2	-	-	-	-	-	-	1	1	4	3	2	6	1	-	2	1	2	-	1	-	-	-	-
124	Cirrhosis of the liver	134	1	-	-	-	-	-	-	1	2	3	5	6	8	8	17	15	25	20	10	8	2	1	2	-	-	-
	White—M	74	-	-	-	-	-	-	-	-	1	1	3	2	5	2	6	10	16	13	8	3	2	1	1	-	-	-
	F	28	1	-	-	-	-	-	-	1	-	1	2	1	-	2	7	1	4	3	2	3	-	-	-	-	-	-
	All other-M	25	-	-	-	-	-	-	-	-	1	1	-	3	2	2	4	3	4	2	-	2	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	84	-	-	-	-	-	-	-	-	-	1	3	2	1	4	6	8	13	18	12	6	5	4	-	-	-	1
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	9	-	3	1	-	-	-	-	1
	F	45	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	3	6	8	11	3	4	3	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	2	1	1	-	-	1	-	-	-	-
130-132	Nephritis	2,914	8	1	3	2	1	11	10	14	13	31	39	70	97	142	199	243	319	388	403	385	312	143	55	14	5	6
	White—M	1,002	2	1	-	1	1	5	5	4	4	5	9	11	19	35	42	66	95	150	160	162	143	57	21	2	1	1
	F	794	1	-	1	1	-	4	1	5	3	5	5	18	17	27	36	46	70	94	114	133	119	63	22	7	-	2
	All other-M	581	2	-	2	-	-	-	3	3	3	8	12	20	20	33	63	73	80	86	70	50	31	13	4	2	2	1
	F	537	3	-	-	-	-	2	1	2	3	13	13	21	41	47	58	58	74	58	59	40	19	10	8	3	2	2
137	Diseases of the prostate	154	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	15	21	36	28	26	8	3	1	-	1
	White—M	106	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	10	8	25	25	24	6	2	1	-	-
	All other-M	48	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	5	13	11	3	2	2	1	-	-	1
140, 142a, 147	Puerperal septicemia	86	-	-	-	-	-	-	1	15	20	20	13	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	50	-	-	-	-	-	-	-	8	7	15	9	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	36	-	-	-	-	-	-	1	7	13	5	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	78	-	-	-	-	-	-	2	18	11	19	11	8	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	34	-	-	-	-	-	-	-	4	6	6	8	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	44	-	-	-	-	-	-	2	14	5	13	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	84	-	-	-	-	-	-	1	14	14	20	14	10	10	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	49	-	-	-	-	-	-	-	7	8	9	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	35	-	-	-	-	-	-	1	7	6	11	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	251	207	9	5	5	1	7	3	6	4	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	104	90	4	2	-	1	2	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	100	85	2	2	2	-	4	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other-M	27	16	2	1	2	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	16	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	985	985	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	378	378	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	145	145	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	399	-	-	-	-	-	-	4	15	29	41	47	42	37	42	38	32	25	21	13	9	4	-	-	-	-	-
	White—M	288	-	-	-	-	-	-	2	10	23	32	29	23	24	29	28	27	19	20	10	8	4	-	-	-	-	-
	F	82	-	-	-	-	-	-	-	4	4	5	14	14	9	11	7	4	5	1	3	1	-	-	-	-	-	-
	All other-M	23	-	-	-	-	-	-	2	1	2	2	2	4	3	2	3	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	281	5	-	2	1	-	4	1	22	39	55	44	34	21	16	10	11	4	2	4	4	1	-	-	-	-	1
	White—M	75	1	-	-	1	-	2	-	3	6	9	7	12	9	6	3	6	1	1	3	3	1	-	-	-	-	1
	F	26	3	-	2	-	-	1	-	1	2	7	4	1	-	2	-	-	1	1	-	1	-	-	-	-	-	-
	All other-M	140	-	-	-	-	-	-	1	13	23	29	29	14	11	6	7	4	2	-	1	-	-	-	-	-	-	-
	F	40	1	-	-	-	-	1	-	5	8	10	4	7	1	2	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	850	-	5	1	5	7	35	21	92	150	99	71	58	48	52	44	34	33	50	23	14	8	1	-	1	-	-
	White—M	502	-	4	-	1	3	20	9	54	95	59	41	29	28	31	23	19	23	27	21	9	5	1	-	-	-	-
	F	118	-	-	1	-	4	6	6	19	20	11	7	5	2	7	3	5	5	8	2	5	2	-	-	-	-	-
	All other-M	179	-	1	-	1	-	6	2	15	27	22	19	20	17	12	13	8	5	9	-	-	1	-	-	1	-	-
	F	51	-	-	-	1	-	3	4	4	8	7	4	4	1	2	5	2	-	6	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,360	91	28	25	14	11	35	55	67	104	92	86	75	71	65	66	61	65	76	67	70	62	46	21	4	1	2
	White—M	656	24	11	8	4	5	13	23	38	57	52	52	44	41	33	36	35	32	42	26	30	13	11	6	-	-	2
	F	311	27	9	9	4	-	9	4	6	18	9	7	7	9	6	8	3	14	17	34	26	41	28	13	3	-	-
	All other-M	295	20	4	5	4	4	7	20	22	22	27	21	22	19	23	18	16	13	13	4	4	2	3	1	-	1	-
	F	118	20	4	3	2	4	6	8	1	7	4	6	2	2	3	4	7	6	4	3	10	6	4	1	1	-	-
	All other causes*	3,020	887	35	20	11	10	27	26	44	55	56	65	102	93	127	141	132	147	186	185	187	210	153	95	17	3	6
	White—M	1,049	301	16	9	4	4	13	8	8	15	11	16	30	23	49	55	46	58	83	66	82	68	51	28	4	1	-
	F	923	239	10	7	3	3	10	8	14	16	12	19	25	22	27	26	49	35	46	63	59	102	77	45	5	-	3
	All other-M	557	214	6	2	1	-	1	6	8	12	12	11	17	15	24	31	17	31	32	33	25	26	15	14	2	1	3
	F	491	133	3	2	3	3	3	4	14	12	21	19	30	33	27	29	20	23	25	23	21	14	12	10	6	1	-

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	All causes	20,009	1,005	87	48	47	32	141	146	284	327	362	397	497	616	924	1,246	1,515	1,884	2,217	2,502	2,434	1,903	950	317	74	16	38
	White—M	11,815	558	40	19	24	13	68	91	165	191	200	239	296	343	559	782	993	1,195	1,327	1,543	1,435	1,039	484	148	31	5	27
	F	7,555	372	32	22	13	15	55	45	86	115	144	131	178	247	355	429	484	629	834	919	963	836	457	157	41	8	8
	All other—M	407	41	9	6	3	4	11	5	21	18	9	21	13	12	15	27	28	43	39	24	24	17	5	8	1	1	2
	F	232	34	6	1	7	-	7	5	12	3	9	6	10	14	15	8	10	17	17	16	12	11	4	4	1	2	1
1,2	Typhoid, paratyphoid fever	14	1	-	-	-	-	3	-	1	-	1	-	-	-	-	2	4	-	-	2	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	3	-	-	2	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	-	-	-	1	-	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	19	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	1	-	2	-	1	1	-	-	2	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.	Tuberculosis of respiratory system, etc.*	649	1	2	1	7	1	8	7	43	43	68	59	54	42	60	54	43	56	32	41	13	5	5	1	1	-	2
	White—M	336	-	-	-	2	-	-	2	8	14	23	26	27	27	40	38	30	35	19	32	8	1	2	-	1	-	1
	F	209	-	1	-	1	1	-	2	18	18	38	24	19	12	17	10	9	12	9	5	5	4	3	1	-	-	-
	All other—M	68	1	1	1	2	-	5	1	11	10	3	5	3	3	2	5	4	5	3	2	-	-	-	-	-	-	1
	F	36	-	-	-	2	-	3	2	6	1	4	4	5	-	1	1	-	4	1	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	58	1	1	-	3	1	1	4	5	3	10	3	2	3	5	6	1	3	2	1	2	1	-	-	-	-	-
	White—M	25	-	-	-	2	1	-	2	2	1	4	3	-	3	2	3	-	1	-	1	-	-	-	-	-	-	-
	F	26	1	1	-	-	-	1	1	1	2	4	-	2	-	3	2	1	2	2	-	2	1	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	31	16	5	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	1	1	1	-	-	-	-
	White—M	12	5	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F	15	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	All other—M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	240	8	-	-	-	-	-	-	2	3	4	5	16	14	20	26	39	40	28	18	10	5	1	-	-	-	1
	White—M	164	2	-	-	-	-	-	-	1	1	3	2	11	9	13	23	25	28	23	13	7	2	-	-	-	-	1
	F	62	2	-	-	-	-	-	-	1	2	-	2	5	4	6	1	13	10	4	5	3	3	1	-	-	-	-
	All other—M	9	2	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
33	Influenza	304	21	3	4	1	-	4	-	8	5	3	5	12	6	9	14	12	18	26	31	30	41	22	20	6	3	-
	White—M	156	10	-	3	1	-	2	-	6	2	2	2	9	1	3	12	6	9	13	21	12	20	10	9	3	-	-
	F	134	7	1	1	-	-	2	-	2	3	1	3	3	5	4	2	4	8	13	10	18	21	12	10	3	1	-
	All other—M	8	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	1	-
	F	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
35	Measles	18	2	1	1	3	1	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	1	-	1	1	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	36	1	5	-	1	-	10	4	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	-	4	-	-	-	6	2	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	1	-	1	-	3	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,184	-	1	1	-	-	-	-	-	2	6	10	8	23	48	88	127	171	206	192	175	89	33	2	-	-	2
	White—M	703	-	-	1	-	-	-	-	-	-	1	3	3	15	27	47	81	100	120	122	111	50	21	-	-	-	1
	F	450	-	1	-	-	-	-	-	-	2	4	7	5	8	18	38	40	68	80	66	61	38	12	1	-	-	1
	All other—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	5	-	2	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	4	1	-	-	1	-	-	-
48,49	Cancer of female genital organs	288	-	-	-	-	-	-	1	-	1	3	6	6	26	23	50	48	29	35	21	23	9	6	-	-	-	1
	White—F	283	-	-	-	-	-	-	1	-	1	3	6	6	26	22	50	47	28	34	21	23	9	6	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1

* Refer to complete International List titles, table II.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
50	Cancer of breast	250	-	-	-	-	-	-	-	-	-	2	7	8	23	24	22	44	27	28	25	19	13	6	2	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-
	F	242	-	-	-	-	-	-	-	-	-	2	7	8	23	24	22	42	25	27	25	16	13	6	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	760	3	2	2	-	1	4	6	7	7	8	14	16	21	28	66	70	93	103	104	97	74	29	2	1	-	2
	White—M	541	-	-	1	-	1	1	4	4	1	3	11	9	12	17	47	47	64	80	87	75	53	22	2	-	-	-
	F	206	3	2	1	-	-	3	2	3	6	5	3	7	8	11	19	20	26	20	17	20	21	6	-	1	-	2
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
58	Acute rheumatic fever	12	-	-	-	-	-	-	3	2	1	2	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	453	-	-	-	-	-	-	4	6	5	2	6	5	12	16	22	43	60	79	83	61	38	10	1	-	-	-
	White—M	202	-	-	-	-	-	-	1	3	3	-	2	3	8	10	9	19	25	34	40	27	15	2	1	-	-	-
	F	242	-	-	-	-	-	-	3	3	2	2	4	2	4	6	10	22	34	43	43	33	23	8	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	58	-	-	-	-	1	-	-	-	1	2	-	3	2	5	6	5	10	6	7	7	3	-	-	-	-	-
	White—M	13	-	-	-	-	1	-	-	-	1	1	-	-	1	1	3	1	1	1	1	1	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	3	8	5	6	6	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	73	-	-	-	-	-	-	-	-	-	-	3	5	5	19	10	9	8	7	3	2	-	-	-	-	-	2
	White—M	61	-	-	-	-	-	-	-	-	-	-	3	4	4	15	6	8	8	7	3	2	-	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	1
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,898	4	-	1	-	-	2	-	1	4	5	8	16	26	56	91	127	185	252	329	354	261	132	38	5	-	1
	White—M	996	2	-	-	-	-	2	-	1	3	4	3	8	10	28	43	73	104	146	167	200	123	61	14	3	-	1
	F	864	2	-	1	-	-	-	-	-	1	1	4	6	16	28	43	52	74	100	156	151	132	71	24	2	-	-
	All other—M	24	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	5	2	5	2	4	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	1	1	2	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	194	13	2	1	1	1	5	4	3	4	8	12	10	11	5	19	16	11	25	19	6	11	5	1	-	-	1
	White—M	118	6	2	-	-	-	5	3	2	3	3	9	6	8	2	10	10	6	20	9	4	5	3	1	-	-	1
	F	72	6	-	1	1	1	-	1	1	1	4	3	4	3	3	9	5	4	5	10	2	6	2	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	96	9	-	-	2	2	9	7	6	6	6	2	3	5	4	9	4	7	4	6	4	1	-	-	-	-	-
	White—M	63	6	-	-	1	2	5	3	3	5	3	2	1	4	3	7	4	5	2	4	2	1	-	-	-	-	-
	F	29	2	-	-	1	-	2	4	3	1	3	-	2	1	1	1	-	2	2	2	2	-	-	-	-	-	-
	All other—M	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	410	1	-	-	-	-	4	4	4	16	6	10	18	25	33	23	33	28	42	55	48	35	19	6	-	-	-
	White—M	231	-	-	-	-	-	-	2	3	11	4	6	9	11	19	15	24	18	24	27	28	17	10	3	-	-	-
	F	166	1	-	-	-	-	4	1	-	5	2	3	9	14	12	8	9	10	16	27	19	15	9	2	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	3	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,956	-	-	-	-	-	1	-	1	2	5	10	24	44	110	155	249	280	310	309	238	155	42	14	4	-	3
	White—M	1,465	-	-	-	-	-	1	-	1	1	4	8	19	34	91	129	206	230	231	215	167	87	29	9	1	-	2
	F	476	-	-	-	-	-	-	-	-	1	1	1	5	9	18	26	43	47	77	93	68	65	13	5	3	-	1
	All other—M	11	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	2	-	2	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,496	6	3	-	1	-	4	1	8	6	15	10	16	52	86	146	217	323	444	591	653	539	260	85	21	5	4
	White—M	2,014	5	3	-	-	-	1	1	5	5	8	3	7	30	48	91	151	196	243	363	377	296	123	43	9	2	4
	F	1,422	1	-	-	1	-	2	-	3	1	4	6	7	19	36	51	62	121	192	223	264	239	136	39	12	3	-
	All other—M	39	-	-	-	-	-	1	-	-	-	1	1	-	3	2	3	2	5	7	2	7	4	-	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	2	1	2	3	5	-	1	2	-	-	-
107-109	Pneumonia (all forms)	841	115	18	5	4	1	3	5	9	9	10	11	20	26	30	41	37	48	63	83	118	102	53	21	4	3	2
	White—M	483	58	9	2	1	-	2	3	5	4	8	4	12	15	16	31	27	29	40	52	70	57	24	11	1	1	1
	F	294	36	5	3	1	-	1	2	3	4	2	6	7	9	10	10	8	12	22	27	43	42	27	10	2	2	-
	All other—M	37	9	2	-	-	1	-	-	-	1	-	1	1	-	2	-	1	4	1	4	4	2	2	-	1	-	1
	F	27	12	2	-	2	-	-	-	1	-	-	-	-	2	2	-	1	3	-	-	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	190	-	-	-	-	-	-	-	-	1	4	3	5	18	19	22	28	22	24	19	14	7	3	1	-	-	-
	White—M	158	-	-	-	-	-	-	-	-	-	4	3	5	16	14	19	24	18	19	17	11	6	2	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	3	2	1	3	1	1	1	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
119,120	Diarrhea, enteritis, etc.*	77	30	10	2	3	2	3	-	-	1	-	3	1	2	2	2	3	-	2	1	2	5	2	1	-	-	-
	White—M	29	11	2	-	-	-	-	-	-	1	-	3	1	2	-	1	1	-	1	1	1	4	-	-	-	-	-
	F	27	9	4	1	1	-	1	-	-	-	-	-	-	-	2	1	2	-	1	-	1	1	2	1	-	-	-
	All other—M	7	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	9	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	171	-	1	1	2	-	7	14	24	15	8	9	7	8	5	17	8	17	11	9	5	3	-	-	-	-	-
	White—M	117	-	-	-	2	-	4	10	15	10	8	7	5	8	4	11	5	10	7	6	3	2	-	-	-	-	-
	F	52	-	1	1	-	-	3	4	8	4	-	2	2	-	1	6	3	7	4	3	2	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	175	13	-	-	-	-	2	-	-	2	3	2	10	8	15	11	11	15	18	14	22	14	11	2	2	-	-
	White—M	89	8	-	-	-	-	1	-	-	1	2	1	1	1	6	4	9	8	11	7	14	8	5	1	1	-	-
	F	84	4	-	-	-	-	1	-	-	1	1	1	9	6	9	7	2	7	7	7	8	6	6	1	1	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	125	-	-	-	-	-	1	-	1	-	1	-	6	10	12	14	11	22	12	15	8	9	2	1	-	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	-	-	4	4	6	9	6	14	8	8	6	6	2	-	-	-	-
	F	49	-	-	-	-	-	1	-	1	-	1	-	2	5	6	5	5	7	3	7	2	3	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	113	-	-	-	-	-	-	-	1	-	2	3	2	4	11	12	5	16	23	17	7	7	1	2	-	-	-
	White—M	38	-	-	-	-	-	-	-	1	-	1	1	1	1	5	2	1	6	9	5	2	2	-	1	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	1	2	1	2	6	10	3	9	12	12	5	5	1	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,271	-	-	-	3	2	-	8	7	10	6	15	16	29	48	81	91	135	149	203	201	156	92	16	1	1	1
	White—M	709	-	-	-	3	-	-	3	5	7	4	10	10	8	24	47	50	81	84	119	104	90	52	6	1	1	-
	F	539	-	-	-	-	2	-	5	1	3	2	5	5	17	22	34	39	51	64	78	96	65	40	9	-	-	1
	All other—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	3	1	-	-	1	-	-	-
	F	12	-	-	-	-	-	-	-	1	-	-	-	1	4	1	-	-	-	1	3	-	1	-	-	-	-	-
137	Diseases of the prostate	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	20	23	32	30	27	13	5	-	-	-
	White—M	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	19	22	30	30	27	13	5	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	33	-	-	-	-	-	-	-	6	5	7	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	6	5	7	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	4	7	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	3	7	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	29	-	-	-	-	-	-	-	1	9	7	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	-	9	7	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	152	128	7	2	1	1	6	2	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	92	82	4	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	44	3	2	1	-	4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicides	395	-	-	-	-	-	-	2	8	18	23	31	34	36	38	43	39	47	31	20	13	6	3	-	-	-	3
	White—M	327	-	-	-	-	-	-	2	5	14	13	24	29	25	34	38	31	43	26	20	11	6	3	-	-	-	3
	F	58	-	-	-	-	-	-	-	3	1	9	5	5	11	4	4	7	4	4	-	1	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	61	-	-	-	1	-	-	1	1	7	6	8	9	5	3	7	7	1	1	2	-	-	-	-	-	-	2
	White—M	36	-	-	-	1	-	-	1	-	5	4	3	2	2	1	6	5	1	1	2	-	-	-	-	-	-	2
	F	18	-	-	-	-	-	-	-	-	2	2	2	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	532	2	-	1	4	11	18	24	38	50	31	33	25	26	37	40	43	38	29	40	19	13	7	1	1	-	1
	White—M	389	-	-	1	2	6	8	15	27	38	24	27	19	22	29	29	35	28	20	27	16	8	5	1	1	-	1
	F	113	1	-	-	2	5	8	5	6	11	6	2	5	4	5	11	8	6	9	10	3	5	1	-	-	-	-
	All other—M	23	-	-	-	-	-	1	2	5	1	1	3	1	-	2	-	-	3	-	3	-	-	1	-	-	-	-
	F	7	1	-	-	-	-	1	2	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,087	27	16	12	8	5	24	26	47	57	63	63	69	52	82	60	60	56	58	67	73	82	44	26	6	-	4
	White—M	791	16	9	7	7	1	16	21	42	47	54	58	60	45	71	54	55	50	41	39	30	35	18	10	2	-	3
	F	271	10	5	4	1	3	8	4	4	9	8	2	5	6	10	3	5	6	17	28	42	45	25	16	4	-	1
	All other—M	18	1	2	1	-	1	-	1	1	1	-	3	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	2	1	-	-	-	-
	All other causes*	1,756	288	7	8	1	1	10	14	27	22	23	27	56	42	71	85	75	96	144	140	179	190	148	69	22	4	6
	White—M	984	172	4	2	1	-	7	11	17	11	10	12	27	16	30	44	49	55	75	100	113	116	77	31	8	1	5
	F	703	107	3	4	-	1	2	3	9	9	13	15	28	23	40	37	25	38	60	37	63	69	68	33	13	2	1
	All other—M	37	7	-	1	-	-	-	-	-	2	-	-	-	1	-	3	1	3	6	1	2	4	2	4	-	-	-
	F	21	2	-	1	-	-	1	-	1	-	-	-	1	2	1	1	-	-	3	2	1	1	1	1	1	1	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes	17,626	2,269	248	139	80	71	220	199	340	479	526	522	672	733	816	932	1,107	1,311	1,568	1,710	1,464	1,203	708	215	54	8	32
	White—M	9,203	1,216	127	62	37	44	114	109	162	258	293	265	301	356	408	474	601	720	849	942	794	614	335	93	16	1	14
	F	6,765	873	102	67	40	26	97	70	135	159	159	187	241	237	256	320	378	468	594	675	620	553	354	110	31	5	8
	All other—M	997	100	9	5	2	-	5	9	23	31	50	46	80	87	97	86	90	72	81	47	30	19	13	6	2	-	7
	F	661	80	10	5	1	1	4	11	20	31	24	26	50	53	55	52	38	51	44	46	20	17	6	6	5	2	3
1,2	Typhoid, paratyphoid fever	36	-	-	1	-	1	3	3	7	4	3	2	6	-	2	1	2	-	1	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	-	-	1	1	3	2	3	1	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	1	-	1	2	2	2	2	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	25	4	3	2	-	1	5	2	1	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	2	3	1	-	1	4	1	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	1	2	1	1	-	3	5	1	1	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	1	2	-	1	-	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	1	3	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	119	80	22	10	3	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	31	6	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	66	41	15	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	37	5	7	5	4	6	8	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	2	5	3	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	2	1	1	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	800	2	3	-	1	-	1	11	40	78	87	82	91	59	69	51	47	44	44	48	25	15	1	-	-	-	1
	White—M	349	1	2	-	-	-	-	-	11	28	37	39	39	29	30	26	26	22	15	27	12	5	-	-	-	-	-
	F	322	-	-	-	1	-	1	5	19	33	39	32	37	20	22	15	14	17	24	19	12	10	1	-	-	-	1
	All other—M	73	1	1	-	-	-	-	2	4	6	8	7	9	6	10	6	5	4	4	-	-	-	-	-	-	-	-
	F	56	-	-	-	-	-	-	4	6	11	3	4	6	4	7	4	2	1	1	2	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	76	5	2	4	5	1	5	4	3	8	7	2	4	1	6	4	4	2	4	2	2	-	1	-	-	-	-
	White—M	28	3	1	-	3	-	-	3	-	2	4	-	-	-	2	4	1	1	3	-	-	-	1	-	-	-	-
	F	27	2	1	1	-	-	4	-	-	2	3	1	2	-	3	-	3	1	-	2	2	-	-	-	-	-	-
	All other—M	12	-	-	2	2	-	1	1	1	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	1	-	1	-	-	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	30	14	4	4	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	1	-	2	-	-	1	-	-
	White—M	11	5	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	9	-	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	2	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	287	31	2	-	-	-	1	4	5	8	9	25	32	29	20	25	31	22	25	11	5	1	-	-	-	-	1
	White—M	147	15	1	-	-	-	-	1	1	4	5	11	13	17	7	12	15	14	16	10	4	1	-	-	-	-	-
	F	47	6	-	-	-	-	1	1	3	2	1	7	6	2	2	5	5	4	1	-	1	-	-	-	-	-	-
	All other—M	70	6	1	-	-	-	-	1	-	-	1	4	9	9	8	8	10	4	7	1	-	-	-	-	-	-	1
	F	23	4	-	-	-	-	-	1	1	2	2	3	4	1	3	-	1	-	1	-	-	-	-	-	-	-	-
33	Influenza	343	59	15	5	1	5	3	-	9	6	4	7	6	7	15	15	8	21	26	30	30	39	20	10	-	-	2
	White—M	165	28	6	2	1	4	-	-	5	3	1	2	4	3	11	11	6	11	14	10	11	18	10	3	-	-	1
	F	158	24	9	3	-	1	2	-	1	3	2	4	2	3	2	4	2	9	11	20	18	20	10	7	-	-	1
	All other—M	14	5	-	-	-	-	-	-	3	-	1	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	59	4	8	10	4	4	15	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	36	3	4	5	-	3	10	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	1	4	5	4	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	681	-	1	-	-	-	3	-	-	1	3	3	13	13	32	42	78	82	128	121	89	45	22	4	-	-	1
	White—M	341	-	1	-	-	-	1	-	-	-	1	2	4	5	18	19	37	44	70	69	38	22	9	1	-	-	-
	F	312	-	-	-	-	-	2	-	-	1	2	1	7	7	11	19	36	36	54	48	49	23	13	3	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	5	1	3	3	-	-	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	2	-	-	-	-	-	-
48,49	Cancer of female genital organs	253	-	-	-	-	-	-	-	-	1	4	19	22	22	28	31	34	37	24	20	5	4	1	-	-	-	1
	White—F	223	-	-	-	-	-	-	-	-	1	3	16	21	21	26	25	29	32	22	18	4	4	1	-	-	-	-
	All other—F	30	-	-	-	-	-	-	-	-	-	1	3	1	1	2	6	5	5	2	2	1	-	-	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																											
50	Cancer of breast	104	-	-	-	-	-	-	-	-	1	-	4	8	9	11	15	12	12	10	8	9	5	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	1	-	4	6	7	10	14	11	10	8	6	8	5	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	2	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	451	1	1	1	1	-	6	4	4	9	7	3	11	23	29	36	43	45	57	61	41	21	16	7	2	-	2
	White—M	273	1	-	-	1	-	1	-	4	4	4	2	7	10	20	19	32	30	38	46	28	13	8	4	-	-	1
	F	138	-	-	1	-	-	5	3	-	5	2	1	4	10	7	15	8	15	18	14	11	7	7	3	2	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	1	1	1	-	1	-	-	-	1
	F	7	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-
58	Acute rheumatic fever	24	-	-	-	-	-	3	6	2	5	-	1	-	-	-	2	1	-	-	3	-	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	1	4	2	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	2	2	-	1	-	1	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	331	-	-	-	-	-	3	2	5	5	9	1	7	4	12	28	43	46	43	72	32	16	2	1	-	-	-
	White—M	136	-	-	-	-	-	-	-	1	3	4	-	4	2	3	9	21	22	16	35	8	6	1	1	-	-	-
	F	168	-	-	-	-	-	3	1	3	2	3	1	1	2	4	18	19	21	26	31	23	9	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	-	-	-	2	-	5	-	1	3	1	6	-	1	-	-	-	-	-
65b	Exophthalmic goiter	52	2	-	1	-	-	-	-	-	2	-	3	1	2	5	7	7	9	6	4	2	1	-	-	-	-	-
	White—M	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-
	F	44	-	-	1	-	-	-	-	-	2	-	2	1	2	5	7	5	9	4	3	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	2	1	2	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	36	-	-	-	-	-	-	-	-	1	2	3	3	7	6	4	4	1	1	2	1	-	-	-	-	-	1
	White—M	26	-	-	-	-	-	-	-	-	1	1	2	1	4	4	3	4	1	1	2	1	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,468	10	1	-	-	-	3	1	5	4	10	11	19	37	60	87	108	170	234	224	210	172	80	13	7	1	1
	White—M	697	7	1	-	-	-	2	-	1	-	4	5	3	14	16	41	46	87	121	116	107	78	39	6	3	-	-
	F	655	1	-	-	-	-	1	1	3	3	4	5	10	17	29	35	45	62	97	93	94	88	38	5	3	1	-
	All other—M	71	-	-	-	-	-	-	-	1	-	1	1	3	2	7	5	12	11	10	6	5	5	2	-	-	-	-
	F	65	2	-	-	-	-	-	-	-	1	1	-	3	4	8	6	5	10	6	9	4	1	1	2	1	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	214	27	13	7	2	7	10	10	14	9	9	6	13	11	15	8	11	11	9	8	7	4	2	1	-	-	-
	White—M	121	17	5	4	2	6	5	7	8	4	5	2	6	4	10	6	6	4	2	7	6	3	1	1	-	-	-
	F	70	9	6	1	-	1	4	3	3	4	3	4	5	2	4	2	3	5	7	1	1	1	1	-	-	-	-
	All other—M	15	1	1	1	-	-	-	-	1	1	1	-	1	3	1	-	2	2	-	-	-	-	-	-	-	-	-
	F	8	-	1	1	-	-	1	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	102	18	4	5	3	-	10	2	9	5	4	3	6	4	4	8	3	3	3	5	2	1	-	-	-	-	-
	White—M	61	9	2	4	2	-	6	2	6	5	3	3	4	4	1	2	1	2	1	2	1	1	-	-	-	-	-
	F	38	8	2	1	1	-	4	-	3	-	1	-	2	-	2	6	2	1	2	2	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	274	1	-	-	-	-	4	15	6	5	8	4	20	15	10	17	19	20	29	39	34	21	5	2	-	-	-
	White—M	138	1	-	-	-	-	1	5	2	3	3	1	10	7	6	4	9	15	16	26	19	10	-	-	-	-	-
	F	113	-	-	-	-	-	2	9	4	2	3	3	6	6	2	11	9	3	11	12	13	10	5	2	-	-	-
	All other—M	12	-	-	-	-	-	-	1	-	-	2	-	1	-	-	2	1	1	1	1	1	1	-	-	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	-	-	3	2	2	-	-	1	1	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	892	-	-	-	-	-	-	-	-	4	5	12	34	46	56	72	98	115	113	143	105	62	20	6	-	-	1
	White—M	615	-	-	-	-	-	-	-	-	2	4	7	19	27	40	54	70	84	83	95	71	41	13	5	-	-	-
	F	224	-	-	-	-	-	-	-	-	1	-	4	9	8	10	11	23	24	27	46	33	20	7	1	-	-	-
	All other—M	34	-	-	-	-	-	-	-	-	1	-	1	2	9	4	6	2	4	3	2	-	-	-	-	-	1	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	4	2	2	1	3	3	-	-	1	1	-	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,376	6	1	2	2	1	11	4	5	16	17	29	26	79	105	133	176	247	307	354	340	268	187	44	13	1	2
	White—M	1,205	3	-	2	1	1	7	2	1	7	10	14	11	32	50	62	92	135	163	189	181	134	87	17	2	1	1
	F	949	3	1	-	1	-	4	2	2	7	5	11	11	36	25	39	60	92	102	142	145	128	98	24	10	-	1
	All other—M	155	-	-	-	-	-	-	-	1	1	-	-	3	3	20	18	17	14	27	14	9	3	2	2	1	-	-
	F	87	-	-	-	-	-	-	-	1	1	2	4	1	8	10	14	7	6	15	9	5	3	-	1	-	-	-
107-109	Pneumonia (all forms)	1,164	367	55	21	8	14	18	9	18	13	22	32	21	23	35	27	37	51	63	75	83	79	60	22	6	-	5
	White—M	586	195	30	8	4	9	10	3	6	7	11	14	11	8	21	11	19	28	30	33	52	37	27	7	3	-	2
	F	471	129	19	12	4	5	8	5	11	6	8	13	7	9	11	12	12	13	30	39	27	40	31	14	3	-	3
	All other—M	66	27	3	-	-	-	-	-	-	-	2	1	2	5	2	3	4	6	2	2	4	2	1	-	-	-	-
	F	41	16	3	1	-	-	-	1	1	-	1	4	1	1	1	1	2	4	1	1	-	-	1	1	-	-	-
117	Ulcer of stomach or duodenum	89	-	-	-	-	-	-	-	1	1	2	4	11	13	9	9	16	4	6	3	2	7	-	1	-	-	-
	White—M	70	-	-	-	-	-	-	-	1	-	2	3	10	7	6	8	14	4	4	2	2	6	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	1	-	4	3	-	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	204	123	32	10	5	1	1	-	-	-	-	1	3	2	2	3	1	4	3	3	4	4	2	-	-	-	-
	White—M	94	58	16	5	3	1	1	-	-	-	-	-	-	-	2	1	-	1	1	3	1	1	-	-	-	-	-
	F	99	56	15	5	2	-	-	-	-	-	-	1	2	2	-	2	1	3	2	-	3	3	2	-	-	-	-
	All other—M	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	134	-	-	2	-	1	4	18	13	10	14	5	9	9	10	11	5	7	8	4	3	-	1	-	-	-	-
	White—M	75	-	-	1	-	1	2	13	8	6	6	3	3	5	6	5	3	5	5	2	1	-	-	-	-	-	-
	F	42	-	-	1	-	-	2	4	4	3	4	1	4	2	3	4	2	2	3	1	2	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	1	-	1	2	1	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	113	15	-	1	1	-	2	1	2	3	5	5	2	5	7	5	8	9	6	10	12	12	1	1	-	-	-
	White—M	62	9	-	1	1	-	1	1	1	-	-	3	-	3	-	4	3	6	3	5	11	8	1	1	-	-	-
	F	40	6	-	-	-	-	1	-	1	3	3	2	-	1	5	-	3	3	3	5	1	3	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	87	-	-	-	-	-	1	-	1	-	1	3	5	12	5	3	6	14	13	10	9	3	1	-	-	-	-
	White—M	59	-	-	-	-	-	1	-	-	-	-	3	4	10	4	2	6	9	10	5	4	-	1	-	-	-	-
	F	24	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	4	2	5	5	2	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	89	1	-	-	-	-	-	-	1	1	2	6	3	4	7	10	7	10	8	16	8	3	2	-	-	-	-
	White—M	23	1	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	2	5	5	2	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	1	-	2	4	2	3	6	8	5	7	3	11	6	3	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,355	1	3	2	1	1	4	6	13	14	15	19	30	51	63	71	102	133	162	205	174	171	81	23	5	3	2
	White—M	702	1	1	2	1	-	2	3	3	6	5	6	9	16	25	31	55	71	94	114	103	97	46	10	-	-	1
	F	503	-	2	-	-	1	2	3	7	7	8	10	14	23	27	20	30	44	55	75	66	65	30	11	2	1	-
	All other—M	73	-	-	-	-	-	-	-	2	-	-	1	4	5	7	9	11	8	6	7	3	4	4	1	-	-	1
	F	77	-	-	-	-	-	-	-	1	1	2	2	3	7	4	11	6	10	7	9	2	5	1	1	3	2	-
137	Diseases of the prostate	76	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	9	10	21	8	12	6	3	-	-	-
	White—M	68	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	7	9	20	6	12	6	3	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	62	-	-	-	-	-	-	-	15	14	15	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	13	13	14	8	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	31	-	-	-	-	-	-	1	5	4	6	3	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	-	-	-	-	-	-	1	4	4	6	3	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	47	-	-	-	-	-	-	-	4	8	9	7	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	4	7	8	6	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	232	208	4	4	3	-	6	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	116	106	3	1	-	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	110	96	1	3	3	-	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	661	661	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	365	365	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	247	247	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	196	-	-	-	-	-	-	1	8	24	23	20	26	16	17	14	15	11	11	5	3	1	-	1	-	-	-
	White—M	148	-	-	-	-	-	-	-	4	19	16	11	18	9	15	14	13	9	11	5	3	1	-	-	-	-	-
	F	41	-	-	-	-	-	-	1	4	5	5	7	7	6	2	-	2	2	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	160	-	-	-	-	-	1	2	5	15	20	28	18	26	14	10	3	5	7	2	1	-	1	-	-	-	2
	White—M	81	-	-	-	-	-	-	1	3	6	10	15	7	14	6	5	3	2	6	1	-	-	1	-	-	-	1
	F	15	-	-	-	-	-	-	-	1	1	-	5	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-
	All other—M	56	-	-	-	-	-	-	-	1	4	8	8	10	11	7	4	-	1	-	1	-	-	-	-	-	-	1
	F	8	-	-	-	-	-	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	391	2	4	6	4	6	20	21	40	56	45	27	29	19	19	16	18	19	12	14	7	2	5	-	-	-	-
	White—M	294	2	3	4	2	3	15	14	26	46	36	21	21	16	13	14	16	16	9	7	5	1	4	-	-	-	-
	F	76	-	1	2	2	3	4	5	13	6	7	5	4	3	4	2	1	2	3	6	1	1	1	-	-	-	-
	All other—M	18	-	-	-	-	-	1	1	1	4	2	1	4	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,312	59	23	21	14	15	38	39	63	95	116	93	101	97	82	70	63	49	47	49	49	61	46	14	5	-	7
	White—M	875	24	13	10	5	7	23	29	49	75	96	73	73	79	62	57	48	31	23	26	19	32	13	3	1	-	4
	F	285	23	7	10	9	6	13	9	7	9	5	5	6	2	5	5	7	11	19	22	30	29	31	11	2	-	2
	All other—M	130	6	1	1	-	-	2	1	5	9	15	13	20	15	15	7	7	7	3	1	-	-	1	-	-	-	1
	F	22	6	2	-	-	-	-	-	2	2	-	2	2	1	-	1	1	-	2	-	-	-	1	-	-	-	-
	All other causes*	2,142	562	38	14	17	9	25	21	27	41	38	37	56	77	56	96	88	99	146	136	160	171	143	62	17	3	3
	White—M	1,103	324	18	6	6	5	9	12	9	15	19	16	15	30	26	47	44	57	76	79	97	87	67	30	7	-	2
	F	887	209	17	7	10	4	16	8	16	20	14	18	29	31	23	36	38	34	57	48	59	79	73	29	9	3	-
	All other—M	83	18	1	-	-	-	-	-	1	2	3	3	4	8	2	9	4	4	9	6	3	2	1	2	-	-	1
	F	69	11	2	1	1	-	-	1	1	4	2	-	8	8	5	4	2	4	4	3	1	3	2	1	1	-	-

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																											
	All causes	31,614	2,041	163	93	60	72	273	272	390	424	445	564	705	934	1,329	1,884	2,194	2,720	3,282	3,946	4,008	3,379	1,702	585	114	21	16
	White—M	17,572	1,140	84	47	28	40	159	149	232	253	252	290	387	526	787	1,141	1,329	1,622	1,835	2,200	2,143	1,783	826	253	46	10	10
	F	13,650	848	74	42	28	31	108	116	149	164	181	258	294	376	518	708	840	1,074	1,410	1,729	1,839	1,587	871	328	63	9	5
	All other—M	231	27	4	4	2	1	3	2	6	4	9	5	15	18	19	24	19	14	21	10	11	4	4	2	1	1	1
	F	161	26	1	-	2	-	3	5	3	3	3	11	9	14	5	11	6	10	16	7	13	5	1	2	4	1	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	24	1	-	2	3	2	8	2	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	2	2	2	4	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	30	23	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	14	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	1	-	-	-	2	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	759	5	3	1	1	-	6	8	22	58	56	71	63	87	71	83	59	56	34	39	22	7	5	1	1	-	-
	White—M	458	2	-	1	-	-	2	5	9	23	25	28	29	49	62	60	46	45	23	28	16	4	1	-	-	-	-
	F	252	3	2	-	-	-	2	3	9	32	31	36	27	31	6	16	12	9	10	10	6	3	4	-	-	-	-
	All other—M	32	-	-	-	-	-	1	-	2	1	-	3	6	6	2	6	1	1	1	1	-	-	-	1	-	-	-
	F	17	-	1	-	1	-	1	-	2	2	-	4	1	1	1	1	-	1	-	-	-	-	-	-	1	-	-
14-22	Tuberculosis (other forms)	73	2	1	3	1	-	6	3	4	3	8	3	5	5	5	12	5	2	1	4	-	-	-	-	-	-	-
	White—M	35	2	-	2	1	-	2	-	2	-	1	1	3	4	3	9	3	2	-	-	-	-	-	-	-	-	-
	F	29	-	-	1	-	-	2	2	1	3	5	2	1	-	2	3	2	-	1	4	-	-	-	-	-	-	-
	All other—M	5	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	2	2	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	7	1	2	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	232	3	-	-	-	-	-	-	1	1	1	5	12	30	30	34	34	28	26	19	5	3	1	-	-	-	1
	White—M	163	1	-	-	-	-	-	-	-	1	1	2	6	17	22	27	27	21	19	11	4	2	1	-	-	-	1
	F	53	1	-	-	-	-	-	-	1	-	-	2	5	9	6	6	5	4	5	7	1	1	-	-	-	-	-
	All other—M	14	1	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	1	2	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	346	41	11	5	3	4	13	6	6	6	6	13	9	6	11	10	12	20	15	31	48	34	21	9	4	1	1
	White—M	184	26	5	1	1	2	10	4	4	4	5	8	7	3	7	6	5	10	6	10	21	18	12	5	3	-	1
	F	154	11	6	3	2	2	3	2	2	2	1	5	2	3	4	4	7	10	7	21	26	16	9	4	1	1	-
	All other—M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
35	Measles	14	3	2	1	-	1	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	46	-	1	1	1	-	9	7	9	6	6	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	34	-	-	-	1	-	7	6	5	5	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	12	-	1	1	-	-	2	1	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,202	1	1	-	-	1	1	-	1	3	6	14	22	42	89	150	206	302	355	401	345	185	64	11	3	1	-
	White—M	1,253	1	1	-	-	1	-	-	1	1	4	6	8	20	41	93	127	190	211	230	189	95	31	2	-	1	-
	F	932	-	-	-	-	-	1	-	-	2	2	8	13	20	44	57	75	112	140	171	155	88	33	9	2	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	-	3	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-
48,49	Cancer of female genital organs	452	-	-	-	-	-	-	-	1	1	5	10	26	42	60	52	56	57	53	43	24	19	2	-	-	-	1
	White—F	446	-	-	-	-	-	-	-	1	1	5	10	25	39	60	52	56	57	51	43	24	19	2	-	-	-	1
	All other—F	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	2	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
50	Cancer of breast	379	-	-	-	-	-	-	-	-	-	2	5	17	25	44	53	41	63	37	35	28	20	5	2	1	-	1
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	374	-	-	-	-	-	-	-	-	-	2	5	17	25	44	53	40	62	35	35	27	20	5	2	1	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	1,196	3	-	5	2	3	8	8	13	15	14	8	19	28	70	88	130	145	142	174	151	113	38	16	2	-	1
	White—M	891	-	-	2	-	3	6	2	8	7	11	4	11	24	45	58	104	108	118	135	116	89	25	12	2	-	1
	F	296	3	-	3	2	-	2	6	5	6	3	4	8	4	24	29	25	36	23	39	34	23	13	4	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	53	-	-	2	-	1	8	11	9	1	2	7	3	2	2	2	2	-	-	-	1	-	-	-	-	-	-
	White—M	19	-	-	2	-	-	2	1	2	1	-	4	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	1	6	10	7	-	2	3	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	892	2	1	-	-	1	1	10	10	2	6	7	6	25	29	47	94	126	166	166	105	60	26	2	-	-	-
	White—M	355	2	1	-	-	-	1	3	1	2	5	4	2	13	15	18	28	48	59	72	46	26	9	-	-	-	-
	F	528	-	-	-	-	1	-	7	8	-	1	3	4	9	14	28	64	77	107	94	59	33	17	2	-	-	-
	All other—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	157	-	-	-	-	-	-	-	1	1	-	3	6	4	9	15	22	36	25	24	7	2	2	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	1	-	2	2	-	4	3	4	8	3	1	2	-	-	-	-	-	-
	F	126	-	-	-	-	-	-	-	1	-	-	1	4	4	5	12	18	28	21	23	5	2	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	44	-	-	-	-	-	-	-	-	1	1	2	8	7	7	4	3	4	-	4	2	1	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	1	-	2	8	4	7	4	2	2	-	4	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,024	7	1	-	-	-	3	1	5	6	5	13	23	42	85	161	184	290	422	530	505	463	205	61	7	4	1
	White—M	1,543	5	1	-	-	-	2	-	3	3	3	6	13	12	42	78	97	158	213	259	256	251	108	27	3	2	1
	F	1,466	2	-	-	-	-	1	1	2	3	2	7	10	30	41	80	87	132	207	270	243	211	97	34	4	2	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	2	-	4	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	350	21	4	4	5	5	11	9	12	10	14	10	19	18	19	28	27	24	35	26	24	15	8	1	-	-	1
	White—M	172	8	1	-	1	3	6	4	8	5	7	7	10	8	10	12	15	13	18	15	12	5	3	-	-	-	1
	F	174	12	3	4	4	2	5	4	4	5	7	3	9	10	9	16	12	10	16	11	12	10	5	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	153	10	11	4	3	6	12	10	10	14	4	5	3	4	10	8	8	9	6	5	5	1	1	4	-	-	-
	White—M	78	5	3	3	3	3	5	5	3	9	1	2	2	4	4	6	4	6	3	3	1	1	1	1	-	-	-
	F	72	5	8	-	-	3	7	5	6	5	3	3	1	-	6	2	4	2	3	2	4	-	-	3	-	-	-
	All other—M	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	589	-	-	1	-	1	8	16	19	15	15	19	20	23	26	49	54	47	55	66	69	50	28	6	1	-	1
	White—M	294	-	-	-	-	1	4	10	10	7	8	8	11	10	13	27	34	25	25	34	36	18	10	2	-	-	1
	F	287	-	-	1	-	-	4	4	9	8	7	11	9	13	11	21	19	21	30	32	32	32	18	4	1	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,470	-	-	-	-	-	-	-	1	6	8	15	40	56	125	242	262	313	402	358	326	219	71	23	2	1	-
	White—M	1,729	-	-	-	-	-	-	-	-	2	4	11	32	51	105	198	216	232	275	222	190	132	43	13	2	1	-
	F	730	-	-	-	-	-	-	-	1	4	3	3	8	3	20	43	44	81	125	135	136	86	28	10	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	2	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,261	3	1	3	3	-	2	5	14	17	20	27	38	76	142	252	354	490	689	1,032	1,176	1,118	554	206	36	1	2
	White—M	3,333	2	1	-	1	-	1	4	12	9	12	13	24	51	90	144	211	295	368	578	611	582	253	80	8	1	2
	F	2,884	1	-	2	2	-	1	1	2	7	6	14	13	23	48	100	138	193	313	451	562	553	301	126	27	-	-
	All other—M	23	-	-	1	-	-	-	-	-	-	1	-	1	1	4	6	2	2	3	1	1	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	3	-	5	2	2	3	-	-	1	-	-
107-109	Pneumonia (all forms)	1,477	267	32	12	7	11	10	17	16	10	24	21	33	36	37	59	73	82	102	126	176	181	63	49	10	2	1
	White—M	795	137	18	5	2	5	5	8	9	10	18	8	17	24	23	40	51	52	55	73	81	86	38	25	3	1	1
	F	641	113	13	6	5	5	5	7	7	-	6	13	14	11	12	18	20	28	44	51	94	93	44	24	7	1	-
	All other—M	25	9	1	1	-	1	-	1	-	-	-	-	1	-	2	1	2	1	2	2	1	-	-	-	-	-	-
	F	16	8	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	2	1	-	-	-	-
117	Ulcer of stomach or duodenum	161	1	-	-	-	-	-	-	-	-	4	3	10	12	24	22	23	16	17	16	7	3	3	-	-	-	-
	White—M	132	-	-	-	-	-	-	-	-	-	4	3	9	11	20	18	22	15	11	12	4	2	1	-	-	-	-
	F	28	1	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	1	6	4	3	1	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
119,120	Diarrhea, enteritis, etc.*	159	96	11	2	2	-	1	2	6	1	1	2	1	7	2	2	1	2	4	1	5	5	2	2	1	-	-
	White—M	79	52	8	2	-	-	1	1	3	-	1	1	1	2	1	-	-	1	1	-	2	-	1	-	1	-	-
	F	73	41	3	-	1	-	-	1	3	1	-	1	-	5	1	1	1	1	2	1	3	5	1	1	-	-	-
	All other—M	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
121	Appendicitis	349	2	6	4	4	1	29	31	19	21	16	19	22	20	19	24	31	25	23	13	11	6	3	-	-	-	-
	White—M	213	-	3	2	2	1	13	16	12	11	12	13	16	17	10	18	18	17	15	7	7	2	1	-	-	-	-
	F	133	2	3	2	2	-	16	15	7	10	4	5	5	3	9	5	13	8	8	6	4	4	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	295	26	1	1	-	-	1	2	2	2	6	8	7	7	18	21	25	27	25	43	29	24	15	4	-	-	1
	White—M	150	17	1	-	-	-	1	1	2	-	1	4	2	2	11	7	16	16	17	22	8	10	10	1	-	-	1
	F	144	9	-	1	-	-	-	1	-	2	4	4	5	5	7	14	9	11	8	21	21	14	5	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	269	-	1	-	-	-	-	1	1	2	-	9	9	12	26	30	36	43	24	25	27	14	7	2	-	-	-
	White—M	185	-	1	-	-	-	-	1	1	1	-	6	4	9	21	22	25	35	17	12	19	9	2	-	-	-	-
	F	81	-	-	-	-	-	-	-	-	1	-	3	5	3	5	6	10	8	7	13	8	5	5	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	233	-	-	-	-	1	-	-	-	1	4	6	6	12	15	19	33	27	38	30	23	11	5	1	-	-	1
	White—M	81	-	-	-	-	1	-	-	-	-	1	2	1	6	7	5	8	9	16	12	9	3	1	-	-	-	-
	F	147	-	-	-	-	-	-	-	-	1	3	4	5	6	8	11	25	17	22	18	13	8	4	1	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
130-132	Nephritis	1,863	2	1	2	-	-	7	12	15	11	17	22	38	51	80	84	125	145	212	295	293	261	153	27	9	1	-
	White—M	1,024	1	-	2	-	-	3	6	9	5	9	13	18	26	47	48	62	78	117	170	165	151	76	12	6	-	-
	F	821	1	1	-	-	-	4	6	6	6	7	9	18	25	31	36	63	66	92	121	125	110	76	15	3	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	3	1	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	-	-	-	-	1	-
137	Diseases of the prostate	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	10	36	53	45	45	22	4	-	-	-
	White—M	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	10	36	53	45	45	22	4	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	74	-	-	-	-	-	-	-	6	13	18	18	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	74	-	-	-	-	-	-	-	6	13	18	18	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	2	2	7	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	2	2	7	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	56	-	-	-	-	-	-	-	3	6	9	18	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	3	6	9	17	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	348	293	8	5	1	2	5	5	7	2	4	2	2	3	1	4	1	-	2	1	-	-	-	-	-	-	-
	White—M	178	151	3	3	-	2	2	3	3	1	2	1	2	-	1	1	-	-	2	1	-	-	-	-	-	-	-
	F	166	138	5	2	1	-	3	2	4	1	2	1	-	3	-	3	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	659	659	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	379	379	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	474	-	-	-	-	-	-	2	8	23	30	32	39	39	56	51	56	46	21	21	30	11	7	1	-	-	1
	White—M	362	-	-	-	-	-	-	1	5	19	26	20	30	33	38	42	46	35	13	15	22	11	5	1	-	-	-
	F	111	-	-	-	-	-	-	1	3	4	4	12	9	6	17	9	10	11	8	6	8	-	2	-	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	41	1	-	1	-	1	3	-	-	2	6	5	3	4	5	2	1	1	3	1	1	1	-	-	-	-	-
	White—M	23	1	-	1	-	1	3	-	-	1	2	3	2	1	2	1	1	-	3	-	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	2	2	-	3	3	1	-	-	-	-	1	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	782	5	9	2	5	10	34	22	80	78	41	48	56	41	51	62	49	44	40	36	43	17	6	3	-	-	-
	White—M	585	2	2	1	2	7	24	14	54	61	30	38	42	30	43	49	34	37	33	28	33	12	6	3	-	-	-
	F	184	3	7	1	3	3	9	7	26	16	9	8	11	8	8	13	15	7	7	8	10	5	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	1	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,388	40	27	18	11	12	47	51	53	50	51	47	48	57	47	69	56	73	102	92	149	147	102	33	6	-	-
	White—M	903	16	16	11	8	6	38	43	44	44	41	36	42	48	43	66	40	56	67	53	65	64	43	11	2	-	-
	F	482	23	10	7	3	6	8	8	7	6	9	8	5	7	3	3	15	15	34	38	81	83	58	22	3	-	-
	All other—M	15	-	1	-	-	-	1	-	1	-	1	1	1	2	1	-	1	2	1	-	1	-	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-
	All other causes*	2,958	520	23	13	6	8	33	27	30	31	25	56	59	92	112	136	124	167	170	235	322	344	263	117	31	10	2
	White—M	1,605	316	14	9	4	4	16	10	21	17	11	30	29	45	48	72	74	95	90	140	180	183	125	54	16	4	-
	F	1,316	196	9	4	1	4	19	17	9	14	14	26	28	45	64	61	48	66	78	93	140	161	138	61	14	5	1
	All other—M	24	5	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	1	-	2	-	2	1	1	1	1
	F	15	3	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	2	1	2	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	All causes	2,136	234	23	13	8	6	33	29	50	46	76	53	78	80	114	139	137	168	196	206	164	160	74	20	3	-	6
	White—M	1,342	120	10	9	1	2	13	15	31	29	55	51	49	45	79	89	119	114	128	141	101	99	44	12	2	-	4
	F	712	93	8	3	7	3	16	12	17	16	20	19	25	35	33	43	31	52	63	60	59	58	29	8	1	-	1
	All other—M	58	14	5	-	-	-	3	2	1	1	-	2	3	-	2	5	7	1	3	4	3	1	-	-	-	-	1
	F	24	7	-	1	-	1	1	-	1	-	1	1	1	-	-	2	-	1	2	1	1	2	1	-	-	-	-
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	1	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	4	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	37	1	-	-	-	-	1	-	4	3	6	2	5	2	1	3	4	1	3	-	-	1	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	1	-	2	2	2	1	-	1	3	1	2	-	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	2	2	3	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	37	1	-	-	-	-	-	1	1	1	-	1	2	3	6	7	5	3	4	2	1	1	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	1	-	-	-	1	1	1	6	5	3	3	3	2	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-	2	-	-	-	-	-
	All other—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	27	5	-	1	1	1	-	-	3	-	1	-	-	-	2	1	1	1	2	2	3	2	-	1	-	-	-
	White—M	14	3	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	-	-	-
	F	12	1	-	1	1	-	-	-	-	-	1	-	-	-	2	-	-	1	2	-	2	-	-	1	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	-	-	-	2	2	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	102	-	-	-	-	-	-	-	-	-	1	3	3	3	6	11	11	8	15	19	13	5	3	1	-	-	-
	White—M	66	-	-	-	-	-	-	-	-	-	1	2	2	3	4	8	9	4	9	13	8	3	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	4	6	6	5	1	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs	21	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	1	4	3	-	1	2	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	1	3	3	-	1	2	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
50	Cancer of breast	20	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	3	4	2	-	1	2	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	3	4	2	-	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other forms)	69	-	-	-	-	-	1	-	-	-	-	1	1	-	4	8	7	10	12	5	14	5	-	1	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	8	9	3	13	4	-	1	-	-	-
	F	16	-	-	-	-	-	1	-	-	-	-	1	-	-	3	2	1	2	2	2	1	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	41	-	-	-	-	-	-	-	-	2	1	1	1	1	2	1	4	3	6	9	6	4	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	1	2	3	6	1	2	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	5	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	165	-	-	-	-	-	1	-	-	-	-	1	-	6	10	9	20	14	16	32	19	27	7	3	-	-	-
	White—M	105	-	-	-	-	-	1	-	-	-	-	-	-	3	3	6	13	12	11	21	11	18	4	2	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	1	-	3	7	3	7	2	4	10	7	9	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	19	3	-	-	-	-	-	1	1	-	1	-	4	1	-	-	3	3	1	1	-	-	-	-	-	-	-
	White—M	14	1	-	-	-	-	-	-	1	-	1	-	3	1	-	-	3	2	1	1	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	23	4	-	1	-	2	3	3	-	2	1	-	1	1	-	-	1	2	-	2	-	-	-	-	-	-	-
	White—M	12	-	-	1	-	-	2	1	-	2	1	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F	9	3	-	-	-	2	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	40	-	-	-	-	-	-	1	1	1	1	3	1	2	1	6	5	6	2	3	3	3	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	1	1	-	1	1	-	1	3	3	3	-	-	2	1	1	-	-	-	-
	F	21	-	-	-	-	-	-	1	-	-	1	2	-	2	-	3	2	3	1	3	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	144	-	-	-	-	-	-	-	-	-	-	-	1	2	12	16	18	18	21	20	20	9	5	1	-	-	1
	White—M	113	-	-	-	-	-	-	-	-	-	-	-	1	2	10	14	15	17	15	17	14	5	3	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	5	3	6	4	2	1	-	-	1
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	333	-	-	-	1	-	-	2	3	2	3	-	5	8	14	18	27	29	50	47	35	50	28	8	1	-	2
	White—M	205	-	-	-	-	-	-	1	2	1	3	-	-	3	9	7	19	15	35	33	21	29	19	5	1	-	2
	F	120	-	-	-	1	-	-	-	1	1	-	-	4	5	5	11	6	13	15	12	14	20	9	3	-	-	-
	All other—M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
107-109	Pneumonia (all forms)	96	37	8	3	-	1	3	1	3	1	2	2	1	2	6	3	1	4	2	3	3	6	4	-	-	-	-
	White—M	47	17	3	1	-	-	-	-	2	1	2	-	-	2	5	2	-	4	2	2	1	2	1	-	-	-	-
	F	37	17	3	1	-	-	2	1	1	-	-	1	-	-	1	1	-	-	-	1	1	4	3	-	-	-	-
	All other—M	8	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

498675 O - 43 - 27

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
119,120	Diarrhea, enteritis, etc.*	24	18	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	White—M	13	8	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	35	-	-	-	-	-	4	3	5	1	2	4	2	1	2	2	2	3	2	1	1	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	2	3	2	1	2	2	2	1	2	2	2	3	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	17	4	-	-	-	-	-	-	1	1	-	-	2	1	-	2	-	1	1	1	-	2	-	-	-	-	1
	White—M	8	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	1
	F	9	2	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	16	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	3	2	4	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	2	2	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	11	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	-	-	-	2	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	128	2	-	-	2	-	-	2	1	1	4	2	4	4	6	11	2	11	11	18	15	17	10	4	1	-	-
	White—M	80	1	-	-	-	-	-	-	1	1	2	1	3	3	4	6	1	6	7	12	9	13	6	3	1	-	-
	F	47	1	-	-	2	-	-	1	-	-	2	1	1	1	2	5	1	5	4	6	6	4	4	1	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	7	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	6	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	32	30	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	58	-	-	-	-	-	-	1	2	1	7	3	4	6	6	5	8	4	5	2	3	1	-	-	-	-	-
	White—M	54	-	-	-	-	-	-	1	1	1	6	3	4	5	6	5	8	4	4	2	3	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	-	-	-	-	-	-	-	1	-	-	3	3	-	3	1	-	1	-	-	2	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	136	-	-	1	-	-	6	4	10	15	18	8	16	9	6	7	9	6	13	5	1	-	1	-	-	-	1
	White—M	101	-	-	-	-	-	3	2	9	13	17	7	11	6	5	5	6	4	6	4	1	-	1	-	-	-	1
	F	33	-	-	1	-	-	2	2	1	2	1	1	5	3	1	1	3	2	7	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	130	9	8	4	2	1	5	5	5	5	13	6	6	9	10	6	4	10	3	9	3	4	3	-	-	-	-
	White—M	99	3	5	4	1	1	2	3	4	3	12	6	6	9	10	6	4	8	2	5	2	2	1	-	-	-	-
	F	29	5	2	-	1	-	3	2	1	2	1	-	-	-	-	-	-	2	1	4	1	2	2	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	200	47	2	2	-	-	2	1	2	1	10	6	11	6	4	8	14	13	15	15	15	11	12	1	1	-	1
	White—M	118	24	1	2	-	-	2	-	1	1	4	2	6	1	4	4	13	9	11	8	8	8	8	1	-	-	-
	F	73	19	1	-	-	-	-	1	1	-	6	4	4	5	-	4	1	4	4	6	6	3	3	-	1	-	-
	All other—M	8	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,417,269	140,940	131,131	130,399	118,489	116,121	108,006	116,605	104,317	102,909	110,401	112,665	125,286
Typhoid and paratyphoid fever 1,2	1,443	61	49	72	72	80	118	214	217	236	138	117	69
Cerebrospinal (meningococcus) meningitis 6	694	87	76	60	64	71	54	40	46	31	56	52	57
Scarlet fever 8	668	108	90	82	69	58	38	25	21	41	40	46	50
Whooping cough 9	2,926	207	217	242	256	227	246	302	243	218	235	252	281
Diphtheria 10	1,457	248	144	94	79	62	57	58	62	123	189	175	166
Tuberculosis of respiratory system, etc.* 13	55,576	4,833	4,921	5,247	4,971	4,922	4,657	4,650	4,433	4,185	4,198	4,199	4,360
Tuberculosis (other forms) 14-22	4,852	395	399	413	437	461	443	441	406	361	386	370	340
Dysentery 27	2,460	69	67	75	95	171	269	540	431	313	218	132	80
Malaria 28	1,442	33	39	52	59	83	123	225	260	249	183	95	41
Syphilis (all forms) 30	19,006	1,886	1,670	1,622	1,605	1,588	1,494	1,646	1,398	1,351	1,469	1,502	1,575
Influenza 33	20,157	4,053	4,832	3,080	1,764	982	443	356	315	357	527	826	2,642
Measles 35	706	69	74	113	125	105	79	52	28	11	13	12	25
Poliomyelitis and polioencephalitis (acute) 36	1,026	42	33	28	20	25	25	86	199	228	158	109	73
Cancer of the digestive organs and peritoneum 46	72,742	6,218	5,827	6,195	5,940	6,084	5,968	6,469	5,940	5,954	6,070	5,974	6,103
Cancer of female genital organs 48,49	21,104	1,765	1,685	1,819	1,693	1,745	1,741	1,942	1,763	1,699	1,755	1,750	1,747
Cancer of the breast 50	15,488	1,393	1,266	1,318	1,247	1,286	1,199	1,325	1,223	1,280	1,324	1,279	1,348
Cancer (other forms) 45,47,51-55	49,001	4,223	3,921	4,162	3,955	4,053	3,877	4,327	4,028	4,025	4,126	4,111	4,193
Acute rheumatic fever 58	1,725	163	155	172	159	188	145	145	98	124	122	136	118
Diabetes mellitus 61	35,015	3,631	3,418	3,488	2,901	2,795	2,559	2,841	2,377	2,394	2,645	2,835	3,131
Exophthalmic goiter 63b	3,659	386	345	324	306	307	279	328	275	242	275	270	322
Pellagra (except alcoholic) 69	2,123	201	185	182	173	175	181	176	176	168	188	168	150
Alcoholism (ethylism) 77	2,531	255	219	230	208	188	190	202	170	158	223	208	280
Intracranial lesions of vascular origin 83	119,753	12,109	11,055	10,947	10,198	9,875	8,929	9,864	8,557	8,492	9,380	9,660	10,687
Other diseases of the nervous system, etc.* 80-82,84-88	14,145	1,360	1,212	1,303	1,208	1,124	1,135	1,264	1,059	961	1,102	1,166	1,251
Diseases of the ear, nose, and throat 89,104,115	7,006	712	742	763	691	575	570	509	489	430	495	501	529
Chronic rheumatic diseases of heart 90a,92b,92c,93c,95b	27,430	2,785	2,543	2,755	2,333	2,372	2,131	2,119	1,973	1,847	2,072	2,119	2,381
Diseases of coronary arteries and angina pectoris 94	101,463	9,625	8,765	9,040	8,503	8,685	7,775	7,599	7,305	7,587	8,319	8,747	9,513
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	256,298	26,471	24,620	24,398	22,005	21,441	19,025	20,533	17,234	17,687	19,596	20,359	22,929
Pneumonia (all forms) 107-109	72,368	10,990	10,283	8,319	6,347	5,004	3,495	3,337	2,958	3,203	4,414	5,789	8,229
Ulcer of stomach or duodenum 117	8,948	876	698	817	733	752	727	714	645	659	745	736	846
Diarrhea, enteritis, etc.* 119,120	13,573	670	541	611	750	1,100	1,472	2,187	1,786	1,618	1,287	910	641
Appendicitis 121	12,999	1,038	1,080	1,128	1,171	1,121	1,144	1,282	1,260	1,062	946	894	873
Hernia and intestinal obstruction 122	11,877	1,053	1,015	1,058	941	990	974	1,038	986	971	962	937	952
Cirrhosis of the liver 124	11,286	1,074	1,006	1,022	936	911	822	959	834	867	934	926	995
Biliary calculi, etc.* 126,127	7,883	715	635	688	676	672	668	757	653	608	640	620	551
Nephritis 130-132	107,351	10,928	10,179	10,226	9,323	9,189	8,383	8,733	7,318	7,476	8,113	8,229	9,304
Diseases of the prostate 137	8,775	723	737	811	783	761	744	734	728	682	690	660	722
Puerperal septicemia 140,142a,147	3,626	321	315	381	315	313	309	327	328	295	250	230	242
Puerperal toxemias 141a,c,144,148	2,250	183	207	243	218	204	209	204	198	153	160	131	140
Other puerperal causes 141b,d,e,f,142b,143,145,146,149,150	3,000	291	256	270	257	260	238	282	252	254	223	209	208
Congenital malformations 157	13,143	1,158	1,105	1,150	968	1,071	1,046	1,056	1,090	1,058	1,112	1,150	1,179
Premature birth 159	32,346	2,728	2,570	2,769	2,707	2,772	2,744	2,864	2,675	2,559	2,628	2,535	2,795
Suicide 163,164	18,907	1,397	1,391	1,670	1,752	1,770	1,608	1,648	1,624	1,552	1,583	1,392	1,520
Homicide 165-168	8,208	504	569	672	650	704	782	758	780	699	749	592	749
Motor-vehicle accidents 170	34,501	2,574	2,123	2,323	2,267	2,493	2,643	2,784	3,113	3,282	3,614	3,581	3,704
Other accidents 169,171-195	62,384	6,206	4,926	5,019	4,799	4,775	5,287	6,740	5,309	4,607	4,810	4,831	5,075
All other causes*	141,948	14,123	12,926	12,746	11,760	11,601	10,961	11,923	11,054	10,552	11,039	11,143	12,120

*Refer to complete International List titles, table XI.

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	All causes	1,417,269	690,901	540,322	100,102	85,944	29,531	8,909	6,846	7,199	6,577
	I.—Infectious and parasitic diseases	119,755	52,219	34,308	18,653	14,575	3,825	859	767	1,149	1,050
1	Typhoid fever	1,378	546	409	235	188	43	14	7	13	9
2	Paratyphoid fever	65	39	18	6	2	-	-	-	-	-
3	Plague	1	1	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	114	67	33	9	5	3	3	-	-	-
6	Cerebrospinal (meningococcus) meningitis	694	386	224	51	33	23	14	6	3	-
7	Anthrax (infection by Bacillus anthracis)	7	5	2	-	-	-	-	-	-	-
8	Scarlet fever	668	304	329	16	19	13	6	5	2	-
9	Whooping cough	2,926	996	1,135	393	402	120	25	27	35	33
10	Diphtheria (infection by C. diphtheriae)	1,457	649	569	121	118	61	22	24	9	6
11	Erysipelas	451	229	197	16	9	7	4	3	-	-
12	Tetanus	560	250	126	120	64	21	3	1	10	7
13-22	Tuberculosis (all forms)	60,428	26,598	16,613	9,197	8,020	1,499	305	270	445	479
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	742	715	6	21	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	54,834	24,052	15,115	8,357	7,310	1,378	281	254	400	443
14	Tuberculosis of meninges and central nervous system	1,310	512	416	211	171	30	6	5	12	7
15	Tuberculosis of intestines and peritoneum	904	244	319	159	182	24	4	4	10	6
16	Tuberculosis of vertebral column	596	249	184	106	57	17	2	3	8	4
17a	Tuberculosis of bones (except vertebral column)	107	59	23	14	11	1	1	-	-	-
17b	Tuberculosis of joints (except vertebral column)	149	62	44	20	23	7	2	1	2	2
18	Tuberculosis of skin, etc.*	15	7	5	1	2	2	1	-	-	1
19	Tuberculosis of lymphatic system, etc.*	131	47	37	23	24	4	-	-	-	4
20	Tuberculosis of genito-urinary system	436	246	137	29	24	4	1	1	1	1
21	Tuberculosis of other organs	117	54	34	15	14	2	1	-	-	1
22a	Disseminated tuberculosis (acute miliary)	972	312	260	219	181	28	6	2	11	9
22b	Disseminated tuberculosis (other and unspecified)	115	39	33	22	21	2	-	-	1	1
23	Leprosy	43	22	7	11	3	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,495	776	486	115	118	47	17	12	9	9
25	Gonococcus infection	419	50	150	43	176	23	-	3	1	19
26	Other diseases due to bacteria (except dysentery)	189	103	51	19	16	1	-	-	1	-
27	Dysentery	2,460	1,033	853	329	245	86	28	28	14	16
28	Malaria	1,442	391	302	384	365	206	44	36	77	49
29	Other diseases due to parasitic protozoa (except spirochetes)	6	1	2	3	-	-	-	-	-	-
30	Syphilis (all forms)	19,006	8,768	2,933	4,992	2,313	586	86	30	283	187
30a	Locomotor ataxia (tabes dorsalis)	740	525	133	72	10	5	-	2	3	-
30b	General paralysis of insane	4,423	2,404	687	1,036	296	66	19	12	29	6
30c	Other syphilis of central nervous system	1,819	866	322	406	225	75	13	2	41	19
30d	Aneurysm of aorta	3,635	2,022	512	846	255	61	23	2	29	7
30e	Other syphilis of circulatory system	1,525	606	141	588	190	34	8	-	19	7
30f,g	Congenital, other and unspecified forms of syphilis	6,864	2,345	1,138	2,044	1,337	345	23	12	162	148
31	Relapsing fever	2	1	-	-	1	-	-	-	-	-
32	Other diseases due to spirochetes	294	125	98	33	38	5	3	1	-	1
33a	Influenza, with respiratory complications specified	12,223	4,778	4,647	1,441	1,357	587	156	180	128	123
33b	Influenza, without respiratory complications specified	7,934	3,121	3,206	788	819	354	79	99	91	85
34	Smallpox	14	5	8	-	1	-	-	-	-	-
35	Measles	706	306	287	60	53	35	12	12	7	4
36	Acute poliomyelitis and acute polioencephalitis	1,026	592	362	41	31	16	4	7	3	2
37a,c	Infectious encephalitis lethargica (acute and unqualified)	645	328	254	40	23	16	8	4	3	1
37b	Sequelae of encephalitis lethargica	230	146	79	5	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	167	82	72	11	2	6	2	3	1	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	204	121	51	16	16	14	9	-	1	4
40	Ankylostomiasis	33	11	13	6	3	5	1	1	2	1
41	Hydatid disease	32	15	16	-	1	-	-	-	-	-
42	Other diseases caused by helminths	86	30	31	9	16	6	1	1	2	2
43	Mycoses	335	183	82	42	28	8	2	-	2	4
44	Other infectious and parasitic (communicable) diseases	2,015	1,161	663	101	90	33	10	7	7	9
	II.—Cancer and other tumors	164,906	72,836	80,470	4,461	7,139	2,002	601	752	184	465
45-55	Cancer and other malignant tumors	158,335	71,109	76,674	4,297	6,255	1,850	571	699	172	408
45	Cancer of buccal cavity and pharynx	5,097	3,882	930	191	94	75	46	19	4	6
45a-e	Cancer of buccal cavity	3,618	2,791	639	123	65	50	30	12	3	5
45f	Cancer of pharynx	1,479	1,091	291	68	29	25	16	7	1	1
46	Cancer of digestive organs and peritoneum	72,742	37,264	31,261	2,407	1,810	681	256	222	106	97
46a	Cancer of esophagus	2,805	2,033	574	150	48	17	7	6	2	2
46b,c	Cancer of stomach and duodenum	26,526	15,112	9,429	1,215	770	282	112	74	58	38
46f	Cancer of liver and biliary passages	9,747	3,914	5,253	293	287	117	44	42	12	19
46g	Cancer of pancreas	5,357	2,871	2,240	156	90	43	24	10	7	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	28,307	13,334	13,765	593	615	222	69	90	27	36
47	Cancer of respiratory system	9,543	7,002	2,088	338	115	83	46	22	8	7
48	Cancer of uterus	16,741	...	14,295	...	2,446	375	...	183	...	192
49	Cancer of other female genital organs	4,363	...	4,161	...	202	29	...	24	...	5
50	Cancer of breast	15,488	164	14,347	16	961	160	2	111	1	46
51	Cancer of male genital organs	9,885	9,253	...	632	...	91	66	...	25	...
52	Cancer of urinary organs (male and female)	7,561	4,674	2,514	223	150	68	28	23	5	12
53	Cancer of skin (except vulva and scrotum)	3,479	2,144	1,232	48	55	77	33	36	3	5
54	Cancer of central nervous system*	2,403	1,344	968	55	36	23	18	4	1	-
55	Cancer of other and unspecified organs	11,033	5,382	4,878	387	386	188	76	55	19	38
56a	Nonmalignant tumors of ovary	757	...	667	...	90	16	...	7	...	9
56b	Nonmalignant tumors of uterus	2,015	...	1,435	...	580	48	...	14	...	34
56c	Nonmalignant tumors of other female genital organs	54	...	44	...	10	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	1,422	678	619	58	67	25	9	10	1	5

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,815	3,004	1,747	540	524	17,052	6,811	4,989	2,758	2,494	80,270	45,187	31,539	2,335	1,209	12,430	7,082	5,071	167	110	
1,278	612	317	166	183	2,626	855	726	547	498	6,502	3,805	1,936	542	219	1,053	617	380	35	21	
7	-	5	1	1	90	31	24	21	14	35	19	11	4	1	9	4	5	-	-	1
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	-	-	-	2	5	2	3	-	-	3	-	2	1	-	5
7	1	4	1	1	10	5	3	2	-	17	9	8	-	-	4	3	1	-	-	6
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	2	1	-	-	4	3	1	-	-	19	10	8	1	-	6	3	3	-	-	8
52	16	14	13	9	55	11	24	9	11	102	45	52	2	3	31	15	16	-	-	9
16	7	5	2	2	63	32	24	4	3	76	43	27	2	4	12	6	5	1	-	10
4	2	1	1	-	7	4	3	-	-	10	3	7	-	-	5	4	1	-	-	11
1	-	-	-	1	11	4	2	1	4	22	20	2	-	-	5	3	2	-	-	12
853	441	180	110	122	987	279	247	225	236	3,887	2,241	1,119	375	152	600	368	196	20	16	13-22
20	20	-	-	-	1	-	-	1	-	58	58	-	-	-	12	12	-	-	-	13a
795	402	173	103	115	954	266	238	217	233	3,486	2,017	994	338	137	546	333	161	19	13	13b,c
12	5	2	3	2	8	4	2	2	-	98	41	39	12	6	12	8	3	-	1	14
8	4	1	-	3	7	2	3	2	-	45	13	21	8	3	6	-	5	-	1	15
6	3	-	2	1	1	-	1	-	-	30	21	5	4	-	9	6	2	1	-	16
-	-	-	-	-	1	1	-	-	-	10	5	4	1	-	1	-	1	-	-	17a
-	-	-	-	-	2	1	1	-	-	7	5	2	-	-	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	18
1	1	-	-	-	1	-	-	1	-	9	3	5	-	1	1	1	-	-	-	19
3	2	1	-	-	4	1	2	1	-	43	28	12	1	2	5	4	1	-	-	20
1	1	-	-	-	-	-	-	-	-	8	7	-	-	1	1	1	-	-	-	21
7	2	3	1	1	4	3	-	1	-	85	38	35	10	2	4	1	2	-	1	22a
2	1	-	1	-	4	1	-	-	3	6	3	2	1	-	3	2	1	-	-	22b
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	23
9	5	2	-	2	34	18	9	2	5	45	26	14	2	3	9	6	3	-	-	24
5	-	4	-	1	3	-	-	-	3	17	5	9	-	3	-	-	-	-	-	25
-	-	-	-	-	20	16	1	1	2	3	1	1	-	1	1	-	1	-	-	26
35	12	10	6	7	133	46	40	31	16	90	48	37	2	3	14	6	7	-	1	27
-	-	-	-	-	177	44	43	44	46	6	4	2	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	29
110	49	27	16	18	263	77	31	102	53	1,245	865	239	114	27	135	94	25	12	4	30
3	2	1	-	-	3	3	-	-	-	43	35	7	1	-	3	2	1	-	-	30a
12	5	2	3	2	66	31	3	25	7	248	172	42	31	3	35	26	5	3	1	30b
11	3	3	3	2	28	9	4	7	8	118	85	28	4	1	17	12	5	-	-	30c
13	11	1	-	1	21	9	1	6	5	444	310	84	38	12	32	22	3	6	1	30d
7	4	3	-	-	20	4	2	10	4	71	59	3	8	1	6	6	-	-	-	30e
64	24	17	10	13	125	21	21	54	29	321	204	75	32	10	42	26	11	3	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	1	1	-	10	1	5	1	3	17	5	8	2	2	5	3	2	-	-	32
83	36	39	4	4	416	153	147	55	61	476	235	220	11	10	85	38	47	-	-	33a
47	24	15	3	5	276	100	105	39	32	149	69	72	5	3	66	26	40	-	-	33b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	1	3	-	-	34
24	7	2	7	8	13	4	4	3	2	13	4	9	-	-	14	9	5	-	-	35
3	-	2	-	1	15	7	5	2	1	47	24	22	-	1	12	7	5	-	-	36
5	3	2	-	-	5	3	1	1	-	47	22	21	3	1	8	6	2	-	-	37a,c
1	1	-	-	-	2	2	-	-	-	10	7	3	-	-	2	1	1	-	-	37b
-	-	-	-	-	4	1	1	2	-	5	2	3	-	-	2	-	1	1	-	38
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	1	-	-	1	-	1	-	-	3	2	1	-	-	1	-	1	-	-	41
1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	42
3	2	-	-	1	4	4	-	-	-	39	17	4	14	4	5	4	1	-	-	43
6	3	2	1	-	15	6	4	1	4	106	70	33	3	-	13	8	5	-	-	44
430	203	189	12	26	1,347	486	580	85	196	10,472	4,800	5,280	238	154	1,391	640	726	15	10	
410	199	177	12	22	1,258	464	549	82	163	10,128	4,706	5,056	232	134	1,326	618	684	15	9	45-55
12	9	2	1	-	46	30	10	4	2	311	260	40	10	1	22	19	3	-	-	45
10	8	2	-	-	29	16	9	2	2	207	180	20	6	1	18	15	3	-	-	45a-e
2	1	-	1	-	17	14	1	2	-	104	80	20	4	-	4	4	-	-	-	45f
185	94	75	6	10	516	233	207	40	36	4,404	2,346	1,861	147	50	636	319	304	8	5	46
3	1	-	2	-	7	2	2	1	2	166	124	31	11	-	19	12	7	-	-	46a
74	51	17	2	4	229	116	75	20	18	1,673	984	588	71	30	242	134	100	6	2	46b,c
28	9	17	-	2	104	41	49	6	8	493	204	262	19	8	83	29	52	1	1	46f
14	8	6	-	-	22	10	8	3	1	389	228	146	11	4	61	38	23	-	-	46g
66	25	35	2	4	154	64	73	10	7	1,683	806	834	35	8	231	106	122	1	2	46d,e,h,m
26	20	5	1	-	43	29	12	2	-	691	522	153	13	3	63	42	19	2	-	47
46	...	38	...	8	217	...	137	...	80	1,006	...	974	...	32	131	...	130	...	1	48
8	...	8	...	-	16	...	14	...	2	350	...	342	...	8	36	...	35	...	1	49
24	-	23	-	1	115	1	93	-	21	1,126	10	1,091	-	25	121	1	120	-	-	50
34	31	...	3	...	74	57	...	17	...	670	648	...	22	...	109	107	...	2	...	51
16	8	8	-	-	41	22	13	4	2	495	321	159	11	4	63	45	18	-	-	52
17	14	3	-	-	34	26	8	-	-	191	123	64	4	-	31	21	10	-	-	53
6	5	-	1	-	11	7	2	2	-	182	99	77	4	2	12	7	3	-	2	54
36	18	15	-	3	145	59	53	13	20	702	377	295	21	9	102	57	42	3	-	55
4	...	4	...	-	5	...	4	...	1	52	...	46	...	6	9	...	9	...	-	56a
4	...	2	...	2	30	...	9	...	21	95	...	85	...	10	13	...	13	...	-	56b
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	1	...	1	...	-	56c
4	-	4	-	-	8	2	3	1	2	95	44	47	3	1	12	7	5	-	-	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	31	...	28	...	3	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	31	...	18	...	13	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	17	...	11	...	6	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,244	1,049	974	106	115	62	21	21	11	9
	III.—Rheumatism, diseases of nutrition, etc.*	47,568	16,188	26,972	1,486	2,922	775	200	263	116	196
58a-d	Acute rheumatic heart diseases	1,192	481	500	85	126	26	3	5	6	12
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	533	200	198	60	75	22	3	4	7	8
59	Chronic rheumatism and other rheumatic diseases	1,787	605	1,052	60	70	33	12	16	2	3
60	Gout	5	5	-	-	-	-	-	-	-	-
61	Diabetes mellitus	35,015	12,438	20,168	782	1,627	345	105	125	46	69
62	Diseases of pituitary gland	165	54	100	5	6	-	-	-	-	-
63a	Simple goiter	211	35	133	11	32	4	1	-	-	3
63b	Exophthalmic goiter	3,659	574	2,830	45	210	41	2	25	4	10
63c-e	Other diseases of thyroid and parathyroid glands	356	99	242	5	10	2	-	2	-	-
64	Diseases of thymus gland	1,299	711	455	69	64	27	14	8	3	2
65	Diseases of adrenal glands (not specified as tuberculous)	425	197	209	8	11	1	1	-	-	-
66	Other general diseases	444	163	183	56	42	24	9	6	5	4
67	Scurvy	26	15	7	3	1	1	-	1	-	-
68	Beriberi	63	33	18	6	6	1	-	-	1	-
69	Pellagra (except alcoholic)	2,123	472	798	246	607	244	49	71	40	84
70	Rickets	161	70	45	26	20	3	-	-	2	1
71	Other avitaminoses	104	36	34	19	15	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	9,710	4,846	4,256	314	294	145	59	50	19	17
72	Hemorrhagic conditions	638	298	285	34	21	18	6	8	3	1
73a	Pernicious anemia	2,122	961	1,067	30	64	29	9	16	-	4
73b-d	Other anemias (except splenic)	973	362	475	49	87	17	1	9	4	3
74a	Leukemias	4,896	2,719	1,927	160	90	59	27	15	12	5
74b	Aleukemias	247	119	116	5	7	2	2	-	-	-
75	Diseases of spleen	508	255	210	28	15	13	8	1	-	4
76	Other diseases of the blood and blood-forming organs	326	132	176	8	10	7	6	1	-	-
	V.—Chronic poisoning and intoxication	2,724	2,032	311	295	86	34	15	3	13	3
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	68	49	11	6	2	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	2,463	1,868	253	273	69	33	14	3	13	3
78	Lead poisoning	100	70	15	5	10	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	93	45	32	11	5	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	136,345	60,741	58,525	8,260	8,819	2,764	804	702	623	635
80	Encephalitis (nonepidemic)	1,366	708	509	91	58	25	5	13	6	1
81	Meningitis (not due to meningococcus)	2,251	1,142	670	250	189	70	20	17	22	11
82	Diseases of spinal cord (see exceptions)*	2,749	1,497	1,041	99	112	41	17	13	5	6
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	105,210	45,824	45,851	6,365	7,190	2,194	625	546	492	531
83b	Cerebral embolism and thrombosis	10,240	4,843	4,812	300	285	48	21	12	7	8
83c	Cerebral softening	762	391	314	32	25	6	5	1	-	-
83d	Hemiplegia and other paralysis of unspecified origin	3,541	1,423	1,285	406	427	143	42	35	30	36
84	Mental diseases and deficiency (see exception)*	1,360	451	621	150	138	63	9	27	20	7
85	Epilepsy	2,274	1,109	783	241	141	60	14	13	18	15
86	Convulsions (under 5 years)	538	231	162	86	59	19	7	3	5	4
87	Other diseases of nervous system	3,557	1,763	1,575	135	84	49	17	14	10	8
88	Diseases of organs of vision	50	21	20	3	6	1	-	-	-	1
89a	Otitis and other diseases of the ear	1,722	910	650	76	86	36	18	7	5	6
89b	Diseases of mastoid process	725	428	252	26	19	9	4	1	3	1
	VII.—Diseases of the circulatory system	413,954	219,542	158,511	19,242	16,659	5,491	1,950	1,317	1,187	1,037
90	Pericarditis (except acute rheumatic)	610	301	202	61	46	15	3	6	2	4
91a,b	Bacterial and other acute or subacute endocarditis	2,531	1,191	1,005	165	170	50	7	10	14	19
91c	Endocarditis (unspecified, under 45 years)	299	113	104	34	48	5	-	1	1	3
92a-d	Chronic endocarditis and diseases of the valves*	41,894	19,177	17,311	2,815	2,591	1,091	315	251	268	257
92e	Endocarditis (unspecified, 45 years and over)	2,708	1,310	1,022	179	197	23	13	2	4	4
93a	Acute myocarditis (except rheumatic)	4,152	2,020	1,540	299	293	113	30	41	19	23
93b	Myocarditis (unspecified, under 45 years)	725	239	197	133	156	16	5	1	5	5
93c,d	Chronic myocarditis and myocardial degeneration	178,135	86,876	76,845	7,612	6,802	1,976	674	514	427	361
93e	Other myocarditis (unspecified)	18,307	9,030	7,117	1,148	1,012	229	58	48	76	47
94a	Diseases of coronary arteries	94,067	63,082	26,849	2,454	1,682	858	465	181	128	84
94b	Angina pectoris	7,396	4,849	2,067	284	196	169	101	33	20	15
95a	Functional diseases of heart, etc.*	1,021	489	453	45	34	8	4	3	1	-
95b,c	Other and unspecified diseases of heart	33,346	16,789	11,585	2,687	2,285	552	167	106	150	129
96	Aneurysm (except of heart and aorta)	1,167	688	331	96	52	22	9	3	7	3
97	Arteriosclerosis (except coronary or renal sclerosis)	22,727	11,238	9,914	863	712	247	62	91	41	53
98	Gangrene	567	271	169	74	53	13	4	1	4	4
99	Other diseases of arteries	1,857	949	766	67	75	32	8	9	8	7
100	Diseases of veins	810	341	398	35	36	12	3	3	1	5
101	Diseases of lymphatic system	88	45	29	7	7	1	-	1	-	-
102	High blood pressure (idiopathic)	1,374	482	552	152	188	51	21	9	9	12
103	Other diseases of circulatory system	173	62	55	32	24	8	1	3	2	2
	VIII.—Diseases of the respiratory system	87,077	41,368	31,522	8,124	6,063	1,936	583	482	490	381
104a	Diseases of nasal fossae	385	122	85	90	88	31	-	3	12	16
104b	Diseases of accessory sinuses	740	394	252	62	32	19	7	4	5	3
105	Diseases of larynx	436	241	143	29	23	8	4	1	1	2
106a	Acute bronchitis	1,253	583	544	74	52	12	4	5	1	2

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
7	4	2	-	1	45	20	14	2	9	97	50	42	3	2	29	15	13	-	1	57d,e
93	42	39	3	9	397	118	163	35	81	2,188	858	1,253	42	35	302	119	178	4	1	
1	-	1	-	-	7	2	4	-	1	23	10	10	2	1	11	5	6	-	-	58a-d
4	4	-	-	-	17	6	7	1	3	9	4	5	-	-	-	-	-	-	-	58e,f
3	1	1	-	1	23	6	9	4	4	67	27	39	-	1	16	9	7	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
55	25	22	1	7	204	77	86	14	27	1,708	661	991	32	24	200	84	114	2	-	61
-	-	-	-	-	-	-	-	-	-	15	6	9	-	-	3	2	1	-	-	62
1	1	-	-	-	3	-	-	1	2	13	-	11	1	1	-	-	-	-	-	63a
10	4	6	-	-	17	1	14	-	2	137	21	108	5	3	42	8	32	1	1	63b
1	-	1	-	-	3	-	2	-	1	19	8	11	-	-	3	1	2	-	-	63c-e
5	2	2	-	1	9	7	2	-	-	107	71	35	-	1	11	5	5	1	-	64
2	-	2	-	-	2	1	1	-	-	29	15	13	-	1	9	3	6	-	-	65
5	2	2	1	-	3	2	-	1	-	9	4	5	-	-	3	-	3	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	68
5	3	1	1	-	104	12	38	14	40	43	26	13	2	2	1	-	1	-	-	69
1	-	1	-	-	2	2	-	-	-	2	1	1	-	-	3	2	1	-	-	70
-	-	-	-	-	1	-	-	-	1	4	2	1	-	1	-	-	-	-	-	71
18	8	9	-	1	75	35	29	6	5	547	304	226	11	6	87	45	41	1	-	
1	-	1	-	-	9	4	5	-	-	24	17	6	1	-	8	4	4	-	-	72
1	1	-	-	-	18	8	5	1	4	93	54	37	1	1	16	4	12	-	-	73a
2	-	1	-	1	7	2	3	2	-	44	18	24	-	2	3	3	-	-	-	73b-d
9	6	3	-	-	31	14	14	2	1	322	176	136	8	2	53	30	22	1	-	74a
2	-	2	-	-	1	-	1	-	-	15	9	6	-	-	1	1	-	-	-	74b
1	-	1	-	-	6	5	1	-	-	37	25	10	1	1	4	2	2	-	-	75
2	1	1	-	-	3	2	-	1	-	12	5	7	-	-	2	1	1	-	-	76
21	17	2	2	-	15	12	1	2	-	172	138	21	13	-	33	22	6	5	-	
-	-	-	-	-	-	-	-	-	-	9	7	2	-	-	-	-	-	-	-	77a,b
19	16	1	2	-	15	12	1	2	-	156	125	19	12	-	30	20	6	4	-	77c-e
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	2	2	-	-	-	78
2	1	1	-	-	-	-	-	-	-	4	3	-	1	-	1	-	-	1	-	79
347	166	132	31	18	1,564	633	481	217	233	6,907	3,325	3,323	143	116	1,111	562	528	9	12	
6	4	2	-	-	25	15	4	4	2	73	46	23	3	1	19	9	10	-	-	80
16	8	3	3	2	26	12	7	5	2	99	63	31	2	3	22	15	6	1	-	81
3	3	-	-	-	27	9	7	6	5	162	105	50	4	3	28	14	13	-	1	82
251	120	98	23	10	1,163	464	369	152	178	5,228	2,431	2,605	105	87	843	418	410	6	9	83a
19	13	5	-	1	35	18	14	3	-	756	375	355	14	12	83	46	34	1	2	83b
1	1	-	-	-	10	6	4	-	-	96	57	35	3	1	2	1	1	-	-	83c
15	5	6	2	2	129	44	40	22	23	48	25	21	1	1	18	8	10	-	-	83d
7	1	4	1	1	40	12	13	7	8	73	34	35	2	2	8	2	6	-	-	84
3	2	1	-	-	43	17	10	10	6	86	47	35	3	1	25	12	12	1	-	85
5	1	2	1	1	6	2	1	2	1	4	4	-	-	-	3	3	-	-	-	86
10	4	5	1	-	27	12	5	4	6	171	79	89	1	2	30	19	11	-	-	87
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	88
6	2	3	-	1	25	17	4	2	2	77	41	29	4	3	24	10	14	-	-	89a
4	2	2	-	-	8	5	3	-	-	33	18	15	-	-	5	4	1	-	-	89b
1,004	646	282	51	25	3,127	1,466	832	446	383	26,841	15,891	10,232	465	253	3,185	1,899	1,227	32	27	
2	2	-	-	-	12	1	5	3	3	62	40	22	-	-	5	1	4	-	-	90
10	8	1	-	1	23	8	4	5	6	130	74	45	8	3	31	16	14	-	1	91a,b
2	1	1	-	-	6	2	-	3	1	6	2	4	-	-	3	2	1	-	-	91c
95	61	28	3	3	496	203	150	75	68	2,123	1,111	945	41	26	357	167	181	3	6	92a-d
8	4	2	1	1	51	16	19	9	7	95	50	41	-	4	35	20	14	1	-	92e
18	11	4	3	-	50	23	10	11	6	146	83	60	2	1	28	17	11	-	-	93a
1	-	1	-	-	18	2	1	7	8	23	12	10	1	-	4	4	-	-	-	93b
381	218	131	22	10	930	399	286	122	123	13,527	7,689	5,459	239	140	1,204	691	485	17	11	93c,d
48	41	4	2	1	117	46	27	25	19	657	364	279	5	9	266	155	107	1	3	93e
268	190	60	14	4	506	312	100	54	40	6,517	4,554	1,858	81	24	658	483	166	6	3	94a
24	19	4	1	-	120	87	18	12	3	255	163	90	2	-	94	71	23	-	-	94b
2	-	2	-	-	28	17	6	1	4	36	15	20	1	-	1	1	-	-	-	95a
91	57	24	5	5	510	232	134	87	57	1,041	575	418	25	23	228	124	102	1	1	95b,c
-	-	-	-	-	3	-	-	2	1	131	85	41	5	-	17	10	7	-	-	96
43	26	17	-	-	174	86	50	18	20	1,875	963	844	50	18	205	107	93	3	2	97
-	-	-	-	-	8	2	1	4	1	8	7	1	-	-	3	3	-	-	-	98
4	3	1	-	-	13	5	4	1	3	122	62	54	3	3	31	22	9	-	-	99
1	1	-	-	-	6	3	2	1	-	37	22	14	-	1	7	3	4	-	-	100
1	-	1	-	-	3	2	1	-	-	3	2	-	-	1	1	1	-	-	-	101
4	3	1	-	-	47	19	12	5	11	43	16	26	1	-	6	1	5	-	-	102
1	1	-	-	-	6	1	2	1	2	4	2	1	1	-	1	-	1	-	-	103
592	270	179	70	73	1,382	509	467	218	188	4,188	2,385	1,566	154	83	1,031	637	370	16	8	
8	-	-	3	5	9	4	-	2	3	8	5	3	-	-	5	2	3	-	-	104a
2	2	-	-	-	12	5	2	4	1	56	33	18	5	-	6	4	2	-	-	104b
1	1	-	-	-	6	4	1	-	1	11	5	5	1	-	7	6	1	-	-	105
6	2	1	1	2	3	2	-	1	-	59	29	27	2	1	21	14	6	1	-	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,934	1,106	710	72	46	23	13	8	2	-
106c	Bronchitis (unspecified)	771	376	314	41	40	20	7	7	5	1
107	Bronchopneumonia (including capillary bronchitis)	34,539	15,832	13,704	2,745	2,258	646	228	166	125	127
108	Lobar pneumonia	33,169	15,922	11,102	3,607	2,538	856	225	205	245	181
109	Pneumonia (unspecified)	4,660	1,944	1,399	763	554	197	49	41	70	37
110	Pleurisy (not specified as tuberculous)	2,039	1,148	593	182	116	32	13	8	4	7
111a	Hemorrhagic infarction and thrombosis of lungs	1,072	530	437	65	40	11	3	6	2	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	1,966	830	971	77	88	27	10	15	2	-
112	Asthma	2,233	1,089	869	162	113	28	7	7	11	3
113	Pulmonary emphysema	156	114	34	6	2	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	1,724	1,137	365	149	73	26	13	6	5	2
	IX.—Diseases of the digestive system	78,012	40,118	27,995	5,390	4,509	1,572	599	355	350	268
115a,b,d	Diseases of buccal cavity and adnexa	2,034	902	818	136	178	74	26	18	12	18
115c	Diseases of pharynx and tonsils	1,400	673	508	97	122	26	7	2	10	7
116	Diseases of esophagus	226	118	76	14	18	3	-	1	1	1
117a	Ulcer of stomach	6,131	4,528	903	506	194	113	63	11	31	8
117b	Ulcer of duodenum	2,817	2,217	437	132	31	40	28	5	6	1
118	Other diseases of stomach (except cancer)	2,150	861	531	386	372	91	23	16	31	21
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	10,044	4,454	3,419	1,204	967	363	127	92	91	53
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	3,529	1,372	1,494	313	350	154	53	55	14	32
121	Appendicitis	12,999	7,209	4,392	800	598	222	89	50	45	38
122a	Hernia	5,054	2,754	1,835	325	140	73	27	11	25	10
122b	Intestinal obstruction	6,823	2,814	3,001	455	553	130	45	30	25	30
123	Other diseases of intestines	1,717	841	612	135	129	37	10	8	16	3
124a	Cirrhosis of liver (with mention of alcoholism)	1,437	1,060	286	75	16	13	8	-	5	-
124b	Cirrhosis of liver (without mention of alcoholism)	9,849	6,041	3,123	427	258	102	47	14	22	19
125a	Acute yellow atrophy of liver (nonpuerperal)	532	237	217	33	45	14	5	1	3	5
125b	Other diseases of liver	1,070	477	394	103	96	18	11	1	4	2
126	Biliary calculi	4,641	1,441	3,070	37	93	32	8	20	1	3
127	Other diseases of gallbladder and biliary ducts	3,242	1,110	1,923	68	141	27	11	8	3	5
128	Diseases of pancreas (except diabetes mellitus)	850	445	357	32	16	8	4	4	-	-
129	Peritonitis (cause not stated)	1,467	564	599	112	192	32	7	8	5	12
	X.—Diseases of the genito-urinary system	125,579	59,983	46,264	10,426	8,906	3,036	932	657	803	644
130	Acute nephritis	3,298	1,309	1,019	514	456	129	31	33	27	38
131a	Arteriosclerotic kidney	69,865	31,554	28,411	5,135	4,765	1,555	492	338	404	321
131b	Other chronic nephritis	29,676	13,540	11,226	2,619	2,291	921	276	210	224	211
132	Nephritis unspecified (10 years and over)	4,512	2,025	1,487	574	426	107	30	19	39	19
133	Other diseases of kidneys and ureters, etc.*	3,840	1,669	1,598	308	265	78	22	25	19	12
134	Calculi of urinary passages	1,814	1,155	565	51	43	23	13	6	3	1
135	Diseases of urinary bladder	824	425	243	123	33	16	7	2	6	1
136	Diseases of urethra (except calculus)	591	310	28	250	3	27	3	1	23	-
137	Diseases of prostate	8,775	7,954	...	821	...	115	58	...	57	...
138	Diseases of other male genital organs (except venereal)	73	42	...	31	...	1	-	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1,623	...	1,085	...	538	44	...	11	...	33
139b	Diseases of uterus	649	...	573	...	76	18	...	11	...	7
139c	Diseases of other and unspecified female genital organs	39	...	29	...	10	2	...	1	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	8,876	...	6,614	...	2,262	386	...	158	...	228
140	Abortion with mention of infection	1,334	...	1,005	...	329	51	...	24	...	27
140a,b	Abortion (septic), spontaneous or therapeutic*	1,018	...	738	...	280	44	...	20	...	24
140c,d	Abortion (septic), self-induced or nontherapeutic*	316	...	267	...	49	7	...	4	...	3
141	Abortion without mention of infection	348	...	260	...	88	12	...	4	...	8
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	80	...	60	...	20	4	...	2	...	2
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	240	...	174	...	66	7	...	1	...	6
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	28	...	26	...	2	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	85	...	66	...	19	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	307	...	231	...	76	10	...	5	...	5
143a	Placenta praevia (death before delivery)	22	...	15	...	7	1	...	-	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	33	...	20	...	13	2	...	-	...	2
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	709	...	460	...	249	42	...	20	...	22
144c,d	Other toxemias of pregnancy (death before delivery)*	230	...	162	...	68	11	...	5	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	304	...	225	...	79	12	...	2	...	10
146a	Placenta praevia (with childbirth)	230	...	180	...	50	7	...	2	...	5
146b,c	Other hemorrhages of childbirth and puerperium	807	...	647	...	160	19	...	8	...	11
147a,b	Puerperal pyelitis, other general or local puerperal infection*	1,462	...	1,055	...	407	62	...	15	...	47
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	745	...	655	...	90	20	...	13	...	7
146a,b	Puerperal eclampsia and nephritis*	1,076	...	748	...	328	82	...	32	...	50
148c,d	Other puerperal toxemias	155	...	115	...	40	6	...	2	...	4
149	Other accidents and specified conditions of childbirth	550	...	452	...	98	17	...	12	...	5
150	Other and unspecified conditions of childbirth and puerperium	479	...	318	...	161	31	...	13	...	18
	XII.—Diseases of the skin and cellular tissue	1,489	651	592	126	120	47	13	20	6	8
151	Carbuncle and furuncle	366	205	123	14	24	16	5	7	2	2
152	Phlegmon and acute abscess	466	218	158	52	38	12	4	5	1	2
153	Other diseases of skin and cellular tissue	657	228	311	60	58	19	4	8	3	4
	XIII.—Diseases of the bones, etc.*	1,190	626	401	96	67	33	13	13	4	3
154	Osteomyelitis and periostitis	721	423	187	66	45	26	12	9	2	3
155	Other diseases of bones (except tuberculosis)	138	45	82	7	4	2	-	1	1	-
156	Diseases of joints and other organs of movement	331	158	132	23	18	5	1	3	1	-
157	XIV.—Congenital malformations	13,143	6,720	5,596	485	342	211	90	77	26	18

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
17	12	4	1	-	22	9	9	1	3	88	60	24	3	1	18	11	7	-	-	106b
4	2	1	-	1	14	3	5	3	3	23	13	8	1	1	6	5	1	-	-	106c
272	106	95	39	32	432	158	169	48	57	2,175	1,175	887	71	42	456	271	178	5	2	107
166	86	54	11	15	597	217	178	119	83	1,183	727	378	49	29	370	226	131	8	5	108
40	12	6	9	13	186	64	61	34	27	85	59	17	8	1	11	4	6	1	-	109
11	5	2	1	3	15	7	7	-	1	139	76	51	7	5	20	15	5	-	-	110
4	1	2	1	-	1	-	-	1	-	53	27	25	1	-	18	12	5	1	-	111a
15	5	7	2	1	30	9	17	1	3	87	32	50	2	3	13	7	6	-	-	111b,c
31	23	6	2	-	20	11	5	1	3	118	67	51	-	-	37	20	16	-	1	112
2	2	-	-	-	1	-	1	-	-	15	11	4	-	-	4	3	1	-	-	113
13	11	1	-	1	34	16	12	3	3	88	66	18	4	-	39	37	2	-	-	114
483	216	150	56	61	1,171	496	345	179	151	4,669	2,807	1,655	145	62	873	504	355	7	7	
5	2	3	-	-	32	11	9	5	7	77	42	30	5	-	26	11	14	1	-	115a,b,d
5	2	1	1	1	11	4	6	-	1	62	39	21	2	-	14	9	5	-	-	115c
1	1	-	-	-	3	2	-	-	1	8	4	3	1	-	6	3	3	-	-	116
20	16	3	1	-	69	39	12	10	8	429	341	66	19	3	62	53	8	1	-	117a
3	2	1	-	-	13	11	-	2	-	235	189	36	8	2	57	39	16	2	-	117b
11	7	3	1	-	78	19	18	16	25	46	28	14	3	1	21	17	4	-	-	118
210	84	63	29	34	268	114	82	40	32	401	213	160	15	13	165	92	72	-	1	119
33	10	10	8	5	119	32	44	24	19	98	53	42	1	2	36	19	14	-	3	120
70	31	28	5	6	209	110	53	32	14	642	401	223	11	7	165	91	72	2	-	121
6	5	-	1	-	47	18	12	12	5	277	173	100	3	1	33	18	15	-	-	122a
29	13	11	2	3	107	47	34	14	12	359	154	186	14	5	66	31	35	-	-	122b
5	1	3	-	1	27	9	8	4	6	116	72	41	3	-	13	10	3	-	-	123
5	3	1	1	-	6	4	1	-	1	323	224	88	8	3	10	7	3	-	-	124a
32	23	6	1	2	67	35	17	8	7	955	582	323	35	15	64	45	18	-	1	124b
2	2	-	-	-	1	1	-	-	-	47	26	18	-	3	7	2	5	-	-	125a
7	3	1	1	2	20	8	5	5	2	85	49	30	5	1	15	9	5	1	-	125b
17	4	9	1	3	29	5	21	1	2	256	98	153	1	4	58	19	38	-	1	126
15	5	3	3	4	33	14	13	4	2	147	64	77	5	1	33	18	14	-	1	127
4	1	3	-	-	3	1	1	-	1	62	35	23	4	-	8	6	2	-	-	128
3	1	1	1	-	29	12	9	2	6	44	20	21	2	1	14	5	9	-	-	129
296	166	93	23	14	1,687	713	391	336	247	5,764	3,226	2,299	136	103	1,088	607	457	15	9	
14	7	3	3	1	85	33	20	15	17	90	48	33	6	3	36	20	15	-	1	130
141	78	48	9	6	728	309	190	128	101	3,333	1,715	1,483	74	61	587	305	268	9	5	131a
77	45	31	1	2	528	208	118	120	82	1,148	607	491	29	21	240	134	100	5	1	131b
21	11	7	1	2	96	44	20	15	17	111	61	43	6	1	39	22	17	-	-	132
9	4	2	3	-	50	23	14	10	3	245	115	120	5	5	32	14	17	-	1	133
6	5	-	1	-	16	9	4	-	3	132	100	26	4	2	19	13	6	-	-	134
4	3	-	1	-	19	8	2	8	1	40	28	11	1	-	12	7	4	1	-	135
3	2	-	1	-	10	2	-	8	-	33	30	1	2	-	-	-	-	-	-	136
16	13	...	3	...	107	76	...	31	...	531	522	...	9	...	92	92	...	-	...	137
-	-	...	-	...	2	1	...	1	...	-	-	...	-	...	-	-	...	-	...	138
4	...	2	...	2	35	...	16	...	19	78	...	69	...	9	25	...	24	...	1	139a
1	...	-	...	1	10	...	7	...	3	21	...	20	...	1	6	...	6	...	-	139b
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	-	...	-	...	-	139c
59	...	39	...	20	187	...	112	...	75	312	...	289	...	23	86	...	82	...	4	
10	...	10	...	-	24	...	20	...	4	46	...	41	...	5	20	...	19	...	1	140
6	...	6	...	-	19	...	15	...	4	25	...	21	...	4	11	...	11	...	-	140a,b
4	...	4	...	-	5	...	5	...	-	21	...	20	...	1	9	...	8	...	1	140c,d
1	...	-	...	1	13	...	7	...	6	18	...	17	...	1	8	...	7	...	1	141
-	...	-	...	-	3	...	1	...	2	5	...	5	...	-	1	...	1	...	-	141a,c
1	...	-	...	1	10	...	6	...	4	10	...	9	...	1	7	...	6	...	1	141b,d
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	141e,f
1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	2	...	1	...	1	142a
3	...	3	...	-	3	...	2	...	1	11	...	10	...	1	1	...	1	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143a
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	143b,c
4	...	-	...	4	25	...	13	...	12	9	...	8	...	1	7	...	7	...	-	144a,b
4	...	1	...	3	4	...	1	...	3	7	...	6	...	1	2	...	2	...	-	144c,d
1	...	-	...	1	6	...	3	...	3	9	...	8	...	1	3	...	2	...	1	145
2	...	2	...	-	4	...	2	...	2	12	...	11	...	1	1	...	1	...	-	146a
8	...	6	...	2	13	...	11	...	2	34	...	30	...	4	6	...	6	...	-	146b,c
6	...	3	...	3	33	...	15	...	18	51	...	50	...	1	16	...	16	...	-	147a,b
5	...	5	...	-	11	...	8	...	3	30	...	29	...	1	8	...	8	...	-	147c,d
4	...	3	...	1	25	...	13	...	12	33	...	28	...	5	5	...	5	...	-	148a,b
2	...	1	...	1	3	...	3	...	-	7	...	7	...	-	2	...	2	...	-	148c,d
1	...	1	...	-	1	...	1	...	-	31	...	30	...	1	-	...	-	...	-	149
7	...	3	...	4	18	...	10	...	8	13	...	13	...	-	4	...	4	...	-	150
8	2	2	2	2	40	17	9	6	8	61	27	30	3	1	6	1	4	1	-	
1	1	-	-	-	11	8	1	1	1	16	8	7	1	-	2	1	1	-	-	151
5	-	2	1	2	11	5	3	1	2	20	10	8	1	1	2	-	1	1	-	152
2	1	-	1	-	18	4	5	4	5	25	9	15	1	-	2	-	2	-	-	153
1	-	-	-	1	17	11	5	-	1	52	31	19	1	1	15	11	4	-	-	
1	-	-	-	1	8	4	3	-	1	29	21	6	1	1	9	7	2	-	-	154
-	-	-	-	-	2	1	1	-	-	6	2	4	-	-	1	1	-	-	-	155
-	-	-	-	-	7	6	1	-	-	17	8	9	-	-	5	3	2	-	-	156
57	26	25	3	3	132	61	53	11	7	625	342	259	13	11	124	64	58	1	1	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	XV.—Diseases peculiar to the first year of life	51,593	25,521	17,935	4,536	3,601	1,547	557	367	362	261
158	Congenital debility (cause not stated)	2,827	1,030	759	588	450	109	29	17	40	23
159	Premature birth (cause not stated)	32,346	15,696	11,603	2,681	2,366	1,036	360	254	228	194
160a	Intracranial or spinal hemorrhage	4,782	2,700	1,568	328	186	106	48	24	22	12
160b,c	Other injuries at birth	5,724	3,144	2,018	329	233	156	69	36	34	17
161	Other diseases peculiar to the first year of life	5,914	2,951	1,987	610	366	140	51	36	38	15
162	XVI.—Senility	10,127	3,542	4,323	1,148	1,114	480	66	113	139	162
	XVII.—Violent or accidental deaths	124,121	76,949	31,607	11,738	3,827	2,597	1,120	427	786	264
163,164	Suicide	18,907	13,990	4,294	476	147	236	166	50	16	4
163	Suicide by poisoning	5,623	3,454	2,020	83	66	36	16	18	2	-
	Suicide by solid or liquid poisons	2,574	1,303	1,146	70	55	36	16	18	2	-
	Suicide by poisonous gases	3,049	2,151	874	13	11	-	-	-	-	-
164a	Suicide by hanging or strangulation	3,554	2,706	764	70	14	18	10	7	-	1
164b	Suicide by drowning	848	521	283	35	9	6	3	-	3	-
164c	Suicide by firearms and explosives	7,073	6,087	732	223	31	145	116	22	5	2
164d	Suicide by cutting or piercing instruments	717	583	101	30	3	15	9	2	4	-
164e	Suicide by jumping from high places	747	435	280	17	15	8	7	-	-	1
164f	Suicide by crushing	150	105	35	8	2	2	1	-	1	-
164g	Suicide by other or unspecified means	195	99	79	10	7	6	4	1	1	-
165-168	Homicide[1]	8,208	2,927	796	3,599	886	466	110	18	270	68
166	Homicide by firearms	4,655	1,733	467	2,028	427	244	61	12	142	29
167	Homicide by cutting or piercing instruments	2,064	431	83	1,229	321	144	21	1	94	28
168	Homicide by other means	1,489	763	246	342	138	78	28	5	34	11
169-195	Accidental deaths	96,885	59,982	26,517	7,592	2,794	1,889	843	359	495	192
169	Railway accidents (except collisions with motor vehicles)	3,200	2,561	181	414	44	76	42	-	30	4
170a	Collisions between automobiles and trains	1,707	1,212	403	80	12	17	12	2	3	-
170b	Collisions between automobiles and streetcars	132	100	22	8	2	3	3	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	32,245	22,381	6,780	2,454	630	573	314	95	132	32
170d	Motorcycle accidents (except collisions with automobiles)	417	370	36	11	-	10	8	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	364	249	92	17	6	2	1	-	1	-
171b	Other and unspecified road-transport accidents	269	177	43	38	11	11	4	2	5	-
172	Water-transport accidents	1,036	830	90	112	4	32	19	2	11	-
173	Air-transport accidents	565	517	43	4	1	13	13	-	-	-
174	Accidents in mines and quarries	1,919	1,771	8	140	-	57	32	3	22	-
175a	Accidents involving agricultural machinery and vehicles	857	781	24	47	5	11	7	-	4	-
175b,c	Other agricultural accidents, including injury by animals	1,111	959	49	98	5	12	5	1	6	-
175d	Accidents involving forestry machinery and vehicles	55	51	-	4	-	2	1	-	1	-
175e	Other forestry accidents	269	240	1	28	-	2	2	-	-	-
176	Other accidents involving machinery	1,046	923	24	96	3	23	17	-	6	-
177	Food poisoning	546	221	176	81	68	29	10	5	6	8
178	Accidental absorption of poisonous gas	1,562	1,110	389	45	18	3	1	1	1	-
179	Acute accidental poisoning by solids or liquids	1,324	659	473	121	71	28	8	4	8	8
180	Conflagration	2,239	984	584	369	302	42	10	5	15	12
181	Accidental burns (except conflagration)	5,270	2,077	2,021	560	612	220	48	63	49	60
182	Accidental mechanical suffocation	1,489	696	485	180	128	61	22	12	12	15
183	Accidental drowning	5,308	3,910	611	721	66	100	42	11	41	6
184	Accidental injury by firearms	2,390	1,696	197	395	102	95	41	7	38	9
185	Accidental injury by cutting or piercing instruments	507	284	81	104	38	21	4	3	8	6
186a	Accidental injury by fall	22,752	9,993	11,881	526	352	185	65	95	16	9
186b	Accidental injury by crushing	423	325	27	67	4	15	8	-	7	-
187	Cataclysm, etc.*	217	107	51	35	24	8	-	1	4	3
188	Injury by animals (except in agriculture and forestry)	184	125	39	15	5	12	8	1	2	1
189	Hunger or thirst	26	8	7	6	5	-	-	-	-	-
190	Excessive cold	499	255	62	138	44	23	4	1	12	6
191	Excessive heat	787	493	168	90	36	17	3	2	11	1
192	Lightning	340	245	38	40	17	12	8	1	2	1
193	Accidents due to electric currents (except lightning)	655	578	38	36	3	11	8	-	3	-
194	Poisoning by venomous animals (except in agriculture and forestry)	100	48	29	19	4	6	2	1	3	-
195a,b	Accidents due to medical or surgical intervention	51	19	21	6	5	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	931	488	323	73	47	11	6	1	4	-
195c,e	Other and unspecified accidents	4,093	2,539	1,020	414	120	146	65	38	32	11
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	121	50	-	71	-	6	1	-	5	-
	XVIII.—Ill-defined and unknown causes	21,100	7,019	4,120	5,322	4,639	2,650	448	323	942	937
199	Sudden death	1,502	646	294	308	254	140	47	26	31	36
200a	Ill-defined	6,572	2,991	1,339	1,217	1,025	666	121	67	232	246
200b	Found dead (cause unknown)	835	366	208	170	91	76	30	15	21	10
200c	Unknown or unspecified	12,191	3,016	2,279	3,627	3,269	1,768	250	215	658	645

*Refer to complete International List titles, teble XI.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
318	154	117	23	24	569	266	199	63	41	2,281	1,269	900	66	46	575	339	228	4	4	
27	13	8	1	5	56	22	15	10	9	50	29	18	2	1	35	18	17	-	-	158
181	90	67	14	10	360	168	131	38	23	1,441	755	607	46	33	387	220	160	3	4	159
30	17	9	1	3	29	16	12	1	-	158	100	56	2	-	38	26	12	-	-	160a
40	24	10	3	3	77	41	22	10	4	303	184	112	2	5	62	41	21	-	-	160b,c
40	10	23	4	3	47	19	19	4	5	329	201	107	14	7	53	34	18	1	-	161
43	18	6	12	7	291	93	82	63	53	204	80	122	2	-	128	55	67	6	-	162
651	413	152	58	28	1,429	738	312	285	94	8,381	5,833	2,102	353	93	1,288	927	344	14	3	
67	51	14	1	1	123	90	27	5	1	1,878	1,373	423	69	13	215	170	45	-	-	163,164
17	11	6	-	-	28	17	11	-	-	679	437	224	13	5	55	36	19	-	-	163
11	6	5	-	-	28	17	11	-	-	363	169	176	13	5	26	12	14	-	-	
6	5	1	-	-	-	-	-	-	-	316	268	48	-	-	29	24	5	-	-	
5	2	3	-	-	10	7	3	-	-	270	184	62	20	4	20	15	5	-	-	164a
1	1	-	-	-	6	4	-	2	-	77	53	20	4	-	6	3	3	-	-	164b
40	33	5	1	1	63	51	9	2	1	642	542	76	22	2	117	101	16	-	-	164c
1	1	-	-	-	8	6	1	1	-	92	73	12	6	1	9	8	1	-	-	164d
3	3	-	-	-	1	-	1	-	-	85	60	21	4	-	6	5	1	-	-	164e
-	-	-	-	-	-	-	-	-	-	21	18	3	-	-	-	-	-	-	-	164f
-	-	-	-	-	7	5	2	-	-	12	6	5	-	1	2	2	-	-	-	164g
46	27	5	10	4	194	56	19	94	25	337	175	85	58	19	52	38	13	1	-	165-168
24	17	3	4	-	122	36	13	62	11	167	85	44	27	11	33	25	7	1	-	166
8	5	-	3	-	45	9	2	23	11	65	27	9	24	5	3	1	2	-	-	167
14	5	2	3	4	27	11	4	9	3	105	63	32	7	3	16	12	4	-	-	168
537	334	133	47	23	1,106	591	266	181	68	6,160	4,279	1,594	226	61	1,021	719	286	13	3	169-195
22	17	1	4	-	56	42	-	13	1	229	201	12	14	2	28	25	2	1	-	169
2	2	-	-	-	16	13	-	2	1	117	73	34	9	1	38	28	10	-	-	170a
-	-	-	-	-	-	-	-	-	-	23	17	4	1	1	3	2	1	-	-	170b
236	148	65	19	4	283	185	57	32	9	2,841	2,056	637	117	31	329	228	98	3	-	170c
3	3	-	-	-	5	4	1	-	-	37	31	5	1	-	2	2	-	-	-	170d
-	-	-	-	-	5	3	-	2	-	25	18	7	-	-	1	-	1	-	-	171a
2	2	-	-	-	-	-	-	-	-	7	6	-	-	1	4	3	-	1	-	171b
-	-	-	-	-	10	7	2	1	-	66	57	7	2	-	1	1	-	-	-	172
5	3	2	-	-	9	8	1	-	-	62	57	4	1	-	13	13	-	-	-	173
16	16	-	-	-	16	14	1	1	-	32	31	1	-	-	47	47	-	-	-	174
-	-	-	-	-	11	10	-	-	1	32	29	-	3	-	13	13	-	-	-	175a
8	7	1	-	-	13	9	-	3	1	23	20	2	1	-	15	14	-	1	-	175b,c
-	-	-	-	-	2	1	-	1	-	3	3	-	-	-	1	1	-	-	-	175d
1	1	-	-	-	4	3	-	1	-	17	16	-	1	-	-	-	-	-	-	175e
4	4	-	-	-	12	8	-	4	-	68	67	-	1	-	6	6	-	-	-	176
5	2	2	-	1	20	7	6	3	4	10	6	3	-	1	11	6	5	-	-	177
3	3	-	-	-	5	3	2	-	-	80	62	15	3	-	21	15	5	1	-	178
11	3	3	3	2	18	8	7	1	2	76	37	38	-	1	9	3	5	1	-	179
10	4	3	2	1	47	21	10	9	7	89	50	33	4	2	9	6	3	-	-	180
28	12	11	2	3	98	33	43	9	13	192	112	74	3	3	42	21	20	1	-	181
7	5	1	-	1	25	10	7	5	3	73	46	21	4	2	25	17	8	-	-	182
27	20	5	1	1	67	38	4	21	4	383	313	46	21	3	43	34	9	-	-	183
17	10	3	3	1	75	34	10	27	4	89	82	5	2	-	38	35	2	1	-	184
1	-	-	1	-	12	7	-	4	1	19	16	2	1	-	6	5	1	-	-	185
67	34	21	8	4	120	45	57	7	11	1,200	594	582	17	7	238	135	101	1	1	186a
7	7	-	-	-	6	5	-	1	-	27	24	2	-	1	9	8	1	-	-	186b
-	-	-	-	-	7	3	4	-	-	7	2	4	1	-	1	1	-	-	-	187
6	3	3	-	-	1	-	1	-	-	5	4	-	1	-	4	3	1	-	-	188
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	189
-	-	-	-	-	8	2	2	4	-	4	4	-	-	-	3	2	-	-	1	190
13	6	6	-	1	14	4	1	8	1	30	19	7	3	1	1	1	-	-	-	191
1	1	-	-	-	5	2	1	2	-	-	-	-	-	-	10	8	2	-	-	192
4	4	-	-	-	13	12	-	1	-	42	38	4	-	-	6	6	-	-	-	193
9	3	3	2	1	3	1	1	1	-	4	3	1	-	-	3	1	1	1	-	194
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	195a,b
4	2	2	-	-	11	4	2	5	-	49	28	17	4	-	7	5	2	-	-	195d
17	11	1	2	3	108	44	46	13	5	198	156	27	11	4	31	24	5	1	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	6	1	-	5	-	6	6	-	-	-	-	-	-	-	-	198
116	45	14	28	29	996	302	202	259	233	104	66	27	8	3	54	33	16	2	3	
3	2	-	1	-	76	32	15	20	9	3	3	-	-	-	2	2	-	-	-	199
52	32	11	4	5	138	55	33	23	27	53	39	13	1	-	38	23	13	2	-	200a
2	2	-	-	-	30	12	6	10	2	3	2	-	1	-	2	2	-	-	-	200b
59	9	3	23	24	752	203	148	206	195	45	22	14	6	3	12	6	3	-	3	200c

TABLE 15—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	17,886	9,443	7,995	240	208	3,261	1,379	1,226	356	300
	I.—Infectious and parasitic diseases	926	530	314	54	28	246	87	60	63	36
1	Typhoid fever	4	3	1	-	-	2	-	2	-	-
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	2	3	-	-	2	-	1	-	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	3	1	1	1	-
9	Whooping cough	5	1	3	1	-	7	3	3	-	1
10	Diphtheria (infection by C. diphtheriae)	3	1	2	-	-	-	-	-	-	-
11	Erysipelas	7	3	4	-	-	3	1	2	-	-
12	Tetanus	1	1	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	597	343	208	28	18	125	46	28	33	18
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	17	16	1	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	526	302	185	26	13	111	44	28	25	14
14	Tuberculosis of meninges and central nervous system	15	8	6	-	1	3	1	-	1	1
15	Tuberculosis of intestines and peritoneum	10	3	5	-	2	-	-	-	-	-
16	Tuberculosis of vertebral column	9	4	3	1	1	2	-	-	1	1
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	1	-	-	-	1
20	Tuberculosis of genito-urinary system	6	4	2	-	-	1	-	-	-	1
21	Tuberculosis of other organs	1	1	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	13	5	6	1	1	7	1	-	6	-
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	23	13	9	1	-	1	-	1	-	-
25	Gonococcus infection	5	1	2	1	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	1	1	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	2	1	-	-	1
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	156	97	29	22	8	58	17	7	21	13
30a	Locomotor ataxia (tabes dorsalis)	8	8	-	-	-	1	-	-	1	-
30b	General paralysis of insane	33	22	8	3	-	11	3	3	4	1
30c	Other syphilis of central nervous system	11	6	2	2	1	5	2	2	1	-
30d	Aneurysm of aorta	37	22	9	5	1	8	6	1	1	-
30e	Other syphilis of circulatory system	14	9	2	3	-	10	1	-	7	2
30f,g	Congenital, other and unspecified forms of syphilis	53	30	8	9	6	23	5	1	7	10
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	1	-	-	1	-
33a	Influenza, with respiratory complications specified	38	20	17	-	1	17	6	8	2	1
33b	Influenza, without respiratory complications specified	21	11	9	1	-	11	3	4	3	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	4	2	2	-	-	-	-	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	3	2	1	-	-	2	2	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	7	3	4	-	-	-	-	-	-	-
37b	Sequelae of encephalitis lethargica	3	3	-	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	2	1	1	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	2	1	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-
43	Mycoses	2	2	-	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	33	17	16	-	-	9	4	3	2	-
	II.—Cancer and other tumors	2,712	1,273	1,392	18	29	355	144	168	14	29
45-55	Cancer and other malignant tumors	2,618	1,243	1,331	18	26	344	143	164	14	23
45	Cancer of buccal cavity and pharynx	83	69	13	-	1	17	13	1	2	1
45a-e	Cancer of buccal cavity	55	47	7	-	1	10	8	-	1	1
45f	Cancer of pharynx	28	22	6	-	-	7	5	1	1	-
46	Cancer of digestive organs and peritoneum	1,221	647	554	10	10	157	72	68	8	9
46a	Cancer of esophagus	45	31	13	1	-	2	2	-	-	-
46b,c	Cancer of stomach and duodenum	423	252	164	4	3	48	21	20	5	2
46f	Cancer of liver and biliary passages	102	36	64	1	1	26	8	13	2	3
46g	Cancer of pancreas	85	43	41	1	-	11	5	5	-	1
46d,p,h,m	Cancer of other digestive organs and peritoneum	566	285	272	3	6	70	36	30	1	3
47	Cancer of respiratory system	183	140	41	2	-	12	8	3	-	1
48	Cancer of uterus	217	...	215	...	2	33	...	28	...	5
49	Cancer of other female genital organs	96	...	89	...	7	6	...	5	...	1
50	Cancer of breast	288	4	279	-	5	42	1	38	-	3
51	Cancer of male genital organs	170	168	...	2	...	23	20	...	3	...
52	Cancer of urinary organs (male and female)	129	83	43	2	1	27	17	8	-	2
53	Cancer of skin (except vulva and scrotum)	44	30	14	-	-	8	7	-	-	1
54	Cancer of central nervous system*	27	14	13	-	-	4	-	4	-	-
55	Cancer of other and unspecified organs	160	88	70	2	-	15	5	9	1	-
56a	Nonmalignant tumors of ovary	7	...	7	...	-	-	...	-	...	-
56b	Nonmalignant tumors of uterus	28	...	26	...	2	6	...	1	...	5
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	20	9	11	-	-	1	1	-	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,657	3,185	2,493	1,536	1,423	22,926	9,361	5,884	4,362	3,319	32,513	10,217	7,313	8,030	6,953	4,890	3,038	1,757	56	39	
728	203	105	246	174	2,464	653	397	782	632	3,858	923	677	1,143	1,095	320	204	94	14	8	
3	-	-	1	2	21	6	9	2	4	70	14	14	22	20	6	4	2	-	-	1
-	-	-	-	-	2	-	1	1	-	3	1	-	1	1	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	3	3	-	-	-	3	1	-	2	-	2	2	-	-	-	5
6	2	2	1	1	13	6	2	5	-	13	6	3	3	1	4	3	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	-	-	1	1	-	1	-	-	16	11	4	-	1	8	6	2	-	-	8
13	3	3	3	4	39	13	10	8	8	110	23	31	30	26	7	5	2	-	-	9
3	1	1	1	-	26	6	13	6	1	64	26	20	9	9	1	-	1	-	-	10
1	1	-	-	-	7	1	5	1	-	10	6	3	1	-	5	3	2	-	-	11
6	1	1	3	1	43	6	-	21	16	34	10	3	16	5	-	-	-	-	-	12
427	105	53	146	123	960	276	107	312	265	1,530	323	226	432	549	95	58	21	11	5	13-22
-	-	-	-	-	2	2	-	-	-	3	3	-	-	-	9	9	-	-	-	13a
356	98	41	125	92	907	255	99	300	253	1,413	306	204	392	511	64	40	15	6	3	13b,c
11	1	1	6	3	7	3	-	3	1	18	4	7	4	3	10	-	3	5	2	14
11	1	3	-	7	13	-	5	3	5	20	-	3	6	11	2	1	1	-	-	15
8	-	2	3	3	4	3	1	-	-	8	1	1	5	1	4	3	1	-	-	16
-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	17a
3	-	-	1	2	3	2	-	-	1	8	-	1	3	4	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	1	-	-	-	6	-	1	5	-	-	-	-	-	-	19
1	-	-	1	-	6	5	1	-	-	3	1	1	1	-	1	1	-	-	-	20
6	1	1	3	1	-	-	-	-	-	3	1	-	1	1	1	-	1	-	-	21
29	4	5	6	14	15	3	1	6	5	42	6	7	14	15	4	4	-	-	-	22a
2	-	-	1	1	1	1	-	-	-	4	-	1	1	2	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
7	4	1	1	1	39	10	12	10	7	60	26	9	14	11	4	2	2	-	-	24
5	-	-	3	2	17	-	3	1	13	29	1	3	5	20	3	1	2	-	-	25
-	-	-	-	-	2	-	-	1	1	5	2	-	3	-	1	1	-	-	-	26
10	6	2	2	-	30	7	6	9	8	123	37	29	34	23	8	5	3	-	-	27
1	1	-	-	-	96	23	16	24	33	107	29	14	34	30	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
166	53	14	75	24	506	105	42	235	124	642	124	37	306	175	42	31	8	2	1	30
1	1	-	-	-	11	7	-	4	-	16	7	1	5	3	5	4	1	-	-	30a
39	12	3	21	3	59	9	3	33	14	112	32	11	50	19	8	7	1	-	-	30b
22	7	1	8	6	44	14	6	17	7	62	21	3	25	13	3	3	-	-	-	30c
51	20	5	19	7	68	28	5	27	8	96	26	3	45	22	9	6	3	-	-	30d
29	6	3	15	5	57	7	4	37	9	48	8	-	36	4	2	2	-	-	-	30e
24	7	2	12	3	267	40	24	117	86	308	30	19	145	114	15	9	3	2	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	-	1	1	4	1	-	1	2	14	5	-	1	8	2	1	1	-	-	32
26	8	12	3	3	364	101	90	88	85	521	136	165	116	104	55	30	23	-	2	33a
24	8	9	2	5	205	55	50	45	55	362	95	84	92	91	43	28	14	1	-	33b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	7	2	3	2	-	24	6	8	2	8	4	3	1	-	-	35
5	2	2	-	1	7	3	3	-	1	14	5	4	3	2	3	3	-	-	-	36
3	1	1	-	1	7	7	-	-	-	3	2	-	1	-	6	3	3	-	-	37a,c
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	37b
2	1	-	1	-	3	1	1	-	1	3	1	2	-	-	-	-	-	-	-	38
2	-	1	-	1	16	6	4	4	2	29	14	7	4	4	8	7	1	-	-	39
-	-	-	-	-	10	1	7	1	1	9	3	4	2	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	5	1	2	2	-	-	-	-	-	-	42
1	1	-	-	-	5	3	-	2	-	4	1	1	2	-	1	1	-	-	-	43
11	3	2	3	3	29	10	11	3	5	30	13	4	6	7	7	3	4	-	-	44
1,070	414	407	102	147	1,941	794	784	126	237	2,157	667	839	209	442	490	257	228	2	3	
1,017	396	395	98	128	1,830	769	739	123	199	2,001	643	784	193	381	470	250	216	2	2	45-55
29	24	1	3	1	83	57	12	8	6	75	45	17	7	6	14	11	3	-	-	45
19	15	1	2	1	58	42	9	3	4	57	39	11	4	3	10	7	3	-	-	45a-c
10	9	-	1	-	25	15	3	5	2	18	6	6	3	3	4	4	-	-	-	45f
408	180	134	54	40	755	353	275	57	50	751	286	271	103	91	240	130	107	1	2	46
24	13	3	5	3	24	15	8	1	-	24	10	10	2	2	-	-	-	-	-	46a
128	56	33	26	13	279	133	86	40	20	313	123	99	59	32	117	70	46	-	1	46b,c
46	19	15	9	3	106	42	55	3	6	107	31	44	16	16	36	16	19	1	-	46f
28	11	10	3	4	56	33	18	2	3	53	27	17	4	5	16	12	4	-	-	46g
182	81	73	11	17	270	130	108	11	21	254	95	101	22	36	71	32	38	-	1	46d,e,h,m
77	46	13	14	4	125	93	19	8	5	88	63	14	8	3	22	16	6	-	-	47
108	...	65	...	43	275	...	183	...	92	359	...	195	...	164	36	...	36	...	-	48
38	...	33	...	5	25	...	19	...	6	45	...	36	...	9	10	...	10	...	-	49
106	-	84	1	21	160	1	134	-	25	203	1	144	1	57	32	-	32	-	-	50
66	52	...	14	...	131	111	...	20	...	127	89	...	38	...	53	52	...	1	...	51
63	37	20	3	3	83	44	24	11	4	62	23	21	8	10	23	19	4	-	-	52
11	5	6	-	-	66	40	18	5	3	75	42	26	2	5	6	5	1	-	-	53
11	7	3	-	1	27	15	12	-	-	42	24	13	3	2	6	4	2	-	-	54
100	45	36	9	10	120	55	43	14	8	174	70	47	23	34	28	13	15	-	-	55
3	...	1	...	2	12	...	6	...	6	16	...	9	...	7	3	...	3	...	-	56a
16	...	4	...	12	52	...	29	...	23	56	...	17	...	39	4	...	4	...	-	56b
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	56c
10	6	-	1	3	18	8	5	1	4	31	9	11	4	7	3	2	1	-	-	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	38	21	16	-	1	3	-	2	-	1
	III.—Rheumatism, diseases of nutrition, etc.*	730	256	458	5	11	101	33	50	6	12
58a-d	Acute rheumatic heart diseases	20	11	8	1	-	3	2	-	-	1
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	4	-	3	1	-	2	1	1	-	-
59	Chronic rheumatism and other rheumatic diseases	17	5	12	-	-	1	1	-	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	612	221	380	3	8	80	28	40	4	8
62	Diseases of pituitary gland	2	1	1	-	-	-	-	-	-	-
63a	Simple goiter	2	-	2	-	-	1	-	-	-	1
63b	Exophthalmic goiter	42	4	35	-	3	11	-	8	1	2
63c-e	Other diseases of thyroid and parathyroid glands	6	1	5	-	-	-	-	-	-	-
64	Diseases of thymus gland	7	4	3	-	-	1	1	-	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	8	3	5	-	-	-	-	-	-	-
66	Other general diseases	3	3	-	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	1	-	1	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	-	-	-	-	-
70	Rickets	2	1	1	-	-	1	-	-	1	-
71	Other avitaminoses	1	-	1	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	115	59	53	1	2	25	10	15	-	-
72	Hemorrhagic conditions	10	6	4	-	-	3	-	3	-	-
73a	Pernicious anemia	11	5	6	-	-	7	3	4	-	-
73b-d	Other anemias (except splenic)	12	3	8	1	-	1	1	-	-	-
74a	Leukemias	72	41	29	-	2	11	6	5	-	-
74b	Aleukemias	4	1	3	-	-	1	-	1	-	-
75	Diseases of spleen	4	3	1	-	-	2	-	2	-	-
76	Other diseases of the blood and blood-forming organs	2	-	2	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	55	51	3	-	1	6	4	-	2	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	51	47	3	-	1	6	4	-	2	-
78	Lead poisoning	3	3	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,746	817	898	14	17	312	134	124	23	31
80	Encephalitis (nonepidemic)	10	5	4	-	1	6	1	4	-	1
81	Meningitis (not due to meningococcus)	20	12	7	1	-	6	5	1	-	-
82	Diseases of spinal cord (see exceptions)*	36	20	14	2	-	4	1	1	2	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,345	614	707	10	14	241	101	94	17	29
83b	Cerebral embolism and thrombosis	207	94	113	-	-	33	15	17	1	-
83c	Cerebral softening	6	2	4	-	-	1	-	-	1	-
83d	Hemiplegia and other paralysis of unspecified origin	17	7	10	-	-	7	5	2	-	-
84	Mental diseases and deficiency (see exception)*	4	1	3	-	-	-	-	-	-	-
85	Epilepsy	25	18	7	-	-	4	1	1	1	1
86	Convulsions (under 5 years)	7	2	4	-	1	-	-	-	-	-
87	Other diseases of nervous system	44	25	19	-	-	6	2	3	1	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	16	11	4	1	-	2	1	1	-	-
89b	Diseases of mastoid process	9	6	2	-	1	2	2	-	-	-
	VII.—Diseases of the circulatory system	6,375	3,426	2,828	58	63	1,000	457	370	86	87
90	Pericarditis (except acute rheumatic)	6	2	3	1	-	1	-	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	40	21	18	-	1	6	2	2	-	2
91c	Endocarditis (unspecified, under 45 years)	5	3	1	-	1	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	410	190	215	1	4	108	46	39	13	10
92e	Endocarditis (unspecified, 45 years and over)	27	15	11	1	-	4	2	2	-	-
93a	Acute myocarditis (except rheumatic)	92	49	43	-	-	15	3	6	3	3
93b	Myocarditis (unspecified, under 45 years)	3	-	1	1	1	2	-	1	1	-
93c,d	Chronic myocarditis and myocardial degeneration	3,176	1,544	1,573	29	30	416	171	166	34	45
93e	Other myocarditis (unspecified)	147	67	78	1	1	56	24	21	5	6
94a	Diseases of coronary arteries	1,718	1,155	537	13	13	203	115	71	10	7
94b	Angina pectoris	21	13	8	-	-	15	7	6	2	-
95a	Functional diseases of heart, etc.*	9	6	3	-	-	3	1	2	-	-
95b,c	Other and unspecified diseases of heart	359	177	166	7	9	87	45	21	12	9
96	Aneurysm (except of heart and aorta)	17	9	8	-	-	5	4	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	295	149	139	4	3	68	33	27	5	3
98	Gangrene	3	3	-	-	-	-	-	-	-	-
99	Other diseases of arteries	24	11	13	-	-	7	3	3	-	1
100	Diseases of veins	16	9	7	-	-	2	-	1	-	1
101	Diseases of lymphatic system	1	-	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	5	2	3	-	-	1	-	-	1	-
103	Other diseases of circulatory system	1	1	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	792	459	320	9	4	199	70	79	33	17
104a	Diseases of nasal fossae	-	-	-	-	-	1	-	1	-	-
104b	Diseases of accessory sinuses	6	2	4	-	-	1	-	1	-	-
105	Diseases of larynx	8	4	3	1	-	-	-	-	-	-
106a	Acute bronchitis	15	5	10	-	-	8	-	6	1	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	57c
24	12	7	3	2	28	17	4	2	5	49	15	17	12	5	10	5	4	-	1	57d,e
281	81	124	27	49	603	189	233	66	115	823	228	298	106	191	162	78	83	-	1	
7	2	2	1	2	20	1	3	9	7	27	8	7	6	6	7	6	1	-	-	58a-d
3	-	1	-	2	10	2	4	2	2	19	3	3	8	5	2	1	1	-	-	58e,f
8	4	2	-	2	34	9	16	6	3	35	12	16	3	4	12	5	6	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
222	65	102	19	36	372	136	157	28	51	380	142	139	40	59	92	45	47	-	-	61
2	-	1	-	1	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-	62
1	-	-	1	-	5	2	2	-	1	8	-	3	-	5	-	-	-	-	-	63a
14	3	9	-	2	27	6	16	1	4	31	1	20	2	8	26	6	20	-	-	63b
3	1	2	-	-	8	4	2	-	2	2	-	2	-	-	1	1	-	-	-	63c-e
8	1	2	3	2	20	10	5	2	3	22	9	6	2	5	10	8	2	-	-	64
4	3	1	-	-	3	3	-	-	-	4	1	2	-	1	4	3	1	-	-	65
5	-	2	2	1	16	2	5	3	6	27	7	7	6	7	4	2	2	-	-	66
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	67
2	1	-	-	1	2	1	-	-	1	2	1	1	-	-	1	-	1	-	-	68
1	-	-	1	-	72	11	20	11	30	251	42	90	30	89	3	1	2	-	-	69
-	-	-	-	-	4	1	-	-	3	4	-	-	2	2	-	-	-	-	-	70
1	1	-	-	-	8	1	3	3	1	8	1	1	6	-	-	-	-	-	-	71
71	34	22	8	7	119	54	45	10	10	163	54	52	24	33	33	19	13	-	1	
2	1	1	-	-	6	3	2	1	-	14	5	2	5	2	3	2	1	-	-	72
5	3	2	-	-	30	9	14	3	4	27	7	8	4	8	5	3	2	-	-	73a
12	3	4	1	4	16	4	7	1	4	38	9	13	2	14	5	2	3	-	-	73b-d
42	25	10	5	2	49	29	15	4	1	63	26	19	12	6	18	10	7	-	1	74a
2	-	2	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	74b
5	1	1	2	1	9	5	3	1	-	12	3	7	1	1	-	-	-	-	-	75
3	1	2	-	-	7	3	3	-	1	8	4	2	-	2	2	2	-	-	-	76
27	14	4	9	-	56	27	6	16	7	80	54	3	16	7	11	10	1	-	-	
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	77a,b
26	14	4	8	-	55	26	6	16	7	72	48	1	16	7	9	8	1	-	-	77c-e
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	78
1	-	-	1	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	79
712	230	232	113	137	2,489	933	678	444	434	3,584	1,068	805	844	867	477	260	211	3	3	
9	5	1	2	1	15	7	6	-	2	36	17	9	8	2	4	4	-	-	-	80
20	11	4	4	1	26	9	1	12	4	80	27	17	14	22	10	4	6	-	-	81
12	4	3	1	4	37	25	9	1	2	47	16	14	9	8	11	7	4	-	-	82
550	165	185	89	111	2,059	756	567	360	376	2,880	850	647	675	708	350	184	162	1	3	83a
70	28	22	7	13	121	62	43	9	7	77	32	17	14	14	27	15	11	1	-	83b
2	-	1	1	-	9	6	3	-	-	12	4	7	1	-	2	1	1	-	-	83c
17	5	5	2	5	90	20	15	33	22	213	56	43	54	60	17	12	5	-	-	83d
2	2	-	-	-	19	3	7	5	4	44	4	9	17	14	8	5	3	-	-	84
6	1	1	2	2	28	11	1	13	3	56	16	9	21	10	16	7	8	1	-	85
1	-	-	1	-	13	3	4	5	1	38	8	6	14	10	1	-	1	-	-	86
14	4	8	2	-	40	21	10	6	3	57	20	14	15	8	15	10	5	-	-	87
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	88
5	3	1	1	-	23	7	9	-	7	33	11	10	2	10	8	6	2	-	-	89a
4	2	1	1	-	7	2	2	-	3	11	7	3	-	1	7	4	3	-	-	89b
2,438	963	690	387	398	5,562	2,856	1,530	701	475	6,452	2,388	1,439	1,398	1,227	1,260	830	421	7	2	
11	5	2	3	1	17	4	5	4	4	15	5	2	4	4	1	-	1	-	-	90
19	8	4	3	4	35	15	10	6	4	71	22	12	16	21	9	5	4	-	-	91a,b
-	-	-	-	-	4	1	-	2	1	17	5	-	6	6	2	2	-	-	-	91c
174	60	51	27	36	630	237	183	122	88	704	197	145	200	162	166	105	60	1	-	92a-d
12	6	3	2	1	48	20	12	11	5	85	29	15	23	18	16	12	4	-	-	92e
19	6	5	2	6	113	43	24	31	15	109	27	20	29	33	18	16	2	-	-	93a
2	-	1	1	-	30	4	7	7	12	91	9	11	34	37	3	2	1	-	-	93b
990	337	307	178	168	1,673	825	543	180	125	1,825	629	419	428	349	429	255	172	2	-	93c,d
322	110	76	61	75	345	152	90	60	43	623	210	146	135	132	66	38	28	-	-	93e
510	315	133	35	27	1,516	1,019	344	94	59	1,188	644	281	133	130	298	223	72	3	-	94a
6	5	1		-	198	120	46	19	13	211	116	51	28	16	35	24	11	-	-	94b
6	1	3	1	1	19	7	7	4	1	27	11	9	4	3	3	1	2	-	-	95a
152	45	38	30	39	591	256	159	111	65	1,062	358	210	266	228	113	76	35	-	2	95b,c
17	5	1	8	3	22	11	7	3	1	17	6	6	4	1	3	3	-	-	-	96
174	49	60	32	33	232	111	76	24	21	264	84	82	56	42	75	54	20	1	-	97
4	1	-	1	2	8	3	1	2	2	21	2	3	8	8	3	2	1	-	-	98
9	4	4	1	-	24	13	5	4	2	31	15	8	1	7	8	6	2	-	-	99
5	2	1	2	-	7	2	-	2	3	18	3	2	6	7	6	1	5	-	-	100
-	-	-	-	-	2	-	1	1	-	4	1	-	-	3	-	-	-	-	-	101
6	4	-	-	2	44	13	10	11	10	56	14	14	14	14	4	3	1	-	-	102
-	-	-	-	-	4	-	-	3	1	13	1	3	3	6	2	2	-	-	-	103
659	240	166	149	104	1,313	508	325	280	200	2,314	685	495	625	509	280	174	95	6	5	
-	-	-	-	-	13	3	-	6	4	18	1	1	7	9	3	2	1	-	-	104a
6	2	3	-	1	11	5	3	3	-	18	6	5	5	2	5	2	3	-	-	104b
3	3	-	-	-	10	3	4	2	1	12	3	3	5	1	-	-	-	-	-	105
11	3	4	3	1	8	3	2	2	1	19	8	4	4	3	3	2	-	1	-	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	33	22	11	-	-	8	5	2	1	-
106c	Bronchitis (unspecified)	4	1	3	-	-	3	1	1	-	1
107	Bronchopneumonia (including capillary bronchitis)	265	141	120	3	1	65	27	20	12	6
108	Lobar pneumonia	330	208	115	5	2	85	29	36	15	5
109	Pneumonia (unspecified)	19	15	4	-	-	7	2	1	2	2
110	Pleurisy (not specified as tuberculous)	19	10	9	-	-	6	1	3	1	1
111a	Hemorrhagic infarction and thrombosis of lungs	28	15	12	-	1	1	1	-	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	16	4	12	-	-	7	3	3	-	1
112	Asthma	21	10	11	-	-	2	-	1	1	-
113	Pulmonary emphysema	2	2	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	26	20	6	-	-	5	1	4	-	-
	IX.—Diseases of the digestive system	872	519	340	9	4	147	62	60	19	6
115a,b,d	Diseases of buccal cavity and adnexa	17	7	10	-	-	2	1	1	-	-
115c	Diseases of pharynx and tonsils	12	4	5	2	1	4	2	-	2	-
116	Diseases of esophagus	2	1	1	-	-	-	-	-	-	-
117a	Ulcer of stomach	69	57	12	-	-	10	3	1	5	1
117b	Ulcer of duodenum	39	34	5	-	-	10	4	5	1	-
118	Other diseases of stomach (except cancer)	11	9	2	-	-	1	1	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	43	26	17	-	-	14	3	6	2	3
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	19	8	10	1	-	4	1	2	1	-
121	Appendicitis	148	97	46	4	1	27	15	9	3	-
122a	Hernia	79	46	33	-	-	15	8	5	2	-
122b	Intestinal obstruction	53	23	29	1	-	11	4	6	-	1
123	Other diseases of intestines	24	13	11	-	-	4	1	2	1	-
124a	Cirrhosis of liver (with mention of alcoholism)	20	17	3	-	-	1	1	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	170	111	59	-	-	22	15	5	1	1
125a	Acute yellow atrophy of liver (nonpuerperal)	6	3	3	-	-	-	-	-	-	-
125b	Other diseases of liver	8	2	5	-	1	2	-	1	1	-
126	Biliary calculi	89	33	55	1	-	8	1	7	-	-
127	Other diseases of gallbladder and biliary ducts	36	14	21	-	1	9	2	7	-	-
128	Diseases of pancreas (except diabetes mellitus)	10	5	5	-	-	3	-	3	-	-
129	Peritonitis (cause not stated)	17	9	8	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	1,354	710	600	24	20	398	164	148	43	43
130	Acute nephritis	15	10	4	1	-	9	1	4	2	2
131a	Arteriosclerotic kidney	922	459	435	17	11	255	107	101	24	23
131b	Other chronic nephritis	226	116	104	3	3	86	33	30	8	15
132	Nephritis unspecified (10 years and over)	15	4	11	-	-	6	-	5	-	1
133	Other diseases of kidneys and ureters, etc.*	41	20	18	1	2	13	7	4	2	-
134	Calculi of urinary passages	24	19	4	-	1	5	4	1	-	-
135	Diseases of urinary bladder	9	3	5	-	1	1	1	-	-	-
136	Diseases of urethra (except calculus)	4	3	1	-	-	1	-	-	1	-
137	Diseases of prostate	78	76	...	2	...	16	11	...	5	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	1	-	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	14	...	12	...	2	4	...	2	...	2
139b	Diseases of uterus	6	...	6	...	-	1	...	1	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	71	...	69	...	2	25	...	16	...	9
140	Abortion with mention of infection	6	...	5	...	1	6	...	3	...	3
140a,b	Abortion (septic), spontaneous or therapeutic*	4	...	3	...	1	5	...	3	...	2
140c,d	Abortion (septic), self-induced or nontherapeutic*	2	...	2	...	-	1	...	-	...	1
141	Abortion without mention of infection	2	...	2	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	4	...	4	...	-	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	2	...	2	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	2	...	1	4	...	2	...	2
146a	Placenta praevia (with childbirth)	2	...	2	...	-	2	...	-	...	2
146b,c	Other hemorrhages of childbirth and puerperium	5	...	5	...	-	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	15	...	15	...	-	6	...	4	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	13	...	13	...	-	2	...	2	...	-
148a,b	Puerperal eclampsia and nephritis*	6	...	6	...	-	2	...	2	...	-
148c,d	Other puerperal toxemias	1	...	1	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	8	...	8	...	-	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	12	3	9	-	-	1	-	1	-	-
151	Carbuncle and furuncle	4	1	3	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	6	1	5	-	-	1	-	1	-	-
	XIII.—Diseases of the bones, etc.*	11	8	3	-	-	4	3	-	1	-
154	Osteomyelitis and periostitis	5	4	1	-	-	1	1	-	-	-
155	Other diseases of bones (except tuberculosis)	1	-	1	-	-	1	-	-	1	-
156	Diseases of joints and other organs of movement	5	4	1	-	-	2	2	-	-	-
157	XIV.—Congenital malformations	173	87	81	2	3	25	11	10	3	1

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
11	5	5	1	-	23	15	5	3	-	36	15	11	5	5	6	4	1	-	1	106b
3	2	-	1	-	10	5	4	-	1	22	12	4	4	2	2	1	1	-	-	106c
222	85	50	41	46	493	194	128	98	73	753	243	199	175	136	114	64	43	4	3	107
281	94	74	72	41	478	178	111	104	85	1,017	286	187	298	246	96	64	31	1	-	108
38	18	9	6	5	89	23	13	38	15	224	40	27	90	67	14	9	4	-	1	109
20	8	2	8	2	31	17	4	6	4	44	14	13	10	7	2	2	-	-	-	110
21	3	9	7	2	16	7	7	1	1	9	2	2	-	5	2	2	-	-	-	111a
4	2	1	-	1	42	23	14	1	4	71	23	27	8	13	11	5	6	-	-	111b,c
13	4	6	2	1	56	22	22	9	3	42	16	10	7	9	14	9	5	-	-	112
1	-	-	1	-	3	1	1	1	-	2	1	-	-	1	-	-	-	-	-	113
25	11	3	7	4	30	9	7	6	8	27	15	2	7	3	8	8	-	-	-	114
525	219	132	97	77	1,304	523	275	266	240	1,845	637	434	454	320	326	198	121	3	4	
9	4	4	-	1	38	10	9	4	15	71	19	19	17	16	11	6	5	-	-	115a,b,d
4	1	2	-	1	18	7	5	4	2	42	20	10	4	8	14	6	8	-	-	115c
3	2	-	-	1	-	-	-	-	-	5	1	1	2	1	2	-	2	-	-	116
26	18	1	6	1	129	64	13	34	18	133	62	15	37	19	40	33	7	-	-	117a
22	16	2	3	1	29	19	7	2	1	44	28	3	10	3	13	11	2	-	-	117b
4	1	-	-	3	133	29	8	55	41	74	18	7	29	20	6	4	2	-	-	118
68	23	11	23	11	147	57	31	36	23	398	121	98	111	68	35	13	19	2	1	119
17	3	7	3	4	70	22	14	15	19	142	40	36	41	25	8	3	5	-	-	120
80	26	16	22	16	195	83	42	40	30	281	108	59	63	51	84	58	25	1	-	121
27	10	7	8	2	53	26	15	9	3	87	35	15	27	10	18	13	5	-	-	122a
52	15	13	11	13	150	47	46	19	38	183	41	56	37	49	29	21	7	-	1	122b
26	13	8	3	2	29	13	6	1	9	47	12	9	16	10	5	1	4	-	-	123
11	9	2	-	-	11	9	1	1	-	51	31	4	16	-	6	6	-	-	-	124a
84	52	20	8	4	152	86	29	25	12	98	47	23	17	11	15	9	5	-	1	124b
8	1	3	-	4	7	2	2	-	3	14	3	6	4	1	2	1	1	-	-	125a
7	1	2	2	2	31	8	10	7	6	32	7	9	6	10	5	5	-	-	-	125b
21	6	12	-	3	30	15	10	2	3	31	10	18	2	1	15	3	11	-	1	126
25	6	13	3	3	45	14	16	8	7	46	14	26	2	4	12	2	10	-	-	127
12	5	2	4	1	10	7	3	-	-	11	8	3	-	-	4	2	2	-	-	128
19	7	7	1	4	27	5	8	4	10	55	12	17	13	13	2	1	1	-	-	129
871	303	279	134	155	2,245	919	562	460	304	3,908	1,276	893	930	809	373	229	139	4	1	
18	5	5	2	6	106	29	18	33	26	272	47	52	93	80	9	7	2	-	-	130
645	224	225	94	102	1,263	522	340	243	158	1,952	671	492	420	369	192	118	70	3	1	131a
75	25	23	10	17	450	173	119	91	67	1,127	364	267	244	252	104	59	45	-	-	131b
25	8	7	4	6	70	18	18	24	10	127	34	19	43	31	15	5	9	1	-	132
39	17	11	6	5	74	23	25	11	15	119	30	32	30	27	11	5	6	-	-	133
10	6	3	-	1	42	24	10	5	3	34	18	10	2	4	6	3	3	-	-	134
6	1	3	2	-	21	7	2	11	1	18	5	2	8	3	3	3	-	-	-	135
2	-	-	2	-	27	10	1	16	-	34	6	-	27	1	1	1	-	-	-	136
29	17	...	12	...	133	110	...	23	...	160	101	...	59	...	28	28	...	-	...	137
2	-	...	2	...	6	3	...	3	...	4	-	...	4	...	-	-	...	-	...	138
18	...	1	...	17	43	...	25	...	18	44	...	12	...	32	1	...	1	...	-	139a
2	...	1	...	1	9	...	4	...	5	16	...	7	...	9	3	...	3	...	-	139b
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	139c
45	...	25	...	20	219	...	114	...	105	370	...	162	...	208	42	...	42	...	-	
12	...	7	...	5	34	...	20	...	14	44	...	15	...	29	9	...	9	...	-	140
9	...	4	...	5	31	...	18	...	13	37	...	11	...	26	7	...	7	...	-	140a,b
3	...	3	...	-	3	...	2	...	1	7	...	4	...	3	2	...	2	...	-	140c,d
1	...	1	...	-	7	...	3	...	4	17	...	5	...	12	3	...	3	...	-	141
-	...	-	...	-	1	...	1	...	-	5	...	1	...	4	-	...	-	...	-	141a,c
-	...	-	...	-	6	...	2	...	4	11	...	3	...	8	3	...	3	...	-	141b,d
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
1	...	1	...	-	1	...	-	...	1	3	...	1	...	2	1	...	1	...	-	142a
5	...	2	...	3	9	...	4	...	5	6	...	4	...	2	1	...	1	...	-	142b
-	...	-	...	-	-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	145a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	143b,c
2	...	2	...	-	34	...	14	...	20	40	...	23	...	17	-	...	-	...	-	144a,b
2	...	-	...	2	4	...	1	...	3	14	...	5	...	9	-	...	-	...	-	144c,d
2	...	1	...	1	7	...	6	...	1	10	...	5	...	5	1	...	1	...	-	145
-	...	-	...	-	8	...	3	...	5	5	...	1	...	4	2	...	2	...	-	146a
3	...	1	...	2	14	...	9	...	5	30	...	11	...	19	7	...	7	...	-	146b,c
6	...	5	...	1	38	...	18	...	20	69	...	26	...	43	6	...	6	...	-	147a,b
2	...	1	...	1	8	...	5	...	3	17	...	13	...	4	2	...	2	...	-	147c,d
1	...	-	...	1	29	...	16	...	13	55	...	29	...	26	3	...	3	...	-	148a,b
2	...	-	...	2	3	...	2	...	1	6	...	2	...	4	1	...	1	...	-	148c,d
5	...	3	...	2	13	...	7	...	6	16	...	10	...	6	5	...	5	...	-	149
1	...	1	...	-	9	...	6	...	3	35	...	12	...	23	1	...	1	...	-	150
6	-	1	3	2	34	16	7	5	6	69	16	19	19	15	1	1	-	-	-	
1	-	-	1	-	11	4	4	2	1	15	9	1	-	5	-	-	-	-	-	151
4	-	-	2	2	19	11	3	1	4	18	3	2	9	4	1	1	-	-	-	152
1	-	1	-	-	4	1	-	2	1	36	4	16	10	6	-	-	-	-	-	153
8	3	2	2	1	19	7	8	-	4	16	5	4	3	4	2	2	-	-	-	
5	2	-	2	1	15	5	7	-	3	10	4	2	1	3	-	-	-	-	-	154
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	155
2	1	1	-	-	3	1	1	-	1	6	1	2	2	1	2	2	-	-	-	156
70	22	23	10	15	172	73	62	24	13	213	98	74	25	16	62	37	25	-	-	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	488	272	190	13	13	111	42	36	17	16
158	Congenital debility (cause not stated)	3	1	2	-	-	6	2	3	-	1
159	Premature birth (cause not stated)	286	145	126	6	9	68	24	20	11	13
160a	Intracranial or spinal hemorrhage	64	35	20	6	3	13	6	5	1	1
160b,c	Other injuries at birth	71	48	21	1	1	8	4	3	1	-
161	Other diseases peculiar to the first year of life	84	43	21	-	-	16	6	5	4	1
162	XVI.—Senility	22	5	17	-	-	19	5	11	-	3
	XVII.—Violent or accidental deaths	1,386	935	408	33	10	277	150	75	44	8
163,164	Suicide	306	223	77	6	-	38	27	8	3	-
163	Suicide by poisoning	117	75	40	2	-	16	8	7	1	-
	Suicide by solid or liquid poisons	27	19	6	2	-	3	1	1	1	-
	Suicide by poisonous gases	90	56	34	-	-	13	7	6	-	-
164a	Suicide by hanging or strangulation	70	58	12	-	-	5	5	-	-	-
164b	Suicide by drowning	19	10	8	1	-	1	1	-	-	-
164c	Suicide by firearms and explosives	60	54	3	3	-	16	13	1	2	-
164d	Suicide by cutting or piercing instruments	16	13	3	-	-	-	-	-	-	-
164e	Suicide by jumping from high places	17	8	9	-	-	-	-	-	-	-
164f	Suicide by crushing	5	4	1	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	2	1	1	-	-	-	-	-	-	-
165-168	Homicide [1]	31	21	7	2	1	12	2	1	8	1
166	Homicide by firearms	8	5	3	-	-	9	2	1	5	1
167	Homicide by cutting or piercing instruments	4	-	2	1	1	2	-	-	2	-
168	Homicide by other means	19	16	2	1	-	1	-	-	1	-
169-195	Accidental deaths	1,047	689	324	25	9	227	121	66	33	7
169	Railway accidents (except collisions with motor vehicles)	14	14	-	-	-	6	3	1	2	-
170a	Collisions between automobiles and trains	4	3	-	1	-	3	2	1	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	338	264	60	10	4	91	55	21	15	-
170d	Motorcycle accidents (except collisions with automobiles)	2	2	-	-	-	1	1	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	-	-	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	3	3	-	-	-	-	-	-	-	-
172	Water-transport accidents	6	5	1	-	-	1	1	-	-	-
173	Air-transport accidents	2	2	-	-	-	2	2	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	1	1	-	-	-
175a	Accidents involving agricultural machinery and vehicles	3	3	-	-	-	-	-	-	-	-
175b,c	Other agricultural accidents, including injury by animals	10	9	1	-	-	3	3	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	13	11	1	-	1	1	-	-	1	-
177	Food poisoning	1	-	1	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	41	31	9	1	-	3	-	3	-	-
179	Acute accidental poisoning by solids or liquids	16	11	4	-	1	2	1	1	-	-
180	Conflagration	23	15	7	1	-	8	5	1	2	-
181	Accidental burns (except conflagration)	44	28	14	1	1	11	2	6	1	2
182	Accidental mechanical suffocation	9	6	2	-	1	6	-	6	-	-
183	Accidental drowning	76	64	9	3	-	17	10	-	6	1
184	Accidental injury by firearms	9	8	1	-	-	5	2	-	1	2
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	2	1	-	1	-
186a	Accidental injury by fall	342	149	190	3	-	51	27	21	1	2
186b	Accidental injury by crushing	4	2	-	2	-	-	-	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	-	1	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	4	4	-	-	-	3	1	-	2	-
191	Excessive heat	4	4	-	-	-	2	-	2	-	-
192	Lightning	5	4	1	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	7	6	1	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	13	8	5	-	-	1	-	1	-	-
195c,e	Other and unspecified accidents	49	30	16	2	1	6	3	2	1	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	2	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	46	33	12	-	1	10	3	3	2	2
199	Sudden death	11	9	2	-	-	-	-	-	-	-
200a	Ill-defined	22	15	6	-	1	5	1	2	-	2
200b	Found dead (cause unknown)	4	2	2	-	-	1	1	-	-	-
200c	Unknown or unspecified	9	7	2	-	-	4	1	1	2	-

* Refer to complete International List titles, table II.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
402	135	92	95	80	846	317	214	180	135	1,843	573	379	512	379	256	151	103	1	1	
10	2	1	6	1	63	22	4	20	17	489	73	43	214	159	10	8	2	-	-	158
281	91	61	64	65	545	197	158	99	91	995	362	249	220	164	158	90	67	1	-	159
60	24	15	12	9	48	26	9	12	1	89	37	20	16	16	22	15	7	-	-	160a
23	15	7	1	-	99	41	19	25	14	122	52	32	22	16	43	23	20	-	-	160b,c
28	3	8	12	5	91	31	24	24	12	148	49	35	40	24	23	15	7	-	1	161
9	4	4	1	-	262	83	79	56	44	706	124	158	237	187	77	37	39	-	1	162
702	318	181	149	54	2,531	1,199	478	684	170	3,044	1,181	438	1,091	334	634	496	132	5	1	
137	74	49	12	2	285	200	74	8	3	283	193	53	29	8	92	77	15	-	-	163,164
65	38	23	2	2	100	54	41	3	2	57	24	23	5	5	17	10	7	-	-	163
20	12	7	1	-	52	22	25	3	2	48	17	21	5	5	14	7	7	-	-	
45	26	16	1	2	48	32	16	-	-	9	7	2	-	-	3	3	-	-	-	
14	6	6	2	-	19	15	4	-	-	13	7	4	2	-	11	10	1	-	-	164a
6	5	1	-	-	15	8	6	1	-	7	3	-	3	1	4	4	-	-	-	164b
23	14	4	5	-	134	109	20	4	1	180	139	22	17	2	53	47	6	-	-	164c
4	2	1	1	-	8	7	1	-	-	10	7	1	2	-	3	3	-	-	-	164d
25	9	14	2	-	6	5	1	-	-	10	9	1	-	-	2	1	1	-	-	164e
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	164f
-	-	-	-	-	2	1	1	-	-	5	3	2	-	-	1	1	-	-	-	164g
91	22	3	55	11	409	92	11	257	49	625	98	16	420	91	18	14	3	1	-	165-168
33	6	1	23	3	238	59	6	148	25	374	71	12	243	48	11	8	2	1	-	166
30	5	1	19	5	128	16	-	93	19	199	11	1	151	36	1	1	-	-	-	167
28	11	1	13	3	43	17	5	16	5	52	16	3	26	7	6	5	1	-	-	168
474	222	129	82	41	1,834	906	393	417	118	2,122	890	369	628	235	524	405	114	4	1	169-195
3	2	-	1	-	59	29	3	24	3	93	54	2	31	6	13	10	3	-	-	169
-	-	-	-	-	53	34	13	5	1	41	29	9	3	-	14	14	-	-	-	170a
1	1	-	-	-	1	1	-	-	-	3	1	-	1	1	-	-	-	-	-	170b
145	84	27	25	9	687	383	113	151	40	764	414	103	205	42	184	132	52	-	-	170c
4	4	-	-	-	5	5	-	-	-	16	12	1	3	-	-	-	-	-	-	170d
8	7	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	171a
1	1	-	-	-	10	4	3	2	1	12	5	2	2	3	1	-	-	-	1	171b
5	4	-	1	-	29	19	3	7	-	30	15	1	14	-	12	10	1	1	-	172
1	1	-	-	-	20	20	-	-	-	8	8	-	-	-	8	8	-	-	-	173
-	-	-	-	-	3	1	-	2	-	6	4	-	2	-	20	20	-	-	-	174
1	1	-	-	-	4	1	1	2	-	19	11	-	5	2	13	13	-	-	-	175a
2	1	-	1	-	18	8	1	9	-	28	16	1	11	-	14	12	1	1	-	175b,c
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	175d
-	-	-	-	-	5	2	-	3	-	6	2	-	4	-	11	11	-	-	-	175e
2	1	-	1	-	10	6	-	4	-	19	11	-	8	-	6	5	-	1	-	176
-	-	-	-	-	28	10	3	10	5	34	4	7	13	10	1	1	-	-	-	177
17	11	4	1	1	30	18	9	2	1	8	3	3	1	1	3	3	-	-	-	178
9	3	3	1	2	36	9	10	13	4	29	7	6	9	7	10	8	2	-	-	179
5	2	-	3	-	39	11	7	18	3	34	4	1	16	13	13	11	2	-	-	180
48	10	14	13	11	97	19	25	30	23	245	50	58	65	72	16	8	8	-	-	181
12	6	1	4	1	14	5	7	-	2	55	6	12	22	15	10	7	2	1	-	182
16	9	1	6	-	158	79	24	52	3	91	35	6	42	8	48	41	7	-	-	183
6	3	1	1	1	55	32	3	15	5	86	42	4	31	9	22	21	1	-	-	184
2	-	1	1	-	20	6	1	9	4	19	5	1	11	2	5	4	1	-	-	185
157	44	70	12	11	266	105	138	15	8	280	88	137	35	20	56	32	24	-	-	186a
4	2	-	2	-	9	5	-	4	-	12	3	1	8	-	2	2	-	-	-	186b
-	-	-	-	-	1	-	-	1	-	19	-	1	10	8	-	-	-	-	-	187
1	1	-	-	-	3	3	-	-	-	1	1	-	-	-	2	2	-	-	-	188
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	189
-	-	-	-	-	3	-	-	3	-	25	5	-	12	8	1	1	-	-	-	190
18	14	3	1	-	5	2	-	3	-	12	2	-	9	1	2	2	-	-	-	191
-	-	-	-	-	16	8	1	3	4	10	2	1	7	-	7	5	2	-	-	192
4	3	-	1	-	22	19	1	2	-	11	9	-	1	1	6	4	2	-	-	193
1	1	-	-	-	5	3	1	1	-	5	2	-	3	-	-	-	-	-	-	194
-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	195a,b
9	3	-	4	2	19	8	6	3	2	8	5	1	1	1	3	2	1	-	-	195d
12	3	4	2	3	100	47	20	24	9	88	34	9	41	4	20	15	5	-	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	3	1	-	2	-	14	-	-	14	-	-	-	-	-	-	198
13	2	4	4	3	747	210	87	262	188	1,088	240	144	394	310	84	55	10	11	8	
-	-	-	-	-	125	56	9	41	19	183	65	24	47	47	13	12	1	-	-	199
9	2	3	2	2	284	91	40	92	61	268	74	32	93	69	37	31	6	-	-	200a
-	-	-	-	-	34	13	4	12	5	113	27	19	39	28	5	4	1	-	-	200b
4	-	1	2	1	304	50	34	117	103	524	74	69	215	166	29	8	2	11	8	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	88,231	46,087	35,964	3,463	2,717	40,402	21,021	17,442	1,002	937
	I.—Infectious and parasitic diseases	6,156	3,096	1,832	779	449	3,052	1,490	1,191	214	157
1	Typhoid fever	35	21	10	2	2	29	15	11	1	2
2	Paratyphoid fever	5	4	1	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	1	2	-	-	2	2	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	10	7	1	-	13	6	6	-	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	69	40	25	2	2	40	19	20	1	-
9	Whooping cough	67	31	31	2	3	79	34	40	4	1
10	Diphtheria (infection by C. diphtheriae)	87	36	42	4	5	34	21	13	-	-
11	Erysipelas	25	15	10	-	-	13	6	7	-	-
12	Tetanus	22	16	4	1	1	16	10	5	1	-
13-22	Tuberculosis (all forms)	3,645	1,752	1,027	516	350	1,378	613	551	114	100
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	24	24	-	-	-	10	10	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,328	1,640	920	462	306	1,222	531	495	108	88
14	Tuberculosis of meninges and central nervous system	70	21	24	17	8	37	18	16	-	3
15	Tuberculosis of intestines and peritoneum	54	17	21	4	12	27	11	11	2	3
16	Tuberculosis of vertebral column	37	13	15	8	1	17	10	5	1	1
17a	Tuberculosis of bones (except vertebral column)	6	5	1	-	-	5	2	3	-	-
17b	Tuberculosis of joints (except vertebral column)	4	2	-	1	1	8	6	1	1	-
18	Tuberculosis of skin, etc.*	2	-	2	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	6	3	1	1	1	2	1	1	-	-
20	Tuberculosis of genito-urinary system	17	6	9	-	2	13	7	5	-	1
21	Tuberculosis of other organs	5	1	4	-	-	3	2	-	-	1
22a	Disseminated tuberculosis (acute miliary)	88	20	26	23	19	31	13	13	2	3
22b	Disseminated tuberculosis (other and unspecified)	4	-	4	-	-	3	2	1	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	81	50	27	1	3	34	24	9	1	-
25	Gonococcus infection	16	-	12	1	3	6	1	3	1	1
26	Other diseases due to bacteria (except dysentery)	23	14	8	1	-	13	6	5	1	1
27	Dysentery	52	30	20	2	-	26	14	11	1	-
28	Malaria	21	11	7	2	1	8	3	4	-	1
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	1	1	-	-	-
30	Syphilis (all forms)	1,058	602	204	201	51	494	297	103	66	28
30a	Locomotor ataxia (tabes dorsalis)	53	35	14	4	-	19	15	3	-	1
30b	General paralysis of insane	386	229	64	78	15	189	112	42	30	5
30c	Other syphilis of central nervous system	87	48	16	16	7	34	20	8	4	2
30d	Aneurysm of aorta	237	139	49	42	7	80	56	9	10	5
30e	Other syphilis of circulatory system	76	39	11	23	3	23	14	1	6	2
30f,g	Congenital, other and unspecified forms of syphilis	219	112	50	38	19	149	80	40	16	13
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	15	7	6	-	2	12	7	5	-	-
33a	Influenza, with respiratory complications specified	366	172	165	20	9	374	165	184	12	13
33b	Influenza, without respiratory complications specified	246	113	113	11	9	292	136	144	5	7
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	16	8	7	-	1	4	2	2	-	-
36	Acute poliomyelitis and acute polioencephalitis	58	34	23	-	1	79	51	27	1	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	23	17	4	1	1	20	7	13	-	-
37b	Sequelae of encephalitis lethargica	11	8	3	-	-	5	5	-	-	-
38	Other diseases due to filtrable viruses	6	2	4	-	-	4	2	2	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	3	1	-	-	1	1	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	2	-	2	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	1	1	-	-	-	-	-	-	-
43	Mycoses	14	8	5	1	-	5	2	2	-	1
44	Other infectious and parasitic (communicable) diseases	166	90	61	10	5	70	40	24	5	1
	II.—Cancer and other tumors	11,825	5,586	5,689	236	314	4,574	1,912	2,495	56	111
45-55	Cancer and other malignant tumors	11,378	5,470	5,408	230	270	4,365	1,842	2,367	54	102
45	Cancer of buccal cavity and pharynx	401	322	65	11	3	116	82	33	1	-
45a-e	Cancer of buccal cavity	279	231	38	8	2	83	62	20	1	-
45f	Cancer of pharynx	122	91	27	3	1	33	20	13	-	-
46	Cancer of digestive organs and peritoneum	5,389	2,932	2,246	131	80	2,026	985	980	34	27
46a	Cancer of esophagus	269	212	38	18	1	53	39	8	6	-
46b,c	Cancer of stomach and duodenum	1,932	1,157	692	57	26	646	367	256	16	7
46f	Cancer of liver and biliary passages	715	297	390	12	16	390	154	229	2	5
46g	Cancer of pancreas	395	205	176	8	6	149	85	59	3	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,078	1,061	950	36	31	788	340	428	7	13
47	Cancer of respiratory system	754	579	139	27	9	183	123	56	3	1
48	Cancer of uterus	1,099	...	997	...	102	526	...	489	...	37
49	Cancer of other female genital organs	314	...	297	...	17	112	...	109	...	3
50	Cancer of breast	1,117	19	1,051	2	45	421	7	386	-	28
51	Cancer of male genital organs	666	640	...	26	...	295	290	...	5	...
52	Cancer of urinary organs (male and female)	585	387	178	16	4	194	118	70	5	1
53	Cancer of skin (except vulva and scrotum)	202	128	70	2	2	126	77	48	1	-
54	Cancer of central nervous system*	158	90	64	2	2	22	10	11	-	1
55	Cancer of other and unspecified organs	693	373	301	13	6	344	150	185	5	4
56a	Nonmalignant tumors of ovary	49	...	45	...	4	21	...	21	...	-
56b	Nonmalignant tumors of uterus	148	...	117	...	31	49	...	44	...	5
56c	Nonmalignant tumors of other female genital organs	5	...	4	...	1	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	71	39	26	3	3	21	6	14	-	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
26,376	14,415	11,670	154	137	18,622	9,966	7,592	557	507	29,733	14,382	11,522	2,074	1,755	25,648	8,026	5,849	6,313	5,460	
1,362	744	575	25	18	1,233	648	458	68	59	3,742	1,667	1,476	330	269	3,534	885	549	1,234	866	
14	8	6	-	-	7	5	1	-	1	76	42	24	5	5	81	14	12	28	27	1
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
3	3	-	-	-	4	3	1	-	-	3	2	1	-	-	3	1	-	1	1	5
10	8	2	-	-	12	8	4	-	-	39	21	15	2	1	15	8	4	1	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	7
22	7	15	-	-	8	4	4	-	-	29	12	16	-	1	1	1	-	-	-	8
26	13	12	-	1	32	17	13	-	2	174	74	89	5	6	150	18	29	51	52	9
14	4	10	-	-	12	4	7	1	-	56	32	23	-	1	50	17	12	9	12	10
13	6	7	-	-	4	2	2	-	-	15	7	7	1	-	7	1	5	-	1	11
14	7	7	-	-	4	2	1	-	1	13	6	4	2	1	38	11	8	12	7	12
435	224	190	11	10	448	229	161	29	29	1,982	849	786	193	154	1,391	386	194	463	346	13-22
-	-	-	-	-	7	7	-	-	-	2	2	-	-	-	-	-	-	-	-	13a
391	197	174	10	10	409	207	149	27	26	1,797	769	713	174	141	1,329	377	184	442	326	13b,c
8	3	5	-	-	5	4	1	-	-	67	28	27	9	3	6	-	-	4	2	14
5	3	2	-	-	5	1	3	-	1	55	25	23	2	5	17	2	4	4	7	15
7	3	4	-	-	-	-	-	-	-	12	4	4	3	1	6	3	-	1	2	16
1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	5	2	-	1	2	17a
1	-	1	-	-	1	1	-	-	-	6	2	4	-	-	4	-	2	2	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	18
3	1	1	1	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	19
8	6	2	-	-	6	3	2	-	1	10	4	4	1	1	1	1	-	-	-	20
2	2	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	21
9	8	1	-	-	9	4	2	2	1	20	8	8	2	2	18	1	3	6	8	22a
-	-	-	-	-	5	2	3	-	-	4	1	1	2	-	4	-	1	2	1	22b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40	21	6	11	2	23
47	27	19	-	1	17	13	4	-	-	37	22	12	-	3	26	7	6	10	3	24
2	-	2	-	-	8	-	4	-	4	5	4	1	-	-	14	2	5	2	5	25
4	2	1	1	-	7	6	1	-	-	16	5	6	2	3	9	-	1	5	3	26
9	6	3	-	-	10	6	4	-	-	118	64	47	4	3	72	15	18	26	13	27
1	1	-	-	-	6	4	1	-	1	19	10	6	1	2	88	20	15	24	29	28
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
177	119	43	12	3	213	132	43	28	10	318	155	69	63	31	691	127	21	376	167	30
11	10	-	1	-	13	11	1	1	-	9	7	1	1	-	13	8	2	3	-	30a
47	36	8	3	-	32	19	8	3	2	100	48	30	15	7	111	35	4	55	17	30b
8	6	2	-	-	26	15	7	2	2	24	14	2	6	2	56	16	2	25	13	30c
41	32	8	1	-	57	41	8	5	3	41	23	4	12	2	107	25	1	59	22	30d
7	5	2	-	-	8	3	1	2	2	21	6	3	6	6	102	15	1	59	27	30e
63	30	23	7	3	77	43	18	15	1	123	57	29	23	14	302	28	11	175	88	30f,g
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	31
3	1	2	-	-	5	2	3	-	-	7	6	-	-	1	8	2	3	1	2	32
222	112	108	-	2	182	83	87	7	5	447	192	180	40	35	493	128	116	143	106	33a
202	98	102	1	1	128	55	67	2	4	254	101	129	7	17	262	69	73	53	67	33b
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	34
13	8	5	-	-	15	6	8	-	1	16	10	6	-	-	13	5	4	3	1	35
64	45	19	-	-	42	26	16	-	-	39	18	19	1	1	16	7	4	4	1	36
9	6	3	-	-	19	11	7	1	-	12	7	5	-	-	4	2	1	1	-	37a,c
4	3	1	-	-	2	-	2	-	-	5	4	1	-	-	1	-	-	1	-	37b
4	-	4	-	-	2	2	-	-	-	4	2	2	-	-	2	-	1	1	-	38
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	5	1	2	1	1	39
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	40
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	7	2	-	2	3	42
4	3	1	-	-	8	6	2	-	-	6	3	2	1	-	8	2	2	2	2	43
39	28	11	-	-	32	19	12	-	1	43	17	20	3	3	36	17	6	3	10	44
3,589	1,719	1,839	10	21	2,309	1,044	1,144	40	81	2,551	1,020	1,302	74	155	2,167	705	694	300	468	
3,478	1,700	1,748	10	20	2,220	1,023	1,089	37	71	2,437	986	1,237	73	141	2,073	684	662	291	436	45-55
90	74	15	1	-	75	58	13	2	2	71	50	13	5	3	78	46	13	9	10	45
73	60	12	1	-	53	42	8	1	2	49	34	9	4	2	49	31	8	3	7	45a-e
17	14	3	-	-	22	16	5	1	-	22	16	4	1	1	29	15	5	6	3	45f
1,698	920	766	4	8	1,037	531	459	24	23	1,155	548	520	46	41	818	301	221	157	139	46
57	44	13	-	-	16	13	1	-	2	21	15	4	2	-	30	15	1	12	2	46a
620	387	227	2	4	351	212	122	9	8	455	240	170	22	23	371	133	76	92	70	46b,c
264	106	156	1	1	173	66	98	4	5	212	91	104	9	8	123	44	42	17	20	46f
106	66	39	1	-	106	54	50	1	1	84	39	43	2	-	72	37	18	11	6	46g
651	317	331	-	3	391	186	188	10	7	383	163	199	11	10	222	72	84	25	41	46d,e,h,m
120	95	24	-	1	100	67	28	3	2	102	69	27	1	5	179	102	30	38	9	47
308	...	300	...	8	222	...	197	...	25	356	...	303	...	53	316	...	149	...	167	48
90	...	90	...	-	71	...	67	...	4	46	...	42	...	4	42	...	29	...	13	49
353	9	343	1	-	205	2	192	-	11	219	1	191	1	26	180	3	123	-	54	50
296	293	...	3	...	182	180	...	2	...	143	129	...	14	...	129	86	...	43	...	51
162	107	54	-	1	88	45	38	3	2	80	44	32	1	3	104	51	30	12	11	52
69	42	27	-	-	70	45	23	2	-	96	66	30	-	-	54	29	18	4	3	53
52	29	22	-	1	35	20	14	-	1	25	11	12	2	-	20	6	6	5	3	54
240	131	107	1	1	135	75	58	1	1	144	68	67	3	6	153	60	43	23	27	55
21	...	21	...	-	16	...	13	...	3	10	...	9	...	1	4	...	2	...	2	56a
36	...	36	...	-	30	...	23	...	7	34	...	25	...	9	26	...	12	...	14	56b
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	56c
30	12	17	-	1	17	10	5	2	-	20	12	6	-	2	23	4	6	5	8	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	5	...	5	...	-	2	...	2	...	-
57b	Tumors of uterus (nature unspecified)	3	...	3	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	3	...	3	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	163	77	78	3	5	116	64	47	2	3
	III.—Rheumatism, diseases of nutrition, etc.*	3,354	1,159	2,015	64	116	1,335	484	787	16	48
58a-d	Acute rheumatic heart diseases	77	31	35	7	4	25	10	11	-	4
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	19	8	10	1	-	14	5	8	1	-
59	Chronic rheumatism and other rheumatic diseases	71	19	49	1	2	61	27	33	-	1
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,693	965	1,593	43	92	964	378	545	8	33
62	Diseases of pituitary gland	9	4	5	-	-	2	1	1	-	-
63a	Simple goiter	7	-	6	-	1	6	-	5	-	1
63b	Exophthelmic goiter	316	57	251	-	8	179	22	149	2	6
63c-e	Other diseases of thyroid and parathyroid glands	17	8	8	1	-	9	4	5	-	-
64	Diseases of thymus gland	75	37	27	6	5	29	18	10	1	-
65	Diseases of adrenal glands (not specified as tuberculous)	33	13	18	1	1	13	6	6	1	-
66	Other general diseases	12	5	4	2	1	10	3	7	-	-
67	Scurvy	-	-	-	-	-	3	3	-	-	-
68	Beriberi	1	-	1	-	-	3	1	-	-	2
69	Pellagra (except alcoholic)	20	8	8	2	2	10	3	5	1	1
70	Rickets	3	3	-	-	-	5	3	1	1	-
71	Other avitaminoses	-	-	-	-	-	2	-	1	1	-
	IV.—Diseases of the blood and blood-forming organs	660	340	296	13	11	297	145	146	3	3
72	Hemorrhagic conditions	43	20	22	1	-	18	8	10	-	-
73a	Pernicious anemia	154	66	85	-	3	92	44	47	-	1
73b-d	Other anemias (except splenic)	41	17	20	1	3	36	13	20	1	2
74a	Leukemias	368	209	144	10	5	120	67	52	1	-
74b	Aleukemias	17	9	7	1	-	3	3	-	-	-
75	Diseases of spleen	21	14	7	-	-	9	6	2	1	-
76	Other diseases of the blood and blood-forming organs	16	5	11	-	-	19	4	15	-	-
	V.—Chronic poisoning and intoxication	79	62	12	3	2	40	34	5	-	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	5	4	1	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	68	54	9	3	2	35	30	4	-	1
78	Lead poisoning	4	2	2	-	-	3	2	1	-	-
79	Chronic poisoning by other mineral or organic substances	2	2	-	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	7,677	3,641	3,617	190	229	4,522	2,219	2,143	71	89
80	Encephalitis (nonepidemic)	75	37	38	-	-	64	34	29	1	-
81	Meningitis (not due to meningococcus)	114	67	35	6	6	72	43	26	2	1
82	Diseases of spinal cord (see exceptions)*	168	82	76	4	6	77	43	34	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	5,897	2,730	2,834	148	185	3,690	1,814	1,740	60	76
83b	Cerebral embolism and thrombosis	578	271	288	8	11	214	100	110	-	4
83c	Cerebral softening	43	26	16	-	1	19	5	12	2	-
83d	Hemiplegia and other paralysis of unspecified origin	204	95	97	4	8	132	62	64	2	4
84	Mental diseases and deficiency (see exception)*	58	21	34	2	1	35	5	26	1	3
85	Epilepsy	124	60	50	9	5	43	22	18	3	-
86	Convulsions (under 5 years)	9	5	4	-	-	4	3	1	-	-
87	Other diseases of nervous system	244	135	102	4	3	97	51	46	-	-
88	Diseases of organs of vision	-	-	-	-	-	1	-	-	-	1
89a	Otitis and other diseases of the ear	120	80	33	4	3	42	21	21	-	-
89b	Diseases of mastoid process	43	32	10	1	-	32	16	16	-	-
	VII.—Diseases of the circulatory system	29,341	15,928	11,638	965	810	12,060	6,684	4,933	220	223
90	Pericarditis (except acute rheumatic)	21	12	8	1	-	21	18	3	-	-
91a,b	Bacterial and other acute or subacute endocarditis	186	95	79	6	6	73	27	44	1	1
91c	Endocarditis (unspecified, under 45 years)	17	7	9	1	-	13	8	4	-	1
92a-d	Chronic endocarditis and diseases of the valves*	2,302	1,154	1,043	54	51	1,177	625	482	37	33
92e	Endocarditis (unspecified, 45 years and over)	163	84	75	1	3	83	41	34	5	3
93a	Acute myocarditis (except rheumatic)	275	147	122	4	2	228	127	88	4	9
93b	Myocarditis (unspecified, under 45 years)	28	11	13	4	-	15	7	4	-	4
93c,d	Chronic myocarditis and myocardial degeneration	15,750	7,905	6,661	650	534	4,427	2,218	2,057	67	85
93e	Other myocarditis (unspecified)	1,291	674	567	25	25	701	348	322	16	15
94a	Diseases of coronary arteries	4,848	3,349	1,392	63	44	2,835	1,928	813	54	40
94b	Angina pectoris	341	233	106	2	-	311	206	104	1	-
95a	Functional diseases of heart, etc.*	35	15	18	1	1	34	12	22	-	-
95b,c	Other and unspecified diseases of heart	2,435	1,392	822	115	106	1,039	548	451	22	18
96	Aneurysm (except of heart and aorta)	57	39	15	2	1	9	5	4	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,350	689	598	30	33	947	501	425	10	11
98	Gangrene	37	22	9	4	2	21	9	10	1	1
99	Other diseases of arteries	95	50	43	-	2	49	18	29	1	1
100	Diseases of veins	59	29	29	1	-	19	11	8	-	-
101	Diseases of lymphatic system	6	2	4	-	-	3	2	1	-	-
102	High blood pressure (idiopathic)	39	15	23	1	-	48	21	25	1	1
103	Other diseases of circulatory system	6	4	2	-	-	7	4	3	-	-
	VIII.—Diseases of the respiratory system	4,447	2,358	1,638	295	156	2,350	1,227	972	86	65
104a	Diseases of nasal fossae	9	5	4	-	-	5	4	1	-	-
104b	Diseases of accessory sinuses	42	22	17	2	1	19	13	5	-	1
105	Diseases of larynx	13	8	3	1	1	6	3	3	-	-
106a	Acute bronchitis	90	42	45	2	1	36	18	18	-	-

*Refer to complete International List titles, table II.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	57a
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
21	7	14	-	-	26	11	14	1	-	47	22	24	1	-	37	17	9	4	7	57d,e
953	366	576	5	6	635	245	363	5	22	684	251	359	23	51	653	136	259	102	156	
25	14	10	-	1	5	1	3	-	1	21	9	6	1	5	8	-	1	4	3	58a-d
2	1	1	-	-	4	-	4	-	-	20	11	5	2	2	12	4	1	5	2	58e,f
53	14	38	1	-	34	12	21	1	-	41	14	23	2	2	18	5	9	1	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
722	295	418	4	5	469	192	257	3	17	448	178	223	10	37	413	96	194	46	77	61
2	-	2	-	-	1	-	1	-	-	2	-	2	-	-	2	-	2	-	-	62
4	-	4	-	-	3	-	2	1	-	7	2	5	-	-	5	-	1	1	3	63a
86	8	78	-	-	62	8	50	-	4	43	5	32	3	3	43	6	18	4	15	63b
3	-	3	-	-	8	3	5	-	-	2	-	1	-	1	5	-	3	1	1	63c-e
31	21	10	-	-	25	18	7	-	-	10	2	6	1	1	34	11	11	9	3	64
12	7	5	-	-	8	3	5	-	-	6	2	4	-	-	3	2	-	1	-	65
8	5	3	-	-	5	2	3	-	-	8	4	4	-	-	12	-	6	4	2	66
-	-	-	-	-	1	1	-	-	-	3	-	2	1	-	1	-	-	-	1	67
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	6	2	1	3	-	68
3	-	3	-	-	6	3	3	-	-	60	18	39	3	-	75	6	11	13	45	69
2	1	1	-	-	2	2	-	-	-	8	3	5	-	-	10	2	1	7	-	70
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	6	2	-	3	1	71
239	125	110	4	-	167	92	67	5	3	190	97	82	5	6	125	44	49	20	12	
7	4	3	-	-	12	8	3	1	-	12	5	7	-	-	10	5	3	1	1	72
68	37	31	-	-	52	27	25	-	-	63	34	26	1	2	9	1	6	1	1	73a
24	11	12	1	-	11	5	6	-	-	27	12	12	1	2	20	5	9	2	4	73b-d
118	64	52	2	-	71	40	24	4	3	74	39	30	3	2	58	26	22	8	2	74a
6	3	3	-	-	3	1	2	-	-	2	1	1	-	-	4	2	2	-	-	74b
11	5	5	1	-	11	8	3	-	-	7	4	3	-	-	18	3	5	6	4	75
5	1	4	-	-	7	3	4	-	-	5	2	3	-	-	6	2	2	2	-	76
25	23	2	-	-	13	10	2	1	-	45	33	3	7	2	30	18	3	9	-	
3	3	-	-	-	1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	77a,b
21	19	2	-	-	11	8	2	1	-	36	27	1	6	2	29	17	3	9	-	77c-e
-	-	-	-	-	1	1	-	-	-	4	2	1	1	-	1	1	-	-	-	78
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	79
3,278	1,648	1,601	11	18	2,158	1,076	1,011	26	45	3,059	1,384	1,277	192	206	1,935	568	467	447	453	
31	16	13	-	2	30	13	17	-	-	50	24	22	1	3	29	16	3	6	4	80
37	25	11	-	1	24	15	8	-	1	73	36	26	7	4	55	14	12	18	11	81
84	47	35	-	2	54	30	18	2	4	50	21	21	3	5	23	10	2	7	4	82
2,519	1,242	1,254	10	13	1,716	848	808	23	37	2,401	1,076	994	150	181	1,540	418	371	362	389	83a
274	135	139	-	-	124	70	52	-	2	108	55	40	10	3	68	31	19	10	8	83b
22	12	10	-	-	7	3	3	1	-	10	6	4	-	-	9	4	-	3	2	83c
33	21	12	-	-	34	17	16	-	1	130	55	59	7	9	51	14	15	8	14	83d
42	21	20	1	-	30	10	20	-	-	35	11	21	3	-	33	13	6	12	2	84
57	29	28	-	-	47	30	17	-	-	52	29	19	3	1	41	16	13	6	6	85
7	2	5	-	-	4	1	3	-	-	21	10	9	2	-	12	-	5	3	4	86
119	67	52	-	-	61	27	34	-	-	78	35	38	5	-	30	11	10	7	2	87
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	1	88
32	17	15	-	-	18	8	10	-	-	40	20	19	1	-	37	18	10	3	6	89a
21	14	7	-	-	8	4	4	-	-	11	6	5	-	-	5	3	1	1	-	89b
7,675	4,565	3,223	52	35	5,500	3,173	2,041	165	121	7,194	3,515	2,651	568	460	6,392	2,292	1,531	1,334	1,235	
7	4	3	-	-	9	4	5	-	-	16	8	6	1	1	16	5	1	9	1	90
50	23	27	-	-	26	11	14	-	1	20	11	5	3	1	55	10	4	17	24	91a,b
6	3	3	-	-	3	1	2	-	-	12	7	4	1	-	2	1	-	-	1	91c
894	447	428	12	7	788	414	319	26	29	897	418	361	67	51	873	213	188	241	231	92a-d
56	29	25	1	1	27	15	10	1	1	86	33	36	7	10	31	9	12	5	5	92e
37	24	13	-	-	68	32	28	5	3	25	15	7	3	-	94	25	13	28	28	93a
7	4	3	-	-	8	7	1	-	-	33	15	7	6	5	2	1	1	-	-	93b
2,478	1,312	1,135	17	14	2,004	1,077	802	75	50	2,260	1,009	895	186	170	3,012	1,030	818	589	575	93c,d
433	233	193	5	2	227	106	101	11	9	593	247	235	62	49	215	66	57	57	35	93e
2,289	1,554	718	13	4	1,392	961	396	23	12	1,428	817	431	107	73	992	542	207	129	114	94a
221	153	68	-	-	137	94	42	1	-	173	108	49	11	5	165	87	28	26	24	94b
45	22	23	-	-	29	15	13	-	1	21	10	10	-	1	14	6	2	5	1	95a
632	333	296	1	2	292	170	103	13	6	1,023	529	370	66	58	595	195	115	150	135	95b,c
9	8	1	-	-	13	10	2	1	-	7	3	3	1	-	15	6	-	7	2	96
594	359	229	1	5	420	229	175	7	9	506	250	180	44	32	207	66	65	45	31	97
11	8	3	-	-	5	3	2	-	-	10	4	5	1	-	13	4	1	6	2	98
56	28	28	-	-	27	16	10	1	-	38	15	21	-	2	26	12	6	4	4	99
24	9	15	-	-	8	1	7	-	-	9	5	4	-	-	11	2	6	1	2	100
2	1	-	1	-	-	-	-	-	-	4	2	2	-	-	2	1	-	1	-	101
20	9	11	-	-	17	7	9	1	-	29	7	19	1	2	50	11	7	13	19	102
4	2	1	1	-	-	-	-	-	-	4	2	1	1	-	2	-	-	1	1	103
1,584	827	739	10	8	882	431	382	36	33	2,317	1,084	962	152	119	2,056	531	434	619	472	
4	3	1	-	-	6	3	1	-	2	8	3	5	-	-	3	-	2	-	1	104a
14	7	7	-	-	9	4	5	-	-	8	6	2	-	-	12	5	1	4	2	104b
14	7	7	-	-	6	2	2	1	1	14	9	4	-	1	13	7	2	2	2	105
21	8	12	1	-	13	3	9	1	-	6	1	2	1	2	10	2	2	2	4	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	148	79	63	5	1	44	24	20	-	-
106c	Bronchitis (unspecified)	43	21	22	-	-	14	9	5	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,746	861	675	120	70	925	460	393	41	31
108	Lobar pneumonia	1,666	929	539	137	61	824	446	321	29	28
109	Pneumonia (unspecified)	196	102	84	6	4	164	86	72	4	2
110	Pleurisy (not specified as tuberculous)	154	94	43	11	6	52	29	18	4	1
111a	Hemorrhagic infarction and thrombosis of lungs	42	22	18	1	1	31	16	14	1	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	98	40	56	1	1	98	45	50	3	-
112	Asthma	109	52	46	3	8	77	35	39	1	2
113	Pulmonary emphysema	5	5	-	-	-	4	3	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	86	56	23	6	1	51	36	12	3	-
	IX.—Diseases of the digestive system	4,722	2,634	1,861	132	95	1,928	1,016	831	36	45
115a,b,d	Diseases of buccal cavity and adnexa	128	74	49	2	3	84	41	41	-	2
115c	Diseases of pharynx and tonsils	83	39	37	6	1	41	22	17	-	2
116	Diseases of esophagus	10	5	5	-	-	9	8	-	1	-
117a	Ulcer of stomach	423	337	63	20	3	133	96	28	7	2
117b	Ulcer of duodenum	171	145	23	3	-	52	38	14	-	-
118	Other diseases of stomach (except cancer)	76	43	27	3	3	58	26	26	2	4
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	218	137	67	8	6	138	80	53	3	2
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	143	67	68	4	4	76	35	37	-	4
121	Appendicitis	847	474	319	31	23	387	222	127	9	9
122a	Hernia	346	197	139	6	4	126	59	56	7	4
122b	Intestinal obstruction	437	178	226	14	19	189	89	95	-	5
123	Other diseases of intestines	78	47	28	1	2	40	27	12	-	1
124a	Cirrhosis of liver (with mention of alcoholism)	81	59	21	1	-	10	8	1	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	822	525	261	24	12	248	160	82	3	3
125a	Acute yellow atrophy of liver (nonpuerperal)	25	12	10	3	-	22	11	10	-	1
125b	Other diseases of liver	47	25	21	-	1	29	9	18	-	2
126	Biliary calculi	352	91	256	1	4	134	37	97	-	-
127	Other diseases of gallbladder and biliary ducts	313	111	192	1	9	107	26	78	2	1
128	Diseases of pancreas (except diabetes mellitus)	60	34	24	2	-	21	8	13	-	-
129	Peritonitis (cause not stated)	62	34	25	2	1	44	14	26	1	3
	X.—Diseases of the genito-urinary system	8,676	4,444	3,671	276	285	4,365	2,278	1,854	119	114
130	Acute nephritis	137	83	49	1	4	111	54	50	4	3
131a	Arteriosclerotic kidney	4,717	2,211	2,248	126	132	2,711	1,336	1,235	69	71
131b	Other chronic nephritis	2,345	1,140	1,017	89	99	890	483	359	25	23
132	Nephritis unspecified (10 years and over)	232	131	93	3	5	181	88	80	7	6
133	Other diseases of kidneys and ureters, etc.*	240	130	93	6	11	114	59	48	5	2
134	Calculi of urinary passages	123	84	35	3	1	41	25	13	1	2
135	Diseases of urinary bladder	41	22	17	2	-	15	9	6	-	-
136	Diseases of urethra (except calculus)	51	38	3	10	-	14	11	1	2	-
137	Diseases of prostate	639	604	...	35	...	216	211	...	5	...
138	Diseases of other male genital organs (except venereal)	2	1	...	1	...	3	2	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	110	...	77	...	33	46	...	39	...	7
139b	Diseases of uterus	37	...	37	...	-	22	...	22	...	-
139c	Diseases of other and unspecified female genital organs	2	...	2	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	366	...	323	...	43	178	...	164	...	14
140	Abortion with mention of infection	54	...	42	...	12	31	...	29	...	2
140a,b	Abortion (septic), spontaneous or therapeutic*	40	...	32	...	8	27	...	25	...	2
140c,d	Abortion (septic), self-induced or nontherapeutic*	14	...	10	...	4	4	...	4	...	-
141	Abortion without mention of infection	17	...	16	...	1	10	...	8	...	2
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	5	...	5	...	-	5	...	3	...	2
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	7	...	7	...	-	5	...	5	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	5	...	4	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	1	...	1	3	...	3	...	-
142b	Ectopic gestation, without mention of infection	19	...	13	...	6	6	...	6	...	-
143a	Placenta praevia (death before delivery)	2	...	2	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	13	...	13	...	-	15	...	14	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	10	...	8	...	2	7	...	7	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	15	...	13	...	2	8	...	7		1
146a	Placenta praevia (with childbirth)	6	...	6	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	37	...	36	...	1	13	...	10	...	3
147a,b	Puerperal pyelitis, other general or local puerperal infection*	61	...	55	...	6	34	...	31	...	3
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	30	...	26	...	4	17	...	16	...	1
148a,b	Puerperal eclampsia and nephritis*	42	...	41	...	1	12	...	12	...	-
148c,d	Other puerperal toxemias	4	...	4	...	-	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	39	...	36	...	3	12	...	12	...	-
150	Other and unspecified conditions of childbirth and puerperium	15	...	11	...	4	7	...	6	...	1
	XII.—Diseases of the skin and cellular tissue	62	34	24	2	2	35	19	15	-	1
151	Carbuncle and furuncle	18	15	2	-	1	10	8	2	-	-
152	Phlegmon and acute abscess	16	10	5	1	-	16	5	10	-	1
153	Other diseases of skin and cellular tissue	28	9	17	1	1	9	6	3	-	-
	XIII.—Diseases of the bones, etc.*	64	38	21	3	2	29	14	15	-	-
154	Osteomyelitis and periostitis	39	23	11	3	2	15	11	4	-	-
155	Other diseases of bones (except tuberculosis)	6	2	4	-	-	3	1	2	-	-
156	Diseases of joints and other organs of movement	19	13	6	-	-	11	2	9	-	-
157	XIV.—Congenital malformations	741	376	332	19	14	379	217	154	5	3

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
54	30	24	-	-	33	21	12	-	-	46	26	19	1	-	33	14	10	4	5	106b
17	10	7	-	-	10	5	5	-	-	32	14	15	1	2	17	7	4	4	2	106c
592	295	291	3	3	351	159	161	11	20	849	408	354	55	32	967	245	216	285	221	107
653	346	298	5	4	300	151	125	17	7	916	420	366	69	61	713	184	128	218	183	108
40	22	17	-	1	27	14	12	-	1	252	114	118	11	9	99	19	21	40	19	109
32	23	9	-	-	20	13	6	1	-	24	11	10	1	2	70	16	16	20	18	110
17	9	8	-	-	16	9	5	2	-	7	2	2	2	1	19	3	5	7	4	111a
58	23	35	-	-	33	12	20	-	1	73	30	36	3	4	32	7	10	10	5	111b,c
48	31	16	1	-	37	22	12	2	1	50	17	25	4	4	47	14	16	14	3	112
1	1	-	-	-	1	-	-	1	-	2	1	1	-	-	1	1	-	-	-	113
19	12	7	-	-	20	13	7	-	-	30	22	3	4	1	20	7	1	9	3	114
1,336	784	543	5	4	1,026	580	390	32	24	1,700	902	597	99	102	1,552	565	349	318	320	
55	27	27	-	1	28	13	11	3	1	53	24	24	3	2	27	9	7	6	5	115a,b,d
35	17	18	-	-	28	16	11	-	1	30	12	10	1	7	28	10	5	6	7	115c
4	2	2	-	-	8	3	5	-	-	7	2	4	1	-	4	-	1	-	3	116
118	103	15	-	-	97	73	20	2	2	127	88	23	9	7	113	64	6	31	12	117a
52	42	10	-	-	40	35	4	1	-	52	34	12	2	4	31	23	3	5	-	117b
18	12	6	-	-	17	6	11	-	-	62	26	25	5	6	61	18	12	15	16	118
66	41	23	1	1	66	32	27	6	1	374	204	141	16	13	352	91	70	94	97	119
42	18	23	1	-	56	25	30	1	-	121	54	46	6	15	65	17	18	14	16	120
257	173	82	-	2	210	139	62	7	2	297	171	90	21	15	229	98	52	37	42	121
97	65	32	-	-	85	45	30	6	4	74	42	23	5	4	82	31	20	21	10	122a
143	67	76	-	-	80	42	29	3	6	127	63	43	12	9	157	38	47	33	39	122b
42	26	16	-	-	19	10	9	-	-	22	7	10	1	4	27	4	4	6	13	123
14	13	1	-	-	8	8	-	-	-	13	10	2	1	-	4	2	1	1	-	124a
124	75	47	2	-	114	76	36	1	1	138	96	29	9	4	208	102	48	32	26	124b
5	3	2	-	-	2	1	1	-	-	11	3	5	2	1	12	4	3	3	2	125a
20	11	9	-	-	13	4	8	1	-	21	11	3	1	6	22	8	3	5	6	125b
110	34	76	-	-	93	25	65	-	3	102	35	65	2	-	30	14	13	1	2	126
92	35	57	-	-	39	14	22	-	3	29	6	21	2	-	52	17	22	2	11	127
13	8	5	-	-	4	2	2	-	-	11	3	8	-	-	12	8	2	2	-	128
29	12	16	1	-	19	11	7	1	-	29	11	13	-	5	36	7	12	4	13	129
2,110	1,229	849	16	16	2,027	1,111	743	99	74	2,380	1,152	824	233	171	2,568	708	606	666	588	
38	16	22	-	-	36	15	18	1	2	46	20	21	3	2	91	25	17	29	20	130
1,191	641	527	10	13	1,086	552	442	50	42	1,058	471	392	97	98	1,400	383	357	323	337	131a
399	210	182	4	3	543	290	197	30	26	693	343	240	72	38	609	153	133	177	146	131b
111	61	49	1	-	52	31	19	1	1	319	159	106	33	21	69	17	18	17	17	132
46	24	22	-	-	55	19	32	2	2	54	24	24	3	3	125	32	46	21	26	133
33	21	12	-	-	29	23	6	-	-	21	13	8	-	-	31	13	10	4	4	134
15	11	4	-	-	17	10	4	3	-	19	9	5	3	2	21	7	3	10	1	135
6	5	1	-	-	5	3	1	1	-	7	4	1	2	-	28	9	-	19	-	136
241	240	...	1	...	178	167	...	11	...	129	109	...	20	...	134	69	...	65	...	137
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	1	-	...	1	...	138
15	...	15	...	-	20	...	19	...	1	22	...	15	...	7	43	...	13	...	30	139a
15	...	15	...	-	5	...	5	...	-	12	...	12	...	-	13	...	8	...	5	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	139c
159	...	158	...	1	107	...	103	...	4	229	...	206	...	23	272	...	107	...	165	
27	...	27	...	-	29	...	28	...	1	19	...	18	...	1	43	...	20	...	23	140
23	...	23	...	-	14	...	14	...	-	19	...	18	...	1	34	...	16	...	18	140a,b
4	...	4	...	-	15	...	14	...	1	-	...	-	...	-	9	...	4	...	5	140c,d
5	...	5	...	-	2	...	2	...	-	8	...	8	...	-	16	...	4	...	12	141
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	3	...	-	...	3	141a,c
4	...	4	...	-	2	...	2	...	-	6	...	6	...	-	11	...	2	...	9	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	1	...	2	142a
13	...	13	...	-	3	...	2	...	1	7	...	4	...	3	9	...	3	...	6	142b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	143a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	143b,c
7	...	7	...	-	5	...	5	...	-	21	...	20	...	1	27	...	9	...	18	144a,b
6	...	5	...	1	1	...	1	...	-	6	...	6	...	-	10	...	6	...	4	144c,d
5	...	5	...	-	2	...	2	...	-	4	...	4	...	-	11	...	2	...	9	145
7	...	7	...	-	3	...	3	...	-	9	...	8	...	1	6	...	5	...	1	146a
12	...	12	...	-	13	...	13	...	-	21	...	17	...	4	29	...	16	...	13	146b,c
26	...	26	...	-	14	...	14	...	-	50	...	43	...	7	48	...	20	...	28	147a,b
21	...	21	...	-	10	...	9	...	1	13	...	12	...	1	9	...	5	...	4	147c,d
19	...	19	...	-	13	...	12	...	1	42	...	39	...	3	26	...	5	...	21	148a,b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	7	...	2	...	5	148c,d
4	...	4	...	-	8	...	8	...	-	12	...	11	...	1	11	...	4	...	7	149
5	...	5	...	-	3	...	3	...	-	16	...	15	...	1	13	...	3	...	10	150
30	15	15	-	-	16	9	7	-	-	50	26	19	2	3	57	20	16	12	9	
8	5	3	-	-	5	4	1	-	-	13	9	4	-	-	17	10	4	1	2	151
7	4	3	-	-	2	2	-	-	-	14	6	7	-	1	21	5	7	6	3	152
15	6	9	-	-	9	3	6	-	-	23	11	8	2	2	19	5	5	5	4	153
36	24	11	1	-	13	8	5	-	-	28	17	8	2	1	29	5	11	8	5	
22	16	5	1	-	6	5	1	-	-	22	15	5	2	-	15	2	7	4	2	154
1	-	1	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	155
15	8	5	-	-	6	2	4	-	-	4	1	2	-	1	14	3	4	4	3	156
280	141	138	1	-	180	105	72	1	2	339	192	134	3	10	209	81	62	46	20	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	2,329	1,246	938	87	58	1,244	667	495	53	29
158	Congenital debility (cause not stated)	38	17	19	2	-	49	24	22	1	2
159	Premature birth (cause not stated)	1,428	742	597	54	35	765	408	303	34	20
160a	Intracranial or spinal hemorrhage	322	180	117	12	13	126	76	44	5	1
160b,c	Other injuries at birth	282	166	107	8	1	128	63	59	3	3
161	Other diseases peculiar to the first year of life	259	141	98	11	9	176	96	67	10	3
162	XVI.—Senility	227	96	118	3	10	132	69	61	1	1
	XVII.—Violent or accidental deaths	7,302	4,912	1,890	386	114	3,759	2,466	1,142	120	31
163,164	Suicide	1,156	868	261	18	9	578	435	137	5	1
163	Suicide by poisoning	306	186	110	5	5	181	109	71	1	-
	Suicide by solid or liquid poisons	183	96	77	5	5	115	67	47	1	-
	Suicide by poisonous gases	123	90	33	-	-	66	42	24	-	-
164a	Suicide by hanging or strangulation	246	200	42	3	1	134	102	30	1	1
164b	Suicide by drowning	60	41	19	-	-	18	7	11	-	-
164c	Suicide by firearms and explosives	407	352	48	7	-	219	202	16	1	-
164d	Suicide by cutting or piercing instruments	56	46	9	1	-	9	7	1	1	-
164e	Suicide by jumping from high places	56	27	26	1	2	8	5	3	-	-
164f	Suicide by crushing	17	12	3	1	1	1	1	-	-	-
164g	Suicide by other or unspecified means	8	4	4	-	-	8	2	5	1	-
165-168	Homicide[1]	364	160	37	125	42	113	60	12	34	7
166	Homicide by firearms	200	94	20	66	20	64	31	7	24	2
167	Homicide by cutting or piercing instruments	86	21	4	47	14	18	9	-	7	2
168	Homicide by other means	78	45	13	12	8	31	20	5	3	3
169-195	Accidental deaths	5,778	3,881	1,592	242	63	3,068	1,971	993	81	23
169	Railway accidents (except collisions with motor vehicles)	234	202	17	14	1	131	105	18	8	-
170a	Collisions between automobiles and trains	217	160	55	2	-	94	69	24	1	-
170b	Collisions between automobiles and streetcars	22	19	3	-	-	5	2	3	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,059	1,504	440	91	24	1,105	808	255	34	10
170d	Motorcycle accidents (except collisions with automobiles)	23	19	3	1	-	21	18	3	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	39	29	7	2	1	10	9	-	1	-
171b	Other and unspecified road-transport accidents	13	13	-	-	-	9	8	1	-	-
172	Water-transport accidents	30	26	3	1	-	10	8	2	-	-
173	Air-transport accidents	31	27	4	-	-	13	13	-	-	-
174	Accidents in mines and quarries	102	102	-	-	-	48	46	-	2	-
175a	Accidents involving agricultural machinery and vehicles	34	34	-	-	-	23	23	-	-	-
175b,c	Other agricultural accidents, including injury by animals	29	28	1	-	-	51	49	2	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	2	2	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	65	61	2	2	-	25	22	1	2	-
177	Food poisoning	11	5	6	-	-	9	4	5	-	-
178	Accidental absorption of poisonous gas	87	69	16	2	-	18	12	5	1	-
179	Acute accidental poisoning by solids or liquids	87	38	45	2	2	26	17	8	1	-
180	Conflagration	95	54	23	16	2	48	27	17	2	2
181	Accidental burns (except conflagration)	230	130	82	12	6	134	63	67	1	3
182	Accidental mechanical suffocation	65	33	18	9	5	41	18	20	1	2
183	Accidental drowning	242	195	29	17	1	136	115	17	4	-
184	Accidental injury by firearms	99	77	13	9	-	43	37	4	2	-
185	Accidental injury by cutting or piercing instruments	21	13	5	1	2	5	3	2	-	-
186a	Accidental injury by fall	1,488	719	725	30	14	806	327	465	8	6
186b	Accidental injury by crushing	14	11	2	1	-	14	10	-	4	-
187	Cataclysm, etc.*	8	5	1	1	1	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	8	7	1	-	-	4	3	1	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	22	12	7	3	-	10	6	1	3	-
191	Excessive heat	85	60	22	2	1	42	33	7	2	-
192	Lightning	11	11	-	-	-	10	7	3	-	-
193	Accidents due to electric currents (except lightning)	37	36	1	-	-	20	19	1	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	3	1	1	1	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	1	-	-	2	1	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	38	22	14	2	-	18	10	7	1	-
195c,e	Other and unspecified accidents	225	156	45	21	3	135	80	52	3	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	4	3	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	203	137	49	10	7	123	80	39	2	2
199	Sudden death	9	7	2	-	-	1	1	-	-	-
200a	Ill-defined	131	84	38	5	4	108	69	35	2	2
200b	Found dead (cause unknown)	5	5	-	-	-	1	1	-	-	-
200c	Unknown or unspecified	58	41	9	5	3	13	9	4	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
894	517	370	5	2	540	291	218	21	10	1,589	841	609	68	71	1,418	378	285	411	344	
20	11	8	1	-	21	13	5	2	1	177	80	79	9	9	117	15	15	45	42	158
569	322	242	4	1	343	193	134	10	6	1,018	540	397	36	45	876	232	186	234	224	159
111	64	47	-	-	47	29	17	-	1	86	47	33	2	4	119	47	29	29	14	160a
108	68	40	-	-	69	30	36	2	1	155	96	49	4	6	124	44	21	36	23	160b,c
86	52	33	-	1	60	26	26	7	1	153	78	51	17	7	182	40	34	67	41	161
327	151	173	2	1	139	61	74	1	3	386	145	205	15	21	237	53	56	59	69	162
2,214	1,469	711	7	7	1,604	1,039	486	55	24	3,046	1,929	751	287	79	2,120	978	333	614	195	
386	297	87	2	-	231	175	51	5	-	286	207	63	12	4	202	145	42	14	1	163,164
70	44	26	-	-	47	25	21	1	-	46	21	21	1	3	30	10	19	-	1	163
31	16	15	-	-	27	10	16	1	-	39	17	18	1	3	27	8	18	-	1	
39	28	11	-	-	20	15	5	-	-	7	4	3	-	-	3	2	1	-	-	
122	86	35	1	-	39	28	10	1	-	31	22	7	1	1	19	13	2	4	-	164a
12	5	7	-	-	6	4	2	-	-	16	9	7	-	-	19	13	4	2	-	164b
156	144	11	1	-	123	106	14	3	-	175	144	24	7	-	120	98	14	8	-	164c
14	11	3	-	-	6	5	1	-	-	5	5	-	-	-	5	4	1	-	-	164d
6	4	2	-	-	7	4	3	-	-	5	4	-	1	-	4	4	-	-	-	164e
1	1	-	-	-	3	3	-	-	-	2	-	1	1	-	1	-	1	-	-	164f
5	2	3	-	-	-	-	-	-	-	6	2	3	1	-	4	3	1	-	-	164g
34	20	13	1	-	39	14	5	13	7	406	246	28	113	19	284	73	10	169	32	165-168
19	10	8	1	-	25	9	3	8	5	314	197	23	83	11	157	50	7	86	14	166
3	1	2	-	-	8	1	-	5	2	55	21	3	24	7	95	11	1	72	11	167
12	9	3	-	-	6	4	2	-	-	37	28	2	6	1	32	12	2	11	7	168
1,793	1,171	611	4	7	1,334	850	430	37	17	2,352	1,476	660	160	56	1,630	759	281	428	162	169-195
54	49	4	1	-	41	33	6	2	-	117	98	5	12	2	53	30	2	18	3	169
43	37	6	-	-	55	36	18	-	1	20	14	6	-	-	37	21	8	7	1	170a
2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	170b
511	398	110	2	1	427	318	86	18	5	744	535	159	41	9	525	311	74	113	27	170c
6	6	-	-	-	2	2	-	-	-	8	6	2	-	-	9	7	-	2	-	170d
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	171a
6	5	1	-	-	2	1	1	-	-	6	4	1	1	-	4	1	-	3	-	171b
9	7	1	1	-	1	1	-	-	-	14	9	5	-	-	59	34	4	20	1	172
12	10	2	-	-	5	5	-	-	-	12	11	1	-	-	11	9	2	-	-	173
16	16	-	-	-	8	8	-	-	-	171	157	1	13	-	-	-	-	-	-	174
55	53	2	-	-	39	36	3	-	-	11	10	-	1	-	9	2	1	5	1	175a
55	51	4	-	-	27	26	1	-	-	43	35	3	5	-	19	8	-	11	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	175d
1	1	-	-	-	1	1	-	-	-	3	3	-	-	-	3	2	-	1	-	175e
11	11	-	-	-	15	15	-	-	-	8	8	-	-	-	19	14	2	3	-	176
6	2	3	-	1	12	3	9	-	-	11	3	5	2	1	15	7	3	3	2	177
27	21	6	-	-	12	10	2	-	-	19	12	6	-	1	8	5	1	2	-	178
19	14	5	-	-	20	14	5	1	-	27	12	9	6	-	24	6	8	5	5	179
26	15	11	-	-	30	12	14	1	3	49	15	21	5	8	31	8	2	12	9	180
77	39	36	-	2	75	36	32	4	3	172	56	87	9	20	173	41	34	42	56	181
32	19	13	-	-	15	11	3	-	1	63	32	27	2	2	22	4	2	11	5	182
45	36	9	-	-	47	36	8	3	-	126	94	13	19	-	138	65	11	57	5	183
43	39	4	-	-	35	31	4	-	-	86	59	15	12	-	52	25	2	20	5	184
15	11	4	-	-	5	2	2	1	-	21	15	3	3	-	19	9	3	6	1	185
594	243	350	-	1	355	138	210	5	2	476	197	255	13	11	209	68	96	25	20	186a
3	3	-	-	-	6	6	-	-	-	7	7	-	-	-	10	5	-	5	-	186b
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	28	8	8	8	4	187
3	3	-	-	-	2	2	-	-	-	4	1	2	1	-	5	4	-	1	-	188
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	-	-	3	1	189
24	9	14	-	1	10	8	1	1	-	21	12	2	6	1	10	6	-	3	1	190
7	7	-	-	-	21	15	3	1	2	25	10	11	3	1	8	4	-	3	1	191
4	3	1	-	-	12	12	-	-	-	10	9	1	-	-	12	6	1	4	1	192
11	11	-	-	-	9	7	2	-	-	9	8	1	-	-	14	9	-	5	-	193
2	1	1	-	-	2	1	1	-	-	5	2	3	-	-	2	1	-	1	-	194
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	-	2	1	-	195a,b
20	11	8	-	1	10	3	7	-	-	13	8	4	1	-	19	6	5	6	2	195d
50	36	14	-	-	29	19	10	-	-	48	32	12	4	-	73	31	10	21	11	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	2	-	-	2	-	4	1	-	3	-	198
85	48	37	-	-	73	43	26	2	2	204	127	57	14	6	294	59	38	114	83	
1	-	1	-	-	4	4	-	-	-	8	7	1	-	-	37	6	6	7	18	199
52	30	22	-	-	44	27	15	1	1	99	58	28	9	4	120	31	16	39	34	200a
4	3	1	-	-	7	3	4	-	-	9	7	1	1	-	10	2	2	5	1	200b
28	15	13	-	-	18	9	7	1	1	88	55	27	4	2	127	20	14	63	30	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	10,580	5,761	4,794	16	9	22,107	9,412	7,699	2,716	2,280
	I.—Infectious and parasitic diseases	550	316	231	2	1	2,197	728	386	641	442
1	Typhoid fever	4	2	2	-	-	9	2	3	1	3
2	Paratyphoid fever	-	-	-	-	-	2	1	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	7	2	-	-	7	4	1	2	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	5	1	-	-	9	4	3	-	2
9	Whooping cough	21	12	9	-	-	67	22	18	15	12
10	Diphtheria (infection by C. diptheriae)	6	3	3	-	-	7	2	4	-	1
11	Erysipelas	7	3	4	-	-	2	2	-	-	-
12	Tetanus	2	2	-	-	-	5	2	2	1	-
13-22	Tuberculosis (all forms)	253	134	116	2	1	1,441	481	240	420	300
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	4	4	-	-	-	2	2	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	218	113	104	1	-	1,342	452	218	392	280
14	Tuberculosis of meninges and central nervous system	9	5	2	1	1	34	8	7	12	7
15	Tuberculosis of intestines and peritoneum	8	3	5	-	-	16	3	3	5	5
16	Tuberculosis of vertebral column	5	2	3	-	-	15	4	4	4	3
17a	Tuberculosis of bones (except vertebral column)	1	-	1	-	-	2	-	1	1	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	3	-	2	1	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	-	-	1
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	2	2	-	-	-
20	Tuberculosis of genito-urinary system	1	1	-	-	-	9	5	2	1	1
21	Tuberculosis of other organs	-	-	-	-	-	2	1	-	1	-
22a	Disseminated tuberculosis (acute miliary)	5	4	1	-	-	11	4	2	3	2
22b	Disseminated tuberculosis (other and unspecified)	2	2	-	-	-	2	-	1	-	1
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	16	8	8	-	-	17	4	8	1	4
25	Gonococcus infection	3	2	1	-	-	10	2	1	2	5
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	3	3	-	-	-
27	Dysentery	1	1	-	-	-	19	9	3	2	5
28	Malaria	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	76	56	20	-	-	391	107	31	174	79
30a	Locomotor ataxia (tabes dorsalis)	8	6	2	-	-	11	6	-	4	1
30b	General paralysis of insane	22	20	2	-	-	97	28	8	47	14
30c	Other syphilis of central nervous system	7	3	4	-	-	36	10	4	15	7
30d	Aneurysm of aorta	8	8	-	-	-	65	26	4	25	10
30e	Other syphilis of circulatory system	6	5	1	-	-	49	9	3	24	13
30f,g	Congenital, other and unspecified forms of syphilis	25	14	11	-	-	133	28	12	59	34
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	3	1	1	1	-
33a	Influenza, with respiratory complications specified	54	27	27	-	-	86	26	36	9	15
33b	Influenza, without respiratory complications specified	43	22	21	-	-	59	22	18	7	12
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	9	5	4	-	-	1	-	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	4	4	-	-	-	3	2	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	5	2	3	-	-	6	3	3	-	-
37b	Sequelae of encephalitis lethargica	-	-	-	-	-	5	3	2	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	5	3	1	-	1
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	-	-	-	-	-	8	5	-	3	-
44	Other infectious and parasitic (communicable) diseases	28	19	9	-	-	30	16	8	3	3
	II.—Cancer and other tumors	1,361	615	745	-	1	2,578	1,023	1,195	160	200
45-55	Cancer and other malignant tumors	1,313	608	704	-	1	2,504	1,002	1,155	158	189
45	Cancer of buccal cavity and pharynx	46	35	11	-	-	111	74	21	11	5
45a-e	Cancer of buccal cavity	34	29	5	-	-	86	56	15	10	5
45f	Cancer of pharynx	12	6	6	-	-	25	18	6	1	-
46	Cancer of digestive organs and peritoneum	655	339	315	-	1	1,049	468	445	82	54
46a	Cancer of esophagus	22	15	7	-	-	41	27	9	4	1
46b,c	Cancer of stomach and duodenum	251	152	99	-	-	405	206	137	35	27
46f	Cancer of liver and biliary passages	79	39	40	-	-	133	36	76	13	8
46g	Cancer of pancreas	31	8	23	-	-	82	42	31	6	3
46d,e,h,m	Cancer of other digestive organs and peritoneum	272	125	146	-	1	388	157	192	24	15
47	Cancer of respiratory system	54	34	20	-	-	170	125	26	12	7
48	Cancer of uterus	128	...	128	...	-	288	...	217	...	71
49	Cancer of other female genital organs	27	...	27	...	-	57	...	56	...	1
50	Cancer of breast	112	-	112	-	-	276	2	239	2	33
51	Cancer of male genital organs	78	78	...	-	...	144	120	...	24	...
52	Cancer of urinary organs (male and female)	71	42	29	-	-	132	73	44	11	4
53	Cancer of skin (except vulva and scrotum)	39	29	10	-	-	54	36	14	2	2
54	Cancer of central nervous system*	10	4	6	-	-	65	36	24	4	1
55	Cancer of other and unspecified organs	93	47	46	-	-	158	68	69	10	11
56a	Nonmalignant tumors of ovary	7	...	7	...	-	12	...	12	...	-
56b	Nonmalignant tumors of uterus	16	...	16	...	-	22	...	11	...	11
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	7	2	5	-	-	30	16	13	1	-

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
51,156	25,986	24,315	498	357	52,108	27,924	21,448	1,506	1,230	26,814	15,322	11,136	200	156	23,154	5,457	4,143	7,038	6,516	
2,449	1,524	812	76	37	3,124	1,628	948	328	220	1,455	841	535	49	30	3,102	543	444	1,107	1,008	
7	5	2	-	-	10	5	4	1	-	6	4	2	-	-	32	7	7	11	7	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	1	1	-	-	5	4	-	1	-	2	1	1	-	-	4	1	1	1	1	5
16	4	10	2	-	19	8	9	2	-	9	7	2	-	-	11	2	3	4	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
22	8	13	-	1	41	18	23	-	-	15	5	10	-	-	2	-	1	-	1	8
24	13	10	1	-	57	23	28	4	2	33	11	19	2	1	144	16	30	44	54	9
9	1	8	-	-	20	12	7	1	-	6	1	5	-	-	59	15	15	15	14	10
24	8	16	-	-	16	11	4	-	1	3	2	1	-	-	10	2	5	-	3	11
5	3	2	-	-	11	8	3	-	-	8	6	2	-	-	15	5	1	7	2	12
1,629	1,027	526	49	27	1,767	882	499	209	177	756	440	267	31	18	1,066	166	102	371	427	13-22
15	14	1	-	-	36	33	-	3	-	10	10	-	-	-	-	-	-	-	-	13a
1,501	961	469	45	26	1,527	748	440	175	164	679	398	237	28	16	992	155	98	341	398	13b,c
37	17	20	-	-	57	31	18	6	2	14	7	6	-	1	12	2	1	5	4	14
18	5	13	1	-	27	8	10	5	4	8	3	5	-	-	28	3	3	9	13	15
19	9	7	2	1	22	14	4	3	1	10	6	3	1	-	14	2	-	5	7	16
2	2	-	-	-	1	1	-	-	-	4	2	2	-	-	4	1	-	2	1	17a
4	3	1	-	-	6	3	2	1	-	3	1	2	-	-	4	1	-	1	2	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
4	2	2	-	-	1	-	-	-	1	1	1	-	-	-	2	1	-	-	1	19
21	13	8	-	-	26	19	5	2	-	7	5	2	-	-	1	-	-	1	-	20
2	-	2	-	-	3	2	1	-	-	3	1	1	1	-	1	-	-	1	-	21
5	1	3	1	-	56	21	18	13	4	16	6	8	1	1	6	1	-	4	1	22a
-	-	-	-	-	5	2	1	1	1	1	-	1	-	-	2	-	-	2	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
41	28	13	-	-	54	29	24	1	-	13	5	7	1	-	40	8	9	10	13	24
3	-	3	-	-	3	-	2	1	-	2	-	1	-	1	18	-	4	4	10	25
-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	5	3	-	-	2	26
6	1	5	-	-	17	12	4	-	1	9	6	2	1	-	155	32	35	53	35	27
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	175	30	22	70	53	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
371	257	84	24	6	607	341	137	98	31	239	163	57	12	7	474	40	11	275	148	30
30	22	7	-	1	41	25	15	-	1	10	8	2	-	-	8	2	-	5	1	30a
96	71	17	7	1	151	91	24	28	8	46	31	11	2	2	72	10	2	42	18	30b
25	17	7	-	1	62	33	15	7	7	28	21	6	1	-	34	5	1	20	8	30c
99	77	12	8	2	144	89	24	26	5	79	56	16	6	1	41	7	3	20	11	30d
29	19	7	2	1	40	21	6	10	3	12	8	4	-	-	28	4	-	17	7	30e
92	51	34	7	-	169	82	53	27	7	64	39	18	3	4	291	12	5	171	103	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	6	-	-	-	5	3	2	-	-	1	1	-	-	-	8	2	3	1	2	32
95	47	46	-	2	126	68	53	3	2	149	75	73	-	1	565	139	115	155	156	33a
52	24	27	-	1	138	67	68	2	1	90	40	49	1	-	255	61	66	65	63	33b
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
12	4	8	-	-	18	12	5	1	-	6	5	1	-	-	11	1	2	2	6	35
4	4	-	-	-	72	43	28	1	-	26	16	10	-	-	9	1	2	5	1	36
10	6	4	-	-	18	10	8	-	-	17	10	5	1	1	11	1	3	4	3	37a,c
10	9	1	-	-	10	6	3	1	-	2	1	1	-	-	-	-	-	-	-	37b
4	2	2	-	-	10	3	7	-	-	4	4	-	-	-	4	1	1	2	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40
1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	41
2	2	-	-	-	2	1	1	-	-	2	2	-	-	-	3	-	-	-	3	42
10	9	1	-	-	11	5	5	-	1	7	5	2	-	-	5	2	2	-	1	43
83	53	30	-	-	80	54	22	2	2	49	31	17	-	1	17	7	2	7	1	44
7,585	3,298	4,193	43	51	6,560	3,027	3,301	97	135	3,858	2,007	1,818	18	15	1,556	395	501	221	439	
7,314	3,226	4,006	42	40	6,275	2,953	3,128	87	107	3,754	1,973	1,749	17	15	1,446	379	471	212	384	45-55
218	177	39	2	-	186	148	33	4	1	105	78	25	2	-	51	19	12	13	7	45
142	116	25	1	-	140	110	27	3	-	77	58	18	1	-	30	12	6	9	3	45a-e
76	61	14	1	-	46	38	6	1	1	28	20	7	1	-	21	7	6	4	4	45f
3,522	1,722	1,767	19	14	2,855	1,563	1,212	52	28	1,875	1,111	752	8	4	593	185	182	112	114	46
154	120	33	1	-	116	85	27	2	2	74	56	18	-	-	12	4	3	1	4	46a
1,151	634	508	6	3	1,154	721	407	17	9	833	553	278	1	1	264	90	57	65	52	46b,c
316	115	196	4	1	359	148	202	4	5	186	76	109	1	-	114	30	39	23	22	46f
261	139	118	1	3	207	110	88	7	2	138	82	53	3	-	28	15	8	2	3	46g
1,640	714	912	7	7	1,019	499	488	22	10	644	344	294	3	3	175	46	75	21	33	46d,e,h,m
455	345	106	3	1	348	252	84	9	3	184	130	53	1	-	52	28	11	8	5	47
635	...	622	...	13	659	...	611	...	48	234	...	232	...	2	291	...	124	...	167	48
216	...	213	...	3	160	...	157	...	3	115	...	112	...	3	16	...	10	...	6	49
808	7	793	-	6	648	9	624	-	15	343	-	340	-	3	125	1	64	2	58	50
424	418	...	6	...	415	406	...	9	...	307	304	...	3	...	98	54	...	44	...	51
344	214	125	3	2	315	210	98	4	3	173	117	55	1	-	41	14	15	9	3	52
117	65	52	-	-	82	56	26	-	-	65	36	28	-	1	51	32	13	4	2	53
105	63	40	1	1	91	58	32	-	1	114	73	41	-	-	13	8	4	-	1	54
472	215	249	8	-	516	251	251	9	5	239	124	111	2	2	115	38	36	20	21	55
32	...	32	...	-	30	...	27	...	3	15	...	15	...	-	10	...	4	...	6	56a
73	...	64	...	9	84	...	60	...	24	24	...	24	...	-	51	...	14	...	37	56b
3	...	3	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	56c
77	38	38	-	1	52	25	23	3	1	33	16	16	1	-	11	2	3	3	3	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	17	5	12	-	-	8	5	2	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	357	149	207	-	1	719	196	430	34	59
58a-d	Acute rheumatic heart diseases	5	4	1	-	-	30	16	7	3	4
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	6	4	2	-	-	5	2	-	-	3
59	Chronic rheumatism and other rheumatic diseases	28	9	19	-	-	27	2	16	6	3
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	272	114	157	-	1	568	158	351	18	41
62	Diseases of pituitary gland	3	3	-	-	-	1	-	1	-	-
63a	Simple goiter	3	-	3	-	-	2	-	1	-	1
63b	Exophthalmic goiter	16	2	14	-	-	46	8	36	-	2
63c-e	Other diseases of thyroid and parathyroid glands	2	-	2	-	-	5	-	5	-	-
64	Diseases of thymus gland	10	6	4	-	-	17	6	7	2	2
65	Diseases of adrenal glands (not specified as tuberculous)	5	3	2	-	-	2	-	2	-	-
66	Other general diseases	1	-	1	-	-	1	-	1	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	7	2	2	2	1
70	Rickets	3	3	-	-	-	6	1	1	2	2
71	Other avitaminoses	3	1	2	-	-	2	1	-	1	-
	IV.—Diseases of the blood and blood-forming organs	83	40	42	-	1	92	48	29	9	6
72	Hemorrhagic conditions	7	5	2	-	-	7	3	1	2	1
73a	Pernicious anemia	24	12	12	-	-	14	7	7	-	-
73b-d	Other anemias (except splenic)	11	7	4	-	-	15	7	2	4	2
74a	Leukemias	34	15	18	-	1	42	24	13	3	2
74b	Aleukemias	3	1	2	-	-	4	1	2	-	1
75	Diseases of spleen	2	-	2	-	-	9	6	3	-	-
76	Other diseases of the blood and blood-forming organs	2	-	2	-	-	1	-	1	-	-
	V.—Chronic poisoning and intoxication	13	11	2	-	-	64	41	4	13	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	9	8	1	-	-	54	37	4	11	2
78	Lead poisoning	2	1	1	-	-	8	2	-	2	4
79	Chronic poisoning by other mineral or organic substances	2	2	-	-	-	2	2	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,210	630	578	1	1	2,004	779	792	200	233
80	Encephalitis (nonepidemic)	6	3	3	-	-	15	7	5	1	2
81	Meningitis (not due to meningococcus)	9	9	-	-	-	31	10	9	7	5
82	Diseases of spinal cord (see exceptions)*	12	9	3	-	-	32	16	11	2	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	999	524	474	-	1	1,589	608	630	156	195
83b	Cerebral embolism and thrombosis	92	46	46	-	-	174	68	81	14	11
83c	Cerebral softening	3	2	1	-	-	11	4	5	1	1
83d	Hemiplegia and other paralysis of unspecified origin	11	2	9	-	-	19	5	9	2	3
84	Mental diseases and deficiency (see exception)*	10	2	7	1	-	13	3	5	3	2
85	Epilepsy	11	8	3	-	-	34	17	9	4	4
86	Convulsions (under 5 years)	8	4	4	-	-	8	1	1	2	4
87	Other diseases of nervous system	31	14	17	-	-	40	19	16	5	-
88	Diseases of organs of vision	-	-	-	-	-	1	-	1	-	-
89a	Otitis and other diseases of the ear	12	6	6	-	-	27	16	7	1	3
89b	Diseases of mastoid process	6	1	5	-	-	10	5	3	2	-
	VII.—Diseases of the circulatory system	3,458	1,970	1,480	6	2	6,751	3,130	2,532	581	508
90	Pericarditis (except acute rheumatic)	1	1	-	-	-	10	5	1	4	-
91a,b	Bacterial and other acute or subacute endocarditis	18	9	9	-	-	48	14	24	5	5
91c	Endocarditis (unspecified, under 45 years)	2	2	-	-	-	1	-	1	-	-
92a-d	Chronic endocarditis and diseases of the valves*	419	213	204	2	-	731	304	244	86	97
92e	Endocarditis (unspecified, 45 years and over)	23	10	13	-	-	9	6	2	-	1
93a	Acute myocarditis (except rheumatic)	32	14	18	-	-	77	26	25	13	13
93b	Myocarditis (unspecified, under 45 years)	2	-	2	-	-	8	3	-	4	1
93c,d	Chronic myocarditis and myocardial degeneration	1,214	650	560	3	1	3,431	1,428	1,488	275	240
93e	Other myocarditis (unspecified)	99	44	55	-	-	106	51	37	7	11
94a	Diseases of coronary arteries	905	601	303	-	1	1,524	955	368	105	76
94b	Angina pectoris	133	77	56	-	-	85	50	31	2	2
95a	Functional diseases of heart, etc.*	7	4	3	-	-	9	5	2	1	1
95b,c	Other and unspecified diseases of heart	232	154	78	-	-	297	120	109	35	33
96	Aneurysm (except of heart and aorta)	4	-	4	-	-	20	13	4	2	1
97	Arteriosclerosis (except coronary or renal sclerosis)	314	166	147	1	-	347	133	155	38	21
98	Gangrene	7	6	1	-	-	5	2	-	1	2
99	Other diseases of arteries	27	12	15	-	-	23	8	12	2	1
100	Diseases of veins	10	2	8	-	-	16	4	8	1	3
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	9	5	4	-	-	4	3	1	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	613	328	283	2	-	1,347	576	400	193	178
104a	Diseases of nasal fossae	2	1	1	-	-	1	-	1	-	-
104b	Diseases of accessory sinuses	3	2	1	-	-	9	5	3	-	1
105	Diseases of larynx	2	1	1	-	-	7	3	2	2	-
106a	Acute bronchitis	27	11	16	-	-	26	9	12	4	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	...	2	...	-	3	...	3	...	-	2	...	2	...	-	-	...	-	...	-	57a
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	57c
81	34	45	1	1	113	49	57	7	-	30	18	12	-	-	36	14	9	6	7	57d,e
1,793	607	1,165	6	15	1,919	702	1,146	25	46	1,015	386	620	2	7	584	116	155	98	215	
22	11	11	-	-	35	14	19	-	2	33	15	16	1	1	14	-	2	5	7	58a-d
8	3	5	-	-	10	6	4	-	-	8	4	4	-	-	18	5	3	2	8	58e,f
41	12	29	-	-	64	22	41	-	1	62	28	34	-	-	16	8	3	4	1	59
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	60
1,542	528	996	4	14	1,402	510	843	20	29	747	290	451	1	5	292	79	86	41	86	61
9	-	9	-	-	6	2	4	-	-	3	1	2	-	-	1	1	-	-	-	62
5	-	5	-	-	12	4	8	-	-	3	2	1	-	-	4	-	1	1	2	63a
77	18	58	-	1	192	42	144	3	3	109	14	94	-	1	30	3	7	3	17	63b
28	2	25	1	-	16	5	10	-	1	9	3	6	-	-	3	-	3	-	-	63c-e
18	10	7	1	-	117	65	46	1	5	19	14	5	-	-	3	3	-	-	-	64
20	9	11	-	-	23	11	11	-	1	8	3	5	-	-	2	-	1	1	-	65
10	4	6	-	-	15	6	9	-	-	7	6	1	-	-	24	6	7	6	5	66
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	68
6	5	1	-	-	10	6	2	-	2	5	4	1	-	-	169	10	40	33	86	69
-	-	-	-	-	10	6	3	-	1	1	1	-	-	-	4	1	1	1	1	70
4	2	2	-	-	3	-	1	1	1	-	-	-	-	-	4	-	1	1	2	71
307	156	151	-	-	446	234	205	3	4	292	178	114	-	-	106	38	32	13	23	
13	5	8	-	-	25	16	9	-	-	23	12	11	-	-	12	5	5	-	2	72
61	23	38	-	-	114	52	62	-	-	61	36	25	-	-	22	9	8	3	2	73a
27	11	16	-	-	51	21	29	1	-	21	9	12	-	-	18	4	3	2	9	73b-d
171	99	72	-	-	192	108	78	2	4	165	110	55	-	-	43	14	15	5	9	74a
12	6	6	-	-	24	15	9	-	-	7	3	4	-	-	2	1	-	-	1	74b
20	11	9	-	-	22	14	8	-	-	12	7	5	-	-	9	5	1	3	-	75
3	1	2	-	-	18	8	10	-	-	3	1	2	-	-	-	-	-	-	-	76
186	152	30	3	1	67	51	9	5	2	43	37	2	3	1	24	13	-	9	2	
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
177	147	26	3	1	60	49	6	3	2	42	36	2	3	1	23	13	-	8	2	77c-e
7	4	3	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	78
2	1	1	-	-	2	-	1	1	-	1	1	-	-	-	1	-	-	1	-	79
5,156	2,211	2,841	54	50	5,326	2,602	2,543	85	96	2,955	1,566	1,365	12	12	1,974	496	408	503	567	
30	20	10	-	-	57	32	24	-	1	23	11	11	1	-	28	9	6	9	4	80
64	39	24	-	1	86	49	30	3	4	32	19	13	-	-	46	11	9	12	14	81
88	51	33	-	4	107	58	45	-	4	74	49	25	-	-	27	10	5	6	6	82
3,975	1,640	2,258	40	37	4,137	1,981	2,015	63	78	2,259	1,154	1,092	6	7	1,581	389	319	390	483	83a
605	252	341	7	5	430	218	197	8	7	263	158	103	1	1	32	9	9	7	7	83b
47	30	15	2	-	20	12	8	-	-	51	30	20	-	1	4	3	1	-	-	83c
44	20	23	1	-	116	56	58	1	1	39	22	17	-	-	93	25	22	26	20	83d
12	9	3	-	-	32	11	19	2	-	26	18	8	-	-	42	5	7	14	16	84
68	42	24	2	-	88	46	38	3	1	27	12	15	-	-	45	15	7	13	10	85
9	6	2	-	1	12	7	5	-	-	7	4	2	1	-	19	3	1	11	4	86
116	54	62	-	-	157	83	71	3	-	92	51	39	2	-	33	14	10	8	1	87
1	1	-	-	-	4	3	1	-	-	2	-	2	-	-	3	-	2	1	-	88
75	37	36	-	2	50	27	23	-	-	53	32	17	1	3	15	3	6	5	1	89a
22	10	10	2	-	30	19	9	2	-	7	6	1	-	-	6	-	4	1	1	89b
18,922	9,922	8,769	133	98	16,599	9,370	6,550	372	307	8,096	4,788	3,242	36	30	3,850	1,270	794	938	848	
13	5	8	-	-	30	10	20	-	-	17	10	7	-	-	8	-	-	6	2	90
98	51	44	3	-	104	52	50	2	-	59	31	26	2	-	20	1	3	11	5	91a,b
5	1	4	-	-	13	8	5	-	-	3	1	2	-	-	1	1	-	-	-	91c
1,453	652	778	8	15	1,763	901	804	32	26	903	469	430	2	2	837	206	138	257	236	92a-d
71	36	35	-	-	128	80	47	-	1	34	19	15	-	-	25	8	7	4	6	92e
103	52	51	-	-	177	89	78	5	5	28	18	10	-	-	41	13	7	9	12	93a
7	2	5	-	-	27	12	12	2	1	3	3	-	-	-	6	1	-	3	2	93b
9,120	4,228	4,766	76	50	6,694	3,379	2,923	212	180	2,669	1,405	1,229	20	15	1,300	403	316	309	272	93c,d
434	218	209	4	3	761	420	321	13	7	225	124	101	-	-	106	30	26	30	20	93e
4,957	3,303	1,614	27	13	4,069	2,828	1,171	42	28	2,613	1,849	748	10	6	552	287	112	79	74	94a
177	119	57	1	-	284	191	89	2	2	60	45	15	-	-	136	79	28	18	11	94b
15	7	8	-	-	47	22	23	1	1	31	17	14	-	-	16	8	3	2	3	95a
1,331	725	584	10	12	1,334	741	519	37	37	722	411	309	1	1	543	153	96	150	144	95b,c
39	24	14	1	-	41	21	14	5	1	23	15	7	-	1	7	3	1	1	2	96
968	433	530	3	2	952	521	408	12	11	579	306	271	-	2	170	61	44	38	27	97
4	1	2	-	1	26	14	11	1	-	14	9	5	-	-	13	3	1	5	4	98
58	29	28	-	1	72	42	24	4	2	42	21	21	-	-	17	3	4	4	6	99
46	25	20	-	1	23	14	8	1	-	20	11	9	-	-	6	2	2	1	1	100
1	1	-	-	-	3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	101
18	7	11	-	-	50	22	22	1	5	44	19	22	1	2	40	7	6	9	18	102
4	3	1	-	-	1	1	-	-	-	5	3	1	-	1	6	1	-	2	3	103
2,927	1,550	1,306	48	23	3,092	1,671	1,185	154	82	1,873	1,038	788	29	18	1,260	294	264	425	277	
6	2	4	-	-	4	2	2	-	-	7	4	3	-	-	17	3	2	7	5	104a
23	11	11	1	-	23	16	5	2	-	16	9	7	-	-	9	2	2	3	2	104b
10	8	2	-	-	17	11	6	-	-	8	6	2	-	-	4	2	-	-	2	105
53	33	19	1	-	55	31	22	2	-	23	13	10	-	-	8	3	3	1	1	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	17	9	8	-	-	34	17	11	4	2
106c	Bronchitis (unspecified)	13	6	7	-	-	14	9	3	1	1
107	Bronchopneumonia (including capillary bronchitis)	242	115	127	-	-	569	226	195	69	79
108	Lobar pneumonia	213	128	84	1	-	559	248	143	92	76
109	Pneumonia (unspecified)	19	8	10	1	-	13	2	7	1	3
110	Pleurisy (not specified as tuberculous)	15	8	7	-	-	30	17	4	4	5
111a	Hemorrhagic infarction and thrombosis of lungs	13	11	2	-	-	9	4	4	-	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	10	4	6	-	-	15	7	5	1	2
112	Asthma	24	13	11	-	-	31	15	6	6	4
113	Pulmonary emphysema	-	-	-	-	-	3	3	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	13	11	2	-	-	27	11	4	9	3
	IX.—Diseases of the digestive system	477	281	196	-	-	921	425	300	108	88
115a,b,d	Diseases of buccal cavity and adnexa	8	5	3	-	-	21	14	5	-	2
115c	Diseases of pharynx and tonsils	20	11	9	-	-	19	8	5	3	3
116	Diseases of esophagus	1	1	-	-	-	3	1	1	1	-
117a	Ulcer of stomach	41	32	9	-	-	91	56	11	21	3
117b	Ulcer of duodenum	12	10	2	-	-	25	20	2	3	-
118	Other diseases of stomach (except cancer)	13	8	5	-	-	14	4	5	4	1
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	48	32	16	-	-	120	39	32	25	24
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	12	7	5	-	-	36	15	13	5	3
121	Appendicitis	108	70	38	-	-	116	46	44	13	13
122a	Hernia	36	21	15	-	-	80	48	23	4	5
122b	Intestinal obstruction	57	25	32	-	-	87	28	37	10	12
123	Other diseases of intestines	8	5	3	-	-	25	11	6	4	4
124a	Cirrhosis of liver (with mention of alcoholism)	3	2	1	-	-	39	32	4	3	-
124b	Cirrhosis of liver (without mention of alcoholism)	38	20	18	-	-	103	58	35	5	5
125a	Acute yellow atrophy of liver (nonpuerperal)	3	1	2	-	-	5	-	2	-	3
125b	Other diseases of liver	4	3	1	-	-	16	8	2	3	3
126	Biliary calculi	26	9	17	-	-	50	10	38	-	2
127	Other diseases of gallbladder and biliary ducts	21	8	13	-	-	38	12	22	1	3
128	Diseases of pancreas (except diabetes mellitus)	8	6	2	-	-	16	10	5	1	-
129	Peritonitis (cause not stated)	10	5	5	-	-	17	5	8	2	2
	X.—Diseases of the genito-urinary system	887	475	411	1	-	2,528	1,031	873	315	309
130	Acute nephritis	19	11	8	-	-	30	5	9	7	9
131a	Arteriosclerotic kidney	473	226	246	1	-	1,818	698	669	225	226
131b	Other chronic nephritis	266	138	128	-	-	449	193	146	50	60
132	Nephritis unspecified (10 years and over)	20	10	10	-	-	8	2	3	1	2
133	Other diseases of kidneys and ureters, etc.*	16	7	9	-	-	50	16	22	7	5
134	Calculi of urinary passages	10	9	1	-	-	19	10	8	1	-
135	Diseases of urinary bladder	2	2	-	-	-	7	6	-	1	-
136	Diseases of urethra (except calculus)	2	2	-	-	-	9	4	-	5	-
137	Diseases of prostate	69	69	...	-	...	115	97	...	18	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	6	...	6	...	-	17	...	10	...	7
139b	Diseases of uterus	3	...	3	...	-	5	...	5	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	61	...	61	...	-	84	...	55	...	29
140	Abortion with mention of infection	6	...	6	...	-	13	...	7	...	6
140a,b	Abortion (septic), spontaneous or therapeutic*	3	...	3	...	-	6	...	2	...	4
140c,d	Abortion (septic), self-induced or nontherapeutic*	3	...	3	...	-	7	...	5	...	2
141	Abortion without mention of infection	2	...	2	...	-	2	...	2	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	-	...	-	...	-	9	...	6	...	3
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	7	...	7	...	-	4	...	2	...	2
144c,d	Other toxemias of pregnancy (death before delivery)*	2	...	2	...	-	2	...	1	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	2	...	2	...	-	4	...	2	...	2
146a	Placenta praevia (with childbirth)	2	...	2	...	-	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	5	...	5	...	-	11	...	10	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	8	...	8	...	-	14	...	8	...	6
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	11	...	11	...	-	7	...	5	...	2
148a,b	Puerperal eclampsia and nephritis*	10	...	10	...	-	7	...	5	...	2
148c,d	Other puerperal toxemias	2	...	2	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	4	...	4	...	-	6	...	4	...	2
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	4	...	2	...	2
	XII.—Diseases of the skin and cellular tissue	8	3	5	-	-	16	3	11	1	1
151	Carbuncle and furuncle	4	1	3	-	-	6	2	4	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	5	1	4	-	-
153	Other diseases of skin and cellular tissue	2	1	1	-	-	5	-	3	1	1
	XIII.—Diseases of the bones, etc.*	9	6	3	-	-	10	4	2	3	1
154	Osteomyelitis and periostitis	8	5	3	-	-	8	4	-	3	1
155	Other diseases of bones (except tuberculosis)	1	1	-	-	-	2	-	2	-	-
156	Diseases of joints and other organs of movement	-	-	-	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	121	66	55	-	-	191	94	60	22	15

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Last No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
52	34	18	-	-	76	45	28	1	2	51	32	18	1	-	31	15	8	6	2	106b
20	9	11	-	-	39	21	17	1	-	10	4	6	-	-	10	3	3	2	2	106c
1,517	730	753	20	14	1,133	591	482	34	26	939	501	425	6	7	358	96	80	100	82	107
928	546	356	21	5	1,154	610	417	92	35	580	342	215	16	7	609	117	120	229	143	108
35	20	15	-	-	225	146	65	8	6	46	25	15	3	3	107	20	17	46	24	109
74	53	19	1	1	79	45	21	7	6	34	25	8	1	-	21	5	5	8	3	110
69	31	37	1	-	51	26	20	2	3	35	15	18	2	-	3	2	-	1	-	111a
29	8	19	1	1	89	49	40	-	-	51	24	27	-	-	27	7	14	2	4	111b,c
60	29	29	1	1	84	39	42	2	1	40	19	20	-	1	36	13	7	11	5	112
5	3	2	-	-	4	3	1	-	-	3	1	2	-	-	1	1	-	-	-	113
46	33	11	1	1	59	36	17	3	3	30	18	12	-	-	19	5	3	9	2	114
2,458	1,399	1,034	10	15	2,803	1,544	1,102	83	74	1,468	884	569	7	8	1,335	325	266	403	341	
36	20	15	1	-	68	35	27	3	3	38	20	18	-	-	58	14	11	13	20	115a,b,d
51	26	25	-	-	47	30	14	-	3	34	19	14	-	1	20	3	6	3	8	115c
7	5	2	-	-	9	6	3	-	-	6	4	2	-	-	2	-	-	2	-	116
231	184	46	-	1	209	163	36	10	-	91	74	17	-	-	89	41	14	20	14	117a
136	107	29	-	-	104	75	23	4	2	86	71	15	-	-	21	7	-	9	5	117b
14	9	5	-	-	66	37	24	2	3	5	2	3	-	-	75	13	6	20	36	118
129	76	52	1	-	171	100	60	7	4	69	40	26	2	1	305	61	53	105	86	119
54	24	30	-	-	72	35	34	2	1	54	26	27	1	-	112	19	37	28	28	120
424	242	178	1	3	514	302	176	20	16	296	185	109	1	1	234	64	43	82	45	121
199	113	85	-	1	202	111	86	5	-	112	73	38	-	1	60	17	10	25	8	122a
194	86	102	2	4	281	140	120	6	15	136	85	51	-	-	127	22	31	39	35	122b
87	43	43	-	1	50	21	25	2	2	41	26	15	-	-	32	8	2	12	10	123
73	63	10	-	-	24	17	6	1	-	18	11	7	-	-	5	3	-	2	-	124a
333	206	123	2	2	459	289	157	7	6	176	132	44	-	-	77	28	14	22	13	124b
17	11	6	-	-	26	15	8	1	2	14	9	5	-	-	6	1	-	2	3	125a
30	18	12	-	-	48	20	24	2	2	17	6	10	1	-	12	4	-	4	4	125b
223	68	154	-	1	192	53	134	-	5	184	65	114	2	3	26	6	15	1	4	126
109	38	70	1	-	150	43	103	-	4	58	18	39	-	1	40	9	18	5	8	127
50	27	22	-	1	43	22	16	2	3	9	5	4	-	-	5	3	-	1	1	128
61	33	25	2	1	68	30	26	9	3	24	13	11	-	-	29	2	6	8	13	129
3,829	1,940	1,817	44	28	3,687	1,982	1,479	112	114	1,613	1,006	584	12	11	2,621	598	447	861	695	
48	28	19	-	1	112	60	46	4	2	34	21	13	-	-	109	24	18	39	28	130
2,400	1,101	1,255	26	18	1,817	904	791	58	64	731	407	312	6	6	1,300	319	238	402	341	131a
704	339	351	9	5	879	465	378	20	16	337	200	131	3	3	826	179	140	276	231	131b
33	19	14	-	-	172	91	70	6	5	65	33	32	-	-	65	11	11	24	19	132
163	69	89	2	3	166	90	61	10	5	60	44	34	1	1	64	12	18	22	12	133
67	49	17	1	-	77	48	27	1	1	58	38	20	-	-	7	1	3	2	1	134
26	11	14	1	-	28	22	4	2	-	13	6	7	-	-	15	1	-	13	1	135
16	15	1	-	-	11	8	1	2	-	5	4	1	-	-	26	3	-	23	-	136
313	308	...	5	...	300	291	...	9	...	254	252	...	2	...	127	48	...	79	...	137
1	1	...	-	...	3	3	...	-	...	1	1	...	-	...	1	-	...	1	...	138
33	...	32	...	1	87	...	68	...	19	21	...	20	...	1	65	...	11	...	54	139a
22	...	22	...	-	33	...	31	...	2	14	...	14	...	-	15	...	7	...	8	139b
3	...	3	...	-	2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	139c
186	...	181	...	5	289	...	269	...	20	118	...	116	...	2	330	...	106	...	224	
23	...	23	...	-	51	...	48	...	3	19	...	18	...	1	35	...	19	...	16	140
11	...	11	...	-	43	...	40	...	3	14	...	13	...	1	33	...	18	...	15	140a,b
12	...	12	...	-	8	...	8	...	-	5	...	5	...	-	2	...	1	...	1	140c,d
9	...	8	...	1	12	...	11	...	1	7	...	7	...	-	7	...	3	...	4	141
2	...	2	...	-	2	...	1	...	1	2	...	2	...	-	1	...	-	...	1	141a,c
6	...	5	...	1	8	...	8	...	-	4	...	4	...	-	5	...	3	...	2	141b,d
1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	1	...	-	...	1	141e,f
1	...	-	...	1	3	...	1	...	2	-	...	-	...	-	2	...	1	...	1	142a
5	...	5	...	-	11	...	11	...	-	6	...	6	...	-	7	...	-	...	7	142b
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	143a
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
6	...	6	...	-	12	...	12	...	-	6	...	6	...	-	60	...	16	...	44	144a,b
6	...	5	...	1	5	...	4	...	1	3	...	3	...	-	10	...	5	...	5	144c,d
5	...	4	...	1	12	...	11	...	1	2	...	2	...	-	9	...	3	...	6	145
4	...	4	...	-	12	...	10	...	2	6	...	6	...	-	11	...	4	...	7	146a
14	...	14	...	-	32	...	29	...	3	16	...	16	...	-	22	...	10	...	12	146b,c
29	...	29	...	-	34	...	34	...	-	16	...	16	...	-	52	...	9	...	43	147a,b
36	...	36	...	-	24	...	23	...	1	17	...	16	...	1	13	...	6	...	7	147c,d
15	...	14	...	1	35	...	30	...	5	10	...	10	...	-	64	...	18	...	46	148a,b
1	...	1	...	-	6	...	6	...	-	3	...	3	...	-	3	...	1	...	2	148c,d
21	...	21	...	-	25	...	24	...	1	5	...	5	...	-	13	...	4	...	9	149
8	...	8	...	-	14	...	14	...	-	2	...	2	...	-	20	...	6	...	14	150
33	13	19	1	-	28	16	11	-	1	25	10	13	1	1	34	10	6	9	9	
7	3	4	-	-	4	4	-	-	-	5	3	1	1	-	9	6	2	1	-	151
18	7	8	1	-	11	7	4	-	-	6	3	3	-	-	8	1	-	5	2	152
10	3	7	-	-	13	5	7	-	1	14	4	9	-	1	17	3	4	3	7	153
44	23	19	2	-	39	23	13	2	1	19	8	11	-	-	21	6	2	10	3	
18	11	6	1	-	24	15	7	1	1	5	4	1	-	-	17	5	2	8	2	154
8	2	5	1	-	3	2	1	-	-	6	1	5	-	-	-	-	-	-	-	155
18	10	8	-	-	12	6	5	1	-	8	3	5	-	-	4	1	-	2	1	156
494	245	243	5	1	729	389	326	7	7	345	182	160	2	1	120	54	37	16	13	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	419	249	170	-	-	690	278	203	123	86
158	Congenital debility (cause not stated)	15	9	6	-	-	18	5	3	6	4
159	Premature birth (cause not stated)	266	155	111	-	-	459	182	140	77	60
160a	Intracranial or spinal hemorrhage	32	23	9	-	-	87	38	24	16	9
160b,c	Other injuries at birth	64	38	26	-	-	51	21	18	7	5
161	Other diseases peculiar to the first year of life	42	24	18	-	-	75	32	18	17	8
162	XVI.—Senility	110	46	64	-	-	16	4	6	1	5
	XVII.—Violent or accidental deaths	781	540	236	4	1	1,869	1,038	415	308	108
163,164	Suicide	133	109	24	-	-	297	192	82	16	7
163	Suicide by poisoning	16	12	4	-	-	111	61	43	3	4
	Suicide by solid or liquid poisons	8	5	3	-	-	30	15	9	2	4
	Suicide by poisonous gases	8	7	1	-	-	81	46	34	1	-
164a	Suicide by hanging or strangulation	34	26	8	-	-	47	30	15	2	-
164b	Suicide by drowning	10	3	7	-	-	11	4	5	1	1
164c	Suicide by firearms and explosives	64	60	4	-	-	107	86	10	10	1
164d	Suicide by cutting or piercing instruments	8	8	-	-	-	8	5	3	-	-
164e	Suicide by jumping from high places	1	-	1	-	-	11	6	4	-	1
164f	Suicide by crushing	-	-	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	2	-	2	-	-
165-168	Homicide [1]	13	6	6	1	-	140	32	10	77	21
166	Homicide by firearms	8	4	4	-	-	69	14	5	36	14
167	Homicide by cutting or piercing instruments	-	-	-	-	-	38	3	1	31	3
168	Homicide by other means	5	2	2	1	-	33	15	4	10	4
169-195	Accidental deaths	635	425	206	3	1	1,426	812	323	211	80
169	Railway accidents (except collisions with motor vehicles)	15	14	1	-	-	39	31	1	6	1
170a	Collisions between automobiles and trains	8	8	-	-	-	12	3	4	4	1
170b	Collisions between automobiles and streetcars	2	2	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	178	129	48	1	-	507	336	73	81	17
170d	Motorcycle accidents (except collisions with automobiles)	2	2	-	-	-	11	10	-	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	-	1	-	-	9	5	1	1	2
171b	Other and unspecified road-transport accidents	5	4	1	-	-	1	1	-	-	-
172	Water-transport accidents	25	24	1	-	-	37	31	2	4	-
173	Air-transport accidents	-	-	-	-	-	4	4	-	-	-
174	Accidents in mines and quarries	3	3	-	-	-	7	7	-	-	-
175a	Accidents involving agricultural machinery and vehicles	12	12	-	-	-	5	4	-	1	-
175b,c	Other agricultural accidents, including injury by animals	13	13	-	-	-	10	8	1	1	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	5	5	-	-	-	19	14	-	5	-
177	Food poisoning	1	-	1	-	-	2	-	1	1	-
178	Accidental absorption of poisonous gas	7	6	1	-	-	19	16	3	-	-
179	Acute accidental poisoning by solids or liquids	6	2	4	-	-	6	4	-	1	1
180	Conflagration	27	12	15	-	-	68	19	12	16	21
181	Accidental burns (except conflagration)	19	11	8	-	-	64	24	22	9	9
182	Accidental mechanical suffocation	13	9	4	-	-	34	12	12	7	3
183	Accidental drowning	38	33	4	1	-	106	70	10	24	2
184	Accidental injury by firearms	23	23	-	-	-	32	19	6	6	1
185	Accidental injury by cutting or piercing instruments	1	-	1	-	-	6	3	1	1	1
186a	Accidental injury by fall	179	75	103	-	1	311	131	150	18	12
186b	Accidental injury by crushing	4	4	-	-	-	3	1	-	2	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	3	2	1	-	-
189	Hunger or thirst	-	-	-	-	-	2	-	-	1	1
190	Excessive cold	8	6	1	1	-	11	7	-	4	-
191	Excessive heat	1	1	-	-	-	25	8	8	8	1
192	Lightning	2	1	1	-	-	4	2	1	1	-
193	Accidents due to electric currents (except lightning)	5	5	-	-	-	11	10	-	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	11	6	5	-	-	26	11	7	4	4
195c,e	Other and unspecified accidents	19	13	6	-	-	31	18	7	3	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	6	2	-	4	-
	XVIII.—Ill-defined and unknown causes	62	36	25	-	1	30	14	6	4	6
199	Sudden death	11	7	3	-	1	2	2	-	-	-
200a	Ill-defined	37	18	19	-	-	20	9	4	3	4
200b	Found dead (cause unknown)	9	6	3	-	-	2	-	1	1	-
200c	Unknown or unspecified	5	5	-	-	-	6	3	1	-	2

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,325	764	529	15	17	2,022	1,152	740	71	59	979	557	406	10	6	941	293	226	242	180	
27	19	7	1	-	70	40	27	3	-	23	15	8	-	-	69	19	10	24	16	158
796	452	322	9	13	1,262	694	480	47	41	633	355	269	6	3	604	180	144	154	126	159
180	107	70	3	-	229	141	72	10	6	100	60	38	1	1	79	33	25	15	6	160a
132	79	52	1	-	188	106	73	5	4	141	83	57	1	-	92	32	28	20	12	160b,c
190	107	78	1	4	273	171	88	6	8	82	44	34	2	2	97	29	19	29	20	161
37	9	28	-	-	337	152	179	1	5	153	79	73	-	1	399	63	84	123	129	162
3,366	2,135	1,159	57	15	4,823	3,246	1,365	157	55	2,374	1,665	679	19	11	2,084	687	219	813	365	
574	425	140	9	-	730	569	145	11	5	402	311	87	4	-	139	97	15	22	5	163,164
221	143	73	5	-	211	135	71	1	4	80	49	29	2	-	22	15	4	3	-	163
59	30	25	4	-	97	46	46	1	4	32	13	18	1	-	17	10	4	3	-	
162	113	48	1	-	114	89	25	-	-	48	36	11	1	-	5	5	-	-	-	
125	101	24	-	-	183	147	33	2	1	127	98	27	2	-	6	4	2	-	-	164a
52	35	16	1	-	45	36	8	1	-	26	15	11	-	-	3	1	-	2	-	164b
111	103	7	1	-	236	211	20	5	-	138	129	9	-	-	95	72	6	13	4	164c
26	20	5	1	-	28	24	3	1	-	16	13	3	-	-	6	4	1	1	-	164d
24	12	11	1	-	17	10	7	-	-	10	6	4	-	-	-	-	-	-	-	164e
11	8	3	-	-	5	3	1	1	-	1	-	1	-	-	1	-	-	-	1	164f
4	3	1	-	-	5	3	2	-	-	4	1	3	-	-	6	1	2	3	-	164g
66	36	23	5	2	157	67	28	49	13	33	23	9	1	-	372	53	10	251	58	165-168
25	16	7	1	1	84	40	15	23	6	17	14	2	1	-	216	42	6	144	24	166
12	8	4	-	-	35	7	2	20	6	6	3	3	-	-	114	7	1	80	26	167
29	12	12	4	1	38	20	11	6	1	10	6	4	-	-	42	4	3	27	8	168
2,726	1,674	996	43	13	3,936	2,610	1,192	97	37	1,939	1,331	583	14	11	1,567	536	194	535	302	169-195
50	48	1	1	-	68	56	8	4	-	45	44	-	1	-	54	20	2	28	4	169
10	7	3	-	-	86	62	20	3	1	37	31	6	-	-	13	10	2	1	-	170a
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	170b
660	491	149	17	3	1,618	1,162	408	37	11	575	430	140	5	-	432	244	49	106	33	170c
5	4	1	-	-	17	14	3	-	-	8	7	1	-	-	8	8	-	-	-	170d
13	6	7	-	-	5	4	1	-	-	3	2	1	-	-	-	-	-	-	-	171a
7	3	4	-	-	11	10	1	-	-	3	3	-	-	-	5	2	1	2	-	171b
40	34	3	3	-	27	23	4	-	-	43	36	6	-	1	13	8	1	4	-	172
11	10	1	-	-	19	17	-	2	-	8	8	-	-	-	3	3	-	-	-	173
5	5	-	-	-	19	18	-	1	-	6	6	-	-	-	5	3	-	2	-	174
7	7	-	-	-	45	45	-	-	-	27	26	1	-	-	14	4	-	10	-	175a
10	9	-	1	-	25	24	1	-	-	45	45	-	-	-	26	8	-	15	3	175b,c
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	4	4	-	-	-	175d
-	-	-	-	-	6	6	-	-	-	2	2	-	-	-	7	3	-	4	-	175e
27	27	-	-	-	46	43	-	3	-	12	11	-	1	-	7	5	-	2	-	176
4	3	1	-	-	9	5	4	-	-	2	2	-	-	-	18	5	5	4	4	177
69	43	24	1	1	62	45	17	-	-	40	33	6	-	1	2	2	-	-	-	178
62	34	26	1	1	44	32	10	1	1	34	17	16	-	1	23	2	7	10	4	179
41	26	13	1	1	120	71	40	4	5	55	32	22	-	1	250	3	3	120	124	180
141	69	66	4	2	148	81	61	4	2	65	31	34	-	-	164	29	29	47	59	181
39	24	14	1	-	61	38	23	-	-	26	12	13	-	1	19	4	3	5	7	182
170	149	15	6	-	224	193	22	8	1	107	84	14	4	5	85	31	4	48	2	183
23	22	1	-	-	65	56	6	3	-	59	49	8	2	-	84	25	6	42	11	184
8	7	1	-	-	14	10	4	-	-	12	9	3	-	-	19	5	-	10	4	185
1,136	512	617	4	3	884	367	476	11	10	553	267	285	1	-	160	55	65	17	23	186a
10	9	-	-	1	17	15	1	1	-	4	4	-	-	-	6	2	-	4	-	186b
-	-	-	-	-	27	26	1	-	-	21	17	4	-	-	3	1	-	-	2	187
2	1	1	-	-	8	6	2	-	-	7	6	1	-	-	9	2	-	4	3	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
5	5	-	-	-	7	4	1	2	-	21	19	1	-	1	22	-	-	17	5	190
4	4	-	-	-	37	25	10	-	2	30	27	3	-	-	9	5	-	3	1	191
1	1	-	-	-	11	8	2	1	-	6	6	-	-	-	12	5	1	4	2	192
7	7	-	-	-	32	24	7	1	-	9	9	-	-	-	9	8	-	1	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	3	1	194
-	-	-	-	-	3	1	-	1	1	1	-	1	-	-	3	1	1	-	1	195a,b
38	23	13	1	1	44	19	23	1	1	16	9	7	-	-	3	-	1	1	1	195d
121	84	35	2	-	124	78	35	9	2	55	46	9	-	-	70	27	14	21	8	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	5	-	198
59	38	19	1	1	218	135	77	4	2	133	90	41	-	2	2,813	256	152	1,227	1,178	
4	3	-	1	-	7	5	2	-	-	22	17	5	-	-	165	42	23	54	46	199
25	13	12	-	-	168	106	57	3	2	89	58	29	-	2	251	55	18	101	77	200a
5	3	2	-	-	13	9	4	-	-	7	6	1	-	-	72	18	11	24	19	200b
25	19	5	-	1	30	15	14	1	-	15	9	6	-	-	2,325	141	100	1,048	1,036	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	43,746	22,122	17,432	2,240	1,952	5,728	3,428	1,987	163	150	12,592	7,072	5,263	138	119
	I.—Infectious and parasitic diseases	3,818	1,851	1,305	384	278	447	253	111	41	42	671	352	266	31	22
1	Typhoid fever	55	29	24	1	1	4	3	1	-	-	6	2	2	2	-
2	Paratyphoid fever	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	2	1	-	-	1	1	-	-	-	3	2	-	-	1
6	Cerebrospinal (meningococcus) meningitis	16	12	4	-	-	7	4	2	-	1	2	1	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	7	12	-	1	7	1	6	-	-	11	6	5	-	-
9	Whooping cough	88	36	44	1	7	5	-	5	-	-	13	6	6	-	1
10	Diphtheria (infection by C. diphtheriae)	63	33	30	-	-	7	1	3	3	-	10	5	5	-	-
11	Erysipelas	22	9	13	-	-	3	2	1	-	-	2	1	1	-	-
12	Tetanus	12	5	5	1	1	-	-	-	-	-	5	5	-	-	-
13-22	Tuberculosis (all forms)	1,704	795	533	205	171	225	129	43	26	27	225	111	83	20	11
13a	Tuberculosis of respiratory system with mention of occupational disease of lungs	32	32	-	-	-	32	32	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,557	715	495	191	156	164	87	35	20	22	199	102	71	18	8
14	Tuberculosis of meninges and central nervous system	28	12	6	4	6	9	1	2	4	2	8	3	1	1	3
15	Tuberculosis of intestines and peritoneum	26	8	12	3	3	5	2	1	1	1	3	-	3	-	-
16	Tuberculosis of vertebral column	14	2	4	4	4	4	3	1	-	-	6	2	3	1	-
17a	Tuberculosis of bones (except vertebral column)	6	5	-	-	1	1	1	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	6	4	2	-	-	1	-	-	1	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	7	4	3	-	-	1	-	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	16	10	5	1	-	1	1	-	-	-	2	1	1	-	-
21	Tuberculosis of other organs	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	9	3	4	2	-	7	2	3	-	2	5	2	3	-	-
22b	Disseminated tuberculosis (other and unspecified)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	39	17	17	4	1	11	8	2	1	-	12	6	5	-	1
25	Gonococcus infection	13	-	7	2	4	3	1	1	-	1	2	-	2	-	-
26	Other diseases due to bacteria (except dysentery)	15	8	7	-	-	1	1	-	-	-	1	-	1	-	-
27	Dysentery	75	36	31	6	2	9	4	-	3	2	7	4	3	-	-
28	Malaria	38	18	16	2	2	1	1	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	688	354	130	137	67	66	39	16	6	5	103	66	23	9	5
30a	Locomotor ataxia (tabes dorsalis)	45	31	10	3	1	6	5	1	-	-	12	6	5	1	-
30b	General paralysis of insane	131	74	25	22	10	15	7	7	1	-	23	15	7	1	-
30c	Other syphilis of central nervous system	58	28	10	8	12	5	2	-	2	1	14	8	3	1	2
30d	Aneurysm of aorta	173	98	26	41	8	18	15	2	-	1	21	13	6	1	1
30e	Other syphilis of circulatory system	55	25	2	20	8	1	1	-	-	-	8	7	-	-	1
30f,g	Congenital, other and unspecified forms of syphilis	226	98	57	43	28	21	9	6	3	3	25	17	2	5	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	10	4	6	-	-	2	-	2	-	-	4	1	3	-	-
33a	Influenza, with respiratory complications specified	537	267	247	16	7	29	17	10	-	2	101	52	49	-	-
33b	Influenza, without respiratory complications specified	269	131	123	5	10	29	16	12	-	1	96	49	45	-	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	21	11	10	-	-	5	2	-	1	2	6	2	4	-	-
36	Acute poliomyelitis and acute polioencephalitis	38	26	12	-	-	7	4	2	1	-	23	10	12	-	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	9	3	5	1	-	8	6	1	-	1	6	3	3	-	-
37b	Sequelae of encephalitis lethargica	10	3	7	-	-	1	-	1	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	7	4	3	-	-	1	-	1	-	-	2	1	1	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	3	3	-	-	-	7	6	1	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses	7	4	1	-	2	-	-	-	-	-	1	1	-	-	-
44	Other infectious and parasitic (communicable) diseases	51	31	16	2	2	8	7	1	-	-	28	16	12	-	-
	II.—Cancer and other tumors	5,293	2,277	2,633	151	232	651	337	298	5	11	1,717	834	859	12	12
45-55	Cancer and other malignant tumors	5,080	2,232	2,513	144	191	624	325	283	5	11	1,659	814	824	10	11
45	Cancer of buccal cavity and pharynx	187	148	35	4	-	19	13	5	-	1	52	43	9	-	-
45a-e	Cancer of buccal cavity	133	110	20	3	-	13	9	3	-	1	37	32	5	-	-
45f	Cancer of pharynx	54	38	15	1	-	6	4	2	-	-	15	11	4	-	-
46	Cancer of digestive organs and peritoneum	2,332	1,143	1,047	95	47	293	172	115	3	3	820	450	358	7	5
46a	Cancer of esophagus	91	71	14	5	1	7	6	1	-	-	18	15	1	1	1
46b,c	Cancer of stomach and duodenum	777	402	310	43	22	131	81	46	1	3	332	203	121	4	4
46f	Cancer of liver and biliary passages	447	185	251	7	4	42	21	20	1	-	133	58	74	1	-
46g	Cancer of pancreas	145	79	57	8	1	24	14	9	1	-	66	36	29	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	872	406	415	32	19	89	50	39	-	-	271	138	133	-	-
47	Cancer of respiratory system	266	190	63	8	5	36	30	4	2	-	75	50	24	1	-
48	Cancer of uterus	578	...	499	...	79	68	...	63	...	5	139	...	136	...	3
49	Cancer of other female genital organs	126	...	123	...	3	16	...	16	...	-	46	...	46	...	-
50	Cancer of breast	490	7	448	1	34	52	-	52	-	-	162	2	157	-	3
51	Cancer of male genital organs	327	311	...	16	...	45	45	...	-	...	123	121	...	2	...
52	Cancer of urinary organs (male and female)	238	145	80	8	5	28	19	9	-	-	76	47	29	-	-
53	Cancer of skin (except vulva and scrotum)	118	67	48	-	3	17	14	3	-	-	39	26	13	-	-
54	Cancer of central nervous system*	92	55	35	1	1	6	4	2	-	-	25	18	7	-	-
55	Cancer of other and unspecified organs	326	166	135	11	14	44	28	14	-	2	102	57	45	-	-
56a	Nonmalignant tumors of ovary	26	...	21	...	5	1	...	1	...	-	7	...	7	...	-
56b	Nonmalignant tumors of uterus	81	...	53	...	28	6	...	6	...	-	13	...	13	...	-
56c	Nonmalignant tumors of other female genital organs	3	...	2	...	1	-	...	-	...	-	1	...	1	...	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,404	890	383	83	68	6,255	3,428	2,815	8	4	45,086	22,486	19,217	1,728	1,655	5,593	3,026	2,256	184	127	
130	75	25	18	12	266	158	104	2	2	2,752	1,390	718	369	275	759	409	279	46	25	
1	1	-	-	-	1	-	1	-	-	14	8	6	-	-	17	9	8	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	3	2	1	-	-	5
1	1	-	-	-	4	3	1	-	-	5	4	1	-	-	4	2	2	-	-	6
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	7
-	-	-	-	-	4	3	1	-	-	18	12	4	2	-	3	-	3	-	-	8
3	1	2	-	-	10	6	4	-	-	23	9	7	4	3	70	17	33	10	10	9
2	1	1	-	-	1	1	-	-	-	24	14	7	3	-	7	3	4	-	-	10
-	-	-	-	-	4	4	-	-	-	8	6	2	-	-	1	-	1	-	-	11
-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	12
79	42	10	16	11	104	63	40	1	-	1,787	905	447	236	199	401	233	134	21	13	13-22
12	12	-	-	-	1	1	-	-	-	16	16	-	-	-	2	2	-	-	-	13a
55	26	10	13	6	94	58	35	1	-	1,639	839	414	209	177	366	215	120	21	10	13b,c
7	1	-	2	4	2	-	2	-	-	33	8	12	10	3	10	5	3	-	2	14
1	-	-	1	-	1	-	1	-	-	27	10	4	6	7	5	2	3	-	-	15
-	-	-	-	-	-	-	-	-	-	19	9	5	2	3	2	2	-	-	-	16
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	1	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	17b
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	1	-	-	6	2	2	-	2	2	2	-	-	-	19
1	1	-	-	-	3	3	-	-	-	9	7	2	-	-	3	-	2	-	1	20
1	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	21
1	1	-	-	-	1	-	1	-	-	27	11	6	6	4	9	4	5	-	-	22a
-	-	-	-	-	1	1	-	-	-	3	-	1	1	1	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	2	1	-	-	6	3	3	-	-	33	22	11	-	-	6	5	1	-	-	24
2	2	-	-	-	-	-	-	-	-	10	2	5	1	2	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	26
1	1	-	-	-	2	1	1	-	-	9	9	-	-	-	75	34	32	8	1	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
21	14	4	2	1	58	33	21	1	1	510	245	102	106	57	78	54	16	7	1	30
-	-	-	-	-	3	2	1	-	-	24	18	4	2	-	1	1	-	-	-	30a
2	2	-	-	-	9	4	5	-	-	116	65	16	23	12	11	9	1	1	-	30b
4	4	-	-	-	6	2	3	-	1	81	33	17	20	11	6	6	-	-	-	30c
7	3	2	1	1	9	6	2	1	-	87	46	17	19	5	12	8	2	2	-	30d
2	2	-	-	-	2	2	-	-	-	32	16	4	7	5	4	3	1	-	-	30e
6	3	2	1	-	27	17	10	-	-	170	67	44	35	24	44	27	12	4	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	1	-	-	-	8	3	2	1	2	1	-	1	-	-	32
8	6	2	-	-	23	14	9	-	-	100	43	48	5	4	51	30	21	-	-	33a
5	2	3	-	-	25	12	12	-	1	66	29	28	5	4	18	8	10	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	3	3	-	-	-	8	4	3	1	-	11	3	8	-	-	35
2	1	1	-	-	2	2	-	-	-	6	5	1	-	-	3	2	1	-	-	36
1	-	1	-	-	3	1	2	-	-	14	7	7	-	-	-	-	-	-	-	37a,c
-	-	-	-	-	1	1	-	-	-	8	5	3	-	-	-	-	-	-	-	37b
-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	1	1	-	-	-	38
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	41
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	2	2	-	-	-	43
-	-	-	-	-	13	7	6	-	-	74	42	28	1	3	4	3	1	-	-	44
133	76	48	3	6	851	399	451	1	-	6,260	2,931	3,059	114	156	343	153	180	4	6	
128	74	46	1	5	823	397	425	1	-	6,063	2,880	2,934	112	137	325	149	169	3	4	45-55
5	5	-	-	-	15	10	5	-	-	195	162	26	6	1	4	3	1	-	-	45
4	4	-	-	-	13	8	5	-	-	136	114	17	4	1	3	2	1	-	-	45a-e
1	1	-	-	-	2	2	-	-	-	59	48	9	2	-	1	1	-	-	-	45f
65	44	17	1	3	401	220	180	1	-	2,976	1,569	1,303	61	43	142	84	58	1	1	46
1	1	-	-	-	14	12	2	-	-	137	117	18	2	-	5	4	1	-	-	46a
28	18	6	1	3	124	75	48	1	-	977	572	354	32	19	78	44	34	-	-	46b,c
12	8	4	-	-	52	27	25	-	-	316	144	164	5	3	21	12	9	-	-	46f
2	2	-	-	-	38	22	16	-	-	208	108	92	4	4	8	5	2	-	1	46g
22	15	7	-	-	173	84	89	-	-	1,338	628	675	18	17	30	19	10	1	-	46i,e,h,m
7	5	2	-	-	48	30	18	-	-	479	376	86	13	4	19	13	5	1	-	47
7	...	7	...	-	81	...	81	...	-	495	...	451	...	44	45	...	44	...	1	48
2	...	2	...	-	23	...	23	...	-	178	...	170	...	8	10	...	10	...	-	49
10	-	8	-	2	75	1	74	-	-	582	6	555	-	21	27	-	27	-	-	50
8	8	...	-	...	64	64	...	-	...	293	280	...	13	...	20	20	...	-	...	51
7	3	4	-	-	42	29	13	-	-	361	234	114	7	6	22	13	8	1	-	52
5	4	1	-	-	14	8	6	-	-	89	60	26	2	1	5	1	4	-	-	53
-	-	-	-	-	5	2	3	-	-	65	34	29	1	1	4	2	2	-	-	54
10	5	5	-	-	55	33	22	-	-	350	159	174	9	8	27	15	12	-	2	55
-	...	-	...	-	5	...	5	...	-	23	...	22	...	1	2	...	2	...	-	56a
2	...	1	...	1	10	...	10	...	-	65	...	53	...	12	7	...	5	...	2	56b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	56c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
56d,e	Nonmalignant tumors of other and unspecified organs	55	25	22	4	4	4	1	3	-	-	17	9	8	-	-
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	48	20	22	3	3	18	11	5	-	-	18	11	5	2	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,289	482	719	33	55	156	53	98	3	2	469	189	272	3	5
58a-d	Acute rheumatic heart diseases	32	9	18	2	3	3	3	-	-	-	6	5	1	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	7	4	2	-	1	2	1	1	-	-	3	1	2	-	-
59	Chronic rheumatism and other rheumatic diseases	56	17	34	2	3	8	4	4	-	-	26	5	20	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	959	381	522	20	36	108	35	72	1	-	370	160	206	2	2
62	Diseases of pituitary gland	6	1	2	2	1	3	-	3	-	-	3	1	2	-	-
63a	Simple goiter	5	-	4	1	-	1	1	-	-	-	1	-	1	-	-
63b	Exophthalmic goiter	132	21	102	1	8	15	3	10	-	2	35	9	26	-	-
63c-e	Other diseases of thyroid and parathyroid glands	11	5	6	-	-	1	1	-	-	-	4	1	3	-	-
64	Diseases of thymus gland	39	21	15	2	1	10	3	5	2	-	6	2	3	-	1
65	Diseases of adrenal glands(not specified as tuberculous)	11	6	3	2	-	4	1	3	-	-	5	1	4	-	-
66	Other general diseases	9	6	3	-	-	-	-	-	-	-	5	3	1	1	-
67	Scurvy	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	13	6	6	-	1	1	1	-	-	-	2	1	1	-	-
70	Rickets	3	1	2	-	-	-	-	-	-	-	2	-	1	-	1
71	Other avitaminoses	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	295	180	127	2	6	39	21	16	1	1	147	78	65	4	-
72	Hemorrhagic conditions	11	7	4	-	-	3	1	2	-	-	9	6	3	-	-
73a	Pernicious anemia	83	44	36	1	2	11	6	5	-	-	40	18	21	1	-
73b-d	Other anemias (except splenic)	30	14	13	-	3	1	1	-	-	-	17	9	8	-	-
74a	Leukemias	142	85	55	1	1	19	12	7	-	-	71	40	29	2	-
74b	Aleukemias	4	1	3	-	-	1	-	1	-	-	3	2	1	-	-
75	Diseases of spleen	14	6	8	-	-	4	1	1	1	1	3	1	1	1	-
76	Other diseases of the blood and blood-forming organs	11	3	8	-	-	-	-	-	-	-	4	2	2	-	-
	V.—Chronic poisoning and intoxication	41	32	3	4	2	21	19	2	-	-	12	11	1	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	38	30	2	4	2	21	19	2	-	-	12	11	1	-	-
78	Lead poisoning	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	4,302	2,050	1,883	168	201	524	291	220	5	8	1,520	830	665	9	16
80	Encephalitis (nonepidemic)	58	27	28	2	1	8	3	3	1	1	24	12	12	-	-
81	Meningitis (not due to meningococcus)	81	48	19	6	8	4	4	-	-	-	16	9	6	-	1
82	Diseases of spinal cord (see exceptions)*	115	64	46	1	4	14	7	7	-	-	28	18	10	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,459	1,608	1,546	135	170	413	230	175	3	5	1,191	659	512	8	12
83b	Cerebral embolism and thrombosis	264	126	118	11	9	24	14	10	-	-	113	52	59	1	1
83c	Cerebral softening	26	12	10	2	2	-	-	-	-	-	2	-	2	-	-
83d	Hemiplegia and other paralysis of unspecified origin	41	29	8	2	2	12	5	6	-	1	54	30	22	-	2
84	Mental diseases and deficiency (see exception)*	21	6	14	1	-	6	5	1	-	-	11	5	6	-	-
85	Epilepsy	51	31	17	1	2	13	7	6	-	-	28	17	11	-	-
86	Convulsions (under 5 years)	9	8	1	-	-	5	3	2	-	-	3	1	2	-	-
87	Other diseases of nervous system	94	45	43	3	3	13	6	6	-	1	37	20	17	-	-
88	Diseases of organs of vision	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	56	29	24	3	-	9	6	3	-	-	7	2	5	-	-
89b	Diseases of mastoid process	25	16	8	1	-	3	1	1	1	-	6	5	1	-	-
	VII.—Diseases of the circulatory system	12,031	6,544	4,502	502	483	1,555	1,004	512	23	16	3,480	2,076	1,356	26	22
90	Pericarditis (except acute rheumatic)	20	13	4	2	1	4	4	-	-	-	4	3	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	83	46	34	2	1	12	6	5	-	1	22	11	11	-	-
91c	Endocarditis (unspecified, under 45 years)	7	3	4	-	-	3	1	2	-	-	4	2	2	-	-
92a-d	Chronic endocarditis and diseases of the valves*	1,797	909	723	78	87	169	101	62	2	4	446	242	199	-	5
92e	Endocarditis (unspecified, 45 years and over)	69	39	27	2	1	7	4	3	-	-	25	12	13	-	-
93a	Acute myocarditis (except rheumatic)	134	74	42	10	8	62	47	14	1	-	42	22	19	1	-
93b	Myocarditis (unspecified, under 45 years)	6	3	1	2	-	3	2	-	-	1	4	2	2	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,389	2,726	2,165	252	246	494	276	196	14	8	1,169	631	522	11	5
93e	Other myocarditis (unspecified)	431	249	153	15	14	157	116	39	1	1	181	107	74	-	-
94a	Diseases of coronary arteries	2,255	1,477	672	65	41	334	254	78	1	1	848	602	236	5	5
94b	Angina pectoris	230	147	71	4	8	27	23	4	-	-	115	87	28	-	-
95a	Functional diseases of heart, etc.*	95	57	35	2	1	8	6	2	-	-	20	11	8	-	1
95b,c	Other and unspecified diseases of heart	704	413	218	31	42	171	103	65	3	-	336	195	128	9	4
96	Aneurysm (except of heart and aorta)	53	34	10	2	7	3	2	-	1	-	7	6	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	621	294	279	28	20	69	45	24	-	-	183	104	79	-	-
98	Gangrene	18	8	6	2	2	3	2	1	-	-	8	3	5	-	-
99	Other diseases of arteries	58	30	23	2	1	14	8	6	-	-	39	22	16	-	1
100	Diseases of veins	25	10	15	-	-	4	2	2	-	-	11	5	6	-	-
101	Diseases of lymphatic system	6	1	5	-	-	-	-	-	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	27	9	12	3	3	11	2	9	-	-	14	7	7	-	-
103	Other diseases of circulatory system	5	2	3	-	-	-	-	-	-	-	1	1	-	-	-
	VIII.—Diseases of the respiratory system	3,249	1,561	1,293	240	155	359	224	103	15	17	735	420	287	13	15
104a	Diseases of nasal fossae	5	2	3	-	-	1	-	1	-	-	5	3	1	1	-
104b	Diseases of accessory sinuses	19	7	10	2	-	5	5	-	-	-	11	9	2	-	-
105	Diseases of larynx	10	6	4	-	-	5	3	2	-	-	5	3	2	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	6	2	4	-	-	57	27	26	1	3	-	-	-	-	-	56d,e
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
5	2	1	2	-	7	-	7	-	-	49	24	21	1	3	8	4	3	1	-	57d,e
35	16	15	2	2	219	95	124	-	-	1,841	573	1,151	33	84	97	42	53	1	1	
-	-	-	-	-	3	2	1	-	-	66	30	31	2	3	5	4	1	-	-	58a-d
-	-	-	-	-	2	2	-	-	-	11	3	8	-	-	3	2	1	-	-	58e,f
3	2	1	-	-	5	2	3	-	-	51	13	36	1	1	3	2	1	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
23	12	9	2	-	182	78	104	-	-	1,513	475	947	27	64	44	21	22	-	1	61
-	-	-	-	-	-	-	-	-	-	6	1	4	1	-	1	-	1	-	-	62
-	-	-	-	-	1	-	1	-	-	7	2	5	-	-	-	-	-	-	-	63a
4	-	2	-	2	16	2	14	-	-	100	16	78	-	6	10	-	10	-	-	63b
1	-	1	-	-	2	2	-	-	-	13	4	9	-	-	3	2	1	-	-	63c-e
1	1	-	-	-	5	4	1	-	-	42	18	16	2	6	2	2	-	-	-	64
1	1	-	-	-	2	2	-	-	-	7	3	4	-	-	2	2	-	-	-	65
-	-	-	-	-	1	1	-	-	-	10	3	7	-	-	2	1	-	1	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
1	-	1	-	-	-	-	-	-	-	9	3	4	-	2	19	3	16	-	-	69
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	70
-	-	-	-	-	-	-	-	-	-	5	1	2	-	2	2	2	-	-	-	71
7	5	1	-	1	43	18	24	1	-	309	147	149	9	4	23	7	14	2	-	
-	-	-	-	-	-	-	-	-	-	17	6	11	-	-	2	1	1	-	-	72
1	1	-	-	-	15	5	10	-	-	38	12	26	-	-	2	1	1	-	-	73a
3	2	-	-	1	3	1	2	-	-	20	9	8	1	2	4	1	3	-	-	73b-d
2	1	1	-	-	19	9	9	1	-	184	101	76	6	1	10	3	5	2	-	74a
-	-	-	-	-	1	1	-	-	-	8	3	4	1	-	2	-	2	-	-	74b
1	1	-	-	-	4	2	2	-	-	22	8	12	1	1	1	-	1	-	-	75
-	-	-	-	-	1	-	1	-	-	20	8	12	-	-	2	1	1	-	-	76
22	16	2	1	3	16	14	2	-	-	75	57	9	8	1	9	5	3	1	-	
1	1	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	77a,b
20	15	2	1	2	14	12	2	-	-	67	52	8	6	1	8	4	3	1	-	77c-e
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	78
1	-	-	-	1	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	79
89	54	29	1	5	628	317	311	-	-	4,218	1,814	2,157	107	140	275	151	113	6	5	
-	-	-	-	-	3	2	1	-	-	32	19	11	2	-	2	-	2	-	-	80
1	-	-	-	1	11	7	4	-	-	59	36	18	3	2	10	6	3	1	-	81
5	3	2	-	-	21	15	6	-	-	86	44	41	1	-	9	6	3	-	-	82
69	43	21	1	4	474	232	242	-	-	3,200	1,339	1,667	76	118	198	105	86	3	4	83a
7	4	3	-	-	71	33	38	-	-	446	193	236	10	7	9	5	4	-	-	83b
-	-	-	-	-	-	-	-	-	-	11	1	10	-	-	2	2	-	-	-	83c
2	1	1	-	-	5	1	4	-	-	94	46	40	4	4	8	4	4	-	-	83d
-	-	-	-	-	2	1	1	-	-	37	14	18	-	5	3	2	1	-	-	84
4	3	1	-	-	10	7	3	-	-	56	26	21	7	2	3	3	-	-	-	85
-	-	-	-	-	3	3	-	-	-	10	7	3	-	-	2	-	2	-	-	86
-	-	-	-	-	16	9	7	-	-	118	44	72	2	-	16	9	5	2	-	87
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	88
1	-	1	-	-	10	7	3	-	-	39	26	11	2	-	7	5	1	-	1	89a
-	-	-	-	-	2	-	2	-	-	28	17	9	-	2	6	4	2	-	-	89b
354	251	84	11	8	2,232	1,275	954	3	-	15,768	8,252	6,696	406	414	686	395	271	13	7	
1	1	-	-	-	1	-	1	-	-	16	11	3	-	2	3	1	2	-	-	90
1	-	1	-	-	10	6	4	-	-	100	56	38	4	2	6	3	3	-	-	91a,b
-	-	-	-	-	-	-	-	-	-	15	6	6	-	3	1	-	1	-	-	91c
46	23	18	4	1	280	155	124	1	-	1,182	510	579	37	56	109	60	46	2	1	92a-d
3	1	1	-	1	27	13	14	-	-	116	54	49	6	7	6	3	3	-	-	92e
7	5	2	-	-	25	13	11	1	-	134	57	65	6	6	7	3	4	-	-	93a
1	1	-	-	-	-	-	-	-	-	13	8	4	-	1	2	2	-	-	-	93b
133	92	38	1	2	805	417	388	-	-	7,126	3,381	3,384	173	188	241	136	98	4	3	93c,d
17	12	3	-	2	66	31	35	-	-	1,200	678	466	15	41	30	15	14	1	-	93e
85	71	10	3	1	601	413	187	1	-	3,627	2,412	1,113	70	32	156	95	37	3	1	94a
12	11	1	-	-	60	35	25	-	-	119	74	45	-	-	18	14	4	-	-	94b
1	-	1	-	-	4	2	2	-	-	28	12	15	-	1	3	1	2	-	-	95a
31	26	3	2	-	177	107	70	-	-	1,144	556	468	59	61	84	40	40	2	2	95b,c
-	-	-	-	-	7	7	-	-	-	29	24	4	1	-	1	1	-	-	-	96
11	5	5	1	-	167	89	78	-	-	788	352	401	25	10	34	18	15	1	-	97
-	-	-	-	-	3	1	2	-	-	9	6	3	-	-	1	1	-	-	-	98
2	2	-	-	-	13	4	9	-	-	57	29	24	3	1	-	-	-	-	-	99
-	-	-	-	-	1	-	1	-	-	24	11	11	1	1	1	1	-	-	-	100
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
1	1	-	-	-	4	1	3	-	-	37	13	18	4	2	3	1	2	-	-	102
-	-	-	-	-	1	1	-	-	-	4	2	-	2	-	-	-	-	-	-	103
91	50	22	10	9	379	203	176	-	-	2,333	1,182	900	136	115	381	198	160	13	10	
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	104a
2	-	2	-	-	2	-	2	-	-	16	11	4	-	1	2	1	1	-	-	104b
2	2	-	-	-	2	1	1	-	-	13	9	4	-	-	2	2	-	-	-	105

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Contd.															
106a	Acute bronchitis	40	15	20	2	3	3	-	2	-	1	10	5	5	-	-
106b	Chronic bronchitis	87	39	44	4	-	7	5	2	-	-	13	7	6	-	-
106c	Bronchitis (unspecified)	16	8	6	-	2	3	1	2	-	-	3	2	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,318	589	558	89	82	124	67	45	3	9	229	155	84	4	6
108	Lobar pneumonia	1,477	756	540	125	56	113	74	28	6	5	269	158	101	4	6
109	Pneumonia (unspecified)	41	24	14	1	2	45	28	11	4	2	76	35	37	3	1
110	Pleurisy (not specified as tuberculous)	67	34	22	6	5	5	2	2	1	-	18	12	5	1	-
111a	Hemorrhagic infarction and thrombosis of lungs	36	24	10	1	1	7	5	2	-	-	17	9	8	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	40	15	23	1	1	10	9	1	-	-	39	17	21	-	1
112	Asthma	53	21	25	4	3	11	7	3	1	-	22	15	7	-	-
113	Pulmonary emphysema	2	1	1	-	-	1	1	-	-	-	5	1	4	-	-
114	Other diseases of respiratory system (except tuberculosis)	38	20	13	5	-	19	17	2	-	-	13	9	3	-	1
	IX.—Diseases of the digestive system	2,537	1,310	1,017	108	102	417	239	149	15	14	740	406	321	6	7
115a,b,d	Diseases of buccal cavity and adnexa	66	27	33	3	3	15	8	7	-	-	21	10	11	-	-
115c	Diseases of pharynx and tonsils	42	21	18	-	3	6	4	2	-	-	9	6	3	-	-
116	Diseases of esophagus	6	3	2	-	1	-	-	-	-	-	3	2	1	-	-
117a	Ulcer of stomach	141	101	31	6	3	42	34	7	1	-	63	53	10	-	-
117b	Ulcer of duodenum	94	77	15	2	-	17	15	2	-	-	30	22	8	-	-
118	Other diseases of stomach (except cancer)	58	34	20	3	1	11	5	4	2	-	14	9	4	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	314	152	124	24	14	41	16	9	8	8	37	14	21	1	1
20	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	152	70	68	4	10	17	9	6	-	2	38	20	17	-	1
121	Appendicitis	450	246	174	18	12	82	55	24	3	-	166	94	71	-	1
122a	Hernia	178	83	75	11	9	23	16	7	-	-	37	23	13	-	1
122b	Intestinal obstruction	232	106	103	7	16	36	22	13	-	1	81	35	42	2	2
123	Other diseases of intestines	44	25	13	2	4	8	5	3	-	-	12	7	5	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	21	16	4	1	-	11	8	3	-	-	8	7	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	348	211	110	17	10	43	27	16	-	-	86	53	31	1	1
125a	Acute yellow atrophy of liver (nonpuerperal)	23	8	13	-	2	4	1	3	-	-	2	1	1	-	-
125b	Other diseases of liver	48	16	20	6	6	2	-	2	-	-	16	5	11	-	-
126	Biliary calculi	168	53	112	1	2	22	3	16	1	2	59	18	41	-	-
127	Other diseases of gallbladder and biliary ducts	92	36	50	1	5	24	7	16	-	1	43	16	26	1	-
128	Diseases of pancreas (except diabetes mellitus)	25	15	9	1	-	2	1	1	-	-	5	3	2	-	-
129	Peritonitis (cause not stated)	35	10	23	1	1	11	3	8	-	-	10	8	2	-	-
	X.—Diseases of the genito-urinary system	4,870	2,533	1,812	283	242	366	220	135	8	3	1,082	661	411	7	3
130	Acute nephritis	67	26	29	7	5	9	6	3	-	-	30	20	10	-	-
131a	Arteriosclerotic kidney	2,694	1,336	1,078	153	127	168	102	58	6	2	568	321	242	4	1
131b	Other chronic nephritis	1,476	752	540	92	92	96	47	48	1	-	244	146	95	2	1
132	Nephritis unspecified (10 years and over)	37	18	18	1	-	18	11	6	-	1	46	22	24	-	-
133	Other diseases of kidneys and ureters, etc.*	115	52	58	4	1	12	7	5	-	-	34	22	11	-	1
134	Calculi of urinary passages	85	55	24	4	2	7	5	2	-	-	19	13	6	-	-
135	Diseases of urinary bladder	23	11	11	1	-	4	3	1	-	-	12	9	3	-	-
136	Diseases of urethra (except calculus)	20	13	1	6	-	1	1	-	-	-	-	-	-	-	-
137	Diseases of prostate	281	267	...	14	...	39	38	...	1	...	108	107	...	1	...
138	Diseases of other male genital organs (except venereal)	4	3	...	1	...	-	-	...	-	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	51	...	38	...	13	8	...	8	...	-	15	...	15	...	-
139b	Diseases of uterus	16	...	15	...	1	4	...	4	...	-	5	...	5	...	-
139c	Diseases of other and unspecified female genital organs	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	229	...	203	...	26	35	...	30	...	5	71	...	66	...	5
140	Abortion with mention of infection	47	...	42	...	5	8	...	7	...	1	16	...	16	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	32	...	30	...	2	6	...	5	...	1	12	...	12	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	15	...	12	...	3	2	...	2	...	-	4	...	4	...	-
141	Abortion without mention of infection	8	...	7	...	1	1	...	1	...	-	4	...	4	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	5	...	4	...	1	-	...	-	...	-	4	...	4	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	5	...	4	...	1	-	...	-	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	7	...	6	...	1	1	...	1	...	-	2	...	2	...	-
143a	Placenta praevia (death before delivery)	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	8	...	8	...	-	2	...	2	...	-	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	5	...	4	...	1	-	...	-	...	-	2	...	2	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	6	...	5	...	1	-	...	-	...	-	3	...	2	...	1
146a	Placenta praevia (with childbirth)	2	...	2	...	-	3	...	2	...	1	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	22	...	18	...	4	5	...	4	...	1	3	...	3	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	38	...	34	...	4	5	...	5	...	-	15	...	13	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	21	...	21	...	-	4	...	3	...	1	10	...	10	...	-
148a,b	Puerperal eclampsia and nephritis*	33	...	28	...	5	5	...	4	...	1	3	...	3	...	-
148c,d	Other puerperal toxemias	4	...	3	...	1	1	...	1	...	-	2	...	2	...	-
149	Other accidents and specified conditions of childbirth	9	...	9	...	-	-	...	-	...	-	5	...	4	...	1
150	Other and unspecified conditions of childbirth and puerperium	12	...	11	...	1	-	...	-	...	-	4	...	3	...	1
	XII.—Diseases of the skin and cellular tissue	40	14	18	5	3	8	6	2	-	-	12	9	3	-	-
151	Carbuncle and furuncle	11	3	7	-	1	3	2	1	-	-	5	4	1	-	-
152	Phlegmon and acute abscess	15	7	4	3	1	2	2	-	-	-	2	2	-	-	-
153	Other diseases of skin and cellular tissue	14	4	7	2	1	3	2	1	-	-	5	3	2	-	-

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	2	-	-	-	8	4	4	-	-	41	25	14	2	-	5	3	2	-	-	106a
3	3	-	-	-	9	6	3	-	-	42	28	15	1	-	5	2	3	-	-	106b
-	-	-	-	-	3	3	-	-	-	25	13	10	1	1	-	-	-	-	-	106c
31	15	8	4	4	178	85	93	-	-	878	407	369	51	51	156	74	76	2	4	107
27	12	7	4	4	118	69	49	-	-	998	503	378	68	49	154	87	63	4	-	108
14	10	2	2	-	11	8	3	-	-	59	34	14	6	5	29	11	8	4	6	109
2	2	-	-	-	11	11	-	-	-	68	44	20	1	3	5	5	-	-	-	110
2	1	1	-	-	6	3	3	-	-	29	13	12	2	2	3	1	1	1	-	111a
1	-	-	-	1	11	3	8	-	-	41	18	22	-	1	8	3	4	1	-	111b,c
1	1	-	-	-	18	8	10	-	-	59	34	24	1	-	8	6	1	1	-	112
-	-	-	-	-	-	-	-	-	-	9	6	2	1	-	-	-	-	-	-	113
4	2	2	-	-	1	1	-	-	-	53	36	13	2	2	3	2	1	-	-	114
81	52	19	4	6	313	186	127	-	-	2,291	1,247	884	80	80	481	259	212	6	4	
1	1	-	-	-	7	-	7	-	-	34	17	13	2	2	8	3	5	-	-	115a,b
-	-	-	-	-	5	3	2	-	-	34	18	13	3	2	8	3	5	-	-	115c
1	1	-	-	-	-	-	-	-	-	5	3	-	1	1	1	-	1	-	-	116
4	3	1	-	-	32	28	4	-	-	234	186	30	16	2	23	20	1	2	-	117a
6	5	1	-	-	17	15	2	-	-	102	85	14	3	-	7	6	1	-	-	117b
3	2	1	-	-	5	1	4	-	-	22	14	4	3	1	23	11	10	-	2	118
6	1	1	1	3	14	10	4	-	-	87	45	29	6	7	220	119	101	-	-	119
-	-	-	-	-	7	3	4	-	-	82	32	43	3	4	21	9	10	1	1	120
15	11	2	1	1	61	39	22	-	-	421	229	182	17	13	65	39	26	-	-	121
3	2	1	-	-	33	18	15	-	-	187	112	66	6	3	11	5	6	-	-	122a
14	5	6	2	1	22	10	12	-	-	169	62	82	7	18	32	11	18	3	-	122b
1	1	-	-	-	8	5	3	-	-	66	29	33	2	2	2	2	-	-	-	123
5	5	-	-	-	3	3	-	-	-	40	32	8	-	-	3	3	-	-	-	124a
12	10	2	-	-	35	23	12	-	-	420	267	142	4	7	20	14	6	-	-	124b
-	-	-	-	-	4	1	3	-	-	17	7	8	1	1	4	3	1	-	-	125a
2	1	1	-	-	1	-	1	-	-	32	12	15	2	3	1	-	1	-	-	125b
4	1	3	-	-	34	15	19	-	-	159	39	114	1	5	9	4	5	-	-	126
4	3	-	-	1	13	5	8	-	-	105	26	73	2	4	14	4	9	-	1	127
-	-	-	-	-	4	1	3	-	-	31	13	16	1	1	2	1	1	-	-	128
-	-	-	-	-	8	6	2	-	-	44	21	19	-	4	7	2	5	-	-	129
90	54	29	5	2	526	295	230	-	1	3,859	1,814	1,652	188	185	297	166	125	5	1	
5	4	1	-	-	10	6	3	-	1	70	35	26	6	3	14	7	7	-	-	130
44	25	14	4	1	290	156	154	-	-	2,379	1,032	1,123	108	116	128	71	54	2	1	131a
17	8	7	1	1	140	71	69	-	-	766	361	332	40	33	88	50	37	1	-	131b
2	1	1	-	-	10	4	6	-	-	121	63	42	10	6	16	8	8	-	-	132
8	7	1	-	-	14	8	6	-	-	97	46	44	3	4	11	5	6	-	-	133
1	-	1	-	-	8	5	3	-	-	51	31	18	1	1	3	-	3	-	-	134
2	2	-	-	-	1	1	-	-	-	22	6	12	2	2	3	1	1	1	-	135
-	-	-	-	-	2	2	-	-	-	9	3	2	4	-	-	-	-	-	-	136
7	7	...	-	...	42	42	...	-	...	251	237	...	14	...	25	24	...	1	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
2	...	2	...	-	6	...	6	...	-	51	...	31	...	20	6	...	6	...	-	139a
2	...	2	...	-	3	...	3	...	-	22	...	22	...	-	3	...	3	...	-	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
10	...	7	...	3	27	...	27	...	-	175	...	148	...	27	69	...	65	...	4	
2	...	2	...	-	3	...	3	...	-	33	...	21	...	12	7	...	6	...	1	140
1	...	1	...	-	1	...	1	...	-	20	...	11	...	9	6	...	5	...	1	140a,b
1	...	1	...	-	2	...	2	...	-	13	...	10	...	3	1	...	1	...	-	140c,d
-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	-	...	-	...	-	141
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	142a
2	...	2	...	-	2	...	2	...	-	9	...	7	...	2	2	...	2	...	-	142b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
1	...	-	...	1	4	...	4	...	-	7	...	7	...	-	7	...	6	...	1	144a,b
-	...	-	...	-	3	...	3	...	-	3	...	1	...	2	-	...	-	...	-	144c,d
-	...	-	...	-	-	...	-	...	-	13	...	11	...	2	5	...	5	...	-	145
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	2	...	2	...	-	146a
2	...	1	...	1	2	...	2	...	-	12	...	10	...	2	6	...	6	...	-	146b,c
1	...	1	...	-	2	...	2	...	-	27	...	25	...	2	12	...	12	...	-	147a,b
1	...	1	...	-	5	...	5	...	-	18	...	18	...	-	7	...	7	...	-	147c,d
-	...	-	...	-	2	...	2	...	-	11	...	10	...	1	9	...	9	...	-	148a,b
1	...	-	...	1	-	...	-	...	-	5	...	5	...	-	1	...	1	...	-	148c,d
-	...	-	...	-	1	...	1	...	-	25	...	22	...	3	3	...	2	...	1	149
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	8	...	7	...	1	150
-	-	-	-	-	4	1	3	-	-	34	18	14	1	1	6	3	2	-	1	
-	-	-	-	-	1	1	-	-	-	6	4	2	-	-	1	-	-	-	1	151
-	-	-	-	-	2	-	2	-	-	14	10	3	-	1	1	1	-	-	-	152
-	-	-	-	-	1	-	1	-	-	14	4	9	1	-	4	2	2	-	-	153

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	28	13	13	2	-	8	6	1	1	-	8	4	4	-	-
154	Osteomyelitis and periostitis	18	10	7	1	-	5	4	-	1	-	5	2	3	-	-
155	Other diseases of bones (except tuberculosis)	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-
156	Diseases of joints and other organs of movement	8	3	4	1	-	3	2	1	-	-	2	2	-	-	-
157	XIV.—Congenital malformations	404	229	160	10	5	63	40	20	2	1	127	74	52	1	-
	XV.—Diseases peculiar to the first year of life	1,282	685	470	69	58	279	152	107	12	8	430	251	165	9	5
158	Congenital debility (cause not stated)	57	32	19	3	3	14	3	7	1	3	9	8	1	-	-
159	Premature birth (cause not stated)	809	424	301	41	43	183	105	70	6	2	278	161	109	5	3
160a	Intracranial or spinal hemorrhage	135	85	46	3	1	21	10	7	3	1	47	25	19	1	2
160b,c	Other injuries at birth	134	80	49	3	2	31	18	11	1	1	52	25	27	-	-
161	Other diseases peculiar to the first year of life	147	64	55	19	9	30	18	12	1	1	44	32	9	3	-
162	XVI.—Senility	234	106	116	7	5	49	29	17	1	2	172	81	89	1	1
	XVII.—Violent or accidental deaths	3,559	2,151	1,072	250	86	691	506	161	17	7	1,116	739	357	15	5
163,164	Suicide	603	446	141	10	6	116	96	18	2	-	221	166	52	3	-
163	Suicide by poisoning	190	112	72	3	3	19	12	6	1	-	58	37	21	-	-
	Suicide by solid or liquid poisons	144	78	62	3	3	13	7	5	1	-	28	13	15	-	-
	Suicide by poisonous gases	46	36	10	-	-	6	5	1	-	-	30	24	6	-	-
164a	Suicide by hanging or strangulation	83	56	27	-	-	14	11	3	-	-	49	31	17	1	-
164b	Suicide by drowning	25	17	7	-	1	3	2	1	-	-	3	1	2	-	-
164c	Suicide by firearms and explosives	262	232	24	5	1	72	64	7	1	-	95	85	8	2	-
164d	Suicide by cutting or piercing instruments	22	18	3	1	-	5	4	1	-	-	8	7	1	-	-
164e	Suicide by jumping from high places	14	8	4	1	1	1	1	-	-	-	2	2	-	-	-
164f	Suicide by crushing	2	2	-	-	-	1	1	-	-	-	3	3	-	-	-
164g	Suicide by other or unspecified means	5	1	4	-	-	1	1	-	-	-	3	-	3	-	-
165-168	Homicide[1]	206	75	27	84	20	29	18	8	1	2	13	4	5	4	-
166	Homicide by firearms	127	48	16	50	13	23	16	7	-	-	9	3	4	2	-
167	Homicide by cutting or piercing instruments	46	13	3	26	4	1	1	-	-	-	3	1	-	2	-
168	Homicide by other means	33	14	8	8	3	5	1	1	1	2	1	-	1	-	-
169-195	Accidental deaths	2,748	1,629	904	155	60	546	392	135	14	5	882	569	300	8	5
169	Railway accidents (except collisions with motor vehicles)	74	58	3	10	3	22	21	1	-	-	31	26	2	2	1
170a	Collisions between automobiles and trains	50	34	15	1	-	8	5	3	-	-	23	15	8	-	-
170b	Collisions between automobiles and streetcars	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	760	538	166	48	8	149	104	38	7	-	229	163	64	1	1
170d	Motorcycle accidents (except collisions with automobiles)	9	9	-	-	-	-	-	-	-	-	2	2	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	15	12	3	-	-	-	-	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	7	5	2	-	-	3	2	-	-	1	1	1	-	-	-
172	Water-transport accidents	13	11	1	1	-	5	4	1	-	-	6	3	2	1	-
173	Air-transport accidents	17	15	2	-	-	2	2	-	-	-	2	2	-	-	-
174	Accidents in mines and quarries	17	17	-	-	-	35	35	-	-	-	4	4	-	-	-
175a	Accidents involving agricultural machinery and vehicles	36	34	2	-	-	12	10	2	-	-	20	19	1	-	-
175b,c	Other agricultural accidents, including injury by animals	51	46	4	1	-	17	16	1	-	-	18	14	4	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	2	2	-	-	-	4	4	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	30	29	1	-	-	9	7	1	1	-	12	11	1	-	-
177	Food poisoning	20	11	6	2	1	2	2	-	-	-	3	1	2	-	-
178	Accidental absorption of poisonous gas	22	15	6	1	-	10	6	3	1	-	25	20	5	-	-
179	Acute accidental poisoning by solids or liquids	49	30	17	-	2	5	2	2	1	-	9	7	2	-	-
180	Conflagration	62	34	16	9	3	15	10	5	-	-	14	8	5	1	-
181	Accidental burns (except conflagration)	157	59	82	6	10	26	10	16	-	-	46	18	27	1	-
182	Accidental mechanical suffocation	35	17	15	2	1	8	6	2	-	-	8	5	3	-	-
183	Accidental drowning	110	86	14	10	-	43	32	9	1	1	40	36	4	-	-
184	Accidental injury by firearms	67	58	5	4	-	29	27	1	1	-	30	30	-	-	-
185	Accidental injury by cutting or piercing instruments	21	12	6	2	1	-	-	-	-	-	4	3	1	-	-
186a	Accidental injury by fall	848	317	482	31	18	94	51	41	-	2	242	107	131	2	2
186b	Accidental injury by crushing	14	11	1	2	-	3	3	-	-	-	5	4	1	-	-
187	Cataclysm, etc.*	5	3	-	2	-	1	1	-	-	-	11	5	5	-	1
188	Injury by animals (except in agriculture and forestry)	4	3	1	-	-	-	-	-	-	-	4	4	-	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	25	12	4	8	1	2	2	-	-	-	3	1	2	-	-
191	Excessive heat	51	29	11	3	8	1	-	1	-	-	29	18	11	-	-
192	Lightning	11	10	-	1	-	5	5	-	-	-	1	1	-	-	-
193	Accidents due to electric currents (except lightning)	16	16	-	-	-	5	4	-	1	-	7	7	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	2	-	2	-	-	-	-	-	-	-	4	4	-	-	-
195a,b	Accidents due to medical or surgical intervention	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	35	14	18	2	1	11	6	3	1	1	6	5	1	-	-
195c,e	Other and unspecified accidents	107	79	18	8	2	19	14	5	-	-	43	25	18	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	245	124	86	22	13	60	28	5	14	13	85	57	24	1	1
199	Sudden death	28	14	10	3	1	2	2	-	-	-	12	10	2	-	-
200a	Ill-defined	110	62	35	4	9	25	19	4	-	2	55	36	18	-	1
200b	Found dead (cause unknown)	21	10	9	1	1	1	1	-	-	-	6	5	1	-	-
200c	Unknown or unspecified	86	38	32	14	2	32	6	1	14	11	10	6	3	1	-

* Refer to complete International List titles, table II.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	5	3	2	-	-	34	18	14	1	1	1	1	-	-	-	
-	-	-	-	-	2	2	-	-	-	14	10	4	-	-	1	1	-	-	-	154
-	-	-	-	-	3	1	2	-	-	5	1	4	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	15	7	6	1	1	-	-	-	-	-	156
11	6	5	-	-	63	33	30	-	-	325	163	145	11	6	52	34	16	1	1	157
53	30	22	1	-	163	85	78	-	-	1,128	570	395	74	89	342	179	138	18	7	
2	2	-	-	-	7	5	2	-	-	35	12	13	3	7	35	14	17	2	2	158
37	19	18	-	-	94	48	46	-	-	703	340	251	47	65	227	122	93	9	3	159
6	4	2	-	-	18	9	9	-	-	106	62	35	6	3	22	14	6	2	-	160a
5	3	1	1	-	24	10	14	-	-	117	60	49	3	5	32	20	9	1	2	160b,c
3	2	1	-	-	20	13	7	-	-	167	96	47	15	9	26	9	13	4	-	161
14	8	1	4	1	16	5	11	-	-	140	48	85	2	5	47	21	24	1	1	162
254	175	52	19	8	482	327	153	1	1	3,485	2,224	1,007	184	68	577	423	133	16	5	
45	34	9	1	1	80	67	13	-	-	681	480	185	8	8	70	57	13	-	-	163,164
19	11	7	-	1	21	15	6	-	-	297	179	114	2	2	16	8	8	-	-	163
13	5	7	-	1	4	2	2	-	-	54	25	28	1	-	14	7	7	-	-	
8	6	-	-	-	17	13	4	-	-	243	154	86	1	2	2	1	1	-	-	
5	4	1	-	-	14	12	2	-	-	167	133	31	2	1	1	1	-	-	-	164a
-	-	-	-	-	5	4	1	-	-	17	9	7	-	1	2	1	1	-	-	164b
19	17	1	1	-	36	34	2	-	-	132	116	12	3	1	48	45	3	-	-	164c
-	-	-	-	-	1	1	-	-	-	22	20	1	1	-	1	1	-	-	-	164d
-	-	-	-	-	-	-	-	-	-	40	20	18	-	2	-	-	-	-	-	164e
1	1	-	-	-	1	1	-	-	-	3	1	2	-	-	1	1	-	-	-	164f
1	1	-	-	-	2	-	2	-	-	3	2	-	-	1	1	-	1	-	-	164g
9	4	2	2	1	7	2	5	-	-	96	43	18	25	10	34	24	4	3	3	165-168
8	3	2	2	1	7	2	5	-	-	52	20	11	16	5	22	16	3	2	1	166
1	1	-	-	-	-	-	-	-	-	17	5	-	8	4	8	6	-	-	2	167
-	-	-	-	-	-	-	-	-	-	27	18	7	1	1	4	2	1	1	-	168
199	137	41	15	6	395	258	135	1	1	2,705	1,700	804	151	50	473	342	116	13	2	169-195
9	7	-	2	-	6	6	-	-	-	65	51	7	7	-	13	12	1	-	-	169
2	2	-	-	-	13	10	3	-	-	21	18	2	1	-	7	7	-	-	-	170a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	170b
82	61	18	3	-	109	79	28	1	1	922	635	207	62	18	206	146	51	7	2	170c
2	1	1	-	-	3	3	-	-	-	11	10	1	-	-	2	2	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	171a
-	-	-	-	-	1	1	-	-	-	3	1	-	2	-	1	-	1	-	-	171b
-	-	-	-	-	8	8	-	-	-	28	26	2	-	-	4	2	2	-	-	172
-	-	-	-	-	1	1	-	-	-	8	8	-	-	-	1	1	-	-	-	173
25	25	-	-	-	1	1	-	-	-	7	7	-	-	-	15	15	-	-	-	174
1	1	-	-	-	4	3	1	-	-	8	6	1	1	-	6	6	-	-	-	175a
1	1	-	-	-	7	7	-	-	-	10	9	1	-	-	8	7	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	175e
1	1	-	-	-	6	6	-	-	-	31	29	1	1	-	3	2	1	-	-	176
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	5	3	2	-	-	177
2	1	-	1	-	11	7	4	-	-	106	69	32	3	2	17	12	5	-	-	178
4	-	2	1	1	10	7	3	-	-	32	18	11	2	1	8	4	4	-	-	179
8	3	5	-	-	13	9	4	-	-	101	66	20	10	5	5	2	3	-	-	180
7	4	-	2	1	14	6	8	-	-	117	59	43	9	6	30	13	16	1	-	181
2	-	2	-	-	7	4	3	-	-	37	13	15	6	3	7	5	2	-	-	182
10	7	-	2	1	23	21	2	-	-	208	160	28	20	-	22	15	7	-	-	183
8	7	1	-	-	9	8	1	-	-	32	25	4	2	1	20	16	3	1	-	184
-	-	-	-	-	1	-	1	-	-	6	5	1	-	-	1	1	-	-	-	185
17	6	9	1	1	118	48	70	-	-	776	373	379	14	10	38	25	11	2	-	186a
1	-	1	-	-	-	-	-	-	-	12	6	5	1	-	4	3	1	-	-	186b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	187
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
2	-	-	1	1	2	2	-	-	-	5	3	1	1	-	2	2	-	-	-	190
2	2	-	-	-	1	1	-	-	-	15	11	3	-	1	2	2	-	-	-	191
1	-	-	1	-	-	-	-	-	-	4	4	-	-	-	8	7	1	-	-	192
-	-	-	-	-	3	3	-	-	-	14	14	-	-	-	3	3	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	194
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
-	-	-	-	-	3	3	-	-	-	18	8	9	-	1	4	3	1	-	-	195d
10	6	2	1	1	21	14	7	-	-	101	62	30	8	1	22	17	3	2	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	198
30	22	2	4	2	22	14	8	-	-	31	38	34	5	4	1,148	580	468	51	49	
-	-	-	-	-	-	-	-	-	-	7	3	3	-	1	6	2	4	-	-	199
23	18	1	2	2	15	10	5	-	-	62	28	28	3	3	67	47	12	4	4	200a
2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	200b
5	3	1	1	-	7	4	3	-	-	11	7	2	2	-	1,073	530	451	47	45	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	149,946	77,725	64,647	4,068	3,506	32,061	11,503	8,859	6,188	5,531
	I.—Infectious and parasitic diseases	9,803	5,346	2,554	1,179	724	3,483	899	659	1,024	901
1	Typhoid fever	30	14	13	2	1	38	10	13	10	5
2	Paratyphoid fever	8	6	2	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	6	4	2	-	-	4	2	1	1	-
6	Cerebrospinal (meningococcus) meningitis	55	36	13	3	3	22	11	1	7	3
7	Anthrax (infection by Bacillus anthracis)	1	1	-	-	-	-	-	-	-	-
8	Scarlet fever	39	13	23	1	2	11	6	3	2	-
9	Whooping cough	140	63	63	8	6	89	18	20	25	26
10	Diphtheria (infection by C. diphtheriae)	14	7	7	-	-	107	42	36	9	20
11	Erysipelas	41	22	17	2	-	10	5	2	2	1
12	Tetanus	15	9	4	2	-	10	3	2	5	-
13-22	Tuberculosis (all forms)	6,259	3,406	1,615	703	535	1,783	409	268	568	538
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	51	49	-	2	-	7	5	-	2	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	5,695	3,153	1,451	618	473	1,660	381	257	527	495
14	Tuberculosis of meninges and central nervous system	120	56	35	13	16	26	7	2	6	11
15	Tuberculosis of intestines and peritoneum	73	18	25	17	13	24	1	-	9	14
16	Tuberculosis of vertebral column	77	29	30	13	5	10	4	1	3	2
17a	Tuberculosis of bones (except vertebral column)	8	3	2	2	1	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	17	6	8	1	2	6	-	-	2	4
18	Tuberculosis of skin, etc.*	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	20	6	7	4	3	7	2	-	4	1
20	Tuberculosis of genito-urinary system	61	34	20	4	3	5	1	3	1	-
21	Tuberculosis of other organs	18	11	5	-	2	4	1	-	2	1
22a	Disseminated tuberculosis (acute miliary)	108	36	30	26	16	28	5	4	11	8
22b	Disseminated tuberculosis (other and unspecified)	10	4	2	3	1	6	2	1	1	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	96	57	36	3	-	47	12	16	6	7
25	Gonococcus infection	26	11	5	3	7	7	-	-	1	6
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	1	-	-	1	-
27	Dysentery	29	16	11	1	1	60	19	12	16	13
28	Malaria	25	13	4	8	-	61	19	15	15	12
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	2,110	1,181	351	419	159	438	75	38	215	110
30a	Locomotor ataxia (tabes dorsalis)	86	68	9	9	-	8	5	1	2	-
30b	General paralysis of insane	566	343	79	115	29	66	20	13	30	3
30c	Other syphilis of central nervous system	210	128	33	25	24	35	7	4	10	14
30d	Aneurysm of aorta	447	240	76	105	26	53	8	2	33	10
30e	Other syphilis of circulatory system	204	105	28	59	12	30	4	4	18	4
30f,g	Congenital, other and unspecified forms of syphilis	597	297	126	106	68	246	31	14	122	79
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	14	12	2	-	-	14	7	2	3	2
33a	Influenza, with respiratory complications specified	239	114	113	9	3	461	147	126	87	101
33b	Influenza, without respiratory complications specified	175	87	82	6	-	230	76	81	31	42
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	16	10	6	-	-	11	3	6	1	1
36	Acute poliomyelitis and acute polioencephalitis	14	9	3	1	1	16	5	5	2	4
37a,c	Infectious encephalitis lethargica (acute and unqualified)	64	37	24	2	1	7	2	1	3	1
37b	Sequelae of encephalitis lethargica	55	37	18	-	-	3	1	1	1	-
38	Other diseases due to filtrable viruses	12	7	5	-	-	2	2	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	1	1	-	-	8	5	3	-	-
40	Ankylostomiasis	-	-	-	-	-	1	-	-	-	1
41	Hydatid disease	5	3	2	-	-	-	-	-	-	-
42	Other diseases caused by helminths	9	3	6	-	-	6	-	-	3	3
43	Mycoses	34	17	14	1	2	11	2	3	3	3
44	Other infectious and parasitic (communicable) diseases	270	150	112	5	3	24	11	4	7	2
	II.—Cancer and other tumors	22,149	10,389	10,993	323	444	2,213	691	941	192	389
45-55	Cancer and other malignant tumors	21,382	10,148	10,523	314	397	2,078	662	892	185	339
45	Cancer of buccal cavity and pharynx	694	571	106	14	3	66	37	19	3	7
45a-e	Cancer of buccal cavity	488	404	74	9	1	41	21	12	3	5
45f	Cancer of pharynx	206	167	32	5	2	25	16	7	-	2
46	Cancer of digestive organs and peritoneum	10,007	5,267	4,448	178	114	766	313	271	102	80
46a	Cancer of esophagus	547	388	120	31	8	20	11	7	1	1
46b,c	Cancer of stomach and duodenum	3,215	1,891	1,209	75	40	346	141	102	63	40
46f	Cancer of liver and biliary passages	1,011	414	574	12	11	114	39	52	10	13
46g	Cancer of pancreas	742	390	329	16	7	49	28	13	5	3
46d,e,h,m	Cancer of other digestive organs and peritoneum	4,492	2,184	2,216	44	48	237	94	97	23	23
47	Cancer of respiratory system	1,821	1,411	360	41	9	95	48	24	15	8
48	Cancer of uterus	1,659	...	1,528	...	131	359	...	224	...	135
49	Cancer of other female genital organs	710	...	692	...	18	51	...	41	...	10
50	Cancer of breast	2,313	16	2,213	-	84	208	3	149	1	55
51	Cancer of male genital organs	1,121	1,087	...	34	...	142	105	...	37	...
52	Cancer of urinary organs (male and female)	1,135	756	357	11	11	61	25	22	7	7
53	Cancer of skin (except vulva and scrotum)	308	178	124	1	5	90	48	34	4	4
54	Cancer of central nervous system*	355	216	127	8	4	46	20	19	4	3
55	Cancer of other and unspecified organs	1,259	646	568	27	18	194	63	89	12	30
56a	Nonmalignant tumors of ovary	94	...	89	...	5	8	...	3	...	5
56b	Nonmalignant tumors of uterus	208	...	174	...	34	46	...	15	...	31
56c	Nonmalignant tumors of other female genital organs	10	...	9	...	1	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	194	102	84	3	5	19	10	6	2	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Last No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,235	3,032	2,037	90	76	78,662	40,246	33,287	2,817	2,312	20,461	10,317	7,225	1,562	1,357	12,310	7,336	4,732	164	78	
295	151	99	19	26	5,511	2,673	1,805	623	410	2,436	1,042	767	317	310	722	447	226	30	19	
4	1	1	1	1	44	24	18	1	1	55	23	23	4	5	9	7	2	-	-	1
-	-	-	-	-	6	4	2	-	-	-	-	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	1	1	-	-	-	5
3	2	1	-	-	26	14	10	-	2	11	5	4	-	2	7	5	2	-	-	6
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	3	-	-	-	43	20	22	-	1	8	2	5	-	1	2	1	1	-	-	8
16	7	5	3	1	128	54	56	9	9	57	25	27	2	3	5	2	3	-	-	9
11	3	5	2	1	31	11	15	1	4	69	37	27	4	1	11	9	2	-	-	10
1	-	-	-	1	12	4	6	2	-	8	3	4	1	-	1	-	1	-	-	11
-	-	-	-	-	11	6	4	1	-	14	6	4	2	2	2	1	1	-	-	12
124	66	34	7	17	2,792	1,306	805	409	272	1,126	430	323	170	203	297	177	87	19	14	13-22
-	-	-	-	-	65	59	1	5	-	9	9	-	-	-	5	5	-	-	-	13a
103	53	29	7	14	2,467	1,145	718	363	241	1,042	400	300	156	186	261	150	82	16	13	13b,c
7	4	1	-	2	95	35	39	10	11	13	4	4	4	1	4	-	1	3	-	14
3	2	-	-	1	49	13	17	13	6	19	2	6	5	6	5	4	-	-	1	15
5	3	2	-	-	33	17	9	3	4	5	2	3	-	-	6	5	1	-	-	16
-	-	-	-	-	7	5	1	1	-	-	-	-	-	-	1	1	-	-	-	17a
1	1	-	-	-	7	3	3	1	-	3	2	1	-	-	1	1	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	6	3	-	2	1	2	-	-	1	1	1	1	-	-	-	19
2	2	-	-	-	23	13	7	2	1	5	2	3	-	-	2	2	-	-	-	20
1	-	1	-	-	5	2	2	1	-	1	-	1	-	-	4	2	2	-	-	21
1	1	-	-	-	32	10	6	8	8	25	9	5	4	7	7	6	1	-	-	22a
1	-	1	-	-	3	1	2	-	-	2	-	-	-	2	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
11	7	3	-	1	71	42	26	1	2	31	16	8	3	4	8	6	2	-	-	24
1	-	-	-	1	22	1	11	1	9	8	1	6	1	-	5	3	2	-	-	25
-	-	-	-	-	8	6	2	-	-	5	3	2	-	-	1	-	1	-	-	26
5	3	1	1	-	16	9	6	-	1	80	33	30	9	8	7	2	4	-	1	27
-	-	-	-	-	3	2	-	1	-	30	13	9	4	4	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
27	18	6	1	2	1,004	544	218	169	73	283	149	42	58	34	132	96	26	7	3	30
1	1	-	-	-	70	58	7	5	-	7	5	1	1	-	9	7	2	-	-	30a
5	5	-	-	-	308	172	62	53	21	77	57	13	5	2	19	15	2	2	-	30b
1	1	-	-	-	111	51	33	18	9	29	15	7	4	3	13	7	5	-	1	30c
9	7	2	-	-	174	102	33	32	7	35	19	3	11	2	37	30	4	3	-	30d
-	-	-	-	-	69	34	13	15	7	13	5	2	5	1	11	8	2	1	-	30e
11	4	4	1	2	272	127	70	46	29	122	48	16	32	26	43	29	11	1	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	18	8	6	2	2	6	-	4	1	1	1	1	-	-	-	32
31	12	19	-	-	537	241	268	15	13	319	140	126	29	24	99	52	44	2	1	33a
33	16	17	-	-	469	210	236	9	14	249	118	91	24	16	63	37	26	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
2	1	-	-	1	2	1	1	-	-	3	2	1	-	-	12	7	4	1	-	35
2	1	1	-	-	62	38	19	1	4	23	12	9	2	-	7	2	5	-	-	36
9	2	4	3	-	35	19	16	-	-	11	5	4	1	1	9	5	4	-	-	37a,c
-	-	-	-	-	12	7	4	1	-	-	-	-	-	-	6	4	2	-	-	37b
1	-	-	1	-	11	7	4	-	-	6	1	4	-	1	1	-	-	1	-	38
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	4	4	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	41
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	42
4	4	-	-	-	22	15	7	-	-	8	4	4	-	-	6	4	2	-	-	43
7	5	2	-	-	116	74	39	-	3	24	14	8	2	-	23	19	4	-	-	44
627	347	276	4	-	9,777	4,227	5,111	181	258	2,048	909	974	54	111	1,562	815	728	12	7	
606	340	262	4	-	9,451	4,149	4,908	173	221	1,951	875	920	52	104	1,516	800	697	12	7	45-55
19	17	2	-	-	270	209	50	9	2	66	49	15	1	1	48	40	7	1	-	45
18	16	2	-	-	211	164	39	6	2	33	25	7	-	1	37	32	4	1	-	45a-e
1	1	-	-	-	59	45	11	3	-	33	24	8	1	-	11	8	3	-	-	45f
345	213	130	2	-	4,420	2,261	2,003	94	62	868	455	348	33	32	717	424	284	6	3	46
10	9	1	-	-	170	127	30	10	3	14	8	6	-	-	15	9	6	-	-	46a
162	120	42	-	-	1,504	841	603	44	16	328	188	107	16	17	285	209	72	3	1	46b,c
41	14	27	-	-	719	295	399	12	13	194	94	88	6	6	108	43	63	2	-	46f
31	18	13	-	-	285	143	136	3	3	68	37	28	2	1	55	33	22	-	-	46g
101	52	47	2	-	1,742	855	835	25	27	264	128	119	9	8	254	130	121	1	2	46d,e,h,m
26	15	10	1	-	499	368	112	14	5	78	52	23	2	1	79	60	14	4	1	47
38	...	38	...	-	1,041	...	958	...	83	266	...	221	...	45	132	...	131	...	1	48
9	...	9	...	-	287	...	272	...	15	42	...	38	...	4	43	...	43	...	-	49
45	1	44	-	-	908	4	871	-	33	145	2	132	-	11	121	3	117	-	1	50
46	45	...	1	...	590	560	...	30	...	132	121	...	11	...	128	127	...	1	...	51
29	22	7	-	-	435	260	159	9	7	64	38	23	2	1	70	41	28	-	1	52
9	6	3	-	-	191	119	70	1	1	81	52	29	-	-	44	28	16	-	-	53
8	4	4	-	-	150	73	76	1	-	17	10	7	-	-	19	12	7	-	-	54
32	17	15	-	-	660	295	337	15	13	192	96	84	3	9	115	65	50	-	-	55
3	...	3	...	-	45	...	40	...	5	6	...	6	...	-	7	...	7	...	-	56a
1	...	1	...	-	127	...	97	...	30	16	...	11	...	5	9	...	9	...	-	56b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	56c
8	-	8	-	-	100	47	47	5	1	6	3	2	1	-	15	8	7	-	-	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	4	...	1	...	3
57c	Tumors of other female genital organs (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	257	139	110	6	2	57	19	23	5	10
	III.—Rheumatism, diseases of nutrition, etc.*	6,510	2,251	4,043	59	157	923	299	373	97	154
58a-d	Acute rheumatic heart diseases	150	66	74	4	6	45	9	16	12	8
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	27	12	12	-	3	23	4	9	2	8
59	Chronic rheumatism and other rheumatic diseases	143	47	92	2	2	40	11	20	4	5
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,471	1,896	3,408	40	127	506	186	193	45	82
62	Diseases of pituitary gland	31	10	20	-	1	5	2	2	-	1
63a	Simple goiter	25	9	15	1	-	6	1	3	1	1
63b	Exophthalmic goiter	400	78	305	5	12	41	5	24	-	12
63c-e	Other diseases of thyroid and parathyroid glands	35	12	22	1	-	9	1	7	-	1
64	Diseases of thymus gland	107	57	36	3	1	35	20	9	5	1
65	Diseases of adrenal glands (not specified as tuberculous)	51	22	28	1	-	8	4	3	-	1
66	Other general diseases	21	6	15	-	-	26	7	5	9	5
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	12	8	4	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	18	7	8	-	3	169	47	80	17	25
70	Rickets	8	6	1	1	-	8	1	2	2	3
71	Other avitaminoses	9	3	3	1	2	1	-	-	-	1
	IV.—Diseases of the blood and blood-forming organs	1,133	542	556	16	19	164	62	64	17	21
72	Hemorrhagic conditions	57	20	34	3	-	13	5	3	3	2
73a	Pernicious anemia	175	75	100	-	-	31	5	15	1	10
73b-d	Other anemias (except splenic)	95	33	57	1	4	23	5	7	6	5
74a	Leukemias	685	361	305	7	12	77	37	33	5	2
74b	Aleukemias	31	16	12	1	2	1	1	-	-	-
75	Diseases of spleen	54	22	29	3	-	12	6	3	2	1
76	Other diseases of the blood and blood-forming organs	36	15	19	1	1	7	3	3	-	1
	V.—Chronic poisoning and intoxication	465	329	74	42	20	77	39	7	29	2
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	12	6	3	3	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	404	295	55	38	16	73	39	4	28	2
78	Lead poisoning	24	18	4	-	2	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	25	10	12	1	2	4	-	3	1	-
	VI.—Diseases of the nervous system, etc.*	11,399	5,173	5,841	187	198	3,663	1,289	1,092	657	625
80	Encephalitis (nonepidemic)	82	50	26	4	2	45	17	16	7	5
81	Meningitis (not due to meningococcus)	171	96	49	14	12	73	29	14	18	12
82	Diseases of spinal cord (see exceptions)*	305	174	125	2	4	36	20	11	2	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	8,051	3,507	4,308	109	127	2,940	1,027	865	524	524
83b	Cerebral embolism and thrombosis	1,663	765	845	25	28	109	46	44	12	7
83c	Cerebral softening	75	31	35	5	4	7	5	-	2	-
83d	Hemiplegia and other paralysis of unspecified origin	107	51	52	3	1	119	36	37	25	21
84	Mental diseases and deficiency (see exception)*	76	25	45	1	5	75	14	21	21	19
85	Epilepsy	216	121	75	12	8	92	26	22	31	13
86	Convulsions (under 5 years)	20	12	7	1	-	22	5	7	4	6
87	Other diseases of nervous system	375	208	163	4	-	72	30	30	6	6
88	Diseases of organs of vision	5	2	3	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	152	77	67	4	4	62	29	21	4	8
89b	Diseases of mastoid process	101	54	41	3	3	11	5	4	1	1
	VII.—Diseases of the circulatory system	55,128	29,482	23,779	941	926	6,384	2,716	1,847	984	837
90	Pericarditis (except acute rheumatic)	33	22	10	-	1	14	2	4	5	3
91a,b	Bacterial and other acute or subacute endocarditis	210	115	89	3	3	36	12	9	8	7
91c	Endocarditis (unspecified, under 45 years)	18	11	7	-	-	14	2	5	3	4
92a-d	Chronic endocarditis and diseases of the valves*	4,217	1,914	2,193	46	64	776	260	237	156	123
92e	Endocarditis (unspecified, 45 years and over)	158	89	68	1	-	67	31	16	9	11
93a	Acute myocarditis (except rheumatic)	290	135	151	2	2	61	17	13	10	21
93b	Myocarditis (unspecified, under 45 years)	31	12	17	2	-	41	11	8	8	14
93c,d	Chronic myocarditis and myocardial degeneration	30,365	14,925	14,240	574	626	1,908	756	627	271	254
93e	Other myocarditis (unspecified)	871	495	364	8	4	458	170	167	54	67
94a	Diseases of coronary arteries	12,575	8,632	3,704	156	83	1,163	689	291	105	78
94b	Angina pectoris	314	224	86	3	1	203	127	52	13	11
95a	Functional diseases of heart, etc.*	34	11	23	-	-	22	12	6	1	3
95b,c	Other and unspecified diseases of heart	2,748	1,374	1,193	91	90	1,196	482	291	239	184
96	Aneurysm (except of heart and aorta)	171	103	53	10	5	10	6	2	-	2
97	Arteriosclerosis (except coronary or renal sclerosis)	2,719	1,253	1,398	28	40	268	86	82	64	36
98	Gangrene	24	9	13	2	-	19	6	5	8	2
99	Other diseases of arteries	164	84	75	4	1	41	21	11	4	5
100	Diseases of veins	94	38	53	2	1	23	4	10	8	1
101	Diseases of lymphatic system	6	6	-	-	-	2	-	-	1	1
102	High blood pressure (idiopathic)	84	29	41	9	5	49	18	9	14	8
103	Other diseases of circulatory system	2	1	1	-	-	13	4	4	3	2
	VIII.—Diseases of the respiratory system	7,390	3,972	2,949	296	173	2,367	738	661	529	439
104a	Diseases of nasal fossae	15	11	3	1	-	26	3	3	9	11
104b	Diseases of accessory sinuses	92	50	31	8	3	23	12	5	5	1
105	Diseases of larynx	37	27	8	1	1	20	5	5	6	4
106a	Acute bronchitis	118	54	59	2	3	19	5	3	7	4

*Refer to complete International List titles, table II.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57c
9	7	2	-	-	52	31	17	3	1	65	31	32	1	1	14	7	7	-	-	57d,e
236	96	134	4	2	2,935	937	1,640	44	114	541	203	272	25	41	382	164	213	4	1	
14	4	10	-	-	70	32	30	4	4	13	3	8	-	2	8	4	4	-	-	58a-d
-	-	-	-	-	28	17	10	1	-	12	3	7	1	1	3	2	1	-	-	58e,f
17	5	10	1	1	133	42	88	1	2	31	14	14	2	1	24	6	18	-	-	59
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	60
171	75	93	2	1	2,165	714	1,337	30	84	337	144	157	13	23	282	126	153	2	1	61
-	-	-	-	-	6	2	3	-	1	-	-	-	-	-	1	1	-	-	-	62
-	-	-	-	-	11	2	9	-	-	2	-	2	-	-	3	-	2	1	-	63a
18	3	14	1	-	364	56	290	2	16	30	3	26	-	1	38	15	23	-	-	63b
3	1	2	-	-	14	6	8	-	-	10	1	8	-	1	5	2	3	-	-	63c-e
6	3	3	-	-	82	45	29	5	3	19	8	9	1	1	6	1	5	-	-	64
4	3	1	-	-	28	7	18	-	3	6	3	2	-	1	3	2	1	-	-	65
1	1	-	-	-	14	3	10	1	-	10	4	4	2	-	2	1	1	-	-	66
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	68
2	1	1	-	-	9	5	3	-	1	61	15	33	3	10	4	1	2	1	-	69
-	-	-	-	-	7	4	3	-	-	5	3	1	1	-	1	1	-	-	-	70
-	-	-	-	-	4	2	2	-	-	1	-	1	-	-	-	-	-	-	-	71
70	41	29	-	-	575	277	277	11	10	118	67	42	7	2	97	51	46	-	-	
7	5	2	-	-	34	11	22	-	1	14	7	6	1	-	9	4	5	-	-	72
14	7	7	-	-	155	72	81	1	1	28	20	8	-	-	18	11	7	-	-	73a
5	1	4	-	-	60	23	35	1	1	11	3	7	1	-	3	-	3	-	-	73b-d
39	25	14	-	-	266	147	105	7	7	57	32	18	5	2	55	29	26	-	-	74a
2	2	-	-	-	15	10	4	1	-	1	-	1	-	-	3	1	2	-	-	74b
2	-	2	-	-	22	6	16	-	-	4	3	1	-	-	7	5	2	-	-	75
1	1	-	-	-	23	8	14	1	-	3	2	1	-	-	2	1	1	-	-	76
3	3	-	-	-	115	93	17	2	3	31	15	5	6	5	24	21	3	-	-	
-	-	-	-	-	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	77a,b
3	3	-	-	-	96	80	14	1	1	27	15	5	6	1	22	19	3	-	-	77c-e
-	-	-	-	-	6	6	-	-	-	3	-	-	-	3	-	-	-	-	-	78
-	-	-	-	-	7	4	2	-	1	1	-	-	-	1	2	2	-	-	-	79
560	328	221	7	4	8,656	4,079	4,082	238	257	2,176	1,103	800	131	142	1,283	673	595	9	6	
7	5	-	1	1	58	30	26	1	1	30	17	11	2	-	14	9	5	-	-	80
7	6	1	-	-	91	52	30	5	4	51	22	19	5	5	12	8	3	-	1	81
13	8	5	-	-	182	99	80	3	-	40	19	13	4	4	25	19	6	-	-	82
423	242	176	4	1	7,070	3,285	3,363	196	226	1,637	829	616	95	97	979	500	468	9	2	83a
34	18	15	1	-	583	273	260	14	16	46	25	17	2	2	101	56	44	-	1	83b
4	4	-	-	-	64	33	29	1	1	6	4	2	-	-	7	3	4	-	-	83c
12	8	3	-	1	41	20	20	-	1	176	88	59	13	16	40	20	19	-	1	83d
3	1	2	-	-	61	17	40	2	2	38	16	15	2	5	29	12	17	-	-	84
6	4	1	1	-	113	58	46	8	1	43	21	13	4	5	17	9	8	-	-	85
18	12	6	-	-	13	6	5	2	-	8	2	2	2	2	1	1	-	-	-	86
26	15	11	-	-	235	125	106	2	2	65	39	22	1	3	37	25	12	-	-	87
-	-	-	-	-	3	2	1	-	-	2	-	2	-	-	-	-	-	-	-	88
7	5	1	-	1	97	48	43	4	2	21	11	7	1	2	15	8	6	-	1	89a
-	-	-	-	-	45	31	13	-	1	13	10	2	-	1	6	3	3	-	-	89b
1,412	881	508	15	8	23,621	12,752	9,690	642	537	4,299	2,488	1,362	253	196	3,633	2,322	1,274	32	5	
1	-	1	-	-	29	11	14	2	2	13	7	2	1	3	2	1	1	-	-	90
9	5	4	-	-	145	71	64	5	5	30	12	15	1	2	23	17	6	-	-	91a,b
1	-	1	-	-	16	4	7	1	4	4	3	1	-	-	-	-	-	-	-	91c
152	85	62	3	2	2,411	1,193	1,061	86	69	489	244	155	48	42	414	242	169	3	-	92a-d
17	13	4	-	-	197	108	75	8	6	55	25	20	7	3	20	12	8	-	-	92e
26	17	8	-	1	350	182	141	13	14	35	18	14	3	-	14	6	8	-	-	93a
1	1	-	-	-	30	15	10	2	3	13	6	3	1	3	4	4	-	-	-	93b
494	289	197	6	2	9,109	4,387	4,262	249	211	1,119	618	405	48	48	1,129	652	462	14	1	93c,d
75	39	34	-	2	1,139	564	512	33	30	326	171	118	25	12	84	56	26	1	1	93e
386	287	97	1	1	5,689	3,737	1,741	122	89	1,000	695	262	27	16	1,256	918	330	6	2	94a
24	17	7	-	-	576	382	171	17	6	137	105	26	2	4	68	40	28	-	-	94b
10	7	3	-	-	45	19	25	1	-	36	18	15	2	1	9	4	5	-	-	95a
127	76	48	3	-	2,135	1,169	823	72	71	713	373	222	74	44	308	202	101	4	1	95b,c
4	1	3	-	-	79	52	21	4	2	13	8	4	-	1	18	7	11	-	-	96
60	31	27	2	-	1,429	737	650	21	21	220	140	66	8	6	244	132	109	3	-	97
3	2	1	-	-	36	25	10	1	-	11	7	3	1	-	4	3	-	1	-	98
9	5	4	-	-	115	61	50	3	1	32	17	8	2	5	23	19	4	-	-	99
5	3	2	-	-	53	19	33	-	1	10	4	5	-	1	7	5	2	-	-	100
-	-	-	-	-	4	4	-	-	-	2	1	-	1	-	-	-	-	-	-	101
7	3	4	-	-	31	9	20	-	2	35	15	15	1	4	6	2	4	-	-	102
1	-	1	-	-	3	3	-	-	-	6	1	3	1	1	-	-	-	-	-	103
352	203	137	6	6	4,574	2,294	1,905	223	152	1,600	764	575	149	112	587	339	224	19	5	
4	2	2	-	-	7	4	3	-	-	9	2	2	2	3	5	4	1	-	-	104a
4	3	1	-	-	33	19	13	1	-	8	3	3	1	1	9	4	5	-	-	104b
3	-	2	1	-	22	12	10	-	-	10	6	4	-	-	3	1	2	-	-	105
8	5	3	-	-	77	33	39	4	1	14	7	6	-	1	14	6	8	-	-	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	202	123	67	4	8	40	16	19	1	4
106c	Bronchitis (unspecified)	58	30	28	-	-	22	8	3	7	4
107	Bronchopneumonia (including capillary bronchitis)	2,860	1,408	1,297	89	66	870	291	237	185	157
108	Lobar pneumonia	3,210	1,801	1,176	156	77	876	271	261	189	155
109	Pneumonia (unspecified)	94	49	37	7	1	257	55	55	73	74
110	Pleurisy (not specified as tuberculous)	240	151	74	12	3	42	16	11	11	4
111a	Hemorrhagic infarction and thrombosis of lungs	93	47	41	2	3	9	4	2	3	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	58	29	29	-	-	54	17	27	7	3
112	Asthma	158	75	69	8	6	54	10	24	11	9
113	Pulmonary emphysema	22	19	2	1	-	2	2	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	133	98	28	5	2	53	23	6	15	9
	IX.—Diseases of the digestive system	7,693	4,432	2,912	199	150	1,745	640	460	339	306
115a,b,d	Diseases of buccal cavity and adnexa	126	68	52	3	3	59	16	22	7	14
115c	Diseases of pharynx and tonsils	119	56	50	8	5	61	20	19	10	12
116	Diseases of esophagus	18	10	7	-	1	5	1	2	-	2
117a	Ulcer of stomach	770	630	107	28	5	95	47	19	22	7
117b	Ulcer of duodenum	403	332	58	11	2	30	22	3	5	-
118	Other diseases of stomach (except cancer)	46	23	22	-	1	72	22	10	17	23
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	390	204	144	25	17	488	143	113	133	99
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	189	82	102	4	1	130	33	45	21	31
121	Appendicitis	1,294	731	509	29	25	226	100	63	31	32
122a	Hernia	705	396	282	16	11	70	37	11	19	3
122b	Intestinal obstruction	594	285	277	13	19	135	36	42	26	31
123	Other diseases of intestines	190	102	77	6	5	35	12	5	8	10
124a	Cirrhosis of liver (with mention of alcoholism)	294	203	69	17	5	19	17	-	1	1
124b	Cirrhosis of liver (without mention of alcoholism)	1,262	773	454	15	20	130	72	25	21	12
125a	Acute yellow atrophy of liver (nonpuerperal)	46	19	21	3	3	14	6	4	-	4
125b	Other diseases of liver	83	48	28	4	3	26	9	6	6	5
126	Biliary calculi	640	234	394	4	8	45	13	28	2	2
127	Other diseases of gallbladder and biliary ducts	290	121	161	3	5	50	16	28	2	4
128	Diseases of pancreas (except diabetes mellitus)	110	55	47	4	4	8	5	2	1	-
129	Peritonitis (cause not stated)	124	60	51	6	7	47	13	13	7	14
	X.—Diseases of the genito-urinary system	10,814	5,526	4,766	225	297	3,813	1,323	1,055	743	692
130	Acute nephritis	100	45	47	5	3	198	55	40	53	50
131a	Arteriosclerotic kidney	6,534	3,072	3,157	130	175	2,273	799	692	404	378
131b	Other chronic nephritis	2,182	1,021	1,069	39	53	772	268	202	157	145
132	Nephritis unspecified (10 years and over)	127	65	48	6	8	189	50	38	54	47
133	Other diseases of kidneys and ureters, etc.*	330	149	165	7	9	104	24	36	17	27
134	Calculi of urinary passages	264	162	95	3	4	33	16	12	3	2
135	Diseases of urinary bladder	75	39	33	1	2	17	7	3	6	1
136	Diseases of urethra (except calculus)	43	34	3	6	-	22	7	-	15	-
137	Diseases of prostate	959	933	...	26	...	129	97	...	32	...
138	Diseases of other male genital organs (except venereal)	8	6	...	2	...	2	-	...	2	...
139a	Diseases of ovaries, fallopian tubes, and parametria	140	...	103	...	37	60	...	21	...	39
139b	Diseases of uterus	49	...	43	...	6	13	...	10	...	3
139c	Diseases of other and unspecified female genital organs	3	...	3	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	585	...	507	...	78	416	...	221	...	195
140	Abortion with mention of infection	112	...	78	...	34	41	...	23	...	18
140a,b	Abortion (septic), spontaneous or therapeutic*	75	...	46	...	29	38	...	20	...	18
140c,d	Abortion (septic), self-induced or nontherapeutic*	37	...	32	...	5	3	...	3	...	-
141	Abortion without mention of infection	34	...	28	...	6	12	...	8	...	4
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	13	...	12	...	1	2	...	2	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	21	...	16	...	5	9	...	5	...	4
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	10	...	9	...	1	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	26	...	22	...	4	5	...	3	...	2
143a	Placenta praevia (death before delivery)	1	...	1	...	-	1	...	1	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	2	...	-	5	...	2	...	3
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	13	...	12	...	1	64	...	29	...	35
144c,d	Other toxemias of pregnancy (death before delivery)*	7	...	7	...	-	17	...	12	...	5
145	Other diseases and accidents of pregnancy (death before delivery)	17	...	13	...	4	21	...	15	...	6
146a	Placenta praevia (with childbirth)	8	...	8	...	-	16	...	10	...	6
146b,c	Other hemorrhages of childbirth and puerperium	48	...	44	...	4	44	...	29	...	15
147a,b	Puerperal pyelitis, other general or local puerperal infection*	98	...	86	...	12	60	...	28	...	32
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	72	...	70	...	2	31	...	16	...	15
148a,b	Puerperal eclampsia and nephritis*	35	...	33	...	2	50	...	21	...	29
148c,d	Other puerperal toxemias	16	...	15	...	1	11	...	4	...	7
149	Other accidents and specified conditions of childbirth	61	...	55	...	6	10	...	5	...	5
150	Other and unspecified conditions of childbirth and puerperium	25	...	24	...	1	26	...	13	...	13
	XII.—Diseases of the skin and cellular tissue	118	61	57	-	-	60	20	24	9	7
151	Carbuncle and furuncle	18	10	8	-	-	16	4	7	2	3
152	Phlegmon and acute abscess	39	23	16	-	-	17	6	5	4	2
153	Other diseases of skin and cellular tissue	61	28	33	-	-	27	10	12	3	2
	XIII.—Diseases of the bones, etc.*	113	64	41	5	3	41	19	9	5	8
154	Osteomyelitis and periostitis	61	37	20	3	1	33	13	9	5	6
155	Other diseases of bones (except tuberculosis)	24	11	11	2	-	1	-	-	-	1
156	Diseases of joints and other organs of movement	28	16	10	-	2	7	6	-	-	1
157	XIV.—Congenital malformations	1,334	693	589	32	20	337	150	109	49	29

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
10	7	3	-	-	111	60	45	4	2	23	11	11	1	-	23	16	7	-	-	106b
3	3	-	-	-	20	10	9	1	-	18	10	7	-	1	6	2	4	-	-	106c
144	86	53	2	3	2,096	984	963	82	67	508	235	190	48	35	256	143	105	5	3	107
121	65	52	1	3	1,697	888	640	103	66	571	275	202	51	43	166	99	57	9	1	108
20	11	7	2	-	41	19	17	4	1	292	143	95	32	22	21	15	6	-	-	109
4	2	2	-	-	117	66	36	9	6	14	8	5	1	-	18	13	4	1	-	110
3	3	-	-	-	72	35	29	5	3	8	5	1	2	-	11	4	5	1	1	111a
13	7	6	-	-	76	35	37	1	3	58	23	28	3	4	12	3	9	-	-	111b,c
12	6	6	-	-	112	63	44	3	2	44	20	16	6	2	31	20	8	3	-	112
-	-	-	-	-	15	11	3	1	-	1	1	-	-	-	2	2	-	-	-	113
3	3	-	-	-	78	55	17	5	1	22	15	5	2	-	10	7	3	-	-	114
333	182	137	5	9	3,993	2,213	1,592	112	76	1,404	689	496	109	110	549	342	196	5	6	
16	9	6	-	1	112	52	55	2	3	40	17	16	4	3	8	3	5	-	-	115a,b,d
12	5	7	-	-	67	37	27	3	-	27	16	5	3	3	15	10	4	1	-	115c
1	1	-	-	-	14	6	7	-	1	4	3	1	-	-	7	4	3	-	-	116
26	20	5	1	-	335	263	47	19	6	96	61	15	13	7	57	49	5	2	1	117a
19	16	2	1	-	146	115	23	8	-	28	23	3	2	-	40	36	4	-	-	117b
5	3	2	-	-	78	45	27	4	2	72	34	19	8	11	7	5	1	1	-	118
41	23	12	1	5	306	174	116	8	8	222	96	75	23	28	18	9	8	-	1	119
16	3	12	-	1	141	69	63	4	5	93	36	40	9	8	13	3	9	-	1	120
71	40	30	-	1	686	413	244	20	9	281	167	78	19	17	110	61	48	-	1	121
20	9	11	-	-	332	188	133	7	4	66	35	23	4	4	48	37	10	-	1	122a
27	13	14	-	-	359	153	180	12	14	148	59	73	9	7	51	30	20	1	-	122b
4	2	1	1	-	84	44	33	3	4	24	9	11	-	4	11	5	6	-	-	123
1	1	-	-	-	59	47	7	3	2	9	7	1	1	-	10	7	3	-	-	124a
20	14	5	1	-	582	381	183	12	6	118	71	35	8	4	66	41	24	-	1	124b
1	-	1	-	-	20	6	14	-	-	7	2	4	1	-	6	2	4	-	-	125a
3	2	1	-	-	45	26	15	3	1	13	6	5	1	1	8	8	-	-	-	125b
23	10	13	-	-	319	84	233	1	1	59	15	38	3	3	34	11	23	-	-	126
18	8	9	-	1	202	63	131	1	7	68	20	42	1	5	24	11	13	-	-	127
3	-	3	-	-	52	21	31	-	-	2	1	1	-	-	7	5	2	-	-	128
6	3	3	-	-	54	26	23	2	3	27	11	11	-	5	9	5	4	-	-	129
383	228	150	3	2	6,444	3,339	2,679	218	208	1,774	932	587	163	92	1,444	837	585	11	11	
13	7	6	-	-	135	66	51	7	11	64	31	18	8	7	15	11	4	-	-	130
167	93	71	2	1	3,397	1,631	1,549	106	111	744	365	276	58	45	1,073	579	477	8	9	131a
109	69	40	-	-	1,752	887	760	50	55	451	223	165	44	19	169	99	67	1	2	131b
20	10	9	1	-	145	80	57	6	2	230	114	76	26	14	21	14	7	-	-	132
13	6	7	-	-	201	97	87	9	8	46	24	11	7	4	39	23	16	-	-	133
5	3	2	-	-	69	42	25	1	1	22	17	5	-	-	16	11	5	-	-	134
2	2	-	-	-	44	18	23	2	1	20	15	3	1	1	7	4	3	-	-	135
1	1	-	-	-	28	17	-	11	-	3	2	-	1	-	2	2	-	-	-	136
37	37	...	-	...	522	498	...	24	...	159	141	...	18	...	96	94	...	2	...	137
-	-	...	-	...	5	3	...	2	...	-	-	...	-	...	-	-	...	-	...	138
4	...	3	...	1	86	...	68	...	18	27	...	25	...	2	3	...	3	...	-	139a
12	...	12	...	-	57	...	56	...	1	7	...	7	...	-	3	...	3	...	-	139b
-	...	-	...	-	3	...	3	...	-	1	...	1	...	-	-	...	-	...	-	139c
23	...	21	...	2	370	...	343	...	27	177	...	142	...	35	45	...	44	...	1	
3	...	3	...	-	67	...	62	...	5	30	...	22	...	8	8	...	8	...	-	140
2	...	2	...	-	50	...	48	...	2	24	...	17	...	7	7	...	7	...	-	140a,b
1	...	1	...	-	17	...	14	...	3	6	...	5	...	1	1	...	1	...	-	140c,d
-	...	-	...	-	9	...	9	...	-	4	...	4	...	-	5	...	5	...	-	141
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	7	...	7	...	-	4	...	4	...	-	4	...	4	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141e,f
2	...	2	...	-	6	...	5	...	1	3	...	3	...	-	1	...	1	...	-	142a
3	...	3	...	-	18	...	17	...	1	6	...	5	...	1	2	...	2	...	-	142b
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	143b,c
-	...	-	...	-	25	...	23	...	2	19	...	17	...	2	3	...	2	...	1	144a,b
-	...	-	...	-	7	...	5	...	2	6	...	6	...	-	-	...	-	...	-	144c,d
1	...	1	...	-	8	...	8	...	-	9	...	6	...	3	3	...	3	...	-	145
1	...	1	...	-	8	...	8	...	-	6	...	6	...	-	2	...	2	...	-	146a
2	...	2	...	-	30	...	28	...	2	11	...	8	...	3	4	...	4	...	-	146b,c
2	...	1	...	1	63	...	60	...	3	28	...	22	...	6	7	...	7	...	-	147a,b
1	...	1	...	-	29	...	29	...	-	14	...	11	...	3	2	...	2	...	-	147c,d
2	...	1	...	1	35	...	35	...	-	24	...	17	...	7	2	...	2	...	-	148a,b
1	...	1	...	-	5	...	5	...	-	1	...	1	...	-	-	...	-	...	-	148c,d
4	...	4	...	-	33	...	29	...	4	5	...	5	...	-	4	...	4	...	-	149
1	...	1	...	-	24	...	17	...	7	10	...	9	...	1	1	...	1	...	-	150
6	4	2	-	-	72	30	36	3	3	28	12	11	2	3	2	-	2	-	-	
1	1	-	-	-	15	9	5	-	1	8	5	2	-	1	-	-	-	-	-	151
3	2	1	-	-	20	9	10	1	-	5	2	3	-	-	-	-	-	-	-	152
2	1	1	-	-	37	12	21	2	2	15	5	6	2	2	2	-	2	-	-	153
4	2	2	-	-	56	35	19	2	-	19	8	8	1	2	8	5	2	1	-	
2	2	-	-	-	37	27	9	1	-	12	5	6	1	-	7	4	2	1	-	154
1	-	1	-	-	5	2	3	-	-	2	-	1	-	1	-	-	-	-	-	155
1	-	1	-	-	14	6	7	1	-	5	3	1	-	1	1	1	-	-	-	156
59	32	24	2	1	757	411	319	13	14	218	125	85	5	3	114	67	44	2	1	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,966	2,173	1,472	163	158	2,005	747	528	396	334
158	Congenital debility (cause not stated)	48	30	16	-	2	146	33	30	51	32
159	Premature birth (cause not stated)	2,337	1,242	882	109	104	1,328	474	369	252	233
160a	Intracranial or spinal hemorrhage	510	300	169	24	17	156	74	47	19	16
160b,c	Other injuries at birth	576	337	209	13	17	183	90	48	22	23
161	Other diseases peculiar to the first year of life	495	264	196	17	18	192	76	34	52	30
162	XVI.—Senility	168	57	111	-	-	301	59	86	68	88
	XVII.—Violent or accidental deaths	11,039	7,147	3,364	390	138	3,014	1,469	523	757	265
163,164	Suicide	2,252	1,578	633	26	15	291	211	55	17	8
163	Suicide by poisoning	942	582	343	8	9	56	30	22	2	2
	Suicide by solid or liquid poisons	209	106	93	6	4	43	21	18	2	2
	Suicide by poisonous gases	733	476	250	2	5	13	9	4	-	-
164a	Suicide by hanging or strangulation	557	454	98	5	-	24	20	3	1	-
164b	Suicide by drowning	92	53	39	-	-	11	3	6	1	1
164c	Suicide by firearms and explosives	358	319	34	5	-	181	147	19	11	4
164d	Suicide by cutting or piercing instruments	69	56	12	1	-	9	6	1	1	1
164e	Suicide by jumping from high places	201	97	95	3	6	2	1	1	-	-
164f	Suicide by crushing	21	14	5	2	-	1	-	1	-	-
164g	Suicide by other or unspecified means	12	3	7	2	-	7	4	2	1	-
165-168	Homicide[1]	379	205	53	95	26	387	91	12	230	54
166	Homicide by firearms	118	72	20	22	4	255	59	10	156	30
167	Homicide by cutting or piercing instruments	117	47	4	50	16	85	13	1	54	17
168	Homicide by other means	144	86	29	23	6	47	19	1	20	7
169-195	Accidental deaths	8,395	5,352	2,678	268	97	2,326	1,166	456	501	203
169	Railway accidents (except collisions with motor vehicles)	183	162	12	9	-	79	45	4	26	4
170a	Collisions between automobiles and trains	67	53	14	-	-	38	21	10	6	1
170b	Collisions between automobiles and streetcars	14	14	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,356	1,718	536	75	27	962	561	144	200	57
170d	Motorcycle accidents (except collisions with automobiles)	29	28	-	1	-	14	13	-	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	135	89	40	6	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	24	10	9	5	-	10	4	1	3	2
172	Water-transport accidents	100	85	11	3	1	25	14	1	10	-
173	Air-transport accidents	35	32	3	-	-	10	9	1	-	-
174	Accidents in mines and quarries	18	18	-	-	-	5	3	-	2	-
175a	Accidents involving agricultural machinery and vehicles	52	52	-	-	-	14	9	1	4	-
175b,c	Other agricultural accidents, including injury by animals	87	85	1	1	-	34	28	-	5	1
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	3	2	-	1	-
175e	Other forestry accidents	5	4	1	-	-	9	5	-	4	-
176	Other accidents involving machinery	89	85	4	-	-	31	21	-	10	-
177	Food poisoning	5	4	1	-	-	17	2	5	5	5
178	Accidental absorption of poisonous gas	322	227	89	5	1	7	4	1	1	1
179	Acute accidental poisoning by solids or liquids	110	63	39	7	1	38	15	9	8	6
180	Conflagration	145	82	48	9	6	53	21	13	8	11
181	Accidental burns (except conflagration)	319	146	144	17	12	172	58	33	45	36
182	Accidental mechanical suffocation	91	46	34	7	4	62	14	17	15	16
183	Accidental drowning	558	468	48	37	5	122	55	12	52	3
184	Accidental injury by firearms	54	49	4	1	-	92	47	5	27	13
185	Accidental injury by cutting or piercing instruments	38	31	6	-	1	13	4	3	4	2
186a	Accidental injury by fall	2,908	1,328	1,487	65	28	264	88	144	13	19
186b	Accidental injury by crushing	38	37	-	1	-	10	8	2	-	-
187	Cataclysm, etc.*	2	2	-	-	-	24	12	10	1	1
188	Injury by animals (except in agriculture and forestry)	8	5	3	-	-	4	2	-	1	1
189	Hunger or thirst	1	1	-	-	-	1	-	-	1	-
190	Excessive cold	21	20	1	-	-	17	4	4	4	5
191	Excessive heat	21	14	6	-	1	16	3	4	4	5
192	Lightning	11	10	1	-	-	17	9	3	4	1
193	Accidents due to electric currents (except lightning)	40	35	3	-	2	20	17	1	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	-	1	-	-	5	2	2	-	1
195a,b	Accidents due to medical or surgical intervention	5	2	3	-	-	3	1	1	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	104	52	44	3	5	20	7	5	3	5
195c,e	Other and unspecified accidents	399	295	85	16	3	115	58	20	30	7
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	13	12	-	1	-	10	1	-	9	-
	XVIII.—Ill-defined and unknown causes	139	88	39	11	1	1,075	343	200	293	239
199	Sudden death	15	8	5	2	-	132	54	32	26	20
200a	Ill-defined	60	39	15	6	-	292	108	42	81	61
200b	Found dead (cause unknown)	10	7	3	-	-	104	45	24	22	13
200c	Unknown or unspecified	54	34	16	3	1	547	136	102	164	145

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
310	164	134	9	3	2,411	1,351	892	95	73	1,023	524	379	66	54	331	197	128	4	2	
12	7	2	1	2	86	43	36	4	3	85	33	33	14	5	9	5	4	-	-	158
205	103	94	7	1	1,548	831	595	64	58	695	361	260	37	37	192	117	71	3	1	159
14	9	4	1	-	242	160	65	12	5	55	37	18	-	-	25	17	8	-	-	160a
44	28	16	-	-	273	158	108	6	1	97	54	37	3	3	54	32	21	-	1	160b,c
35	17	18	-	-	262	159	88	9	6	91	39	31	12	9	51	26	24	1	-	161
65	25	37	2	1	485	196	264	14	11	438	173	203	30	32	156	65	87	2	2	162
447	324	113	6	4	7,358	4,746	2,192	312	108	1,689	1,053	397	188	51	1,295	943	317	28	7	
61	54	7	-	-	1,088	822	247	12	7	196	157	26	9	4	188	151	31	6	-	163,164
8	7	1	-	-	290	183	101	2	4	49	28	14	4	3	31	27	3	1	-	163
7	6	1	-	-	181	87	89	1	4	46	26	13	4	3	7	5	2	-	-	
1	1	-	-	-	109	96	12	1	-	3	2	1	-	-	24	22	1	1	-	
21	18	3	-	-	243	182	59	1	1	15	13	2	-	-	33	23	9	1	-	164a
-	-	-	-	-	64	41	21	1	1	2	1	1	-	-	16	11	5	-	-	164b
27	25	2	-	-	401	348	45	7	1	116	104	7	4	1	87	75	8	4	-	164c
2	2	-	-	-	38	32	6	-	-	10	8	1	1	-	9	8	1	-	-	164d
1	1	-	-	-	34	24	10	-	-	3	2	1	-	-	10	6	4	-	-	164e
1	-	1	-	-	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	164f
1	1	-	-	-	4	3	1	-	-	1	1	-	-	-	2	1	1	-	-	164g
9	8	1	-	-	316	123	45	111	37	149	53	14	69	13	36	28	3	3	2	165-168
3	3	-	-	-	161	68	29	51	13	93	36	13	36	8	23	17	3	1	2	166
1	1	-	-	-	76	12	4	47	13	33	3	-	25	5	5	4	-	1	-	167
5	4	1	-	-	79	43	12	13	11	23	14	1	8	-	8	7	-	1	-	168
377	262	105	6	4	5,952	3,801	1,900	187	64	1,342	841	357	110	34	1,070	763	283	19	5	169-195
13	13	-	-	-	250	213	24	11	2	43	34	-	9	-	23	21	1	1	-	169
4	4	-	-	-	194	140	46	8	-	15	11	4	-	-	14	12	2	-	-	170a
-	-	-	-	-	14	9	2	3	-	-	-	-	-	-	1	1	-	-	-	170b
112	86	23	1	2	1,892	1,375	428	66	23	472	314	119	30	9	358	257	93	7	1	170c
-	-	-	-	-	19	18	1	-	-	2	2	-	-	-	4	3	1	-	-	170d
-	-	-	-	-	9	6	2	1	-	2	1	1	-	-	1	1	-	-	-	171a
3	2	1	-	-	14	13	1	-	-	5	2	1	2	-	1	1	-	-	-	171b
1	1	-	-	-	38	31	4	3	-	1	1	-	-	-	31	30	1	-	-	172
5	5	-	-	-	24	24	-	-	-	8	8	-	-	-	3	3	-	-	-	173
1	1	-	-	-	169	166	-	3	-	24	23	-	1	-	10	9	1	-	-	174
12	12	-	-	-	58	57	1	-	-	20	19	-	1	-	13	13	-	-	-	175a
10	10	-	-	-	40	37	2	1	-	34	30	1	3	-	25	24	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	18	18	-	-	-	175d
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	54	54	-	-	-	175e
1	1	-	-	-	61	54	3	3	1	15	14	-	1	-	13	12	1	-	-	176
5	2	3	-	-	27	19	7	-	1	22	11	7	3	1	5	1	3	-	1	177
6	2	4	-	-	70	51	19	-	-	12	8	2	1	1	8	7	1	-	-	178
8	7	1	-	-	62	33	24	5	-	25	12	8	4	1	6	4	2	-	-	179
14	8	6	-	-	121	64	50	5	2	42	19	14	5	4	20	13	6	1	-	180
17	10	7	-	-	230	100	106	11	13	122	59	47	5	11	26	16	9	1	-	181
13	7	6	-	-	81	46	28	6	1	26	18	6	2	-	12	7	4	1	-	182
22	20	1	1	-	252	201	35	15	1	57	34	9	14	-	89	74	11	4	-	183
15	13	1	1	-	81	71	7	2	1	58	39	6	10	3	26	24	2	-	-	184
2	-	1	1	-	18	12	2	2	2	9	6	-	3	-	5	5	-	-	-	185
67	29	37	1	-	1,811	761	1,014	23	13	228	101	119	6	2	225	97	123	3	2	186a
2	2	-	-	-	13	11	-	2	-	8	4	3	1	-	10	9	1	-	-	186b
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	187
1	-	1	-	-	9	7	2	-	-	2	1	1	-	-	3	1	1	1	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	189
7	5	2	-	-	22	17	3	1	1	7	3	-	3	1	2	1	1	-	-	190
2	1	-	1	-	73	50	19	4	-	6	5	-	1	-	1	1	-	-	-	191
4	3	1	-	-	15	13	2	-	-	14	12	1	1	-	2	2	-	-	-	192
1	1	-	-	-	38	36	2	-	-	12	12	-	-	-	5	5	-	-	-	193
-	-	-	-	-	2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	194
1	1	-	-	-	5	4	1	-	-	1	-	-	1	-	1	1	-	-	-	195a,b
5	3	2	-	-	54	34	16	3	1	12	11	-	1	-	14	10	4	-	-	195d
21	12	7	-	2	184	124	49	9	2	34	24	7	2	1	38	25	12	-	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	2	-	-	2	-	2	2	-	-	-	1	1	-	-	-	198
50	21	13	8	8	952	593	224	84	51	442	210	120	56	56	76	48	18	5	5	
4	2	2	-	-	49	35	13	1	-	29	12	8	3	6	6	3	3	-	-	199
22	16	4	2	-	803	518	170	73	42	206	117	54	18	17	47	32	12	3	-	200a
4	2	2	-	-	1	1	-	-	-	18	11	5	2	-	3	3	-	-	-	200b
20	1	5	6	8	99	39	41	10	9	189	70	53	33	33	20	10	3	2	5	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	111,498	56,648	47,713	3,876	3,261	7,984	4,087	3,696	110	91
	I.—Infectious and parasitic diseases	7,675	3,810	2,401	889	575	387	230	130	14	13
1	Typhoid fever	63	32	22	5	4	4	2	1	-	1
2	Paratyphoid fever	3	1	1	1	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	5	4	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	91	59	32	-	-	5	4	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	48	17	26	2	3	2	2	-	-	-
9	Whooping cough	131	56	59	7	9	2	1	1	-	-
10	Diphtheria (infection by C. diphtheriae)	44	24	18	2	-	2	-	2	-	-
11	Erysipelas	46	26	19	1	-	9	7	2	-	-
12	Tetanus	19	8	10	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	4,213	2,071	1,270	490	382	236	137	82	9	8
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	177	171	1	5	-	4	4	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,728	1,781	1,155	447	345	213	127	74	6	6
14	Tuberculosis of meninges and central nervous system	111	46	39	13	13	5	-	3	2	-
15	Tuberculosis of intestines and peritoneum	62	18	21	13	10	3	1	1	-	1
16	Tuberculosis of vertebral column	52	20	24	7	1	4	1	2	1	-
17a	Tuberculosis of bones (except vertebral column)	5	3	1	-	1	1	-	1	-	-
17b	Tuberculosis of joints (except vertebral column)	10	5	5	-	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	6	2	2	-	2	-	-	-	-	-
20	Tuberculosis of genito-urinary system	32	12	15	2	3	-	-	-	-	-
21	Tuberculosis of other organs	15	8	4	2	1	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	11	3	3	1	4	5	3	1	-	1
22b	Disseminated tuberculosis (other and unspecified)	3	1	-	-	2	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	97	56	34	4	3	2	1	1	-	-
25	Gonococcus infection	39	2	25	1	11	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	4	3	-	1	-	-	-	-	-	-
27	Dysentery	21	11	9	1	-	1	-	1	-	-
28	Malaria	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,322	671	215	316	120	66	46	11	5	4
30a	Locomotor ataxia (tabes dorsalis)	72	48	14	9	1	8	5	3	-	-
30b	General paralysis of insane	358	210	54	71	23	9	9	-	-	-
30c	Other syphilis of central nervous system	142	70	36	23	13	5	4	-	1	-
30d	Aneurysm of aorta	221	122	23	62	14	13	7	4	1	1
30e	Other syphilis of circulatory system	140	59	10	56	15	5	1	1	2	1
30f,g	Congenital, other and unspecified forms of syphilis	389	162	78	95	54	26	20	3	1	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	16	5	8	2	1	-	-	-	-	-
33a	Influenza, with respiratory complications specified	713	343	309	33	28	12	4	8	-	-
33b	Influenza, without respiratory complications specified	472	225	223	13	11	19	11	8	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	13	7	5	1	-	3	1	2	-	-
36	Acute poliomyelitis and acute polioencephalitis	31	18	9	3	1	2	1	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	88	45	40	3	-	1	-	1	-	-
37b	Sequelae of encephalitis lethargica	26	11	14	1	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	6	3	3	-	-	2	-	2	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	-	1	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	2	1	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths	4	2	2	-	-	-	-	-	-	-
43	Mycoses	12	8	3	1	-	2	2	-	-	-
44	Other infectious and parasitic (communicable) diseases	144	100	42	-	2	15	9	6	-	-
	II.—Cancer and other tumors	13,512	5,980	6,935	258	339	1,156	524	604	13	15
45-55	Cancer and other malignant tumors	13,078	5,866	6,654	253	305	1,124	521	575	13	15
45	Cancer of buccal cavity and pharynx	447	353	76	13	5	45	39	5	1	-
45a-e	Cancer of buccal cavity	338	264	60	9	5	34	29	5	-	-
45f	Cancer of pharynx	109	89	16	4	-	11	10	-	1	-
46	Cancer of digestive organs and peritoneum	6,219	3,158	2,819	137	105	521	275	235	6	5
46a	Cancer of esophagus	244	182	43	16	3	12	9	3	-	-
46b,c	Cancer of stomach and duodenum	2,149	1,243	803	62	41	172	107	61	2	2
46f	Cancer of liver and biliary passages	799	298	475	9	17	53	22	30	1	-
46g	Cancer of pancreas	476	243	214	11	8	42	22	18	1	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,551	1,192	1,284	39	36	242	115	123	2	2
47	Cancer of respiratory system	796	599	166	29	2	72	55	15	1	1
48	Cancer of uterus	1,395	...	1,290	...	105	101	...	96	...	5
49	Cancer of other female genital organs	375	...	359	...	16	32	...	31	...	1
50	Cancer of breast	1,233	12	1,173	-	48	129	-	126	-	3
51	Cancer of male genital organs	705	674	...	31	...	76	76	...	-	...
52	Cancer of urinary organs (male and female)	656	396	235	18	7	60	33	22	5	-
53	Cancer of skin (except vulva and scrotum)	228	129	93	1	3	14	9	5	-	-
54	Cancer of central nervous system*	194	99	88	6	1	14	9	5	-	-
55	Cancer of other and unspecified organs	832	446	355	18	13	60	25	35	-	-
56a	Nonmalignant tumors of ovary	67	...	63	...	4	4	...	4	...	-
56b	Nonmalignant tumors of uterus	147	...	125	...	22	14	...	14	...	-
56c	Nonmalignant tumors of other female genital organs	5	...	4	...	1	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	126	71	49	4	2	10	3	7	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
20,186	5,251	3,797	5,828	5,310	5,454	3,023	2,063	195	173	29,904	12,436	9,682	4,122	3,664	62,503	29,329	21,573	6,163	5,438	
2,451	378	316	925	832	386	170	102	57	57	4,261	1,477	1,346	764	674	8,657	3,623	3,036	1,084	914	
77	6	4	41	26	-	-	-	-	-	60	25	18	13	4	208	83	60	30	35	1
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	8	4	3	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	21	9	11	1	-	5
9	2	3	4	-	4	3	1	-	-	20	8	9	3	-	40	21	14	3	2	6
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	1	-	-	3	2	1	-	-	18	8	8	1	1	17	5	12	-	-	8
48	4	5	19	20	4	1	2	-	1	111	32	50	17	12	250	107	97	23	23	9
54	16	13	11	14	5	2	-	2	1	49	27	19	1	2	150	66	63	12	9	10
4	1	1	2	-	2	2	-	-	-	17	12	4	1	-	22	13	7	1	1	11
10	3	-	6	1	3	2	1	-	-	26	10	6	8	2	105	51	32	12	10	12
900	132	98	523	347	189	62	35	47	45	2,184	714	710	369	391	3,797	1,627	1,401	393	376	13-22
-	-	-	-	-	5	5	-	-	-	2	1	-	1	-	2	2	-	-	-	13a
840	126	89	297	328	165	49	31	43	42	1,988	652	656	332	348	3,551	1,518	1,320	363	350	13b,c
14	-	4	3	7	7	3	1	2	1	64	25	19	7	13	62	34	19	5	4	14
11	2	1	4	4	3	1	1	-	1	33	8	10	9	6	55	21	25	4	5	15
4	-	2	2	-	2	1	1	-	-	16	7	6	2	1	17	6	5	4	2	16
1	-	-	1	-	1	1	-	-	-	7	-	2	3	2	6	4	1	1	-	17a
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	1	-	-	2	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	18
5	-	-	2	3	-	-	-	-	-	2	-	1	1	-	6	3	3	-	-	19
3	1	1	1	-	1	1	-	-	-	14	8	3	1	2	13	8	4	1	-	20
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	5	1	1	2	1	21
19	2	-	12	5	3	1	-	2	-	53	11	11	13	18	66	22	21	11	12	22a
3	1	1	1	-	2	-	1	-	1	-	-	-	-	-	10	7	1	2	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
24	5	6	9	4	10	7	2	-	1	59	35	13	4	7	121	51	41	13	16	24
16	1	1	-	14	2	1	1	-	-	15	-	4	5	6	11	3	2	4	2	25
1	-	1	-	-	-	-	-	-	-	7	3	3	-	1	7	6	1	-	-	26
67	16	8	22	21	1	1	-	-	-	165	72	61	15	17	646	305	269	45	27	27
117	19	12	36	50	-	-	-	-	-	65	23	15	12	15	175	48	62	30	35	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	29
373	27	19	216	111	36	19	10	2	5	423	124	46	168	85	928	378	110	285	155	30
1	1	-	-	-	1	1	-	-	-	5	4	-	1	-	17	11	4	2	-	30a
51	4	2	38	7	12	7	5	-	-	106	42	8	39	17	163	86	24	40	13	30b
21	3	2	11	5	3	2	-	1	-	44	14	9	15	6	83	41	7	27	8	30c
37	4	4	21	8	4	4	-	-	-	62	17	7	28	10	145	76	18	36	15	30d
34	1	-	24	9	1	-	1	-	-	25	8	-	12	5	103	30	6	48	19	30e
229	14	11	122	82	15	5	4	1	5	181	39	22	73	47	417	134	51	132	100	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	31
10	1	1	7	1	2	2	-	-	-	9	5	3	-	1	24	8	10	4	2	32
434	83	82	141	128	42	22	17	2	1	583	202	207	93	81	948	357	370	104	117	33a
221	38	47	65	71	59	30	24	3	2	345	124	138	44	39	781	286	309	99	87	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	34
15	1	4	6	4	3	1	-	1	1	17	7	6	2	2	218	103	98	9	8	35
10	3	3	4	-	5	2	3	-	-	7	5	1	-	1	38	17	14	4	3	36
4	3	-	-	1	1	-	1	-	-	18	6	6	2	4	19	5	10	2	2	37a,c
1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	2	1	1	-	-	37b
5	3	1	1	-	1	1	-	-	-	5	4	1	-	-	5	4	1	-	-	38
8	4	-	1	3	-	-	-	-	-	9	5	4	-	-	37	21	13	3	-	39
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	41
6	-	2	-	4	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	42
9	2	1	3	3	1	1	-	-	-	12	4	5	2	1	10	5	2	1	2	43
21	3	3	6	9	12	8	4	-	-	29	17	6	4	2	59	34	19	5	1	44
1,140	299	420	136	285	684	360	310	3	11	2,386	852	1,134	155	265	5,376	2,305	2,390	246	435	
1,072	293	401	131	247	658	351	294	3	10	2,216	789	1,048	149	230	5,052	2,208	2,246	232	366	45-55
40	19	7	9	5	26	20	6	-	-	85	47	28	6	4	183	117	47	12	7	45
34	16	7	8	3	19	14	5	-	-	55	26	25	3	1	123	78	35	6	4	45a-e
6	3	-	1	2	7	6	1	-	-	30	21	3	3	3	60	39	12	6	3	45f
432	135	142	82	73	323	190	128	2	3	916	390	379	81	66	2,018	1,029	755	126	108	46
19	9	5	4	1	8	6	2	-	-	32	14	11	3	4	51	29	15	4	3	46a
188	68	32	49	39	146	89	55	-	2	359	160	124	43	32	748	405	228	66	49	46b,c
68	13	34	6	15	30	17	13	-	-	165	62	92	7	4	370	176	150	25	19	46f
27	9	13	3	2	30	16	13	1	-	74	37	28	6	3	172	105	57	5	5	46g
130	38	58	20	16	109	62	45	1	1	286	117	124	22	23	677	314	305	26	32	46d,e,h,m
37	25	8	3	1	40	26	14	-	-	95	55	29	8	3	263	197	51	10	5	47
218	...	99	...	119	41	...	39	...	2	341	...	256	...	85	663	...	520	...	143	48
25	...	23	...	2	10	...	10	...	-	52	...	46	...	6	115	...	106	...	9	49
97	-	61	-	36	61	1	57	-	3	187	3	148	-	36	398	6	344	1	47	50
59	39	...	20	...	45	45	...	-	...	139	119	...	20	...	309	270	...	39	...	51
28	11	7	5	5	33	23	9	1	-	76	30	34	7	5	203	106	74	10	13	52
39	21	14	1	3	16	13	3	-	-	82	44	33	2	3	217	162	50	3	2	53
13	6	6	1	-	8	4	4	-	-	46	22	20	3	1	77	44	28	-	5	54
84	37	34	10	3	55	29	24	-	2	197	79	75	22	21	608	277	271	31	27	55
5	...	2	...	3	3	...	3	...	-	13	...	11	...	2	28	...	20	...	8	56a
31	...	9	...	22	3	...	3	...	-	49	...	26	...	23	78	...	30	...	48	56b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	56c
12	2	4	1	5	5	3	2	-	-	32	18	10	2	2	38	15	18	4	1	56d,e

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	2	...	1	...	1	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	87	43	39	1	4	4	-	4	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	4,557	1,373	2,965	60	159	313	102	201	3	7
58a-d	Acute rheumatic heart diseases	118	61	51	2	4	3	2	1	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	54	30	18	4	2	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	179	64	113	2	-	9	4	5	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,596	1,054	2,370	44	128	277	92	178	2	5
62	Diseases of pituitary gland	13	7	6	-	-	-	-	-	-	-
63a	Simple goiter	18	2	15	-	1	-	-	-	-	-
63b	Exophthalmic goiter	340	36	290	1	13	12	1	9	1	1
63c-e	Other diseases of thyroid and parathyroid glands	32	9	23	-	-	3	-	3	-	-
64	Diseases of thymus gland	124	71	42	5	6	5	1	4	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	28	14	12	1	1	1	-	-	-	1
66	Other general diseases	19	8	11	-	-	2	1	1	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	17	8	7	-	2	1	1	-	-	-
70	Rickets	8	4	3	1	-	-	-	-	-	-
71	Other avitaminoses	8	3	3	-	2	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	719	368	324	14	13	52	27	25	-	-
72	Hemorrhagic conditions	45	24	18	1	2	1	1	-	-	-
73a	Pernicious anemia	153	58	90	1	4	17	12	5	-	-
73b-d	Other anemias (except splenic)	64	26	36	-	2	3	1	2	-	-
74a	Leukemias	369	228	129	9	3	23	11	12	-	-
74b	Aleukemias	24	7	16	-	1	2	1	1	-	-
75	Diseases of spleen	43	17	23	3	-	-	-	-	-	-
76	Other diseases of the blood and blood-forming organs	21	8	12	-	1	6	1	5	-	-
	V.—Chronic poisoning and intoxication	228	188	20	15	5	17	15	1	1	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	10	8	2	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	210	173	17	15	5	13	11	1	1	-
78	Lead poisoning	7	7	-	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	1	-	-	2	2	-	-	-
	VI.—Diseases of the nervous system, etc.*	10,135	4,704	4,827	269	335	803	386	398	11	8
80	Encephalitis (nonepidemic)	73	44	21	3	5	4	3	1	-	-
81	Meningitis (not due to meningococcus)	193	104	64	11	14	7	5	2	-	-
82	Diseases of spinal cord (see exceptions)*	251	136	106	4	5	13	10	3	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	7,411	3,411	3,594	172	234	600	278	311	6	5
83b	Cerebral embolism and thrombosis	1,050	460	503	43	44	115	57	54	2	2
83c	Cerebral softening	59	23	28	4	4	5	2	2	1	-
83d	Hemiplegia and other paralysis of unspecified orgin	274	122	131	9	12	7	4	3	-	-
84	Mental diseases and deficiency (see exception)*	58	26	30	-	2	3	2	1	-	-
85	Epilepsy	215	105	95	10	5	10	6	3	-	1
86	Convulsions (under 5 years)	38	21	17	-	-	4	1	1	2	-
87	Other diseases of nervous system	304	140	154	7	3	23	10	13	-	-
88	Diseases of organs of vision	2	2	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	141	70	62	3	6	7	6	1	-	-
89b	Diseases of mastoid process	66	40	22	3	1	5	2	3	-	-
	VII.—Diseases of the circulatory system	36,732	19,657	15,374	904	797	2,814	1,460	1,293	33	28
90	Pericarditis (except acute rheumatic)	46	27	15	2	2	1	-	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	284	141	122	7	14	20	9	11	-	-
91c	Endocarditis (unspecified, under 45 years)	21	8	10	1	2	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	3,534	1,725	1,642	81	86	260	106	147	3	4
92e	Endocarditis (unspecified, 45 years and over)	261	134	118	4	5	8	2	5	1	-
93a	Acute myocarditis (except rheumatic)	445	250	171	13	11	24	13	10	1	-
93b	Myocarditis (unspecified, under 45 years)	53	21	23	8	1	5	4	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	17,309	8,387	8,015	473	434	1,311	582	698	16	15
93e	Other myocarditis (unspecified)	1,752	918	743	45	46	104	58	42	3	1
94a	Diseases of coronary arteries	7,979	5,376	2,367	153	83	732	488	232	7	5
94b	Angina pectoris	479	312	158	4	5	42	31	11	-	-
95a	Functional diseases of heart, etc.*	68	33	35	-	-	8	2	6	-	-
95b,c	Other and unspecified diseases of heart	2,075	1,105	855	53	62	156	90	63	1	2
96	Aneurysm (except of heart and aorta)	121	67	41	6	7	5	3	2	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,966	992	905	42	27	119	61	56	1	1
98	Gangrene	52	25	23	2	2	1	1	-	-	-
99	Other diseases of arteries	127	71	51	3	2	11	5	6	-	-
100	Diseases of veins	68	27	39	1	1	4	2	2	-	-
101	Diseases of lymphatic system	7	5	2	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	80	31	36	6	7	3	3	-	-	-
103	Other diseases of circulatory system	5	2	3	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	6,901	3,683	2,587	361	250	440	217	212	10	1
104a	Diseases of nasal fossae	8	4	4	-	-	1	-	1	-	-
104b	Diseases of accessory sinuses	55	29	19	5	2	1	1	-	-	-
105	Diseases of larynx	19	10	9	-	-	3	2	1	-	-
108a	Acute bronchitis	137	85	62	7	3	4	3	1	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	57a
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	3	...	1	...	2	57b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57c
19	4	4	4	7	14	6	8	-	-	72	25	37	4	6	176	82	75	10	9	57d,e
510	119	162	65	164	197	78	112	3	4	745	258	313	63	111	1,633	553	748	98	234	
27	10	3	2	12	8	5	3	-	-	34	11	13	2	8	29	8	10	1	10	58a-d
15	2	3	4	6	3	-	2	-	1	36	9	14	6	7	39	12	12	9	6	58e,f
19	6	8	1	4	6	1	4	-	1	48	19	23	3	3	61	19	33	3	6	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
239	67	89	24	59	149	66	78	3	2	415	159	154	36	66	922	358	426	42	96	61
-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	10	2	8	-	-	62
1	-	-	-	1	2	-	2	-	-	5	-	2	1	2	9	1	5	-	3	63a
12	1	4	-	7	14	1	13	-	-	46	4	32	1	9	65	9	43	1	12	63b
1	1	-	-	-	3	1	2	-	-	5	-	4	1	-	15	3	10	-	2	63c-e
17	5	4	4	4	5	1	4	-	-	10	5	4	1	-	53	29	17	3	4	64
3	2	1	-	-	3	2	1	-	-	6	1	5	-	-	13	7	6	-	-	65
8	1	3	2	2	3	1	2	-	-	24	11	5	5	3	32	15	12	3	2	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	67
2	1	-	-	1	-	-	-	-	-	4	1	1	1	1	4	1	3	-	-	68
161	23	46	26	66	1	-	1	-	-	102	36	50	5	11	354	78	150	34	92	69
4	-	-	2	2	-	-	-	-	-	3	2	-	-	1	18	5	10	2	1	70
-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	7	4	3	-	-	71
91	38	25	13	15	46	28	16	2	-	193	89	80	11	13	415	198	178	23	16	
9	5	4	-	-	2	1	-	1	-	17	5	9	1	2	47	20	20	5	2	72
16	5	5	-	6	13	9	4	-	-	57	23	29	3	2	89	41	40	5	3	73a
16	4	2	6	4	7	3	4	-	-	22	7	8	2	5	48	16	24	3	5	73b-d
45	24	10	7	4	19	14	5	-	-	77	41	27	5	4	191	99	80	8	4	74a
-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	5	3	2	-	-	74b
2	-	2	-	-	3	1	2	-	-	11	9	2	-	-	16	8	7	1	-	75
3	-	2	-	1	1	-	-	1	-	7	4	3	-	-	19	11	5	1	2	76
44	31	1	11	1	5	4	-	1	-	52	35	5	10	2	61	52	3	6	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
41	29	-	11	1	5	4	-	1	-	46	34	3	8	1	57	49	3	5	-	77c-e
1	1	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	78
1	-	1	-	-	-	-	-	-	-	3	1	1	1	-	3	2	-	1	-	79
2,225	557	467	598	603	624	347	262	8	7	2,908	1,176	978	373	381	5,408	2,309	2,007	502	590	
33	12	11	7	3	7	5	2	-	-	17	10	5	2	-	84	44	24	8	8	80
34	10	7	11	6	8	3	2	2	1	66	28	20	11	7	129	60	43	21	5	81
25	10	8	3	4	17	10	6	-	1	51	25	10	7	9	92	48	28	8	8	82
1,721	430	348	465	480	462	255	199	5	3	2,281	903	777	279	322	4,005	1,681	1,507	359	458	83a
105	37	35	15	18	46	24	22	-	-	102	43	41	13	5	170	67	82	11	10	83b
8	2	3	-	3	2	-	2	-	-	15	8	6	1	-	33	20	12	-	1	83c
148	16	17	54	61	20	11	9	-	-	131	50	35	30	16	396	160	124	52	60	83d
37	11	12	9	5	7	5	2	-	-	55	21	22	4	8	88	26	39	9	14	84
41	13	8	12	8	18	7	9	1	1	54	25	16	8	5	98	50	28	12	8	85
16	2	-	9	5	6	5	1	-	-	15	7	3	2	3	70	31	21	12	6	86
50	5	13	3	9	26	18	8	-	-	65	28	23	10	4	108	46	49	8	5	87
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	6	3	2	-	1	88
22	7	6	8	1	5	4	-	-	1	38	18	15	5	-	96	54	37	2	3	89a
5	2	1	2	-	-	-	-	-	-	16	10	5	1	-	33	19	11	-	3	89b
3,813	1,342	781	914	876	1,445	895	518	20	12	6,043	2,775	1,794	779	695	12,787	6,674	4,003	1,107	1,003	
8	5	1	-	2	3	2	1	-	-	27	10	8	6	3	33	18	8	4	3	90
33	8	9	9	7	18	7	11	-	-	36	12	13	5	6	96	46	33	10	7	91a,b
15	-	-	8	7	4	2	2	-	-	6	3	1	1	1	20	5	6	2	7	91c
562	129	106	162	165	145	80	63	-	2	927	345	263	161	158	983	426	331	129	97	92a-d
63	15	5	11	32	17	9	7	-	1	72	20	16	15	21	140	59	44	22	15	92e
38	13	7	7	11	16	8	8	-	-	52	13	9	13	17	168	68	50	23	27	93a
36	5	5	11	15	3	1	2	-	-	16	1	3	4	8	59	14	18	7	20	93b
1,162	346	258	293	265	394	224	155	10	5	1,719	744	531	231	213	3,613	1,701	1,318	297	297	93c,d
286	104	57	74	51	142	82	59	-	1	484	190	155	85	54	959	479	323	76	81	93e
610	352	123	66	69	373	270	99	3	1	1,118	704	310	62	42	3,484	2,188	971	185	140	94a
191	106	48	23	14	31	24	7	-	-	197	120	56	12	9	480	295	117	32	36	94b
11	4	4	1	2	13	7	6	-	-	24	8	10	4	2	80	42	25	9	4	95a
603	162	100	175	166	158	96	54	7	1	872	389	257	124	102	1,866	950	467	244	205	95b,c
9	1	1	5	2	1	1	-	-	-	13	3	2	6	2	21	9	6	3	3	96
222	76	48	50	48	102	69	33	-	-	313	151	107	31	24	500	263	170	31	36	97
8	3	3	1	1	4	2	1	-	1	28	9	9	5	5	37	18	10	6	3	98
16	5	1	6	4	10	6	4	-	-	37	13	15	4	5	65	37	25	1	2	99
7	2	3	1	1	5	2	3	-	-	15	9	4	-	2	23	7	12	2	2	100
1	-	-	1	-	-	-	-	-	-	4	1	3	-	-	4	1	2	-	1	101
27	5	2	8	12	6	3	3	-	-	73	28	18	8	19	132	40	57	19	16	102
5	1	-	2	2	-	-	-	-	-	10	2	4	2	2	24	8	10	5	1	103
1,441	346	259	468	368	295	157	118	10	10	2,477	1,024	803	352	298	4,471	1,941	1,642	487	401	
39	3	2	22	12	-	-	-	-	-	7	1	5	-	1	33	13	9	7	4	104a
7	2	1	-	4	1	1	-	-	-	21	9	7	1	4	29	13	12	3	1	104b
8	4	3	1	-	4	3	1	-	-	15	5	8	-	-	38	23	9	3	3	105
13	2	3	5	3	5	2	2	-	1	22	6	9	4	3	55	31	19	3	2	106a

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	169	109	56	2	2	13	3	10	-	-
106c	Bronchitis (unspecified)	84	41	40	2	1	2	1	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	2,562	1,235	1,067	141	119	201	86	109	6	-
108	Lobar pneumonia	2,803	1,528	996	177	102	187	100	82	4	1
109	Pneumonia (unspecified)	178	94	68	11	5	1	1	-	-	-
110	Pleurisy (not specified as tuberculous)	178	105	58	11	4	7	7	-	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	102	51	44	3	4	8	6	2	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	128	61	58	6	3	4	2	2	-	-
112	Asthma	183	112	64	6	1	5	4	1	-	-
113	Pulmonary emphysema	19	15	4	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	276	224	38	10	4	3	1	2	-	-
	IX.—Diseases of the digestive system	5,445	2,905	2,246	159	135	396	240	151	3	2
115a,b,d	Diseases of buccal cavity and adnexa	123	50	65	3	5	5	1	4	-	-
115c	Diseases of pharynx and tonsils	78	39	29	2	8	4	2	2	-	-
116	Diseases of esophagus	14	5	5	2	2	1	1	-	-	-
117a	Ulcer of stomach	402	313	62	18	9	43	40	2	1	-
117b	Ulcer of duodenum	204	159	30	12	3	13	11	2	-	-
118	Other diseases of stomach (except cancer)	107	60	35	6	6	4	3	1	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	406	212	173	13	8	14	8	5	-	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	194	94	86	6	8	12	5	7	-	-
121	Appendicitis	886	505	335	25	21	92	58	33	1	-
122a	Hernia	426	222	187	13	4	29	15	14	-	-
122b	Intestinal obstruction	542	242	264	15	21	36	19	17	-	-
123	Other diseases of intestines	118	70	45	1	2	13	6	6	1	-
124a	Cirrhosis of liver (with mention of alcoholism)	75	56	14	3	2	6	5	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	871	528	311	20	12	65	45	20	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)	43	18	24	1	-	3	2	1	-	-
125b	Other diseases of liver	91	38	42	7	4	3	2	-	-	1
126	Biliary calculi	376	112	257	1	6	22	9	13	-	-
127	Other diseases of gallbladder and biliary ducts	302	96	194	4	8	22	4	18	-	-
128	Diseases of pancreas (except diabetes mellitus)	85	46	37	2	-	2	-	2	-	-
129	Peritonitis (cause not stated)	102	40	51	5	6	7	4	3	-	-
	X.—Diseases of the genito-urinary system	10,998	5,365	4,948	360	325	779	397	364	11	7
130	Acute nephritis	227	118	85	11	13	7	4	3	-	-
131a	Arteriosclerotic kidney	6,949	3,201	3,368	193	187	473	230	230	9	4
131b	Other chronic nephritis	2,258	1,043	1,052	91	72	220	103	114	1	2
132	Nephritis unspecified (10 years and over)	280	134	116	14	16	1	1	-	-	-
133	Other diseases of kidneys and ureters, etc.*	251	114	118	11	8	17	8	9	-	-
134	Calculi of urinary passages	115	66	44	2	3	16	10	6	-	-
135	Diseases of urinary bladder	57	31	22	2	2	1	1	-	-	-
136	Diseases of urethra (except calculus)	33	21	4	8	-	2	2	-	-	-
137	Diseases of prostate	658	633	...	25	...	37	36	...	1	...
138	Diseases of other male genital organs (except venereal)	7	4	...	3	...	2	2	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	97	...	76	...	21	2	...	1	...	1
139b	Diseases of uterus	63	...	60	...	3	1	...	1	...	-
139c	Diseases of other and unspecified female genital organs	3	...	3	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	538	...	481	...	57	27	...	27	...	-
140	Abortion with mention of infection	103	...	84	...	19	4	...	4	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	77	...	60	...	17	2	...	2	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	26	...	24	...	2	2	...	2	...	-
141	Abortion without mention of infection	20	...	19	...	1	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	5	...	5	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	13	...	12	...	1	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	2	...	2	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	7	...	7	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	19	...	15	...	4	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	5	...	3	...	2	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	22	...	21	...	1	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	4	...	3	...	1	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	14	...	14	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	11	...	11	...	-	2	...	2	...	-
146b,c	Other hemorrhages of childbirth and puerperium	59	...	54	...	5	2	...	2	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	94	...	82	...	12	5	...	5	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	52	...	49	...	3	3	...	3	...	-
148a,b	Puerperal eclampsia and nephritis*	67	...	63	...	4	2	...	2	...	-
148c,d	Other puerperal toxemias	11	...	11	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	34	...	30	...	4	3	...	3	...	-
150	Other and unspecified conditions of childbirth and puerperium	16	...	15	...	1	2	...	2	...	-
	XII.—Diseases of the skin and cellular tissue	92	42	46	1	3	15	8	6	-	1
151	Carbuncle and furuncle	18	12	6	-	-	3	3	-	-	-
152	Phlegmon and acute abscess	34	18	13	-	3	8	4	4	-	-
153	Other diseases of skin and cellular tissue	40	12	27	1	-	4	1	2	-	1
	XIII.—Diseases of the bones, etc.*	101	57	34	7	3	9	4	5	-	-
154	Osteomyelitis and periostitis	55	37	9	6	3	4	4	-	-	-
155	Other diseases of bones (except tuberculosis)	23	10	12	1	-	5	-	5	-	-
156	Diseases of joints and other organs of movement	23	10	13	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	1,111	545	527	21	18	93	50	40	1	2

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
13	4	6	2	1	4	3	1	-	-	46	22	17	3	4	70	42	22	4	2	106b
12	3	4	1	4	3	-	2	1	-	23	15	3	2	3	54	25	25	1	3	106c
470	126	86	141	117	85	47	32	4	2	969	400	326	143	100	1,469	643	598	117	111	107
631	154	122	196	159	116	58	50	4	4	1,058	418	334	159	147	1,450	586	502	207	155	108
170	23	14	76	57	32	17	11	1	3	105	42	26	20	17	692	286	228	101	77	109
18	6	5	6	1	11	6	5	-	-	41	18	6	11	6	90	47	26	8	9	110
6	2	1	2	1	6	3	3	-	-	11	7	3	-	1	66	34	25	4	3	111a
17	3	5	5	4	13	7	6	-	-	54	28	21	1	4	201	89	93	9	10	111b,c
22	8	5	4	5	9	6	3	-	-	64	28	28	4	4	138	61	49	13	15	112
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	9	6	3	-	-	113
15	6	2	7	-	6	4	2	-	-	41	23	10	4	4	77	42	22	7	6	114
1,131	301	199	339	292	312	168	119	16	9	1,730	736	534	232	228	5,374	2,517	1,966	495	396	
48	12	9	14	13	13	6	7	-	-	51	24	18	1	8	124	47	47	15	15	115a,b,d
32	8	5	11	8	6	4	1	1	-	36	16	12	2	6	74	31	29	2	12	115c
3	2	-	1	-	2	1	1	-	-	3	2	1	-	-	15	6	5	1	3	116
72	29	6	25	12	16	13	3	-	-	110	63	17	13	17	246	166	42	30	8	117a
22	12	2	5	3	9	8	1	-	-	54	44	6	3	1	80	64	6	7	1	117b
54	5	6	19	24	7	5	2	-	-	122	31	20	33	38	368	132	81	89	66	118
372	67	57	136	112	29	8	8	10	3	315	135	115	38	27	1,954	951	822	97	84	119
70	15	10	23	22	21	9	10	2	-	139	52	52	17	18	412	154	200	27	31	120
123	41	31	30	21	68	49	17	-	2	251	124	62	33	32	627	325	183	74	45	121
44	17	6	15	6	17	8	9	-	-	61	24	17	14	6	149	70	42	29	8	122a
84	17	18	19	30	33	22	11	-	-	182	58	69	27	28	373	136	153	43	41	122b
26	7	4	7	8	3	1	2	-	-	32	13	8	5	6	98	35	32	19	12	123
11	5	1	4	1	2	1	1	-	-	7	6	1	-	-	18	15	2	1	-	124a
66	33	10	16	7	33	17	13	3	-	146	78	36	26	6	329	200	82	30	17	124b
10	5	2	-	3	-	-	-	-	-	12	4	3	4	1	21	14	5	1	1	125a
15	4	2	5	4	3	1	2	-	-	31	9	11	4	7	70	22	25	13	10	125b
18	6	10	-	2	28	8	18	-	2	54	11	36	3	4	86	29	52	1	4	126
23	7	11	2	3	13	4	7	-	2	62	21	33	2	6	178	65	103	1	9	127
6	3	3	-	-	2	-	2	-	-	19	9	5	1	4	28	17	7	4	-	128
32	6	6	7	13	7	3	4	-	-	43	12	12	6	13	124	38	46	11	29	129
2,314	626	439	672	577	361	227	126	5	3	2,477	1,067	708	377	325	5,130	2,433	1,502	689	506	
90	12	15	36	27	11	7	4	-	-	99	39	25	22	13	297	96	90	58	53	130
1,369	400	287	341	341	152	93	56	2	1	1,130	475	356	148	151	2,037	967	660	219	191	131a
469	106	86	157	120	113	68	43	1	1	595	251	175	89	80	1,318	599	402	181	136	131b
144	29	17	59	39	26	15	10	1	-	241	95	72	38	36	563	256	161	87	59	132
81	14	17	24	26	10	5	4	1	-	88	34	32	9	13	202	77	77	33	15	133
27	16	7	3	1	2	-	2	-	-	30	18	10	2	-	79	55	22	1	1	134
11	3	-	8	-	3	3	-	-	-	26	11	6	5	4	63	33	6	16	8	135
10	-	-	10	-	2	2	-	-	-	19	3	1	13	2	36	10	1	25	-	136
78	46	...	32	...	34	34	...	-	...	190	140	...	50	...	408	340	...	68	...	137
2	-	...	2	...	-	-	...	-	...	2	1	...	1	...	1	-	...	1	...	138
28	...	6	...	22	6	...	5	...	1	47	...	24	...	23	84	...	56	...	28	139a
4	...	4	...	-	2	...	2	...	-	9	...	7	...	2	39	...	25	...	14	139b
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	3	...	2	...	1	139c
301	...	101	...	200	40	...	34	...	6	265	...	193	...	72	583	...	421	...	162	
31	...	13	...	18	5	...	4	...	1	38	...	27	...	11	80	...	55	...	25	140
26	...	10	...	16	4	...	4	...	-	33	...	23	...	10	70	...	46	...	24	140a,b
5	...	3	...	2	1	...	-	...	1	5	...	4	...	1	10	...	9	...	1	140c,d
11	...	3	...	8	-	...	-	...	-	15	...	9	...	6	15	...	11	...	4	141
3	...	2	...	1	-	...	-	...	-	4	...	2	...	2	-	...	-	...	-	141a,c
8	...	1	...	7	-	...	-	...	-	10	...	6	...	4	15	...	11	...	4	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
4	...	2	...	2	-	...	-	...	-	1	...	-	...	1	6	...	5	...	1	142a
6	...	1	...	5	2	...	2	...	-	7	...	6	...	1	28	...	17	...	9	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143a
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	143b,c
25	...	5	...	20	5	...	4	...	1	26	...	20	...	6	75	...	53	...	22	144a,b
13	...	6	...	7	3	...	3	...	-	13	...	9	...	4	16	...	12	...	4	144c,d
11	...	5	...	6	2	...	2	...	-	14	...	12	...	2	15	...	13	...	2	145
6	...	-	...	6	-	...	-	...	-	5	...	5	...	-	18	...	14	...	4	146a
33	...	17	...	16	4	...	4	...	-	20	...	16	...	4	57	...	47	...	10	146b,c
52	...	15	...	37	6	...	4	...	2	45	...	28	...	17	92	...	59	...	33	147a,b
15	...	9	...	6	3	...	2	...	1	20	...	18	...	2	33	...	24	...	9	147c,d
49	...	15	...	34	2	...	2	...	-	29	...	20	...	9	79	...	60	...	19	148a,b
8	...	3	...	5	2	...	2	...	-	4	...	4	...	-	5	...	3	...	2	148c,d
11	...	1	...	10	3	...	2	...	1	8	...	7	...	1	25	...	20	...	5	149
25	...	6	...	19	3	...	3	...	-	19	...	11	...	8	39	...	26	...	13	150
33	12	6	7	8	7	3	3	1	-	47	21	19	5	2	100	50	31	9	10	
7	3	3	-	1	4	2	2	-	-	8	3	5	-	-	29	16	10	1	2	151
9	3	1	3	2	1	-	-	1	-	12	6	3	3	-	28	17	6	2	3	152
17	6	2	4	5	2	1	1	-	-	27	12	11	2	2	43	17	15	6	5	153
14	2	1	5	6	2	1	-	1	-	32	15	7	7	3	71	39	21	6	5	
12	2	1	4	5	-	-	-	-	-	21	13	4	2	2	50	29	14	4	3	154
-	-	-	-	-	-	-	-	-	-	4	-	2	1	1	4	3	1	-	-	155
2	-	-	1	1	2	1	-	1	-	7	2	1	4	-	17	7	6	2	2	156
128	48	42	19	19	80	37	40	3	-	214	116	85	7	6	522	250	231	25	16	157

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,694	1,959	1,425	167	143	206	122	74	5	5
158	Congenital debility (cause not stated)	76	38	33	2	3	6	3	1	2	-
159	Premature birth (cause not stated)	2,334	1,213	906	108	107	120	72	44	-	4
160a	Intracranial or spinal hemorrhage	410	229	151	19	11	22	11	9	1	1
160b,c	Other injuries at birth	418	227	173	11	7	28	21	7	-	-
161	Other diseases peculiar to the first year of life	456	252	162	27	15	30	15	13	2	-
162	XVI.—Senility	273	98	159	8	8	10	3	7	-	-
	XVII.—Violent or accidental deaths	8,592	5,793	2,364	344	91	466	302	157	5	2
163,164	Suicide	1,277	954	294	23	6	90	61	27	2	-
163	Suicide by poisoning	334	198	133	2	1	41	27	13	1	-
	Suicide by solid or liquid poisons	99	51	47	1	-	10	8	2	-	-
	Suicide by poisonous gases	235	147	86	1	1	31	19	11	1	-
164a	Suicide by hanging or strangulation	330	253	71	5	1	27	18	8	1	-
164b	Suicide by drowning	64	41	17	5	1	5	3	2	-	-
164c	Suicide by firearms and explosives	422	372	42	8	-	10	8	2	-	-
164d	Suicide by cutting or piercing instruments	48	39	7	1	1	3	3	-	-	-
164e	Suicide by jumping from high places	58	39	16	2	1	3	2	1	-	-
164f	Suicide by crushing	10	7	3	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	11	5	5	-	1	1	-	1	-	-
165-168	Homicide[1]	283	121	57	83	22	10	7	3	-	-
166	Homicide by firearms	115	49	24	32	10	2	2	-	-	-
167	Homicide by cutting or piercing instruments	75	19	14	36	6	-	-	-	-	-
168	Homicide by other means	93	53	19	15	6	8	5	3	-	-
169-195	Accidental deaths	7,028	4,717	2,013	235	63	366	234	127	3	2
169	Railway accidents (except collisions with motor vehicles)	248	222	13	11	2	5	5	-	-	-
170a	Collisions between automobiles and trains	55	38	13	3	1	-	-	-	-	-
170b	Collisions between automobiles and streetcars	14	11	3	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,075	1,563	422	71	19	89	67	20	1	1
170d	Motorcycle accidents (except collisions with automobiles)	41	37	3	1	-	2	2	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	51	38	11	1	1	5	3	2	-	-
171b	Other and unspecified road-transport accidents	21	18	2	1	-	-	-	-	-	-
172	Water-transport accidents	37	37	-	-	-	8	8	-	-	-
173	Air-transport accidents	24	23	1	-	-	1	1	-	-	-
174	Accidents in mines and quarries	483	478	1	4	-	1	1	-	-	-
175a	Accidents involving agricultural machinery and vehicles	41	39	2	-	-	1	1	-	-	-
175b,c	Other agricultural accidents, including injury by animals	37	37	-	-	-	2	2	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	4	4	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	103	98	1	4	-	6	5	-	1	-
177	Food poisoning	15	11	3	-	1	-	-	-	-	-
178	Accidental absorption of poisonous gas	174	124	39	8	3	6	2	4	-	-
179	Acute accidental poisoning by solids or liquids	87	51	32	3	1	5	2	3	-	-
180	Conflagration	90	54	28	5	3	4	3	1	-	-
181	Accidental burns (except conflagration)	352	147	171	18	16	27	18	8	-	1
182	Accidental mechanical suffocation	79	39	27	10	3	3	3	-	-	-
183	Accidental drowning	297	241	35	21	-	23	20	3	-	-
184	Accidental injury by firearms	107	97	6	4	-	4	3	1	-	-
185	Accidental injury by cutting or piercing instruments	14	7	5	1	1	2	2	-	-	-
186a	Accidental injury by fall	2,048	916	1,092	31	9	151	67	83	1	-
186b	Accidental injury by crushing	32	24	1	7	-	1	1	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	11	8	3	-	-	1	1	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	31	21	5	5	-	-	-	-	-	-
191	Excessive heat	49	38	11	-	-	-	-	-	-	-
192	Lightning	12	12	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	56	46	6	4	-	2	2	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	2	1	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	64	39	21	3	1	9	8	1	-	-
195c,e	Other and unspecified accidents	274	198	55	19	2	7	6	1	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	4	1	-	3	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	195	121	50	19	5	1	-	1	-	-
199	Sudden death	6	4	2	-	-	1	-	1	-	-
200a	Ill-defined	57	34	22	1	-	-	-	-	-	-
200b	Found dead (cause unknown)	14	8	4	2	-	-	-	-	-	-
200c	Unknown or unspecified	118	75	22	16	5	-	-	-	-	-

*Refer to complete International List titles, table XI.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,026	321	229	258	220	241	129	92	16	4	1,129	546	404	95	84	3,260	1,635	1,143	266	216	
86	9	8	38	31	13	7	3	2	1	52	27	20	3	2	284	142	101	16	25	158
662	212	164	157	129	140	75	56	7	2	712	325	270	60	57	2,015	989	711	163	152	159
92	35	25	21	11	9	5	2	-	1	115	68	29	14	4	227	133	78	13	3	160a
56	20	9	10	17	32	17	15	-	-	133	70	49	5	9	364	211	107	35	11	160b,c
132	45	23	32	32	48	25	16	7	-	117	56	36	13	12	370	160	146	39	25	161
128	12	20	42	54	158	75	73	7	3	327	108	134	42	43	1,145	443	461	134	107	162
1,622	691	245	667	219	454	315	116	12	11	2,564	1,344	532	528	160	6,027	3,632	1,423	724	248	
119	86	17	12	2	71	56	9	6	-	258	192	48	12	6	777	568	177	21	11	163,164
31	21	9	-	1	15	13	2	-	-	41	22	18	-	1	215	122	86	3	4	163
18	12	5	-	1	5	4	1	-	-	37	20	16	-	1	168	89	72	3	4	
13	9	4	-	-	10	9	1	-	-	4	2	2	-	-	47	33	14	-	-	
9	6	1	2	-	8	6	-	2	-	28	20	7	1	-	68	51	16	1	-	164a
3	1	2	-	-	2	1	1	-	-	6	4	2	-	-	20	10	7	1	2	164b
72	58	5	8	1	38	31	4	3	-	160	133	17	7	3	407	337	52	16	2	164c
3	2	-	1	-	4	2	1	1	-	12	10	1	1	-	26	20	6	-	-	164d
1	-	-	1	-	-	-	-	-	-	7	3	2	1	1	11	8	3	-	-	164e
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	3	1	-	-	164f
-	-	-	-	-	4	3	1	-	-	3	-	1	1	1	26	17	6	-	3	164g
250	46	8	151	45	14	6	5	-	3	485	147	25	254	59	618	240	50	258	70	165-168
160	34	7	89	30	12	5	4	-	3	295	93	15	159	28	358	147	35	149	27	166
58	3	-	46	9	1	1	-	-	-	116	16	2	77	21	203	62	6	98	37	167
32	9	1	16	6	1	-	1	-	-	74	38	8	18	10	57	31	9	11	6	168
1,448	557	220	499	172	369	253	102	6	8	1,818	1,003	459	261	95	4,624	2,820	1,196	441	167	169-195
39	17	1	19	2	6	6	-	-	-	109	81	5	20	3	149	114	7	28	-	169
22	14	2	6	-	5	3	2	-	-	33	22	8	2	1	90	67	22	1	-	170a
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	3	2	1	-	-	170b
580	288	71	188	33	95	63	27	3	2	539	348	96	82	13	1,649	1,126	360	124	39	170c
7	7	-	-	-	-	-	-	-	-	5	4	1	-	-	12	12	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	-	1	171a
7	3	-	3	1	1	1	-	-	-	9	6	1	2	-	13	8	1	3	1	171b
26	14	2	10	-	2	2	-	-	-	30	26	1	3	-	26	20	3	3	-	172
7	6	1	-	-	1	1	-	-	-	5	5	-	-	-	52	52	-	-	-	173
1	-	-	1	-	5	5	-	-	-	28	24	-	4	-	7	4	-	3	-	174
5	2	-	3	-	21	20	1	-	-	17	12	-	4	1	22	20	1	1	-	175a
10	6	-	4	-	11	11	-	-	-	30	25	1	4	-	31	25	1	5	-	175b,c
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	175d
4	1	-	3	-	1	1	-	-	-	3	3	-	-	-	2	1	-	1	-	175e,
19	10	-	9	-	4	4	-	-	-	18	15	-	2	1	65	53	2	10	-	176
15	3	1	8	3	-	-	-	-	-	20	5	10	3	2	107	42	42	12	11	177
4	3	-	-	1	11	7	4	-	-	9	7	2	-	-	36	25	9	1	1	178
17	3	1	9	4	5	3	1	-	1	25	14	8	2	1	82	35	36	6	5	179
58	10	5	24	19	5	3	2	-	-	45	15	16	8	6	83	44	23	8	8	180
142	19	24	42	57	16	7	9	-	-	156	44	65	22	25	393	169	152	36	36	181
49	12	6	17	14	6	5	1	-	-	34	12	14	5	3	54	26	16	5	7	182
60	20	3	35	2	25	21	2	1	1	67	44	7	13	3	257	173	32	52	-	183
58	20	4	28	6	17	17	-	-	-	83	43	7	26	7	232	164	12	44	12	184
14	1	3	6	4	2	2	-	-	-	16	9	2	5	-	53	27	7	15	4	185
137	46	73	13	5	87	45	41	-	1	333	134	165	17	17	513	212	269	16	16	186a
5	3	-	2	-	2	2	-	-	-	14	6	1	6	1	21	18	-	2	1	186b
11	1	-	7	3	-	-	-	-	-	-	-	-	-	-	13	7	5	-	1	187
2	-	-	2	-	2	-	1	1	-	7	5	2	-	-	17	12	4	1	-	188
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	8	1	5	-	2	189
16	3	1	9	3	5	4	-	-	1	27	9	4	11	3	18	8	1	8	1	190
6	2	-	3	1	6	5	2	1	-	10	4	1	4	1	34	23	5	5	1	191
10	3	-	2	5	4	3	1	-	-	7	4	3	-	-	27	18	3	3	3	192
12	7	-	5	-	-	-	-	-	-	18	17	-	1	-	40	33	2	5	-	193
3	-	-	2	1	-	-	-	-	-	2	-	2	-	-	11	6	5	-	-	194
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	3	-	1	-	2	195a,b
19	7	2	6	4	3	1	2	-	-	15	10	2	2	1	44	16	17	6	5	195d
83	26	20	33	4	18	10	6	-	2	98	47	33	12	6	451	254	150	37	10	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
5	-	-	5	-	-	-	-	-	-	3	2	-	1	-	8	4	-	4	-	198
1,472	128	84	689	571	117	29	22	30	36	2,054	817	613	322	302	1,483	675	367	262	179	
59	18	6	19	18	3	2	1	-	-	136	67	37	16	16	52	18	14	15	5	199
402	50	25	167	160	36	19	12	2	3	206	101	40	40	25	961	466	216	161	118	200a
10	3	2	2	3	4	3	-	1	-	106	50	42	10	4	20	11	2	6	1	200b
1,001	59	51	501	390	74	5	9	27	33	1,606	599	494	256	257	450	180	135	80	55	200c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	4,925	2,759	2,082	47	37	4,610	2,503	2,102	4	1	29,579	10,947	8,378	5,515	4,739
	I.—Infectious and parasitic diseases	279	170	96	7	6	263	169	92	1	1	3,262	879	742	878	763
1	Typhoid fever	5	4	1	-	-	2	1	1	-	-	30	12	6	9	3
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	2	-	-	-	6	3	3	-	-	29	12	6	2	9
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	3	2	-	-	1	1	-	-	-	12	4	6	1	1
9	Whooping cough	11	7	3	1	-	5	4	1	-	-	133	34	35	28	36
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	-	-	-	-	-	52	27	14	3	8
11	Erysipelas	1	1	-	-	-	3	2	1	-	-	7	2	4	-	1
12	Tetanus	1	-	1	-	-	-	-	-	-	-	17	7	2	6	2
13-22	Tuberculosis (all forms)	89	59	22	2	6	149	110	39	-	-	1,557	394	342	420	401
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	16	16	-	-	-	28	28	-	-	-	4	4	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	59	37	17	2	3	112	79	33	-	-	1,402	344	316	375	367
14	Tuberculosis of meninges and central nervous system	1	-	-	-	1	2	-	2	-	-	40	13	8	12	7
15	Tuberculosis of intestines and peritoneum	2	-	2	-	-	1	-	1	-	-	31	4	7	9	11
16	Tuberculosis of vertebral column	1	-	1	-	-	3	2	1	-	-	24	6	3	8	7
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	1	-	1	-	-	6	2	-	2	2
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	1	1	-	-	-	-	-	-	-	4	1	2	1	-
20	Tuberculosis of genito-urinary system	4	3	1	-	-	-	-	-	-	-	16	5	4	5	2
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
22a	Disseminated tuberculosis (acute miliary)	3	1	-	-	2	1	-	1	-	-	20	9	1	6	4
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	1	1	-	-	-	5	1	1	2	1
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	10	5	5	-	-	6	4	2	-	-	24	11	6	3	4
25	Gonococcus infection	-	-	-	-	-	2	-	2	-	-	28	-	4	2	22
26	Other diseases due to bacteria (except dysentery)	3	2	1	-	-	-	-	-	-	-	6	2	3	1	-
27	Dysentery	3	2	1	-	-	3	1	2	-	-	78	29	21	11	17
28	Malaria	-	-	-	-	-	-	-	-	-	-	5	2	1	-	2
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	27	22	4	1	-	26	18	7	-	1	475	99	38	249	89
30a	Locomotor ataxia (tabes dorsalis)	-	-	-	-	-	2	1	1	-	-	15	8	3	4	-
30b	General paralysis of insane	10	10	-	-	-	8	5	2	-	1	101	24	5	63	9
30c	Other syphilis of central nervous system	2	2	-	-	-	2	1	1	-	-	38	8	6	17	7
30d	Aneurysm of aorta	6	4	1	1	-	8	7	1	-	-	76	19	1	44	12
30e	Other syphilis of circulatory system	-	-	-	-	-	-	-	-	-	-	43	5	2	30	6
30f,g	Congenital, other and unspecified forms of syphilis	9	6	3	-	-	6	4	2	-	-	202	35	21	91	55
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	-	-	-	-	-	7	2	1	2	2
33a	Influenza, with respiratory complications specified	44	22	20	2	-	23	9	13	1	-	456	139	135	85	97
33b	Influenza, without respiratory complications specified	58	30	27	1	-	27	10	17	-	-	232	60	77	42	53
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	3	2	-	-	1	-	1	-	-	22	7	9	4	2
36	Acute poliomyelitis and acute polioencephalitis	6	4	2	-	-	2	2	-	-	-	27	15	8	1	3
37a,c	Infectious encephalitis lethargica (acute and unqualified)	2	1	1	-	-	1	-	1	-	-	14	2	3	6	3
37b	Sequelae of encephalitis lethargica	1	-	1	-	-	-	-	-	-	-	6	4	2	-	-
38	Other diseases due to filtrable viruses	1	-	1	-	-	-	-	-	-	-	3	-	3	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	1	1	-	-	-	-	-	-	-	7	3	3	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	4	-	3	-	1
43	Mycoses	-	-	-	-	-	1	1	-	-	-	7	4	2	-	1
44	Other infectious and parasitic (communicable) diseases	3	2	1	-	-	4	2	2	-	-	24	8	8	2	6
	II.—Cancer and other tumors	524	262	253	7	2	566	236	330	-	-	2,299	791	957	237	314
45-55	Cancer and other malignant tumors	501	256	236	7	2	547	234	313	-	-	2,202	769	912	233	288
45	Cancer of buccal cavity and pharynx	11	9	2	-	-	19	16	3	-	-	73	44	17	10	2
45a-e	Cancer of buccal cavity	8	8	-	-	-	13	10	3	-	-	53	34	11	7	1
45f	Cancer of pharynx	3	1	2	-	-	6	6	-	-	-	20	10	6	3	1
46	Cancer of digestive organs and peritoneum	224	125	92	6	1	235	104	131	-	-	927	359	349	120	99
46a	Cancer of esophagus	7	4	3	-	-	5	1	4	-	-	29	19	7	1	2
46b,c	Cancer of stomach and duodenum	101	60	34	6	1	78	36	42	-	-	333	144	91	64	34
46f	Cancer of liver and biliary passages	23	9	14	-	-	33	15	18	-	-	171	45	82	22	22
46g	Cancer of pancreas	17	6	11	-	-	11	4	7	-	-	74	34	27	9	4
46d,e,h,m	Cancer of other digestive organs and peritoneum	76	46	30	-	-	108	48	60	-	-	320	117	142	24	37
47	Cancer of respiratory system	33	24	8	1	-	21	13	8	-	-	125	80	32	9	4
48	Cancer of uterus	44	...	44	...	-	63	...	63	...	-	297	...	188	...	109
49	Cancer of other female genital organs	12	...	12	...	-	13	...	13	...	-	52	...	46	...	6
50	Cancer of breast	44	2	41	-	1	63	1	62	-	-	203	3	156	1	43
51	Cancer of male genital organs	34	34	...	-	...	48	48	...	-	...	152	109	...	43	...
52	Cancer of urinary organs (male and female)	27	17	10	-	-	25	15	10	-	-	95	49	21	19	6
53	Cancer of skin (except vulva and scrotum)	17	13	4	-	-	22	14	8	-	-	70	39	23	3	5
54	Cancer of central nervous system*	14	9	5	-	-	8	5	3	-	-	44	21	17	5	1
55	Cancer of other and unspecified organs	41	23	18	-	-	30	18	12	-	-	164	65	63	23	13
56a	Nonmalignant tumors of ovary	4	...	4	...	-	5	...	5	...	-	3	...	3	...	-
56b	Nonmalignant tumors of uterus	8	...	8	...	-	6	...	6	...	-	31	...	12	...	19
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
20,009	11,815	7,555	407	232	17,826	9,203	6,765	997	661	31,614	17,572	13,650	231	161	2,136	1,342	712	58	24	
1,497	822	520	101	54	1,916	887	737	186	106	1,699	1,004	609	57	29	167	96	53	13	5	
11	6	4	-	1	34	16	13	3	2	4	3	1	-	-	2	-	2	-	-	1
3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	5
6	4	2	-	-	25	16	6	-	1	7	4	3	-	-	5	2	3	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
7	2	5	-	-	20	12	8	-	-	24	7	17	-	-	1	-	1	-	-	8
19	8	10	1	-	119	42	66	5	6	30	12	17	1	-	1	-	1	-	-	9
11	5	5	1	-	37	21	13	3	-	7	1	6	-	-	4	1	3	-	-	10
4	3	1	-	-	5	-	5	-	-	13	7	6	-	-	-	-	-	-	-	11
3	2	1	-	-	1	1	-	-	-	6	4	2	-	-	-	-	-	-	-	12
707	361	235	71	40	876	377	349	85	65	832	493	281	37	21	42	21	13	5	3	13-22
11	11	-	-	-	6	3	2	1	-	23	22	-	1	-	-	-	-	-	-	13a
638	325	209	68	36	794	346	320	72	56	736	436	252	31	17	37	16	13	5	3	13b,c
17	11	5	-	1	20	9	3	5	3	25	10	10	3	2	-	-	-	-	-	14
12	4	5	1	2	21	7	9	3	2	13	3	10	-	-	1	1	-	-	-	15
11	4	6	1	-	9	4	4	1	-	9	6	2	1	-	1	1	-	-	-	16
1	1	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	18
3	-	2	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	19
7	3	3	1	-	6	2	2	-	2	10	9	1	-	-	-	-	-	-	-	20
2	-	2	-	-	-	-	-	-	-	5	2	2	-	1	1	1	-	-	-	21
4	1	3	-	-	13	5	4	3	1	2	-	1	1	-	-	-	-	-	-	22a
1	1	-	-	-	4	-	4	-	-	3	2	-	-	1	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
12	9	3	-	-	28	15	12	-	1	27	16	10	-	1	-	-	-	-	-	24
4	2	2	-	-	4	-	4	-	-	-	-	-	-	-	2	1	1	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	7	2	-	-	26
31	12	15	3	1	30	11	18	1	-	9	7	2	-	-	4	2	1	-	1	27
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
240	164	62	9	5	287	147	47	70	23	232	163	53	14	2	37	28	6	3	-	30
8	6	2	-	-	7	6	1	-	-	7	3	4	-	-	-	-	-	-	-	30a
62	45	13	3	1	74	44	13	15	2	64	45	17	1	1	19	17	1	1	-	30b
18	13	4	1	-	41	18	5	16	2	21	14	6	1	-	3	1	1	1	-	30c
54	41	11	2	-	31	19	3	8	1	54	43	6	4	1	3	2	1	-	-	30d
20	13	7	-	-	9	3	1	4	1	13	10	-	3	-	2	2	-	-	-	30e
78	46	25	3	4	125	57	24	27	17	73	48	20	5	-	10	6	3	1	-	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	5	4	1	-	-	4	3	1	-	-	-	-	-	-	-	32
181	93	77	7	4	212	101	97	12	2	200	109	86	1	4	13	6	6	1	-	33a
123	63	57	1	2	131	64	61	2	4	146	75	68	2	1	14	8	6	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
18	8	8	2	-	-	-	-	-	-	14	4	9	1	-	5	-	1	3	1	35
36	22	13	1	-	59	36	22	1	-	46	34	12	-	-	9	6	3	-	-	36
34	23	9	1	1	8	3	5	-	-	16	9	7	-	-	2	1	1	-	-	37a,c
6	5	1	-	-	1	-	1	-	-	7	5	2	-	-	-	-	-	-	-	37b
2	1	1	-	-	8	7	1	-	-	5	2	3	-	-	1	-	1	-	-	38
2	2	-	-	-	3	1	2	-	-	-	-	-	-	-	9	8	1	-	-	39
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	42
5	3	2	-	-	4	2	1	1	-	15	9	5	1	-	-	-	-	-	-	43
30	20	6	4	-	12	5	2	3	2	48	31	17	-	-	7	5	1	1	-	44
2,575	1,273	1,245	32	25	1,564	643	818	35	68	4,400	2,198	2,166	20	16	220	118	96	3	3	
2,482	1,249	1,181	31	21	1,469	616	763	34	56	4,229	2,147	2,048	20	14	212	117	89	3	3	45-55
71	55	14	1	1	36	19	16	1	-	96	83	13	-	-	10	8	2	-	-	45
54	44	9	-	1	27	12	14	1	-	68	60	8	-	-	7	7	-	-	-	45a-e
17	11	5	1	-	9	7	2	-	-	28	23	5	-	-	3	1	2	-	-	45f
1,184	703	450	21	10	681	341	312	20	8	2,202	1,253	932	12	5	102	66	34	1	1	46
31	20	10	1	-	13	10	3	-	-	107	88	19	-	-	2	2	-	-	-	46a
496	337	143	12	4	286	161	110	9	6	895	576	312	5	2	47	37	9	1	-	46b,c
125	65	55	2	2	138	59	75	4	-	237	91	145	1	-	13	7	6	-	-	46f
75	49	24	1	1	40	24	14	2	-	153	82	70	1	-	8	4	4	-	-	46g
457	232	217	5	3	204	87	110	5	2	810	416	386	5	3	32	16	15	-	1	46d,e,h,p
136	93	39	4	-	70	52	13	5	-	204	156	46	2	-	9	5	3	1	-	47
226	...	222	...	4	229	...	200	...	29	333	...	328	...	5	17	...	16	...	1	48
62	...	61	...	1	24	...	23	...	1	119	...	118	...	1	4	...	4	...	-	49
250	5	242	-	3	104	2	90	1	11	379	3	374	-	2	20	-	19	-	1	50
179	179	...	-	...	72	68	...	4	...	287	283	...	4	...	16	16	...	-	...	51
130	87	39	3	1	66	43	19	1	3	225	155	70	-	-	10	8	2	-	-	52
59	20	19	-	-	57	32	24	-	1	77	44	32	1	-	8	6	2	-	-	53
60	30	30	-	-	7	3	4	-	-	63	34	29	-	-	2	-	2	-	-	54
145	77	65	2	1	123	56	62	2	3	244	136	106	1	1	14	8	5	1	-	55
9	...	9	...	-	10	...	8	...	2	20	...	20	...	-	5	...	5	...	-	56a
45	...	44	...	1	23	...	16	...	7	43	...	43	...	-	1	...	1	...	-	56b
1	...	-	...	1	1	...	1	...	-	4	...	3	...	1	-	...	-	...	-	56c

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
56d,e	Nonmalignant tumors of other and unspecified organs	7	4	3	-	-	2	-	2	-	-	16	6	8	1	1
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	4	2	2	-	-	6	2	4	-	-	45	16	21	3	5
	III.—Rheumatism, diseases of nutrition, etc.*	167	53	114	-	-	147	61	86	-	-	819	250	356	72	141
58a-d	Acute rheumatic heart diseases	9	3	6	-	-	-	-	-	-	-	31	9	11	7	4
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	1	-	1	-	-	2	1	1	-	-	18	6	5	2	5
59	Chronic rheumatism and other rheumatic diseases	3	2	1	-	-	6	3	3	-	-	50	17	21	6	6
60	Gout	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	107	36	71	-	-	121	48	73	-	-	539	168	234	41	96
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
63a	Simple goiter	2	2	-	-	-	-	-	-	-	-	3	-	-	-	3
63b	Exophthalmic goiter	25	2	23	-	-	12	5	7	-	-	63	5	47	3	8
63c-e	Other diseases of thyroid and parathyroid glands	4	-	4	-	-	2	-	2	-	-	7	4	3	-	-
64	Diseases of thymus gland	8	6	2	-	-	2	2	-	-	-	20	9	5	3	3
65	Diseases of adrenal glands (not specified as tuberculous)	2	-	2	-	-	2	2	-	-	-	7	4	3	-	-
66	Other general diseases	2	1	1	-	-	-	-	-	-	-	10	4	1	1	4
67	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	3	-	3	-	-	-	-	-	-	-	59	18	24	7	10
70	Rickets	-	-	-	-	-	-	-	-	-	-	6	3	-	1	2
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-
	IV.—Diseases of the blood and blood-forming organs	31	16	15	-	-	27	16	11	-	-	168	75	59	16	18
72	Hemorrhagic conditions	3	2	1	-	-	1	-	1	-	-	18	8	4	2	4
73a	Pernicious anemia	7	1	6	-	-	9	3	6	-	-	40	16	17	2	5
73b-d	Other anemias (except splenic)	4	3	1	-	-	2	2	-	-	-	25	9	9	3	4
74a	Leukemias	14	9	5	-	-	11	10	1	-	-	65	33	23	7	2
74b	Aleukemias	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1
75	Diseases of spleen	2	1	1	-	-	2	1	1	-	-	8	5	2	-	1
76	Other diseases of the blood and blood-forming organs	1	-	1	-	-	2	-	2	-	-	8	3	3	1	1
	V.—Chronic poisoning and intoxication	9	8	1	-	-	7	7	-	-	-	84	57	7	15	5
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
77c-e	Alcoholism (acute, chronic, and unspecified)	8	8	-	-	-	6	6	-	-	-	80	56	5	15	4
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	1	-	-	1	1	-	-	-	2	-	2	-	-
	VI.—Diseases of the nervous system, etc.*	408	191	213	2	2	507	250	256	1	-	3,300	1,071	958	592	679
80	Encephalitis (nonepidemic)	6	1	5	-	-	3	2	1	-	-	34	10	14	7	3
81	Meningitis (not due to meningococcus)	15	5	8	1	1	4	2	2	-	-	65	22	13	19	11
82	Diseases of spinal cord (see exceptions)*	13	7	6	-	-	8	2	6	-	-	44	22	15	5	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	283	126	156	1	-	394	183	210	1	-	2,688	844	779	490	575
83b	Cerebral embolism and thrombosis	41	21	20	-	-	54	34	20	-	-	129	59	43	13	14
83c	Cerebral softening	-	-	-	-	-	-	-	-	-	-	19	7	8	-	4
83d	Hemiplegia and other paralysis of unspecified origin	1	-	1	-	-	7	5	2	-	-	69	20	21	11	17
84	Mental diseases and deficiency (see exception)*	4	3	1	-	-	4	1	3	-	-	36	9	7	8	12
85	Epilepsy	10	6	4	-	-	11	8	3	-	-	68	22	14	17	15
86	Convulsions (under 5 years)	1	1	-	-	-	1	-	1	-	-	21	7	4	4	6
87	Other diseases of nervous system	18	9	8	-	1	15	8	7	-	-	75	23	29	10	13
88	Diseases of organs of vision	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	13	10	3	-	-	4	3	1	-	-	38	17	7	7	7
89b	Diseases of mastoid process	2	2	-	-	-	2	2	-	-	-	14	9	4	1	-
	VII.—Diseases of the circulatory system	1,425	805	607	8	5	1,565	886	677	2	-	7,112	2,993	2,047	1,135	937
90	Pericarditis (except acute rheumatic)	1	1	-	-	-	3	2	1	-	-	9	4	3	-	2
91a,b	Bacterial and other acute or subacute endocarditis	11	2	9	-	-	7	4	3	-	-	42	17	9	6	10
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-	15	-	5	4	6
92a-d	Chronic endocarditis and diseases of the valves*	203	104	95	3	1	219	122	97	-	-	919	287	283	192	157
92e	Endocarditis (unspecified, 45 years and over)	2	1	1	-	-	3	1	2	-	-	90	30	23	14	23
93a	Acute myocarditis (except rheumatic)	20	14	6	-	-	21	12	9	-	-	59	16	15	17	11
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-	31	7	4	11	9
93c,d	Chronic myocarditis and myocardial degeneration	563	271	286	3	3	615	315	299	1	-	2,582	1,002	821	405	354
93e	Other myocarditis (unspecified)	16	9	7	-	-	42	17	25	-	-	506	162	170	94	80
94a	Diseases of coronary arteries	386	273	112	1	-	350	244	105	1	-	1,385	847	306	139	93
94b	Angina pectoris	18	16	2	-	-	59	44	15	-	-	214	134	53	19	8
95a	Functional diseases of heart, etc.*	2	1	1	-	-	2	-	2	-	-	12	7	2	2	1
95b,c	Other and unspecified diseases of heart	124	65	58	1	-	78	48	30	-	-	777	315	206	155	101
96	Aneurysm (except of heart and aorta)	4	3	1	-	-	2	1	1	-	-	24	8	7	7	2
97	Arteriosclerosis (except coronary or renal sclerosis)	47	26	20	-	1	147	71	76	-	-	333	128	97	50	58
98	Gangrene	1	1	-	-	-	4	3	1	-	-	22	2	8	6	6
99	Other diseases of arteries	18	14	4	-	-	7	2	5	-	-	38	17	15	1	5
100	Diseases of veins	2	2	-	-	-	4	-	4	-	-	13	3	6	3	1
101	Diseases of lymphatic system	1	1	-	-	-	-	-	-	-	-	3	1	1	1	-
102	High blood pressure (idiopathic)	4	-	4	-	-	2	-	2	-	-	32	6	9	7	10
103	Other diseases of circulatory system	2	1	1	-	-	-	-	-	-	-	6	-	4	2	-
	VIII.—Diseases of the respiratory system	334	195	135	2	2	320	167	153	-	-	2,221	710	581	505	425
104a	Diseases of nasal fossae	1	-	1	-	-	-	-	-	-	-	34	12	2	9	11
104b	Diseases of accessory sinuses	8	6	2	-	-	1	-	1	-	-	18	10	6	1	1
105	Diseases of larynx	4	2	2	-	-	4	3	1	-	-	10	2	4	1	3

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
23	15	8	-	-	7	4	2	1	-	44	24	20	-	-	-	-	-	-	-	56d,e
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57a
2	...	-	...	2	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
15	9	3	1	-	52	23	26	-	3	58	27	30	-	1	2	1	1	-	-	57d,e
607	264	326	7	10	499	189	275	11	24	1,228	461	756	4	7	57	28	27	2	-	
9	5	4	-	-	13	8	4	1	-	42	13	29	-	-	2	-	2	-	-	58a-d
3	1	2	-	-	11	4	6	1	-	11	6	5	-	-	1	1	-	-	-	58e,f
34	13	19	-	2	27	8	18	1	-	36	15	21	-	-	4	1	3	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
453	202	242	6	3	331	136	168	7	20	892	355	528	4	5	41	22	17	2	-	61
2	2	-	-	-	1	-	1	-	-	6	2	4	-	-	1	1	-	-	-	62
3	2	1	-	-	2	-	2	-	-	5	1	4	-	-	-	-	-	-	-	63a
58	13	41	-	4	52	7	44	-	1	157	30	126	-	1	3	-	3	-	-	63b
3	-	3	-	-	4	-	4	-	-	10	2	8	-	-	1	-	1	-	-	63c-e
20	12	6	1	1	21	12	8	-	1	36	17	18	-	1	3	3	-	-	-	64
9	6	3	-	-	5	3	2	-	-	12	7	5	-	-	1	-	1	-	-	65
5	1	4	-	-	14	5	8	1	-	12	7	5	-	-	-	-	-	-	-	66
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
5	4	1	-	-	11	2	7	-	2	3	2	1	-	-	-	-	-	-	-	69
-	-	-	-	-	7	4	3	-	-	3	2	1	-	-	-	-	-	-	-	70
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	71
125	72	50	2	1	126	62	56	5	3	282	153	126	3	-	13	10	3	-	-	
6	4	2	-	-	13	5	6	1	1	13	6	6	1	-	-	-	-	-	-	72
28	20	8	-	-	31	14	16	-	1	72	25	46	1	-	3	3	-	-	-	73a
8	4	4	-	-	19	8	9	1	1	20	9	11	-	-	1	-	1	-	-	73b-d
70	40	28	2	-	51	27	21	3	-	144	92	51	1	-	6	4	2	-	-	74a
2	1	-	-	1	1	-	1	-	-	16	9	7	-	-	-	-	-	-	-	74b
7	2	5	-	-	7	5	2	-	-	10	7	3	-	-	3	3	-	-	-	75
4	1	3	-	-	4	3	1	-	-	7	5	2	-	-	-	-	-	-	-	76
77	64	9	4	-	38	27	5	4	2	46	36	6	4	-	6	5	1	-	-	
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	77a,b
72	60	8	4	-	36	26	4	4	2	42	34	6	2	-	5	5	-	-	-	77c-e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	78
3	2	1	-	-	2	1	1	-	-	2	-	-	2	-	-	-	-	-	-	79
2,122	1,134	943	31	14	1,721	843	718	86	74	3,432	1,744	1,668	5	15	192	125	64	1	2	
25	19	5	1	-	23	15	6	1	1	24	9	15	-	-	4	3	1	-	-	80
23	13	9	1	-	42	26	11	2	3	39	18	19	-	2	1	-	1	-	-	81
40	26	13	1	-	30	14	11	4	1	79	42	37	-	-	3	2	1	-	-	82
1,668	856	776	22	12	1,315	630	566	59	60	2,726	1,379	1,332	4	11	147	90	54	1	2	83a
178	116	58	2	2	68	27	35	3	3	261	144	117	-	-	13	12	1	-	-	83b
10	5	5	-	-	4	2	1	1	-	9	6	3	-	-	1	1	-	-	-	83c
44	19	25	-	-	81	38	33	8	2	28	14	14	-	-	4	2	2	-	-	83d
15	6	9	-	-	17	8	6	2	1	36	11	25	-	-	2	2	-	-	-	84
26	15	11	-	-	35	17	12	4	2	47	30	17	-	-	-	-	-	-	-	85
2	2	-	-	-	21	14	6	1	-	11	4	7	-	-	1	-	1	-	-	86
61	35	25		-	46	27	18	1	-	113	58	53	1	1	8	7	1	-	-	87
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	88
20	13	4	3	-	28	18	9	-	1	45	21	23	-	1	6	4	2	-	-	89a
10	7	3	-	-	11	7	4	-	-	13	8	5	-	-	2	2	-	-	-	89b
6,281	3,970	2,221	56	34	3,850	2,131	1,395	196	128	10,093	5,788	4,237	39	29	538	349	177	10	2	
5	4	1	-	-	5	3	1	1	-	8	3	3	-	2	4	1	3	-	-	90
32	17	13	2	-	29	14	15	-	-	49	29	19	1	-	6	4	2	-	-	91a,b
-	-	-	-	-	3	1	2	-	-	3	3	-	-	-	-	-	-	-	-	91c
760	460	286	8	6	489	249	197	24	19	964	481	475	5	3	70	37	31	1	1	92a-d
28	14	14	-	-	59	29	28	2	-	53	31	22	-	-	5	4	-	1	-	92e
42	29	13	-	-	43	23	12	5	3	121	68	50	1	2	10	7	2	1	-	93a
5	3	1	-	1	20	6	9	1	4	7	6	1	-	-	2	-	2	-	-	93b
2,396	1,357	1,002	24	13	1,208	609	489	66	44	4,694	2,449	2,212	17	16	202	127	72	2	1	93c,d
280	145	131	2	2	299	151	125	14	9	301	167	132	1	1	34	19	15	-	-	93e
1,791	1,338	441	10	4	777	531	200	30	16	2,361	1,647	705	6	3	122	95	24	3	-	94a
165	129	35	1	-	115	84	24	4	3	109	82	25	2	-	22	18	4	-	-	94b
9	5	4	-	-	17	8	8	1	-	15	5	10	-	-	-	-	-	-	-	95a
349	211	123	8	7	478	250	176	33	19	635	385	247	1	2	40	24	14	2	-	95b,c
35	31	4	-	-	9	2	5	1	1	28	17	10	1	-	2	2	-	-	-	96
313	189	122	1	1	218	133	72	9	4	618	349	265	4	-	10	6	4	-	-	97
9	7	2	-	-	14	8	3	1	2	10	7	3	-	-	1	-	1	-	-	98
36	21	15	-	-	29	14	15	-	-	59	33	26	-	-	4	3	1	-	-	99
10	8	4	-	-	9	3	6	-	-	22	11	11	-	-	2	1	1	-	-	100
1	-	1	-	-	1	1	-	-	-	3	2	1	-	-	1	1	-	-	-	101
15	6	9	-	-	23	8	7	4	4	32	13	19	-	-	1	-	1	-	-	102
-	-	-	-	-	5	4	1	-	-	1	-	1	-	-	-	-	-	-	-	103
1,022	588	365	41	28	1,393	705	561	81	46	1,809	990	772	29	18	122	62	45	10	5	
5	4	-	1	-	2	2	-	-	-	4	2	2	-	-	2	-	-	1	1	104a
12	8	4	-	-	11	9	2	-	-	18	11	6	1	-	3	1	2	-	-	104b
2	1	1	-	-	11	6	5	-	-	5	2	3	-	-	1	1	-	-	-	105

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Contd.															
106a	Acute bronchitis	15	7	8	-	-	15	7	8	-	-	26	9	5	5	7
106b	Chronic bronchitis	5	3	2	-	-	12	9	3	-	-	40	20	14	6	-
106c	Bronchitis (unspecified)	3	2	1	-	-	4	3	1	-	-	25	10	10	1	4
107	Bronchopneumonia (including capillary bronchitis)	115	60	53	2	-	144	66	78	-	-	907	278	269	192	168
108	Lobar pneumonia	121	78	42	-	1	103	60	43	-	-	832	244	193	228	167
109	Pneumonia (unspecified)	10	4	6	-	-	7	4	3	-	-	139	51	25	31	32
110	Pleurisy (not specified as tuberculous)	4	4	-	-	-	5	2	3	-	-	41	19	13	6	3
111a	Hemorrhagic infarction and thrombosis of lungs	6	3	3	-	-	5	2	3	-	-	18	9	5	2	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	16	5	10	-	1	7	3	4	-	-	40	17	13	4	6
112	Asthma	9	7	2	-	-	6	4	2	-	-	58	16	14	15	13
113	Pulmonary emphysema	2	2	-	-	-	1	1	-	-	-	1	-	-	-	1
114	Other diseases of respiratory system (except tuberculosis)	15	12	3	-	-	6	3	3	-	-	32	13	8	4	7
	IX.—Diseases of the digestive system	313	195	113	1	4	241	137	104	-	-	1,310	509	342	262	197
115a,b,d	Diseases of buccal cavity and adnexa	16	8	8	-	-	9	6	3	-	-	51	23	11	6	11
115c	Diseases of pharynx and tonsils	12	11	1	-	-	3	2	1	-	-	35	11	9	6	9
116	Diseases of esophagus	1	1	-	-	-	1	-	1	-	-	3	3	-	-	-
117a	Ulcer of stomach	27	24	3	-	-	18	16	2	-	-	103	54	7	28	14
117b	Ulcer of duodenum	15	11	4	-	-	13	9	4	-	-	46	29	7	9	1
118	Other diseases of stomach (except cancer)	2	2	-	-	-	2	2	-	-	-	54	18	11	13	14
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	24	14	8	-	2	19	12	7	-	-	238	79	61	57	41
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	12	11	1	-	-	6	2	4	-	-	78	16	27	13	22
121	Appendicitis	68	51	17	-	-	50	25	25	-	-	195	80	59	34	22
122a	Hernia	14	9	5	-	-	22	15	7	-	-	74	29	14	24	7
122b	Intestinal obstruction	42	15	26	-	1	31	20	11	-	-	107	28	37	21	21
123	Other diseases of intestines	8	2	5	1	-	4	3	1	-	-	40	18	11	7	4
124a	Cirrhosis of liver (with mention of alcoholism)	5	4	-	-	1	2	1	1	-	-	10	6	2	2	-
124b	Cirrhosis of liver (without mention of alcoholism)	24	14	10	-	-	20	11	9	-	-	124	68	26	23	7
125a	Acute yellow atrophy of liver (nonpuerperal)	3	1	2	-	-	-	-	-	-	-	14	7	1	4	2
125b	Other diseases of liver	6	6	-	-	-	1	-	1	-	-	12	7	1	3	1
126	Biliary calculi	15	5	10	-	-	20	5	15	-	-	45	15	24	1	5
127	Other diseases of gallbladder and biliary ducts	16	4	12	-	-	12	5	7	-	-	39	10	21	2	6
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	-	-	4	1	3	-	-	10	7	3	-	-
129	Peritonitis (cause not stated)	3	2	1	-	-	4	2	2	-	-	32	3	10	9	10
	X.—Diseases of the genito-urinary system	350	200	146	1	3	346	192	154	-	-	3,246	1,167	863	655	561
130	Acute nephritis	6	4	2	-	-	7	3	4	-	-	85	26	13	25	21
131a	Arteriosclerotic kidney	143	76	65	1	1	191	99	92	-	-	1,888	638	520	369	361
131b	Other chronic nephritis	119	61	58	-	-	96	51	45	-	-	791	287	234	146	124
132	Nephritis unspecified (10 years and over)	2	1	1	-	-	4	1	3	-	-	150	51	27	41	31
133	Other diseases of kidneys and ureters, etc.*	13	4	9	-	-	11	8	3	-	-	87	52	36	13	6
134	Calculi of urinary passages	14	9	4	-	1	3	2	1	-	-	35	18	11	3	3
135	Diseases of urinary bladder	6	3	2	-	1	-	-	-	-	-	11	5	2	4	-
136	Diseases of urethra (except calculus)	1	1	-	-	-	-	-	-	-	-	7	-	1	6	-
137	Diseases of prostate	40	40	...	-	...	27	27	...	-	...	154	106	...	48	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	1	1	...	-	...	4	4	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	5	...	5	...	-	26	...	14	...	12
139b	Diseases of uterus	-	...	-	...	-	1	...	1	...	-	8	...	5	...	3
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	36	...	36	...	-	24	...	24	...	-	248	...	133	...	115
140	Abortion with mention of infection	-	...	-	...	-	4	...	4	...	-	32	...	17	...	15
140a,b	Abortion (septic), spontaneous or therapeutic*	-	...	-	...	-	4	...	4	...	-	26	...	15	...	11
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-	6	...	2	...	4
141	Abortion without mention of infection	1	...	1	...	-	1	...	1	...	-	12	...	10	...	2
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	1	...	1	...	-	10	...	9	...	1
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	-	...	-	...	-	4	...	1	...	3
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	1	...	1	...	-	1	...	1	...	-	23	...	9	...	14
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	1	...	1	...	-	3	...	3	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-	7	...	4	...	3
146a	Placenta praevia (with childbirth)	2	...	2	...	-	1	...	1	...	-	5	...	4	...	1
146b,c	Other hemorrhages of childbirth and puerperium	8	...	8	...	-	3	...	3	...	-	20	...	13	...	7
147a,b	Puerperal pyelitis, other general or local puerperal infection*	6	...	6	...	-	2	...	2	...	-	37	...	22	...	15
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	3	...	3	...	-	4	...	4	...	-	16	...	10	...	6
148a,b	Puerperal eclampsia and nephritis*	7	...	7	...	-	2	...	2	...	-	45	...	20	...	25
148c,d	Other puerperal toxemias	1	...	1	...	-	1	...	1	...	-	5	...	1	...	4
149	Other accidents and specified conditions of childbirth	-	...	-	...	-	1	...	1	...	-	21	...	8	...	13
150	Other and unspecified conditions of childbirth and puerperium	4	...	4	...	-	1	...	1	...	-	16	...	10	...	6
	XII.—Diseases of the skin and cellular tissue	5	3	2	-	-	2	2	-	-	-	48	20	14	6	8
151	Carbuncle and furuncle	2	2	-	-	-	1	1	-	-	-	8	3	2	1	2
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-	16	7	5	4	2
153	Other diseases of skin and cellular tissue	1	-	1	-	-	1	1	-	-	-	24	10	9	1	4

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
7	2	5	-	-	22	12	10	-	-	35	24	11	-	-	5	3	1	1	-	106a
12	8	4	-	-	18	6	10	1	1	52	36	16	-	-	1	1	-	-	-	106b
8	4	4	-	-	13	7	6	-	-	11	4	6	1	-	2	1	1	-	-	106c
490	274	180	22	14	584	291	241	32	20	767	385	363	12	7	47	23	17	4	3	107
312	188	104	13	7	461	229	183	31	18	686	393	271	13	9	38	21	14	2	1	108
39	21	10	2	6	119	66	47	3	3	24	17	7	-	-	11	3	6	2	-	109
25	19	6	-	-	22	14	7	1	-	40	26	13	1	-	2	2	-	-	-	110
19	9	10	-	-	17	7	7	3	-	36	20	15	1	-	-	-	-	-	-	111a
35	15	19	-	1	28	13	12	2	1	60	25	35	-	-	6	4	2	-	-	111c,e
41	24	16	1	-	45	20	21	3	1	42	24	16	-	2	3	1	2	-	-	112
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	113
14	10	2	2	-	40	23	10	5	2	27	20	7	-	-	1	1	-	-	-	114
997	586	368	27	16	858	463	331	34	30	1,681	956	702	13	10	134	89	38	3	4	
27	19	8	-	-	34	14	18	1	1	48	23	25	-	-	6	3	3	-	-	115a,b,d
22	12	10	-	-	16	11	5	-	-	25	13	11	1	-	4	2	2	-	-	115c
5	5	-	-	-	5	4	1	-	-	4	3	1	-	-	1	-	1	-	-	116
125	103	16	6	-	65	50	4	10	1	117	96	20	1	-	6	6	-	-	-	117a
65	55	7	3	-	24	20	3	-	1	44	36	8	-	-	2	2	-	-	-	117b
16	7	9	-	-	31	19	8	1	3	10	9	1	-	-	2	2	-	-	-	118
40	13	13	5	11	155	74	71	2	8	107	60	44	1	2	19	9	7	-	3	119
37	16	14	4	3	49	20	28	1	-	52	19	29	3	1	5	4	-	1	-	120
171	117	52	2	-	134	75	42	10	7	349	213	133	2	1	35	26	7	1	1	121
88	53	33	-	-	48	37	9	1	1	150	89	61	-	-	7	4	3	-	-	122a
89	36	51	2	-	65	25	31	4	5	145	61	83	-	1	10	4	6	-	-	122b
20	13	7	-	-	18	13	5	-	-	41	20	20	1	-	3	2	-	1	-	123
16	12	4	-	-	9	7	1	1	-	40	35	5	-	-	4	4	-	-	-	124a
109	61	45	2	1	78	52	23	2	1	229	150	76	2	1	12	8	4	-	-	124b
9	3	6	-	-	6	4	2	-	-	6	5	1	-	-	1	1	-	-	-	125a
15	7	8	-	-	11	7	4	-	-	21	9	12	-	-	2	2	-	-	-	125b
72	19	50	2	1	39	12	26	-	1	178	59	119	-	-	5	2	3	-	-	126
41	19	20	2	-	50	11	37	1	1	55	22	28	1	4	6	5	1	-	-	127
20	9	10	1	-	4	2	2	-	-	30	19	10	1	-	2	1	1	-	-	128
12	7	5	-	-	17	6	11	-	-	30	15	15	-	-	2	2	-	-	-	129
1,555	927	599	16	13	1,540	816	555	86	83	2,271	1,338	912	11	10	159	101	56	2	-	
25	14	11	-	-	68	36	23	5	4	44	28	16	-	-	8	3	4	1	-	130
907	503	388	7	9	605	326	203	36	40	1,212	668	531	7	6	75	47	28	-	-	131a
311	177	127	4	3	606	296	253	28	29	554	297	252	3	2	42	28	14	-	-	131b
28	15	13	-	-	76	44	24	4	4	53	31	22	-	-	3	2	1	-	-	132
50	29	20	1	-	44	26	13	3	2	73	38	34	-	1	5	4	1	-	-	133
23	17	6	-	-	14	9	5	-	-	39	27	12	-	-	1	-	1	-	-	134
18	13	5	-	-	6	4	1	1	-	21	10	11	-	-	1	1	-	-	-	135
7	7	-	-	-	7	6	1	-	-	14	13	-	1	-	-	-	-	-	-	136
155	151	...	4	...	76	68	...	8	...	226	226	...	-	...	17	16	...	1	...	137
1	1	...	-	...	2	1	...	1	...	-	-	...	-	...	-	-	...	-	...	138
19	...	19	...	-	26	...	22	...	4	18	...	17	...	1	6	...	6	...	-	139a
11	...	10	...	1	9	...	9	...	-	16	...	16	...	-	1	...	1	...	-	139b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	139c
86	...	80	...	6	140	...	129	...	11	154	...	153	...	1	21	...	21	...	-	
9	...	9	...	-	19	...	17	...	2	16	...	16	...	-	4	...	4	...	-	140
7	...	7	...	-	17	...	15	...	2	10	...	10	...	-	3	...	3	...	-	140a,b
2	...	2	...	-	2	...	2	...	-	6	...	6	...	-	1	...	1	...	-	140c,d
4	...	3	...	1	3	...	2	...	1	4	...	4	...	-	1	...	1	...	-	141
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141a,c
3	...	2	...	1	3	...	2	...	1	3	...	3	...	-	-	...	-	...	-	141b,d
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141e,f
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	142a
2	...	2	...	-	4	...	4	...	-	4	...	4	...	-	-	...	-	...	-	142b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
8	...	8	...	-	11	...	11	...	-	4	...	4	...	-	2	...	2	...	-	144a,b
1	...	1	...	-	3	...	3	...	-	2	...	2	...	-	1	...	1	...	-	144c,d
3	...	3	...	-	7	...	6	...	1	4	...	4	...	-	2	...	2	...	-	145
2	...	1	...	1	6	...	5	...	1	8	...	8	...	-	-	...	-	...	-	146a
11	...	9	...	2	16	...	15	...	1	15	...	14	...	1	4	...	4	...	-	146b,c
10	...	10	...	-	32	...	31	...	1	27	...	27	...	-	2	...	2	...	-	147a,b
15	...	15	...	-	11	...	10	...	1	28	...	28	...	-	3	...	3	...	-	147c,d
13	...	11	...	2	15	...	14	...	1	14	...	14	...	-	1	...	1	...	-	148a,b
2	...	2	...	-	2	...	2	...	-	3	...	3	...	-	-	...	-	...	-	148c,d
5	...	5	...	-	5	...	4	...	1	17	...	17	...	-	-	...	-	...	-	149
1	...	1	...	-	6	...	5	...	1	3	...	3	...	-	1	...	1	...	-	150
19	12	7	-	-	27	13	11	2	1	23	15	10	-	-	2	-	-	2	-	
5	4	1	-	-	9	5	4	-	-	4	1	3	-	-	-	-	-	-	-	151
8	5	3	-	-	6	3	2	1	-	4	3	1	-	-	-	-	-	-	-	152
6	3	3	-	-	12	5	5	1	1	15	9	6	-	-	2	-	-	2	-	153

TABLE 15.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	10	4	4	1	1	2	2	-	-	-	35	14	10	6	5
154	Osteomyelitis and periostitis	8	4	3	1	-	1	1	-	-	-	23	11	5	4	3
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-
156	Diseases of joints and other organs of movement	2	-	1	-	1	1	1	-	-	-	9	3	2	2	2
157	XIV.—Congenital malformations	80	40	38	-	2	44	18	26	-	-	251	104	100	27	20
	XV.—Diseases peculiar to the first year of life	291	168	119	2	2	160	96	64	-	-	1,525	561	441	298	225
158	Congenital debility (cause not stated)	2	1	1	-	-	7	3	4	-	-	138	29	21	53	35
159	Premature birth (cause not stated)	191	108	79	2	2	109	67	42	-	-	985	378	297	165	145
160a	Intracranial or spinal hemorrhage	26	19	7	-	-	6	3	3	-	-	94	36	37	15	6
160b,c	Other injuries at birth	38	24	14	-	-	22	14	8	-	-	149	59	50	22	18
161	Other diseases peculiar to the first year of life	34	16	18	-	-	16	9	7	-	-	159	59	36	43	21
162	XVI.—Senility	59	24	32	-	3	37	18	19	-	-	265	73	116	43	33
	XVII.—Violent or accidental deaths	540	393	142	5	-	335	236	99	-	-	2,894	1,502	537	640	215
163,164	Suicide	67	49	17	1	-	60	50	10	-	-	399	288	82	23	6
163	Suicide by poisoning	16	9	7	-	-	16	14	2	-	-	100	55	40	3	2
	Suicide by solid or liquid poisons	9	4	5	-	-	5	4	1	-	-	51	26	22	2	1
	Suicide by poisonous gases	7	5	2	-	-	11	10	1	-	-	49	29	18	1	1
164a	Suicide by hanging or strangulation	11	7	4	-	-	11	6	5	-	-	40	28	7	4	1
164b	Suicide by drowning	-	-	-	-	-	3	2	1	-	-	15	5	7	3	-
164c	Suicide by firearms and explosives	32	27	4	1	-	26	24	2	-	-	219	181	22	13	3
164d	Suicide by cutting or piercing instruments	2	2	-	-	-	4	4	-	-	-	16	12	4	-	-
164e	Suicide by jumping from high places	5	3	2	-	-	-	-	-	-	-	1	1	-	-	-
164f	Suicide by crushing	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	-	-	-	-	-	8	6	2	-	-
165-168	Homicide[1]	16	12	3	1	-	3	2	1	-	-	281	75	26	140	40
166	Homicide by firearms	13	11	1	1	-	1	1	-	-	-	173	50	16	87	20
167	Homicide by cutting or piercing instruments	2	1	1	-	-	-	-	-	-	-	62	8	2	43	9
168	Homicide by other means	1	-	1	-	-	2	1	1	-	-	46	17	8	10	11
169-195	Accidental deaths	457	332	122	3	-	272	184	88	-	-	2,210	1,138	429	474	169
169	Railway accidents (except collisions with motor vehicles)	19	16	3	-	-	10	10	-	-	-	89	61	2	26	-
170a	Collisions between automobiles and trains	5	4	1	-	-	4	4	-	-	-	31	15	6	8	2
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	180	132	46	2	-	80	66	14	-	-	809	478	111	171	49
170d	Motorcycle accidents (except collisions with automobiles)	1	-	1	-	-	3	2	1	-	-	8	8	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-
171b	Other and unspecified road-transport accidents	1	1	-	-	-	2	2	-	-	-	3	2	-	1	-
172	Water-transport accidents	4	3	1	-	-	1	-	1	-	-	38	27	5	6	-
173	Air-transport accidents	13	10	3	-	-	-	-	-	-	-	42	32	9	-	1
174	Accidents in mines and quarries	23	23	-	-	-	3	3	-	-	-	49	41	-	8	-
175a	Accidents involving agricultural machinery and vehicles	8	8	-	-	-	6	5	1	-	-	10	9	-	1	-
175b,c	Other agricultural accidents, including injury by animals	8	8	-	-	-	7	6	1	-	-	28	17	3	8	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	5	5	-	-	-	8	2	-	6	-
176	Other accidents involving machinery	4	4	-	-	-	6	6	-	-	-	27	16	2	9	-
177	Food poisoning	1	-	1	-	-	-	-	-	-	-	16	4	2	5	5
178	Accidental absorption of poisonous gas	9	7	2	-	-	2	2	-	-	-	20	13	5	2	-
179	Acute accidental poisoning by solids or liquids	6	3	3	-	-	5	3	2	-	-	38	17	12	6	3
180	Conflagration	4	3	1	-	-	3	2	1	-	-	79	21	12	27	19
181	Accidental burns (except conflagration)	15	10	5	-	-	12	6	6	-	-	145	46	34	33	32
182	Accidental mechanical suffocation	7	4	3	-	-	4	-	4	-	-	51	19	11	13	8
183	Accidental drowning	27	19	7	1	-	24	22	2	-	-	136	75	11	46	4
184	Accidental injury by firearms	19	15	4	-	-	3	3	-	-	-	62	30	6	19	7
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	-	-	-	-	-	16	7	1	6	2
186a	Accidental injury by fall	77	41	36	-	-	71	24	47	-	-	319	112	159	28	20
186b	Accidental injury by crushing	-	-	-	-	-	-	-	-	-	-	5	4	-	1	-
187	Cataclysm, etc.*	1	1	-	-	-	-	-	-	-	-	5	3	2	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-	3	2	1	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
190	Excessive cold	1	1	-	-	-	-	-	-	-	-	20	6	1	11	2
191	Excessive heat	-	-	-	-	-	1	1	-	-	-	22	8	4	6	4
192	Lightning	1	1	-	-	-	-	-	-	-	-	10	6	1	3	-
193	Accidents due to electric currents (except lightning)	3	3	-	-	-	-	-	-	-	-	16	13	1	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	5	3	2	-	-	4	2	2	-	-	25	7	9	3	6
195c,e	Other and unspecified accidents	13	10	3	-	-	15	9	6	-	-	69	31	17	16	5
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-	4	1	-	3	-
	XVIII.—Ill-defined and unknown causes	64	32	16	11	5	17	10	7	-	-	492	171	115	128	78
199	Sudden death	1	1	-	-	-	1	1	-	-	-	82	33	19	21	9
200a	Ill-defined	39	23	15	1	-	9	2	7	-	-	141	55	22	33	31
200b	Found dead (cause unknown)	2	2	-	-	-	-	-	-	-	-	41	14	15	8	4
200c	Unknown or unspecified	22	6	1	10	5	7	7	-	-	-	228	69	59	66	34

* Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1940—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
24	15	8	-	1	19	7	8	3	1	24	16	8	-	-	3	2	1	-	-	
11	9	2	-	-	16	7	5	3	1	13	11	2	-	-	2	2	-	-	-	154
4	1	2	-	1	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	155
9	5	4	-	-	3	-	3	-	-	8	5	3	-	-	1	-	1	-	-	156
152	92	58	1	1	232	116	110	6	-	348	178	166	1	3	32	16	15	1	-	157
533	305	205	17	6	1,002	564	364	39	35	1,077	639	419	12	7	98	60	34	3	1	
14	8	5	-	1	66	29	29	5	3	32	20	12	-	-	4	1	2	1	-	158
297	166	115	11	5	661	365	247	22	27	659	379	266	9	5	68	43	22	2	1	159
73	47	25	1	-	90	57	24	6	3	80	51	27	1	1	7	5	2	-	-	160a
67	34	31	2	-	80	48	28	3	1	168	108	58	2	-	9	8	1	-	-	160b,c
82	50	29	3	-	105	65	36	3	1	138	81	56	-	1	10	3	7	-	-	161
177	87	78	8	4	236	96	129	6	5	271	127	138	4	2	15	7	7	-	1	162
2,077	1,545	460	56	16	2,060	1,399	417	210	34	2,685	1,873	770	29	13	339	263	69	6	1	
395	327	58	8	2	196	148	41	6	1	474	362	111	1	-	58	54	4	-	-	163,164
121	99	20	1	1	34	16	17	-	1	125	83	42	-	-	10	8	2	-	-	163
31	21	9	-	1	30	14	15	-	1	49	29	20	-	-	6	4	2	-	-	
90	78	11	1	-	4	2	2	-	-	76	54	22	-	-	4	4	-	-	-	
50	37	10	2	1	23	18	5	-	-	146	114	32	-	-	9	8	1	-	-	164a
25	21	3	1	-	10	7	1	2	-	29	15	14	-	-	-	-	-	-	-	164b
154	132	19	3	-	109	95	11	3	-	131	118	12	1	-	35	34	1	-	-	164c
16	15	-	1	-	10	8	1	1	-	20	18	2	-	-	4	4	-	-	-	164d
21	17	4	-	-	7	4	3	-	-	13	7	6	-	-	-	-	-	-	-	164e
3	3	-	-	-	1	-	1	-	-	7	4	3	-	-	-	-	-	-	-	164f
5	3	2	-	-	2	-	2	-	-	3	3	-	-	-	-	-	-	-	-	164g
61	36	18	7	-	160	81	15	56	8	41	23	13	4	1	14	8	3	3	-	165-168
32	17	9	6	-	101	49	11	35	6	23	13	9	-	1	8	3	2	3	-	166
7	4	3	-	-	39	19	1	17	2	6	1	2	3	-	3	2	1	-	-	167
22	15	6	1	-	20	13	3	4	-	12	9	2	1	-	3	3	-	-	-	168
1,619	1,180	364	41	14	1,703	1,169	361	148	25	2,170	1,468	646	24	12	266	200	62	3	1	169-195
41	37	1	3	-	102	84	5	13	-	65	63	-	2	-	7	7	-	-	-	169
12	8	4	-	-	9	4	5	-	-	47	32	12	3	-	1	1	-	-	-	170a
-	-	-	-	-	1	1	-	-	-	7	5	2	-	-	-	-	-	-	-	170b
511	372	109	23	7	370	279	70	18	3	712	535	167	6	4	135	100	33	2	-	170c
9	9	-	-	-	11	10	1	-	-	16	13	3	-	-	-	-	-	-	-	170d
2	-	2	-	-	2	2	-	-	-	5	5	-	-	-	-	-	-	-	-	171a
7	5	2	-	-	5	2	3	-	-	4	4	-	-	-	-	-	-	-	-	171b
49	45	2	2	-	13	13	-	-	-	40	38	1	-	1	2	2	-	-	-	172
12	8	4	-	-	4	3	-	1	-	16	14	2	-	-	-	-	-	-	-	173
8	8	-	-	-	372	303	-	69	-	6	6	-	-	-	14	14	-	-	-	174
24	24	-	-	-	2	2	-	-	-	49	47	2	-	-	7	7	-	-	-	175a
16	16	-	-	-	11	10	1	-	-	74	69	5	-	-	5	5	-	-	-	175b,c
8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
76	76	-	-	-	9	9	-	-	-	2	2	-	-	-	1	1	-	-	-	175e
21	21	-	-	-	18	17	-	1	-	24	24	-	-	-	6	6	-	-	-	176
7	6	1	-	-	10	6	4	-	-	2	2	-	-	-	-	-	-	-	-	177
26	21	5	-	-	20	12	2	4	2	40	32	8	-	-	3	2	-	1	-	178
18	12	5	1	-	25	14	7	2	2	22	9	13	-	-	1	1	-	-	-	179
30	19	10	1	-	33	18	14	-	1	31	18	11	1	1	2	2	-	-	-	180
43	26	17	-	-	121	43	68	4	6	57	28	28	1	-	5	3	2	-	-	181
27	18	8	1	-	38	17	14	6	1	19	6	12	-	1	2	1	1	-	-	182
129	106	16	8	1	88	65	17	4	2	117	102	13	2	-	12	7	5	-	-	183
39	35	3	1	-	54	38	5	9	4	41	38	3	-	-	9	7	2	-	-	184
5	5	-	-	-	11	8	2	1	-	1	-	1	-	-	-	-	-	-	-	185
367	190	170	2	5	260	129	121	8	2	628	290	332	2	4	32	19	13	-	-	186
14	11	3	-	-	9	8	-	1	-	4	4	-	-	-	3	3	-	-	-	186i
1	1	-	-	-	-	-	-	-	-	5	2	1	-	-	-	-	-	-	-	187
4	3	1	-	-	3	2	1	-	-	1	1	-	-	-	2	1	1	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
2	2	-	-	-	3	3	-	-	-	14	9	1	3	1	-	-	-	-	-	190
3	3	-	-	-	6	5	-	1	-	16	11	5	-	-	-	-	-	-	-	191
-	-	-	-	-	5	4	-	1	-	8	7	1	-	-	2	2	-	-	-	192
17	17	-	-	-	11	9	2	-	-	16	15	1	-	-	-	-	-	-	-	193
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
19	15	3	1	-	15	5	6	1	1	31	19	12	-	-	3	1	2	-	-	195d
70	51	18	-	1	64	44	15	4	1	51	38	9	4	-	11	8	2	-	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	198
65	59	13	8	3	405	242	146	7	10	91	58	32	-	1	18	11	5	2	-	
5	4	1	-	-	29	20	8	-	1	10	6	3	-	1	-	-	-	-	-	199
46	33	10	2	1	104	71	29	1	3	56	37	19	-	-	12	8	3	1	-	200a
6	5	1	-	-	36	19	16	1	-	7	4	3	-	-	2	2	-	-	-	200b
26	17	1	6	2	236	132	93	5	6	18	11	7	-	-	4	1	2	1	-	200c

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	All causes	Male	791,003	690,901	95,517	2,527	1,049	633	376
		Female	626,266	540,322	83,226	2,264	135	223	98
	I.—Infectious and parasitic diseases	M	70,872	52,219	17,480	639	267	131	136
		F	48,883	34,308	13,816	650	29	53	27
1	Typhoid fever	M	781	546	232	1	-	1	1
		F	597	409	182	5	-	1	-
2	Paratyphoid fever	M	45	39	6	-	-	-	-
		F	20	18	2	-	-	-	-
3	Plague	M	1	1	-	-	-	-	-
5	Undulant fever (brucellosis)	M	76	67	8	1	-	-	-
		F	38	33	4	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	M	437	386	49	1	-	-	1
		F	257	224	30	3	-	-	-
7	Anthrax (infection by Bacillus anthracis)	M	5	5	-	-	-	-	-
		F	2	2	-	-	-	-	-
8	Scarlet fever	M	320	304	15	-	1	-	-
		F	348	329	19	-	-	-	-
9	Whooping cough	M	1,389	996	359	33	-	-	1
		F	1,537	1,135	375	24	-	-	3
10	Diphtheria (infection by C. diphtheriae)	M	770	649	104	15	1	1	-
		F	687	569	112	5	1	-	-
11	Erysipelas	M	245	229	12	3	1	-	-
		F	206	197	8	1	-	-	-
12	Tetanus	M	370	250	119	1	-	-	-
		F	190	126	62	2	-	-	-
13-22	Tuberculosis (all forms)	M	35,795	26,598	8,401	413	190	95	98
		F	24,633	16,613	7,482	454	18	49	17
13	Tuberculosis of respiratory system, etc.*	M	33,145	24,767	7,662	366	178	84	88
		F	22,451	15,121	6,833	402	16	44	15
14	Tuberculosis of meninges and central nervous system	M	723	512	175	29	1	4	2
		F	587	416	141	26	1	3	-
15	Tuberculosis of intestines and peritoneum	M	403	244	144	4	3	4	4
		F	501	319	169	11	-	1	1
16	Tuberculosis of vertebral column	M	355	249	98	3	4	1	-
		F	241	184	56	1	-	-	-
17	Tuberculosis of bones and joints (except vertebral column)	M	155	121	32	1	1	-	-
		F	101	67	34	-	-	-	-
18	Tuberculosis of skin, etc.*	M	8	7	1	-	-	-	-
		F	7	5	2	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	M	70	47	21	2	-	-	-
		F	61	37	22	1	-	-	1
20	Tuberculosis of genito-urinary system	M	275	246	28	-	-	1	-
		F	161	137	23	-	1	-	-
21	Tuberculosis of other organs	M	69	54	15	-	-	-	-
		F	48	34	13	1	-	-	-
22	Disseminated tuberculosis	M	592	351	225	8	3	1	4
		F	495	293	189	12	-	1	-
23	Leprosy	M	33	22	9	-	1	-	1
		F	10	7	3	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	M	891	776	108	4	-	2	1
		F	604	486	110	7	1	-	-
25	Gonococcus infection	M	93	50	42	1	-	-	-
		F	326	150	173	2	-	-	1
26	Other diseases due to bacteria (except dysentery)	M	122	103	19	-	-	-	-
		F	67	51	16	-	-	-	-
27	Dysentery	M	1,362	1,033	301	26	1	1	-
		F	1,098	853	224	20	-	-	1
28	Malaria	M	775	391	377	4	3	-	-
		F	667	302	361	4	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	M	4	1	2	-	-	-	1
		F	2	2	-	-	-	-	-
30	Syphilis (all forms)	M	13,760	8,768	4,841	44	63	23	21
		F	5,246	2,933	2,253	50	5	1	4
30a	Locomotor ataxia (tabes dorsalis)	M	597	525	68	-	4	-	-
		F	143	133	10	-	-	-	-
30b	General paralysis of insane	M	3,440	2,404	999	5	15	9	8
		F	983	687	294	-	1	-	1
30d	Aneurysm of aorta	M	2,868	2,022	816	5	16	5	4
		F	767	512	252	1	1	-	1
30c,e,f,g	Other forms of syphilis	M	6,855	3,817	2,958	34	28	9	9
		F	3,353	1,601	1,697	49	3	1	2
31	Relapsing fever	M	1	1	-	-	-	-	-
		F	1	-	1	-	-	-	-
32	Other diseases due to spirochetes	M	158	125	30	1	1	1	-
		F	136	98	37	1	-	-	-
33a	Influenza, with respiratory complications specified	M	6,219	4,778	1,401	37	1	2	-
		F	6,004	4,647	1,323	30	2	1	1
33b	Influenza, without respiratory complications specified	M	3,909	3,121	763	19	1	3	2
		F	4,025	3,206	798	20	1	-	-
34	Smallpox	M	5	5	-	-	-	-	-
		F	9	8	1	-	-	-	-
35	Measles	M	366	306	43	17	-	-	-
		F	340	287	40	13	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	M	633	592	39	2	-	-	-
		F	395	362	30	1	-	-	-
37	Acute infectious encephalitis (lethargic)	M	519	474	37	6	1	1	-
		F	356	333	18	4	-	1	-
38	Other diseases due to filtrable viruses	M	93	82	9	2	-	-	-
		F	74	72	1	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	M	137	121	16	-	-	-	-
		F	67	51	16	-	-	-	-
40	Ankylostomiasis	M	17	11	6	-	-	-	-
		F	16	13	3	-	-	-	-
41	Hydatid disease	M	15	15	-	-	-	-	-
		F	17	16	1	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	I.—Infectious and parasitic diseases—Continued								
42	Other diseases caused by helminths	M	39	30	9	-	-	-	-
		F	47	31	16	-	-	-	-
43	Mycoses	M	225	183	34	1	-	1	6
		F	110	82	25	2	1	-	-
44	Other infectious and parasitic (communicable) diseases	M	1,262	1,161	89	7	2	-	3
		F	753	663	90	-	-	-	-
	II.—Cancer and other tumors	M	77,297	72,836	4,151	65	101	121	23
		F	87,609	80,470	6,958	124	14	30	13
45-55	Cancer and other malignant tumors	M	75,406	71,109	3,999	59	97	119	23
		F	82,929	76,674	6,088	115	14	26	12
45	Cancer of buccal cavity and pharynx	M	4,073	3,882	176	1	12	2	-
		F	1,024	930	91	2	-	1	-
45a-e	Cancer of buccal cavity	M	2,914	2,791	117	-	4	2	-
		F	704	639	62	2	-	1	-
45f	Cancer of pharynx	M	1,159	1,091	59	1	8	-	-
		F	320	291	29	-	-	-	-
46	Cancer of digestive organs and peritoneum	M	39,671	37,264	2,219	35	45	95	13
		F	33,071	31,261	1,738	46	6	17	3
46a	Cancer of esophagus	M	2,183	2,033	139	1	3	7	-
		F	622	574	48	-	-	-	-
46b,c	Cancer of stomach and duodenum	M	16,327	15,112	1,129	16	8	58	4
		F	10,199	9,429	732	23	2	13	-
46f	Cancer of liver and biliary passages	M	4,207	3,914	267	5	9	10	2
		F	5,540	5,253	278	6	1	1	1
46g	Cancer of [illegible]	M	3,027	2,871	139	4	7	5	1
		F	2,330	2,240	85	3	1	1	-
46i,e,h,j	Cancer of other digestive organs and peritoneum	M	13,927	13,334	545	9	18	15	6
		F	14,380	13,765	595	14	2	2	2
47	Cancer of respiratory system	M	7,340	7,002	313	4	11	9	1
		F	2,203	2,088	111	1	-	2	1
48	Cancer of uterus	F	16,741	14,295	2,402	38	3	3	-
49	Cancer of other female genital organs	F	4,363	4,161	198	2	1	-	1
50	Cancer of breast	M	180	164	16	-	-	-	-
		F	15,308	14,347	944	13	1	-	3
51	Cancer of male genital organs	M	9,885	9,253	618	9	4	-	1
52	Cancer of urinary organs (male and female)	M	4,897	4,674	204	5	8	4	2
		F	2,664	2,514	142	2	2	1	3
53	Cancer of skin (except vulva and scrotum)	M	2,192	2,144	45	1	2	-	-
		F	1,287	1,232	55	-	-	-	-
54	Cancer of central nervous system*	M	1,399	1,344	48	1	4	1	1
		F	1,004	968	35	-	-	1	-
55	Cancer of other and unspecified organs	M	5,769	5,382	360	3	11	8	5
		F	5,264	4,878	372	11	1	1	1
56a-c	Nonmalignant tumors of female genital organs	F	2,826	2,146	674	2	-	3	1
56d,e	Nonmalignant tumors of other and unspecified organs	M	756	678	54	1	1	2	-
		F	686	619	67	-	-	-	-
57a-c	Tumors of female genital organs (nature unspecified)	F	79	57	18	3	-	1	-
57d,e	Tumors of other and unspecified organs (nature unspecified)*	M	1,155	1,049	98	5	3	-	-
		F	1,089	974	111	4	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	M	17,674	16,188	1,394	37	36	12	7
		F	29,894	28,972	2,858	49	8	7	-
58a-d	Acute rheumatic heart diseases	M	566	481	82	2	-	1	-
		F	626	500	125	1	-	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	M	260	200	60	-	-	-	-
		F	273	198	74	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases	M	665	605	59	1	-	-	-
		F	1,122	1,052	62	8	-	-	-
60	Gout	M	5	5	-	-	-	-	-
61	Diabetes mellitus	M	13,220	12,458	716	23	30	10	3
		F	21,795	20,168	1,594	23	4	6	-
62	Diseases of pituitary gland	M	59	54	5	-	-	-	-
		F	106	100	6	-	-	-	-
63a	Simple goiter	M	46	35	10	1	-	-	-
		F	165	133	32	-	-	-	-
63b	Exophthalmic goiter	M	619	574	38	1	2	-	4
		F	3,040	2,830	199	9	1	1	-
63c-e	Other diseases of thyroid and parathyroid glands	M	104	99	4	-	1	-	-
		F	252	242	10	-	-	-	-
64	Diseases of thymus gland	M	780	711	64	3	1	1	-
		F	519	455	59	2	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	M	205	197	8	-	-	-	-
		F	220	209	11	-	-	-	-
66	Other general diseases	M	219	163	53	3	-	-	-
		F	225	183	42	-	-	-	-
67	Scurvy	M	18	15	2	1	-	-	-
		F	8	7	1	-	-	-	-
68	Beriberi	M	39	33	5	1	-	-	-
		F	24	18	6	-	-	-	-
69	Pellagra (except alcoholic)	M	718	472	243	1	2	-	-
		F	1,405	798	603	4	-	-	-
70	Rickets	M	96	70	26	-	-	-	-
		F	65	45	19	1	-	-	-
71	Other avitaminoses	M	55	36	19	-	-	-	-
		F	49	34	15	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	M	5,160	4,846	287	15	7	2	3
		F	4,550	4,256	288	4	2	2	-
72	Hemorrhagic conditions	M	332	298	27	5	-	1	1
		F	306	285	21	-	-	-	-
73a	Pernicious anemia	M	991	961	29	1	-	-	-
		F	1,131	1,067	64	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	IV.—Diseases of the blood and blood-forming organs—Continued								
73b-d	Other anemias (except splenic)	M	411	362	49	-	-	-	-
		F	562	475	86	-	-	1	-
74a	Leukemias	M	2,879	2,719	145	6	6	1	2
		F	2,017	1,927	85	3	2	-	-
74b	Aleukemias	M	124	119	5	-	-	-	-
		F	123	116	6	-	-	1	-
75	Diseases of spleen	M	283	255	25	2	1	-	-
		F	225	210	14	1	-	-	-
76	Other diseases of the blood and blood-forming organs	M	140	132	7	1	-	-	-
		F	186	176	10	-	-	-	-
	V.—Chronic poisoning and intoxication	M	2,327	2,032	266	21	4	2	2
		F	397	311	81	5	-	-	-
77	Alcoholism (ethylism)	M	2,196	1,917	256	19	1	1	2
		F	335	264	68	3	-	-	-
78	Lead poisoning	M	75	70	5	-	-	-	-
		F	25	15	10	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	M	56	45	5	2	3	1	-
		F	37	32	3	2	-	-	-
	VI.—Diseases of the nervous system, etc.*	M	69,001	60,741	8,033	99	69	37	22
		F	67,344	58,525	8,666	112	10	22	9
80	Encephalitis (nonepidemic)	M	799	708	83	4	1	-	3
		F	567	509	54	3	-	-	1
81	Meningitis (not due to meningococcus)	M	1,392	1,142	237	10	1	1	1
		F	859	670	176	12	-	-	1
82	Diseases of spinal cord (see exceptions)*	M	1,596	1,497	96	1	1	-	1
		F	1,153	1,041	110	2	-	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	M	52,189	45,824	6,204	56	61	29	15
		F	53,021	45,831	7,098	62	9	17	4
83b,c	Cerebral embolism, thrombosis, and softening	M	5,566	5,234	316	8	5	2	1
		F	5,436	5,126	301	6	-	1	2
83d	Hemiplegia and other paralysis of unspecified origin	M	1,829	1,423	403	3	-	-	-
		F	1,712	1,285	420	7	-	-	-
84	Mental diseases and deficiency (see exception)*	M	601	451	148	1	-	-	1
		F	759	621	135	2	-	1	-
85	Epilepsy	M	1,350	1,109	236	5	-	-	-
		F	924	783	138	4	-	1	-
86	Convulsions (under 5 years)	M	317	231	84	2	-	-	-
		F	221	162	56	2	-	-	1
87	Other diseases of nervous system	M	1,898	1,763	130	5	-	2	-
		F	1,659	1,575	81	2	-	1	-
88	Diseases of organs of vision	M	24	21	2	1	-	-	-
		F	26	20	6	-	-	-	-
89	Diseases of the ear and mastoid process	M	1,440	1,338	94	5	-	3	-
		F	1,007	902	93	10	1	1	-
	VII.—Diseases of the circulatory system	M	258,784	219,542	18,584	292	221	93	52
		F	175,170	158,511	16,414	196	18	20	13
90	Pericarditis (except acute rheumatic)	M	362	301	61	-	-	-	-
		F	248	202	44	2	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	M	1,356	1,191	154	3	4	1	3
		F	1,175	1,005	168	2	-	-	-
91c	Endocarditis (unspecified, under 45 years)	M	147	113	34	-	-	-	-
		F	152	104	48	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	M	21,992	19,177	2,752	29	14	12	8
		F	19,902	17,311	2,561	25	1	1	3
92e	Endocarditis (unspecified, 45 years and over)	M	1,489	1,310	178	1	-	-	-
		F	1,219	1,022	195	2	-	-	-
93a	Acute myocarditis (except rheumatic)	M	2,319	2,020	295	4	-	-	-
		F	1,833	1,540	289	3	-	1	-
93b	Myocarditis (unspecified, under 45 years)	M	372	239	132	-	-	-	1
		F	353	197	154	2	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration	M	94,488	86,876	7,317	107	122	44	22
		F	83,647	76,845	6,697	82	7	10	6
93e	Other myocarditis (unspecified)	M	10,178	9,030	1,129	13	5	1	-
		F	8,129	7,117	995	15	-	1	1
94a	Diseases of coronary arteries	M	65,536	63,082	2,336	51	35	24	8
		F	28,531	26,849	1,657	21	-	2	2
94b	Angina pectoris	M	5,133	4,849	279	4	1	-	-
		F	2,263	2,067	196	-	-	-	-
95a	Functional diseases of heart, etc.*	M	534	489	44	1	-	-	-
		F	487	453	34	-	-	-	-
95b,c	Other and unspecified diseases of heart	M	19,476	16,789	2,614	53	15	2	3
		F	13,870	11,585	2,250	25	5	4	1
96	Aneurysm (except of heart and aorta)	M	784	688	91	1	1	3	-
		F	383	331	51	-	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	M	12,101	11,238	812	20	22	5	4
		F	10,626	9,914	702	9	1	-	-
98	Gangrene	M	345	271	72	2	-	-	-
		F	222	169	52	1	-	-	-
99	Other diseases of arteries	M	1,016	949	65	-	1	-	1
		F	841	766	72	3	-	-	-
100	Diseases of veins	M	376	341	33	-	1	-	1
		F	434	398	35	-	-	1	-
101	Diseases of lymphatic system	M	52	45	7	-	-	-	-
		F	36	29	5	1	1	-	-
102	High blood pressure (idiopathic)	M	634	482	148	3	-	-	1
		F	740	552	186	2	-	-	-
103	Other diseases of circulatory system	M	94	62	31	-	-	1	-
		F	79	55	23	1	-	-	-

* Refer to complete International List titles, table XI.

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	VIII.—Diseases of the respiratory system	M	49,492	41,368	7,689	306	72	39	18
		F	37,585	31,522	5,763	270	10	15	5
104	Diseases of nasal fossae and accessory sinuses	M	668	516	142	7	1	2	-
		F	457	337	113	7	-	-	-
105	Diseases of larynx	M	270	241	27	2	-	-	-
		F	166	143	23	-	-	-	-
106a	Acute bronchitis	M	657	583	68	3	2	1	-
		F	596	544	47	4	-	1	-
106b	Chronic bronchitis	M	1,178	1,106	66	2	1	-	3
		F	756	710	44	2	-	-	-
106c	Bronchitis (unspecified)	M	417	376	38	3	-	-	-
		F	354	314	37	2	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	M	18,577	15,832	2,560	134	31	14	6
		F	15,962	13,704	2,127	117	4	8	2
108	Lobar pneumonia	M	19,529	15,922	3,475	82	27	15	8
		F	13,640	11,102	2,445	85	5	2	1
109	Pneumonia (unspecified)	M	2,707	1,944	708	53	-	2	-
		F	1,953	1,399	508	45	-	-	1
110	Pleurisy (not specified as tuberculous)	M	1,330	1,148	170	6	2	3	1
		F	709	593	109	3	-	3	1
111	Hemorrhagic infarction, etc.*	M	1,502	1,360	130	9	3	-	-
		F	1,536	1,408	124	3	-	1	-
112	Asthma	M	1,251	1,089	153	5	4	-	-
		F	982	869	111	2	-	-	-
113	Pulmonary emphysema	M	120	114	6	-	-	-	-
		F	36	34	2	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	M	1,286	1,137	146	-	1	2	-
		F	438	365	73	-	-	-	-
	IX.—Diseases of the digestive system	M	45,508	40,118	5,075	177	71	43	24
		F	32,504	27,995	4,268	223	6	4	8
115	Diseases of buccal cavity, pharynx, tonsils, and adnexa	M	1,808	1,575	222	8	2	-	1
		F	1,626	1,326	293	6	-	-	1
116	Diseases of esophagus	M	132	118	13	-	-	-	1
		F	94	76	18	-	-	-	-
117	Ulcer of stomach or duodenum	M	7,383	6,745	592	8	23	14	1
		F	1,565	1,340	222	3	-	-	-
118	Other diseases of stomach (except cancer)	M	1,247	861	381	4	1	-	-
		F	903	531	368	4	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	M	5,658	4,454	1,121	77	2	1	3
		F	4,386	3,419	860	103	1	-	3
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	M	1,685	1,372	289	24	-	-	-
		F	1,844	1,494	329	20	-	1	-
121	Appendicitis	M	8,009	7,209	771	17	3	7	2
		F	4,990	4,392	577	17	2	-	2
122a	Hernia	M	3,079	2,754	316	5	3	1	-
		F	1,975	1,835	135	5	-	-	-
122b	Intestinal obstruction	M	3,269	2,814	434	12	2	4	3
		F	3,554	3,001	542	10	1	-	-
123	Other diseases of intestines	M	976	841	132	1	-	-	2
		F	741	612	127	2	-	-	-
124	Cirrhosis of liver	M	7,603	7,101	452	9	23	12	6
		F	3,683	3,409	258	14	-	1	1
125	Other diseases of liver	M	850	714	131	1	2	-	2
		F	752	611	136	4	-	1	-
126	Biliary calculi	M	1,478	1,441	27	6	-	4	-
		F	3,163	3,070	75	15	1	1	1
127	Other diseases of gallbladder and biliary ducts	M	1,178	1,110	59	5	3	-	1
		F	2,064	1,923	122	19	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	M	477	445	29	-	2	-	1
		F	373	357	16	-	-	-	-
129	Peritonitis (cause not stated)	M	678	564	106	-	5	-	1
		F	791	599	190	1	1	-	-
	X.—Diseases of the genito-urinary system	M	70,409	59,983	10,210	106	72	22	16
		F	55,170	46,264	8,806	65	11	18	6
130	Acute nephritis	M	1,823	1,309	509	3	-	-	2
		F	1,475	1,019	453	2	-	-	1
131a	Arteriosclerotic kidney	M	36,689	31,554	5,033	44	38	12	8
		F	33,176	28,411	4,707	39	7	10	2
131b	Other chronic nephritis	M	16,159	13,540	2,557	29	24	5	4
		F	13,517	11,226	2,272	11	2	5	1
132	Nephritis unspecified (10 years and over)	M	2,599	2,025	564	6	1	3	-
		F	1,913	1,487	420	5	-	-	1
133	Other diseases of kidneys and ureters, etc.*	M	1,977	1,669	300	5	3	-	-
		F	1,963	1,598	260	3	-	1	1
134	Calculi of urinary passages	M	1,206	1,155	46	-	3	1	1
		F	608	565	40	-	1	2	-
135	Diseases of urinary bladder	M	548	425	120	3	-	-	-
		F	276	243	33	-	-	-	-
136	Diseases of urethra (except calculus)	M	560	310	249	1	-	-	-
		F	31	28	3	-	-	-	-
137	Diseases of prostate	M	8,775	7,954	801	15	3	1	1
138	Diseases of other male genital organs (except venereal)	M	73	42	31	-	-	-	-
139a	Diseases of ovaries, fallopian tubes, and parametria	F	1,623	1,085	534	4	-	-	-
139b	Diseases of uterus	F	649	573	74	1	1	-	-
139c	Diseases of other and unspecified female genital organs	F	39	29	10	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	F	8,876	6,614	2,180	69	5	8	-
140	Abortion with mention of infection	F	1,334	1,005	321	6	1	1	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	F	80	60	20	-	-	-	-
141bd-f	Other abortions (nonseptic)*	F	268	200	66	1	-	1	-
142a	Ectopic gestation, with mention of infection	F	85	66	19	-	-	-	-
142b	Ectopic gestation, without mention of infection	F	307	231	76	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	F	55	35	19	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Continued								
144	Toxemias of pregnancy (death before delivery)	F	939	622	302	14	-	1	-
145	Other diseases and accidents of pregnancy (death before delivery)	F	304	225	76	2	-	1	-
146	Hemorrhage of childbirth and puerperium	F	1,037	827	193	12	2	3	-
147	Infection during childbirth and puerperium	F	2,207	1,710	482	14	1	-	-
148	Puerperal toxemias (excluding death before delivery)	F	1,231	863	358	8	1	1	-
149	Other accidents and specified conditions of childbirth	F	550	452	94	4	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	F	479	318	154	7	-	-	-
	XII.—Diseases of the skin and cellular tissue	M	777	651	116	7	2	1	-
		F	712	592	114	5	-	-	1
151	Carbuncle and furuncle	M	219	205	12	-	2	-	-
		F	147	123	22	2	-	-	-
152	Phlegmon and acute abscess	M	270	218	49	2	-	1	-
		F	196	158	35	2	-	-	1
153	Other diseases of skin and cellular tissue	M	288	228	55	5	-	-	-
		F	369	311	57	1	-	-	-
	XIII.—Diseases of the bones and organs of movement	M	722	626	89	4	1	2	-
		F	468	401	62	4	-	1	-
154	Osteomyelitis and periostitis	M	489	423	60	3	1	2	-
		F	232	187	42	3	-	-	-
155	Other diseases of bones (except tuberculosis)	M	52	45	7	-	-	-	-
		F	86	82	3	-	-	1	-
156	Diseases of joints and other organs of movement	M	181	158	22	1	-	-	-
		F	150	132	17	1	-	-	-
157	XIV.—Congenital malformations	M	7,205	6,720	454	20	6	4	1
		F	5,938	5,596	317	18	3	1	3
	XV.—Diseases peculiar to the first year of life	M	30,057	25,521	4,328	164	9	27	8
		F	21,536	17,935	3,468	101	11	15	6
158	Congenital debility (cause not stated)	M	1,618	1,030	569	18	-	1	-
		F	1,209	759	430	19	-	1	-
159	Premature birth (cause not stated)	M	18,377	15,696	2,558	94	3	20	6
		F	13,969	11,603	2,299	50	5	8	4
160	Injury at birth	M	6,501	5,844	636	17	3	1	-
		F	4,005	3,586	395	16	4	4	-
161	Other diseases peculiar to the first year of life	M	3,561	2,951	565	35	3	5	2
		F	2,353	1,987	344	16	2	2	2
162	XVI.—Senility	M	4,690	3,542	1,099	46	1	1	1
		F	5,437	4,323	1,074	40	-	-	-
	XVII.—Violent or accidental deaths	M	88,687	76,949	11,165	324	96	95	58
		F	35,434	31,607	3,660	127	8	27	5
163,164	Suicide	M	14,466	13,990	388	22	32	25	9
		F	4,441	4,294	129	6	3	8	1
163	Suicide by poisoning	M	3,537	3,454	67	3	6	4	3
		F	2,086	2,020	58	5	1	2	-
164	Suicide by other means	M	10,929	10,536	321	19	26	21	6
		F	2,355	2,274	71	1	2	6	1
165-168	Homicide[1]	M	6,526	2,927	3,539	35	9	4	12
		F	1,682	796	873	12	1	-	-
166	Homicide by firearms	M	3,761	1,733	1,997	21	3	2	5
		F	894	467	420	6	1	-	-
167	Homicide by cutting or piercing instruments	M	1,660	431	1,218	3	1	2	5
		F	404	83	320	1	-	-	-
168	Homicide by other means	M	1,105	763	324	11	5	-	2
		F	384	246	133	5	-	-	-
169-195	Accidental deaths	M	67,574	59,982	7,167	267	55	66	37
		F	29,311	26,517	2,658	109	4	19	4
169	Railway accidents (except collisions with motor vehicles)	M	2,975	2,561	392	22	-	-	-
		F	225	181	42	1	1	-	-
170a	Collisions between automobiles and trains	M	1,292	1,212	67	6	2	5	-
		F	415	403	11	-	-	1	-
170b	Collisions between automobiles and streetcars	M	108	100	8	-	-	-	-
		F	24	22	1	-	-	1	-
170c	Automobile accidents (except collisions with trains or streetcars)	M	24,835	22,381	2,272	106	23	29	24
		F	7,410	6,780	590	25	2	12	1
170d	Motorcycle accidents (except collisions with automobiles)	M	381	370	10	1	-	-	-
		F	36	36	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	M	266	249	16	-	-	1	-
		F	98	92	6	-	-	-	-
171b	Other and unspecified road-transport accidents	M	215	177	36	2	-	-	-
		F	54	43	9	2	-	-	-
172	Water-transport accidents	M	942	830	105	5	1	-	1
		F	94	90	2	2	-	-	-
173	Air-transport accidents	M	521	517	4	-	-	-	-
		F	44	43	1	-	-	-	-
174	Accidents in mines and quarries	M	1,911	1,771	139	1	-	-	-
		F	8	8	-	-	-	-	-
175a-c	Agricultural accidents	M	1,885	1,740	138	2	-	5	-
		F	83	73	10	-	-	-	-
175d,e	Forestry accidents	M	323	291	31	1	-	-	-
		F	1	1	-	-	-	-	-
176	Other accidents involving machinery	M	1,019	923	91	3	1	-	1
		F	27	24	3	-	-	-	-
177	Food poisoning	M	302	221	80	1	-	-	-
		F	244	176	65	3	-	-	-

*Refer to complete International List titles, table XI.
[1]Includes figures for infanticide (165).

TABLE 16.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	XVII.—Violent or accidental deaths—Continued								
	Accidental deaths—Continued								
178	Accidental absorption of poisonous gas	M	1,155	1,110	39	2	1	-	3
		F	407	389	18	-	-	-	-
179	Acute accidental poisoning by solids or liquids	M	780	659	112	5	4	-	-
		F	544	473	67	4	-	-	-
180	Conflagration	M	1,353	984	362	4	1	2	-
		F	886	584	299	3	-	-	-
181	Accidental burns (except conflagration)	M	2,637	2,077	547	9	3	1	-
		F	2,633	2,021	602	9	-	-	1
182	Accidental mechanical suffocation	M	876	696	175	3	-	2	-
		F	613	485	123	4	1	-	-
183	Accidental drowning	M	4,631	3,910	678	26	4	8	5
		F	677	611	54	9	-	3	-
184	Accidental injury by firearms	M	2,091	1,696	386	7	-	-	2
		F	299	197	101	1	-	-	-
185	Accidental injury by cutting or piercing instruments	M	388	284	101	3	-	-	-
		F	119	81	38	-	-	-	-
186a	Accidental injury by fall	M	10,519	9,993	481	24	12	8	1
		F	12,233	11,881	325	24	-	1	2
186b	Accidental injury by crushing	M	392	325	67	-	-	-	-
		F	31	27	3	-	-	1	-
187	Cataclysm, etc.*	M	142	107	35	-	-	-	-
		F	75	51	23	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	M	140	125	12	2	-	1	-
		F	44	39	5	-	-	-	-
189	Hunger or thirst	M	14	8	6	-	-	-	-
		F	12	7	5	-	-	-	-
190	Excessive cold	M	393	255	132	6	-	-	-
		F	106	62	40	4	-	-	-
191	Excessive heat	M	583	493	86	3	1	-	-
		F	204	168	35	1	-	-	-
192	Lightning	M	285	245	38	2	-	-	-
		F	55	38	17	-	-	-	-
193	Accidents due to electric currents (except lightning)	M	614	578	35	1	-	-	-
		F	41	38	3	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	M	67	48	17	2	-	-	-
		F	33	29	3	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	M	25	19	6	-	-	-	-
		F	26	21	5	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	M	561	488	69	2	1	1	-
		F	370	323	46	1	-	-	-
195c,e	Other and unspecified accidents	M	2,953	2,539	394	16	1	3	-
		F	1,140	1,020	106	14	-	-	-
198	Legal executions	M	121	50	71	-	-	-	-
	XVIII.—Ill-defined and unknown causes	M	12,341	7,019	5,097	205	14	1	5
		F	8,759	4,120	4,435	202	2	-	-
199	Sudden death	M	954	646	303	5	-	-	-
		F	548	294	250	4	-	-	-
200a	Ill-defined	M	4,208	2,981	1,180	24	9	1	3
		F	2,364	1,339	1,000	25	-	-	-
200b,c	Unknown or unspecified	M	7,179	3,382	3,614	176	5	-	2
		F	5,847	2,487	3,185	173	2	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (total)—All causes	110,984	32,870	8,303	5,300	8,506	5,754	3,777	3,356	67,866	8,246	5,769	5,554	4,558	3,763	3,297	2,796	2,455	2,096	1,835	1,749
Cerebrospinal (meningococcus) meningitis—6	145	-	-	-	-	2	1	1	4	11	15	17	19	12	10	12	14	11	12	8
Scarlet fever—8	37	-	-	-	-	-	2	-	2	2	3	2	1	4	-	2	2	7	7	5
Whooping cough—9	2,015	-	-	1	9	5	30	79	124	345	307	221	183	139	138	134	124	109	83	108
Diphtheria (infection by C. diphtheriae)—10	143	-	-	-	1	-	1	2	4	7	8	10	11	12	12	16	13	13	21	18
Erysipelas—11	83	-	-	-	3	7	14	8	32	23	6	6	3	6	4	-	2	-	1	-
Tetanus—12	135	1	1	1	36	74	7	5	125	3	2	1	1	1	-	-	-	-	2	-
Tuberculosis of respiratory system, etc.*—13	218	1	-	-	-	1	1	3	6	14	8	14	18	26	32	17	18	25	13	27
Tuberculosis of meninges, etc.*—14	169	-	-	-	1	-	-	-	1	8	5	10	11	14	17	18	19	23	24	19
Tuberculosis (other forms)—15-22	109	-	-	-	-	1	1	-	2	-	6	10	10	13	8	17	13	12	6	12
Septicemia and purulent infection—24	132	-	-	-	4	14	15	8	41	15	14	9	16	9	2	8	4	6	5	3
Dysentery—27	1,039	3	1	1	14	7	27	29	82	88	84	121	121	121	86	78	68	70	59	61
Malaria—28	124	1	2	-	8	4	3	3	21	11	14	13	14	9	12	8	5	6	4	7
Syphilis—30	1,251	225	67	58	82	73	56	58	619	186	132	94	61	34	41	27	15	17	9	16
Influenza—33	2,696	7	15	12	52	91	87	95	359	324	315	288	251	226	213	177	163	148	128	104
Measles—35	182	-	-	-	-	2	3	8	13	13	8	11	16	14	20	21	13	14	24	15
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	220	1	-	1	4	7	12	15	40	20	15	14	19	11	16	23	15	18	13	16
Diseases of thymus gland—64	1,051	110	60	52	88	54	50	45	459	146	135	99	60	44	25	30	20	13	13	7
Rickets—70	113	1	-	-	1	4	-	1	7	10	14	9	13	9	11	9	10	11	6	4
Hemorrhagic conditions—72	241	24	13	32	62	38	6	13	188	11	4	5	11	6	7	1	2	2	3	1
Anemias (except splenic anemia)—73	158	3	1	5	5	11	6	2	33	25	24	21	10	10	5	3	7	8	2	10
Encephalitis (nonepidemic)—80	101	6	-	-	3	-	4	3	16	8	8	6	8	14	9	3	4	11	8	5
Meningitis (not due to meningococcus)—81	556	-	2	1	19	16	13	16	67	64	55	61	53	46	52	36	35	40	26	21
Intracranial lesions of vascular origin—83	241	20	17	16	25	9	2	8	97	43	32	16	8	9	4	7	11	3	4	7
Convulsions—86	410	15	16	26	72	35	16	14	194	37	4[illegible]	36	31	16	8	14	6	7	5	11
Diseases of ear and mastoid process—89	495	-	-	-	-	8	7	14	29	55	59	62	61	37	44	31	37	32	22	26
Other diseases, nervous system-82,84,85,87,88	186	8	3	5	11	12	7	11	57	13	16	7	14	18	10	14	8	11	9	9
Diseases of circulatory system—90-103	413	9	5	5	16	28	20	15	98	56	52	40	30	21	22	19	11	19	27	18
Pneumonia (all forms)—107-109	14,881	66	93	164	472	524	634	659	2,612	2,127	1,933	1,697	1,406	1,141	969	837	722	541	452	444
Other diseases of respiratory system—104-106,110-114	1,261	31	10	21	45	51	49	78	285	179	155	136	102	78	62	59	58	49	62	36
Diseases of buccal cavity, etc.*—115	223	-	-	2	4	7	7	6	26	17	18	19	16	20	27	31	16	12	18	13
Diseases of stomach—117,118	312	-	2	5	25	18	16	18	84	35	50	31	30	21	8	9	10	10	14	10
Diarrhea, enteritis, etc.*—119	8,222	10	4	20	87	209	378	374	1,082	999	954	880	804	758	652	543	477	385	357	331
Hernia—122a	91	1	-	-	5	1	2	8	17	20	13	14	9	3	3	6	3	-	1	2
Intestinal obstruction—122b	744	-	1	-	24	43	25	33	126	64	67	48	67	78	80	73	49	39	28	25
Peritonitis (cause not stated)—129	112	-	-	-	5	7	14	12	39	24	11	7	6	4	3	4	1	4	6	3
Other diseases, digestive sys.116,121,123-128	241	1	4	5	25	19	6	12	72	21	39	23	20	11	16	11	8	5	5	10
Diseases, genito-urinary sys.130,131,133-139	331	8	7	7	18	22	16	17	95	50	37	27	25	15	14	17	11	15	13	12
Diseases of skin and cellular tissue-151-153	300	6	4	3	19	52	32	35	151	46	23	19	9	5	12	10	8	9	5	3
Congenital malformations—157	11,038	2,652	826	701	1,384	1,025	530	490	7,608	938	635	441	330	234	214	156	165	130	99	88
Congenital debility—158	2,827	620	207	160	289	229	152	137	1,794	324	216	146	95	67	55	29	39	24	16	22
Premature birth—159	32,346	19,883	4,173	1,909	2,443	1,724	839	466	31,437	530	196	84	37	11	18	14	6	3	4	6
Injury at birth—160	10,506	5,723	1,510	1,089	1,369	372	130	87	10,280	73	35	24	12	11	20	15	9	12	7	8
Other diseases peculiar to first year—161	5,914	2,182	785	649	1,088	458	184	116	5,462	190	97	43	35	26	17	11	17	3	7	6
Accidental mechanical suffocation—182	1,244	20	20	22	42	41	44	65	254	258	237	175	115	69	52	30	20	17	13	4
Other violence or accident—166-181,183-195	1,476	103	41	25	47	45	35	44	340	138	143	130	100	105	97	80	72	79	93	99
Ill-defined and unknown causes—199,200	5,683	1,111	404	295	577	388	275	222	3,272	620	466	363	242	184	136	104	96	83	65	52
All other causes*	569	18	9	7	21	16	18	21	110	55	60	44	44	41	34	42	29	40	33	37
UNITED STATES (male)—All causes	63,557	18,997	4,929	3,248	5,030	3,269	2,039	1,940	39,452	4,806	3,801	3,038	2,517	2,067	1,752	1,599	1,398	1,146	1,035	946
Cerebrospinal (meningococcus) meningitis—6	90	-	-	-	-	1	-	-	1	5	7	13	13	9	6	7	10	4	10	5
Scarlet fever—8	21	-	-	-	-	-	2	-	2	-	1	1	1	3	-	1	2	6	3	1
Whooping cough—9	998	-	-	1	7	4	11	49	72	185	153	99	90	70	67	59	66	52	44	41
Diphtheria (infection by C. diphtheriae)—10	85	-	-	-	-	-	1	-	1	3	4	4	8	11	6	9	10	6	13	10
Erysipelas—11	43	-	-	-	1	3	7	5	16	12	2	2	2	4	3	-	1	-	1	-
Tetanus—12	85	1	1	1	23	46	4	4	80	2	1	-	-	1	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	107	1	-	-	-	-	1	2	4	9	5	8	8	13	17	10	8	15	3	9
Tuberculosis of meninges, etc.*—14	89	-	-	-	-	-	-	-	-	4	3	5	4	7	7	11	10	14	11	13
Tuberculosis (other forms)—15-22	59	-	-	-	-	-	1	-	1	-	4	5	8	5	5	10	6	5	4	6
Septicemia and purulent infection—24	81	-	-	-	3	8	9	3	23	7	9	6	12	7	1	5	2	3	3	3
Dysentery—27	603	2	1	-	9	4	18	17	51	53	51	75	59	69	40	50	46	35	39	35
Malaria—28	64	1	-	-	5	3	3	2	14	8	8	6	6	-	9	3	2	2	3	3
Syphilis—30	754	135	39	30	47	47	31	32	361	113	80	59	40	21	26	16	11	13	4	10
Influenza—33	1,521	4	6	9	28	52	49	57	205	173	180	162	144	128	123	103	88	84	80	51
Measles—35	105	-	-	-	-	2	2	6	10	9	4	6	8	11	11	10	7	7	14	8
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	102	1	-	-	1	3	6	4	15	13	7	6	13	4	5	14	5	7	6	7
Diseases of thymus gland—64	642	67	41	39	49	31	30	30	287	89	70	62	42	25	13	20	13	8	8	5
Rickets—70	73	-	-	-	1	1	-	-	2	8	10	7	13	9	4	3	6	7	3	1
Hemorrhagic conditions—72	157	17	9	22	43	28	2	4	125	8	2	2	6	5	4	1	-	1	3	-
Anemias (except splenic anemia)—73	71	1	1	2	2	5	3	1	15	11	12	8	6	6	2	1	5	-	1	4
Encephalitis (nonepidemic)—80	47	2	-	-	2	-	1	1	6	6	2	3	1	8	7	1	2	6	3	2
Meningitis (not due to meningococcus)—81	330	-	2	1	11	11	6	6	37	38	37	32	28	23	29	25	24	27	16	14
Intracranial lesions of vascular origin—83	143	12	13	7	17	7	-	5	61	25	18	10	3	5	2	5	7	1	1	5
Convulsions—86	253	8	10	17	49	18	12	6	120	23	28	23	19	9	5	8	4	4	2	8
Diseases of ear and mastoid process—89	285	-	-	-	-	7	6	6	19	35	34	36	36	23	20	17	26	16	13	10
Other diseases, nervous system-82,84,85,87,88	106	5	3	1	5	7	3	6	30	9	7	5	6	11	4	7	6	10	4	7
Diseases of circulatory system—90-103	227	4	3	4	9	16	14	6	56	32	31	19	16	12	13	10	7	11	12	8
Pneumonia (all forms)—107-109	8,365	36	61	98	270	299	356	373	1,493	1,258	1,076	948	770	606	515	489	403	310	250	247
Other diseases of respiratory system—104-106,110-114	734	16	7	9	24	36	26	48	166	108	91	78	57	44	35	38	36	23	38	20
Diseases of buccal cavity, etc.*—115	126	-	-	-	1	4	3	3	11	11	11	11	10	11	13	13	11	7	10	7
Diseases of stomach—117,118	178	-	2	3	18	11	8	10	52	22	26	15	16	15	3	4	4	7	9	5
Diarrhea, enteritis, etc.*—119	4,643	5	1	14	54	120	212	222	628	595	562	460	441	421	357	299	271	221	205	185
Hernia—122a	73	1	-	-	1	1	2	6	11	20	10	9	8	3	2	6	3	-	1	-
Intestinal obstruction—122b	494	-	1	-	20	26	14	26	87	40	46	32	45	48	53	49	39	21	16	18
Peritonitis (cause not stated)—129	65	-	-	-	4	4	6	8	22	18	5	5	3	2	3	1	1	1	4	-
Other diseases, digestive sys.116,121,123-128	145	1	3	2	18	10	4	7	45	12	23	11	12	7	8	9	4	3	4	7
Diseases, genito-urinary sys.130,131,133-139	210	6	4	6	13	14	12	14	69	39	20	15	14	5	8	11	6	7	10	6
Diseases of skin and cellular tissue-151-153	179	2	2	3	12	27	18	23	87	18	19	12	4	3	10	9	7	5	3	2
Congenital malformations—157	6,104	1,412	512	415	811	554	263	267	4,254	557	344	243	181	125	98	70	90	60	46	38
Congenital debility—158	1,618	344	126	99	170	143	81	88	1,051	197	118	69	39	35	34	16	23	13	7	18
Premature birth—159	18,377	11,474	2,365	1,100	1,370	921	437	246	17,913	271	105	39	19	4	8	7	2	2	3	4
Injury at birth—160	6,501	3,502	952	715	839	239	79	51	6,375	45	20	14	8	7	10	10	2	6	2	2
Other diseases peculiar to first year—161	3,561	1,234	485	437	689	275	108	74	3,302	108	57	23	21	12	9	7	11	1	5	5
Accidental mechanical suffocation—182	685	12	10	16	25	19	20	38	140	145	138	99	61	51	23	23	7	12	4	2
Other violence or accident—166-181,183-195	813	53	21	11	24	27	20	27	183	76	73	71	62	61	50	48	39	42	50	58
Ill-defined and unknown causes—199,200	3,213	628	241	182	345	226	138	125	1,885	348	248	193	134	109	71	59	48	42	45	51
All other causes*	332	10	7	6	10	9	10	12	64	38	39	27	20	21	13	25	17	21	20	27

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (female)----------All causes	47,427	13,873	3,374	2,052	3,476	2,485	1,738	1,416	28,414	3,440	2,968	2,516	2,041	1,696	1,545	1,197	1,057	950	800	803
Cerebrospinal (meningococcus) meningitis---6	55	-	-	-	-	1	1	1	3	6	8	4	6	3	4	5	4	7	2	3
Scarlet fever----------8	16	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	-	1	4	4
Whooping cough----------9	1,017	-	-	-	2	1	19	30	52	160	154	122	93	69	71	75	58	57	39	67
Diphtheria (infection by C. diphtheriae)--10	58	-	-	-	1	-	-	2	3	4	2	6	3	1	6	7	3	7	8	8
Erysipelas----------11	40	-	-	-	2	4	7	3	16	11	4	4	1	2	1	-	1	-	-	-
Tetanus----------12	50	-	-	-	13	28	3	1	45	1	1	1	1	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*-13	111	-	-	-	-	1	-	1	2	5	3	6	10	13	15	7	10	12	10	18
Tuberculosis of meninges, etc.*----------14	80	-	-	-	1	-	-	-	1	4	2	5	7	7	10	7	9	9	13	6
Tuberculosis (other forms)----------15-22	50	-	-	-	-	1	-	-	1	-	2	5	2	8	3	7	7	7	2	6
Septicemia and purulent infection----------24	51	-	-	-	1	6	6	5	18	8	5	3	4	2	1	3	2	3	2	-
Dysentery----------27	436	1	-	1	5	3	9	12	31	35	33	46	62	52	46	28	22	35	20	26
Malaria----------28	60	-	2	-	3	1	-	1	7	3	6	7	8	9	3	5	3	4	1	4
Syphilis----------30	497	90	28	28	35	26	25	26	258	73	52	35	21	13	15	11	4	4	5	6
Influenza----------33	1,175	3	9	3	24	39	38	38	154	151	135	126	107	98	90	74	75	64	48	53
Measles----------35	77	-	-	-	-	-	1	2	3	4	4	5	8	3	9	11	6	7	10	7
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	118	-	-	1	3	4	6	11	25	7	8	8	6	7	11	9	10	11	7	9
Diseases of thymus gland----------64	409	43	19	13	39	23	20	15	172	57	65	37	18	19	12	10	7	5	5	2
Rickets----------70	40	1	-	-	-	3	-	1	5	2	4	2	-	-	7	6	4	4	3	3
Hemorrhagic conditions----------72	84	7	4	10	19	10	4	9	63	3	2	3	5	1	3	-	2	1	-	1
Anemias (except splenic anemia)----------73	87	2	-	3	3	6	3	1	18	14	12	13	4	4	3	2	2	8	1	6
Encephalitis (nonepidemic)----------80	54	4	-	-	1	-	3	2	10	2	6	3	7	6	2	2	2	5	6	3
Meningitis (not due to meningococcus)-----81	226	-	-	-	8	5	7	10	30	26	18	29	25	23	23	11	11	13	10	7
Intracranial lesions of vascular origin---83	98	8	4	9	8	2	2	3	36	16	14	6	5	4	2	2	4	2	3	2
Convulsions----------86	157	7	6	9	23	17	4	8	74	14	17	13	12	7	3	6	2	3	3	3
Diseases of ear and mastoid process-------89	210	-	-	-	-	1	1	8	10	20	25	26	25	14	24	14	11	16	9	16
Other diseases, nervous system-82,84,85,87,88	80	3	-	4	6	5	4	5	27	4	9	2	8	7	6	7	2	1	5	2
Diseases of circulatory system--------90-103	186	5	2	1	7	12	6	9	42	24	21	21	14	9	9	9	4	8	15	10
Pneumonia (all forms)----------107-109	6,516	30	32	66	202	225	278	286	1,119	869	857	749	636	535	454	348	319	231	202	197
Other diseases of respiratory system----------104-106,110-114	527	15	3	12	21	15	23	30	119	71	64	58	45	34	27	21	22	26	24	16
Diseases of buccal cavity, etc.*----------115	97	-	-	2	3	3	4	3	15	6	7	8	6	9	14	8	5	5	8	6
Diseases of stomach----------117,118	134	-	-	2	7	7	8	8	32	13	24	16	14	6	5	5	6	3	5	5
Diarrhea, enteritis, etc.*----------119	3,579	5	3	6	33	89	166	152	454	404	392	420	363	337	295	244	206	164	154	146
Hernia----------122a	18	-	-	-	4	-	-	2	6	-	3	5	1	-	1	-	-	-	-	2
Intestinal obstruction----------122b	250	-	-	-	4	17	11	7	39	24	21	16	22	30	27	24	10	18	12	7
Peritonitis (cause not stated)----------129	47	-	-	-	2	3	8	4	17	6	6	2	3	2	-	3	-	3	2	3
Other diseases, digestive sys.116,121,123-128	96	-	1	3	7	9	2	5	27	9	16	12	8	4	8	2	4	2	1	3
Diseases, genito-urinary sys.130,131,133-139	121	2	3	1	5	8	4	3	26	11	17	12	11	10	6	6	5	8	3	6
Diseases of skin and cellular tissue-151-153	121	4	2	-	7	25	14	12	64	28	4	7	5	2	2	1	1	4	2	1
Congenital malformations----------157	4,934	1,240	314	286	573	471	267	203	3,354	381	291	198	149	111	116	86	75	70	53	50
Congenital debility----------158	1,209	276	81	61	119	86	71	49	743	127	98	77	56	32	21	13	16	11	9	6
Premature birth----------159	13,969	8,409	1,808	809	1,073	803	402	220	13,524	259	91	45	18	7	10	7	4	1	1	2
Injury at birth----------160	4,005	2,221	558	376	530	133	51	36	3,905	28	15	10	4	4	10	5	7	6	5	6
Other diseases peculiar to first year----161	2,353	948	300	212	399	183	76	42	2,160	82	40	20	14	14	8	4	6	2	2	1
Accidental mechanical suffocation--------182	559	8	10	6	17	22	24	27	114	113	99	76	54	38	29	7	13	5	9	2
Other violence or accident---166-181,183-195	663	50	20	14	23	18	15	17	157	62	70	59	38	44	47	32	33	37	43	41
Ill-defined and unknown causes--------199,200	2,470	485	163	113	232	162	137	97	1,387	272	218	170	108	75	65	45	48	41	20	21
All other causes*----------	237	8	2	1	11	7	8	9	46	17	21	17	24	20	21	17	12	19	13	10
UNITED STATES (white)----------All causes	89,406	28,180	6,937	4,333	6,832	4,423	2,916	2,633	56,253	6,298	5,306	4,242	3,512	2,843	2,499	2,138	1,846	1,580	1,434	1,355
Cerebrospinal (meningococcus) meningitis---6	126	-	-	-	-	2	1	1	4	10	13	13	18	9	10	9	13	9	10	8
Scarlet fever----------8	33	-	-	-	-	-	2	-	2	2	3	2	-	4	-	2	2	6	7	3
Whooping cough----------9	1,504	-	-	-	6	4	22	63	95	279	252	156	140	99	88	97	80	83	59	76
Diphtheria (infection by C. diphtheriae)--10	114	-	-	-	-	-	1	2	3	6	3	7	8	12	9	13	11	9	18	15
Erysipelas----------11	74	-	-	-	3	6	13	7	29	22	4	6	2	5	3	-	2	-	1	-
Tetanus----------12	73	1	1	-	20	39	3	4	68	1	2	-	1	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*-13	131	1	-	-	-	1	-	2	4	9	6	9	13	16	18	7	14	16	9	10
Tuberculosis of meninges, etc.*----------14	118	-	-	-	1	-	-	-	1	4	1	6	9	11	13	13	10	16	21	13
Tuberculosis (other forms)----------15-22	67	-	-	-	-	1	1	-	2	-	2	6	8	6	4	14	6	6	3	10
Septicemia and purulent infection----------24	119	-	-	-	4	13	14	7	38	15	12	9	12	7	2	7	3	6	5	3
Dysentery----------27	819	2	1	-	13	5	26	24	71	69	67	96	89	91	64	63	58	54	49	48
Malaria----------28	58	1	2	-	6	4	3	3	19	5	4	6	7	3	5	1	2	2	2	2
Syphilis----------30	513	72	21	25	29	24	21	27	219	90	78	38	28	12	13	10	4	10	5	6
Influenza----------33	1,951	3	11	7	38	65	65	81	270	249	239	197	185	161	144	120	112	100	95	79
Measles----------35	147	-	-	-	-	1	2	8	11	11	7	10	11	13	16	18	9	11	19	11
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	165	1	-	1	1	5	8	8	24	15	10	10	14	9	13	17	10	17	11	15
Diseases of thymus gland----------64	943	103	54	49	79	50	47	40	422	120	120	89	56	41	21	28	16	12	11	7
Rickets----------70	82	-	-	-	1	3	-	1	5	6	8	7	11	8	7	5	6	10	5	3
Hemorrhagic conditions----------72	207	24	11	27	54	27	6	10	159	9	4	4	11	4	7	1	2	2	3	1
Anemias (except splenic anemia)----------73	137	3	1	5	4	9	5	2	29	19	21	19	10	7	4	3	6	8	2	9
Encephalitis (nonepidemic)----------80	90	4	-	-	2	-	4	3	13	7	8	6	8	11	8	3	4	10	7	5
Meningitis (not due to meningococcus)-----81	437	-	2	1	18	14	12	15	62	52	42	43	41	38	37	26	25	34	19	18
Intracranial lesions of vascular origin---83	216	19	16	14	23	9	2	5	88	37	29	15	6	8	3	6	10	3	4	7
Convulsions----------86	291	9	12	18	60	20	13	10	142	22	35	28	22	8	4	10	3	6	3	8
Diseases of ear and mastoid process-------89	439	-	-	-	-	6	5	12	23	51	55	57	49	31	40	31	31	30	20	21
Other diseases, nervous system-82,84,85,87,88	160	8	2	5	9	11	7	8	50	11	13	3	12	14	9	14	7	11	8	8
Diseases of circulatory system--------90-103	343	9	4	4	13	24	18	12	84	48	40	32	24	15	18	17	10	18	23	14
Pneumonia (all forms)----------107-109	11,539	54	75	134	371	403	499	529	2,065	1,714	1,546	1,312	1,075	844	739	636	529	382	352	345
Other diseases of respiratory system----------104-106,110-114	971	19	10	16	25	33	31	60	194	125	131	109	79	64	54	49	46	39	52	29
Diseases of buccal cavity, etc.*----------115	196	-	-	1	4	7	5	6	23	16	14	15	14	18	24	18	13	11	18	12
Diseases of stomach----------117,118	242	-	2	4	18	13	11	15	63	27	40	25	25	15	6	8	7	8	9	9
Diarrhea, enteritis, etc.*----------119	6,518	8	2	14	66	159	322	312	883	794	754	694	631	592	524	440	386	293	274	253
Hernia----------122a	71	1	-	-	5	1	1	7	15	16	10	12	7	2	2	4	1	-	-	2
Intestinal obstruction----------122b	654	-	-	-	22	37	21	28	108	58	56	42	62	69	69	62	46	34	26	22
Peritonitis (cause not stated)----------129	89	-	-	-	5	4	10	10	29	19	8	4	6	4	1	4	1	4	6	3
Other diseases, digestive sys.116,121,123-128	191	1	3	5	21	14	6	7	57	15	31	19	17	7	12	8	8	4	5	8
Diseases, genito-urinary sys.130,131,133-139	264	7	7	6	16	19	14	14	83	38	30	19	22	15	12	9	9	12	8	7
Diseases of skin and cellular tissue-151-153	230	5	3	3	12	38	22	29	112	36	14	16	9	3	12	8	7	6	4	3
Congenital malformations----------157	10,395	2,529	789	650	1,304	961	500	465	7,198	891	594	401	308	219	200	142	151	118	91	82
Congenital debility----------158	1,789	358	130	87	172	128	90	89	1,054	232	163	110	67	43	36	19	25	17	6	17
Premature birth----------159	27,299	17,204	3,547	1,560	1,988	1,359	818	344	26,620	382	151	71	30	7	15	9	4	3	4	3
Injury at birth----------160	9.430	5,195	1,363	982	1,203	306	113	73	9,235	65	32	21	11	9	18	10	8	9	5	7
Other diseases peculiar to first year----161	4,938	1,900	655	548	881	364	141	88	4,577	155	78	26	27	22	14	9	16	1	7	6
Accidental mechanical suffocation--------182	960	9	16	18	26	22	37	56	184	192	180	141	93	58	41	26	17	14	11	3
Other violence or accident---166-181,183-195	1,139	85	32	14	34	29	28	38	260	103	104	103	79	80	74	59	51	64	77	85
Ill-defined and unknown causes--------199,200	2,643	527	157	129	258	167	128	92	1,458	307	243	192	118	91	55	46	41	40	26	26
All other causes*----------	491	18	8	6	17	16	17	16	98	44	48	36	37	38	31	37	24	32	33	33

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white male)——All causes	51,421	16,319	4,170	2,671	4,029	2,514	1,587	1,539	32,829	3,748	2,983	2,352	1,919	1,579	1,346	1,206	1,046	873	808	732
Cerebrospinal (meningococcus) meningitis—6	75	-	-	-	-	1	-	-	1	5	5	9	12	7	6	5	9	3	8	5
Scarlet fever—8	20	-	-	-	-	-	2	-	2	-	1	1	-	3	-	1	2	6	3	1
Whooping cough—9	738	-	-	-	4	4	9	38	55	146	128	72	67	49	37	44	43	40	33	24
Diphtheria (infection by C. diphtheriae)—10	66	-	-	-	-	-	1	-	1	3	5	3	5	11	5	6	8	4	10	7
Erysipelas—11	37	-	-	-	1	2	7	4	14	12	1	2	1	3	2	-	1	-	1	-
Tetanus—12	43	1	1	-	10	23	2	3	40	1	1	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	67	1	-	-	-	-	-	2	3	5	3	6	6	9	11	3	6	9	1	5
Tuberculosis of meninges, etc.*—14	58	-	-	-	-	-	-	-	-	2	1	2	2	6	5	9	4	10	9	8
Tuberculosis (other forms)—15-22	38	-	-	-	-	-	1	-	1	-	2	3	7	3	3	9	1	2	2	5
Septicemia and purulent infection—24	73	-	-	-	3	7	8	3	21	7	8	6	10	5	1	4	2	3	3	3
Dysentery—27	471	1	1	-	8	3	17	14	44	43	42	56	44	51	29	38	40	26	31	27
Malaria—28	32	1	-	-	4	3	3	2	13	3	3	3	2	-	5	1	-	-	1	1
Syphilis—30	302	42	10	14	15	14	10	14	119	55	52	25	14	8	8	5	3	7	2	4
Influenza—33	1,105	1	4	6	19	39	36	47	152	132	140	113	101	96	84	70	58	59	58	42
Measles—35	85	-	-	-	-	1	2	6	9	8	3	6	6	10	9	8	3	5	12	6
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	75	1	-	-	-	3	4	2	10	10	5	4	10	2	4	9	4	6	4	7
Diseases of thymus gland—64	584	66	39	36	42	28	28	27	266	75	61	58	38	25	11	19	11	8	7	5
Rickets—70	55	-	-	-	1	1	-	-	2	5	6	5	11	8	3	2	3	7	2	1
Hemorrhagic conditions—72	131	17	8	18	36	19	2	3	103	6	2	2	6	3	4	1	-	1	3	-
Anemias (except splenic anemia)—73	61	1	1	2	1	4	2	1	12	10	9	8	6	5	1	1	4	-	1	4
Encephalitis (nonepidemic)—80	40	1	-	-	1	-	1	1	4	6	2	3	1	6	6	1	2	5	2	2
Meningitis (not due to meningococcus)—81	263	-	2	1	11	9	6	6	35	31	29	21	23	18	23	17	16	23	14	13
Intracranial lesions of vascular origin—83	128	11	12	6	15	7	-	3	54	23	16	10	1	5	1	4	7	1	1	5
Convulsions—86	182	5	8	13	42	10	11	5	94	10	22	19	13	5	3	4	2	3	2	5
Diseases of ear and mastoid process—89	255	-	-	-	-	6	4	6	16	33	30	31	32	19	18	17	23	16	11	9
Other diseases, nervous system-82,84,85,87,88	93	5	2	1	4	6	3	5	26	9	5	1	6	10	3	7	5	10	4	7
Diseases of circulatory system—90-103	191	4	2	3	6	16	12	5	48	27	24	15	14	10	11	9	6	10	10	7
Pneumonia (all forms)—107-109	6,507	30	50	77	204	237	285	298	1,181	1,016	862	745	581	449	393	364	296	229	201	190
Other diseases of respiratory system—104-106,110-114	570	8	7	8	13	24	18	38	116	77	75	63	39	38	33	34	28	19	32	16
Diseases of buccal cavity, etc.*—115	108	-	-	-	1	4	1	3	9	10	8	8	10	10	12	10	8	6	10	7
Diseases of stomach—117,118	136	-	2	2	11	6	6	8	35	17	21	14	13	10	3	3	3	5	7	5
Diarrhea, enteritis, etc.*—119	3,715	4	1	11	42	89	180	184	511	473	447	367	354	338	293	246	214	173	154	148
Hernia—122a	54	1	-	-	1	1	1	5	9	16	7	8	6	2	1	4	1	-	-	-
Intestinal obstruction—122b	431	-	-	-	18	24	12	21	75	36	37	28	41	44	48	39	36	17	15	15
Peritonitis (cause not stated)—129	51	-	-	-	3	2	5	7	17	14	4	3	3	2	1	1	1	1	4	-
Other diseases, digestive sys.116,121,123-128	119	1	2	2	15	8	4	4	36	8	20	10	11	4	7	7	4	2	4	6
Diseases, genito-urinary sys.130,131,133-139	163	5	4	5	12	11	10	12	59	28	16	9	12	5	8	7	4	5	6	4
Diseases of skin and cellular tissue-151-153	133	2	1	3	6	19	12	19	62	15	11	10	4	1	10	7	6	3	2	2
Congenital malformations—157	5,729	1,340	487	382	765	516	244	271	4,005	532	319	222	166	113	92	64	86	54	41	35
Congenital debility—158	1,030	203	79	55	98	75	46	60	616	145	91	56	26	22	21	10	16	13	1	13
Premature birth—159	15,696	9,982	2,045	923	1,137	745	325	190	15,347	196	84	32	14	3	7	4	2	2	3	2
Injury at birth—160	5,844	3,173	867	640	733	202	71	44	5,730	41	19	14	7	6	10	7	2	4	2	2
Other diseases peculiar to first year—161	2,951	1,064	408	365	556	212	84	57	2,746	87	44	14	17	9	7	8	10	1	5	5
Accidental mechanical suffocation—182	526	4	7	14	16	10	16	34	101	108	104	82	47	27	19	20	5	9	3	1
Other violence or accident—166-181,183-195	624	45	15	5	18	17	15	22	137	58	53	57	51	46	38	36	27	32	42	47
Ill-defined and unknown causes—199,200	1,487	289	99	74	149	97	71	57	836	174	128	104	61	54	38	23	20	18	20	11
All other causes*—	279	10	6	5	8	9	10	8	56	30	29	22	18	19	12	20	14	16	20	23
UNITED STATES (white female)——All causes	37,985	11,861	2,767	1,662	2,803	1,909	1,328	1,094	23,424	2,650	2,323	1,890	1,593	1,264	1,153	932	800	707	626	623
Cerebrospinal (meningococcus) meningitis—6	51	-	-	-	-	1	1	1	3	5	8	4	6	2	4	4	4	6	2	3
Scarlet fever—8	13	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	-	-	4	2
Whooping cough—9	766	-	-	-	2	-	13	25	40	133	124	84	73	50	51	53	37	43	26	52
Diphtheria (infection by C. diphtheriae)—10	48	-	-	-	-	-	-	2	2	3	-	4	3	1	4	7	3	5	8	8
Erysipelas—11	37	-	-	-	2	4	6	3	15	10	3	4	1	2	1	-	1	-	-	-
Tetanus—12	30	-	-	-	10	16	1	1	28	-	1	-	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	64	-	-	-	-	1	-	-	1	4	3	3	7	7	7	4	8	7	8	5
Tuberculosis of meninges, etc.*—14	60	-	-	-	1	-	-	-	1	2	-	4	7	5	8	4	6	6	12	5
Tuberculosis (other forms)—15-22	29	-	-	-	-	1	-	-	1	-	-	3	1	3	1	5	5	4	1	5
Septicemia and purulent infection—24	46	-	-	-	1	6	6	4	17	8	4	3	2	2	1	3	1	3	2	-
Dysentery—27	348	1	-	-	5	2	9	10	27	26	25	40	45	40	35	25	18	28	18	21
Malaria—28	26	-	2	-	2	1	-	1	6	2	1	3	5	3	-	-	2	2	1	1
Syphilis—30	211	30	11	11	14	10	11	13	100	35	26	13	14	4	5	5	1	3	3	2
Influenza—33	846	2	7	1	19	26	29	34	118	117	99	84	84	65	60	50	54	41	37	37
Measles—35	62	-	-	-	-	-	-	2	2	3	4	4	5	3	7	10	6	6	7	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	90	-	-	1	1	2	4	6	14	5	5	6	4	7	9	8	6	11	7	8
Diseases of thymus gland—64	359	37	15	13	37	22	19	13	156	45	59	31	18	16	10	9	5	4	4	2
Rickets—70	27	-	-	-	-	2	-	1	3	1	3	2	-	-	4	3	3	3	3	2
Hemorrhagic conditions—72	76	7	3	9	18	8	4	7	56	3	2	2	5	1	3	-	2	1	-	1
Anemias (except splenic anemia)—73	76	2	-	3	3	5	3	1	17	9	12	11	4	2	3	2	2	8	1	5
Encephalitis (nonepidemic)—80	50	3	-	-	1	-	3	2	9	1	6	3	7	5	2	2	2	5	3	3
Meningitis (not due to meningococcus)—81	174	-	-	-	7	5	6	9	27	21	13	22	18	20	14	9	9	11	5	5
Intracranial lesions of vascular origin—83	88	8	4	8	8	2	2	2	34	14	13	5	5	3	2	2	3	2	3	2
Convulsions—86	109	4	4	5	18	10	2	5	48	12	13	9	9	3	1	6	1	3	1	3
Diseases of ear and mastoid process—89	184	-	-	-	-	-	1	6	7	18	25	26	17	12	22	14	8	14	9	12
Other diseases, nervous system-82,84,85,87,88	67	3	-	4	5	5	4	3	24	2	8	2	6	4	6	7	2	1	4	1
Diseases of circulatory system—90-103	152	5	2	1	7	8	6	7	36	21	16	17	10	5	7	8	4	8	13	7
Pneumonia (all forms)—107-109	5,032	24	25	57	167	166	214	231	884	698	684	567	494	395	346	272	233	153	151	155
Other diseases of respiratory system—104-106,110-114	401	11	3	8	12	9	13	22	78	48	56	46	40	26	21	15	18	20	20	13
Diseases of buccal cavity, etc.*—115	88	-	-	1	3	3	4	3	14	6	6	7	4	8	12	8	5	5	8	5
Diseases of stomach—117,118	106	-	-	2	7	7	5	7	28	10	19	11	12	5	3	5	4	3	2	4
Diarrhea, enteritis, etc.*—119	2,803	4	1	3	24	70	142	128	372	321	307	327	277	254	231	194	172	120	120	108
Hernia—122a	17	-	-	-	4	-	-	2	6	-	3	4	1	-	1	-	-	-	-	2
Intestinal obstruction—122b	223	-	-	-	4	13	9	7	33	22	19	14	21	25	21	23	10	17	11	7
Peritonitis (cause not stated)—129	38	-	-	-	2	2	5	3	12	5	4	1	3	2	-	3	-	3	2	3
Other diseases, digestive sys.116,121,123-128	72	-	1	3	6	6	2	3	21	7	11	9	6	3	5	1	4	2	1	2
Diseases, genito-urinary sys.130,131,133-139	101	2	3	1	4	8	4	2	24	10	14	10	10	10	4	2	5	7	2	3
Diseases of skin and cellular tissue-151-153	97	3	2	-	6	19	10	10	50	21	3	6	5	2	2	1	1	3	2	1
Congenital malformations—157	4,666	1,189	302	268	539	445	256	194	3,193	359	275	179	142	106	108	78	65	64	50	47
Congenital debility—158	759	155	51	32	74	53	44	29	438	87	72	54	41	21	15	9	9	4	5	4
Premature birth—159	11,603	7,222	1,502	637	851	614	293	154	11,273	186	67	39	16	4	8	5	2	1	1	1
Injury at birth—160	3,586	2,022	496	342	470	104	42	29	3,505	24	13	7	4	3	8	3	6	5	3	5
Other diseases peculiar to first year—161	1,987	836	247	183	325	152	57	31	1,831	68	34	12	10	13	7	3	6	-	2	1
Accidental mechanical suffocation—182	434	5	9	4	10	12	21	22	83	84	76	59	46	31	22	6	12	5	8	2
Other violence or accident—166-181,183-195	515	40	17	9	16	12	13	16	123	45	51	46	28	34	36	23	24	32	35	38
Ill-defined and unknown causes—199,200	1,156	238	58	55	109	70	57	35	622	133	115	88	57	37	17	23	21	22	6	15
All other causes*—	212	8	2	1	9	7	7	8	42	14	19	14	19	19	19	17	10	16	13	10

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro)——All causes	20,342	4,512	1,331	928	1,589	1,265	822	679	11,126	1,732	1,375	1,213	970	850	726	607	559	453	366	365
Cerebrospinal (meningococcus) meningitis—6	19	-	-	-	-	-	-	-	-	1	2	4	1	3	-	3	1	2	2	-
Scarlet fever—8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2
Whooping cough—9	480	-	-	1	3	1	8	15	28	64	52	62	40	36	42	36	42	26	21	31
Diphtheria (infection by C. diphtheriae)—10	29	-	-	-	1	-	-	-	1	1	3	3	3	-	3	3	2	4	3	3
Erysipelas—11	6	-	-	-	-	-	1	1	2	1	2	-	-	-	1	-	-	-	-	-
Tetanus—12	61	-	-	1	16	35	4	1	57	1	-	1	-	1	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	66	-	-	-	-	-	1	1	2	4	1	4	5	6	11	8	4	5	4	12
Tuberculosis of meninges, etc.*—14	35	-	-	-	-	-	-	-	-	3	4	3	1	1	4	3	7	3	2	4
Tuberculosis (other forms)—15-22	38	-	-	-	-	-	-	-	-	-	4	4	1	7	3	2	7	6	2	2
Septicemia and purulent infection—24	12	-	-	-	-	-	1	1	2	-	2	-	4	2	-	1	1	-	-	-
Dysentery—27	194	1	-	1	1	2	1	5	11	16	16	22	28	24	18	13	10	14	9	13
Malaria—28	65	-	-	-	2	-	-	-	2	5	10	7	7	6	7	7	3	4	2	5
Syphilis—30	708	150	44	32	49	46	34	28	383	92	53	56	31	21	27	15	9	7	4	10
Influenza—33	709	4	4	4	14	23	20	14	83	70	73	87	64	63	66	56	47	43	32	25
Measles—35	27	-	-	-	-	1	1	-	2	2	-	1	5	1	3	1	4	1	4	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	48	-	-	-	3	2	3	7	15	5	4	3	3	2	3	4	5	1	2	1
Diseases of thymus gland—64	100	7	6	3	7	4	2	5	34	25	15	9	2	3	4	2	3	1	2	-
Rickets—70	30	1	-	-	-	1	-	-	2	4	5	2	2	1	3	4	4	1	1	1
Hemorrhagic conditions—72	28	-	2	5	6	7	-	3	23	2	-	1	-	2	-	-	-	-	-	-
Anemias (except splenic anemia)—73	21	-	-	-	1	2	1	-	4	6	3	2	-	3	1	-	1	-	-	1
Encephalitis (nonepidemic)—80	10	2	-	-	1	-	-	-	3	1	-	-	-	3	1	-	-	-	2	-
Meningitis (not due to meningococcus)—81	110	-	-	-	1	2	1	1	5	10	12	16	12	8	14	10	8	5	7	3
Intracranial lesions of vascular origin—83	22	1	1	2	2	-	-	3	9	5	2	1	2	1	-	1	1	-	-	-
Convulsions—86	115	6	4	7	12	14	3	4	50	14	10	7	9	8	4	4	3	1	2	3
Diseases of ear and mastoid process—89	47	-	-	-	-	1	2	2	5	3	4	4	11	5	3	-	5	2	2	3
Other diseases, nervous system-82,84,85,87,88	25	-	1	-	2	-	-	3	6	2	3	4	2	4	1	-	1	-	1	1
Diseases of circulatory system—90-103	67	-	1	-	3	4	2	3	13	8	11	8	6	5	4	2	1	1	4	4
Pneumonia (all forms)—107-109	3,073	12	18	28	91	114	127	116	506	378	357	350	300	281	210	186	174	144	95	92
Other diseases of respiratory system—104-106,110-114	265	12	-	5	17	16	18	16	84	47	23	25	23	13	7	7	10	10	10	6
Diseases of buccal cavity, etc.*—115	26	-	-	1	-	-	2	-	3	1	4	4	2	2	2	3	3	1	-	1
Diseases of stomach—117,118	68	-	-	1	7	4	5	3	20	8	10	6	4	6	2	1	3	2	5	1
Diarrhea, enteritis, etc.*—119	1,545	2	2	5	21	44	52	61	187	188	188	162	157	149	115	97	81	78	71	72
Hernia—122a	20	-	-	-	-	-	1	1	2	4	3	2	2	1	1	2	2	-	1	-
Intestinal obstruction—122b	86	-	1	-	2	5	4	5	17	5	11	6	5	9	11	11	3	3	2	3
Peritonitis (cause not stated)—129	22	-	-	-	1	3	4	2	10	5	2	3	-	-	2	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	48	-	1	-	4	5	-	5	15	5	7	4	3	4	4	3	-	1	-	2
Diseases, genito-urinary sys.130,131,133-139	63	1	-	1	2	3	2	2	11	12	7	8	2	-	2	8	2	2	4	5
Diseases of skin and cellular tissue-151-153	65	1	1	-	7	14	9	6	38	10	6	3	-	2	-	1	1	3	1	-
Congenital malformations—157	599	113	37	47	76	60	28	24	385	42	39	36	20	14	13	12	14	12	7	5
Congenital debility—158	999	259	76	71	116	96	59	44	721	85	50	33	27	23	19	10	14	6	7	4
Premature birth—159	4,857	2,571	604	336	440	353	214	116	4,634	144	44	12	7	4	3	4	2	-	-	3
Injury at birth—160	1,031	510	143	100	159	64	14	12	1,002	7	3	3	1	1	2	5	1	3	2	1
Other diseases peculiar to first year—161	909	260	125	99	184	90	40	26	824	35	17	15	7	4	3	2	1	1	-	-
Accidental mechanical suffocation—182	274	11	4	4	15	19	6	9	68	65	55	33	22	9	11	3	3	2	2	1
Other violence or accident—166-181,183-195	319	18	9	9	13	15	6	6	76	34	35	25	20	23	21	20	21	15	16	13
Ill-defined and unknown causes—199,200	2,927	570	246	164	306	215	145	124	1,770	302	211	165	122	86	73	52	50	37	34	25
All other causes*	70	-	1	1	4	-	1	4	11	10	12	7	6	3	2	5	5	5	-	4
UNITED STATES (Negro male)——All causes	11,447	2,565	743	557	938	713	433	374	6,323	994	769	641	553	456	372	362	323	241	208	205
Cerebrospinal (meningococcus) meningitis—6	15	-	-	-	-	-	-	-	-	-	2	4	1	2	-	2	1	1	2	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	242	-	-	1	3	-	2	10	16	38	23	24	20	20	26	15	22	12	10	16
Diphtheria (infection by C. diphtheriae)—10	19	-	-	-	-	-	-	-	-	-	1	1	3	-	1	3	2	2	3	3
Erysipelas—11	3	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
Tetanus—12	42	-	-	1	13	23	2	1	40	1	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	30	-	-	-	-	-	1	-	1	3	1	2	2	3	4	5	2	1	2	4
Tuberculosis of meninges, etc.*—14	22	-	-	-	-	-	-	-	-	2	2	3	1	1	2	1	4	1	1	4
Tuberculosis (other forms)—15-22	18	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	5	3	1	1
Septicemia and purulent infection—24	7	-	-	-	-	-	1	-	1	-	1	-	2	2	-	1	-	-	-	-
Dysentery—27	117	1	-	-	1	1	1	3	7	7	9	16	13	15	10	10	6	8	8	8
Malaria—28	31	-	-	-	1	-	-	-	1	4	5	3	4	-	4	2	2	2	2	2
Syphilis—30	434	91	28	15	30	30	21	16	231	57	27	34	24	12	18	10	7	6	2	6
Influenza—33	392	3	2	3	9	12	11	10	50	36	38	46	41	31	37	33	27	23	21	9
Measles—35	16	-	-	-	-	1	-	-	1	1	-	-	2	1	2	1	4	1	1	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	23	-	-	-	1	-	2	2	5	3	1	2	2	2	1	3	1	1	2	-
Diseases of thymus gland—64	53	1	2	3	5	3	2	3	19	14	9	4	2	-	2	1	1	-	1	-
Rickets—70	18	-	-	-	-	-	-	-	-	3	4	2	2	1	1	1	3	-	1	-
Hemorrhagic conditions—72	20	-	1	4	5	5	-	1	16	2	-	-	-	2	-	-	-	-	-	-
Anemias (except splenic anemia)—73	10	-	-	-	1	1	1	-	3	1	3	-	-	1	1	-	1	-	-	-
Encephalitis (nonepidemic)—80	6	1	-	-	1	-	-	-	2	-	-	-	-	2	1	-	-	-	1	-
Meningitis (not due to meningococcus)—81	62	-	-	-	-	2	-	-	2	5	7	10	5	5	6	8	7	4	2	1
Intracranial lesions of vascular origin—83	13	1	1	1	2	-	-	2	7	2	1	-	2	-	-	1	-	-	-	-
Convulsions—86	70	3	2	4	7	8	1	1	26	12	6	4	6	4	2	4	2	1	-	3
Diseases of ear and mastoid process—89	28	-	-	-	-	-	2	-	2	2	4	4	4	4	2	-	3	-	2	1
Other diseases, nervous system-82,84,85,87,88	12	-	1	-	1	-	-	1	3	-	2	4	-	1	1	-	1	-	-	-
Diseases of circulatory system—90-103	34	-	1	-	3	-	2	1	7	5	6	4	2	2	2	1	1	1	2	1
Pneumonia (all forms)—107-109	1,719	6	11	20	58	57	68	68	288	222	199	188	174	148	112	115	97	76	47	53
Other diseases of respiratory system—104-106,110-114	150	8	-	1	10	11	8	9	47	27	15	14	18	5	2	2	7	4	6	3
Diseases of buccal cavity, etc.*—115	18	-	-	-	-	-	2	-	2	1	3	3	-	1	1	3	3	1	-	-
Diseases of stomach—117,118	40	-	-	1	7	4	2	2	16	5	5	1	2	5	-	1	1	2	2	-
Diarrhea, enteritis, etc.*—119	857	1	-	3	12	27	30	37	110	112	108	85	81	77	57	52	51	41	43	40
Hernia—122a	19	-	-	-	-	-	1	1	2	4	3	1	2	1	1	2	2	-	1	-
Intestinal obstruction—122b	60	-	1	-	2	1	2	5	11	3	9	4	4	4	5	10	3	3	1	3
Peritonitis (cause not stated)—129	14	-	-	-	1	2	1	1	5	4	1	2	-	-	2	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	24	-	1	-	3	2	-	3	9	3	2	1	1	3	1	2	-	1	-	1
Diseases, genito-urinary sys.130,131,133-139	43	1	-	1	1	3	2	1	9	11	4	6	1	-	-	4	2	1	3	2
Diseases of skin and cellular tissue-151-153	41	-	1	-	6	8	5	4	24	3	5	2	-	2	-	1	1	2	1	-
Congenital malformations—157	351	66	25	31	42	37	19	15	235	23	24	20	13	9	6	5	4	6	4	2
Congenital debility—158	569	140	47	43	72	64	34	24	424	50	26	11	12	12	13	6	7	-	5	3
Premature birth—159	2,558	1,418	309	168	221	170	108	52	2,446	73	21	6	5	1	1	3	-	-	-	2
Injury at birth—160	636	319	84	70	102	37	6	6	624	4	1	-	1	1	-	3	-	2	-	-
Other diseases peculiar to first year—161	565	155	75	71	115	60	22	16	514	21	12	8	3	3	2	1	1	-	-	-
Accidental mechanical suffocation—182	154	8	3	2	8	9	4	4	38	37	33	17	14	3	4	2	2	2	1	1
Other violence or accident—166-181,183-195	181	8	6	6	6	9	4	5	44	17	19	13	11	13	11	12	12	10	8	11
Ill-defined and unknown causes—199,200	1,663	334	141	107	187	126	66	65	1,026	169	114	86	71	52	28	30	25	21	22	19
All other causes*	47	-	1	1	2	-	-	4	8	7	10	4	1	2	1	5	3	2	-	4

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro female)——All causes	8,895	1,947	588	371	651	552	389	305	4,803	738	606	572	417	394	354	245	236	212	158	160
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
Whooping cough—9	238	-	-	-	-	1	6	5	12	26	29	38	20	16	16	21	20	14	11	15
Diphtheria (infection by C. diphtheriae)—10	10	-	-	-	1	-	-	-	1	1	2	2	-	-	2	-	-	2	-	-
Erysipelas—11	3	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
Tetanus—12	19	-	-	-	3	12	2	-	17	-	-	1	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	36	-	-	-	-	-	-	1	1	1	-	2	3	3	7	3	2	4	2	8
Tuberculosis of meninges, etc.*—14	13	-	-	-	-	-	-	-	-	1	2	-	-	-	2	2	3	2	1	-
Tuberculosis (other forms)—15-22	20	-	-	-	-	-	-	-	-	-	2	2	1	5	2	1	2	3	1	1
Septicemia and purulent infection—24	5	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	1	-	-	-
Dysentery—27	77	-	-	1	-	1	-	2	4	9	7	6	15	9	8	3	4	6	1	5
Malaria—28	34	-	-	-	1	-	-	-	1	1	5	4	3	6	3	5	1	2	-	3
Syphilis—30	274	59	16	17	19	16	13	12	152	35	26	22	7	9	9	5	2	1	2	4
Influenza—33	317	1	2	1	5	11	9	4	33	34	35	41	23	32	29	23	20	20	11	16
Measles—35	11	-	-	-	-	-	1	-	1	1	-	1	3	-	1	-	-	-	3	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	25	-	-	-	2	2	1	5	10	2	3	1	1	-	2	1	4	-	-	1
Diseases of thymus gland—64	47	6	4	-	2	1	-	2	15	11	6	5	-	3	2	1	2	1	1	-
Rickets—70	12	1	-	-	-	1	-	-	2	1	1	-	-	-	2	3	1	1	-	1
Hemorrhagic conditions—72	8	-	1	1	1	2	-	2	7	-	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	11	-	-	-	-	1	-	-	1	5	-	2	-	2	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	4	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	48	-	-	-	1	-	1	1	3	5	5	6	7	3	8	2	1	1	5	2
Intracranial lesions of vascular origin—83	9	-	-	1	-	-	-	1	2	3	1	1	-	1	-	-	1	-	-	-
Convulsions—86	45	3	2	3	5	6	2	3	24	2	4	3	3	4	2	-	1	-	2	-
Diseases of ear and mastoid process—89	19	-	-	-	-	1	-	2	3	1	-	-	7	1	1	-	2	2	-	2
Other diseases, nervous system-82,84,85,87,88	13	-	-	-	1	-	-	2	3	2	1	-	2	3	-	-	-	-	1	1
Diseases of circulatory system—90-103	33	-	-	-	-	4	-	2	6	3	5	4	4	3	2	1	-	-	2	3
Pneumonia (all forms)—107-109	1,354	6	7	8	33	57	59	48	218	156	158	162	126	133	98	71	77	68	48	39
Other diseases of respiratory system—104-106,110-114	115	4	-	4	7	5	10	7	37	20	8	11	5	8	5	5	3	6	4	3
Diseases of buccal cavity, etc.*—115	8	-	-	1	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-	1
Diseases of stomach—117,118	28	-	-	-	-	-	3	1	4	3	5	5	2	1	2	-	2	-	3	1
Diarrhea, enteritis, etc.*—119	688	1	2	2	9	17	22	24	77	76	80	77	76	72	58	45	30	37	28	32
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	26	-	-	-	-	4	2	-	6	2	2	2	1	5	6	1	-	-	1	-
Peritonitis (cause not stated)—129	8	-	-	-	-	1	3	1	5	1	1	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	24	-	-	-	1	3	-	2	6	2	5	3	2	1	3	1	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	20	-	-	-	1	-	-	1	2	1	3	2	1	-	2	4	-	1	1	3
Diseases of skin and cellular tissue-151-153	24	1	-	-	1	6	4	2	14	7	1	1	-	-	-	-	-	1	-	-
Congenital malformations—157	248	47	12	16	34	23	9	9	150	19	15	16	7	5	7	7	10	6	3	3
Congenital debility—158	430	119	29	28	44	32	25	20	297	35	24	22	15	11	6	4	7	6	2	1
Premature birth—159	2,299	1,153	295	168	219	183	106	64	2,188	71	23	6	2	3	2	1	2	-	-	1
Injury at birth—160	395	191	59	30	57	27	8	6	378	3	2	3	-	-	2	2	1	1	2	1
Other diseases peculiar to first year—161	344	105	50	28	69	30	18	10	310	14	5	7	4	1	1	1	-	1	-	-
Accidental mechanical suffocation—182	120	3	1	2	7	10	2	5	30	28	22	16	8	6	7	1	1	-	1	-
Other violence or accident—166-181,183-195	138	10	3	3	7	6	2	1	32	17	16	12	9	10	10	8	9	5	8	2
Ill-defined and unknown causes—199,200	1,264	236	105	57	119	89	79	59	744	133	97	79	51	34	45	22	25	16	12	6
All other causes*	23	-	-	-	2	-	1	-	3	3	2	3	5	1	1	-	2	3	-	-
UNITED STATES (other races)——All causes	1,236	178	35	39	85	66	40	44	487	116	88	99	76	70	72	51	50	63	35	29
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	31	-	-	-	-	-	-	1	1	2	3	3	3	4	8	1	2	-	3	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	21	-	-	-	-	-	-	-	-	1	1	1	-	4	3	2	-	4	-	5
Tuberculosis of meninges, etc.*—14	16	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	2	4	1	2
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	26	-	-	-	-	-	-	-	-	3	1	3	4	6	4	2	-	2	1	-
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	30	3	2	1	4	3	1	3	17	4	1	-	2	1	1	2	2	-	-	-
Influenza—33	36	-	-	1	-	3	2	-	6	5	3	4	2	2	3	1	4	5	1	-
Measles—35	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	-	-	1	-	1	-	1	1	2	-	-	2	-	-	-	-
Diseases of thymus gland—64	8	-	-	-	2	-	1	-	3	1	-	1	2	-	-	-	1	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	-	2	4	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	9	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	2	1	-	-
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Convulsions—86	4	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	9	-	-	-	-	1	-	-	1	1	-	1	1	1	1	-	1	-	-	2
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	269	-	-	2	10	7	8	14	41	35	30	35	31	16	20	15	19	15	5	7
Other diseases of respiratory system—104-106,110-114	25	-	-	-	3	2	-	2	7	7	1	2	-	1	1	3	2	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	159	-	-	1	-	6	4	1	12	17	12	24	16	17	13	6	10	14	12	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	2	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	-	1	-	1	-	3	-	-	-	-	1	-	-	-	-
Congenital malformations—157	44	10	-	4	4	4	2	1	25	5	2	4	2	1	1	2	-	-	1	1
Congenital debility—158	39	- 3	1	2	1	5	3	4	19	7	3	3	1	1	-	-	-	1	3	1
Premature birth—159	190	108	22	13	15	12	7	6	183	4	1	1	-	-	-	1	-	-	-	-
Injury at birth—160	45	18	4	7	7	2	3	2	43	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	67	22	5	2	23	4	3	2	61	-	2	2	1	-	-	-	-	1	-	-
Accidental mechanical suffocation—182	10	-	-	-	1	-	1	-	2	1	2	1	-	2	-	1	-	1	-	-
Other violence or accident—166-181,183-195	18	-	-	2	-	1	1	-	4	1	4	2	1	2	2	1	-	-	-	1
Ill-defined and unknown causes—199,200	113	14	1	2	13	6	2	6	44	11	12	6	2	7	8	6	5	6	5	1
All other causes*	8	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	3	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (other races male)—All causes	689	113	16	20	63	42	19	27	300	64	49	45	45	32	34	31	29	32	19	9
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	18	-	-	-	-	-	-	1	1	1	2	3	3	1	4	-	1	-	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	10	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-	3	-	-
Tuberculosis of meninges, etc.*—14	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	1
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	15	-	-	-	-	-	-	-	-	3	-	3	2	3	1	2	-	1	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	18	2	1	1	2	3	-	2	11	1	1	-	2	1	-	1	1	-	-	-
Influenza—33	24	-	-	-	-	1	2	-	3	5	2	3	2	1	2	-	3	2	1	-
Measles—35	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
Diseases of thymus gland—64	5	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	-	2	4	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	139	-	-	1	8	5	3	7	24	20	15	15	15	9	10	10	10	5	2	4
Other diseases of respiratory system—104-106,110-114	14	-	-	-	1	1	-	1	3	4	1	1	-	1	-	2	1	-	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	71	-	-	-	-	4	2	1	7	10	7	8	6	6	7	1	6	7	6	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	-	1	-	1	-	3	-	-	-	-	1	-	-	-	-
Congenital malformations—157	24	6	-	2	4	1	-	1	14	2	1	1	2	1	-	1	-	-	1	1
Congenital debility—158	19	1	-	1	-	4	1	4	11	2	1	2	1	1	-	-	-	-	1	-
Premature birth—159	123	74	11	9	12	6	4	4	120	2	-	1	-	-	-	-	-	-	-	-
Injury at birth—160	21	10	1	3	4	-	2	1	21	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	45	15	2	1	18	3	2	1	42	-	1	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-
Other violence or accident—166-181,183-195	8	-	-	-	-	1	1	-	2	1	1	1	-	2	1	-	-	-	-	-
Ill-defined and unknown causes—199,200	63	5	1	1	9	3	1	3	23	5	6	3	2	3	5	6	3	3	3	1
All other causes*	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	-	-
UNITED STATES (other races female)—All causes	547	65	19	19	22	24	21	17	187	52	39	54	31	38	38	20	21	31	16	20
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	13	-	-	-	-	-	-	-	-	1	1	-	-	3	4	1	1	-	2	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	11	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	1	-	5
Tuberculosis of meninges, etc.*—14	7	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	1	-	1
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	11	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	-	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	12	1	1	-	2	-	1	1	6	3	-	-	-	-	1	1	1	-	-	-
Influenza—33	12	-	-	1	-	2	-	-	3	-	1	1	-	1	1	1	1	3	-	-
Measles—35	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	2
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	130	-	-	1	2	2	5	7	17	15	15	20	16	7	10	5	9	10	3	3
Other diseases of respiratory system—104-106,110-114	11	-	-	-	2	1	-	1	4	3	-	1	-	-	1	1	1	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	68	-	-	1	-	2	2	-	5	7	5	16	10	11	6	5	4	7	6	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	20	4	-	2	-	3	2	-	11	3	1	3	-	-	1	1	-	-	-	-
Congenital debility—158	20	2	1	1	1	1	2	-	8	5	2	1	-	-	-	-	-	1	2	1
Premature birth—159	67	34	11	4	3	6	3	2	63	2	1	-	-	-	-	1	-	-	-	-
Injury at birth—160	24	8	3	4	3	2	1	1	22	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	22	7	3	1	5	1	1	1	19	-	1	1	-	-	-	-	-	1	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	10	-	-	2	-	-	-	-	2	-	3	1	1	-	1	1	-	-	-	1
Ill-defined and unknown causes—199,200	50	9	-	1	4	3	1	3	21	6	6	3	-	4	3	-	2	3	2	-
All other causes*	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (white)—All causes	2,019	640	133	99	162	101	73	60	1,268	182	119	80	91	54	35	46	34	37	37	36
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Whooping cough—9	38	-	-	-	-	1	-	4	5	7	9	2	4	3	2	2	-	2	-	2
Diphtheria (infection by C. diphtheriae)—10	8	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	2
Erysipelas—11	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc. *13	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Tuberculosis of meninges, etc. *—14	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	17	-	-	-	2	-	-	-	2	1	-	1	5	1	-	-	-	4	2	1
Malaria—28	5	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	-	1	-
Syphilis—30	11	3	-	-	-	1	1	-	5	4	-	-	1	1	-	-	-	-	-	-
Influenza—33	78	-	-	-	2	-	3	7	12	14	12	6	9	4	4	3	3	5	2	4
Measles—35	5	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Diseases of thymus gland—64	17	9	-	-	-	-	-	-	9	1	3	-	2	1	-	1	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	5	-	-	-	1	2	1	-	4	-	-	-	-	-	-	1	-	-	-	-
Anemias (except splenic anemia)—73	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	10	-	-	-	1	2	1	-	4	2	-	-	-	1	-	-	2	1	-	-
Intracranial lesions of vascular origin—83	3	1	2	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	8	-	2	1	1	-	2	-	6	-	-	1	-	-	-	-	-	-	-	1
Diseases of ear and mastoid process—89	10	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	1	1	1	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	1	-	-	1	1	-	1	4	1	-	1	1	-	1	-	-	-	-	1
Pneumonia (all forms)—107-109	213	1	-	1	10	8	12	14	46	39	29	14	25	13	5	11	8	7	10	6
Other diseases of respiratory system—104-106,110-114	15	-	-	-	1	1	-	1	3	2	2	2	1	2	1	-	-	-	2	-
Diseases of buccal cavity, etc. *—115	6	-	-	-	-	1	-	-	1	1	-	-	-	-	1	2	-	-	1	-
Diseases of stomach—117,118	6	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc. *—119	144	-	-	-	-	2	1	4	7	28	11	15	17	14	7	14	9	8	9	5
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	-	-	-	1	1	1	3	2	1	-	1	1	-	1	1	1	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	11	1	1	-	-	-	1	-	3	2	2	1	1	-	1	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	9	1	-	-	1	2	-	1	5	3	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	144	44	8	14	12	10	8	7	103	18	9	3	2	1	-	2	3	-	-	3
Congenital debility—158	46	15	3	1	4	3	4	1	31	2	1	6	2	2	-	-	-	1	-	1
Premature birth—159	614	381	75	35	51	31	18	7	598	10	4	2	-	-	-	-	-	-	-	-
Injury at birth—160	177	92	21	25	27	6	-	-	171	1	1	1	1	1	-	-	-	-	-	1
Other diseases peculiar to first year—161	87	31	11	7	17	5	8	1	80	3	1	-	2	-	-	-	1	-	-	-
Accidental mechanical suffocation—182	31	-	-	-	2	2	3	1	8	3	9	5	4	-	1	-	-	-	1	-
Other violence or accident—166-181,183-195	34	2	1	-	3	1	-	-	7	7	2	1	3	2	2	3	1	2	2	2
Ill-defined and unknown causes—199,200	211	58	10	14	25	19	7	8	141	22	17	10	5	5	4	2	-	-	2	3
All other causes *	10	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	1	-	2
ALABAMA (all other races)—All causes	1,845	456	113	86	154	105	63	66	1,043	158	112	99	85	72	67	53	48	44	24	40
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	46	-	-	-	-	-	2	3	5	8	4	3	4	4	4	2	2	4	4	2
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	10	-	-	-	3	6	-	-	9	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system, etc. *13	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-
Tuberculosis of meninges, etc. *—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-
Malaria—28	8	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	1	2
Syphilis—30	76	13	2	8	4	1	4	4	36	11	7	5	2	4	5	1	1	1	-	3
Influenza—33	61	-	1	-	-	2	2	1	6	7	5	5	7	4	9	5	2	3	4	4
Measles—35	6	-	-	-	-	-	1	-	1	-	-	-	2	-	1	1	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	-	-	-	-
Diseases of thymus gland—64	5	-	-	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	3	-	-	-	-	2	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	-	-	-	-	-	1	-	1	-	3	1	1	1	1	2	2	-	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	7	-	-	-	-	1	-	1	2	1	-	-	1	1	1	1	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
Pneumonia (all forms)—107-109	195	-	-	1	5	4	13	11	34	19	18	29	18	18	9	9	11	19	3	8
Other diseases of respiratory system—104-106,110-114	27	1	-	1	-	2	1	4	9	4	3	4	1	1	-	1	2	-	2	-
Diseases of buccal cavity, etc. *—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	5	-	-	-	1	1	-	-	2	2	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc. *—119	116	-	-	-	1	3	2	5	11	15	20	11	14	11	10	6	5	2	2	9
Hernia—122a	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	-	-	-	1	1	-	-	2	2	1	1	1	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	1	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Congenital malformations—157	30	5	1	2	4	1	-	-	13	3	3	3	2	-	2	-	1	3	-	-
Congenital debility—158	63	18	3	3	6	5	4	7	46	8	1	1	3	-	-	1	3	-	-	-
Premature birth—159	422	252	39	30	31	29	7	6	394	16	8	2	-	-	-	2	-	-	-	-
Injury at birth—160	85	47	6	6	15	5	1	2	82	2	-	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	53	13	8	7	11	7	2	2	50	1	2	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	24	1	1	-	5	1	-	1	9	6	3	4	2	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	20	1	-	1	1	-	1	-	4	-	-	3	-	2	1	3	2	1	2	2
Ill-defined and unknown causes—199,200	507	105	52	27	65	33	22	16	320	44	28	21	23	13	17	11	12	8	4	6
All other causes *	4	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARIZONA—All causes	991	191	39	29	58	39	33	30	419	87	73	82	56	55	41	53	48	28	26	23
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	27	-	-	-	-	-	-	-	-	3	5	3	3	1	-	3	3	1	2	3
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Erysipelas—11	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	4	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1
Tuberculosis of meninges, etc. *—14	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Dysentery—27	20	-	-	-	-	-	-	1	1	2	3	3	1	3	1	3	2	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	23	4	1	1	-	1	1	1	9	4	3	2	2	-	1	1	-	-	-	1
Influenza—33	44	-	-	-	-	1	2	2	5	4	5	5	2	2	5	5	2	1	4	4
Measles—35	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	206	-	-	2	10	4	7	6	29	37	21	23	17	18	8	14	18	9	6	6
Other diseases of respiratory system—104-106,110-114	17	-	-	-	3	1	-	1	5	5	-	2	-	-	1	2	2	-	-	-
Diseases of buccal cavity, etc. *—115	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc. *—119	173	-	1	-	1	4	5	5	16	12	18	25	18	23	16	8	16	11	7	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	1	-	-	-	1	-	1	1	-	1	1	1	-	1	1	-
Peritonitis (cause not stated)—129	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	46	11	3	4	8	1	3	3	33	5	2	1	-	1	2	1	-	-	1	-
Congenital debility—158	27	2	2	2	2	3	3	3	17	1	2	3	1	-	-	1	1	-	1	-
Premature birth—159	181	110	17	12	10	11	7	3	170	5	1	2	1	-	1	1	-	-	-	-
Injury at birth—160	70	45	9	2	6	5	1	1	69	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	40	15	4	1	11	4	-	1	36	-	3	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	1	-	-	1	-	2	-	1	-	2	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	25	-	2	2	-	1	1	1	7	3	2	3	2	1	-	2	1	1	1	2
Ill-defined and unknown causes—199,200	29	4	-	1	4	-	-	1	10	3	5	3	-	1	1	4	1	-	-	1
All other causes *	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
ARKANSAS (white)—All causes	1,251	316	92	53	85	75	43	33	697	91	90	62	62	43	46	44	23	38	26	29
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	23	-	-	-	-	-	1	-	1	5	3	3	3	-	1	2	1	4	-	-
Diphtheria (infection by C. diphtheriae)—10	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc. *—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	6	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-	2	-
Dysentery—27	34	-	-	-	-	-	-	-	-	2	2	-	5	5	4	5	1	4	5	1
Malaria—28	10	-	1	-	-	-	-	1	2	1	1	2	1	-	2	-	-	-	1	-
Syphilis—30	7	-	-	1	-	-	-	1	2	1	-	-	1	-	-	2	-	-	-	1
Influenza—33	57	-	-	-	2	5	3	1	11	3	11	7	9	3	5	3	1	1	1	2
Measles—35	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of thymus gland—64	7	3	-	-	-	-	1	-	4	1	-	-	-	1	-	-	-	1	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	1	-
Intracranial lesions of vascular origin—83	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	6	-	-	-	1	-	1	-	2	-	3	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	185	2	1	3	7	10	12	7	42	28	17	14	21	13	11	12	6	7	8	6
Other diseases of respiratory system—104-106,110-114	10	-	1	1	1	1	-	1	5	1	3	-	1	-	-	-	-	-	-	-
Diseases of buccal cavity, etc. *—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	5	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-
Diarrhea, enteritis, etc. *—119	131	2	-	1	4	3	3	3	16	9	23	15	9	6	10	11	5	13	6	8
Hernia—122a	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	2	2	-	1
Peritonitis (cause not stated)—129	4	-	-	-	-	1	1	1	3	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	2	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	96	23	7	5	15	10	7	6	73	8	2	4	4	2	1	-	-	1	1	-
Congenital debility—158	37	12	6	3	2	-	2	-	25	5	3	1	-	-	2	-	1	-	-	-
Premature birth—159	299	195	35	18	15	21	4	4	292	4	2	1	-	-	-	-	-	-	-	-
Injury at birth—160	91	44	22	8	11	4	-	-	89	-	-	-	-	-	1	-	1	-	-	-
Other diseases peculiar to first year—161	38	9	5	5	7	4	-	-	30	3	3	-	1	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	11	1	-	1	-	1	-	-	3	4	1	2	-	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	14	-	1	-	1	-	-	-	2	-	-	-	1	3	1	3	-	1	-	3
Ill-defined and unknown causes—199,200	118	25	11	7	13	11	5	8	80	9	7	6	1	3	3	1	3	3	-	2
All other causes *	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2

* Refer to complete International List titles, table XI.

498675 O - 43 - 32

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (all other races)——All causes	501	71	30	10	30	31	20	12	204	53	42	43	29	23	28	14	19	15	19	12
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	-	-	-	-	-	-	1	1	4	-	2	-	1	1	1	1	-	2	1
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	16	-	-	-	-	-	1	-	1	2	-	3	-	3	2	-	1	2	1	1
Malaria—28	7	-	-	-	1	-	-	-	1	-	1	1	1	-	1	1	-	1	-	-
Syphilis—30	21	4	-	-	1	2	1	1	9	1	1	1	1	2	3	-	1	1	-	1
Influenza—33	20	-	1	-	-	-	1	-	2	3	2	4	2	-	3	2	1	-	1	-
Measles—35	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	70	-	-	-	1	2	2	3	8	5	8	11	12	4	7	1	6	1	6	1
Other diseases of respiratory system——104-106,110-114	7	-	-	-	1	-	1	-	2	-	1	-	1	1	-	-	-	1	-	1
Diseases of buccal cavity, etc.* ——115	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of stomach——117,118	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ——119	55	-	-	-	2	-	-	-	2	6	5	10	4	5	4	3	5	5	5	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	1	2	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Congenital malformations——157	15	3	2	-	1	3	-	1	10	1	-	2	-	1	-	-	-	-	-	1
Congenital debility—158	19	2	1	-	2	3	2	-	10	3	3	-	-	2	-	-	1	-	-	-
Premature birth—159	61	27	8	2	8	6	3	3	57	3	-	-	-	-	-	-	-	-	-	1
Injury at birth—160	15	8	4	1	1	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	9	1	-	4	2	-	2	-	9	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	8	1	-	-	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-
Other violence or accident——166-181,183-195	6	2	-	-	-	-	-	1	3	1	-	1	-	-	1	-	-	-	-	-
Ill-defined and unknown causes——199,200	124	23	14	3	7	11	7	1	66	17	11	6	6	4	4	2	2	2	1	3
All other causes*	3	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA (white)——All causes	4,148	1,477	332	190	294	184	126	101	2,704	253	232	201	161	118	103	69	92	59	67	69
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough—9	70	-	-	-	-	-	-	4	4	16	10	5	8	7	2	3	4	3	2	6
Diphtheria (infection by C. diphtheriae)—10	8	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	-	-	1	-
Erysipelas—11	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	9	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	3	1	-
Tuberculosis of meninges, etc.* —14	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	1
Tuberculosis (other forms)—15-22	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Dysentery—27	41	-	-	-	-	-	-	-	-	2	3	5	6	10	3	3	-	4	4	1
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis—30	31	4	-	1	4	1	2	2	14	6	6	1	2	2	-	-	-	-	-	-
Influenza—33	48	-	-	-	1	1	2	2	6	3	9	3	5	5	2	4	2	6	1	2
Measles—35	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	13	-	-	-	1	1	-	-	2	3	2	-	-	-	1	2	-	1	-	2
Diseases of thymus gland—64	76	8	4	2	3	3	-	2	22	7	13	11	7	4	2	6	2	2	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Hemorrhagic conditions—72	5	2	-	-	-	1	-	-	3	1	-	-	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)——81	15	-	-	-	-	1	2	1	4	-	-	4	-	-	1	1	2	-	1	2
Intracranial lesions of vascular origin—83	20	3	-	-	6	-	-	1	10	3	4	-	-	-	-	-	3	-	-	-
Convulsions—86	3	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Diseases of ear and mastoid process——89	24	-	-	-	-	-	-	2	2	4	3	3	2	2	3	-	1	1	2	1
Other diseases, nervous system-82,84,85,87,88	9	-	1	-	-	1	-	1	3	-	-	-	1	1	1	-	1	-	2	-
Diseases of circulatory system——90-103	13	1	-	-	-	2	1	1	5	2	2	-	-	-	2	-	1	-	1	-
Pneumonia (all forms)——107-109	495	1	5	6	12	15	16	22	77	63	64	64	52	29	30	30	26	15	17	23
Other diseases of respiratory system——104-106,110-114	37	3	1	2	1	-	2	1	10	4	4	4	6	2	-	1	1	1	-	4
Diseases of buccal cavity, etc.* ——115	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1
Diseases of stomach——117,118	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diarrhea, enteritis, etc.* ——119	342	-	-	-	1	14	24	16	55	47	43	50	33	23	25	18	19	9	14	6
Hernia—122a	4	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	29	-	-	-	3	3	2	2	10	2	2	3	2	3	4	-	1	-	2	-
Peritonitis (cause not stated)—129	6	-	-	-	-	-	3	-	3	1	-	-	-	-	-	2	-	-	-	-
Other diseases, digestive sys.116,121,123-128	9	-	-	-	1	2	1	-	4	-	2	2	-	-	-	-	-	1	-	-
Diseases, genito-urinary sys.130,131,133-139	17	-	1	-	1	1	2	-	5	4	1	1	2	1	-	1	-	-	1	1
Diseases of skin and cellular tissue-151-153	6	-	-	-	-	-	2	-	2	-	-	-	-	1	1	1	1	-	-	-
Congenital malformations—157	487	111	33	41	79	38	28	15	345	34	33	20	10	12	10	3	10	3	2	5
Congenital debility—158	47	10	2	3	1	5	1	3	25	6	3	2	3	1	4	-	1	1	-	1
Premature birth—159	1,362	918	164	69	88	61	24	13	1,337	18	5	2	-	-	-	-	-	-	-	-
Injury at birth—160	452	283	67	34	39	13	4	2	442	6	-	-	1	1	-	1	1	-	-	-
Other diseases peculiar to first year——161	308	128	49	29	48	18	4	3	279	8	5	2	3	2	2	2	2	1	2	-
Accidental mechanical suffocation——182	43	1	-	-	2	-	1	3	7	7	4	11	8	2	1	1	1	-	1	-
Other violence or accident——166-181,183-195	51	1	3	3	-	3	1	3	14	2	5	3	3	5	2	2	3	4	4	4
Ill-defined and unknown causes——199,200	4	1	1	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
All other causes*	23	2	1	-	-	-	-	1	4	2	4	3	2	1	1	1	2	2	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CALIFORNIA (all other races)------All causes	263	60	15	15	18	13	12	6	139	17	20	18	14	14	12	9	10	3	5	2
Cerebrospinal (meningococcus) meningitis---6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	5	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)---10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Tuberculosis of meninges, etc.*----------14	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)----------15-22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Septicemia and purulent infection----------24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Influenza----------33	5	-	-	-	-	2	-	-	2	-	-	1	-	1	-	-	-	1	-	-
Measles----------35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-
Diseases of thymus gland----------64	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets----------70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin---83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process-------89	3	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms)----------107-109	55	-	1	-	4	1	2	-	8	1	10	8	7	4	6	3	5	-	3	-
Other diseases of respiratory system----------104-106,110-114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*---------115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach----------117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	26	-	-	-	-	1	5	-	6	3	3	4	1	4	-	3	1	-	1	-
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)----------129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations----------157	18	1	-	3	2	2	-	1	9	3	-	3	3	-	-	-	-	-	-	-
Congenital debility----------158	3	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Premature birth----------159	79	45	13	8	6	4	1	2	79	-	-	-	-	-	-	-	-	-	-	-
Injury at birth----------160	9	6	-	-	-	2	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	21	8	1	1	6	-	2	-	18	-	2	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation--------182	5	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-
Other violence or accident---166-181,183-195	7	-	-	1	-	-	-	-	1	3	1	-	-	1	1	-	-	-	-	-
Ill-defined and unknown causes-------199,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
COLORADO----------All causes	1,266	354	82	51	71	58	37	49	702	91	95	82	63	55	53	30	30	29	22	14
Corobrospinal (meningococcus) meningitis---6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever----------8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough----------9	27	-	-	-	-	-	-	2	2	5	5	4	-	1	2	1	3	-	3	1
Diphtheria (infection by C. diphtheriae)---10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas----------11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Tuberculosis of meninges, etc.*----------14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (other forms)----------15-22	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection----------24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery----------27	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	13	4	1	-	1	1	-	1	8	-	3	1	-	-	-	-	-	1	-	-
Influenza----------33	35	-	-	-	1	1	-	1	3	6	6	7	1	4	-	2	3	-	2	1
Measles----------35	4	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of thymus gland----------64	7	1	-	-	-	-	1	1	3	1	-	1	-	1	-	-	1	-	-	-
Rickets----------70	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	3	1	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	2	-
Intracranial lesions of vascular origin---83	4	1	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	3	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process-------89	14	-	-	-	-	-	-	1	1	2	3	1	3	2	2	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	5	1	-	1	-	1	-	-	3	-	-	-	-	-	1	-	-	1	-	-
Diseases of circulatory system--------90-103	7	-	-	-	-	-	-	1	1	1	-	-	-	-	2	1	1	-	-	1
Pneumonia (all forms)----------107-109	210	2	-	3	5	5	11	11	37	27	28	24	24	20	16	6	10	7	7	4
Other diseases of respiratory system----------104-106,110-114	13	-	-	-	-	1	1	1	3	1	2	1	1	1	-	1	1	1	1	-
Diseases of buccal cavity, etc.*---------115	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
Diseases of stomach----------117,118	6	-	-	-	1	1	-	-	2	-	1	1	-	-	1	-	1	-	-	-
Diarrhea, enteritis, etc.*----------119	151	-	-	-	-	2	3	3	8	17	23	25	20	14	16	8	6	8	2	4
Hernia----------122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2
Peritonitis (cause not stated)----------129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	102	20	7	8	8	14	6	7	70	8	5	-	4	4	3	2	1	2	3	-
Congenital debility----------158	35	2	1	-	3	5	-	4	15	6	7	3	2	1	1	-	-	-	-	-
Premature birth----------159	387	241	55	22	25	17	11	6	377	7	1	1	-	-	-	1	-	-	-	-
Injury at birth----------160	100	56	13	10	13	3	2	1	98	1	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	53	23	3	5	11	5	1	3	51	2	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation--------182	20	-	1	1	-	1	-	3	6	2	2	4	2	1	-	1	-	1	1	-
Other violence or accident---166-181,183-195	13	2	-	-	1	-	-	-	3	-	1	2	-	2	1	-	-	2	1	1
Ill-defined and unknown causes-------199,200	7	-	-	-	2	-	-	-	2	-	2	2	-	1	-	-	-	-	-	-
All other causes*----------	5	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	1	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CONNECTICUT—All causes	858	333	70	61	70	45	24	26	629	50	27	34	30	18	22	15	16	4	5	8
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	7	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	1	-	1
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	1	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	1	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Convulsions—86	4	-	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other diseasee, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-
Pneumonia (all forms)—107-109	71	-	-	1	3	3	2	7	16	9	7	7	7	7	4	5	6	-	1	2
Other diseases of respiratory system—104-106,110-114	12	-	-	1	-	-	1	-	2	2	1	3	1	1	-	1	-	-	1	-
Diseases of buccal cavity, etc.* —115	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1
Diseases of stomach—117,118	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	39	-	-	-	-	3	-	5	8	12	3	4	1	1	4	2	3	1	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	1	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	143	34	10	10	11	20	7	8	100	14	2	8	7	3	6	2	1	-	-	-
Congenital debility—158	3	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Premature birth—159	286	184	32	22	28	7	9	1	283	1	2	-	-	-	-	-	-	-	-	-
Injury at birth—160	135	77	21	14	14	4	2	-	132	-	-	1	1	-	-	-	-	-	1	-
Other diseases peculiar to first year—161	64	30	6	13	7	3	1	1	61	2	-	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	7	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	12	2	-	-	-	-	-	-	2	-	1	3	1	1	2	-	1	-	-	1
Ill-defined and unknown causes—199,200	13	4	1	-	1	-	-	-	6	3	2	1	-	-	-	-	-	-	-	1
All other causes*	5	-	-	-	1	1	-	-	2	-	1	-	1	-	-	1	-	-	-	-
DELAWARE—All causes	225	59	16	19	16	7	3	3	123	17	13	16	9	14	7	1	8	4	10	3
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	2	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Influenza—33	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	36	-	-	-	2	-	-	-	2	5	5	7	2	6	1	-	4	-	3	1
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	-
Diseases of buccal cavity, etc.* —115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	12	-	-	-	-	-	1	-	1	1	1	1	-	3	2	-	1	-	2	-
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	23	3	1	2	3	2	-	2	13	3	-	1	2	1	1	-	-	1	1	-
Congenital debility—158	6	-	-	1	-	-	-	1	2	2	-	1	-	-	-	-	-	-	1	-
Premature birth—159	68	44	7	8	4	1	1	-	65	2	-	1	-	-	-	-	-	-	-	-
Injury at birth—160	21	7	4	1	5	1	-	-	18	-	1	-	-	-	1	-	-	1	-	-
Other diseases peculiar to first year—161	16	3	4	6	2	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-
Other violence or accident—166-181,183-195	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	5	1	-	1	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-
All other causes*	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DIST. OF COLUMBIA (white)---All causes	394	138	34	19	26	32	23	23	295	24	21	15	5	5	6	5	8	4	4	2
Cerebrospinal (meningococcus) meningitis---6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever---8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	1
Diphtheria (infection by C. diphtheriae)---10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas---11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus---12	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* ---14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)---15-22	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection---24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery---27	7	-	-	-	-	-	4	1	5	1	1	-	-	-	-	-	-	-	-	-
Malaria---28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis---30	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Influenza---33	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
Measles---35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases---1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland---64	2	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Rickets---70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions---72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)---73	3	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)---80	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)---81	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-
Intracranial lesions of vascular origin---83	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Convulsions---86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process---89	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system---90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)---107-109	40	-	-	-	3	4	3	3	13	4	4	5	1	3	4	1	1	1	3	-
Other diseases of respiratory system---104-106,110-114	3	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Diseases of buccal cavity, etc.* ---115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach---117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.* ---119	32	-	-	-	-	3	8	10	21	8	2	1	-	-	-	-	-	-	-	-
Hernia---122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction---122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Peritonitis (cause not stated)---129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations---157	36	7	4	2	2	7	1	2	25	-	2	4	1	-	1	1	-	2	-	-
Congenital debility---158	3	2	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Premature birth---159	152	88	17	10	11	11	5	4	146	5	1	-	-	-	-	-	-	-	-	-
Injury at birth---160	61	33	9	5	10	3	1	-	61	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year---161	11	4	3	2	-	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation---182	6	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-
Other violence or accident---166-181,183-195	6	2	-	-	-	-	-	1	3	1	-	-	-	1	-	-	-	-	-	1
Ill-defined and unknown causes---199,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DIST. OF COLUMBIA (all other races) All causes	325	91	22	16	28	24	12	17	210	23	28	21	7	15	9	3	3	1	2	3
Cerebrospinal (meningococcus) meningitis---6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever---8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	5	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	1
Diphtheria (infection by C. diphtheriae)---10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas---11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus---12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis of meninges, etc.* ---14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)---15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection---24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery---27	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Malaria---28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis---30	7	2	-	-	-	2	-	-	4	1	-	-	-	1	-	-	1	-	-	-
Influenza---33	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	-
Measles---35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases---1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland---64	2	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Rickets---70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions---72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)---73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)---80	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)---81	3	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Intracranial lesions of vascular origin---83	4	-	-	-	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-
Convulsions---86	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process---89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system---90-103	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)---107-109	35	1	-	-	2	2	2	3	10	-	4	4	2	7	5	2	1	-	-	-
Other diseases of respiratory system---104-106,110-114	5	1	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	1
Diseases of buccal cavity, etc.* ---115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach---117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ---119	32	-	-	-	-	-	2	7	9	4	12	3	2	1	1	-	-	-	-	-
Hernia---122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction---122b	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
Peritonitis (cause not stated)---129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations---157	21	3	-	4	1	3	-	1	12	2	4	1	-	-	1	-	1	-	-	-
Congenital debility---158	7	1	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-
Premature birth---159	129	61	16	8	16	15	6	2	124	3	1	1	-	-	-	-	-	-	-	-
Injury at birth---160	22	15	1	1	4	-	1	-	22	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year---161	17	5	5	1	2	-	1	-	14	-	1	2	-	-	-	-	-	-	-	-
Accidental mechanical suffocation---182	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-
Other violence or accident---166-181,183-195	4	1	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Ill-defined and unknown causes---199,200	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
FLORIDA (white)——All causes	1,047	369	84	41	74	50	20	19	657	74	63	48	38	31	26	32	26	20	17	15
Cerebrospinal (meningococcus) meningitis——6	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	19	-	-	-	-	-	1	1	2	6	4	1	1	-	1	2	-	-	1	1
Diphtheria (infection by C. diphtheriae)——10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Erysipelas——11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Tuberculosis of meninges, etc.* ——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dysentery——27	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Malaria——28	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Syphilis——30	13	-	1	-	-	1	-	-	2	4	1	1	2	1	-	2	-	-	-	-
Influenza——33	39	-	-	-	2	-	-	2	4	5	5	4	6	2	4	2	3	2	1	1
Measles——35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of thymus gland——64	14	2	2	1	1	1	2	-	9	1	1	-	-	2	-	-	1	-	-	-
Rickets——70	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions——72	3	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)——73	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Intracranial lesions of vascular origin——83	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Convulsions——86	4	-	1	1	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	3	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	112	-	-	3	1	3	3	3	13	17	16	10	6	12	5	8	11	7	5	2
Other diseases of respiratory system——104-106,110-114	5	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	1	-	-
Diseases of buccal cavity, etc.* ——115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	5	-	-	1	-	-	1	-	2	1	-	-	1	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.* ——119	69	-	-	-	1	1	2	2	6	9	12	6	4	6	5	9	4	3	3	2
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	8	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	1	-	-	1
Peritonitis (cause not stated)——129	2	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	3	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Congenital malformations——157	115	36	9	8	10	6	2	2	73	10	10	6	6	-	-	3	1	1	3	2
Congenital debility——158	26	7	3	-	2	3	-	-	15	6	1	1	1	1	-	-	-	1	-	-
Premature birth——159	355	233	45	13	22	23	5	4	345	3	3	3	-	-	1	-	-	-	-	-
Injury at birth——160	95	54	15	8	10	4	1	1	93	2	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	55	23	5	2	14	5	2	1	52	2	-	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	11	-	-	1	2	-	-	2	5	1	1	3	-	-	1	-	-	-	-	-
Other violence or accident——166-181,183-195	16	1	-	-	1	2	1	-	5	-	-	-	2	1	3	2	-	-	1	2
Ill-defined and unknown causes——199,200	36	12	2	2	2	-	-	-	18	4	4	5	4	1	-	-	-	-	-	-
All other causes*	6	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	1
FLORIDA (all other races)——All causes	767	167	58	41	84	57	39	34	480	54	43	29	23	24	19	21	23	13	21	17
Cerebrospinal (meningococcus) meningitis——6	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	10	-	-	-	-	-	1	1	2	1	1	1	1	1	2	-	-	-	-	1
Diphtheria (infection by C. diphtheriae)——10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	9	-	-	-	4	5	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* ——14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2
Tuberculosis (other forms)——15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dysentery——27	6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	1	-
Malaria——28	5	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	1	-
Syphilis——30	29	7	1	1	4	1	3	1	18	3	4	1	-	-	1	2	-	-	-	-
Influenza——33	27	-	-	-	-	2	1	1	4	1	6	2	-	2	1	2	7	-	2	-
Measles——35	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland——64	3	-	1	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Rickets——70	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Hemorrhagic conditions——72	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	7	-	-	-	1	1	-	-	2	1	-	1	-	-	-	3	-	-	-	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	4	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	1
Diseases of ear and mastoid process——89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms)——107-109	94	-	1	3	3	5	4	7	23	11	9	5	8	6	4	3	5	8	8	4
Other diseases of respiratory system——104-106,110-114	13	2	-	-	-	2	1	-	5	1	1	1	-	1	-	1	-	1	1	1
Diseases of buccal cavity, etc.* ——115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	6	-	-	-	1	1	-	1	3	-	-	1	1	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.* ——119	48	-	-	-	2	1	2	1	6	3	9	7	2	7	4	1	4	1	2	2
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	28	5	4	2	2	4	-	1	18	5	1	1	-	1	-	1	-	-	-	1
Congenital debility——158	37	6	2	3	7	2	7	-	27	4	1	-	1	-	1	1	-	-	1	1
Premature birth——159	190	90	29	16	22	14	6	10	187	2	-	-	-	1	-	-	-	-	-	-
Injury at birth——160	52	25	5	4	12	3	2	-	51	-	-	-	-	-	-	-	-	-	-	1
Other diseases peculiar to first year——161	36	6	6	6	5	7	1	1	32	2	1	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other violence or accident——166-181,183-195	16	1	1	1	1	-	-	1	5	2	1	-	1	2	-	1	1	-	2	1
Ill-defined and unknown causes——199,200	114	25	8	5	18	7	10	8	81	12	7	6	2	1	2	2	-	-	1	-
All other causes*	6	-	-	-	1	-	-	-	1	1	-	-	1	-	-	1	-	1	-	1

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
GEORGIA (white)—All causes	1,870	528	167	94	173	97	70	65	1,194	125	107	81	73	48	50	53	37	41	24	37
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Whooping cough—9	37	-	-	-	-	-	-	2	2	7	7	4	4	1	1	4	1	2	2	2
Diphtheria (infection by C. diphtheriae)—10	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	1
Erysipelas—11	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
Tetanus—12	4	1	-	-	1	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of meninges, etc.● —14	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	22	-	-	-	1	-	-	-	1	-	2	1	1	1	4	1	5	2	3	1
Malaria—28	3	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Syphilis—30	19	2	2	2	1	-	1	2	10	3	4	2	-	-	-	-	-	-	-	-
Influenza—33	47	1	1	-	1	3	2	1	8	9	10	3	4	3	3	2	1	1	1	2
Measles—35	4	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Diseases of thymus gland—64	14	-	-	1	3	4	1	1	10	-	3	-	-	1	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	3	-	-
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Convulsions—86	10	-	2	-	3	-	-	-	5	1	-	1	2	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	5	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	1
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	6	1	-	-	1	-	-	-	2	-	1	-	-	-	-	1	1	1	-	-
Pneumonia (all forms)—107-109	211	2	5	4	9	11	12	14	57	33	24	21	18	10	11	14	7	6	4	6
Other diseases of respiratory system—104-106,110-114	15	1	-	-	-	1	1	1	4	-	3	-	1	1	1	-	2	1	1	1
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Diseases of stomach—117,118	5	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	1	-
Diarrhea, enteritis, etc.* —119	167	1	-	-	4	3	4	7	19	10	9	17	15	16	23	16	11	14	5	12
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	-	1	-	1	2	-	-	2	-	2	1	1	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	3	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	12	-	-	-	1	3	1	1	6	2	3	-	-	-	-	-	-	1	-	-
Congenital malformations—157	148	27	9	8	24	13	7	11	99	14	10	3	8	2	-	3	1	2	2	4
Congenital debility—158	116	41	14	14	18	11	4	2	104	6	1	1	1	1	-	-	-	-	-	2
Premature birth—159	611	359	94	33	59	29	19	9	602	7	-	1	1	-	-	-	-	-	-	-
Injury at birth—160	141	72	24	15	18	5	2	-	136	1	1	1	-	-	1	-	-	-	-	1
Other diseases peculiar to first year—161	84	21	11	13	20	6	2	-	73	2	5	2	1	-	-	1	-	-	-	-
Accidental mechanical suffocation—182	14	-	1	-	-	-	1	2	4	3	4	1	1	-	-	-	1	-	-	-
Other violence or accident—166-181,183-195	18	-	-	-	2	1	-	-	3	1	2	3	3	1	-	1	1	1	1	1
Ill-defined and unknown causes—199,200	89	-	3	2	4	5	9	8	31	15	14	14	5	3	-	3	1	2	1	-
All other causes*	11	-	-	1	-	-	1	1	3	2	1	2	-	1	1	1	-	-	-	-
GEORGIA (all other races)—All causes	1,891	436	109	87	177	145	83	51	1,088	169	135	113	73	80	46	52	37	37	35	26
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	34	-	-	-	-	-	-	-	-	4	6	4	2	3	5	1	3	2	1	3
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	7	-	-	1	4	2	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of meninges, etc.● —14	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	23	1	-	-	-	-	-	1	2	3	2	2	1	3	1	2	2	2	3	-
Malaria—28	4	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
Syphilis—30	54	9	3	-	8	2	2	4	28	5	3	10	1	1	4	-	-	2	-	-
Influenza—33	63	1	-	1	3	2	1	2	10	7	7	11	5	8	5	5	3	-	-	2
Measles—35	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	5	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	2	-	-	-
Rickets—70	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	3	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	8	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	1	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	21	1	1	3	5	2	1	-	13	4	1	1	1	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	-	1	-	-	1	-	2	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	242	-	2	3	10	12	9	4	40	33	35	29	19	24	14	15	8	13	7	5
Other diseases of respiratory system—104-106,110-114	17	1	-	1	2	1	2	1	8	4	-	1	-	1	-	-	-	1	1	1
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Diseases of stomach—117,118	10	-	-	-	1	1	2	-	4	-	-	2	1	1	1	-	-	-	1	-
Diarrhea, enteritis, etc.* —119	126	-	1	-	1	2	4	3	11	12	12	14	14	15	4	12	7	7	10	8
Hernia—122a	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	5	-	-	-	2	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	6	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	1	1
Diseases of skin and cellular tissue-151-153	16	-	-	-	1	-	5	2	8	3	2	1	-	-	-	1	-	1	-	-
Congenital malformations—157	29	5	3	3	7	3	1	1	23	-	3	2	-	-	-	-	-	-	1	-
Congenital debility—158	373	143	39	37	54	51	8	1	333	16	7	3	3	8	1	1	-	1	-	-
Premature birth—159	384	208	39	22	37	26	23	7	362	14	6	1	-	1	-	-	-	-	-	-
Injury at birth—160	70	36	12	7	7	7	1	-	70	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	64	14	3	4	17	11	3	5	57	4	1	1	-	-	-	1	-	-	-	-
Accidental mechanical suffocation—182	33	3	1	-	1	4	-	2	11	9	6	6	-	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	32	1	1	1	1	5	-	1	10	5	2	-	2	1	-	4	2	3	3	-
Ill-defined and unknown causes—199,200	216	12	4	3	11	10	21	17	78	40	32	19	17	8	4	4	4	4	3	3
All other causes*	6	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	1	-	-	1

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
IDAHO—All causes	495	179	44	19	32	19	11	9	313	32	31	28	26	18	7	14	4	7	7	8
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	-	-	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Dysentery—27	4	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	1	2	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	14	-	-	-	-	-	-	1	1	-	4	4	3	1	-	-	-	1	-	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of thymus gland—64	10	1	-	-	2	-	-	-	3	1	1	2	2	1	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	54	1	-	-	-	1	-	1	3	12	9	8	8	6	2	2	-	1	2	1
Other diseases of respiratory system—104-106,110-114	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.● —119	32	-	-	-	1	3	-	-	4	3	7	5	3	3	-	-	1	2	1	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	-	1	-	1	-	-	1	-	1	-	2	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	51	14	5	4	7	3	6	1	40	4	1	2	2	-	2	-	-	-	-	-
Congenital debility—158	10	2	1	-	1	-	-	-	4	2	-	2	1	-	-	-	1	-	-	-
Premature birth—159	158	104	28	6	9	5	2	-	154	-	4	-	-	-	-	-	-	-	-	-
Injury at birth—160	65	42	6	2	5	5	-	2	62	1	1	-	-	-	-	1	-	-	-	-
Other diseases peculiar to first year—161	23	12	3	5	2	1	-	-	23	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	9	-	-	-	-	-	-	1	1	3	2	1	-	1	-	1	-	-	-	-
Other violence or accident—166-181,183-195	11	3	1	-	-	-	-	-	4	1	-	-	1	-	1	2	1	-	1	-
Ill-defined and unknown causes—199,200	10	-	-	1	2	-	-	-	3	-	1	-	1	1	1	2	-	-	1	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS—All causes	4,343	1,571	364	257	339	208	119	106	2,964	277	203	160	153	107	98	93	81	79	59	49
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	43	-	-	-	-	-	-	1	1	5	8	3	3	6	1	4	6	3	-	3
Diphtheria (infection by C. diphtheriae)—10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-
Erysipelas—11	3	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	11	-	-	-	-	-	-	-	-	2	-	-	4	-	1	-	-	2	2	-
Tuberculosis of meninges, etc.* —14	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-
Tuberculosis (other forms)—15-22	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	3
Septicemia and purulent infection—24	8	-	-	-	-	-	1	-	1	1	1	2	1	-	-	2	-	-	-	-
Dysentery—27	6	1	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	1
Malaria—28	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	21	9	1	-	-	-	-	1	11	2	-	1	2	1	1	1	-	1	1	-
Influenza—33	52	-	2	-	-	2	3	4	11	6	6	3	4	1	4	4	6	3	3	1
Measles—35	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	-	1	-	-	1	1	-	1	-	-	2	1	-	-	1	-
Diseases of thymus gland—64	61	-	3	4	2	3	1	1	14	13	11	6	5	3	2	2	-	2	1	2
Rickets—70	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
Hemorrhagic conditions—72	16	2	1	3	2	6	-	-	14	-	1	-	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	7	-	1	-	1	-	-	1	3	1	-	1	-	1	-	-	1	-	-	-
Encephalitis (nonepidemic)—80	7	-	-	-	1	-	1	-	2	-	-	1	-	-	1	-	1	1	1	-
Meningitis (not due to meningococcus)—81	16	-	-	-	-	-	-	-	-	3	1	2	2	2	1	1	-	1	2	1
Intracranial lesions of vascular origin—83	9	2	-	-	1	-	-	-	3	1	2	1	-	1	-	-	-	-	-	1
Convulsions—86	7	1	-	1	-	-	-	-	2	-	2	-	-	-	-	1	-	2	-	-
Diseases of ear and mastoid process—89	21	-	-	-	-	1	-	-	1	2	-	-	4	1	2	3	4	2	1	1
Other diseases, nervous system-82,84,85,87,88	8	1	-	1	-	-	-	-	2	-	1	-	1	1	-	-	2	-	-	1
Diseases of circulatory system—90-103	18	2	-	-	-	2	2	-	6	4	2	1	1	-	-	2	-	-	2	-
Pneumonia (all forms)—107-109	526	4	4	7	18	11	24	25	93	75	65	80	49	40	36	27	13	19	14	17
Other diseases of respiratory system—104-106,110-114	64	1	2	1	3	1	1	4	13	9	5	5	7	4	1	7	4	4	2	3
Diseases of buccal cavity, etc.* —115	13	-	-	-	-	-	-	1	1	2	-	1	1	1	2	1	-	3	-	1
Diseases of stomach—117,118	10	-	-	2	1	-	1	-	4	3	1	-	-	1	-	-	-	-	1	-
Diarrhea, enteritis, etc.● —119	183	-	-	1	3	5	9	12	30	18	24	13	17	12	11	15	21	8	9	5
Hernia—122a	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	33	-	-	-	2	1	1	1	5	5	4	1	5	1	2	4	1	3	2	-
Peritonitis (cause not stated)—129	6	-	-	-	-	-	1	1	2	1	-	1	1	1	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	8	-	-	1	-	-	-	-	1	1	-	-	1	1	3	-	1	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	20	-	1	-	1	3	2	1	8	4	3	-	2	-	1	2	-	-	-	-
Diseases of skin and cellular tissue-151-153	6	-	-	-	1	-	2	1	4	-	-	1	1	-	-	-	-	-	-	-
Congenital malformations—157	635	151	41	38	80	72	27	22	431	57	32	26	21	17	13	4	11	11	7	5
Congenital debility—158	38	5	1	1	1	2	2	3	15	9	5	4	1	1	1	2	-	-	-	-
Premature birth—159	1,428	928	188	86	99	62	22	13	1,398	17	8	4	1	-	-	-	-	-	-	-
Injury at birth—160	604	344	86	66	76	16	6	4	598	2	1	1	-	1	-	-	-	1	-	-
Other diseases peculiar to first year—161	259	112	31	41	41	11	7	3	246	6	3	2	1	-	-	1	-	-	-	-
Accidental mechanical suffocation—182	58	-	-	-	1	2	2	1	6	14	10	6	8	4	5	-	1	4	-	-
Other violence or accident—166-181,183-195	58	6	2	-	2	2	-	3	15	4	4	8	3	3	4	5	3	5	2	2
Ill-defined and unknown causes—199,200	20	1	-	3	2	1	2	1	10	3	2	3	-	1	1	-	-	-	-	-
All other causes●	21	1	-	1	-	2	1	1	6	2	1	1	2	-	-	1	1	2	3	2

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
INDIANA—All causes	2,596	751	204	161	213	112	108	79	1,628	200	143	121	93	91	70	61	60	42	50	37
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Whooping cough—9	50	-	-	-	-	-	-	1	1	14	10	3	4	3	1	1	2	3	8	-
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Erysipelas—11	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Tetanus—12	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	1	2
Tuberculosis of meninges, etc.* —14	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	27	4	-	-	4	1	1	2	12	6	4	-	1	-	3	1	-	-	-	-
Influenza—33	66	-	-	-	2	1	2	3	8	6	4	6	9	5	2	8	9	3	4	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	2	2
Diseases of thymus gland—64	24	2	1	2	-	-	2	4	11	4	3	5	1	-	-	-	-	-	-	-
Rickets—70	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-
Hemorrhagic conditions—72	7	1	-	2	-	1	-	1	5	1	-	-	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	6	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	2
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	18	-	-	-	1	-	1	-	2	2	2	2	1	-	2	2	2	3	-	-
Intracranial lesions of vascular origin—83	11	1	2	1	3	1	-	-	8	1	1	-	-	1	-	-	-	-	-	-
Convulsions—86	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1
Diseases of ear and mastoid process—89	10	-	-	-	-	-	1	-	1	-	1	1	1	-	2	-	-	1	2	1
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	1	-
Diseases of circulatory system—90-103	11	-	-	-	-	1	1	1	3	-	2	1	-	1	-	1	-	1	-	2
Pneumonia (all forms)—107-109	409	-	5	3	12	15	26	13	74	64	47	53	38	37	19	23	22	14	12	6
Other diseases of respiratory system—104-106,110-114	21	-	-	1	-	-	1	-	2	2	2	2	2	4	3	1	2	1	-	-
Diseases of buccal cavity, etc.* —115	9	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	1	-	1	-
Diseases of stomach—117,118	10	-	-	-	-	1	2	1	4	1	-	3	-	1	-	1	-	-	-	-
Diarrhea, enteritis, etc.* —119	121	-	-	-	-	5	9	5	19	16	19	9	11	11	8	6	4	4	7	7
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	26	-	-	-	1	2	1	3	7	1	2	1	3	3	3	1	3	-	-	2
Peritonitis (cause not stated)—129	6	-	-	-	-	1	-	1	2	-	1	1	-	1	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	9	-	-	-	1	1	-	1	3	-	-	3	-	2	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	9	-	1	1	-	-	-	2	4	-	-	2	1	1	-	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	342	78	19	30	45	27	22	16	237	38	13	11	9	6	8	6	5	3	4	2
Congenital debility—158	49	5	4	3	5	1	4	4	26	9	7	4	1	1	1	-	-	-	-	-
Premature birth—159	765	455	102	51	62	34	22	12	738	17	7	2	-	-	-	1	-	-	-	-
Injury at birth—160	254	119	43	42	40	5	2	2	253	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	176	80	24	22	27	12	2	3	170	3	-	-	-	-	1	1	-	-	-	1
Accidental mechanical suffocation—182	34	-	-	1	3	1	6	1	12	3	6	5	2	1	1	-	1	1	1	1
Other violence or accident—166-181,183-195	37	3	1	-	1	-	1	2	8	3	4	1	2	4	2	3	1	1	3	5
Ill-defined and unknown causes—199,200	10	3	2	2	3	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
All other causes*	21	-	-	-	-	-	1	1	2	3	2	3	2	3	3	1	1	-	-	1
IOWA—All causes	1,670	614	118	96	140	74	48	52	1,142	99	79	97	58	38	43	40	32	14	19	9
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	23	-	-	-	-	-	-	1	1	7	1	6	1	2	-	1	-	2	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
Influenza—33	32	-	-	-	2	-	1	3	6	3	2	3	4	4	4	-	1	2	1	2
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-
Diseases of thymus gland—64	22	3	-	2	1	3	1	1	11	1	2	2	6	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	5	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	1	-
Meningitis (not due to meningococcus)—81	12	-	1	-	1	-	1	-	3	1	-	2	-	1	2	-	-	3	-	-
Intracranial lesions of vascular origin—83	5	1	-	1	1	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-
Convulsions—86	6	-	-	-	2	1	-	-	3	-	1	1	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	13	-	-	-	-	1	-	-	1	1	1	3	2	2	2	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	13	-	1	-	1	1	1	-	4	-	1	2	-	2	-	1	1	-	1	1
Pneumonia (all forms)—107-109	189	1	-	1	8	2	11	11	34	30	33	21	17	12	14	11	9	3	4	1
Other diseases of respiratory system—104-106,110-114	22	1	-	-	-	-	-	3	4	2	3	4	-	1	-	3	3	2	-	-
Diseases of buccal cavity, etc.* —115	8	-	-	-	-	-	1	-	1	1	2	1	-	-	1	2	-	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	54	1	-	-	1	1	6	5	14	4	8	9	7	3	3	4	1	-	-	1
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	18	-	-	-	-	-	-	1	1	3	-	-	3	1	2	5	3	-	-	-
Peritonitis (cause not stated)—129	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	9	1	-	1	-	-	-	1	3	1	1	1	-	-	1	1	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Congenital malformations—157	236	60	15	18	19	19	13	11	155	19	11	20	7	4	7	3	7	-	2	1
Congenital debility—158	20	6	2	2	2	2	-	1	15	2	2	-	1	-	-	-	-	-	-	-
Premature birth—159	589	377	63	33	49	27	4	6	559	6	1	2	-	-	-	-	1	-	-	-
Injury at birth—160	219	124	27	28	30	3	3	1	216	-	1	-	1	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	86	33	7	7	21	10	1	-	79	3	2	-	-	-	1	-	1	-	-	-
Accidental mechanical suffocation—182	28	-	-	1	-	-	2	4	7	3	6	5	4	-	1	2	-	-	-	-
Other violence or accident—166-181,183-195	23	-	1	-	1	-	1	1	4	2	-	3	2	2	2	1	2	1	4	-
Ill-defined and unknown causes—199,200	15	4	1	-	1	1	-	-	7	3	-	1	-	2	-	2	-	-	-	-
All other causes*	7	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	1	1

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS—All causes	1,093	378	71	52	91	45	22	32	691	77	70	58	39	32	35	13	24	22	17	15
Cerebrospinal (meningococcus) meningitis—6	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	22	-	-	-	-	-	-	-	-	7	4	1	-	-	3	1	2	-	2	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dysentery—27	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	6	1	-	-	-	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-
Influenza—33	37	-	-	1	-	-	1	1	3	2	7	6	2	5	4	4	2	-	1	1
Measles—35	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	23	2	6	1	2	-	1	1	13	1	5	1	2	1	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	5	-	-	1	-	2	-	1	4	-	-	-	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	1	1
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-
Pneumonia (all forms)—107-109	138	1	-	-	5	3	3	5	17	19	14	20	12	14	15	3	10	6	3	5
Other diseases of respiratory system—104-106,110-114	13	-	-	-	-	1	1	2	4	-	2	2	2	1	-	-	1	1	-	-
Diseases of buccal cavity, etc.●—115	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1
Diseases of stomach—117,118	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	53	-	-	-	1	2	2	4	9	10	10	6	3	1	4	-	3	4	3	-
Hernia—122a	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	1	2	1	-
Peritonitis (cause not stated)—129	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	150	42	11	7	25	8	5	7	105	17	7	6	2	2	4	1	3	1	1	1
Congenital debility—158	21	6	2	-	1	2	-	-	11	2	3	-	2	1	-	1	1	-	-	-
Premature birth—159	343	225	30	23	25	19	4	5	331	3	4	3	1	-	-	-	-	1	-	-
Injury at birth—160	116	70	14	8	16	-	2	1	111	1	1	-	1	-	1	-	-	1	-	-
Other diseases peculiar to first year—161	60	23	7	8	11	4	3	1	57	2	-	-	-	-	-	-	-	-	-	1
Accidental mechanical suffocation—182	11	-	-	-	-	-	-	-	-	2	3	1	2	1	2	-	-	-	-	-
Other violence or accident—166-181,183-195	15	1	-	2	-	1	-	2	6	-	1	-	2	2	-	-	-	2	-	2
Ill-defined and unknown causes—199,200	8	5	1	-	-	-	-	1	7	1	-	-	-	-	-	-	-	-	-	-
All other causes●	7	2	-	-	2	1	-	-	5	-	-	-	1	-	-	-	-	1	-	-
KENTUCKY (white)—All causes	3,086	658	399	143	249	183	127	126	1,885	278	182	109	132	104	94	89	58	55	47	53
Cerebrospinal (meningococcus) meningitis—6	7	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	2
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Whooping cough—9	107	-	-	-	1	-	4	6	11	19	15	5	6	10	9	12	6	6	1	7
Diphtheria (infection by C. diphtheriae)—10	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2
Erysipelas—11	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.●13	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-
Tuberculosis of meninges, etc.*—14	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	3
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Dysentery—27	51	-	-	-	1	-	1	1	3	5	3	4	6	5	3	9	6	2	1	4
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	26	3	-	2	2	2	1	1	11	3	6	2	2	-	1	-	-	1	-	-
Influenza—33	89	-	1	1	1	6	7	5	21	21	12	4	6	3	3	5	1	5	4	4
Measles—35	7	-	-	-	-	-	-	1	1	3	-	-	-	1	-	1	-	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	13	-	-	-	-	-	-	1	1	1	2	-	2	1	2	2	-	2	-	-
Diseases of thymus gland—64	7	1	-	1	1	-	1	1	5	-	1	-	-	-	-	1	-	-	-	-
Rickets—70	4	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
Hemorrhagic conditions—72	6	1	-	-	1	-	1	-	3	-	-	-	2	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	4	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-
Encephalitis (nonepidemic)—80	9	2	-	-	-	-	-	-	2	-	1	-	1	3	1	-	-	-	-	1
Meningitis (not due to meningococcus)—81	15	-	-	-	-	-	1	1	2	1	1	3	2	1	-	2	-	2	1	-
Intracranial lesions of vascular origin—83	4	-	-	1	1	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	10	1	-	-	3	-	2	-	6	2	-	1	-	-	-	-	-	-	-	1
Diseases of ear and mastoid process—89	12	-	-	-	-	1	-	-	1	1	1	-	1	1	-	3	1	1	1	1
Other diseases, nervous system-82,84,85,87,88	6	-	-	-	1	-	1	-	2	-	1	-	1	-	-	1	-	1	-	-
Diseases of circulatory system—90-103	12	-	-	-	-	-	2	-	2	1	1	-	1	-	-	2	-	1	2	2
Pneumonia (all forms)—107-109	464	2	6	5	19	23	23	30	108	83	57	41	43	26	27	26	23	15	10	5
Other diseases of respiratory system—104-106,110-114	22	-	1	-	1	3	2	4	11	3	3	1	-	1	2	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Diseases of stomach—117,118	10	-	-	-	-	3	1	1	5	1	2	-	1	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.●—119	254	1	-	1	5	9	10	9	35	37	29	22	19	29	25	16	9	7	15	11
Hernia—122a	3	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	12	-	-	-	-	-	-	-	-	2	-	1	2	2	2	1	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	5	-	-	-	1	-	-	-	1	2	-	-	1	-	-	-	-	1	-	-
Diseases, genito-urinary sys.130,131,133-139	7	-	-	-	1	1	1	-	3	-	2	2	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	12	-	-	-	-	2	1	3	6	3	-	1	1	-	-	-	-	-	1	-
Congenital malformations—157	290	69	49	16	46	20	15	13	228	16	12	4	13	2	4	1	3	2	2	3
Congenital debility—158	159	32	21	9	21	21	4	6	114	16	8	2	7	2	4	-	-	2	3	1
Premature birth—159	937	435	236	59	69	55	27	22	903	20	7	1	3	2	-	1	-	-	-	-
Injury at birth—160	225	75	58	29	38	8	3	4	215	6	1	-	-	-	3	-	-	-	-	-
Other diseases peculiar to first year—161	129	31	20	13	26	12	9	7	118	6	2	1	-	-	-	1	-	-	-	1
Accidental mechanical suffocation—182	57	1	2	2	5	8	5	4	27	10	6	7	2	4	1	-	-	-	-	-
Other violence or accident—166-181,183-195	25	-	1	2	1	-	1	1	6	2	2	2	2	1	2	-	2	1	4	1
Ill-defined and unknown causes—199,200	42	3	4	-	2	4	3	4	20	8	4	1	2	2	2	2	1	-	-	-
All other causes*	10	1	-	-	-	-	1	-	2	1	1	1	1	1	-	-	1	-	-	2

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KENTUCKY (all other races)—All causes	272	42	37	18	18	21	18	8	162	22	12	16	10	11	11	6	8	6	4	4
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	9	-	4	1	-	-	-	-	5	2	-	1	-	-	1	-	-	-	-	-
Influenza—33	11	-	-	-	-	1	1	1	3	-	1	1	-	4	2	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,25,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	41	-	1	-	1	3	2	1	8	8	4	1	1	5	3	-	4	2	3	2
Other diseases of respiratory system—104-106,110-114	3	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-
Diseases of buccal cavity, etc.● —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	24	-	-	-	-	-	4	-	4	3	2	5	1	2	1	1	1	2	1	1
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	10	1	1	1	2	1	-	-	6	1	1	-	2	-	-	-	-	-	-	-
Congenital debility—158	18	3	1	2	2	2	2	2	14	-	1	1	-	-	2	-	-	-	-	-
Premature birth—159	81	28	18	8	4	9	7	2	76	5	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	16	8	2	1	4	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	24	2	9	5	4	3	1	-	24	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	4	-	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
All other causes*	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
LOUISIANA (white)—All causes	1,425	431	100	49	98	77	59	47	861	107	104	78	56	51	46	31	28	28	16	19
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	32	-	-	-	-	-	1	3	4	3	8	3	1	4	2	2	1	2	1	1
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	6	-	-	-	2	4	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	4	1	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Malaria—28	3	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	10	3	-	1	-	1	-	-	5	2	1	-	-	1	-	-	-	-	-	1
Influenza—33	67	-	-	-	4	1	4	-	9	9	12	4	8	10	2	4	2	2	3	2
Measles—35	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,25,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	19	1	1	2	5	-	-	1	10	3	3	-	1	1	-	1	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	1	-	-	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-
Intracranial lesions of vascular origin—83	4	1	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	14	-	-	-	-	-	1	-	1	3	2	4	-	1	2	1	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	8	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	-	-	1
Pneumonia (all forms)—107-109	203	2	-	1	3	13	8	10	37	31	30	26	18	17	15	7	8	7	4	3
Other diseases of respiratory system—104-106,110-114	12	-	-	1	-	1	-	-	2	1	2	2	-	-	-	1	1	2	1	-
Diseases of buccal cavity, etc.* —115	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.* —119	143	-	-	-	2	2	11	7	22	26	17	19	12	5	15	8	3	9	2	5
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	-	2	-	-	2	2	1	-	-	2	-	-	1	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	5	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	-	-	1
Diseases, genito-urinary sys.130,131,133-139	7	1	1	1	-	1	-	1	5	-	-	1	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	-	2	-	2	2	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	116	30	2	4	14	13	8	9	80	6	4	7	5	2	3	3	5	1	-	-
Congenital debility—158	30	8	4	-	1	-	2	3	18	3	3	1	1	1	1	-	-	2	-	-
Premature birth—159	418	256	52	19	32	27	12	10	408	7	2	1	-	-	-	-	-	-	-	-
Injury at birth—160	141	82	23	14	16	2	2	-	139	-	-	-	-	-	-	-	1	-	-	1
Other diseases peculiar to first year—161	74	34	11	5	11	5	2	-	68	1	5	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	1	-	-	1	-	-	2	1	2	-	1	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	11	1	-	-	-	1	-	-	2	1	1	2	-	-	-	1	1	-	2	1
Ill-defined and unknown causes—199,200	37	10	5	-	4	2	4	1	26	3	3	3	-	-	1	-	1	-	-	-
All other causes*	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	1

● Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOUISIANA (all other races)——All causes	1,846	364	105	73	138	147	110	71	1,008	160	134	126	94	91	52	56	39	32	23	31
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	69	-	-	-	1	-	-	1	2	15	10	11	5	5	4	5	3	2	4	3
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	9	-	-	-	3	4	1	1	9	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	7	-	-	-	-	-	1	-	1	-	-	2	-	-	2	-	-	-	1	1
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	19	-	-	1	1	1	-	-	3	-	2	2	3	4	-	2	-	1	-	2
Malaria—28	6	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	1
Syphilis—30	97	28	7	3	9	7	6	4	64	11	4	4	5	4	1	1	1	-	1	1
Influenza—33	97	1	1	1	3	3	5	1	15	12	12	14	9	5	5	5	5	7	3	5
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	1	-	-	2	3	-	1	-	1	-	1	-	1	-	-	-
Diseases of thymus gland—64	11	-	-	-	1	2	-	-	3	4	1	1	-	-	-	-	1	-	1	-
Rickets—70	7	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	1	-	-	-
Hemorrhagic conditions—72	2	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	9	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	2	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	-	1	-	1	2	-	-	4	-	-	1	1	-	-	-	1	1	-	1
Pneumonia (all forms)—107-109	318	1	1	2	12	16	16	10	58	40	41	36	37	39	20	22	10	8	4	3
Other diseases of respiratory system—104-106,110-114	14	-	-	-	1	-	-	1	2	4	2	2	-	2	-	-	1	1	-	-
Diseases of buccal cavity, etc.* —115	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	164	1	-	-	2	7	10	12	32	24	21	21	14	15	7	6	6	5	5	8
Hernia—122a	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	10	-	-	-	-	1	1	2	4	-	1	-	-	1	2	1	-	-	-	1
Peritonitis (cause not stated)—129	2	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	11	1	-	-	-	-	-	1	2	3	1	2	-	-	1	1	-	1	-	-
Diseases of skin and cellular tissue-151-153	6	-	-	-	-	1	2	-	3	1	1	-	-	1	-	-	-	-	-	-
Congenital malformations—157	51	8	3	4	4	9	3	-	31	2	5	4	1	1	1	2	2	-	1	1
Congenital debility—158	87	23	3	3	7	6	8	7	57	10	6	3	5	2	2	1	-	1	-	-
Premature birth—159	458	212	46	30	42	58	41	16	445	9	2	1	1	-	-	-	-	-	-	-
Injury at birth—160	102	43	18	12	14	7	3	2	99	-	-	-	-	-	-	2	1	-	-	-
Other diseases peculiar to first year—161	108	27	13	12	19	13	5	5	94	3	3	4	1	1	-	1	-	1	-	-
Accidental mechanical suffocation—182	14	1	1	1	1	-	1	-	5	2	2	1	3	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	30	-	-	1	3	2	-	-	6	2	5	4	2	2	1	1	2	2	1	2
Ill-defined and unknown causes—199,200	88	18	10	2	12	8	2	4	56	10	4	5	2	4	2	3	2	-	-	-
All other causes* —	7	-	-	-	-	-	-	-	-	2	2	1	-	-	-	1	-	1	-	-
MAINE——All causes	809	233	70	46	84	44	22	24	523	55	46	40	38	25	15	12	14	21	11	9
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	18	-	-	-	-	-	-	1	1	2	1	-	5	3	-	1	1	2	2	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Influenza—33	17	-	-	1	-	1	1	1	4	-	4	1	1	-	3	-	1	2	-	1
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	-	-	-	2	1	-	-	3	2	2	-	-	-	-	1	-	1	-	-
Rickets—70	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	4	-	-	-	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	-
Intracranial lesions of vascular origin—83	3	1	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Convulsions—86	7	-	-	1	1	-	1	-	3	-	-	1	2	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	100	-	1	-	2	7	-	3	13	14	11	14	10	12	5	4	5	3	5	4
Other diseases of respiratory system—104-106,110-114	18	-	-	-	2	1	-	1	4	4	3	-	2	1	1	1	-	2	-	-
Diseases of buccal cavity, etc.* —115	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of stomach—117,118	5	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.* —119	43	-	-	-	3	1	-	1	5	8	7	7	4	3	1	2	2	2	1	1
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	1	-	1	3	5	1	1	-	-	1	-	1	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	97	18	13	4	16	4	6	5	66	8	5	6	2	2	3	-	2	2	-	1
Congenital debility—158	15	3	3	-	1	1	-	1	9	1	3	1	1	-	-	-	-	-	-	-
Premature birth—159	266	142	38	23	26	13	7	4	253	5	3	2	1	-	-	-	1	-	1	-
Injury at birth—160	96	55	11	9	15	3	2	-	95	-	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	42	13	4	6	10	4	4	-	41	-	-	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	10	-	-	-	1	1	-	-	2	3	-	-	1	-	1	-	1	2	-	-
Other violence or accident—166-181,183-195	11	-	-	-	-	-	-	-	-	-	3	2	2	1	1	-	1	1	-	-
Ill-defined and unknown causes—199,200	11	-	-	1	1	1	-	-	3	1	1	3	1	1	-	-	-	1	-	-
All other causes* —	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MARYLAND (white)----------All causes	999	310	74	39	72	36	33	47	611	77	75	42	34	35	33	26	21	7	18	20
Cerebrospinal (meningococcus) meningitis---6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	26	-	-	-	-	-	-	1	1	8	3	1	3	4	1	1	3	-	-	1
Diphtheria (infection by C. diphtheriae)--10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis of meninges, etc.* ----------14	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection----------24	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	7	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	2	-	-	-
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza----------33	12	-	-	-	-	-	-	-	-	1	4	1	1	2	2	-	1	-	-	-
Measles----------35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of thymus gland----------64	10	1	-	-	-	-	-	-	1	1	4	-	1	1	2	-	-	-	-	-
Rickets----------70	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Encephalitis (nonepidemic)----------80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)------81	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
Intracranial lesions of vascular origin---83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process--------89	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	2
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
Pneumonia (all forms)----------107-109	143	1	-	2	2	7	3	11	26	14	19	20	7	15	12	9	6	3	5	7
Other diseases of respiratory system----------104-106,110-114	18	-	-	-	-	-	-	1	1	3	2	1	1	1	1	2	2	1	2	1
Diseases of buccal cavity, etc.* --------115	4	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-
Diseases of stomach----------117,118	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.● ----------119	63	-	-	-	-	1	5	10	16	10	7	4	4	5	4	3	3	1	3	3
Hernia----------122a	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	7	-	-	-	1	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-
Peritonitis (cause not stated)----------129	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	3	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations----------157	132	22	15	6	15	9	5	8	80	18	10	3	4	2	4	2	1	-	5	3
Congenital debility----------158	8	-	-	-	1	-	1	1	3	2	1	-	-	-	1	1	-	-	-	-
Premature birth----------159	322	206	31	14	29	15	11	6	312	4	5	-	1	-	-	-	-	-	-	-
Injury at birth----------160	101	50	18	14	14	3	1	1	101	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	50	23	7	2	8	-	2	2	44	3	1	-	-	-	1	1	-	-	-	-
Accidental mechanical suffocation--------182	20	1	2	-	-	-	2	4	9	3	3	2	2	-	1	-	-	-	-	-
Other violence or accident---166-181,183-195	23	2	-	-	1	-	2	-	5	4	1	3	3	1	2	2	-	-	2	-
Ill-defined and unknown causes--------199,200	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-
All other causes* ----------	4	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-
MARYLAND (all other races)--------All causes	500	122	34	15	36	24	17	13	261	38	34	21	33	27	26	21	9	11	12	7
Cerebrospinal (meningococcus) meningitis---6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	19	-	-	-	-	-	-	-	-	4	4	1	1	1	2	2	2	1	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-
Tuberculosis of meninges, etc.● ----------14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection----------24	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery----------27	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	19	5	1	-	2	1	1	-	10	3	4	-	1	1	-	-	-	-	-	-
Influenza----------33	13	-	-	-	-	1	1	-	2	1	-	2	-	-	2	2	1	1	1	1
Measles----------35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland----------64	4	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-
Rickets----------70	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Hemorrhagic conditions----------72	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)------81	5	-	-	-	-	-	-	1	1	-	1	2	-	-	-	1	-	-	-	-
Intracranial lesions of vascular origin---83	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Convulsions----------86	5	-	-	1	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process--------89	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)----------107-109	93	-	1	-	1	2	4	1	9	13	9	6	10	11	14	6	2	5	6	2
Other diseases of respiratory system----------104-106,110-114	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.● --------115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach----------117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.● ----------119	45	-	-	-	-	-	2	4	6	4	6	2	12	5	3	2	2	2	-	1
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)----------129	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	29	5	5	3	6	3	-	1	23	-	-	1	-	3	-	2	-	-	-	-
Congenital debility----------158	10	1	1	-	-	2	-	1	5	-	-	1	1	-	1	-	-	-	1	1
Premature birth----------159	137	83	18	7	12	7	7	1	135	2	-	-	-	-	-	-	-	-	-	-
Injury at birth----------160	37	22	3	2	3	6	-	-	36	-	-	-	-	-	-	-	-	1	-	-
Other diseases peculiar to first year----161	25	6	4	2	8	2	-	-	22	-	1	-	-	2	-	-	-	-	-	-
Accidental mechanical suffocation--------182	8	-	-	-	1	-	-	-	1	5	-	-	1	-	-	-	-	-	1	-
Other violence or accident---166-181,183-195	15	-	-	-	-	-	-	1	1	2	2	-	2	2	3	1	-	-	2	-
Ill-defined and unknown causes--------199,200	4	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
All other causes* ----------	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MASSACHUSETTS—All causes	2,478	823	230	130	207	110	92	79	1,671	158	134	102	72	67	69	48	43	36	40	34
Cerebrospinal (meningococcus) meningitis—6	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Whooping cough—9	20	-	-	-	-	-	1	-	1	-	3	3	-	1	1	3	1	3	3	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.●13	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	7	-	-	-	1	1	-	-	2	3	2	-	-	-	-	-	-	-	-	-
Influenza—33	14	-	-	-	-	-	-	-	-	2	1	-	1	2	-	1	2	2	1	2
Measles—35	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	1	-
Diseases of thymus gland—64	15	-	1	1	4	-	-	-	6	3	2	1	2	-	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	-	-	-	1	1	-	-	2	-	1	-	3	1	2	1	-	2	-	1
Intracranial lesions of vascular origin—83	6	1	2	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-
Convulsions—86	9	-	-	-	1	-	-	-	1	1	4	1	1	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	24	-	-	-	-	1	-	-	1	7	3	-	-	1	3	1	1	3	3	1
Other diseases, nervous system-82,84,85,87,88	4	-	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3	-
Pneumonia (all forms)—107-109	316	2	3	1	13	13	17	13	62	38	39	35	28	22	22	16	21	7	12	14
Other diseases of respiratory system—104-106,110-114	28	-	-	-	-	1	1	2	4	2	6	4	-	3	4	2	-	-	2	1
Diseases of buccal cavity, etc.*—115	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	1
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.●—119	123	-	-	-	1	4	10	15	30	23	11	14	8	8	11	7	3	1	4	3
Hernia—122a	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	-	1	1	2	4	1	-	1	1	-	1	-	-	-	-	1
Peritonitis (cause not stated)—129	4	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	7	-	-	-	-	-	1	-	1	1	1	-	1	1	-	1	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	13	1	1	1	1	-	-	1	5	2	1	1	1	2	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	1	-	1	2	1	-	1	1	-	-	-	-	-	-	-
Congenital malformations—157	411	81	26	16	46	33	25	25	252	36	30	22	11	8	13	9	9	9	6	6
Congenital debility—158	27	3	2	1	2	1	1	1	11	3	3	5	-	1	-	1	1	1	-	1
Premature birth—159	796	484	98	62	61	33	19	11	768	16	4	3	2	1	-	-	1	-	-	1
Injury at birth—160	312	161	60	27	42	10	5	3	308	1	1	-	-	-	-	-	-	2	-	-
Other diseases peculiar to first year—161	190	83	36	20	32	6	4	3	184	4	-	-	-	2	-	-	-	-	-	-
Accidental mechanical suffocation—182	27	-	-	-	-	2	-	1	3	2	6	4	2	4	4	1	-	-	1	-
Other violence or accident—166-181,183-195	26	3	-	-	1	-	1	1	6	2	2	1	2	1	3	3	-	2	2	2
Ill-defined and unknown causes—199,200	9	4	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	1	-
All other causes*	8	-	-	-	-	1	-	-	1	-	2	-	1	-	2	1	-	-	-	1
MICHIGAN—All causes	4,033	1,255	349	223	320	214	156	112	2,629	261	254	179	150	107	117	91	79	63	55	49
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	1	-
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
Whooping cough—9	32	-	-	-	-	-	-	3	3	3	5	5	3	2	1	3	1	1	4	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
Tetanus—12	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-
Tuberculosis (other forms)—15-22	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	1	1
Septicemia and purulent infection—24	10	-	-	-	-	2	1	-	3	-	1	-	1	1	1	-	-	1	1	1
Dysentery—27	8	-	-	-	-	-	1	-	1	-	-	1	1	1	-	1	-	2	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	16	3	2	2	1	2	-	1	11	1	2	-	-	1	-	-	-	-	1	-
Influenza—33	39	-	-	-	-	1	1	3	5	4	7	7	4	2	3	1	3	1	1	1
Measles—35	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	1	-
Diseases of thymus gland—64	100	12	4	7	8	2	9	4	46	12	12	10	3	3	3	4	5	-	1	1
Rickets—70	9	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	1	-
Hemorrhagic conditions—72	9	2	-	-	3	3	-	-	8	-	-	-	-	-	-	-	-	1	-	-
Anemias (except splenic anemia)—73	9	-	-	-	-	-	-	-	-	2	1	-	-	1	2	2	1	-	-	-
Encephalitis (nonepidemic)—80	6	-	-	-	-	-	-	1	1	-	1	1	2	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	22	-	-	-	-	-	-	-	-	4	2	2	4	3	1	2	2	1	-	1
Intracranial lesions of vascular origin—83	8	1	1	-	1	-	-	-	3	1	2	-	2	-	-	-	-	-	-	-
Convulsions—86	8	-	-	1	2	-	-	-	3	-	-	3	-	-	-	1	-	-	1	-
Diseases of ear and mastoid process—89	11	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	1	1	1	-
Other diseases, nervous system-82,84,85,87,88	4	1	-	-	-	-	1	-	2	-	-	-	2	-	1	-	-	1	-	-
Diseases of circulatory system—90-103	14	-	-	-	-	-	2	-	2	3	3	2	2	-	-	-	1	1	-	-
Pneumonia (all forms)—107-109	597	1	1	8	15	11	19	24	79	78	95	76	58	41	43	40	32	21	17	17
Other diseases of respiratory system—104-106,110-114	69	-	-	1	3	-	6	2	12	7	13	7	4	8	4	1	5	4	3	1
Diseases of buccal cavity, etc.●—115	6	-	-	-	-	1	-	-	1	2	1	-	-	-	1	-	-	-	1	-
Diseases of stomach—117,118	10	-	-	-	-	-	-	-	-	-	3	1	2	1	1	2	-	-	-	-
Diarrhea, enteritis, etc.*—119	149	-	-	1	2	15	29	13	60	20	12	8	9	6	10	6	5	7	2	4
Hernia—122a	4	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	29	-	-	-	1	1	2	1	5	1	1	-	3	4	5	2	4	1	2	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	20	1	-	-	2	1	2	-	6	3	2	1	3	1	2	-	-	-	2	-
Diseases of skin and cellular tissue-151-153	6	-	-	-	1	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	614	149	39	36	71	63	30	24	412	58	45	22	22	13	11	8	6	9	4	4
Congenital debility—158	70	21	4	1	5	4	3	4	42	3	9	3	2	1	3	2	3	1	1	-
Premature birth—159	1,262	753	193	70	100	67	32	18	1,233	12	7	3	4	1	2	-	-	-	-	-
Injury at birth—160	417	195	64	59	56	18	10	3	405	4	1	3	-	-	-	1	1	-	1	1
Other diseases peculiar to first year—161	273	109	38	32	42	19	7	4	251	7	5	2	-	2	4	1	-	1	-	-
Accidental mechanical suffocation—182	45	1	-	-	-	-	-	-	1	11	8	7	6	4	4	1	3	-	-	-
Other violence or accident—166-181,183-195	55	1	1	-	3	1	1	2	9	8	5	8	4	5	3	2	1	1	2	7
Ill-defined and unknown causes—199,200	22	2	2	4	1	2	-	-	11	4	3	1	-	1	-	-	1	-	1	-
All other causes*	31	3	-	1	2	-	-	1	7	2	3	2	1	2	1	3	1	3	4	2

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA—All causes	1,769	715	137	88	145	72	36	51	1,244	118	104	66	51	37	37	27	27	20	25	13
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	22	-	-	-	1	-	-	1	2	9	2	3	3	-	1	1	-	-	1	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia and purulent infection—24	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	19	-	-	-	-	2	-	1	3	5	3	-	-	-	2	3	1	-	2	-
Measles—35	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diseases of thymus gland—64	16	2	1	-	4	2	1	1	11	2	1	-	2	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	8	1	1	1	5	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	8	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	1	-	1
Intracranial lesions of vascular origin—83	9	1	1	-	1	-	1	-	4	1	1	-	-	-	1	-	2	-	-	-
Convulsions—86	6	1	-	1	2	-	-	-	4	-	1	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	13	-	-	-	-	-	-	-	-	2	4	-	1	-	1	-	-	2	1	2
Other diseases, nervous system-82,84,85,87,88	7	1	-	-	-	1	-	-	2	1	1	-	1	-	2	-	-	-	-	-
Diseases of circulatory system—90-103	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	2	-
Pneumonia (all forms)—107-109	193	2	1	3	5	7	8	11	37	27	36	25	16	14	8	11	6	5	4	4
Other diseases of respiratory system—104-106,110-114	16	-	-	1	-	1	-	-	2	1	5	3	-	3	-	-	1	-	-	1
Diseases of buccal cavity, etc.* —115	8	-	-	-	-	-	1	-	1	-	-	-	2	-	2	1	1	-	1	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	63	-	-	1	1	3	2	4	11	13	11	7	8	4	3	1	3	1	1	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	16	-	-	-	-	-	-	1	1	3	2	2	2	3	2	-	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	279	69	20	13	32	25	3	19	181	32	22	7	4	4	6	4	9	2	6	2
Congenital debility—158	23	5	2	2	6	2	1	1	19	1	-	1	2	-	-	-	-	-	-	-
Premature birth—159	633	445	73	37	41	12	10	5	623	4	3	-	1	-	1	-	-	1	-	-
Injury at birth—160	241	148	24	21	26	8	5	4	236	1	-	1	-	2	1	-	-	-	-	-
Other diseases peculiar to first year—161	82	33	11	8	17	4	3	-	76	-	4	1	-	-	-	-	1	-	-	-
Accidental mechanical suffocation—182	22	1	-	-	-	1	1	1	4	6	1	7	3	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	21	2	1	-	1	-	-	-	4	2	4	2	2	-	1	3	-	1	2	-
Ill-defined and unknown causes—199,200	13	3	2	-	2	1	-	-	8	3	1	-	-	1	-	-	-	-	-	-
All other causes*	13	-	-	-	1	-	-	-	1	3	-	-	1	-	2	1	1	1	2	1
MISSISSIPPI (white)—All causes	1,072	342	76	58	90	54	26	33	679	78	57	34	39	30	30	33	31	19	24	18
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	31	-	-	-	-	1	-	2	3	3	7	4	3	2	2	2	2	1	1	1
Diphtheria (infection by C. diphtheriae)—10	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	15	-	-	-	-	-	1	-	1	2	1	2	1	-	-	1	-	2	4	1
Malaria—28	6	-	-	-	1	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-
Syphilis—30	4	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
Influenza—33	44	-	-	-	-	1	2	3	6	7	4	5	3	2	5	3	1	1	3	4
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Hemorrhagic conditions—72	5	-	-	1	2	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	9	-	-	-	-	1	-	-	1	3	1	-	1	-	-	-	3	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
Pneumonia (all forms)—107-109	107	-	1	1	6	7	1	7	23	18	10	6	12	12	4	7	6	3	4	2
Other diseases of respiratory system—104-106,110-114	8	1	-	1	1	1	-	-	4	1	-	1	-	-	1	-	1	-	-	-
Diseases of buccal cavity, etc.* —115	5	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Diseases of stomach—117,118	5	-	-	-	1	1	1	-	3	-	-	-	1	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.* —119	72	-	-	-	1	1	1	2	5	7	6	-	7	8	6	9	5	5	7	7
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	6	-	-	-	2	1	-	1	4	-	1	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	-	-	-
Congenital malformations—157	77	27	10	4	7	3	2	5	58	5	5	2	3	-	1	1	-	1	-	1
Congenital debility—158	29	8	1	2	1	2	-	1	15	5	6	3	-	-	-	-	-	-	-	-
Premature birth—159	324	215	30	18	22	14	12	5	316	7	-	1	-	-	-	-	-	-	-	-
Injury at birth—160	118	53	18	18	22	4	-	-	115	-	1	-	-	-	-	1	1	-	-	-
Other diseases peculiar to first year—161	48	16	5	1	12	7	1	1	43	2	1	-	-	-	-	-	2	-	-	-
Accidental mechanical suffocation—182	7	-	1	-	-	-	-	-	1	2	1	1	1	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	10	2	-	1	-	-	-	-	3	1	-	-	-	-	1	-	1	2	1	1
Ill-defined and unknown causes—199,200	92	20	9	9	9	8	4	2	61	8	6	3	4	1	2	1	4	1	1	-
All other causes*	11	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	1	1	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSISSIPPI (all other races)——All causes	1,782	387	119	80	128	99	58	62	933	153	129	105	94	70	65	64	47	46	35	41
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	70	-	-	-	-	-	1	1	2	6	9	10	5	1	7	7	8	6	2	7
Diphtheria (infection by C. diphtheriae)—10	5	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	21	-	-	-	-	-	-	1	1	1	-	3	5	4	3	1	-	-	1	2
Malaria—28	15	-	-	-	-	-	-	-	-	2	2	4	1	-	2	1	1	2	-	-
Syphilis—30	53	16	3	2	2	1	3	1	28	6	5	3	2	-	2	3	1	2	1	-
Influenza—33	100	-	-	1	1	3	1	2	8	7	11	9	15	8	9	9	10	6	5	3
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	8	-	-	-	-	-	-	-	-	2	1	1	1	-	2	1	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	14	1	-	-	-	3	-	1	5	4	1	-	2	-	1	-	-	-	-	1
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	155	2	-	2	3	5	4	8	24	16	17	18	17	17	9	14	7	3	5	8
Other diseases of respiratory system—104-106,110-114	12	1	-	1	2	1	1	-	6	3	-	-	1	1	1	-	-	-	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-
Diarrhea, enteritis, etc.* —119	120	-	-	-	-	5	1	1	7	13	9	8	15	10	10	11	6	13	6	12
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	1	-	-	-	-	-	1	2	1	-	-	1	-	1	-	-	-	-
Peritonitis (cause not stated)—129	3	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	8	-	-	-	-	-	-	1	1	1	4	1	-	1	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	6	-	-	-	1	-	1	-	2	-	1	2	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations—157	21	4	3	1	1	2	2	-	13	-	2	1	1	-	1	-	-	3	-	-
Congenital debility—158	40	8	3	-	4	-	2	2	19	4	5	3	2	4	-	1	-	1	1	-
Premature birth—159	280	159	37	16	30	13	9	6	270	8	2	-	-	-	-	-	-	-	-	-
Injury at birth—160	53	20	9	4	9	5	1	3	51	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year——161	49	12	8	4	10	4	6	1	45	1	-	1	2	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	10	-	-	1	-	1	-	-	2	4	2	1	-	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	23	3	-	1	-	-	1	-	5	3	2	-	1	1	2	2	2	1	3	1
Ill-defined and unknown causes—199,200	671	161	55	47	64	54	24	31	436	63	46	37	21	19	14	9	7	7	8	4
All other causes*	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
MISSOURI—All causes	2,913	875	174	109	199	189	87	107	1,740	212	191	129	115	118	80	79	78	64	53	54
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	62	-	-	-	-	-	1	4	5	12	11	5	2	5	8	1	6	3	-	4
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Erysipelas—11	6	-	-	-	-	1	2	1	4	1	-	-	-	1	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	13	1	-	-	-	-	-	-	1	1	1	-	-	1	1	2	1	1	1	3
Tuberculosis of meninges, etc.* —14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Septicemia and purulent infection—24	5	-	-	-	1	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Dysentery—27	24	-	-	-	-	-	1	2	3	-	2	1	3	1	2	-	5	-	4	3
Malaria—28	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis—30	25	4	-	-	-	2	2	3	11	4	4	3	2	-	-	-	1	-	-	-
Influenza—33	81	-	-	-	1	4	3	4	12	15	7	7	6	9	3	6	5	4	5	2
Measles—35	7	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	2	-	-	1
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Diseases of thymus gland—64	23	4	1	3	2	2	-	1	13	3	4	-	1	1	-	-	-	-	1	-
Rickets—70	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hemorrhagic conditions—72	5	-	-	-	3	-	-	-	3	1	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)——81	14	-	1	-	-	-	-	1	2	2	1	2	-	2	2	1	1	-	-	1
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Convulsions—86	6	-	-	-	2	1	-	1	4	-	1	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	17	-	-	-	-	-	-	-	-	2	3	2	3	2	1	1	-	1	-	2
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1
Diseases of circulatory system—90-103	13	-	-	-	2	2	-	-	4	1	2	1	1	-	-	-	-	1	1	2
Pneumonia (all forms)—107-109	458	3	2	5	11	21	22	18	82	52	65	48	40	38	28	32	27	13	17	16
Other diseases of respiratory system—104-106,110-114	29	-	-	-	1	-	1	3	5	4	5	3	4	-	2	1	1	2	2	-
Diseases of buccal cavity, etc.* —115	14	-	-	-	2	-	-	2	4	-	2	1	2	1	1	-	-	1	1	1
Diseases of stomach—117,118	4	-	-	-	1	2	-	-	3	-	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	242	-	-	-	2	5	9	11	27	27	24	23	28	34	18	18	16	13	9	5
Hernia—122a	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Intestinal obstruction—122b	27	-	-	-	-	3	-	2	5	2	5	-	2	4	1	3	1	1	3	-
Peritonitis (cause not stated)—129	5	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	7	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	1	-	1	1
Diseases, genito-urinary sys.130,131,133-139	11	-	-	1	1	3	-	-	5	2	1	-	-	-	1	-	1	1	-	-
Diseases of skin and cellular tissue-151-153	9	-	-	-	1	4	-	1	6	1	1	-	-	-	-	-	-	1	-	-
Congenital malformations—157	348	90	27	17	46	41	8	22	251	32	17	6	9	8	7	5	2	8	1	2
Congenital debility—158	57	12	3	1	7	7	4	4	38	7	2	2	2	2	-	-	2	-	1	1
Premature birth—159	809	557	71	39	41	53	17	11	789	8	10	2	-	-	-	-	-	-	-	-
Injury at birth—160	269	134	42	27	41	9	5	6	264	1	1	1	1	-	-	-	-	1	-	-
Other diseases peculiar to first year——161	147	58	20	11	24	13	6	3	135	7	3	2	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	28	1	2	-	-	-	-	-	3	6	6	7	4	-	-	1	-	1	-	-
Other violence or accident——166-181,183-195	36	2	1	-	1	-	2	1	7	3	2	3	2	2	2	3	1	4	4	3
Ill-defined and unknown causes—199,200	61	9	2	5	8	8	2	3	37	9	5	1	1	-	1	1	2	2	-	2
All other causes*	19	-	1	-	-	3	1	-	5	2	3	3	-	1	-	1	1	1	1	1

* Refer to complete International List titles, table II.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MONTANA—All causes	531	185	29	29	44	24	15	17	343	39	32	28	14	19	15	9	7	12	6	7
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-
Tuberculosis of meninges, etc.* —14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	2	-	-	-
Influenza—33	9	-	-	-	-	-	-	1	1	1	-	2	1	-	2	-	-	2	-	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	7	1	-	-	1	-	1	-	3	1	-	1	1	-	-	-	-	1	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	60	-	-	1	1	2	1	2	7	8	15	7	4	4	7	3	1	2	2	-
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	36	-	-	-	1	-	2	1	4	6	5	3	1	5	3	2	2	3	1	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	1	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	54	16	3	2	8	5	2	2	38	4	4	3	1	1	-	1	-	-	1	1
Congenital debility—158	14	4	-	-	2	-	1	-	7	2	3	1	-	-	-	-	-	-	-	1
Premature birth—159	183	116	17	19	12	12	3	2	181	1	1	-	-	-	-	-	-	-	-	-
Injury at birth—160	52	37	4	2	5	-	2	-	50	1	-	-	-	-	-	1	-	-	-	-
Other diseases peculiar to first year—161	30	9	4	4	8	3	-	1	29	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	11	-	-	-	3	-	1	2	6	-	2	1	-	1	1	-	-	-	-	-
Ill-defined and unknown causes—199,200	10	1	1	1	-	1	-	-	4	2	-	1	1	1	1	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NEBRASKA—All causes	792	284	67	50	62	37	19	14	533	50	38	27	34	38	20	10	11	8	14	9
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	1	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	1	-	-	1	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-
Influenza—33	20	-	-	-	-	-	-	2	2	1	5	3	3	3	1	1	-	-	-	1
Measles—35	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	6	-	1	-	1	-	-	-	2	3	-	-	-	-	-	-	1	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	3	-	-	-	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Convulsions—86	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-
Diseases of circulatory system—90-103	7	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	3	-
Pneumonia (all forms)—107-109	93	-	-	3	2	4	2	2	13	8	11	11	12	16	7	4	2	4	4	1
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	1	-	-	1	1	-	-	2	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	4	-	1	-	-	2	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	29	-	-	-	2	-	2	1	5	3	3	-	5	4	6	1	-	1	-	1
Hernia—122a	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Congenital malformations—157	110	34	8	12	7	7	5	1	74	11	7	4	2	5	1	1	1	1	1	2
Congenital debility—158	9	2	-	-	2	-	-	-	4	3	-	-	-	1	1	-	-	-	-	-
Premature birth—159	278	174	37	15	21	15	7	-	269	4	1	2	1	-	-	-	1	-	-	-
Injury at birth—160	99	56	13	14	10	4	-	1	98	-	-	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	44	15	4	5	9	1	2	3	39	3	1	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	7	-	-	-	-	-	1	1	2	2	2	1	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	12	-	1	1	-	2	-	-	4	2	2	-	1	-	-	-	-	-	1	2
Ill-defined and unknown causes—199,200	8	2	1	-	1	-	-	-	4	-	1	1	1	-	-	-	-	-	-	1
All other causes*	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEVADA—All causes	107	37	11	4	8	2	-	1	63	4	6	6	8	11	5	-	1	2	1	-
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc. *13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc. *—14	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	13	-	-	-	1	-	-	-	1	1	3	2	4	-	1	-	-	1	-	-
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of buccal cavity, etc. *—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc. *—119	6	-	-	1	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-
Hernia—122a	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	9	2	2	1	-	1	-	-	6	-	-	-	1	1	1	-	-	-	-	-
Congenital debility—158	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Premature birth—159	37	25	8	2	2	-	-	-	37	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	11	7	1	-	2	-	-	-	10	-	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	3	2	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
All other causes *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE—All causes	340	112	28	21	16	18	4	8	207	36	21	19	13	5	10	8	13	2	3	3
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	-	-	-	-	2	2	-	1	2	-	-	-	-	1	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc. *13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc. *—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	2	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Influenza—33	6	-	-	1	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-
Measles—35	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	51	-	-	-	1	-	1	-	2	12	8	5	4	-	6	4	6	1	1	2
Other diseases of respiratory system—104-106,110-114	4	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc. *—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc. *—119	11	-	-	-	-	1	-	-	1	3	1	-	2	-	2	-	1	1	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	55	14	4	9	6	5	1	2	41	4	1	3	1	2	-	2	1	-	-	-
Congenital debility—158	7	2	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-	-
Premature birth—159	94	59	18	2	4	7	-	1	91	1	1	1	-	-	-	-	-	-	-	-
Injury at birth—160	42	27	3	7	3	-	-	1	41	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	20	8	3	2	-	1	1	1	16	1	1	-	1	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	-
Ill-defined and unknown causes—199,200	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All other causes *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY—All causes	2,086	724	181	124	176	87	66	60	1,418	130	102	99	73	60	44	42	34	32	24	28
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Whooping cough—9	14	-	-	-	-	-	1	-	1	3	-	2	1	2	2	-	-	3	-	-
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1
Tuberculosis of meninges, etc.*—14	6	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	1	-	3	1	1	1	1	8	1	1	2	1	-	-	-	-	-	-	-
Influenza—33	14	-	-	-	-	-	-	-	-	-	2	1	-	4	2	-	1	2	1	1
Measles—35	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	32	3	1	1	1	2	1	3	12	6	2	3	1	-	3	1	-	-	3	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	1	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	7	1	-	-	1	-	-	-	2	-	1	-	2	1	-	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	14	-	-	-	-	-	1	-	1	2	-	-	2	3	2	1	1	-	2	-
Intracranial lesions of vascular origin—83	8	1	1	-	1	-	-	-	3	1	2	-	-	-	-	1	-	-	1	-
Convulsions—86	7	-	-	-	3	-	1	-	4	-	1	-	-	-	-	1	-	-	1	-
Diseases of ear and mastoid process—89	12	-	-	-	-	-	-	-	-	1	3	2	-	1	1	1	1	1	-	1
Other diseases, nervous system-82,84,85,87,88	6	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	1	-
Diseases of circulatory system—90-103	12	-	-	1	-	1	1	-	3	1	1	4	1	1	-	1	-	-	-	-
Pneumonia (all forms)—107-109	298	4	3	6	12	6	11	9	51	48	40	37	29	17	17	20	12	9	2	16
Other diseases of respiratory system—104-106,110-114	28	4	-	1	-	1	1	2	9	2	1	3	2	2	2	1	2	1	3	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	79	-	-	-	-	3	2	8	13	8	11	8	7	9	5	7	6	2	2	1
Hernia—122a	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	19	-	-	-	1	2	1	-	4	-	-	3	2	3	1	-	2	4	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	5	-	-	-	1	-	2	-	3	1	-	-	-	-	-	-	-	-	1	-
Congenital malformations—157	271	58	23	12	34	29	17	16	189	17	17	16	11	8	3	3	-	3	2	2
Congenital debility—158	35	5	4	3	1	2	4	2	21	4	4	2	2	-	1	1	-	-	-	-
Premature birth—159	703	451	84	45	56	23	16	11	686	11	3	-	-	-	-	1	1	-	-	1
Injury at birth—160	223	113	41	23	30	7	2	1	217	4	2	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	167	73	22	26	29	8	1	-	159	5	-	3	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	29	1	-	-	2	-	-	2	5	7	6	2	1	1	3	1	1	1	1	-
Other violence or accident—166-181,183-195	26	4	1	-	-	-	-	1	6	2	2	4	5	3	-	-	1	3	-	-
Ill-defined and unknown causes—199,200	7	3	-	1	-	1	-	-	5	1	-	-	1	-	-	-	-	-	-	-
All other causes*	17	1	-	1	-	1	-	2	5	-	-	-	2	1	-	1	2	1	2	3
NEW MEXICO—All causes	1,468	285	53	44	74	63	53	42	614	128	107	120	123	76	74	68	51	57	32	18
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	51	-	-	-	-	-	1	-	1	6	7	8	7	2	6	3	3	4	2	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	62	-	1	-	2	-	1	1	5	5	2	7	13	7	7	4	3	7	2	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis—30	12	-	1	1	-	1	1	-	4	-	4	2	1	-	-	-	1	-	-	-
Influenza—33	18	-	-	-	-	-	1	-	1	-	2	3	1	2	2	4	2	-	-	1
Measles—35	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms)—107-109	142	-	-	3	2	5	4	5	19	13	14	20	17	15	9	15	4	8	4	4
Other diseases of respiratory system—104-106,110-114	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	13	-	-	-	-	1	1	2	4	1	1	-	3	2	-	1	-	-	1	-
Diarrhea, enteritis, etc.*—119	199	-	-	-	2	-	6	3	11	24	19	25	28	16	13	20	19	13	8	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Peritonitis (cause not stated)—129	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations—157	47	14	5	2	9	6	2	1	39	3	1	1	1	-	-	-	-	1	-	1
Congenital debility—158	35	5	-	3	-	1	4	5	18	10	2	3	1	-	1	-	-	-	-	-
Premature birth—159	227	144	25	11	14	12	5	5	216	6	2	1	1	-	1	-	-	-	-	-
Injury at birth—160	54	32	2	6	7	1	3	1	52	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	26	7	2	5	4	4	1	1	24	1	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	-	1	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-
Ill-defined and unknown causes—199,200	522	83	17	12	33	29	22	17	213	50	49	44	45	28	25	17	15	19	13	4
All other causes*	7	-	-	-	-	-	1	-	1	1	-	1	1	1	2	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK—All causes	7,322	2,741	624	363	559	340	188	195	5,010	514	410	290	221	163	171	142	116	105	88	92
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	2	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	109	-	-	-	1	-	-	-	1	20	17	17	10	4	11	8	5	6	4	6
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	6	-	-	-	-	2	1	1	4	1	-	-	-	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	13	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	4	-	4
Tuberculosis of meninges, etc.* —14	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	22	-	-	-	-	5	2	-	7	6	5	1	1	1	-	-	-	-	1	-
Dysentery—27	6	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	42	9	3	3	-	5	-	-	20	8	6	2	3	-	1	-	-	-	1	1
Influenza—33	50	-	-	-	-	-	-	1	1	7	10	6	3	3	1	6	4	2	3	4
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	-	-	-	1	2	-	3	1	1	-	2	-	-	-	-	-	1	2
Diseases of thymus gland—64	89	11	1	3	3	3	6	4	31	15	10	13	5	3	3	5	1	1	2	-
Rickets—70	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	-
Hemorrhagic conditions—72	12	1	-	2	2	4	-	1	10	-	1	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	17	1	-	2	-	2	1	-	6	3	3	2	-	-	-	-	-	1	-	2
Encephalitis (nonepidemic)—80	7	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	2	1	-
Meningitis (not due to meningococcus)—81	35	-	-	-	1	2	2	4	9	1	5	1	3	1	4	1	4	2	1	3
Intracranial lesions of vascular origin—83	20	1	-	-	1	1	-	1	4	7	3	2	1	1	-	-	-	-	1	1
Convulsions—86	11	-	-	2	-	-	-	-	2	4	2	1	1	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	39	-	-	-	-	-	1	1	2	3	3	3	5	3	2	3	3	7	4	1
Other diseases, nervous system-82,84,85,87,88	19	1	1	1	1	-	-	1	5	2	1	-	-	2	-	4	1	-	1	3
Diseases of circulatory system—90-103	19	-	-	-	-	1	-	1	2	4	5	1	-	4	1	-	-	1	1	-
Pneumonia (all forms)—107-109	894	8	6	9	29	29	40	49	170	131	130	94	76	56	63	47	44	31	22	30
Other diseases of respiratory system—104-106,110-114	91	2	2	1	1	1	3	5	15	13	12	11	6	2	8	5	5	4	7	3
Diseases of buccal cavity, etc.* —115	10	-	-	-	-	1	1	-	2	-	1	-	2	3	-	1	1	-	-	-
Diseases of stomach—117,118	10	-	-	1	1	-	-	2	4	1	1	1	1	1	-	-	-	-	-	1
Diarrhea, enteritis, etc.* —119	362	-	-	1	-	8	19	38	66	79	46	36	28	23	21	14	17	15	12	5
Hernia—122a	13	-	-	-	-	-	-	1	1	3	1	3	2	-	2	1	-	-	-	-
Intestinal obstruction—122b	39	-	-	-	3	3	3	2	11	5	3	1	4	2	4	3	2	1	3	-
Peritonitis (cause not stated)—129	15	-	-	-	2	-	-	2	4	2	2	-	3	1	1	-	-	1	-	1
Other diseases, digestive sys.116,121,123-128	17	-	-	1	1	-	-	-	2	-	2	2	3	2	3	-	-	1	1	1
Diseases, genito-urinary sys.130,131,133-139	22	-	1	-	1	1	1	1	5	6	4	2	1	1	1	-	-	1	1	-
Diseases of skin and cellular tissue-151-153	14	-	-	-	-	2	1	1	4	1	2	-	1	-	1	1	-	2	1	1
Congenital malformations—157	1,087	246	64	61	136	117	48	40	712	105	68	47	38	26	25	25	13	12	7	9
Congenital debility—158	48	8	5	3	5	1	3	1	26	5	5	7	-	2	-	-	1	-	-	2
Premature birth—159	2,337	1,538	337	127	148	91	26	19	2,286	32	12	2	3	-	-	1	-	-	1	-
Injury at birth—160	1,086	668	128	96	129	30	13	5	1,069	6	3	3	1	1	2	1	-	-	-	-
Other diseases peculiar to first year—161	495	224	71	46	89	23	14	4	471	14	4	1	-	2	1	-	1	-	1	-
Accidental mechanical suffocation—182	76	-	-	-	-	1	1	2	4	12	24	9	6	4	4	6	3	1	2	1
Other violence or accident—166-181,183-195	95	15	3	1	3	4	-	7	33	8	10	9	4	6	4	5	5	2	3	6
Ill-defined and unknown causes—199,200	14	5	1	3	-	-	-	-	9	1	-	1	-	1	1	-	-	1	-	-
All other causes*	48	2	1	-	2	2	-	1	8	5	6	6	3	4	4	2	2	5	1	2
NORTH CAROLINA (white)—All causes	2,715	803	209	115	206	154	96	80	1,663	201	163	159	112	76	85	57	58	41	56	44
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	28	-	-	-	1	-	1	1	3	5	3	5	5	1	3	1	-	-	-	2
Diphtheria (infection by C. diphtheriae)—10	11	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	1	3	1
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Septicemia and purulent infection—24	7	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	-	1
Dysentery—27	14	-	-	-	-	-	-	1	1	-	-	1	3	4	1	1	-	1	2	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Syphilis—30	13	3	1	1	-	-	1	2	8	1	-	1	-	1	-	-	-	1	1	-
Influenza—33	77	1	-	-	1	5	3	1	11	8	5	8	9	6	9	5	7	-	7	2
Measles—35	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Diseases of thymus gland—64	25	3	2	2	2	-	1	2	12	4	-	1	2	2	1	-	1	1	1	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1
Meningitis (not due to meningococcus)—81	16	-	-	-	-	1	1	-	2	-	3	2	2	-	4	2	1	-	-	-
Intracranial lesions of vascular origin—83	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
Convulsions—86	9	1	1	1	2	1	1	-	7	2	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	23	-	-	-	-	-	1	2	3	2	3	4	1	2	2	3	2	1	-	-
Other diseases, nervous system-82,84,85,87,88	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-
Diseases of circulatory system—90-103	17	-	-	-	-	1	-	1	2	8	3	-	2	-	2	-	-	-	-	-
Pneumonia (all forms)—107-109	363	1	2	5	11	11	15	20	65	54	51	49	33	19	24	19	17	11	10	11
Other diseases of respiratory system—104-106,110-114	23	1	-	-	-	2	1	1	5	2	4	4	-	-	2	-	1	1	2	2
Diseases of buccal cavity, etc.* —115	13	-	-	-	1	-	-	-	1	1	1	2	-	1	2	-	1	1	2	1
Diseases of stomach—117,118	4	-	-	-	2	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	206	-	-	1	1	1	1	6	10	23	24	27	18	23	15	17	14	8	14	13
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	14	-	-	-	-	-	-	-	-	2	-	-	1	1	3	1	1	3	-	2
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	9	-	-	-	1	2	1	-	4	1	2	1	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	8	1	-	-	-	-	-	-	1	1	3	-	1	-	1	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	15	1	1	-	1	6	1	1	11	2	1	-	-	1	-	-	-	-	-	-
Congenital malformations—157	231	46	23	14	29	23	19	10	164	17	14	5	10	2	6	4	5	2	1	1
Congenital debility—158	63	17	6	4	5	7	1	4	44	4	4	7	2	-	-	-	-	1	-	1
Premature birth—159	843	508	113	45	62	44	22	18	812	14	10	4	2	-	-	-	-	-	1	-
Injury at birth—160	259	144	31	18	39	21	4	1	258	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	110	28	16	11	21	17	5	3	101	4	2	1	1	-	-	-	-	-	-	1
Accidental mechanical suffocation—182	30	-	-	1	2	-	1	-	4	6	6	8	1	3	1	-	-	1	-	-
Other violence or accident—166-181,183-195	27	9	-	-	-	-	-	-	9	-	2	3	2	1	2	-	2	-	4	2
Ill-defined and unknown causes—199,200	209	39	13	12	24	11	14	4	117	33	15	22	9	5	3	-	2	2	-	1
All other causes*	12	-	-	-	-	-	2	1	3	-	1	-	1	2	-	1	-	1	2	1

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NORTH CAROLINA (all other races)—All causes	1,914	406	110	107	147	104	87	64	1,025	183	127	110	93	80	62	54	55	60	32	33
Cerebrospinal (meningococcus) meningitis---6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Scarlet fever---8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	29	-	-	-	-	-	1	-	1	2	3	4	3	2	1	3	5	2	2	1
Diphtheria (infection by C. diphtheriae)--10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas---11	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Tetanus---12	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Tuberculosis of meninges, etc.* ---14	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Tuberculosis (other forms)---15-22	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Septicemia and purulent infection---24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery---27	10	-	-	-	-	-	-	2	2	-	2	-	2	-	2	1	-	-	1	-
Malaria---28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Syphilis---30	48	10	3	4	2	4	3	1	27	7	7	2	3	1	-	1	-	-	-	-
Influenza---33	61	-	-	-	2	1	1	1	5	11	7	6	7	5	-	5	3	4	1	7
Measles---35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases---1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	1	1	2	-	-	-	-	1	-	1	1	-	-	-
Diseases of thymus gland---64	5	1	1	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-
Rickets---70	3	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Hemorrhagic conditions---72	5	-	-	1	3	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)---73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)---80	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)---81	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-
Intracranial lesions of vascular origin---83	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions---86	10	2	-	1	-	1	-	-	4	1	1	-	-	1	2	-	-	-	-	1
Diseases of ear and mastoid process---89	7	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	1	1	-	1
Other diseases, nervous system-82,84,85,87,88	5	-	-	-	-	-	-	1	1	-	-	1	-	2	1	-	-	-	-	-
Diseases of circulatory system---90-103	8	-	-	-	-	-	2	-	2	3	1	-	-	1	1	-	-	-	-	-
Pneumonia (all forms)---107-109	328	3	3	5	10	11	18	11	61	49	32	36	31	29	21	15	15	19	12	8
Other diseases of respiratory system---104-106,110-114	42	1	-	1	2	3	2	4	13	8	5	5	4	-	1	-	2	1	1	2
Diseases of buccal cavity, etc.* ---115	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1
Diseases of stomach---117,118	7	-	-	1	1	-	-	-	2	-	-	-	-	2	1	1	1	-	-	-
Diarrhea, enteritis, etc.* ---119	192	-	-	3	2	3	2	5	15	28	24	19	19	14	8	17	13	18	9	8
Hernia---122a	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction---122b	8	-	-	-	-	1	1	-	2	-	-	2	-	1	-	1	-	1	-	1
Peritonitis (cause not stated)---129	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1
Diseases of skin and cellular tissue-151-153	3	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations---157	63	14	3	3	9	7	5	3	44	4	3	3	1	1	1	2	1	2	1	-
Congenital debility---158	83	16	3	5	9	3	7	5	48	10	6	7	2	1	2	-	3	4	-	-
Premature birth---159	485	240	64	42	51	33	18	11	459	15	7	1	2	-	1	-	-	-	-	-
Injury at birth---160	80	41	9	14	10	4	-	-	78	1	-	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year---161	82	27	10	12	13	8	4	1	75	3	2	-	1	1	-	-	-	-	-	-
Accidental mechanical suffocation---182	30	2	1	-	-	4	-	2	9	4	5	3	3	2	3	1	-	-	-	-
Other violence or accident---166-181,183-195	30	2	1	1	2	-	1	1	8	1	5	3	1	3	2	1	3	2	-	1
Ill-defined and unknown causes---199,200	236	46	12	13	29	19	17	13	149	30	11	10	9	10	8	3	3	-	2	1
All other causes* ---	8	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	1	-	-
NORTH DAKOTA---All causes	603	210	43	22	41	24	29	20	389	43	36	28	30	18	14	12	7	9	11	6
Cerebrospinal (meningococcus) meningitis---6	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever---8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	10	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	1	1	1
Diphtheria (infection by C. diphtheriae)--10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas---11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus---12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Tuberculosis of meninges, etc.* ---14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)---15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection---24	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery---27	4	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	1	-	-	-
Malaria---28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis---30	3	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Influenza---33	8	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	1	1	-
Measles---35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases---1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
Diseases of thymus gland---64	4	1	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
Rickets---70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions---72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)---73	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)---80	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)---81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin---83	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions---86	16	1	-	1	1	2	2	1	8	-	2	2	1	1	-	1	-	-	-	1
Diseases of ear and mastoid process---89	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of circulatory system---90-103	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)---107-109	82	-	2	1	2	2	6	6	19	18	9	3	17	1	2	1	3	1	5	3
Other diseases of respiratory system---104-106,110-114	7	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.* ---115	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
Diseases of stomach---117,118	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ---119	39	-	-	-	-	-	2	3	5	4	4	5	3	5	5	3	-	4	1	-
Hernia---122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction---122b	8	-	-	-	1	-	-	-	1	-	-	-	1	1	1	2	1	1	-	-
Peritonitis (cause not stated)---129	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations---157	49	16	1	3	3	5	3	2	33	4	4	4	1	2	-	-	1	-	-	-
Congenital debility---158	12	3	-	1	2	1	1	1	9	2	1	-	-	-	-	-	-	-	-	-
Premature birth---159	205	140	21	8	16	8	7	1	201	3	-	1	-	-	-	-	-	-	-	-
Injury at birth---160	58	32	14	2	7	1	-	-	56	-	1	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year---161	35	13	2	5	5	2	3	3	33	-	-	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation---182	9	-	1	-	-	-	-	-	1	1	4	1	1	-	-	-	-	1	-	-
Other violence or accident---166-181,183-195	5	1	-	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	1	-
Ill-defined and unknown causes---199-200	20	3	2	-	2	2	1	2	12	2	1	2	1	-	1	-	-	-	1	-
All other causes* ---	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OHIO—All causes	4,759	1,557	345	262	357	256	171	143	3,091	356	253	207	162	138	127	109	106	79	68	63
Cerebrospinal (meningococcus) meningitis—6	11	-	-	-	-	1	-	-	1	1	2	1	2	1	1	-	-	1	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	87	-	-	-	-	-	1	4	5	10	13	5	13	5	7	6	6	5	3	9
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	13	-	-	-	-	-	-	-	-	1	1	-	-	4	1	1	1	1	2	1
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1
Septicemia and purulent infection—24	5	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	-	-	-
Dysentery—27	7	-	-	-	1	-	-	-	1	-	2	1	1	-	1	-	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	59	8	5	4	1	1	6	2	27	10	3	7	1	2	3	1	2	1	2	-
Influenza—33	110	-	-	1	2	2	4	5	14	16	11	14	6	10	11	6	7	7	5	3
Measles—35	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	-	-	-	-	1	1	1	3	2	-	-	1	-	1	-	1	2	-	1
Diseases of thymus gland—64	66	9	5	5	10	6	2	-	37	9	5	6	1	2	2	-	-	2	1	1
Rickets—70	4	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	2	-	-
Hemorrhagic conditions—72	12	1	2	-	5	1	-	-	9	1	-	-	-	-	-	-	-	1	-	1
Anemias (except splenic anemia)—73	6	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	21	-	-	-	2	-	1	1	4	3	4	1	2	2	1	1	1	2	-	-
Intracranial lesions of vascular origin—83	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2
Convulsions—86	9	-	-	-	1	1	-	-	2	-	1	1	3	2	-	-	-	-	-	-
Diseases of ear and mastoid process—89	24	-	-	-	-	-	-	-	-	2	2	3	4	-	3	1	3	2	2	2
Other diseases, nervous system-82,84,85,87,88	10	-	-	-	-	1	1	1	3	1	-	-	2	-	-	3	-	-	1	-
Diseases of circulatory system—90-103	9	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	2	-	2	-
Pneumonia (all forms)—107-109	633	1	6	5	13	25	30	30	110	96	77	69	54	46	40	38	42	24	22	15
Other diseases of respiratory system—104-106,110-114	39	1	1	-	1	1	1	2	7	7	2	3	4	5	6	1	1	-	1	2
Diseases of buccal cavity, etc.*—115	8	-	-	-	-	1	-	-	1	1	-	1	-	1	-	2	1	-	1	-
Diseases of stomach—117,118	8	-	-	-	1	-	-	1	2	1	-	2	-	1	-	-	-	1	1	-
Diarrhea, enteritis, etc.*—119	257	-	-	1	3	9	26	19	58	37	29	19	28	17	22	14	16	7	4	6
Hernia—122a	4	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	32	-	-	-	1	1	-	2	4	4	2	2	3	1	2	5	2	2	4	1
Peritonitis (cause not stated)—129	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	7	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	1	1	-
Diseases, genito-urinary sys.130,131,133-139	10	-	-	1	1	1	-	-	3	1	1	1	-	-	-	3	1	-	-	-
Diseases of skin and cellular tissue-151-153	11	-	-	-	1	3	1	2	7	-	-	1	-	-	1	-	1	-	-	1
Congenital malformations—157	624	132	48	45	82	56	37	28	428	61	32	24	18	15	12	9	9	8	4	4
Congenital debility—158	86	16	3	3	9	4	6	4	45	12	11	8	3	2	2	1	-	1	-	1
Premature birth—159	1,548	975	174	106	99	94	38	25	1,511	25	8	3	-	-	1	-	-	-	-	-
Injury at birth—160	515	296	61	53	77	14	6	1	508	3	-	-	-	1	-	1	-	-	1	1
Other diseases peculiar to first year—161	262	104	35	32	40	27	1	6	245	8	4	1	1	1	-	-	-	-	1	1
Accidental mechanical suffocation—182	69	-	-	3	-	1	2	-	6	14	15	11	7	6	2	4	2	-	2	-
Other violence or accident—166-181,183-195	64	5	-	-	1	3	1	4	14	6	8	8	3	5	2	4	2	2	4	6
Ill-defined and unknown causes—199,200	75	9	4	3	6	1	4	2	29	12	11	7	2	4	2	1	4	2	1	-
All other causes*	22	-	1	-	-	-	1	1	3	2	4	-	-	3	1	3	-	3	-	3
OKLAHOMA (white)—All causes	1,865	551	147	72	133	115	76	50	1,144	149	109	86	77	71	44	47	42	36	34	26
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	39	-	-	-	-	1	1	-	2	10	6	4	3	5	1	1	3	1	-	3
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*13	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	22	-	-	-	-	-	3	1	4	2	1	-	3	2	1	2	2	-	2	3
Malaria—28	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Syphilis—30	15	1	1	1	-	1	1	-	5	3	5	-	-	-	-	1	-	1	-	-
Influenza—33	58	1	-	-	1	4	2	2	10	8	7	7	6	3	5	1	4	3	3	1
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	-	-	-	1	1	1	1	-	-	1	-	1	2	-	-	-
Diseases of thymus gland—64	17	3	2	-	2	3	2	1	13	1	-	-	1	1	-	-	1	-	-	-
Rickets—70	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Hemorrhagic conditions—72	7	1	-	2	2	-	-	-	5	1	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	11	-	-	-	1	1	-	-	2	2	1	-	1	1	1	-	1	1	-	1
Intracranial lesions of vascular origin—83	4	-	2	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	5	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Diseases of circulatory system—90-103	8	1	-	-	-	-	-	1	2	1	1	2	1	-	-	-	-	-	1	-
Pneumonia (all forms)—107-109	274	-	-	4	9	8	14	7	42	45	40	34	25	19	12	16	12	13	11	5
Other diseases of respiratory system—104-106,110-114	10	-	-	-	1	1	1	-	3	1	-	-	3	-	-	-	-	1	-	2
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	7	-	-	-	-	1	-	1	2	1	1	-	2	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*—119	135	-	-	1	-	3	5	7	16	17	15	14	13	18	9	10	7	4	6	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	25	-	-	-	-	3	-	1	4	-	3	2	2	2	3	2	2	2	1	2
Peritonitis (cause not stated)—129	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Congenital malformations—157	180	51	11	11	22	22	7	8	132	14	8	9	4	-	3	2	4	1	3	-
Congenital debility—158	66	9	5	4	6	7	2	2	35	10	6	3	4	3	2	1	-	2	-	-
Premature birth—159	621	381	82	30	44	40	26	11	614	5	-	1	-	1	-	-	-	-	-	-
Injury at birth—160	146	66	24	13	27	5	2	1	138	1	-	1	1	1	2	1	-	-	1	-
Other diseases peculiar to first year—161	70	26	14	4	9	7	3	1	64	4	1	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	22	-	-	-	-	-	3	1	4	7	3	2	-	5	1	-	-	-	-	-
Other violence or accident—166-181,183-195	28	-	2	-	-	-	1	1	4	3	-	1	1	4	-	4	2	5	3	1
Ill-defined and unknown causes—199,200	53	11	4	2	5	3	1	2	28	8	7	1	4	2	-	2	-	1	-	-
All other causes*	6	-	-	-	1	-	-	-	1	2	1	-	-	-	-	2	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (all other races)——All causes	349	50	19	14	32	27	14	16	172	30	26	30	11	15	21	13	10	12	6	3
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	12	-	-	-	-	1	-	-	1	2	1	1	1	1	3	1	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	6	-	-	-	1	1	1	-	3	1	-	-	-	-	1	-	-	-	-	1
Influenza—33	19	-	-	1	1	2	2	-	6	-	1	5	1	-	4	-	-	1	1	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	73	-	1	-	3	1	2	7	14	8	13	9	2	6	3	6	6	5	1	-
Other diseases of respiratory system—104-106,110-114	7	-	-	-	1	1	-	1	3	2	1	-	1	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	43	-	-	-	2	1	1	1	5	6	3	9	3	5	5	2	-	3	2	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	3	-	-	3	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	8	3	-	1	1	1	1	-	7	-	-	-	-	-	-	1	-	-	-	-
Congenital debility—158	19	3	2	-	1	4	2	2	14	2	1	1	-	-	-	-	-	-	1	-
Premature birth—159	74	35	12	6	11	5	2	1	72	1	-	-	-	-	-	1	-	-	-	-
Injury at birth—160	6	2	1	-	1	-	-	-	4	-	1	-	-	-	-	1	-	-	-	-
Other diseases peculiar to first year—161	21	6	3	3	6	1	-	-	19	1	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Ill-defined and unknown causes—199,200	18	1	-	3	2	1	2	-	9	3	2	1	-	-	-	-	2	-	1	-
All other causes*	4	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	1	-	-
OREGON—All causes	588	238	44	25	57	24	12	12	412	34	30	16	25	12	16	12	9	9	7	6
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-
Influenza—33	12	-	-	-	-	-	-	-	-	3	2	-	2	1	3	-	-	-	1	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	3	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	53	-	-	-	4	-	-	-	4	11	9	4	5	1	3	4	4	2	1	5
Other diseases of respiratory system—104-106,110-114	10	1	-	-	-	-	-	-	1	2	1	2	1	1	1	-	-	1	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	15	-	-	-	-	-	1	1	2	3	1	-	4	3	-	-	-	1	1	-
Hernia—122a	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	1	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	85	25	5	4	13	9	3	1	60	8	4	1	3	2	1	4	2	-	-	-
Congenital debility—158	9	3	2	-	1	-	1	-	7	-	-	1	1	-	-	-	-	-	-	-
Premature birth—159	192	134	17	10	15	11	2	1	190	2	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	79	50	12	5	10	1	1	-	79	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	51	24	7	5	11	1	1	1	50	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	9	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	1	1	-
Other violence or accident—166-181,183-195	17	1	-	-	-	-	-	-	1	2	2	2	4	-	2	1	1	2	-	-
Ill-defined and unknown causes—199,200	7	-	1	-	-	-	2	2	5	-	1	-	-	-	1	-	-	-	-	-
All other causes*	6	-	-	-	1	1	-	-	2	-	-	1	-	-	1	-	-	1	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PENNSYLVANIA—All causes	7,400	2,344	572	378	548	385	263	211	4,701	526	477	390	277	241	193	167	139	94	97	98
Cerebrospinal (meningococcus) meningitis—6	17	-	-	-	-	-	-	-	-	-	2	2	2	2	-	3	2	2	2	-
Scarlet fever—8	4	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	1
Whooping cough—9	94	-	-	-	-	-	-	1	1	9	16	13	13	5	6	10	6	6	3	6
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-
Erysipelas—11	8	-	-	-	-	-	1	2	3	2	2	-	-	-	1	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	15	-	-	-	-	-	-	-	-	1	-	1	2	3	1	2	2	1	-	2
Tuberculosis of meninges, etc.*—14	16	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	2	4	3
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Septicemia and purulent infection—24	7	-	-	-	-	-	2	1	3	1	-	1	-	-	-	1	1	-	-	-
Dysentery—27	6	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	48	6	3	1	4	7	3	2	26	7	3	8	2	-	1	1	-	-	-	-
Influenza—33	142	-	2	1	2	6	1	6	18	13	22	14	19	13	6	10	5	7	6	9
Measles—35	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	-	-	-	-	1	2	-	3	1	-	1	2	-	2	-	2	-	-	-
Diseases of thymus gland—64	97	3	9	4	9	4	6	3	38	8	17	9	6	5	3	5	3	1	1	1
Rickets—70	7	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	2	-	-
Hemorrhagic conditions—72	20	2	4	3	4	2	-	-	15	1	-	-	-	2	2	-	-	-	-	-
Anemias (except splenic anemia)—73	11	-	-	-	-	1	2	-	3	2	4	2	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	6	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	62	-	-	1	1	1	1	2	6	6	9	13	6	3	6	1	3	3	1	5
Intracranial lesions of vascular origin—83	14	-	-	1	-	-	1	-	2	5	3	1	1	-	1	-	1	-	-	-
Convulsions—86	29	1	1	-	7	1	1	1	12	3	4	4	2	1	-	-	1	1	-	1
Diseases of ear and mastoid process—89	47	-	-	-	-	1	-	1	2	2	7	6	7	8	3	2	4	-	3	3
Other diseases, nervous system-82,84,85,87,88	13	-	-	-	2	-	-	-	2	-	4	2	-	1	1	-	1	1	1	-
Diseases of circulatory system—90-103	34	-	-	-	2	4	3	2	11	2	2	4	2	4	4	-	1	2	-	2
Pneumonia (all forms)—107-109	1,197	6	6	13	24	29	47	46	171	182	164	157	111	110	83	73	45	33	33	35
Other diseases of respiratory system—104-106,110-114	100	-	-	-	2	2	3	4	11	20	11	7	15	7	5	7	4	2	8	3
Diseases of buccal cavity, etc.*—115	12	-	-	1	-	-	-	1	2	-	1	1	-	1	3	2	1	-	1	-
Diseases of stomach—117,118	17	-	-	-	1	-	-	3	4	3	4	3	1	-	-	1	-	-	1	-
Diarrhea, enteritis, etc.*—119	361	2	-	-	3	11	42	24	82	63	44	44	25	24	17	21	17	9	10	5
Hernia—122a	7	-	-	-	1	-	-	-	1	1	1	-	2	-	-	2	-	-	-	-
Intestinal obstruction—122b	67	-	-	-	5	4	2	1	12	6	8	6	5	8	7	3	5	1	3	3
Peritonitis (cause not stated)—129	11	-	-	-	-	-	-	1	1	4	1	-	-	1	-	1	-	-	1	2
Other diseases, digestive sys.116,121,123-128	14	-	-	-	1	1	-	2	4	-	2	1	1	1	1	1	1	-	-	2
Diseases, genito-urinary sys.130,131,133-139	22	-	-	-	-	-	2	1	3	6	4	1	2	-	2	-	1	3	-	-
Diseases of skin and cellular tissue-151-153	14	-	-	-	-	3	3	3	9	1	-	1	-	-	1	-	1	-	1	-
Congenital malformations—157	944	222	66	71	109	87	43	42	640	76	73	46	22	21	19	10	13	8	10	6
Congenital debility—158	76	13	3	2	12	3	7	6	46	9	10	5	3	2	-	-	-	-	1	-
Premature birth—159	2,334	1,441	300	143	168	137	55	29	2,273	36	13	5	-	-	5	-	-	1	1	-
Injury at birth—160	828	455	114	87	102	34	8	9	809	6	4	3	-	-	2	1	1	1	-	1
Other diseases peculiar to first year—161	456	173	57	47	83	40	16	7	423	15	4	4	4	2	1	-	2	-	1	-
Accidental mechanical suffocation—182	62	-	1	1	2	-	-	4	8	15	14	9	6	3	2	1	3	1	-	-
Other violence or accident—166-181,183-195	73	4	4	-	-	2	7	1	18	8	10	7	8	1	5	4	5	2	-	5
Ill-defined and unknown causes—199,200	43	14	1	2	3	2	1	2	25	3	4	4	4	1	-	-	-	1	1	-
All other causes*	41	2	1	-	1	2	3	3	12	3	3	3	1	3	1	4	3	3	3	2
RHODE ISLAND—All causes	413	152	36	20	33	17	13	12	283	35	19	13	10	14	10	12	6	3	5	3
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	4	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	2	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	5	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	1
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	1	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Convulsions—86	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	61	-	-	2	4	3	4	1	14	12	8	6	3	4	3	4	4	-	3	-
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	14	-	-	-	-	1	-	-	1	1	3	5	1	2	1	1	-	1	-	-
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-
Congenital malformations—157	82	29	5	4	9	5	4	5	61	9	4	1	2	2	1	1	-	-	-	1
Congenital debility—158	6	-	-	-	-	1	-	-	1	2	-	-	-	-	-	1	1	-	1	-
Premature birth—159	120	80	13	8	10	1	2	2	116	4	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	50	27	8	5	6	1	-	-	47	1	-	-	1	-	-	1	-	-	-	-
Other diseases peculiar to first year—161	30	12	9	1	3	2	1	-	28	1	-	-	-	-	1	-	-	-	-	-
Accidental mechanical suffocation—182	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	6	1	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	1	-
Ill-defined and unknown causes—199,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (white)—All causes	1,132	349	88	60	71	46	32	33	679	79	71	78	43	36	37	26	22	26	17	18
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	2	-	1
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	7	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	2	-	-
Malaria—28	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1
Syphilis—30	4	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
Influenza—33	46	-	-	-	3	4	2	2	11	2	2	7	6	2	4	4	5	5	-	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diseases of thymus gland—64	8	-	1	-	1	1	1	2	6	-	-	2	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	5	-	-	1	1	-	1	1	4	-	-	-	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	1	-
Intracranial lesions of vascular origin—83	5	-	-	1	-	1	-	-	2	1	1	-	-	-	1	-	-	-	-	-
Convulsions—86	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of circulatory system—90-103	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	147	-	-	-	8	6	9	11	34	21	18	22	12	10	9	3	7	5	4	2
Other diseases of respiratory system—104-106,110-114	11	-	-	-	1	-	-	-	1	1	3	4	-	-	-	-	-	-	2	-
Diseases of buccal cavity, etc.* —115	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.* —119	103	-	-	-	-	-	2	-	2	10	15	9	8	12	10	12	7	7	4	7
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-
Congenital malformations—157	81	18	7	4	8	8	4	2	51	9	4	7	2	3	2	-	-	2	1	-
Congenital debility—158	17	3	-	1	1	1	1	1	8	5	2	1	1	-	-	-	-	-	-	-
Premature birth—159	376	247	47	24	20	17	6	4	365	3	4	2	2	-	-	-	-	-	-	-
Injury at birth—160	89	38	16	17	9	4	-	2	86	-	1	1	-	-	-	-	-	1	-	-
Other diseases peculiar to first year—161	68	31	6	9	11	2	2	-	61	4	1	1	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	17	-	2	1	1	-	1	3	8	4	2	1	1	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	20	-	1	-	-	-	-	-	1	-	5	4	1	-	3	-	-	1	2	3
Ill-defined and unknown causes—199,200	67	12	6	2	5	1	2	4	32	9	9	8	3	2	-	2	1	1	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA (all other races)—All causes	1,892	331	107	82	162	119	77	64	942	172	114	131	112	85	87	64	63	51	33	38
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	29	-	-	-	-	1	2	3	6	3	1	4	2	2	1	4	2	1	-	3
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas—11	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	4	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	18	-	-	-	-	-	-	-	-	3	1	-	3	4	2	-	2	3	-	-
Malaria—28	15	-	-	-	-	-	-	-	-	1	2	1	3	3	-	1	1	1	-	2
Syphilis—30	54	8	5	2	3	2	3	4	27	6	5	5	4	2	3	1	1	-	-	-
Influenza—33	86	-	1	-	1	3	4	-	9	9	7	13	6	7	13	4	6	6	4	2
Measles—35	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1
Diseases of thymus gland—64	8	1	-	-	2	-	-	-	3	3	1	-	-	1	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	12	2	1	2	-	1	-	-	6	1	1	-	1	-	-	1	-	1	1	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	6	-	-	-	1	1	-	-	2	-	2	-	-	-	1	1	-	-	-	-
Pneumonia (all forms)—107-109	261	-	3	1	4	7	11	8	34	38	27	27	28	21	29	17	14	15	5	6
Other diseases of respiratory system—104-106,110-114	33	1	-	1	3	-	3	3	11	4	3	5	5	1	1	2	-	-	1	-
Diseases of buccal cavity, etc.* —115	7	-	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	1	-	-
Diseases of stomach—117,118	8	-	-	-	1	1	1	-	3	1	2	1	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	167	-	-	-	1	1	2	5	9	13	10	18	22	18	19	16	10	9	10	13
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	1	-	-	-	1	-	-	1	-	2	1	-	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	5	-	1	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	27	5	2	2	5	2	1	-	17	1	3	1	1	-	1	-	3	-	-	-
Congenital debility—158	69	13	2	11	8	-	5	3	42	9	3	4	4	1	2	2	2	-	-	-
Premature birth—159	286	144	21	23	35	20	13	10	266	14	1	1	-	1	-	1	1	-	-	1
Injury at birth—160	59	20	8	6	13	10	-	-	57	1	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	64	13	9	5	18	7	3	4	59	4	-	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	30	-	-	-	-	3	2	1	6	4	7	5	2	1	2	-	2	1	-	-
Other violence or accident—166-181,183-195	26	1	-	-	-	3	-	-	4	4	1	1	1	4	-	2	3	2	1	3
Ill-defined and unknown causes—199,200	568	123	54	29	63	51	25	22	367	48	31	38	23	13	10	10	10	6	8	4
All other causes*	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH DAKOTA—All causes	456	167	31	29	38	33	9	14	321	22	25	16	17	9	9	8	9	5	7	6
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Influenza—33	15	-	-	-	1	1	-	1	3	3	1	2	1	1	1	-	3	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	6	-	-	1	1	-	-	-	2	-	-	1	1	-	-	1	-	-	-	1
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	41	-	-	1	-	3	4	1	9	7	2	3	6	5	3	3	1	1	-	1
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	26	-	-	2	1	3	-	1	7	1	5	4	-	-	3	-	1	1	4	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	70	22	7	4	10	7	1	5	56	3	4	-	3	-	-	1	2	-	-	1
Congenital debility—158	13	2	1	3	2	1	-	-	9	2	1	-	-	-	-	-	-	-	1	-
Premature birth—159	140	101	16	4	8	8	2	1	140	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	40	23	4	5	3	2	1	1	39	-	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	48	18	3	8	8	7	-	3	47	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1
Ill-defined and unknown causes—199,200	14	-	-	-	2	-	1	-	3	-	2	1	2	1	1	-	-	2	2	-
All other causes*	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TENNESSEE (white)—All causes	2,441	615	157	100	210	123	111	76	1,392	204	164	121	100	90	89	68	53	52	57	51
Cerebrospinal (meningococcus) meningitis—6	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	1
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
Whooping cough—9	54	-	-	-	-	-	1	2	3	13	5	5	5	3	6	5	1	3	1	4
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	6	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	9	-	-	-	1	-	-	-	1	1	-	-	1	2	1	-	-	1	2	-
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	-
Dysentery—27	53	-	-	-	-	1	1	2	4	1	5	3	6	14	4	6	-	2	3	5
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	22	1	-	-	2	-	1	2	6	4	5	3	3	-	1	-	-	-	-	-
Influenza—33	69	-	1	-	-	3	6	1	11	11	7	5	6	7	8	2	4	1	5	2
Measles—35	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Diseases of thymus gland—64	6	-	2	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	2	1	-	1	-	4	-	-	-	2	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	12	-	-	-	-	-	-	1	1	-	-	1	1	2	1	1	-	1	4	-
Intracranial lesions of vascular origin—83	8	-	-	-	1	3	-	1	5	3	-	-	-	-	-	-	-	-	-	-
Convulsions—86	9	1	1	1	-	1	-	1	5	1	1	-	1	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	5	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	1	-	1
Diseases of circulatory system—90-103	11	-	-	-	1	1	-	-	2	3	-	2	-	-	1	-	-	1	2	-
Pneumonia (all forms)—107-109	340	3	2	2	13	8	21	18	67	52	48	29	30	19	20	18	22	17	8	10
Other diseases of respiratory system—104-106,110-114	17	-	1	1	-	-	-	-	2	2	2	2	2	1	1	1	3	-	1	-
Diseases of buccal cavity, etc.* —115	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1
Diseases of stomach—117,118	11	-	-	-	2	-	-	-	2	-	1	1	2	1	1	-	-	2	1	-
Diarrhea, enteritis, etc.* —119	185	-	-	-	1	5	8	8	22	20	21	11	15	17	21	14	9	9	12	14
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	14	-	-	-	-	-	1	-	1	-	1	1	-	4	4	3	-	-	-	-
Peritonitis (cause not stated)—129	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-
Diseases, genito-urinary sys.130,131,133-139	8	-	-	-	-	1	1	-	2	-	-	1	-	1	1	1	-	-	1	1
Diseases of skin and cellular tissue-151-153	12	-	1	2	1	2	-	1	7	1	1	2	-	-	-	-	-	1	-	-
Congenital malformations—157	174	42	11	9	27	12	9	6	116	17	7	10	4	2	4	4	3	2	3	2
Congenital debility—158	47	7	-	1	7	6	2	3	26	3	7	3	3	-	1	1	2	1	-	-
Premature birth—159	595	342	76	32	58	34	27	10	579	11	1	2	1	-	1	-	-	-	-	-
Injury at birth—160	216	117	33	18	29	8	1	4	210	2	2	1	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	92	24	8	12	20	15	2	2	83	4	3	-	2	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	25	-	-	-	2	-	2	3	7	4	6	3	2	-	1	1	-	-	-	1
Other violence or accident—166-181,183-195	34	3	2	1	1	1	1	-	9	3	-	3	3	1	3	1	1	3	6	1
Ill-defined and unknown causes—199,200	340	75	17	18	39	21	23	7	200	46	36	23	6	9	1	4	2	4	4	5
All other causes*	15	-	2	1	1	-	-	2	6	-	2	1	1	1	1	-	1	1	1	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	8 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (all other races)--------All causes	611	119	44	26	43	24	21	18	295	54	50	36	32	24	22	28	21	23	7	19
Cerebrospinal (meningococcus) meningitis---6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	12	-	-	-	-	-	-	1	1	1	1	1	1	1	2	3	1	-	-	-
Diphtheria (infection by C. diphtheriae)---10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas----------11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus----------12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	7	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	-	-	-	-
Tuberculosis of meninges, etc.* ----------14	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Tuberculosis (other forms)----------15-22	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection----------24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2
Malaria----------28	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	23	3	1	1	1	4	1	2	13	5	1	1	-	1	1	1	-	-	-	-
Influenza----------33	25	-	-	-	-	-	1	-	1	1	6	3	-	5	-	3	-	4	1	1
Measles----------35	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-
Diseases of thymus gland----------64	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets----------70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
Intracranial lesions of vascular origin----83	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Convulsions----------86	4	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process-------89	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)----------107-109	108	-	2	-	3	3	4	3	15	11	12	9	13	7	6	8	9	8	2	8
Other diseases of respiratory system----------104-106,110-114	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Diseases of buccal cavity, etc.* ---------115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach----------117,118	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ----------119	38	-	-	1	1	-	1	-	3	7	3	6	1	3	2	1	4	4	1	3
Hernia----------122a	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Intestinal obstruction----------122b	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-
Peritonitis (cause not stated)----------129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	9	3	1	1	1	-	-	1	7	1	-	-	-	-	-	1	-	-	-	-
Congenital debility----------158	5	-	1	1	1	-	1	-	4	-	-	-	-	-	-	-	-	-	1	-
Premature birth----------159	117	60	21	8	11	7	2	2	111	4	-	1	1	-	-	-	-	-	-	-
Injury at birth----------160	32	18	4	3	5	-	-	1	31	-	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	25	15	4	2	3	-	-	-	24	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation--------182	8	2	-	-	-	-	-	1	3	2	1	-	1	-	1	-	-	-	-	-
Other violence or accident---166-181,183-195	7	1	-	-	-	1	-	-	2	1	2	1	-	-	-	-	-	1	-	-
Ill-defined and unknown causes--------199,200	138	17	9	9	14	6	10	4	69	15	16	8	5	5	5	2	4	5	1	3
All other causes* ----------	6	-	-	-	-	-	1	-	1	-	1	1	1	1	1	-	-	-	-	-
TEXAS (white)----------All causes	7,344	1,640	475	241	494	338	214	194	3,596	531	492	441	416	396	331	255	252	233	191	210
Cerebrospinal (meningococcus) meningitis---6	9	-	-	-	-	1	-	-	1	1	-	1	2	1	-	-	1	1	1	-
Scarlet fever----------8	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-
Whooping cough----------9	149	-	-	-	-	1	4	8	13	23	29	16	14	10	10	7	6	9	8	4
Diphtheria (infection by C. diphtheriae)---10	20	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	1	-	4	5
Erysipelas----------11	6	-	-	-	1	1	-	1	3	1	-	1	-	-	1	-	-	-	-	-
Tetanus----------12	43	-	1	-	13	23	1	2	40	1	1	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.* 13	14	-	-	-	-	-	-	-	-	4	-	2	1	3	-	1	-	2	-	1
Tuberculosis of meninges, etc.* ----------14	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	1	-	1
Tuberculosis (other forms)----------15-22	7	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	2	-	1
Septicemia and purulent infection----------24	8	-	-	-	-	1	1	-	2	1	1	-	1	2	-	-	1	-	-	-
Dysentery----------27	317	-	-	-	5	4	10	11	30	31	29	48	24	30	30	21	20	19	14	21
Malaria----------28	17	-	-	-	3	1	1	-	5	1	-	2	2	1	2	1	2	1	-	-
Syphilis----------30	64	5	1	1	2	4	-	2	15	15	10	6	3	2	3	2	2	4	-	2
Influenza----------33	206	1	2	1	7	6	7	5	29	30	9	21	17	23	15	14	9	18	13	8
Measles----------35	49	-	-	-	-	1	1	3	5	-	1	2	3	4	3	8	3	10	6	4
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	19	-	-	1	-	-	-	1	2	1	1	2	2	2	-	3	2	3	-	1
Diseases of thymus gland----------64	40	7	4	3	2	5	2	2	25	6	3	2	-	1	2	-	-	1	-	-
Rickets----------70	11	-	-	-	-	-	-	1	1	-	2	2	-	-	2	-	1	2	1	-
Hemorrhagic conditions----------72	17	2	1	1	4	3	-	1	12	1	1	2	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)----------73	11	-	-	1	-	-	-	1	2	5	2	2	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	8	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	2	1
Meningitis (not due to meningococcus)-----81	28	-	-	-	4	2	-	-	6	8	1	3	2	2	-	3	-	2	1	-
Intracranial lesions of vascular origin----83	17	2	4	3	2	-	-	-	11	2	2	-	-	-	-	-	-	-	1	1
Convulsions----------86	39	2	1	4	9	3	2	1	22	1	2	5	3	-	1	1	1	2	-	1
Diseases of ear and mastoid process-------89	34	-	-	-	-	1	1	1	3	3	2	5	5	4	3	2	3	3	-	1
Other diseases, nervous system-82,84,85,87,88	10	-	-	-	2	1	-	-	3	2	-	-	-	1	-	1	-	2	-	1
Diseases of circulatory system--------90-103	36	2	1	-	3	4	3	3	16	2	5	2	3	1	-	1	-	5	-	1
Pneumonia (all forms)----------107-109	848	2	8	8	42	39	31	26	156	122	103	70	78	57	68	47	46	36	27	38
Other diseases of respiratory system----------104-106,110-114	87	3	1	1	2	8	1	8	24	16	9	7	4	6	3	2	3	4	7	2
Diseases of buccal cavity, etc.* ---------115	14	-	-	-	-	3	-	1	4	1	1	1	1	2	-	-	-	2	2	-
Diseases of stomach----------117,118	53	-	1	-	5	2	1	2	11	5	12	5	4	2	2	1	3	2	2	4
Diarrhea, enteritis, etc.* ----------119	1,451	2	1	3	15	21	30	30	102	94	149	159	182	176	140	108	112	65	80	84
Hernia----------122a	4	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
Intestinal obstruction----------122b	46	-	-	-	-	3	2	1	6	7	7	3	6	2	3	3	3	4	1	1
Peritonitis (cause not stated)----------129	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	25	-	1	1	6	2	-	1	11	3	6	1	1	-	1	2	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	13	1	-	-	2	1	-	2	6	3	1	-	1	1	-	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	20	-	-	-	-	2	1	3	6	3	3	1	1	1	3	1	-	-	1	-
Congenital malformations----------157	402	113	40	14	58	25	18	14	282	29	20	12	15	13	5	4	5	13	2	2
Congenital debility----------158	243	31	13	9	20	14	17	12	116	34	24	17	12	14	7	4	8	2	-	5
Premature birth----------159	1,700	1,029	234	84	143	94	53	24	1,661	24	9	3	1	-	-	2	-	-	-	-
Injury at birth----------160	529	283	99	58	56	14	4	7	521	2	3	-	-	-	-	-	1	1	1	-
Other diseases peculiar to first year----161	306	95	41	32	52	23	7	9	259	14	10	6	6	4	2	-	4	-	1	-
Accidental mechanical suffocation--------182	34	-	1	4	2	-	-	1	8	6	6	8	3	2	-	1	-	-	-	-
Other violence or accident---166-181,183-195	100	3	4	1	3	5	5	1	22	9	7	8	4	6	9	3	4	9	7	12
Ill-defined and unknown causes--------199,200	240	57	15	10	27	19	9	9	146	17	14	11	9	14	7	3	6	6	2	5
All other causes* ----------	35	-	1	1	3	-	2	-	7	2	2	1	4	3	7	-	2	1	3	3

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TEXAS (all other races)——All causes	1,341	272	92	56	103	108	47	55	733	117	94	79	69	59	49	30	34	25	31	21
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	34	-	-	-	1	-	-	2	3	5	2	4	5	2	1	1	4	3	3	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	14	-	-	-	-	11	2	-	13	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Dysentery—27	28	-	-	-	-	-	-	-	-	2	3	7	1	3	2	3	-	3	1	3
Malaria—28	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Syphilis—30	60	19	4	2	3	4	2	2	36	9	2	5	4	1	1	1	-	-	-	1
Influenza—33	44	2	-	1	3	3	1	3	13	4	1	7	-	5	2	2	3	4	3	-
Measles—35	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	6	1	1	1	-	-	1	-	4	-	1	1	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	3	-	1	-	-	4	-	-	1	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-
Intracranial lesions of vascular origin—83	5	-	-	1	1	-	-	1	3	1	-	-	-	-	-	1	-	-	-	-
Convulsions—86	16	-	1	-	4	4	-	-	9	-	-	2	1	1	-	1	1	-	1	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	7	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-	1
Pneumonia (all forms)—107-109	200	2	-	3	13	17	3	11	49	26	28	20	15	15	12	6	11	4	7	7
Other diseases of respiratory system—104-106,110-114	19	1	-	-	2	3	-	-	6	5	2	1	2	2	-	-	-	1	-	-
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-
Diseases of stomach—117,118	16	-	-	-	-	-	1	-	1	5	2	1	2	-	-	-	-	1	3	1
Diarrhea, enteritis, etc.* —119	147	-	1	-	4	10	5	6	26	17	17	14	16	12	15	6	5	7	10	2
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	7	-	-	-	-	-	1	-	1	-	1	-	1	2	-	1	1	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	8	-	-	-	-	3	-	2	5	1	-	-	-	1	-	-	-	1	-	-
Diseases, genito-urinary sys.130,131,133-139	7	-	-	-	1	1	-	1	3	2	2	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	10	1	-	-	2	2	2	1	8	1	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	35	7	1	2	5	4	2	-	21	2	4	1	3	1	-	1	2	-	-	-
Congenital debility—158	41	4	4	1	2	5	5	5	26	8	-	4	1	-	2	-	-	-	-	-
Premature birth—159	315	160	45	22	27	23	11	11	299	7	6	-	1	-	1	-	-	-	-	1
Injury at birth—160	62	34	9	4	6	4	2	1	60	-	-	-	-	-	-	1	-	1	-	-
Other diseases peculiar to first year—161	64	17	8	7	13	5	4	2	56	4	3	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	12	1	-	1	2	-	-	-	4	2	-	1	3	1	1	-	-	-	-	-
Other violence or accident—166-181,183-195	31	-	1	1	3	1	2	1	9	3	4	4	3	1	5	1	1	-	-	-
Ill-defined and unknown causes—199,200	106	23	17	7	11	6	2	4	70	8	10	2	1	4	3	3	2	-	3	-
All other causes*	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
UTAH—All causes	551	207	35	34	46	27	13	15	377	27	28	20	27	13	15	12	6	8	11	7
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	8	-	-	-	-	-	-	-	-	2	4	-	1	-	1	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	14	-	-	-	-	-	-	1	1	2	2	-	1	1	2	-	1	3	1	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of thymus gland—64	7	5	-	-	1	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	6	-	-	-	-	-	-	1	1	-	3	1	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms)—107-109	68	-	-	-	4	1	3	5	13	7	4	6	12	7	6	6	1	2	1	3
Other diseases of respiratory system—104-106,110-114	13	1	-	-	-	-	1	-	2	-	6	1	2	1	1	-	-	-	-	-
Diseases of buccal cavity, etc.* —115	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	20	-	-	-	-	1	-	2	3	3	-	4	3	-	1	1	1	1	1	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	68	18	6	6	8	10	4	2	54	4	2	2	1	1	-	2	-	-	2	-
Congenital debility—158	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Premature birth—159	191	128	17	15	16	10	2	-	188	1	-	1	-	-	-	1	-	-	-	-
Injury at birth—160	64	37	8	8	9	1	-	-	63	-	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	34	14	4	4	7	3	1	-	33	-	-	-	-	-	1	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	7	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	1	2
Ill-defined and unknown causes—199,200	15	1	-	1	-	1	1	1	5	2	5	1	-	-	-	-	1	-	1	-
All other causes*	4	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VERMONT—All causes	301	107	20	10	20	21	11	16	205	16	20	13	12	8	5	7	6	2	2	5
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	5	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	1
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	38	-	-	-	-	4	1	6	11	2	8	4	3	1	-	2	3	2	1	1
Other diseases of respiratory system—104-106,110-114	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	2	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	17	-	-	1	-	-	1	-	2	3	1	4	2	1	1	1	1	-	-	1
Hernia—122a	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	37	13	1	2	3	4	4	1	28	1	1	1	1	1	1	-	2	-	-	1
Congenital debility—158	7	1	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	-	-
Premature birth—159	109	70	15	4	3	9	3	2	106	1	1	-	1	-	-	-	-	-	-	-
Injury at birth—160	28	16	2	3	6	-	-	-	27	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	16	6	1	-	6	1	-	1	15	-	1	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	4	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	4	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-
Ill-defined and unknown causes—199,200	5	1	-	-	-	1	-	-	2	-	-	-	-	2	1	-	-	-	-	-
All other causes*	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
VIRGINIA (white)—All causes	2,030	679	107	87	174	111	79	64	1,301	156	113	110	70	50	51	39	38	38	37	27
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	46	-	-	-	2	-	2	2	6	7	9	7	4	4	1	1	1	1	3	2
Diphtheria (infection by C. diphtheriae)—10	7	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	2	2	-
Erysipelas—11	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	3	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	19	-	-	-	-	-	1	-	1	2	2	5	1	2	1	-	2	1	1	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	14	3	-	1	2	-	-	1	7	1	3	1	1	-	1	-	-	-	-	-
Influenza—33	62	-	1	-	2	1	1	3	8	8	5	8	7	6	4	4	2	5	4	1
Measles—35	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	1	1	1
Diseases of thymus gland—64	13	1	1	1	-	1	-	-	4	1	3	3	1	1	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	1	-	1	-	1	-	-	3	-	1	-	-	-	1	-	-	-	1	-
Anemias (except splenic anemia)—73	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	1	-	1
Intracranial lesions of vascular origin—83	7	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	1	1
Convulsions—86	9	-	-	-	3	2	-	1	6	-	3	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	9	-	-	-	-	-	-	1	1	1	3	1	1	-	-	1	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	8	-	-	-	-	1	-	-	1	4	1	-	1	-	1	-	-	-	-	-
Pneumonia (all forms)—107-109	230	-	3	3	8	9	12	10	45	34	24	31	22	14	12	11	10	8	11	8
Other diseases of respiratory system—104-106,110-114	31	-	-	-	1	1	2	4	8	4	5	5	1	1	1	2	-	-	3	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of stomach—117,118	5	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	121	-	-	-	1	4	11	4	20	15	14	13	6	4	13	8	11	10	6	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	2	-	-	2
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	8	-	-	1	-	-	-	-	1	1	1	1	1	-	2	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	5	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	2
Diseases of skin and cellular tissue-151-153	17	2	-	-	-	1	1	3	7	7	-	2	-	-	1	-	-	-	-	-
Congenital malformations—157	175	49	11	10	28	16	8	11	133	13	7	5	3	3	2	2	2	4	1	-
Congenital debility—158	50	8	-	1	10	2	2	1	24	11	4	2	4	2	1	-	1	-	-	1
Premature birth—159	675	446	62	30	49	40	19	9	655	8	4	4	1	1	2	-	-	-	-	-
Injury at birth—160	182	109	17	19	23	5	3	-	176	4	-	1	-	-	-	-	-	1	-	-
Other diseases peculiar to first year—161	95	31	3	8	25	13	4	3	87	6	1	-	-	-	-	1	-	-	-	-
Accidental mechanical suffocation—182	27	-	-	-	-	-	-	3	3	10	5	3	2	2	-	-	1	-	1	-
Other violence or accident—166-181,183-195	28	6	-	1	-	-	2	2	11	2	4	1	-	2	3	1	-	1	1	2
Ill-defined and unknown causes—199,200	119	23	8	10	18	12	7	3	81	9	8	8	5	2	2	3	-	-	-	1
All other causes*	13	-	1	1	1	-	1	-	4	3	1	1	-	2	1	1	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VIRGINIA (all other races)——All causes	1,242	218	80	67	102	75	42	43	627	118	95	82	55	50	52	43	43	30	23	24
Cerebrospinal (meningococcus) meningitis——6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	40	-	-	1	-	-	-	-	1	3	5	6	4	5	5	4	6	-	-	1
Diphtheria (infection by C. diphtheriae)——10	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* ——14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis (other forms)——15-22	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	20	-	-	-	-	-	-	-	-	3	1	2	3	1	2	3	1	1	-	3
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	38	2	3	4	4	1	-	1	15	4	2	5	1	2	1	3	1	-	1	3
Influenza——33	40	-	-	-	-	-	-	2	2	1	3	1	5	5	8	7	4	3	1	-
Measles——35	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	6	-	1	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-
Rickets——70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions——72	3	-	-	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	7	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	1	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	8	-	-	-	1	-	-	-	1	-	2	1	1	1	-	-	2	-	-	-
Diseases of ear and mastoid process——89	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
Pneumonia (all forms)——107-109	225	-	-	1	5	12	8	9	35	28	27	32	23	12	12	11	15	12	12	6
Other diseases of respiratory system——104-106,110-114	24	2	-	-	3	1	2	-	8	5	2	4	-	-	1	1	1	2	-	-
Diseases of buccal cavity, etc.* ——115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of stomach——117,118	4	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.* ——119	85	-	-	-	-	5	1	4	10	15	11	9	3	11	9	7	3	2	2	3
Hernia——122a	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	5	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-
Peritonitis (cause not stated)——129	4	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-
Congenital malformations——157	32	5	1	6	6	-	1	3	22	4	-	2	-	-	-	1	1	1	-	1
Congenital debility——158	88	13	8	4	7	9	3	8	52	8	7	2	2	3	5	2	4	-	1	2
Premature birth——159	310	144	37	21	31	27	20	4	284	18	3	2	2	1	-	-	-	-	-	-
Injury at birth——160	61	23	12	10	10	3	-	-	58	-	1	1	-	-	-	-	-	-	1	-
Other diseases peculiar to first year——161	64	13	8	8	20	2	3	2	56	4	2	-	1	-	1	-	-	-	-	-
Accidental mechanical suffocation——182	20	-	-	-	1	2	-	1	4	5	5	2	3	-	-	-	-	-	-	1
Other violence or accident——166-181,183-195	21	1	2	1	1	-	-	-	5	1	5	2	-	2	2	-	2	1	-	1
Ill-defined and unknown causes——199,200	95	15	8	11	11	9	3	3	60	7	8	6	6	3	1	1	-	1	1	1
All other causes* ———	5	-	-	-	1	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-
WASHINGTON——All causes	1,005	361	95	65	77	36	29	28	691	53	52	39	28	33	28	21	17	10	18	15
Cerebrospinal (meningococcus) meningitis——6	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	14	-	-	-	-	-	-	1	1	2	3	1	-	2	1	3	1	-	-	-
Diphtheria (infection by C. diphtheriae)——10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas——11	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of meninges, etc.* ——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery——27	16	-	-	-	-	-	-	1	1	1	3	-	1	1	1	3	2	-	2	1
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	8	5	-	-	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Influenza——33	21	-	-	-	-	2	1	-	3	1	4	3	-	3	2	-	2	-	2	1
Measles——35	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
Diseases of thymus gland——64	16	2	2	1	1	-	1	1	8	3	2	1	1	-	-	-	-	-	-	1
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	4	1	1	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)——73	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)——81	4	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin——83	4	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-
Convulsions——86	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	4	1	-	1	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	7	-	-	-	-	-	-	1	1	1	-	1	1	-	2	1	-	-	-	-
Pneumonia (all forms)——107-109	115	1	-	4	1	3	5	7	21	14	12	18	13	8	9	5	5	4	3	3
Other diseases of respiratory system——104-106,110-114	13	-	-	-	1	-	-	2	3	1	-	2	2	-	-	1	1	1	2	-
Diseases of buccal cavity, etc.* ——115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of stomach——117,118	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.* ——119	30	-	-	-	-	-	4	3	7	2	4	3	3	1	2	1	-	-	3	4
Hernia——122a	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	12	-	-	-	1	1	-	-	2	1	2	-	1	2	2	1	-	-	-	1
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	128	27	12	9	17	8	8	9	90	8	7	3	1	6	1	2	5	1	2	2
Congenital debility——158	14	5	2	1	2	2	1	-	13	1	-	-	-	-	-	-	-	-	-	-
Premature birth——159	297	212	41	19	10	9	2	1	294	3	-	-	-	-	-	-	-	-	-	-
Injury at birth——160	140	74	22	17	18	6	2	-	139	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	82	31	12	12	21	3	2	-	81	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	17	-	1	-	1	-	-	-	2	5	2	-	3	1	4	-	-	-	-	-
Other violence or accident——166-181,183-195	12	-	-	-	-	-	-	-	-	-	3	2	1	3	1	-	1	-	1	-
Ill-defined and unknown causes——199,200	8	2	2	-	2	-	-	-	6	-	1	-	-	-	1	-	-	-	-	-
All other causes* ———	6	-	-	-	1	-	-	-	1	-	-	-	1	1	1	1	-	-	-	1

* Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WEST VIRGINIA—All causes	2,269	587	159	101	187	129	80	77	1,320	209	167	113	98	73	60	69	41	45	38	36
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	80	-	-	-	-	-	1	4	5	17	11	14	10	3	3	3	4	6	1	3
Diphtheria (infection by C. diphtheriae)—10	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-
Erysipelas—11	3	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Dysentery—27	14	-	-	-	-	-	-	1	1	-	2	-	-	2	1	1	3	3	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	31	4	4	2	3	3	2	-	18	3	2	3	2	1	1	-	-	1	-	-
Influenza—33	59	-	1	-	-	1	-	2	4	8	4	5	7	2	6	6	5	4	5	3
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1
Diseases of thymus gland—64	20	2	-	1	2	1	1	1	8	2	2	4	2	1	1	-	-	-	-	-
Rickets—70	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1
Hemorrhagic conditions—72	5	-	-	2	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	4	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	8	-	-	-	2	-	-	-	2	-	2	-	-	-	1	1	2	-	-	-
Intracranial lesions of vascular origin—83	10	1	-	-	-	-	-	1	2	5	1	-	-	-	-	1	1	-	-	-
Convulsions—86	12	-	-	-	2	1	1	1	5	2	2	1	1	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	11	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	3	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	9	1	-	-	1	1	-	1	4	3	-	-	1	-	-	-	-	1	-	-
Pneumonia (all forms)—107-109	367	1	1	6	12	11	14	20	65	62	52	40	27	26	23	24	9	17	9	13
Other diseases of respiratory system—104-106,110-114	25	-	-	-	-	1	1	2	4	1	4	2	1	2	3	3	-	1	3	1
Diseases of buccal cavity, etc.* —115	4	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-
Diseases of stomach—117,118	5	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-
Diarrhea, enteritis, etc. ● —119	123	-	-	-	3	2	3	2	10	13	22	13	11	13	9	7	7	4	9	5
Hernia—122a	3	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	12	-	-	-	-	1	-	-	1	2	2	-	2	2	1	2	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	8	-	-	-	-	1	1	1	3	1	2	-	2	-	-	-	-	-	-	-
Congenital malformations—157	208	50	19	15	30	23	8	8	153	9	15	8	5	10	2	2	1	-	1	2
Congenital debility—158	66	7	8	2	4	7	4	5	37	12	8	-	2	1	1	3	1	1	-	-
Premature birth—159	661	383	86	34	54	41	26	6	630	18	5	4	1	-	1	1	-	-	-	1
Injury at birth—160	170	76	19	24	32	11	3	5	170	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	105	31	11	10	21	10	5	5	93	6	2	-	-	1	-	-	1	-	1	1
Accidental mechanical suffocation—182	33	1	-	-	2	3	4	4	14	5	4	2	4	2	1	1	-	-	-	-
Other violence or accident—166-181,183-195	28	-	-	-	-	1	-	-	1	7	6	1	5	2	1	1	-	-	2	2
Ill-defined and unknown causes—199,200	135	30	10	5	15	5	4	5	74	23	14	7	5	4	3	2	-	2	-	1
All other causes*	12	-	-	-	-	1	1	1	3	-	1	-	2	-	-	4	-	-	2	-
WISCONSIN—All causes	2,041	730	181	114	154	86	74	51	1,390	144	110	76	77	63	44	33	36	33	19	16
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—9	23	-	-	-	-	-	-	-	-	7	6	1	2	1	-	2	1	2	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	5	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	41	-	-	-	-	1	-	-	1	8	3	4	5	4	3	1	4	5	2	1
Measles—35	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	1	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	29	1	-	-	4	-	2	3	10	6	6	3	2	1	-	1	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Hemorrhagic conditions—72	6	1	-	-	3	-	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	10	-	-	-	1	1	-	-	2	-	1	1	-	1	2	-	1	2	-	-
Intracranial lesions of vascular origin—83	7	-	1	1	-	-	-	-	2	-	2	2	1	-	-	-	-	-	-	-
Convulsions—86	7	-	1	-	-	1	-	1	3	2	1	-	-	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-
Diseases of circulatory system—90-103	4	-	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	267	2	3	6	7	8	12	10	48	40	40	29	32	22	19	10	8	7	6	6
Other diseases of respiratory system—104-106,110-114	18	-	-	1	1	1	2	-	5	2	2	3	1	2	-	2	1	-	-	-
Diseases of buccal cavity, etc.* ● —115	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.* —119	96	-	-	-	1	5	13	5	24	19	11	6	9	6	2	5	3	7	1	3
Hernia—122a	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	22	-	-	-	-	4	2	-	6	1	3	1	2	2	1	4	-	1	-	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases, digestive sys.116,121,123-128	4	-	1	-	1	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	9	1	-	-	1	-	-	-	2	-	1	2	2	1	-	-	-	-	1	-
Diseases of skin and cellular tissue-151-153	6	-	-	1	-	-	-	2	3	1	-	-	-	-	-	1	1	-	-	-
Congenital malformations—157	293	93	26	22	27	25	15	11	219	22	11	9	8	3	8	1	5	2	4	1
Congenital debility—158	32	6	1	2	1	2	3	1	16	6	6	2	-	1	-	-	1	-	-	-
Premature birth—159	659	429	88	38	54	22	9	8	648	8	1	1	-	1	-	-	-	-	-	-
Injury at birth—160	248	145	32	28	26	2	5	1	239	3	1	-	-	-	1	1	1	-	1	1
Other diseases peculiar to first year—161	138	47	26	13	24	13	6	2	131	1	1	-	-	2	1	-	2	-	-	-
Accidental mechanical suffocation—182	15	-	-	-	-	-	1	2	3	3	1	1	-	4	1	1	-	1	-	-
Other violence or accident—166-181,183-195	31	1	-	-	1	1	-	-	3	6	4	3	2	3	4	1	4	1	-	-
Ill-defined and unknown causes—199,200	10	-	1	1	1	-	-	1	4	2	2	1	1	-	-	-	-	-	-	-
All other causes*	15	1	-	-	-	-	-	-	1	2	-	-	3	2	1	1	3	1	1	-

*Refer to complete International List titles, table XI.

TABLE 17.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WYOMING—All causes	234	73	13	11	13	10	2	10	132	16	16	16	13	9	9	7	4	5	1	6
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	5	-	-	-	-	-	-	1	1	-	-	-	3	-	-	1	-	-	-	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	37	-	-	1	1	1	-	2	5	6	4	5	5	2	4	3	-	1	1	1
Other diseases of respiratory system—104-106,110-114	8	-	-	1	-	-	-	2	3	2	2	-	1	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	18	-	-	-	1	-	-	1	2	-	3	3	2	1	1	1	1	1	-	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Congenital malformations—157	30	9	5	2	3	4	-	-	23	1	2	1	-	1	-	1	-	-	-	1
Congenital debility—158	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
Premature birth—159	68	47	8	3	5	1	1	3	68	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	16	12	-	-	-	-	-	-	12	2	1	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	10	4	-	1	3	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	7	-	-	1	-	-	-	-	1	1	-	1	-	1	-	-	1	1	-	1
Ill-defined and unknown causes—199,200	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA		
	Total deaths under 1 year	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	110,984	54,170	13,801	43,013	1,108	358	2,398	316	204	471	349	246	1,157	2,700	491	1,220
Under 1 month	67,866	35,419	8,498	23,949	672	211	1,428	142	101	176	197	136	568	1,892	329	622
White	56,253	30,454	7,634	18,165	370	145	753	132	97	108	152	109	436	1,798	318	588
All other races	11,613	4,965	864	5,784	302	66	675	10	4	68	45	27	132	94	11	34
1 to 11 months	43,118	18,751	5,303	19,064	436	147	970	174	103	295	152	110	589	808	162	598
White	33,153	15,241	4,461	13,451	201	89	461	158	99	148	104	69	381	751	150	543
All other races	9,965	3,510	842	5,613	235	58	509	16	4	147	48	41	208	57	12	55
Cerebrospinal (meningococcus) meningitis—6	145	78	16	51	2	—	3	2	—	—	—	—	3	1	—	1
Scarlet fever—8	37	10	5	22	—	—	2	—	—	—	1	—	—	—	—	1
Whooping cough—9	2,015	720	247	1,048	19	6	59	11	5	11	4	6	27	42	6	27
Diphtheria (infection by C. diphtheriae)—10	143	37	32	74	2	2	5	1	—	2	1	1	6	4	—	4
Erysipelas—11	83	39	11	33	—	—	1	—	1	1	—	—	—	1	—	1
Tetanus—12	135	35	24	76	6	—	5	—	—	1	—	—	3	—	—	—
Tuberculosis of respiratory system, etc.*—13	218	140	15	63	4	—	4	2	—	2	—	1	1	10	—	2
Tuberculosis of meninges, etc.*—14	169	98	20	51	3	1	2	—	—	1	—	1	—	4	1	5
Tuberculosis (other forms)—15-22	109	80	6	23	4	—	—	—	—	1	—	—	—	6	—	4
Septicemia and purulent infection—24	132	81	13	38	—	—	1	—	—	2	2	1	3	2	—	—
Dysentery—27	1,039	310	210	519	4	9	9	1	2	17	17	4	29	17	9	17
Malaria—28	124	19	6	99	2	—	11	—	—	—	1	1	15	1	—	—
Syphilis—30	1,251	619	146	486	36	8	43	12	4	7	11	3	14	20	2	10
Influenza—33	2,696	762	358	1,576	28	9	102	8	11	25	12	5	60	24	7	22
Measles—35	182	45	26	111	1	—	10	1	1	4	—	1	4	3	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	220	80	27	113	3	1	4	—	—	1	2	—	3	6	1	9
Diseases of thymus gland—64	1,051	572	130	349	11	1	10	1	2	1	2	1	4	54	5	18
Rickets—70	113	46	9	58	—	—	2	—	—	1	—	—	2	1	—	1
Hemorrhagic conditions—72	241	120	37	84	2	1	5	—	—	—	—	—	2	2	1	2
Anemias (except splenic anemia)—73	158	101	10	47	3	—	4	—	—	—	—	—	3	1	2	—
Encephalitis (nonepidemic)—80	101	55	13	33	—	—	1	—	—	—	—	—	1	—	—	3
Meningitis (not due to meningococcus)—81	556	338	69	149	12	2	9	—	—	2	4	1	2	9	1	7
Intracranial lesions of vascular origin—83	241	137	38	66	1	—	2	—	—	—	—	—	1	12	4	4
Convulsions—86	410	101	42	267	1	2	12	—	2	2	1	2	1	1	1	1
Diseases of ear and mastoid process—89	495	305	57	133	4	2	7	2	—	1	2	3	—	20	2	5
Other diseases, nervous system—82,84,85,87,88	186	91	23	72	—	—	2	—	1	—	1	—	—	6	1	2
Diseases of circulatory system—90-103	413	191	48	174	5	1	7	1	—	—	2	—	4	9	2	4
Pneumonia (all forms)—107-109	14,881	6,872	1,775	6,234	123	40	245	59	40	107	39	43	173	289	52	209
Other diseases of respiratory system—104-106,110-114	1,261	607	131	523	6	9	27	2	—	15	2	—	15	25	6	6
Diseases of buccal cavity, etc.*—115	223	115	30	78	3	2	1	—	—	1	—	—	2	3	—	1
Diseases of stomach—117,118	312	77	28	207	1	1	9	1	1	—	—	1	5	—	—	2
Diarrhea, enteritis, etc.*—119	8,222	3,514	1,187	3,521	78	31	151	67	28	78	36	17	133	138	46	184
Hernia—122a	91	60	11	20	—	—	2	—	—	—	1	1	—	3	1	—
Intestinal obstruction—122b	744	465	120	159	9	3	8	3	3	2	6	3	2	19	5	7
Peritonitis (cause not stated)—129	112	84	9	19	—	—	1	—	—	1	2	1	1	4	2	—
Other diseases, digestive system—116,121,123-128	241	130	19	92	—	—	5	—	—	1	—	1	4	8	—	3
Diseases, genito-urinary system—130,131,133-139	331	183	44	104	9	2	4	1	—	2	2	—	2	13	2	3
Diseases of skin and cellular tissue—151-153	300	116	18	166	2	—	10	—	—	—	1	—	9	5	—	2
Congenital malformations—157	11,038	6,397	1,310	3,331	72	17	85	20	7	19	31	25	55	333	55	117
Congenital debility—158	2,827	684	372	1,771	21	8	80	4	9	14	7	5	44	20	7	23
Premature birth—159	32,346	17,793	4,219	10,334	368	97	571	71	53	57	99	61	200	952	176	313
Injury at birth—160	10,506	6,289	1,472	2,745	121	29	112	25	17	28	30	24	52	341	45	75
Other diseases peculiar to first year—161	5,914	3,523	676	1,715	48	17	75	12	8	20	16	4	27	225	29	75
Accidental mechanical suffocation—182	1,244	466	115	663	14	4	37	1	1	3	1	1	17	21	5	22
Other violence or accident—166-181,183-195	1,476	610	184	682	12	7	35	6	6	13	4	3	13	25	14	19
Ill-defined and unknown causes—199,200	5,683	631	375	4,677	66	42	610	1	2	26	8	23	211	2	1	1
All other causes*	569	344	68	157	2	4	8	1	—	2	1	2	4	18	—	7

*Refer to complete International List titles, table XI.

498675 O - 43 - 34

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	COLORADO			CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	518	242	506	756	26	76	117	44	64	719	820	259	735	1,107	482	2,172
Under 1 month	310	131	261	557	21	51	66	20	37	505	525	173	439	678	299	1,305
White	304	130	258	530	20	47	49	17	25	295	335	91	231	397	176	621
All other races	6	1	3	27	1	4	17	3	12	210	190	82	208	281	123	684
1 to 11 months	208	111	245	199	5	25	51	24	27	214	295	86	296	429	183	867
White	205	111	239	192	5	25	39	18	11	99	180	51	159	215	94	367
All other races	3	—	6	7	—	—	12	6	16	115	115	35	137	214	89	500
Cerebrospinal (meningococcus) meningitis—6	—	1	—	1	—	—	—	—	—	—	4	—	2	—	—	2
Scarlet fever—8	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2
Whooping cough—9	2	6	19	2	—	1	6	—	—	10	9	6	14	29	3	39
Diphtheria (infection by C. diphtheriae)—10	1	—	—	—	—	—	—	—	—	—	2	1	1	1	2	6
Erysipelas—11	—	—	1	2	—	—	—	1	1	—	—	—	1	1	1	2
Tetanus—12	—	—	—	—	—	—	—	—	—	1	3	3	3	3	3	5
Tuberculosis of respiratory system, etc.*—13	1	1	—	2	—	—	—	—	—	2	1	1	—	2	—	—
Tuberculosis of meninges, etc.*—14	1	—	—	2	—	—	—	—	1	—	2	—	1	4	1	1
Tuberculosis (other forms)—15-22	—	—	1	1	—	—	—	1	—	2	3	—	—	5	—	—
Septicemia and purulent infection—24	1	—	—	2	—	—	—	—	—	—	1	—	1	—	1	—
Dysentery—27	3	2	—	—	—	—	1	—	—	9	3	1	5	7	10	28
Malaria—28	—	—	—	—	—	—	—	—	—	—	2	1	4	1	1	5
Syphilis—30	4	2	7	1	—	—	—	—	3	8	27	5	10	42	7	24
Influenza—33	12	8	15	7	—	—	1	—	1	8	24	5	37	27	12	71
Measles—35	1	—	3	1	—	—	—	—	—	—	1	—	1	—	—	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	—	1	1	—	—	—	—	—	—	4	1	—	2	1	—	4
Diseases of thymus gland—64	2	1	4	4	—	1	—	—	1	4	8	4	5	6	6	7
Rickets—70	2	—	—	1	—	—	—	—	1	—	1	—	2	1	—	1
Hemorrhagic conditions—72	—	2	1	4	—	—	—	—	—	—	2	1	1	2	1	3
Anemias (except splenic anemia)—73	—	—	—	2	—	—	—	—	—	4	1	—	1	3	1	1
Encephalitis (nonepidemic)—80	2	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—
Meningitis (not due to meningococcus)—81	2	2	1	4	1	—	1	—	—	8	4	1	5	7	2	6
Intracranial lesions of vascular origin—83	3	1	—	2	—	—	—	—	—	6	1	—	1	1	1	1
Convulsions—86	—	—	3	4	—	—	—	—	—	1	2	1	5	7	1	23
Diseases of ear and mastoid process—89	12	—	2	2	—	—	—	—	—	1	1	1	2	3	—	4
Other diseases, nervous system—82,84,85,87,88	—	3	2	—	—	—	1	—	—	—	—	—	—	1	—	2
Diseases of circulatory system—90-103	3	2	2	3	—	1	—	—	—	2	1	—	3	2	3	5
Pneumonia (all forms)—107-109	84	35	91	62	3	6	18	9	9	75	96	26	84	132	47	274
Other diseases of respiratory system—104-106,110-114	6	3	4	11	—	1	4	1	—	8	6	1	11	9	5	18
Diseases of buccal cavity, etc.*—115	2	—	2	5	—	—	—	1	—	1	—	—	—	—	—	6
Diseases of stomach—117,118	1	—	5	2	—	—	—	—	—	1	2	1	8	—	1	14
Diarrhea, enteritis, etc.*—119	48	34	69	36	1	2	6	3	3	64	47	17	53	100	52	141
Hernia—122a	—	—	1	—	—	—	—	1	—	1	—	—	—	4	—	—
Intestinal obstruction—122b	4	1	2	5	—	—	—	—	—	4	8	2	1	8	1	5
Peritonitis (cause not stated)—129	1	—	—	—	—	—	—	—	—	1	2	—	—	—	1	1
Other diseases, digestive system—116,121,123-128	1	1	—	1	—	—	—	—	—	4	2	1	—	—	1	7
Diseases, genito-urinary system—130,131,133-139	—	1	—	2	—	—	1	1	—	3	3	1	—	2	1	4
Diseases of skin and cellular tissue—151-153	1	—	—	1	—	—	—	—	—	2	—	—	3	4	1	23
Congenital malformations—157	50	16	36	131	2	10	12	5	6	57	83	21	39	65	34	78
Congenital debility—158	4	13	18	1	—	2	1	2	3	10	15	14	34	46	46	397
Premature birth—159	180	75	132	246	12	28	37	9	22	261	264	76	205	349	155	491
Injury at birth—160	46	19	33	123	4	8	11	5	5	83	84	24	39	106	27	78
Other diseases peculiar to first year—161	16	10	25	58	1	5	11	2	3	28	51	15	25	55	13	80
Accidental mechanical suffocation—182	6	1	13	4	1	2	2	1	2	10	7	4	2	18	7	22
Other violence or accident—166-181,183-195	7	—	6	7	1	4	—	—	1	10	12	2	18	10	7	33
Ill-defined and unknown causes—199,200	3	—	4	9	—	4	2	1	2	2	29	18	103	33	25	247
All other causes*	2	—	3	4	—	1	2	1	—	2	4	5	3	9	2	6

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	IDAHO			ILLINOIS			INDIANA			IOWA			KANSAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	177	130	188	2,922	524	897	1,549	320	727	819	380	471	466	246	381
Under 1 month	110	99	104	2,052	351	561	979	208	441	560	286	296	302	160	229
White	110	99	101	1,889	342	549	893	206	434	552	285	295	270	158	226
All other races	—	—	3	163	9	12	86	2	7	8	1	1	32	2	3
1 to 11 months	67	31	84	870	173	336	570	112	286	259	94	175	164	86	152
White	61	31	71	768	165	319	514	110	284	247	94	172	138	82	144
All other races	6	—	13	102	8	17	56	2	2	12	—	3	26	4	8
Cerebrospinal (meningococcus) meningitis—6	1	—	—	—	—	2	3	—	—	1	1	—	1	1	3
Scarlet fever—8	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—
Whooping cough—9	—	1	4	26	4	13	29	4	17	7	6	10	5	5	12
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	2	3	1	1	—	—	—	—	—	—	—
Erysipelas—11	—	1	—	1	1	1	2	—	—	—	1	—	1	—	—
Tetanus—12	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	—	—	—	10	—	1	8	—	—	—	—	—	1	1	—
Tuberculosis of meninges, etc.*—14	2	—	2	4	1	1	6	1	—	2	—	—	—	1	—
Tuberculosis (other forms)—15-22	1	—	—	8	—	—	1	1	—	—	—	—	—	—	—
Septicemia and purulent infection—24	—	1	1	5	1	2	1	—	1	3	—	—	1	—	—
Dysentery—27	2	—	2	1	3	2	2	1	2	—	—	—	2	—	1
Malaria—28	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	2	1	1	13	4	4	19	3	5	3	—	2	4	1	1
Influenza—33	3	4	7	26	5	21	28	8	30	12	9	11	14	7	16
Measles—35	—	1	1	1	1	1	—	—	—	2	—	—	4	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	—	5	1	1	2	3	3	1	1	2	—	—	—
Diseases of thymus gland—64	4	1	5	46	3	12	15	4	5	10	4	8	12	5	6
Rickets—70	—	—	—	1	1	1	2	—	3	—	1	—	1	—	—
Hemorrhagic conditions—72	1	—	—	15	—	1	3	2	2	1	—	1	2	3	—
Anemias (except splenic anemia)—73	—	1	1	5	—	2	5	—	1	—	—	—	1	—	—
Encephalitis (nonepidemic)—80	—	—	—	6	—	1	—	—	—	2	1	2	—	1	1
Meningitis (not due to meningococcus)—81	2	—	—	13	1	2	12	1	5	8	3	1	3	1	2
Intracranial lesions of vascular origin—83	—	—	—	5	1	3	5	3	3	2	1	2	—	—	1
Convulsions—86	—	—	1	3	—	4	1	1	1	1	1	4	1	—	3
Diseases of ear and mastoid process—89	1	—	1	15	2	4	5	4	1	10	2	1	3	1	—
Other diseases, nervous system—82,84,85,87,88	—	—	—	7	—	1	3	—	1	1	—	1	—	1	—
Diseases of circulatory system—90-103	—	1	1	8	2	8	3	1	7	5	2	6	1	2	1
Pneumonia (all forms)—107-109	16	12	26	341	67	118	241	43	125	103	38	48	64	30	44
Other diseases of respiratory system—104-106,110-114	—	—	2	38	6	20	12	3	6	16	1	5	4	3	6
Diseases of buccal cavity, etc.*—115	—	2	1	7	2	4	5	—	4	2	4	2	2	—	2
Diseases of stomach—117,118	—	—	1	3	3	4	3	3	4	1	—	—	—	1	2
Diarrhea, enteritis, etc.*—119	15	6	11	85	42	56	61	17	43	21	12	21	20	16	17
Hernia—122a	—	—	—	2	—	—	—	—	—	1	—	—	1	1	1
Intestinal obstruction—122b	4	1	1	25	6	2	20	4	2	8	6	4	6	2	1
Peritonitis (cause not stated)—129	—	—	—	4	—	2	6	—	—	2	1	—	2	—	—
Other diseases, digestive system—116,121,123-128	—	—	1	7	—	1	7	1	1	3	1	5	—	1	—
Diseases, genito-urinary system—130,131,133-139	—	—	—	15	—	5	8	—	1	1	—	2	1	—	—
Diseases of skin and cellular tissue—151-153	—	—	—	3	1	2	3	—	—	3	—	—	—	—	—
Congenital malformations—157	22	11	18	428	74	133	199	34	109	107	38	91	70	26	54
Congenital debility—158	5	1	4	19	10	9	30	9	10	9	7	4	7	2	12
Premature birth—159	57	54	47	965	178	285	497	95	173	295	137	137	142	86	115
Injury at birth—160	21	21	23	469	60	75	139	42	73	100	66	53	50	29	37
Other diseases peculiar to first year—161	9	5	9	190	24	45	110	17	49	38	29	19	27	10	23
Accidental mechanical suffocation—182	2	2	5	36	4	18	17	4	13	11	4	13	3	1	7
Other violence or accident—166-181,183-195	5	1	5	36	8	14	18	4	15	14	1	8	5	5	5
Ill-defined and unknown causes—199,200	1	2	7	4	5	11	6	2	2	5	2	8	3	1	4
All other causes*	—	—	—	18	1	2	11	3	7	7	—	—	2	2	3

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	KENTUCKY			LOUISIANA			MAINE			MARYLAND			MASSACHUSETTS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	768	425	2,165	1,435	385	1,451	271	122	416	988	85	426	2,297	89	92
Under 1 month	512	254	1,281	909	226	734	191	82	250	603	60	209	1,578	59	34
White	433	233	1,219	424	148	289	191	82	250	433	57	121	1,540	58	31
All other races	79	21	62	485	78	445	—	—	—	170	3	88	38	1	3
1 to 11 months	256	171	884	526	159	717	80	40	166	385	25	217	719	30	58
White	201	158	842	246	73	245	80	40	166	253	21	114	689	30	56
All other races	55	13	42	280	86	472	—	—	—	132	4	103	30	—	2
Cerebrospinal (meningococcus) meningitis—6	1	1	5	2	—	—	—	—	—	1	—	1	5	—	—
Scarlet fever—8	—	—	2	—	—	—	—	—	—	—	—	—	1	—	1
Whooping cough—9	16	10	86	26	7	68	3	5	10	27	1	17	19	—	1
Diphtheria (infection by C. diphtheriae)—10	—	1	6	3	—	4	—	—	—	—	—	—	1	—	—
Erysipelas—11	—	1	2	—	—	—	—	—	—	—	—	—	2	—	—
Tetanus—12	—	1	1	2	1	12	—	—	—	—	—	1	1	—	—
Tuberculosis of respiratory system, etc.*—13	3	—	3	8	1	—	—	—	—	3	—	3	6	—	—
Tuberculosis of meninges, etc.*—14	1	2	5	—	—	—	—	—	—	—	—	1	2	—	—
Tuberculosis (other forms)—15-22	2	—	1	5	—	—	1	—	—	1	—	—	—	—	—
Septicemia and purulent infection—24	1	—	2	1	—	1	1	—	—	2	—	—	4	—	—
Dysentery—27	14	13	27	6	3	14	—	—	1	9	—	2	2	—	—
Malaria—28	—	—	—	1	—	8	—	—	—	—	—	—	—	—	—
Syphilis—30	8	4	23	26	12	69	4	—	—	6	1	14	5	—	2
Influenza—33	16	12	72	31	22	111	2	—	15	9	2	14	11	3	—
Measles—35	—	1	6	—	—	4	—	—	1	—	—	—	3	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	1	10	2	—	6	—	—	—	—	—	2	4	—	1
Diseases of thymus gland—64	3	1	4	14	3	13	3	1	5	12	—	2	13	—	2
Rickets—70	1	1	2	2	—	6	—	1	2	3	—	2	—	—	—
Hemorrhagic conditions—72	2	2	2	4	—	2	2	—	2	1	—	1	1	1	—
Anemias (except splenic anemia)—73	2	—	2	3	—	—	—	—	3	3	—	—	3	—	—
Encephalitis (nonepidemic)—80	2	2	5	1	—	—	—	—	—	1	—	1	—	—	—
Meningitis (not due to meningococcus)—81	2	3	12	12	2	1	—	2	1	8	—	1	12	1	—
Intracranial lesions of vascular origin—83	1	—	3	2	1	1	1	—	2	1	—	1	6	—	—
Convulsions—86	2	2	8	—	—	5	2	1	4	2	1	4	7	—	2
Diseases of ear and mastoid process—89	5	1	6	5	6	6	—	—	1	7	—	1	23	—	1
Other diseases, nervous system—82,84,85,87,88	1	—	5	1	—	3	—	—	1	2	—	1	4	—	—
Diseases of circulatory system—90-103	4	2	8	10	2	5	—	—	1	1	—	2	5	—	—
Pneumonia (all forms)—107-109	81	59	365	226	64	231	31	17	52	145	9	82	293	10	13
Other diseases of respiratory system—104-106,110-114	5	—	20	12	2	12	4	2	12	15	—	6	27	—	1
Diseases of buccal cavity, etc.*—115	1	1	1	3	—	1	1	—	1	2	1	1	7	—	—
Diseases of stomach—117,118	1	—	9	2	1	1	1	—	4	2	—	1	1	—	1
Diarrhea, enteritis, etc.*—119	69	42	167	126	36	145	13	5	25	73	4	31	112	6	5
Hernia—122a	2	1	1	3	—	—	—	—	1	1	—	—	2	—	—
Intestinal obstruction—122b	5	5	4	12	2	4	4	1	4	7	—	2	8	—	1
Peritonitis (cause not stated)—129	—	—	—	2	—	—	—	—	—	2	—	1	3	—	1
Other diseases, digestive system—116,121,123-128	4	—	1	6	—	1	—	—	1	3	—	—	7	—	—
Diseases, genito-urinary system—130,131,133-139	1	—	7	4	4	10	1	—	1	2	—	—	12	—	1
Diseases of skin and cellular tissue—151-153	—	1	12	6	2	3	—	—	—	2	1	1	4	—	1
Congenital malformations—157	68	40	192	76	22	69	35	15	47	109	13	39	379	14	18
Congenital debility—158	20	15	142	38	15	64	1	—	14	9	—	9	24	1	2
Premature birth—159	276	142	600	498	104	274	104	45	117	327	33	99	750	31	15
Injury at birth—160	74	33	134	116	38	89	34	18	44	99	10	29	293	11	8
Other diseases peculiar to first year—161	48	18	87	97	17	68	16	4	22	56	6	13	186	4	—
Accidental mechanical suffocation—182	5	2	54	2	1	17	3	1	6	7	1	20	20	4	3
Other violence or accident—166-181,183-195	9	2	17	18	1	22	2	3	6	21	1	16	18	1	7
Ill-defined and unknown causes—199,200	6	3	36	14	15	96	2	1	8	2	1	5	4	1	4
All other causes*	4	—	8	7	1	5	—	—	2	5	—	—	7	1	—

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	2,682	442	909	765	365	639	435	259	2,160	1,378	334	1,201	188	93	250
Under 1 month	1,849	300	480	570	257	417	273	151	1,188	863	201	676	123	78	142
White	1,708	300	470	567	256	401	157	84	438	734	186	651	123	77	119
All other races	141	—	10	3	1	16	116	67	750	129	15	25	—	1	23
1 to 11 months	833	142	429	195	108	222	162	108	972	515	133	525	65	15	108
White	768	139	414	194	107	197	83	46	264	430	114	471	63	14	59
All other races	65	3	15	1	1	25	79	62	708	85	19	54	2	1	49
Cerebrospinal (meningococcus) meningitis—6	4	1	1	2	—	—	—	—	3	2	—	2	1	—	—
Scarlet fever—8	2	—	1	—	—	1	—	—	1	—	—	—	—	—	—
Whooping cough—9	16	4	12	3	6	13	15	10	76	15	9	38	1	1	3
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	—	1	—	4	7	1	1	1	—	—	—
Erysipelas—11	1	1	1	—	—	—	—	—	2	3	—	3	—	—	—
Tetanus—12	2	—	—	—	—	—	—	2	1	—	—	1	—	—	—
Tuberculosis of respiratory system, etc.*—13	4	—	1	2	—	3	—	—	3	8	—	5	—	—	4
Tuberculosis of meninges, etc.*—14	4	—	—	—	—	—	—	—	1	2	—	1	—	—	3
Tuberculosis (other forms)—15-22	9	—	1	—	—	1	—	—	2	1	—	1	—	—	—
Septicemia and purulent infection—24	7	1	2	2	—	—	—	1	—	3	—	2	—	—	—
Dysentery—27	5	2	1	—	—	3	3	3	30	4	2	18	2	—	3
Malaria—28	—	—	—	—	—	—	1	—	20	—	—	2	—	—	—
Syphilis—30	10	2	4	1	—	—	16	10	31	11	3	11	—	—	4
Influenza—33	17	10	12	6	5	8	15	14	115	22	15	44	3	2	4
Measles—35	2	2	1	—	1	1	—	—	2	1	1	5	—	—	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	2	1	—	1	1	—	—	5	—	—	3	—	1	—
Diseases of thymus gland—64	52	7	41	8	—	8	1	—	2	14	4	5	1	3	3
Rickets—70	5	1	3	1	—	—	1	1	2	—	—	2	—	—	—
Hemorrhagic conditions—72	3	3	3	6	2	—	—	—	6	—	—	5	—	—	—
Anemias (except splenic anemia)—73	7	2	—	1	—	—	—	—	—	2	—	—	—	—	—
Encephalitis (nonepidemic)—80	3	—	3	—	—	1	—	—	1	—	—	1	1	—	1
Meningitis (not due to meningococcus)—81	14	2	6	6	1	1	4	1	12	7	1	6	—	—	1
Intracranial lesions of vascular origin—83	6	1	1	2	1	6	1	—	2	2	—	1	1	—	—
Convulsions—86	1	2	5	1	3	2	1	2	14	2	—	4	2	—	1
Diseases of ear and mastoid process—89	10	—	1	7	—	6	1	—	1	10	1	6	1	—	1
Other diseases, nervous system—82,84,85,87,88	4	—	—	4	—	3	—	—	4	1	—	3	2	—	1
Diseases of circulatory system—90-103	7	2	5	3	—	2	—	—	6	7	3	3	1	1	1
Pneumonia (all forms)—107-109	362	52	183	66	37	90	47	28	187	218	48	192	22	8	30
Other diseases of respiratory system—104-106,110-114	49	3	17	7	2	7	4	—	16	14	4	11	—	—	5
Diseases of buccal cavity, etc.*—115	4	2	—	4	1	3	4	—	1	3	5	6	2	—	1
Diseases of stomach—117,118	3	1	6	—	—	—	1	—	9	—	—	4	1	—	—
Diarrhea, enteritis, etc.*—119	103	15	31	21	20	22	27	17	148	85	38	119	9	2	25
Hernia—122a	3	—	1	—	—	—	1	—	—	1	—	1	—	—	—
Intestinal obstruction—122b	24	—	5	10	1	5	3	3	8	18	3	6	2	2	1
Peritonitis (cause not stated)—129	1	—	—	—	—	—	1	—	2	5	—	—	1	—	—
Other diseases, digestive system—116,121,123-128	3	—	1	—	1	3	—	—	8	6	—	1	1	2	—
Diseases, genito-urinary system—130,131,133-139	13	3	4	1	1	2	2	3	7	4	—	7	—	—	—
Diseases of skin and cellular tissue—151-153	4	1	1	1	1	—	—	1	5	3	—	6	—	—	1
Congenital malformations—157	409	63	142	139	57	83	23	11	64	179	32	137	23	7	24
Congenital debility—158	30	8	32	7	4	12	8	13	48	12	9	36	2	1	11
Premature birth—159	910	146	206	289	129	215	137	61	406	443	82	284	70	43	70
Injury at birth—160	295	51	71	102	58	81	41	31	99	129	47	93	18	12	22
Other diseases peculiar to first year—161	193	35	45	38	19	25	16	10	71	95	10	42	11	6	13
Accidental mechanical suffocation—182	16	3	26	7	5	10	—	2	15	6	4	18	1	—	4
Other violence or accident—166-181,183-195	30	5	20	8	5	8	6	1	26	15	4	17	5	2	4
Ill-defined and unknown causes—199,200	7	6	9	2	1	10	51	26	686	7	8	46	4	—	6
All other causes*	25	3	3	8	3	2	4	4	5	17	—	2	—	—	1

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	326	127	339	5	33	69	194	40	106	1,713	175	198	259	328	881
Under 1 month	216	84	233	5	24	34	124	28	55	1,194	120	104	118	137	359
White	206	84	224	4	24	30	124	28	55	1,050	105	83	99	136	342
All other races	10	—	9	1	—	4	—	—	—	144	15	21	19	1	17
1 to 11 months	110	43	106	—	9	35	70	12	51	519	55	94	141	191	522
White	103	42	95	—	9	24	69	12	51	414	46	75	130	189	476
All other races	7	1	11	—	—	11	1	—	—	105	9	19	11	2	46
Cerebrospinal (meningococcus) meningitis—6	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Scarlet fever—8	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Whooping cough—9	2	1	3	—	1	2	5	—	2	9	4	1	10	12	29
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—
Erysipelas—11	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—
Tuberculosis of meninges, etc.*—14	1	—	—	—	—	3	—	—	—	5	1	—	1	—	2
Tuberculosis (other forms)—15-22	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Septicemia and purulent infection—24	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
Dysentery—27	1	—	1	—	—	—	—	—	2	—	—	—	27	10	25
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Syphilis—30	1	1	3	—	—	1	2	2	—	10	—	3	3	6	3
Influenza—33	3	9	8	—	1	3	4	—	2	10	2	2	3	1	14
Measles—35	—	—	1	—	—	—	1	—	1	1	—	—	1	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—
Diseases of thymus gland—64	2	—	4	—	—	—	3	—	—	22	5	5	1	—	—
Rickets—70	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions—72	—	1	2	—	—	—	—	—	—	3	—	—	—	1	—
Anemias (except splenic anemia)—73	—	—	1	—	—	1	—	—	—	6	—	1	1	—	2
Encephalitis (nonepidemic)—80	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Meningitis (not due to meningococcus)—81	5	1	1	—	—	—	1	1	1	12	1	1	3	3	—
Intracranial lesions of vascular origin—83	1	—	1	—	—	—	—	—	—	7	1	—	—	—	—
Convulsions—86	—	—	2	—	—	—	1	—	2	6	1	—	—	1	1
Diseases of ear and mastoid process—89	—	—	1	—	—	—	—	—	3	9	—	3	—	—	1
Other diseases, nervous system—82,84,85,87,88	—	2	2	—	—	—	1	1	—	4	1	1	1	—	1
Diseases of circulatory system—90-103	1	1	5	—	—	—	—	—	—	11	—	1	2	1	—
Pneumonia (all forms)—107-109	43	12	38	—	2	11	25	4	22	235	16	47	24	56	62
Other diseases of respiratory system—104-106,110-114	3	1	1	—	—	1	1	—	3	19	3	6	1	1	—
Diseases of buccal cavity, etc.*—115	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Diseases of stomach—117,118	1	1	2	—	—	—	—	—	—	—	—	—	1	4	8
Diarrhea, enteritis, etc.*—119	11	3	15	—	—	6	5	—	6	64	4	11	34	71	94
Hernia—122a	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—
Intestinal obstruction—122b	6	1	1	—	1	1	2	—	—	15	3	1	3	—	—
Peritonitis (cause not stated)—129	—	—	1	—	—	—	—	—	1	1	—	—	—	2	1
Other diseases, digestive system—116,121,123-128	1	—	—	—	—	—	—	—	—	4	—	—	1	—	—
Diseases, genito-urinary system—130,131,133-139	2	—	1	—	—	3	1	—	1	1	1	—	1	1	—
Diseases of skin and cellular tissue—151-153	—	—	1	—	—	—	1	—	—	5	—	—	—	—	2
Congenital malformations—157	50	12	48	—	4	5	34	5	16	223	22	26	17	13	17
Congenital debility—158	3	3	3	—	—	2	3	2	2	25	7	3	5	8	22
Premature birth—159	121	51	106	2	19	16	52	14	28	604	56	43	66	62	99
Injury at birth—160	40	15	44	3	1	7	29	7	6	188	21	14	13	14	27
Other diseases peculiar to first year—161	16	8	20	—	1	2	13	2	5	144	15	8	8	7	11
Accidental mechanical suffocation—182	4	1	2	—	1	1	5	—	—	21	2	6	2	1	3
Other violence or accident—166-181,183-195	3	—	9	—	—	1	2	1	2	11	5	10	2	1	2
Ill-defined and unknown causes—199,200	—	—	8	—	1	2	1	—	—	7	—	—	24	46	452
All other causes*	—	1	4	—	—	—	—	—	—	12	3	2	3	4	—

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	NEW YORK			NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	6,078	470	774	1,350	378	2,901	125	98	380	3,134	423	1,202	867	399	948
Under 1 month	4,241	322	447	844	211	1,633	94	63	232	2,122	287	682	528	226	562
White	3,897	314	431	538	155	970	94	62	213	1,952	273	667	465	195	484
All other races	344	8	16	306	56	663	—	1	19	170	14	15	63	31	78
1 to 11 months	1,837	148	327	506	167	1,268	31	35	148	1,012	136	520	339	173	386
White	1,650	142	312	305	104	643	31	35	123	885	127	512	273	136	312
All other races	187	6	15	201	63	625	—	—	25	127	9	8	66	37	74
Cerebrospinal (meningococcus) meningitis—6	5	1	—	—	—	3	—	1	1	9	2	—	—	—	—
Scarlet fever—8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	71	14	24	8	8	41	1	3	6	59	7	21	14	6	21
Diphtheria (infection by C. diphtheriae)—10	—	—	—	3	2	7	—	—	—	1	1	1	—	—	1
Erysipelas—11	5	—	1	1	—	2	—	—	—	—	—	—	—	1	1
Tetanus—12	—	—	—	1	2	—	—	—	—	—	—	—	1	—	1
Tuberculosis of respiratory system, etc.*—13	12	1	—	1	—	4	1	—	2	1	—	2	2	1	2
Tuberculosis of meninges, etc.*—14	7	—	—	3	—	1	—	—	—	10	—	3	1	2	1
Tuberculosis (other forms)—15-22	2	—	—	2	—	4	—	—	—	3	—	—	—	1	—
Septicemia and purulent infection—24	17	1	4	2	1	4	—	1	—	5	—	—	—	—	1
Dysentery—27	4	1	1	7	4	13	—	2	2	5	2	—	10	7	17
Malaria—28	—	—	—	1	—	2	—	—	—	—	—	—	—	—	2
Syphilis—30	33	2	7	17	7	37	1	—	2	41	5	13	13	4	4
Influenza—33	32	4	14	26	14	98	—	4	4	46	7	57	24	13	40
Measles—35	2	—	—	—	—	3	—	—	1	1	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	1	5	4	—	3	—	—	3	7	1	3	2	2	3
Diseases of thymus gland—64	47	14	28	14	4	12	1	1	2	39	7	20	14	4	1
Rickets—70	3	—	2	1	—	3	—	—	—	2	—	2	3	1	1
Hemorrhagic conditions—72	11	1	—	4	1	2	—	—	—	9	1	2	5	—	3
Anemias (except splenic anemia)—73	13	1	3	—	—	2	1	—	—	3	—	3	—	—	—
Encephalitis (nonepidemic)—80	7	—	—	2	1	4	—	—	1	3	—	—	1	—	—
Meningitis (not due to meningococcus)—81	32	—	3	8	4	11	—	—	—	13	3	5	9	1	3
Intracranial lesions of vascular origin—83	17	1	2	2	1	2	1	—	—	3	1	1	2	2	—
Convulsions—86	8	—	3	3	1	15	1	—	15	7	—	2	1	—	5
Diseases of ear and mastoid process—89	35	2	2	15	2	13	1	1	1	14	1	9	3	2	2
Other diseases, nervous system—82,84,85,87,88	15	4	—	1	1	8	—	—	1	6	—	4	2	—	3
Diseases of circulatory system—90-103	15	1	3	10	1	14	—	—	1	6	1	2	4	—	6
Pneumonia (all forms)—107-109	740	53	101	165	69	457	14	14	54	350	64	219	125	72	150
Other diseases of respiratory system—104-106,110-114	72	1	18	20	2	43	—	1	6	28	4	7	9	3	5
Diseases of buccal cavity, etc.*—115	6	1	3	7	3	7	—	—	3	7	—	1	—	—	1
Diseases of stomach—117,118	7	—	3	4	—	7	—	—	2	4	—	4	—	1	7
Diarrhea, enteritis, etc.*—119	320	16	26	117	25	256	3	5	31	173	21	63	74	35	69
Hernia—122a	10	—	3	—	—	1	—	—	—	3	—	1	—	—	—
Intestinal obstruction—122b	34	2	3	10	2	10	5	3	—	25	2	5	13	6	6
Peritonitis (cause not stated)—129	14	—	1	3	1	—	1	—	—	3	—	—	1	—	1
Other diseases, digestive system—116,121,123-128	16	1	—	3	1	7	—	—	—	7	—	—	1	1	—
Diseases, genito-urinary system—130,131,133-139	16	3	3	3	3	6	—	—	1	6	1	3	3	—	1
Diseases of skin and cellular tissue—151-153	14	—	—	2	—	16	—	—	1	8	—	3	4	1	3
Congenital malformations—157	912	73	102	93	24	177	16	6	27	424	58	142	71	31	86
Congenital debility—158	29	3	16	26	10	110	—	2	10	44	6	36	17	15	53
Premature birth—159	1,967	143	227	453	113	762	47	28	130	1,082	136	330	301	111	283
Injury at birth—160	917	86	83	149	41	149	19	14	25	363	52	100	67	38	47
Other diseases peculiar to first year—161	435	26	34	81	10	101	8	9	18	185	19	58	33	23	35
Accidental mechanical suffocation—182	54	3	19	16	1	43	1	2	6	36	6	27	7	3	13
Other violence or accident—166-181,183-195	59	9	27	14	5	38	1	—	4	36	8	20	12	3	16
Ill-defined and unknown causes—199,200	13	—	1	39	14	392	1	1	18	43	5	27	10	8	53
All other causes*	45	1	2	9	—	11	1	—	2	14	2	6	8	1	1

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	294	165	129	4,567	933	1,900	389	6	18	676	356	1,992	99	87	270
Under 1 month	226	117	69	3,002	608	1,091	271	2	10	380	203	1,038	77	62	182
White	221	116	65	2,668	596	1,067	259	2	10	230	123	326	77	62	156
All other races	5	1	4	334	12	24	12	—	—	150	80	712	—	—	26
1 to 11 months	68	48	60	1,565	325	809	118	4	8	296	153	954	22	25	88
White	63	44	53	1,336	317	784	112	4	5	120	70	263	21	18	53
All other races	5	4	7	229	8	25	6	—	3	176	83	691	1	7	35
Cerebrospinal (meningococcus) meningitis—6	1	—	—	13	—	4	—	—	—	—	—	2	—	—	2
Scarlet fever—8	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—
Whooping cough—9	—	1	2	38	16	40	1	—	—	11	2	23	1	1	—
Diphtheria (infection by C. diphtheriae)—10	—	—	—	1	1	2	—	—	—	1	2	—	—	—	—
Erysipelas—11	—	—	—	3	1	4	4	—	—	1	—	1	—	—	—
Tetanus—12	—	—	—	1	—	—	—	—	—	1	—	3	—	—	—
Tuberculosis of respiratory system, etc.*—13	—	1	—	14	—	1	—	—	—	3	1	—	—	1	3
Tuberculosis of meninges, etc.*—14	—	1	—	13	—	3	—	—	—	2	—	2	1	—	1
Tuberculosis (other forms)—15-22	1	—	—	3	—	—	2	—	—	1	—	1	—	—	—
Septicemia and purulent infection—24	1	—	—	3	1	3	—	—	—	—	—	1	—	—	—
Dysentery—27	1	—	2	4	1	1	—	—	—	9	6	10	—	—	—
Malaria—28	—	—	—	—	—	—	—	—	—	—	3	15	—	—	—
Syphilis—30	3	—	—	35	4	9	3	—	—	20	10	28	1	—	2
Influenza—33	5	6	1	50	25	67	5	—	—	18	16	98	3	2	10
Measles—35	—	1	1	1	—	4	—	—	—	1	1	3	—	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	—	—	—	8	1	2	1	—	—	—	1	5	—	1	—
Diseases of thymus gland—64	1	1	2	59	8	30	3	—	—	2	3	11	2	—	2
Rickets—70	1	—	—	5	—	2	—	—	—	1	—	—	—	—	—
Hemorrhagic conditions—72	—	—	2	14	3	3	—	—	—	1	—	4	—	—	2
Anemias (except splenic anemia)—73	—	1	—	10	—	1	—	—	—	2	—	3	—	—	1
Encephalitis (nonepidemic)—80	—	1	1	5	1	—	—	—	—	1	2	—	—	—	—
Meningitis (not due to meningococcus)—81	1	—	—	47	7	8	2	—	—	5	2	3	—	1	2
Intracranial lesions of vascular origin—83	—	3	—	6	2	6	1	—	—	4	—	2	1	—	—
Convulsions—86	1	—	—	6	6	17	—	—	3	3	2	9	—	—	6
Diseases of ear and mastoid process—89	1	—	1	36	6	5	—	—	—	5	—	2	—	—	—
Other diseases, nervous system—82,84,85,87,88	1	—	1	10	—	3	—	—	—	—	—	3	1	—	—
Diseases of circulatory system—90-103	—	1	—	22	4	8	—	—	—	1	2	5	—	—	2
Pneumonia (all forms)—107-109	20	13	20	662	141	394	58	—	3	92	44	272	11	5	25
Other diseases of respiratory system—104-106,110-114	4	3	3	53	21	26	4	1	—	8	2	34	—	—	1
Diseases of buccal cavity, etc.*—115	—	—	—	9	2	1	—	—	—	5	—	4	—	—	—
Diseases of stomach—117,118	—	—	—	8	—	9	—	—	—	1	—	9	—	—	—
Diarrhea, enteritis, etc.*—119	3	5	7	221	34	106	14	—	—	62	34	174	—	10	16
Hernia—122a	1	—	—	5	1	1	1	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	1	4	—	48	11	8	4	—	—	6	3	2	1	—	—
Peritonitis (cause not stated)—129	—	—	—	9	—	2	1	—	—	2	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	1	—	—	11	2	1	—	—	1	3	1	3	—	—	—
Diseases, genito-urinary system—130,131,133-139	—	—	—	17	3	2	2	—	—	1	—	4	—	1	—
Diseases of skin and cellular tissue—151-153	—	—	—	11	1	2	4	—	—	1	—	8	—	—	—
Congenital malformations—157	42	25	18	567	126	251	79	3	—	25	22	61	13	14	43
Congenital debility—158	2	2	5	41	13	22	6	—	—	10	7	69	—	3	10
Premature birth—159	106	51	35	1,494	309	531	114	—	6	218	112	332	42	25	73
Injury at birth—160	47	28	4	556	96	176	44	2	4	61	31	56	5	11	24
Other diseases peculiar to first year—161	33	10	8	318	59	79	30	—	—	45	17	70	14	11	23
Accidental mechanical suffocation—182	4	—	5	30	4	28	1	—	—	5	3	39	2	—	3
Other violence or accident—166-181,183-195	7	5	5	41	12	20	5	—	1	10	3	33	1	1	2
Ill-defined and unknown causes—199,200	—	2	5	29	2	12	—	—	—	24	24	587	—	—	14
All other causes*	5	—	1	28	9	4	—	—	—	4	—	1	—	—	2

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	TENNESSEE			TEXAS			UTAH			VERMONT			VIRGINIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	1,161	294	1,597	3,697	1,662	3,326	269	112	170	86	87	128	949	291	2,032
Under 1 month	659	171	857	1,896	816	1,617	200	77	100	59	65	81	585	185	1,158
White	476	162	754	1,550	750	1,296	199	77	95	59	65	81	369	151	781
All other races	183	9	103	346	66	321	1	—	5	—	—	—	216	34	377
1 to 11 months	502	123	740	1,801	846	1,709	69	35	70	27	22	47	364	106	874
White	337	101	611	1,556	760	1,432	69	35	63	27	22	47	176	72	481
All other races	165	22	129	245	86	277	—	—	7	—	—	—	188	34	393
Cerebrospinal (meningococcus) meningitis—6	4	—	2	6	3	1	—	1	—	—	1	—	—	1	3
Scarlet fever—8	—	1	2	—	3	1	—	—	1	—	—	—	—	—	—
Whooping cough—9	22	4	40	71	36	76	2	—	6	—	—	3	20	4	62
Diphtheria (infection by C. diphtheriae)—10	—	1	2	7	7	7	—	—	—	—	—	—	3	—	5
Erysipelas—11	1	—	1	2	1	3	—	—	—	—	—	—	—	—	1
Tetanus—12	1	—	2	10	11	36	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	8	—	5	12	1	5	—	—	—	—	—	—	—	2	3
Tuberculosis of meninges, etc.*—14	5	3	4	4	2	3	—	—	—	1	—	—	3	1	2
Tuberculosis (other forms)—15-22	6	—	1	3	3	3	—	—	—	—	—	—	2	—	1
Septicemia and purulent infection—24	3	—	—	6	1	4	—	—	—	1	1	—	—	—	—
Dysentery—27	37	5	16	74	100	171	—	—	—	—	—	—	6	3	30
Malaria—28	—	—	1	6	—	14	—	—	—	—	—	—	—	—	—
Syphilis—30	27	3	15	76	17	31	—	—	—	—	—	1	30	5	17
Influenza—33	27	9	58	81	42	127	6	3	5	—	2	3	23	6	73
Measles—35	—	—	4	15	12	27	—	—	—	—	—	—	—	1	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	5	4	5	12	—	—	1	—	—	—	3	1	5
Diseases of thymus gland—64	3	—	4	23	10	13	5	2	—	1	—	1	4	3	12
Rickets—70	—	—	—	3	1	8	—	—	—	—	—	—	—	—	3
Hemorrhagic conditions—72	1	2	4	11	5	7	1	—	—	—	—	—	4	2	3
Anemias (except splenic anemia)—73	3	—	2	9	1	2	1	—	—	—	—	—	2	1	3
Encephalitis (nonepidemic)—80	—	—	1	4	2	2	1	—	—	1	—	—	1	1	1
Meningitis (not due to meningococcus)—81	9	1	5	15	7	12	3	—	—	—	1	1	7	1	5
Intracranial lesions of vascular origin—83	5	1	4	15	3	4	—	—	1	—	—	—	2	2	3
Convulsions—86	5	2	6	10	4	41	—	—	—	—	—	1	—	—	17
Diseases of ear and mastoid process—89	4	1	3	16	13	8	—	1	5	1	—	—	5	2	6
Other diseases, nervous system—82,84,85,87,88	3	—	3	3	3	5	—	—	1	—	1	—	—	—	1
Diseases of circulatory system—90-103	7	—	5	17	5	21	—	2	1	1	—	—	3	1	7
Pneumonia (all forms)—107-109	154	44	250	472	171	405	36	11	21	5	15	18	134	31	290
Other diseases of respiratory system—104-106,110-114	11	4	5	50	14	42	4	5	4	3	—	1	9	5	41
Diseases of buccal cavity, etc.*—115	3	—	1	9	2	6	1	—	2	—	—	1	—	—	2
Diseases of stomach—117,118	4	—	8	17	8	44	—	—	—	—	—	—	1	—	8
Diarrhea, enteritis, etc.*—119	69	29	125	701	313	584	8	1	11	8	4	5	68	21	117
Hernia—122a	1	1	—	4	1	—	—	—	—	1	1	1	—	—	2
Intestinal obstruction—122b	12	2	4	23	15	15	3	1	1	—	—	1	9	2	5
Peritonitis (cause not stated)—129	2	—	—	1	1	1	1	—	—	—	—	—	4	—	1
Other diseases, digestive system—116,121,123-128	4	—	1	7	1	25	1	1	—	—	—	—	1	—	8
Diseases, genito-urinary system—130,131,133-139	6	2	2	11	4	5	—	—	—	1	1	1	3	3	4
Diseases of skin and cellular tissue—151-153	7	1	5	7	5	18	—	—	—	—	—	—	—	1	19
Congenital malformations—157	86	10	87	205	81	151	31	11	26	9	15	13	69	29	109
Congenital debility—158	17	3	32	66	62	156	—	—	2	2	2	3	13	7	118
Premature birth—159	329	78	305	978	412	625	98	43	50	34	28	47	324	106	555
Injury at birth—160	98	43	107	295	126	170	42	13	9	8	8	12	95	26	122
Other diseases peculiar to first year—161	62	6	49	212	61	97	15	9	10	6	2	8	56	11	92
Accidental mechanical suffocation—182	7	9	17	18	7	21	2	1	2	—	1	3	14	3	30
Other violence or accident—166-181,183-195	18	5	18	43	26	62	3	2	2	1	2	1	10	3	36
Ill-defined and unknown causes—199,200	79	22	377	59	50	237	4	2	9	1	2	2	14	3	197
All other causes*	10	2	9	16	4	18	1	3	—	1	—	1	7	3	8

*Refer to complete International List titles, table XI.

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	601	120	284	569	310	1,390	1,044	313	684	68	43	123
Under 1 month	448	85	158	325	170	825	748	218	424	39	24	69
White	443	80	140	305	158	765	744	218	406	39	24	63
Other races	5	5	18	20	12	60	4	—	18	—	—	6
1 to 11 months	153	35	126	244	140	565	296	95	260	29	19	54
White	141	32	94	225	123	513	290	94	236	29	17	41
All other races	12	3	32	19	17	52	6	1	24	—	2	13
Cerebrospinal (meningococcus) meningitis—6	2	—	1	1	1	2	1	—	—	—	—	1
Scarlet fever—8	—	—	—	—	—	1	—	—	1	—	—	—
Whooping cough—9	6	1	7	17	11	52	0	4	9	—	—	1
Diphtheria (infection by C. diphtheriae)—10	1	—	—	—	2	3	—	—	—	—	—	—
Erysipelas—11	1	—	—	2	—	1	3	—	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	—	—	1	2	—	—	4	—	1	—	—	1
Tuberculosis of meninges, etc.*—14	—	—	—	—	1	1	2	—	—	—	—	—
Tuberculosis (other forms)—15-22	1	—	—	3	—	—	—	—	—	—	—	—
Septicemia and purulent infection—24	—	—	1	1	—	1	2	—	—	—	—	—
Dysentery—27	6	1	9	2	4	8	2	—	—	1	—	—
Malaria—28	—	—	—	—	—	—	1	—	—	—	—	—
Syphilis—30	4	1	3	9	6	16	1	1	1	—	—	1
Influenza—33	7	4	10	10	7	42	10	5	26	3	1	1
Measles—35	—	—	2	—	—	—	1	1	1	—	—	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	2	1	—	4	3	—	1	1	—	—
Diseases of thymus gland—64	6	4	6	6	2	12	12	6	11	2	—	1
Rickets—70	—	—	—	1	—	4	2	—	—	—	—	—
Hemorrhagic conditions—72	2	1	1	—	—	5	1	—	5	—	—	—
Anemias (except splenic anemia)—73	—	—	1	1	—	1	2	—	2	1	—	—
Encephalitis (nonepidemic)—80	3	—	—	3	—	1	—	—	—	—	1	—
Meningitis (not due to meningococcus)—81	3	1	—	4	3	1	4	2	4	1	—	—
Intracranial lesions of vascular origin—83	2	2	—	3	4	3	4	1	2	—	—	—
Convulsions—86	2	—	—	1	2	9	3	—	4	—	1	—
Diseases of ear and mastoid process—89	3	—	1	5	—	6	2	1	1	—	—	2
Other diseases, nervous system—82,84,85,87,88	1	1	2	1	1	1	2	2	—	—	—	—
Diseases of circulatory system—90-103	4	—	3	3	1	5	1	1	2	—	—	1
Pneumonia (all forms)—107-109	59	12	44	87	60	220	117	41	109	11	8	18
Other diseases of respiratory system—104-106,110-114	6	—	7	8	3	14	8	3	7	—	3	5
Diseases of buccal cavity, etc.*—115	1	—	—	1	1	2	—	—	3	—	—	—
Diseases of stomach—117,118	1	—	1	—	—	5	1	—	1	—	—	—
Diarrhea, enteritis, etc.*—119	8	10	12	42	16	65	46	17	33	3	6	9
Hernia—122a	—	—	1	2	1	—	2	1	1	—	—	—
Intestinal obstruction—122b	6	—	6	3	3	6	12	5	5	2	—	2
Peritonitis (cause not stated)—129	—	—	—	1	—	—	1	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	3	—	—	—	1	1	3	—	1	—	—	—
Diseases, genito-urinary system—130,131,133-139	2	—	1	—	—	1	5	2	2	1	—	1
Diseases of skin and cellular tissue—151-153	—	—	—	1	—	7	6	—	—	—	—	2
Congenital malformations—157	84	11	33	61	24	123	158	45	90	8	7	15
Congenital debility—158	5	2	7	12	9	45	7	7	18	1	—	3
Premature birth—159	189	45	63	180	89	392	361	99	199	24	9	35
Injury at birth—160	110	15	15	47	22	101	138	37	73	3	4	9
Other diseases peculiar to first year—161	50	6	26	32	22	51	74	26	38	1	3	6
Accidental mechanical suffocation—182	4	1	12	6	2	25	5	1	9	2	—	—
Other violence or accident—166-181,183-195	7	2	3	4	4	20	15	3	13	2	—	5
Ill-defined and unknown causes—199,200	5	—	3	3	7	125	2	—	8	—	—	2
All other causes*	6	—	—	3	1	8	10	2	3	1	—	—

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—All causes	3,864	496	416	371	303	277	266	355	300	237	276	274	293
Cerebrospinal (meningococcus) meningitis—6	5	2	-	-	-	-	1	-	-	-	1	-	1
Scarlet fever—8	2	-	1	-	-	-	-	-	-	1	-	-	-
Whooping cough—9	84	11	13	5	8	6	7	16	5	3	2	2	6
Diphtheria (infection by C. diphtheriae)—10	9	3	-	1	-	-	-	-	-	2	2	-	1
Erysipelas—11	1	-	-	-	-	-	-	-	1	-	-	-	-
Tetanus—12	11	2	1	1	-	1	1	1	2	2	-	-	-
Tuberculosis of respiratory system, etc.*—13	8	1	1	1	1	-	1	1	1	1	-	-	-
Tuberculosis of meninges, etc.*—14	6	-	1	2	1	-	-	-	1	-	-	1	-
Tuberculosis (other forms)—15-22	4	-	1	-	1	1	-	-	1	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery—27	22	1	1	-	-	1	1	6	9	1	-	-	2
Malaria—28	13	1	-	-	-	-	1	2	5	2	2	-	-
Syphilis—30	87	6	7	10	10	12	10	10	5	4	6	2	5
Influenza—33	139	33	39	18	12	5	2	1	2	2	1	11	13
Measles—35	11	-	2	2	2	2	-	2	-	-	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	1	-	1	2	1	-	-	1	1	1	-
Diseases of thymus gland—64	22	2	2	4	1	1	3	1	1	1	2	2	2
Rickets—70	2	-	-	-	-	-	-	1	-	-	-	1	-
Hemorrhagic conditions—72	8	1	-	-	2	-	-	-	3	1	1	-	-
Anemias (except splenic anemia)—73	7	-	-	2	1	-	1	1	-	1	1	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	23	3	2	2	3	1	2	-	1	1	3	3	2
Intracranial lesions of vascular origin—83	3	-	-	-	1	-	-	1	-	1	-	-	-
Convulsions—86	15	1	-	2	-	1	2	2	1	1	-	3	2
Diseases of ear and mastoid process—89	13	1	3	1	-	1	-	2	2	1	-	2	-
Other diseases, nervous system—82,84,85,87,88	2	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	13	3	1	2	-	2	1	1	1	-	-	1	1
Pneumonia (all forms)—107-109	408	78	74	60	31	19	14	16	13	17	17	29	40
Other diseases of respiratory system—104-106,110-114	42	4	5	10	2	4	-	1	2	3	3	3	5
Diseases of buccal cavity, etc.*—115	6	-	2	-	-	-	1	2	-	-	1	-	-
Diseases of stomach—117,118	11	3	-	1	1	-	-	3	1	-	2	-	-
Diarrhea, enteritis, etc.*—119	260	8	2	6	7	16	25	72	49	29	19	17	10
Hernia—122a	2	1	-	-	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	20	3	3	1	1	3	1	4	1	1	1	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	5	-	2	-	-	-	-	1	-	-	-	1	1
Diseases, genito-urinary system—130,131,133-139	15	2	4	1	2	-	3	-	-	2	-	1	-
Diseases of skin and cellular tissue—151-153	12	3	1	2	-	-	1	1	-	2	1	-	1
Congenital malformations—157	174	16	18	19	10	18	14	14	14	10	20	11	10
Congenital debility—158	109	10	7	14	8	8	2	10	5	8	17	13	7
Premature birth—159	1,036	99	92	85	78	78	86	102	88	75	92	77	84
Injury at birth—160	262	28	18	23	21	25	23	23	23	18	18	17	25
Other diseases peculiar to first year—161	140	10	12	14	22	10	7	14	9	10	12	12	8
Accidental mechanical suffocation—182	55	26	8	5	3	2	1	-	-	-	1	4	5
Other violence or accident—166-181,183-195	54	6	7	2	5	7	3	3	3	2	7	5	4
Ill-defined and unknown causes—199,200	718	123	84	75	68	51	47	40	49	32	39	52	58
All other causes*	14	3	1	-	-	-	3	1	1	1	2	2	-
ARIZONA—All causes	991	78	71	80	73	106	74	88	71	54	80	100	116
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	2	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	27	-	4	2	4	3	2	4	2	1	2	2	1
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	2	1
Erysipelas—11	2	-	-	2	-	-	-	-	-	-	-	-	-
Tetanus—12	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	1	1	-	-	-	-	-	-	1	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	1	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	1	-	-	-	-	-	-	-	-	-	1	-
Dysentery—27	20	2	-	-	-	2	-	2	3	4	2	4	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	23	3	2	1	-	2	4	3	2	1	1	2	2
Influenza—33	44	5	4	3	3	4	-	1	-	-	-	6	18
Measles—35	6	-	2	-	1	1	1	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	4	-	1	-	-	-	-	-	-	3	-	-	-
Rickets—70	1	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	1	-	-	1	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	2	-	-	-	-	-	1	-	1
Diseases of ear and mastoid process—89	3	1	-	-	-	1	-	-	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	206	22	17	25	15	18	15	11	6	5	10	19	43
Other diseases of respiratory system—104-106,110-114	17	-	2	3	2	3	1	-	2	-	1	2	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	2	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*—119	173	9	8	8	11	29	17	22	13	14	20	16	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	2	1	-	2	1	-	-	-	-	-	2
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	3	-	-	-	-	-	-	-	1	-	1	-	1
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	46	4	1	4	3	3	1	5	3	2	11	3	6
Congenital debility—158	27	3	3	3	1	5	4	2	3	-	-	3	-
Premature birth—159	181	15	16	10	16	18	11	11	20	12	12	21	19
Injury at birth—160	70	4	2	9	3	8	3	11	6	7	4	7	6
Other diseases peculiar to first year—161	40	2	2	4	8	1	6	4	4	2	3	3	1
Accidental mechanical suffocation—182	5	-	3	-	-	-	-	-	-	-	-	1	1
Other violence or accident—166-181,183-195	25	2	-	1	1	3	3	8	3	-	3	1	-
Ill-defined and unknown causes—199,200	29	2	1	1	1	2	4	2	1	3	7	3	2
All other causes*	3	-	1	-	-	1	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	1,752	171	170	153	133	122	117	177	156	134	128	133	158
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	1	-	-	1	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	37	3	3	7	1	4	1	4	4	4	3	3	-
Diphtheria (infection by C. diphtheriae)—10	8	1	-	2	1	-	2	-	-	1	1	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	3	-	1	-	-	1	-	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	-	1	-	-	-	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	6	-	-	1	-	1	-	1	1	1	-	-	1
Dysentery—27	50	-	-	-	1	1	4	23	12	4	2	2	1
Malaria—28	17	-	-	2	-	-	-	6	1	4	3	1	-
Syphilis—30	28	3	2	2	1	2	3	6	2	1	-	1	5
Influenza—33	77	25	17	8	6	3	-	-	-	-	5	3	10
Measles—35	5	1	-	-	2	1	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	1	-	1	1	1	-	-	-	1
Diseases of thymus gland—64	7	-	1	1	-	-	-	-	2	1	-	-	2
Rickets—70	2	-	-	-	-	1	-	-	-	1	-	-	-
Hemorrhagic conditions—72	2	1	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	2	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	2	-	2	-	-	-	-	-	1	2
Intracranial lesions of vascular origin—83	1	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions—86	4	1	-	1	-	-	-	2	-	-	-	-	-
Diseases of ear and mastoid process—89	5	-	1	-	-	-	1	1	-	-	-	-	2
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	6	-	-	-	-	1	-	-	-	-	1	2	2
Pneumonia (all forms)—107-109	255	40	37	27	26	8	6	6	3	9	20	29	44
Other diseases of respiratory system—104-106,110-114	17	3	3	4	1	1	-	-	-	-	1	2	2
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of stomach—117,118	6	2	-	-	-	1	-	1	-	1	-	1	-
Diarrhea, enteritis, etc.*—119	186	2	3	4	4	11	15	55	38	24	20	4	6
Hernia—122a	2	-	-	1	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	11	-	2	4	1	-	2	1	1	-	-	-	-
Peritonitis (cause not stated)—129	4	-	-	1	-	-	-	-	1	-	-	2	-
Other diseases, digestive system—116,121,123-128	5	-	2	-	-	-	-	-	-	2	-	1	-
Diseases, genito-urinary system—130,131,133-139	4	-	-	1	-	-	-	-	-	-	1	1	1
Diseases of skin and cellular tissue—151-153	10	2	-	1	1	1	-	1	-	1	2	1	-
Congenital malformations—157	111	9	10	10	8	12	7	8	8	6	11	9	13
Congenital debility—158	56	5	7	1	5	3	6	6	7	7	1	6	2
Premature birth—159	360	32	27	26	36	32	30	25	37	30	25	35	25
Injury at birth—160	106	6	14	6	10	8	8	10	10	12	9	7	6
Other diseases peculiar to first year—161	47	6	8	5	4	2	6	-	4	3	2	2	5
Accidental mechanical suffocation—182	19	1	3	5	-	2	1	1	-	1	1	2	2
Other violence or accident—166-181,183-195	20	5	-	2	2	-	3	-	1	-	4	2	1
Ill-defined and unknown causes—199,200	242	22	29	25	21	21	19	14	21	18	14	15	23
All other causes*	7	-	-	1	-	1	-	1	1	1	-	-	2
CALIFORNIA—All causes	4,411	375	329	331	322	340	356	390	346	334	362	433	493
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	2	-	-	-	-	-	-
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	75	3	2	5	8	4	10	6	9	11	5	7	5
Diphtheria (infection by C. diphtheriae)—10	8	1	2	2	1	-	-	-	-	-	1	-	1
Erysipelas—11	2	-	-	1	-	-	-	-	1	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	12	2	2	1	-	1	2	1	1	1	-	-	1
Tuberculosis of meninges, etc.*—14	10	1	1	-	3	-	1	1	1	1	-	1	-
Tuberculosis (other forms)—15-22	10	-	-	-	1	1	1	1	2	-	2	2	-
Septicemia and purulent infection—24	2	-	-	-	1	-	-	-	-	-	-	-	1
Dysentery—27	43	1	1	-	3	5	6	3	4	4	4	10	2
Malaria—28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	32	4	5	3	2	3	2	4	2	2	-	2	3
Influenza—33	53	6	3	2	1	3	1	1	1	1	3	6	25
Measles—35	4	1	-	1	-	1	-	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	16	3	-	-	-	1	-	3	2	4	1	1	1
Diseases of thymus gland—64	77	10	7	4	9	5	4	5	6	5	11	8	3
Rickets—70	2	-	-	1	-	-	-	-	-	-	-	1	-
Hemorrhagic conditions—72	5	-	3	-	-	-	2	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	2	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	1	-	-	1	1	-
Meningitis (not due to meningococcus)—81	17	1	1	2	-	1	3	4	-	1	1	2	1
Intracranial lesions of vascular origin—83	20	1	1	1	1	2	-	1	4	3	1	3	2
Convulsions—86	3	-	-	-	-	1	-	-	-	-	2	-	-
Diseases of ear and mastoid process—89	27	6	3	2	3	-	2	-	4	-	1	-	6
Other diseases, nervous system—82,84,85,87,88	9	-	1	1	-	-	1	2	1	-	-	3	-
Diseases of circulatory system—90-103	15	1	1	1	1	3	1	2	-	1	1	2	1
Pneumonia (all forms)—107-109	550	53	43	46	38	36	43	28	25	20	38	71	109
Other diseases of respiratory system—104-106,110-114	37	5	4	2	2	2	-	2	4	2	4	4	6
Diseases of buccal cavity, etc.*—115	4	-	-	1	-	-	2	-	-	-	1	-	-
Diseases of stomach—117,118	2	-	-	-	-	1	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	368	36	11	24	21	36	27	37	28	29	46	40	33
Hernia—122a	4	-	1	-	1	-	-	-	-	-	1	1	-
Intestinal obstruction—122b	31	3	3	-	3	3	4	3	-	3	1	7	1
Peritonitis (cause not stated)—129	6	1	-	-	-	-	1	-	2	-	-	-	2
Other diseases, digestive system—116,121,123-128	11	-	1	4	-	-	1	1	-	-	3	-	1
Diseases, genito-urinary system—130,131,133-139	18	3	4	3	-	3	-	2	1	-	-	1	1
Diseases of skin and cellular tissue—151-153	7	2	2	-	-	1	-	-	1	-	1	-	-
Congenital malformations—157	505	39	43	40	39	39	35	37	46	51	48	39	49
Congenital debility—158	50	5	2	4	4	3	1	4	4	4	5	6	8
Premature birth—159	1,441	117	114	107	105	118	123	157	112	118	101	127	142
Injury at birth—160	461	31	32	44	36	29	45	45	42	36	34	44	43
Other diseases peculiar to first year—161	329	22	23	22	28	31	24	32	33	22	29	34	29
Accidental mechanical suffocation—182	48	5	5	4	4	5	4	1	2	5	4	3	6
Other violence or accident—166-181,183-195	58	8	4	-	5	2	6	2	6	5	7	5	8
Ill-defined and unknown causes—199,200	4	-	-	1	-	-	-	1	-	1	1	-	-
All other causes*	25	3	4	1	-	-	2	2	2	4	2	2	3

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO—All causes	1,266	90	103	99	106	78	83	91	109	111	119	146	131
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	27	1	2	3	3	3	2	3	4	-	2	2	2
Diphtheria (infection by C. diphtheriae)—10	1	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	-	-	-	2	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	-	2	-	2	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	2	-	-	3	1	1	2	-	2	-	2	-
Influenza—33	35	6	4	3	1	1	-	-	1	2	4	4	9
Measles—35	4	-	1	1	1	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	1	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	7	-	1	1	-	1	1	-	-	-	1	1	1
Rickets—70	2	-	-	1	-	-	-	-	-	-	-	-	1
Hemorrhagic conditions—72	3	1	1	-	-	-	-	-	-	-	-	-	1
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	1	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	5	-	2	-	1	-	-	2	-	-	-	-	-
Intracranial lesions of vascular origin—83	4	1	1	1	-	1	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	-	1	-	-	1	-	-	-	1
Diseases of ear and mastoid process—89	14	1	1	-	-	1	1	-	-	-	1	5	4
Other diseases, nervous system—82,84,85,87,88	5	-	-	-	2	-	1	-	1	-	-	-	1
Diseases of circulatory system—90-103	7	-	-	1	2	-	1	-	-	1	2	-	-
Pneumonia (all forms)—107-109	210	18	22	19	20	8	5	7	3	11	22	38	37
Other diseases of respiratory system—104-106,110-114	13	1	-	2	1	-	1	3	-	-	-	1	4
Diseases of buccal cavity, etc.*—115	4	1	-	2	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	6	1	1	-	2	-	-	1	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	151	1	-	5	-	4	2	14	25	47	28	17	8
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	7	-	-	1	1	-	2	-	2	1	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	2	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	102	6	11	9	10	6	5	8	10	8	11	12	6
Congenital debility—158	35	3	1	3	1	3	3	4	2	3	3	6	3
Premature birth—159	387	28	32	31	39	34	40	32	42	25	23	29	32
Injury at birth—160	100	9	12	8	7	5	7	7	6	8	8	12	11
Other diseases peculiar to first year—161	53	5	1	5	5	4	5	3	6	3	5	8	3
Accidental mechanical suffocation—182	20	-	3	1	3	-	1	1	1	-	2	4	4
Other violence or accident—166-181,183-195	13	2	2	1	1	1	-	1	-	-	3	1	1
Ill-defined and unknown causes—199,200	7	2	-	1	-	-	1	-	-	-	-	2	1
All other causes*	5	-	-	-	1	-	1	-	1	-	-	1	1
CONNECTICUT—All causes	858	90	66	80	68	74	79	81	65	56	60	74	65
Cerebrospinal (meningococcus) meningitis—6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	1	-	-	-	1	-	-	1	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	1	-	-	-	-	1	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	-	1	1	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	1	-	-	-	-	-	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	1	-	-	-	-	-	-
Influenza—33	7	-	-	1	1	1	-	1	-	1	-	1	1
Measles—35	1	-	-	-	-	-	-	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	-	1	1	-	-	-	2	-	-	-	-	1
Rickets—70	1	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	1	-	-	-	-	1	-	1	-	1	-	-
Anemias (except splenic anemia)—73	2	-	-	1	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	5	2	1	-	1	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	1	-	-	1	-	-	-	-	-
Convulsions—86	4	1	1	-	-	1	-	-	-	-	1	-	-
Diseases of ear and mastoid process—89	2	-	-	-	1	-	-	-	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	1	-	-	-	-	-	-	-	2	1	-	-
Pneumonia (all forms)—107-109	71	13	9	5	2	3	6	5	1	4	5	9	9
Other diseases of respiratory system—104-106,110-114	12	4	1	1	2	-	1	1	-	-	-	-	2
Diseases of buccal cavity, etc.*—115	5	2	1	-	-	1	1	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	1	-	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	39	5	1	4	6	3	1	8	2	4	-	3	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	1	-	3	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	143	5	12	11	9	12	25	13	13	10	9	14	10
Congenital debility—158	3	1	-	-	-	-	-	2	-	-	-	-	-
Premature birth—159	286	31	18	26	23	26	22	21	33	16	27	23	20
Injury at birth—160	135	10	12	15	13	15	10	11	8	10	7	14	10
Other diseases peculiar to first year—161	64	8	4	7	3	5	7	9	4	6	2	4	5
Accidental mechanical suffocation—182	7	-	-	-	1	-	-	1	-	1	1	3	-
Other violence or accident—166-181,183-195	12	2	3	1	-	1	1	1	-	-	1	-	2
Ill-defined and unknown causes—199,200	13	1	1	2	-	-	3	1	-	-	2	2	1
All other causes*	5	1	-	-	1	2	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—All causes	225	24	21	20	17	25	23	14	19	18	16	11	17
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	1	-	1	2	-	-	-	-	1	1	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	1	-	-	-	-	-	-	-	1
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	1	1	-	-	1	-	-	-	-	-	-
Influenza—33	2	1	1	-	-	-	-	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	-	-	-	-	1
Rickets—70	1	-	-	-	-	-	1	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	1	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	36	3	4	3	6	8	2	2	-	1	1	1	5
Other diseases of respiratory system—104-106,110-114	5	2	1	1	-	-	-	-	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	12	-	-	1	-	3	2	2	-	1	2	1	-
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	1	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	23	1	2	1	1	1	4	4	-	1	4	1	3
Congenital debility—158	6	2	1	1	1	-	-	-	-	-	-	1	-
Premature birth—159	68	8	5	3	2	6	9	3	13	8	4	4	3
Injury at birth—160	21	2	4	4	1	2	2	2	1	2	-	1	-
Other diseases peculiar to first year—161	16	2	-	-	-	3	1	-	3	1	3	2	1
Accidental mechanical suffocation—182	5	-	-	1	1	-	-	1	-	-	1	-	1
Other violence or accident—166-181,183-195	1	1	-	-	-	-	-	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	5	1	1	-	-	-	1	-	-	1	-	-	1
All other causes*—	3	-	-	1	-	-	-	-	1	1	-	-	-
DISTRICT OF COLUMBIA—All causes	719	72	51	52	53	63	49	54	53	69	69	68	66
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	10	1	2	1	-	1	1	-	1	2	-	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	1	-	1	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	9	-	2	1	-	1	-	-	-	1	3	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	8	-	-	2	-	1	2	-	-	-	1	1	1
Influenza—33	8	3	-	-	1	-	1	-	-	-	-	1	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	1	-	-	1	-	-	1	-	-	-	1
Diseases of thymus gland—64	4	-	-	-	1	-	1	1	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	4	1	-	-	1	-	-	-	-	-	1	1	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	1	-	-	1	-
Meningitis (not due to meningococcus)—81	8	1	-	1	1	2	-	1	-	-	2	-	-
Intracranial lesions of vascular origin—83	6	1	-	-	1	-	1	1	-	-	-	2	-
Convulsions—86	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms)—107-109	75	13	9	2	3	3	4	3	5	6	10	7	10
Other diseases of respiratory system—104-106,110-114	8	1	1	1	-	3	-	1	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of stomach—117,118	1	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	64	5	4	3	7	2	3	8	6	10	6	10	-
Hernia—122a	1	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	1	-	-	-	1	-	-	-	2
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive system—116,121,123-128	4	1	1	1	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	-	1	-	1	-	-	-	-	1	-	-	-
Diseases of skin and cellular tissue—151-153	2	-	1	-	-	-	-	-	1	-	-	-	-
Congenital malformations—157	57	11	2	5	8	6	3	4	2	3	5	5	3
Congenital debility—158	10	1	-	-	-	-	-	1	1	1	5	1	-
Premature birth—159	281	23	15	25	17	28	26	23	19	23	23	24	35
Injury at birth—160	83	5	9	4	3	9	3	6	11	14	4	8	7
Other diseases peculiar to first year—161	28	1	2	-	4	2	2	4	3	4	2	2	2
Accidental mechanical suffocation—182	10	2	-	2	1	1	-	-	-	1	2	1	-
Other violence or accident—166-181,183-195	10	-	1	1	1	3	1	-	-	1	2	-	-
Ill-defined and unknown causes—199,200	2	-	-	-	-	-	-	-	-	1	1	-	-
All other causes*—	2	1	-	-	-	-	-	-	-	-	1	-	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	1,814	188	149	154	138	138	139	137	156	130	137	160	188
Cerebrospinal (meningococcus) meningitis—6	6	-	1	1	1	1	1	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	29	4	3	4	4	3	2	2	1	2	1	1	2
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	1	-	-	-	1	2	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-
Tetanus—12	9	1	1	1	-	1	-	-	-	1	-	1	3
Tuberculosis of respiratory system, etc.*—13	2	-	-	1	-	-	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	3	2	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	3	-	-	-	1	-	1	1	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	-	-
Dysentery—27	9	1	-	-	-	2	3	1	-	-	-	1	1
Malaria—28	7	-	1	-	-	-	2	1	-	1	1	1	-
Syphilis—30	42	2	4	4	3	5	4	4	2	1	5	4	4
Influenza—33	66	16	13	6	5	1	3	3	2	2	-	5	10
Measles—35	2	-	-	-	2	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	1	1	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	17	3	-	1	3	1	2	1	1	3	1	-	1
Rickets—70	3	1	1	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	1	-	-	-	-	-	-	-	-	-	2	1
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	1	-	1	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	10	1	2	-	-	2	-	2	1	-	1	1	-
Intracranial lesions of vascular origin—83	2	1	-	-	-	-	-	-	-	-	-	-	1
Convulsions—86	8	2	-	-	-	1	2	1	-	-	-	2	-
Diseases of ear and mastoid process—89	4	-	1	-	-	-	-	1	2	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	2	-	-	1	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	206	28	31	19	15	15	10	8	8	14	12	20	26
Other diseases of respiratory system—104-106,110-114	18	2	2	3	2	1	-	1	2	-	-	2	3
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	11	1	1	-	-	-	3	-	1	1	3	1	-
Diarrhea, enteritis, etc.*—119	117	7	4	7	12	8	13	12	9	8	11	16	10
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	2	1	-	-	2	1	1	1	2	1	-	-
Peritonitis (cause not stated)—129	2	-	-	1	-	-	-	-	-	-	1	-	-
Other diseases, digestive system—116,121,123-128	3	1	-	2	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	4	-	1	-	1	1	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	-	-	1	2	-	-	-	-
Congenital malformations—157	143	15	11	11	11	6	15	13	13	7	13	13	15
Congenital debility—158	63	7	4	10	3	5	5	9	5	3	3	4	5
Premature birth—159	545	43	29	42	43	45	42	43	54	48	47	44	65
Injury at birth—160	147	9	14	11	10	10	13	13	21	15	10	13	8
Other diseases peculiar to first year—161	91	8	3	11	8	11	2	6	11	11	6	7	7
Accidental mechanical suffocation—182	13	-	2	3	1	-	1	-	1	1	-	1	3
Other violence or accident—166-181,183-195	32	8	-	4	3	3	2	1	3	-	2	3	3
Ill-defined and unknown causes—199,200	150	20	18	11	8	11	7	12	10	8	12	15	18
All other causes*	12	-	-	-	1	-	1	-	2	-	3	3	2
GEORGIA—All causes	3,761	421	372	341	258	267	310	355	306	275	298	249	309
Cerebrospinal (meningococcus) meningitis—6	2	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	3	-	-	1	-	-	-	-	-	-	2	-	-
Whooping cough—9	71	7	6	6	4	7	9	5	5	3	5	7	7
Diphtheria (infection by C. diphtheriae)—10	9	3	-	1	-	2	-	1	1	-	-	-	1
Erysipelas—11	4	-	-	-	-	-	-	1	1	1	-	-	1
Tetanus—12	11	-	-	1	1	1	2	1	2	1	-	1	1
Tuberculosis of respiratory system, etc.*—13	2	-	-	-	1	-	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	6	1	1	1	-	1	1	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	5	-	-	-	3	-	1	1	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	1	-
Dysentery—27	45	1	-	1	-	-	8	15	13	3	1	1	2
Malaria—28	7	-	1	-	-	1	2	2	1	-	-	-	-
Syphilis—30	73	8	6	6	4	8	6	9	8	5	2	6	5
Influenza—33	110	31	21	19	5	7	1	-	2	1	5	8	10
Measles—35	5	-	-	-	2	1	1	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	1	-	2	-	-	1	-	-	-	-	-	1
Diseases of thymus gland—64	19	2	2	-	1	1	1	2	1	2	2	2	3
Rickets—70	2	-	-	-	-	1	-	-	-	-	1	-	-
Hemorrhagic conditions—72	6	1	-	1	-	1	-	-	2	-	-	-	1
Anemias (except splenic anemia)—73	5	1	-	-	-	1	-	-	-	1	1	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	15	-	2	2	1	2	-	2	3	-	1	1	1
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	1	-	-	-	1	1
Convulsions—86	31	3	3	1	3	1	1	4	4	2	5	2	2
Diseases of ear and mastoid process—89	7	1	1	-	-	-	1	-	-	3	1	-	-
Other diseases, nervous system—82,84,85,87,88	3	-	1	1	-	-	-	-	1	-	-	-	-
Diseases of circulatory system—90-103	10	-	2	1	1	-	2	1	1	1	1	-	-
Pneumonia (all forms)—107-109	453	84	69	56	26	30	18	25	16	19	24	38	48
Other diseases of respiratory system—104-106,110-114	32	6	2	2	4	2	1	2	1	2	5	1	4
Diseases of buccal cavity, etc.*—115	6	-	1	-	1	-	-	-	1	-	1	1	1
Diseases of stomach—117,118	13	1	2	1	1	2	2	1	1	1	-	2	1
Diarrhea, enteritis, etc.*—119	293	7	6	4	9	12	41	73	52	38	21	17	13
Hernia—122a	4	-	-	-	-	1	1	-	2	-	-	-	-
Intestinal obstruction—122b	14	2	-	2	1	3	2	2	1	-	-	1	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	1	-	-	-	1
Other diseases, digestive system—116,121,123-128	8	2	1	1	-	-	-	2	-	-	-	1	1
Diseases, genito-urinary system—130,131,133-139	7	-	2	1	-	-	1	1	1	1	-	-	-
Diseases of skin and cellular tissue—151-153	28	3	4	1	2	1	4	2	3	3	2	1	2
Congenital malformations—157	177	10	17	13	14	9	16	13	16	21	21	7	20
Congenital debility—158	489	53	53	55	39	42	25	46	37	41	41	24	33
Premature birth—159	995	92	88	81	84	80	89	88	61	77	90	74	91
Injury at birth—160	211	18	14	21	15	15	25	13	23	16	23	13	15
Other diseases peculiar to first year—161	148	15	15	9	12	10	10	10	18	9	17	13	10
Accidental mechanical suffocation—182	47	7	9	5	4	2	3	1	2	2	4	3	5
Other violence or accident—166-181,183-195	50	8	6	9	2	4	4	-	6	3	3	2	3
Ill-defined and unknown causes—199,200	305	53	36	34	18	16	29	30	14	17	17	19	22
All other causes*	17	-	1	1	-	2	2	-	3	2	2	2	2

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IDAHO—All causes	495	29	40	44	40	32	32	41	43	46	48	55	45
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	-	-	-	-	-	3	1	-	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	1	1	1	-	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	1
Dysentery—27	4	-	-	-	-	-	1	-	-	2	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	1	-	1	-	-	-	-	1
Influenza—33	14	1	2	1	-	-	-	-	-	-	-	2	8
Measles—35	2	-	-	-	2	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	10	1	1	3	-	1	-	-	1	-	-	2	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	-	1
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	2	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	1	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	1	-	-	1	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	1	-	-	-	-	-	-	-	1
Pneumonia (all forms)—107-109	54	4	4	5	2	3	1	2	2	1	4	16	10
Other diseases of respiratory system—104-106,110-114	2	-	-	-	-	-	-	-	-	-	-	-	2
Diseases of buccal cavity, etc.*—115	3	-	-	-	1	-	1	-	-	-	-	1	-
Diseases of stomach—117,118	1	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	32	-	1	1	2	1	4	1	1	9	8	3	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	1	1	-	-	-	-	2	2
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	51	5	2	6	3	4	6	5	2	4	6	4	4
Congenital debility—158	10	1	1	1	2	-	1	2	1	-	-	1	-
Premature birth—159	158	8	16	13	14	11	8	21	21	8	18	11	9
Injury at birth—160	65	3	8	5	8	5	3	4	7	5	5	10	2
Other diseases peculiar to first year—161	23	4	1	3	1	2	2	1	4	3	1	1	-
Accidental mechanical suffocation—182	9	-	1	3	1	-	-	-	1	1	-	1	1
Other violence or accident—166-181,183-195	11	-	1	-	-	-	1	2	1	3	2	-	1
Ill-defined and unknown causes—199,200	10	1	-	1	-	1	-	-	1	3	2	1	-
All other causes*—	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS—All causes	4,343	378	387	398	351	325	317	377	372	323	303	359	453
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	1	1	-	-	-	-	-	-	-
Scarlet fever—8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	43	5	1	3	5	4	1	5	2	4	4	5	4
Diphtheria (infection by C. diphtheriae)—10	5	1	2	1	-	-	1	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	1	1	-	-	-	1	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*—13	11	1	-	1	2	1	-	2	1	-	-	3	-
Tuberculosis of meninges, etc.*—14	6	-	-	-	3	-	2	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	8	3	1	1	1	-	-	-	-	-	-	1	1
Septicemia and purulent infection—24	8	1	1	2	1	-	2	-	-	-	1	-	-
Dysentery—27	6	-	1	-	-	-	1	-	-	3	-	-	1
Malaria—28	1	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis—30	21	3	-	1	3	3	2	2	3	1	-	1	2
Influenza—33	52	4	13	8	5	3	-	1	1	2	-	4	11
Measles—35	3	-	1	-	1	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	1	1	1	-	1	1	1	-	1	-	-
Diseases of thymus gland—64	61	6	6	5	5	6	1	1	4	3	5	9	10
Rickets—70	3	1	-	-	-	-	-	-	-	-	1	-	1
Hemorrhagic conditions—72	16	5	3	2	-	1	2	1	1	1	-	-	-
Anemias (except splenic anemia)—73	7	-	-	2	-	1	-	-	2	1	-	-	1
Encephalitis (nonepidemic)—80	7	-	-	-	-	1	1	1	1	2	-	1	-
Meningitis (not due to meningococcus)—81	16	1	1	2	2	2	-	-	1	2	1	2	2
Intracranial lesions of vascular origin—83	9	1	-	-	1	-	-	-	-	1	-	5	1
Convulsions—86	7	1	1	1	-	1	-	-	1	-	1	-	1
Diseases of ear and mastoid process—89	21	1	4	2	3	2	3	1	-	-	-	1	4
Other diseases, nervous system—82,84,85,87,88	8	1	-	-	-	-	-	-	2	1	2	2	-
Diseases of circulatory system—90-103	18	2	1	4	2	-	-	2	2	1	1	1	2
Pneumonia (all forms)—107-109	526	59	58	58	46	38	28	20	24	18	29	52	96
Other diseases of respiratory system—104-106,110-114	64	8	8	7	7	8	1	1	1	1	4	6	12
Diseases of buccal cavity, etc.*—115	13	2	2	2	1	2	1	-	-	-	1	1	1
Diseases of stomach—117,118	10	1	-	1	1	1	1	-	1	-	1	3	-
Diarrhea, enteritis, etc.*—119	183	11	15	17	13	4	13	25	20	25	20	9	11
Hernia—122a	2	-	-	-	-	2	-	-	-	-	-	-	-
Intestinal obstruction—122b	33	3	2	2	1	2	3	4	3	6	5	1	1
Peritonitis (cause not stated)—129	6	1	1	1	1	-	-	-	1	-	-	-	1
Other diseases, digestive system—116,121,123-128	8	1	1	1	-	-	1	-	-	2	-	1	1
Diseases, genito-urinary system—130,131,133-139	20	2	3	3	2	1	-	2	2	-	2	3	-
Diseases of skin and cellular tissue—151-153	6	-	1	-	-	1	2	-	1	-	1	-	-
Congenital malformations—157	635	46	57	54	42	64	44	56	66	48	54	47	57
Congenital debility—158	38	3	2	6	2	-	2	2	3	7	4	5	2
Premature birth—159	1,428	125	112	124	114	96	129	156	131	120	84	114	123
Injury at birth—160	604	44	54	43	52	45	43	50	67	43	59	42	62
Other diseases peculiar to first year—161	259	19	21	26	17	21	19	25	18	22	15	21	35
Accidental mechanical suffocation—182	58	4	3	5	8	5	6	3	6	3	3	8	4
Other violence or accident—166-181,183-195	58	7	5	5	2	4	5	11	4	4	-	7	4
Ill-defined and unknown causes—199,200	20	3	2	5	2	1	1	1	1	-	1	2	1
All other causes*—	21	2	2	2	3	2	-	4	1	1	1	2	1

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES; BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—All causes	2,596	234	208	238	232	217	209	172	183	183	197	217	306
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	1	-	1	-	1	-	-	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	1	1
Whooping cough—9	50	3	5	7	5	3	7	6	5	2	-	5	2
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	1	-	1
Erysipelas—11	2	-	-	-	1	-	-	-	-	-	-	-	1
Tetanus—12	2	-	-	-	1	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	8	-	-	3	-	1	1	1	-	2	-	-	-
Tuberculosis of meninges, etc.*—14	7	1	-	1	-	-	-	1	-	1	2	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	1	-	-	-	1	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	1	-	-	1	-	-
Dysentery—27	5	1	-	1	-	-	-	-	-	1	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	27	2	1	3	1	3	2	-	4	1	2	4	4
Influenza—33	66	7	12	9	8	6	4	-	-	-	3	4	13
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	1	1	1	-	-	-	1	2	2	-	-	-
Diseases of thymus gland—64	24	2	1	6	2	2	2	-	2	3	-	1	3
Rickets—70	5	1	1	-	-	-	1	-	1	-	1	-	-
Hemorrhagic conditions—72	7	1	-	-	1	-	2	-	2	-	-	1	-
Anemias (except splenic anemia)—73	6	1	1	1	-	1	1	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	18	3	-	1	2	1	1	3	1	-	3	-	3
Intracranial lesions of vascular origin—83	11	1	1	1	-	1	-	2	1	-	2	1	1
Convulsions—86	3	1	-	1	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	10	-	1	-	3	1	-	-	-	-	2	-	3
Other diseases, nervous system—82,84,85,87,88	4	1	-	1	-	-	-	1	-	1	-	-	-
Diseases of circulatory system—90-103	11	3	1	2	-	1	1	-	-	1	-	-	2
Pneumonia (all forms)—107-109	409	51	40	45	30	39	18	14	10	19	27	26	90
Other diseases of respiratory system—104-106,110-114	21	3	2	4	5	-	2	1	-	-	-	1	3
Diseases of buccal cavity, etc.●—115	9	1	2	1	2	-	-	-	-	-	1	1	1
Diseases of stomach—117,118	10	1	-	2	1	1	1	1	-	-	1	-	2
Diarrhea, enteritis, etc.*—119	121	4	10	8	10	7	8	8	16	13	13	15	9
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	26	4	-	2	1	1	2	2	1	3	2	3	5
Peritonitis (cause not stated)—129	6	-	2	-	-	-	-	-	1	-	1	1	1
Other diseases, digestive system—116,121,123-128	9	2	1	-	3	1	1	-	-	-	1	-	-
Diseases, genito-urinary system—130,131,133-139	9	2	1	1	1	-	1	-	1	-	1	-	1
Diseases of skin and cellular tissue—151-153	3	-	1	1	-	-	-	-	-	-	-	-	1
Congenital malformations—157	342	18	30	24	22	29	33	21	32	33	30	30	40
Congenital debility—158	49	4	3	2	2	6	5	5	5	1	3	6	7
Premature birth—159	765	53	52	69	79	62	80	68	53	54	57	69	69
Injury at birth—160	254	31	21	22	23	21	20	13	20	18	18	22	25
Other diseases peculiar to first year—161	176	18	14	10	19	17	8	14	17	21	15	13	10
Accidental mechanical suffocation—182	34	8	1	3	3	4	2	2	-	1	1	6	3
Other violence or accident—166-181,183-195	37	2	1	2	5	3	1	6	5	3	4	3	2
Ill-defined and unknown causes—199,200	10	1	-	2	-	3	1	-	1	-	1	1	-
All other causes*—	21	2	2	2	1	1	2	1	2	2	3	-	3
IOWA—All causes	1,670	172	156	136	130	133	132	118	103	143	131	143	173
Cerebrospinal (meningococcus) meningitis—6	2	1	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	23	1	1	1	1	-	4	3	5	2	-	3	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	1	1	-	-	-	-	-	-	-	-	-	1
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	2	1	-	1	1	-	-	-	-	-	-	-
Influenza—33	32	5	11	4	2	1	-	1	-	1	1	1	5
Measles—35	2	-	-	1	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	1	1	-	-	1	-	1	-	-	-	-	-
Diseases of thymus gland—64	22	5	4	-	1	-	3	2	2	2	-	1	2
Rickets—70	1	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	2	-	1	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	5	-	2	-	1	-	-	-	1	1	-	-	-
Meningitis (not due to meningococcus)—81	12	5	-	-	1	1	2	1	-	-	2	-	-
Intracranial lesions of vascular origin—83	5	-	1	-	-	-	-	2	-	1	-	-	1
Convulsions—86	6	-	-	1	-	1	-	2	-	-	2	-	-
Diseases of ear and mastoid process—89	13	-	1	2	-	-	4	1	-	1	1	3	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	1	-	-	1	-
Diseases of circulatory system—90-103	13	2	1	-	1	-	2	2	1	1	-	2	1
Pneumonia (all forms)—107-109	189	22	16	13	16	17	8	5	6	9	11	23	43
Other diseases of respiratory system—104-106,110-114	22	7	4	1	1	-	-	2	1	-	-	3	3
Diseases of buccal cavity, etc.●—115	8	-	2	1	-	2	-	-	-	-	1	-	2
Diseases of stomach—117,118	1	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	54	5	3	3	3	4	3	1	3	7	9	6	7
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	1	-
Intestinal obstruction—122b	18	1	3	-	3	2	1	1	1	3	1	1	1
Peritonitis (cause not stated)—129	3	-	1	-	-	-	-	1	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	9	-	2	1	1	1	-	1	-	-	1	1	1
Diseases, genito-urinary system—130,131,133-139	3	-	-	-	1	-	-	-	-	-	-	2	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	2	-	-	-	-	1	-	-
Congenital malformations—157	236	27	24	25	13	18	17	13	19	25	22	16	17
Congenital debility—158	20	2	3	1	-	1	-	1	1	5	3	1	2
Premature birth—159	569	47	45	45	48	52	53	48	38	52	38	50	53
Injury at birth—160	219	23	12	22	19	16	17	20	10	21	29	14	16
Other diseases peculiar to first year—161	86	7	9	11	10	5	6	6	8	5	4	8	7
Accidental mechanical suffocation—182	28	3	3	2	2	2	3	-	2	1	1	5	4
Other violence or accident—166-181,183-195	23	2	1	1	3	1	3	4	1	1	2	-	4
Ill-defined and unknown causes—199,200	15	2	1	1	1	1	5	-	-	3	1	-	-
All other causes*—	7	1	-	-	-	1	-	-	-	2	1	1	1

● Refer to complete International List titles, table XI.

498675 O - 43 - 35

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	1,093	121	89	93	78	93	78	81	89	96	67	101	107
Cerebrospinal (meningococcus) meningitis—6	5	3	-	1	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	22	-	2	2	2	1	1	2	1	2	1	6	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	1	-	-	-	-	-	-	1	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery—27	3	-	-	-	-	-	-	-	1	-	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	6	1	-	-	1	2	-	-	-	-	-	1	1
Influenza—33	37	8	5	5	4	2	-	1	-	1	1	2	8
Measles—35	5	1	1	1	1	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	23	5	2	2	1	1	-	1	2	4	2	1	2
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	5	1	1	1	1	1	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	2	-	1	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	1	-	-	-	3	1	-	-	-	-	1
Intracranial lesions of vascular origin—83	1	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	1	-	-	1	-	-	1	-	-	1	-
Diseases of ear and mastoid process—89	4	-	-	-	2	-	-	-	-	-	1	-	1
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	-	-	2	-	-	-	-	1	1
Pneumonia (all forms)—107-109	138	14	8	20	12	9	8	7	4	7	8	13	28
Other diseases of respiratory system—104-106,110-114	13	-	3	-	-	1	2	1	-	-	2	1	3
Diseases of buccal cavity, etc.*—115	4	1	-	1	-	-	-	-	1	1	-	-	-
Diseases of stomach—117,118	3	-	-	1	-	-	-	-	-	-	-	2	-
Diarrhea, enteritis, etc.*—119	53	2	2	2	1	3	4	7	7	14	8	2	1
Hernia—122a	3	1	-	-	-	-	-	-	-	1	1	-	-
Intestinal obstruction—122b	9	2	1	1	-	-	-	-	1	-	1	2	1
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	1	-	1	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	150	17	13	10	6	16	22	13	16	7	8	9	13
Congenital debility—158	21	3	1	1	1	2	1	3	2	3	2	1	1
Premature birth—159	343	38	29	18	28	33	24	27	34	28	17	36	31
Injury at birth—160	116	14	7	16	7	9	7	10	9	10	8	11	8
Other diseases peculiar to first year—161	60	6	5	6	6	6	3	3	5	10	2	4	4
Accidental mechanical suffocation—182	11	-	3	3	-	2	-	2	-	-	-	1	-
Other violence or accident—166-181,183-195	15	2	-	1	2	1	-	2	1	5	-	1	-
Ill-defined and unknown causes—199,200	8	2	-	-	2	1	-	-	1	1	-	1	-
All other causes*	7	-	1	-	1	-	-	1	2	-	-	1	1
KENTUCKY—All causes	3,358	347	335	320	247	226	191	219	251	305	307	298	312
Cerebrospinal (meningococcus) meningitis—6	7	-	2	-	-	3	-	-	-	-	2	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	2	-	-	-
Whooping cough—9	112	6	5	9	11	4	9	6	8	9	17	14	14
Diphtheria (infection by C. diphtheriae)—10	7	2	1	-	-	-	-	-	1	1	1	-	1
Erysipelas—11	3	-	-	-	-	-	-	-	1	-	-	1	1
Tetanus—12	2	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	6	-	-	-	1	2	1	1	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	8	1	-	1	2	2	-	2	-	-	-	-	-
Tuberculosis (other forms)—15-22	3	1	-	2	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	1	-	-	-	-	-	1	1
Dysentery—27	54	1	-	1	1	-	1	6	17	12	14	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	35	6	4	4	3	2	-	2	1	4	6	2	1
Influenza—33	100	17	27	17	5	4	2	-	1	2	5	3	17
Measles—35	7	3	-	3	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	13	1	1	1	1	-	1	1	2	2	-	3	-
Diseases of thymus gland—64	8	1	-	1	2	1	1	-	1	-	-	-	1
Rickets—70	4	-	-	-	-	-	-	2	-	1	-	1	-
Hemorrhagic conditions—72	6	2	1	-	-	1	1	-	-	-	-	-	1
Anemias (except splenic anemia)—73	4	-	1	-	1	1	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	9	-	2	2	-	1	-	-	1	-	1	1	1
Meningitis (not due to meningococcus)—81	17	2	2	1	3	-	1	-	1	-	1	4	2
Intracranial lesions of vascular origin—83	4	1	-	-	-	1	-	-	-	-	1	-	1
Convulsions—86	12	1	1	3	1	1	-	-	1	-	2	-	2
Diseases of ear and mastoid process—89	12	2	5	1	-	1	1	-	-	2	-	-	-
Other diseases, nervous system—82,84,85,87,88	6	-	-	1	1	2	-	-	-	1	1	-	-
Diseases of circulatory system—90-103	14	2	1	2	1	-	-	-	-	3	1	2	2
Pneumonia (all forms)—107-109	505	73	78	53	27	27	10	12	10	22	48	54	91
Other diseases of respiratory system—104-106,110-114	25	5	2	3	3	2	2	2	-	1	3	1	1
Diseases of buccal cavity, etc.*—115	3	-	-	-	2	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	10	-	3	-	-	1	-	1	2	1	1	1	-
Diarrhea, enteritis, etc.*—119	278	8	5	11	5	10	18	21	53	67	49	25	6
Hernia—122a	4	-	-	-	-	1	-	-	1	1	1	-	-
Intestinal obstruction—122b	14	-	2	1	1	1	-	-	3	2	2	2	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	5	1	1	1	-	-	-	-	-	1	1	-	-
Diseases, genito-urinary system—130,131,133-139	8	2	1	-	-	1	1	-	-	-	-	1	2
Diseases of skin and cellular tissue—151-153	13	1	3	-	2	-	1	-	-	2	2	-	2
Congenital malformations—157	300	29	28	34	21	20	24	25	19	27	23	30	20
Congenital debility—158	177	18	18	24	10	9	10	8	10	12	19	19	20
Premature birth—159	1,018	92	89	93	87	82	79	90	81	85	67	95	78
Injury at birth—160	241	29	16	21	31	22	16	18	18	16	23	12	19
Other diseases peculiar to first year—161	153	16	21	16	12	10	9	12	14	12	9	11	11
Accidental mechanical suffocation—182	61	8	7	9	5	6	1	1	1	8	2	5	8
Other violence or accident—166-181,183-195	28	3	2	2	3	2	2	3	2	3	1	2	3
Ill-defined and unknown causes—199,200	45	11	5	3	4	3	-	4	1	3	4	4	3
All other causes*	12	2	1	-	1	1	-	-	-	3	-	2	2

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA—All causes	3,271	355	311	252	236	220	224	276	282	233	264	302	316
Cerebrospinal (meningococcus) meningitis—6	2	1	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	101	10	10	3	8	10	10	14	13	5	5	7	6
Diphtheria (infection by C. diphtheriae)—10	7	2	-	-	1	-	-	-	-	-	1	-	3
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	15	1	1	1	1	1	-	1	3	1	2	-	3
Tuberculosis of respiratory system, etc.*—13	9	1	1	-	2	-	-	-	2	1	-	2	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	5	-	1	-	-	3	-	-	-	1	-	-	-
Septicemia and purulent infection—24	2	-	1	1	-	-	-	-	-	-	-	-	-
Dysentery—27	23	-	2	-	1	-	5	7	4	2	-	1	1
Malaria—28	9	-	-	-	-	-	-	4	1	2	2	-	-
Syphilis—30	107	13	9	10	8	6	8	10	6	10	7	13	7
Influenza—33	164	35	29	30	15	5	-	2	1	1	3	9	34
Measles—35	4	-	-	1	1	-	1	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	-	3	-	-	3	-	-	2	-
Diseases of thymus gland—64	30	4	1	3	3	1	3	3	3	1	2	4	2
Rickets—70	8	1	-	2	-	-	1	2	-	1	-	1	-
Hemorrhagic conditions—72	6	1	1	1	1	-	-	-	1	1	-	-	-
Anemias (except splenic anemia)—73	3	-	-	1	-	-	1	-	1	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	1	1	-	-	1	-	-	2	1	3	1	5
Intracranial lesions of vascular origin—83	4	-	1	-	-	-	-	1	-	-	1	-	1
Convulsions—86	5	1	2	-	-	-	-	-	-	-	-	2	-
Diseases of ear and mastoid process—89	17	1	1	1	-	2	-	-	1	2	3	3	3
Other diseases, nervous system—82,84,85,87,88	4	1	1	-	-	-	-	-	2	-	-	-	-
Diseases of circulatory system—90-103	17	2	2	-	1	-	2	3	1	1	1	3	1
Pneumonia (all forms)—107-109	521	92	63	41	37	35	24	20	26	30	43	56	54
Other diseases of respiratory system—104-106,110-114	26	3	3	4	2	2	2	2	3	1	2	2	-
Diseases of buccal cavity, etc.*—115	4	1	-	-	-	-	2	-	-	-	1	-	-
Diseases of stomach—117,118	4	1	-	1	-	-	-	2	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	307	16	10	12	16	19	40	48	27	20	36	45	18
Hernia—122a	3	-	1	-	-	-	1	-	1	-	-	-	-
Intestinal obstruction—122b	18	-	2	2	2	1	1	-	3	2	1	1	3
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	1	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	7	-	-	-	-	-	1	2	-	2	1	1	-
Diseases, genito-urinary system—130,131,133-139	18	1	2	3	-	4	1	3	-	2	-	1	1
Diseases of skin and cellular tissue—151-153	11	1	1	1	-	-	-	1	4	1	-	-	2
Congenital malformations—157	167	18	15	20	14	12	9	11	14	16	10	11	17
Congenital debility—158	117	6	9	3	10	10	13	8	13	4	8	21	12
Premature birth—159	876	84	86	63	64	61	48	80	83	72	82	65	88
Injury at birth—160	243	21	15	14	22	19	17	21	24	18	23	26	23
Other diseases peculiar to first year—161	182	12	15	15	8	8	18	21	24	18	10	10	23
Accidental mechanical suffocation—182	20	2	2	4	1	2	-	-	2	1	1	4	1
Other violence or accident—166-181,183-195	41	10	2	3	3	3	3	1	4	4	5	2	1
Ill-defined and unknown causes—199,200	125	12	19	12	12	12	11	5	9	11	9	6	7
All other causes*	13	-	2	-	2	-	2	2	-	-	2	3	-
MAINE—All causes	809	82	54	82	72	74	69	64	53	41	59	80	79
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	18	3	-	-	-	-	2	2	3	1	1	4	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	-	-	-	3	1	-	-	-	-	-
Influenza—33	17	1	2	1	6	1	2	-	-	-	1	1	2
Measles—35	1	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	-	1	1	1	-	-	-	1	-	1	-	4
Rickets—70	3	-	1	-	-	1	-	-	-	-	-	-	1
Hemorrhagic conditions—72	4	-	-	-	1	1	1	-	1	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	1	-	-	1	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	1	-	-	-	1	-	1	-	-	-	-
Intracranial lesions of vascular origin—83	3	-	-	1	1	-	-	-	-	1	-	-	-
Convulsions—86	7	-	-	-	1	1	1	1	-	-	1	1	1
Diseases of ear and mastoid process—89	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	100	12	6	11	5	7	3	3	5	4	11	18	15
Other diseases of respiratory system—104-106,110-114	18	2	1	3	1	-	-	1	1	1	1	4	3
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of stomach—117,118	5	2	-	-	-	1	-	-	-	-	1	-	1
Diarrhea, enteritis, etc.*—119	43	7	4	5	1	2	4	4	2	5	2	2	5
Hernia—122a	1	-	-	-	-	-	1	-	-	-	-	-	-
Intestinal obstruction—122b	9	1	2	-	2	-	-	-	1	-	-	3	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	2	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	97	13	6	11	1	9	10	9	8	5	6	10	9
Congenital debility—158	15	1	4	-	1	2	-	1	2	-	-	1	3
Premature birth—159	266	23	17	19	28	29	28	24	23	16	17	17	25
Injury at birth—160	96	9	3	14	13	10	6	10	4	7	6	10	4
Other diseases peculiar to first year—161	42	1	3	7	6	8	3	4	1	1	5	1	2
Accidental mechanical suffocation—182	10	4	-	-	1	-	1	1	-	-	2	1	-
Other violence or accident—166-181,183-195	11	1	2	2	-	1	1	1	-	-	1	1	1
Ill-defined and unknown causes—199,200	11	1	-	2	1	-	1	1	-	-	1	4	-
All other causes*	2	1	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—All causes	1,499	164	140	140	124	104	103	105	112	116	139	129	123
Cerebrospinal (meningococcus) meningitis—6	2	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	45	3	7	4	2	1	3	9	5	-	4	1	6
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	6	-	-	1	2	-	1	-	-	1	-	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	2	-	-	1	-	-	-	-	-	1	-	-	-
Dysentery—27	11	1	1	-	-	-	-	3	1	1	1	3	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	21	2	4	2	-	2	1	2	1	3	2	1	1
Influenza—33	25	8	6	3	1	2	-	1	-	-	1	3	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	1	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	14	2	1	1	3	-	2	-	2	-	1	1	1
Rickets—70	5	-	-	1	-	-	-	1	-	1	-	-	2
Hemorrhagic conditions—72	2	-	-	1	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	1	-	-	-	1	-	-	-	1	-
Encephalitis (nonepidemic)—80	2	-	1	-	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	9	-	-	1	2	-	1	-	-	1	1	1	2
Intracranial lesions of vascular origin—83	2	-	-	-	1	1	-	-	-	-	-	-	-
Convulsions—86	7	1	1	-	1	-	1	1	1	-	1	-	-
Diseases of ear and mastoid process—89	8	1	-	1	-	-	1	1	-	1	-	2	1
Other diseases, nervous system—82,84,85,87,88	3	-	-	1	-	-	-	-	-	1	-	-	1
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	1	-	1	1
Pneumonia (all forms)—107-109	236	41	26	27	29	16	9	8	4	8	20	19	29
Other diseases of respiratory system—104-106,110-114	21	3	4	4	1	2	-	1	3	1	1	-	1
Diseases of buccal cavity, etc.*—115	4	1	-	-	1	-	-	-	-	1	-	1	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	-	-	-	2	-	1
Diarrhea, enteritis, etc.*—119	108	3	6	4	1	5	7	6	7	23	20	16	8
Hernia—122a	1	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	3	1	-	1	-	1	1	1	-	-	-	1
Peritonitis (cause not stated)—129	3	1	-	-	-	-	-	-	-	1	-	1	-
Other diseases, digestive system—116,121,123-128	3	1	1	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	-	-	-	1	1	-	-	-
Diseases of skin and cellular tissue—151-153	4	-	-	-	-	1	-	-	2	-	-	-	1
Congenital malformations—157	161	18	12	22	15	14	8	4	7	17	18	19	7
Congenital debility—158	18	2	3	-	4	1	2	1	1	1	1	1	1
Premature birth—159	459	46	37	40	43	37	44	31	46	31	39	35	30
Injury at birth—160	138	13	14	12	7	9	9	14	15	11	14	7	13
Other diseases peculiar to first year—161	75	7	2	6	2	5	6	12	11	5	8	7	4
Accidental mechanical suffocation—182	28	1	4	3	4	3	3	1	1	-	1	5	2
Other violence or accident—166-181,183-195	38	2	5	1	2	3	4	5	1	5	4	-	6
Ill-defined and unknown causes—199,200	8	2	1	1	1	-	-	1	-	-	-	1	1
All other causes*	5	1	1	-	1	-	-	-	1	-	-	-	1
MASSACHUSETTS—All causes	2,478	186	243	186	201	192	204	191	163	211	250	230	221
Cerebrospinal (meningococcus) meningitis—6	5	-	1	-	1	-	-	-	-	1	-	1	1
Scarlet fever—8	2	-	1	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	20	-	3	-	2	2	1	2	-	-	3	5	2
Diphtheria (infection by C. diphtheriae)—10	1	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	1	-	1	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	6	-	1	1	3	-	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	1	-	3	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	1	-	-	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	7	-	-	-	-	1	1	1	2	-	1	1	-
Influenza—33	14	2	4	2	3	-	-	-	-	-	-	2	1
Measles—35	4	-	-	-	1	-	1	1	-	-	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	1	-	-	1	2	-	-	-	-	-	1	-
Diseases of thymus gland—64	15	1	1	2	1	1	1	-	-	2	1	3	2
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	1	-	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	3	1	-	-	-	-	-	1	-	-	-	1	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	-	3	-	2	1	1	1	1	1	1	2	-
Intracranial lesions of vascular origin—83	6	-	1	-	2	-	1	-	1	1	-	-	-
Convulsions—86	9	-	1	-	1	1	-	-	-	2	1	3	-
Diseases of ear and mastoid process—89	24	2	3	4	5	1	3	2	-	2	1	1	-
Other diseases, nervous system—82,84,85,87,88	4	-	1	-	-	-	-	-	-	1	1	1	-
Diseases of circulatory system—90-103	5	-	2	-	-	-	1	-	-	-	1	1	-
Pneumonia (all forms)—107-109	316	24	37	28	25	23	24	7	15	22	37	36	38
Other diseases of respiratory system—104-106,110-114	28	3	4	1	3	2	1	2	2	5	-	1	4
Diseases of buccal cavity, etc.*—115	7	-	2	-	1	1	1	1	-	-	1	-	-
Diseases of stomach—117,118	2	-	-	-	-	1	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	123	5	6	5	8	8	8	10	6	15	23	12	17
Hernia—122a	2	1	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	9	-	-	-	1	-	1	-	-	4	1	1	1
Peritonitis (cause not stated)—129	4	1	-	1	-	2	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	7	1	-	-	2	1	1	-	-	-	2	-	-
Diseases, genito-urinary system—130,131,133-139	13	-	1	-	2	1	1	2	1	2	1	1	1
Diseases of skin and cellular tissue—151-153	5	1	-	-	1	1	1	1	-	-	-	-	-
Congenital malformations—157	411	33	33	25	25	35	24	35	23	41	53	50	34
Congenital debility—158	27	3	1	2	1	-	2	4	1	1	1	4	7
Premature birth—159	796	60	79	65	52	59	70	76	64	64	81	62	64
Injury at birth—160	312	28	28	28	35	24	30	22	27	22	19	23	26
Other diseases peculiar to first year—161	190	12	21	13	15	18	21	18	16	16	13	13	14
Accidental mechanical suffocation—182	27	2	4	2	3	2	2	1	2	3	1	-	5
Other violence or accident—166-181,183-195	26	2	3	3	2	-	2	3	1	4	2	1	3
Ill-defined and unknown causes—199,200	9	1	1	1	-	-	2	1	1	-	2	-	-
All other causes*	8	-	-	-	1	2	1	-	-	1	1	2	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	4,033	418	358	324	324	336	311	324	297	291	301	351	398
Cerebrospinal (meningococcus) meningitis—6	6	-	-	3	-	-	-	1	-	-	-	1	1
Scarlet fever—8	3	-	-	-	1	-	-	1	-	1	-	-	-
Whooping cough—9	32	-	1	3	2	1	1	3	7	3	2	3	6
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	2	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	-	-	1	-	1	1	1	-	1
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	-	-	-	2	2	-	-	-
Tuberculosis (other forms)—15-22	10	3	2	-	1	-	-	-	-	1	2	-	1
Septicemia and purulent infection—24	10	1	-	2	1	1	2	1	-	1	-	-	1
Dysentery—27	8	-	1	-	1	1	-	-	-	3	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	16	5	2	1	2	2	1	-	-	-	-	-	3
Influenza—33	39	3	4	2	4	2	6	1	1	-	-	6	10
Measles—35	5	2	-	-	-	-	-	1	1	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	1	-	1	1	1	-	-	2	-	-	-	-
Diseases of thymus gland—64	100	10	14	7	9	8	9	5	5	8	5	11	9
Rickets—70	9	-	-	1	1	-	2	1	-	1	1	2	-
Hemorrhagic conditions—72	9	1	1	1	-	-	-	1	-	1	2	1	1
Anemias (except splenic anemia)—73	9	4	1	1	-	1	-	-	-	1	-	1	-
Encephalitis (nonepidemic)—80	6	-	1	1	1	-	1	2	-	-	-	-	-
Meningitis (not due to meningococcus)—81	22	3	-	2	2	2	2	4	-	1	3	1	2
Intracranial lesions of vascular origin—83	8	-	1	2	-	-	-	-	-	1	2	2	-
Convulsions—86	8	2	1	-	-	2	-	1	-	1	1	-	-
Diseases of ear and mastoid process—89	11	1	-	1	-	-	1	1	-	1	3	-	3
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	1	-	1	1	-	-	-	1	-
Diseases of circulatory system—90-103	14	3	1	1	-	1	-	1	1	-	1	2	3
Pneumonia (all forms)—107-109	597	70	53	37	41	47	45	33	25	20	43	80	103
Other diseases of respiratory system—104-106,110-114	69	7	9	8	3	3	5	5	3	3	6	9	8
Diseases of buccal cavity, etc.*—115	6	1	1	-	2	-	-	-	-	-	-	-	2
Diseases of stomach—117,118	10	1	1	1	-	-	1	-	1	1	2	2	-
Diarrhea, enteritis, etc.*—119	149	21	17	13	17	12	13	7	10	14	15	4	6
Hernia—122a	4	2	1	-	-	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	29	4	3	2	1	3	2	2	3	2	5	1	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	1	-	-	-	-	-	1	-	-	-	2	-
Diseases, genito-urinary system—130,131,133-139	20	3	3	1	1	1	-	5	-	4	-	1	1
Diseases of skin and cellular tissue—151-153	6	-	1	-	-	-	-	-	-	-	3	1	1
Congenital malformations—157	614	54	56	59	48	44	44	57	55	49	33	54	61
Congenital debility—158	70	4	9	6	4	4	3	5	4	9	5	7	10
Premature birth—159	1,262	129	98	101	108	127	107	113	106	93	92	81	107
Injury at birth—160	417	40	40	33	35	33	33	34	35	42	32	39	21
Other diseases peculiar to first year—161	273	20	22	25	24	25	19	33	24	15	26	24	16
Accidental mechanical suffocation—182	45	6	5	3	3	7	1	1	3	2	5	2	7
Other violence or accident—166-181,183-195	55	10	4	3	6	2	5	3	7	2	3	4	6
Ill-defined and unknown causes—199,200	22	3	2	2	1	1	3	-	-	2	2	3	3
All other causes*	31	1	3	1	2	4	3	-	-	5	4	4	4
MINNESOTA—All causes	1,769	172	126	186	162	150	123	135	121	134	146	135	179
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	1	1	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	22	-	1	1	3	2	1	3	2	3	2	2	2
Diptheria (infection by C. diphtheriae)—10	1	-	-	1	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	2	-	-	-	-	-	-	1	-	-	1	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	1	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	3	-	-	1	-	-	-	-	-	1	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	1	-	-	-
Influenza—33	19	4	1	4	2	1	2	1	-	-	1	1	2
Measles—35	2	-	-	1	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	16	1	1	-	1	2	-	5	1	2	1	1	1
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhagic conditions—72	8	1	1	2	2	2	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	8	-	1	-	1	-	-	-	2	1	1	1	1
Intracranial lesions of vascular origin—83	9	3	1	2	1	-	-	1	-	-	-	-	1
Convulsions—86	6	-	1	-	1	1	1	-	-	-	1	1	-
Diseases of ear and mastoid process—89	13	3	2	3	1	1	1	-	-	-	1	1	-
Other diseases, nervous system—82,84,85,87,88	7	1	-	-	-	2	1	-	1	1	-	-	1
Diseases of circulatory system—90-103	5	2	-	1	-	2	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	193	22	16	23	18	14	5	6	10	11	9	23	36
Other diseases of respiratory system—104-106,110-114	16	5	-	1	1	-	1	1	1	1	1	-	4
Diseases of buccal cavity, etc.*—115	8	-	-	1	2	3	-	-	-	-	1	-	1
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	63	4	3	5	6	8	5	3	1	10	10	4	4
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	16	2	-	-	2	-	1	-	3	3	-	3	2
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	-	1	2	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	4	1	-	1	1	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	-	-	-	-	1	-	-	1	-
Congenital malformations—157	279	27	22	22	31	17	19	24	26	20	24	20	27
Congenital debility—158	23	3	-	2	1	3	3	1	2	1	4	2	1
Premature birth—159	633	55	43	70	56	59	55	52	40	45	50	44	64
Injury at birth—160	241	15	19	26	18	19	20	24	23	21	20	15	21
Other diseases peculiar to first year—161	82	7	8	10	6	6	6	9	4	8	6	5	7
Accidental mechanical suffocation—182	22	4	1	2	-	3	-	1	2	1	5	3	-
Other violence or accident—166-181,183-195	21	2	4	2	3	1	2	2	-	-	3	2	-
Ill-defined and unknown causes—199,200	13	3		2	2	-	-	1	-	1	2	1	1
All other causes*	13	1	-	-	-	3	-	1	1	2	1	2	2

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI—All causes	2,854	308	273	271	239	204	223	261	215	176	202	223	259
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	-	1	-	-	1	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough—9	101	7	3	7	12	11	17	8	9	4	5	13	5
Diphtheria (infection by C. diphtheriae)—10	11	2	3	1	1	-	-	-	-	-	2	1	1
Erysipelas—11	2	-	1	1	-	-	-	-	-	-	-	-	-
Tetanus—12	3	-	-	-	-	1	-	1	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	-	1	1	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	1	-	1	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	36	2	1	1	-	1	3	10	9	2	4	3	-
Malaria—28	21	1	-	2	1	-	1	6	2	2	4	2	-
Syphilis—30	57	4	5	8	7	5	4	4	4	2	3	5	6
Influenza—33	144	26	26	27	20	8	1	3	1	2	4	8	18
Measles—35	2	-	1	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	1	-	-	-	-	1	-	-	2	-
Diseases of thymus gland—64	3	-	-	1	1	-	-	-	-	-	1	-	-
Rickets—70	4	-	-	1	-	-	1	-	-	1	-	1	-
Hemorrhagic conditions—72	6	-	2	2	1	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	17	2	3	3	1	1	-	-	-	1	1	2	3
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	1	-	1	-	-	1	-
Convulsions—86	17	1	2	3	2	1	2	2	-	-	-	1	3
Diseases of ear and mastoid process—89	2	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	4	2	-	-	-	1	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	6	-	1	2	1	-	-	1	-	-	-	-	1
Pneumonia (all forms)—107-109	262	47	28	27	29	17	7	7	7	14	21	23	35
Other diseases of respiratory system—104-106,110-114	20	4	2	2	1	-	2	-	-	2	2	-	5
Diseases of buccal cavity, etc.*—115	5	-	-	1	-	2	1	1	-	-	-	-	-
Diseases of stomach—117,118	10	2	-	2	-	1	-	-	-	2	-	1	2
Diarrhea, enteritis, etc.*—119	192	5	2	3	2	9	28	55	39	17	14	12	6
Hernia—122a	1	-	-	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	14	3	-	1	3	2	-	-	-	-	-	3	2
Peritonitis (cause not stated)—129	3	1	-	-	1	-	-	-	-	-	1	-	-
Other diseases, digestive system—116,121,123-128	8	1	-	-	1	1	-	2	-	2	1	-	-
Diseases, genito-urinary system—130,131,133-139	12	2	1	1	1	-	1	-	1	-	2	2	1
Diseases of skin and cellular tissue—151-153	6	1	-	1	1	-	-	-	-	1	-	1	1
Congenital malformations—157	98	15	8	4	8	7	8	7	8	2	6	5	20
Congenital debility—158	69	9	2	2	5	6	10	7	9	7	5	4	3
Premature birth—159	604	50	49	53	53	52	53	54	42	47	47	51	53
Injury at birth—160	171	15	18	16	13	14	12	14	15	10	11	13	20
Other diseases peculiar to first year—161	97	10	11	10	5	8	7	11	6	9	8	4	8
Accidental mechanical suffocation—182	17	5	2	1	1	2	-	1	-	1	1	1	2
Other violence or accident—166-181,183-195	33	5	2	3	-	3	2	3	1	2	3	4	5
Ill-defined and unknown causes—199,200	763	83	97	81	68	46	55	60	56	43	56	59	59
All other causes*	13	-	2	1	-	2	4	1	2	1	-	-	-
MISSOURI—All causes	2,913	251	272	260	205	212	187	246	242	253	257	237	291
Cerebrospinal (meningococcus) meningitis—6	4	-	-	1	3	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	62	2	1	2	4	7	3	10	5	8	3	9	8
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	1	-	1	-	-	-	-	-	1
Erysipelas—11	6	1	-	1	1	-	-	1	-	1	-	1	-
Tetanus—12	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	13	-	-	3	2	3	-	-	1	2	1	1	-
Tuberculosis of meninges, etc.*—14	3	1	-	-	-	-	1	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	1	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	5	-	1	1	1	-	-	-	1	-	-	1	-
Dysentery—27	24	1	1	-	1	-	3	6	4	3	1	4	-
Malaria—28	2	-	-	-	-	1	-	-	-	1	-	-	-
Syphilis—30	25	2	4	1	1	2	1	3	1	2	4	2	2
Influenza—33	81	13	17	10	4	1	-	2	-	1	2	8	23
Measles—35	7	1	-	2	1	1	-	1	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	1	-	-	-	-	1	-	-	-	1	-
Diseases of thymus gland—64	23	2	1	2	1	2	1	2	1	2	3	3	3
Rickets—70	2	-	-	1	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	5	2	1	-	1	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	1	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	14	3	2	1	1	2	1	-	-	-	-	2	2
Intracranial lesions of vascular origin—83	3	-	1	-	1	-	-	-	-	-	-	-	1
Convulsions—86	6	1	1	-	1	-	1	-	1	-	-	1	-
Diseases of ear and mastoid process—89	17	1	2	3	2	2	-	3	-	-	-	3	1
Other diseases, nervous system—82,84,85,87,88	4	1	1	-	-	-	-	-	-	-	1	1	-
Diseases of circulatory system—90-103	13	2	1	-	3	1	-	-	-	-	2	1	3
Pneumonia (all forms)—107-109	458	67	62	39	33	26	23	18	19	15	29	42	85
Other diseases of respiratory system—104-106,110-114	29	4	1	7	1	1	1	-	2	1	1	1	9
Diseases of buccal cavity, etc.*—115	14	2	1	4	1	-	-	-	1	1	1	1	2
Diseases of stomach—117,118	4	-	2	-	-	-	-	-	-	-	1	-	1
Diarrhea, enteritis, etc.*—119	242	9	7	6	4	6	10	35	49	53	34	23	6
Hernia—122a	2	-	1	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	27	1	2	4	4	2	-	3	1	3	6	1	-
Peritonitis (cause not stated)—129	5	-	-	-	-	-	1	2	1	-	-	1	-
Other diseases, digestive system—116,121,123-128	7	-	1	-	-	1	1	2	-	1	-	-	1
Diseases, genito-urinary system—130,131,133-139	11	2	-	3	2	-	-	3	-	-	1	-	-
Diseases of skin and cellular tissue—151-153	9	2	-	-	1	2	-	2	-	-	-	2	-
Congenital malformations—157	348	26	28	38	11	28	28	30	29	31	35	38	26
Congenital debility—158	57	4	4	6	7	6	2	4	5	3	6	5	5
Premature birth—159	809	48	70	83	62	78	73	71	78	67	77	45	57
Injury at birth—160	269	23	27	17	21	19	21	23	25	24	24	22	23
Other diseases peculiar to first year—161	147	12	12	12	16	8	9	16	9	17	15	7	14
Accidental mechanical suffocation—182	28	4	3	2	3	3	-	1	1	1	2	5	3
Other violence or accident—166-181,183-195	36	7	2	2	4	5	1	-	3	5	2	2	3
Ill-defined and unknown causes—199,200	61	7	12	7	3	5	3	4	4	5	3	2	6
All other causes*	19	-	2	2	2	-	1	-	-	4	2	1	5

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—All causes	531	33	36	46	42	45	33	48	37	55	52	44	60
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	1	1	-	-	-	-	-	1	-	-	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	1	-	1	-	-	-	-	-	-	-	1	1
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	-	-	1	-	1	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	-	-	-	2	3	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	-	1	1	-	1	-	-	-
Influenza—33	9	2	-	-	2	3	-	-	-	-	1	1	-
Measles—35	2	1	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	7	1	1	1	1	2	-	1	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	1	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	1	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-
Convulsions—86	3	-	-	1	-	-	-	-	-	-	-	1	1
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases, nervous system—82,84,85,87,88	3	-	-	1	-	-	-	1	-	-	-	1	-
Diseases of circulatory system—90-103	3	-	-	-	-	1	1	-	-	-	1	-	-
Pneumonia (all forms)—107-109	60	3	3	4	5	6	3	2	1	3	5	11	14
Other diseases of respiratory system—104-106,110-114	5	-	-	1	-	-	-	1	-	-	-	2	1
Diseases of buccal cavity, etc.*—115	3	1	1	-	-	-	-	-	-	1	-	-	-
Diseases of stomach—117,118	1	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	36	2	4	1	1	-	-	5	6	6	6	4	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	1	-	-	1	1	-	1	1	-	-
Peritonitis (cause not stated)—129	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	1	-	-	1	-	-	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations—157	54	1	1	5	6	7	8	5	6	4	2	4	5
Congenital debility—158	14	-	1	2	-	1	1	2	1	3	1	1	1
Premature birth—159	183	16	11	17	15	16	10	18	12	15	24	7	22
Injury at birth—160	52	3	3	6	5	4	5	5	2	7	3	3	6
Other diseases peculiar to first year—161	30	-	4	1	5	1	1	4	2	7	2	1	2
Accidental mechanical suffocation—182	5	-	1	1	-	-	1	-	-	-	-	1	1
Other violence or accident—166-181,183-195	11	-	2	1	1	1	-	-	1	-	3	2	-
Ill-defined and unknown causes—199,200	10	-	1	1	-	-	-	-	3	-	2	1	2
All other causes*	1	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA—All causes	792	73	62	77	84	49	60	58	54	61	86	47	81
Cerebrospinal (meningococcus) meningitis—6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	-	-	1	1	-	-	-	2	1	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	1	-	-	1	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	-	-	-	-	-	2	1	1	-	1	-	-
Influenza—33	20	4	2	5	1	-	-	-	-	-	-	1	7
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	6	-	1	1	-	-	1	1	-	-	1	-	1
Rickets—70	2	2	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	-	-	1	-	1	-	1	-	-
Anemias (except splenic anemia)—73	1	-	-	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	1	1	1	1	-	-	1	-	-	2	-	-
Intracranial lesions of vascular origin—83	2	1	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases, nervous system—82,84,85,87,88	4	-	1	2	-	-	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	7	2	1	1	1	-	-	2	-	-	-	-	-
Pneumonia (all forms)—107-109	93	15	6	13	7	5	6	1	2	3	10	6	19
Other diseases of respiratory system—104-106,110-114	5	-	2	-	-	-	-	-	-	1	-	1	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	4	-	-	-	1	-	-	-	-	-	2	-	1
Diarrhea, enteritis, etc.*—119	29	-	3	2	-	3	3	3	3	4	3	5	-
Hernia—122a	1	-	-	-	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	8	1	-	3	-	-	-	-	-	2	1	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	3	-	1	-	1	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	110	10	9	8	16	8	6	10	12	7	11	6	7
Congenital debility—158	9	-	2	-	1	-	1	1	-	1	3	-	-
Premature birth—159	278	13	19	25	27	23	27	20	20	29	30	16	29
Injury at birth—160	99	9	10	8	9	7	6	12	7	9	12	4	6
Other diseases peculiar to first year—161	44	6	3	2	8	-	4	4	4	1	4	3	5
Accidental mechanical suffocation—182	7	3	-	1	2	-	-	-	-	-	1	-	-
Other violence or accident—166-181,183-195	12	1	1	2	3	1	2	-	-	1	-	1	-
Ill-defined and unknown causes—199,200	8	2	-	1	1	-	-	1	-	-	1	2	-
All other causes*	5	-	-	1	2	-	-	-	-	-	2	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	107	13	6	1	8	5	15	8	18	4	6	12	11
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	3	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	1	2	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	-	1	-
Influenza—33	4	-	1	-	-	-	-	-	-	-	1	-	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	13	2	-	-	-	-	-	1	1	-	2	3	4
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	6	-	-	-	1	-	3	-	-	1	1	-	-
Hernia—122a	1	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	1	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	1	-	-	-	-	1	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	9	-	1	-	-	1	1	-	3	1	1	1	-
Congenital debility—158	2	-	-	1	-	-	-	-	1	-	-	-	-
Premature birth—159	37	5	4	-	2	2	4	4	6	1	-	5	4
Injury at birth—160	11	2	-	-	1	-	1	2	3	1	-	1	-
Other diseases peculiar to first year—161	3	-	-	-	1	-	-	1	-	-	1	-	-
Accidental mechanical suffocation—182	2	-	-	-	1	-	-	-	-	-	-	-	1
Other violence or accident—166-181,183-195	1	-	-	-	-	-	-	-	1	-	-	-	-
Ill-defined and unknown causes—199,200	3	2	-	-	-	-	1	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE—All causes	340	35	26	45	21	33	15	23	23	25	27	29	38
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	2	-	2	-	-	-	2	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	1	2	-	-	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	1	-	-	-	-	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	2	-	1	-	-	1	-	-	-	-
Influenza—33	6	-	-	1	-	-	-	-	1	1	1	-	2
Measles—35	2	-	-	1	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	1	1	-	-	-	-	-	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	1	-	-	-	1	-	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	1	1	-	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	3	1	-	-	-	-	-	-	2	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	1	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	51	6	1	8	3	5	-	3	1	-	8	8	8
Other diseases of respiratory system—104-106,110-114	4	1	-	-	-	2	-	-	-	-	-	1	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	11	1	1	2	-	-	-	2	1	2	-	1	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	1	-	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of skin and cellular tissue—151-153	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	55	3	4	7	4	6	2	4	4	8	6	2	5
Congenital debility—158	7	-	1	-	1	-	2	-	-	-	1	-	2
Premature birth—159	94	13	8	11	5	11	3	9	4	4	8	8	10
Injury at birth—160	42	3	3	5	2	2	7	2	7	3	1	2	5
Other diseases peculiar to first year—161	20	1	3	3	2	1	1	1	2	3	-	2	1
Accidental mechanical suffocation—182	5	1	1	-	-	-	-	-	-	1	1	-	1
Other violence or accident—166-181,183-195	5	-	1	1	-	-	-	2	-	-	-	1	-
Ill-defined and unknown causes—199,200	1	-	-	-	-	1	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY—All causes	2,086	192	174	199	181	205	140	173	152	155	171	169	175
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	2	-	1	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	14	-	2	1	2	2	1	-	-	2	2	1	1
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	1	1	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	2	1	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	1	1	1	-	-	-	2	-	-
Tuberculosis of meninges, etc.*—14	6	1	-	-	-	2	-	-	-	-	1	-	2
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	1	-	2	1	4	-	2	-	2	-	1	-
Influenza—33	14	4	3	1	-	2	1	-	-	-	-	2	1
Measles—35	1	1	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of thymus gland—64	32	4	4	1	3	2	1	1	3	5	1	2	5
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	1	-	-	1	-	-	-	1	-	-	-	-
Anemias (except splenic anemia)—73	7	-	1	-	-	1	2	-	1	-	1	-	1
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	14	2	2	3	2	-	1	1	1	-	-	2	-
Intracranial lesions of vascular origin—83	8	1	-	1	-	1	-	2	-	-	-	1	2
Convulsions—86	7	-	-	2	1	2	-	-	1	-	-	1	-
Diseases of ear and mastoid process—89	12	3	1	3	-	1	2	-	2	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	6	-	-	-	1	-	1	-	-	1	3	-	-
Diseases of circulatory system—90-103	12	-	-	1	1	-	2	2	2	1	1	-	2
Pneumonia (all forms)—107-109	298	41	40	32	24	25	13	17	10	10	14	37	35
Other diseases of respiratory system—104-106,110-114	28	4	2	2	6	4	1	1	1	1	1	3	2
Diseases of buccal cavity, etc.*—115	5	-	-	-	1	1	-	-	-	1	-	-	2
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	79	4	7	4	13	8	5	7	5	5	9	6	6
Hernia—122a	3	-	-	-	-	-	1	1	-	-	-	-	1
Intestinal obstruction—122b	19	5	3	-	2	-	2	1	2	1	1	2	-
Peritonitis (cause not stated)—129	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	2	-	-	-	-	-	-	-	-	-	1	1
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	1	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	5	-	-	1	-	-	1	-	1	-	-	-	2
Congenital malformations—157	271	17	13	24	25	23	19	34	27	34	23	12	20
Congenital debility—158	35	1	-	6	1	2	2	2	7	3	6	2	3
Premature birth—159	703	49	55	62	57	77	46	62	52	58	72	54	59
Injury at birth—160	223	21	20	26	16	24	16	17	15	20	15	15	18
Other diseases peculiar to first year—161	167	15	15	16	13	14	12	19	18	8	9	18	10
Accidental mechanical suffocation—182	29	7	2	5	2	2	1	-	1	1	4	3	1
Other violence or accident—166-181,183-195	26	4	2	-	1	2	6	2	-	1	4	4	-
Ill-defined and unknown causes—199,200	7	-	-	-	-	1	-	2	1	-	1	2	-
All other causes*	17	3	1	3	3	1	2	-	1	1	1	-	1
NEW MEXICO—All causes	1,468	109	90	109	95	97	97	140	186	164	123	118	140
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	51	1	-	6	5	4	3	3	5	4	2	3	15
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	1	-	-	1	1	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	62	-	-	-	-	-	4	7	17	24	5	4	1
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	12	1	-	-	2	-	-	3	2	2	2	-	-
Influenza—33	18	3	5	2	-	1	-	-	1	-	1	2	3
Measles—35	3	-	-	-	-	1	1	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	3	-	-	-	1	-	-	-	-	1	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	2	1	1	1	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of ear and mastoid process—89	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	1	-	-	-	-	1	-
Diseases of circulatory system—90-103	3	-	-	1	-	-	-	1	-	-	-	-	1
Pneumonia (all forms)—107-109	142	14	12	9	8	9	7	3	6	7	16	15	36
Other diseases of respiratory system—104-106,110-114	2	-	1	-	-	-	-	-	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	13	1	1	-	-	1	1	1	2	1	3	1	1
Diarrhea, enteritis, etc.*—119	199	2	5	3	4	6	10	29	51	51	24	12	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	1	-	-	1	-	-	-	-	-	-	1	-
Peritonitis (cause not stated)—129	3	-	-	1	-	-	-	-	2	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	1	-	-	-	-	1	-	-	-
Congenital malformations—157	47	2	7	3	8	4	3	5	2	3	5	2	3
Congenital debility—158	35	2	-	1	2	4	3	4	3	6	4	2	4
Premature birth—159	227	21	20	19	16	21	18	21	16	15	15	21	24
Injury at birth—160	54	5	8	6	5	7	4	2	2	-	2	6	7
Other diseases peculiar to first year—161	26	3	1	3	1	3	2	2	3	1	5	2	-
Accidental mechanical suffocation—182	6	3	1	-	-	-	1	-	-	-	1	-	-
Other violence or accident—166-181,183-195	5	-	1	1	1	1	-	-	-	-	1	-	-
Ill-defined and unknown causes—199,200	522	46	27	52	37	34	37	57	69	45	37	42	39
All other causes*	7	-	-	-	1	-	1	1	1	1	-	2	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—All causes	7,322	674	570	583	637	622	649	600	537	573	612	636	629
Cerebrospinal (meningococcus) meningitis—6	6	-	1	1	1	1	-	-	1	-	-	-	1
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	109	8	14	15	13	7	6	9	9	12	5	1	10
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	6	2	2	-	-	2	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	13	-	1	-	2	-	1	1	3	2	-	1	2
Tuberculosis of meninges, etc.*—14	7	-	-	1	1	1	-	-	-	2	1	-	1
Tuberculosis (other forms)—15-22	2	-	1	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	22	2	2	2	4	-	1	2	-	2	3	2	2
Dysentery—27	6	-	-	-	2	-	-	-	3	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	42	4	9	4	3	3	3	3	-	4	2	2	5
Influenza—33	50	8	6	3	5	-	2	4	-	2	6	5	9
Measles—35	2	-	-	-	-	-	-	2	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	2	-	1	2	-	-	1	1	1	1	1
Diseases of thymus gland—64	89	10	6	6	11	8	8	1	7	9	9	7	7
Rickets—70	5	1	-	-	-	2	-	-	1	1	-	-	-
Hemorrhagic conditions—72	12	3	1	-	3	-	1	-	1	1	2	-	-
Anemias (except splenic anemia)—73	17	4	1	1	1	-	3	3	1	1	1	-	1
Encephalitis (nonepidemic)—80	7	-	-	2	-	1	2	-	-	-	-	1	1
Meningitis (not due to meningococcus)—81	35	5	2	2	1	6	3	1	-	3	4	5	3
Intracranial lesions of vascular origin—83	20	4	3	4	-	-	-	3	1	-	2	1	2
Convulsions—86	11	1	-	3	-	1	1	1	2	-	1	1	-
Diseases of ear and mastoid process—89	39	5	2	4	5	5	6	-	1	1	4	4	2
Other diseases, nervous system—82,84,85,87,88	19	-	-	4	1	4	2	1	-	2	2	3	-
Diseases of circulatory system—90-103	19	5	2	1	1	-	3	1	-	1	3	1	1
Pneumonia (all forms)—107-109	894	104	86	92	116	77	53	43	34	42	55	103	89
Other diseases of respiratory system—104-106,110-114	91	7	7	12	7	6	6	3	4	1	11	15	12
Diseases of buccal cavity, etc.*—115	10	3	1	-	2	1	-	-	-	-	1	1	1
Diseases of stomach—117,118	10	-	-	1	1	2	2	-	-	1	1	-	2
Diarrhea, enteritis, etc.*—119	362	34	24	19	38	44	32	31	23	31	33	19	34
Hernia—122a	13	1	2	-	-	2	3	2	-	-	3	-	-
Intestinal obstruction—122b	39	6	2	3	1	4	8	6	4	3	-	2	-
Peritonitis (cause not stated)—129	15	-	2	-	3	2	1	1	2	2	1	1	-
Other diseases, digestive system—116,121,123-128	17	2	-	1	1	2	1	-	1	1	4	2	2
Diseases, genito-urinary system—130,131,133-139	22	2	3	4	-	4	1	2	1	3	-	2	-
Diseases of skin and cellular tissue—151-153	14	3	-	-	2	3	-	1	-	1	1	1	2
Congenital malformations—157	1,087	103	79	92	88	90	91	80	101	95	92	93	83
Congenital debility—158	48	7	2	5	8	3	2	4	1	6	4	4	2
Premature birth—159	2,337	183	185	170	206	190	231	224	187	186	192	189	194
Injury at birth—160	1,086	96	69	75	68	92	111	111	93	94	100	97	80
Other diseases peculiar to first year—161	495	35	33	34	31	42	45	43	38	38	50	50	56
Accidental mechanical suffocation—182	76	8	7	5	3	5	6	4	5	11	4	7	11
Other violence or accident—166-181,183-195	95	13	8	11	3	9	8	6	6	7	7	10	7
Ill-defined and unknown causes—199,200	14	1	1	1	-	-	2	2	1	1	2	-	3
All other causes*	48	4	4	5	2	1	4	5	5	5	5	5	3
NORTH CAROLINA—All causes	4,629	472	440	487	397	320	335	341	365	356	349	360	407
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	1	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	57	3	5	3	2	5	6	4	4	3	2	8	12
Diphtheria (infection by C. diphtheriae)—10	12	4	-	-	-	3	1	-	-	2	-	2	-
Erysipelas—11	3	-	-	-	1	-	1	-	-	-	1	-	-
Tetanus—12	3	-	-	-	-	1	-	1	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	1	-	1	2	-	-	-	1	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	-	-	2	1	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	6	1	1	1	-	-	2	-	-	-	1	-	-
Septicemia and purulent infection—24	7	-	2	1	1	-	-	-	1	-	-	1	1
Dysentery—27	24	1	2	-	1	-	4	7	4	3	1	-	1
Malaria—28	3	-	-	-	-	-	-	-	-	1	-	1	1
Syphilis—30	51	2	5	3	5	5	2	4	7	7	7	7	7
Influenza—33	138	41	27	24	12	7	1	2	2	1	3	9	9
Measles—35	3	-	1	-	2	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	1	-	-	-	1	-	4	1	-	-	-
Diseases of thymus gland—64	30	6	2	4	3	3	1	3	1	1	2	1	3
Rickets—70	4	-	-	-	-	-	-	-	2	-	2	-	-
Hemorrhagic conditions—72	7	1	1	-	-	-	-	1	1	1	1	1	-
Anemias (except splenic anemia)—73	2	-	-	1	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	7	1	2	1	1	1	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	23	7	1	2	-	3	-	1	-	1	2	2	4
Intracranial lesions of vascular origin—83	5	-	-	1	1	1	1	-	-	-	-	-	1
Convulsions—86	19	-	1	4	2	2	1	-	2	1	4	2	-
Diseases of ear and mastoid process—89	30	5	2	4	3	1	-	-	3	4	3	3	2
Other diseases, nervous system—82,84,85,87,88	10	2	-	2	1	-	2	-	1	-	-	1	1
Diseases of circulatory system—90-103	25	3	2	5	1	1	2	3	2	-	3	-	3
Pneumonia (all forms)—107-109	691	103	102	112	66	43	30	23	18	18	36	59	81
Other diseases of respiratory system—104-106,110-114	65	10	9	8	4	3	6	-	5	5	2	8	5
Diseases of buccal cavity, etc.*—115	17	1	1	1	2	1	2	2	-	-	1	2	4
Diseases of stomach—117,118	11	-	-	1	2	-	2	2	-	2	1	-	1
Diarrhea, enteritis, etc.*—119	398	14	12	15	15	11	48	54	77	68	43	23	18
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	22	4	2	2	2	2	-	4	1	1	-	2	2
Peritonitis (cause not stated)—129	4	1	-	1	1	1	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	11	4	-	2	-	-	-	1	-	-	2	-	2
Diseases, genito-urinary system—130,131,133-139	12	-	-	2	2	1	2	1	-	1	2	1	-
Diseases of skin and cellular tissue—151-153	18	4	1	1	2	1	1	1	3	1	1	-	2
Congenital malformations—157	294	24	25	36	22	27	28	11	27	21	28	23	22
Congenital debility—158	146	12	16	10	16	12	7	12	7	15	12	16	11
Premature birth—159	1,328	99	100	132	129	116	109	107	104	103	114	106	109
Injury at birth—160	339	29	33	19	32	16	28	38	34	33	24	27	26
Other diseases peculiar to first year—161	192	20	20	21	19	13	11	16	14	22	13	11	12
Accidental mechanical suffocation—182	60	12	10	4	3	-	3	3	1	5	3	4	12
Other violence or accident—166-181,183-195	57	8	4	3	5	3	3	6	5	4	2	5	9
Ill-defined and unknown causes—199,200	445	50	48	58	32	34	27	28	33	30	32	33	40
All other causes*	20	-	1	3	4	-	3	4	1	-	-	1	3

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	603	59	32	47	60	54	46	33	49	46	52	56	69
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	1	-	-	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	10	1	-	2	1	1	-	1	1	-	2	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	-	-	-	-	1	1	-	-	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	4	-	1	-	1	-	-	-	-	-	-	2	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	-	1	1	-	-	-	-	-	1
Influenza—33	8	2	-	2	1	-	-	-	-	-	-	2	1
Measles—35	1	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	1	-	-	-	-	-	-	-	-	2	-	-
Diseases of thymus gland—64	4	1	-	-	-	-	-	-	1	-	-	1	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	16	1	1	1	5	-	1	2	-	1	2	2	-
Diseases of ear and mastoid process—89	3	1	-	1	-	-	-	-	-	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	82	7	5	9	3	4	5	2	3	4	4	13	23
Other diseases of respiratory system—104-106,110-114	7	1	1	-	-	1	-	-	1	1	-	2	-
Diseases of buccal cavity, etc.*—115	3	1	-	-	1	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	1	-	-	-	-	1	-
Diarrhea, enteritis, etc.*—119	39	4	2	2	4	6	2	3	3	4	3	4	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	1	-	1	2	-	1	-	2	-	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations—157	49	4	4	4	1	5	3	1	6	6	5	4	6
Congenital debility—158	12	1	1	1	4	-	1	1	2	-	-	1	-
Premature birth—159	205	24	11	11	27	23	19	17	17	12	17	12	15
Injury at birth—160	58	4	5	4	4	4	5	4	5	6	9	2	6
Other diseases peculiar to first year—161	35	2	1	3	4	3	3	1	4	4	1	4	5
Accidental mechanical suffocation—182	9	1	-	-	1	1	-	-	2	1	1	1	1
Other violence or accident—166-181,183-195	5	1	-	-	-	-	-	1	-	1	-	-	2
Ill-defined and unknown causes—199,200	20	2	-	2	2	1	2	-	2	4	-	2	3
All other causes*	3	-	-	1	-	1	-	-	-	-	1	-	-
OHIO—All causes	4,759	483	348	436	382	374	341	368	344	373	405	454	451
Cerebrospinal (meningococcus) meningitis—6	11	5	1	1	-	1	2	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	87	5	7	11	7	6	8	8	3	12	5	8	7
Diphtheria (infection by C. diphtheriae)—10	3	1	-	-	1	-	-	-	-	-	-	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	1	-	-	-	-	-	1	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	13	3	2	1	-	2	-	1	-	-	1	2	1
Tuberculosis (other forms)—15-22	3	-	-	1	-	-	-	1	-	-	-	1	-
Septicemia and purulent infection—24	5	-	-	-	-	1	1	-	-	1	-	1	1
Dysentery—27	7	1	-	-	-	1	-	-	-	2	2	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	59	12	2	6	7	4	-	6	4	4	5	3	6
Influenza—33	110	15	11	11	6	9	3	1	3	1	8	17	25
Measles—35	1	-	-	-	-	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	-	-	2	-	3	1	-	1	-	1	2	1
Diseases of thymus gland—64	66	9	3	5	7	7	8	4	5	7	5	2	4
Rickets—70	4	-	-	1	1	-	1	1	-	-	-	-	-
Hemorrhagic conditions—72	12	4	-	2	1	1	1	1	-	1	1	-	-
Anemias (except splenic anemia)—73	6	2	-	-	-	-	-	-	1	-	1	-	2
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	1	-	-	-	1	1
Meningitis (not due to meningococcus)—81	21	-	2	3	2	4	3	-	1	-	1	1	4
Intracranial lesions of vascular origin—83	5	-	-	-	-	1	-	-	-	-	-	1	3
Convulsions—86	9	-	1	3	-	1	-	2	1	1	-	-	-
Diseases of ear and mastoid process—89	24	5	-	2	3	3	1	1	-	2	2	3	2
Other diseases, nervous system—82,84,85,87,88	10	1	-	1	-	2	-	1	1	-	2	-	2
Diseases of circulatory system—90-103	9	1	1	1	-	1	2	1	-	-	-	1	1
Pneumonia (all forms)—107-109	653	76	61	45	39	44	18	29	15	30	67	108	101
Other diseases of respiratory system—104-106,110-114	39	4	5	2	2	2	-	5	3	1	3	7	5
Diseases of buccal cavity, etc.*—115	8	-	1	1	1	1	-	1	-	-	1	-	2
Diseases of stomach—117,118	8	1	-	2	-	-	2	1	-	1	1	-	-
Diarrhea, enteritis, etc.*—119	257	18	16	20	20	16	17	18	16	44	35	20	17
Hernia—122a	4	1	-	1	-	1	-	-	-	-	-	-	1
Intestinal obstruction—122b	32	4	1	3	8	4	1	2	1	-	3	-	5
Peritonitis (cause not stated)—129	3	-	-	1	-	-	1	-	-	-	-	-	1
Other diseases, digestive system—116,121,123-128	7	-	2	1	-	-	1	-	1	1	-	-	1
Diseases, genito-urinary system—130,131,133-139	10	2	1	-	1	-	1	1	1	1	1	1	-
Diseases of skin and cellular tissue—151-153	11	-	1	-	-	1	3	2	2	-	-	1	1
Congenital malformations—157	624	60	49	61	40	52	41	50	55	57	36	70	53
Congenital debility—158	86	9	9	11	4	8	5	8	4	6	11	8	3
Premature birth—159	1,548	145	99	150	147	115	145	132	151	116	123	112	113
Injury at birth—160	515	49	36	47	42	42	39	48	36	47	47	39	43
Other diseases peculiar to first year—161	262	20	21	23	21	28	24	22	22	21	22	16	22
Accidental mechanical suffocation—182	69	15	6	4	5	4	2	4	5	3	6	11	4
Other violence or accident—166-181,183-195	64	6	3	6	7	3	2	4	4	6	9	7	7
Ill-defined and unknown causes—199,200	75	4	6	6	7	4	7	7	6	7	5	6	10
All other causes*	22	4	1	1	3	2	1	4	2	1	-	1	2

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA—All causes	2,214	202	190	188	162	143	117	186	182	182	196	203	263
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	41	3	1	1	1	5	2	5	6	2	5	1	9
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	1	-	-	-	-	-	-	-	1
Tetanus—12	2	-	-	-	-	-	-	-	1	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	5	-	-	1	-	1	-	1	-	1	1	-	-
Tuberculosis of meninges, etc.*—14	4	-	1	-	1	-	-	-	-	-	1	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	1	-
Dysentery—27	34	-	1	-	-	-	1	11	7	6	6	1	1
Malaria—28	2	-	-	-	-	-	-	-	1	-	1	-	-
Syphilis—30	21	-	-	4	2	2	3	-	1	4	2	2	1
Influenza—33	77	12	13	8	8	1	-	1	1	1	3	6	23
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	2	-	2	-	1	-	-	-	1	-	-	1
Diseases of thymus gland—64	19	1	2	3	1	1	1	-	2	1	1	1	5
Rickets—70	5	-	-	-	1	1	-	-	1	1	-	-	1
Hemorrhagic conditions—72	8	1	1	1	1	-	-	-	2	-	-	1	1
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	1	1	3	2	-	1	-	-	2	1	-	2
Intracranial lesions of vascular origin—83	4	-	-	-	-	1	-	1	-	-	1	1	-
Convulsions—86	6	1	2	-	-	-	1	-	2	-	-	-	-
Diseases of ear and mastoid process—89	7	-	-	-	1	1	1	-	1	-	-	1	2
Other diseases, nervous system—82,84,85,87,88	5	-	1	3	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	10	1	1	-	3	-	-	-	1	-	1	2	1
Pneumonia (all forms)—107-109	347	40	42	37	29	15	8	14	9	16	15	53	69
Other diseases of respiratory system—104-106,110-114	17	2	3	3	3	1	-	1	-	-	-	3	1
Diseases of buccal cavity, etc.*—115	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	8	-	1	2	-	-	-	-	-	-	4	1	-
Diarrhea, enteritis, etc.*—119	178	5	8	7	7	8	9	27	27	29	36	14	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	25	6	3	4	1	2	-	1	2	-	2	2	2
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	-	-	2	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	-	-	-	1	-	1	-
Diseases, genito-urinary system—130,131,133-139	4	-	-	-	1	-	-	-	-	1	1	1	-
Diseases of skin and cellular tissue—151-153	8	1	2	-	-	1	-	-	1	-	1	-	2
Congenital malformations—157	188	13	18	19	17	9	14	20	21	9	15	15	18
Congenital debility—158	85	7	6	6	5	3	5	8	10	10	11	7	7
Premature birth—159	695	67	55	52	52	60	55	66	50	64	52	57	63
Injury at birth—160	152	14	9	8	10	13	7	10	20	16	20	10	15
Other diseases peculiar to first year—161	91	9	8	9	9	4	5	5	8	7	6	11	10
Accidental mechanical suffocation—182	23	5	3	1	1	1	-	-	-	2	2	1	7
Other violence or accident—166-181,183-195	31	2	2	2	3	2	-	7	3	2	2	1	5
Ill-defined and unknown causes—199,200	71	9	4	10	2	9	3	6	4	4	4	5	11
All other causes*	10	-	1	1	-	-	-	2	1	1	2	1	1
OREGON—All causes	588	58	55	49	46	60	46	32	41	34	49	53	65
Cerebrospinal (meningococcus) meningitis—6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	2	-	-	-	-	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	1	-
Dysentery—27	3	-	-	-	-	-	-	-	1	1	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	2	1	-	-	-	-	-	-	-	-
Influenza—33	12	3	1	-	1	1	-	-	-	-	-	2	4
Measles—35	2	-	-	-	1	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	3	-	-	-	-	-	-	-	-	1	-
Rickets—70	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	-	-	-	-	-	1	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	2	-	-	1	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	3	1	-	-	-	1	-	-	-	-	1	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of ear and mastoid process—89	2	-	1	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	53	6	3	8	5	4	2	2	1	2	-	8	12
Other diseases of respiratory system—104-106,110-114	10	-	1	2	1	-	1	-	-	1	-	2	2
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	15	1	-	-	1	1	1	1	1	4	3	2	-
Hernia—122a	1	-	-	-	-	-	1	-	-	-	-	-	-
Intestinal obstruction—122b	5	1	1	-	1	-	-	1	1	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	85	9	11	1	4	9	9	8	8	1	7	9	9
Congenital debility—158	9	-	1	-	1	-	1	-	1	-	1	2	2
Premature birth—159	192	21	18	18	15	20	13	11	15	17	15	13	16
Injury at birth—160	79	10	6	9	6	8	8	5	6	2	9	4	6
Other diseases peculiar to first year—161	51	-	5	5	3	8	3	2	2	3	7	3	10
Accidental mechanical suffocation—182	9	2	1	-	1	-	-	-	1	-	-	2	2
Other violence or accident—166-181,183-195	17	1	1	1	1	2	3	1	1	1	3	1	1
Ill-defined and unknown causes—199,200	7	-	-	1	1	1	-	-	3	-	-	1	-
All other causes*	6	1	-	-	1	2	1	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—All causes	7,400	742	631	653	557	601	562	527	505	542	678	706	696
Cerebrospinal (meningococcus) meningitis—6	17	3	-	3	2	2	-	1	-	1	-	2	3
Scarlet fever—8	4	1	2	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	94	11	8	4	8	11	7	10	4	4	7	9	11
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	2	1	-	-	-	-	-	1	-
Erysipelas—11	8	1	1	2	1	1	1	-	-	-	1	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	15	2	1	2	-	3	1	-	-	1	2	2	1
Tuberculosis of meninges, etc.*—14	16	1	2	2	1	2	3	1	-	-	-	1	3
Tuberculosis (other forms)—15-22	3	-	-	1	-	-	-	1	1	-	-	-	-
Septicemia and purulent infection—24	7	-	1	-	1	3	1	-	-	-	-	-	1
Dysentery—27	6	-	-	-	-	-	-	1	-	1	1	2	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	48	5	4	6	-	2	4	3	5	4	6	5	4
Influenza—33	142	39	25	15	8	7	1	2	2	4	9	18	12
Measles—35	5	1	1	-	1	-	1	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	-	-	1	2	3	-	2	1	-	-	1	1
Diseases of thymus gland—64	97	4	5	14	8	8	7	6	11	4	6	13	11
Rickets—70	7	1	1	-	1	1	-	-	-	1	1	1	-
Hemorrhagic conditions—72	20	1	-	2	1	2	4	1	3	1	1	2	2
Anemias (except splenic anemia)—73	11	2	3	-	-	-	-	-	2	2	1	1	-
Encephalitis (nonepidemic)—80	6	1	-	-	1	1	-	-	-	-	1	1	1
Meningitis (not due to meningococcus)—81	62	8	6	8	3	6	3	5	3	6	5	4	5
Intracranial lesions of vascular origin—83	14	-	-	1	2	2	1	1	1	1	1	-	4
Convulsions—86	29	3	2	2	1	2	1	4	2	3	3	3	3
Diseases of ear and mastoid process—89	47	8	7	6	4	3	2	2	-	2	6	4	3
Other diseases, nervous system—82,84,85,87,88	13	1	3	2	-	-	1	1	-	3	1	-	1
Diseases of circulatory system—90-103	34	5	3	2	4	3	3	1	-	5	2	4	2
Pneumonia (all forms)—107-109	1,197	149	127	102	85	74	61	54	54	54	118	161	158
Other diseases of respiratory system—104-106,110-114	100	12	7	14	11	14	4	4	4	2	3	11	14
Diseases of buccal cavity, etc.*—115	12	1	2	-	3	1	-	1	-	2	1	-	1
Diseases of stomach—117,118	17	3	1	2	2	-	1	1	1	1	-	2	3
Diarrhea, enteritis, etc.*—119	361	37	28	30	25	32	32	31	29	29	39	29	20
Hernia—122a	7	1	1	-	1	1	1	-	1	-	1	-	-
Intestinal obstruction—122b	67	9	4	2	3	7	6	5	7	11	4	4	5
Peritonitis (cause not stated)—129	11	2	-	4	1	-	1	-	1	-	1	-	1
Other diseases, digestive system—116,121,123-128	14	2	3	4	1	1	1	1	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	22	4	1	2	2	1	3	2	2	1	1	1	2
Diseases of skin and cellular tissue—151-153	14	1	1	1	-	-	3	1	2	2	2	1	-
Congenital malformations—157	944	97	74	64	57	81	79	78	69	67	86	97	95
Congenital debility—158	76	11	10	9	5	3	3	6	1	6	6	7	9
Premature birth—159	2,334	183	185	221	198	196	206	180	176	191	221	174	203
Injury at birth—160	828	63	58	69	55	72	75	61	71	76	82	80	66
Other diseases peculiar to first year—161	456	40	33	28	39	33	34	43	40	44	42	44	36
Accidental mechanical suffocation—182	62	11	6	11	5	3	4	3	6	3	4	3	3
Other violence or accident—166-181,183-195	73	7	7	7	5	10	4	6	4	2	6	8	7
Ill-defined and unknown causes—199,200	43	5	4	7	2	5	2	3	1	4	3	3	4
All other causes*—	41	6	4	3	6	4	1	5	1	3	4	4	-
RHODE ISLAND—All causes	413	38	22	34	32	36	36	38	35	34	33	42	33
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	-	-	1	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	4	-	-	1	1	-	-	1	-	-	-	-	1
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	2	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	-	-	-	-	-	1	-	2	-
Influenza—33	5	1	1	-	-	1	-	-	-	1	-	1	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	-	-	-	1	-	-	1	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	1	-	-	-	-	-	-	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions—86	3	-	-	1	-	-	-	-	-	-	-	-	2
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	61	8	3	3	5	4	5	8	2	3	7	9	4
Other diseases of respiratory system—104-106,110-114	5	1	-	1	-	-	-	1	1	-	-	1	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	14	-	-	1	2	2	1	1	1	2	2	1	1
Hernia—122a	1	-	-	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	-	2	-	-	1	-	-	-	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases, genito-urinary system—130,131,133-139	2	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	4	-	-	-	-	-	1	2	-	1	-	-	-
Congenital malformations—157	82	4	1	11	3	7	9	4	7	9	8	9	10
Congenital debility—158	6	-	2	1	-	-	-	1	-	1	-	1	-
Premature birth—159	120	15	4	7	14	11	12	11	11	12	9	7	7
Injury at birth—160	50	6	4	2	5	5	4	4	5	2	1	7	5
Other diseases peculiar to first year—161	30	1	4	3	-	4	3	1	6	2	3	2	1
Accidental mechanical suffocation—182	1	1	-	-	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	6	-	2	-	1	-	1	-	-	-	2	-	-
Ill-defined and unknown causes—199,200	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*—	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	3,024	352	274	308	238	209	219	277	233	232	226	223	233
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	1	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	36	2	2	4	3	4	1	4	2	-	6	3	5
Diphtheria (infection by C. diphtheriae)—10	3	1	-	-	-	-	-	-	-	-	1	1	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	-	1	1	-
Tetanus—12	4	-	-	1	-	-	1	1	-	1	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	-	-	-	-	-	-	2	-	-	2
Tuberculosis of meninges, etc.●—14	4	-	-	-	1	-	-	1	-	2	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	2	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	25	-	-	-	1	1	5	7	4	2	1	3	1
Malaria—28	18	-	1	-	-	4	1	6	-	4	-	2	-
Syphilis—30	58	8	6	4	3	7	5	5	3	3	4	4	6
Influenza—33	132	42	21	15	17	9	2	1	2	2	2	9	10
Measles—35	5	1	-	-	1	1	1	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	2	1	-	-	-	-	1	1	-	-	1	-
Diseases of thymus gland—64	16	1	2	2	1	1	1	1	2	2	-	2	1
Rickets—70	1	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	5	-	-	1	-	-	1	-	2	-	-	-	1
Anemias (except splenic anemia)—73	5	2	-	1	-	-	-	-	-	1	1	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	1	1	-	1
Meningitis (not due to meningococcus)—81	10	1	1	-	2	1	-	1	-	-	1	1	2
Intracranial lesions of vascular origin—83	6	-	-	1	-	-	1	-	-	2	2	-	-
Convulsions—86	14	2	1	1	-	1	1	2	2	2	-	2	-
Diseases of ear and mastoid process—89	7	-	2	-	1	-	1	1	-	1	1	-	-
Other diseases, nervous system—82,84,85,87,88	3	1	-	-	1	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	8	2	-	2	-	-	-	-	1	-	-	1	2
Pneumonia (all forms)—107-109	408	65	57	70	34	23	23	8	10	14	36	30	38
Other diseases of respiratory system—104-106,110-114	44	13	6	7	2	2	1	1	1	1	2	1	7
Diseases of buccal cavity, etc.*—115	9	1	2	1	2	-	-	-	1	-	1	-	1
Diseases of stomach—117,118	10	1	-	2	1	-	-	1	3	-	1	1	-
Diarrhea, enteritis, etc.*—119	270	5	6	5	6	14	32	69	52	41	17	13	10
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	1	1	-	1	3	3	-	-	1	-	1
Peritonitis (cause not stated)—129	2	-	-	-	-	1	-	-	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	7	2	-	1	-	-	-	-	-	1	1	1	1
Diseases, genito-urinary system—130,131,133-139	5	1	-	-	-	-	1	-	-	-	2	1	-
Diseases of skin and cellular tissue—151-153	9	-	1	2	-	2	-	-	1	-	-	1	2
Congenital malformations—157	108	12	8	9	9	4	10	6	11	12	9	9	9
Congenital debility—158	86	10	7	15	6	3	7	4	5	8	10	4	7
Premature birth—159	662	61	56	53	52	58	43	69	53	65	56	49	47
Injury at birth—160	148	11	11	20	16	15	11	15	10	5	9	13	12
Other diseases peculiar to first year—161	132	14	16	7	15	12	9	12	10	4	10	10	13
Accidental mechanical suffocation—182	47	12	10	6	3	2	-	1	4	1	-	3	5
Other violence or accident—166-181,183-195	46	5	6	8	-	4	1	5	5	2	1	4	5
Ill-defined and unknown causes—199,200	635	74	50	69	60	37	54	50	47	50	48	52	44
All other causes*	5	-	-	-	1	-	1	1	-	1	1	-	-
SOUTH DAKOTA—All causes	456	39	29	49	51	42	25	37	40	32	39	31	42
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	1	-	-	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	-	-	1	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	1	-	-	-	-	-	-	-	-	2	1	-
Tuberculosis of meninges, etc.●—14	2	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	1	-	-	-	-	-	-	-	2	-
Influenza—33	15	3	1	3	1	1	-	-	-	-	1	-	5
Measles—35	1	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	1	1	2	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	1	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	1	-	1	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions—86	6	1	-	1	-	-	1	1	-	-	-	-	2
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	2	-	1	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	41	4	2	5	4	4	2	2	5	2	3	5	3
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	26	4	1	1	1	1	1	1	5	3	5	-	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	70	5	6	6	9	6	4	3	3	8	5	5	10
Congenital debility—158	13	1	2	-	3	1	-	1	2	-	1	-	2
Premature birth—159	140	8	7	20	17	16	6	16	9	11	14	9	7
Injury at birth—160	40	5	2	4	3	4	3	4	6	2	1	3	3
Other diseases peculiar to first year—161	48	1	4	2	4	7	7	4	6	2	2	5	4
Accidental mechanical suffocation—182	5	1	1	1	1	-	-	-	-	1	-	-	-
Other violence or accident—166-181,183-195	4	-	-	-	-	-	-	2	1	1	-	-	-
Ill-defined and unknown causes—199,200	14	4	-	1	2	1	-	-	3	-	3	-	-
All other causes*	2	-	-	1	-	-	-	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—All causes	3,052	338	305	299	229	221	199	232	259	232	218	231	289
Cerebrospinal (meningococcus) meningitis—6	6	-	2	-	-	-	1	-	-	-	1	-	2
Scarlet fever—8	3	-	-	1	1	-	-	-	-	1	-	-	-
Whooping cough—9	66	8	4	3	8	5	1	3	4	8	8	7	7
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	2	1
Erysipelas—11	2	-	-	-	-	2	-	-	-	-	-	-	-
Tetanus—12	3	-	-	-	-	1	-	-	-	-	1	-	1
Tuberculosis of respiratory system, etc.*—13	13	-	-	2	3	2	2	-	1	-	1	1	1
Tuberculosis of meninges, etc.*—14	12	3	-	-	-	-	3	1	-	1	-	1	3
Tuberculosis (other forms)—15-22	7	2	2	1	1	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	3	1	-	1	-	-	-	-	-	-	-	1	-
Dysentery—27	58	-	-	-	1	-	2	19	19	9	4	4	-
Malaria—28	1	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis—30	45	2	7	6	1	6	2	3	2	6	4	5	1
Influenza—33	94	10	23	21	12	4	2	2	-	1	2	4	13
Measles—35	4	-	1	1	2	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	-	1	-	1	-	1	1	-	-	-	2	-
Diseases of thymus gland—64	7	-	-	-	-	1	1	1	3	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	7	5	1	-	-	-	-	-	-	-	1	-	-
Anemias (except splenic anemia)—73	5	1	-	-	-	-	2	1	-	-	-	1	-
Encephalitis (nonepidemic)—80	1	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	15	1	2	1	-	2	2	3	-	-	-	2	2
Intracranial lesions of vascular origin—83	10	-	1	1	-	2	-	-	1	2	1	1	1
Convulsions—86	13	-	1	-	2	1	2	2	-	1	-	3	1
Diseases of ear and mastoid process—89	8	-	-	3	1	-	-	-	-	2	2	-	-
Other diseases, nervous system—82,84,85,87,88	6	2	-	-	-	1	-	-	-	1	-	1	1
Diseases of circulatory system—90-103	12	1	3	2	-	1	-	2	1	-	1	1	-
Pneumonia (all forms)—107-109	448	76	75	61	42	23	11	12	7	22	21	43	55
Other diseases of respiratory system—104-106,110-114	20	3	2	-	2	5	1	-	1	1	3	1	1
Diseases of buccal cavity, etc.●—115	4	-	-	-	1	-	-	-	1	-	-	2	-
Diseases of stomach—117,118	12	1	2	-	1	-	1	1	2	-	1	2	1
Diarrhea, enteritis, etc.*—119	223	5	6	5	8	5	11	43	54	37	25	12	12
Hernia—122a	2	-	-	-	-	-	1	1	-	-	-	-	-
Intestinal obstruction—122b	18	-	2	3	-	1	2	1	2	-	2	1	4
Peritonitis (cause not stated)—129	2	-	-	1	-	-	-	1	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	5	-	-	-	1	1	1	-	-	-	1	1	-
Diseases, genito-urinary system—130,131,133-139	10	-	-	1	-	1	-	2	-	2	1	1	2
Diseases of skin and cellular tissue—151-153	13	-	1	1	1	1	-	1	2	-	1	3	2
Congenital malformations—157	183	22	9	16	18	13	18	16	12	10	16	15	18
Congenital debility—158	52	3	3	6	3	2	5	6	1	5	6	5	7
Premature birth—159	712	53	59	73	46	70	65	54	64	54	47	53	74
Injury at birth—160	248	35	23	15	20	23	18	22	28	14	18	12	20
Other diseases peculiar to first year—161	117	14	12	15	12	9	7	3	12	8	9	6	10
Accidental mechanical suffocation—182	33	12	2	1	2	2	1	1	2	1	3	3	3
Other violence or accident—166-181,183-195	41	4	5	2	-	1	2	5	4	4	8	3	3
Ill-defined and unknown causes—199,200	478	72	54	54	38	35	28	22	33	42	29	30	41
All other causes*	21	2	1	2	1	1	5	2	3	-	1	2	1
TEXAS—All causes	8,685	703	665	659	713	934	870	898	778	585	556	631	693
Cerebrospinal (meningococcus) meningitis—6	10	1	1	-	1	2	-	-	2	1	1	-	1
Scarlet fever—8	4	1	-	-	-	-	-	-	-	-	-	2	1
Whooping cough—9	183	9	8	15	22	14	22	32	23	13	8	8	9
Diphtheria (infection by C. diphtheriae)—10	21	2	6	4	-	1	-	1	2	-	3	1	1
Erysipelas—11	6	-	1	-	1	-	2	1	1	-	-	-	-
Tetanus—12	57	9	1	5	3	2	8	6	4	5	2	6	6
Tuberculosis of respiratory system, etc.●—13	18	1	1	-	2	3	1	3	1	-	1	1	4
Tuberculosis of meninges, etc.●—14	9	-	-	1	1	-	-	1	1	1	2	1	1
Tuberculosis (other forms)—15-22	9	-	1	1	-	3	-	2	-	-	1	1	-
Septicemia and purulent infection—24	11	-	1	2	-	1	1	2	2	-	1	1	-
Dysentery—27	345	6	2	8	25	63	66	70	51	25	17	5	7
Malaria—28	20	-	-	-	-	4	1	5	6	2	1	1	-
Syphilis—30	124	10	4	9	8	14	12	15	8	12	10	10	12
Influenza—33	250	33	49	32	31	15	3	6	2	5	8	12	54
Measles—35	54	3	9	7	10	15	6	-	2	-	-	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	21	2	2	2	2	4	2	1	-	2	1	2	1
Diseases of thymus gland—64	46	5	6	2	5	3	4	3	3	5	2	4	4
Rickets—70	12	-	-	1	1	2	2	1	1	2	-	1	1
Hemorrhagic conditions—72	23	1	5	2	-	2	1	1	4	4	-	-	3
Anemias (except splenic anemia)—73	12	1	-	1	1	-	3	2	-	1	3	-	-
Encephalitis (nonepidemic)—80	8	2	-	1	-	1	1	1	-	-	-	-	2
Meningitis (not due to meningococcus)—81	34	6	3	2	3	2	4	1	4	1	2	4	2
Intracranial lesions of vascular origin—83	22	1	1	-	3	1	2	-	-	5	2	3	4
Convulsions—86	55	6	7	3	3	6	3	7	6	7	3	1	3
Diseases of ear and mastoid process—89	37	8	5	2	3	2	5	-	4	-	-	1	7
Other diseases, nervous system—82,84,85,87,88	11	2	2	-	2	2	-	-	-	1	1	1	-
Diseases of circulatory system—90-103	43	5	3	3	1	5	6	6	5	3	1	1	4
Pneumonia (all forms)—107-109	1,048	134	139	136	93	90	54	49	51	39	53	72	138
Other diseases of respiratory system—104-106,110-114	106	18	17	13	4	6	2	6	7	2	9	9	13
Diseases of buccal cavity, etc.●—115	17	2	4	2	-	-	-	-	2	3	1	2	1
Diseases of stomach—117,118	69	3	1	3	6	10	10	10	4	8	7	5	2
Diarrhea, enteritis, etc.*—119	1,598	59	26	45	143	296	289	286	193	83	72	58	48
Hernia—122a	5	-	-	-	1	-	1	2	-	-	-	-	1
Intestinal obstruction—122b	53	3	4	7	8	6	8	3	2	1	7	3	1
Peritonitis (cause not stated)—129	3	-	-	-	-	-	1	-	-	-	1	-	1
Other diseases, digestive system—116,121,123-128	33	5	5	2	2	3	1	1	3	3	2	1	5
Diseases, genito-urinary system—130,131,133-139	20	2	2	2	1	-	2	1	2	1	4	2	1
Diseases of skin and cellular tissue—151-153	30	3	2	2	2	4	2	3	1	3	3	3	2
Congenital malformations—157	437	40	36	36	32	35	31	33	46	31	31	50	36
Congenital debility—158	284	30	26	28	24	32	19	34	17	19	19	17	19
Premature birth—159	2,015	143	165	172	157	167	181	169	167	164	160	199	171
Injury at birth—160	591	49	41	44	43	44	41	62	59	58	49	55	46
Other diseases peculiar to first year—161	370	39	30	25	33	31	26	24	44	34	39	22	23
Accidental mechanical suffocation—182	46	13	6	3	2	1	2	3	1	3	1	5	6
Other violence or accident—166-181,183-195	131	14	10	9	6	7	9	14	11	9	11	18	13
Ill-defined and unknown causes—199,200	346	31	32	25	27	32	32	25	33	24	15	35	35
All other causes*	38	1	1	2	1	3	4	6	3	5	2	8	2

*Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—All causes	551	47	48	37	45	42	40	36	52	35	47	55	67
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	1	-	-
Scarlet fever—8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	8	1	1	-	1	-	3	2	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	14	2	1	-	1	-	-	-	-	-	-	3	7
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	7	1	-	1	-	-	3	-	-	1	-	1	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	3	-	1	-	-	-	-	-	-	1	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	6	-	-	-	-	1	1	1	-	-	-	-	3
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	3	-	1	1	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	68	7	4	4	3	5	1	2	4	4	8	14	12
Other diseases of respiratory system—104-106,110-114	13	3	1	1	-	1	2	-	-	-	1	3	1
Diseases of buccal cavity, etc.*—115	3	-	-	-	1	1	-	-	1	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	20	1	-	1	-	1	2	2	2	4	5	1	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	1	1	1	1	-	-	-	1
Peritonitis (cause not stated)—129	1	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	-	1	-	-	-	-	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	68	7	10	5	3	3	3	3	6	7	7	7	7
Congenital debility—158	2	-	-	-	-	-	1	-	-	1	-	-	-
Premature birth—159	191	15	16	13	21	22	14	13	24	7	9	14	23
Injury at birth—160	64	6	5	7	6	2	5	6	5	6	7	4	5
Other diseases peculiar to first year—161	34	2	6	3	2	3	2	2	4	1	4	2	3
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	1	-	1	1	-	2
Other violence or accident—166-181,183-195	7	1	-	-	1	1	-	-	4	-	-	-	-
Ill-defined and unknown causes—199,200	15	1	-	-	3	-	1	-	1	1	2	4	2
All other causes*	4	-	1	-	1	-	-	1	-	-	-	1	-
VERMONT—All causes	301	28	23	26	29	23	22	24	22	25	23	30	26
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	1	1	-	1	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	1	-	1	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	1	-	-	-	-
Influenza—33	5	-	-	1	-	-	-	-	1	-	-	1	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	2	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	1	1	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms)—107-109	38	3	5	2	5	4	1	1	1	1	4	8	3
Other diseases of respiratory system—104-106,110-114	4	1	1	-	1	-	-	-	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	17	3	1	-	1	1	3	1	-	5	1	-	1
Hernia—122a	3	2	-	-	-	-	1	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	-	1	-	1	-	-	1	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	37	5	2	4	5	6	5	2	-	1	1	5	1
Congenital debility—158	7	-	-	-	-	1	1	-	-	-	2	1	2
Premature birth—159	109	4	8	13	11	8	5	13	11	9	8	9	10
Injury at birth—160	28	3	2	4	2	1	-	3	3	4	1	3	2
Other diseases peculiar to first year—161	16	1	1	2	1	-	1	1	3	2	1	2	1
Accidental mechanical suffocation—182	4	1	-	-	-	-	-	-	-	2	1	-	-
Other violence or accident—166-181,183-195	4	1	1	-	-	-	2	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	5	1	-	-	-	-	-	-	1	1	2	-	-
All other causes*	2	-	-	-	-	-	1	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	3,272	341	330	310	234	253	226	220	215	274	291	253	325
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	1	1	1	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	86	7	11	7	6	6	5	6	2	7	12	10	7
Diphtheria (infection by C. diphtheriae)—10	8	2	1	-	2	-	-	1	1	-	1	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	1	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	1	-	1	1	1	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	6	2	-	-	-	1	1	-	-	1	-	-	1
Tuberculosis (other forms)—15-22	3	-	-	-	-	1	2	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	39	-	2	-	1	-	1	7	11	4	8	4	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	52	2	7	2	7	7	4	3	4	1	4	7	4
Influenza—33	102	28	17	14	5	2	5	1	1	4	8	7	10
Measles—35	6	-	-	1	1	3	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	1	2	-	-	-	-	-	1	-	1	1	3
Diseases of thymus gland—64	19	4	1	2	1	-	1	-	1	2	3	1	3
Rickets—70	3	-	1	1	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	9	-	2	1	1	2	1	-	1	-	1	-	-
Anemias (except splenic anemia)—73	6	1	1	-	-	1	-	1	-	2	-	-	-
Encephalitis (nonepidemic)—80	3	-	1	-	-	-	1	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	13	1	1	-	1	3	1	-	-	3	1	1	1
Intracranial lesions of vascular origin—83	7	-	1	-	-	-	-	2	-	1	2	1	-
Convulsions—86	17	1	2	1	1	2	2	2	2	-	2	1	1
Diseases of ear and mastoid process—89	13	1	1	1	2	1	1	-	-	-	3	2	1
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	11	2	1	4	-	1	1	-	-	1	-	1	-
Pneumonia (all forms)—107-109	455	75	53	50	40	31	22	13	8	17	25	45	76
Other diseases of respiratory system—104-106,110-114	55	11	6	3	7	5	5	2	1	2	2	4	7
Diseases of buccal cavity, etc.*—115	2	-	-	-	1	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	9	1	1	-	-	1	1	1	2	1	1	-	-
Diarrhea, enteritis, etc.*—119	206	13	9	5	8	9	12	22	34	40	26	18	10
Hernia—122a	2	-	-	1	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	16	-	-	-	-	2	1	3	1	2	4	1	2
Peritonitis (cause not stated)—129	5	1	1	-	-	-	-	1	-	-	-	1	1
Other diseases, digestive system—116,121,123-128	9	-	-	-	-	2	-	1	1	2	2	1	-
Diseases, genito-urinary system—130,131,133-139	10	2	1	1	-	1	1	1	-	1	1	-	1
Diseases of skin and cellular tissue—151-153	20	-	3	3	2	-	3	1	-	-	-	4	4
Congenital malformations—157	207	15	12	23	13	14	16	14	15	21	25	15	24
Congenital debility—158	138	14	7	14	7	12	11	12	11	19	14	7	10
Premature birth—159	985	84	105	101	84	87	67	73	66	89	78	67	84
Injury at birth—160	243	17	24	24	13	26	28	18	17	22	24	13	17
Other diseases peculiar to first year—161	159	12	26	16	11	10	7	10	14	13	15	10	15
Accidental mechanical suffocation—182	47	8	5	5	6	5	-	4	4	1	1	4	4
Other violence or accident—166-181,183-195	49	5	4	4	2	5	5	6	5	2	1	5	5
Ill-defined and unknown causes—199,200	214	28	19	24	9	10	18	13	9	16	22	20	26
All other causes*	18	2	2	1	1	1	-	1	2	-	2	1	5
WASHINGTON—All causes	1,005	73	81	73	73	77	90	78	82	85	103	89	100
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	-	-	-	1	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	1	-	2	-	2	-	1	2	-	2	1	3
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas—11	1	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1
Dysentery—27	16	-	-	-	-	1	-	1	-	6	4	4	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	8	3	1	1	1	1	-	-	1	-	-	-	-
Influenza—33	21	1	6	1	-	-	1	-	-	1	2	2	7
Measles—35	2	1	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	1	1	-	1	-	-	-	-
Diseases of thymus gland—64	16	3	3	-	4	-	2	-	-	1	2	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	-	1	1	-	-	1	-	1	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	3	-	-	-	-	1	-	1	1	-	-	-	-
Meningitis (not due to meningococcus)—81	4	-	-	-	-	-	1	-	2	-	1	-	-
Intracranial lesions of vascular origin—83	4	-	2	-	1	-	-	-	-	-	-	1	-
Convulsions—86	2	-	-	-	1	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	4	-	-	1	-	1	-	-	1	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	1	1	1	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	7	-	-	-	1	2	1	1	-	1	1	-	-
Pneumonia (all forms)—107-109	115	7	11	12	9	10	8	3	7	6	16	13	13
Other diseases of respiratory system—104-106,110-114	13	2	2	-	1	1	2	-	2	-	-	1	2
Diseases of buccal cavity, etc.*—115	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	1	-	-	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	30	1	1	-	-	1	2	3	1	7	5	8	1
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	12	2	2	1	-	1	2	1	1	1	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	-	-	1	-	-	-	-	-	1	-	1
Diseases, genito-urinary system—130,131,133-139	3	-	-	1	1	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	128	3	14	12	5	10	11	8	13	9	17	10	16
Congenital debility—158	14	-	1	1	2	-	5	1	2	1	1	-	-
Premature birth—159	297	21	15	24	26	25	25	29	24	28	26	25	29
Injury at birth—160	140	13	8	8	12	11	11	19	12	13	13	9	11
Other diseases peculiar to first year—161	82	8	10	3	5	4	9	9	8	7	6	4	9
Accidental mechanical suffocation—182	17	1	1	1	-	-	3	-	1	2	-	6	2
Other violence or accident—166-181,183-195	12	1	-	1	-	1	2	1	-	1	2	1	2
Ill-defined and unknown causes—199,200	8	-	2	-	1	2	-	-	1	-	1	1	-
All other causes*	6	3	-	-	1	-	1	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

498675 O - 43 - 36

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA—All causes	2,269	248	220	207	142	181	139	140	160	171	221	210	230
Cerebrospinal (meningococcus) meningitis—6	4	1	-	-	-	-	-	-	-	-	2	1	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	80	6	1	6	4	9	8	7	5	10	6	9	9
Diphtheria (infection by C. diphtheriae)—10	5	2	-	-	-	-	-	-	1	-	2	-	-
Erysipelas—11	3	-	-	-	1	-	1	-	-	-	-	-	1
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	3	-	-	-	-	1	-	-	-	-	-	1	1
Septicemia and purulent infection—24	2	-	-	-	-	1	1	-	-	-	-	-	-
Dysentery—27	14	1	-	-	2	-	2	-	3	6	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	31	2	5	10	1	2	2	1	2	2	2	1	1
Influenza—33	59	13	14	9	4	-	-	-	-	-	3	2	14
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	-	-	-	-	-	-	2	1	1	-
Diseases of thymus gland—64	20	1	3	1	4	2	2	3	1	1	1	-	1
Rickets—70	5	1	-	1	-	-	-	-	-	-	1	-	2
Hemorrhagic conditions—72	5	2	1	-	-	-	1	1	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	1	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	4	-	2	-	-	-	-	-	2	-	-	-	-
Meningitis (not due to meningococcus)—81	8	1	1	1	1	1	-	-	-	-	2	-	1
Intracranial lesions of vascular origin—83	10	1	1	-	1	1	1	-	1	-	1	1	2
Convulsions—86	12	1	-	-	2	-	1	-	2	2	2	1	1
Diseases of ear and mastoid process—89	11	1	-	1	-	3	1	-	-	1	1	-	3
Other diseases, nervous system—82,84,85,87,88	3	2	-	-	-	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	9	-	1	-	3	1	1	-	1	1	-	1	-
Pneumonia (all forms)—107-109	367	44	41	38	18	27	10	14	9	11	39	52	64
Other diseases of respiratory system—104-106,110-114	25	2	4	4	2	1	-	-	1	1	3	6	1
Diseases of buccal cavity, etc.*—115	4	-	1	-	-	1	-	-	-	-	-	1	1
Diseases of stomach—117,118	5	2	-	-	1	-	-	-	1	-	-	-	1
Diarrhea, enteritis, etc.*—119	123	11	8	5	3	8	2	3	14	26	28	11	4
Hernia—122a	3	-	-	-	-	-	-	-	1	2	-	-	-
Intestinal obstruction—122b	12	-	1	2	1	1	-	2	1	2	-	-	2
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive system—116,121,123-128	2	-	1	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue—151-153	8	1	1	-	1	1	-	-	-	-	1	3	-
Congenital malformations—157	208	23	20	24	10	21	19	16	17	21	10	16	11
Congenital debility—158	66	8	7	9	3	4	5	2	5	4	8	6	5
Premature birth—159	661	64	59	52	49	58	54	58	58	40	70	43	56
Injury at birth—160	170	18	14	10	8	17	10	9	17	16	16	21	14
Other diseases peculiar to first year—161	105	10	9	12	8	7	9	12	9	7	4	7	11
Accidental mechanical suffocation—182	33	7	2	1	1	2	2	2	3	3	1	4	5
Other violence or accident—166-181,183-195	28	3	4	3	1	4	1	3	1	1	2	2	3
Ill-defined and unknown causes—199,200	135	18	15	17	12	7	5	5	4	11	11	16	14
All other causes*	12	-	2	-	1	1	1	-	1	1	2	1	2
WISCONSIN—All causes	2,041	192	180	173	199	182	158	157	154	139	150	170	187
Cerebrospinal (meningococcus) meningitis—6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	23	-	3	-	3	1	3	2	2	-	2	2	5
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	1	1	1	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	1	-	-	-	-	1	-	1	1	-	1	-
Tuberculosis of meninges, etc.*—14	2	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	1	-	-	-	-	-	-	1
Dysentery—27	2	1	-	-	-	-	-	1	-	-	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis—30	3	1	-	-	-	-	1	-	-	-	1	-	-
Influenza—33	41	5	10	11	5	5	1	1	-	-	-	-	3
Measles—35	3	-	1	-	1	-	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	1	-	-	1	-	1	-	-	-	1
Diseases of thymus gland—64	29	3	4	2	1	2	4	4	-	2	2	2	3
Rickets—70	2	-	-	-	-	1	-	-	1	-	-	-	-
Hemorrhagic conditions—72	6	1	1	-	1	-	2	-	1	-	-	-	-
Anemias (except splenic anemia)—73	4	1	-	2	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	10	1	2	1	-	2	-	1	-	-	-	1	2
Intracranial lesions of vascular origin—83	7	-	1	-	-	1	-	2	-	1	-	1	1
Convulsions—86	7	-	2	-	1	-	-	2	1	-	1	-	-
Diseases of ear and mastoid process—89	4	-	-	-	1	2	-	1	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	1	-	-	-	-	2	-	1	-
Diseases of circulatory system—90-103	4	1	-	-	-	1	-	-	-	1	-	-	1
Pneumonia (all forms)—107-109	267	35	29	27	41	17	17	9	6	2	20	27	57
Other diseases of respiratory system—104-106,110-114	18	2	3	2	1	3	3	-	1	2	-	1	-
Diseases of buccal cavity, etc.*—115	3	-	-	-	-	1	-	-	1	-	1	-	-
Diseases of stomach—117,118	2	-	-	-	-	1	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	96	5	6	9	9	6	11	10	9	11	9	5	6
Hernia—122a	4	-	2	1	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	22	1	2	-	1	-	2	4	-	3	2	3	4
Peritonitis (cause not stated)—129	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	-	-	1	-	-	1	-	-	1	1	-	-
Diseases, genito-urinary system—130,131,133-139	9	1	1	-	2	-	1	-	3	-	-	1	-
Diseases of skin and cellular tissue—151-153	6	-	-	-	1	1	1	1	1	-	-	-	1
Congenital malformations—157	293	18	33	24	27	18	21	27	28	22	22	30	23
Congenital debility—158	32	4	3	-	5	2	3	1	1	6	4	1	2
Premature birth—159	659	68	43	55	52	68	50	64	57	47	51	51	53
Injury at birth—160	248	26	25	15	27	28	19	16	20	16	19	18	21
Other diseases peculiar to first year—161	138	9	5	16	11	11	12	8	15	13	7	18	13
Accidental mechanical suffocation—182	15	-	2	-	1	2	1	2	-	2	3	1	1
Other violence or accident—166-181,183-195	31	4	1	5	3	3	1	1	4	3	2	3	1
Ill-defined and unknown causes—199,200	10	1	-	-	-	2	1	-	-	2	2	-	2
All other causes*	15	1	-	-	2	2	-	-	1	1	1	3	4

* Refer to complete International List titles, table XI.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—All causes	234	19	15	15	22	23	16	22	13	16	16	19	38
Cerebrospinal (meningococcus) meningitis—6	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	-	-	-	1	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	1	-	-	-	-	-
Influenza—33	5	-	-	-	-	-	-	-	-	-	-	-	5
Measles—35	2	-	-	1	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	3	-	-	-	2	-	-	-	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	1	-	-	-	-	1	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—85	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	1	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	37	3	2	3	2	1	4	1	-	1	1	4	15
Other diseases of respiratory system—104-106,110-114	8	1	1	1	1	-	-	-	-	1	-	1	2
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	18	1	1	-	3	-	-	2	3	1	2	3	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	1	-	2	-	-	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	2	-	-	-	-	-	-	-	-
Congenital malformations—157	30	3	2	1	3	5	1	3	4	2	-	2	4
Congenital debility—158	4	-	-	-	-	-	-	1	-	-	1	1	1
Premature birth—159	68	7	5	6	3	9	7	8	2	8	7	2	4
Injury at birth—160	16	1	1	1	1	4	-	2	1	1	3	-	1
Other diseases peculiar to first year—161	10	-	1	1	2	-	1	3	-	-	-	2	-
Accidental mechanical suffocation—182	2	-	-	-	2	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	7	1	1	-	-	-	-	1	1	1	-	1	1
Ill-defined and unknown causes—199,200	2	1	-	-	-	1	-	-	-	-	-	-	-
All other causes*—	1	-	-	-	-	-	-	-	-	-	-	-	1

*Refer to complete International List titles, table XI.

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA	3,864	1,096	246	185	316	206	136	126	2,311	340	231	179	176	126	102	99	82	81	61	78
January	496	98	32	19	44	28	19	23	263	58	35	37	31	19	13	9	9	11	3	8
February	416	93	23	24	44	25	11	19	239	40	36	23	21	10	7	7	10	10	5	8
March	371	88	30	24	34	10	24	14	224	31	27	19	11	16	6	15	4	6	7	5
April	303	95	23	18	26	18	16	8	204	22	17	8	4	6	6	8	7	10	5	6
May	277	86	20	16	29	13	8	9	181	23	15	9	11	9	9	7	3	5	3	2
June	266	99	15	10	25	13	4	8	174	15	10	12	6	8	8	6	7	8	6	6
July	355	119	11	8	25	22	4	3	192	26	18	16	28	16	13	11	9	7	9	10
August	300	82	22	15	20	17	6	10	172	28	17	7	18	14	7	10	6	4	5	12
September	237	70	19	10	12	21	9	5	146	21	16	11	10	2	5	9	5	3	4	5
October	276	101	15	14	15	13	11	10	179	22	13	6	10	8	8	4	8	7	5	6
November	274	68	19	14	26	14	12	8	161	27	14	13	8	9	12	9	8	6	5	2
December	293	97	17	13	16	12	12	9	176	27	13	18	18	9	8	4	6	4	4	6
ARIZONA	991	191	39	29	58	39	33	30	419	87	73	82	56	55	41	53	48	28	26	23
January	78	11	3	3	4	5	2	2	30	9	3	9	9	2	1	6	3	2	2	2
February	71	13	2	4	6	3	3	3	34	4	5	4	6	5	1	4	2	3	2	1
March	80	14	2	1	4	6	1	3	31	7	4	5	4	5	4	7	8	2	-	3
April	73	12	8	2	2	2	5	4	35	3	6	7	5	7	-	4	1	3	2	-
May	106	21	5	2	5	5	1	3	42	5	12	7	7	9	6	4	3	3	5	3
June	74	15	4	2	3	-	3	1	28	9	8	5	3	4	5	3	1	2	2	4
July	88	15	4	5	8	3	1	1	37	6	7	6	5	4	5	4	6	2	4	2
August	71	22	2	4	6	3	3	-	40	3	3	5	3	5	2	2	3	1	1	3
September	54	12	3	2	6	1	1	1	26	2	4	6	-	3	3	2	3	3	1	1
October	80	15	2	1	6	2	3	4	33	7	7	6	4	4	3	4	7	3	2	-
November	100	21	4	1	6	4	5	3	44	11	3	10	4	4	6	7	5	2	2	2
December	116	20	-	2	2	5	5	5	39	21	11	12	6	3	5	6	6	2	3	2
ARKANSAS	1,752	387	122	63	115	106	63	45	901	144	132	105	91	66	74	58	42	53	45	41
January	171	29	9	9	12	19	4	4	86	13	17	10	11	9	8	5	4	1	5	2
February	170	31	13	9	12	10	9	6	90	16	16	9	10	7	7	4	3	1	4	3
March	153	23	15	5	13	7	5	7	75	14	14	11	3	7	7	8	2	6	3	3
April	133	40	11	4	10	10	4	3	82	8	7	12	8	3	2	3	3	1	2	2
May	122	36	11	6	8	9	5	3	78	9	4	7	9	4	2	1	3	2	1	2
June	117	36	9	7	9	4	3	1	69	6	2	7	5	5	5	1	2	2	9	4
July	177	26	8	4	9	8	4	3	62	13	11	14	7	9	12	10	10	14	8	7
August	156	39	15	7	9	9	7	1	87	9	8	7	7	5	5	4	4	6	8	6
September	134	35	9	2	9	4	4	4	67	8	12	9	4	4	5	7	7	4	1	6
October	128	28	9	2	5	8	4	4	60	14	13	5	7	8	9	6	-	4	2	-
November	133	29	7	4	9	7	4	6	66	16	11	8	10	-	5	7	1	5	1	3
December	158	35	6	4	10	11	10	3	79	18	17	6	10	5	7	2	3	7	1	3
CALIFORNIA	4,411	1,537	347	205	312	197	138	107	2,843	270	252	219	175	132	115	98	102	62	72	71
January	375	118	25	18	28	16	14	10	229	27	27	21	13	7	7	9	9	9	11	6
February	329	116	20	21	23	18	11	8	217	27	12	14	13	11	8	3	9	5	4	6
March	331	102	43	19	20	12	10	5	211	26	16	10	16	11	8	12	8	6	3	4
April	322	112	35	11	26	14	8	7	213	13	20	17	12	10	10	6	6	3	7	5
May	340	134	21	10	29	12	5	8	219	21	13	19	16	13	9	10	8	4	5	3
June	356	143	29	17	13	16	5	11	234	20	19	13	9	13	7	12	8	7	5	9
July	390	160	34	22	30	14	16	7	283	24	17	14	11	4	9	7	8	3	4	6
August	346	130	37	21	29	17	11	10	255	24	11	12	10	7	5	4	6	1	6	5
September	334	129	26	18	32	13	13	7	238	15	19	9	8	11	11	5	6	3	4	5
October	362	119	17	17	27	19	13	6	218	15	20	25	17	10	13	9	17	4	9	5
November	433	124	26	16	34	26	9	16	251	27	30	27	24	22	10	9	10	9	4	10
December	493	150	34	15	21	20	23	12	275	31	48	38	26	13	18	12	7	8	10	7
COLORADO	1,266	354	82	51	71	58	37	49	702	91	95	82	63	55	53	30	30	29	22	14
January	90	25	9	3	9	6	1	2	55	3	8	5	4	7	2	1	2	2	1	-
February	103	26	9	4	10	2	2	2	55	7	2	6	7	6	4	-	2	6	6	2
March	99	28	6	6	10	2	4	4	60	8	4	6	4	4	4	3	2	1	1	2
April	106	45	6	2	5	6	-	2	66	7	9	1	1	3	7	3	2	4	3	-
May	78	23	9	7	3	4	4	4	54	4	9	2	-	1	1	1	3	1	1	1
June	83	36	8	4	2	5	2	1	58	5	5	3	1	-	3	2	3	2	-	1
July	91	31	7	4	1	5	-	3	51	8	8	8	3	3	2	3	-	1	3	1
August	109	34	10	4	7	5	3	5	68	3	7	9	2	5	3	6	1	2	1	2
September	111	21	3	5	7	5	3	3	47	7	8	12	9	8	6	1	4	5	2	2
October	119	21	3	4	3	7	4	8	50	15	11	7	13	4	5	2	6	3	2	1
November	146	28	8	6	9	6	6	8	71	13	13	10	9	7	11	4	5	1	1	1
December	131	36	4	2	5	5	8	7	67	11	11	13	10	7	5	4	-	1	1	1
CONNECTICUT	858	333	70	61	70	45	24	26	629	50	27	34	30	18	22	15	16	4	5	8
January	90	29	9	4	7	1	4	3	57	5	4	8	5	4	1	3	2	1	-	-
February	66	25	5	3	3	3	5	1	45	5	3	4	2	2	-	1	2	-	-	2
March	80	27	11	3	9	6	1	3	60	3	3	2	3	1	2	1	1	1	2	1
April	68	28	3	8	6	2	-	3	50	6	1	3	3	-	4	-	-	-	-	1
May	74	34	7	4	4	3	2	2	56	1	4	1	1	1	1	1	2	1	2	3
June	79	22	8	8	9	7	5	2	61	3	-	5	3	2	3	1	1	-	-	-
July	81	35	3	4	8	2	-	4	56	7	3	2	2	5	2	2	1	-	-	1
August	65	37	1	7	4	4	2	3	58	1	-	-	-	1	4	-	1	-	-	-
September	56	17	5	4	5	6	3	1	41	2	3	1	4	-	1	2	2	-	-	-
October	60	25	5	4	5	3	-	1	43	4	3	2	2	1	2	-	2	1	-	-
November	74	28	6	9	5	7	1	2	58	7	1	2	2	-	1	1	2	-	-	-
December	65	26	7	3	5	1	1	1	44	6	2	4	3	1	1	3	-	-	1	-
DELAWARE	225	59	16	19	16	7	3	3	123	17	13	16	9	14	7	1	8	4	10	3
January	24	7	1	4	1	-	-	2	15	2	2	2	-	-	-	-	1	1	1	-
February	21	6	1	1	-	1	-	-	9	1	2	3	1	1	1	-	-	1	2	-
March	20	2	1	-	3	1	-	-	7	2	1	3	1	1	-	-	1	1	3	-
April	17	2	1	-	2	-	-	-	5	4	1	-	-	1	3	-	1	-	1	1
May	25	7	2	-	1	-	1	-	11	2	3	1	2	3	-	-	2	1	-	-
June	23	8	1	3	-	2	-	-	14	1	1	1	2	3	-	-	-	-	1	-
July	14	2	2	1	1	-	-	1	7	2	1	-	-	-	1	1	-	-	1	1
August	19	10	2	3	1	-	1	-	17	-	-	1	-	-	-	-	-	-	-	1
September	18	5	-	3	3	-	-	-	11	-	1	1	2	1	-	-	1	-	1	-
October	16	4	3	2	1	-	-	-	10	1	-	1	-	2	-	-	2	-	-	-
November	11	3	-	2	2	-	-	-	7	1	-	1	-	-	2	-	-	-	-	-
December	17	3	2	-	1	3	1	-	10	1	1	2	1	2	-	-	-	-	-	-

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DISTRICT OF COLUMBIA	719	229	56	35	54	56	35	40	505	47	49	36	12	20	15	8	11	5	6	5
January	72	18	3	5	6	8	3	4	47	6	6	3	1	2	1	2	-	-	2	2
February	51	17	4	4	3	3	3	6	40	2	4	-	-	-	4	-	-	-	-	1
March	52	18	1	3	4	5	4	2	37	4	1	2	1	3	1	-	1	1	1	-
April	53	11	7	1	3	3	6	4	35	3	6	1	1	3	1	-	2	-	1	-
May	63	25	5	4	5	6	2	2	49	6	1	2	2	1	-	-	1	1	-	-
June	49	20	8	1	5	2	-	3	39	1	2	3	-	2	1	-	-	-	1	-
July	54	20	9	2	3	3	2	2	41	3	3	2	1	-	-	1	2	-	1	-
August	53	19	5	1	5	9	3	1	43	1	6	-	-	1	1	-	1	-	-	-
September	69	26	6	4	5	-	2	6	49	8	5	2	1	1	2	-	1	-	-	-
October	69	16	2	2	3	5	5	5	38	3	7	12	2	3	-	1	1	1	-	1
November	68	18	5	3	4	4	3	4	41	7	4	6	2	3	2	1	1	-	-	1
December	66	21	1	5	8	8	2	1	46	3	4	3	1	1	2	3	1	2	-	-
FLORIDA	1,814	536	142	82	158	107	59	53	1,137	128	106	77	61	55	45	53	49	33	38	32
January	188	37	16	7	17	9	5	10	101	16	12	14	13	7	4	4	5	2	5	5
February	149	34	6	7	14	7	6	4	78	19	14	10	4	4	4	6	3	3	2	2
March	154	42	10	9	15	11	10	6	103	12	7	3	4	3	7	8	1	1	4	1
April	138	33	16	4	12	9	3	2	79	12	9	3	7	8	4	4	4	2	3	3
May	138	37	5	11	12	11	5	3	84	6	3	6	4	7	4	6	5	5	5	3
June	139	45	11	4	13	9	6	2	90	6	6	4	6	3	3	6	6	4	2	3
July	137	47	13	7	13	6	2	-	88	9	4	7	2	3	3	2	6	2	8	3
August	156	69	14	6	11	8	5	3	116	5	6	5	5	3	3	7	2	2	2	-
September	130	55	9	10	8	8	4	5	99	6	6	2	2	1	3	2	4	3	-	2
October	137	42	14	7	15	4	6	4	92	10	8	3	5	2	2	3	3	3	2	4
November	160	47	13	6	10	9	2	7	94	12	14	11	4	8	2	2	3	3	3	4
December	188	48	15	4	18	16	5	7	113	15	17	9	5	6	6	3	7	3	2	2
GEORGIA	3,761	964	276	181	350	242	153	116	2,282	294	242	194	146	128	96	105	74	78	59	63
January	421	86	29	18	35	23	19	8	218	51	39	29	23	18	6	12	9	4	5	7
February	372	71	28	24	44	29	14	13	223	33	21	30	17	10	9	9	4	10	3	3
March	341	85	28	18	35	22	11	10	209	31	23	20	13	10	9	7	5	4	6	4
April	258	88	17	13	23	18	10	11	180	15	10	11	6	5	4	10	2	6	4	5
May	267	79	17	20	30	15	9	9	179	17	20	7	5	8	5	4	7	2	5	8
June	310	90	26	14	19	20	12	8	189	19	14	8	17	8	12	7	13	9	8	6
July	355	93	24	8	24	13	12	9	183	21	21	22	16	22	17	18	10	11	7	7
August	306	65	24	16	27	19	10	10	171	19	19	15	14	7	13	11	10	15	7	5
September	275	88	19	10	33	19	9	5	183	19	16	9	8	8	6	5	4	6	3	8
October	298	79	22	13	34	30	16	8	202	23	14	15	9	6	4	6	5	5	7	2
November	249	63	17	10	21	11	10	15	147	18	21	13	7	15	7	8	2	2	3	6
December	309	77	25	17	25	23	21	10	198	28	24	15	11	11	4	8	3	4	1	2
IDAHO	495	179	44	19	32	19	11	9	313	32	31	28	26	18	7	14	4	7	7	8
January	29	10	2	2	5	1	1	-	21	2	1	1	3	1	-	-	-	-	-	-
February	40	17	3	2	1	2	1	1	27	2	4	1	1	-	-	1	1	1	1	1
March	44	18	3	3	1	-	1	1	27	4	1	3	4	2	1	1	-	1	-	-
April	40	13	5	1	3	1	-	-	23	4	4	-	-	3	-	1	1	1	-	3
May	32	16	2	-	1	3	-	1	23	3	3	3	-	-	-	-	-	-	-	-
June	32	12	4	1	-	1	3	1	22	1	4	-	1	-	1	1	1	-	-	1
July	41	20	5	3	5	1	1	-	35	2	-	1	1	-	-	1	-	-	1	-
August	43	21	11	1	1	-	-	-	34	2	2	1	3	-	1	-	-	-	-	-
September	46	10	2	-	5	3	-	2	22	3	4	3	3	3	2	3	-	2	-	1
October	48	19	3	2	2	1	1	-	28	3	3	4	2	1	1	1	1	1	2	1
November	55	14	3	1	3	4	2	1	28	4	1	6	3	5	1	3	-	1	2	1
December	45	9	1	3	5	2	1	2	23	2	4	5	5	3	-	2	-	-	1	-
ILLINOIS	4,343	1,571	364	257	339	208	119	106	2,964	277	203	180	153	107	98	93	81	79	59	49
January	378	129	22	20	25	29	12	8	245	22	23	17	9	11	12	7	10	11	5	6
February	387	112	39	21	37	21	10	7	247	20	21	21	15	9	13	11	11	11	5	3
March	398	113	29	23	32	31	16	11	255	28	21	14	19	11	13	12	4	6	8	7
April	351	122	33	14	29	9	9	11	227	28	21	18	9	5	5	10	10	8	6	4
May	325	112	28	31	33	10	2	5	221	18	21	18	8	8	7	3	1	10	5	5
June	317	135	32	22	18	16	5	6	234	13	13	8	12	8	5	8	5	3	5	3
July	377	178	32	20	26	15	10	5	286	15	12	10	12	6	9	7	6	4	6	4
August	372	153	41	24	35	14	9	19	295	15	10	6	10	4	10	3	5	5	6	3
September	323	139	26	19	20	17	9	4	234	22	9	12	7	10	3	7	7	7	3	2
October	303	120	20	18	19	18	10	7	212	23	10	10	11	6	6	5	10	3	4	3
November	359	125	26	18	23	15	12	10	229	36	17	18	16	11	9	8	6	3	1	5
December	453	133	36	27	42	13	15	13	279	37	25	28	25	18	6	12	6	8	5	4
INDIANA	2,596	751	204	161	213	112	108	79	1,628	200	143	121	93	91	70	61	60	42	50	37
January	234	52	23	15	25	10	8	7	140	14	17	11	9	8	7	4	9	7	2	6
February	208	45	19	10	22	9	9	5	119	18	11	12	15	7	9	4	4	3	5	1
March	238	77	13	15	15	6	12	5	143	16	16	14	11	9	4	6	6	2	8	3
April	232	63	15	16	19	11	12	10	146	24	9	12	5	5	6	3	8	5	6	3
May	217	71	18	12	15	7	15	7	145	19	8	9	9	5	4	7	3	2	3	3
June	209	59	24	13	22	10	5	5	138	16	16	4	2	6	6	3	7	5	3	3
July	172	63	13	6	12	11	2	4	111	16	8	9	4	4	7	3	2	2	4	2
August	183	72	11	16	12	10	2	3	126	11	11	6	2	6	3	3	5	3	3	4
September	183	56	13	11	19	12	10	8	129	12	6	6	5	6	5	8	1	2	2	1
October	197	66	18	11	12	4	5	5	121	15	10	6	9	11	7	3	6	3	2	4
November	217	58	15	22	22	9	12	7	145	15	12	5	6	11	2	8	1	2	5	5
December	306	69	22	14	18	13	16	13	165	24	19	27	16	13	10	9	8	6	7	2
IOWA	1,670	614	118	96	140	74	48	52	1,142	99	79	97	58	38	43	40	32	14	19	9
January	172	61	7	10	10	11	4	5	108	9	7	13	8	6	4	7	5	3	1	1
February	156	52	10	6	17	5	4	5	99	8	8	10	4	3	4	7	8	-	5	-
March	136	48	12	10	15	6	3	5	97	10	9	3	5	2	6	1	2	-	1	-
April	130	58	9	7	8	3	6	2	93	8	9	5	4	2	3	2	1	-	2	1
May	153	45	13	8	6	6	4	9	91	11	4	11	3	1	1	3	3	2	2	1
June	132	56	10	10	10	3	4	2	95	9	4	3	7	5	2	4	1	-	2	-
July	118	57	6	10	13	1	-	4	91	5	-	7	5	-	4	1	3	-	1	1
August	103	38	8	5	12	3	3	3	72	6	8	3	3	2	1	1	2	1	2	2
September	143	60	7	7	15	11	4	4	108	6	-	9	3	6	4	2	2	2	-	1
October	131	46	10	12	14	7	5	4	98	4	8	10	2	1	4	2	-	1	-	1
November	143	51	11	5	10	6	6	5	94	14	11	6	4	4	1	2	1	3	3	-
December	173	44	15	6	10	12	5	4	96	9	11	17	10	6	9	8	4	2	-	1

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS	1,093	378	71	52	91	45	22	32	691	77	70	58	39	32	35	13	24	22	17	15
January	121	42	12	5	8	5	2	8	82	5	8	8	4	2	2	2	4	1	2	1
February	89	29	4	9	8	2	1	3	56	4	6	7	3	3	2	-	1	5	1	1
March	93	24	4	5	10	5	-	-	48	7	8	5	3	3	2	3	6	3	2	3
April	78	17	6	6	11	2	3	3	48	5	5	2	2	3	6	2	2	1	-	2
May	93	40	6	2	6	4	4	1	63	10	4	3	3	3	3	1	-	1	2	-
June	78	36	3	1	6	4	2	2	54	4	4	3	5	2	-	-	2	1	3	-
July	81	39	5	1	6	4	-	-	55	5	3	2	3	3	3	1	1	2	3	-
August	89	40	4	7	8	4	4	-	67	8	3	1	1	1	4	1	-	1	-	2
September	96	35	7	6	7	3	-	3	61	6	5	8	5	1	4	-	2	1	1	2
October	67	17	6	3	6	2	2	2	38	4	6	5	2	1	2	-	2	5	1	1
November	101	31	10	3	7	5	2	6	64	7	8	7	5	4	3	-	1	-	1	1
December	107	28	4	4	8	5	2	4	55	12	10	7	3	6	4	3	3	1	1	2
KENTUCKY	3,358	700	436	161	267	204	145	134	2,047	300	194	125	142	115	105	95	66	61	51	57
January	347	65	35	13	39	22	25	20	219	30	15	15	17	14	5	8	10	7	5	2
February	335	74	21	14	33	22	12	10	186	38	19	9	11	13	17	11	5	5	10	11
March	320	90	28	15	34	20	12	12	211	29	13	10	10	7	7	11	5	7	6	4
April	247	73	26	11	27	16	13	9	175	18	12	8	7	3	2	11	6	4	-	1
May	226	71	25	17	14	13	11	8	159	18	14	11	7	3	4	3	2	2	-	3
June	191	72	21	9	15	7	4	9	137	12	12	7	5	1	5	3	-	5	2	2
July	219	75	32	8	18	11	6	6	156	11	10	6	6	8	5	3	2	4	4	4
August	251	48	37	15	10	18	11	6	145	22	12	8	14	11	11	10	8	4	2	4
September	305	24	66	16	14	21	6	13	160	25	19	18	16	18	11	10	5	5	10	8
October	307	31	48	11	15	15	13	12	145	36	23	12	18	14	13	12	12	6	3	13
November	298	36	52	15	25	28	13	15	184	21	15	9	18	13	13	7	6	6	5	1
December	312	41	45	17	23	11	19	14	170	40	30	12	13	10	12	6	5	6	4	4
LOUISIANA	3,271	795	205	122	236	224	169	118	1,869	267	238	204	150	142	98	87	67	60	39	50
January	355	55	11	11	22	42	23	19	183	37	20	25	27	19	8	8	7	6	6	9
February	311	70	23	8	30	24	18	10	183	22	20	20	16	12	11	8	10	4	2	3
March	252	61	9	15	19	18	9	4	135	24	21	13	12	13	11	9	7	3	2	2
April	236	74	14	7	18	11	5	8	137	14	20	11	9	8	4	12	7	8	3	3
May	220	72	12	7	7	11	13	4	126	17	17	19	9	9	7	5	3	6	1	1
June	224	57	16	6	12	11	11	3	116	16	19	15	10	10	9	7	5	8	3	6
July	276	69	16	14	28	14	14	14	169	18	15	15	7	11	9	8	11	6	3	4
August	282	72	27	12	29	24	10	9	183	20	14	11	15	12	9	4	1	4	4	5
September	233	67	22	11	14	14	11	6	145	21	16	12	7	7	4	7	4	8	2	2
October	264	67	16	10	20	15	14	12	154	24	24	19	5	14	5	5	4	2	3	5
November	302	61	19	8	19	16	20	19	162	26	26	23	22	12	10	5	3	4	4	5
December	316	70	20	13	18	24	21	10	176	28	26	21	11	15	11	9	5	3	6	5
MAINE	809	233	70	46	84	44	22	24	523	55	46	40	38	25	15	12	14	21	11	9
January	82	16	8	5	10	2	-	-	41	11	4	6	3	3	4	3	3	2	1	1
February	54	10	6	3	4	2	4	1	30	2	8	1	1	2	1	-	1	2	3	3
March	82	26	6	5	10	4	-	2	53	4	5	5	3	5	1	1	-	2	1	2
April	72	29	7	7	7	4	1	1	56	3	2	1	1	1	4	1	-	2	1	-
May	74	27	7	7	9	7	2	1	60	3	2	4	1	1	-	-	2	1	-	-
June	69	25	8	2	8	4	-	2	49	4	2	2	3	-	1	2	3	1	2	-
July	64	23	4	5	8	2	3	2	47	4	2	2	2	-	3	1	-	1	1	1
August	53	14	5	3	6	2	4	1	35	3	3	2	4	2	-	1	1	2	-	-
September	41	12	4	2	5	3	1	2	29	1	2	2	4	-	-	-	-	2	1	-
October	59	14	5	3	5	5	3	3	38	4	4	2	5	2	-	1	-	2	-	1
November	80	20	3	1	6	5	4	4	43	7	7	5	4	6	1	1	2	2	1	1
December	79	17	7	3	6	4	-	5	42	9	5	8	7	3	-	1	2	2	-	-
MARYLAND	1,499	432	108	54	108	60	50	60	872	115	109	63	67	62	59	47	30	18	30	27
January	164	41	10	10	11	7	4	5	88	10	12	12	7	6	7	6	4	3	5	4
February	140	39	9	3	10	5	5	7	78	15	9	3	5	3	10	6	4	1	4	2
March	140	35	9	4	11	9	6	5	79	11	10	5	7	6	3	6	5	3	3	2
April	124	36	12	6	6	3	2	1	66	12	8	7	3	7	4	5	2	2	6	2
May	104	35	8	5	10	5	6	3	72	4	4	3	6	2	3	2	4	1	3	-
June	103	36	12	5	6	6	5	2	72	6	6	2	5	2	5	2	1	-	1	1
July	105	34	8	5	11	3	3	4	68	10	8	1	3	7	1	2	4	-	-	1
August	112	50	7	3	6	6	1	3	76	9	7	3	5	4	1	5	-	1	-	1
September	116	30	10	2	8	4	1	8	63	7	9	7	8	3	8	4	1	1	2	3
October	139	37	10	5	10	4	3	11	80	14	10	5	3	12	6	2	1	2	2	2
November	129	28	8	4	14	3	13	5	75	5	13	5	7	4	5	3	3	2	1	6
December	123	31	5	2	5	5	1	6	55	12	13	10	8	6	6	4	1	2	3	3
MASSACHUSETTS	2,478	823	230	130	207	110	92	79	1,671	158	134	102	72	67	69	48	43	36	40	38
January	186	72	13	8	17	11	6	4	131	9	9	6	9	6	4	1	2	3	2	4
February	243	79	19	13	24	11	9	1	156	11	16	10	10	4	9	7	7	3	5	5
March	186	68	17	9	11	9	8	8	130	9	8	9	1	7	6	2	4	2	4	4
April	201	60	23	11	13	6	4	3	120	14	12	10	4	9	6	5	6	4	8	3
May	192	59	17	13	14	10	9	7	129	14	11	9	8	1	4	2	4	4	5	1
June	204	81	17	15	19	5	5	4	146	13	14	4	3	3	5	4	2	4	4	2
July	191	71	23	11	18	11	6	4	144	8	10	2	2	3	4	7	3	4	1	3
August	163	66	23	7	16	3	3	4	122	9	9	4	5	5	2	2	-	3	1	1
September	211	64	23	11	15	7	9	16	145	13	6	11	12	3	5	3	8	3	2	2
October	250	70	23	13	23	15	10	15	169	17	15	13	4	10	5	6	3	1	3	4
November	230	65	15	12	19	8	13	5	137	29	10	13	7	8	7	6	1	2	4	6
December	221	68	17	7	18	14	10	8	142	12	14	11	7	8	12	3	5	3	1	3
MICHIGAN	4,033	1,255	349	223	320	214	156	112	2,629	261	254	179	150	107	117	91	79	63	55	48
January	418	126	27	23	32	22	19	15	264	26	26	17	18	14	14	8	9	5	7	10
February	358	104	23	21	39	22	22	7	238	28	23	10	13	12	8	5	10	8	2	1
March	324	109	26	10	32	14	14	12	217	23	19	12	14	11	9	8	2	4	4	1
April	324	97	27	21	24	18	15	8	210	17	22	20	8	6	15	6	6	4	2	8
May	336	97	37	19	34	21	17	11	236	20	17	10	8	7	4	14	7	5	5	3
June	311	100	28	19	24	13	15	11	210	16	24	10	10	14	5	4	7	2	5	4
July	324	121	34	21	28	14	13	5	236	20	16	9	7	7	10	3	4	2	7	3
August	297	109	25	21	25	20	6	4	210	18	12	9	10	4	11	9	5	3	2	4
September	291	96	31	26	23	11	8	7	202	21	15	7	11	6	5	6	4	6	2	6
October	301	95	34	15	11	19	8	7	189	16	21	11	12	7	16	12	2	7	5	3
November	351	96	34	14	20	19	9	12	204	27	29	29	17	11	10	4	8	8	3	1
December	398	105	23	13	28	21	10	13	213	29	30	35	22	8	10	12	15	9	11	4

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA	1,769	715	137	88	145	72	36	51	1,244	118	104	66	51	37	37	27	27	20	25	13
January	172	63	11	6	14	6	7	2	109	9	15	8	8	5	2	2	1	4	5	4
February	126	56	10	6	11	4	1	4	92	13	3	2	2	2	1	3	2	4	1	1
March	186	71	18	14	12	7	3	1	126	14	10	8	5	2	3	3	5	1	7	2
April	162	58	13	2	20	9	2	9	113	9	9	5	3	4	7	2	4	3	1	2
May	150	62	9	5	14	10	3	4	107	11	9	6	4	2	4	2	2	1	2	-
June	123	61	9	5	11	5	3	3	97	5	8	6	1	2	-	2	1	-	1	-
July	135	59	12	13	11	4	4	2	105	8	6	4	2	2	3	2	2	1	-	-
August	121	55	8	9	8	4	2	4	90	6	5	2	3	3	5	4	-	1	2	-
September	134	57	12	9	12	2	1	1	94	10	8	5	5	1	6	1	3	-	1	-
October	146	53	10	6	15	8	3	10	105	11	8	1	9	2	3	2	2	1	1	1
November	135	56	8	2	5	6	3	5	85	11	11	10	2	5	1	2	2	3	2	1
December	179	64	17	11	12	7	4	6	121	11	12	9	7	7	2	2	3	1	2	2
MISSISSIPPI	2,854	729	195	138	218	153	84	95	1,612	231	186	139	133	100	95	97	78	65	59	59
January	308	63	17	16	16	20	14	9	155	28	22	22	19	13	11	14	11	3	6	4
February	273	66	22	21	27	13	8	13	170	27	15	15	12	8	10	3	5	2	5	1
March	271	52	23	17	30	20	7	9	158	17	27	12	13	5	12	8	9	2	1	7
April	239	72	11	13	16	12	6	12	142	14	16	11	8	7	13	7	9	6	4	2
May	204	70	11	10	13	7	5	6	122	14	17	6	4	2	5	8	8	9	3	6
June	223	64	17	7	19	12	8	7	134	9	15	10	7	5	8	4	8	9	8	6
July	261	61	13	8	20	14	6	2	124	19	14	15	19	15	10	9	8	6	11	11
August	215	59	20	6	19	11	3	5	123	14	7	7	13	9	7	13	5	5	6	6
September	176	53	12	9	15	7	4	9	109	16	6	7	9	6	2	7	5	4	2	3
October	202	50	16	9	15	9	10	5	114	21	13	9	9	10	7	7	3	4	3	2
November	223	56	13	10	12	14	3	7	115	24	19	13	10	10	5	5	3	11	4	4
December	259	63	20	12	16	14	10	11	146	28	15	12	10	10	5	12	4	4	6	7
MISSOURI	2,913	875	174	109	199	189	87	107	1,740	212	191	129	115	118	80	79	78	64	53	54
January	251	43	21	13	21	12	6	13	129	20	21	12	13	9	5	11	8	5	6	12
February	272	79	12	14	22	15	9	9	160	17	16	11	12	12	10	9	8	9	3	5
March	260	84	15	9	18	22	7	8	163	27	17	5	7	7	8	5	4	8	5	4
April	205	59	14	9	20	13	4	5	124	16	13	8	7	9	2	9	6	5	3	3
May	212	82	12	7	15	14	7	7	144	16	10	5	9	2	3	4	6	4	3	6
June	187	87	11	7	10	12	6	7	140	8	6	13	3	2	3	2	4	3	2	1
July	246	81	18	6	18	17	2	10	152	10	12	7	13	16	11	3	11	4	4	3
August	242	90	15	4	18	11	9	10	157	15	11	10	9	8	7	9	3	4	8	1
September	253	80	18	11	11	16	9	4	149	9	19	14	10	14	10	7	8	6	2	5
October	257	80	15	12	17	12	13	11	160	22	14	8	9	10	6	8	3	9	4	4
November	237	58	10	6	10	23	1	8	116	19	24	14	15	14	4	4	10	5	6	6
December	291	52	13	11	19	22	14	15	146	33	28	22	8	15	11	8	7	2	7	4
MONTANA	551	185	29	28	44	24	15	17	343	39	32	28	14	19	15	9	7	12	6	7
January	33	11	3	2	3	1	-	1	21	2	3	2	-	1	1	-	1	1	-	1
February	36	12	1	2	4	2	2	2	25	2	3	2	-	2	-	-	2	-	-	-
March	46	21	1	2	6	-	1	-	31	4	1	1	2	4	-	2	-	-	-	1
April	42	15	-	6	4	1	2	1	29	5	3	1	-	-	2	1	-	1	-	-
May	45	16	3	4	1	1	2	1	28	4	1	2	1	2	2	2	-	2	1	-
June	33	15	-	-	2	4	1	1	23	3	2	2	1	-	-	1	-	1	-	-
July	48	22	4	3	3	1	2	2	37	3	-	-	-	1	1	1	1	3	-	1
August	37	14	3	-	6	2	-	-	25	3	1	2	1	1	1	1	-	2	-	-
September	55	16	6	3	6	3	2	1	37	1	2	5	-	3	1	1	2	-	1	2
October	52	15	2	5	4	3	-	5	34	2	7	3	2	1	2	-	-	-	1	-
November	44	9	2	1	1	1	2	1	17	6	2	6	5	3	2	-	-	1	1	1
December	60	19	4	1	4	5	1	2	36	4	7	2	2	1	3	-	1	1	2	1
NEBRASKA	792	284	67	50	62	37	19	14	533	50	38	27	34	38	20	10	11	8	14	9
January	73	16	7	6	3	2	3	2	39	9	6	6	4	2	1	-	1	1	2	2
February	62	23	7	6	3	4	2	-	45	2	3	1	1	4	3	-	-	1	2	-
March	77	16	6	6	10	3	-	1	42	5	5	6	2	5	3	2	2	3	2	-
April	84	35	7	2	4	3	1	3	55	7	5	4	3	3	1	1	1	1	2	1
May	49	23	2	2	6	5	-	-	38	-	1	-	2	2	-	-	-	1	2	3
June	60	25	7	3	4	2	2	-	43	3	1	1	4	2	3	3	-	-	-	-
July	58	25	3	4	4	5	3	-	44	3	1	1	2	4	-	-	2	1	-	-
August	54	24	5	2	10	-	2	3	46	1	2	-	1	1	1	1	-	-	-	1
September	61	28	6	5	1	2	2	3	47	4	3	-	3	2	1	-	-	-	1	-
October	86	29	9	9	8	3	-	-	58	4	2	3	5	5	3	2	2	-	1	1
November	47	16	3	2	2	3	2	1	29	5	4	1	2	2	2	-	1	-	1	-
December	81	24	5	3	7	5	2	1	47	7	5	4	5	6	2	1	2	-	1	1
NEVADA	107	37	11	4	8	2	-	1	63	4	6	6	8	11	5	-	1	2	1	-
January	13	6	1	-	-	-	-	1	8	-	-	2	1	-	1	-	-	1	-	-
February	6	3	-	1	-	-	-	-	4	-	-	-	-	-	1	-	-	-	1	-
March	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
April	8	3	-	-	1	1	-	-	5	1	1	-	-	1	-	-	-	-	-	-
May	5	1	2	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-
June	15	5	1	-	-	-	-	-	6	-	-	2	-	5	-	-	1	1	-	-
July	8	2	2	1	2	-	-	-	7	-	-	-	1	-	-	-	-	-	-	-
August	18	9	2	-	-	1	-	-	12	1	2	-	2	1	-	-	-	-	-	-
September	4	1	-	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
October	6	-	-	1	1	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-
November	12	3	2	-	3	-	-	-	8	-	1	1	2	-	-	-	-	-	-	-
December	11	3	1	-	1	-	-	-	5	2	1	-	1	-	2	-	-	-	-	-
NEW HAMPSHIRE	340	112	28	21	16	18	4	8	207	36	21	19	13	5	10	8	13	2	3	3
January	35	6	4	1	3	4	1	1	20	4	5	4	-	-	-	-	2	-	-	-
February	26	9	1	1	2	1	-	4	18	2	1	2	-	-	1	1	1	-	-	-
March	45	10	8	4	2	2	2	1	29	4	1	2	-	1	1	-	3	1	1	2
April	21	11	2	1	1	-	-	-	15	2	-	1	1	-	-	-	2	-	-	-
May	33	13	1	2	1	-	-	-	17	4	2	1	-	1	-	5	3	-	-	-
June	15	9	-	2	-	1	-	-	12	1	-	1	1	-	-	-	-	-	-	-
July	23	11	2	-	2	-	-	-	15	1	1	1	1	-	-	1	-	1	2	-
August	23	9	1	4	-	3	1	-	18	3	1	-	1	-	-	-	-	-	-	-
September	25	8	1	3	-	1	-	1	14	5	3	2	-	-	1	-	-	-	-	-
October	27	8	3	-	1	1	-	-	13	2	3	1	3	-	2	1	1	-	-	1
November	29	4	3	1	3	2	-	1	14	3	2	2	3	2	3	-	-	-	-	-
December	38	14	2	2	1	3	-	-	22	5	2	2	3	1	2	-	1	-	-	-

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY	2,086	724	181	124	176	87	66	60	1,418	130	102	99	73	60	44	42	34	32	24	28
January	192	54	16	10	15	7	4	3	109	17	7	12	7	9	8	4	5	8	2	4
February	174	50	18	4	15	10	5	2	104	10	7	13	8	3	7	7	5	5	3	2
March	199	56	13	17	21	7	11	6	131	14	20	8	5	4	3	5	1	2	2	4
April	181	60	14	12	15	6	4	6	117	14	7	8	8	6	5	3	3	2	4	4
May	205	78	14	12	11	5	8	11	139	14	14	10	7	7	4	4	2	2	1	1
June	140	44	17	8	13	2	4	4	92	6	7	5	6	5	1	5	2	2	4	5
July	173	62	18	14	25	9	6	-	134	7	3	7	6	1	1	4	3	3	2	2
August	152	61	18	11	11	8	4	5	118	6	9	5	5	4	-	-	1	1	1	2
September	155	72	10	9	11	8	7	8	125	8	3	3	3	4	3	1	2	2	1	-
October	171	73	16	12	12	6	5	6	130	8	8	6	5	5	3	2	2	2	-	-
November	169	61	12	12	10	9	3	5	112	13	6	8	7	8	4	3	6	-	-	2
December	175	53	15	3	17	10	5	4	107	13	11	14	6	4	5	4	2	3	4	2
NEW MEXICO	1,468	285	53	44	74	63	53	42	614	128	107	120	123	76	74	68	51	57	32	18
January	109	28	4	6	6	4	1	5	54	6	2	16	6	6	3	7	4	2	3	-
February	90	22	7	5	4	4	5	3	50	8	2	5	6	8	5	1	1	2	-	2
March	109	26	4	3	3	5	5	1	47	11	10	9	6	5	3	2	4	6	2	4
April	95	25	5	1	8	6	3	5	53	11	5	3	10	2	6	-	1	2	1	1
May	97	29	7	4	12	5	4	2	63	6	2	6	7	5	1	4	-	3	-	-
June	97	24	7	5	6	7	3	4	56	6	4	3	5	3	3	5	4	5	2	1
July	140	21	2	5	5	11	5	2	51	14	11	12	10	10	6	4	7	8	6	1
August	186	21	4	1	10	4	4	1	45	13	21	22	19	14	10	14	11	10	3	4
September	164	20	3	1	3	3	6	3	39	15	17	17	23	9	11	9	8	10	4	2
October	123	16	5	3	3	6	7	8	48	13	16	9	9	2	8	5	6	2	3	2
November	118	27	2	6	7	3	6	2	53	12	5	8	11	6	7	7	3	1	4	1
December	140	26	3	4	7	5	4	6	55	13	12	10	11	6	11	10	2	6	4	-
NEW YORK	7,322	2,741	624	363	559	340	188	195	5,010	514	410	290	221	163	171	142	116	105	88	92
January	674	220	49	29	54	29	20	23	424	38	51	30	21	26	21	13	14	14	11	11
February	570	200	44	31	42	29	16	15	377	36	42	22	26	14	10	14	10	4	10	5
March	583	197	48	23	34	31	15	20	368	45	41	26	19	14	20	16	8	7	11	8
April	637	220	41	41	39	32	10	9	392	48	40	27	29	20	19	17	14	13	6	12
May	622	230	51	39	47	31	10	15	423	42	31	20	18	14	19	14	12	13	8	8
June	649	277	58	25	53	25	27	16	481	52	19	24	13	9	10	12	11	6	5	7
July	600	255	61	28	60	23	16	16	459	41	18	21	12	7	7	8	9	7	7	4
August	537	221	55	36	46	28	14	14	414	31	26	18	10	7	8	5	6	6	2	4
September	573	224	66	29	47	25	18	17	426	40	27	18	17	5	8	7	6	7	5	7
October	612	253	49	30	40	30	11	17	430	39	38	29	12	12	15	9	9	6	9	4
November	636	223	45	30	59	33	18	17	425	49	40	22	18	17	19	8	9	9	8	12
December	629	221	57	22	38	24	13	16	391	53	37	33	26	18	15	19	8	13	6	10
NORTH CAROLINA	4,629	1,209	319	222	353	258	183	144	2,688	384	290	269	205	156	147	111	113	101	88	77
January	472	94	23	30	42	25	18	14	246	42	29	38	26	17	13	11	22	12	7	9
February	440	105	19	21	38	27	20	12	242	41	36	30	26	14	12	8	10	8	7	6
March	487	106	24	21	42	35	23	26	277	48	32	29	20	14	19	16	9	10	6	7
April	397	112	36	23	31	21	15	21	259	25	21	12	16	10	12	6	10	7	11	8
May	320	110	28	8	20	20	15	7	208	34	10	16	7	8	9	6	3	10	6	3
June	335	103	30	12	15	11	18	9	198	26	18	10	14	8	12	12	14	9	11	3
July	341	92	32	14	26	25	6	5	200	15	28	17	11	17	14	9	4	11	10	5
August	365	95	26	20	26	22	13	9	211	30	20	21	10	18	10	11	7	7	8	12
September	356	104	29	19	31	17	7	10	217	24	20	23	19	7	10	9	7	7	6	7
October	349	101	19	21	28	17	13	6	205	28	26	24	14	11	11	4	9	5	8	4
November	360	86	28	21	25	16	17	10	203	25	25	28	20	19	9	6	9	6	3	7
December	407	101	25	12	29	22	18	15	222	46	25	21	22	13	16	13	9	9	5	6
NORTH DAKOTA	603	210	43	22	41	24	29	20	389	43	36	28	30	18	14	12	7	9	11	6
January	59	23	4	1	4	3	2	1	38	4	3	1	3	1	3	1	1	2	2	-
February	32	17	2	1	-	1	-	-	21	2	2	2	1	1	-	-	-	-	3	-
March	47	15	4	3	1	-	2	-	25	2	2	3	1	4	1	3	2	2	1	1
April	60	23	3	1	8	3	6	2	46	-	6	3	-	-	2	-	2	-	-	1
May	54	23	1	2	3	2	2	4	37	6	4	2	-	-	-	5	-	-	-	-
June	46	24	5	1	2	1	2	-	35	2	1	-	2	-	2	1	-	1	1	1
July	33	11	7	2	1	1	1	-	23	1	1	-	2	2	1	1	-	1	-	1
August	49	10	6	3	4	3	2	-	28	7	3	4	4	3	-	-	-	-	-	-
September	46	15	3	2	4	3	1	2	30	1	2	5	2	2	2	-	-	2	-	-
October	52	16	2	2	8	3	3	2	36	5	1	2	-	-	2	1	-	1	3	1
November	56	15	4	1	2	-	4	3	29	8	5	2	8	2	1	-	-	-	-	1
December	69	18	2	3	4	4	4	6	41	5	6	4	7	3	-	-	2	-	1	-
OHIO	4,759	1,557	345	262	357	256	171	143	3,091	356	253	207	162	138	127	109	108	79	68	63
January	483	133	28	37	40	28	19	13	298	39	18	30	24	19	10	10	11	8	8	8
February	348	103	21	19	36	24	14	8	225	25	21	10	9	10	8	9	12	9	7	3
March	436	114	33	27	51	30	24	11	290	30	29	9	13	13	15	12	5	5	10	5
April	382	141	33	25	20	19	24	12	274	19	21	12	10	8	4	10	9	6	4	5
May	374	125	28	19	42	20	5	15	254	20	22	16	10	5	8	7	11	10	3	8
June	341	165	28	13	13	18	10	11	258	16	19	8	3	4	5	6	11	5	4	2
July	368	145	30	18	25	13	12	14	257	37	10	11	6	11	15	4	5	1	4	7
August	344	158	28	21	27	14	7	11	266	19	10	10	8	4	7	5	2	7	2	4
September	373	122	26	17	34	21	14	13	247	16	22	10	16	10	11	12	12	6	5	6
October	405	116	34	21	22	22	16	10	241	37	19	26	17	11	19	12	6	3	8	6
November	454	113	29	24	22	18	12	15	233	51	36	34	28	21	13	8	10	12	3	5
December	451	122	27	21	25	29	14	10	248	47	26	31	18	22	12	14	12	7	10	4
OKLAHOMA	2,214	601	166	86	165	142	90	66	1,316	179	135	116	88	86	65	60	52	48	40	29
January	202	58	12	11	14	18	8	5	126	10	16	16	3	8	7	5	6	2	2	1
February	190	46	16	10	16	14	8	10	120	12	9	11	9	9	4	-	5	5	4	2
March	188	41	11	8	18	14	4	9	105	27	11	10	5	7	7	7	2	4	1	2
April	162	45	18	4	9	11	8	4	99	15	8	9	9	3	3	4	4	2	6	-
May	143	52	12	5	8	8	3	3	91	14	5	6	3	6	3	6	2	2	2	3
June	117	53	9	6	7	11	2	-	88	4	3	6	5	3	2	1	2	1	1	1
July	186	52	12	10	17	7	10	3	111	11	12	4	7	8	5	5	6	6	8	3
August	182	46	16	4	21	15	7	4	113	11	6	8	8	7	7	7	3	4	5	3
September	182	52	10	10	22	7	4	2	107	18	10	7	6	9	3	5	3	5	3	6
October	196	44	19	7	11	10	13	6	110	14	10	16	10	13	6	4	4	3	5	1
November	203	47	18	6	10	10	7	9	107	25	15	13	10	4	7	6	7	7	2	-
December	263	65	13	5	12	17	16	11	139	18	30	10	13	9	11	10	8	7	1	7

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OREGON	588	238	44	25	57	24	12	12	412	34	30	16	25	12	16	12	9	9	7	6
January	58	21	6	4	1	5	1	1	39	2	4	2	3	-	2	2	1	-	1	2
February	55	19	6	5	4	2	-	1	37	1	4	2	2	2	2	2	2	-	1	-
March	49	23	4	1	4	2	1	2	37	1	1	-	2	1	1	2	1	-	1	2
April	46	17	1	2	7	3	1	1	32	3	-	3	-	-	3	1	-	3	1	-
May	60	32	6	2	4	2	-	-	46	2	3	1	1	-	2	2	1	2	-	-
June	46	18	4	2	5	2	-	3	34	1	2	2	4	-	1	-	-	-	1	1
July	32	15	3	1	5	1	-	-	25	2	2	-	2	-	-	-	-	-	1	-
August	41	16	2	2	8	1	5	1	35	-	-	-	2	-	1	1	-	1	-	1
September	34	16	2	1	2	2	-	1	24	3	2	1	2	-	1	-	-	1	-	-
October	49	20	3	2	8	2	1	-	36	3	2	2	1	3	-	-	1	1	-	-
November	53	16	4	-	2	1	2	2	27	7	7	1	1	5	-	1	2	1	1	-
December	65	25	3	3	7	1	1	-	40	9	3	2	5	1	3	1	1	-	-	-
PENNSYLVANIA	7,400	2,344	572	378	548	385	263	211	4,701	526	477	390	277	241	193	167	139	94	97	98
January	742	160	48	42	60	35	23	23	391	45	62	56	33	42	23	20	21	21	13	15
February	631	184	47	35	43	26	21	20	376	42	42	38	23	24	24	24	14	9	10	5
March	653	204	48	37	47	34	22	16	408	47	36	33	29	20	24	14	18	4	6	14
April	557	180	47	27	50	20	20	17	361	32	32	32	22	21	12	10	12	4	9	10
May	601	203	43	23	53	36	20	24	402	46	33	29	18	12	11	12	12	8	9	9
June	562	205	53	44	40	26	18	11	397	38	32	23	16	17	8	4	8	6	10	3
July	527	195	56	29	33	23	21	11	368	35	31	19	12	12	13	10	5	6	9	7
August	505	189	45	16	39	32	26	12	359	31	31	17	13	11	11	5	12	6	5	4
September	542	196	43	37	44	38	21	12	391	30	26	25	14	15	10	13	4	7	2	5
October	678	233	56	29	44	38	20	22	442	50	46	33	27	24	16	8	13	5	8	6
November	706	195	45	29	45	40	22	21	397	64	58	45	36	25	19	26	10	9	5	12
December	696	200	41	30	50	37	29	22	409	66	48	40	34	18	22	21	10	9	11	8
RHODE ISLAND	413	152	36	20	33	17	13	12	283	35	19	13	10	14	10	12	6	3	5	3
January	38	13	4	5	2	-	-	1	25	3	1	-	1	3	3	1	-	-	-	1
February	22	8	2	1	1	2	2	-	16	-	-	-	1	-	1	-	1	-	3	-
March	34	9	3	2	2	2	1	1	20	2	3	2	-	-	2	1	2	1	-	1
April	32	15	3	1	1	1	-	-	21	3	2	1	2	2	-	-	1	-	-	-
May	36	13	4	-	3	1	2	2	25	3	2	2	-	-	-	2	-	1	-	1
June	36	12	3	3	2	4	-	1	25	3	1	1	1	3	-	1	-	-	1	-
July	38	10	3	1	5	1	1	3	24	5	2	2	1	-	-	2	1	1	-	-
August	35	13	5	1	2	1	3	-	25	6	-	1	1	-	1	1	-	-	-	-
September	34	13	3	2	4	-	2	2	26	3	2	1	1	1	-	-	-	-	-	-
October	33	15	1	1	2	-	1	1	21	4	2	2	-	1	1	2	-	-	-	-
November	42	19	3	1	5	2	1	-	31	2	2	1	2	-	2	1	-	-	1	-
December	33	12	2	2	4	3	-	1	24	1	2	-	-	4	-	1	1	-	-	-
SOUTH CAROLINA	3,024	680	195	142	233	165	109	97	1,621	251	185	209	155	121	124	90	85	77	50	56
January	352	57	19	19	31	16	14	13	169	22	30	47	20	16	11	12	10	7	4	4
February	274	60	20	13	21	16	10	12	152	24	19	16	13	17	7	7	7	7	4	1
March	308	59	23	22	22	20	10	14	170	29	17	24	16	10	13	8	9	4	5	3
April	238	68	21	6	19	21	11	4	150	13	12	16	10	5	11	6	6	2	3	4
May	209	61	15	7	19	9	11	6	128	14	12	8	8	4	9	10	7	5	3	1
June	219	57	13	7	15	6	6	6	110	16	11	9	16	11	9	8	11	6	8	4
July	277	53	15	13	21	17	5	11	135	23	16	16	11	17	14	10	8	9	8	10
August	233	50	14	17	24	8	6	3	122	24	12	10	14	8	10	8	7	6	4	8
September	232	70	17	10	8	14	9	4	132	16	13	13	9	6	9	5	8	4	5	12
October	226	59	15	11	14	15	5	5	124	26	11	17	11	11	8	4	4	7	-	3
November	223	44	8	9	20	12	7	10	110	20	15	17	15	7	12	8	4	11	2	2
December	233	42	15	8	19	11	15	9	119	24	17	16	12	9	11	4	4	9	4	4
SOUTH DAKOTA	456	167	31	29	38	33	9	14	321	22	25	16	17	9	9	8	9	5	7	8
January	39	9	4	-	3	3	2	1	22	-	2	3	4	2	1	2	-	2	-	1
February	29	8	4	3	5	1	-	-	21	1	3	1	1	1	-	1	-	-	-	-
March	49	21	4	4	3	2	-	1	35	4	5	-	2	-	2	-	-	-	-	1
April	51	22	3	-	4	4	-	1	34	4	3	2	-	3	-	1	2	1	1	-
May	42	14	4	7	4	3	1	1	34	-	2	2	-	1	-	1	1	-	-	1
June	25	12	-	2	2	1	-	1	18	3	1	1	1	-	1	-	-	-	-	-
July	37	17	3	4	3	2	-	1	30	1	-	1	-	-	-	1	1	-	2	1
August	40	12	2	2	4	6	-	1	27	2	3	1	-	1	3	-	1	2	-	-
September	32	11	3	2	-	3	2	1	22	1	-	-	3	-	1	1	-	-	3	1
October	39	14	1	-	4	2	1	1	23	2	4	-	2	-	1	1	2	-	1	3
November	31	15	1	4	2	-	1	2	25	1	1	2	1	-	-	-	1	-	-	-
December	42	12	2	1	4	6	2	3	30	3	1	3	3	1	-	-	1	-	-	-
TENNESSEE	3,052	734	201	126	253	147	132	94	1,687	258	214	157	132	114	111	96	74	75	64	70
January	338	64	18	16	43	14	13	8	176	25	33	15	17	18	6	10	15	7	6	12
February	305	62	16	20	31	11	20	14	174	30	21	18	16	7	9	9	4	8	4	5
March	299	72	18	9	30	18	14	6	167	37	23	17	10	8	10	9	8	2	6	2
April	229	52	10	17	17	8	13	9	126	11	22	13	5	9	10	10	10	8	3	2
May	221	79	20	8	18	12	8	4	149	21	5	9	9	-	4	7	5	6	3	3
June	199	74	15	10	18	11	5	4	137	8	6	9	5	4	7	3	3	5	6	6
July	232	56	14	6	18	10	3	7	114	16	13	10	7	14	8	9	7	8	9	17
August	259	80	17	6	8	10	11	6	138	11	17	14	17	13	10	8	3	8	8	12
September	232	47	25	10	11	11	10	8	122	22	13	10	15	10	13	7	7	3	6	4
October	218	46	15	10	20	9	8	7	115	23	17	14	11	8	9	7	4	6	3	1
November	231	43	10	4	14	19	10	10	110	30	16	16	7	16	12	11	4	5	2	2
December	289	59	23	10	25	14	17	11	159	26	28	12	13	7	13	6	4	9	8	4
TEXAS	8,685	1,912	567	297	597	446	261	249	4,329	648	586	520	485	455	380	285	286	258	222	231
January	703	131	43	31	52	55	28	19	359	63	48	42	50	27	26	11	18	28	15	16
February	665	141	49	32	53	48	16	19	358	55	53	31	24	32	27	23	20	13	13	16
March	659	148	41	18	49	46	25	27	354	62	42	32	27	33	21	26	18	15	20	9
April	713	143	48	26	40	28	20	17	322	49	62	46	48	47	35	26	24	24	13	17
May	934	155	56	15	46	27	16	20	335	64	56	69	72	78	61	37	46	36	45	35
June	870	171	47	22	54	28	20	17	359	53	55	72	59	60	44	46	30	27	24	41
July	898	158	56	29	45	30	31	24	373	62	67	67	64	54	56	27	41	34	27	26
August	778	178	55	19	62	39	21	24	398	45	44	38	46	39	34	28	36	20	22	28
September	585	169	50	25	48	26	17	15	350	43	37	23	23	21	16	14	16	18	12	12
October	556	169	36	26	42	38	15	16	342	48	26	28	20	14	21	16	10	13	9	9
November	631	184	54	28	55	34	16	17	388	48	51	35	23	19	18	12	13	9	9	6
December	693	165	32	26	51	47	36	34	391	56	45	37	29	31	21	19	14	21	13	16

TABLE 20.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1940—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UTAH	551	207	35	34	46	27	13	15	377	27	28	20	27	13	15	12	6	8	11	7
January	47	19	4	-	4	3	1	-	31	1	4	1	3	3	1	1	-	-	-	2
February	48	23	2	1	5	4	-	1	36	-	2	2	5	-	-	-	-	2	1	-
March	37	16	2	3	1	5	1	-	28	1	1	-	2	-	1	3	-	-	1	-
April	45	20	4	4	1	2	1	2	34	6	1	-	1	1	-	1	1	-	-	-
May	42	16	4	6	2	1	2	1	32	-	3	2	-	2	-	-	-	-	2	1
June	40	18	3	2	3	2	1	1	30	1	4	1	-	1	2	-	-	-	1	-
July	36	11	3	4	5	1	1	-	25	1	-	3	1	1	1	1	-	1	1	1
August	52	22	4	5	4	1	1	1	38	1	-	1	3	1	2	1	-	2	2	1
September	35	14	1	4	2	-	-	1	22	4	-	1	4	-	1	2	-	-	-	1
October	47	16	1	2	5	2	2	3	31	3	-	4	4	2	-	-	2	-	1	-
November	55	13	2	2	7	2	2	3	31	5	5	2	3	1	3	1	-	2	2	-
December	67	19	5	1	7	4	1	2	39	4	8	3	1	1	4	2	3	1	-	1
VERMONT	301	107	20	10	20	21	11	16	205	16	20	13	12	8	5	7	6	2	2	5
January	28	9	-	-	-	1	-	1	11	3	1	2	3	3	1	1	1	1	-	1
February	23	10	1	1	1	2	1	1	17	-	2	1	1	-	-	1	1	-	-	-
March	26	17	2	1	1	-	1	-	22	-	2	1	-	-	-	-	1	-	-	-
April	29	10	2	2	1	2	-	3	20	3	1	1	1	-	-	1	1	-	1	-
May	23	7	2	-	1	2	2	1	15	2	4	1	-	1	-	-	-	-	-	-
June	22	2	-	1	1	5	1	1	11	2	1	-	2	-	2	1	1	-	1	1
July	24	12	2	2	2	2	-	-	20	-	3	-	1	-	-	-	-	-	-	-
August	22	9	5	1	2	2	-	1	20	1	-	-	1	-	-	-	-	-	-	-
September	25	6	3	-	5	1	1	-	16	1	3	2	-	1	-	1	-	-	-	1
October	23	6	1	1	1	1	2	3	15	1	2	1	-	1	1	-	-	1	-	1
November	30	10	2	-	2	2	2	3	21	2	-	3	1	-	1	-	1	-	-	1
December	26	9	-	1	3	1	1	2	17	1	1	1	2	2	-	2	-	-	-	-
VIRGINIA	3,272	897	187	154	276	186	121	107	1,928	274	208	192	125	100	103	82	81	68	60	51
January	341	63	23	17	28	20	8	15	174	33	22	27	21	10	12	8	11	11	6	6
February	330	81	22	14	38	17	14	12	198	27	20	19	13	9	10	11	8	3	10	2
March	310	86	14	25	22	19	15	9	190	32	20	15	10	7	11	6	5	7	3	4
April	234	67	15	5	24	15	7	12	145	15	16	13	4	5	5	7	10	4	5	5
May	253	92	16	14	24	10	9	5	170	17	10	9	6	6	6	6	11	3	3	6
June	226	77	10	9	23	9	11	8	147	17	12	9	5	6	8	5	6	4	4	3
July	220	64	19	3	18	17	6	8	135	17	10	11	6	5	12	5	5	4	5	5
August	215	70	12	8	18	11	5	3	127	16	18	13	11	4	5	10	2	3	2	4
September	274	89	15	14	19	10	10	4	161	17	15	15	12	14	12	5	7	4	5	7
October	291	74	13	12	23	15	16	9	162	28	17	21	8	19	10	5	5	8	4	4
November	253	64	14	16	11	20	6	8	139	25	20	17	15	4	5	7	4	7	6	4
December	325	70	14	17	28	23	14	14	180	30	28	23	14	11	7	7	7	10	7	1
WASHINGTON	1,005	361	95	65	77	36	29	28	691	53	52	39	28	33	28	21	17	10	18	15
January	73	27	5	8	6	3	3	1	53	4	2	1	4	1	4	2	-	-	2	-
February	81	25	7	3	7	4	2	3	51	3	7	3	3	2	5	2	2	1	2	-
March	73	33	5	2	10	2	1	1	54	2	2	2	1	2	4	1	1	2	-	2
April	73	27	7	4	5	5	1	2	51	4	5	3	1	1	3	1	1	2	1	-
May	77	24	8	4	4	5	3	5	53	6	3	4	-	3	2	-	1	1	3	1
June	90	30	8	14	6	5	3	1	67	8	5	1	1	5	-	2	-	-	1	-
July	79	41	6	8	7	-	3	2	67	2	1	4	2	1	-	-	-	-	1	1
August	82	34	8	6	4	2	1	1	56	4	4	3	3	2	2	3	3	1	-	1
September	85	26	13	5	10	1	3	2	60	3	2	3	3	3	-	-	4	-	1	6
October	103	35	11	3	6	5	2	3	65	4	6	4	5	4	2	6	2	-	3	2
November	89	24	7	7	4	2	6	6	56	7	6	4	3	1	3	2	2	2	2	1
December	100	35	10	1	8	2	1	1	58	6	9	7	2	8	3	2	1	1	2	1
WEST VIRGINIA	2,269	587	159	101	187	129	80	77	1,320	209	167	113	98	73	60	69	41	45	38	36
January	248	46	16	13	28	17	9	5	136	21	22	14	9	11	9	3	6	6	5	6
February	220	47	13	15	19	16	7	6	123	20	13	12	9	3	5	11	7	7	6	4
March	207	49	17	11	14	9	8	8	116	14	19	12	5	8	9	8	2	6	3	5
April	142	39	9	3	20	8	5	6	90	12	6	7	7	3	4	4	2	2	3	2
May	181	58	10	14	10	7	7	7	113	19	8	8	9	5	5	4	2	7	1	-
June	139	51	16	3	12	13	1	3	99	13	1	4	4	3	2	4	2	1	2	4
July	140	51	12	12	12	7	8	4	106	9	4	5	2	4	3	1	1	2	-	3
August	160	51	11	7	20	7	2	9	107	13	10	5	6	6	4	2	1	1	4	1
September	171	47	8	3	10	9	9	3	89	13	20	12	10	2	5	4	5	2	6	3
October	221	59	14	2	10	16	6	6	113	22	28	8	12	6	6	11	3	7	1	4
November	210	42	15	10	16	11	9	5	108	28	19	8	17	9	3	9	2	1	4	2
December	230	45	18	8	16	9	9	15	120	25	17	18	8	13	5	8	8	3	3	2
WISCONSIN	2,041	730	181	114	154	86	74	51	1,390	144	110	76	77	63	44	33	36	33	19	16
January	192	74	17	8	14	7	8	2	130	13	9	8	10	5	2	2	2	8	1	2
February	180	55	11	13	11	4	5	8	107	18	11	4	6	8	9	8	3	2	4	-
March	173	63	14	8	12	8	3	3	111	13	9	8	8	7	4	2	6	3	2	-
April	199	53	23	9	12	6	8	6	117	17	17	10	9	9	3	2	7	3	2	3
May	182	70	18	9	16	6	7	1	127	11	15	8	6	3	2	2	2	2	2	2
June	158	57	16	9	12	10	5	4	113	5	11	5	4	3	5	3	5	1	3	-
July	157	57	24	13	11	5	4	5	119	10	3	5	5	4	2	2	-	4	1	2
August	154	68	10	11	15	8	5	4	121	8	5	5	4	4	3	-	3	1	-	-
September	139	52	13	9	6	11	6	6	103	11	5	5	4	3	1	4	1	1	-	1
October	150	54	10	6	18	6	10	5	109	12	4	5	5	6	2	2	1	1	-	3
November	170	63	11	12	10	7	9	4	116	12	8	9	3	5	5	3	3	2	3	1
December	187	64	14	7	17	8	4	3	117	14	13	4	13	6	6	3	3	5	1	2
WYOMING	234	73	13	11	13	10	2	10	132	16	16	16	13	9	9	7	4	5	1	6
January	19	8	1	1	1	-	-	1	12	-	-	3	1	-	1	-	1	1	-	-
February	15	5	-	-	1	-	-	1	7	-	1	1	-	1	-	2	1	-	-	2
March	15	6	1	1	-	-	-	1	9	1	1	-	-	-	2	2	-	-	-	-
April	22	7	-	1	1	1	1	-	11	-	3	3	2	1	-	1	-	-	-	1
May	23	13	3	1	1	-	-	1	19	1	-	-	-	1	1	-	1	-	-	-
June	16	6	3	1	1	-	-	1	12	-	2	-	-	1	-	-	-	1	-	-
July	22	6	2	2	1	2	1	1	15	-	2	2	1	-	2	-	-	-	-	-
August	13	3	-	1	-	1	-	-	5	2	1	2	-	-	-	-	1	1	-	1
September	16	6	1	1	3	1	-	1	13	1	-	-	-	-	-	1	-	-	-	1
October	16	7	2	-	1	1	-	-	11	1	1	-	2	-	1	-	-	-	-	-
November	19	2	-	1	2	2	-	1	8	2	2	3	1	-	2	-	-	1	-	-
December	38	4	-	1	1	2	-	2	10	8	3	2	6	5	-	1	-	1	1	1

SPECIAL JOINT-CAUSE-OF-DEATH TABLE

ASSOCIATED CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

The present system of cause-of-death classification is based upon the principle that a single cause must be assigned to each death. This means that when two or more morbid conditions are certified on the death certificate, one of them must be selected as the primary cause under which the death shall be classified. The selection of the primary cause of death is made according to the rules given in the Manual of Joint Causes of Death. However, it is evident that the effect of any such rules on the classification of deaths for specific causes will vary according to the completeness with which all of the factors contributing to the death are reported.

During the earlier years of the United States registration area, the death certificates contained much less information than they do at the present time. In 1917 only 34.9 percent of all certificates filed in the death-registration area reported more than one morbid condition as cause of death. In 1925 this proportion increased to 44.0 percent. In 1940 there was a further increase, and the proportion of death certificates reporting multiple causes of death was 55.4 percent. In the comparison of the above figures, it should be noted that in coding death transcripts for 1917 and 1925, all of the stated causes were considered as separate entities in the listing of the associated causes. However, in 1940 the rules were changed so that related and overlapping causes of death (subdivisions of the same International List number) were not shown as associated or contributory causes. If all of the tables for the various years were put on a comparable basis, it is probable that the proportion of death certificates with more than one statement of cause of death would be 60 percent or more in 1940.

The importance of multiple cause-of-death tabulations has been discussed by Theodore A. Janssen[1] and may be summarized as follows: (a) Information on contributory or associated causes is valuable in the planning of well-rounded prevention programs because it is essential to know the total incidence of fatal cases of the various diseases and conditions responsible for mortality, (b) statistics showing combinations of causes come nearer the truth than do those based on the single-cause principle because the majority of deaths actually result from combinations of causes, and (c) multiple-cause tabulations would obviate to a great degree the difficulties involved in setting up and applying a joint-cause selection system for determining the one individual cause under which each death is to be tabulated when more than one cause is reported.

There can be little question as to the desirability of tabulating multiple causes of death annually. However, in view of the labor involved in making these tabulations, the contributory- or associated-cause tables have been published only periodically. The first table of this kind was for 1917 and was published in the annual volume for 1918. The second appeared in the 1925 volume of "Mortality Statistics."

The associated causes of death as related to the primary causes of death reported during 1940 are given in table 21. The significance of these figures is apparent to those familiar with the joint-cause coding procedure but a word of explanation might be made for those less familiar with the process. In the assignment of cause of death, the primary cause to which the death is to be charged is selected according to rules of the Manual of Joint Causes of Death. Since the medical certification of the death certificate frequently gives two or more causes of death, this means that important data relating to other causes contributing to the death do not appear in the regular tabulations. For example, there were only 2,531 deaths charged to alcoholism as the primary cause of death in 1940. The associated-cause table, however, shows that there were 3,109 other transcripts that mention alcoholism as one of the causes of death in the secondary position. Similarly, arteriosclerosis was credited with 22,727 deaths while there were 90,752 other deaths where arteriosclerosis was an associated cause. On the other hand, some causes such as syphilis and violent or accidental causes of death are so generally assigned as primary, that these causes appear relatively infrequent in the tabulations as associated causes.

[1] Janssen, Theodore A. "Importance of Tabulating Multiple Causes of Death," American Journal of Public Health, vol. 30, No. 8, pp. 871-879, August 1940.

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION

(Exclusive of

List No.	CAUSE OF DEATH	Total primary causes	ASSOCIATED CAUSE: Total associated causes	Typhoid fever 1	Paratyphoid fever 2	Plague 3	Cholera 4	Undulant fever (brucellosis) 5	Cerebrospinal (meningococcus) meningitis 6
	All causes	1,417,269	784,513	23	2	-	-	68	20
	I.—Infectious and parasitic diseases	119,755	51,144	6	-	-	-	13	7
1	Typhoid fever	1,378	561	...	-	-	-	1	-
2	Paratyphoid fever	65	46	-	...	-	-	-	-
3	Plague	1	-	-	-	...	-	-	-
5	Undulant fever (brucellosis)	114	68	-	-	-	-	...	-
6	Cerebrospinal (meningococcus) meningitis	694	157	-	-	-	-	-	...
7	Anthrax (infection by Bacillus anthracis)	7	-	-	-	-	-	-	-
8	Scarlet fever	668	498	-	-	-	-	-	-
9	Whooping cough	2,926	2,291	-	-	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)	1,457	472	-	-	-	-	-	-
11	Erysipelas	451	305	-	-	-	-	-	-
12	Tetanus	580	334	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	60,428	20,340	-	-	-	-	4	-
13	Tuberculosis of respiratory system, etc.*	55,576	18,065	-	-	-	-	3	-
14	Tuberculosis of meninges, etc.*	1,310	278	-	-	-	-	-	-
15	Tuberculosis of intestines and peritoneum	904	454	-	-	-	-	-	-
16	Tuberculosis of vertebral column	596	466	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	256	161	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	15	11	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	131	75	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	436	283	-	-	-	-	-	-
21	Tuberculosis of other organs	117	64	-	-	-	-	1	-
22	Disseminated tuberculosis	1,087	483	-	-	-	-	-	-
23	Leprosy	43	40	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,495	822	-	-	-	-	-	-
25	Gonococcus infection	419	331	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	189	104	3	-	-	-	1	-
27	Dysentery	2,460	1,081	-	-	-	-	1	-
28	Malaria	1,442	701	-	-	-	-	1	-
29	Other diseases due to parasitic protozoa, etc.*	6	5	-	-	-	-	-	-
30	Syphilis	19,006	12,392	1	-	-	-	1	4
31	Relapsing fever	2	1	-	-	-	-	-	-
32	Other diseases due to spirochetes	294	231	-	-	-	-	-	-
33	Influenza (grippe)	20,157	7,629	-	-	-	-	2	-
34	Smallpox	14	11	-	-	-	-	-	-
35	Measles	706	633	-	-	-	-	-	1
36	Poliomyelitis and polioencephalitis (acute)	1,026	512	-	-	-	-	-	2
37	Acute infectious encephalitis (lethargic)	875	498	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	167	121	-	-	-	-	-	-
39	Typhus fever, typhus-like diseases*	204	99	2	-	-	-	-	-
40	Ankylostomiasis	33	18	-	-	-	-	-	-
41	Hydatid disease	32	19	-	-	-	-	-	-
42	Other diseases caused by helminths	86	46	-	-	-	-	-	-
43	Mycoses	355	176	-	-	-	-	-	-
44	Other infectious and parasitic diseases	2,015	804	-	-	-	-	2	-
	II.—Cancer and other tumors	164,906	96,666	3	1	-	-	7	2
45-55	Cancer and other malignant tumors	158,335	92,351	3	1	-	-	7	2
45	Cancer of buccal cavity and pharynx	5,097	3,100	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum	72,742	37,131	3	-	-	-	5	1
47	Cancer of respiratory system	9,543	5,348	-	-	-	-	-	-
48	Cancer of uterus	16,741	10,196	-	-	-	-	2	-
49	Cancer of other female genital organs	4,363	3,405	-	-	-	-	-	-
50	Cancer of breast	15,488	12,321	-	1	-	-	-	-
51	Cancer of male genital organs	9,885	7,085	-	-	-	-	-	-
52	Cancer of urinary organs (male and female)	7,561	5,034	-	-	-	-	-	-
53	Cancer of skin, etc.*	3,479	2,316	-	-	-	-	-	-
54	Cancer of central nervous system*	2,403	866	-	-	-	-	-	1
55	Cancer of other and unspecified organs	11,033	5,549	-	-	-	-	-	-
56	Nonmalignant tumors (including dermoid cysts)	4,248	3,254	-	-	-	-	-	-
57	Tumors of unspecified nature	2,323	1,061	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	47,568	37,506	-	-	-	-	5	-
58	Acute rheumatic fever	1,725	738	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	1,787	1,302	-	-	-	-	-	-
60	Gout	5	3	-	-	-	-	-	-
61	Diabetes mellitus	35,015	29,663	-	-	-	-	3	-
62	Diseases of pituitary gland	155	141	-	-	-	-	-	-
63b	Exophthalmic goiter	3,659	2,958	-	-	-	-	-	-
63a,c-e	Other diseases of thyroid and parathyroid glands	567	430	-	-	-	-	-	-
64	Diseases of thymus gland	1,299	290	-	-	-	-	-	-
65	Diseases of adrenal glands*	425	243	-	-	-	-	-	-
66	Other general diseases	444	260	-	-	-	-	-	-
67	Scurvy	26	18	-	-	-	-	-	-
68	Beriberi	63	54	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2,123	1,228	-	-	-	-	-	-
70	Rickets	161	104	-	-	-	-	-	-
71	Other avitaminoses	104	76	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	9,710	4,005	-	-	-	-	-	-
72	Hemorrhagic conditions	638	247	-	-	-	-	-	-
73a	Pernicious anemia	2,122	683	-	-	-	-	-	-
73b-d	Other anemias (except splenic)	973	424	-	-	-	-	-	-
74	Leukemias and aleukemias	5,143	2,186	-	-	-	-	-	-
75	Diseases of spleen	508	388	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	326	77	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

TO PRIMARY CAUSES OF DEATH: UNITED STATES, 1940

stillbirths)

ASSOCIATED CAUSE																	
Anthrax (infection by Bacillus anthracis) 7	Scarlet fever 8	Whooping cough 9	Diphtheria (infection by C. diphtheriae) 10	Erysipelas 11	Tetanus 12	Tuberculosis (all forms) 13-22	Tuberculosis of respiratory system, etc.* 13	Tuberculosis of meninges, etc.* 14	Tuberculosis of intestines and peritoneum 15	Tuberculosis of vertebral column 16	Tuberculosis of bones and joints, etc.* 17	Tuberculosis of skin, etc.* 18	Tuberculosis of lymphatic system, etc.* 19	Tuberculosis of genito-urinary system 20	Tuberculosis of other organs 21	Disseminated tuberculosis 22	List No.
1	10	115	23	331	350	8,656	2,032	1,421	2,764	352	300	26	157	615	208	801	
-	1	78	8	16	-	7,420	952	1,406	2,748	329	295	24	125	595	205	761	
-	1	1	1	-	-	8	7	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	1	-	-	-	6	5	1	-	-	-	-	-	-	-	-	6
...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	...	3	7	-	-	1	1	-	-	-	-	-	-	-	-	-	8
-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	4	...	-	-	2	1	-	-	-	-	-	-	-	-	1	10
-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	...	1	1	-	-	-	-	-	-	-	-	-	12
-	-	16	-	7	-	6,442	14	1,396	2,741	320	291	22	121	592	204	741	13-22
-	-	10	-	5	-	5,662	...	1,073	2,715	320	196	16	86	489	159	608	13
-	-	2	-	-	-	103	2	...	-	-	36	-	11	34	5	15	14
-	-	-	-	1	-	163	3	28	...	-	18	2	16	47	15	54	15
-	-	-	-	1	-	160	-	61	25	...	20	1	2	22	6	23	16
-	-	-	-	-	-	25	1	-	-	-	...	2	3	-	1	18	17
-	-	-	-	-	-	2	-	-	-	-	1	...	-	-	-	1	18
-	-	-	-	-	-	19	-	-	-	-	-	1	...	-	8	10	19
-	-	-	-	-	-	57	1	3	-	-	17	-	2	...	10	24	20
-	-	-	-	-	-	13	2	-	-	-	3	-	-	-	...	8	21
-	-	4	-	-	-	258	5	231	1	-	-	-	1	-	-	...	22
-	-	-	-	-	-	13	12	-	-	-	-	1	-	-	-	-	23
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	14	-	5	-	906	857	8	7	7	4	-	3	2	1	17	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	20	18	1	-	-	-	-	-	-	-	1	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	4	-	-	-	2	-	1	1	-	-	-	43
-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	1	44
-	1	2	2	17	4	566	520	1	8	10	5	2	8	6	1	5	
-	1	2	2	17	3	563	517	1	8	10	5	2	8	6	1	5	45-55
-	-	-	-	4	-	37	37	-	-	-	-	-	-	-	-	-	45
-	-	-	-	5	-	254	238	-	5	5	3	-	1	1	-	1	46
-	-	-	-	-	-	78	75	-	-	1	-	-	-	1	-	1	47
-	-	-	-	-	-	28	25	1	2	-	-	-	-	-	-	-	48
-	-	-	-	1	-	4	2	-	1	-	-	-	-	-	-	1	49
-	-	-	-	2	1	54	31	-	-	-	-	-	2	-	1	-	50
-	-	-	1	-	-	21	18	-	-	1	-	-	-	2	-	-	51
-	-	1	-	-	-	20	18	-	-	-	1	-	-	1	-	-	52
-	-	-	-	3	1	17	16	-	-	-	-	-	-	1	-	-	53
-	-	1	-	-	-	9	9	-	-	-	-	-	-	-	-	-	54
-	1	-	1	2	1	61	48	-	-	3	1	2	5	-	-	2	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	57
-	-	2	-	29	-	18	10	2	1	-	-	-	1	3	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	2	-	28	-	9	8	-	-	-	-	-	-	-	-	1	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63a,c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	7	1	2	1	-	-	-	-	3	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	68
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	9	-	3	-	3	3	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73b-d
-	-	9	-	2	-	1	1	-	-	-	-	-	-	-	-	-	74
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	Total primary causes	ASSOCIATED CAUSE: Total associated causes	Typhoid fever 1	Paratyphoid fever 2	Plague 3	Cholera 4	Undulant fever (brucellosis) 5	Cerebrospinal (meningococcus) meningitis 6
	V.—Chronic poisoning and intoxication	2,724	1,055	-	-	-	-	-	-
77	Alcoholism (ethylism)	2,531	934	-	-	-	-	-	-
78	Lead poisoning	100	70	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	93	51	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	136,345	90,843	1	1	-	-	9	-
80	Encephalitis (nonepidemic)	1,366	480	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	2,251	698	-	-	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	2,749	1,957	-	-	-	-	-	-
83a	Cerebral hemorrhage or effusion*	105,210	70,949	-	1	-	-	8	-
83b	Cerebral embolism and thrombosis	10,240	8,204	-	-	-	-	1	-
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	4,303	3,054	-	-	-	-	-	-
84	Mental diseases and deficiency (see exception)*	1,360	347	-	-	-	-	-	-
85	Epilepsy	2,274	756	-	-	-	-	-	-
86	Convulsions (under 5 years)	538	95	-	-	-	-	-	-
87	Other diseases of nervous system	3,557	1,979	1	-	-	-	-	-
88	Diseases of organs of vision	50	37	-	-	-	-	-	-
89	Diseases of ear and mastoid process	2,447	2,287	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	413,954	250,291	-	-	-	-	22	-
90-95	Diseases of heart	385,191	212,194	-	-	-	-	22	-
90	Pericarditis (except acute rheumatic)	810	333	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	2,830	1,475	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	44,602	29,049	-	-	-	-	3	-
93	Diseases of myocardium	201,319	116,735	-	-	-	-	13	-
94	Diseases of coronary arteries, angina pectoris	101,463	46,255	-	-	-	-	5	-
95	Other diseases of heart	34,367	18,347	-	-	-	-	1	-
96	Aneurysm (except of heart and aorta)	1,167	856	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	22,727	14,380	-	-	-	-	-	-
98	Gangrene	567	402	-	-	-	-	-	-
99	Other diseases of arteries	1,857	1,393	-	-	-	-	-	-
100	Diseases of veins	810	706	-	-	-	-	-	-
101	Diseases of lymphatic system	88	58	-	-	-	-	-	-
102	High blood pressure (idiopathic)	1,374	278	-	-	-	-	-	-
103	Other diseases of circulatory system	173	24	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	87,077	49,794	1	-	-	-	7	-
104	Diseases of nasal fossae, accessory sinuses	1,125	791	-	-	-	-	-	-
105	Diseases of larynx	436	150	1	-	-	-	-	-
106	Bronchitis	3,958	2,864	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	34,539	20,204	-	-	-	-	-	-
108	Lobar pneumonia	33,169	17,918	-	-	-	-	4	-
109	Pneumonia (unspecified)	4,660	2,053	-	-	-	-	-	-
110	Pleurisy (not tuberculous)	2,039	1,735	-	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	3,038	2,043	-	-	-	-	3	-
112	Asthma	2,233	1,106	-	-	-	-	-	-
113	Pulmonary emphysema	156	117	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	1,724	813	-	-	-	-	-	-
	IX.—Diseases of the digestive system	78,012	56,256	4	-	-	-	2	1
115	Diseases of buccal cavity and adnexa, etc.*	3,434	2,572	-	-	-	-	-	-
116	Diseases of esophagus	226	157	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	8,948	7,619	-	-	-	-	-	1
118	Other diseases of stomach (except cancer)	2,150	737	-	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	10,044	4,693	-	-	-	-	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)	3,529	1,638	-	-	-	-	-	-
121	Appendicitis	12,999	12,118	-	-	-	-	-	-
122	Hernia and intestinal obstruction	11,877	8,366	-	-	-	-	-	-
123	Other diseases of intestines	1,717	1,397	1	-	-	-	-	-
124	Cirrhosis of liver	11,286	7,999	-	-	-	-	1	-
125	Other diseases of liver	1,602	1,073	-	-	-	-	-	-
126	Biliary calculi	4,641	3,843	-	-	-	-	1	-
127	Other diseases of gallbladder, biliary ducts	3,242	2,511	1	-	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	850	560	-	-	-	-	-	-
129	Peritonitis (cause not stated)	1,467	953	2	-	-	-	-	-
	X.—Diseases of the genito-urinary system	125,579	90,909	-	-	-	-	2	-
130	Acute nephritis	3,298	1,584	-	-	-	-	-	-
131	Chronic nephritis	99,541	70,307	-	-	-	-	1	-
132	Nephritis unspecified (10 years and over)	4,512	2,753	-	-	-	-	1	-
133	Other diseases of kidneys, ureters, etc.*	3,840	2,986	-	-	-	-	-	-
134	Calculi of urinary passages	1,614	1,744	-	-	-	-	-	-
135	Diseases of urinary bladder	824	715	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	591	512	-	-	-	-	-	-
137	Diseases of prostate	8,775	8,150	-	-	-	-	-	-
138	Diseases of other male genital organs (not venereal)	73	65	-	-	-	-	-	-
139	Diseases of female genital organs	2,311	2,093	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE																	
Anthrax (infection by Bacillus anthracis) 7	Scarlet fever 8	Whooping cough 9	Diphtheria (infection by C. diphtheriae) 10	Erysipelas 11	Tetanus 12	Tuberculosis (all forms) 13-22	Tuberculosis of respiratory system, etc.* 13	Tuberculosis of meninges, etc.* 14	Tuberculosis of intestines and peritoneum 15	Tuberculosis of vertebral column 16	Tuberculosis of bones and joints, etc.* 17	Tuberculosis of skin, etc.* 18	Tuberculosis of lymphatic system, etc.* 19	Tuberculosis of genito-urinary system 20	Tuberculosis of other organs 21	Disseminated tuberculosis 22	List No.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	40	-	35	19	8	1	-	-	-	1	6	-	-	
-	-	-	-	5	-	2	1	1	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	11	4	6	-	-	-	-	-	1	-	-	81
-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	23	-	17	9	1	1	-	-	-	1	5	-	-	83a
-	-	-	-	6	-	1	1	-	-	-	-	-	-	-	-	-	83b
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	83c,d
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	89
-	1	1	-	141	1	171	138	-	-	1	-	-	1	1	1	29	
-	-	1	-	141	-	151	120	-	-	-	-	-	1	1	1	28	90-95
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	91
-	-	-	-	13	-	22	21	-	-	-	-	-	1	-	-	-	92
-	-	-	-	102	-	96	67	-	-	-	-	-	-	-	1	28	93
-	-	-	-	11	-	12	11	-	-	-	-	-	-	1	-	-	94
-	-	1	-	15	-	16	16	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	96
-	-	-	-	-	-	16	15	-	-	-	-	-	-	-	-	1	97
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
-	-	8	5	11	-	134	132	-	-	-	-	-	-	1	-	1	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	104
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	105
-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	106
-	-	7	-	-	-	24	24	-	-	-	-	-	-	-	-	-	107
-	-	1	-	10	-	22	22	-	-	-	-	-	-	-	-	-	108
-	-	-	1	-	-	7	6	-	-	-	-	-	-	-	-	1	109
-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	110
-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	111
-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	113
-	-	-	-	1	-	16	16	-	-	-	-	-	-	-	-	-	114
-	1	5	3	26	5	26	22	-	3	-	-	-	1	-	-	-	
-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	115
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116
-	-	-	-	2	-	6	5	-	-	-	-	-	1	-	-	-	117
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	118
-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	119
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	120
-	-	4	1	3	3	1	-	-	1	-	-	-	-	-	-	-	121
-	-	1	-	5	1	4	4	-	-	-	-	-	-	-	-	-	122
-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	123
-	-	-	-	9	-	6	6	-	-	-	-	-	-	-	-	-	124
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	125
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	126
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	127
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128
-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	129
-	-	-	-	24	1	19	17	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	24	-	13	12	-	-	-	-	-	-	1	-	-	131
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	132
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	133
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	134
-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	135
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	137
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	139

498675 O - 43 - 37

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	Total primary causes	ASSOCIATED CAUSE						
			Total associated causes	Typhoid fever 1	Paratyphoid fever 2	Plague 3	Cholera 4	Undulant fever (brucellosis) 5	Cerebrospinal (meningococcus) meningitis 6
	XI.—Diseases of pregnancy, childbirth, puerperium	8,876	4,352	1	-	-	-	-	-
140	Abortion with mention of infection	1,334	355	1	-	-	-	-	-
141	Abortion without mention of infection	348	182	-	-	-	-	-	-
142	Ectopic gestation	392	109	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	55	24	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	939	320	-	-	-	-	-	-
145	Other diseases of pregnancy (death before delivery)	304	170	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	1,037	575	-	-	-	-	-	-
147	Infection during childbirth and puerperium	2,207	1,289	-	-	-	-	-	-
148	Puerperal toxemias (excluding death before delivery)	1,231	652	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	550	327	-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	479	349	-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	1,489	935	-	-	-	-	-	-
151	Carbuncle and furuncle	366	295	-	-	-	-	-	-
152	Phlegmon and acute abscess	466	354	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	657	286	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	1,190	815	-	-	-	-	-	-
154	Osteomyelitis and periostitis	721	544	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	138	103	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	331	168	-	-	-	-	-	-
157	XIV.—Congenital malformations	13,143	5,824	-	-	-	-	-	-
	XV.—Diseases peculiar to the first year of life	51,593	17,078	-	-	-	-	-	-
158	Congenital debility (cause not stated)	2,827	48	-	-	-	-	-	-
159	Premature birth (cause not stated)	32,346	10,649	-	-	-	-	-	-
160	Injury at birth	10,506	5,528	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	5,914	853	-	-	-	-	-	-
162	XVI.—Senility	10,127	210	-	-	-	-	-	-
	XVII.—Violent or accidental deaths	124,121	46,557	4	-	-	-	3	10
163,164	Suicide	18,907	3,676	-	-	-	-	-	-
163	Suicide by poisoning	5,623	934	-	-	-	-	-	-
164	Suicide by other means	13,284	2,742	-	-	-	-	-	-
165-168	Homicide[1]	8,208	2,933	-	-	-	-	-	4
166	Homicide by firearms	4,655	1,314	-	-	-	-	-	-
167	Homicide by cutting or piercing instruments	2,064	967	-	-	-	-	-	1
168	Homicide by other means	1,489	652	-	-	-	-	-	3
169-195	Accidental deaths	96,885	39,948	4	-	-	-	3	6
169	Railway accidents	3,200	618	-	-	-	-	-	-
170	Motor-vehicle accidents	34,501	10,756	1	-	-	-	-	2
171	Streetcar and other road-transport accidents	633	282	-	-	-	-	-	-
172	Water-transport accidents	1,036	68	-	-	-	-	-	-
173	Air-transport accidents	565	56	-	-	-	-	-	-
174	Accidents in mines and quarries	1,919	335	-	-	-	-	-	-
175	Agricultural and forestry accidents	2,292	927	-	-	-	-	-	1
176	Other accidents involving machinery	1,046	391	-	-	-	-	-	1
177	Food poisoning	546	310	-	-	-	-	-	1
178	Accidental absorption of poisonous gas	1,562	210	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	1,324	517	-	-	-	-	-	-
180	Conflagration	2,239	218	-	-	-	-	-	-
181	Accidental burns (except conflagration)	5,270	1,947	1	-	-	-	-	-
182	Accidental mechanical suffocation	1,489	140	-	-	-	-	-	-
183	Accidental drowning	5,308	236	-	-	-	-	-	-
184	Accidental injury by firearms	2,390	672	1	-	-	-	-	1
185	Accidental injury by cutting or piercing instruments	507	447	-	-	-	-	-	-
186	Accidental injury by fall or crushing	23,175	18,032	-	-	-	-	3	-
187	Cataclysm, etc.*	217	17	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	184	92	-	-	-	-	-	-
189	Hunger or thirst	26	1	-	-	-	-	-	-
190	Excessive cold	499	184	-	-	-	-	-	-
191	Excessive heat	787	291	1	-	-	-	-	-
192	Lightning	340	17	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	655	44	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry) *	100	47	-	-	-	-	-	-
195	Other accidents	5,075	3,093	-	-	-	-	-	-
198	Legal executions	121	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	21,100	298	3	-	-	-	-	-
199	Sudden death	1,502	34	-	-	-	-	-	-
200	Ill-defined and unknown causes	19,598	259	3	-	-	-	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE																	
Anthrax (infection by Bacillus anthracis) 7	Scarlet fever 8	Whooping cough 9	Diphtheria (infection by C. diphtheriae) 10	Erysipelas 11	Tetanus 12	Tuberculosis (all forms) 13-22	Tuberculosis of respiratory system etc.* 13	Tuberculosis of meninges, etc.* 14	Tuberculosis of intestines and peritoneum 15	Tuberculosis of vertebral column 16	Tuberculosis of bones and joints, etc.* 17	Tuberculosis of skin, etc.* 18	Tuberculosis of lymphatic system, etc.* 19	Tuberculosis of genito-urinary system 20	Tuberculosis of other organs 21	Disseminated tuberculosis 22	List No.
-	-	1	-	-	-	20	18	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	140
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	142
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	145
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	146
-	-	-	-	-	-	10	9	-	1	-	-	-	-	-	-	-	147
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	148
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	149
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	150
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	153
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156
-	1	-	-	1	-	6	6	-	-	-	-	-	-	-	-	-	157
-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	158
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	159
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	160
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	161
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	162
1	5	8	4	23	339	225	202	4	1	12	-	-	-	1	1	4	
-	-	-	-	-	-	48	47	-	-	-	-	-	-	-	-	1	163,164
-	-	-	-	-	-	11	10	-	-	-	-	-	-	-	-	1	163
-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	164
-	-	-	-	1	13	5	4	-	-	-	-	-	-	-	1	-	165-168
-	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-	166
-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	-	167
-	-	-	-	1	7	1	1	-	-	-	-	-	-	-	-	-	168
1	5	8	4	22	326	172	151	4	1	12	-	-	-	1	-	3	169-195
-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	169
-	-	-	1	2	24	22	20	-	-	1	-	-	-	-	-	1	170
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	174
-	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	175
-	-	-	-	-	9	2	2	-	-	-	-	-	-	-	-	-	176
-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	177
-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	178
-	1	1	-	-	-	9	9	-	-	-	-	-	-	-	-	-	179
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	180
-	4	-	1	3	17	14	13	-	1	-	-	-	-	-	-	-	181
-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	182
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	183
-	-	-	-	-	4	3	3	-	-	-	-	-	-	-	-	-	184
-	-	-	-	1	189	1	-	-	-	-	-	-	-	-	-	1	185
1	-	1	1	11	29	86	75	3	-	6	-	-	-	1	-	1	186
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-	190
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	191
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	193
-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	194
-	-	2	1	1	23	22	17	-	-	5	-	-	-	-	-	-	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
-	-	-	1	-	-	9	9	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	199
-	-	-	1	-	-	9	9	-	-	-	-	-	-	-	-	-	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Leprosy	Septicemia and purulent infection (nonpuerperal)	Gonococcus infection	Other diseases due to bacteria (except dysentery)	Dysentery	Malaria	Other diseases due to parasitic protozoa, etc.*	Syphilis
		23	24	25	26	27	28	29	30
	All causes	2	5,048	53	3	373	347	2	788
	I.—Infectious and parasitic diseases	-	309	20	-	79	104	-	37
1	Typhoid fever	-	8	-	-	3	13	-	11
2	Paratyphoid fever	-	1	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	4	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	4	-	-	2	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	-	22	-	-	-	-	-	1
9	Whooping cough	-	-	-	-	3	7	-	-
10	Diphtheria (infection by C. diphtheriae)	-	7	-	-	2	-	-	1
11	Erysipelas	-	35	-	-	-	2	-	-
12	Tetanus	-	2	-	-	-	-	-	3
13-22	Tuberculosis (all forms)	-	52	4	-	19	37	-	6
13	Tuberculosis of respiratory system, etc.*	-	27	4	-	16	33	-	6
14	Tuberculosis of meninges, etc.*	-	2	-	-	1	-	-	-
15	Tuberculosis of intestines and peritoneum	-	3	-	-	2	1	-	-
16	Tuberculosis of vertebral column	-	6	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	-	8	-	-	-	1	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	1	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	-	2	-	-	-	-	-	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	-	3	-	-	-	2	-	-
23	Leprosy	...	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	-	...	-	-	-	1	-	6
25	Gonococcus infection	-	8	...	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	5	-	...	-	-	-	2
27	Dysentery	-	9	1	-	...	-	-	-
28	Malaria	-	4	1	-	19	...	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	1	-	-	-	-	...	-
30	Syphilis	-	34	14	-	20	38	-	...
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	20	-	-	2	-	-	-
33	Influenza (grippe)	-	77	-	-	-	-	-	-
34	Smallpox	-	1	-	-	-	-	-	-
35	Measles	-	2	-	-	4	1	-	-
36	Poliomyelitis and polioencephalitis (acute)	-	-	-	-	1	-	-	3
37	Acute infectious encephalitis (lethargic)	-	1	-	-	-	1	-	-
38	Other diseases due to filtrable viruses	-	3	-	-	1	-	-	-
39	Typhus fever, typhus-like diseases*	-	-	-	-	-	1	-	4
40	Ankylostomiasis	-	-	-	-	1	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-
43	Mycoses	-	4	-	-	1	-	-	-
44	Other infectious and parasitic diseases	-	5	-	-	1	2	-	-
	II.—Cancer and other tumors	-	198	2	-	20	18	-	448
45-55	Cancer and other malignant tumors	-	155	1	-	19	17	-	448
45	Cancer of buccal cavity and pharynx	-	8	-	-	-	-	-	28
46	Cancer of digestive organs and peritoneum	-	61	-	-	14	11	-	197
47	Cancer of respiratory system	-	1	-	-	-	1	-	40
48	Cancer of uterus	-	21	-	-	-	1	-	52
49	Cancer of other female genital organs	-	4	-	-	-	-	-	5
50	Cancer of breast	-	12	-	-	1	1	-	11
51	Cancer of male genital organs	-	16	-	-	2	-	-	29
52	Cancer of urinary organs (male and female)	-	7	1	-	2	-	-	28
53	Cancer of skin, etc.*	-	5	-	-	-	-	-	13
54	Cancer of central nervous system*	-	2	-	-	-	-	-	8
55	Cancer of other and unspecified organs	-	18	-	-	-	3	-	39
56	Nonmalignant tumors (including dermoid cysts)	-	40	-	-	-	1	-	-
57	Tumors of unspecified nature	-	3	1	-	1	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	-	311	2	-	29	24	-	-
58	Acute rheumatic fever	-	45	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	-	23	-	-	-	-	-	-
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	-	227	2	-	7	10	-	-
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	-	2	-	-	-	1	-	-
63a,c-e	Other diseases of thyroid and parathyroid glands	-	3	-	-	1	-	-	-
64	Diseases of thymus gland	-	4	-	-	-	-	-	-
65	Diseases of adrenal glands*	-	2	-	-	1	1	-	-
66	Other general diseases	-	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	2	-	-	20	12	-	-
70	Rickets	-	1	-	-	-	-	-	-
71	Other avitaminoses	-	2	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	-	62	-	-	1	-	-	1
72	Hemorrhagic conditions	-	12	-	-	-	-	-	-
73a	Pernicious anemia	-	5	-	-	-	-	-	-
73b-d	Other anemias (except splenic)	-	1	-	-	-	-	-	1
74	Leukemias and aleukemias	-	28	-	-	1	-	-	-
75	Diseases of spleen	-	11	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	-	5	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Relapsing fever 31	Other diseases due to spirochetes 32	Influenza (grippe) 33	Smallpox 34	Measles 35	Poliomyelitis and poliencephalitis (acute) 36	Acute infectious encephalitis (lethargic) 37	Other diseases due to filtrable viruses 38	Typhus fever, typhus-like diseases* 39	Ankylostomiasis 40	Hydatid disease 41	Other diseases caused by helminths 42	Mycoses 43	Other infectious and parasitic diseases 44	Cancer and other malignant tumors 45-55	List No.
2	180	8,547	2	48	22	32	136	5	27	2	57	78	236	44,745	
-	37	876	1	26	3	8	17	-	7	2	3	17	65	27	
-	2	3	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	9	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	1	6	-	6	-	-	4	-	-	-	-	-	2	-	8
-	2	32	-	-	-	-	7	-	2	-	-	-	-	-	9
-	5	9	-	3	-	-	-	-	-	-	-	-	-	-	10
-	-	5	-	-	-	2	1	-	-	-	-	1	3	-	11
-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	12
-	12	592	-	10	2	1	2	-	1	1	1	8	23	16	13-22
-	12	554	-	8	2	-	2	-	-	1	1	6	18	13	13
-	-	8	-	1	-	1	-	-	-	-	-	-	2	2	14
-	-	7	-	-	-	-	-	-	1	-	-	1	2	1	15
-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	17	-	1	-	-	-	-	-	-	-	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	23
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	24
-	1	2	-	-	-	-	-	-	-	-	-	-	2	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	23	-	1	-	-	-	-	2	-	-	1	-	1	27
-	-	37	-	-	-	-	-	-	2	-	-	-	1	-	28
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
-	5	76	1	1	-	3	-	-	-	1	1	5	21	5	30
...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	...	1	-	1	-	-	1	-	-	-	-	-	-	-	32
-	3	...	-	1	-	-	-	-	-	-	-	1	8	2	33
-	-	-	...	1	-	-	-	-	-	-	-	-	-	-	34
-	1	8	-	...	-	-	1	-	-	-	-	-	1	-	35
-	-	13	-	-	...	2	-	-	-	-	-	-	1	-	36
-	-	45	-	1	-	...	-	-	-	-	-	-	-	1	37
-	-	5	-	-	-	-	...	-	-	-	-	-	1	-	38
-	1	1	-	-	-	-	-	...	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	...	-	1	-	42
-	1	2	-	-	-	-	-	-	-	-	-	...	1	-	43
-	2	3	-	-	-	-	1	-	-	-	-	-	...	-	44
-	11	162	-	1	2	6	4	-	1	-	-	9	37	43,731	
-	10	153	-	1	2	6	4	-	1	-	-	9	34	43,726	45-55
-	2	5	-	-	-	-	-	-	-	-	-	-	-	1,855	45
-	2	67	-	-	-	4	3	-	-	-	-	3	15	11,281	46
-	-	7	-	1	-	-	-	-	-	-	-	2	1	2,410	47
-	1	12	-	-	1	-	-	-	-	-	-	-	2	6,428	48
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,734	49
-	1	19	-	-	-	-	-	-	-	-	-	1	2	10,197	50
-	-	11	-	-	-	-	-	-	-	-	-	1	4	3,619	51
-	-	6	-	-	1	1	-	-	-	-	-	-	2	2,073	52
-	2	12	-	-	-	-	-	-	-	-	-	-	1	1,172	53
-	-	2	-	-	-	1	-	-	-	-	-	1	1	156	54
-	2	12	-	-	-	-	1	-	1	-	-	1	5	1,801	55
-	1	6	-	-	-	-	-	-	-	-	-	-	1	1	56
-	-	3	-	-	-	-	-	-	-	-	-	-	2	4	57
-	9	466	-	6	-	5	7	-	3	-	4	2	18	22	
-	-	34	-	-	-	-	-	-	-	-	-	-	2	1	58
-	-	-	-	-	-	-	1	-	-	-	-	-	-	7	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	5	347	-	5	-	5	6	-	-	-	3	2	11	4	61
-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	62
-	-	24	-	-	-	-	-	-	-	-	-	-	1	-	63b
-	1	9	-	-	-	-	-	-	-	-	-	-	-	2	63a,c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	5	-	-	-	-	-	-	-	-	-	-	1	2	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	3	45	-	1	-	-	-	-	2	-	1	-	3	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	71
-	16	35	-	-	-	-	5	-	1	-	3	-	14	19	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	1	-	-	-	-	-	2	-	-	-	-	-	1	9	73a
-	-	-	-	-	-	-	1	-	-	-	-	-	-	10	73b-d
-	15	35	-	-	-	-	2	-	1	-	3	-	13	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Leprosy	Septicemia and purulent infection (nonpuerperal)	Gonococcus infection	Other diseases due to bacteria (except dysentery)	Dysentery	Malaria	Other diseases due to parasitic protozoa, etc.*	Syphilis
		23	24	25	26	27	28	29	30
	V.—Chronic poisoning and intoxication	-	9	-	-	-	-	-	-
77	Alcoholism (ethylism)	-	5	-	-	-	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	4	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	-	282	-	-	21	39	-	16
80	Encephalitis (nonepidemic)	-	34	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	-	84	-	-	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	-	2	-	-	3	-	-	-
83a	Cerebral hemorrhage or effusion*	-	12	-	-	7	34	-	9
83b	Cerebral embolism and thrombosis	-	14	-	-	3	3	-	1
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	-	4	-	-	3	-	-	2
84	Mental diseases and deficiency (see exception)*	-	-	-	-	-	-	-	1
85	Epilepsy	-	1	-	-	5	-	-	-
86	Convulsions (under 5 years)	-	-	-	-	-	1	-	-
87	Other diseases of nervous system	-	6	-	-	-	1	-	3
88	Diseases of organs of vision	-	1	-	-	-	-	-	-
89	Diseases of ear and mastoid process	-	124	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	1	427	8	-	104	26	-	21
90-95	Diseases of heart	1	282	8	-	95	26	-	18
90	Pericarditis (except acute rheumatic)	-	14	-	-	1	-	-	-
91	Acute endocarditis (except rheumatic)	-	47	1	-	1	1	-	-
92	Chronic affections of valves and endocardium	-	98	1	-	20	20	-	4
93	Diseases of myocardium	1	82	1	-	50	3	-	10
94	Diseases of coronary arteries, angina pectoris	-	16	4	-	13	1	-	3
95	Other diseases of heart	-	25	1	-	10	1	-	1
96	Aneurysm (except of heart and aorta)	-	6	-	-	-	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	-	22	-	-	9	-	-	1
98	Gangrene	-	33	-	-	-	-	-	-
99	Other diseases of arteries	-	15	-	-	-	-	-	1
100	Diseases of veins	-	49	-	-	-	-	-	-
101	Diseases of lymphatic system	-	19	-	-	-	-	-	-
102	High blood pressure (idiopathic)	-	-	-	-	-	-	-	-
103	Other diseases of circulatory system	-	1	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	-	703	8	3	19	-	1	6
104	Diseases of nasal fossae, accessory sinuses	-	64	-	-	-	-	-	-
105	Diseases of larynx	-	12	-	-	-	-	-	-
106	Bronchitis	-	41	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	-	221	8	2	-	-	-	3
108	Lobar pneumonia	-	233	-	-	19	-	-	1
109	Pneumonia (unspecified)	-	49	-	-	-	-	-	-
110	Pleurisy (not tuberculous)	-	27	-	-	-	-	1	-
111	Hemorrhagic infarction, thrombosis, edema*	-	3	-	-	-	-	-	2
112	Asthma	-	-	-	-	-	-	-	-
113	Pulmonary emphysema	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	-	53	-	1	-	-	-	-
	IX.—Diseases of the digestive system	1	760	6	-	36	54	-	8
115	Diseases of buccal cavity and adnexa, etc.*	-	266	1	-	-	3	-	-
116	Diseases of esophagus	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	-	19	-	-	2	-	-	-
118	Other diseases of stomach (except cancer)	-	-	-	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	-	24	1	-	3	41	-	3
120	Diarrhea, enteritis, etc.* (2 years and over)	-	15	-	-	4	-	-	1
121	Appendicitis	-	145	3	-	9	7	-	-
122	Hernia and intestinal obstruction	1	38	1	-	13	1	-	-
123	Other diseases of intestines	-	90	-	-	-	-	-	-
124	Cirrhosis of liver	-	12	-	-	1	-	-	1
125	Other diseases of liver	-	29	-	-	1	1	-	1
126	Biliary calculi	-	30	-	-	-	-	-	-
127	Other diseases of gallbladder, biliary ducts	-	40	-	-	2	1	-	-
128	Diseases of pancreas (except diabetes mellitus)	-	4	-	-	-	-	-	-
129	Peritonitis (cause not stated)	-	50	-	-	-	-	-	2
	X.—Diseases of the genito-urinary system	-	454	3	-	21	57	-	8
130	Acute nephritis	-	10	-	-	-	-	-	1
131	Chronic nephritis	-	43	2	-	19	47	-	5
132	Nephritis unspecified (10 years and over)	-	23	1	-	1	-	-	1
133	Other diseases of kidneys, ureters, etc.*	-	130	-	-	1	7	-	-
134	Calculi of urinary passages	-	7	-	-	-	-	-	-
135	Diseases of urinary bladder	-	30	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	-	28	-	-	-	1	-	-
137	Diseases of prostate	-	83	-	-	-	1	-	-
138	Diseases of other male genital organs (not venereal)	-	16	-	-	-	-	-	-
139	Diseases of female genital organs	-	84	-	-	-	1	-	1

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Relapsing fever 31	Other diseases due to spirochetes 32	Influenza (grippe) 33	Smallpox 34	Measles 35	Poliomyelitis and polioencephalitis (acute) 36	Acute infectious encephalitis (lethargic) 37	Other diseases due to filtrable viruses 38	Typhus fever, typhus-like diseases● 39	Ankylostomiasis 40	Hydatid disease 41	Other diseases caused by helminths 42	Mycoses 43	Other infectious and parasitic diseases 44	Cancer and other malignant tumors 45-55	List No.
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	6	768	-	-	5	-	18	-	-	-	2	3	18	10	
-	-	3	-	-	3	-	3	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	81
-	1	41	-	-	-	-	-	-	-	-	-	-	3	2	82
-	4	535	-	-	-	-	8	-	-	-	-	1	12	5	83a
-	1	71	-	-	-	-	-	-	-	-	-	1	2	-	83b
-	-	78	-	-	-	-	-	-	-	-	-	-	1	-	83c,d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	84
-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	85
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	20	-	-	-	-	3	-	-	-	1	-	-	2	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	19	-	-	-	-	1	-	-	-	-	1	-	-	89
-	7	4,868	-	-	1	-	42	3	3	-	2	4	5	104	
-	4	4,864	-	-	1	-	32	3	3	-	2	3	3	84	90-95
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	4	877	-	-	-	-	2	3	1	-	-	-	1	2	92
-	-	2,638	-	-	1	-	20	-	1	-	1	3	1	68	93
-	-	825	-	-	-	-	6	-	-	-	-	-	1	7	94
-	-	523	-	-	-	-	4	-	1	-	1	-	-	7	95
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	1	-	-	-	-	9	-	-	-	-	-	2	13	97
-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	98
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	103
-	24	10	-	2	2	-	17	1	4	-	14	18	13	41	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	104
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	105
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	106
-	-	3	-	1	1	-	8	1	-	-	10	14	8	13	107
-	12	5	-	-	1	-	4	-	3	-	1	1	4	2	108
-	2	-	-	-	-	-	-	-	-	-	-	1	-	2	109
-	7	-	-	1	-	-	1	-	-	-	1	-	-	3	110
-	1	-	-	-	-	-	3	-	-	-	1	-	-	7	111
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113
-	2	1	-	-	-	-	-	-	-	-	-	-	1	12	114
1	31	314	-	4	2	2	11	-	1	-	21	17	27	163	
-	16	2	-	-	-	-	-	-	1	-	-	1	6	2	115
-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	116
1	-	41	-	-	-	1	-	-	-	-	-	-	4	9	117
-	-	-	-	-	-	-	-	-	-	-	-	-	1	17	118
-	4	121	-	-	-	-	3	-	-	-	1	15	2	-	119
-	-	-	-	-	-	-	-	-	-	-	6	-	1	9	120
-	1	33	-	4	2	-	5	-	-	-	-	-	7	-	121
-	1	24	-	-	-	-	2	-	-	-	11	-	2	70	122
-	-	1	-	-	-	-	-	-	-	-	-	1	-	15	123
-	3	36	-	-	-	-	-	-	-	-	-	-	2	18	124
-	1	6	-	-	-	1	-	-	-	-	-	-	1	7	125
-	3	3	-	-	-	-	1	-	-	-	-	-	-	3	126
-	1	8	-	-	-	-	-	-	-	-	-	-	-	10	127
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	128
-	1	38	-	-	-	-	-	-	-	-	2	-	-	1	129
-	12	733	1	-	-	-	8	-	5	-	6	2	25	41	
-	-	3	-	-	-	-	1	-	2	-	1	-	-	1	130
-	12	715	-	-	-	-	7	-	3	-	3	-	22	20	131
-	-	2	1	-	-	-	-	-	-	-	-	-	-	5	132
-	-	1	-	-	-	-	-	-	-	-	2	-	-	3	133
-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	134
-	-	3	-	-	-	-	-	-	-	-	-	1	-	4	135
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	136
-	-	4	-	-	-	-	-	-	-	-	-	1	2	7	137
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138
-	-	4	-	-	-	-	-	-	-	-	-	-	1	-	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Leprosy	Septicemia and purulent infection (nonpuerperal)	Gonococcus infection	Other diseases due to bacteria (except dysentery)	Dysentery	Malaria	Other diseases due to parasitic protozoa, etc.*	Syphilis
		23	24	25	26	27	28	29	30
	XI.—Diseases of pregnancy, childbirth, puerperium	-	-	-	-	2	16	-	1
140	Abortion with mention of infection	-	-	-	-	1	-	-	-
141	Abortion without mention of infection	-	-	-	-	-	1	-	-
142	Ectopic gestation	-	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	-	-	-	-	-	6	-	-
145	Other diseases of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	-	-	-	-	-	1	-	1
147	Infection during childbirth and puerperium	-	-	-	-	1	5	-	-
148	Puerperal toxemias (excluding death before delivery)	-	-	-	-	-	3	-	-
149	Other accidents and specified conditions of childbirth	-	-	-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	-	-	-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	-	492	-	-	-	-	-	2
151	Carbuncle and furuncle	-	174	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	206	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	-	112	-	-	-	-	-	2
	XIII.—Diseases of the bones, etc.*	-	253	-	-	-	-	-	-
154	Osteomyelitis and periostitis	-	219	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	-	34	-	-	-	-	-	-
157	XIV.—Congenital malformations	-	33	3	-	11	-	-	3
	XV.—Diseases peculiar to the first year of life	-	18	-	-	6	2	-	19
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-	4
159	Premature birth (cause not stated)	-	8	-	-	4	2	-	8
160	Injury at birth	-	4	-	-	1	-	-	1
161	Other diseases peculiar to the first year of life	-	6	-	-	1	-	-	6
162	XVI.—Senility	-	-	-	-	-	-	-	-
	XVII.—Violent or accidental deaths	-	733	1	-	24	5	1	212
163,164	Suicide	-	15	-	-	-	1	-	23
163	Suicide by poisoning	-	-	-	-	-	-	-	6
164	Suicide by other means	-	15	-	-	-	1	-	17
165-168	Homicide[1]	-	56	1	-	-	-	-	5
166	Homicide by firearms	-	33	1	-	-	-	-	2
167	Homicide by cutting or piercing instruments	-	12	-	-	-	-	-	2
168	Homicide by other means	-	11	-	-	-	-	-	1
169-195	Accidental deaths	-	662	-	-	24	4	1	184
169	Railway accidents	-	25	-	-	-	-	-	2
170	Motor-vehicle accidents	-	171	-	-	1	-	-	20
171	Streetcar and other road-transport accidents	-	8	-	-	-	-	-	-
172	Water-transport accidents	-	2	-	-	-	-	-	-
173	Air-transport accidents	-	3	-	-	-	-	-	-
174	Accidents in mines and quarries	-	9	-	-	-	-	-	-
175	Agricultural and forestry accidents	-	40	-	-	-	-	-	2
176	Other accidents involving machinery	-	34	-	-	-	-	-	-
177	Food poisoning	-	-	-	-	13	-	-	2
178	Accidental absorption of poisonous gas	-	-	-	-	-	-	-	1
179	Acute accidental poisoning by solids or liquids	-	1	-	-	1	-	-	2
180	Conflagration	-	1	-	-	1	-	-	-
181	Accidental burns (except conflagration)	-	80	-	-	3	-	1	10
182	Accidental mechanical suffocation	-	-	-	-	-	-	-	2
183	Accidental drowning	-	-	-	-	-	1	-	-
184	Accidental injury by firearms	-	32	-	-	-	-	-	6
185	Accidental injury by cutting or piercing instruments	-	56	-	-	-	-	-	-
186	Accidental injury by fall or crushing	-	122	-	-	4	1	-	97
187	Cataclysm, etc.*	-	2	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	-	11	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	-	2	-	-	-	-	-	2
191	Excessive heat	-	1	-	-	-	-	-	7
192	Lightning	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	-	3	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	9	-	-	-	-	-	1
195	Other accidents	-	50	-	-	1	2	-	30
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	-	4	-	-	-	2	-	6
199	Sudden death	-	-	-	-	-	-	-	1
200	Ill-defined and unknown causes	-	4	-	-	-	2	-	5

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Relapsing fever 31	Other diseases due to spirochetes 32	Influenza (grippe) 33	Smallpox 34	Measles 35	Poliomyelitis and polioencephalitis (acute) 36	Acute infectious encephalitis (lethargic) 37	Other diseases due to filtrable viruses 38	Typhus fever, typhus-like diseases* 39	Ankylostomiasis 40	Hydatid disease 41	Other diseases caused by helminths 42	Mycoses 43	Other infectious and parasitic diseases 44	Cancer and other malignant tumors 45-55	List No.
-	2	91	-	2	-	-	1	-	1	-	-	-	3	-	
-	-	15	-	1	-	-	-	-	-	-	-	-	1	-	140
-	-	26	-	-	-	-	-	-	-	-	-	-	-	-	141
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	142
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	144
-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	145
-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	146
-	1	17	-	1	-	-	1	-	-	-	-	-	1	-	147
-	1	8	-	-	-	-	-	-	-	-	-	-	1	-	148
-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	149
-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	150
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	153
-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	155
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	156
-	20	64	-	-	-	-	3	-	1	-	-	1	1	9	157
-	2	52	-	3	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	158
-	1	50	-	3	-	-	-	-	-	-	-	1	-	-	159
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	160
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	161
-	-	1	-	-	-	-	-	-	-	-	-	-	-	18	162
1	3	101	-	4	6	11	2	1	-	-	2	3	10	534	
-	-	7	-	-	1	4	-	-	-	-	-	-	1	71	163,164
-	-	3	-	-	-	-	-	-	-	-	-	-	-	13	163
-	-	4	-	-	1	4	-	-	-	-	-	-	1	58	164
-	-	1	-	-	-	2	-	-	-	-	-	-	-	5	165-168
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	166
-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	167
-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	168
1	3	93	-	4	5	5	2	1	-	-	2	3	9	458	169-195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	169
-	-	4	-	-	-	-	-	-	-	-	-	-	1	39	170
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173
-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	174
-	-	1	-	-	-	-	-	-	-	-	-	-	2	5	175
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	176
-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	177
-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	178
1	-	1	-	-	-	-	-	-	-	-	2	-	-	2	179
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	180
-	-	11	-	1	-	-	1	-	-	-	-	-	1	13	181
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	182
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	183
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	184
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	185
-	2	56	-	1	2	4	-	-	-	-	-	1	4	334	186
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190
-	-	2	-	-	-	1	-	1	-	-	-	-	-	6	191
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	1	11	-	2	2	-	-	-	-	-	-	1	-	47	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
-	-	5	-	-	-	-	1	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	199
-	-	5	-	-	-	-	1	-	-	-	-	-	-	24	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Cancer of buccal cavity and pharynx	Cancer of digestive organs and peritoneum	Cancer of respiratory system	Cancer of uterus	Cancer of other female genital organs	Cancer of breast	Cancer of male genital organs	Cancer of urinary organs (male and female)
		45	46	47	48	49	50	51	52
	All causes	248	5,626	7,375	255	745	254	396	1,643
	I.—Infectious and parasitic diseases	2	11	8	-	-	-	-	2
1	Typhoid fever	-	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-
9	Whooping cough	-	-	-	-	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	-	-	-
11	Erysipelas	-	-	-	-	-	-	-	-
12	Tetanus	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1	8	5	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1	5	5	-	-	-	-	-
14	Tuberculosis of meninges, etc.*	-	2	-	-	-	-	-	-
15	Tuberculosis of intestines and peritoneum	-	1	-	-	-	-	-	-
16	Tuberculosis of vertebral column	-	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	-	-	-	-	-	-	-	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	-	-	-	-	-	-	-	-
23	Leprosy	-	1	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	-	-	-	-	-	-	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-
30	Syphilis	1	2	-	-	-	-	-	2
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	-	-	-
33	Influenza (grippe)	-	-	2	-	-	-	-	-
34	Smallpox	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-
36	Poliomyelitis and polioencephalitis (acute)	-	-	-	-	-	-	-	-
37	Acute infectious encephalitis (lethargic)	-	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	-	-	-
39	Typhus fever, typhus-like diseases*	-	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-
43	Mycoses	-	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	-	-	-	-	-	-	-	-
	II.—Cancer and other tumors	225	5,167	7,322	181	728	149	331	1,602
45-55	Cancer and other malignant tumors	225	5,165	7,321	181	728	149	331	1,602
45	Cancer of buccal cavity and pharynx	...	66	295	2	-	3	9	5
46	Cancer of digestive organs and peritoneum	81	...	1,567	63	74	24	261	469
47	Cancer of respiratory system	14	386	...	3	-	8	31	99
48	Cancer of uterus	3	1,347	400	...	592	71	-	335
49	Cancer of other female genital organs	1	759	126	45	...	20	-	37
50	Cancer of breast	26	1,152	3,173	42	28	...	-	25
51	Cancer of male genital organs	5	432	377	-	-	1	...	595
52	Cancer of urinary organs (male and female)	5	308	428	15	14	3	21	...
53	Cancer of skin, etc.*	40	87	110	2	7	-	1	5
54	Cancer of central nervous system*	3	10	16	1	-	2	2	1
55	Cancer of other and unspecified organs	47	618	831	8	15	17	6	31
56	Nonmalignant tumors (including dermoid cysts)	-	-	-	-	-	-	-	-
57	Tumors of unspecified nature	-	2	1	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	-	7	1	-	1	-	-	-
58	Acute rheumatic fever	-	-	-	-	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	-	-	-	-	-	-	-	-
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	-	2	1	-	-	-	-	-
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	-	-	-	-	-	-	-	-
63a,c-e	Other diseases of thyroid and parathyroid glands	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	-	-	-	-	-	-	-	-
65	Diseases of adrenal glands*	-	1	-	-	-	-	-	-
66	Other general diseases	-	3	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-
71	Other avitaminoses	-	1	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	-	14	2	-	-	-	-	-
72	Hemorrhagic conditions	-	-	-	-	-	-	-	-
73a	Pernicious anemia	-	7	1	-	-	-	-	-
73b-d	Other anemias (except splenic)	-	7	1	-	-	-	-	-
74	Leukemias and aleukemias	-	-	-	-	-	-	-	-
75	Diseases of spleen	-	-	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Cancer of skin, etc.* 53	Cancer of central nervous system* 54	Cancer of other and unspecified organs 55	Nonmalignant tumors (including dermoid cysts) 56	Tumors of unspecified nature 57	Acute rheumatic fever 58	Chronic rheumatism, other rheumatic diseases 59	Gout 60	Diabetes mellitus 61	Diseases of pituitary gland 62	Exophthalmic goiter 63b	Other diseases of thyroid and parathyroid glands 63a,c-e	Diseases of thymus gland 64	Diseases of adrenal glands* 65	Other general diseases 66	List No.
632	1,530	26,081	1,643	739	1,471	5,458	140	3,991	46	416	498	594	123	5,817	
1	1	2	129	75	67	250	82	1,009	4	57	28	34	43	587	
-	-	-	-	-	1	1	-	5	1	1	-	-	-	21	1
-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	5
-	-	-	-	1	-	-	-	4	-	-	-	-	4	6	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	1	1	5	-	-	3	-	1	-	2	-	10	8
-	-	-	-	-	-	-	-	-	-	-	-	5	-	8	9
-	-	-	-	-	-	-	-	1	-	-	1	2	-	28	10
-	-	-	1	-	2	4	-	-	-	-	-	-	-	7	11
-	-	-	4	-	-	-	-	7	-	-	-	1	-	2	12
1	-	1	37	20	19	112	26	795	3	30	8	3	36	249	13-22
1	-	1	24	15	17	104	21	770	3	27	8	2	32	216	13
-	-	-	-	1	1	-	5	-	-	-	-	-	-	5	14
-	-	-	5	1	-	2	-	2	-	-	-	1	-	2	15
-	-	-	2	1	-	2	-	6	-	-	-	-	1	7	16
-	-	-	1	1	-	1	-	5	-	-	-	-	-	11	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	19
-	-	-	3	1	-	2	-	3	-	1	-	-	1	2	20
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	21
-	-	-	1	-	-	1	-	6	-	2	-	-	1	6	22
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	23
-	-	-	-	-	2	-	-	18	-	1	1	-	-	30	24
-	-	-	23	1	2	1	-	2	-	1	-	-	-	6	25
-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	26
-	-	1	1	-	1	3	-	-	-	-	-	1	-	67	27
-	-	-	1	-	3	2	-	-	-	-	-	-	-	10	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	49	38	9	18	56	156	-	20	2	5	2	15	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	3	-	-	1	-	-	-	-	-	7	32
-	-	-	9	7	12	103	-	-	-	-	16	13	-	96	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	35
-	-	-	-	-	2	1	-	1	-	1	-	2	-	2	36
-	1	-	-	1	1	2	-	-	-	-	-	-	-	4	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	38
-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	40
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	42
-	-	-	-	2	-	-	-	2	-	-	-	-	-	2	43
-	-	-	1	1	-	3	-	8	-	-	-	-	-	7	44
595	1,501	25,930	93	26	13	217	1	1,382	4	108	41	6	11	889	
595	1,500	25,929	93	25	12	212	1	1,344	2	97	37	1	11	854	45-55
270	58	1,147	-	-	-	2	-	28	-	5	-	-	-	34	45
130	218	8,394	57	10	8	124	1	751	-	41	17	-	4	439	46
39	286	1,544	2	4	-	11	-	56	-	7	-	-	2	35	47
15	63	3,602	8	2	1	16	-	141	-	10	3	-	1	108	48
8	23	1,715	7	-	-	2	-	33	-	1	1	-	1	9	49
65	397	5,289	6	2	-	13	-	114	-	8	2	-	-	55	50
16	72	2,121	-	1	2	12	-	47	-	-	1	-	1	37	51
9	70	1,202	1	-	-	10	-	65	-	1	2	-	1	42	52
...	125	795	2	-	-	7	-	21	-	1	-	-	-	20	53
1	...	120	2	1	-	1	-	13	-	-	1	-	-	4	54
42	188	...	8	5	1	14	-	75	2	23	10	1	1	71	55
-	1	-	...	1	1	2	-	36	2	10	3	5	-	22	56
-	-	1	-	...	-	3	-	2	-	1	1	-	-	13	57
-	-	13	56	48	37	71	2	47	12	116	17	18	1	139	
-	-	-	-	-	...	2	-	-	-	-	-	-	-	10	58
-	-	7	1	-	13	...	-	-	-	-	-	-	-	14	59
-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	60
-	-	1	42	35	17	47	1	...	11	108	12	-	-	82	61
-	-	1	2	4	1	2	-	-	...	1	3	-	-	3	62
-	-	-	7	2	3	6	-	24	-	...	-	7	1	11	63b
-	-	2	1	2	-	1	-	3	-	-	...	3	-	6	63a,c-e
-	-	-	-	-	-	-	-	-	-	-	-	...	-	5	64
-	-	1	-	2	-	2	-	4	1	2	2	4	...	3	65
-	-	1	-	-	-	-	-	-	-	-	-	-	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	68
-	-	-	3	3	3	9	1	16	-	5	-	-	-	4	69
-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	3	10	14	5	12	1	46	-	-	4	4	-	28	
-	-	-	-	-	2	-	-	-	-	-	1	1	-	4	72
-	-	1	1	7	1	1	-	-	-	-	-	-	-	8	73a
-	-	2	-	1	1	-	-	-	-	-	2	-	-	2	73b-d
-	-	-	8	5	1	8	-	45	-	-	1	-	-	12	74
-	-	-	1	1	-	3	1	-	-	-	-	3	-	2	75
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Cancer of buccal cavity and pharynx	Cancer of digestive organs and peritoneum	Cancer of respiratory system	Cancer of uterus	Cancer of other female genital organs	Cancer of breast	Cancer of male genital organs	Cancer of urinary organs (male and female)
		45	46	47	48	49	50	51	52
	V.—Chronic poisoning and intoxication	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	-	-	-	-	-	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	-	4	1	-	-	-	-	-
80	Encephalitis (nonepidemic)	-	-	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	-	-	-	-	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	-	-	-	-	-	-	-	-
83a	Cerebral hemorrhage or effusion*	-	3	-	-	-	-	-	-
83b	Cerebral embolism and thrombosis	-	-	-	-	-	-	-	-
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	-	-	-	-	-	-	-	-
84	Mental diseases and deficiency (see exception)*	-	1	-	-	-	-	-	-
85	Epilepsy	-	-	-	-	-	-	-	-
86	Convulsions (under 5 years)	-	-	-	-	-	-	-	-
87	Other diseases of nervous system	-	-	1	-	-	-	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	-	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	1	66	8	5	1	-	2	2
90-95	Diseases of heart	-	53	7	5	1	-	2	-
90	Pericarditis (except acute rheumatic)	-	-	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	-	1	-	-	-	-	-	-
93	Diseases of myocardium	-	42	5	5	1	-	2	-
94	Diseases of coronary arteries, angina pectoris	-	4	1	-	-	-	-	-
95	Other diseases of heart	-	6	1	-	-	-	-	-
96	Aneurysm (except of heart and aorta)	-	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	-	8	1	-	-	-	-	1
98	Gangrene	-	-	-	-	-	-	-	-
99	Other diseases of arteries	-	-	-	-	-	-	-	-
100	Diseases of veins	-	1	-	-	-	-	-	1
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	-	2	-	-	-	-	-	-
103	Other diseases of circulatory system	1	2	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	-	18	15	1	-	-	-	1
104	Diseases of nasal fossae, accessory sinuses	-	-	-	-	-	-	-	-
105	Diseases of larynx	-	-	-	-	-	-	-	-
106	Bronchitis	-	-	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	-	7	3	1	-	-	-	1
108	Lobar pneumonia	-	2	-	-	-	-	-	-
109	Pneumonia (unspecified)	-	1	1	-	-	-	-	-
110	Pleurisy (not tuberculous)	-	1	2	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	-	5	2	-	-	-	-	-
112	Asthma	-	-	-	-	-	-	-	-
113	Pulmonary emphysema	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	-	2	7	-	-	-	-	-
	IX.—Diseases of the digestive system	3	121	1	1	2	-	-	-
115	Diseases of buccal cavity and adnexa, etc.*	-	1	1	-	-	-	-	-
116	Diseases of esophagus	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	-	8	-	1	-	-	-	-
118	Other diseases of stomach (except cancer)	-	13	-	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	-	-	-	-	-	-	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)	2	5	-	-	-	-	-	-
121	Appendicitis	-	-	-	-	-	-	-	-
122	Hernia and intestinal obstruction	-	52	-	-	2	-	-	-
123	Other diseases of intestines	-	12	-	-	-	-	-	-
124	Cirrhosis of liver	-	12	-	-	-	-	-	-
125	Other diseases of liver	1	6	-	-	-	-	-	-
126	Biliary calculi	-	2	-	-	-	-	-	-
127	Other diseasss of gallbladder, biliary ducts	-	9	-	-	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	-	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	2	16	-	-	-	-	12	5
130	Acute nephritis	-	1	-	-	-	-	-	-
131	Chronic nephritis	-	12	-	-	-	-	5	2
132	Nephritis unspecified (10 years and over)	2	-	-	-	-	-	1	1
133	Other diseases of kidneys, ureters, etc.*	-	1	-	-	-	-	-	1
134	Calculi of urinary passages	-	-	-	-	-	-	-	1
135	Diseases of urinary bladder	-	2	-	-	-	-	1	-
136	Diseases of urethra (except calculus)	-	-	-	-	-	-	-	-
137	Diseases of prostate	-	-	-	-	-	-	7	-
138	Diseases of other male genital organs (not venereal)	-	-	-	-	-	-	-	-
139	Diseases of female genital organs	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Cancer of skin, etc.* 53	Cancer of central nervous system* 54	Cancer of other and unspecified organs 55	Nonmalignant tumors (including dermoid cysts) 56	Tumors of unspecified nature 57	Acute rheumatic fever 58	Chronic rheumatism, other rheumatic diseases 59	Gout 60	Diabetes mellitus 61	Diseases of pituitary gland 62	Exophthalmic goiter 63b	Other diseases of thyroid and parathyroid glands 63a,c-e	Diseases of thymus gland 64	Diseases of adrenal glands* 65	Other general diseases 66	List No.
-	-	-	1	-	-	1	-	1	-	-	-	1	-	13	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	13	77
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	79
2	1	2	127	97	108	596	1	40	3	3	25	21	22	250	
-	-	-	-	2	-	-	-	1	-	-	-	2	-	4	80
-	-	-	9	2	-	-	-	-	-	-	2	-	21	-	81
-	1	1	10	10	2	14	-	-	1	2	-	-	-	7	82
1	-	1	73	53	48	450	-	-	2	-	14	4	-	169	83a
-	-	-	24	8	55	73	1	-	-	-	2	-	-	7	83b
-	-	-	6	6	2	25	-	-	-	-	3	1	-	15	83c,d
-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	84
-	-	-	2	4	-	3	-	-	-	-	3	5	-	4	85
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	86
1	-	-	1	11	1	29	-	-	-	1	1	1	-	13	87
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	88
-	-	-	2	1	-	2	-	39	-	-	-	6	-	22	89
1	1	17	402	198	920	3,021	17	12	1	6	258	28	3	1,028	
1	-	15	397	191	904	2,997	14	4	1	6	254	26	3	917	90-95
-	-	-	2	1	-	12	-	-	-	-	-	3	-	2	90
-	-	-	5	1	2	30	-	-	-	-	-	1	-	3	91
-	-	1	45	19	122	405	1	-	-	1	23	2	-	46	92
1	-	12	237	129	37	1,873	5	2	1	3	163	11	2	530	93
-	-	2	76	27	112	485	7	1	-	-	26	2	1	238	94
-	-	-	32	14	631	192	1	1	-	2	22	7	-	98	95
-	-	-	4	4	2	1	-	5	-	-	2	-	-	-	96
-	1	2	-	2	10	8	3	1	-	-	17	1	-	64	97
-	-	-	-	-	-	1	-	-	-	-	-	-	-	28	98
-	-	-	-	1	4	14	-	2	-	-	-	1	-	10	99
-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	100
-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	101
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
-	2	4	100	90	88	606	1	1	3	-	38	176	-	542	
-	-	1	2	-	-	3	-	-	-	-	-	2	-	9	104
-	-	-	1	1	-	2	-	-	-	-	1	15	-	7	105
-	-	1	1	1	4	62	-	-	-	-	3	27	-	24	106
-	1	-	62	41	10	361	-	-	-	-	18	96	-	247	107
-	-	-	25	29	66	117	1	1	3	-	12	27	-	202	108
-	-	-	2	4	3	20	-	-	-	-	1	8	-	20	109
-	-	-	6	10	-	7	-	-	-	-	-	-	-	8	110
-	-	-	-	1	2	14	-	-	-	-	1	1	-	2	111
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	112
-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	113
-	1	2	1	3	2	18	-	-	-	-	1	-	-	20	114
-	-	35	255	60	108	141	1	580	3	54	22	95	15	1,228	
-	-	-	1	-	88	7	-	-	-	-	2	46	-	64	115
-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	116
-	-	-	14	4	5	17	-	44	-	6	3	-	2	19	117
-	-	4	-	1	-	-	-	1	-	1	1	5	-	34	118
-	-	-	-	-	-	-	-	-	-	-	-	17	-	472	119
-	-	2	1	-	1	1	-	2	-	-	1	3	-	112	120
-	-	-	161	9	5	3	-	252	1	24	3	11	6	64	121
-	-	16	24	14	1	29	-	131	-	6	2	8	4	253	122
-	-	3	9	5	-	2	-	9	-	-	-	2	-	28	123
-	-	6	18	12	4	30	1	6	-	1	2	2	1	33	124
-	-	-	6	4	1	11	-	15	-	4	2	-	-	28	125
-	-	1	16	4	-	16	-	79	2	8	3	-	1	33	126
-	-	1	2	4	2	19	-	31	-	3	1	1	1	33	127
-	-	-	2	1	-	1	-	9	-	1	-	-	-	19	128
-	-	1	1	1	1	4	-	3	-	-	1	-	-	16	129
-	-	6	343	77	90	462	6	188	6	11	51	5	2	349	
-	-	-	-	1	6	-	-	-	1	-	2	2	-	27	130
-	-	3	84	54	67	398	6	1	5	-	45	1	-	172	131
-	-	1	7	8	10	25	-	1	-	-	3	-	-	23	132
-	-	1	30	6	5	32	-	24	-	-	-	-	-	31	133
-	-	-	4	2	-	3	-	14	-	3	-	-	-	4	134
-	-	1	2	1	-	-	-	3	-	-	-	-	-	12	135
-	-	-	1	-	-	3	-	10	-	-	-	-	-	16	136
-	-	-	3	2	1	3	-	114	-	2	2	-	1	39	137
-	-	-	1	-	-	-	-	-	-	-	-	2	-	4	138
-	-	-	211	3	1	-	-	21	-	6	1	-	1	21	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Cancer of buccal cavity and pharynx	Cancer of digestive organs and peritoneum	Cancer of respiratory system	Cancer of uterus	Cancer of other female genital organs	Cancer of breast	Cancer of male genital organs	Cancer of urinary organs (male and female)
		45	46	47	48	49	50	51	52
	XI.—Diseases of pregnancy, childbirth, puerperium	-	-	-	-	-	-	-	-
140	Abortion with mention of infection	-	-	-	-	-	-	-	-
141	Abortion without mention of infection	-	-	-	-	-	-	-	-
142	Ectopic gestation	-	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
145	Other diseases of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	-	-	-	-	-	-	-	-
147	Infection during childbirth and puerperium	-	-	-	-	-	-	-	-
148	Puerperal toxemias (excluding death before delivery)	-	-	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	-		-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	-		-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	-	-	-	-	-	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	-	-	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	-	-	1	-	-	-	-	-
154	Osteomyelitis and periostitis	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	-	-	1	-	-	-	-	-
156	Diseases of joints, other organs of movement	-	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	-	9	-	-	-	-	-	-
	XV.—Diseases peculiar to the first year of life	-	-	-	-	-	-	-	-
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-	-
159	Premature birth (cause not stated)	-	-	-	-	-	-	-	-
160	Injury at birth	-	-	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	-	-	-	-	-	-	-	-
162	XVI.—Senility	-	10	-	1	-	-	1	1
	XVII.—Violent or accidental deaths	14	172	16	44	13	85	50	29
163,164	Suicide	7	28	4	5	1	1	10	3
163	Suicide by poisoning	-	4	2	1	1	1	2	1
164	Suicide by other means	7	24	2	4	-	-	8	2
165-168	Homicide [1]	-	-	-	1	-	-	-	1
166	Homicide by firearms	-	-	-	-	-	-	-	-
167	Homicide by cutting or piercing instruments	-	-	-	1	-	-	-	-
168	Homicide by other means	-	-	-	-	-	-	-	1
169-195	Accidental deaths	7	144	12	38	12	84	40	25
169	Railway accidents	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	-	16	2	-	1	4	2	2
171	Streetcar and other road-transport accidents	-	1	-	1	-	-	-	1
172	Water-transport accidents	-	-	-	-	-	-	-	-
173	Air-transport accidents	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	-	2	-	-	-	-	-	-
175	Agricultural and forestry accidents	-	4	-	-	-	-	-	-
176	Other accidents involving machinery	-	-	-	-	-	-	-	-
177	Food poisoning	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	-	-	-	-	-	-	1	-
179	Acute accidental poisoning by solids or liquids	-	1	-	1	-	-	-	-
180	Conflagration	-	-	-	1	-	-	-	-
181	Accidental burns (except conflagration)	2	4	-	-	-	1	2	-
182	Accidental mechanical suffocation	-	-	-	-	-	-	-	-
183	Accidental drowning	-	1	-	-	-	-	-	-
184	Accidental injury by firearms	-	-	-	-	-	-	-	-
185	Accidental injury by cutting or piercing instruments	-	1	-	-	-	-	-	-
186	Accidental injury by fall or crushing	4	98	8	30	10	69	31	21
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	-	-	-	-	-	-	-	-
191	Excessive heat	1	2	-	-	-	-	1	-
192	Lightning	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	-	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-
195	Other accidents	-	14	2	5	1	10	3	1
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	1	11	-	2	-	-	-	1
199	Sudden death	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	1	11	-	2	-	-	-	1

*Refer to complete International List titles, table II.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Cancer of skin, etc.* 53	Cancer of central nervous system* 54	Cancer of other and unspecified organs 55	Nonmalignant tumors (including dermoid cysts) 56	Tumors of unspecified nature 57	Acute rheumatic fever 58	Chronic rheumatism, other rheumatic diseases 59	Gout 60	Diabetes mellitus 61	Diseases of pituitary gland 62	Exophthalmic goiter 63b	Other diseases of thyroid and parathyroid glands 63a,c-e	Diseases of thymus gland 64	Diseases of adrenal glands* 65	Other general diseases 66	List No.
-	-	-	73	6	12	2	-	33	2	23	-	2	2	12	
-	-	-	15	1	-	1	-	3	-	2	-	-	-	4	140
-	-	-	3	-	1	-	-	2	-	4	-	-	-	-	141
-	-	-	7	1	-	-	-	1	-	1	-	-	-	1	142
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	1	-	2	-	-	5	-	2	-	-	-	3	144
-	-	-	4	-	1	-	-	1	-	1	-	-	1	-	145
-	-	-	18	-	-	-	-	3	-	2	-	-	-	1	146
-	-	-	15	1	3	-	-	2	1	-	-	-	1	-	147
-	-	-	2	-	-	-	-	9	-	3	-	-	-	-	148
-	-	-	7	2	-	1	-	7	1	3	-	2	-	3	149
-	-	-	1	1	5	-	-	-	-	5	-	-	-	-	150
-	-	-	1	-	-	3	-	2	-	-	-	2	19	44	
-	-	-	-	-	-	1	-	1	-	-	-	-	19	-	151
-	-	-	1	-	-	2	-	1	-	-	-	2	-	28	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	153
-	-	1	1	-	1	6	-	1	1	-	3	2	-	18	
-	-	-	-	-	1	3	-	-	1	-	1	1	-	17	154
-	-	1	1	-	-	3	-	1	-	-	2	1	-	-	155
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	156
-	-	-	3	9	13	1	-	6	3	1	-	73	-	37	157
-	-	-	3	2	-	-	-	2	-	-	-	85	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	158
-	-	-	3	1	-	-	-	1	-	-	-	57	-	22	159
-	-	-	-	1	-	-	-	1	-	-	-	25	-	3	160
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	161
-	-	5	-	1	-	-	-	2	-	-	-	-	-	-	162
33	24	54	45	28	9	69	28	638	4	37	13	38	5	626	
7	-	5	2	3	-	11	-	23	-	4	3	-	-	16	163,164
1	-	-	-	1	-	4	-	6	-	-	-	-	-	10	163
6	-	5	2	2	-	7	-	17	-	4	3	-	-	6	164
-	3	-	-	2	-	-	-	2	-	-	-	3	-	4	165-168
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	166
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	167
-	3	-	-	1	-	-	-	2	-	-	-	3	-	2	168
26	21	49	43	23	9	58	28	613	4	33	10	35	5	606	169-195
-	2	-	-	1	-	1	-	2	-	-	-	-	-	5	169
-	6	6	10	7	1	4	-	58	1	2	1	3	1	31	170
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173
-	-	-	1	-	-	-	-	1	-	-	-	-	-	6	174
-	-	1	1	-	-	-	-	7	-	-	-	-	-	9	175
-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	176
-	-	-	1	-	1	-	-	8	-	-	-	-	-	8	177
-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	178
-	-	-	1	1	1	2	-	5	-	-	-	1	-	5	179
-	-	-	-	-	1	-	-	3	-	-	-	-	2	37	180
3	-	1	1	1	1	2	-	35	1	2	-	2	-	424	181
-	-	-	-	-	-	-	-	-	-	-	-	6	1	2	182
-	1	-	1	-	-	-	-	2	-	1	-	1	-	-	183
-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	184
-	-	-	-	-	-	-	-	12	-	-	-	2	-	1	185
19	8	36	18	8	3	43	-	461	2	24	7	2	-	49	186
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190
1	-	1	1	-	-	3	-	7	-	-	-	-	-	2	191
-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	192
-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	193
-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	194
3	4	4	8	4	1	2	28	4	-	1	1	14	1	12	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
-	-	9	1	8	-	-	-	1	-	-	-	4	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	199
-	-	9	1	8	-	-	-	1	-	-	-	3	-	1	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Scurvy	Beriberi	Pellagra (except alcoholic)	Rickets	Other avitaminoses	Hemorrhagic conditions	Pernicious anemia	Other anemias (except splenic)
		67	68	69	70	71	72	73a	73b-d
	All causes	50	7	229	220	311	430	2,187	6,385
	I.—Infectious and parasitic diseases	7	2	111	29	20	49	106	531
1	Typhoid fever	-	-	4	-	-	1	2	3
2	Paratyphoid fever	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	-	4
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	3	-	1
9	Whooping cough	-	-	-	1	-	2	-	2
10	Diphtheria (infection by C. diphtheriae)	-	-	-	1	-	2	-	-
11	Erysipelas	-	-	-	-	-	1	1	3
12	Tetanus	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	2	1	66	7	6	4	22	192
13	Tuberculosis of respiratory system, etc.*	1	1	62	3	5	2	20	166
14	Tuberculosis of meninges, etc.*	-	-	-	3	-	-	-	-
15	Tuberculosis of intestines and peritoneum	1	-	3	-	-	-	-	10
16	Tuberculosis of vertebral column	-	-	1	-	-	-	-	5
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	-	-	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	1	-	2
20	Tuberculosis of genito-urinary system	-	-	-	-	-	1	1	3
21	Tuberculosis of other organs	-	-	-	-	-	-	-	2
22	Disseminated tuberculosis	-	-	-	1	1	-	1	3
23	Leprosy	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1	-	-	-	-	-	-	17
25	Gonococcus infection	-	-	-	1	-	-	-	1
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	1
27	Dysentery	2	-	-	2	-	2	5	15
28	Malaria	-	-	-	1	-	2	8	23
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-
30	Syphilis	1	1	38	4	5	9	12	55
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	3	-	3
33	Influenza (grippe)	1	-	-	11	8	12	47	81
34	Smallpox	-	-	-	-	-	-	-	-
35	Measles	-	-	-	1	-	1	-	-
36	Poliomyelitis and polioencephalitis (acute)	-	-	-	-	-	-	1	1
37	Acute infectious encephalitis (lethargic)	-	-	-	-	-	-	1	2
38	Other diseases due to filtrable viruses	-	-	-	-	-	2	-	-
39	Typhus fever, typhus-like diseases*	-	-	1	-	-	-	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	9
41	Hydatid disease	-	-	-	-	-	1	-	2
42	Other diseases caused by helminths	-	-	-	-	-	-	-	7
43	Mycoses	-	-	1	-	-	-	1	4
44	Other infectious and parasitic diseases	-	-	1	-	1	3	5	105
	II.—Cancer and other tumors	-	1	57	1	18	28	196	2,328
45-55	Cancer and other malignant tumors	-	1	57	1	17	21	190	2,225
45	Cancer of buccal cavity and pharynx	-	-	1	-	2	1	4	49
46	Cancer of digestive organs and peritoneum	-	1	36	1	10	9	141	1,308
47	Cancer of respiratory system	-	-	2	-	1	2	6	78
48	Cancer of uterus	-	-	8	-	1	-	6	251
49	Cancer of other female genital organs	-	-	1	-	-	-	2	33
50	Cancer of breast	-	-	2	-	-	1	6	76
51	Cancer of male genital organs	-	-	2	-	1	2	10	76
52	Cancer of urinary organs (male and female)	-	-	1	-	1	-	7	124
53	Cancer of skin, etc.*	-	-	2	-	-	-	3	37
54	Cancer of central nervous system*	-	-	-	-	-	-	-	4
55	Cancer of other and unspecified organs	-	-	2	-	1	6	5	189
56	Nonmalignant tumors (including dermoid cysts)	-	-	-	-	-	5	5	89
57	Tumors of unspecified nature	-	-	-	-	1	2	1	14
	III.—Rheumatism, diseases of nutrition, etc.*	13	-	11	-	31	15	87	155
58	Acute rheumatic fever	1	-	-	-	1	4	4	15
59	Chronic rheumatism, other rheumatic diseases	-	-	-	-	3	-	33	37
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1	-	1	-	1	3	40	25
62	Diseases of pituitary gland	-	-	-	-	-	-	1	2
63b	Exophthalmic goiter	-	-	-	-	1	2	1	8
63a,c-e	Other diseases of thyroid and parathyroid glands	-	-	-	-	-	-	-	3
64	Diseases of thymus gland	-	-	-	-	-	-	-	2
65	Diseases of adrenal glands*	-	-	1	-	-	3	-	2
66	Other general diseases	-	-	-	-	3	1	-	11
67	Scurvy	...	-	-	-	-	1	-	3
68	Beriberi	-	...	9	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	...	-	20	1	7	30
70	Rickets	7	-	-	...	2	-	-	11
71	Other avitaminoses	3	-	-	-	...	-	1	6
	IV.—Diseases of the blood and blood-forming organs	5	1	1	2	1	35	19	334
72	Hemorrhagic conditions	-	-	-	-	-	...	-	40
73a	Pernicious anemia	1	-	-	-	-	-	...	-
73b-d	Other anemias (except splenic)	2	-	-	-	-	-	-	...
74	Leukemias and aleukemias	2	1	1	2	1	24	18	241
75	Diseases of spleen	-	-	-	-	-	11	1	27
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	-	-	26

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Leukemias and aleukemias 74	Diseases of spleen 75	Other diseases of blood and blood-forming organs 76	Alcoholism (ethylism) 77	Lead poisoning 78	Chronic poisoning by other mineral substances* 79	Encephalitis (nonepidemic) 80	Meningitis (not due to meningococcus) 81	Diseases of spinal cord (see exceptions)* 82	Cerebral hemorrhage or effusion* 83a	Cerebral embolism and thrombosis 83b	Cerebral softening, hemiplegia, other paralysis, etc.* 83c,d	Mental diseases and deficiency (See exception)* 84	Epilepsy 85	Convulsions (under 5 years) 86	List No.
195	659	386	3,109	9	189	2,174	4,097	458	46,788	9,655	4,446	9,221	2,064	997	
47	57	51	187	3	53	465	578	91	1,187	275	186	1,521	321	146	
1	2	-	2	-	-	4	6	-	6	-	1	1	-	-	1
-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	5
-	-	-	1	-	-	10	-	-	3	-	1	1	-	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	-	-	-	-	-	3	23	-	-	2	-	7	1	2	8
-	1	1	-	-	-	28	28	-	37	-	1	1	2	32	9
-	-	-	2	-	-	-	1	1	-	-	1	3	-	-	10
-	1	-	2	-	-	1	13	-	2	-	-	3	3	-	11
-	-	-	1	-	5	-	1	-	-	-	1	-	-	3	12
20	7	3	89	1	14	33	52	27	171	62	49	1,268	186	1	13-22
19	7	3	86	1	14	28	41	16	146	60	34	1,239	177	1	13
-	-	-	-	-	-	-	-	-	2	-	-	6	-	-	14
-	-	-	2	-	-	-	-	-	2	-	1	7	2	-	15
-	-	-	-	-	-	4	3	11	8	-	9	2	-	-	16
-	-	-	-	-	-	-	2	-	5	2	2	3	1	-	17
-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	18
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	19
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	20
1	-	-	-	-	-	-	1	-	4	-	-	-	-	-	21
-	-	-	1	-	-	1	4	-	2	-	-	9	5	-	22
1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	23
2	2	12	1	-	-	2	4	1	2	3	1	17	6	2	24
-	1	3	-	-	-	-	1	-	1	3	-	2	-	-	25
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	26
-	1	-	3	-	1	4	13	1	5	-	2	20	4	15	27
-	2	-	1	-	22	10	8	1	6	-	6	4	3	9	28
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	29
17	15	10	50	2	10	45	54	45	877	196	101	54	57	11	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	2	12	1	-	-	1	2	-	2	-	-	3	2	2	32
-	10	5	30	-	1	258	338	-	20	1	9	92	46	51	33
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	34
1	1	1	1	-	-	33	8	3	2	-	1	-	4	3	35
1	-	-	1	-	-	13	3	-	7	1	-	3	1	2	36
-	-	1	1	-	-	-	6	10	27	4	9	29	4	-	37
-	-	-	-	-	-	9	1	-	2	-	-	2	1	1	38
1	1	-	1	-	-	2	1	-	2	2	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	1	-	-	2	1	8	42
1	2	-	-	-	-	1	5	-	1	-	1	-	-	1	43
-	8	2	-	-	-	5	6	1	9	1	2	6	-	1	44
75	32	14	37	1	9	53	98	60	1,292	428	277	285	65	4	
72	28	11	34	1	9	27	59	54	1,079	369	203	253	35	1	45-55
3	-	-	2	-	1	-	4	3	26	9	5	3	-	-	45
8	17	5	26	1	2	6	9	15	411	155	60	111	14	-	46
5	1	2	2	-	1	-	3	7	29	32	9	10	-	-	47
4	-	1	2	-	2	-	1	-	111	44	10	42	9	-	48
2	-	-	-	-	-	-	-	-	10	9	-	3	1	-	49
2	-	1	-	-	-	-	2	1	105	23	10	30	-	-	50
2	2	-	-	-	-	-	1	1	82	29	9	7	1	-	51
7	-	-	1	-	1	1	1	5	62	21	7	9	1	-	52
3	-	-	-	-	-	8	5	2	70	9	6	9	1	-	53
1	-	-	-	-	-	8	20	5	68	5	44	8	4	1	54
35	8	2	1	-	2	4	13	15	105	33	43	21	4	-	55
2	4	2	2	-	-	17	24	5	103	46	21	14	14	-	56
1	-	1	1	-	-	9	15	1	110	13	53	18	16	3	57
5	14	18	43	-	3	31	57	44	2,925	679	185	158	31	38	
-	3	2	1	-	-	8	4	-	-	7	5	6	5	-	58
-	-	6	1	-	1	3	5	-	2	-	-	10	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	9	6	20	-	1	11	37	34	2,707	602	165	34	12	-	61
-	-	-	-	-	-	-	2	-	11	1	-	4	1	-	62
3	1	-	-	-	1	1	2	1	125	56	7	22	1	-	63b
1	-	-	-	-	-	1	-	1	15	5	1	7	1	4	63a,c-e
-	-	-	-	-	-	-	-	-	1	-	-	8	-	11	64
1	1	-	-	-	-	1	-	1	6	2	-	1	1	-	65
-	-	3	4	-	-	1	1	-	-	-	-	12	-	12	66
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	67
-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	68
-	-	1	16	-	-	4	2	6	53	6	7	49	10	-	69
-	-	-	-	-	-	1	3	-	1	-	-	1	-	9	70
-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	71
4	102	15	4	1	2	2	7	2	89	13	2	60	9	5	
-	-	1	-	-	-	-	2	-	5	-	-	1	-	1	72
-	8	1	2	1	-	-	1	2	2	-	1	26	8	-	73a
1	3	-	-	-	1	1	-	-	-	-	1	22	-	4	73b-d
...	91	9	1	-	1	1	2	-	79	13	-	9	-	-	74
3	...	4	1	-	-	-	2	-	2	-	-	-	1	-	75
-	-	...	-	-	-	-	-	-	1	-	-	2	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Scurvy	Beriberi	Pellagra (except alcoholic)	Rickets	Other avitaminoses	Hemorrhagic conditions	Pernicious anemia	Other anemias (except splenic)
		67	68	69	70	71	72	73a	73b-d
	V.—Chronic poisoning and intoxication	1	-	-	-	18	2	1	16
77	Alcoholism (ethylism)	1	-	-	-	17	2	-	9
78	Lead poisoning	-	-	-	-	-	-	1	2
79	Chronic poisoning by other mineral substances*	-	-	-	-	1	-	-	5
	VI.—Diseases of the nervous system, etc.*	4	1	2	4	18	97	272	162
80	Encephalitis (nonepidemic)	-	-	-	-	-	-	-	4
81	Meningitis (not due to meningococcus)	1	-	-	-	-	-	-	8
82	Diseases of spinal cord (see exceptions)*	-	1	-	-	1	-	56	20
83a	Cerebral hemorrhage or effusion*	3	-	-	-	10	86	156	63
83b	Cerebral embolism and thrombosis	-	-	-	-	5	3	44	17
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	-	-	-	-	1	-	14	10
84	Mental diseases and deficiency (see exception)*	-	-	1	-	-	-	-	1
85	Epilepsy	-	-	-	2	-	2	-	8
86	Convulsions (under 5 years)	-	-	-	-	-	-	-	-
87	Other diseases of nervous system	-	-	-	1	1	1	-	22
88	Diseases of organs of vision	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	-	-	1	1	-	5	2	9
	VII.—Diseases of the circulatory system	2	-	1	2	78	49	891	1,135
90-95	Diseases of heart	2	-	1	2	74	47	880	980
90	Pericarditis (except acute rheumatic)	-	-	-	-	1	3	2	2
91	Acute endocarditis (except rheumatic)	-	-	-	-	-	2	5	33
92	Chronic affections of valves and endocardium	-	-	-	1	1	9	67	117
93	Diseases of myocardium	1	-	1	-	62	23	576	637
94	Diseases of coronary arteries, angina pectoris	-	-	-	-	8	6	173	99
95	Other diseases of heart	1	-	-	1	2	4	57	92
96	Aneurysm (except of heart and aorta)	-	-	-	-	1	-	-	3
97	Arteriosclerosis (except coronary or renal sclerosis)	-	-	-	-	-	-	-	119
98	Gangrene	-	-	-	-	3	2	5	7
99	Other diseases of arteries	-	-	-	-	-	-	6	8
100	Diseases of veins	-	-	-	-	-	-	-	15
101	Diseases of lymphatic system	-	-	-	-	-	-	-	3
102	High blood pressure (idiopathic)	-	-	-	-	-	-	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	10	-	-	123	65	33	253	442
104	Diseases of nasal fossae, accessory sinuses	-	-	-	4	-	-	-	3
105	Diseases of larynx	-	-	-	-	-	-	-	1
106	Bronchitis	-	-	-	8	1	1	16	36
107	Bronchopneumonia (including capillary bronchitis)	8	-	-	82	36	20	157	225
108	Lobar pneumonia	2	-	-	20	13	6	66	117
109	Pneumonia (unspecified)	-	-	-	4	5	2	7	20
110	Pleurisy (not tuberculous)	-	-	-	-	2	3	4	14
111	Hemorrhagic infarction, thrombosis, edema*	-	-	-	5	6	-	3	2
112	Asthma	-	-	-	-	-	-	-	7
113	Pulmonary emphysema	-	-	-	-	-	-	-	1
114	Other diseases of respiratory system (except tuberculosis)	-	-	-	-	2	1	-	16
	IX.—Diseases of the digestive system	4	-	20	43	38	52	133	485
115	Diseases of buccal cavity and adnexa, etc.*	-	-	-	1	2	12	11	30
116	Diseases of esophagus	-	-	-	-	-	-	-	1
117	Ulcer of stomach or duodenum	-	-	10	-	4	-	12	105
118	Other diseases of stomach (except cancer)	-	-	-	-	-	-	-	27
119	Diarrhea, enteritis, etc.* (under 2 years)	3	-	-	35	9	7	-	50
120	Diarrhea, enteritis, etc.* (2 years and over)	-	-	3	1	6	4	24	71
121	Appendicitis	-	-	3	-	-	3	5	8
122	Hernia and intestinal obstruction	-	-	2	4	-	5	8	11
123	Other diseases of intestines	-	-	-	-	5	5	3	31
124	Cirrhosis of liver	1	-	-	-	12	7	35	96
125	Other diseases of liver	-	-	1	1	-	4	9	20
126	Biliary calculi	-	-	-	-	-	2	7	13
127	Other diseases of gallbladder, biliary ducts	-	-	1	-	-	2	18	17
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	-	-	-	1	1
129	Peritonitis (cause not stated)	-	-	-	1	-	1	-	4
	X.—Diseases of the genito-urinary system	3	-	2	3	17	20	178	573
130	Acute nephritis	-	-	-	2	1	-	-	53
131	Chronic nephritis	2	-	-	1	13	9	136	387
132	Nephritis unspecified (10 years and over)	-	-	-	-	1	3	9	47
133	Other diseases of kidneys, ureters, etc.*	1	-	-	-	-	4	22	35
134	Calculi of urinary passages	-	-	-	-	1	-	3	2
135	Diseases of urinary bladder	-	-	-	-	-	-	-	6
136	Diseases of urethra (except calculus)	-	-	-	-	-	-	1	-
137	Diseases of prostate	-	-	-	-	1	-	6	13
138	Diseases of other male genital organs (not venereal)	-	-	-	-	-	-	-	1
139	Diseases of female genital organs	-	-	2	-	-	4	1	29

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Leukemias and aleukemias 74	Diseases of spleen 75	Other diseases of blood and blood-forming organs 76	Alcoholism (ethylism) 77	Lead poisoning 78	Chronic poisoning by other mineral substances* 79	Encephalitis (nonepidemic) 80	Meningitis (not due to meningococcus) 81	Diseases of spinal cord (see exceptions)* 82	Cerebral hemorrhage or effusion* 83a	Cerebral embolism and thrombosis 83b	Cerebral softening, hemiplegia, other paralysis, etc.* 83c,d	Mental diseases and deficiency (see exception)* 84	Epilepsy 85	Convulsions (under 5 years) 86	List No.
1	-	1	-	-	13	15	9	2	96	2	1	20	1	1	
-	-	-	...	-	13	10	9	-	85	-	-	16	-	-	77
-	-	-	-	...	-	4	-	2	11	2	1	-	-	1	78
1	-	1	-	-	...	1	-	-	-	-	-	4	1	-	79
4	16	22	200	-	4	527	1,211	4	286	58	164	615	336	61	
-	-	-	1	-	-	...	15	-	17	-	4	19	19	7	80
-	-	-	-	-	1	114	...	-	11	-	8	15	-	12	81
1	-	1	3	-	-	24	14	...	115	29	75	13	15	-	82
-	12	8	149	-	2	53	31	2	...	-	-	253	264	17	83a
-	2	7	18	-	1	10	5	-	-	...	-	30	16	1	83b
-	-	1	9	-	-	23	1	-	-	-	...	15	5	1	83c,d
-	-	-	-	-	-	-	-	-	1	-	-	...	-	1	84
-	-	-	14	-	-	-	10	-	17	-	20	176	...	5	85
-	-	-	-	-	-	1	-	-	1	-	-	-	1	...	86
-	-	2	5	-	-	8	4	1	110	20	55	85	16	5	87
-	-	-	-	-	-	3	15	-	-	-	-	2	-	1	88
3	2	3	1	-	-	291	1,116	1	14	9	2	7	-	11	89
2	194	74	1,063	-	39	356	103	10	21,740	6,586	2,143	3,371	434	4	
2	192	60	1,049	-	36	319	79	7	21,612	6,572	2,111	2,589	432	1	90-95
-	2	-	2	-	-	3	6	-	-	-	3	2	3	-	90
-	43	5	7	-	2	232	22	-	67	39	8	14	-	-	91
-	49	6	57	-	5	12	12	2	1,840	1,076	215	109	56	-	92
1	55	30	598	-	20	51	28	4	16,984	3,949	1,447	2,197	265	-	93
-	33	13	304	-	5	12	6	1	1,700	966	300	197	79	-	94
1	10	6	81	-	4	9	5	-	1,221	542	138	70	29	1	95
-	1	-	2	-	-	-	-	3	108	10	6	1	-	1	96
-	-	5	1	-	3	32	23	-	12	1	4	768	-	-	97
-	-	1	1	-	-	1	-	-	-	-	-	2	-	-	98
-	1	3	4	-	-	3	1	-	3	1	20	7	2	-	99
-	-	4	6	-	-	1	-	-	-	1	-	2	-	-	100
-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	101
-	-	-	-	-	-	-	-	-	5	1	2	1	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
4	37	96	485	-	35	390	1,057	4	752	125	145	877	385	161	
-	-	1	1	-	-	131	269	-	4	-	-	3	1	-	104
1	-	2	-	-	-	-	-	-	-	-	-	1	-	5	105
-	1	2	7	-	2	5	1	-	3	1	-	21	12	14	106
1	5	43	224	-	22	132	333	1	50	1	6	548	253	89	107
1	21	44	224	-	11	57	325	1	666	122	127	223	102	25	108
-	-	3	5	-	-	26	84	-	2	-	1	21	8	13	109
-	10	-	9	-	-	26	22	-	-	1	-	6	6	-	110
-	-	-	6	-	-	3	-	1	21	-	10	12	3	9	111
-	-	-	-	-	-	2	1	-	1	-	1	13	-	-	112
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	113
1	-	1	9	-	-	8	22	1	5	-	-	27	-	6	114
19	137	63	116	-	9	107	191	12	456	244	58	274	37	266	
-	3	45	9	-	-	40	78	-	3	-	8	8	5	6	115
-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	116
1	7	-	53	-	-	4	1	2	32	16	7	33	5	-	117
1	-	2	1	-	-	-	-	-	6	3	-	9	1	29	118
-	4	1	-	-	-	11	76	-	19	-	3	16	-	174	119
1	-	1	13	-	1	18	-	-	2	2	1	76	1	41	120
6	6	3	7	-	-	11	6	5	41	75	7	11	2	-	121
4	1	-	8	-	1	5	6	4	86	55	12	59	10	8	122
-	3	2	4	-	-	3	1	-	3	2	-	6	2	6	123
-	97	2	-	-	5	6	8	-	185	32	14	24	4	1	124
-	7	2	8	-	1	3	5	-	12	1	1	4	2	1	125
5	7	3	3	-	-	2	1	1	34	36	2	7	4	-	126
1	-	1	3	-	1	2	1	-	25	14	2	8	-	-	127
-	2	-	4	-	-	-	-	-	-	-	-	2	1	-	128
-	-	1	2	-	-	2	7	-	8	8	1	10	-	-	129
7	39	14	198	1	13	57	50	11	10,221	792	788	343	100	10	
-	-	2	35	-	-	6	12	-	8	-	1	30	15	3	130
-	20	9	134	1	11	28	13	1	9,821	684	722	250	64	-	131
-	1	-	19	-	2	9	4	-	235	12	52	29	10	-	132
-	14	1	3	-	-	2	11	-	10	1	1	10	8	5	133
-	1	-	2	-	-	3	1	5	8	7	4	1	-	-	134
-	-	-	2	-	-	4	-	1	9	3	-	8	1	2	135
-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	136
6	3	1	1	-	-	2	5	4	116	65	7	5	1	-	137
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	138
1	-	1	2	-	-	2	3	-	12	18	1	10	1	-	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Scurvy	Beriberi	Pellagra (except alcoholic)	Rickets	Other avitaminoses	Hemorrhagic conditions	Pernicious anemia	Other anemias (except splenic)
		67	68	69	70	71	72	73a	73b-d
	XI.—Diseases of pregnancy, childbirth, puerperium	-	-	1	-	1	12	12	126
140	Abortion with mention of infection	-	-	-	-	-	-	-	19
141	Abortion without mention of infection	-	-	-	-	1	3	1	10
142	Ectopic gestation	-	-	-	-	-	-	-	7
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-	3
144	Toxemias of pregnancy (death before delivery)	-	-	-	-	-	1	1	7
145	Other diseases of pregnancy (death before delivery)	-	-	-	-	-	-	1	6
146	Hemorrhage of childbirth and puerperium	-	-	-	-	-	7	1	21
147	Infection during childbirth and puerperium	-	-	1	-	-	-	2	28
148	Puerperal toxemias (excluding death before delivery)	-	-	-	-	-	-	1	9
149	Other accidents and specified conditions of childbirth	-	-	-	-	-	1	-	6
150	Other and unspecified conditions of childbirth and puerperium	-	-	-	-	-	-	5	10
	XII.—Diseases of the skin and cellular tissue	-	-	-	-	-	-	-	8
151	Carbuncle and furuncle	-	-	-	-	-	-	-	3
152	Phlegmon and acute abscess	-	-	-	-	-	-	-	4
153	Other diseases of skin and cellular tissue	-	-	-	-	-	-	-	1
	XIII.—Diseases of the bones, etc.*	-	-	-	-	-	-	-	18
154	Osteomyelitis and periostitis	-	-	-	-	-	-	-	11
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-	5
156	Diseases of joints, other organs of movement	-	-	-	-	-	-	-	2
157	XIV.—Congenital malformations	1	-	-	8	2	4	1	21
	XV.—Diseases peculiar to the first year of life	-	-	-	3	1	22	-	8
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-	-
159	Premature birth (cause not stated)	-	-	-	-	-	20	-	6
160	Injury at birth	-	-	-	3	1	2	-	2
161	Other diseases peculiar to the first year of life	-	-	-	-	-	-	-	-
162	XVI.—Senility	-	-	1	-	-	-	-	-
	XVII.—Violent or accidental deaths	-	2	21	2	2	12	37	43
163,164	Suicide	-	-	2	-	-	-	1	2
163	Suicide by poisoning	-	-	1	-	-	-	1	-
164	Suicide by other means	-	-	1	-	-	-	-	2
165-168	Homicide [1]	-	-	-	-	-	1	-	4
166	Homicide by firearms	-	-	-	-	-	-	-	1
167	Homicide by cutting or piercing instruments	-	-	-	-	-	-	-	2
168	Homicide by other means	-	-	-	-	-	1	-	1
169-195	Accidental deaths	-	2	19	2	2	11	36	37
169	Railway accidents	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents	-	-	-	-	-	-	2	9
171	Streetcar and other road-transport accidents	-	-	-	-	-	-	-	-
172	Water-transport accidents	-	-	-	-	-	-	-	-
173	Air-transport accidents	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	-	-	-
175	Agricultural and forestry accidents	-	-	-	-	-	-	1	-
176	Other accidents involving machinery	-	-	-	-	-	1	-	-
177	Food poisoning	-	-	1	-	-	-	1	1
178	Accidental absorption of poisonous gas	-	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	-	-	2	-	-	1	-	1
180	Conflagration	-	-	-	-	-	-	-	-
181	Accidental burns (except conflagration)	-	-	4	-	-	1	2	5
182	Accidental mechanical suffocation	-	-	-	1	-	-	-	-
183	Accidental drowning	-	-	-	-	-	-	-	-
184	Accidental injury by firearms	-	-	-	-	-	-	-	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	-	-	-
186	Accidental injury by fall or crushing	-	2	9	-	2	7	27	16
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	-	-	-	-	-	-	-	-
191	Excessive heat	-	-	-	-	-	-	-	-
192	Lightning	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	-	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	1	-	-
195	Other accidents	-	-	3	1	-	-	3	4
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	-	-	1	-	1	-	1	-
199	Sudden death	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	-	-	1	-	1	-	1	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Leukemias and aleukemias 74	Diseases of spleen 75	Other diseases of blood and blood-forming organs 76	Alcoholism (ethylism) 77	Lead poisoning 78	Chronic poisoning by other mineral substances* 79	Encephalitis (nonepidemic) 80	Meningitis (not due to meningococcus) 81	Diseases of spinal cord (see exceptions)* 82	Cerebral hemorrhage or effusion* 83a	Cerebral embolism and thrombosis 83b	Cerebral softening, hemiplegia, other paralysis, etc.* 83c,d	Mental diseases and deficiency (see exception)* 84	Epilepsy 85	Convulsions (under 5 years) 86	List No.
2	16	3	-	-	-	9	10	2	98	7	6	5	12	-	
-	7	-	-	-	-	1	2	-	2	2	-	-	-	-	140
-	-	-	-	-	-	-	1	-	5	-	-	1	1	-	141
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	142
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	-	-	-	-	-	-	32	2	1	1	4	-	144
-	1	2	-	-	-	-	1	1	-	1	-	1	-	-	145
-	1	-	-	-	-	-	-	-	4	-	-	2	1	-	146
1	4	1	-	-	-	1	4	-	3	1	4	-	2	-	147
-	-	-	-	-	-	-	-	-	26	-	-	-	2	-	148
-	2	-	-	-	-	1	-	1	7	-	-	-	-	-	149
-	1	-	-	-	-	6	2	-	18	1	1	-	2	-	150
-	-	3	4	-	-	1	1	-	-	1	-	30	1	6	
-	-	1	-	-	-	1	1	-	-	-	-	4	1	-	151
-	-	2	4	-	-	-	-	-	-	1	-	14	-	1	152
-	-	-	-	-	-	-	-	-	-	-	-	12	-	5	153
-	2	3	2	-	-	11	13	2	2	2	-	12	2	-	
-	2	2	2	-	-	9	9	-	-	1	-	5	2	-	154
-	-	-	-	-	-	1	-	2	1	1	-	3	-	-	155
-	-	1	-	-	-	1	4	-	1	-	-	4	-	-	156
1	2	3	-	-	-	34	351	15	83	27	37	74	23	65	157
-	-	-	-	-	-	4	27	4	3	1	-	14	5	201	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	158
-	-	-	-	-	-	-	5	-	3	-	-	9	1	50	159
-	-	-	-	-	-	3	22	4	-	1	-	5	4	101	160
-	-	-	-	-	-	1	-	-	-	-	-	-	-	49	161
-	-	-	-	-	-	1	-	-	4	-	1	-	-	-	162
22	10	6	767	3	9	108	332	195	7,537	411	451	1,560	302	29	
1	1	-	121	-	6	8	6	2	330	5	12	1,411	27	-	163,164
-	1	-	51	-	-	1	-	-	8	-	3	396	10	-	163
1	-	-	70	-	6	7	6	2	322	5	9	1,015	17	-	164
1	1	-	23	-	1	14	38	5	456	4	23	6	2	-	165-168
-	1	-	5	-	1	-	6	4	71	2	17	-	-	-	166
-	-	-	6	-	-	3	9	-	38	1	3	2	1	-	167
1	-	-	12	-	-	11	23	1	347	1	3	4	1	-	168
20	8	6	623	3	2	86	288	188	6,751	402	416	143	273	29	169-195
-	-	-	35	-	-	2	4	1	92	2	1	3	1	-	169
6	2	-	112	-	-	19	113	50	3,415	91	99	6	3	-	170
-	-	-	4	-	-	-	2	1	89	2	3	-	-	-	171
-	-	-	6	-	-	-	-	-	10	1	1	-	7	-	172
-	-	-	-	-	-	-	1	-	21	1	-	-	-	-	173
-	-	-	-	-	-	-	6	3	31	6	27	-	1	-	174
1	1	-	2	-	-	3	21	8	108	16	32	1	3	-	175
-	1	1	1	-	-	-	5	-	41	1	1	1	-	-	176
1	-	-	2	-	-	1	1	-	2	-	-	-	-	4	177
-	-	-	31	1	-	2	1	-	8	-	7	3	-	-	178
-	-	3	62	-	1	-	1	-	7	1	3	7	4	8	179
-	-	-	20	-	-	1	-	1	13	-	5	2	2	-	180
1	-	-	36	-	-	3	5	1	47	11	13	10	35	2	181
-	-	-	12	-	-	-	-	1	-	-	-	-	31	3	182
-	-	-	58	-	-	1	-	-	11	-	-	9	63	-	183
-	-	-	2	-	-	3	6	1	42	3	8	2	1	-	184
-	-	-	6	-	-	4	7	-	7	1	-	-	-	-	185
10	2	2	145	1	1	24	69	69	2,221	234	146	42	95	3	186
-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	187
-	-	-	-	-	-	1	1	-	12	-	1	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	36	-	-	-	-	-	9	1	1	8	2	-	190
-	1	-	4	-	-	2	3	-	29	-	4	7	2	1	191
-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	192
-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	193
-	-	-	-	-	-	-	2	-	2	-	1	1	-	-	194
1	1	-	48	1	-	20	40	51	628	30	58	41	23	8	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
2	1	-	3	-	-	3	2	-	17	4	2	2	-	-	
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	199
2	1	-	3	-	-	3	2	-	16	2	2	2	-	-	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of nervous system 87	Diseases of organs of vision 88	Diseases of ear and mastoid process 89	Diseases of heart 90-95	Pericarditis (except acute rheumatic) 90	Acute endocarditis (except rheumatic) 91	Chronic affections of valves and endocardium 92	Diseases of myocardium 93
	All causes	4,140	348	1,763	159,440	1,530	1,591	11,125	78,530
	I.—Infectious and parasitic diseases	297	32	368	9,627	184	314	1,191	5,178
1	Typhoid fever	1	1	2	54	-	4	6	31
2	Paratyphoid fever	-	-	-	10	-	-	2	5
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	16	1	9	-	4
6	Cerebrospinal (meningococcus) meningitis	7	-	10	13	1	1	1	8
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	15	82	2	13	17	29
9	Whooping cough	5	1	7	30	-	1	6	5
10	Diphtheria (infection by C. diphtheriae)	3	-	2	151	1	2	3	117
11	Erysipelas	4	-	5	8	-	4	-	4
12	Tetanus	4	-	2	5	-	-	1	3
13-22	Tuberculosis (all forms)	70	6	51	3,273	59	39	305	1,947
13	Tuberculosis of respiratory system, etc.*	54	4	36	3,033	51	35	281	1,814
14	Tuberculosis of meninges, etc.*	11	-	8	6	-	1	1	2
15	Tuberculosis of intestines and peritoneum	3	1	-	33	1	1	6	18
16	Tuberculosis of vertebral column	-	-	1	81	-	2	8	44
17	Tuberculosis of bones and joints, etc.*	-	-	-	31	1	-	3	19
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	-	14	1	-	1	11
20	Tuberculosis of genito-urinary system	-	-	-	33	1	-	3	15
21	Tuberculosis of other organs	1	-	1	8	1	-	-	6
22	Disseminated tuberculosis	-	1	5	34	3	-	2	18
23	Leprosy	-	-	-	4	-	-	1	1
24	Septicemia and purulent infection (nonpuerperal)	5	9	-	48	2	4	5	20
25	Gonococcus infection	1	-	-	35	-	8	4	14
26	Other diseases due to bacteria (except dysentery)	-	-	-	14	-	1	1	6
27	Dysentery	4	-	18	66	-	1	5	45
28	Malaria	6	-	1	122	3	7	-	70
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	1	-	-	-	1
30	Syphilis	72	10	23	3,620	48	27	776	1,794
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	3	-	1	27	2	1	-	20
33	Influenza (grippe)	90	4	212	1,704	60	180	36	857
34	Smallpox	-	1	-	3	-	-	-	3
35	Measles	1	-	7	17	-	3	2	8
36	Poliomyelitis and poliocencephalitis (acute)	5	-	1	20	-	-	3	9
37	Acute infectious encephalitis (lethargic)	11	-	1	73	-	2	6	41
38	Other diseases due to filtrable viruses	2	-	2	10	-	1	2	2
39	Typhus fever, typhus-like diseases*	-	-	-	17	-	1	1	9
40	Ankylostomiasis	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	1	-	-	-	1
42	Other diseases caused by helminths	-	-	-	6	-	-	-	4
43	Mycoses	1	-	4	24	1	-	1	15
44	Other infectious and parasitic diseases	2	-	4	173	4	5	7	105
	II.—Cancer and other tumors	195	21	18	11,818	54	74	975	7,812
45-55	Cancer and other malignant tumors	136	17	16	11,241	52	63	938	7,522
45	Cancer of buccal cavity and pharynx	4	-	2	283	1	1	26	186
46	Cancer of digestive organs and peritoneum	46	9	3	5,972	15	26	527	4,011
47	Cancer of respiratory system	3	-	3	725	19	2	49	475
48	Cancer of uterus	13	1	-	732	4	8	82	476
49	Cancer of other female genital organs	-	-	-	164	1	2	11	110
50	Cancer of breast	6	-	1	748	4	5	51	526
51	Cancer of male genital organs	9	-	2	842	2	5	52	568
52	Cancer of urinary organs (male and female)	3	3	-	608	-	5	43	410
53	Cancer of skin, etc.*	3	1	1	330	1	-	38	228
54	Cancer of central nervous system*	43	-	-	55	-	1	2	54
55	Cancer of other and unspecified organs	6	3	4	782	5	8	57	498
56	Nonmalignant tumors (including dermoid cysts)	27	3	1	458	1	8	26	229
57	Tumors of unspecified nature	32	1	1	119	1	3	11	61
	III.—Rheumatism, diseases of nutrition, etc.*	126	16	73	15,121	30	50	881	8,600
58	Acute rheumatic fever	23	-	1	153	5	-	-	74
59	Chronic rheumatism, other rheumatic diseases	13	1	-	125	-	-	-	58
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	63	9	72	12,335	22	28	661	6,916
62	Diseases of pituitary gland	3	-	-	54	1	1	5	38
63b	Exophthalmic goiter	6	2	-	1,865	1	17	164	1,167
63a,c-e	Other diseases of thyroid and parathyroid glands	3	-	-	190	-	1	11	105
64	Diseases of thymus gland	-	1	-	15	-	-	-	-
65	Diseases of adrenal glands*	-	-	-	47	-	1	6	29
66	Other general diseases	3	3	-	6	-	-	-	6
67	Scurvy	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	22	-	-	1	8
69	Pellagra (except alcoholic)	9	-	-	306	1	2	33	201
70	Rickets	1	-	-	1	-	-	-	-
71	Other avitaminoses	2	-	-	2	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	17	5	17	479	3	7	43	244
72	Hemorrhagic conditions	-	-	-	11	-	-	-	7
73a	Pernicious anemia	7	1	3	39	-	-	-	1
73b-d	Other anemias (except splenic)	5	2	-	30	-	-	-	1
74	Leukemias and aleukemias	3	2	12	373	3	5	41	225
75	Diseases of spleen	1	-	2	21	-	2	2	10
76	Other diseases of blood and blood-forming organs	1	-	-	5	-	-	-	2

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Diseases of coronary arteries, angina pectoris 94	Other diseases of heart 95	Aneurysm (except of heart and aorta) 96	Arteriosclerosis (except coronary or renal sclerosis) 97	Gangrene 98	Other diseases of arteries 99	Diseases of veins 100	Diseases of lymphatic system 101	High blood pressure (idiopathic) 102	Other diseases of circulatory system 103	Diseases of nasal fossae, accessory sinuses 104	Diseases of larynx 105	Bronchitis 106	Bronchopneumonia (including capillary bronchitis) 107	Lobar pneumonia 108	List No.
48,286	18,578	123	90,752	5,494	4,860	2,685	339	28,845	12,556	3,314	665	8,644	37,759	5,446	
987	1,793	24	1,455	73	133	122	42	250	156	327	90	356	3,976	1,272	
3	10	1	3	1	2	1	1	-	22	-	2	1	53	29	1
1	2	1	1	-	1	-	-	-	1	-	-	-	3	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	2	-	1	-	-	-	-	-	1	1	-	-	6	-	5
-	2	-	-	-	-	-	-	1	1	5	1	1	18	6	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	19	-	-	1	2	-	4	-	2	3	1	2	48	15	8
2	16	-	-	-	-	-	-	-	-	4	7	21	1,379	143	9
2	26	-	2	1	-	-	2	-	4	8	14	12	72	16	10
-	-	-	27	2	-	4	1	1	-	4	-	4	42	-	11
-	1	-	5	6	1	2	-	-	-	1	-	1	20	11	12
334	589	6	385	7	31	53	11	37	44	43	35	215	646	442	13-22
299	553	6	363	6	24	46	7	33	34	34	34	203	540	410	13
-	2	-	1	-	1	2	1	1	-	6	-	2	34	8	14
1	6	-	5	-	1	1	1	1	3	-	1	2	9	6	15
14	13	-	1	-	1	-	-	-	1	-	-	-	30	4	16
4	4	-	4	1	2	-	1	-	1	1	-	1	10	3	17
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	18
-	1	-	2	-	-	-	-	1	1	-	-	-	3	2	19
9	5	-	1	-	-	3	-	1	1	-	-	1	3	3	20
-	1	-	2	-	-	1	-	-	1	-	-	1	1	-	21
7	4	-	6	-	2	-	1	-	1	2	-	5	16	6	22
1	1	-	2	-	-	-	-	-	-	-	1	-	-	1	23
3	14	-	7	10	14	4	7	5	4	24	12	-	12	8	24
4	5	-	-	-	2	1	-	-	2	-	-	-	10	3	25
-	6	-	-	-	-	-	-	-	-	-	-	-	20	9	26
5	10	-	7	-	2	2	-	3	5	4	-	11	97	11	27
19	23	-	9	-	1	-	1	3	5	4	2	9	41	45	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
523	452	15	355	30	47	25	5	86	19	7	8	50	910	373	30
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	31
2	2	-	2	3	2	-	-	-	2	1	3	2	22	2	32
19	552	-	618	8	24	24	5	109	14	215	1	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	34
2	2	-	-	1	1	1	1	-	-	3	1	11	278	64	35
3	5	-	1	-	-	-	-	-	-	-	-	2	58	20	36
17	7	-	10	1	1	1	-	1	-	-	-	2	95	23	37
1	4	-	-	-	-	-	1	1	1	-	1	2	31	8	38
3	3	-	1	1	1	-	-	-	1	-	-	-	15	6	39
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	41
1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	42
3	4	-	3	-	-	-	-	-	1	-	-	2	16	7	43
17	35	1	16	1	1	4	3	3	6	-	1	8	78	26	44
1,522	1,581	20	2,815	61	268	247	39	321	2,509	27	30	190	3,598	693	
1,401	1,265	19	2,704	57	177	189	37	294	2,328	23	27	177	3,388	640	45-55
34	35	-	77	4	10	1	8	4	137	2	6	5	157	28	45
679	714	9	1,598	27	100	105	11	164	1,255	3	3	88	1,599	340	46
87	93	5	110	2	11	12	3	20	260	1	9	41	328	64	47
91	71	-	119	8	17	25	2	32	294	-	-	8	181	26	48
22	18	-	23	-	4	12	-	5	12	1	-	-	43	6	49
86	76	-	100	4	6	10	2	8	15	2	-	8	141	27	50
143	72	1	236	1	3	4	1	16	42	1	-	8	202	40	51
102	48	1	174	-	5	5	-	14	105	1	-	3	142	23	52
38	25	1	98	4	3	1	2	3	33	2	1	4	84	15	53
6	12	-	20	1	1	2	-	5	25	2	1	1	160	16	54
113	101	2	149	6	17	12	8	23	150	8	7	11	351	53	55
111	83	-	59	3	85	54	-	13	134	-	-	9	124	48	56
10	33	1	52	1	6	4	2	14	47	4	3	4	86	5	57
4,123	1,457	2	2,328	1,199	173	76	16	244	31	68	14	102	1,228	888	
-	74	-	9	-	13	1	-	7	2	2	-	7	79	-	58
1	66	-	388	23	7	6	1	16	3	1	1	1	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
3,878	830	-	1,816	1,168	132	58	7	160	4	37	2	69	911	766	61
5	6	-	6	-	-	-	-	-	-	2	-	-	12	1	62
165	351	1	43	2	18	4	-	24	9	1	7	9	99	76	63b
40	33	-	2	-	1	1	-	3	4	2	3	4	34	8	63a,c-e
-	15	-	1	-	-	-	8	-	2	17	-	1	-	-	64
2	9	1	7	1	-	3	-	3	2	1	-	3	18	12	65
-	-	-	2	-	1	-	-	22	2	5	-	-	-	1	66
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	67
2	11	-	1	-	-	-	-	-	-	-	-	-	2	2	68
30	39	-	36	5	3	3	-	7	1	-	-	8	73	22	69
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	70
-	2	-	17	-	-	-	-	2	-	-	-	-	-	-	71
37	145	-	230	12	8	35	12	32	130	18	7	15	323	136	
-	4	-	7	-	-	-	-	3	26	3	-	-	2	-	72
-	38	-	161	-	1	1	2	7	12	3	3	-	1	-	73a
-	29	-	9	-	-	4	1	14	21	2	-	1	7	3	73b-d
36	65	-	44	12	2	6	8	6	59	7	4	13	270	130	74
1	6	-	8	-	5	24	1	2	10	-	-	1	41	3	75
-	3	-	1	-	-	-	-	-	2	3	-	-	2	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of nervous system 87	Diseases of organs of vision 88	Diseases of ear and mastoid process 89	Diseases of heart 90-95	Pericarditis (except acute rheumatic) 90	Acute endocarditis (except rheumatic) 91	Chronic affections of valves and endocardium 92	Diseases of myocardium 93
	V.—Chronic poisoning and intoxication	18	-	-	276	1	-	-	59
77	Alcoholism (ethylism)	17	-	-	255	-	-	-	44
78	Lead poisoning	-	-	-	14	-	-	-	12
79	Chronic poisoning by other mineral substances *	1	-	-	7	1	-	-	3
	VI.—Diseases of the nervous system, etc.*	642	23	68	1,926	25	18	57	747
80	Encephalitis (nonepidemic)	35	-	3	11	-	1	-	2
81	Meningitis (not due to meningococcus)	43	1	4	20	-	2	-	12
82	Diseases of spinal cord (see exceptions) *	60	1	2	383	2	3	33	254
83a	Cerecral hemorrhage or effusion *	370	10	36	718	12	1	-	171
83b	Cerebral embolism and thrombosis	58	2	12	243	7	1	1	50
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	41	4	2	67	1	-	-	15
84	Mental diseases and deficiency (see exception) *	3	-	-	40	-	-	-	-
85	Epilepsy	21	-	-	127	-	4	-	49
86	Convulsions (under 5 years)	2	-	-	4	-	-	-	1
87	Other diseases of nervous system	...	3	9	272	-	3	21	177
88	Diseases of organs of vision	1	...	-	1	-	1	-	-
89	Diseases of ear and mastoid process	8	2	...	40	3	2	2	16
	VII.—Diseases of the circulatory system	1,307	141	151	48,356	598	278	53	11,153
90-95	Diseases of heart	1,148	107	131	46,935	578	275	8	10,954
90	Pericarditis (except acute rheumatic)	2	-	2	18	...	-	-	17
91	Acute endocarditis (except rheumatic)	13	-	11	154	36	...	-	118
92	Chronic affections of valves and endocardium	95	5	6	11,685	116	-	...	8,904
93	Diseases of myocardium	778	77	75	28,363	220	103	4	...
94	Diseases of coronary arteries, angina pectoris	187	20	24	2,923	150	105	1	1,239
95	Other diseases of heart	73	5	13	3,792	56	67	3	676
96	Aneurysm (except of heart and aorta)	3	1	-	263	20	2	35	143
97	Arteriosclerosis (except coronary or renal sclerosis)	134	30	-	1,002	-	1	-	1
98	Gangrene	1	-	-	25	-	-	3	16
99	Other diseases of arteries	4	2	-	102	-	-	7	27
100	Diseases of veins	4	-	-	16	-	-	-	10
101	Diseases of lymphatic system	-	-	-	6	-	-	-	2
102	High blood pressure (idiopathic)	13	1	-	7	-	-	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	712	44	712	8,934	285	266	701	4,786
104	Diseases of nasal fossae, accessory sinuses	3	10	1	6	-	1	-	2
105	Diseases of larynx	7	-	-	21	-	-	-	10
106	Bronchitis	16	1	-	283	-	-	-	104
107	Bronchopneumonia (including capillary bronchitis)	462	17	496	1,163	103	65	1	599
108	Lobar pneumonia	165	7	161	6,314	98	158	698	3,713
109	Pneumonia (unspecified)	20	1	39	156	19	8	-	60
110	Pleurisy (not tuberculous)	8	-	12	198	64	33	-	78
111	Hemorrhagic infarction, thrombosis, edema *	19	7	-	64	-	-	1	25
112	Asthma	3	-	-	598	-	-	-	141
113	Pulmonary emphysema	-	-	-	6	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	9	1	3	125	1	1	1	54
	IX.—Diseases of the digestive system	145	10	276	8,697	67	158	620	4,810
115	Diseases of buccal cavity and adnexa, etc.*	13	-	82	432	12	94	1	171
116	Diseases of esophagus	1	-	-	15	2	-	-	7
117	Ulcer of stomach or duodenum	14	3	1	1,237	2	7	24	667
118	Other diseases of stomach (except cancer)	16	-	-	206	1	1	2	11
119	Diarrhea, enteritis, etc.* (under 2 years)	4	3	171	60	3	2	1	31
120	Diarrhea, enteritis, etc.* (2 years and over)	25	1	6	79	-	-	-	14
121	Appendicitis	8	-	-	766	4	15	54	335
122	Hernia and intestinal obstruction	32	1	3	1,396	2	10	65	859
123	Other diseases of intestines	6	-	-	98	-	-	13	55
124	Cirrhosis of liver	16	1	-	2,971	16	10	394	1,909
125	Other diseases of liver	3	1	3	100	3	2	6	46
126	Biliary calculi	3	-	-	729	6	8	32	392
127	Other diseases of gallbladder, biliary ducts	3	-	-	408	3	5	12	207
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	35	-	-	2	23
129	Peritonitis (cause not stated)	1	-	10	165	13	4	14	85
	X.—Diseases of the genito-urinary system	365	43	40	47,209	213	268	6,120	31,047
130	Acute nephritis	15	1	-	425	-	59	-	276
131	Chronic nephritis	271	38	30	44,116	174	135	6,038	29,201
132	Nephritis unspecified (10 years and over)	26	1	4	354	20	33	1	169
133	Other diseases of kidneys, ureters, etc.*	19	2	4	184	14	22	5	84
134	Calculi of urinary passages	1	-	-	330	1	5	6	194
135	Diseases of urinary bladder	3	1	-	55	-	1	3	18
136	Diseases of urethra (except calculus)	1	-	-	37	-	1	-	26
137	Diseases of prostate	24	-	2	1,523	3	7	49	997
138	Diseases of other male genital organs (not venereal)	1	-	-	5	-	-	2	-
139	Diseases of female genital organs	4	-	-	180	1	5	16	62

* Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Diseases of coronary arteries, angina pectoris 94	Other diseases of heart 95	Aneurysm (except of heart and aorta) 96	Arteriosclerosis (except coronary or renal sclerosis) 97	Gangrene 98	Other diseases of arteries 99	Diseases of veins 100	Diseases of lymphatic system 101	High blood pressure (idiopathic) 102	Other diseases of circulatory system 103	Diseases of nasal fossae, accessory sinuses 104	Diseases of larynx 105	Bronchitis 106	Bronchopneumonia (including capillary bronchitis) 107	Lobar pneumonia 108	List No.
3	213	-	79	-	2	1	-	16	4	5	-	7	1	3	
-	211	-	78	-	2	1	-	14	2	5	-	7	-	-	77
2	-	-	-	-	-	-	-	1	-	-	-	-	-	3	78
1	2	-	1	-	-	-	-	1	2	-	-	-	1	-	79
105	974	25	44,259	96	380	151	15	18,798	65	363	29	424	4,906	77	
-	8	-	-	-	1	1	1	8	4	27	2	24	7	-	80
-	6	-	5	-	-	4	3	11	6	48	-	18	9	1	81
56	35	-	139	7	7	3	1	37	1	5	1	22	242	60	82
4	530	5	37,870	56	206	40	5	17,838	29	38	14	237	3,142	1	83a
2	182	-	4,720	10	142	85	1	428	13	22	7	52	922	-	83b
-	51	-	1,079	12	14	3	-	413	3	2	2	28	358	1	83c,d
-	40	-	-	-	-	-	-	12	2	-	-	-	2	-	84
-	74	1	70	-	-	5	-	9	2	-	-	-	-	-	85
-	3	-	-	-	-	-	-	-	2	15	-	-	-	1	86
36	35	19	353	7	6	1	1	39	-	8	1	13	171	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
7	10	-	23	4	4	9	3	3	3	198	2	30	53	13	89
33,767	2,507	4	30,576	3,519	2,555	842	53	7,482	301	409	56	4,363	12,529	20	
33,692	1,428	1	30,176	1,208	2,198	741	42	6,263	153	390	55	4,360	12,457	8	90-95
1	-	-	30	1	5	3	2	8	2	1	1	22	1	1	90
-	-	-	68	3	75	9	-	15	-	11	5	39	73	1	91
2,665	-	-	3,283	53	300	52	1	891	24	32	5	427	952	-	92
28,038	-	1	633	1,069	1,038	385	35	204	74	214	30	2,985	9,288	3	93
...	1,428	-	23,650	48	618	248	3	3,911	39	78	10	586	1,154	3	94
2,990	...	-	2,512	34	164	44	1	1,234	14	54	4	301	989	-	95
52	11	...	-	214	21	1	-	17	27	1	-	2	26	11	96
13	987	1	...	1,765	280	93	5	1,167	36	14	1	1	2	-	97
-	6	-	2	...	3	1	2	9	8	-	-	-	40	-	98
5	63	-	396	296	...	6	3	22	10	2	-	-	4	1	99
-	6	-	1	36	53	...	1	3	52	2	-	-	-	-	100
-	4	-	-	-	-	-	...	1	1	-	-	-	-	-	101
5	2	-	1	-	-	-	-	...	14	-	-	-	-	-	102
-	-	2	-	-	-	-	-	-	...	-	-	-	-	-	103
620	2,276	2	5,663	32	244	154	56	667	91	1,665	221	2,374	720	-	
-	3	-	6	1	7	2	1	3	6	...	-	18	1	-	104
-	11	-	2	-	-	-	1	1	-	19	...	-	-	-	105
1	178	-	410	-	8	6	2	23	9	69	92	...	-	-	106
1	394	-	3,944	1	87	84	26	226	11	1,082	84	1,789	...	-	107
611	1,036	2	936	13	43	43	16	116	16	274	22	339	134	...	108
-	69	-	84	3	9	5	3	13	4	125	10	118	-	-	109
1	22	-	56	1	8	5	1	5	-	15	1	98	571	-	110
1	37	-	183	10	82	5	5	205	4	45	-	-	-	-	111
2	455	-	1	-	-	-	-	51	2	13	5	-	-	-	112
-	6	-	39	1	-	-	-	2	-	-	1	1	-	-	113
3	65	-	2	2	-	4	1	22	39	23	6	11	14	-	114
1,564	1,478	10	1,161	63	537	731	63	212	1,648	138	143	221	3,033	1,003	
52	102	-	47	2	28	10	25	6	77	44	128	19	148	1	115
-	6	-	16	-	-	1	-	-	4	1	-	5	27	10	116
412	125	1	173	4	31	18	4	30	1,340	1	-	19	310	189	117
7	184	-	2	-	3	2	1	20	11	10	1	-	7	11	118
-	23	-	-	2	1	2	12	-	6	47	7	67	874	123	119
1	64	-	4	3	5	9	4	23	61	6	3	-	13	5	120
250	110	2	27	13	107	54	8	7	12	1	1	11	214	337	121
260	200	2	316	21	115	42	2	30	26	7	1	28	445	154	122
12	18	-	5	6	118	32	-	8	8	1	-	2	18	15	123
282	360	-	310	6	22	489	1	29	32	3	1	27	406	5	124
4	39	1	27	1	2	13	2	8	9	4	-	8	80	15	125
178	113	-	85	-	39	27	-	15	22	-	1	8	194	84	126
77	104	2	125	3	18	22	-	31	24	4	-	20	172	40	127
5	5	1	17	-	13	-	-	3	12	-	-	3	37	6	128
24	25	1	7	2	35	10	4	2	4	9	-	4	88	8	129
4,402	5,159	6	446	247	243	158	18	653	180	127	11	404	2,637	179	
-	90	-	3	-	-	3	5	216	4	49	2	3	1	-	130
3,892	4,675	-	31	194	168	81	6	7	33	58	8	329	1,790	-	131
1	130	-	2	6	5	7	3	311	8	8	-	31	97	-	132
10	49	-	190	5	15	13	1	73	18	9	-	29	350	7	133
96	28	1	24	-	6	6	-	2	9	-	-	5	52	16	134
17	16	-	11	1	1	5	-	2	10	-	1	-	13	4	135
5	5	-	14	28	-	2	-	2	2	-	-	-	28	8	136
327	140	5	168	8	19	23	1	33	71	2	-	7	274	110	137
1	2	-	-	5	-	1	1	1	1	-	-	-	-	-	138
53	23	-	3	-	29	17	1	6	24	1	-	-	32	34	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of nervous system 87	Diseases of organs of vision 88	Diseases of ear and mastoid process 89	Diseases of heart 90-95	Pericarditis (except acute rheumatic) 90	Acute endocarditis (except rheumatic) 91	Chronic affections of valves and endocardium 92	Diseases of myocardium 95
	XI.—Diseases of pregnancy, childbirth, puerperium	9	-	3	626	10	42	65	258
140	Abortion with mention of infection	-	-	-	51	2	18	7	13
141	Abortion without mention of infection	-	-	-	34	2	3	-	18
142	Ectopic gestation	1	-	-	15	-	1	3	8
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	5	-	-	-	3
144	Toxemias of pregnancy (death before delivery)	2	-	1	105	1	1	11	44
145	Other diseases of pregnancy (death before delivery)	2	-	-	35	-	-	5	12
146	Hemorrhage of childbirth and puerperium	-	-	-	31	1	-	5	10
147	Infection during childbirth and puerperium	2	-	-	85	3	10	12	31
148	Puerperal toxemias (excluding death before delivery)	2	-	2	72	-	5	7	34
149	Other accidents and specified conditions of childbirth	-	-	-	82	1	1	15	25
150	Other and unspecified conditions of childbirth and puerperium	-	-	-	111	-	3	-	60
	XII.—Diseases of the skin and cellular tissue	-	3	-	32	-	1	-	13
151	Carbuncle and furuncle	-	1	-	7	-	1	-	4
152	Phlegmon and acute abscess	-	2	-	4	-	-	-	-
153	Other diseases of skin and cellular tissue	-	-	-	21	-	-	-	9
	XIII.—Diseases of the bones, etc.*	8	-	2	28	4	4	-	9
154	Osteomyelitis and periostitis	4	-	-	13	3	-	-	5
155	Other diseases of bones (except tuberculosis)	3	-	-	3	-	-	-	1
156	Diseases of joints, other organs of movement	1	-	2	12	1	4	-	3
157	XIV.—Congenital malformations	63	2	26	300	10	88	66	90
	XV.—Diseases peculiar to the first year of life	24	3	13	18	2	1	-	4
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-	-
159	Premature birth (cause not stated)	6	3	10	15	-	1	-	4
160	Injury at birth	18	-	3	3	2	-	-	-
161	Other diseases peculiar to the first year of life	-	-	-	-	-	-	-	-
162	XVI.—Senility	-	-	-	11	-	-	1	-
	XVII.—Violent or accidental deaths	208	5	16	5,896	44	20	349	3,716
163,164	Suicide	26	1	-	122	2	-	7	64
163	Suicide by poisoning	20	-	-	59	-	-	4	34
164	Suicide by other means	6	1	-	63	2	-	3	30
165-168	Homicide[1]	5	-	1	47	10	-	5	16
166	Homicide by firearms	-	-	-	5	3	-	1	-
167	Homicide by cutting or piercing instruments	1	-	-	18	7	-	-	2
168	Homicide by other means	4	-	1	24	-	-	4	14
169-195	Accidental deaths	177	4	15	5,727	32	20	337	3,636
169	Railway accidents	1	-	-	18	-	-	3	5
170	Motor-vehicle accidents	18	1	5	594	10	3	24	271
171	Streetcar and other road-transport accidents	1	-	-	17	-	-	2	11
172	Water-transport accidents	2	-	-	13	1	-	-	2
173	Air-transport accidents	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	-	-	1	16	-	-	1	4
175	Agricultural and forestry accidents	1	-	-	90	1	-	2	34
176	Other accidents involving machinery	1	-	-	22	-	-	1	5
177	Food poisoning	1	-	-	53	1	-	5	25
178	Accidental absorption of poisonous gas	2	-	-	51	1	-	2	26
179	Acute accidental poisoning by solids or liquids	7	1	-	58	-	-	6	25
180	Conflagration	-	-	-	23	-	-	2	13
181	Accidental burns (except conflagration)	4	1	1	224	-	3	14	133
182	Accidental mechanical suffocation	3	-	-	11	-	-	-	6
183	Accidental drowning	7	-	-	47	-	1	3	17
184	Accidental injury by firearms	-	-	1	13	-	-	1	6
185	Accidental injury by cutting or piercing instruments	-	-	2	26	3	1	2	4
186	Accidental injury by fall or crushing	78	-	1	3,971	9	7	240	2,754
187	Cataclysm, etc.*	-	-	-	4	-	-	-	3
188	Injury by animals (except in agriculture and forestry)*	2	-	-	4	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	-	-	-	27	-	1	2	15
191	Excessive heat	4	-	-	81	-	-	7	47
192	Lightning	-	-	-	5	-	-	-	3
193	Accidents due to electric currents (except lightning)	4	-	-	7	-	-	-	1
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	5	-	-	-	2
196	Other accidents	41	1	4	357	6	4	20	224
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	4	-	-	86	-	2	3	4
199	Sudden death	-	-	-	21	-	-	-	-
200	Ill-defined and unknown causes	4	-	-	65	-	2	3	4

* Refer to complete International List titles, table II.

[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Diseases of coronary arteries, angina pectoris 94	Other diseases of heart 95	Aneurysm (except of heart and aorta) 96	Arteriosclerosis (except coronary or renal sclerosis) 97	Gangrene 98	Other diseases of arteries 99	Diseases of veins 100	Diseases of lymphatic system 101	High blood pressure (idiopathic) 102	Other diseases of circulatory system 103	Diseases of nasal fossae, accessory sinuses 104	Diseases of larynx 105	Bronchitis 106	Bronchopneumonia (including capillary bronchitis) 107	Lobar pneumonia 108	List No.
11	240	-	4	-	1	10	-	79	5	7	1	10	194	201	
-	11	-	-	-	-	1	-	-	1	1	-	-	40	25	140
-	11	-	-	-	-	-	-	3	2	1	-	-	14	18	141
-	3	-	-	-	-	-	-	-	1	-	-	-	6	7	142
-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	143
4	44	-	2	-	-	-	-	35	-	-	-	1	22	8	144
1	17	-	-	-	-	2	-	3	-	-	-	1	5	2	145
1	14	-	-	-	-	2	-	2	-	-	-	-	5	1	146
5	24	-	1	-	1	3	-	5	1	3	-	4	42	32	147
-	26	-	1	-	-	-	-	27	-	-	-	2	17	20	148
-	40	-	-	-	-	2	-	2	-	-	1	-	16	22	149
-	48	-	-	-	-	-	-	2	-	2	-	1	27	65	150
4	14	-	2	1	3	8	3	11	1	13	6	-	2	-	
-	2	-	1	1	2	-	1	2	-	9	1	-	-	-	151
-	4	-	-	-	-	7	2	4	-	-	5	-	1	-	152
4	8	-	1	-	1	1	-	5	1	4	-	-	1	-	153
2	9	-	62	2	11	5	6	3	5	15	-	9	22	-	
-	5	-	29	1	8	2	4	2	4	12	-	4	2	-	154
2	-	-	21	-	1	-	1	-	-	1	-	3	1	-	155
-	4	-	12	1	2	3	1	1	1	2	-	2	19	-	156
17	29	7	5	4	9	5	2	5	28	38	9	62	853	28	157
-	11	-	-	3	-	-	3	-	3	40	8	11	475	43	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	158
-	10	-	-	1	-	-	2	-	-	28	4	3	300	28	159
-	1	-	-	2	-	-	1	-	1	3	1	8	174	14	160
-	-	-	-	-	-	-	-	-	2	9	3	-	1	-	161
2	8	-	2	-	-	-	-	-	-	1	-	-	3	1	162
1,099	668	23	1,663	182	287	140	11	72	7,419	53	40	96	3,257	902	
25	24	1	34	3	4	2	1	2	743	2	8	1	103	25	163,164
11	10	-	9	2	1	-	1	2	6	1	7	-	68	18	163
14	14	1	25	1	3	2	-	-	737	1	1	1	35	7	164
8	8	3	1	6	9	4	-	-	1,551	4	-	1	44	21	165-168
-	1	-	-	2	4	1	-	-	812	-	-	-	10	6	166
4	5	3	-	3	4	2	-	-	660	1	-	-	15	11	167
4	2	-	1	1	1	1	-	-	79	3	-	1	19	4	168
1,066	636	19	1,628	173	274	134	10	70	5,125	47	32	94	3,110	856	169-195
8	2	-	3	6	4	-	-	1	336	-	-	-	9	7	169
216	60	6	48	31	90	49	-	8	3,215	4	6	4	449	209	170
4	-	-	7	1	3	4	-	1	64	-	-	-	15	2	171
3	7	-	-	-	-	-	-	-	11	-	-	-	4	3	172
-	-	-	-	-	-	-	-	-	20	-	-	-	2	-	173
6	5	-	-	2	2	1	-	-	93	-	1	-	8	13	174
41	12	-	7	5	19	5	1	2	171	2	-	2	31	14	175
10	6	3	-	8	8	2	1	-	139	-	1	1	18	7	176
13	9	-	5	-	2	1	-	1	1	1	-	3	8	5	177
19	3	-	8	-	-	-	-	-	1	1	-	5	22	8	178
15	12	-	5	1	1	-	-	-	5	2	5	4	62	14	179
5	3	-	6	2	1	1	-	-	8	-	1	4	14	4	180
32	42	-	42	17	5	5	-	2	10	4	1	7	168	33	181
1	4	-	1	-	-	-	-	-	1	11	1	1	8	-	182
7	19	-	3	-	-	-	-	3	2	-	-	-	2	-	183
3	3	1	2	7	6	1	-	-	373	2	-	1	8	7	184
9	7	1	6	5	4	2	3	-	51	1	-	-	6	3	185
589	372	6	1,366	39	106	48	3	44	429	6	2	38	2,050	409	186
1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	187
2	2	-	3	2	2	-	-	-	15	-	-	-	3	4	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
2	7	-	9	30	1	1	-	1	-	-	-	-	3	4	190
11	16	-	22	-	1	-	-	4	2	-	-	-	3	2	191
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	6	-	-	1	-	-	-	-	1	-	-	-	-	-	193
1	2	-	2	2	-	-	-	-	-	-	1	-	-	-	194
67	36	2	83	13	19	14	2	3	175	13	13	24	217	88	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
41	36	-	2	-	6	-	-	-	-	-	-	-	2	-	
8	13	-	1	-	2	-	-	-	-	-	-	-	-	-	199
33	23	-	1	-	4	-	-	-	-	-	-	-	2	-	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Pneumonia (unspecified) 109	Pleurisy (not tuberculous) 110	Hemorrhagic infarction, thrombosis, edema* 111	Asthma 112	Pulmonary emphysema 113	Other diseases of respiratory system (except tuberculosis) 114	Diseases of buccal cavity and adnexa, etc.* 115	Diseases of esophagus 116
	All causes	4,260	4,456	29,654	6,867	903	4,870	3,101	288
	I.—Infectious and parasitic diseases	708	702	757	229	68	385	371	33
1	Typhoid fever	26	2	13	2	-	4	8	-
2	Paratyphoid fever	-	1	1	-	-	1	-	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	2	-	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	3	-	-	3	1	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	14	7	4	-	-	2	19	-
9	Whooping cough	205	7	6	2	1	5	3	2
10	Diphtheria (infection by C. diphtheriae)	16	3	7	1	1	5	32	-
11	Erysipelas	5	2	9	1	-	2	9	-
12	Tetanus	4	-	3	-	-	5	3	-
13-22	Tuberculosis (all forms)	223	551	273	194	51	161	48	14
13	Tuberculosis of respiratory system, etc.*	213	518	227	194	51	138	36	11
14	Tuberculosis of meninges, etc.*	1	4	4	-	-	7	-	-
15	Tuberculosis of intestines and peritoneum	-	5	8	-	-	5	-	-
16	Tuberculosis of vertebral column	6	7	9	-	-	1	3	1
17	Tuberculosis of bones and joints, etc.*	1	1	4	-	-	1	2	-
18	Tuberculosis of skin, etc.*	-	-	1	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	1	-	-
20	Tuberculosis of genito-urinary system	-	3	11	-	-	1	1	-
21	Tuberculosis of other organs	-	1	2	-	-	-	1	1
22	Disseminated tuberculosis	1	12	6	-	-	7	5	1
23	Leprosy	-	1	-	-	-	1	-	-
24	Septicemia and purulent infection (nonpuerperal)	7	1	50	1	1	6	5	1
25	Gonococcus infection	4	-	8	-	-	1	2	-
26	Other diseases due to bacteria (except dysentery)	17	1	4	1	-	2	-	-
27	Dysentery	16	6	14	2	-	3	5	-
28	Malaria	11	6	7	4	-	1	6	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-
30	Syphilis	73	67	259	16	13	85	41	15
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	5	-	-	9	22	-
33	Influenza (grippe)	3	-	1	-	-	1	136	-
34	Smallpox	-	-	-	-	-	-	-	-
35	Measles	46	3	2	-	-	1	3	-
36	Poliomyelitis and polioencephalitis (acute)	8	-	18	1	-	47	10	-
37	Acute infectious encephalitis (lethargic)	4	1	24	-	-	9	6	1
38	Other diseases due to filtrable viruses	5	1	1	-	-	-	2	-
39	Typhus fever, typhus-like diseases*	3	1	4	-	-	1	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-
41	Hydatid disease	-	1	-	-	-	1	-	-
42	Other diseases caused by helminths	1	-	1	-	-	1	-	-
43	Mycoses	7	9	4	-	-	13	2	-
44	Other infectious and parasitic diseases	6	28	36	3	1	14	7	-
	II.—Cancer and other tumors	384	444	2,506	120	27	490	113	62
45-55	Cancer and other malignant tumors	345	427	2,075	110	25	423	102	58
45	Cancer of buccal cavity and pharynx	7	3	40	2	-	9	16	2
46	Cancer of digestive organs and peritoneum	183	91	1,048	59	11	136	37	29
47	Cancer of respiratory system	62	237	167	9	6	186	6	20
48	Cancer of uterus	20	3	153	9	-	7	5	-
49	Cancer of other female genital organs	3	6	29	2	-	1	1	-
50	Cancer of breast	18	25	134	8	-	12	4	1
51	Cancer of male genital organs	15	8	108	9	4	3	5	-
52	Cancer of urinary organs (male and female)	16	9	101	3	-	8	5	-
53	Cancer of skin, etc.*	7	3	37	2	-	2	4	1
54	Cancer of central nervous system*	10	1	63	1	-	21	2	1
55	Cancer of other and unspecified organs	24	43	195	6	4	38	17	4
56	Nonmalignant tumors (including dermoid cysts)	31	11	375	9	2	34	8	1
57	Tumors of unspecified nature	8	6	56	1	-	33	3	3
	III.—Rheumatism, diseases of nutrition, etc.*	177	96	686	61	4	95	148	1
58	Acute rheumatic fever	15	16	74	2	-	5	10	-
59	Chronic rheumatism, other rheumatic diseases	-	-	127	11	-	2	9	-
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	127	65	327	23	4	49	89	1
62	Diseases of pituitary gland	2	-	3	-	-	-	2	-
63b	Exophthalmic goiter	16	7	71	7	-	16	15	-
63a,c-e	Other diseases of thyroid and parathyroid glands	4	2	23	2	-	10	6	-
64	Diseases of thymus gland	2	-	18	7	-	9	4	-
65	Diseases of adrenal glands*	2	1	8	2	-	2	11	-
66	Other general diseases	-	-	25	1	-	-	-	-
67	Scurvy	-	-	1	1	-	-	-	-
68	Beriberi	-	1	-	-	-	1	-	-
69	Pellagra (except alcoholic)	9	4	7	5	-	1	2	-
70	Rickets	-	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	2	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	34	31	241	17	4	24	70	4
72	Hemorrhagic conditions	-	-	7	-	-	2	11	-
73a	Pernicious anemia	-	-	63	10	1	4	5	-
73b-d	Other anemias (except splenic)	1	-	38	1	-	2	3	-
74	Leukemias and aleukemias	20	30	107	6	1	12	50	-
75	Diseases of spleen	13	1	13	-	2	4	1	4
76	Other diseases of blood and blood-forming organs	-	-	13	-	-	-	-	-

*Refer to complete International List titles, table II.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

etillbirths)

ASSOCIATED CAUSE															
Ulcer of stomach or duodenum	Other diseases of stomach (except cancer)	Diarrhea, enteritis, etc.* (under 2 years)	Diarrhea, enteritis, etc.* (2 years and over)	Appendicitis	Hernia and intestinal obstruction	Other diseases of intestines	Cirrhosis of liver	Other diseases of liver	Biliary calculi	Other diseases of gallbladder, biliary ducts	Diseases of pancreas (except diabetes mellitus)	Peritonitis (cause not stated)	Acute nephritis	Chronic nephritis	List No.
117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	
1,625	3,072	796	3,438	947	6,494	3,660	2,213	3,178	1,983	4,246	697	16,905	4,992	12,108	
226	165	394	406	231	363	287	458	257	71	150	15	304	795	1,440	
2	7	-	17	16	4	65	3	7	1	4	-	36	4	10	1
1	-	1	4	-	-	1	1	1	-	-	-	-	-	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	1	1	1	-	-	-	-	3	-	-	-	-	3	-	5
-	-	1	1	-	1	-	-	1	-	-	-	1	1	4	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	2	2	5	2	-	1	3	-	-	-	8	88	19	8
-	2	141	8	-	3	-	1	-	-	-	-	1	9	-	9
-	-	4	1	1	1	1	2	1	2	-	-	2	10	7	10
-	1	-	2	-	1	1	1	3	-	3	-	1	12	-	11
-	1	1	1	1	2	1	1	-	-	-	-	-	-	2	12
100	34	4	87	122	110	101	144	40	22	27	6	80	65	539	13-22
94	32	1	71	91	61	77	115	31	15	26	6	48	57	457	13
1	-	1	2	2	-	1	1	2	1	-	-	1	-	2	14
2	1	-	8	17	42	15	12	1	4	1	-	12	1	13	15
-	-	-	3	6	1	4	6	-	-	-	-	5	2	24	16
1	-	-	-	2	-	1	2	1	-	-	-	2	-	12	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	18
1	-	-	2	1	-	2	1	-	-	-	-	1	2	4	19
-	-	-	1	1	3	1	3	3	-	-	-	7	1	14	20
-	-	-	-	1	1	-	1	-	1	-	-	-	-	6	21
1	1	2	-	1	2	-	3	2	1	-	-	4	2	4	22
1	-	-	-	-	-	-	-	-	1	-	-	-	1	7	23
2	2	1	20	-	-	-	1	2	-	1	-	3	31	12	24
-	-	-	1	21	25	3	-	4	1	1	-	79	5	2	25
-	-	-	-	-	-	1	1	1	-	1	-	-	-	3	26
-	11	127	69	1	9	20	3	19	-	3	1	28	11	8	27
6	15	-	20	-	3	4	12	25	1	6	-	3	38	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
103	29	76	39	49	112	47	271	93	24	33	4	28	83	745	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	2	-	3	1	1	1	-	5	-	1	13	3	32
2	53	1	112	-	58	21	4	38	13	53	3	3	386	34	33
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	27	8	2	-	-	-	1	-	-	-	6	11	3	35
-	2	2	1	6	3	2	-	2	-	1	-	-	3	2	36
2	1	4	2	1	5	1	2	1	1	1	-	-	1	9	37
-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	38
1	-	-	-	1	2	-	-	1	-	1	-	1	4	3	39
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	40
1	-	-	-	-	2	-	1	1	-	3	-	1	-	-	41
-	2	-	2	-	-	1	1	1	-	-	-	1	-	-	42
-	1	-	-	4	2	2	1	3	-	-	-	4	-	4	43
4	1	-	3	1	15	14	6	5	5	7	1	16	13	18	44
472	167	-	199	212	1,564	477	399	533	514	775	49	2,469	175	1,949	
464	142	-	178	146	1,122	439	394	516	503	750	48	2,100	149	1,904	45-55
2	2	-	2	-	2	2	4	2	1	1	1	-	2	41	45
398	101	-	132	107	541	304	309	467	467	694	42	1,843	68	949	46
15	1	-	2	4	4	1	19	5	1	3	-	2	2	52	47
3	6	-	9	10	189	55	10	6	9	7	-	127	19	154	48
1	-	-	2	2	91	5	4	-	2	4	-	32	1	23	49
3	1	-	2	6	24	2	2	3	4	9	1	3	6	93	50
14	4	-	6	3	43	17	12	2	1	2	2	15	25	249	51
10	6	-	6	5	36	18	9	8	3	6	-	44	10	133	52
4	1	-	4	-	7	-	3	-	1	1	-	1	-	71	53
1	1	-	-	-	1	-	2	1	2	-	2	1	2	8	54
13	19	-	13	9	184	35	20	22	12	23	-	32	14	131	55
5	10	-	15	66	376	29	3	15	10	20	1	351	19	37	56
3	15	-	6	-	69	9	2	2	1	5	-	18	7	8	57
88	75	7	143	37	131	81	300	48	71	110	95	30	301	4,019	
3	6	-	1	-	2	-	-	4	-	3	1	2	62	-	58
-	23	-	34	-	-	5	-	4	-	-	-	-	31	-	59
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
77	33	4	55	27	111	59	244	29	57	94	92	22	183	3,675	61
1	-	-	1	-	1	-	2	-	-	2	-	-	1	-	62
4	2	-	4	4	5	3	28	4	11	4	-	2	6	203	63b
-	-	-	2	-	-	-	4	1	-	-	-	-	5	6	63a,c-e
-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	64
1	1	-	3	3	1	1	1	1	1	1	2	1	-	14	65
-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	67
1	-	1	-	-	-	-	5	-	-	-	-	-	-	-	68
1	3	2	42	3	10	7	16	2	2	6	-	3	12	121	69
-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	70
-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	71
9	54	5	16	3	16	71	27	64	9	11	3	24	38	46	
-	10	-	-	-	-	4	-	1	-	-	-	-	6	-	72
-	17	-	1	-	-	11	-	6	-	1	-	2	23	-	73a
-	3	1	1	1	-	-	-	2	-	-	-	3	-	-	73b-d
8	6	4	11	2	6	48	14	5	9	3	1	4	6	46	74
1	18	-	3	-	10	7	13	50	-	6	2	15	2	-	75
-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Pneumonia (unspecified) 109	Pleurisy (not tuberculous) 110	Hemorrhagic infarction, thrombosis, edema* 111	Asthma 112	Pulmonary emphysema 113	Other diseases of respiratory system (except tuberculosis) 114	Diseases of buccal cavity and adnexa, etc.* 115	Diseases of esophagus 116
	V.—Chronic poisoning and intoxication	1	2	73	7	-	2	4	-
77	Alcoholism (ethylism)	1	1	69	7	-	1	4	-
78	Lead poisoning	-	-	1	-	-	1	-	-
79	Chronic poisoning by other mineral substances*	-	1	3	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	295	99	2,911	171	13	302	341	13
80	Encephalitis (nonepidemic)	3	5	35	-	-	48	23	-
81	Meningitis (not due to meningococcus)	10	-	32	-	-	9	20	-
82	Diseases of spinal cord (see exceptions)*	17	7	86	2	2	40	14	-
83a	Cerebral hemorrhage or effusion*	188	48	1,943	145	5	108	153	9
83b	Cerebral embolism and thrombosis	26	25	300	14	3	25	70	1
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	33	7	141	1	2	7	26	1
84	Mental diseases and deficiency (see exception)*	3	-	76	-	-	1	-	-
85	Epilepsy	-	-	94	4	1	23	4	-
86	Convulsions (under 5 years)	-	-	-	-	-	-	-	-
87	Other diseases of nervous system	9	-	183	3	-	24	13	2
88	Diseases of organs of vision	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	6	7	21	2	-	17	18	-
	VII.—Diseases of the circulatory system	805	1,194	13,482	4,433	385	1,033	802	64
90-95	Diseases of heart	795	1,185	11,904	4,256	381	907	740	64
90	Pericarditis (except acute rheumatic)	2	-	22	8	3	28	1	-
91	Acute endocarditis (except rheumatic)	9	-	102	10	4	9	53	-
92	Chronic affections of valves and endocardium	117	146	1,358	391	18	73	171	10
93	Diseases of myocardium	423	623	7,680	2,902	254	625	331	39
94	Diseases of coronary arteries, angina pectoris	136	268	1,554	553	47	85	122	13
95	Other diseases of heart	108	148	1,188	392	55	87	62	2
96	Aneurysm (except of heart and aorta)	2	9	7	1	1	3	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	2	-	1,183	173	3	98	48	-
98	Gangrene	1	-	19	-	-	-	7	-
99	Other diseases of arteries	2	-	31	2	-	9	1	-
100	Diseases of veins	1	-	335	1	-	9	3	-
101	Diseases of lymphatic system	1	-	3	-	-	5	3	-
102	High blood pressure (idiopathic)	1	-	-	-	-	2	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	77	1,262	1,160	1,309	258	1,544	615	13
104	Diseases of nasal fossae, accessory sinuses	18	-	6	9	-	-	19	1
105	Diseases of larynx	-	-	19	1	-	2	3	-
106	Bronchitis	3	1	224	300	97	304	44	1
107	Bronchopneumonia (including capillary bronchitis)	-	7	324	624	48	458	303	3
108	Lobar pneumonia	-	1,028	257	232	18	359	157	3
109	Pneumonia (unspecified)	...	211	48	47	4	119	35	-
110	Pleurisy (not tuberculous)	44	...	60	16	2	228	31	1
111	Hemorrhagic infarction, thrombosis, edema*	3	-	...	18	-	29	-	-
112	Asthma	-	-	148	...	89	11	-	-
113	Pulmonary emphysema	-	-	9	-	...	34	-	-
114	Other diseases of respiratory system (except tuberculosis)	9	15	65	62	-	...	23	4
	IX.—Diseases of the digestive system	524	249	2,063	104	19	332	187	55
115	Diseases of buccal cavity and adnexa, etc.*	30	2	85	8	-	71	...	3
116	Diseases of esophagus	2	9	5	1	2	15	1	...
117	Ulcer of stomach or duodenum	82	34	213	12	2	40	17	7
118	Other diseases of stomach (except cancer)	1	1	27	-	-	6	1	-
119	Diarrhea, enteritis, etc.* (under 2 years)	85	5	35	3	3	10	39	1
120	Diarrhea, enteritis, etc.* (2 years and over)	3	1	70	13	-	3	11	1
121	Appendicitis	109	34	444	8	-	42	22	-
122	Hernia and intestinal obstruction	78	21	466	19	3	43	13	3
123	Other diseases of intestines	7	4	34	3	-	2	3	-
124	Cirrhosis of liver	25	42	222	19	6	26	16	35
125	Other diseases of liver	7	20	38	-	-	19	10	-
126	Biliary calculi	41	11	254	10	1	26	15	-
127	Other diseases of gallbladder, biliary ducts	19	6	130	6	-	10	14	2
128	Diseases of pancreas (except diabetes mellitus)	7	2	26	1	-	4	1	-
129	Peritonitis (cause not stated)	30	57	14	1	2	15	24	3
	X.—Diseases of the genito-urinary system	277	176	2,380	359	23	196	317	15
130	Acute nephritis	4	-	100	24	-	19	51	3
131	Chronic nephritis	155	133	1,468	281	17	105	220	8
132	Nephritis unspecified (10 years and over)	47	7	132	36	3	14	11	-
133	Other diseases of kidneys, ureters, etc.*	5	6	114	2	-	25	19	2
134	Calculi of urinary passages	8	7	45	1	1	10	1	-
135	Diseases of urinary bladder	5	-	34	-	-	1	1	-
136	Diseases of urethra (except calculus)	3	1	22	-	-	-	-	-
137	Diseases of prostate	43	13	350	12	2	13	11	2
138	Diseases of other male genital organs (not venereal)	1	-	4	-	-	-	-	-
139	Diseases of female genital organs	6	9	111	3	-	9	3	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Ulcer of stomach or duodenum	Other diseases of stomach (except cancer)	Diarrhea, enteritis, etc.* (under 2 years)	Diarrhea, enteritis, etc.* (2 years and over)	Appendicitis	Hernia and intestinal obstruction	Other diseases of intestines	Cirrhosis of liver	Other diseases of liver	Biliary calculi	Other diseases of gallbladder, biliary ducts	Diseases of pancreas (except diabetes mellitus)	Peritonitis (cause not stated)	Acute nephritis	Chronic nephritis	List No.
117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	
1	49	-	13	-	4	2	3	3	-	1	-	-	29	12	
-	46	-	12	-	-	2	-	2	-	-	-	-	24	-	77
1	1	-	-	-	4	-	3	-	-	-	-	-	2	12	78
-	2	-	1	-	-	-	-	1	-	1	-	-	3	-	79
137	148	14	171	2	191	69	27	57	91	259	3	5	284	99	
1	-	-	-	1	-	-	-	1	-	-	-	2	-	-	80
-	3	1	22	-	-	2	-	1	-	-	-	-	-	1	81
2	2	1	7	1	12	5	5	3	2	5	-	1	11	83	82
104	110	-	83	-	112	41	13	35	72	194	3	1	211	9	83a
26	8	-	16	-	24	8	2	6	15	44	-	1	6	-	83b
3	10	-	19	-	25	5	-	2	2	13	-	-	29	2	83c;d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	3	-	12	-	7	3	-	-	-	-	-	-	-	-	85
-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	86
1	10	-	11	-	5	4	5	3	-	3	-	-	9	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	10	1	-	6	1	2	6	-	-	-	-	18	4	89
134	1,210	2	1,264	3	1,196	375	92	549	725	1,787	80	25	1,688	56	
127	1,086	2	1,065	2	1,014	278	81	531	722	1,769	79	-	1,458	9	90-95
-	5	-	5	-	3	1	1	7	-	3	3	-	29	-	90
2	12	-	17	-	-	-	-	12	-	19	-	-	34	-	91
118	135	-	114	-	85	24	17	120	57	136	7	-	326	1	92
-	468	2	714	2	738	166	2	315	413	998	40	-	781	6	93
7	321	-	149	-	151	51	-	65	221	537	20	-	113	2	94
-	145	-	66	-	37	36	61	12	31	76	9	-	175	-	95
3	2	-	-	-	2	1	6	-	2	3	-	1	1	43	96
1	97	-	180	1	-	63	-	13	-	4	-	-	213	-	97
-	2	-	2	-	-	1	1	-	-	-	-	-	8	-	98
2	10	-	14	-	180	26	2	2	1	10	1	23	8	4	99
-	13	-	3	-	-	5	2	1	-	1	-	1	-	-	100
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	103
81	112	7	296	-	219	111	228	153	93	122	13	79	580	1,099	
-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	104
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	105
-	20	-	31	-	9	3	-	2	-	-	-	-	52	-	106
-	42	2	163	-	38	42	-	30	36	12	-	3	232	2	107
70	27	5	66	-	93	24	222	92	44	77	8	73	230	1,094	108
-	5	-	16	-	23	5	1	8	5	7	-	1	34	-	109
-	2	-	7	-	13	1	5	12	6	4	5	2	16	-	110
1	2	-	10	-	42	31	-	5	-	18	-	-	5	1	111
-	12	-	-	-	-	1	-	2	-	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113
10	2	-	3	-	-	4	-	2	2	4	-	-	1	2	114
199	780	78	459	205	1,840	1,859	397	1,234	235	744	381	12,036	547	1,650	
6	9	-	12	-	5	3	1	12	-	5	2	1	222	-	115
-	5	-	3	-	-	-	-	-	-	-	-	2	-	-	116
...	147	2	46	23	226	71	20	89	53	63	62	2,248	21	67	117
14	...	-	-	-	10	13	-	3	2	1	2	20	2	5	118
-	99	...	-	-	10	10	3	8	-	4	2	44	26	-	119
-	110	-	...	3	28	88	-	6	2	-	-	217	1	3	120
41	25	1	39	...	1,144	168	28	175	122	147	15	6,508	40	145	121
17	65	68	154	51	...	1,286	40	29	19	94	5	1,346	35	195	122
2	29	1	3	9	23	...	6	11	1	10	4	563	2	17	123
86	186	2	42	3	54	104	...	269	2	200	44	58	75	1,058	124
7	19	2	30	12	4	30	30	...	17	70	7	98	34	16	125
13	22	-	8	56	226	43	247	360	...	16	226	429	25	82	126
5	45	1	29	32	65	27	9	240	2	...	12	424	41	39	127
-	5	-	1	3	38	7	13	31	14	151	...	78	3	3	128
8	14	1	92	13	7	9	-	1	1	3	-	...	20	-	129
195	135	1	306	192	423	206	149	143	138	238	27	873	239	522	
-	13	-	52	-	1	6	-	10	-	3	-	-	...	-	130
169	71	1	155	-	140	69	124	42	98	171	19	54	-	...	131
-	19	-	43	-	9	20	-	29	5	19	2	4	-	-	132
-	10	-	19	1	35	24	8	18	16	26	5	58	60	7	133
11	1	-	1	2	18	4	2	1	10	6	1	18	14	43	134
-	4	-	17	-	2	21	2	2	1	-	-	38	-	16	135
-	-	-	1	-	2	5	-	7	-	-	-	15	18	7	136
13	13	-	17	1	69	12	10	10	3	9	-	36	135	438	137
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138
2	4	-	1	188	147	45	3	24	5	4	-	650	12	11	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Pneumonia (unspecified) 109	Pleurisy (not tuberculous) 110	Hemorrhagic infarction, thrombosis, edema* 111	Asthma 112	Pulmonary emphysema 113	Other diseases of respiratory system (except tuberculosis) 114	Diseases of buccal cavity and adnexa, etc.* 115	Diseases of esophagus 116
	XI.—Diseases of pregnancy, childbirth, puerperium	72	14	107	9	-	65	18	-
140	Abortion with mention of infection	11	2	15	-	-	17	5	-
141	Abortion without mention of infection	5	2	6	-	-	1	4	-
142	Ectopic gestation	3	1	9	-	-	6	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	1	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	6	1	20	1	-	1	1	-
145	Other diseases of pregnancy (death before delivery)	1	2	7	-	-	6	-	-
146	Hemorrhage of childbirth and puerperium	1	-	2	1	-	-	-	-
147	Infection during childbirth and puerperium	21	3	9	-	-	19	6	-
148	Puerperal toxemias (excluding death before delivery)	4	1	30	-	-	1	1	-
149	Other accidents and specified conditions of childbirth	9	-	5	2	-	10	1	-
150	Other and unspecified conditions of childbirth and puerperium	11	2	5	5	-	4	-	-
	XII.—Diseases of the skin and cellular tissue	-	-	16	-	-	13	5	1
151	Carbuncle and furuncle	-	-	10	-	-	8	4	1
152	Phlegmon and acute abscess	-	-	2	-	-	4	1	-
153	Other diseases of skin and cellular tissue	-	-	4	-	-	1	-	-
	XIII.—Diseases of the bones, etc.*	10	-	51	1	-	14	29	-
154	Osteomyelitis and periostitis	7	-	15	-	-	11	26	-
155	Other diseases of bones (except tuberculosis)	-	-	21	-	-	-	-	-
156	Diseases of joints, other organs of movement	3	-	15	1	-	3	3	-
157	XIV.—Congenital malformations	81	18	119	8	2	36	32	1
	XV.—Diseases peculiar to the first year of life	111	9	79	3	6	19	5	3
158	Congenital debility (cause not stated)	1	-	1	-	-	-	-	-
159	Premature birth (cause not stated)	63	6	41	3	3	9	3	2
160	Injury at birth	44	2	13	-	3	8	2	1
161	Other diseases peculiar to the first year of life	3	1	24	-	-	2	-	-
162	XVI.—Senility	5	-	2	-	-	-	-	-
	XVII.—Violent or accidental deaths	684	160	3,018	36	94	318	44	23
163,164	Suicide	23	9	46	3	1	14	2	6
163	Suicide by poisoning	10	5	32	-	-	5	1	6
164	Suicide by other means	13	4	14	3	1	9	1	-
165-168	Homicide [1]	36	28	49	-	3	28	3	1
166	Homicide by firearms	18	7	25	-	1	12	1	-
167	Homicide by cutting or piercing instruments	11	18	13	-	1	14	-	-
168	Homicide by other means	7	3	11	-	1	2	2	1
169-195	Accidental deaths	625	123	2,923	33	90	276	39	16
169	Railway accidents	7	1	15	-	2	2	-	-
170	Motor-vehicle accidents	189	40	635	4	53	114	4	-
171	Streetcar and other road-transport accidents	5	1	14	-	-	2	1	-
172	Water-transport accidents	-	-	5	-	-	-	-	-
173	Air-transport accidents	2	-	4	-	-	2	-	-
174	Accidents in mines and quarries	12	1	26	-	1	6	-	-
175	Agricultural and forestry accidents	20	6	64	1	11	15	1	-
176	Other accidents involving machinery	11	1	17	1	-	7	-	-
177	Food poisoning	3	-	4	1	-	2	2	-
178	Accidental absorption of poisonous gas	3	-	19	2	-	1	-	-
179	Acute accidental poisoning by solids or liquids	12	3	24	4	1	11	1	9
180	Conflagration	9	-	21	-	-	-	-	-
181	Accidental burns (except conflagration)	39	3	112	2	-	4	4	-
182	Accidental mechanical suffocation	3	-	5	1	-	1	1	-
183	Accidental drowning	1	2	4	-	1	3	-	-
184	Accidental injury by firearms	5	3	12	1	-	4	-	-
185	Accidental injury by cutting or piercing instruments	5	-	7	-	-	-	-	-
186	Accidental injury by fall or crushing	235	39	1,754	15	13	42	21	1
187	Cataclysm, etc.*	1	-	-	-	-	1	-	-
188	Injury by animals (except in agriculture and forestry)*	1	-	4	-	-	1	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	3	-	9	-	-	-	-	-
191	Excessive heat	1	-	10	1	-	-	-	-
192	Lightning	-	-	-	-	-	3	-	-
193	Accidents due to electric currents (except lightning)	1	-	1	-	-	4	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	2	-	-	-	-	1	-	-
195	Other accidents	55	23	157	2	8	50	4	6
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	15	-	3	-	-	2	-	-
199	Sudden death	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	15	-	3	-	-	2	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Ulcer of stomach or duodenum 117	Other diseases of stomach (except cancer) 118	Diarrhea, enteritis, etc.* (under 2 years) 119	Diarrhea, enteritis, etc.* (2 years and over) 120	Appendicitis 121	Hernia and intestinal obstruction 122	Other diseases of intestines 123	Cirrhosis of liver 124	Other diseases of liver 125	Biliary calculi 126	Other diseases of gallbladder, biliary ducts 127	Diseases of pancreas (except diabetes mellitus) 128	Peritonitis (cause not stated) 129	Acute nephritis 130	Chronic nephritis 131	List No.
2	18	-	21	25	152	13	4	41	8	7	2	-	16	63	
-	1	-	3	14	17	1	-	13	3	1	-	-	8	7	140
-	-	-	3	-	4	-	-	3	1	-	-	-	1	13	141
1	-	-	-	2	25	3	-	-	1	-	-	-	5	-	142
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	143
-	2	-	-	-	3	-	1	7	-	-	-	-	-	-	144
-	3	-	2	1	1	1	-	1	1	1	-	-	1	6	145
-	-	-	-	-	2	-	-	-	-	-	-	-	-	16	146
-	1	-	4	8	22	6	1	6	1	1	1	-	1	19	147
-	1	-	1	-	2	1	1	7	-	1	-	-	-	-	148
-	6	-	2	-	59	-	1	1	-	2	1	-	-	1	149
1	3	-	6	-	17	1	-	3	1	1	-	-	-	-	150
-	-	-	1	-	-	2	1	-	-	-	-	1	3	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	151
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	152
-	-	-	1	-	-	-	-	-	-	-	-	1	3	-	153
-	1	-	-	-	-	3	-	11	1	2	-	3	12	-	
-	-	-	-	-	-	2	-	10	1	-	-	-	9	-	154
-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	155
-	-	-	-	-	-	1	-	1	-	1	-	3	2	-	156
4	23	108	15	2	53	23	5	9	1	3	2	112	35	26	157
2	11	119	-	-	5	2	-	2	-	3	-	5	13	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	158
-	8	88	-	-	2	2	-	2	-	3	-	2	10	-	159
2	2	29	-	-	3	-	-	-	-	-	-	1	2	-	160
-	1	1	-	-	-	-	-	-	-	-	-	2	1	-	161
1	1	-	-	-	3	-	-	-	-	-	-	-	-	1	162
73	119	59	128	33	333	76	123	74	26	34	26	937	237	1,144	
9	18	-	15	2	8	3	3	15	2	2	2	30	37	24	163,164
3	18	-	14	-	1	3	2	11	-	2	1	4	36	9	163
6	-	-	1	2	7	-	1	2	2	-	1	26	1	15	164
2	-	-	2	-	24	5	4	3	1	-	-	281	2	5	165-168
-	-	-	1	-	13	5	-	2	-	-	-	197	1	-	166
-	-	-	-	-	8	-	-	-	-	-	-	78	1	2	167
2	-	-	1	-	3	-	4	1	1	-	-	6	-	3	168
82	101	59	111	31	301	68	116	58	23	32	24	626	198	1,115	169-195
-	-	-	-	1	3	-	1	1	-	-	-	5	2	1	169
8	9	1	1	3	79	18	14	5	-	7	8	177	9	79	170
2	-	-	-	-	3	-	-	-	-	-	1	6	1	3	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173
-	-	-	-	-	7	1	-	2	-	-	-	10	4	2	174
1	-	-	1	1	24	5	1	1	-	1	-	81	1	12	175
1	-	-	-	1	2	1	-	1	-	-	-	20	1	1	176
2	25	37	52	3	12	3	-	2	-	1	1	2	2	5	177
1	-	-	2	-	-	-	2	1	-	-	-	-	1	3	178
4	20	4	21	1	2	1	9	9	1	1	2	6	21	15	179
1	1	-	1	-	1	1	1	-	-	-	-	-	4	5	180
11	3	2	7	1	5	3	7	10	1	-	-	3	107	81	181
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	182
-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	183
-	-	-	-	-	5	4	-	-	1	-	2	86	-	-	184
3	2	-	-	-	3	-	-	-	-	-	-	15	-	3	185
20	22	-	21	11	106	15	59	19	17	20	8	74	36	810	186
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	1	-	1	-	-	-	-	9	1	1	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	189
-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	190
1	-	3	1	4	1	2	3	1	1	-	1	1	-	21	191
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	193
-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	194
7	16	11	4	5	43	14	17	5	2	2	1	129	6	62	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
1	4	2	-	2	1	3	-	-	-	-	1	2	-	2	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	199
1	2	2	-	2	1	3	-	-	-	-	1	2	-	2	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Nephritis unspecified (10 years and over) 132	Other diseases of kidneys, ureters, etc.* 133	Calculi of urinary passages 134	Diseases of urinary bladder 135	Diseases of urethra (except calculus) 136	Diseases of prostate 137	Diseases of other male genital organs (not venereal) 138	Diseases of female genital organs 139
	All causes	12,962	7,723	549	3,518	731	6,611	186	941
	I.—Infectious and parasitic diseases	643	415	35	127	48	220	16	93
1	Typhoid fever	11	8	1	-	-	2	-	1
2	Paratyphoid fever	1	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	1	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	7	1	-	-	-	-	-	-
9	Whooping cough	1	2	-	-	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)	1	-	-	-	-	-	-	-
11	Erysipelas	6	2	-	-	1	1	-	-
12	Tetanus	-	-	-	-	-	-	-	1
13-22	Tuberculosis (all forms)	164	113	20	33	12	77	6	40
13	Tuberculosis of respiratory system, etc.*	108	70	11	19	9	68	5	30
14	Tuberculosis of meninges, etc.*	1	3	-	-	-	3	-	1
15	Tuberculosis of intestines and peritoneum	3	-	-	1	-	-	-	5
16	Tuberculosis of vertebral column	3	12	-	4	-	-	1	-
17	Tuberculosis of bones and joints, etc.*	1	1	-	1	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	1	-	-	-	-	1
20	Tuberculosis of genito-urinary system	62	21	8	6	3	4	-	1
21	Tuberculosis of other organs	-	3	-	1	-	-	-	-
22	Disseminated tuberculosis	6	3	-	1	-	2	-	2
23	Leprosy	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	5	5	-	-	-	1	-	-
25	Gonococcus infection	9	13	-	5	10	5	-	-
26	Other diseases due to bacteria (except dysentery)	2	-	-	-	-	-	-	-
27	Dysentery	3	5	-	2	-	1	-	-
28	Malaria	23	7	-	1	-	2	-	2
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	1
30	Syphilis	118	160	9	56	21	64	5	28
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	4	-	-	-	-	-	1
33	Influenza (grippe)	236	67	3	23	1	53	-	11
34	Smallpox	-	-	-	-	-	-	-	-
35	Measles	3	-	1	-	-	-	-	-
36	Poliomyelitis and policencephalitis (acute)	2	7	1	2	-	-	-	-
37	Acute infectious encephalitis (lethargic)	8	6	-	1	-	2	-	-
38	Other diseases due to filtrable viruses	1	1	-	-	-	-	-	-
39	Typhus fever, typhus-like diseases*	3	-	-	-	1	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	1
41	Hydatid disease	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-
43	Mycoses	-	4	-	-	-	2	-	1
44	Other infectious and parasitic diseases	14	9	-	4	2	10	5	6
	II.—Cancer and other tumors	1,595	957	99	411	87	391	22	278
45-55	Cancer and other malignant tumors	1,525	903	98	374	82	378	22	129
45	Cancer of buccal cavity and pharynx	13	1	-	-	-	6	-	-
46	Cancer of digestive organs and peritoneum	389	159	31	61	14	165	9	41
47	Cancer of respiratory system	9	4	2	2	-	16	2	1
48	Cancer of uterus	221	133	3	43	12	-	-	63
49	Cancer of other female genital organs	12	20	1	3	1	-	-	10
50	Cancer of breast	16	9	1	1	-	-	-	2
51	Cancer of male genital organs	411	208	14	175	27	92	6	-
52	Cancer of urinary organs (male and female)	359	324	37	74	24	68	3	5
53	Cancer of skin, etc.*	12	1	1	1	-	9	-	-
54	Cancer of central nervous system*	3	6	-	-	-	2	-	-
55	Cancer of other and unspecified organs	80	38	8	14	4	20	2	7
56	Nonmalignant tumors (including dermoid cysts)	43	42	1	25	1	9	-	144
57	Tumors of unspecified nature	27	12	-	12	4	4	-	5
	III.—Rheumatism, diseases of nutrition, etc.*	529	383	39	47	10	148	1	49
58	Acute rheumatic fever	16	3	3	3	-	2	-	-
59	Chronic rheumatism, other rheumatic diseases	43	6	-	9	-	28	-	-
60	Gout	2	-	-	-	-	-	-	-
61	Diabetes mellitus	407	337	28	32	10	109	1	35
62	Diseases of pituitary gland	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	14	11	6	1	-	3	-	3
63a,c-e	Other diseases of thyroid and parathyroid glands	4	5	1	-	-	1	-	1
64	Diseases of thymus gland	-	-	-	-	-	-	-	-
65	Diseases of adrenal glands*	4	5	-	-	-	-	-	1
66	Other general diseases	14	2	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	24	13	1	2	-	5	-	9
70	Rickets	-	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	62	34	5	11	5	26	1	7
72	Hemorrhagic conditions	3	1	-	-	-	-	1	-
73a	Pernicious anemia	25	2	-	5	-	11	-	3
73b-d	Other anemias (except splenic)	2	8	-	-	-	-	-	-
74	Leukemias and aleukemias	28	19	5	5	4	15	-	3
75	Diseases of spleen	2	4	-	1	-	-	-	1
76	Other diseases of blood and blood-forming organs	2	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE																
Diseases of pregnancy, childbirth, puerperium 140-150	Abortion with mention of infection 140	Abortion without mention of infection 141	Ectopic gestation 142	Hemorrhage of pregnancy (death before delivery) 143	Toxemias of pregnancy (death before delivery) 144	Other diseases of pregnancy (death before delivery) 145	Hemorrhage of childbirth and puerperium 146	Infection during childbirth and puerperium 147	Puerperal toxemias (excluding death before delivery) 148	Other accidents and specified conditions of childbirth 149	Other and unspecified conditions of childbirth and puerperium 150	Carbuncle and furuncle 151	Phlegmon and acute abscess 152	Other diseases of skin and cellular tissue 153	Osteomyelitis and periostitis 154	List No.
3,004	21	112	5	19	149	456	374	45	297	1,181	345	684	1,456	1,686	746	
383	9	32	1	1	19	94	15	33	6	12	161	31	179	156	77	
12	1	1	-	-	-	2	1	-	-	-	7	-	2	1	-	1
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	-	-	-	-	-	-	-	2	-	-	1	-	5	2	3	8
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	9
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	7	5	7	2	11
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	12
153	-	21	1	-	5	42	2	2	3	5	72	2	23	27	33	13-22
129	-	13	1	-	5	32	1	1	3	5	68	2	21	24	26	13
2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	3	14
4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	20
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	21
15	-	5	-	-	-	5	-	1	-	-	4	-	-	2	-	22
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	23
2	-	-	-	-	-	-	-	-	-	-	2	1	78	6	6	24
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	25
2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	26
3	-	-	-	-	-	-	-	-	-	-	3	1	2	7	-	27
9	-	1	-	-	-	2	-	-	-	-	6	-	2	-	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
95	8	6	-	1	13	14	11	28	3	6	5	12	31	72	12	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	32
84	-	-	-	-	-	27	-	-	-	-	57	5	14	17	6	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
3	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	35
7	-	-	-	-	-	3	1	-	-	1	2	-	1	1	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	42
1	-	1	-	-	-	-	-	-	-	-	-	-	4	-	1	43
4	-	2	-	-	-	2	-	-	-	-	-	-	1	5	3	44
67	5	9	2	1	2	19	4	3	-	5	17	5	95	65	35	
48	5	4	2	1	-	11	3	3	-	4	13	5	91	53	28	45-55
1	-	-	-	-	-	-	-	-	-	-	1	-	5	2	5	45
17	2	2	1	-	-	3	1	1	-	-	7	1	63	18	6	46
-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	47
16	3	-	-	1	-	4	1	2	-	2	3	-	2	6	1	48
1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	49
3	-	-	-	-	-	1	1	-	-	-	1	-	5	2	-	50
-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	51
2	-	1	1	-	-	-	-	-	-	-	-	1	5	1	1	52
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	53
2	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	54
4	-	1	-	-	-	2	-	-	-	1	-	2	5	11	8	55
15	-	5	-	-	1	5	-	-	-	1	3	-	3	7	5	56
6	-	-	-	-	1	3	1	-	-	-	1	-	1	5	2	57
47	-	6	-	-	-	26	2	-	-	1	12	317	176	117	50	
3	-	-	-	-	-	3	-	-	-	-	-	1	1	4	-	58
1	-	-	-	-	-	1	-	-	-	-	-	2	8	40	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
25	-	3	-	-	-	15	-	-	-	-	7	311	165	43	49	61
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	62
2	-	1	-	-	-	1	-	-	-	-	-	1	-	4	-	63b
4	-	-	-	-	-	1	-	-	-	1	2	-	1	-	1	63a,c-e
3	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	66
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
9	-	2	-	-	-	2	2	-	-	-	3	1	1	7	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	71
7	-	1	-	-	1	3	-	-	-	-	2	5	17	33	12	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	72
-	-	-	-	-	-	-	-	-	-	-	-	1	4	11	2	73a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	1	73b-d
6	-	1	-	-	-	5	-	-	-	-	2	4	11	6	7	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	75
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Nephritis unspecified (10 years and over)	Other diseases of kidneys, ureters, etc.*	Calculi of urinary passages	Diseases of urinary bladder	Diseases of urethra (except calculus)	Diseases of prostate	Diseases of other male genital organs (not venereal)	Diseases of female genital organs
		132	133	134	135	136	137	138	139
	V.—Chronic poisoning and intoxication	29	1	-	-	-	2	1	-
77	Alcoholism (ethylism)	27	1	-	-	-	2	1	-
78	Lead poisoning	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	712	460	48	144	25	306	10	50
80	Encephalitis (nonepidemic)	-	9	-	1	-	-	-	3
81	Meningitis (not due to meningococcus)	3	-	-	3	-	-	1	1
82	Diseases of spinal cord (see exceptions)*	30	45	3	14	1	10	-	-
83a	Cerebral hemorrhage or effusion*	520	267	35	70	11	231	4	30
83b	Cerebral embolism and thrombosis	38	53	7	16	3	43	3	9
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	58	40	1	16	5	18	-	1
84	Mental diseases and deficiency (see exception)*	-	-	-	-	-	-	-	1
85	Epilepsy	12	2	-	-	-	-	2	4
86	Convulsions (under 5 years)	-	-	-	-	-	-	-	-
87	Other diseases of nervous system	43	42	2	23	4	3	-	1
88	Diseases of organs of vision	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	8	2	-	1	1	1	-	-
	VII.—Diseases of the circulatory system	5,435	1,651	64	638	88	3,175	50	120
90-95	Diseases of heart	4,509	1,569	60	524	73	2,500	42	105
90	Pericarditis (except acute rheumatic)	7	5	1	-	1	3	-	1
91	Acute endocarditis (except rheumatic)	12	30	-	4	1	12	-	2
92	Chronic affections of valves and endocardium	742	148	18	45	1	187	6	6
93	Diseases of myocardium	3,005	952	26	393	45	1,878	21	61
94	Diseases of coronary arteries, angina pectoris	304	237	12	42	17	313	13	25
95	Other diseases of heart	439	197	3	40	8	127	2	10
96	Aneurysm (except of heart and aorta)	1	6	-	-	-	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	894	57	3	111	12	652	6	7
98	Gangrene	12	6	-	-	-	1	-	-
99	Other diseases of arteries	11	9	-	3	1	14	1	4
100	Diseases of veins	5	3	1	-	2	7	1	4
101	Diseases of lymphatic system	-	1	-	-	-	-	-	-
102	High blood pressure (idiopathic)	3	-	-	-	-	-	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	441	260	29	142	38	528	15	47
104	Diseases of nasal fossae, accessory sinuses	3	-	1	-	-	1	-	-
105	Diseases of larynx	-	1	-	-	-	-	-	-
106	Bronchitis	21	3	-	7	3	23	-	-
107	Bronchopneumonia (including capillary bronchitis)	179	46	-	93	23	315	5	15
108	Lobar pneumonia	196	143	27	29	11	102	2	15
109	Pneumonia (unspecified)	29	23	-	4	-	35	2	2
110	Pleurisy (not tuberculous)	4	25	1	3	-	10	-	1
111	Hemorrhagic infarction, thrombosis, edema*	4	11	-	6	1	35	6	13
112	Asthma	-	3	-	-	-	-	-	3
113	Pulmonary emphysema	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	5	5	-	-	-	7	-	-
	IX.—Diseases of the digestive system	516	371	69	84	18	150	18	172
115	Diseases of buccal cavity and adnexa, etc.*	22	22	2	2	-	6	-	1
116	Diseases of esophagus	-	1	-	1	-	2	-	-
117	Ulcer of stomach or duodenum	50	32	8	4	3	23	-	2
118	Other diseases of stomach (except cancer)	3	-	1	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	-	30	2	1	-	-	1	-
120	Diarrhea, enteritis, etc.* (2 years and over)	2	9	-	-	-	-	-	2
121	Appendicitis	49	59	6	2	2	3	-	85
122	Hernia and intestinal obstruction	105	36	8	37	9	63	11	54
123	Other diseases of intestines	5	5	1	3	2	4	3	4
124	Cirrhosis of liver	158	58	4	2	1	18	1	4
125	Other diseases of liver	17	40	2	2	-	8	-	5
126	Biliary calculi	61	34	2	9	1	9	-	6
127	Other diseases of gallbladder, biliary ducts	39	24	3	8	-	8	-	4
128	Diseases of pancreas (except diabetes mellitus)	-	5	-	1	-	2	-	-
129	Peritonitis (cause not stated)	5	16	-	12	-	4	2	5
	X.—Diseases of the genito-urinary system	2,464	2,822	172	1,837	365	1,588	46	102
130	Acute nephritis	-	81	-	37	-	1	1	3
131	Chronic nephritis	-	573	142	251	38	1,266	9	33
132	Nephritis unspecified (10 years and over)	...	244	-	27	7	142	4	2
133	Other diseases of kidneys, ureters, etc.*	633	...	3	247	94	10	3	7
134	Calculi of urinary passages	194	578	...	37	26	162	2	-
135	Diseases of urinary bladder	155	45	-	...	15	3	2	55
136	Diseases of urethra (except calculus)	98	28	-	98	...	3	5	2
137	Diseases of prostate	1,367	1,241	25	1,121	177	...	20	-
138	Diseases of other male genital organs (not venereal)	-	1	-	3	5	1	...	-
139	Diseases of female genital organs	17	33	2	16	3	-	-	...

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE																
Diseases of pregnancy, childbirth, puerperium 140-150	Abortion with mention of infection 140	Abortion without mention of infection 141	Ectopic gestation 142	Hemorrhage of pregnancy (death before delivery) 143	Toxemias of pregnancy (death before delivery) 144	Other diseases of pregnancy (death before delivery) 145	Hemorrhage of childbirth and puerperium 146	Infection during childbirth and puerperium 147	Puerperal toxemias (excluding death before delivery) 148	Other accidents and specified conditions of childbirth 149	Other and unspecified conditions of childbirth and puerperium 150	Carbuncle and furuncle 151	Phlegmon and acute abscess 152	Other diseases of skin and cellular tissue 153	Osteomyelitis and periostitis 154	List No.
-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	79
42	-	-	-	-	1	38	-	-	-	-	3	53	77	177	81	
4	-	-	-	-	-	4	-	-	-	-	-	6	7	4	31	80
4	-	-	-	-	-	4	-	-	-	-	-	21	24	9	19	81
4	-	-	-	-	-	1	-	-	-	-	3	2	2	27	4	82
20	-	-	-	-	-	20	-	-	-	-	-	8	12	66	11	83a
2	-	-	-	-	-	2	-	-	-	-	-	7	14	11	6	83b
2	-	-	-	-	-	2	-	-	-	-	-	2	1	13	2	83c,d
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	84
4	-	-	-	-	-	4	-	-	-	-	-	-	5	1	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	3	2	44	2	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
1	-	-	-	-	1	-	-	-	-	-	-	4	10	2	6	89
177	-	9	-	-	4	107	-	-	-	-	57	113	235	525	158	
173	-	9	-	-	2	107	-	-	-	-	55	92	166	372	136	90-95
-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	3	90
2	-	-	-	-	-	2	-	-	-	-	-	5	3	4	11	91
99	-	8	-	-	-	37	-	-	-	-	54	3	10	22	11	92
35	-	1	-	-	-	33	-	-	-	-	1	63	132	292	79	93
4	-	-	-	-	-	4	-	-	-	-	-	15	11	33	26	94
33	-	-	-	-	2	31	-	-	-	-	-	3	6	19	6	95
3	-	-	-	-	1	-	-	-	-	-	2	-	-	-	2	96
-	-	-	-	-	-	-	-	-	-	-	-	21	39	121	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	10	14	10	98
-	-	-	-	-	-	-	-	-	-	-	-	-	10	3	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	10	14	10	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	101
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
80	-	9	-	-	-	61	-	-	-	-	10	77	218	254	153	
1	-	-	-	-	-	1	-	-	-	-	-	14	27	5	27	104
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	105
3	-	-	-	-	-	3	-	-	-	-	-	1	5	4	-	106
18	-	-	-	-	-	18	-	-	-	-	-	33	95	143	66	107
48	-	7	-	-	-	31	-	-	-	-	10	16	32	36	24	108
5	-	2	-	-	-	3	-	-	-	-	-	5	8	7	6	109
2	-	-	-	-	-	2	-	-	-	-	-	3	13	6	9	110
-	-	-	-	-	-	-	-	-	-	-	-	3	22	43	-	111
3	-	-	-	-	-	3	-	-	-	-	-	-	1	6	-	112
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	113
-	-	-	-	-	-	-	-	-	-	-	-	2	13	2	18	114
100	-	24	2	-	4	42	3	1	1	1	22	16	213	73	21	
1	-	-	-	-	-	1	-	-	-	-	-	4	82	4	7	115
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	116
3	-	-	-	-	-	2	-	-	-	-	1	1	9	5	2	117
2	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-	118
-	-	-	-	-	-	-	-	-	-	-	-	6	8	22	1	119
-	-	-	-	-	-	-	-	-	-	-	-	1	9	4	-	120
53	-	18	1	-	2	17	-	-	1	-	14	-	29	1	4	121
31	-	6	1	-	1	15	1	1	-	1	5	1	10	4	1	122
-	-	-	-	-	-	-	-	-	-	-	-	-	21	2	-	123
1	-	-	-	-	-	1	-	-	-	-	-	-	2	9	1	124
1	-	-	-	-	-	1	-	-	-	-	-	-	5	3	-	125
5	-	-	-	-	1	3	-	-	-	-	1	-	8	-	-	126
2	-	-	-	-	-	-	2	-	-	-	-	2	4	2	-	127
1	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	128
-	-	-	-	-	-	-	-	-	-	-	-	1	24	12	5	129
211	1	10	-	-	65	30	-	-	51	22	32	43	88	136	59	
-	-	-	-	-	-	-	-	-	-	-	-	9	14	27	-	130
209	1	10	-	-	65	29	-	-	51	22	31	20	36	73	38	131
1	-	-	-	-	-	-	-	-	-	-	1	2	4	16	6	132
1	-	-	-	-	-	1	-	-	-	-	-	9	15	10	11	133
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	134
-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	-	135
-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	136
-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	3	137
-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	138
-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Nephritis unspecified (10 years and over)	Other diseases of kidneys, ureters, etc.*	Calculi of urinary passages	Diseases of urinary bladder	Diseases of urethra (except calculus)	Diseases of prostate	Diseases of other male genital organs (not venereal)	Diseases of female genital organs
		132	133	134	135	136	137	138	139
	XI.—Diseases of pregnancy, childbirth, puerperium	16	40	3	4	1	-	-	-
140	Abortion with mention of infection	12	5	-	1	1	-	-	-
141	Abortion without mention of infection	-	4	-	-	-	-	-	-
142	Ectopic gestation	2	2	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	-	12	-	1	-	-	-	-
145	Other diseases of pregnancy (death before delivery)	-	1	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	1	-	-	2	-	-	-	-
147	Infection during childbirth and puerperium	-	5	1	-	-	-	-	-
148	Puerperal toxemias (excluding death before delivery)	1	8	1	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	-	2	-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	-	1	1	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	5	5	-	3	-	2	-	-
151	Carbuncle and furuncle	3	1	-	3	-	1	-	-
152	Phlegmon and acute abscess	-	1	-	-	-	1	-	-
153	Other diseases of skin and cellular tissue	2	3	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	11	5	-	3	-	1	-	1
154	Osteomyelitis and periostitis	6	3	-	2	-	-	-	-
155	Other diseases of bones (except tuberculosis)	4	1	-	-	-	1	-	1
156	Diseases of joints, other organs of movement	1	1	-	1	-	-	-	-
157	XIV.—Congenital malformations	17	65	-	8	3	-	1	2
	XV.—Diseases peculiar to the first year of life	-	9	-	-	-	-	-	-
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-	-
159	Premature birth (cause not stated)	-	6	-	-	-	-	-	-
160	Injury at birth	-	3	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	-	-	-	-	-	-	-	-
162	XVI.—Senility	2	1	-	-	-	1	-	-
	XVII.—Violent or accidental deaths	481	244	16	59	43	73	5	20
163,164	Suicide	31	7	1	1	-	8	1	8
163	Suicide by poisoning	25	4	-	1	-	2	-	2
164	Suicide by other means	6	3	1	-	-	6	1	6
165-168	Homicide [1]	5	10	1	2	2	-	-	1
166	Homicide by firearms	4	8	1	1	2	-	-	1
167	Homicide by cutting or piercing instruments	-	1	-	1	-	-	-	-
168	Homicide by other means	1	1	-	-	-	-	-	-
169-195	Accidental deaths	445	227	14	56	41	65	4	11
169	Railway accidents	2	-	-	-	-	-	1	-
170	Motor-vehicle accidents	53	44	2	12	8	6	-	3
171	Streetcar and other road-transport accidents	1	-	-	1	1	-	-	-
172	Water-transport accidents	-	-	-	-	-	-	-	-
173	Air-transport accidents	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	6	9	1	2	4	-	-	-
175	Agricultural and forestry accidents	12	4	-	2	4	4	-	-
176	Other accidents involving machinery	3	2	1	-	2	1	-	-
177	Food poisoning	5	-	-	-	-	1	-	1
178	Accidental absorption of poisonous gas	1	1	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	11	8	-	-	-	-	-	-
180	Conflagration	6	3	1	-	-	-	-	-
181	Accidental burns (except conflagration)	84	22	1	2	1	5	-	-
182	Accidental mechanical suffocation	-	-	-	-	-	-	-	-
183	Accidental drowning	-	-	-	-	-	1	-	-
184	Accidental injury by firearms	-	-	-	1	1	-	-	-
185	Accidental injury by cutting or piercing instruments	1	2	-	-	2	-	-	-
186	Accidental injury by fall or crushing	221	114	6	32	10	37	2	5
187	Cataclysm, etc.*	-	1	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	1	1	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	2	-	-	-	-	-	-	-
191	Excessive heat	2	1	-	-	-	1	-	-
192	Lightning	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	2	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	1	1	-	-	-	-	-	-
195	Other accidents	31	14	2	4	8	9	1	2
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	4	-	-	-	-	-	-	-
199	Sudden death	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	4	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE																
Diseases of pregnancy, childbirth, puerperium 140-150	Abortion with mention of infection 140	Abortion without mention of infection 141	Ectopic gestation 142	Hemorrhage of pregnancy (death before delivery) 143	Toxemias of pregnancy (death before delivery) 144	Other diseases of pregnancy (death before delivery) 145	Hemorrhage of childbirth and puerperium 146	Infection during childbirth and puerperium 147	Puerperal toxemias (excluding death before delivery) 148	Other accidents and specified conditions of childbirth 149	Other and unspecified conditions of childbirth and puerperium 150	Carbuncle and furuncle 151	Phlegmon and acute abscess 152	Other diseases of skin and cellular tissue 153	Osteomyelitis and periostitis 154	List No.
1,804	-	-	-	16	51	3	347	4	238	1,137	8	1	2	3	3	
-	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	140
-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	141
-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	142
8	-	-	-	...	7	1	-	-	-	-	-	-	-	-	-	143
8	-	-	-	6	...	2	-	-	-	-	-	-	-	-	-	144
54	-	-	-	10	44	...	-	-	-	-	-	-	-	2	-	145
440	-	-	-	-	-	-	...	1	60	379	-	-	-	-	-	146
859	-	-	-	-	-	-	226	...	171	456	6	-	1	-	-	147
383	-	-	-	-	-	-	79	1	...	302	1	-	-	-	-	148
48	-	-	-	-	-	-	41	-	6	...	1	-	-	-	-	149
4	-	-	-	-	-	-	1	2	1	-	...	1	-	1	1	150
-	-	-	-	-	-	-	-	-	-	-	-	10	19	15	3	
-	-	-	-	-	-	-	-	-	-	-	-	...	19	-	3	151
-	-	-	-	-	-	-	-	-	-	-	-	10	...	15	-	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	153
-	-	-	-	-	-	-	-	-	-	-	-	6	35	8	-	
-	-	-	-	-	-	-	-	-	-	-	-	6	33	6	...	154
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	155
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	156
2	-	-	-	-	-	1	-	-	-	-	1	1	7	12	1	157
-	-	-	-	-	-	-	-	-	-	-	-	1	16	20	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	158
-	-	-	-	-	-	-	-	-	-	-	-	1	15	16	3	159
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	160
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	161
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162
84	6	12	-	1	2	32	3	4	1	3	20	3	77	91	90	
20	2	2	-	-	-	8	-	-	-	-	8	-	1	1	1	163,164
8	-	1	-	-	-	4	-	-	-	-	3	-	-	1	-	163
12	2	1	-	-	-	4	-	-	-	-	5	-	1	-	1	164
4	-	-	-	-	-	2	1	-	-	-	1	-	5	-	3	165-168
2	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	166
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	167
2	-	-	-	-	-	1	1	-	-	-	-	-	2	-	1	168
60	4	10	-	1	2	22	2	4	1	3	11	3	71	90	86	169-195
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	169
16	-	-	-	1	1	8	1	1	-	2	2	-	13	13	16	170
2	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	174
1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	175
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	176
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	177
2	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	178
7	-	3	-	-	-	4	-	-	-	-	-	-	-	3	-	179
2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	180
11	-	4	-	-	-	2	-	-	1	-	4	-	4	5	1	181
1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	182
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	183
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	184
-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	185
12	3	1	-	-	1	2	-	3	-	-	2	1	26	59	46	186
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	190
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	191
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	193
1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	194
3	-	1	-	-	-	-	-	-	-	-	2	2	12	4	13	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	199
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of bones (except tuberculosis) 155	Diseases of joints, other organs of movement 156	Congenital malformations 157	Congenital debility (cause not stated) 158	Premature birth (cause not stated) 159	Injury at birth 160	Other diseases peculiar to the first year of life 161	Senility 162
	All causes	340	726	1,934	8,597	5,448	204	8,264	41,772
	I.—Infectious and parasitic diseases	17	57	165	360	275	20	191	2,010
1	Typhoid fever	-	-	-	-	-	-	1	1
2	Paratyphoid fever	-	-	-	1	-	-	1	-
3	Plague	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	1	-	-	-	-	1	4
6	Cerebrospinal (meningococcus) meningitis	-	-	8	1	-	-	3	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-
8	Scarlet fever	-	1	5	-	-	-	-	-
9	Whooping cough	-	1	27	38	17	-	6	-
10	Diphtheria (infection by C. diphtheriae)	-	-	6	1	-	-	1	1
11	Erysipelas	-	1	-	4	3	-	2	13
12	Tetanus	-	-	1	2	1	-	28	-
13-22	Tuberculosis (all forms)	4	15	20	12	1	-	3	220
13	Tuberculosis of respiratory system, etc.*	2	12	17	5	1	-	1	206
14	Tuberculosis of meninges, etc.*	-	-	1	4	-	-	2	-
15	Tuberculosis of intestines and peritoneum	-	-	-	-	-	-	-	4
16	Tuberculosis of vertebral column	1	1	1	-	-	-	-	5
17	Tuberculosis of bones and joints, etc.*	1	-	-	1	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	2
20	Tuberculosis of genito-urinary system	-	-	-	-	-	-	-	-
21	Tuberculosis of other organs	-	1	-	-	-	-	-	2
22	Disseminated tuberculosis	-	1	1	2	-	-	-	1
23	Leprosy	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	-	8	4	2	-	-	12	23
25	Gonococcus infection	-	-	-	-	8	-	2	1
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-
27	Dysentery	-	1	2	108	13	-	45	77
28	Malaria	-	-	-	5	2	-	5	33
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-
30	Syphilis	6	7	58	75	213	20	63	73
31	Relapsing fever	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	1	1	-	-	-	3
33	Influenza (grippe)	3	19	15	98	14	-	11	1,536
34	Smallpox	-	-	-	-	-	-	-	1
35	Measles	-	-	12	4	-	-	1	-
36	Poliomyelitis and polioencephalitis (acute)	-	3	2	1	-	-	-	-
37	Acute infectious encephalitis (lethargic)	-	-	2	-	-	-	-	5
38	Other diseases due to filtrable viruses	-	-	-	1	3	-	2	4
39	Typhus fever, typhus-like diseases*	-	-	-	-	-	-	-	2
40	Ankylostomiasis	-	-	-	-	-	-	1	-
41	Hydatid disease	-	-	-	-	-	-	-	1
42	Other diseases caused by helminths	-	-	-	-	-	-	-	1
43	Mycoses	-	-	2	6	-	-	2	2
44	Other infectious and parasitic diseases	4	-	-	-	-	-	1	8
	II.—Cancer and other tumors	81	23	33	3	1	-	8	1,947
45-55	Cancer and other malignant tumors	80	16	27	1	1	-	7	1,889
45	Cancer of buccal cavity and pharynx	1	-	-	-	-	-	-	73
46	Cancer of digestive organs and peritoneum	6	10	5	-	1	-	1	1,067
47	Cancer of respiratory system	2	1	-	-	-	-	-	49
48	Cancer of uterus	6	2	-	-	-	-	-	95
49	Cancer of other female genital organs	-	-	-	-	-	-	-	15
50	Cancer of breast	11	-	-	-	-	-	-	86
51	Cancer of male genital organs	9	-	2	-	-	-	-	147
52	Cancer of urinary organs (male and female)	6	-	2	1	-	-	-	80
53	Cancer of skin, etc.*	3	1	1	-	-	-	-	109
54	Cancer of central nervous system*	1	-	12	-	-	-	-	6
55	Cancer of other and unspecified organs	35	2	5	-	-	-	6	162
56	Nonmalignant tumors (including dermoid cysts)	1	5	1	1	-	-	-	20
57	Tumors of unspecified nature	-	2	5	1	-	-	1	38
	III.—Rheumatism, diseases of nutrition, etc.*	1	46	45	120	13	6	148	593
58	Acute rheumatic fever	-	5	2	1	-	-	-	30
59	Chronic rheumatism, other rheumatic diseases	-	14	-	-	-	-	-	151
60	Gout	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1	22	1	4	-	-	1	260
62	Diseases of pituitary gland	-	-	2	-	-	-	-	2
63b	Exophthalmic goiter	-	1	-	-	-	-	-	13
63a,c-e	Other diseases of thyroid and parathyroid glands	-	1	8	3	3	1	3	2
64	Diseases of thymus gland	-	-	25	24	-	3	112	-
65	Diseases of adrenal glands*	-	2	2	1	2	2	-	4
66	Other general diseases	-	-	2	32	-	-	22	52
67	Scurvy	-	-	-	2	-	-	2	-
68	Beriberi	-	-	-	1	-	-	-	-
69	Pellagra (except alcoholic)	-	1	-	1	-	-	-	72
70	Rickets	-	-	2	42	7	-	5	-
71	Other avitaminoses	-	-	1	9	1	-	5	7
	IV.—Diseases of the blood and blood-forming organs	8	8	12	42	23	-	88	264
72	Hemorrhagic conditions	-	1	5	5	-	-	54	4
73a	Pernicious anemia	2	2	-	2	2	-	1	133
73b-d	Other anemias (except splenic)	2	1	6	32	18	-	21	106
74	Leukemias and aleukemias	3	4	-	1	1	-	2	20
75	Diseases of spleen	1	-	1	2	2	-	10	1
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Suicide by poisoning 163	Suicide by other means 164	Homicide by firearms 166	Homicide by cutting or piercing instruments 167	Homicide by other means 168	Railway accidents 169	Motor-vehicle accidents 170	Street-car and other road-transport accidents 171	Water-transport accidents 172	Air-transport accidents 173	Accidents in mines and quarries 174	Agricultural and forestry accidents 175	Other accidents involving machinery 176	Food poisoning 177	Accidental absorption of poisonous gas 178	List No.
46	4	1	15	14	1	26	3	2	1	6	19	7	2	7	
-	-	-	-	1	1	4	1	-	1	3	14	5	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	2	-	-	-	1	7	2	-	-	12
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	13-22
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	1	-	-	1	7	3	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	45-55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	63b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63a,c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73b-d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of bones (except tuberculosis) 155	Diseases of joints, other organs of movement 156	Congenital malformations 157	Congenital debility (cause not stated) 158	Premature birth (cause not stated) 159	Injury at birth 160	Other diseases peculiar to the first year of life 161	Senility 162
	V.—Chronic poisoning and intoxication	-	1	1	-	-	-	-	22
77	Alcoholism (ethylism)	-	1	-	-	-	-	-	21
78	Lead poisoning	-	-	1	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	1
	VI.—Diseases of the nervous system, etc.*	21	56	58	98	18	3	44	3,544
80	Encephalitis (nonepidemic)	2	3	2	-	-	-	4	10
81	Meningitis (not due to meningococcus)	2	2	7	9	3	-	7	2
82	Diseases of spinal cord (see exceptions)*	2	10	4	1	-	-	-	43
83a	Cerebral hemorrhage or effusion*	12	26	13	2	8	-	6	2,666
83b	Cerebral embolism and thrombosis	2	5	2	1	2	-	1	200
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	1	3	2	1	1	-	-	294
84	Mental diseases and deficiency (see exception)*	-	-	15	7	-	-	6	140
85	Epilepsy	-	-	4	2	1	-	2	23
86	Convulsions (under 5 years)	-	-	-	54	-	3	-	-
87	Other diseases of nervous system	-	5	3	6	1	-	8	150
88	Diseases of organs of vision	-	-	-	1	-	-	2	9
89	Diseases of ear and mastoid process	-	2	6	14	2	-	8	7
	VII.—Diseases of the circulatory system	119	263	33	18	9	1	13	22,592
90-95	Diseases of heart	116	248	29	17	7	1	12	17,564
90	Pericarditis (except acute rheumatic)	-	2	-	-	-	-	-	10
91	Acute endocarditis (except rheumatic)	2	20	1	3	1	1	1	24
92	Chronic affections of valves and endocardium	4	24	2	2	1	-	1	1,297
93	Diseases of myocardium	86	137	17	4	5	-	3	13,394
94	Diseases of coronary arteries, angina pectoris	18	29	1	-	-	-	-	1,342
95	Other diseases of heart	6	36	8	8	-	-	7	1,497
96	Aneurysm (except of heart and aorta)	-	-	1	-	-	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	2	12	-	-	-	-	-	4,626
98	Gangrene	1	2	1	-	-	-	-	110
99	Other diseases of arteries	-	1	2	-	2	-	1	41
100	Diseases of veins	-	-	-	-	-	-	-	16
101	Diseases of lymphatic system	-	-	-	1	-	-	-	2
102	High blood pressure (idiopathic)	-	-	-	-	-	-	-	217
103	Other diseases of circulatory system	-	-	-	-	-	-	-	15
	VIII.—Diseases of the respiratory system	49	149	376	905	591	2	445	4,550
104	Diseases of nasal fossae, accessory sinuses	1	-	2	24	-	-	-	52
105	Diseases of larynx	-	-	2	3	-	-	2	4
106	Bronchitis	-	10	13	47	34	-	27	296
107	Bronchopneumonia (including capillary bronchitis)	33	65	186	619	456	1	307	2,078
108	Lobar pneumonia	10	33	126	128	55	1	42	840
109	Pneumonia (unspecified)	1	4	18	65	44	-	38	234
110	Pleurisy (not tuberculous)	2	6	2	1	2	-	19	4
111	Hemorrhagic infarction, thrombosis, edema*	-	19	18	11	-	-	1	895
112	Asthma	-	1	3	1	-	-	1	109
113	Pulmonary emphysema	-	-	-	1	-	-	3	11
114	Other diseases of respiratory system (except tuberculosis)	2	11	6	5	-	-	5	27
	IX.—Diseases of the digestive system	8	31	185	897	412	1	518	1,190
115	Diseases of buccal cavity and adnexa, etc.*	-	11	12	4	6	-	11	56
116	Diseases of esophagus	-	-	-	-	1	-	-	14
117	Ulcer of stomach or duodenum	1	2	3	1	2	-	4	50
118	Other diseases of stomach (except cancer)	-	2	3	32	9	-	7	124
119	Diarrhea, enteritis, etc.* (under 2 years)	-	1	46	835	361	1	459	2
120	Diarrhea, enteritis, etc.* (2 years and over)	2	5	9	-	-	-	-	355
121	Appendicitis	-	1	9	-	-	-	1	19
122	Hernia and intestinal obstruction	1	6	72	13	32	-	18	245
123	Other diseases of intestines	-	-	6	4	1	-	1	41
124	Cirrhosis of liver	2	-	8	-	-	-	1	85
125	Other diseases of liver	-	1	2	6	-	-	1	29
126	Biliary calculi	1	1	4	-	-	-	-	49
127	Other diseases of gallbladder, biliary ducts	-	-	3	1	-	-	2	115
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	-	-	-	-	4
129	Peritonitis (cause not stated)	1	1	8	1	-	-	13	4
	X.—Diseases of the genito-urinary system	22	46	96	16	9	-	28	3,689
130	Acute nephritis	-	8	12	10	4	-	13	90
131	Chronic nephritis	19	23	19	-	-	-	-	2,769
132	Nephritis unspecified (10 years and over)	-	2	35	-	-	-	-	454
133	Other diseases of kidneys, ureters, etc.*	2	7	25	3	5	-	10	106
134	Calculi of urinary passages	-	1	1	-	-	-	-	6
135	Diseases of urinary bladder	1	1	2	1	-	-	2	77
136	Diseases of urethra (except calculus)	-	-	-	-	-	-	-	2
137	Diseases of prostate	-	4	-	-	-	-	-	198
138	Diseases of other male genital organs (not venereal)	-	-	-	2	-	-	3	-
139	Diseases of female genital organs	-	-	2	-	-	-	-	7

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—*Continued*

stillbirths)

ASSOCIATED CAUSE															
Suicide by poisoning 163	Suicide by other means 164	Homicide by firearms 166	Homicide by cutting or piercing instruments 167	Homicide by other means 168	Railway accidents 169	Motor-vehicle accidents 170	Street-car and other road-transport accidents 171	Water-transport accidents 172	Air-transport accidents 173	Accidents in mines and quarries 174	Agricultural and forestry accidents 175	Other accidents involving machinery 176	Food poisoning 177	Accidental absorption of poisonous gas 178	List No.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	3	-	-	-	2	2	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	83a
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	83b
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	83c,d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
3	1	1	-	-	-	9	1	1	-	-	2	-	-	4	
3	1	1	-	-	-	8	1	1	-	-	1	-	-	4	90-95
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
2	1	1	-	-	-	2	-	-	-	-	-	-	-	3	93
-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	94
-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	104
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	106
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	107
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	108
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	110
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	111
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	114
-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	115
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	117
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	118
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	122
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	123
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	125
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	126
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	129
-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	131
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	132
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	133
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	135
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	137
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE							
		Other diseases of bones (except tuberculosis) 155	Diseases of joints, other organs of movement 156	Congenital malformations 157	Congenital debility (cause not stated) 158	Premature birth (cause not stated) 159	Injury at birth 160	Other diseases peculiar to the first year of life 161	Senility 162
	XI.—Diseases of pregnancy, childbirth, puerperium	-	3	12	-	-	-	-	-
140	Abortion with mention of infection	-	-	1	-	-	-	-	-
141	Abortion without mention of infection	-	-	1	-	-	-	-	-
142	Ectopic gestation	-	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	-	-	-	-	-	-	-	-
145	Other diseases of pregnancy (death before delivery)	-	1	1	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	-	-	-	-	-	-	-	-
147	Infection during childbirth and puerperium	-	-	2	-	-	-	-	-
148	Puerperal toxemias (excluding death before delivery)	-	-	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	-	-	2	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	-	2	5	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	-	1	5	16	-	-	13	87
151	Carbuncle and furuncle	-	1	-	1	-	-	-	8
152	Phlegmon and acute abscess	-	-	2	4	-	-	3	16
153	Other diseases of skin and cellular tissue	-	-	3	11	-	-	10	63
	XIII.—Diseases of the bones, etc.*	2	18	-	2	-	-	1	38
154	Osteomyelitis and periostitis	2	16	-	-	-	-	1	10
155	Other diseases of bones (except tuberculosis)	...	2	-	-	-	-	-	10
156	Diseases of joints, other organs of movement	-	...	-	2	-	-	-	18
157	XIV.—Congenital malformations	1	4	...	611	1,043	115	708	-
	XV.—Diseases peculiar to the first year of life	3	1	856	5,483	2,995	49	6,024	-
158	Congenital debility (cause not stated)	-	-	8	...	2	9	3	-
159	Premature birth (cause not stated)	-	1	345	4,773	...	25	4,528	-
160	Injury at birth	3	-	227	280	2,989	...	1,493	-
161	Other diseases peculiar to the first year of life	-	-	276	430	4	15	...	-
162	XVI.—Senility	-	-	-	-	-	-	-	...
	XVII.—Violent or accidental deaths	8	19	48	25	57	4	31	1,243
163,164	Suicide	-	3	-	-	-	-	-	27
163	Suicide by poisoning	-	-	-	-	-	-	-	6
164	Suicide by other means	-	3	-	-	-	-	-	21
165-168	Homicide[1]	-	-	-	-	8	-	3	4
166	Homicide by firearms	-	-	-	-	-	-	-	-
167	Homicide by cutting or piercing instruments	-	-	-	-	1	-	-	-
168	Homicide by other means	-	-	-	-	7	-	3	4
169-195	Accidental deaths	8	16	48	25	49	4	28	1,212
169	Railway accidents	-	-	-	-	-	-	-	3
170	Motor-vehicle accidents	1	2	3	-	1	-	-	45
171	Streetcar and other road-transport accidents	-	-	-	-	-	-	-	5
172	Water-transport accidents	-	-	-	-	-	-	-	-
173	Air-transport accidents	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	-	-	-
175	Agricultural and forestry accidents	-	1	1	-	-	-	1	10
176	Other accidents involving machinery	-	-	-	-	-	-	-	1
177	Food poisoning	-	-	1	3	1	-	4	-
178	Accidental absorption of poisonous gas	-	-	1	1	-	-	-	2
179	Acute accidental poisoning by solids or liquids	-	-	-	1	-	-	-	1
180	Conflagration	-	-	-	-	-	-	-	4
181	Accidental burns (except conflagration)	-	-	1	-	1	1	3	50
182	Accidental mechanical suffocation	-	-	4	11	8	-	2	-
183	Accidental drowning	-	-	2	-	-	-	-	4
184	Accidental injury by firearms	-	-	-	-	-	-	-	3
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	-	-	1
186	Accidental injury by fall or crushing	6	9	8	1	5	1	1	969
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	1	-	-	-	-	-	-	1
189	Hunger or thirst	-	-	-	-	-	-	-	-
190	Excessive cold	-	-	1	1	-	-	-	17
191	Excessive heat	-	2	4	-	-	-	-	23
192	Lightning	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	-	-	-	-	-	-	-	1
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-
195	Other accidents	-	2	22	7	33	2	17	72
198	Legal executions	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	-	-	9	1	2	3	4	3
199	Sudden death	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	-	-	9	1	2	3	4	3

*Refer to complete International List titles, table II.

[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE															
Suicide by poisoning 163	Suicide by other means 164	Homicide by firearms 166	Homicide by cutting or piercing instruments 167	Homicide by other means 168	Railway accidents 169	Motor-vehicle accidents 170	Street-car and other road-transport accidents 171	Water-transport accidents 172	Air-transport accidents 173	Accidents in mines and quarries 174	Agricultural and forestry accidents 175	Other accidents involving machinery 176	Food poisoning 177	Accidental absorption of poisonous gas 178	List No.
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	140
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	142
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	146
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	147
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	148
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	149
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	153
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	157
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	158
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	159
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	160
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	161
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162
43	2	-	15	15	-	1	-	-	-	-	-	-	-	-	
43	2	-	-	-	-	1	-	-	-	-	-	-	-	-	163,164
...	2	-	-	-	-	-	-	-	-	-	-	-	-	-	163
43	...	-	-	-	-	1	-	-	-	-	-	-	-	-	164
-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	165-168
-	-	...	15	5	-	-	-	-	-	-	-	-	-	-	166
-	-	-	...	10	-	-	-	-	-	-	-	-	-	-	167
-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	168
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	169-195
-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	169
-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	170
-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	171
-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	172
-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	173
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	174
-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	175
-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	176
-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	177
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	178
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	179
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	183
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	185
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	186
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	191
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	199
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	200

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE						
		Acute accidental poisoning by solids or liquids 179	Conflagration 180	Accidental burns (except conflagration) 181	Accidental mechanical suffocation 182	Accidental drowning 183	Accidental injury by firearms 184	Accidental injury by cutting or piercing instruments 185
	All causes	51	1	31	24	2	5	133
	I.—Infectious and parasitic diseases	17	-	7	-	-	4	126
1	Typhoid fever	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-
9	Whooping cough	-	-	-	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	-	-
11	Erysipelas	-	-	-	-	-	-	-
12	Tetanus	-	-	1	-	-	1	56
13-22	Tuberculosis (all forms)	-	-	1	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	-	-	1	-	-	-	1
14	Tuberculosis of meninges, etc.*	-	-	-	-	-	-	-
15	Tuberculosis of intestines and peritoneum	-	-	-	-	-	-	-
16	Tuberculosis of vertebral column	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	-	-	-	-	-	-	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-
22	Disseminated tuberculosis	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	-	-	4	-	-	-	66
25	Gonococcus infection	2	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	3
27	Dysentery	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-
30	Syphilis	14	-	1	-	-	2	-
31	Relapsing fever	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	-	-	-	-	-
33	Influenza (grippe)	-	-	-	-	-	1	-
34	Smallpox	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-
36	Poliomyelitis and policencephalitis (acute)	-	-	-	-	-	-	-
37	Acute infectious encephalitis (lethargic)	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	-	-
39	Typhus fever, typhus-like diseases*	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-
43	Mycoses	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	-	-	-	-	-	-	-
	II.—Cancer and other tumors	-	-	9	-	-	-	-
45-55	Cancer and other malignant tumors	-	-	9	-	-	-	-
45	Cancer of buccal cavity and pharynx	-	-	1	-	-	-	-
46	Cancer of digestive organs and peritoneum	-	-	-	-	-	-	-
47	Cancer of respiratory system	-	-	1	-	-	-	-
48	Cancer of uterus	-	-	2	-	-	-	-
49	Cancer of other female genital organs	-	-	-	-	-	-	-
50	Cancer of breast	-	-	2	-	-	-	-
51	Cancer of male genital organs	-	-	-	-	-	-	-
52	Cancer of urinary organs (male and female)	-	-	-	-	-	-	-
53	Cancer of skin, etc.*	-	-	1	-	-	-	-
54	Cancer of central nervous system*	-	-	-	-	-	-	-
55	Cancer of other and unspecified organs	-	-	2	-	-	-	-
56	Nonmalignant tumors (including dermoid cysts)	-	-	-	-	-	-	-
57	Tumors of unspecified nature	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1	-	4	-	-	-	-
58	Acute rheumatic fever	-	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	1	-	-	-	-	-	-
60	Gout	-	-	-	-	-	-	-
61	Diabetes mellitus	-	-	3	-	-	-	-
62	Diseases of pituitary gland	-	-	-	-	-	-	-
63b	Exophthalmic goiter	-	-	-	-	-	-	-
63a,c-e	Other diseases of thyroid and parathyroid glands	-	-	-	-	-	-	-
64	Diseases of thymus gland	-	-	-	-	-	-	-
65	Diseases of adrenal glands*	-	-	-	-	-	-	-
66	Other general diseases	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	1	-	-	-	-
70	Rickets	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	10	1	-	-	-	-	1
72	Hemorrhagic conditions	2	-	-	-	-	-	1
73a	Pernicious anemia	-	-	-	-	-	-	-
73b-d	Other anemias (except splenic)	2	-	-	-	-	-	-
74	Leukemias and aleukemias	-	-	-	-	-	-	-
75	Diseases of spleen	-	1	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	6	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE											
Accidental injury by fall or crushing 186	Cataclysm, etc.* 187	Injury by animals (except in agriculture and forestry)* 188	Hunger or thirst 189	Excessive cold 190	Excessive heat 191	Lightning 192	Accidents due to electric currents (except lightning) 193	Poisoning by venomous animals (except in agriculture and forestry)* 194	Other accidents 195	Legal executions 196	List No.
278	-	3	24	201	756	2	2	11	1,291	-	
39	-	3	1	16	31	-	1	10	371	-	
-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	1	-	-	-	-	-	9
-	-	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	3	-	11
10	-	-	-	2	-	-	1	-	95	-	12
7	-	-	1	4	6	-	-	-	91	-	13-22
5	-	-	1	4	6	-	-	-	87	-	13
2	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	1	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	21
-	-	-	-	-	-	-	-	-	2	-	22
-	-	-	-	-	-	-	-	-	-	-	23
15	-	3	-	2	-	-	-	10	104	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	2	-	26
-	-	-	-	-	3	-	-	-	1	-	27
-	-	-	-	-	-	-	-	-	2	-	28
-	-	-	-	-	-	-	-	-	-	-	29
3	-	-	-	1	15	-	-	-	3	-	30
-	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	-	-	-	-	-	1	-	32
2	-	-	-	6	4	-	-	-	67	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	1	-	-	-	1	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	-	-	-	-	-	1	-	44
28	-	-	1	-	9	-	-	-	37	-	
26	-	-	1	-	6	-	-	-	37	-	45-55
-	-	-	-	-	-	-	-	-	2	-	45
3	-	-	-	-	2	-	-	-	10	-	46
-	-	-	-	-	-	-	-	-	1	-	47
2	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
2	-	-	-	-	-	-	-	-	-	-	50
1	-	-	-	-	-	-	-	-	3	-	51
-	-	-	-	-	2	-	-	-	3	-	52
3	-	-	-	-	1	-	-	-	-	-	53
2	-	-	1	-	-	-	-	-	2	-	54
13	-	-	-	-	1	-	-	-	16	-	55
-	-	-	-	-	3	-	-	-	-	-	56
2	-	-	-	-	-	-	-	-	-	-	57
2	-	-	1	3	21	-	-	-	12	-	
-	-	-	-	-	-	-	-	-	1	-	58
-	-	-	-	-	5	-	-	-	2	-	59
-	-	-	-	-	-	-	-	-	-	-	60
2	-	-	-	2	13	-	-	-	7	-	61
-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	1	-	-	-	1	-	63b
-	-	-	-	-	-	-	-	-	-	-	63a,c-e
-	-	-	-	-	1	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	1	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	1	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	-	71
1	-	-	2	-	5	-	-	-	7	-	
1	-	-	-	-	-	-	-	-	3	-	72
-	-	-	1	-	2	-	-	-	-	-	73a
-	-	-	1	-	1	-	-	-	-	-	73b-d
-	-	-	-	-	2	-	-	-	4	-	74
-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	76

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE						
		Acute accidental poisoning by solids or liquids 179	Conflagration 180	Accidental burns (except conflagration) 181	Accidental mechanical suffocation 182	Accidental drowning 183	Accidental injury by firearms 184	Accidental injury by cutting or piercing instruments 185
	V.—Chronic poisoning and intoxication	1	-	-	6	-	-	-
77	Alcoholism (ethylism)	1	-	-	6	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	5	-	3	8	-	-	1
80	Encephalitis (nonepidemic)	1	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	-	-	-	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	-	-	-	-	-	-	-
83a	Cerebral hemorrhage or effusion*	1	-	3	-	-	-	1
83b	Cerebral embolism and thrombosis	1	-	-	-	-	-	-
83c,d	Cerebral softening, hemiplegia, other paralysis, etc.*	-	-	-	-	-	-	-
84	Mental diseases and deficiency (see exception)*	-	-	-	-	-	-	-
85	Epilepsy	-	-	-	8	-	-	-
86	Convulsions (under 5 years)	-	-	-	-	-	-	-
87	Other diseases of nervous system	2	-	-	-	-	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	4	-	1	1	1	-	4
90-95	Diseases of heart	4	-	1	1	1	-	3
90	Pericarditis (except acute rheumatic)	-	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	-	-	1	-	-	-	-
93	Diseases of myocardium	3	-	-	-	-	-	2
94	Diseases of coronary arteries, angina pectoris	-	-	-	-	-	-	-
95	Other diseases of heart	1	-	-	1	1	-	1
96	Aneurysm (except of heart and aorta)	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	-	-	-	-	-	-	-
98	Gangrene	-	-	-	-	-	-	1
99	Other diseases of arteries	-	-	-	-	-	-	-
100	Diseases of veins	-	-	-	-	-	-	-
101	Diseases of lymphatic system	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	-	-	-	-	-	-	-
103	Other diseases of circulatory system	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	4	-	1	1	-	-	-
104	Diseases of nasal fossae, accessory sinuses	-	-	-	1	-	-	-
105	Diseases of larynx	-	-	-	-	-	-	-
106	Bronchitis	1	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	1	-	-	-	-	-	-
108	Lobar pneumonia	1	-	1	-	-	-	-
109	Pneumonia (unspecified)	1	-	-	-	-	-	-
110	Pleurisy (not tuberculous)	-	-	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	-	-	-	-	-	-	-
112	Asthma	-	-	-	-	-	-	-
113	Pulmonary emphysema	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	-	-	-	-	-	-	-
	IX.—Diseases of the digestive system	5	-	1	-	-	1	-
115	Diseases of buccal cavity and adnexa, etc.*	1	-	-	-	-	-	-
116	Diseases of esophagus	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	-	-	-	-	-	-	-
118	Other diseases of stomach (except cancer)	-	-	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	-	-	1	-	-	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)	-	-	-	-	-	-	-
121	Appendicitis	-	-	-	-	-	-	-
122	Hernia and intestinal obstruction	-	-	-	-	-	1	-
123	Other diseases of intestines	-	-	-	-	-	-	-
124	Cirrhosis of liver	-	-	-	-	-	-	-
125	Other diseases of liver	4	-	-	-	-	-	-
126	Biliary calculi	-	-	-	-	-	-	-
127	Other diseases of gallbladder, biliary ducts	-	-	-	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	3	-	3	-	-	-	-
130	Acute nephritis	3	-	1	-	-	-	-
131	Chronic nephritis	-	-	1	-	-	-	-
132	Nephritis unspecified (10 years and over)	-	-	1	-	-	-	-
133	Other diseases of kidneys, ureters, etc.*	-	-	-	-	-	-	-
134	Calculi of urinary passages	-	-	-	-	-	-	-
135	Diseases of urinary bladder	-	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	-	-	-	-	-	-	-
137	Diseases of prostate	-	-	-	-	-	-	-
138	Diseases of other male genital organs (not venereal)	-	-	-	-	-	-	-
139	Diseases of female genital organs	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE											
Accidental injury by fall or crushing 186	Cataclysm, etc.* 187	Injury by animals (except in agriculture and forestry)* 188	Hunger or thirst 189	Excessive cold 190	Excessive heat 191	Lightning 192	Accidents due to electric currents (except lightning) 193	Poisoning by venomous animals (except in agriculture and forestry)* 194	Other accidents 195	Legal executions 198	List No.
2	-	-	2	32	14	-	-	-	91	-	
1	-	-	2	32	13	-	-	-	91	-	77
-	-	-	-	-	-	-	-	-	-	-	78
1	-	-	-	-	1	-	-	-	-	-	79
36	-	-	7	17	86	1	1	-	60	-	
-	-	-	-	-	1	-	-	-	3	-	80
3	-	-	-	-	-	-	-	-	1	-	81
1	-	-	-	1	3	-	-	-	2	-	82
26	-	-	2	9	52	1	1	-	33	-	83a
1	-	-	-	-	2	-	-	-	4	-	83b
-	-	-	1	1	2	-	-	-	3	-	83c,d
2	-	-	2	3	8	-	-	-	6	-	84
2	-	-	-	2	6	-	-	-	5	-	85
-	-	-	-	-	3	-	-	-	1	-	86
1	-	-	2	1	9	-	-	-	2	-	87
-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	89
67	-	-	1	41	367	-	-	1	124	-	
70	-	-	1	23	327	-	-	1	114	-	90-95
-	-	-	-	-	2	-	-	-	1	-	90
-	-	-	-	-	1	-	-	-	-	-	91
6	-	-	-	-	18	-	-	-	11	-	92
43	-	-	1	9	203	-	-	1	51	-	93
15	-	-	-	6	61	-	-	-	29	-	94
6	-	-	-	8	42	-	-	-	22	-	95
1	-	-	-	-	-	-	-	-	-	-	96
15	-	-	-	7	32	-	-	-	6	-	97
1	-	-	-	10	-	-	-	-	1	-	98
-	-	-	-	1	1	-	-	-	2	-	99
-	-	-	-	-	-	-	-	-	1	-	100
-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	6	-	-	-	-	-	102
-	-	-	-	-	1	-	-	-	-	-	103
30	-	-	1	47	28	-	-	-	431	-	
-	-	-	-	-	-	-	-	-	4	-	104
-	-	-	-	-	-	-	-	-	1	-	105
-	-	-	-	2	2	-	-	-	11	-	106
15	-	-	-	15	9	-	-	-	151	-	107
8	-	-	-	20	7	-	-	-	208	-	108
2	-	-	-	6	-	-	-	-	34	-	109
-	-	-	-	-	-	-	-	-	2	-	110
5	-	-	-	3	10	-	-	-	15	-	111
-	-	-	-	1	-	-	-	-	3	-	112
-	-	-	-	-	-	-	-	-	-	-	113
-	-	-	1	-	-	-	-	-	2	-	114
3	-	-	2	-	62	-	-	-	19	-	
-	-	-	-	-	1	-	-	-	6	-	115
-	-	-	-	-	-	-	-	-	-	-	116
-	-	-	-	-	2	-	-	-	-	-	117
-	-	-	-	-	10	-	-	-	3	-	118
-	-	-	1	-	30	-	-	-	2	-	119
-	-	-	-	-	7	-	-	-	1	-	120
1	-	-	-	-	3	-	-	-	-	-	121
-	-	-	-	-	3	-	-	-	1	-	122
-	-	-	-	-	-	-	-	-	-	-	123
-	-	-	1	-	1	-	-	-	1	-	124
-	-	-	-	-	-	-	-	-	1	-	125
2	-	-	-	-	1	-	-	-	-	-	126
-	-	-	-	-	4	-	-	-	2	-	127
-	-	-	-	-	-	-	-	-	-	-	128
-	-	-	-	-	-	-	-	-	2	-	129
16	-	-	-	13	22	-	-	-	61	-	
2	-	-	-	6	2	-	-	-	21	-	130
11	-	-	-	5	16	-	-	-	28	-	131
2	-	-	-	2	1	-	-	-	9	-	132
-	-	-	-	-	1	-	-	-	4	-	133
1	-	-	-	-	-	-	-	-	-	-	134
-	-	-	-	-	1	-	-	-	-	-	135
-	-	-	-	-	-	-	-	-	1	-	136
-	-	-	-	-	1	-	-	-	-	-	137
-	-	-	-	-	-	-	-	-	-	-	138
-	-	-	-	-	-	-	-	-	-	-	139

TABLE 21.—ASSOCIATED CAUSES OF DEATH IN RELATION TO

(Exclusive of

List No.	CAUSE OF DEATH	ASSOCIATED CAUSE						
		Acute accidental poisoning by solids or liquids 179	Conflagration 180	Accidental burns (except conflagration) 181	Accidental mechanical suffocation 182	Accidental drowning 183	Accidental injury by firearms 184	Accidental injury by cutting or piercing instruments 185
	XI.—Diseases of pregnancy, childbirth, puerperium	-	-	-	-	-	-	-
140	Abortion with mention of infection	-	-	-	-	-	-	-
141	Abortion without mention of infection	-	-	-	-	-	-	-
142	Ectopic gestation	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	-	-	-	-	-	-	-
145	Other diseases of pregnancy (death before delivery)	-	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium	-	-	-	-	-	-	-
147	Infection during childbirth and puerperium	-	-	-	-	-	-	-
148	Puerperal toxemias (excluding death before delivery)	-	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	-	-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium	-	-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue	-	-	1	-	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	-	-	1	-	-	-	-
	XIII.—Diseases of the bones, etc.*	-	-	-	-	-	-	1
154	Osteomyelitis and periostitis	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	-	-	-	-	-	-	1
157	XIV.—Congenital malformations	-	-	-	-	-	-	-
	XV.—Diseases peculiar to the first year of life	-	-	-	-	-	-	-
158	Congenital debility (cause not stated)	-	-	-	-	-	-	-
159	Premature birth (cause not stated)	-	-	-	-	-	-	-
160	Injury at birth	-	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	-	-	-	-	-	-	-
162	XVI.—Senility	-	-	-	-	-	-	-
	XVII.—Violent or accidental deaths	1	-	1	-	-	-	-
163,164	Suicide	-	-	-	-	-	-	-
163	Suicide by poisoning	-	-	-	-	-	-	-
164	Suicide by other means	-	-	-	-	-	-	-
165-168	Homicide [1]	-	-	-	-	-	-	-
166	Homicide by firearms	-	-	-	-	-	-	-
167	Homicide by cutting or piercing instruments	-	-	-	-	-	-	-
168	Homicide by other means	-	-	-	-	-	-	-
169-195	Accidental deaths	1	-	1	-	-	-	-
169	Railway accidents	-	-	-	-	-	-	-
170	Motor-vehicle accidents	-	-	-	-	-	-	-
171	Streetcar and other road-transport accidents	-	-	-	-	-	-	-
172	Water-transport accidents	-	-	-	-	-	-	-
173	Air-transport accidents	-	-	-	-	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	-	-
175	Agricultural and forestry accidents	-	-	-	-	-	-	-
176	Other accidents involving machinery	-	-	-	-	-	-	-
177	Food poisoning	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	...	-	-	-	-	-	-
180	Conflagration	-	...	-	-	-	-	-
181	Accidental burns (except conflagration)	-	-	...	-	-	-	-
182	Accidental mechanical suffocation	-	-	-	...	-	-	-
183	Accidental drowning	-	-	-	-	...	-	-
184	Accidental injury by firearms	-	-	-	-	-	...	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	-	...
186	Accidental injury by fall or crushing	1	-	-	-	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)*	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-
190	Excessive cold	-	-	-	-	-	-	-
191	Excessive heat	-	-	-	-	-	-	-
192	Lightning	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-
195	Other accidents	-	-	1	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	-	-	-	8	1	-	-
199	Sudden death	-	-	-	1	-	-	-
200	Ill-defined and unknown causes	-	-	-	7	1	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

PRIMARY CAUSES OF DEATH: UNITED STATES, 1940—Continued

stillbirths)

ASSOCIATED CAUSE											
Accidental injury by fall or crushing 186	Cataclysm, etc.* 187	Injury by animals (except in agriculture and forestry)* 188	Hunger or thirst 189	Excessive cold 190	Excessive heat 191	Lightning 192	Accidents due to electric currents (except lightning) 193	Poisoning by venomous animals (except in agriculture and forestry)* 194	Other accidents 195	Legal executions 198	List No.
16	-	-	-	-	1	1	-	-	3	-	
12	-	-	-	-	-	-	-	-	1	-	140
1	-	-	-	-	-	1	-	-	-	-	141
-	-	-	-	-	-	-	-	-	-	-	142
2	-	-	-	-	-	-	-	-	-	-	143
1	-	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	-	-	-	-	-	-	145
-	-	-	-	-	-	-	-	-	-	-	146
-	-	-	-	-	-	-	-	-	1	-	147
-	-	-	-	-	-	-	-	-	-	-	148
-	-	-	-	-	-	-	-	-	1	-	149
-	-	-	-	-	1	-	-	-	-	-	150
-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	1	-	152
-	-	-	-	-	-	-	-	-	-	-	153
4	-	-	-	1	2	-	-	-	2	-	
2	-	-	-	1	2	-	-	-	2	-	154
2	-	-	-	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	-	156
-	-	-	1	-	3	-	-	-	-	-	157
-	-	-	3	7	13	-	-	-	37	-	
-	-	-	2	2	5	-	-	-	5	-	158
-	-	-	1	5	3	-	-	-	25	-	159
-	-	-	-	-	1	-	-	-	2	-	160
-	-	-	-	-	4	-	-	-	5	-	161
11	-	-	2	17	86	-	-	-	28	-	162
1	-	-	-	5	4	-	-	-	4	-	
-	-	-	-	1	1	-	-	-	-	-	163,164
-	-	-	-	-	-	-	-	-	-	-	163
-	-	-	-	1	1	-	-	-	-	-	164
-	-	-	-	-	-	-	-	-	-	-	165-168
-	-	-	-	-	-	-	-	-	-	-	166
-	-	-	-	-	-	-	-	-	-	-	167
-	-	-	-	-	-	-	-	-	-	-	168
1	-	-	-	4	3	-	-	-	4	-	169-195
-	-	-	-	-	-	-	-	-	-	-	169
-	-	-	-	-	-	-	-	-	-	-	170
-	-	-	-	-	-	-	-	-	1	-	171
-	-	-	-	-	-	-	-	-	-	-	172
-	-	-	-	-	-	-	-	-	-	-	173
-	-	-	-	-	-	-	-	-	-	-	174
-	-	-	-	-	1	-	-	-	-	-	175
-	-	-	-	-	-	-	-	-	-	-	176
-	-	-	-	-	-	-	-	-	-	-	177
-	-	-	-	2	-	-	-	-	-	-	178
-	-	-	-	1	-	-	-	-	-	-	179
-	-	-	-	-	-	-	-	-	-	-	180
-	-	-	-	-	-	-	-	-	-	-	181
-	-	-	-	-	-	-	-	-	-	-	182
-	-	-	-	-	-	-	-	-	-	-	183
-	-	-	-	-	-	-	-	-	1	-	184
-	-	-	-	-	-	-	-	-	-	-	185
...	-	-	-	1	2	-	-	-	1	-	186
-	...	-	-	-	-	-	-	-	-	-	187
-	-	...	-	-	-	-	-	-	-	-	188
-	-	-	...	-	-	-	-	-	-	-	189
-	-	-	-	...	-	-	-	-	-	-	190
-	-	-	-	-	...	-	-	-	1	-	191
-	-	-	-	-	-	...	-	-	-	-	192
-	-	-	-	-	-	-	...	-	-	-	193
-	-	-	-	-	-	-	-	...	-	-	194
1	-	-	-	-	-	-	-	-	...	-	195
-	-	-	-	-	-	-	-	-	-	...	198
2	-	-	-	2	2	-	-	-	3	-	
-	-	-	-	-	1	-	-	-	1	-	199
2	-	-	-	2	1	-	-	-	2	-	200

SUPPLEMENT

SUPPLEMENT

Hawaii, Puerto Rico, and the Virgin Islands

Hawaii

The Territory of Hawaii was admitted to the death-registration area in 1917 and to the birth-registration area in 1929.

In 1940 there were 9,414 live births reported in the Territory of Hawaii. The crude birth rate was 22.2 per 1,000 enumerated population in 1940 as compared with the rate of 22.6 per 1,000 estimated population in 1939. Of the 9,414 live births, 3,251, or 35 percent, were Japanese; 1,560, or 17 percent, were Part-Hawaiian; 1,936, or 21 percent, were Caucasian; 1,071, or 11 percent, were Filipino; 515, or 5 percent, were Chinese; and 285, or 3 percent, were Hawaiian.

The number of deaths from all causes in the Territory of Hawaii in 1940 was 3,089. This represents a crude death rate of 7.3 per 1,000 enumerated population, an exceedingly low death rate and the lowest ever reported since Hawaii was admitted to the registration area. The death rate has decreased significantly during the past 10 years.

The ratio of births to deaths reported for the Territory of Hawaii in 1940 was 305 births per 100 deaths, which appears to be abnormally high. The ratio of births to deaths was particularly high among females, 450 births per 100 deaths. The corresponding ratio for males was 234. The ratio of births to deaths has been increasing steadily in recent years. In 1937, the ratio was 253; in 1938, 281; in 1939, 299; and in 1940, 305 births per 100 deaths.

The six principal causes of death and their death rates in the Territory of Hawaii in 1940 were diseases of the heart (all forms), 132.0; cancer and other malignant tumors, 67.6; nephritis, 67.1; tuberculosis (all forms), 60.7; pneumonia (all forms), 46.3; and intracranial lesions of vascular origin, 44.4, per 100,000 enumerated population. These causes accounted for more than 57 percent of all deaths.

Substantial declines in the death rates were reported in 1940 for whooping cough; tuberculosis (all forms); syphilis; diabetes mellitus; diarrhea, enteritis, and ulceration of the intestines; and diseases of pregnancy, childbirth, and the puerperium. Although in 1940 the death rate for influenza and pneumonia decreased only slightly from that in 1939, the rate was less than one-half of that in 1930 when it was 132.7.

There were 421 deaths among infants, a rate of 44.7 per 1,000 live births in 1940 as compared with the rate of 52.5 in 1939. Nearly 49 percent of the infant deaths in 1940 were due to premature birth and pneumonia (all forms). The infant mortality rates for these causes were 14.1 and 7.8, respectively, per 1,000 live births.

Puerto Rico

Puerto Rico was admitted to the death-registration area in 1932.

The number of deaths from all causes in Puerto Rico in 1940 was 34,468. The crude death rate was 18.4 per 1,000 enumerated population in 1940 as compared with the rate of 17.7 per 1,000 estimated population in 1939.

The seven principal causes of death and their death rates in 1940 were diarrhea, enteritis, and ulceration of the intestines, 405.1; tuberculosis (all forms), 261.7; pneumonia (all forms), 172.7; diseases of the heart (all forms), 125.5; nephritis, 110.6; congenital malformations and diseases peculiar to the first year of life, 108.8; and malaria, 95.5, per 100,000 enumerated population. These causes accounted for 69.4 percent of all deaths.

Virgin Islands

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the birth- and death-registration areas in 1924.

In 1940 there were 756 live births and 553 deaths registered in the Virgin Islands. The crude birth rate and the crude death rate were 30.4 and 22.2, respectively, per 1,000 enumerated population. Compared with the corresponding rates for 1939, this was a decrease in the birth rate and an increase in the death rate.

Of the 756 births reported for the Virgin Islands in 1940, nearly 73 percent were Negro births. The birth rate for Negroes was 32.1 per 1,000 enumerated population as compared with the rate of 24.2 for the whites, and 27.6 for the mixed race.

A large proportion of the deaths occurring in the Virgin Islands was also among Negroes. More than 81 percent of the deaths were of Negroes and the death rate for this race was 26.3 per 1,000 enumerated population. The death rate for the whites was lower, it being 17.9 per 1,000 enumerated population. The lowest death rate reported was for the mixed race, a rate of 11.3 per 1,000 enumerated population. This low rate suggests an incomplete registration of deaths of persons of mixed parentage. It is possible that some of the deaths of the mixed race were registered as Negro deaths.

The seven principal causes of death in 1940 in the Virgin Islands were diseases of the heart (all forms); syphilis; diarrhea, enteritis, and ulceration of the intestines; nephritis; congenital malformations and diseases peculiar to the first year of life; influenza and pneumonia (all forms); and pellagra. Deaths from these causes accounted for 68.0 percent of all deaths.

The death rates for diseases of the heart (all forms), syphilis, and pellagra indicate very high mortality. The rates for diseases of the heart and syphilis (634.8 and 184.8, respectively, per 100,000 enumerated population) increased greatly in 1940 as compared with the corresponding rates for 1939. The death rate for pellagra decreased from 109.4 per 100,000 estimated population in 1939 to 92.4 per 100,000 enumerated population in 1940.

Deaths under 1 year numbered 103 and represent an infant mortality rate of 136.2 per 1,000 live births, which is considerably higher than the corresponding rate (101.7) for 1939. Sixty-seven percent of all deaths occurring among infants under 1 year of age were caused by diarrhea, enteritis, and ulceration of the intestines; premature birth; and pneumonia (all forms); the rates for these causes being 48.9, 22.5, and 19.8, respectively, per 1,000 live births.

HAWAII

TABLE 1.—ENUMERATED POPULATION BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

RACE AND SEX	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	423,330	23,553	179,326	49,925	78,930	446	35,818	55,534
Male	245,135	12,428	94,734	29,841	54,308	266	21,626	31,932
Female	178,195	10,925	84,592	20,082	24,622	180	14,192	23,602
Hawaiian	14,375	919	5,457	2,532	1,633	158	888	2,788
Male	7,413	469	2,778	1,275	856	99	467	1,469
Female	6,962	450	2,679	1,257	777	59	421	1,319
Part-Hawaiian	49,935	3,227	25,583	4,674	5,870	110	2,666	7,805
Male	24,650	1,564	12,422	2,340	2,979	53	1,352	3,940
Female	25,285	1,663	13,161	2,334	2,891	57	1,314	3,865
Caucasian	103,791	4,256	50,892	5,565	31,624	70	4,465	6,919
Male	64,473	2,177	26,944	2,968	26,526	34	2,340	3,484
Female	39,318	2,079	23,948	2,597	5,098	36	2,125	3,435
Chinese	28,774	910	22,445	922	2,122	17	862	1,496
Male	16,131	530	12,304	534	1,272	12	588	891
Female	12,643	380	10,141	388	850	5	274	605
Filipino	52,569	2,138	6,887	10,707	12,179	30	10,149	10,479
Male	40,791	1,607	5,102	8,987	8,882	29	8,025	8,159
Female	11,778	531	1,785	1,720	3,297	1	2,124	2,320
Japanese	157,905	11,207	60,593	23,658	22,794	49	15,470	24,134
Male	82,820	5,659	31,222	12,612	12,255	30	8,132	12,910
Female	75,085	5,548	29,371	11,046	10,539	19	7,338	11,224
Korean	6,851	387	3,636	433	1,455	9	301	630
Male	3,965	239	1,953	333	828	6	187	419
Female	2,886	148	1,683	100	627	3	114	211
Negro	255	7	133	3	76	-	3	33
Male	172	6	79	3	66	-	2	16
Female	83	1	54	-	10	-	1	17
Puerto Rican	8,296	298	3,366	1,417	980	3	990	1,242
Male	4,407	173	1,777	783	512	3	520	639
Female	3,889	125	1,589	634	468	-	470	603
Other Races	579	4	334	12	197	-	24	8
Male	313	4	153	6	132	-	13	5
Female	266	-	181	6	65	-	11	3

TABLE 2.—LIVE BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

AREA AND SEX	Total births[1]	Total deaths[1]	Excess of births over deaths[2]	Births per 100 deaths	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 1,000 live births
Hawaii	9,414	3,089	6,325	305	421	44.7	[3]190	20.2
Male	4,857	2,076	2,781	234	249	51.3	101	20.8
Female	4,557	1,013	3,544	450	172	37.7	86	18.9
Hilo city	582	216	366	269	31	53.3	7	12.0
Male	329	155	174	212	22	66.9	6	18.2
Female	253	61	192	415	9	35.6	1	4.0
Honolulu city	4,559	1,448	3,111	315	209	45.8	94	20.6
Male	2,354	915	1,439	257	129	54.8	48	20.4
Female	2,205	533	1,672	414	80	36.3	46	20.9
Hawaii County (exclusive of Hilo city)	1,088	373	715	292	43	39.5	28	25.7
Male	561	255	306	220	22	39.2	15	26.7
Female	527	118	409	447	21	39.8	13	24.7
Honolulu County (exclusive of Honolulu city)	972	355	617	274	34	35.0	23	23.7
Male	506	277	229	183	21	41.5	15	29.6
Female	466	78	388	597	13	27.9	8	17.2
Kalawao County	8	40	-32	20	1	125.0	-	0
Male	3	28	-25	11	1	333.3	-	0
Female	5	12	-7	42	-	0	-	0
Kauai County	740	242	498	306	28	37.8	13	17.6
Male	378	176	202	215	16	42.3	6	15.9
Female	362	66	296	548	12	33.1	5	13.8
Maui County	1,465	415	1,050	353	75	51.2	[5]25	17.1
Male	726	270	456	269	38	52.3	11	15.2
Female	739	145	594	510	37	50.1	13	17.6

[1] Exclusive of stillbirths.
[2] A minus sign (-) indicates an excess of deaths over births.
[3] Includes 3 stillbirths of unknown sex.
[4] Includes 2 stillbirths of unknown sex.
[5] Includes 1 stillbirth of unknown sex.

TABLE 3.—LIVE BIRTHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	9,414	582	4,559	1,088	972	8	740	1,465
Hawaiian	285	12	83	57	26	2	25	80
Part-Hawaiian	1,560	105	847	158	114	5	83	248
Caucasian-Hawaiian	673	60	364	73	42	4	35	95
Asiatic-Hawaiian	887	45	483	85	72	1	48	153
Caucasian	1,936	107	1,202	145	151	-	107	224
Portuguese	183	10	58	33	9	-	28	45
Puerto Rican	211	14	67	45	18	-	21	46
Other Caucasian	1,542	83	1,077	67	124	-	58	133
Chinese	515	18	431	11	14	-	14	27
Japanese	3,251	267	1,303	471	356	-	304	550
Korean	108	7	75	-	15	-	7	4
Filipino	1,071	54	202	178	232	1	167	237
All other	688	12	416	68	64	-	33	95

TABLE 4.—LIVE BIRTHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

AREA AND SEX	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	9,414	783	717	802	737	854	736	877	774	831	818	778	707
Male	4,857	402	360	426	374	473	388	429	388	447	412	410	348
Female	4,557	381	357	376	363	381	348	448	386	384	406	368	359
Hilo city	582	59	36	58	43	51	31	50	49	50	50	53	52
Male	329	37	16	42	27	28	14	33	24	28	28	28	24
Female	253	22	20	16	16	23	17	17	25	22	22	25	28
Honolulu city	4,559	372	321	376	371	406	364	416	406	393	399	389	346
Male	2,354	184	162	193	180	228	183	212	206	215	203	204	184
Female	2,205	188	159	183	191	178	181	204	200	178	196	185	162
Hawaii County (exclusive of Hilo city)	1,088	85	94	90	93	101	109	113	73	98	84	81	66
Male	561	48	50	46	54	55	62	50	31	48	44	44	29
Female	527	37	44	44	39	46	47	63	42	51	40	37	37
Honolulu County (exclusive of Honolulu city)	972	86	78	90	68	92	72	96	59	95	84	80	72
Male	506	52	39	43	34	52	38	51	33	54	35	44	31
Female	466	34	39	47	34	40	34	45	26	41	49	36	41
Kalawao County	8	3	1	1	-	1	-	-	-	-	1	-	1
Male	3	1	-	-	-	1	-	-	-	-	-	-	1
Female	5	2	1	1	-	-	-	-	-	-	1	-	-
Kauai County	740	58	56	59	62	65	54	76	62	55	68	63	62
Male	378	30	27	34	32	36	30	35	28	30	34	35	27
Female	362	28	29	25	30	29	24	41	34	25	34	28	35
Maui County	1,465	120	131	128	100	138	106	126	125	139	132	112	108
Male	726	50	66	68	47	73	61	48	66	72	68	55	52
Female	739	70	65	60	53	65	45	78	59	67	64	57	56

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	9,414	89	1,483	2,792	2,147	1,426	716	285	170	114	192
10 to 14 years	16	1	1	-	-	2	-	-	1	-	11
15 to 19 years	1,099	62	492	331	94	25	5	3	1	-	86
20 to 24 years	3,289	22	875	1,450	610	187	44	20	3	6	52
25 to 29 years	2,663	4	97	907	990	492	106	32	10	5	20
30 to 34 years	1,258	-	14	84	400	465	197	50	27	16	5
35 to 39 years	782	-	2	13	42	234	278	106	60	36	11
40 to 44 years	285	-	-	2	8	17	81	71	61	41	4
45 to 49 years	24	-	-	-	-	1	3	3	7	10	-
50 to 54 years	1	-	-	-	-	-	1	-	-	-	-
Not stated	17	-	2	5	3	3	1	-	-	-	3
Hawaiian	285	3	33	56	58	43	34	17	8	4	29
10 to 14 years	2	-	-	-	-	-	-	-	-	-	2
15 to 19 years	30	2	7	6	3	-	-	-	-	-	12
20 to 24 years	82	1	22	23	12	10	3	1	-	-	10
25 to 29 years	72	-	1	23	30	7	5	4	-	-	2
30 to 34 years	50	-	3	3	10	17	11	3	2	-	1
35 to 39 years	33	-	-	-	2	8	10	4	5	2	2
40 to 44 years	13	-	-	-	1	1	4	5	1	1	-
45 to 49 years	2	-	-	-	-	-	1	-	-	1	-
Not stated	1	-	-	1	-	-	-	-	-	-	-
Caucasian-Hawaiian	673	11	151	202	117	80	50	18	8	9	27
15 to 19 years	119	8	56	30	7	1	1	-	1	-	15
20 to 24 years	226	3	76	87	32	13	4	2	-	2	7
25 to 29 years	179	-	17	74	48	29	7	1	-	1	2
30 to 34 years	85	-	2	10	27	25	14	3	1	2	1
35 to 39 years	49	-	-	1	2	11	20	7	4	2	2
40 to 44 years	15	-	-	-	1	1	4	5	2	2	-

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
Asiatic-Hawaiian	887	27	270	274	144	76	40	20	11	7	18
10 to 14 years	3	-	1	-	-	-	-	-	-	-	2
15 to 19 years	163	21	111	24	1	1	-	-	-	-	5
20 to 24 years	359	5	146	145	41	12	-	2	1	-	7
25 to 29 years	200	1	12	88	61	25	7	2	1	2	1
30 to 34 years	105	-	-	13	39	26	13	6	5	3	-
35 to 39 years	37	-	-	2	1	10	16	5	1	1	1
40 to 44 years	19	-	-	2	1	2	4	5	3	-	2
45 to 49 years	1	-	-	-	-	-	-	-	-	1	-
Portuguese	183	3	42	58	29	22	8	9	5	-	7
10 to 14 years	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	29	2	16	7	1	-	-	-	-	-	3
20 to 24 years	63	1	21	32	8	1	-	-	-	-	-
25 to 29 years	48	-	4	18	11	10	2	1	1	-	1
30 to 34 years	21	-	-	1	7	8	2	2	-	-	1
35 to 39 years	15	-	1	-	1	3	3	3	3	-	1
40 to 44 years	4	-	-	-	-	-	1	2	1	-	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-
Puerto Rican	211	6	51	72	35	15	13	6	5	2	6
15 to 19 years	45	4	19	16	4	-	-	-	-	-	2
20 to 24 years	81	1	29	34	14	-	1	-	2	-	-
25 to 29 years	53	1	3	20	12	8	4	2	-	-	3
30 to 34 years	18	-	-	2	4	3	3	1	3	2	-
35 to 39 years	13	-	-	-	-	4	5	3	-	-	1
Not stated	1	-	-	-	1	-	-	-	-	-	-
Other Caucasian	1,542	3	301	528	407	188	67	18	5	4	21
10 to 14 years	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	158	2	97	38	11	-	1	-	-	-	9
20 to 24 years	543	1	173	270	74	14	4	2	-	-	5
25 to 29 years	474	-	25	197	186	49	10	3	-	-	4
30 to 34 years	255	-	5	19	117	81	20	5	4	2	2
35 to 39 years	96	-	-	3	18	43	26	4	-	2	-
40 to 44 years	12	-	-	-	1	1	6	3	1	-	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-
Not stated	2	-	1	1	-	-	-	-	-	-	-
Chinese	515	1	53	130	119	102	60	28	3	14	5
10 to 14 years	1	-	-	-	-	-	-	-	1	-	-
15 to 19 years	27	1	12	9	2	1	-	1	-	-	1
20 to 24 years	146	-	35	63	34	8	3	-	-	-	3
25 to 29 years	162	-	6	53	50	38	9	4	-	1	1
30 to 34 years	95	-	-	5	28	33	22	3	1	3	-
35 to 39 years	62	-	-	-	3	21	19	15	-	4	-
40 to 44 years	20	-	-	-	2	1	6	5	1	5	-
45 to 49 years	1	-	-	-	-	-	-	-	-	1	-
Not stated	1	-	-	-	-	-	1	-	-	-	-
Japanese	3,251	11	328	947	834	589	257	90	106	56	33
15 to 19 years	149	4	68	58	5	1	1	-	-	-	12
20 to 24 years	1,104	6	242	528	237	64	8	5	-	-	14
25 to 29 years	1,121	1	16	341	469	245	37	4	7	-	1
30 to 34 years	414	-	1	15	114	196	69	10	6	3	-
35 to 39 years	300	-	1	3	8	79	107	40	41	19	2
40 to 44 years	142	-	-	-	-	3	33	31	46	27	2
45 to 49 years	15	-	-	-	-	-	2	-	6	7	-
Not stated	6	-	-	2	1	1	-	-	-	-	2
Korean	108	2	37	26	20	6	4	6	2	5	-
15 to 19 years	19	2	14	2	1	-	-	-	-	-	-
20 to 24 years	53	-	23	18	8	3	-	1	-	-	-
25 to 29 years	17	-	-	5	10	1	-	1	-	-	-
30 to 34 years	5	-	-	1	1	-	2	1	-	-	-
35 to 39 years	8	-	-	-	-	1	2	2	-	3	-
40 to 44 years	6	-	-	-	-	1	-	1	2	2	-
Filipino	1,071	4	70	286	251	226	141	57	13	5	18
10 to 14 years	5	-	-	-	-	2	-	-	-	-	3
15 to 19 years	219	3	43	104	47	11	1	-	-	-	10
20 to 24 years	312	1	25	128	97	44	10	4	-	1	2
25 to 29 years	192	-	1	46	69	55	12	7	-	1	1
30 to 34 years	146	-	-	5	33	56	35	12	5	-	-
35 to 39 years	145	-	-	2	3	49	63	21	4	2	1
40 to 44 years	43	-	-	-	2	6	19	12	3	1	-
45 to 49 years	3	-	-	-	-	1	-	1	1	-	-
50 to 54 years	1	-	-	-	-	-	1	-	-	-	-
Not stated	5	-	1	1	-	2	-	-	-	-	1
All other	688	18	147	213	133	79	42	16	4	8	28
10 to 14 years	3	1	-	-	-	-	-	-	-	-	2
15 to 19 years	141	13	49	37	12	10	1	2	-	-	17
20 to 24 years	300	3	83	122	53	18	11	3	-	3	4
25 to 29 years	145	1	12	42	44	25	13	3	1	-	4
30 to 34 years	64	-	3	10	20	20	6	4	-	1	-
35 to 39 years	24	-	-	2	4	5	7	2	2	1	1
40 to 44 years	11	-	-	-	-	1	4	2	1	3	-

TABLE 6.—DEATHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths)

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	3,089	216	1,448	373	355	40	242	415
Hawaiian	412	26	174	51	48	19	26	68
Part-Hawaiian	205	8	113	24	17	5	7	31
Caucasian-Hawaiian	133	5	78	16	8	3	3	20
Asiatic-Hawaiian	72	3	35	8	9	2	4	11
Caucasian	735	52	422	46	109	2	41	63
Portuguese	127	16	62	14	3	-	13	19
Puerto Rican	69	13	23	8	5	1	11	8
Other Caucasian	539	23	337	24	101	1	17	36
Chinese	284	16	189	19	18	1	15	26
Japanese	924	82	366	162	90	4	93	127
Korean	64	6	33	3	3	1	5	13
Filipino	308	18	62	54	56	3	47	68
All other	157	8	89	14	14	5	8	19

TABLE 7.—DEATHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths)

AREA AND SEX	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	3,089	294	245	283	264	231	230	233	261	254	283	244	267
Male	2,076	204	170	179	170	155	152	147	175	175	192	177	180
Female	1,013	90	75	104	94	76	78	86	86	79	91	67	87
Hilo city:													
Male	155	18	14	17	16	12	12	5	15	16	9	9	12
Female	61	7	5	6	6	6	3	3	4	6	4	6	5
Honolulu city:													
Male	915	85	64	80	73	63	65	75	79	78	90	73	90
Female	533	44	37	51	49	43	46	47	48	40	53	29	46
Hawaii County (exclusive of Hilo city):													
Male	255	27	24	23	20	22	18	16	24	16	20	23	22
Female	118	16	8	12	7	6	9	13	9	5	13	12	8
Honolulu County (exclusive of Honolulu city):													
Male	277	25	21	21	21	21	18	21	22	24	30	31	22
Female	78	5	6	9	12	5	6	5	5	7	8	5	5
Kalawao County:													
Male	28	5	3	2	3	4	2	1	1	2	1	2	2
Female	12	2	3	-	2	-	-	1	1	-	-	-	3
Kauai County:													
Male	176	19	16	10	12	11	13	15	17	13	18	19	13
Female	66	7	1	6	4	7	6	3	6	7	7	5	7
Maui County:													
Male	270	25	28	26	25	22	24	14	17	23	24	20	19
Female	145	9	15	20	14	9	8	14	13	14	6	10	13

TABLE 8.—DEATHS BY AGE, RACE, AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths)

RACE AND SEX	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
All races	3,089	421	48	17	16	18	520	60	49	84	109	125	123	141	157	179	166	223	264	296	211	178	110	63	17	7	4	3
Male	2,076	249	23	10	11	10	303	36	35	56	58	86	86	89	101	116	119	158	193	216	160	132	70	42	10	7	-	3
Female	1,013	172	25	7	5	8	217	24	14	28	51	39	37	52	56	63	47	65	71	80	51	46	40	21	7	-	4	-
Hawaiian:																												
Male	236	24	1	-	-	2	27	3	5	10	5	7	6	12	16	13	17	24	14	27	15	15	12	6	-	2	-	-
Female	176	19	3	1	1	-	24	2	2	4	8	4	6	11	16	11	9	13	14	23	9	4	9	3	4	-	-	-
Part-Hawaiian:																												
Male	121	30	2	3	2	3	40	2	3	6	3	4	9	7	4	9	3	5	9	10	4	1	2	-	-	-	-	-
Female	84	24	7	-	-	1	32	2	2	6	4	-	5	6	4	3	3	3	2	2	-	5	4	-	-	-	1	-
Caucasian-Hawaiian:																												
Male	71	15	-	3	1	3	22	1	1	3	1	2	4	4	4	5	3	3	6	7	3	-	2	-	-	-	-	-
Female	62	16	6	-	-	-	22	1	2	4	3	-	3	6	2	3	3	2	2	2	-	3	3	-	-	-	1	-
Asiatic-Hawaiian:																												
Male	50	15	2	-	1	-	18	1	2	3	2	2	5	3	-	4	-	2	3	3	1	1	-	-	-	-	-	-
Female	22	8	1	-	-	1	10	1	-	2	1	-	2	-	2	-	-	1	-	-	-	2	1	-	-	-	-	-
Caucasian:																												
Male	462	40	4	-	1	-	45	7	3	18	23	22	20	23	27	24	24	38	38	42	30	32	23	15	6	1	-	1
Female	273	30	7	-	1	1	39	3	1	-	8	13	10	8	8	17	17	20	21	25	23	22	20	14	3	-	1	-
Portuguese:																												
Male	73	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	-	6	13	12	10	6	10	6	4	-	-	-
Female	54	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	9	9	10	8	6	5	1	-	1	-
Puerto Rican:																												
Male	44	4	1	-	-	-	5	-	-	2	1	1	-	-	2	2	2	3	5	8	5	3	1	3	-	-	-	1
Female	25	2	2	-	-	-	4	1	-	-	1	-	1	-	-	2	1	4	2	5	1	1	1	-	1	-	-	-

TABLE 8.—DEATHS BY AGE, RACE, AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

(Exclusive of stillbirths)

RACE AND SEX	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
Caucasian—Continued																												
Other Caucasian:																												
Male	345	36	3	-	1	-	40	7	3	15	22	21	19	23	22	21	22	29	20	22	15	23	12	6	2	1	-	-
Female	194	28	4	-	1	1	34	2	1	-	7	12	9	8	8	14	16	14	10	11	12	13	13	9	1	-	-	-
Chinese:																												
Male	215	11	-	-	-	1	12	2	2	1	2	4	3	1	6	5	6	7	22	36	32	32	17	15	4	4	-	-
Female	69	15	-	-	-	-	15	3	1	1	4	4	1	6	4	8	1	3	5	4	4	1	3	-	-	-	1	-
Japanese:																												
Male	631	55	10	1	6	3	75	13	14	14	18	17	9	18	11	19	53	64	86	89	68	48	11	4	-	-	-	-
Female	293	45	4	2	2	5	58	9	5	15	20	13	11	12	16	16	15	21	25	23	15	13	3	3	-	-	-	-
Korean:																												
Male	58	3	-	-	-	-	3	1	1	1	1	-	2	-	-	-	2	11	14	8	6	3	3	1	-	-	-	1
Female	6	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-
Filipino:																												
Male	255	40	3	5	1	1	50	3	2	2	1	29	33	26	33	42	12	5	9	3	2	1	-	1	-	-	-	1
Female	53	19	2	2	1	1	25	2	2	1	3	2	1	7	5	2	1	1	1	-	-	-	-	-	-	-	-	-
All other:																												
Male	98	46	3	1	1	-	51	5	5	4	5	3	4	2	2	4	2	4	1	1	3	-	2	-	-	-	-	-
Female	59	18	2	2	-	-	22	3	1	1	4	3	3	2	2	6	1	2	3	2	-	1	1	1	-	-	1	-

TABLE 9.—DEATHS FROM SELECTED CAUSES: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	HAWAII		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Total deaths	Total death rate[1]							
All causes	3,089	729.7	216	1,448	373	355	40	242	415
Typhoid and paratyphoid fever—1,2	10	2.4	3	7	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	2	0.5	-	-	-	-	-	-	2
Whooping cough—9	9	2.1	-	1	4	1	-	-	3
Diphtheria—10	6	1.4	-	3	-	1	-	1	1
Tuberculosis of respiratory system, etc.*—13	246	58.1	2	136	32	17	-	21	39
Tuberculosis (other forms)—14-22	11	2.6	2	6	-	1	-	1	1
Dysentery—27	1	0.2	-	1	-	-	-	-	-
Syphilis—30	47	11.1	3	18	3	11	-	-	12
Influenza—33	32	7.6	1	8	11	4	-	4	4
Poliomyelitis and polioencephalitis (acute)—36	5	1.2	1	3	1	-	-	-	-
Cancer of the digestive organs and peritoneum—46	172	40.6	16	85	20	18	-	14	19
Cancer of female genital organs—48,49	28	6.6	1	19	-	1	-	2	5
Cancer of the breast—50	11	2.6	2	5	1	1	-	1	1
Cancer (other forms)—45,47,51-55	75	17.7	11	39	9	3	-	6	7
Acute rheumatic fever—58	4	0.9	-	2	1	-	-	1	-
Diabetes mellitus—61	61	14.4	4	32	5	2	-	11	7
Exophthalmic goiter—63b	4	0.9	-	3	1	-	-	-	-
Alcoholism (ethylism)—77	2	0.5	1	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	188	44.4	20	77	28	18	-	15	30
Other diseases of the nervous system, etc.*—80-82,84-88	32	7.6	2	14	3	6	-	4	3
Diseases of the ear, nose, and throat—89,104,115	23	5.4	4	11	2	3	-	2	1
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	35	8.3	5	17	10	1	-	1	1
Diseases of coronary arteries and angina pectoris—94	86	20.3	7	38	14	14	-	6	7
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	438	103.5	30	210	63	53	-	29	53
Pneumonia (all forms)—107-109	196	46.3	14	99	13	29	-	13	28
Ulcer of the stomach or duodenum—117	41	9.7	2	18	4	5	-	2	10
Diarrhea, enteritis, etc.*—119,120	30	7.1	1	13	4	5	-	2	5
Appendicitis—121	33	7.8	2	16	2	6	-	2	5
Hernia and intestinal obstruction—122	28	6.6	3	13	5	2	-	1	4
Cirrhosis of the liver—124	40	9.4	2	24	4	2	-	3	5
Biliary calculi, etc.*—126,127	15	3.5	1	10	1	1	-	1	1
Nephritis—130-132	284	67.1	21	152	19	30	-	27	35
Diseases of the prostate—137	4	0.9	1	3	-	-	-	-	-
Puerperal septicemia—140,142a,147	10	2.4	-	5	1	1	-	-	3
Puerperal toxemias—141a,c,144,148	5	1.2	-	3	-	-	-	-	2
Other puerperal causes—141,b,d,e,f,142b,143,145,146,149,150	8	1.9	2	-	3	-	-	-	3
Congenital malformations—157	56	13.2	5	25	6	6	-	4	10
Premature birth—159	133	31.4	10	75	7	8	1	10	22
Suicide—163,164	79	18.7	5	38	11	17	-	4	4
Homicide—165-168	19	4.5	-	7	3	1	1	3	4
Motor-vehicle accidents—170	63	14.9	3	23	8	21	-	3	5
Other accidents—169,171-195	172	40.6	5	60	31	37	-	11	28
All other causes*	345	81.5	24	129	43	29	38	36	46

*Refer to complete International List titles, table XI.
[1]Number per 100,000 enumerated population.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	PART-HAWAIIAN Total	Caucasian-Hawaiian	Asiatic-Hawaiian	CAUCASIAN Total	Portuguese	Puerto Rican	Other Caucasian	Chinese	Japanese	Korean	Filipino	All other
	All causes—Male	2,076	236	121	71	50	462	73	44	345	215	631	58	255	98
	Female	1,013	176	84	62	22	273	54	25	194	69	293	6	53	59
	I.—Infectious and parasitic diseases—M	294	49	20	12	8	36	5	2	29	24	84	9	55	17
	F	137	32	17	11	6	14	5	2	7	9	39	1	14	11
1	Typhoid fever—M	7	-	-	-	-	-	-	-	-	1	2	-	1	3
	F	3	-	-	-	-	1	-	-	1	1	-	-	-	1
6	Cerebrospinal (meningococcus) meningitis—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
9	Whooping cough—M	5	1	1	1	-	1	-	-	1	-	-	-	1	1
	F	4	-	-	-	-	1	-	-	1	1	-	-	1	1
10	Diphtheria (infection by C. diphtheriae)—M	3	-	-	-	-	1	-	-	1	-	1	-	1	-
	F	3	-	-	-	-	1	-	-	1	-	2	-	-	-
12	Tetanus—M	5	1	1	1	-	1	-	-	1	-	1	-	-	1
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-
13-22	Tuberculosis (all forms)—M	171	17	7	3	4	17	2	2	13	18	56	8	41	7
	F	86	18	10	7	3	6	1	1	4	7	29	-	12	4
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs—M	163	17	7	3	4	16	2	1	13	18	52	8	38	7
	F	83	18	10	7	3	6	1	1	4	7	27	-	11	4
14	Tuberculosis of meninges and central nervous system—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-
15	Tuberculosis of intestines and peritoneum—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-
17b	Tuberculosis of joints (except vertebral column)—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
20	Tuberculosis of genito-urinary system—M	3	-	-	-	-	-	-	-	-	-	3	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
22a	Disseminated tuberculosis (acute miliary)—M	2	-	-	-	-	1	-	1	-	-	-	-	1	-
23	Leprosy—M	31	15	4	1	3	3	1	-	2	1	2	1	3	2
	F	12	5	2	2	-	1	-	1	-	-	2	-	-	2
24	Septicemia and purulent infection (nonpuerperal)—M	4	-	-	-	-	1	-	-	1	-	3	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-
30	Syphilis (all forms)—M	35	7	7	6	1	6	1	-	5	2	9	-	2	2
	F	12	4	1	1	-	2	2	-	-	-	3	-	-	2
30b	General paralysis of insane—M	8	3	-	-	-	3	-	-	3	1	1	-	-	-
30c	Other syphilis of central nervous system—M	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30d	Aneurysm of aorta—M	4	-	-	-	-	1	-	-	1	-	3	-	-	-
	F	5	3	-	-	-	2	2	-	-	-	-	-	-	-
30e	Other syphilis of circulatory system—M	3	-	1	1	-	1	1	-	-	-	1	-	-	-
30f,g	Congenital, other and unspecified forms of syphilis—M	18	3	5	4	1	1	-	-	1	1	4	-	2	2
	F	6	1	-	-	-	-	-	-	-	-	3	-	-	2
32	Other diseases due to spirochetes—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified—M	17	4	-	-	-	3	1	-	2	2	4	-	3	1
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	1
33b	Influenza, without respiratory complications specified—M	5	1	-	-	-	1	-	-	1	-	2	-	1	-
	F	8	2	2	1	1	2	2	-	-	-	1	1	-	-
36	Acute poliomyelitis and acute polioencephalitis—M	4	1	-	-	-	1	-	-	1	-	2	-	-	-
	F	1	-	1	-	1	-	-	-	-	-	-	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
43	Mycoses—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
44	Other infectious and parasitic (communicable) diseases—M	2	1	-	-	-	1	-	-	1	-	-	-	-	-
	II.—Cancer and other tumors—M	198	10	17	10	7	45	9	6	30	20	83	7	11	5
	F	92	16	8	8	-	28	3	3	22	4	29	-	2	5
45-55	Cancer and other malignant tumors—M	196	10	17	10	7	44	8	6	30	20	83	7	10	5
	F	90	16	7	7	-	27	3	3	21	4	29	-	2	5
45	Cancer of buccal cavity and pharynx—M	13	-	1	1	-	4	2	-	2	4	3	-	1	-
45a-e	Cancer of buccal cavity—M	8	-	1	1	-	3	1	-	2	2	1	-	1	-
45f	Cancer of pharynx—M	5	-	-	-	-	1	1	-	-	2	2	-	-	-
46	Cancer of digestive organs and peritoneum—M	138	9	11	7	4	26	5	5	16	10	69	4	4	5
	F	34	4	2	2	-	13	-	3	10	-	13	-	2	-
46a	Cancer of esophagus—M	14	2	-	-	-	4	-	2	2	1	6	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	*1	-	-	-
46b,c	Cancer of stomach and duodenum—M	80	7	6	4	2	12	4	3	5	3	47	2	-	3
	F	16	3	1	1	-	3	-	1	2	-	8	-	1	-
46f	Cancer of liver and biliary passages—M	14	-	2	1	1	2	-	-	2	2	7	-	1	-
	F	5	1	-	-	-	3	-	1	2	-	1	-	-	-
46g	Cancer of pancreas—M	11	-	2	1	1	2	1	-	1	1	2	1	2	1
	F	2	-	-	-	-	1	-	1	-	-	1	-	-	-
46d,e, h,m	Cancer of other digestive organs and peritoneum—M	19	-	1	1	-	6	-	-	6	3	7	-	1	1
	F	10	-	1	1	-	6	-	-	6	-	2	-	1	-
47	Cancer of respiratory system—M	17	-	4	1	3	3	1	-	2	2	5	2	1	-
	F	5	2	-	-	-	-	-	-	-	1	-	-	-	2
48	Cancer of uterus—F	22	5	2	2	-	7	2	-	5	-	8	-	-	-
49	Cancer of other female genital organs—F	6	3	-	-	-	2	1	-	1	-	-	-	-	1
50	Cancer of breast—F	11	1	2	2	-	2	-	-	2	2	3	-	-	1
51	Cancer of male genital organs—M	3	-	1	1	-	2	-	-	2	-	-	-	-	-
52	Cancer of urinary organs (male and female)—M	9	-	-	-	-	4	-	1	3	-	4	1	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-
53	Cancer of skin (except vulva and scrotum)—M	2	-	-	-	-	-	-	-	-	1	1	-	-	-
	F	2	-	-	-	-	2	-	-	2	-	-	-	-	-
54	Cancer of central nervous system*—M	3	-	-	-	-	2	-	-	2	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	Hawaiian	PART-HAWAIIAN Total	Caucasian-Hawaiian	Asiatic-Hawaiian	CAUCASIAN Total	Portuguese	Puerto Rican	Other Caucasian	Chinese	Japanese	Korean	Filipino	All other
	II.—Cancer and other tumors—Continued															
	Cancer and other malignant tumors—Continued															
55	Cancer of other and unspecified organs	M	11	1	-	-	-	3	-	-	3	3	1	-	3	-
		F	7	-	1	1	-	1	-	-	1	1	3	-	-	1
56d,e	Nonmalignant tumors of other and unspecified organs	F	2	-	1	1	-	1	-	-	1	-	-	-	-	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	M	2	-	-	-	-	1	1	-	-	-	-	-	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	M	52	12	6	4	2	8	3	-	5	5	10	1	8	2
		F	47	7	3	2	1	14	4	1	9	4	16	-	1	2
58a-d	Acute rheumatic heart diseases	M	2	-	-	-	-	1	-	-	1	-	-	-	-	1
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	M	1	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
61	Diabetes mellitus	M	28	9	4	3	1	4	2	-	2	4	6	-	1	-
		F	33	5	3	2	1	12	4	1	7	3	8	-	-	2
63b	Exophthalmic goiter	M	2	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	F	2	-	-	-	-	-	-	-	-	-	2	-	-	-
64	Diseases of thymus gland	M	5	2	1	-	1	1	-	-	1	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-	4	-	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	M	2	-	-	-	-	-	-	-	-	-	2	-	-	-
68	Beriberi	M	11	1	1	1	-	-	-	-	-	-	2	1	6	-
		F	4	1	-	-	-	1	-	-	1	-	1	-	1	-
	IV.—Diseases of the blood and blood-forming organs	M	22	2	-	-	-	3	-	-	3	1	9	-	6	1
		F	6	-	-	-	-	2	-	-	2	-	4	-	-	-
72	Hemorrhagic conditions	M	4	1	-	-	-	-	-	-	-	-	-	-	2	1
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
73a	Pernicious anemia	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
73b-d	Other anemias (except splenic)	M	1	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
74a	Leukemias	M	14	-	-	-	-	1	-	-	1	1	9	-	3	-
		F	3	-	-	-	-	2	-	-	2	-	1	-	-	-
74b	Aleukemias	M	1	-	-	-	-	1	-	-	1	-	-	-	-	-
76	Other diseases of the blood and blood-forming organs	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	M	2	-	-	-	-	2	-	-	2	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	M	2	-	-	-	-	2	-	-	2	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	M	161	9	3	2	1	32	11	3	18	14	82	4	14	3
		F	69	8	4	3	1	21	5	3	13	4	31	-	-	1
80	Encephalitis (nonepidemic)	M	4	-	1	1	-	-	-	-	-	-	1	-	2	-
		F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
81	Meningitis (not due to meningococcus)	M	3	-	-	-	-	2	1	-	1	-	-	-	1	-
		F	3	-	1	-	1	1	-	-	1	-	1	-	-	-
82	Diseases of spinal cord (see exceptions)*	M	5	-	1	-	1	-	-	-	-	1	1	-	1	1
		F	6	1	1	1	-	1	-	-	1	-	3	-	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	M	129	8	1	1	-	27	10	3	14	13	66	3	10	1
		F	46	5	2	2	-	13	4	3	6	4	21	-	-	1
83b	Cerebral embolism and thrombosis	M	4	-	-	-	-	1	-	-	1	-	3	-	-	-
		F	5	-	-	-	-	4	1	-	3	-	1	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	M	2	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-	-
84	Mental diseases and deficiency (see exception)*	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
85	Epilepsy	M	3	-	-	-	-	-	-	-	-	-	3	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
87	Other diseases of nervous system	M	3	-	-	-	-	-	-	-	-	-	2	1	-	-
88	Diseases of organs of vision	F	2	-	-	-	-	1	-	-	1	-	1	-	-	-
89a	Otitis and other diseases of the ear	M	6	1	-	-	-	1	-	-	1	-	3	-	-	1
		F	3	1	-	-	-	-	-	-	-	-	2	-	-	-
89b	Diseases of mastoid process	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	VII.—Diseases of the circulatory system	M	397	49	11	7	4	118	29	11	78	61	98	10	42	8
		F	187	45	8	6	2	77	22	4	51	9	39	1	3	5
90	Pericarditis (except acute rheumatic)	M	2	-	-	-	-	1	1	-	-	-	1	-	-	-
		F	2	-	1	1	-	1	-	-	1	-	-	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	M	4	2	-	-	-	-	-	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
91c	Endocarditis (unspecified, under 45 years)	F	1	-	1	1	-	-	-	-	-	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	M	33	2	1	1	-	6	2	1	5	4	10	-	6	2
		F	22	3	-	-	-	9	2	-	7	1	7	1	-	1
92e	Endocarditis (unspecified, 45 years and over)	M	4	-	-	-	-	1	-	-	1	-	3	-	-	-
		F	1	-	-	-	-	1	-	1	-	-	-	-	-	-
93a	Acute myocarditis (except. rheumatic)	M	7	-	-	-	-	1	-	-	1	-	6	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration	M	239	37	9	6	3	59	18	7	34	49	53	8	19	5
		F	123	35	4	2	2	53	19	3	31	6	21	-	2	2
93e	Other myocarditis (unspecified)	M	7	1	-	-	-	2	-	-	2	1	3	-	-	-
		F	3	1	1	1	-	-	-	-	-	-	1	-	-	-
94a	Diseases of coronary arteries	M	60	4	1	-	1	36	5	1	30	2	8	-	8	1
		F	19	4	-	-	-	9	-	-	9	1	4	-	1	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	Hawaiian	PART-HAWAIIAN Total	Caucasian-Hawaiian	Asiatic-Hawaiian	CAUCASIAN Total	Portuguese	Puerto Rican	Other Caucasian	Chinese	Japanese	Korean	Filipino	All other
	VII.—Diseases of the circulatory system—Con.															
94b	Angina pectoris	M	6	-	-	-	-	-	-	-	-	1	3	-	2	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
95a	Functional diseases of heart, etc.*	M	3	-	-	-	-	-	-	-	-	-	2	-	1	-
95b,c	Other and unspecified diseases of heart	M	14	1	-	-	-	2	-	-	2	2	5	2	2	-
		F	6	1	1	1	-	1	-	-	1	-	3	-	-	-
96	Aneurysm (except of heart and aorta)	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	1	-	-	1	-	-	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	M	15	2	-	-	-	8	3	2	3	2	3	-	-	-
		F	3	-	-	-	-	2	1	-	1	1	-	-	-	-
99	Other diseases of arteries	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
102	High blood pressure (idiopathic)	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	VIII.—Diseases of the respiratory system	M	152	20	14	8	6	23	2	5	16	10	46	3	22	14
		F	95	16	13	9	4	20	3	1	16	7	22	-	10	7
104a	Diseases of nasal fossae	M	2	-	-	-	-	1	1	-	-	-	1	-	-	-
104b	Diseases of accessory sinuses	M	3	-	1	1	-	1	-	-	1	-	1	-	-	-
		F	2	-	1	-	1	1	-	-	1	-	-	-	-	-
105	Diseases of larynx	M	1	-	-	-	-	1	-	-	1	-	-	-	-	-
106a	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-
106b	Chronic bronchitis	M	2	-	1	1	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
106c	Bronchitis (unspecified)	M	2	-	1	1	-	-	-	-	-	-	1	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	M	74	9	9	3	6	10	-	2	8	4	15	2	13	12
		F	44	8	7	5	2	9	1	-	8	3	9	-	5	3
108	Lobar pneumonia	M	40	8	2	2	-	8	-	2	6	3	10	1	6	2
		F	36	5	5	3	-	6	1	1	4	4	10	-	5	3
109	Pneumonia (unspecified)	M	2	1	-	-	-	-	-	-	-	-	1	-	-	-
110	Pleurisy (not specified as tuberculous)	M	9	-	-	-	-	-	-	-	-	2	5	-	2	-
		F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	M	1	-	-	-	-	1	-	1	-	-	-	-	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	M	2	-	-	-	-	1	1	-	-	-	1	-	-	-
		F	2	-	1	1	-	1	1	-	-	-	-	-	-	-
112	Asthma	M	8	-	-	-	-	-	-	-	-	-	7	-	1	-
		F	6	1	1	-	1	2	-	-	2	-	2	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	M	5	2	-	-	-	-	-	-	-	1	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	IX.—Diseases of the digestive system	M	157	20	5	3	2	32	2	3	27	15	44	7	26	8
		F	55	9	3	3	-	20	3	4	13	3	11	-	5	4
115a,b,d	Diseases of buccal cavity and adnexa	M	4	-	-	-	-	2	-	-	2	-	-	-	2	-
115c	Diseases of pharynx and tonsils	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-
117a	Ulcer of stomach	M	26	7	2	1	1	2	-	1	1	3	8	-	3	1
		F	3	1	-	-	-	1	-	-	1	-	-	-	-	1
117b	Ulcer of duodenum	M	12	1	-	-	-	5	1	-	4	-	4	-	2	-
118	Other diseases of stomach (except cancer)	M	2	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	M	19	4	1	1	-	3	-	-	3	3	1	1	2	4
		F	5	1	1	1	-	-	-	-	-	-	-	-	1	2
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	M	4	-	1	1	-	1	-	-	1	-	2	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-	-
121	Appendicitis	M	22	1	1	-	1	5	-	-	5	1	6	3	5	-
		F	11	2	-	-	-	2	-	-	2	1	4	-	2	-
122a	Hernia	M	6	1	-	-	-	1	-	-	1	-	2	-	2	-
		F	4	-	-	-	-	3	1	1	1	-	1	-	-	-
122b	Intestinal obstruction	M	9	-	-	-	-	2	-	1	1	1	4	-	2	-
		F	9	1	-	-	-	2	-	1	1	-	3	-	2	1
123	Other diseases of intestines	M	2	-	-	-	-	-	-	-	-	-	1	-	1	-
		F	2	-	-	-	-	1	-	-	1	1	-	-	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	M	12	1	-	-	-	1	-	-	1	2	6	1	1	-
		F	3	-	-	-	-	3	-	1	2	-	-	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	M	19	3	-	-	-	4	-	1	3	2	2	2	4	2
		F	6	3	1	1	-	1	-	-	1	-	1	-	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
125b	Other diseases of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	2	-	1	1	-	-	-	-	-
126	Biliary calculi	M	6	-	-	-	-	1	-	-	1	1	3	-	1	-
		F	3	-	-	-	-	3	1	-	2	-	-	-	-	-
127	Other diseases of gallbladder and biliary ducts	M	3	1	-	-	-	2	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	2	1	-	1	-	1	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	M	2	-	-	-	-	-	-	-	-	-	1	-	1	-
129	Peritonitis (cause not stated)	M	4	-	-	-	-	2	1	-	1	-	1	-	-	1
		F	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	M	204	36	7	4	3	37	7	3	27	45	56	4	16	3
		F	105	19	3	1	2	24	6	2	16	12	35	2	4	6
130	Acute nephritis	M	2	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
131a	Arteriosclerotic kidney	M	116	18	4	2	2	16	1	2	13	29	33	4	10	2
		F	60	12	1	1	-	12	4	1	7	6	20	2	2	5
131b	Other chronic nephritis	M	69	17	3	2	1	11	2	1	8	14	19	-	4	1
		F	33	6	2	-	2	7	1	1	5	6	12	-	-	-
132	Nephritis unspecified (10 years and over)	M	2	-	-	-	-	1	1	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
133	Other diseases of kidneys and ureters, etc.*	M	6	-	-	-	-	4	2	-	2	1	1	-	-	-
		F	4	-	-	-	-	3	-	-	3	-	1	-	-	-
134	Calculi of urinary passages	M	4	-	-	-	-	-	-	-	-	1	1	-	2	-
		F	2	1	-	-	-	1	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	PART-HAWAIIAN Total	Caucasian-Hawaiian	Asiatic-Hawaiian	CAUCASIAN Total	Portuguese	Puerto Rican	Other Caucasian	Chinese	Japanese	Korean	Filipino	All other
	X.—Diseases of the genito-urinary system—Con.														
136	Diseases of urethra (except calculus)—M	1	-	-	-	-	1	-	-	1	-	-	-	-	-
137	Diseases of prostate—M	4	-	-	-	-	3	1	-	2	-	1	-	-	-
139a	Diseases of ovaries, fallopian tubes, and parametria—F	3	-	-	-	-	-	-	-	-	-	-	-	2	1
139b	Diseases of uterus—F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, and puerperium—F	23	2	2	2	-	5	1	1	3	2	8	-	2	2
140	Abortion with mention of infection—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
140a,b	Abortion (septic), spontaneous or therapeutic*—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
142a	Ectopic gestation, with mention of infection—F	2	-	1	1	-	1	-	-	1	-	-	-	-	-
142b	Ectopic gestation, without mention of infection—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*—F	1	-	1	1	-	-	-	-	-	-	-	-	-	-
144c,d	Other toxemias of pregnancy (death before delivery)*—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
145	Other diseases and accidents of pregnancy (death before delivery)—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
146a	Placenta praevia (with childbirth)—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
146b,c	Other hemorrhages of childbirth and puerperium—F	3	-	-	-	-	1	-	1	-	-	2	-	-	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*—F	5	1	-	-	-	2	-	-	2	-	-	-	1	1
147c,d	Puerperal thrombophlebitis and embolism, sudden death—F	2	1	-	-	-	1	1	-	-	-	-	-	-	-
148a,b	Puerperal eclampsia and nephritis*—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
148c,d	Other puerperal toxemias—F	2	-	-	-	-	-	-	-	-	-	1	-	1	-
149	Other accidents and specified conditions of childbirth—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	XII.—Diseases of the skin and cellular tissue—M	5	1	3	-	3	-	-	-	-	1	-	-	-	-
	F	4	-	1	1	-	2	1	-	1	1	-	-	-	-
151	Carbuncle and furuncle—M	2	1	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	1	1	-	-	-	-	-	-	-	-	-	-
153	Other diseases of the skin and cellular tissue—M	3	-	3	-	3	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	2	1	-	1	1	-	-	-	-
	XIII.—Diseases of the bones, etc.*—M	6	1	-	-	-	-	-	-	-	1	3	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
154	Osteomyelitis and periostitis—M	4	-	-	-	-	-	-	-	-	1	2	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
156	Diseases of joints and other organs of movement—M	2	1	-	-	-	-	-	-	-	-	1	-	-	-
157	XIV.—Congenital malformations—M	35	2	4	3	1	8	-	2	6	3	7	-	6	5
	F	21	2	2	2	-	3	-	1	2	-	9	-	3	2
	XV.—Diseases peculiar to the first year of life—M	117	5	17	11	6	20	-	4	16	4	38	1	12	20
	F	89	4	15	9	6	18	-	-	18	8	24	2	6	12
158	Congenital debility (cause not stated)—M	2	-	-	-	-	-	-	-	-	1	1	-	-	-
	F	4	-	1	1	-	1	-	-	1	-	1	-	-	1
159	Premature birth (cause not stated)—M	69	2	10	4	6	12	-	2	10	2	22	1	7	13
	F	64	3	9	5	4	13	-	-	13	7	16	2	4	10
160a	Intracranial or spinal hemorrhage—M	8	1	2	2	-	2	-	-	2	1	-	-	2	-
	F	6	-	-	-	-	2	-	-	2	1	2	-	1	-
160b,c	Other injuries at birth—M	19	-	3	3	-	3	-	2	1	-	7	-	1	5
	F	8	1	2	2	-	1	-	-	1	-	3	-	-	1
161	Other diseases peculiar to the first year of life—M	19	2	2	2	-	3	-	-	3	-	8	-	2	2
	F	7	-	3	1	2	1	-	-	1	-	2	-	1	-
162	XVI.—Senility—M	8	1	-	-	-	1	1	-	-	2	4	-	-	-
	F	5	-	2	2	-	2	1	1	-	-	1	-	-	-
	XVII.—Violent or accidental deaths—M	262	19	14	7	7	97	4	5	88	9	67	12	32	12
	F	72	15	3	3	-	22	-	2	20	6	21	-	3	2
163,164	Suicide—M	61	1	3	2	1	20	1	3	16	5	19	7	5	3
	F	18	2	1	1	-	6	-	-	6	2	7	-	-	-
163	Suicide by poisoning—M	17	-	1	1	-	6	-	3	3	-	2	4	2	2
	F	10	1	-	-	-	4	-	-	4	1	4	-	-	-
	Suicide by solid or liquid poisons—M	15	-	1	1	-	5	-	3	2	-	1	4	2	2
	F	9	1	-	-	-	3	-	-	3	1	4	-	-	-
	Suicide by poisonous gases—M	2	-	-	-	-	1	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
164a	Suicide by hanging or strangulation—M	22	1	1	1	-	7	1	-	6	1	8	3	-	1
	F	3	-	1	1	-	-	-	-	-	1	1	-	-	-
164b	Suicide by drowning—M	4	-	-	-	-	1	-	-	1	1	2	-	-	-
	F	3	-	-	-	-	1	-	-	1	-	2	-	-	-
164c	Suicide by firearms and explosives—M	8	-	1	-	1	4	-	-	4	-	2	-	1	-
164d	Suicide by cutting or piercing instruments—M	5	-	-	-	-	-	-	-	-	1	2	-	2	-
164e	Suicide by jumping from high places—M	5	-	-	-	-	2	-	-	2	-	3	-	-	-
	F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
164g	Suicide by other or unspecified means—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide[1]—M	12	2	2	1	1	1	-	-	1	-	1	-	6	-
	F	7	1	-	-	-	3	-	-	3	1	2	-	-	-
166	Homicide by firearms—M	3	2	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
167	Homicide by cutting or piercing instruments—M	5	-	1	1	-	-	-	-	-	-	-	-	4	-
	F	3	1	-	-	-	1	-	-	1	-	1	-	-	-

*Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	Hawaiian	PART-HAWAIIAN Total	Caucasian-Hawaiian	Asiatic-Hawaiian	CAUCASIAN Total	Portuguese	Puerto Rican	Other Caucasian	Chinese	Japanese	Korean	Filipino	All other
	XVII.—Violent or accidental deaths—Con.															
	Homicide[1]—Continued															
168	Homicide by other means	M	4	-	1	-	1	-	-	-	-	-	1	-	2	-
		F	3	-	-	-	-	1	-	-	1	1	1	-	-	-
169-195	Accidental deaths	M	188	16	9	4	5	76	3	2	71	6	47	5	20	9
		F	47	12	2	2	-	13	-	2	11	3	12	-	3	2
169	Railway accidents (except collisions with motor vehicles)	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	M	46	3	1	-	1	22	1	2	19	2	9	-	5	4
		F	13	3	1	1	-	4	-	-	4	-	3	-	1	1
170d	Motorcycle accidents (except collisions with automobiles)	M	4	-	-	-	-	4	-	-	4	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
171b	Other and unspecified road-transport accidents	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
172	Water-transport accidents	M	7	2	-	-	-	4	-	-	4	-	1	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
173	Air-transport accidents	M	3	-	-	-	-	3	-	-	3	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	M	2	-	-	-	-	1	-	-	1	-	-	-	1	-
175b,c	Other agricultural accidents	M	4	-	-	-	-	2	-	-	2	-	1	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
176	Other accidents involving machinery	M	10	1	2	2	-	5	-	-	5	-	1	-	1	-
177	Food poisoning	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	1	-	-	-	-	1	-	1	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	1	-	-	1	-	2	-	-	-
180	Conflagration	M	2	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	2	1	-	-	-	1	-	1	-	-	-	-	-	-
181	Accidental burns (except conflagration)	M	6	1	-	-	-	-	-	-	-	1	4	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-
182	Accidental mechanical suffocation	M	2	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
183	Accidental drowning	M	33	3	2	1	1	7	-	-	7	1	10	1	6	3
		F	6	2	-	-	-	1	-	-	1	1	1	-	1	-
184	Accidental injury by firearms	M	4	-	-	-	-	3	-	-	3	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
185	Accidental injury by cutting or piercing instruments	M	5	-	1	-	1	2	-	-	2	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-
186a	Accidental injury by fall	M	30	4	2	1	1	13	1	-	12	-	6	2	2	1
		F	8	1	1	1	-	4	-	-	4	1	1	-	-	-
186b	Accidental injury by crushing	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	M	2	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	M	5	1	-	-	-	2	1	-	1	-	2	-	-	-
		F	1	-	-	-	-	1	-	-	1	-	-	-	-	-
195c,e	Other and unspecified accidents	M	15	-	1	-	1	5	-	-	5	2	6	-	-	1
198	Legal executions	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	XVIII.—Ill-defined and unknown causes	M	4	-	-	-	-	-	-	-	-	-	-	-	4	-
		F	5	1	-	-	-	1	-	-	1	-	3	-	-	-
200a	Ill-defined	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
200c	Unknown or unspecified	M	4	-	-	-	-	-	-	-	-	-	-	-	4	-
		F	4	1	-	-	-	1	-	-	1	-	2	-	-	-

* Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

498675 O - 43 - 41

TABLE 11.—DEATHS FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39
All causes	3,089	421	48	17	16	18	520	60	49	84	109	125	123	141
Typhoid and paratyphoid fever—1,2	10	1	-	-	-	1	2	-	-	1	4	-	2	1
Cerebrospinal (meningococcus) meningitis—6	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Whooping cough—9	9	7	-	1	-	-	8	1	-	-	-	-	-	-
Diphtheria—10	6	-	1	1	1	1	4	1	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	246	2	-	-	-	-	2	2	2	13	25	33	24	22
Tuberculosis (other forms)—14-22	11	-	1	1	-	2	4	1	-	-	-	1	1	2
Dysentery—27	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Syphilis—30	47	1	1	-	-	-	2	-	-	2	-	-	3	1
Influenza—33	32	10	1	1	-	1	13	1	1	1	-	2	2	1
Poliomyelitis and polioencephalitis (acute)—36	5	-	1	-	-	-	1	2	-	-	-	-	-	1
Cancer of the digestive organs and peritoneum—46	172	-	1	-	-	-	1	-	1	1	-	-	5	2
Cancer of female genital organs—48,49	28	-	-	-	-	-	-	-	-	-	-	-	-	5
Cancer of the breast—50	11	-	-	-	-	-	-	-	-	-	1	-	1	-
Cancer (other forms)—45,47,51-55	75	-	1	1	-	1	3	-	1	2	-	1	1	3
Acute rheumatic fever—58	4	-	-	-	-	-	-	1	2	1	-	-	-	-
Diabetes mellitus—61	61	-	-	-	-	-	-	-	1	-	-	-	2	3
Exophthalmic goiter—63b	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism)—77	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	188	2	-	-	-	-	2	1	-	-	-	-	-	5
Other diseases of the nervous system, etc.*—80-82,84-88	32	3	-	-	1	-	4	4	4	2	2	-	-	1
Diseases of the ear, nose, and throat—89,104,115	23	2	1	-	-	-	3	2	4	1	1	3	-	-
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	35	-	-	-	-	-	-	-	2	3	-	1	1	2
Diseases of coronary arteries and angina pectoris—94	86	-	-	-	-	-	-	-	-	-	-	4	4	11
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	438	4	-	-	-	-	4	1	4	1	1	5	11	9
Pneumonia (all forms)—107-109	196	73	17	3	-	2	95	6	4	3	1	7	6	5
Ulcer of the stomach or duodenum—117	41	1	-	-	-	-	1	-	-	1	2	1	2	2
Diarrhea, enteritis, etc.*—119,120	30	21	3	1	2	1	28	-	-	-	-	-	1	-
Appendicitis—121	33	-	-	-	-	-	-	-	3	7	4	2	2	4
Hernia and intestinal obstruction—122	28	6	1	-	-	-	7	1	-	1	3	2	-	2
Cirrhosis of the liver—124	40	-	-	-	1	-	1	-	-	-	-	1	1	1
Biliary calculi, etc.*—126,127	15	-	-	-	-	-	-	-	-	-	-	2	-	1
Nephritis—130-132	284	-	1	-	1	-	2	2	3	4	5	4	5	10
Diseases of the prostate—137	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal septicemia—140,142a,147	10	-	-	-	-	-	-	-	-	-	2	4	2	-
Puerperal toxemias—141a,c,144,148	5	-	-	-	-	-	-	-	-	-	1	-	2	2
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	8	-	-	-	-	-	-	-	-	-	1	1	3	2
Congenital malformations—157	56	43	4	2	-	2	51	2	-	1	1	1	-	-
Premature birth—159	133	133	...	...	...	...	133	...	...	...	...	...	...	...
Suicide—163,164	79	-	-	-	-	-	-	-	1	4	13	6	7	10
Homicide—165-168	19	2	-	-	-	1	3	-	1	-	5	1	2	1
Motor-vehicle accidents—170	63	-	3	1	-	1	5	5	1	8	11	5	6	3
Other accidents—169,171-195	172	5	7	2	6	1	21	20	4	19	17	16	12	13
All other causes*	345	103	4	3	3	4	117	7	10	7	9	22	14	16

CAUSE OF DEATH	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
All causes	157	179	166	223	264	296	211	178	110	63	17	7	4	3
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	20	14	20	16	21	19	8	2	3	-	-	-	-	-
Tuberculosis (other forms)—14-22	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	5	4	5	9	5	2	1	2	1	-	-	-	-
Influenza—33	1	1	2	1	1	1	1	1	1	-	1	-	-	-
Poliomyelitis and polioencephalitis (acute)—36	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer of the digestive organs and peritoneum—46	5	13	18	23	35	31	19	13	1	4	-	-	-	-
Cancer of female genital organs—48,49	4	5	2	1	1	4	2	4	-	-	-	-	-	-
Cancer of the breast—50	-	1	1	2	3	2	-	-	-	-	-	-	-	-
Cancer (other forms)—45,47,51-55	3	8	6	9	12	14	6	3	3	-	-	-	-	-
Acute rheumatic fever—58	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	2	8	7	12	7	4	6	3	6	-	-	-	-	-
Exophthalmic goiter—63b	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	12	10	11	21	28	38	24	24	7	5	-	-	-	-
Other diseases of the nervous system, etc.*—80-82,84-88	2	4	3	4	2	-	-	-	-	-	-	-	-	-
Diseases of the ear, nose, and throat—89,104,115	2	2	-	-	-	2	-	2	-	1	-	-	-	-
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1	2	1	4	5	5	2	2	1	3	-	-	-	-
Diseases of coronary arteries and angina pectoris—94	7	6	8	9	10	10	4	6	5	2	-	-	-	-
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	18	23	21	24	40	78	72	54	44	21	4	2	1	-
Pneumonia (all forms)—107-109	6	8	5	9	10	7	3	12	5	1	3	-	-	-
Ulcer of the stomach or duodenum—117	6	3	7	2	7	3	3	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119,120	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Appendicitis—121	1	2	2	3	1	1	1	-	-	-	-	-	-	-
Hernia and intestinal obstruction—122	2	-	-	3	2	1	3	-	1	-	-	-	-	-
Cirrhosis of the liver—124	4	3	5	7	5	4	3	2	2	1	-	-	-	-
Biliary calculi, etc.*—126,127	-	2	-	-	2	2	2	3	-	-	1	-	-	-
Nephritis—130-132	21	28	20	39	27	34	25	25	14	14	3	1	-	-
Diseases of the prostate—137	-	-	-	1	-	2	-	-	-	-	1	-	-	-
Puerperal septicemia—140,142a,147	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemias—141a,c,144,148	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth—159	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide—163,164	6	3	1	7	5	4	5	4	1	-	-	-	-	2
Homicide—165-168	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Motor-vehicle accidents—170	1	4	1	3	5	1	1	-	1	1	-	1	-	-
Other accidents—169,171-195	2	9	8	4	8	3	5	4	-	5	1	-	-	1
All other causes*	18	12	12	13	18	20	13	11	13	4	3	3	3	-

*Refer to complete International List titles, table XI.

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY MONTH: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	3,089	294	245	283	264	231	230	233	261	254	283	244	267
Typhoid and paratyphoid fever—1,2	10	-	2	2	-	2	-	2	-	-	1	1	-
Cerebrospinal (meningococcus) meningitis—6	2	-	1	-	-	-	-	1	-	-	-	-	-
Whooping cough—9	9	-	2	2	1	-	-	-	1	3	-	-	-
Diphtheria—10	6	-	2	1	1	-	1	1	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	246	24	18	33	19	17	17	15	24	19	17	18	25
Tuberculosis (other forms)—14-22	11	-	1	-	2	-	1	1	1	1	2	-	2
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis—30	47	5	6	6	4	3	2	6	4	3	3	3	2
Influenza—33	32	2	1	1	3	1	2	1	-	1	11	9	-
Poliomyelitis and polioencephalitis (acute)—36	5	1	-	1	-	1	-	1	-	-	-	1	-
Cancer of the digestive organs and peritoneum—46	172	18	7	10	24	10	18	16	13	19	15	16	6
Cancer of female genital organs—48,49	28	2	2	4	1	-	4	2	3	4	1	3	2
Cancer of the breast—50	11	3	-	1	-	1	-	1	-	2	-	1	2
Cancer (other forms)—45,47,51-55	75	5	10	6	4	7	4	3	7	6	8	4	11
Acute rheumatic fever—58	4	1	-	-	1	-	1	-	-	-	1	-	-
Diabetes mellitus—61	61	8	6	5	4	3	7	3	7	3	5	5	5
Exophthalmic goiter—63b	4	1	-	-	-	1	-	-	-	1	1	-	-
Alcoholism (ethylism)—77	2	1	-	-	-	-	-	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	188	19	15	19	15	16	10	13	19	12	21	15	14
Other diseases of the nervous system, etc.*—80-82,84-88	32	2	-	2	4	3	10	2	2	1	2	2	2
Diseases of the ear, nose, and throat—89,104,115	23	3	2	2	2	2	2	1	2	-	1	2	4
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	35	1	5	5	3	1	5	3	2	6	1	1	2
Diseases of coronary arteries and angina pectoris—94	86	6	4	8	6	7	1	9	7	6	8	11	13
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	438	44	33	44	32	23	28	27	38	48	42	40	39
Pneumonia (all forms)—107-109	196	20	19	18	13	16	15	13	17	19	22	12	12
Ulcer of the stomach or duodenum—117	41	5	1	5	5	4	4	2	4	1	6	2	2
Diarrhea, enteritis, etc.*—119,120	30	3	1	5	3	3	3	4	3	-	3	2	-
Appendicitis—121	33	4	-	6	4	2	-	2	5	4	-	3	3
Hernia and intestinal obstruction—122	28	2	2	1	-	1	2	3	3	5	3	-	6
Cirrhosis of the liver—124	40	3	3	3	1	2	3	7	1	5	3	4	5
Biliary calculi, etc.*—126,127	15	2	-	1	4	-	-	1	-	2	-	2	3
Nephritis—130-132	284	25	22	25	28	15	21	14	24	25	34	24	27
Diseases of the prostate—137	4	1	-	1	-	-	-	-	-	1	-	-	1
Puerperal septicemia—140,142a,147	10	2	-	-	1	-	2	3	1	-	-	-	1
Puerperal toxemias—141a,c,144,148	5	-	-	1	-	1	1	-	1	-	-	-	1
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	8	-	-	-	-	2	-	-	1	-	2	1	2
Congenital malformations—157	56	6	3	4	2	5	7	3	2	5	7	6	6
Premature birth—159	133	12	15	13	10	15	10	12	10	5	13	8	10
Suicide—163,164	79	4	6	7	12	5	6	10	9	4	8	5	3
Homicide—165-168	19	1	1	2	2	3	-	4	2	-	2	-	2
Motor-vehicle accidents—170	63	4	2	6	4	4	7	6	4	6	5	5	10
Other accidents—169,171-195	172	11	15	10	17	15	15	17	21	12	13	12	14
All other causes*	345	43	39	23	32	39	21	24	23	25	22	25	30

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3-6 days	1 wk.	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	421	125	23	28	25	26	10	12	249	32	25	21	21	15	11	14	16	9	6	2
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	2	-	1
Tuberculosis of respiratory system, etc.* 13	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza—33	10	-	-	-	-	-	-	-	-	1	-	2	-	-	3	1	2	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of thymus gland—64	8	-	-	2	-	1	1	-	4	1	1	2	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
Pneumonia (all forms)—107-109	73	-	-	1	1	3	2	3	10	9	7	7	8	6	2	8	8	2	5	1
Other diseases of respiratory system—104-106,110-114	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
Diseases of stomach—117,118	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	21	1	-	-	1	-	4	1	7	2	3	1	2	1	-	2	1	2	-	-
Intestinal obstruction—122b	6	-	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-
Congenital malformations—157	43	8	3	6	3	4	1	2	27	5	4	1	4	1	-	1	-	-	-	-
Congenital debility—158	6	-	-	-	1	1	-	-	2	1	-	-	-	-	2	-	1	-	-	-
Premature birth—159	133	86	15	6	8	10	1	1	127	4	2	-	-	-	-	-	-	-	-	-
Injury at birth—160	41	22	2	8	5	2	-	-	39	-	1	1	-	-	-	-	-	-	-	-
Other diseases pecular to first year—161	26	6	2	5	6	3	-	1	23	1	-	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
Ill-defined and unknown causes—199,200	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other causes*	7	-	-	-	-	-	1	-	1	2	-	-	1	-	1	-	1	1	-	-

* Refer to complete International List titles, table XI.

TABLE 14.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1930-1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
All causes	44.7	52.5	58.6	68.9	73.1	67.6	75.3	72.1	76.1	76.1	82.3
Cerebrospinal (meningococcus) meningitis—6	0.2	0	0.1	0	0.1	0.1	0	0	0.2	0.1	0.1
Whooping cough—9	0.7	2.2	1.8	0.9	0.3	1.1	4.2	2.8	0	0.1	0.9
Diphtheria—10	0	0.2	0	0	0	0	0	0.2	0.4	0.1	0.3
Erysipelas—11	0	0.1	0.1	0.1	0.1	0.3	0.1	0.4	0.2	0.2	0.6
Tetanus—12	0	0.1	0	0	0.1	0	0.1	0.3	0.4	0.6	0.3
Tuberculosis of respiratory system, etc.*—13	0.2	0	0	0	0.3	0.1	0.2	0.1	0.2	0.2	0.8
Tuberculosis of meninges, etc.*—14	0	0.1	0.3	0.1	0	0.4	0.3	0.3	0.1	0.2	0.6
Tuberculosis (other forms)—15-22	0	0	0	0.2	0	0.1	0.3	0.1	0.2	0	0.1
Dysentery—27	0	0	0	0	0	0	0.1	0.2	0	0.3	0
Syphilis—30	0.1	0.6	0.7	0.2	0.9	1.0	0.8	0.6	0.8	1.3	1.2
Influenza—33	1.1	0.3	1.0	1.8	2.0	1.7	1.4	0.6	0.4	0.6	1.1
Measles—35	0	0	0	6.1	0.7	0	0.1	0.2	0.6	1.3	0.6
Convulsions—86	0	0.1	0.1	0.1	0	0.3	0.2	0.5	1.4	0.5	0.6
Pneumonia (all forms)—107-109	7.8	10.2	15.6	19.4	17.9	13.4	18.1	16.6	16.7	15.0	17.9
Other diseases of respiratory system[1]—104-106,110-114	0.4	1.4	0.8	1.0	1.2	1.0	1.2	1.6	2.0	1.4	2.2
Diseases of stomach—117,118	0.2	0.1	0	0	0	0.1	0	0.1	0.1	0	0
Diarrhea, enteritis, etc.*—119	2.2	3.9	4.4	6.7	8.0	7.2	10.4	11.6	14.1	15.1	19.6
Intestinal obstruction—122b	0.6	0.4	0.3	0.6	0.5	0.3	0.4	0.2	0.3	0.9	(2)
Congenital malformations—157	4.6	3.7	4.0	5.5	6.6	5.3	4.9	5.1	5.1	5.4	3.3
Premature birth—159	14.1	14.8	13.9	12.6	16.1	16.2	14.4	13.7	13.0	14.6	12.0
Injury at birth—160	4.4	4.6	4.5	3.2	3.0	3.8	4.0	5.2	4.1	4.0	3.2
Congenital debility, other diseases peculiar to first year[3]—158,161	3.4	3.3	3.9	3.8	4.5	4.8	3.6	4.4	5.7	5.6	8.3
Other violence or accident—166-181,183-195	0.4	1.0	0.4	0.6	1.2	1.0	0.9	0.7	0.7	1.1	0.8
Ill-defined and unknown causes—199,200	0.2	0.1	0	0	0.1	0	0.2	0	0.1	0	0.3
All other causes*	4.0	5.1	6.7	6.1	9.2	9.4	9.4	6.5	9.4	7.6	7.6

*Refer to complete International List titles, table XI.
[1] Previous to 1939 rates are for bronchitis only.
[2] Included in "All other causes."
[3] Previous to 1939 included deaths under 3 months only.

PUERTO RICO

TABLE 1.—ENUMERATED POPULATION BY RACE, SEX, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940

AREA AND SEX	Total	White	All other races
Puerto Rico	1,869,255	1,430,744	438,511
Male	938,280	718,398	219,882
Female	930,975	712,346	218,629
Cities of 10,000 or more	396,228	287,130	109,098
Male	184,963	135,158	49,805
Female	211,265	151,972	59,293
Cities of 2,500 to 10,000	170,129	128,901	41,228
Male	79,709	60,009	19,700
Female	90,420	68,892	21,528
Rural	1,302,898	1,014,713	288,185
Male	673,608	523,231	150,377
Female	629,290	491,482	137,808

TABLE 2.—DEATHS BY MONTH, RACE, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940

(Exclusive of stillbirths)

AREA AND RACE		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	Total	34,468	3,033	2,651	2,652	2,525	2,639	3,008	3,594	3,075	2,687	2,769	2,918	2,917
	White	25,790	2,258	1,916	1,965	1,888	1,958	2,287	2,706	2,321	1,997	2,076	2,204	2,214
	All other	8,678	775	735	687	637	681	721	888	754	690	693	714	703
Cities of 10,000 or more	White	6,360	501	438	475	499	508	655	723	567	418	497	573	506
	All other	2,526	220	206	210	198	193	219	265	216	190	203	206	200
Cities of 2,500 to 10,000	White	2,481	177	176	185	175	189	220	250	222	232	213	224	218
	All other	1,013	88	76	86	85	85	89	93	89	80	72	87	83
Rural	White	16,949	1,580	1,302	1,305	1,214	1,261	1,412	1,733	1,532	1,347	1,366	1,407	1,490
	All other	5,139	467	453	391	354	403	413	530	449	420	418	421	420
Cities of 10,000 or more														
Aguadilla	White	173	21	12	12	15	15	22	16	17	9	15	9	10
	All other	51	1	3	1	10	5	5	3	6	6	4	2	5
Arecibo	White	360	15	17	18	25	30	40	36	44	31	36	34	34
	All other	121	5	8	8	8	13	9	17	14	4	9	11	15
Bayamon	White	424	35	33	29	27	39	46	39	26	35	40	46	29
	All other	109	13	9	9	6	11	7	16	10	4	8	11	5
Caguas	White	398	51	42	29	27	19	38	56	39	21	23	31	22
	All other	182	21	13	11	13	9	10	22	14	19	20	12	18
Guayama	White	253	17	16	16	16	13	29	25	24	20	29	25	23
	All other	122	15	7	8	12	11	14	9	12	7	13	3	11
Mayaguez	White	907	50	49	74	70	92	94	121	80	50	65	88	74
	All other	184	17	10	13	15	13	22	20	14	19	11	14	16
Ponce	White	1,213	95	67	80	108	90	119	148	107	91	84	121	103
	All other	339	25	34	22	23	32	32	33	29	16	24	42	27
Rio Piedras	White	658	55	44	47	52	45	57	78	56	43	55	59	67
	All other	370	35	29	27	28	24	24	46	31	32	32	27	35
San Juan	White	1,974	162	158	170	159	165	210	204	174	118	150	160	144
	All other	1,048	88	93	111	83	75	96	99	86	83	82	84	68

TABLE 3.—DEATHS BY AGE, RACE, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940

(Exclusive of stillbirths)

AREA AND RACE		Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
Puerto Rico	Total	34,468	8,221	2,988	1,914	1,116	741	1,444	642	993	1,803	1,551	1,176	1,241	1,122	1,067	1,102	865	1,146	1,206	1,138	752	893	553	413	207	170	4
	White	25,790	6,491	2,339	1,487	833	572	1,108	479	696	1,266	1,083	804	875	771	753	800	627	852	895	882	570	671	394	295	151	113	3
	Other	8,678	1,730	649	427	283	169	336	163	297	537	468	372	366	351	314	302	238	294	311	256	182	222	159	118	76	57	1
Cities of 10,000 or more	White	6,360	1,539	379	213	129	96	182	86	212	384	363	268	291	259	255	299	193	259	252	208	154	159	85	55	23	17	-
	Other	2,526	527	119	76	49	44	55	31	92	182	187	123	145	119	100	117	81	88	114	83	44	53	37	25	21	14	-
Cities of 2,500 to 10,000	White	2,481	629	202	106	81	39	88	55	79	117	98	80	87	78	77	85	54	73	117	74	85	84	44	30	9	10	-
	Other	1,013	203	75	42	28	17	44	14	42	60	42	43	38	32	45	35	26	38	33	34	32	34	21	20	9	6	-
Rural	White	16,949	4,323	1,758	1,168	623	437	838	338	405	765	622	456	497	434	421	416	380	520	526	600	331	428	265	210	99	86	3
	Other	5,139	1,000	455	309	206	108	237	118	163	295	239	206	183	200	169	150	131	168	164	139	106	135	101	73	46	37	1
Cities of 10,000 or more																												
Aguadilla	White	173	31	21	8	2	4	2	3	8	15	10	7	7	6	8	1	2	3	12	5	10	5	1	2	-	-	-
	Other	51	13	4	2	1	-	1	-	3	4	3	1	4	2	2	2	-	1	2	2	1	1	1	-	-	1	-
Arecibo	White	360	87	33	18	7	9	15	4	12	22	22	12	17	10	17	5	10	13	6	8	10	8	6	5	3	1	-
	Other	121	28	8	7	3	2	1	1	3	6	7	8	6	2	4	1	4	4	5	8	3	2	2	3	2	1	-
Bayamon	White	424	115	24	25	13	4	15	7	14	22	14	23	24	17	17	22	7	12	16	9	7	8	4	2	2	1	-
	Other	109	23	2	2	3	4	3	6	2	2	9	-	10	8	4	7	4	5	6	2	2	3	2	-	-	-	-
Caguas	White	398	118	20	15	11	9	7	5	8	26	25	17	17	12	12	15	12	9	13	12	12	10	11	2	-	-	-
	Other	182	39	13	7	4	5	2	3	7	16	10	9	7	8	12	6	4	3	12	3	1	3	2	1	2	3	-
Guayama	White	253	57	17	11	5	3	8	6	17	10	15	15	7	10	9	10	5	12	10	7	6	3	7	1	1	1	-
	Other	122	28	5	4	6	2	2	2	3	8	12	10	7	3	7	6	3	3	7	1	-	-	1	1	1	-	-
Mayaguez	White	907	199	75	45	26	17	44	14	26	48	45	40	37	26	35	46	26	31	27	22	25	24	8	14	3	4	-
	Other	184	28	6	3	4	2	5	3	7	21	10	5	12	15	8	14	6	6	13	7	1	3	1	2	2	-	-
Ponce	White	1,213	297	65	30	18	17	33	14	29	91	78	38	54	56	46	60	38	65	59	40	22	30	10	13	4	6	-
	Other	339	56	10	7	1	5	4	3	9	23	28	20	20	15	17	9	14	13	15	20	9	16	14	4	4	3	-
Rio Piedras	White	658	78	26	9	7	7	9	10	32	58	73	51	50	48	35	49	23	26	22	14	11	13	6	1	-	-	-
	Other	370	61	23	13	9	6	10	4	19	39	34	24	22	20	11	19	7	11	13	4	8	4	2	2	2	3	-
San Juan	White	1,974	557	98	52	40	26	49	23	66	92	81	65	78	74	76	91	70	88	87	91	51	58	32	15	10	4	-
	Other	1,048	251	48	31	18	18	27	9	39	63	74	46	57	46	35	53	39	42	41	36	19	21	12	12	8	3	-

TABLE 4.—DEATHS FROM SELECTED CAUSES, BY RACE AND POPULATION-SIZE GROUPS:

(Exclusive of stillbirths. Numbers after causes of death are

	CAUSE OF DEATH	PUERTO RICO		White	All other races	CITIES OF 10,000 OR MORE		CITIES OF 2,500 TO 10,000		RURAL	
		Total deaths	Total death rate[1]			White	All other races	White	All other races	White	All other races
1	All causes	34,468	1,843.9	25,790	8,678	6,360	2,526	2,481	1,013	16,949	5,139
2	Typhoid and paratyphoid fever—1,2	60	3.2	37	23	20	14	-	2	17	7
3	Cerebrospinal (meningococcus) meningitis—6	14	0.7	11	3	5	3	2	-	4	-
4	Scarlet fever—8	1	0.1	1	-	-	-	-	-	1	-
5	Whooping cough—9	221	11.8	186	35	28	4	18	2	140	29
6	Diphtheria—10	57	3.0	45	12	9	2	7	4	29	6
7	Tuberculosis of respiratory system, etc.* —13	4,724	252.7	3,381	1,343	1,199	482	329	167	1,853	694
8	Tuberculosis (other forms)—14-22	168	9.0	117	51	57	19	9	8	51	24
9	Dysentery—27	98	5.2	73	25	31	12	6	1	36	12
10	Malaria—28	1,786	95.5	1,254	532	269	101	115	62	870	369
11	Syphilis—30	531	28.4	359	172	106	81	62	17	191	74
12	Influenza—33	1,209	64.7	936	273	159	48	76	29	701	196
13	Measles—35	82	4.4	65	17	16	6	11	4	38	7
14	Poliomyelitis and polioencephalitis (acute)—36	3	0.2	3	-	1	-	-	-	2	-
15	Cancer of digestive organs and peritoneum—46	476	25.5	369	107	145	43	39	12	187	52
16	Cancer of female genital organs—48,49	232	12.4	182	50	66	16	24	7	92	27
17	Cancer of the breast—50	44	2.4	33	11	14	5	4	2	15	4
18	Cancer (other forms)—45,47,51-55	208	11.1	155	53	63	24	24	6	68	23
19	Acute rheumatic fever—58	17	0.9	13	4	2	-	4	1	7	3
20	Diabetes mellitus—61	83	4.4	63	20	29	8	13	4	21	8
21	Exophthalmic goiter—63b	3	0.2	1	2	-	1	-	-	1	1
22	Pellagra (except alcoholic)—69	46	2.5	32	14	3	1	5	2	24	11
23	Alcoholism (ethylism)—77	37	2.0	25	12	14	6	4	2	7	4
24	Intracranial lesions of vascular origin—83	516	27.6	354	162	128	57	46	19	180	86
25	Other diseases of the nervous system, etc.* —80-82,84-88	299	16.0	237	62	70	21	16	8	151	33
26	Diseases of the ear, nose, and throat—89,104,115	66	3.5	51	15	21	7	6	1	24	7
27	Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	150	8.0	122	28	35	9	21	4	66	15
28	Diseases of coronary arteries and angina pectoris—94	301	16.1	227	74	93	27	24	7	110	40
29	Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,894	101.3	1,398	496	344	159	170	76	884	261
30	Pneumonia (all forms)—107-109	3,229	172.7	2,436	793	553	245	195	83	1,688	465
31	Ulcer of the stomach or duodenum—117	84	4.5	64	20	31	8	4	2	29	10
32	Diarrhea, enteritis, etc.* —119,120	7,572	405.1	5,920	1,652	1,199	387	526	207	4,195	1,058
33	Appendicitis—121	65	3.5	46	19	18	7	8	2	20	10
34	Hernia and intestinal obstruction—122	130	7.0	88	42	33	17	4	8	51	17
35	Cirrhosis of the liver—124	215	11.5	157	58	51	15	19	13	87	30
36	Biliary calculi, etc.* —126,127	38	2.0	27	11	10	4	2	-	15	7
37	Nephritis—130-132	2,067	110.6	1,461	606	295	170	110	45	1,056	391
38	Diseases of the prostate—137	15	0.8	10	5	5	1	1	1	4	3
39	Puerperal septicemia—140,142a,147	121	6.5	89	32	33	9	7	2	49	21
40	Puerperal toxemias—141a,c,144,148	72	3.9	45	27	8	9	3	2	34	16
41	Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	141	7.5	105	36	27	8	8	6	70	22
42	Congenital malformations—157	126	6.7	109	17	26	6	12	1	71	10
43	Premature birth—159	310	16.6	241	69	53	14	38	19	150	36
44	Suicide—163,164	475	25.4	343	132	85	42	45	17	213	73
45	Homicide—165-168	256	13.7	171	85	51	35	19	14	101	36
46	Motor-vehicle accidents—170	240	12.8	172	68	56	26	16	1	100	41
47	Other accidents—169,171-195	412	22.0	283	129	75	43	29	12	179	74
48	All other causes*	5,574	298.2	4,293	1,281	826	324	400	131	3,067	826

*Refer to complete International List titles, table XI.
[1] Number per 100,000 enumerated population.

PUERTO RICO AND EACH CITY HAVING A POPULATION OF 10,000 OR MORE, 1940

those of the 1938 revision of the detailed International List)

CITIES OF 10,000 OR MORE																		
Aguadilla		Arecibo		Bayamon		Caguas		Guayama		Mayaguez		Ponce		Rio Piedras		San Juan		
White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	
173	51	360	121	424	109	398	182	253	122	907	184	1,213	339	658	370	1,974	1,048	1
-	1	-	-	1	-	2	-	-	-	2	2	7	-	-	-	8	11	2
-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	4	1	2	-	3	1	1	-	7	1	2	-	-	-	9	1	5
-	-	2	-	-	-	-	-	2	-	-	-	2	2	-	-	3	-	6
39	13	59	13	52	13	64	40	51	31	163	48	254	62	262	122	255	140	7
1	1	3	2	8	2	1	1	-	-	11	-	1	-	5	2	27	11	8
-	-	1	-	2	2	6	1	1	-	1	-	-	-	3	4	17	5	9
15	2	7	2	19	4	13	9	26	19	23	8	117	32	8	6	41	19	10
1	-	2	1	6	3	3	3	2	5	5	2	23	10	25	9	39	48	11
4	-	17	8	10	2	11	9	5	2	36	5	23	4	15	8	38	10	12
-	-	2	2	2	-	-	-	1	-	4	1	-	-	-	2	7	1	13
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	-	8	4	9	5	2	1	2	1	15	2	33	9	13	6	57	15	15
2	1	4	-	7	-	6	-	1	1	12	1	11	3	5	2	18	8	16
-	-	-	-	-	1	1	-	-	1	1	2	5	-	2	-	5	1	17
-	1	2	3	2	-	6	-	-	-	9	5	13	6	1	-	30	9	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	19
3	-	1	-	3	1	1	-	-	2	5	-	4	3	3	-	9	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	21
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	22
-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	11	4	23
2	-	5	1	10	2	7	3	3	-	21	5	22	9	5	3	53	34	24
1	1	6	1	6	-	3	-	-	-	16	3	5	2	7	3	26	11	25
-	-	1	-	2	1	1	-	-	-	5	1	3	-	1	-	8	5	26
-	-	2	-	1	1	2	1	1	-	3	-	3	-	5	1	18	6	27
5	-	2	1	2	2	8	2	3	2	13	2	12	8	5	2	43	8	28
4	-	20	10	13	8	19	7	6	2	58	8	82	37	25	8	117	79	29
6	1	35	8	44	13	12	5	28	17	74	8	80	23	26	27	248	143	30
-	-	-	-	2	1	1	-	-	-	2	-	4	-	4	1	18	6	31
37	9	75	22	82	11	120	46	26	7	193	20	213	43	127	86	326	143	32
-	-	-	1	3	1	-	-	1	-	3	1	2	-	2	1	7	3	33
3	-	1	-	2	3	1	1	-	-	7	1	7	2	3	2	9	8	34
3	1	5	1	4	-	5	-	1	-	7	2	12	1	3	1	11	9	35
-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	1	6	1	36
8	4	14	10	19	6	21	9	21	13	53	18	48	19	14	10	97	81	37
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	3	1	38
3	-	2	-	5	2	-	-	-	-	4	1	5	2	1	1	13	3	39
-	-	-	-	1	1	1	2	-	-	1	-	3	1	1	1	1	4	40
-	-	1	-	2	-	1	4	2	-	3	1	8	1	2	-	8	2	41
-	1	-	-	3	-	1	1	-	-	3	-	4	-	-	-	15	4	42
-	2	1	1	18	3	4	1	-	-	6	-	10	1	-	3	14	3	43
2	-	7	5	2	-	8	5	3	2	4	2	18	7	7	9	34	14	44
1	1	5	-	4	3	7	1	1	-	7	1	8	7	2	3	16	19	45
2	1	4	1	10	4	3	-	2	-	2	5	12	2	6	1	15	12	46
3	1	1	3	5	4	3	2	3	-	7	1	18	4	4	6	31	22	47
23	10	61	20	57	9	50	27	59	17	119	27	137	38	61	36	259	140	48

TABLE 5.—DEATHS FROM SELECTED CAUSES,

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the

	CAUSE OF DEATH	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14
1	All causes (white)	25,790	6,491	2,339	1,487	833	572	11,722	1,108	479
2	Typhoid and paratyphoid fever—1,2	37	-	-	2	-	-	2	4	1
3	Cerebrospinal (meningococcus) meningitis—6	11	3	3	-	2	-	8	2	-
4	Scarlet fever—8	1	-	1	-	-	-	1	-	-
5	Whooping cough—9	186	103	42	20	10	4	179	7	-
6	Diphtheria—10	45	8	16	11	4	3	42	2	1
7	Tuberculosis of respiratory system, etc.*—13	3,361	14	17	13	7	15	66	36	66
8	Tuberculosis (other forms)—14-22	117	11	11	7	4	3	36	14	9
9	Dysentery—27	73	23	6	3	4	2	38	4	-
10	Malaria—28	1,254	247	137	106	58	59	607	115	60
11	Syphilis—30	359	159	6	5	2	1	173	4	8
12	Influenza—33	936	264	114	83	39	31	531	42	21
13	Measles—35	65	18	13	5	6	9	51	10	4
14	Poliomyelitis and polioencephalitis (acute)—36	3	-	-	-	-	-	-	1	-
15	Cancer of the digestive organs and peritoneum—46	369	-	-	-	-	-	-	1	1
16	Cancer of female genital organs—48,49	182	-	-	-	-	-	-	1	-
17	Cancer of the breast—50	33	-	-	-	-	-	-	-	-
18	Cancer (other forms)—45,47,51-55	155	1	2	-	-	-	3	3	-
19	Acute rheumatic fever—58	13	1	-	-	-	1	2	3	5
20	Diabetes mellitus—61	63	-	-	-	-	-	-	1	1
21	Exophthalmic goiter—63b	1	-	-	-	-	-	-	-	-
22	Pellagra (except alcoholic)—69	32	1	5	7	7	2	22	4	2
23	Alcoholism (ethylism)—77	25	-	-	-	-	-	-	-	-
24	Intracranial lesions of vascular origin—83	354	3	2	2	-	-	7	1	-
25	Other diseases of the nervous system, etc.*—80-82,84-88	237	57	26	8	13	4	108	18	6
26	Diseases of the ear, nose, and throat—89,104,115	51	9	4	5	2	2	22	5	5
27	Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	122	-	-	-	1	-	1	1	4
28	Diseases of coronary arteries and angina pectoris—94	227	-	1	-	-	-	1	-	-
29	Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,398	3	3	4	1	2	13	8	13
30	Pneumonia (all forms)—107-109	2,436	830	361	213	107	80	1,591	126	43
31	Ulcer of the stomach or duodenum—117	64	-	-	-	-	1	1	-	-
32	Diarrhea, enteritis, etc.*—119,120	5,920	2,476	1,245	748	405	210	5,084	336	50
33	Appendicitis—121	46	-	-	2	-	1	3	7	6
34	Hernia and intestinal obstruction—122	88	25	-	1	5	2	33	3	-
35	Cirrhosis of the liver—124	157	-	-	1	1	-	2	3	3
36	Biliary calculi, etc.*—126,127	27	-	-	-	-	-	-	-	-
37	Nephritis—130-132	1,461	44	54	75	58	51	282	127	47
38	Diseases of the prostate—137	10	-	-	-	-	-	-	-	-
39	Puerperal septicemia—140,142a,147	89	-	-	-	-	-	-	-	1
40	Puerperal toxemias—141a,c,144,148	45	-	-	-	-	-	-	-	-
41	Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	105	-	-	-	-	-	-	-	-
42	Congenital malformations—157	109	98	3	2	2	-	105	2	1
43	Premature birth—159	241	241	...	...	...	...	241	...	...
44	Suicide—163,164	343	-	-	-	-	-	-	-	4
45	Homicide—165-168	171	-	-	-	-	-	-	1	1
46	Motor-vehicle accidents—170	172	-	-	-	2	3	5	13	10
47	Other accidents—169,171-195	283	24	21	11	12	6	74	21	21
48	All other causes*	4,293	1,828	246	153	81	80	2,388	182	85
49	All causes (all other races)	8,678	1,730	649	427	283	169	3,258	336	163
50	Typhoid and paratyphoid fever—1,2	23	-	-	-	-	-	-	-	2
51	Cerebrospinal (meningococcus) meningitis—6	3	2	1	-	-	-	3	-	-
52	Whooping cough—9	35	18	9	1	5	1	34	-	-
53	Diphtheria—10	12	3	1	-	3	3	10	1	-
54	Tuberculosis of respiratory system, etc.*—13	1,343	3	2	6	4	1	16	11	22
55	Tuberculosis (other forms)—14-22	51	4	4	3	-	-	11	7	4
56	Dysentery—27	25	2	3	2	3	-	10	2	-
57	Malaria—28	532	79	54	41	39	23	236	58	24
58	Syphilis—30	172	59	3	3	2	2	69	1	1
59	Influenza—33	273	54	44	18	9	6	131	12	13
60	Measles—35	17	3	2	3	1	1	10	6	-
61	Cancer of the digestive organs and peritoneum—46	107	-	-	-	-	-	-	-	-
62	Cancer of female genital organs—48,49	50	-	-	-	-	-	-	-	-
63	Cancer of the breast—50	11	-	-	-	-	-	-	-	-
64	Cancer (other forms)—45,47,51-55	53	-	-	-	-	-	-	-	-
65	Acute rheumatic fevar—58	4	-	-	1	-	-	1	-	-
66	Diabetes mellitus—61	20	-	-	-	-	1	1	-	-
67	Exophthalmic goiter—63b	2	-	-	-	-	-	-	-	-
68	Pellagra (except alcoholic)—69	14	-	3	1	2	2	8	3	-
69	Alcoholism (ethylism)—77	12	-	-	-	-	-	-	-	-
70	Intracranial lesions of vascular origin—83	162	-	-	-	-	-	-	1	-
71	Other diseases of tbe nervous system, etc.*—80-82,84-88	62	7	4	3	4	2	20	4	3
72	Diseases of the ear, nose, and throat—89,104,115	15	3	-	-	-	-	3	3	-
73	Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	28	-	-	-	-	-	-	1	1
74	Diseases of coronary arteries and angina pectoris—94	74	-	-	-	-	-	-	-	-
75	Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	496	2	-	-	-	1	3	4	2
76	Pneumonia (all forms)—107-109	793	232	90	55	42	22	441	45	16
77	Ulcer of the stomach or duodenum—117	20	-	-	-	-	-	-	-	-
78	Diarrhea, enteritis, etc.*—119,120	1,652	656	365	207	120	68	1,416	79	15
79	Appendicitis—121	19	-	-	1	-	1	2	2	-
80	Hernia and intestinal obstruction—122	42	7	-	3	-	-	10	3	1
81	Cirrhosis of the liver—124	58	-	-	-	-	-	-	-	-
82	Biliary calculi, etc.*—126,127	11	-	-	-	-	-	-	-	-
83	Nephritis—130-132	606	9	19	29	18	11	86	31	17
84	Diseases of the prostate—137	5	-	-	-	-	-	-	-	-
85	Puerperal septicemia—140,142a,147	32	-	-	-	-	-	-	-	-
86	Puerperal toxemias—141a,c,144,148	27	-	-	-	-	-	-	-	-
87	Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	36	-	-	-	-	-	-	-	-
88	Congenital malformations—157	17	15	1	-	-	-	16	-	1
89	Premature birth—159	69	69	...	...	...	...	69	...	...
90	Suicide—163,164	132	-	-	-	-	-	-	-	2
91	Homicide—165-168	85	1	-	-	-	-	1	-	2
92	Motor-vehicle accidents—170	68	-	-	-	-	-	-	8	6
93	Other accidents—169,171-195	129	3	7	4	2	2	18	5	8
94	All other causes*	1,281	499	37	46	29	22	633	49	23

* Refer to complete International List titles, table XI.

BY AGE AND RACE: PUERTO RICO, 1940

detailed International List. Causes of the selected list for which there were no deaths are not shown)

15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
696	1,266	1,083	804	875	771	753	800	627	852	895	882	570	671	394	295	131	113	3	1
3	4	5	1	5	6	1	1	1	3	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
300	602	555	383	346	263	207	166	103	107	98	32	21	16	7	3	3	1	-	7
7	7	6	7	4	3	7	7	-	3	4	1	1	1	-	-	-	-	-	8
2	-	1	4	3	2	-	3	5	5	2	1	-	1	-	2	-	-	-	9
44	48	35	32	31	36	40	38	28	33	27	26	20	7	14	10	-	3	-	10
1	10	10	13	15	18	22	24	5	14	10	12	7	6	5	2	-	-	-	11
15	17	17	18	22	16	18	27	15	20	31	29	18	42	19	8	5	5	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	4	5	5	12	21	35	37	42	51	57	38	28	19	8	5	-	-	-	15
-	5	8	9	14	17	22	30	16	14	18	12	5	5	4	1	1	-	-	16
-	-	1	1	3	2	5	5	6	5	1	3	-	1	-	-	-	-	-	17
1	2	1	7	6	5	11	22	21	16	24	15	7	4	4	3	-	-	-	18
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	19
2	4	-	2	1	4	4	4	4	4	17	6	4	3	2	-	-	-	-	20
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21
1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
-	-	5	2	3	5	2	3	-	1	3	-	1	-	-	-	-	-	-	23
1	2	1	10	16	21	16	25	26	44	39	44	33	28	25	8	3	4	-	24
14	16	17	10	5	7	4	4	4	5	2	8	2	4	1	1	-	1	-	25
3	4	-	1	2	1	2	2	-	3	-	-	1	-	-	-	-	-	-	26
10	4	5	1	5	6	6	8	8	14	11	16	12	5	1	3	1	-	-	27
1	4	8	4	10	20	23	21	23	22	29	22	9	19	6	4	1	-	-	28
13	19	22	10	30	46	48	91	78	147	151	200	117	159	85	81	44	23	-	29
32	43	41	31	49	34	36	38	36	62	47	51	40	59	29	24	15	8	1	30
1	6	1	1	7	5	8	6	6	9	1	6	2	1	2	1	-	-	-	31
20	32	23	19	31	32	31	24	17	42	42	38	27	28	16	13	8	7	-	32
7	1	2	3	3	3	4	2	-	2	1	1	1	-	-	-	-	-	-	33
2	5	5	6	4	4	6	4	4	3	1	4	-	2	1	1	-	-	-	34
6	8	7	5	11	15	21	20	14	11	11	8	4	3	4	1	-	-	-	35
1	2	5	-	1	1	-	6	2	2	3	2	-	1	1	-	-	-	-	36
25	45	33	29	43	39	52	73	73	76	110	116	84	91	53	40	11	12	-	37
-	-	-	-	-	-	-	-	1	1	3	2	-	2	-	1	-	-	-	38
10	35	13	11	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-	39
10	11	8	5	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	40
6	24	19	24	24	8	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	43
44	81	52	37	32	18	19	9	11	10	10	7	2	3	2	2	-	-	-	44
14	46	38	16	17	11	9	6	5	3	2	-	1	-	1	-	-	-	-	45
20	28	18	17	11	14	12	7	4	5	-	4	3	1	-	-	-	-	-	46
20	36	15	15	12	18	6	12	3	3	6	8	4	4	3	-	2	-	-	47
56	111	100	64	79	60	74	71	66	112	134	170	116	156	101	81	37	48	2	48
297	537	468	372	366	351	314	302	238	294	311	256	182	222	159	118	76	57	1	49
6	6	4	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	53
126	255	215	152	144	118	83	62	32	33	39	20	6	8	1	-	-	-	-	54
3	5	4	5	1	2	-	3	1	3	1	1	-	-	-	-	-	-	-	55
-	-	3	-	-	1	2	2	1	-	-	-	2	-	1	1	-	-	-	56
15	28	17	15	12	23	9	17	14	10	21	11	3	7	9	2	-	1	-	57
1	6	15	7	14	13	8	12	8	7	4	5	-	-	1	-	-	-	-	58
3	9	7	7	11	8	7	8	7	7	9	10	5	8	4	3	1	3	-	59
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1	1	1	4	4	7	12	13	15	11	15	5	6	7	2	1	2	-	-	61
-	-	-	2	6	10	6	7	2	5	3	3	3	-	1	-	2	-	-	62
-	-	2	1	1	-	-	1	2	1	2	-	1	-	-	-	-	-	-	63
1	-	1	1	2	2	5	7	7	4	5	5	4	5	4	-	-	-	-	64
-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	65
-	1	-	3	-	1	2	1	2	3	2	-	-	2	2	-	-	-	-	66
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	68
-	1	2	-	4	1	1	-	1	-	-	1	1	-	-	-	-	-	-	69
1	2	1	2	5	5	11	16	12	16	21	20	12	18	7	3	4	5	-	70
2	6	8	3	1	2	4	1	3	1	-	1	-	2	-	-	1	-	-	71
3	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	72
-	3	-	-	3	2	2	1	2	1	2	-	3	6	-	1	-	-	-	73
1	1	2	3	3	8	10	5	5	9	11	8	1	4	1	1	1	-	-	74
5	15	7	14	21	15	26	26	30	45	48	53	38	49	29	30	21	15	-	75
19	23	19	20	21	26	21	21	14	21	18	12	14	12	11	12	6	1	-	76
1	-	2	1	2	1	1	6	1	1	1	1	1	1	-	-	-	-	-	77
8	14	7	10	9	6	6	13	9	11	12	8	5	8	8	5	1	2	-	78
2	5	2	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	79
2	2	2	3	-	3	2	2	3	1	2	-	3	1	-	1	1	-	-	80
1	4	8	2	3	7	5	4	10	6	4	1	-	1	-	1	1	-	-	81
-	1	-	2	2	-	1	-	3	-	1	-	-	-	1	-	-	-	-	82
15	13	20	15	18	29	32	31	27	58	50	42	32	30	27	15	10	8	-	83
-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	84
2	13	6	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	85
9	8	4	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
4	6	8	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	89
10	35	22	21	10	10	6	4	5	3	2	-	-	1	-	-	-	-	1	90
9	18	21	12	11	1	2	2	1	2	2	-	1	-	-	-	-	-	-	91
7	7	12	8	4	4	2	2	-	2	-	3	-	-	1	2	-	-	-	92
19	10	11	8	15	10	10	5	4	-	3	-	2	1	-	-	-	-	-	93
21	34	33	32	20	30	32	29	17	32	31	44	37	50	47	40	25	22	-	94

TABLE 6.—DEATHS FROM EACH CAUSE, BY RACE AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	In cities of— 10,000 or more: White	10,000 or more: All other races	2,500 to 10,000: White	2,500 to 10,000: All other races	Rural: White	Rural: All other races
	All causes	34,468	6,360	2,526	2,481	1,013	16,949	5,139
	I.—Infectious and parasitic diseases	9,768	2,023	824	692	312	4,378	1,539
1	Typhoid fever	60	20	14	-	2	17	7
6	Cerebrospinal (meningococcus) meningitis	14	5	3	2	-	4	-
8	Scarlet fever	1	-	-	-	-	1	-
9	Whooping cough	221	28	4	18	2	140	29
10	Diphtheria (infection by C. diphtheriae)	57	9	2	7	4	29	6
11	Erysipelas	17	-	-	3	-	11	3
12	Tetanus	116	38	19	4	3	33	19
13-22	Tuberculosis (all forms)	4,892	1,256	501	338	175	1,904	718
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	4,724	1,199	482	329	167	1,853	694
14	Tuberculosis of meninges and central nervous system	50	25	3	4	4	12	2
15	Tuberculosis of intestines and peritoneum	71	20	7	2	1	28	13
16	Tuberculosis of vertebral column	7	4	-	-	1	1	1
17a	Tuberculosis of bones (except vertebral column)	2	-	-	-	-	1	1
17b	Tuberculosis of joints (except vertebral column)	3	-	-	1	-	1	1
19	Tuberculosis of lymphatic system, etc.*	13	-	4	1	1	3	4
20	Tuberculosis of genito-urinary system	3	1	-	-	-	2	-
22a	Disseminated tuberculosis (acute miliary)	18	6	5	1	1	3	2
22b	Disseminated tuberculosis (other and unspecified)	1	1	-	-	-	-	-
23	Leprosy	9	-	-	1	-	4	4
24	Septicemia and purulent infection (nonpuerperal)	125	32	10	8	5	56	14
25	Gonococcus infection	8	1	-	-	-	6	1
27	Dysentery	98	31	12	6	1	36	12
28	Malaria	1,786	269	101	115	62	870	369
30	Syphilis (all forms)	531	106	81	62	17	191	74
30a	Locomotor ataxia (tabes dorsalis)	8	3	-	2	-	3	-
30b	General paralysis of insane	10	3	3	-	-	3	1
30c	Other syphilis of central nervous system	62	23	15	8	-	14	2
30d	Aneurysm of aorta	46	13	9	8	2	7	7
30e	Other syphilis of circulatory system	32	5	3	3	-	13	8
30f,g	Congenital, other and unspecified forms of syphilis	373	59	51	41	15	151	56
32	Other diseases due to spirochetes	2	2	-	-	-	-	-
33a	Influenza, with respiratory complications specified	876	122	36	54	21	507	136
33b	Influenza, without respiratory complications specified	333	37	12	22	8	194	60
35	Measles	82	16	6	11	4	38	7
36	Acute poliomyelitis and acute polioencephalitis	3	1	-	-	-	2	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	1	-	-	1	-	-	-
38	Other diseases due to filtrable viruses	3	-	-	-	-	3	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-	-	-	-	-
40	Ankylostomiasis	318	8	3	19	3	236	49
42	Other diseases caused by helminths	96	18	11	10	-	48	9
43	Mycoses	111	22	8	11	5	45	20
44	Other infectious and parasitic (communicable) diseases	7	1	1	-	-	3	2
	II.—Cancer and other tumors	992	299	93	94	28	370	108
45-55	Cancer and other malignant tumors	960	286	88	91	27	362	106
45	Cancer of buccal cavity and pharynx	42	11	5	1	-	18	7
	II.—Cancer and other tumors—Contd. Cancer and other malignant tumors—Contd. Cancer of buccal cavity and pharynx—Continued							
45a-e	Cancer of buccal cavity	23	7	1	-	-	11	4
45f	Cancer of pharynx	19	4	4	1	-	7	3
46	Cancer of digestive organs and peritoneum	476	143	43	39	12	187	52
46a	Cancer of esophagus	31	10	1	1	2	12	5
46b,c	Cancer of stomach and duodenum	303	84	31	21	7	125	35
46f	Cancer of liver and biliary passages	49	17	3	7	-	17	5
46g	Cancer of pancreas	17	6	-	2	-	8	1
46d,e, h,m	Cancer of other digestive organs and peritoneum	76	26	8	8	3	25	6
47	Cancer of respiratory system	46	16	8	4	2	13	3
48	Cancer of uterus	225	63	14	24	7	90	27
49	Cancer of other female genital organs	7	3	2	-	-	2	-
50	Cancer of breast	44	14	5	4	2	15	4
51	Cancer of male genital organs	38	8	3	6	2	13	6
52	Cancer of urinary organs (male and female)	38	15	4	8	-	9	2
53	Cancer of skin (except vulva and scrotum)	9	-	-	3	-	3	3
54	Cancer of central nervous system*	3	1	-	-	-	2	-
55	Cancer of other and unspecified organs	32	12	4	2	2	10	2
56a	Nonmalignant tumors of ovary	4	1	-	-	-	1	2
56b	Nonmalignant tumors of uterus	2	1	1	-	-	-	-
56d,e	Nonmalignant tumors of other and unspecified organs	6	3	-	1	-	2	-
57b	Tumors of uterus (nature unspecified)	3	1	-	1	-	1	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	17	7	4	1	1	4	-
	III.—Rheumatism, diseases of nutrition, etc.*	239	50	16	30	8	99	36
58a-d	Acute rheumatic heart diseases	13	2	-	4	-	5	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	4	-	-	-	1	2	1
59	Chronic rheumatism and other rheumatic diseases	8	1	2	1	-	4	-
61	Diabetes mellitus	85	29	8	13	4	21	8
62	Diseases of pituitary gland	1	-	-	-	-	-	1
63b	Exophthalmic goiter	3	-	1	-	-	1	1
64	Diseases of thymus gland	6	2	1	-	-	3	-
66	Other general diseases	15	2	-	2	-	7	4
67	Scurvy	1	1	-	-	-	-	-
68	Beriberi	4	-	-	-	-	2	2
69	Pellagra (except alcoholic)	46	3	1	5	2	24	11
70	Rickets	31	5	2	3	-	18	3
71	Other avitaminoses	24	5	1	2	1	12	3
	IV.—Diseases of the blood and blood-forming organs	411	87	14	41	12	214	43
72	Hemorrhagic conditions	20	4	-	1	1	14	-
73a	Pernicious anemia	278	59	8	28	7	148	28
73b-d	Other anemias (except splenic)	89	15	2	9	3	45	15
74a	Leukemias	13	6	2	1	-	4	-
74b	Aleukemias	1	1	-	-	-	-	-
75	Diseases of spleen	9	1	2	2	1	3	-
76	Other diseases of the blood and blood-forming organs	1	1	-	-	-	-	-
	V.—Chronic poisoning and intoxication	38	15	6	4	2	7	4
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	36	13	6	4	2	7	4
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	-	-

*Refer to complete International List titles, table XI.

TABLE 6.—DEATHS FROM EACH CAUSE, BY RACE AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	In cities of— 10,000 or more: White	10,000 or more: All other races	2,500 to 10,000: White	2,500 to 10,000: All other races	Rural: White	Rural: All other races
	VI.—Diseases of the nervous system, etc.*	852	212	80	66	27	345	122
80	Encephalitis (nonepidemic)	15	4	1	-	1	6	3
81	Meningitis (not due to meningococcus)	129	37	10	6	1	67	8
82	Diseases of spinal cord (see exceptions)*	14	2	-	1	-	11	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	403	103	48	37	12	142	61
83b	Cerebral embolism and thrombosis	22	7	5	2	2	3	3
83c	Cerebral softening	8	1	-	1	3	2	1
83d	Hemiplegia and other paralysis of unspecified origin	83	17	4	6	2	33	21
84	Mental diseases and deficiency (see exception)*	35	6	2	2	3	17	5
85	Epilepsy	83	17	6	6	3	38	13
86	Convulsions (under 5 years)	10	-	2	1	-	5	2
87	Other diseases of nervous system	12	3	-	-	-	7	2
88	Diseases of organs of vision	1	1	-	-	-	-	-
89a	Otitis and other diseases of the ear	12	2	1	3	-	5	1
89b	Diseases of mastoid process	25	12	1	1	-	9	2
	VII.—Diseases of the circulatory system	2,956	576	244	254	99	1,356	427
90	Pericarditis (except acute rheumatic)	6	3	1	-	-	2	-
91a,b	Bacterial and other acute or subacute endocarditis	22	4	1	1	1	12	3
91c	Endocarditis (unspecified, under 45 years)	14	2	3	2	-	6	1
92a-d	Chronic endocarditis and diseases of the valves*	339	78	32	34	10	143	42
92e	Endocarditis (unspecified, 45 years and over)	28	9	1	1	3	14	-
93a	Acute myocarditis (except rheumatic)	27	1	1	7	2	14	2
93b	Myocarditis (unspecified, under 45 years)	31	3	3	3	1	12	9
93c,d	Chronic myocarditis and myocardial degeneration	924	137	48	98	43	445	153
93e	Other myocarditis (unspecified)	307	40	22	19	8	193	25
94a	Diseases of coronary arteries	200	80	14	11	3	68	24
94b	Angina pectoris	101	13	13	13	4	42	16
95a	Functional diseases of heart, etc.*	47	15	7	4	2	15	4
95b,c	Other and unspecified diseases of heart	299	87	49	22	10	94	37
96	Aneurysm (except of heart and aorta)	5	2	-	1	-	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)	527	83	40	33	12	260	99
98	Gangrene	35	7	5	4	-	14	5
99	Other diseases of arteries	23	6	3	1	-	9	4
100	Diseases of veins	5	1	-	-	-	4	-
101	Diseases of lymphatic system	8	1	1	-	-	5	1
102	High blood pressure (idiopathic)	8	4	-	-	-	3	1
	VIII.—Diseases of the respiratory system	3,985	677	304	247	101	2,089	567
104b	Diseases of accessory sinuses	7	3	2	-	-	1	1
105	Diseases of larynx	12	3	2	1	-	4	2
106a	Acute bronchitis	318	37	16	11	5	190	59
106b	Chronic bronchitis	37	6	1	3	1	19	7
106c	Bronchitis (unspecified)	236	42	21	17	5	132	19
107	Bronchopneumonia (including capillary bronchitis)	2,285	379	161	143	54	1,229	319
108	Lobar pneumonia	676	117	45	39	26	334	115
109	Pneumonia (unspecified)	268	57	39	13	3	125	31
110	Pleurisy (not specified as tuberculous)	37	15	4	3	2	13	-
111a	Hemorrhagic infarction and thrombosis of lungs	8	1	2	1	-	3	1
111b, c	Acute edema, chronic and unspecified congestion of lungs	34	12	3	3	1	10	5
112	Asthma	47	2	7	8	3	21	6
	VIII.—Diseases of the respiratory system—Contd.							
113	Pulmonary emphysema	5	-	-	2	-	2	1
114	Other diseases of respiratory system (except tuberculosis)	15	3	1	3	1	6	1
	IX.—Diseases of the digestive system	8,325	1,388	461	578	240	4,498	1,160
115a, b,d	Diseases of buccal cavity and adnexa	14	2	2	1	-	7	2
115c	Diseases of pharynx and tonsils	8	2	1	1	1	2	1
116	Diseases of esophagus	3	-	-	1	-	2	-
117a	Ulcer of stomach	76	26	8	3	1	28	10
117b	Ulcer of duodenum	8	5	-	1	1	1	-
118	Other diseases of stomach (except cancer)	82	12	5	7	5	37	16
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	4,742	870	291	356	125	2,495	605
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	2,830	329	96	170	82	1,700	453
121	Appendicitis	65	18	7	8	2	20	10
122a	Hernia	14	2	4	-	2	5	1
122b	Intestinal obstruction	116	31	13	4	6	46	16
123	Other diseases of intestines	50	13	2	2	1	30	2
124a	Cirrhosis of liver (with mention of alcoholism)	28	8	7	2	2	5	4
124b	Cirrhosis of liver (without mention of alcoholism)	187	43	8	17	11	82	26
125a	Acute yellow atrophy of liver (nonpuerperal)	9	2	1	1	-	4	1
125b	Other diseases of liver	31	10	6	2	1	10	2
126	Biliary calculi	7	2	1	1	-	1	2
127	Other diseases of gallbladder and biliary ducts	31	8	3	1	-	14	5
128	Diseases of pancreas (except diabetes mellitus)	5	1	-	-	-	4	-
129	Peritonitis (cause not stated)	19	4	6	-	-	5	4
	X.—Diseases of the genito-urinary system	2,209	335	179	121	51	1,108	415
130	Acute nephritis	521	73	36	25	6	278	103
131a	Arteriosclerotic kidney	304	48	32	16	8	139	61
131b	Other chronic nephritis	1,069	129	77	65	28	571	199
132	Nephritis unspecified (10 years and over)	173	45	25	4	3	68	28
133	Other diseases of kidneys and ureters, etc.*	83	17	3	6	5	36	16
134	Calculi of urinary passages	2	1	-	-	-	1	-
135	Diseases of urinary bladder	9	3	1	-	-	3	2
136	Diseases of urethra (except calculus)	7	4	1	2	-	-	-
137	Diseases of prostate	15	5	1	1	1	4	3
138	Diseases of other male genital organs (except venereal)	1	-	-	-	-	1	-
139a	Diseases of ovaries, fallopian tubes, and parametria	16	6	3	1	-	5	1
139b	Diseases of uterus	9	4	-	1	-	2	2
	XI.—Diseases of pregnancy, childbirth, and the puerperium	334	68	26	18	10	153	59
140	Abortion with mention of infection	14	9	2	-	-	2	1
140a, b	Abortion (septic), spontaneous or therapeutic*	14	9	2	-	-	2	1
141	Abortion without mention of infection	7	2	-	-	-	4	1
141b, d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	7	2	-	-	-	4	1
142b	Ectopic gestation, without mention of infection	5	2	1	-	-	1	1
143a	Placenta praevia (death before delivery)	1	-	-	-	-	1	-
143b,	Other hemorrhages of pregnancy (death before delivery)	1	-	1	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 6.—DEATHS FROM EACH CAUSE, BY RACE AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	In cities of— 10,000 or more		2,500 to 10,000		Rural	
			White	All other races	White	All other races	White	All other races
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Con.							
144a, b	Eclampsia and nephritis of pregnancy (death before delivery)*	19	3	3	2	-	6	5
144c, d	Other toxemias of pregnancy (death before delivery)*	4	2	-	-	-	2	-
145	Other diseases and accidents of pregnancy (death before delivery)	5	2	-	-	-	1	-
146a	Placenta praevia (with childbirth)	24	5	1	1	-	14	3
146b, c	Other hemorrhages of childbirth and puerperium	71	8	3	6	5	37	12
147a, b	Puerperal pyelitis, other general or local puerperal infection*	98	22	7	7	2	43	17
147c, d	Puerperal thrombophlebitis and embolism and sudden death	9	2	-	-	-	4	3
148a, b	Puerperal eclampsia and nephritis*	47	3	4	1	2	26	11
148c,d	Other puerperal toxemias	2	-	2	-	-	-	-
149	Other accidents and specified conditions of childbirth	13	3	1	-	-	8	1
150	Other and unspecified conditions of childbirth and puerperium	16	5	1	1	1	4	4
	XII.—Diseases of the skin and cellular tissue	59	11	5	4	2	27	10
151	Carbuncle and furuncle	25	5	1	2	2	10	5
152	Phlegmon and acute abscess	19	4	3	-	-	12	-
153	Other diseases of skin and cellular tissue	15	2	1	2	-	5	5
	XIII.—Diseases of the bones, etc.*	15	1	3	1	-	8	2
154	Osteomyelitis and periostitis	15	1	3	1	-	8	2
157	XIV.—Congenital malformations	126	26	6	12	1	71	10
	XV.—Diseases peculiar to the first year of life	1,907	286	98	162	61	1,022	278
158	Congenital debility (cause not stated)	1,228	152	61	98	34	680	203
159	Premature birth (cause not stated)	310	53	14	38	19	150	36
160a	Intracranial or spinal hemorrhage	38	14	3	1	-	15	5
160b,c	Other injuries at birth	78	12	2	8	1	45	10
161	Other diseases peculiar to the first year of life	253	55	18	17	7	132	24
162	XVI.—Senility	187	24	16	19	9	83	36
	XVII.—Violent or accidental deaths	1,383	267	146	109	44	593	224
163,164	Suicide	475	85	42	45	17	213	73
163	Suicide by poisoning	251	46	22	23	10	108	42
	Suicide by solid or liquid poisons	251	46	22	23	10	108	42
164a	Suicide by hanging or strangulation	118	14	7	6	2	66	23
164b	Suicide by drowning	8	2	1	1	-	2	2
164c	Suicide by firearms and explosives	77	16	10	13	4	29	5
	XVII.—Violent or accidental deaths—Continued							
	Suicide—Continued							
164d	Suicide by cutting or piercing instruments	12	2	-	1	-	8	1
164e	Suicide by jumping from high places	2	1	-	-	1	-	-
164g	Suicide by other or unspecified means	7	4	2	1	-	-	-
165-168	Homicide[1]	256	51	35	19	14	101	36
166	Homicide by firearms	101	24	15	7	2	38	15
167	Homicide by cutting or piercing instruments	121	21	14	8	9	49	20
168	Homicide by other means	34	6	6	4	3	14	1
169-195	Accidental deaths	652	131	69	45	13	279	115
169	Railway accidents (except collisions with motor vehicles)	9	2	1	-	-	3	3
170c	Automobile accidents (except collisions with trains or streetcars)	239	56	26	15	1	100	41
170d	Motorcycle accidents (except collisions with automobiles)	1	-	-	1	-	-	-
171b	Other and unspecified road-transport accidents	5	-	-	1	-	2	2
172	Water-transport accidents	6	-	2	-	-	4	-
173	Air-transport accidents	2	-	-	2	-	-	-
174	Accidents in mines and quarries	3	-	-	-	-	3	-
175a	Accidents involving agricultural machinery and vehicles	3	-	1	-	-	2	-
175b,c	Other agricultural accidents	2	1	-	-	-	1	-
176	Other accidents involving machinery	2	-	-	-	-	2	-
177	Food poisoning	16	2	1	-	-	10	3
178	Accidental absorption of poisonous gas	1	-	-	-	-	1	-
179	Acute accidental poisoning by solids or liquids	19	2	1	1	-	11	4
180	Conflagration	4	-	1	-	-	2	1
181	Accidental burns (except conflagration)	70	13	8	9	2	30	8
182	Accidental mechanical suffocation	2	2	-	-	-	-	-
183	Accidental drowning	107	7	8	5	4	56	27
184	Accidental injury by firearms	10	1	2	-	-	6	1
185	Accidental injury by cutting or piercing instruments	11	5	2	1	-	2	1
186a	Accidental injury by fall	71	28	3	6	4	23	7
186b	Accidental injury by crushing	3	-	-	-	-	3	-
188	Injury by animals (except in agriculture and forestry)	3	-	-	1	-	1	1
189	Hunger or thirst	1	-	-	-	-	-	1
192	Lightning	4	-	-	-	-	2	2
193	Accidents due to electric currents (except lightning)	11	2	3	1	1	2	2
195a,b	Accidents due to medical or surgical intervention	1	-	1	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	5	2	1	-	-	2	-
195c,e	Other and unspecified accidents	41	8	8	2	1	11	11
	XVIII.—Ill-defined and unknown causes	682	15	5	29	6	528	99
199	Sudden death	6	-	-	2	-	3	1
200a	Ill-defined	70	11	4	3	1	36	15
200c	Unknown or unspecified	606	4	1	24	5	489	83

*Refer to complete International List titles, table XI.

[1]Includes figures for infanticide (165).

TABLE 7.—DEATHS FROM SELECTED CAUSES, BY MONTH AND RACE: PUERTO RICO, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (white)	25,790	2,258	1,916	1,965	1,888	1,958	2,287	2,706	2,321	1,997	2,076	2,204	2,214
Typhoid and paratyphoid fever—1,2	57	5	5	5	5	1	5	1	1	3	3	1	2
Cerebrospinal (meningococcus) meningitis—6	11	-	1	1	2	1	-	1	2	1	1	-	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	186	15	17	21	19	20	18	21	10	7	9	9	20
Diphtheria—10	45	4	3	1	-	1	5	10	7	5	2	4	8
Tuberculosis of respiratory system, etc.*—13	3,381	294	272	283	282	286	300	308	303	256	266	261	270
Tuberculosis (other forms)—14-22	117	10	8	12	5	8	10	14	13	12	13	5	7
Dysentery—27	73	6	3	8	3	6	3	11	10	7	5	5	6
Malaria—28	1,254	124	79	96	79	91	117	92	93	120	116	120	127
Syphilis—30	359	37	40	36	26	15	21	26	35	17	34	37	35
Influenza—33	936	14	17	8	7	7	56	391	242	91	51	28	24
Measles—35	65	-	2	8	2	3	5	4	4	2	5	20	10
Poliomyelitis and polioencephalitis (acute)—36	3	-	1	-	-	-	1	-	-	-	-	-	1
Cancer of the digestive organs and peritoneum—46	369	26	43	26	23	28	45	25	32	30	26	39	26
Cancer of female genital organs—48,49	182	12	12	15	14	19	13	22	14	15	13	20	13
Cancer of the breast—50	33	6	1	2	-	2	2	3	4	4	4	1	4
Cancer (other forms)—45,47,51-55	155	10	14	16	12	8	9	18	13	11	18	10	16
Acute rheumatic fever—58	13	1	1	1	-	4	-	1	1	-	2	1	1
Diabetes mellitus—61	63	2	2	5	9	7	7	5	6	4	8	5	3
Exophthalmic goiter—63b	1	-	-	-	-	-	-	-	-	-	-	1	-
Pellagra (except alcoholic)—69	32	5	3	5	2	1	3	5	3	1	2	-	2
Alcoholism (ethylism)—77	25	6	3	1	1	2	1	2	1	3	1	2	2
Intracranial lesions of vascular origin—83	354	30	22	47	42	26	27	35	28	23	22	27	25
Other diseases of the nervous system, etc.*—80-82,84-88	237	27	9	27	14	20	23	11	24	23	20	24	15
Diseases of the ear, nose, and throat—89,104,115	51	1	1	4	3	6	4	7	6	7	1	8	3
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	122	5	10	17	15	13	8	9	7	6	11	10	11
Diseases of coronary arteries and angina pectoris—94	227	17	24	19	13	24	18	21	16	17	22	20	16
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,398	134	112	110	109	96	128	131	108	100	127	120	123
Pneumonia (all forms)—107-109	2,436	208	172	183	180	171	222	270	211	218	204	195	202
Ulcer of the stomach or duodenum—117	64	7	4	2	8	5	4	7	9	1	7	5	5
Diarrhea, enteritis, etc.*—119,120	5,920	545	430	401	428	498	612	587	478	454	482	516	489
Appendicitis—121	46	3	4	5	4	6	4	3	2	7	2	1	5
Hernia and intestinal obstruction—122	88	7	10	3	5	5	1	12	13	9	7	14	2
Cirrhosis of the liver—124	157	13	8	11	13	15	14	13	8	19	13	16	14
Biliary calculi, etc.*—126,127	27	2	3	1	2	3	4	-	3	2	3	3	1
Nephritis—130-132	1,461	162	128	131	109	109	102	106	123	132	125	107	127
Diseases of the prostate—137	10	2	-	-	-	-	-	-	1	1	4	2	-
Puerperal septicemia—140,142a,147	89	8	3	6	5	9	9	8	6	6	8	14	7
Puerperal toxemias—141a,c,144,148	45	2	4	5	3	5	4	7	1	1	2	5	6
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	105	9	9	4	7	9	9	10	10	9	8	12	9
Congenital malformations—157	109	6	7	7	8	11	5	7	11	5	15	16	11
Premature birth—159	241	23	31	17	21	25	23	16	22	12	19	19	13
Suicide—163,164	343	42	29	25	30	24	28	28	32	23	31	19	32
Homicide—165-168	171	7	10	17	16	11	10	17	13	16	15	17	22
Motor-vehicle accidents—170	172	14	8	13	24	8	16	16	17	8	17	21	10
Other accidents—169,171-195	283	27	15	20	32	28	20	21	28	24	22	24	22
All other causes*	4,293	380	336	340	306	321	371	404	350	285	310	420	470
All causes (all other races)	8,678	775	735	687	637	681	721	888	754	690	693	714	703
Typhoid and paratyphoid fever—1,2	23	4	-	3	4	3	2	3	1	-	2	-	1
Cerebrospinal (meningococcus) meningitis—6	3	-	1	-	-	-	-	-	-	1	-	-	1
Whooping cough—9	35	1	8	2	3	3	4	2	3	-	2	2	5
Diphtheria—10	12	1	-	-	2	1	-	-	3	2	1	1	1
Tuberculosis of respiratory system, etc.*—13	1,343	104	127	101	115	115	111	107	118	113	121	102	109
Tuberculosis (other forms)—14-22	51	4	4	5	6	6	3	4	-	3	4	6	6
Dysentery—27	25	4	-	6	2	-	2	2	1	3	2	2	1
Malaria—28	532	61	33	39	34	48	32	46	31	45	49	55	59
Syphilis—30	172	12	13	14	12	11	19	17	11	13	21	14	15
Influenza—33	273	6	6	7	5	3	12	116	58	27	23	5	5
Measles—35	17	1	-	1	1	-	-	2	-	-	4	5	3
Cancer of digestive organs and paritoneum—46	107	12	4	11	4	6	10	10	13	13	4	10	10
Cancer of female genital organs—48-49	50	1	7	2	6	5	4	6	3	3	2	5	6
Cancer of the breast—50	11	-	2	1	-	-	1	1	2	2	-	1	1
Cancer (other forms)—45,47,51-55	53	1	4	5	4	4	6	2	9	2	6	6	4
Acute rheumatic fever—58	4	1	-	-	-	-	-	-	-	1	1	-	1
Diabetes mellitus—61	20	-	1	2	1	3	1	1	2	4	1	3	1
Exophthalmic goiter—63b	2	-	-	-	1	-	-	-	-	-	-	-	1
Pellagra (except alcoholic)—69	14	2	4	1	1	1	1	1	-	-	1	1	1
Alcoholism (ethylism)—77	12	1	1	-	2	2	1	-	-	-	5	-	-
Intracranial lesions of vascular origin—83	162	17	18	16	14	11	14	21	7	9	9	16	10
Other diseases of the nervous system, etc.*—80-82,84-88	62	4	8	3	7	5	7	3	3	5	6	7	4
Diseases of the ear, nose, and throat—89,104,115	15	2	1	2	1	-	1	-	-	2	2	4	-
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	28	2	5	1	3	2	4	3	2	2	2	-	2
Diseases of coronary arteries and angina pectoris—94	74	5	7	-	8	5	9	6	5	10	8	5	6
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	496	48	40	58	32	37	40	38	42	40	35	43	43
Pneumonia (all forms)—107-109	793	68	70	60	52	55	61	95	85	67	59	58	63
Ulcer of the stomach or duodenum—117	20	2	2	2	4	-	1	4	2	-	-	3	-
Diarrhea, enteritis, etc.*—119,120	1,652	174	143	143	126	122	134	169	131	122	123	129	136
Appendicitis—121	19	-	-	-	2	1	3	3	1	1	3	3	2
Hernia and intestinal obstruction—122	42	5	3	1	2	6	8	2	2	4	2	5	2
Cirrhosis of the liver—124	58	5	5	4	5	4	8	6	4	6	6	2	3
Biliary calculi, etc.*—126,127	11	-	1	1	-	3	1	2	-	-	2	-	1
Nephritis—130-132	606	53	69	39	45	60	48	46	48	48	50	51	49
Diseases of the prostate—137	5	-	-	-	-	-	-	1	2	-	-	-	2
Puerperal septicemia—140,142a,147	32	2	1	2	4	5	1	5	4	1	3	1	3
Puerperal toxemias—141a,c,144,148	27	1	4	5	2	3	-	-	1	4	2	3	2
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	36	4	3	3	3	4	4	2	2	3	3	2	3
Congenital malformations—157	17	1	-	1	2	3	1	2	1	3	1	1	1
Premature birth—159	69	5	3	4	4	7	4	4	12	12	3	3	8
Suicide—163,164	132	18	14	7	9	6	17	14	11	9	8	10	9
Homicide—165-168	85	7	11	15	3	6	6	6	8	5	5	4	9
Motor-vehicle accidents—170	68	8	2	5	7	4	6	2	6	3	8	12	5
Other accidents—169,171-195	129	9	12	12	11	16	14	12	13	10	7	10	3
All other causes*	1,281	119	98	103	88	105	120	122	107	92	97	124	106

* Refer to complete International List titles, table XI.

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION BY RACE AND SEX: VIRGIN ISLANDS, 1940

AREA AND SEX	Total	White	Negro	Mixed and other
Virgin Islands	24,889	2,236	17,176	5,477
Male	11,912	1,216	8,123	2,573
Female	12,977	1,020	9,053	2,904
St. Croix	12,902	438	9,381	3,083
Male	6,257	234	4,508	1,515
Female	6,645	204	4,873	1,568
St. John	722	13	550	159
Male	365	8	289	68
Female	357	5	261	91
St. Thomas	11,265	1,785	7,245	2,235
Male	5,290	974	3,326	990
Female	5,975	811	3,919	1,245

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 2.—LIVE BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY RACE AND SEX: VIRGIN ISLANDS, 1940

AREA, RACE, AND SEX	Total births[1]	Total deaths[1]	Excess of births over deaths[2]	Births per 100 deaths	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 1,000 live births
Virgin Islands	756	553	203	137	103	136.2	35	46.3
Male	374	277	97	135	60	160.4	19	50.8
Female	382	276	106	138	43	112.6	16	41.9
White—Male	25	20	5	125	4	160.0	-	0
White—Female	29	20	9	145	2	69.0	1	34.5
Negro—Male	278	230	48	121	46	165.5	17	61.2
Negro—Female	273	221	52	124	32	117.2	11	40.3
Mixed—Male	71	25	46	284	10	140.8	2	28.2
Mixed—Female	80	35	45	229	9	112.5	4	50.0
Other—Male	-	2	-2	0	-	0	-	0
St. Croix	381	328	53	116	62	162.7	23	60.4
Male	197	161	36	122	34	172.6	12	60.9
Female	184	167	17	110	28	152.2	11	59.8
White—Male	4	6	-2	67	2	500.0	-	0
White—Female	2	4	-2	50	1	500.0	1	500.0
Negro—Male	132	135	-3	98	23	174.2	11	83.3
Negro—Female	121	142	-21	85	18	148.8	6	49.6
Mixed—Male	61	18	43	339	9	147.5	1	16.4
Mixed—Female	61	21	40	290	9	147.5	4	65.6
Other—Male	-	2	-2	0	-	0	-	0
St. John	19	13	6	146	6	315.8	1	52.6
Male	10	7	3	143	3	300.0	1	100.0
Female	9	6	3	150	3	333.3	-	0
White—Female	-	1	-1	0	-	0	-	0
Negro—Male	10	7	3	143	3	300.0	1	100.0
Negro—Female	6	4	2	150	3	500.0	-	0
Mixed—Female	3	1	2	300	-	0	-	0
St. Thomas	356	212	144	168	35	98.3	11	30.9
Male	167	109	58	153	23	137.7	6	35.9
Female	189	103	86	183	12	63.5	5	26.5
White—Male	21	14	7	150	2	95.2	-	0
White—Female	27	15	12	180	1	37.0	-	0
Negro—Male	136	88	48	155	20	147.1	5	36.8
Negro—Female	146	75	71	195	11	75.3	5	34.2
Mixed—Male	10	7	3	143	1	100.0	1	100.0
Mixed—Female	16	13	3	123	-	0	-	0

[1] Exclusive of stillbirths.
[2] A minus sign (-) indicates an excess of deaths over births.

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: VIRGIN ISLANDS, 1940

AREA, RACE, AND SEX	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands	756	55	55	68	57	58	59	50	60	72	72	68	82
Male	374	25	27	34	31	23	33	28	28	33	39	30	43
Female	382	30	28	34	26	35	26	22	32	39	33	38	39
White—Male	25	2	4	1	1	-	4	2	3	2	4	1	1
White—Female	29	3	3	1	1	3	5	1	3	3	2	2	4
Negro—Male	278	17	19	29	22	19	22	19	20	22	26	26	37
Negro—Female	273	21	16	26	22	24	18	14	25	27	22	29	29
Mixed—Male	71	6	4	4	8	4	7	7	5	9	9	3	5
Mixed—Female	80	6	9	7	3	8	5	7	4	9	9	7	6
St. Croix	381	23	28	33	31	29	34	25	28	39	41	32	38
Male	197	12	17	19	15	11	22	16	16	17	18	13	21
Female	184	11	11	14	16	18	12	9	12	22	23	19	17
White—Male	4	-	1	-	-	-	-	1	-	-	2	-	-
White—Female	2	-	-	1	-	-	-	-	-	-	-	-	1
Negro—Male	132	7	12	15	9	7	15	11	11	10	8	10	17
Negro—Female	121	8	7	7	13	11	9	5	8	14	16	12	11
Mixed—Male	61	5	4	4	6	4	7	4	5	7	8	3	4
Mixed—Female	61	3	4	6	3	7	3	4	4	8	7	7	5
St. John	19	4	5	2	1	-	1	1	1	-	2	1	1
Male	10	2	1	2	1	-	-	1	-	-	2	1	-
Female	9	2	4	-	-	-	1	-	1	-	-	-	1
Negro—Male	10	2	1	2	1	-	-	1	-	-	2	1	-
Negro—Female	6	2	1	-	-	-	1	-	1	-	-	-	1
Mixed—Female	3	-	3	-	-	-	-	-	-	-	-	-	-
St. Thomas	356	28	22	33	25	29	24	24	31	33	29	35	43
Male	167	11	9	13	15	12	11	11	12	16	19	16	22
Female	189	17	13	20	10	17	13	13	19	17	10	19	21
White—Male	21	2	3	1	1	-	4	1	3	2	2	1	1
White—Female	27	3	3	-	1	3	3	1	3	3	2	2	3
Negro—Male	136	8	6	12	12	12	7	7	9	12	16	15	20
Negro—Female	146	11	8	19	9	13	8	9	16	13	6	17	17
Mixed—Male	10	1	-	-	2	-	-	3	-	2	1	-	1
Mixed—Female	16	3	2	1	-	1	2	3	-	1	2	-	1

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 4.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: VIRGIN ISLANDS, 1940

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	756	10	121	153	86	66	34	18	13	5	250
10 to 14 years	4	-	-	-	-	-	-	-	-	-	4
15 to 19 years	153	8	43	20	5	1	-	1	-	-	75
20 to 24 years	233	1	58	61	21	8	2	2	1	-	79
25 to 29 years	187	-	17	59	39	20	5	1	1	2	43
30 to 34 years	87	-	3	12	14	19	10	3	-	-	26
35 to 39 years	72	1	-	-	5	16	11	8	7	3	21
40 to 44 years	15	-	-	1	-	2	5	2	3	-	2
45 to 49 years	3	-	-	-	-	-	1	1	1	-	-
Not stated	2	-	-	-	2	-	-	-	-	-	-
White	54	-	7	16	11	13	2	2	1	1	1
15 to 19 years	8	-	4	2	2	-	-	-	-	-	-
20 to 24 years	9	-	3	4	1	1	-	-	-	-	-
25 to 29 years	22	-	-	10	6	3	-	-	1	1	1
30 to 34 years	5	-	-	-	1	3	1	-	-	-	-
35 to 39 years	9	-	-	-	1	5	1	2	-	-	-
40 to 44 years	1	-	-	-	-	1	-	-	-	-	-
Negro	551	10	91	110	56	38	26	12	7	3	198
10 to 14 years	4	-	-	-	-	-	-	-	-	-	4
15 to 19 years	117	8	32	13	2	-	-	1	-	-	61
20 to 24 years	174	1	43	48	13	4	1	1	-	-	63
25 to 29 years	128	-	14	37	26	14	5	-	-	1	31
30 to 34 years	65	-	2	11	11	12	7	3	-	-	19
35 to 39 years	48	1	-	-	3	7	8	5	4	2	18
40 to 44 years	12	-	-	1	-	1	4	1	3	-	2
45 to 49 years	2	-	-	-	-	-	1	1	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-
Mixed	151	-	23	27	19	15	6	4	5	1	51
15 to 19 years	28	-	7	5	1	1	-	-	-	-	14
20 to 24 years	50	-	12	9	7	3	1	1	1	-	16
25 to 29 years	37	-	3	12	7	3	-	1	-	-	11
30 to 34 years	17	-	1	1	2	4	2	-	-	-	7
35 to 39 years	15	-	-	-	1	4	2	1	3	1	3
40 to 44 years	2	-	-	-	-	-	1	1	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 5.—DEATHS BY MONTH, RACE, AND SEX: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths)

AREA, RACE, AND SEX	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands	553	27	39	45	55	52	46	58	56	31	36	58	50
Male	277	15	17	19	26	19	23	29	27	15	24	35	28
Female	276	12	22	26	29	33	23	29	29	16	12	23	22
White—Male	20	-	1	-	2	1	2	4	2	1	1	2	4
White—Female	20	5	2	2	-	2	3	-	3	-	1	3	1
Negro—Male	230	14	12	18	23	15	20	22	21	14	21	28	22
Negro—Female	221	6	18	23	24	28	18	23	22	14	9	18	18
Mixed—Male	25	1	4	1	-	2	1	3	4	-	2	5	2
Mixed—Female	35	3	2	1	5	3	2	6	4	2	2	2	3
Other—Male	2	-	-	-	1	1	-	-	-	-	-	-	-
St. Croix	328	13	20	22	34	35	29	37	32	17	28	28	33
Male	161	7	8	12	15	14	14	14	17	6	20	17	17
Female	167	6	12	10	19	21	15	23	15	11	8	11	16
White—Male	6	-	-	-	1	-	1	-	1	-	1	1	1
White—Female	4	1	1	-	-	-	1	-	-	-	-	-	1
Negro—Male	135	7	6	11	13	11	12	13	12	6	17	12	15
Negro—Female	142	4	9	9	15	20	12	19	14	9	7	10	14
Mixed—Male	18	-	2	1	-	2	1	1	4	-	2	4	1
Mixed—Female	21	1	2	1	4	1	2	4	1	2	1	1	1
Other—Male	2	-	-	-	1	1	-	-	-	-	-	-	-
St. John	13	1	2	-	3	-	-	-	-	2	-	4	1
Male	7	1	-	-	2	-	-	-	-	2	-	2	-
Female	6	-	2	-	1	-	-	-	-	-	-	2	1
White—Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Negro—Male	7	1	-	-	2	-	-	-	-	2	-	2	-
Negro—Female	4	-	2	-	-	-	-	-	-	-	-	1	1
Mixed—Female	1	-	-	-	1	-	-	-	-	-	-	-	-
St. Thomas	212	13	17	23	18	17	17	21	24	12	8	26	16
Male	109	7	9	7	9	5	9	15	10	7	4	16	11
Female	103	6	8	16	9	12	8	6	14	5	4	10	5
White—Male	14	-	1	-	1	1	1	4	1	1	-	1	3
White—Female	15	2	1	2	-	2	2	-	3	-	1	2	-
Negro—Male	88	6	6	7	8	4	8	9	9	6	4	14	7
Negro—Female	75	2	7	14	9	8	6	4	8	5	2	7	3
Mixed—Male	7	1	2	-	-	-	-	2	-	-	-	1	1
Mixed—Female	13	2	-	-	-	2	-	2	3	-	1	1	2

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 6.—DEATHS BY AGE, RACE, AND SEX: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths)

AREA, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
Virgin Islands	553	103	15	6	2	-	126	7	3	5	12	15	5	12	8	30	27	39	40	54	61	44	36	23	2	3	1	-
Male	277	60	6	3	1	-	70	4	2	3	6	7	2	8	5	20	15	23	19	34	27	17	11	3	-	1	-	-
Female	276	43	9	3	1	-	56	3	1	2	6	8	3	4	3	10	12	16	21	20	34	27	25	20	2	2	1	-
White—Male	20	4	-	-	-	-	4	-	-	-	1	3	-	2	1	-	1	-	-	1	2	3	2	-	-	-	-	-
White—Female	20	2	1	-	-	-	3	1	-	-	-	2	-	1	-	-	2	1	-	3	2	2	2	1	-	-	-	-
Negro—Male	230	46	6	3	1	-	56	4	2	3	5	4	2	5	4	18	12	22	18	32	22	11	7	3	-	-	-	-
Negro—Female	221	32	8	2	1	-	43	2	1	2	5	6	3	3	3	9	9	15	18	14	29	23	20	13	1	1	1	-
Mixed—Male	25	10	-	-	-	-	10	-	-	-	-	-	-	1	-	2	2	1	1	1	3	2	1	-	-	1	-	-
Mixed—Female	35	9	-	1	-	-	10	-	-	-	1	-	-	-	-	1	1	-	3	3	3	2	3	6	1	1	-	-
Other—Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
St. Croix:																												
Male	161	34	2	2	-	-	38	2	2	2	1	1	-	2	1	11	7	13	14	26	17	13	7	3	-	1	-	-
Female	167	28	8	3	1	-	40	1	1	2	3	5	3	1	2	4	6	9	10	15	24	16	12	10	1	2	-	-
White—Male	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
White—Female	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Negro—Male	135	23	2	2	-	-	27	2	2	2	1	1	-	2	1	10	4	12	13	25	16	9	5	3	-	-	-	-
Negro—Female	142	18	8	2	1	-	29	1	1	2	3	5	3	1	2	4	5	9	10	12	21	13	11	8	1	1	-	-
Mixed—Male	18	9	-	-	-	-	9	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	1	-	-	1	-	-
Mixed—Female	21	9	-	1	-	-	10	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	1	2	-	1	-	-
Other—Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
St. John:																												
Male	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Female	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
White—Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Negro—Male	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Negro—Female	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Mixed—Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
St. Thomas:																												
Male	109	25	4	1	1	-	29	2	-	1	5	6	2	6	4	8	6	10	5	8	10	3	4	-	-	-	-	-
Female	103	12	1	-	-	-	13	2	-	-	3	3	-	3	1	6	6	7	11	4	9	11	12	10	1	-	1	-
White—Male	14	2	-	-	-	-	2	-	-	-	1	3	-	2	1	-	-	-	-	-	2	1	2	-	-	-	-	-
White—Female	15	1	1	-	-	-	2	1	-	-	-	2	-	1	-	-	2	1	-	1	2	-	2	1	-	-	-	-
Negro—Male	88	20	4	1	1	-	26	2	-	1	4	3	2	3	3	7	6	10	5	7	6	1	2	-	-	-	-	-
Negro—Female	75	11	-	-	-	-	11	1	-	-	2	1	-	2	1	5	4	6	8	2	7	10	9	5	-	-	1	-
Mixed—Male	7	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	-	-	-	-	-	-
Mixed—Female	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	1	1	4	1	-	-	-

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 7.—DEATHS FROM EACH CAUSE, BY RACE: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	VIRGIN ISLANDS				ST. CROIX			ST. JOHN			ST. THOMAS		
		Total deaths	White	Negro	Mixed[1]	White	Negro	Mixed[1]	White	Negro	Mixed	White	Negro	Mixed
	All causes	555	40	451	62	10	277	41	1	11	1	29	163	20
	I.—Infectious and parasitic diseases	76	3	70	3	-	30	2	-	2	-	3	38	1
6	Cerebrospinal (meningococcus) meningitis	2	-	1	1	-	1	1	-	-	-	-	-	-
12	Tetanus	2	-	2	-	-	-	-	-	-	-	-	2	-
13-22	Tuberculosis (all forms)	15	1	13	1	-	5	1	-	2	-	1	6	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	15	1	13	1	-	5	1	-	2	-	1	6	-
23	Leprosy	1	-	1	-	-	1	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1	-	1	-	-	1	-	-	-	-	-	-	-
30	Syphilis (all forms)	46	-	45	1	-	19	-	-	-	-	-	26	1
30a	Locomotor ataxia (tabes dorsalis)	1	-	1	-	-	-	-	-	-	-	-	1	-
30b	General paralysis of insane	1	-	1	-	-	1	-	-	-	-	-	-	-
30c	Other syphilis of central nervous system	1	-	1	-	-	-	-	-	-	-	-	1	-
30d	Aneurysm of aorta	5	-	5	-	-	1	-	-	-	-	-	4	-
30e	Other syphilis of circulatory system	4	-	4	-	-	-	-	-	-	-	-	4	-
30f,g	Congenital, other and unspecified forms of syphilis	34	-	33	1	-	17	-	-	-	-	-	16	1
32	Other diseases due to spirochetes	2	1	1	-	-	-	-	-	-	-	1	1	-
33a	Influenza, with respiratory complications specified	3	1	2	-	-	1	-	-	-	-	1	1	-
33b	Influenza, without respiratory complications specified	1	-	1	-	-	-	-	-	-	-	-	1	-
42	Other diseases caused by helminths	2	-	2	-	-	2	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	1	-	1	-	-	-	-	-	-	-	-	1	-
	II.—Cancer and other tumors	18	-	14	4	-	8	2	-	1	-	-	5	2
45-55	Cancer and other malignant tumors	18	-	14	4	-	8	2	-	1	-	-	5	2
45	Cancer of buccal cavity and pharynx	3	-	2	1	-	1	1	-	-	-	-	1	-
45a-e	Cancer of buccal cavity	2	-	1	1	-	1	1	-	-	-	-	-	-
45f	Cancer of pharynx	1	-	1	-	-	-	-	-	-	-	-	1	-
46	Cancer of digestive organs and peritoneum	6	-	6	-	-	4	-	-	1	-	-	1	-
46b,c	Cancer of stomach and duodenum	5	-	5	-	-	4	-	-	1	-	-	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	1	-	1	-	-	-	-	-	-	-	-	1	-
47	Cancer of respiratory system	1	-	1	-	-	-	-	-	-	-	-	1	-
48	Cancer of uterus	4	-	2	2	-	1	1	-	-	-	-	1	1
50	Cancer of breast	2	-	2	-	-	2	-	-	-	-	-	-	-
51	Cancer of male genital organs	1	-	-	1	-	-	-	-	-	-	-	-	1
54	Cancer of central nervous system*	1	-	1	-	-	-	-	-	-	-	-	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	35	-	34	1	-	29	1	-	-	-	-	5	-
59	Chronic rheumatism and other rheumatic diseases	2	-	2	-	-	2	-	-	-	-	-	-	-
61	Diabetes mellitus	8	-	7	1	-	4	1	-	-	-	-	3	-
64	Diseases of thymus gland	2	-	2	-	-	-	-	-	-	-	-	2	-
69	Pellagra (except alcoholic)	23	-	23	-	-	23	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	6	1	4	1	-	1	1	-	1	-	1	2	-
73a	Pernicious anemia	2	1	1	-	-	-	-	-	-	-	1	1	-
73b-d	Other anemias (except splenic)	4	-	3	1	-	1	1	-	1	-	-	1	-
	V.—Chronic poisoning and intoxication	1	-	1	-	-	-	-	-	-	-	-	1	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	-	1	-	-	-	-	-	-	-	-	1	-
	VI.—Diseases of the nervous system, etc.*	27	3	22	2	2	15	1	-	-	-	1	7	1
80	Encephalitis (nonepidemic)	1	1	-	-	-	-	-	-	-	-	1	-	-
82	Diseases of spinal cord (see exceptions)*	1	-	1	-	-	-	-	-	-	-	-	1	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	14	2	11	1	2	5	-	-	-	-	-	6	1
83b	Cerebral embolism and thrombosis	2	-	1	1	-	1	1	-	-	-	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	3	-	3	-	-	3	-	-	-	-	-	-	-
84	Mental diseases and deficiency (see exception)*	3	-	3	-	-	3	-	-	-	-	-	-	-
85	Epilepsy	1	-	1	-	-	1	-	-	-	-	-	-	-
86	Convulsions (under 5 years)	1	-	1	-	-	1	-	-	-	-	-	-	-
87	Other diseases of nervous system	1	-	1	-	-	1	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	167	12	133	22	4	98	13	-	2	1	8	33	8
90	Pericarditis (except acute rheumatic)	2	1	1	-	-	-	-	-	-	-	1	1	-
92a-d	Chronic endocarditis and diseases of the valves*	19	3	12	4	2	5	2	-	-	-	1	7	2
93c,d	Chronic myocarditis and myocardial degeneration	133	7	109	17	2	85	10	-	2	1	5	22	6
93e	Other myocarditis (unspecified)	1	-	1	-	-	1	-	-	-	-	-	-	-
94b	Angina pectoris	2	1	1	-	-	1	-	-	-	-	1	-	-
95b,c	Other and unspecified diseases of heart	1	-	1	-	-	-	-	-	-	-	-	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	9	-	8	1	-	6	1	-	-	-	-	2	-
	VIII.—Diseases of the respiratory system	33	1	26	6	-	16	5	-	-	-	1	10	1
106a	Acute bronchitis	2	-	2	-	-	-	-	-	-	-	-	2	-
107	Bronchopneumonia (including capillary bronchitis)	21	1	17	3	-	12	3	-	-	-	1	5	-
108	Lobar pneumonia	7	-	4	3	-	1	2	-	-	-	-	3	1
110	Pleurisy (not specified as tuberculous)	1	-	1	-	-	1	-	-	-	-	-	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	2	-	2	-	-	2	-	-	-	-	-	-	-
	IX.—Diseases of the digestive system	53	2	44	7	1	25	6	-	2	-	1	17	1
115a,b,d	Diseases of buccal cavity and adnexa	1	-	1	-	-	-	-	-	-	-	-	1	-
117a	Ulcer of stomach	1	-	-	1	-	-	-	-	-	-	-	-	1
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	42	2	34	6	1	19	6	-	2	-	1	13	-

* Refer to complete International List titles, table II.
[1] Includes 2 deaths of "other races."
NOTE.—"Mixed" designates a mixture of white and Negro.

498675 O - 43 - 42

TABLE 7.—DEATHS FROM EACH CAUSE, BY RACE: VIRGIN ISLANDS, 1940—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	VIRGIN ISLANDS				ST. CROIX			ST. JOHN			ST. THOMAS		
		Total deaths	White	Negro	Mixed[1]	White	Negro	Mixed[1]	White	Negro	Mixed	White	Negro	Mixed
	IX.—Diseases of the digestive system—Contd.													
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	3	-	3	-	-	3	-	-	-	-	-	-	-
121	Appendicitis	1	-	1	-	-	1	-	-	-	-	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	4	-	4	-	-	1	-	-	-	-	-	3	-
125a	Acute yellow atrophy of liver (nonpuerperal)	1	-	1	-	-	1	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	49	7	39	3	-	10	-	1	-	-	6	29	3
131a	Arteriosclerotic kidney	33	4	26	3	-	6	-	-	-	-	4	20	3
131b	Other chronic nephritis	3	-	3	-	-	2	-	-	-	-	-	1	-
132	Nephritis unspecified (10 years and over)	1	1	-	-	-	-	-	1	-	-	-	-	-
133	Other diseases of kidneys and ureters, etc.*	11	2	9	-	-	1	-	-	-	-	2	8	-
139a	Diseases of ovaries, fallopian tubes, and parametria	1	-	1	-	-	1	-	-	-	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	7	1	6	-	-	4	-	-	-	-	1	2	-
141	Abortion without mention of infection	1	-	1	-	-	-	-	-	-	-	-	1	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	-	1	-	-	-	-	-	-	-	-	1	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	-	2	-	-	2	-	-	-	-	-	-	-
146a	Placenta praevia (with childbirth)	1	1	-	-	-	-	-	-	-	-	1	-	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	1	-	1	-	-	1	-	-	-	-	-	-	-
148a,b	Puerperal eclampsia and nephritis*	2	-	2	-	-	1	-	-	-	-	-	1	-
	XII.—Diseases of the skin and cellular tissue	1	1	-	-	-	-	-	-	-	-	1	-	-
152	Phlegmon and acute abscess	1	1	-	-	-	-	-	-	-	-	1	-	-
157	XIV.—Congenital malformations	3	1	2	-	-	1	-	-	1	-	1	-	-
	XV.—Diseases peculiar to the first year of life	32	2	23	7	2	14	6	-	2	-	-	7	1
158	Congenital debility (cause not stated)	10	-	9	1	-	7	1	-	-	-	-	2	-
159	Premature birth (cause not stated)	17	-	12	5	-	7	4	-	1	-	-	4	1
160a	Intracranial or spinal hemorrhage	1	-	-	1	-	-	1	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	4	2	2	-	2	-	-	-	1	-	-	1	-
	XVII.—Violent or accidental deaths	26	6	16	4	1	9	2	-	-	-	5	7	2
163,164	Suicide	2	1	1	-	-	1	-	-	-	-	1	-	-
163	Suicide by poisoning	1	1	-	-	-	-	-	-	-	-	1	-	-
	Suicide by solid or liquid poisons	1	1	-	-	-	-	-	-	-	-	1	-	-
164a	Suicide by hanging or strangulation	1	-	1	-	-	1	-	-	-	-	-	-	-
165-168	Homicide	1	-	-	1	-	-	-	-	-	-	-	-	1
168	Homicide by other means	1	-	-	1	-	-	-	-	-	-	-	-	1
169-195	Accidental deaths	23	5	15	3	1	8	2	-	-	-	4	7	1
170c	Automobile accidents (except collisions with trains or streetcars)	1	-	1	-	-	1	-	-	-	-	-	-	-
175b,c	Other agricultural accidents	1	-	1	-	-	1	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	1	-	-	1	-	-	1	-	-	-	-	-	-
181	Accidental burns (except conflagration)	2	-	2	-	-	2	-	-	-	-	-	-	-
183	Accidental drowning	9	3	6	-	-	2	-	-	-	-	3	4	-
186a	Accidental injury by fall	4	1	2	1	-	1	-	-	-	-	1	1	1
186b	Accidental injury by crushing	1	-	1	-	-	-	-	-	-	-	-	1	-
195c,e	Other and unspecified accidents	4	1	2	1	1	1	1	-	-	-	-	1	-
	XVIII.—Ill-defined and unknown causes	19	-	17	2	-	17	2	-	-	-	-	-	-
200a	Ill-defined	19	-	17	2	-	17	2	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

[1] Includes 2 deaths of "other races."

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 8.—DEATHS FROM SELECTED CAUSES, BY AGE: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
All causes	553	103	15	6	2	-	126	7	3	5	12	15	5	12	8	30	27	39	40	54	61	44	36	23	2	3	1	-
Cerebrospinal (meningococcus) meningitis—6	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	15	-	-	1	1	-	2	-	-	2	3	1	1	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-
Syphilis—30	46	5	-	-	-	-	5	-	-	-	2	-	1	2	1	6	3	8	5	4	6	3	-	-	-	-	-	-
Influenza—33	4	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer of digestive organs and peritoneum—46	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-
Cancer of female genital organs—48,49	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Cancer of the breast—50	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer (other forms)—45,47,51-55	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-
Diabetes mellitus—61	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	1	-	-	-	-
Pellagra (except alcoholic)—69	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	4	4	-	-	-	-	-	-
Alcoholism (ethylism)—77	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	2	3	2	3	1	-	-	-	-	-	-
Other diseases of the nervous system, etc.*—80-82,84-88	8	-	-	1	1	-	2	1	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of the ear, nose, and throat—89,104,115	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	-	-	2	1	-	3	-	-	-	-	-
Diseases of coronary arteries and angina pectoris—94	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	144	1	-	-	-	-	1	-	-	-	-	2	-	-	-	7	6	6	12	25	30	23	19	12	-	1	-	-
Pneumonia (all forms)—107-109	28	15	3	1	-	-	19	1	-	-	-	-	-	-	-	2	-	1	2	1	2	-	-	-	-	-	-	-
Ulcer of the stomach or duodenum—117	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119,120	45	37	5	1	-	-	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Appendicitis—121	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of the liver—124	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
Nephritis—130-132	57	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	4	6	3	5	4	3	3	1	-	1	-
Puerperal septicemia—140,142a,147	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemias—141a,c,144,148	5	-	-	-	-	-	-	-		-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	3	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth—159	17	17	...	...	...	...	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide—163,164	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Homicide—165-168	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Motor-vehicle accidents—170	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other accidents—169,171-195	22	1	1	-	-	-	2	-	1	-	2	3	-	2	1	4	1	1	1	-	1	2	-	1	-	-	-	-
All other causes*	81	25	5	-	-	-	30	3	-	1	1	2	-	1	1	1	5	4	4	4	3	5	8	5	1	2	-	-

* Refer to complete International List titles, table XI.

TABLE 9.—DEATHS FROM SELECTED CAUSES, BY MONTH: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	553	27	39	45	55	52	46	58	56	31	36	58	50
Cerebrospinal (meningococcus) meningitis—6	2	-	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.●—13	15	-	1	2	2	1	-	1	1	1	1	2	3
Syphilis—30	46	5	5	3	4	5	6	5	4	2	3	3	3
Influenza—33	4	-	-	-	-	-	-	1	3	-	-	-	-
Cancer of digestive organs and peritoneum—46	6	-	-	-	2	-	-	-	1	1	-	-	2
Cancer of female genital organs—48,49	4	-	-	1	-	1	-	-	1	-	-	-	1
Cancer of the breast—50	2	-	-	-	-	-	1	-	-	-	-	-	1
Cancer (other forms)—45,47,51-55	6	-	2	1	1	-	-	1	-	1	-	-	-
Diabetes mellitus—61	8	-	-	-	1	1	-	1	1	1	2	1	-
Pellagra (except alcoholic)—69	23	-	1	4	2	3	2	3	-	1	-	4	3
Alcoholism (ethylism)—77	1	1	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	19	2	2	1	-	3	3	1	3	-	-	1	3
Other diseases of the nervous system, etc.*—80-82,84-88	8	-	-	-	-	3	-	-	1	1	1	-	2
Diseases of the ear, nose, and throat—89,104,115	1	1	-	-	-	-	-	-	-	-	-	-	-
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	12	-	3	1	-	-	-	-	2	1	1	3	1
Diseases of coronary arteries and angina pectoris—94	2	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	144	11	15	15	22	11	7	15	11	3	11	11	12
Pneumonia (all forms)—107-109	28	1	2	2	4	4	3	5	3	1	2	-	1
Ulcer of the stomach or duodenum—117	1	-	-	-	-	-	-	1	-	-	-	-	-
Diarrhea, enteritis, etc.●—119,120	45	1	1	2	3	5	8	7	5	2	4	5	2
Appendicitis—121	1	-	-	-	-	-	-	-	1	-	-	-	-
Cirrhosis of the liver—124	4	-	-	1	-	-	1	-	-	-	-	-	2
Nephritis—130-132	57	-	3	3	1	2	4	6	6	-	3	9	-
Puerperal septicemia—140,142a,147	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal toxemias—141a,c,144,148	5	-	-	-	1	1	-	1	-	1	-	1	-
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	1	-	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations—157	3	-	-	-	1	-	1	1	-	-	-	-	-
Premature birth—159	17	1	2	1	1	1	2	1	1	2	1	4	-
Suicide—163,164	2	-	-	-	-	1	-	1	-	-	-	-	-
Homicide—165-168	1	-	-	-	-	-	-	-	-	-	-	-	1
Motor-vehicle accidents—170	1	-	-	-	-	-	1	-	-	-	-	-	-
Other accidents—169,171-195	22	-	-	1	2	3	4	1	4	3	-	2	2
All other causes*	81	4	3	7	7	7	3	6	6	10	7	11	10

● Refer to complete International List titles, table XI.

TABLE 10.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE: VIRGIN ISLANDS, 1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	103	17	3	1	3	-	3	3	30	10	7	8	5	11	9	2	4	7	9	1
Septicemia, purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis—30	5	2	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-
Other infectious, parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms)—107-109	15	-	-	-	-	-	-	-	-	1	3	3	2	1	3	-	1	-	1	-
Other diseases of respiratory system—104-106,110-114	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.* —119	37	-	-	-	-	-	-	1	1	6	3	2	3	9	2	2	2	5	2	-
Diseases of genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Congenital debility—158	10	1	-	-	-	-	-	1	2	2	-	2	-	1	1	-	-	1	1	-
Premature birth—159	17	10	3	1	1	-	2	-	17	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	4	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI.

TABLE 11.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: VIRGIN ISLANDS, 1924-1940

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924
All causes	136.2	101.7	132.3	124.1	105.4	170.7	97.4	157.4	133.8	119.2	119.9	145.2	214.9	210.2	119.3	142.0	178.5
Whooping cough—9	0	3.8	5.7	0	0	0	0	3.5	7.2	0	0	0	16.0	0	0	0	0
Tetanus—12	0	0	0	1.4	1.5	0	1.5	1.7	0	0	0	0	0	1.8	3.3	0	1.5
Tuberculosis of respiratory system, etc.* —13	0	0	0	4.1	0	1.5	1.5	0	0	2.1	0	0	0	0	0	0	0
Dysentery—27	0	0	0	1.4	0	0	0	1.7	0	0	0	0	5.3	1.8	3.3	9.5	3.0
Syphilis—30	6.6	3.8	7.1	8.3	7.5	9.1	1.5	3.5	1.8	6.3	3.4	0	7.1	14.6	1.6	4.7	3.0
Measles—35	0	0	0	0	0	0	0	1.7	0	0	0	0	0	0	0	0	0
Diseases of thymus gland—64	2.6	0	1.4	1.4	0	0	0	0	0	0	0	0	0	0	0	0	0
Anemias (except splenic anemia)[1] —73	4.0	0	0	1.4	0	0	0	0	0	0	0	0	0	0	0	0	0
Convulsions—86	0	0	1.4	0	1.5	0	0	0	1.8	0	0	0	1.8	1.8	0	1.6	1.5
Pneumonia (all forms)—107-109	19.8	14.0	18.5	19.3	12.0	22.9	9.1	31.1	12.7	18.8	5.1	20.1	33.7	25.6	26.1	31.5	27.2
Other diseases of the respiratory system[2] —104-106,110-114	2.6	2.5	0	2.8	1.5	0	1.5	5.2	10.8	0	3.4	4.0	3.6	3.7	4.9	1.6	4.5
Diseases of stomach—117,118	0	1.3	1.4	0	0	1.5	0	1.7	0	0	0	0	0	0	1.6	1.6	0
Diarrhea, enteritis, etc.* —119	48.9	29.2	46.9	30.3	40.7	83.8	28.9	45.0	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1	42.4
Intestinal obstruction—122b	0	0	0	1.4	0	0	1.5	0	0	0	0	0	0	0	0	0	0
Congenital malformations—157	2.6	2.5	1.4	8.3	6.0	6.1	4.6	10.4	5.4	0	5.1	6.0	1.8	7.3	8.2	1.6	4.5
Premature birth—159	22.5	17.8	21.3	23.4	15.1	19.8	24.4	24.2	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4	33.3
Injury at birth—160	1.3	2.5	5.7	4.1	4.5	1.5	1.5	3.5	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2	3.0
Congenital debility and other diseases peculiar to first year[3] —158-161	18.5	16.5	14.2	12.4	10.5	15.2	10.7	10.4	18.1	18.8	3.4	22.2	24.9	34.7	19.6	20.5	37.8
Other violence or accident—166-181,183-195	1.3	0	0	0	0	0	3.0	3.5	0	2.1	0	0	5.3	3.7	3.3	3.2	3.0
Ill-defined and unknown causes—199,200	0	1.3	2.8	4.1	1.5	1.5	1.5	1.7	9.0	8.4	5.1	2.0	3.6	7.3	0	11.0	9.1
All other causes*	5.3	6.4	4.3	0	3.0	7.6	6.1	8.7	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6	4.5

* Refer to complete International List titles, table XI.
[1] Includes splenic anemia previous to 1940.
[2] Previous to 1939 rates are for bronchitis only.
[3] Previous to 1939 included deaths under 3 months only.

TABLE 12.—LIVE BIRTHS, DEATHS, AND STILLBIRTHS, BY RACE AND SEX: VIRGIN ISLANDS, 1924-1940

YEAR AND SEX	LIVE BIRTHS				TOTAL DEATHS[1]				DEATHS[1] UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other
1940																
Total	54	551	151	-	40	451	60	2	6	78	19	-	1	28	6	-
Male	25	278	71	-	20	230	25	2	4	46	10	-	-	17	2	-
Female	29	273	80	-	20	221	35	-	2	32	9	-	1	11	4	-
1939																
Total	56	579	152	-	34	373	53	-	4	64	12	-	2	25	8	-
Male	26	301	87	-	15	183	26	-	2	33	7	-	2	17	8	-
Female	30	278	65	-	19	190	27	-	2	31	5	-	-	8	-	-
1938																
Total	53	523	127	-	41	394	53	-	12	69	12	-	3	27	8	-
Male	26	275	62	-	25	172	15	-	6	38	5	-	1	14	4	-
Female	27	248	65	-	16	222	38	-	6	31	7	-	2	13	4	-
1937																
Total	44	512	169	-	40	387	70	1	4	67	19	-	1	28	8	-
Male	23	257	81	-	23	189	28	1	3	31	8	-	1	21	6	-
Female	21	255	88	-	17	198	42	-	1	36	11	-	-	7	2	-
1936																
Total	51	469	145	1	33	379	57	2	5	55	10	-	2	35	7	-
Male	28	232	71	-	20	176	23	2	2	25	3	-	2	17	4	-
Female	23	237	72	1	13	203	34	-	3	30	7	-	-	18	3	-
1935																
Total	40	490	125	1	47	388	56	1	9	90	13	-	1	27	3	-
Male	21	244	63	1	21	201	14	1	4	48	7	-	1	18	1	-
Female	19	246	62	-	26	187	42	-	5	42	6	-	-	9	2	-
1934																
Total	52	495	110	-	29	342	48	-	6	53	5	-	2	30	7	-
Male	29	244	53	-	16	157	15	-	3	30	2	-	2	12	2	-
Female	23	251	57	-	13	185	33	-	3	23	3	-	-	18	5	-
1933																
Total	47	463	67	1	37	389	53	2	6	80	5	-	1	[2] 29	5	1
Male	24	240	28	-	19	183	24	2	3	43	4	-	-	11	2	-
Female	23	223	39	1	18	206	29	-	3	37	1	-	1	17	3	1
1932																
Total	53	500	-	-	23	423	6	2	2	72	-	-	-	32	-	-
Male	23	276	-	-	13	196	3	1	1	44	-	-	-	19	-	-
Female	30	224	-	-	10	227	3	1	1	28	-	-	-	13	-	-
1931																
Total	54	423	-	1	32	417	-	-	7	50	-	-	3	34	-	-
Male	23	205	-	-	20	200	-	-	5	25	-	-	1	18	-	-
Female	31	218	-	1	12	217	-	-	2	25	-	-	2	16	-	-
1930																
Total	73	517	-	2	28	452	-	4	4	67	-	-	-	45	-	-
Male	41	253	-	1	15	214	-	4	1	34	-	-	-	26	-	-
Female	32	264	-	1	13	238	-	-	3	33	-	-	-	19	-	-
1929																
Total	54	441	1	-	35	496	1	1	4	68	-	-	1	42	-	-
Male	33	228	-	-	17	238	1	1	2	40	-	-	1	27	-	-
Female	21	213	1	-	18	258	-	-	2	28	-	-	-	15	-	-
1928																
Total	74	487	2	-	37	615	-	1	8	113	-	-	2	42	2	-
Male	35	231	1	-	16	290	-	1	5	58	-	-	1	24	2	-
Female	39	256	1	-	21	325	-	-	3	55	-	-	1	18	-	-
1927																
Total	41	506	-	-	43	551	-	-	4	111	-	-	-	53	-	-
Male	25	243	-	-	23	265	-	-	4	69	-	-	-	29	-	-
Female	16	263	-	-	20	286	-	-	-	42	-	-	-	24	-	-
1926																
Total	53	538	19	2	29	469	-	1	1	72	-	-	1	55	-	-
Male	27	262	11	-	17	223	-	1	-	35	-	-	1	26	-	-
Female	26	276	8	2	12	246	-	-	1	37	-	-	-	29	-	-
1925																
Total	60	493	79	2	27	473	-	1	3	87	-	-	2	52	6	-
Male	28	235	43	1	14	225	-	1	1	46	-	-	2	32	1	-
Female	32	258	36	1	13	248	-	-	2	41	-	-	-	20	5	
1924																
Total	59	507	95	-	31	496	74	-	12	98	10	-	4	65	5	-
Male	29	240	50	-	12	245	27	-	4	47	6	-	4	36	4	-
Female	30	267	45	-	19	251	47	-	8	49	4	-	-	29	1	-

[1] Exclusive of stillbirths.
[2] Includes 1 of unknown sex.
NOTE.—"Mixed" designates a mixture of white and Negro.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
NATIONAL CENTER FOR HEALTH STATISTICS
REFERENCE SERVICE
WASHINGTON D.C. 20201
JAN 24 1967