U. S. DEPARTMENT OF COMMERCE
JESSE H. JONES
SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR
PHILIP M. HAUSER, ASSISTANT DIRECTOR

VITAL STATISTICS OF THE UNITED STATES

1941

PART II

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1943

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

82 60

CONTENTS

INTRODUCTION

	Page
Revision of annual vital statistics volumes	1
The value of vital statistics tabulated by place of residence	1
Previous tabulations by place of residence	2
Nonresident tabulations by State offices	2
Definitions of nonresidents and rules for coding	4
Relation of geographic code to the identification of nonresidents	4
Rules for the allocation of deaths	4
Rules for determining place of residence for deaths	5
Rules for the allocation of births	5
Rules for determining place of residence for births	5
Change in nonresident coding	6
Relation of institutions to nonresident coding	6
Deaths allocated to place of residence	7
Summary	7
Number of nonresident deaths	8
Changes in death statistics for population-size groups	9
Residence allocation of deaths by cause	9
Infant mortality by population-size groups	10
Deaths in hospitals and institutions	11
Births allocated to place of residence	12
Summary	12
Number of nonresident births	12
Changes in birth statistics for population-size groups	13
Births in hospitals	14

RATE TABLES

Table I.—Crude death rates (number of deaths per 100,000 population) for selected causes of death, by place of residence: United States, each division and State, 1941 ---- 18

Table II.—Population, births, and deaths, and rates, by place of residence: each State, county, and city, 1941 ---- 20

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table 1.—Live births by sex of child, age of mother, race, and parent nativity of white: United States and each State, 1941 ---- 62

Table 2.—Live births by age of mother, population-size groups, and race: United States and each State, 1941 ---- 75

Table 3.—Live births by age of mother, race, and number of child: United States and each State, 1941 ---- 94

Table 4.—Live births by number of child and by race, and for white by nativity of mother: United States and each State, 1941 ---- 109

Table 5.—Live births by age of parents: United States and each State, 1941 ---- 115

Table 6.—Live births of residents, by place of occurrence: each State, 1941 ---- 122

Table 7.—Births of residents of each State, county, and city, and births occurring in each State, county, and city, by person in attendance: 1941 ---- 125

Total Deaths

Table 8.—Deaths of residents, by place of occurrence: each State, 1941 ---- 182

Table 9.—Deaths by month and by population-size groups: United States and each State, 1941 ---- 185

Table 10.—Deaths by specified race and by population-size groups: United States and each State, 1941 ---- 188

Table 11.—Deaths by age, sex, race, and population-size groups: United States and each State, 1941 ---- 190

Table 12.—Deaths by specified race, nativity of white, sex, age, and population-size groups: United States and each State, 1941 ---- 226

Table 13.—Deaths from selected causes, by sex, race, and population-size groups: United States and each State, 1941 ---- 240

Table 14.—Deaths from selected causes, by race and by each city of 10,000 or more in 1940: 1941 ---- 274

Table 15.—Deaths from selected causes, by age, race, and sex: each State, 1941 ---- 308

Table 16.—Deaths of residents of each State, county, and city, and deaths occurring in each State, county, and city, by institution: 1941 455

Infant Deaths

Table 17.—Deaths under 1 year of age, from selected causes, by month: each State, 1941 ---- 484

Table 18.—Deaths under 1 year, by age and month: each State, 1941 ---- 509

Table 19.—Deaths under 1 year of age from selected causes, by population-size groups, and for all causes by race: United States and each State, 1941 ---- 516

Table 20.—Deaths under 1 year from selected causes, by age, sex, and race: United States and each State, 1941 ---- 526

SYMBOLS USED IN THIS REPORT

	Symbols
Class or item not applicable (three dots)	....
Data not available (series of leaders)	-----
Quantity is zero, in frequency tables (one dash)	-
Quantity is zero, in rate (or percent) tables (one cipher)	0
If rate (or percent) is more than 0 but less than 0.05	0.0

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

Introduction

This volume—Vital Statistics of the United States, Part II—contains additional official tabulations of natality and mortality data for the calendar year 1941. In part II, the tables consist of tabulations of births and deaths classified according to the place of residence of the mother of the child, or the place of residence of the decedent. The natality data are classified by geographic area; race, nativity, and age of parents; sex and number of child; and type of attendance. The mortality data are classified by geographic area, cause of death, age, sex, race, month, and institution. These tabulations are compiled from the same source material as the tables published in part I, both being derived from transcripts of original birth and death certificates received from registration officials of States and cities, and of the outlying territory and possession of the United States.

This volume was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, and Dr. Forrest E. Linder, Assistant Chief Statistician for Vital Statistics. The tabulations and introductory material were prepared under the immediate supervision of Dr. Robert D. Grove, Social Science Analyst, and Dr. Iwao M. Moriyama, Associate Biometrician.

REVISION OF ANNUAL VITAL STATISTICS VOLUMES

The present volume continues the new series of annual publications started in 1937. It presents natality and mortality data based upon the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I."

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of vital statistics by the Bureau of the Census. The tabulations by place of residence were expanded considerably for 1939, 1940, and 1941. This volume presents, on a residence basis, detailed Nation-wide statistics of births by age of mother and number of child. Similarly, detailed data on deaths by cause and age by place of residence are given.

The tables given in part II should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is much more difficult because it is dependent upon the definitions of residence and the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an assay of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. For individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates

are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocation of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE[1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of the nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Since 1935, the natality and mortality tabulations by place of residence have been gradually developed and extended. Eventually, most of the tabulations for individual cities and counties and for the population-size groups will be transferred to this basis.

Resident tabulations for 1935 and 1936 were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics"—but have been released in the series of "Vital Statistics—Special Reports."[2]

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States made rather complete resident reallocations and 8 States published tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations, while 13 States were not making any. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in table A. In this table the number of nonresidents of each State, according to the Bureau of the Census definitions, is compared with those identified by the separate State offices. Table A shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2. Bureau of the Census. Washington, D. C. 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2. Bureau of the Census. Washington, D. C. 1939.

TABLE A.—FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1941

(Exclusive of stillbirths)

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	39,309	[1]25,352	0.64	39,309	25,352	0.64	33,703	[2]28,983	0.86	33,703	28,983	0.86
Alabama	405	———	0	546	438	0.80	509	———	0	576	574	1.00
Arizona	785	793	1.01	199	144	0.72	715	718	1.00	178	166	0.93
Arkansas	579	———	0	691	550	0.80	496	———	0	648	569	0.88
California	257	173	0.67	765	647	0.85	1,366	1,594	1.17	888	782	0.88
Colorado	291	28	0.09	284	258	0.91	435	———	0	315	333	1.06
Connecticut	429	258	0.60	939	894	0.95	431	191	0.44	572	560	0.98
Delaware	220	———	0	186	97	0.52	145	31	0.21	148	121	0.82
District of Columbia	5,743	63	0.01	341	154	0.45	1,224	240	0.20	553	283	0.51
Florida	414	386	0.93	405	259	0.64	2,124	2,130	1.00	633	539	0.85
Georgia	870	794	0.91	496	364	0.73	715	784	1.10	633	469	0.74
Idaho	486	330	0.68	429	410	0.96	263	269	1.02	279	252	0.90
Illinois	1,003	980	0.98	2,711	1,387	0.51	1,387	1,438	1.04	2,472	1,739	0.70
Indiana	1,377	467	0.34	935	883	0.94	916	176	0.19	1,066	1,079	1.01
Iowa	1,335	———	0	624	523	0.84	785	945	1.20	719	605	0.84
Kansas	843	793	0.94	1,117	882	0.79	756	904	1.20	737	598	0.81
Kentucky	583	568	0.97	655	559	0.85	531	581	1.09	819	694	0.85
Louisiana	416	69	0.17	362	210	0.58	546	125	0.23	329	230	0.70
Maine	174	171	0.98	307	261	0.85	234	223	0.95	251	174	0.69
Maryland	760	81	0.11	3,538	381	0.11	928	316	0.34	959	401	0.42
Massachusetts	1,300	1,014	0.78	657	609	0.93	936	517	0.55	825	1,177	1.43
Michigan	720	534	0.74	667	478	0.72	811	869	1.07	874	770	0.88
Minnesota	1,003	191	0.19	900	744	0.83	1,079	403	0.37	601	611	1.02
Mississippi	311	298	0.96	570	450	0.79	349	380	1.09	606	406	0.67
Missouri	1,917	1,841	0.96	1,085	792	0.73	1,404	1,285	0.92	1,270	1,103	0.87
Montana	150	167	1.11	258	236	0.91	187	197	1.05	234	223	0.95
Nebraska	613	588	0.95	379	174	0.46	311	300	0.96	438	475	1.08
Nevada	114	130	1.14	133	133	1.00	152	178	1.17	120	131	1.09
New Hampshire	685	658	0.96	524	423	0.81	342	291	0.85	301	216	0.72
New Jersey	696	816	1.17	1,958	1,849	0.94	1,203	1,331	1.11	1,728	1,974	1.14
New Mexico	441	430	0.98	405	139	0.34	387	398	1.03	306	151	0.49
New York	2,180	2,238	1.03	1,312	993	0.76	2,093	2,636	1.26	2,435	2,164	0.89
North Carolina	442	408	0.92	403	318	0.79	767	848	1.11	563	527	0.94
North Dakota	564	565	1.00	359	278	0.77	253	203	0.80	232	213	0.92
Ohio	1,549	1,491	0.96	1,344	920	0.68	1,289	1,248	0.97	1,463	1,341	0.92
Oklahoma	575	———	0	946	553	0.58	330	192	0.58	802	511	0.64
Oregon	635	514	0.81	365	337	0.92	422	386	0.91	273	273	1.00
Pennsylvania	2,080	1,848	0.89	1,680	1,437	0.86	1,414	1,578	1.12	1,947	1,867	0.96
Rhode Island	423	397	0.94	452	407	0.90	247	277	1.12	271	250	0.92
South Carolina	225	62	0.28	446	394	0.88	303	172	0.57	397	434	1.09
South Dakota	[3]7	365	52.14	519	243	0.47	[4]1	245	245.00	329	251	0.76
Tennessee	1,419	1,658	1.17	737	623	0.85	1,169	1,244	1.06	599	525	0.88
Texas	723	———	0	1,214	623	0.51	780	———	0	937	665	0.71
Utah	350	398	1.14	143	103	0.72	194	191	0.98	152	148	0.97
Vermont	249	238	0.96	452	426	0.94	121	145	1.20	201	165	0.82
Virginia	727	728	1.00	3,254	415	0.13	795	863	1.09	1,031	528	0.51
Washington	530	510	0.98	543	429	0.79	402	317	0.79	495	486	0.98
West Virginia	836	445	0.53	992	810	0.82	622	635	1.02	621	524	0.84
Wisconsin	743	749	1.01	809	461	0.57	648	713	1.10	697	540	0.77
Wyoming	132	106	0.80	273	254	0.93	186	275	1.48	180	166	0.92

[1] Includes 11 transcripts sent from Hawaii.
[2] Includes 1 transcript sent from Hawaii.
[3] Incomplete; reports of 365 births in South Dakota of residents of other States were received too late for tabulation.
[4] Incomplete; reports of 245 deaths in South Dakota of residents from other States were received too late for tabulation.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the Bureau of the Census. Because of the large number of transcripts involved in national tabulations, the coding rules used by the Bureau of the Census must be designed and simplified to facilitate mass production. Furthermore, the Bureau of the Census does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide; et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

DEFINITIONS OF NONRESIDENTS AND RULES FOR CODING

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in resident tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

In view of these considerations, errors in the residence tabulations for certain areas may be expected. It is believed that errors of a significant size are restricted to a small number of areas and will decrease as the meaning and importance of residence data become more widely understood.

Nation-wide adoption of the new standard birth, stillbirth, and death certificates recommended by the Bureau of the Census will greatly facilitate the collection of accurate residence information. The part of the new standard death certificate devoted to information concerning place of death and place of residence is reproduced below:

State of _____

1. PLACE OF DEATH:	2. USUAL RESIDENCE OF DEATH:
(a) County _____	(a) State _____ (b) County _____
(b) City or town _____ (If outside city or town limits, write RURAL)	(c) City or town _____ (If outside city or town limits, write RURAL)
(c) Name of hospital or institution. _____ (If not in hospital or institution, write street number or location)	(d) Street No. _____ (If rural, give location)
(d) Length of stay: In hospital or institution _____ (Specify whether years, months or days)	(e) If foreign born, how long in U. S. A.? _____ years.
In this community _____	

The new standard birth and stillbirth certificates are essentially the same with respect to these items. The item of residence has been given much greater prominence and more space. Separate lines are allowed for each part of the geographic location—State, county, city or town, and street. The specific request for county of residence is perhaps the most important new information on residence made available by the new certificates.

The new certificates were used by a few States during the latter part of 1939. In 1940 and 1941 a large majority of births and deaths throughout the country were reported on the new forms. Therefore, it may be expected that tabulations by place of residence for 1940 and 1941 are more complete and accurate than for earlier years.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation of place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city and other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 population or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each city and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in a city may be a resident of some rural area or some other city in the same State. Therefore, the term "nonresident" may have one of two meanings. In reference to the smallest unit of tabulation (in this report, a city or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Rules for the allocation of deaths.—The allocation of deaths to the place of residence is based on the following main rules:

1. General principle: Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area in which the decedent had his "usual place of residence."
2. With certain exceptions and qualifications, a decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death.
3. Decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
4. Decedents in general hospitals, tuberculosis sanatoriums, et cetera, are reallocated to the usual place of residence.
5. Decedents in mental institutions, et cetera, are not reallocated to the place of prior residence.

For the purpose of coding mortality transcripts, these rules have been expanded into definite coding instructions that state the procedure followed in each case. These coding instructions have been published in the Instruction Manual of the Division of Vital Statistics and are reprinted here with slight changes.

Rules for determining place of residence for deaths.—The following statements define the meaning of residence:

1. There should be a complete entry on every transcript for place of residence. If no entry is made, the transcript is coded a resident transcript and queried. The practices of the State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor before querying.

2. In any case in which the coder is unable to determine the complete correct code for the stated place of residence, code as resident and query for additional information. If the necessary information is not obtained, the transcript is considered to be a resident transcript.

3. In any case in which the coder is unable to determine the complete correct code for the place of residence and the missing information is stated to be unknown or is marked (X) or (-), the transcript is coded as a resident without query.

4. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases, a copy is made of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.

5. If the county of residence is not given, but a rural route is stated as the place of residence, query for additional information. If the name of the county is not obtained, code as resident of the county in which the R. F. D. post office is located. If an unincorporated place is given as the place of residence and the county of residence is not stated and cannot be determined, code as resident of the place of death, and query for additional information. If the place of residence is a rural route of a city which is coextensive with a county, and the county of residence is not stated, consult the supervisor and query for additional information.

6. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident, if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city containing the community name, consult the supervisor and query.

7. Deaths are coded according to the place of residence of the deceased except in case of death of a newborn infant. When infants are born at other than the place of residence of the mother, and die before return to mother's residence, the residence of the mother is considered the residence of the child.

8. If the place of residence is stated to be different from the place of death, and if the "Length of stay" in the place of death is less than 1 year, the place of residence as stated is coded. If the "Length of stay" is not stated, code place of residence as given. If the "Length of stay" is more than 1 year, the decedent is coded as a resident of the place of death. This rule applies in all cases except those provided for in rule 9.

9. The inmates and employees of penitentiaries; prisons; reformatories; hospitals for the insane, epileptic, and feeble-minded; orphanages; homes for the blind, the deaf, the indigent or aged; are considered residents of the city, town, or county in which the institution is located. This rule applies even when some other place of residence is stated, and applies regardless of the "Length of stay." The rule applies to inmates of institutions coded as 8 or 9 for type of institution.

10. Patients or inmates and employees of surgical or medical hospitals, tuberculosis sanatoriums, convalescent homes, and jails, are usually only temporary inmates and are considered nonresidents of the place in which the institution is located, if residence at some other city, town, or county is stated. Rule 8 applies to these cases. This rule applies to inmates of institutions coded 1, 2, 3, 4, 5, 6, and 7 for type of institution.

11. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of death. Under this definition:

(a) A transcript for a death occurring in a city of 10,000 or more is a nonresident transcript if the place of residence is in any other city, any other county, or any other part of the same county.

(b) A transcript for a death occurring in a city of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other city of 2,500 or more, any other county, or the rural part of the same county.

(c) A transcript for a death occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any city of 2,500 or more, or in the rural part of any other county.

In addition, if a death occurs in a city of 2,500 to 10,000, and the place of residence is in another city of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of death and place of residence.

Rules for the allocation of births.—The allocation of births is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child. The following rules have been used in coding place of residence for births.

Rules for determining place of residence for births.—The following statements define the meaning of residence:

1. The residence of the mother is considered the residence of the child.

2. There should be a complete entry on every transcript for place of residence. If no entry is made, the transcript is coded as resident and queried. The practices of the State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor before querying.

3. In any case in which the coder is unable to determine the complete correct code for the stated place of residence, code as resident and query for additional information. If the necessary information is not obtained, the transcript is considered to be a resident transcript.

4. In any case in which the coder is unable to determine the complete correct code for the place of residence and the missing information is stated to be unknown or is marked (X) or (-), the transcript is coded as a resident without query.

5. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases, a copy is made of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.

6. If the county of residence is not given, but a rural route is stated as the place of residence, query for additional information. If the name of the county is not obtained, code as resident of the county in which the R. F. D. post office is located. If an unincorporated place is given as the place of residence, and the county of residence is not stated and cannot be determined, code as resident of place of birth, and

query for additional information. If the place of residence is a rural route of a city which is coextensive with a county, and the county of residence is not stated, consult the supervisor and query for additional information.

7. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident, if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city oontaining the community name, consult the supervisor and query.

8. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of birth. Under this definition:

(a) A transcript for a birth ocourring in a city of 10,000 or more is a nonresident transcript if the place of residence is in any other city, any other county, or any other part of the same county.

(b) A transcript for a birth occurring in a city of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other city of 2,500 or more, any other county, or the rural part of the same county.

(c) A transcript for a birth occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any city of 2,500 or more, or in the rural part of any other county.

In addition, if a birth occurs in a city of 2,500 to 10,000, and the place of residence is in another city of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of birth and place of residence.

Change in nonresident coding.—One very important change in the rules for coding nonresident births and deaths was made in 1939 and continued in 1940 and 1941. For the years 1935 to 1938, inclusive, if a person died in a city of 2,500 to 10,000 but had resided in another city of 2,500 to 10,000 in the same county, the death transcript was coded as resident, even though the place of residence was not the same as the place of death. Similarly, if a person died in a city of 2,500 to 10,000 but had resided in the rural part of the same county, or vice versa, the death was coded as resident. The same rules applied in the case of births. In order to secure more complete information on the volume and direction of the nonresident movement, the coding rules for 1939, 1940, and 1941 were changed, so as to identify as nonresident any movement from one city of 2,500 to 10,000 to another within the same county and any movement between a city of 2,500 to 10,000 and the rural part within the same county.

Those revisions of the rules for nonresident coding affect significantly statistics of residents and nonresidents for cities of 2,500 to 10,000 and for rural areas. Therefore, resident statistics for these areas in 1939, 1940, and 1941 are not strictly comparable with those for preceding years. Also, the total number of nonresidents tabulated for a county, State, or the United States tends to be increased by this change in procedure.

RELATION OF INSTITUTIONS TO NONRESIDENT CODING

An important feature of the rules used in coding nonresident transcripts of death certificates is the distinction between two types of institutions. The first type of institution consists of surgical and medical hospitals and other institutions in which the length of stay is usually not long. These institutions are referred to as "nonresident institutions" since decedents here are considered as nonresidents of the place in which the institution is located, if residence in some other city, town, or county is stated. The second type consists of those institutions in which the length of stay is usually long and includes penitentiaries, hospitals for the insane, homes for the indigent and aged, et cetera. These institutions are referred to as "resident institutions" because decedents here are considered residents of the place in which the institution is located, even though some other place of residence may be stated on the death certificate.

The practice of the Bureau of the Census, in considering all decedents in "resident" institutions to be residents of the area in which the institution is located, is not consistent with the practice of some individual State agencies. Some States prefer to allocate these deaths to the place of prior residence. The reallocation of these deaths has the effect of reducing the total death rate of the areas that contain institutions since it is not always possible to distribute the population of the institution in a comparable manner before computing rates.

While the tabulations in this volume have been based on reallocation according to usual place of residence, regardless of previous residence, it is desirable to have, for some purposes, mortality figures for cities and counties exclusive of deaths in resident institutions. Table 16 gives, with other data on institutional deaths, the number of deaths in resident institutions for each geographic area. These figures may be subtracted from city and county "Total deaths of residents" given in the same table, to obtain the number of deaths of residents of each area exclusive of all deaths occurring in this type of institution.

Since only the name of the hospital or institution is given on the death certificate, it is not possible to determine directly the type of institution. To facilitate the work of coding, an institution index listing the name and type of each known institution has been developed by the Bureau of the Census with the assistance and cooperation of the American Medical Association. While the primary purpose of the index is to classify institutions for the purpose of coding place of residence, each institution is also classified according to "Type of institution (service)" and "Type of control." These classifications are consistent with those used by the American Medical Association in the list of registered hospitals published in the annual hospital number of the Journal of the American Medical Association.

There are certain problems involved in the correct location and classification of hospitals and other institutions named on death certificates. Several different names may be given at different times for the same hospital, or the name may be abbreviated so as to cast doubt upon its identity. Also, errors in location may occur where the hospital is just inside or outside the limits of an incorporated town or city. In addition, it is possible that in a few areas the name of the hospital may be omitted from some of the certificates. Significant errors of these types are believed to be few and will not vitiate the value of the institutional statistics presented for the large majority of areas.

The following outline shows the system of classifying institutions and gives an extended and abbreviated code symbol.

INSTITUTION CODE

NONRESIDENT INSTITUTIONS		Type of Service
Extended code	Abbreviated code	
00	0	General hospitals Include also: General and tuberculosis General and orthopedic Industrial and emergency (unless the service rendered is so restricted or limited as to be in effect only a first aid station or dispensary)
10	1	Maternity hospitals Include also: Maternity and children's Gynecology and obstetrics Obstetrics
20	2	Children's hospitals Include also: All combinations with children's (except tuberculosis and maternity)
30	3	Tuberculosis hospitals Include also: Tuberculosis and orthopedic Tuberculosis and children's Tuberculosis and isolation Tuberculosis and cancer All other combinations with tuberculosis (except general and maternity)
		Special Hospitals
40	4	Orthopedic hospitals Include also: Combinations with orthopedic (except general and tuberculosis)
41	4	Convalescent and rest hospitals
42	4	Contagious hospitals Include also: Smallpox Isolation Contagious homes
43	4	Eye, ear, nose, and throat (any one or any combination)
44	4	Nonresident nervous and mental hospitals and sanitariums
45	4	Other special hospitals and sanitariums
50	5	Other and unknown type of nonresident hospitals giving medical care
		Convalescent, Nursing, and Rest Homes
60	6	Nervous and mental convalescent, nursing, and rest homes (including alcoholic and drug, temporary)
61	6	Tuberculosis convalescent, nursing, and rest homes
62	6	Children's convalescent, nursing, and rest homes
63	6	Orthopedic convalescent, nursing, and rest homes
64	6	Convalescent and chronic (general) convalescent, nursing, and rest homes
65	6	Maternity, convalescent, nursing, and rest homes
89	6	Other and unknown convalescent, nursing, and rest homes
		Other Nonresident Institutions
70	7	Jails with infirmary
71	7	Jails without infirmary, or unknown
72	7	Schools, colleges, and universities with infirmary

NONRESIDENT INSTITUTIONS		Type of Service
Extended code	Abbreviated code	
		Other Nonresident Institutions—Continued
73	7	Schools, colleges and universities without infirmary, or unknown
78	7	Other and unknown type of nonresident institutions with infirmary (with medical care)
79	7	Other and unknown type of nonresident institutions without infirmary (without medical care), or unknown
		RESIDENT INSTITUTIONS
80	8	Nervous and mental institutions
81	8	Mental defective, feeble-minded, and epileptic institutions
82	8	Alcoholic and drug institutions
90	9	Orphanage with infirmary
91	9	Orphanage without infirmary, or unknown
92	9	Old-age home with infirmary
93	9	Old-age home without infirmary, or unknown
94	9	Prison with infirmary
95	9	Prison without infirmary, or unknown
96	9	Juvenile and correctional with infirmary
97	9	Juvenile and correctional without infirmary, or unknown
98	9	Home or resident school for the blind, deaf, etc., with infirmary
99	9	Home or resident school for the blind, deaf, etc., without infirmary, or unknown
9V	9	Other and unknown resident institutions with infirmary
9X	9	Other and unknown resident institutions without infirmary, or unknown
V	-	Unknown type
		Type of Control
		Government
0	0	Federal
1	1	State
2	2	County
3	2	City
4	2	City-county
		Nonprofit organization
5	3	Church
6	3	Nonprofit association
7	3	Fraternal
		Propristary
8	4	Individual
9	4	Partnership
V	4	Corporation
X	9	Unknown

DEATHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—In 1941 there were 1,397,642 deaths registered in the United States, of which 246,811 or 17.7 percent were of nonresidents of the city or county in which death occurred. In 1940, 14.8 percent of the deaths reported were of nonresidents. Most of the nonresidents in any State are residents of some other part of the same State and do not, therefore, represent population movement between States. Of the 246,811 nonresident deaths, 33,703 were interstate nonresident deaths. These comprise 13.7 percent of all nonresident deaths and only 2.4 percent of all deaths.

A summary of the reallocation of deaths to place of residence is given in table B. This table shows the total number of deaths occurring in each State, the number of these that were of nonresidents, the number of deaths of residents occurring in other areas, and the total number of deaths of residents wherever occurring. For example, 81,421 deaths were recorded in California in 1941. Of this total number of recorded deaths, 19,102 occurred in a city or county of which the decedent was not a resident. In 17,736 instances the decedent was a resident of some other area of California, and in 1,366 instances the decedent was a resident of some other State. Considering next the deaths of residents of California, the table shows that 18,624 residents of California died in some city or county other than their usual place of residence. Of these, 17,736 died in some other area of California, and 888 California residents died in some other State. Altogether, a total of 80,943 residents of California died in 1941, irrespective of the place of death.

TABLE B.—DEATHS OF NONRESIDENTS IN EACH STATE AND DEATHS OF RESIDENTS IN OTHER STATES: 1941

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS						Total deaths of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	From same State	From other States	
UNITED STATES	1,397,642	246,811	213,108	33,703	246,811	213,108	33,703	1,397,642
Alabama	28,715	4,424	3,915	509	4,491	3,915	576	28,782
Arizona	5,989	1,616	901	715	1,079	901	178	5,452
Arkansas	16,250	2,287	1,791	496	2,439	1,791	648	16,402
California	81,421	19,102	17,736	1,366	18,624	17,736	888	80,943
Colorado	12,108	2,498	2,063	435	2,378	2,063	315	11,988
Connecticut	18,047	3,457	3,026	431	3,598	3,026	572	18,188
Delaware	3,241	603	458	145	606	458	148	3,244
Dist. of Col.	8,670	1,224	...	1,224	553	...	553	7,999
Florida	23,123	5,523	3,399	2,124	4,032	3,399	633	21,632
Georgia	31,736	4,468	3,753	715	4,386	3,753	633	31,654
Idaho	4,446	1,242	979	263	1,258	979	279	4,462
Illinois	85,497	13,244	11,857	1,387	14,329	11,857	2,472	86,582
Indiana	39,701	7,269	6,353	916	7,419	6,353	1,066	39,851
Iowa	25,743	5,331	4,546	785	5,265	4,546	719	25,677
Kansas	18,467	4,026	3,270	756	4,007	3,270	737	18,448
Kentucky	30,115	3,434	2,903	531	3,722	2,903	819	30,403
Louisiana	24,066	5,397	4,851	546	5,180	4,851	329	23,649
Maine	10,451	2,132	1,898	234	2,149	1,898	251	10,468
Maryland	21,967	3,419	2,491	928	3,450	2,491	959	21,998
Massachusetts	50,709	8,586	7,650	936	8,475	7,650	825	50,598
Michigan	52,670	10,793	9,982	811	10,856	9,982	874	52,733
Minnesota	26,618	5,706	4,627	1,079	5,228	4,627	601	26,140
Mississippi	22,575	2,889	2,540	349	3,146	2,540	606	22,832
Missouri	43,128	7,610	6,206	1,404	7,476	6,206	1,270	42,994
Montana	5,626	1,432	1,245	187	1,479	1,245	234	5,673
Nebraska	12,203	2,094	1,783	311	2,221	1,783	438	12,330
Nevada	1,400	473	321	152	441	321	120	1,368
New Hampshire	6,114	1,044	702	342	1,003	702	301	6,073
New Jersey	45,441	11,324	10,121	1,203	11,849	10,121	1,728	45,966
New Mexico	5,720	1,174	787	387	1,093	787	306	5,639
New York	147,688	15,871	13,778	2,093	16,213	13,778	2,435	148,030
North Carolina	31,956	5,883	5,116	767	5,679	5,116	563	31,752
North Dakota	5,302	1,372	1,119	253	1,351	1,119	232	5,281
Ohio	77,963	11,188	9,899	1,289	11,362	9,899	1,463	78,137
Oklahoma	19,967	3,908	3,578	330	4,380	3,578	802	20,439
Oregon	12,108	2,726	2,304	422	2,577	2,304	273	11,959
Pennsylvania	108,215	20,384	18,970	1,414	20,917	18,970	1,947	108,748
Rhode Island	7,864	1,542	1,295	247	1,566	1,295	271	7,888
South Carolina	20,523	3,377	3,074	303	3,471	3,074	397	20,617
South Dakota	5,365	976	975	[1] 1	1,304	975	329	5,693
Tennessee	29,193	4,589	3,420	1,169	4,019	3,420	599	28,623
Texas	60,424	8,692	7,912	780	8,849	7,912	937	60,581
Utah	4,560	1,005	811	194	963	811	152	4,518
Vermont	4,322	821	700	121	901	700	201	4,402
Virginia	30,464	5,215	4,420	795	5,451	4,420	1,031	30,700
Washington	19,106	4,207	3,805	402	4,300	3,805	495	19,199
West Virginia	17,838	3,687	3,065	622	3,686	3,065	621	17,837
Wisconsin	30,629	7,049	6,401	648	7,098	6,401	697	30,678
Wyoming	2,198	498	312	186	492	312	180	2,192

[1] Incomplete; reports of 245 deaths in South Dakota of residents from other States were received too late for tabulation.

An inspection of table B shows relatively small differences between the total number of deaths occurring in a State and the total number of deaths of residents of the State. This indicates that interstate nonresident deaths are a small proportion of the total deaths and that in most cases the number of residents leaving a State and dying in other States approximately balances the number of residents of other States dying within the State. Even in States where a large number of out-of-State nonresidents are to be expected, reallocation does not greatly change the State totals. In Arizona the difference between the number of recorded deaths and the number of resident deaths is 9.8 percent of the number of resident deaths; in Florida, 6.9 percent; and in California, only 0.6 percent. These figures demonstrate that for State totals it is unnecessary in most cases to reallocate deaths to the place of residence. It is only for individual areas within the State that reallocation is important. However, to obtain correct figures for areas near State borders, it is probably necessary that this reallocation be on an interstate as well as an intrastate basis.

Number of nonresident deaths.—The proportion of nonresident deaths to all deaths for each State in 1941 is given in table C. This table shows the total number of deaths occurring in each State and the number and percent of these that are of nonresidents of the particular area in which death occurred. For the entire United States the nonresident deaths constituted 17.7 percent of all deaths, but in individual States this proportion ranged from 10.7 percent in New York to 33.8 percent in Nevada. A frequency distribution of States showing the percent of total recorded deaths that are of nonresidents is given in table D.

TABLE C.—DEATHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED DEATHS: EACH STATE, 1941

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA		AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	1,397,642	246,811	17.7	Missouri	43,128	7,610	17.6
				Montana	5,626	1,432	25.5
				Nebraska	12,203	2,094	17.2
Alabama	28,715	4,424	15.4	Nevada	1,400	473	33.8
Arizona	5,989	1,616	27.0	New Hampshire	6,114	1,044	17.1
Arkansas	16,250	2,287	14.1	New Jersey	45,441	11,324	24.9
California	81,421	19,102	23.5	New Mexico	5,720	1,174	20.5
Colorado	12,108	2,498	20.6				
Connecticut	18,047	3,457	19.2	New York	147,688	15,871	10.7
				North Carolina	31,956	5,883	18.4
Delaware	3,241	603	18.6	North Dakota	5,302	1,372	25.9
Dist. of Col.	8,670	1,224	14.1	Ohio	77,963	11,188	14.4
Florida	23,123	5,523	23.9	Oklahoma	19,967	3,908	19.6
Georgia	31,736	4,468	14.1	Oregon	12,108	2,726	22.5
Idaho	4,446	1,242	27.9	Pennsylvania	108,215	20,384	18.8
Illinois	85,497	13,244	15.5				
				Rhode Island	7,864	1,542	19.6
Indiana	39,701	7,269	18.3	South Carolina	20,523	3,377	16.5
Iowa	25,743	5,331	20.7	South Dakota	5,365	[1] 976	[1] 18.2
Kansas	18,467	4,026	21.8	Tennessee	29,193	4,589	15.7
Kentucky	30,115	3,434	11.4	Texas	60,424	8,692	14.4
Louisiana	24,066	5,397	22.4	Utah	4,560	1,005	22.0
Maine	10,451	2,132	20.4				
				Vermont	4,322	821	19.0
Maryland	21,967	3,419	15.6	Virginia	30,464	5,215	17.1
Massachusetts	50,709	8,586	16.9	Washington	19,106	4,207	22.0
Michigan	52,670	10,793	20.5	West Virginia	17,838	3,687	20.7
Minnesota	26,618	5,706	21.4	Wisconsin	30,629	7,049	23.0
Mississippi	22,575	2,889	12.8	Wyoming	2,198	498	22.7

[1] Incomplete; reports of 245 deaths in South Dakota of residents from other States were received too late for tabulation.

TABLE D.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED DEATHS: 1941

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	NUMBER OF STATES
10-14	8
15-19	19
20-24	17
25-29	4
30-34	1

TABLE E.—PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED DEATHS BY POPULATION-SIZE GROUPS: 1941

(Exclusive of stillbirths)

POPULATION-SIZE GROUP	PERCENT NONRESIDENTS
UNITED STATES	17.7
Cities of 100,000 or more	12.4
Cities of 25,000 to 100,000	25.3
Cities of 10,000 to 25,000	29.2
Cities of 2,500 to 10,000	29.8
Rural	12.7

Since the movement to cities for hospitalization is an important factor contributing to the number of nonresident deaths, it is reasonable to suppose that the proportion of nonresident deaths will be greater in cities than in rural areas.

As may be seen in table E showing the urban-rural distribution of nonresident deaths, the percent of nonresident deaths in cities is higher than in rural areas. However, the proportion of nonresident deaths in cities of 100,000 or more is lower than that for the United States and considerably below the percentages for cities of 2,500 to 100,000.

CHANGES IN DEATH STATISTICS FOR POPULATION-SIZE GROUPS

The allocation of deaths to the place of residence of the decedent affects the mortality rates for cities of various population sizes, as indicated in table F. This table shows for each population group the total number of deaths of residents wherever occurring and the total number of deaths occurring in each area. The corresponding death rates are also shown. From these data it is apparent that there are decreases in the death rates for cities and an increase in the death rate for rural areas when the deaths are tabulated on a residence basis. This again illustrates the effect of population movement on mortality statistics tabulated according to the place of death.

TABLE F.—RESIDENT AND RECORDED DEATHS, AND DEATH RATES, BY POPULATION-SIZE GROUPS: UNITED STATES, 1941

(Exclusive of stillbirths. Rates for the United States are based on population estimated as of July 1, 1941; rates for population-size groups are based on populations enumerated in the Federal census of April 1, 1940)

POPULATION-SIZE GROUP	TOTAL DEATHS OF RESIDENTS		TOTAL DEATHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
UNITED STATES	1,397,642	10.5	1,397,642	10.5
Cities of 100,000 or more	423,036	11.1	445,167	11.7
Cities of 25,000 to 100,000	166,711	11.3	189,812	12.9
Cities of 10,000 to 25,000	111,042	11.1	125,930	12.6
Cities of 2,500 to 10,000	141,515	12.1	152,728	13.0
Rural	555,538	9.7	484,005	8.5

The number of resident deaths, recorded deaths, and their corresponding death rates are shown in table G for individual cities having populations of 100,000 or more in 1940. It may be seen that in all but 11 of the large cities the recorded death rates were higher than the resident death rates. Most of these exceptions are cities located near other cities with large hospital facilities.

TABLE G.—RESIDENT AND RECORDED DEATHS AND DEATH RATES: CITIES OF 100,000 OR MORE, 1941

(Exclusive of stillbirths. Rates are based on populations enumerated in the Federal census of April 1, 1940)

AREA	TOTAL DEATHS OF RESIDENTS		TOTAL DEATHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
Akron	2,191	9.0	2,297	9.4
Albany	1,617	12.4	1,851	14.2
Atlanta	3,677	12.2	4,189	13.9
Baltimore	10,797	12.6	11,624	13.5
Birmingham	3,228	12.1	3,706	13.8
Boston	9,613	12.5	11,007	14.3
Bridgeport	1,618	11.0	1,738	11.8
Buffalo	6,455	11.2	6,987	12.1
Cambridge	1,350	12.2	1,406	12.7
Camden	1,317	11.2	1,620	13.8
Canton	1,138	10.5	1,203	11.1
Charlotte	894	8.9	1,064	10.5
Chattanooga	1,654	12.9	1,838	14.3
Chicago	36,951	10.9	35,619	10.5
Cincinnati	5,755	12.6	6,581	14.4
Cleveland	9,787	11.1	9,692	11.3
Columbus	3,878	12.7	4,482	14.6
Dallas	3,129	10.6	3,393	11.5
Dayton	2,696	12.8	2,867	13.6
Denver	3,874	12.1	4,349	13.5

TABLE G.—RESIDENT AND RECORDED DEATHS AND DEATH RATES: CITIES OF 100,000 OR MORE, 1941—Continued

(Exclusive of stillbirths. Rates are based on populations enumerated in the Federal census of April 1, 1940)

AREA	TOTAL DEATHS OF RESIDENTS		TOTAL DEATHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
Des Moines	1,593	10.0	1,931	12.1
Detroit	14,347	8.8	13,712	8.4
Duluth	1,107	11.0	1,208	12.0
Elizabeth	1,057	9.6	1,297	11.8
Erie	1,248	10.7	1,374	11.7
Fall River	1,510	13.1	1,598	13.8
Flint	1,262	8.3	1,365	9.0
Fort Wayne	1,278	10.8	1,358	11.5
Fort Worth	1,818	10.2	1,974	11.1
Gary	1,013	9.1	1,038	9.3
Grand Rapids	1,735	10.6	1,751	10.7
Hartford	1,724	10.4	2,170	13.1
Houston	4,161	10.8	4,367	11.4
Indianapolis	4,995	12.9	5,408	14.0
Jacksonville, Fla.	2,365	13.7	2,543	14.7
Jersey City	3,289	10.9	3,600	12.0
Kansas City, Kans.	1,274	10.5	1,560	12.8
Kansas City, Mo.	4,694	11.8	4,902	12.3
Knoxville	1,144	10.3	1,382	12.4
Long Beach	2,095	12.8	1,880	11.4
Los Angeles	17,163	11.4	18,129	12.1
Louisville	4,213	13.2	4,525	14.2
Lowell	1,200	11.8	1,325	13.1
Memphis	3,301	11.3	4,166	14.2
Miami	1,831	10.6	1,981	11.5
Milwaukee	5,784	9.8	5,169	8.8
Minneapolis	4,772	9.7	5,304	10.8
Nashville	2,243	13.4	2,635	15.7
Newark, N. J.	4,720	11.0	4,988	11.6
New Bedford	1,269	11.5	1,239	11.2
New Haven	1,692	10.5	2,045	12.7
New Orleans	6,160	12.5	7,473	15.1
New York	75,035	10.1	74,531	10.0
Norfolk	1,862	12.9	1,905	13.2
Oakland	3,748	12.4	3,583	11.9
Oklahoma City	1,815	8.9	2,385	11.7
Omaha	2,354	10.5	2,652	11.8
Paterson	1,605	11.5	1,818	13.0
Peoria	1,185	11.3	1,348	12.8
Philadelphia	23,938	12.4	24,375	12.6
Pittsburgh	7,627	11.4	8,389	12.5
Portland, Oreg.	3,687	12.1	4,111	13.5
Providence	2,906	11.5	3,140	12.4
Reading	1,320	11.9	1,276	11.5
Richmond	2,373	12.3	2,758	14.3
Rochester	3,429	10.6	3,746	11.5
Sacramento	1,507	14.2	1,756	16.6
St. Louis	9,892	12.1	10,535	12.9
St. Paul	2,772	9.6	3,017	10.5
Salt Lake City	1,390	9.3	1,746	11.6
San Antonio	3,475	13.7	3,662	14.4
San Diego	2,550	12.5	2,836	13.9
San Francisco	8,466	13.3	9,084	14.3
Scranton	1,551	11.0	1,774	12.6
Seattle	4,773	13.0	4,941	13.4
Somerville	1,026	10.0	866	8.5
South Bend	952	9.4	955	9.4
Spokane	1,513	12.4	1,655	13.6
Springfield, Mass.	1,568	10.5	1,805	12.1
Syracuse	2,334	11.3	2,508	12.2
Tacoma	1,268	11.6	1,577	14.4
Tampa	1,353	12.5	1,381	12.7
Toledo	3,550	12.6	3,801	13.5
Trenton	1,622	13.0	1,838	14.7
Tulsa	1,474	10.4	1,585	11.1
Utica	1,475	14.7	1,539	15.3
Washington, D. C.[1]	7,999	10.8	8,670	11.7
Wichita	1,230	10.7	1,276	11.1
Wilmington, Del.	1,303	11.6	1,532	13.6
Worcester	2,537	13.1	2,664	13.8
Yonkers	1,302	9.1	1,253	8.8
Youngstown	1,594	9.5	1,784	10.6

[1] Rates based on population estimated as of July 1, 1941.

Residence allocation of deaths by cause.—The death rates for selected causes of death in 1941 based on data allocated to the place of residence are given for each State and each geographic division in table I on page 18. These rates may be compared with the corresponding rates computed on the basis of the place of occurrence, as given in table XII of "Vital Statistics of the United States, 1941; Part I."

TABLE H.—RESIDENT DEATHS FROM SELECTED CAUSES AND DEATH RATES, BY POPULATION-SIZE GROUPS: UNITED STATES, 1941

(Exclusive of stillbirths. Rates are based on populations enumerated in the Federal census of April 1, 1940. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	DEATHS OF RESIDENTS IN—									
	Cities of 100,000 or more		Cities of 25,000 to 100,000		Cities of 10,000 to 25,000		Cities of 2,500 to 10,000		Rural	
	Number	Rate per 100,000 population	Number	Rate per 100,000 population	Number	Rate per 100,000 population	Number	Rate per 100,000 population	Number	Rate per 100,000 population
All causes	423,036	1,113.6	166,711	1,129.4	111,042	1,114.1	141,315	1,207.0	555,538	970.4
Typhoid and paratyphoid fever—1,2	118	0.3	98	0.7	61	0.6	119	1.0	692	1.2
Cerebrospinal (meningococcus) meningitis—6	160	0.4	83	0.6	51	0.5	74	0.6	345	0.6
Scarlet fever—8	89	0.2	48	0.3	30	0.3	46	0.4	241	0.4
Whooping cough—9	482	1.3	308	2.1	267	2.7	410	3.5	2,318	4.0
Diphtheria—10	173	0.5	98	0.7	67	0.7	112	1.0	843	1.5
Tuberculosis of respiratory system, etc.*—15	19,077	50.2	5,848	39.6	3,436	34.5	4,734	40.4	21,265	37.1
Tuberculosis (other forms)—14-22	1,776	4.7	589	4.0	341	3.4	430	3.7	1,757	3.1
Malaria—28	39	0.1	45	0.3	63	0.6	106	0.9	925	1.6
Syphilis—30	5,630	14.8	2,215	15.0	1,165	11.7	1,594	13.6	7,124	12.4
Poliomyelitis and polioencephalitis (acute)—36	162	0.4	83	0.6	65	0.7	103	0.9	394	0.7
Cancer and other malignant tumors—45-55	57,012	150.1	20,277	137.4	13,074	131.2	15,578	133.1	53,985	94.3
Acute rheumatic fever—58	482	1.3	194	1.3	116	1.2	162	1.4	686	1.2
Diabetes mellitus—61	12,330	32.5	4,391	29.7	2,899	29.1	3,397	29.0	10,862	19.0
Exophthalmic goiter—63b	1,033	2.7	396	2.7	275	2.8	361	3.1	1,244	2.2
Pellagra (except alcoholic)—69	190	0.5	147	1.0	120	1.2	214	1.8	1,165	2.0
Intracranial lesions of vascular origin—83	30,828	81.2	14,740	99.9	10,037	100.7	12,567	107.3	50,412	88.1
Diseases of the ear, nose, and throat—89,104,115	1,475	3.9	657	4.5	439	4.4	633	5.4	2,529	4.4
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	8,886	23.4	2,904	19.7	1,964	19.7	2,298	19.6	10,273	17.9
Diseases of coronary arteries and angina pectoris—94	35,460	93.3	15,195	102.9	9,885	99.2	11,470	98.0	35,156	61.4
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	89,569	235.8	30,405	206.0	19,365	194.3	23,874	203.9	89,437	156.2
Influenza and pneumonia (all forms)—33,107-109	21,567	56.8	8,945	60.6	6,110	61.3	8,434	72.0	39,928	69.7
Ulcer of the stomach or duodenum—117	3,123	8.2	1,106	7.5	706	7.1	928	7.9	3,001	5.2
Diarrhea, enteritis, etc.*—119,120	2,235	5.9	1,360	9.2	1,000	10.0	1,576	13.5	7,800	13.6
Appendicitis—121	3,021	8.0	1,255	8.5	894	9.0	1,235	10.5	4,384	7.7
Hernia and intestinal obstruction—122	3,493	9.2	1,403	9.5	1,054	10.6	1,243	10.6	4,344	7.6
Cirrhosis of the liver—124	5,400	14.2	1,555	10.5	895	9.0	1,048	9.0	2,978	5.2
Biliary calculi, etc.*—126,127	2,362	6.2	951	6.4	673	6.8	805	6.9	2,745	4.8
Nephritis—130-132	26,753	70.4	11,888	80.5	8,498	85.3	10,670	91.1	42,145	73.6
Puerperal septicemia—140,142a,147	767	2.0	322	2.2	260	2.6	345	2.9	1,340	2.3
Puerperal toxemias—141a,c,144,148	311	0.8	168	1.1	146	1.5	234	2.0	1,172	2.0
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	665	1.8	291	2.0	197	2.0	292	2.5	1,446	2.5
Congenital malformations—157	3,742	9.9	1,687	11.4	1,204	12.1	1,523	13.0	5,766	10.1
Premature birth—159	8,563	22.5	4,103	27.8	2,770	27.8	3,904	33.3	14,001	24.5
Suicide—163,164	5,675	14.9	2,144	14.5	1,353	13.6	1,635	14.0	6,295	11.0
Homicide—165-168	2,552	6.7	925	6.3	539	5.4	760	6.5	3,153	5.5
Motor-vehicle accidents—170	9,913	26.1	4,545	30.8	3,133	31.4	4,486	38.3	17,892	31.3
Other accidents—169,171-195	16,647	43.8	6,935	47.0	4,852	48.7	6,564	56.1	26,546	46.4
All other causes*	41,276	108.7	18,409	124.7	13,038	130.8	17,351	148.2	78,951	137.9

*Refer to complete International List titles, table XI, Part I.

In general, the difference between the recorded and resident death rates is not great for any of the causes for a large majority of the States. However, there are substantial differences to be noted in the rates for certain States. For example, in Arizona in 1941 the death rate for tuberculosis of the respiratory system was 158.2 per 100,000 population when computed on a place-of-occurrence basis and 122.4 when on a place-of-residence basis. Another example is the death rate for motor-vehicle accidents. The death rate for this cause in Nevada in 1941 was 103.4 per 100,000 population by place of occurrence compared with 79.8 by place of residence. Differences of this kind generally occur in States noted as health or summer and winter resorts. Also, States with sanatoriums or specialized hospital facilities tend to show higher rates for certain causes on a place-of-occurrence basis.

Table H shows for five population-size groups in the United States the number of resident deaths and death rates for selected causes. Marked urban-rural differences in the death rates are apparent for certain causes of death. In general, the death rates for the infectious enteric diseases, diseases of childhood, and influenza and pneumonia tend to be higher in the smaller cities and rural areas while diseases such as cancer, diabetes, diseases of the heart, ulcer of the stomach or duodenum, and cirrhosis of the liver show higher death rates among the residents of the larger cities.

The death rates for the selected causes in table H also indicate the relative importance of the various causes of death among the residents of places of different population size. Because of the differences between the recorded and resident figures, the place-of-residence data should always be used in the evaluation of mortality conditions by population-size groups.

INFANT MORTALITY BY POPULATION-SIZE GROUPS

Table J shows the infant mortality rates by population-size groups and by race for the United States on a place-of-residence basis. The rate in 1941 ranged from 37.0 deaths under 1 year per 1,000 live births for cities of 100,000 or more to 50.1 for cities of 2,500 to 10,000. The differences between areas are greater for persons of "All other races" than for white persons. In comparison with the corresponding figures for the preceding year, the rates for urban areas (cities and other urban places having populations over 2,500) in 1941 showed greater decreases than the rate for rural areas.

TABLE J.—INFANT MORTALITY BY RACE AND POPULATION-SIZE GROUPS, BY PLACE OF RESIDENCE: UNITED STATES, 1941

(Exclusive of stillbirths)

POPULATION-SIZE GROUP	DEATHS UNDER 1 YEAR					
	Total		White		All other races	
	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births
UNITED STATES	115,949	45.3	90,874	41.2	23,075	74.8
Cities of 100,000 or more	24,444	37.0	19,706	33.7	4,738	62.9
Cities of 25,000 to 100,000	12,257	43.1	10,191	39.2	2,066	83.2
Cities of 10,000 to 25,000	8,766	45.7	7,390	41.8	1,376	91.2
Cities of 2,500 to 10,000	12,528	50.1	10,751	46.6	1,777	91.9
Rural	55,954	49.7	42,838	45.0	13,118	75.4

DEATHS IN HOSPITALS AND INSTITUTIONS

In 1941, 40.8 percent of all deaths occurred in institutions as compared with 39.0 percent for the preceding year. There is a large difference between population-size groups in the proportion of residents dying in institutions. Whereas, 49.0 percent of all deaths to residents of cities of 10,000 or more occurred in institutions, the corresponding figure for residents of smaller cities and rural areas was only 32.5 percent. For individual States, the proportion of resident deaths occurring in institutions ranged from 21.3 percent in Arkansas to 55.6 percent in Nevada.

Table K shows the proportion of resident deaths in institutions for cities of 10,000 or more and cities under 10,000 and rural areas of each State.

TABLE K.—PERCENTAGE OF RESIDENT DEATHS AND OF RECORDED DEATHS, OCCURRING IN INSTITUTIONS, BY POPULATION GROUPS: EACH STATE, 1941

(Exclusive of stillbirths)

AREA	DEATHS OF RESIDENTS (wherever occurring)			DEATHS IN AREA		
	Total	In institution	Not in institution	Total	In institution	Not in institution
UNITED STATES	100.0	40.8	59.2	100.0	40.8	59.2
Cities of 10,000 or more	100.0	49.0	51.0	100.0	53.5	46.5
Cities under 10,000 and rural	100.0	32.5	67.5	100.0	25.5	74.5
Alabama	100.0	23.7	76.3	100.0	23.5	76.5
Cities of 10,000 or more	100.0	37.9	62.1	100.0	48.3	51.7
Cities under 10,000 and rural	100.0	18.0	82.0	100.0	10.2	89.8
Arizona	100.0	48.2	51.8	100.0	48.4	51.6
Cities of 10,000 or more	100.0	49.2	50.8	100.0	54.0	46.0
Cities under 10,000 and rural	100.0	47.7	52.3	100.0	44.7	55.3
Arkansas	100.0	21.3	78.7	100.0	20.6	79.4
Cities of 10,000 or more	100.0	43.0	57.0	100.0	52.3	47.7
Cities under 10,000 and rural	100.0	15.7	84.3	100.0	9.1	90.9
California	100.0	53.8	46.2	100.0	53.8	46.2
Cities of 10,000 or more	100.0	52.8	47.2	100.0	54.3	45.7
Cities under 10,000 and rural	100.0	55.7	44.3	100.0	53.0	47.0
Colorado	100.0	49.3	50.7	100.0	49.9	50.1
Cities of 10,000 or more	100.0	53.5	46.5	100.0	58.5	41.5
Cities under 10,000 and rural	100.0	45.1	54.9	100.0	40.0	60.0
Connecticut	100.0	49.4	50.6	100.0	49.1	50.9
Cities of 10,000 or more	100.0	52.4	47.6	100.0	57.0	43.0
Cities under 10,000 and rural	100.0	43.8	56.2	100.0	28.0	72.0
Delaware	100.0	40.4	59.6	100.0	40.2	59.8
Cities of 10,000 or more	100.0	44.7	55.3	100.0	53.1	46.9
Cities under 10,000 and rural	100.0	37.5	62.5	100.0	28.7	71.3
District of Columbia	100.0	58.5	41.5	100.0	62.5	37.5
Florida	100.0	37.7	62.3	100.0	37.9	62.1
Cities of 10,000 or more	100.0	46.0	54.0	100.0	50.0	50.0
Cities under 10,000 and rural	100.0	30.2	69.8	100.0	25.0	75.0
Georgia	100.0	26.0	74.0	100.0	26.2	73.8
Cities of 10,000 or more	100.0	38.4	61.6	100.0	47.0	53.0
Cities under 10,000 and rural	100.0	19.8	80.2	100.0	13.4	86.6
Idaho	100.0	46.6	53.4	100.0	45.7	54.3
Cities of 10,000 or more	100.0	55.0	45.0	100.0	64.5	35.5
Cities under 10,000 and rural	100.0	43.8	56.2	100.0	36.8	63.2
Illinois	100.0	47.1	52.9	100.0	46.9	53.1
Cities of 10,000 or more	100.0	51.2	48.8	100.0	53.6	46.4
Cities under 10,000 and rural	100.0	39.6	60.4	100.0	33.7	66.3
Indiana	100.0	34.2	65.8	100.0	34.0	66.0
Cities of 10,000 or more	100.0	39.4	60.6	100.0	46.6	53.4
Cities under 10,000 and rural	100.0	30.0	70.0	100.0	21.5	78.5
Iowa	100.0	39.2	60.8	100.0	39.4	60.6
Cities of 10,000 or more	100.0	47.9	52.1	100.0	59.1	40.9
Cities under 10,000 and rural	100.0	35.1	64.9	100.0	26.2	73.8
Kansas	100.0	38.0	62.0	100.0	38.1	61.9
Cities of 10,000 or more	100.0	43.6	56.4	100.0	50.3	49.7
Cities under 10,000 and rural	100.0	35.1	64.9	100.0	30.8	69.2
Kentucky	100.0	24.2	75.8	100.0	23.7	76.3
Cities of 10,000 or more	100.0	40.2	59.8	100.0	45.8	54.2
Cities under 10,000 and rural	100.0	18.0	82.0	100.0	13.9	86.1
Louisiana	100.0	37.8	62.2	100.0	37.9	62.1
Cities of 10,000 or more	100.0	48.4	51.6	100.0	60.0	40.0
Cities under 10,000 and rural	100.0	30.8	69.2	100.0	16.9	83.1
Maine	100.0	32.7	67.3	100.0	32.2	67.8
Cities of 10,000 or more	100.0	47.3	52.7	100.0	56.0	44.0
Cities under 10,000 and rural	100.0	26.8	73.2	100.0	18.3	81.7
Maryland	100.0	42.1	57.9	100.0	41.6	58.4
Cities of 10,000 or more	100.0	44.9	55.1	100.0	50.3	49.7
Cities under 10,000 and rural	100.0	38.6	61.4	100.0	27.3	72.7
Massachusetts	100.0	48.0	52.0	100.0	48.2	51.8
Cities of 10,000 or more	100.0	49.1	50.9	100.0	51.1	48.9
Cities under 10,000 and rural	100.0	43.2	56.8	100.0	32.7	67.3
Michigan	100.0	45.2	54.8	100.0	45.1	54.9
Cities of 10,000 or more	100.0	51.7	48.3	100.0	54.6	45.4
Cities under 10,000 and rural	100.0	37.7	62.3	100.0	32.6	67.4

TABLE K.—PERCENTAGE OF RESIDENT DEATHS AND OF RECORDED DEATHS, OCCURRING IN INSTITUTIONS, BY POPULATION GROUPS: EACH STATE, 1941—Contd.

(Exclusive of stillbirths)

AREA	DEATHS OF RESIDENTS (wherever occurring)			DEATHS IN AREA		
	Total	In institution	Not in institution	Total	In institution	Not in institution
Minnesota	100.0	48.7	51.3	100.0	49.3	50.7
Cities of 10,000 or more	100.0	59.1	40.9	100.0	65.4	34.6
Cities under 10,000 and rural	100.0	41.4	58.6	100.0	34.8	65.2
Mississippi	100.0	22.1	77.9	100.0	21.3	78.7
Cities of 10,000 or more	100.0	35.5	64.5	100.0	48.9	51.1
Cities under 10,000 and rural	100.0	19.7	80.3	100.0	14.7	85.3
Missouri	100.0	38.4	61.6	100.0	38.8	61.2
Cities of 10,000 or more	100.0	52.5	47.5	100.0	58.2	41.8
Cities under 10,000 and rural	100.0	26.3	73.7	100.0	18.0	82.0
Montana	100.0	53.8	46.2	100.0	53.4	46.6
Cities of 10,000 or more	100.0	58.7	41.3	100.0	65.3	34.7
Cities under 10,000 and rural	100.0	51.6	48.4	100.0	47.5	52.5
Nebraska	100.0	37.0	63.0	100.0	37.0	63.0
Cities of 10,000 or more	100.0	45.9	54.1	100.0	54.6	45.4
Cities under 10,000 and rural	100.0	32.5	67.5	100.0	25.1	74.9
Nevada	100.0	55.6	44.4	100.0	53.0	47.0
Cities of 10,000 or more	100.0	61.4	38.6	100.0	46.7	53.3
Cities under 10,000 and rural	100.0	54.0	46.0	100.0	54.1	45.9
New Hampshire	100.0	43.3	56.7	100.0	42.6	57.4
Cities of 10,000 or more	100.0	50.3	49.7	100.0	52.9	47.1
Cities under 10,000 and rural	100.0	37.0	63.0	100.0	32.3	67.7
New Jersey	100.0	48.2	51.8	100.0	47.2	52.8
Cities of 10,000 or more	100.0	49.4	50.6	100.0	51.7	48.3
Cities under 10,000 and rural	100.0	46.0	54.0	100.0	37.7	62.3
New Mexico	100.0	28.6	71.4	100.0	28.2	71.8
Cities of 10,000 or more	100.0	41.7	58.3	100.0	55.1	44.9
Cities under 10,000 and rural	100.0	25.9	74.1	100.0	20.8	79.2
New York	100.0	52.4	47.6	100.0	52.6	47.4
Cities of 10,000 or more	100.0	54.7	45.3	100.0	56.9	43.1
Cities under 10,000 and rural	100.0	45.5	54.5	100.0	38.5	61.5
North Carolina	100.0	29.0	71.0	100.0	29.3	70.7
Cities of 10,000 or more	100.0	39.9	60.1	100.0	55.1	44.9
Cities under 10,000 and rural	100.0	25.7	74.3	100.0	17.6	82.4
North Dakota	100.0	45.9	54.1	100.0	46.5	53.5
Cities of 10,000 or more	100.0	54.2	45.8	100.0	71.9	28.1
Cities under 10,000 and rural	100.0	44.4	55.6	100.0	38.7	61.3
Ohio	100.0	37.6	62.4	100.0	37.7	62.3
Cities of 10,000 or more	100.0	44.4	55.6	100.0	49.4	50.6
Cities under 10,000 and rural	100.0	28.6	71.4	100.0	18.7	81.3
Oklahoma	100.0	33.2	66.8	100.0	32.4	67.6
Cities of 10,000 or more	100.0	42.5	57.5	100.0	52.0	48.0
Cities under 10,000 and rural	100.0	28.8	71.2	100.0	18.8	81.2
Oregon	100.0	47.7	52.3	100.0	48.0	52.0
Cities of 10,000 or more	100.0	51.8	48.2	100.0	59.4	40.6
Cities under 10,000 and rural	100.0	44.6	55.4	100.0	36.9	63.1
Pennsylvania	100.0	41.8	58.2	100.0	41.9	58.1
Cities of 10,000 or more	100.0	47.0	53.0	100.0	51.2	48.8
Cities under 10,000 and rural	100.0	35.3	64.7	100.0	28.0	72.0
Rhode Island	100.0	43.3	56.7	100.0	43.4	56.6
Cities of 10,000 or more	100.0	44.0	56.0	100.0	45.7	54.3
Cities under 10,000 and rural	100.0	38.4	61.6	100.0	23.2	76.8
South Carolina	100.0	25.2	74.8	100.0	24.6	75.4
Cities of 10,000 or more	100.0	46.8	53.2	100.0	57.2	42.8
Cities under 10,000 and rural	100.0	19.4	80.6	100.0	12.4	87.6
South Dakota	100.0	38.6	61.4	100.0	36.8	63.2
Cities of 10,000 or more	100.0	50.2	49.8	100.0	61.9	38.1
Cities under 10,000 and rural	100.0	36.1	63.9	100.0	28.3	71.7
Tennessee	100.0	28.3	71.7	100.0	29.7	70.3
Cities of 10,000 or more	100.0	42.5	57.5	100.0	52.3	47.7
Cities under 10,000 and rural	100.0	21.1	78.9	100.0	14.9	85.1
Texas	100.0	30.0	70.0	100.0	29.9	70.1
Cities of 10,000 or more	100.0	42.5	57.5	100.0	48.1	51.9
Cities under 10,000 and rural	100.0	21.6	78.4	100.0	15.5	84.5
Utah	100.0	41.7	58.3	100.0	42.3	57.7
Cities of 10,000 or more	100.0	49.5	50.5	100.0	59.4	40.6
Cities under 10,000 and rural	100.0	35.2	64.8	100.0	20.3	79.7
Vermont	100.0	36.5	63.5	100.0	35.5	64.5
Cities of 10,000 or more	100.0	48.6	51.4	100.0	62.6	37.4
Cities under 10,000 and rural	100.0	34.5	65.5	100.0	28.8	71.2
Virginia	100.0	29.7	70.3	100.0	28.9	71.1
Cities of 10,000 or more	100.0	38.2	61.8	100.0	44.8	55.2
Cities under 10,000 and rural	100.0	25.9	74.1	100.0	20.4	79.6
Washington	100.0	51.8	48.2	100.0	51.9	48.1
Cities of 10,000 or more	100.0	53.5	46.5	100.0	60.4	39.6
Cities under 10,000 and rural	100.0	50.1	49.9	100.0	40.0	60.0
West Virginia	100.0	29.6	70.4	100.0	29.6	70.4
Cities of 10,000 or more	100.0	38.1	61.9	100.0	54.2	45.8
Cities under 10,000 and rural	100.0	26.8	73.2	100.0	17.6	82.4
Wisconsin	100.0	45.4	54.6	100.0	45.2	54.8
Cities of 10,000 or more	100.0	52.6	47.4	100.0	57.1	42.9
Cities of 10,000 and rural	100.0	39.7	60.3	100.0	34.4	65.6
Wyoming	100.0	53.4	46.6	100.0	51.7	48.3
Cities of 10,000 or more	100.0	58.9	41.1	100.0	63.7	36.3
Cities under 10,000 and rural	100.0	51.5	48.5	100.0	46.6	53.4

Table L gives a frequency distribution of States according to the percent of resident deaths that occurred in institutions in 1941. In 11 States less than 30 percent of all resident deaths occurred in institutions; and in 6 States and the District of Columbia, 50 percent or more of the resident deaths occurred in institutions.

TABLE L.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF RESIDENT DEATHS IN INSTITUTIONS: 1941

(Exclusive of stillbirths)

PERCENT OF DEATHS IN INSTITUTIONS	NUMBER OF STATES
20-29	11
30-39	13
40-49	18
50-59	7

The "institutional" grouping in tables K and L is based on the institution code, and all types of hospitals, et cetera, are included under the broad term "institution." For deaths, the institutions are, for the most part, general hospitals. Table M shows for 1941 the number of deaths in the United States and the percent of these deaths occurring in each broad class of institution. Of the total number of deaths, 59.2 percent did not occur in an institution, 31.9 percent occurred in general hospitals, and 8.9 percent occurred in other types of hospitals and institutions. Reference should be made to the code outline on page 7 for the classification of specific types of institutions.

TABLE M.—RESIDENT DEATHS IN INSTITUTIONS: UNITED STATES, 1941

(Exclusive of stillbirths)

TYPE OF INSTITUTION	Total deaths	Percent of total deaths
Total deaths	1,397,642	100.0
No institution	827,679	59.2
Total institution	569,963	40.8
Type of service:		
General hospital	445,292	31.9
Maternity hospital	1,622	0.1
Children's hospital	2,881	0.2
Tuberculosis hospital	16,159	1.2
Special hospital	8,414	0.6
Other nonresident hospital	92	0.0
Convalescent, etc., home	5,784	0.4
Nonresident institution	539	0.0
Nervous and mental institution	39,378	2.8
Other resident institution	25,555	1.8
Unknown type	24,247	1.7

BIRTHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—Of a total of 2,513,427 live births registered in the United States for 1941, 1,921,343 occurred in the city or county in which the mother of the child usually resided, and 592,084 (23.6 percent) were nonresident births, as compared with 500,918 (21.2 percent) in 1940. The proportion of total births that were of nonresidents is greater than the proportion of nonresident deaths (17.7 percent). A large proportion of these nonresident births were to mothers who lived in rural areas or small cities and gave birth in more populous areas. As might be expected, this movement from rural areas or small cities to larger urban places is largely an intrastate movement as only 39,309 (6.6 percent) of all nonresident mothers crossed State lines. However, in the case of deaths, a greater proportion of long-distant movements occurred and 33,703 (13.7 percent) of all nonresidents crossed State lines.

A summary of births by place of occurrence and by place of residence is given for States in table N. This table shows, for each State, the number of births registered as occurring within the State; the total number of nonresident births within the State, that is, the number of births occurring in cities or counties of which the mother is not a resident; the number of these occurring to nonresident mothers who live in some other part of the same State; and the number to mothers living in other States. This table also shows the number of births to residents of each State occurring in other areas, and the total number of births to residents wherever occurring. For all States, except Maryland and Virginia, the total number of births occurring within the State is approximately equal to the total number of births to residents wherever occurring. In the District of Columbia, the number of births occurring in the area is substantially greater than the number of births to residents of the area.

TABLE N.—BIRTHS OF NONRESIDENTS IN EACH STATE AND BIRTHS OF RESIDENTS IN OTHER STATES: 1941

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS						Total births of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	From same State	From other States	
UNITED STATES	2,513,427	592,084	552,775	39,309	592,084	552,775	39,309	2,513,427
Alabama	64,238	7,422	7,017	405	7,563	7,017	546	64,579
Arizona	12,011	3,245	2,460	785	2,659	2,460	199	11,425
Arkansas	40,437	4,102	3,523	579	4,214	3,523	691	40,549
California	124,682	47,083	46,826	257	47,591	46,826	765	125,190
Colorado	21,400	5,549	5,258	291	5,542	5,258	284	21,393
Connecticut	28,526	10,288	9,859	429	10,798	9,859	939	29,036
Delaware	5,121	1,799	1,579	220	1,765	1,579	186	5,087
Dist. of Columbia	18,294	5,743	...	5,743	341	...	341	12,892
Florida	37,551	6,240	5,826	414	6,251	5,826	405	37,542
Georgia	68,244	9,304	8,434	870	8,930	8,434	496	67,870
Idaho	11,715	4,398	3,912	486	4,341	3,912	429	11,658
Illinois	134,451	34,613	33,610	1,003	36,321	33,610	2,711	136,159
Indiana	66,036	16,532	15,155	1,377	16,090	15,155	935	65,594
Iowa	48,826	15,282	13,947	1,335	14,571	13,947	624	48,115
Kansas	30,143	8,127	7,284	843	8,401	7,284	1,117	30,417
Kentucky	63,430	5,201	4,618	583	5,273	4,618	655	63,502
Louisiana	54,672	11,921	11,505	416	11,867	11,505	362	54,618
Maine	15,855	4,256	4,082	174	4,389	4,082	307	15,988
Maryland	34,287	6,585	5,825	760	9,363	5,825	3,538	37,065
Massachusetts	70,189	24,049	22,749	1,300	23,406	22,749	657	69,546
Michigan	107,511	29,294	28,574	720	29,241	28,574	667	107,458
Minnesota	54,462	15,166	14,163	1,003	15,063	14,163	900	54,359
Mississippi	54,454	4,610	4,299	311	4,869	4,299	570	54,715
Missouri	66,050	13,591	11,674	1,917	12,759	11,674	1,085	65,218
Montana	11,437	3,623	3,473	150	3,731	3,473	258	11,545
Nebraska	22,197	5,109	4,496	613	4,875	4,496	379	21,963
Nevada	2,181	859	745	114	878	745	133	2,200
New Hampshire	8,743	2,666	1,981	685	2,505	1,981	524	8,582
New Jersey	65,935	31,292	30,596	696	32,554	30,596	1,958	67,197
New Mexico	14,774	2,259	1,818	441	2,223	1,818	405	14,738
New York	211,171	38,331	36,151	2,180	37,463	36,151	1,312	210,303
North Carolina	84,654	12,727	12,285	442	12,688	12,285	403	84,595
North Dakota	15,464	4,075	3,511	564	3,870	3,511	359	15,259
Ohio	126,155	31,519	29,970	1,549	31,314	29,970	1,344	125,950
Oklahoma	45,447	9,414	8,839	575	9,785	8,839	946	45,818
Oregon	19,138	7,587	6,952	635	7,317	6,952	365	18,868
Pennsylvania	174,593	55,746	53,666	2,080	55,346	53,666	1,680	174,193
Rhode Island	11,582	4,041	3,618	423	4,070	3,618	452	11,611
South Carolina	47,162	5,512	5,287	225	5,733	5,287	446	47,383
South Dakota	11,647	3,148	3,141	[1]7	3,660	3,141	519	12,159
Tennessee	60,537	7,792	6,373	1,419	7,110	6,373	737	59,855
Texas	136,291	21,917	21,194	723	22,408	21,194	1,214	136,782
Utah	13,745	4,097	3,747	350	3,890	3,747	143	13,538
Vermont	6,762	2,183	1,934	249	2,386	1,934	452	6,965
Virginia	58,552	9,372	8,645	727	11,899	8,645	3,254	61,079
Washington	30,567	10,983	10,453	530	10,996	10,453	543	30,580
West Virginia	43,827	4,771	3,935	836	4,927	3,935	992	43,983
Wisconsin	57,120	17,645	16,902	743	17,711	16,902	809	57,186
Wyoming	5,181	1,016	884	132	1,157	884	273	5,322

[1] Incomplete; reports of 365 births in South Dakota of residents of other States were received too late for tabulation.

Number of nonresident births.—Although for the entire United States the nonresident births are 23.6 percent of all births, this proportion varies widely among States. In 1941 it ranged from 8.2 percent in Kentucky to 47.5 percent in New Jersey. Table O gives the total number of births occurring in each State and the number and percent that occurred in a city or county of which the mother was not a resident. The frequency distribution of these percentages for States is given in table P. In 8 States less than 15 percent of the births were to nonresidents, while in 8 States 35 percent or more of the births were to nonresidents.

TABLE O.—BIRTHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED BIRTHS: EACH STATE, 1941

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA		AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	2,513,427	592,084	23.6	Missouri	66,050	13,591	20.6
				Montana	11,437	3,623	31.7
				Nebraska	22,197	5,109	23.0
Alabama	64,238	7,422	11.6	Nevada	2,181	859	39.4
Arizona	12,011	3,245	27.0	New Hampshire	8,743	2,666	30.5
Arkansas	40,437	4,102	10.1	New Jersey	65,935	31,292	47.5
California	124,682	47,085	37.8				
Colorado	21,400	5,549	25.9	New Mexico	14,774	2,259	15.3
				New York	211,171	38,331	18.2
Connecticut	28,526	10,288	36.1	North Carolina	84,634	12,727	15.0
Delaware	5,121	1,799	35.1	North Dakota	13,464	4,075	30.3
Dist. of Col.	18,294	5,743	31.4	Ohio	126,155	31,519	25.0
Florida	37,551	6,240	16.6				
Georgia	68,244	9,304	13.6	Oklahoma	45,447	9,414	20.7
				Oregon	19,138	7,587	39.6
Idaho	11,715	4,398	37.5	Pennsylvania	174,593	55,746	31.9
Illinois	134,451	34,613	25.7	Rhode Island	11,582	4,041	34.9
Indiana	66,036	16,532	25.0	South Carolina	47,162	5,512	11.7
Iowa	46,826	15,282	32.6				
Kansas	30,143	8,127	27.0	South Dakota	11,647	[1] 3,148	[1] 27.0
				Tennessee	60,537	7,792	12.9
Kentucky	63,450	5,201	8.2	Texas	136,291	21,917	16.1
Louisiana	54,672	11,921	21.8	Utah	13,745	4,097	29.8
Maine	15,855	4,256	26.8	Vermont	6,762	2,183	32.3
Maryland	34,287	6,585	19.2				
				Virginia	58,552	9,372	16.0
Massachusetts	70,189	24,049	34.3	Washington	30,567	10,983	35.9
Michigan	107,511	29,294	27.2	West Virginia	43,827	4,771	10.9
Minnesota	54,462	15,166	27.8	Wisconsin	57,120	17,645	30.9
Mississippi	54,454	4,610	8.5	Wyoming	5,181	1,016	19.6

[1] Incomplete; reports of 365 births in South Dakota of residents of other States were received too late for tabulation.

TABLE P.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED BIRTHS: 1941

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	NUMBER OF STATES
5- 9	2
10-14	6
15-19	8
20-24	4
25-29	11
30-34	10
35-39	7
40-44	-
45-49	1

The proportion of nonresident births varies greatly for different population-size groups. Since many births are nonresident because of the use of urban hospitals by residents of rural areas, it is to be expected that there will be a high proportion of nonresident births in cities. Table Q, which gives the proportion of nonresident births for each population-size group, indicates that the proportion of nonresident births is greatest for cities having populations below 100,000. Large cities having populations of over 100,000 have slightly lower proportions of nonresident births than the total United States, while rural areas have a much smaller proportion.

TABLE Q.—PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED BIRTHS BY POPULATION-SIZE GROUPS: 1941

(Exclusive of stillbirths)

POPULATION-SIZE GROUP	PERCENT NONRESIDENTS
UNITED STATES	23.6
Cities of 100,000 or more	19.5
Cities of 25,000 to 100,000	36.5
Cities of 10,000 to 25,000	43.7
Cities of 2,500 to 10,000	44.2
Rural	8.4

Changes in birth statistics for population-size groups.—Table R shows the number of births to residents of each population-size group and the number of births occurring in each group with the corresponding birth rates. All of the urban groups have lower rates by place of residence than by place of occurrence, whereas rural areas have a much higher rate when the births are allocated to place of residence. In comparing the birth rates of urban and rural areas, differences in completeness of birth registration should be taken into account.[3]

The number of births and birth rates by place of residence and by place of occurrence are given in table S for each city having a population of 100,000 or more in 1941. The residence rates are lower than the occurrence rates for every city except Chicago, Los Angeles, New Bedford, Reading, and Somerville. Since many factors contribute to the number of nonresident births occurring in a community, a careful study of local conditions is necessary to explain the varying differences observed between residence and occurrence rates. Important factors are: The number and location of hospitals in suburbs surrounding a given city, the density of population in adjacent rural areas and the distance to other cities, the extent to which hospital facilities are available within the given city, et cetera.

TABLE R.—RESIDENT AND RECORDED BIRTHS, AND BIRTH RATES, BY POPULATION-SIZE GROUPS: UNITED STATES, 1941

(Exclusive of stillbirths. Rates for the United States are based on population estimated as of July 1, 1941; rates for population-size groups are based on populations enumerated in the Federal census of April 1, 1940)

POPULATION-SIZE GROUP	TOTAL BIRTHS OF RESIDENTS		TOTAL BIRTHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
UNITED STATES	2,513,427	18.9	2,513,427	18.9
Cities of 100,000 or more	660,005	17.4	772,845	20.3
Cities of 25,000 to 100,000	284,655	19.3	362,983	24.6
Cities of 10,000 to 25,000	191,803	19.2	244,662	24.5
Cities of 2,500 to 10,000	250,275	21.4	298,990	25.5
Rural	1,126,689	19.7	833,947	14.6

TABLE S.—RESIDENT AND RECORDED BIRTHS AND BIRTH RATES: CITIES OF 100,000 OR MORE, 1941

(Exclusive of stillbirths. Rates are based on populations enumerated in the Federal census of April 1, 1940)

AREA	TOTAL BIRTHS OF RESIDENTS		TOTAL BIRTHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
Akron	4,264	17.4	5,008	20.5
Albany	1,920	14.7	2,970	22.7
Atlanta	6,973	23.1	8,077	26.7
Baltimore	16,244	18.9	19,306	22.5
Birmingham	5,917	22.1	6,691	25.0
Boston	12,708	16.5	17,236	22.4
Bridgeport	2,544	17.3	3,578	24.3
Buffalo	9,885	17.2	12,070	21.0
Cambridge	2,038	18.4	2,831	25.5
Camden	2,090	17.8	4,005	34.1
Canton	2,248	20.7	3,111	28.7
Charlotte	2,211	21.9	3,019	29.9
Chattanooga	2,960	23.1	3,440	26.8
Chicago	57,511	16.9	57,333	16.9
Cincinnati	7,926	17.4	10,750	23.6
Cleveland	16,167	18.4	18,800	21.4
Columbus	5,712	18.7	7,057	23.1
Dallas	6,093	20.7	7,881	26.7
Dayton	4,785	22.7	5,781	27.4
Denver	5,848	18.1	7,347	22.8

[3] See Vital Statistics—Special Reports, vol. 17, No. 18. Bureau of the Census. Washington, D. C. 1943.

TABLE S.—RESIDENT AND RECORDED BIRTHS AND BIRTH RATES: CITIES OF 100,000 OR MORE, 1941—Continued

(Exclusive of stillbirths. Rates are based on populations enumerated in the Federal census of April 1, 1940)

AREA	TOTAL BIRTHS OF RESIDENTS		TOTAL BIRTHS IN AREA	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
Des Moines	3,013	18.9	3,620	22.7
Detroit	31,186	19.2	34,013	21.0
Duluth	1,708	16.9	2,209	21.9
Elizabeth	1,947	17.7	2,927	26.6
Erie	2,356	20.1	2,969	25.4
Fall River	1,911	16.6	2,378	20.6
Flint	3,439	22.7	4,402	29.0
Fort Wayne	2,096	17.7	2,616	22.1
Fort Worth	3,506	19.7	4,289	24.1
Gary	2,571	23.0	3,184	28.5
Grand Rapids	3,135	19.1	3,391	20.6
Hartford	3,136	18.9	5,287	31.8
Houston	9,444	24.6	10,471	27.2
Indianapolis	7,951	20.5	7,954	20.6
Jacksonville, Fla.	3,827	22.1	4,451	25.7
Jersey City	4,888	16.2	7,733	25.7
Kansas City, Kans.	2,262	18.6	2,622	21.6
Kansas City, Mo.	6,477	16.2	7,475	18.7
Knoxville	2,481	22.2	3,103	27.8
Long Beach	2,850	17.3	3,575	21.8
Los Angeles	24,389	16.2	24,320	16.2
Louisville	7,209	22.6	7,844	24.6
Lowell	1,524	15.0	1,956	19.3
Memphis	5,413	18.5	7,306	24.9
Miami	3,133	18.2	3,382	19.6
Milwaukee	9,654	16.4	11,794	20.1
Minneapolis	8,296	16.8	10,356	21.0
Nashville	3,561	21.3	4,348	26.0
Newark, N. J.	7,074	16.5	9,737	22.7
New Bedford	1,273	11.5	1,179	10.7
New Haven	2,557	15.9	3,957	24.6
New Orleans	10,093	20.4	13,285	26.9
New York	111,603	15.0	114,076	15.3
Norfolk	3,170	22.0	3,436	23.8
Oakland	4,984	16.5	6,036	20.0
Oklahoma City	3,976	19.4	4,638	22.7
Omaha	4,159	18.6	4,834	21.6
Paterson	2,108	15.1	3,687	26.4
Peoria	2,054	19.5	3,350	31.9
Philadelphia	51,495	16.3	34,025	17.6
Pittsburgh	12,022	17.9	15,981	23.8
Portland, Oreg.	5,028	16.5	6,342	20.8
Providence	3,918	15.5	6,407	25.3
Reading	1,524	13.8	1,476	13.3
Richmond	3,357	17.4	4,619	23.9
Rochester	4,527	13.9	6,372	19.6
Sacramento	1,851	17.5	3,265	30.8
St. Louis	13,007	15.9	16,712	20.5
St. Paul	5,336	18.5	6,339	22.0
Salt Lake City	3,567	23.8	4,686	31.3
San Antonio	7,711	30.4	8,096	31.9
San Diego	4,598	22.6	5,120	25.2
San Francisco	8,436	13.3	9,808	15.5
Scranton	2,027	14.4	2,732	19.5
Seattle	6,732	18.3	7,660	20.8
Somerville	1,861	18.2	1,242	12.2
South Bend	1,851	18.3	2,136	21.1
Spokane	1,967	16.1	2,825	23.1
Springfield, Mass.	2,521	16.9	3,266	21.8
Syracuse	3,433	16.7	4,889	23.7
Tacoma	1,887	17.2	2,673	24.4
Tampa	1,981	18.3	2,361	21.8
Toledo	4,822	17.1	5,849	20.7
Trenton	1,935	15.5	3,357	26.9
Tulsa	2,917	20.5	3,239	22.8
Utica	1,534	15.3	2,098	20.9
Washington, D. C.[1]	12,892	17.4	18,294	24.7
Wichita	2,699	23.5	3,001	26.1
Wilmington, Del.	2,040	18.1	3,208	28.5
Worcester	3,112	16.1	4,048	20.9
Yonkers	1,962	13.8	2,150	15.1
Youngstown	2,997	17.9	4,090	24.4

[1] Rates based on population estimated as of July 1, 1941.

BIRTHS IN HOSPITALS

The use of hospitals for confinements by the inhabitants of any area is more correctly indicated by data reallocated to place of residence than by data based on place of birth. This information for States and certain population-size groups is given in table T, which shows the proportion of resident births of each area occurring in hospitals and the proportion of the recorded births in each area occurring in hospitals. For State totals, reallocation to place of residence does not greatly change the proportions; but for cities of 10,000 or more as a group and for cities under 10,000 and rural areas as a group, as shown in table T, there are marked differences. Although much greater changes can be observed for certain States, the general effect of reallocation can be seen from the national figures. Tabulated by place of occurrence, 86.8 percent of the births in cities of 10,000 or more and 30.0 percent of the births in cities under 10,000 and rural places, were hospital births. When the data are reallocated to place of residence, 84.0 percent of the births to residents of cities of 10,000 or more and 42.3 percent of the births to residents of cities under 10,000 and rural areas, occurred in hospitals.

By States the proportion of resident births occurring in hospitals ranged from 17.6 percent for Mississippi to 94.0 percent for Connecticut. For cities under 10,000 and rural areas, the proportion ranged from 10.5 percent in Kentucky to 92.5 percent in Connecticut. For cities of 10,000 or more, the proportion ranged from 56.4 percent in Mississippi to 97.6 percent in Oregon.

Table U gives a frequency distribution of the States according to the proportion of resident births occurring in hospitals. In 6 States less than 30 percent of the resident births occurred in hospitals, while in 12 States resident births in hospitals were 80 percent or more of all resident births.

The hospital coding and classification for birth statistics is not based on the institution code used for mortality. The births are coded with a simple code that indicates only whether or not the birth took place in a hospital or other institution. However, almost all births in institutions actually occur in general or maternity hospitals.

Detailed statistics of births by type of attendance are given in table 7. The total numbers of births by place of occurrence and by place of residence are shown for each city and county of each State. Four types of attendants are distinguished in these tabulations, namely, physician not in a hospital, physician in a hospital, midwife, and other or unspecified attendant.

TABLE T.—PERCENTAGE OF RESIDENT BIRTHS AND RECORDED BIRTHS, OCCURRING IN HOSPITALS, BY POPULATION GROUPS: EACH STATE, 1941

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS (WHEREVER OCCURRING)			BIRTHS IN AREA		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
UNITED STATES	100.0	61.2	38.8	100.0	61.2	38.8
Cities of 10,000 or more	100.0	84.0	16.0	100.0	86.8	13.2
Cities under 10,000 and rural	100.0	42.3	57.7	100.0	30.0	70.0
Alabama	100.0	24.8	75.2	100.0	24.6	75.4
Cities of 10,000 or more	100.0	58.2	41.8	100.0	66.4	33.6
Cities under 10,000 and rural	100.0	15.4	84.6	100.0	8.4	91.6
Arizona	100.0	67.6	32.4	100.0	68.8	31.2
Cities of 10,000 or more	100.0	76.2	23.8	100.0	80.2	19.8
Cities under 10,000 and rural	100.0	64.0	36.0	100.0	62.1	37.9
Arkansas	100.0	21.0	79.0	100.0	20.8	79.2
Cities of 10,000 or more	100.0	65.8	34.2	100.0	73.5	26.5
Cities under 10,000 and rural	100.0	14.7	85.3	100.0	10.5	89.5
California	100.0	89.3	10.7	100.0	89.3	10.7
Cities of 10,000 or more	100.0	92.1	7.9	100.0	93.0	7.0
Cities under 10,000 and rural	100.0	84.9	15.1	100.0	81.3	18.7

TABLE T.—PERCENTAGE OF RESIDENT BIRTHS AND RECORDED BIRTHS, OCCURRING IN HOSPITALS, BY POPULATION GROUPS: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS (WHEREVER OCCURRING)			BIRTHS IN AREA		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
Colorado	100.0	66.2	33.8	100.0	66.2	33.8
Cities of 10,000 or more	100.0	80.7	19.3	100.0	83.9	16.1
Cities under 10,000 and rural	100.0	56.0	44.0	100.0	47.6	52.4
Connecticut	100.0	94.0	6.0	100.0	94.0	6.0
Cities of 10,000 or more	100.0	94.8	5.2	100.0	95.9	4.1
Cities under 10,000 and rural	100.0	92.5	7.5	100.0	78.0	22.0
Delaware	100.0	73.5	26.5	100.0	73.5	26.5
Cities of 10,000 or more	100.0	91.6	8.4	100.0	94.5	5.5
Cities under 10,000 and rural	100.0	61.4	38.6	100.0	38.3	61.7
District of Columbia	100.0	89.3	10.7	100.0	92.5	7.5
Florida	100.0	50.5	49.5	100.0	50.4	49.6
Cities of 10,000 or more	100.0	72.8	27.2	100.0	76.6	23.4
Cities under 10,000 and rural	100.0	34.5	65.5	100.0	24.0	76.0
Georgia	100.0	34.0	66.0	100.0	34.4	65.6
Cities of 10,000 or more	100.0	72.2	27.8	100.0	75.6	24.4
Cities under 10,000 and rural	100.0	18.8	81.2	100.0	14.9	85.1
Idaho	100.0	71.6	28.4	100.0	71.5	28.5
Cities of 10,000 or more	100.0	90.4	9.6	100.0	93.5	6.5
Cities under 10,000 and rural	100.0	66.4	33.6	100.0	59.4	40.6
Illinois	100.0	79.3	20.7	100.0	79.1	20.9
Cities of 10,000 or more	100.0	90.6	9.4	100.0	92.1	7.9
Cities under 10,000 and rural	100.0	58.7	41.3	100.0	40.3	59.7
Indiana	100.0	59.1	40.9	100.0	59.3	40.7
Cities of 10,000 or more	100.0	73.2	26.8	100.0	78.3	21.7
Cities under 10,000 and rural	100.0	45.7	54.3	100.0	33.7	66.3
Iowa	100.0	63.9	36.1	100.0	64.4	35.6
Cities of 10,000 or more	100.0	85.2	14.8	100.0	89.9	10.1
Cities under 10,000 and rural	100.0	54.2	45.8	100.0	43.3	56.7
Kansas	100.0	60.0	40.0	100.0	59.6	40.4
Cities of 10,000 or more	100.0	76.1	23.9	100.0	80.6	19.4
Cities under 10,000 and rural	100.0	51.7	48.3	100.0	44.1	55.9
Kentucky	100.0	22.8	77.2	100.0	22.5	77.5
Cities of 10,000 or more	100.0	67.0	33.0	100.0	70.7	29.3
Cities under 10,000 and rural	100.0	10.5	89.5	100.0	7.2	92.8
Louisiana	100.0	48.2	51.8	100.0	48.2	51.8
Cities of 10,000 or more	100.0	79.8	20.2	100.0	85.2	14.8
Cities under 10,000 and rural	100.0	33.8	66.2	100.0	21.9	78.1
Maine	100.0	58.2	41.8	100.0	57.7	42.3
Cities of 10,000 or more	100.0	80.0	20.0	100.0	84.5	15.5
Cities under 10,000 and rural	100.0	50.1	49.9	100.0	40.5	59.5
Maryland	100.0	64.9	35.1	100.0	61.9	38.1
Cities of 10,000 or more	100.0	74.4	25.6	100.0	78.6	21.4
Cities under 10,000 and rural	100.0	54.6	45.4	100.0	25.6	74.4
Massachusetts	100.0	88.3	11.7	100.0	88.4	11.6
Cities of 10,000 or more	100.0	89.4	10.6	100.0	90.6	9.4
Cities under 10,000 and rural	100.0	83.6	16.4	100.0	63.6	36.4
Michigan	100.0	71.7	28.3	100.0	71.7	28.3
Cities of 10,000 or more	100.0	81.9	18.1	100.0	84.9	15.1
Cities under 10,000 and rural	100.0	57.2	42.8	100.0	41.0	59.0
Minnesota	100.0	72.8	27.2	100.0	72.8	27.2
Cities of 10,000 or more	100.0	92.6	7.4	100.0	94.2	5.8
Cities under 10,000 and rural	100.0	61.9	38.1	100.0	54.2	45.8
Mississippi	100.0	17.6	82.4	100.0	17.2	82.8
Cities of 10,000 or more	100.0	56.4	43.6	100.0	65.6	34.4
Cities under 10,000 and rural	100.0	12.8	87.2	100.0	9.4	90.6
Missouri	100.0	52.6	47.4	100.0	53.2	46.8
Cities of 10,000 or more	100.0	85.3	14.7	100.0	88.3	11.7
Cities under 10,000 and rural	100.0	29.0	71.0	100.0	15.0	85.0
Montana	100.0	84.8	15.2	100.0	84.7	15.3
Cities of 10,000 or more	100.0	96.6	3.4	100.0	97.6	2.4
Cities under 10,000 and rural	100.0	80.1	19.9	100.0	75.8	24.2
Nebraska	100.0	60.9	39.1	100.0	61.2	38.8
Cities of 10,000 or more	100.0	85.6	14.4	100.0	88.8	11.2
Cities under 10,000 and rural	100.0	49.3	50.7	100.0	41.8	58.2
Nevada	100.0	86.9	13.1	100.0	87.4	12.6
Cities of 10,000 or more	100.0	97.5	2.5	100.0	97.3	2.7
Cities under 10,000 and rural	100.0	84.5	15.5	100.0	85.6	14.4
New Hampshire	100.0	81.5	18.5	100.0	81.8	18.2
Cities of 10,000 or more	100.0	86.4	13.6	100.0	89.2	10.8
Cities under 10,000 and rural	100.0	76.9	23.1	100.0	70.6	29.4
New Jersey	100.0	87.8	12.2	100.0	87.7	12.3
Cities of 10,000 or more	100.0	90.4	9.8	100.0	92.3	7.7
Cities under 10,000 and rural	100.0	82.8	17.2	100.0	61.8	38.2
New Mexico	100.0	32.7	67.3	100.0	32.4	67.6
Cities of 10,000 or more	100.0	58.6	41.4	100.0	66.0	34.0
Cities under 10,000 and rural	100.0	27.4	72.6	100.0	23.1	76.9

TABLE T.—PERCENTAGE OF RESIDENT BIRTHS AND RECORDED BIRTHS, OCCURRING IN HOSPITALS, BY POPULATION GROUPS: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS (WHEREVER OCCURRING)			BIRTHS IN AREA		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
New York	100.0	89.6	10.4	100.0	89.6	10.4
Cities of 10,000 or more	100.0	93.9	6.1	100.0	94.6	5.4
Cities under 10,000 and rural	100.0	75.4	24.6	100.0	59.5	40.5
North Carolina	100.0	30.7	69.3	100.0	30.7	69.3
Cities of 10,000 or more	100.0	62.5	37.5	100.0	72.6	27.4
Cities under 10,000 and rural	100.0	23.4	76.6	100.0	16.1	83.9
North Dakota	100.0	63.8	36.2	100.0	64.3	35.7
Cities of 10,000 or more	100.0	89.9	10.1	100.0	94.3	5.7
Cities under 10,000 and rural	100.0	59.5	40.5	100.0	53.5	46.5
Ohio	100.0	68.7	31.3	100.0	68.8	31.2
Cities of 10,000 or more	100.0	83.4	16.6	100.0	86.7	13.3
Cities under 10,000 and rural	100.0	48.7	51.3	100.0	24.5	75.5
Oklahoma	100.0	46.4	53.6	100.0	45.9	54.1
Cities of 10,000 or more	100.0	73.1	26.9	100.0	78.4	21.6
Cities under 10,000 and rural	100.0	36.1	63.9	100.0	27.8	72.2
Oregon	100.0	90.0	10.0	100.0	90.1	9.9
Cities of 10,000 or more	100.0	97.6	2.4	100.0	98.3	1.7
Cities under 10,000 and rural	100.0	85.5	14.5	100.0	80.2	19.8
Pennsylvania	100.0	68.0	32.0	100.0	68.1	31.9
Cities of 10,000 or more	100.0	82.2	17.8	100.0	85.8	14.2
Cities under 10,000 and rural	100.0	52.6	47.4	100.0	36.7	63.3
Rhode Island	100.0	83.1	16.9	100.0	83.1	16.9
Cities of 10,000 or more	100.0	83.5	16.5	100.0	84.9	15.1
Cities under 10,000 and rural	100.0	79.9	20.1	100.0	47.0	53.0
South Carolina	100.0	23.5	76.5	100.0	23.2	76.8
Cities of 10,000 or more	100.0	58.2	41.8	100.0	66.0	34.0
Cities under 10,000 and rural	100.0	16.4	83.6	100.0	11.1	88.9
South Dakota	100.0	61.6	38.4	100.0	60.5	39.5
Cities of 10,000 or more	100.0	85.0	15.0	100.0	88.6	11.4
Cities under 10,000 and rural	100.0	56.7	43.3	100.0	49.2	50.8
Tennessee	100.0	32.7	67.3	100.0	33.4	66.6
Cities of 10,000 or more	100.0	71.3	28.7	100.0	76.1	23.9
Cities under 10,000 and rural	100.0	17.2	82.8	100.0	10.0	90.0
Texas	100.0	48.0	52.0	100.0	48.0	52.0
Cities of 10,000 or more	100.0	70.2	29.8	100.0	74.6	25.4
Cities under 10,000 and rural	100.0	34.4	65.6	100.0	26.2	73.8
Utah	100.0	74.3	25.7	100.0	74.4	25.6
Cities of 10,000 or more	100.0	91.1	8.9	100.0	93.3	6.7
Cities under 10,000 and rural	100.0	63.2	36.8	100.0	52.5	47.5
Vermont	100.0	64.3	35.7	100.0	63.1	36.9
Cities of 10,000 or more	100.0	84.6	15.4	100.0	90.8	9.2
Cities under 10,000 and rural	100.0	60.5	39.5	100.0	51.8	48.2
Virginia	100.0	37.3	62.7	100.0	34.7	65.3
Cities of 10,000 or more	100.0	72.4	27.6	100.0	76.0	24.0
Cities under 10,000 and rural	100.0	24.5	75.5	100.0	14.8	85.2
Washington	100.0	91.0	9.0	100.0	90.9	9.1
Cities of 10,000 or more	100.0	96.5	3.5	100.0	97.1	2.9
Cities under 10,000 and rural	100.0	85.9	14.1	100.0	77.5	22.5
West Virginia	100.0	25.0	75.0	100.0	24.7	75.3
Cities of 10,000 or more	100.0	72.0	28.0	100.0	78.1	21.9
Cities under 10,000 and rural	100.0	14.5	85.5	100.0	8.5	91.5
Wisconsin	100.0	70.6	29.4	100.0	70.5	29.5
Cities of 10,000 or more	100.0	85.8	14.2	100.0	89.1	10.9
Cities under 10,000 and rural	100.0	58.5	41.5	100.0	44.5	55.5
Wyoming	100.0	76.4	23.6	100.0	76.1	23.9
Cities of 10,000 or more	100.0	90.0	10.0	100.0	91.3	8.7
Cities under 10,000 and rural	100.0	71.2	28.8	100.0	68.6	31.4

TABLE U.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF RESIDENT BIRTHS IN HOSPITALS: 1941

(Exclusive of stillbirths)

PERCENT OF BIRTHS IN HOSPITALS	NUMBER OF STATES
10-19	1
20-29	5
30-39	5
40-49	3
50-59	4
60-69	11
70-79	8
80-89	9
90+	3

536909 O - 43 - 2

RATE TABLES

TABLE I.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 100,000 POPULATION) FOR SELECTED

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. All rates are based on populations enumerated

DIVISION AND STATE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
UNITED STATES	1,049.1	0.8	0.5	0.3	2.8	1.0	40.8	3.7	0.9	13.3	0.6	120.0	1.2	25.4	2.5	1.4	89.0
GEOGRAPHIC DIVISIONS:																	
New England	1,157.0	0.2	0.6	0.2	1.0	0.2	33.3	2.9	0.0	8.0	0.3	162.5	1.0	35.1	1.5	0.2	104.6
Middle Atlantic	1,099.3	0.3	0.5	0.3	1.1	0.2	40.8	3.4	0.0	13.7	0.5	147.6	1.5	37.6	3.1	0.2	83.0
East North Central	1,081.6	0.4	0.2	0.5	1.7	0.5	35.3	3.8	0.1	11.9	0.4	136.4	1.1	29.1	3.8	0.2	96.1
West North Central	1,010.3	0.5	0.4	0.4	2.8	0.7	26.0	2.4	0.2	10.6	0.6	128.9	1.0	24.8	2.8	0.3	98.9
South Atlantic	1,047.0	1.4	0.9	0.3	5.8	1.8	47.5	4.3	1.8	16.9	0.8	84.1	1.5	17.7	1.4	3.3	95.4
East South Central	1,026.5	1.7	1.1	0.6	6.3	2.0	57.8	5.4	3.1	15.7	1.4	76.7	1.5	13.7	1.5	4.4	85.8
West South Central	928.2	2.2	0.5	0.1	3.5	2.4	50.8	3.2	3.5	14.2	0.6	80.8	1.3	13.7	1.3	4.0	71.0
Mountain	995.0	0.9	0.6	0.5	5.3	1.7	42.5	4.5	0.0	11.5	0.5	94.7	1.5	16.0	2.5	0.5	70.4
Pacific	1,151.7	0.4	0.3	0.1	1.7	0.8	44.0	4.4	0.0	16.4	0.4	144.1	0.5	24.3	2.4	0.6	96.7
NEW ENGLAND:																	
Maine	1,235.6	0.5	1.1	0.1	2.1	0.5	26.6	3.4	0	7.0	0.4	156.2	1.8	31.6	0.9	0.4	126.8
New Hampshire	1,235.5	0.4	1.2	0.4	2.6	0	25.6	3.1	0	8.3	0.8	160.3	1.4	31.1	2.4	0.6	118.6
Vermont	1,225.4	1.1	0.6	0.6	0	0	32.8	4.2	0	7.8	0.6	152.0	1.4	30.9	1.7	0.3	113.6
Massachusetts	1,172.1	0.1	0.7	0.3	0.9	0.3	35.3	2.7	0.0	7.4	0.2	169.4	0.7	35.5	1.5	0.2	106.6
Rhode Island	1,105.8	.0	0.1	0.1	0.6	0.1	35.7	2.5	0	9.5	0.3	153.4	0.7	39.1	1.3	0.1	90.3
Connecticut	1,064.1	0.5	0.4	0.1	0.6	0	32.9	2.9	0	9.2	0.2	155.0	1.3	36.0	1.5	0.2	88.6
MIDDLE ATLANTIC:																	
New York	1,098.2	0.2	0.5	0.3	0.8	0.1	42.0	3.8	0.0	15.0	0.5	156.6	1.4	40.0	3.1	0.1	74.3
New Jersey	1,104.9	0.2	0.4	0.2	0.8	0.2	41.0	3.5	0	11.2	0.5	154.2	1.7	36.2	2.9	0.2	94.8
Pennsylvania	1,098.4	0.5	0.6	0.3	1.7	0.2	39.1	2.8	0.0	13.1	0.6	132.6	1.6	34.8	3.2	0.2	89.9
EAST NORTH CENTRAL:																	
Ohio	1,131.2	0.4	0.2	0.4	2.6	0.4	38.8	4.0	0.1	13.2	0.7	139.9	0.9	30.5	4.2	0.3	106.9
Indiana	1,162.6	0.6	0.4	0.7	1.4	1.0	34.7	4.8	0.2	13.9	0.5	131.6	1.5	29.0	4.6	0.4	116.6
Illinois	1,096.4	0.4	0.3	0.5	1.2	0.8	41.0	4.0	0.1	12.8	0.3	146.0	1.2	30.1	3.2	0.2	83.2
Michigan	1,003.3	0.3	0.2	0.6	1.8	0.3	29.7	3.7	0.1	10.7	0.4	120.7	0.9	26.1	3.1	0.1	89.3
Wisconsin	977.8	0.2	0.1	0.6	1.0	0.1	22.9	1.8	0.0	6.8	0.4	136.0	1.1	28.8	4.9	0.2	93.7
WEST NORTH CENTRAL:																	
Minnesota	936.1	0.0	0.3	0.3	1.1	0.3	24.3	2.6	0.0	8.8	1.3	133.3	0.9	23.7	2.8	0.1	92.9
Iowa	1,011.6	0.2	0.5	0.4	1.5	0.3	13.9	1.7	0	8.7	0.2	140.3	1.0	25.3	3.0	0.1	109.8
Missouri	1,136.0	1.3	0.4	0.5	4.5	1.1	44.1	2.9	0.7	15.8	0.3	132.8	0.9	25.6	2.9	0.6	97.9
North Dakota	822.7	0.5	0.5	0.3	2.0	0.8	15.1	2.6	0	5.6	0.3	97.1	0.9	20.9	2.0	0	73.2
South Dakota	885.4	0.6	0.5	0.2	5.0	2.0	25.7	4.0	0	6.4	0.5	98.9	1.2	25.5	2.0	0.3	82.1
Nebraska	937.0	0.5	0.2	0.5	2.6	0.3	14.0	1.9	0	7.3	0.8	128.3	1.0	25.8	2.7	0	102.4
Kansas	1,024.3	0.3	0.5	0.3	3.3	0.6	20.5	1.9	0.1	11.2	0.5	120.1	0.9	24.5	3.1	0.6	107.7
SOUTH ATLANTIC:																	
Delaware	1,217.2	0	0	0.4	3.0	0.4	54.0	6.4	0	20.3	0.4	124.6	1.9	30.0	1.9	0.4	101.3
Maryland	1,207.9	1.2	1.1	0.2	4.2	0.5	66.7	5.1	0	20.2	0.8	140.0	1.4	31.8	1.8	0.2	93.0
District of Columbia	1,079.5	0.4	0.4	0	1.2	0.1	64.4	6.2	0.1	20.2	0.5	129.0	1.1	22.4	1.6	0.5	78.3
Virginia	1,146.5	1.2	1.7	0.4	7.2	1.7	57.3	5.1	0.1	16.1	0.5	87.5	1.6	20.3	1.5	1.8	109.9
West Virginia	937.8	1.6	1.4	0.7	9.1	1.3	40.2	4.5	0	14.9	0.7	82.5	1.2	17.4	2.2	0.4	74.7
North Carolina	889.0	0.8	0.6	0.3	5.8	2.3	39.6	4.4	0.8	10.6	0.5	58.5	1.6	13.2	1.3	4.0	83.7
South Carolina	1,085.2	3.3	1.1	0.2	11.0	3.8	40.8	4.1	6.6	18.6	0.7	60.0	2.3	14.2	0.5	6.5	97.9
Georgia	1,013.3	1.7	0.6	0.3	4.5	2.0	41.8	3.4	2.7	16.4	1.2	68.8	1.2	12.2	0.9	6.6	103.9
Florida	1,140.1	1.4	0.6	0.1	1.8	1.2	46.2	3.0	4.3	26.5	1.8	101.1	1.2	18.5	1.4	3.2	109.4
EAST SOUTH CENTRAL:																	
Kentucky	1,068.4	3.0	0.9	1.1	8.5	1.8	61.4	7.1	0.5	10.7	1.2	89.2	1.2	16.4	2.2	1.7	93.6
Tennessee	981.6	1.4	1.2	0.5	5.6	1.7	73.4	6.9	1.7	14.6	1.4	80.2	2.2	12.6	1.3	4.1	84.4
Alabama	1,016.0	0.7	1.0	0.4	4.7	2.5	48.8	4.0	4.3	18.6	2.2	67.2	1.4	12.4	1.2	6.5	83.9
Mississippi	1,045.5	1.6	1.4	0.2	6.3	1.8	43.8	3.0	6.9	20.1	0.7	68.0	1.2	13.5	1.1	5.5	80.0
WEST SOUTH CENTRAL:																	
Arkansas	841.4	2.9	0.5	0.2	3.6	2.9	48.6	2.1	8.4	12.3	0.7	64.6	1.0	10.1	1.3	3.7	65.4
Louisiana	1,008.9	2.6	0.7	0.2	1.9	1.5	51.3	3.4	3.3	23.9	0.3	85.5	1.2	15.9	1.6	2.8	67.9
Oklahoma	874.8	1.5	0.4	0.3	5.1	2.7	42.2	3.7	2.3	10.4	0.6	85.9	1.4	14.9	1.4	3.0	79.3
Texas	944.4	2.1	0.4	0.1	3.5	2.4	54.5	3.4	2.4	12.6	0.7	82.0	1.4	13.6	1.2	4.9	70.9
MOUNTAIN:																	
Montana	1,014.0	0.4	0.9	1.6	1.1	2.3	34.7	3.6	0	11.1	1.6	115.1	1.1	19.7	3.0	0.2	86.9
Idaho	850.1	1.1	0.4	0.4	3.4	0.2	16.6	1.7	0	5.5	0.2	94.3	2.0	19.6	2.9	0	74.3
Wyoming	874.2	1.2	1.6	0	1.6	2.0	11.2	3.6	0.4	16.4	0	94.9	1.2	14.0	2.4	0.4	65.4
Colorado	1,067.2	0.4	0.4	0.8	5.4	2.2	37.0	3.7	0.1	12.8	0.4	111.2	2.0	15.6	1.8	0.1	83.1
New Mexico	1,060.3	2.1	0.2	0.2	15.2	3.4	59.6	6.4	0	11.7	0.4	59.4	0.8	10.9	1.9	1.5	43.6
Arizona	1,092.0	0.6	1.0	0	7.6	1.2	122.4	11.2	0	14.4	0.4	74.1	1.0	12.8	1.8	1.6	54.9
Utah	821.0	0.4	0.4	0	1.6	0.2	9.8	2.4	0	5.6	0.2	85.0	1.8	18.4	4.7	0.2	64.1
Nevada	1,240.9	3.6	0	0	3.6	0	50.8	3.6	0	31.7	0.9	137.0	1.8	17.2	0.9	0	79.8
PACIFIC:																	
Washington	1,105.8	0.2	0.3	0.2	2.9	0.5	34.4	4.7	0	13.3	0.9	138.1	0.5	25.5	3.4	0.2	106.9
Oregon	1,097.5	0.4	0.3	0.3	0.6	0.7	23.6	2.9	0.1	12.0	0.3	135.9	0.6	22.9	3.2	0.5	100.3
California	1,171.8	0.5	0.3	0.1	1.6	0.8	49.6	4.6	0.0	17.9	0.3	146.9	0.4	24.2	2.1	0.7	92.2

*Refer to complete International List titles, table XI, Part I.

CAUSES OF DEATH, BY PLACE OF RESIDENCE: UNITED STATES, EACH DIVISION AND STATE, 1941

in the Federal census of April 1,1940 except those for the United States and the District of Columbia which are based on midyear estimated populations for 1941)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c,95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91,92a, d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, etc.* 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, etc.* 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4.3	19.8	80.4	189.7	63.8	6.7	10.5	8.1	8.7	8.9	5.7	75.0	2.3	3.7	10.5	25.0	12.8	6.0	30.0	46.2	126.9
3.6	22.5	120.7	249.5	57.7	8.0	5.3	7.7	9.1	11.1	7.1	72.9	2.1	2.3	12.3	19.1	12.9	1.4	20.1	46.5	113.3
3.5	23.6	95.3	249.4	51.7	7.1	5.2	7.8	9.0	11.6	6.5	71.3	2.0	2.5	10.3	19.7	13.7	2.7	22.8	44.3	105.6
4.1	21.2	85.3	214.5	53.3	7.0	7.1	8.6	9.5	9.4	7.2	75.7	1.8	2.9	11.9	22.1	14.3	3.7	36.4	47.5	116.5
4.1	22.5	86.3	162.9	65.5	6.3	6.1	8.8	9.4	7.3	7.1	72.0	2.0	2.7	10.9	22.4	13.4	2.8	25.8	47.9	122.7
5.5	15.9	58.5	148.1	81.2	5.8	21.2	6.7	7.6	5.8	3.3	97.8	3.3	6.2	10.5	35.4	10.4	12.9	33.5	46.0	146.4
5.3	17.9	43.3	128.5	92.8	5.4	19.2	8.6	7.9	5.0	3.3	82.3	3.2	7.1	8.5	31.5	7.8	15.3	28.3	45.5	181.1
5.0	12.2	57.2	124.7	81.7	4.7	16.3	9.2	7.9	5.5	3.9	66.9	2.8	5.1	8.4	32.6	8.9	9.3	28.3	42.8	141.7
5.8	19.3	65.2	142.7	67.0	8.2	19.4	11.1	9.8	6.9	5.8	58.3	2.7	3.7	12.6	29.6	15.7	3.6	35.9	57.0	161.0
3.8	21.3	113.5	217.8	49.8	10.0	5.8	7.4	8.6	17.1	6.1	69.2	1.4	2.5	10.3	22.1	21.6	3.9	47.0	53.4	122.0
5.2	20.7	130.5	214.0	70.6	5.9	7.7	9.8	9.9	6.6	7.6	90.3	2.4	3.4	14.3	26.0	13.1	1.0	24.9	53.0	159.6
4.5	23.4	138.8	256.1	60.8	8.1	5.3	9.6	9.8	8.5	7.9	87.5	2.4	2.4	13.2	21.4	15.1	0.4	17.5	48.0	137.7
3.6	28.1	122.5	234.1	65.4	7.0	7.0	9.5	13.1	6.1	9.2	76.8	1.4	3.1	14.2	28.7	15.3	2.2	24.8	49.6	156.4
3.7	23.8	121.4	265.3	62.2	8.6	5.4	7.3	8.8	11.8	6.9	64.6	2.5	2.2	11.9	18.5	12.5	1.3	17.9	47.1	106.8
3.8	22.0	113.3	245.3	49.2	9.7	5.6	6.0	9.4	12.6	8.1	98.5	1.4	2.0	12.3	16.3	10.8	0.8	14.3	40.7	89.7
2.5	18.7	111.6	230.4	41.2	7.1	3.5	7.5	8.1	12.6	6.2	69.6	1.5	2.0	11.8	15.8	13.4	2.2	25.3	42.9	100.5
3.4	24.7	98.6	265.9	47.5	7.8	4.1	8.1	8.7	12.6	6.8	59.4	1.6	2.0	9.8	17.2	14.1	2.8	20.9	43.0	100.4
3.0	20.7	91.2	244.1	49.1	7.3	5.1	8.1	9.5	12.5	6.2	76.8	1.9	2.4	8.7	20.0	14.5	2.5	23.9	42.0	107.0
3.9	23.4	92.6	229.1	58.4	5.9	6.7	7.2	9.3	9.8	6.2	85.3	2.4	3.1	11.5	23.0	12.8	2.6	24.9	47.1	112.0
4.2	23.1	94.4	200.6	58.5	6.6	9.8	8.6	9.6	9.6	7.7	75.4	2.1	2.6	11.3	24.8	15.4	4.2	35.8	52.1	131.2
4.7	21.5	96.8	198.0	65.9	6.0	9.2	7.9	9.0	7.1	7.1	100.2	1.5	3.4	12.2	21.4	16.3	3.2	43.9	53.6	131.9
4.0	21.4	70.4	257.3	46.8	8.4	5.2	9.4	10.3	11.2	7.5	87.2	1.9	2.4	11.5	18.4	13.4	4.7	33.4	45.0	101.2
4.0	19.8	89.7	191.5	50.7	6.3	6.7	8.5	9.2	8.4	5.8	54.3	1.8	3.7	12.8	25.6	13.3	3.3	41.3	42.9	115.4
3.4	18.3	82.7	193.9	48.7	6.3	4.3	7.9	8.1	8.6	7.9	56.7	1.5	2.8	12.0	20.0	13.6	1.4	28.7	44.7	107.7
3.4	19.7	100.0	138.0	56.6	6.0	4.4	7.4	8.6	6.7	7.7	39.1	1.6	2.4	13.4	23.3	13.8	1.6	24.0	50.1	115.7
4.1	21.2	103.7	161.5	54.7	6.8	4.0	8.1	9.9	5.8	7.4	62.4	2.3	2.5	12.5	22.4	13.0	1.3	25.5	47.0	128.8
4.1	29.8	70.3	197.0	93.1	6.0	10.6	10.0	10.0	10.7	6.7	102.6	2.2	3.1	9.5	22.8	13.4	5.1	28.9	48.5	119.4
3.3	12.3	65.6	128.5	47.4	6.5	4.5	7.0	7.9	5.5	6.4	48.1	1.6	3.0	8.3	25.1	9.0	2.2	19.3	51.4	138.0
3.1	16.8	72.8	122.9	54.9	5.0	4.7	10.0	6.5	5.8	7.5	57.4	2.6	2.3	10.9	23.0	10.4	0.9	23.0	44.5	145.6
4.6	17.6	78.0	152.5	53.2	7.1	3.7	8.2	10.2	6.8	7.5	63.9	1.2	2.5	8.4	21.1	16.4	2.1	21.3	44.4	118.2
5.2	22.5	92.2	166.2	55.6	6.8	5.5	10.4	9.8	5.2	6.4	91.6	2.1	2.6	10.5	20.0	14.0	3.4	29.1	47.1	121.7
4.1	23.3	90.4	242.8	65.7	7.5	13.9	8.3	9.8	9.4	3.0	137.7	3.0	1.1	8.6	25.6	12.4	7.9	35.6	50.7	113.7
4.0	23.8	94.7	222.8	70.4	6.2	21.0	6.3	9.7	8.1	5.7	119.1	2.0	3.3	12.5	30.3	13.1	7.6	31.0	47.1	101.3
3.5	18.1	75.3	180.0	59.6	5.8	16.9	8.1	10.0	13.2	5.1	98.0	2.3	2.6	9.4	38.2	17.3	10.1	23.8	42.5	113.1
5.9	18.0	64.6	174.2	90.2	7.1	21.2	5.9	7.5	5.4	3.2	101.7	3.3	5.5	11.4	38.2	13.7	10.6	39.0	50.9	155.2
4.5	16.4	50.1	123.9	77.1	5.9	26.3	6.5	6.3	5.8	4.2	65.8	2.2	4.4	12.7	37.0	10.0	7.3	25.3	62.0	131.6
5.7	12.3	42.0	113.1	76.2	3.9	22.7	6.4	6.6	3.6	2.2	91.6	2.8	6.6	10.5	36.0	8.0	10.5	35.3	35.3	130.0
7.1	14.6	46.7	130.6	103.5	5.5	29.2	6.0	6.1	3.5	2.3	104.3	5.1	10.7	9.9	39.6	6.5	13.8	36.1	43.8	188.8
5.6	12.5	43.7	128.0	84.5	5.3	17.5	7.2	7.5	4.9	2.3	107.9	4.0	6.4	8.5	34.5	7.5	20.7	30.1	41.3	165.5
8.6	16.9	79.5	154.5	75.1	8.2	14.6	8.3	9.3	8.9	4.0	86.2	4.2	8.0	9.7	32.0	13.9	19.2	39.8	53.0	166.5
5.7	16.5	53.5	159.8	99.2	6.0	25.7	9.1	7.1	6.3	4.6	75.4	2.5	5.9	10.5	33.0	10.7	14.1	32.2	53.2	137.1
5.4	18.3	45.4	117.7	96.0	5.6	16.5	7.0	8.0	4.8	3.3	65.9	2.5	5.0	8.7	25.5	8.3	14.3	25.8	39.3	185.0
5.0	16.9	39.4	120.7	87.5	5.2	17.2	9.0	7.2	5.0	2.6	91.1	3.7	8.5	7.9	36.0	6.1	15.0	27.4	47.6	197.1
5.1	20.6	32.4	112.3	86.9	4.4	17.0	9.5	9.9	3.6	2.7	102.0	4.6	9.5	6.3	31.9	5.6	18.5	27.8	40.8	239.1
4.2	12.2	35.9	94.2	85.7	4.2	17.0	9.6	5.7	4.6	3.2	72.3	3.1	5.3	6.2	21.6	6.9	10.7	24.0	40.0	146.7
5.1	17.5	51.0	181.2	87.3	4.1	13.2	8.4	9.0	7.8	3.3	86.9	4.0	6.0	8.9	40.7	7.7	10.7	26.2	42.8	123.1
4.7	13.5	53.5	113.9	73.4	4.9	7.3	11.6	7.5	4.8	4.4	57.2	2.2	3.9	10.1	30.6	8.4	6.3	25.1	39.5	137.0
5.3	9.8	67.3	117.1	81.5	4.9	20.4	8.4	8.4	5.3	4.1	61.4	2.6	5.1	8.3	33.8	10.2	9.5	31.6	44.9	148.6
5.4	21.8	72.7	170.9	62.9	9.3	6.6	11.1	8.6	8.9	9.5	48.6	2.3	1.4	10.2	22.5	16.6	3.2	32.5	65.4	140.3
4.4	16.8	68.8	129.0	44.8	7.4	1.9	11.2	8.6	4.8	5.5	55.3	2.5	2.9	13.3	26.3	16.2	2.1	34.3	54.7	116.8
4.8	19.5	66.2	138.0	61.0	8.8	3.2	9.2	8.8	4.0	6.0	61.0	1.2	2.8	14.0	27.9	14.8	4.0	41.5	60.6	100.9
6.8	24.0	77.5	168.4	79.0	10.8	14.7	12.6	13.6	8.7	6.2	79.6	2.7	3.7	12.4	27.0	20.6	2.3	29.9	50.9	138.5
5.6	14.3	27.8	75.0	80.1	4.5	33.6	11.1	8.3	6.2	3.6	46.6	5.3	7.1	10.9	39.9	9.4	6.2	33.3	52.6	341.7
7.6	11.6	54.3	123.0	90.5	4.8	55.1	8.4	8.2	5.4	4.4	45.5	3.0	3.4	17.2	38.3	12.4	6.4	44.1	61.9	181.5
4.7	21.6	70.9	150.5	38.0	8.4	3.8	9.8	7.3	5.6	5.3	48.3	0.9	4.0	12.4	28.9	10.5	1.6	36.7	50.7	106.3
4.5	18.1	83.4	188.7	60.8	10.9	5.4	16.3	11.8	12.7	3.6	64.4	3.6	4.5	10.0	27.2	32.7	10.9	79.8	110.7	149.7
4.9	23.8	121.5	190.4	47.4	7.3	3.8	7.5	8.1	6.4	5.7	69.6	1.6	1.7	8.6	20.7	20.1	2.5	37.9	62.4	121.7
4.3	25.1	120.8	157.2	51.8	7.7	2.8	6.7	7.4	5.6	6.2	97.2	1.3	2.7	10.3	16.9	18.8	2.9	36.6	67.9	133.5
3.4	20.0	110.4	234.3	50.1	11.0	6.7	7.5	8.9	21.6	6.2	64.7	1.4	2.6	10.7	23.3	22.4	4.5	50.9	48.8	120.2

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941

(Exclusive of stillbirths. Data in this table are shown for each county subdivided into individual cities having populations of 10,000 or more in 1940 and into the area outside these cities. Certain towns, townships, and districts are classified as urban under special rule. Race is shown for those cities and counties in which the 1940 populations for "All other races" formed 10 percent or more of the total or numbered 10,000 or more. Each minor area showing 10 percent or more of the resident deaths occurring in resident institutions is indicated by an asterisk (*). See table 16 for deaths by institution)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA (total)	2,832,961	64,379	22.7	28,782	10.2
Autauga	20,977	412	19.6	222	10.6
White	9,783	166	17.0	88	9.0
All other	11,194	246	22.0	134	12.0
Baldwin	32,324	811	25.1	336	10.4
White	24,240	571	23.6	228	9.4
All other	8,084	240	29.7	108	13.4
Barbour	32,722	790	24.1	350	10.7
White	14,563	312	21.4	127	8.7
All other	18,159	478	26.3	223	12.3
Bibb	20,155	485	24.1	223	11.1
White	13,519	296	21.9	129	9.5
All other	6,636	189	28.5	94	14.2
Blount	29,490	582	19.7	212	7.2
Bullock	19,810	534	27.0	249	12.6
White	4,351	82	18.8	43	9.9
All other	15,459	452	29.2	206	13.3
Butler	32,447	737	22.7	268	8.3
White	16,759	269	16.1	146	8.7
All other	15,688	468	29.8	122	7.8
Calhoun	63,319	1,492	23.6	636	10.0
Outside city	37,796	796	21.1	306	8.1
White	32,717	683	20.9	255	7.8
All other	5,079	113	22.2	51	10.0
Anniston	25,523	696	27.3	330	12.9
White	17,611	498	28.3	192	10.9
All other	7,912	198	25.0	138	17.4
Chambers	42,146	794	18.8	437	10.4
White	24,210	425	17.6	228	9.4
All other	17,936	369	20.6	209	11.7
Cherokee	19,928	428	21.5	162	8.1
Chilton	27,955	602	21.5	245	8.8
White	23,320	479	20.5	189	8.1
All other	4,635	123	26.5	56	12.1
Choctaw	20,195	453	22.4	171	8.5
White	9,468	173	18.3	71	7.5
All other	10,727	280	26.1	100	9.3
Clarke	27,636	707	25.6	293	10.6
White	13,215	296	22.4	105	7.9
All other	14,421	411	28.5	188	13.0
Clay	16,907	333	19.7	141	8.3
White	14,289	268	18.8	114	8.0
All other	2,618	65	24.8	27	10.3
Cleburne	13,629	314	23.0	123	9.0
Coffee	31,987	527	16.5	222	6.9
White	25,428	412	16.2	177	7.0
All other	6,559	115	17.5	45	6.9
Colbert	34,093	743	21.8	298	8.7
White	25,513	534	20.9	194	7.6
All other	8,580	209	24.4	104	12.1
Conecuh	25,489	643	25.2	203	8.0
White	14,139	277	19.6	93	6.6
All other	11,350	366	32.2	110	9.7
Coosa	13,460	273	20.3	131	9.7
White	8,563	144	16.8	78	9.1
All other	4,897	129	26.3	53	10.8
Covington	42,417	831	19.6	316	7.4
White	35,505	670	18.9	247	7.0
All other	6,912	161	23.3	69	10.0
Crenshaw	23,631	456	19.3	219	9.3
White	15,853	250	15.8	141	8.9
All other	7,778	206	26.5	78	10.0
Cullman	47,343	1,149	24.3	286	6.0
Dale	22,685	474	20.9	187	8.2
White	17,446	356	20.4	143	8.2
All other	5,239	118	22.5	44	8.4
Dallas	55,245	1,351	24.5	822	14.9
Outside city	35,411	931	26.3	491	13.9
White	5,625	110	19.6	76	13.5
All other	29,786	821	27.6	415	13.9
Selma	19,834	420	21.2	331	16.7
White	8,875	174	19.6	103	11.6
All other	10,959	246	22.4	228	20.8
De Kalb	43,075	898	20.8	304	7.1
Elmore	34,546	627	18.1	341	9.9
White	20,928	300	14.3	195	9.3
All other	13,618	327	24.0	146	10.7
Escambia	30,671	729	23.8	285	9.3
White	20,494	437	21.3	165	8.1
All other	10,177	292	28.7	120	11.8
Etowah	72,580	1,813	25.0	690	9.5
Outside city	35,605	916	25.7	327	9.2
Gadsden	36,975	897	24.3	363	9.8
White	29,415	742	25.2	236	8.0
All other	7,560	155	20.5	127	16.8
Fayette	21,651	434	20.0	174	8.0
White	18,585	375	20.2	142	7.6
All other	3,066	59	19.2	32	10.4
Franklin	27,552	751	27.3	182	6.6
ALABAMA—Continued					
Geneva	29,172	592	20.3	198	6.8
White	25,147	482	19.2	160	6.4
All other	4,025	110	27.3	38	9.4
Greene	19,185	471	24.6	228	11.9
White	3,103	37	11.9	44	14.2
All other	16,082	434	27.0	184	11.4
Hale	25,533	579	22.7	306	12.0
White	7,177	109	15.2	61	8.5
All other	18,356	470	25.6	245	13.3
Henry	21,912	531	24.2	174	7.9
White	11,204	213	19.0	88	7.9
All other	10,708	318	29.7	86	8.0
Houston	45,665	873	19.1	360	7.9
Outside city	28,471	592	20.8	211	7.4
White	21,332	405	19.0	151	7.1
All other	7,139	187	26.2	60	8.4
Dothan	17,194	281	16.3	149	8.7
White	9,737	187	19.2	74	7.6
All other	7,457	94	12.6	75	10.1
Jackson	41,802	1,024	24.5	329	7.9
Jefferson	459,930	10,469	22.8	5,353	11.6
Outside cities	157,818	3,785	24.0	1,677	10.6
White	107,754	2,617	24.3	903	8.4
All other	50,064	1,168	23.3	774	15.5
Bessemer	22,826	507	22.2	301	13.2
White	9,545	245	25.7	96	10.1
All other	13,281	262	19.7	205	15.4
Birmingham	267,583	5,917	22.1	3,228	12.1
White	158,622	3,241	20.4	1,536	9.7
All other	108,961	2,676	24.6	1,692	15.5
Fairfield	11,703	260	22.2	147	12.6
White	4,835	90	18.6	45	9.3
All other	6,868	170	24.8	102	14.9
Lamar	19,708	407	20.7	133	6.7
White	16,731	340	20.3	106	6.3
All other	2,977	67	22.5	27	9.1
Lauderdale	46,230	1,031	22.3	410	8.9
Outside city	31,187	688	22.1	246	7.9
White	27,076	602	22.2	200	7.4
All other	4,111	86	20.9	46	11.2
Florence	15,043	343	22.8	164	10.9
White	11,688	286	24.5	119	10.2
All other	3,355	57	17.0	45	13.4
Lawrence	27,880	660	23.7	194	7.0
White	21,600	553	25.6	140	6.5
All other	6,280	107	17.0	54	8.6
Lee	36,455	893	24.5	395	10.8
White	15,840	336	21.2	142	9.0
All other	20,615	557	27.0	253	12.3
Limestone	35,642	873	24.5	288	8.1
White	26,810	684	25.5	171	8.4
All other	8,832	189	21.4	117	13.2
Lowndes	22,661	605	26.7	296	13.1
White	3,457	52	15.0	31	9.0
All other	19,204	553	28.8	265	13.8
Macon	27,654	702	25.4	362	13.1
White	4,946	78	15.8	46	9.3
All other	22,708	624	27.5	316	13.9
Madison	66,317	1,399	21.1	652	9.8
Outside city	53,267	1,127	21.2	458	8.6
White	39,592	798	20.2	277	7.0
All other	13,675	329	24.1	181	13.2
Huntsville	13,050	272	20.8	194	14.9
White	8,335	193	23.2	106	12.7
All other	4,715	79	16.8	88	18.7
Marengo	35,736	698	19.5	374	10.5
White	9,727	174	17.9	86	8.8
All other	26,009	524	20.1	288	11.1
Marion	28,776	596	20.7	161	5.6
Marshall	42,395	928	21.9	279	6.6
Mobile *	141,974	3,758	26.5	2,035	14.3
Outside city *	63,254	1,884	29.8	953	15.1
White	40,690	1,223	30.1	428	10.5
All other	22,564	661	29.3	525	23.3
Mobile	78,720	1,874	23.8	1,082	13.7
White	49,606	1,154	23.3	615	12.4
All other	29,114	720	24.7	467	16.0
Monroe	29,465	756	25.7	255	8.7
White	13,848	264	19.1	108	7.8
All other	15,617	492	31.5	147	9.4
Montgomery	114,420	2,356	20.6	1,414	12.4
Outside city	36,336	722	19.9	400	11.0
White	13,535	198	14.6	116	8.6
All other	22,801	524	23.0	284	12.5
Montgomery	78,084	1,634	20.9	1,014	13.0
White	43,547	951	21.8	415	9.6
All other	34,537	683	19.8	599	17.3
Morgan	48,148	998	20.7	360	7.5
Outside city	31,544	677	21.5	218	6.9
White	27,650	605	21.9	182	6.6
All other	3,894	72	18.5	36	9.2
Decatur	16,604	321	19.3	142	8.6
White	12,348	286	23.2	89	7.2
All other	4,256	35	8.2	53	12.5

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA—Continued					
Perry	26,610	623	23.4	304	11.4
White	7,515	121	16.1	56	7.5
All other	19,095	502	26.3	248	13.0
Pickens	27,671	680	24.6	223	8.1
White	14,565	316	21.7	97	6.7
All other	13,106	364	27.8	126	9.6
Pike	32,493	621	19.1	323	9.9
White	17,307	328	19.0	153	8.8
All other	15,186	293	19.3	170	11.2
Randolph	25,516	568	22.3	244	9.6
White	19,652	391	19.9	173	8.8
All other	5,884	177	30.2	71	12.1
Russell	35,775	876	24.5	417	11.7
Outside city	20,424	556	27.2	226	11.1
White	4,334	87	20.1	49	11.3
All other	16,090	469	29.1	177	11.0
Phenix City	15,351	320	20.8	191	12.4
White	10,340	215	20.8	112	10.8
All other	5,011	105	21.0	79	15.8
St. Clair	27,336	648	23.7	267	9.8
White	21,628	508	23.5	185	8.6
All other	5,708	140	24.5	82	14.4
Shelby	28,962	594	20.5	290	10.0
White	22,112	437	19.8	197	8.9
All other	6,850	157	22.9	93	13.6
Sumter	27,321	675	24.7	330	12.1
White	5,621	94	16.7	48	8.5
All other	21,700	581	26.8	282	13.0
Talladega	51,832	1,431	27.6	549	10.6
White	33,643	887	26.4	312	9.3
All other	18,189	544	29.9	237	13.0
Tallapoosa	35,270	767	21.7	311	8.8
White	24,025	536	22.3	194	8.1
All other	11,247	231	20.5	117	10.4
Tuscaloosa*	76,036	1,429	18.8	1,042	13.7
Outside city	48,543	934	19.2	408	8.4
White	34,520	619	17.9	237	6.9
All other	14,023	315	22.5	171	12.2
Tuscaloosa*	27,493	495	18.0	634	23.1
White	17,314	317	18.3	485	28.0
All other	10,179	178	17.5	149	14.6
Walker	64,201	1,463	22.8	548	8.5
White	57,298	1,350	23.6	452	7.9
All other	6,903	113	16.4	96	13.9
Washington	16,188	372	23.0	150	9.3
White	10,023	224	22.3	76	7.6
All other	6,165	148	24.0	74	12.0
Wilcox	26,279	831	31.6	356	13.5
White	5,706	122	21.4	75	13.1
All other	20,573	709	34.5	281	13.7
Winston	18,746	429	22.9	144	7.7
ARIZONA (total)	499,261	11,425	22.9	5,452	10.9
Apache	24,095	474	19.7	275	11.4
White	7,505	202	26.9	47	6.3
All other	16,590	272	16.4	228	13.7
Cochise	34,627	798	23.0	364	10.5
Coconino	18,770	386	20.6	235	12.5
White	12,100	284	23.5	125	10.3
All other	6,670	102	15.3	110	16.5
Gila	23,867	607	25.4	247	10.3
White	21,031	516	24.5	205	9.7
All other	2,836	91	32.1	42	14.8
Graham	12,113	312	25.8	123	10.2
Greenlee	8,698	364	41.8	129	14.8
Maricopa*	186,193	4,208	22.6	1,918	10.3
Outside city	120,779	2,077	17.2	759	6.3
Phoenix*	65,414	2,131	32.6	1,159	17.7
Mohave	8,591	184	21.4	88	10.2
Navajo	25,309	571	22.6	315	12.4
White	12,817	347	27.1	101	7.9
All other	12,492	224	17.9	214	17.1
Pima	72,838	1,580	21.7	833	11.4
Outside city	36,020	396	11.0	174	4.8
White	28,848	272	9.4	86	3.0
All other	7,172	124	17.3	88	12.3
Tucson	36,818	1,184	32.2	659	17.9
Pinal	28,841	693	24.0	354	12.3
White	24,085	573	23.8	267	11.1
All other	4,756	120	25.2	87	18.3
Santa Cruz	9,462	213	22.5	77	8.1
Yavapai*	26,511	603	22.7	285	10.8
Yuma	19,326	432	22.4	209	10.8
White	17,168	374	21.8	169	9.8
All other	2,158	58	26.9	40	18.5
ARKANSAS (total)	1,949,387	40,549	20.8	16,402	8.4
Arkansas	24,437	461	18.9	172	7.0
White	18,882	372	19.7	118	6.2
All other	5,555	89	16.0	54	9.7
Ashley	26,755	637	23.8	225	8.4
White	14,481	367	25.3	106	7.3
All other	12,304	270	21.9	119	9.7
Baxter	10,261	217	21.1	65	6.3
ARKANSAS—Continued					
Benton	38,148	670	18.5	393	10.9
Boone	15,860	337	21.2	132	8.3
Bradley	18,097	368	20.3	115	6.4
White	11,849	255	21.5	83	7.0
All other	6,248	113	18.1	32	5.1
Calhoun	9,636	204	21.2	65	6.7
White	6,614	138	20.9	41	6.2
All other	3,022	66	21.8	24	7.9
Carroll	14,737	237	16.1	140	9.5
Chicot	27,452	486	17.7	205	7.5
White	11,418	178	15.6	56	4.9
All other	16,034	308	19.2	149	9.3
Clark	24,402	517	21.2	169	6.9
White	17,245	349	20.2	122	7.1
All other	7,157	168	23.5	47	6.6
Clay	28,386	464	16.3	210	7.4
Cleburne	13,134	308	23.5	87	6.6
Cleveland	12,570	202	16.1	78	6.2
White	9,185	162	17.6	55	6.0
All other	3,385	40	11.8	23	6.8
Columbia	29,822	479	16.1	137	4.6
White	16,324	288	17.6	74	4.5
All other	13,498	191	14.2	63	4.7
Conway	21,536	488	22.7	186	8.6
White	16,247	356	21.9	121	7.4
All other	5,289	132	25.0	65	12.3
Craighead	47,200	1,067	22.6	399	8.5
Outside city	35,471	821	23.1	258	7.3
Jonesboro	11,729	246	21.0	141	12.0
White	10,376	213	20.5	123	11.9
All other	1,353	33	24.4	18	13.3
Crawford	23,920	526	22.0	220	9.2
Crittenden	42,473	1,040	24.5	424	10.0
White	10,628	250	23.5	90	8.5
All other	31,845	790	24.8	334	10.5
Cross	26,046	474	18.2	144	5.5
White	15,789	305	19.3	59	3.7
All other	10,257	169	16.5	85	8.3
Dallas	14,471	300	20.7	101	7.0
White	9,140	167	18.3	57	6.2
All other	5,331	133	24.9	44	8.3
Desha	27,160	474	17.5	237	8.7
White	10,955	214	19.5	72	6.6
All other	16,205	260	16.0	165	10.2
Drew	19,831	468	23.6	145	7.3
White	11,607	233	20.1	79	6.8
All other	8,224	235	28.6	66	8.0
Faulkner	25,880	576	22.3	231	8.9
White	22,414	498	22.2	192	8.6
All other	3,466	78	22.5	39	11.3
Franklin	15,683	303	19.3	120	7.7
Fulton	10,253	205	20.0	78	7.6
Garland	41,664	753	18.1	454	10.9
Outside city	20,294	326	16.1	136	6.7
Hot Springs	21,370	427	20.0	318	14.9
White	17,187	360	20.9	254	14.8
All other	4,183	67	16.0	64	15.3
Grant	10,477	228	21.8	78	7.4
Greene	30,204	611	20.2	227	7.5
Hempstead	32,770	600	18.3	240	7.3
White	18,737	347	18.5	104	5.6
All other	14,033	253	18.0	136	9.7
Hot Spring	18,916	434	22.9	147	7.8
White	16,696	384	23.0	123	7.4
All other	2,220	50	22.5	24	10.8
Howard	16,621	322	19.4	97	5.8
White	12,650	224	17.7	66	5.2
All other	3,971	98	24.7	31	7.8
Independence	25,643	570	22.2	169	6.6
Izard	12,834	256	19.9	82	6.4
Jackson	26,427	650	24.6	183	6.9
White	22,350	570	25.5	135	6.0
All other	4,077	80	19.6	48	11.8
Jefferson	65,101	1,130	17.4	690	10.6
Outside city	43,811	781	17.8	345	7.9
White	14,814	251	16.9	80	5.4
All other	28,997	530	18.3	265	9.1
Pine Bluff	21,290	349	16.4	345	16.2
White	14,265	264	18.5	190	13.3
All other	7,025	85	12.1	155	22.1
Johnson	18,795	439	23.4	119	6.3
Lafayette	16,851	295	17.5	106	6.3
White	8,725	115	13.2	42	4.8
All other	8,126	180	22.2	64	7.9
Lawrence	22,651	473	20.9	167	7.4
Lee	26,810	640	23.9	269	10.0
White	9,800	253	25.8	67	6.8
All other	17,010	387	22.8	202	11.9
Lincoln	19,709	435	22.1	165	8.4
White	7,867	155	19.7	42	5.3
All other	11,842	280	23.6	123	10.4
Little River	15,932	314	19.7	96	6.0
White	10,087	211	20.9	47	4.7
All other	5,845	103	17.6	49	8.4
Logan	25,987	589	22.7	223	8.6
Lonoke	29,802	604	20.3	238	8.0
White	21,131	418	19.8	157	7.4
All other	8,671	186	21.5	81	9.3

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ARKANSAS—Continued					
Madison	14,531	265	18.2	90	6.2
Marion	9,464	188	19.9	44	4.6
Miller	31,874	656	20.6	284	8.9
Outside city	20,053	421	21.0	117	5.8
White	14,172	330	23.3	70	4.9
All other	5,881	91	15.5	47	8.0
Texarkana[1]	11,821	235	19.9	167	14.1
White	8,143	178	21.9	112	13.8
All other	3,678	57	15.5	55	15.0
Mississippi	80,217	1,971	24.6	671	8.4
Outside city	69,565	1,731	24.9	478	6.9
White	47,620	1,286	27.0	292	6.1
All other	21,945	445	20.3	186	8.5
Blytheville	10,652	240	22.5	193	18.1
White	7,497	167	22.3	117	15.6
All other	3,155	73	23.1	76	24.1
Monroe	21,133	466	22.1	189	8.9
White	10,289	227	22.1	83	8.1
All other	10,844	239	22.0	106	9.8
Montgomery	8,876	189	21.3	54	6.1
Nevada	19,869	338	17.0	142	7.1
White	12,522	250	20.0	100	8.0
All other	7,347	88	12.0	42	5.7
Newton	10,881	207	19.0	61	5.6
Ouachita	31,151	719	23.1	270	8.7
White	16,446	371	22.6	136	8.3
All other	14,705	348	23.7	134	9.1
Perry	8,392	213	25.4	65	7.7
Phillips	45,970	970	21.1	500	10.9
White	15,256	331	21.7	143	9.4
All other	30,714	639	20.8	357	11.6
Pike	11,786	236	20.0	69	5.9
Poinsett	37,670	1,145	30.4	259	6.9
White	32,973	1,000	30.3	205	6.2
All other	4,697	145	30.9	54	11.5
Polk	15,832	373	23.6	140	8.8
Pope	25,682	563	21.9	180	7.0
Prairie	15,304	280	18.3	101	6.6
White	12,326	216	17.5	77	6.2
All other	2,978	64	21.5	24	8.1
Pulaski*	156,085	3,444	22.1	2,162	13.9
Outside cities*	46,909	1,092	23.3	487	10.4
White	32,098	727	22.6	309	9.6
All other	14,811	365	24.6	178	12.0
Little Rock*	88,039	1,802	20.5	1,455	16.5
White	65,914	1,373	20.8	917	13.9
All other	22,125	429	19.4	538	24.3
North Little Rock	21,137	550	26.0	220	10.4
White	14,865	365	24.6	128	8.6
All other	6,272	185	29.5	92	14.7
Randolph	18,319	328	17.9	131	7.2
St. Francis	36,043	776	21.5	278	7.7
White	12,882	306	23.8	88	6.8
All other	23,161	470	20.3	190	8.2
Saline*	19,163	382	19.9	185	9.7
Scott	13,300	308	23.2	53	4.0
Searcy	11,942	198	16.6	84	7.0
Sebastian	62,809	1,400	22.3	565	9.0
Outside city	26,225	549	20.9	154	5.9
Fort Smith	36,584	851	23.3	411	11.2
White	32,330	781	24.2	357	11.0
All other	4,254	70	16.5	54	12.7
Sevier	15,248	284	18.6	103	6.8
White	13,641	254	18.6	90	6.6
All other	1,607	30	18.7	13	8.1
Sharp	11,497	206	17.9	74	6.4
Stone	8,603	154	17.9	45	5.2
Union	50,461	816	16.2	379	7.5
Outside city	34,603	499	14.4	229	6.6
White	21,254	341	16.0	134	6.3
All other	13,349	158	11.8	95	7.1
El Dorado	15,858	317	20.0	150	9.5
White	11,371	258	22.7	96	8.4
All other	4,487	59	13.1	54	12.0
Van Buren	12,518	257	20.5	85	6.8
Washington	41,114	783	19.0	356	8.7
White	37,176	706	19.0	257	6.9
Woodruff	22,133	461	20.8	180	8.1
White	13,235	281	21.2	97	7.3
All other	8,898	180	20.2	83	9.3
Yell	20,970	416	19.8	118	5.6
CALIFORNIA (total)	6,907,387	125,190	18.1	80,943	11.7
Alameda	513,011	8,447	16.5	6,263	12.2
Outside cities	62,951	960	15.2	958	15.2
Alameda	36,256	629	17.3	417	11.5
Albany	11,493	221	19.2	79	6.9
Berkeley	85,547	1,338	15.6	896	10.5
Oakland	302,163	4,984	16.5	3,748	12.4
White	287,936	4,696	16.3	3,562	12.4
All other	14,227	288	20.2	186	13.1
San Leandro	14,601	315	21.6	165	11.3

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CALIFORNIA—Continued					
Alpine	323	7	21.7	5	15.5
White	212	4	18.9	3	14.2
All other	111	3	27.0	2	18.0
Amador*	8,973	131	14.6	110	12.3
Butte	42,840	812	19.0	603	14.1
Calaveras*	8,221	122	14.8	118	14.4
Colusa	9,788	182	18.6	152	15.5
Contra Costa	100,450	2,221	22.1	958	9.5
Outside city	76,808	1,582	20.6	698	9.1
Richmond	23,642	639	27.0	260	11.0
Del Norte*	4,745	89	18.8	66	13.9
El Dorado*	13,229	251	19.0	150	11.3
Fresno	178,565	3,777	21.2	1,796	10.1
Outside city	117,880	2,491	21.1	894	7.6
Fresno	60,685	1,286	21.2	902	14.9
Glenn	12,195	199	16.3	133	10.9
Humboldt	45,812	754	16.5	543	11.9
Outside city	28,757	461	16.0	307	10.7
Eureka	17,055	293	17.2	236	13.8
Imperial	59,740	1,450	24.3	469	7.9
Outside cities	38,005	848	22.3	276	7.3
White	33,898	780	23.0	233	6.9
All other	4,107	68	16.6	43	10.5
Brawley	11,718	345	29.4	105	9.0
El Centro	10,017	257	25.7	88	8.8
White	8,556	221	25.8	75	8.8
All other	1,461	36	24.6	13	8.9
Inyo	7,625	178	23.3	85	11.1
White	6,662	160	24.0	73	11.0
All other	963	18	18.7	12	12.5
Kern	135,124	3,438	25.4	1,221	9.0
Outside city	105,872	2,230	21.1	730	6.9
Bakersfield	29,252	1,208	41.3	491	16.8
Kings	35,168	915	26.0	325	9.2
Lake*	8,069	125	15.5	110	13.6
Lassen*	14,479	346	23.9	105	7.3
Los Angeles	2,785,643	48,230	17.3	31,841	11.4
Outside cities*	535,204	10,600	19.8	6,157	11.5
White	520,662	10,361	19.9	5,945	11.4
All other	14,542	239	16.4	212	14.6
Alhambra	38,935	598	15.4	399	10.2
Bell	11,264	277	24.6	114	10.1
Belvedere (twp.)[2]	37,192	421	11.3	251	6.7
Beverly Hills	26,623	56	2.1	244	9.1
Burbank	34,337	1,002	29.2	268	7.8
Compton	16,198	479	29.6	191	11.8
Glendale	82,582	1,319	16.0	863	10.5
Huntington Park	28,648	519	18.1	298	10.4
Inglewood	30,114	744	24.7	291	9.7
Long Beach	164,271	2,850	17.3	2,095	12.8
Los Angeles	1,504,277	24,389	16.2	17,163	11.4
White	1,406,450	22,686	16.1	16,154	11.5
All other	97,847	1,703	17.4	1,009	10.3
Lynwood	10,982	295	26.9	111	10.1
Maywood	10,731	243	22.6	100	9.3
Monrovia	12,807	209	16.3	211	16.5
Pasadena	81,864	1,172	14.3	1,215	14.8
Pomona	23,539	379	16.1	294	12.5
Redondo Beach	13,092	278	21.2	163	12.5
San Gabriel	11,867	335	28.2	127	10.7
Santa Monica	53,500	930	17.4	686	12.8
South Gate	26,945	720	26.7	203	7.5
South Pasadena*	14,356	116	8.1	186	13.0
Whittier	16,115	299	18.6	211	13.1
Madera	23,314	641	27.5	233	10.0
Marin	52,907	665	12.6	517	9.8
Mariposa	5,605	70	12.5	62	11.1
Mendocino*	27,864	413	14.8	460	16.5
Merced	46,988	1,046	22.3	445	9.5
Outside city	36,853	838	22.7	333	9.0
Merced	10,135	208	20.5	112	11.1
Modoc	8,713	172	19.7	79	9.1
Mono	2,299	30	13.0	25	10.9
White	1,972	22	11.2	16	8.1
All other	327	8	24.5	9	27.5
Monterey	73,032	1,754	24.0	786	10.8
Outside cities	51,362	947	18.4	534	10.4
Monterey	10,084	237	23.5	97	9.6
Salinas	11,586	570	49.2	155	13.4
White	10,385	528	50.8	148	14.3
All other	1,201	42	35.0	7	5.8
Napa*	28,503	447	15.7	718	25.2
Nevada	19,283	361	18.7	219	11.4
Orange	130,760	2,396	18.3	1,567	12.0
Outside cities	77,366	1,369	17.7	886	11.5
Anaheim	11,031	226	20.5	146	13.2
Fullerton	10,442	188	18.0	102	9.8
Santa Ana	31,921	613	19.2	433	13.6
Placer	28,108	436	15.5	385	13.7
Plumas	11,548	280	24.2	122	10.6
Riverside	105,524	2,282	21.6	1,263	12.0
Outside city	70,828	1,485	21.0	748	10.6
Riverside	34,696	797	23.0	515	14.8

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CALIFORNIA—Continued					
Sacramento	170,333	3,076	18.1	2,094	12.3
Outside city	64,375	1,225	19.0	587	9.1
White	56,985	1,119	19.6	527	9.2
All other	7,390	106	14.3	60	8.1
Sacramento	105,958	1,851	17.5	1,507	14.2
San Benito	11,592	215	18.9	132	11.6
San Bernardino *	161,108	3,179	19.7	2,026	12.6
Outside cities *	88,941	1,557	17.5	1,077	12.1
Ontario	14,197	319	22.5	155	10.9
Redlands	14,324	235	16.4	185	12.9
San Bernardino	43,646	1,068	24.5	609	14.0
San Diego	289,348	6,488	22.4	3,604	12.5
Outside cities	75,663	1,535	20.3	897	11.9
National City	10,344	355	34.3	157	15.2
San Diego	203,341	4,598	22.6	2,550	12.5
San Francisco, coextensive with San Francisco (city)	634,536	8,436	13.3	8,466	13.3
White	602,701	7,959	13.2	8,111	13.5
All other	31,835	477	15.0	355	11.2
San Joaquin *	134,207	2,319	17.3	1,850	13.8
Outside cities *	68,414	1,006	14.7	930	13.6
White	60,789	941	15.5	862	14.2
All other	7,625	65	8.5	68	8.9
Lodi	11,079	211	19.0	109	9.8
Stockton	54,714	1,102	20.1	811	14.8
San Luis Obispo	33,246	824	24.8	504	15.2
San Mateo	111,782	1,946	17.4	1,077	9.6
Outside cities *	63,986	1,055	16.5	614	9.6
Burlingame	15,940	222	13.9	126	7.9
Redwood City	12,453	272	21.8	126	10.1
San Mateo	19,403	397	20.5	211	10.9
Santa Barbara	70,555	1,353	19.2	798	11.3
Outside city	35,597	793	22.3	370	10.4
Santa Barbara	34,958	560	16.0	428	12.2
Santa Clara *	174,949	3,104	17.7	2,281	13.0
Outside cities *	89,718	1,371	15.3	1,183	13.2
Palo Alto	16,774	290	17.3	198	11.8
San Jose	68,457	1,443	21.1	900	13.1
Santa Cruz	45,057	667	14.8	660	14.6
Outside city	28,161	439	15.6	347	12.3
Santa Cruz	16,896	228	13.5	313	18.5
Shasta	28,800	698	24.2	338	11.7
Sierra *	3,025	61	20.2	26	8.6
Siskiyou	28,598	568	19.9	323	11.3
Solano*	49,118	1,082	22.0	519	10.6
Outside city *	29,046	337	11.6	278	9.6
Vallejo	20,072	745	37.1	241	12.0
Sonoma *	69,052	1,053	15.2	976	14.1
Outside city *	56,447	710	12.6	771	13.7
Santa Rosa	12,605	343	27.2	205	16.3
Stanislaus *	74,866	1,640	21.9	734	9.8
Outside city	58,487	1,090	18.6	364	6.2
Modesto *	16,379	550	33.6	370	22.6
Sutter	18,680	425	22.8	175	9.4
Tehama	14,316	222	15.5	163	11.4
Trinity	3,970	42	10.6	46	11.6
Tulare	107,152	2,644	24.7	917	8.6
Tuolumne	10,887	166	15.2	129	11.8
Ventura *	69,685	1,481	21.3	662	9.5
Outside city *	56,421	1,174	20.8	535	9.5
San Buenaventura	13,264	307	23.1	127	9.6
Yolo	27,243	504	18.5	289	10.6
Yuba	17,054	330	19.4	220	12.9
COLORADO (total)	1,123,296	21,393	19.0	11,988	10.7
Adams	22,481	453	20.2	214	9.5
Alamosa	10,484	230	21.9	100	9.5
Arapahoe	32,150	680	21.2	264	8.2
Archuleta	3,806	102	26.8	28	7.4
Baca	6,207	157	25.3	66	10.6
Bent *	9,653	230	23.8	116	12.0
Boulder	37,438	649	17.3	394	10.5
Outside city	24,480	428	17.5	201	8.2
Boulder	12,958	221	17.1	193	14.9
Chaffee	8,109	96	11.8	95	11.7
Cheyenne	2,964	56	18.9	15	5.1
Clear Creek	3,784	52	13.7	35	9.2
Conejos	11,648	197	16.9	100	8.6
Costilla	7,533	111	14.7	45	6.0
Crowley	5,398	124	23.0	53	9.8
Custer	2,270	24	10.6	21	9.3
Delta	16,470	331	20.1	149	9.0
Denver, coextensive with Denver (city)	322,412	5,848	18.1	3,874	12.0
Dolores	1,958	50	25.5	11	5.6
Douglas	3,496	55	15.7	32	9.2
Eagle	5,361	92	17.2	33	6.2
Elbert	5,460	95	17.4	41	7.5
El Paso *	54,025	811	15.0	720	13.3
Outside city*	17,236	167	9.7	136	7.9
Colorado Springs *	36,789	644	17.5	584	15.9
Fremont	19,742	281	14.2	209	10.6
Garfield	10,560	186	17.6	114	10.8
COLORADO—Continued					
Gilpin	1,625	25	15.4	22	13.5
Grand	3,587	71	19.8	30	8.4
Gunnison	6,192	123	19.9	67	10.8
Hinsdale	349	6	17.2	5	14.3
Huerfano	16,088	253	15.7	166	10.3
Jackson	1,798	33	18.4	14	7.8
Jefferson	30,725	544	17.7	320	10.4
Kiowa	2,793	46	16.5	31	11.1
Kit Carson	7,512	145	19.3	65	8.7
Lake	6,883	173	25.1	73	10.6
La Plata	15,494	317	20.5	146	9.4
Larimer *	35,539	615	17.3	360	10.1
Outside city *	23,288	491	21.1	237	10.2
Fort Collins	12,251	124	10.1	123	10.0
Las Animas	32,369	753	23.3	387	12.0
Outside city	19,146	414	21.6	156	8.1
Trinidad	13,223	339	25.6	231	17.5
Lincoln	5,882	120	20.4	55	9.4
Logan	18,370	378	20.6	137	7.5
Mesa	33,791	640	18.9	319	9.4
Outside city	21,312	363	17.0	174	8.2
Grand Junction	12,479	277	22.2	145	11.6
Mineral	975	26	26.7	8	8.2
Moffat	5,086	105	20.6	37	7.3
Montezuma	10,463	269	25.7	99	9.5
Montrose	15,418	343	22.2	153	9.9
Morgan	17,214	342	19.9	178	10.3
Otero	23,571	520	22.1	236	10.0
Ouray	2,089	34	16.3	23	11.0
Park	3,272	59	18.0	23	7.0
Phillips	4,948	84	17.0	51	10.3
Pitkin	1,836	24	13.1	24	13.1
Prowers	12,304	286	23.2	117	9.5
Pueblo *	68,870	1,431	20.8	933	13.5
Outside city *	16,708	392	23.5	389	23.3
Pueblo	52,162	1,039	19.9	544	10.4
Rio Blanco	2,943	52	17.7	29	9.9
Rio Grande	12,404	258	20.8	136	11.0
Routt	10,525	217	20.6	91	8.6
Saguache	6,173	140	22.7	42	6.8
San Juan	1,439	36	25.0	20	13.9
San Miguel	3,664	78	21.3	30	8.2
Sedgwick	5,294	100	18.9	37	7.0
Summit	1,754	22	12.5	13	7.4
Teller	6,463	123	19.0	65	10.1
Washington	8,336	143	17.2	47	5.6
Weld	63,747	1,321	20.7	552	8.7
Outside city	47,752	1,003	21.0	325	6.8
Greeley *	15,995	318	19.9	227	14.2
Yuma	12,102	228	18.8	118	9.8
CONNECTICUT (total)	1,709,242	29,036	17.0	18,188	10.6
Fairfield	418,384	7,073	16.9	4,397	10.5
Outside cities *	127,586	1,806	14.2	1,145	9.0
Bridgeport	147,121	2,544	17.3	1,618	11.0
Danbury	22,339	421	18.8	328	14.7
Norwalk	39,849	710	17.8	418	10.5
Shelton	10,971	158	14.4	120	10.9
Stamford	47,938	1,013	21.1	577	12.0
Stratford (town)	22,580	421	18.6	191	8.5
Hartford	450,189	7,980	17.7	4,453	9.9
Outside cities	132,679	2,415	18.2	1,334	10.1
Bristol	30,167	554	18.4	266	8.8
East Hartford (town)	18,615	346	18.6	177	9.5
Hartford	168,267	3,136	18.9	1,724	10.4
New Britain	68,685	1,080	15.7	625	9.1
West Hartford (town)	33,776	449	13.3	327	9.7
Litchfield	87,041	1,568	18.0	919	10.6
Outside city	60,053	1,063	17.7	697	11.6
Torrington	26,988	505	18.7	222	8.2
Middlesex *	55,999	892	15.9	928	16.6
Outside city	29,504	501	17.0	412	14.0
Middletown *	26,495	391	14.8	516	19.5
New Haven	484,516	7,978	16.5	4,933	10.2
Outside cities	98,572	1,582	16.0	944	9.6
Ansonia	19,210	312	16.2	199	10.4
Derby	10,287	147	14.3	95	9.2
Meriden	39,494	605	15.3	411	10.4
Naugatuck	15,388	290	18.8	157	10.2
New Haven	160,605	2,557	15.9	1,692	10.5
Wallingford *	11,425	208	18.2	149	13.0
Waterbury	99,314	1,785	18.0	994	10.0
West Haven (town)	30,021	492	16.4	292	9.7
New London *	125,224	2,141	17.1	1,571	12.5
Outside cities *	71,116	1,133	15.9	876	12.3
New London	30,456	514	16.9	302	9.9
Norwich	23,652	494	20.9	393	16.6
Tolland	31,866	501	15.7	346	10.9
Windham	56,223	903	16.1	641	11.4
Outside city	44,122	679	15.4	503	11.4
Willimantic	12,101	224	18.5	138	11.4

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
DELAWARE (total)	266,505	5,087	19.1	3,244	12.2
Kent *	34,441	642	18.6	551	16.0
White	27,908	487	17.5	418	15.0
All other	6,533	155	23.7	133	20.4
New Castle	179,562	3,349	18.7	2,047	11.4
Outside city *	67,058	1,309	19.5	744	11.1
Wilmington	112,504	2,040	18.1	1,303	11.6
White	98,175	1,746	17.8	1,073	10.9
All other	14,329	294	20.5	230	16.1
Sussex	52,502	1,096	20.9	646	12.3
White	43,602	843	19.3	505	11.6
All other	8,900	253	28.4	141	15.8
DISTRICT OF COLUMBIA	[3] 741,000	12,892	17.4	7,999	10.8
Washington	[3] 741,000	12,892	17.4	7,999	10.8
White	474,326	8,241	17.4	5,082	10.7
All other	188,765	4,651	24.6	2,937	15.6
FLORIDA (total)	1,897,414	37,542	19.8	21,632	11.4
Alachua	38,607	822	21.3	499	12.9
Outside city	24,850	495	19.9	293	11.8
White	13,987	256	18.3	125	8.9
All other	10,863	239	22.0	168	15.5
Gainesville	13,757	327	23.8	206	15.0
White	8,636	216	25.0	109	12.6
All other	5,121	111	21.7	97	18.9
Baker	6,510	157	24.1	54	8.3
White	4,999	117	23.4	43	8.6
All other	1,511	40	26.5	11	7.3
Bay	20,686	545	26.3	178	8.6
Outside city	9,076	263	29.0	99	10.9
White	7,645	221	28.9	80	10.5
All other	1,431	42	29.4	19	13.3
Panama City	11,610	282	24.3	79	6.8
White	8,820	210	23.8	48	5.4
All other	2,790	72	25.8	31	11.1
Bradford	8,717	291	33.4	112	12.8
White	6,490	217	33.4	73	11.2
All other	2,227	74	33.2	39	17.5
Brevard	16,142	277	17.2	194	12.0
White	10,871	151	13.9	125	11.5
All other	5,271	126	23.9	69	13.1
Broward	39,794	810	20.4	383	9.6
Outside city	21,798	446	20.5	191	8.8
White	13,008	224	17.2	101	7.8
All other	8,790	222	25.3	90	10.2
Fort Lauderdale	17,996	364	20.2	192	10.7
White	12,814	239	18.7	130	10.1
All other	5,182	125	24.1	62	12.0
Calhoun	8,218	235	28.6	49	6.0
White	6,975	194	27.8	39	5.6
All other	1,243	41	33.0	10	8.0
Charlotte	3,663	41	11.2	52	14.2
White	2,990	34	11.4	33	11.0
All other	673	7	10.4	19	28.2
Citrus	5,846	109	18.6	84	14.4
White	4,149	76	18.3	46	11.1
All other	1,697	33	19.4	38	22.4
Clay *	6,468	169	26.1	143	22.1
White	4,733	127	26.8	107	22.6
All other	1,735	42	24.2	36	20.7
Collier	5,102	95	18.6	32	6.3
White	3,279	77	23.5	19	5.8
All other	1,823	18	9.9	13	7.1
Columbia	16,859	356	21.1	189	11.2
White	10,352	220	21.3	85	8.2
All other	6,507	136	20.9	104	16.0
Dade	267,739	4,724	17.6	2,684	10.0
Outside cities	67,555	1,365	20.2	649	9.6
White	55,513	1,063	19.1	481	8.7
All other	12,042	302	25.1	168	14.0
Miami	172,172	3,133	18.2	1,831	10.6
White	135,192	2,342	17.3	1,364	10.1
All other	36,980	791	21.4	467	12.6
Miami Beach	28,012	226	8.1	204	7.3
De Soto	7,792	173	22.2	94	12.1
White	6,198	130	21.0	76	12.3
All other	1,594	43	27.0	18	11.3
Dixie	7,018	206	29.4	70	10.0
White	3,973	124	31.2	37	9.3
All other	3,045	82	26.9	33	10.8
Duval	210,143	4,548	21.6	2,695	12.8
Outside city	37,078	721	19.4	330	8.9
White	30,324	568	18.7	223	7.4
All other	6,754	153	22.7	107	15.8
Jacksonville	173,065	3,827	22.1	2,365	13.7
White	111,247	2,673	24.0	1,223	11.0
All other	61,818	1,154	18.7	1,142	18.5
FLORIDA—Continued					
Escambia	74,667	1,888	25.3	849	11.4
Outside city	37,218	795	21.4	295	7.9
White	31,956	698	21.8	228	7.1
All other	5,262	97	18.4	67	12.7
Pensacola	37,449	1,093	29.2	554	14.8
White	25,080	810	32.3	330	13.2
All other	12,369	283	22.9	224	18.1
Flagler	3,008	62	20.6	38	12.6
White	1,669	24	14.4	17	10.2
All other	1,339	38	28.4	21	15.7
Franklin	5,991	153	25.5	65	10.8
White	3,994	105	26.3	38	9.5
All other	1,997	48	24.0	27	13.5
Gadsden *	31,450	627	19.9	616	19.6
White	13,939	219	15.7	296	21.2
All other	17,511	408	23.3	320	18.3
Gilchrist	4,250	105	24.7	37	8.7
White	3,612	83	23.0	30	8.3
All other	638	22	34.5	7	11.0
Glades	2,745	41	14.9	16	5.8
White	1,691	27	16.0	11	6.5
All other	1,054	14	13.3	5	4.7
Gulf	6,951	209	30.1	65	9.4
White	4,566	138	30.2	38	8.3
All other	2,385	71	29.8	27	11.3
Hamilton	9,778	277	28.3	100	10.2
White	5,659	145	25.6	47	8.3
All other	4,119	132	32.0	53	12.9
Hardee	10,158	207	20.4	101	9.9
Hendry	5,237	97	18.5	36	6.9
White	3,370	78	23.1	20	5.9
All other	1,867	19	10.2	16	8.6
Hernando	5,641	110	19.5	67	11.9
White	4,044	73	18.1	44	10.9
All other	1,597	37	23.2	23	14.4
Highlands	9,246	242	26.2	112	12.1
White	7,302	185	25.3	71	9.7
All other	1,944	57	29.3	41	21.1
Hillsborough	180,148	3,499	19.4	2,061	11.4
Outside city	71,757	1,518	21.2	728	10.1
White	63,485	1,302	20.5	615	9.7
All other	8,272	216	26.1	113	13.7
Tampa	108,391	1,981	18.3	1,353	12.5
White	85,043	1,525	17.9	943	11.1
All other	23,348	456	19.5	410	17.6
Holmes	15,447	305	19.7	91	5.9
Indian River	8,957	177	19.8	85	9.5
White	6,288	120	19.1	58	9.2
All other	2,669	57	21.4	27	10.1
Jackson	34,428	808	23.5	350	10.2
White	22,019	521	23.7	193	8.8
All other	12,409	287	23.1	157	12.7
Jefferson	12,032	287	23.9	163	13.5
White	4,025	75	18.6	41	10.2
All other	8,007	212	26.5	122	15.2
Lafayette	4,405	78	17.7	36	8.2
Lake	27,255	545	20.0	281	10.3
White	19,653	400	20.4	181	9.2
All other	7,602	145	19.1	100	13.2
Lee	17,488	333	19.0	185	10.6
Outside city	6,884	115	16.7	49	7.1
White	5,919	103	17.4	36	6.1
All other	965	12	12.4	13	13.5
Fort Myers	10,604	218	20.6	136	12.8
White	7,611	169	22.2	77	10.1
All other	2,993	49	16.4	59	19.7
Leon	31,646	707	22.3	345	10.9
Outside city	15,406	306	19.9	188	12.2
White	5,787	82	14.2	47	8.1
All other	9,619	224	23.3	141	14.7
Tallahassee	16,240	401	24.7	157	9.7
White	9,753	266	27.3	68	6.8
All other	6,487	135	20.8	91	14.0
Levy	12,550	247	19.7	139	11.1
White	7,719	156	20.2	74	9.6
All other	4,831	91	18.8	65	13.5
Liberty	3,752	74	19.7	39	10.4
White	2,827	61	21.6	24	8.5
All other	925	13	14.1	15	16.2
Madison	16,190	339	20.9	149	9.2
White	8,460	170	20.1	65	7.7
All other	7,730	169	21.9	84	10.9
Manatee	26,098	445	17.1	267	10.2
White	19,212	312	16.2	186	9.7
All other	6,886	133	19.3	81	11.8
Marion	31,243	588	18.8	372	11.9
White	17,572	317	18.0	135	7.7
All other	13,671	271	19.8	237	17.3
Martin	6,295	118	18.7	57	9.1
White	4,043	75	18.6	28	6.9
All other	2,252	43	19.1	29	12.9

[3] Population estimated as of July 1, 1941.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
FLORIDA—Continued					
Monroe	14,078	270	19.2	177	12.6
Outside city	1,151	9	7.8	6	5.2
White	951	9	9.5	4	4.2
All other	200	-	0	2	10.0
Key West	12,927	261	20.2	171	13.2
White	10,562	205	19.4	126	11.9
All other	2,365	56	23.7	45	19.0
Nassau	10,826	224	20.7	137	12.7
White	7,185	142	19.8	65	9.0
All other	3,641	82	22.5	72	19.8
Okaloosa	12,900	313	24.3	106	8.2
Okeechobee	3,000	47	15.7	28	9.3
White	2,441	39	16.0	23	9.4
All other	559	8	14.3	5	8.9
Orange	70,074	1,290	18.4	847	12.1
Outside city	33,338	616	18.5	343	10.3
White	26,867	481	17.9	260	9.7
All other	6,471	135	20.9	83	12.8
Orlando	36,736	674	18.3	504	13.7
White	26,265	519	19.8	364	13.9
All other	10,471	155	14.8	140	13.4
Osceola	10,119	154	15.2	150	14.8
White	8,046	121	15.0	115	14.3
All other	2,073	33	15.9	35	16.9
Palm Beach	79,989	1,294	16.2	814	10.2
Outside city	46,296	704	15.2	419	9.1
White	29,206	399	13.7	252	8.6
All other	17,090	305	17.8	167	9.8
West Palm Beach	33,693	590	17.5	395	11.7
White	22,374	400	17.9	233	10.4
All other	11,319	190	16.8	162	14.3
Pasco	13,981	283	20.2	178	12.7
White	11,705	233	19.9	152	13.0
All other	2,276	50	22.0	26	11.4
Pinellas	91,852	1,197	13.0	1,275	13.9
Outside cities *	20,904	249	11.9	237	11.3
Clearwater	10,136	148	14.6	96	9.5
White	7,601	113	14.9	62	8.2
All other	2,535	35	13.8	34	13.4
St. Petersburg	60,812	800	13.2	942	15.5
White	48,794	556	11.4	784	16.1
All other	12,018	244	20.3	158	13.1
Polk	86,665	1,805	20.8	912	10.5
Outside city	64,597	1,384	21.4	640	9.9
White	50,965	1,122	22.0	473	9.3
All other	13,632	262	19.2	167	12.3
Lakeland	22,068	421	19.1	272	12.3
White	17,182	340	19.8	205	11.9
All other	4,886	81	16.6	67	13.7
Putnam	18,698	385	20.6	260	13.9
White	10,809	245	22.7	135	12.5
All other	7,889	140	17.7	125	15.8
St. Johns	20,012	380	19.0	252	12.6
Outside city	7,922	111	14.0	77	9.7
White	4,085	40	9.8	23	5.6
All other	3,837	71	18.5	54	14.1
St. Augustine	12,090	269	22.2	175	14.5
White	8,866	180	20.3	114	12.9
All other	3,224	89	27.6	61	18.9
St. Lucie	11,871	270	22.7	123	10.4
White	7,791	141	18.1	72	9.2
All other	4,080	129	31.6	51	12.5
Santa Rosa	16,085	349	21.7	154	9.6
White	14,143	305	21.6	118	8.3
All other	1,942	44	22.7	36	18.5
Sarasota	16,106	288	17.9	216	13.4
Outside city	4,965	93	18.7	58	11.7
White	4,192	78	18.6	44	10.5
All other	773	15	19.4	14	18.1
Sarasota	11,141	195	17.5	158	14.2
White	8,334	134	16.1	111	13.3
All other	2,807	61	21.7	47	16.7
Seminole	22,304	379	17.0	271	12.2
Outside city	12,087	207	17.1	125	10.3
White	6,431	85	13.2	64	10.0
All other	5,656	122	21.6	61	10.8
Sanford	10,217	172	16.8	146	14.3
White	5,119	87	17.0	71	13.9
All other	5,098	85	16.7	75	14.7
Sumter	11,041	240	21.7	134	12.1
White	7,961	170	21.4	81	10.2
All other	3,080	70	22.7	53	17.2
Suwannee	17,073	379	22.2	201	11.8
White	11,585	248	21.4	110	9.5
All other	5,488	131	23.9	91	16.6
Taylor	11,565	255	22.0	129	11.2
White	7,881	188	23.9	63	8.0
All other	3,684	67	18.2	66	17.9
Union *	7,094	112	15.8	79	11.1
White	5,029	87	17.3	45	8.9
All other	2,065	25	12.1	34	16.5
Volusia	53,710	791	14.7	663	12.3
Outside city	31,126	457	14.7	363	11.7
White	23,244	327	14.1	250	10.8
All other	7,882	130	16.5	113	14.3
Daytona Beach	22,584	334	14.8	300	13.3
White	15,661	236	15.1	204	13.0
All other	6,923	98	14.2	96	13.9
FLORIDA—Continued					
Wakulla	5,463	146	26.7	38	7.0
White	3,617	91	25.2	19	5.3
All other	1,846	55	29.8	19	10.3
Walton	14,246	296	20.8	134	9.4
White	12,251	253	20.7	99	8.1
All other	1,995	43	21.6	35	17.5
Washington	12,302	269	21.9	100	8.1
White	10,037	202	20.1	72	7.2
All other	2,265	67	29.6	28	12.4
GEORGIA (total)	3,123,723	67,870	21.7	31,654	10.1
Appling	14,497	333	23.0	79	5.4
White	11,856	253	21.3	46	3.9
All other	2,641	80	30.3	33	12.5
Atkinson	7,093	179	25.2	49	6.9
White	5,422	127	23.4	28	5.2
All other	1,671	52	31.1	21	12.6
Bacon	8,096	211	26.1	74	9.1
White	7,042	186	26.4	55	7.8
All other	1,054	25	23.7	19	18.0
Baker	7,344	158	21.5	41	5.6
White	3,049	59	19.4	22	7.2
All other	4,295	99	23.1	19	4.4
Baldwin *	24,190	346	14.3	658	27.2
White	12,692	134	10.6	326	25.7
All other	11,498	212	18.4	332	28.9
Banks	8,753	184	21.1	70	8.0
Barrow	13,064	281	21.5	136	10.4
White	10,605	202	19.0	110	10.4
All other	2,459	79	32.1	26	10.6
Bartow	25,283	532	21.0	274	10.8
White	21,073	451	21.4	211	10.0
All other	4,210	81	19.2	63	15.0
Ben Hill	14,523	283	19.5	150	10.3
White	9,674	147	15.2	82	8.5
All other	4,849	136	28.0	68	14.0
Berrien	15,370	329	21.4	95	6.2
White	13,033	292	22.4	77	5.9
All other	2,337	37	15.8	18	7.7
Bibb	83,783	1,895	22.6	1,202	14.3
Outside city	25,918	349	13.5	275	10.6
White	15,986	167	10.4	140	8.8
All other	9,932	182	18.3	135	13.6
Macon	57,865	1,546	26.7	927	16.0
White	32,253	943	29.2	390	12.1
All other	25,612	603	23.5	537	21.0
Bleckley	9,655	232	24.0	90	9.3
White	6,331	133	21.0	51	8.1
All other	3,324	99	29.8	39	11.7
Brantley	6,871	176	25.6	59	8.6
White	5,727	159	27.8	48	8.4
All other	1,144	17	14.9	11	9.6
Brooks	20,497	508	24.8	185	9.0
White	9,990	194	19.4	82	8.2
All other	10,507	314	29.9	103	9.8
Bryan	6,288	142	22.6	79	12.6
White	3,735	70	18.7	36	9.6
All other	2,553	72	28.2	43	16.8
Bulloch	26,010	561	21.6	159	6.1
White	16,168	312	19.3	66	4.1
All other	9,842	249	25.3	93	9.4
Burke	26,520	733	27.6	313	11.8
White	6,654	139	20.9	71	10.7
All other	19,866	594	29.9	242	12.2
Butts	9,182	211	23.0	118	12.9
White	4,891	80	16.4	54	11.0
All other	4,291	131	30.5	64	14.9
Calhoun	10,438	236	22.6	110	10.5
White	3,309	48	14.5	27	8.2
All other	7,129	188	26.4	83	11.6
Camden	5,910	171	28.9	91	15.4
White	2,486	58	23.3	26	10.5
All other	3,424	113	33.0	65	19.0
Candler	9,103	133	14.6	76	8.3
White	5,996	84	14.0	41	6.8
All other	3,107	49	15.8	35	11.3
Carroll	34,156	726	21.3	295	8.6
White	26,903	524	19.5	212	7.9
All other	7,253	202	27.9	83	11.4
Catoosa	12,199	204	16.7	77	6.3
Charlton	5,256	130	24.7	39	7.4
White	3,760	80	21.3	26	6.9
All other	1,496	50	33.4	13	8.7
Chatham	117,970	2,548	21.6	1,773	15.0
Outside city	21,974	320	14.6	323	14.7
White	12,327	173	14.0	124	10.1
All other	9,647	147	15.2	199	20.6
Savannah	95,996	2,228	23.2	1,450	15.1
White	52,700	1,231	23.4	578	11.0
All other	43,296	997	23.0	872	20.1
Chattahoochee	15,138	137	9.1	75	5.0
White	12,110	94	7.8	55	4.5
All other	3,028	43	14.2	20	6.6

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA—Continued					
Chattooga	18,532	456	24.6	78	4.2
Cherokee	20,126	438	21.8	186	9.2
Clarke	28,398	501	17.6	345	12.1
Outside city	7,748	125	16.1	82	10.6
White	4,971	67	13.5	35	7.0
All other	2,777	58	20.9	47	16.9
Athens	20,650	376	18.2	263	12.7
White	13,364	238	17.8	141	10.6
All other	7,286	138	18.9	122	16.7
Clay	7,064	172	24.3	77	10.9
White	2,077	28	13.5	22	10.6
All other	4,987	144	28.9	55	11.0
Clayton	11,655	194	16.6	117	10.0
White	8,671	130	15.0	72	8.3
All other	2,984	64	21.4	45	15.1
Clinch	6,437	108	16.8	41	6.4
White	3,938	67	17.0	19	4.8
All other	2,499	41	16.4	22	8.8
Cobb	38,272	767	20.0	387	10.1
White	31,990	651	20.4	281	8.8
All other	6,282	116	18.5	106	16.9
Coffee	21,541	600	27.9	192	8.9
White	16,165	432	26.7	136	8.4
All other	5,376	168	31.3	56	10.4
Colquitt	33,012	721	21.8	291	8.8
Outside city	22,865	470	20.6	169	7.4
White	18,509	363	19.6	120	6.5
All other	4,356	107	24.6	49	11.2
Moultrie	10,147	251	24.7	122	12.0
White	6,446	173	26.8	69	10.7
All other	3,701	78	21.1	53	14.3
Columbia	9,433	215	22.8	87	9.2
White	3,769	71	18.8	31	8.2
All other	5,664	144	25.4	56	9.9
Cook	11,919	249	20.9	94	7.9
White	8,728	190	21.8	60	6.9
All other	3,191	59	18.5	34	10.7
Coweta	26,972	484	17.9	233	8.6
White	16,149	245	15.2	117	7.2
All other	10,823	239	22.1	116	10.7
Crawford	7,128	153	21.5	95	13.3
White	3,105	49	15.8	27	8.7
All other	4,023	104	25.9	68	16.9
Crisp	17,540	409	23.3	189	10.8
White	9,426	186	19.7	77	8.2
All other	8,114	223	27.5	112	13.8
Dade	5,894	134	22.7	39	6.6
Dawson	4,479	94	21.0	23	5.1
Decatur	22,234	515	23.2	262	11.8
White	11,473	226	19.7	101	8.8
All other	10,761	289	26.9	161	15.0
De Kalb	86,942	1,627	18.7	752	8.6
Outside cities	41,387	748	18.1	367	8.9
White	33,470	560	16.7	250	7.5
All other	7,917	188	23.7	117	14.8
Atlanta (part)	28,994	532	(4)	246	(4)
White	26,248	486	(4)	207	(4)
All other	2,746	46	(4)	39	(4)
Decatur	16,561	347	21.0	139	8.4
White	13,255	258	19.5	101	7.6
All other	3,306	89	26.9	38	11.5
Dodge	21,022	445	21.2	184	8.8
White	14,045	275	19.6	112	8.0
All other	6,977	170	24.4	72	10.3
Dooly	16,886	412	24.4	166	9.8
White	7,555	139	18.4	64	8.5
All other	9,331	273	29.3	102	10.9
Dougherty	28,565	587	20.5	396	13.9
Outside city	9,510	128	13.5	81	8.5
White	3,692	49	13.3	17	4.6
All other	5,818	79	13.6	64	11.0
Albany	19,055	459	24.1	315	16.5
White	9,336	233	25.0	108	11.6
All other	9,719	226	23.3	207	21.3
Douglas	10,053	205	20.4	82	8.2
White	7,880	157	19.9	57	7.2
All other	2,173	48	22.1	25	11.5
Early	18,679	453	24.3	153	8.2
White	9,065	195	21.5	56	6.2
All other	9,614	258	26.8	97	10.1
Echols	2,964	70	23.6	17	5.7
White	1,899	50	26.3	12	6.3
All other	1,065	20	18.8	5	4.7
Effingham	9,646	242	25.1	99	10.3
White	5,644	123	21.8	54	9.6
All other	4,002	119	29.7	45	11.2
Elbert	19,618	373	19.0	202	10.3
White	11,887	186	15.6	95	8.0
All other	7,731	187	24.2	107	13.8
Emanuel	23,517	505	21.5	241	10.2
White	15,206	284	18.7	127	8.4
All other	8,311	221	26.6	114	13.7

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA—Continued					
Evans	7,401	187	25.3	81	10.9
White	4,908	110	22.4	49	10.0
All other	2,493	77	30.9	32	12.8
Fannin	14,752	357	24.2	132	8.9
Fayette	8,170	207	25.3	73	8.9
White	5,503	117	21.3	44	8.0
All other	2,667	90	33.7	29	10.9
Floyd	56,141	1,278	22.8	549	9.8
Outside city	29,859	576	19.3	248	8.3
White	26,701	505	18.9	210	7.9
All other	3,158	71	22.5	38	12.0
Rome	26,282	702	26.7	301	11.5
White	20,799	588	28.3	199	9.6
All other	5,483	114	20.8	102	18.6
Forsyth	11,322	233	20.6	50	4.4
Franklin	15,612	316	20.2	115	7.4
White	13,342	268	20.1	92	6.9
All other	2,270	48	21.1	23	10.1
Fulton	392,886	8,139	20.7	4,535	11.5
Outside cities	95,034	1,458	15.3	977	10.3
White	78,277	1,109	14.2	691	8.8
All other	16,757	349	20.8	286	17.1
Atlanta (part)	273,294	6,441	(4)	3,451	(4)
White	171,438	4,228	(4)	1,524	(4)
All other	101,856	2,213	(4)	1,907	(4)
Atlanta (total)	302,288	6,973	23.1	3,677	12.2
White	197,686	4,714	23.8	1,731	8.8
All other	104,602	2,259	21.6	1,946	18.6
District 1511, Center Hill [2]	12,155	3	0.2	3	0.2
White	9,608	3	0.3	3	0.3
All other	2,547	-	0	-	0
East Point	12,403	237	19.1	124	10.0
White	10,420	188	18.0	88	8.4
All other	1,983	49	24.7	36	18.2
Gilmer	9,001	234	26.0	79	8.8
Glascock	4,547	110	24.2	26	5.7
White	3,326	67	20.1	19	5.7
All other	1,221	43	35.2	7	5.7
Glynn	21,920	499	22.8	288	13.1
Outside city	6,885	140	20.3	85	12.3
White	4,401	88	20.0	36	8.2
All other	2,484	52	20.9	49	19.7
Brunswick	15,035	359	23.9	203	13.5
White	8,955	235	26.2	83	9.3
All other	6,080	124	20.4	120	19.7
Gordon	18,445	452	24.5	118	6.4
Grady	19,654	446	22.7	151	7.7
White	12,930	270	20.9	102	7.9
All other	6,724	176	26.2	49	7.3
Greene	13,709	316	23.1	129	9.4
White	6,554	117	17.9	42	6.4
All other	7,155	199	27.8	87	12.2
Gwinnett	29,087	512	17.6	230	7.9
White	25,751	456	17.7	181	7.0
All other	3,336	56	16.8	49	14.7
Habersham	14,771	321	21.7	128	8.7
Hall	34,822	709	20.4	300	8.6
Outside city	24,579	442	18.0	168	6.8
Gainesville	10,243	267	26.1	132	12.9
White	7,985	226	28.3	89	11.1
All other	2,258	41	18.2	43	19.0
Hancock	12,764	314	24.6	82	6.4
White	3,581	55	15.4	35	9.8
All other	9,183	259	28.2	47	5.1
Haralson	14,377	227	15.8	84	5.8
White	12,853	201	15.6	70	5.4
All other	1,524	26	17.1	14	9.2
Harris	11,428	249	21.8	104	9.1
White	4,626	71	15.3	45	9.7
All other	6,802	178	26.2	59	8.7
Hart	15,512	328	21.1	127	8.2
White	11,551	253	21.9	85	7.4
All other	3,961	75	18.9	42	10.6
Heard	8,610	119	13.8	45	5.2
White	6,023	73	12.1	34	5.6
All other	2,587	46	17.8	11	4.3
Henry	15,119	315	20.8	174	11.5
White	7,955	120	15.1	72	9.1
All other	7,164	195	27.2	102	14.2
Houston	11,303	270	23.9	105	9.3
White	3,984	83	20.8	31	7.8
All other	7,319	187	25.5	74	10.1
Irwin	12,936	285	22.0	70	5.4
White	8,178	141	17.2	36	4.4
All other	4,758	144	30.3	34	7.1
Jackson	20,089	428	21.3	160	8.0
White	16,548	350	21.2	135	8.2
All other	3,541	78	22.0	25	7.1
Jasper	8,772	183	20.9	93	10.6
White	3,777	47	12.4	42	11.1
All other	4,995	136	27.2	51	10.2

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.
[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA—Continued					
Jeff Davis	8,841	210	23.8	77	8.7
White	7,231	168	23.2	55	7.6
All other	1,610	42	26.1	22	13.7
Jefferson	20,040	477	23.8	172	8.6
White	8,583	123	14.3	73	8.5
All other	11,457	354	30.9	99	8.6
Jenkins	11,843	337	28.5	110	9.3
White	5,306	121	22.8	37	7.0
All other	6,537	216	33.0	73	11.2
Johnson	12,953	196	15.1	48	3.7
White	8,029	115	14.3	30	3.7
All other	4,924	81	16.5	18	3.7
Jones	8,331	187	22.4	69	8.3
White	3,250	54	16.6	22	6.8
All other	5,081	133	26.2	47	9.3
Lamar	10,091	207	20.5	119	11.8
White	5,668	90	15.9	55	9.7
All other	4,423	117	26.5	64	14.5
Lanier	5,632	83	14.7	38	6.7
White	4,017	49	12.2	26	6.5
All other	1,615	34	21.1	12	7.4
Laurens	33,606	714	21.2	328	9.8
White	19,861	388	19.5	171	8.6
All other	13,745	326	23.7	157	11.4
Lee	7,837	154	19.7	88	11.2
White	1,895	44	23.2	18	9.5
All other	5,942	110	18.5	70	11.8
Liberty	8,595	185	21.5	97	11.3
White	3,077	57	18.5	34	11.0
All other	5,518	128	23.2	63	11.4
Lincoln	7,042	159	22.6	48	6.8
White	3,423	57	16.7	18	5.3
All other	3,619	102	28.2	30	8.3
Long	4,086	71	17.4	21	5.1
White	2,625	51	19.4	11	4.2
All other	1,461	20	13.7	10	6.8
Lowndes	31,860	637	20.0	270	8.5
Outside city	16,265	285	17.5	100	6.1
White	9,060	144	15.9	49	5.4
All other	7,205	141	19.6	51	7.1
Valdosta	15,595	352	22.6	170	10.9
White	8,126	171	21.0	68	8.4
All other	7,469	181	24.2	102	13.7
Lumpkin	6,223	116	18.6	37	5.9
McDuffie	10,878	252	23.2	98	9.0
White	5,565	109	19.6	50	9.0
All other	5,313	143	26.9	48	9.0
McIntosh	5,292	134	25.3	80	15.1
White	2,135	48	22.5	14	6.6
All other	3,157	86	27.2	66	20.9
Macon	15,947	473	29.7	187	11.7
White	5,053	115	22.8	50	9.9
All other	10,894	358	32.9	137	12.6
Madison	13,431	287	21.4	115	8.6
White	10,826	216	20.0	87	8.0
All other	2,605	71	27.3	28	10.7
Marion	6,954	185	26.6	74	10.6
White	3,129	73	23.3	29	9.3
All other	3,825	112	29.3	45	11.8
Meriwether	22,055	485	22.0	237	10.7
White	10,334	181	17.5	93	9.0
All other	11,721	304	25.9	144	12.3
Miller	9,998	206	20.6	63	6.3
White	6,753	112	16.6	42	6.2
All other	3,245	94	29.0	21	6.5
Mitchell	23,261	571	24.5	228	9.8
White	10,996	232	21.1	76	6.9
All other	12,265	339	27.6	152	12.4
Monroe	10,749	233	21.7	142	13.2
White	4,596	74	16.1	47	10.2
All other	6,153	159	25.8	95	15.4
Montgomery	9,668	175	18.1	72	7.4
White	5,788	77	13.3	29	5.0
All other	3,880	98	25.3	43	11.1
Morgan	12,713	287	22.6	121	9.5
White	5,936	87	14.7	54	9.1
All other	6,777	200	29.5	67	9.9
Murray	11,137	257	23.1	72	6.5
Muscogee	75,494	2,134	28.3	946	12.5
Outside city	22,214	207	9.3	139	6.3
White	13,674	110	8.0	82	6.0
All other	8,540	97	11.4	57	6.7
Columbus	53,280	1,927	36.2	807	15.1
White	35,804	1,456	40.7	418	11.7
All other	17,476	471	27.0	389	22.3
Newton	18,576	375	20.2	186	10.0
White	12,154	250	20.6	93	7.7
All other	6,422	125	19.5	93	14.5
Oconee	7,576	112	14.8	71	9.4
White	5,317	65	12.2	43	8.1
All other	2,259	47	20.8	28	12.4
Oglethorpe	12,430	302	24.3	131	10.5
White	6,934	132	19.0	59	8.5
All other	5,496	170	30.9	72	13.1
GEORGIA—Continued					
Paulding	12,832	273	21.3	101	7.9
White	11,534	224	19.4	86	7.5
All other	1,298	49	37.8	15	11.6
Peach	10,378	240	23.1	121	11.7
White	4,012	74	18.4	38	9.5
All other	6,366	166	26.1	83	13.0
Pickens	9,136	228	25.0	77	8.4
Pierce	11,800	281	23.8	99	8.4
White	9,346	223	23.9	66	7.1
All other	2,454	58	23.6	33	13.4
Pike	10,375	212	20.4	113	10.9
White	5,310	70	13.2	41	7.7
All other	5,065	142	28.0	72	14.2
Polk	28,467	600	21.1	226	7.9
White	23,698	493	20.8	174	7.3
All other	4,769	107	22.4	52	10.9
Pulaski	9,829	209	21.3	88	9.0
White	4,470	71	15.9	36	8.1
All other	5,359	138	25.8	52	9.7
Putnam	8,514	201	23.6	117	13.7
White	3,417	59	17.3	39	11.4
All other	5,097	142	27.9	78	15.3
Quitman	3,435	100	29.1	40	11.6
White	1,057	24	22.7	14	13.2
All other	2,378	76	32.0	26	10.9
Rabun	7,821	186	23.8	37	4.7
Randolph	16,609	351	21.1	166	10.0
White	5,205	92	17.7	54	10.4
All other	11,404	259	22.7	112	9.8
Richmond	81,863	1,835	22.4	1,148	14.0
Outside city	15,944	348	21.8	186	11.7
White	9,803	219	22.3	103	10.5
All other	6,141	129	21.0	83	13.5
Augusta	65,919	1,487	22.6	962	14.6
White	38,691	837	21.6	473	12.2
All other	27,228	650	23.9	489	18.0
Rockdale	7,724	119	15.4	86	11.1
White	5,276	56	10.6	54	10.2
All other	2,448	63	25.7	32	13.1
Schley	5,033	135	26.8	64	12.7
White	1,999	42	21.0	14	7.0
All other	3,034	93	30.7	50	16.5
Screven	20,353	453	22.3	197	9.7
White	8,746	140	16.0	74	8.5
All other	11,607	313	27.0	123	10.6
Seminole	8,492	229	27.0	69	8.1
White	5,035	134	26.6	38	7.5
All other	3,457	95	27.5	31	9.0
Spalding	28,427	508	17.9	337	11.9
Outside city	15,205	197	13.0	127	8.4
White	10,679	109	10.2	74	6.9
All other	4,526	88	19.4	53	11.7
Griffin	13,222	311	23.5	210	15.9
White	8,806	208	23.6	91	10.3
All other	4,416	103	23.3	119	26.9
Stephens	12,972	293	22.6	60	4.6
White	11,116	251	22.6	46	4.1
All other	1,856	42	22.6	14	7.5
Stewart	10,603	203	19.1	86	8.1
White	2,882	48	16.7	20	6.9
All other	7,721	155	20.1	66	8.5
Sumter	24,502	562	22.9	294	12.0
White	9,504	181	19.0	91	9.6
All other	14,998	381	25.4	203	13.5
Talbot	8,141	181	22.2	80	9.8
White	2,460	24	9.8	28	11.4
All other	5,681	157	27.6	52	9.2
Taliaferro	6,278	113	18.0	61	9.7
White	1,997	27	13.5	20	10.0
All other	4,281	86	20.1	41	9.6
Tattnall *	16,243	242	14.9	119	7.3
White	12,076	174	14.4	69	5.7
All other	4,167	68	16.3	50	12.0
Taylor	10,768	176	16.5	71	6.6
White	5,586	98	17.5	29	5.2
All other	5,182	80	15.4	42	8.1
Telfair	15,145	350	23.1	138	9.1
White	10,358	219	21.1	76	7.3
All other	4,787	131	27.4	62	13.0
Terrell	16,675	445	26.7	186	11.2
White	4,714	74	15.7	57	12.1
All other	11,961	371	31.0	129	10.8
Thomas	31,289	675	21.6	309	9.9
Outside city	18,606	406	21.8	152	8.2
White	10,247	154	14.2	76	7.0
All other	7,759	252	32.5	76	9.8
Thomasville	12,683	269	21.2	157	12.4
White	6,462	121	18.7	58	9.0
All other	6,221	148	23.8	99	15.9
Tift	18,599	436	23.4	186	10.0
White	13,106	285	21.7	105	8.0
All other	5,493	151	27.5	81	14.7

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA—Continued					
Toombs	16,952	372	21.9	141	8.3
White	12,434	253	20.3	98	7.9
All other	4,518	119	26.3	43	9.5
Towns	4,925	114	23.1	28	5.7
Treutlen	7,632	174	22.8	70	9.2
White	5,333	120	22.5	49	9.2
All other	2,299	54	23.5	21	9.1
Troup	43,879	938	21.4	498	11.3
Outside city	21,896	476	21.7	278	12.7
White	12,138	248	20.4	125	10.3
All other	9,758	228	23.4	153	15.7
La Grange	21,983	462	21.0	220	10.0
White	15,389	323	21.0	111	7.2
All other	6,594	139	21.1	109	16.5
Turner	10,846	240	22.1	78	7.2
White	7,036	126	17.9	39	5.5
All other	3,810	114	29.9	39	10.2
Twiggs	9,117	275	30.2	102	11.2
White	5,253	71	21.8	27	8.3
All other	3,864	204	34.8	75	12.8
Union	7,680	209	27.2	51	6.6
Upson	25,064	558	22.3	206	8.2
White	17,377	368	21.2	103	5.9
All other	7,687	190	24.7	103	13.4
Walker	31,024	721	23.2	231	7.4
Walton	20,777	450	21.7	223	10.7
White	14,168	249	17.6	130	9.2
All other	6,609	201	30.4	93	14.1
Ware	27,929	675	24.2	294	10.5
Outside city	11,166	218	19.5	83	7.4
White	9,469	184	19.4	67	7.1
All other	1,697	34	20.0	16	9.4
Waycross	16,763	457	27.3	211	12.6
White	10,920	298	27.3	113	10.3
All other	5,843	159	27.2	98	16.8
Warren	10,236	206	20.1	98	9.6
White	3,571	53	14.8	30	8.4
All other	6,665	153	23.0	68	10.2
Washington	24,230	537	22.2	233	9.6
White	10,357	142	13.7	94	9.1
All other	13,873	395	28.5	139	10.0
Wayne	13,122	354	27.0	72	5.5
White	10,328	274	26.5	47	4.6
All other	2,794	80	28.6	25	8.9
Webster	4,726	107	22.6	24	5.1
White	1,834	36	19.6	9	4.9
All other	2,892	71	24.6	15	5.2
Wheeler	8,535	182	21.3	48	5.6
White	5,855	108	18.4	25	4.3
All other	2,680	74	27.6	23	8.6
White	6,417	138	21.5	54	8.4
Whitfield	26,105	586	22.4	225	8.6
Outside city	15,657	274	17.5	105	6.7
Dalton	10,448	312	29.9	120	11.5
White	9,307	289	31.1	105	11.3
All other	1,141	23	20.2	15	13.1
Wilcox	12,755	223	17.5	75	5.9
White	7,879	140	17.8	41	5.2
All other	4,876	83	17.0	34	7.0
Wilkes	15,084	321	21.3	154	10.2
White	6,041	93	15.4	42	7.0
All other	9,043	228	25.2	112	12.4
Wilkinson	11,025	234	21.2	120	10.9
White	5,618	96	17.1	62	11.0
All other	5,407	138	25.5	58	10.7
Worth	21,374	475	22.2	185	8.7
White	11,397	206	18.1	78	6.8
All other	9,977	269	27.0	107	10.7
IDAHO (total)	524,873	11,658	22.2	4,462	8.5
Ada	50,401	1,022	20.3	482	9.6
Outside city	24,271	413	17.0	170	7.0
Boise City	26,130	609	23.3	312	11.9
Adams	3,407	74	21.7	34	10.0
Bannock	34,759	873	25.1	277	8.0
Outside city	16,626	315	18.9	88	5.3
Pocatello	18,133	558	30.8	189	10.4
Bear Lake	7,911	163	20.6	56	7.1
Benewah	7,332	152	20.7	58	7.9
Bingham *	21,044	554	26.3	209	9.9
Blaine	5,295	127	24.0	47	8.9
Boise	2,333	37	15.9	19	8.1
Bonner	15,667	317	20.2	141	9.0
Bonneville	25,697	671	26.1	176	6.8
Outside city	10,673	285	26.7	55	5.2
Idaho Falls	15,024	386	25.7	121	8.1
Boundary	5,987	117	19.5	48	8.0
Butte	1,877	43	22.9	9	4.8
Camas	1,360	21	15.4	14	10.3
Canyon	40,987	856	20.9	367	9.0
Outside city	28,838	607	21.0	232	8.0
Nampa ●	12,149	249	20.5	135	11.1
IDAHO—Continued					
Caribou	2,284	56	24.5	18	7.9
Cassia	14,430	353	24.5	96	6.7
Clark	1,005	24	23.9	7	7.0
Clearwater *	8,243	185	22.4	124	15.0
Custer	3,549	82	23.1	40	11.3
Elmore	5,518	110	19.9	57	10.3
Franklin	10,229	275	26.9	54	5.3
Fremont	10,304	227	22.0	84	8.2
Gem	9,544	205	21.5	86	9.0
Gooding	9,257	196	21.2	65	7.0
Idaho	12,691	261	20.6	109	8.6
Jefferson	10,762	296	27.5	67	6.2
Jerome	9,900	242	24.4	65	6.6
Kootenai	22,263	387	17.4	228	10.2
Outside city	12,254	197	16.1	107	8.7
Coeur d'Alene	10,049	190	18.9	121	12.0
Latah	18,804	373	19.8	172	9.1
Lemhi	6,521	128	19.6	62	9.5
Lewis	4,666	86	18.4	36	7.7
Lincoln	4,230	96	22.7	18	4.3
Madison	9,186	242	26.3	57	6.2
Minidoka	9,870	197	20.0	64	6.5
Nez Perce	18,873	346	18.3	192	10.2
Outside city	8,325	133	16.0	77	9.2
Lewiston	10,548	213	20.2	115	10.9
Oneida	5,417	128	23.6	34	6.3
Owyhee	5,652	117	20.7	32	5.7
Payette	9,511	167	17.6	78	8.2
Power	3,965	69	17.4	30	7.6
Shoshone *	21,230	535	25.2	213	10.0
Teton	3,601	126	35.0	35	9.7
Twin Falls	36,403	824	22.6	282	7.7
Outside city	24,552	504	20.5	169	6.9
Twin Falls	11,851	320	27.0	113	9.5
Valley	4,035	114	28.3	40	9.9
Washington	8,853	184	20.8	80	9.0
Yellowstone National Park (part)	-	-	(4)	-	(4)
ILLINOIS (total)	7,897,241	136,159	17.2	86,582	11.0
Adams	65,229	1,075	16.5	787	12.1
Outside city *	24,760	369	14.9	251	10.1
Quincy	40,469	706	17.4	536	13.2
Alexander	25,496	516	20.2	300	11.8
Outside city	11,089	256	23.1	97	8.7
White	8,099	189	23.3	65	8.0
All other	2,990	67	22.4	32	10.7
Cairo	14,407	260	18.0	203	14.1
White	8,907	169	19.0	106	11.9
All other	5,500	91	16.5	97	17.6
Bond	14,540	240	16.5	148	10.2
Boone	15,202	270	17.8	178	11.7
Brown	8,053	129	16.0	104	12.9
Bureau	37,600	606	16.1	442	11.8
Calhoun	8,207	170	20.7	89	10.8
Carroll	17,987	303	16.8	226	12.6
Cass	16,425	309	18.8	187	11.4
Champaign	70,578	1,328	18.8	683	9.7
Outside cities	33,212	588	17.7	282	8.5
Champaign	23,302	459	19.7	248	10.6
Urbana	14,064	281	20.0	153	10.9
Christian	38,564	700	18.2	369	9.6
Clark	18,842	316	16.8	239	12.7
Clay	18,947	372	19.6	181	9.6
Clinton	22,912	412	18.0	227	9.9
Outside city	22,278	404	18.1	220	9.9
Centralia (part)	634	8	(4)	7	(4)
Coles	38,470	627	16.3	410	10.7
Outside city	22,643	342	15.1	221	9.8
Mattoon ●	15,827	285	18.0	189	11.9
Cook	4,063,342	68,202	16.8	43,522	10.7
Outside cities *	222,033	3,826	17.2	2,740	12.3
Berwyn	48,451	712	14.7	384	7.9
Blue Island	16,638	340	20.4	161	9.7
Brookfield*	10,817	132	12.2	80	7.4
Calumet City	13,241	260	19.6	105	7.9
Chicago	3,396,808	57,511	16.9	36,951	10.9
White	3,114,564	51,701	16.6	32,640	10.5
All other	282,244	5,810	20.6	4,311	15.3
Chicago Heights	22,461	452	20.1	221	9.8
Cicero	64,712	1,001	15.5	480	7.4
Elgin (part)	591	11	(4)	4	(4)
Elmwood Park	13,689	254	18.6	77	5.6
Evanston	65,389	970	14.8	579	8.9
Forest Park	14,840	248	16.7	159	10.7
Harvey	17,878	416	23.3	151	8.4
La Grange	10,479	194	18.5	123	11.7
Maywood	26,648	402	15.1	249	9.3
Melrose Park	10,933	219	20.0	97	8.9
Oak Park	68,015	809	12.3	623	9.4
Park Ridge	12,063	130	10.8	106	8.8
Wilmette	17,226	196	11.4	141	8.2
Winnetka	12,430	119	9.6	91	7.3

[4] Rate not computed for part of an area.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS—Continued					
Crawford	21,294	374	17.6	236	11.1
Cumberland	11,698	225	19.2	115	9.8
De Kalb	34,388	633	18.4	400	11.6
De Witt	18,244	306	16.8	217	11.9
Douglas	17,590	335	19.0	179	10.2
Du Page	103,480	1,686	16.3	894	8.6
Outside city	88,022	1,456	16.3	772	8.8
Elmhurst	15,458	250	16.2	122	7.9
Edgar	24,430	418	17.1	319	13.1
Edwards	8,974	167	18.6	94	10.5
Effingham	22,034	468	21.2	235	10.7
Fayette	29,159	559	19.2	268	9.2
Ford	15,007	247	16.5	140	9.3
Franklin	53,137	915	17.2	474	8.9
Outside city	40,754	690	16.9	356	8.7
West Frankfort	12,383	225	18.2	118	9.5
Fulton	44,627	816	18.3	478	10.7
Outside city	33,050	585	17.7	323	9.8
Canton	11,577	231	20.0	155	13.4
Gallatin	11,414	233	20.4	114	10.0
Greene	20,292	385	19.0	238	11.7
Grundy	18,398	308	16.7	194	10.5
Hamilton	13,454	232	17.2	153	11.4
Hancock	26,297	423	16.1	311	11.8
Hardin	7,759	177	22.8	84	10.8
Henderson	8,949	174	19.4	104	11.6
Henry	43,798	713	16.3	506	11.6
Outside city	26,897	432	16.1	304	11.3
Kewanee	16,901	281	16.6	202	12.0
Iroquois	32,496	556	17.1	344	10.6
Jackson	37,920	723	19.1	405	10.7
Jasper	13,431	216	16.1	137	10.2
Jefferson	34,375	694	20.2	355	10.3
Outside city	19,651	373	19.0	156	7.9
Mount Vernon	14,724	321	21.8	199	13.5
Jersey	13,636	243	17.8	129	9.5
Jo Daviess	19,989	390	19.5	265	13.3
Johnson	10,727	173	16.1	108	10.1
Kane *	130,206	2,141	16.4	1,818	14.0
Outside cities	45,294	705	15.6	470	10.4
Aurora	47,170	909	19.3	596	12.6
Elgin (part)	37,742	527	(4)	752	(4)
Elgin (total) *	38,333	538	14.0	756	19.7
Kankakee *	60,877	978	16.1	1,207	19.8
Outside city *	38,636	522	13.5	949	24.6
Kankakee	22,241	456	20.5	258	11.6
Kendall	11,105	176	15.8	116	10.4
Knox	52,250	829	15.9	625	12.0
Outside city	23,374	385	16.5	252	10.8
Galesburg	28,876	444	15.4	373	12.9
Lake	121,094	2,147	17.7	1,079	8.9
Outside cities	72,377	1,240	17.1	660	9.1
Highland Park	14,476	198	13.7	120	8.3
Waukegan	34,241	709	20.7	299	8.7
La Salle	97,801	1,651	16.9	1,071	11.0
Outside cities	54,054	862	15.9	570	10.5
La Salle	12,812	193	15.1	135	10.5
Ottawa	16,005	271	16.9	172	10.7
Streator	14,930	325	21.8	194	13.0
Lawrence	21,075	369	17.5	231	11.0
Lee *	34,604	581	16.8	459	13.3
Outside city *	23,933	335	14.0	348	14.5
Dixon	10,671	246	23.1	111	10.4
Livingston	38,838	564	14.5	377	9.7
Logan *	29,438	393	13.4	422	14.3
Outside city *	16,685	229	13.7	190	11.4
Lincoln *	12,752	164	12.9	232	18.2
McDonough	26,944	446	16.6	341	12.7
McHenry	37,311	712	19.1	435	11.7
McLean	73,930	1,268	17.2	800	10.8
Outside city	41,062	710	17.3	392	9.5
Bloomington	32,868	558	17.0	408	12.4
Macon	84,693	1,561	18.4	891	10.5
Outside city	25,388	436	17.2	227	8.9
Decatur	59,305	1,125	19.0	664	11.2
Macoupin	46,304	640	13.8	499	10.8
Madison *	149,349	2,913	19.5	1,630	10.9
Outside cities *	95,120	1,556	16.4	1,054	11.1
Alton	31,255	901	28.8	368	11.8
Granite City	22,974	456	19.8	208	9.1
Marion	47,989	1,023	21.3	445	9.3
Outside city	32,280	674	20.9	307	9.5
Centralia (part)	15,709	349	(4)	138	(4)
Centralia (total)	16,343	357	21.8	145	8.9
Marshall	13,179	233	17.7	134	10.2
Mason	15,358	257	16.7	192	12.5
Massac	14,937	285	19.1	183	12.3
White	13,232	256	19.3	149	11.3
All other	1,705	29	17.0	34	19.9
Menard	10,663	172	16.1	116	10.9
Mercer	17,701	292	16.5	173	9.8
Monroe	12,754	207	16.2	157	12.3
Montgomery	34,499	585	17.0	358	10.4
Morgan *	36,378	496	13.6	684	18.8
Outside city	16,534	244	14.8	209	12.6
Jacksonville *	19,844	252	12.7	475	23.9
Moultrie *	13,477	253	18.8	180	13.4
Ogle	29,869	512	17.1	299	10.0
Peoria *	153,374	2,916	19.0	1,893	12.3
Outside city *	48,287	862	17.9	708	14.7
Peoria	105,087	2,054	19.5	1,185	11.3
Perry	23,438	382	16.3	257	11.0
Piatt	14,659	253	17.3	134	9.1
Pike	25,340	402	15.9	295	11.6
Pope	7,999	133	16.6	80	10.0
Pulaski	15,875	308	19.4	202	12.7
White	9,931	193	19.4	103	10.4
All other	5,944	115	19.3	99	16.7
Putnam	5,289	83	15.7	60	11.3
Randolph	33,608	560	16.7	321	9.6
Richland	17,137	361	21.1	177	10.3
Rock Island *	113,323	2,340	20.6	1,340	11.8
Outside cities	23,581	524	22.2	189	8.0
East Moline *	12,359	245	19.8	297	24.0
Moline	34,608	701	20.3	361	10.4
Rock Island	42,775	870	20.3	493	11.5
St. Clair	166,899	2,873	17.2	1,918	11.5
Outside cities	62,885	957	15.2	705	11.2
Belleville	28,405	469	16.5	371	13.1
East St. Louis	75,609	1,447	19.1	842	11.1
White	58,781	1,120	19.1	624	10.6
All other	16,828	327	19.4	218	13.0
Saline	38,066	661	17.4	403	10.6
Outside city	26,613	420	15.8	252	9.5
Harrisburg	11,453	241	21.0	151	13.2
Sangamon	117,912	2,032	17.2	1,278	10.8
Outside city	42,409	544	12.8	361	9.0
Springfield	75,503	1,488	19.7	897	11.9
Schuyler	11,430	156	13.6	118	10.3
Scott	8,176	122	14.9	107	13.1
Shelby	26,290	454	17.3	302	11.5
Stark	8,881	153	17.2	98	11.0
Stephenson	40,646	619	15.2	468	11.5
Outside city	18,280	254	13.9	185	10.1
Freeport	22,366	365	16.3	283	12.7
Tazewell	58,362	1,263	21.6	459	7.9
Outside city	38,955	892	22.9	289	7.4
Pekin	19,407	371	19.1	170	8.8
Union *	21,528	383	17.8	469	21.8
Vermilion	86,791	1,380	15.9	1,051	12.1
Outside city *	49,872	766	15.4	598	12.0
Danville	36,919	614	16.6	453	12.3
Wabash	13,724	288	21.0	127	9.3
Warren	21,286	379	17.8	238	11.2
Washington	15,801	235	14.9	179	11.3
Wayne	22,092	460	20.8	210	9.5
White	20,027	487	24.3	215	10.7
Whiteside	43,338	869	20.1	434	10.0
Outside city	31,975	628	19.6	293	9.2
Sterling	11,363	241	21.2	141	12.4
Will	114,210	1,970	17.2	1,210	10.6
Outside city	71,845	823	11.5	560	7.8
Joliet	42,365	1,147	27.1	650	15.3
Williamson	51,424	871	16.9	580	11.3
Winnebago	121,178	2,396	19.8	1,266	10.4
Outside city	36,541	763	20.9	368	10.1
Rockford	84,637	1,633	19.3	898	10.6
Woodford	19,124	323	16.9	185	9.6
INDIANA (total)	3,427,796	65,594	19.1	39,851	11.6
Adams	21,254	445	20.9	228	10.7
Allen	155,084	2,787	18.0	1,648	10.6
Outside city *	36,674	691	18.8	370	10.1
Fort Wayne	118,410	2,096	17.7	1,278	10.8
Bartholomew	28,276	606	21.4	324	11.5
Outside city	16,538	339	20.5	191	11.5
Columbus	11,738	267	22.7	133	11.3
Benton	11,117	196	17.6	130	11.7
Blackford	13,783	264	19.2	165	12.0
Boone	22,081	376	17.0	311	14.1
Brown	6,189	110	17.8	70	11.3
Carroll	15,410	265	17.2	168	10.9
Cass *	36,908	679	18.4	648	17.6
Outside city *	16,731	282	16.9	387	23.1
Logansport	20,177	397	19.7	261	12.9
Clark	31,020	725	23.4	381	12.3
Outside city	19,527	449	23.0	217	11.1
Jeffersonville	11,493	276	24.0	164	14.3
White	10,299	257	25.0	142	13.8
All other	1,194	19	15.9	22	18.4
Clay	25,365	405	16.0	304	12.0
Clinton	28,411	515	18.1	344	12.1
Outside city	14,705	236	16.0	186	12.6
Frankfort	13,706	279	20.4	158	11.5

[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
INDIANA—Continued					
Crawford	10,171	205	20.2	123	12.1
Daviess	26,163	538	20.6	344	13.1
Dearborn	23,053	427	18.5	254	11.0
Decatur *	17,722	336	19.0	271	15.3
De Kalb	24,756	446	18.0	305	12.3
Delaware	74,963	1,648	22.0	792	10.6
Outside city	25,243	495	19.6	264	10.5
Muncie	49,720	1,153	23.2	528	10.6
Dubois	22,579	498	22.1	233	10.3
Elkhart	72,634	1,451	20.0	791	10.9
Outside cities	27,825	584	21.0	317	11.4
Elkhart	33,434	605	18.1	360	10.8
Goshen	11,375	262	23.0	114	10.0
Fayette	19,411	433	22.3	261	13.4
Outside city	6,513	153	23.5	82	12.6
Connersville	12,898	280	21.7	179	13.9
Floyd	35,061	659	18.8	466	13.3
Outside city	9,647	159	16.5	119	12.3
New Albany	25,414	500	19.7	347	13.7
Fountain	18,299	294	16.1	201	11.0
Franklin	14,412	244	16.9	155	10.8
Fulton	15,577	268	17.2	213	13.7
Gibson	30,709	515	16.8	342	11.1
Grant	55,813	1,183	21.2	707	12.7
Outside city *	29,046	541	18.6	365	12.6
Marion	26,767	642	24.0	342	12.8
Greene	31,330	542	17.3	380	12.1
Hamilton	24,614	413	16.8	323	13.1
Hancock	17,302	285	16.5	226	13.1
Harrison	17,106	349	20.4	188	11.0
Hendricks	20,151	333	16.5	235	11.7
Henry	40,208	810	20.1	505	12.6
Outside city *	23,588	458	19.4	310	13.1
New Castle	16,620	352	21.2	195	11.7
Howard	47,752	1,050	22.0	559	11.7
Outside city	13,957	264	18.9	151	10.8
Kokomo	33,795	786	23.3	408	12.1
Huntington	29,931	480	16.0	380	12.7
Outside city	16,028	214	13.4	188	11.7
Huntington	13,903	266	19.1	192	13.8
Jackson	26,612	515	19.4	291	10.9
Jasper	14,397	317	22.0	187	13.0
Jay	22,601	469	20.8	282	12.5
Jefferson *	19,912	362	18.2	391	19.6
Jennings *	13,680	225	16.4	188	13.7
Johnson	22,493	389	17.3	308	13.7
Knox	43,973	755	17.2	504	11.5
Outside city	25,745	436	16.9	286	11.1
Vincennes	18,228	319	17.5	218	12.0
Kosciusko	29,561	532	18.0	342	11.6
Lagrange	14,352	323	22.5	177	12.3
Lake	293,195	6,564	22.4	2,584	8.8
Outside cities	46,348	1,140	24.6	417	9.0
East Chicago	54,637	1,177	21.5	510	9.3
White	48,503	1,036	21.4	418	8.6
All other	6,134	141	23.0	92	15.0
Gary	111,719	2,571	23.0	1,013	9.1
White	91,246	2,131	23.4	731	8.0
All other	20,473	440	21.5	282	13.8
Hammond	70,184	1,318	18.8	524	7.5
Whiting	10,307	358	34.7	120	11.6
La Porte	63,660	1,181	18.6	745	11.7
Outside cities	21,004	413	19.7	242	11.5
La Porte	16,180	331	20.5	222	13.7
Michigan City *	26,476	437	16.5	281	10.6
Lawrence	35,045	726	20.7	423	12.1
Outside city	22,531	471	20.9	249	11.1
Bedford	12,514	255	20.4	174	13.9
Madison	88,575	1,761	19.9	956	10.8
Outside cities	36,090	602	16.7	361	10.0
Anderson	41,572	914	22.0	448	10.8
Elwood	10,913	245	22.5	147	13.5
Marion	460,926	8,899	19.3	5,471	11.9
Outside city	73,954	948	12.8	476	6.4
Indianapolis	386,972	7,951	20.5	4,995	12.9
White	335,755	6,918	20.6	4,181	12.5
All other	51,217	1,033	20.2	814	15.9
Marshall	25,935	464	17.9	274	10.6
Martin	10,300	202	19.6	98	9.5
Miami	27,926	482	17.3	380	13.6
Outside city	15,494	224	14.5	199	12.8
Peru	12,432	258	20.8	181	14.6
Monroe	36,534	738	20.2	331	9.1
Outside city	15,664	361	23.0	159	10.2
Bloomington	20,870	377	18.1	172	8.2
Montgomery	27,231	412	15.1	348	12.8
Outside city	16,142	236	14.6	191	11.8
Crawfordsville	11,089	176	15.9	157	14.2
Morgan	19,801	384	19.4	253	12.8
Newton	10,775	212	19.7	103	9.8
Noble	22,776	426	18.7	309	13.6
Ohio	3,782	56	14.8	40	10.6
Orange	17,311	309	17.8	188	10.9
Owen	12,090	202	16.7	142	11.7
INDIANA—Continued					
Parke	17,558	253	14.6	245	14.1
Perry	17,770	381	21.4	168	9.5
Pike	17,045	260	15.3	177	10.4
Porter	27,836	568	20.4	322	11.6
Posey	19,183	393	20.5	235	12.3
Pulaski	12,056	261	21.6	137	11.4
Putnam	20,839	321	15.4	239	11.5
Randolph	26,766	480	17.9	347	13.0
Ripley	18,898	325	17.2	238	12.6
Rush	18,927	300	15.9	249	13.2
St. Joseph	161,823	3,122	19.3	1,536	9.5
Outside cities *	32,257	636	19.7	342	10.6
Mishawaka	28,298	635	22.4	242	8.6
South Bend	101,268	1,851	18.3	952	9.4
Scott	8,978	245	27.3	100	11.1
Shelby	25,953	405	15.6	354	13.6
Outside city	15,162	225	14.8	199	13.1
Shelbyville	10,791	180	16.7	155	14.4
Spencer	16,211	299	18.4	228	14.1
Starke	12,258	238	19.4	162	13.2
Steuben	13,740	208	15.1	206	15.1
Sullivan	27,014	414	15.3	315	11.7
Switzerland	8,167	138	16.9	118	14.4
Tippecanoe	51,020	978	19.2	655	12.8
Outside city *	22,222	377	17.0	263	11.8
Lafayette	28,798	601	20.9	392	13.6
Tipton	15,135	277	18.3	174	11.5
Union	6,017	91	15.1	67	11.1
Vanderburgh *	130,783	2,563	19.6	1,515	11.6
Outside city *	33,721	524	15.5	321	9.5
Evansville	97,062	2,039	21.0	1,194	12.3
Vermillion	21,787	321	14.7	254	11.7
Vigo	99,709	1,636	16.4	1,252	12.6
Outside city	37,016	546	14.8	561	9.8
Terre Haute	62,693	1,090	17.4	891	14.2
Wabash	26,601	508	19.1	322	12.1
Warren	9,055	133	14.7	97	10.7
Warrick	19,435	376	19.3	202	10.4
Washington	17,008	338	19.9	194	11.4
Wayne *	59,229	1,174	19.8	805	13.6
Outside city *	24,082	428	17.8	375	15.6
Richmond	35,147	746	21.2	430	12.2
Wells	19,099	338	17.7	262	13.7
White	17,037	286	16.8	183	10.7
Whitley	17,001	279	16.4	201	11.8
IOWA (total)	2,538,268	46,115	18.2	25,677	10.1
Adair	13,196	249	18.9	138	10.5
Adams	10,156	206	20.3	95	9.4
Allamakee	17,184	360	20.9	192	11.2
Appanoose	24,245	422	17.4	263	10.8
Audubon	11,790	217	18.4	121	10.3
Benton	22,879	422	18.4	200	8.7
Black Hawk	79,946	1,708	21.4	739	9.2
Outside city *	28,203	578	20.5	259	9.2
Waterloo	51,743	1,130	21.8	480	9.3
Boone *	29,782	437	14.7	349	11.7
Outside city *	17,409	261	15.0	181	10.4
Boone	12,373	176	14.2	168	13.6
Bremer	17,932	283	15.8	211	11.8
Buchanan *	20,991	354	16.9	335	16.0
Buena Vista	19,838	320	16.1	195	9.8
Butler	17,986	315	17.5	174	9.7
Calhoun	17,584	348	19.8	174	9.9
Carroll	22,770	478	21.0	223	9.8
Cass	18,647	339	18.2	203	10.9
Cedar	16,884	266	15.8	166	9.8
Cerro Gordo	43,845	804	18.3	407	9.3
Outside city	16,765	292	17.4	151	9.0
Mason City	27,080	512	18.9	256	9.5
Cherokee *	19,258	336	17.4	243	12.6
Chickasaw	15,227	291	19.1	146	9.6
Clarke	10,233	196	19.2	106	10.4
Clay	17,762	350	19.7	145	8.2
Clayton	24,334	453	17.8	228	9.4
Clinton	44,722	797	17.8	490	11.0
Outside city	18,452	313	17.0	180	9.8
Clinton	26,270	484	18.4	310	11.8
Crawford	20,538	351	17.1	169	8.2
Dallas	24,649	386	15.7	259	10.5
Davis	11,136	201	18.0	95	8.5
Decatur	14,012	268	19.1	151	10.8
Delaware	18,487	364	19.7	197	10.7
Des Moines	36,804	730	19.8	441	12.0
Outside city	10,972	239	21.8	103	9.4
Burlington	25,832	491	19.0	338	13.1
Dickinson	12,185	229	18.8	111	9.1
Dubuque	63,768	1,338	21.0	701	11.0
Outside city	19,876	415	20.9	154	7.7
Dubuque	43,892	923	21.0	547	12.5
Emmet	13,406	285	21.3	114	8.5
Fayette	29,151	528	18.1	291	10.0

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
IOWA—Continued					
Floyd	20,169	366	18.1	187	9.3
Franklin	16,379	265	16.2	134	8.2
Fremont	14,645	268	18.3	150	10.2
Greene	16,599	299	18.0	152	9.2
Grundy	13,518	234	17.3	109	8.1
Guthrie	17,210	290	16.9	165	9.6
Hamilton	19,922	361	18.1	195	9.8
Hancock	15,402	315	20.5	131	8.5
Hardin	22,530	379	16.8	216	9.6
Harrison	22,767	332	14.6	209	9.2
Henry*	17,994	265	14.7	314	17.5
Howard	13,551	237	17.5	139	10.3
Humboldt	13,459	269	20.0	115	8.5
Ida	11,047	182	16.5	107	9.7
Iowa	17,016	276	16.2	177	10.4
Jackson	19,181	300	15.6	223	11.6
Jasper	31,496	533	16.9	302	9.6
Outside city	21,034	363	17.3	194	9.2
Newton	10,462	170	16.2	108	10.3
Jefferson	15,762	258	16.4	157	10.0
Johnson	33,191	608	18.3	363	10.9
Outside city	16,009	286	17.9	146	9.1
Iowa City	17,182	322	18.7	217	12.6
Jones	19,950	356	17.8	200	10.0
Keokuk	18,406	301	16.4	176	9.6
Kossuth	26,630	591	22.2	192	7.2
Lee	41,074	737	17.9	503	12.2
Outside cities	11,935	221	18.5	130	10.9
Fort Madison	14,063	217	15.4	159	11.3
Keokuk	15,076	299	19.8	214	14.2
Linn	89,142	1,605	18.0	922	10.3
Outside city	27,022	454	16.8	285	10.5
Cedar Rapids	62,120	1,151	18.5	637	10.3
Louisa	11,384	204	17.9	146	12.8
Lucas	14,571	228	15.6	157	10.8
Lyon	15,374	286	18.6	126	8.2
Madison	14,525	256	17.6	148	10.2
Mahaska	26,485	369	13.9	294	11.1
Outside city	15,461	235	15.2	156	10.1
Oskaloosa	11,024	134	12.2	138	12.5
Marion*	27,019	437	16.2	299	11.1
Marshall*	35,406	672	19.0	394	11.1
Outside city*	16,166	285	17.6	199	12.3
Marshalltown	19,240	387	20.1	195	10.1
Mills*	15,064	261	17.3	148	9.8
Mitchell	14,121	255	18.1	135	9.6
Monona	18,238	389	21.3	135	7.4
Monroe	14,553	231	15.9	173	11.9
Montgomery	15,697	244	15.5	173	11.0
Muscatine	31,296	545	17.4	391	12.5
Outside city*	13,010	197	15.1	137	10.5
Muscatine*	18,286	348	19.0	254	13.9
O'Brien	19,293	376	19.5	185	9.6
Osceola	10,607	215	20.3	82	7.7
Page*	24,887	406	16.3	385	15.5
Palo Alto	16,170	303	18.7	145	9.0
Plymouth	23,502	428	18.2	212	9.0
Pocahontas	16,266	255	15.7	120	7.4
Polk	195,835	3,583	18.3	1,850	9.4
Outside city*	36,016	570	15.8	257	7.1
Des Moines	159,819	3,013	18.9	1,593	10.0
Pottawattamie	66,756	1,157	17.3	656	9.8
Outside city	25,317	449	17.7	231	9.1
Council Bluffs	41,439	708	17.1	425	10.3
Poweshiek	18,758	307	16.4	187	10.0
Ringgold	11,137	184	16.5	105	9.4
Sac	17,639	308	17.5	146	8.5
Scott	84,748	1,628	19.2	1,021	12.0
Outside city*	18,709	391	20.9	236	12.6
Davenport	66,039	1,237	18.7	785	11.9
Shelby	16,720	311	18.6	144	8.6
Sioux	27,209	588	21.6	221	8.1
Story	33,434	610	18.2	259	7.7
Outside city	20,879	354	17.0	190	9.1
Ames	12,555	256	20.4	69	5.5
Tama	22,428	380	16.9	226	10.1
Taylor	14,258	255	17.9	151	10.6
Union	16,280	272	16.7	192	11.8
Van Buren	12,053	192	15.9	164	13.6
Wapello	44,280	828	18.7	495	11.2
Outside city*	12,710	208	16.4	171	13.5
Ottumwa	31,570	620	19.6	324	10.3
Warren	17,695	297	16.8	189	10.7
Washington	20,055	366	18.2	197	9.8
Wayne	13,308	198	14.9	151	11.3
Webster	41,521	810	19.5	354	8.5
Outside city	18,617	350	18.8	135	7.3
Fort Dodge	22,904	460	20.1	219	9.6
Winnebago	13,972	267	19.1	114	8.2
Winneshiek	22,263	469	21.1	219	9.8
Woodbury	103,627	1,934	18.7	898	8.7
Outside city*	21,263	435	20.5	186	8.7
Sioux City	82,364	1,499	18.2	712	8.6
Worth	11,449	218	19.0	102	8.9
Wright	20,038	355	17.7	178	8.9
KANSAS (total)	1,801,028	30,417	16.9	18,448	10.2
Allen	19,874	316	15.9	241	12.1
Anderson	11,658	191	16.4	141	12.1
Atchison	22,222	349	15.7	251	11.3
Outside city	9,574	130	13.6	99	10.3
Atchison	12,648	219	17.3	152	12.0
White	11,168	202	18.1	123	11.0
All other	1,480	17	11.5	29	19.6
Barber	9,073	146	16.1	82	9.0
Barton	25,010	554	22.2	203	8.1
Bourbon	20,944	316	15.1	255	12.2
Outside city	10,387	165	15.9	91	8.8
Fort Scott	10,557	151	14.3	164	15.5
Brown	17,395	253	14.5	210	12.1
Butler	32,013	491	15.3	275	8.6
Outside city	21,968	301	13.7	173	7.9
El Dorado	10,045	190	18.9	102	10.2
Chase	6,345	109	17.2	64	10.1
Chautauqua	9,233	146	15.8	92	10.0
Cherokee	29,817	607	20.4	328	11.0
Cheyenne	6,221	101	16.2	33	5.3
Clark	4,081	65	15.9	38	9.3
Clay	13,281	224	16.9	156	11.7
Cloud	17,247	279	16.2	197	11.4
Coffey	12,278	207	16.9	114	9.3
Comanche	4,412	85	19.3	29	6.6
Cowley*	38,139	599	15.7	413	10.8
Outside city*	25,387	382	15.0	287	11.3
Arkansas City	12,752	217	17.0	126	9.9
Crawford	44,191	687	15.5	479	10.8
Outside city	26,620	387	14.5	279	10.5
Pittsburg	17,571	300	17.1	200	11.4
Decatur	7,434	105	14.1	77	10.4
Dickinson	22,929	351	15.3	264	11.5
Doniphan	12,936	203	15.7	125	9.7
Douglas	25,171	369	15.5	284	11.3
Outside city	10,781	143	13.3	100	9.3
Lawrence	14,390	246	17.1	184	12.8
Edwards	6,377	134	21.0	61	9.6
Elk	8,180	130	15.9	68	8.3
Ellis	17,508	371	21.2	108	6.2
Ellsworth	9,855	148	15.0	103	10.5
Finney	10,092	229	22.7	81	8.0
Ford	17,254	282	16.3	172	10.0
Franklin	20,889	302	14.5	235	11.2
Outside city	10,696	132	12.3	113	10.6
Ottawa	10,193	170	16.7	122	12.0
Geary	15,222	365	24.0	155	10.2
Gove	4,793	111	23.2	44	9.2
Graham	6,071	83	13.7	46	7.6
Grant	1,946	50	25.7	17	8.7
Gray	4,773	86	18.0	29	6.1
Greeley	1,638	38	23.2	12	7.3
Greenwood	16,495	256	15.5	158	9.6
Hamilton	2,645	51	19.3	17	6.4
Harper	12,068	165	13.7	151	12.5
Harvey	21,712	381	17.5	216	9.9
Outside city	10,664	186	17.4	92	8.6
Newton	11,048	195	17.7	124	11.2
Haskell	2,088	41	19.6	15	7.2
Hodgeman	3,535	48	13.6	23	6.5
Jackson	13,382	231	17.3	162	12.1
Jefferson	12,718	184	14.5	119	9.4
Jewell	11,970	180	15.0	113	9.4
Johnson	33,327	519	15.6	291	8.7
Kearny	2,525	47	18.6	22	8.7
Kingman	12,001	214	17.8	97	8.1
Kiowa	5,112	94	18.4	41	8.0
Labette*	30,352	517	17.0	376	12.4
Outside city	16,058	297	18.5	157	9.8
Parsons*	14,294	220	15.4	219	15.3
Lane	2,821	56	19.9	24	8.5
Leavenworth	41,112	490	11.9	442	10.8
Outside city*	21,892	162	7.4	177	8.1
Leavenworth	19,220	328	17.1	265	13.8
White	16,814	281	16.7	233	13.9
All other	2,406	47	19.5	32	13.3
Lincoln	8,358	94	11.3	74	8.9
Linn	11,969	203	17.0	137	11.4
Logan	3,688	71	19.3	28	7.6
Lyon	26,424	369	14.0	269	10.2
Outside city	13,236	164	12.4	104	7.9
Emporia	13,188	205	15.5	165	12.5
McPherson	24,152	417	17.3	215	8.9
Marion	18,951	321	16.9	171	9.0
Marshall	20,986	295	14.1	224	10.7
Meade	5,522	116	21.0	47	8.5
Miami*	19,489	249	12.8	282	14.5
Mitchell	11,339	189	16.7	127	11.2

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KANSAS—Continued					
Montgomery	49,729	794	16.0	548	11.0
Outside cities	20,809	337	16.2	224	10.8
Coffeyville	17,355	289	16.7	168	9.7
White	15,354	248	16.2	145	9.4
All other	2,001	41	20.5	23	11.5
Independence	11,565	168	14.5	156	13.5
White	10,286	151	14.7	130	12.6
All other	1,279	17	13.3	26	20.3
Morris	10,363	151	14.6	122	11.8
Morton	2,186	43	19.7	22	10.1
Nemaha	16,761	291	17.4	187	11.2
Neosho	22,210	355	16.0	242	10.9
Outside city	12,068	209	17.3	110	9.1
Chanute	10,142	146	14.4	132	13.0
Ness	6,864	115	16.8	57	8.3
Norton	9,831	132	13.4	137	13.9
Osage	15,118	248	16.4	193	12.8
Osborne	9,835	122	12.4	87	8.8
Ottawa	9,224	126	13.7	105	11.4
Pawnee *	10,300	160	15.5	179	17.4
Phillips	10,435	133	12.7	94	9.0
Pottawatomie	14,015	204	14.6	127	9.1
Pratt	12,348	182	14.7	100	8.1
Rawlins	6,618	88	13.3	66	10.0
Reno	52,165	931	17.8	486	9.3
Outside city	22,152	365	16.5	199	9.0
Hutchinson	30,013	566	18.9	287	9.6
Republic	13,124	171	13.0	150	11.4
Rice	17,213	318	18.5	146	8.5
Riley	20,617	408	19.8	225	10.9
Outside city *	8,958	134	15.0	91	10.2
Manhattan	11,659	274	23.5	134	11.5
Rooks	8,497	159	18.7	84	9.9
Rush	8,285	144	17.4	75	9.1
Russell	13,464	271	20.1	91	6.8
Saline	29,535	435	16.4	294	10.0
Outside city	8,462	104	12.3	72	8.5
Salina	21,073	381	18.1	222	10.5
Scott	3,773	102	27.0	31	8.2
Sedgwick	143,311	3,104	21.7	1,414	9.9
Outside city	28,345	405	14.3	184	6.5
Wichita	114,966	2,699	23.5	1,230	10.7
Seward	6,540	160	24.5	61	9.3
Shawnee *	91,247	1,448	15.9	1,080	11.8
Outside city *	23,414	237	10.1	316	13.5
Topeka	67,833	1,211	17.9	764	11.3
Sheridan	5,312	91	17.1	30	5.6
Sherman	6,421	127	19.8	65	10.1
Smith	10,582	127	12.0	97	9.2
Stafford	10,487	164	15.6	92	8.8
Stanton	1,443	31	21.5	12	8.3
Stevens	3,193	57	17.9	15	4.7
Sumner	26,163	369	14.1	287	11.0
Thomas	6,425	142	22.1	60	9.3
Trego	5,822	91	15.6	39	6.7
Wabaunsee	9,219	109	11.8	80	8.7
Wallace	2,216	47	21.2	15	6.8
Washington	15,921	266	16.7	153	9.6
Wichita	2,185	56	25.6	23	10.5
Wilson	17,723	307	17.3	189	10.7
Woodson	8,014	125	15.6	92	11.5
Wyandotte	145,071	2,563	17.7	1,473	10.2
Outside city *	23,613	301	12.7	199	8.4
Kansas City	121,458	2,262	18.6	1,274	10.5
White	100,390	1,892	18.8	970	9.7
All other	21,068	370	17.6	304	14.4
KENTUCKY (total)	2,845,627	63,502	22.3	30,403	10.7
Adair	18,566	392	21.1	182	9.8
Allen	15,496	282	18.2	168	10.8
Anderson	8,936	168	18.8	110	12.3
Ballard	9,480	151	15.9	94	9.9
Barren	27,559	595	21.6	275	10.0
Bath	11,451	236	20.6	120	10.5
Bell	43,812	1,246	28.4	464	10.6
Outside city	32,035	946	29.5	318	9.9
Middlesborough	11,777	300	25.5	146	12.4
Boone	10,820	193	17.8	123	11.4
Bourbon	17,932	357	19.9	231	12.9
White	14,729	299	20.3	155	10.5
All other	3,203	58	18.1	76	23.7
Boyd	45,938	1,068	23.2	434	9.4
Outside city	16,401	325	19.8	149	9.1
Ashland	29,537	743	25.2	285	9.6
Boyle	17,075	313	18.3	203	11.9
White	14,244	282	19.8	153	10.7
All other	2,831	31	11.0	50	17.7
Bracken	9,389	138	1 .7	134	14.3
Breathitt	23,946	700	29.2	180	7.5
Breckinridge	17,744	364	20.5	194	10.9
Bullitt	9,511	191	20.1	111	11.7
Butler	14,371	294	20.5	127	8.8
KENTUCKY—Continued					
Caldwell	14,499	254	17.5	160	11.0
White	13,035	240	18.4	131	10.0
All other	1,464	14	9.6	29	19.8
Calloway	19,041	303	15.9	176	9.2
Campbell	71,918	1,265	17.6	818	11.4
Outside cities	30,253	548	18.1	331	10.9
Fort Thomas	11,034	134	12.1	107	9.7
Newport	30,631	583	19.0	380	12.4
Carlisle	7,650	132	17.3	90	11.8
Carroll	8,657	151	17.4	112	12.9
Carter	25,545	722	28.3	265	10.4
Casey	19,962	539	27.0	136	6.8
Christian *	36,129	563	15.6	660	18.3
Outside city *	24,405	375	15.4	414	17.0
White	17,572	287	16.3	287	16.3
All other	6,833	88	12.9	127	18.6
Hopkinsville	11,724	188	16.0	246	21.0
White	7,578	151	19.9	125	16.5
All other	4,146	37	8.9	121	29.2
Clark	17,988	353	19.6	248	13.8
White	15,552	320	20.6	182	11.7
All other	2,436	33	13.5	66	27.1
Clay	23,901	727	30.4	188	7.9
Clinton	10,279	261	25.4	83	8.1
Crittenden	12,115	214	17.7	131	10.8
Cumberland	11,923	266	22.3	105	8.8
Daviess	52,335	1,138	21.7	532	10.2
Outside city	22,090	419	19.0	182	8.2
Owensboro	30,245	719	23.8	350	11.6
Edmonson	11,344	309	27.2	96	8.5
Elliott	8,713	218	25.0	80	9.2
Estill	17,978	438	24.4	134	7.5
Fayette *	78,899	1,395	17.7	1,133	14.4
Outside city *	29,595	196	6.6	214	7.2
White	25,820	163	6.3	179	6.9
All other	3,775	33	8.7	35	9.3
Lexington *	49,304	1,199	24.3	919	18.6
White	36,372	995	27.4	624	17.2
All other	12,932	204	15.8	295	22.8
Fleming	13,327	318	23.9	160	12.0
Floyd	52,986	1,527	28.8	440	8.3
Franklin	23,308	424	18.2	279	12.0
Outside city	11,816	173	14.6	87	7.4
Frankfort	11,492	251	21.8	192	16.7
White	9,812	234	23.8	163	16.6
All other	1,680	17	10.1	29	17.3
Fulton	15,413	362	23.5	203	13.2
White	12,370	290	23.4	154	12.4
All other	3,043	72	23.7	49	16.1
Gallatin	4,307	107	24.8	54	12.5
Garrard	11,910	218	18.3	110	9.2
White	10,525	189	18.0	83	7.9
All other	1,385	29	20.9	27	19.5
Grant	9,876	183	18.5	150	15.2
Graves	31,763	561	17.7	382	12.0
Grayson	17,562	416	23.7	167	9.5
Green	12,321	259	21.0	118	9.6
Greenup	24,917	635	25.5	228	9.2
Hancock	6,807	153	22.5	98	14.4
Hardin	29,108	662	22.7	325	11.2
Harlan	75,275	2,179	28.9	699	9.3
White	67,737	2,013	29.7	611	9.0
All other	7,538	166	22.0	88	11.7
Harrison	15,124	232	15.3	191	12.6
Hart	17,239	352	20.4	164	9.5
Henderson	27,020	558	20.7	347	12.8
Outside city	13,860	275	19.8	146	10.5
White	12,314	242	19.7	120	9.7
All other	1,546	33	21.3	26	16.8
Henderson	13,160	283	21.5	201	15.3
White	10,515	239	22.7	156	14.8
All other	2,645	44	16.6	45	17.0
Henry	12,220	232	19.0	120	9.8
Hickman	9,142	125	13.7	104	11.4
White	8,127	103	12.7	86	10.6
All other	1,015	22	21.7	18	17.7
Hopkins	37,789	755	20.0	443	11.7
White	33,390	688	20.6	384	11.5
All other	4,399	67	15.2	59	13.4
Jackson	16,339	444	27.2	110	6.7
Jefferson	385,392	8,084	21.0	5,029	13.0
Outside city *	66,315	875	13.2	816	12.3
Louisville	319,077	7,209	22.6	4,213	13.2
White	271,867	6,390	23.5	3,294	12.1
All other	47,210	819	17.3	919	19.5
Jessamine	12,174	189	15.5	139	11.4
White	10,592	167	15.8	118	11.1
All other	1,582	22	13.9	21	13.3
Johnson	25,771	683	26.5	266	10.3
Kenton	93,139	1,733	18.6	1,096	11.8
Outside city	31,121	510	16.4	285	9.2
Covington	62,018	1,223	19.7	811	13.1
Knott	20,007	623	31.1	69	3.4
Knox	31,029	948	30.6	305	9.8

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KENTUCKY—Continued					
Larue	9,622	202	21.0	112	11.6
Laurel	25,640	623	24.3	191	7.4
Lawrence	17,275	388	22.5	202	11.7
Lee	10,860	191	17.6	66	6.1
Leslie	14,981	490	32.7	77	5.1
Letcher	40,592	1,339	33.0	336	8.3
Lewis	15,686	409	26.1	173	11.0
Lincoln	19,859	461	23.2	187	9.4
Livingston	9,127	200	21.9	108	11.8
Logan	23,345	444	19.0	310	13.3
White	20,027	384	19.2	247	12.3
All other	3,318	60	18.1	63	19.0
Lyon*	9,067	134	14.8	91	10.0
White	7,823	129	16.5	78	10.0
All other	1,244	5	4.0	13	10.5
McCracken	48,534	883	18.2	526	10.8
Outside city	14,769	260	17.6	150	10.2
Paducah	33,765	623	18.5	376	11.1
White	27,572	537	19.5	259	9.4
All other	6,193	86	13.9	117	18.9
McCreary	16,451	559	34.0	124	7.5
McLean	11,446	207	18.1	99	8.6
Madison	28,541	541	19.0	344	12.1
White	25,013	506	20.2	288	11.5
All other	3,528	35	9.9	56	15.9
Magoffin	17,490	489	28.0	115	6.6
Marion	16,913	434	25.7	184	10.9
Marshall	16,602	354	21.3	157	9.5
Martin	10,970	361	32.9	84	7.7
Mason	19,066	358	18.8	225	11.8
White	16,969	322	19.0	186	11.0
All other	2,097	36	17.2	39	18.6
Meade	8,827	225	25.5	102	11.6
Menifee	5,691	169	29.7	48	8.4
Mercer	14,629	232	15.9	174	11.9
Metcalfe	10,853	238	21.9	106	9.8
Monroe	14,070	341	24.2	132	9.4
Montgomery	12,280	241	19.6	166	13.5
White	10,658	221	20.7	134	12.6
All other	1,622	20	12.3	32	19.7
Morgan	16,827	396	23.5	131	7.8
Muhlenberg	37,554	841	22.4	395	10.5
Nelson	18,004	401	22.3	207	11.5
Nicholas	8,617	173	20.1	130	15.1
Ohio	24,421	447	18.3	249	10.2
Oldham	10,716	149	13.9	97	9.1
White	9,415	136	14.4	86	9.1
All other	1,301	13	10.0	11	8.5
Owen	10,942	185	16.9	135	12.3
Owsley	8,957	228	25.5	33	3.7
Pendleton	10,392	167	16.1	112	10.8
Perry	47,828	1,331	27.8	306	6.4
Pike	71,122	2,113	29.7	591	8.3
Powell	7,671	195	25.4	78	10.2
Pulaski	39,863	972	24.4	297	7.5
Robertson	3,419	76	22.2	30	8.8
Rockcastle	17,165	512	29.8	131	7.6
Rowan	12,734	370	29.1	111	8.7
Russell	13,615	200	14.7	89	6.5
Scott	14,314	273	19.1	183	12.8
White	12,190	244	20.0	139	11.4
All other	2,124	29	13.7	44	20.7
Shelby	17,759	336	18.9	222	12.5
White	15,201	297	19.5	183	12.0
All other	2,558	39	15.2	39	15.2
Simpson	11,752	216	18.4	145	12.3
White	10,021	196	19.6	108	10.8
All other	1,731	20	11.6	37	21.4
Spencer	6,757	140	20.7	59	8.7
Taylor	13,556	311	22.9	171	12.6
Todd	14,234	248	17.4	169	11.9
White	11,022	195	17.7	118	10.7
All other	3,212	53	16.5	51	15.9
Trigg	12,784	251	19.6	134	10.5
White	10,663	215	20.2	98	9.2
All other	2,121	36	17.0	36	17.0
Trimble	5,601	114	20.4	51	9.1
Union	17,411	342	19.6	174	10.0
White	15,308	302	19.7	151	9.9
All other	2,103	40	19.0	23	10.9
Warren	36,631	709	19.4	485	13.2
Outside city	22,046	359	16.3	218	9.9
Bowling Green	14,585	350	24.0	267	18.3
White	12,047	296	24.6	211	17.5
All other	2,538	54	21.3	56	22.1
Washington	12,965	314	24.2	115	8.9
Wayne	17,204	480	27.9	135	7.8
Webster	19,198	306	15.9	227	11.8
White	16,502	274	16.6	183	11.1
All other	2,696	32	11.9	44	16.3
Whitley	33,186	799	24.1	265	8.0
Wolfe	9,997	321	32.1	84	8.4
Woodford	11,847	175	14.8	130	11.0
White	9,843	159	16.2	91	9.2
All other	2,004	16	8.0	39	19.5

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
LOUISIANA (total)	2,363,880	54,618	23.1	23,849	10.1
Acadia	46,260	1,250	27.0	353	7.6
White	37,941	971	25.6	251	6.6
All other	8,319	279	33.5	102	12.3
Allen	17,540	490	27.9	191	10.9
White	12,986	361	27.8	108	8.3
All other	4,554	129	28.3	83	18.2
Ascension	21,215	513	24.2	239	11.3
White	13,267	329	24.8	123	9.3
All other	7,948	184	23.2	116	14.6
Assumption	18,541	511	27.6	160	8.6
White	11,010	267	24.3	57	5.2
All other	7,531	244	32.4	103	13.7
Avoyelles	39,256	903	23.0	381	9.7
White	28,677	602	21.0	230	8.0
All other	10,579	301	28.5	151	14.3
Beauregard	14,847	312	21.0	164	11.0
White	12,236	252	20.6	116	9.5
All other	2,611	60	23.0	48	18.4
Bienville	23,933	557	23.3	217	9.1
White	12,442	221	17.8	92	7.4
All other	11,491	336	29.2	125	10.9
Bossier	33,162	769	23.2	308	9.3
White	16,495	306	18.6	128	7.8
All other	16,667	463	27.8	180	10.8
Caddo	150,203	3,376	22.5	1,524	10.1
Outside city	52,036	1,240	23.8	461	8.9
White	24,217	409	16.9	155	6.4
All other	27,819	831	29.9	306	11.0
Shreveport	98,167	2,136	21.8	1,063	10.8
White	62,146	1,321	21.3	524	8.4
All other	36,021	815	22.6	539	15.0
Calcasieu	56,506	1,254	22.2	497	8.8
Outside city	35,299	668	18.9	224	6.3
White	28,660	543	18.9	166	5.8
All other	6,639	125	18.8	58	8.7
Lake Charles	21,207	586	27.6	273	12.9
White	12,884	390	30.3	138	10.7
All other	8,323	196	23.5	135	16.2
Caldwell	12,046	273	22.7	83	6.9
White	8,550	205	24.0	52	6.1
All other	3,496	68	19.5	31	8.9
Cameron	7,203	117	16.2	40	5.6
Catahoula	14,618	322	22.0	104	7.1
White	9,273	202	21.8	67	7.2
All other	5,345	120	22.5	37	6.9
Claiborne	29,855	640	21.4	217	7.3
White	12,770	159	12.5	83	6.5
All other	17,085	481	28.2	134	7.8
Concordia	14,562	281	19.3	171	11.7
White	4,787	96	20.1	31	6.5
All other	9,775	185	18.9	140	14.3
De Soto	31,803	776	24.4	306	9.6
White	11,688	219	18.7	121	10.4
All other	20,115	557	27.7	185	9.2
East Baton Rouge	88,415	2,233	25.3	898	10.2
Outside city	53,696	712	13.3	359	6.7
White	31,682	282	8.9	141	4.5
All other	22,014	430	19.5	218	9.9
Baton Rouge	34,719	1,521	43.8	539	15.5
White	23,092	1,112	48.2	295	12.8
All other	11,627	409	35.2	244	21.0
East Carroll	19,023	437	23.0	218	11.5
White	6,232	154	24.7	52	8.3
All other	12,791	283	22.1	166	13.0
East Feliciana*	18,039	370	20.5	452	25.1
White	6,387	67	10.5	182	28.5
All other	11,652	303	26.0	270	23.2
Evangeline	30,497	558	18.3	153	5.0
White	23,498	379	16.1	110	4.7
All other	6,999	179	25.6	43	6.1
Franklin	32,382	783	24.2	191	5.9
White	19,753	440	22.3	76	3.8
All other	12,629	343	27.2	115	9.1
Grant	15,933	299	18.8	137	8.6
White	11,954	214	17.9	93	7.8
All other	3,979	85	21.4	44	11.1
Iberia	37,183	838	22.5	398	10.7
Outside city	23,436	504	21.5	198	8.4
White	14,236	267	18.8	85	6.0
All other	9,200	237	25.8	113	12.5
New Iberia	13,747	334	24.3	200	14.5
White	9,499	230	24.2	109	11.5
All other	4,248	104	24.5	91	21.4
Iberville	27,721	659	23.8	357	12.9
White	13,512	285	21.1	147	10.9
All other	14,209	374	26.3	210	14.8
Jackson	17,807	391	22.0	131	7.4
White	12,194	268	22.0	88	7.2
All other	5,613	123	21.9	43	7.7
Jefferson	50,427	1,208	24.0	452	9.0
Outside city	39,548	992	25.1	364	9.2
White	33,768	824	24.4	272	8.1
All other	5,780	168	29.1	92	15.9
Gretna	10,879	216	19.9	88	8.1
White	8,066	170	21.1	58	7.2
All other	2,813	46	16.4	30	10.7

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
LOUISIANA—Continued					
Jefferson Davis	24,191	682	28.2	218	9.0
White	18,174	476	26.2	142	7.8
All other	6,017	206	34.2	76	12.6
Lafayette	43,941	1,103	25.1	362	8.2
Outside city	24,731	602	24.3	171	6.9
White	16,268	321	19.7	104	6.4
All other	8,463	281	33.2	67	7.9
Lafayette	19,210	501	26.1	191	9.9
White	13,570	340	25.1	93	6.9
All other	5,640	161	28.5	98	17.4
Lafourche	38,615	979	25.4	311	8.1
White	32,659	788	24.1	223	6.8
All other	5,956	191	32.1	88	14.8
La Salle	10,959	274	25.0	91	8.3
White	9,587	244	25.5	82	8.6
All other	1,372	30	21.9	9	6.6
Lincoln	24,790	538	21.7	176	7.1
White	13,551	237	17.5	93	6.9
All other	11,239	301	26.8	83	7.4
Livingston	17,790	370	20.8	106	6.0
White	15,150	327	21.6	73	4.8
All other	2,640	43	16.3	33	12.5
Madison	18,443	445	24.1	205	11.1
White	5,655	143	25.3	42	7.4
All other	12,788	302	23.6	163	12.7
Morehouse	27,571	611	22.2	287	10.4
White	11,432	253	22.1	96	8.4
All other	16,139	358	22.2	191	11.8
Natchitoches	40,997	1,087	26.5	411	10.0
White	21,010	496	23.6	185	8.8
All other	19,987	591	29.6	226	11.3
Orleans, coextensive with New Orleans	494,537	10,093	20.4	6,160	12.5
White	344,775	6,058	17.6	3,901	11.3
All other	149,762	4,035	26.9	2,259	15.1
Ouachita	59,168	1,257	21.2	626	10.6
Outside city	30,859	678	22.0	234	7.6
White	21,720	509	23.4	143	6.6
All other	9,139	169	18.5	91	10.0
Monroe	28,309	579	20.5	392	13.8
White	16,421	362	22.0	184	11.2
All other	11,888	217	18.3	208	17.5
Plaquemines	12,318	340	27.6	116	9.4
White	6,864	175	25.5	56	8.2
All other	5,454	165	30.3	60	11.0
Pointe Coupee	24,004	556	23.2	248	10.3
White	10,448	217	20.8	71	6.8
All other	13,556	339	25.0	177	13.1
Rapides	73,370	1,825	24.9	921	12.6
Outside city *	46,304	1,109	24.0	566	12.2
White	30,735	747	24.3	327	10.6
All other	15,569	362	23.3	239	15.4
Alexandria	27,066	716	26.5	355	13.1
White	15,723	422	26.8	180	11.4
All other	11,343	294	25.9	175	15.4
Red River	15,881	394	24.8	130	8.2
White	7,883	173	21.9	41	5.2
All other	7,998	221	27.6	89	11.1
Richland	28,829	645	22.4	289	10.0
White	15,768	399	25.3	121	7.7
All other	13,061	246	18.8	168	12.9
Sabine	23,586	475	20.1	175	7.4
White	18,826	390	20.7	135	7.2
All other	4,760	85	17.9	40	8.4
St. Bernard	7,280	179	24.6	52	7.1
White	5,854	129	22.0	35	6.0
All other	1,426	50	35.1	17	11.9
St. Charles	12,321	269	21.8	91	7.4
White	8,412	158	18.8	48	5.7
All other	3,909	111	28.4	43	11.0
St. Helena	9,542	188	19.7	61	6.4
White	4,494	77	17.1	33	7.3
All other	5,048	111	22.0	28	5.5
St. James	16,596	483	29.1	163	9.8
White	8,368	212	25.3	54	6.5
All other	8,228	271	32.9	109	13.2
St. John the Baptist	14,766	409	27.7	171	11.6
White	7,890	160	20.3	51	6.5
All other	6,876	249	36.2	120	17.5
St. Landry	71,481	1,925	26.9	667	9.3
White	37,660	756	20.1	276	7.3
All other	33,821	1,169	34.6	391	11.6
St. Martin	26,394	683	25.9	207	7.8
White	16,743	385	23.0	108	6.5
All other	9,651	298	30.9	99	10.3
St. Mary	31,458	957	30.4	333	10.6
White	17,152	561	32.7	140	8.2
All other	14,306	396	27.7	193	13.5
St. Tammany	23,624	519	22.0	251	10.6
White	16,316	334	20.5	154	9.4
All other	7,308	185	25.3	97	13.3
Tangipahoa	45,519	1,165	25.6	469	10.3
White	30,476	753	24.7	289	9.5
All other	15,043	412	27.4	180	12.0
LOUISIANA—Continued					
Tensas	15,940	375	23.5	163	10.2
White	4,742	117	24.7	26	5.5
All other	11,198	258	23.0	137	12.2
Terrebonne	35,880	1,145	31.9	319	8.9
White	25,997	841	32.3	205	7.9
All other	9,883	304	30.8	114	11.5
Union	20,943	438	20.9	147	7.0
White	13,683	254	18.6	91	6.7
All other	7,260	184	25.3	56	7.7
Vermilion	37,750	837	22.2	289	7.7
White	32,706	708	21.6	235	7.2
All other	5,044	129	25.6	54	10.7
Vernon	19,142	397	20.7	180	9.4
White	16,722	372	22.2	150	9.0
All other	2,420	25	10.3	30	12.4
Washington	34,443	875	25.4	318	9.2
Outside city	19,839	488	24.6	164	8.3
White	13,635	302	22.1	107	7.8
All other	6,204	186	30.0	57	9.2
Bogalusa	14,604	387	26.5	154	10.5
White	9,991	249	24.9	76	7.6
All other	4,613	138	29.9	78	16.9
Webster	33,676	822	24.4	268	8.0
White	19,429	476	24.5	133	6.8
All other	14,247	346	24.3	135	9.5
West Baton Rouge	11,263	239	21.2	130	11.5
White	4,404	93	21.1	41	9.3
All other	6,859	146	21.3	89	13.0
West Carroll	19,252	416	21.6	133	6.9
White	15,001	331	22.1	89	5.9
All other	4,251	85	20.0	44	10.4
West Feliciana	11,720	250	21.3	131	11.2
White	2,765	40	14.5	17	6.1
All other	8,955	210	23.5	114	12.7
Winn	16,923	253	15.0	132	7.8
White	12,645	168	13.3	85	6.7
All other	4,278	85	19.9	47	11.0
MAINE (total)	847,226	15,988	18.9	10,468	12.4
Androscoggin	76,679	1,383	18.0	922	12.0
Outside cities	18,264	429	23.5	314	17.2
Auburn	19,817	292	14.7	187	9.4
Lewiston *	38,598	662	17.2	421	10.9
Aroostook	94,436	2,400	25.4	883	9.4
Cumberland	146,000	2,509	17.2	1,788	12.2
Outside cities	45,489	835	18.4	633	13.9
Portland	73,643	1,240	16.8	897	12.2
South Portland	15,781	265	16.8	151	9.6
Westbrook	11,087	169	15.2	107	9.7
Franklin	19,896	407	20.5	270	13.6
Hancock	32,422	510	15.7	448	13.8
Kennebec *	77,231	1,389	18.0	1,004	13.0
Outside cities	41,183	834	20.3	584	14.2
Augusta *	19,360	267	13.8	250	12.9
Waterville	16,688	288	17.3	170	10.2
Knox	27,191	381	14.0	391	14.4
Lincoln	16,294	292	17.9	264	16.2
Oxford	42,662	846	19.8	511	12.0
Penobscot *	97,104	1,926	19.8	1,270	13.1
Outside city	67,282	1,426	21.2	797	11.8
Bangor *	29,822	500	16.8	473	15.9
Piscataquis	18,467	311	16.8	219	11.9
Sagadahoc	19,123	466	24.4	274	14.3
Outside city	8,888	223	25.1	124	14.0
Bath	10,235	243	23.7	150	14.7
Somerset	38,245	691	18.1	448	11.7
Waldo	21,159	320	15.1	317	15.0
Washington	37,767	604	16.0	475	12.6
York	82,550	1,553	18.8	984	11.9
Outside city	62,760	1,172	18.7	784	12.5
Biddeford	19,790	361	18.3	200	10.1
MARYLAND (total)	1,821,244	37,065	20.4	21,998	12.1
Allegany	86,973	1,879	21.6	807	9.3
Outside city	47,490	1,080	22.7	436	9.2
Cumberland	39,483	799	20.2	371	9.4
Anne Arundel *	68,375	1,486	21.7	905	13.2
Outside city *	55,306	1,187	21.5	751	13.6
White	41,318	849	20.5	404	9.8
All other	13,988	338	24.2	347	24.8
Annapolis	13,069	299	22.9	154	11.8
White	9,206	197	21.4	84	9.1
All other	3,863	102	26.4	70	18.1
Baltimore *	155,825	3,258	20.9	1,714	11.0
Outside cities *	127,023	2,732	21.5	1,534	12.1
White	118,200	2,509	21.2	1,397	11.8
All other	8,823	223	25.3	137	15.5
District 12 [2]	15,436	352	22.8	83	5.4
District 13 [2]	13,366	174	13.0	97	7.3

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MARYLAND—Continued					
Baltimore (city)	859,100	16,244	18.9	10,797	12.6
White	692,705	12,150	17.5	7,894	11.4
All other	166,395	4,094	24.6	2,903	17.4
Calvert	10,484	252	24.0	123	11.7
White	5,604	114	20.3	64	11.4
All other	4,880	138	28.3	59	12.1
Caroline	17,549	374	21.3	219	12.5
White	14,102	284	20.1	166	11.8
All other	3,447	90	26.1	53	15.4
Carroll*	39,054	644	16.5	655	16.8
Cecil*	26,407	570	21.6	395	15.0
Charles	17,612	543	30.8	218	12.4
White	10,384	266	25.6	106	10.2
All other	7,228	277	38.3	112	15.5
Dorchester	28,006	470	16.8	423	15.1
Outside city*	17,904	291	16.3	266	14.9
White	12,710	179	14.1	184	14.5
All other	5,194	112	21.6	82	15.8
Cambridge	10,102	179	17.7	157	15.5
White	7,207	121	16.8	99	13.7
All other	2,895	58	20.0	58	20.0
Frederick	57,312	1,133	19.8	669	11.7
Outside city	41,510	832	20.0	484	11.7
Frederick	15,802	301	19.0	185	11.7
White	13,985	241	17.2	156	11.2
All other	1,817	60	33.0	29	16.0
Garrett	21,981	542	24.7	232	10.6
Harford	35,060	739	21.1	414	11.8
White	31,076	653	21.0	349	11.2
All other	3,984	86	21.6	65	16.3
Howard	17,175	394	22.9	198	11.5
White	14,369	314	21.9	150	10.4
All other	2,806	80	28.5	48	17.1
Kent	13,465	245	18.2	165	12.3
White	9,404	160	17.0	111	11.8
All other	4,061	85	20.9	54	13.3
Montgomery	83,912	2,199	26.2	754	9.0
White	74,986	1,961	26.2	633	8.4
All other	8,926	238	26.7	121	13.6
Prince Georges	89,490	2,275	25.4	919	10.3
White	73,217	1,815	24.8	669	9.1
All other	16,273	460	28.3	250	15.4
Queen Annes	14,476	247	17.1	169	11.7
White	10,129	159	15.7	121	11.9
All other	4,347	88	20.2	48	11.0
St. Marys	14,626	375	25.6	193	13.2
White	9,901	225	22.7	123	12.4
All other	4,725	150	31.7	70	14.8
Somerset	20,965	405	19.3	322	15.4
White	13,904	221	15.9	206	14.8
All other	7,061	184	26.1	116	16.4
Talbot	18,784	335	17.8	244	13.0
White	13,048	206	15.8	164	12.6
All other	5,736	129	22.5	80	13.9
Washington	68,838	1,413	20.5	712	10.3
Outside city	36,347	726	20.0	317	8.7
Hagerstown	32,491	687	21.1	395	12.2
Wicomico	34,530	646	18.7	439	12.7
Outside city	21,217	373	17.6	256	12.1
White	16,014	248	15.5	191	11.9
All other	5,203	125	24.0	65	12.5
Salisbury	13,313	273	20.5	183	13.7
White	11,021	213	19.3	145	13.2
All other	2,292	60	26.2	38	16.6
Worcester	21,245	397	18.7	312	14.7
White	14,575	242	16.6	193	13.2
All other	6,670	155	23.2	119	17.8
MASSACHUSETTS (total)	4,316,721	69,546	16.1	50,598	11.7
Barnstable	37,295	643	17.2	548	14.7
Berkshire	122,273	2,023	16.5	1,406	11.5
Outside cities	37,768	679	18.0	520	13.8
Adams (town)	12,608	74	5.9	119	9.4
North Adams	22,213	360	16.2	269	12.1
Pittsfield	49,684	910	18.3	498	10.0
Bristol*	364,637	5,432	14.9	4,544	12.5
Outside cities	58,105	941	16.2	647	11.1
Attleboro	22,071	346	15.7	243	11.0
Fairhaven (town)	10,938	159	14.5	101	9.2
Fall River*	115,428	1,911	16.6	1,510	13.1
New Bedford	110,341	1,273	11.5	1,269	11.5
North Attleborough (town)	10,359	177	17.1	137	13.2
Taunton*	37,395	625	16.7	637	17.0
Dukes	5,669	79	13.9	69	12.2
Essex	496,313	7,591	15.3	6,135	12.4
Outside cities	46,207	775	16.8	592	12.8
Amesbury (town)	10,862	200	18.4	144	13.3
Andover (town)	11,122	127	11.4	129	11.6
Beverly	25,537	408	16.0	273	10.7
Danvers (town)	14,179	196	13.8	413	29.1
Gloucester	24,046	390	16.2	303	12.6
Haverhill	46,752	655	14.0	574	12.3
MASSACHUSETTS—Con.					
Essex—Continued					
Lawrence	84,323	1,202	14.3	924	11.0
Lynn	98,123	1,592	16.2	1,253	12.8
Marblehead (town)	10,856	195	18.0	138	12.7
Methuen (town)	21,880	250	11.4	249	11.4
Newburyport	13,916	209	15.0	198	14.2
Peabody	21,711	315	14.5	208	9.6
Salem	41,213	635	15.4	498	12.1
Saugus (town)	14,825	261	17.6	133	9.0
Swampscott (town)	10,761	181	16.8	106	9.9
Franklin	49,453	841	17.0	568	11.5
Outside city	33,781	563	16.7	391	11.6
Greenfield (town)	15,672	278	17.7	177	11.3
Hampden	332,107	5,296	15.9	3,437	10.3
Outside cities*	51,211	813	15.9	567	11.1
Chicopee	41,664	657	15.8	329	7.9
Holyoke	53,750	768	14.3	597	11.1
Springfield	149,554	2,521	16.9	1,568	10.5
Westfield	18,793	309	16.4	225	12.0
West Springfield (town)	17,135	228	13.3	151	8.8
Hampshire*	72,461	983	13.6	963	13.3
Outside cities	37,351	539	14.4	426	11.4
Easthampton (town)	10,316	151	14.6	86	8.3
Northampton*	24,794	293	11.8	451	18.2
Middlesex	971,390	16,039	16.5	10,555	10.9
Outside cities	113,443	1,956	17.2	1,507	13.3
Arlington (town)	40,013	624	15.6	407	10.2
Belmont (town)	26,867	382	14.2	224	8.3
Cambridge*	110,879	2,038	18.4	1,350	12.2
Everett	46,784	878	18.8	451	9.6
Framingham (town)	23,214	363	15.6	260	11.2
Lexington (town)*	13,187	161	13.7	199	15.1
Lowell	101,389	1,524	15.0	1,200	11.8
Malden	58,010	914	15.8	626	10.8
Marlborough	15,154	248	16.4	177	11.7
Medford	63,083	1,056	16.7	570	9.0
Melrose	25,333	370	14.6	247	9.8
Natick (town)	13,851	255	18.4	161	11.6
Newton	69,873	959	13.7	640	9.2
Reading (town)	10,866	178	16.4	138	12.7
Somerville	102,177	1,861	18.2	1,026	10.0
Stoneham (town)	10,765	176	16.3	110	10.2
Wakefield (town)	16,223	267	16.5	181	11.2
Waltham	40,020	744	18.6	435	10.9
Watertown (town)	35,427	549	15.5	316	8.9
Winchester (town)	15,081	216	14.3	114	7.6
Woburn	19,751	300	15.2	216	10.9
Nantucket	3,401	34	10.0	57	16.8
Norfolk	325,180	5,404	16.6	3,562	11.0
Outside cities*	82,167	1,493	18.2	1,151	14.0
Braintree (town)	16,378	272	16.6	168	10.3
Brookline (town)	49,786	585	11.8	626	12.6
Dedham (town)	15,508	254	16.4	161	10.4
Milton (town)	18,708	259	13.8	184	9.8
Needham (town)	12,445	222	17.8	120	9.6
Norwood (town)	15,383	247	16.1	170	11.1
Quincy	75,810	1,398	18.4	645	8.5
Wellesley (town)	15,127	233	15.4	116	7.7
Weymouth (town)	23,868	441	18.5	221	9.3
Plymouth	168,824	2,460	14.6	2,179	12.9
Outside cities	93,381	1,449	15.5	1,247	13.4
Brockton	62,343	997	16.0	759	12.2
Plymouth (town)	13,100	14	1.1	173	13.2
Suffolk	863,248	14,342	16.6	10,579	12.3
Boston	770,816	12,708	16.5	9,613	12.5
White	745,466	12,272	16.5	9,178	12.3
All other	25,350	436	17.2	435	17.2
Chelsea	41,259	745	18.1	395	9.6
Revere	34,405	584	17.0	360	10.5
Winthrop (town)	16,768	305	18.2	211	12.6
Worcester*	504,470	8,379	16.6	5,996	11.9
Outside cities*	147,259	2,441	16.6	1,785	12.1
Athol (town)	11,180	215	19.2	135	12.1
Clinton (town)	12,440	228	18.3	129	10.4
Fitchburg	41,824	711	17.0	434	10.4
Gardner*	20,206	328	16.2	245	12.1
Leominster	22,226	410	18.4	229	10.3
Milford (town)	15,388	238	15.5	165	10.7
Northbridge (town)	10,242	179	17.5	69	6.7
Southbridge (town)	16,825	308	18.3	135	8.0
Webster (town)	13,186	209	15.9	133	10.1
Worcester*	193,694	3,112	16.1	2,537	13.1
MICHIGAN (total)	5,256,106	107,458	20.4	52,733	10.0
Alcona	5,463	105	19.2	56	10.3
Alger	10,167	245	24.1	113	11.1
Allegan	41,839	817	19.5	506	12.1
Alpena	20,766	454	21.9	203	9.8
Outside city	7,958	173	21.7	78	9.8
Alpena	12,808	281	21.9	125	9.8
Antrim	10,964	228	20.8	119	10.9
Arenac	9,233	144	15.6	96	10.4
Baraga	9,356	203	21.7	95	10.2

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p.20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MICHIGAN—Continued					
Barry	22,613	397	17.6	272	12.0
Bay	74,981	1,659	22.1	793	10.6
Outside city	27,025	593	21.9	258	9.5
Bay City	47,956	1,066	22.2	535	11.2
Benzie	7,800	154	19.7	98	12.6
Berrien *	89,117	1,831	20.5	1,072	12.0
Outside cities *	61,121	1,168	19.1	747	12.2
Benton Harbor	16,668	438	26.3	212	12.7
Niles	11,328	225	19.9	113	10.0
Branch	25,845	535	20.7	377	14.6
Calhoun	94,206	2,005	21.3	1,174	12.5
Outside city *	50,753	956	18.8	626	12.3
Battle Creek	43,453	1,049	24.1	548	12.6
Cass	21,910	370	16.9	306	14.0
Charlevoix	13,031	285	21.9	172	13.2
Cheboygan	13,644	282	20.7	179	13.1
Chippewa	27,807	666	24.0	288	10.4
Outside city	11,960	280	23.4	119	9.9
Sault Ste. Marie	15,847	386	24.4	169	10.7
Clare	9,163	197	21.5	112	12.2
Clinton	26,671	572	21.4	317	11.9
Crawford	3,765	82	21.8	53	14.1
Delta	34,037	687	20.2	375	11.0
Outside city	19,207	411	21.4	214	11.1
Escanaba	14,830	276	18.6	161	10.9
Dickinson	28,731	475	16.5	239	8.3
Outside city	17,651	288	16.3	132	7.5
Iron Mountain	11,080	187	16.9	107	9.7
Eaton	34,124	642	18.8	411	12.0
Emmet	15,791	381	24.1	160	10.1
Genesee	227,944	5,110	22.4	1,892	8.3
Outside city	76,401	1,671	21.9	630	8.2
Flint	151,543	3,439	22.7	1,262	8.3
Gladwin	9,385	211	22.5	85	9.1
Gogebic	31,797	533	16.8	338	10.6
Outside city	18,428	328	17.8	209	11.3
Ironwood	13,369	205	15.3	129	9.6
Grand Traverse *	23,390	473	20.2	431	18.4
Outside city *	8,935	201	22.5	292	32.7
Traverse City	14,455	272	18.8	139	9.6
Gratiot	32,205	688	21.4	376	11.7
Hillsdale	29,092	498	17.1	417	14.3
Houghton	47,631	721	15.1	574	12.1
Huron	32,584	661	20.3	324	9.9
Ingham	130,616	2,961	22.7	1,246	9.5
Outside city	51,863	1,312	25.3	522	10.1
Lansing	78,753	1,649	20.9	724	9.2
Ionia	35,710	663	18.6	444	12.4
Iosco	8,560	165	19.3	90	10.5
Iron *	20,243	304	15.0	187	9.2
Isabella	25,982	569	21.9	245	9.4
Jackson	93,108	1,641	17.6	1,092	11.7
Outside city *	43,452	515	11.9	463	10.7
Jackson	49,656	1,126	22.7	629	12.7
Kalamazoo *	100,085	2,083	20.8	1,320	13.2
Outside city	45,988	651	14.2	431	9.4
Kalamazoo *	54,097	1,432	26.5	889	16.4
Kalkaska	5,159	129	25.0	52	10.1
Kent	246,338	4,808	19.5	2,510	10.2
Outside city *	82,046	1,673	20.4	775	9.4
Grand Rapids	164,292	3,135	19.1	1,735	10.6
Keweenaw	4,004	30	7.5	44	11.0
Lake	4,798	83	17.3	61	12.7
White	4,071	75	18.4	51	12.5
All other	727	8	11.0	10	13.8
Lapeer *	32,116	554	17.2	433	13.5
Leelanau	8,436	137	16.2	88	10.4
Lenawee	53,110	1,167	22.0	642	12.1
Outside city	38,880	804	20.7	446	11.5
Adrian	14,230	363	25.5	196	13.8
Livingston	20,863	371	17.8	270	12.9
Luce *	7,423	148	19.9	166	22.4
Mackinac	9,438	208	22.0	97	10.3
Macomb	107,638	2,693	25.0	909	8.4
Outside cities	82,844	1,958	23.6	661	8.0
Mount Clemens	14,389	478	33.2	170	11.8
St. Clair Shores	10,405	257	24.7	78	7.5
Manistee	18,450	318	17.2	249	13.5
Marquette	47,144	857	18.2	469	9.9
Outside city	31,216	577	18.5	337	10.8
Marquette	15,928	280	17.6	132	8.3
Mason	19,378	322	16.6	235	12.1
Mecosta	16,902	341	20.2	240	14.2
Menominee	24,863	451	18.1	272	10.9
Outside city	14,653	277	18.9	148	10.1
Menominee	10,230	174	17.0	124	12.1
Midland	27,094	798	29.5	243	9.0
Outside city	16,765	468	27.9	163	9.7
Midland	10,329	330	31.9	80	7.7
Missaukee	8,034	185	23.0	84	10.5
Monroe	58,620	1,300	22.2	610	10.4
Outside city	40,142	786	19.6	400	10.0
Monroe	18,478	514	27.8	210	11.4
MICHIGAN—Continued					
Montcalm	28,581	556	19.5	399	14.0
Montmorency	3,840	82	21.4	32	8.3
Muskegon	94,501	2,311	24.5	900	9.5
Outside cities	30,757	787	25.6	284	9.2
Muskegon	47,697	1,179	24.7	497	10.4
Muskegon Heights	16,047	345	21.5	119	7.4
Newaygo	19,286	378	19.6	225	11.7
Oakland	254,068	6,109	24.0	2,238	8.8
Outside cities	128,636	3,095	24.1	1,081	8.4
Birmingham	11,196	271	24.2	85	7.6
Ferndale	22,523	506	22.5	136	6.0
Pontiac *	66,626	1,614	24.2	729	10.9
Royal Oak	25,087	623	24.8	207	8.3
Oceana	14,812	296	20.0	185	12.5
Ogemaw	8,720	187	21.4	105	12.0
Ontonagon	11,359	194	17.1	113	9.9
Osceola	13,309	255	19.2	163	12.2
Oscoda	2,543	64	25.2	20	7.9
Otsego	5,827	125	21.5	88	15.1
Ottawa	59,660	1,342	22.5	522	8.7
Outside city	45,044	1,024	22.7	402	8.9
Holland	14,616	318	21.8	120	8.2
Presque Isle	12,250	268	21.9	98	8.0
Roscommon	3,668	77	21.0	32	8.7
Saginaw	130,468	2,872	22.0	1,366	10.5
Outside city	47,674	1,000	21.0	492	10.3
Saginaw	82,794	1,872	22.6	874	10.6
St. Clair	76,222	1,636	21.5	891	11.7
Outside city	43,463	874	20.1	514	11.8
Port Huron	32,759	762	23.3	377	11.5
St. Joseph	31,749	585	18.4	393	12.4
Sanilac	30,114	560	18.6	339	11.3
Schoolcraft	9,524	239	25.1	74	7.8
Shiawassee	41,207	819	19.9	492	11.9
Outside city	26,783	496	18.5	321	12.0
Owosso	14,424	323	22.4	171	11.9
Tuscola *	35,694	745	20.9	469	13.1
Van Buren	35,111	566	16.1	454	12.9
Washtenaw *	80,810	1,548	19.2	1,062	13.1
Outside cities *	38,874	584	15.0	544	14.0
Ann Arbor *	29,815	584	19.6	376	12.6
Ypsilanti	12,121	380	31.4	142	11.7
White	10,433	344	33.0	111	10.6
All other	1,688	36	21.3	31	18.4
Wayne	2,015,623	39,873	19.7	17,541	8.7
Outside cities	139,221	3,217	23.1	1,338	9.6
Dearborn	63,584	1,604	25.2	447	7.0
Detroit	1,623,452	31,186	19.2	14,347	8.8
White	1,472,662	27,955	19.0	12,441	8.4
All other	150,790	3,231	21.4	1,906	12.6
Ecorse	13,209	310	23.5	96	7.3
White	11,364	275	24.2	79	7.0
All other	1,845	35	19.0	17	9.2
Grosse Pointe Park	12,646	83	6.6	80	6.3
Hamtramck	49,839	909	18.2	335	6.7
Highland Park	50,810	708	13.9	438	8.6
Lincoln Park	15,236	364	23.9	67	4.4
River Rouge	17,008	434	25.5	135	7.9
White	14,466	369	25.5	112	7.7
All other	2,542	65	25.6	23	9.0
Wyandotte	30,618	858	28.0	258	8.4
Wexford	17,976	374	20.8	211	11.7
MINNESOTA (total)	2,792,300	54,359	19.5	26,140	9.4
Aitkin	17,865	375	21.0	146	8.2
Anoka *	22,443	408	18.2	247	11.0
Becker	26,562	629	23.7	238	9.0
Beltrami	26,107	600	23.0	255	9.8
Benton	16,106	314	19.5	122	7.6
Outside city	13,352	294	22.0	104	7.8
St. Cloud (part)	2,754	20	(4)	18	(4)
Big Stone	10,447	224	21.4	87	8.3
Blue Earth	36,203	734	20.3	348	9.6
Outside city	20,549	406	19.8	189	9.2
Mankato	15,654	328	21.0	159	10.2
Brown *	25,544	523	20.5	238	9.3
Carlton *	24,212	450	18.6	294	12.1
Carver	17,606	375	21.3	165	9.4
Cass	20,646	471	22.8	200	9.7
Chippewa	16,927	372	22.0	160	9.5
Chisago	13,124	194	14.8	161	12.3
Clay	25,337	486	19.2	230	9.1
Clearwater	11,153	263	23.6	92	8.2
Cook	3,050	60	19.8	22	7.3
White	2,703	54	20.0	16	5.9
All other	327	6	18.3	6	18.3
Cottonwood	16,143	287	17.8	117	7.2
Crow Wing	30,226	703	23.3	272	9.0
Outside city	18,155	416	22.9	135	7.4
Brainerd	12,071	287	23.8	137	11.3

[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MINNESOTA—Continued					
Dakota *	39,660	726	18.3	339	8.5
Outside city *	27,816	477	17.1	263	9.5
South St. Paul	11,844	249	21.0	76	6.4
Dodge	12,931	262	20.3	97	7.5
Douglas	20,369	381	18.7	194	9.5
Faribault	23,941	560	23.4	233	9.7
Fillmore	25,830	512	19.8	238	9.2
Freeborn	31,780	617	19.4	248	7.8
Outside city	19,580	345	17.6	137	7.0
Albert Lea	12,200	272	22.3	111	9.1
Goodhue	31,564	543	17.2	342	10.8
Grant	9,828	215	21.9	107	10.9
Hennepin	568,899	9,927	17.4	5,395	9.5
Outside city	76,529	1,631	21.3	623	8.1
Minneapolis	492,370	8,296	16.8	4,772	9.7
Houston	14,735	259	17.6	155	10.5
Hubbard	11,085	231	20.8	120	10.8
Isanti *	12,950	187	14.4	159	12.3
Itasca	32,996	740	22.4	275	8.3
Jackson	16,805	333	19.8	134	8.0
Kanabec	9,651	170	17.6	78	8.1
Kandiyohi *	26,524	586	22.1	278	10.5
Kittson	10,717	227	21.2	98	9.1
Koochiching	16,930	428	25.3	160	9.5
Lac qui Parle	15,509	299	19.3	131	8.4
Lake	6,956	132	19.0	87	12.5
Lake of the Woods	5,975	127	21.3	35	5.9
Le Sueur	19,227	377	19.6	186	9.7
Lincoln	10,797	214	19.8	83	7.7
Lyon	21,569	489	22.7	196	9.1
McLeod	21,380	446	20.9	145	6.8
Mahnomen	8,054	225	27.9	63	7.8
White	6,639	152	22.9	48	7.2
All other	1,415	73	51.6	15	10.6
Marshall	18,364	379	20.6	189	10.3
Martin	24,656	555	22.5	180	7.3
Meeker	19,277	397	20.6	144	7.5
Mille Lacs	15,558	342	22.0	178	11.4
Morrison	27,473	631	23.0	238	8.7
Mower	36,113	866	24.0	268	7.4
Outside city	17,806	355	19.9	123	6.9
Austin	18,307	511	27.9	145	7.9
Murray	15,060	337	22.4	93	6.2
Nicollet *	18,282	236	12.9	342	18.7
Nobles	21,215	519	24.5	163	7.7
Norman	14,746	240	16.3	134	9.1
Olmsted *	42,658	836	19.6	510	12.0
Outside city	16,346	326	19.9	119	7.3
Rochester *	26,312	510	19.4	391	14.9
Otter Tail *	53,192	984	18.5	583	11.0
Outside city	42,344	785	18.5	355	8.4
Fergus Falls *	10,848	199	18.3	228	21.0
Pennington	12,915	250	19.4	127	9.8
Pine	21,478	387	18.0	194	9.0
Pipestone	13,794	333	24.1	104	7.5
Polk	37,734	715	18.9	383	10.1
Pope	13,544	258	19.0	130	9.6
Ramsey	309,935	5,810	18.7	2,973	9.6
Outside city *	22,199	474	21.4	201	9.1
St. Paul	287,736	5,336	18.5	2,772	9.6
Red Lake	7,413	247	33.3	54	7.3
Redwood	22,290	557	25.0	146	6.6
Renville	24,625	501	20.3	194	7.9
Rice *	32,160	647	20.1	292	9.1
Outside city	17,633	416	23.6	141	8.0
Faribault *	14,527	231	15.9	151	10.4
Rock	10,933	172	15.7	73	6.7
Roseau	15,103	371	24.6	117	7.7
St. Louis	206,917	3,624	17.5	1,961	9.5
Outside cities	77,203	1,332	17.3	606	7.8
Duluth *	101,065	1,708	16.9	1,107	11.0
Hibbing	16,385	368	22.5	139	8.5
Virginia	12,264	216	17.6	109	8.9
Scott *	15,585	298	19.1	146	9.4
Sherburne *	10,456	173	16.5	90	8.6
Outside city	8,271	166	20.1	69	8.3
St. Cloud (part)	2,185	7	(4)	21	(4)
Sibley	16,625	321	19.3	118	7.1
Stearns	67,200	1,510	22.5	597	8.9
Outside city	47,966	1,062	22.1	408	8.5
St. Cloud (part)	19,234	448	(4)	189	(4)
St. Cloud (total) *	24,173	475	19.7	228	9.4
Steele	19,749	377	19.1	177	9.0
Stevens	11,039	284	25.7	90	8.2
Swift	15,469	330	21.3	152	9.8
Todd	27,438	552	20.1	241	8.8
Traverse	8,283	158	19.1	67	8.1
Wabasha	17,653	379	21.5	159	9.0
Wadena	12,772	324	25.4	138	10.8
Waseca	15,186	303	20.0	122	8.0
Washington	26,430	432	16.3	281	10.6
Watonwan *	13,902	265	19.1	129	9.3
Wilkin	10,475	244	23.3	86	8.2
MINNESOTA—Continued					
Winona	37,795	673	17.8	393	10.4
Outside city	15,305	272	17.8	155	10.1
Winona	22,490	401	17.8	238	10.6
Wright	27,550	512	18.6	276	10.0
Yellow Medicine	16,917	348	20.6	138	8.2
MISSISSIPPI (total)	2,183,796	54,713	25.1	22,832	10.5
Adams	27,238	708	26.0	341	12.5
Outside city	11,942	311	26.0	123	10.3
White	3,057	56	18.3	24	7.9
All other	8,885	255	28.7	99	11.1
Natchez	15,296	397	26.0	218	14.3
White	7,287	209	28.7	76	10.4
All other	8,009	188	23.5	142	17.7
Alcorn	26,969	633	23.5	243	9.0
White	22,246	529	23.8	184	8.3
All other	4,723	104	22.0	59	12.5
Amite	21,892	603	27.5	197	9.0
White	10,333	207	20.0	102	9.9
All other	11,559	396	34.3	95	8.2
Attala	30,227	774	25.6	286	9.5
White	16,848	358	21.2	140	8.3
All other	13,379	416	31.1	146	10.9
Benton	10,429	260	24.9	80	7.7
White	5,919	123	20.8	40	6.8
All other	4,510	137	30.4	40	8.9
Bolivar	67,574	1,872	27.7	827	12.2
White	18,070	439	24.3	154	8.5
All other	49,504	1,433	28.9	673	13.6
Calhoun	20,893	517	24.7	166	7.9
White	16,319	377	23.1	112	6.9
All other	4,574	140	30.6	54	11.8
Carroll	20,651	515	24.9	174	8.4
White	8,836	162	18.3	72	8.1
All other	11,815	353	29.9	102	8.6
Chickasaw	21,427	567	26.5	205	9.6
White	11,410	277	24.3	101	8.9
All other	10,017	290	29.0	104	10.4
Choctaw	13,548	305	22.5	121	8.9
White	9,657	196	20.3	81	8.4
All other	3,891	109	28.0	40	10.3
Claiborne	12,810	319	24.9	157	12.3
White	3,411	65	19.1	32	9.4
All other	9,399	254	27.0	125	13.3
Clarke	20,596	489	23.7	200	9.7
White	12,320	266	21.6	95	7.7
All other	8,276	223	26.9	105	12.7
Clay	19,030	496	26.1	205	10.8
White	7,496	163	21.7	74	9.9
All other	11,534	333	28.9	131	11.4
Coahoma	48,333	1,066	22.1	550	11.4
Outside city	36,165	866	23.9	415	11.5
White	5,512	122	22.1	73	13.2
All other	30,653	744	24.3	342	11.2
Clarksdale	12,168	200	16.4	135	11.1
White	5,479	95	17.3	46	8.4
All other	6,689	105	15.7	89	13.3
Copiah	33,974	759	22.3	361	10.6
White	16,107	266	16.5	142	8.8
All other	17,867	493	27.6	219	12.3
Covington	17,030	449	26.4	148	8.7
White	11,743	291	24.8	86	7.3
All other	5,287	158	29.9	62	11.7
De Soto	26,663	741	27.8	258	9.7
White	7,211	172	23.9	63	8.7
All other	19,452	569	29.3	195	10.0
Forrest	34,901	1,026	29.4	433	12.4
Outside city	13,875	357	25.7	161	11.6
White	10,707	282	26.3	118	11.0
All other	3,168	75	23.7	43	13.6
Hattiesburg	21,026	669	31.8	272	12.9
White	13,256	434	32.7	139	10.5
All other	7,770	235	30.2	133	17.1
Franklin	12,504	302	24.2	110	8.8
White	7,523	177	23.5	55	7.3
All other	4,981	125	25.1	55	11.0
George	8,704	232	26.7	99	11.4
White	7,464	204	27.3	79	10.6
All other	1,240	28	22.6	20	16.1
Greene	9,512	253	26.6	85	8.9
White	7,528	186	24.7	62	8.2
All other	1,984	67	33.8	23	11.6
Grenada	19,052	505	26.5	201	10.6
White	7,934	183	23.1	68	8.6
All other	11,118	322	29.0	133	12.0
Hancock	11,328	267	23.6	111	9.8
White	8,855	217	24.2	81	9.0
All other	2,373	50	21.1	30	12.6

[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI—Continued					
Harrison	50,799	1,102	21.7	576	11.3
Outside cities	18,129	401	22.1	194	10.7
White	14,022	293	20.9	125	8.9
All other	4,107	108	26.3	69	16.8
Biloxi	17,475	392	22.4	202	11.6
White	14,889	328	22.0	156	10.5
All other	2,586	64	24.7	46	17.8
Gulfport*	15,195	309	20.3	180	11.8
White	11,831	250	21.1	134	11.3
All other	3,364	59	17.5	46	13.7
Hinds	107,273	2,581	24.1	1,105	10.3
Outside city	45,166	1,205	26.7	448	9.9
White	13,975	254	18.2	109	7.8
All other	31,191	951	30.5	339	10.9
Jackson	62,107	1,376	22.2	657	10.6
White	37,651	833	22.0	324	8.6
All other	24,256	543	22.4	333	13.7
Holmes	39,710	1,050	26.4	451	11.4
White	9,209	147	16.0	96	10.4
All other	30,501	903	29.6	355	11.6
Humphreys	26,257	683	26.0	287	10.9
White	6,958	176	25.3	49	7.0
All other	19,299	507	26.3	238	12.3
Issaquena	6,433	180	28.0	62	9.6
White	1,228	25	20.4	7	5.7
All other	5,205	155	29.8	55	10.6
Itawamba	19,922	404	20.3	117	5.9
Jackson	20,601	611	29.7	223	10.8
White	16,214	477	29.4	158	9.7
All other	4,387	134	30.5	65	14.8
Jasper	19,484	512	26.3	175	9.0
White	9,945	221	22.2	87	8.7
All other	9,539	291	30.5	88	9.2
Jefferson	13,969	359	25.7	155	11.1
White	3,206	59	18.4	41	12.8
All other	10,763	300	27.9	114	10.6
Jefferson Davis	15,869	475	29.9	128	8.1
White	7,087	183	25.8	53	7.5
All other	8,782	292	33.2	75	8.5
Jones	49,227	1,318	26.8	470	9.5
Outside city	28,629	796	27.8	229	8.0
White	22,720	576	25.4	171	7.5
All other	5,909	220	37.2	58	9.8
Laurel	20,598	522	25.3	241	11.7
White	12,341	319	25.8	111	9.0
All other	8,257	203	24.6	130	15.7
Kemper	21,867	523	23.9	214	9.8
White	8,665	158	18.2	70	8.1
All other	13,202	365	27.6	144	10.9
Lafayette	21,257	549	25.8	192	9.0
White	12,683	262	20.7	89	7.0
All other	8,574	287	33.5	103	12.0
Lamar	12,096	331	27.4	105	8.7
White	10,006	270	27.0	81	8.1
All other	2,090	61	29.2	24	11.5
Lauderdale	58,247	1,229	21.1	752	12.9
Outside city	22,766	578	25.4	253	11.1
White	12,807	264	20.6	114	8.9
All other	9,959	314	31.5	139	14.0
Meridian*	35,481	651	18.3	499	14.1
White	22,628	438	19.4	283	12.5
All other	12,853	213	16.6	216	16.8
Lawrence	13,883	311	22.2	119	8.5
White	8,762	182	20.8	57	6.5
All other	5,221	129	24.7	62	11.9
Leake	24,570	654	26.6	155	6.3
White	14,569	328	22.5	88	6.0
All other	10,001	326	32.6	67	6.7
Lee	38,838	797	20.5	343	8.8
White	26,622	501	18.8	194	7.3
All other	12,216	296	24.2	149	12.2
Leflore	53,406	1,492	27.9	625	11.7
Outside city	38,639	1,217	31.5	455	11.8
White	7,384	168	22.8	63	8.5
All other	31,255	1,049	33.6	392	12.5
Greenwood	14,767	275	18.6	170	11.5
White	7,010	134	19.1	54	7.7
All other	7,757	141	18.2	116	15.0
Lincoln	27,506	666	24.2	302	11.0
White	17,833	365	20.5	164	9.2
All other	9,673	301	31.1	138	14.3
Lowndes	35,245	799	22.7	407	11.5
Outside city	21,600	521	24.1	195	9.0
White	8,516	138	16.2	61	7.2
All other	13,084	383	29.3	134	10.2
Columbus	13,645	278	20.4	212	15.5
White	7,046	153	21.7	105	14.9
All other	6,599	125	18.9	107	16.2
Madison	37,504	1,070	28.5	414	11.0
White	8,787	173	19.7	73	8.3
All other	28,717	897	31.2	341	11.9
Marion	24,085	563	23.4	204	8.5
White	15,161	312	20.6	121	8.0
All other	8,924	251	28.1	83	9.3
MISSISSIPPI—Continued					
Marshall	25,522	755	29.6	257	10.1
White	7,556	183	24.2	92	12.2
All other	17,966	572	31.8	165	9.2
Monroe	37,648	808	21.5	337	9.0
White	21,528	438	20.3	179	8.3
All other	16,120	370	23.0	158	9.8
Montgomery	15,703	339	21.6	168	10.7
White	8,945	161	18.0	92	10.3
All other	6,758	178	26.3	76	11.2
Neshoba	27,882	686	24.6	257	9.2
White	20,881	469	22.5	177	8.5
All other	7,001	217	31.0	80	11.4
Newton	24,249	544	22.4	237	9.8
White	15,538	288	18.5	135	8.7
All other	8,711	256	29.4	102	11.7
Noxubee	25,669	657	25.6	321	12.5
White	5,640	107	19.0	64	11.3
All other	20,029	550	27.5	257	12.8
Oktibbeha	22,151	532	24.0	245	11.1
White	9,063	168	18.5	92	10.2
All other	13,088	364	27.8	153	11.7
Panola	34,421	877	25.5	349	10.1
White	13,876	318	22.9	113	8.1
All other	20,545	559	27.2	236	11.5
Pearl River	19,125	471	24.6	175	9.2
White	14,973	368	24.6	125	8.3
All other	4,152	103	24.8	50	12.0
Perry	9,292	258	27.8	86	9.3
White	6,869	195	28.4	49	7.1
All other	2,423	63	26.0	37	15.3
Pike	35,002	843	24.1	376	10.7
White	19,291	400	20.7	188	9.7
All other	15,711	443	28.2	188	12.0
Pontotoc	22,904	488	21.3	171	7.5
White	18,229	365	20.0	136	7.5
All other	4,675	123	26.3	35	7.5
Prentiss	20,921	485	23.2	161	7.7
White	18,522	429	23.2	122	6.6
All other	2,399	56	23.3	39	16.3
Quitman	27,191	767	28.2	325	12.0
White	9,120	290	31.8	93	10.2
All other	18,071	477	26.4	232	12.8
Rankin*	27,934	658	23.6	764	27.4
White	13,260	230	17.3	291	21.9
All other	14,674	428	29.2	473	32.2
Scott	23,144	548	23.7	193	8.3
White	13,251	270	20.4	105	7.9
All other	9,893	278	28.1	88	8.9
Sharkey	15,433	406	26.3	191	12.4
White	4,317	100	23.2	34	7.9
All other	11,116	306	27.5	157	14.1
Simpson	22,024	523	23.7	192	8.7
White	14,935	304	20.4	117	7.8
All other	7,089	219	30.9	75	10.6
Smith	19,403	478	24.6	134	6.9
White	15,723	339	21.6	106	6.7
All other	3,680	139	37.8	28	7.6
Stone	6,155	147	23.9	53	8.6
White	4,562	113	24.8	37	8.1
All other	1,593	34	21.3	16	10.0
Sunflower	61,007	1,639	26.9	591	9.7
White	17,465	389	22.3	125	7.2
All other	43,542	1,250	28.7	466	10.7
Tallahatchie	34,166	1,007	29.5	375	11.0
White	11,676	275	23.6	98	8.4
All other	22,490	732	32.5	277	12.3
Tate	19,309	500	25.9	179	9.3
White	7,741	189	24.4	56	7.2
All other	11,568	311	26.9	123	10.6
Tippah	19,680	470	23.9	159	8.1
White	16,244	378	23.3	120	7.4
All other	3,436	92	26.8	39	11.4
Tishomingo	16,974	441	26.0	146	8.6
Tunica	22,610	612	27.1	249	11.0
White	3,265	79	24.2	32	9.8
All other	19,345	533	27.6	217	11.2
Union	21,867	429	19.6	187	8.6
White	17,585	328	18.7	132	7.5
All other	4,282	101	23.6	55	12.8
Walthall	17,534	506	28.9	125	7.1
White	9,372	230	24.5	56	6.0
All other	8,162	276	33.8	69	8.5
Warren	39,595	821	20.7	505	12.8
Outside city	15,135	396	26.2	164	10.8
White	5,380	122	22.7	32	5.9
All other	9,755	274	28.1	132	13.5
Vicksburg	24,460	425	17.4	341	13.9
White	11,930	233	19.5	138	11.6
All other	12,530	192	15.3	203	16.2
Washington	67,576	1,712	25.3	846	12.5
Outside city	46,684	1,262	27.0	525	11.2
White	10,163	218	21.5	69	6.8
All other	36,521	1,044	28.6	456	12.5
Greenville	20,892	450	21.5	321	15.4
White	8,405	214	25.5	95	11.3
All other	12,487	236	18.9	226	18.1

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI—Continued					
Wayne	16,928	414	24.5	132	7.8
White	11,156	233	20.9	75	6.7
All other	5,772	181	31.4	57	9.9
Webster	14,160	328	23.2	145	10.2
White	10,612	218	20.5	103	9.7
All other	3,548	110	31.0	42	11.8
Wilkinson	15,955	546	34.2	247	15.5
White	4,511	100	22.2	69	15.3
All other	11,444	446	39.0	178	15.6
Winston	22,751	583	25.6	200	8.8
White	13,638	289	21.2	116	8.5
All other	9,113	294	32.3	84	9.2
Yalobusha	18,387	474	25.8	164	8.9
White	9,872	217	22.0	70	7.1
All other	8,515	257	30.2	94	11.0
Yazoo	40,091	1,044	26.0	451	11.2
White	13,832	301	21.8	128	9.3
All other	26,259	743	28.3	323	12.3
MISSOURI (total)	3,784,664	65,218	17.2	42,994	11.4
Adair	20,246	336	16.6	237	11.7
Outside city	10,166	164	16.1	116	11.4
Kirksville	10,080	172	17.1	121	12.0
Andrew	13,015	183	14.1	130	10.0
Atchison	12,897	244	18.9	125	9.7
Audrain	22,673	423	18.7	262	11.6
Barry	23,546	416	17.7	242	10.3
Barton	14,148	216	15.3	142	10.0
Bates	19,531	306	15.7	260	13.3
Benton	11,142	172	15.4	108	9.7
Bollinger	12,898	195	15.1	86	6.7
Boone	34,991	546	15.6	432	12.3
Outside city	16,592	238	14.3	217	13.1
Columbia	18,399	308	16.7	215	11.7
White	15,993	263	16.4	162	10.1
All other	2,406	45	18.7	53	22.0
Buchanan	94,067	1,370	14.6	1,204	12.8
Outside city	18,356	275	15.0	170	9.3
St. Joseph*	75,711	1,095	14.5	1,034	13.7
Butler	34,276	868	25.3	410	12.0
Outside city	23,113	583	25.2	245	10.6
Poplar Bluff	11,163	285	25.5	165	14.8
Caldwell	11,629	168	14.4	149	12.8
Callaway*	23,094	333	14.4	454	19.7
White	20,619	312	15.1	382	18.5
All other	2,475	21	8.5	72	29.1
Camden	8,971	195	21.7	93	10.4
Cape Girardeau	37,775	714	18.9	405	10.7
Outside city	18,349	325	17.7	203	11.1
Cape Girardeau	19,426	389	20.0	202	10.4
Carroll	17,814	298	16.7	232	13.0
Carter	6,226	131	21.0	35	5.6
Cass	19,534	298	15.3	256	13.1
Cedar	11,697	195	16.7	159	13.6
Chariton	18,084	276	15.3	191	10.6
Christian	13,538	218	16.1	132	9.8
Clark	10,168	169	16.6	97	9.5
Clay*	30,417	529	17.4	355	11.7
Clinton	13,261	190	14.3	177	13.3
Cole	34,912	524	15.0	337	9.7
Outside city	10,644	176	16.5	96	9.0
Jefferson City*	24,268	348	14.3	241	9.9
Cooper	18,075	259	14.3	202	11.2
White	16,248	235	14.5	184	11.3
All other	1,827	24	13.1	18	9.9
Crawford	12,693	192	15.1	98	7.7
Dade	11,248	148	13.2	115	10.2
Dallas	11,523	200	17.4	104	9.0
Daviess	13,398	190	14.2	149	11.1
De Kalb	9,751	132	13.5	105	10.8
Dent	11,763	208	17.7	119	10.1
Douglas	15,600	327	21.0	141	9.0
Dunklin	44,957	1,042	23.2	421	9.4
Franklin	33,868	602	17.8	351	10.4
Gasconade	12,414	200	16.1	144	11.6
Gentry	13,359	164	12.3	169	12.7
Greene	90,541	1,588	17.5	938	10.4
Outside city	29,303	461	15.7	267	9.1
Springfield	61,238	1,127	18.4	671	11.0
Grundy	15,716	219	13.9	209	13.3
Harrison	16,525	275	16.6	182	11.0
Henry	22,313	370	16.6	252	11.3
Hickory	6,506	105	16.1	64	9.8
Holt	12,476	175	14.0	128	10.3
Howard	13,026	198	15.2	149	11.4
White	11,277	158	14.0	122	10.8
All other	1,749	40	22.9	27	15.4
Howell	22,270	453	20.3	223	10.0
Iron	10,440	213	20.4	124	11.9
MISSOURI—Continued					
Jackson	477,828	7,655	16.0	5,455	11.4
Outside cities*	62,584	624	10.0	518	8.3
Independence	16,066	554	34.5	243	15.1
Kansas City	399,178	6,477	16.2	4,694	11.8
White	357,346	5,839	16.3	3,944	11.0
All other	41,832	638	15.3	750	17.9
Jasper	78,705	1,512	19.2	1,051	13.4
Outside cities	31,905	613	19.2	440	13.8
Carthage	10,585	196	18.5	134	12.7
Joplin (part)	36,215	703	(4)	477	(4)
Joplin (total)	37,144	715	19.2	486	13.1
Jefferson	32,023	587	18.3	311	9.7
Johnson	21,617	295	13.6	307	14.2
Knox	8,878	125	14.1	97	10.9
Laclede	18,718	407	21.7	216	11.5
Lafayette	27,856	423	15.2	315	11.3
Lawrence	24,637	420	17.0	338	13.7
Lewis	11,490	196	17.1	149	13.0
Lincoln	14,395	196	13.6	160	11.1
Linn	21,416	328	15.3	279	13.0
Livingston	18,000	296	16.4	238	13.2
McDonald	15,749	301	19.1	126	8.0
Macon	21,396	287	13.4	266	12.4
Madison	9,656	208	21.5	102	10.6
Maries	8,638	161	18.6	93	10.8
Marion	31,576	465	14.7	344	10.9
Outside city	10,711	151	14.1	96	9.0
Hannibal	20,865	314	15.0	248	11.9
Mercer	8,766	131	14.9	87	9.9
Miller	14,798	289	19.5	136	9.2
Mississippi	23,149	619	26.7	251	10.8
White	16,504	495	30.0	159	9.5
All other	6,645	124	18.7	92	13.8
Moniteau	11,775	204	17.3	138	11.7
Monroe	13,195	193	14.6	157	11.9
Montgomery	12,442	189	15.2	161	12.9
Morgan	11,140	234	21.0	133	11.9
New Madrid	39,787	1,125	28.3	442	11.1
White	33,350	953	28.6	345	10.3
All other	6,437	172	26.7	97	15.1
Newton	29,039	615	21.2	282	9.7
Outside city	28,110	603	21.5	273	9.7
Joplin (part)	929	12	(4)	9	(4)
Nodaway	25,556	422	16.5	295	11.5
Oregon	13,390	235	17.6	95	7.1
Osage	12,375	224	18.1	112	9.1
Ozark	10,766	274	25.5	80	7.4
Pemiscot	46,857	1,094	23.3	446	9.5
White	37,111	914	24.6	327	8.8
All other	9,746	180	18.5	119	12.2
Perry	15,358	342	22.3	115	7.5
Pettis	33,336	512	15.4	429	12.9
Outside city	12,908	174	13.5	146	11.3
Sedalia	20,428	338	16.5	283	13.9
Phelps	17,437	384	22.0	262	15.0
Pike	18,327	301	16.4	282	15.4
White	16,354	266	16.3	241	14.7
All other	1,973	35	17.7	41	20.8
Platte	13,862	233	16.8	155	11.2
Polk	17,400	290	16.7	214	12.3
Pulaski	10,775	272	25.2	181	16.8
Putnam	11,327	193	17.0	139	12.3
Ralls	10,040	156	15.5	115	11.5
Randolph	24,458	348	14.2	313	12.8
Outside city	11,538	164	14.2	133	11.5
Moberly	12,920	184	14.2	180	13.9
Ray	18,584	312	16.8	218	11.7
Reynolds	9,370	184	19.6	72	7.7
Ripley	12,606	266	21.1	97	7.7
St. Charles	25,562	444	17.4	297	11.6
Outside city*	14,759	228	15.4	148	10.0
St. Charles	10,803	216	20.0	149	13.8
St. Clair	13,146	237	18.0	138	10.5
St. Francois*	35,950	701	19.5	447	12.4
St. Louis	274,230	4,910	17.9	2,548	9.3
Outside cities	171,935	3,258	18.9	1,643	9.6
Clayton	13,069	213	16.3	102	7.8
Kirkwood	12,132	273	22.5	141	11.6
Maplewood	12,875	205	15.9	121	9.4
Richmond Heights	12,802	256	20.0	92	7.2
University City	33,023	425	12.9	277	8.4
Webster Groves	18,394	280	15.2	172	9.4
St. Louis (city)	816,048	13,007	15.9	9,892	12.1
White	706,794	10,867	15.4	8,016	11.3
All other	109,254	2,140	19.6	1,876	17.2
Ste. Genevieve	10,905	254	23.3	110	10.1
Saline*	29,416	410	13.9	357	12.1
Schuyler	6,627	92	13.9	99	14.9
Scotland	8,557	112	13.1	92	10.8
Scott	30,577	713	23.5	290	9.5
Shannon	11,831	239	20.2	88	7.4
Shelby	11,224	156	13.9	157	14.0
Stoddard	33,009	750	22.7	362	11.0
Stone	11,298	233	20.6	87	7.7
Sullivan	13,701	226	16.5	135	9.9

[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSOURI—Continued					
Taney	10,323	198	19.2	93	9.0
Texas	19,813	432	21.8	198	10.0
Vernon *	25,586	361	14.1	492	19.2
Warren	7,734	118	15.3	90	11.6
Washington	17,492	361	20.6	157	9.0
Wayne	12,794	256	20.0	123	9.6
Webster	17,226	325	18.9	158	9.2
Worth	6,345	105	16.5	59	9.3
Wright	17,967	302	16.8	174	9.7
MONTANA (total)	559,456	11,545	20.6	5,673	10.1
Beaverhead	6,943	104	15.0	79	11.4
Big Horn	10,419	313	30.0	109	10.5
White	8,416	213	25.3	70	8.3
All other	2,003	100	49.9	39	19.5
Blaine	9,566	260	27.2	68	7.1
White	7,672	178	23.2	49	6.4
All other	1,894	82	43.3	19	10.0
Broadwater	3,451	69	20.0	18	5.2
Carbon	11,865	231	19.5	100	8.4
Carter	3,280	48	14.6	24	7.3
Cascade	41,999	870	20.7	435	10.4
Outside city	12,071	236	19.6	114	9.4
Great Falls	29,928	634	21.2	321	10.7
Chouteau	7,316	114	15.6	57	7.8
Custer	10,422	207	19.9	101	9.7
Daniels	4,563	112	24.5	39	8.5
Dawson	8,618	166	19.3	68	7.9
Deer Lodge *	15,627	327	24.0	333	24.4
Outside city *	2,623	42	16.0	189	72.1
Anaconda	11,004	285	25.9	144	13.1
Fallon	3,719	63	16.9	32	8.6
Fergus	14,040	258	18.4	142	10.1
Flathead *	24,271	446	18.4	238	9.8
Gallatin	18,269	326	17.8	160	8.8
Garfield	2,641	53	20.1	24	9.1
Glacier	9,034	280	31.0	123	13.6
White	5,453	133	24.4	66	12.1
All other	3,581	147	41.0	57	15.9
Golden Valley	1,607	21	13.1	20	12.4
Granite *	3,401	66	19.4	49	14.4
Hill	13,304	276	20.7	126	9.5
Jefferson	4,664	83	17.8	40	8.6
Judith Basin	3,655	53	14.5	34	9.3
Lake	13,490	273	20.2	148	11.0
White	11,747	207	17.6	93	7.9
All other	1,743	66	37.9	55	31.6
Lewis and Clark	22,151	409	18.5	277	12.5
Outside city	7,075	110	15.5	83	11.7
Helena	15,056	299	19.9	194	12.9
Liberty	2,209	40	18.1	10	4.5
Lincoln	7,882	180	22.8	62	7.9
McCone	3,798	57	15.0	22	5.8
Madison	7,294	121	16.6	76	10.4
Meagher *	2,237	39	17.4	26	11.6
Mineral	2,135	42	19.7	25	11.7
Missoula	29,038	640	22.0	272	9.4
Outside city	10,589	159	15.0	57	5.4
Missoula	18,449	481	26.1	215	11.7
Musselshell	5,717	99	17.3	61	10.7
Park	11,566	212	18.3	114	9.9
Petroleum	1,083	16	14.8	9	8.3
Phillips	7,892	158	20.0	56	7.1
Pondera	6,716	188	28.0	72	10.7
Powder River	3,159	67	21.2	23	7.3
Powell	6,152	97	15.8	54	8.8
Prairie	2,410	57	23.7	28	11.6
Ravalli	12,978	250	19.3	127	9.8
Richland	10,209	275	26.9	83	8.1
Roosevelt	9,806	253	25.8	84	8.6
White	7,524	172	22.9	58	7.7
All other	2,282	81	35.5	26	11.4
Rosebud	6,477	134	20.7	78	12.0
White	5,314	87	16.4	43	8.1
All other	1,163	47	40.4	35	30.1
Sanders	6,926	108	15.6	49	7.1
Sheridan	7,814	129	16.5	47	6.0
Silver Bow	53,207	1,038	19.5	735	13.8
Outside city	16,126	117	7.3	97	6.0
Butte	37,081	919	24.8	638	17.2
Stillwater	5,694	110	19.3	57	10.0
Sweet Grass	3,719	75	20.2	33	8.9
Teton	6,922	142	20.5	62	9.0
Toole	6,769	157	23.2	46	6.8
Treasure	1,499	45	30.0	11	7.3
Valley	15,181	274	18.0	76	5.0
Wheatland	3,286	64	19.5	33	10.0
Wibaux	2,161	37	17.1	21	9.7
Yellowstone	41,182	1,015	24.6	377	9.2
Outside city	17,921	323	18.0	116	6.5
Billings	23,261	692	29.7	261	11.2
Yellowstone National Park (part)	43	-	(4)	-	(4)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEBRASKA (total)	1,315,834	21,963	16.7	12,330	9.4
Adams *	24,576	363	14.8	335	13.6
Outside city *	9,431	111	11.8	174	18.4
Hastings	15,145	252	16.6	161	10.6
Antelope	13,289	225	16.9	126	9.5
Arthur	1,045	24	23.0	8	7.7
Banner	1,403	16	11.4	11	7.8
Blaine	1,538	25	16.3	15	9.8
Boone	12,127	204	16.8	92	7.6
Box Butte	10,736	214	19.9	77	7.2
Boyd	6,060	114	18.8	54	8.9
Brown	5,962	118	19.8	54	9.1
Buffalo	23,655	366	15.5	228	9.6
Burt	12,546	219	17.5	100	8.0
Butler	13,106	191	14.6	118	9.0
Cass	16,992	242	14.2	177	10.4
Cedar	15,126	280	18.5	102	6.7
Chase	5,310	115	21.7	43	8.1
Cherry	9,637	210	21.8	69	7.2
Cheyenne	9,505	171	18.0	78	8.2
Clay	10,445	109	10.4	138	13.2
Colfax	10,627	167	15.7	84	7.9
Cuming	13,562	230	17.0	119	8.8
Custer	22,591	389	17.2	189	8.4
Dakota	9,836	200	20.3	109	11.1
Dawes	10,128	176	17.4	94	9.3
Dawson	17,890	323	18.1	165	9.2
Deuel	3,580	63	17.6	27	7.5
Dixon	10,413	201	19.3	88	8.5
Dodge	23,799	407	17.1	250	10.5
Outside city	11,937	191	16.0	103	8.6
Fremont	11,862	216	18.2	147	12.4
Douglas	247,562	4,311	17.4	2,492	10.1
Outside city *	23,718	152	6.4	138	5.8
Omaha	223,844	4,159	18.6	2,354	10.5
White	211,640	3,988	18.8	2,176	10.3
All other	12,204	171	14.0	178	14.6
Dundy	5,122	92	18.0	47	9.2
Fillmore	11,417	136	11.9	103	9.0
Franklin	7,740	113	14.6	71	9.2
Frontier	6,417	119	18.5	59	9.2
Furnas	10,098	137	13.6	92	9.1
Gage *	29,588	466	15.7	313	10.6
Outside city *	18,705	263	14.1	198	10.6
Beatrice	10,883	203	18.7	115	10.6
Garden	4,680	76	16.2	33	7.1
Garfield	3,444	67	19.5	32	9.3
Gosper	3,687	39	10.6	29	7.9
Grant	1,327	36	27.1	8	6.0
Greeley	6,845	113	16.5	65	9.5
Hall	27,523	481	17.5	252	9.2
Outside city	8,393	132	15.7	76	9.1
Grand Island	19,130	349	18.2	176	9.2
Hamilton	9,982	122	12.2	92	9.2
Harlan	7,130	98	13.5	69	9.7
Hayes	2,958	41	13.9	26	8.8
Hitchcock	6,404	130	20.3	51	8.0
Holt	16,552	319	19.3	145	8.8
Hooker	1,253	34	27.1	9	7.2
Howard	8,422	126	15.0	81	9.6
Jefferson	15,532	282	18.2	129	8.3
Johnson	8,662	161	18.6	85	9.8
Kearney	6,854	86	12.5	78	11.4
Keith	8,333	187	22.4	58	7.0
Keya Paha	3,235	48	14.8	13	4.0
Kimball	3,913	70	17.9	23	5.9
Knox	16,478	316	19.2	136	8.3
Lancaster	100,585	1,333	13.3	1,021	10.2
Outside city *	18,601	200	10.8	217	11.7
Lincoln	81,984	1,133	13.8	804	9.8
Lincoln	25,425	456	17.9	213	8.4
Outside city	12,996	200	15.4	77	5.9
North Platte	12,429	256	20.6	136	10.9
Logan	1,742	32	18.4	18	10.3
Loup	1,777	36	20.3	15	8.4
McPherson	1,175	19	16.2	10	8.5
Madison *	24,269	392	16.2	303	12.5
Outside city *	13,779	189	13.7	190	13.8
Norfolk	10,490	203	19.4	113	10.8
Merrick	9,354	162	17.3	88	9.4
Morrill	9,436	181	19.2	59	6.3
Nance	7,653	105	13.7	76	9.9
Nemaha	12,781	219	17.1	126	9.9
Nuckolls	10,446	162	15.5	91	8.7
Otoe	18,994	271	14.3	158	8.3
Pawnee	8,514	131	15.4	87	10.2
Perkins	5,197	108	20.8	36	6.9
Phelps	8,452	113	13.4	89	10.5
Pierce	10,211	199	19.5	70	6.9
Platte	20,191	340	16.8	143	7.1
Polk	8,748	135	15.4	69	7.9
Red Willow	11,951	207	17.3	107	9.0

[4] Rate not computed for part of an area.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEBRASKA—Continued					
Richardson	19,178	361	18.8	201	10.5
Rock	3,977	75	18.9	20	5.0
Saline	15,010	189	12.6	161	10.7
Sarpy	10,835	120	11.1	74	6.8
Saunders	17,892	248	13.9	172	9.6
Scotts Bluff	33,917	790	23.3	285	8.4
Outside city	21,860	525	24.0	177	8.1
Scottsbluff	12,057	265	22.0	108	9.0
Seward	14,167	191	13.5	149	10.5
Sheridan	9,869	193	19.6	88	8.9
Sherman	7,764	144	18.5	55	7.1
Sioux	4,001	42	10.5	28	7.0
Stanton	6,887	114	16.6	49	7.1
Thayer	12,262	183	14.9	106	8.6
Thomas	1,553	30	19.3	15	9.7
Thurston	10,243	248	24.2	86	8.4
White	8,078	170	21.0	54	6.7
All other	2,165	78	36.0	32	14.8
Valley	8,163	133	16.3	70	8.6
Washington	11,578	196	16.9	115	9.9
Wayne	9,880	172	17.4	74	7.5
Webster	8,071	126	15.6	99	12.3
Wheeler	2,170	34	15.7	11	5.1
York	14,874	207	13.9	152	10.2
NEVADA (total)	110,247	2,200	20.0	1,368	12.4
Churchill	5,317	116	21.8	81	15.2
Clark	16,414	379	23.1	188	11.5
Douglas	2,056	32	15.6	33	16.1
White	1,791	26	14.5	31	17.3
All other	265	6	22.6	2	7.5
Elko	10,912	217	19.9	128	11.7
White	9,776	190	19.4	104	10.6
All other	1,136	27	23.8	24	21.1
Esmeralda*	1,554	28	16.0	22	14.2
Eureka	1,361	5	3.7	13	9.6
Humboldt	4,743	116	24.5	58	12.2
Lander	1,745	29	16.6	28	16.0
White	1,510	22	14.6	28	18.5
All other	235	7	29.8	–	0
Lincoln	4,130	118	28.6	35	8.5
Lyon	4,076	68	16.7	51	12.5
Mineral	2,342	65	27.8	23	9.8
White	1,916	51	26.6	20	10.4
All other	426	14	32.9	3	7.0
Nye	3,606	58	16.1	70	19.4
White	3,210	49	15.3	60	18.7
All other	396	9	22.7	10	25.3
Ormsby	3,209	46	14.3	34	10.6
Pershing	2,713	50	18.4	44	16.2
Storey	1,216	23	18.9	16	13.2
Washoe	32,476	566	17.4	432	13.3
Outside city*	11,159	170	15.2	134	12.0
Reno	21,317	396	18.6	298	14.0
White Pine	12,377	284	22.9	112	9.0
NEW HAMPSHIRE (total)	491,524	8,582	17.5	6,073	12.4
Belknap	24,328	433	17.8	327	13.4
Outside city	10,844	174	16.0	165	15.2
Laconia	13,484	259	19.2	162	12.0
Carroll	15,589	250	16.0	244	15.7
Cheshire	34,953	652	18.7	454	13.0
Outside city*	21,121	393	18.6	282	13.4
Keene	13,832	259	18.7	172	12.4
Coos	39,274	719	18.3	393	10.0
Outside city*	20,190	385	19.1	244	12.1
Berlin	19,084	334	17.5	149	7.8
Grafton	44,645	818	18.3	517	11.6
Hillsborough	144,868	2,460	17.0	1,738	12.0
Outside cities	34,276	589	17.2	449	13.1
Manchester	77,685	1,323	17.0	932	12.0
Nashua	32,927	548	16.6	357	10.8
Merrimack*	60,710	915	15.1	940	15.5
Outside city	33,539	519	15.5	421	12.6
Concord*	27,171	396	14.6	519	19.1
Rockingham	58,142	1,059	18.2	743	12.8
Outside city	43,321	745	17.2	563	13.0
Portsmouth	14,821	314	21.2	180	12.1
Strafford	43,553	747	17.2	475	10.9
Outside cities	16,551	320	19.3	178	10.8
Dover	14,990	239	15.9	174	11.6
Rochester	12,012	188	15.7	123	10.2
Sullivan	25,442	529	20.8	242	9.5
Outside city	13,298	265	19.9	145	10.9
Claremont (town)	12,144	264	21.7	97	8.0
NEW JERSEY (total)	4,160,165	67,197	16.2	45,966	11.0
Atlantic	124,066	1,656	13.3	1,765	14.2
Outside cities*	48,922	687	14.0	687	14.0
Atlantic City	64,094	789	12.3	916	14.3
White	48,347	527	10.9	639	13.2
All other	15,747	262	16.6	277	17.6
Pleasantville	11,050	160	16.3	162	14.7
White	9,152	131	14.3	120	13.1
All other	1,898	49	25.8	42	22.1
Bergen	409,646	6,643	16.2	3,818	9.3
Outside cities	213,218	3,571	16.7	2,076	9.7
Bergenfield	10,275	169	16.4	85	8.3
Cliffside Park	16,892	274	16.2	129	7.6
Englewood	18,966	302	15.9	191	10.1
White	15,939	232	14.6	158	9.9
All other	3,027	70	23.1	33	10.9
Garfield	28,044	511	18.2	204	7.3
Hackensack	26,279	416	15.8	247	9.4
White	23,138	324	14.0	218	9.4
All other	3,141	92	29.3	29	9.2
Lodi	11,552	202	17.5	80	6.9
Lyndhurst (twp.)[2]	17,454	289	16.6	172	9.9
Ridgefield Park	11,277	172	15.3	115	10.2
Ridgewood	14,948	150	10.0	158	10.6
Rutherford	15,466	169	10.9	187	12.1
Teaneck (twp.)[2]	25,275	418	16.5	174	6.9
Burlington*	97,013	1,694	17.5	1,204	12.4
Outside city*	86,108	1,450	16.8	1,101	12.8
Burlington	10,905	244	22.4	103	9.4
White	9,542	211	22.1	92	9.6
All other	1,363	33	24.2	11	8.1
Camden	255,727	4,547	17.8	2,947	11.5
Outside cities	94,069	1,790	19.0	1,127	12.0
Camden	117,536	2,090	17.8	1,317	11.2
White	104,995	1,774	16.9	1,116	10.6
All other	12,541	316	25.2	201	16.0
Collingswood	12,685	212	16.7	149	11.7
Gloucester	13,692	240	17.5	188	13.7
Pennsauken (twp.)[2]	17,745	215	12.1	166	9.4
Cape May	28,919	344	11.9	453	15.7
Cumberland	73,184	1,234	16.9	979	13.4
Outside cities*	42,386	691	16.3	565	13.3
Bridgeton	15,992	307	19.2	230	14.4
White	14,383	254	17.7	198	13.8
All other	1,609	53	32.9	32	19.9
Millville	14,806	236	15.9	184	12.4
Essex	837,340	13,173	15.7	8,857	10.6
Outside cities*	41,844	714	17.1	632	15.1
Belleville	28,167	504	17.9	226	8.0
Bloomfield	41,623	638	15.3	384	9.2
East Orange	68,945	1,002	14.5	757	11.0
Irvington	55,328	877	15.9	487	8.8
Maplewood (twp.)[2]	23,139	238	10.3	204	8.8
Millburn (twp.)[2]	11,652	154	13.2	76	6.5
Montclair	39,807	542	13.6	454	11.4
White	32,998	425	12.9	368	11.2
All other	6,809	117	17.2	86	12.6
Newark	429,760	7,074	16.5	4,720	11.0
White	383,534	5,974	15.6	4,040	10.5
All other	46,226	1,100	23.8	680	14.7
Nutley	21,954	349	15.9	184	8.4
Orange	35,717	577	16.2	374	10.5
White	30,065	482	16.0	307	10.2
All other	5,652	95	16.8	67	11.9
South Orange	13,742	145	10.6	148	10.8
West Orange	25,662	359	14.0	211	8.2
Gloucester	72,219	1,343	18.6	885	12.3
Hudson	652,040	10,074	15.4	6,923	10.6
Outside cities*	18,227	226	12.4	406	22.3
Bayonne	79,198	1,185	15.0	666	8.4
Harrison	14,171	256	18.1	166	11.7
Hoboken	50,115	759	15.1	628	12.5
Jersey City	301,173	4,888	16.2	3,289	10.9
White	287,598	4,547	15.8	3,089	10.7
All other	13,575	341	25.1	200	14.7
Kearny	39,467	641	16.2	333	8.4
North Bergen (twp.)[2]	39,714	596	15.0	368	9.3
Union City	56,173	816	14.5	596	10.6
Weehawken (twp.)[2]	14,363	166	11.6	164	11.4
West New York	39,439	541	13.7	307	7.8
Hunterdon	36,766	505	13.7	455	12.4
Mercer*	197,318	3,280	16.6	2,424	12.3
Outside city	72,621	1,345	18.5	802	11.0
Trenton*	124,697	1,935	15.5	1,622	13.0
Middlesex	217,077	3,602	16.6	2,022	9.3
Outside cities	92,774	1,503	16.2	872	9.4
Carteret	11,976	207	17.3	109	9.1
New Brunswick	33,180	549	16.5	374	11.3
Perth Amboy	41,242	688	16.7	374	9.1
South River	10,714	180	16.8	86	8.2
Woodbridge (twp.)[2]	27,191	475	17.5	227	8.3

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW JERSEY—Continued					
Monmouth *	161,238	2,420	15.0	2,316	14.4
Outside cities *	108,032	1,581	14.6	1,552	14.4
Asbury Park	14,617	210	14.4	220	15.1
White	11,091	142	12.8	152	13.7
All other	3,526	68	19.3	68	19.3
Long Branch	17,408	297	17.1	224	12.9
Neptune (twp.) [2] *	10,207	151	14.8	174	17.0
White	8,602	121	14.1	146	17.0
All other	1,605	30	18.7	28	17.4
Red Bank	10,974	181	16.5	146	13.3
White	9,387	154	16.4	125	13.3
All other	1,587	27	17.0	21	13.2
Morris *	125,732	1,992	15.8	1,861	14.8
Outside cities *	99,971	1,578	15.8	1,534	15.3
Dover	10,491	184	17.5	125	11.9
Morristown	15,270	230	15.1	202	13.2
Ocean	37,706	528	14.0	529	14.0
Passaic	309,353	4,722	15.3	3,166	10.2
Outside cities	46,866	822	17.5	462	9.9
Clifton	48,827	787	16.1	388	7.9
Hawthorne	12,610	174	13.8	126	10.0
Passaic	61,394	831	13.5	585	9.5
Paterson	139,656	2,108	15.1	1,605	11.5
Salem	42,274	948	22.4	481	11.4
White	37,251	819	22.0	406	10.9
All other	5,023	129	25.7	75	14.9
Somerset *	74,390	1,294	17.4	867	11.7
Outside city *	63,804	1,160	18.2	745	11.7
North Plainfield	10,586	134	12.7	122	11.5
Sussex	29,632	608	20.5	332	11.2
Union	328,344	5,784	17.6	3,074	9.4
Outside cities	34,984	627	17.9	299	8.5
Cranford (twp.) [2]	12,860	235	18.3	120	9.3
Elizabeth	109,912	1,947	17.7	1,057	9.6
Hillside (twp.) [2]	18,556	273	14.7	152	8.2
Linden	24,115	527	21.9	173	7.2
Plainfield	37,469	686	18.3	414	11.0
White	32,880	587	17.9	356	10.8
All other	4,589	99	21.6	58	12.6
Rahway	17,498	248	14.2	188	10.7
Roselle	13,597	245	18.0	137	10.1
White	11,911	200	16.8	110	9.2
All other	1,686	45	26.7	27	16.0
Summit	16,165	262	16.2	161	10.0
Union (twp.) [2]	24,730	462	18.7	201	8.1
Westfield	18,458	272	14.7	172	9.3
Warren	50,181	806	16.1	608	12.1
Outside city	31,867	522	16.4	403	12.6
Phillipsburg	18,314	284	15.5	205	11.2
NEW MEXICO (total)	531,818	14,738	27.7	5,639	10.6
Bernalillo	69,391	1,971	28.4	822	11.8
Outside city	33,942	963	28.4	406	12.0
Albuquerque	35,449	1,008	28.4	416	11.7
Catron	4,881	124	25.4	42	8.6
Chaves	23,980	582	24.3	201	8.4
Outside city	10,498	214	20.4	46	4.4
Roswell	13,482	368	27.3	155	11.5
Colfax	18,718	464	24.8	189	10.1
Curry	18,159	392	21.6	141	7.8
Outside city	8,094	109	13.5	27	3.3
Clovis	10,065	283	28.1	114	11.3
De Baca	3,725	90	24.2	46	12.3
Dona Ana	30,411	935	30.7	320	10.5
Eddy	24,311	795	32.7	275	11.3
Grant	20,050	566	28.2	212	10.6
Guadalupe	8,646	274	31.7	91	10.5
Harding	4,374	113	25.8	47	10.7
Hidalgo	4,821	125	25.9	56	11.6
Lea	21,154	422	19.9	71	3.4
Outside city	10,535	200	19.0	36	3.4
Hobbs	10,619	222	20.9	35	3.3
Lincoln	8,557	256	29.9	88	10.3
Luna	6,457	177	27.4	104	16.1
McKinley	23,641	416	17.6	229	9.7
White	11,227	355	31.6	118	10.5
All other	12,414	61	4.9	111	8.9
Mora	10,981	374	34.1	142	12.9
Otero	10,522	287	27.3	109	10.4
Quay	12,111	324	26.8	107	8.8
Rio Arriba	25,352	895	35.3	261	10.3
Roosevelt	14,549	322	22.1	103	7.1
Sandoval	13,898	461	33.2	238	17.1
White	9,859	359	36.4	152	15.4
All other	4,039	102	25.3	86	21.3
San Juan	17,115	164	9.6	72	4.2
White	8,649	153	17.7	65	7.5
All other	8,466	11	1.3	7	0.8
San Miguel *	27,810	958	34.5	420	15.0
Santa Fe	30,826	906	29.4	329	10.7
Outside city	10,501	284	27.0	93	8.9
Santa Fe	20,325	622	30.6	236	11.6

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW MEXICO—Continued					
Sierra	6,962	137	19.7	63	9.0
Socorro	11,422	376	32.9	171	15.0
Taos	18,528	673	36.3	188	10.1
Torrance	11,026	369	33.5	112	10.2
Union	9,095	188	20.7	85	9.3
Valencia	20,245	602	29.7	305	15.1
White	16,441	509	31.0	255	15.5
All other	3,804	93	24.4	50	13.1
NEW YORK (total)	13,479,142	210,303	15.6	148,030	11.0
Albany	221,315	3,345	15.1	2,638	11.9
Outside cities	52,669	778	14.8	574	10.9
Albany	130,577	1,920	14.7	1,617	12.4
Cohoes	21,955	338	15.4	277	12.6
Watervliet	16,114	309	19.2	170	10.5
Allegany	39,681	840	21.2	514	13.0
Broome *	165,749	2,873	17.3	1,790	10.8
Outside cities	51,899	924	17.9	495	9.6
Binghamton *	78,309	1,273	16.3	1,017	13.0
Endicott	17,702	380	21.5	131	7.4
Johnson City	18,039	296	16.4	147	8.1
Cattaraugus	72,652	1,291	17.8	904	12.4
Outside city	51,146	858	16.8	673	13.2
Olean	21,506	433	20.1	229	10.6
Cayuga	65,508	991	15.1	837	12.8
Outside city	29,755	491	16.5	409	13.7
Auburn	35,753	500	14.0	428	12.0
Chautauqua	123,580	2,000	16.2	1,430	11.6
Outside cities	63,229	976	15.4	766	12.1
Dunkirk	17,713	310	17.5	206	11.6
Jamestown	42,638	714	16.7	458	10.7
Chemung	73,718	1,290	17.5	852	11.6
Outside city*	28,612	542	18.9	300	10.5
Elmira	45,106	748	16.6	552	12.2
Chenango *	36,454	651	17.9	479	13.1
Clinton *	54,006	1,091	20.2	622	11.5
Outside city*	37,655	817	21.7	466	12.4
Plattsburgh	16,351	274	16.8	156	9.5
Columbia	41,464	601	14.5	579	14.0
Outside city	29,947	423	14.1	399	13.3
Hudson *	11,517	178	15.5	180	15.6
Cortland	33,668	662	19.7	411	12.2
Outside city	17,787	376	21.1	219	12.3
Cortland	15,881	286	18.0	192	12.1
Delaware	40,989	807	19.7	511	12.5
Dutchess *	120,542	1,688	14.0	2,009	16.7
Outside cities *	67,492	766	11.3	1,336	19.8
Beacon *	12,572	205	16.3	174	13.8
Poughkeepsie	40,478	717	17.7	499	12.3
Erie	798,377	14,341	18.0	8,950	11.2
Outside cities *	166,798	3,282	19.7	2,005	12.0
Buffalo	575,901	9,885	17.2	6,455	11.2
White	557,618	9,481	17.0	6,196	11.1
All other	18,283	404	22.1	259	14.2
Kenmore	18,612	282	15.2	142	7.6
Lackawanna	24,058	637	26.5	245	10.2
Tonawanda	13,008	255	19.6	103	7.9
Essex	34,178	662	19.4	459	13.4
Franklin	44,286	876	19.8	533	12.0
Fulton	48,597	733	15.1	656	13.5
Outside cities	14,602	270	18.5	183	12.5
Gloversville	23,329	319	13.7	309	13.2
Johnstown	10,666	144	13.5	164	15.4
Genesee	44,481	805	18.1	539	12.1
Outside city	27,214	512	18.8	338	12.4
Batavia	17,267	293	17.0	201	11.6
Greene	27,926	406	14.5	385	13.8
Hamilton	4,188	56	13.4	62	14.8
Herkimer	59,527	938	15.8	706	11.9
Outside city	49,364	792	16.0	601	12.2
Little Falls	10,163	146	14.4	105	10.3
Jefferson	84,003	1,622	19.3	1,141	13.6
Outside city	50,618	953	18.8	707	14.0
Watertown	33,385	669	20.0	434	13.0
Lewis	22,815	442	19.4	253	11.1
Livingston *	38,510	551	14.3	582	15.1
Madison	39,598	765	19.3	564	14.2
Outside city	29,307	557	19.0	425	14.5
Oneida	10,291	208	20.2	139	13.5
Monroe *	438,230	6,514	14.9	4,881	11.1
Outside cities *	89,879	1,535	17.1	1,286	14.3
Irondequoit (town)	23,376	452	19.3	166	7.1
Rochester	324,875	4,527	13.9	3,429	10.6
Montgomery	59,142	826	14.0	655	11.1
Outside city	25,813	387	15.0	328	12.7
Amsterdam	33,329	439	13.2	327	9.8
Nassau	406,748	6,536	16.1	3,553	8.7
Outside cities	268,981	4,372	16.3	2,268	8.4
Floral Park	12,950	163	12.6	122	9.4
Freeport	20,410	325	15.9	197	9.7
Garden City	11,223	156	13.9	94	8.4

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK—Continued					
Nassau—Continued					
Glen Cove	12,415	199	16.0	119	9.6
Hempstead	20,856	407	19.5	228	10.9
Lynbrook	14,557	219	15.0	152	10.4
Mineola	10,064	158	15.7	81	8.0
Rockville Centre	18,613	242	13.0	170	9.1
Valley Stream	16,679	295	17.7	122	7.3
New York City[5]	7,454,995	111,603	15.0	75,035	10.1
White	6,977,501	102,928	14.8	69,139	9.9
All other	477,494	8,675	18.2	5,896	12.3
Niagara	160,110	3,338	20.6	1,721	10.7
Outside cities*	37,448	880	23.5	483	12.9
Lockport	24,379	433	17.8	324	13.3
Niagara Falls	78,029	1,606	20.6	739	9.5
North Tonawanda	20,254	419	20.7	175	8.6
Oneida*	203,636	3,361	16.5	3,037	14.9
Outside cities*	68,904	1,136	16.5	1,171	17.0
Rome*	34,214	691	20.2	391	11.4
Utica*	100,518	1,534	15.3	1,475	14.7
Onondaga	295,108	5,059	17.1	3,367	11.4
Outside city	89,141	1,626	18.2	1,033	11.6
Syracuse	205,967	3,433	16.7	2,334	11.3
Ontario	55,307	786	14.2	682	12.3
Outside city*	39,752	539	13.6	522	13.1
Geneva	15,555	247	15.9	160	10.3
Orange*	140,113	2,002	14.3	1,893	13.5
Outside cities	86,322	1,280	14.8	990	11.5
Middletown*	21,908	258	11.8	467	21.3
Newburgh	31,883	464	14.6	436	13.7
Orleans	27,760	420	15.1	405	14.6
Oswego	71,275	1,372	19.2	906	12.7
Outside cities	35,851	685	19.1	463	12.9
Fulton	13,362	284	21.3	152	11.4
Oswego	22,062	403	18.3	291	13.2
Otsego	46,082	755	16.4	672	14.6
Outside city	34,351	566	16.5	516	15.0
Oneonta	11,731	189	16.1	156	13.3
Putnam	16,555	278	16.8	191	11.5
Rensselaer	121,834	1,808	14.8	1,741	14.3
Outside cities	40,762	638	15.7	519	12.7
Rensselaer	10,768	166	15.4	142	13.2
Troy	70,304	1,004	14.3	1,080	15.4
Rockland*	74,261	994	13.4	1,238	16.7
St. Lawrence*	91,098	1,864	20.5	1,311	14.4
Outside cities	63,424	1,285	20.3	866	13.7
Massena	11,328	289	25.5	90	7.9
Ogdensburg*	16,346	290	17.7	355	21.7
Saratoga	65,606	1,101	16.8	855	13.0
Outside city	51,901	889	17.1	653	12.6
Saratoga Springs	13,705	212	15.5	202	14.7
Schenectady	122,494	1,958	16.0	1,383	11.3
Outside city*	34,945	523	15.0	350	10.0
Schenectady	87,549	1,435	16.4	1,033	11.8
Schoharie	20,812	346	16.6	280	13.5
Schuyler	12,979	257	19.8	195	15.0
Seneca*	25,732	440	17.1	503	19.5
Steuben	84,927	1,557	18.3	1,096	12.9
Outside cities	53,066	1,002	18.9	711	13.4
Corning	16,212	305	18.8	183	11.3
Hornell	15,649	250	16.0	202	12.9
Suffolk*	197,355	2,783	14.1	3,679	18.6
Sullivan	37,901	569	15.0	484	12.8
Tioga	27,072	481	17.8	368	13.6
Tompkins	42,340	855	20.2	498	11.8
Outside city	22,610	504	22.3	262	11.6
Ithaca	19,730	351	17.8	236	12.0
Ulster	87,017	1,182	13.6	1,177	13.5
Outside city	58,428	773	13.2	758	13.0
Kingston	28,589	409	14.3	419	14.7
Warren	36,035	650	18.0	451	12.5
Outside city	17,199	308	17.9	207	12.0
Glens Falls	18,836	342	18.2	244	13.0
Washington	46,726	785	18.8	613	13.1
Wayne*	52,747	756	14.3	689	13.1
Westchester	573,558	8,005	14.0	5,410	9.4
Outside cities*	182,483	2,576	14.1	1,795	9.8
Mamaroneck	13,034	211	16.2	115	8.8
Mount Vernon	67,362	928	13.8	631	9.4
New Rochelle	58,408	716	12.3	533	9.1
White	52,107	641	12.3	473	9.1
All other	6,301	75	11.9	60	9.5
Ossining*	15,996	183	11.4	168	10.5
White	14,312	169	11.8	147	10.3
All other	1,684	14	8.3	21	12.5
Peekskill	17,311	240	13.9	177	10.2
Port Chester	23,073	386	16.7	200	8.7
Scarsdale	12,966	190	14.7	102	7.9
White Plains	40,327	613	15.2	387	9.6
Yonkers	142,598	1,962	13.8	1,302	9.1
Wyoming	31,394	462	14.7	402	12.8
Yates	16,381	273	16.7	253	15.4

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA (total)	3,571,623	84,595	23.7	31,752	8.9
Alamance	57,427	1,340	23.3	436	7.6
Outside city	45,229	1,022	22.6	337	7.5
White	35,548	762	21.6	226	6.4
All other	9,881	260	26.3	111	11.2
Burlington	12,198	318	26.1	99	8.1
Alexander	13,454	345	25.6	112	8.3
Alleghany	8,341	147	17.6	69	8.3
Anson	28,443	745	26.2	265	9.3
White	14,516	328	22.6	132	9.1
All other	13,927	417	29.9	133	9.5
Ashe	22,664	481	21.2	183	8.1
Avery	13,561	437	32.2	107	7.9
Beaufort	36,431	886	24.3	459	12.6
White	22,631	498	22.0	249	11.0
All other	13,800	388	28.1	210	15.2
Bertie	26,201	704	26.9	247	9.4
White	11,324	226	20.0	89	7.9
All other	14,877	478	32.1	158	10.6
Bladen	27,156	815	30.0	278	10.2
White	15,981	427	26.7	146	9.1
All other	11,175	388	34.7	132	11.8
Brunswick	17,125	383	22.4	176	10.3
White	11,326	210	18.5	94	8.3
All other	5,799	173	29.8	82	14.1
Buncombe	108,755	2,203	20.3	1,054	9.7
Outside city	57,445	1,279	22.3	523	9.1
Asheville	51,310	924	18.0	531	10.3
White	37,873	724	19.1	351	9.3
All other	13,437	200	14.9	180	13.4
Burke*	38,615	948	24.6	428	11.1
Cabarrus	59,393	1,413	23.8	420	7.1
Outside city	43,821	1,118	25.5	289	6.6
White	37,142	940	25.3	226	6.1
All other	6,679	178	26.7	63	9.4
Concord	15,572	295	18.9	131	8.4
White	12,450	229	18.4	98	7.9
All other	3,122	66	21.1	33	10.6
Caldwell	35,795	1,095	30.6	290	8.1
Camden	5,440	85	15.6	50	9.2
White	3,195	41	12.8	29	9.1
All other	2,245	44	19.6	21	9.4
Carteret	18,284	395	21.6	191	10.4
White	15,581	311	20.0	155	9.9
All other	2,703	84	31.1	36	13.3
Caswell	20,032	497	24.8	141	7.0
White	10,918	208	19.1	68	6.2
All other	9,114	289	31.7	73	8.0
Catawba	51,653	1,234	23.9	356	6.9
Outside city	38,166	916	24.0	244	6.4
Hickory	13,487	318	23.6	112	8.3
White	11,389	263	23.1	82	7.2
All other	2,098	55	26.2	30	14.3
Chatham	24,726	486	19.7	209	8.5
White	16,813	282	16.8	121	7.2
All other	7,913	204	25.8	88	11.1
Cherokee	18,813	577	30.7	147	7.8
Chowan	11,572	297	25.7	104	9.0
White	6,139	145	23.6	45	7.3
All other	5,433	152	28.0	59	10.9
Clay	6,405	173	27.0	37	5.8
Cleveland	58,055	1,293	22.3	382	6.6
Outside city	44,018	912	20.7	280	6.4
White	34,321	636	18.5	221	6.4
All other	9,697	276	28.5	59	6.1
Shelby	14,037	381	27.1	102	7.3
White	10,887	301	27.6	81	7.4
All other	3,150	80	25.4	21	6.7
Columbus	45,663	1,329	29.1	427	9.4
White	30,988	826	26.7	229	7.4
All other	14,675	503	34.3	198	13.5
Craven	31,298	718	22.9	396	12.7
Outside city	19,483	486	24.9	229	11.8
White	11,289	235	20.8	102	9.0
All other	8,194	251	30.6	127	15.5
New Bern	11,815	232	19.6	167	14.1
White	5,976	106	17.7	63	10.5
All other	5,839	126	21.6	104	17.8
Cumberland	59,320	1,610	27.1	637	10.7
Outside city	41,892	1,042	24.9	387	9.2
White	28,427	651	22.9	238	8.4
All other	13,465	391	29.0	149	11.1
Fayetteville	17,428	568	32.6	250	14.3
White	10,456	409	39.1	138	13.2
All other	6,972	159	22.8	112	16.1
Currituck	6,709	105	15.7	75	11.2
White	4,371	66	15.1	49	11.2
All other	2,338	39	16.7	26	11.1
Dare	6,041	91	15.1	51	8.4

[5] Data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA—Contd.					
Davidson	53,377	1,227	23.0	430	8.1
Outside cities	31,786	713	22.4	260	8.2
Lexington	10,550	235	22.3	82	7.8
White	8,866	197	22.2	68	7.7
All other	1,684	38	22.6	14	8.3
Thomasville	11,041	279	25.3	88	8.0
White	9,114	235	25.8	66	7.2
All other	1,927	44	22.8	22	11.4
Davie	14,909	327	21.9	124	8.3
White	12,730	271	21.3	97	7.6
All other	2,179	56	25.7	27	12.4
Duplin	39,739	1,036	26.1	400	10.1
White	25,572	624	24.4	251	9.8
All other	14,167	412	29.1	149	10.5
Durham	80,244	1,641	20.5	789	9.8
Outside city	20,049	452	22.5	176	8.8
White	14,868	301	20.2	114	7.7
All other	5,181	151	29.1	62	12.0
Durham	60,195	1,189	19.8	613	10.2
White	36,840	664	18.0	333	9.0
All other	23,355	525	22.5	280	12.0
Edgecombe	49,162	1,165	23.7	497	10.1
Outside city	37,184	967	26.0	386	10.4
White	16,377	306	18.7	132	8.1
All other	20,807	661	31.8	254	12.2
Rocky Mount (part)	11,978	198	(4)	111	(4)
White	6,116	86	(4)	40	(4)
All other	5,862	112	(4)	71	(4)
Forsyth	126,475	2,533	20.0	1,120	8.9
Outside city	46,660	1,000	21.4	341	7.3
White	41,521	892	21.5	289	7.0
All other	5,139	108	21.0	52	10.1
Winston-Salem	79,815	1,533	19.2	779	9.8
White	43,789	842	19.2	318	7.3
All other	36,026	691	19.2	461	12.8
Franklin	30,382	634	20.9	271	8.9
White	17,339	289	16.7	141	8.1
All other	13,043	345	26.5	130	10.0
Gaston	87,531	1,967	22.5	598	6.8
Outside city	66,218	1,481	22.4	409	6.2
White	58,002	1,301	22.4	332	5.7
All other	8,216	180	21.9	77	9.4
Gastonia	21,313	486	22.8	189	8.9
White	16,939	425	25.1	128	7.6
All other	4,374	61	13.9	61	13.9
Gates	10,060	214	21.3	87	8.6
White	5,088	64	12.6	46	9.0
All other	4,972	150	30.2	41	8.2
Graham	6,418	157	24.5	42	6.5
Granville	29,344	739	25.2	259	8.8
White	14,379	297	20.7	99	6.9
All other	14,965	442	29.5	160	10.7
Greene	18,548	514	27.7	128	6.9
White	10,464	224	21.4	55	5.3
All other	8,084	290	35.9	73	9.0
Guilford	153,916	3,118	20.3	1,235	8.0
Outside cities	56,102	1,132	20.2	405	7.2
White	48,165	947	19.7	320	6.6
All other	7,937	185	23.3	85	10.7
Greensboro	59,319	1,153	19.4	525	8.9
White	42,968	862	20.1	323	7.5
All other	16,351	291	17.8	202	12.4
High Point	38,495	833	21.6	305	7.9
White	30,618	673	22.0	209	6.8
All other	7,877	160	20.3	96	12.2
Halifax	56,512	1,541	27.3	536	9.5
White	24,432	519	21.2	174	7.1
All other	32,080	1,022	31.9	362	11.3
Harnett	44,239	1,122	25.4	368	8.3
White	31,990	821	25.7	250	7.8
All other	12,249	301	24.6	118	9.6
Haywood	34,804	895	25.7	255	7.3
Henderson	26,049	611	23.5	227	8.7
Hertford	19,352	454	23.5	183	9.5
White	7,904	121	15.3	69	8.7
All other	11,448	333	29.1	114	10.0
Hoke	14,937	388	26.0	169	11.3
White	5,753	132	22.9	49	8.5
All other	9,184	256	27.9	120	13.1
Hyde	7,860	165	21.0	65	8.3
White	4,618	73	15.8	45	9.7
All other	3,242	92	28.4	20	6.2
Iredell	50,424	1,047	20.8	395	7.8
Outside city	38,984	797	20.4	271	7.0
White	31,071	603	19.4	178	5.7
All other	7,913	194	24.5	93	11.8
Statesville	11,440	250	21.9	124	10.8
White	9,778	232	23.7	101	10.3
All other	1,662	18	10.8	23	13.8
Jackson	19,366	471	24.3	177	9.1
Johnston	63,798	1,651	25.9	443	6.9
White	50,327	1,262	25.1	318	6.3
All other	13,471	389	28.9	125	9.3

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA—Contd.					
Jones	10,926	266	24.3	79	7.2
White	6,127	125	20.4	40	6.5
All other	4,799	141	29.4	39	8.1
Lee	18,743	459	24.5	175	9.3
White	13,393	319	23.8	119	8.9
All other	5,350	140	26.2	56	10.5
Lenoir	41,211	1,013	24.6	431	10.5
Outside city	25,823	681	26.4	266	10.3
White	14,717	344	23.4	129	8.8
All other	11,106	337	30.3	137	12.3
Kinston	15,388	332	21.6	165	10.7
White	8,681	195	22.5	75	8.6
All other	6,707	137	20.4	90	13.4
Lincoln	24,187	523	21.6	198	8.2
White	20,890	435	20.8	167	8.0
All other	3,297	88	26.7	31	9.4
McDowell	22,996	605	26.3	180	7.8
Macon	15,880	407	25.6	120	7.6
Madison	22,522	525	23.3	183	8.1
Martin	26,111	704	27.0	251	9.6
White	15,427	314	23.4	120	8.9
All other	12,684	390	30.7	131	10.3
Mecklenburg	151,826	3,387	22.3	1,266	8.3
Outside city	50,927	1,176	23.1	372	7.3
White	39,032	840	21.5	254	6.5
All other	11,895	336	28.2	118	9.9
Charlotte	100,899	2,211	21.9	894	8.9
White	69,475	1,503	21.6	476	6.9
All other	31,424	708	22.5	418	13.3
Mitchell	15,980	412	25.8	97	6.1
Montgomery	16,280	386	23.7	155	9.5
White	12,533	260	20.7	102	8.1
All other	3,747	126	33.6	53	14.1
Moore	30,969	664	21.4	270	8.7
White	21,623	461	21.3	171	7.9
All other	9,346	203	21.7	99	10.6
Nash	55,608	1,423	25.6	513	9.2
Outside city	42,018	1,099	26.2	391	9.3
White	23,573	471	20.0	202	8.6
All other	18,445	628	34.0	189	10.2
Rocky Mount (part)	13,590	324	(4)	122	(4)
White	8,682	211	(4)	58	(4)
All other	4,908	113	(4)	64	(4)
Rocky Mount (total)	25,568	522	20.4	233	9.1
White	14,798	297	20.1	98	6.6
All other	10,770	225	20.9	135	12.5
New Hanover	47,935	1,272	26.5	609	12.7
Outside city*	14,528	362	24.9	139	9.6
White	10,977	266	24.2	84	7.7
All other	3,551	96	27.0	55	15.5
Wilmington	33,407	910	27.2	470	14.1
White	19,880	511	25.7	199	10.0
All other	13,527	399	29.5	271	20.0
Northampton	28,299	748	26.4	177	6.5
White	10,766	166	15.4	64	5.9
All other	17,533	582	33.2	113	6.4
Onslow	17,939	543	30.3	242	13.5
White	13,077	374	28.6	176	13.5
All other	4,862	169	34.8	66	13.6
Orange	23,072	437	18.9	187	8.1
White	15,911	257	16.2	118	7.4
All other	7,161	180	25.1	69	9.6
Pamlico	9,706	241	24.8	84	8.7
White	6,328	126	19.9	59	9.3
All other	3,378	115	34.0	25	7.4
Pasquotank	20,568	432	21.0	226	11.0
Outside city	9,004	195	21.7	99	11.0
White	4,705	89	18.9	46	9.8
All other	4,299	106	24.7	53	12.3
Elizabeth City	11,564	237	20.5	127	11.0
White	7,099	135	19.0	72	10.1
All other	4,465	102	22.8	55	12.5
Pender	17,710	426	24.1	178	10.1
White	9,491	177	18.6	96	10.1
All other	8,219	249	30.3	82	10.0
Perquimans	9,773	244	25.0	89	9.1
White	5,045	121	24.0	47	9.3
All other	4,728	123	26.0	42	8.9
Person	25,029	744	29.7	210	8.4
White	15,685	437	27.9	117	7.5
All other	9,344	307	32.9	93	10.0
Pitt	61,244	1,431	23.4	533	8.7
Outside city	48,570	1,158	23.8	407	8.4
White	25,677	497	19.4	198	7.7
All other	22,893	661	28.9	209	9.1
Greenville	12,674	273	21.5	126	9.9
White	6,480	124	19.1	47	7.3
All other	6,194	149	24.1	79	12.8
Polk	11,874	251	21.1	78	6.6
White	10,231	216	21.1	57	5.6
All other	1,643	35	21.3	21	12.8
Randolph	44,554	1,012	22.7	365	8.2

* Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA—Contd.					
Richmond	36,810	879	23.9	403	10.9
White	24,538	569	23.2	226	9.2
All other	12,272	310	25.3	177	14.4
Robeson	76,860	2,316	30.1	757	9.8
White	34,658	850	24.5	338	9.8
All other	42,202	1,466	34.7	419	9.9
Rockingham	57,898	1,182	20.4	432	7.5
Outside city	47,511	981	20.6	345	7.3
White	39,188	797	20.3	246	6.3
All other	8,323	184	22.1	99	11.9
Reidsville	10,387	201	19.4	87	8.4
White	6,655	138	20.7	51	7.7
All other	3,732	63	16.9	36	9.6
Rowan	69,206	1,368	19.8	565	8.2
Outside city	50,169	1,018	20.3	376	7.5
White	41,914	800	19.1	268	6.4
All other	8,255	218	26.4	108	13.1
Salisbury	19,037	350	18.4	189	9.9
White	14,324	259	18.1	123	8.6
All other	4,713	91	19.3	66	14.0
Rutherford	45,577	1,046	23.0	337	7.4
White	39,445	887	22.5	281	7.1
All other	6,132	159	25.9	56	9.1
Sampson	47,440	1,220	25.7	410	8.6
White	30,449	731	24.0	254	8.3
All other	16,991	489	28.8	156	9.2
Scotland	23,232	579	24.9	218	9.4
White	10,788	246	22.8	97	9.0
All other	12,444	333	26.8	121	9.7
Stanly	32,634	738	22.5	226	6.9
White	28,916	657	22.7	193	6.7
All other	3,918	81	20.7	33	8.4
Stokes	22,656	512	22.6	156	6.9
White	20,564	467	22.9	132	6.5
All other	2,292	45	19.6	24	10.5
Surry	41,783	1,003	24.0	369	8.8
Swain	12,177	386	31.7	72	5.9
White	10,627	300	28.2	53	5.0
All other	1,550	86	55.5	19	12.3
Transylvania	12,241	369	30.1	105	8.6
Tyrrell	5,556	133	23.9	55	9.9
White	3,545	63	17.8	37	10.4
All other	2,011	70	34.8	18	9.0
Union	39,097	980	25.1	313	8.0
White	29,920	718	24.0	202	6.8
All other	9,177	262	28.5	111	12.1
Vance	29,961	738	24.6	312	10.4
White	15,996	364	22.8	157	9.8
All other	13,965	374	26.8	155	11.1
Wake *	109,544	2,183	19.9	1,135	10.4
Outside city	62,647	1,399	22.3	545	8.7
White	41,651	794	19.1	309	7.4
All other	20,996	605	28.8	236	11.2
Raleigh *	46,897	784	16.7	590	12.6
White	31,061	478	15.4	340	10.9
All other	15,836	306	19.3	250	15.8
Warren	23,145	643	27.8	246	10.6
White	8,036	153	19.0	81	10.1
All other	15,109	490	32.4	165	10.9
Washington	12,323	346	28.1	141	11.4
White	6,857	167	24.4	72	10.5
All other	5,466	179	32.7	69	12.6
Watauga	18,114	418	23.1	145	8.0
Wayne *	58,328	1,273	21.8	843	14.5
Outside city *	41,054	895	21.8	628	15.3
White	23,634	499	21.1	190	8.0
All other	17,420	394	22.6	438	25.1
Goldsboro	17,274	380	22.0	215	12.4
White	9,384	177	18.9	77	8.2
All other	7,890	203	25.7	138	17.5
Wilkes	43,003	1,123	26.1	352	8.2
Wilson	50,219	1,261	25.1	505	10.1
Outside city	30,985	810	26.1	266	8.6
White	19,232	443	23.0	135	7.0
All other	11,753	367	31.2	131	11.1
Wilson	19,234	451	23.4	239	12.4
White	9,916	212	21.4	86	8.7
All other	9,318	239	25.6	153	16.4
Yadkin	20,657	431	20.9	129	6.2
Yancey	17,202	464	27.0	105	6.1
NORTH DAKOTA (total)	641,935	13,259	20.7	5,281	8.2
Adams	4,664	69	14.8	20	4.3
Barnes *	17,814	330	18.5	143	8.0
Benson	12,629	255	20.2	106	8.4
White	11,363	197	17.3	89	7.8
All other	1,266	58	45.8	17	13.4
Billings	2,531	52	20.5	15	5.9
Bottineau	13,253	257	19.4	118	8.9
Bowman	3,860	80	20.7	31	8.0
Burke	7,653	162	21.2	57	7.4
Burleigh	22,738	509	22.4	157	6.9
Outside city	7,240	143	19.6	39	5.4
Bismarck	15,498	366	23.6	118	7.6
NORTH DAKOTA—Contd.					
Cass	52,849	1,023	19.4	473	9.0
Outside city	20,269	376	18.6	173	8.5
Fargo	32,580	647	19.9	300	9.2
Cavalier	13,923	311	22.3	106	7.6
Dickey	9,696	183	18.9	86	8.9
Divide	7,086	123	17.4	54	7.6
Dunn	8,376	174	20.8	49	5.9
Eddy	5,741	104	18.1	61	10.6
Emmons	11,699	247	21.1	82	7.0
Foster	5,824	111	19.1	52	8.9
Golden Valley	3,498	73	20.9	28	8.0
Grand Forks *	34,518	740	21.4	333	9.6
Outside city *	14,290	239	16.7	135	9.4
Grand Forks	20,228	501	24.8	198	9.8
Grant	8,264	203	24.6	54	6.5
Griggs	5,818	91	15.6	47	8.1
Hettinger	7,457	199	26.7	58	7.8
Kidder	6,692	184	27.5	51	7.6
La Moure	10,298	202	19.6	81	7.9
Logan	7,561	190	25.1	36	4.8
McHenry	14,034	317	22.6	122	8.7
McIntosh	8,984	165	18.4	53	5.9
McKenzie	8,426	158	18.8	45	5.3
McLean	16,082	380	23.6	129	8.0
Mercer	9,611	201	20.9	60	6.2
Morton	20,184	460	22.8	169	8.4
Mountrail	10,482	211	20.1	83	7.9
Nelson	9,129	155	17.0	75	8.2
Oliver	3,859	80	20.7	24	6.2
Pembina	15,671	349	22.3	126	8.0
Pierce	9,208	248	26.9	81	8.8
Ramsey	15,626	348	22.3	157	10.0
Ransom	10,061	156	15.5	61	6.1
Renville	5,533	99	17.9	34	6.1
Richland	20,519	358	17.4	158	7.7
Rolette	12,583	382	30.4	146	11.6
White	8,098	202	24.9	84	10.4
All other	4,485	180	40.1	62	13.8
Sargent	8,693	129	14.8	55	6.3
Sheridan	6,616	123	18.6	46	7.0
Sioux	4,419	100	22.6	52	11.8
White	2,692	39	14.5	11	4.1
All other	1,727	61	35.3	41	23.7
Slope	2,932	69	23.5	20	6.8
Stark	15,414	327	21.2	123	8.0
Steele	6,193	118	19.1	37	6.0
Stutsman *	23,495	424	18.0	296	12.6
Towner	7,200	158	21.9	51	7.1
Traill	12,300	230	18.7	100	8.1
Walsh *	20,747	411	19.8	192	9.3
Ward	31,981	694	21.7	254	7.9
Outside city	15,404	331	21.5	92	6.0
Minot	16,577	363	21.9	162	9.8
Wells	11,198	226	20.2	89	7.9
Williams	16,315	311	19.1	125	7.7
OHIO (total)	6,907,612	125,950	18.2	78,137	11.3
Adams	21,705	439	20.2	277	12.8
Allen	73,303	1,442	19.7	795	10.8
Outside city *	28,592	534	18.7	329	11.5
Lima	44,711	908	20.3	466	10.4
Ashland	29,785	566	19.0	320	10.7
Outside city	17,332	334	19.3	197	11.4
Ashland	12,453	232	18.6	123	9.9
Ashtabula	68,674	1,125	16.4	855	12.5
Outside city	47,269	767	16.2	599	12.7
Ashtabula	21,405	358	16.7	256	12.0
Athens *	46,166	798	17.3	600	13.0
Auglaize	28,037	462	16.5	328	11.7
Belmont	95,614	1,550	16.2	1,054	11.0
Outside cities	67,086	1,119	16.7	729	10.9
Bellaire	13,799	223	16.2	174	12.6
Martins Ferry	14,729	208	14.1	151	10.3
Brown	21,638	365	16.9	240	11.1
Butler	120,249	2,412	20.1	1,278	10.6
Outside cities	38,437	675	17.6	375	9.8
Hamilton	50,592	991	19.6	572	11.3
Middletown	31,220	746	23.9	331	10.6
Carroll	17,449	275	15.8	193	11.1
Champaign	25,258	436	17.3	328	13.0
Clark	95,647	1,762	18.4	1,229	12.8
Outside city *	24,985	410	16.4	312	12.5
Springfield	70,662	1,352	19.1	917	13.0
White	62,352	1,197	19.2	796	12.8
All other	8,310	155	18.7	121	14.6
Clermont	34,109	568	16.7	444	13.0
Clinton	22,574	402	17.8	311	13.8
Columbiana	90,121	1,751	19.4	1,033	11.5
Outside cities	54,265	1,059	19.5	618	11.4
East Liverpool	23,555	458	19.4	271	11.5
Salem	12,301	234	19.0	144	11.7
Coshocton	30,594	507	16.6	362	11.8
Outside city	19,085	346	18.1	213	11.2
Coshocton	11,509	161	14.0	149	12.9

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO—Continued					
Crawford	35,571	697	19.6	469	13.2
Cuyahoga	1,217,250	21,253	17.5	12,568	10.3
Outside cities	100,654	1,728	17.2	957	9.5
Cleveland	878,338	16,167	18.4	9,787	11.1
White	793,417	14,500	18.3	8,573	10.8
All other	84,919	1,667	19.6	1,214	14.3
Cleveland Heights	54,992	520	9.5	381	6.9
East Cleveland	39,495	742	18.8	388	9.8
Euclid	17,866	300	16.8	140	7.8
Garfield Heights	16,989	234	13.8	103	6.1
Lakewood	69,160	1,032	14.9	585	8.5
Parma	16,365	236	14.4	105	6.4
Shaker Heights	23,393	294	12.6	122	5.2
Darke	38,831	715	18.4	415	10.7
Defiance	24,367	433	17.8	266	10.9
Delaware	26,780	416	15.5	346	12.9
Erie	43,201	725	16.8	628	14.5
Outside city*	18,327	245	13.4	255	13.9
Sandusky	24,874	480	19.3	373	15.0
Fairfield	48,490	878	18.1	524	10.8
Outside city	26,550	399	15.0	290	10.9
Lancaster	21,940	479	21.8	234	10.7
Fayette	21,385	418	19.5	288	13.5
Franklin	388,712	6,982	18.0	4,787	12.3
Outside city	82,625	1,270	15.4	909	11.0
Columbus	306,087	5,712	18.7	3,878	12.7
White	270,183	5,013	18.6	3,303	12.2
All other	35,904	699	19.5	575	16.0
Fulton	23,626	459	19.4	294	12.4
Gallia*	24,930	473	19.0	366	14.7
Geauga	19,430	384	19.8	200	10.3
Greene	35,863	651	18.2	473	13.2
Outside city	25,230	434	17.2	286	11.3
Xenia	10,633	217	20.4	187	17.6
White	8,582	190	22.1	143	16.7
All other	2,051	27	13.2	44	21.5
Guernsey	38,822	614	15.8	498	12.8
Outside city	23,778	373	15.7	305	12.8
Cambridge	15,044	241	16.0	193	12.8
Hamilton	621,987	11,216	18.0	7,433	12.0
Outside cities*	132,367	2,678	20.2	1,355	10.2
Cincinnati	455,610	7,926	17.4	5,755	12.6
White	399,853	6,676	16.7	4,865	12.2
All other	55,757	1,250	22.4	890	16.0
Norwood	34,010	614	18.1	323	9.5
Hancock	40,793	917	22.5	537	13.2
Outside cities	18,432	302	16.4	212	11.5
Findlay	20,228	396	19.6	287	14.2
Fostoria (part)	2,133	219	(4)	38	(4)
Hardin	27,061	488	18.0	385	14.2
Harrison	20,313	317	15.6	205	10.1
Henry	22,756	437	19.2	247	10.9
Highland	27,099	474	17.5	366	13.5
Hocking	21,504	428	19.9	238	11.1
Holmes	17,876	396	22.2	207	11.6
Huron	34,800	643	18.5	466	13.4
Jackson	27,004	544	20.1	345	12.8
Jefferson	98,129	1,898	19.3	954	9.7
Outside city	60,478	1,211	20.0	561	9.3
Steubenville	37,651	687	18.2	393	10.4
Knox	31,024	563	18.1	419	13.5
Outside city	20,902	304	14.5	239	11.4
Mount Vernon	10,122	259	25.6	180	17.8
Lake	50,020	979	19.6	551	11.0
Outside city	37,785	745	19.7	387	10.2
Painesville	12,235	234	19.1	164	13.4
Lawrence	46,705	1,004	21.5	531	11.4
Outside city	30,854	721	23.4	344	11.1
Ironton	15,851	283	17.9	187	11.8
Licking	62,279	1,076	17.3	834	13.4
Outside city	30,792	465	15.1	423	13.7
Newark	31,487	611	19.4	411	13.1
Logan	29,624	507	17.1	414	14.0
Lorain	112,390	2,135	19.0	1,217	10.8
Outside cities	43,145	726	16.8	526	12.2
Elyria	25,120	557	22.2	288	11.5
Lorain	44,125	852	19.3	403	9.1
Lucas	344,533	5,909	17.2	4,041	11.7
Outside city	61,984	1,087	17.5	491	7.9
Toledo	282,349	4,822	17.1	3,550	12.6
White	267,589	4,526	16.9	3,282	12.3
All other	14,760	296	20.1	268	18.2
Madison	21,811	413	18.9	226	10.4
Mahoning	240,251	4,085	17.0	2,273	9.5
Outside cities	47,103	731	15.5	473	10.0
Campbell	13,785	198	14.4	112	8.1
White	12,286	173	14.1	89	7.2
All other	1,499	25	16.7	23	15.3
Struthers	11,739	159	13.5	94	8.0
Youngstown (part)	167,624	2,997	(4)	1,594	(4)
White	152,960	2,755	(4)	1,394	(4)
All other	14,664	242	(4)	200	(4)
Youngstown (total)	167,720	2,997	17.9	1,594	9.5
White	153,056	2,755	18.0	1,394	9.1
All other	14,664	242	16.5	200	13.6
OHIO—Continued					
Marion	44,898	868	19.3	536	11.9
Outside city	14,081	220	15.6	161	11.4
Marion	30,817	648	21.0	375	12.2
Medina	33,034	609	18.4	367	11.1
Meigs	24,104	472	19.6	303	12.6
Mercer	26,256	508	19.3	288	11.0
Miami	52,632	1,050	19.9	626	11.9
Outside city	36,583	771	21.1	431	11.8
Piqua	16,049	279	17.4	195	12.2
Monroe	18,641	264	14.2	210	11.3
Montgomery	295,480	6,039	20.4	3,466	11.7
Outside city	84,762	1,254	14.8	770	9.1
Dayton	210,718	4,785	22.7	2,696	12.8
White	190,414	4,341	22.8	2,361	12.4
All other	20,304	444	21.9	335	16.5
Morgan	14,227	201	14.1	188	13.2
Morrow	15,646	256	16.4	195	12.5
Muskingum	69,795	1,371	19.6	854	12.2
Outside city	32,295	591	18.3	372	11.5
Zanesville	37,500	780	20.8	482	12.9
Noble	14,587	178	12.2	155	10.6
Ottawa	24,360	447	18.3	326	13.4
Paulding	15,527	261	16.8	171	11.0
Perry	31,087	498	16.0	331	10.6
Pickaway*	27,889	521	18.7	358	12.8
Pike	16,113	335	20.8	157	9.7
Portage	46,660	791	17.0	530	11.4
Preble	23,329	369	15.8	303	13.0
Putnam	25,016	478	19.1	261	10.4
Richland	73,853	1,486	20.1	852	11.5
Outside city	36,699	656	17.9	372	10.1
Mansfield	37,154	830	22.3	480	12.9
Ross*	52,147	1,110	21.3	608	11.7
Outside city*	32,018	685	21.4	366	11.4
Chillicothe	20,129	425	21.1	242	12.0
Sandusky	41,014	755	18.4	477	11.6
Outside city	26,304	477	18.1	301	11.4
Fremont	14,710	278	18.9	176	12.0
Scioto	86,565	1,820	21.0	881	10.2
Outside city	46,099	1,104	23.9	427	9.3
Portsmouth	40,466	716	17.7	454	11.2
Seneca	48,499	777	16.0	597	12.3
Outside cities	21,077	394	18.7	254	12.1
Fostoria (part)	11,320	72	(4)	127	(4)
Fostoria (total)	13,453	291	21.6	165	12.3
Tiffin	16,102	311	19.3	216	13.4
Shelby	26,071	506	19.4	309	11.9
Stark*	234,887	4,642	19.8	2,693	11.5
Outside cities*	77,437	1,487	19.2	944	12.2
Alliance	22,405	389	17.4	294	13.1
Canton	108,401	2,248	20.7	1,138	10.5
Massillon	26,644	518	19.4	317	11.9
Summit	339,405	6,003	17.7	3,094	9.1
Outside cities*	50,040	845	16.9	516	10.3
Akron	244,791	4,264	17.4	2,191	9.0
White	232,482	4,024	17.3	2,021	8.7
All other	12,309	240	19.5	170	13.8
Barberton	24,028	491	20.4	205	8.5
Cuyahoga Falls	20,546	403	19.6	182	8.9
Trumbull	132,315	2,567	19.4	1,166	8.8
Outside cities	73,109	1,406	19.2	674	9.2
Niles	16,273	313	19.2	129	7.9
Warren	42,837	848	19.8	363	8.5
Youngstown (part)	96	-	(4)	-	(4)
White	96	-	(4)	-	(4)
All other	-	-	(4)	-	(4)
Tuscarawas	68,816	1,341	19.5	810	11.8
Outside city	56,488	1,121	19.8	658	11.6
New Philadelphia	12,328	220	17.8	152	12.3
Union	20,012	332	16.6	225	11.2
Van Wert	26,759	400	14.9	307	11.5
Vinton	11,573	264	22.8	127	11.0
Warren	29,894	629	21.0	398	13.3
Washington	43,537	727	16.7	549	12.6
Outside city	28,994	478	16.5	349	12.0
Marietta	14,543	249	17.1	200	13.8
Wayne	50,520	1,037	20.5	586	11.6
Outside city	38,977	853	21.9	461	11.8
Wooster	11,543	184	15.9	125	10.8
Williams	25,510	472	18.5	329	12.9
Wood	51,796	837	16.2	601	11.6
Wyandot	19,218	340	17.7	245	12.7
OKLAHOMA (total)	2,336,434	45,818	19.6	20,439	8.7
Adair	15,755	394	25.0	148	9.4
White	11,967	269	22.5	104	8.7
All other	3,788	125	33.0	44	11.6
Alfalfa	14,129	207	14.7	118	8.4
Atoka	18,702	493	26.4	149	8.0
Beaver	8,648	150	17.3	75	8.7
Beckham	22,169	419	18.9	169	7.6

*Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OKLAHOMA—Continued					
Blaine	18,543	413	22.3	181	9.8
White	16,274	339	20.8	140	8.6
All other	2,269	74	32.6	41	18.1
Bryan	38,138	822	21.6	342	9.0
Outside city	28,111	596	21.2	207	7.4
Durant	10,027	226	22.5	135	13.5
Caddo	41,567	1,010	24.3	374	9.0
White	37,337	858	23.0	313	8.4
All other	4,230	152	35.9	61	14.4
Canadian	27,329	444	16.2	253	9.3
Outside city	17,251	266	15.4	113	6.6
El Reno	10,078	178	17.7	140	13.9
Carter	43,292	733	16.9	395	9.1
Outside city	26,406	453	17.2	200	7.6
Ardmore	16,886	280	16.6	195	11.5
White	14,056	242	17.2	148	10.5
All other	2,830	38	13.4	47	16.6
Cherokee	21,030	490	23.3	174	8.3
White	16,725	386	23.1	122	7.3
All other	4,305	104	24.2	52	12.1
Choctaw	28,358	618	21.8	259	9.1
White	22,108	490	22.2	203	9.2
All other	6,250	128	20.5	56	9.0
Cimarron	3,654	70	19.2	37	10.1
Cleveland*	27,728	445	16.0	308	11.0
Outside city	16,299	255	15.6	58	3.6
Norman*	11,429	190	16.6	248	21.7
Coal	12,811	250	19.5	75	5.9
Comanche	38,988	993	25.5	350	9.0
Outside city	20,933	455	21.7	142	6.8
Lawton	18,055	538	29.8	208	11.5
Cotton	12,884	280	21.7	102	7.9
Craig*	21,083	374	17.7	323	15.3
Creek	55,503	1,048	18.9	480	8.6
Outside city	43,254	789	18.2	346	8.0
White	37,519	663	17.7	273	7.3
All other	5,735	126	22.0	73	12.7
Sapulpa	12,249	259	21.1	134	10.9
White	10,518	225	21.4	110	10.5
All other	1,731	34	19.6	24	13.9
Custer	23,088	413	17.9	229	9.9
Delaware	18,592	346	18.6	148	8.0
White	15,670	281	17.9	120	7.7
All other	2,922	65	22.2	28	9.6
Dewey	11,981	257	21.5	97	8.1
Ellis	8,466	161	19.0	90	10.6
Garfield	45,484	743	16.3	433	9.5
Outside city	17,403	241	13.8	141	8.1
Enid*	28,081	502	17.9	292	10.4
Garvin	31,150	751	24.1	242	7.8
Grady	41,116	860	20.9	360	8.8
Outside city	27,005	568	21.0	179	6.6
Chickasha	14,111	292	20.7	181	12.8
White	12,495	253	20.2	160	12.8
All other	1,616	39	24.1	21	13.0
Grant	13,128	187	14.2	125	9.5
Greer	14,550	243	16.7	130	8.9
Harmon	10,019	204	20.4	62	6.2
Harper	6,454	147	22.8	57	8.8
Haskell	17,324	359	20.7	125	7.2
Hughes	29,189	554	19.0	217	7.4
White	25,514	487	19.1	180	7.1
All other	3,675	67	18.2	37	10.1
Jackson	22,708	398	17.5	177	7.8
Jefferson	15,107	302	20.0	114	7.5
Johnston	15,960	346	21.7	109	6.8
Kay	47,084	847	18.0	434	9.2
Outside city	30,290	534	17.6	288	9.5
Ponca City	16,794	313	18.6	146	8.7
Kingfisher	15,617	260	16.6	148	9.5
White	13,706	223	16.3	124	9.0
All other	1,911	37	19.4	24	12.6
Kiowa	22,817	485	21.2	185	8.1
Latimer	12,380	271	21.9	98	7.9
Le Flore	45,866	872	19.0	320	7.0
Lincoln	29,529	568	19.2	260	8.8
Logan	25,245	493	19.5	276	10.9
Outside city	15,227	312	20.5	140	9.2
White	11,900	233	19.6	100	8.4
All other	3,327	79	23.7	40	12.0
Guthrie*	10,018	181	18.1	136	13.6
White	7,933	139	17.5	107	13.5
All other	2,085	42	20.1	29	13.9
Love	11,433	253	22.1	78	6.8
McClain	19,205	439	22.9	115	6.0
McCurtain	41,318	821	19.9	287	6.9
White	30,995	650	21.0	200	6.5
All other	10,323	171	16.6	87	8.4
McIntosh	24,097	552	22.9	205	8.5
White	18,533	432	23.3	129	7.0
All other	5,564	120	21.6	76	13.7
Major	11,846	224	18.8	100	8.4
Marshall	12,384	264	21.3	129	10.4
Mayes	21,668	403	18.6	163	7.5
OKLAHOMA—Continued					
Murray	13,841	280	20.2	110	7.9
Muskogee*	65,814	1,175	17.8	758	11.5
Outside city*	33,582	561	16.7	358	10.7
White	23,830	433	18.2	177	7.4
All other	9,752	128	13.1	181	18.6
Muskogee	32,332	614	19.0	400	12.4
White	25,119	463	18.4	261	10.4
All other	7,213	151	20.9	139	19.3
Noble	14,826	248	16.7	128	8.6
Nowata	15,774	291	18.4	146	9.3
White	13,767	258	18.7	118	8.6
All other	2,007	33	16.4	28	14.0
Okfuskee	26,279	564	21.5	225	8.6
White	18,652	450	24.1	147	7.9
All other	7,627	114	14.9	78	10.2
Oklahoma	244,159	4,581	18.8	2,075	8.5
Outside city	39,735	605	15.2	260	6.5
Oklahoma City	204,424	3,976	19.4	1,815	8.9
White	184,715	3,610	19.5	1,579	8.5
All other	19,709	366	18.6	236	12.0
Okmulgee	50,101	956	19.1	499	10.0
Outside city	34,050	649	19.1	298	8.8
White	25,699	489	19.1	218	8.5
All other	8,441	160	19.0	80	9.5
Okmulgee	16,051	307	19.1	201	12.5
White	12,263	236	19.2	147	12.0
All other	3,788	71	18.7	54	14.3
Osage*	41,502	706	17.0	296	7.1
Ottawa	35,849	840	23.4	387	10.8
Pawnee	17,395	356	20.5	185	10.6
Payne	36,057	694	19.2	309	8.6
Outside city	25,960	499	19.2	207	8.0
Stillwater	10,097	195	19.3	102	10.1
Pittsburg*	48,985	896	18.3	453	9.2
Outside city	36,584	649	17.7	254	6.9
White	32,746	613	18.7	234	7.1
All other	3,838	36	9.4	20	5.2
McAlester*	12,401	247	19.9	199	16.0
White	10,798	211	19.5	165	15.3
All other	1,603	36	22.5	34	21.2
Pontotoc	39,792	779	19.6	309	7.8
Outside city	24,649	448	18.2	163	6.6
Ada	15,143	331	21.9	146	9.6
Pottawatomie	54,377	1,033	19.0	448	8.2
Outside city	32,324	606	18.7	246	7.6
Shawnee	22,053	427	19.4	202	9.2
Pushmataha	19,466	457	23.5	146	7.5
Roger Mills	10,736	203	18.9	54	5.0
Rogers	21,078	397	18.8	186	8.8
Seminole	61,201	1,055	17.2	421	6.9
Outside cities	39,339	662	16.8	255	6.5
White	33,267	540	16.2	185	5.6
All other	6,072	122	20.1	70	11.5
Seminole	11,547	250	21.7	95	8.2
Wewoka	10,315	143	13.9	71	6.9
White	8,163	114	14.0	52	6.4
All other	2,152	29	13.5	19	8.8
Sequoyah	23,138	588	25.4	172	7.4
White	19,935	508	25.5	142	7.1
All other	3,203	80	25.0	30	9.4
Stephens	31,090	685	22.0	249	8.0
Texas	9,896	201	20.3	92	9.3
Tillman	20,754	411	19.8	159	7.7
White	18,328	354	19.3	133	7.3
All other	2,426	57	23.5	26	10.7
Tulsa	193,363	3,788	19.6	1,831	9.5
Outside city	51,206	871	17.0	357	7.0
Tulsa	142,157	2,917	20.5	1,474	10.4
White	126,352	2,625	20.8	1,226	9.7
All other	15,805	292	18.5	248	15.7
Wagoner	21,642	457	21.1	207	9.6
White	15,960	335	21.0	145	9.1
All other	5,682	122	21.5	62	10.9
Washington	30,559	592	19.4	264	8.6
Outside city	14,292	241	16.9	114	8.0
Bartlesville	16,267	351	21.6	150	9.2
Washita	22,279	361	16.2	141	6.3
Woods	14,915	268	18.0	127	8.5
Woodward*	16,270	282	17.3	239	14.7
OREGON (total)	1,089,684	18,868	17.3	11,959	11.0
Baker	18,297	325	17.8	214	11.7
Benton	18,629	272	14.6	184	9.9
Clackamas	57,130	861	15.1	576	10.1
Clatsop	24,697	457	18.5	278	11.3
Outside city	14,308	258	18.0	152	10.6
Astoria	10,389	199	19.2	126	12.1
Columbia	20,971	377	18.0	210	10.0
Coos	32,466	625	19.3	300	9.2
Crook	5,533	131	23.7	44	8.0
Curry	4,301	57	13.3	42	9.8

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OREGON—Continued					
Deschutes	18,631	376	20.2	143	7.7
Outside city	8,610	166	19.3	52	6.0
Bend	10,021	210	21.0	91	9.1
Douglas *	25,728	437	17.0	277	10.8
Gilliam	2,844	32	11.3	22	7.7
Grant	6,380	130	20.4	67	10.5
Harney	5,374	99	18.4	54	10.0
Hood River	11,580	200	17.3	94	8.1
Jackson	36,213	616	17.0	394	10.9
Outside city	24,932	386	15.5	266	10.7
Medford	11,281	230	20.4	128	11.3
Jefferson	2,042	51	25.0	12	5.9
White	1,567	27	17.2	11	7.0
All other	475	24	50.5	1	2.1
Josephine	16,301	263	16.1	154	9.4
Klamath	40,497	872	21.5	338	8.3
Outside city	24,000	424	17.7	179	7.5
Klamath Falls	16,497	448	27.2	159	9.6
Lake	6,293	146	23.2	51	8.1
Lane	69,096	1,373	19.9	688	10.0
Outside city	48,258	920	19.1	382	7.9
Eugene	20,838	453	21.7	306	14.7
Lincoln	14,549	285	19.8	145	10.0
Linn	30,485	682	22.4	368	12.1
Malheur	19,767	433	21.9	134	6.8
Marion ●	75,246	1,150	15.3	1,093	14.5
Outside city *	44,338	686	15.5	430	9.7
Salem *	30,908	464	15.0	663	21.5
Morrow	4,337	63	14.5	49	11.3
Multnomah	355,099	5,540	15.6	4,229	11.9
Outside city *	49,705	512	10.3	542	10.9
Portland	305,394	5,028	16.5	3,687	12.1
Polk	19,989	389	19.5	183	9.2
Sherman	2,321	23	9.9	24	10.3
Tillamook	12,263	238	19.4	117	9.5
Umatilla *	26,030	505	19.4	342	13.1
Union	17,399	322	18.5	168	9.7
Wallowa	7,623	121	15.9	62	8.1
Wasco	13,069	222	17.0	143	10.9
Washington *	39,194	614	15.7	427	10.9
Wheeler	2,974	62	20.8	28	9.4
Yamhill	26,336	519	19.7	305	11.6
PENNSYLVANIA (total)	9,900,180	174,193	17.6	108,748	11.0
Adams	39,435	761	19.3	397	10.1
Allegheny	1,411,539	24,841	17.6	14,684	10.4
Outside cities *	414,007	8,999	18.9	4,118	9.9
White	401,676	6,739	16.8	3,885	9.7
All other	12,331	260	21.1	233	18.9
Bellevue	10,488	179	17.1	126	12.0
Braddock	18,326	377	20.6	183	10.0
White	16,085	321	20.0	156	9.7
All other	2,241	56	25.0	27	12.0
Carnegie	12,663	314	24.8	133	10.5
Clairton	16,581	343	20.9	123	7.5
White	14,057	282	20.1	96	6.8
All other	2,324	61	26.2	27	11.6
Coraopolis	11,086	231	20.8	93	8.4
Dormont	12,974	151	11.6	103	7.9
Duquesne	20,693	394	19.0	195	9.4
Harrison (twp.) [2]	13,161	176	13.4	74	5.6
Homestead	19,041	402	21.1	195	10.2
White	15,653	329	21.0	138	8.8
All other	3,388	73	21.5	57	16.8
McKeesport	55,355	1,077	19.5	814	11.1
McKees Rocks	17,021	537	31.5	222	13.0
Mount Lebanon (twp.) [2]*	19,571	179	9.1	128	6.5
Munhall	13,900	223	16.0	114	8.2
North Braddock	15,679	262	16.7	136	8.7
Pittsburgh	671,659	12,022	17.9	7,627	11.4
White	609,236	10,711	17.6	6,709	11.0
All other	62,423	1,311	21.0	918	14.7
Shaler (twp.) [2]	11,185	53	4.7	9	0.8
Stowe (twp.) [2]	12,577	7	0.6	1	0.1
Swissvale	15,919	306	19.2	162	10.2
Wilkinsburg	29,853	609	20.4	328	11.0
Armstrong	81,087	1,766	21.8	765	9.4
Beaver	156,954	2,872	18.3	1,419	9.1
Outside cities	92,239	1,613	17.5	879	9.5
Aliquippa	27,023	539	19.9	205	7.6
White	24,026	461	19.2	167	7.0
All other	2,997	78	26.0	38	12.7
Ambridge	18,968	350	18.5	155	8.2
Beaver Falls	17,098	357	20.9	174	10.2
Ellwood City (part)	1,426	13	(4)	6	(4)
Bedford	40,809	916	22.4	425	10.4
Berks	241,884	3,539	14.6	2,924	12.1
Outside city *	131,316	2,015	15.3	1,604	12.2
Reading	110,568	1,524	13.8	1,320	11.9
PENNSYLVANIA—Contd.					
Blair	140,358	2,565	18.3	1,592	11.3
Outside city	60,144	1,181	19.6	696	11.6
Altoona	80,214	1,384	17.3	896	11.2
Bradford	50,615	959	18.9	684	13.5
Bucks	107,715	1,980	18.4	1,175	10.9
Outside city	95,820	1,721	18.0	1,045	10.9
Bristol	11,895	259	21.8	130	10.9
Butler	87,590	1,752	20.0	885	10.1
Outside city	63,113	1,279	20.3	653	10.3
Butler	24,477	473	19.3	232	9.5
Cambria	213,459	4,531	21.2	2,026	9.5
Outside city	146,791	2,897	19.7	1,238	8.4
Johnstown	66,668	1,634	24.5	788	11.8
Cameron	6,852	131	19.1	62	9.0
Carbon	61,735	936	15.2	625	10.1
Centre	52,608	1,081	20.5	543	10.3
Chester	135,626	2,464	18.2	1,697	12.5
Outside cities *	98,049	1,715	17.9	1,170	12.2
Coatesville	14,006	278	19.8	153	10.9
White	12,063	220	18.2	112	9.3
All other	1,943	58	29.9	41	21.1
Phoenixville	12,282	216	17.6	130	10.6
West Chester	13,289	255	19.2	244	18.4
White	10,851	199	18.3	199	18.3
All other	2,438	56	23.0	45	18.5
Clarion	38,410	769	20.0	424	11.0
Clearfield	92,094	1,839	20.0	895	9.7
Outside city	80,014	1,599	20.0	755	9.4
Du Bois	12,080	240	19.9	140	11.6
Clinton	34,557	689	19.9	362	10.5
Outside city	23,747	447	18.8	235	9.9
Lock Haven	10,810	242	22.4	127	11.7
Columbia	51,413	995	19.4	530	10.3
Outside city	38,232	708	18.5	389	10.2
Berwick	13,181	287	21.8	141	10.7
Crawford	71,644	1,500	20.9	883	12.3
Outside city	52,725	1,063	20.2	658	12.5
Meadville	18,919	437	23.1	225	11.9
Cumberland	74,806	1,484	19.8	859	11.5
Outside city	60,822	1,228	20.2	668	11.0
Carlisle	13,984	256	18.3	191	13.7
Dauphin *	177,410	2,772	15.6	2,248	12.7
Outside cities *	80,402	1,261	15.7	1,061	13.2
Harrisburg	83,893	1,512	15.6	1,061	12.6
Steelton	13,115	199	15.2	126	9.6
White	10,601	154	14.5	93	8.8
All other	2,514	45	17.9	33	13.1
Delaware	310,758	5,332	17.2	3,012	9.7
Outside cities	145,823	2,490	17.1	1,539	10.6
Chester	59,285	1,279	21.6	720	12.1
White	49,102	1,001	20.4	559	11.4
All other	10,183	278	27.3	161	15.8
Darby	10,334	184	17.8	128	12.4
White	8,871	159	17.9	112	12.6
All other	1,463	25	17.1	16	10.9
Haverford (twp.) [2]	27,594	791	28.7	274	9.9
Lansdowne	10,837	229	21.1	111	10.2
Upper Darby (twp.) [2]*	56,883	359	6.3	240	4.2
Elk	34,443	630	18.3	323	9.4
Erie	180,889	3,609	20.0	2,007	11.1
Outside city *	63,934	1,253	19.6	759	11.9
Erie	116,955	2,356	20.1	1,248	10.7
Fayette	200,999	3,976	19.8	1,956	9.7
Outside cities	165,572	3,277	19.8	1,493	9.0
Connellsville	13,608	221	16.2	154	11.3
Uniontown	21,819	478	21.9	309	14.2
Forest	5,791	117	20.2	57	9.8
Franklin	69,378	1,344	19.4	743	10.7
Outside cities	44,295	955	21.6	434	9.8
Chambersburg	14,852	224	15.1	204	13.7
Waynesboro	10,231	165	16.1	105	10.3
Fulton	10,673	242	22.7	106	9.9
Greene	44,671	904	20.2	408	9.1
Huntingdon	41,836	848	20.3	452	10.8
Indiana	79,854	1,684	21.1	714	8.9
Outside city	69,804	1,503	21.5	619	8.9
Indiana	10,050	181	18.0	95	9.5
Jefferson	54,090	1,066	19.7	614	11.4
Juniata	15,373	301	19.6	175	11.4
Lackawanna	301,243	4,191	13.9	3,232	10.7
Outside cities *	94,942	1,276	13.4	1,038	10.9
Carbondale	19,571	309	16.0	229	11.8
Dickson City	11,548	157	11.9	95	8.2
Dunmore	23,086	246	10.7	213	9.2
Old Forge	11,892	196	16.5	106	8.9
Scranton	140,404	2,027	14.4	1,551	11.0
Lancaster	212,504	4,173	19.6	2,362	11.1
Outside cities	139,612	2,865	20.5	1,461	10.5
Columbia	11,547	216	18.7	155	13.4
Lancaster	61,345	1,092	17.8	746	12.2

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.
[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
PENNSYLVANIA—Contd.					
Lawrence	96,877	1,765	18.2	957	9.9
Outside cities	38,336	654	17.1	347	9.1
Ellwood City (part)	10,903	259	(4)	96	(4)
Ellwood City (total)	12,329	272	22.1	102	8.3
New Castle	47,638	852	17.9	514	10.8
Lebanon	72,641	1,524	21.0	767	10.6
Outside city	45,435	871	19.2	442	9.7
Lebanon	27,206	653	24.0	325	11.9
Lehigh	177,533	2,984	16.8	2,020	11.4
Outside cities	68,982	1,126	16.3	751	10.9
Allentown	96,904	1,603	16.5	1,133	11.7
Bethlehem (part)	11,647	255	(4)	136	(4)
Luzerne	441,518	6,857	15.5	4,374	9.9
Outside cities	206,812	3,393	16.4	2,094	10.1
Hanover (twp.)[2]	16,439	66	4.0	24	1.5
Hazleton	38,009	539	14.2	364	9.6
Kingston	20,679	351	17.0	206	10.0
Nanticoke	24,387	355	14.6	239	9.8
Pittston	17,828	392	22.0	198	11.1
Plains (twp.)[2]	15,621	153	9.8	96	6.1
Plymouth	15,507	249	16.1	172	11.1
Wilkes-Barre	86,236	1,359	15.8	981	11.4
Lycoming	93,633	1,674	17.9	1,151	12.3
Outside city	49,278	911	18.5	571	11.6
Williamsport	44,355	763	17.2	580	13.1
McKean	56,673	1,154	20.0	581	10.3
Outside city	38,982	763	19.6	365	9.4
Bradford	17,691	371	21.0	216	12.2
Mercer	101,039	1,889	18.7	1,027	10.2
Outside cities	61,518	1,121	18.2	668	10.9
Farrell	13,899	231	16.6	101	7.3
White	12,340	201	16.3	87	7.1
All other	1,559	30	19.2	14	9.0
Sharon	25,622	537	21.0	258	10.1
Mifflin	42,993	900	20.9	409	9.5
Outside city	29,976	618	20.6	244	8.1
Lewistown	13,017	282	21.7	165	12.7
Monroe	29,802	509	17.1	328	11.0
Montgomery	289,247	4,922	17.0	3,185	11.0
Outside cities	140,591	2,609	18.6	1,584	11.3
Abington (twp.)[2]	20,857	246	11.8	130	6.2
Cheltenham (twp.)[2]	19,082	224	11.7	156	8.2
Conshohocken	10,776	233	21.6	115	10.7
Lower Merion (twp.)[2]	39,566	600	15.2	323	8.2
Norristown*	38,181	672	17.6	638	16.7
Pottstown	20,194	338	16.7	239	11.8
Montour*	15,466	245	15.8	312	20.2
Northampton	168,959	2,877	17.0	1,778	10.5
Outside cities	88,527	1,420	16.0	877	9.9
Bethlehem (part)	46,843	811	(4)	395	(4)
Bethlehem (total)	58,490	1,066	18.2	531	9.1
Easton	33,589	646	19.2	506	15.1
Northumberland	126,887	2,209	17.4	1,405	11.1
Outside cities	74,835	1,120	15.0	726	9.7
Mount Carmel	17,780	292	16.4	179	10.1
Shamokin	18,810	553	29.4	290	15.4
Sunbury	15,462	244	15.8	210	13.6
Perry	23,213	457	19.7	279	12.0
Philadelphia, coextensive with Philadelphia (city)	1,931,334	31,495	16.3	23,938	12.4
White	1,678,577	26,068	15.5	20,167	12.0
All other	252,757	5,427	21.5	3,771	14.9
Pike	7,452	91	12.2	85	11.4
Potter	18,201	345	19.0	238	13.1
Schuylkill	228,331	3,520	15.4	2,630	11.5
Outside cities	158,083	2,462	15.6	1,786	11.3
Mahanoy City	13,442	188	14.0	163	12.1
Pottsville	24,530	351	14.3	305	12.4
Shenandoah	19,790	323	16.3	234	11.8
Tamaqua	12,486	196	15.7	142	11.4
Snyder	20,208	416	20.6	196	9.7
Somerset	84,957	1,661	19.6	803	9.5
Sullivan	7,504	136	18.1	65	8.7
Susquehanna	33,893	539	15.9	399	11.8
Tioga	35,004	729	20.8	435	12.4
Union	20,247	338	16.7	238	11.8
Venango*	63,958	1,069	16.7	751	11.7
Outside city*	43,579	736	16.9	494	11.3
Oil City	20,379	333	16.3	257	12.6
Warren*	42,789	745	17.4	710	16.6
Outside city*	27,898	484	17.3	531	19.0
Warren	14,891	261	17.5	179	12.0
Washington	210,852	3,968	18.8	1,947	9.2
Outside cities	148,123	2,649	17.9	1,296	8.7
Canonsburg	12,599	265	21.0	115	9.1
Charleroi	10,784	196	18.2	96	8.9
Donora	13,180	224	17.0	96	7.3
Washington	26,166	634	24.2	344	13.1
Wayne	29,934	465	15.5	371	12.4
PENNSYLVANIA—Contd.					
Westmoreland	303,411	5,641	18.6	3,018	9.9
Outside cities*	193,402	3,537	18.3	2,007	10.4
Arnold	10,898	167	15.3	71	6.5
Greensburg	16,743	382	22.8	218	13.0
Jeannette	16,220	289	17.8	146	9.0
Latrobe	11,111	211	19.0	125	11.3
Monessen	20,257	342	16.9	139	6.9
New Kensington	24,055	524	21.8	217	9.0
Vandergrift	10,725	189	17.6	95	8.9
Wyoming	16,702	263	15.7	180	10.8
York	178,022	3,267	18.4	1,906	10.7
Outside cities	108,234	1,830	16.9	1,010	9.3
Hanover	13,076	271	20.7	146	11.2
York	56,712	1,166	20.6	750	13.2
RHODE ISLAND (total)	713,346	11,611	16.3	7,888	11.1
Bristol	25,548	431	16.9	247	9.7
Outside city	14,389	223	15.5	127	8.8
Bristol (town)	11,159	208	18.6	120	10.8
Kent	58,311	1,043	17.9	601	10.3
Outside cities	11,366	199	17.5	156	13.7
Warwick	28,757	508	17.7	272	9.5
West Warwick (town)	18,188	336	18.5	173	9.5
Newport	46,696	864	18.5	566	12.1
Outside city	16,164	297	18.4	177	11.0
Newport	30,532	567	18.6	389	12.7
Providence	550,298	8,697	15.8	6,092	11.1
Outside cities	25,166	361	15.6	283	12.2
Central Falls	25,248	480	19.0	231	9.1
Cranston*	47,085	677	14.4	692	14.7
Cumberland (town)	10,625	164	15.4	101	9.5
East Providence (town)	32,165	517	16.1	351	10.9
Johnston (town)	10,672	217	20.3	92	8.6
Lincoln (town)	10,577	140	13.2	93	8.8
North Providence (town)	12,156	223	18.3	85	7.0
Pawtucket	75,797	1,176	15.5	789	10.4
Providence	255,504	3,918	15.5	2,906	11.5
Woonsocket	49,303	824	16.7	469	9.5
Washington	32,493	576	17.7	382	11.8
Outside city	21,294	396	18.6	263	12.4
Westerly (town)	11,199	180	16.1	119	10.6
SOUTH CAROLINA (total)	1,899,804	47,383	24.9	20,617	10.9
Abbeville	22,951	416	18.1	190	8.3
White	13,190	188	14.3	102	7.7
All other	9,741	228	23.4	88	9.0
Aiken	49,916	1,071	21.5	586	11.7
White	28,995	585	20.2	291	10.0
All other	20,921	486	23.2	295	14.1
Allendale	13,040	379	29.1	151	11.6
White	3,630	62	17.1	36	9.9
All other	9,410	317	33.7	115	12.2
Anderson	88,712	1,956	22.0	805	9.1
Outside city	69,288	1,370	19.8	548	7.9
White	51,916	921	17.7	346	6.7
All other	17,372	449	25.8	202	11.6
Anderson	19,424	586	30.2	257	13.2
White	13,407	489	36.5	159	11.9
All other	6,017	97	16.1	98	16.3
Bamberg	18,643	454	24.4	191	10.2
White	7,339	142	19.3	73	9.9
All other	11,304	312	27.8	118	10.4
Barnwell	20,138	549	27.3	194	9.6
White	7,519	119	15.8	56	7.4
All other	12,619	430	34.1	138	10.9
Beaufort	22,037	593	26.9	361	16.4
White	7,255	151	20.8	57	7.9
All other	14,782	442	29.9	304	20.6
Berkeley	27,128	784	28.9	348	12.8
White	9,548	224	23.5	81	8.5
All other	17,580	560	31.9	267	15.2
Calhoun	16,229	457	28.2	221	13.6
White	4,351	88	20.2	41	9.4
All other	11,878	369	31.1	180	15.2
Charleston	121,105	3,695	30.5	1,764	14.6
Outside city	49,830	1,564	31.4	689	13.8
White	21,999	574	26.1	179	8.1
All other	27,831	990	35.6	510	18.3
Charleston	71,275	2,131	29.9	1,075	15.1
White	39,488	1,099	27.8	482	12.2
All other	31,787	1,032	32.5	593	18.7
Cherokee	33,290	771	23.2	249	7.5
White	25,495	592	23.2	168	6.6
All other	7,795	179	23.0	81	10.4
Chester	32,579	739	22.7	322	9.9
White	16,948	350	20.7	147	8.7
All other	15,631	389	24.9	175	11.2

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.
[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
SOUTH CAROLINA—Contd.					
Chesterfield	35,963	995	27.7	331	9.2
White	22,262	528	23.7	187	8.4
All other	13,701	467	34.1	144	10.5
Clarendon	31,500	786	25.0	382	12.1
White	8,923	202	22.6	73	8.2
All other	22,577	584	25.9	309	13.7
Colleton	26,268	638	24.3	271	10.3
White	12,249	209	17.1	82	6.7
All other	14,019	429	30.6	189	13.5
Darlington	45,198	1,249	27.6	505	11.2
White	22,627	604	26.7	209	9.2
All other	22,571	645	28.6	296	13.1
Dillon	29,625	809	27.3	315	10.6
White	14,910	366	24.5	138	9.3
All other	14,715	443	30.1	177	12.0
Dorchester	19,928	554	27.8	286	14.4
White	8,484	207	24.4	111	13.1
All other	11,444	347	30.3	175	15.3
Edgefield	17,894	456	25.5	219	12.2
White	6,594	142	21.5	90	13.6
All other	11,300	314	27.8	129	11.4
Fairfield	24,187	661	27.3	245	10.1
White	9,214	223	24.2	71	7.7
All other	14,973	438	29.3	174	11.6
Florence	70,582	1,784	25.3	689	9.8
Outside city	54,528	1,353	24.8	453	8.3
White	29,282	646	22.1	208	7.1
All other	25,246	707	28.0	245	9.7
Florence	16,054	431	26.8	236	14.7
White	9,345	240	25.7	99	10.6
All other	6,709	191	28.5	137	20.4
Georgetown	26,352	875	33.2	298	11.3
White	10,976	310	28.2	92	8.4
All other	15,376	565	36.7	206	13.4
Greenville	136,580	2,905	21.3	1,297	9.5
Outside city	101,846	1,941	19.1	771	7.6
White	85,392	1,569	18.4	597	7.0
All other	16,454	372	22.6	174	10.6
Greenville	34,734	964	27.8	526	15.1
White	20,750	628	30.3	288	13.9
All other	13,984	336	24.0	238	17.0
Greenwood	40,083	882	22.0	400	10.0
Outside city	27,063	595	22.0	240	8.9
White	16,364	333	20.3	123	7.5
All other	10,699	262	24.5	117	10.9
Greenwood	13,020	287	22.0	160	12.3
White	8,866	225	25.4	90	10.2
All other	4,154	62	14.9	70	16.9
Hampton	17,465	392	22.4	225	12.9
White	7,370	102	13.8	69	9.4
All other	10,095	290	28.7	156	15.5
Horry	51,951	1,496	28.8	417	8.0
White	37,879	1,021	27.0	259	6.8
All other	14,072	475	33.8	158	11.2
Jasper	11,011	295	26.8	159	14.4
White	3,955	97	24.5	44	11.1
All other	7,056	198	28.1	115	16.3
Kershaw	32,913	885	26.9	288	8.8
White	15,311	353	23.1	132	8.6
All other	17,602	532	30.2	156	8.9
Lancaster	33,542	791	23.6	265	7.9
White	22,147	515	23.3	166	7.5
All other	11,395	276	24.2	99	8.7
Laurens	44,185	854	19.3	359	8.1
White	27,843	507	18.2	175	6.3
All other	16,342	347	21.2	184	11.3
Lee	24,908	683	27.4	224	9.0
White	8,590	157	18.3	52	6.1
All other	16,318	526	32.2	172	10.5
Lexington	35,994	988	27.4	402	11.2
White	27,067	705	26.0	259	9.6
All other	8,927	283	31.7	143	16.0
McCormick	10,367	280	27.0	123	11.9
White	3,330	67	20.1	40	12.0
All other	7,037	213	30.3	83	11.8
Marion	30,107	754	25.0	347	11.5
White	13,287	336	25.3	123	9.3
All other	16,820	418	24.9	224	13.3
Marlboro	33,281	885	26.6	394	11.8
White	15,052	365	24.2	154	10.2
All other	18,229	520	28.5	240	13.2
Newberry	33,577	707	21.1	301	9.0
White	19,335	355	18.4	153	7.9
All other	14,242	352	24.7	148	10.4
Oconee	36,512	836	22.9	326	8.9
White	30,743	712	23.2	254	8.3
All other	5,769	124	21.5	72	12.5
Orangeburg	63,707	1,910	30.0	822	12.9
Outside city	53,186	1,602	30.1	650	12.2
White	18,018	379	21.0	148	8.2
All other	35,168	1,223	34.8	502	14.3
Orangeburg	10,521	308	29.3	172	16.3
White	5,773	176	30.5	70	12.1
All other	4,748	132	27.8	102	21.5
SOUTH CAROLINA—Contd.					
Pickens	37,111	911	24.5	320	8.6
White	32,220	800	24.8	255	7.9
All other	4,891	111	22.7	65	13.3
Richland *	104,843	2,555	24.4	1,626	15.5
Outside city *	42,447	820	19.3	573	13.5
White	22,281	300	13.5	205	9.2
All other	20,166	520	25.8	368	18.2
Columbia *	62,396	1,735	27.8	1,053	16.9
White	40,191	1,161	28.9	643	16.0
All other	22,205	574	25.9	410	18.5
Saluda	17,192	318	18.5	129	7.5
White	9,548	168	17.6	65	6.8
All other	7,644	150	19.6	64	8.4
Spartanburg	127,733	2,710	21.2	1,238	9.7
Outside city	95,484	1,871	19.6	785	8.2
White	76,416	1,396	18.3	550	7.2
All other	19,068	475	24.9	235	12.3
Spartanburg	32,249	839	26.0	453	14.0
White	20,844	588	28.2	243	11.7
All other	11,405	251	22.0	210	18.4
Sumter	52,463	1,429	27.2	654	12.5
Outside city	36,589	1,077	29.4	437	11.9
White	9,574	213	22.2	97	10.1
All other	27,015	864	32.0	340	12.6
Sumter	15,874	352	22.2	217	13.7
White	9,118	206	22.6	102	11.2
All other	6,756	146	21.6	115	17.0
Union	31,360	690	22.0	296	9.4
White	20,112	388	19.3	174	8.7
All other	11,248	302	26.8	122	10.8
Williamsburg	41,011	1,213	29.6	485	11.8
White	13,739	313	22.8	120	8.7
All other	27,272	900	33.0	365	13.4
York	58,663	1,343	22.9	597	10.2
Outside city	43,654	860	19.7	417	9.6
White	25,442	449	17.6	201	7.9
All other	18,212	411	22.6	216	11.9
Rock Hill	15,009	483	32.2	180	12.0
White	11,805	411	34.8	116	9.8
All other	3,204	72	22.5	64	20.0
SOUTH DAKOTA (total)	642,961	12,159	18.9	5,693	8.9
Armstrong	42	1	23.8	-	0
White	25	-	0	-	0
All other	17	1	58.8	-	0
Aurora	5,387	100	18.6	46	8.5
Beadle	19,648	375	19.1	156	7.9
Outside city	8,805	154	17.5	56	6.4
Huron	10,843	221	20.4	100	9.2
Bennett	3,983	84	21.1	31	7.8
White	2,764	52	18.8	12	4.3
All other	1,219	32	26.6	19	15.6
Bon Homme	10,241	164	16.0	82	8.0
Brookings	16,560	294	17.8	139	8.4
Brown	29,676	561	18.9	227	7.6
Outside city	12,661	223	17.6	70	5.5
Aberdeen	17,015	338	19.9	157	9.2
Brule	6,195	119	19.2	45	7.3
Buffalo	1,853	65	35.1	25	13.5
White	999	20	20.0	4	4.0
All other	854	45	52.7	21	24.6
Butte	8,004	169	21.1	85	10.6
Campbell	5,033	95	18.9	26	5.2
Charles Mix	13,449	231	17.2	121	9.0
White	11,786	180	15.3	103	8.7
All other	1,663	51	30.7	18	10.8
Clark	8,955	153	17.1	79	8.8
Clay	9,592	164	17.1	97	10.1
Codington	17,014	394	23.2	153	9.0
Outside city	8,397	146	22.8	40	6.3
Watertown	10,617	248	23.4	113	10.6
Corson	6,755	142	21.0	57	8.4
White	5,073	100	19.7	21	4.1
All other	1,682	42	25.0	36	21.4
Custer	6,023	117	19.4	44	7.3
Davison	15,336	229	14.9	137	8.9
Outside city	4,703	57	12.1	20	4.3
Mitchell	10,633	172	16.2	117	11.0
Day	13,565	242	17.8	129	9.5
Deuel	8,450	186	22.0	77	9.1
Dewey	5,709	147	25.7	44	7.7
White	3,663	75	20.5	24	6.6
All other	2,046	72	35.2	20	9.8
Douglas	6,348	133	21.0	56	8.8
Edmunds	7,614	157	20.1	58	7.4
Fall River *	8,089	106	13.1	95	11.7
Faulk	5,168	77	14.9	44	8.5
Grant	10,552	172	16.3	84	8.0
Gregory	9,554	191	20.0	55	5.8
Haakon	3,515	55	15.6	35	10.0
Hamlin *	7,562	134	17.7	87	11.5
Hand	7,166	148	20.7	65	9.1

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
SOUTH DAKOTA—Contd.					
Hanson	5,400	101	18.7	38	7.0
Harding	3,010	59	19.6	16	5.3
Hughes	6,624	127	19.2	55	8.3
Hutchinson	12,668	207	16.3	106	8.4
Hyde	3,113	57	18.3	26	8.4
Jackson	1,955	27	13.8	17	8.7
Jerauld	4,752	85	17.9	39	8.2
Jones	2,509	37	14.7	23	9.2
Kingsbury	10,831	180	16.6	111	10.2
Lake	12,412	195	15.7	88	7.1
Lawrence	19,093	371	19.4	170	8.9
Lincoln	13,171	188	14.3	95	7.2
Lyman	5,045	98	19.4	45	8.9
McCook	9,793	184	18.8	75	7.7
McPherson*	8,353	187	22.4	66	7.9
Marshall	8,880	168	18.9	91	10.2
Meade	9,735	219	22.5	94	9.7
Mellette	4,107	87	21.2	33	8.0
White	2,833	56	19.8	17	6.0
All other	1,274	31	24.3	16	12.6
Miner	6,836	131	19.2	67	9.8
Minnehaha	57,697	1,085	18.8	496	8.6
Outside city	16,865	289	17.1	147	8.7
Sioux Falls	40,832	796	19.5	349	8.5
Moody	9,341	143	15.3	79	8.5
Pennington*	23,799	503	21.1	206	8.7
Outside city	9,955	157	15.8	59	5.9
Rapid City*	13,844	346	25.0	147	10.6
Perkins	6,585	137	20.8	53	8.0
Potter	4,614	70	15.2	31	6.7
Roberts	15,887	349	22.0	157	9.9
Sanborn	5,754	103	17.9	56	9.7
Shannon	5,366	157	29.3	85	15.8
White	1,215	14	11.5	6	4.9
All other	4,151	143	34.4	79	19.0
Spink*	12,527	208	16.6	141	11.3
Stanley	1,959	38	19.4	14	7.1
Sully	2,668	57	21.4	15	5.6
Todd	5,714	149	26.1	74	13.0
White	2,653	38	14.3	16	6.0
All other	3,061	111	36.3	58	18.9
Tripp	9,937	194	19.5	81	8.2
Turner	13,270	235	17.7	95	7.2
Union	11,675	217	18.6	86	7.4
Walworth	7,274	150	20.6	60	8.2
Washabaugh	1,980	32	16.2	22	11.1
White	1,063	16	15.1	5	4.7
All other	917	16	17.4	17	18.5
Washington	1,789	42	23.5	23	12.9
White	295	8	27.1	2	6.8
All other	1,494	34	22.8	21	14.1
Yankton*	16,725	298	17.8	254	15.2
Ziebach	2,875	79	27.5	31	10.8
White	1,982	53	26.7	15	7.6
All other	893	26	29.1	16	17.9
TENNESSEE (total)	2,915,841	59,855	20.5	28,623	9.8
Anderson	26,504	564	21.3	193	7.3
Bedford	23,151	422	18.2	254	11.0
White	19,583	374	19.1	201	10.3
All other	3,568	48	13.5	53	14.9
Benton	11,976	218	18.2	98	8.2
Bledsoe	8,358	221	26.4	72	8.6
Blount	41,116	1,198	29.1	349	8.5
Bradley	28,498	711	24.9	259	9.1
Outside city	17,147	418	24.4	146	8.5
Cleveland	11,351	293	25.8	113	10.0
White	10,036	271	27.0	85	8.5
All other	1,315	22	16.7	28	21.3
Campbell	31,131	740	23.8	234	7.5
Cannon	9,880	235	23.8	75	7.6
Carroll	25,978	434	16.7	257	9.9
White	21,886	397	18.1	210	9.6
All other	4,092	37	9.0	47	11.5
Carter	35,127	879	25.0	271	7.7
Cheatham	9,928	183	18.4	72	7.3
Chester	11,124	163	14.7	104	9.3
White	9,332	151	16.2	79	8.5
All other	1,792	12	6.7	25	14.0
Claiborne	24,657	530	21.5	163	6.6
Clay	10,904	239	21.9	51	4.7
Cocke	24,083	562	23.3	262	10.9
Coffee	18,959	383	20.2	223	11.8
Crockett	17,330	336	19.4	104	6.0
White	13,732	272	19.8	74	5.4
All other	3,598	64	17.8	30	8.3
Cumberland	15,592	330	21.2	85	5.5
Davidson	257,267	5,002	19.4	3,079	12.0
Outside city*	89,865	1,441	16.0	836	9.3
White	80,382	1,319	16.4	648	8.1
All other	9,483	122	12.9	188	19.8
Nashville	167,402	3,561	21.3	2,243	13.4
White	120,072	2,709	22.6	1,353	11.3
All other	47,330	852	18.0	890	18.8
TENNESSEE—Continued					
Decatur	10,261	179	17.4	64	6.2
De Kalb	14,588	268	18.4	144	9.9
Dickson	19,718	392	19.9	153	7.8
Dyer	34,920	840	18.3	309	8.8
Outside city	24,886	439	17.6	212	8.5
Dyersburg	10,034	201	20.0	97	9.7
White	7,223	172	23.8	70	9.7
All other	2,811	29	10.3	27	9.6
Fayette	30,322	658	21.7	291	9.6
White	8,343	167	20.0	71	8.5
All other	21,979	491	22.3	220	10.0
Fentress	14,262	348	24.4	40	2.8
Franklin	23,892	421	17.6	208	8.7
White	21,301	381	17.9	170	8.0
All other	2,591	40	15.4	38	14.7
Gibson	44,835	858	19.1	404	9.0
White	35,612	715	20.1	296	8.3
All other	9,223	143	15.5	108	11.7
Giles	29,240	489	16.7	272	9.3
White	22,294	378	17.0	184	8.3
All other	6,946	111	16.0	88	12.7
Grainger	14,356	312	21.7	150	10.4
Greene	39,405	775	19.7	378	9.6
Grundy	11,552	314	27.2	88	7.6
Hamblen	18,611	438	23.5	217	11.7
Hamilton	160,478	3,964	22.0	2,110	11.7
Outside city*	52,315	1,004	19.2	456	8.7
Chattanooga	128,163	2,960	23.1	1,654	12.9
White	91,742	2,235	24.4	944	10.3
All other	36,421	725	19.9	710	19.5
Hancock	11,231	218	19.4	54	4.8
Hardeman*	23,590	410	17.4	374	15.9
White	14,774	259	17.5	213	14.4
All other	8,816	151	17.1	161	18.3
Hardin	17,808	341	19.2	140	7.9
Hawkins	28,523	626	21.9	209	7.3
Haywood	27,699	499	18.0	280	10.1
White	10,133	183	18.1	83	8.2
All other	17,566	316	18.0	197	11.2
Henderson	19,220	340	17.7	154	8.0
Henry	25,877	392	15.1	263	10.2
White	21,524	332	15.4	198	9.2
All other	4,353	60	13.8	65	14.9
Hickman	14,873	299	20.1	133	8.9
Houston	6,432	142	22.1	60	9.3
Humphreys	12,421	246	19.8	126	10.1
Jackson	15,082	339	22.5	102	6.8
Jefferson	18,621	466	25.0	208	11.2
Johnson	12,998	341	26.2	114	8.8
Knox	178,468	3,800	21.3	1,880	10.5
Outside city*	66,888	1,319	19.7	736	11.0
Knoxville	111,580	2,481	22.2	1,144	10.3
White	95,474	2,206	23.1	864	9.0
All other	16,106	275	17.1	280	17.4
Lake	11,235	238	21.2	89	7.9
White	8,014	209	26.1	61	7.6
All other	3,221	29	9.0	28	8.7
Lauderdale	24,461	565	23.1	246	10.1
White	15,344	356	23.2	124	8.1
All other	9,117	209	22.9	122	13.4
Lawrence	28,726	635	22.1	210	7.3
Lewis	5,849	110	18.8	50	8.5
Lincoln	27,214	536	19.7	300	11.0
White	23,086	428	18.6	235	10.2
All other	4,148	108	26.0	65	15.7
Loudon	19,838	417	21.0	159	8.0
McMinn	30,781	685	22.3	203	6.6
McNairy	20,424	376	18.4	155	7.6
Macon	14,904	271	18.2	130	8.7
Madison	54,115	928	17.1	585	10.8
Outside city	29,783	537	18.0	263	8.8
White	19,074	310	16.3	144	7.5
All other	10,709	227	21.2	119	11.1
Jackson	24,332	391	16.1	322	13.2
White	15,547	268	17.2	172	11.1
All other	8,785	123	14.0	150	17.1
Marion	19,140	494	25.8	188	9.8
Marshall	16,030	325	20.3	204	12.7
White	13,931	293	21.0	173	12.4
All other	2,099	32	15.2	31	14.8
Maury	40,357	868	21.5	453	11.2
Outside city	29,778	656	22.0	309	10.4
White	22,583	499	22.1	202	8.9
All other	7,195	157	21.8	107	14.9
Columbia	10,579	212	20.0	144	13.6
White	7,642	165	21.6	89	11.6
All other	2,937	47	16.0	55	18.7
Meigs	6,393	156	24.4	48	7.5
Monroe	24,275	650	26.8	224	9.2
Montgomery	33,346	650	19.5	396	11.9
Outside city	21,515	442	20.5	233	10.8
White	15,721	298	19.0	146	9.3
All other	5,794	144	24.9	87	15.0
Clarksville	11,831	208	17.6	163	13.8
White	7,786	149	19.1	82	10.5
All other	4,045	59	14.6	81	20.0

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TENNESSEE—Continued					
Moore	4,095	83	20.3	52	12.7
Morgan	15,242	294	19.3	71	4.7
Obion	30,978	493	15.9	328	10.6
White	26,874	450	16.7	268	10.0
All other	4,104	43	10.5	60	14.6
Overton	18,883	375	19.9	87	4.6
Perry	7,535	137	18.2	65	8.6
Pickett	6,213	122	19.6	19	3.1
Polk	15,473	228	14.7	84	5.4
Putnam	26,250	518	19.7	175	6.7
Rhea	16,353	466	28.5	146	8.9
Roane	27,795	701	25.2	233	8.4
Robertson	29,046	495	17.0	288	9.9
White	23,312	413	17.7	225	9.7
All other	5,734	82	14.3	63	11.0
Rutherford	33,604	701	20.9	378	11.2
White	26,824	566	21.1	285	10.6
All other	6,780	135	19.9	93	13.7
Scott	15,966	351	22.0	91	5.7
Sequatchie	5,038	141	28.0	41	8.1
Sevier	23,291	510	21.9	234	10.0
Shelby	358,250	6,911	19.3	4,123	11.5
Outside city*	65,308	1,498	22.9	822	12.6
White	31,549	634	20.1	339	10.7
All other	33,759	864	25.6	483	14.3
Memphis	292,942	5,413	18.5	3,301	11.3
White	171,406	3,141	18.3	1,647	9.6
All other	121,536	2,272	18.7	1,654	13.6
Smith	16,148	284	17.6	140	8.7
Stewart	13,549	230	17.0	124	9.2
Sullivan	69,685	1,752	25.4	554	8.0
Outside cities	40,677	834	20.5	294	7.2
Bristol [6]	14,004	322	23.0	123	8.8
Kingsport	14,404	596	41.4	137	9.5
Sumner	32,719	623	19.0	298	9.1
White	28,315	545	19.2	242	8.5
All other	4,404	78	17.7	56	12.7
Tipton	28,036	630	22.5	236	8.4
White	17,049	409	24.0	127	7.4
All other	10,987	221	20.1	109	9.9
Trousdale	6,113	147	24.0	48	7.9
White	4,980	126	25.3	34	6.8
All other	1,133	21	18.5	14	12.4
Unicoi	14,128	339	24.0	103	7.3
Union	9,030	150	16.6	62	6.9
Van Buren	4,090	82	20.0	24	5.9
Warren	19,764	365	18.5	240	12.1
Washington	51,631	1,003	19.4	495	9.6
Outside city	26,299	517	19.7	286	10.9
Johnson City	25,332	486	19.2	209	8.3
White	22,605	444	19.6	174	7.7
All other	2,727	42	15.4	35	12.8
Wayne	13,638	255	18.7	116	8.5
Weakley	29,498	358	12.1	304	10.3
White	15,983	386	24.2	156	9.8
Williamson	25,220	516	20.5	227	9.0
White	19,594	407	20.8	163	8.3
All other	5,626	109	19.4	64	11.4
Wilson	25,267	442	17.5	311	12.3
White	20,704	359	17.3	239	11.5
All other	4,563	83	18.2	72	15.8
TEXAS (total)	6,414,824	136,782	21.3	60,581	9.4
Anderson	37,092	605	16.3	358	9.7
Outside city	24,948	410	16.4	198	7.9
White	16,651	282	16.9	105	6.3
All other	8,297	128	15.4	93	11.2
Palestine	12,144	195	16.1	160	13.2
White	8,644	147	17.0	97	11.2
All other	3,500	48	13.7	63	18.0
Andrews	1,277	29	22.7	4	3.1
Angelina	32,201	647	20.1	277	8.6
White	27,341	598	21.9	212	7.8
All other	4,860	49	10.1	65	13.4
Aransas	3,469	88	25.4	37	10.7
Archer	7,599	132	17.4	45	5.9
Armstrong	2,495	42	16.8	25	10.0
Atascosa	19,275	527	27.3	174	9.0
Austin	17,384	281	16.2	160	9.2
White	12,986	204	15.7	105	8.1
All other	4,398	77	17.5	55	12.5
Bailey	6,318	164	26.0	31	4.9
Bandera	4,234	56	13.2	42	9.9
Bastrop	21,610	410	19.0	253	11.7
White	14,509	270	18.6	150	10.3
All other	7,101	140	19.7	103	14.5
Baylor	7,755	166	21.4	64	8.3
Bee	16,481	385	23.4	184	11.2
Bell	44,863	842	18.8	415	9.3
Outside city	29,519	564	19.1	252	8.5
Temple	15,344	278	18.1	163	10.6
White	12,556	226	18.0	118	9.4
All other	2,788	52	18.7	45	16.1
TEXAS—Continued					
Bexar	338,176	8,795	26.0	4,252	12.6
Outside city*	84,322	1,084	12.9	777	9.2
San Antonio	253,854	7,711	30.4	3,475	13.7
White	234,022	7,336	31.3	3,166	13.5
All other	19,832	375	18.9	309	15.6
Blanco	4,264	93	21.8	34	8.0
Borden	1,398	6	4.3	5	3.6
Bosque	15,761	294	18.7	172	10.9
Bowie	50,208	1,079	21.5	495	9.9
Outside city	33,189	755	22.7	277	8.3
White	23,077	485	21.0	164	7.1
All other	10,112	270	26.7	113	11.2
Texarkana [7]	17,019	324	19.0	218	12.8
White	11,892	233	19.6	137	11.5
All other	5,127	91	17.7	81	15.8
Brazoria	27,089	700	25.9	254	9.4
White	19,934	604	30.3	160	8.0
All other	7,135	96	13.5	94	13.2
Brazos	26,977	637	23.6	261	9.7
Outside city	15,135	317	20.9	116	7.7
White	8,867	161	18.2	51	5.8
All other	6,268	156	24.9	65	10.4
Bryan	11,842	320	27.0	145	12.2
White	8,079	229	28.3	83	10.3
All other	3,763	91	24.2	62	16.5
Brewster	6,478	169	26.1	53	8.2
Briscoe	4,056	69	17.0	32	7.9
Brooks	6,362	219	34.4	73	11.5
Brown	25,924	669	25.8	316	12.2
Outside city	12,526	235	18.8	115	9.2
Brownwood	13,398	434	32.4	201	15.0
Burleson	18,334	344	18.8	144	7.9
White	11,567	208	18.0	81	7.0
All other	6,767	136	20.1	63	9.3
Burnet	10,771	202	18.8	94	8.7
Caldwell	24,893	494	19.8	270	10.8
White	21,002	447	21.3	226	10.8
All other	3,891	47	12.1	44	11.3
Calhoun	5,911	153	25.9	59	10.0
Callahan	11,568	187	16.2	96	8.3
Cameron	83,202	2,533	30.4	929	11.2
Outside cities	47,613	1,532	32.0	527	11.0
Brownsville	22,083	735	33.3	276	12.5
Harlingen	15,306	266	20.0	126	9.5
Camp	10,285	158	15.4	104	10.1
White	6,066	110	18.1	58	9.6
All other	4,219	48	11.4	46	10.9
Carson	6,624	112	16.9	30	4.5
Cass	33,496	761	22.7	280	8.4
White	22,231	455	20.5	184	8.3
All other	11,265	306	27.2	96	8.5
Castro	4,631	99	21.4	21	4.5
Chambers	7,511	154	20.5	54	7.2
White	5,770	117	20.3	34	5.9
All other	1,741	37	21.3	20	11.5
Cherokee*	43,970	730	16.6	500	11.4
White	31,405	579	18.4	319	10.2
All other	12,567	151	12.0	181	14.4
Childress	12,149	208	17.1	124	10.2
Clay	12,524	207	16.5	93	7.4
Cochran	3,735	132	35.3	17	4.6
Coke	4,590	99	21.6	40	8.7
Coleman	20,571	379	18.4	149	7.2
Collin	47,190	886	18.8	379	8.0
Collingsworth	10,351	192	18.6	76	7.4
Colorado	17,812	288	16.2	194	10.9
White	12,352	188	15.2	122	9.9
All other	5,460	100	18.3	72	13.2
Comal	12,321	307	24.9	156	12.7
Comanche	19,245	321	16.7	187	9.7
Concho	6,192	147	23.7	51	8.2
Cooke	24,909	447	17.9	210	8.4
Coryell	20,226	316	15.6	162	8.0
Cottle	7,079	163	23.0	69	9.7
Crane	2,841	56	19.7	15	5.3
Crockett	2,809	86	30.6	19	6.8
Crosby	10,046	174	17.3	62	6.2
Culberson	1,653	39	23.6	14	8.5
Dallam	6,494	110	16.9	54	8.3
Dallas	398,564	8,075	20.3	3,840	9.6
Outside cities	79,084	1,665	21.1	580	7.3
White	69,887	1,442	20.6	461	6.6
All other	9,197	223	24.2	119	12.9
Dallas	294,734	6,093	20.7	3,129	10.6
White	244,246	4,984	20.4	2,379	9.7
All other	50,488	1,109	22.0	750	14.9
Highland Park	10,288	90	8.7	74	7.2
White	8,970	82	9.1	65	7.2
All other	1,318	8	6.1	9	6.8
University Park	14,458	227	15.7	57	3.9
Dawson	15,367	482	31.4	128	8.3
Deaf Smith	6,056	131	21.6	54	8.9

[6] Includes data for Bristol, Tenn., only.
[7] Includes data for Texarkana, Tex., only.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TEXAS—Continued					
Delta	12,858	251	19.5	98	7.6
Denton	33,658	641	19.0	356	10.6
Outside city	22,466	421	18.7	218	9.7
Denton	11,192	220	19.7	138	12.3
White	10,041	204	20.3	124	12.3
All other	1,151	16	13.9	14	12.2
De Witt	24,935	490	19.7	284	11.4
White	21,122	440	20.8	228	10.8
All other	3,813	50	13.1	56	14.7
Dickens	7,847	158	20.1	53	6.8
Dimmit	8,542	298	34.9	138	16.2
Donley	7,487	129	17.2	67	8.9
Duval	20,565	556	27.0	152	7.4
Eastland	30,345	605	19.9	259	8.5
Ector	15,051	366	24.3	92	6.1
Edwards	2,933	70	23.9	34	11.6
Ellis	47,733	715	15.0	511	10.7
White	37,038	570	15.4	372	10.0
All other	10,695	145	13.6	139	13.0
El Paso	151,067	4,114	31.4	1,598	12.2
Outside city	34,257	1,020	29.8	372	10.9
El Paso	96,810	3,094	32.0	1,226	12.7
Erath	20,760	353	17.0	207	10.0
Falls	35,984	636	17.7	333	9.3
White	23,937	435	18.2	185	7.7
All other	12,047	201	16.7	148	12.3
Fannin	41,064	750	18.3	365	8.9
White	36,731	690	18.8	314	8.5
All other	4,333	60	13.8	51	11.8
Fayette	29,246	485	16.6	301	10.3
White	22,923	365	15.9	220	9.6
All other	6,323	120	19.0	81	12.8
Fisher	12,932	229	17.7	95	7.3
Floyd	10,659	169	15.9	78	7.3
Foard	5,237	107	20.4	32	6.1
Fort Bend	32,963	696	21.1	290	8.8
White	23,845	523	21.9	183	7.7
All other	9,118	173	19.0	107	11.7
Franklin	8,378	142	16.9	76	9.1
Freestone	21,138	449	21.2	184	8.7
White	12,524	238	19.0	114	9.1
All other	8,614	211	24.5	70	8.1
Frio	9,207	331	36.0	135	14.7
Gaines	8,136	175	21.5	48	5.9
Galveston	81,173	1,876	23.1	868	10.7
Outside city	20,311	529	26.0	177	8.7
White	18,025	489	27.1	154	8.5
All other	2,286	40	17.5	23	10.1
Galveston	60,862	1,347	22.1	691	11.4
White	45,353	1,049	23.1	507	11.2
All other	15,509	298	19.2	184	11.9
Garza	5,678	118	20.8	41	7.2
Gillespie	10,670	188	17.6	87	8.2
Glasscock	1,193	8	6.7	2	1.7
Goliad	8,798	153	17.4	74	8.4
White	7,900	148	18.7	63	8.0
All other	898	5	5.6	11	12.2
Gonzales	26,075	510	19.6	269	10.3
White	20,564	400	19.5	202	9.8
All other	5,511	110	20.0	67	12.2
Gray	23,911	499	20.9	143	6.0
Outside city	11,016	137	12.4	31	2.8
Pampa	12,895	362	28.1	112	8.7
Grayson	69,499	1,338	19.3	699	10.1
Outside cities	38,762	675	18.4	320	8.7
Denison	15,581	361	23.2	218	14.0
White	12,878	305	23.7	170	13.2
All other	2,703	56	20.7	48	17.8
Sherman	17,156	302	17.6	161	9.4
White	15,058	265	17.6	133	8.8
All other	2,098	37	17.6	28	13.3
Gregg	58,027	1,235	21.3	469	8.1
Outside city	44,269	867	19.6	287	6.5
White	33,967	683	20.1	196	5.8
All other	10,302	184	17.9	91	8.8
Longview	13,758	368	26.7	182	13.2
White	9,617	271	28.2	115	12.0
All other	4,141	97	23.4	67	16.2
Grimes	21,960	329	15.0	199	9.1
White	13,142	162	12.3	118	9.0
All other	8,818	167	18.9	81	9.2
Guadalupe	25,596	510	19.9	271	10.6
White	21,461	448	20.9	222	10.3
All other	4,135	62	15.0	49	11.9
Hale	18,813	371	19.7	153	8.1
Hall	12,117	284	23.4	93	7.7
Hamilton	13,303	231	17.4	115	8.6
Hansford	2,783	56	20.1	19	6.8
Hardeman	11,073	211	19.1	86	7.8
Hardin	15,875	327	20.6	150	9.4
White	13,251	267	20.1	115	8.7
All other	2,624	60	22.9	35	13.3
TEXAS—Continued					
Harris	528,961	11,420	21.6	4,776	9.0
Outside city	144,447	1,976	13.7	615	4.3
White	126,860	1,759	13.9	490	3.9
All other	17,587	217	12.3	125	7.1
Houston	384,514	9,444	24.6	4,161	10.8
White	297,959	7,588	25.5	2,876	9.7
All other	86,555	1,856	21.4	1,285	14.8
Harrison	50,900	1,064	20.9	505	9.9
Outside city	32,490	738	22.7	262	8.1
White	10,964	179	16.3	75	6.8
All other	21,526	559	26.0	187	8.7
Marshall	18,410	326	17.7	243	13.2
White	10,336	199	19.3	131	12.7
All other	8,074	127	15.7	112	13.9
Hartley	1,873	44	23.5	13	6.9
Haskell	14,905	234	15.7	95	6.4
Hays	15,349	266	17.3	173	11.3
Hemphill	4,170	84	20.1	31	7.4
Henderson	31,822	580	18.2	235	7.4
White	25,707	484	18.8	169	6.6
All other	6,115	96	15.7	66	10.8
Hidalgo	108,059	3,177	30.0	1,157	10.7
Outside city	94,182	2,769	29.4	1,002	10.6
McAllen	11,877	408	34.4	135	11.4
Hill	38,355	632	16.5	368	9.6
White	33,268	541	16.3	308	9.3
All other	5,087	91	17.9	60	11.8
Hockley	12,693	392	30.9	84	6.6
Hood	6,674	122	18.3	71	10.6
Hopkins	30,274	577	19.1	300	9.9
White	27,230	523	19.2	260	9.5
All other	3,044	54	17.7	40	13.1
Houston	31,137	587	18.9	253	8.1
White	19,256	346	18.0	143	7.4
All other	11,881	241	20.3	110	9.3
Howard	20,990	517	24.6	186	8.9
Outside city	8,386	114	13.6	65	7.8
Big Spring	12,604	403	32.0	121	9.6
Hudspeth	3,149	70	22.2	23	7.3
Hunt	48,793	804	16.5	433	8.9
Outside city	34,798	564	16.2	278	8.0
White	31,173	508	16.3	239	7.7
All other	3,625	56	15.4	39	10.8
Greenville	13,995	240	17.1	155	11.1
White	11,330	198	17.5	110	9.7
All other	2,665	42	15.8	45	16.9
Hutchinson	19,069	475	24.9	90	4.7
Outside city	9,051	173	19.1	21	2.3
Borger	10,018	302	30.1	69	6.9
Irion	1,963	58	29.5	29	14.8
Jack	10,206	156	15.3	78	7.6
Jackson	11,720	290	24.7	91	7.8
White	9,939	271	27.3	75	7.5
All other	1,781	19	10.7	16	9.0
Jasper	17,491	418	23.9	153	8.7
White	12,449	298	23.8	100	8.0
All other	5,042	122	24.2	53	10.5
Jeff Davis	2,375	62	26.1	21	8.8
Jefferson	145,329	3,230	22.2	1,299	8.9
Outside cities	40,128	731	18.2	192	4.8
White	34,279	561	16.4	150	4.4
All other	5,849	170	29.1	42	7.2
Beaumont	59,061	1,369	23.2	708	12.0
White	40,105	978	24.4	415	10.3
All other	18,956	391	20.6	293	15.5
Port Arthur	46,140	1,130	24.5	399	8.6
White	37,068	948	25.6	293	7.9
All other	9,072	182	20.1	106	11.7
Jim Hogg	5,449	162	29.7	34	6.2
Jim Wells	20,239	507	25.1	185	9.1
Johnson	30,384	532	17.5	352	11.6
Outside city	19,826	336	16.9	225	11.3
Cleburne	10,558	196	18.6	127	12.0
Jones	23,378	507	21.7	171	7.3
Karnes	19,248	422	21.9	170	8.8
Kaufman*	38,308	687	17.9	446	11.6
Outside city	27,827	548	19.7	251	9.0
White	20,208	377	18.7	174	8.6
All other	7,619	171	22.4	77	10.1
Terrell*	10,481	139	13.3	195	18.6
White	7,574	90	11.9	157	20.7
All other	2,907	49	16.9	38	13.1
Kendall	5,080	66	13.0	61	12.0
Kenedy	700	21	30.0	8	11.4
Kent	3,413	54	15.8	20	5.9
Kerr	11,650	209	17.9	150	12.9
Kimble	5,064	79	15.6	32	6.3
King	1,066	20	18.8	7	6.6
Kinney	4,533	88	19.4	47	10.4
Kleberg	13,344	293	22.0	116	8.7
Knox	10,090	229	22.7	64	6.3

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TEXAS—Continued					
Lamar	50,425	992	19.7	468	9.3
Outside city	31,747	614	19.3	221	7.0
White	26,457	514	19.4	169	6.4
All other	5,290	100	18.9	52	9.8
Paris	18,678	378	20.2	247	13.2
White	14,753	330	22.4	188	12.7
All other	3,925	48	12.2	59	15.0
Lamb	17,606	438	24.9	84	4.8
Lampasas	9,167	181	19.7	84	9.2
La Salle	8,003	203	25.4	84	10.5
Lavaca	25,485	478	18.8	245	9.6
White	22,265	411	18.5	191	8.6
All other	3,220	67	20.8	54	16.8
Lee	12,751	220	17.3	105	8.2
White	9,096	162	17.8	74	8.1
All other	3,655	58	15.9	31	8.5
Leon	17,733	288	16.2	163	9.2
White	10,218	159	15.6	94	9.2
All other	7,515	129	17.2	69	9.2
Liberty	24,541	568	23.1	243	9.9
White	18,465	431	23.3	154	8.3
All other	6,076	137	22.5	89	14.6
Limestone	33,781	446	13.2	276	8.2
White	25,990	324	13.5	184	7.7
All other	9,791	122	12.5	92	9.4
Lipscomb	3,764	84	22.3	34	9.0
Live Oak	9,799	183	18.7	60	6.1
Llano	5,996	119	19.8	52	8.7
Loving	285	2	7.0	-	0
Lubbock	51,782	1,169	22.6	313	6.0
Outside city	19,929	381	19.1	109	5.5
Lubbock	31,853	788	24.7	204	6.4
Lynn	11,931	233	19.5	76	6.4
McCulloch	13,208	294	22.3	121	9.2
McLennan	101,898	1,802	17.7	1,137	11.2
Outside city*	45,816	759	16.5	472	10.3
White	37,437	571	15.3	374	10.0
All other	8,479	188	22.2	98	11.6
Waco	55,982	1,043	18.6	665	11.9
White	44,944	821	18.3	474	10.5
All other	11,038	222	20.1	191	17.3
McMullen	1,374	41	29.8	13	9.5
Madison	12,029	248	20.6	90	7.5
White	8,165	172	21.1	60	7.3
All other	3,864	76	19.7	30	7.8
Marion	11,457	231	20.2	109	9.5
White	4,740	109	23.0	52	11.0
All other	6,717	122	18.2	57	8.5
Martin	5,556	105	18.9	26	4.7
Mason	5,378	114	21.2	53	9.9
Matagorda	20,066	486	24.2	186	9.3
White	15,117	398	26.3	147	9.7
All other	4,949	88	17.8	39	7.9
Maverick	10,071	331	32.9	124	12.3
Medina	16,106	419	26.0	188	11.7
Menard	4,521	107	23.7	27	6.0
Midland	11,721	273	23.3	118	10.1
Milam	33,120	603	18.2	286	8.6
White	25,430	438	17.2	201	7.9
All other	7,690	165	21.5	85	11.1
Mills	7,951	120	15.1	55	6.9
Mitchell	12,477	283	22.7	108	8.7
Montague	20,442	415	20.3	190	9.3
Montgomery	23,055	401	17.4	240	10.4
White	15,907	286	18.0	141	8.9
All other	7,148	115	16.1	99	13.9
Moore	4,461	168	37.7	29	6.5
Morris	9,810	158	16.1	71	7.2
White	6,087	131	21.5	50	8.2
All other	3,723	27	7.3	21	5.6
Motley	4,994	100	20.0	22	4.4
Nacogdoches	35,392	585	16.5	241	6.8
White	25,880	434	16.8	170	6.6
All other	9,512	151	15.9	71	7.5
Navarro	51,308	821	16.0	462	9.0
Outside city	36,076	582	16.1	268	7.4
White	26,882	439	16.3	188	7.0
All other	9,194	143	15.6	80	8.7
Corsicana	15,232	239	15.7	194	12.7
White	11,697	208	17.8	131	11.2
All other	3,535	31	8.8	63	17.8
Newton	13,700	297	21.7	117	8.5
White	8,133	174	21.4	67	8.2
All other	5,567	123	22.1	50	9.0
Nolan	17,309	416	24.0	149	8.6
Outside city	6,942	143	20.6	67	9.7
Sweetwater	10,367	273	26.3	82	7.9
Nueces	92,661	3,140	33.9	1,034	11.2
Outside city	35,360	1,029	29.1	356	10.1
Corpus Christi	57,301	2,111	36.8	678	11.8
Ochiltree	4,213	102	24.2	29	6.9
Oldham	1,385	41	29.6	12	8.7
TEXAS—Continued					
Orange	17,382	465	26.8	193	11.1
White	15,302	398	26.0	140	9.1
All other	2,080	67	32.2	53	25.5
Palo Pinto	18,456	380	20.6	236	12.8
Panola	22,513	296	13.1	173	7.7
White	12,792	197	15.4	87	6.8
All other	9,721	99	10.2	86	8.8
Parker	20,482	318	15.5	222	10.8
Parmer	5,890	107	18.2	25	4.2
Pecos	8,185	217	26.5	82	10.0
Polk	20,635	461	22.3	187	9.1
White	14,221	297	20.9	113	7.9
All other	6,414	164	25.6	74	11.5
Potter	54,265	1,054	19.4	395	7.3
Outside city	4,242	59	13.9	15	3.5
Amarillo (part)	50,023	995	(4)	380	(4)
Amarillo (total)	51,686	1,015	19.6	385	7.4
Presidio	10,925	329	30.1	134	12.3
Rains	7,334	146	19.9	59	8.0
Randall	7,185	106	14.8	37	5.1
Outside city	5,522	86	15.6	32	5.8
Amarillo (part)	1,663	20	(4)	5	(4)
Reagan	1,997	43	21.5	16	8.0
Real	2,420	28	11.6	9	3.7
Red River	29,769	537	18.0	247	8.3
White	22,960	428	18.6	179	7.8
All other	6,809	109	16.0	68	10.0
Reeves	8,006	213	26.6	76	9.5
Refugio	10,383	258	24.8	98	9.4
White	9,276	240	25.9	84	9.1
All other	1,107	18	16.3	14	12.6
Roberts	1,289	24	18.6	9	7.0
Robertson	25,710	581	22.6	268	10.4
White	14,954	273	18.3	136	9.1
All other	10,756	308	28.6	132	12.3
Rockwall	7,051	102	14.5	65	9.2
White	5,217	74	14.2	60	11.5
All other	1,834	28	15.3	5	2.7
Runnels	18,903	414	21.9	170	9.0
Rusk	51,023	824	16.1	384	7.5
White	35,277	594	16.8	251	7.1
All other	15,746	230	14.6	133	8.4
Sabine	10,696	207	19.0	78	7.2
White	8,386	160	19.1	61	7.3
All other	2,310	47	18.7	17	6.8
San Augustine	12,471	192	15.4	81	6.5
White	8,873	116	13.1	50	5.6
All other	3,598	76	21.1	31	8.6
San Jacinto	9,056	144	15.9	81	8.9
White	4,316	59	13.7	18	4.2
All other	4,740	85	17.9	63	13.3
San Patricio	28,871	826	28.6	298	10.3
San Saba	11,012	227	20.6	82	7.4
Schleicher	3,083	61	19.8	25	8.1
Scurry	11,545	251	21.7	73	6.3
Shackelford	6,211	100	16.1	64	10.3
Shelby	29,235	550	18.8	237	8.1
White	21,713	457	21.0	169	7.8
All other	7,522	93	12.4	68	9.0
Sherman	2,026	29	14.3	17	8.4
Smith	69,090	1,497	21.7	640	9.3
Outside city	40,811	912	22.3	357	8.7
White	25,908	516	19.9	209	8.1
All other	14,903	396	26.6	148	9.9
Tyler	28,279	585	20.7	283	10.0
White	20,879	454	21.7	185	8.9
All other	7,400	131	17.7	98	13.2
Somervell	3,071	49	16.0	40	13.0
Starr	13,312	437	32.8	116	8.7
Stephens	12,356	199	16.1	71	5.7
Sterling	1,404	26	18.5	9	6.4
Stonewall	5,589	93	16.6	31	5.5
Sutton	3,977	110	27.7	27	6.8
Swisher	6,528	124	19.0	50	7.7
Tarrant	225,521	4,332	19.2	2,188	9.7
Outside city*	47,859	826	17.3	370	7.7
Fort Worth	177,662	3,506	19.7	1,818	10.2
White	152,345	2,993	19.6	1,486	9.8
All other	25,317	513	20.3	332	13.1
Taylor*	44,147	908	20.6	498	11.3
Outside city*	17,535	303	17.3	204	11.6
Abilene	26,612	605	22.7	294	11.0
Terrell	2,952	78	26.4	29	9.8
Terry	11,160	354	31.7	76	6.8
Throckmorton	4,275	69	16.1	40	9.4
Titus	19,228	376	19.6	149	7.7
White	16,114	327	20.3	116	7.2
All other	3,114	49	15.7	33	10.6
Tom Green	39,302	892	22.7	414	10.5
Outside city	13,500	165	12.2	84	6.2
San Angelo	25,802	727	28.2	330	12.8

[4] Rate not computed for part of city.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TEXAS—Continued					
Travis*	111,053	2,183	19.7	1,228	11.1
Outside city	23,123	417	18.0	182	7.9
White	18,433	304	16.5	135	7.3
All other	4,690	113	24.1	47	10.0
Austin*	87,930	1,766	20.1	1,046	11.9
White	73,025	1,478	20.2	822	11.3
All other	14,905	288	19.3	224	15.0
Trinity	13,705	157	11.5	71	5.2
White	10,644	124	11.6	43	4.0
All other	3,061	33	10.8	28	9.1
Tyler	11,948	231	19.3	98	8.2
White	9,742	190	19.5	69	7.1
All other	2,206	41	18.6	29	13.1
Upshur	26,178	497	19.0	187	7.1
White	18,840	365	19.4	133	7.1
All other	7,338	132	18.0	54	7.4
Upton	4,297	80	18.6	20	4.7
Uvalde	13,246	335	25.3	164	12.4
Val Verde	15,453	492	31.8	198	12.8
Outside city	2,110	20	9.5	21	10.0
Del Rio	13,343	472	35.4	177	13.3
Van Zandt	31,155	544	17.5	232	7.4
Victoria	23,741	544	22.9	251	10.6
Outside city	12,175	219	18.0	85	7.0
White	10,633	202	19.0	68	6.4
All other	1,542	17	11.0	17	11.0
Victoria	11,566	325	28.1	166	14.4
White	9,977	301	30.2	141	14.1
All other	1,589	24	15.1	25	15.7
Walker*	19,868	301	15.1	173	8.7
White	11,047	167	15.1	83	7.5
All other	8,821	134	15.2	90	10.2
Waller	10,280	209	20.3	131	12.7
White	5,286	92	17.4	56	10.6
All other	4,994	117	23.4	75	15.0
Ward	9,575	262	27.4	58	6.1
Washington	25,387	454	17.9	251	9.9
White	15,726	252	16.0	142	9.0
All other	9,661	202	20.9	109	11.3
Webb	45,916	524	11.4	238	5.2
Outside city	6,642	121	18.2	47	7.1
Laredo	39,274	403	10.3	191	4.9
Wharton	36,158	874	24.2	338	9.3
White	26,942	667	24.8	214	7.9
All other	9,216	207	22.5	124	13.5
Wheeler	12,411	265	21.4	114	9.2
Wichita*	73,604	1,657	22.5	697	9.5
Outside city*	28,492	571	20.0	288	10.1
Wichita Falls	45,112	1,086	24.1	409	9.1
Wilbarger	20,474	436	21.3	141	6.9
Willacy	13,230	434	32.8	139	10.5
Williamson	41,698	774	18.6	422	10.1
White	34,879	621	17.8	334	9.6
All other	6,819	153	22.4	88	12.9
Wilson	17,066	384	22.5	136	8.0
Winkler	6,141	143	23.3	24	3.9
Wise	19,074	332	17.4	167	8.8
Wood	24,360	508	20.9	241	9.9
White	20,620	435	21.1	200	9.7
All other	3,740	73	19.5	41	11.0
Yoakum	5,354	109	20.4	14	2.6
Young	19,004	352	18.5	162	8.5
Zapata	3,916	114	29.1	36	9.2
Zavala	11,603	278	24.0	106	9.1
UTAH (total)	550,310	13,538	24.6	4,518	8.2
Beaver	5,014	134	26.7	56	11.2
Box Elder	18,832	490	26.0	128	6.7
Cache	29,797	720	24.2	244	8.2
Outside city	17,929	405	22.6	134	7.5
Logan	11,868	315	26.5	110	9.3
Carbon	18,459	402	21.8	125	6.8
Daggett	564	19	33.7	6	10.6
Davis	15,784	356	22.6	113	7.2
Duchesne	8,958	235	26.2	47	5.2
Emery	7,072	166	23.5	58	8.2
Garfield	5,253	124	23.6	23	4.4
Grand	2,070	48	23.2	19	9.2
Iron	8,331	219	26.3	65	7.8
Juab	7,392	186	25.2	64	8.7
Kane	2,561	67	26.2	13	5.1
Millard	9,613	221	23.0	54	5.6
Morgan	2,611	46	17.6	14	5.4
Piute	2,203	81	36.8	9	4.1
Rich	2,028	48	23.7	16	7.9
Salt Lake	211,623	5,304	25.1	1,844	8.7
Outside city	61,689	1,737	28.2	454	7.4
Salt Lake City	149,934	3,567	23.8	1,390	9.3
UTAH—Continued					
San Juan	4,712	95	20.2	21	4.5
White	2,837	89	31.4	17	6.0
All other	1,875	6	3.2	4	2.1
Sanpete	16,063	365	22.7	136	8.5
Sevier	12,112	306	25.3	100	8.3
Summit	8,714	201	23.1	76	8.7
Tooele	9,133	225	24.6	78	8.5
Uintah	9,898	281	28.4	83	8.4
White	8,863	237	26.7	61	6.9
All other	1,035	44	42.5	22	21.3
Utah*	57,382	1,338	23.3	500	8.7
Outside city*	39,311	935	23.8	317	8.1
Provo*	18,071	403	22.3	183	10.1
Wasatch	5,754	161	28.0	40	7.0
Washington	9,269	238	25.7	86	9.3
Wayne	2,394	64	26.7	16	6.7
Weber	56,714	1,398	24.6	486	8.6
Outside city*	13,026	288	22.1	95	7.3
Ogden	43,688	1,110	25.4	391	8.9
VERMONT (total)	359,231	6,965	19.4	4,402	12.3
Addison	17,944	384	21.4	211	11.8
Bennington	22,286	390	17.5	280	12.6
Caledonia	24,320	396	16.3	302	12.4
Chittenden	52,098	1,071	20.6	552	10.6
Outside city	24,412	492	20.2	265	10.9
Burlington	27,686	579	20.9	287	10.4
Essex	6,490	107	16.5	70	10.8
Franklin	29,601	583	19.7	330	11.1
Grand Isle	3,802	66	17.4	43	11.3
Lamoille	11,028	241	21.9	140	12.7
Orange	17,048	329	19.3	220	12.9
Orleans	21,718	457	21.0	273	12.6
Rutland	45,638	830	18.2	556	12.2
Outside city	28,556	531	18.6	335	11.7
Rutland	17,082	299	17.5	221	12.9
Washington*	41,546	800	19.3	575	13.8
Outside city*	30,637	576	18.8	458	14.9
Barre	10,909	224	20.5	117	10.7
Windham*	27,850	478	17.2	378	13.6
Windsor	37,862	833	22.0	472	12.5
VIRGINIA[8] (total)	2,677,773	61,079	22.8	30,700	11.5
Accomack	33,030	482	14.6	451	13.7
White	20,453	239	11.7	268	13.1
All other	12,577	243	19.3	183	14.6
Albemarle	24,652	518	21.0	252	10.2
White	18,990	385	20.3	170	9.0
All other	5,662	133	23.5	82	14.5
Alexandria (city)	33,523	981	29.3	425	12.7
White	28,219	854	30.3	307	10.9
All other	5,304	127	23.9	118	22.2
Alleghany	22,688	472	20.8	182	8.0
Amelia	8,495	184	21.7	108	12.7
White	4,175	74	17.7	41	9.8
All other	4,320	110	25.5	67	15.5
Amherst*	20,273	420	20.7	236	11.6
White	14,090	268	19.0	168	11.9
All other	6,183	152	24.6	68	11.0
Appomattox	9,020	165	18.3	96	10.6
White	6,581	101	15.3	57	8.7
All other	2,439	64	26.2	39	16.0
Arlington[9]	57,040	1,850	32.4	430	7.5
Augusta	42,772	1,026	24.0	474	11.1
Bath	7,191	141	19.6	75	10.4
White	6,394	126	19.7	70	10.9
All other	797	15	18.8	5	6.3
Bedford*	29,687	586	19.7	350	11.8
White	23,339	427	18.3	271	11.6
All other	6,348	159	25.0	79	12.4
Bland	6,731	157	23.3	77	11.4
Botetourt	16,447	366	22.3	165	10.0
White	14,528	324	22.3	133	9.2
All other	1,919	42	21.9	32	16.7
Bristol (city)[10]	9,768	265	27.1	107	11.0
White	8,721	242	27.7	90	10.3
All other	1,047	23	22.0	17	16.2
Brunswick	19,575	503	25.7	200	10.2
White	8,691	175	20.1	90	10.4
All other	10,884	328	30.1	110	10.1
Buchanan	31,477	1,238	39.3	312	9.9
Buckingham	15,398	329	24.6	168	12.5
White	7,733	157	20.3	86	11.1
All other	5,665	172	30.4	82	14.5
Buena Vista (city)	4,335	108	24.9	27	6.2
Campbell	26,048	590	22.7	245	9.4
White	19,324	396	20.5	148	7.7
All other	6,724	194	28.9	97	14.4

[8] Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Alexandria, Arlington County, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[9] Classified as urban under special rule. See text, p. 2, Part I.

[10] Includes data for Bristol, Va., only.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA[e]—Continued					
Caroline	13,945	342	24.5	179	12.8
White	6,934	132	19.0	87	12.5
All other	7,011	210	30.0	92	13.1
Carroll	25,904	603	23.3	226	8.7
Charles City	4,275	117	27.4	46	10.8
White	919	17	18.5	7	7.6
All other	3,356	100	29.8	39	11.6
Charlotte	15,861	345	21.8	180	11.3
White	9,169	165	18.0	98	10.7
All other	6,692	180	26.9	82	12.3
Charlottesville (city)	19,400	392	20.2	215	11.1
White	15,246	299	19.6	149	9.8
All other	4,154	93	22.4	66	15.9
Chesterfield	31,183	645	20.7	297	9.5
White	24,932	481	19.3	203	8.1
All other	6,251	164	26.2	94	15.0
Clarke	7,159	138	19.3	87	12.2
White	5,853	110	18.8	72	12.3
All other	1,306	28	21.4	15	11.5
Clifton Forge (city)	6,461	112	17.3	62	9.6
White	5,214	91	17.5	46	8.8
All other	1,247	21	16.8	16	12.8
Craig	3,769	84	22.3	53	14.1
Culpeper	13,365	257	19.2	143	10.7
White	9,151	165	18.0	97	10.6
All other	4,214	92	21.8	46	10.9
Cumberland	7,505	163	21.7	90	12.0
White	3,124	56	17.9	34	10.9
All other	4,381	107	24.4	56	12.8
Danville (city)	32,749	603	18.4	386	11.8
White	22,578	399	17.7	220	9.7
All other	10,171	204	20.1	166	16.3
Dickenson	21,266	732	34.4	177	8.3
Dinwiddie*	18,186	331	18.2	540	29.7
White	6,448	126	19.5	75	11.6
All other	11,718	205	17.5	465	39.7
Elizabeth City	32,283	536	16.6	362	11.2
White	25,275	392	15.5	216	8.5
All other	7,008	144	20.5	146	20.8
Essex	7,006	163	23.3	88	12.6
White	3,389	77	22.7	37	10.9
All other	3,617	86	23.8	51	14.1
Fairfax	40,929	936	22.9	364	8.9
White	34,412	835	24.3	309	9.0
All other	6,517	101	15.5	55	8.4
Fauquier	21,039	378	18.0	231	11.0
White	14,906	249	16.7	142	9.5
All other	6,133	129	21.0	89	14.5
Floyd	11,967	241	20.1	113	9.4
Fluvanna	7,088	119	16.8	90	12.7
White	4,512	53	12.3	55	12.8
All other	2,776	66	23.8	35	12.6
Franklin	25,864	571	22.1	258	10.0
White	22,144	481	21.7	195	8.8
All other	3,720	90	24.2	63	16.9
Frederick	14,008	288	20.6	153	10.9
Fredericksburg (city)	10,066	208	20.7	110	10.9
White	8,209	173	21.1	77	9.4
All other	1,857	35	18.8	33	17.8
Giles	14,635	413	28.2	155	10.6
Gloucester	9,548	186	19.5	110	11.5
White	6,368	129	20.3	56	8.8
All other	3,180	57	17.9	54	17.0
Goochland*	8,454	181	21.4	104	12.3
White	4,054	71	17.5	41	10.1
All other	4,400	110	25.0	63	14.3
Grayson	21,916	504	23.0	206	9.4
Greene	5,218	132	25.3	63	12.1
White	4,433	114	25.7	47	10.6
All other	785	18	22.9	16	20.4
Greensville	14,866	395	26.6	160	10.8
White	5,953	131	22.0	46	7.7
All other	8,913	264	29.6	114	12.8
Halifax	41,271	1,034	25.1	418	10.1
White	22,809	472	20.7	182	8.0
All other	18,462	562	30.4	236	12.8
Hampton (city)	5,898	314	53.2	99	16.8
White	4,146	263	63.4	55	13.3
All other	1,752	51	29.1	44	25.1
Hanover	18,500	389	21.0	246	13.3
White	11,933	211	17.7	133	11.1
All other	6,567	178	27.1	113	17.2
Harrisonburg (city)	8,768	160	18.2	114	13.0
Henrico	41,960	604	14.4	350	8.3
White	34,982	483	13.8	258	7.4
All other	6,978	121	17.3	92	13.2
Henry	26,481	856	32.3	254	9.6
White	19,292	557	28.9	151	7.8
All other	7,189	299	41.6	103	14.3
Highland	4,875	108	22.2	47	9.6
Hopewell (city)	8,679	181	20.9	88	10.1
White	7,306	158	21.6	69	9.4
All other	1,373	23	16.8	19	13.8
VIRGINIA[e]—Continued					
Isle of Wight	13,381	310	23.2	152	11.4
White	6,486	123	19.0	75	11.6
All other	6,895	187	27.1	77	11.2
James City	4,907	112	22.8	62	12.6
White	2,738	44	16.1	28	10.2
All other	2,169	68	31.4	34	15.7
King and Queen	6,954	149	21.4	112	16.1
White	3,264	62	19.0	50	15.3
All other	3,690	87	23.6	62	16.8
King George	5,431	143	26.3	66	12.2
White	3,609	94	26.0	36	10.0
All other	1,822	49	26.9	30	16.5
King William	7,855	158	20.1	121	15.4
White	3,994	74	18.5	49	12.3
All other	3,861	84	21.8	72	18.6
Lancaster	8,786	159	18.1	113	12.9
White	4,992	83	16.6	52	10.4
All other	3,794	76	20.0	61	16.1
Lee	39,296	1,094	27.8	359	9.1
Loudoun	20,291	438	21.6	230	11.3
White	16,192	336	20.8	174	10.7
All other	4,099	102	24.9	56	13.7
Louisa	13,665	325	23.8	155	11.3
White	8,115	160	19.7	83	10.2
All other	5,550	165	29.7	72	13.0
Lunenburg	13,844	327	23.6	125	9.0
White	7,714	149	19.3	57	7.4
All other	6,130	178	29.0	68	11.1
Lynchburg (city)	44,541	788	17.7	430	9.7
White	34,305	583	17.0	272	7.9
All other	10,236	205	20.0	158	15.4
Madison	8,465	178	21.0	86	10.2
White	6,303	128	20.3	59	9.4
All other	2,162	50	23.1	27	12.5
Martinsville (city)	10,080	265	26.3	95	9.4
White	8,068	215	26.6	64	7.9
All other	2,012	50	24.9	31	15.4
Mathews	7,149	100	14.0	87	12.2
White	5,376	69	12.8	59	11.0
All other	1,773	31	17.5	28	15.8
Mecklenburg	31,933	759	23.8	328	10.3
White	15,611	292	18.7	138	8.8
All other	16,322	467	28.6	190	11.6
Middlesex	6,673	98	14.7	88	13.2
White	3,781	45	11.9	40	10.6
All other	2,892	53	18.3	48	16.6
Montgomery	21,206	614	29.0	248	11.7
Nansemond	22,771	528	23.2	316	13.9
White	7,470	127	17.0	77	10.3
All other	15,301	401	26.2	239	15.6
Nelson	16,241	382	23.5	177	10.9
White	11,942	247	20.7	104	8.7
All other	4,299	135	31.4	73	17.0
New Kent	4,092	73	17.8	44	10.8
White	1,717	21	12.2	19	11.1
All other	2,375	52	21.9	25	10.5
Newport News (city)	37,067	940	25.4	537	14.5
White	21,772	528	24.3	238	10.9
All other	15,295	412	26.9	299	19.5
Norfolk	35,828	905	25.3	431	12.0
White	23,375	609	26.1	237	10.1
All other	12,453	296	23.8	194	15.6
Norfolk (city)	144,332	3,170	22.0	1,862	12.9
White	98,248	2,150	21.9	1,043	10.6
All other	46,084	1,020	22.1	819	17.8
Northampton	17,597	355	20.2	264	15.0
White	8,098	101	12.5	93	11.5
All other	9,499	254	26.7	171	18.0
Northumberland	10,463	186	17.8	150	14.3
White	6,138	92	15.0	78	12.7
All other	4,325	94	21.7	72	16.6
Nottoway	15,556	322	20.7	195	12.5
White	8,397	136	16.2	80	9.5
All other	7,159	186	26.0	115	16.1
Orange	12,649	266	21.0	171	13.5
White	9,010	167	18.5	108	11.8
All other	3,639	99	27.2	65	17.9
Page	14,863	312	21.0	181	12.2
Patrick	16,613	451	27.1	148	8.9
Petersburg (city)	30,631	585	19.1	441	14.4
White	17,137	284	16.6	191	11.1
All other	13,494	301	22.3	250	18.5
Pittsylvania	61,697	1,610	26.1	608	9.9
White	42,708	992	23.2	391	9.2
All other	18,989	618	32.5	217	11.4
Portsmouth (city)	50,745	1,237	24.4	736	14.5
White	31,268	778	24.9	327	10.5
All other	19,477	459	23.6	409	21.0
Powhatan	5,671	95	16.8	78	13.8
White	3,165	46	14.5	34	10.7
All other	2,506	49	19.6	44	17.6
Prince Edward	14,922	289	19.4	179	12.0
White	7,734	113	14.6	74	9.6
All other	7,188	176	24.5	105	14.6

[e] See footnote on p. 55.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA[a]—Continued					
Prince George	12,226	239	19.5	156	12.8
White	7,306	106	14.5	80	10.9
All other	4,920	133	27.0	76	15.4
Prince William	17,738	347	19.6	198	11.2
White	15,175	285	18.8	160	10.5
All other	2,563	62	24.2	38	14.8
Princess Anne*	19,984	532	26.6	484	24.2
White	12,234	313	25.6	253	20.7
All other	7,750	219	28.3	231	29.8
Pulaski	22,767	561	24.6	196	8.6
Radford (city)	6,990	205	29.3	76	10.9
Rappahannock	7,208	166	23.0	75	10.4
White	5,618	139	24.7	63	11.2
All other	1,590	27	17.0	12	7.5
Richmond	6,634	147	22.2	77	11.6
White	4,101	74	18.0	47	11.5
All other	2,533	73	28.8	30	11.8
Richmond (city)	193,042	3,357	17.4	2,373	12.3
White	131,706	2,188	16.6	1,426	10.8
All other	61,336	1,169	19.1	947	15.4
Roanoke*	42,897	854	19.9	478	11.1
Roanoke (city)	69,287	1,320	19.1	657	9.5
White	56,472	1,064	18.8	485	8.6
All other	12,815	256	20.0	172	13.4
Rockbridge	22,384	446	19.9	255	11.4
White	20,101	393	19.6	209	10.4
All other	2,283	53	23.2	46	20.1
Rockingham	31,289	708	22.6	302	9.7
Russell	26,627	723	27.2	229	8.6
Scott	26,989	662	24.5	252	9.3
Shenandoah	20,898	385	18.4	256	12.2
Smyth*	28,861	751	26.0	378	13.1
Southampton	26,442	691	26.1	326	12.3
White	10,191	197	19.3	99	9.7
All other	16,251	494	30.4	227	14.0
South Norfolk (city)	8,038	144	17.9	95	11.8
White	6,446	102	15.8	55	8.5
All other	1,592	42	26.4	40	25.1
Spotsylvania	9,905	226	22.8	124	12.5
White	7,118	155	21.8	81	11.4
All other	2,787	71	25.5	43	15.4
Stafford	9,548	195	20.4	105	11.0
White	8,103	154	19.0	85	10.5
All other	1,445	41	28.4	20	13.8
Staunton (city)*	13,337	204	15.3	352	26.4
White	11,694	174	14.9	323	27.6
All other	1,643	30	18.3	29	17.7
Suffolk (city)	11,343	200	17.6	169	14.9
White	7,504	121	16.1	93	12.4
All other	3,839	79	20.6	76	19.8
Surry	6,193	134	21.6	103	16.6
White	2,392	28	11.7	34	14.2
All other	3,801	106	27.9	69	18.2
Sussex	12,465	298	23.9	168	13.5
White	4,121	55	13.3	42	10.2
All other	8,364	243	29.1	126	15.1
Tazewell	41,607	1,313	31.6	411	9.9
Warren	11,352	261	23.0	103	9.1
Warwick	9,248	344	37.2	112	12.1
White	6,703	274	40.9	76	11.3
All other	2,545	70	27.5	36	14.1
Washington	38,197	934	24.5	337	8.8
Westmoreland	9,512	230	24.2	124	13.0
White	5,015	87	17.3	63	12.6
All other	4,497	143	31.8	61	13.6
Williamsburg (city)*	3,942	61	15.5	175	44.4
White	3,107	42	13.5	168	54.1
All other	835	19	22.8	7	8.4
Winchester (city)	12,095	238	19.7	121	10.0
Wise	52,458	1,520	29.0	508	9.7
Wythe	22,721	635	27.9	206	9.1
York	8,857	183	20.7	100	11.3
White	5,634	98	17.4	56	9.9
All other	3,223	85	26.4	44	13.7
WASHINGTON (total)	1,736,191	30,580	17.6	19,199	11.1
Adams	6,209	78	12.6	46	7.4
Asotin	8,365	142	17.0	67	8.0
Benton	12,053	232	19.2	93	7.7
Chelan	34,412	670	19.5	285	8.3
Outside city	22,792	465	20.4	163	7.2
Wenatchee	11,620	205	17.6	122	10.5
Clallam	21,848	445	20.4	204	9.3
Clark	49,852	978	19.6	509	10.2
Outside city	31,064	542	17.4	284	9.1
Vancouver	18,788	434	23.1	225	12.0
Columbia	5,549	97	17.5	55	9.9
Cowlitz	40,155	885	22.0	325	8.1
Outside city	27,770	596	21.5	230	8.3
Longview	12,385	289	23.3	95	7.7
WASHINGTON—Continued					
Douglas	8,651	97	11.2	59	6.8
Ferry	4,701	85	18.1	51	10.8
White	3,810	68	17.8	30	7.9
All other	891	17	19.1	21	23.6
Franklin	6,307	119	18.9	71	11.3
Garfield	3,383	55	16.3	26	7.7
Grant	14,668	207	14.1	76	5.2
Grays Harbor	53,166	935	17.6	578	10.9
Outside cities	23,485	418	17.8	269	11.5
Aberdeen	18,846	331	17.6	199	10.6
Hoquiam	10,835	186	17.2	110	10.2
Island	6,098	90	14.8	64	10.5
Jefferson	8,918	190	21.3	87	9.8
King	504,980	8,530	16.9	6,022	11.9
Outside city	136,678	1,798	13.2	1,249	9.1
Seattle	368,302	6,732	18.3	4,773	13.0
White	354,101	6,551	18.5	4,603	13.0
All other	14,201	181	12.7	170	12.0
Kitsap	44,387	1,125	25.3	501	11.3
Outside city	29,253	696	23.8	342	11.7
Bremerton	15,134	429	28.3	159	10.5
Kittitas	20,230	355	17.5	195	9.6
Klickitat	11,357	200	17.6	101	8.9
Lewis	41,393	700	16.9	423	10.2
Lincoln	11,361	196	17.3	103	9.1
Mason	11,603	225	19.4	100	8.6
Okanogan	24,546	517	21.1	165	6.7
Pacific	15,928	262	16.4	138	8.7
Pend Oreille	7,156	129	18.0	67	9.4
Pierce*	182,061	3,117	17.1	2,360	13.0
Outside city*	72,673	1,230	16.9	1,092	15.0
Tacoma	109,408	1,887	17.2	1,268	11.6
San Juan	3,157	34	10.8	24	7.6
Skagit*	37,650	603	16.0	568	15.1
Skamania	4,633	65	14.0	33	7.1
Snohomish	88,754	1,462	16.5	938	10.6
Outside city*	58,530	953	16.3	635	10.8
Everett	30,224	509	16.8	303	10.0
Spokane	164,652	2,587	15.7	2,120	12.9
Outside city*	42,651	620	14.5	607	14.2
Spokane	122,001	1,967	16.1	1,513	12.4
Stevens	19,275	436	22.6	167	8.7
Thurston	37,285	724	19.4	385	10.3
Outside city	24,031	444	18.5	215	8.9
Olympia	13,254	280	21.1	170	12.8
Wahkiakum	4,286	80	18.7	22	5.1
Walla Walla*	30,547	501	16.4	351	11.5
Outside city	12,438	194	15.6	91	7.3
Walla Walla*	18,109	307	17.0	260	14.4
Whatcom	60,355	948	15.7	629	10.4
Outside city	31,041	505	16.3	311	10.0
Bellingham	29,314	443	15.1	318	10.8
Whitman	27,221	410	15.1	253	9.3
Yakima	99,019	2,071	20.9	938	9.5
Outside city	71,798	1,438	20.0	603	8.4
Yakima	27,221	633	23.3	335	12.3
WEST VIRGINIA (total)	1,901,974	43,983	23.1	17,837	9.4
Barbour	19,869	424	21.3	175	8.8
Berkeley	29,016	503	17.3	322	11.1
Outside city	13,953	213	15.3	113	8.1
Martinsburg	15,063	290	19.3	209	13.9
Boone	28,556	806	28.2	226	7.9
Braxton	21,658	458	21.1	213	9.8
Brooke	25,513	430	16.9	204	8.0
Cabell	97,459	2,077	21.3	1,037	10.6
Outside city	21,893	465	21.2	189	8.6
Huntington (part)	75,566	1,612	(4)	848	(4)
Huntington (total)	78,836	1,650	20.9	888	11.3
Calhoun	12,455	278	22.3	90	7.2
Clay	15,206	422	27.8	114	7.5
Doddridge	10,923	125	11.4	100	9.2
Fayette	80,628	2,162	26.8	654	8.1
White	68,485	1,995	29.1	509	7.4
All other	12,143	167	13.8	145	11.9
Gilmer	12,046	197	16.4	98	8.1
Grant	8,805	198	22.5	73	8.3
Greenbrier	38,520	898	23.3	365	9.5
Hampshire	12,974	275	21.2	126	9.7
Hancock	31,572	700	22.2	268	8.5
Hardy	10,813	222	20.5	85	7.9
Harrison	82,911	1,603	19.3	782	9.4
Outside city	52,332	960	18.3	458	8.8
Clarksburg	30,579	643	21.0	324	10.6
Jackson	16,598	352	21.2	145	8.7
Jefferson	16,762	384	22.9	191	11.4
White	14,067	351	25.0	149	10.6
All other	2,695	33	12.2	42	15.6

[4] Rate not computed for part of city.
[a] See footnote on p. 55.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WEST VIRGINIA—Contd.					
Kanawha	195,619	5,028	25.7	1,919	9.8
Outside cities	117,328	3,114	26.5	1,093	9.3
Charleston	67,914	1,673	24.6	722	10.6
White	60,887	1,597	26.2	612	10.1
All other	7,027	76	10.8	110	15.7
South Charleston	10,377	241	23.2	104	10.0
Lewis*	22,271	319	14.3	302	13.6
Lincoln	22,886	552	24.1	179	7.8
Logan	67,768	2,051	30.3	536	7.9
White	58,988	1,934	32.2	456	7.6
All other	7,780	117	15.0	80	10.3
McDowell	94,354	3,108	32.9	960	10.2
White	70,437	2,610	37.1	631	9.0
All other	23,917	498	20.8	329	13.8
Marion	68,683	1,379	20.1	642	9.3
Outside city	45,578	984	21.6	353	7.7
Fairmont	23,105	395	17.1	289	12.5
Marshall	40,189	619	15.4	435	10.8
Outside city	26,021	355	13.6	255	9.8
Moundsville*	14,168	264	18.6	180	12.7
Mason*	22,270	441	19.8	240	10.8
Mercer	68,289	1,636	24.0	685	10.0
Outside city	47,648	1,215	25.5	471	9.9
Bluefield [11]	20,641	421	20.4	214	10.4
White	17,038	376	22.1	163	9.6
All other	3,603	45	12.5	51	14.2
Mineral	22,215	544	24.5	221	9.9
Mingo	40,802	1,124	27.5	288	7.1
Monongalia	51,252	990	19.3	483	9.4
Outside city	34,597	618	17.9	302	8.7
Morgantown	16,655	372	22.3	181	10.9
Monroe	13,577	269	19.8	114	8.4
Morgan	8,743	150	17.2	97	11.1
Nicholas	24,070	538	22.4	166	6.9
Ohio	73,115	1,274	17.4	809	11.1
Outside city	12,018	113	9.4	117	9.7
Wheeling	61,099	1,161	19.0	692	11.3
Pendleton	10,884	248	22.8	87	8.0
Pleasants	6,692	140	20.9	70	10.5
Pocahontas	13,906	289	20.8	145	10.4
Preston	30,416	686	22.6	293	9.6
Putnam	19,511	473	24.2	145	7.4
Raleigh	86,687	2,497	28.8	687	7.9
Outside city	73,835	2,181	29.5	537	7.3
White	63,179	1,971	31.2	431	6.8
All other	10,656	210	19.7	106	9.9
Beckley	12,852	318	24.6	150	11.7
White	10,591	280	26.4	106	10.0
All other	2,261	36	15.9	44	19.5
Randolph	30,259	761	25.1	267	8.8
Ritchie	15,369	281	18.3	137	8.9
Roane*	20,787	423	20.3	237	11.4
Summers	20,409	437	21.4	225	11.0
Taylor	19,919	353	17.7	182	9.1
Tucker	13,173	284	21.6	95	7.2
Tyler	12,559	202	16.1	132	10.5
Upshur	18,360	362	19.7	174	9.5
Wayne	35,566	905	25.4	325	9.1
Outside city	32,296	867	26.8	285	8.8
Huntington (part)	3,270	38	(4)	40	(4)
Webster	18,080	462	25.6	136	7.5
Wetzel	22,342	433	19.4	212	9.5
Wirt	6,475	120	18.5	59	9.1
Wood	62,399	1,153	18.5	626	10.0
Outside city	32,296	542	16.8	281	8.7
Parkersburg	30,103	611	20.3	345	11.5
Wyoming	29,774	938	31.5	259	8.7
WISCONSIN (total)	3,137,587	57,186	18.2	30,678	9.8
Adams	8,449	111	13.1	95	11.2
Ashland	21,801	416	19.1	214	9.8
Outside city	10,700	230	21.5	82	7.7
White	9,567	198	20.7	73	7.6
All other	1,133	32	28.2	9	7.9
Ashland	11,101	186	16.8	132	11.9
Barron	34,289	652	19.0	329	9.6
Bayfield	15,827	239	15.1	181	11.4
Brown	83,109	1,784	21.5	752	9.0
Outside city	36,874	732	19.9	323	8.8
Green Bay	46,235	1,052	22.8	429	9.3
Buffalo	16,090	302	18.8	149	9.3
Burnett	11,382	204	17.9	118	10.4
Calumet	17,618	329	18.7	159	9.0
Chippewa*	40,703	816	20.0	440	10.8
Outside city*	30,335	615	20.3	313	10.3
Chippewa Falls	10,368	201	19.4	127	12.2
Clark	33,972	585	17.2	305	9.0
Columbia	32,517	512	15.7	390	12.0
Crawford	18,328	443	24.2	186	10.1
WISCONSIN—Continued					
Dane	130,660	2,656	20.3	1,164	8.9
Outside city*	63,213	1,282	20.3	641	10.1
Madison	67,447	1,374	20.4	523	7.8
Dodge	54,280	879	16.2	521	9.6
Outside cities	41,170	661	16.1	370	9.0
Beaver Dam	10,356	191	18.4	127	12.3
Watertown (part)	2,754	27	(4)	24	(4)
Door	19,095	371	19.4	184	9.6
Douglas	47,119	820	17.4	589	12.5
Outside city*	11,983	180	15.0	180	15.0
Superior	35,136	640	18.2	409	11.6
Dunn	27,375	508	18.6	277	10.1
Eau Claire	46,999	920	19.6	427	9.1
Outside city	16,254	335	20.6	142	8.7
Eau Claire	30,745	585	19.0	285	9.3
Florence	4,177	76	18.2	41	9.8
Fond du Lac	62,353	1,065	17.1	662	10.6
Outside city	35,144	570	16.2	344	9.8
Fond du Lac	27,209	495	18.2	318	11.7
Forest	11,805	314	26.6	107	9.1
Grant	40,639	790	19.4	462	11.4
Green	23,146	418	18.1	266	11.5
Green Lake	14,092	197	14.0	137	9.7
Iowa	20,595	389	18.9	221	10.7
Iron	10,049	176	17.5	86	8.6
Jackson	16,599	354	21.3	186	11.2
Jefferson	38,868	543	14.0	441	11.3
Outside city	30,321	420	13.9	344	11.3
Watertown (part)	8,547	123	(4)	97	(4)
Watertown (total)	11,301	150	13.3	121	10.7
Juneau	18,708	370	19.8	215	11.5
Kenosha	63,505	996	15.7	539	8.5
Outside city	14,740	175	11.9	111	7.5
Kenosha	48,765	821	16.8	428	8.8
Kewaunee	16,680	352	21.1	154	9.2
La Crosse	59,653	1,233	20.7	557	9.3
Outside city*	16,946	365	21.5	181	10.7
La Crosse	42,707	868	20.3	376	8.8
Lafayette	18,695	327	17.5	190	10.2
Langlade	23,227	489	21.1	214	9.2
Lincoln	22,536	459	20.4	260	11.5
Manitowoc	61,617	1,173	19.0	552	9.0
Outside cities	26,911	520	19.3	253	9.4
Manitowoc	24,404	456	18.7	230	9.4
Two Rivers	10,302	197	19.1	69	6.7
Marathon	75,915	1,494	19.7	638	8.4
Outside city	48,647	879	18.1	343	7.1
Wausau*	27,268	615	22.6	295	10.8
Marinette	38,225	602	16.6	370	10.2
Outside city*	22,042	393	17.8	213	9.7
Marinette	14,183	209	14.7	157	11.1
Marquette	9,097	111	12.2	108	11.9
Milwaukee	766,885	12,874	16.8	7,278	9.5
Outside cities*	78,401	1,442	18.4	739	9.4
Cudahy	10,561	245	23.2	72	6.8
Milwaukee	587,472	9,654	16.4	5,784	9.8
Shorewood	15,184	187	12.3	97	6.4
South Milwaukee	11,134	175	15.5	82	7.4
Wauwatosa	27,769	441	15.9	218	7.9
West Allis	36,364	732	20.1	286	7.9
Monroe	30,080	619	20.6	293	9.7
Oconto	27,075	452	16.7	268	9.9
Oneida	18,938	403	21.3	163	8.6
Outagamie	70,032	1,519	21.7	631	9.0
Outside city	41,596	901	21.7	372	8.9
Appleton	28,436	618	21.7	259	9.1
Ozaukee	18,985	320	16.9	168	8.8
Pepin	7,897	171	21.7	74	9.4
Pierce	21,471	403	18.8	220	10.2
Polk	26,197	445	17.0	238	9.1
Portage	35,800	683	19.1	307	8.6
Outside city	20,023	381	19.0	173	8.6
Stevens Point	15,777	302	19.1	134	8.5
Price	18,467	303	16.4	149	8.1
Racine	94,047	1,520	16.2	910	9.7
Outside city*	26,852	393	14.6	289	10.8
Racine	67,195	1,127	16.8	621	9.2
Richland	20,381	428	21.0	209	10.3
Rock	80,173	1,483	18.5	808	10.1
Outside cities	31,816	519	16.3	303	9.5
Beloit	25,365	565	22.3	276	10.9
Janesville	22,992	399	17.4	229	10.0
Rusk	17,737	323	18.2	132	7.4
St. Croix	24,842	463	18.6	269	10.8
Sauk	33,700	586	17.4	391	11.6
Sawyer	11,540	235	20.4	109	9.4
White	10,295	190	18.5	91	8.8
All other	1,245	45	36.1	18	14.5
Shawano	35,378	743	21.0	351	9.9
Sheboygan	76,221	1,417	18.6	761	10.0
Outside city	35,583	658	18.5	369	10.4
Sheboygan	40,638	759	18.7	392	9.6

[4] Rate not computed for part of city.
[11] Includes data for Bluefield, W. Va., only.

TABLE II.—POPULATION, BIRTHS, AND DEATHS, AND RATES, BY PLACE OF RESIDENCE: EACH STATE, COUNTY, AND CITY, 1941—Continued

(See headnote on p. 20)

AREA	Population enumerated as of April 1, 1940	BIRTHS		DEATHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WISCONSIN—Continued					
Taylor	20,105	404	20.1	167	8.3
Trempealeau	24,381	417	17.1	264	10.8
Vernon	29,940	549	18.3	257	8.6
Vilas	8,894	164	18.4	86	9.7
White	7,927	141	17.8	77	9.7
All other	967	23	23.8	9	9.3
Walworth	33,103	503	15.2	429	13.0
Washburn	12,496	251	20.1	103	8.2
Washington	28,430	537	18.9	295	10.4
Waukesha	62,744	1,157	18.4	673	10.7
Outside city	43,502	798	18.3	479	11.0
Waukesha	19,242	359	18.7	194	10.1
Waupaca*	34,614	559	16.1	385	11.1
Waushara	14,268	197	13.8	153	10.7
Winnebago*	80,507	1,551	19.3	919	11.4
Outside cities*	20,292	340	16.8	261	12.9
Menasha	10,481	259	24.7	92	8.8
Neenah	10,645	233	21.9	106	10.0
Oshkosh	39,089	719	18.4	460	11.8
Wood	44,465	1,032	23.2	332	7.5
Outside cities	22,690	529	23.3	146	6.4
Marshfield*	10,359	228	22.0	93	9.0
Wisconsin Rapids	11,416	275	24.1	93	8.1
WYOMING (total)	250,742	5,322	21.2	2,192	8.7
Albany	13,946	278	19.9	133	9.5
Outside city	3,319	45	13.6	30	9.0
Laramie	10,627	233	21.9	103	9.7
Big Horn	12,911	328	25.4	90	7.0
Campbell	6,048	106	17.5	49	8.1
WYOMING—Continued					
Carbon	12,644	235	18.6	98	7.8
Converse	6,631	133	20.1	66	10.0
Crook	5,463	75	13.7	39	7.1
Fremont	16,095	364	22.6	158	9.8
White	13,816	248	18.0	106	7.7
All other	2,279	116	50.9	52	22.8
Goshen	12,207	260	21.3	105	8.6
Hot Springs	4,607	112	24.3	60	13.0
Johnson	4,980	88	17.7	43	8.6
Laramie	33,651	787	23.4	259	7.7
Outside city	11,177	96	8.6	56	5.0
Cheyenne	22,474	691	30.7	203	9.0
Lincoln	10,286	264	25.7	87	8.5
Natrona	23,858	422	17.7	198	8.3
Outside city	5,894	68	11.5	37	6.3
Casper	17,964	354	19.7	161	9.0
Niobrara	5,988	114	19.0	51	8.5
Park	10,976	245	22.3	86	7.8
Platte	8,013	178	22.2	66	8.2
Sheridan*	19,255	343	17.8	181	9.4
Outside city*	8,726	131	15.0	76	8.7
Sheridan	10,529	212	20.1	105	10.0
Sublette	2,778	53	19.1	22	7.9
Sweetwater	19,407	431	22.2	178	9.2
Teton	2,543	59	23.2	8	3.1
Uinta*	7,223	160	22.2	125	17.3
Washakie	5,858	159	27.1	41	7.0
Weston	4,958	118	23.8	47	9.5
Yellowstone National Park (part)	416	10	(4)	2	(4)
Yellowstone National Park (total)	459	10	21.8	2	4.4

[4]Rate not computed for part of an area.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	2,513,427	2,204,903	1,976,320	92,670	32,378	48,907	51,477	740	607	43	1,761	294,554	13,970
Male	1,289,734	1,133,394	1,015,957	47,782	16,734	25,024	26,331	397	285	15	869	149,147	7,193
Female	1,223,693	1,071,509	960,363	44,888	15,644	23,883	25,146	343	322	28	892	145,407	6,777
10 to 14 years M	1,771	580	373	4	191	3	-	2	-	-	7	1,181	10
F	1,662	533	310	9	199	-	1	-	1	-	13	1,112	17
15 to 19 years M	162,327	124,214	114,197	1,999	6,486	888	223	56	52	-	313	37,155	958
F	154,358	118,836	107,338	1,870	6,068	837	239	51	41	1	361	36,591	931
20 to 24 years M	413,245	363,975	339,405	10,703	6,136	5,380	1,860	121	86	4	280	47,029	2,241
F	391,356	343,592	320,450	9,835	5,787	5,177	1,854	109	96	7	277	45,609	2,155
25 to 29 years M	355,475	323,845	291,889	18,060	2,208	7,944	5,486	72	55	2	129	29,764	1,866
F	336,907	306,034	276,056	15,048	2,000	7,517	5,159	54	76	5	119	29,153	1,720
30 to 34 years M	214,998	195,353	167,274	11,747	995	6,575	8,591	73	42	5	51	18,531	1,114
F	205,016	186,100	159,095	11,371	916	6,316	8,230	58	47	8	59	17,911	1,005
35 to 39 years M	106,219	94,292	77,626	5,602	471	3,275	7,207	50	24	4	33	11,252	695
F	100,618	88,999	73,337	5,210	474	3,162	6,710	51	31	5	19	10,965	654
40 to 44 years M	30,940	27,249	22,031	1,479	195	872	2,634	21	3	-	14	3,444	247
F	29,384	25,860	20,864	1,383	144	771	2,659	19	8	2	10	3,286	238
45 to 49 years M	2,625	2,270	1,779	126	10	59	295	-	1	-	-	322	33
F	2,517	2,160	1,715	115	21	51	254	-	2	-	2	327	30
50 to 54 years M	67	49	41	4	1	-	3	-	-	-	-	17	1
F	69	47	39	1	-	-	7	-	-	-	-	21	1
Not stated M	2,067	1,567	1,342	58	41	28	32	2	22	-	42	472	28
F	1,806	1,348	1,159	46	35	22	33	1	20	-	32	452	26
ALABAMA	64,379	39,939	39,044	132	675	45	34	-	6	-	3	24,427	13
Male	32,959	20,530	20,078	64	343	21	18	-	3	-	3	12,422	7
Female	31,420	19,409	18,966	68	332	24	16	-	3	-	-	12,005	6
10 to 14 years M	120	24	18	-	6	-	-	-	-	-	-	96	-
F	100	24	19	-	5	-	-	-	-	-	-	76	-
15 to 19 years M	6,155	3,101	2,940	2	156	-	-	-	1	-	2	3,053	1
F	5,981	2,976	2,838	2	135	-	-	-	1	-	-	3,002	3
20 to 24 years M	10,197	6,492	6,371	13	103	3	-	-	1	-	1	3,701	4
F	10,024	6,463	6,324	18	117	3	1	-	-	-	-	3,560	1
25 to 29 years M	7,857	5,243	5,174	13	44	8	4	-	-	-	-	2,614	-
F	7,263	4,755	4,679	17	45	9	4	-	1	-	-	2,506	2
30 to 34 years M	4,815	3,254	3,208	17	16	7	5	-	1	-	-	1,561	-
F	4,470	2,953	2,910	15	17	5	6	-	-	-	-	1,517	-
35 to 39 years M	2,739	1,722	1,689	16	9	3	5	-	-	-	-	1,015	2
F	2,563	1,595	1,564	15	7	5	3	-	1	-	-	968	-
40 to 44 years M	840	566	554	3	5	-	4	-	-	-	-	274	-
F	811	525	519	1	2	2	1	-	-	-	-	286	-
45 to 49 years M	76	49	49	-	-	-	-	-	-	-	-	27	-
F	71	44	44	-	-	-	-	-	-	-	-	27	-
50 to 54 years M	3	1	1	-	-	-	-	-	-	-	-	2	-
F	6	1	1	-	-	-	-	-	-	-	-	5	-
Not stated M	157	78	74	-	4	-	-	-	-	-	-	79	-
F	131	73	68	-	4	-	1	-	-	-	-	58	-
ARIZONA	11,425	9,979	7,808	868	115	528	638	19	2	-	1	250	1,196
Male	5,858	5,145	4,041	426	65	285	315	11	2	-	-	121	592
Female	5,567	4,834	3,767	442	50	243	323	8	-	-	1	129	604
10 to 14 years M	8	2	2	-	-	-	-	-	-	-	-	4	2
F	7	2	1	-	1	-	-	-	-	-	-	1	4
15 to 19 years M	904	791	689	51	24	17	9	-	1	-	-	32	81
F	864	734	638	49	21	19	7	-	-	-	-	40	90
20 to 24 years M	1,960	1,757	1,488	127	23	74	42	3	-	-	-	38	165
F	1,945	1,713	1,425	146	21	72	45	4	-	-	-	39	193
25 to 29 years M	1,409	1,244	973	105	10	81	71	3	1	-	-	20	145
F	1,336	1,170	916	123	2	57	72	-	-	-	-	24	142
30 to 34 years M	932	809	555	86	4	71	90	3	-	-	-	16	107
F	842	744	515	71	1	47	107	3	-	-	-	14	84
35 to 39 years M	457	387	242	38	3	27	76	1	-	-	-	9	61
F	423	353	207	41	4	39	61	1	-	-	-	9	61
40 to 44 years M	161	138	78	18	1	15	26	-	-	-	-	2	21
F	132	108	60	11	-	9	28	-	-	-	-	1	23
45 to 49 years M	17	10	8	1	-	-	1	-	-	-	-	-	7
F	12	8	4	1	-	-	3	-	-	-	-	1	3
50 to 54 years F	1	-	-	-	-	-	-	-	-	-	-	-	1
Not stated M	10	7	6	-	-	-	-	1	-	-	-	-	3
F	5	2	1	-	-	-	-	-	-	-	1	-	3
ARKANSAS	40,549	30,774	30,311	58	327	20	13	-	27	-	18	9,766	9
Male	20,859	15,839	15,574	38	181	8	10	-	19	-	9	5,015	5
Female	19,690	14,935	14,737	20	146	12	3	-	8	-	9	4,751	4
10 to 14 years M	77	17	16	-	1	-	-	-	-	-	-	60	-
F	55	13	13	-	-	-	-	-	-	-	-	42	-
15 to 19 years M	4,078	2,792	2,709	2	71	1	-	-	5	-	4	1,284	2
F	3,978	2,738	2,657	3	72	1	-	-	2	-	3	1,239	1
20 to 24 years M	6,334	4,904	4,825	2	67	4	-	-	4	-	2	1,428	2
F	5,988	4,745	4,692	2	45	2	-	-	2	-	2	1,243	-
25 to 29 years M	4,863	3,924	3,875	17	23	2	3	-	2	-	2	938	1
F	4,330	3,391	3,364	5	18	2	-	-	-	-	2	938	1
30 to 34 years M	2,904	2,241	2,224	7	6	-	1	-	2	-	1	663	-
F	2,884	2,230	2,207	9	6	4	1	-	1	-	2	653	1
35 to 39 years M	1,797	1,368	1,349	7	5	1	4	-	2	-	-	429	-
F	1,696	1,267	1,258	1	3	2	1	-	2	-	-	428	1
40 to 44 years M	540	422	414	3	3	-	2	-	-	-	-	118	-
F	500	384	383	-	-	1	-	-	-	-	-	116	-
45 to 49 years M	44	31	30	-	1	-	-	-	-	-	-	13	-
F	53	37	36	-	1	-	-	-	-	-	-	16	-
50 to 54 years M	4	2	2	-	-	-	-	-	-	-	-	2	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	218	138	130	-	4	-	-	-	4	-	-	80	-
F	205	130	127	-	1	-	1	-	1	-	-	75	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
CALIFORNIA	125,190	119,788	99,749	8,843	647	4,943	5,532	38	24	5	7	2,024	3,378
Male	64,073	61,300	51,095	4,538	305	2,563	2,766	19	11	2	3	1,028	1,745
Female	61,117	58,488	48,656	4,305	342	2,380	2,766	19	13	3	4	996	1,633
10 to 14 years—M	24	18	13	-	5	-	-	-	-	-	-	5	1
F	21	16	8	1	5	-	1	-	1	-	-	3	2
15 to 19 years—M	7,720	7,340	6,688	354	107	128	56	3	3	-	1	228	152
F	7,262	6,903	6,257	352	120	121	48	3	1	-	1	220	139
20 to 24 years—M	22,411	21,442	18,817	1,433	122	735	326	6	2	-	1	389	580
F	21,070	20,158	17,807	1,284	118	649	291	2	6	-	1	374	538
25 to 29 years—M	18,468	17,727	14,750	1,410	38	860	663	3	2	1	-	208	533
F	17,744	17,018	14,094	1,375	47	803	694	4	1	1	1	217	509
30 to 34 years—M	10,037	9,659	7,426	897	18	522	790	3	3	-	-	124	254
F	9,811	9,481	7,268	869	25	528	786	4	-	-	1	108	222
35 to 39 years—M	4,169	3,954	2,689	335	10	256	662	1	-	1	-	50	165
F	4,044	3,835	2,589	342	14	218	665	3	3	1	-	57	152
40 to 44 years—M	1,076	1,005	608	96	3	54	241	3	-	-	-	22	49
F	1,013	940	550	69	9	57	250	3	1	1	-	15	58
45 to 49 years—M	78	70	39	8	-	3	20	-	-	-	-	-	8
F	89	81	47	8	1	3	22	-	-	-	-	1	7
50 to 54 years—M	2	1	1	-	-	-	-	-	-	-	-	-	1
F	2	2	-	-	-	-	2	-	-	-	-	-	-
Not stated—M	88	84	62	5	2	5	8	-	1	-	1	2	2
F	61	54	36	7	3	1	7	-	-	-	-	1	6
COLORADO	21,393	21,128	19,410	724	342	246	384	5	11	-	6	172	93
Male	10,992	10,847	9,969	380	193	120	173	4	5	-	3	90	55
Female	10,401	10,281	9,441	344	149	126	211	1	6	-	3	82	38
10 to 14 years—M	8	8	4	-	3	1	-	-	-	-	-	-	-
F	10	10	5	1	4	-	-	-	-	-	-	-	-
15 to 19 years—M	1,380	1,359	1,260	23	61	10	1	1	2	-	1	16	5
F	1,290	1,274	1,187	22	57	5	2	-	1	-	-	11	5
20 to 24 years—M	3,769	3,717	3,525	93	63	25	9	-	1	-	1	32	20
F	3,569	3,516	3,345	80	48	23	19	-	1	-	-	35	18
25 to 29 years—M	2,959	2,936	2,742	101	35	25	32	1	-	-	-	13	10
F	2,775	2,756	2,534	107	21	48	43	-	3	-	-	12	7
30 to 34 years—M	1,748	1,726	1,514	89	20	40	60	1	2	-	-	15	7
F	1,630	1,610	1,432	75	13	30	58	-	-	-	2	17	3
35 to 39 years—M	821	802	686	54	5	12	43	1	-	-	1	12	7
F	803	795	678	36	5	16	59	1	-	-	-	5	3
40 to 44 years—M	265	258	203	19	5	7	24	-	-	-	-	2	5
F	270	268	217	21	1	4	25	-	-	-	-	-	2
45 to 49 years—M	21	20	17	-	-	-	3	-	-	-	-	-	1
F	25	25	20	1	-	-	4	-	-	-	-	-	-
Not stated—M	21	21	18	1	1	-	1	-	-	-	-	-	-
F	29	27	23	1	-	-	1	-	1	-	1	2	-
CONNECTICUT	29,036	28,356	22,948	2,397	332	1,330	1,331	11	5	1	1	675	5
Male	14,871	14,501	11,746	1,236	178	663	664	8	5	-	1	366	4
Female	14,165	13,855	11,202	1,161	154	667	667	3	-	1	-	309	1
10 to 14 years—M	2	1	1	-	-	-	-	-	-	-	-	1	-
F	2	-	-	-	-	-	-	-	-	-	-	2	-
15 to 19 years—M	775	715	597	36	56	21	2	2	1	-	-	60	-
F	727	666	584	24	47	10	1	-	-	-	-	61	-
20 to 24 years—M	4,597	4,464	3,970	247	77	116	49	4	1	-	-	133	-
F	4,253	4,143	3,697	210	66	117	52	1	-	-	-	110	-
25 to 29 years—M	4,851	4,766	3,985	398	29	216	136	1	1	-	-	84	1
F	4,814	4,745	3,962	424	23	217	117	1	-	1	-	69	-
30 to 34 years—M	2,990	2,957	2,195	341	10	177	212	1	1	-	-	52	1
F	2,889	2,845	2,063	326	9	216	231	-	-	-	-	43	1
35 to 39 years—M	1,297	1,266	801	172	5	109	178	-	1	-	-	29	2
F	1,178	1,156	736	144	5	84	186	1	-	-	-	20	-
40 to 44 years—M	322	316	178	39	1	21	77	-	-	-	-	6	-
F	278	274	143	32	4	20	75	-	-	-	-	4	-
45 to 49 years—M	25	24	11	1	-	3	9	-	-	-	-	1	-
F	18	18	10	1	-	3	4	-	-	-	-	-	-
50 to 54 years—M	2	2	1	1	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated—M	10	10	7	1	-	-	1	-	-	-	1	-	-
F	7	7	6	-	-	-	1	-	-	-	-	-	-
DELAWARE	5,087	4,252	3,918	130	88	56	58	1	1	-	-	833	2
Male	2,529	2,127	1,947	73	45	31	29	1	1	-	-	400	2
Female	2,558	2,125	1,971	57	43	25	29	-	-	-	-	433	-
10 to 14 years—M	8	1	1	-	-	-	-	-	-	-	-	7	-
F	2	-	-	-	-	-	-	-	-	-	-	2	-
15 to 19 years—M	327	204	183	4	17	-	-	-	-	-	-	123	-
F	345	212	190	-	22	-	-	-	-	-	-	133	-
20 to 24 years—M	820	699	652	19	22	5	1	-	-	-	-	120	1
F	828	718	692	9	12	3	2	-	-	-	-	110	-
25 to 29 years—M	683	626	580	26	4	10	5	-	1	-	-	57	-
F	681	599	555	25	4	8	7	-	-	-	-	82	-
30 to 34 years—M	422	373	343	16	-	7	7	-	-	-	-	49	-
F	438	382	344	13	3	9	13	-	-	-	-	56	-
35 to 39 years—M	204	168	143	6	2	6	10	1	-	-	-	35	1
F	193	162	144	7	2	4	5	-	-	-	-	31	-
40 to 44 years—M	56	49	38	2	-	3	6	-	-	-	-	7	-
F	58	44	38	3	-	1	2	-	-	-	-	14	-
45 to 49 years—M	7	5	5	-	-	-	-	-	-	-	-	2	-
F	10	8	8	-	-	-	-	-	-	-	-	2	-
50 to 54 years—F	2	-	-	-	-	-	-	-	-	-	-	2	-
Not stated—M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
DISTRICT OF COLUMBIA	12,892	8,241	7,280	334	190	194	183	4	5	1	50	4,623	28
Male	6,589	4,244	3,759	158	105	96	98	1	3	-	24	2,337	8
Female	6,303	3,997	3,521	176	85	98	85	3	2	1	26	2,286	20
10 to 14 years M	32	-	-	-	-	-	-	-	-	-	-	32	-
F	28	-	-	-	-	-	-	-	-	-	-	28	-
15 to 19 years M	1,030	438	381	8	37	4	1	1	-	-	6	592	-
F	991	388	347	1	30	1	-	-	-	-	9	600	3
20 to 24 years M	2,181	1,385	1,281	28	43	20	7	-	-	-	4	794	4
F	2,050	1,302	1,183	41	37	20	9	2	2	1	7	738	10
25 to 29 years M	1,699	1,242	1,103	57	16	33	28	-	2	-	3	454	3
F	1,694	1,217	1,068	73	13	41	21	1	-	-	-	475	2
30 to 34 years M	1,053	776	676	41	5	23	29	-	1	-	1	276	1
F	1,042	768	663	40	3	28	34	-	-	-	1	272	1
35 to 39 years M	465	311	253	19	2	11	26	-	-	-	-	154	-
F	387	251	209	18	1	7	16	-	-	-	-	134	2
40 to 44 years M	104	74	55	5	2	5	7	-	-	-	-	30	-
F	89	56	46	3	1	1	5	-	-	-	-	32	1
45 to 49 years M	6	5	5	-	-	-	-	-	-	-	-	1	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	19	15	5	-	-	-	-	-	-	-	10	4	-
F	20	13	4	-	-	-	-	-	-	-	9	6	1
FLORIDA	37,542	26,784	25,339	514	422	321	167	4	9	-	8	10,742	16
Male	19,244	13,765	13,047	272	196	159	81	2	4	-	4	5,469	10
Female	18,298	13,019	12,292	242	226	162	86	2	5	-	4	5,273	6
10 to 14 years M	77	18	16	-	2	-	-	-	-	-	-	59	-
F	79	17	14	-	3	-	-	-	-	-	-	62	-
15 to 19 years M	3,675	2,125	2,011	21	87	5	-	-	-	-	1	1,548	2
F	3,489	2,002	1,865	17	107	10	1	-	-	-	2	1,485	2
20 to 24 years M	6,288	4,608	4,442	52	58	44	11	-	1	-	-	1,679	1
F	5,917	4,346	4,167	62	68	39	9	-	1	-	-	1,568	3
25 to 29 years M	4,605	3,622	3,445	83	23	48	18	1	2	-	2	980	3
F	4,486	3,494	3,305	80	32	51	26	-	-	-	-	991	1
30 to 34 years M	2,734	2,069	1,913	78	15	36	26	-	1	-	-	662	3
F	2,563	1,927	1,806	51	8	35	26	1	-	-	-	636	-
35 to 39 years M	1,377	1,000	919	34	6	20	20	1	-	-	-	377	-
F	1,327	937	864	25	7	18	20	1	2	-	-	390	-
40 to 44 years M	372	249	231	4	2	6	6	-	-	-	-	123	-
F	333	228	210	6	-	8	4	-	-	-	-	105	-
45 to 49 years M	35	22	22	-	-	-	-	-	-	-	-	13	-
F	40	25	23	-	1	1	-	-	-	-	-	15	-
50 to 54 years M	4	-	-	-	-	-	-	-	-	-	-	4	-
Not stated M	77	52	48	-	3	-	-	-	-	-	1	24	1
F	64	43	38	1	-	-	-	-	2	-	2	21	-
GEORGIA	67,870	41,375	40,417	121	708	57	41	1	22	-	8	26,477	18
Male	34,795	21,404	20,898	73	374	26	20	-	9	-	4	13,387	4
Female	33,075	19,971	19,519	48	334	31	21	1	13	-	4	13,090	14
10 to 14 years M	125	27	21	-	5	-	-	-	-	-	1	98	-
F	131	21	12	-	9	-	-	-	-	-	-	110	-
15 to 19 years M	6,868	3,362	3,194	4	161	1	-	-	2	-	-	3,506	-
F	6,441	2,986	2,836	2	141	1	2	-	3	-	1	3,452	3
20 to 24 years M	11,254	7,056	6,900	15	132	5	-	-	3	-	1	4,198	-
F	10,819	6,661	6,537	5	105	7	1	-	4	-	2	4,154	4
25 to 29 years M	8,152	5,399	5,315	27	39	9	8	-	1	-	-	2,753	-
F	7,622	4,963	4,888	17	43	9	3	-	3	-	-	2,655	4
30 to 34 years M	4,838	3,299	3,248	16	20	5	8	-	2	-	-	1,538	1
F	4,712	3,195	3,136	18	23	8	7	-	2	-	1	1,514	3
35 to 39 years M	2,706	1,741	1,710	9	13	4	3	-	1	-	1	962	3
F	2,554	1,659	1,631	5	10	5	8	-	-	-	-	895	-
40 to 44 years M	735	489	461	1	4	2	1	-	-	-	-	246	-
F	698	424	420	1	1	1	-	1	-	-	-	274	-
45 to 49 years M	82	41	40	1	-	-	-	-	-	-	-	41	-
F	63	40	39	-	-	-	-	-	1	-	-	23	-
50 to 54 years M	2	-	-	-	-	-	-	-	-	-	-	2	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	33	10	9	-	-	-	-	-	-	-	1	23	-
F	33	21	19	-	2	-	-	-	-	-	-	12	-
IDAHO	11,658	11,557	10,918	276	104	214	37	1	5	-	2	3	98
Male	5,916	5,864	5,520	154	50	112	23	1	3	-	1	1	51
Female	5,742	5,693	5,398	122	54	102	14	-	2	-	1	2	47
10 to 14 years M	6	6	3	-	3	-	-	-	-	-	-	-	-
F	6	4	3	-	1	-	-	-	-	-	-	-	2
15 to 19 years M	835	824	781	11	23	8	1	-	-	-	-	1	10
F	754	748	709	10	21	8	-	-	-	-	-	1	5
20 to 24 years M	2,136	2,125	2,041	31	18	30	3	-	1	-	1	-	11
F	2,073	2,052	1,953	32	26	35	3	-	2	-	1	-	21
25 to 29 years M	1,490	1,474	1,389	44	3	34	3	-	1	-	-	-	16
F	1,481	1,471	1,401	37	3	27	3	-	-	-	-	-	10
30 to 34 years M	856	851	790	36	2	17	4	1	1	-	-	-	5
F	856	852	808	22	2	18	2	-	-	-	-	-	4
35 to 39 years M	437	433	375	27	-	21	10	-	-	-	-	-	4
F	410	406	377	17	1	8	3	-	-	-	-	-	4
40 to 44 years M	138	133	124	5	1	1	2	-	-	-	-	-	5
F	135	135	125	2	-	5	3	-	-	-	-	-	-
45 to 49 years M	15	15	14	-	-	1	-	-	-	-	-	-	-
F	18	17	14	2	-	1	-	-	-	-	-	-	1
Not stated M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	9	8	8	-	-	-	-	-	-	-	-	1	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE											Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown					
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown			
ILLINOIS	138,159	128,489	113,628	8,493	2,069	2,869	3,259	58	50	4	61		7,575	97
Male	69,941	66,115	58,437	3,580	1,100	1,457	1,666	31	19	1	24		3,779	47
Female	68,218	62,374	55,189	3,113	969	1,412	1,593	27	31	3	37		3,794	50
10 to 14 years M	48	13	4	-	9	-	-	-	-	-	-		35	-
F	46	21	8	1	10	-	-	-	-	-	2		25	-
15 to 19 years M	6,689	5,694	5,125	96	403	43	12	8	1	-	6		991	4
F	6,392	5,378	4,836	101	363	50	9	7	1	-	11		1,009	5
20 to 24 years M	22,103	20,864	19,361	668	426	291	94	7	11	1	5		1,221	18
F	20,980	19,688	18,306	604	361	293	93	12	7	-	12		1,272	20
25 to 29 years M	21,294	20,585	18,407	1,255	155	460	295	4	2	-	5		694	17
F	20,052	19,318	17,327	1,135	125	419	291	1	13	-	7		722	12
30 to 34 years M	12,499	11,991	10,043	892	58	423	566	4	3	-	2		505	3
F	11,863	11,413	9,557	828	66	392	562	2	6	1	1		442	8
35 to 39 years M	5,590	5,334	4,239	347	38	190	511	4	2	-	3		254	2
F	5,307	5,043	3,962	364	32	218	460	3	3	1	-		260	4
40 to 44 years M	1,472	1,398	1,081	96	8	43	166	4	-	-	-		72	2
F	1,370	1,315	1,041	70	7	34	157	2	1	1	2		54	1
45 to 49 years M	128	125	92	13	1	3	16	-	-	-	-		2	1
F	118	115	85	6	2	2	19	-	-	-	1		3	-
50 to 54 years M	1	1	-	1	-	-	-	-	-	-	-		-	-
F	1	1	1	-	-	-	-	-	-	-	-		-	-
Not stated M	117	112	85	12	2	4	6	-	-	-	3		5	-
F	89	82	66	6	3	4	2	-	-	-	1		7	-
INDIANA	65,594	63,247	60,847	882	677	435	351	3	33	1	18		2,341	6
Male	33,630	32,457	31,240	445	352	211	184	-	17	-	8		1,168	5
Female	31,964	30,790	29,607	437	325	224	167	3	16	1	10		1,173	1
10 to 14 years M	23	10	6	-	4	-	-	-	-	-	-		13	-
F	22	13	9	-	4	-	-	-	-	-	-		9	-
15 to 19 years M	4,413	4,124	3,951	26	136	6	3	-	2	-	-		289	-
F	4,169	3,874	3,709	13	136	9	4	1	2	-	-		295	-
20 to 24 years M	11,648	11,256	10,944	107	137	48	15	-	1	-	4		388	2
F	10,948	10,578	10,268	122	106	56	15	2	3	1	5		370	-
25 to 29 years M	8,995	8,782	8,477	148	36	64	51	-	5	-	1		211	2
F	8,619	8,376	8,102	133	36	70	28	-	6	-	1		243	-
30 to 34 years M	5,063	4,926	4,701	96	20	57	48	-	2	-	2		136	1
F	4,869	4,710	4,472	108	24	48	54	-	2	-	2		158	1
35 to 39 years M	2,531	2,450	2,318	50	14	25	42	-	1	-	-		81	-
F	2,437	2,366	2,231	44	13	33	42	-	2	-	1		71	-
40 to 44 years M	811	769	718	17	2	8	24	-	1	-	1		42	-
F	740	717	670	14	3	7	23	-	-	-	-		23	-
45 to 49 years M	52	51	49	-	1	1	-	-	-	-	-		1	-
F	56	56	54	-	-	1	1	-	-	-	-		-	-
50 to 54 years F	2	2	2	-	-	-	-	-	-	-	-		-	-
Not stated M	96	89	78	1	2	2	1	-	5	-	-		7	-
F	102	98	90	3	3	-	-	-	1	-	1		4	-
IOWA	46,115	45,830	43,563	903	768	373	200	7	12	-	4		256	29
Male	23,673	23,541	22,381	468	384	188	107	4	6	-	3		121	11
Female	22,442	22,289	21,182	435	384	185	93	3	6	-	1		135	18
10 to 14 years M	10	9	5	-	4	-	-	-	-	-	-		1	-
F	8	8	2	-	6	-	-	-	-	-	-		-	-
15 to 19 years M	2,421	2,387	2,221	14	142	5	-	1	3	-	1		33	1
F	2,361	2,331	2,139	14	169	8	-	-	-	-	1		29	1
20 to 24 years M	7,689	7,647	7,355	80	163	44	2	3	-	-	-		39	3
F	7,330	7,273	7,003	72	157	33	3	1	4	-	-		52	5
25 to 29 years M	6,670	6,648	6,400	137	48	45	16	-	1	-	1		18	4
F	6,354	6,321	6,080	133	33	55	18	1	1	-	-		27	6
30 to 34 years M	4,099	4,078	3,847	125	21	51	33	-	1	-	-		18	3
F	3,719	3,700	3,519	111	10	30	29	-	1	-	-		17	2
35 to 39 years M	2,053	2,043	1,906	66	1	31	38	-	1	-	-		10	-
F	1,979	1,968	1,813	77	5	42	30	1	-	-	-		7	4
40 to 44 years M	664	662	589	40	5	12	16	-	-	-	-		2	-
F	627	624	568	24	4	16	12	-	-	-	-		3	-
45 to 49 years M	58	58	50	6	-	-	2	-	-	-	-		-	-
F	58	58	52	4	-	1	1	-	-	-	-		-	-
Not stated M	9	9	8	-	-	-	-	-	-	-	1		-	-
F	6	6	6	-	-	-	-	-	-	-	-		-	-
KANSAS	30,417	29,281	28,008	385	473	161	218	3	8	1	4		1,090	66
Male	15,519	14,956	14,318	204	238	67	100	2	2	1	4		543	40
Female	14,898	14,325	13,690	181	235	94	118	1	6	-	-		547	26
10 to 14 years M	6	5	3	-	2	-	-	-	-	-	-		1	-
F	7	3	-	-	3	-	-	-	-	-	-		4	-
15 to 19 years M	1,805	1,680	1,572	11	87	8	1	-	-	-	1		125	2
F	1,731	1,591	1,460	16	108	3	4	-	1	-	-		137	3
20 to 24 years M	5,022	4,827	4,658	48	96	13	10	-	-	1	1		184	11
F	4,799	4,621	4,456	48	85	21	9	-	2	-	-		174	4
25 to 29 years M	4,261	4,147	4,054	57	23	13	17	1	1	-	1		103	11
F	4,014	3,906	3,804	36	22	24	18	-	2	-	-		100	8
30 to 34 years M	2,534	2,449	2,360	38	16	16	19	-	-	-	-		73	12
F	2,563	2,494	2,393	31	9	24	36	-	1	-	-		61	8
35 to 39 years M	1,357	1,314	1,220	38	11	9	35	-	1	-	-		39	4
F	1,293	1,243	1,149	38	4	17	35	-	-	-	-		48	2
40 to 44 years M	464	446	409	11	2	8	15	1	-	-	-		18	-
F	442	423	387	12	4	5	14	1	-	-	-		18	1
45 to 49 years M	54	52	47	1	1	-	3	-	-	-	-		2	-
F	38	37	35	1	-	-	1	-	-	-	-		1	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-		-	-
F	1	1	-	-	-	-	1	-	-	-	-		-	-
Not stated M	15	15	14	-	-	-	-	-	-	-	1		-	-
F	10	6	6	-	-	-	-	-	-	-	-		4	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
KENTUCKY	63,502	60,120	59,194	166	641	61	35	-	17	-	6	3,376	6
Male	32,874	31,095	30,628	76	337	22	23	-	7	-	2	1,777	2
Female	30,628	29,025	28,566	90	304	39	12	-	10	-	4	1,599	4
10 to 14 years—M	40	31	25	-	6	-	-	-	-	-	-	9	-
F	53	38	32	-	6	-	-	-	-	-	-	15	-
15 to 19 years—M	5,530	5,074	4,928	4	139	1	-	-	2	-	-	455	1
F	5,175	4,751	4,607	3	138	-	-	-	1	-	2	424	-
20 to 24 years—M	10,355	9,804	9,677	10	113	1	3	-	-	-	-	551	-
F	9,591	9,142	9,009	18	97	11	2	-	4	-	1	448	1
25 to 29 years—M	7,711	7,383	7,299	24	42	11	6	-	-	-	1	328	-
F	7,166	6,837	6,755	28	32	15	4	-	3	-	-	326	3
30 to 34 years—M	4,959	4,731	4,676	21	22	5	4	-	2	-	1	227	1
F	4,665	4,474	4,422	23	14	8	5	-	2	-	-	191	-
35 to 39 years—M	2,997	2,845	2,815	13	7	2	7	-	1	-	-	152	-
F	2,787	2,650	2,619	15	11	3	1	-	-	-	1	137	-
40 to 44 years—M	1,142	1,094	1,077	4	7	2	3	-	1	-	-	48	-
F	1,043	999	992	3	2	2	-	-	-	-	-	44	-
45 to 49 years—M	102	96	96	-	-	-	-	-	-	-	-	6	-
F	110	104	103	-	1	-	-	-	-	-	-	6	-
50 to 54 years—M	5	5	5	-	-	-	-	-	-	-	-	-	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-
Not stated—M	33	32	30	-	1	-	-	-	1	-	-	1	-
F	34	26	23	-	3	-	-	-	-	-	-	8	-
LOUISIANA	54,618	32,207	31,458	277	310	94	59	1	6	-	2	22,330	81
Male	27,890	16,519	16,123	153	168	45	26	1	1	-	2	11,323	48
Female	26,728	15,688	15,335	124	142	49	33	-	5	-	-	11,007	33
10 to 14 years—M	78	13	10	1	2	-	-	-	-	-	-	65	-
F	89	10	5	-	5	-	-	-	-	-	-	78	1
15 to 19 years—M	4,916	2,273	2,207	5	61	-	-	-	-	-	-	2,638	5
F	4,779	2,203	2,143	5	50	5	-	-	-	-	-	2,572	4
20 to 24 years—M	9,250	5,663	5,541	36	65	16	2	-	1	-	2	3,573	14
F	8,841	5,370	5,279	26	43	10	8	-	4	-	-	3,461	10
25 to 29 years—M	6,639	4,239	4,153	42	24	12	7	1	-	-	-	2,387	13
F	6,329	4,034	3,962	25	24	17	5	-	1	-	-	2,289	6
30 to 34 years—M	4,043	2,589	2,524	38	8	12	7	-	-	-	-	1,445	9
F	3,855	2,433	2,358	43	8	13	11	-	-	-	-	1,415	7
35 to 39 years—M	2,264	1,343	1,301	25	5	5	7	-	-	-	-	915	6
F	2,100	1,226	1,194	18	7	2	5	-	-	-	-	870	4
40 to 44 years—M	565	333	322	6	2	-	3	-	-	-	-	231	1
F	606	351	337	6	4	-	4	-	-	-	-	254	1
45 to 49 years—M	54	24	24	-	-	-	-	-	-	-	-	30	-
F	52	24	24	-	-	-	-	-	-	-	-	28	-
50 to 54 years—F	6	1	1	-	-	-	-	-	-	-	-	5	-
Not stated—M	81	42	41	-	1	-	-	-	-	-	-	39	-
F	71	36	32	1	1	2	-	-	-	-	-	35	-
MAINE	15,988	15,948	13,237	992	293	987	421	15	1	-	2	17	23
Male	8,247	8,224	6,821	522	159	496	218	7	-	-	1	8	15
Female	7,741	7,724	6,416	470	134	491	203	8	1	-	1	9	8
10 to 14 years—M	4	4	3	-	1	-	-	-	-	-	-	-	-
F	3	3	1	-	2	-	-	-	-	-	-	-	-
15 to 19 years—M	1,080	1,078	946	41	62	24	2	2	-	-	1	1	1
F	1,005	1,001	886	39	43	26	5	1	1	-	-	2	2
20 to 24 years—M	2,767	2,762	2,388	139	65	135	32	3	-	-	-	2	3
F	2,562	2,558	2,224	119	52	133	27	2	-	-	1	-	4
25 to 29 years—M	2,151	2,150	1,798	152	16	136	50	-	-	-	-	-	1
F	2,057	2,053	1,731	125	18	130	46	3	-	-	-	3	1
30 to 34 years—M	1,326	1,319	1,042	100	8	109	59	1	-	-	-	2	5
F	1,212	1,210	941	93	10	111	54	1	-	-	-	2	-
35 to 39 years—M	659	653	466	66	6	61	53	1	-	-	-	2	4
F	655	655	463	65	7	72	47	1	-	-	-	-	-
40 to 44 years—M	235	233	183	20	1	28	21	-	-	-	-	1	1
F	225	222	152	27	2	19	22	-	-	-	-	2	1
45 to 49 years—M	24	24	17	4	-	2	1	-	-	-	-	-	-
F	19	19	15	2	-	-	2	-	-	-	-	-	-
50 to 54 years—F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated—M	1	1	-	-	-	1	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND	37,065	29,489	27,955	641	263	364	250	-	8	-	8	7,556	20
Male	18,804	14,966	14,200	335	120	170	132	-	4	-	5	3,834	4
Female	18,261	14,523	13,755	306	143	194	118	-	4	-	3	3,722	16
10 to 14 years—M	55	7	2	-	5	-	-	-	-	-	-	48	-
F	49	9	6	-	3	-	-	-	-	-	-	40	-
15 to 19 years—M	2,899	1,782	1,722	9	48	3	-	-	-	-	-	1,117	-
F	2,857	1,807	1,717	9	73	7	1	-	-	-	-	1,049	1
20 to 24 years—M	6,166	5,043	4,887	75	37	30	10	-	2	-	2	1,122	1
F	6,028	4,842	4,682	65	45	38	9	-	2	-	1	1,178	8
25 to 29 years—M	4,836	4,172	3,930	110	16	73	40	-	1	-	2	662	2
F	4,700	4,027	3,832	102	10	58	23	-	1	-	1	672	1
30 to 34 years—M	2,950	2,466	2,286	89	10	38	43	-	-	-	-	484	-
F	2,843	2,421	2,246	82	7	52	32	-	1	-	1	420	2
35 to 39 years—M	1,377	1,109	1,019	42	3	13	32	-	-	-	-	268	-
F	1,322	1,060	951	36	4	31	38	-	-	-	-	260	2
40 to 44 years—M	437	331	304	10	-	11	5	-	-	-	1	105	1
F	395	306	272	11	1	7	15	-	-	-	-	87	2
45 to 49 years—M	34	24	21	-	-	1	2	-	-	-	-	10	-
F	29	27	25	1	-	1	-	-	-	-	-	2	-
50 to 54 years—M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated—M	49	31	26	-	1	1	-	-	1	-	-	18	-
F	37	24	24	-	-	-	-	-	-	-	-	13	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MASSACHUSETTS	69,546	68,592	53,196	5,907	1,407	4,203	3,760	96	8	7	8	905	49
Male	35,839	35,363	27,426	3,039	731	2,114	1,990	54	3	4	2	447	29
Female	33,707	33,229	25,770	2,868	676	2,089	1,770	42	5	3	6	458	20
10 to 14 years M	9	9	1	-	8	-	-	-	-	-	-	-	-
F	9	9	-	-	9	-	-	-	-	-	-	-	-
15 to 19 years M	2,006	1,923	1,561	91	212	45	8	6	-	-	-	79	4
F	1,757	1,655	1,353	79	168	42	9	3	-	-	1	81	1
20 to 24 years M	9,921	9,747	8,405	579	285	372	83	20	2	-	1	164	10
F	9,393	9,223	7,975	523	280	353	81	8	1	1	1	165	5
25 to 29 years M	11,433	11,321	9,115	1,073	130	658	336	7	1	1	-	105	7
F	10,807	10,689	8,662	917	127	677	286	15	1	-	4	112	6
30 to 34 years M	7,746	7,691	5,553	784	55	605	703	10	-	1	-	49	6
F	7,318	7,261	5,128	855	59	601	603	11	2	2	-	54	3
35 to 39 years M	3,587	3,558	2,195	395	25	331	604	6	-	2	-	29	-
F	3,410	3,383	2,080	392	19	335	554	2	1	-	-	24	3
40 to 44 years M	987	967	537	96	14	92	223	5	-	-	-	18	2
F	905	884	485	90	9	77	220	3	-	-	-	19	2
45 to 49 years M	69	67	19	14	-	6	28	-	-	-	-	2	-
F	54	53	32	5	1	3	12	-	-	-	-	1	-
50 to 54 years M	2	2	1	-	-	-	1	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	79	78	59	7	2	5	4	-	-	-	1	1	-
F	73	71	54	7	4	1	5	-	-	-	-	2	-
MICHIGAN	107,458	102,938	87,667	6,757	1,208	4,118	3,080	42	38	5	23	4,339	181
Male	55,317	53,041	45,140	3,484	606	2,126	1,623	19	26	2	15	2,182	94
Female	52,141	49,897	42,527	3,273	602	1,992	1,457	23	12	3	8	2,157	87
10 to 14 years M	21	12	6	1	5	-	-	-	-	-	-	8	1
F	29	19	10	1	8	-	-	-	-	-	-	10	-
15 to 19 years M	5,819	5,262	4,682	174	266	106	26	3	3	-	2	541	16
F	5,490	4,935	4,374	160	261	111	19	6	-	1	3	539	16
20 to 24 years M	18,911	18,154	16,293	906	229	539	168	5	8	-	6	729	28
F	17,922	17,147	15,594	838	224	532	145	5	5	1	3	742	33
25 to 29 years M	16,146	15,678	13,347	1,206	60	680	369	5	6	-	5	446	22
F	14,921	14,481	12,412	1,105	64	570	320	6	2	-	2	426	14
30 to 34 years M	8,740	8,460	6,723	732	28	490	481	2	3	1	-	270	10
F	8,392	8,138	6,490	696	29	466	455	1	-	1	-	244	10
35 to 39 years M	4,326	4,187	3,159	362	11	240	409	4	-	1	1	128	11
F	4,025	3,869	2,918	352	12	234	349	2	2	-	-	147	9
40 to 44 years M	1,162	1,104	793	88	5	64	153	-	1	-	-	52	6
F	1,199	1,151	823	110	1	71	142	3	1	-	-	44	4
45 to 49 years M	98	94	63	7	1	6	16	-	1	-	-	4	-
F	95	93	49	11	1	7	25	-	-	-	-	2	-
50 to 54 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-
Not stated M	91	87	71	8	1	1	1	-	4	-	1	4	-
F	64	60	53	-	2	1	2	-	2	-	-	3	1
MINNESOTA	54,359	53,680	49,202	2,025	1,085	905	442	13	7	-	1	123	556
Male	28,016	27,669	25,353	1,043	578	471	213	8	3	-	-	60	287
Female	26,343	26,011	23,849	982	507	434	229	5	4	-	1	63	269
10 to 14 years M	2	2	-	-	2	-	-	-	-	-	-	-	-
F	6	6	1	1	4	-	-	-	-	-	-	-	-
15 to 19 years M	2,010	1,956	1,724	27	180	20	1	3	1	-	-	15	39
F	1,870	1,813	1,607	25	167	13	1	-	-	-	-	14	43
20 to 24 years M	8,704	8,604	8,014	219	262	93	12	2	2	-	-	16	84
F	8,088	7,977	7,450	199	223	85	14	3	3	-	-	19	92
25 to 29 years M	8,370	8,284	7,754	270	88	137	33	2	-	-	-	15	71
F	7,843	7,765	7,275	265	72	115	35	1	1	-	1	19	59
30 to 34 years M	5,172	5,115	4,658	268	25	118	45	1	-	-	-	9	48
F	4,939	4,887	4,468	238	21	108	52	-	-	-	-	8	44
35 to 39 years M	2,764	2,722	2,402	167	13	69	71	-	-	-	-	3	39
F	2,640	2,615	2,269	171	14	84	76	1	-	-	-	3	22
40 to 44 years M	918	911	742	85	7	31	46	-	-	-	-	2	5
F	876	868	720	71	6	27	44	-	-	-	-	-	8
45 to 49 years M	70	69	58	5	-	3	5	-	-	-	-	-	1
F	75	75	55	12	-	2	6	-	-	-	-	-	-
50 to 54 years M	1	1	-	1	-	-	-	-	-	-	-	-	-
F	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated M	5	5	3	1	1	-	-	-	-	-	-	-	-
F	5	4	4	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI	54,713	24,397	23,931	67	318	31	22	-	17	-	11	30,233	83
Male	27,887	12,546	12,296	36	169	20	13	-	6	-	6	15,301	40
Female	26,826	11,851	11,635	31	149	11	9	-	11	-	5	14,932	43
10 to 14 years M	158	17	13	-	4	-	-	-	-	-	-	141	-
F	170	10	8	-	2	-	-	-	-	-	-	160	-
15 to 19 years M	5,678	1,881	1,803	1	75	-	-	-	1	-	1	3,794	3
F	5,629	1,845	1,776	2	59	-	2	-	4	-	2	3,777	7
20 to 24 years M	8,478	3,945	3,878	8	53	4	-	-	2	-	-	4,516	17
F	8,060	3,757	3,669	6	54	2	-	-	4	-	2	4,314	9
25 to 29 years M	6,135	3,145	3,098	13	18	9	3	-	3	-	1	2,984	6
F	5,846	2,889	2,850	12	20	5	1	-	-	-	1	2,943	14
30 to 34 years M	4,130	2,027	1,992	11	15	5	4	-	-	-	-	2,096	7
F	3,923	1,914	1,888	9	8	4	3	-	2	-	-	2,002	7
35 to 39 years M	2,393	1,127	1,115	2	2	2	5	-	-	-	1	1,260	6
F	2,366	1,089	1,079	2	4	-	3	-	1	-	-	1,274	3
40 to 44 years M	718	307	304	1	1	-	1	-	-	-	-	410	1
F	660	311	311	-	-	-	-	-	-	-	-	347	2
45 to 49 years M	65	36	36	-	-	-	-	-	-	-	-	29	-
F	70	23	21	-	2	-	-	-	-	-	-	46	1
50 to 54 years M	5	1	1	-	-	-	-	-	-	-	-	4	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	127	60	56	-	1	-	-	-	-	-	3	67	-
F	100	32	32	-	-	-	-	-	-	-	-	68	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MISSOURI	65,218	60,727	58,274	714	1,115	324	269	2	18	-	11	4,460	31
Male	33,426	31,138	29,868	364	579	169	136	2	12	-	8	2,274	14
Female	31,792	29,589	28,406	350	536	155	133	-	6	-	3	2,186	17
10 to 14 years M	45	24	16	-	8	-	-	-	-	-	-	21	-
F	36	18	7	-	11	-	-	-	-	-	-	18	-
15 to 19 years M	4,958	4,367	4,077	21	260	5	1	-	2	-	1	591	-
F	4,747	4,166	3,909	13	233	8	2	-	1	-	-	577	4
20 to 24 years M	10,572	9,895	9,594	64	193	31	7	1	5	-	-	674	3
F	9,994	9,339	9,029	68	198	37	6	-	1	-	-	650	5
25 to 29 years M	8,619	8,156	7,900	115	61	54	25	-	-	-	1	461	2
F	8,222	7,764	7,538	115	40	46	24	-	1	-	-	458	2
30 to 34 years M	5,479	5,176	4,932	105	31	54	51	-	3	-	-	297	6
F	5,180	4,889	4,694	99	24	31	39	-	2	-	-	269	2
35 to 39 years M	2,753	2,581	2,459	42	15	21	42	1	-	-	1	172	-
F	2,670	2,512	2,368	51	21	25	46	-	1	-	-	156	2
40 to 44 years M	896	845	806	15	10	4	10	-	-	-	-	49	2
F	842	785	754	4	8	7	11	-	-	-	1	55	2
45 to 49 years M	59	55	53	-	-	-	-	-	-	-	-	4	-
F	76	72	69	-	-	-	3	-	-	-	-	4	-
Not stated M	45	39	31	-	1	-	-	-	2	-	5	5	1
F	45	44	38	-	1	1	2	-	-	-	2	1	-
MONTANA	11,545	10,855	9,676	584	91	325	174	5	-	-	-	12	678
Male	5,846	5,483	4,890	288	47	174	80	4	-	-	-	8	355
Female	5,699	5,372	4,786	296	44	151	94	1	-	-	-	4	323
10 to 14 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	631	577	533	23	11	8	2	-	-	-	-	1	53
F	631	579	522	21	23	11	1	1	-	-	-	-	52
20 to 24 years M	2,067	1,950	1,804	71	28	35	9	3	-	-	-	3	114
F	2,025	1,911	1,775	80	11	34	11	-	-	-	-	2	112
25 to 29 years M	1,657	1,564	1,397	83	5	66	13	-	-	-	-	2	91
F	1,587	1,515	1,357	84	6	48	20	-	-	-	-	1	71
30 to 34 years M	896	846	729	57	1	41	17	1	-	-	-	2	48
F	864	813	701	58	4	28	22	-	-	-	-	1	50
35 to 39 years M	441	406	327	37	1	16	25	-	-	-	-	-	35
F	434	410	330	33	-	24	23	-	-	-	-	-	24
40 to 44 years M	140	128	91	15	1	8	13	-	-	-	-	-	12
F	141	128	89	17	-	6	16	-	-	-	-	-	13
45 to 49 years M	11	9	6	2	-	-	1	-	-	-	-	-	2
F	13	12	8	3	-	-	1	-	-	-	-	-	1
Not stated F	2	2	2	-	-	-	-	-	-	-	-	-	-
NEBRASKA	21,963	21,639	20,425	535	289	208	172	-	8	-	2	191	133
Male	11,359	11,199	10,563	297	148	103	83	-	4	-	1	99	61
Female	10,604	10,440	9,862	238	141	105	89	-	4	-	1	92	72
10 to 14 years M	6	6	2	-	4	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	975	939	871	14	50	3	1	-	-	-	-	30	6
F	991	957	886	10	60	-	-	-	1	-	-	28	6
20 to 24 years M	3,615	3,556	3,426	49	58	17	5	-	-	-	1	32	27
F	3,378	3,331	3,209	40	60	15	6	-	1	-	-	27	20
25 to 29 years M	3,354	3,322	3,170	89	23	24	15	-	1	-	-	18	14
F	3,054	3,014	2,877	74	13	33	15	-	1	-	1	18	22
30 to 34 years M	2,102	2,085	1,948	73	8	33	21	-	2	-	-	11	6
F	1,909	1,887	1,756	70	6	32	23	-	-	-	-	8	14
35 to 39 years M	980	969	873	48	4	17	26	-	1	-	-	5	6
F	948	932	856	27	2	21	25	-	1	-	-	9	7
40 to 44 years M	291	286	242	22	1	7	14	-	-	-	-	3	2
F	286	282	245	14	-	4	19	-	-	-	-	2	2
45 to 49 years M	21	21	17	1	-	2	1	-	-	-	-	-	-
F	25	24	20	3	-	-	1	-	-	-	-	-	1
Not stated M	15	15	14	1	-	-	-	-	-	-	-	-	-
F	12	12	12	-	-	-	-	-	-	-	-	-	-
NEVADA	2,200	2,058	1,859	98	13	42	44	-	-	-	2	6	136
Male	1,137	1,066	970	47	5	20	22	-	-	-	2	3	68
Female	1,063	992	889	51	8	22	22	-	-	-	-	3	68
10 to 14 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	154	141	134	3	2	2	-	-	-	-	-	-	13
F	150	139	130	5	3	1	-	-	-	-	-	-	11
20 to 24 years M	410	389	365	17	2	2	3	-	-	-	-	2	19
F	370	352	341	7	1	2	1	-	-	-	-	2	16
25 to 29 years M	308	289	264	14	-	5	5	-	-	-	1	1	18
F	255	235	210	14	-	7	4	-	-	-	-	-	20
30 to 34 years M	165	155	130	10	1	9	5	-	-	-	-	-	10
F	170	159	128	17	2	6	6	-	-	-	-	1	10
35 to 39 years M	71	64	56	1	-	2	4	-	-	-	1	-	7
F	81	73	54	6	2	6	5	-	-	-	-	-	8
40 to 44 years M	20	20	13	2	-	-	5	-	-	-	-	-	-
F	31	28	22	-	-	-	6	-	-	-	-	-	3
45 to 49 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	5	4	4	-	-	-	-	-	-	-	-	-	1
F	5	5	3	2	-	-	-	-	-	-	-	-	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
NEW HAMPSHIRE	8,582	8,565	7,025	593	221	477	237	5	9	-	-	13	4
Male	4,360	4,355	3,535	327	133	242	110	4	4	-	-	3	2
Female	4,222	4,210	3,488	266	88	235	127	1	5	-	-	10	2
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years M	434	434	360	12	51	8	3	-	-	-	-	-	-
F	398	397	355	7	23	10	1	-	1	-	-	1	-
20 to 24 years M	1,370	1,366	1,161	87	48	60	8	1	1	-	-	2	2
F	1,276	1,271	1,107	56	36	53	17	-	2	-	-	4	1
25 to 29 years M	1,258	1,258	1,033	102	12	66	23	1	1	-	-	-	-
F	1,260	1,258	1,072	78	18	59	30	-	1	-	-	2	-
30 to 34 years M	776	775	602	69	13	61	30	-	-	-	-	1	-
F	773	772	584	73	7	68	39	-	1	-	-	1	-
35 to 39 years M	380	380	268	40	8	36	26	1	1	-	-	-	-
F	377	375	274	35	2	36	27	1	-	-	-	1	1
40 to 44 years M	125	125	77	17	1	11	18	1	-	-	-	-	-
F	113	112	80	14	-	7	11	-	-	-	-	1	-
45 to 49 years M	4	4	3	-	-	-	1	-	-	-	-	-	-
F	9	9	6	-	-	2	1	-	-	-	-	-	-
Not stated M	12	12	10	-	-	-	1	-	1	-	-	-	-
F	14	14	10	3	-	-	1	-	-	-	-	-	-
NEW JERSEY	67,197	62,219	51,685	4,894	565	2,309	2,708	21	19	6	12	4,955	23
Male	34,571	32,052	26,596	2,532	302	1,204	1,385	15	8	2	8	2,502	17
Female	32,626	30,167	25,089	2,362	263	1,105	1,323	6	11	4	4	2,453	6
10 to 14 years M	13	3	1	-	2	-	-	-	-	-	-	10	-
F	15	1	-	-	1	-	-	-	-	-	-	14	-
15 to 19 years M	2,352	1,762	1,581	47	102	23	6	2	-	-	1	590	-
F	2,217	1,623	1,440	43	107	22	9	2	-	-	-	593	1
20 to 24 years M	10,341	9,430	8,534	482	102	230	74	5	1	1	1	905	6
F	9,810	8,969	8,129	436	102	219	79	-	2	1	1	839	2
25 to 29 years M	11,452	10,981	9,305	943	63	414	247	1	5	-	3	466	5
F	10,890	10,199	8,690	893	30	545	236	-	3	1	1	490	1
30 to 34 years M	6,869	6,561	5,023	713	19	326	474	3	1	1	1	307	1
F	6,527	6,227	4,755	653	10	370	432	2	4	-	1	298	2
35 to 39 years M	2,804	2,624	1,764	274	8	174	398	4	1	-	1	177	3
F	2,671	2,502	1,711	256	10	125	396	2	-	2	-	169	-
40 to 44 years M	684	639	362	71	6	33	166	-	-	-	1	43	2
F	630	584	338	73	-	22	150	-	1	-	-	46	-
45 to 49 years M	44	42	18	2	-	3	19	-	-	-	-	2	-
F	44	41	13	6	1	2	19	-	-	-	-	3	-
50 to 54 years M	1	1	-	-	-	-	1	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	11	9	8	-	-	1	-	-	-	-	-	2	-
F	20	19	11	2	2	-	2	-	1	-	1	1	-
NEW MEXICO	14,738	14,186	12,753	418	564	202	234	12	2	-	1	85	467
Male	7,578	7,294	6,559	220	280	101	121	10	2	-	1	47	237
Female	7,160	6,892	6,194	198	284	101	113	2	-	-	-	38	230
10 to 14 years M	8	6	4	-	2	-	-	-	-	-	-	1	1
F	5	5	2	-	3	-	-	-	-	-	-	-	-
15 to 19 years M	1,045	1,014	905	9	96	3	1	-	-	-	-	9	22
F	1,007	974	859	19	89	4	3	-	-	-	-	9	24
20 to 24 years M	2,350	2,268	2,088	51	96	19	11	1	2	-	-	14	68
F	2,233	2,142	1,959	51	103	18	11	-	-	-	-	12	79
25 to 29 years M	1,933	1,870	1,697	71	47	27	25	2	-	-	1	7	56
F	1,882	1,821	1,660	58	50	32	21	-	-	-	-	11	50
30 to 34 years M	1,226	1,174	1,043	46	16	31	34	4	-	-	-	13	39
F	1,105	1,065	956	36	19	20	34	-	-	-	-	5	35
35 to 39 years M	713	681	578	34	17	12	38	2	-	-	-	-	32
F	657	631	541	25	12	24	28	1	-	-	-	-	26
40 to 44 years M	243	231	199	9	4	8	10	1	-	-	-	2	10
F	224	212	182	8	5	2	14	1	-	-	-	-	12
45 to 49 years M	19	18	16	-	-	1	1	-	-	-	-	-	1
F	19	17	15	-	1	-	1	-	-	-	-	-	2
50 to 54 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
F	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated M	40	31	29	-	1	-	1	-	-	-	-	1	8
F	27	24	20	1	2	1	-	-	-	-	-	1	2
NEW YORK	210,303	199,428	152,014	19,284	2,542	9,813	15,650	123	16	1	5	10,328	547
Male	108,050	102,587	78,098	9,938	1,301	5,094	8,081	64	10	-	1	5,182	281
Female	102,253	96,841	73,916	9,346	1,241	4,719	7,549	59	6	1	4	5,146	266
10 to 14 years M	56	24	3	-	19	2	-	-	-	-	-	32	-
F	52	18	8	1	9	-	-	-	-	-	-	33	1
15 to 19 years M	6,331	5,275	4,495	189	430	121	28	10	1	-	1	1,023	33
F	6,052	5,039	4,300	189	399	106	34	8	1	-	2	980	33
20 to 24 years M	30,133	28,199	24,340	1,969	518	922	426	18	6	-	-	1,847	87
F	28,516	26,602	22,879	1,820	513	897	464	26	2	-	1	1,848	66
25 to 29 years M	36,085	34,884	27,398	3,704	218	1,705	1,844	13	2	-	-	1,122	79
F	34,143	32,929	25,980	3,482	190	1,632	1,640	4	-	-	1	1,144	70
30 to 34 years M	23,168	22,443	15,116	2,773	89	1,534	2,937	13	1	-	-	684	41
F	21,963	21,247	14,347	2,665	85	1,374	2,764	9	2	1	-	671	45
35 to 39 years M	9,804	9,420	5,480	1,085	35	668	2,144	8	-	-	-	358	26
F	9,161	8,739	5,188	978	31	585	1,946	10	1	-	-	384	38
40 to 44 years M	2,269	2,153	1,166	198	10	135	642	2	-	-	-	104	12
F	2,215	2,124	1,139	200	14	117	652	2	-	-	-	80	11
45 to 49 years M	178	165	84	14	2	6	59	-	-	-	-	9	2
F	126	122	58	8	-	7	49	-	-	-	-	4	2
50 to 54 years M	2	2	1	-	-	-	1	-	-	-	-	-	-
Not stated M	26	22	15	6	-	1	-	-	-	-	-	3	1
F	23	21	17	3	-	1	-	-	-	-	-	2	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
NORTH CAROLINA	84,595	57,384	55,568	101	248	64	28	-	16	-	1,359	28,280	931
Male	43,227	29,388	28,481	52	130	32	16	-	5	-	672	13,550	489
Female	41,368	27,996	27,087	49	118	32	12	-	11	-	687	12,930	442
10 to 14 years—M	130	29	22	-	1	-	-	-	-	-	6	99	2
F	101	27	16	-	1	-	-	-	-	-	10	73	1
15 to 19 years—M	7,627	4,344	4,012	-	52	2	-	-	1	-	277	3,192	91
F	7,418	4,175	3,822	2	41	-	-	-	2	-	308	3,162	81
20 to 24 years—M	14,109	9,699	9,399	14	39	8	-	-	2	-	237	4,276	134
F	13,565	9,167	8,878	7	46	8	2	-	4	-	222	4,068	130
25 to 29 years—M	10,180	7,258	7,123	17	22	14	2	-	-	-	80	2,792	130
F	9,731	7,036	6,911	17	10	14	3	-	3	-	78	2,584	111
30 to 34 years—M	6,246	4,615	4,554	7	8	3	5	-	1	-	37	1,560	71
F	5,992	4,511	4,235	13	11	5	5	-	1	-	41	1,616	65
35 to 39 years—M	3,567	2,501	2,454	12	5	4	8	-	1	-	17	1,025	41
F	3,416	2,353	2,316	10	9	3	-	-	1	-	14	1,025	38
40 to 44 years—M	1,156	795	778	2	3	1	1	-	-	-	10	347	14
F	1,172	818	808	-	-	2	2	-	-	-	8	343	11
45 to 49 years—M	112	74	74	-	-	-	-	-	-	-	-	33	5
F	107	76	76	-	-	-	-	-	-	-	-	26	5
50 to 54 years—M	2	1	1	-	-	-	-	-	-	-	-	1	-
F	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated—M	98	72	64	-	-	-	-	-	-	-	8	25	1
F	63	32	24	-	-	-	-	-	-	-	8	31	-
NORTH DAKOTA	13,259	12,825	11,431	777	185	301	120	9	2	-	-	2	432
Male	6,804	6,586	5,871	404	93	149	64	4	1	-	-	1	217
Female	6,455	6,239	5,560	373	92	152	56	5	1	-	-	1	215
10 to 14 years—M	3	2	1	-	1	-	-	-	-	-	-	-	1
F	2	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years—M	504	465	415	9	35	4	-	1	1	-	-	1	38
F	456	422	379	5	35	2	-	1	-	-	-	-	34
20 to 24 years—M	1,975	1,908	1,795	49	35	24	3	2	-	-	-	-	67
F	1,884	1,827	1,712	48	36	26	2	3	-	-	-	1	56
25 to 29 years—M	2,021	1,973	1,838	85	11	34	4	1	-	-	-	-	48
F	1,791	1,739	1,629	65	13	28	3	-	1	-	-	-	52
30 to 34 years—M	1,256	1,220	1,067	99	8	33	13	-	-	-	-	-	36
F	1,323	1,288	1,115	122	4	36	10	1	-	-	-	-	35
35 to 39 years—M	784	767	583	123	2	33	26	-	-	-	-	-	17
F	718	693	545	91	2	35	20	-	-	-	-	-	25
40 to 44 years—M	235	226	157	33	-	21	15	-	-	-	-	-	9
F	245	237	160	38	-	23	16	-	-	-	-	-	8
45 to 49 years—M	23	22	13	6	-	-	3	-	-	-	-	-	1
F	30	28	18	3	-	2	5	-	-	-	-	-	2
Not stated—M	3	3	2	-	1	-	-	-	-	-	-	-	-
F	6	3	2	1	-	-	-	-	-	-	-	-	3
OHIO	125,950	119,296	110,662	3,852	1,393	1,765	1,585	7	19	1	12	6,626	28
Male	64,677	61,327	56,867	1,999	706	926	810	6	8	-	5	3,335	15
Female	61,273	57,969	53,795	1,853	687	839	775	1	11	1	7	3,291	13
10 to 14 years—M	40	23	11	-	11	-	-	1	-	-	-	17	-
F	46	19	9	-	9	-	-	-	-	-	1	27	-
15 to 19 years—M	7,298	6,449	6,032	56	316	34	7	2	2	-	-	847	2
F	6,679	5,851	5,470	53	294	26	8	-	-	-	-	828	-
20 to 24 years—M	21,593	20,279	19,364	430	251	185	41	3	5	-	-	1,112	2
F	20,156	19,064	18,223	382	240	173	43	-	2	-	1	1,090	2
25 to 29 years—M	18,813	18,163	16,887	720	75	308	170	-	-	-	3	643	7
F	17,919	17,272	16,102	657	81	267	161	-	2	-	2	640	7
30 to 34 years—M	10,712	10,299	9,232	497	39	259	270	-	1	-	1	412	1
F	10,221	9,854	8,801	503	43	254	229	1	2	1	-	385	2
35 to 39 years—M	4,861	4,639	4,070	242	11	101	214	-	-	-	1	219	3
F	4,765	4,539	3,999	206	18	94	220	-	1	-	1	224	2
40 to 44 years—M	1,394	1,316	1,136	48	2	36	94	-	-	-	-	78	-
F	1,335	1,252	1,076	48	1	22	104	-	1	-	-	83	-
45 to 49 years—M	114	113	91	5	1	2	14	-	-	-	-	1	-
F	100	96	79	4	1	1	9	-	1	-	1	4	-
50 to 54 years—F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated—M	52	46	44	1	-	1	-	-	-	-	-	6	-
F	50	40	34	-	-	2	1	-	2	-	1	10	-
OKLAHOMA	45,818	40,899	39,628	177	864	84	55	2	59	-	30	2,848	2,071
Male	23,708	21,162	20,533	84	435	49	27	-	21	-	13	1,463	1,083
Female	22,110	19,737	19,095	93	429	35	28	2	38	-	17	1,385	988
10 to 14 years—M	25	12	8	-	4	-	-	-	-	-	-	12	1
F	29	14	12	-	2	-	-	-	-	-	-	11	4
15 to 19 years—M	4,272	3,691	3,500	7	177	2	-	-	3	-	2	383	198
F	3,918	3,354	3,160	6	177	-	1	-	6	-	4	369	195
20 to 24 years—M	7,758	6,993	6,776	19	158	27	5	-	7	-	1	413	352
F	7,324	6,606	6,413	24	142	5	5	1	12	-	4	399	319
25 to 29 years—M	5,655	5,122	5,012	28	50	10	12	-	3	-	7	300	233
F	5,155	4,692	4,579	24	61	10	5	-	8	-	5	258	205
30 to 34 years—M	3,388	3,037	2,977	16	27	8	6	-	2	-	1	195	156
F	3,257	2,932	2,865	17	27	11	3	1	5	-	3	183	142
35 to 39 years—M	1,931	1,721	1,680	14	14	2	4	-	6	-	1	116	94
F	1,754	1,550	1,500	18	15	7	6	-	4	-	-	115	89
40 to 44 years—M	591	510	504	-	5	-	-	-	-	-	1	40	41
F	571	504	488	4	3	2	6	-	1	-	-	40	27
45 to 49 years—M	44	43	43	-	-	-	-	-	-	-	-	-	1
F	52	45	42	-	1	-	2	-	-	-	-	5	2
50 to 54 years—M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated—M	41	30	30	-	-	-	-	-	-	-	-	4	7
F	49	39	35	-	1	-	-	-	2	-	1	5	5

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
OREGON	18,868	18,605	16,972	747	170	530	172	7	4	-	3	31	232
Male	9,637	9,504	8,681	383	86	260	88	3	1	-	2	14	119
Female	9,231	9,101	8,291	364	84	270	84	4	3	-	1	17	113
10 to 14 years M	5	4	2	-	2	-	-	-	-	-	-	1	-
F	3	3	2	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	1,153	1,131	1,055	23	40	13	-	-	-	-	-	3	19
F	1,072	1,055	974	25	31	23	2	-	-	-	-	1	16
20 to 24 years M	3,411	3,369	3,135	107	31	85	7	2	1	-	1	3	39
F	3,223	3,175	2,948	94	38	82	10	3	-	-	-	7	41
25 to 29 years M	2,670	2,628	2,386	135	6	73	26	1	-	-	1	2	40
F	2,701	2,668	2,419	131	8	91	16	-	2	-	1	5	28
30 to 34 years M	1,586	1,553	1,392	69	6	61	25	-	-	-	-	3	10
F	1,445	1,431	1,268	79	3	51	29	1	-	-	-	2	12
35 to 39 years M	608	598	516	43	1	23	15	-	-	-	-	1	9
F	593	581	516	26	1	21	17	-	-	-	-	1	11
40 to 44 years M	187	185	161	6	-	5	13	-	-	-	-	1	1
F	152	148	127	8	1	2	10	-	-	-	-	1	3
45 to 49 years M	9	9	7	-	-	-	2	-	-	-	-	-	-
F	16	15	15	-	-	-	-	-	-	-	-	-	1
Not stated M	28	27	27	-	-	-	-	-	-	-	-	-	1
F	26	25	22	1	1	-	-	-	1	-	-	-	1
PENNSYLVANIA	174,193	164,108	148,356	7,122	2,222	3,029	3,322	35	11	3	8	10,063	22
Male	89,404	84,320	76,266	3,680	1,169	1,525	1,652	17	9	-	2	5,072	12
Female	84,789	79,788	72,090	3,442	1,053	1,504	1,670	18	2	3	6	4,991	10
10 to 14 years M	63	32	20	-	12	-	-	-	-	-	-	31	-
F	64	29	15	-	14	-	-	-	-	-	-	35	-
15 to 19 years M	8,734	7,496	6,884	94	464	38	9	2	5	-	-	1,238	-
F	8,243	7,005	6,491	63	389	45	9	5	-	-	3	1,237	1
20 to 24 years M	29,148	27,415	25,953	685	442	264	59	9	2	-	1	1,730	3
F	27,293	25,640	24,289	596	410	271	69	4	-	-	1	1,651	2
25 to 29 years M	26,210	25,253	23,123	1,219	147	498	264	1	1	-	-	953	4
F	24,936	23,982	21,976	1,151	137	461	250	5	-	1	1	953	1
30 to 34 years M	15,371	14,704	12,786	968	64	408	476	2	-	-	-	665	2
F	14,943	14,331	12,370	948	58	448	504	-	1	1	1	608	4
35 to 39 years M	7,459	7,101	5,725	550	31	252	539	2	1	-	1	355	3
F	7,052	6,670	5,376	522	36	211	520	4	-	1	-	380	2
40 to 44 years M	2,189	2,098	1,827	146	9	58	257	1	-	-	-	91	-
F	2,048	1,928	1,429	147	8	63	281	-	-	-	-	120	-
45 to 49 years M	207	200	132	15	-	6	47	-	-	-	-	7	-
F	192	185	129	14	1	5	36	-	-	-	-	7	-
50 to 54 years M	8	8	7	1	-	-	-	-	-	-	-	-	-
F	8	8	6	1	-	-	1	-	-	-	-	-	-
Not stated M	15	13	9	2	-	1	1	-	-	-	-	2	-
F	10	10	9	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND	11,611	11,356	8,920	1,029	256	644	502	5	-	-	-	245	10
Male	5,905	5,771	4,513	522	142	338	253	3	-	-	-	129	5
Female	5,706	5,585	4,407	507	114	306	249	2	-	-	-	116	5
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	377	353	293	6	42	7	4	1	-	-	-	21	3
F	330	315	258	12	33	11	1	-	-	-	-	15	-
20 to 24 years M	1,693	1,649	1,439	91	55	60	2	2	-	-	-	44	-
F	1,684	1,641	1,440	97	35	53	15	1	-	-	-	42	1
25 to 29 years M	1,871	1,839	1,515	158	20	109	37	-	-	-	-	31	1
F	1,836	1,799	1,481	176	26	81	34	1	-	-	-	36	1
30 to 34 years M	1,194	1,175	834	139	16	95	91	-	-	-	-	18	1
F	1,135	1,121	809	124	14	101	73	-	-	-	-	13	1
35 to 39 years M	592	580	346	103	5	48	78	-	-	-	-	12	-
F	549	541	338	74	3	50	76	-	-	-	-	6	2
40 to 44 years M	164	161	82	24	3	17	35	-	-	-	-	3	-
F	158	156	78	22	3	9	44	-	-	-	-	2	-
45 to 49 years M	12	12	3	1	-	2	6	-	-	-	-	-	-
F	13	11	2	2	-	1	6	-	-	-	-	2	-
Not stated M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	47,383	24,256	23,595	75	533	27	19	1	1	-	5	23,101	26
Male	24,184	12,525	12,184	31	281	19	7	1	-	-	2	11,646	13
Female	23,199	11,731	11,411	44	252	8	12	-	1	-	3	11,455	13
10 to 14 years M	67	7	5	-	2	-	-	-	-	-	-	60	-
F	64	6	3	-	3	-	-	-	-	-	-	58	-
15 to 19 years M	4,718	1,902	1,777	-	125	1	-	-	-	-	1	2,816	-
F	4,642	1,839	1,732	1	104	-	1	-	1	-	-	2,802	1
20 to 24 years M	8,235	4,199	4,105	9	83	1	-	-	-	-	1	4,031	5
F	7,955	3,975	3,865	10	91	4	2	-	-	-	1	3,977	5
25 to 29 years M	5,435	3,096	3,043	7	40	4	1	1	-	-	-	2,336	3
F	5,190	2,904	2,855	17	26	2	3	-	-	-	1	2,283	3
30 to 34 years M	3,247	1,969	1,926	7	23	10	3	-	-	-	-	1,273	5
F	2,996	1,768	1,739	11	14	-	4	-	-	-	-	1,225	3
35 to 39 years M	1,831	1,004	991	5	4	2	2	-	-	-	-	827	-
F	1,747	958	919	4	10	2	2	-	-	-	1	809	-
40 to 44 years M	552	305	296	3	4	1	1	-	-	-	-	247	-
F	508	260	256	1	3	-	-	-	-	-	-	247	1
45 to 49 years M	59	28	28	-	-	-	-	-	-	-	-	31	-
F	64	25	25	-	-	-	-	-	-	-	-	39	-
50 to 54 years M	1	-	-	-	-	-	-	-	-	-	-	1	-
F	2	-	-	-	-	-	-	-	-	-	-	2	-
Not stated M	39	15	13	-	2	-	-	-	-	-	-	24	-
F	31	18	17	-	1	-	-	-	-	-	-	13	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
SOUTH DAKOTA	12,159	11,413	10,628	345	230	124	67	1	14	-	4	11	735
Male	6,264	5,879	5,463	175	117	75	42	-	5	-	2	5	380
Female	5,895	5,534	5,165	170	113	49	25	1	9	-	2	6	355
10 to 14 years F	2	1	-	-	1	-	-	-	-	-	-	-	1
15 to 19 years M	528	480	429	3	46	2	-	-	-	-	-	1	47
F	477	431	383	5	42	-	-	-	1	-	-	2	44
20 to 24 years M	1,853	1,739	1,657	23	41	12	4	-	1	-	1	1	113
F	1,801	1,687	1,611	29	41	5	-	1	-	-	-	4	110
25 to 29 years M	1,747	1,649	1,578	39	17	11	3	-	1	-	-	2	96
F	1,663	1,570	1,502	34	20	9	-	-	4	-	1	-	93
30 to 34 years M	1,193	1,128	1,029	51	10	25	12	-	1	-	-	1	64
F	1,085	1,031	954	49	7	12	6	-	3	-	-	-	54
35 to 39 years M	654	617	548	33	1	19	14	-	1	-	1	-	37
F	588	551	491	32	2	15	11	-	-	-	-	-	37
40 to 44 years M	221	201	166	23	1	5	6	-	-	-	-	-	20
F	220	206	170	20	-	7	8	-	1	-	-	-	14
45 to 49 years M	26	25	20	2	-	-	3	-	-	-	-	-	1
F	22	22	20	1	-	1	-	-	-	-	-	-	-
50 to 54 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	42	40	36	1	1	1	-	-	1	-	-	-	2
F	36	34	33	-	-	-	-	-	-	-	1	-	2
TENNESSEE	59,855	50,534	49,165	121	1,143	44	32	1	15	-	13	9,319	2
Male	30,592	25,846	25,142	52	606	21	19	-	1	-	5	4,745	1
Female	29,263	24,688	24,023	69	537	23	13	1	14	-	8	4,574	1
10 to 14 years M	88	33	25	-	8	-	-	-	-	-	-	55	-
F	58	18	13	-	5	-	-	-	-	-	-	40	-
15 to 19 years M	5,358	4,075	3,817	2	253	-	-	-	1	-	2	1,282	1
F	5,100	3,827	3,588	3	233	-	-	-	1	-	2	1,273	-
20 to 24 years M	9,663	8,328	8,118	7	196	8	-	-	-	-	1	1,335	-
F	9,395	8,059	7,855	10	182	4	-	1	4	-	3	1,336	-
25 to 29 years M	7,163	6,187	6,090	15	75	5	2	-	-	-	-	976	-
F	6,842	5,947	5,843	28	58	11	3	-	3	-	1	894	1
30 to 34 years M	4,761	4,138	4,061	20	38	8	11	-	-	-	-	623	-
F	4,475	3,903	3,850	14	30	2	5	-	1	-	1	572	-
35 to 39 years M	2,576	2,243	2,207	5	25	2	4	-	-	-	-	333	-
F	2,519	2,191	2,145	13	22	5	3	-	3	-	-	328	-
40 to 44 years M	858	740	725	3	10	-	2	-	-	-	-	118	-
F	752	646	636	1	5	1	2	-	-	-	1	106	-
45 to 49 years M	74	67	67	-	-	-	-	-	-	-	-	7	-
F	75	64	62	-	2	-	-	-	-	-	-	11	-
50 to 54 years M	3	2	2	-	-	-	-	-	-	-	-	1	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-
Not stated M	48	33	30	-	1	-	-	-	-	-	2	15	-
F	43	29	27	-	-	-	-	-	2	-	-	14	-
TEXAS	136,782	119,095	104,158	5,843	2,075	2,874	3,933	140	41	4	27	17,631	56
Male	70,339	61,395	53,842	2,949	1,061	1,458	1,980	73	18	1	13	8,911	33
Female	66,443	57,700	50,316	2,894	1,014	1,416	1,953	67	23	3	14	8,720	23
10 to 14 years M	124	50	34	2	13	-	-	1	-	-	-	74	-
F	126	58	38	3	17	-	-	-	-	-	-	67	-
15 to 19 years M	11,603	9,325	8,434	337	438	77	28	5	5	-	1	2,274	4
F	11,087	8,804	7,959	318	389	77	47	6	6	-	2	2,277	6
20 to 24 years M	23,137	20,457	18,670	850	344	340	232	12	6	-	3	2,672	8
F	21,774	19,097	17,330	823	385	327	200	21	5	2	4	2,674	3
25 to 29 years M	17,270	15,461	13,652	866	128	398	391	18	4	-	4	1,806	3
F	16,356	14,630	12,798	834	124	411	446	9	5	-	3	1,722	4
30 to 34 years M	10,755	9,631	7,991	535	82	375	621	21	3	1	2	1,117	7
F	10,155	9,021	7,450	558	66	333	595	14	3	1	1	1,129	5
35 to 39 years M	5,666	4,928	3,884	267	35	209	520	12	-	-	1	730	8
F	5,226	4,608	3,602	283	27	207	471	15	2	-	1	615	3
40 to 44 years M	1,544	1,332	1,020	77	18	51	163	3	-	-	-	209	3
F	1,495	1,300	1,007	63	5	52	171	2	-	-	-	194	1
45 to 49 years M	110	99	87	7	-	5	20	-	-	-	-	11	-
F	101	80	57	7	-	1	15	-	-	-	-	21	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	3	2	1	-	-	-	1	-	-	-	-	1	-
Not stated M	128	110	88	8	3	3	5	1	-	-	2	18	-
F	121	100	74	5	1	8	7	-	2	-	3	20	1
UTAH	13,538	13,422	12,638	374	45	244	119	1	1	-	-	16	100
Male	7,062	7,001	6,578	205	26	133	58	-	1	-	-	11	50
Female	6,476	6,421	6,060	169	19	111	61	1	-	-	-	5	50
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	725	716	695	6	10	4	-	-	1	-	-	3	6
F	673	663	640	9	9	5	-	-	-	-	-	2	8
20 to 24 years M	2,479	2,453	2,362	51	10	25	5	-	-	-	-	4	22
F	2,228	2,208	2,141	39	4	23	1	-	-	-	-	2	16
25 to 29 years M	1,885	1,870	1,755	68	2	31	14	-	-	-	-	1	14
F	1,796	1,783	1,690	53	5	23	14	-	-	-	-	1	12
30 to 34 years M	1,196	1,189	1,074	52	1	48	14	-	-	-	-	2	5
F	1,045	1,039	946	37	2	31	22	1	-	-	-	-	6
35 to 39 years M	575	572	515	21	1	17	18	-	-	-	-	-	3
F	525	519	458	25	1	17	18	-	-	-	-	-	6
40 to 44 years M	181	180	158	6	1	8	7	-	-	-	-	1	-
F	188	186	163	6	-	11	6	-	-	-	-	-	2
45 to 49 years M	18	18	17	1	-	-	-	-	-	-	-	-	-
F	20	20	19	-	-	1	-	-	-	-	-	-	-
Not stated M	2	2	1	-	1	-	-	-	-	-	-	-	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
VERMONT	6,965	6,959	5,725	455	140	348	279	7	4	-	1	3	3
Male	3,637	3,634	2,995	232	74	183	145	4	1	-	-	1	2
Female	3,328	3,325	2,730	223	66	165	134	3	3	-	1	2	1
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
F	3	3	-	-	3	-	-	-	-	-	-	-	-
15 to 19 years M	410	410	348	18	27	13	3	1	-	-	-	-	-
F	372	372	324	13	28	4	1	-	1	-	1	-	-
20 to 24 years M	1,156	1,155	993	67	26	38	27	3	1	-	-	1	-
F	1,064	1,063	921	61	23	41	18	1	-	-	-	1	-
25 to 29 years M	987	985	825	62	15	53	30	-	-	-	-	-	2
F	899	899	744	55	8	52	39	-	1	-	-	-	-
30 to 34 years M	643	643	505	50	3	47	38	-	-	-	-	-	-
F	575	574	446	54	3	34	36	1	-	-	-	1	-
35 to 39 years M	327	327	238	30	1	25	33	-	-	-	-	-	-
F	312	311	220	30	1	30	30	-	-	-	-	-	1
40 to 44 years M	101	101	77	4	1	6	13	-	-	-	-	-	-
F	92	92	66	9	-	4	12	-	1	-	-	-	-
45 to 49 years M	8	8	8	-	-	-	-	-	-	-	-	-	-
F	6	6	5	1	-	-	-	-	-	-	-	-	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	3	3	-	1	-	1	1	-	-	-	-	-	-
F	5	5	4	-	-	-	-	1	-	-	-	-	-
VIRGINIA	61,079	44,942	43,473	304	879	191	86	1	3	-	5	16,111	26
Male	31,057	22,945	22,194	153	457	88	47	1	2	-	3	8,102	10
Female	30,022	21,997	21,279	151	422	103	39	-	1	-	2	8,009	16
10 to 14 years M	94	19	14	-	5	-	-	-	-	-	-	75	-
F	71	16	8	-	8	-	-	-	-	-	-	55	-
15 to 19 years M	5,158	3,097	2,898	5	189	4	-	1	-	-	-	2,040	1
F	4,867	2,856	2,683	7	162	3	-	-	-	-	1	2,008	3
20 to 24 years M	9,991	7,404	7,177	32	168	23	4	-	-	-	-	2,585	2
F	9,584	7,028	6,827	34	149	17	1	-	-	-	-	2,550	6
25 to 29 years M	7,450	5,874	5,757	48	51	24	11	-	1	-	2	1,573	3
F	7,382	5,791	5,628	56	53	40	13	-	-	-	1	1,587	4
30 to 34 years M	4,753	3,804	3,695	42	24	27	16	-	-	-	-	947	2
F	4,673	3,711	3,608	32	30	28	12	-	1	-	-	961	1
35 to 39 years M	2,622	2,017	1,985	21	9	7	15	-	-	-	-	603	2
F	2,491	1,878	1,823	17	15	14	9	-	-	-	-	611	2
40 to 44 years M	888	653	637	4	9	2	1	-	-	-	-	235	-
F	849	646	633	4	4	1	4	-	-	-	-	203	-
45 to 49 years M	89	57	55	1	-	1	-	-	-	-	-	32	-
F	74	52	50	1	1	-	-	-	-	-	-	22	-
50 to 54 years M	4	4	4	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	28	16	12	-	2	-	-	-	1	-	1	12	-
F	30	18	18	-	-	-	-	-	-	-	-	12	-
WASHINGTON	30,580	29,875	25,994	1,816	257	1,380	400	17	10	-	1	58	647
Male	15,743	15,379	13,408	942	135	690	192	7	5	-	-	38	326
Female	14,837	14,496	12,586	874	122	690	208	10	5	-	1	20	321
10 to 14 years M	5	5	1	-	4	-	-	-	-	-	-	-	-
F	3	3	2	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	1,718	1,672	1,516	57	56	38	2	1	2	-	-	4	42
F	1,614	1,566	1,413	59	41	45	3	5	-	-	-	5	43
20 to 24 years M	5,622	5,509	4,948	276	47	214	19	5	-	-	-	19	94
F	5,300	5,192	4,613	267	49	229	30	3	1	-	-	8	100
25 to 29 years M	4,610	4,513	3,909	289	15	249	48	1	2	-	-	8	89
F	4,340	4,254	3,671	287	18	248	47	1	1	-	1	1	85
30 to 34 years M	2,459	2,392	2,014	204	8	117	49	-	-	-	-	3	64
F	2,339	2,279	1,907	182	11	113	64	1	1	-	-	5	55
35 to 39 years M	1,039	1,012	806	101	3	54	48	-	-	-	-	4	23
F	951	923	766	68	1	47	41	-	-	-	-	1	27
40 to 44 years M	261	248	193	14	1	16	24	-	-	-	-	-	13
F	257	248	191	27	1	7	22	-	-	-	-	-	9
45 to 49 years M	14	13	7	1	1	2	2	-	-	-	-	-	1
F	24	22	17	3	-	1	1	-	-	-	-	-	2
Not stated M	15	15	14	-	-	-	-	-	1	-	-	-	-
F	9	9	6	1	-	-	-	-	2	-	-	-	-
WEST VIRGINIA	43,983	42,199	39,632	444	1,819	124	174	3	1	-	2	1,783	1
Male	22,646	21,734	20,429	232	914	61	93	2	1	-	2	911	1
Female	21,337	20,465	19,203	212	905	63	81	1	-	-	-	872	-
10 to 14 years M	36	29	21	-	8	-	-	-	-	-	-	7	-
F	37	23	11	-	12	-	-	-	-	-	-	14	-
15 to 19 years M	3,786	3,523	3,091	12	418	1	1	-	-	-	-	263	-
F	3,504	3,294	2,864	10	419	1	-	-	-	-	-	210	-
20 to 24 years M	7,545	7,279	6,898	55	292	20	13	1	-	-	-	266	-
F	7,130	6,884	6,501	57	297	21	8	-	-	-	-	246	-
25 to 29 years M	5,372	5,206	4,997	61	107	14	25	1	-	-	1	166	-
F	5,130	4,930	4,736	58	104	17	15	-	-	-	-	200	-
30 to 34 years M	3,257	3,140	2,989	65	47	18	20	-	1	-	-	116	1
F	3,096	2,999	2,885	46	34	14	19	1	-	-	-	97	-
35 to 39 years M	1,921	1,851	1,762	32	30	6	20	-	-	-	1	70	-
F	1,754	1,672	1,581	30	26	9	26	-	-	-	-	82	-
40 to 44 years M	635	614	585	6	9	2	12	-	-	-	-	21	-
F	618	600	567	10	12	1	10	-	-	-	-	18	-
45 to 49 years M	72	71	69	-	1	-	1	-	-	-	-	1	-
F	58	54	49	1	1	-	3	-	-	-	-	4	-
50 to 54 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
Not stated M	19	18	14	1	2	-	1	-	-	-	-	1	-
F	10	9	9	-	-	-	-	-	-	-	-	1	-

TABLE 1.—LIVE BIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND PARENT NATIVITY OF WHITE: UNITED STATES AND EACH STATE, 1941—Con.

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
WISCONSIN	57,186	56,504	52,241	1,903	1,014	793	529	12	7	2	3	232	450
Male	29,449	29,105	26,905	988	513	394	294	4	4	2	1	110	234
Female	27,737	27,399	25,336	915	501	399	235	8	3	-	2	122	216
10 to 14 years M	12	8	2	-	6	-	-	-	-	-	-	3	1
F	6	5	1	-	4	-	-	-	-	-	-	-	1
15 to 19 years M	2,143	2,077	1,854	22	182	15	4	-	-	-	-	24	42
F	2,044	1,981	1,767	17	181	11	1	2	1	-	1	38	25
20 to 24 years M	9,256	9,152	8,661	191	207	78	15	-	1	1	-	37	67
F	8,627	8,522	8,094	150	198	65	12	2	1	-	-	40	65
25 to 29 years M	9,063	8,998	8,440	327	73	110	46	2	-	-	-	22	43
F	8,520	8,450	7,920	303	67	112	45	1	1	-	1	15	55
30 to 34 years M	5,336	5,274	4,796	242	31	101	99	2	1	1	1	11	51
F	5,111	5,057	4,571	270	26	116	72	2	-	-	-	16	38
35 to 39 years M	2,705	2,671	2,361	140	9	73	86	-	2	-	-	12	22
F	2,570	2,538	2,270	117	13	68	70	-	-	-	-	11	21
40 to 44 years M	854	846	727	60	5	19	35	-	-	-	-	1	7
F	785	772	649	54	10	25	33	1	-	-	-	2	11
45 to 49 years M	78	77	63	5	-	-	9	-	-	-	-	-	1
F	67	67	58	3	2	2	2	-	-	-	-	-	-
50 to 54 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	2	2	1	1	-	-	-	-	-	-	-	-	-
F	6	6	5	1	-	-	-	-	-	-	-	-	-
WYOMING	5,322	5,183	4,799	173	43	86	72	1	5	1	3	13	126
Male	2,750	2,681	2,491	89	17	45	34	-	3	-	2	6	63
Female	2,572	2,502	2,308	84	26	41	38	1	2	1	1	7	63
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	342	334	316	9	5	4	-	-	-	-	-	-	8
F	352	341	315	8	15	2	-	-	-	-	1	2	9
20 to 24 years M	1,004	972	930	22	7	9	2	-	2	-	-	4	28
F	891	869	824	20	7	11	5	-	2	-	-	3	19
25 to 29 years M	730	711	654	27	5	14	9	-	1	-	1	2	17
F	693	678	630	27	2	11	7	-	-	1	-	1	14
30 to 34 years M	394	391	352	20	-	9	9	-	-	-	1	-	3
F	381	368	321	17	1	13	16	-	-	-	-	-	13
35 to 39 years M	188	181	159	9	-	4	9	-	-	-	-	-	7
F	192	186	165	8	1	4	7	1	-	-	-	-	6
40 to 44 years M	77	77	65	2	-	5	5	-	-	-	-	-	-
F	52	49	42	4	-	-	3	-	-	-	-	1	2
45 to 49 years M	6	6	6	-	-	-	-	-	-	-	-	-	-
F	6	6	6	-	-	-	-	-	-	-	-	-	-
Not stated M	8	8	8	-	-	-	-	-	-	-	-	-	-
F	5	5	5	-	-	-	-	-	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES	2,513,427	3,433	316,685	804,601	692,382	420,014	206,837	60,324	5,142	136	3,873
White, mother native	2,101,368	1,066	257,958	692,316	603,261	351,398	162,720	46,096	3,766	86	2,681
White, mother foreign	101,124	6	2,324	14,501	26,232	29,843	20,455	6,976	659	10	118
White, mother not stated	2,411	21	768	750	386	212	116	37	5	-	116
Negro	294,554	2,293	73,746	92,638	58,917	38,442	22,197	6,730	649	38	904
Other races	15,970	27	1,889	4,396	3,586	2,119	1,349	485	63	2	54
Cities of 100,000 or more	660,005	767	64,714	208,843	203,688	119,252	49,591	11,779	770	15	586
White, mother native	533,102	171	44,575	177,201	174,745	93,806	34,427	7,323	431	12	413
White, mother foreign	51,351	3	950	6,622	13,850	16,272	10,283	3,074	262	1	34
White, mother not stated	247	1	42	75	46	30	14	4	2	-	33
Negro	72,775	591	18,925	24,150	14,256	8,770	4,616	1,300	66	1	100
Other races	2,530	1	224	795	791	374	251	78	9	1	6
Cities of 25,000 to 100,000	284,655	283	32,518	94,284	82,790	48,062	20,709	5,323	389	11	306
White, mother native	245,365	96	25,354	83,994	73,967	41,144	16,357	3,946	261	8	238
White, mother foreign	14,192	1	346	2,168	3,698	4,055	2,828	992	32	3	19
White, mother not stated	253	1	77	87	46	19	13	4	-	-	6
Negro	24,288	185	6,682	7,860	4,926	2,756	1,448	364	24	-	43
Other races	557	-	59	175	153	88	63	17	2	-	-
Cities of 10,000 to 25,000	191,803	212	22,210	63,397	54,928	32,305	14,617	3,600	265	5	264
White, mother native	169,043	75	17,952	57,340	50,005	28,422	12,067	2,788	181	4	189
White, mother foreign	7,501	-	174	1,190	1,981	2,076	1,489	526	55	-	10
White, mother not stated	189	1	47	64	29	9	7	3	-	-	9
Negro	14,657	136	3,974	4,649	2,307	1,734	1,000	273	28	1	55
Other races	433	-	63	154	106	64	34	10	1	-	1
Cities of 2,500 to 10,000	250,275	266	32,219	83,414	68,988	40,665	18,731	5,150	417	11	414
White, mother native	222,912	109	27,006	75,994	62,932	36,136	15,851	4,190	322	6	316
White, mother foreign	7,843	1	269	1,275	1,979	2,113	1,582	573	55	1	15
White, mother not stated	183	2	46	70	29	18	8	2	-	-	8
Negro	18,496	152	4,771	5,784	3,774	2,287	1,255	359	37	4	73
Other races	841	2	127	291	224	111	55	26	3	-	2
Rural	1,126,689	1,905	165,024	354,663	281,988	179,730	103,189	34,472	3,321	94	2,303
White, mother native	930,948	635	123,073	297,787	241,562	151,890	83,998	27,849	2,571	56	1,525
White, mother foreign	20,237	1	585	3,246	4,724	5,327	4,293	1,811	205	5	40
White, mother not stated	1,559	16	556	454	236	136	74	24	3	-	60
Negro	164,338	1,229	39,394	50,195	33,154	20,895	13,878	4,434	494	32	633
Other races	9,609	24	1,416	2,981	2,312	1,482	946	354	48	1	45
ALABAMA	64,379	220	12,136	20,221	15,120	9,285	5,302	1,651	147	9	288
White, mother native	39,851	48	6,073	12,946	9,972	6,183	3,300	1,084	93	2	150
White, mother foreign	79	-	-	7	25	23	16	7	-	-	1
White, mother not stated	9	-	4	2	1	1	1	-	-	-	-
Negro	24,427	172	6,055	7,261	5,120	3,078	1,983	560	54	7	137
Other races	13	-	4	5	2	-	2	-	-	-	-
Cities of 100,000 or more	5,917	29	1,242	2,030	1,414	795	327	75	2	-	3
White, mother native	3,215	-	426	1,215	872	491	186	43	2	-	-
White, mother foreign	26	-	-	4	7	8	5	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,676	29	816	811	535	296	136	30	-	-	3
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	5,598	16	1,056	1,930	1,395	758	352	77	3	-	9
White, mother native	3,642	2	523	1,315	998	514	237	44	2	-	7
White, mother foreign	20	-	-	1	5	6	4	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,932	14	532	614	391	238	111	29	1	-	2
Other races	2	-	1	-	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	2,724	15	543	949	674	330	173	29	3	-	8
White, mother native	1,672	2	267	628	443	212	100	15	3	-	2
White, mother foreign	4	-	-	-	1	2	1	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,048	13	276	321	230	116	72	14	-	-	6
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	4,824	15	870	1,621	1,191	716	300	82	6	1	22
White, mother native	3,346	3	503	1,183	881	514	212	55	3	1	11
White, mother foreign	5	-	-	1	3	-	1	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,473	12	367	457	307	202	87	27	3	-	11
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	45,318	145	8,425	13,691	10,446	6,886	4,150	1,388	133	8	246
White, mother native	27,976	41	4,354	8,625	6,778	4,452	2,585	927	83	1	130
White, mother foreign	24	-	-	1	9	7	5	1	-	-	1
White, mother not stated	9	-	4	2	1	1	1	-	-	-	-
Negro	17,298	104	4,064	5,058	3,657	2,226	1,557	460	50	7	115
Other races	11	-	3	5	1	-	2	-	-	-	-
ARIZONA	11,425	15	1,768	3,905	2,745	1,774	880	295	29	1	15
White, mother native	8,791	4	1,472	3,230	2,129	1,232	535	168	14	-	7
White, mother foreign	1,185	-	52	240	284	321	205	78	4	-	1
White, mother not stated	3	-	1	-	1	-	-	-	-	-	1
Negro	250	5	72	77	44	30	18	3	1	-	-
Other races	1,198	6	171	358	287	191	122	44	10	1	6
Cities of 25,000 to 100,000	3,315	6	489	1,135	820	547	254	57	3	-	4
White, mother native	2,784	3	423	998	706	437	174	39	2	-	2
White, mother foreign	315	-	11	74	70	80	63	14	-	-	1
White, mother not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	140	3	46	43	24	17	7	-	-	-	-
Other races	76	-	9	20	19	13	10	4	1	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
ARIZONA—Continued											
Cities of 2,500 to 10,000	2,259	-	360	809	544	344	142	52	5	-	3
White, mother native	1,863	-	328	718	447	247	91	28	3	-	3
White, mother foreign	325	-	15	63	83	92	46	24	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	41	-	11	14	8	2	5	1	-	-	-
Other races	30	-	6	14	6	3	-	1	-	-	-
Rural	5,851	9	919	1,961	1,381	883	484	184	21	1	8
White, mother native	4,144	1	721	1,514	976	548	270	103	9	-	2
White, mother foreign	547	-	26	103	131	149	96	40	2	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	69	2	15	20	12	11	6	2	1	-	-
Other races	1,090	6	156	324	262	175	112	39	9	1	6
ARKANSAS	40,549	132	8,056	12,322	9,193	5,788	3,493	1,040	97	5	423
White, mother native	30,696	30	5,514	9,633	7,302	4,459	2,623	803	68	2	282
White, mother foreign	33	-	2	6	7	8	8	3	-	-	1
White, mother not stated	45	-	14	10	6	6	4	-	-	-	5
Negro	9,766	102	2,523	2,671	1,876	1,316	857	234	29	3	155
Other races	9	-	3	2	2	1	1	-	-	-	-
Cities of 25,000 to 100,000	2,853	6	492	911	710	348	133	37	1	-	15
White, mother native	2,148	2	357	759	597	292	105	27	-	-	9
White, mother foreign	4	-	-	1	1	-	2	-	-	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	499	4	134	150	112	56	26	10	1	-	6
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	2,364	3	433	786	631	307	146	30	2	1	25
White, mother native	1,792	1	278	627	503	242	105	22	-	1	13
White, mother foreign	8	-	-	1	3	1	3	-	-	-	-
White, mother not stated	5	-	1	2	2	-	-	-	-	-	-
Negro	559	2	154	156	123	64	38	8	2	-	12
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	4,608	17	859	1,520	1,161	643	312	72	4	1	39
White, mother native	3,765	3	638	1,279	990	511	257	57	4	-	26
White, mother foreign	7	-	1	1	1	3	1	-	-	-	-
White, mother not stated	5	-	-	-	1	1	1	-	-	-	2
Negro	830	14	200	240	188	128	53	15	-	1	11
Other races	1	-	-	-	1	-	-	-	-	-	-
Rural	30,924	106	6,292	9,105	6,891	4,490	2,902	901	90	3	344
White, mother native	22,931	24	4,241	6,968	5,212	3,414	2,156	697	64	1	214
White, mother foreign	14	-	1	3	2	2	2	3	-	-	1
White, mother not stated	33	-	12	7	3	5	3	-	-	-	3
Negro	7,878	82	2,035	2,125	1,475	1,068	740	201	28	2	126
Other races	8	-	3	2	1	1	1	-	-	-	-
CALIFORNIA	125,190	45	14,982	43,481	36,212	19,848	8,213	2,089	167	4	149
White, mother native	109,239	32	13,878	39,581	31,712	16,503	5,979	1,335	103	1	115
White, mother foreign	10,513	1	359	2,009	3,027	2,633	1,805	608	48	2	21
White, mother not stated	36	1	6	10	6	4	5	2	-	-	2
Negro	2,024	8	448	763	425	232	107	37	1	-	3
Other races	3,378	3	291	1,118	1,042	476	317	107	15	1	8
Cities of 100,000 or more	47,108	15	4,949	16,252	14,429	7,760	2,978	665	42	1	17
White, mother native	40,143	8	4,425	14,421	12,421	6,287	2,124	418	25	-	14
White, mother foreign	4,160	-	133	843	1,228	1,104	646	195	11	-	-
White, mother not stated	10	-	1	5	1	1	-	1	-	-	1
Negro	1,283	6	272	498	270	148	67	20	1	-	1
Other races	1,512	1	118	485	509	220	141	31	5	1	1
Cities of 25,000 to 100,000	17,525	7	1,887	5,964	5,350	2,881	1,105	301	12	1	17
White, mother native	15,517	6	1,758	5,508	4,768	2,463	802	193	5	-	14
White, mother foreign	1,388	-	39	248	421	351	253	87	6	1	2
White, mother not stated	5	-	1	2	-	-	2	-	-	-	-
Negro	308	1	66	114	62	38	18	10	-	-	1
Other races	307	-	23	92	99	49	32	11	1	-	-
Cities of 10,000 to 25,000	10,883	6	1,272	3,841	3,148	1,708	710	163	17	-	18
White, mother native	9,861	4	1,206	3,600	2,850	1,495	565	115	11	-	13
White, mother foreign	739	-	26	142	220	177	125	40	5	-	4
White, mother not stated	3	1	-	1	-	-	1	-	-	-	-
Negro	102	1	24	38	21	13	4	-	-	-	1
Other races	178	-	14	60	57	25	15	8	1	-	-
Cities of 2,500 to 10,000	14,593	4	1,858	5,175	4,040	2,290	913	258	29	-	28
White, mother native	12,931	3	1,760	4,801	3,553	1,942	678	156	17	-	21
White, mother foreign	1,329	-	54	266	379	312	212	91	11	-	4
White, mother not stated	5	-	2	1	-	-	-	1	-	-	1
Negro	54	-	11	19	14	3	6	1	-	-	-
Other races	274	1	29	88	94	33	17	9	1	-	2
Rural	35,081	13	5,018	12,249	9,245	5,209	2,507	702	67	2	69
White, mother native	30,787	11	4,727	11,251	8,120	4,516	1,810	453	45	1	53
White, mother foreign	2,897	1	107	510	779	709	569	195	15	1	11
White, mother not stated	13	-	2	1	5	3	2	-	-	-	-
Negro	277	-	75	94	58	30	14	6	-	-	-
Other races	1,107	1	107	393	283	151	112	48	7	-	5
COLORADO	21,393	18	2,670	7,338	5,734	3,378	1,624	535	46	-	50
White, mother native	20,476	17	2,610	7,154	5,540	3,143	1,464	466	38	-	44
White, mother foreign	635	1	19	76	149	189	132	60	7	-	2
White, mother not stated	17	-	4	3	3	4	1	-	-	-	2
Negro	172	-	27	67	25	32	17	2	-	-	2
Other races	93	-	10	38	17	10	10	7	1	-	-
Cities of 100,000 or more	5,848	7	665	2,070	1,639	940	401	105	7	-	14
White, mother native	5,553	6	640	2,002	1,580	867	351	90	5	-	12
White, mother foreign	168	1	6	19	42	45	39	13	2	-	1
White, mother not stated	4	-	-	1	1	2	-	-	-	-	-
Negro	110	-	17	44	14	24	9	1	-	-	1
Other races	13	-	2	4	2	2	2	1	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
COLORADO—Continued											
Cities of 25,000 to 100,000	1,683	2	216	586	479	244	120	31	2	-	3
White, mother native	1,599	2	209	560	458	225	114	27	2	-	2
White, mother foreign	50	-	2	7	15	18	4	4	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	29	-	4	16	5	1	2	-	-	-	1
Other races	4	-	1	2	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,279	2	171	440	346	197	97	22	3	-	1
White, mother native	1,241	2	167	433	335	188	91	22	3	-	-
White, mother foreign	32	-	2	4	10	9	6	-	-	-	1
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	5	-	1	3	1	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	2,846	3	411	1,019	735	408	190	66	6	-	10
White, mother native	2,754	3	407	1,003	718	380	171	68	4	-	10
White, mother foreign	74	-	1	12	15	22	18	6	2	-	-
White, mother not stated	2	-	2	-	-	-	-	-	-	-	-
Negro	11	-	1	1	2	4	3	-	-	-	-
Other races	5	-	-	3	-	-	-	2	-	-	-
Rural	9,757	4	1,207	3,223	2,555	1,581	816	311	28	-	22
White, mother native	9,329	4	1,187	3,156	2,449	1,483	757	269	24	-	20
White, mother foreign	311	-	8	34	67	95	67	37	3	-	-
White, mother not stated	9	-	1	1	2	2	1	-	-	-	2
Negro	17	-	4	3	3	3	3	1	-	-	-
Other races	71	-	7	29	14	8	8	4	1	-	-
CONNECTICUT	29,056	4	1,502	8,850	9,665	5,879	2,473	600	43	3	17
White, mother native	25,677	1	1,344	8,267	8,821	4,944	1,863	397	23	3	14
White, mother foreign	2,672	-	36	339	888	857	558	183	19	-	2
White, mother not stated	7	-	1	1	2	1	1	-	-	-	1
Negro	675	3	121	243	153	95	49	10	1	-	-
Other races	5	-	-	-	1	2	2	-	-	-	-
Cities of 100,000 or more	8,237	2	450	2,603	2,831	1,569	626	138	14	1	3
White, mother native	6,996	-	379	2,351	2,504	1,246	422	83	7	1	3
White, mother foreign	885	-	13	111	244	281	179	51	6	-	-
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	353	2	58	141	82	41	24	4	1	-	-
Other races	1	-	-	-	-	1	-	-	-	-	-
Cities of 25,000 to 100,000	8,098	2	357	2,463	2,683	1,660	739	179	10	-	5
White, mother native	7,069	1	314	2,291	2,424	1,367	554	111	4	-	3
White, mother foreign	852	-	9	118	214	287	170	66	6	-	2
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	176	1	34	54	44	26	15	2	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	3,021	-	151	935	998	602	258	71	4	-	4
White, mother native	2,734	-	139	886	929	528	195	52	1	-	4
White, mother foreign	238	-	-	27	62	68	59	19	3	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	48	-	11	22	5	6	4	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	983	-	74	327	300	181	80	19	1	1	-
White, mother native	907	-	69	316	281	161	63	15	1	1	-
White, mother foreign	71	-	3	10	19	18	17	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	2	1	-	1	-	-	-	-	-
Other races	1	-	-	-	-	1	-	-	-	-	-
Rural	8,697	-	470	2,522	2,855	1,867	770	193	14	1	5
White, mother native	7,971	-	443	2,423	2,683	1,642	629	136	10	1	4
White, mother foreign	626	-	11	73	149	203	133	53	4	-	-
White, mother not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	94	-	16	25	22	21	8	4	-	-	-
Other races	3	-	-	-	1	-	2	-	-	-	-
DELAWARE	5,087	10	872	1,648	1,364	860	397	114	17	2	3
White, mother native	4,136	1	416	1,406	1,194	719	304	81	13	-	2
White, mother foreign	115	-	-	11	30	36	26	12	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	833	9	256	230	139	105	66	21	4	2	1
Other races	2	-	-	1	-	-	1	-	-	-	-
Cities of 100,000 or more	2,040	3	239	664	587	351	150	41	4	-	1
White, mother native	1,670	1	151	564	523	293	107	27	3	-	1
White, mother foreign	76	-	-	7	21	22	19	7	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	293	2	88	93	43	36	23	7	1	-	-
Other races	1	-	-	-	-	-	1	-	-	-	-
Cities of 2,500 to 10,000	644	2	101	224	173	92	41	10	-	-	1
White, mother native	509	-	53	186	150	77	33	9	-	-	1
White, mother foreign	7	-	-	-	2	3	1	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	128	2	48	38	21	12	7	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	2,403	5	332	760	604	417	206	63	13	2	1
White, mother native	1,957	-	212	656	521	349	164	45	10	-	-
White, mother foreign	32	-	-	4	7	11	6	4	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	412	5	120	99	75	57	36	14	3	2	1
Other races	1	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	12,892	60	2,021	4,231	3,393	2,095	852	193	8	-	39
White, mother native	7,804	-	804	2,613	2,330	1,428	502	112	6	-	9
White, mother foreign	381	-	7	58	124	114	60	18	-	-	-
White, mother not stated	56	-	15	14	5	3	-	-	-	-	19
Negro	4,625	60	1,192	1,532	929	548	288	62	2	-	10
Other races	28	-	3	14	5	2	2	1	-	-	1

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
FLORIDA	37,542	156	7,164	12,205	9,091	5,297	2,704	705	75	4	141
White, mother native	26,275	35	4,108	8,849	6,968	3,871	1,855	453	46	-	90
White, mother foreign	492	-	16	103	144	124	80	24	1	-	-
White, mother not stated	17	-	3	2	4	1	2	-	-	-	5
Negro	10,742	121	3,033	3,247	1,971	1,298	767	228	28	4	45
Other races	16	-	4	4	4	3	-	-	-	-	1
Cities of 100,000 or more	8,941	30	1,649	3,079	2,280	1,227	502	123	7	1	43
White, mother native	6,313	3	929	2,255	1,811	883	334	65	4	-	29
White, mother foreign	222	-	4	46	62	58	42	10	-	-	-
White, mother not stated	5	-	-	-	1	-	1	-	-	-	3
Negro	2,395	27	715	776	405	285	125	48	3	1	10
Other races	6	-	1	2	1	1	-	-	-	-	1
Cities of 25,000 to 100,000	3,583	13	598	1,114	934	488	194	39	2	-	1
White, mother native	2,446	3	328	838	741	370	138	28	1	-	1
White, mother foreign	61	-	1	14	16	19	8	3	-	-	-
White, mother not stated	3	-	2	-	-	-	1	-	-	-	-
Negro	872	10	267	262	176	99	49	8	1	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	3,592	15	627	1,116	850	506	216	41	9	-	12
White, mother native	2,351	4	315	818	655	375	152	23	4	-	5
White, mother foreign	42	-	1	11	14	7	5	4	-	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	997	11	310	286	181	124	59	14	5	-	7
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	4,790	27	926	1,556	1,146	700	336	75	10	-	14
White, mother native	3,257	6	487	1,130	861	502	215	45	4	-	7
White, mother foreign	43	-	2	4	16	13	6	1	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,488	21	436	422	269	184	115	29	5	-	7
Other races	2	-	1	-	-	1	-	-	-	-	-
Rural	17,036	71	3,364	5,340	3,881	2,376	1,456	427	47	3	71
White, mother native	11,908	19	2,049	3,808	2,900	1,741	1,018	292	33	-	48
White, mother foreign	124	-	8	28	36	27	19	6	-	-	-
White, mother not stated	7	-	-	1	3	1	-	-	-	-	2
Negro	4,990	52	1,305	1,501	940	606	419	129	14	3	21
Other races	7	-	2	2	2	1	-	-	-	-	-
GEORGIA	67,870	256	13,309	22,073	15,774	9,550	5,260	1,433	145	4	66
White, mother native	41,246	47	6,338	13,694	10,329	6,461	3,378	888	80	1	30
White, mother foreign	99	-	4	13	29	28	20	5	-	-	-
White, mother not stated	30	1	6	10	4	5	2	-	1	-	1
Negro	26,477	208	6,958	8,352	5,408	3,052	1,857	540	64	3	35
Other races	18	-	3	4	4	4	3	-	-	-	-
Cities of 100,000 or more	6,973	32	1,326	2,345	1,746	993	433	88	5	-	5
White, mother native	4,673	3	673	1,621	1,294	736	291	48	3	-	4
White, mother foreign	40	-	-	5	15	11	9	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,259	29	653	718	437	246	133	40	2	-	1
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	7,890	25	1,825	2,707	1,882	970	402	89	4	-	6
White, mother native	5,034	4	915	1,845	1,279	693	256	40	1	-	1
White, mother foreign	20	-	2	2	5	6	4	1	-	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	2,826	21	905	858	597	269	140	28	3	-	5
Other races	9	-	2	2	1	2	2	-	-	-	-
Cities of 10,000 to 25,000	4,462	23	849	1,539	1,062	607	306	63	7	-	6
White, mother native	2,948	2	393	1,072	774	446	216	37	4	-	4
White, mother foreign	15	-	2	1	4	5	2	1	-	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	1,498	21	453	466	284	156	88	25	3	-	2
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	6,800	21	1,258	2,358	1,693	898	448	109	10	1	4
White, mother native	4,521	5	665	1,596	1,215	657	308	67	7	-	1
White, mother foreign	7	-	-	2	2	1	2	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,270	16	593	759	475	240	138	42	3	1	3
Other races	1	-	-	-	1	-	-	-	-	-	-
Rural	41,745	155	8,051	13,124	9,391	6,082	3,671	1,104	119	3	45
White, mother native	24,070	33	3,692	7,560	5,767	3,929	2,307	696	65	1	20
White, mother foreign	17	-	-	3	3	5	3	3	-	-	-
White, mother not stated	26	1	4	8	4	5	2	-	1	-	1
Negro	17,624	121	4,354	5,551	3,615	2,141	1,358	405	53	2	24
Other races	8	-	1	2	2	2	1	-	-	-	-
IDAHO	11,658	12	1,589	4,209	2,971	1,712	847	273	33	-	12
White, mother native	11,298	10	1,555	4,101	2,877	1,660	797	257	30	-	11
White, mother foreign	252	-	17	71	67	42	42	11	2	-	-
White, mother not stated	7	-	-	5	1	1	-	-	-	-	-
Negro	3	-	2	-	-	-	-	-	-	-	1
Other races	98	2	15	32	26	9	8	5	1	-	-
Cities of 25,000 to 100,000	609	2	80	203	192	85	39	6	-	-	2
White, mother native	592	2	78	198	185	83	39	6	-	-	1
White, mother foreign	13	-	-	4	7	2	-	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	2	-	-	-	-	-	-	-	1
Other races	1	-	-	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,916	-	255	738	508	284	117	31	1	-	2
White, mother native	1,867	-	253	719	495	259	111	29	1	-	2
White, mother foreign	45	-	2	16	14	5	6	2	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	3	-	-	2	1	-	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
IDAHO—Continued											
Cities of 2,500 to 10,000	1,909	1	238	719	494	274	143	36	4	-	-
White, mother native	1,852	1	235	705	480	262	133	33	3	-	-
White, mother foreign	49	-	2	10	13	10	10	3	1	-	-
White, mother not stated	4	-	-	2	1	1	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	4	-	1	2	-	1	-	-	-	-	-
Rural	7,224	9	1,016	2,549	1,777	1,089	548	200	28	-	8
White, mother native	6,987	7	989	2,479	1,719	1,056	514	189	28	-	8
White, mother foreign	145	-	13	41	33	25	26	6	1	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	90	2	14	27	25	8	8	5	1	-	-
ILLINOIS	156,159	94	13,081	43,083	41,346	24,362	10,897	2,842	246	2	206
White, mother native	122,188	32	10,924	39,726	38,404	21,442	8,982	2,303	199	2	174
White, mother foreign	6,196	-	129	790	1,470	1,949	1,386	408	40	-	16
White, mother not stated	115	2	19	36	27	13	9	4	1	-	4
Negro	7,573	60	2,000	2,493	1,416	947	514	126	5	-	12
Other races	97	-	9	38	29	11	6	3	1	-	-
Cities of 100,000 or more	59,565	55	4,548	18,446	19,712	11,102	4,497	982	74	1	148
White, mother native	49,059	14	2,884	15,914	17,511	8,897	3,087	602	44	1	125
White, mother foreign	4,605	-	96	565	1,106	1,494	1,028	277	27	-	14
White, mother not stated	39	-	2	11	10	8	6	1	1	-	-
Negro	5,783	41	1,561	1,926	1,060	694	392	99	1	-	9
Other races	79	-	5	32	25	9	4	3	1	-	-
Cities of 25,000 to 100,000	18,153	13	1,767	5,836	5,432	3,344	1,372	343	30	1	15
White, mother native	16,727	3	1,528	5,461	5,128	3,077	1,207	287	22	1	13
White, mother foreign	529	-	12	82	122	156	109	43	5	-	-
White, mother not stated	39	1	15	13	6	2	-	2	-	-	-
Negro	848	9	209	277	174	108	55	11	3	-	2
Other races	10	-	3	3	2	1	1	-	-	-	-
Cities of 10,000 to 25,000	9,934	5	1,033	3,286	2,931	1,696	762	198	15	-	8
White, mother native	9,298	-	950	3,112	2,790	1,584	673	170	14	-	5
White, mother foreign	295	-	2	50	81	75	65	21	1	-	-
White, mother not stated	10	-	1	3	2	1	-	-	-	-	3
Negro	327	5	80	119	56	36	24	7	-	-	-
Other races	4	-	-	2	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	14,365	4	1,612	4,718	4,010	2,563	1,148	275	23	-	12
White, mother native	13,788	2	1,545	4,616	3,872	2,425	1,045	251	21	-	11
White, mother foreign	351	-	10	41	90	99	88	20	2	-	1
White, mother not stated	9	1	-	4	3	1	-	-	-	-	-
Negro	215	1	56	56	45	38	15	4	-	-	-
Other races	2	-	1	1	-	-	-	-	-	-	-
Rural	34,142	17	4,121	10,797	9,261	5,657	3,118	1,044	104	-	23
White, mother native	33,316	13	4,017	10,623	9,103	5,459	2,990	993	98	-	20
White, mother foreign	406	-	9	54	71	125	96	45	5	-	1
White, mother not stated	18	-	1	5	6	1	3	1	-	-	1
Negro	400	4	94	115	81	71	28	5	1	-	1
Other races	2	-	-	-	-	1	1	-	-	-	-
INDIANA	85,594	45	8,582	22,594	17,614	9,932	4,968	1,551	108	2	198
White, mother native	82,406	23	7,971	21,684	16,932	9,421	4,670	1,422	104	2	177
White, mother foreign	789	-	23	158	213	207	142	82	3	-	3
White, mother not stated	52	-	4	14	13	8	4	2	-	-	7
Negro	2,341	22	584	758	454	294	152	65	1	-	11
Other races	6	-	-	2	2	2	-	-	-	-	-
Cities of 100,000 or more	14,469	21	1,871	5,066	4,033	2,280	904	259	15	-	20
White, mother native	12,545	4	1,451	4,488	3,631	2,006	745	194	14	-	12
White, mother foreign	315	-	10	60	90	73	55	25	1	-	1
White, mother not stated	7	-	-	1	2	1	-	1	-	-	2
Negro	1,600	17	410	517	309	199	104	39	-	-	5
Other races	2	-	-	-	1	1	-	-	-	-	-
Cities of 25,000 to 100,000	12,643	2	1,658	4,668	3,443	1,823	783	210	16	-	40
White, mother native	11,805	1	1,509	4,431	3,258	1,676	707	174	15	-	34
White, mother foreign	282	-	5	50	66	70	48	21	1	-	1
White, mother not stated	11	-	-	4	4	1	-	-	-	-	2
Negro	564	1	144	183	115	75	28	15	-	-	3
Other races	1	-	-	-	-	1	-	-	-	-	-
Cities of 10,000 to 25,000	4,878	2	707	1,724	1,315	666	354	89	4	-	17
White, mother native	4,773	1	696	1,693	1,291	649	342	80	4	-	17
White, mother foreign	41	-	1	4	12	11	9	4	-	-	-
White, mother not stated	4	-	1	2	1	-	-	-	-	-	-
Negro	60	1	9	25	11	6	3	5	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	6,458	6	963	2,365	1,626	924	432	108	10	-	24
White, mother native	6,374	4	956	2,345	1,608	905	421	105	9	-	21
White, mother foreign	38	-	3	7	7	12	6	1	1	-	1
White, mother not stated	4	-	-	2	-	1	-	-	-	-	1
Negro	42	2	4	11	11	6	5	2	-	-	1
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	27,146	14	3,383	8,771	7,197	4,239	2,495	885	63	2	97
White, mother native	26,909	13	3,359	8,727	7,144	4,185	2,455	869	62	2	93
White, mother foreign	133	-	4	15	38	41	24	11	-	-	-
White, mother not stated	26	-	3	5	6	5	4	1	-	-	2
Negro	75	1	17	22	8	8	12	4	1	-	2
Other races	3	-	-	2	1	-	-	-	-	-	-
IOWA	46,115	18	4,782	15,019	13,024	7,818	4,032	1,291	116	-	15
White, mother native	45,234	17	4,699	14,830	12,831	7,633	3,868	1,230	112	-	14
White, mother foreign	580	-	14	86	135	143	142	56	4	-	-
White, mother not stated	16	-	5	4	3	2	1	-	-	-	1
Negro	256	1	62	91	45	35	17	5	-	-	-
Other races	29	-	2	8	10	5	4	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
IOWA—Continued											
Cities of 100,000 or more	3,013	2	379	982	872	508	221	47	2	-	-
White, mother native	2,842	2	354	925	856	472	206	45	2	-	-
White, mother foreign	49	-	1	8	14	16	8	2	-	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	118	-	24	47	21	19	7	-	-	-	-
Other races	2	-	-	1	-	1	-	-	-	-	-
Cities of 25,000 to 100,000	8,755	2	1,037	3,079	2,416	1,422	595	187	15	-	2
White, mother native	8,521	1	1,001	3,029	2,365	1,376	558	174	15	-	2
White, mother foreign	140	-	7	21	34	35	32	11	-	-	-
White, mother not stated	3	-	2	-	1	-	-	-	-	-	-
Negro	87	1	27	28	14	10	5	2	-	-	-
Other races	4	-	-	1	2	1	-	-	-	-	-
Cities of 10,000 to 25,000	2,769	2	348	915	805	444	179	73	2	-	1
White, mother native	2,702	2	339	898	793	432	168	68	2	-	-
White, mother foreign	36	-	-	7	8	10	7	4	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	28	-	9	8	4	2	4	1	-	-	-
Other races	2	-	-	2	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	5,290	4	547	1,795	1,547	850	409	128	9	-	1
White, mother native	5,228	4	546	1,780	1,529	834	401	124	9	-	1
White, mother foreign	50	-	-	9	15	14	8	4	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	11	-	1	5	3	2	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	28,288	8	2,471	8,248	7,584	4,594	2,828	856	88	-	11
White, mother native	25,941	8	2,459	8,198	7,308	4,519	2,535	819	84	-	11
White, mother foreign	305	-	6	41	64	68	87	35	4	-	-
White, mother not stated	9	-	3	2	1	2	1	-	-	-	-
Negro	12	-	1	3	3	2	1	2	-	-	-
Other races	21	-	2	4	8	3	4	-	-	-	-
KANSAS	30,417	13	3,536	9,821	8,275	5,097	2,650	906	92	2	25
White, mother native	28,866	8	3,253	9,391	7,976	4,847	2,460	825	85	1	20
White, mother foreign	382	-	16	53	73	95	98	44	4	1	-
White, mother not stated	13	-	2	4	4	1	1	-	-	-	1
Negro	1,090	5	260	358	203	134	87	36	3	-	4
Other races	66	-	5	15	19	20	6	1	-	-	-
Cities of 100,000 or more	4,981	5	763	1,822	1,253	704	312	91	8	1	2
White, mother native	4,399	3	654	1,638	1,152	618	258	68	7	1	-
White, mother foreign	83	-	3	19	14	21	20	6	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	474	2	106	164	86	62	34	17	1	-	2
Other races	5	-	-	1	1	3	-	-	-	-	-
Cities of 25,000 to 100,000	1,777	-	227	585	493	286	150	34	2	-	-
White, mother native	1,599	-	193	558	461	281	119	25	2	-	-
White, mother foreign	52	-	3	5	12	12	13	7	-	-	-
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	121	-	31	40	20	11	17	2	-	-	-
Other races	3	-	-	1	-	1	1	-	-	-	-
Cities of 10,000 to 25,000	3,899	4	527	1,305	993	529	243	83	7	-	8
White, mother native	3,361	2	458	1,200	925	477	218	70	6	-	5
White, mother foreign	54	-	3	8	12	17	9	5	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	278	2	65	98	54	34	16	8	1	-	2
Other races	5	-	1	1	2	1	-	-	-	-	-
Cities of 2,500 to 10,000	3,880	1	555	1,524	987	626	287	88	10	1	1
White, mother native	3,722	1	501	1,298	958	604	271	79	9	-	1
White, mother foreign	39	-	1	3	12	10	7	5	-	1	-
White, mother not stated	3	-	1	1	1	-	-	-	-	-	-
Negro	88	-	31	19	14	11	8	4	1	-	-
Other races	8	-	1	3	2	1	1	-	-	-	-
Rural	16,120	3	1,484	4,785	4,549	2,952	1,658	610	65	-	14
White, mother native	15,786	2	1,447	4,717	4,480	2,887	1,594	583	61	-	14
White, mother foreign	154	-	6	18	23	35	47	21	4	-	-
White, mother not stated	7	-	1	2	3	-	1	-	-	-	-
Negro	129	1	27	39	29	16	12	5	-	-	-
Other races	45	-	3	9	14	14	4	1	-	-	-
KENTUCKY	83,502	93	10,705	19,946	14,877	9,624	5,784	2,185	212	9	67
White, mother native	60,001	69	9,819	18,924	14,180	9,178	5,480	2,085	200	9	57
White, mother foreign	96	-	1	17	36	22	13	7	-	-	-
White, mother not stated	23	-	5	5	4	5	2	1	-	-	1
Negro	3,378	24	879	999	654	418	289	92	12	-	9
Other races	6	-	1	1	3	1	-	-	-	-	-
Cities of 100,000 or more	7,209	14	1,145	2,468	1,837	1,077	503	149	10	-	6
White, mother native	6,357	3	885	2,225	1,682	973	456	138	9	-	6
White, mother foreign	31	-	1	7	11	8	3	1	-	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	815	11	258	235	141	95	64	10	1	-	-
Other races	4	-	-	-	3	1	-	-	-	-	-
Cities of 25,000 to 100,000	5,090	4	789	1,761	1,303	743	376	98	10	3	3
White, mother native	4,689	3	671	1,647	1,230	678	357	88	9	3	3
White, mother foreign	31	-	-	5	10	9	6	3	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	367	1	117	110	63	55	33	7	1	-	-
Other races	2	-	1	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,508	6	264	499	365	225	113	33	1	-	-
White, mother native	1,333	5	222	450	329	200	98	28	1	-	-
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	175	1	42	49	36	25	15	5	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
KENTUCKY—Continued											
Cities of 2,500 to 10,000	5,550	6	932	1,893	1,340	788	440	127	12	1	11
White, mother native	5,020	6	793	1,739	1,237	725	386	115	10	1	8
White, mother foreign	11	-	-	2	5	2	2	-	-	-	-
White, mother not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	516	-	138	152	96	61	52	12	2	-	3
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	44,147	85	7,575	15,325	10,032	6,791	4,352	1,778	179	5	47
White, mother native	42,622	52	7,248	12,863	9,702	6,602	4,223	1,716	171	5	40
White, mother foreign	25	-	-	5	10	3	2	3	-	-	-
White, mother not stated	17	-	3	4	2	4	2	1	-	-	1
Negro	1,485	11	324	455	318	182	125	58	8	-	6
Other races	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	54,618	167	9,895	18,091	12,968	7,898	4,364	1,171	106	6	152
White, mother native	32,045	23	4,471	10,990	8,230	4,979	2,550	677	48	1	76
White, mother foreign	154	-	5	36	42	43	19	7	-	-	2
White, mother not stated	8	-	-	7	1	-	-	-	-	-	-
Negro	22,330	143	5,210	7,034	4,676	2,860	1,785	485	58	5	74
Other races	81	1	9	24	19	16	10	2	-	-	-
Cities of 100,000 or more	10,093	20	1,834	3,565	2,597	1,569	723	158	12	-	15
White, mother native	5,974	1	624	2,038	1,738	1,028	447	86	5	-	7
White, mother foreign	83	-	4	17	23	27	8	4	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	4,023	19	1,004	1,305	835	512	265	68	7	-	8
Other races	12	-	2	4	1	2	3	-	-	-	-
Cities of 25,000 to 100,000	4,952	20	906	1,764	1,211	695	289	55	5	-	7
White, mother native	3,195	2	401	1,185	885	499	188	30	3	-	4
White, mother foreign	22	-	-	5	7	5	2	2	-	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,735	18	505	574	319	191	101	23	2	-	2
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	2,024	3	326	745	499	279	142	26	4	-	-
White, mother native	1,372	-	175	528	364	200	92	12	1	-	-
White, mother foreign	6	-	-	-	1	4	1	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	643	3	151	215	134	74	49	14	3	-	-
Other races	2	-	-	1	-	1	-	-	-	-	-
Cities of 2,500 to 10,000	6,697	20	1,182	2,290	1,678	951	435	117	10	-	14
White, mother native	4,655	5	699	1,649	1,215	697	292	79	7	-	12
White, mother foreign	9	-	-	3	3	-	3	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,025	15	482	635	460	252	139	37	3	-	2
Other races	7	-	1	2	-	2	1	1	-	-	-
Rural	30,852	104	5,647	9,927	6,983	4,404	2,775	815	75	6	116
White, mother native	16,849	15	2,572	5,590	4,028	2,555	1,533	470	32	1	53
White, mother foreign	34	-	1	11	8	7	5	1	-	-	1
White, mother not stated	5	-	-	4	1	-	-	-	-	-	-
Negro	13,904	88	3,068	4,305	2,928	1,831	1,231	343	43	5	62
Other races	60	1	6	17	18	11	6	1	-	-	-
MAINE	15,988	7	2,085	5,329	4,208	2,558	1,314	460	43	2	2
White, mother native	14,522	7	2,017	4,987	3,838	2,194	1,073	365	38	2	1
White, mother foreign	1,423	-	60	332	365	335	235	90	5	-	1
White, mother not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	17	-	3	2	3	4	2	3	-	-	-
Other races	23	-	3	7	2	5	4	2	-	-	-
Cities of 25,000 to 100,000	2,402	1	261	786	698	408	186	57	4	1	-
White, mother native	2,110	1	247	719	628	336	136	38	4	1	-
White, mother foreign	281	-	11	65	69	70	50	16	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	3	1	1	2	-	3	-	-	-
Other races	1	-	-	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,905	-	181	661	530	348	147	35	3	-	-
White, mother native	1,662	-	173	604	461	287	109	26	2	-	-
White, mother foreign	242	-	8	56	69	61	38	9	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	1,482	-	187	502	434	225	96	34	3	-	1
White, mother native	1,327	-	176	466	381	198	78	26	2	-	-
White, mother foreign	151	-	11	34	51	27	18	8	1	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	2	-	-	-	-	-	-
Other races	2	-	-	2	-	-	-	-	-	-	-
Rural	10,199	6	1,456	3,380	2,546	1,557	885	334	33	1	1
White, mother native	9,423	6	1,421	3,198	2,368	1,373	750	275	30	1	1
White, mother foreign	749	-	30	177	176	177	129	57	3	-	-
White, mother not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	4	-	-	-	-	2	2	-	-	-	-
Other races	20	-	3	4	2	5	4	2	-	-	-
MARYLAND	37,065	104	5,756	12,194	9,538	5,793	2,699	832	63	2	86
White, mother native	28,859	16	3,578	9,791	8,000	4,720	2,055	598	47	1	53
White, mother foreign	614	-	11	87	194	165	114	38	4	-	1
White, mother not stated	16	-	-	7	5	2	-	1	-	-	1
Negro	7,556	88	2,166	2,300	1,334	904	528	192	12	1	31
Other races	20	-	1	9	3	2	2	3	-	-	-
Cities of 100,000 or more	16,244	47	2,554	5,627	4,191	2,433	1,052	292	19	1	28
White, mother native	11,777	6	1,330	4,288	3,357	1,862	722	182	11	1	18
White, mother foreign	371	-	5	51	121	99	71	21	3	-	-
White, mother not stated	2	-	-	1	-	-	-	1	-	-	-
Negro	4,082	41	1,219	1,285	712	470	257	85	5	-	10
Other races	12	-	-	4	1	2	2	3	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MARYLAND—Continued											
Cities of 25,000 to 100,000	1,486	-	255	530	355	205	111	27	3	-	-
White, mother native	1,424	-	235	514	342	198	105	27	3	-	-
White, mother foreign	7	-	1	2	1	2	1	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	54	-	19	13	12	5	5	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,578	7	229	559	415	252	95	14	1	-	6
White, mother native	1,259	1	148	461	354	207	72	10	-	-	6
White, mother foreign	29	-	1	4	10	7	6	1	-	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	285	6	79	94	48	37	17	3	1	-	-
Other races	3	-	1	-	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	1,754	3	232	539	547	289	110	30	1	-	3
White, mother native	1,559	-	177	493	507	265	91	23	1	-	2
White, mother foreign	30	-	-	6	16	2	4	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	164	3	55	39	24	22	15	5	-	-	1
Other races	1	-	-	1	-	-	-	-	-	-	-
Rural	16,003	47	2,486	4,939	4,028	2,614	1,331	469	39	1	49
White, mother native	12,840	9	1,688	4,035	3,440	2,188	1,065	356	32	-	27
White, mother foreign	177	-	4	24	46	55	32	14	1	-	1
White, mother not stated	11	-	-	5	4	1	-	-	-	-	1
Negro	2,971	38	794	871	538	370	234	99	6	1	20
Other races	4	-	-	4	-	-	-	-	-	-	-
MASSACHUSETTS	69,546	18	3,743	19,314	22,240	15,064	6,997	1,892	123	3	152
White, mother native	60,510	18	3,464	18,047	20,024	12,414	5,106	1,231	71	2	133
White, mother foreign	8,059	-	113	917	1,979	2,533	1,832	620	49	1	15
White, mother not stated	23	-	1	6	7	5	3	-	-	-	1
Negro	905	-	160	329	217	103	53	37	3	-	3
Other races	49	-	5	15	13	9	3	4	-	-	-
Cities of 100,000 or more	26,948	11	1,503	7,515	8,490	5,783	2,812	750	49	-	35
White, mother native	22,515	11	1,332	6,854	7,452	4,482	1,902	433	24	-	25
White, mother foreign	3,748	-	50	409	877	1,214	872	294	23	-	7
White, mother not stated	15	-	1	4	3	4	2	-	-	-	1
Negro	640	-	118	237	151	75	35	20	2	-	2
Other races	32	-	2	11	7	8	1	3	-	-	-
Cities of 25,000 to 100,000	18,948	3	884	5,130	6,281	4,206	1,862	484	29	1	68
White, mother native	16,540	3	835	4,845	5,648	3,481	1,344	305	16	-	63
White, mother foreign	2,292	-	34	245	599	711	513	171	13	1	5
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	107	-	12	39	32	13	4	7	-	-	-
Other races	7	-	3	1	1	1	-	1	-	-	-
Cities of 10,000 to 25,000	11,245	1	606	3,058	3,597	2,511	1,140	300	17	-	15
White, mother native	10,106	1	582	2,901	3,309	2,181	888	223	8	-	13
White, mother foreign	1,107	-	20	146	282	325	248	76	8	-	2
White, mother not stated	5	-	-	2	2	1	-	-	-	-	-
Negro	25	-	4	8	4	4	3	1	1	-	-
Other races	2	-	-	1	-	-	1	-	-	-	-
Cities of 2,500 to 10,000	4,647	2	263	1,368	1,462	954	456	127	4	-	11
White, mother native	4,274	2	258	1,312	1,378	842	376	92	4	-	10
White, mother foreign	346	-	2	46	78	111	78	34	-	-	1
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	25	-	3	10	6	1	4	1	-	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
Rural	7,758	1	487	2,243	2,410	1,610	727	231	24	2	23
White, mother native	7,075	1	457	2,135	2,237	1,428	596	178	19	2	22
White, mother foreign	568	-	7	71	145	172	123	45	5	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	108	-	23	35	24	10	7	8	-	-	1
Other races	7	-	-	2	4	-	1	-	-	-	-
MICHIGAN	107,458	50	11,309	36,833	31,067	17,132	8,351	2,361	193	7	155
White, mother native	95,632	31	9,917	33,884	28,194	14,698	6,814	1,820	132	7	135
White, mother foreign	7,240	-	271	1,394	1,950	1,895	1,238	433	54	-	5
White, mother not stated	66	-	9	23	15	5	4	2	1	-	7
Negro	4,339	18	1,080	1,471	872	514	275	96	6	-	7
Other races	181	1	32	61	36	20	20	10	-	-	1
Cities of 100,000 or more	37,760	21	3,716	12,848	11,514	6,042	2,838	706	49	1	27
White, mother native	30,179	8	2,660	10,875	9,694	4,552	1,927	424	18	1	20
White, mother foreign	4,138	-	164	804	1,137	1,093	698	212	27	-	3
White, mother not stated	5	-	-	-	2	1	-	-	1	-	1
Negro	3,419	13	890	1,163	675	395	207	70	3	-	3
Other races	19	-	2	6	6	1	4	-	-	-	-
Cities of 25,000 to 100,000	17,035	4	1,872	6,208	4,873	2,589	1,147	296	25	1	20
White, mother native	15,602	2	1,729	5,845	4,520	2,298	944	228	16	1	19
White, mother foreign	986	-	39	198	286	236	177	61	9	-	-
White, mother not stated	16	-	3	7	3	2	-	1	-	-	-
Negro	414	2	100	150	82	49	25	5	-	-	1
Other races	17	-	1	8	2	4	1	1	-	-	-
Cities of 10,000 to 25,000	8,000	4	883	2,786	2,358	1,244	538	156	10	-	21
White, mother native	7,346	3	815	2,608	2,178	1,115	474	126	10	-	17
White, mother foreign	412	-	15	86	126	110	50	25	-	-	-
White, mother not stated	5	-	1	1	1	-	-	-	-	-	2
Negro	230	1	50	87	53	19	13	5	-	-	2
Other races	7	-	2	4	-	-	1	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MICHIGAN—Continued											
Cities of 2,500 to 10,000	9,376	1	997	3,164	2,724	1,533	704	216	15	-	22
White, mother native	8,800	1	957	3,041	2,583	1,395	614	175	14	-	20
White, mother foreign	443	-	21	86	114	116	72	32	1	-	1
White, mother not stated	10	-	1	4	2	1	2	-	-	-	-
Negro	106	-	15	28	22	18	14	8	-	-	1
Other races	17	-	3	5	3	3	2	1	-	-	-
Rural	35,287	20	3,841	11,827	9,598	5,724	3,126	987	94	5	65
White, mother native	33,705	17	3,756	11,515	9,219	5,538	2,855	867	74	5	59
White, mother foreign	1,281	-	32	220	307	340	241	103	17	-	1
White, mother not stated	30	-	4	11	7	1	2	1	-	-	4
Negro	170	2	25	43	40	33	16	8	3	-	-
Other races	121	1	24	38	25	12	12	8	-	-	1
MINNESOTA	54,359	8	3,880	16,792	16,213	10,111	5,404	1,794	145	2	10
White, mother native	52,312	8	3,730	16,367	15,724	9,678	5,036	1,631	128	1	9
White, mother foreign	1,360	-	38	209	323	324	301	148	16	1	-
White, mother not stated	8	-	1	5	2	-	-	-	-	-	-
Negro	123	-	29	35	34	17	6	2	-	-	-
Other races	556	-	82	176	130	92	61	13	1	-	1
Cities of 100,000 or more	15,340	-	1,020	4,823	4,928	2,883	1,279	383	22	-	2
White, mother native	14,628	-	971	4,701	4,727	2,716	1,160	331	20	-	2
White, mother foreign	580	-	17	77	158	144	112	50	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	118	-	28	35	32	15	6	2	-	-	-
Other races	34	-	4	10	11	8	1	-	-	-	-
Cities of 25,000 to 100,000	510	-	38	150	166	102	45	8	1	-	-
White, mother native	487	-	38	148	157	97	40	6	1	-	-
White, mother foreign	22	-	-	2	8	5	5	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	3,537	-	253	1,166	1,096	625	318	75	3	-	1
White, mother native	3,459	-	251	1,148	1,083	601	303	70	2	-	1
White, mother foreign	74	-	1	17	11	24	15	5	1	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2	-	1	-	1	-	-	-	-	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	7,153	2	526	2,240	2,268	1,287	620	193	14	-	3
White, mother native	6,991	2	513	2,207	2,229	1,251	591	182	13	-	3
White, mother foreign	132	-	9	23	32	32	24	11	1	-	-
White, mother not stated	3	-	-	3	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	27	-	4	7	7	4	5	-	-	-	-
Rural	27,819	6	2,043	8,413	7,755	5,214	3,142	1,135	105	2	4
White, mother native	26,747	6	1,957	8,163	7,528	5,013	2,942	1,042	92	1	3
White, mother foreign	572	-	11	90	114	119	145	80	12	1	-
White, mother not stated	4	-	1	1	2	-	-	-	-	-	-
Negro	3	-	-	-	1	2	-	-	-	-	-
Other races	493	-	74	159	110	80	55	13	1	-	1
MISSISSIPPI	54,713	328	11,307	16,538	11,981	8,053	4,759	1,378	135	7	227
White, mother native	24,316	27	3,716	7,668	6,011	3,923	2,204	617	59	2	89
White, mother foreign	53	-	2	6	18	16	10	1	-	-	-
White, mother not stated	28	-	8	8	5	2	2	-	-	-	3
Negro	30,233	301	7,571	8,830	5,927	4,098	2,534	757	75	5	135
Other races	83	-	10	26	20	14	9	3	1	-	-
Cities of 25,000 to 100,000	2,027	11	346	677	552	279	136	20	2	-	4
White, mother native	1,264	3	140	435	387	187	94	14	2	-	2
White, mother foreign	6	-	-	2	2	1	1	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	756	8	206	239	163	91	41	6	-	-	2
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	3,917	16	785	1,302	938	574	229	54	5	-	14
White, mother native	2,357	2	353	857	633	351	126	29	3	-	3
White, mother foreign	12	-	-	-	4	4	4	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,540	14	432	443	297	218	99	24	2	-	11
Other races	8	-	-	2	4	1	-	1	-	-	-
Cities of 2,500 to 10,000	3,380	13	596	1,100	848	520	235	44	6	-	18
White, mother native	1,984	1	263	668	553	326	143	24	3	-	5
White, mother foreign	7	-	-	2	3	2	-	-	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,381	12	333	429	290	192	90	20	3	-	12
Other races	7	-	-	3	2	-	2	-	-	-	-
Rural	45,389	288	9,580	13,459	9,643	6,680	4,159	1,260	122	7	191
White, mother native	18,711	21	2,960	5,710	4,438	3,059	1,841	550	51	2	79
White, mother foreign	28	-	2	2	9	9	5	1	-	-	-
White, mother not stated	26	-	8	7	5	2	2	-	-	-	2
Negro	26,556	267	6,600	7,719	5,177	3,597	2,304	707	70	5	110
Other races	68	-	10	21	14	13	7	2	1	-	-
MISSOURI	65,218	81	9,705	20,566	16,841	10,639	5,423	1,738	135	-	90
White, mother native	60,103	42	8,513	19,146	15,769	9,885	4,956	1,597	124	-	71
White, mother foreign	595	-	16	82	149	175	135	32	3	-	3
White, mother not stated	29	-	4	6	2	5	2	1	-	-	9
Negro	4,460	39	1,168	1,324	917	566	328	104	8	-	6
Other races	31	-	4	8	4	8	2	4	-	-	1
Cities of 100,000 or more	19,484	30	2,658	6,352	5,476	3,258	1,341	341	17	-	11
White, mother native	16,286	5	1,925	5,422	4,794	2,798	1,063	260	12	-	7
White, mother foreign	416	-	14	58	107	121	90	24	1	-	1
White, mother not stated	4	-	1	2	-	-	-	-	-	-	1
Negro	2,763	25	715	867	575	335	186	55	4	-	1
Other races	15	-	3	3	-	4	2	2	-	-	1

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MISSOURI—Continued											
Cities of 25,000 to 100,000	3,362	5	495	1,104	888	576	212	74	4	-	4
White, mother native	3,239	4	472	1,074	884	548	200	71	4	-	2
White, mother foreign	34	-	-	4	6	14	7	2	-	-	1
White, mother not stated	4	-	1	-	1	1	-	-	-	-	1
Negro	82	1	22	25	16	12	5	1	-	-	-
Other races	3	-	-	1	1	1	-	-	-	-	-
Cities of 10,000 to 25,000	4,531	3	597	1,350	1,298	792	401	79	9	-	2
White, mother native	4,219	1	523	1,261	1,233	752	369	70	8	-	2
White, mother foreign	34	-	-	7	11	5	10	1	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	277	2	74	81	54	35	22	8	1	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	6,335	6	1,009	2,075	1,628	977	468	158	8	-	8
White, mother native	5,974	4	905	1,994	1,555	919	436	148	6	-	7
White, mother foreign	25	-	-	4	8	7	5	-	1	-	-
White, mother not stated	2	-	-	-	-	1	1	-	-	-	-
Negro	331	2	104	76	62	49	26	10	1	-	1
Other races	3	-	-	1	1	1	-	-	-	-	-
Rural	31,506	37	4,946	9,685	7,553	5,036	3,001	1,088	97	-	65
White, mother native	30,385	28	4,688	9,395	7,323	4,868	2,888	1,048	94	-	53
White, mother foreign	86	-	2	9	17	28	23	5	1	-	1
White, mother not stated	18	-	2	3	1	3	1	1	-	-	7
Negro	1,007	9	253	275	210	135	89	30	2	-	4
Other races	10	-	1	3	2	2	-	2	-	-	-
MONTANA	11,545	5	1,262	4,092	3,244	1,760	875	281	24	-	2
White, mother native	10,351	5	1,133	3,769	2,932	1,550	728	213	19	-	2
White, mother foreign	504	-	23	92	147	109	88	43	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	12	-	1	5	3	3	-	-	-	-	-
Other races	678	-	105	226	162	98	59	25	3	-	-
Cities of 25,000 to 100,000	1,553	-	129	588	442	249	121	23	1	-	-
White, mother native	1,481	-	125	570	422	232	109	22	1	-	-
White, mother foreign	61	-	3	14	19	13	11	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	-	2	-	3	-	-	-	-	-
Other races	6	-	1	2	1	1	1	-	-	-	-
Cities of 10,000 to 25,000	1,757	1	171	651	526	275	121	28	3	-	1
White, mother native	1,678	1	166	614	503	257	109	24	3	-	1
White, mother foreign	65	-	4	10	19	17	11	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	2	1	-	-	-	-	-	-
Other races	11	-	1	5	3	1	1	-	-	-	-
Cities of 2,500 to 10,000	1,627	-	189	585	482	243	97	26	5	-	-
White, mother native	1,543	-	184	562	456	228	87	22	4	-	-
White, mother foreign	69	-	4	15	22	14	10	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	15	-	1	8	4	1	-	-	1	-	-
Rural	6,608	4	773	2,288	1,794	993	536	204	15	-	1
White, mother native	5,649	4	658	2,023	1,551	833	423	145	11	-	1
White, mother foreign	309	-	12	53	87	65	56	34	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	1	2	-	-	-	-	-	-
Other races	646	-	102	211	154	95	57	25	2	-	-
NEBRASKA	21,963	7	1,966	6,993	6,408	4,011	1,928	577	46	-	27
White, mother native	21,249	7	1,891	6,842	6,246	3,861	1,810	524	41	-	27
White, mother foreign	380	-	4	43	87	109	89	44	4	-	-
White, mother not stated	10	-	1	2	3	2	2	-	-	-	-
Negro	191	-	58	59	38	19	14	5	-	-	-
Other races	133	-	12	47	36	20	13	4	1	-	-
Cities of 100,000 or more	4,159	2	418	1,424	1,270	703	278	61	1	-	2
White, mother native	3,872	2	364	1,357	1,212	653	237	45	-	-	2
White, mother foreign	115	-	1	14	26	35	28	10	1	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	169	-	53	52	31	15	13	5	-	-	-
Other races	2	-	-	-	1	-	-	1	-	-	-
Cities of 25,000 to 100,000	1,133	1	95	351	355	214	94	22	1	-	-
White, mother native	1,082	1	92	345	344	196	86	17	1	-	-
White, mother foreign	37	-	-	1	10	14	7	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	13	-	3	5	1	3	1	-	-	-	-
Other races	1	-	-	-	-	1	-	-	-	-	-
Cities of 10,000 to 25,000	1,744	1	204	608	489	294	122	24	1	-	1
White, mother native	1,707	1	202	602	477	285	118	20	1	-	1
White, mother foreign	31	-	-	4	11	8	4	4	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	5	-	2	1	1	1	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	2,157	1	238	705	629	362	150	48	3	-	1
White, mother native	2,112	1	237	700	623	352	148	47	3	-	1
White, mother foreign	18	-	-	3	3	9	2	1	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	4	-	-	1	3	-	-	-	-	-	-
Other races	2	-	1	1	-	-	-	-	-	-	-
Rural	12,790	2	1,011	3,905	3,665	2,458	1,284	422	40	-	23
White, mother native	12,476	2	996	3,838	3,590	2,375	1,221	395	36	-	23
White, mother foreign	179	-	3	21	37	43	48	24	3	-	-
White, mother not stated	7	-	1	-	3	1	2	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	128	-	11	46	35	19	13	3	1	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEVADA	2,200	2	304	780	563	335	152	51	3	-	10
White, mother native	1,970	2	277	733	502	288	119	37	3	-	9
White, mother foreign	86	-	3	8	21	26	17	11	-	-	-
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	6	-	-	4	1	1	-	-	-	-	-
Other races	136	-	24	35	38	20	15	3	-	-	1
Cities of 10,000 to 25,000	396	-	42	131	117	75	24	6	-	-	1
White, mother native	369	-	41	127	112	64	21	3	-	-	1
White, mother foreign	18	-	-	1	3	8	3	3	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-
Other races	8	-	1	3	2	2	-	-	-	-	-
Cities of 2,500 to 10,000	496	2	73	184	123	63	39	10	-	-	2
White, mother native	473	2	70	179	116	60	34	10	-	-	2
White, mother foreign	16	-	3	1	5	3	4	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	5	-	-	2	2	-	1	-	-	-	-
Rural	1,308	-	189	465	323	197	89	35	3	-	7
White, mother native	1,128	-	166	427	274	164	64	24	3	-	6
White, mother foreign	52	-	-	6	13	15	10	8	-	-	-
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	3	-	-	2	1	-	-	-	-	-	-
Other races	123	-	23	30	34	18	14	3	-	-	1
NEW HAMPSHIRE	8,582	3	832	2,646	2,518	1,549	757	238	13	-	26
White, mother native	7,837	3	806	2,495	2,335	1,348	627	189	9	-	23
White, mother foreign	719	-	22	139	179	198	127	48	4	-	2
White, mother not stated	9	-	1	3	2	1	1	-	-	-	1
Negro	13	-	1	6	2	2	1	1	-	-	-
Other races	4	-	-	3	-	-	1	-	-	-	-
Cities of 25,000 to 100,000	2,267	1	151	680	725	418	208	74	4	-	6
White, mother native	2,007	1	143	625	663	349	168	53	2	-	5
White, mother foreign	257	-	8	53	62	69	42	21	2	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,857	-	183	622	523	321	160	43	1	-	4
White, mother native	1,655	-	182	574	470	269	127	30	-	-	3
White, mother foreign	191	-	1	42	51	51	32	12	1	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	-	4	2	1	1	1	-	-	-
Other races	2	-	-	2	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	806	-	73	263	226	156	65	21	-	-	2
White, mother native	743	-	68	254	209	139	56	16	-	-	1
White, mother foreign	62	-	5	8	17	17	9	5	-	-	1
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	3,652	2	425	1,061	1,044	654	324	100	8	-	14
White, mother native	3,432	2	415	1,042	983	591	278	90	7	-	14
White, mother foreign	209	-	8	36	49	61	44	10	1	-	-
White, mother not stated	7	-	1	2	2	1	1	-	-	-	-
Negro	2	-	1	-	-	1	-	-	-	-	-
Other races	2	-	-	1	-	-	1	-	-	-	-
NEW JERSEY	67,197	28	4,589	20,151	22,142	13,396	5,475	1,314	88	3	31
White, mother native	57,144	4	3,320	17,785	19,924	11,173	4,023	850	40	2	23
White, mother foreign	5,038	-	64	607	1,243	1,607	1,099	371	43	1	3
White, mother not stated	37	-	1	7	13	8	4	2	-	-	2
Negro	4,955	24	1,183	1,744	956	605	346	89	5	-	3
Other races	23	-	1	8	6	3	3	2	-	-	-
Cities of 100,000 or more	20,042	13	1,542	6,314	6,610	3,841	1,521	373	19	1	8
White, mother native	16,129	1	944	5,333	5,763	2,867	1,008	197	8	1	7
White, mother foreign	1,676	-	23	190	429	522	364	137	10	-	1
White, mother not stated	5	-	-	2	1	1	1	-	-	-	-
Negro	2,227	12	574	789	416	250	147	38	1	-	-
Other races	5	-	1	-	1	1	1	1	-	-	-
Cities of 25,000 to 100,000	15,187	5	744	4,409	5,311	3,242	1,175	277	20	1	3
White, mother native	12,765	1	531	3,902	4,732	2,637	785	164	11	-	2
White, mother foreign	1,463	-	16	191	374	474	306	92	8	1	1
White, mother not stated	7	-	-	-	6	-	1	-	-	-	-
Negro	942	4	197	311	197	130	81	21	1	-	-
Other races	10	-	-	5	2	1	2	-	-	-	-
Cities of 10,000 to 25,000	9,425	3	552	2,670	3,092	2,042	836	208	12	1	9
White, mother native	8,093	-	394	2,372	2,788	1,730	656	146	3	1	5
White, mother foreign	674	-	12	82	167	216	141	48	8	-	-
White, mother not stated	11	-	-	-	3	3	2	1	-	-	2
Negro	645	3	146	215	135	93	37	13	1	-	2
Other races	2	-	-	1	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	9,846	5	584	2,760	3,557	2,059	854	186	16	-	5
White, mother native	8,857	1	485	2,556	3,159	1,819	685	141	6	-	5
White, mother foreign	604	-	8	74	124	203	144	41	10	-	-
White, mother not stated	5	-	1	2	2	-	-	-	-	-	-
Negro	377	4	90	146	71	37	25	4	-	-	-
Other races	3	-	-	2	1	-	-	-	-	-	-
Rural	12,697	2	1,147	3,978	3,772	2,412	1,089	270	21	-	6
White, mother native	11,300	1	966	3,622	3,484	2,120	889	202	12	-	4
White, mother foreign	621	-	5	70	149	192	144	53	7	-	1
White, mother not stated	9	-	-	3	1	4	-	1	-	-	-
Negro	764	1	176	283	157	95	56	13	2	-	1
Other races	3	-	-	-	1	1	-	1	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEW MEXICO	14,738	13	2,052	4,583	3,815	2,331	1,370	467	38	2	67
White, mother native	13,735	11	1,977	4,348	3,583	2,116	1,207	407	32	1	53
White, mother foreign	448	-	11	60	107	123	105	36	3	1	2
White, mother not stated	3	-	-	2	1	-	-	-	-	-	-
Negro	85	1	18	26	18	18	-	2	-	-	2
Other races	467	1	46	147	106	74	58	22	3	-	10
Cities of 25,000 to 100,000	1,008	-	134	326	292	156	79	19	-	-	2
White, mother native	960	-	127	315	281	145	73	17	-	-	2
White, mother foreign	30	-	1	4	7	10	6	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	3	2	3	1	-	-	-	-	-
Other races	9	-	3	5	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,495	2	235	474	406	234	102	29	3	-	10
White, mother native	1,453	2	228	467	395	223	99	28	2	-	9
White, mother foreign	13	-	-	1	3	5	3	-	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	23	-	4	5	6	6	-	1	-	-	1
Other races	6	-	3	1	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	2,939	1	442	1,001	756	407	240	72	5	-	15
White, mother native	2,793	-	433	939	724	364	204	59	5	-	15
White, mother foreign	107	-	2	13	26	18	35	13	-	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	28	1	6	12	5	4	-	-	-	-	-
Other races	9	-	1	5	1	1	1	-	-	-	-
Rural	9,296	10	1,241	2,782	2,361	1,534	949	347	30	2	40
White, mother native	8,529	9	1,189	2,597	2,183	1,364	831	303	25	1	27
White, mother foreign	298	-	8	42	71	90	61	21	2	1	2
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	25	-	5	7	4	7	-	1	-	-	1
Other races	443	1	39	136	102	73	57	22	3	-	10
NEW YORK	210,303	108	12,383	58,649	70,228	45,131	18,965	4,484	304	2	49
White, mother native	173,840	40	10,002	52,039	60,972	35,055	12,797	2,727	166	1	41
White, mother foreign	25,566	2	307	2,753	6,838	8,631	5,361	1,550	121	1	2
White, mother not stated	22	-	5	9	3	4	1	-	-	-	-
Negro	10,328	65	2,003	3,695	2,266	1,355	742	184	13	-	5
Other races	547	1	66	153	149	86	64	23	4	-	1
Cities of 100,000 or more	134,864	76	6,376	35,343	47,343	30,390	11,903	2,624	177	1	31
White, mother native	104,790	17	4,399	30,502	39,617	21,969	6,937	1,249	78	-	24
White, mother foreign	20,712	2	192	2,094	5,651	7,189	4,286	1,204	91	1	2
White, mother not stated	6	-	2	2	1	1	-	-	-	-	-
Negro	9,024	57	1,749	3,254	1,976	1,180	642	153	8	-	5
Other races	332	-	34	91	98	51	38	18	2	-	-
Cities of 25,000 to 100,000	12,926	6	893	4,077	4,101	2,514	1,032	282	20	-	1
White, mother native	11,420	3	795	3,790	3,729	2,127	773	191	11	-	1
White, mother foreign	1,109	-	25	151	276	337	230	83	7	-	-
White, mother not stated	3	-	1	2	-	-	-	-	-	-	-
Negro	381	3	70	128	94	48	28	8	2	-	-
Other races	13	-	2	6	2	2	1	-	-	-	-
Cities of 10,000 to 25,000	13,557	3	1,024	4,091	4,170	2,726	1,223	296	21	-	3
White, mother native	12,271	3	914	3,829	3,872	2,396	1,017	224	14	-	2
White, mother foreign	933	-	31	129	234	290	181	61	7	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	336	-	75	129	62	38	22	10	-	-	-
Other races	17	-	4	4	2	2	3	1	-	-	1
Cities of 2,500 to 10,000	10,710	4	744	3,160	3,362	2,182	1,009	233	14	-	2
White, mother native	9,802	2	702	3,006	3,138	1,937	824	182	9	-	2
White, mother foreign	737	-	13	101	180	221	172	46	4	-	-
White, mother not stated	4	-	-	2	-	1	1	-	-	-	-
Negro	159	2	28	50	39	22	12	5	1	-	-
Other races	8	-	1	1	5	1	-	-	-	-	-
Rural	38,246	19	3,346	11,378	11,252	7,319	3,798	1,049	72	1	12
White, mother native	35,557	15	3,192	10,912	10,616	6,826	3,246	881	56	1	12
White, mother foreign	2,075	-	46	278	497	594	492	156	12	-	-
White, mother not stated	9	-	2	3	2	2	-	-	-	-	-
Negro	428	3	81	134	95	67	38	8	2	-	-
Other races	177	1	25	51	42	30	22	4	2	-	-
NORTH CAROLINA	84,595	231	15,045	27,474	19,911	12,238	6,983	2,328	219	5	161
White, mother native	55,917	40	7,929	18,383	14,100	8,828	4,808	1,591	150	2	88
White, mother foreign	92	-	2	18	33	18	15	6	-	-	-
White, mother not stated	1,375	16	588	465	161	80	33	16	-	-	16
Negro	26,280	172	6,354	8,344	5,376	3,176	2,050	690	59	3	56
Other races	931	3	172	284	241	136	79	25	10	-	1
Cities of 100,000 or more	2,211	10	404	782	529	307	153	24	2	-	-
White, mother native	1,458	1	177	530	393	226	118	12	1	-	-
White, mother foreign	12	-	-	4	1	4	1	2	-	-	-
White, mother not stated	33	1	12	14	2	4	-	-	-	-	-
Negro	708	8	215	234	133	73	34	10	1	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	7,648	23	1,490	2,888	1,948	1,071	504	117	3	-	6
White, mother native	4,894	1	657	1,735	1,338	755	329	74	2	-	3
White, mother foreign	29	-	-	7	14	3	5	-	-	-	-
White, mother not stated	128	-	49	47	18	7	5	1	-	-	1
Negro	2,796	22	783	897	578	306	165	42	1	-	2
Other races	1	-	1	-	-	-	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NORTH CAROLINA—Continued											
Cities of 10,000 to 25,000	5,586	14	1,093	1,922	1,326	795	347	76	8	1	4
White, mother native	3,857	2	556	1,405	1,004	595	239	48	5	-	3
White, mother foreign	6	-	-	-	2	1	2	1	-	-	-
White, mother not stated	64	-	32	35	12	2	2	1	-	-	-
Negro	1,657	12	505	480	308	197	104	26	3	1	1
Other races	2	-	-	2	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	5,214	11	913	1,834	1,264	741	352	75	13	-	11
White, mother native	3,868	3	550	1,403	1,009	588	288	51	10	-	6
White, mother foreign	7	-	-	1	3	2	-	1	-	-	-
White, mother not stated	79	1	30	30	9	7	2	-	-	-	-
Negro	1,255	7	333	399	242	163	80	23	3	-	5
Other races	5	-	-	1	1	1	2	-	-	-	-
Rural	63,736	173	11,145	20,250	14,844	9,324	5,627	2,036	193	4	140
White, mother native	41,840	33	5,989	13,310	10,356	6,684	3,852	1,406	132	2	76
White, mother foreign	38	-	2	6	13	8	7	2	-	-	-
White, mother not stated	1,051	14	465	339	120	60	24	14	-	-	15
Negro	19,884	123	4,518	6,334	4,115	2,437	1,667	589	51	2	48
Other races	923	3	171	261	240	135	77	25	10	-	1
NORTH DAKOTA	13,259	5	960	3,859	3,812	2,579	1,502	480	53	-	9
White, mother native	12,393	4	878	3,675	3,641	2,415	1,348	388	40	-	6
White, mother foreign	430	-	8	80	70	93	114	75	10	-	-
White, mother not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	2	-	1	1	-	-	-	-	-	-	-
Other races	432	1	72	123	100	71	42	17	3	-	3
Cities of 25,000 to 100,000	647	-	30	205	224	122	50	14	1	-	1
White, mother native	638	-	30	203	223	119	47	14	1	-	1
White, mother foreign	8	-	-	2	1	3	2	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	1	-	-	-	-	-	1	-	-	-	-
Cities of 10,000 to 25,000	1,230	-	105	398	370	217	113	23	4	-	-
White, mother native	1,196	-	104	389	360	211	108	22	2	-	-
White, mother foreign	30	-	1	6	9	6	5	1	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other races	3	-	-	2	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	1,087	-	73	350	345	179	104	32	4	-	-
White, mother native	1,057	-	71	343	338	174	101	26	4	-	-
White, mother foreign	23	-	1	5	4	4	3	6	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	7	-	1	2	3	1	-	-	-	-	-
Rural	10,295	5	752	2,906	2,873	2,061	1,235	411	44	-	8
White, mother native	9,502	4	673	2,740	2,720	1,911	1,090	326	33	-	5
White, mother foreign	389	-	6	47	56	80	104	68	8	-	-
White, mother not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other races	421	1	71	119	96	70	41	17	3	-	3
OHIO	125,850	86	13,977	41,549	36,732	20,933	9,626	2,729	214	2	102
White, mother native	115,907	40	12,221	38,890	34,522	19,115	8,546	2,311	181	2	79
White, mother foreign	3,357	1	77	445	906	1,013	629	256	26	-	4
White, mother not stated	32	1	2	8	7	5	3	1	2	-	3
Negro	6,626	44	1,675	2,202	1,283	797	443	161	5	-	16
Other races	28	-	2	4	14	3	5	-	-	-	-
Cities of 100,000 or more	48,921	50	5,164	18,485	15,037	8,117	3,202	797	58	-	31
White, mother native	41,959	12	3,845	14,563	13,514	6,881	2,524	561	41	-	18
White, mother foreign	2,031	-	44	247	588	657	370	129	15	-	1
White, mother not stated	5	-	-	1	-	1	1	-	-	-	2
Negro	4,912	38	1,274	1,653	949	576	303	107	2	-	10
Other races	14	-	1	1	6	2	4	-	-	-	-
Cities of 25,000 to 100,000	13,952	7	1,569	4,664	4,151	2,289	979	245	18	-	10
White, mother native	12,991	3	1,427	4,409	3,925	2,109	892	205	15	-	6
White, mother foreign	388	-	14	63	108	112	56	31	3	-	1
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	569	4	147	191	116	68	31	9	-	-	3
Other races	3	-	1	-	2	-	-	-	-	-	-
Cities of 10,000 to 25,000	9,717	3	1,054	3,311	2,844	1,581	728	172	17	-	7
White, mother native	9,140	3	985	3,144	2,723	1,474	650	140	14	-	7
White, mother foreign	289	-	6	54	61	75	50	22	1	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	303	-	63	112	57	32	27	10	2	-	-
Other races	3	-	-	-	2	-	1	-	-	-	-
Cities of 2,500 to 10,000	12,347	5	1,386	3,989	3,651	2,090	924	272	18	-	12
White, mother native	11,631	3	1,298	3,876	3,529	2,002	858	243	17	-	9
White, mother foreign	210	1	3	32	55	54	46	17	1	-	1
White, mother not stated	6	-	1	2	2	1	-	-	-	-	-
Negro	298	1	83	79	63	33	22	12	-	-	2
Other races	2	-	-	-	2	-	-	-	-	-	-
Rural	41,015	21	4,784	13,120	11,049	6,856	3,793	1,243	103	2	42
White, mother native	39,986	19	4,688	12,898	10,851	6,649	3,624	1,162	94	2	39
White, mother foreign	459	-	10	49	114	115	107	57	6	-	1
White, mother not stated	18	1	1	3	4	3	2	1	2	-	1
Negro	544	1	105	167	98	88	60	23	1	-	1
Other races	6	-	-	3	2	1	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
OKLAHOMA	45,818	54	8,190	15,082	10,810	6,645	3,685	1,162	96	4	90
White, mother native	40,669	26	7,027	13,532	9,754	5,929	3,241	1,004	86	4	68
White, mother foreign	141	-	3	43	37	29	19	8	2	-	-
White, mother not stated	89	-	15	24	23	11	11	2	-	-	3
Negro	2,848	23	752	812	558	378	231	80	5	-	9
Other races	2,071	5	393	671	438	298	183	68	3	-	12
Cities of 100,000 or more	6,893	5	1,125	2,397	1,798	1,004	448	102	4	-	10
White, mother native	6,185	3	948	2,166	1,637	914	391	94	3	-	9
White, mother foreign	49	-	1	16	16	7	8	-	1	-	-
White, mother not stated	21	-	3	7	8	1	1	-	-	-	1
Negro	570	2	157	173	115	76	40	7	-	-	-
Other races	88	-	16	35	22	6	8	1	-	-	-
Cities of 25,000 to 100,000	1,116	-	181	383	292	163	67	23	3	-	4
White, mother native	939	-	149	328	247	146	47	18	1	-	3
White, mother foreign	4	-	-	1	1	1	1	-	-	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	152	-	30	47	36	14	17	5	2	-	1
Other races	19	-	2	6	7	2	2	-	-	-	-
Cities of 10,000 to 25,000	4,708	4	811	1,670	1,184	661	288	75	6	-	9
White, mother native	4,174	2	672	1,492	1,096	580	257	62	5	-	6
White, mother foreign	19	-	1	8	6	1	1	1	1	-	-
White, mother not stated	9	-	2	3	2	1	1	-	-	-	-
Negro	392	2	104	120	65	62	24	12	-	-	3
Other races	114	-	32	47	13	17	5	-	-	-	-
Cities of 2,500 to 10,000	5,763	6	1,119	2,008	1,356	788	363	107	12	-	4
White, mother native	5,118	2	951	1,804	1,234	700	323	89	11	-	4
White, mother foreign	12	-	1	4	6	1	-	-	-	-	-
White, mother not stated	7	-	1	4	1	1	-	-	-	-	-
Negro	345	3	110	92	59	47	24	10	-	-	-
Other races	281	1	56	104	56	39	16	8	1	-	-
Rural	27,338	39	4,954	8,624	6,180	4,029	2,519	855	71	4	63
White, mother native	24,273	19	4,307	7,742	5,538	3,589	2,223	741	66	4	44
White, mother foreign	57	-	-	14	8	19	9	7	-	-	-
White, mother not stated	50	-	9	9	11	8	9	2	-	-	2
Negro	1,389	16	351	380	283	179	126	46	3	-	5
Other races	1,569	4	287	479	340	234	152	59	2	-	12
OREGON	18,868	8	2,225	6,634	5,371	3,011	1,201	339	25	-	54
White, mother native	17,889	7	2,148	6,353	5,085	2,817	1,103	303	22	-	51
White, mother foreign	709	-	38	189	207	187	76	30	2	-	-
White, mother not stated	7	-	-	2	4	-	-	-	-	-	1
Negro	31	1	4	10	7	5	2	2	-	-	-
Other races	232	-	35	80	68	22	20	4	1	-	2
Cities of 100,000 or more	5,028	2	453	1,601	1,658	928	304	63	2	-	17
White, mother native	4,648	1	431	1,498	1,544	838	287	51	2	-	16
White, mother foreign	293	-	14	73	89	81	27	9	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	26	1	3	8	6	4	2	2	-	-	-
Other races	60	-	5	22	18	5	8	1	-	-	1
Cities of 25,000 to 100,000	464	-	53	175	139	69	21	6	1	-	-
White, mother native	444	-	52	170	133	66	17	5	1	-	-
White, mother foreign	17	-	1	3	5	3	4	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	3	-	-	2	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,540	-	181	559	444	238	89	24	1	-	4
White, mother native	1,489	-	177	544	435	227	79	22	1	-	4
White, mother foreign	44	-	3	12	8	10	9	2	-	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	3	-	1	-	-	1	1	-	-	-	-
Cities of 2,500 to 10,000	2,682	2	333	990	747	402	157	34	4	-	13
White, mother native	2,601	2	325	965	723	390	148	32	4	-	12
White, mother foreign	70	-	6	22	22	10	8	2	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	10	-	2	3	2	2	1	-	-	-	-
Rural	9,154	4	1,205	3,309	2,385	1,374	630	212	17	-	20
White, mother native	8,707	4	1,183	3,176	2,250	1,296	592	193	14	-	19
White, mother foreign	285	-	14	79	83	63	28	16	2	-	-
White, mother not stated	3	-	-	1	2	-	-	-	-	-	-
Negro	3	-	1	-	1	1	-	-	-	-	-
Other races	156	-	27	53	47	14	10	3	1	-	1
PENNSYLVANIA	174,193	127	18,977	56,441	51,146	30,314	14,511	4,237	399	16	25
White, mother native	157,700	81	14,385	52,375	47,753	27,194	12,240	3,368	291	15	20
White, mother foreign	6,386	-	108	676	1,479	1,838	1,528	660	94	1	2
White, mother not stated	22	-	8	4	3	3	3	-	-	-	1
Negro	10,083	66	2,475	3,381	1,908	1,273	735	211	14	-	2
Other races	22	-	1	5	5	6	5	-	-	-	-
Cities of 100,000 or more	49,424	60	4,261	15,769	15,311	8,968	3,985	979	73	6	12
White, mother native	39,713	15	2,493	13,163	13,272	7,201	2,853	664	37	6	9
White, mother foreign	2,901	-	45	287	748	904	690	197	28	-	2
White, mother not stated	3	-	1	-	1	-	1	-	-	-	-
Negro	6,797	45	1,721	2,317	1,288	861	438	118	8	-	1
Other races	10	-	1	2	2	2	3	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
PENNSYLVANIA—Continued											
Cities of 25,000 to 100,000	21,166	15	1,902	7,055	6,272	3,779	1,617	476	45	2	3
White, mother native	19,309	5	1,636	6,613	5,885	3,402	1,368	362	33	2	3
White, mother foreign	794	-	15	96	165	248	171	88	11	-	-
White, mother not stated	3	-	-	-	-	2	1	-	-	-	-
Negro	1,057	10	251	345	221	126	77	26	1	-	-
Other races	3	-	-	1	1	1	-	-	-	-	-
Cities of 10,000 to 25,000	20,333	11	1,739	6,755	6,153	3,591	1,645	412	23	1	3
White, mother native	18,698	5	1,526	6,371	5,853	3,269	1,355	302	13	1	3
White, mother foreign	787	-	12	91	172	216	202	86	8	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	843	6	200	292	127	105	87	24	2	-	-
Other races	4	-	-	1	1	1	1	-	-	-	-
Cities of 2,500 to 10,000	22,365	8	1,983	7,294	6,746	3,986	1,747	546	50	2	3
White, mother native	21,295	6	1,889	7,084	6,508	3,759	1,552	451	41	2	3
White, mother foreign	654	-	10	79	143	171	158	84	9	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	411	2	83	130	94	55	36	11	-	-	-
Other races	3	-	-	-	1	1	1	-	-	-	-
Rural	60,905	33	7,092	19,588	16,664	9,990	5,517	1,824	208	5	4
White, mother native	58,685	30	6,841	19,144	16,235	9,563	5,112	1,587	167	4	2
White, mother foreign	1,250	-	26	123	251	299	307	205	38	1	-
White, mother not stated	13	-	5	3	2	1	1	-	-	-	1
Negro	955	3	220	297	176	126	97	32	3	-	1
Other races	2	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND	11,611	1	707	3,377	3,707	2,329	1,141	322	25	-	2
White, mother native	10,205	1	644	3,157	3,376	1,936	869	212	8	-	2
White, mother foreign	1,151	-	24	133	262	360	252	105	15	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	245	-	36	86	67	31	18	5	2	-	-
Other races	10	-	3	1	2	2	2	-	-	-	-
Cities of 100,000 or more	3,918	-	276	1,111	1,285	805	333	105	5	-	-
White, mother native	3,402	-	240	1,024	1,161	658	254	65	-	-	-
White, mother foreign	364	-	10	32	87	127	69	35	4	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	146	-	24	54	36	19	9	3	1	-	-
Other races	6	-	2	1	1	1	1	-	-	-	-
Cities of 25,000 to 100,000	4,749	-	247	1,390	1,510	939	524	126	12	-	1
White, mother native	4,179	-	231	1,298	1,376	789	391	88	5	-	1
White, mother foreign	510	-	12	74	111	144	127	36	6	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	56	-	3	18	22	5	5	2	1	-	-
Other races	4	-	1	-	1	1	1	-	-	-	-
Cities of 10,000 to 25,000	1,468	1	77	435	448	300	151	50	8	-	-
White, mother native	1,290	1	76	416	403	242	119	31	2	-	-
White, mother foreign	169	-	-	16	44	55	31	19	4	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	1	3	1	3	1	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	385	-	19	113	126	79	30	18	-	-	-
White, mother native	352	-	19	109	121	66	25	12	-	-	-
White, mother foreign	33	-	-	4	5	13	5	6	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	1,091	-	88	328	338	206	103	25	2	-	1
White, mother native	982	-	78	310	315	181	80	16	1	-	1
White, mother foreign	75	-	2	7	15	21	20	9	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	34	-	8	11	8	4	3	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	47,383	131	9,360	16,190	10,825	6,243	3,578	1,060	123	3	70
White, mother native	24,203	13	3,737	8,163	5,988	3,720	1,933	563	53	-	33
White, mother foreign	47	-	2	7	11	17	8	2	-	-	-
White, mother not stated	6	-	2	2	1	-	1	-	-	-	-
Negro	23,101	118	5,618	8,008	4,819	2,498	1,636	494	70	3	37
Other races	26	-	1	10	6	8	-	1	-	-	-
Cities of 25,000 to 100,000	5,669	20	1,176	1,951	1,362	780	314	58	3	-	5
White, mother native	3,449	1	510	1,198	964	526	209	37	3	-	3
White, mother foreign	26	-	2	3	8	11	2	-	-	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	2,192	19	664	751	390	243	102	21	-	-	2
Other races	1	-	-	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	2,447	10	447	959	577	304	131	31	2	-	6
White, mother native	1,743	2	257	683	442	239	94	21	2	-	3
White, mother foreign	3	-	-	-	-	3	-	-	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	700	8	190	255	135	62	37	10	-	-	3
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	5,020	12	898	1,752	1,236	695	341	75	8	2	1
White, mother native	3,444	2	507	1,199	899	530	246	58	2	-	1
White, mother foreign	4	-	-	-	1	-	3	-	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,571	10	391	553	335	165	92	17	6	2	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	34,247	89	6,839	11,548	7,450	4,464	2,792	896	110	1	58
White, mother native	15,567	8	2,463	5,065	3,683	2,425	1,384	447	46	-	26
White, mother foreign	14	-	-	4	2	3	3	2	-	-	-
White, mother not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	18,638	81	4,373	6,449	3,759	2,028	1,405	446	64	1	32
Other races	25	-	1	9	6	8	-	1	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
SOUTH DAKOTA	12,159	2	1,005	3,654	3,410	2,278	1,242	441	48	1	78
White, mother native	11,203	1	908	3,402	3,190	2,100	1,107	380	43	1	71
White, mother foreign	192	-	2	22	23	55	59	26	4	-	1
White, mother not stated	18	-	1	2	6	4	2	1	-	-	2
Negro	11	-	3	5	2	1	-	-	-	-	-
Other races	735	1	91	223	189	118	74	34	1	-	4
Cities of 25,000 to 100,000	798	1	66	254	262	130	63	18	2	-	-
White, mother native	779	1	65	251	258	125	60	17	2	-	-
White, mother foreign	12	-	-	2	3	3	3	1	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	4	-	1	1	1	1	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,325	-	113	451	381	233	106	32	3	1	5
White, mother native	1,297	-	112	445	376	227	100	30	2	1	4
White, mother foreign	20	-	-	2	3	6	6	1	1	-	1
White, mother not stated	3	-	-	2	-	-	-	1	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other races	4	-	-	2	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	1,325	-	134	379	380	240	142	29	3	-	18
White, mother native	1,254	-	123	363	367	225	131	25	2	-	18
White, mother foreign	24	-	1	2	1	8	9	2	1	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	5	-	1	4	-	-	-	-	-	-	-
Other races	41	-	9	10	12	7	1	2	-	-	-
Rural	8,713	1	692	2,570	2,387	1,875	931	362	40	-	55
White, mother native	7,873	-	608	2,343	2,189	1,523	816	308	37	-	49
White, mother foreign	136	-	1	16	16	38	41	22	2	-	-
White, mother not stated	13	-	1	-	6	3	1	-	-	-	2
Negro	1	-	-	-	1	-	-	-	-	-	-
Other races	690	1	82	211	175	111	73	32	1	-	4
TENNESSEE	59,855	146	10,458	19,058	14,005	9,236	5,095	1,610	149	7	91
White, mother native	50,429	51	7,898	16,368	12,109	8,013	4,417	1,380	151	6	58
White, mother foreign	77	-	-	11	21	26	14	5	-	-	-
White, mother not stated	28	-	6	8	4	2	3	1	-	-	4
Negro	9,319	95	2,555	2,671	1,870	1,195	661	224	18	1	29
Other races	2	-	1	-	1	-	-	-	-	-	-
Cities of 100,000 or more	14,415	58	2,845	4,740	3,494	2,120	936	187	13	-	22
White, mother native	10,230	12	1,615	3,561	2,648	1,582	675	118	10	-	11
White, mother foreign	57	-	-	7	13	20	13	4	-	-	-
White, mother not stated	4	-	1	-	2	-	-	-	-	-	1
Negro	4,124	46	1,231	1,172	831	518	248	65	3	-	10
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	486	1	82	186	115	59	30	12	1	-	-
White, mother native	444	1	75	171	105	53	27	11	1	-	-
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	42	-	7	15	10	6	3	1	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	2,223	8	359	768	549	316	170	46	3	-	4
White, mother native	1,908	5	268	669	484	292	150	35	3	-	2
White, mother foreign	6	-	-	-	3	2	-	1	-	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	308	3	90	99	62	22	20	10	-	-	2
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	4,693	9	799	1,573	1,122	709	359	108	5	-	9
White, mother native	4,115	3	654	1,415	1,009	625	307	90	5	-	7
White, mother foreign	5	-	-	1	-	3	1	-	-	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	570	6	145	155	112	81	51	18	-	-	2
Other races	1	-	-	-	1	-	-	-	-	-	-
Rural	38,038	70	6,373	11,791	8,725	6,032	3,600	1,257	127	7	56
White, mother native	33,732	30	5,286	10,552	7,863	5,461	3,258	1,126	112	6	38
White, mother foreign	9	-	-	3	5	1	-	-	-	-	-
White, mother not stated	21	-	4	6	2	2	3	1	-	-	3
Negro	4,275	40	1,082	1,230	855	568	339	130	15	1	15
Other races	1	-	1	-	-	-	-	-	-	-	-
TEXAS	136,782	249	22,690	44,911	33,628	20,910	10,892	3,039	211	5	240
White, mother native	112,076	107	17,875	38,402	28,402	16,882	8,098	2,190	138	3	179
White, mother foreign	6,947	1	240	1,132	1,673	1,959	1,434	442	41	1	24
White, mother not stated	72	-	14	20	16	11	4	-	-	-	7
Negro	17,631	141	4,551	5,346	3,528	2,246	1,345	403	32	1	38
Other races	56	-	10	11	7	12	11	4	-	-	1
Cities of 100,000 or more	26,754	56	4,594	9,355	6,863	3,808	1,660	381	17	-	20
White, mother native	21,574	26	3,470	7,895	5,763	2,984	1,191	258	11	-	16
White, mother foreign	1,320	-	37	212	358	394	251	63	4	-	1
White, mother not stated	7	-	1	4	1	1	-	-	-	-	-
Negro	3,829	30	1,080	1,241	737	444	215	78	2	-	2
Other races	24	-	6	3	4	5	3	2	-	-	1
Cities of 25,000 to 100,000	17,069	35	2,827	5,986	4,284	2,497	1,138	265	13	-	26
White, mother native	15,817	23	2,248	5,145	3,518	1,926	775	158	7	-	17
White, mother foreign	1,398	1	52	232	399	374	254	78	4	-	4
White, mother not stated	8	-	-	4	2	1	1	-	-	-	-
Negro	1,842	11	527	603	365	198	108	27	2	-	5
Other races	4	-	-	2	-	-	2	-	-	-	-
Cities of 10,000 to 25,000	8,183	23	1,365	2,776	2,078	1,173	593	151	7	-	17
White, mother native	6,854	10	1,093	2,425	1,792	970	431	112	5	-	16
White, mother foreign	434	-	12	76	119	108	87	30	1	-	1
White, mother not stated	9	-	3	4	1	-	1	-	-	-	-
Negro	882	13	256	271	166	93	73	9	1	-	-
Other races	4	-	1	-	-	2	1	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
TEXAS—Continued											
Cities of 2,500 to 10,000	20,031	28	3,268	6,735	4,985	3,018	1,530	395	24	1	47
White, mother native	17,312	14	2,780	6,069	4,399	2,517	1,191	289	17	1	35
White, mother foreign	1,170	-	54	177	284	316	256	75	4	-	4
White, mother not stated	8	-	4	3	1	-	-	-	-	-	-
Negro	1,535	14	429	483	301	184	83	30	3	-	8
Other races	6	-	1	3	-	1	-	1	-	-	-
Rural	64,745	107	10,636	20,059	15,416	10,414	5,971	1,849	150	4	139
White, mother native	52,519	34	8,284	16,888	12,930	8,305	4,510	1,393	98	2	95
White, mother foreign	2,625	-	85	435	513	787	586	196	28	1	14
White, mother not stated	40	-	6	5	11	9	2	-	-	-	7
Negro	9,543	73	2,259	2,748	1,959	1,329	868	259	24	1	23
Other races	18	-	2	3	3	4	5	1	-	-	-
UTAH	13,538	4	1,398	4,705	3,681	2,241	1,100	369	38	-	2
White, mother native	13,057	4	1,369	4,607	3,571	2,112	1,021	334	37	-	2
White, mother foreign	364	-	9	54	82	116	70	32	1	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	16	-	5	6	2	2	-	1	-	-	-
Other races	100	-	14	38	26	11	9	2	-	-	-
Cities of 100,000 or more	3,567	2	345	1,297	993	616	241	71	2	-	-
White, mother native	3,400	2	338	1,274	952	567	212	56	1	-	-
White, mother foreign	145	-	4	15	36	46	29	14	1	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	14	-	4	6	1	2	-	1	-	-	-
Other races	7	-	-	2	4	1	-	-	-	-	-
Cities of 25,000 to 100,000	1,110	-	89	423	331	159	88	19	1	-	-
White, mother native	1,073	-	86	418	322	150	81	15	1	-	-
White, mother foreign	35	-	2	5	8	9	7	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	1	-	1	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	718	-	65	266	193	128	54	8	4	-	-
White, mother native	700	-	64	264	190	121	49	8	4	-	-
White, mother foreign	18	-	1	2	3	7	5	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	2,368	-	253	855	648	391	176	60	4	-	1
White, mother native	2,292	-	252	817	632	365	166	55	4	-	1
White, mother foreign	70	-	1	15	14	25	10	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	6	-	-	3	2	1	-	-	-	-	-
Rural	5,775	2	646	1,884	1,516	947	541	211	27	-	1
White, mother native	5,592	2	651	1,834	1,475	909	513	200	27	-	1
White, mother foreign	96	-	1	17	21	29	19	9	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	87	-	14	33	20	9	9	2	-	-	-
VERMONT	6,965	4	782	2,220	1,886	1,218	639	193	14	1	8
White, mother native	6,320	4	758	2,091	1,709	1,061	520	157	14	1	5
White, mother foreign	634	-	22	126	174	156	118	35	-	-	3
White, mother not stated	5	-	2	1	1	-	-	1	-	-	-
Negro	3	-	-	2	-	1	-	-	-	-	-
Other races	3	-	-	-	2	-	1	-	-	-	-
Cities of 25,000 to 100,000	579	-	67	192	159	100	45	15	1	-	-
White, mother native	533	-	66	184	145	88	36	15	1	-	-
White, mother foreign	44	-	1	8	14	13	8	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-
Other races	1	-	-	-	-	-	1	-	-	-	-
Cities of 10,000 to 25,000	523	-	44	153	184	82	52	8	-	-	-
White, mother native	482	-	44	146	166	76	44	6	-	-	-
White, mother foreign	40	-	-	7	17	6	8	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	1,337	-	138	465	352	233	116	30	2	-	1
White, mother native	1,219	-	133	446	319	200	93	25	2	-	1
White, mother foreign	116	-	4	19	33	33	23	4	-	-	-
White, mother not stated	2	-	1	-	-	-	-	1	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	4,526	4	533	1,410	1,191	803	426	140	11	1	7
White, mother native	4,086	4	515	1,315	1,079	699	347	111	11	1	4
White, mother foreign	434	-	17	92	110	104	79	29	-	-	3
White, mother not stated	3	-	1	1	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	1	-	-	-	1	-	-	-	-	-	-
VIRGINIA	61,079	185	10,005	19,575	14,832	9,426	5,113	1,737	163	5	58
White, mother native	44,658	35	5,944	14,387	11,573	7,431	3,850	1,291	108	5	32
White, mother foreign	278	-	8	45	88	83	45	8	1	-	-
White, mother not stated	8	-	1	-	4	1	-	-	-	-	2
Negro	16,111	150	4,048	5,135	3,160	1,908	1,214	438	54	-	24
Other races	26	-	4	8	7	3	4	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
VIRGINIA—Continued											
Cities of 100,000 or more	6,527	25	1,116	2,297	1,634	951	398	88	12	-	6
White, mother native	4,260	-	476	1,559	1,215	693	285	49	5	-	-
White, mother foreign	78	-	3	10	25	26	8	5	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,184	25	636	726	396	232	123	34	6	-	6
Other races	5	-	1	2	-	-	2	-	-	-	-
Cities of 25,000 to 100,000	8,304	17	1,285	2,620	2,305	1,391	537	135	7	-	7
White, mother native	6,134	-	715	1,922	1,846	1,144	396	104	5	-	4
White, mother foreign	100	-	2	13	36	32	15	2	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2,067	17	570	684	421	215	126	29	2	-	3
Other races	2	-	-	1	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	1,507	5	237	517	377	247	108	14	1	-	1
White, mother native	1,199	1	161	417	315	210	82	11	1	-	1
White, mother foreign	7	-	-	2	2	1	2	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	300	4	76	97	60	36	24	3	-	-	-
Other races	1	-	-	1	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	4,275	5	603	1,543	1,100	641	294	76	4	-	9
White, mother native	3,650	3	455	1,317	977	577	248	66	2	-	5
White, mother foreign	17	-	2	4	2	4	5	-	-	-	-
White, mother not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	606	2	146	222	121	60	41	10	2	-	2
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	40,466	113	6,764	12,598	9,416	6,196	3,776	1,424	139	5	35
White, mother native	29,413	31	4,139	9,172	7,222	4,807	2,859	1,081	96	5	22
White, mother foreign	76	-	1	18	23	20	15	1	-	-	-
White, mother not stated	5	-	1	-	3	1	-	-	-	-	-
Negro	10,954	82	2,620	3,406	2,162	1,365	900	362	44	-	13
Other races	18	-	3	4	6	3	2	-	-	-	-
WASHINGTON	30,580	8	3,332	10,922	8,950	4,798	1,990	518	38	-	24
White, mother native	28,067	8	3,142	10,200	8,169	4,326	1,745	427	29	-	21
White, mother foreign	1,797	-	94	500	594	344	190	69	6	-	-
White, mother not stated	11	-	2	1	4	1	-	-	-	-	3
Negro	58	-	9	27	9	8	5	-	-	-	-
Other races	647	-	85	194	174	119	50	22	3	-	-
Cities of 100,000 or more	10,586	-	949	3,703	3,319	1,761	693	148	7	-	6
White, mother native	9,581	-	890	3,436	2,979	1,568	584	113	6	-	5
White, mother foreign	779	-	38	193	277	158	87	28	-	-	-
White, mother not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	37	-	6	18	5	4	4	-	-	-	-
Other races	186	-	15	55	57	31	18	9	1	-	-
Cities of 25,000 to 100,000	1,585	3	171	576	470	231	110	21	3	-	-
White, mother native	1,456	3	165	531	438	207	93	18	3	-	-
White, mother foreign	111	-	4	39	29	21	13	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	-	5	1	1	-	-	-	-	-
Other races	11	-	2	1	2	2	4	-	-	-	-
Cities of 10,000 to 25,000	2,461	1	281	913	741	375	128	19	1	-	2
White, mother native	2,334	1	273	869	696	355	122	16	-	-	2
White, mother foreign	112	-	5	39	43	16	5	3	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	2	1	-	-	-	-	-	-	-
Other races	12	-	1	4	2	4	1	-	-	-	-
Cities of 2,500 to 10,000	2,312	1	265	850	682	348	135	26	2	-	3
White, mother native	2,156	1	246	804	635	319	121	26	1	-	3
White, mother foreign	121	-	12	35	38	25	10	-	1	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	4	-	1	2	-	1	-	-	-	-	-
Other races	30	-	6	9	8	3	4	-	-	-	-
Rural	13,636	3	1,666	4,880	3,738	2,083	924	304	25	-	13
White, mother native	12,540	3	1,568	4,560	3,421	1,877	825	256	19	-	11
White, mother foreign	674	-	35	194	207	124	75	35	4	-	-
White, mother not stated	7	-	2	-	2	1	-	-	-	-	2
Negro	7	-	-	1	3	2	1	-	-	-	-
Other races	408	-	61	125	105	79	23	13	2	-	-
WEST VIRGINIA	43,983	73	7,290	14,675	10,502	6,353	3,675	1,253	130	3	29
White, mother native	41,895	52	6,814	14,100	10,083	6,066	3,461	1,189	121	3	26
White, mother foreign	501	-	3	63	72	72	61	25	4	-	1
White, mother not stated	3	-	-	-	1	1	1	-	-	-	-
Negro	1,783	21	473	512	368	213	152	39	5	-	2
Other races	1	-	-	-	-	1	-	-	-	-	-
Cities of 25,000 to 100,000	5,738	3	848	2,055	1,543	819	378	103	7	-	2
White, mother native	5,506	3	814	1,971	1,485	782	347	96	7	-	1
White, mother foreign	64	-	1	11	19	15	15	3	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	167	-	33	53	39	21	16	4	-	-	1
Other races	1	-	-	-	-	1	-	-	-	-	-
Cities of 10,000 to 25,000	2,299	4	302	821	633	340	158	35	5	-	1
White, mother native	2,152	2	270	779	604	322	155	34	5	-	1
White, mother foreign	33	-	-	6	10	6	11	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	114	2	32	36	19	12	12	1	-	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-

TABLE 2.—LIVE BIRTHS BY AGE OF MOTHER, POPULATION-SIZE GROUPS, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE OF CHILD, AND NATIVITY OF MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
WEST VIRGINIA—Continued											
Cities of 2,500 to 10,000	4,215	6	680	1,502	1,022	599	287	105	8	-	4
White, mother native	4,048	6	648	1,450	983	575	276	100	7	-	3
White, mother foreign	48	-	1	12	10	17	4	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	117	-	31	40	29	7	7	1	1	-	1
Other races	-	-	-	-	-	-	-	-	-	-	-
Rural	31,733	60	5,460	10,317	7,304	4,595	2,852	1,010	110	3	22
White, mother native	30,189	41	5,082	9,900	6,991	4,387	2,703	959	102	3	21
White, mother foreign	156	-	1	34	33	34	31	18	4	-	1
White, mother not stated	3	-	-	-	1	1	1	-	-	-	-
Negro	1,385	19	377	383	279	173	117	33	4	-	-
Other races	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN	57,186	18	4,187	17,883	17,583	10,447	5,275	1,639	145	1	8
White, mother native	55,158	13	4,023	17,501	17,130	9,938	4,910	1,505	131	1	8
White, mother foreign	1,334	-	33	170	316	392	297	113	13	-	-
White, mother not stated	12	-	2	3	2	3	2	-	-	-	-
Negro	232	3	62	77	37	27	23	3	-	-	-
Other races	450	2	67	132	98	89	43	18	1	-	-
Cities of 100,000 or more	9,654	4	514	3,057	3,322	1,764	787	192	12	-	2
White, mother native	8,993	1	450	2,830	3,188	1,590	681	162	9	-	2
White, mother foreign	464	-	10	62	125	149	88	27	3	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	181	3	54	61	24	21	16	2	-	-	-
Other races	14	-	-	4	4	3	2	1	-	-	-
Cities of 25,000 to 100,000	11,411	1	734	3,781	3,641	2,012	933	286	19	-	4
White, mother native	11,052	1	713	3,719	3,559	1,917	856	265	18	-	4
White, mother foreign	310	-	11	42	73	91	71	21	1	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	32	-	7	10	8	2	5	-	-	-	-
Other races	15	-	2	9	1	2	1	-	-	-	-
Cities of 10,000 to 25,000	4,250	-	276	1,293	1,367	822	389	98	4	-	1
White, mother native	4,156	-	275	1,280	1,338	794	370	94	4	-	1
White, mother foreign	74	-	-	9	27	19	15	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	-	3	-	1	1	-	-	-	-
Other races	15	-	1	1	2	8	3	-	-	-	-
Cities of 2,500 to 10,000	4,887	2	397	1,546	1,492	905	413	120	12	-	-
White, mother native	4,810	2	395	1,534	1,476	880	401	111	11	-	-
White, mother foreign	65	-	1	8	12	23	12	8	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other races	10	-	1	3	3	2	-	1	-	-	-
Rural	28,984	11	2,266	8,206	7,761	4,944	2,753	943	98	1	1
White, mother native	28,147	9	2,190	8,038	7,589	4,755	2,602	873	89	1	1
White, mother foreign	421	-	11	49	79	110	111	53	8	-	-
White, mother not stated	8	-	1	2	1	2	2	-	-	-	-
Negro	12	-	1	2	4	3	1	1	-	-	-
Other races	396	2	63	115	88	74	37	16	1	-	-
WYOMING	5,322	1	694	1,895	1,423	775	380	129	12	-	13
White, mother native	5,015	1	688	1,810	1,345	711	342	113	12	-	13
White, mother foreign	159	-	6	27	41	47	25	13	-	-	-
White, mother not stated	9	-	1	4	3	1	-	-	-	-	-
Negro	13	-	2	7	3	-	-	1	-	-	-
Other races	126	-	17	47	31	16	13	2	-	-	-
Cities of 10,000 to 25,000	1,490	1	210	523	401	229	95	27	2	-	2
White, mother native	1,435	1	207	513	386	213	89	22	2	-	2
White, mother foreign	40	-	1	4	9	16	6	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	2	3	3	-	-	1	-	-	-
Other races	6	-	-	3	3	-	-	-	-	-	-
Cities of 2,500 to 10,000	807	-	101	277	225	118	62	22	1	-	1
White, mother native	766	-	99	267	218	106	54	20	1	-	1
White, mother foreign	32	-	2	5	4	11	8	2	-	-	-
White, mother not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	4	-	-	2	2	-	-	-	-	-	-
Rural	3,025	-	383	1,095	797	428	223	80	9	-	10
White, mother native	2,814	-	382	1,050	741	392	199	71	9	-	10
White, mother foreign	87	-	3	18	29	20	11	7	-	-	-
White, mother not stated	6	-	1	3	2	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other races	116	-	17	42	26	16	13	2	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941

(Figures for the United States (first through twenty-fourth) are exclusive of figures for Massachusetts which are included with the "not stated." The certificate of this State does not require the number of child in order of birth)

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES	2,513,427	3,433	316,685	804,601	692,382	420,014	206,837	60,324	5,142	136	3,873
White	2,204,903	1,113	241,050	707,567	629,879	381,453	183,291	53,109	4,430	96	2,915
First	852,464	1,088	183,472	358,804	209,049	76,035	20,075	2,957	139	9	836
Second	543,880	7	43,433	198,977	177,524	92,221	27,251	3,672	159	12	624
Third	281,338	-	6,993	82,095	98,361	63,410	25,394	4,480	220	3	382
Fourth	154,484	-	896	29,010	55,964	42,051	21,081	4,977	263	10	232
Fifth	92,144	-	117	8,644	31,391	29,584	17,224	4,754	278	5	147
Sixth	60,045	-	33	2,188	16,074	21,717	14,934	4,628	361	8	102
Seventh	40,208	-	-	588	6,829	15,219	12,811	4,341	336	8	76
Eighth	27,979	-	-	167	2,711	9,768	10,690	4,231	359	4	49
Ninth	19,597	-	-	70	974	5,340	8,676	4,107	389	7	34
Tenth	13,097	-	-	54	368	2,604	6,008	3,614	415	6	28
Eleventh	8,299	-	-	22	118	1,186	3,653	2,942	362	3	13
Twelfth	5,220	-	-	-	63	504	2,160	2,156	322	5	10
Thirteenth	2,943	-	-	-	26	198	1,132	1,339	238	5	5
Fourteenth	1,604	-	-	-	16	89	557	771	167	1	3
Fifteenth	815	-	-	-	2	41	278	403	86	3	2
Sixteenth	430	-	-	-	2	15	136	227	49	-	1
Seventeenth	187	-	-	-	-	8	43	103	31	-	2
Eighteenth	85	-	-	-	-	3	26	43	13	-	-
Nineteenth	56	-	-	-	-	1	20	25	10	-	-
Twentieth	17	-	-	-	-	-	3	10	4	-	-
Twenty-first	16	-	-	-	-	-	3	9	3	1	-
Twenty-second	8	-	-	-	-	-	3	2	3	-	-
Twenty-third	6	-	-	-	-	-	1	4	1	-	-
Twenty-fourth and over	1	-	-	-	-	-	-	-	1	-	-
Not stated	99,980	18	6,106	26,948	30,407	21,459	11,132	3,314	221	6	369
All other races	308,524	2,320	75,635	97,034	62,503	38,561	23,546	7,215	712	40	958
First	86,725	2,307	47,691	25,629	7,223	2,603	881	144	10	3	234
Second	59,281	13	19,435	26,320	8,867	3,207	1,121	155	14	1	148
Third	41,349	-	5,295	20,727	9,932	3,716	1,325	207	14	2	131
Fourth	29,723	-	1,089	12,291	10,210	4,193	1,551	278	18	1	92
Fifth	22,329	-	191	5,816	9,267	4,573	2,028	358	29	3	64
Sixth	16,626	-	46	2,191	6,891	4,778	2,195	452	28	1	44
Seventh	12,506	-	1	749	4,138	4,547	2,483	500	41	2	45
Eighth	9,540	-	-	250	2,149	3,769	2,627	657	47	4	37
Ninth	6,848	-	-	118	967	2,557	2,433	705	41	5	22
Tenth	5,033	-	-	44	425	1,587	2,076	809	74	2	16
Eleventh	3,445	-	-	16	185	847	1,539	773	72	4	9
Twelfth	2,213	-	-	1	65	381	1,052	621	81	3	9
Thirteenth	1,408	-	-	-	37	215	628	455	65	2	6
Fourteenth	756	-	-	-	17	69	307	301	55	2	5
Fifteenth	502	-	-	-	6	48	187	219	37	1	4
Sixteenth	212	-	-	-	4	12	82	94	18	1	1
Seventeenth	115	-	-	-	-	11	44	49	10	1	-
Eighteenth	55	-	-	-	-	1	14	31	8	1	-
Nineteenth	40	-	-	-	-	1	11	21	7	-	-
Twentieth	21	-	-	-	-	1	8	9	3	-	-
Twenty-first	13	-	-	-	-	-	8	4	1	-	-
Twenty-second	9	-	-	-	-	-	4	4	-	1	-
Twenty-third	1	-	-	-	-	-	-	1	-	-	-
Twenty-fourth and over	8	-	-	-	-	-	1	6	1	-	-
Not stated	9,766	-	1,887	2,882	2,120	1,445	941	362	38	-	91
ALABAMA	64,379	220	12,136	20,221	15,120	9,285	5,302	1,651	147	9	288
White	39,939	48	6,077	12,955	9,998	6,207	3,317	1,091	93	2	151
First	14,554	48	4,834	6,081	2,484	810	206	44	3	-	44
Second	9,168	-	1,084	4,030	2,598	1,082	317	36	2	-	19
Third	5,308	-	116	1,848	1,964	965	335	51	3	-	26
Fourth	3,373	-	9	665	1,396	901	328	54	-	1	19
Fifth	2,281	-	3	195	840	784	369	79	3	-	8
Sixth	1,610	-	-	42	410	657	393	88	8	1	11
Seventh	1,179	-	-	13	147	480	400	128	5	-	6
Eighth	832	-	-	4	57	261	350	149	7	-	4
Ninth	536	-	-	1	17	120	270	119	7	-	2
Tenth and over	785	-	-	2	6	87	306	325	55	-	4
Not stated	313	-	31	74	79	60	43	18	-	-	8
All other races	24,440	172	6,059	7,266	5,122	3,078	1,985	560	54	7	137
First	6,859	172	4,183	1,764	476	151	71	8	1	1	32
Second	4,465	-	1,443	2,040	655	223	73	8	-	1	22
Third	3,259	-	320	1,702	826	280	98	12	1	1	19
Fourth	2,359	-	48	958	875	334	115	15	2	-	12
Fifth	1,986	-	8	483	895	399	166	22	5	-	8
Sixth	1,358	-	2	161	587	389	181	30	3	-	5
Seventh	1,141	-	-	59	399	426	218	27	4	-	8
Eighth	884	-	-	19	205	334	250	65	5	1	5
Ninth	593	-	-	7	80	209	216	72	5	2	2
Tenth and over	1,249	-	-	3	67	289	563	288	28	1	10
Not stated	287	-	55	70	57	44	34	13	-	-	14
ARIZONA	11,425	15	1,768	3,905	2,745	1,774	880	293	29	1	15
White	9,979	4	1,525	3,470	2,414	1,553	740	246	18	-	9
First	3,392	4	1,115	1,434	542	223	60	11	1	-	2
Second	2,422	-	337	1,100	620	284	70	8	-	-	3
Third	1,458	-	62	588	468	237	91	12	-	-	-
Fourth	871	-	8	237	340	194	70	20	1	-	1
Fifth	560	-	1	71	226	170	71	20	1	-	-
Sixth	345	-	1	21	111	129	62	21	-	-	-
Seventh	264	-	-	12	53	104	73	21	1	-	-
Eighth	218	-	-	2	27	93	62	30	2	-	2
Ninth	168	-	-	1	12	66	61	25	3	-	-
Tenth and over	270	-	-	-	12	52	118	78	9	-	1
Not stated	11	-	1	4	3	1	2	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
ARIZONA—Continued											
All other races	1,446	11	243	435	331	221	140	47	11	1	6
First	359	10	162	140	30	14	-	-	-	-	3
Second	276	1	65	133	59	11	7	-	-	-	-
Third	183	-	11	89	63	18	1	1	-	-	-
Fourth	169	-	2	47	68	37	11	2	1	-	1
Fifth	121	-	-	15	57	28	17	4	-	-	-
Sixth	107	-	-	4	34	35	31	2	1	-	-
Seventh	57	-	-	1	10	26	13	6	1	-	-
Eighth	51	-	-	-	4	24	16	7	-	-	-
Ninth	32	-	-	-	-	14	12	4	1	-	1
Tenth and over	73	-	-	-	2	12	30	21	7	1	-
Not stated	18	-	3	6	4	2	2	-	-	-	1
ARKANSAS	40,549	132	8,056	12,322	9,193	5,788	3,493	1,040	97	5	423
White	30,774	30	5,530	9,649	7,315	4,471	2,635	806	68	2	268
First	9,027	30	3,432	3,504	1,419	433	122	25	3	-	59
Second	7,055	-	1,419	3,043	1,715	638	164	25	-	-	51
Third	4,290	-	283	1,714	1,385	648	195	23	1	-	41
Fourth	2,753	-	40	659	1,096	645	251	39	2	-	21
Fifth	1,907	-	9	198	696	614	309	56	3	-	22
Sixth	1,373	-	12	58	389	472	351	72	4	-	15
Seventh	1,016	-	-	23	158	387	353	85	2	2	6
Eighth	654	-	-	8	47	220	272	94	7	-	6
Ninth	460	-	-	3	29	124	207	89	4	-	4
Tenth and over	743	-	-	1	13	97	318	268	39	-	7
Not stated	1,496	-	335	438	368	193	93	30	3	-	36
All other races	9,775	102	2,526	2,673	1,878	1,317	858	234	29	3	155
First	1,982	102	1,127	462	170	60	25	6	2	-	28
Second	1,730	-	783	625	191	76	28	4	-	-	23
Third	1,261	-	307	568	229	91	40	3	1	1	21
Fourth	998	-	88	417	289	128	56	4	2	-	14
Fifth	798	-	18	265	298	139	53	7	2	-	16
Sixth	618	-	10	97	244	168	76	14	1	1	7
Seventh	439	-	-	30	155	163	71	13	-	-	7
Eighth	370	-	-	14	96	140	86	25	3	-	6
Ninth	305	-	-	7	46	118	109	23	-	-	2
Tenth and over	629	-	-	6	47	154	272	127	14	1	8
Not stated	645	-	193	182	113	80	42	8	4	-	23
CALIFORNIA	125,190	45	14,982	43,481	36,212	19,848	8,213	2,089	167	4	149
White	119,788	34	14,243	41,600	34,745	19,140	7,789	1,945	151	3	138
First	54,993	34	11,282	23,244	13,622	5,207	1,364	187	12	-	41
Second	33,525	-	2,472	11,938	11,280	5,883	1,666	244	11	-	31
Third	14,591	-	396	4,303	4,980	3,263	1,372	247	12	-	18
Fourth	6,729	-	54	1,423	2,416	1,716	885	214	13	-	8
Fifth	3,326	-	2	439	1,170	995	530	171	11	-	8
Sixth	2,123	-	3	118	656	744	443	138	16	-	5
Seventh	1,317	-	-	32	315	490	344	122	9	-	5
Eighth	910	-	-	13	143	335	302	108	5	1	3
Ninth	685	-	-	5	57	218	274	119	9	-	3
Tenth and over	1,369	-	-	6	45	263	600	392	53	2	8
Not stated	220	-	34	79	61	26	9	3	-	-	8
All other races	5,402	11	739	1,881	1,467	708	424	144	16	1	11
First	1,828	11	534	803	357	94	23	3	-	1	2
Second	1,320	-	159	567	435	109	44	5	-	-	1
Third	762	-	34	305	260	118	37	6	-	-	2
Fourth	505	-	10	135	195	102	47	15	1	-	-
Fifth	305	-	2	44	110	97	40	12	-	-	-
Sixth	209	-	-	15	56	65	49	20	3	-	1
Seventh	155	-	-	9	27	51	48	17	2	-	1
Eighth	115	-	-	2	11	34	50	15	2	-	1
Ninth	70	-	-	-	7	18	28	16	-	-	1
Tenth and over	123	-	-	-	2	20	58	34	8	-	1
Not stated	10	-	-	1	7	-	-	1	-	-	1
COLORADO	21,393	18	2,670	7,338	5,734	3,378	1,624	535	46	-	50
White	21,128	18	2,633	7,233	5,692	3,336	1,597	526	45	-	48
First	7,822	18	1,985	3,405	1,649	550	174	28	1	-	12
Second	5,454	-	500	2,284	1,620	772	218	49	3	-	8
Third	2,832	-	97	935	967	575	212	36	2	-	8
Fourth	1,634	-	15	368	619	411	174	36	6	-	5
Fifth	1,043	-	1	116	398	312	156	51	-	-	9
Sixth	670	-	-	50	209	235	126	45	3	-	2
Seventh	471	-	-	21	107	177	127	38	1	-	-
Eighth	318	-	-	2	46	122	105	41	2	-	-
Ninth	236	-	-	1	22	81	81	46	4	-	1
Tenth and over	483	-	-	2	16	78	209	153	22	-	3
Not stated	165	-	35	49	39	23	15	3	1	-	-
All other races	265	-	37	105	42	42	27	9	1	-	2
First	78	-	25	38	6	6	2	-	-	-	1
Second	56	-	6	34	8	8	-	-	-	-	-
Third	40	-	3	19	8	8	1	1	-	-	-
Fourth	20	-	1	6	6	4	2	-	-	-	1
Fifth	20	-	-	5	8	3	3	1	-	-	-
Sixth	10	-	-	-	4	3	2	1	-	-	-
Seventh	9	-	-	2	1	4	1	1	-	-	-
Eighth	6	-	-	-	-	3	3	-	-	-	-
Ninth	7	-	-	-	1	1	2	3	-	-	-
Tenth and over	16	-	-	-	-	2	11	2	1	-	-
Not stated	3	-	2	1	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
CONNECTICUT	29,036	4	1,502	8,850	9,665	5,879	2,473	600	43	3	17
White	28,356	1	1,381	8,607	9,511	5,782	2,422	590	42	3	17
First	13,391	1	1,176	5,627	4,396	1,687	429	62	3	-	10
Second	7,706	-	164	2,053	2,985	1,821	601	75	4	1	2
Third	3,371	-	22	567	1,178	1,038	487	74	4	1	-
Fourth	1,539	-	1	171	434	542	302	83	5	1	-
Fifth	777	-	-	39	197	253	217	68	3	-	-
Sixth	434	-	-	7	94	166	110	53	4	-	-
Seventh	288	-	-	1	43	96	103	41	3	-	1
Eighth	145	-	-	1	10	50	54	27	3	-	-
Ninth	94	-	-	-	6	24	29	32	2	-	1
Tenth and over	169	-	-	1	2	28	63	64	11	-	-
Not stated	442	-	18	140	166	77	27	11	-	-	3
All other races	680	3	121	243	154	97	51	10	1	-	-
First	210	3	86	91	22	7	1	-	-	-	-
Second	152	-	27	78	33	11	3	-	-	-	-
Third	87	-	6	39	25	17	-	-	-	-	-
Fourth	57	-	1	20	23	6	4	3	-	-	-
Fifth	47	-	1	11	21	6	7	1	-	-	-
Sixth	40	-	-	4	17	12	7	-	-	-	-
Seventh	29	-	-	-	8	10	10	1	-	-	-
Eighth	15	-	-	-	2	8	4	1	-	-	-
Ninth	17	-	-	-	2	8	7	-	-	-	-
Tenth and over	26	-	-	-	1	12	8	4	1	-	-
DELAWARE	5,087	10	672	1,648	1,364	860	397	114	17	2	3
White	4,252	1	416	1,417	1,225	755	330	93	13	-	2
First	1,786	1	336	770	457	168	46	8	-	-	-
Second	1,138	-	76	408	377	209	60	8	-	-	-
Third	546	-	3	155	178	144	49	17	-	-	-
Fourth	285	-	1	60	99	73	43	8	-	-	1
Fifth	152	-	-	17	48	48	28	10	1	-	-
Sixth	115	-	-	4	32	44	23	11	-	-	1
Seventh	87	-	-	1	19	31	28	5	3	-	-
Eighth	45	-	-	-	8	14	14	7	2	-	-
Ninth	30	-	-	-	2	10	10	6	2	-	-
Tenth and over	60	-	-	-	1	14	28	12	5	-	-
Not stated	8	-	-	2	4	-	1	1	-	-	-
All other races	835	9	256	231	139	105	67	21	4	2	1
First	249	9	158	55	16	10	1	-	-	-	-
Second	160	-	72	58	15	11	4	-	-	-	-
Third	106	-	20	51	20	12	2	-	-	-	1
Fourth	81	-	3	37	22	12	5	2	-	-	-
Fifth	59	-	-	13	25	12	7	1	1	-	-
Sixth	42	-	-	8	19	9	5	1	-	-	-
Seventh	28	-	-	3	6	10	6	3	-	-	-
Eighth	26	-	-	-	10	10	6	-	-	-	-
Ninth	20	-	-	1	4	10	3	2	-	-	-
Tenth and over	54	-	-	2	2	8	27	10	3	2	-
Not stated	10	-	3	3	-	1	1	2	-	-	-
DISTRICT OF COLUMBIA	12,892	60	2,021	4,231	3,393	2,095	852	193	8	-	39
White	8,241	-	826	2,685	2,459	1,545	562	130	6	-	28
First	4,104	-	612	1,617	1,183	530	129	20	-	-	13
Second	2,049	-	114	634	721	444	111	23	-	-	2
Third	780	-	16	159	245	218	109	31	1	-	1
Fourth	320	-	3	47	84	107	63	13	1	-	2
Fifth	162	-	-	12	36	67	40	5	2	-	-
Sixth	85	-	-	1	19	29	28	8	-	-	-
Seventh	43	-	-	2	8	15	14	4	-	-	-
Eighth	37	-	-	1	4	13	11	8	-	-	-
Ninth	12	-	-	-	-	6	3	2	1	-	-
Tenth and over	27	-	-	-	1	4	15	6	1	-	-
Not stated	622	-	81	212	158	112	39	10	-	-	10
All other races	4,651	60	1,195	1,546	934	550	290	63	2	-	11
First	1,011	60	451	322	119	40	16	3	-	-	-
Second	991	-	339	385	169	71	20	3	1	-	3
Third	582	-	90	268	143	56	19	5	-	-	1
Fourth	349	-	15	139	114	54	24	2	-	-	1
Fifth	232	-	4	62	87	54	24	-	-	-	1
Sixth	167	-	-	27	58	54	24	4	-	-	-
Seventh	120	-	-	6	40	40	31	2	1	-	-
Eighth	78	-	-	2	12	42	18	4	-	-	-
Ninth	51	-	-	-	4	24	17	6	-	-	-
Tenth and over	112	-	-	1	8	27	51	24	-	-	1
Not stated	958	-	296	334	180	88	46	10	-	-	4
FLORIDA	37,542	156	7,164	12,205	9,091	5,297	2,704	705	75	4	141
White	26,784	35	4,127	8,954	7,116	3,996	1,937	477	47	-	95
First	10,781	35	3,101	4,302	2,255	795	226	28	1	-	38
Second	6,781	-	792	2,686	2,001	952	298	35	1	-	18
Third	3,448	-	124	1,213	1,188	630	233	46	3	-	11
Fourth	1,973	-	28	420	736	508	229	42	2	-	8
Fifth	1,147	-	2	126	443	339	194	39	-	-	4
Sixth	774	-	1	37	203	304	180	42	3	-	4
Seventh	447	-	-	8	84	168	135	46	5	-	1
Eighth	332	-	-	3	27	110	136	49	7	-	-
Ninth	233	-	-	-	19	56	112	41	5	-	-
Tenth and over	317	-	-	1	8	49	143	99	17	-	-
Not stated	551	-	79	158	152	85	51	10	3	-	13

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
FLORIDA—Continued											
All other races	10,758	121	3,037	3,251	1,975	1,301	767	228	28	4	46
First	2,965	121	1,754	752	186	102	33	2	-	1	14
Second	2,080	-	834	821	273	102	35	7	1	-	7
Third	1,473	-	259	725	295	130	44	12	-	-	8
Fourth	996	-	65	437	305	129	48	10	-	-	2
Fifth	739	-	12	221	290	141	62	10	2	-	1
Sixth	617	-	6	114	225	168	84	17	-	-	3
Seventh	443	-	1	38	163	152	78	10	1	-	-
Eighth	316	-	-	11	81	116	82	18	3	2	3
Ninth	266	-	-	17	54	88	85	20	2	-	-
Tenth and over	494	-	-	6	29	136	190	111	19	1	2
Not stated	369	-	106	109	74	37	26	11	-	-	6
GEORGIA	67,870	256	13,309	22,073	15,774	9,550	5,260	1,433	145	4	66
White	41,375	48	6,348	13,717	10,362	6,494	3,400	893	81	1	31
First	15,830	48	4,959	6,587	2,854	1,033	296	44	-	-	9
Second	9,744	-	1,139	4,206	2,735	1,264	362	29	1	1	7
Third	5,540	-	165	1,913	2,018	1,039	341	52	6	-	6
Fourth	3,288	-	17	634	1,313	880	364	77	1	-	2
Fifth	2,243	-	1	190	815	749	396	80	9	-	3
Sixth	1,494	-	1	51	358	593	407	77	7	-	-
Seventh	1,003	-	-	14	124	443	344	68	9	-	1
Eighth	704	-	-	3	45	243	301	107	5	-	-
Ninth	458	-	-	2	13	96	243	100	4	-	-
Tenth and over	686	-	-	3	9	79	310	246	38	-	1
Not stated	385	-	66	114	78	75	36	13	1	-	2
All other races	26,495	208	6,961	8,356	5,412	3,056	1,860	540	64	3	35
First	8,073	206	4,733	2,273	576	208	58	10	2	-	7
Second	4,923	2	1,607	2,335	675	216	76	8	-	-	4
Third	3,573	-	410	1,846	912	282	105	13	1	-	4
Fourth	2,563	-	67	1,047	961	344	117	15	5	-	7
Fifth	1,970	-	14	474	851	410	183	35	2	-	1
Sixth	1,432	-	4	155	626	440	171	32	1	-	3
Seventh	1,035	-	-	56	382	347	208	37	1	-	4
Eighth	846	-	-	23	194	322	255	45	5	-	2
Ninth	586	-	-	9	83	219	216	51	8	-	-
Tenth and over	1,061	-	-	-	65	228	445	281	37	3	2
Not stated	433	-	126	138	87	40	26	13	2	-	1
IDAHO	11,658	12	1,589	4,209	2,971	1,712	847	273	33	-	12
White	11,557	10	1,572	4,177	2,945	1,703	839	268	32	-	11
First	4,148	10	1,230	1,881	719	225	74	6	2	-	1
Second	3,134	-	290	1,441	895	381	104	16	2	-	5
Third	1,791	-	44	589	645	385	105	19	2	-	2
Fourth	985	-	4	193	366	265	117	37	1	-	2
Fifth	547	-	-	48	187	176	98	38	-	-	-
Sixth	329	-	-	5	73	116	102	29	4	-	-
Seventh	213	-	-	2	36	72	76	22	5	-	-
Eighth	130	-	-	-	11	48	44	26	1	-	-
Ninth	105	-	-	-	2	22	61	19	1	-	-
Tenth and over	134	-	-	-	1	8	55	55	14	-	1
Not stated	41	-	4	18	10	5	3	1	-	-	-
All other races	101	2	17	32	26	9	8	5	1	-	1
First	28	2	11	14	1	-	-	-	-	-	-
Second	16	-	4	7	4	1	-	-	-	-	-
Third	15	-	1	3	9	1	-	-	-	-	1
Fourth	10	-	-	3	3	3	1	-	-	-	-
Fifth	11	-	1	3	4	2	1	-	-	-	-
Sixth	4	-	-	-	3	-	-	1	-	-	-
Seventh	2	-	-	-	1	-	1	-	-	-	-
Eighth	2	-	-	-	-	-	2	-	-	-	-
Ninth	4	-	-	-	1	1	1	1	-	-	-
Tenth and over	7	-	-	-	-	1	2	3	1	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-
ILLINOIS	136,159	94	13,081	43,083	41,346	24,362	10,897	2,842	246	2	206
White	128,489	34	11,072	40,552	39,901	23,404	10,377	2,713	240	2	194
First	58,121	34	9,086	24,277	16,856	6,014	1,524	219	13	-	98
Second	34,766	-	1,693	10,804	12,609	7,103	2,195	294	9	1	58
Third	16,123	-	225	3,793	5,587	4,326	1,822	335	20	-	15
Fourth	8,008	-	28	1,217	2,658	2,384	1,342	344	28	-	7
Fifth	4,250	-	6	322	1,226	1,416	952	302	22	-	4
Sixth	2,478	-	1	60	556	875	697	264	22	1	2
Seventh	1,606	-	-	20	223	570	567	202	20	-	4
Eighth	1,109	-	-	2	91	361	455	185	14	-	1
Ninth	691	-	-	-	25	180	320	155	11	-	-
Tenth and over	1,139	-	-	1	11	145	488	413	81	-	-
Not stated	198	-	33	56	59	30	15	-	-	-	5
All other races	7,670	60	2,009	2,531	1,445	958	520	129	6	-	12
First	2,671	60	1,379	853	237	100	28	8	-	-	6
Second	1,820	-	490	837	322	120	44	6	-	-	1
Third	993	-	92	471	262	118	42	4	-	-	4
Fourth	676	-	16	239	235	116	59	10	1	-	-
Fifth	416	-	2	77	152	118	53	14	-	-	-
Sixth	318	-	-	25	119	113	48	12	1	-	-
Seventh	228	-	-	8	63	91	56	10	-	-	-
Eighth	164	-	-	2	21	71	56	13	1	-	-
Ninth	112	-	-	-	12	40	49	9	1	-	1
Tenth and over	189	-	-	-	5	59	81	42	2	-	-
Not stated	83	-	30	19	17	12	4	1	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
INDIANA	65,594	45	8,582	22,594	17,614	9,932	4,968	1,551	108	2	198
White	63,247	23	7,998	21,834	17,158	9,636	4,816	1,486	107	2	187
First	24,268	23	6,064	10,680	5,189	1,729	454	57	4	-	68
Second	16,158	-	1,519	6,622	5,001	2,227	642	92	6	-	49
Third	8,570	-	238	2,757	3,035	1,720	684	112	1	-	23
Fourth	4,731	-	30	1,016	1,732	1,190	600	138	7	-	18
Fifth	2,938	-	3	304	1,022	949	493	152	11	1	3
Sixth	1,886	-	-	78	529	636	463	160	11	-	9
Seventh	1,232	-	-	21	243	445	370	142	6	1	4
Eighth	868	-	-	3	89	309	330	123	11	-	3
Ninth	591	-	-	3	33	184	256	122	12	-	1
Tenth and over	1,026	-	-	2	18	146	459	362	35	-	4
Not stated	979	-	144	348	267	121	65	26	3	-	5
All other races	2,347	22	584	760	456	296	152	65	1	-	11
First	726	21	372	228	67	26	7	4	-	-	1
Second	465	1	148	200	76	28	8	2	-	-	2
Third	322	-	43	173	76	17	9	3	-	-	1
Fourth	223	-	6	87	80	31	13	5	-	-	1
Fifth	159	-	1	39	61	40	16	2	-	-	-
Sixth	93	-	-	4	34	31	21	3	-	-	-
Seventh	86	-	-	5	29	29	18	3	1	-	1
Eighth	67	-	-	-	12	33	13	7	-	-	2
Ninth	53	-	-	1	8	21	13	10	-	-	-
Tenth and over	95	-	-	-	5	35	28	26	-	-	1
Not stated	58	-	14	23	8	5	6	-	-	-	2
IOWA	46,115	18	4,782	15,019	13,024	7,818	4,032	1,291	116	-	15
White	45,830	17	4,718	14,920	12,969	7,778	4,011	1,286	116	-	15
First	17,638	17	3,883	7,946	3,995	1,351	368	68	4	-	6
Second	12,055	-	737	4,609	4,024	1,963	620	96	6	-	-
Third	6,607	-	86	1,674	2,492	1,563	664	125	1	-	2
Fourth	3,620	-	9	499	1,292	1,082	570	160	7	-	1
Fifth	2,094	-	-	148	659	699	436	141	10	-	1
Sixth	1,389	-	-	29	342	457	410	142	7	-	2
Seventh	833	-	-	7	110	305	286	114	10	-	1
Eighth	574	-	-	1	38	179	223	116	17	-	-
Ninth	397	-	-	-	13	98	178	89	18	-	1
Tenth and over	601	-	-	-	1	76	254	234	36	-	-
Not stated	22	-	3	7	3	5	2	1	-	-	1
All other races	285	1	64	99	55	40	21	5	-	-	-
First	87	1	43	31	8	3	1	-	-	-	-
Second	71	-	17	38	11	4	1	-	-	-	-
Third	33	-	3	14	9	5	2	-	-	-	-
Fourth	34	-	1	10	13	10	-	-	-	-	-
Fifth	13	-	-	4	6	2	1	-	-	-	-
Sixth	8	-	-	2	3	1	2	-	-	-	-
Seventh	17	-	-	-	2	7	7	1	-	-	-
Eighth	10	-	-	-	3	4	2	1	-	-	-
Ninth	3	-	-	-	-	2	1	-	-	-	-
Tenth and over	9	-	-	-	-	2	4	3	-	-	-
KANSAS	30,417	13	3,536	9,821	8,275	5,097	2,650	906	92	2	25
White	29,261	8	3,271	9,448	8,053	4,943	2,557	869	89	2	21
First	11,314	8	2,599	4,827	2,609	951	268	46	1	1	4
Second	7,478	-	558	2,934	2,418	1,149	361	48	2	-	8
Third	4,168	-	88	1,145	1,501	985	375	70	4	-	-
Fourth	2,275	-	8	356	794	655	354	95	10	-	3
Fifth	1,379	-	2	112	391	466	294	105	7	-	2
Sixth	868	-	-	33	204	318	211	88	14	-	-
Seventh	511	-	-	2	60	187	176	78	8	-	-
Eighth	395	-	-	1	34	116	164	73	4	-	3
Ninth	264	-	-	3	9	54	126	64	7	-	1
Tenth and over	513	-	-	-	6	53	220	201	32	1	-
Not stated	96	-	16	35	27	9	8	1	-	-	-
All other races	1,156	5	265	373	222	154	93	37	3	-	4
First	392	5	188	140	34	17	7	1	-	-	-
Second	226	-	57	106	31	20	9	1	1	-	1
Third	161	-	16	73	45	14	7	4	-	-	2
Fourth	106	-	2	30	42	21	9	1	-	-	1
Fifth	83	-	-	16	31	24	10	2	-	-	-
Sixth	49	-	-	4	16	19	8	2	-	-	-
Seventh	48	-	-	3	13	18	6	8	-	-	-
Eighth	33	-	-	-	6	11	9	7	-	-	-
Ninth	18	-	-	-	1	5	8	4	-	-	-
Tenth and over	35	-	-	-	2	4	20	7	2	-	-
Not stated	5	-	2	1	1	1	-	-	-	-	-
KENTUCKY	63,502	93	10,705	19,946	14,877	9,624	5,784	2,185	212	9	67
White	60,120	69	9,825	18,946	14,220	9,205	5,495	2,093	200	9	58
First	21,896	69	7,589	8,677	3,637	1,336	456	105	4	2	21
Second	12,077	-	1,800	5,487	3,016	1,301	387	70	3	1	12
Third	7,798	-	369	3,010	2,609	1,251	455	94	4	-	6
Fourth	5,150	-	50	1,197	2,095	1,169	506	120	7	1	5
Fifth	3,726	-	9	422	1,481	1,113	541	144	13	-	3
Sixth	2,736	-	4	97	818	1,047	596	155	16	-	3
Seventh	2,115	-	-	27	351	847	654	212	20	-	4
Eighth	1,618	-	-	10	139	595	609	242	22	-	1
Ninth	1,151	-	-	2	29	322	530	252	15	-	1
Tenth and over	1,812	-	-	1	36	216	757	699	96	5	2
Not stated	41	-	4	16	9	8	4	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
KENTUCKY—Continued											
All other races	3,382	24	880	1,000	657	419	289	92	12	-	9
First	1,240	23	652	378	125	36	19	1	-	-	6
Second	620	1	180	271	110	34	20	3	-	-	1
Third	415	-	39	178	118	51	25	3	1	-	-
Fourth	320	-	7	104	111	64	24	10	-	-	-
Fifth	213	-	1	38	89	48	27	9	1	-	-
Sixth	187	-	1	19	63	58	34	12	-	-	-
Seventh	106	-	-	5	24	49	18	8	1	-	1
Eighth	94	-	-	5	9	33	40	6	-	-	1
Ninth	54	-	-	-	3	18	24	9	-	-	-
Tenth and over	131	-	-	-	5	28	58	31	9	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-
LOUISIANA	54,618	167	9,695	18,091	12,968	7,898	4,364	1,171	106	6	152
White	32,207	23	4,476	11,033	8,273	5,022	2,569	684	48	1	78
First	12,218	22	3,346	5,346	2,337	851	263	28	1	-	24
Second	7,884	1	897	3,309	2,303	1,032	293	35	1	-	13
Third	4,568	-	178	1,550	1,575	893	303	50	1	-	18
Fourth	2,482	-	22	528	937	645	293	45	2	1	9
Fifth	1,606	-	4	161	552	551	285	49	1	-	3
Sixth	1,023	-	1	42	299	370	245	63	2	-	1
Seventh	775	-	-	17	120	305	258	71	2	-	2
Eighth	493	-	-	1	56	174	196	59	6	-	1
Ninth	347	-	-	1	24	79	169	69	4	-	1
Tenth and over	577	-	-	1	9	87	245	207	27	-	1
Not stated	254	-	28	77	61	35	19	8	1	-	5
All other races	22,411	144	5,219	7,058	4,695	2,876	1,795	487	58	5	74
First	5,897	144	3,198	1,738	549	179	65	8	-	-	16
Second	4,323	-	1,430	1,926	650	218	76	8	3	-	12
Third	3,180	-	437	1,603	747	285	91	8	-	-	9
Fourth	2,266	-	79	947	787	330	94	14	-	-	15
Fifth	1,790	-	14	480	779	324	167	19	1	1	5
Sixth	1,291	-	4	190	528	388	154	23	2	-	2
Seventh	979	-	-	62	294	376	205	35	3	-	4
Eighth	754	-	-	22	157	305	221	43	2	1	3
Ninth	547	-	-	6	78	176	230	48	4	1	4
Tenth and over	1,115	-	-	9	59	260	471	271	41	2	2
Not stated	269	-	57	75	67	35	21	10	2	-	2
MAINE	15,988	7	2,085	5,329	4,208	2,538	1,314	460	43	2	2
White	15,948	7	2,079	5,320	4,203	2,529	1,308	455	43	2	2
First	5,733	7	1,558	2,470	1,163	398	120	15	1	-	1
Second	3,803	-	415	1,593	1,119	516	133	26	1	-	-
Third	2,237	-	83	767	767	427	163	28	2	-	-
Fourth	1,278	-	15	323	477	301	125	35	1	1	-
Fifth	851	-	-	101	292	254	152	51	1	-	-
Sixth	566	-	-	39	180	183	122	39	2	1	-
Seventh	383	-	-	6	95	139	107	32	4	-	-
Eighth	312	-	-	6	58	112	96	38	2	-	-
Ninth	231	-	-	-	21	88	83	35	4	-	-
Tenth and over	488	-	-	3	9	96	202	153	25	-	-
Not stated	66	-	8	12	22	15	5	3	-	-	1
All other races	40	-	6	9	5	9	6	5	-	-	-
First	10	-	4	3	1	1	-	1	-	-	-
Second	7	-	2	2	1	1	-	1	-	-	-
Third	1	-	-	-	-	1	-	-	-	-	-
Fourth	5	-	-	2	2	1	-	-	-	-	-
Fifth	2	-	-	-	1	1	-	-	-	-	-
Sixth	3	-	-	1	-	1	1	-	-	-	-
Seventh	1	-	-	-	-	1	-	-	-	-	-
Eighth	1	-	-	-	-	-	-	1	-	-	-
Ninth	4	-	-	-	-	1	2	1	-	-	-
Tenth and over	5	-	-	-	-	1	3	1	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-
MARYLAND	37,065	104	5,756	12,194	9,536	5,793	2,699	832	63	2	86
White	29,489	16	3,589	9,885	8,199	4,887	2,169	637	51	1	55
First	12,812	16	2,844	5,460	2,960	1,169	308	34	4	-	17
Second	7,498	-	596	2,679	2,476	1,301	381	50	1	1	13
Third	3,532	-	82	1,066	1,153	828	338	53	4	-	8
Fourth	1,913	-	8	398	707	473	253	67	4	-	3
Fifth	1,165	-	4	121	413	361	196	65	2	-	3
Sixth	660	-	-	38	181	233	153	53	2	-	-
Seventh	483	-	-	6	106	170	139	59	3	-	-
Eighth	358	-	-	2	39	131	130	52	2	-	2
Ninth	224	-	-	-	17	69	79	51	7	-	1
Tenth and over	407	-	-	1	5	67	169	142	20	-	3
Not stated	437	-	55	114	142	85	23	11	2	-	5
All other races	7,576	88	2,167	2,309	1,337	906	530	195	12	1	31
First	2,228	87	1,356	560	134	57	17	9	1	-	7
Second	1,508	1	564	608	209	79	31	10	-	-	6
Third	1,002	-	155	539	162	87	49	2	1	-	7
Fourth	709	-	34	312	211	111	33	7	-	-	1
Fifth	535	-	5	152	209	112	44	11	-	-	2
Sixth	381	-	-	55	173	96	44	9	1	-	3
Seventh	306	-	-	19	104	101	58	22	1	-	1
Eighth	205	-	-	5	62	86	42	9	-	-	1
Ninth	171	-	-	2	30	64	56	17	1	-	1
Tenth and over	356	-	-	3	17	94	138	95	6	1	2
Not stated	175	-	53	54	26	19	18	4	1	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MASSACHUSETTS[1]	69,546	18	3,743	19,314	22,240	15,064	6,997	1,892	123	3	152
Not stated	69,546	18	3,743	19,314	22,240	15,064	6,997	1,892	123	3	152
White	68,592	18	3,578	18,970	22,010	14,952	6,941	1,851	120	3	149
All other races	954	-	165	344	230	112	56	41	3	-	3
MICHIGAN	107,458	50	11,309	36,833	31,067	17,132	8,351	2,361	193	7	155
White	102,938	31	10,197	35,301	30,159	16,598	8,056	2,255	187	7	147
First	39,583	31	7,755	17,993	9,623	3,143	852	136	3	1	46
Second	26,515	-	1,876	10,174	8,968	4,071	1,220	161	4	-	41
Third	14,370	-	337	4,166	5,226	3,105	1,278	230	11	-	17
Fourth	7,775	-	45	1,493	2,764	2,066	1,136	242	9	1	19
Fifth	4,345	-	5	478	1,488	1,317	792	238	18	1	8
Sixth	2,752	-	-	122	770	913	684	235	20	2	6
Seventh	1,777	-	-	41	329	646	531	204	23	-	3
Eighth	1,176	-	-	8	140	430	403	176	19	-	-
Ninth	821	-	-	5	66	243	328	162	15	1	1
Tenth and over	1,437	-	-	4	36	268	644	422	61	1	1
Not stated	2,387	-	179	817	749	396	188	49	4	-	5
All other races	4,520	19	1,112	1,532	908	534	295	106	6	-	8
First	1,449	19	731	484	144	52	10	3	2	-	4
Second	967	-	280	428	160	79	16	2	1	-	1
Third	615	-	59	315	144	65	24	7	-	-	1
Fourth	393	-	18	168	139	41	20	6	-	-	1
Fifth	275	-	2	66	109	61	28	9	-	-	-
Sixth	175	-	-	13	81	40	34	7	-	-	-
Seventh	150	-	-	9	47	54	33	7	-	-	-
Eighth	113	-	-	2	20	49	29	13	-	-	-
Ninth	79	-	-	2	7	36	23	10	-	-	1
Tenth and over	148	-	-	-	3	37	65	40	3	-	-
Not stated	156	-	22	45	54	20	13	2	-	-	-
MINNESOTA	54,359	8	3,880	16,792	16,213	10,111	5,404	1,794	145	2	10
White	53,680	8	3,769	16,581	16,049	10,002	5,337	1,779	144	2	9
First	20,610	8	3,140	9,242	5,538	1,971	599	102	5	-	5
Second	13,969	-	563	4,905	4,873	2,645	842	133	7	-	1
Third	7,746	-	57	1,750	2,900	1,957	881	193	7	-	1
Fourth	4,218	-	5	515	1,437	1,294	736	218	12	-	1
Fifth	2,488	-	-	118	755	812	594	198	11	-	-
Sixth	1,632	-	1	27	330	585	492	182	15	-	-
Seventh	1,063	-	-	4	149	342	401	151	16	-	-
Eighth	682	-	-	-	33	212	279	150	6	1	1
Ninth	433	-	-	-	16	97	192	113	15	-	-
Tenth and over	792	-	-	3	4	80	316	338	50	1	-
Not stated	47	-	3	17	14	7	5	1	-	-	-
All other races	679	-	111	211	164	109	67	15	1	-	1
First	169	-	76	73	14	4	1	1	-	-	-
Second	119	-	28	53	27	10	1	-	-	-	-
Third	93	-	2	44	29	13	4	1	-	-	-
Fourth	81	-	1	24	37	14	5	-	-	-	-
Fifth	58	-	-	9	22	17	9	-	-	-	1
Sixth	40	-	-	2	17	19	2	-	-	-	-
Seventh	32	-	-	-	8	11	12	1	-	-	-
Eighth	27	-	-	1	2	10	13	1	-	-	-
Ninth	12	-	-	-	1	6	4	1	-	-	-
Tenth and over	34	-	-	-	2	5	16	10	1	-	-
Not stated	14	-	4	5	5	-	-	-	-	-	-
MISSISSIPPI	54,713	328	11,307	16,538	11,981	8,053	4,759	1,378	135	7	227
White	24,397	27	3,726	7,682	6,034	3,941	2,216	618	59	2	92
First	8,430	25	2,765	3,454	1,452	526	162	22	2	-	22
Second	5,666	2	774	2,408	1,558	681	195	28	1	-	19
Third	3,374	-	148	1,154	1,173	610	245	24	2	-	18
Fourth	2,121	-	18	453	825	535	234	43	3	-	10
Fifth	1,431	-	3	112	530	475	259	44	1	-	7
Sixth	1,040	-	1	30	287	425	244	49	2	-	2
Seventh	699	-	-	9	89	297	233	61	6	-	4
Eighth	505	-	-	4	42	187	199	66	7	-	-
Ninth	398	-	-	-	21	106	188	72	9	-	2
Tenth and over	547	-	-	1	10	68	237	203	25	2	1
Not stated	186	-	17	57	47	31	20	6	1	-	7
All other races	30,316	301	7,581	8,856	5,947	4,112	2,543	760	76	5	135
First	6,229	301	3,884	1,437	375	142	57	5	-	-	28
Second	5,480	-	2,475	2,099	586	220	72	9	1	-	18
Third	4,328	-	889	2,154	812	321	117	14	3	-	18
Fourth	3,280	-	211	1,612	921	355	144	22	1	1	13
Fifth	2,632	-	44	865	1,028	467	178	38	3	1	10
Sixth	2,052	-	4	371	910	515	212	31	1	-	8
Seventh	1,655	-	-	133	610	572	275	51	5	1	8
Eighth	1,309	-	-	50	343	562	270	69	6	-	9
Ninth	994	-	-	19	165	408	312	78	5	1	6
Tenth and over	2,058	-	-	12	142	515	893	436	49	1	10
Not stated	299	-	74	104	57	35	13	7	2	-	7
MISSOURI	65,218	81	9,705	20,566	16,841	10,639	5,423	1,738	135	-	90
White	60,727	42	8,533	19,234	15,920	10,065	5,093	1,630	127	-	83
First	24,516	42	6,734	9,789	5,266	2,039	548	73	6	-	19
Second	15,000	-	1,512	5,662	4,594	2,399	716	87	4	-	26

[1] The birth certificate of this State does not require the number of child in order of birth.

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MISSOURI—Continued											
White—Continued											
Third	7,978	-	245	2,502	2,667	1,731	671	147	7	-	8
Fourth	4,516	-	28	897	1,608	1,208	600	159	7	-	9
Fifth	2,830	-	5	272	920	924	553	147	8	-	1
Sixth	1,900	-	1	48	535	682	456	163	8	-	7
Seventh	1,311	-	-	19	207	480	439	147	14	-	5
Eighth	893	-	-	7	66	304	352	150	13	-	1
Ninth	633	-	-	8	21	145	301	145	13	-	-
Tenth and over	1,060	-	-	1	15	131	454	410	47	-	2
Not stated	90	-	8	29	21	22	3	2	-	-	5
All other races	4,491	39	1,172	1,332	921	574	330	108	8	-	7
First	1,443	38	790	392	121	69	26	5	-	-	2
Second	913	1	308	357	154	64	22	7	-	-	-
Third	616	-	61	298	176	55	23	2	-	-	1
Fourth	442	-	8	181	148	63	29	11	1	-	1
Fifth	307	-	3	71	105	72	46	9	1	-	-
Sixth	220	-	1	22	101	56	29	11	-	-	-
Seventh	164	-	-	4	55	66	23	13	1	-	2
Eighth	104	-	-	1	31	43	24	5	-	-	-
Ninth	101	-	-	4	15	43	29	9	1	-	-
Tenth and over	169	-	-	-	12	39	78	36	4	-	-
Not stated	12	-	1	2	3	4	1	-	-	-	1
MONTANA	11,545	5	1,262	4,092	3,244	1,760	675	281	24	-	2
White	10,855	5	1,156	3,861	3,079	1,659	816	256	21	-	2
First	4,186	5	895	1,950	952	291	85	8	1	-	1
Second	2,975	-	229	1,258	918	424	125	19	1	-	1
Third	1,511	-	30	434	590	311	121	23	2	-	-
Fourth	853	-	2	170	299	231	114	34	3	-	-
Fifth	514	-	1	34	186	165	101	26	1	-	-
Sixth	263	-	-	8	74	83	74	23	1	-	-
Seventh	175	-	-	2	36	64	53	17	3	-	-
Eighth	104	-	-	1	15	34	35	17	2	-	-
Ninth	109	-	-	1	4	27	52	25	-	-	-
Tenth and over	155	-	-	-	2	26	56	64	7	-	-
Not stated	10	-	1	3	3	3	-	-	-	-	-
All other races	690	-	106	231	165	101	59	25	3	-	-
First	147	-	74	55	15	2	1	-	-	-	-
Second	134	-	26	83	19	5	1	-	-	-	-
Third	93	-	5	52	30	6	-	-	-	-	-
Fourth	78	-	1	31	35	9	2	-	-	-	-
Fifth	60	-	-	6	33	14	5	2	-	-	-
Sixth	60	-	-	3	21	26	9	1	-	-	-
Seventh	33	-	-	-	8	14	9	2	-	-	-
Eighth	28	-	-	1	2	11	12	2	-	-	-
Ninth	19	-	-	-	2	7	7	3	-	-	-
Tenth and over	38	-	-	-	-	7	13	15	3	-	-
NEBRASKA	21,963	7	1,966	6,993	6,408	4,011	1,928	577	46	-	27
White	21,639	7	1,896	6,887	6,336	3,972	1,901	568	45	-	27
First	7,845	7	1,449	3,540	1,973	689	162	20	-	-	5
Second	5,768	-	379	2,071	2,010	990	278	31	-	-	9
Third	3,152	-	54	824	1,134	778	302	54	3	-	3
Fourth	1,846	-	9	306	649	536	274	67	3	-	2
Fifth	1,086	-	2	90	317	384	222	67	1	-	3
Sixth	659	-	-	22	144	241	184	61	7	-	-
Seventh	412	-	-	2	59	174	124	49	3	-	1
Eighth	303	-	-	3	34	98	107	54	6	-	1
Ninth	185	-	-	1	3	38	92	42	9	-	-
Tenth and over	331	-	-	-	4	36	152	123	13	-	3
Not stated	52	-	3	28	9	8	4	-	-	-	-
All other races	324	-	70	106	72	39	27	9	1	-	-
First	91	-	44	33	9	3	2	-	-	-	-
Second	74	-	23	34	10	4	2	1	-	-	-
Third	45	-	3	21	15	4	1	1	-	-	-
Fourth	39	-	-	12	17	8	2	-	-	-	-
Fifth	13	-	-	2	7	2	2	-	-	-	-
Sixth	18	-	-	3	7	6	2	-	-	-	-
Seventh	10	-	-	-	2	2	5	1	-	-	-
Eighth	18	-	-	-	3	7	6	2	-	-	-
Ninth	4	-	-	-	-	2	1	-	1	-	-
Tenth and over	9	-	-	-	-	1	4	4	-	-	-
Not stated	3	-	-	1	2	-	-	-	-	-	-
NEVADA	2,200	2	304	780	563	335	152	51	3	-	10
White	2,058	2	280	741	524	314	137	48	3	-	9
First	839	2	216	348	167	72	28	1	1	-	4
Second	591	-	53	269	171	63	26	7	-	-	2
Third	281	-	8	74	97	72	23	6	-	-	1
Fourth	148	-	1	32	54	35	18	7	1	-	-
Fifth	59	-	-	8	12	26	12	1	-	-	-
Sixth	47	-	-	2	9	21	8	7	-	-	-
Seventh	29	-	-	-	5	11	6	6	-	-	1
Eighth	12	-	-	-	3	6	2	1	-	-	-
Ninth	14	-	-	-	1	2	7	3	-	-	1
Tenth and over	20	-	-	-	1	2	7	9	1	-	-
Not stated	18	-	2	8	4	4	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEVADA—Continued											
All other races	142	-	24	39	39	21	15	3	-	-	1
First	19	-	11	7	-	1	-	-	-	-	-
Second	34	-	8	18	3	3	2	-	-	-	-
Third	25	-	1	10	10	3	1	-	-	-	-
Fourth	17	-	2	2	9	3	1	-	-	-	-
Fifth	10	-	-	1	3	4	2	-	-	-	-
Sixth	15	-	-	1	7	3	4	-	-	-	-
Seventh	5	-	-	-	2	2	-	1	-	-	-
Eighth	3	-	-	-	-	2	1	-	-	-	-
Ninth	3	-	-	-	-	-	3	-	-	-	-
Tenth and over	4	-	-	-	-	-	1	2	-	-	1
Not stated	7	-	2	-	5	-	-	-	-	-	-
NEW HAMPSHIRE	8,582	3	832	2,646	2,518	1,549	757	238	13	-	26
White	8,565	3	831	2,637	2,516	1,547	755	237	13	-	26
First	2,609	3	477	1,072	686	267	80	20	-	-	4
Second	2,332	-	247	824	747	380	112	14	1	-	7
Third	1,287	-	48	396	441	277	100	21	-	-	4
Fourth	728	-	11	143	249	197	99	26	1	-	2
Fifth	418	-	1	58	149	103	80	25	2	-	-
Sixth	297	-	-	23	84	96	76	16	1	-	1
Seventh	153	-	-	3	32	48	38	12	-	-	-
Eighth	115	-	-	-	16	36	41	20	1	-	1
Ninth	83	-	-	1	7	27	30	18	-	-	-
Tenth and over	159	-	-	1	5	28	61	55	7	-	2
Not stated	404	-	47	116	100	88	38	10	-	-	5
All other races	17	-	1	9	2	2	2	1	-	-	-
First	2	-	-	2	-	-	-	-	-	-	-
Second	8	-	1	4	1	1	1	-	-	-	-
Third	2	-	-	1	-	-	1	-	-	-	-
Fourth	3	-	-	2	-	1	-	-	-	-	-
Fifth	1	-	-	-	1	-	-	-	-	-	-
Tenth and over	1	-	-	-	-	-	-	1	-	-	-
NEW JERSEY	67,197	28	4,569	20,151	22,142	13,396	5,475	1,314	88	3	31
White	62,219	4	3,385	18,399	21,180	12,788	5,126	1,223	83	3	28
First	29,519	4	2,772	11,893	10,089	3,760	874	114	6	-	7
Second	17,446	-	505	4,537	6,685	4,343	1,213	147	8	1	7
Third	7,274	-	72	1,326	2,503	2,218	976	168	9	-	2
Fourth	3,380	-	13	406	1,020	1,109	661	175	3	-	3
Fifth	1,678	-	1	104	460	561	416	128	5	-	3
Sixth	917	-	-	27	176	320	291	97	5	-	1
Seventh	611	-	-	9	94	179	221	94	12	1	1
Eighth	394	-	-	2	37	114	160	73	8	-	-
Ninth	266	-	-	-	14	67	104	76	3	-	2
Tenth and over	423	-	-	-	10	67	178	143	24	-	1
Not stated	301	-	22	95	92	50	32	8	-	1	1
All other races	4,978	24	1,184	1,752	962	608	349	91	5	-	3
First	1,645	23	805	558	170	64	21	3	-	-	1
Second	1,049	1	290	491	165	73	24	3	1	-	1
Third	703	-	66	370	182	66	19	-	-	-	-
Fourth	478	-	15	212	137	70	37	7	-	-	-
Fifth	328	-	1	84	126	74	35	8	-	-	-
Sixth	219	-	-	24	76	75	34	10	-	-	-
Seventh	173	-	-	9	51	66	39	7	1	-	-
Eighth	125	-	-	1	30	43	40	10	-	-	1
Ninth	86	-	-	-	14	31	33	8	-	-	-
Tenth and over	152	-	-	-	6	43	66	34	3	-	-
Not stated	20	-	7	3	5	3	1	1	-	-	-
NEW MEXICO	14,738	13	2,052	4,583	3,815	2,331	1,370	467	38	2	67
White	14,186	11	1,988	4,410	3,691	2,239	1,312	443	35	2	55
First	3,819	11	1,368	1,544	622	199	60	5	-	-	10
Second	2,903	-	455	1,365	706	263	93	9	-	-	12
Third	1,945	-	120	789	681	251	80	13	-	-	11
Fourth	1,469	-	27	436	617	253	106	19	2	-	9
Fifth	1,022	-	2	147	453	276	115	25	-	-	4
Sixth	786	-	-	64	307	248	124	40	1	-	2
Seventh	586	-	-	23	148	234	142	36	2	-	1
Eighth	442	-	-	5	81	192	127	33	2	-	2
Ninth	377	-	-	2	33	143	148	46	3	-	2
Tenth and over	741	-	-	1	24	165	308	215	24	2	2
Not stated	96	-	16	34	19	15	9	2	1	-	-
All other races	552	2	64	173	124	92	58	24	3	-	12
First	78	2	34	30	8	2	-	-	-	-	2
Second	51	-	10	28	7	3	-	1	-	-	2
Third	64	-	3	30	22	5	2	1	-	-	1
Fourth	45	-	-	12	18	9	4	1	-	-	1
Fifth	31	-	-	4	12	9	3	1	-	-	2
Sixth	40	-	-	2	10	15	10	3	-	-	-
Seventh	24	-	-	-	6	7	4	4	3	-	-
Eighth	21	-	-	-	4	10	6	1	-	-	-
Ninth	9	-	-	-	-	5	1	3	-	-	-
Tenth and over	19	-	-	-	1	6	5	6	-	-	1
Not stated	170	-	17	67	36	21	23	3	-	-	3

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEW YORK	210,303	108	12,383	58,649	70,228	45,131	18,965	4,484	304	2	49
White	199,428	42	10,314	54,801	67,813	43,690	18,159	4,277	287	2	43
First	92,863	42	8,646	35,469	32,184	12,845	3,223	430	16	-	8
Second	55,560	-	1,452	13,274	21,250	14,657	4,343	555	16	1	12
Third	24,090	-	184	4,232	7,992	7,539	3,470	632	34	-	7
Fourth	11,432	-	24	1,311	3,418	3,772	2,282	597	26	-	2
Fifth	5,889	-	-	372	1,622	1,935	1,501	427	32	-	-
Sixth	3,505	-	-	71	743	1,190	1,050	418	32	-	1
Seventh	2,095	-	-	17	317	727	720	289	25	-	-
Eighth	1,423	-	-	5	153	471	529	245	19	-	1
Ninth	894	-	-	1	40	253	387	193	20	-	-
Tenth and over	1,496	-	-	2	36	266	634	490	67	1	-
Not stated	181	-	8	47	58	35	20	1	-	-	12
All other races	10,875	68	2,069	3,848	2,415	1,441	806	207	17	-	6
First	4,091	66	1,558	1,591	586	223	55	9	-	-	3
Second	2,570	-	421	1,187	582	250	116	12	1	-	1
Third	1,512	-	76	615	475	207	117	22	-	-	-
Fourth	900	-	8	290	314	182	87	17	2	-	-
Fifth	595	-	2	104	207	174	88	18	1	-	1
Sixth	441	-	-	41	139	149	84	25	3	-	-
Seventh	254	-	-	12	57	97	72	15	1	-	-
Eighth	202	-	-	2	43	79	57	21	-	-	-
Ninth	113	-	-	2	8	37	45	19	2	-	-
Tenth and over	186	-	-	-	4	41	85	49	7	-	-
Not stated	11	-	4	4	-	2	-	-	-	-	1
NORTH CAROLINA	84,595	231	15,045	27,474	19,911	12,238	6,983	2,328	219	5	161
White	57,384	56	8,519	18,866	14,294	8,926	4,854	1,613	150	2	104
First	19,996	54	6,280	8,344	3,574	1,305	376	57	1	-	25
Second	13,289	2	1,849	5,712	3,528	1,595	513	56	3	-	31
Third	7,848	-	327	3,015	2,708	1,281	429	73	4	-	11
Fourth	5,130	-	46	1,245	2,014	1,205	514	94	4	-	8
Fifth	3,378	-	7	390	1,306	1,076	456	129	9	1	4
Sixth	2,354	-	-	97	682	895	518	144	12	-	6
Seventh	1,677	-	-	26	288	683	521	145	11	-	3
Eighth	1,218	-	-	8	107	458	465	167	13	-	-
Ninth	935	-	-	2	40	238	414	217	21	-	3
Tenth and over	1,453	-	-	2	22	182	640	529	72	1	5
Not stated	106	-	30	25	25	8	8	2	-	-	8
All other races	27,211	175	6,526	8,608	5,617	3,312	2,129	715	69	3	57
First	6,944	172	4,024	1,951	555	166	55	5	-	-	16
Second	4,978	3	1,777	2,298	632	181	67	7	1	-	12
Third	3,769	-	527	2,016	874	259	73	8	1	-	11
Fourth	2,924	-	127	1,312	1,001	352	113	16	1	-	2
Fifth	2,199	-	16	609	958	422	170	18	1	1	4
Sixth	1,723	-	3	271	754	469	194	29	1	-	2
Seventh	1,262	-	-	73	425	461	251	47	1	1	3
Eighth	966	-	-	24	222	373	271	71	3	-	2
Ninth	746	-	-	12	108	274	269	78	3	-	2
Tenth and over	1,586	-	-	9	77	347	659	434	57	1	2
Not stated	114	-	52	33	11	8	7	2	-	-	1
NORTH DAKOTA	13,259	5	960	3,859	3,812	2,579	1,502	480	53	-	9
White	12,825	4	887	3,735	3,712	2,508	1,460	463	50	-	6
First	3,742	4	669	1,733	906	325	93	10	1	-	1
Second	2,748	-	128	1,081	953	447	123	16	-	-	-
Third	1,889	-	16	454	732	444	198	41	3	-	1
Fourth	1,112	-	1	149	433	328	159	40	2	-	-
Fifth	789	-	-	56	250	268	178	33	3	-	1
Sixth	519	-	-	18	114	218	134	31	4	-	-
Seventh	376	-	-	3	60	144	121	43	4	-	1
Eighth	249	-	-	-	16	95	90	38	9	-	1
Ninth	190	-	-	-	8	53	85	39	5	-	-
Tenth and over	416	-	-	1	3	44	208	142	18	-	-
Not stated	795	-	73	240	237	142	71	30	1	-	1
All other races	434	1	73	124	100	71	42	17	3	-	3
First	85	1	52	24	7	1	-	-	-	-	-
Second	66	-	15	37	7	4	1	1	-	-	1
Third	52	-	1	24	19	7	-	-	-	-	1
Fourth	55	-	1	20	25	7	1	1	-	-	-
Fifth	45	-	-	7	19	13	4	2	-	-	-
Sixth	33	-	-	2	13	11	5	2	-	-	-
Seventh	26	-	-	1	5	12	8	-	-	-	-
Eighth	17	-	-	-	1	8	6	2	-	-	-
Ninth	7	-	-	-	-	3	4	-	-	-	-
Tenth and over	26	-	-	-	-	3	12	8	3	-	-
Not stated	22	-	4	9	4	2	1	1	-	-	1
OHIO	125,950	86	13,977	41,549	36,732	20,933	9,626	2,729	214	2	102
White	119,296	42	12,300	39,343	35,435	20,133	9,178	2,568	209	2	86
First	50,374	42	9,830	21,834	12,988	4,373	1,105	164	8	-	30
Second	32,031	-	2,098	11,212	11,181	5,701	1,590	220	11	-	18
Third	15,590	-	297	4,267	5,621	3,692	1,447	247	9	-	10
Fourth	7,999	-	29	1,392	2,821	2,263	1,193	275	21	-	5
Fifth	4,532	-	2	346	1,470	1,503	931	260	15	-	5
Sixth	2,845	-	-	84	739	1,046	701	251	20	1	3
Seventh	1,786	-	-	15	293	636	617	208	15	1	1
Eighth	1,259	-	-	4	121	404	528	181	21	-	-
Ninth	923	-	-	2	38	237	430	198	18	-	-
Tenth and over	1,439	-	-	3	21	193	594	556	70	-	2
Not stated	518	-	44	184	142	85	42	8	1	-	12

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
OHIO—Continued											
All other races	6,654	44	1,677	2,206	1,297	800	448	161	5	-	16
First	2,316	44	1,168	775	223	69	29	3	-	-	5
Second	1,388	-	392	612	242	100	28	8	-	-	6
Third	925	-	81	473	230	99	33	7	-	-	2
Fourth	570	-	14	184	216	111	36	6	-	-	3
Fifth	425	-	1	98	166	96	52	12	-	-	-
Sixth	282	-	-	33	105	83	44	17	-	-	-
Seventh	206	-	-	7	60	76	48	14	1	-	-
Eighth	159	-	-	3	28	68	45	15	-	-	-
Ninth	123	-	-	-	12	43	44	24	-	-	-
Tenth and over	194	-	-	-	4	48	84	54	4	-	-
Not stated	66	-	21	21	11	7	5	1	-	-	-
OKLAHOMA	45,818	54	8,190	15,082	10,810	6,645	3,685	1,162	96	4	90
White	40,899	26	7,045	13,599	9,814	5,969	3,271	1,014	88	4	69
First	14,434	26	5,420	5,762	2,199	794	179	35	-	2	17
Second	9,826	-	1,359	4,518	2,604	981	316	30	3	-	15
Third	5,867	-	236	2,197	2,000	1,002	368	46	4	-	14
Fourth	3,567	-	25	799	1,403	856	391	85	3	-	5
Fifth	2,342	-	1	245	870	769	359	88	5	-	5
Sixth	1,593	-	2	50	426	636	377	86	11	-	5
Seventh	1,107	-	-	11	211	435	327	113	7	1	2
Eighth	786	-	-	2	66	263	328	116	8	1	2
Ninth	523	-	-	-	14	131	241	127	8	-	2
Tenth and over	803	-	-	2	4	94	379	283	39	-	2
Not stated	51	-	2	13	17	8	6	5	-	-	-
All other races	4,919	28	1,145	1,483	996	676	414	148	8	-	21
First	1,523	28	818	471	118	52	19	8	-	-	9
Second	930	-	243	437	156	61	25	4	-	-	4
Third	665	-	71	302	193	70	22	7	-	-	-
Fourth	438	-	12	150	171	71	29	4	-	-	1
Fifth	376	-	1	87	157	95	28	5	1	-	2
Sixth	267	-	-	18	97	99	39	11	1	-	2
Seventh	225	-	-	13	60	80	61	9	2	-	-
Eighth	148	-	-	2	22	60	51	13	-	-	-
Ninth	121	-	-	2	11	43	51	13	-	-	1
Tenth and over	222	-	-	1	9	45	89	74	4	-	-
Not stated	4	-	-	-	2	-	-	-	-	-	2
OREGON	18,868	8	2,225	6,634	5,371	3,011	1,201	339	25	-	54
White	18,605	7	2,186	6,544	5,296	2,984	1,179	333	24	-	52
First	7,702	7	1,655	3,254	1,859	700	183	29	-	-	15
Second	5,327	-	434	2,075	1,723	844	207	26	1	-	17
Third	2,518	-	53	777	870	575	192	39	3	-	9
Fourth	1,252	-	8	217	421	360	183	55	2	-	6
Fifth	583	-	1	51	190	172	129	37	2	-	1
Sixth	319	-	-	11	79	115	87	25	1	-	1
Seventh	199	-	-	4	30	78	54	30	1	-	2
Eighth	132	-	-	2	9	55	41	23	2	-	-
Ninth	79	-	-	-	2	20	34	21	2	-	-
Tenth and over	119	-	-	1	4	13	46	46	9	-	-
Not stated	375	-	35	152	109	52	23	2	1	-	1
All other races	263	1	39	90	75	27	22	6	1	-	2
First	86	1	27	41	14	1	1	1	-	-	-
Second	56	-	9	24	16	6	1	-	-	-	-
Third	36	-	1	13	14	5	2	1	-	-	-
Fourth	23	-	1	6	10	4	2	-	-	-	-
Fifth	17	-	-	2	11	1	3	-	-	-	-
Sixth	9	-	-	-	3	3	2	1	-	-	-
Seventh	10	-	-	-	3	5	1	-	-	-	1
Eighth	4	-	-	-	-	2	2	-	-	-	-
Ninth	3	-	-	-	-	-	2	1	-	-	-
Tenth and over	9	-	-	-	-	-	6	2	1	-	-
Not stated	10	-	1	4	4	-	-	-	-	-	1
PENNSYLVANIA	174,193	127	16,977	56,441	51,146	30,314	14,511	4,237	399	16	25
White	164,108	61	14,501	53,055	49,235	29,035	13,771	4,026	385	16	23
First	64,915	61	11,259	28,447	17,264	6,097	1,550	241	9	3	4
Second	42,596	-	2,757	15,464	14,827	7,168	2,070	291	10	1	8
Third	22,662	-	441	6,136	8,263	5,392	2,083	322	20	2	3
Fourth	12,223	-	51	2,107	4,416	3,577	1,663	378	26	2	3
Fifth	7,150	-	7	628	2,289	2,342	1,461	399	20	1	3
Sixth	4,713	-	1	189	1,231	1,655	1,232	375	29	1	-
Seventh	3,167	-	-	43	563	1,134	1,030	368	28	-	1
Eighth	2,152	-	-	10	224	772	796	321	29	-	-
Ninth	1,570	-	-	8	87	463	651	316	42	3	-
Tenth and over	2,905	-	-	5	57	426	1,228	1,014	172	3	-
Not stated	55	-	5	18	14	9	7	1	-	-	1
All other races	10,085	66	2,476	3,386	1,911	1,279	740	211	14	-	2
First	3,345	66	1,688	1,123	316	110	36	4	-	-	2
Second	2,170	-	614	1,001	352	148	46	9	-	-	-
Third	1,374	-	150	665	328	162	55	12	2	-	-
Fourth	906	-	16	348	314	154	65	9	-	-	-
Fifth	647	-	7	173	245	149	59	13	1	-	-
Sixth	456	-	1	51	153	145	86	20	-	-	-
Seventh	340	-	-	15	116	126	65	17	1	-	-
Eighth	271	-	-	6	49	112	81	22	1	-	-
Ninth	206	-	-	2	20	85	72	27	-	-	-
Tenth and over	367	-	-	1	17	88	174	78	9	-	-
Not stated	3	-	-	1	1	-	1	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
RHODE ISLAND	11,611	1	707	3,377	3,707	2,329	1,141	322	25	-	2
White	11,356	1	668	3,290	3,638	2,296	1,121	317	23	-	2
First	4,897	1	558	1,985	1,533	615	178	24	2	-	1
Second	2,952	-	84	811	1,110	681	233	30	3	-	-
Third	1,353	-	9	257	491	372	187	35	2	-	-
Fourth	710	-	1	86	184	241	154	44	-	-	-
Fifth	386	-	-	27	82	142	97	35	3	-	-
Sixth	222	-	-	5	46	61	83	25	2	-	-
Seventh	144	-	-	-	23	46	39	35	1	-	-
Eighth	108	-	-	-	12	30	39	25	2	-	-
Ninth	64	-	-	-	3	15	36	8	2	-	-
Tenth and over	130	-	-	-	4	22	52	46	6	-	-
Not stated	390	-	16	119	150	71	23	10	-	-	1
All other races	255	-	39	87	69	33	20	5	2	-	-
First	74	-	32	30	9	-	3	-	-	-	-
Second	47	-	4	24	13	5	1	-	-	-	-
Third	47	-	2	16	18	8	3	-	-	-	-
Fourth	26	-	1	10	10	5	-	-	-	-	-
Fifth	18	-	-	5	6	3	3	1	-	-	-
Sixth	11	-	-	1	7	2	1	-	-	-	-
Seventh	12	-	-	-	3	7	2	-	-	-	-
Eighth	6	-	-	1	3	-	2	-	-	-	-
Ninth	4	-	-	-	-	1	1	2	-	-	-
Tenth and over	10	-	-	-	-	2	4	2	2	-	-
SOUTH CAROLINA	47,383	131	9,360	16,190	10,625	6,243	3,578	1,060	123	3	70
White	24,256	13	3,741	8,172	6,000	3,737	1,942	565	53	-	33
First	9,146	13	2,905	3,817	1,623	601	156	19	-	-	12
Second	5,730	-	726	2,472	1,564	721	226	13	3	-	5
Third	3,194	-	98	1,198	1,065	591	196	40	1	-	5
Fourth	2,044	-	7	491	818	493	198	34	1	-	2
Fifth	1,259	-	2	139	488	400	193	35	1	-	1
Sixth	946	-	-	36	286	340	243	40	1	-	-
Seventh	653	-	-	6	90	272	208	72	3	-	2
Eighth	437	-	-	2	34	164	172	58	6	-	1
Ninth	326	-	-	-	14	87	150	66	9	-	-
Tenth and over	491	-	-	3	11	61	199	187	28	-	2
Not stated	30	-	3	8	7	7	1	1	-	-	3
All other races	23,127	118	5,619	8,018	4,625	2,506	1,636	495	70	3	37
First	6,711	116	3,963	2,058	370	124	52	16	1	-	11
Second	4,322	2	1,305	2,256	524	160	60	9	1	-	5
Third	3,173	-	277	1,832	754	221	70	12	2	-	5
Fourth	2,456	-	61	1,096	871	302	102	20	1	-	3
Fifth	1,790	-	9	468	800	339	156	14	2	-	2
Sixth	1,387	-	3	187	645	357	156	31	6	-	2
Seventh	992	-	-	77	344	348	182	35	5	-	1
Eighth	751	-	-	25	177	275	222	47	5	-	-
Ninth	451	-	-	10	63	177	159	40	2	-	-
Tenth and over	1,056	-	-	1	66	194	474	269	44	3	5
Not stated	38	-	1	8	11	9	3	2	1	-	3
SOUTH DAKOTA	12,159	2	1,005	3,654	3,410	2,278	1,242	441	48	1	78
White	11,413	1	911	3,426	3,219	2,159	1,168	407	47	1	74
First	3,949	1	762	1,779	941	319	105	17	-	-	25
Second	2,860	-	129	1,068	989	472	148	27	1	1	25
Third	1,710	-	13	408	609	462	168	41	-	-	9
Fourth	978	-	4	127	352	279	177	35	1	-	3
Fifth	648	-	-	28	190	244	137	40	5	-	4
Sixth	457	-	-	3	79	173	137	57	6	-	2
Seventh	276	-	-	1	37	100	101	34	2	-	1
Eighth	195	-	-	4	11	56	80	33	7	-	4
Ninth	123	-	-	-	7	25	53	32	6	-	-
Tenth and over	195	-	-	-	1	24	60	90	19	-	1
Not stated	22	-	3	8	3	5	2	1	-	-	-
All other races	746	1	94	228	191	119	74	34	1	-	4
First	169	1	68	80	16	1	1	-	-	-	2
Second	123	-	16	72	20	14	1	-	-	-	-
Third	122	-	8	52	39	18	4	-	-	-	1
Fourth	93	-	2	14	51	18	6	1	-	-	1
Fifth	60	-	-	7	31	15	5	1	1	-	-
Sixth	62	-	-	1	16	22	17	6	-	-	-
Seventh	36	-	-	-	10	16	8	2	-	-	-
Eighth	35	-	-	-	4	10	13	8	-	-	-
Ninth	14	-	-	-	1	2	6	5	-	-	-
Tenth and over	26	-	-	-	1	1	13	11	-	-	-
Not stated	6	-	-	2	2	2	-	-	-	-	-
TENNESSEE	59,855	146	10,458	19,058	14,005	9,236	5,095	1,610	149	7	91
White	50,534	51	7,902	16,387	12,134	8,041	4,434	1,386	131	6	62
First	17,719	51	6,008	7,288	2,902	1,086	328	42	1	-	13
Second	11,431	-	1,564	5,041	2,942	1,381	451	51	4	1	16
Third	7,016	-	229	2,611	2,417	1,239	438	65	5	-	12
Fourth	4,395	-	30	968	1,713	1,105	487	83	5	1	3
Fifth	3,021	-	7	290	1,169	987	453	102	6	-	7
Sixth	2,175	-	1	75	576	867	511	126	15	-	4
Seventh	1,484	-	-	22	228	617	469	137	9	-	2
Eighth	1,073	-	-	5	77	381	432	170	6	1	1
Ninth	796	-	-	4	31	191	385	170	13	2	-
Tenth and over	1,151	-	-	6	22	152	475	431	64	1	-
Not stated	273	-	63	77	57	35	25	9	3	-	4

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
TENNESSEE—Continued											
All other races	9,321	95	2,556	2,671	1,871	1,195	661	224	18	1	29
First	2,901	95	1,694	737	241	92	28	3	1	-	10
Second	1,801	-	627	756	274	104	33	1	1	-	5
Third	1,259	-	179	584	315	125	45	9	-	-	2
Fourth	882	-	25	323	301	163	52	14	-	-	4
Fifth	700	-	6	174	307	132	60	17	1	-	3
Sixth	471	-	3	41	203	131	75	15	1	-	2
Seventh	381	-	-	18	114	149	80	18	1	-	1
Eighth	288	-	-	9	52	131	67	26	2	-	1
Ninth	192	-	-	2	32	73	65	18	1	1	-
Tenth and over	378	-	-	1	21	91	152	103	10	-	-
Not stated	68	-	22	26	11	4	4	-	-	-	1
TEXAS	136,782	249	22,690	44,911	33,626	20,910	10,892	3,039	211	5	249
White	119,095	108	18,129	39,554	30,091	18,652	9,536	2,632	179	4	210
First	44,936	108	14,138	18,721	8,178	2,902	722	98	6	-	63
Second	26,741	-	2,863	11,401	7,751	3,567	996	123	7	1	32
Third	13,333	-	370	4,410	4,698	2,710	973	128	10	-	34
Fourth	7,188	-	33	1,323	2,788	1,930	914	180	7	-	13
Fifth	4,022	-	6	297	1,437	1,352	744	170	6	1	9
Sixth	2,449	-	1	54	632	953	619	178	8	-	4
Seventh	1,587	-	-	14	223	624	546	164	10	-	6
Eighth	952	-	-	7	62	307	422	138	14	-	2
Ninth	581	-	-	1	16	140	285	122	15	-	2
Tenth and over	596	-	-	1	11	61	277	221	24	-	1
Not stated	16,710	-	718	3,325	4,295	4,106	3,038	1,110	72	2	44
All other races	17,687	141	4,561	5,357	3,535	2,258	1,356	407	32	1	39
First	5,519	141	3,121	1,568	438	169	64	7	-	-	11
Second	3,139	-	949	1,421	486	204	62	11	1	-	5
Third	1,857	-	172	922	498	181	69	12	-	-	3
Fourth	1,233	-	21	448	479	199	71	14	-	-	1
Fifth	851	-	1	170	379	192	88	17	1	-	3
Sixth	619	-	2	40	264	199	90	21	-	-	3
Seventh	426	-	-	9	113	173	110	18	1	-	2
Eighth	280	-	-	3	43	112	97	21	4	-	-
Ninth	166	-	-	1	22	57	66	19	1	-	-
Tenth and over	248	-	-	-	6	47	121	68	4	1	1
Not stated	3,349	-	295	775	807	725	518	199	20	-	10
UTAH	13,538	4	1,398	4,705	3,681	2,241	1,100	369	38	-	2
White	13,422	4	1,379	4,661	3,653	2,228	1,091	366	38	-	2
First	4,568	4	1,114	2,262	855	253	63	16	1	-	-
Second	3,542	-	234	1,565	1,146	461	116	17	3	-	-
Third	2,180	-	30	603	827	526	171	23	-	-	-
Fourth	1,262	-	-	166	467	408	185	34	2	-	-
Fifth	735	-	-	49	228	242	169	45	2	-	-
Sixth	434	-	-	8	91	158	129	46	2	-	-
Seventh	263	-	-	3	29	91	98	40	1	-	1
Eighth	163	-	-	1	6	56	55	41	4	-	-
Ninth	111	-	-	2	3	22	50	31	3	-	-
Tenth and over	160	-	-	-	1	10	55	73	20	-	1
Not stated	4	-	1	2	-	1	-	-	-	-	-
All other races	116	-	19	44	28	13	9	3	-	-	-
First	32	-	13	13	5	1	-	-	-	-	-
Second	21	-	3	11	7	-	-	-	-	-	-
Third	21	-	3	12	3	3	-	-	-	-	-
Fourth	11	-	-	6	3	1	-	1	-	-	-
Fifth	12	-	-	1	7	2	2	-	-	-	-
Sixth	2	-	-	-	2	-	-	-	-	-	-
Seventh	6	-	-	-	1	3	2	-	-	-	-
Eighth	1	-	-	-	-	-	-	1	-	-	-
Ninth	4	-	-	-	-	-	4	-	-	-	-
Tenth and over	5	-	-	-	-	3	1	1	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-
VERMONT	6,965	4	782	2,220	1,886	1,218	639	193	14	1	8
White	6,959	4	782	2,218	1,884	1,217	638	193	14	1	8
First	2,419	4	591	1,022	528	200	63	8	1	-	2
Second	1,711	-	139	663	511	272	109	13	1	-	3
Third	1,020	-	39	339	322	218	83	17	-	-	2
Fourth	579	-	3	117	230	135	74	20	-	-	-
Fifth	365	-	-	40	135	112	63	14	1	-	-
Sixth	262	-	-	13	82	93	57	16	1	-	-
Seventh	173	-	-	3	34	61	54	21	-	-	-
Eighth	110	-	-	1	15	46	30	17	-	-	1
Ninth	86	-	-	1	7	34	29	14	1	-	-
Tenth and over	172	-	-	-	3	36	70	53	9	1	-
Not stated	62	-	10	19	17	10	6	-	-	-	-
All other races	6	-	-	2	2	1	1	-	-	-	-
First	2	-	-	1	1	-	-	-	-	-	-
Third	2	-	-	1	-	1	-	-	-	-	-
Fourth	1	-	-	-	1	-	-	-	-	-	-
Ninth	1	-	-	-	-	-	1	-	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
VIRGINIA	61,079	165	10,005	19,575	14,832	9,426	5,115	1,737	163	5	58
White	44,942	35	5,953	14,432	11,665	7,515	3,895	1,299	109	5	34
First	15,632	33	4,002	6,408	3,386	1,396	344	57	1	-	5
Second	10,220	2	1,378	3,945	2,881	1,465	482	58	5	-	4
Third	5,844	-	312	2,159	1,867	1,037	397	69	1	-	2
Fourth	3,485	-	55	937	1,306	780	324	72	6	1	4
Fifth	2,354	-	6	377	867	693	312	96	-	-	3
Sixth	1,661	-	1	98	556	590	310	99	5	1	1
Seventh	1,264	-	-	23	257	541	336	98	5	1	3
Eighth	956	-	-	12	112	348	356	119	7	-	2
Ninth	684	-	-	3	31	204	316	123	6	-	1
Tenth and over	1,324	-	-	4	20	183	581	461	71	2	2
Not stated	1,518	-	199	466	382	278	137	47	2	-	7
All other races	16,137	130	4,052	5,143	3,167	1,911	1,218	438	54	-	24
First	3,838	130	2,139	1,150	268	107	35	5	-	-	4
Second	2,978	-	1,189	1,232	380	127	42	4	-	-	4
Third	2,060	-	362	1,028	429	174	52	10	1	-	4
Fourth	1,579	-	91	734	509	164	66	10	-	-	5
Fifth	1,125	-	15	347	468	192	83	16	2	-	2
Sixth	900	-	2	159	366	250	99	23	-	-	1
Seventh	705	-	-	61	263	241	110	28	2	-	-
Eighth	510	-	-	14	154	184	120	34	4	-	-
Ninth	386	-	-	12	67	146	119	39	3	-	-
Tenth and over	954	-	-	6	46	200	423	239	39	-	1
Not stated	1,102	-	254	400	217	126	69	30	3	-	3
WASHINGTON	30,580	8	3,332	10,922	8,950	4,798	1,990	518	38	-	24
White	29,875	8	3,238	10,701	8,767	4,671	1,935	496	35	-	24
First	13,031	8	2,573	5,814	3,185	1,104	303	36	-	-	8
Second	8,715	-	564	3,303	2,920	1,448	409	62	1	-	8
Third	3,964	-	79	1,101	1,417	930	367	64	1	-	5
Fourth	1,908	-	9	329	705	524	278	60	2	-	1
Fifth	887	-	-	90	298	275	180	41	2	-	1
Sixth	502	-	-	19	148	167	121	46	1	-	-
Seventh	259	-	-	4	42	107	73	30	3	-	-
Eighth	182	-	-	1	15	47	66	49	4	-	-
Ninth	123	-	-	1	5	27	51	32	7	-	-
Tenth and over	191	-	-	-	1	26	77	74	13	-	-
Not stated	113	-	13	39	31	16	10	2	1	-	1
All other races	705	-	94	221	183	127	55	22	3	-	-
First	193	-	59	81	36	14	3	-	-	-	-
Second	161	-	26	74	40	14	7	-	-	-	-
Third	90	-	7	34	26	16	6	1	-	-	-
Fourth	67	-	1	20	28	15	2	1	-	-	-
Fifth	62	-	-	10	20	18	12	2	-	-	-
Sixth	35	-	-	1	14	11	5	3	1	-	-
Seventh	28	-	-	-	12	11	3	2	-	-	-
Eighth	17	-	-	-	4	4	5	4	-	-	-
Ninth	21	-	-	-	2	13	4	2	-	-	-
Tenth and over	27	-	-	-	-	10	8	7	2	-	-
Not stated	4	-	1	1	1	1	-	-	-	-	-
WEST VIRGINIA	43,983	73	7,290	14,675	10,502	6,353	3,675	1,253	130	3	29
White	42,199	52	6,817	14,163	10,136	6,139	3,523	1,214	125	3	27
First	13,189	52	4,750	5,421	2,020	703	196	34	6	-	7
Second	9,267	-	1,673	4,272	2,181	857	239	41	-	-	4
Third	5,974	-	335	2,609	1,884	779	297	61	3	-	6
Fourth	3,935	-	43	1,210	1,554	745	312	67	1	-	3
Fifth	2,865	-	9	452	1,190	786	341	80	5	-	2
Sixth	2,039	-	-	122	726	727	375	78	10	-	1
Seventh	1,476	-	-	36	333	612	395	92	7	1	-
Eighth	1,104	-	-	7	140	440	392	113	10	-	2
Ninth	777	-	-	5	52	252	312	145	9	1	1
Tenth and over	1,504	-	-	7	33	226	660	502	74	1	1
Not stated	69	-	7	22	23	12	4	1	-	-	-
All other races	1,784	21	473	512	366	214	152	39	5	-	2
First	532	21	301	148	35	17	7	2	-	-	1
Second	355	-	131	139	56	20	9	-	-	-	-
Third	223	-	34	111	56	14	5	2	-	-	1
Fourth	172	-	7	62	69	23	10	1	-	-	-
Fifth	122	-	-	29	45	25	20	3	-	-	-
Sixth	102	-	-	16	46	26	11	2	1	-	-
Seventh	81	-	-	2	33	26	17	3	-	-	-
Eighth	65	-	-	-	19	27	17	1	1	-	-
Ninth	47	-	-	-	2	17	24	4	-	-	-
Tenth and over	80	-	-	-	5	19	32	21	3	-	-
Not stated	5	-	-	5	-	-	-	-	-	-	-
WISCONSIN	57,186	18	4,187	17,883	17,583	10,447	5,275	1,639	145	1	8
White	56,504	13	4,058	17,674	17,448	10,331	5,209	1,618	144	1	8
First	21,248	13	3,247	9,580	5,873	1,895	534	98	4	-	4
Second	14,903	-	684	5,214	5,286	2,725	845	140	8	1	-
Third	8,087	-	106	1,931	2,973	2,036	860	172	8	-	1
Fourth	4,605	-	16	689	1,660	1,344	686	198	10	-	2
Fifth	2,683	-	2	180	867	852	585	182	14	-	1
Sixth	1,656	-	-	46	418	564	460	155	13	-	-
Seventh	1,074	-	-	10	202	373	335	146	8	-	-
Eighth	753	-	-	2	91	255	296	96	13	-	-
Ninth	526	-	-	-	37	163	211	101	14	-	-
Tenth and over	899	-	-	2	17	107	393	328	52	-	-
Not stated	70	-	3	20	24	17	4	2	-	-	-

TABLE 3.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NUMBER OF CHILD: UNITED STATES AND EACH STATE, 1941—Continued

AREA, RACE, AND NUMBER OF CHILD	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
WISCONSIN—Continued											
All other races	682	5	129	209	135	116	66	21	1	-	-
First	174	5	91	61	10	6	1	-	-	-	-
Second	113	-	32	58	17	4	2	-	-	-	-
Third	102	-	6	49	26	16	4	1	-	-	-
Fourth	70	-	-	26	29	12	2	1	-	-	-
Fifth	64	-	-	14	21	22	6	1	-	-	-
Sixth	41	-	-	1	18	13	9	-	-	-	-
Seventh	33	-	-	-	8	15	10	-	-	-	-
Eighth	30	-	-	-	5	11	13	1	-	-	-
Ninth	18	-	-	-	-	9	4	5	-	-	-
Tenth and over	37	-	-	-	1	8	15	12	1	-	-
WYOMING	5,322	1	694	1,895	1,423	775	380	129	12	-	13
White	5,183	1	675	1,841	1,389	759	367	126	12	-	13
First	1,920	1	505	904	357	105	37	6	-	-	5
Second	1,371	-	123	553	434	197	52	8	-	-	4
Third	723	-	23	230	258	140	60	11	-	-	1
Fourth	409	-	2	85	148	101	60	9	2	-	2
Fifth	231	-	-	24	81	75	34	16	-	-	1
Sixth	143	-	-	6	41	47	35	11	3	-	-
Seventh	86	-	-	-	19	32	25	9	1	-	-
Eighth	49	-	-	1	4	21	14	7	2	-	-
Ninth	54	-	-	-	3	13	22	15	1	-	-
Tenth and over	69	-	-	1	4	7	23	31	3	-	-
Not stated	128	-	22	37	40	21	5	3	-	-	-
All other races	139	-	19	54	34	16	13	3	-	-	-
First	25	-	10	10	5	-	-	-	-	-	-
Second	25	-	6	15	4	-	-	-	-	-	-
Third	28	-	3	17	6	1	1	-	-	-	-
Fourth	15	-	-	9	5	-	1	-	-	-	-
Fifth	7	-	-	1	2	3	-	1	-	-	-
Sixth	12	-	-	2	7	3	-	-	-	-	-
Seventh	8	-	-	-	1	6	-	1	-	-	-
Eighth	5	-	-	-	3	-	2	-	-	-	-
Ninth	5	-	-	-	1	2	1	1	-	-	-
Tenth and over	9	-	-	-	-	1	8	-	-	-	-

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941

(Figures for the United States (first through twenty-sixth) are exclusive of figures for Massachusetts which are included with the "not stated." The certificate of this State does not require the number of child in order of birth)

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
UNITED STATES	2,513,427	2,204,903	2,101,368	101,124	294,554	13,970
First	939,189	852,464	823,286	27,861	83,086	3,639
Second	603,161	543,880	520,343	23,108	56,512	2,769
Third	322,687	281,338	267,868	13,284	39,396	1,953
Fourth	184,207	154,484	146,611	7,769	28,274	1,449
Fifth	114,473	92,144	87,126	4,942	21,265	1,064
Sixth	76,671	60,045	56,295	3,706	15,804	822
Seventh	52,714	40,208	37,651	2,520	11,913	593
Eighth	37,519	27,979	26,024	1,933	9,083	457
Ninth	26,445	19,597	18,028	1,548	6,546	302
Tenth	18,130	13,097	11,905	1,180	4,815	218
Eleventh	11,744	8,299	7,558	734	3,288	157
Twelfth	7,433	5,220	4,629	584	2,101	112
Thirteenth	4,351	2,943	2,614	326	1,354	54
Fourteenth	2,360	1,604	1,398	205	729	27
Fifteenth	1,317	815	684	131	491	11
Sixteenth	642	430	356	73	209	3
Seventeenth	302	187	150	37	113	2
Eighteenth	140	85	70	15	55	-
Nineteenth	96	56	46	10	40	-
Twentieth	38	17	13	4	21	-
Twenty-first	29	16	14	2	13	-
Twenty-second	17	8	6	2	9	-
Twenty-third	7	6	5	1	1	-
Twenty-fourth	2	-	-	-	2	-
Twenty-fifth	2	-	-	-	2	-
Twenty-sixth	5	1	1	-	4	-
Not stated	109,746	99,980	88,687	11,149	9,428	338
ALABAMA	64,379	39,939	39,851	79	24,427	13
First	21,413	14,554	14,531	20	6,855	4
Second	13,633	9,168	9,145	21	4,462	3
Third	8,567	5,308	5,294	13	3,258	1
Fourth	5,732	3,373	3,365	7	2,356	3
Fifth	4,267	2,281	2,276	5	1,985	1
Sixth	2,968	1,610	1,606	4	1,358	-
Seventh	2,320	1,179	1,175	4	1,141	-
Eighth	1,716	832	830	2	884	-
Ninth	1,129	536	532	3	593	-
Tenth	857	357	357	-	500	-
Eleventh	506	210	210	-	296	-
Twelfth	312	105	105	-	206	1
Thirteenth	195	66	66	-	129	-
Fourteenth	90	30	30	-	60	-
Fifteenth	42	10	10	-	32	-
Sixteenth	12	2	2	-	10	-
Seventeenth	9	2	2	-	7	-
Eighteenth	7	2	2	-	5	-
Nineteenth	2	-	-	-	2	-
Twenty-first	2	1	1	-	1	-
Not stated	600	313	312	-	287	-
ARIZONA	11,425	9,979	8,791	1,185	250	1,196
First	3,751	3,392	3,170	221	87	272
Second	2,698	2,422	2,259	162	61	215
Third	1,641	1,458	1,290	168	30	153
Fourth	1,040	871	729	142	24	145
Fifth	681	560	471	88	12	109
Sixth	452	345	272	73	10	97
Seventh	321	264	205	59	4	53
Eighth	269	218	126	92	5	46
Ninth	200	168	107	61	5	27
Tenth	123	97	60	37	3	23
Eleventh	83	61	32	29	3	19
Twelfth	63	51	28	23	2	10
Thirteenth	28	21	12	9	3	4
Fourteenth	19	15	8	7	-	4
Fifteenth	13	11	4	7	1	1
Sixteenth	9	9	3	6	-	-
Seventeenth	2	2	2	-	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	-	1	-	-
Not stated	29	11	11	-	-	18
ARKANSAS	40,549	30,774	30,696	33	9,766	9
First	11,009	9,027	9,006	7	1,977	5
Second	8,785	7,055	7,047	5	1,730	-
Third	5,551	4,290	4,271	10	1,260	1
Fourth	3,751	2,753	2,748	2	998	-
Fifth	2,705	1,907	1,902	5	797	1
Sixth	1,991	1,373	1,370	1	617	1
Seventh	1,455	1,016	1,012	-	439	-
Eighth	1,024	654	651	2	370	-
Ninth	765	460	458	1	305	-
Tenth	537	314	312	1	223	-
Eleventh	326	188	188	-	137	1
Twelfth	218	130	130	-	88	-
Thirteenth	126	53	53	-	73	-
Fourteenth	79	32	32	-	47	-
Fifteenth	44	14	14	-	30	-
Sixteenth	22	5	5	-	17	-
Seventeenth	3	1	1	-	2	-
Eighteenth	5	4	4	-	1	-
Nineteenth	1	-	-	-	1	-
ARKANSAS—Continued						
Twentieth	3	-	-	-	3	-
Twenty-first	1	-	-	-	1	-
Twenty-second	5	2	2	-	3	-
Twenty-third	1	-	-	-	1	-
Twenty-sixth	1	-	-	-	1	-
Not stated	2,141	1,496	1,490	1	645	-
CALIFORNIA	125,190	119,788	109,239	10,513	2,024	3,378
First	56,821	54,993	51,896	3,084	751	1,077
Second	34,845	33,525	31,147	2,367	493	827
Third	15,353	14,591	13,243	1,346	277	485
Fourth	7,234	6,729	5,924	802	189	316
Fifth	3,631	3,326	2,779	547	110	195
Sixth	2,332	2,123	1,598	524	70	139
Seventh	1,472	1,317	923	393	46	109
Eighth	1,025	910	567	342	24	91
Ninth	755	685	385	300	20	50
Tenth	499	452	220	231	16	31
Eleventh	364	333	154	178	13	18
Twelfth	237	213	85	128	8	16
Thirteenth	162	147	46	100	4	11
Fourteenth	103	101	37	64	-	2
Fifteenth	62	59	16	43	1	2
Sixteenth	31	31	8	23	-	-
Seventeenth	14	13	2	11	-	1
Eighteenth	8	8	3	5	-	-
Nineteenth	9	9	5	4	-	-
Twentieth	1	1	-	1	-	-
Twenty-first	1	1	-	1	-	-
Twenty-third	1	1	-	1	-	-
Not stated	230	220	201	18	2	8
COLORADO	21,393	21,128	20,476	635	172	93
First	7,900	7,822	7,713	104	53	25
Second	5,510	5,454	5,369	83	40	16
Third	2,872	2,832	2,758	71	28	12
Fourth	1,654	1,634	1,564	68	11	9
Fifth	1,063	1,043	982	58	13	7
Sixth	680	670	623	46	4	6
Seventh	480	471	425	46	7	2
Eighth	324	318	276	42	5	1
Ninth	243	236	210	26	2	5
Tenth	186	179	142	37	2	5
Eleventh	126	122	105	16	2	2
Twelfth	79	75	63	12	2	2
Thirteenth	43	42	37	5	1	-
Fourteenth	32	32	25	7	-	-
Fifteenth	19	19	14	5	-	-
Sixteenth	9	9	6	3	-	-
Seventeenth	4	4	1	3	-	-
Nineteenth	1	1	1	-	-	-
Not stated	168	165	162	3	2	1
CONNECTICUT	29,036	28,356	25,677	2,672	675	5
First	13,601	13,391	12,528	861	209	1
Second	7,858	7,706	6,968	736	152	-
Third	3,458	3,371	2,988	382	86	1
Fourth	1,596	1,539	1,317	222	57	-
Fifth	824	777	637	140	47	-
Sixth	474	434	332	101	39	1
Seventh	317	288	219	69	28	1
Eighth	160	145	104	41	15	-
Ninth	111	94	66	28	16	1
Tenth	92	79	55	24	13	-
Eleventh	39	31	21	10	8	-
Twelfth	28	27	16	11	1	-
Thirteenth	18	17	12	5	1	-
Fourteenth	12	11	8	3	1	-
Fifteenth	4	3	1	2	1	-
Sixteenth	2	1	1	-	1	-
Not stated	442	442	404	37	-	-
DELAWARE	5,087	4,252	4,136	115	833	2
First	2,035	1,786	1,753	33	249	-
Second	1,298	1,138	1,104	34	160	-
Third	652	546	533	13	106	-
Fourth	366	285	273	12	80	1
Fifth	211	152	143	8	59	-
Sixth	157	115	110	5	41	1
Seventh	115	87	85	2	28	-
Eighth	71	45	43	2	26	-
Ninth	50	30	30	-	20	-
Tenth	34	19	17	2	15	-
Eleventh	24	17	16	1	7	-
Twelfth	23	9	8	1	14	-
Thirteenth	12	7	6	1	5	-
Fourteenth	13	6	6	-	7	-
Fifteenth	4	1	-	1	3	-
Sixteenth	2	-	-	-	2	-
Seventeenth	1	-	-	-	1	-
Eighteenth	1	1	1	-	-	-
Not stated	18	8	8	-	10	-

[1] Includes "Country not stated."

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
DISTRICT OF COLUMBIA	12,892	8,241	7,804	381	4,623	28
First	5,115	4,104	3,925	160	1,004	7
Second	3,040	2,049	1,954	92	986	5
Third	1,362	780	728	51	579	3
Fourth	669	320	298	22	345	4
Fifth	394	162	151	11	231	1
Sixth	252	85	78	7	165	2
Seventh	163	43	38	4	120	-
Eighth	115	37	37	-	78	-
Ninth	63	12	11	1	50	1
Tenth	50	10	10	-	40	-
Eleventh	34	6	6	-	27	1
Twelfth	24	6	6	-	18	-
Thirteenth	16	4	4	-	12	-
Fourteenth	3	-	-	-	3	-
Fifteenth	7	-	-	-	7	-
Sixteenth	2	1	1	-	1	-
Eighteenth	2	-	-	-	2	-
Nineteenth	1	-	-	-	1	-
Not stated	1,580	622	557	33	954	4
FLORIDA	37,542	26,784	26,275	492	10,742	16
First	13,746	10,781	10,575	199	2,960	5
Second	8,861	6,781	6,639	141	2,076	4
Third	4,921	3,448	3,375	72	1,469	4
Fourth	2,969	1,973	1,940	33	995	1
Fifth	1,886	1,147	1,129	17	737	2
Sixth	1,391	774	762	11	617	-
Seventh	890	447	440	6	443	-
Eighth	648	332	326	5	316	-
Ninth	499	233	232	1	266	-
Tenth	301	126	124	2	175	-
Eleventh	215	95	94	1	120	-
Twelfth	125	44	44	-	81	-
Thirteenth	75	29	29	-	46	-
Fourteenth	48	17	17	-	31	-
Fifteenth	25	4	4	-	21	-
Sixteenth	5	1	1	-	4	-
Seventeenth	5	1	1	-	4	-
Eighteenth	4	-	-	-	4	-
Nineteenth	5	-	-	-	5	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	-	-	-	1	-
Twenty-sixth	1	-	-	-	1	-
Not stated	920	551	543	4	369	-
GEORGIA	67,870	41,375	41,246	99	26,477	18
First	23,903	15,830	15,790	33	8,069	4
Second	14,667	9,744	9,704	32	4,917	6
Third	9,113	5,540	5,520	16	3,572	1
Fourth	5,851	3,288	3,278	8	2,561	2
Fifth	4,213	2,243	2,236	5	1,969	1
Sixth	2,926	1,494	1,492	1	1,431	1
Seventh	2,038	1,003	999	2	1,035	-
Eighth	1,550	704	704	-	846	-
Ninth	1,044	458	458	-	586	-
Tenth	688	297	297	-	390	1
Eleventh	448	191	190	1	256	1
Twelfth	280	108	106	-	172	-
Thirteenth	162	49	49	-	112	1
Fourteenth	72	24	24	-	48	-
Fifteenth	44	7	6	1	37	-
Sixteenth	25	7	7	-	18	-
Seventeenth	14	2	2	-	12	-
Eighteenth	4	1	1	-	3	-
Nineteenth	5	-	-	-	5	-
Twentieth	2	-	-	-	2	-
Twenty-second	1	-	-	-	1	-
Twenty-fourth	1	-	-	-	1	-
Twenty-fifth	1	-	-	-	1	-
Not stated	818	385	383	-	433	-
IDAHO	11,658	11,557	11,298	252	3	98
First	4,176	4,148	4,062	84	1	27
Second	3,150	3,134	3,078	52	1	15
Third	1,806	1,791	1,747	43	1	14
Fourth	995	985	963	22	-	10
Fifth	558	547	529	18	-	11
Sixth	333	329	316	13	-	4
Seventh	215	213	206	7	-	2
Eighth	132	130	126	4	-	2
Ninth	109	105	104	1	-	4
Tenth	57	55	51	4	-	2
Eleventh	48	45	44	1	-	3
Twelfth	17	16	16	-	-	1
Thirteenth	11	10	9	1	-	1
Fourteenth	4	4	4	-	-	-
Fifteenth	1	1	1	-	-	-
Sixteenth	1	1	1	-	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	43	41	39	2	-	2
ILLINOIS	136,159	128,489	122,188	6,186	7,573	97
First	60,792	58,121	55,963	2,091	2,635	36
Second	36,586	34,766	33,011	1,736	1,791	29
ILLINOIS—Continued						
Third	17,116	16,123	15,213	902	976	17
Fourth	8,684	8,008	7,521	482	672	4
Fifth	4,666	4,250	3,958	290	411	5
Sixth	2,796	2,478	2,272	203	315	3
Seventh	1,834	1,606	1,474	130	227	1
Eighth	1,273	1,109	1,000	108	164	-
Ninth	803	691	604	86	112	-
Tenth	552	470	413	57	82	-
Eleventh	321	273	241	30	47	1
Twelfth	215	191	164	27	23	1
Thirteenth	116	103	90	13	13	-
Fourteenth	72	60	50	10	12	-
Fifteenth	30	26	22	4	4	-
Sixteenth	16	12	9	2	4	-
Seventeenth	2	2	1	1	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	-	-	-	1	-
Twenty-third	1	1	1	-	-	-
Not stated	281	198	180	14	83	-
INDIANA	65,594	63,247	62,406	789	2,341	6
First	24,994	24,268	24,043	209	724	2
Second	16,623	16,158	15,953	197	464	1
Third	8,892	8,570	8,453	108	321	1
Fourth	4,954	4,731	4,651	79	222	1
Fifth	3,097	2,938	2,884	50	159	-
Sixth	1,979	1,886	1,848	37	92	1
Seventh	1,318	1,232	1,206	24	86	-
Eighth	935	868	847	19	67	-
Ninth	644	591	573	16	53	-
Tenth	444	401	390	10	43	-
Eleventh	299	267	258	9	32	-
Twelfth	180	170	161	8	10	-
Thirteenth	94	88	84	4	6	-
Fourteenth	50	47	46	-	3	-
Fifteenth	23	23	23	-	-	-
Sixteenth	12	12	10	2	-	-
Seventeenth	8	8	8	-	-	-
Eighteenth	4	3	2	1	1	-
Nineteenth	3	3	3	-	-	-
Twentieth	1	1	1	-	-	-
Twenty-first	2	2	1	1	-	-
Twenty-second	1	1	1	-	-	-
Not stated	1,037	979	960	15	58	-
IOWA	46,115	45,830	45,234	580	256	29
First	17,725	17,638	17,488	139	77	10
Second	12,126	12,055	11,911	142	68	3
Third	6,640	6,607	6,525	81	30	3
Fourth	3,654	3,620	3,566	54	28	6
Fifth	2,107	2,094	2,041	51	12	1
Sixth	1,397	1,389	1,358	31	7	1
Seventh	850	833	815	18	14	3
Eighth	584	574	557	17	9	1
Ninth	400	397	382	15	3	-
Tenth	225	224	212	12	1	-
Eleventh	165	161	153	8	3	1
Twelfth	117	115	109	6	2	-
Thirteenth	48	47	44	3	1	-
Fourteenth	28	28	26	2	-	-
Fifteenth	16	16	15	1	-	-
Sixteenth	8	7	7	-	1	-
Seventeenth	2	2	2	-	-	-
Twenty-third	1	1	1	-	-	-
Not stated	22	22	22	-	-	-
KANSAS	30,417	29,261	28,866	382	1,090	66
First	11,706	11,314	11,236	74	378	14
Second	7,704	7,478	7,421	50	217	9
Third	4,329	4,168	4,129	38	154	7
Fourth	2,381	2,275	2,244	31	95	11
Fifth	1,462	1,379	1,347	31	72	11
Sixth	917	868	847	21	44	5
Seventh	559	511	488	23	45	3
Eighth	428	395	372	23	31	2
Ninth	282	264	249	15	17	1
Tenth	202	186	160	26	15	1
Eleventh	162	148	134	14	13	1
Twelfth	86	82	67	15	4	-
Thirteenth	50	50	41	9	-	-
Fourteenth	20	20	19	1	-	-
Fifteenth	17	16	13	3	1	-
Sixteenth	8	8	3	5	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	-	1	-	-
Twentieth	1	1	1	-	-	-
Not stated	101	98	94	2	4	1
KENTUCKY	63,502	60,120	60,001	96	3,376	6
First	23,136	21,896	21,851	37	1,237	3
Second	12,697	12,077	12,046	26	618	2
Third	8,213	7,798	7,785	10	414	1
Fourth	5,470	5,150	5,140	8	320	-
Fifth	3,939	3,726	3,715	9	213	-
Sixth	2,923	2,736	2,734	1	187	-

[1] Includes "Country not stated."

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
KENTUCKY—Continued						
Seventh	2,221	2,115	2,112	2	106	-
Eighth	1,712	1,618	1,618	-	94	-
Ninth	1,205	1,151	1,149	1	54	-
Tenth	830	777	776	1	53	-
Eleventh	479	447	446	1	32	-
Twelfth	315	294	294	-	21	-
Thirteenth	178	165	165	-	13	-
Fourteenth	69	67	67	-	2	-
Fifteenth	44	38	38	-	6	-
Sixteenth	16	14	14	-	2	-
Seventeenth	7	6	6	-	1	-
Eighteenth	4	3	3	-	1	-
Twenty-first	1	1	1	-	-	-
Not stated	43	41	41	-	2	-
LOUISIANA	54,618	32,207	32,045	154	22,330	81
First	18,115	12,218	12,157	57	5,882	15
Second	12,207	7,884	7,848	35	4,314	9
Third	7,748	4,568	4,541	24	3,164	16
Fourth	4,748	2,482	2,467	15	2,257	9
Fifth	3,396	1,606	1,597	9	1,780	10
Sixth	2,314	1,023	1,020	3	1,284	7
Seventh	1,754	775	772	3	977	2
Eighth	1,247	493	491	2	748	6
Ninth	894	347	344	3	545	2
Tenth	653	231	230	1	419	3
Eleventh	417	164	162	2	253	-
Twelfth	268	78	78	-	190	-
Thirteenth	175	62	62	-	113	-
Fourteenth	89	27	27	-	62	-
Fifteenth	41	5	5	-	35	1
Sixteenth	20	6	6	-	14	-
Seventeenth	15	3	3	-	12	-
Eighteenth	6	1	1	-	5	-
Nineteenth	4	-	-	-	4	-
Twentieth	3	-	-	-	3	-
Twenty-first	1	-	-	-	1	-
Not stated	503	234	234	-	268	1
MAINE	15,988	15,948	14,522	1,423	17	23
First	5,743	5,733	5,327	403	5	5
Second	3,810	3,803	3,517	286	3	4
Third	2,238	2,237	2,035	202	1	-
Fourth	1,283	1,278	1,158	120	2	3
Fifth	853	851	737	114	-	2
Sixth	569	566	483	83	2	1
Seventh	384	383	343	40	-	1
Eighth	313	312	269	43	-	1
Ninth	235	231	191	40	1	3
Tenth	164	162	140	22	1	1
Eleventh	102	101	81	20	1	-
Twelfth	81	81	64	17	-	-
Thirteenth	57	56	45	11	-	1
Fourteenth	35	35	28	7	-	-
Fifteenth	22	21	17	4	-	1
Sixteenth	13	13	11	2	-	-
Seventeenth	12	12	10	2	-	-
Eighteenth	3	3	2	1	-	-
Nineteenth	4	4	4	-	-	-
Not stated	67	66	60	6	1	-
MARYLAND	37,065	29,489	28,859	614	7,556	20
First	15,040	12,812	12,562	246	2,225	3
Second	9,006	7,498	7,338	156	1,503	5
Third	4,534	3,532	3,441	89	999	3
Fourth	2,622	1,913	1,871	41	705	4
Fifth	1,700	1,165	1,144	19	533	2
Sixth	1,041	660	643	17	380	1
Seventh	789	483	474	9	306	-
Eighth	563	358	348	9	205	-
Ninth	395	224	217	7	171	-
Tenth	283	158	153	5	125	-
Eleventh	183	94	91	3	87	2
Twelfth	104	65	60	5	39	-
Thirteenth	84	44	42	2	40	-
Fourteenth	44	19	19	-	25	-
Fifteenth	32	12	12	-	20	-
Sixteenth	14	7	7	-	7	-
Seventeenth	8	4	4	-	4	-
Eighteenth	3	1	1	-	2	-
Nineteenth	2	1	1	-	1	-
Twentieth	2	1	1	-	1	-
Twenty-first	1	-	-	-	1	-
Twenty-second	2	-	-	-	2	-
Twenty-third	1	1	1	-	-	-
Not stated	612	437	429	6	175	-
MASSACHUSETTS[2]	69,546	68,592	60,510	8,059	905	49
Not stated	69,546	68,592	60,510	8,059	905	49
MICHIGAN	107,458	102,938	95,632	7,240	4,339	181
First	41,032	39,583	37,330	2,226	1,403	46
Second	27,482	26,515	24,730	1,767	932	35
Third	14,985	14,370	13,249	1,114	592	23
Fourth	8,168	7,775	7,142	627	380	13
MICHIGAN—Continued,						
Fifth	4,620	4,345	3,929	414	263	12
Sixth	2,927	2,752	2,509	242	166	9
Seventh	1,927	1,777	1,617	160	139	11
Eighth	1,289	1,176	1,050	124	107	6
Ninth	900	821	737	84	72	7
Tenth	612	551	472	76	57	4
Eleventh	405	378	334	44	24	3
Twelfth	253	229	191	38	20	4
Thirteenth	144	124	106	18	15	5
Fourteenth	71	67	65	2	4	-
Fifteenth	52	44	35	9	8	-
Sixteenth	19	17	16	1	2	-
Seventeenth	16	15	12	3	1	-
Eighteenth	4	3	2	1	1	-
Nineteenth	3	3	3	-	-	-
Twentieth	3	3	1	2	-	-
Twenty-first	1	1	1	-	-	-
Twenty-second	1	1	1	-	-	-
Twenty-third	1	1	1	-	-	-
Not stated	2,543	2,387	2,099	288	153	3
MINNESOTA	54,359	53,680	52,312	1,360	123	556
First	20,779	20,610	20,281	326	43	126
Second	14,088	13,969	13,653	312	32	87
Third	7,839	7,746	7,542	204	19	74
Fourth	4,299	4,218	4,071	146	10	71
Fifth	2,546	2,488	2,394	94	7	51
Sixth	1,672	1,632	1,552	80	4	36
Seventh	1,095	1,063	1,005	58	3	29
Eighth	709	682	648	34	1	26
Ninth	445	433	402	31	2	10
Tenth	312	298	270	28	1	13
Eleventh	215	209	194	15	-	6
Twelfth	154	143	128	15	1	10
Thirteenth	62	59	53	6	-	3
Fourteenth	43	43	37	6	-	-
Fifteenth	27	27	25	2	-	-
Sixteenth	8	8	7	1	-	-
Seventeenth	4	4	3	1	-	-
Twenty-first	1	1	1	-	-	-
Not stated	81	47	46	1	-	14
MISSISSIPPI	54,713	24,397	24,316	53	30,233	83
First	14,659	8,430	8,402	16	6,215	14
Second	11,146	5,666	5,652	11	5,461	19
Third	7,702	3,374	3,362	7	4,318	10
Fourth	5,401	2,121	2,111	8	3,269	11
Fifth	4,063	1,431	1,430	-	2,622	10
Sixth	3,092	1,040	1,035	3	2,046	6
Seventh	2,354	699	698	1	1,650	5
Eighth	1,814	505	502	3	1,305	4
Ninth	1,392	398	394	3	993	1
Tenth	906	230	230	-	675	1
Eleventh	706	161	161	-	543	2
Twelfth	402	81	81	-	321	-
Thirteenth	269	39	39	-	230	-
Fourteenth	139	19	19	-	120	-
Fifteenth	84	10	10	-	74	-
Sixteenth	48	6	6	-	42	-
Seventeenth	18	1	1	-	17	-
Eighteenth	15	-	-	-	15	-
Nineteenth	6	-	-	-	6	-
Twentieth	5	-	-	-	5	-
Twenty-first	4	-	-	-	4	-
Twenty-second	1	-	-	-	1	-
Twenty-sixth	2	-	-	-	2	-
Not stated	485	186	183	1	299	-
MISSOURI	65,218	60,727	60,103	595	4,460	31
First	25,959	24,516	24,342	167	1,434	9
Second	15,913	15,000	14,826	169	907	6
Third	8,594	7,978	7,877	94	611	5
Fourth	4,958	4,516	4,465	51	440	2
Fifth	3,137	2,830	2,790	39	305	2
Sixth	2,120	1,900	1,882	16	219	1
Seventh	1,475	1,311	1,293	17	164	-
Eighth	997	893	879	12	104	-
Ninth	734	633	623	10	100	1
Tenth	520	452	446	6	65	3
Eleventh	307	255	250	5	52	-
Twelfth	181	162	160	2	19	-
Thirteenth	112	96	93	3	15	1
Fourteenth	56	51	49	2	4	1
Fifteenth	31	25	25	-	6	-
Sixteenth	10	8	7	1	2	-
Seventeenth	3	2	2	-	1	-
Eighteenth	2	2	2	-	-	-
Nineteenth	3	3	3	-	-	-
Twentieth	3	3	3	-	-	-
Twenty-sixth	1	1	1	-	-	-
Not stated	102	90	85	1	12	-
MONTANA	11,545	10,855	10,351	504	12	678
First	4,333	4,186	4,065	121	2	145
Second	3,109	2,975	2,879	96	2	132
Third	1,604	1,511	1,436	75	2	91

[1] Includes "Country not stated."
[2] The birth certificate of this State does not require the number of child in order of birth.

536909 O - 43 - 8

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
MONTANA—Continued						
Fourth	931	853	812	41	2	76
Fifth	574	514	479	35	1	59
Sixth	323	263	225	38	-	60
Seventh	208	175	152	23	-	33
Eighth	132	104	87	17	1	27
Ninth	128	109	91	18	2	17
Tenth	66	58	48	10	-	8
Eleventh	62	47	35	12	-	15
Twelfth	33	24	16	8	-	9
Thirteenth	10	9	8	1	-	1
Fourteenth	15	10	7	3	-	5
Fifteenth	4	4	3	1	-	-
Sixteenth	2	2	-	2	-	-
Eighteenth	1	1	-	1	-	-
Not stated	10	10	8	2	-	-
NEBRASKA	21,963	21,639	21,249	380	191	133
First	7,936	7,845	7,770	74	68	23
Second	5,842	5,768	5,703	62	49	25
Third	3,197	3,152	3,100	50	28	17
Fourth	1,885	1,846	1,799	47	15	24
Fifth	1,099	1,086	1,057	28	3	10
Sixth	677	659	625	33	9	9
Seventh	422	412	388	24	5	5
Eighth	321	303	288	14	9	9
Ninth	189	185	170	14	3	1
Tenth	143	140	131	9	-	3
Eleventh	87	85	75	10	1	1
Twelfth	44	42	39	3	-	2
Thirteenth	28	28	25	3	-	-
Fourteenth	16	15	13	2	-	1
Fifteenth	8	8	6	2	-	-
Sixteenth	8	7	5	2	-	1
Seventeenth	3	3	2	1	-	-
Eighteenth	2	2	1	1	-	-
Nineteenth	1	1	-	1	-	-
Not stated	55	52	52	-	1	2
NEVADA	2,200	2,058	1,970	86	6	136
First	858	839	822	17	-	19
Second	625	591	575	16	1	33
Third	306	281	260	21	4	21
Fourth	165	148	141	6	1	16
Fifth	69	59	54	4	-	10
Sixth	62	47	44	3	-	15
Seventh	34	29	24	5	-	5
Eighth	15	12	8	4	-	3
Ninth	17	14	12	2	-	3
Tenth	9	7	5	2	-	2
Eleventh	4	4	2	2	-	-
Twelfth	7	5	4	1	-	2
Thirteenth	1	1	1	-	-	-
Fourteenth	2	2	-	2	-	-
Sixteenth	1	1	1	-	-	-
Not stated	25	18	17	1	-	7
NEW HAMPSHIRE	8,582	8,565	7,837	719	13	4
First	2,611	2,609	2,444	162	1	1
Second	2,340	2,332	2,142	188	6	2
Third	1,289	1,287	1,158	128	1	1
Fourth	731	728	662	65	3	-
Fifth	419	418	384	33	1	-
Sixth	297	297	266	31	-	-
Seventh	133	133	119	13	-	-
Eighth	115	115	101	14	-	-
Ninth	83	83	66	17	-	-
Tenth	56	56	41	15	-	-
Eleventh	44	44	38	6	-	-
Twelfth	24	24	18	6	-	-
Thirteenth	17	16	8	8	1	-
Fourteenth	7	7	4	3	-	-
Fifteenth	4	4	2	2	-	-
Sixteenth	3	3	3	-	-	-
Seventeenth	2	2	2	-	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	2	2	-	2	-	-
Not stated	404	404	378	26	-	-
NEW JERSEY	67,197	62,219	57,144	5,038	4,955	23
First	31,164	29,519	27,826	1,678	1,641	4
Second	18,495	17,446	16,028	1,410	1,043	6
Third	7,977	7,274	6,527	747	699	4
Fourth	3,868	3,390	2,962	423	474	4
Fifth	2,006	1,678	1,430	245	325	3
Sixth	1,136	917	749	163	218	1
Seventh	784	611	499	112	172	1
Eighth	519	394	313	81	125	-
Ninth	352	266	211	55	86	-
Tenth	241	178	133	45	63	-
Eleventh	159	104	80	24	55	-
Twelfth	93	71	57	14	22	-
Thirteenth	48	31	20	11	17	-
Fourteenth	23	16	10	6	7	-
Fifteenth	12	9	7	2	3	-
Sixteenth	7	6	6	-	1	-
Seventeenth	6	3	3	-	3	-
NEW JERSEY—Continued						
Eighteenth	4	4	4	-	-	-
Nineteenth	1	-	-	-	1	-
Twenty-first	1	1	1	-	-	-
Not stated	321	301	278	22	20	-
NEW MEXICO	14,738	14,186	13,735	448	85	467
First	3,897	3,819	3,771	47	26	52
Second	2,954	2,903	2,855	47	15	36
Third	2,009	1,945	1,892	53	13	51
Fourth	1,514	1,469	1,421	48	9	36
Fifth	1,053	1,022	989	33	4	27
Sixth	826	786	752	33	4	36
Seventh	610	586	543	43	4	20
Eighth	463	442	417	25	2	19
Ninth	386	377	338	39	3	6
Tenth	277	268	238	30	3	8
Eleventh	184	178	160	18	-	6
Twelfth	118	116	106	10	-	2
Thirteenth	88	88	80	8	-	-
Fourteenth	36	34	34	-	1	1
Fifteenth	27	27	24	3	-	-
Sixteenth	17	17	15	2	-	-
Seventeenth	8	8	7	1	-	-
Nineteenth	4	4	4	-	-	-
Twenty-second	1	1	1	-	-	-
Not stated	268	96	88	8	1	169
NEW YORK	210,303	199,428	173,840	25,566	10,328	547
First	96,954	92,863	83,705	9,147	3,927	164
Second	58,130	55,560	47,997	7,559	2,438	132
Third	25,602	24,090	20,219	3,868	1,432	80
Fourth	12,332	11,432	9,432	1,997	861	39
Fifth	6,484	5,889	4,831	1,057	557	38
Sixth	3,946	3,505	2,788	717	410	31
Seventh	2,349	2,095	1,684	411	233	21
Eighth	1,625	1,423	1,141	282	187	15
Ninth	1,007	894	698	196	101	12
Tenth	701	616	476	140	78	7
Eleventh	410	352	285	67	54	4
Twelfth	256	239	186	53	15	2
Thirteenth	157	143	120	23	13	1
Fourteenth	79	72	56	16	7	-
Fifteenth	34	32	26	6	2	-
Sixteenth	21	19	16	3	2	-
Seventeenth	13	12	7	5	1	-
Eighteenth	9	9	8	1	-	-
Nineteenth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Not stated	192	181	163	18	10	1
NORTH CAROLINA	84,595	57,384	55,917	92	26,280	931
First	26,940	19,996	19,034	44	6,755	189
Second	18,267	13,289	13,032	21	4,816	162
Third	11,617	7,848	7,765	8	3,617	152
Fourth	8,054	5,130	5,088	5	2,802	122
Fifth	5,577	3,378	3,346	4	2,126	73
Sixth	4,077	2,354	2,340	5	1,675	48
Seventh	2,939	1,677	1,662	2	1,203	59
Eighth	2,184	1,218	1,214	1	932	34
Ninth	1,681	935	927	1	718	28
Tenth	1,169	615	613	1	539	15
Eleventh	810	369	367	-	419	22
Twelfth	494	242	239	-	240	12
Thirteenth	262	118	116	-	138	6
Fourteenth	158	64	64	-	90	4
Fifteenth	78	27	27	-	49	2
Sixteenth	35	11	11	-	24	-
Seventeenth	22	6	6	-	16	-
Eighteenth	5	-	-	-	5	-
Nineteenth	3	-	-	-	3	-
Twentieth	1	1	1	-	-	-
Twenty-first	1	-	-	-	1	-
Twenty-second	1	-	-	-	1	-
Not stated	220	106	65	-	111	5
NORTH DAKOTA	13,259	12,825	12,393	430	2	432
First	3,827	3,742	3,687	55	-	85
Second	2,814	2,748	2,699	49	2	64
Third	1,941	1,889	1,832	56	-	52
Fourth	1,167	1,112	1,078	34	-	55
Fifth	834	789	746	43	-	45
Sixth	552	519	488	31	-	33
Seventh	402	376	356	20	-	26
Eighth	266	249	225	24	-	17
Ninth	197	190	173	17	-	7
Tenth	158	148	129	19	-	10
Eleventh	108	102	82	20	-	6
Twelfth	81	77	58	19	-	4
Thirteenth	41	38	29	9	-	3
Fourteenth	27	26	20	6	-	1
Fifteenth	14	13	11	2	-	1
Sixteenth	8	7	4	3	-	1
Seventeenth	3	3	2	1	-	-
Eighteenth	2	2	-	2	-	-
Not stated	817	795	774	20	-	22

[1] Includes "Country not stated."

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
OHIO	125,950	119,296	115,907	3,357	6,626	28
First	52,690	50,374	49,329	1,034	2,305	11
Second	33,419	32,031	31,110	915	1,384	4
Third	16,515	15,590	15,056	531	924	1
Fourth	8,569	7,999	7,697	299	566	4
Fifth	4,957	4,532	4,353	178	424	1
Sixth	3,127	2,845	2,711	134	280	2
Seventh	1,992	1,786	1,712	73	205	1
Eighth	1,418	1,259	1,200	59	158	1
Ninth	1,046	923	880	40	122	1
Tenth	671	586	548	37	84	1
Eleventh	375	330	317	13	45	-
Twelfth	282	251	235	16	30	1
Thirteenth	146	136	130	6	10	-
Fourteenth	78	71	65	6	7	-
Fifteenth	46	36	33	3	10	-
Sixteenth	21	15	13	2	6	-
Seventeenth	9	9	8	1	-	-
Eighteenth	2	2	-	2	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	1	-	-	-
Twenty-second	1	1	-	1	-	-
Not stated	584	518	508	7	66	-
OKLAHOMA	45,818	40,899	40,669	141	2,848	2,071
First	15,957	14,434	14,375	30	883	640
Second	10,756	9,826	9,785	22	495	435
Third	6,532	5,867	5,830	25	377	288
Fourth	4,005	3,567	3,541	19	248	190
Fifth	2,718	2,342	2,320	15	220	156
Sixth	1,860	1,593	1,582	5	163	104
Seventh	1,332	1,107	1,101	5	144	81
Eighth	934	786	778	4	91	57
Ninth	644	523	518	3	76	45
Tenth	402	326	319	5	48	28
Eleventh	272	218	216	2	37	17
Twelfth	168	130	127	3	23	15
Thirteenth	86	61	61	-	20	5
Fourteenth	51	34	32	2	13	4
Fifteenth	23	16	15	1	6	1
Sixteenth	14	11	11	-	3	-
Seventeenth	4	2	2	-	1	1
Eighteenth	4	4	4	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	55	51	51	-	-	4
OREGON	18,868	18,605	17,889	709	31	232
First	7,788	7,702	7,431	267	12	74
Second	5,383	5,327	5,114	211	7	49
Third	2,554	2,518	2,414	104	7	29
Fourth	1,275	1,252	1,217	35	3	20
Fifth	600	583	556	26	-	17
Sixth	328	319	307	12	1	8
Seventh	209	199	186	13	-	10
Eighth	136	132	127	5	-	4
Ninth	82	79	72	7	-	3
Tenth	49	46	39	7	1	2
Eleventh	33	31	31	-	-	2
Twelfth	23	22	21	1	-	1
Thirteenth	11	9	8	1	-	2
Fourteenth	10	9	9	-	-	1
Fifteenth	1	1	1	-	-	-
Sixteenth	1	1	1	-	-	-
Not stated	385	375	355	20	-	10
PENNSYLVANIA	174,193	164,108	157,700	6,386	10,063	22
First	68,260	64,915	63,308	1,597	3,340	5
Second	44,766	42,596	41,115	1,480	2,166	4
Third	24,036	22,662	21,717	942	1,370	4
Fourth	13,129	12,223	11,576	644	902	4
Fifth	7,797	7,150	6,709	440	646	1
Sixth	5,169	4,713	4,365	347	455	1
Seventh	3,507	3,167	2,920	247	338	2
Eighth	2,423	2,152	1,979	171	270	1
Ninth	1,776	1,570	1,421	149	206	-
Tenth	1,243	1,107	979	128	136	-
Eleventh	781	688	607	81	93	-
Twelfth	530	474	409	65	56	-
Thirteenth	343	308	266	42	35	-
Fourteenth	160	146	124	22	14	-
Fifteenth	100	80	65	15	20	-
Sixteenth	61	56	47	9	5	-
Seventeenth	26	21	16	5	5	-
Eighteenth	10	10	10	-	-	-
Nineteenth	11	10	9	1	1	-
Twentieth	3	2	2	-	1	-
Twenty-first	4	3	3	-	1	-
Not stated	58	55	53	1	3	-
RHODE ISLAND	11,611	11,356	10,205	1,151	245	10
First	4,971	4,897	4,569	328	72	2
Second	2,999	2,952	2,666	286	45	2
Third	1,400	1,353	1,185	168	45	2
Fourth	736	710	597	113	25	1
Fifth	404	388	333	53	17	1
Sixth	233	222	174	48	11	-
RHODE ISLAND—Continued						
Seventh	156	144	101	43	11	1
Eighth	114	108	88	20	5	1
Ninth	68	64	39	25	4	-
Tenth	54	51	39	12	3	-
Eleventh	34	30	19	11	4	-
Twelfth	19	18	9	9	1	-
Thirteenth	13	12	9	3	1	-
Fourteenth	10	9	6	3	1	-
Fifteenth	6	6	6	-	-	-
Sixteenth	3	3	3	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	390	390	361	29	-	-
SOUTH CAROLINA	47,383	24,256	24,203	47	23,101	26
First	15,857	9,146	9,127	16	6,708	3
Second	10,052	5,730	5,710	19	4,319	3
Third	6,367	3,194	3,189	5	3,169	4
Fourth	4,500	2,044	2,041	2	2,453	3
Fifth	3,049	1,259	1,257	1	1,788	2
Sixth	2,333	946	945	1	1,383	4
Seventh	1,645	653	652	1	990	2
Eighth	1,188	437	436	1	750	1
Ninth	777	326	325	1	448	3
Tenth	562	196	196	-	366	-
Eleventh	382	136	136	-	246	-
Twelfth	257	75	75	-	182	-
Thirteenth	149	44	44	-	105	-
Fourteenth	92	23	23	-	69	-
Fifteenth	58	7	7	-	51	-
Sixteenth	24	7	7	-	17	-
Seventeenth	13	3	3	-	10	-
Eighteenth	6	-	-	-	6	-
Nineteenth	2	-	-	-	2	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	-	-	-	1	-
Not stated	68	30	30	-	37	1
SOUTH DAKOTA	12,159	11,413	11,205	192	11	735
First	4,118	3,949	3,918	25	4	165
Second	2,983	2,860	2,830	25	2	121
Third	1,832	1,710	1,677	32	2	120
Fourth	1,071	978	959	16	3	90
Fifth	708	648	624	23	-	60
Sixth	519	457	433	24	-	62
Seventh	312	276	265	10	-	36
Eighth	230	195	187	7	-	35
Ninth	137	123	113	10	-	14
Tenth	80	72	67	5	-	8
Eleventh	61	53	49	4	-	8
Twelfth	42	34	29	5	-	8
Thirteenth	17	15	14	1	-	2
Fourteenth	10	10	6	4	-	-
Fifteenth	7	7	6	1	-	-
Sixteenth	3	3	3	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	28	22	22	-	-	6
TENNESSEE	59,855	50,534	50,429	77	9,319	2
First	20,620	17,719	17,683	23	2,899	2
Second	13,232	11,431	11,392	33	1,801	-
Third	8,275	7,016	7,002	12	1,259	-
Fourth	5,277	4,395	4,388	5	882	-
Fifth	3,721	3,021	3,018	2	700	-
Sixth	2,646	2,175	2,174	1	471	-
Seventh	1,865	1,484	1,484	-	381	-
Eighth	1,361	1,073	1,073	-	288	-
Ninth	988	796	795	-	192	-
Tenth	659	512	511	1	147	-
Eleventh	392	304	303	-	88	-
Twelfth	238	171	170	-	67	-
Thirteenth	121	80	80	-	41	-
Fourteenth	63	48	48	-	15	-
Fifteenth	29	18	18	-	11	-
Sixteenth	13	12	12	-	1	-
Seventeenth	7	4	4	-	3	-
Eighteenth	2	1	1	-	1	-
Nineteenth	2	-	-	-	2	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	1	1	-	-	-
Twenty-second	1	-	-	-	1	-
Not stated	341	273	272	-	68	-
TEXAS	136,782	119,095	112,076	6,947	17,631	56
First	50,455	44,936	43,977	928	5,505	14
Second	29,880	26,741	25,928	801	3,128	11
Third	15,190	13,333	12,670	655	1,850	7
Fourth	8,421	7,188	6,649	533	1,228	5
Fifth	4,873	4,022	3,586	436	849	2
Sixth	3,068	2,449	2,086	360	616	3
Seventh	2,013	1,587	1,319	265	423	3
Eighth	1,232	952	750	202	278	2
Ninth	747	581	440	141	164	2
Tenth	418	301	229	72	117	-
Eleventh	204	145	105	40	59	-
Twelfth	122	82	57	25	40	-
Thirteenth	53	35	26	9	18	-

[1] Includes "Country not stated."

TABLE 4.—LIVE BIRTHS BY NUMBER OF CHILD AND BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES AND EACH STATE, 1941—*Continued*

AREA AND NUMBER OF CHILD	Total births	WHITE			Negro	Other races
		Total [1]	Mother native	Mother foreign		
TEXAS—Continued						
Fourteenth	27	22	18	4	5	-
Fifteenth	11	5	4	1	6	-
Sixteenth	7	4	2	2	3	-
Seventeenth	2	2	1	1	-	-
Not stated	20,059	16,710	14,229	2,472	3,342	7
UTAH	13,538	13,422	13,057	364	16	100
First	4,600	4,568	4,491	77	7	25
Second	3,563	3,542	3,466	75	4	17
Third	2,201	2,180	2,112	68	2	19
Fourth	1,273	1,262	1,218	44	2	9
Fifth	747	735	700	35	1	11
Sixth	436	434	415	19	-	2
Seventh	269	263	248	15	-	6
Eighth	164	163	156	7	-	1
Ninth	115	111	100	11	-	4
Tenth	70	65	64	1	-	5
Eleventh	37	37	32	5	-	-
Twelfth	33	33	29	4	-	-
Thirteenth	9	9	8	1	-	-
Fourteenth	9	9	8	1	-	-
Fifteenth	4	4	3	1	-	-
Sixteenth	2	2	2	-	-	-
Seventeenth	1	1	1	-	-	-
Not stated	5	4	4	-	-	1
VERMONT	6,965	6,959	6,320	634	3	3
First	2,421	2,419	2,263	153	1	1
Second	1,711	1,711	1,586	125	-	-
Third	1,022	1,020	910	109	2	-
Fourth	580	579	519	60	-	1
Fifth	365	365	319	46	-	-
Sixth	262	262	230	32	-	-
Seventh	173	173	138	34	-	-
Eighth	110	110	98	12	-	-
Ninth	87	86	70	16	-	1
Tenth	51	51	39	12	-	-
Eleventh	42	42	37	5	-	-
Twelfth	38	38	23	15	-	-
Thirteenth	17	17	15	2	-	-
Fourteenth	16	16	12	4	-	-
Fifteenth	7	7	4	3	-	-
Seventeenth	1	1	-	1	-	-
Not stated	62	62	57	5	-	-
VIRGINIA	61,079	44,942	44,656	278	16,111	26
First	19,470	15,632	15,519	110	3,828	10
Second	13,198	10,220	10,148	71	2,976	2
Third	7,904	5,844	5,802	42	2,057	3
Fourth	5,064	3,485	3,467	17	1,579	-
Fifth	3,479	2,354	2,345	9	1,121	4
Sixth	2,561	1,661	1,651	9	898	2
Seventh	1,969	1,264	1,261	3	702	3
Eighth	1,466	956	952	4	509	1
Ninth	1,070	684	682	2	386	-
Tenth	797	511	511	-	285	1
Eleventh	572	341	341	-	231	-
Twelfth	363	192	192	-	171	-
Thirteenth	239	124	124	-	115	-
Fourteenth	146	81	80	1	65	-
Fifteenth	82	37	37	-	45	-
Sixteenth	39	22	22	-	17	-
Seventeenth	20	8	8	-	12	-
Eighteenth	6	3	3	-	3	-
Nineteenth	8	3	3	-	5	-
Twentieth	3	1	1	-	2	-
Twenty-first	1	1	1	-	-	-
Twenty-fourth	1	-	-	-	1	-
Twenty-fifth	1	-	-	-	1	-
Not stated	2,620	1,518	1,506	10	1,102	-
WASHINGTON	30,580	29,875	28,067	1,797	58	647
First	13,224	13,031	12,311	715	24	169
Second	8,876	8,715	8,166	547	15	146
Third	4,054	3,964	3,729	234	7	83
Fourth	1,975	1,908	1,775	131	2	65
Fifth	949	887	829	57	4	58
Sixth	537	502	457	45	1	34
Seventh	287	259	243	16	3	25
Eighth	199	182	171	11	1	16
WASHINGTON—Continued						
Ninth	144	123	111	12	1	20
Tenth	83	71	66	5	-	12
Eleventh	64	57	47	10	-	7
Twelfth	27	23	19	4	-	4
Thirteenth	21	19	18	1	-	2
Fourteenth	12	11	10	1	-	1
Fifteenth	3	2	2	-	-	1
Sixteenth	3	3	2	1	-	-
Seventeenth	2	2	2	-	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	1	1	-	1	-	-
Not stated	117	113	107	6	-	4
WEST VIRGINIA	43,983	42,199	41,895	301	1,783	1
First	13,721	13,189	13,129	60	531	1
Second	9,622	9,267	9,201	64	355	-
Third	6,197	5,974	5,922	52	223	-
Fourth	4,107	3,935	3,907	28	172	-
Fifth	2,987	2,865	2,844	21	122	-
Sixth	2,141	2,039	2,026	13	102	-
Seventh	1,557	1,476	1,456	19	81	-
Eighth	1,169	1,104	1,096	8	65	-
Ninth	824	777	766	11	47	-
Tenth	621	591	585	6	30	-
Eleventh	437	417	413	4	20	-
Twelfth	221	210	203	7	11	-
Thirteenth	153	145	142	3	8	-
Fourteenth	69	63	62	1	6	-
Fifteenth	40	39	36	3	1	-
Sixteenth	24	21	21	-	3	-
Seventeenth	8	8	8	-	-	-
Eighteenth	3	3	3	-	-	-
Nineteenth	4	3	3	-	1	-
Twentieth	1	1	1	-	-	-
Twenty-second	2	2	1	1	-	-
Twenty-third	1	1	1	-	-	-
Not stated	74	69	69	-	5	-
WISCONSIN	57,186	56,504	55,158	1,334	232	450
First	21,422	21,248	20,913	329	72	102
Second	15,016	14,903	14,554	348	52	61
Third	8,189	8,087	7,871	213	38	64
Fourth	4,675	4,605	4,466	139	23	47
Fifth	2,747	2,683	2,595	88	18	46
Sixth	1,697	1,656	1,588	68	8	33
Seventh	1,107	1,074	1,037	37	10	23
Eighth	783	753	722	31	8	22
Ninth	544	526	506	20	1	17
Tenth	391	372	342	28	1	18
Eleventh	222	216	204	12	-	6
Twelfth	145	141	135	6	1	3
Thirteenth	77	73	70	3	-	4
Fourteenth	47	45	41	4	-	2
Fifteenth	32	31	28	3	-	1
Sixteenth	13	12	11	1	-	1
Seventeenth	3	3	3	-	-	-
Eighteenth	3	3	3	-	-	-
Nineteenth	2	2	2	-	-	-
Twenty-first	1	1	1	-	-	-
Not stated	70	70	66	4	-	-
WYOMING	5,322	5,183	5,015	159	13	126
First	1,945	1,920	1,888	27	2	23
Second	1,396	1,371	1,342	26	3	22
Third	751	723	694	28	3	25
Fourth	424	409	393	16	3	12
Fifth	238	231	221	10	1	6
Sixth	155	143	132	11	1	11
Seventh	94	86	77	9	-	8
Eighth	54	49	46	3	-	5
Ninth	59	54	46	8	-	5
Tenth	32	28	20	8	-	4
Eleventh	14	12	12	-	-	2
Twelfth	13	11	9	2	-	2
Thirteenth	7	6	5	1	-	1
Fourteenth	6	6	3	3	-	-
Fifteenth	3	3	3	-	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Not stated	128	128	121	7	-	-

[1] Includes "Country not stated."

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,513,427	20	40,784	493,589	734,690	553,525	334,395	165,464	73,023	26,746	16,022	75,169
10 to 14 years	3,433	13	719	664	179	62	33	19	12	5	4	1,723
15 to 19 years	316,685	7	33,655	175,813	57,822	12,188	4,022	1,306	553	243	243	32,833
20 to 24 years	804,601	-	5,960	285,251	349,219	100,567	27,569	8,274	3,095	1,245	960	22,461
25 to 29 years	692,382	-	315	30,213	290,011	247,812	80,048	22,231	8,081	2,942	2,034	8,695
30 to 34 years	420,014	-	44	2,628	33,126	172,093	137,140	46,689	14,813	5,478	3,393	4,612
35 to 39 years	206,837	-	18	382	3,244	19,101	79,370	63,293	25,458	8,357	4,928	2,686
40 to 44 years	60,324	-	3	87	307	1,090	5,851	22,915	18,655	7,064	3,669	883
45 to 49 years	5,142	-	3	10	25	55	149	515	2,254	1,342	715	74
50 to 54 years	136	-	-	4	2	15	14	16	3	32	45	5
Not stated	3,873	-	67	539	755	542	399	206	99	38	31	1,197
ALABAMA	64,379	-	1,425	13,785	16,241	11,376	7,902	4,112	1,978	799	732	6,029
10 to 14 years	220	-	24	47	10	2	2	-	-	1	-	134
15 to 19 years	12,136	-	1,153	5,776	1,870	358	154	48	22	9	7	2,739
20 to 24 years	20,221	-	226	7,056	7,817	2,338	799	228	109	47	39	1,582
25 to 29 years	15,120	-	17	766	5,757	4,961	1,920	555	243	99	74	728
30 to 34 years	9,285	-	2	81	643	3,304	3,098	1,072	354	173	172	386
35 to 39 years	5,302	-	-	16	85	368	1,807	1,593	668	268	240	257
40 to 44 years	1,651	-	-	5	6	14	101	590	521	163	162	89
45 to 49 years	147	-	-	1	-	1	3	16	54	37	29	6
50 to 54 years	9	-	-	-	-	2	-	-	-	-	4	3
Not stated	288	-	3	37	53	28	18	10	7	2	5	125
ARIZONA	11,425	-	203	2,541	3,285	2,280	1,434	835	405	163	115	164
10 to 14 years	15	-	5	7	1	-	-	-	-	-	-	2
15 to 19 years	1,768	-	163	999	401	103	37	10	5	2	1	47
20 to 24 years	3,905	-	32	1,369	1,675	501	175	55	26	14	7	51
25 to 29 years	2,745	-	3	144	1,037	949	371	134	53	21	12	21
30 to 34 years	1,774	-	-	16	150	649	550	242	92	29	28	18
35 to 39 years	880	-	-	4	19	66	270	296	123	50	36	16
40 to 44 years	293	-	-	-	1	11	24	97	90	38	29	3
45 to 49 years	29	-	-	-	-	-	3	1	15	8	2	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	15	-	-	2	1	1	4	-	1	-	-	6
ARKANSAS	40,549	3	1,306	9,489	10,636	7,580	5,081	2,709	1,574	696	500	975
10 to 14 years	132	3	40	43	14	2	2	1	1	1	-	25
15 to 19 years	8,056	-	1,076	4,466	1,534	363	140	42	22	16	12	385
20 to 24 years	12,322	-	159	4,391	5,048	1,628	520	189	89	34	27	237
25 to 29 years	9,193	-	13	442	3,487	3,281	1,210	333	201	79	58	109
30 to 34 years	5,788	-	2	55	423	2,013	1,968	693	313	151	101	69
35 to 39 years	3,493	-	-	9	65	213	1,145	1,082	561	220	158	40
40 to 44 years	1,040	-	-	3	1	19	58	333	338	157	118	13
45 to 49 years	97	-	-	1	-	1	1	8	36	29	19	2
50 to 54 years	5	-	-	1	-	1	1	1	-	1	-	-
Not stated	423	-	16	78	84	59	36	27	13	8	7	95
CALIFORNIA	125,190	2	1,639	26,112	40,502	28,645	15,933	7,452	2,867	1,066	510	462
10 to 14 years	45	2	14	12	5	4	1	1	-	1	-	5
15 to 19 years	14,982	-	1,398	9,193	3,292	674	206	65	25	6	3	122
20 to 24 years	43,481	-	216	15,274	19,876	5,833	1,668	477	128	43	20	146
25 to 29 years	36,212	-	9	1,478	15,555	12,820	4,432	1,286	374	112	58	88
30 to 34 years	19,848	-	1	105	1,748	8,302	6,235	2,337	714	242	121	43
35 to 39 years	8,213	-	-	15	172	926	3,106	2,470	988	355	158	23
40 to 44 years	2,089	-	-	7	18	57	257	775	568	265	123	19
45 to 49 years	167	-	-	2	2	2	7	22	68	39	24	1
50 to 54 years	4	-	-	-	-	-	1	-	-	1	2	-
Not stated	149	-	3	26	34	27	20	19	2	2	1	15
COLORADO	21,395	-	341	4,622	6,367	4,548	2,720	1,455	683	274	154	231
10 to 14 years	18	-	7	2	3	1	-	-	-	-	-	5
15 to 19 years	2,670	-	291	1,575	554	131	45	11	2	1	2	58
20 to 24 years	7,338	-	40	2,700	3,167	919	284	108	29	10	10	71
25 to 29 years	5,734	-	3	298	2,342	1,991	706	201	87	36	24	46
30 to 34 years	3,378	-	-	36	257	1,328	1,050	455	149	57	25	21
35 to 39 years	1,624	-	-	4	28	159	573	496	233	79	40	12
40 to 44 years	535	-	-	-	2	11	58	176	172	73	40	5
45 to 49 years	46	-	-	-	-	-	1	5	10	17	13	-
Not stated	50	-	-	7	14	6	5	3	1	1	-	13
CONNECTICUT	29,036	-	152	4,389	9,616	7,592	4,197	1,751	723	182	57	377
10 to 14 years	4	-	1	1	-	-	-	-	-	-	-	2
15 to 19 years	1,502	-	123	891	310	56	11	2	1	1	-	107
20 to 24 years	8,850	-	26	3,055	4,245	1,068	222	54	18	3	3	158
25 to 29 years	9,665	-	2	419	4,437	3,497	928	217	85	15	4	61
30 to 34 years	5,879	-	-	18	575	2,651	1,856	553	152	38	11	25
35 to 39 years	2,473	-	-	1	44	301	1,098	682	253	61	17	16
40 to 44 years	600	-	-	-	-	15	76	233	194	57	19	6
45 to 49 years	43	-	-	1	-	1	2	8	22	7	2	-
50 to 54 years	3	-	-	-	-	1	1	-	-	-	1	-
Not stated	17	-	-	3	5	2	3	2	-	-	-	2
DELAWARE	5,087	-	71	969	1,450	1,122	620	302	132	42	23	356
10 to 14 years	10	-	1	-	-	-	-	-	-	-	-	9
15 to 19 years	672	-	53	333	76	18	1	-	-	-	-	193
20 to 24 years	1,648	-	17	584	694	187	53	15	7	2	-	89
25 to 29 years	1,364	-	-	49	605	499	128	36	13	5	1	28
30 to 34 years	860	-	-	3	67	383	257	99	23	8	3	17
35 to 39 years	397	-	-	-	5	33	170	110	44	15	6	14
40 to 44 years	114	-	-	-	1	4	10	41	38	9	8	3
45 to 49 years	17	-	-	-	1	-	1	1	7	2	5	-
50 to 54 years	2	-	-	-	-	-	-	-	-	1	-	1
Not stated	3	-	-	-	1	-	-	-	-	-	-	2

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	12,892	-	240	2,650	3,576	2,505	1,529	711	262	82	27	1,510
10 to 14 years	60	-	-	1	-	-	-	-	-	-	-	59
15 to 19 years	2,021	-	215	894	210	52	19	4	-	-	-	627
20 to 24 years	4,231	-	23	1,596	1,672	415	151	41	10	4	1	340
25 to 29 years	3,393	-	1	140	1,488	1,094	358	122	46	6	4	134
30 to 34 years	2,095	-	1	14	184	845	660	218	65	27	12	71
35 to 39 years	852	-	-	1	19	91	337	250	83	25	3	43
40 to 44 years	193	-	-	-	-	7	22	77	52	18	7	10
45 to 49 years	8	-	-	-	-	-	-	1	5	2	-	-
Not stated	39	-	-	4	3	3	2	-	1	-	-	26
FLORIDA	37,542	-	774	7,927	10,012	7,146	4,633	2,391	1,191	503	406	2,559
10 to 14 years	156	-	20	31	9	3	1	1	1	-	-	90
15 to 19 years	7,164	-	654	3,357	1,297	352	165	50	17	6	13	1,253
20 to 24 years	12,205	-	89	4,026	4,836	1,669	610	210	80	41	42	602
25 to 29 years	9,091	-	6	427	3,363	3,093	1,220	391	217	63	63	248
30 to 34 years	5,297	-	2	56	418	1,774	1,680	751	263	120	78	175
35 to 39 years	2,704	-	1	8	55	225	888	759	403	153	119	93
40 to 44 years	705	-	-	2	5	10	61	237	179	101	78	32
45 to 49 years	75	-	-	-	1	3	-	6	29	19	11	6
50 to 54 years	4	-	-	-	1	-	-	-	1	-	2	-
Not stated	141	-	2	20	27	17	8	6	1	-	-	60
GEORGIA	67,870	-	1,700	15,618	17,529	12,281	7,965	4,075	1,968	808	673	5,253
10 to 14 years	256	-	30	39	15	1	2	1	-	-	-	168
15 to 19 years	13,309	-	1,406	6,600	1,963	411	150	47	14	14	11	2,693
20 to 24 years	22,073	-	251	8,103	8,618	2,494	809	232	112	59	40	1,355
25 to 29 years	15,774	-	11	743	6,104	5,434	1,971	548	222	110	112	519
30 to 34 years	9,550	-	1	106	704	3,471	3,162	1,076	421	189	152	268
35 to 39 years	5,260	-	-	16	109	434	1,758	1,645	682	232	217	187
40 to 44 years	1,433	-	-	4	4	24	104	514	461	158	112	52
45 to 49 years	145	-	1	-	2	1	-	12	54	43	27	5
50 to 54 years	4	-	-	-	-	-	1	-	-	1	2	-
Not stated	66	-	-	7	10	11	8	-	2	2	-	26
IDAHO	11,658	-	153	2,608	3,627	2,529	1,395	726	352	128	71	69
10 to 14 years	12	-	2	5	-	-	1	-	-	-	1	3
15 to 19 years	1,589	-	125	958	387	75	8	7	2	-	-	27
20 to 24 years	4,209	-	26	1,499	1,876	577	133	48	10	6	4	30
25 to 29 years	2,971	-	-	152	1,223	1,072	371	107	44	11	9	2
30 to 34 years	1,712	-	-	12	125	726	545	202	57	29	15	1
35 to 39 years	847	-	-	-	9	76	308	253	130	45	23	3
40 to 44 years	273	-	-	1	2	2	27	104	89	31	16	1
45 to 49 years	33	-	-	-	-	-	-	5	19	6	3	-
Not stated	12	-	-	1	5	1	2	-	1	-	-	2
ILLINOIS	136,159	1	1,528	23,886	42,556	32,561	18,730	8,358	3,400	1,118	489	3,532
10 to 14 years	94	-	14	8	3	-	2	-	-	-	1	66
15 to 19 years	13,081	1	1,303	7,429	2,360	448	129	36	19	10	2	1,344
20 to 24 years	43,083	-	202	14,635	19,917	5,249	1,315	393	133	49	21	1,169
25 to 29 years	41,346	-	8	1,671	18,167	15,012	4,335	1,131	354	110	58	500
30 to 34 years	24,362	-	-	97	1,884	10,725	7,978	2,421	714	206	93	244
35 to 39 years	10,897	-	-	13	154	1,029	4,640	3,206	1,198	361	163	133
40 to 44 years	2,842	-	-	1	10	57	294	1,127	859	319	132	43
45 to 49 years	246	-	-	-	1	2	13	29	117	61	19	4
50 to 54 years	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	206	-	1	32	60	38	24	15	6	1	-	29
INDIANA	65,594	1	1,240	15,095	20,168	13,974	7,864	3,975	1,665	553	339	720
10 to 14 years	45	1	23	10	3	1	1	-	-	-	-	6
15 to 19 years	8,582	-	1,038	5,360	1,518	300	75	29	12	4	5	241
20 to 24 years	22,594	-	164	8,785	9,851	2,627	618	176	87	21	19	248
25 to 29 years	17,614	-	8	821	7,883	6,289	1,768	476	182	60	46	81
30 to 34 years	9,932	-	1	69	795	4,209	3,236	1,048	310	124	70	70
35 to 39 years	4,968	-	-	9	61	489	1,987	1,578	546	164	106	28
40 to 44 years	1,551	-	-	1	5	26	181	646	487	161	78	6
45 to 49 years	108	-	-	-	-	-	2	14	58	18	15	1
50 to 54 years	2	-	-	-	1	1	-	-	-	-	-	-
Not stated	198	-	6	40	51	32	18	8	3	1	-	39
IOWA	46,115	-	624	9,195	13,978	10,294	6,041	3,130	1,378	461	199	815
10 to 14 years	18	-	6	1	-	-	-	-	-	-	-	11
15 to 19 years	4,782	-	507	2,837	902	148	39	14	2	3	2	328
20 to 24 years	15,019	-	108	5,697	6,570	1,750	376	108	52	21	5	332
25 to 29 years	13,024	-	3	605	5,770	4,667	1,354	321	142	48	20	94
30 to 34 years	7,818	-	-	42	678	3,335	2,531	816	264	85	37	30
35 to 39 years	4,032	-	-	8	50	373	1,599	1,340	466	129	57	10
40 to 44 years	1,291	-	-	2	4	19	138	521	394	144	63	6
45 to 49 years	116	-	-	-	-	1	4	9	56	31	15	-
Not stated	15	-	-	3	4	1	-	1	2	-	-	4
KANSAS	30,417	-	451	6,101	8,957	6,729	3,960	2,129	994	338	187	571
10 to 14 years	13	-	-	5	-	-	-	-	-	-	-	8
15 to 19 years	3,536	-	367	2,082	638	139	46	12	5	2	3	242
20 to 24 years	9,821	-	78	3,559	4,312	1,189	332	95	35	13	12	196
25 to 29 years	8,275	-	6	411	3,572	2,972	862	253	96	27	20	56
30 to 34 years	5,097	-	-	37	399	2,163	1,620	543	190	72	38	35
35 to 39 years	2,650	-	-	3	30	251	1,026	867	316	93	49	15
40 to 44 years	906	-	-	1	1	11	69	345	310	108	49	12
45 to 49 years	92	-	-	-	-	1	1	12	40	21	16	1
50 to 54 years	2	-	-	-	-	-	-	-	-	2	-	-
Not stated	25	-	-	3	5	3	4	2	2	-	-	6

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY	65,502	1	1,719	14,425	17,057	12,384	8,501	4,746	2,480	992	743	654
10 to 14 years	93	-	55	32	7	4	2	1	1	-	-	11
15 to 19 years	10,705	1	1,361	6,075	2,219	442	183	86	29	12	11	286
20 to 24 years	19,948	-	302	7,282	8,266	2,627	768	265	119	63	59	195
25 to 29 years	14,877	-	18	880	5,689	5,274	1,910	557	287	107	107	68
30 to 34 years	9,624	-	1	108	750	3,524	3,230	1,207	416	195	159	34
35 to 39 years	5,784	-	1	23	109	455	2,025	1,848	799	299	203	22
40 to 44 years	2,185	-	1	12	23	49	170	749	735	260	174	12
45 to 49 years	212	-	-	-	1	3	7	30	91	51	28	1
50 to 54 years	9	-	-	-	-	2	-	1	-	4	2	-
Not stated	67	-	-	13	13	4	6	2	3	1	-	25
LOUISIANA	54,618	2	1,430	12,249	14,840	10,600	6,850	3,557	1,733	663	509	2,185
10 to 14 years	187	-	52	40	10	3	1	1	3	-	-	57
15 to 19 years	9,695	2	1,184	5,199	1,705	435	154	66	22	17	9	902
20 to 24 years	18,091	-	174	6,342	7,380	2,372	787	268	127	27	45	569
25 to 29 years	12,968	-	13	566	5,030	4,495	1,639	525	232	91	70	307
30 to 34 years	7,898	-	4	65	608	2,917	2,611	924	368	143	100	158
35 to 39 years	4,364	-	1	12	71	339	1,556	1,327	572	205	176	105
40 to 44 years	1,171	-	-	2	6	17	87	432	354	150	91	32
45 to 49 years	106	-	-	1	1	2	1	7	51	28	12	3
50 to 54 years	6	-	-	-	-	1	-	-	-	1	4	-
Not stated	152	-	2	22	29	19	14	7	4	1	2	52
MAINE	15,988	-	309	3,454	4,701	3,386	1,965	1,091	490	197	134	261
10 to 14 years	7	-	1	3	1	-	-	-	-	-	-	2
15 to 19 years	2,085	-	248	1,172	439	86	23	12	6	6	3	90
20 to 24 years	5,329	-	58	2,005	2,228	660	184	62	11	13	7	101
25 to 29 years	4,208	-	2	249	1,724	1,470	468	145	70	25	24	31
30 to 34 years	2,538	-	-	22	275	1,006	784	287	93	29	24	18
35 to 39 years	1,314	-	-	2	28	154	457	403	162	59	35	14
40 to 44 years	460	-	-	1	5	10	48	179	126	51	36	4
45 to 49 years	43	-	-	-	-	-	-	3	22	14	4	-
50 to 54 years	2	-	-	-	-	-	1	-	-	-	1	-
Not stated	2	-	-	-	1	-	-	-	-	-	-	1
MARYLAND	37,065	-	1,085	8,609	10,778	7,809	4,608	2,233	901	312	172	558
10 to 14 years	104	-	46	23	7	4	2	1	1	-	-	20
15 to 19 years	5,756	-	927	3,337	931	214	67	15	9	4	4	248
20 to 24 years	12,194	-	99	4,722	5,198	1,461	371	118	45	26	11	143
25 to 29 years	9,536	-	4	458	4,104	3,359	1,076	313	105	34	22	61
30 to 34 years	5,793	-	2	46	454	2,460	1,902	621	170	62	43	33
35 to 39 years	2,699	-	1	10	63	279	1,094	801	294	101	41	15
40 to 44 years	832	-	-	3	9	17	86	344	249	68	43	13
45 to 49 years	63	-	1	-	1	-	1	14	25	15	6	-
50 to 54 years	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	86	-	5	9	11	15	9	6	3	2	1	25
MASSACHUSETTS	69,546	-	420	10,264	21,019	18,023	10,549	4,874	1,860	545	217	1,775
10 to 14 years	18	-	-	1	-	-	-	-	-	-	1	16
15 to 19 years	3,743	-	303	2,199	631	118	33	10	5	1	1	442
20 to 24 years	19,314	-	107	6,983	8,765	2,140	463	126	45	12	14	659
25 to 29 years	22,240	-	6	991	10,116	7,920	2,129	521	162	52	23	320
30 to 34 years	15,064	-	2	69	1,376	6,891	4,565	1,451	395	113	42	160
35 to 39 years	6,997	-	-	7	100	904	3,098	1,898	700	181	63	66
40 to 44 years	1,892	-	1	1	10	30	243	849	469	174	61	34
45 to 49 years	123	-	-	-	1	-	6	13	62	28	12	1
50 to 54 years	3	-	-	-	-	-	-	1	-	2	-	-
Not stated	152	-	1	13	20	20	12	5	2	2	-	77
MICHIGAN	107,458	-	1,458	21,711	33,886	23,851	14,248	6,822	2,896	903	386	1,297
10 to 14 years	50	-	15	10	-	1	-	2	1	-	1	20
15 to 19 years	11,309	-	1,212	6,705	2,222	458	149	42	11	11	8	493
20 to 24 years	36,833	-	220	13,611	16,472	4,465	1,111	340	126	28	19	441
25 to 29 years	31,067	-	7	1,270	13,689	11,004	3,548	973	292	100	35	149
30 to 34 years	17,132	-	2	89	1,345	7,081	5,761	1,938	576	172	86	84
35 to 39 years	8,351	-	-	6	111	764	3,414	2,565	1,024	300	119	48
40 to 44 years	2,361	-	-	2	10	39	238	941	767	245	97	22
45 to 49 years	193	-	-	-	-	1	8	15	97	46	22	4
50 to 54 years	7	-	-	-	-	3	1	1	-	1	1	-
Not stated	155	-	2	18	37	35	18	7	2	-	-	36
MINNESOTA	54,359	-	368	8,187	16,051	12,891	8,253	4,403	2,042	729	281	1,174
10 to 14 years	8	-	-	1	-	-	-	1	-	-	-	6
15 to 19 years	3,880	-	275	2,075	906	182	48	10	7	1	1	375
20 to 24 years	16,792	-	91	5,336	7,575	2,414	613	154	55	25	12	517
25 to 29 years	16,213	-	1	705	6,698	5,758	2,002	590	196	65	30	168
30 to 34 years	10,111	-	-	43	805	4,032	3,340	1,229	395	145	59	63
35 to 39 years	5,404	-	1	3	61	476	2,073	1,742	716	223	78	31
40 to 44 years	1,794	-	-	2	5	25	168	662	607	229	84	12
45 to 49 years	145	-	-	-	-	2	7	13	66	41	16	-
50 to 54 years	2	-	-	-	-	-	-	1	-	-	1	-
Not stated	10	-	-	2	1	2	2	1	-	-	-	2
MISSISSIPPI	54,713	1	1,622	12,026	13,112	9,643	7,049	3,779	1,961	849	718	3,953
10 to 14 years	328	1	78	77	16	7	2	1	-	-	-	146
15 to 19 years	11,307	-	1,328	5,588	1,718	470	197	47	46	8	19	1,886
20 to 24 years	16,538	-	197	5,662	6,369	2,083	797	254	128	50	53	945
25 to 29 years	11,981	-	14	570	4,320	4,034	1,658	543	220	128	97	397
30 to 34 years	8,053	-	-	88	553	2,689	2,664	988	430	204	158	281
35 to 39 years	4,759	-	1	14	87	301	1,600	1,430	673	266	208	179
40 to 44 years	1,378	-	-	-	7	24	102	494	414	152	145	40
45 to 49 years	135	-	-	-	-	1	2	9	44	38	33	8
50 to 54 years	7	-	-	-	-	-	1	2	-	1	3	-
Not stated	227	-	4	27	42	34	26	13	6	2	2	71

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	65,218	-	1,370	13,454	18,487	13,934	8,519	4,318	2,063	785	482	1,808
10 to 14 years	81	-	10	19	3	-	4	-	-	-	-	45
15 to 19 years	9,705	-	1,161	5,270	1,805	411	156	46	16	9	11	840
20 to 24 years	20,566	-	188	7,336	8,820	2,602	713	237	78	36	34	522
25 to 29 years	16,841	-	8	743	6,957	6,096	1,968	520	203	87	56	183
30 to 34 years	10,659	-	1	62	787	4,344	3,505	1,174	414	156	92	104
35 to 39 years	5,423	-	1	10	87	441	2,019	1,692	698	251	156	68
40 to 44 years	1,738	-	1	3	7	23	139	626	589	223	104	25
45 to 49 years	135	-	-	1	-	3	2	15	61	25	29	1
Not stated	90	-	-	10	21	14	13	6	4	-	-	22
MONTANA	11,545	-	115	2,165	3,515	2,668	1,515	802	404	187	98	78
10 to 14 years	5	-	1	1	1	1	-	-	-	-	-	1
15 to 19 years	1,262	-	87	692	320	97	27	6	4	2	-	27
20 to 24 years	4,092	-	24	1,308	1,788	658	190	61	13	8	7	35
25 to 29 years	3,244	-	3	149	1,251	1,180	433	141	46	23	11	7
30 to 34 years	1,760	-	-	13	141	656	551	258	82	39	15	5
35 to 39 years	875	-	-	-	13	69	288	261	154	59	30	1
40 to 44 years	281	-	-	1	1	6	26	74	95	50	26	2
45 to 49 years	24	-	-	-	-	-	-	1	10	6	7	-
Not stated	2	-	-	1	-	1	-	-	-	-	-	-
NEBRASKA	21,963	-	250	3,963	6,534	5,217	3,064	1,615	692	243	106	279
10 to 14 years	7	-	3	-	-	1	-	-	-	-	-	3
15 to 19 years	1,966	-	195	1,186	403	71	17	5	4	1	-	104
20 to 24 years	6,993	-	50	2,475	3,100	915	239	67	18	12	5	112
25 to 29 years	6,408	-	1	300	2,691	2,374	712	203	72	19	7	29
30 to 34 years	4,011	-	-	20	308	1,676	1,293	476	147	48	27	16
35 to 39 years	1,928	-	-	1	24	171	757	624	236	74	36	5
40 to 44 years	577	-	-	-	3	4	42	233	194	75	25	1
45 to 49 years	46	-	-	-	-	-	-	6	20	14	6	-
Not stated	27	-	1	1	5	5	4	1	1	-	-	9
NEVADA	2,200	-	32	478	645	465	286	149	67	34	16	28
10 to 14 years	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years	304	-	29	182	62	24	2	-	-	-	-	5
20 to 24 years	780	-	3	265	334	115	38	15	2	4	-	4
25 to 29 years	563	-	-	24	219	186	90	28	4	1	5	6
30 to 34 years	335	-	-	1	26	118	100	56	14	11	2	7
35 to 39 years	152	-	-	-	2	19	49	37	24	14	4	3
40 to 44 years	51	-	-	1	1	1	7	13	20	3	4	1
45 to 49 years	3	-	-	-	-	-	-	-	2	1	-	-
Not stated	10	-	-	3	1	2	-	-	1	-	1	2
NEW HAMPSHIRE	8,582	-	111	1,625	2,629	1,945	1,157	544	232	99	43	197
10 to 14 years	3	-	-	1	-	-	-	-	-	-	-	2
15 to 19 years	832	-	93	458	175	31	12	5	1	-	1	56
20 to 24 years	2,646	-	16	986	1,138	316	78	29	4	5	3	71
25 to 29 years	2,518	-	2	164	1,114	813	286	75	20	12	6	26
30 to 34 years	1,549	-	-	14	171	675	445	147	50	19	9	19
35 to 39 years	757	-	-	1	23	97	302	199	84	29	11	11
40 to 44 years	238	-	-	-	2	7	31	88	69	27	11	3
45 to 49 years	13	-	-	-	-	1	-	1	3	6	2	-
Not stated	26	-	-	1	6	5	3	-	1	1	-	9
NEW JERSEY	67,197	1	534	10,193	21,600	17,699	9,914	4,240	1,492	483	159	902
10 to 14 years	28	1	7	5	1	-	1	-	-	-	-	13
15 to 19 years	4,569	-	475	2,729	793	140	35	15	6	2	3	371
20 to 24 years	20,151	-	50	6,719	9,906	2,386	595	150	36	20	7	282
25 to 29 years	22,142	-	-	689	9,830	8,365	2,364	584	140	38	20	112
30 to 34 years	13,398	-	-	43	1,002	6,216	4,510	1,307	326	89	36	67
35 to 39 years	5,475	-	2	5	55	587	2,437	1,638	548	143	41	39
40 to 44 years	1,314	-	-	-	5	18	160	536	408	140	38	9
45 to 49 years	88	-	-	-	1	3	5	8	28	28	14	1
50 to 54 years	3	-	-	-	-	1	1	-	-	1	-	-
Not stated	31	-	-	3	7	3	6	2	-	2	-	8
NEW MEXICO	14,738	-	231	2,780	3,861	2,969	2,017	1,136	687	248	164	685
10 to 14 years	13	-	2	4	-	-	-	-	-	-	-	7
15 to 19 years	2,052	-	177	1,084	433	96	49	6	7	-	2	198
20 to 24 years	4,583	-	48	1,495	1,821	675	206	55	36	7	14	226
25 to 29 years	3,815	-	3	170	1,403	1,277	550	181	73	29	17	113
30 to 34 years	2,331	-	-	14	166	786	770	346	122	51	29	47
35 to 39 years	1,370	-	-	3	25	119	400	400	252	76	54	41
40 to 44 years	467	-	-	-	4	6	29	142	166	69	40	12
45 to 49 years	38	-	-	-	-	-	3	2	10	15	7	1
50 to 54 years	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	67	-	1	10	9	10	11	4	1	2	-	19
NEW YORK	210,303	1	1,265	27,416	62,735	58,079	34,350	15,051	5,243	1,632	608	3,923
10 to 14 years	108	1	20	4	6	1	3	-	-	1	-	72
15 to 19 years	12,383	-	1,026	6,890	2,421	497	146	51	9	5	5	1,333
20 to 24 years	58,649	-	202	18,227	27,662	8,142	2,105	539	159	65	32	1,516
25 to 29 years	70,228	-	16	2,130	29,272	27,251	8,248	2,015	503	154	63	576
30 to 34 years	45,131	-	-	140	3,096	20,055	15,086	4,895	1,164	318	124	243
35 to 39 years	18,965	-	1	18	246	2,022	8,154	5,668	1,992	530	202	132
40 to 44 years	4,484	-	-	2	22	98	583	1,864	1,251	480	152	32
45 to 49 years	304	-	-	-	-	1	10	19	165	78	28	3
50 to 54 years	2	-	-	-	-	-	-	-	-	1	1	-
Not stated	49	-	-	5	10	12	5	-	-	-	1	16

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH CAROLINA	84,595	1	2,054	19,190	22,138	15,110	9,883	5,375	2,578	1,144	822	6,300
10 to 14 years	231	-	44	31	10	3	-	2	-	-	-	141
15 to 19 years	15,045	1	1,679	7,445	2,145	407	139	47	15	6	6	3,157
20 to 24 years	27,474	-	312	10,436	10,643	2,993	824	268	118	58	45	1,779
25 to 29 years	19,911	-	14	1,112	8,151	6,569	2,309	608	232	143	137	636
30 to 34 years	12,258	-	3	124	1,025	4,504	3,972	1,403	494	236	176	301
35 to 39 years	6,983	-	1	20	123	582	2,446	2,187	886	342	245	171
40 to 44 years	2,328	-	-	1	13	30	171	852	730	293	178	60
45 to 49 years	219	-	-	-	1	-	4	15	102	63	33	1
50 to 54 years	5	-	-	-	-	-	-	1	-	1	3	-
Not stated	161	-	1	21	29	22	18	12	1	2	1	54
NORTH DAKOTA	13,259	-	83	1,803	3,627	3,159	2,129	1,273	614	249	110	212
10 to 14 years	5	-	1	1	-	-	-	-	-	-	-	3
15 to 19 years	960	-	59	490	255	55	21	8	-	-	1	71
20 to 24 years	3,859	-	20	1,116	1,748	614	187	59	18	9	6	82
25 to 29 years	3,812	-	2	175	1,389	1,455	511	146	67	28	11	30
30 to 34 years	2,579	-	1	19	211	915	828	388	124	49	28	18
35 to 39 years	1,502	-	-	2	18	114	532	499	227	76	30	4
40 to 44 years	480	-	-	-	2	6	48	168	154	73	27	2
45 to 49 years	53	-	-	-	-	-	3	4	23	16	6	1
Not stated	9	-	-	-	4	-	1	1	1	-	1	1
OHIO	125,950	1	1,940	26,303	39,547	28,216	15,934	7,483	3,083	1,040	523	1,880
10 to 14 years	86	1	20	13	2	1	1	-	-	-	-	48
15 to 19 years	13,977	-	1,621	8,352	2,469	451	145	45	12	7	12	863
20 to 24 years	41,549	-	280	16,073	18,413	4,496	1,205	305	131	48	23	570
25 to 29 years	36,732	-	15	1,698	16,756	12,924	3,563	1,010	370	107	77	212
30 to 34 years	20,933	-	-	126	1,716	9,306	6,753	2,022	596	195	109	110
35 to 39 years	9,626	-	2	13	147	964	3,994	2,930	1,043	336	147	50
40 to 44 years	2,729	-	-	7	23	52	254	1,145	825	293	123	7
45 to 49 years	214	-	-	-	-	4	4	22	103	53	26	2
50 to 54 years	2	-	-	-	-	-	-	2	-	-	-	-
Not stated	102	-	2	21	21	18	15	2	3	1	1	18
OKLAHOMA	45,818	2	1,245	10,967	12,361	9,031	5,561	3,015	1,531	628	447	1,010
10 to 14 years	54	2	17	13	6	1	-	1	-	-	-	14
15 to 19 years	8,190	-	1,055	4,718	1,501	345	81	31	23	3	4	429
20 to 24 years	15,082	-	165	5,692	6,101	2,020	529	156	62	32	23	302
25 to 29 years	10,810	-	5	479	4,190	3,985	1,324	407	170	77	58	115
30 to 34 years	6,645	-	-	43	497	2,411	2,297	810	288	142	102	55
35 to 39 years	3,685	-	-	13	66	244	1,226	1,210	544	189	149	44
40 to 44 years	1,182	-	-	1	4	13	94	385	401	156	94	14
45 to 49 years	96	-	-	-	-	1	2	8	41	29	14	2
50 to 54 years	4	-	-	-	-	-	1	1	-	-	2	-
Not stated	90	-	3	8	16	11	7	6	2	1	1	35
OREGON	18,868	-	192	3,860	6,098	4,415	2,251	1,124	496	187	107	138
10 to 14 years	8	-	3	3	-	-	-	-	-	-	-	2
15 to 19 years	2,225	-	167	1,349	495	127	31	15	3	1	1	36
20 to 24 years	6,634	-	21	2,294	2,978	922	246	80	20	9	11	53
25 to 29 years	5,371	-	-	193	2,303	1,937	619	197	71	28	8	15
30 to 34 years	3,011	-	-	12	287	1,278	895	352	116	37	24	10
35 to 39 years	1,201	-	-	3	18	139	421	353	170	53	39	5
40 to 44 years	339	-	-	-	2	3	35	126	99	51	22	1
45 to 49 years	25	-	-	-	-	-	-	1	14	8	2	-
Not stated	54	-	1	6	15	9	4	-	3	-	-	16
PENNSYLVANIA	174,193	1	2,311	33,493	54,515	40,018	23,038	11,009	4,748	1,564	692	2,806
10 to 14 years	127	1	42	17	3	3	3	1	1	1	-	55
15 to 19 years	16,977	-	1,919	10,049	3,052	489	165	49	21	13	17	1,203
20 to 24 years	56,441	-	326	21,029	25,639	6,390	1,451	428	139	49	35	955
25 to 29 years	51,146	-	16	2,184	23,168	18,349	5,120	1,321	457	167	69	315
30 to 34 years	30,314	-	4	180	2,391	13,312	10,001	2,943	929	250	142	162
35 to 39 years	14,511	-	3	26	233	1,385	5,889	4,496	1,712	494	207	86
40 to 44 years	4,237	-	-	1	25	81	411	1,709	1,329	475	183	23
45 to 49 years	399	-	1	-	-	-	12	58	179	110	36	3
50 to 54 years	16	-	-	1	-	2	2	2	1	5	3	-
Not stated	25	-	-	6	4	7	2	2	-	-	-	4
RHODE ISLAND	11,611	-	94	1,857	3,676	2,876	1,618	777	311	86	44	292
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	707	-	74	398	124	17	4	-	2	-	2	88
20 to 24 years	3,377	-	19	1,227	1,584	350	81	25	6	2	-	103
25 to 29 years	3,707	-	-	198	1,729	1,258	348	91	19	4	8	52
30 to 34 years	2,329	-	-	12	234	1,085	664	217	60	19	6	32
35 to 39 years	1,141	-	1	2	22	157	488	305	116	23	15	12
40 to 44 years	322	-	-	-	1	9	33	137	94	31	11	6
45 to 49 years	25	-	-	-	-	-	-	2	14	7	2	-
Not stated	2	-	-	-	2	-	-	-	-	-	-	-
SOUTH CAROLINA	47,385	1	967	11,217	11,879	7,809	5,217	2,749	1,447	535	501	5,061
10 to 14 years	131	-	9	12	4	1	-	-	-	-	-	105
15 to 19 years	9,360	1	790	4,540	1,144	185	77	18	20	8	12	2,565
20 to 24 years	16,190	-	160	6,139	6,031	1,635	491	149	78	29	41	1,437
25 to 29 years	10,625	-	7	481	4,189	3,498	1,305	389	192	68	63	433
30 to 34 years	6,243	-	1	33	444	2,236	2,057	699	272	121	128	252
35 to 39 years	3,578	-	-	7	61	228	1,198	1,118	504	162	139	161
40 to 44 years	1,060	-	-	1	3	21	86	365	337	112	91	44
45 to 49 years	123	-	-	-	2	3	3	9	44	34	23	5
50 to 54 years	3	-	-	-	-	-	-	-	-	-	3	-
Not stated	70	-	-	4	1	2	-	2	-	1	1	59

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH DAKOTA	12,159	-	111	1,932	3,247	2,818	1,859	1,076	487	231	82	316
10 to 14 years	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,005	-	86	532	202	47	18	8	1	2	1	110
20 to 24 years	3,654	-	21	1,213	1,566	544	154	44	8	9	3	92
25 to 29 years	3,410	-	1	165	1,286	1,253	436	150	44	21	8	45
30 to 34 years	2,278	-	-	14	177	863	774	281	89	47	16	17
35 to 39 years	1,242	-	-	-	9	98	440	419	174	69	26	7
40 to 44 years	441	-	-	-	-	6	28	167	151	64	20	5
45 to 49 years	48	-	-	-	-	-	-	2	19	19	8	-
50 to 54 years	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	78	-	5	8	7	7	10	5	1	-	-	37
TENNESSEE	59,855	-	1,456	13,260	15,719	11,609	7,529	5,911	1,946	828	642	2,957
10 to 14 years	146	-	14	25	8	4	1	1	1	-	-	92
15 to 19 years	10,458	-	1,173	5,328	1,857	421	141	47	24	9	13	1,445
20 to 24 years	19,058	-	248	6,955	7,587	2,342	762	217	109	50	46	742
25 to 29 years	14,005	-	14	811	5,410	4,890	1,672	462	234	99	85	328
30 to 34 years	9,236	-	3	103	738	3,458	3,019	1,050	401	168	128	168
35 to 39 years	5,095	-	1	16	90	453	1,800	1,531	628	257	200	119
40 to 44 years	1,610	-	-	6	9	27	114	575	490	208	141	40
45 to 49 years	149	-	-	1	3	5	5	18	58	33	25	1
50 to 54 years	7	-	-	-	-	-	2	-	1	2	2	-
Not stated	91	-	3	15	17	9	13	10	-	-	2	22
TEXAS	136,782	1	3,020	29,082	37,615	28,466	18,040	9,115	4,136	1,577	1,088	4,642
10 to 14 years	249	-	40	62	17	8	1	1	2	-	-	118
15 to 19 years	22,690	1	2,543	12,145	4,358	1,068	376	112	60	20	14	1,973
20 to 24 years	44,911	-	406	15,248	18,745	6,419	1,845	594	182	76	52	1,346
25 to 29 years	33,826	-	21	1,409	12,650	12,222	4,618	1,357	504	181	138	526
30 to 34 years	20,910	-	5	156	1,617	7,721	7,011	2,556	911	375	214	344
35 to 39 years	10,892	-	-	28	173	905	3,894	3,377	1,440	492	396	187
40 to 44 years	3,039	-	-	3	16	64	256	1,089	944	373	236	58
45 to 49 years	211	-	-	1	5	8	10	15	80	57	33	2
50 to 54 years	5	-	-	-	-	-	-	2	-	2	1	-
Not stated	249	-	5	32	34	31	29	12	13	1	4	88
UTAH	13,538	-	165	3,011	4,202	2,897	1,818	880	342	127	67	29
10 to 14 years	4	-	3	1	-	-	-	-	-	-	-	-
15 to 19 years	1,398	-	144	929	283	20	6	4	-	-	-	12
20 to 24 years	4,705	-	17	1,916	2,130	486	119	19	7	2	2	7
25 to 29 years	3,681	-	1	150	1,632	1,336	418	99	35	4	4	2
30 to 34 years	2,241	-	-	14	149	964	782	225	62	24	17	4
35 to 39 years	1,100	-	-	-	7	89	463	364	106	45	24	2
40 to 44 years	369	-	-	1	1	2	28	166	112	43	15	1
45 to 49 years	38	-	-	-	-	-	1	3	20	9	5	-
Not stated	2	-	-	-	-	-	1	-	-	-	-	1
VERMONT	6,985	-	101	1,353	1,974	1,544	1,036	501	211	85	47	133
10 to 14 years	4	-	-	-	-	-	-	-	-	-	-	4
15 to 19 years	782	-	82	440	171	30	15	2	-	-	-	42
20 to 24 years	2,220	-	16	785	932	285	100	28	10	6	5	55
25 to 29 years	1,886	-	2	97	755	652	241	73	25	11	9	21
30 to 34 years	1,218	-	1	11	98	494	386	149	45	18	9	7
35 to 39 years	639	-	-	-	12	77	273	172	71	22	9	3
40 to 44 years	193	-	-	-	2	5	20	75	51	26	14	-
45 to 49 years	14	-	-	-	-	-	-	3	9	2	-	-
50 to 54 years	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	8	-	-	-	4	1	1	1	-	-	-	1
VIRGINIA	61,079	-	1,445	13,034	16,503	12,181	7,633	4,149	2,031	793	656	2,674
10 to 14 years	165	-	58	26	10	2	-	2	-	-	-	67
15 to 19 years	10,005	-	1,159	5,169	1,820	391	124	48	15	14	13	1,252
20 to 24 years	19,575	-	211	6,917	8,011	2,474	721	218	113	51	44	815
25 to 29 years	14,832	-	15	816	5,724	5,223	1,869	521	235	75	83	271
30 to 34 years	9,426	-	2	83	817	3,608	3,033	1,084	346	163	155	135
35 to 39 years	5,113	-	-	13	97	427	1,714	1,649	713	239	179	82
40 to 44 years	1,737	-	-	3	13	49	158	609	538	207	133	27
45 to 49 years	163	-	-	-	2	1	6	15	69	40	27	3
50 to 54 years	5	-	-	-	-	-	-	-	-	3	2	-
Not stated	58	-	-	7	9	6	8	3	2	1	-	22
WASHINGTON	30,580	-	350	6,069	10,101	7,088	3,760	1,823	751	300	146	192
10 to 14 years	8	-	-	1	1	1	-	-	-	-	-	5
15 to 19 years	3,332	-	292	1,998	750	159	39	12	8	3	1	70
20 to 24 years	10,922	-	53	3,706	5,062	1,496	375	108	45	9	8	60
25 to 29 years	8,950	-	4	340	3,784	3,217	1,093	342	98	30	13	31
30 to 34 years	4,798	-	1	14	457	1,997	1,446	585	188	64	32	14
35 to 39 years	1,990	-	-	2	35	203	761	584	248	104	46	7
40 to 44 years	518	-	-	3	2	10	44	189	155	75	37	3
45 to 49 years	38	-	-	-	-	1	-	2	10	15	9	1
Not stated	24	-	-	5	10	4	2	1	1	-	-	1
WEST VIRGINIA	43,983	-	669	9,221	12,065	8,525	5,457	3,106	1,611	633	489	2,207
10 to 14 years	73	-	8	23	5	1	-	-	-	-	-	38
15 to 19 years	7,290	-	532	3,703	1,530	342	84	39	13	2	7	1,038
20 to 24 years	14,675	-	121	4,958	6,015	1,982	565	214	71	25	31	693
25 to 29 years	10,502	-	7	475	3,960	3,689	1,397	408	187	75	68	236
30 to 34 years	6,353	-	-	49	484	2,210	2,125	857	306	118	106	98
35 to 39 years	3,675	-	-	7	61	283	1,195	1,176	546	194	143	70
40 to 44 years	1,253	-	-	3	4	14	83	402	433	184	107	23
45 to 49 years	130	-	-	1	-	1	3	9	54	35	25	2
50 to 54 years	3	-	-	-	-	-	-	1	-	-	2	-
Not stated	29	-	1	2	8	3	5	-	1	-	-	9

TABLE 5.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN	57,186	-	348	8,898	17,860	13,842	8,300	4,277	1,743	573	229	1,118
10 to 14 years	18	-	2	1	-	1	-	-	-	-	-	14
15 to 19 years	4,187	-	275	2,248	1,011	176	46	14	6	2	2	407
20 to 24 years	17,883	-	69	5,824	8,457	2,340	530	171	47	10	7	428
25 to 29 years	17,583	-	2	770	7,521	6,365	1,971	556	158	54	34	152
30 to 34 years	10,447	-	-	44	810	4,416	3,499	1,167	310	96	34	71
35 to 39 years	5,275	-	-	8	55	508	2,084	1,674	657	192	74	23
40 to 44 years	1,639	-	-	-	6	33	164	672	502	181	64	17
45 to 49 years	145	-	-	-	-	1	6	22	62	38	14	2
50 to 54 years	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	8	-	-	2	-	2	-	1	1	-	-	2
WYOMING	5,322	-	67	1,113	1,593	1,198	685	352	162	74	34	44
10 to 14 years	1	-	1	-	-	-	-	-	-	-	-	-
15 to 19 years	694	-	54	409	162	40	9	8	-	-	-	12
20 to 24 years	1,895	-	9	642	601	306	83	24	6	3	3	18
25 to 29 years	1,423	-	1	56	557	503	199	69	21	6	5	6
30 to 34 years	775	-	1	5	61	311	247	97	33	12	6	2
35 to 39 years	380	-	-	-	7	34	137	109	51	28	11	3
40 to 44 years	129	-	-	-	1	4	8	42	45	21	8	-
45 to 49 years	12	-	-	-	-	-	-	2	6	3	1	-
Not stated	13	-	1	1	4	-	2	1	-	1	-	3

TABLE 6.—LIVE BIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941

STATE OF RESIDENCE	Total births of residents	BIRTHS OF RESIDENTS OCCURRING IN—		BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]													
		Place of residence	Other areas of same State	Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.	Ind.
UNITED STATES	2,513,427	1,921,343	552,775	39,309	405	785	579	257	291	429	220	5,743	414	870	486	1,003	1,377
Alabama	64,379	56,816	7,017	546	...	2	6	9	5	1	-	1	56	243	-	-	-
Arizona	11,425	8,766	2,460	199	1	...	1	41	4	-	-	-	-	-	3	2	1
Arkansas	40,549	36,335	3,523	691	7	31	...	12	2	-	-	-	8	1	4	3	5
California	125,190	77,599	46,826	765	1	151	9	...	24	1	-	1	11	1	22	12	4
Colorado	21,393	15,851	5,258	284	-	36	4	8	...	-	-	-	-	-	7	4	1
Connecticut	29,036	18,238	9,859	939	-	-	2	2	5	...	1	-	7	1	-	4	1
Delaware	5,087	3,322	1,579	186	-	-	-	1	-	1	...	3	1	-	-	1	-
District of Columbia	12,892	12,551	...	341	1	1	4	1	-	6	1	...	6	1	-	6	2
Florida	37,542	31,311	5,828	405	100	1	1	1	-	1	1	2	...	175	-	3	3
Georgia	67,870	58,940	8,434	496	95	3	2	1	-	1	-	1	108	...	-	5	4
Idaho	11,658	7,317	3,912	429	-	4	-	5	3	-	-	-	-	1	...	-	-
Illinois	136,159	99,838	33,610	2,711	5	8	11	9	5	5	-	1	5	8	3	...	842
Indiana	65,594	49,504	15,155	935	4	4	4	-	-	2	-	1	4	-	-	416	...
Iowa	46,115	31,544	13,947	624	3	4	1	4	4	-	-	-	3	1	4	91	3
Kansas	30,417	22,018	7,284	1,117	-	7	3	9	38	-	-	2	1	1	4	2	5
Kentucky	63,502	58,229	4,618	655	7	5	2	-	-	-	-	1	4	1	2	24	84
Louisiana	54,618	42,751	11,505	362	18	9	32	1	1	2	-	-	6	8	-	3	2
Maine	15,988	11,599	4,082	307	-	-	-	-	-	1	-	2	-	-	-	-	-
Maryland	37,065	27,702	5,825	3,538	1	-	-	-	-	2	77	2,998	8	1	-	5	1
Massachusetts	69,546	46,140	22,749	657	-	3	11	-	-	68	-	2	8	1	-	4	3
Michigan	107,458	78,217	28,574	667	4	4	-	3	-	1	-	1	18	2	1	41	180
Minnesota	54,359	39,296	14,163	900	-	1	-	6	2	-	-	-	1	3	3	17	4
Mississippi	54,713	49,844	4,299	570	45	1	15	-	-	1	-	-	7	2	-	1	4
Missouri	65,218	52,459	11,674	1,085	2	21	88	5	5	-	-	1	6	-	7	151	2
Montana	11,545	7,814	3,473	258	-	2	-	2	2	-	-	-	-	-	47	-	-
Nebraska	21,963	17,088	4,496	379	-	5	3	1	52	-	-	-	2	-	8	3	1
Nevada	2,200	1,322	745	133	-	1	-	28	-	1	-	-	-	-	15	-	1
New Hampshire	8,582	6,077	1,981	524	-	3	-	-	1	6	-	-	2	-	-	-	-
New Jersey	67,197	34,643	30,596	1,958	5	-	-	-	2	12	56	1	11	2	1	-	2
New Mexico	14,738	12,515	1,818	405	-	105	-	6	41	-	-	-	-	-	-	4	-
New York	210,303	172,840	36,151	1,312	33	10	3	2	2	272	13	8	38	13	-	13	3
North Carolina	84,595	71,907	12,285	403	3	-	1	-	-	-	-	16	12	25	-	3	1
North Dakota	13,259	9,389	3,511	359	-	1	-	1	1	-	-	-	-	-	3	-	-
Ohio	125,950	94,636	29,970	1,344	4	5	4	2	2	1	1	2	9	2	1	20	196
Oklahoma	45,818	36,033	8,839	946	1	180	176	37	5	-	-	1	3	2	3	3	5
Oregon	18,888	11,551	6,952	365	-	2	-	14	3	-	-	-	1	1	69	-	-
Pennsylvania	174,193	118,847	53,866	1,680	2	2	1	3	-	11	64	9	9	4	-	8	5
Rhode Island	11,611	7,541	3,618	452	-	-	-	-	2	22	-	-	3	-	-	-	-
South Carolina	47,383	41,650	5,287	446	8	-	-	-	-	-	-	11	15	228	-	1	-
South Dakota	12,159	8,499	3,141	519	1	2	1	2	3	-	-	-	1	-	5	6	-
Tennessee	59,855	52,745	6,373	737	48	4	17	1	1	-	-	1	13	131	1	6	6
Texas	136,782	114,374	21,194	1,214	5	169	175	20	9	-	-	2	7	4	3	10	12
Utah	13,538	9,648	3,747	143	-	10	-	6	15	-	-	-	1	-	50	2	-
Vermont	6,965	4,579	1,934	452	1	-	-	1	-	9	-	-	2	-	-	-	-
Virginia	61,079	49,180	8,645	3,254	3	-	-	-	1	2	6	2,669	7	5	-	2	-
Washington	30,580	19,584	10,453	543	-	4	-	9	1	-	-	1	4	-	184	-	-
West Virginia	43,983	39,056	3,935	992	-	1	-	1	-	-	-	5	2	2	-	-	4
Wisconsin	57,186	39,475	16,902	809	1	2	2	1	3	-	-	-	3	-	2	125	10
Wyoming	5,322	4,165	884	273	-	1	-	2	47	-	-	-	1	-	35	2	-

[1] The figures given in the row opposite each State in the stub show the number of births of residents of that State which occurred in each State named at the top of the column.

TABLE 6.—LIVE BIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941—Continued

STATE OF RESIDENCE	BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued																	
	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES	1,335	843	583	416	174	760	1,300	720	1,003	311	1,917	150	613	114	685	696	441	2,180
Alabama	-	1	8	17	-	1	-	2	-	56	3	2	1	-	-	-	-	-
Arizona	1	2	-	-	-	-	1	-	-	-	1	1	1	2	-	-	77	-
Arkansas	-	6	4	43	-	-	-	8	1	8	53	-	2	-	-	-	1	1
California	15	20	1	6	1	-	-	2	8	-	27	8	17	90	-	1	23	2
Colorado	1	37	-	-	-	-	-	1	3	-	17	2	25	1	-	-	53	1
Connecticut	-	-	-	-	14	4	358	-	1	-	2	-	-	-	8	12	-	336
Delaware	-	-	1	2	-	84	1	-	-	-	-	-	-	-	-	4	-	4
District of Columbia	3	-	2	2	-	162	6	1	1	-	2	2	1	-	1	2	-	17
Florida	-	1	2	11	1	5	5	3	2	3	5	-	3	-	1	1	-	15
Georgia	2	1	5	7	-	2	1	1	1	1	3	-	1	-	1	-	-	2
Idaho	1	-	-	-	-	-	-	1	1	-	4	16	3	4	-	-	2	-
Illinois	567	12	29	8	1	4	1	47	32	1	633	3	12	-	1	-	7	13
Indiana	4	7	107	2	-	1	-	125	4	2	16	-	-	-	-	-	2	2
Iowa	...	8	-	11	-	-	-	-	122	-	108	1	183	-	-	-	-	2
Kansas	11	...	4	2	-	-	1	2	4	-	743	1	143	-	-	-	3	-
Kentucky	1	5	...	3	-	1	-	6	-	4	12	-	-	1	-	-	-	1
Louisiana	2	3	2	...	-	-	-	2	2	154	2	-	1	-	-	-	2	1
Maine	-	-	-	-	...	2	59	1	-	-	-	-	-	-	227	1	-	1
Maryland	1	1	-	2	1	...	7	3	-	-	4	-	1	-	2	4	-	9
Massachusetts	-	-	-	1	50	8	...	10	7	2	-	-	-	1	100	13	2	52
Michigan	10	2	14	19	2	1	6	...	36	2	25	3	3	-	2	1	1	8
Minnesota	178	2	2	2	1	1	1	11	...	1	28	2	4	-	1	-	-	2
Mississippi	1	-	6	92	-	-	2	1	-	...	4	-	-	-	-	-	-	1
Missouri	158	458	5	4	-	-	-	9	7	4	...	1	21	-	-	1	5	2
Montana	2	2	-	-	-	-	-	1	13	-	2	...	2	-	-	-	2	-
Nebraska	188	41	-	-	-	1	-	2	7	-	33	-	...	1	-	1	1	-
Nevada	-	1	-	1	-	-	-	-	-	-	-	1	1	...	2	1	1	1
New Hampshire	-	-	-	-	78	-	268	2	-	-	-	-	-	-	...	1	-	3
New Jersey	-	-	3	-	-	7	17	2	-	-	1	-	2	-	4	...	1	925
New Mexico	-	4	-	1	-	-	2	-	1	-	3	-	-	1	-	-	...	-
New York	5	-	3	1	12	19	102	7	3	1	6	-	2	-	11	273	7	...
North Carolina	1	-	-	3	1	8	2	4	3	4	3	-	-	-	-	2	-	6
North Dakota	3	1	-	3	-	-	-	-	266	-	4	53	2	-	-	-	-	-
Ohio	8	2	131	2	1	6	3	81	3	4	13	-	2	-	-	3	4	21
Oklahoma	5	192	-	5	-	1	1	3	2	1	72	2	4	-	1	-	27	3
Oregon	-	3	-	-	-	1	-	-	1	1	3	4	3	4	-	-	-	-
Pennsylvania	-	1	1	3	4	178	11	11	-	-	6	1	1	-	2	365	2	653
Rhode Island	-	-	1	-	1	-	390	-	-	-	-	-	-	-	5	-	-	7
South Carolina	1	-	3	2	-	3	2	2	-	6	1	-	-	-	1	1	-	2
South Dakota	110	1	-	3	-	-	1	3	175	-	12	3	90	-	-	-	2	-
Tennessee	2	2	156	7	-	3	-	2	-	47	15	-	-	-	-	-	-	2
Texas	6	19	2	143	-	1	1	64	13	7	24	5	4	-	-	1	208	-
Utah	3	1	-	-	-	-	-	-	1	-	3	2	-	9	-	-	3	1
Vermont	-	-	-	-	3	2	46	-	-	-	1	-	1	-	315	-	1	63
Virginia	1	-	46	-	3	79	3	3	-	-	1	1	1	-	-	7	-	19
Washington	1	-	-	-	-	-	-	1	2	-	4	12	3	-	-	-	1	-
West Virginia	-	2	44	-	-	175	2	6	1	2	3	-	-	-	-	1	-	1
Wisconsin	43	-	1	8	-	-	-	289	278	-	10	1	4	-	-	-	1	1
Wyoming	2	5	-	-	-	-	-	1	2	-	5	23	69	-	-	-	2	-

[1] The figures given in the row opposite each State in the stub show the number of births of residents of that State which occurred in each State named at the top of the column.

TABLE 6.—LIVE BIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941—Continued

STATE OF RESIDENCE	BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W.Va.	Wis.	Wyo.
UNITED STATES	442	564	1,549	575	635	2,080	423	225	[2] 7	1,419	725	350	249	727	530	836	743	132
Alabama	2	-	3	2	-	2	-	55	-	59	6	-	-	3	-	-	-	-
Arizona	-	2	1	7	4	-	-	-	-	4	12	27	1	-	1	-	1	-
Arkansas	2	-	1	40	5	1	-	-	-	341	97	-	-	2	1	-	1	-
California	2	2	-	28	155	5	-	1	-	5	29	45	-	13	20	-	1	3
Colorado	-	1	1	8	7	1	-	-	-	4	6	24	-	2	4	-	-	25
Connecticut	1	-	-	-	1	17	136	1	-	1	1	-	17	6	-	-	-	-
Delaware	2	-	-	-	-	76	-	-	-	1	-	-	-	4	-	-	-	-
District of Columbia	13	-	6	2	-	24	3	1	-	3	3	1	-	42	1	7	4	-
Florida	7	1	5	-	1	10	-	8	-	13	-	-	-	8	-	4	2	-
Georgia	21	-	3	3	-	4	-	33	-	171	4	-	-	8	-	-	1	-
Idaho	1	-	1	1	95	1	-	-	-	2	1	91	-	-	186	-	-	5
Illinois	2	12	9	35	2	9	-	-	-	32	9	1	-	1	1	8	316	1
Indiana	1	-	191	4	-	7	-	-	-	13	2	-	-	2	-	1	6	1
Iowa	-	2	4	2	-	2	-	-	-	6	2	-	2	1	-	-	48	2
Kansas	1	-	2	109	7	-	-	-	-	3	5	1	-	1	1	-	-	1
Kentucky	3	-	314	7	-	1	-	-	-	81	1	-	-	9	1	74	-	-
Louisiana	1	-	2	-	-	9	-	2	-	20	76	-	-	1	-	-	-	-
Maine	-	-	1	1	1	1	5	-	-	1	-	-	1	1	-	-	1	-
Maryland	7	-	3	-	1	287	1	2	-	1	1	1	-	38	1	66	1	-
Massachusetts	1	-	2	1	-	7	262	-	-	2	1	1	30	3	-	-	1	-
Michigan	5	-	164	3	-	13	-	-	-	28	2	-	-	3	1	1	79	-
Minnesota	1	367	4	-	4	2	-	-	-	2	-	-	-	1	3	1	241	1
Mississippi	2	1	1	4	-	2	1	1	-	360	11	-	-	2	-	1	1	-
Missouri	2	1	5	34	4	1	-	-	-	61	10	1	-	1	-	1	1	-
Montana	-	81	-	3	14	-	-	-	-	-	-	5	-	-	30	1	2	45
Nebraska	2	-	-	-	6	-	-	-	-	2	-	1	-	-	2	-	-	18
Nevada	-	-	-	-	3	5	-	-	-	-	-	67	-	-	2	-	1	-
New Hampshire	-	-	1	-	-	3	4	1	-	-	-	-	151	-	-	-	-	-
New Jersey	7	-	5	2	-	873	3	1	-	4	2	-	1	-	-	5	1	-
New Mexico	-	-	3	17	1	4	-	-	-	1	202	2	-	1	-	-	6	-
New York	9	-	30	2	2	310	7	6	-	11	5	-	43	18	1	6	-	-
North Carolina	...	-	4	1	2	9	-	85	-	38	2	-	-	159	1	4	-	-
North Dakota	-	...	1	-	3	2	-	-	-	-	-	-	-	-	10	-	2	3
Ohio	4	1	...	2	2	291	-	-	-	11	1	-	-	4	2	486	7	-
Oklahoma	2	-	3	...	7	2	-	-	-	12	202	-	-	-	2	-	1	-
Oregon	5	2	-	1	...	3	-	-	-	-	-	2	-	-	242	-	-	1
Pennsylvania	10	-	208	-	4	...	1	3	-	6	3	-	-	32	-	54	2	-
Rhode Island	5	-	-	-	-	4	...	8	-	-	-	-	2	1	-	-	1	-
South Carolina	129	-	5	-	1	7	-	...	-	5	-	-	-	8	-	4	-	-
South Dakota	-	79	-	1	3	-	-	-	...	-	3	1	-	1	2	-	4	4
Tennessee	48	-	5	1	-	2	-	4	-	...	3	3	-	205	-	2	1	-
Texas	-	4	1	243	2	-	-	-	5	23	...	5	-	5	4	-	8	-
Utah	-	-	-	1	2	-	-	-	-	2	4	...	-	1	1	-	1	24
Vermont	-	-	2	-	-	-	-	-	-	1	3	-	...	-	-	1	-	-
Virginia	143	1	5	4	-	33	-	12	-	77	6	1	-	...	4	109	-	-
Washington	-	4	-	3	292	-	-	-	2	3	5	3	-	4	...	-	-	-
West Virginia	-	-	551	-	-	47	-	1	-	3	1	-	-	135	1	...	1	-
Wisconsin	-	2	2	-	2	3	-	-	-	8	1	2	1	1	2	-	...	-
Wyoming	1	1	-	3	2	-	-	-	-	-	1	65	-	-	3	-	-	...

[1] The figures given in the row opposite each State in the stub show the number of births of residents of that State which occurred in each State named at the top of the column.

[2] Incomplete; reports of 365 births in South Dakota of residents of other States were received too late for tabulation.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941

(Exclusive of stillbirths. Counties are subdivided into individual cities having populations of 10,000 or more in 1940 and into the area outside these cities. Certain towns, townships, and districts are classified as urban under special rule)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
ALABAMA (total)	64,379	15,984	28,386	19,590	419	64,238	15,804	28,429	19,587	418
Autauga	412	60	102	245	5	394	38	104	247	5
Baldwin	811	121	389	297	4	761	75	384	298	4
Barbour	790	88	253	445	4	797	97	250	446	4
Bibb	485	41	237	205	2	443	-	236	205	2
Blount	582	17	531	29	5	569	-	535	29	5
Bullock	534	22	56	456	-	507	-	54	453	-
Butler	737	82	202	450	3	763	104	204	452	3
Calhoun	1,492	290	1,023	174	5	1,522	320	1,023	174	5
Outside city	796	98	625	69	4	758	60	625	69	4
Anniston	696	192	398	105	1	764	260	398	105	1
Chambers	794	251	268	274	1	718	175	268	274	1
Cherokee	428	18	317	84	9	411	-	319	84	8
Chilton	602	60	353	188	1	602	52	361	188	1
Choctaw	453	50	127	272	4	442	39	125	274	4
Clarke	707	56	237	412	2	704	45	242	415	2
Clay	333	8	279	46	-	330	-	284	46	-
Cleburne	314	13	232	68	1	303	-	233	69	1
Coffee	527	30	426	70	1	523	35	422	65	1
Colbert	743	206	286	249	2	750	210	289	249	2
Conecuh	643	22	242	378	1	632	11	241	379	1
Coosa	273	22	114	134	3	247	-	110	134	3
Covington	831	73	544	212	2	839	78	547	212	2
Crenshaw	456	23	229	202	2	439	-	234	203	2
Cullman	1,149	151	916	69	13	1,132	141	910	68	13
Dale	474	20	361	91	2	463	1	367	93	2
Dallas	1,351	261	60	1,025	5	1,441	352	61	1,022	6
Outside city	931	82	33	812	4	846	-	32	810	4
Selma	420	179	27	213	1	595	352	29	212	2
De Kalb	898	12	775	107	4	884	-	773	107	4
Elmore	627	171	123	325	8	576	123	119	326	8
Escambia	729	61	364	298	6	753	77	370	300	6
Etowah	1,813	519	1,179	107	8	1,804	513	1,177	106	8
Outside city	916	186	630	95	5	716	-	618	93	5
Gadsden	897	333	549	12	3	1,088	513	559	13	3
Fayette	434	39	301	92	2	456	55	306	93	2
Franklin	751	122	567	58	4	769	134	572	59	4
Geneva	592	82	384	122	4	584	74	386	120	4
Greene	471	10	42	418	1	461	-	41	418	2
Hale	579	38	76	460	5	567	30	74	458	5
Henry	531	17	204	309	1	513	-	202	310	1
Houston	873	179	431	262	1	925	227	438	259	1
Outside city	592	43	355	193	1	550	-	358	191	1
Dothan	281	136	76	69	-	375	227	80	68	-
Jackson	1,024	45	754	218	7	1,000	23	752	218	7
Jefferson	10,469	6,180	4,190	105	14	10,655	6,360	4,187	95	13
Outside cities	3,785	1,693	2,014	70	8	2,183	112	1,997	66	8
Bessemer	507	202	283	21	1	394	91	281	21	1
Birmingham	5,917	4,143	1,756	13	5	6,691	4,912	1,767	8	4
Fairfield	260	122	137	1	-	1,387	1,245	142	-	-
Lamar	407	11	349	41	6	397	-	351	40	6
Lauderdale	1,031	199	663	164	5	1,032	200	663	164	5
Outside city	688	62	485	139	2	623	-	482	139	2
Florence	343	137	178	25	3	409	200	181	25	3
Lawrence	660	107	381	168	4	654	99	384	168	3
Lee	893	211	160	520	2	876	192	162	520	2
Limestone	873	111	553	207	2	866	105	552	207	2
Lowndes	605	31	23	550	1	576	-	22	553	1
Macon	702	127	105	368	102	692	111	111	368	102
Madison	1,399	180	789	425	5	1,401	176	796	425	4
Outside city	1,127	87	662	374	4	1,039	-	663	372	4
Huntsville	272	93	127	51	1	362	176	133	53	-
Marengo	698	44	149	499	6	661	4	152	499	6
Marion	596	30	433	124	9	565	2	432	122	9
Marshall	928	47	786	92	3	933	47	789	94	3
Mobile	3,758	1,821	845	1,078	14	3,830	1,890	849	1,077	14
Outside city	1,884	630	617	625	12	1,240	1	608	619	12
Mobile	1,874	1,191	228	453	2	2,590	1,889	241	458	2
Monroe	756	15	240	495	6	745	-	241	499	5
Montgomery	2,356	1,154	114	1,067	21	2,445	1,254	107	1,062	22
Outside city	722	152	50	517	3	610	55	51	503	1
Montgomery	1,634	1,002	64	550	18	1,835	1,199	56	559	21
Morgan	998	284	564	137	13	999	292	558	136	13
Outside city	677	120	454	91	12	546	-	445	89	12
Decatur	321	164	110	46	1	453	292	113	47	1
Perry	623	21	86	510	6	600	1	84	509	6
Pickens	680	15	309	350	6	663	-	309	348	6
Pike	621	96	261	260	4	657	136	260	257	4
Randolph	568	56	259	246	7	571	61	255	248	7
Russell	876	118	177	580	1	774	12	180	581	1
Outside city	556	30	52	474	-	523	-	48	475	-
Phenix City	320	88	125	106	1	251	12	132	106	1
St. Clair	648	85	462	98	3	632	69	461	99	3
Shelby	594	80	409	100	5	567	47	412	103	5
Sumter	675	70	75	529	1	665	54	80	530	1
Talladega	1,431	594	346	475	16	1,455	621	347	470	15
Tallapoosa	767	214	398	146	9	801	249	398	144	10

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
ALABAMA—Continued										
Tuscaloosa	1,429	534	454	434	7	1,456	558	451	440	7
Outside city	934	230	397	300	7	699	-	391	301	7
Tuscaloosa	495	304	57	134	-	757	558	60	139	-
Walker	1,463	202	1,196	63	2	1,452	192	1,195	63	2
Washington	372	11	182	175	4	360	-	181	175	4
Wilcox	831	22	135	669	5	814	1	133	674	6
Winston	429	54	309	64	2	422	42	314	64	2
ARIZONA (total)	11,425	7,721	2,707	622	375	12,011	8,262	2,745	628	376
Apache	474	335	99	19	21	497	352	109	15	21
Cochise	798	494	251	47	6	795	483	257	49	6
Coconino	386	215	115	18	38	367	184	125	19	39
Gila	607	362	201	3	41	579	330	204	5	40
Graham	312	111	177	6	18	329	118	188	5	18
Greenlee	364	272	88	-	4	330	253	74	-	3
Maricopa	4,208	3,396	602	168	42	4,579	3,758	606	169	46
Outside city	2,077	1,570	364	117	26	1,588	1,111	337	113	27
Phoenix	2,131	1,826	238	51	16	2,991	2,647	269	56	19
Mohave	184	119	56	3	6	184	123	53	4	4
Navajo	571	349	99	24	99	539	315	100	24	100
Pima	1,580	958	394	165	63	1,722	1,099	393	167	63
Outside city	396	257	46	43	50	267	180	14	27	46
Tucson	1,184	701	348	122	13	1,455	919	379	140	17
Pinal	693	405	220	53	15	854	554	228	54	18
Santa Cruz	213	61	111	29	12	193	45	110	29	9
Yavapai	603	350	241	6	6	572	322	242	3	5
Yuma	432	294	53	81	4	471	326	56	85	4
ARKANSAS (total)	40,549	8,519	22,258	9,070	702	40,437	8,415	22,250	9,070	702
Arkansas	461	53	270	129	9	456	48	268	132	8
Ashley	637	145	253	228	11	616	124	251	230	11
Baxter	217	42	149	12	14	213	36	150	13	14
Benton	670	219	433	11	7	677	225	434	10	8
Boone	337	34	279	17	7	349	45	282	16	6
Bradley	368	44	254	65	5	362	40	256	61	5
Calhoun	204	9	147	46	2	195	-	147	46	2
Carroll	237	28	163	41	5	258	37	172	43	6
Chicot	486	50	96	330	10	536	90	103	333	10
Clark	517	82	257	167	11	496	61	253	171	11
Clay	464	33	395	27	9	457	22	398	28	9
Cleburne	308	117	130	49	12	309	121	127	49	12
Cleveland	202	13	162	24	3	187	-	160	24	3
Columbia	479	82	257	131	9	491	90	261	131	9
Conway	488	69	273	138	8	510	89	273	140	8
Craighead	1,067	197	811	45	14	1,141	287	817	43	14
Outside city	821	65	733	13	10	763	1	740	12	10
Jonesboro	246	132	78	32	4	378	286	77	31	4
Crawford	526	93	370	57	6	434	3	368	57	6
Crittenden	1,040	88	164	763	25	963	1	168	771	23
Cross	474	80	221	158	15	465	72	223	155	15
Dallas	300	28	183	85	4	280	14	183	79	4
Desha	474	92	83	292	7	422	46	81	288	7
Drew	468	96	131	238	3	481	110	128	240	3
Faulkner	576	108	367	93	8	553	91	363	90	9
Franklin	303	76	216	6	5	302	76	214	6	6
Fulton	205	5	176	20	4	208	12	173	19	4
Garland	753	267	355	116	15	785	301	353	116	15
Outside city	326	49	196	72	9	270	1	188	72	9
Hot Springs	427	218	159	44	6	515	300	165	44	6
Grant	228	13	206	6	3	210	-	201	6	3
Greene	611	48	550	7	6	615	47	556	6	6
Hempstead	600	98	281	208	13	609	105	282	209	13
Hot Spring	434	68	308	52	6	430	62	311	51	6
Howard	322	14	230	68	10	302	-	226	66	10
Independence	570	55	456	37	22	611	83	467	39	22
Izard	256	14	223	17	2	241	-	222	17	2
Jackson	650	56	502	105	7	652	37	505	103	7
Jefferson	1,130	277	271	573	9	1,145	292	267	577	9
Outside city	781	50	203	520	8	726	-	195	523	8
Pine Bluff	349	227	68	53	1	419	292	72	54	1
Johnson	439	58	344	32	5	443	57	348	33	5
Lafayette	295	16	156	122	1	280	1	154	124	1
Lawrence	473	35	410	24	4	438	-	410	24	4
Lee	640	18	200	406	16	619	-	198	405	16
Lincoln	435	12	177	246	-	423	-	176	247	-
Little River	314	15	197	97	5	297	-	198	94	5
Logan	589	132	436	15	6	595	142	433	14	6
Lonoke	604	72	333	193	6	529	-	335	189	5
Madison	265	35	121	92	17	219	-	116	89	14
Marion	188	13	143	27	5	171	-	139	27	5
Miller	656	235	294	126	1	741	315	298	127	1
Outside city	421	83	246	92	-	332	-	240	92	-
Texarkana[1]	235	152	48	34	1	409	315	58	35	1
Mississippi	1,971	238	1,253	466	14	1,933	205	1,246	468	14
Outside city	1,731	142	1,168	409	12	1,616	34	1,157	413	12
Blytheville	240	96	85	57	2	317	171	89	55	2

[1] Includes data for Texarkana, Ark., only.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
ARKANSAS—Continued										
Monroe	466	23	185	239	19	452	5	183	246	18
Montgomery	189	13	154	15	7	174	-	151	16	7
Nevada	338	50	215	67	6	331	43	217	65	6
Newton	207	3	122	46	36	203	-	121	46	36
Ouachita	719	265	196	245	13	728	274	195	246	13
Perry	213	13	180	16	4	199	-	180	15	4
Phillips	970	152	231	567	20	971	144	233	572	22
Pike	256	13	200	18	5	230	-	208	17	5
Poinsett	1,145	84	905	143	13	1,054	1	896	144	13
Polk	373	96	267	6	4	366	94	263	6	3
Pope	563	112	375	71	5	589	142	373	69	5
Prairie	280	17	175	83	5	260	-	178	77	5
Pulaski	3,444	1,874	1,227	317	26	3,692	2,115	1,228	322	27
Outside cities	1,092	324	506	245	17	788	18	500	252	18
Little Rock	1,802	1,275	486	35	6	2,615	2,091	485	33	6
North Little Rock	550	275	235	37	3	289	6	243	37	3
Randolph	328	46	256	22	4	318	34	258	22	4
St. Francis	776	94	245	412	25	712	36	243	407	26
Saline	382	53	305	20	4	355	27	306	18	4
Scott	308	28	271	7	2	281	-	272	7	2
Searcy	198	21	105	54	18	192	16	104	54	18
Sebastian	1,400	817	565	12	6	1,601	1,018	565	12	6
Outside city	549	144	395	5	5	400	-	390	5	5
Fort Smith	851	673	170	7	1	1,201	1,018	175	7	1
Sevier	284	25	231	25	3	297	35	233	26	3
Sharp	206	11	173	9	13	192	-	169	10	13
Stone	154	9	87	24	34	143	-	84	25	34
Union	816	420	207	174	15	826	435	203	173	15
Outside city	499	166	187	133	13	370	43	181	133	13
El Dorado	317	254	20	41	2	456	392	22	40	2
Van Buren	257	17	224	13	3	240	-	224	13	3
Washington	783	425	299	49	10	851	497	296	47	11
White	706	101	574	23	8	727	123	574	22	8
Woodruff	461	31	266	158	6	439	9	264	159	7
Yell	416	54	332	28	2	365	-	335	28	2
CALIFORNIA (total)	125,190	111,752	12,611	540	287	124,682	111,340	12,530	532	280
Alameda	8,447	8,093	334	15	5	8,920	8,566	329	20	5
Outside cities	960	872	85	1	2	542	458	81	1	2
Alameda	629	615	10	4	-	548	534	10	4	-
Albany	221	219	2	-	-	502	499	3	-	-
Berkeley	1,338	1,310	25	2	1	1,279	1,253	22	3	1
Oakland	4,984	4,775	199	8	2	6,036	5,821	201	12	2
San Leandro	315	302	13	-	-	13	1	12	-	-
Alpine	7	7	-	-	-	-	-	-	-	-
Amador	131	67	63	1	-	75	10	64	1	-
Butte	812	667	145	-	-	900	753	147	-	-
Calaveras	122	107	15	-	-	71	59	12	-	-
Colusa	182	165	17	-	-	180	164	16	-	-
Contra Costa	2,221	2,007	210	2	2	1,472	1,263	205	2	2
Outside city	1,582	1,426	152	2	2	992	842	146	2	2
Richmond	639	581	58	-	-	480	421	59	-	-
Del Norte	89	81	6	-	2	86	79	5	-	2
El Dorado	251	189	62	-	-	186	124	62	-	-
Fresno	3,777	3,365	399	6	7	3,746	3,337	396	5	8
Outside city	2,491	2,182	300	4	5	1,424	1,097	318	3	6
Fresno	1,286	1,183	99	2	2	2,322	2,240	78	2	2
Glenn	199	134	65	-	-	124	64	60	-	-
Humboldt	754	737	17	-	-	753	736	17	-	-
Outside city	461	445	16	-	-	313	297	16	-	-
Eureka	293	292	1	-	-	440	439	1	-	-
Imperial	1,450	769	655	2	24	1,399	729	644	2	24
Outside cities	848	431	403	2	12	700	287	399	2	12
Brawley	345	151	183	-	11	429	236	182	-	11
El Centro	257	187	69	-	1	270	206	63	-	1
Inyo	178	159	17	2	-	162	143	18	1	-
Kern	3,438	3,164	259	-	15	3,491	3,226	250	-	15
Outside city	2,230	1,998	218	-	14	2,412	2,170	228	-	14
Bakersfield	1,208	1,166	41	-	1	1,079	1,056	22	-	1
Kings	915	696	218	1	-	858	641	217	-	-
Lake	125	74	50	-	1	106	53	51	-	2
Lassen	346	314	32	-	-	336	308	28	-	-
Los Angeles	48,250	43,446	4,283	393	108	48,476	43,726	4,242	393	115
Outside cities	10,600	9,397	1,081	64	58	7,440	6,274	1,046	60	60
Alhambra	598	578	20	-	-	586	568	18	-	-
Bell	277	260	16	-	1	942	929	12	-	1
Belvedere (twp.)[2]	421	134	210	74	3	574	265	227	79	3
Beverly Hills	56	52	4	-	-	4	-	4	-	-
Burbank	1,002	944	57	1	-	458	402	56	-	-
Compton	479	454	25	-	-	383	359	24	-	-
Glendale	1,319	1,278	40	1	-	2,571	2,525	45	1	-
Huntington Park	519	504	13	1	1	509	496	11	1	1
Inglewood	744	730	11	2	1	808	793	12	2	1
Long Beach	2,850	2,776	71	3	-	3,575	3,507	66	2	-
Los Angeles	24,389	21,701	2,404	242	42	24,320	21,635	2,394	245	46
Lynwood	295	286	9	-	-	128	118	10	-	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

536909 O - 43 - 9

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
CALIFORNIA—Continued										
Los Angeles—Continued										
Maywood	243	237	6	-	-	430	424	6	-	-
Monrovia	209	187	22	-	-	104	83	21	-	-
Pasadena	1,172	1,143	27	2	-	1,407	1,378	27	2	-
Pomona	379	325	54	-	-	582	527	55	-	-
Redondo Beach	278	239	39	-	-	69	31	38	-	-
San Gabriel	335	306	29	-	-	30	-	30	-	-
Santa Monica	930	820	106	2	2	1,768	1,660	105	1	2
South Gate	720	699	21	-	-	1,126	1,105	20	-	1
South Pasadena	116	111	5	-	-	5	-	5	-	-
Whittier	299	285	13	1	-	657	647	10	-	-
Madera	641	618	17	-	6	579	555	18	-	6
Marin	665	655	10	-	-	456	445	11	-	-
Mariposa	70	59	10	1	-	19	11	7	1	-
Mendocino	413	291	121	-	1	395	271	123	-	1
Merced	1,046	987	56	2	1	1,208	1,148	57	2	1
Outside city	838	784	51	2	1	908	853	52	2	1
Merced	208	203	5	-	-	300	295	5	-	-
Modoc	172	122	50	-	-	131	83	48	-	-
Mono	30	24	5	-	1	7	2	4	-	1
Monterey	1,754	1,539	213	-	2	1,661	1,441	218	-	2
Outside cities	947	757	188	-	2	1,379	1,175	202	-	2
Monterey	237	231	6	-	-	60	56	4	-	-
Salinas	570	551	19	-	-	222	210	12	-	-
Napa	447	417	29	1	-	457	429	27	1	-
Nevada	361	334	27	-	-	349	322	27	-	-
Orange	2,396	1,796	590	6	4	2,271	1,671	592	5	3
Outside cities	1,369	988	373	6	2	1,402	1,016	379	5	2
Anaheim	226	186	40	-	-	59	18	41	-	-
Fullerton	188	167	20	-	1	364	343	21	-	-
Santa Ana	613	455	157	-	1	446	294	151	-	1
Placer	436	337	89	6	4	262	178	80	-	4
Plumas	280	261	18	1	-	231	213	18	-	-
Riverside	2,282	1,834	436	4	8	2,167	1,724	438	1	4
Outside city	1,485	1,146	327	4	8	1,012	684	323	1	4
Riverside	797	688	109	-	-	1,155	1,040	115	-	-
Sacramento	3,076	2,871	166	31	8	3,455	3,235	176	36	8
Outside city	1,225	1,092	115	14	4	190	69	106	11	4
Sacramento	1,851	1,779	51	17	4	3,265	3,166	70	25	4
San Benito	215	171	43	-	1	186	139	45	-	2
San Bernardino	3,179	2,201	969	4	5	3,186	2,201	978	2	5
Outside cities	1,557	992	557	4	4	1,242	666	570	2	4
Ontario	319	205	113	-	1	166	50	115	-	1
Redlands	235	167	68	-	-	258	194	64	-	-
San Bernardino	1,068	837	231	-	-	1,520	1,291	229	-	-
San Diego	6,488	6,048	428	-	12	6,403	5,979	416	-	8
Outside cities	1,535	1,297	229	-	9	658	426	226	-	6
National City	355	344	11	-	-	625	612	13	-	-
San Diego	4,598	4,407	188	-	3	5,120	4,941	177	-	2
San Francisco, coextensive with San Francisco (city)	8,436	8,089	307	25	15	9,808	9,456	313	24	15
San Joaquin	2,319	2,194	111	6	8	2,372	2,250	107	7	8
Outside cities	1,006	935	63	3	5	1,019	957	55	-	7
Lodi	211	205	6	-	-	307	301	6	-	-
Stockton	1,102	1,054	42	3	3	1,046	992	46	7	1
San Luis Obispo	824	767	56	-	1	793	736	56	-	1
San Mateo	1,946	1,899	47	-	-	933	891	42	-	-
Outside cities	1,055	1,016	39	-	-	160	125	35	-	-
Burlingame	222	221	1	-	-	-	-	-	-	-
Redwood City	272	266	6	-	-	70	64	6	-	-
San Mateo	397	396	1	-	-	703	702	1	-	-
Santa Barbara	1,353	1,181	166	-	6	1,358	1,190	162	-	6
Outside city	793	654	134	-	5	814	680	129	-	5
Santa Barbara	560	527	32	-	1	544	510	33	-	1
Santa Clara	3,104	2,940	132	21	11	3,399	3,231	138	22	8
Outside cities	1,371	1,249	93	19	10	1,728	1,629	91	1	7
Palo Alto	290	281	8	1	-	668	659	9	-	-
San Jose	1,443	1,410	31	1	1	1,003	943	38	21	1
Santa Cruz	667	613	52	-	2	730	677	51	-	2
Outside city	439	390	47	-	2	437	388	47	-	2
Santa Cruz	228	223	5	-	-	293	289	4	-	-
Shasta	698	664	33	1	-	670	638	31	1	-
Sierra	61	49	12	-	-	46	35	11	-	-
Siskiyou	568	508	59	-	1	506	447	58	-	1
Solano	1,082	1,006	74	2	-	961	891	70	-	-
Outside city	337	286	49	2	-	237	182	55	-	-
Vallejo	745	720	25	-	-	724	709	15	-	-
Sonoma	1,053	997	55	-	1	1,063	1,005	57	-	1
Outside city	710	662	47	-	1	712	659	52	-	1
Santa Rosa	343	335	8	-	-	351	346	5	-	-
Stanislaus	1,640	1,484	155	-	1	1,671	1,510	160	-	1
Outside city	1,090	961	128	-	1	455	313	141	-	1
Modesto	550	523	27	-	-	1,216	1,197	19	-	-
Sutter	425	417	8	-	-	406	396	10	-	-
Tehama	222	216	6	-	-	252	244	8	-	-
Trinity	42	38	3	-	1	32	28	3	-	1
Tulare	2,644	2,040	583	5	16	2,562	1,964	581	5	12
Tuolumne	166	145	21	-	-	168	148	20	-	-
Ventura	1,481	948	528	-	5	1,465	930	530	-	5
Outside city	1,174	690	479	-	5	1,121	629	487	-	5
San Buenaventura	307	258	49	-	-	344	301	43	-	-
Yolo	504	439	61	2	2	405	343	60	1	1
Yuba	330	312	18	-	-	318	302	16	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
COLORADO (total)	21,293	14,154	6,957	102	180	21,400	14,173	6,955	93	179
Adams	453	295	151	2	5	327	172	148	2	5
Alamosa	230	155	71	1	3	334	260	71	-	3
Arapahoe	680	560	119	-	1	118	-	116	1	1
Archuleta	102	10	81	3	8	92	-	81	3	8
Baca	157	57	98	2	-	123	26	94	3	-
Bent	230	153	74	1	2	190	115	72	1	2
Boulder	649	452	196	-	1	691	493	197	-	1
Outside city	428	254	173	-	1	355	182	172	-	1
Boulder	221	198	23	-	-	336	311	25	-	-
Chaffee	96	81	14	1	-	131	115	15	1	-
Cheyenne	56	30	26	-	-	50	27	23	-	-
Clear Creek	52	32	20	-	-	19	-	19	-	-
Conejos	197	71	83	2	41	125	-	84	-	41
Costilla	111	31	41	6	33	75	-	38	3	34
Crowley	124	34	90	-	-	92	-	92	-	-
Custer	24	11	13	-	-	12	-	12	-	-
Delta	331	106	221	3	1	344	115	225	3	1
Denver, coextensive with Denver (city)	5,848	4,852	975	14	7	7,347	6,336	991	13	7
Dolores	50	15	32	3	-	24	-	21	3	-
Douglas	55	45	9	-	1	10	-	9	-	1
Eagle	92	59	33	-	-	68	35	33	-	-
Elbert	95	60	34	-	1	33	1	31	-	1
El Paso	811	737	72	-	2	877	808	67	-	2
Outside city	167	144	22	-	1	21	1	19	-	1
Colorado Springs	644	593	50	-	1	856	807	48	-	1
Fremont	281	161	118	-	2	277	158	117	-	2
Garfield	186	73	112	-	1	214	94	119	-	1
Gilpin	25	16	9	-	-	8	-	8	-	-
Grand	71	38	32	1	-	34	4	29	1	-
Gunnison	123	62	60	1	-	121	64	56	1	-
Hinsdale	6	3	2	-	1	1	-	-	-	1
Huerfano	253	66	175	2	10	207	25	170	2	10
Jackson	33	17	16	-	-	21	7	14	-	-
Jefferson	544	463	79	2	-	147	63	81	3	-
Kiowa	46	33	13	-	-	21	10	11	-	-
Kit Carson	145	102	40	3	-	190	147	40	3	-
Lake	173	142	30	-	1	140	111	29	-	-
La Plata	317	217	98	1	1	359	261	97	1	-
Larimer	615	416	199	-	-	587	391	196	-	-
Outside city	491	329	162	-	-	541	388	153	-	-
Fort Collins	124	87	37	-	-	46	3	43	-	-
Las Animas	753	194	546	9	4	719	162	546	7	4
Outside city	414	97	305	9	3	346	44	292	7	3
Trinidad	339	97	241	-	1	373	118	254	-	1
Lincoln	120	47	71	1	1	97	20	75	1	1
Logan	378	281	96	-	1	409	309	99	-	1
Mesa	640	347	285	7	3	663	369	284	7	3
Outside city	363	152	202	7	2	259	83	169	6	1
Grand Junction	277	195	81	-	1	404	286	115	1	2
Mineral	26	19	7	-	-	7	-	7	-	-
Moffat	105	59	46	-	-	68	27	41	-	-
Montezuma	269	82	183	-	4	277	82	191	-	4
Montrose	343	140	202	-	1	332	128	203	-	1
Morgan	342	211	130	1	-	370	239	131	-	-
Otero	520	245	262	5	8	580	294	274	4	8
Ouray	34	22	12	-	-	28	16	12	-	-
Park	59	53	6	-	-	31	27	4	-	-
Phillips	84	29	55	-	-	89	23	66	-	-
Pitkin	24	14	10	-	-	16	7	9	-	-
Prowers	286	133	151	-	2	344	190	152	-	2
Pueblo	1,431	1,054	366	6	5	1,450	1,076	364	5	5
Outside city	392	243	142	4	3	467	320	139	5	3
Pueblo	1,039	811	224	2	2	983	756	225	-	2
Rio Blanco	52	21	30	-	1	33	3	29	-	1
Rio Grande	258	124	115	-	19	305	168	119	-	18
Routt	217	139	78	-	-	245	165	80	-	-
Saguache	140	57	62	17	4	88	5	61	17	5
San Juan	36	32	4	-	-	24	21	3	-	-
San Miguel	78	46	31	1	-	59	31	27	1	-
Sedgwick	100	48	50	-	2	122	63	57	-	2
Summit	22	15	7	-	-	13	3	10	-	-
Teller	123	110	13	-	-	94	81	13	-	-
Washington	143	97	45	1	-	91	52	38	1	-
Weld	1,321	756	556	6	3	1,232	667	556	6	3
Outside city	1,003	476	520	4	3	577	58	512	4	3
Greeley	318	280	36	2	-	655	609	44	2	-
Yuma	228	124	104	-	-	205	107	98	-	-
CONNECTICUT (total)	29,036	27,304	1,653	71	8	28,526	26,804	1,644	70	8
Fairfield	7,073	6,769	264	37	3	6,813	6,518	255	37	3
Outside cities	1,806	1,734	70	-	2	463	401	60	-	2
Bridgeport	2,544	2,450	61	32	1	3,578	3,485	60	32	1
Danbury	421	398	23	-	-	625	601	24	-	-
Norwalk	710	664	41	5	-	1,075	1,028	42	5	-
Shelton	158	144	14	-	-	16	2	14	-	-
Stamford	1,013	963	50	-	-	1,052	1,001	51	-	-
Stratford (town)	421	416	5	-	-	4	-	4	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
CONNECTICUT—Continued										
Hartford	7,980	7,715	259	6	-	7,920	7,662	252	6	-
Outside cities	2,415	2,263	149	3	-	583	433	147	3	-
Bristol	554	538	13	3	-	660	644	13	3	-
East Hartford (town)	346	343	3	-	-	3	-	3	-	-
Hartford	3,136	3,099	37	-	-	5,287	5,256	31	-	-
New Britain	1,080	1,024	56	-	-	1,320	1,263	57	-	-
West Hartford (town)	449	448	1	-	-	67	66	1	-	-
Litchfield	1,568	1,476	92	-	-	1,240	1,149	91	-	-
Outside city	1,063	995	68	-	-	615	548	67	-	-
Torrington	505	481	24	-	-	625	601	24	-	-
Middlesex	892	833	59	-	-	814	753	61	-	-
Outside city	501	465	36	-	-	37	1	36	-	-
Middletown	391	368	23	-	-	777	752	25	-	-
New Haven	7,978	7,409	540	25	4	8,367	7,794	544	25	4
Outside cities	1,582	1,517	64	1	-	349	283	65	1	-
Ansonia	312	298	14	-	-	14	-	14	-	-
Derby	147	124	23	-	-	685	661	23	-	1
Meriden	605	573	29	2	1	702	670	29	2	1
Naugatuck	290	281	8	1	-	8	-	7	1	-
New Haven	2,557	2,272	275	8	2	3,957	3,668	279	8	2
Wallingford	208	192	16	-	-	16	-	16	-	-
Waterbury	1,785	1,699	73	12	1	2,597	2,512	73	12	-
West Haven (town)	492	453	38	1	-	39	-	38	1	-
New London	2,141	1,910	231	-	-	2,109	1,878	231	-	-
Outside cities	1,133	976	157	-	-	188	52	136	-	-
New London	514	492	22	-	-	1,128	1,106	22	-	-
Norwich	494	442	52	-	-	793	720	73	-	-
Tolland	501	480	19	1	1	377	355	20	1	1
Windham	903	712	189	2	-	886	695	190	1	-
Outside city	679	525	152	2	-	540	385	155	-	-
Willimantic	224	187	37	-	-	346	310	35	1	-
DELAWARE (total)	5,087	3,740	874	464	9	5,121	3,766	882	463	10
Kent	642	309	162	170	1	602	268	164	169	1
New Castle	3,349	2,966	273	107	3	3,458	3,058	290	106	4
Outside city	1,309	1,097	148	64	2	250	25	159	63	3
Wilmington	2,040	1,869	127	43	1	3,208	3,033	131	43	1
Sussex	1,096	465	439	187	5	1,061	440	428	188	5
DISTRICT OF COLUMBIA	12,892	11,516	1,370	4	2	18,294	16,913	1,381	-	-
FLORIDA (total)	37,542	18,964	9,256	9,234	88	37,551	18,931	9,266	9,268	86
Alachua	822	304	161	355	2	875	354	161	358	2
Outside city	495	102	138	253	2	414	26	134	252	2
Gainesville	327	202	23	102	-	461	328	27	106	-
Baker	157	15	38	103	1	144	-	37	105	2
Bay	545	229	202	113	1	578	255	202	120	1
Outside city	263	77	116	69	1	179	-	110	68	1
Panama City	282	152	86	44	-	399	255	92	52	-
Bradford	291	42	146	103	-	250	-	150	100	-
Brevard	277	59	86	132	-	283	64	84	135	-
Broward	810	457	138	215	-	806	447	135	224	-
Outside city	446	216	67	163	-	365	132	64	169	-
Fort Lauderdale	364	241	71	52	-	441	315	71	55	-
Calhoun	235	9	151	74	1	221	-	150	70	1
Charlotte	41	12	22	6	1	30	-	23	6	1
Citrus	109	7	60	42	-	102	-	61	41	-
Clay	169	82	29	58	-	123	35	28	59	1
Collier	95	16	45	33	1	70	1	35	33	1
Columbia	356	101	81	172	2	375	125	79	169	2
Dade	4,724	3,770	319	635	-	4,755	3,808	313	634	-
Outside cities	1,365	1,129	123	113	-	1,021	790	122	109	-
Miami	3,133	2,418	193	522	-	3,382	2,669	188	525	-
Miami Beach	226	223	3	-	-	352	349	3	-	-
De Soto	173	135	7	31	-	194	154	9	31	-
Dixie	206	15	91	98	2	198	9	91	97	1
Duval	4,548	3,625	482	433	8	4,664	3,743	478	435	8
Outside city	721	485	118	117	1	213	-	99	113	1
Jacksonville	3,827	3,140	364	316	7	4,451	3,743	379	322	7
Escambia	1,888	1,213	304	369	2	1,911	1,239	304	367	1
Outside city	795	486	172	137	-	317	28	163	126	-
Pensacola	1,093	727	132	232	2	1,594	1,211	141	241	1
Flagler	62	14	12	36	-	48	-	12	36	-
Franklin	153	11	80	59	3	142	-	81	58	3
Gadsden	627	91	159	377	-	648	104	162	382	-
Gilchrist	105	9	46	47	3	92	-	42	47	3
Glades	41	7	23	11	-	35	-	24	11	-
Gulf	209	36	85	88	-	192	15	87	90	-
Hamilton	277	12	133	131	1	266	-	135	130	1
Hardee	207	37	163	6	1	196	26	163	6	1
Hendry	97	32	45	19	1	69	16	28	24	1
Hernando	110	24	62	24	-	112	27	62	23	-
Highlands	242	170	32	40	-	255	180	34	41	-
Hillsborough	3,499	2,463	664	371	1	3,573	2,537	664	371	1
Outside city	1,518	884	517	116	1	1,212	581	515	115	1
Tampa	1,981	1,579	147	255	-	2,361	1,956	149	256	-
Holmes	305	38	169	96	2	296	27	170	97	2
Indian River	177	41	109	24	3	177	41	110	23	3

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
FLORIDA—Continued										
Jackson	808	71	364	372	1	762	37	357	367	1
Jefferson	287	12	62	212	1	272	-	60	211	1
Lafayette	78	4	62	12	-	73	-	62	11	-
Lake	545	270	124	151	-	570	292	126	152	-
Lee	333	121	167	45	-	374	138	191	45	-
Outside city	115	26	84	5	-	80	1	75	4	-
Fort Myers	218	95	83	40	-	294	137	116	41	-
Leon	707	234	97	375	1	695	228	95	371	1
Outside city	306	32	32	241	1	294	26	30	237	1
Tallahassee	401	202	65	134	-	401	202	65	134	-
Levy	247	21	129	97	-	244	12	135	97	-
Liberty	74	8	31	35	-	67	-	31	36	-
Madison	339	73	67	199	-	333	65	67	201	-
Manatee	445	265	55	125	-	450	267	55	128	-
Marion	588	208	124	254	2	587	210	123	252	2
Martin	118	57	49	11	1	111	50	48	12	1
Monroe	270	51	46	173	-	274	43	58	173	-
Outside city	9	6	2	1	-	-	-	-	-	-
Key West	261	45	44	172	-	274	43	58	173	-
Nassau	224	57	81	83	3	167	-	80	84	3
Okaloosa	313	115	125	70	3	299	102	124	70	3
Okeechobee	47	19	4	24	-	26	-	2	24	-
Orange	1,290	678	432	179	1	1,319	706	433	179	1
Outside city	616	224	287	104	1	414	29	280	104	1
Orlando	674	454	145	75	-	905	677	153	75	-
Osceola	154	65	55	24	10	168	78	56	24	10
Palm Beach	1,294	683	230	378	3	1,325	702	241	379	3
Outside city	704	278	182	241	3	515	79	195	238	3
West Palm Beach	590	405	48	137	-	810	623	46	141	-
Pasco	283	43	200	40	-	268	30	198	40	-
Pinellas	1,197	777	158	260	2	1,222	805	157	258	2
Outside cities	249	130	96	23	-	177	63	95	19	-
Clearwater	148	108	9	30	1	189	144	10	34	1
St. Petersburg	800	539	53	207	1	856	598	52	205	1
Polk	1,805	558	989	253	5	1,780	534	988	254	4
Outside city	1,384	309	874	197	4	1,293	219	872	198	4
Lakeland	421	249	115	56	1	487	315	116	56	-
Putnam	385	147	153	85	-	401	159	159	83	-
St. Johns	380	252	23	105	-	407	274	28	105	-
Outside city	111	44	15	52	-	69	-	18	51	-
St. Augustine	269	208	8	53	-	338	274	10	54	-
St. Lucie	270	80	66	123	1	286	94	68	123	1
Santa Rosa	349	9	231	103	6	334	-	225	103	6
Sarasota	288	205	38	45	-	291	210	37	44	-
Outside city	93	65	18	10	-	25	1	16	8	-
Sarasota	195	140	20	35	-	266	209	21	36	-
Seminole	379	121	70	186	2	359	103	67	187	2
Outside city	207	48	47	112	-	156	-	44	112	-
Sanford	172	73	23	74	2	203	103	23	75	2
Sumter	240	76	99	65	-	212	44	100	68	-
Suwannee	379	27	174	176	2	351	2	171	176	2
Taylor	255	10	156	86	3	248	-	155	91	2
Union	112	13	58	41	-	100	1	58	41	-
Volusia	791	417	154	218	2	784	399	161	222	2
Outside city	457	181	131	144	1	393	112	135	145	1
Daytona Beach	334	236	23	74	1	391	287	26	77	1
Wakulla	146	15	47	83	1	128	-	43	84	1
Walton	296	102	62	131	1	320	123	61	135	1
Washington	269	24	130	114	1	264	16	132	115	1
GEORGIA (total)	67,870	23,057	22,194	22,415	204	68,244	23,461	22,183	22,396	204
Appling	333	28	171	132	2	308	-	173	133	2
Atkinson	179	11	100	68	-	162	-	96	66	-
Bacon	211	8	134	68	1	211	6	136	68	1
Baker	158	4	34	119	1	157	-	35	122	-
Baldwin	346	106	39	200	1	367	128	40	198	1
Banks	184	18	138	28	-	164	-	135	29	-
Barrow	281	33	159	87	2	251	-	160	89	2
Bartow	552	134	324	74	-	518	120	326	72	-
Ben Hill	283	85	51	146	1	289	92	48	148	1
Berrien	329	86	187	54	2	326	81	188	55	2
Bibb	1,895	1,252	110	532	1	1,929	1,290	105	533	1
Outside city	349	157	24	168	-	196	3	22	171	-
Macon	1,546	1,095	86	364	1	1,733	1,287	83	362	1
Bleckley	232	6	98	128	-	226	-	97	129	-
Brantley	176	11	108	55	2	165	-	109	54	2
Brooks	508	90	131	283	4	505	89	129	283	4
Bryan	142	17	55	70	-	121	-	51	70	-
Bulloch	561	59	269	231	2	561	61	270	228	2
Burke	733	60	77	593	3	669	-	78	588	3
Butts	211	18	71	122	-	206	10	73	123	-
Calhoun	236	20	27	189	-	232	14	26	192	-
Camden	171	27	21	122	1	150	13	16	120	1
Candler	133	11	77	44	1	142	19	79	43	1
Carroll	726	53	507	162	4	713	46	502	161	4
Catoosa	204	57	141	6	-	186	40	141	5	-
Charlton	130	48	17	65	-	139	59	16	64	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
GEORGIA—Continued										
Chatham	2,548	1,943	450	151	4	2,640	2,034	451	151	4
Outside city	320	165	82	50	3	157	9	94	51	3
Savannah	2,228	1,758	368	101	1	2,483	2,025	357	100	1
Chattahoochee	137	83	12	42	-	420	362	15	43	-
Chattooga	456	232	198	26	-	480	254	200	26	-
Cherokee	438	74	329	33	2	427	59	333	33	2
Clarke	501	231	113	157	-	596	319	119	158	-
Outside city	125	31	40	54	-	95	-	42	53	-
Athens	376	200	73	103	-	501	319	77	105	-
Clay	172	12	15	145	-	158	-	13	145	-
Clayton	194	58	73	63	-	135	-	73	62	-
Clinch	108	12	36	59	1	108	11	39	57	1
Cobb	767	175	531	61	-	732	139	532	61	-
Coffee	600	102	267	229	2	609	107	267	233	2
Colquitt	721	193	333	194	1	733	204	333	195	1
Outside city	470	92	267	111	-	356	1	242	112	1
Moultrie	251	101	66	83	1	377	203	91	83	-
Columbia	215	17	79	119	-	198	-	79	119	-
Cook	249	35	152	61	1	254	43	149	61	1
Coweta	484	56	213	215	-	476	51	210	215	-
Crawford	153	21	20	112	-	133	-	21	112	-
Crisp	409	78	91	239	1	431	98	92	240	1
Dade	134	20	106	8	-	112	-	104	8	-
Dawson	94	19	44	30	1	78	-	47	30	1
Decatur	515	139	108	266	2	543	166	109	266	2
De Kalb	1,627	984	396	244	3	1,453	821	387	242	3
Outside cities	748	262	323	161	2	1,317	821	327	166	3
Atlanta (part)	532	484	39	9	-	40	-	32	8	-
Decatur	347	238	34	74	1	96	-	28	68	-
Dodge	445	41	211	193	-	445	44	209	192	-
Dooly	412	14	131	265	2	400	-	133	265	2
Dougherty	587	216	155	213	3	628	258	155	212	3
Outside city	128	27	34	67	-	95	2	34	59	-
Albany	459	189	121	146	3	533	256	121	153	3
Douglas	205	14	136	54	1	187	-	133	53	1
Early	453	97	60	292	4	425	72	56	293	4
Echols	70	8	22	38	2	62	-	21	39	2
Effingham	242	16	109	117	-	245	-	125	120	-
Elbert	373	98	91	183	1	364	89	90	184	1
Emanuel	505	127	129	243	6	496	116	130	244	6
Evans	187	15	121	48	3	168	-	120	45	3
Fannin	357	33	206	110	8	331	11	201	111	8
Fayette	207	21	66	120	-	186	7	61	118	-
Floyd	1,278	779	343	153	3	1,316	817	343	153	3
Outside city	576	254	239	81	2	318	-	235	81	2
Rome	702	525	104	72	1	998	817	108	72	1
Forsyth	233	3	156	71	3	230	-	155	72	3
Franklin	316	51	194	71	-	359	96	194	69	-
Fulton	8,139	7,207	807	122	3	8,585	7,653	812	117	3
Outside cities	1,458	1,058	349	50	1	527	94	379	52	2
Atlanta (part)	6,441	5,926	443	70	2	8,037	7,559	415	62	1
Atlanta (total)	6,973	6,410	482	79	2	8,077	7,559	447	70	1
District 1511, Center Hill[2]	3	2	1	-	-	2	-	2	-	-
East Point	237	221	14	2	-	19	-	16	3	-
Gilmer	234	54	99	79	2	220	40	100	78	2
Glascock	110	7	42	61	-	104	-	42	62	-
Glynn	499	233	129	137	-	510	240	131	139	-
Outside city	140	61	35	44	-	84	-	40	44	-
Brunswick	359	172	94	93	-	426	240	91	95	-
Gordon	452	238	169	45	-	442	231	167	44	-
Grady	446	59	227	159	1	452	62	231	158	1
Greene	316	15	130	171	-	303	-	130	173	-
Gwinnett	512	113	347	50	2	474	74	350	48	2
Habersham	321	29	209	77	6	291	-	207	78	6
Hall	709	180	416	105	8	727	200	416	103	8
Outside city	442	81	284	74	3	388	31	281	73	3
Gainesville	267	99	132	31	5	339	169	135	30	5
Hancock	314	15	61	238	-	297	-	59	238	-
Haralson	227	38	135	53	1	229	34	140	54	1
Harris	249	14	65	168	2	239	-	67	170	2
Hart	328	41	238	49	-	296	7	240	49	-
Heard	119	8	55	56	-	116	-	57	55	1
Henry	315	20	94	201	-	288	-	90	198	-
Houston	270	34	52	183	1	233	-	50	182	1
Irwin	285	76	43	166	-	308	98	43	167	-
Jackson	428	69	295	64	-	462	99	298	65	-
Jasper	183	3	66	114	-	185	-	69	116	-
Jeff Davis	210	14	137	59	-	204	9	135	60	-
Jefferson	477	28	47	398	4	450	-	47	399	4
Jenkins	337	44	92	200	1	397	105	93	198	1
Johnson	196	34	66	96	-	161	1	64	96	-
Jones	187	7	44	135	1	180	-	45	134	1
Lamar	207	6	82	118	1	204	-	83	120	1
Lanier	83	13	30	40	-	68	-	28	40	-
Laurens	714	208	156	350	-	774	269	157	348	-
Lee	154	18	28	107	1	134	-	27	106	1

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
GEORGIA—Continued										
Liberty	185	28	41	116	-	158	-	42	116	-
Lincoln	159	12	56	90	1	149	-	56	92	1
Long	71	16	41	14	-	66	-	50	16	-
Lowndes	637	228	61	345	3	661	256	60	342	3
Outside city	285	76	49	158	2	208	-	49	157	2
Valdosta	352	152	12	187	1	453	256	11	185	1
Lumpkin	116	7	82	24	3	110	1	81	25	3
McDuffie	252	59	48	140	5	192	-	47	140	5
McIntosh	134	12	32	90	-	125	1	33	91	-
Macon	473	84	108	279	2	488	97	111	278	2
Madison	287	21	185	79	2	265	-	185	78	2
Marion	185	4	66	115	-	179	-	64	115	-
Meriwether	485	14	194	275	2	477	4	193	277	3
Miller	206	41	29	136	-	167	7	26	134	-
Mitchell	571	40	200	325	6	531	-	199	325	7
Monroe	233	6	57	169	1	227	-	58	168	1
Montgomery	175	4	68	103	-	169	-	66	103	-
Morgan	287	28	55	202	2	283	23	56	202	2
Murray	257	12	153	92	-	243	-	151	92	-
Muscogee	2,134	1,379	435	316	4	1,959	1,214	427	314	4
Outside city	207	74	45	87	1	127	-	45	81	1
Columbus	1,927	1,305	390	229	3	1,832	1,214	382	233	3
Newton	375	108	146	119	2	364	97	144	121	2
Oconee	112	13	66	33	-	97	-	65	32	-
Oglethorpe	302	21	114	164	3	277	-	112	162	3
Paulding	273	5	237	31	-	271	-	239	32	-
Peach	240	40	50	149	1	292	92	51	148	1
Pickens	228	81	125	18	4	259	114	122	19	4
Pierce	281	18	158	104	1	261	-	156	104	1
Pike	212	11	69	131	1	215	12	69	133	1
Polk	600	106	388	102	4	572	79	386	103	4
Pulaski	209	29	37	143	-	222	43	36	143	-
Putnam	201	7	58	134	2	193	-	57	134	2
Quitman	100	8	19	73	-	93	-	20	73	-
Rabun	186	6	113	67	-	181	-	115	66	-
Randolph	351	27	62	261	1	375	56	60	258	1
Richmond	1,835	984	733	118	-	2,073	1,225	732	116	-
Outside city	348	206	52	90	-	138	-	49	89	-
Augusta	1,487	778	681	28	-	1,935	1,225	683	27	-
Rockdale	119	4	55	60	-	118	-	57	61	-
Schley	135	6	51	78	-	140	6	57	77	-
Screven	453	25	116	311	1	427	3	113	310	1
Seminole	229	133	18	77	1	290	188	20	81	1
Spalding	508	70	271	166	1	508	72	271	164	1
Outside city	197	9	100	88	-	187	-	99	88	-
Griffin	311	61	171	78	1	321	72	172	76	1
Stephens	293	160	90	43	-	315	182	89	44	-
Stewart	203	16	28	159	-	188	-	29	159	-
Sumter	562	127	80	354	1	598	161	81	355	1
Talbot	181	9	22	150	-	172	1	22	149	-
Taliaferro	113	15	15	83	-	98	-	16	82	-
Tattnall	242	39	150	49	4	238	39	148	47	4
Taylor	178	37	60	78	3	175	37	58	78	2
Telfair	350	35	144	171	-	347	32	146	169	-
Terrell	445	28	85	332	-	414	-	83	331	-
Thomas	675	119	141	413	2	707	153	140	412	2
Outside city	406	31	107	267	1	369	-	105	263	1
Thomasville	269	88	34	146	1	338	153	35	149	1
Tift	436	62	234	138	2	440	66	233	139	2
Toombs	372	32	211	129	-	383	37	216	130	-
Towns	114	3	91	18	2	112	-	91	19	2
Treutlen	174	13	73	88	-	161	-	72	89	-
Troup	938	234	346	356	2	1,030	327	346	356	1
Outside city	476	94	148	233	1	521	136	150	234	1
La Grange	462	140	198	123	1	509	191	196	122	-
Turner	240	17	120	103	-	220	-	123	97	-
Twiggs	275	14	34	227	-	260	-	33	227	-
Union	209	5	137	66	1	204	-	136	67	1
Upson	558	51	340	165	2	551	43	342	164	2
Walker	721	339	358	20	4	752	373	355	20	4
Walton	450	39	223	187	1	438	29	223	185	1
Ware	675	269	160	245	1	722	316	160	245	1
Outside city	218	44	86	88	-	176	1	86	89	-
Waycross	457	225	74	157	1	546	315	74	156	1
Warren	206	11	59	136	-	197	-	60	137	-
Washington	537	73	72	392	-	560	97	72	391	-
Wayne	354	136	91	126	1	404	191	87	125	1
Webster	107	8	31	68	-	99	-	31	68	-
Wheeler	182	8	93	80	1	174	-	93	80	1
White	138	2	86	50	-	136	-	87	49	-
Whitfield	586	266	253	64	3	598	276	255	64	3
Outside city	274	75	153	45	1	202	1	154	48	1
Dalton	312	191	100	19	2	396	275	101	18	2
Wilcox	223	19	118	83	3	198	-	113	82	3
Wilkes	321	52	65	204	-	416	143	64	209	-
Wilkinson	234	18	71	144	1	219	-	71	147	1
Worth	475	20	213	241	1	456	-	215	240	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
IDAHO (total)	11,658	8,342	3,241	34	41	11,715	8,374	3,266	34	41
Ada	1,022	995	27	-	-	1,121	1,093	27	1	-
Outside city	413	400	13	-	-	13	-	12	1	-
Boise City	609	595	14	-	-	1,108	1,093	15	-	-
Adams	74	36	37	1	-	94	56	37	1	-
Bannock	873	771	102	-	-	871	778	93	-	-
Outside city	315	219	96	-	-	99	10	89	-	-
Pocatello	558	552	6	-	-	772	768	4	-	-
Bear Lake	163	110	53	-	-	177	123	54	-	-
Benewah	152	71	78	-	3	136	61	72	-	3
Bingham	554	346	207	-	1	407	198	208	-	1
Blaine	127	74	49	-	4	112	60	48	-	4
Boise	37	33	4	-	-	2	-	1	-	1
Bonner	317	184	125	-	8	285	153	123	-	9
Bonneville	671	571	86	9	5	873	774	85	9	5
Outside city	285	243	38	3	1	40	-	36	3	1
Idaho Falls	386	328	48	6	4	833	774	49	6	4
Boundary	117	62	55	-	-	122	67	55	-	-
Butte	43	21	20	1	1	33	10	21	1	1
Camas	21	7	14	-	-	13	-	13	-	-
Canyon	856	695	157	2	2	962	794	164	2	2
Outside city	607	505	99	1	2	435	341	91	1	2
Nampa	249	190	58	1	-	527	453	73	1	-
Caribou	56	39	17	-	-	75	59	16	-	-
Cassia	353	149	203	-	1	343	139	203	-	1
Clark	24	18	6	-	-	3	-	3	-	-
Clearwater	185	134	51	-	-	167	122	44	-	1
Custer	82	38	41	3	-	52	8	41	3	-
Elmore	110	73	35	1	1	90	49	40	-	1
Franklin	275	160	115	-	-	285	162	123	-	-
Fremont	227	110	117	-	-	196	76	120	-	-
Gem	205	162	43	-	-	221	178	41	2	-
Gooding	198	131	64	-	1	297	230	66	-	1
Idaho	261	145	112	3	1	247	137	105	4	1
Jefferson	296	156	138	2	-	211	64	145	2	-
Jerome	242	128	111	1	2	116	-	114	1	1
Kootenai	387	318	67	1	1	365	296	67	1	1
Outside city	197	153	42	1	1	34	-	32	1	1
Coeur d'Alene	190	165	25	-	-	331	296	35	-	-
Latah	373	260	113	-	-	395	280	115	-	-
Lemhi	128	62	63	1	2	111	44	64	1	2
Lewis	86	25	61	-	-	67	-	67	-	-
Lincoln	96	68	28	-	-	48	24	24	-	-
Madison	242	100	141	-	1	293	147	145	-	1
Minidoka	197	64	132	1	-	218	75	143	-	-
Nez Perce	346	261	84	1	-	477	387	89	1	-
Outside city	133	84	48	1	-	49	-	48	1	-
Lewiston	213	177	36	-	-	428	387	41	-	-
Oneida	128	115	13	-	-	146	134	12	-	-
Owyhee	117	101	15	-	1	26	14	11	-	1
Payette	167	105	61	1	-	132	71	61	-	-
Power	69	68	1	-	-	116	114	2	-	-
Shoshone	535	466	66	-	3	507	440	64	-	3
Teton	126	123	3	-	-	110	108	2	-	-
Twin Falls	824	659	164	-	1	926	759	166	-	1
Outside city	504	384	120	-	-	772	649	123	-	-
Twin Falls	320	275	44	-	1	154	110	43	-	1
Valley	114	39	72	1	2	77	-	77	-	-
Washington	184	89	90	5	-	190	90	95	5	-
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-
ILLINOIS (total)	136,159	107,939	27,842	303	75	134,451	106,337	27,738	301	75
Adams	1,075	965	110	-	-	1,193	1,080	113	-	-
Outside city	369	269	100	-	-	104	-	104	-	-
Quincy	706	696	10	-	-	1,089	1,080	9	-	-
Alexander	516	203	269	2	42	563	249	270	2	42
Outside city	256	49	192	2	13	207	-	192	2	13
Cairo	260	154	77	-	29	356	249	78	-	29
Bond	240	109	131	-	-	130	-	130	-	-
Boone	270	255	15	-	-	313	298	15	-	-
Brown	129	28	101	-	-	100	-	100	-	-
Bureau	606	455	145	6	-	656	501	149	6	-
Calhoun	170	7	163	-	-	163	-	163	-	-
Carroll	303	192	109	-	2	241	130	109	-	2
Cass	309	120	189	-	-	315	121	194	-	-
Champaign	1,328	1,131	197	-	-	1,337	1,148	189	-	-
Outside cities	568	429	159	-	-	281	126	155	-	-
Champaign	459	437	22	-	-	602	585	17	-	-
Urbana	281	265	16	-	-	454	437	17	-	-
Christian	700	405	295	-	-	718	421	297	-	-
Clark	316	82	234	-	-	237	-	237	-	-
Clay	372	135	237	-	-	359	123	236	-	-
Clinton	412	214	197	1	-	386	187	198	1	-
Outside city	404	209	194	1	-	383	186	196	1	-
Centralia (part)	8	5	3	-	-	3	1	2	-	-
Coles	627	245	381	1	-	676	294	381	1	-
Outside city	342	107	234	1	-	331	91	239	1	-
Mattoon	285	138	147	-	-	345	203	142	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
ILLINOIS—Continued										
Cook	68,202	62,607	5,402	188	5	68,266	62,730	5,342	188	6
Outside cities	3,826	3,483	337	6	-	2,293	1,960	327	6	-
Berwyn	712	703	8	1	-	823	815	7	1	-
Blue Island	340	331	7	2	-	733	726	5	2	-
Brookfield	132	124	7	1	-	7	-	6	1	-
Calumet City	260	242	17	1	-	18	1	16	1	-
Chicago	57,511	52,524	4,812	170	5	57,333	52,388	4,770	170	5
Chicago Heights	452	378	74	-	-	696	616	80	-	-
Cicero	1,001	972	24	5	-	30	1	23	5	1
Elgin (part)	11	9	2	-	-	77	77	-	-	-
Elmwood Park	254	243	11	-	-	11	1	10	-	-
Evanston	970	956	14	-	-	2,256	2,240	16	-	-
Forest Park	248	241	7	-	-	6	-	6	-	-
Harvey	416	379	36	1	-	636	599	36	1	-
La Grange	194	189	5	-	-	3	-	3	-	-
Maywood	402	387	15	-	-	14	-	14	-	-
Melrose Park	219	204	15	-	-	405	390	15	-	-
Oak Park	809	802	7	-	-	2,921	2,916	5	-	-
Park Ridge	130	128	1	1	-	2	-	1	1	-
Wilmette	196	193	3	-	-	2	-	2	-	-
Winnetka	119	119	-	-	-	-	-	-	-	-
Crawford	374	123	250	1	-	387	136	250	1	-
Cumberland	225	48	177	-	-	181	-	181	-	-
De Kalb	633	580	53	-	-	694	641	53	-	-
De Witt	306	186	120	-	-	263	145	118	-	-
Douglas	335	146	189	-	-	349	158	191	-	-
Du Page	1,686	1,558	128	-	-	923	802	121	-	-
Outside city	1,436	1,312	124	-	-	366	249	117	-	-
Elmhurst	250	246	4	-	-	557	553	4	-	-
Edgar	418	198	220	-	-	390	168	222	-	-
Edwards	167	42	125	-	-	124	-	124	-	-
Effingham	468	248	220	-	-	528	310	218	-	-
Fayette	559	143	416	-	-	569	157	412	-	-
Ford	247	156	91	-	-	191	102	89	-	-
Franklin	915	308	606	-	1	914	302	611	-	1
Outside city	690	184	505	-	1	544	29	514	-	1
West Frankfort	225	124	101	-	-	370	273	97	-	-
Fulton	816	502	314	-	-	780	465	315	-	-
Outside city	585	307	278	-	-	282	1	281	-	-
Canton	231	195	36	-	-	498	464	34	-	-
Gallatin	233	28	203	2	-	217	11	204	2	-
Greene	385	111	273	-	1	355	76	278	-	1
Grundy	308	248	60	-	-	309	248	61	-	-
Hamilton	232	43	189	-	-	228	35	193	-	-
Hancock	423	216	207	-	-	276	71	205	-	-
Hardin	177	58	119	-	-	177	58	119	-	-
Henderson	174	88	86	-	-	85	-	85	-	-
Henry	713	568	145	-	-	764	618	146	-	-
Outside city	432	352	80	-	-	289	208	81	-	-
Kewanee	281	216	65	-	-	475	410	65	-	-
Iroquois	556	336	220	-	-	522	306	216	-	-
Jackson	723	251	467	5	-	739	263	472	4	-
Jasper	216	55	161	-	-	162	-	162	-	-
Jefferson	694	126	567	-	1	687	116	570	-	1
Outside city	373	29	344	-	-	343	-	343	-	-
Mount Vernon	321	97	223	-	1	344	116	227	-	1
Jersey	243	69	174	-	-	201	27	174	-	-
Jo Daviess	390	195	195	-	-	189	1	188	-	-
Johnson	173	9	163	1	-	161	-	160	1	-
Kane	2,141	2,092	49	-	-	2,904	2,852	52	-	-
Outside cities	705	680	25	-	-	356	328	28	-	-
Aurora	909	896	13	-	-	1,605	1,591	14	-	-
Elgin (part)	527	516	11	-	-	943	933	10	-	-
Elgin (total)	538	525	13	-	-	1,020	1,010	10	-	-
Kankakee	978	600	378	-	-	996	617	379	-	-
Outside city	522	270	252	-	-	264	6	258	-	-
Kankakee	456	330	126	-	-	732	611	121	-	-
Kendall	176	149	27	-	-	26	-	26	-	-
Knox	829	674	155	-	-	845	694	151	-	-
Outside city	385	253	132	-	-	127	-	127	-	-
Galesburg	444	421	23	-	-	718	694	24	-	-
Lake	2,147	1,989	116	41	1	1,970	1,814	114	41	1
Outside cities	1,240	1,103	95	41	1	1,210	1,074	95	40	1
Highland Park	198	197	1	-	-	263	263	-	-	-
Waukegan	709	689	20	-	-	497	477	19	1	-
La Salle	1,651	1,423	228	-	-	1,722	1,494	228	-	-
Outside cities	862	702	160	-	-	405	243	162	-	-
La Salle	193	191	2	-	-	302	300	2	-	-
Ottawa	271	249	22	-	-	446	423	23	-	-
Streator	325	281	44	-	-	569	528	41	-	-
Lawrence	368	65	300	3	-	299	-	296	3	-
Lee	581	480	101	-	-	625	524	101	-	-
Outside city	335	256	79	-	-	193	111	82	-	-
Dixon	246	224	22	-	-	432	413	19	-	-
Livingston	564	445	119	-	-	477	353	124	-	-
Logan	393	303	90	-	-	444	349	95	-	-
Outside city	229	163	66	-	-	70	-	70	-	-
Lincoln	164	140	24	-	-	374	349	25	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
ILLINOIS—Continued										
McDonough	446	264	182	-	-	531	347	184	-	-
McHenry	712	605	107	-	-	516	409	107	-	-
McLean	1,268	1,018	250	-	-	1,487	1,234	253	-	-
Outside city	710	518	192	-	-	483	288	195	-	-
Bloomington	558	500	58	-	-	1,004	946	58	-	-
Macon	1,561	1,360	199	1	1	1,683	1,487	195	-	1
Outside city	436	329	106	-	1	109	-	108	-	1
Decatur	1,125	1,031	93	1	-	1,574	1,487	87	-	-
Macoupin	640	310	330	-	-	464	126	338	-	-
Madison	2,913	2,157	752	4	-	2,831	2,086	741	4	-
Outside cities	1,556	1,087	466	3	-	762	264	495	3	-
Alton	901	684	216	1	-	1,382	1,207	174	1	-
Granite City	456	386	70	-	-	687	615	72	-	-
Marion	1,023	578	444	1	-	1,049	608	440	1	-
Outside city	674	303	370	1	-	369	-	368	1	-
Centralia (part)	349	275	74	-	-	680	608	72	-	-
Centralia (total)	357	280	77	-	-	683	609	74	-	-
Marshall	233	129	104	-	-	128	26	102	-	-
Mason	257	109	148	-	-	149	-	149	-	-
Massac	285	60	224	1	-	294	68	225	1	-
Menard	172	59	113	-	-	113	-	113	-	-
Mercer	292	216	76	-	-	174	96	78	-	-
Monroe	207	105	102	-	-	101	-	101	-	-
Montgomery	585	314	269	-	2	756	484	270	-	2
Morgan	496	308	188	-	-	576	388	188	-	-
Outside city	244	113	131	-	-	133	1	132	-	-
Jacksonville	252	195	57	-	-	443	387	56	-	-
Moultrie	253	97	156	-	-	160	-	160	-	-
Ogle	512	353	158	-	1	292	130	161	-	1
Peoria	2,916	2,647	269	-	-	3,615	3,358	257	-	-
Outside city	862	676	186	-	-	265	49	216	-	-
Peoria	2,054	1,971	83	-	-	3,350	3,309	41	-	-
Perry	382	144	238	-	-	441	198	243	-	-
Piatt	253	146	107	-	-	196	86	110	-	-
Pike	402	123	279	-	-	280	-	280	-	-
Pope	133	19	113	-	1	115	-	114	-	1
Pulaski	308	49	237	13	9	259	1	236	13	9
Putnam	83	61	22	-	-	22	-	22	-	-
Randolph	560	154	405	-	1	548	147	400	-	1
Richland	361	187	173	1	-	467	290	176	1	-
Rock Island	2,340	2,123	217	-	-	2,315	2,115	200	-	-
Outside cities	524	433	91	-	-	85	-	85	-	-
East Moline	245	223	22	-	-	22	-	22	-	-
Moline	701	681	20	-	-	1,595	1,582	13	-	-
Rock Island	870	786	84	-	-	613	533	80	-	-
St. Clair	2,873	2,168	688	15	2	2,841	2,141	683	15	2
Outside cities	957	635	310	12	-	367	46	309	12	-
Belleville	469	432	37	-	-	736	697	39	-	-
East St. Louis	1,447	1,101	341	3	2	1,738	1,398	335	3	2
Saline	661	131	529	-	1	697	170	526	-	1
Outside city	420	73	346	-	1	393	58	334	-	1
Harrisburg	241	58	183	-	-	304	112	192	-	-
Sangamon	2,032	1,696	328	8	-	2,106	1,778	320	8	-
Outside city	544	304	238	2	-	249	-	246	3	-
Springfield	1,488	1,392	90	6	-	1,857	1,778	74	5	-
Schuyler	156	56	100	-	-	116	18	98	-	-
Scott	122	25	97	-	-	95	-	95	-	-
Shelby	454	169	285	-	-	474	186	288	-	-
Stark	153	80	73	-	-	71	-	71	-	-
Stephenson	619	461	157	1	-	864	703	160	1	-
Outside city	254	168	85	1	-	109	23	85	1	-
Freeport	365	293	72	-	-	755	680	75	-	-
Tazewell	1,263	1,054	209	-	-	654	447	207	-	-
Outside city	892	733	159	-	-	159	-	159	-	-
Pekin	371	321	50	-	-	495	447	48	-	-
Union	383	61	320	-	2	393	72	319	-	2
Vermilion	1,380	898	482	-	-	1,474	987	487	-	-
Outside city	766	398	368	-	-	373	1	372	-	-
Danville	614	500	114	-	-	1,101	986	115	-	-
Wabash	288	68	220	-	-	283	59	224	-	-
Warren	379	279	100	-	-	451	351	100	-	-
Washington	235	68	166	-	1	167	1	165	-	1
Wayne	480	71	389	-	-	384	-	384	-	-
White	487	95	391	1	-	389	-	388	1	-
Whiteside	869	599	270	-	-	781	515	266	-	-
Outside city	628	424	204	-	-	295	99	196	-	-
Sterling	241	175	66	-	-	486	416	70	-	-
Will	1,970	1,753	216	1	-	1,962	1,748	213	1	-
Outside city	823	672	151	-	-	164	-	164	-	-
Joliet	1,147	1,081	65	1	-	1,798	1,748	49	1	-
Williamson	871	188	681	2	-	827	142	683	2	-
Winnebago	2,396	2,125	267	3	1	2,368	2,113	252	3	-
Outside city	763	594	168	1	-	184	15	168	1	-
Rockford	1,633	1,531	99	2	1	2,184	2,098	84	2	-
Woodford	323	167	156	-	-	166	27	139	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
INDIANA (total)	65,594	38,779	26,707	91	17	66,036	39,185	26,747	88	16
Adams	445	224	221	-	-	479	252	227	-	-
Allen	2,787	2,191	595	-	1	2,917	2,337	580	-	-
Outside city	691	389	302	-	-	301	1	300	-	-
Fort Wayne	2,096	1,802	293	-	1	2,616	2,336	280	-	-
Bartholomew	606	272	334	-	-	608	273	335	-	-
Outside city	339	105	234	-	-	232	1	231	-	-
Columbus	267	167	100	-	-	376	272	104	-	-
Benton	196	111	85	-	-	97	7	90	-	-
Blackford	264	191	73	-	-	284	212	72	-	-
Boone	376	265	111	-	-	432	315	117	-	-
Brown	110	18	91	1	-	90	-	90	-	-
Carroll	265	112	153	-	-	162	10	152	-	-
Cass	679	461	218	-	-	726	507	219	-	-
Outside city	282	145	137	-	-	140	-	140	-	-
Logansport	397	316	81	-	-	586	507	79	-	-
Clark	725	377	347	1	-	622	258	363	1	-
Outside city	449	167	281	1	-	306	1	304	1	-
Jeffersonville	276	210	66	-	-	316	257	59	-	-
Clay	405	172	233	-	-	401	166	235	-	-
Clinton	515	325	190	-	-	480	288	192	-	-
Outside city	236	133	103	-	-	107	-	107	-	-
Frankfort	279	192	87	-	-	373	288	85	-	-
Crawford	205	11	193	1	-	196	-	195	1	-
Daviess	538	231	304	2	1	587	281	303	2	1
Dearborn	427	183	243	1	-	240	-	240	-	-
Decatur	336	148	188	-	-	332	144	188	-	-
De Kalb	446	208	238	-	-	465	225	240	-	-
Delaware	1,648	1,004	643	-	1	1,690	1,052	637	-	1
Outside city	495	300	194	-	1	201	-	200	-	1
Muncie	1,153	704	449	-	-	1,489	1,052	437	-	-
Dubois	498	58	440	-	-	475	34	441	-	-
Elkhart	1,451	1,019	432	-	-	1,495	1,061	434	-	-
Outside cities	584	314	270	-	-	272	-	272	-	-
Elkhart	605	476	129	-	-	770	643	127	-	-
Goshen	262	229	33	-	-	453	418	35	-	-
Fayette	433	220	213	-	-	473	256	217	-	-
Outside city	153	63	90	-	-	90	-	90	-	-
Connersville	280	157	123	-	-	383	256	127	-	-
Floyd	659	285	374	-	-	747	372	375	-	-
Outside city	159	44	115	-	-	106	-	106	-	-
New Albany	500	241	259	-	-	641	372	269	-	-
Fountain	294	108	186	-	-	187	-	187	-	-
Franklin	244	61	183	-	-	183	-	183	-	-
Fulton	258	98	159	-	1	269	95	173	-	1
Gibson	515	111	403	-	1	550	141	408	-	1
Grant	1,183	449	734	-	-	1,172	433	739	-	-
Outside city	541	206	335	-	-	372	-	372	-	-
Marion	642	243	399	-	-	800	433	367	-	-
Greene	542	218	323	-	1	546	217	328	-	1
Hamilton	413	293	120	-	-	371	253	118	-	-
Hancock	285	116	169	-	-	167	-	167	-	-
Harrison	349	45	304	-	-	308	1	307	-	-
Hendricks	333	198	135	-	-	135	-	135	-	-
Henry	810	426	383	1	-	843	453	390	-	-
Outside city	458	210	248	-	-	601	336	265	-	-
New Castle	352	216	135	1	-	242	117	125	-	-
Howard	1,050	547	503	-	-	1,027	526	501	-	-
Outside city	264	104	160	-	-	159	-	159	-	-
Kokomo	786	443	343	-	-	868	526	342	-	-
Huntington	480	221	259	-	-	482	216	266	-	-
Outside city	214	82	132	-	-	137	2	135	-	-
Huntington	266	139	127	-	-	345	214	131	-	-
Jackson	515	191	324	-	-	531	205	326	-	-
Jasper	317	213	102	1	1	369	265	102	1	1
Jay	469	303	166	-	-	446	273	173	-	-
Jefferson	362	84	278	-	-	407	125	282	-	-
Jennings	225	26	199	-	-	199	-	199	-	-
Johnson	389	123	266	-	-	279	13	266	-	-
Knox	755	205	550	-	-	798	244	554	-	-
Outside city	436	93	343	-	-	385	40	345	-	-
Vincennes	319	112	207	-	-	413	204	209	-	-
Kosciusko	532	327	205	-	-	522	313	209	-	-
Lagrange	323	103	220	-	-	223	-	223	-	-
Lake	6,564	5,469	1,020	74	1	6,860	5,778	1,007	74	1
Outside cities	1,140	900	239	1	-	254	-	253	1	-
East Chicago	1,177	928	208	41	-	1,439	1,195	203	41	-
Gary	2,571	2,216	328	26	1	3,184	2,849	308	26	1
Hammond	1,318	1,100	214	4	-	1,951	1,734	212	5	-
Whiting	358	325	31	2	-	32	-	31	1	-
La Porte	1,181	989	192	-	-	1,401	1,207	194	-	-
Outside cities	413	312	101	-	-	99	-	99	-	-
La Porte	331	290	41	-	-	719	678	41	-	-
Michigan City	437	387	50	-	-	583	529	54	-	-
Lawrence	726	214	511	-	1	722	217	504	-	1
Outside city	471	82	388	-	1	383	-	382	-	1
Bedford	255	132	123	-	-	339	217	122	-	-
Madison	1,761	1,429	332	-	-	1,792	1,457	335	-	-
Outside cities	602	456	146	-	-	384	227	157	-	-
Anderson	914	766	148	-	-	1,037	896	141	-	-
Elwood	245	207	38	-	-	371	334	37	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
INDIANA—Continued										
Marion	8,899	6,367	2,526	6	-	9,519	7,021	2,492	6	-
Outside city	948	650	298	-	-	1,565	1,219	346	-	-
Indianapolis	7,951	5,717	2,228	6	-	7,954	5,802	2,146	6	-
Marshall	464	305	159	-	-	460	302	158	-	-
Martin	202	28	173	-	1	180	1	178	-	1
Miami	482	263	218	-	1	500	278	221	-	1
Outside city	224	96	128	-	-	135	-	135	-	-
Peru	258	167	90	-	1	365	278	86	-	1
Monroe	738	149	589	-	-	710	125	584	1	-
Outside city	361	37	324	-	-	339	-	338	1	-
Bloomington	377	112	265	-	-	371	125	246	-	-
Montgomery	412	264	148	-	-	432	282	150	-	-
Outside city	236	146	90	-	-	87	-	87	-	-
Crawfordsville	176	118	58	-	-	345	282	63	-	-
Morgan	384	149	235	-	-	333	94	239	-	-
Newton	212	84	128	-	-	132	-	132	-	-
Noble	426	197	229	-	-	443	210	233	-	-
Ohio	56	16	40	-	-	42	-	42	-	-
Orange	309	72	237	-	-	312	78	234	-	-
Owen	202	25	177	-	-	177	2	175	-	-
Parke	253	47	206	-	-	205	-	205	-	-
Perry	381	27	354	-	-	364	10	354	-	-
Pike	260	49	211	-	-	238	21	217	-	-
Porter	568	448	120	-	-	488	369	119	-	-
Posey	393	118	274	-	1	272	-	271	-	1
Pulaski	261	62	198	-	1	258	52	205	-	1
Putnam	321	181	140	-	-	305	168	137	-	-
Randolph	480	307	173	-	-	492	317	175	-	-
Ripley	325	162	163	-	-	478	316	162	-	-
Rush	300	156	144	-	-	278	128	150	-	-
St. Joseph	3,122	2,770	351	1	-	3,094	2,752	341	1	-
Outside cities	636	468	168	-	-	167	-	167	-	-
Mishawaka	635	574	61	-	-	791	735	56	-	-
South Bend	1,851	1,728	122	1	-	2,136	2,017	118	1	-
Scott	245	112	133	-	-	273	134	139	-	-
Shelby	405	183	222	-	-	398	177	221	-	-
Outside city	225	86	139	-	-	139	-	139	-	-
Shelbyville	180	97	83	-	-	259	177	82	-	-
Spencer	299	17	281	-	1	282	-	281	-	1
Starke	238	90	148	-	-	152	-	152	-	-
Steuben	208	80	127	-	1	201	74	126	-	1
Sullivan	414	145	269	-	-	417	149	268	-	-
Switzerland	138	25	113	-	-	112	-	112	-	-
Tippecanoe	978	876	102	-	-	1,304	1,205	99	-	-
Outside city	377	316	61	-	-	60	1	59	-	-
Lafayette	601	560	41	-	-	1,244	1,204	40	-	-
Tipton	277	182	95	-	-	257	164	93	-	-
Union	91	36	55	-	-	53	-	53	-	-
Vanderburgh	2,563	1,390	1,170	2	1	2,928	1,762	1,164	1	1
Outside city	524	219	304	1	-	423	31	391	-	1
Evansville	2,039	1,171	866	1	1	2,505	1,731	773	1	-
Vermillion	321	116	205	-	-	333	124	209	-	-
Vigo	1,636	932	704	-	-	1,763	1,056	707	-	-
Outside city	546	225	321	-	-	345	-	345	-	-
Terre Haute	1,090	707	383	-	-	1,418	1,056	362	-	-
Wabash	508	321	187	-	-	475	292	183	-	-
Warren	133	38	94	-	1	153	56	96	-	1
Warrick	376	103	273	-	-	274	-	274	-	-
Washington	338	26	312	-	-	316	-	316	-	-
Wayne	1,174	701	473	-	-	1,170	700	470	-	-
Outside city	428	231	197	-	-	890	699	191	-	-
Richmond	746	470	276	-	-	280	1	279	-	-
Wells	338	223	115	-	-	362	245	117	-	-
White	286	123	163	-	-	160	-	160	-	-
Whitley	279	161	118	-	-	154	39	115	-	-
IOWA (total)	46,115	29,489	16,598	11	17	46,826	30,172	16,629	12	13
Adair	249	49	200	-	-	224	27	197	-	-
Adams	206	61	145	-	-	145	-	145	-	-
Allamakee	360	205	155	-	-	312	160	152	-	-
Appanoose	422	171	251	-	-	442	190	252	-	-
Audubon	217	67	150	-	-	153	1	152	-	-
Benton	422	193	229	-	-	377	143	234	-	-
Black Hawk	1,708	1,590	117	-	1	1,808	1,706	102	-	-
Outside city	576	501	76	-	1	833	759	74	-	-
Waterloo	1,130	1,089	41	-	-	975	947	28	-	-
Boone	437	377	60	-	-	388	326	62	-	-
Outside city	261	207	54	-	-	105	47	58	-	-
Boone	176	170	6	-	-	283	279	4	-	-
Bremer	283	158	125	-	-	334	206	128	-	-
Buchanan	354	222	131	1	-	321	187	133	1	-
Buena Vista	320	261	59	-	-	345	285	60	-	-
Butler	315	126	189	-	-	200	14	186	-	-
Calhoun	348	244	104	-	-	315	210	105	-	-
Carroll	478	348	130	-	-	674	537	137	-	-
Cass	339	184	154	-	1	338	180	157	-	1
Cedar	266	159	107	-	-	104	-	104	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
IOWA—Continued										
Cerro Gordo	804	634	169	1	-	879	716	162	1	-
Outside city	292	185	106	1	-	130	29	100	1	-
Mason City	512	449	63	-	-	749	687	62	-	-
Cherokee	336	226	110	-	-	307	208	99	-	-
Chickasaw	291	199	92	-	-	264	170	94	-	-
Clarke	196	123	73	-	-	236	160	76	-	-
Clay	350	283	67	-	-	351	294	57	-	-
Clayton	433	138	294	-	1	344	42	301	-	1
Clinton	797	650	147	-	-	803	656	147	-	-
Outside city	513	215	98	-	-	96	-	96	-	-
Clinton	484	435	49	-	-	707	656	51	-	-
Crawford	351	120	231	-	-	277	50	227	-	-
Dallas	386	172	214	-	-	341	129	212	-	-
Davis	201	58	142	-	1	146	1	145	-	-
Decatur	268	151	117	-	-	221	109	112	-	-
Delaware	364	171	193	-	-	287	99	188	-	-
Des Moines	730	656	74	-	-	826	756	70	-	-
Outside city	239	195	44	-	-	44	1	43	-	-
Burlington	491	461	30	-	-	782	755	27	-	-
Dickinson	229	136	93	-	-	166	73	93	-	-
Dubuque	1,338	958	380	-	-	1,403	1,019	384	-	-
Outside city	415	201	214	-	-	242	22	220	-	-
Dubuque	923	757	166	-	-	1,161	997	164	-	-
Emmet	285	167	117	-	1	334	216	117	-	1
Fayette	528	236	292	-	-	529	244	285	-	-
Floyd	366	240	126	-	-	365	234	131	-	-
Franklin	265	170	95	-	-	229	137	92	-	-
Fremont	268	125	143	-	-	232	87	145	-	-
Greene	299	217	82	-	-	304	225	79	-	-
Grundy	234	126	107	1	-	125	13	111	1	-
Guthrie	290	89	201	-	-	218	11	207	-	-
Hamilton	361	230	130	1	-	337	206	130	1	-
Hancock	315	140	174	1	-	174	4	169	1	-
Hardin	379	243	135	-	1	405	262	142	-	1
Harrison	332	84	247	-	1	263	11	251	-	1
Henry	265	152	113	-	-	247	127	120	-	-
Howard	237	134	103	-	-	248	142	106	-	-
Humboldt	269	128	141	-	-	134	2	132	-	-
Ida	182	93	89	-	-	162	73	89	-	-
Iowa	276	121	154	-	1	201	46	155	-	-
Jackson	300	163	137	-	-	253	114	139	-	-
Jasper	533	318	215	-	-	419	202	217	-	-
Outside city	363	196	167	-	-	182	17	165	-	-
Newton	170	122	48	-	-	237	185	52	-	-
Jefferson	258	169	89	-	-	246	158	88	-	-
Johnson	608	512	96	-	-	2,200	2,099	101	-	-
Outside city	286	202	84	-	-	88	1	87	-	-
Iowa City	322	310	12	-	-	2,112	2,098	14	-	-
Jones	356	285	71	-	-	373	306	67	-	-
Keokuk	301	90	210	-	1	231	18	212	-	1
Kossuth	591	301	290	-	-	574	279	295	-	-
Lee	737	586	151	-	-	898	748	150	-	-
Outside cities	221	144	77	-	-	77	-	77	-	-
Fort Madison	217	151	66	-	-	304	236	68	-	-
Keokuk	299	291	8	-	-	517	512	5	-	-
Linn	1,605	1,362	243	-	-	1,636	1,396	240	-	-
Outside city	454	290	164	-	-	162	1	161	-	-
Cedar Rapids	1,151	1,072	79	-	-	1,474	1,395	79	-	-
Louisa	204	98	106	-	-	104	-	104	-	-
Lucas	228	94	134	-	-	227	89	138	-	-
Lyon	286	79	207	-	-	269	57	212	-	-
Madison	256	105	151	-	-	225	75	150	-	-
Mahaska	369	205	164	-	-	461	294	167	-	-
Outside city	235	112	123	-	-	130	8	122	-	-
Oskaloosa	134	93	41	-	-	331	286	45	-	-
Marion	437	210	226	-	1	345	119	225	-	1
Marshall	672	574	97	-	1	813	720	93	-	-
Outside city	285	221	63	-	1	98	39	59	-	-
Marshalltown	387	353	34	-	-	715	681	34	-	-
Mills	261	122	139	-	-	138	-	138	-	-
Mitchell	255	161	94	-	-	267	181	86	-	-
Monona	389	178	211	-	-	339	131	208	-	-
Monroe	231	64	167	-	-	198	25	173	-	-
Montgomery	244	164	80	-	-	271	185	86	-	-
Muscatine	545	396	149	-	-	535	383	152	-	-
Outside city	197	139	58	-	-	60	-	60	-	-
Muscatine	348	257	91	-	-	475	383	92	-	-
O'Brien	376	184	190	2	-	378	178	198	2	-
Osceola	215	120	95	-	-	227	133	94	-	-
Page	406	277	129	-	-	454	327	127	-	-
Palo Alto	303	160	143	-	-	255	112	143	-	-
Plymouth	428	243	185	-	-	468	276	192	-	-
Pocahontas	255	101	153	1	-	165	11	152	2	-
Polk	3,583	2,699	884	-	-	3,889	3,014	875	-	-
Outside city	570	305	265	-	-	269	12	257	-	-
Des Moines	3,013	2,394	619	-	-	3,620	3,002	618	-	-
Pottawattamie	1,157	747	410	-	-	1,177	767	410	-	-
Outside city	449	272	177	-	-	168	-	168	-	-
Council Bluffs	708	475	233	-	-	1,009	767	242	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
IOWA—Continued										
Poweshiek	307	210	97	-	-	318	217	101	-	-
Ringgold	184	27	157	-	-	151	-	151	-	-
Sac	308	183	125	-	-	165	39	126	-	-
Scott	1,628	1,508	120	-	-	1,719	1,609	110	-	-
Outside city	391	339	52	-	-	50	1	49	-	-
Davenport	1,237	1,169	68	-	-	1,669	1,608	61	-	-
Shelby	311	113	198	-	-	283	88	195	-	-
Sioux	588	166	419	1	2	574	146	425	1	2
Story	610	497	113	-	-	586	475	111	-	-
Outside city	354	255	99	-	-	248	149	99	-	-
Ames	256	242	14	-	-	338	326	12	-	-
Tama	380	221	158	-	1	205	46	158	-	1
Taylor	255	69	185	-	1	203	9	193	-	1
Union	272	109	163	-	-	289	124	165	-	-
Van Buren	192	34	158	-	-	159	-	159	-	-
Wapello	828	560	268	-	-	891	616	275	-	-
Outside city	208	120	88	-	-	86	-	86	-	-
Ottumwa	620	440	180	-	-	805	616	189	-	-
Warren	297	84	213	-	-	217	6	211	-	-
Washington	366	213	153	-	-	372	214	158	-	-
Wayne	198	61	137	-	-	159	18	141	-	-
Webster	810	639	171	-	-	1,048	882	166	-	-
Outside city	350	241	109	-	-	105	-	105	-	-
Fort Dodge	460	398	62	-	-	943	882	61	-	-
Winnebago	267	163	103	-	1	368	261	106	-	1
Winneshiek	469	267	202	-	-	459	258	201	-	-
Woodbury	1,934	1,464	467	2	1	2,346	1,873	470	2	1
Outside city	435	208	225	2	-	285	59	224	2	-
Sioux City	1,499	1,256	242	-	1	2,061	1,814	246	-	1
Worth	218	143	75	-	-	95	22	73	-	-
Wright	355	206	149	-	-	346	178	168	-	-
KANSAS (total)	30,417	18,262	12,117	27	11	30,143	17,958	12,150	24	11
Allen	316	107	207	2	-	322	110	211	1	-
Anderson	191	109	82	-	-	182	101	81	-	-
Atchison	349	301	47	1	-	339	292	46	1	-
Outside city	130	107	22	1	-	21	-	20	1	-
Atchison	219	194	25	-	-	318	292	26	-	-
Barber	146	92	54	-	-	76	22	54	-	-
Barton	554	481	73	-	-	746	679	67	-	-
Bourbon	316	230	86	-	-	363	297	86	-	-
Outside city	165	96	69	-	-	67	-	67	-	-
Fort Scott	151	134	17	-	-	316	297	19	-	-
Brown	253	166	86	-	1	272	185	86	-	1
Butler	491	341	150	-	-	405	255	150	-	-
Outside city	301	185	116	-	-	116	-	116	-	-
El Dorado	190	156	34	-	-	289	255	34	-	-
Chase	109	71	38	-	-	83	47	36	-	-
Chautauqua	145	38	107	1	-	137	26	110	1	-
Cherokee	607	172	431	3	1	528	86	438	3	1
Cheyenne	101	20	81	-	-	108	17	91	-	-
Clark	65	41	24	-	-	103	81	22	-	-
Clay	224	107	117	-	-	246	130	116	-	-
Cloud	279	143	136	-	-	337	203	134	-	-
Coffey	207	42	165	-	-	164	-	164	-	-
Comanche	85	26	59	-	-	67	4	63	-	-
Cowley	599	447	152	-	-	649	499	150	-	-
Outside city	382	295	87	-	-	385	300	85	-	-
Arkansas City	217	152	65	-	-	264	199	65	-	-
Crawford	687	263	422	1	1	686	261	423	1	1
Outside city	387	134	252	-	1	516	261	254	-	1
Pittsburg	300	129	170	1	-	170	-	169	1	-
Decatur	105	58	47	-	-	104	57	47	-	-
Dickinson	351	208	143	-	-	333	193	140	-	-
Doniphan	203	42	161	-	-	181	20	161	-	-
Douglas	389	293	96	-	-	395	295	100	-	-
Outside city	143	99	44	-	-	47	-	47	-	-
Lawrence	246	194	52	-	-	348	295	53	-	-
Edwards	134	58	76	-	-	82	2	80	-	-
Elk	130	32	98	-	-	95	-	95	-	-
Ellis	371	205	166	-	-	587	419	168	-	-
Ellsworth	148	103	45	-	-	175	130	45	-	-
Finney	229	150	78	-	1	291	213	77	-	1
Ford	282	203	78	-	1	401	320	80	-	1
Franklin	302	122	180	-	-	308	128	180	-	-
Outside city	132	44	88	-	-	88	-	88	-	-
Ottawa	170	78	92	-	-	220	128	92	-	-
Geary	365	331	33	1	-	392	357	34	1	-
Gove	111	37	74	-	-	100	29	71	-	-
Graham	83	10	73	-	-	75	-	75	-	-
Grant	50	36	13	-	1	11	-	10	-	1
Gray	86	32	54	-	-	56	-	56	-	-
Greeley	38	21	17	-	-	15	-	15	-	-
Greenwood	256	93	163	-	-	231	66	165	-	-
Hamilton	51	37	14	-	-	68	54	14	-	-
Harper	165	137	28	-	-	262	233	29	-	-
Harvey	381	324	57	-	-	463	405	58	-	-
Outside city	186	160	26	-	-	64	39	25	-	-
Newton	195	164	31	-	-	399	366	33	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
KANSAS—Continued										
Haskell	41	24	17	-	-	54	39	15	-	-
Hodgeman	48	21	27	-	-	26	-	26	-	-
Jackson	231	166	61	4	-	237	172	61	4	-
Jefferson	184	41	143	-	-	142	-	142	-	-
Jewell	180	53	127	-	-	127	-	127	-	-
Johnson	519	323	196	-	-	200	2	198	-	-
Kearny	47	38	9	-	-	57	48	9	-	-
Kingman	214	155	59	-	-	202	141	61	-	-
Kiowa	94	24	70	-	-	69	-	69	-	-
Labette	517	173	344	-	-	520	176	344	-	-
Outside city	297	64	233	-	-	406	176	230	-	-
Parsons	220	109	111	-	-	114	-	114	-	-
Lane	56	33	23	-	-	48	22	26	-	-
Leavenworth	490	400	88	2	-	509	417	90	2	-
Outside city	162	114	46	2	-	115	65	48	2	-
Leavenworth	328	286	42	-	-	394	352	42	-	-
Lincoln	94	21	73	-	-	75	-	75	-	-
Linn	203	32	171	-	-	173	1	172	-	-
Logan	71	31	40	-	-	34	-	34	-	-
Lyon	369	271	98	-	-	468	366	102	-	-
Outside city	164	94	70	-	-	71	-	71	-	-
Emporia	205	177	28	-	-	397	366	31	-	-
McPherson	417	363	53	1	-	326	270	55	1	-
Marion	321	212	108	-	1	309	197	111	-	1
Marshall	295	140	155	-	-	321	165	156	-	-
Meade	116	41	75	-	-	74	1	73	-	-
Miami	249	64	185	-	-	221	35	186	-	-
Mitchell	189	115	74	-	-	229	160	69	-	-
Montgomery	794	334	457	3	-	810	348	459	3	-
Outside cities	337	107	229	1	-	229	1	227	1	-
Coffeyville	289	123	164	2	-	352	185	165	2	-
Independence	168	104	64	-	-	229	162	67	-	-
Morris	151	55	96	-	-	146	49	97	-	-
Morton	43	19	24	-	-	53	26	27	-	-
Nemaha	291	118	173	-	-	258	88	170	-	-
Neosho	355	88	267	-	-	339	74	265	-	-
Outside city	209	36	173	-	-	168	-	168	-	-
Chanute	146	52	94	-	-	171	74	97	-	-
Ness	115	50	65	-	-	102	34	68	-	-
Norton	132	52	80	-	-	157	79	78	-	-
Osage	248	44	201	2	1	202	-	199	2	1
Osborne	122	26	96	-	-	96	3	93	-	-
Ottawa	126	34	92	-	-	92	4	88	-	-
Pawnee	160	129	31	-	-	85	53	32	-	-
Phillips	133	17	116	-	-	120	-	120	-	-
Pottawatomie	204	74	130	-	-	193	66	127	-	-
Pratt	182	105	77	-	-	197	119	78	-	-
Rawlins	88	35	53	-	-	53	9	44	-	-
Reno	931	805	126	-	-	999	870	129	-	-
Outside city	365	256	109	-	-	110	-	110	-	-
Hutchinson	566	549	17	-	-	889	870	19	-	-
Republic	171	76	95	-	-	152	52	100	-	-
Rice	318	260	58	-	-	279	224	55	-	-
Riley	408	340	68	-	-	400	333	67	-	-
Outside city	134	102	32	-	-	33	1	32	-	-
Manhattan	274	238	36	-	-	367	332	35	-	-
Rooks	159	48	111	-	-	115	1	114	-	-
Rush	144	79	63	2	-	103	40	61	2	-
Russell	271	149	122	-	-	131	3	128	-	-
Saline	485	428	57	-	-	511	454	57	-	-
Outside city	104	88	16	-	-	16	-	16	-	-
Salina	381	340	41	-	-	495	454	41	-	-
Scott	102	52	50	-	-	124	72	52	-	-
Sedgwick	3,104	2,427	676	1	-	3,294	2,622	672	-	-
Outside city	405	189	216	-	-	293	61	232	-	-
Wichita	2,699	2,238	460	1	-	3,001	2,561	440	-	-
Seward	160	76	83	1	-	211	130	81	-	-
Shawnee	1,448	995	451	1	1	1,557	1,102	453	1	1
Outside city	237	111	126	-	-	137	1	136	-	-
Topeka	1,211	884	325	1	1	1,420	1,101	317	1	1
Sheridan	91	26	64	-	1	69	-	68	-	1
Sherman	127	96	31	-	-	167	133	34	-	-
Smith	127	30	97	-	-	130	33	97	-	-
Stafford	164	113	51	-	-	145	99	46	-	-
Stanton	31	23	8	-	-	3	-	3	-	-
Stevens	57	26	31	-	-	39	-	39	-	-
Sumner	369	274	95	-	-	328	233	95	-	-
Thomas	142	29	113	-	-	146	28	118	-	-
Trego	91	34	56	-	1	66	8	57	-	1
Wabaunsee	109	46	63	-	-	62	-	62	-	-
Wallace	47	33	14	-	-	15	1	14	-	-
Washington	266	103	163	-	-	163	-	163	-	-
Wichita	56	27	28	1	-	32	-	31	1	-
Wilson	307	133	174	-	-	309	130	179	-	-
Woodson	125	18	107	-	-	106	-	106	-	-
Wyandotte	2,563	1,866	697	-	-	2,705	2,010	695	-	-
Outside city	301	225	76	-	-	83	1	82	-	-
Kansas City	2,262	1,641	621	-	-	2,622	2,009	613	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
KENTUCKY (total)	63,502	14,472	38,812	10,050	168	63,430	14,299	38,896	10,067	168
Adair	392	7	285	94	6	384	-	284	94	6
Allen	282	37	212	33	-	288	41	214	33	-
Anderson	168	14	152	2	-	154	-	152	2	-
Ballard	151	10	140	1	-	139	-	138	1	-
Barren	595	73	451	71	-	627	96	460	71	-
Bath	236	12	190	34	-	223	-	186	37	-
Bell	1,246	182	837	214	13	1,318	248	844	213	13
Outside city	946	74	656	203	13	947	73	657	204	13
Middlesborough	300	108	181	11	-	371	175	187	9	-
Boone	193	41	150	2	-	156	-	154	2	-
Bourbon	357	131	225	1	-	342	119	222	1	-
Boyd	1,068	387	671	10	-	1,108	426	671	11	-
Outside city	325	60	258	7	-	281	-	275	6	-
Ashland	743	327	413	3	-	827	426	396	5	-
Boyle	313	98	215	-	-	342	122	220	-	-
Bracken	138	15	123	-	-	125	1	124	-	-
Breathitt	700	11	112	575	2	690	2	109	577	2
Breckinridge	364	14	332	18	-	348	-	330	18	-
Bullitt	191	26	164	1	-	165	-	164	1	-
Butler	294	4	167	120	3	289	1	167	118	3
Caldwell	254	24	224	4	2	252	23	223	4	2
Calloway	303	71	230	1	1	324	77	245	1	1
Campbell	1,265	854	410	1	-	779	367	411	1	-
Outside cities	548	365	183	-	-	529	339	190	-	-
Fort Thomas	134	116	18	-	-	46	28	18	-	-
Newport	583	373	209	1	-	204	-	203	1	-
Carlisle	132	31	101	-	-	138	43	95	-	-
Carroll	151	9	139	3	-	142	-	139	3	-
Carter	722	53	421	246	2	706	35	422	247	2
Casey	539	11	356	168	4	530	-	357	169	4
Christian	563	38	431	94	-	564	33	439	92	-
Outside city	375	14	288	73	-	368	1	294	73	-
Hopkinsville	188	24	143	21	-	196	32	145	19	-
Clark	353	76	265	11	1	359	80	268	10	1
Clay	727	41	183	465	18	693	12	182	482	17
Clinton	261	3	195	63	-	258	2	193	63	-
Crittenden	214	11	196	6	1	205	-	198	6	1
Cumberland	266	11	129	126	-	250	-	125	125	-
Daviess	1,138	330	806	2	-	1,172	365	805	2	-
Outside city	419	45	372	2	-	370	-	368	2	-
Owensboro	719	285	434	-	-	802	365	437	-	-
Edmonson	309	3	203	103	-	306	-	202	104	-
Elliott	218	4	71	143	-	214	-	71	143	-
Estill	438	21	280	137	-	418	-	281	137	-
Fayette	1,395	945	449	1	-	1,566	1,107	459	-	-
Outside city	196	101	95	-	-	103	3	100	-	-
Lexington	1,199	844	354	1	-	1,463	1,104	359	-	-
Fleming	318	17	279	22	-	297	-	275	22	-
Floyd	1,527	83	992	449	3	1,515	58	1,007	447	3
Franklin	424	176	248	-	-	438	192	246	-	-
Outside city	173	40	133	-	-	137	-	137	-	-
Frankfort	251	136	115	-	-	301	192	109	-	-
Fulton	362	111	214	35	2	400	151	212	35	2
Gallatin	107	10	94	2	1	96	1	93	2	1
Garrard	218	26	177	15	-	188	-	173	15	-
Grant	183	11	171	1	-	170	-	170	-	-
Graves	561	167	391	3	-	565	172	390	3	-
Grayson	416	3	362	50	1	411	-	360	50	1
Green	259	5	238	16	-	255	-	239	16	-
Greenup	635	84	464	85	2	547	-	460	85	2
Hancock	153	19	128	6	-	136	-	130	6	-
Hardin	662	209	448	5	-	633	173	455	5	-
Harlan	2,179	217	1,851	109	2	2,206	238	1,857	109	2
Harrison	232	73	159	-	-	247	83	164	-	-
Hart	352	19	309	24	-	334	-	309	25	-
Henderson	558	90	454	14	-	550	85	451	14	-
Outside city	275	29	235	11	-	244	-	233	11	-
Henderson	283	61	219	3	-	306	85	218	3	-
Henry	232	26	204	2	-	207	-	204	3	-
Hickman	125	33	89	3	-	93	-	90	3	-
Hopkins	755	79	655	21	-	752	75	656	21	-
Jackson	444	9	163	268	4	437	1	163	269	4
Jefferson	8,084	5,892	2,190	1	1	8,361	6,183	2,177	-	1
Outside city	875	376	498	1	-	517	5	512	-	-
Louisville	7,209	5,516	1,692	-	1	7,844	6,178	1,665	-	1
Jessamine	189	38	148	3	-	151	-	148	3	-
Johnson	683	49	557	77	-	699	85	558	76	-
Kenton	1,733	1,357	375	1	-	2,083	1,711	371	1	-
Outside city	510	332	178	-	-	178	-	178	-	-
Covington	1,223	1,025	197	1	-	1,905	1,711	193	1	-
Knott	623	21	278	309	15	622	19	277	311	15
Knox	948	30	617	292	9	928	17	611	291	9
Larue	202	10	185	7	-	190	-	183	7	-
Laurel	623	7	419	197	-	612	1	417	194	-
Lawrence	388	27	195	165	1	399	34	196	168	1
Lee	191	15	69	107	-	177	-	67	110	-
Leslie	490	63	33	358	36	530	103	28	362	37
Letcher	1,339	36	1,000	298	5	1,349	36	1,008	300	5

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
KENTUCKY—Continued										
Lewis	409	11	253	145	-	400	-	254	146	-
Lincoln	461	25	331	105	-	445	13	328	104	-
Livingston	200	13	180	7	-	186	-	179	7	-
Logan	444	41	391	12	-	436	32	392	12	-
Lyon	134	4	112	18	-	131	-	113	18	-
McCracken	883	360	522	1	-	935	407	527	1	-
Outside city	260	32	228	-	-	240	1	239	-	-
Paducah	623	328	294	1	-	695	406	288	1	-
McCreary	559	5	425	127	2	555	-	425	128	2
McLean	207	16	178	13	-	194	-	181	13	-
Madison	541	114	390	36	1	592	156	398	37	1
Magoffin	489	2	198	289	-	481	-	194	287	-
Marion	434	27	404	3	-	465	59	403	3	-
Marshall	354	33	315	5	1	348	7	335	5	1
Martin	361	15	141	203	2	347	-	141	204	2
Mason	358	82	272	4	-	402	120	278	4	-
Meade	225	28	190	6	1	197	-	190	6	1
Menifee	169	7	96	66	-	164	3	97	64	-
Mercer	232	34	194	4	-	228	30	195	3	-
Metcalfe	238	6	181	51	-	233	-	181	52	-
Monroe	341	5	303	32	1	335	-	302	32	1
Montgomery	241	32	195	14	-	257	46	197	14	-
Morgan	396	7	207	181	1	396	5	208	182	1
Muhlenberg	841	34	711	96	-	848	35	714	99	-
Nelson	401	11	386	4	-	386	-	382	4	-
Nicholas	173	19	148	6	-	166	11	148	7	-
Ohio	447	14	410	23	-	438	7	408	23	-
Oldham	149	36	112	1	-	170	48	121	1	-
Owen	185	13	172	-	-	171	1	170	-	-
Owsley	228	3	71	151	3	227	1	70	153	3
Pendleton	167	15	152	-	-	156	-	156	-	-
Perry	1,331	54	837	434	6	1,336	54	844	432	6
Pike	2,113	125	1,074	913	1	2,085	99	1,069	916	1
Powell	195	6	120	68	1	188	-	118	69	1
Pulaski	972	11	712	246	3	971	9	710	249	3
Robertson	76	4	71	1	-	69	-	68	1	-
Rockcastle	512	16	213	281	2	497	-	215	280	2
Rowan	370	21	185	163	1	349	-	184	164	1
Russell	200	4	172	24	-	197	1	172	24	-
Scott	273	65	202	6	-	272	60	205	7	-
Shelby	336	119	216	1	-	341	125	216	-	-
Simpson	216	46	169	1	-	234	62	171	1	-
Spencer	140	2	137	1	-	142	1	140	1	-
Taylor	311	17	294	-	-	306	17	289	-	-
Todd	248	11	208	29	-	234	-	205	29	-
Trigg	251	2	203	46	-	247	-	202	45	-
Trimble	114	10	104	-	-	104	-	104	-	-
Union	342	30	312	-	-	334	23	311	-	-
Warren	709	134	554	21	-	719	140	558	21	-
Outside city	359	27	311	21	-	356	4	331	21	-
Bowling Green	350	107	243	-	-	363	136	227	-	-
Washington	314	18	287	9	-	300	1	290	9	-
Wayne	480	5	296	175	4	476	-	297	175	4
Webster	306	14	286	6	-	292	-	287	5	-
Whitley	799	51	625	121	2	805	50	630	123	2
Wolfe	321	5	131	184	1	320	3	132	184	1
Woodford	175	80	93	2	-	171	76	93	2	-
LOUISIANA (total)	54,618	26,336	12,902	15,281	99	54,672	26,374	12,895	15,300	103
Acadia	1,250	361	471	416	2	1,102	211	473	416	2
Allen	490	237	174	78	1	466	213	174	78	1
Ascension	513	192	188	133	-	462	139	193	130	-
Assumption	511	130	181	200	-	452	72	181	199	-
Avoyelles	903	279	236	386	2	808	188	234	384	2
Beauregard	312	82	173	55	2	338	103	176	56	3
Bienville	557	124	157	274	2	460	32	156	270	2
Bossier	769	465	66	237	1	362	56	65	240	1
Caddo	3,376	2,535	377	460	4	4,468	3,630	374	460	4
Outside city	1,240	644	220	374	2	608	11	218	377	2
Shreveport	2,136	1,891	157	86	2	3,860	3,619	156	83	2
Calcasieu	1,254	474	461	318	1	1,256	466	457	332	1
Outside city	668	170	352	145	1	540	16	356	167	1
Lake Charles	586	304	109	173	-	716	450	101	165	-
Caldwell	273	96	104	72	1	254	75	106	72	1
Cameron	117	30	80	6	1	88	2	79	6	1
Catahoula	322	49	122	150	1	277	5	122	149	1
Claiborne	640	114	84	442	-	552	21	88	443	-
Concordia	281	72	32	171	6	271	62	31	172	6
De Soto	776	131	169	476	-	675	32	168	475	-
East Baton Rouge	2,233	1,465	166	584	18	2,133	1,359	164	590	20
Outside city	712	260	90	355	7	1,477	918	116	432	11
Baton Rouge	1,521	1,205	76	229	11	656	441	48	158	9
East Carroll	437	41	137	255	4	415	20	133	257	5
East Feliciana	370	70	68	231	1	317	18	67	231	1
Evangeline	558	174	159	223	2	473	96	159	216	2
Franklin	783	105	301	373	4	753	77	302	370	4
Grant	299	145	76	78	-	158	-	80	78	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
LOUISIANA—Continued										
Iberia	838	347	283	205	3	737	250	280	204	3
Outside city	504	129	194	180	1	370	-	192	177	1
New Iberia	334	218	89	25	2	367	250	88	27	2
Iberville	659	236	72	351	-	595	174	70	351	-
Jackson	391	135	152	104	-	381	126	152	103	-
Jefferson	1,208	965	115	128	-	231	-	106	125	-
Outside city	992	796	92	104	-	189	-	89	100	-
Gretna	216	169	23	24	-	42	-	17	25	-
Jefferson Davis	682	187	284	209	2	615	118	283	213	1
Lafayette	1,103	442	299	360	2	1,917	1,247	310	358	2
Outside city	602	168	152	281	1	439	3	154	281	1
Lafayette	501	274	147	79	1	1,478	1,244	156	77	1
Lafourche	979	203	444	331	1	871	96	444	330	1
La Salle	274	112	136	26	-	241	85	132	24	-
Lincoln	538	190	114	233	1	531	184	114	232	1
Livingston	370	70	267	32	1	303	1	268	33	1
Madison	445	59	86	300	-	404	21	83	300	-
Morehouse	611	178	90	343	-	596	165	87	344	-
Natchitoches	1,087	221	256	606	4	1,017	149	259	605	4
Orleans, coextensive with New Orleans	10,093	8,461	1,218	414	-	13,285	11,615	1,241	429	-
Ouachita	1,257	706	301	250	-	1,413	854	302	257	-
Outside city	678	321	213	144	-	363	1	215	147	-
Monroe	579	385	88	106	-	1,050	853	87	110	-
Plaquemines	340	178	52	109	1	223	68	47	107	1
Pointe Coupee	556	94	149	313	-	529	60	152	317	-
Rapides	1,825	1,162	221	442	-	2,266	1,601	221	444	-
Outside city	1,109	683	163	263	-	1,317	899	153	265	-
Alexandria	716	479	58	179	-	949	702	68	179	-
Red River	394	109	115	170	-	285	-	117	168	-
Richland	645	81	329	234	1	638	68	331	238	1
Sabine	475	210	152	111	2	434	175	147	110	2
St. Bernard	179	158	4	17	-	17	-	3	14	-
St. Charles	269	141	78	48	2	124	-	76	46	2
St. Helena	188	60	46	82	-	129	-	46	83	-
St. James	483	119	197	167	-	363	-	196	167	-
St. John the Baptist	409	159	95	154	1	247	-	94	152	1
St. Landry	1,925	420	397	1,103	5	1,676	182	392	1,096	6
St. Martin	683	179	194	309	1	573	71	191	310	1
St. Mary	957	192	494	271	-	913	141	500	272	-
St. Tammany	519	253	114	151	1	304	41	111	151	1
Tangipahoa	1,165	614	405	141	5	1,090	537	409	139	5
Tensas	375	78	44	253	-	356	58	45	253	-
Terrebonne	1,145	450	341	352	2	924	232	337	353	2
Union	438	52	203	182	1	391	3	202	185	1
Vermilion	837	491	169	172	5	731	383	174	169	5
Vernon	397	185	154	55	3	323	114	151	55	3
Washington	875	387	252	236	-	720	231	251	238	-
Outside city	488	146	172	170	-	336	-	168	168	-
Bogalusa	387	241	80	66	-	384	231	83	70	-
Webster	822	427	176	219	-	739	349	174	216	-
West Baton Rouge	239	57	61	121	-	177	-	57	120	-
West Carroll	416	51	251	112	2	370	-	254	114	2
West Feliciana	250	35	41	174	-	216	-	41	175	-
Winn	253	111	69	73	-	237	98	63	76	-
MAINE (total)	15,988	9,302	6,449	26	211	15,855	9,155	6,463	26	211
Androscoggin	1,383	926	455	-	2	1,543	1,082	459	-	2
Outside cities	429	258	169	-	2	188	49	137	-	2
Auburn	292	245	47	-	-	107	37	70	-	-
Lewiston	662	423	239	-	-	1,248	996	252	-	-
Aroostook	2,400	666	1,671	12	51	2,394	664	1,667	12	51
Cumberland	2,509	2,099	402	-	8	2,677	2,253	416	-	8
Outside cities	835	545	282	-	8	474	173	293	-	8
Portland	1,240	1,172	68	-	-	2,035	1,965	70	-	-
South Portland	265	254	11	-	-	10	-	10	-	-
Westbrook	169	128	41	-	-	158	115	43	-	-
Franklin	407	220	180	-	7	399	211	181	-	7
Hancock	510	276	215	-	19	477	244	214	-	19
Kennebec	1,389	1,028	352	1	8	1,510	1,146	355	1	8
Outside cities	834	593	232	1	8	503	289	205	1	8
Augusta	267	210	57	-	-	455	375	80	-	-
Waterville	288	225	63	-	-	552	482	70	-	-
Knox	381	205	171	-	5	383	206	172	-	5
Lincoln	292	172	116	-	4	252	128	120	-	4
Oxford	846	553	279	-	14	690	400	276	-	14
Penobscot	1,926	1,018	874	4	30	1,955	1,047	876	4	28
Outside city	1,426	647	747	3	29	1,257	497	729	3	28
Bangor	500	371	127	1	1	698	550	147	1	-
Piscataquis	311	177	133	-	1	336	192	142	-	2
Sagadahoc	466	333	131	-	2	405	286	117	-	2
Outside city	223	148	73	-	2	72	15	55	-	2
Bath	243	185	58	-	-	333	271	62	-	-
Somerset	691	317	360	4	10	599	228	357	4	10
Waldo	320	112	194	-	14	290	85	191	-	14
Washington	604	158	410	5	31	593	140	416	5	32
York	1,553	1,042	506	-	5	1,352	843	504	-	5
Outside city	1,172	809	358	-	5	749	394	350	-	5
Biddeford	381	233	148	-	-	603	449	154	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MARYLAND (total)	37,065	24,054	10,782	2,186	43	34,287	21,223	10,827	2,194	43
Allegany	1,879	1,153	710	10	6	2,111	1,387	708	10	6
Outside city	1,080	513	552	9	6	759	193	551	9	6
Cumberland	799	640	158	1	-	1,352	1,194	157	1	-
Anne Arundel	1,486	863	361	262	-	1,057	428	363	266	-
Outside city	1,187	647	342	198	-	564	15	347	202	-
Annapolis	299	216	19	64	-	493	413	16	64	-
Baltimore	3,258	2,141	1,096	19	2	1,111	8	1,083	18	2
Outside cities	2,732	1,748	964	18	2	970	8	943	17	2
District 12[2]	352	253	98	1	-	105	-	104	1	-
District 13[2]	174	140	34	-	-	36	-	36	-	-
Baltimore (city)	16,244	12,337	3,666	239	2	19,306	15,393	3,674	237	2
Calvert	252	116	66	70	-	240	106	65	69	-
Caroline	374	134	134	106	-	342	101	131	110	-
Carroll	644	240	400	-	4	408	2	402	-	4
Cecil	570	395	174	-	1	520	344	175	-	1
Charles	543	205	58	280	-	456	115	58	283	-
Dorchester	470	190	90	189	1	468	182	95	190	1
Outside city	291	101	68	121	1	172	-	64	107	1
Cambridge	179	89	22	68	-	296	182	31	83	-
Frederick	1,133	557	554	20	2	1,147	571	553	20	3
Outside city	832	376	436	18	2	783	326	435	19	3
Frederick	301	181	118	2	-	364	245	118	1	-
Garrett	542	81	351	108	2	463	-	354	107	2
Harford	739	324	410	-	5	564	137	422	-	5
Howard	394	157	236	1	-	254	-	253	1	-
Kent	245	93	96	56	-	234	82	95	57	-
Montgomery	2,199	1,799	358	38	4	1,232	832	357	39	4
Prince Georges	2,275	1,833	316	124	2	516	70	323	121	2
Queen Annes	247	63	135	47	2	185	-	138	45	2
St. Marys	375	97	166	112	-	361	84	165	112	-
Somerset	405	168	127	110	-	321	83	128	110	-
Talbot	335	173	57	105	-	431	272	54	105	-
Washington	1,413	510	880	13	10	1,422	507	893	13	9
Outside city	726	185	518	13	10	538	-	516	13	9
Hagerstown	687	325	362	-	-	884	507	377	-	-
Wicomico	646	335	173	138	-	836	519	177	140	-
Outside city	373	152	130	91	-	210	1	121	88	-
Salisbury	273	183	43	47	-	626	518	56	52	-
Worcester	397	90	168	139	-	322	-	181	141	-
MASSACHUSETTS (total)	69,546	61,437	7,687	1	421	70,189	62,073	7,694	-	420
Barnstable	643	469	173	-	1	499	327	172	-	-
Berkshire	2,023	1,786	235	-	2	2,070	1,835	233	-	2
Outside cities	679	553	124	-	2	271	150	119	-	2
Adams (town)	74	70	4	-	-	80	75	5	-	-
North Adams	360	268	92	-	-	406	317	89	-	-
Pittsfield	910	895	15	-	-	1,313	1,293	20	-	-
Bristol	5,432	3,836	1,591	-	5	5,643	4,038	1,600	-	5
Outside cities	941	691	249	-	1	719	471	247	-	1
Attleboro	346	319	27	-	-	692	665	27	-	-
Fairhaven (town)	159	94	65	-	-	67	-	67	-	-
Fall River	1,911	1,124	785	-	2	2,378	1,585	791	-	2
New Bedford	1,273	918	354	-	1	1,179	824	354	-	1
North Attleborough (town)	177	153	23	-	1	65	39	25	-	1
Taunton	625	537	88	-	-	543	454	89	-	-
Dukes	79	63	16	-	-	72	57	15	-	-
Essex	7,591	6,434	1,156	-	1	7,369	6,206	1,162	-	1
Outside cities	775	675	100	-	-	252	158	94	-	-
Amesbury (town)	200	153	47	-	-	191	145	46	-	-
Andover (town)	127	110	17	-	-	21	2	19	-	-
Beverly	408	394	14	-	-	542	527	14	-	1
Danvers (town)	196	166	30	-	-	109	79	30	-	-
Gloucester	390	297	93	-	-	412	315	97	-	-
Haverhill	655	479	176	-	-	698	519	179	-	-
Lawrence	1,202	975	227	-	-	1,396	1,169	227	-	-
Lynn	1,592	1,443	149	-	-	1,825	1,675	150	-	-
Marblehead (town)	195	194	1	-	-	71	70	1	-	-
Methuen (town)	250	205	45	-	-	299	251	48	-	-
Newburyport	209	149	60	-	-	319	258	61	-	-
Peabody	315	267	48	-	-	230	183	47	-	-
Salem	635	510	124	-	1	875	751	124	-	-
Saugus (town)	261	241	20	-	-	20	-	20	-	-
Swampscott (town)	181	176	5	-	-	109	104	5	-	-
Franklin	841	683	158	-	-	777	619	158	-	-
Outside city	563	421	142	-	-	399	257	142	-	-
Greenfield (town)	278	262	16	-	-	378	362	16	-	-
Hampden	5,296	4,860	434	-	2	5,650	5,213	435	-	2
Outside cities	813	725	88	-	-	597	511	86	-	-
Chicopee	657	538	119	-	-	167	47	120	-	-
Holyoke	768	718	50	-	-	1,216	1,165	51	-	-
Springfield	2,521	2,382	138	-	1	3,266	3,126	139	-	1
Westfield	309	284	25	-	-	389	364	25	-	-
West Springfield (town)	228	213	14	-	1	15	-	14	-	1
Hampshire	983	883	99	1	-	1,026	926	100	-	-
Outside cities	539	484	54	1	-	419	367	52	-	-
Easthampton (town)	151	131	20	-	-	19	-	19	-	-
Northampton	293	268	25	-	-	588	559	29	-	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MASSACHUSETTS—Continued										
Middlesex	16,039	14,717	1,321	-	1	14,549	13,230	1,318	-	1
Outside cities	1,956	1,711	245	-	-	836	585	251	-	-
Arlington (town)	624	609	15	-	-	266	250	16	-	-
Belmont (town)	382	375	7	-	-	7	-	7	-	-
Cambridge	2,038	1,916	122	-	-	2,831	2,710	121	-	-
Everett	878	779	98	-	1	677	582	94	-	1
Framingham (town)	363	342	21	-	-	607	587	20	-	-
Lexington (town)	181	164	17	-	-	16	-	16	-	-
Lowell	1,524	1,225	299	-	-	1,956	1,661	295	-	-
Malden	914	875	39	-	-	994	953	41	-	-
Marlborough	248	231	17	-	-	396	379	17	-	-
Medford	1,056	1,022	34	-	-	882	850	32	-	-
Melrose	370	361	9	-	-	573	564	9	-	-
Natick (town)	255	247	8	-	-	292	284	8	-	-
Newton	959	943	16	-	-	852	834	18	-	-
Reading (town)	178	145	33	-	-	33	-	33	-	-
Somerville	1,861	1,721	140	-	-	1,242	1,102	140	-	-
Stoneham (town)	176	165	11	-	-	375	364	11	-	-
Wakefield (town)	267	234	33	-	-	37	4	33	-	-
Waltham	744	659	85	-	-	935	851	84	-	-
Watertown (town)	549	512	37	-	-	37	-	37	-	-
Winchester (town)	216	212	4	-	-	382	378	4	-	-
Woburn	300	269	31	-	-	323	292	31	-	-
Nantucket	34	34	-	-	-	31	31	-	-	-
Norfolk	5,404	5,101	302	-	1	3,276	2,972	302	-	2
Outside cities	1,493	1,303	189	-	1	290	102	187	-	1
Braintree (town)	272	265	7	-	-	12	5	7	-	-
Brookline (town)	585	557	28	-	-	174	144	29	-	1
Dedham (town)	254	242	12	-	-	12	-	12	-	-
Milton (town)	259	254	5	-	-	92	85	7	-	-
Needham (town)	222	214	8	-	-	108	100	8	-	-
Norwood (town)	247	245	2	-	-	568	566	2	-	-
Quincy	1,398	1,368	30	-	-	1,291	1,263	28	-	-
Wellesley (town)	233	231	2	-	-	2	-	2	-	-
Weymouth (town)	441	422	19	-	-	727	707	20	-	-
Plymouth	2,460	2,102	358	-	-	2,289	1,928	361	-	-
Outside cities	1,449	1,192	257	-	-	591	328	263	-	-
Brockton	997	899	98	-	-	1,695	1,599	96	-	-
Plymouth (town)	14	11	3	-	-	3	1	2	-	-
Suffolk	14,342	13,105	829	-	408	18,739	17,513	819	-	407
Boston	12,708	11,611	689	-	408	17,236	16,148	681	-	407
Chelsea	745	641	104	-	-	738	634	104	-	-
Revere	584	554	30	-	-	251	222	29	-	-
Winthrop (town)	305	299	6	-	-	514	509	5	-	-
Worcester	8,379	7,364	1,015	-	-	8,199	7,180	1,019	-	-
Outside cities	2,441	2,045	396	-	-	607	208	399	-	-
Athol (town)	215	168	47	-	-	161	111	50	-	-
Clinton (town)	228	220	8	-	-	303	295	8	-	-
Fitchburg	711	582	129	-	-	819	691	128	-	-
Gardner	328	252	76	-	-	526	451	75	-	-
Leominster	410	362	48	-	-	378	331	47	-	-
Milford (town)	238	212	26	-	-	505	479	26	-	-
Northbridge (town)	179	155	24	-	-	238	214	24	-	-
Southbridge (town)	308	251	57	-	-	320	264	56	-	-
Webster (town)	209	159	50	-	-	294	243	51	-	-
Worcester	3,112	2,958	154	-	-	4,048	3,893	155	-	-
MICHIGAN (total)	107,458	77,004	29,466	269	719	107,511	77,047	29,474	269	721
Alcona	105	11	86	1	5	95	-	89	1	5
Alger	245	159	80	3	3	199	116	77	3	3
Allegan	817	444	370	-	3	708	339	366	-	3
Alpena	454	205	244	4	1	492	236	251	4	1
Outside city	173	55	114	3	1	103	-	99	3	1
Alpena	281	150	130	1	-	389	236	152	1	-
Antrim	228	44	179	3	2	206	16	185	3	2
Arenac	144	65	73	3	3	143	68	69	3	3
Baraga	203	94	97	11	1	164	58	94	11	1
Barry	397	266	124	-	7	399	259	131	-	9
Bay	1,659	865	779	-	15	1,850	1,050	785	-	15
Outside city	593	239	339	-	15	354	-	339	-	15
Bay City	1,066	626	440	-	-	1,496	1,050	446	-	-
Benzie	154	63	90	-	1	177	83	92	-	2
Berrien	1,831	1,261	555	-	15	1,782	1,204	564	-	14
Outside cities	1,168	722	435	-	11	827	364	452	-	11
Benton Harbor	438	334	101	-	3	581	484	94	-	3
Niles	225	205	19	-	1	374	356	18	-	-
Branch	535	342	184	-	9	498	301	188	-	9
Calhoun	2,005	1,588	410	1	6	2,117	1,704	406	1	6
Outside city	956	628	323	-	5	647	319	323	-	5
Battle Creek	1,049	960	87	1	1	1,470	1,385	83	1	1
Cass	370	217	153	-	-	293	141	152	-	-
Charlevoix	285	131	149	1	4	267	113	150	1	3
Cheboygan	282	76	200	3	3	259	52	201	3	3
Chippewa	666	428	210	15	13	672	434	210	15	13
Outside city	280	141	112	14	13	125	-	98	14	13
Sault Ste. Marie	386	287	98	1	-	547	434	112	1	-
Clare	197	52	137	-	8	187	46	134	-	7

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MICHIGAN—Continued										
Clinton	572	358	209	1	4	497	286	206	1	4
Crawford	82	40	37	-	5	129	86	38	-	5
Delta	687	458	209	9	11	724	494	210	9	11
Outside city	411	230	162	8	11	176	1	156	8	11
Escanaba	276	228	47	1	-	548	493	54	1	-
Dickinson	475	314	157	4	-	548	380	164	4	-
Outside city	288	195	89	4	-	254	161	89	4	-
Iron Mountain	187	119	68	-	-	294	219	75	-	-
Eaton	642	468	163	-	11	510	335	166	-	9
Emmet	381	307	70	2	2	443	369	70	2	2
Genesee	5,110	3,986	1,104	8	12	5,167	4,057	1,092	8	10
Outside city	1,671	1,081	585	-	5	765	179	582	-	4
Flint	3,439	2,905	519	8	7	4,402	3,878	510	8	6
Gladwin	211	94	106	1	10	191	72	107	1	11
Gogebic	533	336	175	5	17	629	434	173	5	17
Outside city	328	195	115	5	13	411	275	119	5	12
Ironwood	205	141	60	-	4	218	159	54	-	5
Grand Traverse	473	344	127	-	2	534	407	125	-	2
Outside city	201	111	89	-	1	125	42	82	-	1
Traverse City	272	233	38	-	1	409	365	43	-	1
Gratiot	688	295	360	3	30	698	297	366	3	32
Hillsdale	498	283	210	-	5	454	240	209	-	5
Houghton	721	343	340	32	6	766	383	345	32	6
Huron	661	244	366	-	51	667	235	377	-	55
Ingham	2,961	2,569	384	1	7	3,166	2,774	384	1	7
Outside city	1,312	1,062	245	-	5	442	191	246	-	5
Lansing	1,649	1,507	139	1	2	2,724	2,583	138	1	2
Ionia	663	319	332	-	12	618	268	336	-	14
Iosco	165	19	141	-	5	152	-	146	-	6
Iron	304	203	100	1	-	319	218	100	1	-
Isabella	569	209	331	5	24	563	192	340	5	26
Jackson	1,641	1,448	188	-	5	1,689	1,491	193	-	5
Outside city	515	369	141	-	5	150	-	145	-	5
Jackson	1,126	1,079	47	-	-	1,539	1,491	48	-	-
Kalamazoo	2,083	1,844	234	-	5	2,072	1,836	231	-	5
Outside city	651	509	138	-	4	184	41	138	-	5
Kalamazoo	1,432	1,335	96	-	1	1,888	1,795	93	-	-
Kalkaska	129	19	106	4	-	112	-	108	4	-
Kent	4,808	3,241	1,566	-	1	4,966	3,403	1,562	-	1
Outside city	1,673	836	836	-	1	1,575	748	826	-	1
Grand Rapids	3,135	2,405	730	-	-	3,391	2,655	736	-	-
Keweenaw	30	17	11	2	-	13	-	11	2	-
Lake	83	30	52	1	-	55	-	54	1	-
Lapeer	554	204	347	-	3	491	138	350	-	3
Leelanau	137	43	93	-	1	93	1	91	-	1
Lenawee	1,167	847	318	1	1	1,221	896	323	1	1
Outside city	804	536	266	1	1	667	396	269	1	1
Adrian	363	311	52	-	-	554	500	54	-	-
Livingston	371	261	108	1	1	342	232	108	1	1
Luce	148	77	71	-	-	175	102	73	-	-
Mackinac	208	64	137	3	4	145	1	137	3	4
Macomb	2,893	1,660	1,030	1	2	1,787	765	1,019	1	2
Outside cities	1,958	1,133	822	1	2	691	75	813	1	2
Mount Clemens	478	335	143	-	-	831	689	142	-	-
St. Clair Shores	257	192	65	-	-	65	1	64	-	-
Manistee	318	151	166	1	-	301	131	169	1	-
Marquette	857	713	141	3	-	897	757	137	3	-
Outside city	577	455	119	3	-	447	329	115	3	-
Marquette	280	258	22	-	-	450	428	22	-	-
Mason	322	132	185	-	5	318	125	190	-	3
Mecosta	341	151	180	2	8	313	128	176	2	7
Menominee	451	305	142	2	2	489	344	141	2	2
Outside city	277	158	115	2	2	186	69	113	2	2
Menominee	174	147	27	-	-	303	275	28	-	-
Midland	796	361	413	6	18	534	97	413	6	18
Outside city	468	136	310	6	16	335	-	310	6	17
Midland	330	225	103	-	2	201	97	103	-	1
Missaukee	185	28	155	1	1	168	9	157	1	1
Monroe	1,300	782	501	-	17	1,305	784	504	-	17
Outside city	786	396	373	-	17	388	-	371	-	17
Monroe	514	386	128	-	-	917	784	133	-	-
Montcalm	556	252	301	-	3	662	335	325	-	2
Montmorency	82	15	55	-	12	67	-	55	-	12
Muskegon	2,311	1,969	339	-	3	2,259	1,917	339	-	3
Outside cities	787	588	197	-	2	193	-	191	-	2
Muskegon	1,179	1,070	108	-	1	2,034	1,917	116	-	1
Muskegon Heights	345	311	34	-	-	32	-	32	-	-
Newaygo	378	124	245	1	8	383	126	248	1	8
Oakland	6,109	4,826	1,461	1	21	4,438	2,976	1,441	-	21
Outside cities	3,095	2,155	926	-	14	1,171	242	915	-	14
Birmingham	271	258	12	-	1	12	-	11	-	1
Ferndale	506	426	79	-	1	307	224	82	-	1
Pontiac	1,614	1,252	356	1	5	2,802	2,448	349	-	5
Royal Oak	623	535	88	-	-	146	62	84	-	-
Oceana	296	173	121	1	1	311	187	122	1	1
Ogemaw	187	54	118	1	14	205	73	117	1	14
Ontonagon	194	76	107	8	3	173	53	109	8	3
Osceola	255	89	152	-	14	268	102	152	-	14

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MICHIGAN—Continued										
Oscoda	64	6	39	-	19	57	-	38	-	19
Otsego	125	26	80	4	15	102	2	79	4	17
Ottawa	1,342	799	533	-	10	1,369	819	540	-	10
Outside city	1,024	572	443	-	9	852	415	428	-	9
Holland	318	227	90	-	1	517	404	112	-	1
Presque Isle	268	58	200	6	4	238	29	199	6	4
Roscommon	77	24	41	-	12	50	-	38	-	12
Saginaw	2,872	2,200	655	1	16	3,046	2,371	656	2	17
Outside city	1,000	618	369	-	13	390	-	374	2	14
Saginaw	1,872	1,582	286	1	3	2,656	2,371	282	-	3
St. Clair	1,636	783	845	1	7	1,577	725	844	2	6
Outside city	874	367	503	-	4	715	213	497	1	4
Port Huron	762	416	342	1	3	862	512	347	1	2
St. Joseph	585	445	127	-	13	705	572	120	-	13
Sanilac	560	173	365	-	22	510	105	385	-	20
Schoolcraft	239	130	108	-	1	245	137	107	-	1
Shiawassee	819	635	177	2	5	887	704	178	1	4
Outside city	496	353	138	-	5	262	122	136	-	4
Owosso	323	282	39	2	-	625	582	42	1	-
Tuscola	745	444	292	-	9	661	354	297	-	10
Van Buren	566	359	206	-	1	507	292	214	-	1
Washtenaw	1,548	1,354	189	-	5	1,809	1,618	187	-	4
Outside cities	584	420	159	-	5	257	93	160	-	4
Ann Arbor	584	567	17	-	-	1,183	1,147	16	-	-
Ypsilanti	380	367	13	-	-	389	378	11	-	-
Wayne	39,673	32,048	7,417	96	112	41,812	34,273	7,332	96	111
Outside cities	3,217	2,266	921	5	25	1,848	913	904	5	26
Dearborn	1,604	1,383	216	3	2	759	554	200	3	2
Detroit	31,186	25,568	5,479	75	64	34,013	28,458	5,419	75	61
Ecorse	310	186	123	-	1	125	1	122	-	2
Grosse Pointe Park	83	76	7	-	-	7	-	7	-	-
Hamtramck	909	738	161	10	-	1,104	930	164	10	-
Highland Park	708	637	70	-	1	2,310	2,237	72	-	1
Lincoln Park	364	271	92	-	1	93	-	92	-	1
River Rouge	434	260	158	-	16	254	60	158	-	16
Wyandotte	858	663	190	3	2	1,319	1,120	194	3	2
Wexford	374	264	106	2	2	401	290	107	2	2
MINNESOTA (total)	54,359	39,589	14,278	221	271	54,462	39,649	14,321	222	270
Aitkin	375	207	154	7	7	301	133	154	6	8
Anoka	408	302	98	6	2	228	118	102	6	2
Becker	629	390	196	8	35	684	428	210	9	37
Beltrami	600	364	193	25	18	627	386	194	27	20
Benton	314	164	131	14	5	148	-	129	14	5
Outside city	294	156	119	14	5	132	-	113	14	5
St. Cloud (part)	20	8	12	-	-	16	-	16	-	-
Big Stone	224	133	91	-	-	324	238	86	-	-
Blue Earth	734	611	123	-	-	830	698	132	-	-
Outside city	406	316	90	-	-	95	-	95	-	-
Mankato	328	295	33	-	-	735	698	37	-	-
Brown	523	390	132	1	-	772	636	135	1	-
Carlton	450	298	138	5	9	502	349	141	4	8
Carver	375	205	169	1	-	318	144	173	1	-
Cass	471	266	172	8	25	392	201	160	7	24
Chippewa	372	224	148	-	-	406	259	147	-	-
Chisago	194	99	95	-	-	132	37	95	-	-
Clay	486	353	129	-	4	379	239	137	-	3
Clearwater	263	135	121	3	4	260	130	121	3	6
Cook	60	46	14	-	-	13	-	13	-	-
Cottonwood	287	165	118	-	4	314	187	123	-	4
Crow Wing	703	413	268	5	17	767	471	274	7	15
Outside city	416	225	170	5	16	277	97	158	7	15
Brainerd	287	188	98	-	1	490	374	116	-	-
Dakota	726	625	98	2	1	299	198	99	1	1
Outside city	477	393	82	2	-	285	198	86	1	-
South St. Paul	249	232	16	-	1	14	-	13	-	1
Dodge	262	137	124	-	1	204	78	125	-	1
Douglas	381	189	187	4	1	366	168	193	4	1
Faribault	560	264	296	-	-	431	138	293	-	-
Fillmore	512	275	235	-	2	405	161	242	-	2
Freeborn	617	472	144	-	1	693	543	149	-	1
Outside city	345	256	88	-	1	94	-	93	-	1
Albert Lea	272	216	56	-	-	599	543	56	-	-
Goodhue	543	420	122	-	1	566	444	121	-	1
Grant	215	100	114	-	1	126	11	114	-	1
Hennepin	9,927	9,402	489	35	1	10,668	10,184	449	34	1
Outside city	1,631	1,467	161	2	1	312	168	142	2	-
Minneapolis	8,296	7,935	328	33	-	10,356	10,016	307	32	1
Houston	259	210	47	1	1	208	155	51	1	1
Hubbard	231	77	148	5	1	200	50	144	5	1
Isanti	187	117	70	-	-	216	138	78	-	-
Itasca	740	535	198	1	6	717	508	202	-	7
Jackson	333	194	139	-	-	283	141	142	-	-
Kanabec	170	81	88	1	-	88	-	87	1	-
Kandiyohi	586	302	282	-	2	607	323	282	-	2
Kittson	227	157	62	4	4	179	112	59	4	4
Koochiching	428	302	121	-	5	391	270	117	-	4

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MINNESOTA—Continued										
Lac qui Parle	299	214	84	-	1	251	164	86	-	1
Lake	132	129	3	-	-	123	120	3	-	-
Lake of the Woods	127	40	77	1	9	109	26	73	1	9
Le Sueur	377	222	155	-	-	238	93	145	-	-
Lincoln	214	163	50	-	1	313	258	54	-	1
Lyon	489	301	188	-	-	505	319	186	-	-
McLeod	446	245	201	-	-	457	254	203	-	-
Mahnomen	225	132	76	6	11	126	37	74	7	8
Marshall	379	214	152	2	11	265	101	150	3	11
Martin	555	294	261	-	-	560	297	263	-	-
Meeker	397	202	195	-	-	399	201	198	-	-
Mille Lacs	342	145	190	3	4	306	107	192	3	4
Morrison	631	295	330	2	4	629	295	328	2	4
Mower	866	547	319	-	-	853	532	321	-	-
Outside city	355	188	167	-	-	235	68	167	-	-
Austin	511	359	152	-	-	618	464	154	-	-
Murray	337	157	180	-	-	322	133	189	-	-
Nicollet	236	196	40	-	-	288	247	41	-	-
Nobles	519	405	114	-	-	533	423	110	-	-
Norman	240	139	98	-	3	227	124	100	-	3
Olmsted	836	601	235	-	-	946	702	244	-	-
Outside city	326	151	175	-	-	207	25	182	-	-
Rochester	510	450	60	-	-	739	677	62	-	-
Otter Tail	984	635	343	3	3	1,057	702	349	3	3
Outside city	785	469	310	3	3	599	279	314	3	3
Fergus Falls	199	166	33	-	-	458	423	35	-	-
Pennington	250	178	63	2	7	371	295	66	2	8
Pine	387	153	222	2	10	379	143	222	3	11
Pipestone	333	215	118	-	-	353	240	113	-	-
Polk	715	542	167	4	2	643	464	175	2	2
Pope	258	199	59	-	-	250	193	57	-	-
Ramsey	5,810	5,538	218	50	4	6,377	6,113	207	53	4
Outside city	474	439	29	5	1	38	2	30	5	1
St. Paul	5,336	5,099	189	45	3	6,339	6,111	177	48	3
Red Lake	247	92	152	1	2	160	13	145	1	1
Redwood	557	228	329	-	-	402	86	316	-	-
Renville	501	187	314	-	-	335	23	312	-	-
Rice	647	429	217	-	1	765	541	223	-	1
Outside city	416	285	131	-	-	320	184	136	-	-
Faribault	231	144	86	-	1	445	357	87	-	1
Rock	172	111	61	-	-	162	101	61	-	-
Roseau	371	180	181	4	6	422	224	188	4	6
St. Louis	3,624	3,249	370	1	4	3,750	3,377	366	1	6
Outside cities	1,332	1,071	256	1	4	707	457	244	1	5
Duluth	1,708	1,671	37	-	-	2,209	2,168	40	-	1
Hibbing	368	313	55	-	-	482	422	60	-	-
Virginia	216	194	22	-	-	352	330	22	-	-
Scott	298	165	133	-	-	286	150	136	-	-
Sherburne	173	53	120	-	-	147	2	145	-	-
Outside city	168	53	115	-	-	141	1	140	-	-
St. Cloud (part)	7	2	5	-	-	6	1	5	-	-
Sibley	321	184	156	-	1	220	61	158	-	1
Stearns	1,510	711	795	-	4	1,815	999	812	-	4
Outside city	1,062	574	684	-	4	932	230	698	-	4
St. Cloud (part)	448	337	111	-	-	883	769	114	-	-
St. Cloud (total)	475	347	128	-	-	905	770	135	-	-
Steele	377	301	76	-	-	403	323	80	-	-
Stevens	284	203	81	-	-	279	200	79	-	-
Swift	330	191	137	1	1	332	194	136	1	1
Todd	552	263	282	-	7	568	283	278	-	7
Traverse	158	102	56	-	-	98	37	61	-	-
Watasha	379	241	138	-	-	346	206	140	-	-
Wadena	324	131	177	2	14	370	194	162	1	13
Waseca	303	225	78	-	-	285	211	74	-	-
Washington	432	355	76	1	-	303	229	74	-	-
Watonwan	266	179	87	-	-	246	163	83	-	-
Wilkin	244	195	49	-	-	376	333	43	-	-
Winona	673	486	184	-	3	646	467	178	-	1
Outside city	272	152	117	-	3	113	1	111	-	1
Winona	401	334	67	-	-	533	466	67	-	-
Wright	512	229	283	-	-	420	141	279	-	-
Yellow Medicine	348	194	154	-	-	402	232	170	-	-
MISSISSIPPI (total)	54,713	9,605	18,831	26,118	159	54,454	9,383	18,808	26,105	158
Adams	708	451	41	215	1	889	625	48	215	1
Outside city	311	148	10	152	1	645	477	16	151	1
Natchez	397	303	31	63	-	244	148	32	64	-
Alcorn	633	111	392	126	4	652	132	389	127	4
Amite	603	48	233	319	3	567	11	233	320	3
Attala	774	66	387	315	6	774	67	387	314	6
Benton	260	8	105	146	1	249	-	102	146	1
Bolivar	1,872	221	460	1,182	9	1,852	202	459	1,182	9
Calhoun	517	37	406	74	-	503	21	408	74	-
Carroll	515	13	167	332	3	501	-	166	332	3
Chickasaw	567	28	338	201	-	578	36	339	203	-
Choctaw	305	12	205	88	-	294	-	205	89	-
Claiborne	319	25	50	244	-	295	-	49	246	-
Clarke	489	41	260	188	-	466	20	258	188	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MISSISSIPPI—Continued										
Clay	496	15	146	335	-	483	1	147	335	-
Coahoma	1,066	138	116	810	2	1,039	112	117	808	2
Outside city	866	50	98	716	2	815	-	100	713	2
Clarksdale	200	88	18	94	-	224	112	17	95	-
Copiah	759	55	291	412	1	711	3	296	411	1
Covington	449	72	226	149	2	377	-	226	149	2
De Soto	741	79	166	496	-	655	-	159	496	-
Forrest	1,026	493	360	173	-	1,094	566	354	174	-
Outside city	357	136	169	52	-	219	-	168	51	-
Hattiesburg	669	357	191	121	-	875	566	186	123	-
Franklin	302	58	140	104	-	242	-	138	104	-
George	232	12	199	21	-	221	-	200	21	-
Greene	253	8	170	73	2	246	-	171	73	2
Grenada	505	66	136	303	-	534	95	135	304	-
Hancock	267	102	69	95	1	261	95	69	96	1
Harrison	1,102	552	289	261	-	1,111	567	286	258	-
Outside cities	401	135	91	175	-	255	-	87	168	-
Biloxi	392	188	157	47	-	446	242	156	48	-
Gulfport	309	229	41	39	-	410	325	43	42	-
Hinds	2,581	1,005	296	1,276	4	2,708	1,140	293	1,271	4
Outside city	1,205	145	160	897	3	1,056	-	159	894	3
Jackson	1,376	860	136	379	1	1,652	1,140	134	377	1
Holmes	1,050	69	143	835	3	1,044	60	141	840	3
Humphreys	683	34	146	502	1	648	-	148	499	1
Issaquena	180	6	14	160	-	173	-	13	160	-
Itawamba	404	23	362	18	1	381	-	362	18	1
Jackson	611	255	230	122	4	564	212	226	122	4
Jasper	512	41	301	170	-	470	-	298	172	-
Jefferson	359	36	54	269	-	308	-	44	264	-
Jefferson Davis	475	20	265	190	-	468	-	274	194	-
Jones	1,318	653	302	355	8	1,423	759	303	353	8
Outside city	796	348	251	190	7	513	77	249	180	7
Laurel	522	305	51	165	1	910	682	54	173	1
Kemper	523	52	138	332	1	483	12	137	333	1
Lafayette	549	70	207	268	4	600	119	207	270	4
Lamar	331	64	199	68	-	329	61	200	68	-
Lauderdale	1,229	520	255	447	7	1,345	640	254	444	7
Outside city	578	136	157	281	4	445	-	158	283	4
Meridian	651	384	98	166	3	900	640	96	161	3
Lawrence	311	39	121	151	-	270	-	120	150	-
Leake	654	47	374	228	5	615	8	375	227	5
Lee	797	160	546	91	-	827	186	551	90	-
Leflore	1,492	149	204	1,139	-	1,542	194	208	1,140	-
Outside city	1,217	40	167	1,010	-	1,178	-	168	1,010	-
Greenwood	275	109	37	129	-	364	194	40	130	-
Lincoln	666	103	310	246	7	670	106	313	244	7
Lowndes	799	142	155	497	5	811	157	152	497	5
Outside city	521	43	102	373	3	476	-	102	371	3
Columbus	278	99	53	124	2	335	157	50	126	2
Madison	1,070	86	156	825	3	1,063	76	157	827	3
Marion	563	132	206	225	-	568	140	203	225	-
Marshall	755	40	162	550	3	716	-	163	550	3
Monroe	808	54	452	300	2	798	48	447	301	2
Montgomery	339	46	102	189	2	338	45	102	189	2
Neshoba	686	163	362	154	7	675	152	362	154	7
Newton	544	150	225	167	2	579	183	227	167	2
Noxubee	657	60	64	533	-	648	54	61	533	-
Oktibbeha	532	44	171	317	-	524	37	169	318	-
Panola	877	67	298	507	5	807	3	293	506	5
Pearl River	471	102	352	16	1	464	93	354	15	2
Perry	258	37	132	89	-	240	19	131	90	-
Pike	843	224	362	252	5	872	253	364	250	5
Pontotoc	488	46	341	100	1	484	42	343	98	1
Prentiss	485	43	387	52	3	512	64	393	52	3
Quitman	767	205	154	407	1	778	218	151	408	1
Rankin	658	131	133	392	2	635	105	135	393	2
Scott	548	79	211	256	2	531	63	210	256	2
Sharkey	406	36	68	301	1	370	1	68	300	1
Simpson	523	80	287	153	3	507	63	288	153	3
Smith	478	41	346	87	4	439	-	348	87	4
Stone	147	17	97	33	-	130	-	97	33	-
Sunflower	1,639	75	471	1,090	3	1,606	46	471	1,086	3
Tallahatchie	1,007	48	378	581	-	994	38	375	581	-
Tate	500	51	166	280	3	448	-	165	280	3
Tippah	470	17	393	56	4	453	-	393	56	4
Tishomingo	441	29	403	8	1	406	-	398	8	-
Tunica	612	26	61	524	1	587	-	61	525	1
Union	429	132	189	108	-	443	145	189	109	-
Walthall	506	117	227	160	2	592	203	227	160	2
Warren	821	430	100	288	3	924	530	102	289	3
Outside city	396	150	49	194	3	239	-	44	192	3
Vicksburg	425	280	51	94	-	685	530	58	97	-
Washington	1,712	230	289	1,191	2	1,720	242	289	1,187	2
Outside city	1,262	81	200	980	1	1,180	1	200	978	1
Greenville	450	149	89	211	1	540	241	89	209	1
Wayne	414	65	166	181	2	396	48	166	180	2
Webster	328	10	233	83	2	316	-	231	83	2
Wilkinson	546	61	103	380	2	551	66	104	380	1
Winston	583	67	251	264	1	576	59	252	264	1
Yalobusha	474	62	191	221	-	444	32	192	220	-
Yazoo	1,044	103	168	772	1	1,047	108	167	771	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—*Continued*

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MISSOURI (total)	65,218	34,325	27,940	1,500	1,453	66,050	35,121	27,972	1,501	1,456
Adair	336	133	197	-	6	513	309	198	-	6
Outside city	164	52	110	-	2	109	-	107	-	2
Kirksville	172	81	87	-	4	404	309	91	-	4
Andrew	183	28	152	-	3	153	-	150	-	3
Atchison	244	81	157	-	6	162	-	156	-	6
Audrain	423	216	197	-	10	479	267	202	-	10
Barry	416	94	313	1	8	392	66	317	1	8
Barton	216	93	118	1	4	229	104	119	1	5
Bates	306	110	196	-	-	296	97	198	-	1
Benton	172	68	90	4	10	158	52	92	4	10
Bollinger	195	25	144	4	22	167	-	141	4	22
Boone	546	243	299	2	2	519	216	300	1	2
Outside city	238	65	170	2	1	167	-	165	1	1
Columbia	308	178	129	-	1	352	216	135	-	1
Buchanan	1,370	819	541	3	7	1,484	929	545	3	7
Outside city	275	139	131	2	3	130	-	126	1	3
St. Joseph	1,095	680	410	1	4	1,354	929	419	2	4
Butler	868	175	518	83	92	1,001	304	520	83	94
Outside city	583	58	377	63	85	494	1	345	62	86
Poplar Bluff	285	117	141	20	7	507	303	175	21	8
Caldwell	168	27	141	-	-	166	16	150	-	-
Callaway	333	161	170	-	2	273	106	165	-	2
Camden	195	19	153	7	16	171	-	148	7	16
Cape Girardeau	714	425	273	8	8	973	676	281	8	8
Outside city	325	123	190	6	6	194	1	184	3	6
Cape Girardeau	389	302	83	2	2	779	675	97	5	2
Carroll	298	42	256	-	-	286	33	253	-	-
Carter	131	26	75	11	19	104	-	75	11	18
Cass	298	67	227	-	4	268	32	232	-	4
Cedar	195	26	167	-	2	191	19	170	-	2
Chariton	276	23	245	2	6	255	1	244	3	7
Christian	218	33	161	16	8	180	-	155	17	8
Clark	169	51	114	-	4	125	-	121	-	4
Clay	529	222	305	-	2	384	73	309	-	2
Clinton	190	38	149	-	3	155	1	151	-	3
Cole	524	302	222	-	-	621	402	219	-	-
Outside city	176	49	127	-	-	119	-	119	-	-
Jefferson City	348	253	95	-	-	502	402	100	-	-
Cooper	259	109	150	-	-	304	156	148	-	-
Crawford	192	40	121	9	22	151	1	120	9	21
Dade	148	36	111	-	1	145	29	115	-	1
Dallas	200	9	175	11	5	196	-	178	12	6
Daviess	190	21	166	1	2	172	1	168	1	2
De Kalb	132	15	113	-	4	115	-	111	-	4
Dent	208	27	122	43	16	187	1	125	44	17
Douglas	327	12	230	56	29	309	-	225	56	28
Dunklin	1,042	97	863	28	54	990	54	855	28	53
Franklin	602	266	329	1	6	570	229	334	1	6
Gasconade	200	79	119	-	2	168	46	121	-	1
Gentry	164	22	137	-	5	149	3	141	-	5
Greene	1,588	1,042	543	-	3	1,785	1,239	544	-	2
Outside city	461	207	251	-	3	300	50	248	-	2
Springfield	1,127	835	292	-	-	1,485	1,189	296	-	-
Grundy	219	57	160	1	1	237	69	166	1	1
Harrison	275	63	204	-	8	276	59	209	-	8
Henry	370	214	152	-	4	373	220	150	-	3
Hickory	105	11	84	3	7	96	-	86	3	7
Holt	175	22	148	-	5	150	-	145	-	5
Howard	198	49	132	9	8	168	18	134	8	8
Howell	453	100	285	26	42	471	118	287	25	41
Iron	213	43	96	34	40	281	108	99	33	41
Jackson	7,655	6,650	980	4	21	8,537	7,569	945	4	19
Outside cities	624	389	232	1	2	512	253	254	1	4
Independence	554	482	70	-	2	550	497	52	-	1
Kansas City	6,477	5,779	678	3	17	7,475	6,819	639	3	14
Jasper	1,512	848	649	1	14	1,664	997	652	1	14
Outside cities	613	312	291	1	9	398	101	287	1	9
Carthage	196	140	56	-	-	332	278	54	-	-
Joplin (part)	703	396	302	-	5	934	618	311	-	5
Joplin (total)	715	403	307	-	5	938	618	315	-	5
Jefferson	587	180	397	3	7	412	2	401	3	6
Johnson	295	101	191	-	3	271	76	191	-	4
Knox	125	39	78	-	8	87	-	80	-	7
Laclede	407	114	260	15	18	440	149	259	14	18
Lafayette	423	79	337	1	6	358	13	339	1	5
Lawrence	420	92	326	-	2	418	85	331	-	2
Lewis	196	36	141	-	19	161	-	142	-	19
Lincoln	196	33	160	-	3	169	2	163	-	4
Linn	328	85	228	-	15	320	83	223	-	14
Livingston	296	99	192	-	5	320	122	193	-	5
McDonald	301	82	199	14	6	236	12	203	15	6
Macon	287	65	205	2	15	260	35	207	1	17
Madison	208	19	158	2	29	192	-	160	2	30
Maries	161	20	127	1	13	141	-	126	1	14
Marion	465	362	94	1	8	641	538	94	1	8
Outside city	151	90	56	-	5	61	1	55	-	5
Hannibal	314	272	38	1	3	580	537	39	1	3
Mercer	131	15	112	-	4	151	12	115	-	4

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MISSOURI—Continued										
Miller	289	29	237	2	21	292	29	240	2	21
Mississippi	619	51	450	77	41	565	-	449	77	39
Moniteau	204	28	156	-	20	185	6	158	-	21
Monroe	193	44	139	-	10	145	-	135	-	10
Montgomery	189	40	145	-	4	145	-	141	-	4
Morgan	234	20	197	9	8	220	-	203	9	8
New Madrid	1,125	81	793	176	75	1,048	3	793	176	76
Newton	615	251	350	2	12	612	253	345	2	12
Outside city	603	244	345	2	12	608	253	341	2	12
Joplin (part)	12	7	5	-	-	4	-	4	-	-
Nodaway	422	219	198	1	4	484	287	192	1	4
Oregon	235	21	167	9	38	209	-	165	9	37
Osage	224	47	173	-	4	180	4	171	-	5
Ozark	274	13	201	24	36	263	2	201	24	36
Pemiscot	1,094	77	801	176	40	1,019	1	802	176	40
Perry	342	51	290	1	-	294	-	293	1	-
Pettis	512	232	279	-	1	533	260	272	-	1
Outside city	174	68	105	-	1	91	-	90	-	1
Sedalia	338	164	174	-	-	442	260	182	-	-
Phelps	384	114	254	14	2	435	164	255	14	2
Pike	301	101	184	7	9	304	107	181	7	9
Platte	233	93	138	-	2	137	-	135	-	2
Polk	290	39	243	4	4	258	16	234	4	4
Pulaski	272	44	226	-	2	233	-	231	-	2
Putnam	193	30	158	-	5	182	18	159	-	5
Ralls	156	66	90	-	-	92	-	92	-	-
Randolph	348	98	239	5	6	359	109	239	5	6
Outside city	164	19	141	1	3	146	-	141	2	3
Moberly	184	79	98	4	3	213	109	98	3	3
Ray	312	54	253	-	5	298	41	252	-	5
Reynolds	184	19	126	16	23	167	-	129	16	22
Ripley	266	59	140	30	37	267	60	139	31	37
St. Charles	444	261	181	-	2	451	267	182	-	2
Outside city	228	105	121	-	2	122	1	119	-	2
St. Charles	216	156	60	-	-	329	266	63	-	-
St. Clair	237	86	146	1	4	263	107	151	1	4
St. Francois	701	162	488	26	25	678	141	486	25	26
St. Louis	4,910	4,329	526	52	3	2,025	1,457	513	52	3
Outside cities	3,258	2,756	452	48	2	541	59	432	48	2
Clayton	213	211	2	-	-	566	564	2	-	-
Kirkwood	273	251	22	-	-	24	-	24	-	-
Maplewood	205	185	19	1	-	23	-	22	1	-
Richmond Heights	256	247	7	1	1	846	834	10	1	1
University City	425	416	8	1	-	8	-	7	1	-
Webster Groves	280	263	16	1	-	17	-	16	1	-
St. Louis (city)	13,007	11,869	926	187	25	16,712	15,587	916	185	24
Ste. Genevieve	254	25	225	2	2	229	-	225	2	2
Saline	410	122	285	-	3	409	111	295	-	3
Schuyler	92	27	65	-	-	67	-	66	-	1
Scotland	112	30	79	-	3	83	1	79	-	3
Scott	713	162	490	52	9	653	104	487	53	9
Shannon	239	19	159	46	15	216	-	155	45	16
Shelby	156	23	130	-	3	142	8	131	-	3
Stoddard	750	47	632	37	34	723	3	646	38	36
Stone	233	11	174	29	19	219	-	171	29	19
Sullivan	226	39	187	-	-	193	2	191	-	-
Taney	198	14	143	31	10	183	-	142	31	10
Texas	432	29	338	21	44	401	-	335	23	43
Vernon	361	143	214	-	4	337	120	214	-	3
Warren	118	31	86	-	1	124	33	90	-	1
Washington	361	39	242	34	46	349	19	248	35	47
Wayne	256	46	159	8	43	206	-	155	8	43
Webster	325	56	243	4	22	295	26	243	4	22
Worth	105	6	97	-	2	98	-	96	-	2
Wright	302	28	244	9	21	312	26	255	9	22
MONTANA (total)	11,545	9,793	1,630	71	51	11,437	9,689	1,628	70	50
Beaverhead	104	92	12	-	-	77	67	10	-	-
Big Horn	313	240	55	7	11	233	159	57	7	10
Blaine	260	181	76	1	2	199	119	77	1	2
Broadwater	69	58	11	-	-	76	63	13	-	-
Carbon	231	134	95	2	-	135	39	94	2	-
Carter	48	32	15	1	-	30	17	12	1	-
Cascade	870	839	26	5	-	1,041	1,009	27	5	-
Outside city	236	209	22	5	-	27	-	22	5	-
Great Falls	634	630	4	-	-	1,014	1,009	5	-	-
Chouteau	114	105	9	-	-	62	56	6	-	-
Custer	207	175	32	-	-	291	251	40	-	-
Daniels	112	101	9	2	-	116	105	9	2	-
Dawson	166	143	22	1	-	210	181	28	1	-
Deer Lodge	327	321	6	-	-	320	315	5	-	-
Outside city	42	40	2	-	-	3	1	2	-	-
Anaconda	285	281	4	-	-	317	314	3	-	-
Fallon	63	33	26	3	1	72	42	26	3	1
Fergus	258	236	17	4	1	310	286	17	6	1
Flathead	446	310	136	-	-	463	323	140	-	-
Gallatin	326	287	35	3	1	342	303	35	3	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
MONTANA—Continued										
Garfield	53	43	7	2	1	45	38	4	2	1
Glacier	280	262	14	2	2	252	235	13	2	2
Golden Valley	21	17	4	-	-	3	-	3	-	-
Granite	66	53	13	-	-	13	-	13	-	-
Hill	276	254	20	1	1	364	346	17	-	1
Jefferson	83	73	10	-	-	68	56	12	-	-
Judith Basin	53	49	4	-	-	2	-	2	-	-
Lake	273	215	57	1	-	256	200	55	1	-
Lewis and Clark	409	394	13	-	2	473	459	12	-	2
Outside city	110	103	5	-	2	18	12	4	-	2
Helena	299	291	8	-	-	455	447	8	-	-
Liberty	40	36	4	-	-	33	30	3	-	-
Lincoln	180	131	47	1	1	159	111	46	1	1
McCone	57	51	4	2	-	24	18	4	2	-
Madison	121	66	55	-	-	62	16	46	-	-
Meagher	39	21	18	-	-	17	-	17	-	-
Mineral	42	42	-	-	-	20	20	-	-	-
Missoula	640	629	10	-	1	802	791	10	-	1
Outside city	159	156	2	-	1	1	-	-	-	1
Missoula	481	473	8	-	-	801	791	10	-	-
Musselshell	99	75	24	-	-	90	68	22	-	-
Park	212	155	57	-	-	220	161	59	-	-
Petroleum	16	12	1	2	1	3	-	1	1	1
Phillips	158	137	16	4	1	118	98	15	4	1
Pondera	188	157	29	2	-	188	160	27	1	-
Powder River	67	49	15	3	-	33	18	12	3	-
Powell	97	94	3	-	-	111	107	4	-	-
Prairie	57	55	1	-	1	47	45	1	-	1
Ravalli	250	231	18	1	-	212	194	18	-	-
Richland	275	182	90	3	-	276	177	96	3	-
Roosevelt	253	206	39	4	4	261	210	42	5	4
Rosebud	134	102	18	2	12	132	99	18	2	13
Sanders	108	69	35	1	3	54	18	33	1	2
Sheridan	129	107	20	2	-	117	95	19	3	-
Silver Bow	1,036	919	110	5	2	1,065	948	110	5	2
Outside city	117	73	41	3	-	82	38	41	3	-
Butte	919	846	69	2	2	983	910	69	2	2
Stillwater	110	86	22	1	1	55	33	20	1	1
Sweet Grass	75	37	37	1	-	66	26	39	1	-
Teton	142	116	26	-	-	56	31	25	-	-
Toole	157	135	22	-	-	142	117	25	-	-
Treasure	45	23	22	-	-	27	6	21	-	-
Valley	274	227	46	1	-	262	217	45	-	-
Wheatland	64	29	35	-	-	51	12	39	-	-
Wibaux	37	22	15	-	-	16	1	15	-	-
Yellowstone	1,015	945	67	1	2	1,265	1,193	69	1	2
Outside city	323	269	52	-	2	159	102	55	-	2
Billings	692	676	15	1	-	1,106	1,091	14	1	-
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-
NEBRASKA (total)	21,963	13,379	8,574	3	7	22,197	13,579	8,609	2	7
Adams	363	221	142	-	-	410	267	143	-	-
Outside city	111	51	60	-	-	65	3	62	-	-
Hastings	252	170	82	-	-	345	264	81	-	-
Antelope	225	45	180	-	-	226	41	185	-	-
Arthur	24	10	14	-	-	3	-	3	-	-
Banner	16	10	6	-	-	2	-	2	-	-
Blaine	25	4	21	-	-	16	-	16	-	-
Boone	204	39	165	-	-	175	7	168	-	-
Box Butte	214	177	37	-	-	263	220	43	-	-
Boyd	114	57	57	-	-	115	59	56	-	-
Brown	118	106	12	-	-	192	183	9	-	-
Buffalo	366	253	113	-	-	373	264	109	-	-
Burt	219	122	97	-	-	189	88	101	-	-
Butler	191	78	112	1	-	152	37	114	1	-
Cass	242	126	116	-	-	117	1	116	-	-
Cedar	280	38	242	-	-	239	-	239	-	-
Chase	115	94	21	-	-	148	131	17	-	-
Cherry	210	100	110	-	-	168	72	96	-	-
Cheyenne	171	143	28	-	-	178	149	29	-	-
Clay	109	53	56	-	-	92	34	58	-	-
Colfax	167	52	115	-	-	112	-	112	-	-
Cuming	230	92	138	-	-	230	91	139	-	-
Custer	389	85	304	-	-	393	72	321	-	-
Dakota	200	110	90	-	-	112	20	92	-	-
Dawes	176	107	69	-	-	172	101	71	-	-
Dawson	325	241	81	-	1	352	271	80	-	1
Deuel	63	43	20	-	-	72	47	25	-	-
Dixon	201	111	90	-	-	197	102	95	-	-
Dodge	407	245	161	-	1	416	253	162	-	1
Outside city	191	83	107	-	1	120	11	108	-	1
Fremont	216	162	54	-	-	296	242	54	-	-
Douglas	4,311	3,878	430	1	2	4,865	4,442	421	-	2
Outside city	152	119	33	-	-	31	-	31	-	-
Omaha	4,159	3,759	397	1	2	4,834	4,442	390	-	2
Dundy	92	62	30	-	-	100	71	29	-	-
Fillmore	136	76	60	-	-	103	46	57	-	-
Franklin	113	33	80	-	-	83	2	81	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEBRASKA—Continued										
Frontier	119	44	75	-	-	75	-	75	-	-
Furnas	137	62	75	-	-	147	69	78	-	-
Gage	466	363	103	-	-	554	450	104	-	-
Outside city	263	166	97	-	-	149	50	99	-	-
Beatrice	203	197	6	-	-	405	400	5	-	-
Garden	76	27	49	-	-	72	24	48	-	-
Garfield	67	24	43	-	-	95	50	45	-	-
Gosper	39	16	23	-	-	26	2	24	-	-
Grant	36	24	12	-	-	37	23	14	-	-
Greeley	113	37	76	-	-	106	29	77	-	-
Hall	481	290	191	-	-	559	363	196	-	-
Outside city	132	52	80	-	-	82	-	82	-	-
Grand Island	349	238	111	-	-	477	363	114	-	-
Hamilton	122	47	74	-	1	107	29	77	-	1
Harlan	96	46	50	-	-	53	2	51	-	-
Hayes	41	18	23	-	-	19	-	19	-	-
Hitchcock	130	54	76	-	-	122	37	85	-	-
Holt	319	90	229	-	-	307	77	230	-	-
Hooker	34	11	23	-	-	47	5	42	-	-
Howard	126	25	101	-	-	110	10	100	-	-
Jefferson	282	172	110	-	-	263	155	108	-	-
Johnson	161	71	90	-	-	146	57	89	-	-
Kearney	86	50	36	-	-	87	52	35	-	-
Keith	187	78	109	-	-	179	64	115	-	-
Keya Paha	48	37	11	-	-	11	-	11	-	-
Kimball	70	60	10	-	-	97	85	12	-	-
Knox	316	47	269	-	-	273	2	271	-	-
Lancaster	1,333	1,117	216	-	-	1,519	1,299	220	-	-
Outside city	200	117	83	-	-	82	-	82	-	-
Lincoln	1,133	1,000	133	-	-	1,437	1,299	138	-	-
Lincoln	456	264	192	-	-	498	306	192	-	-
Outside city	200	92	108	-	-	129	33	96	-	-
North Platte	256	172	84	-	-	369	273	96	-	-
Logan	32	16	16	-	-	16	1	15	-	-
Loup	36	16	20	-	-	19	2	17	-	-
McPherson	19	11	8	-	-	2	-	2	-	-
Madison	392	250	142	-	-	511	368	143	-	-
Outside city	189	100	89	-	-	91	2	89	-	-
Norfolk	203	150	53	-	-	420	366	54	-	-
Merrick	162	76	86	-	-	141	57	84	-	-
Morrill	181	31	150	-	-	161	8	153	-	-
Nance	105	45	60	-	-	119	56	62	1	-
Nemaha	219	138	80	1	-	209	128	81	-	-
Nuckolls	162	45	117	-	-	160	40	120	-	-
Otoe	271	221	50	-	-	278	225	53	-	-
Pawnee	131	93	38	-	-	142	106	36	-	-
Perkins	108	59	49	-	-	49	3	46	-	-
Phelps	113	101	12	-	-	180	167	13	-	-
Pierce	199	65	133	-	1	174	39	134	-	1
Platte	340	204	136	-	-	385	250	135	-	-
Polk	135	85	50	-	-	141	90	51	-	-
Red Willow	207	116	91	-	-	261	170	91	-	-
Richardson	361	119	242	-	-	365	118	247	-	-
Rock	75	61	14	-	-	53	41	12	-	-
Saline	189	106	83	-	-	138	54	84	-	-
Sarpy	120	99	21	-	-	19	-	19	-	-
Saunders	248	151	97	-	-	191	95	96	-	-
Scotts Bluff	790	451	338	-	1	820	477	342	-	1
Outside city	525	274	250	-	1	250	-	249	-	1
Scottsbluff	265	177	88	-	-	570	477	93	-	-
Seward	191	88	103	-	-	238	130	108	-	-
Sheridan	193	81	112	-	-	214	88	126	-	-
Sherman	144	56	88	-	-	158	69	89	-	-
Sioux	42	21	21	-	-	22	4	18	-	-
Stanton	114	28	86	-	-	89	-	89	-	-
Thayer	183	60	123	-	-	179	60	119	-	-
Thomas	30	8	22	-	-	14	-	14	-	-
Thurston	248	141	107	-	-	246	141	105	-	-
Valley	133	38	95	-	-	128	32	96	-	-
Washington	196	144	52	-	-	120	71	49	-	-
Wayne	172	101	71	-	-	143	78	65	-	-
Webster	126	17	109	-	-	106	-	106	-	-
Wheeler	34	13	21	-	-	18	-	18	-	-
York	207	139	68	-	-	214	150	64	-	-
NEVADA (total)	2,200	1,911	251	12	26	2,181	1,906	238	10	27
Churchill	116	81	34	-	1	102	66	35	-	1
Clark	379	341	38	-	-	370	335	35	-	-
Douglas	32	21	9	-	2	12	-	9	-	3
Elko	217	200	13	2	2	194	177	13	2	2
Esmeralda	28	24	4	-	-	4	1	3	-	-
Eureka	5	1	4	-	-	7	1	5	-	1
Humboldt	116	101	4	3	8	137	123	3	3	8
Lander	29	27	1	-	1	17	15	-	-	2
Lincoln	118	89	27	2	-	96	70	26	-	-
Lyon	68	42	25	-	1	41	16	24	-	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEVADA—Continued										
Mineral	65	60	5	-	-	95	91	4	-	-
Nye	58	46	6	-	6	60	50	6	-	4
Ormsby	46	40	6	-	-	70	64	6	-	-
Pershing	50	40	9	1	-	17	7	9	1	-
Storey	23	19	4	-	-	5	2	3	-	-
Washoe	568	544	14	3	5	672	650	14	3	5
Outside city	170	158	6	3	3	344	331	6	3	4
Reno	396	386	8	-	2	328	319	8	-	1
White Pine	284	235	48	1	-	282	238	43	1	-
NEW HAMPSHIRE (total)	8,582	6,991	1,588	-	3	8,743	7,156	1,584	-	3
Belknap	433	375	58	-	-	426	368	58	-	-
Outside city	174	141	33	-	-	30	-	30	-	-
Laconia	259	234	25	-	-	396	368	28	-	-
Carroll	250	212	38	-	-	265	230	35	-	-
Cheshire	652	472	180	-	-	536	358	178	-	-
Outside city	393	261	132	-	-	158	28	130	-	-
Keene	259	211	48	-	-	378	330	48	-	-
Coos	719	424	295	-	-	767	466	301	-	-
Outside city	385	210	175	-	-	348	166	182	-	-
Berlin	334	214	120	-	-	419	300	119	-	-
Grafton	818	599	219	-	-	1,045	820	225	-	-
Hillsborough	2,460	2,157	303	-	-	2,560	2,270	290	-	-
Outside cities	589	505	84	-	-	437	365	72	-	-
Manchester	1,323	1,166	157	-	-	1,389	1,233	156	-	-
Nashua	548	486	62	-	-	734	672	62	-	-
Merrimack	915	788	125	-	2	958	818	137	-	3
Outside city	519	412	105	-	2	382	265	115	-	2
Concord	396	376	20	-	-	576	553	22	-	1
Rockingham	1,059	951	108	-	-	1,016	913	103	-	-
Outside city	745	643	102	-	-	555	457	98	-	-
Portsmouth	314	308	6	-	-	461	456	5	-	-
Strafford	747	583	164	-	-	710	546	164	-	-
Outside cities	320	230	90	-	-	79	1	78	-	-
Dover	239	224	15	-	-	252	236	16	-	-
Rochester	188	129	59	-	-	379	309	70	-	-
Sullivan	529	430	98	-	1	460	367	93	-	-
Outside city	265	214	51	-	-	150	104	46	-	-
Claremont (town)	264	216	47	-	1	310	263	47	-	-
NEW JERSEY (total)	67,197	59,028	7,036	1,111	22	65,935	57,801	7,004	1,108	22
Atlantic	1,656	1,277	360	16	3	1,676	1,296	361	16	3
Outside cities	687	441	235	10	1	496	255	230	10	1
Atlantic City	789	708	77	4	-	1,069	985	80	4	-
Pleasantville	180	128	48	2	2	111	56	51	2	2
Bergen	6,643	6,273	300	70	-	4,119	3,761	289	69	-
Outside cities	3,571	3,359	181	31	-	214	35	148	31	-
Bergenfield	169	162	6	1	-	4	-	4	-	-
Cliffside Park	274	263	6	5	-	11	-	6	5	-
Englewood	302	296	6	-	-	955	949	6	-	-
Garfield	511	475	22	14	-	34	-	20	14	-
Hackensack	416	386	26	4	-	1,496	1,429	63	4	-
Lodi	202	180	11	11	-	20	-	9	11	-
Lyndhurst (twp.)[2]	289	269	19	1	-	17	-	16	1	-
Ridgefield Park	172	165	7	-	-	4	-	4	-	-
Ridgewood	150	145	5	-	-	52	48	4	-	-
Rutherford	169	164	4	1	-	5	-	4	1	-
Teaneck (twp.)[2]	418	409	7	2	-	1,307	1,300	5	2	-
Burlington	1,694	1,288	389	16	1	1,398	997	384	16	1
Outside city	1,450	1,100	335	15	-	1,308	965	328	15	-
Burlington	244	188	54	1	1	90	32	56	1	1
Camden	4,547	3,562	895	88	2	4,647	3,661	896	88	2
Outside cities	1,790	1,461	312	15	2	438	107	315	14	2
Camden	2,090	1,572	452	66	-	4,005	3,489	449	67	-
Collingswood	212	203	9	-	-	74	65	9	-	-
Gloucester	240	177	61	2	-	64	-	62	2	-
Pennsauken (twp.)[2]	215	149	61	5	-	66	-	61	5	-
Cape May	344	232	112	-	-	223	110	113	-	-
Cumberland	1,234	860	372	2	-	1,406	1,026	378	2	-
Outside cities	691	495	194	2	-	576	381	193	2	-
Bridgeton	307	182	125	-	-	562	432	130	-	-
Millville	236	183	53	-	-	268	213	55	-	-
Essex	13,173	12,422	553	195	3	14,313	13,568	545	197	3
Outside cities	714	698	15	1	-	824	809	14	1	-
Belleville	504	465	25	14	-	37	3	20	14	-
Bloomfield	638	613	19	5	1	35	9	20	5	1
East Orange	1,002	980	20	1	1	584	563	19	1	1
Irvington	877	851	20	6	-	377	352	19	6	-
Maplewood (twp.)[2]	238	235	2	1	-	4	-	3	1	-
Millburn (twp.)[2]	154	148	6	-	-	4	-	4	-	-
Montclair	542	525	17	-	-	662	645	17	-	-
Newark	7,074	6,533	381	159	1	9,737	9,195	380	161	1
Nutley	349	328	17	4	-	21	-	17	4	-
Orange	577	554	20	3	-	2,014	1,990	21	3	-
South Orange	145	142	3	-	-	3	-	3	-	-
West Orange	359	350	8	1	-	11	2	8	1	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEW JERSEY—Continued										
Gloucester	1,343	957	384	2	-	1,028	646	380	2	-
Hudson	10,074	9,470	475	127	2	10,268	9,666	474	126	2
Outside cities	226	216	8	2	-	9	-	7	2	-
Bayonne	1,185	1,081	86	18	-	871	771	84	16	-
Harrison	256	242	12	2	-	14	-	12	2	-
Hoboken	759	678	58	22	1	720	641	56	22	1
Jersey City	4,888	4,630	222	36	-	7,733	7,465	231	37	-
Kearny	641	624	15	2	-	322	307	13	2	-
North Bergen (twp.)[2]	596	559	23	14	-	37	-	23	14	-
Union City	816	771	29	16	-	111	66	29	16	-
Weehawken (twp.)[2]	166	159	4	3	-	422	416	3	3	-
West New York	541	510	18	12	1	29	-	16	12	1
Hunterdon	505	354	151	-	-	264	116	148	-	-
Mercer	3,280	2,751	512	16	1	3,791	3,266	508	16	1
Outside city	1,345	1,112	230	3	-	434	202	230	2	-
Trenton	1,935	1,639	282	13	1	3,357	3,064	278	14	1
Middlesex	3,602	2,827	566	209	-	3,262	2,491	563	208	-
Outside cities	1,503	1,212	258	33	-	552	266	253	33	-
Carteret	207	135	30	42	-	70	-	28	42	-
New Brunswick	549	464	79	6	-	1,499	1,413	81	5	-
Perth Amboy	688	503	119	66	-	998	812	120	66	-
South River	180	140	19	21	-	39	-	18	21	-
Woodbridge (twp.)[2]	475	373	61	41	-	104	-	63	41	-
Monmouth	2,420	2,216	202	-	2	2,286	2,085	199	-	2
Outside cities	1,581	1,421	159	-	1	260	106	153	-	1
Asbury Park	210	191	19	-	-	15	-	15	-	-
Long Branch	297	287	9	-	1	1,003	991	11	-	1
Neptune (twp.)[2]	151	143	8	-	-	826	811	15	-	-
Red Bank	181	174	7	-	-	182	177	5	-	-
Morris	1,992	1,762	218	12	-	1,626	1,401	213	12	-
Outside cities	1,578	1,388	187	3	-	180	-	177	3	-
Dover	184	156	19	9	-	533	503	21	9	-
Morristown	230	218	12	-	-	913	898	15	-	-
Ocean	528	434	94	-	-	499	403	96	-	-
Passaic	4,722	4,304	334	78	6	6,491	6,072	336	77	6
Outside cities	822	703	109	4	6	118	1	108	3	6
Clifton	787	737	37	13	-	49	-	36	13	-
Hawthorne	174	155	17	2	-	20	-	18	2	-
Passaic	831	789	26	16	-	2,617	2,575	26	16	-
Paterson	2,108	1,920	145	43	-	3,687	3,496	148	43	-
Salem	948	720	227	-	1	715	490	224	-	1
Somerset	1,294	1,110	101	83	-	931	754	94	83	-
Outside city	1,160	982	97	81	-	927	754	92	81	-
North Plainfield	134	128	4	2	-	4	-	2	2	-
Sussex	608	417	190	-	1	650	455	194	-	1
Union	5,784	5,195	392	197	-	5,732	5,141	395	196	-
Outside cities	627	578	49	-	-	43	1	42	-	-
Cranford (twp.)[2]	235	215	18	2	-	18	-	16	2	-
Elizabeth	1,947	1,666	119	162	-	2,927	2,642	123	162	-
Hillside (twp.)[2]	273	259	14	-	-	14	-	14	-	-
Linden	527	468	36	23	-	58	-	35	23	-
Plainfield	686	637	49	-	-	1,376	1,322	54	-	-
Rahway	248	216	28	4	-	603	570	29	4	-
Roselle	245	220	22	3	-	25	-	22	3	-
Summit	262	248	13	1	-	625	606	19	-	-
Union (twp.)[2]	462	435	25	2	-	25	-	23	2	-
Westfield	272	253	19	-	-	18	-	18	-	-
Warren	806	597	209	-	-	610	396	214	-	-
Outside city	522	375	147	-	-	184	41	143	-	-
Phillipsburg	284	222	62	-	-	426	355	71	-	-
NEW MEXICO (total)	14,738	4,822	5,581	3,572	763	14,774	4,794	5,614	3,594	772
Bernalillo	1,971	901	841	158	71	2,211	1,135	849	156	71
Outside city	963	173	609	119	62	887	85	620	120	62
Albuquerque	1,008	728	232	39	9	1,324	1,050	229	36	9
Catron	124	27	61	26	10	79	8	36	25	10
Chaves	582	250	260	56	16	603	259	270	57	17
Outside city	214	58	124	24	8	150	-	120	22	8
Roswell	368	192	136	32	8	453	259	150	35	9
Colfax	464	267	77	102	18	477	279	75	102	21
Curry	392	278	103	11	-	556	427	114	15	-
Outside city	109	71	38	-	-	35	-	33	2	-
Clovis	283	207	65	11	-	521	427	81	13	-
De Baca	90	55	16	17	2	79	45	15	17	2
Dona Ana	935	140	585	163	47	908	91	597	170	50
Eddy	795	421	282	63	29	827	447	285	66	29
Grant	566	316	178	55	17	577	329	175	55	18
Guadalupe	274	12	92	161	9	263	1	94	159	9
Harding	113	11	66	27	9	98	-	62	27	9
Hidalgo	125	66	37	18	4	143	67	52	18	6
Lea	422	324	94	-	4	364	268	93	-	3
Outside city	200	153	44	-	3	125	81	42	-	2
Hobbs	222	171	50	-	1	239	187	51	-	1
Lincoln	256	44	140	59	13	239	22	144	60	13
Luna	177	48	120	7	2	166	37	120	6	3
McKinley	416	200	107	99	10	432	213	102	107	10

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEW MEXICO—Continued										
Mora	374	19	81	231	43	352	2	80	227	43
Otero	287	82	152	35	18	260	60	153	30	17
Quay	324	144	100	74	6	291	116	96	73	6
Rio Arriba	895	115	345	328	107	913	152	332	323	106
Roosevelt	322	196	115	1	10	293	165	115	1	12
Sandoval	461	41	157	222	41	414	-	156	217	41
San Juan	164	92	64	4	4	149	75	66	4	4
San Miguel	958	212	81	622	43	968	217	74	634	43
Santa Fe	906	204	419	243	40	920	198	435	245	42
Outside city	284	35	148	82	19	243	-	148	76	19
Santa Fe	622	169	271	161	21	677	198	287	169	23
Sierra	137	23	90	18	6	130	19	88	18	5
Socorro	376	31	205	107	33	376	24	214	107	31
Taos	673	98	156	367	52	625	46	155	373	51
Torrance	369	35	203	108	23	327	-	195	108	24
Union	188	73	80	28	7	200	76	88	29	7
Valencia	602	97	274	162	69	534	16	284	165	69
NEW YORK (total)	210,503	188,386	20,713	1,111	93	211,171	189,311	20,657	1,110	93
Albany	3,345	3,006	301	35	3	3,440	3,100	302	35	3
Outside cities	778	677	97	3	1	102	-	99	3	-
Albany	1,920	1,827	62	30	1	2,970	2,882	56	30	2
Cohoes	338	233	105	-	-	324	218	106	-	-
Watervliet	309	269	37	2	1	44	-	41	2	1
Allegany	840	595	242	-	3	732	485	244	-	3
Broome	2,875	2,679	189	3	2	3,003	2,817	180	4	2
Outside cities	924	781	140	2	1	251	114	132	3	2
Binghamton	1,273	1,235	36	1	1	1,469	1,434	34	1	-
Endicott	380	374	6	-	-	617	610	7	-	-
Johnson City	296	289	7	-	-	666	659	7	-	-
Cattaraugus	1,291	1,015	274	-	2	1,534	1,252	279	-	3
Outside city	858	616	240	-	2	738	492	243	-	3
Olean	433	399	34	-	-	796	760	36	-	-
Cayuga	991	816	174	-	1	1,079	904	175	-	-
Outside city	491	361	129	-	1	140	9	131	-	-
Auburn	500	455	45	-	-	939	895	44	-	-
Chautauqua	2,000	1,725	274	1	-	1,996	1,721	274	1	-
Outside cities	976	756	220	-	-	393	169	224	-	-
Dunkirk	510	463	46	1	-	445	396	48	1	-
Jamestown	714	706	8	-	-	1,158	1,156	2	-	-
Chemung	1,290	1,218	72	-	-	1,396	1,327	69	-	-
Outside city	542	496	46	-	-	45	1	44	-	-
Elmira	748	722	26	-	-	1,351	1,326	25	-	-
Chenango	651	416	233	-	2	703	464	237	-	2
Clinton	1,091	634	454	2	1	1,119	663	453	2	1
Outside city	817	395	419	2	1	424	1	420	2	1
Plattsburgh	274	239	35	-	-	695	662	33	-	-
Columbia	601	443	157	1	-	530	372	157	1	-
Outside city	423	309	113	1	-	151	34	116	1	-
Hudson	178	134	44	-	-	379	338	41	-	-
Cortland	662	546	110	5	1	747	633	108	5	1
Outside city	376	286	87	2	1	86	-	83	2	1
Cortland	286	260	23	3	-	661	633	25	3	-
Delaware	807	421	382	-	4	732	343	385	-	4
Dutchess	1,688	1,539	134	14	1	1,601	1,454	132	14	1
Outside cities	766	676	85	4	1	546	460	81	4	1
Beacon	205	184	15	6	-	235	213	16	6	-
Poughkeepsie	717	679	34	4	-	820	781	35	4	-
Erie	14,341	11,815	2,441	78	7	14,262	11,746	2,431	78	7
Outside cities	3,282	2,359	908	11	4	959	48	895	11	5
Buffalo	9,885	8,453	1,365	64	3	12,070	10,834	1,370	64	2
Kenmore	282	270	12	-	-	12		12	-	-
Lackawanna	637	499	135	3	-	1,197	1,060	134	3	-
Tonawanda	255	234	21	-	-	24	4	20	-	-
Essex	662	347	315	-	-	719	402	317	-	-
Franklin	876	291	565	14	6	855	262	573	14	6
Fulton	733	534	199	-	-	694	495	199	-	-
Outside cities	270	153	117	-	-	110	-	110	-	-
Gloversville	319	265	54	-	-	553	495	58	-	-
Johnstown	144	116	28	-	-	31	-	31	-	-
Genesee	805	709	94	-	2	834	743	90	-	1
Outside city	512	431	80	-	1	80	-	80	-	-
Batavia	293	278	14	-	1	754	743	10	-	1
Greene	406	291	114	-	1	394	282	111	-	1
Hamilton	56	38	18	-	-	17	-	17	-	-
Herkimer	938	694	241	1	2	918	678	237	1	2
Outside city	792	566	225	1	2	609	389	217	1	2
Little Falls	146	128	18	-	-	309	289	20	-	-
Jefferson	1,622	1,091	529	1	1	1,649	1,117	530	1	1
Outside city	953	553	398	1	1	613	216	395	1	1
Watertown	669	538	131	-	-	1,036	901	135	-	-
Lewis	442	277	162	-	3	393	231	159	-	3
Livingston	551	445	104	-	2	316	212	102	-	2
Madison	765	564	201	-	-	821	615	206	-	-
Outside city	557	382	175	-	-	364	186	178	-	-
Oneida	208	182	26	-	-	457	429	28	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEW YORK—Continued										
Monroe	6,514	5,916	580	7	11	6,818	6,218	581	7	12
Outside cities	1,535	1,348	184	1	2	427	233	191	1	2
Irondequoit (town)	452	432	20	-	-	19	-	19	-	-
Rochester	4,527	4,136	376	6	9	6,372	5,985	371	6	10
Montgomery	826	673	152	-	1	821	670	150	-	1
Outside city	387	267	119	-	1	143	23	119	-	1
Amsterdam	439	406	33	-	-	678	647	31	-	-
Nassau	6,536	6,047	480	8	1	4,911	4,421	481	8	1
Outside cities	4,372	3,994	373	4	1	2,626	2,245	376	4	1
Floral Park	163	162	1	-	-	167	166	1	-	-
Freeport	325	293	32	-	-	302	270	32	-	-
Garden City	156	155	1	-	-	1	-	1	-	-
Glen Cove	199	167	30	2	-	642	610	30	2	-
Hempstead	407	395	12	-	-	58	47	11	-	-
Lynbrook	219	209	10	-	-	9	-	9	-	-
Mineola	158	153	3	2	-	925	920	3	2	-
Rockville Centre	242	235	7	-	-	170	163	7	-	-
Valley Stream	295	284	11	-	-	11	-	11	-	-
New York City [3]	111,603	106,466	4,265	862	10	114,076	108,978	4,226	862	10
Niagara	3,338	3,079	257	2	-	3,288	3,038	248	2	-
Outside cities	880	730	150	-	-	186	38	148	-	-
Lockport	433	410	23	-	-	621	599	22	-	-
Niagara Falls	1,606	1,556	50	-	-	1,844	1,799	45	-	-
North Tonawanda	419	383	34	2	-	637	602	33	2	-
Oneida	3,361	2,865	491	4	1	3,339	2,841	493	4	1
Outside cities	1,136	823	311	1	1	362	52	308	1	1
Rome	691	611	80	-	-	879	796	83	-	-
Utica	1,534	1,431	100	3	-	2,098	1,993	102	3	-
Onondaga	5,059	4,652	400	6	1	5,129	4,725	397	6	1
Outside city	1,626	1,432	190	3	1	240	49	187	3	1
Syracuse	3,433	3,220	210	3	-	4,889	4,676	210	3	-
Ontario	786	662	123	-	1	885	760	124	-	1
Outside city	539	442	96	-	1	550	453	96	-	1
Geneva	247	220	27	-	-	335	307	28	-	-
Orange	2,002	1,541	455	2	4	2,186	1,722	459	1	4
Outside cities	1,280	935	340	2	3	1,134	790	340	1	3
Middletown	258	237	21	-	-	483	459	24	-	-
Newburgh	464	369	94	-	1	569	473	95	-	1
Orleans	420	311	109	-	-	466	356	110	-	-
Oswego	1,372	957	415	-	-	1,261	840	421	-	-
Outside cities	685	381	304	-	-	382	74	308	-	-
Fulton	284	229	55	-	-	325	273	52	-	-
Oswego	403	347	56	-	-	554	493	61	-	-
Otsego	755	485	266	3	1	791	525	263	2	1
Outside city	566	319	244	2	1	396	152	241	2	1
Oneonta	189	166	22	1	-	395	373	22	-	-
Putnam	278	222	56	-	-	143	87	56	-	-
Rensselaer	1,808	1,580	225	3	-	2,072	1,845	224	3	-
Outside cities	638	500	136	2	-	185	50	133	2	-
Rensselaer	166	154	11	1	-	11	-	10	1	-
Troy	1,004	926	78	-	-	1,876	1,795	81	-	-
Rockland	994	899	83	12	-	1,039	950	77	12	-
St. Lawrence	1,864	1,065	796	1	2	1,877	1,073	801	1	2
Outside cities	1,285	654	629	1	1	1,164	530	632	1	1
Massena	289	156	133	-	-	227	92	135	-	-
Ogdensburg	290	255	34	-	1	486	451	34	-	1
Saratoga	1,101	775	326	-	-	722	404	318	-	-
Outside city	889	604	285	-	-	458	183	275	-	-
Saratoga Springs	212	171	41	-	-	264	221	43	-	-
Schenectady	1,958	1,749	204	5	-	2,021	1,815	201	5	-
Outside city	523	460	63	-	-	61	-	61	-	-
Schenectady	1,435	1,289	141	5	-	1,960	1,815	140	5	-
Schoharie	346	141	203	1	1	259	52	205	1	1
Schuyler	257	217	40	-	-	208	167	41	-	-
Seneca	440	364	75	-	1	345	266	78	-	1
Steuben	1,557	1,137	414	-	6	1,728	1,305	417	-	6
Outside cities	1,002	611	385	-	6	837	440	391	-	6
Corning	305	288	17	-	-	588	572	16	-	-
Hornell	250	238	12	-	-	303	293	10	-	-
Suffolk	2,783	2,415	357	10	1	2,805	2,435	359	10	1
Sullivan	569	420	148	-	1	526	379	146	-	1
Tioga	481	271	210	-	-	440	228	212	-	-
Tompkins	855	695	160	-	-	747	588	159	-	-
Outside city	504	381	123	-	-	135	13	122	-	-
Ithaca	351	314	37	-	-	612	575	37	-	-
Ulster	1,182	959	222	1	-	1,095	870	224	1	-
Outside city	773	595	177	1	-	345	164	180	1	-
Kingston	409	364	45	-	-	750	706	44	-	-
Warren	650	458	190	1	1	874	686	186	1	1
Outside city	308	157	149	1	1	149	-	147	1	1
Glens Falls	342	301	41	-	-	725	686	39	-	-
Washington	785	479	305	-	1	613	302	310	-	1
Wayne	756	543	212	-	1	545	335	209	-	1

[3] Data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NEW YORK—Continued										
Westchester	8,005	7,622	352	28	3	7,922	7,540	351	28	3
Outside cities	2,576	2,506	66	3	1	1,315	1,246	65	3	1
Mamaroneck	211	202	9	-	-	8	-	8	-	-
Mount Vernon	928	806	106	15	1	1,047	925	106	15	1
New Rochelle	716	689	24	3	-	881	853	25	3	-
Ossining	183	174	9	-	-	234	225	9	-	-
Peekskill	240	211	28	-	1	424	395	28	-	1
Port Chester	386	376	9	1	-	851	841	9	1	-
Scarsdale	190	190	-	-	-	-	-	-	-	-
White Plains	613	604	9	-	-	1,012	1,003	9	-	-
Yonkers	1,982	1,864	92	6	-	2,150	2,052	92	6	-
Wyoming	462	349	113	-	-	490	375	115	-	-
Yates	273	223	50	-	-	245	197	48	-	-
NORTH CAROLINA (total)	84,595	25,930	38,675	19,717	273	84,634	25,986	38,657	19,719	272
Alamance	1,340	620	687	32	1	1,229	511	685	32	1
Outside city	1,022	380	609	32	1	921	271	617	32	1
Burlington	318	240	78	-	-	308	240	68	-	-
Alexander	345	21	285	39	-	325	-	286	39	-
Alleghany	147	9	126	10	2	133	-	121	10	2
Anson	745	114	254	376	1	780	148	255	376	1
Ashe	481	39	270	170	2	435	3	260	170	2
Avery	437	179	106	149	3	487	231	107	146	3
Beaufort	886	253	289	338	6	985	349	292	338	6
Bertie	704	139	133	430	2	721	154	135	430	2
Bladen	815	55	388	372	-	760	-	389	371	-
Brunswick	383	97	60	226	-	317	34	57	226	-
Buncombe	2,203	1,078	909	208	8	2,265	1,141	908	208	8
Outside city	1,279	520	645	106	8	759	9	635	107	8
Asheville	924	558	264	102	-	1,506	1,132	273	101	-
Burke	948	564	229	120	35	877	491	229	122	35
Cabarrus	1,413	889	367	151	6	1,361	838	363	154	6
Outside city	1,118	675	319	120	4	1,281	838	315	122	6
Concord	295	214	48	31	2	80	-	48	32	-
Caldwell	1,095	336	666	92	1	1,082	324	663	94	1
Camden	85	12	25	47	1	72	-	24	47	1
Carteret	395	151	190	51	3	399	157	190	50	2
Caswell	497	46	252	199	-	449	-	251	198	-
Catawba	1,234	613	489	131	1	1,206	590	484	131	1
Outside city	916	404	405	106	1	702	197	398	106	1
Hickory	318	209	84	25	-	504	393	86	25	-
Chatham	486	99	272	113	2	458	73	270	113	2
Cherokee	577	112	222	232	11	569	112	216	230	11
Chowan	297	16	169	112	-	279	-	169	110	-
Clay	173	16	129	26	2	157	-	130	25	2
Cleveland	1,293	493	482	317	1	1,414	611	488	314	1
Outside city	912	222	419	270	1	879	188	424	266	1
Shelby	381	271	63	47	-	535	423	64	48	-
Columbus	1,329	385	250	688	6	1,281	336	249	690	6
Craven	718	149	252	315	2	678	107	253	316	2
Outside city	486	105	177	203	1	377	-	173	203	1
New Bern	232	44	75	112	1	301	107	80	113	1
Cumberland	1,610	547	573	488	2	1,716	650	573	491	2
Outside city	1,042	237	401	403	1	1,083	288	395	399	1
Fayetteville	568	310	172	85	1	633	362	178	92	1
Currituck	105	10	57	38	-	95	-	57	38	-
Dare	91	8	58	25	-	82	-	57	25	-
Davidson	1,227	323	877	26	1	1,196	291	878	26	1
Outside cities	713	116	575	21	1	594	2	570	21	1
Lexington	235	62	173	-	-	262	85	177	-	-
Thomasville	279	145	129	5	-	340	204	131	5	-
Davie	327	94	222	11	-	310	77	222	11	-
Duplin	1,036	78	654	303	1	953	3	647	302	1
Durham	1,641	1,231	273	137	-	2,135	1,724	275	136	-
Outside city	452	245	153	54	-	257	53	151	53	-
Durham	1,189	986	120	83	-	1,878	1,671	124	83	-
Edgecombe	1,165	209	453	503	-	1,202	249	450	503	-
Outside city	967	124	366	477	-	931	93	361	477	-
Rocky Mount (part)	198	185	87	26	-	271	156	89	26	-
Forsyth	2,533	1,687	813	32	1	2,647	1,801	814	31	1
Outside city	1,000	602	383	15	-	473	82	376	15	-
Winston-Salem	1,533	1,085	430	17	1	2,174	1,719	438	16	1
Franklin	654	55	304	274	1	586	-	307	278	1
Gaston	1,967	513	1,351	103	-	1,820	377	1,340	103	-
Outside city	1,481	316	1,086	79	-	1,150	-	1,073	77	-
Gastonia	486	197	265	24	-	670	377	267	26	-
Gates	214	13	68	133	-	217	13	71	133	-
Graham	157	8	77	72	-	149	-	77	72	-
Granville	739	64	536	139	-	737	63	535	139	-
Greene	514	44	303	157	10	466	-	303	153	10
Guilford	3,118	1,669	1,330	117	2	3,278	1,823	1,336	117	2
Outside cities	1,132	447	638	46	1	676	-	629	46	1
Greensboro	1,153	814	313	25	1	1,627	1,278	323	25	1
High Point	833	408	379	46	-	975	545	384	46	-
Halifax	1,541	367	342	825	7	1,590	410	347	826	7
Harnett	1,122	237	663	221	1	1,123	231	668	223	1
Haywood	895	378	470	45	2	892	377	469	44	2

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NORTH CAROLINA—Continued										
Henderson	611	187	345	73	6	626	197	348	75	6
Hertford	454	36	231	187	-	415	-	228	187	-
Hoke	388	27	135	225	1	363	1	134	227	1
Hyde	165	25	72	67	1	140	-	71	67	2
Iredell	1,047	441	452	154	-	1,252	649	450	153	-
Outside city	797	302	346	149	-	868	377	343	148	-
Statesville	250	139	106	5	-	384	272	107	5	-
Jackson	471	50	288	123	10	458	35	290	123	10
Johnston	1,651	173	1,106	370	2	1,518	38	1,106	372	2
Jones	266	26	121	119	-	239	-	120	119	-
Lee	459	138	224	96	1	487	166	225	95	1
Lenoir	1,013	338	282	391	2	1,135	450	288	395	2
Outside city	681	193	198	289	1	487	-	195	291	1
Kinston	332	145	84	102	1	648	450	93	104	1
Lincoln	523	203	249	71	-	551	227	252	72	-
McDowell	605	238	327	38	2	641	277	324	38	2
Macon	407	48	267	89	3	423	66	265	89	3
Madison	525	27	310	172	16	499	3	307	173	16
Martin	704	39	352	313	-	678	13	352	313	-
Mecklenburg	3,387	2,187	1,117	40	43	3,535	2,334	1,119	39	43
Outside city	1,176	642	502	21	11	516	-	485	20	11
Charlotte	2,211	1,545	615	19	32	3,019	2,334	634	19	32
Mitchell	412	76	209	121	6	391	56	211	118	6
Montgomery	386	31	231	123	1	350	-	225	124	1
Moore	664	194	292	178	-	644	176	293	175	-
Nash	1,423	356	576	490	1	1,444	387	570	486	1
Outside city	1,099	153	513	432	1	937	-	508	428	1
Rocky Mount (part)	324	203	63	58	-	507	387	62	58	-
Rocky Mount (total)	522	288	150	84	-	778	543	151	84	-
New Hanover	1,272	1,173	42	55	2	1,494	1,395	42	55	2
Outside city	362	340	13	9	-	21	-	12	9	-
Wilmington	910	833	29	46	2	1,473	1,395	30	46	2
Northampton	748	76	157	515	-	672	-	157	515	-
Onslow	543	58	349	136	-	490	-	353	137	-
Orange	437	165	205	66	1	273	3	202	67	1
Pamlico	241	7	148	85	1	234	-	149	84	1
Pasquotank	432	87	163	180	2	448	101	163	182	2
Outside city	195	17	94	83	1	175	-	91	83	1
Elizabeth City	237	70	69	97	1	273	101	72	99	1
Pender	426	62	130	233	1	367	-	132	234	1
Perquimans	244	15	128	101	-	229	-	128	101	-
Person	744	138	519	86	1	709	101	521	86	1
Pitt	1,431	139	683	609	-	1,389	101	677	611	-
Outside city	1,158	81	575	502	-	1,074	1	570	503	-
Greenville	273	58	108	107	-	315	100	107	108	-
Polk	251	76	111	62	2	254	81	110	61	2
Randolph	1,012	369	575	68	-	958	315	575	68	-
Richmond	879	117	480	281	1	838	74	480	283	1
Robeson	2,316	479	937	893	7	2,388	549	939	893	7
Rockingham	1,182	313	812	55	2	1,166	297	812	55	2
Outside city	981	213	713	54	1	880	117	709	53	1
Reidsville	201	100	99	1	1	286	180	103	2	1
Rowan	1,368	466	732	166	4	1,297	392	736	166	3
Outside city	1,018	284	607	124	3	728	-	605	120	3
Salisbury	350	182	125	42	1	569	392	131	46	-
Rutherford	1,046	50	879	117	-	1,043	43	882	118	-
Sampson	1,220	100	638	482	-	1,165	49	633	483	-
Scotland	579	76	167	335	1	562	59	167	335	1
Stanly	738	302	391	44	1	769	331	393	44	1
Stokes	512	34	439	38	1	478	-	439	38	1
Surry	1,003	159	721	121	2	1,085	248	717	118	2
Swain	386	79	226	79	2	394	89	224	79	2
Transylvania	369	61	275	31	2	355	48	274	31	2
Tyrrell	133	28	51	52	2	147	42	51	52	2
Union	980	152	642	185	1	967	139	643	184	1
Vance	738	246	193	295	4	736	248	190	294	4
Wake	2,183	1,044	689	449	1	2,197	1,064	686	446	1
Outside city	1,399	423	611	364	1	966	-	603	362	1
Raleigh	784	621	78	85	-	1,231	1,064	83	84	-
Warren	643	26	156	459	2	627	11	156	458	2
Washington	346	23	135	187	1	324	-	137	186	1
Watauga	418	180	150	85	3	437	193	153	88	3
Wayne	1,273	159	858	254	2	1,278	165	859	252	2
Outside city	893	65	634	192	2	821	-	629	190	2
Goldsboro	380	94	224	62	-	457	165	230	62	-
Wilkes	1,123	162	665	291	5	1,098	122	681	290	5
Wilson	1,261	299	528	434	-	1,304	341	529	434	-
Outside city	810	140	432	238	-	660	-	426	234	-
Wilson	451	159	96	196	-	644	341	103	200	-
Yadkin	431	103	311	17	-	342	11	313	18	-
Yancey	464	47	279	138	-	418	-	276	142	-
NORTH DAKOTA (total)	13,259	8,457	4,215	263	324	13,464	8,659	4,218	263	324
Adams	89	36	30	-	3	83	51	29	-	3
Barnes	330	247	78	3	2	333	251	77	3	2
Benson	255	170	74	5	6	204	121	72	5	6
Billings	52	35	12	2	3	11	-	8	1	2
Bottineau	257	202	53	1	1	245	190	53	1	1
Bowman	80	39	39	-	2	100	52	46	-	2

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued.

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
NORTH DAKOTA—Continued										
Burke	162	124	35	1	2	140	101	36	1	2
Burleigh	509	397	105	5	2	691	575	107	6	3
Outside city	143	104	32	5	2	30	1	20	6	3
Bismarck	366	293	73	-	-	661	574	87	-	-
Cass	1,023	860	150	-	13	1,358	1,197	148	-	13
Outside city	376	261	108	-	7	140	21	110	-	9
Fargo	647	599	42	-	6	1,218	1,176	38	-	4
Cavalier	511	206	94	-	11	327	226	90	-	11
Dickey	183	77	101	2	3	196	93	98	2	3
Divide	123	108	13	1	1	107	94	11	1	1
Dunn	174	61	83	8	22	112	3	78	9	22
Eddy	104	64	40	-	-	119	74	45	-	-
Emmons	247	57	180	5	5	213	19	184	4	6
Foster	111	45	65	-	1	113	48	64	-	1
Golden Valley	73	59	14	-	-	76	61	15	-	-
Grand Forks	740	652	84	1	3	950	867	79	1	3
Outside city	239	192	45	1	1	156	115	39	1	1
Grand Forks	501	460	39	-	2	794	752	40	-	2
Grant	203	83	103	9	8	189	72	100	9	8
Griggs	91	51	39	-	1	67	27	39	-	1
Hettinger	199	43	151	1	4	188	18	164	2	4
Kidder	184	62	100	11	11	149	31	96	11	11
La Moure	202	93	106	3	-	222	103	116	3	-
Logan	190	22	92	57	19	170	-	92	58	20
McHenry	317	218	66	19	14	136	35	66	20	15
McIntosh	165	13	134	8	10	151	1	134	8	8
McKenzie	158	81	61	1	15	86	22	48	1	15
McLean	380	215	143	3	19	302	138	141	4	19
Mercer	201	96	67	22	16	202	96	69	21	16
Morton	460	267	152	16	25	460	254	165	16	25
Mountrail	211	130	79	1	1	130	50	78	1	1
Nelson	155	85	65	2	3	161	90	66	2	3
Oliver	80	50	24	3	3	17	-	11	3	3
Pembina	349	180	161	2	6	253	95	150	2	6
Pierce	248	193	35	6	14	341	289	32	5	15
Ramsey	348	270	76	1	1	364	278	84	1	1
Ransom	156	71	83	-	2	116	33	81	-	2
Renville	99	55	44	-	-	46	-	46	-	-
Richland	358	237	117	-	4	205	77	123	-	5
Rolette	382	295	69	9	9	387	289	80	9	9
Sargent	129	47	76	1	5	83	3	75	1	4
Sheridan	123	58	44	15	6	59	-	42	13	4
Sioux	100	53	23	14	10	102	58	20	14	10
Slope	69	18	46	3	2	37	-	33	2	2
Stark	327	185	132	3	7	441	291	139	4	7
Steele	118	59	58	-	1	100	40	59	-	1
Stutsman	424	299	107	8	10	453	325	109	8	11
Towner	158	77	77	-	4	129	56	69	-	4
Traill	230	164	65	-	1	155	93	61	-	1
Walsh	411	219	188	1	3	467	258	206	1	2
Ward	694	618	72	3	1	1,068	986	78	3	1
Outside city	331	282	46	2	1	169	120	46	2	1
Minot	363	336	26	1	-	899	866	32	1	-
Wells	226	133	85	2	6	248	156	84	2	6
Williams	311	278	25	5	3	402	372	22	5	3
OHIO (total)	125,950	86,543	39,258	85	64	126,155	86,835	39,182	75	63
Adams	439	22	412	3	2	408	1	403	2	2
Allen	1,442	1,018	424	-	-	1,717	1,296	421	-	-
Outside city	534	301	233	-	-	389	159	230	-	-
Lima	908	717	191	-	-	1,328	1,137	191	-	-
Ashland	566	417	149	-	-	523	381	142	-	-
Outside city	334	223	111	-	-	102	-	102	-	-
Ashland	232	194	38	-	-	421	381	40	-	-
Ashtabula	1,125	687	436	2	-	1,095	654	440	1	-
Outside city	767	471	294	2	-	640	345	294	1	-
Ashtabula	358	216	142	-	-	455	309	146	-	-
Athens	798	167	629	-	2	749	130	617	-	2
Auglaize	462	135	327	-	-	326	-	326	-	-
Belmont	1,550	835	715	-	-	1,594	873	721	-	-
Outside cities	1,119	505	614	-	-	659	50	609	-	-
Bellaire	223	158	65	-	-	415	344	71	-	-
Martins Ferry	208	172	36	-	-	520	479	41	-	-
Brown	365	36	329	-	-	335	1	334	-	-
Butler	2,412	1,813	598	1	-	2,559	1,961	598	-	-
Outside cities	675	413	262	-	-	270	1	269	-	-
Hamilton	991	790	201	-	-	1,332	1,127	205	-	-
Middletown	746	610	135	1	-	957	833	124	-	-
Carroll	275	64	211	-	-	217	-	217	-	-
Champaign	436	200	236	-	-	428	187	241	-	-
Clark	1,762	1,189	573	-	-	1,716	1,152	564	-	-
Outside city	410	231	179	-	-	171	1	170	-	-
Springfield	1,352	958	394	-	-	1,545	1,151	394	-	-
Clermont	568	156	412	-	-	415	-	415	-	-
Clinton	402	75	327	-	-	347	30	317	-	-
Columbiana	1,751	819	930	1	1	1,948	1,006	940	1	1
Outside cities	1,059	378	679	1	1	689	3	685	-	1
East Liverpool	458	267	191	-	-	720	525	194	1	-
Salem	234	174	60	-	-	539	478	61	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p.125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
OHIO—Continued										
Coshocton	507	219	288	-	-	570	275	295	-	-
Outside city	346	121	225	-	-	224	-	224	-	-
Coshocton	161	98	63	-	-	346	275	71	-	-
Crawford	697	488	209	-	-	790	564	226	-	-
Cuyahoga	21,253	18,878	2,354	16	5	21,915	19,553	2,341	16	5
Outside cities	1,728	1,632	96	-	-	552	465	87	-	-
Cleveland	18,167	14,011	2,137	15	4	18,800	16,642	2,139	15	4
Cleveland Heights	520	510	10	-	-	7	-	7	-	-
East Cleveland	742	726	16	-	-	1,641	1,619	22	-	-
Euclid	300	284	15	-	1	16	-	15	-	1
Garfield Heights	234	215	18	1	-	17	-	16	1	-
Lakewood	1,032	997	35	-	-	858	827	31	-	-
Parma	236	211	25	-	-	23	-	23	-	-
Shaker Heights	294	292	2	-	-	1	-	1	-	-
Darke	715	271	444	-	-	661	216	445	-	-
Defiance	433	243	189	-	1	463	275	187	-	1
Delaware	416	149	266	-	1	382	108	273	-	1
Erie	725	604	118	-	3	702	581	118	-	3
Outside city	245	165	78	-	2	78	-	76	-	2
Sandusky	480	439	40	-	1	624	581	42	-	1
Fairfield	878	457	419	-	2	863	439	422	-	2
Outside city	399	159	240	-	-	236	-	236	-	-
Lancaster	479	298	179	-	2	627	439	186	-	2
Fayette	418	40	377	1	-	377	-	377	-	-
Franklin	6,982	5,408	1,570	1	3	7,454	5,892	1,559	-	3
Outside city	1,270	883	385	-	2	397	2	393	-	2
Columbus	5,712	4,525	1,185	1	1	7,057	5,890	1,166	-	1
Fulton	459	189	270	-	-	440	161	279	-	-
Gallia	473	59	402	11	1	513	96	405	11	1
Geauga	384	183	201	-	-	275	66	209	-	-
Greene	651	231	419	1	-	538	121	417	-	-
Outside city	434	167	266	1	-	295	27	268	-	-
Xenia	217	64	153	-	-	243	94	149	-	-
Guernsey	614	200	413	-	1	612	197	414	-	1
Outside city	373	79	294	-	-	287	4	283	-	-
Cambridge	241	121	119	-	1	325	193	131	-	1
Hamilton	11,218	9,615	1,597	2	4	11,770	10,191	1,576	-	3
Outside cities	2,678	1,985	691	-	2	975	286	687	-	2
Cincinnati	7,926	7,070	854	1	1	10,750	9,905	845	-	-
Norwood	614	560	52	1	1	45	-	44	-	1
Hancock	917	698	218	-	1	1,075	846	228	-	1
Outside cities	302	152	150	-	-	205	49	156	-	-
Findlay	396	333	63	-	-	537	473	64	-	-
Fostoria (part)	219	213	5	-	1	333	324	8	-	1
Hardin	488	162	326	-	-	467	139	328	-	-
Harrison	317	89	226	-	2	221	-	219	-	2
Henry	437	124	312	-	1	410	95	314	-	1
Highland	474	102	372	-	-	471	97	374	-	-
Hocking	428	46	380	-	2	428	44	382	-	2
Holmes	396	114	282	-	-	456	153	303	-	-
Huron	643	461	182	-	-	617	444	173	-	-
Jackson	544	57	485	1	1	490	2	486	1	1
Jefferson	1,898	1,088	808	2	-	1,980	1,177	801	2	-
Outside city	1,211	583	626	2	-	619	-	617	2	-
Steubenville	687	505	182	-	-	1,361	1,177	184	-	-
Knox	563	415	148	-	-	581	436	145	-	-
Outside city	304	177	127	-	-	112	-	112	-	-
Mount Vernon	259	238	21	-	-	469	436	33	-	-
Lake	979	900	79	-	-	708	634	74	-	-
Outside city	745	682	63	-	-	124	67	57	-	-
Painesville	234	218	16	-	-	584	567	17	-	-
Lawrence	1,004	545	449	8	2	1,005	552	443	8	2
Outside city	721	295	418	6	2	422	-	414	6	2
Ironton	283	250	31	2	-	583	552	29	2	-
Licking	1,076	600	476	-	-	1,011	537	474	-	-
Outside city	465	195	270	-	-	256	-	256	-	-
Newark	611	405	206	-	-	755	537	218	-	-
Logan	507	215	292	-	-	480	190	290	-	-
Lorain	2,135	1,882	253	-	-	2,094	1,843	251	-	-
Outside cities	726	620	106	-	-	358	252	106	-	-
Elyria	557	535	22	-	-	821	800	21	-	-
Lorain	852	727	125	-	-	915	791	124	-	-
Lucas	5,909	4,580	1,328	-	1	6,220	4,904	1,315	-	1
Outside city	1,087	720	367	-	-	371	-	371	-	-
Toledo	4,822	3,860	961	-	1	5,849	4,904	944	-	1
Madison	413	70	343	-	-	339	-	339	-	-
Mahoning	4,085	3,362	718	5	-	4,380	3,658	717	5	-
Outside cities	731	512	218	1	-	209	-	208	1	-
Campbell	198	144	53	1	-	55	-	54	1	-
Struthers	159	131	27	1	-	26	-	25	1	-
Youngstown (part)	2,997	2,575	420	2	-	4,090	3,658	430	2	-
Youngstown (total)	2,997	2,575	420	2	-	4,090	3,658	430	2	-
Marion	868	504	364	-	-	918	565	353	-	-
Outside city	220	115	105	-	-	101	1	100	-	-
Marion	648	389	259	-	-	817	564	253	-	-
Medina	609	485	124	-	-	740	615	125	-	-
Meigs	472	34	436	-	2	442	-	440	-	2

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
OHIO—Continued										
Mercer	508	255	253	-	-	582	307	255	-	-
Miami	1,050	694	354	-	2	1,118	762	354	-	2
Outside city	771	472	298	-	1	634	336	297	-	1
Piqua	279	222	56	-	1	484	426	57	-	1
Monroe	264	18	245	-	1	245	-	244	-	1
Montgomery	6,039	5,081	958	-	2	6,202	5,271	929	-	2
Outside city	1,254	833	420	-	1	421	-	420	-	1
Dayton	4,785	4,248	536	-	1	5,781	5,271	509	-	1
Morgan	201	18	183	-	-	190	-	190	-	-
Morrow	256	84	172	-	-	176	-	176	-	-
Muskingum	1,371	1,045	326	-	-	1,429	1,105	324	-	-
Outside city	591	364	227	-	-	224	-	224	-	-
Zanesville	780	681	99	-	-	1,205	1,105	100	-	-
Noble	178	26	152	-	-	164	10	154	-	-
Ottawa	447	291	155	1	-	382	227	154	1	-
Paulding	261	79	182	-	-	239	55	184	-	-
Perry	498	80	418	-	-	422	-	422	-	-
Pickaway	521	156	365	-	-	518	144	374	-	-
Pike	335	8	316	7	4	341	-	330	7	4
Portage	791	600	191	-	-	660	479	181	-	-
Preble	369	124	245	-	-	240	-	240	-	-
Putnam	478	133	344	-	1	341	-	340	-	1
Richland	1,486	1,137	349	-	-	1,509	1,158	351	-	-
Outside city	656	442	214	-	-	417	189	228	-	-
Mansfield	830	695	135	-	-	1,092	969	123	-	-
Ross	1,110	200	908	1	1	1,094	194	899	-	1
Outside city	685	49	635	1	-	643	-	643	-	-
Chillicothe	425	151	273	-	1	451	194	256	-	1
Sandusky	755	542	212	-	1	791	574	216	-	1
Outside city	477	307	169	-	1	723	534	188	-	1
Fremont	278	235	43	-	-	68	40	28	-	-
Scioto	1,820	742	1,074	2	2	1,860	785	1,071	2	2
Outside city	1,104	250	852	2	-	851	9	838	2	2
Portsmouth	716	492	222	-	2	1,009	776	233	-	-
Seneca	777	365	408	1	3	669	269	396	1	3
Outside cities	394	148	244	1	1	237	-	235	1	1
Fostoria (part)	72	35	36	-	1	36	1	34	-	1
Fostoria (total)	291	248	41	-	2	369	325	42	-	2
Tiffin	311	182	128	-	1	396	268	127	-	1
Shelby	506	277	227	1	1	485	260	224	-	1
Stark	4,642	3,660	975	5	2	4,850	3,885	959	5	1
Outside cities	1,487	995	489	1	2	471	4	465	1	1
Alliance	389	270	119	-	-	545	428	117	-	-
Canton	2,248	1,957	287	4	-	3,111	2,809	298	4	-
Massillon	518	438	80	-	-	723	644	79	-	-
Summit	6,003	4,929	1,065	7	2	5,972	4,902	1,060	7	3
Outside cities	845	603	240	2	-	231	2	228	1	-
Akron	4,264	3,620	639	3	2	5,008	4,360	641	4	3
Barberton	491	328	161	2	-	708	540	166	2	-
Cuyahoga Falls	403	378	25	-	-	25	-	25	-	-
Trumbull	2,567	2,051	512	1	3	2,029	1,526	499	1	3
Outside cities	1,406	1,067	336	1	2	324	-	322	1	1
Niles	313	237	76	-	-	72	-	72	-	-
Warren	848	747	100	-	1	1,633	1,526	105	-	2
Youngstown (part)	-	-	-	-	-	-	-	-	-	-
Tuscarawas	1,341	540	799	2	-	1,251	464	785	2	-
Outside city	1,121	422	699	-	-	1,151	464	687	-	-
New Philadelphia	220	118	100	2	-	100	-	98	2	-
Union	332	81	251	-	-	261	-	261	-	-
Van Wert	400	184	216	-	-	402	176	226	-	-
Vinton	264	9	254	1	-	261	-	260	1	-
Warren	629	246	382	-	1	455	62	390	-	1
Washington	727	312	415	-	-	728	311	417	-	-
Outside city	478	133	345	-	-	347	1	346	-	-
Marietta	249	179	70	-	-	381	310	71	-	-
Wayne	1,037	541	496	-	-	787	294	493	-	-
Outside city	853	404	449	-	-	443	-	443	-	-
Wooster	184	137	47	-	-	344	294	50	-	-
Williams	472	192	280	-	-	422	143	279	-	-
Wood	837	327	510	-	-	649	134	515	-	-
Wyandot	340	116	223	1	-	218	-	217	1	-
OKLAHOMA (total)	45,818	21,238	22,342	1,622	616	45,447	20,865	22,337	1,625	620
Adair	394	104	176	73	41	285	-	170	74	41
Alfalfa	207	117	89	1	-	176	87	88	1	-
Atoka	493	44	395	39	15	455	8	393	39	15
Beaver	150	64	84	1	1	148	66	80	1	1
Beckham	419	208	209	2	-	555	341	212	2	-
Blaine	413	168	239	4	2	387	133	248	4	2
Bryan	822	227	581	5	9	792	201	578	4	9
Outside city	596	137	446	5	8	454	1	441	4	8
Durant	228	90	135	-	1	338	200	137	-	1
Caddo	1,010	356	614	26	14	886	228	618	26	14
Canadian	444	216	226	-	2	471	246	222	1	2
Outside city	266	142	124	-	-	183	62	120	1	-
El Reno	178	74	102	-	2	288	184	102	-	2
Carter	733	200	509	15	9	720	185	511	15	9
Outside city	453	88	355	8	4	385	2	351	8	4
Ardmore	280	114	154	7	5	355	183	160	7	5

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
OKLAHOMA—Continued										
Cherokee	490	98	335	40	17	638	244	336	40	18
Choctaw	618	151	326	99	42	613	141	351	97	44
Cimarron	70	22	47	-	1	41	-	40	-	1
Cleveland	445	179	253	6	7	371	108	249	6	7
Outside city	255	58	186	6	5	192	-	181	6	5
Norman	190	121	67	-	2	179	109	68	-	2
Coal	250	44	198	4	4	208	1	199	4	4
Comanche	993	538	434	17	4	1,137	686	429	18	4
Outside city	455	208	243	3	1	241	8	229	3	1
Lawton	538	330	191	14	3	896	678	200	15	3
Cotton	280	100	177	2	1	212	34	175	2	1
Craig	374	151	216	3	4	378	160	211	3	4
Creek	1,048	328	594	83	43	952	231	595	83	43
Outside city	789	249	440	64	36	702	165	437	64	36
Sapulpa	259	79	154	19	7	250	66	158	19	7
Custer	413	271	137	2	3	434	289	142	1	2
Delaware	346	65	239	20	22	288	2	242	21	23
Dewey	257	62	181	3	11	194	1	179	3	11
Ellis	161	118	41	-	2	277	235	40	-	2
Garfield	743	591	151	-	1	837	685	152	-	-
Outside city	241	155	86	-	-	88	2	86	-	-
Enid	502	436	65	-	1	749	683	66	-	-
Garvin	751	292	449	5	5	728	269	449	5	5
Grady	880	397	452	7	4	1,019	549	459	7	4
Outside city	568	227	334	4	3	339	2	330	4	3
Chickasha	292	170	118	3	1	680	547	129	3	1
Grant	187	117	70	-	-	75	-	74	1	-
Greer	243	145	95	2	1	243	144	96	2	1
Harmon	204	73	131	-	-	211	79	132	-	-
Harper	147	94	52	-	1	74	14	59	-	1
Haskell	359	36	312	9	2	318	-	307	9	2
Hughes	554	159	370	18	7	561	159	378	18	6
Jackson	398	191	206	1	-	401	195	206	-	-
Jefferson	302	96	204	2	-	287	78	207	2	-
Johnston	346	70	263	8	5	268	-	256	7	5
Kay	847	688	158	1	-	874	719	154	1	-
Outside city	534	403	130	1	-	376	250	125	1	-
Ponca City	313	285	28	-	-	498	469	29	-	-
Kingfisher	260	153	99	4	4	210	107	96	3	4
Kiowa	483	364	99	-	20	452	333	98	1	20
Latimer	271	36	233	1	1	446	209	234	1	2
Le Flore	872	126	703	24	19	802	46	712	24	20
Lincoln	568	114	419	27	8	566	111	420	27	8
Logan	493	165	242	72	14	469	141	242	72	14
Outside city	312	80	176	44	12	225	-	170	43	12
Guthrie	181	85	66	28	2	244	141	72	29	2
Love	253	15	236	2	-	225	-	233	2	-
McClain	439	93	345	1	-	353	5	347	1	-
McCurtain	821	77	632	90	22	756	17	625	92	22
McIntosh	552	155	248	119	30	498	99	247	121	31
Major	224	57	166	1	-	211	39	171	1	-
Marshall	264	68	187	5	4	235	41	185	5	4
Mayes	403	269	119	11	4	388	255	119	10	4
Murray	280	123	156	-	1	262	121	160	-	1
Muskogee	1,175	706	336	106	27	1,264	796	335	103	28
Outside city	561	238	244	67	12	322	-	243	67	12
Muskogee	614	468	92	39	15	942	796	92	38	16
Noble	248	72	171	2	3	205	35	165	2	3
Nowata	291	102	174	13	2	280	89	175	14	2
Okfuskee	564	145	370	36	13	528	113	367	36	12
Oklahoma	4,581	3,541	988	43	9	5,020	3,975	994	44	7
Outside city	605	381	183	37	4	382	176	166	38	2
Oklahoma City	3,976	3,160	805	6	5	4,638	3,799	828	6	5
Okmulgee	956	429	393	106	28	981	454	394	105	28
Outside city	649	233	317	81	18	568	164	309	78	17
Okmulgee	307	196	76	25	10	413	290	85	27	11
Osage	706	420	263	17	6	620	335	261	17	7
Ottawa	840	281	549	5	5	797	237	551	4	5
Pawnee	356	99	250	4	3	372	113	253	4	2
Payne	694	290	395	7	2	732	325	395	7	5
Outside city	499	142	348	7	2	499	139	349	7	4
Stillwater	195	148	47	-	-	233	186	46	-	1
Pittsburg	896	180	667	43	6	880	159	672	43	6
Outside city	649	79	532	32	6	567	1	528	32	6
McAlester	247	101	135	11	-	313	158	144	11	-
Pontotoc	779	372	398	5	4	807	400	398	5	4
Outside city	448	162	282	-	4	277	-	273	-	4
Ada	331	210	116	5	-	530	400	125	5	-
Pottawatomie	1,033	493	482	43	15	1,006	464	484	42	16
Outside city	606	205	373	15	13	447	46	372	15	14
Shawnee	427	288	109	28	2	559	418	112	27	2
Pushmataha	457	100	293	40	24	408	47	296	41	24
Roger Mills	203	94	106	2	1	110	1	106	2	1
Rogers	397	146	226	21	4	588	345	218	21	4
Seminole	1,055	605	374	58	18	928	487	364	59	18
Outside cities	662	315	283	48	16	387	50	273	49	15
Seminole	250	198	53	-	1	338	283	54	1	-
Wewoka	143	94	38	10	1	203	154	37	9	3

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
OKLAHOMA—Continued										
Sequoyah	588	88	419	71	10	501	2	418	71	10
Stephens	685	408	253	22	2	652	376	252	22	2
Texas	201	72	129	-	-	177	46	131	-	-
Tillman	411	274	109	27	1	442	306	108	27	1
Tulsa	3,788	2,736	999	45	8	3,850	2,801	999	44	6
Outside city	871	354	513	2	2	611	106	502	2	1
Tulsa	2,917	2,382	486	43	6	3,239	2,695	497	42	5
Wagoner	457	62	332	47	16	390	1	325	48	16
Washington	592	359	230	1	2	564	330	231	1	2
Outside city	241	86	154	1	-	156	2	153	1	-
Bartlesville	351	273	76	-	2	408	328	78	-	2
Washita	361	200	158	3	-	274	113	157	4	-
Woods	268	181	87	-	-	318	230	88	-	-
Woodward	282	188	94	-	-	336	242	94	-	-
OREGON (total)	18,868	16,986	1,797	16	69	19,138	17,252	1,794	19	73
Baker	325	256	68	-	1	322	257	64	-	1
Benton	272	243	29	-	-	282	254	27	-	1
Clackamas	861	751	107	1	2	559	446	109	1	3
Clatsop	457	438	18	-	1	492	472	19	-	1
Outside city	258	243	14	-	1	55	41	13	-	1
Astoria	199	195	4	-	-	437	431	6	-	-
Columbia	377	287	89	1	-	253	161	92	-	-
Coos	625	558	67	-	-	708	639	68	-	1
Crook	131	122	9	-	-	122	113	9	-	-
Curry	57	40	17	-	-	36	17	19	-	-
Deschutes	376	333	42	-	1	411	368	42	-	1
Outside city	166	130	35	-	1	75	39	35	-	1
Bend	210	203	7	-	-	336	329	7	-	-
Douglas	437	353	79	1	4	319	241	72	1	5
Gilliam	32	26	6	-	-	18	11	7	-	-
Grant	130	93	31	2	4	97	63	28	2	4
Harney	99	66	33	-	-	104	72	32	-	-
Hood River	200	196	4	-	-	205	200	5	-	-
Jackson	616	538	74	-	4	611	532	75	-	4
Outside city	386	320	64	-	2	156	95	59	-	2
Medford	230	218	10	-	2	455	437	16	-	2
Jefferson	51	45	2	-	4	22	15	2	-	5
Josephine	263	239	20	-	4	296	271	21	-	4
Klamath	872	811	59	-	2	1,007	949	57	-	1
Outside city	424	374	48	-	2	130	87	42	-	1
Klamath Falls	448	437	11	-	-	877	862	15	-	-
Lake	146	140	6	-	-	150	144	6	-	-
Lane	1,373	1,221	145	1	6	1,392	1,239	146	1	6
Outside city	920	778	135	1	6	294	153	134	1	6
Eugene	453	443	10	-	-	1,098	1,086	12	-	-
Lincoln	285	241	39	-	5	207	169	34	-	4
Linn	682	565	106	2	9	639	519	109	1	10
Malheur	433	376	57	-	-	478	422	55	-	1
Marion	1,150	1,021	126	1	2	1,317	1,184	128	2	3
Outside city	686	584	100	-	2	361	259	98	1	3
Salem	464	437	26	1	-	956	925	30	1	-
Morrow	63	36	27	-	-	42	11	31	-	-
Multnomah	5,540	5,421	107	6	6	6,366	6,256	96	9	5
Outside city	512	489	18	1	4	24	2	17	1	4
Portland	5,028	4,932	89	5	2	6,342	6,254	79	8	1
Polk	389	301	86	-	2	241	152	88	-	1
Sherman	23	23	-	-	-	-	-	-	-	-
Tillamook	238	212	26	-	-	216	191	25	-	-
Umatilla	505	453	49	-	3	445	390	52	-	3
Union	322	286	33	-	3	323	286	33	1	3
Wallowa	121	95	25	1	-	104	77	27	-	-
Wasco	222	213	6	-	3	317	306	7	1	3
Washington	614	545	67	-	2	459	388	69	-	2
Wheeler	62	34	28	-	-	24	-	24	-	-
Yamhill	519	408	110	-	1	554	437	116	-	1
PENNSYLVANIA (total)	174,193	118,531	55,209	341	112	174,593	118,840	55,301	338	114
Adams	761	353	408	-	-	628	225	403	-	-
Allegheny	24,841	19,989	4,771	80	1	25,810	20,967	4,760	81	2
Outside cities	6,999	4,950	2,049	20	-	2,851	789	2,038	24	-
Bellevue	179	173	6	-	-	491	488	3	-	-
Braddock	377	283	93	1	-	1,106	1,015	91	-	-
Carnegie	314	225	89	-	-	69	-	69	-	-
Clairton	343	227	116	-	-	117	-	117	-	-
Coraopolis	231	178	53	-	-	51	-	51	-	-
Dormont	151	144	7	-	-	6	-	6	-	-
Duquesne	394	287	88	19	-	106	-	87	19	-
Harrison (twp.)[2]	176	96	79	-	1	716	601	114	-	1
Homestead	402	339	57	6	-	635	575	53	6	1
McKeesport	1,077	784	274	19	-	2,090	1,806	267	17	-
McKees Rocks	537	475	60	2	-	49	-	49	-	-
Mount Lebanon (twp.)[2]	179	177	2	-	-	4	-	4	-	-
Munhall	223	197	26	-	-	26	1	25	-	-
North Braddock	262	210	51	1	-	52	-	51	1	-
Pittsburgh	12,022	10,377	1,634	11	-	15,981	14,338	1,632	11	-
Shaler (twp.)[2]	53	36	17	-	-	60	38	22	-	-
Stowe (twp.)[2]	7	5	2	-	-	466	446	18	2	-
Swissvale	306	271	34	1	-	34	-	33	1	-
Wilkinsburg	609	575	34	-	-	900	870	30	-	-

[2]Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
PENNSYLVANIA—Continued										
Armstrong	1,766	532	1,233	1	-	1,590	337	1,252	1	-
Beaver	2,872	1,724	1,126	22	-	2,335	1,192	1,120	23	-
Outside cities	1,613	949	663	1	-	1,496	822	672	2	-
Aliquippa	539	282	236	21	-	258	-	237	21	-
Ambridge	350	243	107	-	-	100	-	100	-	-
Beaver Falls	357	246	111	-	-	472	369	103	-	-
Ellwood City (part)	13	4	9	-	-	9	1	8	-	-
Bedford	916	245	664	-	7	786	112	667	-	7
Berks	3,539	2,255	1,282	1	1	3,492	2,204	1,286	1	1
Outside city	2,015	1,015	999	1	-	2,016	1,011	1,004	1	-
Reading	1,524	1,240	283	-	1	1,476	1,193	282	-	1
Blair	2,565	1,473	1,087	4	1	2,701	1,619	1,078	3	1
Outside city	1,181	489	687	4	1	891	197	690	3	1
Altoona	1,384	984	400	-	-	1,810	1,422	388	-	-
Bradford	959	759	198	-	2	1,022	820	200	-	2
Bucks	1,980	1,523	455	1	1	1,580	1,122	456	1	1
Outside city	1,721	1,310	410	-	1	1,334	926	407	-	1
Bristol	259	213	45	1	-	246	196	49	1	-
Butler	1,752	845	907	-	-	1,558	652	906	-	-
Outside city	1,279	523	756	-	-	1,425	652	773	-	-
Butler	473	322	151	-	-	133	-	133	-	-
Cambria	4,531	2,662	1,863	5	1	4,589	2,720	1,862	6	1
Outside city	2,897	1,325	1,568	3	1	2,077	497	1,575	4	1
Johnstown	1,634	1,337	295	2	-	2,512	2,223	287	2	-
Cameron	151	94	57	-	-	37	-	37	-	-
Carbon	936	458	476	-	2	745	259	484	-	2
Centre	1,081	658	423	-	-	1,296	872	424	-	-
Chester	2,464	1,826	637	-	1	2,254	1,626	627	-	1
Outside cities	1,715	1,218	497	-	-	1,003	509	494	-	-
Coatesville	278	202	76	-	-	103	32	71	-	-
Phoenixville	216	167	49	-	-	300	249	51	-	-
West Chester	255	239	15	-	1	848	836	11	-	1
Clarion	769	127	641	-	1	632	-	631	-	1
Clearfield	1,839	868	967	-	4	1,748	763	980	-	5
Outside city	1,599	669	926	-	4	1,285	343	937	-	5
Du Bois	240	199	41	-	-	463	420	43	-	-
Clinton	689	515	170	2	2	736	561	171	2	2
Outside city	447	312	132	1	2	243	102	138	1	2
Lock Haven	242	203	38	1	-	493	459	33	1	-
Columbia	995	732	262	-	1	1,015	751	263	-	1
Outside city	708	492	215	-	1	640	422	217	-	1
Berwick	287	240	47	-	-	375	329	46	-	-
Crawford	1,500	1,223	276	-	1	1,544	1,269	274	-	1
Outside city	1,063	818	244	-	1	614	366	247	-	1
Meadville	437	405	32	-	-	930	903	27	-	-
Cumberland	1,484	835	648	-	1	1,225	587	637	-	1
Outside city	1,228	662	565	-	1	773	221	551	-	1
Carlisle	256	173	83	-	-	452	366	86	-	-
Dauphin	2,772	1,780	989	2	1	3,174	2,175	998	2	1
Outside cities	1,261	619	641	1	-	828	169	658	1	-
Harrisburg	1,312	1,036	274	1	1	2,271	2,004	265	1	1
Steelton	199	125	74	-	-	75	-	75	-	-
Delaware	5,332	4,859	469	4	-	4,269	3,806	459	4	-
Outside cities	2,490	2,268	220	2	-	1,181	967	211	3	-
Chester	1,279	1,078	199	2	-	1,258	1,057	200	1	-
Darby	184	167	17	-	-	1,394	1,377	17	-	-
Haverford (twp.)[2]	791	768	23	-	-	14	-	14	-	-
Lansdowne	229	223	6	-	-	5	-	5	-	-
Upper Darby (twp.)[2]	359	355	4	-	-	417	405	12	-	-
Elk	630	424	206	-	-	651	442	209	-	-
Erie	3,609	2,894	714	1	-	3,676	2,961	714	1	-
Outside city	1,253	937	316	-	-	707	402	305	-	-
Erie	2,356	1,957	398	1	-	2,969	2,559	409	1	-
Fayette	5,976	1,333	2,594	33	16	4,017	1,359	2,609	33	16
Outside cities	3,277	902	2,328	32	15	2,715	283	2,384	32	16
Connellsville	221	129	91	1	-	481	393	87	1	-
Uniontown	478	302	175	-	1	821	683	138	-	-
Forest	117	48	69	-	-	67	-	67	-	-
Franklin	1,344	749	589	-	6	1,417	829	582	-	6
Outside cities	955	448	501	-	6	502	-	496	-	6
Chambersburg	224	175	49	-	-	558	510	48	-	-
Waynesboro	165	126	39	-	-	357	319	38	-	-
Fulton	242	38	199	2	3	209	-	204	2	3
Greene	904	268	632	4	-	879	238	637	4	-
Huntingdon	848	259	581	4	4	835	241	586	4	4
Indiana	1,684	536	1,147	1	-	1,541	389	1,152	-	-
Outside city	1,503	385	1,118	-	-	1,505	380	1,125	-	-
Indiana	181	151	29	1	-	36	9	27	-	-
Jefferson	1,066	515	551	-	-	1,069	525	544	-	-
Juniata	301	73	225	-	3	230	3	224	-	3
Lackawanna	4,191	2,862	1,275	51	3	4,814	3,270	1,290	51	3
Outside cities	1,276	754	488	32	2	1,065	557	494	32	2
Carbondale	309	216	93	-	-	540	449	91	-	-
Dickson City	137	86	51	-	-	52	-	52	-	-
Dunmore	246	173	73	-	-	134	61	73	-	-
Old Forge	196	128	56	12	-	71	-	58	13	-
Scranton	2,027	1,505	514	7	1	2,732	2,203	522	6	1

[2]Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
PENNSYLVANIA—Continued										
Lancaster	4,175	2,054	2,116	-	3	4,175	2,054	2,118	-	3
Outside cities	2,865	1,065	1,798	-	2	1,909	102	1,805	-	2
Columbia	216	137	79	-	-	305	228	77	-	-
Lancaster	1,092	852	239	-	1	1,961	1,724	236	-	1
Lawrence	1,765	1,300	458	7	-	1,911	1,440	464	7	-
Outside cities	654	426	227	1	-	226	1	225	-	-
Ellwood City (part)	259	228	31	-	-	361	328	33	-	-
Ellwood City (total)	272	232	40	-	-	370	329	41	-	-
New Castle	852	646	200	6	-	1,324	1,111	206	7	-
Lebanon	1,524	864	659	-	1	1,430	773	656	-	1
Outside city	871	416	454	-	1	493	26	466	-	1
Lebanon	653	448	205	-	-	937	747	190	-	-
Lehigh	2,984	1,943	1,037	2	2	4,051	2,961	1,086	2	2
Outside cities	1,126	506	619	-	1	1,434	762	671	-	1
Allentown	1,603	1,228	372	2	1	2,563	2,199	361	2	1
Bethlehem (part)	255	209	46	-	-	34	-	34	-	-
Luzerne	6,857	4,381	2,455	18	3	6,911	4,419	2,471	18	3
Outside cities	3,393	2,027	1,351	12	3	1,770	476	1,278	13	3
Hanover (twp.)[2]	66	50	16	-	-	137	1	136	-	-
Hazleton	539	418	121	-	-	1,037	914	123	-	-
Kingston	351	300	51	-	-	673	629	44	-	-
Nanticoke	355	157	197	1	-	521	328	192	1	-
Pittston	392	264	127	1	-	109	-	108	1	-
Plains (twp.)[2]	153	93	60	-	-	87	-	87	-	-
Plymouth	249	128	121	-	-	111	-	111	-	-
Wilkes-Barre	1,359	944	411	4	-	2,466	2,071	392	3	-
Lycoming	1,674	1,136	535	-	3	1,754	1,216	535	-	3
Outside city	911	573	335	-	3	528	207	318	-	3
Williamsport	763	563	200	-	-	1,226	1,009	217	-	-
McKean	1,134	898	236	-	-	1,071	836	235	-	-
Outside city	763	544	219	-	-	546	329	217	-	-
Bradford	371	354	17	-	-	525	507	18	-	-
Mercer	1,889	1,357	529	3	-	2,077	1,537	537	3	-
Outside cities	1,121	728	392	1	-	959	560	398	1	-
Farrell	231	168	63	-	-	66	-	66	-	-
Sharon	537	461	74	2	-	1,052	977	73	2	-
Mifflin	900	353	545	-	2	1,009	462	545	-	2
Outside city	618	161	455	-	2	887	427	458	-	2
Lewistown	282	192	90	-	-	122	35	87	-	-
Monroe	509	298	211	-	-	514	302	212	-	-
Montgomery	4,922	4,179	743	-	-	4,479	3,734	745	-	-
Outside cities	2,609	2,084	525	-	-	643	138	505	-	-
Abington (twp.)[2]	246	238	8	-	-	980	965	15	-	-
Cheltenham (twp.)[2]	224	216	8	-	-	11	-	11	-	-
Conshohocken	233	194	39	-	-	38	-	38	-	-
Lower Merion (twp.)[2]	600	574	26	-	-	780	740	40	-	-
Norristown	672	616	56	-	-	1,360	1,308	52	-	-
Pottstown	338	257	81	-	-	667	583	84	-	-
Montour	245	129	116	-	-	635	515	120	-	-
Northampton	2,877	1,925	942	9	1	2,016	1,097	909	9	1
Outside cities	1,420	767	649	3	1	1,430	776	652	1	1
Bethlehem (part)	811	647	158	6	-	154	-	146	8	-
Bethlehem (total)	1,066	856	204	6	-	188	-	180	8	-
Easton	646	511	135	-	-	432	321	111	-	-
Northumberland	2,209	1,348	860	1	-	1,759	904	854	1	-
Outside cities	1,120	581	538	1	-	1,163	551	611	1	-
Mount Carmel	292	220	72	-	-	73	-	73	-	-
Shamokin	553	394	159	-	-	76	-	76	-	-
Sunbury	244	153	91	-	-	447	353	94	-	-
Perry	457	127	330	-	-	329	-	329	-	-
Philadelphia, coextensive with Philadelphia (city)	31,495	28,006	3,448	37	4	34,025	30,541	3,446	34	4
Pike	91	48	43	-	-	42	-	42	-	-
Potter	345	192	153	-	-	321	164	155	1	1
Schuylkill	3,520	2,053	1,460	4	3	3,667	2,198	1,462	4	3
Outside cities	2,462	1,311	1,145	3	3	2,352	1,191	1,155	3	3
Mahanoy City	188	114	74	-	-	73	-	73	-	-
Pottsville	351	264	87	-	-	1,095	1,007	88	-	-
Shenandoah	323	215	107	1	-	103	-	102	1	-
Tamaqua	196	149	47	-	-	44	-	44	-	-
Snyder	416	123	292	-	1	298	-	297	-	1
Somerset	1,661	627	1,031	-	3	1,639	605	1,031	-	3
Sullivan	136	72	60	-	4	61	-	57	-	4
Susquehanna	539	189	349	-	1	429	65	363	-	1
Tioga	729	412	312	1	4	625	308	314	-	3
Union	338	170	168	-	-	393	226	167	-	-
Venango	1,069	619	449	-	1	1,076	616	459	-	1
Outside city	756	352	383	-	1	582	184	397	-	1
Oil City	333	267	66	-	-	494	432	62	-	-
Warren	745	568	176	-	1	636	460	175	-	1
Outside city	484	323	160	-	1	159	-	158	-	1
Warren	261	245	16	-	-	477	460	17	-	-
Washington	3,968	2,014	1,940	12	2	4,095	2,148	1,932	12	3
Outside cities	2,649	1,129	1,508	11	1	2,491	929	1,548	11	3
Canonsburg	265	188	77	-	-	645	563	82	-	-
Charleroi	196	149	46	-	1	46	-	46	-	-
Donora	224	166	57	1	-	58	-	57	1	-
Washington	634	382	252	-	-	855	656	199	-	-

[2]Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
PENNSYLVANIA—Continued										
Wayne	465	272	191	-	2	352	162	188	-	2
Westmoreland	5,641	2,968	2,636	29	8	5,221	2,533	2,653	28	7
Outside cities	3,557	1,603	1,907	22	5	2,360	407	1,927	21	5
Arnold	167	85	82	-	-	87	-	87	-	-
Greensburg	382	283	99	-	-	976	898	78	-	-
Jeannette	289	181	108	-	-	115	-	115	-	-
Latrobe	211	173	36	2	-	615	567	46	2	-
Monessen	342	184	153	2	3	154	-	150	2	2
New Kensington	524	370	151	3	-	816	661	152	3	-
Vandergrift	189	89	100	-	-	98	-	98	-	-
Wyoming	263	97	166	-	-	167	-	167	-	-
York	3,267	1,475	1,792	-	-	3,474	1,670	1,804	-	-
Outside cities	1,830	533	1,297	-	-	1,434	53	1,381	-	-
Hanover	271	203	68	-	-	581	514	67	-	-
York	1,166	739	427	-	-	1,459	1,103	356	-	-
RHODE ISLAND (total)	11,611	9,645	1,893	59	14	11,582	9,624	1,885	59	14
Bristol	431	310	92	25	4	118	-	89	25	4
Outside city	223	183	21	17	2	39	-	20	17	2
Bristol (town)	208	127	71	8	2	79	-	69	8	2
Kent	1,043	726	311	6	-	436	118	311	7	-
Outside cities	199	119	80	-	-	82	-	82	-	-
Warwick	508	409	96	3	-	109	13	93	3	-
West Warwick (town)	336	198	135	3	-	245	105	136	4	-
Newport	864	802	58	-	4	714	650	60	-	4
Outside city	297	249	44	-	4	51	1	46	-	4
Newport	567	553	14	-	-	663	649	14	-	-
Providence	8,697	7,296	1,368	28	5	9,674	8,282	1,360	27	5
Outside cities	361	266	94	1	-	90	-	89	1	-
Central Falls	480	289	190	1	-	655	466	188	1	-
Cranston	677	631	39	7	-	192	150	36	6	-
Cumberland (town)	164	119	45	-	-	43	-	43	-	-
East Providence (town)	517	432	80	1	4	86	1	80	1	4
Johnston (town)	217	188	21	8	-	29	-	21	8	-
Lincoln (town)	140	107	33	-	-	33	-	33	-	-
North Providence (town)	223	200	23	-	-	22	-	22	-	-
Pawtucket	1,176	934	242	-	-	1,092	845	246	1	-
Providence	3,918	3,600	307	10	1	6,407	6,088	309	9	1
Woonsocket	824	530	294	-	-	1,025	732	293	-	-
Washington	576	511	64	-	1	640	574	65	-	1
Outside city	396	362	33	-	1	295	261	33	-	1
Westerly (town)	180	149	31	-	-	345	313	32	-	-
SOUTH CAROLINA (total)	47,383	11,154	16,179	19,995	55	47,162	10,951	16,164	19,992	55
Abbeville	416	57	154	205	-	424	54	157	213	-
Aiken	1,071	252	395	422	2	979	156	398	423	2
Allendale	379	15	35	329	-	366	-	35	331	-
Anderson	1,956	471	1,088	395	2	1,985	499	1,096	388	2
Outside city	1,370	173	835	360	2	1,159	-	809	348	2
Anderson	586	298	253	35	-	826	499	287	40	-
Bamberg	454	21	120	313	-	434	-	123	311	-
Barnwell	549	14	113	421	1	535	-	113	421	1
Beaufort	593	91	47	455	-	544	44	45	455	-
Berkeley	784	126	31	627	-	775	113	34	628	-
Calhoun	457	36	40	381	-	412	-	36	376	-
Charleston	3,695	1,926	1,089	680	-	3,657	1,909	1,075	673	-
Outside city	1,564	810	114	640	-	810	74	99	637	-
Charleston	2,131	1,116	975	40	-	2,847	1,835	976	36	-
Cherokee	771	75	558	138	-	770	71	560	139	-
Chester	739	127	294	318	-	732	124	292	316	-
Chesterfield	995	76	583	336	-	918	-	581	337	-
Clarendon	786	32	150	604	-	753	-	149	604	-
Colleton	638	117	105	416	-	655	132	106	417	-
Darlington	1,249	298	396	555	-	1,260	308	400	552	-
Dillon	809	61	286	462	-	744	-	285	459	-
Dorchester	554	112	98	344	-	551	111	95	345	-
Edgefield	456	38	217	201	-	422	-	217	205	-
Fairfield	661	38	236	387	-	628	11	234	383	-
Florence	1,784	278	677	829	-	1,907	408	677	822	-
Outside city	1,353	99	588	666	-	1,275	35	580	660	-
Florence	431	179	89	163	-	632	373	97	162	-
Georgetown	875	90	175	605	5	779	-	170	604	5
Greenville	2,905	1,455	1,050	399	1	3,053	1,601	1,050	401	1
Outside city	1,941	693	1,000	248	-	2,071	817	1,004	250	-
Greenville	964	762	50	151	1	982	784	46	151	1
Greenwood	882	320	314	247	1	891	337	312	241	1
Outside city	595	130	248	216	1	459	-	247	211	1
Greenwood	287	190	66	31	-	432	337	65	30	-
Hampton	392	26	48	318	-	361	1	45	315	-
Horry	1,496	348	718	430	-	1,527	371	723	433	-
Jasper	295	48	44	203	-	322	69	47	206	-
Kershaw	885	146	187	551	1	899	144	189	565	1
Lancaster	791	164	390	237	-	783	164	391	228	-
Laurens	854	112	420	322	-	835	94	418	323	-
Lee	683	38	108	536	1	653	-	108	544	1
Lexington	988	225	462	301	-	778	23	455	300	-
McCormick	280	7	113	159	1	273	-	113	159	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
SOUTH CAROLINA—Continued										
Marion	754	178	273	302	1	793	218	272	302	1
Marlboro	865	127	281	476	1	908	148	283	476	1
Newberry	707	126	247	333	1	706	130	244	331	1
Oconee	836	126	527	182	1	800	96	523	180	1
Orangeburg	1,910	199	319	1,391	1	1,953	243	316	1,393	1
Outside city	1,602	99	243	1,259	1	1,496	-	233	1,262	1
Orangeburg	308	100	76	132	-	457	243	83	131	-
Pickens	911	87	687	137	-	850	22	687	141	-
Richland	2,555	1,493	185	873	4	2,861	1,795	185	877	4
Outside city	820	232	91	493	4	736	148	90	494	4
Columbia	1,735	1,261	94	380	-	2,125	1,647	95	383	-
Saluda	318	27	158	133	-	291	-	156	135	-
Spartanburg	2,710	780	1,514	415	1	2,690	765	1,511	413	1
Outside city	1,871	349	1,237	284	1	1,437	16	1,146	274	1
Spartanburg	839	431	277	131	-	1,253	749	365	139	-
Sumter	1,429	172	230	1,003	24	1,451	192	234	1,001	24
Outside city	1,077	41	145	868	23	1,040	-	148	869	23
Sumter	352	131	85	135	1	411	192	86	132	1
Union	690	96	328	265	1	692	94	332	266	-
Williamsburg	1,213	88	186	935	4	1,226	97	190	935	4
York	1,343	415	503	424	1	1,336	407	502	425	2
Outside city	860	160	307	392	1	895	194	305	394	2
Rock Hill	483	255	196	32	-	441	213	197	31	-
SOUTH DAKOTA (total)	12,159	7,489	4,571	15	84	11,647	7,045	4,503	15	84
Armstrong	1	1	-	-	-	-	-	-	-	-
Aurora	100	31	69	-	-	83	13	70	-	-
Beadle	375	274	101	-	-	427	323	104	-	-
Outside city	154	104	50	-	-	51	11	40	-	-
Huron	221	170	51	-	-	376	312	64	-	-
Bennett	84	33	44	3	4	40	5	27	3	5
Bon Homme	164	31	132	-	1	139	6	132	-	1
Brookings	294	224	70	-	-	274	209	65	-	-
Brown	561	433	128	-	-	627	502	125	-	-
Outside city	223	147	76	-	-	64	1	63	-	-
Aberdeen	338	286	52	-	-	563	501	62	-	-
Brule	119	72	47	-	-	120	67	53	-	-
Buffalo	65	57	8	-	-	61	54	7	-	-
Butte	169	72	97	-	-	150	56	94	-	-
Campbell	95	43	52	-	-	52	-	52	-	-
Charles Mix	231	112	119	-	-	232	110	122	-	-
Clark	153	89	64	-	-	120	59	61	-	-
Clay	164	111	53	-	-	177	124	53	-	-
Codington	394	280	114	-	-	482	354	128	-	-
Outside city	146	111	35	-	-	26	-	26	-	-
Watertown	248	169	79	-	-	456	354	102	-	-
Corson	142	84	47	-	11	65	9	45	-	11
Custer	117	44	73	-	-	72	-	72	-	-
Davison	229	178	49	-	2	457	406	51	-	-
Outside city	57	38	17	-	2	14	-	14	-	-
Mitchell	172	140	32	-	-	443	406	37	-	-
Day	242	151	91	-	-	250	156	94	-	-
Deuel	186	102	84	-	-	119	39	80	-	-
Dewey	147	93	45	3	6	110	54	47	3	6
Douglas	133	40	93	-	-	94	4	90	-	-
Edmunds	157	41	115	-	1	140	24	115	-	1
Fall River	106	88	18	-	-	117	98	19	-	-
Faulk	77	41	36	-	-	61	25	36	-	-
Grant	172	131	41	-	-	160	120	40	-	-
Gregory	191	141	49	-	1	179	132	46	-	1
Haakon	55	29	25	1	-	21	4	16	1	-
Hamlin	134	76	58	-	-	107	55	52	-	-
Hand	148	103	45	-	-	132	95	37	-	-
Hanson	101	36	65	-	-	66	-	66	-	-
Harding	59	26	33	-	-	33	8	25	-	-
Hughes	127	108	19	-	-	279	260	19	-	-
Hutchinson	207	68	135	-	4	205	64	135	-	6
Hyde	57	32	25	-	-	39	14	25	-	-
Jackson	27	6	21	-	-	48	1	47	-	-
Jerauld	85	41	44	-	-	58	17	41	-	-
Jones	37	32	5	-	-	39	29	10	-	-
Kingsbury	180	68	112	-	-	128	21	107	-	-
Lake	195	114	81	-	-	246	162	84	-	-
Lawrence	371	291	80	-	-	384	305	79	-	-
Lincoln	188	92	96	-	-	163	66	97	-	-
Lyman	98	75	23	-	-	32	17	15	-	-
McCook	184	42	142	-	-	141	-	141	-	-
McPherson	187	82	105	-	-	215	111	104	-	-
Marshall	168	99	68	-	1	181	113	67	-	1
Meade	219	112	105	-	4	177	61	112	-	4
Mellette	87	46	39	-	2	26	-	25	-	1
Miner	131	32	99	-	-	111	13	98	-	-
Minnehaha	1,085	857	228	-	-	1,173	938	235	-	-
Outside city	289	156	133	-	-	136	5	131	-	-
Sioux Falls	796	701	95	-	-	1,037	933	104	-	-
Moody	143	113	30	-	-	107	83	24	-	-
Pennington	503	464	39	-	-	575	536	39	-	-
Outside city	157	128	29	-	-	102	76	26	-	-
Rapid City	346	336	10	-	-	473	460	13	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
SOUTH DAKOTA—Continued										
Perkins	137	71	66	-	-	119	57	62	-	-
Potter	70	22	48	-	-	56	5	51	-	-
Roberts	349	216	133	-	-	271	149	122	-	-
Sanborn	103	63	40	-	-	39	-	39	-	-
Shannon	157	127	5	5	20	183	157	1	5	20
Spink	208	106	102	-	-	170	61	108	-	-
Stanley	38	28	9	-	1	8	1	6	-	1
Sully	57	43	14	-	-	29	17	12	-	-
Todd	149	103	39	-	7	128	90	30	-	8
Tripp	194	90	104	-	-	194	83	111	-	-
Turner	235	68	167	-	-	163	-	163	-	-
Union	217	115	102	-	-	100	-	100	-	-
Walworth	150	110	39	-	1	210	172	37	-	1
Washabaugh	32	9	18	1	4	14	1	9	1	3
Washington	42	24	4	2	12	16	-	2	2	12
Yankton	298	201	97	-	-	355	257	98	-	-
Ziebach	79	52	25	-	2	98	73	23	-	2
TENNESSEE (total)	59,855	19,558	34,937	5,317	43	60,537	20,221	34,957	5,316	43
Anderson	564	58	457	49	-	505	1	455	49	-
Bedford	422	101	317	4	-	425	102	319	4	-
Benton	218	57	112	49	-	215	49	116	50	-
Bledsoe	221	2	155	64	-	214	-	153	61	-
Blount	1,198	129	1,009	58	2	1,171	103	1,008	58	2
Bradley	711	47	620	44	-	719	49	625	45	-
Outside city	418	11	384	23	-	398	1	374	23	-
Cleveland	293	36	236	21	-	321	48	251	22	-
Campbell	740	80	607	53	-	739	80	607	52	-
Cannon	235	41	181	13	-	255	58	184	13	-
Carroll	434	28	393	13	-	407	1	393	13	-
Carter	879	225	586	68	-	837	181	588	68	-
Cheatham	183	34	148	1	-	143	-	143	-	-
Chester	163	9	147	7	-	153	-	146	7	-
Claiborne	530	52	447	31	-	499	22	443	34	-
Clay	239	6	174	59	-	230	-	171	59	-
Cocke	562	37	429	96	-	533	13	424	96	-
Coffee	385	62	305	16	-	388	63	309	16	-
Crockett	336	18	297	21	-	313	-	292	21	-
Cumberland	330	50	180	100	-	308	25	183	100	-
Davidson	5,002	3,781	1,200	20	1	5,368	4,130	1,217	19	2
Outside city	1,441	781	644	16	-	1,020	352	651	16	1
Nashville	3,561	3,000	556	4	1	4,348	3,778	566	3	1
Decatur	179	8	156	15	-	168	-	153	15	-
De Kalb	268	29	216	23	-	240	3	213	24	-
Dickson	392	28	352	11	1	371	13	346	11	1
Dyer	640	77	550	13	-	643	80	550	13	-
Outside city	439	15	415	9	-	413	1	403	9	-
Dyersburg	201	62	135	4	-	230	79	147	4	-
Fayette	658	30	211	417	-	638	9	210	419	-
Fentress	348	14	158	176	-	330	-	153	177	-
Franklin	421	86	295	40	-	443	103	300	40	-
Gibson	858	133	700	25	-	849	130	695	24	-
Giles	489	60	362	67	-	477	49	360	68	-
Grainger	312	15	275	22	-	297	-	274	23	-
Greene	775	182	468	125	-	821	217	477	127	-
Grundy	314	23	250	41	-	284	1	243	40	-
Hamblen	438	94	325	19	-	466	119	328	19	-
Hamilton	5,964	2,589	1,228	132	15	4,023	2,661	1,214	133	15
Outside city	1,004	412	556	36	-	583	4	544	35	-
Chattanooga	2,960	2,177	672	96	15	3,440	2,657	670	98	15
Hancock	218	6	145	67	-	214	-	147	67	-
Hardeman	410	33	286	91	-	380	-	288	92	-
Hardin	341	19	284	38	-	323	-	285	38	-
Hawkins	626	54	473	98	1	588	14	474	99	1
Haywood	499	48	232	219	-	526	67	239	220	-
Henderson	340	32	289	19	-	335	25	291	19	-
Henry	392	83	296	12	1	392	87	292	12	1
Hickman	299	16	220	63	-	282	-	220	62	-
Houston	142	3	119	20	-	141	-	120	21	-
Humphreys	246	14	220	12	-	234	-	221	13	-
Jackson	339	11	225	102	1	324	-	223	100	1
Jefferson	466	61	373	31	1	463	60	372	30	1
Johnson	341	11	286	43	1	326	1	282	42	1
Knox	3,800	2,285	1,467	47	1	3,944	2,436	1,464	43	1
Outside city	1,319	457	826	36	-	841	1	806	34	-
Knoxville	2,481	1,828	641	11	1	3,103	2,435	658	9	1
Lake	238	10	171	57	-	228	-	171	57	-
Lauderdale	565	35	390	140	-	527	-	387	140	-
Lawrence	635	154	419	61	1	626	148	416	62	-
Lewis	110	1	108	1	-	108	-	108	-	-
Lincoln	536	57	462	17	-	547	67	464	16	-
Loudon	417	75	339	3	-	398	52	343	3	-
McMinn	685	284	375	26	-	729	327	376	26	-
McNairy	376	12	352	12	-	367	2	353	12	-
Macon	271	7	238	26	-	262	-	236	26	-
Madison	928	250	480	198	-	976	291	486	198	1
Outside city	537	82	299	156	-	454	1	296	156	1
Jackson	391	168	181	42	-	522	290	190	42	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
TENNESSEE—Continued										
Marion	494	50	429	15	-	454	9	429	16	-
Marshall	325	89	232	4	-	312	73	235	4	-
Maury	868	130	677	61	-	857	123	673	61	-
Outside city	656	58	544	54	-	586	-	533	53	-
Columbia	212	72	133	7	-	271	123	140	8	-
Meigs	156	13	124	19	-	146	-	127	19	-
Monroe	650	34	533	81	2	639	27	528	82	2
Montgomery	650	84	463	103	-	662	96	463	103	-
Outside city	442	24	337	81	-	407	-	326	81	-
Clarksville	208	60	126	22	-	255	96	137	22	-
Moore	83	3	78	2	-	79	-	77	2	-
Morgan	294	21	225	48	-	268	-	222	46	-
Obion	493	104	384	4	1	462	67	391	4	-
Overton	375	11	244	120	-	381	15	245	121	-
Perry	137	1	124	12	-	135	-	123	12	-
Pickett	122	4	100	18	-	118	-	101	17	-
Polk	228	48	164	16	-	244	52	174	18	-
Putnam	516	33	393	90	-	517	33	394	90	-
Rhea	466	69	282	114	1	428	27	286	114	1
Roane	701	188	455	58	-	799	276	464	59	-
Robertson	495	50	433	12	-	466	27	426	13	-
Rutherford	701	279	349	72	1	678	260	345	72	1
Scott	351	9	271	71	-	341	-	272	69	-
Sequatchie	141	7	111	23	-	132	-	109	23	-
Sevier	510	32	387	84	7	496	16	389	84	7
Shelby	6,911	4,905	1,522	484	-	7,968	5,932	1,551	483	-
Outside city	1,498	810	265	423	-	660	-	243	417	-
Memphis	5,413	4,095	1,257	61	-	7,306	5,932	1,308	66	-
Smith	284	24	255	5	-	262	-	256	6	-
Stewart	230	11	199	20	-	218	-	196	22	-
Sullivan	1,752	633	1,068	48	3	1,629	509	1,070	47	3
Outside cities	834	163	630	40	1	605	1	565	39	-
Bristol[4]	322	149	169	3	1	184	2	178	3	1
Kingsport	596	321	269	5	1	840	506	327	5	2
Sumner	623	48	553	22	-	575	2	551	22	-
Tipton	630	57	423	150	-	570	-	420	150	-
Trousdale	147	12	126	9	-	140	4	127	9	-
Unicoi	339	36	239	64	-	319	19	237	63	-
Union	150	9	119	22	-	139	-	117	22	-
Van Buren	82	4	59	19	-	79	-	60	19	-
Warren	365	50	295	20	-	382	68	294	20	-
Washington	1,003	343	654	5	1	1,030	372	653	4	1
Outside city	517	104	407	5	1	407	1	401	4	1
Johnson City	486	239	247	-	-	623	371	252	-	-
Wayne	255	7	181	67	-	242	-	177	65	-
Weakley	358	51	305	2	-	342	32	308	2	-
White	386	16	354	16	-	378	12	351	15	-
Williamson	516	172	318	25	1	481	134	321	25	1
Wilson	442	175	250	17	-	459	197	245	17	-
TEXAS (total)	136,782	65,665	49,642	18,811	2,664	136,291	65,359	49,484	18,794	2,654
Anderson	605	163	295	132	15	582	150	286	132	14
Outside city	410	73	225	97	15	326	-	215	97	14
Palestine	195	90	70	35	-	256	150	71	35	-
Andrews	29	9	20	-	-	22	2	20	-	-
Angelina	647	390	238	14	5	657	403	236	13	5
Aransas	88	11	77	-	-	74	-	74	-	-
Archer	132	106	25	1	-	56	34	21	1	-
Armstrong	42	21	21	-	-	21	-	21	-	-
Atascosa	527	55	257	185	30	513	42	257	184	30
Austin	281	113	103	60	5	274	105	103	61	5
Bailey	164	140	24	-	-	105	84	21	-	-
Bandera	56	15	40	1	-	40	-	39	1	-
Bastrop	410	42	197	155	16	420	51	199	154	16
Baylor	166	120	44	2	-	175	129	44	2	-
Bee	385	96	205	68	16	452	139	211	67	15
Bell	842	246	553	36	7	885	289	553	36	7
Outside city	564	114	426	21	3	479	33	422	21	3
Temple	278	132	127	15	4	406	256	131	15	4
Bexar	8,795	4,519	1,941	2,197	138	8,882	4,667	1,884	2,192	139
Outside city	1,084	347	398	274	65	786	67	380	274	65
San Antonio	7,711	4,172	1,543	1,923	73	8,096	4,600	1,504	1,918	74
Blanco	93	46	39	5	3	124	77	39	5	3
Borden	6	2	4	-	-	5	-	4	-	1
Bosque	294	131	158	1	4	280	116	159	1	4
Bowie	1,079	297	426	342	14	1,012	234	423	341	14
Outside city	755	95	368	281	11	658	1	366	280	11
Texarkana[5]	324	202	58	61	3	354	233	57	61	3
Brazoria	700	357	251	89	3	535	176	267	89	3
Brazos	637	337	129	157	14	690	391	128	157	14
Outside city	317	137	50	117	13	176	-	47	116	13
Bryan	320	200	79	40	1	514	391	81	41	1
Brewster	169	27	96	38	8	164	28	90	38	8
Briscoe	69	25	43	-	1	45	-	44	-	1
Brooks	219	14	82	72	51	206	-	83	72	51

[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
TEXAS—Continued										
Brown	669	442	218	8	1	684	462	214	7	1
Outside city	235	129	105	1	-	103	-	102	1	-
Brownwood	434	313	113	7	1	581	462	112	6	1
Burleson	344	29	157	131	27	317	-	158	132	27
Burnet	202	98	88	11	5	196	91	89	11	5
Caldwell	494	83	228	109	74	508	93	231	110	74
Calhoun	153	29	105	17	2	124	-	106	16	2
Callahan	187	66	120	1	-	156	36	119	1	-
Cameron	2,533	371	887	1,205	70	2,514	346	890	1,208	70
Outside cities	1,532	110	637	722	63	1,425	2	636	724	63
Brownsville	735	125	136	469	5	753	143	136	469	5
Harlingen	266	136	114	14	2	336	201	118	15	2
Camp	158	67	58	33	-	186	97	56	33	-
Carson	112	72	37	1	2	45	-	40	1	2
Cass	761	136	351	227	47	760	131	354	228	47
Castro	99	43	56	-	-	72	20	52	-	-
Chambers	154	59	71	21	3	108	17	67	21	3
Cherokee	730	224	407	85	14	852	345	407	86	14
Childress	208	156	51	1	-	199	151	47	1	-
Clay	207	56	151	-	-	154	-	154	-	-
Cochran	132	82	47	1	2	82	35	45	-	2
Coke	99	32	67	-	-	68	-	68	-	-
Coleman	379	196	168	7	8	380	196	169	7	8
Collin	886	244	614	28	-	865	220	617	28	-
Collingsworth	192	144	44	4	-	187	137	46	4	-
Colorado	288	67	93	119	9	252	31	93	119	9
Comal	307	48	175	45	39	317	49	184	45	39
Comanche	321	196	125	-	-	155	37	118	-	-
Concho	147	66	72	7	2	112	27	75	8	2
Cooke	447	134	293	19	1	472	157	295	19	1
Coryell	316	38	275	3	-	280	-	277	3	-
Cottle	163	20	137	2	4	155	11	138	2	4
Crane	56	27	29	-	-	43	16	27	-	-
Crockett	86	21	56	8	1	64	-	55	8	1
Crosby	174	25	146	2	1	157	-	154	2	1
Culberson	39	31	7	1	-	28	23	4	1	-
Dallam	110	55	55	-	-	51	-	51	-	-
Dallas	8,075	6,351	1,694	24	6	8,221	6,513	1,680	21	7
Outside cities	1,665	1,315	341	8	1	337	6	323	7	1
Dallas	6,093	4,721	1,351	16	5	7,881	6,507	1,354	14	6
Highland Park	90	89	1	-	-	1	-	1	-	-
University Park	227	226	1	-	-	2	-	2	-	-
Dawson	482	311	149	19	3	504	327	155	19	3
Deaf Smith	131	117	13	-	1	136	125	10	-	1
Delta	251	61	183	7	-	247	57	183	7	-
Denton	641	323	308	8	2	669	349	310	8	2
Outside city	421	160	257	4	-	370	112	254	4	-
Denton	220	163	51	4	2	299	237	56	4	2
De Witt	490	88	260	109	33	477	71	265	108	33
Dickens	158	54	99	5	-	152	49	98	5	-
Dimmit	298	14	157	105	22	277	-	153	103	21
Donley	129	43	82	1	3	102	21	77	1	3
Duval	556	103	188	225	40	522	70	188	224	40
Eastland	605	378	221	3	3	870	640	224	3	3
Ector	366	324	39	3	-	344	308	33	3	-
Edwards	70	25	39	3	3	65	18	40	4	3
Ellis	715	278	358	74	5	685	252	355	73	5
El Paso	4,114	2,258	747	1,055	54	4,191	2,339	745	1,055	52
Outside city	1,020	265	531	191	33	1,015	258	535	190	32
El Paso	3,094	1,993	216	864	21	3,176	2,081	210	865	20
Erath	353	238	114	-	1	363	250	112	-	1
Falls	636	104	344	171	17	668	136	343	172	17
Fannin	750	216	490	39	5	701	167	490	39	5
Fayette	485	126	222	108	29	467	108	222	108	29
Fisher	229	149	69	2	9	201	122	68	2	9
Floyd	169	61	107	1	-	147	46	100	1	-
Foard	107	55	50	1	1	83	31	50	1	1
Fort Bend	696	216	246	210	24	676	198	244	210	24
Franklin	142	12	120	10	-	146	14	122	10	-
Freestone	449	76	197	153	23	441	63	198	157	23
Frio	331	60	138	114	19	327	60	134	114	19
Gaines	175	93	82	-	-	194	114	80	-	-
Galveston	1,876	1,634	235	5	2	1,832	1,615	211	4	2
Outside city	529	348	177	3	1	183	27	152	3	1
Galveston	1,347	1,286	58	2	1	1,649	1,588	59	1	1
Garza	118	35	76	5	2	89	3	79	5	2
Gillespie	188	103	77	1	7	210	124	78	1	7
Glasscock	8	8	-	-	-	-	-	-	-	-
Goliad	153	11	88	34	20	144	1	88	35	20
Gonzales	510	44	269	164	33	499	33	269	164	33
Gray	499	391	107	1	-	536	434	101	1	-
Outside city	137	92	45	-	-	43	-	43	-	-
Pampa	362	299	62	1	-	493	434	58	1	-
Grayson	1,338	793	520	18	7	1,381	839	517	18	7
Outside cities	675	267	406	2	-	404	-	402	2	-
Denison	361	311	32	13	5	504	452	34	13	5
Sherman	302	215	82	3	2	473	387	81	3	2
Gregg	1,235	910	270	51	4	1,237	918	267	48	4
Outside city	867	596	236	33	2	527	276	221	29	2
Longview	368	314	34	18	2	710	643	46	19	2

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
TEXAS—Continued										
Grimes	329	97	70	157	5	353	122	69	157	5
Guadalupe	510	99	284	62	65	485	74	284	63	64
Hale	371	148	221	2	-	372	148	222	2	-
Hall	284	122	156	5	1	298	139	153	5	1
Hamilton	231	144	86	1	-	204	116	87	1	-
Hansford	56	32	23	1	-	24	-	23	1	-
Hardeman	211	78	131	2	-	220	86	132	2	-
Hardin	327	67	225	32	3	294	35	224	32	3
Harris	11,420	9,764	1,330	305	21	11,451	9,818	1,314	301	18
Outside city	1,976	1,625	257	85	9	980	663	233	77	7
Houston	9,444	8,139	1,073	220	12	10,471	9,155	1,081	224	11
Harrison	1,064	184	256	547	77	1,053	167	257	550	79
Outside city	758	58	154	474	52	685	1	154	476	54
Marshall	326	126	102	73	25	368	166	103	74	25
Hartley	44	34	9	-	1	100	93	6	-	1
Haskell	234	102	128	4	-	195	63	127	4	1
Hays	266	67	152	25	22	245	50	148	25	22
Hemphill	84	57	26	-	1	81	53	27	-	1
Henderson	580	150	356	64	10	564	125	364	65	10
Hidalgo	3,177	400	1,522	1,154	101	3,159	396	1,512	1,152	99
Outside city	2,769	305	1,334	1,042	88	2,682	234	1,321	1,041	86
McAllen	408	95	188	112	13	477	162	191	111	13
Hill	632	93	467	65	7	581	43	466	66	6
Hockley	392	189	202	1	-	337	138	198	1	-
Hood	122	39	81	-	2	80	-	78	-	2
Hopkins	577	138	391	46	2	561	119	394	46	2
Houston	587	97	297	169	24	587	98	296	169	24
Howard	517	260	228	25	4	547	286	232	25	4
Outside city	114	72	33	7	2	33	-	25	6	2
Big Spring	403	188	195	18	2	514	286	207	19	2
Hudspeth	70	12	45	10	3	56	-	43	10	3
Hunt	804	191	567	44	2	848	233	569	44	2
Outside city	564	99	433	32	-	541	76	433	32	-
Greenville	240	92	134	12	2	307	157	136	12	2
Hutchinson	475	466	7	1	1	447	439	6	1	1
Outside city	173	171	1	1	-	93	91	1	1	-
Borger	302	295	6	-	1	354	348	5	-	1
Irion	58	27	26	4	1	28	-	23	4	1
Jack	156	93	63	-	-	149	85	64	-	-
Jackson	290	79	177	28	6	234	24	176	28	6
Jasper	418	77	247	90	4	449	106	249	90	4
Jeff Davis	62	5	41	10	6	56	-	40	10	6
Jefferson	3,230	2,019	894	257	60	3,288	2,087	887	254	60
Outside cities	731	305	308	113	10	421	-	300	112	9
Beaumont	1,369	943	292	89	45	1,618	1,191	294	87	46
Port Arthur	1,130	771	299	55	5	1,249	896	293	55	5
Jim Hogg	162	15	53	91	3	147	-	53	91	3
Jim Wells	507	151	216	110	30	519	165	212	112	30
Johnson	532	225	294	11	2	548	241	295	11	1
Outside city	336	130	195	10	1	285	84	190	10	1
Cleburne	196	95	99	1	1	263	157	105	1	-
Jones	507	297	182	23	5	506	300	181	23	4
Karnes	422	106	162	91	63	412	99	158	91	64
Kaufman	687	115	425	131	16	686	116	423	131	16
Outside city	548	74	364	94	16	491	18	363	94	16
Terrell	139	41	61	37	-	195	98	60	37	-
Kendall	66	6	41	15	4	65	1	44	16	4
Kenedy	21	-	10	9	2	19	-	9	8	2
Kent	54	8	46	-	-	43	-	43	-	-
Kerr	209	58	116	33	2	193	48	111	32	2
Kimble	79	19	57	3	-	58	2	53	3	-
King	20	4	16	-	-	17	-	17	-	-
Kinney	88	16	41	26	5	73	1	40	27	5
Kleberg	293	70	198	23	2	299	73	199	25	2
Knox	229	90	124	13	2	256	114	127	13	2
Lamar	992	370	469	139	14	1,076	452	472	139	13
Outside city	614	188	299	114	13	440	14	300	114	12
Paris	378	182	170	25	1	636	438	172	25	1
Lamb	438	294	138	6	-	510	364	140	6	-
Lampasas	181	92	88	1	-	213	125	87	1	-
La Salle	203	2	134	37	30	197	-	130	37	30
Lavaca	478	69	329	60	20	524	110	334	60	20
Lee	220	21	112	78	9	199	-	113	77	9
Leon	288	19	136	131	2	273	-	139	132	2
Liberty	568	255	188	122	3	577	265	186	122	4
Limestone	446	90	245	99	12	447	92	244	99	12
Lipscomb	84	64	20	-	-	48	30	18	-	-
Live Oak	183	43	97	32	11	175	37	94	32	12
Llano	119	69	35	15	-	103	52	35	15	1
Loving	2	1	1	-	-	-	-	-	-	-
Lubbock	1,169	579	542	42	6	1,427	818	557	43	9
Outside city	381	168	201	10	2	226	44	188	10	4
Lubbock	788	411	341	32	4	1,201	774	369	33	5
Lynn	233	50	176	4	3	185	-	178	4	3
McCulloch	294	176	84	31	3	368	247	87	31	3
McLennan	1,802	1,008	553	222	19	1,854	1,065	550	221	18
Outside city	759	249	347	147	16	505	-	343	146	16
Waco	1,043	759	206	75	3	1,349	1,065	207	75	2

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
TEXAS—Continued										
McMullen	41	8	13	17	3	34	-	13	18	3
Madison	248	51	98	96	3	254	55	101	95	3
Marion	231	12	113	102	4	219	-	113	102	4
Martin	105	36	66	3	-	83	17	63	3	-
Mason	114	33	78	3	-	84	-	81	3	-
Matagorda	486	195	190	93	8	502	212	190	93	7
Maverick	331	12	142	170	7	325	6	142	170	7
Medina	419	64	160	182	13	428	66	166	183	13
Menard	107	34	64	9	-	73	-	64	9	-
Midland	273	190	76	3	4	270	189	75	3	3
Milam	603	169	252	154	28	585	147	256	154	28
Mills	120	34	85	-	1	86	-	85	-	1
Mitchell	283	135	123	23	2	269	120	124	23	2
Montague	415	141	270	1	3	341	71	266	1	3
Montgomery	401	153	173	68	27	387	117	175	68	27
Moore	168	58	110	-	-	120	10	110	-	-
Morris	158	22	118	8	10	140	1	120	9	10
Motley	100	10	90	-	-	93	4	89	-	-
Nacogdoches	585	151	371	57	6	593	159	372	56	6
Navarro	821	309	425	75	12	851	335	428	76	12
Outside city	582	138	365	68	11	445	-	365	69	11
Corsicana	239	171	60	7	1	406	335	63	7	1
Newton	297	24	227	42	4	270	-	225	41	4
Nolan	416	241	170	2	3	507	337	165	2	3
Outside city	143	97	45	1	-	172	128	43	1	-
Sweetwater	273	144	125	1	3	335	209	122	1	3
Nueces	3,140	1,348	1,128	603	61	3,250	1,444	1,124	602	60
Outside city	1,029	214	471	298	46	897	91	464	297	45
Corpus Christi	2,111	1,134	657	305	15	2,353	1,353	660	305	15
Ochiltree	102	61	41	-	-	84	43	41	-	-
Oldham	41	31	10	-	-	6	-	6	-	-
Orange	465	266	127	71	1	443	242	128	72	1
Palo Pinto	380	92	288	-	-	368	82	286	-	-
Panola	296	70	115	97	14	287	67	110	96	14
Parker	318	144	169	2	3	298	124	170	2	2
Parmer	107	93	14	-	-	18	3	15	-	-
Pecos	217	54	122	38	3	200	29	130	38	3
Polk	461	229	117	113	2	485	252	116	115	2
Potter	1,054	791	262	-	1	1,246	984	262	-	-
Outside city	59	48	11	-	-	10	-	10	-	-
Amarillo (part)	995	743	251	-	1	1,236	984	252	-	-
Amarillo (total)	1,015	763	251	-	1	1,236	984	252	-	-
Presidio	329	32	150	89	58	323	24	153	88	58
Rains	146	8	122	14	2	139	-	123	14	2
Randall	106	76	30	-	-	97	65	32	-	-
Outside city	86	56	30	-	-	97	65	32	-	-
Amarillo (part)	20	20	-	-	-	-	-	-	-	-
Reagan	43	32	11	-	-	21	10	11	-	-
Real	28	5	22	-	1	21	-	20	-	1
Red River	537	42	344	139	12	526	31	344	139	12
Reeves	213	66	114	2	31	244	92	119	2	31
Refugio	258	71	120	61	6	248	61	120	61	6
Roberts	24	10	14	-	-	14	-	14	-	-
Robertson	581	70	185	295	31	510	-	185	294	31
Rockwall	102	25	64	12	1	83	7	63	12	1
Runnels	414	111	296	5	2	392	92	293	5	2
Rusk	824	199	448	165	12	752	130	445	165	12
Sabine	207	19	142	44	2	187	-	141	44	2
San Augustine	192	20	100	62	10	187	11	104	62	10
San Jacinto	144	17	42	73	12	125	-	40	73	12
San Patricio	826	171	505	106	44	715	64	501	106	44
San Saba	227	42	180	3	2	212	29	179	3	1
Schleicher	61	27	22	9	3	36	-	23	10	3
Scurry	251	137	110	-	4	215	99	112	-	4
Shackelford	100	47	52	1	-	54	-	53	1	-
Shelby	550	99	369	71	11	545	91	372	71	11
Sherman	29	8	21	-	-	21	-	21	-	-
Smith	1,497	466	585	415	31	1,486	456	587	412	31
Outside city	912	176	363	344	29	738	12	357	340	29
Tyler	585	290	222	71	2	748	444	230	72	2
Somervell	49	17	32	-	-	34	1	33	-	-
Starr	437	27	140	123	147	440	27	142	124	147
Stephens	199	111	87	1	-	179	91	87	1	-
Sterling	26	9	14	3	-	18	-	15	3	-
Stonewall	93	40	47	2	4	54	-	48	2	4
Sutton	110	24	81	-	5	84	-	79	-	5
Swisher	124	91	32	1	-	118	85	32	1	-
Tarrant	4,332	3,893	426	8	5	4,501	4,045	444	8	4
Outside city	826	675	148	2	1	212	65	144	2	1
Fort Worth	3,506	3,218	278	6	4	4,289	3,980	300	6	3
Taylor	908	663	234	9	2	961	714	237	8	2
Outside city	303	187	116	-	-	170	67	103	-	-
Abilene	605	476	118	9	2	791	647	134	8	2
Terrell	78	6	71	1	-	70	-	69	1	-
Terry	354	145	199	10	-	360	148	202	10	-
Throckmorton	69	32	37	-	-	37	-	37	-	-
Titus	376	90	254	30	2	305	24	252	28	1
Tom Green	892	606	232	48	6	1,146	864	227	48	7
Outside city	165	77	78	9	1	217	133	75	8	1
San Angelo	727	529	154	39	5	929	731	152	40	6

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
TEXAS—Continued										
Travis	2,185	1,726	249	180	28	2,178	1,732	241	177	28
Outside city	417	226	82	90	19	181	-	73	89	19
Austin	1,766	1,500	167	90	9	1,997	1,732	168	88	9
Trinity	157	29	98	29	1	125	-	96	28	1
Tyler	231	47	108	70	6	218	34	106	72	6
Upshur	497	277	96	111	13	519	302	93	111	13
Upton	80	54	25	1	-	73	46	26	1	-
Uvalde	335	57	207	59	12	330	57	202	59	12
Val Verde	492	70	357	62	3	504	79	360	62	3
Outside city	20	7	9	4	-	7	-	3	4	-
Del Rio	472	63	348	58	3	497	79	357	58	3
Van Zandt	544	48	468	25	3	515	17	470	25	3
Victoria	544	232	152	148	12	590	280	150	148	12
Outside city	219	66	54	91	8	149	-	51	90	8
Victoria	325	166	98	57	4	441	280	99	58	4
Walker	301	51	146	86	18	314	57	152	86	19
Waller	209	74	37	86	12	212	77	37	86	12
Ward	262	171	75	12	4	236	150	70	12	4
Washington	454	123	152	163	16	479	148	151	164	16
Webb	524	72	230	199	23	520	68	231	198	23
Outside city	121	9	50	48	14	106	-	46	46	14
Laredo	403	63	180	151	9	414	68	185	152	9
Wharton	874	372	306	158	38	989	487	307	158	37
Wheeler	265	199	65	1	-	302	239	62	1	-
Wichita	1,657	1,343	312	1	1	1,772	1,457	313	1	1
Outside city	571	475	95	-	1	289	193	95	-	1
Wichita Falls	1,086	868	217	1	-	1,483	1,264	218	1	-
Wilbarger	436	287	147	2	-	468	317	149	2	-
Willacy	434	128	120	172	14	425	121	119	171	14
Williamson	774	285	382	90	17	774	285	382	90	17
Wilson	384	80	210	46	48	383	80	209	46	48
Winkler	143	135	8	-	-	173	165	8	-	-
Wise	332	177	154	-	1	368	211	156	-	1
Wood	508	63	415	30	-	455	11	414	30	-
Yoakum	109	93	14	1	1	37	26	9	1	1
Young	352	223	127	2	-	412	279	131	2	-
Zapata	114	2	44	67	1	110	-	42	67	1
Zavala	278	38	147	87	6	262	37	134	85	6
UTAH (total)	13,538	10,058	3,365	62	53	13,745	10,229	3,400	62	54
Beaver	134	43	91	-	-	124	33	91	-	-
Box Elder	490	446	44	-	-	490	449	41	-	-
Cache	720	588	131	-	1	798	660	137	-	1
Outside city	405	299	106	-	-	139	32	107	-	-
Logan	315	289	25	-	1	659	628	30	-	1
Carbon	402	285	116	-	1	429	309	119	-	1
Daggett	19	15	4	-	-	-	-	-	-	-
Davis	356	264	87	-	5	91	-	86	-	5
Duchesne	235	47	184	3	1	198	16	177	4	1
Emery	166	28	135	2	1	136	-	133	2	1
Garfield	124	26	61	30	7	99	8	54	30	7
Grand	48	38	9	1	-	81	71	8	1	1
Iron	219	196	21	1	1	271	246	24	-	1
Juab	186	90	94	-	2	132	35	95	-	2
Kane	67	57	3	4	3	89	77	4	4	4
Millard	221	68	153	-	-	197	42	155	-	-
Morgan	46	35	11	-	-	11	-	11	-	-
Piute	81	23	58	-	-	57	-	57	-	-
Rich	48	17	31	-	-	34	-	34	-	-
Salt Lake	5,304	4,824	465	10	5	5,629	5,157	458	8	6
Outside city	1,737	1,505	223	7	2	943	728	208	5	2
Salt Lake City	3,567	3,319	242	3	3	4,686	4,429	250	3	4
San Juan	95	38	41	-	16	58	-	43	-	15
Sanpete	365	62	303	-	-	385	66	319	-	-
Sevier	306	126	180	-	-	333	147	186	-	-
Summit	201	130	71	-	-	185	116	69	-	-
Tooele	225	148	74	-	3	168	87	78	-	3
Uintah	281	76	203	1	1	284	73	209	1	1
Utah	1,338	884	450	4	-	1,452	993	456	3	-
Outside city	935	603	328	4	-	952	613	336	3	-
Provo	403	281	122	-	-	500	380	120	-	-
Wasatch	161	71	90	-	-	169	74	95	-	-
Washington	238	137	94	4	3	231	123	99	7	2
Wayne	64	5	55	2	2	64	-	60	2	2
Weber	1,398	1,291	106	-	1	1,550	1,447	102	-	1
Outside city	288	267	21	-	-	18	-	18	-	-
Ogden	1,110	1,024	85	-	1	1,532	1,447	84	-	1
VERMONT (total)	6,965	4,481	2,475	4	5	6,762	4,265	2,487	4	6
Addison	384	184	200	-	-	316	111	205	-	-
Bennington	390	290	100	-	-	365	264	101	-	-
Caledonia	396	192	204	-	-	413	211	202	-	-
Chittenden	1,071	843	225	1	2	1,406	1,179	224	1	2
Outside city	492	359	132	-	1	339	212	126	-	1
Burlington	579	484	93	1	1	1,067	967	98	1	1
Essex	107	38	68	1	-	67	-	66	1	-
Franklin	583	258	325	-	-	551	222	329	-	-
Grand Isle	66	40	26	-	-	27	-	27	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
VERMONT—Continued										
Lamoille	241	141	99	1	-	196	98	97	1	-
Orange	329	211	116	1	1	214	104	108	1	1
Orleans	457	194	263	-	-	454	184	270	-	-
Rutland	830	572	258	-	-	817	556	261	-	-
Outside city	531	319	212	-	-	258	46	212	-	-
Rutland	299	253	46	-	-	559	510	49	-	-
Washington	800	596	204	-	-	746	544	202	-	-
Outside city	576	401	175	-	-	412	242	170	-	-
Barre	224	195	29	-	-	334	302	32	-	-
Windham	478	335	142	-	1	552	408	143	-	1
Windsor	833	587	245	-	1	658	384	252	-	2
VIRGINIA[6] (total)	61,079	22,795	25,169	12,746	369	58,552	20,309	25,125	12,747	371
Accomack	482	77	206	196	3	403	-	203	197	3
Albemarle	518	318	129	65	6	1,195	995	130	64	6
Alexandria (city)	981	901	52	27	1	830	746	56	27	1
Alleghany	472	105	344	20	3	432	64	344	21	3
Amelia	184	11	76	97	-	173	-	77	96	-
Amherst	420	113	186	111	10	310	2	187	111	10
Appomattox	165	35	78	52	-	129	-	77	52	-
Arlington[7]	1,850	1,764	66	20	-	85	-	65	18	-
Augusta	1,026	337	623	63	3	819	125	628	63	3
Bath	141	23	85	29	4	135	19	83	29	4
Bedford	586	142	370	71	3	514	72	368	71	3
Bland	157	16	134	4	3	144	-	137	4	3
Botetourt	366	55	277	34	-	312	-	278	34	-
Bristol (city)[8]	265	127	137	1	-	484	346	137	1	-
Brunswick	503	36	157	304	6	470	-	159	305	6
Buchanan	1,238	112	721	386	19	1,183	58	720	386	19
Buckingham	329	41	91	195	2	286	-	89	195	2
Buena Vista (city)	108	15	83	10	-	95	1	84	10	-
Campbell	590	156	301	131	2	430	-	298	130	2
Caroline	342	31	204	104	3	310	-	203	104	3
Carroll	603	28	508	51	16	574	-	506	52	16
Charles City	117	14	13	89	1	101	-	11	89	1
Charlotte	345	38	129	176	2	309	-	130	177	2
Charlottesville (city)	392	354	35	3	-	245	205	37	3	-
Chesterfield	645	304	174	167	-	330	-	163	167	-
Clarke	138	38	76	23	1	101	-	77	23	1
Clifton Forge (city)	112	56	56	-	-	172	115	57	-	-
Craig	84	13	63	7	1	72	-	64	7	1
Culpeper	257	61	171	24	1	196	-	170	25	1
Cumberland	163	24	42	95	2	137	-	40	95	2
Danville (city)	603	376	82	145	-	1,084	853	82	149	-
Dickenson	732	123	396	210	3	702	95	394	210	3
Dinwiddie	331	31	118	180	2	301	5	114	180	2
Elizabeth City	536	384	75	76	1	333	181	74	77	1
Essex	163	26	69	67	1	136	-	68	67	1
Fairfax	936	664	231	41	-	263	-	222	41	-
Fauquier	378	104	206	64	4	334	65	202	63	4
Floyd	241	11	193	31	6	231	-	195	30	6
Fluvanna	119	27	40	52	-	93	-	40	53	-
Franklin	571	43	361	150	17	526	-	358	151	17
Frederick	288	126	123	36	3	160	-	121	36	3
Fredericksburg (city)	208	154	44	10	-	460	401	44	15	-
Giles	413	57	346	8	2	396	44	342	8	2
Gloucester	186	33	126	26	1	153	-	126	26	1
Goochland	181	21	43	117	-	178	11	48	119	-
Grayson	504	28	418	47	11	479	-	419	47	13
Greene	132	59	49	17	7	74	-	50	17	7
Greensville	395	56	125	213	1	363	27	122	213	1
Halifax	1,034	111	469	450	4	1,054	128	471	451	4
Hampton (city)	314	284	13	17	-	366	338	12	16	-
Hanover	589	64	177	146	2	325	1	176	146	2
Harrisonburg (city)	160	138	21	1	-	441	419	21	1	-
Henrico	604	405	143	56	-	226	33	138	55	-
Henry	856	106	572	174	4	755	11	567	173	4
Highland	108	4	99	4	1	104	-	99	4	1
Hopewell (city)	181	94	68	19	-	195	107	69	19	-
Isle of Wight	310	31	90	188	1	279	-	90	188	1
James City	112	28	27	57	-	84	-	27	57	-
King and Queen	149	16	70	63	-	133	-	70	63	-
King George	143	53	40	48	2	90	-	40	48	2
King William	158	30	71	57	-	126	-	69	57	-
Lancaster	159	13	123	23	-	145	-	122	23	-
Lee	1,094	52	783	251	8	1,081	41	782	250	8
Loudoun	438	151	253	31	3	381	94	253	31	3
Louisa	325	48	154	123	-	277	-	154	123	-
Lunenburg	327	41	176	108	2	286	-	176	108	2
Lynchburg (city)	788	651	118	18	1	1,214	1,073	122	18	1
Madison	178	85	73	15	5	93	-	73	15	5
Martinsville (city)	265	98	156	11	-	351	184	156	11	-

[6] Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Alexandria, Arlington County[7], Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[7] Classified as urban under special rule. See text, p. 2, Part I.

[8] Includes data for Bristol, Va., only.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
VIRGINIA[6] —Continued										
Mathews	100	28	67	5	-	72	-	67	5	-
Mecklenburg	759	78	294	382	5	681	-	294	382	5
Middlesex	98	10	45	42	1	88	-	45	42	1
Montgomery	614	170	403	37	4	552	106	405	37	4
Nansemond	528	51	84	391	2	470	-	81	387	2
Nelson	382	123	103	144	12	257	-	101	144	12
New Kent	73	18	10	44	1	54	-	9	44	1
Newport News (city)	940	618	119	202	1	1,470	1,152	117	200	1
Norfolk	905	489	160	256	-	887	472	157	258	-
Norfolk (city)	3,170	2,081	723	365	1	3,436	2,347	728	360	1
Northampton	355	66	44	245	-	429	141	44	244	-
Northumberland	186	18	118	50	-	165	-	116	49	-
Nottoway	322	50	112	160	-	270	-	112	158	-
Orange	266	117	107	38	4	154	7	105	38	4
Page	312	69	198	44	1	300	57	198	44	1
Patrick	451	24	304	114	9	457	26	308	114	9
Petersburg (city)	585	159	103	322	1	702	261	117	323	1
Pittsylvania	1,610	465	645	495	5	1,152	13	640	494	5
Portsmouth (city)	1,237	772	90	365	10	1,334	870	87	367	10
Powhatan	95	20	21	54	-	75	-	21	54	-
Prince Edward	289	69	85	135	-	384	163	85	136	-
Prince George	239	47	60	130	2	192	-	61	129	2
Prince William	347	146	114	85	2	277	77	113	85	2
Princess Anne	532	192	149	188	3	342	2	150	187	3
Pulaski	561	171	310	74	6	562	174	310	72	6
Radford (city)	205	72	133	-	-	207	76	131	-	-
Rappahannock	166	27	111	26	2	139	-	111	26	2
Richmond	147	8	93	45	1	136	-	91	44	1
Richmond (city)	3,357	2,521	727	109	-	4,619	3,776	734	109	-
Roanoke	854	511	280	60	3	416	75	278	60	3
Roanoke (city)	1,320	989	325	6	-	1,998	1,657	336	5	-
Rockbridge	446	98	253	88	7	442	94	252	89	7
Rockingham	708	211	480	15	2	496	-	479	15	2
Russell	723	70	541	103	9	706	55	539	103	9
Scott	662	51	298	279	34	611	-	298	279	34
Shenandoah	385	154	206	25	-	344	115	204	25	-
Smyth	751	89	598	51	13	777	119	594	51	13
Southampton	691	123	97	470	1	664	95	97	471	1
South Norfolk (city)	144	41	73	30	-	100	-	70	30	-
Spotsylvania	226	86	71	65	4	133	-	70	59	4
Stafford	195	84	64	47	-	111	-	64	47	-
Staunton (city)	204	125	72	7	-	347	266	74	7	-
Suffolk (city)	200	86	46	68	-	277	158	47	72	-
Surry	134	6	20	107	1	127	-	20	106	1
Sussex	298	30	31	237	-	269	-	30	239	-
Tazewell	1,313	196	1,071	41	5	1,362	250	1,065	42	5
Warren	261	117	124	19	1	256	110	126	19	1
Warwick	344	252	53	38	1	90	-	51	38	1
Washington	934	80	690	153	11	891	37	689	154	11
Westmoreland	230	30	92	106	2	203	-	94	107	2
Williamsburg (city)	61	40	10	11	-	78	56	10	12	-
Winchester (city)	238	181	47	10	-	549	489	49	11	-
Wise	1,520	144	1,194	165	17	1,497	125	1,192	163	17
Wythe	635	66	538	30	1	599	29	538	31	1
York	183	85	35	63	-	100	-	35	65	-
WASHINGTON (total)	30,580	27,818	2,665	52	45	30,567	27,790	2,684	50	43
Adams	78	48	30	-	-	54	18	36	-	-
Asotin	142	117	25	-	-	41	18	23	-	-
Benton	232	201	31	-	-	116	87	29	-	-
Chelan	670	625	45	-	-	788	746	42	-	-
Outside city	465	427	38	-	-	174	138	36	-	-
Wenatchee	205	198	7	-	-	614	608	6	-	-
Clallam	445	407	35	3	-	436	401	32	3	-
Clark	976	926	49	1	-	975	927	48	-	-
Outside city	542	506	36	-	-	153	115	38	-	-
Vancouver	434	420	13	1	-	822	812	10	-	-
Columbia	97	91	5	1	-	95	92	2	1	-
Cowlitz	885	850	33	1	1	954	920	32	1	1
Outside city	596	570	25	1	-	313	286	26	1	-
Longview	289	280	8	-	1	641	634	6	-	1
Douglas	97	74	23	-	-	25	4	21	-	-
Ferry	85	66	16	-	3	46	27	16	-	3
Franklin	119	112	7	-	-	250	244	6	-	-
Garfield	55	19	36	-	-	51	12	39	-	-
Grant	207	182	25	-	-	45	36	9	-	-
Grays Harbor	935	853	78	4	-	938	855	79	4	-
Outside cities	418	359	55	4	-	168	111	53	4	-
Aberdeen	331	314	17	-	-	762	741	21	-	-
Hoquiam	186	180	6	-	-	8	3	5	-	-
Island	90	56	34	-	-	78	43	35	-	-
Jefferson	190	189	-	-	1	169	167	1	-	1
King	8,530	8,172	326	28	4	8,667	8,270	364	29	4
Outside city	1,798	1,621	170	4	3	1,007	840	163	1	3
Seattle	6,732	6,551	156	24	1	7,660	7,430	201	28	1

[6] See footnote on p. 176.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
WASHINGTON—Continued										
Kitsap	1,125	1,041	84	-	-	1,014	940	74	-	-
Outside city	696	645	51	-	-	151	120	31	-	-
Bremerton	429	396	33	-	-	863	820	43	-	-
Kittitas	355	304	51	-	-	367	316	51	-	-
Klickitat	200	169	26	4	1	139	115	21	3	-
Lewis	700	584	114	-	2	711	596	114	-	1
Lincoln	196	139	57	-	-	142	75	67	-	-
Mason	225	214	11	-	-	218	213	5	-	-
Okanogan	517	367	146	1	3	596	437	155	1	3
Pacific	262	194	68	-	-	206	141	65	-	-
Pend Oreille	129	104	25	-	-	126	101	25	-	-
Pierce	3,117	3,002	109	3	3	3,226	3,115	106	2	3
Outside city	1,230	1,161	64	2	3	553	488	61	1	3
Tacoma	1,887	1,841	45	1	-	2,673	2,627	45	1	-
San Juan	34	28	6	-	-	16	10	6	-	-
Skagit	603	530	71	2	-	594	525	67	2	-
Skamania	65	59	5	-	1	6	2	3	-	1
Snohomish	1,462	1,277	184	-	1	1,481	1,296	184	-	1
Outside city	953	788	164	-	1	501	332	168	-	1
Everett	509	489	20	-	-	980	964	16	-	-
Spokane	2,587	2,404	176	1	6	2,988	2,799	182	1	6
Outside city	620	547	68	1	4	165	105	55	1	4
Spokane	1,967	1,857	108	-	2	2,823	2,694	127	-	2
Stevens	436	385	45	2	4	403	352	45	2	4
Thurston	724	594	130	-	-	601	472	129	-	-
Outside city	444	327	117	-	-	116	4	112	-	-
Olympia	280	267	13	-	-	485	468	17	-	-
Wahkiakum	80	77	3	-	-	39	36	3	-	-
Walla Walla	501	467	33	1	-	587	553	33	1	-
Outside city	194	181	12	1	-	10	-	9	1	-
Walla Walla	307	286	21	-	-	577	553	24	-	-
Whatcom	948	862	85	-	1	963	881	81	-	1
Outside city	505	427	77	-	1	181	107	73	-	1
Bellingham	443	435	8	-	-	782	774	8	-	-
Whitman	410	314	96	-	-	324	220	104	-	-
Yakima	2,071	1,715	342	-	14	2,092	1,728	350	-	14
Outside city	1,438	1,103	321	-	14	834	521	299	-	14
Yakima	633	612	21	-	-	1,258	1,207	51	-	-
WEST VIRGINIA (total)	43,983	10,985	32,427	500	71	43,827	10,829	32,433	495	70
Barbour	424	69	352	3	-	411	57	351	3	-
Berkeley	503	244	254	3	2	570	310	256	2	2
Outside city	213	65	146	3	1	147	-	144	2	1
Martinsburg	290	181	108	-	1	423	310	112	-	1
Boone	806	60	738	8	-	750	-	742	8	-
Braxton	458	26	405	26	1	455	22	406	26	1
Brooke	430	184	245	1	-	245	-	244	1	-
Cabell	2,077	1,324	748	5	-	2,251	1,491	755	5	-
Outside city	465	76	384	5	-	394	7	382	5	-
Huntington (part)	1,612	1,248	364	-	-	1,857	1,484	373	-	-
Huntington (total)	1,650	1,263	387	-	-	1,878	1,484	394	-	-
Calhoun	278	20	243	14	1	253	-	238	14	1
Clay	422	34	377	10	1	387	-	376	10	1
Doddridge	125	11	113	-	1	120	5	114	-	1
Fayette	2,162	181	1,964	14	3	2,133	150	1,966	14	3
Gilmer	197	12	181	3	1	182	-	178	3	1
Grant	198	31	157	10	-	174	9	155	10	-
Greenbrier	898	70	821	6	1	868	36	825	6	1
Hampshire	275	33	237	4	1	245	2	238	4	1
Hancock	700	440	260	-	-	252	-	252	-	-
Hardy	222	26	194	-	2	195	-	193	-	2
Harrison	1,603	611	988	3	1	1,622	630	988	3	1
Outside city	960	175	782	2	1	778	1	774	2	1
Clarksburg	643	436	206	1	-	844	629	214	1	-
Jackson	352	39	306	5	2	339	31	301	5	2
Jefferson	384	128	251	2	3	311	57	249	2	3
Kanawha	5,028	2,039	2,951	31	7	5,234	2,256	2,940	31	7
Outside cities	3,114	698	2,380	30	6	2,430	41	2,353	30	6
Charleston	1,673	1,184	487	1	1	2,648	2,144	502	1	1
South Charleston	241	157	84	-	-	156	71	85	-	-
Lewis	319	99	218	2	-	338	115	221	2	-
Lincoln	552	42	462	47	1	526	20	458	47	1
Logan	2,051	130	1,911	10	-	2,039	120	1,909	10	-
McDowell	3,108	299	2,780	25	4	3,102	287	2,787	24	4
Marion	1,379	412	966	-	1	1,388	423	964	-	1
Outside city	984	177	806	-	1	1,195	355	839	-	1
Fairmont	395	235	160	-	-	193	68	125	-	-
Marshall	619	333	285	-	1	538	251	286	-	1
Outside city	355	175	179	-	1	424	229	194	-	1
Moundsville	264	158	106	-	-	114	22	92	-	-
Mason	441	39	398	4	-	416	15	397	4	-
Mercer	1,636	386	1,242	7	1	1,723	467	1,248	7	1
Outside city	1,215	148	1,059	7	1	1,180	107	1,065	7	1
Bluefield [9]	421	238	183	-	-	543	360	183	-	-
Mineral	544	197	343	3	1	499	147	348	4	-
Mingo	1,124	123	967	30	4	1,153	152	969	28	4

[9] Includes data for Bluefield, W. Va., only.

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p.125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
WEST VIRGINIA—Continued										
Monongalia	990	421	567	1	1	1,016	440	574	1	1
Outside city	618	159	457	1	1	743	250	491	1	1
Morgantown	372	262	110	-	-	273	190	83	-	-
Monroe	269	12	257	-	-	254	1	253	-	-
Morgan	150	39	109	1	1	110	-	108	1	1
Nicholas	538	59	458	16	5	550	66	463	16	5
Ohio	1,274	1,178	96	-	-	1,863	1,760	103	-	-
Outside city	115	83	30	-	-	31	2	29	-	-
Wheeling	1,161	1,095	66	-	-	1,832	1,758	74	-	-
Pendleton	248	14	213	16	5	235	1	213	16	5
Pleasants	140	14	126	-	-	127	-	127	-	-
Pocahontas	289	28	259	2	-	283	21	261	1	-
Preston	686	52	628	4	2	648	24	618	4	2
Putnam	473	44	412	14	3	430	-	412	15	3
Raleigh	2,497	284	2,178	31	4	2,481	272	2,174	31	4
Outside city	2,181	140	2,008	30	3	2,024	-	1,991	30	3
Beckley	316	144	170	1	1	457	272	183	1	1
Randolph	761	83	661	15	2	784	109	658	15	2
Ritchie	281	21	259	1	-	260	-	259	1	-
Roane	423	57	352	14	-	432	60	358	14	-
Summers	437	32	393	12	-	442	33	397	12	-
Taylor	353	54	296	3	-	350	50	297	3	-
Tucker	284	37	239	8	-	284	30	246	8	-
Tyler	202	21	181	-	-	203	19	184	-	-
Upshur	362	96	260	5	1	407	138	263	5	1
Wayne	905	94	780	30	1	831	27	775	28	1
Outside city	867	79	757	30	1	810	27	754	28	1
Huntington (part)	38	15	23	-	-	21	-	21	-	-
Webster	462	58	369	30	5	393	-	358	30	5
Wetzel	433	52	375	5	1	428	46	377	4	1
Wirt	120	14	102	4	-	106	-	102	4	-
Wood	1,153	335	615	3	-	1,287	668	616	3	-
Outside city	542	103	436	3	-	439	-	436	3	-
Parkersburg	611	432	179	-	-	848	668	180	-	-
Wyoming	938	44	885	9	-	904	11	884	9	-
WISCONSIN (total)	57,186	40,362	16,633	97	94	57,120	40,258	16,671	95	96
Adams	111	28	83	-	-	103	20	83	-	-
Ashland	416	315	98	1	2	513	416	95	-	2
Outside city	230	138	90	-	2	87	-	85	-	2
Ashland	186	177	8	1	-	426	416	10	-	-
Barron	652	383	267	1	1	711	435	274	1	1
Bayfield	239	163	73	3	-	98	24	70	4	-
Brown	1,784	1,460	323	-	1	2,091	1,772	318	-	1
Outside city	732	542	190	-	-	181	-	181	-	-
Green Bay	1,052	918	133	-	1	1,910	1,772	137	-	1
Buffalo	302	146	154	1	1	216	62	152	1	1
Burnett	204	79	123	1	1	179	54	125	-	-
Calumet	329	158	171	-	-	173	-	173	-	-
Chippewa	816	378	433	4	1	842	401	438	2	1
Outside city	615	235	376	3	1	470	93	374	2	1
Chippewa Falls	201	143	57	1	-	372	308	64	-	-
Clark	585	196	386	-	3	492	102	387	-	3
Columbia	512	332	179	-	1	588	408	179	-	1
Crawford	443	207	236	-	-	416	174	242	-	-
Dane	2,656	2,397	257	-	2	2,707	2,464	243	-	-
Outside city	1,282	1,047	233	-	2	483	257	226	-	-
Madison	1,374	1,350	24	-	-	2,244	2,227	17	-	-
Dodge	879	583	293	-	3	689	396	288	-	5
Outside cities	661	397	261	-	3	323	68	250	-	5
Beaver Dam	191	170	21	-	-	354	327	27	-	-
Watertown (part)	27	16	11	-	-	12	1	11	-	-
Door	371	211	159	1	-	357	197	159	1	-
Douglas	820	695	122	2	1	850	706	121	2	1
Outside city	180	124	54	2	-	55	-	53	2	-
Superior	640	571	68	-	1	775	706	68	-	1
Dunn	508	208	297	-	3	467	165	299	-	3
Eau Claire	920	825	92	2	1	1,054	937	92	4	1
Outside city	335	247	85	2	1	87	-	82	4	1
Eau Claire	585	578	7	-	-	947	937	10	-	-
Florence	76	30	35	7	4	43	3	29	7	4
Fond du Lac	1,065	761	304	-	-	1,248	937	311	-	-
Outside city	570	323	247	-	-	361	114	247	-	-
Fond du Lac	495	438	57	-	-	887	823	64	-	-
Forest	314	86	223	1	4	309	78	226	1	4
Grant	790	308	478	-	4	745	257	482	-	6
Green	418	349	69	-	-	473	400	72	-	1
Green Lake	197	112	81	-	4	210	126	80	-	4
Iowa	389	273	115	-	1	405	295	109	-	1
Iron	176	110	59	1	6	87	-	60	1	6
Jackson	354	269	83	-	2	341	255	84	-	2
Jefferson	543	359	180	-	4	547	365	179	-	3
Outside city	420	264	153	-	3	183	33	148	-	2
Watertown (part)	123	95	27	-	1	364	332	31	-	1
Watertown (total)	150	111	38	-	1	376	333	42	-	1

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
WISCONSIN—Continued										
Juneau	370	128	239	3	-	361	115	243	3	-
Kenosha	996	941	52	3	-	982	927	52	3	-
Outside city	175	149	25	1	-	26	-	25	1	-
Kenosha	821	792	27	2	-	956	927	27	2	-
Kewaunee	352	148	204	-	-	316	113	203	-	-
La Crosse	1,253	948	283	-	2	1,577	1,285	288	-	4
Outside city	365	247	118	-	-	119	-	117	-	2
La Crosse	868	701	165	-	2	1,458	1,285	171	-	2
Lafayette	327	190	137	-	-	212	78	134	-	-
Langlade	489	193	292	1	3	493	198	291	1	3
Lincoln	459	320	138	1	-	519	375	143	1	-
Manitowoc	1,173	830	342	1	-	1,110	769	340	1	-
Outside cities	520	291	228	1	-	218	1	216	1	-
Manitowoc	456	371	85	-	-	659	566	93	-	-
Two Rivers	197	168	29	-	-	233	202	31	-	-
Marathon	1,494	948	543	2	1	1,450	902	545	2	1
Outside city	879	413	463	2	1	457	-	454	2	1
Wausau	615	535	80	-	-	993	902	91	-	-
Marinette	602	433	165	2	2	479	306	169	2	2
Outside city	393	241	148	2	2	159	6	149	2	2
Marinette	209	192	17	-	-	320	300	20	-	-
Marquette	111	41	69	1	-	76	3	72	1	-
Milwaukee	12,874	10,643	2,215	15	1	13,358	11,144	2,198	15	1
Outside cities	1,442	1,115	323	4	-	1,089	760	325	4	-
Cudahy	245	188	57	-	-	62	4	58	-	-
Milwaukee	9,654	7,979	1,664	10	1	11,794	10,137	1,646	10	1
Shorewood	187	183	4	-	-	4	-	4	-	-
South Milwaukee	173	124	49	-	-	150	101	49	-	-
Wauwatosa	441	426	15	-	-	148	135	13	-	-
West Allis	732	628	103	1	-	111	7	103	1	-
Monroe	619	295	321	2	1	657	328	327	1	1
Oconto	452	209	243	-	-	400	156	244	-	-
Oneida	403	235	167	-	1	404	238	165	-	1
Outagamie	1,519	1,085	433	1	-	1,681	1,224	436	1	-
Outside city	901	538	363	-	-	611	247	364	-	-
Appleton	618	547	70	1	-	1,050	977	72	1	-
Ozaukee	320	248	72	-	-	208	131	77	-	-
Pepin	171	82	85	3	1	146	57	86	2	1
Pierce	403	255	143	1	4	325	178	142	1	4
Polk	445	225	219	-	1	485	258	225	1	1
Portage	683	298	379	-	6	676	286	384	-	6
Outside city	381	117	258	-	6	287	22	259	-	6
Stevens Point	302	181	121	-	-	389	264	125	-	-
Price	303	108	193	-	2	294	95	197	-	2
Racine	1,520	1,414	100	2	4	1,550	1,447	97	2	4
Outside city	393	327	66	-	-	264	201	63	-	-
Racine	1,127	1,087	34	2	4	1,286	1,246	34	2	4
Richland	428	163	265	-	-	477	206	271	-	-
Rock	1,483	1,205	278	-	-	1,556	1,281	275	-	-
Outside cities	519	389	130	-	-	274	157	117	-	-
Beloit	565	505	60	-	-	754	692	62	-	-
Janesville	399	311	88	-	-	528	432	96	-	-
Rusk	325	196	114	8	5	330	202	115	8	5
St. Croix	463	269	193	-	1	392	199	192	-	1
Sauk	586	375	211	-	-	601	383	218	-	-
Sawyer	255	111	112	12	-	258	128	118	12	-
Shawano	743	474	263	4	2	675	402	267	4	2
Sheboygan	1,417	1,258	159	-	-	1,514	1,355	159	-	-
Outside city	658	539	119	-	-	281	163	118	-	-
Sheboygan	759	719	40	-	-	1,233	1,192	41	-	-
Taylor	404	134	267	3	-	363	99	261	3	-
Trempealeau	417	261	154	-	2	431	278	151	-	2
Vernon	549	230	319	-	-	441	123	318	-	-
Vilas	164	76	87	1	-	100	15	84	1	-
Walworth	503	404	99	-	-	494	387	107	-	-
Washburn	251	84	163	2	2	193	29	160	2	2
Washington	537	337	199	-	1	550	347	203	-	-
Waukesha	1,157	933	221	2	1	947	725	219	2	1
Outside city	798	620	175	2	1	293	118	172	2	1
Waukesha	359	313	46	-	-	654	607	47	-	-
Waupaca	559	294	263	1	1	453	183	268	1	1
Waushara	197	71	126	-	-	143	16	127	-	-
Winnebago	1,551	1,167	383	1	-	1,422	1,041	380	1	-
Outside cities	340	227	112	1	-	101	-	100	1	-
Menasha	259	233	26	-	-	23	-	23	-	-
Neenah	233	221	12	-	-	469	453	16	-	-
Oshkosh	719	486	233	-	-	829	588	241	-	-
Wood	1,032	682	350	-	-	1,147	797	350	-	-
Outside cities	529	297	232	-	-	232	-	232	-	-
Marshfield	228	164	64	-	-	462	398	64	-	-
Wisconsin Rapids	275	221	54	-	-	453	399	54	-	-

TABLE 7.—BIRTHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND BIRTHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY PERSON IN ATTENDANCE: 1941—Continued

(See headnote on p. 125)

AREA	BIRTHS OF RESIDENTS OF AREA					BIRTHS OCCURRING IN AREA				
	Total	Attended by—				Total	Attended by—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
WYOMING (total)	5,322	4,068	1,243	3	8	5,181	3,945	1,225	3	8
Albany	278	267	11	-	-	284	273	11	-	-
Outside city	45	41	4	-	-	3	-	3	-	-
Laramie	233	226	7	-	-	281	273	8	-	-
Big Horn	328	252	76	-	-	311	238	73	-	-
Campbell	106	101	5	-	-	112	111	1	-	-
Carbon	235	190	45	-	-	221	181	40	-	-
Converse	133	61	71	1	-	120	50	69	1	-
Crook	75	32	40	-	3	59	16	40	-	3
Fremont	364	243	121	-	-	356	236	120	-	-
Goshen	260	143	117	-	-	241	124	117	-	-
Hot Springs	112	60	52	-	-	108	58	50	-	-
Johnson	88	57	31	-	-	79	44	35	-	-
Laramie	787	680	107	-	-	754	651	103	-	-
Outside city	96	70	26	-	-	104	78	26	-	-
Cheyenne	691	610	81	-	-	650	573	77	-	-
Lincoln	264	186	78	-	-	252	175	77	-	-
Natrona	422	370	50	-	2	446	391	53	-	2
Outside city	68	50	16	-	2	28	11	15	-	2
Casper	354	320	34	-	-	418	380	38	-	-
Niobrara	114	82	32	-	-	115	83	32	-	-
Park	245	164	81	-	-	239	156	83	-	-
Platte	178	131	46	-	1	164	118	45	-	1
Sheridan	343	305	38	-	-	389	350	39	-	-
Outside city	131	120	11	-	-	11	-	11	-	-
Sheridan	212	185	27	-	-	378	350	28	-	-
Sublette	53	34	19	-	-	14	-	14	-	-
Sweetwater	431	412	19	-	-	459	439	20	-	-
Teton	59	54	5	-	-	61	56	5	-	-
Uinta	160	53	107	-	-	107	5	102	-	-
Washakie	159	101	54	2	2	169	109	56	2	2
Weston	118	80	38	-	-	116	76	40	-	-
Yellowstone National Park (part)	10	10	-	-	-	5	5	-	-	-
Yellowstone National Park (total)	10	10	-	-	-	5	5	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 8.—DEATHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941

(Exclusive of stillbirths)

STATE OF RESIDENCE	Total deaths of residents	DEATHS OF RESIDENTS OCCURRING IN—		DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]													
		Place of residence	Other areas of same State	Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.	Ind.
UNITED STATES	1,397,642	1,150,851	213,108	33,703	509	715	496	1,366	435	431	145	1,224	2,124	715	265	1,387	916
Alabama	28,782	24,291	3,915	576	...	2	7	4	-	-	-	4	104	167	-	9	1
Arizona	5,452	4,373	901	178	-	...	-	99	4	-	-	-	2	-	-	1	-
Arkansas	16,402	13,963	1,791	648	5	8	...	15	2	-	-	2	3	2	5	14	7
California	80,943	62,319	17,736	888	6	136	6	...	31	-	-	7	19	8	18	29	9
Colorado	11,988	9,610	2,063	315	1	24	-	61	...	-	-	2	3	1	9	7	1
Connecticut	18,188	14,590	3,026	572	1	2	-	6	3	...	-	4	60	1	-	2	1
Delaware	3,244	2,838	458	148	-	1	-	-	-	-	...	1	8	-	-	1	-
District of Columbia	7,999	7,446	...	553	2	1	1	7	3	3	1	...	34	6	-	4	2
Florida	21,632	17,600	3,399	633	78	6	2	5	2	3	2	12	...	177	-	20	9
Georgia	31,654	27,268	3,753	633	128	2	2	2	4	-	-	15	159	...	-	5	-
Idaho	4,462	3,204	979	279	-	7	-	26	3	-	-	-	-	-	...	1	-
Illinois	86,582	72,253	11,857	2,472	16	52	31	103	20	3	-	6	141	11	5	...	398
Indiana	39,851	32,432	6,353	1,066	1	16	3	22	8	1	2	2	68	6	-	320	...
Iowa	25,677	20,412	4,546	719	1	21	8	51	12	1	-	1	12	1	-	109	10
Kansas	18,448	14,441	3,270	737	2	16	11	35	58	1	-	-	4	-	7	26	6
Kentucky	30,403	26,681	2,903	819	11	8	4	6	2	-	-	5	24	7	2	52	113
Louisiana	23,849	18,669	4,851	329	23	1	20	4	5	-	-	1	12	6	1	15	3
Maine	10,468	8,319	1,898	251	-	1	-	5	-	6	-	1	21	2	-	1	-
Maryland	21,998	18,548	2,491	959	1	3	-	6	4	2	48	570	28	7	-	2	3
Massachusetts	50,598	42,123	7,650	825	2	3	2	13	3	94	1	9	106	5	1	2	-
Michigan	52,733	41,877	9,982	874	4	11	6	44	5	9	-	3	116	4	2	126	100
Minnesota	26,140	20,912	4,627	601	-	13	2	61	6	-	-	5	11	1	7	38	7
Mississippi	22,832	19,686	2,540	606	102	3	17	3	1	-	-	2	12	5	1	12	8
Missouri	42,994	35,518	6,206	1,270	4	26	104	48	29	1	-	2	20	3	7	210	11
Montana	5,673	4,194	1,245	234	-	9	1	26	4	-	-	-	2	-	27	3	2
Nebraska	12,330	10,109	1,783	438	-	8	6	44	53	-	-	1	5	-	3	17	1
Nevada	1,368	927	321	120	-	2	-	65	1	-	-	-	-	-	8	1	1
New Hampshire	6,073	5,070	702	301	-	1	-	4	1	3	1	2	23	1	-	-	1
New Jersey	45,966	34,117	10,121	1,728	2	8	3	20	3	26	24	10	143	10	-	2	3
New Mexico	5,639	4,546	787	306	-	87	-	24	20	1	-	-	-	-	1	-	2
New York	148,030	131,817	13,778	2,435	12	32	9	76	17	228	10	44	470	33	1	36	15
North Carolina	31,752	26,073	5,116	563	7	2	1	5	1	2	-	19	31	21	-	7	1
North Dakota	5,281	3,930	1,119	232	-	1	2	10	2	-	-	-	2	-	1	5	1
Ohio	78,137	66,775	9,899	1,463	5	32	8	39	6	2	3	7	186	8	1	79	153
Oklahoma	20,459	16,059	3,578	802	3	38	96	51	25	-	-	1	3	2	4	25	2
Oregon	11,959	9,382	2,304	273	1	15	-	78	2	-	-	-	1	3	22	1	1
Pennsylvania	108,748	87,831	18,970	1,947	5	14	5	30	7	16	47	39	140	11	1	12	8
Rhode Island	7,888	6,322	1,295	271	-	3	-	2	-	14	1	3	11	-	-	1	-
South Carolina	20,617	17,146	3,074	397	4	1	-	-	1	1	-	7	20	147	-	1	-
South Dakota	5,693	4,389	975	329	-	1	4	13	4	-	-	-	4	-	2	10	-
Tennessee	28,623	24,604	3,420	599	49	7	21	6	3	1	-	6	30	41	-	21	10
Texas	60,581	51,732	7,912	937	22	62	103	71	20	-	2	7	12	5	3	45	5
Utah	4,518	3,555	811	152	1	4	-	49	10	-	-	-	2	-	40	1	-
Vermont	4,402	3,501	700	201	1	-	-	-	-	5	-	-	9	-	-	-	-
Virginia	30,700	25,249	4,420	1,031	5	3	2	4	3	5	3	406	28	5	-	1	2
Washington	19,199	14,899	3,805	495	-	7	3	87	3	-	-	1	5	1	70	3	-
West Virginia	17,837	14,151	3,065	621	2	3	3	3	1	1	-	13	22	5	1	3	3
Wisconsin	30,678	23,580	6,401	697	2	7	3	21	4	2	-	4	28	1	1	102	16
Wyoming	2,192	1,700	312	180	-	5	-	12	39	-	-	-	-	1	12	5	2

[1] The figures given in the row opposite each State in the stub show the number of deaths of residents of that State which occurred in each State named at the top of the column.

TABLE 8.—DEATHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

STATE OF RESIDENCE	DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued																	
	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES	785	756	531	548	234	928	936	811	1,079	649	1,404	187	311	152	342	1,203	387	2,093
Alabama	1	1	6	21	-	8	1	7	1	56	4	-	-	-	-	1	-	8
Arizona	-	1	-	-	-	1	1	-	1	-	2	-	-	4	-	-	31	2
Arkansas	3	15	8	34	-	1	2	10	5	20	94	1	2	-	-	1	9	3
California	24	21	5	7	3	5	18	15	21	1	23	12	13	91	2	8	39	27
Colorado	11	24	1	2	-	-	-	4	7	-	16	3	13	-	-	-	27	1
Connecticut	1	-	1	4	12	5	132	2	-	-	-	2	-	-	5	19	-	216
Delaware	-	-	-	1	1	33	-	-	-	-	-	-	-	-	-	19	1	4
District of Columbia	-	-	3	-	3	271	13	2	3	1	3	2	1	-	1	17	1	31
Florida	2	1	1	15	1	23	14	13	8	8	6	-	-	-	5	12	2	52
Georgia	-	1	9	16	-	7	-	6	3	6	2	1	1	-	-	5	-	8
Idaho	4	3	-	-	-	-	1	-	3	-	2	17	1	7	-	-	1	-
Illinois	271	18	45	18	3	5	6	158	90	6	538	5	15	1	1	7	19	38
Indiana	3	4	121	3	-	3	3	126	15	7	23	4	1	-	-	3	9	10
Iowa	...	12	3	9	-	2	2	10	171	3	60	2	97	3	-	2	3	4
Kansas	13	...	-	4	-	1	-	5	15	2	350	3	60	1	-	1	14	3
Kentucky	1	3	...	12	-	7	3	10	1	7	14	-	-	-	1	4	4	4
Louisiana	1	4	-	...	-	5	-	1	1	121	8	-	1	1	-	3	3	4
Maine	-	1	-	-	...	2	111	-	-	-	1	-	-	-	53	3	-	23
Maryland	2	-	2	-	2	...	6	2	1	-	3	-	-	-	1	21	-	38
Massachusetts	8	1	-	2	86	5	...	4	4	1	5	-	-	-	133	21	-	104
Michigan	-	3	16	9	-	9	8	...	38	5	17	2	3	-	-	8	3	30
Minnesota	62	3	1	4	-	-	-	11	...	1	10	15	9	-	-	-	4	6
Mississippi	1	-	5	120	-	1	2	2	1	...	7	1	-	-	-	1	1	1
Missouri	103	376	27	7	-	3	3	21	22	9	...	2	18	1	2	3	22	8
Montana	6	-	-	1	-	-	-	2	29	-	2	...	1	3	1	-	-	-
Nebraska	129	39	-	2	2	1	2	4	23	-	23	3	...	2	-	1	6	4
Nevada	-	1	-	-	-	-	-	1	1	-	-	1	-	...	-	2	1	2
New Hampshire	-	-	-	-	49	-	145	-	-	-	-	-	-	-	...	-	-	18
New Jersey	3	1	2	4	5	29	31	6	4	1	5	-	1	-	8	...	3	777
New Mexico	1	5	-	2	-	-	1	-	3	-	2	1	1	1	-	-	...	-
New York	7	6	6	8	31	63	157	31	14	5	17	2	3	-	20	526	3	...
North Carolina	-	-	3	6	-	22	3	3	1	1	2	-	-	-	-	3	-	15
North Dakota	4	-	1	-	1	-	-	4	138	-	2	34	-	2	-	-	-	-
Ohio	4	7	98	16	2	18	14	168	17	11	13	1	5	2	-	8	11	51
Oklahoma	5	164	-	6	-	2	2	3	9	3	68	-	4	-	-	-	50	5
Oregon	-	-	-	-	-	-	1	1	5	-	3	8	2	5	-	1	1	5
Pennsylvania	4	4	4	8	16	181	23	25	5	6	8	3	4	-	5	479	3	459
Rhode Island	-	-	1	1	10	-	172	1	-	1	-	-	-	-	9	2	1	24
South Carolina	-	-	2	1	-	10	-	2	-	1	3	-	-	-	-	1	-	5
South Dakota	61	2	-	1	-	-	-	3	107	-	4	5	31	1	-	1	2	-
Tennessee	1	1	100	8	-	9	-	13	2	49	20	1	1	-	-	4	2	14
Texas	8	26	3	176	1	3	2	17	13	15	23	1	2	4	-	3	99	12
Utah	-	2	-	-	-	-	-	-	3	-	1	1	1	19	-	-	2	2
Vermont	-	-	-	-	5	1	47	-	1	-	-	-	-	-	94	2	-	32
Virginia	1	-	30	1	1	97	4	5	2	-	4	1	-	-	-	6	2	22
Washington	4	1	1	1	-	-	3	1	11	-	1	21	-	2	-	1	4	4
West Virginia	1	-	25	2	-	92	1	8	3	1	7	1	-	1	-	1	-	10
Wisconsin	33	2	1	14	-	3	2	102	272	1	4	5	2	-	1	3	2	6
Wyoming	2	3	-	-	-	-	-	2	7	-	4	26	18	1	-	-	2	1

[1] The figures given in the row opposite each State in the stub show the number of deaths of residents of that State which occurred in each State named at the top of the column.

TABLE 8.—DEATHS OF RESIDENTS, BY PLACE OF OCCURRENCE: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

STATE OF RESIDENCE	DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W.Va.	Wis.	Wyo.
UNITED STATES	767	253	1,289	330	422	1,414	247	303	[2]1	1,189	780	194	121	795	402	622	648	186
Alabama	29	-	3	1	4	3	1	3	-	101	7	-	-	8	2	-	1	-
Arizona	-	-	1	2	1	1	-	1	-	1	17	4	-	-	1	-	-	-
Arkansas	2	-	1	26	1	2	-	-	-	291	48	-	-	2	2	-	1	1
California	3	2	17	22	77	11	1	-	-	3	45	28	2	6	45	3	4	15
Colorado	1	-	4	10	2	2	-	-	-	2	17	17	-	2	3	-	-	37
Connecticut	5	-	-	1	-	13	58	2	-	-	3	-	6	4	-	-	-	1
Delaware	-	-	1	-	-	73	-	-	-	2	-	-	-	1	1	-	-	-
District of Columbia	22	-	7	-	-	17	3	5	-	1	-	-	5	74	-	3	-	-
Florida	55	-	14	1	-	25	2	14	-	15	8	-	1	8	-	6	5	-
Georgia	58	-	6	-	-	5	-	65	-	97	2	-	-	16	1	-	1	-
Idaho	-	-	-	1	29	-	-	-	-	1	1	51	-	-	110	-	-	10
Illinois	13	1	44	6	3	26	-	3	-	30	21	5	-	5	3	3	272	7
Indiana	7	2	204	3	-	10	1	-	-	14	13	2	-	2	1	4	19	-
Iowa	1	6	7	4	8	1	-	-	1	1	12	1	-	3	3	1	57	3
Kansas	-	1	1	59	1	1	-	-	-	-	16	1	-	1	7	4	3	6
Kentucky	12	-	248	2	1	8	-	4	-	97	8	1	-	29	1	103	-	-
Louisiana	5	-	4	-	3	-	-	-	-	8	59	2	-	1	2	-	1	-
Maine	2	-	1	1	-	5	6	1	-	-	-	-	-	-	1	-	3	-
Maryland	25	-	5	-	-	79	2	5	-	4	4	-	-	44	1	38	-	-
Massachusetts	13	-	7	2	-	9	126	3	-	-	8	-	22	15	1	1	2	1
Michigan	7	-	154	6	-	19	1	-	-	12	4	2	1	3	3	3	77	1
Minnesota	1	148	4	-	4	4	-	-	-	-	8	3	-	1	9	-	139	3
Mississippi	9	-	3	2	1	5	-	1	-	266	8	-	-	2	2	-	-	-
Missouri	7	1	21	30	5	7	-	1	-	55	35	2	-	-	3	1	9	1
Montana	-	29	-	-	17	-	-	-	-	-	1	2	-	-	48	1	1	16
Nebraska	-	-	2	8	5	2	-	-	-	1	3	1	1	-	2	-	4	30
Nevada	-	-	-	1	2	1	-	-	-	-	1	26	-	-	1	-	-	1
New Hampshire	1	-	-	-	-	3	1	1	-	-	1	-	43	2	-	-	-	-
New Jersey	14	-	9	1	2	514	8	9	-	5	4	2	2	21	-	2	1	-
New Mexico	-	-	-	7	-	2	-	1	-	-	135	3	-	-	4	-	-	2
New York	53	-	53	6	3	267	22	18	-	8	14	1	31	57	-	9	6	5
North Carolina	...	-	3	-	-	8	-	125	-	38	4	-	-	221	1	5	2	-
North Dakota	-	...	-	-	2	1	-	-	-	-	2	-	-	-	9	-	7	1
Ohio	8	-	...	2	6	169	4	5	-	17	14	3	1	10	1	259	9	-
Oklahoma	-	1	3	...	3	1	-	1	-	6	199	3	-	1	3	-	2	8
Oregon	-	1	2	1	...	1	-	-	-	-	2	-	-	-	105	-	1	4
Pennsylvania	28	-	212	3	-	...	5	8	-	12	9	1	2	39	2	48	4	2
Rhode Island	1	-	1	-	-	7	...	-	-	-	1	-	2	2	-	-	-	-
South Carolina	160	-	1	-	1	3	1	...	-	6	-	-	-	17	-	1	-	-
South Dakota	1	40	-	3	4	-	-	1	...	-	5	1	-	-	6	-	5	7
Tennessee	50	-	12	4	-	6	2	5	-	...	19	1	-	74	-	4	2	-
Texas	2	1	8	113	1	7	1	2	-	12	...	1	1	7	3	-	6	7
Utah	-	-	1	-	2	-	-	-	-	-	-	...	-	-	1	-	-	10
Vermont	-	-	-	-	-	1	1	2	-	-	-	-	...	-	-	-	-	-
Virginia	156	-	9	-	-	25	-	13	-	56	8	-	1	...	-	120	-	-
Washington	1	7	3	2	230	2	1	-	-	2	3	1	-	-	...	1	4	3
West Virginia	14	-	204	-	1	65	-	3	-	2	2	1	-	113	3	...	-	-
Wisconsin	1	11	9	-	-	3	-	1	-	3	7	1	-	4	7	2	...	4
Wyoming	-	2	-	-	3	-	-	-	-	-	2	27	-	-	4	-	-	...

[1] The figures given in the row opposite each State in the stub show the number of deaths of residents of that State which occurred in each State named at the top of the column.

[2] Incomplete; reports of 245 deaths in South Dakota of residents from other States were received too late for tabulation.

TABLE 9.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,397,642	146,094	122,570	127,462	115,931	115,473	110,755	112,412	105,863	101,304	108,962	112,762	118,054
Cities of 100,000 or more	423,036	42,688	36,753	38,235	35,219	35,021	33,722	33,772	31,853	30,792	33,555	34,585	36,843
Cities of 25,000 to 100,000	166,711	17,353	14,325	15,145	13,671	13,976	13,305	13,180	12,632	12,083	13,056	13,584	14,401
Cities of 10,000 to 25,000	111,042	11,579	9,513	9,974	9,323	9,056	8,827	8,784	8,282	8,134	8,850	9,144	9,576
Cities of 2,500 to 10,000	141,315	14,810	12,514	12,823	11,632	11,853	11,020	11,589	10,807	10,214	11,021	11,373	11,859
Rural	555,538	59,664	49,665	51,287	46,086	45,567	43,881	45,087	42,289	40,081	42,480	44,076	45,375
ALABAMA	28,782	3,235	2,628	2,852	2,404	2,300	2,273	2,307	2,165	1,969	2,133	2,286	2,232
Cities of 100,000 or more	3,228	360	251	277	245	266	240	274	268	246	241	287	273
Cities of 25,000 to 100,000	3,423	405	261	323	248	249	272	259	283	249	285	277	312
Cities of 10,000 to 25,000	1,619	175	133	148	124	134	145	128	116	108	117	126	167
Cities of 2,500 to 10,000	2,355	273	224	226	191	186	194	198	154	160	164	183	202
Rural	18,157	2,022	1,759	1,878	1,596	1,465	1,422	1,448	1,344	1,206	1,326	1,413	1,278
ARIZONA	5,452	497	386	449	438	517	500	469	416	422	427	409	522
Cities of 25,000 to 100,000	1,818	178	145	173	170	179	169	169	113	123	122	126	151
Cities of 2,500 to 10,000	1,052	104	78	87	87	104	106	79	84	72	80	73	98
Rural	2,582	215	163	189	181	234	225	221	219	227	225	210	273
ARKANSAS	16,402	1,925	1,445	1,515	1,320	1,278	1,341	1,352	1,228	1,177	1,254	1,234	1,333
Cities of 25,000 to 100,000	1,866	234	165	185	148	176	129	148	134	138	125	130	154
Cities of 10,000 to 25,000	1,534	166	122	138	116	99	138	127	107	111	115	147	148
Cities of 2,500 to 10,000	2,305	266	203	224	177	171	178	175	174	162	194	191	190
Rural	10,697	1,259	955	968	879	832	896	902	813	766	820	766	841
CALIFORNIA	80,943	7,715	6,430	6,974	6,791	6,769	6,302	6,524	6,244	6,249	6,771	6,816	7,358
Cities of 100,000 or more	35,529	3,466	2,875	3,080	2,904	2,926	2,774	2,783	2,801	2,701	2,988	2,938	3,293
Cities of 25,000 to 100,000	11,120	1,080	873	933	896	939	858	923	833	873	897	965	1,052
Cities of 10,000 to 25,000	5,776	524	468	489	510	487	419	462	412	466	547	495	497
Cities of 2,500 or 10,000	7,455	631	556	646	628	685	569	573	586	585	660	631	705
Rural	21,063	2,014	1,658	1,826	1,853	1,732	1,684	1,783	1,612	1,624	1,679	1,787	1,811
COLORADO	11,988	1,336	900	968	979	1,018	912	894	1,002	1,023	947	967	1,042
Cities of 100,000 or more	3,874	455	297	309	308	345	306	275	316	324	319	314	326
Cities of 25,000 to 100,000	1,128	106	63	87	130	97	88	89	97	85	90	80	116
Cities of 10,000 to 25,000	919	94	58	86	69	71	74	68	94	87	72	70	76
Cities of 2,500 or 10,000	1,537	158	126	144	126	129	112	118	119	136	112	118	139
Rural	4,530	543	356	342	346	376	332	344	376	391	354	385	385
CONNECTICUT	18,188	1,987	1,662	1,575	1,514	1,428	1,430	1,336	1,408	1,287	1,452	1,518	1,591
Cities of 100,000 or more	5,034	545	492	424	416	375	392	372	395	371	385	411	456
Cities of 25,000 to 100,000	4,950	558	438	439	432	380	387	359	355	327	414	435	426
Cities of 10,000 to 25,000	1,947	221	183	159	159	168	146	147	171	131	143	156	163
Cities of 2,500 to 10,000	593	73	50	55	48	40	43	47	35	51	59	53	59
Rural	5,664	590	499	498	459	465	462	411	452	407	471	463	487
DELAWARE	3,244	362	294	304	280	262	246	229	235	213	249	264	306
Cities of 100,000 or more	1,303	146	129	117	113	96	103	82	103	86	99	102	127
Cities of 2,500 to 10,000	397	40	41	43	40	37	23	23	32	23	34	27	34
Rural	1,544	176	124	144	127	129	120	124	100	104	116	135	145
DISTRICT OF COLUMBIA	7,999	777	681	673	655	677	657	634	595	635	636	669	710
FLORIDA	21,632	2,252	1,918	2,019	1,807	1,719	1,705	1,726	1,776	1,528	1,647	1,653	1,882
Cities of 100,000 or more	5,549	581	474	540	468	439	440	442	470	381	452	410	452
Cities of 25,000 to 100,000	2,599	255	242	264	194	203	230	207	189	190	195	213	217
Cities of 10,000 to 25,000	2,088	205	197	198	174	158	174	177	162	157	137	168	181
Cities of 2,500 to 10,000	2,962	345	269	264	254	256	227	238	211	169	218	235	276
Rural	8,434	866	736	753	717	663	634	662	744	631	645	627	756
GEORGIA	31,654	3,510	2,767	3,052	2,553	2,661	2,594	2,595	2,439	2,187	2,252	2,469	2,555
Cities of 100,000 or more	3,677	418	309	342	273	306	300	329	268	230	266	309	327
Cities of 25,000 to 100,000	4,447	470	396	427	367	373	339	347	363	303	315	352	395
Cities of 10,000 to 25,000	2,389	251	206	220	199	187	181	205	183	166	184	193	214
Cities of 2,500 to 10,000	3,446	368	293	309	278	289	295	298	251	227	251	300	287
Rural	17,695	2,003	1,563	1,754	1,436	1,526	1,479	1,416	1,374	1,261	1,256	1,315	1,332
IDAHO	4,462	427	352	401	342	371	380	384	324	363	371	343	404
Cities of 25,000 to 100,000	312	26	17	32	17	23	24	30	18	28	27	29	41
Cities of 10,000 to 25,000	794	83	74	72	60	58	61	58	57	59	61	67	84
Cities of 2,500 to 10,000	815	76	63	67	69	78	68	73	74	66	64	57	62
Rural	2,541	242	198	230	196	214	227	223	175	210	219	190	217
ILLINOIS	86,582	8,475	7,430	7,859	7,332	7,277	6,985	7,270	6,527	6,116	6,764	7,217	7,330
Cities of 100,000 or more	38,136	3,546	3,290	3,463	3,260	3,217	3,071	3,251	2,800	2,784	3,046	3,154	3,274
Cities of 25,000 to 100,000	11,280	1,108	975	1,035	971	959	929	928	828	778	885	936	988
Cities of 10,000 to 25,000	6,193	631	535	532	512	532	521	516	462	415	513	500	524
Cities of 2,500 to 10,000	8,201	822	685	800	673	645	615	703	627	598	612	715	706
Rural	22,772	2,368	1,945	2,029	1,916	1,944	1,849	1,892	1,810	1,541	1,708	1,912	1,858
INDIANA	39,851	3,961	3,448	3,625	3,319	3,527	3,121	3,326	3,038	2,849	3,089	3,246	3,302
Cities of 100,000 or more	8,238	787	711	728	693	720	639	737	653	593	634	654	689
Cities of 25,000 to 100,000	6,897	649	566	624	548	639	533	544	544	528	572	588	564
Cities of 10,000 to 25,000	2,942	297	257	306	255	272	238	251	191	173	227	233	242
Cities of 2,500 to 10,000	4,328	440	390	386	347	380	331	369	327	323	358	358	319
Rural	17,446	1,788	1,524	1,581	1,476	1,516	1,380	1,425	1,323	1,234	1,298	1,413	1,488
IOWA	25,677	2,540	2,276	2,392	2,142	2,196	2,035	2,226	1,944	1,797	1,992	2,047	2,090
Cities of 100,000 or more	1,593	150	127	138	133	149	139	122	122	119	117	130	147
Cities of 25,000 to 100,000	4,814	457	415	449	391	411	371	424	387	341	397	387	384
Cities of 10,000 to 25,000	1,741	153	164	148	148	142	147	134	136	137	144	142	146
Cities of 2,500 to 10,000	4,201	415	369	390	365	359	323	406	338	276	329	297	334
Rural	13,328	1,365	1,201	1,267	1,105	1,135	1,055	1,140	961	924	1,005	1,091	1,079
KANSAS	18,448	1,972	1,619	1,749	1,515	1,519	1,451	1,573	1,359	1,341	1,382	1,471	1,497
Cities of 100,000 or more	2,504	242	226	238	200	227	192	187	181	172	204	220	215
Cities of 25,000 to 100,000	1,051	122	81	100	76	86	88	81	73	81	76	98	89
Cities of 10,000 to 25,000	2,635	259	227	262	224	204	234	249	170	187	194	213	212
Cities of 2,500 to 10,000	2,480	265	222	225	197	210	184	235	191	186	196	185	184
Rural	9,778	1,084	863	924	818	792	753	821	744	715	712	755	797
KENTUCKY	30,403	3,672	2,518	2,844	2,493	2,357	2,444	2,537	2,325	2,146	2,289	2,376	2,402
Cities of 100,000 or more	4,213	418	328	386	338	336	353	363	351	317	351	337	355
Cities of 25,000 to 100,000	3,121	361	268	317	256	238	259	256	253	236	227	232	238
Cities of 10,000 to 25,000	1,159	137	80	104	106	100	112	108	74	63	97	88	88
Cities of 2,500 to 10,000	3,463	415	266	299	287	268	278	266	268	245	286	285	310
Rural	18,447	2,341	1,576	1,738	1,526	1,425	1,442	1,544	1,379	1,285	1,348	1,434	1,411

TABLE 9.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA	23,849	2,620	2,060	2,112	1,855	1,851	1,768	1,952	1,930	1,852	1,801	2,038	2,010
Cities of 100,000 or more	6,160	663	531	513	484	478	464	520	543	466	444	534	520
Cities of 25,000 to 100,000	2,349	243	191	198	190	203	170	205	191	173	169	198	218
Cities of 10,000 to 25,000	906	107	78	90	66	72	73	64	61	73	73	67	82
Cities of 2,500 to 10,000	3,408	362	309	299	285	279	246	265	293	267	250	297	256
Rural	11,026	1,245	951	1,012	830	819	815	898	842	873	865	942	934
MAINE	10,468	1,230	871	925	862	882	860	744	718	750	844	888	894
Cities of 25,000 to 100,000	1,791	203	125	154	155	154	162	144	125	138	139	154	158
Cities of 10,000 to 25,000	1,215	127	113	109	108	107	124	81	79	71	83	107	106
Cities of 2,500 to 10,000	1,031	119	89	94	87	72	89	75	77	58	94	88	89
Rural	6,431	781	544	568	512	549	485	444	437	483	528	559	541
MARYLAND	21,998	2,207	1,936	2,076	1,920	1,818	1,629	1,695	1,635	1,615	1,778	1,797	1,892
Cities of 100,000 or more	10,797	1,008	900	1,042	956	921	854	827	770	794	874	902	949
Cities of 25,000 to 100,000	766	81	61	67	62	81	74	62	57	57	53	56	55
Cities of 10,000 to 25,000	859	100	68	72	81	76	64	59	64	63	78	69	65
Cities of 2,500 to 10,000	898	100	80	94	59	74	64	85	67	59	69	68	79
Rural	8,678	918	827	801	762	666	573	662	677	642	704	702	744
MASSACHUSETTS	50,598	6,249	4,327	4,660	4,184	4,240	4,080	3,700	3,547	3,479	3,771	4,077	4,284
Cities of 100,000 or more	20,073	2,552	1,700	1,890	1,700	1,613	1,621	1,470	1,348	1,329	1,531	1,587	1,752
Cities of 25,000 to 100,000	12,718	1,539	1,100	1,157	1,002	1,129	1,066	967	907	904	957	980	1,030
Cities of 10,000 to 25,000	8,300	988	675	731	692	672	676	590	592	614	620	731	719
Cities of 2,500 to 10,000	3,104	402	277	282	259	251	211	240	232	225	236	238	251
Rural	6,403	768	575	600	531	575	506	433	468	407	447	541	552
MICHIGAN	52,733	5,217	4,625	4,744	4,321	4,359	4,270	4,370	4,019	3,874	4,261	4,316	4,357
Cities of 100,000 or more	17,344	1,638	1,556	1,608	1,443	1,428	1,415	1,469	1,299	1,225	1,365	1,428	1,472
Cities of 25,000 to 100,000	7,863	782	661	733	614	665	587	656	615	602	618	666	664
Cities of 10,000 to 25,000	3,296	348	270	299	264	254	282	280	253	239	289	256	262
Cities of 2,500 to 10,000	4,717	490	402	435	357	413	367	359	363	357	396	386	392
Rural	19,513	1,959	1,736	1,669	1,643	1,599	1,619	1,606	1,489	1,451	1,595	1,582	1,567
MINNESOTA	26,140	2,503	2,253	2,380	2,106	2,194	2,086	2,251	2,082	1,947	2,093	2,063	2,182
Cities of 100,000 or more	8,651	824	753	769	740	714	663	759	660	659	658	694	778
Cities of 25,000 to 100,000	391	39	40	32	31	30	34	33	25	40	28	25	34
Cities of 10,000 to 25,000	1,721	148	139	138	129	164	143	148	154	132	157	144	145
Cities of 2,500 to 10,000	3,443	313	312	323	287	319	273	288	280	268	267	252	261
Rural	11,934	1,179	1,009	1,118	919	967	973	1,043	983	848	985	948	964
MISSISSIPPI	22,832	2,488	2,040	2,192	1,841	1,858	1,867	1,813	1,803	1,566	1,620	1,867	1,877
Cities of 25,000 to 100,000	1,158	123	94	93	93	120	77	92	84	86	104	94	95
Cities of 10,000 to 25,000	2,292	276	186	218	194	189	185	176	192	157	152	181	206
Cities of 2,500 to 10,000	2,111	207	179	192	183	154	180	183	176	137	156	185	179
Rural	17,273	1,882	1,581	1,689	1,371	1,395	1,445	1,362	1,351	1,186	1,208	1,407	1,396
MISSOURI	42,994	4,813	3,715	3,960	3,629	3,458	3,435	3,486	3,135	3,096	3,277	3,448	3,542
Cities of 100,000 or more	14,586	1,500	1,185	1,226	1,214	1,208	1,147	1,235	1,099	1,088	1,164	1,199	1,322
Cities of 25,000 to 100,000	2,468	264	209	241	201	181	163	196	195	186	189	234	189
Cities of 10,000 to 25,000	2,809	280	243	247	222	233	233	236	212	202	232	237	232
Cities of 2,500 to 10,000	4,191	499	362	385	348	334	320	316	308	324	334	315	346
Rural	18,940	2,270	1,716	1,861	1,644	1,502	1,552	1,503	1,321	1,296	1,358	1,464	1,453
MONTANA	5,673	624	433	472	451	483	449	474	485	463	452	436	451
Cities of 25,000 to 100,000	959	105	89	79	83	81	85	76	70	72	80	65	94
Cities of 10,000 to 25,000	814	89	72	52	57	62	75	72	61	78	65	65	66
Cities of 2,500 to 10,000	824	100	62	72	62	69	65	67	76	71	64	53	63
Rural	3,076	330	230	269	249	271	224	259	278	242	243	253	228
NEBRASKA	12,330	1,293	1,108	1,144	1,012	981	954	1,102	961	844	959	965	1,007
Cities of 100,000 or more	2,354	214	227	215	194	188	188	213	166	169	199	187	194
Cities of 25,000 to 100,000	804	100	76	75	81	52	53	75	61	64	53	52	62
Cities of 10,000 to 25,000	956	94	65	91	79	90	79	82	76	74	68	76	82
Cities of 2,500 to 10,000	1,352	141	114	116	108	107	99	117	108	89	116	113	124
Rural	6,864	744	626	647	550	544	535	615	550	448	523	537	545
NEVADA	1,368	118	112	108	112	110	125	113	113	116	108	108	125
Cities of 10,000 to 25,000	298	20	20	23	26	21	29	35	25	22	28	28	21
Cities of 2,500 to 10,000	321	31	23	29	26	26	25	28	21	33	28	20	31
Rural	749	67	69	56	60	63	71	50	67	61	52	60	73
NEW HAMPSHIRE	6,073	673	641	509	505	490	483	445	425	406	458	498	540
Cities of 25,000 to 100,000	1,808	192	220	157	144	148	145	120	112	130	146	148	166
Cities of 10,000 to 25,000	1,057	117	98	102	85	86	100	83	65	61	93	72	93
Cities of 2,500 to 10,000	503	77	45	43	43	34	38	31	32	35	40	50	35
Rural	2,705	287	278	227	233	222	200	211	216	180	179	228	244
NEW JERSEY	45,966	4,708	4,171	4,284	3,859	3,754	3,708	3,537	3,333	3,241	3,591	3,740	4,040
Cities of 100,000 or more	13,610	1,422	1,255	1,245	1,134	1,109	1,057	1,038	990	958	1,062	1,143	1,197
Cities of 25,000 to 100,000	9,694	972	837	915	820	822	844	732	732	671	742	738	869
Cities of 10,000 to 25,000	6,264	639	572	617	542	485	482	456	448	436	507	526	554
Cities of 2,500 to 10,000	6,433	661	605	607	486	553	534	534	445	454	486	532	536
Rural	9,965	1,014	902	900	877	785	791	777	718	722	794	801	884
NEW MEXICO	5,639	597	417	452	448	435	442	519	565	495	433	405	451
Cities of 25,000 to 100,000	416	50	26	31	23	34	39	39	28	38	29	35	44
Cities of 10,000 to 25,000	540	58	46	40	47	38	41	41	44	45	58	42	40
Cities of 2,500 to 10,000	1,313	130	101	109	108	104	104	119	144	104	99	78	113
Rural	3,370	359	244	272	270	259	258	320	349	308	247	250	234
NEW YORK	148,030	14,420	13,757	13,685	12,401	12,337	11,929	11,290	11,011	10,629	11,913	11,842	12,816
Cities of 100,000 or more	91,647	8,913	8,418	8,597	7,704	7,625	7,420	6,948	6,843	6,468	7,381	7,394	7,936
Cities of 25,000 to 100,000	9,364	957	860	852	740	759	762	667	649	647	790	793	888
Cities of 10,000 to 25,000	8,862	896	813	768	743	739	689	654	653	678	721	745	763
Cities of 2,500 to 10,000	7,278	704	674	607	605	622	546	623	514	570	603	562	648
Rural	30,879	2,950	2,992	2,861	2,609	2,592	2,512	2,398	2,352	2,266	2,418	2,548	2,581
NORTH CAROLINA	31,752	3,251	3,106	3,028	2,706	2,588	2,387	2,626	2,439	2,285	2,403	2,416	2,517
Cities of 100,000 or more	894	95	72	79	93	74	46	83	74	69	75	60	76
Cities of 25,000 to 100,000	4,046	415	361	376	347	336	287	321	340	317	316	307	323
Cities of 10,000 to 25,000	2,492	224	231	229	247	204	193	211	181	188	192	174	218
Cities of 2,500 to 10,000	2,218	227	216	217	194	186	178	195	146	151	169	160	179
Rural	22,102	2,290	2,226	2,127	1,825	1,788	1,683	1,816	1,698	1,560	1,653	1,715	1,721

TABLE 9.—DEATHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA	5,281	439	394	463	445	445	434	471	503	418	439	412	420
Cities of 25,000 to 100,000	300	30	25	22	24	14	30	34	21	29	28	18	25
Cities of 10,000 to 25,000	478	33	34	46	33	42	34	41	35	46	40	45	49
Cities of 2,500 to 10,000	507	43	45	51	42	37	55	56	41	33	30	35	39
Rural	3,996	333	290	344	344	352	315	340	406	310	341	314	307
OHIO	78,137	8,025	6,765	6,793	6,493	6,542	6,148	6,291	5,806	5,730	6,275	6,548	6,723
Cities of 100,000 or more	30,589	2,981	2,606	2,633	2,546	2,524	2,406	2,582	2,293	2,287	2,456	2,580	2,695
Cities of 25,000 to 100,000	7,929	765	679	749	623	666	666	617	605	573	667	644	675
Cities of 10,000 to 25,000	6,030	633	554	504	534	478	431	465	466	456	467	520	522
Cities of 2,500 to 10,000	8,103	840	692	705	688	684	638	622	601	588	674	686	685
Rural	25,486	2,804	2,234	2,202	2,102	2,190	2,007	2,005	1,841	1,826	2,011	2,118	2,146
OKLAHOMA	20,439	2,288	1,780	1,889	1,682	1,651	1,546	1,653	1,560	1,447	1,525	1,671	1,747
Cities of 100,000 or more	3,289	300	283	271	274	259	263	281	274	259	271	271	283
Cities of 25,000 to 100,000	692	98	59	57	46	46	46	54	63	50	60	56	57
Cities of 10,000 to 25,000	2,689	323	223	266	204	248	200	200	191	179	196	217	242
Cities of 2,500 to 10,000	3,188	356	270	290	257	286	244	273	262	207	231	258	254
Rural	10,581	1,211	945	1,005	901	812	793	845	770	752	767	869	911
OREGON	11,959	1,229	950	1,053	943	977	947	1,033	858	952	1,007	996	1,014
Cities of 100,000 or more	3,687	358	291	343	281	257	302	310	258	301	334	337	315
Cities of 25,000 to 100,000	663	86	50	45	49	46	54	60	53	41	57	56	66
Cities of 10,000 to 25,000	810	72	67	73	67	69	51	66	71	72	51	82	69
Cities of 2,500 to 10,000	1,740	197	144	148	124	160	133	167	118	136	144	121	148
Rural	5,059	516	398	444	422	445	407	430	358	402	421	400	416
PENNSYLVANIA	108,748	11,714	9,951	9,778	9,303	9,081	8,397	8,380	7,923	7,815	8,396	8,722	9,308
Cities of 100,000 or more	35,684	3,991	3,199	3,247	3,059	2,944	2,832	2,725	2,506	2,593	2,711	2,861	3,016
Cities of 25,000 to 100,000	13,119	1,339	1,161	1,138	1,151	1,120	1,008	985	1,009	973	1,023	1,090	1,124
Cities of 10,000 to 25,000	11,651	1,243	1,023	977	1,023	929	886	898	902	849	972	920	1,029
Cities of 2,500 to 10,000	13,294	1,427	1,252	1,170	1,108	1,099	1,016	1,025	1,003	923	1,016	1,069	1,186
Rural	35,000	3,714	3,316	3,246	2,962	2,989	2,657	2,747	2,503	2,477	2,674	2,782	2,953
RHODE ISLAND	7,888	962	688	711	633	660	586	538	594	581	606	634	695
Cities of 100,000 or more	2,906	377	246	261	234	244	192	207	228	218	225	220	254
Cities of 25,000 to 100,000	3,193	377	292	277	263	279	251	212	239	228	245	262	268
Cities of 10,000 to 25,000	783	106	66	85	55	57	64	54	53	61	57	60	65
Cities of 2,500 to 10,000	243	35	19	21	21	12	27	19	18	10	19	19	23
Rural	763	67	65	67	60	68	52	46	56	64	60	73	85
SOUTH CAROLINA	20,617	2,301	1,867	1,990	1,610	1,648	1,598	1,749	1,631	1,516	1,553	1,647	1,507
Cities of 25,000 to 100,000	3,107	365	270	274	244	242	221	248	264	220	243	252	264
Cities of 10,000 to 25,000	1,222	121	80	135	90	114	96	101	111	93	79	118	84
Cities of 2,500 to 10,000	2,415	255	210	229	186	183	196	218	187	179	191	197	184
Rural	13,873	1,560	1,307	1,352	1,090	1,109	1,085	1,182	1,069	1,024	1,040	1,080	975
SOUTH DAKOTA	5,693	532	507	511	444	471	477	478	497	414	456	439	467
Cities of 25,000 to 100,000	349	22	29	26	25	37	29	30	36	23	27	33	32
Cities of 10,000 to 25,000	634	63	62	57	52	43	57	50	52	47	63	45	43
Cities 2,500 to 10,000	764	55	75	76	61	79	59	78	60	48	67	54	52
Rural	3,946	392	341	352	306	312	332	320	349	296	299	307	340
TENNESSEE	28,623	3,578	2,592	2,756	2,259	2,395	2,218	2,293	2,115	1,930	2,079	2,281	2,347
Cities of 100,000 or more	8,342	948	679	760	645	707	670	680	649	581	614	701	708
Cities of 25,000 to 100,000	209	22	19	26	10	20	14	12	21	8	14	25	18
Cities of 10,000 to 25,000	1,099	125	80	108	84	97	80	85	67	84	91	94	104
Cities of 2,500 to 10,000	2,409	263	242	237	218	224	171	205	184	138	173	180	174
Rural	16,564	2,020	1,572	1,605	1,302	1,347	1,283	1,311	1,194	1,119	1,187	1,281	1,343
TEXAS	60,581	6,614	5,136	5,407	4,811	4,779	5,018	5,093	4,777	4,354	4,434	5,066	5,092
Cities of 100,000 or more	12,583	1,311	1,047	1,109	956	1,042	1,050	1,039	1,028	897	932	1,073	1,099
Cities of 25,000 to 100,000	7,509	740	688	669	667	613	609	574	602	523	569	621	654
Cities of 10,000 to 25,000	4,142	466	334	395	337	314	346	354	332	282	284	340	358
Cities of 2,500 to 10,000	9,145	970	778	798	739	731	760	755	728	659	654	824	749
Rural	27,202	3,127	2,309	2,436	2,112	2,079	2,253	2,371	2,087	1,993	1,995	2,208	2,232
UTAH	4,518	417	375	410	380	389	333	339	361	365	381	336	432
Cities of 100,000 or more	1,390	121	106	122	119	105	99	117	108	112	119	107	155
Cities of 25,000 to 100,000	391	31	34	36	37	26	26	30	26	40	39	32	34
Cities of 10,000 to 25,000	293	31	37	30	16	32	21	19	25	16	23	15	28
Cities of 2,500 to 10,000	769	72	72	75	60	89	50	52	67	58	61	46	67
Rural	1,675	162	126	147	148	137	137	121	135	139	139	136	148
VERMONT	4,402	474	389	425	403	355	355	319	338	308	382	292	362
Cities of 25,000 to 100,000	297	30	25	24	21	23	25	24	16	26	27	18	28
Cities of 10,000 to 25,000	338	32	39	36	27	23	18	33	27	23	36	25	19
Cities of 2,500 to 10,000	994	103	87	104	86	82	91	63	71	74	82	73	78
Rural	2,783	309	238	261	269	227	221	199	224	185	237	176	237
VIRGINIA	30,700	3,316	2,858	2,948	2,563	2,523	2,322	2,450	2,276	2,233	2,371	2,307	2,533
Cities of 100,000 or more	4,235	434	365	383	349	361	311	352	325	334	308	341	372
Cities of 25,000 to 100,000	4,042	416	354	385	324	345	319	335	290	290	306	334	344
Cities of 10,000 to 25,000	1,062	112	97	100	83	74	79	78	91	88	84	86	90
Cities of 2,500 to 10,000	2,210	251	195	197	185	184	165	196	181	165	171	155	165
Rural	19,151	2,103	1,847	1,883	1,622	1,559	1,448	1,489	1,389	1,356	1,502	1,391	1,562
WASHINGTON	19,199	1,778	1,587	1,652	1,565	1,688	1,565	1,651	1,529	1,456	1,566	1,453	1,709
Cities of 100,000 or more	7,554	674	628	654	601	632	641	619	618	580	639	618	650
Cities of 25,000 to 100,000	958	89	67	82	81	97	84	83	80	60	77	74	82
Cities of 10,000 to 25,000	1,340	136	111	103	100	118	90	117	98	128	105	108	128
Cities of 2,500 to 10,000	1,342	156	107	125	115	114	105	107	107	87	106	97	116
Rural	8,007	723	674	688	668	727	645	725	626	601	639	556	755
WEST VIRGINIA	17,837	1,962	1,603	1,543	1,453	1,421	1,310	1,443	1,415	1,368	1,431	1,407	1,481
Cities of 25,000 to 100,000	2,971	332	263	254	227	248	207	263	237	219	209	242	270
Cities of 10,000 to 25,000	1,327	141	115	112	122	100	97	113	88	96	102	125	116
Cities of 2,500 to 10,000	2,009	217	162	200	178	180	156	136	167	158	130	162	163
Rural	11,530	1,272	1,063	977	926	893	850	931	923	895	990	878	932
WISCONSIN	30,678	2,781	2,651	2,979	2,687	2,549	2,477	2,543	2,271	2,266	2,464	2,478	2,532
Cities of 100,000 or more	5,784	493	516	551	487	509	475	487	451	446	477	416	476
Cities of 25,000 to 100,000	5,575	537	495	553	469	427	476	470	409	377	445	454	463
Cities of 10,000 to 25,000	2,155	175	158	197	219	167	199	168	149	168	185	170	200
Cities of 2,500 to 10,000	3,067	283	253	298	271	248	241	256	232	240	229	256	260
Rural	14,097	1,293	1,229	1,380	1,241	1,198	1,086	1,162	1,030	1,035	1,128	1,182	1,133
WYOMING	2,192	234	151	192	163	185	176	189	183	191	180	184	164
Cities of 10,000 to 25,000	572	62	40	62	39	47	40	44	49	51	48	56	34
Cities of 2,500 to 10,000	381	33	26	30	29	39	28	35	27	30	39	38	29
Rural	1,239	139	85	100	95	99	108	110	107	110	93	92	101

TABLE 10.—DEATHS BY SPECIFIED RACE AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Minor races
UNITED STATES	1,397,642	1,213,511	176,729	4,914	1,230	848	410
Cities of 100,000 or more	423,036	368,896	52,682	117	837	333	171
Cities of 25,000 to 100,000	166,711	147,697	18,660	99	128	78	49
Cities of 10,000 to 25,000	111,042	99,102	11,762	102	34	28	14
Cities of 2,500 to 10,000	141,315	126,083	14,846	229	62	70	25
Rural	555,538	471,733	78,779	4,367	169	339	151
ALABAMA	28,782	15,658	13,119	5	-	-	-
Cities of 100,000 or more	3,228	1,536	1,692	-	-	-	-
Cities of 25,000 to 100,000	3,423	1,943	1,480	-	-	-	-
Cities of 10,000 to 25,000	1,619	744	875	-	-	-	-
Cities of 2,500 to 10,000	2,355	1,396	959	-	-	-	-
Rural	18,157	10,039	8,113	5	-	-	-
ARIZONA	5,452	4,327	203	894	23	3	2
Cities of 25,000 to 100,000	1,818	1,645	105	52	13	2	1
Cities of 2,500 to 10,000	1,052	1,006	33	7	6	-	-
Rural	2,582	1,676	65	835	4	1	1
ARKANSAS	16,402	11,330	5,069	3	-	-	-
Cities of 25,000 to 100,000	1,866	1,274	590	2	-	-	-
Cities of 10,000 to 25,000	1,534	1,020	514	-	-	-	-
Cities of 2,500 to 10,000	2,305	1,589	716	-	-	-	-
Rural	10,697	7,447	3,249	1	-	-	-
CALIFORNIA	80,943	77,487	1,723	335	522	598	278
Cities of 100,000 or more	35,529	33,816	1,063	17	310	219	104
Cities of 25,000 to 100,000	11,120	10,738	212	8	51	69	32
Cities of 10,000 to 25,000	5,776	5,637	83	12	15	20	9
Cities of 2,500 to 10,000	7,455	7,269	56	18	38	57	17
Rural	21,063	20,027	309	280	98	233	116
COLORADO	11,988	11,725	206	24	2	25	6
Cities of 100,000 or more	3,874	3,736	129	1	2	5	1
Cities of 25,000 to 100,000	1,128	1,088	37	1	-	-	2
Cities of 10,000 to 25,000	919	910	8	-	-	1	-
Cities of 2,500 to 10,000	1,537	1,521	12	1	-	2	1
Rural	4,530	4,470	20	21	-	17	2
CONNECTICUT	18,188	17,728	455	1	3	1	-
Cities of 100,000 or more	5,034	4,792	239	-	2	1	-
Cities of 25,000 to 100,000	4,950	4,846	103	-	1	-	-
Cities of 10,000 to 25,000	1,947	1,910	37	-	-	-	-
Cities of 2,500 to 10,000	593	588	5	-	-	-	-
Rural	5,664	5,592	71	1	-	-	-
DELAWARE	3,244	2,626	618	-	-	-	-
Cities of 100,000 or more	1,303	1,073	230	-	-	-	-
Cities of 2,500 to 10,000	397	304	93	-	-	-	-
Rural	1,544	1,249	295	-	-	-	-
DISTRICT OF COLUMBIA	7,999	5,062	2,910	5	17	2	3
FLORIDA	21,632	14,023	7,592	15	2	-	-
Cities of 100,000 or more	5,549	3,530	2,015	3	1	-	-
Cities of 25,000 to 100,000	2,599	1,914	685	-	-	-	-
Cities of 10,000 to 25,000	2,088	1,323	765	-	-	-	-
Cities of 2,500 to 10,000	2,962	1,828	1,129	4	1	-	-
Rural	8,434	5,428	2,998	8	-	-	-
GEORGIA	31,654	16,768	14,881	1	4	-	-
Cities of 100,000 or more	3,677	1,731	1,944	-	2	-	-
Cities of 25,000 to 100,000	4,447	2,058	2,387	-	2	-	-
Cities of 10,000 to 25,000	2,389	1,228	1,161	-	-	-	-
Cities of 2,500 to 10,000	3,446	1,878	1,568	-	-	-	-
Rural	17,695	9,873	7,821	1	-	-	-
IDAHO	4,462	4,379	13	58	3	9	-
Cities of 25,000 to 100,000	312	308	2	-	2	-	-
Cities of 10,000 to 25,000	794	784	8	-	1	1	-
Cities of 2,500 to 10,000	815	811	1	2	-	1	-
Rural	2,541	2,476	2	56	-	7	-
ILLINOIS	86,582	80,299	6,199	13	56	7	8
Cities of 100,000 or more	38,136	33,782	4,290	5	48	5	6
Cities of 25,000 to 100,000	11,280	10,629	645	1	3	-	2
Cities of 10,000 to 25,000	6,193	5,879	312	2	-	-	-
Cities of 2,500 to 10,000	8,201	7,989	211	1	-	-	-
Rural	22,772	22,020	741	4	5	2	-
INDIANA	39,851	37,937	1,909	1	-	2	2
Cities of 100,000 or more	8,238	7,049	1,189	-	-	-	-
Cities of 25,000 to 100,000	6,897	6,454	442	-	-	-	1
Cities of 10,000 to 25,000	2,942	2,874	67	1	-	-	-
Cities of 2,500 to 10,000	4,328	4,275	53	-	-	-	-
Rural	17,446	17,285	158	-	-	2	1
IOWA	25,677	25,457	215	4	-	-	1
Cities of 100,000 or more	1,593	1,514	79	-	-	-	-
Cities of 25,000 to 100,000	4,814	4,754	60	-	-	-	-
Cities of 10,000 to 25,000	1,741	1,715	26	-	-	-	-
Cities of 2,500 to 10,000	4,201	4,176	24	-	-	-	1
Rural	13,328	13,298	26	4	-	-	-
KANSAS	18,448	17,465	968	15	-	-	-
Cities of 100,000 or more	2,504	2,120	383	1	-	-	-
Cities of 25,000 to 100,000	1,051	953	98	-	-	-	-
Cities of 10,000 to 25,000	2,635	2,413	221	1	-	-	-
Cities of 2,500 to 10,000	2,480	2,411	67	2	-	-	-
Rural	9,778	9,538	199	11	-	-	-
KENTUCKY	30,403	26,489	3,913	-	1	-	-
Cities of 100,000 or more	4,213	3,294	919	-	-	-	-
Cities of 25,000 to 100,000	3,121	2,548	573	-	-	-	-
Cities of 10,000 to 25,000	1,159	896	263	-	-	-	-
Cities of 2,500 to 10,000	3,463	2,791	672	-	-	-	-
Rural	18,447	16,960	1,486	-	1	-	-
LOUISIANA	23,849	12,921	10,898	11	14	1	4
Cities of 100,000 or more	6,160	3,901	2,248	-	9	1	1
Cities of 25,000 to 100,000	2,349	1,183	1,164	-	2	-	-
Cities of 10,000 to 25,000	906	474	432	-	-	-	-
Cities of 2,500 to 10,000	3,408	1,819	1,588	-	-	-	1
Rural	11,026	5,544	5,466	11	3	-	2
MAINE	10,468	10,434	16	17	1	-	-
Cities of 25,000 to 100,000	1,791	1,783	7	-	1	-	-
Cities of 10,000 to 25,000	1,215	1,213	2	-	-	-	-
Cities of 2,500 to 10,000	1,031	1,029	-	2	-	-	-
Rural	6,451	6,409	7	15	-	-	-
MARYLAND	21,998	16,861	5,125	-	9	-	3
Cities of 100,000 or more	10,797	7,894	2,896	-	7	-	-
Cities of 25,000 to 100,000	766	728	37	-	1	-	-
Cities of 10,000 to 25,000	859	654	205	-	-	-	-
Cities of 2,500 to 10,000	898	766	131	-	-	-	1
Rural	8,678	6,819	1,856	-	1	-	2
MASSACHUSETTS	50,598	49,730	795	11	52	3	7
Cities of 100,000 or more	20,073	19,470	555	2	41	1	4
Cities of 25,000 to 100,000	12,718	12,622	86	1	9	-	-
Cities of 10,000 to 25,000	8,300	8,265	35	-	-	-	-
Cities of 2,500 to 10,000	3,104	3,075	27	2	-	-	-
Rural	6,403	6,298	92	6	2	2	3
MICHIGAN	52,733	49,893	2,690	129	18	-	3
Cities of 100,000 or more	17,344	15,336	1,987	5	15	-	1
Cities of 25,000 to 100,000	7,863	7,590	262	7	2	-	2
Cities of 10,000 to 25,000	3,296	3,163	130	3	-	-	-
Cities of 2,500 to 10,000	4,717	4,641	65	11	-	-	-
Rural	19,513	19,163	246	103	1	-	-
MINNESOTA	26,140	25,772	163	198	5	-	2
Cities of 100,000 or more	8,651	8,506	133	6	4	-	2
Cities of 25,000 to 100,000	391	384	7	-	-	-	-
Cities of 10,000 to 25,000	1,721	1,714	5	1	1	-	-
Cities of 2,500 to 10,000	3,443	3,433	8	2	-	-	-
Rural	11,934	11,735	10	189	-	-	-
MISSISSIPPI	22,832	9,643	13,136	39	14	-	-
Cities of 25,000 to 100,000	1,156	607	548	-	1	-	-
Cities of 10,000 to 25,000	2,292	1,054	1,235	-	3	-	-
Cities of 2,500 to 10,000	2,111	1,076	1,034	-	1	-	-
Rural	17,273	6,906	10,319	39	9	-	-
MISSOURI	42,994	38,711	4,266	11	5	-	1
Cities of 100,000 or more	14,586	11,960	2,619	2	4	-	1
Cities of 25,000 to 100,000	2,468	2,335	131	2	-	-	-
Cities of 10,000 to 25,000	2,809	2,506	303	-	-	-	-
Cities of 2,500 to 10,000	4,191	3,801	390	-	-	-	-
Rural	18,940	18,109	823	7	1	-	-
MONTANA	5,673	5,322	24	311	8	6	2
Cities of 25,000 to 100,000	959	946	5	2	3	1	2
Cities of 10,000 to 25,000	814	800	6	5	2	1	-
Cities of 2,500 to 10,000	824	808	4	9	2	1	-
Rural	3,076	2,768	9	295	1	3	-
NEBRASKA	12,330	12,055	222	49	3	-	1
Cities of 100,000 or more	2,354	2,176	173	2	3	-	-
Cities of 25,000 to 100,000	804	796	8	-	-	-	-
Cities of 10,000 to 25,000	956	951	5	-	-	-	-
Cities of 2,500 to 10,000	1,352	1,342	10	-	-	-	-
Rural	6,864	6,790	26	47	-	-	1

TABLE 10.—DEATHS BY SPECIFIED RACE AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Minor races
NEVADA	1,368	1,258	15	82	9	4	-
Cities of 10,000 to 25,000	298	288	5	1	4	-	-
Cities of 2,500 to 10,000	321	300	7	11	1	2	-
Rural	749	670	3	70	4	2	-
NEW HAMPSHIRE	6,073	6,069	3	-	1	-	-
Cities of 25,000 to 100,000	1,808	1,806	1	-	1	-	-
Cities of 10,000 to 25,000	1,057	1,056	1	-	-	-	-
Cities of 2,500 to 10,000	503	503	-	-	-	-	-
Rural	2,705	2,704	1	-	-	-	-
NEW JERSEY	45,966	42,458	3,483	3	17	3	2
Cities of 100,000 or more	13,610	12,235	1,367	-	7	-	1
Cities of 25,000 to 100,000	9,694	8,974	711	-	8	-	1
Cities of 10,000 to 25,000	6,264	5,814	446	2	1	1	-
Cities of 2,500 to 10,000	6,433	6,112	321	-	-	-	-
Rural	9,965	9,325	638	1	1	2	-
NEW MEXICO	5,639	5,220	69	349	-	1	-
Cities of 25,000 to 100,000	416	404	10	2	-	-	-
Cities of 10,000 to 25,000	540	520	19	1	-	-	-
Cities of 2,500 to 10,000	1,313	1,288	20	5	-	-	-
Rural	3,370	3,008	20	341	-	1	-
NEW YORK	148,030	140,271	7,316	129	265	22	27
Cities of 100,000 or more	91,647	85,318	6,025	22	240	20	22
Cities of 25,000 to 100,000	9,364	9,095	267	1	-	-	1
Cities of 10,000 to 25,000	8,862	8,657	203	2	-	-	-
Cities of 2,500 to 10,000	7,278	7,159	112	2	4	-	1
Rural	30,879	30,042	709	102	21	2	3
NORTH CAROLINA	31,752	19,968	11,587	196	1	-	-
Cities of 100,000 or more	894	476	418	-	-	-	-
Cities of 25,000 to 100,000	4,046	2,171	1,873	1	1	-	-
Cities of 10,000 to 25,000	2,492	1,442	1,048	2	-	-	-
Cities of 2,500 to 10,000	2,218	1,432	784	2	-	-	-
Rural	22,102	14,447	7,464	191	-	-	-
NORTH DAKOTA	5,281	5,114	9	158	-	-	-
Cities of 25,000 to 100,000	300	298	1	1	-	-	-
Cities of 10,000 to 25,000	478	477	1	-	-	-	-
Cities of 2,500 to 10,000	507	505	1	1	-	-	-
Rural	3,996	3,834	6	156	-	-	-
OHIO	78,137	72,861	5,252	5	14	2	3
Cities of 100,000 or more	30,589	26,885	3,685	2	13	2	2
Cities of 25,000 to 100,000	7,929	7,485	444	-	-	-	-
Cities of 10,000 to 25,000	6,030	5,776	254	-	-	-	-
Cities of 2,500 to 10,000	8,103	7,864	238	-	-	-	1
Rural	25,486	24,851	631	3	1	-	-
OKLAHOMA	20,439	17,510	2,147	778	1	-	3
Cities of 100,000 or more	3,289	2,805	475	9	-	-	-
Cities of 25,000 to 100,000	692	546	142	4	-	-	-
Cities of 10,000 to 25,000	2,689	2,319	320	48	1	-	1
Cities of 2,500 to 10,000	3,188	2,827	262	99	-	-	-
Rural	10,581	9,013	948	618	-	-	2
OREGON	11,959	11,724	50	95	45	32	13
Cities of 100,000 or more	3,687	3,614	26	2	29	9	7
Cities of 25,000 to 100,000	663	653	7	1	1	-	1
Cities of 10,000 to 25,000	810	799	6	1	1	2	1
Cities of 2,500 to 10,000	1,740	1,728	2	6	4	-	-
Rural	5,059	4,930	9	85	10	21	4
PENNSYLVANIA	108,748	101,665	7,032	6	31	3	11
Cities of 100,000 or more	35,684	30,937	4,710	3	28	2	4
Cities of 25,000 to 100,000	13,119	12,445	669	1	1	1	2
Cities of 10,000 to 25,000	11,651	11,089	561	-	1	-	-
Cities of 2,500 to 10,000	13,294	13,045	247	-	1	-	1
Rural	35,000	34,149	845	2	-	-	4
RHODE ISLAND	7,888	7,699	175	8	5	-	1
Cities of 100,000 or more	2,906	2,802	102	1	1	-	-
Cities of 25,000 to 100,000	3,193	3,131	57	1	3	-	1
Cities of 10,000 to 25,000	783	775	6	2	-	-	-
Cities of 2,500 to 10,000	243	241	1	-	1	-	-
Rural	763	750	9	4	-	-	-
SOUTH CAROLINA	20,617	9,545	11,062	7	1	1	1
Cities of 25,000 to 100,000	3,107	1,656	1,451	-	-	-	-
Cities of 10,000 to 25,000	1,222	636	585	-	1	-	-
Cities of 2,500 to 10,000	2,415	1,321	1,094	-	-	-	-
Rural	13,873	5,932	7,932	7	-	1	1
SOUTH DAKOTA	5,693	5,308	8	374	2	-	1
Cities of 25,000 to 100,000	349	346	2	-	1	-	-
Cities of 10,000 to 25,000	634	627	1	4	1	-	1
Cities of 2,500 to 10,000	764	746	2	16	-	-	-
Rural	3,946	3,589	3	354	-	-	-
TENNESSEE	28,623	21,156	7,462	3	1	-	1
Cities of 100,000 or more	8,342	4,808	3,531	1	1	-	1
Cities of 25,000 to 100,000	209	174	35	-	-	-	-
Cities of 10,000 to 25,000	1,099	737	361	1	-	-	-
Cities of 2,500 to 10,000	2,409	1,757	652	-	-	-	-
Rural	16,564	13,680	2,883	1	-	-	-
TEXAS	60,581	49,298	11,247	6	24	6	-
Cities of 100,000 or more	12,583	9,907	2,658	1	14	3	-
Cities of 25,000 to 100,000	7,509	6,124	1,376	-	7	2	-
Cities of 10,000 to 25,000	4,142	3,333	808	1	-	-	-
Cities of 2,500 to 10,000	9,145	7,576	1,568	-	-	1	-
Rural	27,202	22,358	4,837	4	3	-	-
UTAH	4,518	4,432	29	36	8	10	3
Cities of 100,000 or more	1,390	1,361	20	-	7	2	-
Cities of 25,000 to 100,000	391	382	6	-	1	2	-
Cities of 10,000 to 25,000	293	289	3	1	-	-	-
Cities of 2,500 to 10,000	769	763	-	2	-	3	1
Rural	1,675	1,637	-	33	-	3	2
VERMONT	4,402	4,395	7	-	-	-	-
Cities of 25,000 to 100,000	287	286	1	-	-	-	-
Cities of 10,000 to 25,000	338	338	-	-	-	-	-
Cities of 2,500 to 10,000	994	990	4	-	-	-	-
Rural	2,783	2,781	2	-	-	-	-
VIRGINIA	30,700	20,198	10,486	10	4	-	2
Cities of 100,000 or more	4,235	2,469	1,761	-	3	-	2
Cities of 25,000 to 100,000	4,042	2,397	1,645	-	-	-	-
Cities of 10,000 to 25,000	1,062	810	252	-	-	-	-
Cities of 2,500 to 10,000	2,210	1,751	458	-	1	-	-
Rural	19,151	12,771	6,370	10	-	-	-
WASHINGTON	19,199	18,626	159	262	27	107	18
Cities of 100,000 or more	7,554	7,336	103	21	24	61	9
Cities of 25,000 to 100,000	956	943	10	2	-	1	-
Cities of 10,000 to 25,000	1,340	1,323	8	4	1	2	2
Cities of 2,500 to 10,000	1,342	1,318	7	13	1	3	-
Rural	8,007	7,706	31	222	1	40	7
WEST VIRGINIA	17,837	16,207	1,626	2	1	-	1
Cities of 25,000 to 100,000	2,971	2,709	259	1	1	-	1
Cities of 10,000 to 25,000	1,327	1,169	158	-	-	-	-
Cities of 2,500 to 10,000	2,009	1,807	202	-	-	-	-
Rural	11,530	10,522	1,007	1	-	-	-
WISCONSIN	30,678	30,316	155	200	7	-	-
Cities of 100,000 or more	5,784	5,665	108	6	5	-	-
Cities of 25,000 to 100,000	5,575	5,546	19	8	2	-	-
Cities of 10,000 to 25,000	2,155	2,147	5	3	-	-	-
Cities of 2,500 to 10,000	3,067	3,053	3	11	-	-	-
Rural	14,097	13,905	20	172	-	-	-
WYOMING	2,192	2,111	22	55	4	-	-
Cities of 10,000 to 25,000	572	554	13	4	1	-	-
Cities of 2,500 to 10,000	381	375	5	-	1	-	-
Rural	1,239	1,182	4	51	2	-	-

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	UNITED STATES	1,397,642	113,949	11,567	5,751	3,952	3,032	138,251	10,921	10,948	20,667
2	Both sexes—White	1,213,511	90,874	8,706	4,468	3,198	2,466	109,712	8,938	8,769	15,388
3	All other	184,131	23,075	2,861	1,283	754	566	28,539	1,983	2,179	5,279
4	Male—White	685,672	52,152	4,713	2,515	1,755	1,362	62,497	5,214	5,296	9,425
5	All other	99,361	12,835	1,494	679	373	282	15,663	1,040	1,174	2,453
6	Female—White	527,839	38,722	3,993	1,953	1,443	1,104	47,215	3,724	3,473	5,963
7	All other	84,770	10,240	1,367	604	381	284	12,876	943	1,005	2,826
8	Cities of 100,000 or more—White	368,896	19,706	1,413	806	649	539	23,113	1,891	1,883	3,362
9	All other	54,140	4,738	462	209	157	115	5,681	424	481	1,403
10	Male—White	204,750	11,499	760	439	375	318	13,391	1,118	1,142	1,985
11	All other	29,208	2,639	245	110	81	59	3,134	223	251	630
12	Female—White	164,146	8,207	653	367	274	221	9,722	773	741	1,377
13	All other	24,932	2,099	217	99	76	56	2,547	201	230	773
14	Cities of 25,000 to 100,000—White	147,697	10,191	782	439	303	240	11,955	894	825	1,623
15	All other	19,014	2,066	237	108	64	54	2,529	168	188	496
16	Male—White	80,705	5,840	415	229	168	136	6,788	542	494	987
17	All other	10,125	1,139	130	51	28	29	1,377	92	91	215
18	Female—White	66,992	4,351	367	210	135	104	5,167	352	331	636
19	All other	8,889	927	107	57	36	25	1,152	76	97	281
20	Cities of 10,000 to 25,000—White	99,102	7,390	630	330	235	189	8,774	674	630	1,174
21	All other	11,940	1,376	150	84	34	39	1,683	98	128	325
22	Male—White	54,684	4,204	343	179	133	97	4,956	404	381	741
23	All other	6,225	769	80	45	14	23	931	55	66	143
24	Female—White	44,418	3,186	287	151	102	92	3,818	270	249	433
25	All other	5,715	607	70	39	20	16	752	43	62	182
26	Cities of 2,500 to 10,000—White	126,083	10,751	989	450	340	242	12,772	965	935	1,760
27	All other	15,232	1,777	219	95	52	36	2,179	141	161	436
28	Male—White	70,972	6,201	558	275	190	121	7,345	564	542	1,042
29	All other	8,031	945	106	50	35	19	1,155	67	91	188
30	Female—White	55,111	4,550	431	175	150	121	5,427	401	393	718
31	All other	7,201	832	113	45	17	17	1,024	74	70	248
32	Rural—White	471,733	42,836	4,892	2,443	1,671	1,256	53,098	4,514	4,496	7,469
33	All other	83,805	13,118	1,793	787	447	322	16,467	1,152	1,221	2,619
34	Male—White	274,561	24,408	2,637	1,393	889	690	30,017	2,586	2,737	4,670
35	All other	45,772	7,343	933	423	215	152	9,066	603	675	1,277
36	Female—White	197,172	18,428	2,255	1,050	782	566	23,081	1,928	1,759	2,799
37	All other	38,033	5,775	860	364	232	170	7,401	549	546	1,342
38	ALABAMA	28,782	3,827	499	218	142	101	4,787	365	352	637
39	Both sexes—White	15,658	2,026	250	122	86	66	2,550	209	190	306
40	All other	13,124	1,801	249	96	56	35	2,237	156	162	391
41	Male—White	8,889	1,145	128	68	44	32	1,417	114	113	177
42	All other	6,872	978	135	51	29	20	1,213	84	87	173
43	Female—White	6,769	881	122	54	42	34	1,133	95	77	129
44	All other	6,252	823	114	45	27	15	1,024	72	75	218
45	Cities of 100,000 or more—White	1,536	150	9	4	5	1	169	5	15	15
46	All other	1,692	182	38	4	4	4	232	17	13	54
47	Male—White	879	91	5	1	2	1	100	4	12	7
48	All other	844	106	16	3	-	3	128	7	5	21
49	Female—White	657	59	4	3	3	-	69	1	3	6
50	All other	848	76	22	1	4	1	104	10	8	33
51	Cities of 25,000 to 100,000—White	1,943	158	14	8	3	4	187	14	11	21
52	All other	1,480	180	30	12	7	5	234	12	13	43
53	Male—White	1,090	89	9	5	2	3	108	9	6	14
54	All other	758	87	16	5	3	3	114	7	6	16
55	Female—White	853	69	5	3	1	1	79	5	5	7
56	All other	722	93	14	7	4	2	120	5	7	27
57	Cities of 10,000 to 25,000—White	744	80	12	6	6	-	104	8	5	11
58	All other	875	110	15	6	2	4	137	12	10	28
59	Male—White	431	43	6	3	1	-	53	5	4	6
60	All other	456	57	11	3	-	2	73	8	7	9
61	Female—White	313	37	6	3	5	-	51	3	1	5
62	All other	419	53	4	3	2	2	64	4	3	19
63	Cities of 2,500 to 10,000—White	1,396	174	24	11	9	8	226	15	10	27
84	All other	959	133	20	5	2	1	161	6	14	22
65	Male—White	817	100	15	9	4	4	132	9	6	15
66	All other	493	74	11	3	2	1	91	5	11	13
67	Female—White	579	74	9	2	5	4	94	6	4	12
68	All other	466	59	9	2	-	-	70	3	3	9
69	Rural—White	10,039	1,464	191	93	63	53	1,864	167	149	234
70	All other	8,118	1,196	146	69	41	21	1,473	109	112	244
71	Male—White	5,672	822	93	50	35	24	1,024	87	85	135
72	All other	4,321	654	81	37	24	11	807	59	58	114
73	Female—White	4,367	642	98	43	28	29	840	80	64	99
74	All other	3,797	542	65	32	17	10	666	50	54	130
75	ARIZONA	5,452	1,038	189	68	54	25	1,374	90	73	139
76	Both sexes—White	4,327	734	80	29	24	12	879	41	44	90
77	All other	1,125	304	109	39	30	13	495	49	29	49
78	Male—White	2,745	415	42	15	15	7	494	20	26	46
79	All other	599	158	55	23	17	9	259	28	17	20
80	Female—White	1,582	319	38	14	9	5	385	21	18	44
81	All other	526	146	54	19	13	4	236	21	12	29
82	Cities of 25,000 to 100,000—White	1,645	237	25	8	3	5	278	7	14	28
83	All other	173	33	6	1	1	-	41	1	6	3
84	Male—White	1,027	131	11	5	2	4	153	3	7	18
85	All other	114	18	3	-	-	-	21	1	5	1
86	Female—White	618	106	14	3	1	1	125	4	7	10
87	All other	59	15	3	1	1	-	20	-	1	2
88	Cities of 2,500 to 10,000—White	1,006	170	14	2	11	-	197	7	10	18
89	All other	46	3	-	2	-	-	5	-	-	1
90	Male—White	627	97	10	1	7	-	115	2	8	8
91	All other	28	2	-	1	-	-	3	-	-	-
92	Female—White	379	73	4	1	4	-	82	5	2	10
93	All other	18	1	-	1	-	-	2	-	-	1
94	Rural—White	1,676	327	41	19	10	7	404	27	20	44
95	All other	906	268	103	36	29	13	449	48	23	45
96	Male—White	1,091	187	21	9	6	3	226	15	11	20
97	All other	457	138	52	19	17	9	235	27	12	19
98	Female—White	585	140	20	10	4	4	178	12	9	24
99	All other	449	130	51	17	12	4	214	21	11	26

GROUPS: UNITED STATES AND EACH STATE, 1941

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
27,443	29,631	33,506	40,452	52,863	70,785	91,601	107,979	125,686	147,555	154,644	137,734	111,549	58,601	19,862	4,573	1,163	1,228	1
20,004	21,560	24,598	30,053	40,286	57,048	75,975	93,834	112,620	133,997	144,163	130,353	106,986	55,702	18,313	3,875	564	773	2
7,439	8,071	8,908	10,389	12,577	13,737	15,626	14,145	13,066	13,556	10,481	7,381	4,563	2,899	1,549	698	599	455	3
11,937	12,280	13,876	17,631	23,950	34,840	47,444	58,601	67,953	77,174	79,788	68,398	53,354	26,062	7,734	1,496	215	507	4
3,694	4,178	4,627	5,290	6,572	7,635	8,566	7,851	7,256	7,751	5,961	4,130	2,492	1,498	726	317	219	268	5
8,067	9,280	10,722	12,422	16,336	22,208	28,531	35,253	44,667	56,823	64,375	61,955	53,632	29,640	10,579	2,379	349	266	6
3,745	3,893	4,281	5,109	6,005	6,102	7,060	6,294	5,810	5,807	4,520	3,251	2,071	1,401	823	381	380	187	7
5,015	6,017	7,523	10,149	14,539	21,622	28,834	34,211	39,486	43,876	44,081	37,245	27,573	13,200	4,177	867	113	119	8
2,066	2,489	3,133	3,822	4,962	5,162	5,468	4,659	4,055	3,990	2,709	1,801	928	465	229	93	76	44	9
2,784	3,188	4,096	6,032	8,682	13,348	18,292	21,554	23,593	24,431	23,164	18,163	12,405	5,447	1,516	299	35	86	10
991	1,260	1,663	2,008	2,716	2,964	3,136	2,626	2,218	2,191	1,441	929	455	193	88	32	27	32	11
2,231	2,829	3,428	4,117	5,857	8,274	10,542	12,657	15,893	19,445	20,917	19,082	15,168	7,753	2,661	568	78	33	12
1,075	1,229	1,470	1,814	2,246	2,198	2,332	2,033	1,837	1,799	1,268	872	473	272	141	61	49	12	13
2,175	2,492	3,065	3,757	5,229	7,333	9,864	12,133	14,360	16,637	17,736	15,571	12,724	6,537	2,181	452	75	79	14
838	953	1,101	1,276	1,507	1,562	1,750	1,608	1,383	1,305	998	582	349	218	110	41	31	21	15
1,225	1,356	1,691	2,164	3,080	4,484	6,078	7,508	8,441	9,308	9,327	7,630	5,808	2,745	821	149	25	54	16
408	481	584	648	821	841	955	859	740	738	567	321	178	111	61	15	8	14	17
950	1,156	1,374	1,593	2,149	2,849	3,786	4,625	5,919	7,329	8,409	7,941	6,916	3,792	1,360	303	50	25	18
430	472	517	628	686	721	795	749	643	567	431	261	171	107	49	26	23	7	19
1,566	1,814	1,913	2,346	3,358	4,705	6,143	7,579	9,139	10,968	11,876	10,816	8,976	4,641	1,558	338	55	59	20
501	557	607	726	917	953	1,042	920	886	860	642	451	271	187	81	43	26	36	21
871	1,012	1,085	1,395	1,995	2,844	3,803	4,648	5,383	6,126	6,402	5,483	4,338	2,001	638	122	17	39	22
243	298	302	351	442	527	538	467	477	485	369	214	136	96	37	17	11	20	23
695	802	828	951	1,363	1,861	2,340	2,931	3,756	4,842	5,474	5,333	4,638	2,640	920	216	38	20	24
258	259	305	375	475	426	504	453	409	375	273	237	135	91	44	26	15	16	25
2,289	2,375	2,645	2,968	3,841	5,388	7,046	8,960	10,848	13,396	14,866	14,108	11,949	6,326	2,056	435	62	93	26
623	657	772	820	980	1,108	1,317	1,203	1,139	1,101	935	669	410	261	142	53	52	73	27
1,355	1,399	1,517	1,769	2,301	3,254	4,424	5,619	6,564	7,663	8,216	7,367	5,944	2,963	885	164	24	53	28
319	343	401	412	489	575	711	640	610	605	525	387	220	136	67	25	21	44	29
934	976	1,128	1,199	1,540	2,134	2,622	3,341	4,284	5,733	6,650	6,741	6,005	3,363	1,173	271	38	40	30
304	314	371	408	491	533	606	563	529	496	410	282	190	125	75	28	31	29	31
8,959	8,862	9,452	10,833	13,319	18,000	24,088	30,951	38,787	49,120	55,604	52,613	45,764	24,998	8,341	1,783	259	423	32
3,411	3,415	3,295	3,755	4,211	4,952	6,049	5,755	5,603	6,302	5,197	3,878	2,605	1,768	987	468	414	281	33
5,702	5,325	5,488	6,271	7,892	10,910	14,847	19,272	23,972	29,646	32,679	29,755	24,859	12,906	3,876	762	114	275	34
1,733	1,796	1,677	1,871	2,104	2,728	3,226	3,259	3,211	3,732	3,059	2,279	1,503	962	473	228	152	158	35
3,257	3,537	3,984	4,562	5,427	7,090	9,241	11,679	14,815	19,474	22,925	22,858	20,905	12,092	4,465	1,021	145	148	36
1,678	1,619	1,618	1,884	2,107	2,224	2,823	2,496	2,392	2,570	2,138	1,599	1,102	806	514	240	262	123	37
945	1,041	1,012	1,184	1,329	1,500	1,995	2,026	2,139	2,384	2,237	1,854	1,502	858	329	96	76	96	38
378	430	424	481	562	653	878	1,114	1,311	1,496	1,468	1,248	1,114	595	182	38	14	37	39
565	611	588	703	767	867	1,117	912	828	888	769	586	388	263	147	58	62	59	40
226	256	234	271	343	385	512	708	789	870	829	680	560	284	86	14	6	15	41
265	299	269	323	396	472	569	481	442	486	452	349	212	141	74	31	22	32	42
152	174	190	210	219	248	366	406	522	626	639	568	554	311	96	24	8	22	43
300	312	319	380	371	395	548	431	386	402	317	237	176	122	73	27	40	27	44
28	33	36	64	62	87	113	150	127	165	148	139	116	46	13	4	2	1	45
97	94	106	132	145	142	182	137	94	96	68	54	13	8	4	-	3	1	48
11	19	21	35	32	59	72	105	78	104	80	70	45	17	6	1	1	-	47
52	44	52	57	76	67	87	71	45	52	34	28	10	5	1	-	1	1	48
17	14	15	29	30	28	41	45	49	61	68	69	71	29	7	3	1	1	49
45	50	54	75	69	75	95	66	49	44	34	26	3	3	3	-	2	-	50
47	61	68	58	95	104	140	163	197	209	196	163	127	53	22	5	-	2	51
76	77	96	97	118	125	167	115	110	74	60	32	16	10	4	1	-	2	52
21	35	32	30	62	56	83	107	119	123	111	80	60	22	9	2	-	1	53
31	31	48	50	72	65	88	62	58	41	32	21	7	3	4	-	-	2	54
26	26	36	28	33	48	57	56	78	86	85	83	67	31	13	3	-	1	55
45	46	48	47	44	60	79	53	52	33	28	11	9	7	-	1	-	-	56
26	19	20	24	46	30	48	59	78	70	65	53	47	20	8	-	1	2	57
32	41	37	52	68	76	92	73	66	50	37	28	13	13	6	1	-	3	58
15	13	13	16	32	20	28	43	45	37	41	26	23	7	4	-	-	-	59
16	24	14	28	41	41	43	35	38	27	22	14	2	8	4	-	-	2	60
11	6	7	8	14	10	20	16	33	33	24	27	24	13	4	-	1	2	61
16	17	23	24	27	35	49	38	28	23	15	14	11	5	2	1	-	1	62
37	32	29	41	62	62	75	113	148	138	124	97	96	45	14	1	-	4	63
38	35	39	58	68	56	103	72	68	66	53	38	21	12	12	4	2	9	64
25	18	13	27	40	38	41	69	93	85	79	50	52	19	5	-	-	1	65
10	16	13	27	31	31	58	40	31	31	34	24	10	4	4	4	2	5	66
12	14	16	14	22	24	34	44	55	53	45	47	44	26	9	1	-	3	67
28	19	26	31	37	25	45	32	37	37	19	14	11	8	8	-	-	4	68
240	285	271	294	297	350	502	629	761	914	935	796	728	431	125	28	11	28	69
322	364	310	364	370	468	573	515	490	600	551	434	325	220	121	52	57	44	70
154	171	155	163	177	212	288	384	454	521	518	454	380	219	62	11	5	13	71
156	184	142	161	176	268	293	273	270	335	330	262	183	121	61	27	19	22	72
86	114	116	131	120	138	214	245	307	393	417	342	348	212	63	17	6	15	73
166	180	168	203	194	200	280	242	220	265	221	172	142	99	60	25	38	22	74
149	155	163	199	216	276	306	353	402	406	377	323	233	130	60	11	10	7	75
111	117	124	165	189	243	270	305	356	365	339	295	205	121	52	7	5	4	76
38	38	39	34	27	33	36	48	46	41	38	28	28	9	8	4	5	3	77
69	70	78	98	111	180	188	203	254	258	229	185	132	68	31	1	2	2	78
13	25	25	20	15	20	14	29	21	24	21	19	16	6	3	3	1	-	79
42	47	46	67	78	63	82	102	102	107	110	110	73	53	21	6	3	2	80
25	13	14	14	12	13	22	19	25	17	17	9	12	3	5	1	4	3	81
35	45	50	74	83	119	114	127	136	133	134	112	77	48	24	2	4	1	82
5	4	10	9	6	12	12	11	9	15	10	2	10	4	1	1	1	-	83
20	27	31	45	42	89	77	82	96	97	83	70	52	21	12	1	1	-	84
-	3	10	7	5	6	8	10	7	10	5	2	9	3	-	1	-	-	85
15	18	19	29	41	30	37	45	40	36	51	42	25	27	12	1	3	1	86
5	1	-	2	1	6	4	1	2	5	5	-	1	1	1	-	1	-	87
22	22	29	27	38	39	69	69	85	91	104	78	58	31	9	2	1	-	88
-	2	2	1	3	2	4	5	6	5	4	4	-	1	1	-	-	-	89
18	13	21	17	20	27	46	43	58	59	70	43	34	19	5	-	1	-	90
-	1	2	1	2	1	2	3	2	3	3	4	-	1	-	-	-	-	91
4	9	8	10	18	12	23	26	27	32	34	35	24	12	4	2	-	-	92
-	1	-	-	1	1	2	2	4	2	1	-	-	-	1	-	-	-	93
54	50	45	64	68	85	87	109	135	141	101	105	70	42	19	3	-	3	94
33	32	27	24	18	19	20	32	31	21	24	22	18	4	6	3	4	3	95
31	30	26	36	49	64	65	78	100	102	76	72	46	28	14	-	-	2	96
13	21	13	12	8	13	4	16	12	11	13	13	7	2	3	2	1	-	97
23	20	19	28	19	21	22	31	35	39	25	33	24	14	5	3	-	1	98
20	11	14	12	10	6	16	16	19	10	11	9	11	2	3	1	3	3	99

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	ARKANSAS		16,402	1,812	303	124	80	54	2,373	216	231	412
2	Both sexes	White	11,330	1,277	215	77	56	39	1,664	154	163	245
3		All other	5,072	535	88	47	24	15	709	62	68	167
4	Male	White	6,543	718	118	45	28	21	930	80	88	154
5		All other	2,697	300	33	25	12	6	376	34	37	79
6	Female	White	4,787	559	97	32	28	18	734	74	75	91
7		All other	2,375	235	55	22	12	9	333	28	31	88
8	Cities of 25,000 to 100,000	White	1,274	85	9	4	2	-	100	12	12	18
9		All other	592	32	3	2	1	2	40	6	5	15
10	Male	White	738	43	2	2	2	-	49	7	9	11
11		All other	325	18	1	-	1	1	21	4	3	10
12	Female	White	536	42	7	2	-	-	51	5	3	7
13		All other	267	14	2	2	-	1	19	2	2	5
14	Cities of 10,000 to 25,000	White	1,020	88	10	3	3	1	105	10	9	22
15		All other	514	48	4	3	4	1	60	3	3	18
16	Male	White	609	48	4	2	-	1	55	4	5	16
17		All other	252	22	2	2	-	-	26	3	1	8
18	Female	White	411	40	6	1	3	-	50	6	4	6
19		All other	262	26	2	1	4	1	34	-	2	10
20	Cities of 2,500 to 10,000	White	1,589	182	21	9	7	4	223	15	22	32
21		All other	716	72	11	4	3	1	91	9	11	27
22	Male	White	936	96	12	6	4	3	121	9	11	20
23		All other	369	40	5	1	3	-	49	5	7	11
24	Female	White	653	86	9	3	3	1	102	6	11	12
25		All other	347	32	6	3	-	1	42	4	4	16
26	Rural	White	7,447	922	175	61	44	34	1,236	117	120	173
27		All other	3,250	383	70	38	16	11	518	44	49	107
28	Male	White	4,260	531	100	35	22	17	705	60	63	107
29		All other	1,751	220	25	22	8	5	280	22	26	50
30	Female	White	3,187	391	75	26	22	17	531	57	57	66
31		All other	1,499	163	45	16	8	6	238	22	23	57
32	CALIFORNIA		80,943	4,586	398	212	148	111	5,455	416	424	847
33	Both sexes	White	77,487	4,356	378	192	140	103	5,169	389	388	770
34		All other	3,456	230	20	20	8	8	286	27	36	77
35	Male	White	45,711	2,458	213	110	79	55	2,915	231	242	472
36		All other	2,268	123	12	10	3	4	152	17	16	40
37	Female	White	31,776	1,898	165	82	61	48	2,254	158	146	298
38		All other	1,188	107	8	10	5	4	134	10	20	37
39	Cities of 100,000 or more	White	33,816	1,458	105	39	43	35	1,680	106	121	248
40		All other	1,713	88	5	5	4	4	106	14	14	30
41	Male	White	19,491	817	55	24	27	19	942	67	86	148
42		All other	1,075	50	4	1	3	2	60	9	5	15
43	Female	White	14,325	641	50	15	16	16	738	39	35	100
44		All other	638	38	1	4	1	2	46	5	9	15
45	Cities of 25,000 to 100,000	White	10,738	626	52	23	12	6	719	50	34	101
46		All other	382	32	3	3	-	-	38	1	5	3
47	Male	White	5,915	367	26	11	6	4	414	26	19	67
48		All other	281	20	2	2	-	-	24	-	2	2
49	Female	White	4,823	259	26	12	6	2	305	24	15	34
50		All other	121	12	1	1	-	-	14	1	3	1
51	Cities of 10,000 to 25,000	White	5,637	342	26	14	15	9	406	33	27	58
52		All other	139	17	1	1	-	-	19	1	1	4
53	Male	White	3,251	203	18	9	5	6	241	19	12	31
54		All other	88	6	-	1	-	-	7	1	-	4
55	Female	White	2,386	139	8	5	10	3	165	14	15	27
56		All other	51	11	1	-	-	-	12	-	1	-
57	Cities of 2,500 to 10,000	White	7,269	615	53	26	19	13	726	49	44	99
58		All other	186	11	-	2	1	1	15	2	2	8
59	Male	White	4,314	353	30	11	11	4	409	30	27	60
60		All other	136	3	-	2	-	1	6	1	1	3
61	Female	White	2,955	262	23	15	8	9	317	19	17	39
62		All other	50	8	-	-	1	-	9	1	1	5
63	Rural	White	20,027	1,315	142	90	51	40	1,638	151	162	264
64		All other	1,036	82	11	9	3	3	108	9	14	32
65	Male	White	12,740	718	84	55	30	22	909	89	98	166
66		All other	708	44	6	4	-	1	55	6	8	16
67	Female	White	7,287	597	58	35	21	18	729	62	64	98
68		All other	328	38	5	5	3	2	53	3	6	16
69	COLORADO		11,988	1,113	130	63	34	34	1,374	113	123	170
70	Both sexes	White	11,725	1,095	128	63	34	34	1,354	112	121	168
71		All other	263	18	2	-	-	-	20	1	2	2
72	Male	White	6,762	644	61	35	17	22	779	61	64	103
73		All other	150	11	2	-	-	-	13	-	2	1
74	Female	White	4,963	451	67	28	17	12	575	51	57	65
75		All other	113	7	-	-	-	-	7	1	-	1
76	Cities of 100,000 or more	White	3,736	237	24	13	5	12	291	20	25	35
77		All other	138	5	-	-	-	-	5	1	-	1
78	Male	White	2,069	141	12	5	2	10	170	8	14	22
79		All other	76	4	-	-	-	-	4	-	-	1
80	Female	White	1,667	96	12	8	3	2	121	12	11	13
81		All other	62	1	-	-	-	-	1	1	-	-
82	Cities of 25,000 to 100,000	White	1,088	72	5	2	1	2	82	13	10	13
83		All other	40	2	-	-	-	-	2	-	1	-
84	Male	White	609	42	1	1	1	1	46	6	5	6
85		All other	20	1	-	-	-	-	1	-	1	-
86	Female	White	479	30	4	1	-	1	36	7	5	7
87		All other	20	1	-	-	-	-	1	-	-	-
88	Cities of 10,000 to 25,000	White	910	95	12	6	3	3	119	8	8	19
89		All other	9	-	-	-	-	-	-	-	-	-
90	Male	White	505	53	7	4	3	1	68	5	4	12
91		All other	5	-	-	-	-	-	-	-	-	-
92	Female	White	405	42	5	2	-	2	51	3	4	7
93		All other	4	-	-	-	-	-	-	-	-	-
94	Cities of 2,500 to 10,000	White	1,521	191	22	10	5	2	230	17	21	35
95		All other	16	-	1	-	-	-	1	-	-	-
96	Male	White	861	112	8	7	3	-	130	10	14	24
97		All other	10	-	1	-	-	-	1	-	-	-
98	Female	White	660	79	14	3	2	2	100	7	7	11
99		All other	6	-	-	-	-	-	-	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
492	540	500	578	652	865	1,036	1,093	1,308	1,550	1,493	1,158	957	537	184	66	29	132	1
261	303	278	322	381	493	627	690	913	1,144	1,219	948	825	446	139	38	7	70	2
231	237	222	256	271	372	409	403	395	406	274	210	132	91	45	28	22	62	3
151	169	151	185	227	300	395	430	561	696	707	542	442	213	60	16	4	42	4
120	123	101	113	116	187	209	237	225	241	174	118	79	59	24	15	6	24	5
110	134	127	137	154	193	232	260	352	448	512	406	383	233	79	22	3	28	6
111	114	121	143	155	185	200	166	170	165	100	92	53	32	21	13	16	38	7
16	18	32	35	55	53	94	93	119	154	139	116	120	55	15	4	-	14	8
29	26	32	37	45	55	60	59	56	44	34	18	12	10	2	3	1	3	9
9	8	15	18	29	33	82	57	72	99	76	68	72	24	9	-	-	11	10
16	17	15	13	26	27	31	43	31	25	17	9	6	6	1	1	1	2	11
7	10	17	17	26	20	32	36	47	55	63	48	48	31	6	4	-	3	12
13	9	17	24	19	28	29	16	25	19	17	9	6	4	1	2	-	1	13
19	27	28	35	38	52	61	74	117	106	110	87	64	35	11	4	1	5	14
21	25	26	18	41	53	49	39	40	37	29	18	10	7	3	3	1	10	15
8	15	13	24	23	34	47	42	87	71	63	48	34	14	3	1	-	2	16
11	15	11	8	11	21	27	22	21	19	19	13	4	3	3	2	-	4	17
11	12	15	11	15	18	14	32	30	35	47	39	30	21	8	3	1	3	18
10	10	15	10	30	32	22	17	19	18	10	5	6	4	-	1	1	6	19
38	58	42	45	65	69	88	107	130	159	173	125	103	58	22	4	2	9	20
37	31	34	46	39	61	55	62	52	56	31	29	10	15	6	1	4	9	21
21	36	28	31	41	48	51	75	84	107	108	62	49	23	4	1	1	5	22
21	8	17	25	15	31	30	34	26	35	21	14	6	8	3	-	2	1	23
17	22	14	14	24	21	37	32	46	52	65	63	54	35	18	3	1	4	24
16	23	17	21	24	30	25	28	26	21	10	15	4	7	3	1	2	8	25
188	200	176	207	223	319	384	416	547	725	797	620	538	298	91	26	4	42	26
144	155	130	155	146	203	245	243	247	269	180	145	100	59	34	21	18	40	27
113	110	95	112	134	185	235	256	318	419	460	364	287	152	44	14	3	24	28
72	83	58	67	64	108	121	138	147	162	117	82	63	42	17	12	3	17	29
76	90	81	95	89	134	149	160	229	306	337	256	251	146	47	12	1	18	30
72	72	72	88	82	95	124	105	100	107	63	63	37	17	17	9	13	23	31
1,356	1,522	1,744	2,406	3,116	4,315	5,616	6,659	8,105	9,107	9,435	8,512	6,859	3,467	1,219	275	54	34	32
1,255	1,376	1,566	2,188	2,875	4,057	5,328	6,336	7,790	8,782	9,189	8,359	6,750	3,412	1,174	281	47	26	33
101	146	178	218	241	258	288	323	315	325	246	153	109	55	45	14	7	8	34
780	831	929	1,360	1,858	2,654	3,557	4,209	4,968	5,356	5,359	4,350	3,436	1,577	478	109	18	22	35
67	90	132	145	156	190	180	212	225	243	144	101	77	41	25	7	2	6	36
475	545	637	828	1,017	1,403	1,771	2,127	2,822	3,426	3,830	4,009	3,314	1,835	696	152	29	4	37
34	56	46	73	85	68	108	111	90	82	102	52	32	14	20	7	5	2	38
471	526	644	1,012	1,303	1,892	2,456	2,891	3,615	4,008	4,205	3,654	2,955	1,411	490	107	14	7	39
52	76	94	109	147	153	159	162	185	160	119	70	47	17	11	7	1	-	40
284	308	380	628	846	1,199	1,631	1,922	2,258	2,356	2,378	1,790	1,430	605	181	43	4	5	41
35	42	68	67	94	108	87	106	110	111	73	38	28	12	5	2	-	-	42
187	218	264	384	457	693	825	969	1,357	1,652	1,827	1,864	1,525	806	309	64	10	2	43
17	34	26	42	53	45	72	56	55	49	46	32	19	5	6	5	1	-	44
150	195	201	252	388	492	659	803	1,026	1,210	1,313	1,266	1,048	583	193	47	5	3	45
13	18	13	22	24	21	27	36	35	35	36	18	19	7	8	2	1	-	46
84	104	110	149	228	300	410	496	621	739	716	608	482	250	89	18	3	2	47
7	13	9	15	15	17	18	19	25	25	28	14	16	5	5	2	-	-	48
66	91	91	103	160	192	249	307	405	471	597	658	566	333	124	29	2	1	49
6	5	4	7	9	4	9	17	10	10	8	4	3	2	3	-	1	-	50
92	106	97	142	204	272	373	436	503	639	660	623	540	294	91	32	7	2	51
3	5	8	14	10	7	10	11	17	13	6	4	2	3	-	-	1	-	52
61	61	58	78	128	175	236	281	315	370	376	333	283	132	42	15	2	2	53
1	5	7	9	8	5	9	6	9	10	5	-	1	3	-	-	-	-	54
31	45	39	64	76	97	137	155	188	269	284	290	257	162	49	17	5	-	55
2	-	1	5	4	2	1	5	8	3	1	4	1	-	-	-	1	-	56
145	153	172	194	222	343	460	564	692	757	787	797	614	315	107	20	7	2	57
2	6	10	10	7	10	16	15	21	24	12	11	6	3	3	1	-	2	58
83	90	106	125	144	230	315	379	441	449	474	428	313	152	48	7	2	2	59
2	5	6	7	3	9	13	13	19	19	6	8	6	3	3	1	-	2	60
62	63	66	69	78	113	145	185	251	308	313	369	301	163	59	13	5	-	61
-	1	4	3	4	1	3	2	2	5	6	3	-	-	-	-	-	-	62
397	398	452	588	758	1,058	1,380	1,642	1,954	2,168	2,224	2,019	1,593	809	293	55	14	12	63
31	41	53	63	53	67	76	99	77	93	73	50	35	25	23	4	4	6	64
268	268	275	380	512	750	965	1,131	1,333	1,442	1,415	1,191	928	438	138	26	7	11	65
22	25	42	47	38	51	53	68	62	78	32	41	26	18	12	2	2	4	66
129	128	177	208	246	308	415	511	621	726	809	828	665	371	155	29	7	1	67
9	16	11	16	15	16	23	31	15	15	41	9	9	7	11	2	2	2	68
225	217	254	289	364	546	644	806	947	1,205	1,416	1,341	1,115	599	191	39	8	2	69
221	208	241	279	350	527	629	779	920	1,168	1,393	1,328	1,099	591	188	39	8	2	70
4	9	13	10	14	19	15	27	27	37	23	13	16	8	3	-	-	-	71
129	106	124	166	195	296	395	494	574	718	801	777	593	296	76	14	-	1	72
-	3	5	7	12	9	9	13	17	20	13	7	12	5	2	-	-	-	73
92	102	117	113	155	231	234	285	346	450	592	551	506	295	112	25	8	1	74
4	6	8	3	2	10	6	14	10	17	10	6	4	3	1	-	-	-	75
52	60	76	86	120	190	208	273	308	383	490	471	381	196	54	13	3	1	76
-	4	9	6	9	13	9	13	15	18	12	6	12	4	1	-	-	-	77
34	26	40	52	69	117	132	176	186	209	254	261	190	90	14	4	-	1	78
-	1	3	4	8	6	6	5	9	8	7	3	8	3	-	-	-	-	79
18	34	36	34	51	73	76	97	122	174	236	210	191	106	40	9	3	-	80
-	3	6	2	1	7	3	8	6	10	5	3	4	1	1	-	-	-	81
15	20	22	27	31	57	65	78	85	128	132	134	97	49	25	5	-	-	82
1	2	2	2	3	-	2	3	5	4	8	3	-	1	1	-	-	-	83
7	8	11	16	15	31	41	47	53	81	68	77	49	29	12	1	-	-	84
-	1	1	1	2	-	1	-	3	3	4	1	-	-	1	-	-	-	85
8	12	11	11	16	26	24	31	32	47	64	57	48	20	13	4	-	-	86
1	1	1	1	1	-	1	3	2	1	4	2	-	1	-	-	-	-	87
22	17	14	23	21	36	42	55	59	90	108	105	100	43	17	4	-	-	88
-	-	-	-	1	-	1	-	2	1	-	1	1	1	1	-	-	-	89
14	9	9	12	11	13	27	29	37	54	64	57	52	20	7	1	-	-	90
-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	-	-	-	91
8	8	5	11	10	23	15	26	22	36	44	48	48	23	10	3	-	-	92
-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	93
34	37	29	33	41	60	82	73	104	157	157	155	137	82	29	7	1	-	94
1	-	-	1	-	-	1	4	1	4	-	1	2	-	-	-	-	-	95
21	22	11	23	19	34	49	46	59	95	94	89	71	39	9	2	-	-	96
-	-	-	1	-	-	-	2	1	2	-	1	2	-	-	-	-	-	97
13	15	18	10	22	26	33	27	15	62	63	66	66	43	20	5	1	-	98
1	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	99

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	COLORADO—Continued											
1	Rural	White	4,470	500	65	32	20	15	632	54	57	66
2		All other	60	11	1	-	-	-	12	-	1	1
3	Male	White	2,718	296	33	18	8	10	365	32	27	39
4		All other	39	6	1	-	-	-	7	-	1	-
5	Female	White	1,752	204	32	14	12	5	267	22	30	27
6		All other	21	5	-	-	-	-	5	-	-	1
7	CONNECTICUT		18,188	888	57	29	22	19	1,015	88	89	173
8	Both sexes	White	17,728	852	52	28	22	18	972	81	85	155
9		All other	460	36	5	1	-	1	43	7	4	18
10	Male	White	9,689	473	30	19	15	7	544	52	51	91
11		All other	230	22	2	-	-	1	25	4	-	11
12	Female	White	8,039	379	22	9	7	11	428	29	34	64
13		All other	230	14	3	1	-	-	18	3	4	7
14	Cities of 100,000 or more	White	4,792	231	8	4	8	5	256	21	27	30
15		All other	242	24	1	-	-	-	25	6	2	6
16	Male	White	2,625	123	4	3	7	4	141	10	15	16
17		All other	123	15	-	-	-	-	15	3	-	6
18	Female	White	2,167	108	4	1	1	1	115	11	12	14
19		All other	119	9	1	-	-	-	10	3	2	2
20	Cities of 25,000 to 100,000	White	4,846	242	19	8	6	3	278	15	19	47
21		All other	104	8	2	-	-	1	11	1	2	5
22	Male	White	2,640	128	11	6	4	-	149	10	11	31
23		All other	52	4	2	-	-	1	7	1	-	2
24	Female	White	2,206	114	8	2	2	3	129	5	8	16
25		All other	52	4	-	-	-	-	4	-	2	3
26	Cities of 10,000 to 25,000	White	1,910	107	4	1	3	4	119	9	8	19
27		All other	37	1	2	1	-	-	4	-	-	-
28	Male	White	1,043	64	2	1	2	-	69	7	5	10
29		All other	17	1	-	-	-	-	1	-	-	-
30	Female	White	867	43	2	-	1	4	50	2	3	9
31		All other	20	-	2	1	-	-	3	-	-	-
32	Cities of 2,500 to 10,000	White	588	33	3	2	-	1	39	1	3	3
33		All other	5	1	-	-	-	-	1	-	-	-
34	Male	White	318	14	3	2	-	-	19	1	3	2
35		All other	1	-	-	-	-	-	-	-	-	-
36	Female	White	270	19	-	-	-	1	20	-	-	1
37		All other	4	1	-	-	-	-	1	-	-	-
38	Rural	White	5,592	239	18	13	5	5	280	35	28	56
39		All other	72	2	-	-	-	-	2	-	-	5
40	Male	White	3,063	144	10	7	2	3	166	24	17	32
41		All other	37	2	-	-	-	-	2	-	-	3
42	Female	White	2,529	95	8	6	3	2	114	11	11	24
43		All other	35	-	-	-	-	-	-	-	-	2
44	DELAWARE		3,244	221	18	7	6	7	259	20	23	40
45	Both sexes	White	2,626	148	9	7	6	7	177	14	16	21
46		All other	618	73	9	-	-	-	82	6	7	19
47	Male	White	1,447	97	5	5	4	4	115	7	11	14
48		All other	352	34	6	-	-	-	40	5	6	9
49	Female	White	1,179	51	4	2	2	3	62	7	5	7
50		All other	266	39	3	-	-	-	42	1	1	10
51	Cities of 100,000 or more	White	1,073	47	2	1	2	-	52	5	5	11
52		All other	230	20	1	-	-	-	21	4	2	6
53	Male	White	562	32	1	1	2	-	36	2	3	5
54		All other	111	8	-	-	-	-	8	3	1	3
55	Female	White	511	15	1	-	-	-	16	3	2	6
56		All other	119	12	1	-	-	-	13	1	1	3
57	Cities of 2,500 to 10,000	White	304	25	1	-	2	2	30	2	5	2
58		All other	93	16	3	-	-	-	19	1	2	3
59	Male	White	157	17	1	-	1	-	19	1	3	2
60		All other	58	4	2	-	-	-	6	1	2	2
61	Female	White	147	8	-	-	1	2	11	1	2	-
62		All other	35	12	1	-	-	-	13	-	-	1
63	Rural	White	1,249	76	6	6	2	5	95	7	6	8
64		All other	295	37	5	-	-	-	42	1	3	10
65	Male	White	728	48	3	4	1	4	60	4	5	7
66		All other	183	22	4	-	-	-	26	1	3	4
67	Female	White	521	28	3	2	1	1	35	3	1	1
68		All other	112	15	1	-	-	-	16	-	-	6
69	DISTRICT OF COLUMBIA		7,999	744	38	24	12	13	831	50	31	92
70	Both sexes	White	5,062	375	15	15	6	7	418	24	11	44
71		All other	2,937	369	23	9	6	6	413	26	20	48
72	Male	White	2,760	231	7	6	5	5	254	12	5	23
73		All other	1,539	188	13	5	4	5	215	15	13	25
74	Female	White	2,302	144	8	9	1	2	164	12	6	21
75		All other	1,398	181	10	4	2	1	198	11	7	23
76	FLORIDA		21,632	1,985	187	102	75	40	2,389	174	204	413
77	Both sexes	White	14,023	1,187	102	61	50	21	1,421	109	115	200
78		All other	7,609	798	85	41	25	19	968	65	89	213
79	Male	White	8,414	663	59	31	28	15	796	68	78	114
80		All other	4,336	442	47	29	16	9	543	38	54	103
81	Female	White	5,609	524	43	30	22	6	625	43	37	86
82		All other	3,273	356	38	12	9	10	425	27	35	110
83	Cities of 100,000 or more	White	3,530	274	22	17	8	3	324	16	21	39
84		All other	2,019	179	18	8	5	3	213	18	17	54
85	Male	White	2,101	150	15	7	4	3	179	10	16	19
86		All other	1,127	109	11	7	4	1	132	13	12	25
87	Female	White	1,429	124	7	10	4	-	145	6	5	20
88		All other	892	70	7	1	1	2	81	5	5	29
89	Cities of 25,000 to 100,000	White	1,914	93	5	4	8	1	111	9	14	18
90		All other	685	56	6	2	-	2	66	1	8	20
91	Male	White	1,087	48	2	2	5	-	57	7	7	11
92		All other	384	30	4	2	-	1	37	1	6	11
93	Female	White	827	45	3	2	3	1	54	2	7	7
94		All other	301	26	2	-	-	1	29	-	2	9

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
98	74	100	110	137	184	232	300	364	410	506	463	384	221	63	10	4	1	1
2	3	2	1	1	6	2	7	4	10	3	2	1	2	-	-	-	-	2
53	41	53	63	81	101	146	196	239	279	321	293	231	118	34	6	-	-	3
-	1	1	1	1	3	2	6	3	7	2	2	1	1	-	-	-	-	4
45	35	47	47	56	83	86	104	125	131	185	170	153	103	29	4	4	1	5
2	2	1	-	-	3	-	1	1	3	1	-	-	1	-	-	-	-	6
268	299	324	413	592	931	1,311	1,602	1,875	2,166	2,228	2,040	1,617	808	259	84	2	4	7
250	280	309	388	561	890	1,283	1,566	1,846	2,124	2,181	2,017	1,603	794	254	84	1	4	8
18	19	15	25	31	41	28	36	29	42	47	23	14	14	5	-	1	-	9
152	154	174	231	303	518	795	956	1,065	1,203	1,146	1,025	771	322	98	35	-	3	10
10	14	6	11	14	25	12	17	10	23	22	12	6	5	3	-	-	-	11
98	126	135	157	258	372	488	610	781	921	1,035	992	832	472	156	49	1	1	12
8	5	9	14	17	16	16	19	19	19	25	11	8	9	2	-	1	-	13
73	67	90	118	186	294	393	459	545	557	582	529	340	156	52	17	-	-	14
12	12	10	15	16	25	13	15	11	22	26	12	5	4	3	-	-	-	15
46	34	51	72	95	171	243	284	306	313	322	269	152	66	13	6	-	-	16
7	9	3	7	8	14	8	3	5	10	11	8	3	1	2	-	-	-	17
27	33	39	46	91	123	150	175	239	244	260	260	188	90	39	11	-	-	18
5	3	7	8	8	11	5	12	6	12	15	4	2	3	1	-	-	-	19
68	89	94	106	135	232	370	439	534	598	607	514	416	208	60	18	1	-	20
3	4	3	5	7	10	6	11	8	10	8	3	3	3	1	-	-	-	21
40	47	52	82	76	139	223	262	323	338	317	255	190	83	22	10	-	-	22
1	3	2	1	3	7	-	6	4	8	4	1	1	1	-	-	-	-	23
26	42	42	44	59	93	147	177	211	260	290	259	226	125	38	8	1	-	24
2	1	1	4	4	3	6	5	4	2	4	2	2	2	1	-	-	-	25
27	45	38	43	55	90	119	170	195	235	256	215	150	93	35	9	-	-	26
3	3	1	1	1	2	4	2	3	2	4	3	2	2	-	-	-	-	27
16	25	18	27	27	58	84	105	105	135	113	105	84	29	17	4	-	-	28
2	2	1	-	1	1	2	2	1	2	-	1	1	-	-	-	-	-	29
11	20	20	16	28	32	35	65	90	100	123	110	66	64	18	5	-	-	30
1	1	-	1	-	1	2	-	2	-	4	2	1	2	-	-	-	-	31
8	6	5	7	12	20	33	50	68	61	68	67	74	46	12	5	-	-	32
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	33
4	5	3	3	5	11	19	37	41	39	29	30	40	20	5	2	-	-	34
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	35
4	1	2	4	7	9	14	13	27	22	39	37	34	26	7	3	-	-	36
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	37
76	73	82	114	173	254	368	448	504	673	698	692	623	291	95	35	-	4	38
-	-	1	4	7	4	5	8	7	7	9	4	3	5	1	-	-	-	39
46	43	50	67	100	139	226	268	290	378	365	366	305	124	41	13	-	3	40
-	-	-	3	2	3	2	6	-	2	7	2	1	3	1	-	-	-	41
30	30	32	47	73	115	142	180	214	295	323	326	318	167	54	22	-	1	42
-	-	1	1	5	1	3	2	7	5	2	2	2	2	-	-	-	-	43
60	54	82	95	123	192	197	247	288	324	365	357	290	158	57	10	-	3	44
46	36	46	66	79	135	150	214	249	270	317	307	273	148	53	8	-	1	45
14	18	36	29	44	57	47	33	39	54	48	50	17	10	4	2	-	2	46
27	21	21	34	55	81	90	139	143	148	172	150	117	70	28	3	-	1	47
6	9	20	19	25	37	22	20	23	32	32	28	11	5	1	-	-	2	48
19	15	25	32	24	54	60	75	106	122	145	157	156	78	25	5	-	-	49
8	9	16	10	19	20	25	13	16	22	16	22	6	5	3	2	-	-	50
17	10	25	35	35	67	71	117	111	117	116	108	99	51	22	1	-	-	51
6	5	10	11	25	28	20	16	14	22	18	15	3	2	1	-	-	1	52
10	6	11	17	22	43	39	75	65	59	60	48	33	18	10	-	-	-	53
1	3	4	5	17	16	9	10	5	9	9	6	1	-	-	-	-	1	54
7	4	12	18	13	24	32	42	46	58	56	60	66	33	12	1	-	-	55
5	2	6	6	8	12	11	6	9	13	9	9	2	2	1	-	-	-	56
4	10	10	7	8	14	18	20	22	29	35	36	30	16	5	1	-	-	57
-	3	5	4	3	7	4	3	3	8	9	10	4	2	2	1	-	-	58
-	6	5	5	6	4	11	14	14	13	19	12	12	7	3	1	-	-	59
-	2	4	3	1	5	1	2	2	8	7	7	2	2	1	-	-	-	60
4	4	5	2	2	10	7	6	8	16	16	24	18	9	2	-	-	-	61
-	1	1	1	2	2	3	1	1	-	2	3	2	-	1	1	-	-	62
25	16	13	24	36	54	61	77	116	124	166	163	144	81	26	6	-	1	63
8	10	21	14	16	22	23	14	22	24	21	25	10	6	1	1	-	1	64
17	9	5	12	27	34	40	50	64	76	93	90	72	45	15	2	-	1	65
5	4	12	11	7	16	12	8	16	15	16	15	8	3	-	-	-	1	66
8	7	8	12	9	20	21	27	52	48	73	73	72	36	11	4	-	-	67
3	6	9	3	9	6	11	6	6	9	5	10	2	3	1	1	-	-	68
192	213	281	345	458	577	590	622	709	784	755	619	475	230	105	26	8	6	69
77	90	112	165	238	320	326	380	501	558	601	496	410	186	77	21	8	4	70
115	123	169	180	220	257	264	242	208	226	154	123	65	44	28	5	5	2	71
41	55	64	107	158	208	212	239	296	306	302	210	168	77	14	4	1	4	72
62	53	86	97	129	147	149	140	107	111	71	61	28	14	13	1	1	1	73
36	35	48	58	80	112	114	141	205	252	299	286	242	109	63	17	2	-	74
53	70	83	83	91	110	115	102	101	115	83	62	37	30	15	4	4	1	75
639	715	894	947	1,155	1,375	1,611	1,624	1,770	1,963	1,966	1,627	1,163	681	215	49	27	31	76
294	307	374	405	502	709	822	1,013	1,352	1,510	1,618	1,401	1,037	606	175	35	8	10	77
345	408	520	542	653	666	789	611	418	453	348	226	126	75	40	14	19	21	78
190	176	199	237	307	455	543	657	851	947	994	824	573	298	83	15	4	7	79
182	222	288	299	354	362	429	360	260	301	226	133	83	46	21	7	9	16	80
104	131	175	168	195	254	279	356	501	563	624	577	464	308	92	20	4	3	81
163	186	232	243	299	304	360	251	158	152	122	93	43	29	19	7	10	5	82
78	73	108	126	155	208	239	312	347	399	377	328	211	118	42	6	1	2	83
109	124	146	185	219	227	204	156	107	94	60	51	15	8	3	4	4	1	84
50	40	54	75	96	133	161	212	213	245	217	196	109	53	19	3	-	1	85
49	69	79	110	118	122	108	89	63	59	34	27	8	5	2	1	1	1	86
28	33	54	51	59	75	78	100	134	154	160	132	102	65	23	3	1	1	87
60	55	67	75	101	105	96	67	44	35	26	24	7	3	1	3	3	-	88
32	43	47	48	68	90	106	137	160	245	243	225	170	99	38	6	2	3	89
35	47	45	54	64	73	66	81	33	42	22	10	7	7	2	-	2	-	90
21	21	25	27	41	56	61	89	107	152	137	114	65	41	20	3	2	3	91
20	21	23	33	39	37	30	43	20	29	15	7	4	6	1	-	1	-	92
11	22	22	21	27	34	45	48	53	93	106	111	85	58	18	3	-	-	93
15	26	22	21	25	36	36	38	13	13	7	3	3	1	1	-	1	-	94

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	FLORIDA—Continued										
1	Cities of 10,000 to 25,000—White	1,323	101	8	1	2	3	115	6	5	12
2	All other	765	65	7	6	3	1	82	7	6	17
3	Male—White	801	52	6	1	2	2	63	3	4	7
4	All other	412	37	3	4	1	1	46	2	3	8
5	Female—White	522	49	2	-	-	1	52	3	1	5
6	All other	353	28	4	2	2	-	36	5	3	9
7	Cities of 2,500 to 10,000—White	1,828	147	16	8	7	2	180	12	12	19
8	All other	1,134	123	11	9	4	3	150	11	10	41
9	Male—White	1,121	85	12	5	2	1	105	6	9	12
10	All other	650	63	5	5	4	2	79	7	4	16
11	Female—White	707	62	4	3	5	1	75	6	3	7
12	All other	484	60	6	4	-	1	71	4	6	25
13	Rural—White	5,428	572	51	31	25	12	691	66	63	112
14	All other	3,006	375	43	16	13	10	457	28	48	81
15	Male—White	3,304	328	24	16	15	9	392	40	42	65
16	All other	1,763	203	24	11	7	4	249	15	29	43
17	Female—White	2,124	244	27	15	10	3	299	26	21	47
18	All other	1,243	172	19	5	6	6	208	13	19	38
19	GEORGIA	31,654	3,965	465	224	126	94	4,874	347	313	712
20	Both sexes—White	16,768	1,992	218	124	65	43	2,442	194	160	287
21	All other	14,886	1,973	247	100	61	51	2,432	153	153	425
22	Male—White	9,650	1,159	115	69	31	20	1,394	103	109	180
23	All other	7,969	1,102	129	54	28	21	1,334	84	78	183
24	Female—White	7,118	833	103	55	34	23	1,048	91	51	107
25	All other	6,917	871	118	46	33	30	1,098	69	75	242
26	Cities of 100,000 or more—White	1,731	141	12	7	3	1	164	16	13	26
27	All other	1,946	162	16	8	8	4	198	9	14	57
28	Male—White	964	85	7	4	2	-	98	11	11	21
29	All other	1,055	87	9	5	5	3	109	6	8	21
30	Female—White	767	56	5	3	1	1	66	5	2	5
31	All other	891	75	7	3	3	1	89	3	6	36
32	Cities of 25,000 to 100,000—White	2,058	239	23	13	7	4	286	20	10	25
33	All other	2,389	229	44	15	9	10	307	17	20	60
34	Male—White	1,132	138	12	10	4	2	166	12	7	12
35	All other	1,278	140	27	7	4	4	182	8	9	26
36	Female—White	926	101	11	3	3	2	120	8	3	13
37	All other	1,111	89	17	8	5	6	125	9	11	34
38	Cities of 10,000 to 25,000—White	1,228	145	15	4	4	3	171	14	5	24
39	All other	1,161	119	10	8	3	6	146	7	9	33
40	Male—White	702	76	6	3	1	2	88	9	2	15
41	All other	623	68	5	5	2	2	82	4	3	18
42	Female—White	526	69	9	1	3	1	83	5	3	9
43	All other	538	51	5	3	1	4	64	3	6	15
44	Cities of 2,500 to 10,000—White	1,878	238	19	12	6	2	277	11	20	33
45	All other	1,568	212	25	5	2	-	244	20	10	41
46	Male—White	1,089	149	7	6	3	2	167	6	11	16
47	All other	768	105	10	3	1	-	119	10	6	17
48	Female—White	789	89	12	6	3	-	110	5	9	17
49	All other	800	107	15	2	1	-	125	10	4	24
50	Rural—White	9,873	1,229	149	88	45	33	1,544	133	112	179
51	All other	7,822	1,251	152	64	39	31	1,537	100	100	234
52	Male—White	5,763	711	83	46	21	14	875	65	78	116
53	All other	4,245	702	78	34	16	12	842	56	52	101
54	Female—White	4,110	518	66	42	24	19	669	68	34	63
55	All other	3,577	549	74	30	23	19	695	44	48	133
56	IDAHO	4,462	417	40	23	16	20	516	41	44	84
57	Both sexes—White	4,379	403	34	19	15	19	490	41	41	81
58	All other	83	14	6	4	1	1	26	-	3	3
59	Male—White	2,742	221	17	14	9	13	274	27	24	48
60	All other	46	7	4	2	1	-	14	-	-	3
61	Female—White	1,637	182	17	5	6	6	216	14	17	33
62	All other	37	7	2	2	-	1	12	-	3	-
63	Cities of 25,000 to 100,000—White	308	14	2	-	-	1	17	2	-	6
64	All other	4	-	-	-	-	-	-	-	-	-
65	Male—White	204	11	1	-	-	-	12	2	-	5
66	All other	2	-	-	-	-	-	-	-	-	-
67	Female—White	104	3	1	-	-	1	5	-	-	1
68	All other	2	-	-	-	-	-	-	-	-	-
69	Cities of 10,000 to 25,000—White	784	74	6	2	2	1	85	8	4	11
70	All other	10	-	-	-	-	-	-	-	-	-
71	Male—White	476	42	4	1	1	1	49	7	2	5
72	All other	7	-	-	-	-	-	-	-	-	-
73	Female—White	308	32	2	1	1	-	36	1	2	6
74	All other	3	-	-	-	-	-	-	-	-	-
75	Cities of 2,500 to 10,000—White	811	82	8	3	4	2	99	7	8	18
76	All other	4	-	-	-	1	-	1	-	-	1
77	Male—White	504	45	5	2	2	2	56	6	1	9
78	All other	4	-	-	-	1	-	1	-	-	1
79	Female—White	307	37	3	1	2	-	43	1	7	9
80	All other	-	-	-	-	-	-	-	-	-	-
81	Rural—White	2,476	233	18	14	9	15	289	24	29	46
82	All other	65	14	6	4	-	1	25	-	3	2
83	Male—White	1,558	123	7	11	6	10	157	12	21	29
84	All other	33	7	4	2	-	-	13	-	-	2
85	Female—White	918	110	11	3	3	5	132	12	8	17
86	All other	32	7	2	2	-	1	12	-	3	-
87	ILLINOIS	86,582	4,661	450	253	180	137	5,681	544	574	1,051
88	Both sexes—White	80,299	4,277	401	221	166	121	5,186	487	522	900
89	All other	6,283	384	49	32	14	16	495	57	52	151
90	Male—White	45,752	2,486	225	135	95	69	3,010	283	321	558
91	All other	3,432	216	28	17	10	8	279	26	27	68
92	Female—White	34,547	1,791	176	86	71	52	2,176	204	201	342
93	All other	2,851	168	21	15	4	8	216	31	25	83

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
23	22	20	31	36	69	80	77	142	138	188	166	115	64	11	2	1	-	1
36	47	67	49	71	70	91	61	38	46	34	19	8	8	4	1	1	2	2
11	12	11	22	19	52	57	48	84	83	120	104	62	33	5	1	-	-	3
16	25	40	19	34	43	45	34	23	29	23	8	6	3	2	1	-	2	4
12	10	9	9	17	17	23	29	58	55	68	62	53	31	6	1	1	-	5
20	22	27	30	37	27	46	27	15	17	11	11	2	5	2	-	1	-	6
37	36	50	47	65	97	98	138	185	181	218	190	144	90	22	5	1	1	7
54	60	86	70	98	97	133	83	58	66	40	30	27	9	5	-	1	5	8
27	21	31	27	40	60	68	86	117	114	146	117	77	46	8	3	-	1	9
31	34	52	32	53	57	78	48	38	39	30	22	16	6	4	-	-	4	10
10	15	19	20	25	37	30	52	68	67	72	73	67	44	14	2	1	-	11
23	26	34	38	45	40	55	35	20	27	10	8	11	3	1	-	1	1	12
124	133	149	153	178	245	299	349	518	547	592	492	397	235	62	16	3	4	13
111	130	176	184	201	199	295	230	182	205	192	116	69	43	26	9	11	13	14
81	82	78	86	111	154	196	222	330	353	374	293	240	125	31	5	2	2	15
66	73	94	105	110	103	168	146	116	145	124	69	49	26	12	5	7	9	16
43	51	71	67	67	91	103	127	188	194	218	199	157	110	31	11	1	2	17
45	57	82	79	91	96	127	84	66	60	68	47	20	17	14	4	4	4	18
1,088	1,192	1,232	1,472	1,653	2,002	2,292	2,370	2,351	2,719	2,463	1,782	1,430	813	303	92	70	84	19
409	414	431	586	600	845	1,021	1,223	1,424	1,788	1,644	1,275	1,128	616	203	44	5	31	20
679	778	801	886	1,053	1,157	1,271	1,147	927	931	819	507	304	197	100	48	65	53	21
260	251	248	340	360	556	667	805	877	1,050	888	675	518	250	92	9	1	17	22
344	412	423	435	517	635	706	640	499	525	470	291	171	90	47	28	23	36	23
149	163	183	246	240	289	354	418	547	738	756	600	608	366	111	35	4	14	24
335	366	378	451	536	522	565	507	428	406	349	216	133	107	53	22	42	17	25
33	47	42	67	75	105	124	166	170	187	181	138	100	51	21	4	1	-	26
82	125	144	167	212	195	199	153	131	90	81	46	19	9	7	3	4	1	27
17	25	21	38	53	70	80	110	100	108	72	70	40	11	8	-	-	-	28
44	66	92	88	103	117	110	89	75	46	41	24	7	3	4	1	-	1	29
16	22	21	29	22	35	44	56	70	79	109	68	60	40	13	4	1	-	30
38	59	52	79	109	78	89	64	56	44	40	22	12	6	3	2	4	-	31
30	43	57	80	85	124	161	167	179	238	196	149	120	65	14	5	-	4	32
133	158	171	165	241	198	218	206	151	132	105	57	26	11	6	1	3	3	33
14	28	33	43	45	93	113	108	109	120	92	60	39	28	5	2	-	3	34
64	81	94	86	132	115	117	102	81	68	54	36	12	4	3	1	-	3	35
18	15	24	37	40	31	48	59	70	118	104	89	81	37	9	3	-	1	36
69	77	77	79	109	83	101	104	70	64	51	21	14	7	3	-	3	-	37
40	25	39	50	44	82	81	69	103	131	122	83	80	50	10	1	-	4	38
48	77	70	71	101	111	112	95	81	64	54	30	21	11	7	3	4	6	39
25	16	20	29	33	53	50	45	60	73	73	44	36	23	6	-	-	2	40
20	40	38	39	53	60	66	46	46	33	33	14	11	5	3	2	4	3	41
15	9	19	21	11	29	31	24	43	58	49	39	44	27	4	1	-	2	42
28	37	32	32	48	51	46	49	35	31	21	16	10	6	4	1	-	3	43
40	51	59	50	69	93	111	139	163	199	190	147	118	71	27	4	-	6	44
61	81	100	104	100	131	154	131	108	85	78	40	22	26	11	6	4	11	45
24	30	33	34	42	63	77	92	103	121	99	67	61	29	11	1	-	2	46
30	42	43	54	47	62	84	67	43	41	40	21	15	10	6	4	-	7	47
16	21	26	16	27	30	34	47	60	78	91	80	57	42	16	3	-	4	48
31	39	57	50	53	69	70	64	65	44	38	19	7	16	5	2	4	4	49
266	248	254	339	327	441	544	682	809	1,033	955	758	708	379	131	30	4	17	50
355	337	316	379	399	522	588	562	456	560	501	334	216	140	69	35	50	32	51
180	152	141	196	187	277	347	450	505	628	552	434	342	159	62	6	1	10	52
186	183	156	168	182	281	329	336	254	337	302	196	126	68	31	18	19	22	53
86	96	93	143	140	164	197	232	304	405	403	324	366	220	69	24	3	7	54
169	154	160	211	217	241	259	226	202	223	199	138	90	72	38	17	31	10	55
78	102	99	110	130	195	275	300	413	438	503	497	389	174	60	8	5	1	56
75	99	97	108	130	192	270	295	410	433	498	493	385	171	59	7	3	1	57
3	3	2	2	-	3	5	5	3	5	5	4	4	3	1	1	2	-	58
42	66	60	62	82	124	171	198	276	271	310	331	238	100	30	4	3	1	59
2	-	2	1	-	1	3	3	2	3	5	3	1	2	1	-	-	-	60
33	33	37	46	48	68	99	97	134	162	188	162	147	71	29	3	-	-	61
1	3	-	1	-	2	2	2	1	2	-	1	3	1	-	1	2	-	62
7	7	7	8	5	13	20	33	32	30	33	37	33	13	5	-	-	-	63
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	64
7	6	5	3	3	9	15	26	20	19	18	22	19	10	3	-	-	-	65
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	66
-	1	2	5	2	4	5	7	12	11	15	15	14	3	2	-	-	-	67
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	68
9	17	21	17	25	36	60	50	84	70	84	92	63	30	17	1	-	-	69
-	-	-	-	-	-	2	3	-	3	1	-	-	1	-	-	-	-	70
5	11	11	7	16	26	35	35	54	41	52	61	39	13	6	1	-	-	71
-	-	-	-	-	-	1	2	-	2	1	-	-	1	-	-	-	-	72
4	6	10	10	9	10	25	15	30	29	32	31	24	17	11	-	-	-	73
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	74
13	17	24	24	19	35	40	58	77	70	92	76	85	34	11	3	1	-	75
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	76
7	10	18	17	11	21	26	37	48	43	56	55	50	23	8	1	1	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	78
6	7	6	7	8	14	14	21	29	27	36	21	35	11	3	2	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
46	58	45	59	81	108	150	154	217	263	289	288	204	94	26	3	2	1	81
3	3	2	2	-	2	3	2	3	2	2	2	4	2	1	1	1	-	82
23	39	26	35	52	68	95	100	154	168	184	193	130	54	13	2	2	1	83
2	-	2	1	-	1	2	1	2	1	2	1	1	1	1	-	-	-	84
23	19	19	24	29	40	55	54	63	95	105	95	74	40	13	1	-	-	85
1	3	-	1	-	1	1	1	1	1	-	1	3	1	-	1	1	-	86
1,419	1,658	1,897	2,466	3,277	4,826	6,460	7,434	8,330	9,602	10,164	9,191	7,083	3,499	1,112	260	42	12	87
1,198	1,389	1,558	2,013	2,745	4,245	5,803	6,855	7,775	9,084	9,835	8,933	6,966	3,432	1,088	239	35	11	88
221	269	339	453	532	581	657	579	555	518	329	258	117	67	24	21	7	1	89
674	781	871	1,227	1,644	2,579	3,696	4,294	4,765	5,311	5,437	4,611	3,552	1,576	446	93	15	8	90
113	133	189	247	291	327	383	328	310	283	185	134	54	35	9	8	4	1	91
524	608	687	786	1,101	1,666	2,107	2,581	3,010	3,773	4,398	4,322	3,414	1,856	642	146	20	3	92
108	138	150	206	241	254	274	253	245	235	144	124	63	32	15	13	3	-	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	ILLINOIS—Continued										
1	Cities of 100,000 or more—White	33,782	1,434	127	70	66	41	1,738	200	193	326
2	All other	4,354	240	32	26	10	13	321	39	55	119
3	Male—White	19,391	853	59	44	36	24	1,016	122	106	187
4	All other	2,338	127	18	14	7	5	171	18	17	51
5	Female—White	14,391	581	68	26	30	17	722	78	87	139
6	All other	2,016	113	14	12	3	8	150	21	18	68
7	Cities of 25,000 to 100,000—White	10,629	602	37	23	16	17	695	56	47	105
8	All other	651	56	6	1	-	1	64	6	5	8
9	Male—White	5,825	353	22	12	6	11	404	28	29	65
10	All other	365	39	2	1	-	1	43	2	2	2
11	Female—White	4,804	249	15	11	10	6	291	28	18	40
12	All other	286	17	4	-	-	-	21	4	3	6
13	Cities of 10,000 to 25,000—White	5,879	378	42	25	16	14	475	44	34	72
14	All other	314	29	4	1	-	-	34	4	3	7
15	Male—White	3,214	205	28	11	12	6	262	19	20	48
16	All other	171	17	3	1	-	-	21	4	1	2
17	Female—White	2,665	173	14	14	4	8	213	25	14	24
18	All other	143	12	1	-	-	-	13	-	2	5
19	Cities of 2,500 to 10,000—White	7,989	496	58	21	9	14	598	61	69	101
20	All other	212	20	2	-	-	-	22	1	2	4
21	Male—White	4,465	294	37	11	5	7	354	33	47	60
22	All other	112	12	2	-	-	-	14	-	1	3
23	Female—White	3,524	202	21	10	4	7	244	28	22	41
24	All other	100	8	-	-	-	-	8	1	1	1
25	Rural—White	22,020	1,367	137	82	59	35	1,680	126	179	296
26	All other	752	39	5	4	4	2	54	7	7	13
27	Male—White	12,857	781	79	57	36	21	974	81	119	198
28	All other	446	21	3	1	3	2	30	2	6	10
29	Female—White	9,163	586	58	25	23	14	706	45	60	98
30	All other	306	18	2	3	1	-	24	5	1	3
31	INDIANA	39,851	2,615	242	119	91	70	3,137	296	322	551
32	Both sexes—White	37,937	2,468	222	119	86	61	2,956	287	301	506
33	All other	1,914	147	20	-	5	9	181	9	21	45
34	Male—White	21,170	1,483	125	61	45	36	1,750	170	174	306
35	All other	1,051	87	13	-	3	6	109	6	10	16
36	Female—White	16,767	985	97	58	41	25	1,206	117	127	200
37	All other	863	60	7	-	2	3	72	3	11	29
38	Cities of 100,000 or more—White	7,049	421	29	19	6	11	486	40	55	89
39	All other	1,189	90	12	-	4	5	111	7	15	36
40	Male—White	3,894	254	20	6	2	7	289	21	32	53
41	All other	608	55	9	-	2	4	70	6	8	12
42	Female—White	3,155	167	9	13	4	4	197	19	23	36
43	All other	581	35	3	-	2	1	41	1	7	24
44	Cities of 25,000 to 100,000—White	6,454	504	40	15	19	11	589	66	51	90
45	All other	443	48	5	-	1	4	58	1	2	5
46	Male—White	3,590	288	19	10	9	8	334	47	31	51
47	All other	268	26	2	-	1	2	31	-	1	2
48	Female—White	2,864	216	21	5	10	3	255	19	20	39
49	All other	175	22	3	-	-	2	27	1	1	3
50	Cities of 10,000 to 25,000—White	2,874	201	22	12	9	4	248	12	15	30
51	All other	68	3	1	-	-	-	4	-	-	1
52	Male—White	1,568	123	15	1	5	3	147	9	7	17
53	All other	37	1	1	-	-	-	2	-	-	-
54	Female—White	1,306	78	7	11	4	1	101	3	8	13
55	All other	31	2	-	-	-	-	2	-	-	1
56	Cities of 2,500 to 10,000—White	4,275	262	27	12	11	6	318	28	34	59
57	All other	53	3	1	-	-	-	4	1	2	1
58	Male—White	2,298	153	12	8	5	3	181	11	18	30
59	All other	31	3	1	-	-	-	4	-	-	-
60	Female—White	1,977	109	15	4	6	3	137	17	16	29
61	All other	22	-	-	-	-	-	-	1	2	1
62	Rural—White	17,285	1,080	104	61	41	29	1,315	141	146	258
63	All other	161	3	1	-	-	-	4	-	2	2
64	Male—White	9,820	865	59	36	24	15	799	82	86	155
65	All other	107	2	-	-	-	-	2	-	1	2
66	Female—White	7,465	415	45	25	17	14	516	59	60	83
67	All other	54	1	1	-	-	-	2	-	1	-
68	IOWA	25,677	1,676	130	71	56	30	1,963	153	168	283
69	Both sexes—White	25,457	1,661	126	71	55	29	1,942	151	168	282
70	All other	220	15	4	-	1	1	21	2	-	1
71	Male—White	14,353	967	68	38	51	13	1,117	95	100	187
72	All other	121	10	3	-	-	-	13	2	-	-
73	Female—White	11,104	694	58	33	24	16	825	56	68	115
74	All other	99	5	1	-	1	1	8	-	-	1
75	Cities of 100,000 or more—White	1,514	107	12	3	3	1	126	9	7	18
76	All other	79	3	-	-	1	1	5	1	-	1
77	Male—White	818	61	7	1	2	-	71	4	6	6
78	All other	41	2	-	-	-	-	2	1	-	-
79	Female—White	696	46	5	2	1	1	55	5	1	12
80	All other	38	1	-	-	1	1	3	-	-	1
81	Cities of 25,000 to 100,000—White	4,754	319	28	19	7	7	380	29	22	47
82	All other	60	4	2	-	-	-	6	1	-	-
83	Male—White	2,638	178	18	12	4	2	214	19	15	28
84	All other	32	3	2	-	-	-	5	1	-	-
85	Female—White	2,118	141	10	7	3	5	166	10	7	19
86	All other	28	1	-	-	-	-	1	-	-	-
87	Cities of 10,000 to 25,000—White	1,715	118	7	4	2	1	132	10	18	13
88	All other	26	5	-	-	-	-	5	-	-	-
89	Male—White	944	68	3	1	2	1	75	7	9	10
90	All other	13	3	-	-	-	-	3	-	-	-
91	Female—White	771	50	4	3	-	-	57	3	9	3
92	All other	13	2	-	-	-	-	2	-	-	-
93	Cities of 2,500 to 10,000—White	4,176	246	12	5	8	4	275	21	20	37
94	All other	25	1	1	-	-	-	2	-	-	-
95	Male—White	2,333	142	4	3	5	1	155	17	14	26
96	All other	17	1	-	-	-	-	1	-	-	-
97	Female—White	1,843	104	8	2	3	3	120	4	6	11
98	All other	8	-	1	-	-	-	1	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
536	649	724	1,005	1,391	2,240	3,100	3,503	3,813	3,933	3,629	3,151	2,142	938	297	59	11	4	1
168	201	241	344	409	412	494	420	384	331	187	136	59	30	7	13	3	1	2
273	360	389	610	836	1,416	2,018	2,234	2,368	2,256	2,026	1,610	1,031	394	108	22	5	4	3
82	94	136	187	224	232	282	243	207	175	107	64	25	13	3	4	2	1	4
263	289	335	395	555	824	1,082	1,269	1,445	1,677	1,803	1,541	1,111	544	189	37	6	-	5
88	107	105	157	185	180	212	177	177	156	80	72	34	17	4	9	1	-	6
124	161	193	260	365	534	727	877	981	1,193	1,371	1,238	1,000	500	161	34	6	1	7
21	23	38	38	38	55	63	59	51	58	47	39	12	14	7	3	2	-	8
70	87	117	144	210	302	464	542	584	698	734	596	477	204	60	10	-	-	9
12	15	18	23	22	31	35	29	26	38	26	21	7	8	3	1	1	-	10
54	74	76	118	155	232	263	335	397	495	637	642	523	296	101	24	6	1	11
9	8	20	15	16	24	28	30	25	20	21	18	5	6	4	2	1	-	12
87	107	99	150	185	295	360	469	477	632	731	673	589	290	85	19	5	1	13
9	16	13	27	19	25	22	25	24	29	21	15	12	5	3	1	-	-	14
48	62	61	102	123	164	214	291	265	337	395	333	285	132	42	8	2	1	15
5	9	7	12	9	13	16	13	15	15	11	7	7	2	1	1	-	-	16
39	45	38	48	62	131	146	178	212	295	336	340	304	158	43	11	3	-	17
4	7	6	15	10	12	6	12	9	14	10	8	5	3	2	-	-	-	18
118	119	168	171	218	310	447	568	695	843	997	1,023	856	453	140	31	4	1	19
8	4	7	8	9	11	14	16	28	16	16	23	10	7	4	-	2	-	20
62	76	98	103	130	188	269	349	427	510	530	509	435	216	55	12	1	1	21
4	1	5	4	1	5	10	8	17	11	8	10	3	5	1	-	1	-	22
56	43	68	68	88	122	178	219	268	333	467	514	421	237	85	19	3	-	23
4	3	2	4	8	6	4	8	11	5	8	13	7	2	3	-	1	-	24
333	353	376	427	586	866	1,169	1,438	1,809	2,483	2,907	2,848	2,379	1,251	405	96	9	4	25
15	25	40	36	57	78	64	59	68	84	58	45	24	11	3	4	-	-	26
221	196	206	268	345	509	731	878	1,121	1,510	1,752	1,563	1,324	630	181	41	7	2	27
10	14	23	21	35	46	40	33	45	44	33	32	12	7	1	2	-	-	28
112	157	170	159	241	357	438	560	688	973	1,155	1,285	1,055	621	224	55	2	2	29
5	11	17	15	22	32	24	26	23	40	25	13	12	4	2	2	-	-	30
640	691	774	975	1,246	1,686	2,176	2,740	3,470	4,284	4,969	4,804	4,138	2,129	653	117	21	32	31
583	624	690	855	1,102	1,544	2,019	2,582	3,319	4,087	4,842	4,687	4,074	2,088	634	112	15	30	32
57	67	84	120	144	142	157	158	151	197	127	117	64	41	19	5	6	2	33
354	345	382	493	673	916	1,208	1,564	1,979	2,299	2,662	2,450	2,056	1,041	273	54	6	15	34
25	39	37	60	83	71	95	87	87	106	78	78	31	22	6	2	2	1	35
229	279	308	362	429	628	811	1,018	1,340	1,788	2,180	2,257	2,018	1,047	361	58	9	15	36
32	26	47	60	61	71	62	71	64	91	49	39	33	19	13	3	4	1	37
117	148	147	209	269	387	488	622	705	785	790	715	608	284	84	18	1	2	38
43	49	59	83	89	90	98	102	92	115	73	60	32	19	12	1	3	-	39
65	73	83	125	178	235	300	368	428	425	435	356	270	120	33	5	-	-	40
19	27	27	42	48	46	53	47	51	54	39	35	13	5	4	1	1	-	41
52	75	64	84	91	152	188	254	277	360	355	359	338	164	51	13	1	2	42
24	22	32	41	41	44	45	55	41	61	34	25	19	14	8	-	2	-	43
98	109	144	169	222	306	443	489	588	671	774	700	553	278	93	12	2	7	44
9	13	19	19	34	37	43	36	36	48	32	22	15	10	2	2	-	-	45
62	61	90	92	138	184	277	311	339	372	412	357	254	133	36	5	1	3	46
4	8	7	11	23	20	28	22	19	35	22	17	9	9	-	-	-	-	47
36	48	54	77	84	122	186	178	249	299	362	343	299	145	57	7	1	4	48
5	5	12	8	11	17	15	14	17	13	10	5	6	1	2	2	-	-	49
30	55	47	57	82	105	150	197	248	333	378	352	318	157	45	12	-	3	50
-	-	2	3	9	3	3	7	3	10	2	8	7	4	2	-	-	-	51
16	30	27	37	47	65	90	123	146	171	198	179	156	81	14	6	-	2	52
-	-	-	1	7	1	2	6	1	5	2	4	2	3	1	-	-	-	53
14	25	20	20	35	40	60	74	102	162	180	173	162	76	31	6	-	1	54
-	-	2	2	2	2	1	1	2	5	-	4	5	1	1	-	-	-	55
69	71	67	85	93	137	212	264	349	458	580	546	523	280	75	14	5	8	56
2	-	1	3	4	2	2	1	5	4	7	9	1	3	1	-	-	-	57
46	39	33	55	57	84	111	153	213	249	312	277	248	139	33	7	1	1	58
-	-	-	1	1	-	2	1	4	-	6	8	1	2	1	-	-	-	59
23	32	34	30	36	53	101	111	136	209	268	269	275	141	42	7	4	7	60
2	-	1	2	3	2	-	-	1	4	1	1	-	1	-	-	-	-	61
269	241	285	335	436	609	726	1,010	1,429	1,840	2,320	2,374	2,072	1,089	337	56	7	10	62
3	5	3	12	8	10	11	12	15	20	13	18	9	5	2	2	3	2	63
165	142	149	184	253	348	430	609	853	1,082	1,305	1,281	1,128	568	157	31	4	9	64
2	4	3	5	4	4	10	11	12	12	9	14	6	3	-	1	1	1	65
104	99	136	151	183	261	296	401	576	758	1,015	1,093	944	521	180	25	3	1	66
1	1	-	7	4	6	1	1	3	8	4	4	3	2	2	1	2	1	67
280	347	355	473	628	972	1,256	1,643	2,139	2,644	3,432	3,330	3,150	1,680	631	126	11	13	68
280	340	352	468	621	946	1,237	1,627	2,113	2,622	3,414	3,313	3,133	1,673	628	126	10	11	69
-	7	3	5	7	26	19	16	26	22	18	17	17	7	3	-	1	2	70
161	197	205	263	352	545	747	982	1,308	1,530	1,997	1,759	1,670	806	277	61	4	10	71
-	3	2	2	4	15	11	11	14	12	6	7	10	5	2	-	1	1	72
119	143	147	205	269	401	490	645	805	1,092	1,417	1,554	1,463	867	351	65	6	1	73
-	4	1	3	3	11	8	5	12	10	12	10	7	2	1	-	-	1	74
16	25	18	37	45	83	86	107	166	163	191	151	141	86	23	11	2	3	75
-	3	2	1	2	13	7	3	11	12	5	4	7	-	1	-	1	-	76
7	14	10	23	27	45	59	58	102	90	106	70	69	36	7	5	-	3	77
-	1	2	1	1	8	3	2	8	6	1	-	4	-	-	-	1	-	78
9	11	8	14	18	38	27	49	64	73	85	81	72	50	16	6	2	-	79
-	2	-	-	1	5	4	1	3	6	4	4	3	-	1	-	-	-	80
49	62	76	102	135	240	299	343	413	487	587	575	503	287	98	15	3	2	81
-	2	-	2	3	8	5	9	4	6	3	4	2	3	1	-	-	1	82
26	37	51	57	79	151	184	210	253	271	313	283	248	135	49	10	1	2	83
-	-	-	-	2	4	3	5	2	5	1	2	-	1	1	-	-	-	84
23	25	25	45	56	89	115	133	160	216	274	292	255	152	49	5	2	-	85
-	2	-	2	1	4	2	4	2	1	2	2	2	2	-	-	-	1	86
19	26	17	36	40	67	85	108	156	191	225	217	201	109	38	5	1	1	87
-	2	-	1	-	1	1	1	4	2	2	4	1	2	-	-	-	-	88
7	12	11	24	22	45	59	69	99	103	119	107	94	54	13	3	1	1	89
-	2	-	1	-	1	-	1	-	-	-	2	1	2	-	-	-	-	90
12	14	6	12	18	22	26	39	57	88	106	110	107	55	25	2	-	-	91
-	-	-	-	-	-	1	-	4	2	2	2	-	-	-	-	-	-	92
42	50	50	84	104	145	204	269	325	435	574	578	531	304	114	14	-	-	93
-	-	-	-	1	2	3	1	2	2	4	3	3	-	1	-	-	1	94
32	32	31	41	61	85	122	163	194	249	328	296	283	156	45	5	-	-	95
-	-	-	-	-	2	2	1	1	1	2	3	2	-	1	-	-	1	96
10	18	19	43	43	60	82	106	131	186	248	282	248	148	69	9	-	-	97
-	-	-	-	1	-	1	-	1	1	2	-	1	-	-	-	-	-	98

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	IOWA—Continued										
1	Rural—White	13,298	871	67	40	35	16	1,029	82	101	167
2	All other	30	2	1	-	-	-	3	-	-	-
3	Male—White	7,622	518	36	21	18	9	602	48	56	97
4	All other	18	1	1	-	-	-	2	-	-	-
5	Female—White	5,676	353	31	19	17	7	427	34	45	70
6	All other	12	1	-	-	-	-	1	-	-	-
7	KANSAS	18,448	1,145	119	62	41	24	1,391	135	140	254
8	Both sexes—White	17,465	1,078	110	61	39	24	1,312	125	133	224
9	All other	983	67	9	1	2	-	79	10	7	30
10	Male—White	9,998	606	52	35	19	10	722	72	97	147
11	All other	502	36	6	-	1	-	43	5	5	16
12	Female—White	7,467	472	58	26	20	14	590	53	36	77
13	All other	481	31	3	1	1	-	36	5	2	14
14	Cities of 100,000 or more—White	2,120	170	14	7	4	4	199	15	21	23
15	All other	384	23	5	-	2	-	30	3	3	15
16	Male—White	1,192	108	3	3	2	3	119	11	17	18
17	All other	190	11	3	-	1	-	15	1	2	6
18	Female—White	928	62	11	4	2	1	80	4	4	5
19	All other	194	12	2	-	1	-	15	2	1	9
20	Cities of 25,000 to 100,000—White	953	62	7	2	-	1	72	6	7	11
21	All other	98	7	-	-	-	-	7	3	1	4
22	Male—White	510	36	2	1	-	1	40	2	4	8
23	All other	49	4	-	-	-	-	4	1	1	1
24	Female—White	443	26	5	1	-	-	32	4	3	3
25	All other	49	3	-	-	-	-	3	2	-	3
26	Cities of 10,000 to 25,000—White	2,413	151	12	6	6	3	178	16	14	31
27	All other	222	20	1	-	-	-	21	1	1	9
28	Male—White	1,319	80	8	4	4	-	96	13	11	24
29	All other	109	11	1	-	-	-	12	1	1	7
30	Female—White	1,094	71	4	2	2	3	82	3	3	7
31	All other	113	9	-	-	-	-	9	-	-	2
32	Cities of 2,500 to 10,000—White	2,411	168	20	8	9	3	208	20	13	29
33	All other	69	8	2	-	-	-	10	-	1	-
34	Male—White	1,392	100	14	6	2	2	124	9	8	12
35	All other	38	5	2	-	-	-	7	-	1	-
36	Female—White	1,019	68	6	2	7	1	84	11	5	17
37	All other	31	3	-	-	-	-	3	-	-	-
38	Rural—White	9,568	527	57	38	20	13	655	68	78	130
39	All other	210	9	1	1	-	-	11	3	1	2
40	Male—White	5,585	282	25	21	11	4	343	37	57	85
41	All other	116	5	-	-	-	-	5	2	-	2
42	Female—White	3,983	245	32	17	9	9	312	31	21	45
43	All other	94	4	1	1	-	-	6	1	1	-
44	KENTUCKY	30,403	3,738	578	238	153	103	4,810	373	296	637
45	Both sexes—White	26,489	3,441	528	221	143	98	4,431	335	259	546
46	All other	3,914	297	50	17	10	5	379	38	37	91
47	Male—White	14,682	1,985	293	125	74	54	2,531	198	163	314
48	All other	2,152	177	26	10	6	2	221	21	21	46
49	Female—White	11,807	1,456	235	96	69	44	1,900	137	96	232
50	All other	1,762	120	24	7	4	3	158	17	16	45
51	Cities of 100,000 or more—White	3,294	280	24	14	6	5	329	30	19	45
52	All other	919	39	11	-	-	2	52	9	9	18
53	Male—White	1,770	175	16	11	3	3	208	21	16	25
54	All other	494	25	5	-	-	2	32	6	6	11
55	Female—White	1,524	105	8	3	3	2	121	9	3	20
56	All other	425	14	6	-	-	-	20	3	3	7
57	Cities of 25,000 to 100,000—White	2,548	225	17	13	8	7	270	20	15	32
58	All other	573	51	7	4	-	-	62	3	3	7
59	Male—White	1,369	120	10	6	4	2	142	13	9	22
60	All other	301	26	3	3	-	-	32	2	2	3
61	Female—White	1,179	105	7	7	4	5	128	7	6	10
62	All other	272	25	4	1	-	-	30	1	1	4
63	Cities of 10,000 to 25,000—White	896	92	18	8	1	4	123	9	9	13
64	All other	263	29	3	-	1	-	33	2	4	6
65	Male—White	495	49	8	4	-	1	62	4	5	7
66	All other	140	15	2	-	1	-	18	1	3	4
67	Female—White	401	43	10	4	1	3	61	5	4	6
68	All other	123	14	1	-	-	-	15	1	1	2
69	Cities of 2,500 to 10,000—White	2,791	312	50	23	16	9	410	28	19	61
70	All other	672	44	10	4	3	2	63	5	8	27
71	Male—White	1,570	191	28	16	8	5	248	20	9	33
72	All other	370	26	6	3	2	-	37	2	3	12
73	Female—White	1,221	121	22	7	8	4	162	8	10	28
74	All other	302	18	4	1	1	2	26	3	5	15
75	Rural—White	16,960	2,532	419	163	112	73	3,299	248	197	395
76	All other	1,487	134	19	9	6	1	169	19	13	33
77	Male—White	9,478	1,450	231	88	59	43	1,871	140	124	227
78	All other	847	85	10	4	3	-	102	10	7	16
79	Female—White	7,482	1,082	188	75	53	30	1,428	108	73	168
80	All other	640	49	9	5	3	1	67	9	6	17
81	LOUISIANA	23,849	3,157	287	151	85	72	3,752	217	250	472
82	Both sexes—White	12,921	1,428	132	81	42	36	1,719	117	120	204
83	All other	10,928	1,729	155	70	43	36	2,033	100	130	268
84	Male—White	7,537	817	67	47	26	22	979	66	75	127
85	All other	5,765	957	84	40	22	17	1,120	47	69	135
86	Female—White	5,384	611	65	34	16	14	740	51	45	77
87	All other	5,163	772	71	30	21	19	913	53	61	133
88	Cities of 100,000 or more—White	3,901	240	14	6	4	4	268	26	15	31
89	All other	2,259	310	20	10	4	3	347	11	14	50
90	Male—White	2,110	141	8	3	3	3	158	15	8	21
91	All other	1,174	172	15	6	1	1	195	4	9	28
92	Female—White	1,791	99	6	3	1	1	110	11	7	10
93	All other	1,085	138	5	4	3	2	152	7	5	22

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
154	177	191	209	297	411	563	800	1,053	1,346	1,837	1,792	1,757	887	355	81	4	5	1
-	-	1	1	1	2	3	2	5	-	4	2	4	2	-	-	-	-	2
89	102	102	118	163	219	323	482	660	817	1,133	1,003	976	425	163	38	2	4	3
-	-	-	-	1	-	3	2	3	-	2	-	3	2	-	-	-	-	4
65	75	89	91	134	192	240	318	393	529	704	789	781	462	192	43	2	1	5
-	-	1	1	-	2	-	-	2	-	2	2	1	-	-	-	-	-	6
263	321	311	366	512	668	943	1,172	1,573	2,003	2,291	2,295	2,076	1,170	458	87	15	4	7
241	297	280	336	451	599	882	1,082	1,478	1,887	2,194	2,235	2,033	1,139	443	80	10	4	8
22	24	31	30	61	69	61	90	95	116	97	60	43	31	15	7	5	-	9
139	162	162	192	255	359	536	655	902	1,110	1,290	1,244	1,113	588	208	36	5	4	10
8	15	18	16	28	34	31	45	46	64	52	27	23	14	6	3	3	-	11
102	135	118	144	196	240	346	427	576	777	904	991	920	551	235	44	5	-	12
14	9	13	14	33	35	30	45	49	52	45	33	20	17	9	4	2	-	13
43	47	44	53	69	83	139	160	199	206	238	234	193	105	39	9	-	1	14
9	7	15	11	29	27	28	51	38	53	26	17	8	9	2	1	2	-	15
25	20	18	34	41	55	93	105	121	126	125	114	82	44	20	3	-	1	16
3	6	7	7	12	16	16	23	17	33	12	5	3	3	1	-	2	-	17
18	27	26	19	28	28	46	55	78	80	113	120	111	61	19	6	-	-	18
6	1	8	4	17	11	12	28	21	20	14	12	5	6	1	1	-	-	19
13	17	20	16	30	41	48	53	76	109	117	113	111	57	31	5	-	-	20
5	2	3	3	7	4	6	5	8	14	10	11	3	1	-	1	-	-	21
7	15	13	7	14	23	30	33	49	60	63	55	49	24	14	2	-	-	22
2	1	1	1	4	3	4	3	2	5	8	6	-	1	-	1	-	-	23
6	4	7	9	16	18	18	20	27	49	54	58	62	33	17	3	-	-	24
3	1	2	2	3	1	2	2	6	9	2	5	3	-	-	-	-	-	25
23	34	37	35	67	82	125	173	211	260	311	322	285	148	50	9	1	1	26
5	9	2	8	11	21	12	11	23	21	24	11	17	7	5	1	2	-	27
11	16	18	18	36	47	79	104	119	150	177	157	147	69	22	4	-	1	28
1	5	2	2	5	7	7	4	13	8	14	3	10	4	1	1	1	-	29
12	18	19	17	31	35	46	69	92	110	134	165	138	79	28	5	1	-	30
4	4	-	6	6	14	5	7	10	13	10	8	7	3	4	-	1	-	31
39	38	36	45	74	89	99	151	186	261	274	316	273	183	64	11	2	-	32
1	-	1	2	2	4	6	5	7	6	11	3	4	3	3	-	-	-	33
26	24	20	24	43	59	57	101	120	152	164	167	157	90	29	5	1	-	34
1	-	-	1	2	1	-	5	3	5	6	2	2	1	1	-	-	-	35
13	14	16	21	31	30	42	50	66	109	110	149	116	93	35	6	1	-	36
-	-	1	1	-	3	6	-	4	1	5	1	2	2	2	-	-	-	37
123	161	143	187	211	304	471	545	806	1,051	1,254	1,250	1,171	646	259	46	7	2	38
2	6	10	6	12	13	9	18	19	22	26	18	11	11	5	4	1	-	39
70	89	93	109	121	175	277	312	493	622	761	751	678	361	123	22	4	2	40
1	3	8	5	5	7	4	10	11	13	12	11	8	5	3	1	-	-	41
53	72	50	78	90	129	194	233	313	429	493	499	493	285	136	24	3	-	42
1	3	2	1	7	6	5	8	8	9	14	7	3	6	2	3	1	-	43
807	836	852	908	1,078	1,336	1,464	1,828	2,095	2,809	3,159	2,847	2,367	1,286	453	112	34	16	44
675	700	701	724	855	1,030	1,139	1,516	1,792	2,453	2,847	2,608	2,187	1,179	403	87	10	12	45
132	136	151	184	223	306	325	312	303	356	312	239	180	107	50	25	24	4	46
361	398	428	413	505	619	655	868	1,064	1,357	1,559	1,323	1,110	598	168	39	6	5	47
75	86	78	102	107	166	191	177	168	187	167	130	91	68	25	11	10	4	48
314	302	273	311	350	411	484	648	728	1,096	1,288	1,285	1,077	581	235	48	4	7	49
57	50	73	82	116	140	134	135	135	169	145	109	89	39	25	14	14	-	50
55	71	76	97	138	170	188	243	312	341	401	349	265	119	40	6	-	-	51
33	36	47	49	68	96	88	87	66	81	71	49	31	18	5	3	3	-	52
32	35	39	62	87	110	122	142	190	162	198	148	113	45	15	-	-	-	53
22	22	23	24	34	52	56	43	35	39	35	25	16	9	3	-	1	-	54
23	36	37	35	51	60	66	101	122	179	203	201	152	74	25	6	-	-	55
11	14	24	25	34	44	32	44	31	42	36	24	15	9	2	3	2	-	56
51	65	65	69	99	121	145	193	208	279	304	274	207	90	35	5	-	1	57
14	19	22	31	34	46	61	50	48	56	51	21	25	10	6	3	1	-	58
15	35	41	41	63	81	92	101	137	142	171	121	94	40	10	-	-	1	59
7	10	14	18	20	27	34	29	23	26	25	8	10	7	3	1	-	-	60
38	30	24	28	36	40	53	92	71	137	133	153	113	50	25	5	-	-	61
7	9	8	13	14	19	27	21	25	30	26	13	15	3	3	2	1	-	62
22	35	24	25	27	45	32	56	64	99	98	89	70	39	15	2	-	-	63
11	7	11	13	16	16	19	26	23	20	20	16	5	10	2	1	-	2	64
14	20	12	15	14	25	19	38	34	61	56	47	34	19	8	1	-	-	65
4	5	6	6	6	9	9	13	15	11	11	6	4	5	1	1	-	2	66
8	15	12	10	13	20	13	18	30	38	42	42	36	20	7	1	-	-	67
7	2	5	7	10	7	10	13	8	9	9	10	1	5	1	-	-	-	68
80	74	83	77	91	122	125	172	209	257	271	275	245	130	53	7	1	1	69
18	23	22	28	31	46	55	46	57	65	53	42	37	23	8	8	6	1	70
41	43	54	37	55	75	75	109	123	158	142	146	115	64	19	2	1	1	71
9	11	14	16	13	22	36	28	39	36	27	21	17	16	3	5	2	1	72
39	31	29	40	36	47	50	63	86	99	129	129	130	66	34	5	-	-	73
9	12	8	12	18	24	19	18	18	29	26	21	20	7	5	3	4	-	74
467	455	453	456	500	572	649	852	999	1,477	1,773	1,621	1,400	801	260	67	9	10	75
56	51	49	63	74	102	102	103	109	134	117	111	82	46	29	10	14	1	76
261	265	282	258	286	328	347	478	580	834	992	861	754	430	116	38	5	3	77
33	38	21	38	34	56	56	64	56	75	69	70	44	31	15	4	7	1	78
206	190	171	198	214	244	302	374	419	643	781	760	646	371	144	31	4	7	79
23	13	28	25	40	46	46	39	53	59	48	41	38	15	14	6	7	-	80
680	716	796	960	1,135	1,430	1,692	1,797	1,923	2,270	1,949	1,555	1,064	694	282	105	51	59	81
293	289	313	405	502	677	827	986	1,164	1,394	1,324	1,090	790	487	151	36	7	26	82
387	427	483	555	633	753	865	811	759	876	625	465	274	207	131	69	44	33	83
197	181	182	255	316	431	528	646	726	811	742	577	368	228	71	11	4	16	84
191	221	232	268	297	397	467	453	410	492	349	255	146	101	53	26	14	22	85
96	108	131	150	186	246	299	340	438	583	582	513	422	259	80	25	3	10	86
196	206	251	287	336	356	398	358	349	384	276	210	128	106	78	43	30	11	87
43	54	90	110	155	247	300	349	424	475	489	393	235	139	36	6	1	15	88
63	81	110	140	175	197	230	217	190	170	106	72	30	16	9	6	2	23	89
23	25	51	75	101	153	197	211	246	244	254	175	84	48	12	2	-	7	90
32	48	63	63	78	108	124	116	92	88	54	40	12	2	1	4	-	15	91
20	29	39	35	54	94	103	138	178	231	235	218	151	91	24	4	1	8	92
51	35	47	77	97	89	106	101	98	82	52	32	18	14	8	2	2	8	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	LOUISIANA—Continued											
1	Cities of 25,000 to 100,000	White	1,183	123	5	7	2	4	141	11	6	16
2		All other	1,166	166	8	6	2	4	186	10	11	29
3	Male	White	708	72	1	3	2	-	78	5	2	7
4		All other	584	89	4	4	1	1	99	5	5	16
5	Female	White	475	51	4	4	-	4	63	6	4	9
6		All other	582	77	4	2	1	3	87	5	6	13
7	Cities of 10,000 to 25,000	White	474	54	8	6	5	2	75	4	8	5
8		All other	432	71	8	5	4	1	89	4	7	10
9	Male	White	268	25	3	5	3	1	37	3	2	1
10		All other	239	46	1	2	2	1	52	-	4	5
11	Female	White	206	29	5	1	2	1	38	1	6	4
12		All other	193	25	7	3	2	-	37	4	3	5
13	Cities of 2,500 to 10,000	White	1,819	228	24	11	4	6	273	14	16	42
14		All other	1,589	195	26	8	6	7	242	18	21	34
15	Male	White	1,076	130	11	4	3	4	152	8	11	25
16		All other	839	107	16	6	5	5	139	6	8	16
17	Female	White	743	98	13	7	1	2	121	6	5	17
18		All other	750	88	10	2	1	2	103	12	13	18
19	Rural	White	5,544	783	81	51	27	20	962	62	75	110
20		All other	5,482	987	93	41	27	21	1,169	57	77	145
21	Male	White	3,375	449	44	32	15	14	554	35	52	73
22		All other	2,929	543	48	22	13	9	635	32	43	70
23	Female	White	2,169	334	37	19	12	6	408	27	23	37
24		All other	2,553	444	45	19	14	12	534	25	34	75
25	MAINE		10,468	818	65	26	27	24	960	67	75	112
26	Both sexes	White	10,434	815	64	26	26	24	955	66	75	111
27		All other	34	3	1	-	1	-	5	1	-	1
28	Male	White	5,716	467	32	15	17	10	541	33	53	76
29		All other	21	1	1	-	1	-	3	1	-	1
30	Female	White	4,718	348	32	11	9	14	414	33	22	35
31		All other	13	2	-	-	-	-	2	-	-	-
32	Cities of 25,000 to 100,000	White	1,783	107	4	2	4	4	121	10	5	18
33		All other	8	1	-	-	-	-	1	-	-	-
34	Male	White	942	56	3	-	2	3	64	5	5	12
35		All other	3	-	-	-	-	-	-	-	-	-
36	Female	White	841	51	1	2	2	1	57	5	-	4
37		All other	5	1	-	-	-	-	1	-	-	-
38	Cities of 10,000 to 25,000	White	1,213	100	11	4	-	4	119	7	8	14
39		All other	2	-	-	-	-	-	-	-	-	-
40	Male	White	627	52	6	2	-	1	61	5	7	11
41		All other	1	-	-	-	-	-	-	-	-	-
42	Female	White	586	48	5	2	-	3	58	2	1	3
43		All other	1	-	-	-	-	-	-	-	-	-
44	Cities of 2,500 to 10,000	White	1,029	86	10	2	2	2	102	6	7	16
45		All other	2	-	-	-	-	-	-	-	-	-
46	Male	White	558	55	5	2	1	-	63	4	6	10
47		All other	2	-	-	-	-	-	-	-	-	-
48	Female	White	471	31	5	-	1	2	39	2	1	6
49		All other	-	-	-	-	-	-	-	-	-	-
50	Rural	White	6,409	522	39	18	20	14	613	43	55	65
51		All other	22	2	1	-	1	-	4	1	-	1
52	Male	White	3,589	304	18	11	14	6	353	19	35	43
53		All other	15	1	1	-	1	-	3	1	-	1
54	Female	White	2,820	218	21	7	6	8	260	24	20	22
55		All other	7	1	-	-	-	-	1	-	-	-
56	MARYLAND		21,998	1,927	183	66	70	53	2,299	161	133	333
57	Both sexes	White	16,861	1,222	109	39	53	32	1,455	118	83	175
58		All other	5,137	705	74	27	17	21	844	43	50	158
59	Male	White	9,254	673	54	21	24	16	788	72	40	102
60		All other	2,874	398	38	16	11	9	472	21	29	67
61	Female	White	7,607	549	55	18	29	16	667	46	43	73
62		All other	2,263	307	36	11	6	12	372	22	21	91
63	Cities of 100,000 or more	White	7,894	456	23	11	22	12	524	32	35	68
64		All other	2,903	347	38	14	4	13	416	26	28	90
65	Male	White	4,253	253	11	6	7	5	282	19	15	45
66		All other	1,595	193	20	8	3	3	227	12	18	37
67	Female	White	3,641	203	12	5	15	7	242	13	20	23
68		All other	1,308	154	18	6	1	10	189	14	10	53
69	Cities of 25,000 to 100,000	White	728	79	3	-	3	1	86	6	3	4
70		All other	38	5	-	-	-	-	5	-	-	1
71	Male	White	395	53	1	-	1	-	55	5	-	3
72		All other	26	4	-	-	-	-	4	-	-	-
73	Female	White	333	26	2	-	2	1	31	1	3	1
74		All other	12	1	-	-	-	-	1	-	-	1
75	Cities of 10,000 to 25,000	White	654	70	7	2	4	-	83	2	3	6
76		All other	205	29	3	1	-	1	34	2	1	9
77	Male	White	333	35	3	1	2	-	41	-	1	5
78		All other	117	11	2	1	-	1	15	1	1	6
79	Female	White	321	35	4	1	2	-	42	2	2	1
80		All other	88	18	1	-	-	-	19	1	-	3
81	Cities of 2,500 to 10,000	White	766	59	5	1	2	3	70	14	-	8
82		All other	132	12	3	-	-	-	15	1	1	3
83	Male	White	412	33	3	1	2	1	40	6	-	3
84		All other	67	6	1	-	-	-	7	1	-	1
85	Female	White	354	26	2	-	-	2	30	8	-	5
86		All other	65	6	2	-	-	-	8	-	1	2
87	Rural	White	6,819	558	71	25	22	16	692	64	42	89
88		All other	1,859	312	30	12	13	7	374	14	20	55
89	Male	White	3,861	299	36	13	12	10	370	42	24	46
90		All other	1,069	184	15	7	8	5	219	7	10	23
91	Female	White	2,958	259	35	12	10	6	322	22	18	43
92		All other	790	128	15	5	5	2	155	7	10	32
93	MASSACHUSETTS		50,598	2,464	168	118	85	95	2,930	222	228	430
94	Both sexes	White	49,730	2,404	183	117	81	93	2,858	219	224	408
95		All other	868	60	5	1	4	2	72	3	4	22
96	Male	White	26,084	1,412	92	61	47	50	1,662	132	146	252
97		All other	486	30	4	1	3	2	40	2	2	7
98	Female	White	23,646	992	71	56	34	43	1,196	87	78	156
99		All other	382	30	1	-	1	-	32	1	2	15

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
31	17	24	34	63	67	89	117	112	132	103	94	72	40	12	2	-	-	1
32	58	71	91	99	102	93	82	82	86	51	33	19	19	3	4	4	1	2
22	11	16	19	37	46	63	82	76	83	62	44	31	18	6	-	-	-	3
9	23	33	44	52	52	50	48	39	47	25	16	8	8	2	-	2	1	4
9	6	8	15	26	21	26	35	36	49	41	50	41	22	6	2	-	-	5
23	35	38	47	47	50	43	34	43	39	26	17	11	11	1	4	2	-	6
8	11	18	14	14	16	24	31	41	49	47	51	28	20	10	-	-	-	7
14	19	29	16	21	31	36	30	25	34	25	11	9	8	7	5	2	-	8
3	8	11	9	12	12	16	18	27	29	26	29	15	5	5	-	-	-	9
9	12	12	6	9	16	25	19	12	23	18	2	6	6	1	1	1	-	10
5	3	7	5	2	4	8	13	14	20	21	22	13	15	5	-	-	-	11
5	7	17	10	12	15	11	11	13	11	7	9	3	2	6	4	1	-	12
45	59	54	56	72	97	120	133	140	188	167	141	103	70	21	6	-	2	13
58	77	65	91	93	108	136	124	125	130	82	65	49	34	18	9	7	3	14
26	39	35	31	46	61	66	89	91	115	97	81	57	35	8	1	-	2	15
26	41	24	48	45	59	77	71	73	69	47	36	20	19	9	4	-	2	16
19	20	19	25	26	36	54	44	49	73	70	60	46	35	13	5	-	-	17
32	36	41	43	48	49	59	53	52	61	35	29	29	15	9	5	7	1	18
166	148	127	191	198	250	294	356	447	550	518	411	352	218	72	22	6	9	19
220	192	208	217	245	315	370	358	337	456	361	284	167	130	94	45	29	6	20
123	98	69	121	120	159	186	246	286	340	303	248	181	122	40	8	4	7	21
115	99	100	107	113	162	191	199	194	265	205	161	100	66	40	17	11	4	22
43	50	58	70	78	91	108	110	161	210	215	163	171	96	32	14	2	2	23
105	93	108	110	132	153	179	159	143	191	156	123	67	64	54	28	18	2	24
153	125	148	174	259	357	472	673	887	1,143	1,400	1,334	1,146	686	247	62	6	2	25
152	125	147	173	258	356	472	669	884	1,138	1,395	1,334	1,143	666	247	62	6	2	26
1	-	1	1	3	1	-	4	3	5	5	-	3	-	-	-	-	-	27
87	57	83	87	135	198	276	385	535	668	766	714	590	309	98	22	1	2	28
-	-	1	-	-	1	-	3	2	3	3	-	3	-	-	-	-	-	29
65	68	64	86	121	158	196	284	349	470	629	620	553	357	149	40	5	-	30
1	-	-	1	3	-	-	1	1	2	2	-	-	-	-	-	-	-	31
28	23	25	30	55	78	94	137	178	222	231	210	183	96	29	8	3	1	32
1	-	-	1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	33
17	11	14	18	30	49	56	71	105	138	110	103	93	31	7	1	1	1	34
-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	35
11	12	11	12	25	29	38	66	73	84	121	107	90	65	22	7	2	-	36
1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	37
26	20	22	24	17	50	70	80	108	114	162	155	120	63	28	6	-	-	38
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	39
12	12	8	12	8	26	45	49	68	62	75	75	51	27	11	2	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	41
14	8	14	12	9	24	25	31	40	52	87	80	69	36	17	4	-	-	42
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	43
19	9	17	19	39	35	49	67	78	103	146	107	110	67	26	6	1	-	44
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	45
9	1	12	5	16	20	35	37	53	54	80	55	55	29	10	4	-	-	46
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	47
10	8	5	14	23	15	14	30	25	49	66	52	55	38	16	2	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
79	73	83	100	145	193	259	385	520	699	856	862	730	440	164	42	2	1	50
-	-	1	-	2	-	-	4	1	4	3	-	1	-	-	-	-	-	51
49	33	49	52	81	103	140	228	309	414	501	481	391	222	70	15	-	1	52
-	-	1	-	-	-	-	3	1	3	1	-	1	-	-	-	-	-	53
30	40	34	48	64	90	119	157	211	285	355	381	339	218	94	27	2	-	54
-	-	-	-	2	-	-	1	-	1	2	-	-	-	-	-	-	-	55
402	515	551	689	906	1,204	1,553	1,760	2,023	2,387	2,316	2,053	1,562	786	263	62	14	26	56
211	302	323	428	552	827	1,084	1,358	1,638	1,951	2,025	1,865	1,447	728	227	47	5	12	57
191	213	228	261	354	377	469	402	385	436	291	188	115	58	36	15	9	14	58
128	169	183	262	349	523	682	866	1,004	1,099	1,048	680	635	319	79	14	4	8	59
103	132	135	167	205	229	275	219	202	248	155	100	57	23	15	5	6	9	60
83	133	140	166	203	304	402	492	634	852	977	985	812	409	148	33	1	4	61
88	81	93	94	149	148	194	183	183	188	136	88	58	35	21	10	3	5	62
78	125	138	220	310	432	598	723	861	968	940	805	626	292	99	19	1	-	63
122	129	150	160	223	279	305	233	208	239	135	82	47	17	7	3	3	1	64
41	71	68	141	201	273	376	451	517	531	458	345	263	118	33	5	-	-	65
66	77	86	98	123	173	182	126	107	132	84	37	23	4	2	1	2	-	66
37	54	70	79	109	159	222	272	344	437	482	460	363	174	66	14	1	-	67
56	52	64	64	100	106	123	107	101	107	71	45	24	13	5	2	1	1	68
10	18	13	22	27	44	40	70	73	72	77	66	59	29	6	2	1	-	69
1	3	1	1	3	3	3	6	3	1	2	3	1	1	-	-	-	-	70
5	7	8	12	15	24	24	51	34	45	41	28	24	10	2	1	1	-	71
1	3	1	1	2	1	3	4	2	-	1	2	1	-	-	-	-	-	72
5	11	5	10	12	20	16	19	39	27	36	38	35	19	4	1	-	-	73
-	-	-	-	1	2	-	2	1	1	1	1	-	1	-	-	-	-	74
8	11	18	13	13	30	38	41	55	75	85	75	62	25	6	3	1	1	75
9	8	5	13	14	9	16	15	11	27	11	9	4	2	2	-	1	3	76
4	3	11	9	9	21	25	25	32	38	38	34	25	9	2	-	1	-	77
3	5	3	10	9	6	8	12	3	18	5	7	1	-	1	-	1	2	78
4	8	7	4	4	9	13	16	23	37	47	41	37	16	4	3	-	1	79
6	3	2	3	5	3	8	3	8	9	6	2	3	2	1	-	-	1	80
14	19	18	17	13	48	36	53	76	84	88	103	60	33	7	3	-	2	81
7	2	3	3	13	5	9	20	12	14	12	6	4	-	1	-	-	1	82
8	12	13	9	8	32	26	34	48	44	39	46	24	14	3	1	-	2	83
6	2	-	3	6	4	4	9	4	7	8	3	1	-	-	-	-	1	84
6	7	5	8	5	16	10	19	28	40	49	57	36	19	4	2	-	-	85
1	-	3	-	7	1	5	11	8	7	4	3	3	-	1	-	-	-	86
101	129	136	156	189	273	372	471	573	752	835	816	640	349	109	20	2	9	87
52	71	69	84	101	81	136	128	151	155	131	88	59	38	26	12	5	9	88
70	76	83	91	116	173	231	305	373	441	472	427	299	168	39	7	2	6	89
27	45	45	57	65	45	78	68	86	91	77	51	31	19	12	4	3	6	90
31	53	53	65	73	100	141	166	200	311	363	389	341	181	70	13	-	3	91
25	26	24	27	36	36	58	60	65	64	54	37	28	19	14	8	2	3	92
557	629	782	1,014	1,584	2,362	3,300	4,052	5,104	6,296	6,693	6,109	4,710	2,444	884	189	34	45	93
530	602	756	984	1,525	2,305	3,229	3,963	5,018	6,209	6,603	6,051	4,683	2,425	879	185	29	45	94
27	27	26	30	59	57	71	89	86	87	90	58	27	19	5	4	5	-	95
314	314	407	570	862	1,353	1,943	2,372	2,853	3,264	3,393	2,871	2,027	941	313	54	7	34	96
14	14	16	15	36	37	49	50	49	51	55	28	11	5	2	2	1	-	97
216	288	349	414	663	952	1,286	1,591	2,165	2,945	3,210	3,180	2,656	1,484	566	131	22	11	98
13	13	10	15	23	20	22	39	37	36	35	30	16	14	3	2	4	-	99

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	MASSACHUSETTS—Continued											
1	Cities of 100,000 or more	White	19,470	946	59	44	36	39	1,124	94	88	146
2		All other	603	42	4	-	3	1	50	2	4	14
3	Male	White	10,259	549	36	21	20	21	647	53	55	80
4		All other	342	23	3	-	2	1	29	1	2	4
5	Female	White	9,211	397	23	23	16	18	477	41	33	66
6		All other	261	19	1	-	1	-	21	1	2	10
7	Cities of 25,000 to 100,000	White	12,622	574	39	35	18	24	690	47	56	96
8		All other	96	7	-	1	-	-	8	1	-	3
9	Male	White	6,452	336	24	19	8	13	400	31	36	69
10		All other	52	4	-	1	-	-	5	1	-	1
11	Female	White	6,170	238	15	16	10	11	290	16	20	27
12		All other	44	3	-	-	-	-	3	-	-	2
13	Cities of 10,000 to 25,000	White	8,265	403	30	15	13	16	477	37	32	60
14		All other	35	4	-	-	-	-	4	-	-	2
15	Male	White	4,297	242	15	8	10	8	283	22	21	39
16		All other	17	1	-	-	-	-	1	-	-	1
17	Female	White	3,968	161	15	7	3	8	194	15	11	21
18		All other	18	3	-	-	-	-	3	-	-	1
19	Cities of 2,500 to 10,000	White	3,075	160	13	10	3	8	194	16	12	27
20		All other	29	1	-	-	-	-	1	-	-	1
21	Male	White	1,695	96	7	6	2	5	116	11	9	16
22		All other	17	-	-	-	-	-	-	-	-	1
23	Female	White	1,380	64	6	4	1	3	78	5	3	11
24		All other	12	1	-	-	-	-	1	-	-	-
25	Rural	White	6,298	321	22	13	11	6	373	25	36	79
26		All other	105	6	1	-	1	1	9	-	-	2
27	Male	White	3,381	189	10	7	7	3	216	15	25	48
28		All other	58	2	1	-	1	1	5	-	-	-
29	Female	White	2,917	132	12	6	4	3	157	10	11	31
30		All other	47	4	-	-	-	-	4	-	-	2
31	MICHIGAN		52,733	4,161	318	191	132	112	4,914	430	428	731
32	Both sexes	White	49,893	3,939	302	176	119	103	4,641	408	393	651
33		All other	2,840	222	16	15	13	7	273	22	35	80
34	Male	White	28,549	2,246	162	108	75	57	2,648	230	244	431
35		All other	1,546	129	8	8	4	4	153	11	16	37
36	Female	White	21,344	1,693	140	68	44	48	1,993	178	149	220
37		All other	1,294	93	8	7	9	3	120	11	19	43
38	Cities of 100,000 or more	White	15,336	1,134	74	46	35	34	1,323	123	96	189
39		All other	2,008	154	11	10	11	6	192	18	24	61
40	Male	White	8,744	630	39	29	22	20	740	65	55	118
41		All other	1,059	89	6	6	3	4	108	8	11	24
42	Female	White	6,592	504	35	17	13	14	583	58	41	71
43		All other	949	65	5	4	8	2	84	10	13	37
44	Cities of 25,000 to 100,000	White	7,590	653	46	27	11	10	747	49	45	84
45		All other	273	26	3	1	1	-	31	2	3	3
46	Male	White	4,160	373	28	12	6	6	425	29	32	62
47		All other	152	15	2	-	1	-	18	2	1	3
48	Female	White	3,430	280	18	15	5	4	322	20	13	22
49		All other	121	11	1	1	-	-	13	-	2	-
50	Cities of 10,000 to 25,000	White	3,163	320	19	15	11	14	379	28	28	48
51		All other	133	12	-	1	1	-	14	-	2	9
52	Male	White	1,753	183	11	9	6	7	216	17	20	34
53		All other	67	7	-	-	-	-	7	-	-	5
54	Female	White	1,410	137	8	6	5	7	163	11	8	14
55		All other	66	5	-	1	1	-	7	-	2	4
56	Cities of 2,500 to 10,000	White	4,641	411	27	16	7	4	465	26	32	53
57		All other	76	4	-	-	-	1	5	-	2	1
58	Male	White	2,565	232	18	10	3	3	266	12	20	31
59		All other	42	3	-	-	-	-	3	-	1	1
60	Female	White	2,076	179	9	6	4	1	199	14	12	22
61		All other	34	1	-	-	-	1	2	-	1	-
62	Rural	White	19,163	1,421	136	72	55	43	1,727	182	192	277
63		All other	350	26	2	3	-	-	31	2	4	6
64	Male	White	11,327	828	66	48	38	21	1,001	107	117	186
65		All other	226	15	-	2	-	-	17	1	3	4
66	Female	White	7,836	593	70	24	17	22	726	75	75	91
67		All other	124	11	2	1	-	-	14	1	1	2
68	MINNESOTA		26,140	1,874	128	84	59	59	2,204	192	186	316
69	Both sexes	White	25,772	1,821	125	81	57	59	2,143	184	178	303
70		All other	368	53	3	3	2	-	61	8	8	13
71	Male	White	14,815	1,052	76	52	26	32	1,240	122	115	182
72		All other	227	35	3	-	1	-	39	5	6	4
73	Female	White	10,957	769	49	29	29	27	903	62	63	121
74		All other	141	18	-	3	1	-	22	3	2	9
75	Cities of 100,000 or more	White	8,506	473	30	14	16	14	547	30	40	77
76		All other	145	8	1	-	-	-	9	-	3	3
77	Male	White	4,696	290	16	11	11	7	335	18	23	40
78		All other	97	6	1	-	-	-	7	-	1	-
79	Female	White	3,810	183	14	3	5	7	212	12	17	37
80		All other	48	2	-	-	-	-	2	-	2	3
81	Cities of 25,000 to 100,000	White	384	15	2	-	-	-	17	-	4	8
82		All other	7	-	-	-	-	-	-	-	-	-
83	Male	White	213	10	1	-	-	-	11	-	3	4
84		All other	6	-	-	-	-	-	-	-	-	-
85	Female	White	171	5	1	-	-	-	6	-	1	4
86		All other	1	-	-	-	-	-	-	-	-	-
87	Cities of 10,000 to 25,000	White	1,714	141	3	6	5	6	161	19	17	29
88		All other	7	-	-	1	-	-	1	-	-	-
89	Male	White	953	80	1	4	3	5	93	16	13	22
90		All other	5	-	-	-	-	-	-	-	-	-
91	Female	White	761	61	2	2	2	1	68	3	4	7
92		All other	2	-	-	1	-	-	1	-	-	-
93	Cities of 2,500 to 10,000	White	3,433	314	16	12	8	7	357	29	21	33
94		All other	10	-	-	-	-	-	-	-	-	-
95	Male	White	1,941	177	13	9	1	2	202	18	16	24
96		All other	7	-	-	-	-	-	-	-	-	-
97	Female	White	1,492	137	3	3	7	5	155	11	5	9
98		All other	3	-	-	-	-	-	-	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
212	243	355	401	619	999	1,390	1,651	2,071	2,546	2,561	2,195	1,625	797	271	55	6	21	1
13	18	23	21	49	41	43	64	58	63	65	34	18	13	4	2	4	-	2
120	118	179	246	345	588	870	968	1,213	1,322	1,301	1,048	695	292	90	13	2	14	3
5	9	16	12	31	24	31	40	32	35	41	16	7	3	2	1	1	-	4
92	125	176	155	274	411	520	683	858	1,224	1,260	1,147	930	505	181	42	4	7	5
8	9	7	9	18	17	12	24	26	28	24	18	11	10	2	1	3	-	6
119	148	170	278	392	590	797	1,050	1,289	1,549	1,751	1,517	1,162	627	235	49	5	5	7
3	3	-	3	1	8	8	10	11	8	13	9	3	2	1	1	-	-	8
62	77	82	147	225	343	447	624	732	801	862	676	483	254	82	15	1	3	9
2	2	-	1	1	5	5	3	8	4	8	3	2	1	-	-	-	-	10
57	71	88	131	167	247	350	426	557	748	889	841	679	373	153	34	4	2	11
1	1	-	2	-	3	3	7	3	4	5	6	1	1	1	1	-	-	12
81	82	92	152	263	375	525	614	804	980	1,114	1,062	876	424	174	27	7	7	13
-	-	1	1	2	1	4	3	5	7	-	4	1	-	-	-	-	-	14
48	44	59	83	146	231	301	369	413	524	590	512	374	155	68	7	2	6	15
-	-	-	-	-	1	2	1	3	5	-	2	1	-	-	-	-	-	16
33	38	33	69	117	144	224	245	391	456	524	550	502	269	106	20	5	1	17
-	-	1	1	2	-	2	2	2	2	-	2	-	-	-	-	-	-	18
37	42	46	48	79	113	180	226	259	396	408	437	309	173	54	12	2	5	19
3	1	1	-	2	1	5	1	4	1	3	3	2	-	-	-	-	-	20
28	24	32	34	43	60	117	146	149	215	232	219	145	67	20	7	-	5	21
2	-	-	-	2	1	4	-	3	1	-	2	1	-	-	-	-	-	22
9	18	14	14	36	53	63	80	110	181	176	218	164	106	34	5	2	-	23
1	1	1	-	-	-	1	1	1	-	3	1	1	-	-	-	-	-	24
81	87	93	105	172	228	337	422	595	738	769	840	711	404	145	42	9	7	25
8	5	1	5	5	6	11	11	8	8	9	8	3	4	-	1	1	-	26
56	51	55	60	103	131	208	265	346	402	408	416	330	173	53	12	2	6	27
5	3	-	2	2	6	7	6	3	6	6	5	-	1	-	1	-	-	28
25	36	38	45	69	97	129	157	249	336	361	424	381	231	92	30	7	1	29
3	2	1	3	3	-	4	5	5	2	3	3	3	3	-	-	1	-	30
958	988	1,176	1,510	1,981	2,924	3,557	4,147	4,707	5,232	5,642	5,589	4,482	2,394	730	135	36	42	31
868	867	1,009	1,280	1,686	2,600	3,301	3,921	4,508	5,081	5,497	5,483	4,429	2,363	710	128	30	41	32
90	121	167	230	295	324	256	226	201	151	145	106	53	31	20	7	6	1	33
530	493	531	766	1,009	1,618	2,077	2,514	2,724	2,881	3,036	2,979	2,279	1,127	338	50	13	31	34
35	60	92	129	166	193	144	124	106	83	80	60	27	17	6	3	4	-	35
338	374	478	514	677	982	1,224	1,407	1,782	2,200	2,461	2,504	2,150	1,236	372	78	17	10	36
55	61	75	101	129	131	112	102	95	68	65	46	26	14	14	4	2	1	37
277	310	360	466	737	1,102	1,364	1,493	1,498	1,563	1,458	1,372	961	474	140	26	3	1	38
64	92	114	178	232	247	182	156	132	102	96	58	27	13	13	2	5	-	39
153	169	181	271	428	710	884	1,006	943	875	783	671	433	193	56	9	1	-	40
23	44	54	97	127	146	103	86	67	50	51	34	13	6	4	-	3	-	41
124	141	179	195	309	392	480	487	555	688	675	701	528	281	84	17	2	1	42
41	48	60	81	105	101	79	70	65	52	45	24	14	7	9	2	2	-	43
112	139	161	227	258	429	523	612	714	801	804	769	653	339	92	20	4	8	44
7	3	17	20	31	28	26	22	26	6	15	18	4	6	2	2	-	-	45
72	77	79	131	163	260	315	385	413	431	411	383	299	138	42	6	1	6	46
4	1	13	12	17	17	15	12	13	3	6	10	1	2	1	1	-	-	47
40	62	82	96	95	169	208	227	301	370	393	386	354	201	50	14	3	2	48
3	2	4	8	14	11	11	10	13	3	10	8	3	4	1	1	-	-	49
60	62	67	81	94	147	194	217	258	315	336	338	284	157	54	11	4	1	50
2	9	12	8	7	11	17	14	8	4	4	6	3	2	1	-	-	-	51
38	35	38	63	59	85	118	121	151	162	173	175	151	73	17	6	1	-	52
-	3	7	3	4	3	9	5	5	4	4	3	3	1	1	-	-	-	53
22	27	29	18	35	62	76	96	107	153	163	163	133	84	37	5	3	1	54
2	6	5	5	3	8	8	9	3	-	-	3	-	1	-	-	-	-	55
88	60	70	99	118	186	245	326	380	455	534	613	512	266	90	15	4	4	56
8	3	6	3	4	7	7	4	6	5	7	4	2	2	-	-	-	-	57
47	36	33	58	64	116	152	201	237	250	271	338	253	127	46	4	1	2	58
5	1	4	1	-	3	3	2	3	4	5	3	1	2	-	-	-	-	59
41	24	37	41	54	70	93	125	143	205	263	275	259	139	44	11	3	2	60
3	2	2	2	4	4	4	2	3	1	2	1	1	-	-	-	-	-	61
331	296	351	407	479	736	975	1,273	1,656	1,947	2,365	2,391	2,019	1,127	334	56	15	27	62
9	14	18	21	21	31	24	30	29	34	22	20	17	8	4	3	1	1	63
220	176	200	243	295	447	608	801	980	1,183	1,398	1,412	1,143	596	177	25	9	23	64
3	11	14	16	18	24	14	19	18	22	14	10	9	6	-	2	1	-	65
111	120	151	164	184	289	367	472	676	784	967	979	876	531	157	31	6	4	66
6	3	4	5	3	7	10	11	11	12	8	10	8	2	4	1	-	1	67
383	415	456	545	790	1,053	1,432	1,860	2,146	2,733	3,219	3,256	2,811	1,482	513	122	14	12	68
368	405	447	535	767	1,037	1,404	1,838	2,123	2,707	3,177	3,231	2,798	1,469	511	122	13	12	69
15	10	9	10	23	16	28	22	23	26	42	25	13	13	2	-	1	-	70
229	248	250	302	466	588	852	1,169	1,271	1,575	1,844	1,803	1,475	789	236	53	1	5	71
7	5	7	5	16	10	18	17	15	17	27	13	8	7	-	-	1	-	72
139	157	197	233	301	449	552	669	852	1,132	1,333	1,428	1,323	680	275	69	12	7	73
8	5	2	5	7	6	10	5	8	9	15	12	5	6	2	-	-	-	74
106	105	138	190	270	420	577	704	738	911	1,038	1,095	912	426	141	37	2	2	75
3	2	4	4	16	8	21	12	12	12	17	11	5	3	-	-	-	-	76
62	63	72	106	160	237	359	461	450	503	560	547	436	194	53	17	-	-	77
2	-	3	3	10	5	15	9	8	8	13	6	5	2	-	-	-	-	78
44	42	66	84	110	183	218	243	288	408	478	548	476	232	88	20	2	2	79
1	2	1	1	6	3	6	3	4	4	4	5	-	1	-	-	-	-	80
6	6	3	9	16	20	18	22	36	41	58	58	35	19	8	-	-	-	81
-	-	-	-	-	1	-	-	1	3	1	-	1	-	-	-	-	-	82
2	4	2	3	9	10	10	14	20	25	32	30	20	10	4	-	-	-	83
-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	84
4	2	1	6	7	10	8	8	16	16	28	28	15	9	4	-	-	-	85
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	86
31	35	30	36	53	62	111	122	149	192	215	180	154	86	19	10	1	2	87
-	1	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-	-	88
23	17	15	19	23	33	65	67	81	110	120	98	84	39	10	3	-	2	89
-	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	90
8	18	15	17	30	29	46	55	68	82	95	82	70	47	9	7	1	-	91
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	92
52	49	64	77	87	136	177	207	262	347	432	422	374	212	80	14	-	1	93
1	-	1	-	1	-	-	1	-	-	4	1	-	1	-	-	-	-	94
33	28	34	46	58	73	99	127	147	206	258	226	184	124	34	4	-	-	95
-	-	1	-	1	-	-	1	-	-	2	1	-	1	-	-	-	-	96
19	21	30	31	29	63	78	80	115	141	174	196	190	88	46	10	-	1	97
1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	98

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	MINNESOTA—Continued										
1	Rural—White	11,735	878	74	49	28	32	1,061	106	96	156
2	All other	199	45	2	2	2	-	51	8	5	10
3	Male—White	7,012	495	45	28	13	18	599	70	60	92
4	All other	112	29	2	-	1	-	32	5	5	4
5	Female—White	4,723	383	29	21	15	14	462	36	36	64
6	All other	87	16	-	2	1	-	19	3	-	6
7	MISSISSIPPI	22,832	3,016	385	200	126	76	3,803	285	279	544
8	Both sexes—White	9,643	1,161	106	75	52	28	1,422	122	108	164
9	All other	13,189	1,855	279	125	74	48	2,381	163	171	380
10	Male—White	5,515	652	54	50	27	9	792	69	66	99
11	All other	6,913	1,040	150	78	30	25	1,323	89	89	174
12	Female—White	4,128	509	52	25	25	19	630	53	42	65
13	All other	6,276	815	129	47	44	23	1,058	74	82	206
14	Cities of 25,000 to 100,000—White	607	74	1	2	2	2	81	4	5	12
15	All other	549	63	10	1	2	1	77	1	5	16
16	Male—White	365	43	1	2	2	1	49	-	4	8
17	All other	263	36	7	1	2	1	47	1	1	6
18	Female—White	242	31	-	-	-	1	32	4	1	4
19	All other	286	27	3	-	-	-	30	-	4	10
20	Cities of 10,000 to 25,000—White	1,054	134	8	5	4	4	155	8	12	21
21	All other	1,238	123	17	9	4	5	158	14	9	29
22	Male—White	600	71	6	5	4	1	87	7	7	12
23	All other	623	77	9	6	1	4	97	9	6	9
24	Female—White	454	63	2	-	-	3	68	1	5	9
25	All other	615	46	8	3	3	1	61	5	3	20
26	Cities of 2,500 to 10,000—White	1,076	126	7	5	4	2	144	11	11	19
27	All other	1,035	130	12	5	6	2	155	10	9	27
28	Male—White	651	80	4	3	2	1	90	5	5	9
29	All other	521	74	5	2	4	-	85	6	4	5
30	Female—White	425	46	3	2	2	1	54	6	6	10
31	All other	514	56	7	3	2	2	70	4	5	22
32	Rural—White	6,906	827	90	63	42	20	1,042	99	80	112
33	All other	10,367	1,539	240	110	62	40	1,991	138	148	308
34	Male—White	3,899	458	43	40	19	6	566	57	50	70
35	All other	5,506	853	129	69	23	20	1,094	73	78	154
36	Female—White	3,007	369	47	23	23	14	476	42	30	42
37	All other	4,861	686	111	41	39	20	897	65	70	154
38	MISSOURI	42,994	3,019	373	173	94	79	3,738	284	297	593
39	Both sexes—White	38,711	2,664	320	153	87	69	3,293	259	271	509
40	All other	4,283	355	53	20	7	10	445	25	26	84
41	Male—White	21,825	1,522	173	82	47	29	1,853	128	172	314
42	All other	2,289	200	28	10	2	2	242	9	14	33
43	Female—White	16,886	1,142	147	71	40	40	1,440	131	99	195
44	All other	1,994	155	25	10	5	8	203	16	12	51
45	Cities of 100,000 or more—White	11,960	555	41	19	20	11	646	49	50	123
46	All other	2,626	183	23	10	4	7	227	16	10	55
47	Male—White	6,672	321	20	10	10	3	364	23	35	74
48	All other	1,410	112	11	4	2	2	131	6	3	24
49	Female—White	5,288	234	21	9	10	8	282	26	15	49
50	All other	1,216	71	12	6	2	5	96	10	7	31
51	Cities of 25,000 to 100,000—White	2,335	129	14	4	4	6	157	9	16	29
52	All other	133	11	-	-	1	-	12	-	-	1
53	Male—White	1,326	71	8	3	3	3	88	4	8	18
54	All other	68	7	-	-	-	-	7	-	-	1
55	Female—White	1,009	58	6	1	1	3	69	5	8	11
56	All other	65	4	-	-	1	-	5	-	-	-
57	Cities of 10,000 to 25,000—White	2,506	172	17	7	3	4	203	16	7	32
58	All other	303	20	3	-	-	-	23	2	4	3
59	Male—White	1,340	93	9	2	1	1	106	8	6	21
60	All other	157	13	2	-	-	-	15	1	4	-
61	Female—White	1,166	79	8	5	2	3	97	8	1	11
62	All other	146	7	1	-	-	-	8	1	-	3
63	Cities of 2,500 to 10,000—White	3,801	318	36	9	7	10	380	27	31	63
64	All other	390	34	6	1	-	-	41	2	4	7
65	Male—White	2,111	173	24	5	4	5	211	18	17	35
66	All other	208	15	3	-	-	-	18	1	3	1
67	Female—White	1,690	145	12	4	3	5	169	9	14	28
68	All other	182	19	3	1	-	-	23	1	1	6
69	Rural—White	18,109	1,490	212	114	53	38	1,907	158	167	262
70	All other	831	107	21	9	2	3	142	5	8	18
71	Male—White	10,378	864	112	62	29	17	1,084	75	106	166
72	All other	446	53	12	6	-	-	71	1	4	7
73	Female—White	7,733	626	100	52	24	21	823	83	61	96
74	All other	385	54	9	3	2	3	71	4	4	11
75	MONTANA	5,673	438	45	33	21	15	552	56	63	111
76	Both sexes—White	5,322	369	31	22	15	11	448	49	47	88
77	All other	351	69	14	11	6	4	104	7	16	23
78	Male—White	3,474	212	23	12	10	7	264	25	28	58
79	All other	207	42	8	5	2	4	61	5	10	10
80	Female—White	1,848	157	8	10	5	4	184	24	19	30
81	All other	144	27	6	6	4	-	43	2	6	13
82	Cities of 25,000 to 100,000—White	946	54	4	2	1	2	63	5	7	6
83	All other	13	1	-	1	-	-	2	-	-	1
84	Male—White	624	30	4	2	1	2	39	3	3	4
85	All other	12	1	-	1	-	-	2	-	-	1
86	Female—White	322	24	-	-	-	-	24	2	4	2
87	All other	1	-	-	-	-	-	-	-	-	-
88	Cities of 10,000 to 25,000—White	800	70	8	2	2	1	83	4	3	6
89	All other	14	1	-	-	-	-	1	-	-	-
90	Male—White	485	39	4	1	2	1	47	3	2	2
91	All other	9	-	-	-	-	-	-	-	-	-
92	Female—White	315	31	4	1	-	-	36	1	1	4
93	All other	5	1	-	-	-	-	1	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
173	210	212	223	341	399	521	783	938	1,216	1,434	1,476	1,323	726	263	61	10	7	1
11	7	4	5	6	6	7	9	10	11	18	12	7	9	2	-	1	-	2
109	136	127	128	216	235	319	500	573	731	874	902	751	422	135	29	1	3	3
5	4	3	1	5	4	3	7	6	6	9	6	2	4	-	-	1	-	4
64	74	85	95	125	164	202	283	365	485	560	574	572	304	128	32	9	4	5
6	3	1	4	1	2	4	2	4	5	9	6	5	5	2	-	-	-	6
759	767	807	957	1,028	1,167	1,380	1,521	1,710	2,017	1,867	1,454	1,168	783	299	123	78	36	7
230	238	254	299	303	407	467	610	774	1,052	989	821	730	463	142	25	7	16	8
529	529	553	658	725	760	913	911	936	965	878	633	438	320	157	98	71	20	9
155	148	154	182	179	246	315	373	477	612	567	447	354	203	62	7	3	5	10
260	248	274	302	336	401	440	480	519	541	495	363	249	166	75	44	28	17	11
75	90	100	117	124	161	152	257	297	440	422	374	376	260	80	18	4	11	12
269	281	279	356	389	359	473	431	417	424	383	270	189	154	82	54	43	3	13
15	21	25	22	20	34	36	44	62	68	53	45	34	19	5	1	-	1	14
26	25	43	40	52	43	49	37	40	38	28	11	9	7	2	-	-	-	15
10	14	18	16	16	21	26	32	39	40	27	24	14	6	1	-	-	-	16
12	13	24	17	28	22	26	14	12	16	11	5	4	3	1	-	-	-	17
5	7	7	6	4	13	10	12	23	28	26	21	20	13	4	1	-	1	18
14	12	19	23	24	21	23	23	28	22	17	6	5	4	1	-	-	-	19
19	28	26	37	36	58	66	90	82	118	91	77	65	43	11	3	1	7	20
45	46	64	91	109	113	115	100	104	95	56	33	25	16	5	7	2	2	21
13	17	13	27	22	33	44	60	50	74	50	36	26	16	2	-	1	3	22
18	21	33	30	47	69	54	50	53	51	29	17	12	13	1	2	1	1	23
6	11	13	10	14	25	22	30	32	44	41	41	39	27	9	3	-	4	24
27	25	31	61	62	44	61	50	51	44	27	16	13	3	4	5	1	1	25
30	26	29	28	42	48	61	61	98	125	117	80	84	47	13	2	-	-	26
47	56	61	53	62	64	70	64	77	75	75	49	28	19	12	8	10	4	27
18	19	17	21	29	40	50	39	66	66	69	39	39	21	8	1	-	-	28
28	25	32	26	29	38	31	30	38	43	37	29	16	6	3	1	5	4	29
12	7	12	7	13	8	11	22	32	59	48	41	45	26	5	1	-	-	30
19	31	29	27	33	26	39	34	39	32	38	20	12	13	9	7	5	-	31
166	163	174	212	205	267	304	415	532	741	728	619	547	354	113	19	6	8	32
411	402	385	474	502	540	679	710	715	757	719	540	376	278	138	83	59	14	33
114	98	106	118	112	152	195	242	322	432	421	348	275	160	51	6	2	2	34
202	189	185	229	232	272	329	386	416	431	418	312	217	144	70	41	22	12	35
52	65	68	94	93	115	109	173	210	309	307	271	272	194	62	13	4	6	36
209	213	200	245	270	268	350	324	299	326	301	228	159	134	68	42	37	2	37
660	715	888	1,108	1,427	1,887	2,533	3,038	3,629	4,628	5,285	4,930	3,983	2,282	840	196	24	29	38
530	565	711	847	1,133	1,527	2,102	2,687	3,301	4,232	4,974	4,698	3,853	2,204	801	173	16	25	39
130	150	177	261	294	360	431	351	328	396	311	232	130	78	39	23	8	4	40
306	314	379	480	681	919	1,308	1,691	2,012	2,432	2,805	2,501	1,994	1,089	361	64	6	16	41
66	81	79	110	136	199	261	206	191	227	174	121	71	39	15	10	3	2	42
224	251	332	367	452	608	794	996	1,289	1,800	2,169	2,197	1,859	1,115	440	109	10	9	43
64	69	98	151	158	161	170	145	137	169	137	111	59	39	24	13	5	2	44
112	168	226	292	404	594	896	1,053	1,241	1,478	1,563	1,342	1,004	501	167	41	2	8	45
80	106	127	186	208	256	309	223	216	238	172	100	49	26	8	9	4	1	46
64	84	114	165	244	363	575	678	758	841	857	671	458	228	51	18	1	6	47
36	55	56	77	105	138	190	135	122	140	97	50	23	15	1	3	2	1	48
48	84	112	127	160	231	321	375	483	637	706	671	546	273	116	23	1	2	49
44	51	71	109	103	118	119	88	94	98	75	50	26	11	7	6	2	-	50
37	26	49	52	79	101	125	151	239	280	292	259	242	134	46	12	-	-	51
2	3	5	9	4	8	12	13	11	16	10	12	5	2	6	2	-	-	52
23	13	29	30	47	59	79	98	141	174	168	141	127	57	18	4	-	-	53
-	1	2	6	1	6	8	7	4	8	3	5	3	-	5	1	-	-	54
14	13	20	22	32	42	46	53	98	106	124	118	115	77	28	8	-	-	55
2	2	3	3	3	2	4	6	7	8	7	7	2	2	1	1	-	-	56
27	40	64	48	91	110	126	162	227	277	297	313	289	116	50	7	3	1	57
8	13	7	10	24	25	21	23	15	37	34	25	12	10	4	1	1	1	58
16	27	31	27	54	62	81	96	133	151	147	153	146	53	20	2	-	-	59
5	8	4	5	7	18	8	14	11	24	17	7	5	3	1	-	-	-	60
11	13	33	21	37	48	45	66	94	126	150	160	143	63	30	5	3	1	61
3	5	3	5	17	7	13	9	4	13	17	18	7	7	3	1	1	1	62
61	68	60	93	121	144	179	239	284	391	471	458	412	222	76	16	2	3	63
7	9	14	21	21	34	36	29	29	34	35	25	22	12	6	1	1	-	64
26	38	28	59	66	88	115	151	174	228	249	235	219	114	33	5	1	1	65
4	5	8	9	8	17	25	13	17	21	21	16	12	6	2	-	1	-	66
35	30	32	34	55	56	64	88	110	163	222	223	193	108	43	11	1	2	67
3	4	6	12	13	17	11	16	12	13	14	9	10	6	4	1	-	-	68
293	263	312	362	438	578	776	1,082	1,310	1,806	2,351	2,326	1,906	1,231	462	97	9	13	69
35	19	24	35	37	37	53	63	57	71	60	70	42	28	15	10	2	2	70
177	152	177	199	270	347	458	668	806	1,038	1,384	1,301	1,044	637	239	35	4	9	71
21	12	9	13	15	20	30	37	37	34	36	43	28	15	6	6	-	1	72
118	111	135	163	168	231	318	414	504	768	967	1,025	862	594	223	62	5	4	73
12	7	15	22	22	17	23	26	20	37	24	27	14	13	9	4	2	1	74
116	113	128	122	189	246	372	492	535	579	627	626	445	218	62	14	5	3	75
99	100	115	113	178	240	360	483	519	562	604	611	425	204	60	13	3	1	76
16	13	13	9	11	6	12	9	16	17	23	15	20	14	2	1	2	2	77
63	65	71	71	112	152	259	332	373	385	387	386	284	123	30	4	1	1	78
6	5	10	7	9	2	9	8	10	11	12	7	14	8	1	-	-	2	79
36	35	44	42	66	88	101	151	146	177	217	225	141	81	30	9	2	-	80
10	8	3	2	2	4	3	1	6	6	11	8	6	6	1	1	2	-	81
15	11	31	23	40	62	82	119	103	98	100	94	55	21	10	1	-	-	82
1	-	3	-	-	-	1	-	1	-	1	1	1	1	-	-	-	-	83
8	5	20	19	29	48	64	89	71	61	67	52	27	10	5	-	-	-	84
1	-	3	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	85
7	6	11	4	11	14	18	30	32	37	33	42	28	11	5	1	-	-	86
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	87
24	22	21	19	33	33	52	48	80	75	99	91	66	27	13	1	-	-	88
-	-	-	-	1	1	1	-	2	4	1	-	2	1	-	-	-	-	89
16	15	9	13	20	17	29	29	52	55	60	58	37	13	8	-	-	-	90
-	-	-	-	-	-	1	-	1	4	1	-	2	-	-	-	-	-	91
8	7	12	6	13	16	23	19	28	20	39	33	29	14	5	1	-	-	92
-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	MONTANA—Continued											
1	Cities of 2,500 to 10,000	White	808	60	5	-	2	-	67	8	4	14
2		All other	16	3	1	-	-	-	4	-	-	-
3	Male	White	511	38	3	-	2	-	43	3	2	10
4		All other	11	3	1	-	-	-	4	-	-	-
5	Female	White	297	22	2	-	-	-	24	5	2	4
6		All other	5	-	-	-	-	-	-	-	-	-
7	Rural	White	2,768	185	14	18	10	8	235	32	33	62
8		All other	308	64	13	10	6	4	97	7	16	22
9	Male	White	1,854	105	12	9	5	4	135	16	21	42
10		All other	175	38	7	4	2	4	55	5	10	9
11	Female	White	914	80	2	9	5	4	100	16	12	20
12		All other	133	26	6	6	4	-	42	2	6	13
13	NEBRASKA		12,330	759	72	32	22	24	909	79	93	137
14	Both sexes	White	12,055	736	67	31	22	24	880	78	90	129
15		All other	275	23	5	1	-	-	29	1	3	8
16	Male	White	6,907	427	34	18	11	17	507	50	53	89
17		All other	140	14	3	-	-	-	17	-	2	7
18	Female	White	5,148	309	33	13	11	7	373	28	37	40
19		All other	135	9	2	1	-	-	12	1	1	1
20	Cities of 100,000 or more	White	2,176	148	8	3	1	2	162	7	13	15
21		All other	178	15	2	-	-	-	17	1	1	4
22	Male	White	1,229	97	4	1	-	1	103	3	9	10
23		All other	87	8	2	-	-	-	10	-	1	4
24	Female	White	947	51	4	2	1	1	59	4	4	5
25		All other	91	7	-	-	-	-	7	1	-	-
26	Cities of 25,000 to 100,000	White	796	29	4	3	1	1	38	2	5	2
27		All other	8	-	-	-	-	-	-	-	-	-
28	Male	White	435	16	2	2	1	1	22	1	3	1
29		All other	3	-	-	-	-	-	-	-	-	-
30	Female	White	361	13	2	1	-	-	16	1	2	1
31		All other	5	-	-	-	-	-	-	-	-	-
32	Cities of 10,000 to 25,000	White	951	70	7	3	4	3	87	7	3	4
33		All other	5	-	-	-	-	-	-	-	-	-
34	Male	White	504	41	2	2	2	1	48	5	3	2
35		All other	4	-	-	-	-	-	-	-	-	-
36	Female	White	447	29	5	1	2	2	39	2	-	2
37		All other	1	-	-	-	-	-	-	-	-	-
38	Cities of 2,500 to 10,000	White	1,342	103	7	5	4	4	123	4	5	15
39		All other	10	1	-	-	-	-	1	-	-	-
40	Male	White	771	60	3	4	2	4	73	2	3	12
41		All other	4	1	-	-	-	-	1	-	-	-
42	Female	White	571	43	4	1	2	-	50	2	2	3
43		All other	6	-	-	-	-	-	-	-	-	-
44	Rural	White	8,790	386	41	17	12	14	470	58	64	93
45		All other	74	7	3	1	-	-	11	-	2	4
46	Male	White	3,968	213	28	9	6	10	261	39	35	64
47		All other	42	5	1	-	-	-	6	-	1	3
48	Female	White	2,822	173	18	8	6	4	209	19	29	29
49		All other	32	2	2	1	-	-	5	-	1	1
50	NEVADA		1,368	93	11	4	5	3	116	7	5	29
51	Both sexes	White	1,258	85	8	4	5	3	105	7	3	26
52		All other	110	8	3	-	-	-	11	-	2	3
53	Male	White	870	46	3	2	4	1	56	5	2	15
54		All other	65	5	-	-	-	-	5	-	1	2
55	Female	White	388	39	5	2	1	2	49	2	1	11
56		All other	45	3	3	-	-	-	6	-	1	1
57	Cities of 10,000 to 25,000	White	288	16	-	1	1	1	19	2	-	5
58		All other	10	-	-	-	-	-	-	-	-	-
59	Male	White	184	11	-	1	1	-	13	1	-	1
60		All other	5	-	-	-	-	-	-	-	-	-
61	Female	White	104	5	-	-	-	1	6	1	-	4
62		All other	5	-	-	-	-	-	-	-	-	-
63	Cities of 2,500 to 10,000	White	300	27	2	-	1	-	30	3	1	7
64		All other	21	2	1	-	-	-	3	-	1	1
65	Male	White	213	16	1	-	-	-	17	3	-	4
66		All other	12	1	-	-	-	-	1	-	1	-
67	Female	White	87	11	1	-	1	-	13	-	1	3
68		All other	9	1	1	-	-	-	2	-	-	1
69	Rural	White	670	42	6	3	3	2	56	2	2	14
70		All other	79	6	2	-	-	-	8	-	1	2
71	Male	White	473	19	2	1	3	1	26	1	2	10
72		All other	48	4	-	-	-	-	4	-	-	2
73	Female	White	197	23	4	2	-	1	30	1	-	4
74		All other	31	2	2	-	-	-	4	-	1	-
75	NEW HAMPSHIRE		6,073	329	26	16	13	16	400	24	25	52
76	Both sexes	White	6,069	329	26	16	13	16	400	24	25	52
77		All other	4	-	-	-	-	-	-	-	-	-
78	Male	White	3,264	181	14	8	7	7	217	12	14	39
79		All other	2	-	-	-	-	-	-	-	-	-
80	Female	White	2,805	148	12	8	6	9	183	12	11	13
81		All other	2	-	-	-	-	-	-	-	-	-
82	Cities of 25,000 to 100,000	White	1,806	108	13	5	7	5	136	10	2	17
83		All other	2	-	-	-	-	-	-	-	-	-
84	Male	White	955	64	6	2	4	1	77	7	1	12
85		All other	1	-	-	-	-	-	-	-	-	-
86	Female	White	851	42	7	3	3	4	59	3	1	5
87		All other	1	-	-	-	-	-	-	-	-	-
88	Cities of 10,000 to 25,000	White	1,056	62	4	1	-	4	71	6	3	9
89		All other	1	-	-	-	-	-	-	-	-	-
90	Male	White	557	37	3	-	-	2	42	2	2	6
91		All other	-	-	-	-	-	-	-	-	-	-
92	Female	White	499	25	1	1	-	2	29	4	1	3
93		All other	1	-	-	-	-	-	-	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
14	19	19	18	19	39	51	71	78	80	80	90	78	44	10	4	1	-	1
1	-	-	-	2	-	1	1	1	1	-	-	3	1	-	-	1	-	2
9	13	13	11	12	21	39	49	53	46	47	56	54	25	4	1	-	-	3
-	-	-	-	1	-	1	1	1	-	-	-	2	1	-	-	-	-	4
5	6	6	7	7	18	12	22	25	34	33	34	24	19	6	3	1	-	5
1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	6
46	48	44	53	86	106	175	245	258	309	325	336	226	112	27	7	2	1	7
14	13	10	9	8	5	9	8	12	12	21	14	14	11	2	1	1	2	8
30	32	29	28	51	66	127	165	197	223	213	220	166	75	13	3	1	1	9
5	5	7	7	8	2	6	7	7	7	10	7	9	6	1	-	-	2	10
16	16	15	25	35	40	48	60	61	86	112	116	60	37	14	4	1	-	11
9	8	3	2	-	3	3	1	5	5	11	7	5	5	1	1	1	-	12
190	179	186	234	343	435	663	862	1,019	1,348	1,518	1,483	1,443	813	304	71	12	9	13
177	173	176	222	324	420	638	826	997	1,322	1,501	1,466	1,437	808	301	71	11	8	14
13	6	10	12	19	15	25	36	22	26	17	17	6	5	3	-	1	1	15
104	103	94	139	183	225	390	499	581	753	895	807	816	428	145	35	5	6	16
5	2	5	4	12	4	18	19	11	14	6	6	4	1	2	-	-	1	17
73	70	82	83	141	195	248	327	416	569	606	659	621	380	156	36	6	2	18
8	4	5	8	7	11	7	17	11	12	11	11	2	4	1	-	1	-	19
27	31	34	55	78	115	156	186	232	225	256	223	210	102	34	11	-	4	20
5	4	7	9	13	10	16	25	17	18	10	11	2	5	3	-	-	-	21
14	13	18	32	42	71	98	119	132	123	154	105	108	49	14	8	-	4	22
2	1	3	2	9	1	12	12	8	10	3	4	2	1	2	-	-	-	23
13	18	16	23	36	44	58	67	100	102	102	118	102	53	20	3	-	-	24
3	3	4	7	4	9	4	13	9	8	7	7	-	4	1	-	-	-	25
7	7	10	12	22	24	50	58	77	82	114	86	111	56	23	8	2	-	26
-	-	-	1	-	1	2	-	-	-	2	1	1	-	-	-	-	-	27
5	4	5	10	14	8	29	34	40	42	71	45	55	31	9	5	1	-	28
-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	29
2	3	5	2	8	16	21	24	37	40	43	41	56	25	14	3	1	-	30
-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	31
17	20	21	29	27	33	38	55	75	97	107	120	108	57	35	9	2	-	32
-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	33
9	12	11	16	16	15	22	30	50	43	53	64	62	28	12	1	2	-	34
-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	35
8	8	10	13	11	18	16	25	25	54	54	56	46	29	23	8	-	-	36
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
20	22	24	21	36	40	71	84	101	141	154	189	154	88	39	10	1	-	38
-	-	-	1	-	1	1	3	-	1	-	1	-	-	-	-	1	-	39
8	17	12	11	23	22	42	46	57	81	96	106	87	46	22	4	1	-	40
-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	41
12	5	12	10	13	18	29	38	44	60	58	83	67	42	17	6	-	-	42
-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	1	-	43
106	93	87	105	161	208	323	443	512	777	870	848	854	505	170	33	6	4	44
8	2	3	1	5	2	6	7	3	7	5	4	3	-	-	-	-	1	45
68	57	48	70	88	109	199	270	302	464	521	487	504	274	88	17	1	2	46
3	1	2	1	3	2	5	4	1	4	1	2	2	-	-	-	-	1	47
38	36	39	35	73	99	124	173	210	313	349	361	350	231	82	16	5	2	48
5	1	1	-	2	-	1	3	2	3	4	2	1	-	-	-	-	-	49
40	46	41	62	69	67	85	131	139	158	141	98	81	35	10	2	2	4	50
33	44	39	58	61	59	81	127	128	148	131	90	74	32	7	1	-	4	51
7	2	2	4	8	8	4	4	11	10	10	8	7	3	3	1	2	-	52
21	27	28	39	48	41	62	99	94	105	94	61	51	16	2	1	-	3	53
4	2	2	1	4	7	4	2	7	4	6	4	4	3	1	1	1	-	54
12	17	11	19	13	18	19	28	34	43	37	29	23	16	5	-	-	1	55
3	-	-	3	4	1	-	2	4	6	4	4	3	-	2	-	1	-	56
6	5	5	11	21	7	18	35	31	43	33	21	19	3	3	1	-	-	57
1	-	-	-	2	1	-	-	1	1	1	1	2	-	-	-	-	-	58
2	2	4	6	14	2	11	25	24	31	21	12	12	2	-	1	-	-	59
-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	60
4	3	1	5	7	5	7	10	7	12	12	9	7	1	3	-	-	-	61
1	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	62
8	13	11	17	8	17	20	26	23	33	29	27	19	6	1	-	-	1	63
1	1	-	-	-	3	2	2	1	-	3	2	1	-	-	-	-	-	64
6	10	8	9	7	12	17	21	15	26	19	21	14	3	-	-	-	1	65
-	1	-	-	-	2	2	-	-	-	3	1	1	-	-	-	-	-	66
2	3	3	8	1	5	3	5	8	7	10	6	5	3	1	-	-	-	67
1	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	68
19	26	23	30	32	35	43	66	74	72	69	42	36	23	3	-	-	3	69
5	1	2	4	6	4	2	2	9	9	6	5	4	3	3	1	2	-	70
13	15	16	24	27	27	34	53	55	48	54	28	25	11	2	-	-	2	71
4	1	2	1	3	4	2	2	7	4	2	2	2	3	1	1	1	-	72
6	11	7	6	5	8	9	13	19	24	15	14	11	12	1	-	-	1	73
1	-	-	3	3	-	-	-	2	5	4	3	2	-	2	-	1	-	74
58	69	81	104	138	220	310	431	557	713	832	837	686	371	119	30	1	15	75
58	68	80	104	138	220	310	431	557	712	831	837	686	371	119	30	1	15	76
-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	77
35	38	39	58	75	123	181	262	321	405	446	453	322	169	36	8	-	11	78
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	79
23	30	41	46	63	97	129	169	236	307	385	384	364	202	83	22	1	4	80
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
20	22	27	45	50	68	102	128	165	221	252	248	172	84	28	6	-	3	82
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
13	13	15	26	28	32	57	82	95	119	131	132	72	35	4	2	-	2	84
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	85
7	9	12	19	22	36	45	46	70	102	121	116	100	49	24	4	-	1	86
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
10	17	22	17	27	47	62	71	113	117	148	123	100	67	21	4	-	1	88
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
3	9	10	8	9	28	38	47	69	58	83	71	34	28	8	1	-	1	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
7	8	12	9	18	19	24	24	44	59	65	52	66	39	13	3	-	-	92
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	NEW HAMPSHIRE—Continued											
1	Cities of 2,500 to 10,000	White	503	27	2	4	-	3	36	1	4	3
2		All other	-	-	-	-	-	-	-	-	-	-
3	Male	White	266	16	1	4	-	1	22	1	1	3
4		All other	-	-	-	-	-	-	-	-	-	-
5	Female	White	237	11	1	-	-	2	14	-	3	-
6		All other	-	-	-	-	-	-	-	-	-	-
7	Rural	White	2,704	134	7	6	6	4	157	7	16	23
8		All other	1	-	-	-	-	-	-	-	-	-
9	Male	White	1,486	64	4	2	3	3	76	2	10	18
10		All other	1	-	-	-	-	-	-	-	-	-
11	Female	White	1,218	70	3	4	3	1	81	5	6	5
12		All other	-	-	-	-	-	-	-	-	-	-
13	NEW JERSEY		45,966	2,408	156	106	88	62	2,820	268	276	431
14	Both sexes	White	42,458	2,048	121	87	75	50	2,381	230	240	363
15		All other	3,508	360	35	19	13	12	439	38	36	68
16	Male	White	23,004	1,229	67	54	42	27	1,419	122	144	221
17		All other	1,834	204	17	10	7	6	244	21	22	30
18	Female	White	19,454	819	54	33	33	23	962	108	96	142
19		All other	1,674	156	18	9	6	6	195	17	14	38
20	Cities of 100,000 or more	White	12,235	617	39	27	24	18	725	72	64	105
21		All other	1,375	153	16	8	8	5	190	24	10	30
22	Male	White	6,755	375	21	18	13	11	438	45	40	57
23		All other	738	82	10	4	5	4	105	12	7	18
24	Female	White	5,480	242	18	9	11	7	287	27	24	48
25		All other	637	71	6	4	3	1	85	12	3	12
26	Cities of 25,000 to 100,000	White	8,974	423	30	17	17	11	498	40	57	71
27		All other	720	50	9	4	2	4	69	8	8	15
28	Male	White	4,794	262	19	9	10	5	305	20	30	44
29		All other	374	26	3	2	-	1	32	4	4	4
30	Female	White	4,180	161	11	8	7	6	193	20	27	27
31		All other	346	24	6	2	2	3	37	4	4	11
32	Cities of 10,000 to 25,000	White	5,814	286	15	13	5	9	328	27	30	53
33		All other	450	55	3	3	-	2	63	3	4	8
34	Male	White	3,018	162	8	8	4	5	187	9	21	36
35		All other	206	36	-	1	-	-	37	3	2	2
36	Female	White	2,796	124	7	5	1	4	141	18	9	17
37		All other	244	19	3	2	-	2	26	-	2	6
38	Cities of 2,500 to 10,000	White	6,112	306	6	10	9	4	335	38	25	48
39		All other	321	34	5	1	-	1	41	1	3	6
40	Male	White	3,180	176	5	6	3	2	192	21	12	28
41		All other	169	22	3	1	-	1	27	-	2	2
42	Female	White	2,932	130	1	4	6	2	143	17	13	20
43		All other	152	12	2	-	-	-	14	1	1	4
44	Rural	White	9,323	416	31	20	20	8	495	53	64	86
45		All other	642	68	2	3	3	-	76	2	11	9
46	Male	White	5,257	254	14	13	12	4	297	27	41	56
47		All other	347	38	1	2	2	-	43	2	7	4
48	Female	White	4,066	162	17	7	8	4	198	26	23	30
49		All other	295	30	1	1	1	-	33	-	4	5
50	NEW MEXICO		5,639	1,437	267	72	40	32	1,848	82	96	147
51	Both sexes	White	5,220	1,345	213	48	35	26	1,667	75	91	132
52		All other	419	92	54	24	5	6	181	7	5	15
53	Male	White	3,008	747	105	24	15	14	905	46	52	81
54		All other	213	50	26	11	2	1	90	1	1	5
55	Female	White	2,212	598	108	24	20	12	762	29	39	51
56		All other	206	42	28	13	3	5	91	6	4	10
57	Cities of 25,000 to 100,000	White	404	62	9	-	3	1	75	5	9	13
58		All other	12	1	-	-	-	-	1	-	-	-
59	Male	White	224	28	3	-	2	-	33	5	6	6
60		All other	7	-	-	-	-	-	-	-	-	-
61	Female	White	180	34	6	-	1	1	42	-	3	7
62		All other	5	1	-	-	-	-	1	-	-	-
63	Cities of 10,000 to 25,000	White	520	110	8	4	5	-	127	10	9	15
64		All other	20	2	1	1	-	-	4	-	-	-
65	Male	White	303	67	6	2	3	-	78	7	5	11
66		All other	17	1	1	1	-	-	3	-	-	-
67	Female	White	217	43	2	2	2	-	49	3	4	4
68		All other	3	1	-	-	-	-	1	-	-	-
69	Cities of 2,500 to 10,000	White	1,288	300	42	8	6	5	361	20	22	24
70		All other	25	4	-	-	1	-	5	2	1	1
71	Male	White	770	176	18	5	3	2	204	15	14	14
72		All other	13	2	-	-	1	-	3	-	-	-
73	Female	White	518	124	24	3	3	3	157	5	8	10
74		All other	12	2	-	-	-	-	2	2	1	1
75	Rural	White	3,008	873	154	36	21	20	1,104	40	51	80
76		All other	362	85	53	23	4	6	171	5	4	14
77	Male	White	1,711	476	78	17	7	12	590	19	27	50
78		All other	176	47	25	10	1	1	84	1	1	5
79	Female	White	1,297	397	76	19	14	8	514	21	24	30
80		All other	186	38	28	13	3	5	87	4	3	9
81	NEW YORK		148,030	6,950	501	317	255	218	8,241	777	777	1,327
82	Both sexes	White	140,271	6,392	463	291	234	208	7,588	722	688	1,131
83		All other	7,759	558	38	26	21	10	653	55	89	196
84	Male	White	76,562	3,639	250	159	136	124	4,308	443	426	687
85		All other	4,212	324	17	11	11	4	367	33	45	91
86	Female	White	63,709	2,753	213	132	98	84	3,280	279	262	444
87		All other	3,547	234	21	15	10	6	286	22	44	105
88	Cities of 100,000 or more	White	85,318	3,722	270	181	133	121	4,427	420	386	655
89		All other	6,329	497	30	20	18	8	533	48	76	166
90	Male	White	46,361	2,189	149	90	81	75	2,584	254	221	376
91		All other	3,406	272	15	8	9	3	307	29	38	77
92	Female	White	38,957	1,533	121	91	52	46	1,843	166	165	279
93		All other	2,923	185	15	12	9	5	226	19	38	89

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
6	6	7	6	12	7	14	44	47	54	76	83	54	32	8	2	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
4	4	3	4	8	3	10	25	27	28	42	40	26	11	3	-	-	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	2	4	2	4	4	4	19	20	26	34	43	28	21	5	2	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
22	23	24	38	49	98	132	188	232	320	355	383	360	188	62	18	1	10	7
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	8
15	12	11	20	30	60	76	108	130	200	190	210	190	95	21	5	-	7	9
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	10
7	11	13	16	19	38	56	80	102	120	165	173	170	93	41	13	1	3	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
622	718	980	1,217	1,794	2,590	3,568	4,221	4,918	5,417	5,827	4,560	3,519	1,756	606	134	23	1	13
526	598	824	982	1,518	2,321	3,239	3,901	4,604	5,161	5,288	4,420	3,429	1,711	585	123	13	1	14
96	120	156	235	276	269	329	320	314	256	239	140	90	45	21	11	10	-	15
307	316	463	550	881	1,356	1,982	2,388	2,699	2,776	2,800	2,177	1,471	686	203	40	2	1	16
32	52	69	116	153	146	185	153	181	139	136	73	48	18	9	3	4	-	17
219	282	361	432	637	965	1,257	1,513	1,905	2,385	2,488	2,243	1,958	1,025	382	83	11	-	18
64	68	87	119	123	123	144	167	133	117	103	67	42	27	12	8	6	-	19
150	185	244	331	460	735	1,067	1,205	1,459	1,469	1,491	1,132	824	376	120	18	3	-	20
43	47	72	121	105	117	137	118	111	83	76	39	29	14	3	4	2	-	21
82	94	140	193	285	443	672	772	882	807	755	526	342	140	37	4	1	-	22
16	23	33	65	57	63	85	53	67	51	41	18	15	6	-	1	2	-	23
68	91	104	138	175	292	395	433	577	662	736	606	482	236	83	14	2	-	24
27	24	39	66	48	54	52	65	44	32	35	21	14	8	3	3	-	-	25
107	128	175	218	356	526	723	928	1,055	1,124	1,079	839	627	286	113	20	4	-	26
16	29	38	42	61	55	67	74	59	64	44	36	17	11	6	1	-	-	27
62	64	99	118	209	318	439	561	595	584	554	396	250	101	37	7	1	-	28
5	10	16	16	33	30	41	41	36	34	26	22	10	5	5	-	-	-	29
45	64	76	100	147	206	284	367	460	540	525	443	377	185	76	13	3	-	30
11	19	22	26	28	25	26	33	23	30	18	14	7	6	1	1	-	-	31
69	65	103	125	191	326	420	520	599	716	699	644	515	260	101	21	1	1	32
12	13	11	20	36	34	41	43	50	32	37	22	6	7	4	2	2	-	33
35	36	54	67	107	172	261	316	314	373	370	302	217	104	29	7	-	1	34
2	4	2	11	22	14	18	15	23	16	25	7	1	-	1	1	-	-	35
34	29	49	58	84	154	159	204	285	343	329	342	298	156	72	14	1	-	36
10	9	9	9	14	20	23	28	27	16	12	15	5	7	3	1	2	-	37
70	85	122	118	213	307	411	496	604	788	798	682	553	299	91	28	1	-	38
7	15	8	17	22	18	24	27	37	31	30	17	13	1	1	-	2	-	39
45	41	67	67	115	187	237	286	359	403	413	335	226	123	37	6	-	-	40
2	10	3	5	11	10	10	10	23	15	17	10	8	1	1	-	2	-	41
25	44	55	51	98	140	174	210	245	385	385	347	327	176	54	22	1	-	42
5	5	5	12	11	8	14	17	14	16	13	7	5	-	-	-	-	-	43
130	135	180	190	298	427	618	752	887	1,064	1,221	1,123	910	490	160	36	4	-	44
18	16	27	35	52	45	60	58	57	46	52	26	25	12	7	4	4	-	45
83	81	103	105	165	256	373	453	549	609	708	618	436	218	63	16	-	-	46
7	5	15	19	30	29	31	34	32	23	27	16	14	6	2	1	-	-	47
47	54	77	85	133	171	245	299	338	455	513	505	474	272	97	20	4	-	48
11	11	12	16	22	16	29	24	25	23	25	10	11	6	5	3	4	-	49
146	145	142	165	168	228	240	294	290	379	420	321	269	159	62	13	9	16	50
123	132	134	152	158	213	224	280	277	366	397	304	254	151	58	11	6	15	51
23	13	8	13	10	15	16	14	13	13	23	17	15	8	4	2	3	1	52
66	66	74	77	85	118	134	165	183	227	246	175	161	95	32	9	3	8	53
11	1	6	9	6	9	7	8	10	10	10	12	8	5	2	-	1	1	54
57	68	60	75	73	95	90	115	94	139	151	129	93	56	26	2	3	7	55
12	12	2	4	4	6	9	6	3	3	13	5	7	3	2	2	2	-	56
11	7	17	19	19	31	23	31	30	36	34	10	14	13	4	2	1	-	57
2	-	-	-	1	3	2	-	-	1	-	-	1	-	-	-	1	-	58
7	3	13	8	11	23	17	19	16	22	18	4	8	3	1	1	-	-	59
2	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	-	-	60
4	4	4	11	8	8	6	12	14	14	16	6	6	10	3	1	1	-	61
-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	62
10	20	12	13	20	26	22	37	33	41	48	29	24	18	3	1	1	1	63
-	1	2	1	3	2	-	2	1	-	1	-	1	1	-	-	-	1	64
5	7	3	7	14	12	11	19	24	25	26	21	13	11	3	-	-	1	65
-	1	1	1	3	2	-	1	1	-	1	-	1	1	-	-	-	1	66
5	13	9	6	6	14	11	18	9	16	22	8	11	7	-	1	1	-	67
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	68
33	31	35	42	39	51	63	78	64	99	101	88	73	31	23	3	1	6	69
1	-	-	3	-	2	3	1	-	1	3	-	1	1	-	-	-	-	70
20	18	19	22	21	29	44	47	45	57	67	50	43	22	12	3	1	3	71
-	-	-	2	-	2	1	-	-	1	2	-	1	1	-	-	-	-	72
13	13	16	20	18	22	19	31	19	42	34	38	30	9	11	-	-	3	73
1	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	74
69	74	70	78	80	105	116	134	150	190	214	177	143	89	28	5	3	8	75
20	12	6	9	6	8	11	11	12	11	19	17	12	6	4	2	2	-	76
34	38	39	40	39	54	62	80	98	123	135	100	97	59	16	5	2	4	77
9	-	5	6	3	3	4	7	9	9	7	12	5	3	2	-	1	-	78
35	36	31	38	41	51	54	54	52	67	79	77	46	30	12	-	1	4	79
11	12	1	3	3	5	7	4	3	2	12	5	7	3	2	2	1	-	80
1,908	2,343	3,072	4,037	6,049	8,453	11,450	13,527	15,878	17,757	18,037	15,144	11,464	5,590	1,743	373	50	33	81
1,608	1,946	2,586	3,404	5,269	7,712	10,657	12,901	15,273	17,227	17,684	14,910	11,318	5,508	1,698	363	46	32	82
300	397	486	633	780	741	793	626	605	530	353	234	146	82	45	10	4	1	83
926	1,032	1,436	1,954	3,083	4,682	6,649	7,875	8,852	9,515	9,145	7,291	5,118	2,327	639	127	19	28	84
141	192	265	351	464	428	478	335	329	278	180	122	59	32	18	3	-	1	85
682	914	1,150	1,450	2,186	3,030	4,008	5,026	6,421	7,712	8,539	7,619	6,200	3,181	1,059	236	27	4	86
159	205	221	282	316	313	315	291	276	252	173	112	87	50	27	7	4	-	87
954	1,233	1,675	2,314	3,658	5,357	7,326	8,537	10,015	10,799	10,306	8,138	5,573	2,621	739	151	19	15	88
238	337	393	522	670	627	660	521	490	420	269	168	107	54	23	5	1	1	89
524	624	923	1,338	2,154	3,227	4,580	5,233	5,764	5,847	5,196	3,823	2,336	1,042	263	52	7	13	90
107	157	206	283	395	386	395	279	269	217	137	80	39	18	5	1	-	1	91
430	609	752	976	1,524	2,130	2,746	3,304	4,251	4,952	5,110	4,315	3,237	1,579	476	99	12	2	92
131	180	187	239	275	261	265	242	221	203	132	88	68	36	18	4	1	-	93

TABLE 11.—DEATHS BY AGE, SEX, RACE AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	NEW YORK—Continued											
1	Cities of 25,000 to 100,000	White	9,095	514	26	12	17	15	584	56	51	63
2		All other	269	15	5	2	-	-	22	-	2	9
3	Male	White	4,762	264	11	6	9	8	298	30	32	38
4		All other	136	8	1	1	-	-	10	-	-	4
5	Female	White	4,333	250	15	6	8	7	286	26	19	25
6		All other	133	7	4	1	-	-	12	-	2	5
7	Cities of 10,000 to 25,000	White	8,657	424	37	19	9	14	503	42	53	84
8		All other	205	19	-	2	1	1	23	-	2	3
9	Male	White	4,523	221	18	11	4	7	261	31	31	62
10		All other	116	12	-	2	-	1	15	-	2	1
11	Female	White	4,134	203	19	8	5	7	242	11	22	22
12		All other	89	7	-	-	1	-	8	-	-	2
13	Cities of 2,500 to 10,000	White	7,159	392	27	14	13	6	452	49	33	64
14		All other	119	10	1	1	-	-	12	1	2	3
15	Male	White	3,815	224	14	9	11	2	260	32	23	37
16		All other	72	6	-	-	-	-	6	1	1	2
17	Female	White	3,344	168	13	5	2	4	192	17	10	27
18		All other	47	4	1	1	-	-	6	-	1	1
19	Rural	White	30,042	1,340	103	65	62	52	1,622	155	165	265
20		All other	837	57	2	1	2	1	63	6	7	15
21	Male	White	17,101	741	58	43	31	32	905	96	119	174
22		All other	482	26	1	-	2	-	29	3	4	7
23	Female	White	12,941	599	45	22	31	20	717	59	46	91
24		All other	355	31	1	1	-	1	34	3	3	8
25	NORTH CAROLINA		31,752	5,053	512	248	164	120	6,097	391	423	807
26	Both sexes	White	19,968	2,862	265	142	101	82	3,452	235	220	391
27		All other	11,784	2,191	247	106	63	38	2,645	156	203	416
28	Male	White	11,381	1,624	167	85	48	56	1,980	151	114	248
29		All other	6,173	1,236	129	57	24	26	1,472	81	105	195
30	Female	White	8,587	1,238	98	57	53	26	1,472	84	106	143
31		All other	5,611	955	118	49	39	12	1,173	75	98	221
32	Cities of 100,000 or more	White	476	53	6	2	-	-	61	4	5	9
33		All other	418	71	6	3	2	1	83	5	7	14
34	Male	White	270	31	3	1	-	-	35	3	1	5
35		All other	222	33	3	2	2	1	41	2	4	12
36	Female	White	206	22	3	1	-	-	26	1	4	4
37		All other	196	38	3	1	-	-	42	3	3	2
38	Cities of 25,000 to 100,000	White	2,171	208	18	5	7	3	241	18	13	37
39		All other	1,875	246	22	12	9	5	294	20	25	70
40	Male	White	1,201	127	8	2	4	2	143	13	7	24
41		All other	935	132	12	5	3	5	157	12	12	25
42	Female	White	970	81	10	3	3	1	98	5	6	13
43		All other	940	114	10	7	6	-	137	8	13	45
44	Cities of 10,000 to 25,000	White	1,442	205	13	4	8	7	237	12	9	20
45		All other	1,050	163	18	13	5	4	203	13	18	40
46	Male	White	843	110	10	4	5	6	135	6	6	14
47		All other	545	99	11	7	3	4	124	6	7	19
48	Female	White	599	95	3	-	3	1	102	6	3	6
49		All other	505	64	7	6	2	-	79	7	11	21
50	Cities of 2,500 to 10,000	White	1,432	188	10	6	6	3	213	16	12	27
51		All other	786	127	11	5	4	3	150	6	10	23
52	Male	White	809	110	7	3	5	1	126	10	3	21
53		All other	394	62	2	2	2	3	71	2	6	14
54	Female	White	623	78	3	3	1	2	87	6	9	6
55		All other	392	65	9	3	2	-	79	4	4	9
56	Rural	White	14,447	2,208	218	125	80	69	2,700	185	181	298
57		All other	7,655	1,584	190	73	43	25	1,915	112	143	269
58	Male	White	8,258	1,246	139	75	34	47	1,541	119	97	184
59		All other	4,077	910	101	41	14	13	1,079	59	76	125
60	Female	White	6,189	962	79	50	46	22	1,159	66	84	114
61		All other	3,578	674	89	32	29	12	836	53	67	144
62	NORTH DAKOTA		5,281	492	43	25	16	10	586	54	58	91
63	Both sexes	White	5,114	449	31	22	13	9	524	47	52	85
64		All other	167	43	12	3	3	1	62	7	6	6
65	Male	White	3,169	257	20	12	7	4	300	29	36	50
66		All other	97	26	5	-	2	-	33	4	5	3
67	Female	White	1,945	192	11	10	6	5	224	18	16	35
68		All other	70	17	7	3	1	1	29	3	1	3
69	Cities of 25,000 to 100,000	White	298	27	-	3	2	-	32	4	1	6
70		All other	2	-	-	-	-	-	-	-	-	-
71	Male	White	188	16	-	1	2	-	19	3	1	4
72		All other	-	-	-	-	-	-	-	-	-	-
73	Female	White	110	11	-	2	-	-	13	1	-	2
74		All other	2	-	-	-	-	-	-	-	-	-
75	Cities of 10,000 to 25,000	White	477	45	4	1	-	-	50	6	2	7
76		All other	1	-	-	-	-	-	-	-	-	-
77	Male	White	273	26	3	-	-	-	29	5	2	4
78		All other	1	-	-	-	-	-	-	-	-	-
79	Female	White	204	19	1	1	-	-	21	1	-	3
80		All other	-	-	-	-	-	-	-	-	-	-
81	Cities of 2,500 to 10,000	White	505	42	4	4	1	-	51	6	2	13
82		All other	2	-	-	-	-	-	-	-	-	-
83	Male	White	299	22	1	1	-	-	24	3	-	10
84		All other	1	-	-	-	-	-	-	-	-	-
85	Female	White	206	20	3	3	1	-	27	3	2	3
86		All other	1	-	-	-	-	-	-	-	-	-
87	Rural	White	3,834	335	23	14	10	9	391	31	47	59
88		All other	162	43	12	3	3	1	62	7	6	6
89	Male	White	2,409	193	16	10	5	4	228	18	33	32
90		All other	95	26	5	-	2	-	33	4	5	3
91	Female	White	1,425	142	7	4	5	5	163	13	14	27
92		All other	67	17	7	3	1	1	29	3	1	3
93	OHIO		78,137	5,134	425	248	188	139	6,134	532	494	996
94	Both sexes	White	72,861	4,690	383	229	171	128	5,601	496	456	853
95		All other	5,276	444	42	19	17	11	533	36	38	143
96	Male	White	40,247	2,710	202	123	89	69	3,193	294	287	536
97		All other	2,960	246	25	8	8	7	294	23	18	69
98	Female	White	32,614	1,980	181	106	82	59	2,408	202	169	317
99		All other	2,316	198	17	11	9	4	239	13	20	74

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
112	105	163	178	295	454	585	766	914	1,070	1,197	1,084	840	416	120	32	7	3	1
10	13	22	16	19	19	25	22	20	26	16	11	5	2	7	-	3	-	2
75	64	87	106	168	266	361	466	508	570	584	524	369	160	40	10	4	2	3
5	7	13	5	15	9	14	10	10	15	8	4	2	-	5	-	-	-	4
37	41	76	72	127	188	224	300	406	500	613	560	471	256	80	22	3	1	5
5	6	9	11	4	10	11	12	10	11	8	7	3	2	2	-	3	-	6
99	125	140	182	283	404	545	740	867	965	1,150	1,060	836	417	141	20	-	1	7
11	11	14	18	10	14	18	17	13	20	14	9	3	4	-	1	-	-	8
56	64	83	94	169	249	337	428	482	513	582	484	373	170	48	5	-	1	9
5	7	8	11	5	9	11	6	6	12	8	7	1	2	-	-	-	-	10
43	61	57	88	114	155	208	312	385	452	568	576	463	247	93	15	-	-	11
6	4	6	7	5	5	7	11	7	8	6	2	2	2	-	1	-	-	12
88	83	104	149	219	314	426	562	718	855	943	876	722	358	115	25	4	-	13
6	3	8	9	12	13	12	4	9	6	9	2	2	3	3	-	-	-	14
50	47	52	89	136	180	273	342	410	476	460	457	320	140	41	9	1	-	15
5	2	6	7	6	6	8	2	5	3	6	2	1	2	1	-	-	-	16
38	36	52	60	83	134	153	220	308	379	483	439	402	218	74	16	3	-	17
1	1	2	2	6	7	4	2	4	3	3	-	1	1	2	-	-	-	18
355	400	504	581	814	1,183	1,775	2,296	2,759	3,538	4,088	3,752	3,347	1,696	583	135	16	13	19
35	33	49	68	69	68	78	62	73	58	45	44	29	19	12	4	-	-	20
221	233	291	327	476	760	1,098	1,406	1,688	2,109	2,323	2,023	1,720	815	247	51	7	12	21
19	19	32	45	43	38	50	38	39	31	21	29	16	10	7	2	-	-	22
134	167	213	254	338	423	677	890	1,071	1,429	1,765	1,729	1,627	881	336	84	9	1	23
16	14	17	23	26	30	28	24	34	27	24	15	13	9	5	2	-	-	24
1,128	1,075	1,105	1,179	1,382	1,536	1,935	2,083	2,501	2,878	2,357	1,830	1,627	884	345	102	53	34	25
535	516	563	554	700	876	1,109	1,342	1,679	2,060	1,817	1,503	1,360	731	258	49	7	11	26
593	559	542	625	682	660	826	741	822	818	540	327	267	153	87	53	46	23	27
339	312	348	332	428	555	691	831	1,017	1,151	998	761	656	330	111	19	2	7	28
312	297	269	329	344	333	418	392	411	444	293	176	134	77	36	25	18	12	29
196	204	215	222	272	321	418	511	662	909	819	742	704	401	147	30	5	4	30
281	262	273	296	338	327	408	349	411	374	247	151	133	76	51	28	28	11	31
13	15	11	21	26	28	42	43	43	48	41	24	24	13	4	1	-	-	32
12	29	36	34	44	29	28	21	30	13	12	10	8	-	1	-	2	-	33
10	10	6	13	16	18	30	34	19	29	18	6	9	5	3	-	-	-	34
7	16	15	17	24	21	13	10	13	9	7	6	4	-	-	-	1	-	35
3	5	5	8	10	10	12	9	24	19	23	18	15	8	1	1	-	-	36
5	13	21	17	20	8	15	11	17	4	5	4	4	-	1	-	1	-	37
38	53	71	86	120	130	150	208	204	213	203	152	134	62	33	3	-	2	38
97	109	121	155	143	148	146	158	115	125	63	40	22	12	5	4	3	-	39
27	23	42	52	77	97	90	131	119	118	101	56	39	25	11	-	-	1	40
51	53	65	82	77	68	79	75	47	66	36	16	8	3	3	-	-	-	41
11	25	29	34	43	33	60	77	85	95	102	96	95	37	22	3	-	1	42
46	56	56	73	66	80	67	83	68	59	27	24	14	9	2	4	3	-	43
46	55	42	50	62	67	95	98	135	160	127	105	75	30	12	3	1	1	44
68	45	39	76	89	66	97	51	79	67	37	24	19	10	2	4	3	-	45
21	30	26	31	43	46	63	65	92	90	68	51	37	11	5	2	-	1	46
40	22	17	44	35	36	48	27	42	30	20	10	9	5	1	1	2	-	47
25	25	16	19	19	21	32	33	43	70	59	54	38	19	7	1	1	-	48
28	23	22	32	54	30	49	24	37	37	17	14	10	5	1	3	1	-	49
47	36	47	50	49	75	103	113	105	148	144	94	100	39	9	5	-	-	50
37	44	33	31	53	57	55	76	60	51	43	25	12	8	5	2	3	2	51
31	20	27	32	27	48	72	72	68	75	71	45	43	15	1	2	-	-	52
19	26	21	19	27	34	24	38	29	22	15	14	4	3	2	1	1	2	53
16	18	20	18	22	27	31	41	37	73	73	49	57	24	8	3	-	-	54
18	18	12	12	26	23	31	38	31	29	28	11	8	5	3	1	2	-	55
391	357	392	347	443	576	718	880	1,192	1,491	1,302	1,128	1,027	587	200	37	6	8	56
379	332	313	329	353	360	500	435	538	562	385	228	206	123	74	43	35	21	57
250	224	247	204	265	346	436	529	719	839	740	603	528	274	91	15	2	5	58
195	180	151	167	181	174	254	242	280	317	215	130	109	66	30	23	14	10	59
141	133	145	143	178	230	283	351	473	652	562	525	499	313	109	22	4	3	60
184	152	162	162	172	186	246	193	258	245	170	98	97	57	44	20	21	11	61
116	87	106	107	125	202	278	398	458	574	613	564	480	280	84	7	3	10	62
111	82	102	102	122	200	272	391	451	564	600	559	473	276	83	7	1	10	63
5	5	4	5	3	2	6	7	7	10	13	5	7	4	1	-	2	-	64
65	51	64	70	77	112	161	257	288	367	397	343	278	170	43	3	1	7	65
3	3	3	5	2	1	3	4	5	4	9	4	3	2	1	-	-	-	66
46	31	38	32	45	88	111	134	163	197	203	216	195	106	40	4	-	3	67
2	2	1	-	1	1	3	3	2	6	4	1	4	-	-	-	2	-	68
3	8	5	7	8	13	23	25	28	30	28	29	25	16	2	3	-	-	69
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	70
2	6	2	3	4	12	16	18	19	21	16	17	14	10	1	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
1	2	3	4	4	1	7	7	9	9	12	12	11	8	1	3	-	-	73
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	74
10	4	14	11	13	33	35	41	36	47	56	37	45	27	3	-	-	-	75
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	76
7	3	7	9	9	15	20	24	23	35	31	14	23	13	-	-	-	-	77
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	78
3	1	7	2	4	18	15	17	13	12	25	23	22	14	3	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
17	6	8	9	20	20	31	38	33	45	57	49	46	44	9	1	-	-	81
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	82
11	4	3	5	12	12	20	20	24	25	39	31	25	24	6	1	-	-	83
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	84
6	2	5	4	8	8	11	18	9	20	18	18	21	20	3	-	-	-	85
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	86
81	64	75	75	81	134	183	287	354	442	459	444	357	187	69	3	1	10	87
5	5	4	5	2	2	5	6	7	10	12	5	6	4	1	-	2	-	88
45	38	52	53	52	73	105	195	222	286	311	281	216	123	36	2	1	7	89
3	3	3	5	1	1	3	3	5	4	9	4	3	2	1	-	-	-	90
36	26	23	22	29	61	78	92	132	156	148	163	141	64	33	1	-	3	91
2	2	1	-	1	1	2	3	2	6	3	1	3	2	-	-	2	-	92
1,285	1,314	1,649	1,972	2,707	3,802	4,831	6,051	6,999	8,549	9,431	8,667	7,367	3,849	1,198	249	32	31	93
1,068	1,110	1,418	1,627	2,232	3,306	4,327	5,574	6,663	8,157	9,108	8,428	7,219	3,776	1,160	232	26	24	94
215	204	231	345	475	496	504	477	336	392	323	239	148	73	38	17	6	7	95
627	622	799	937	1,309	1,986	2,629	3,378	3,909	4,636	4,957	4,306	3,506	1,736	508	85	12	15	96
100	101	128	172	264	293	301	299	202	225	185	133	80	42	17	7	1	6	97
441	488	619	690	923	1,320	1,698	2,198	2,754	3,521	4,171	4,122	3,713	2,040	652	147	14	9	98
115	103	103	173	211	203	203	178	134	167	138	106	68	31	21	10	5	1	99

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	OHIO—Continued										
1	Cities of 100,000 or more—White	26,885	1,601	101	66	41	40	1,849	153	143	259
2	All other	3,704	313	34	11	10	7	375	25	25	101
3	Male—White	14,768	926	57	38	22	22	1,065	92	98	164
4	All other	2,055	167	20	5	5	4	201	14	10	48
5	Female—White	12,117	675	44	28	19	18	784	61	45	95
6	All other	1,649	146	14	6	5	3	174	11	15	53
7	Cities of 25,000 to 100,000—White	7,485	529	37	30	13	11	620	42	41	90
8	All other	444	39	2	4	6	1	52	2	3	17
9	Male—White	3,953	301	20	12	8	4	345	30	22	50
10	All other	243	20	1	1	2	-	24	2	3	11
11	Female—White	3,532	228	17	18	5	7	275	12	19	40
12	All other	201	19	1	3	4	1	28	-	-	6
13	Cities of 10,000 to 25,000—White	5,776	398	25	20	16	3	462	44	37	67
14	All other	254	32	1	1	1	1	36	1	5	6
15	Male—White	3,122	228	10	8	9	2	257	28	19	40
16	All other	139	21	1	1	1	1	25	1	2	1
17	Female—White	2,654	170	15	12	7	1	205	16	18	27
18	All other	115	11	-	-	-	-	11	-	3	5
19	Cities of 2,500 to 10,000—White	7,864	502	48	24	16	13	603	65	46	105
20	All other	239	15	1	1	-	-	17	2	2	3
21	Male—White	4,219	293	25	12	8	10	348	34	22	76
22	All other	141	10	-	1	-	-	11	2	2	3
23	Female—White	3,645	209	23	12	8	3	255	31	24	29
24	All other	98	5	1	-	-	-	6	-	-	-
25	Rural—White	24,851	1,660	172	89	85	81	2,067	192	189	332
26	All other	635	45	4	2	-	2	53	6	3	16
27	Male—White	14,185	962	90	53	42	31	1,178	110	126	206
28	All other	382	28	3	-	-	2	33	4	1	6
29	Female—White	10,666	698	82	36	43	50	889	82	63	126
30	All other	253	17	1	2	-	-	20	2	2	10
31	OKLAHOMA	20,439	2,186	261	151	73	59	2,730	256	228	397
32	Both sexes—White	17,510	1,807	200	120	59	53	2,239	204	180	298
33	All other	2,929	379	61	31	14	6	491	52	48	99
34	Male—White	10,362	1,032	113	74	33	26	1,278	126	98	176
35	All other	1,617	206	24	18	8	1	257	27	34	43
36	Female—White	7,148	775	87	46	26	27	961	78	82	122
37	All other	1,312	173	37	13	6	5	234	25	14	56
38	Cities of 100,000 or more—White	2,805	270	16	12	6	8	312	24	26	27
39	All other	484	56	6	-	2	1	65	8	7	18
40	Male—White	1,638	150	10	5	3	5	173	15	16	14
41	All other	270	37	2	-	2	-	41	2	6	8
42	Female—White	1,167	120	6	7	3	3	139	9	10	13
43	All other	214	19	4	-	-	1	24	6	1	10
44	Cities of 25,000 to 100,000—White	546	45	1	4	3	1	54	3	8	9
45	All other	146	11	3	2	-	-	16	3	-	4
46	Male—White	322	26	1	2	2	-	31	2	4	7
47	All other	72	4	1	1	-	-	6	2	-	-
48	Female—White	224	19	-	2	1	1	23	1	4	2
49	All other	74	7	2	1	-	-	10	1	-	4
50	Cities of 10,000 to 25,000—White	2,319	204	32	14	8	8	256	25	19	28
51	All other	370	42	9	4	1	1	57	1	6	7
52	Male—White	1,347	125	20	9	3	3	160	5	9	20
53	All other	200	25	4	1	-	1	31	-	3	3
54	Female—White	972	79	12	5	5	5	106	20	10	8
55	All other	170	17	5	3	1	-	26	1	3	4
56	Cities of 2,500 to 10,000—White	2,827	278	31	16	3	4	332	23	23	56
57	All other	361	53	7	5	3	1	69	-	2	7
58	Male—White	1,708	169	19	13	2	1	204	17	15	32
59	All other	193	21	3	3	1	-	28	-	2	5
60	Female—White	1,119	109	12	3	1	3	128	6	8	24
61	All other	168	32	4	2	2	1	41	-	-	2
62	Rural—White	9,013	1,010	120	74	39	32	1,275	129	104	178
63	All other	1,568	217	36	20	8	3	284	40	33	63
64	Male—White	5,347	562	63	45	23	17	710	87	54	103
65	All other	882	119	14	13	5	-	151	23	23	27
66	Female—White	3,666	448	57	29	16	15	565	42	50	75
67	All other	686	98	22	7	3	3	133	17	10	36
68	OREGON	11,959	580	47	30	21	12	690	83	76	165
69	Both sexes—White	11,724	556	45	30	20	10	661	79	70	159
70	All other	235	24	2	-	1	2	29	4	6	6
71	Male—White	7,186	327	25	20	9	8	389	37	38	112
72	All other	169	16	1	-	-	2	19	4	4	5
73	Female—White	4,538	229	20	10	11	2	272	42	32	47
74	All other	66	8	1	-	1	-	10	-	2	1
75	Cities of 100,000 or more—White	3,614	114	10	4	3	2	133	15	15	30
76	All other	73	4	-	-	1	-	5	-	-	-
77	Male—White	2,096	88	3	2	3	1	77	6	7	20
78	All other	51	3	-	-	-	-	3	-	-	-
79	Female—White	1,518	46	7	2	-	1	56	9	8	10
80	All other	22	1	-	-	1	-	2	-	-	-
81	Cities of 25,000 to 100,000—White	653	12	1	-	-	1	14	-	1	7
82	All other	10	-	-	-	-	-	-	-	-	-
83	Male—White	411	8	-	-	-	1	9	-	1	7
84	All other	8	-	-	-	-	-	-	-	-	-
85	Female—White	242	4	1	-	-	-	5	-	-	-
86	All other	2	-	-	-	-	-	-	-	-	-
87	Cities of 10,000 to 25,000—White	799	57	3	1	4	-	65	2	5	10
88	All other	11	1	-	-	-	-	1	-	-	-
89	Male—White	486	30	1	-	2	-	33	2	4	4
90	All other	5	-	-	-	-	-	-	-	-	-
91	Female—White	313	27	2	1	2	-	32	-	1	6
92	All other	6	1	-	-	-	-	1	-	-	-
93	Cities of 2,500 to 10,000—White	1,728	129	8	5	1	1	144	13	10	17
94	All other	12	1	-	-	-	-	1	-	1	-
95	Male—White	1,009	74	7	5	-	1	87	4	3	10
96	All other	8	1	-	-	-	-	1	-	-	-
97	Female—White	719	55	1	-	1	-	57	9	7	7
98	All other	4	-	-	-	-	-	-	-	1	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
384	439	602	705	997	1,575	2,016	2,472	2,756	3,077	3,155	2,771	2,156	1,008	300	54	8	6	1
164	155	184	269	396	371	362	331	218	241	190	138	87	33	23	7	2	7	2
216	225	340	409	581	956	1,229	1,537	1,618	1,705	1,637	1,363	989	403	119	16	4	4	3
67	74	98	132	223	231	226	205	130	131	105	78	46	20	8	3	1	6	4
168	214	262	296	416	619	787	935	1,140	1,372	1,516	1,408	1,167	605	181	38	4	2	5
97	81	86	137	173	140	136	128	88	110	85	60	41	13	15	4	1	1	6
110	122	181	177	237	332	494	572	671	853	957	774	688	377	112	29	2	4	7
16	17	11	29	29	41	42	45	30	38	35	13	12	9	-	2	1	-	8
68	64	93	108	141	186	305	333	389	458	491	352	304	168	38	9	1	2	9
11	8	8	17	14	17	21	31	18	19	21	7	4	5	-	2	-	-	10
44	58	88	71	96	146	189	239	282	395	466	422	384	209	74	20	1	2	11
5	9	3	12	15	24	21	14	12	19	14	6	8	4	-	-	1	-	12
90	80	95	125	181	259	298	442	523	662	767	620	600	299	99	23	2	1	13
8	4	6	12	7	24	18	15	21	26	18	27	9	8	1	1	1	-	14
46	48	52	77	110	154	187	264	298	382	403	312	275	122	42	4	1	1	15
3	-	5	7	4	12	6	8	12	22	7	19	3	2	-	-	-	-	16
44	32	43	48	71	105	111	178	225	280	364	308	325	177	57	19	1	-	17
5	4	1	5	3	12	12	7	9	4	11	8	6	6	1	1	1	-	18
116	115	131	153	215	318	374	516	668	875	989	1,001	920	473	141	35	1	4	19
9	10	9	6	11	15	22	21	20	24	26	22	7	6	5	2	-	-	20
68	69	73	81	127	188	243	326	369	473	517	472	449	203	64	16	1	-	21
6	7	6	2	7	9	14	13	10	11	15	10	5	4	3	1	-	-	22
48	46	58	72	88	130	131	190	299	402	472	529	471	270	77	19	-	4	23
3	3	3	4	4	6	8	8	10	13	11	12	2	2	2	1	-	-	24
368	354	409	467	602	822	1,145	1,572	2,045	2,690	3,240	3,262	2,855	1,619	508	91	13	9	25
18	18	21	29	32	45	60	65	47	63	54	39	33	17	9	5	2	-	26
231	216	241	264	350	502	665	918	1,237	1,618	1,889	1,807	1,489	840	245	40	5	8	27
13	12	11	14	16	24	34	44	32	42	37	19	22	11	6	1	-	-	28
137	138	168	203	252	320	480	654	808	1,072	1,351	1,455	1,366	779	263	51	8	1	29
5	6	10	15	16	21	26	21	15	21	17	20	11	6	3	4	2	-	30
480	483	573	652	717	896	1,096	1,330	1,580	1,967	2,204	1,853	1,663	900	316	74	26	18	31
334	354	436	493	564	731	920	1,117	1,385	1,730	2,022	1,729	1,557	848	279	66	9	15	32
146	129	137	159	153	165	176	213	195	237	182	124	106	52	37	8	17	3	33
197	192	222	293	343	439	578	701	866	1,080	1,224	1,006	898	465	141	32	3	4	34
75	63	71	70	75	87	97	121	116	148	120	87	63	29	23	4	5	2	35
137	162	214	200	221	292	342	416	519	650	798	723	659	383	138	34	6	11	36
71	66	66	89	78	78	79	92	79	89	62	37	43	23	14	4	12	1	37
40	59	81	93	122	155	180	212	256	313	316	228	198	117	32	9	2	3	38
14	22	29	32	37	40	44	38	32	42	25	11	10	5	3	1	1	-	39
19	36	39	58	65	93	118	139	164	194	181	120	110	65	15	1	1	2	40
6	6	16	14	16	21	23	22	24	29	15	8	6	5	1	1	-	-	41
21	23	42	35	57	62	62	73	92	119	135	108	88	52	17	8	1	1	42
8	16	13	18	21	19	21	16	8	13	10	3	4	-	2	-	1	-	43
13	12	9	12	20	29	31	39	48	47	59	56	51	33	12	1	-	-	44
8	7	4	8	11	11	8	13	11	12	14	4	9	2	1	-	-	-	45
7	7	5	7	11	18	20	28	34	26	35	29	25	18	8	-	-	-	46
3	3	2	2	7	4	5	9	6	7	7	3	4	1	1	-	-	-	47
6	5	4	5	9	11	11	11	14	21	24	27	26	15	4	1	-	-	48
5	4	2	6	4	7	3	4	5	5	7	1	5	1	-	-	-	-	49
41	55	52	70	85	95	136	149	197	223	266	237	200	116	43	13	3	-	50
25	18	18	27	25	22	28	23	24	27	19	15	15	8	7	-	2	-	51
23	30	26	47	54	61	84	96	121	128	158	125	112	58	24	6	-	-	52
16	9	8	10	13	13	14	11	10	21	13	10	6	3	6	-	-	-	53
18	25	26	23	31	34	52	53	76	95	108	112	88	58	19	7	3	-	54
9	7	10	17	12	9	12	12	14	6	6	5	9	5	1	-	2	-	55
54	52	73	71	91	127	141	179	229	276	335	315	260	137	43	9	1	-	56
13	10	26	20	23	22	22	28	22	29	21	23	12	6	4	1	1	-	57
27	32	37	39	60	75	87	107	150	174	217	172	162	77	18	5	1	-	58
8	6	12	10	14	7	12	17	17	15	12	13	9	4	2	-	-	-	59
27	20	36	32	31	52	54	72	79	102	118	143	98	60	25	4	-	-	60
5	4	14	10	9	15	10	11	5	14	9	10	3	2	2	1	1	-	61
188	176	221	247	246	325	432	538	655	871	1,046	893	848	445	149	34	3	12	62
88	74	60	72	57	70	76	111	106	127	103	71	60	31	22	6	13	3	63
121	87	115	142	153	192	269	331	397	558	633	560	489	247	76	20	1	2	64
42	39	33	34	25	42	43	62	59	76	73	53	38	16	13	3	5	2	65
65	89	106	105	93	133	163	207	258	313	413	333	359	198	73	14	2	10	66
44	35	27	38	32	28	33	49	47	51	30	18	22	15	9	3	8	1	67
209	225	230	272	359	525	765	902	1,164	1,241	1,399	1,473	1,288	621	212	37	4	19	68
199	213	222	265	350	515	751	880	1,135	1,221	1,387	1,459	1,276	614	210	35	4	19	69
10	12	8	7	9	10	14	22	29	20	12	14	12	7	2	2	-	-	70
140	131	127	168	211	321	483	578	745	791	857	871	709	349	96	14	1	18	71
5	8	6	6	6	5	10	18	22	16	9	12	9	4	2	1	-	-	72
59	82	95	97	139	194	268	302	390	430	530	588	567	265	114	21	3	1	73
5	6	2	1	3	5	4	4	7	4	3	2	3	3	-	1	-	-	74
39	44	73	78	127	188	258	344	385	398	399	455	373	189	60	8	1	2	75
2	3	1	1	5	2	3	9	12	9	5	8	5	2	-	1	-	-	76
27	21	39	46	80	117	159	222	256	247	230	237	181	94	25	3	-	2	77
-	1	1	1	3	1	2	8	7	7	4	7	4	1	-	1	-	-	78
12	23	34	32	47	71	99	122	129	151	169	218	192	95	35	5	1	-	79
2	2	-	-	2	1	1	1	5	2	1	1	1	1	-	-	-	-	80
8	8	13	14	16	19	37	34	68	80	80	89	93	46	17	4	1	4	81
-	-	-	-	-	1	2	-	1	2	1	1	1	-	1	-	-	-	82
6	4	5	9	7	11	22	20	41	53	52	59	57	32	11	1	-	4	83
-	-	-	-	-	1	2	-	1	1	-	1	1	-	1	-	-	-	84
2	4	8	5	9	8	15	14	27	27	28	30	36	14	6	3	1	-	85
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	86
25	21	15	22	27	40	52	66	67	79	87	87	80	33	13	2	-	1	87
1	-	-	1	-	1	2	1	2	1	-	1	-	-	-	-	-	-	88
15	15	10	14	17	26	32	47	45	50	53	54	42	15	7	-	-	1	89
1	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	90
10	6	5	8	10	14	20	19	22	29	34	33	38	18	6	2	-	-	91
-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	92
21	28	39	37	41	68	92	95	165	179	219	222	214	89	30	4	-	1	93
1	2	-	-	-	1	1	-	1	1	1	-	1	-	-	1	-	-	94
16	16	24	23	20	38	55	59	102	108	131	135	118	45	13	1	-	1	95
1	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	96
5	12	15	14	21	30	37	36	63	71	88	87	96	44	17	3	-	-	97
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	98

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	OREGON—Continued										
1	Rural—White	4,930	244	23	20	12	6	305	49	39	95
2	All other	129	18	2	-	-	2	22	4	5	6
3	Male—White	3,184	147	14	13	4	5	183	25	23	71
4	All other	97	12	1	-	-	2	15	4	4	5
5	Female—White	1,746	97	9	7	8	1	122	24	16	24
6	All other	32	6	1	-	-	-	7	-	1	1
7	PENNSYLVANIA	108,748	7,125	580	313	265	218	8,501	698	811	1,332
8	Both sexes—White	101,665	6,449	520	269	243	203	7,684	652	732	1,146
9	All other	7,083	676	60	44	22	15	817	46	79	186
10	Male—White	56,112	3,717	302	147	137	128	4,431	373	437	720
11	All other	3,863	373	27	21	8	7	436	19	44	88
12	Female—White	45,553	2,732	218	122	106	75	3,253	279	295	426
13	All other	3,220	303	33	23	14	8	381	27	35	98
14	Cities of 100,000 or more—White	30,937	1,519	97	57	67	55	1,795	125	184	254
15	All other	4,747	432	42	28	13	11	526	24	50	127
16	Male—White	16,669	895	58	31	39	35	1,058	68	113	161
17	All other	2,561	236	16	14	5	4	275	10	28	55
18	Female—White	14,268	624	39	26	28	20	737	57	71	93
19	All other	2,186	196	26	14	8	7	251	14	22	72
20	Cities of 25,000 to 100,000—White	12,445	792	58	36	31	26	943	74	74	125
21	All other	674	84	4	3	3	2	96	10	10	15
22	Male—White	6,704	447	27	19	16	20	529	43	47	74
23	All other	389	55	2	2	1	2	62	4	6	10
24	Female—White	5,741	345	31	17	15	6	414	31	27	51
25	All other	285	29	2	1	2	-	34	6	4	5
26	Cities of 10,000 to 25,000—White	11,089	835	68	30	23	18	974	91	89	148
27	All other	562	68	6	6	-	1	81	3	7	14
28	Male—White	6,150	483	34	15	15	11	558	53	54	91
29	All other	304	35	4	1	-	1	41	3	4	6
30	Female—White	4,939	352	34	15	8	7	416	38	35	57
31	All other	258	33	2	5	-	-	40	-	3	8
32	Cities of 2,500 to 10,000—White	13,045	842	58	36	28	24	988	82	100	163
33	All other	249	15	4	2	1	-	22	2	3	5
34	Male—White	7,121	500	35	21	17	16	589	48	49	94
35	All other	137	10	2	2	-	-	14	1	2	4
36	Female—White	5,924	342	23	15	11	8	399	34	51	69
37	All other	112	5	2	-	1	-	8	1	1	1
38	Rural—White	34,149	2,461	239	110	94	80	2,984	280	285	456
39	All other	851	77	4	5	5	1	92	7	9	25
40	Male—White	19,468	1,392	148	61	50	46	1,697	161	174	300
41	All other	472	37	3	2	2	-	44	1	4	13
42	Female—White	14,681	1,069	91	49	44	34	1,287	119	111	156
43	All other	379	40	1	3	3	1	48	6	5	12
44	RHODE ISLAND	7,888	405	44	19	16	6	490	37	32	68
45	Both sexes—White	7,699	392	43	17	16	6	474	32	31	63
46	All other	189	13	1	2	-	-	16	5	1	5
47	Male—White	4,100	241	20	8	11	4	284	17	17	31
48	All other	99	6	1	1	-	-	8	4	-	3
49	Female—White	3,599	151	23	9	5	2	190	15	14	32
50	All other	90	7	-	1	-	-	8	1	1	2
51	Cities of 100,000 or more—White	2,802	135	15	4	7	-	161	9	9	21
52	All other	104	7	1	-	-	-	8	5	1	3
53	Male—White	1,503	89	3	2	6	-	100	5	5	11
54	All other	50	2	1	-	-	-	3	4	-	1
55	Female—White	1,299	46	12	2	1	-	61	4	4	10
56	All other	54	5	-	-	-	-	5	1	1	2
57	Cities of 25,000 to 100,000—White	3,131	154	20	5	3	4	186	13	9	26
58	All other	62	2	-	2	-	-	4	-	-	2
59	Male—White	1,617	87	11	1	3	2	104	5	5	11
60	All other	38	2	-	1	-	-	3	-	-	2
61	Female—White	1,514	67	9	4	-	2	82	8	4	15
62	All other	24	-	-	1	-	-	1	-	-	-
63	Cities of 10,000 to 25,000—White	775	41	3	2	3	1	50	6	5	7
64	All other	8	-	-	-	-	-	-	-	-	-
65	Male—White	433	27	2	2	1	1	33	5	2	3
66	All other	3	-	-	-	-	-	-	-	-	-
67	Female—White	342	14	1	-	2	-	17	1	3	4
68	All other	5	-	-	-	-	-	-	-	-	-
69	Cities of 2,500 to 10,000—White	241	17	1	-	1	-	19	1	-	-
70	All other	2	-	-	-	-	-	-	-	-	-
71	Male—White	124	10	-	-	-	-	10	-	-	-
72	All other	1	-	-	-	-	-	-	-	-	-
73	Female—White	117	7	1	-	1	-	9	1	-	-
74	All other	1	-	-	-	-	-	-	-	-	-
75	Rural—White	750	45	4	6	2	1	58	3	8	9
76	All other	13	4	-	-	-	-	4	-	-	-
77	Male—White	423	28	4	3	1	1	37	2	5	6
78	All other	7	2	-	-	-	-	2	-	-	-
79	Female—White	327	17	-	3	1	-	21	1	3	3
80	All other	6	2	-	-	-	-	2	-	-	-
81	SOUTH CAROLINA	20,617	3,554	423	201	101	129	4,408	312	242	545
82	Both sexes—White	9,545	1,401	140	73	42	60	1,716	129	102	173
83	All other	11,072	2,153	283	128	59	69	2,692	183	140	372
84	Male—White	5,615	830	76	39	26	38	1,009	76	59	115
85	All other	5,831	1,215	153	60	35	33	1,496	80	81	177
86	Female—White	3,930	571	64	34	16	22	707	53	43	58
87	All other	5,241	938	130	68	24	36	1,196	103	59	195
88	Cities of 25,000 to 100,000—White	1,656	179	18	7	6	7	217	17	5	28
89	All other	1,451	204	25	12	7	7	255	24	18	49
90	Male—White	934	106	12	4	2	5	129	11	3	19
91	All other	767	116	17	4	1	4	142	12	9	19
92	Female—White	722	73	6	3	4	2	88	6	2	9
93	All other	684	88	8	8	6	3	113	12	9	30

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
106	112	82	114	139	200	312	341	450	485	602	606	516	257	90	17	2	11	1
6	7	7	5	4	5	6	12	13	7	5	4	5	5	1	-	-	-	2
76	75	49	76	87	129	215	230	301	333	391	386	311	163	40	9	1	10	3
3	5	5	4	3	2	3	10	12	7	4	4	3	3	1	-	-	-	4
30	37	33	38	52	71	97	111	149	152	211	220	205	94	50	8	1	1	5
3	2	2	1	1	3	3	2	1	-	1	-	2	2	-	-	-	-	6
1,724	1,957	2,138	2,774	4,062	5,607	7,655	9,307	10,638	12,687	13,012	11,319	8,523	4,285	1,373	289	34	22	7
1,474	1,690	1,830	2,323	3,417	4,979	6,936	8,695	10,071	12,158	12,609	11,034	8,380	4,202	1,336	273	24	20	8
250	267	308	451	645	628	719	612	567	529	403	285	143	83	37	16	10	2	9
827	894	1,019	1,329	2,004	3,009	4,251	5,348	5,891	6,828	6,694	5,704	3,896	1,850	502	82	7	16	10
111	119	162	232	336	365	413	371	324	306	241	144	85	38	20	5	2	2	11
647	796	811	994	1,413	1,970	2,685	3,347	4,160	5,330	5,915	5,330	4,484	2,352	834	191	17	4	12
139	148	146	219	309	263	306	241	243	223	162	141	58	45	17	11	8	-	13
563	472	550	741	1,159	1,692	2,318	2,927	3,337	4,030	4,012	3,230	2,220	1,092	355	66	10	5	14
164	197	245	315	465	436	500	402	379	349	243	168	83	40	18	8	7	1	15
183	236	300	429	673	1,056	1,430	1,773	1,906	2,166	2,038	1,576	931	428	121	13	5	5	16
70	89	133	168	239	247	291	250	204	199	139	86	47	16	10	3	1	1	17
180	236	250	312	486	636	888	1,154	1,431	1,864	1,974	1,654	1,289	664	234	53	5	-	18
94	108	112	147	226	189	209	152	175	150	104	82	36	24	8	5	6	-	19
180	190	218	286	418	621	880	1,134	1,352	1,502	1,555	1,216	999	490	161	23	3	1	20
27	18	23	46	63	56	65	60	48	41	46	21	13	10	4	1	1	-	21
93	101	112	171	237	380	549	704	769	797	788	613	430	206	50	4	1	1	22
15	9	12	20	32	32	38	36	32	20	34	9	9	6	1	1	1	-	23
87	89	106	115	181	241	331	430	583	705	767	598	569	284	111	19	2	-	24
12	9	11	26	31	24	27	24	16	21	12	12	4	4	3	-	-	-	25
172	219	199	262	414	615	869	985	1,098	1,306	1,232	1,069	773	405	132	31	3	3	26
29	22	17	30	43	44	46	52	48	37	31	22	16	10	6	4	-	-	27
95	115	119	152	235	381	534	617	674	708	654	520	360	163	54	11	-	2	28
11	6	10	20	25	30	21	29	31	23	15	10	11	5	3	-	-	-	29
77	104	80	110	179	234	335	368	424	598	578	549	413	242	78	20	3	1	30
18	16	7	10	18	14	25	23	17	14	16	12	5	5	3	4	-	-	31
213	230	228	283	417	674	864	1,107	1,274	1,527	1,621	1,447	1,106	524	163	30	2	2	32
8	4	8	17	15	26	23	23	18	18	22	19	9	4	2	1	-	-	33
124	134	132	181	261	394	520	672	726	853	842	732	486	211	64	7	-	2	34
4	1	3	7	7	15	13	15	13	9	12	8	5	1	2	1	-	-	35
89	96	96	102	156	280	344	435	548	674	779	715	620	313	99	23	2	-	36
4	3	5	10	8	11	10	8	5	9	10	11	4	3	-	-	-	-	37
546	579	635	751	1,009	1,377	2,005	2,542	3,010	3,793	4,189	4,072	3,282	1,691	525	123	6	9	38
22	26	15	43	59	66	85	75	74	84	61	55	22	19	7	2	2	1	39
332	308	356	396	598	798	1,218	1,582	1,816	2,304	2,372	2,258	1,689	842	213	47	1	6	40
11	14	4	17	33	41	50	41	44	55	41	31	13	10	4	-	-	1	41
214	271	279	355	411	579	787	960	1,194	1,469	1,817	1,814	1,593	849	312	76	5	3	42
11	12	11	26	26	25	35	34	30	29	20	24	9	9	3	2	2	-	43
83	107	134	156	274	376	532	681	819	1,021	1,091	909	622	331	95	25	5	-	44
78	101	127	153	262	370	514	664	799	998	1,079	898	611	324	93	24	4	-	45
5	6	7	3	12	6	18	17	20	23	12	11	11	7	2	1	1	-	46
55	56	72	73	144	226	291	399	441	562	537	451	272	125	40	6	1	-	47
2	3	2	-	4	4	10	10	10	18	7	4	5	3	2	-	-	-	48
23	45	55	80	118	144	223	265	358	436	542	447	339	199	53	18	3	-	49
3	3	5	3	8	2	8	7	10	5	5	7	6	4	-	1	1	-	50
29	40	45	53	83	151	194	269	285	392	392	327	196	102	37	6	1	-	51
4	4	4	3	8	2	12	11	7	12	7	5	2	4	1	-	1	-	52
23	25	27	22	54	95	111	161	160	214	195	162	83	36	12	2	-	-	53
2	2	1	-	2	1	7	7	4	8	3	1	1	2	1	-	-	-	54
6	15	18	31	29	56	83	108	125	178	197	165	113	66	25	4	1	-	55
2	2	3	3	6	1	5	4	3	4	4	4	1	2	-	-	1	-	56
30	38	59	70	115	133	221	248	346	410	435	359	265	123	34	9	2	-	57
1	1	3	-	2	2	4	5	10	9	3	5	8	1	1	1	-	-	58
19	20	32	33	59	77	123	144	182	230	224	173	115	45	16	-	-	-	59
-	-	1	-	1	2	2	3	5	8	3	3	4	-	1	-	-	-	60
11	18	27	37	56	56	98	104	164	180	211	186	150	78	18	9	2	-	61
1	1	2	-	1	-	2	2	5	1	-	2	4	1	-	1	-	-	62
7	11	12	13	32	40	52	64	94	81	85	105	59	40	6	5	1	-	63
-	1	-	-	1	2	-	1	-	1	1	1	-	-	-	-	-	-	64
4	5	9	9	15	26	30	43	55	51	40	59	22	16	4	1	1	-	65
-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	66
3	6	3	4	17	14	22	21	39	30	45	46	37	24	2	4	-	-	67
-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	68
1	2	3	3	4	8	13	22	14	31	50	24	32	11	3	-	-	-	69
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	70
1	1	-	2	2	5	7	14	6	14	24	13	19	4	2	-	-	-	71
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
-	1	3	1	2	3	6	8	8	17	26	11	13	7	1	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	74
11	10	8	14	28	38	34	61	60	84	117	83	59	48	13	4	-	-	75
-	-	-	-	1	-	1	-	3	1	1	-	-	2	-	-	-	-	76
8	5	4	7	14	23	20	37	38	53	54	44	33	24	6	3	-	-	77
-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	78
3	5	4	7	14	15	14	24	22	31	63	39	26	24	7	1	-	-	79
-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	80
798	829	825	817	1,055	1,251	1,530	1,514	1,506	1,502	1,186	904	715	392	154	44	28	60	81
277	251	291	278	373	442	618	709	838	964	812	631	556	271	74	17	4	19	82
521	578	534	539	682	809	912	805	668	538	374	273	159	121	80	27	24	41	83
185	169	160	153	230	303	407	465	519	548	472	312	259	132	23	6	2	11	84
248	304	266	253	352	438	469	409	353	311	215	151	91	55	38	11	10	23	85
92	82	131	125	143	139	211	244	319	416	340	319	297	139	51	11	2	8	86
273	274	268	286	330	371	443	396	315	227	159	122	68	66	42	16	14	18	87
36	53	63	45	82	80	145	174	165	157	137	102	94	37	14	2	1	2	88
89	114	113	109	125	124	124	99	73	56	35	16	9	10	7	-	1	1	89
19	34	32	28	53	57	99	111	91	79	78	45	31	10	3	1	-	1	90
49	63	59	60	61	70	66	53	37	27	18	11	4	4	2	-	1	-	91
17	19	31	17	29	23	46	63	74	78	59	57	83	27	11	1	1	1	92
40	51	54	49	64	54	58	46	36	29	17	5	5	6	5	-	-	1	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	SOUTH CAROLINA—Continued										
1	Cities of 10,000 to 25,000 — White	636	97	9	4	2	6	118	9	3	6
2	All other	586	100	18	7	1	3	129	5	6	20
3	Male — White	362	66	4	2	-	4	76	4	3	3
4	All other	278	51	11	5	1	2	70	-	5	9
5	Female — White	274	31	5	2	2	2	42	5	-	3
6	All other	308	49	7	2	-	1	59	5	1	11
7	Cities of 2,500 to 10,000 — White	1,321	200	11	9	5	7	232	19	16	20
8	All other	1,094	163	21	10	7	6	207	16	8	42
9	Male — White	771	113	5	6	4	2	130	11	13	14
10	All other	562	95	11	2	5	4	117	8	5	16
11	Female — White	550	87	6	3	1	5	102	8	3	6
12	All other	532	68	10	8	2	2	90	8	3	26
13	Rural — White	5,932	925	102	53	29	40	1,149	84	78	119
14	All other	7,941	1,686	219	99	44	53	2,101	138	108	261
15	Male — White	3,548	545	55	27	20	27	674	50	40	79
16	All other	4,224	953	114	49	28	23	1,167	60	62	133
17	Female — White	2,384	380	47	26	9	13	475	34	38	40
18	All other	3,717	733	105	50	16	30	934	78	46	128
19	SOUTH DAKOTA	5,693	502	62	25	14	24	627	57	64	105
20	Both sexes — White	5,308	418	33	18	14	20	503	48	53	80
21	All other	385	84	29	7	-	4	124	9	11	25
22	Male — White	3,212	251	20	8	10	10	299	25	33	47
23	All other	213	52	13	3	-	1	69	5	3	14
24	Female — White	2,096	167	13	10	4	10	204	23	20	33
25	All other	172	32	16	4	-	3	55	4	8	11
26	Cities of 25,000 to 100,000 — White	346	23	1	3	-	1	28	1	1	3
27	All other	3	-	-	-	-	-	-	-	-	-
28	Male — White	207	17	-	2	-	1	20	-	1	2
29	All other	2	-	-	-	-	-	-	-	-	-
30	Female — White	139	6	1	1	-	-	8	1	-	1
31	All other	1	-	-	-	-	-	-	-	-	-
32	Cities of 10,000 to 25,000 — White	627	48	3	1	-	1	53	3	6	9
33	All other	7	1	-	-	-	-	1	1	1	-
34	Male — White	386	25	1	1	-	-	27	3	3	6
35	All other	6	1	-	-	-	-	1	1	-	-
36	Female — White	241	23	2	-	-	1	26	-	3	3
37	All other	1	-	-	-	-	-	-	-	1	-
38	Cities of 2,500 to 10,000 — White	746	56	8	1	2	3	70	4	7	6
39	All other	18	6	-	2	-	-	8	-	-	1
40	Male — White	443	37	6	-	1	3	47	3	7	2
41	All other	12	4	-	2	-	-	6	-	-	1
42	Female — White	303	19	2	1	1	-	23	1	-	4
43	All other	6	2	-	-	-	-	2	-	-	-
44	Rural — White	3,589	291	21	13	12	15	352	40	39	62
45	All other	357	77	29	5	-	4	115	8	10	24
46	Male — White	2,176	172	13	5	9	6	205	19	22	37
47	All other	193	47	13	1	-	1	62	4	3	13
48	Female — White	1,413	119	8	8	3	9	147	21	17	25
49	All other	164	30	16	4	-	3	53	4	7	11
50	TENNESSEE	28,623	3,250	431	183	119	90	4,073	306	290	658
51	Both sexes — White	21,156	2,509	338	145	94	77	3,163	249	199	422
52	All other	7,467	741	93	38	25	13	910	57	91	236
53	Male — White	11,796	1,406	175	91	48	40	1,760	145	108	251
54	All other	3,910	425	53	22	14	4	518	28	49	103
55	Female — White	9,360	1,103	163	54	46	37	1,403	104	91	171
56	All other	3,557	316	40	16	11	9	392	29	42	133
57	Cities of 100,000 or more — White	4,808	445	38	24	12	11	530	42	34	77
58	All other	3,534	314	27	13	14	3	371	22	36	94
59	Male — White	2,664	239	20	17	8	6	290	25	17	47
60	All other	1,816	174	15	8	7	2	206	12	18	33
61	Female — White	2,144	206	18	7	4	5	240	17	17	30
62	All other	1,718	140	12	5	7	1	165	10	18	61
63	Cities of 25,000 to 100,000 — White	174	27	-	-	-	2	29	-	-	6
64	All other	35	3	1	-	-	-	4	-	1	-
65	Male — White	103	16	-	-	-	2	18	-	-	2
66	All other	16	2	-	-	-	-	2	-	-	-
67	Female — White	71	11	-	-	-	-	11	-	-	4
68	All other	19	1	1	-	-	-	2	-	1	-
69	Cities of 10,000 to 25,000 — White	737	98	9	6	3	3	119	4	4	11
70	All other	362	37	6	1	2	2	48	1	4	13
71	Male — White	416	61	3	1	2	2	69	2	2	6
72	All other	187	22	5	-	2	1	30	-	2	3
73	Female — White	321	37	6	5	1	1	50	2	2	5
74	All other	175	15	1	1	-	1	18	1	2	10
75	Cities of 2,500 to 10,000 — White	1,757	202	25	10	7	4	248	16	10	27
76	All other	652	73	7	6	2	2	90	10	6	23
77	Male — White	952	116	10	7	5	2	140	14	5	14
78	All other	330	36	3	3	-	-	42	3	4	10
79	Female — White	805	86	15	3	2	2	108	2	5	13
80	All other	322	37	4	3	2	2	48	7	2	13
81	Rural — White	13,680	1,737	266	105	72	57	2,237	187	151	301
82	All other	2,884	314	52	18	7	6	397	24	44	106
83	Male — White	7,661	974	142	66	33	28	1,243	104	84	182
84	All other	1,561	191	30	11	5	1	238	13	25	57
85	Female — White	6,019	763	124	39	39	29	994	83	67	119
86	All other	1,323	123	22	7	2	5	159	11	19	49
87	TEXAS	60,581	7,744	856	366	271	167	9,404	681	709	1,440
88	Both sexes — White	49,298	6,457	732	299	220	130	7,838	537	558	1,106
89	All other	11,283	1,287	124	67	51	37	1,566	144	151	334
90	Male — White	28,890	3,644	388	155	118	72	4,377	311	303	603
91	All other	8,029	709	65	34	25	15	848	71	82	155
92	Female — White	20,408	2,813	344	144	102	58	3,461	226	255	503
93	All other	5,254	578	59	33	26	22	718	73	69	179

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
19	16	23	15	38	46	32	52	58	70	48	39	24	15	4	1	-	-	1
43	25	42	40	50	45	43	35	36	19	17	19	5	4	1	1	-	1	2
9	10	8	4	24	32	22	33	35	40	26	18	12	2	-	1	-	-	3
23	12	16	18	24	23	20	10	17	6	10	9	3	1	-	1	-	1	4
10	6	15	11	14	14	10	19	23	30	22	21	12	13	4	-	-	-	5
20	13	26	22	26	22	23	25	19	13	7	10	2	3	1	-	-	-	6
33	42	47	44	43	72	105	87	110	143	113	74	74	35	7	2	-	3	7
45	57	76	63	76	98	85	90	85	43	42	25	16	6	5	1	-	8	8
21	22	28	29	27	50	73	61	63	81	62	30	30	22	1	1	-	2	9
22	30	41	30	48	45	38	46	39	22	23	13	9	1	3	-	-	6	10
12	20	19	15	16	22	32	26	47	62	51	44	44	13	6	1	-	1	11
23	27	35	33	28	53	47	44	46	21	19	12	7	5	2	1	-	2	12
189	140	158	174	210	244	336	396	505	594	514	416	364	184	49	12	3	14	13
344	382	303	327	451	542	660	581	474	420	280	213	129	101	67	25	23	31	14
136	103	92	92	126	164	213	260	330	349	306	219	186	98	19	3	2	8	15
154	199	150	145	219	300	345	300	260	256	184	118	75	49	33	10	9	16	16
53	37	66	82	84	80	123	136	175	246	208	197	178	86	30	9	1	6	17
190	183	153	182	212	242	315	281	214	164	116	95	54	52	34	15	14	15	18
122	75	102	122	150	215	284	385	473	573	693	635	590	285	104	22	4	6	19
100	58	90	112	141	202	269	372	443	551	679	617	583	275	102	21	4	5	20
22	17	12	10	9	13	15	13	30	22	14	18	7	10	2	1	-	1	21
64	39	53	67	86	121	171	245	294	342	414	351	353	142	54	6	3	3	22
12	9	7	2	5	11	10	8	18	10	10	8	5	4	1	1	-	1	23
36	19	37	45	55	81	98	127	149	209	265	266	230	133	48	15	1	2	24
10	8	5	8	4	2	5	5	12	12	4	10	2	6	1	-	-	-	25
11	1	6	9	12	28	23	26	26	33	41	39	30	20	7	1	-	-	26
-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	27
5	-	2	6	7	16	17	19	17	20	23	20	18	11	3	-	-	-	28
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
6	1	4	3	5	12	6	7	9	13	18	19	12	9	4	1	-	-	30
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	31
13	7	12	9	24	30	32	43	51	55	83	66	82	31	12	6	-	-	32
-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	33
9	4	8	4	19	17	17	26	32	38	55	42	49	16	8	3	-	-	34
-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	35
4	3	4	5	5	13	15	17	19	17	28	24	33	15	4	3	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
12	4	16	21	23	33	41	63	67	78	81	92	81	36	8	1	-	2	38
1	-	1	2	-	-	2	-	1	1	-	-	-	1	-	-	-	-	39
6	3	10	16	12	19	26	37	41	49	56	42	46	14	7	-	-	-	40
-	-	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	41
8	1	6	5	11	14	15	26	26	29	25	50	35	22	1	1	-	2	42
1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
64	46	56	73	82	111	173	240	299	385	474	420	390	188	75	13	4	3	44
21	17	11	8	9	12	12	11	27	20	14	18	7	9	2	1	-	1	45
44	32	33	41	48	69	111	163	204	235	280	247	240	101	36	3	3	3	46
12	9	6	2	5	10	7	6	17	8	10	8	5	3	1	1	-	1	47
20	14	23	32	34	42	62	77	95	150	194	173	150	87	39	10	1	-	48
9	8	5	6	4	2	5	5	10	12	4	10	2	6	1	-	-	-	49
886	906	995	1,050	1,253	1,462	1,725	1,858	2,191	2,707	2,729	2,312	1,779	982	307	86	34	34	50
556	527	561	625	727	879	1,126	1,324	1,701	2,086	2,270	1,956	1,596	865	242	54	12	16	51
330	379	434	425	526	583	599	534	490	621	459	356	183	117	65	32	22	18	52
325	295	321	372	416	526	677	777	995	1,209	1,283	1,006	802	395	101	25	2	5	53
171	198	215	220	257	304	308	280	265	339	244	184	96	59	34	18	7	13	54
231	232	240	253	311	353	449	547	706	877	987	950	794	470	141	29	10	11	55
159	181	219	205	269	279	291	254	225	282	215	172	87	58	31	14	15	5	56
110	90	124	156	218	255	320	376	475	520	537	402	303	179	49	9	4	-	57
143	186	261	231	318	348	342	268	240	291	177	119	40	20	13	4	8	2	58
62	49	69	97	131	151	193	233	294	305	292	193	122	72	19	3	-	-	59
71	96	134	122	156	183	181	144	129	154	84	60	19	5	5	2	1	1	60
48	41	55	59	85	104	127	143	181	215	245	209	181	107	30	6	4	-	61
72	90	127	109	162	165	161	124	111	137	93	59	21	15	8	2	7	1	62
2	3	4	5	6	10	17	11	17	16	13	18	6	10	1	-	-	-	63
2	3	1	-	1	3	3	3	2	3	4	1	1	2	1	-	-	-	64
1	3	4	4	2	7	12	7	13	8	6	9	4	3	-	-	-	-	65
1	1	1	-	1	2	1	-	1	3	-	-	-	2	1	-	-	-	66
1	-	-	1	4	3	5	4	4	8	7	9	2	7	1	-	-	-	67
1	2	-	-	-	1	2	3	1	-	4	1	1	-	-	-	-	-	68
24	25	21	20	35	31	41	53	65	81	76	46	45	22	10	2	1	1	69
8	21	23	22	31	30	28	36	22	27	12	14	10	4	2	3	-	3	70
10	17	14	12	21	18	25	30	37	44	45	24	24	8	5	1	1	1	71
5	14	10	13	16	14	14	19	11	15	5	5	5	2	2	1	-	1	72
14	8	7	8	14	13	16	23	28	37	31	22	21	14	5	1	-	-	73
3	7	13	9	15	16	14	17	11	12	7	9	5	2	-	2	-	2	74
57	45	60	68	57	60	94	110	136	159	200	183	128	72	16	7	1	3	75
29	31	29	32	34	36	41	49	47	54	46	40	24	17	8	1	-	5	76
32	17	34	42	33	39	60	65	77	87	104	102	53	23	8	2	-	1	77
17	19	16	15	17	19	17	22	23	27	23	27	10	10	5	-	-	4	78
25	26	26	26	24	21	34	45	59	72	96	81	75	49	8	5	1	2	79
12	12	13	17	17	17	24	27	24	27	23	13	14	7	3	1	-	1	80
363	364	352	376	413	523	654	774	1,008	1,310	1,444	1,307	1,114	582	166	36	6	12	81
148	138	120	140	142	166	185	178	179	246	220	182	108	74	41	24	14	8	82
220	209	200	217	229	311	387	442	574	765	836	678	599	289	69	19	1	3	83
77	68	54	70	67	86	95	95	101	140	132	92	62	40	21	15	6	7	84
143	155	152	159	184	212	267	332	434	545	608	629	515	293	97	17	5	9	85
71	70	66	70	75	80	90	83	78	106	88	90	46	34	20	9	8	1	86
1,767	1,837	2,072	2,258	2,639	3,054	3,715	4,209	4,596	5,433	5,371	4,344	3,782	2,160	774	190	93	73	87
1,311	1,369	1,453	1,601	1,836	2,167	2,704	3,350	3,860	4,527	4,663	3,900	3,565	2,012	682	159	52	48	88
456	468	619	657	803	867	1,011	859	736	906	708	444	217	148	92	31	41	25	89
753	726	794	903	1,106	1,374	1,775	2,206	2,503	2,803	2,776	2,206	1,892	1,038	332	73	23	33	90
217	232	310	313	406	487	525	469	411	526	420	271	119	78	42	19	17	11	91
578	643	659	698	730	793	929	1,144	1,357	1,724	1,887	1,694	1,673	974	350	86	29	15	92
239	236	309	344	397	380	486	390	325	380	288	173	98	70	50	12	24	14	93

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	TEXAS—Continued											
1	Cities of 100,000 or more	White	9,907	1,082	115	44	26	17	1,284	77	81	200
2		All other	2,676	252	24	11	10	4	301	23	20	71
3	Male	White	5,756	616	54	25	12	10	717	55	49	111
4		All other	1,469	141	12	6	5	2	166	13	11	36
5	Female	White	4,151	466	61	19	14	7	567	22	32	89
6		All other	1,207	111	12	5	5	2	135	10	9	35
7	Cities of 25,000 to 100,000	White	6,124	813	77	42	30	14	976	62	66	138
8		All other	1,385	145	7	7	4	4	167	14	16	33
9	Male	White	3,484	472	42	18	19	7	558	40	35	64
10		All other	744	74	5	4	2	1	86	7	7	12
11	Female	White	2,640	341	35	24	11	7	418	22	31	74
12		All other	641	71	2	3	2	3	81	7	9	21
13	Cities of 10,000 to 25,000	White	3,333	457	44	17	12	2	532	31	22	62
14		All other	809	88	6	3	1	4	102	9	11	16
15	Male	White	1,990	269	20	10	7	1	307	18	12	28
16		All other	402	46	-	1	-	1	48	5	2	5
17	Female	White	1,343	188	24	7	5	1	225	13	10	34
18		All other	407	42	6	2	1	3	54	4	9	11
19	Cities of 2,500 to 10,000	White	7,576	1,176	129	56	45	31	1,437	83	97	188
20		All other	1,569	156	15	13	3	5	192	7	18	47
21	Male	White	4,422	641	75	32	25	15	788	52	51	104
22		All other	793	79	5	6	2	2	94	3	11	18
23	Female	White	3,154	535	54	24	20	16	649	31	46	84
24		All other	776	77	10	7	1	3	98	4	7	29
25	Rural	White	22,358	2,929	367	140	107	66	3,609	284	292	518
26		All other	4,844	646	72	33	33	20	804	91	86	167
27	Male	White	13,238	1,646	197	70	55	39	2,007	146	156	296
28		All other	2,621	369	43	17	16	9	454	43	51	84
29	Female	White	9,120	1,283	170	70	52	27	1,602	138	136	222
30		All other	2,223	277	29	16	17	11	350	48	35	83
31	UTAH		4,518	402	40	25	25	8	500	64	61	104
32	Both sexes	White	4,432	396	38	25	25	8	492	63	60	100
33		All other	86	6	2	-	-	-	8	1	1	4
34	Male	White	2,599	236	24	12	16	3	291	38	47	65
35		All other	52	4	2	-	-	-	6	-	1	1
36	Female	White	1,833	160	14	13	9	5	201	25	13	35
37		All other	34	2	-	-	-	-	2	1	-	3
38	Cities of 100,000 or more	White	1,361	98	4	4	4	5	115	14	7	16
39		All other	29	1	-	-	-	-	1	-	-	-
40	Male	White	772	61	3	3	1	2	70	9	6	10
41		All other	21	1	-	-	-	-	1	-	-	-
42	Female	White	589	37	1	1	3	3	45	5	1	6
43		All other	8	-	-	-	-	-	-	-	-	-
44	Cities of 25,000 to 100,000	White	382	29	2	6	2	-	39	2	6	4
45		All other	9	-	-	-	-	-	-	-	-	1
46	Male	White	219	16	1	3	1	-	21	1	4	4
47		All other	3	-	-	-	-	-	-	-	-	-
48	Female	White	163	13	1	3	1	-	18	1	2	-
49		All other	6	-	-	-	-	-	-	-	-	1
50	Cities of 10,000 to 25,000	White	289	16	3	2	-	-	21	2	6	5
51		All other	4	-	-	-	-	-	-	-	-	-
52	Male	White	166	9	1	1	-	-	11	1	5	5
53		All other	3	-	-	-	-	-	-	-	-	-
54	Female	White	123	7	2	1	-	-	10	1	1	-
55		All other	1	-	-	-	-	-	-	-	-	-
56	Cities of 2,500 to 10,000	White	763	84	6	6	12	1	109	17	12	14
57		All other	6	-	1	-	-	-	1	-	-	1
58	Male	White	445	50	5	3	10	-	68	9	8	8
59		All other	6	-	1	-	-	-	1	-	-	1
60	Female	White	318	34	1	3	2	1	41	8	4	6
61		All other	-	-	-	-	-	-	-	-	-	-
62	Rural	White	1,637	169	23	7	7	2	208	28	29	61
63		All other	38	5	1	-	-	-	6	1	1	2
64	Male	White	997	100	14	2	4	1	121	18	24	38
65		All other	19	3	1	-	-	-	4	-	1	-
66	Female	White	640	69	9	5	3	1	87	10	5	23
67		All other	19	2	-	-	-	-	2	1	-	2
68	VERMONT		4,402	301	17	10	13	4	345	28	34	43
69	Both sexes	White	4,395	301	17	10	12	4	344	28	34	43
70		All other	7	-	-	-	1	-	1	-	-	-
71	Male	White	2,431	174	6	8	6	1	195	18	17	27
72		All other	4	-	-	-	-	-	-	-	-	-
73	Female	White	1,964	127	11	2	6	3	149	10	17	16
74		All other	3	-	-	-	1	-	1	-	-	-
75	Cities of 25,000 to 100,000	White	286	41	-	1	-	-	42	4	3	4
76		All other	1	-	-	-	-	-	-	-	-	-
77	Male	White	153	21	-	1	-	-	22	4	2	2
78		All other	1	-	-	-	-	-	-	-	-	-
79	Female	White	133	20	-	-	-	-	20	-	1	2
80		All other	-	-	-	-	-	-	-	-	-	-
81	Cities of 10,000 to 25,000	White	338	20	-	1	-	1	22	1	2	-
82		All other	-	-	-	-	-	-	-	-	-	-
83	Male	White	166	11	-	1	-	-	12	1	-	-
84		All other	-	-	-	-	-	-	-	-	-	-
85	Female	White	172	9	-	-	-	1	10	-	2	-
86		All other	-	-	-	-	-	-	-	-	-	-
87	Cities of 2,500 to 10,000	White	990	64	4	-	1	-	69	4	8	9
88		All other	4	-	-	-	1	-	1	-	-	-
89	Male	White	534	34	1	-	1	-	36	1	5	5
90		All other	2	-	-	-	-	-	-	-	-	-
91	Female	White	456	30	3	-	-	-	33	3	3	4
92		All other	2	-	-	-	1	-	1	-	-	-
93	Rural	White	2,781	176	13	8	11	3	211	19	21	30
94		All other	2	-	-	-	-	-	-	-	-	-
95	Male	White	1,578	108	5	6	5	1	125	12	10	20
96		All other	1	-	-	-	-	-	-	-	-	-
97	Female	White	1,203	68	8	2	6	2	86	7	11	10
98		All other	1	-	-	-	-	-	-	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
245	288	318	390	425	569	686	753	818	955	959	727	651	332	114	23	8	4	1
121	118	198	183	230	278	277	236	164	205	117	62	38	16	11	3	4	-	2
116	145	166	221	250	355	461	519	517	584	571	375	322	156	49	12	2	3	3
61	65	98	100	131	170	142	130	98	110	67	37	19	6	6	-	3	-	4
129	143	152	169	175	214	225	234	301	371	388	352	329	176	65	11	6	1	5
60	53	100	83	99	108	135	106	66	95	50	25	19	10	5	3	1	-	6
183	193	202	229	297	282	390	450	508	528	530	437	350	199	70	23	7	4	7
63	57	75	109	114	117	141	113	98	93	76	50	20	8	11	3	4	3	8
91	88	105	145	186	184	237	290	303	313	305	239	183	77	27	9	2	3	9
28	27	35	46	56	69	78	64	63	60	52	29	10	4	7	1	-	3	10
92	105	97	84	111	98	153	160	205	215	225	198	167	122	43	14	5	1	11
35	30	40	63	58	48	63	49	35	33	24	21	10	4	4	2	4	-	12
72	112	118	108	125	163	193	249	266	305	322	256	219	125	34	11	5	3	13
26	38	56	60	67	61	61	60	61	63	57	23	18	11	4	1	2	2	14
44	58	75	61	84	108	123	157	185	199	182	144	113	65	18	6	1	2	15
15	20	28	26	32	38	29	29	30	31	34	11	7	7	2	1	1	1	16
28	54	43	47	41	55	70	92	81	106	140	112	106	60	16	5	4	1	17
11	18	28	34	35	23	32	31	31	52	23	12	11	4	2	-	1	1	18
223	227	228	234	278	281	383	493	536	656	679	595	509	288	105	33	9	14	19
77	69	84	85	125	124	147	130	101	115	97	68	29	26	12	4	4	8	20
134	134	130	129	173	165	255	341	357	381	398	326	273	147	53	16	5	10	21
39	34	47	39	61	52	74	61	47	72	57	43	16	10	6	2	3	4	22
89	93	98	105	105	116	128	152	179	275	281	269	236	141	52	17	4	4	23
38	35	37	46	64	72	73	69	54	43	40	25	13	16	6	2	1	4	24
588	549	587	640	711	872	1,052	1,405	1,732	2,083	2,173	1,885	1,836	1,068	359	69	23	23	25
169	166	206	220	267	287	385	320	312	430	361	241	112	87	54	20	27	12	26
348	301	318	347	413	562	699	899	1,141	1,326	1,320	1,122	1,001	593	185	30	13	15	27
74	86	102	102	126	158	202	185	173	253	210	151	67	51	21	15	10	3	28
240	248	269	293	298	310	353	506	591	757	853	763	835	475	174	39	10	8	29
95	100	104	118	141	129	183	135	139	177	151	90	45	36	33	5	17	9	30
128	77	110	133	140	205	282	318	368	414	483	469	412	192	46	10	-	2	31
127	74	106	133	138	198	273	311	355	408	479	461	409	188	45	10	-	2	32
1	3	4	-	2	7	9	7	13	6	4	8	3	4	1	-	-	-	33
81	52	63	81	79	127	186	199	226	241	267	245	205	83	18	3	-	2	34
-	3	1	-	1	4	5	5	11	5	3	3	1	2	-	-	-	-	35
46	22	43	52	59	71	87	112	129	167	212	216	204	105	27	7	-	-	36
1	-	3	-	1	3	4	2	2	1	1	5	2	2	1	-	-	-	37
25	22	33	43	39	61	82	104	119	131	156	176	140	61	12	5	-	-	38
-	2	1	-	-	1	3	3	7	4	1	3	1	2	-	-	-	-	39
17	15	20	25	17	42	56	64	58	83	86	91	67	29	6	1	-	-	40
-	2	-	-	-	-	1	3	6	3	1	2	-	2	-	-	-	-	41
8	7	13	18	22	19	26	40	61	48	70	85	73	32	6	4	-	-	42
-	-	1	-	-	1	2	-	1	1	-	1	1	-	-	-	-	-	43
13	4	10	9	16	14	28	37	23	35	44	40	38	14	3	2	-	1	44
-	-	1	-	1	2	1	1	1	-	-	-	-	-	1	-	-	-	45
8	3	4	7	12	10	18	26	15	25	20	14	19	4	1	2	-	1	46
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	47
5	1	6	2	4	4	10	11	8	10	24	28	19	10	2	-	-	-	48
-	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	49
5	3	8	5	11	15	20	18	29	32	32	33	24	18	2	-	-	-	50
-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	51
2	1	5	3	10	9	13	12	20	15	19	17	9	7	2	-	-	-	52
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	53
3	2	3	2	1	6	7	6	9	17	13	16	15	11	-	-	-	-	54
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
21	20	18	27	26	44	47	46	52	64	81	71	62	22	10	-	-	-	56
-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	57
15	14	11	17	15	26	32	24	34	35	46	38	33	12	-	-	-	-	58
-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	59
6	6	7	10	11	18	15	22	18	29	35	33	29	10	10	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
63	25	37	49	46	64	96	106	132	146	186	141	145	73	18	3	-	1	62
1	1	2	-	1	4	3	2	3	1	1	5	2	2	-	-	-	-	63
39	19	23	29	25	40	67	73	99	83	96	85	77	31	9	-	-	1	64
-	1	1	-	-	3	3	1	2	1	-	1	1	-	-	-	-	-	65
24	6	14	20	21	24	29	33	33	63	70	56	68	42	9	3	-	-	66
1	-	1	-	1	1	-	1	1	-	1	4	1	2	-	-	-	-	67
53	52	63	84	111	146	195	293	368	515	557	574	514	307	86	23	2	9	68
53	52	63	84	111	146	194	292	367	513	557	574	514	306	86	23	2	9	69
-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-	70
32	27	35	44	57	90	110	171	210	330	309	297	272	141	39	5	-	5	71
-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	72
21	25	28	40	54	56	84	121	157	183	248	277	242	165	47	18	2	4	73
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	74
4	4	2	10	6	7	11	27	21	27	34	31	32	9	6	1	-	1	75
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	76
2	2	1	6	4	6	7	13	10	17	19	16	15	3	2	-	-	-	77
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	78
2	2	1	4	2	1	4	14	11	10	15	15	17	6	4	1	-	1	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
6	1	5	10	12	13	18	28	34	40	47	43	36	13	4	1	-	2	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
2	-	2	5	7	7	11	16	15	20	25	21	18	2	1	-	-	1	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
4	1	3	5	5	6	7	12	19	20	22	22	18	11	3	1	-	1	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
12	9	23	23	34	32	48	78	90	118	102	125	102	76	20	6	1	1	87
-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	88
5	4	12	10	18	18	27	47	54	75	53	70	47	33	11	2	-	1	89
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	90
7	5	11	13	16	14	21	31	36	43	49	55	55	43	9	4	1	-	91
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	92
31	38	33	41	59	94	117	159	222	328	374	375	344	208	56	15	1	5	93
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	94
23	21	20	23	28	59	65	95	131	218	212	190	192	103	25	3	-	3	95
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	96
8	17	13	18	31	35	52	64	91	110	162	185	152	105	31	12	1	2	97
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	98

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	VIRGINIA	30,700	3,964	421	205	124	76	4,790	295	277	622
2	Both sexes—White	20,198	2,437	269	141	85	50	2,982	189	171	301
3	All other	10,502	1,527	152	64	39	26	1,808	106	106	321
4	Male—White	11,677	1,378	142	83	50	21	1,674	116	107	201
5	All other	5,676	814	76	27	19	16	952	57	52	164
6	Female—White	8,521	1,059	127	58	35	29	1,308	73	64	100
7	All other	4,826	713	76	37	20	10	856	49	54	157
8	Cities of 100,000 or more—White	2,469	153	13	13	7	1	187	8	7	15
9	All other	1,766	178	12	10	7	3	210	9	19	50
10	Male—White	1,403	91	8	6	5	1	111	5	4	12
11	All other	946	92	4	3	4	3	106	3	6	21
12	Female—White	1,066	62	5	7	2	-	76	3	3	3
13	All other	820	86	8	7	3	-	104	6	13	29
14	Cities of 25,000 to 100,000—White	2,397	257	22	11	5	1	276	17	15	27
15	All other	1,645	224	22	9	7	-	262	16	12	49
16	Male—White	1,395	148	13	6	3	1	171	12	10	14
17	All other	845	114	10	2	5	-	131	9	5	22
18	Female—White	1,002	89	9	5	2	-	105	5	5	13
19	All other	800	110	12	7	2	-	131	7	7	27
20	Cities of 10,000 to 25,000—White	810	65	4	5	2	-	76	3	1	7
21	All other	252	35	1	-	-	1	37	2	3	9
22	Male—White	457	38	2	2	-	-	42	3	-	5
23	All other	123	10	-	-	-	-	10	1	2	6
24	Female—White	353	27	2	3	2	-	34	-	1	2
25	All other	129	25	1	-	-	1	27	1	1	3
26	Cities of 2,500 to 10,000—White	1,751	187	15	2	6	5	215	11	15	24
27	All other	459	65	8	2	1	-	76	3	5	14
28	Male—White	1,029	99	8	1	5	1	114	6	10	14
29	All other	253	41	4	-	1	-	46	2	3	5
30	Female—White	722	88	7	1	1	4	101	5	5	10
31	All other	206	24	4	2	-	-	30	1	2	9
32	Rural—White	12,771	1,795	215	110	65	43	2,228	150	133	228
33	All other	6,380	1,025	109	43	24	22	1,223	76	67	199
34	Male—White	7,393	1,002	111	68	37	18	1,236	90	83	156
35	All other	3,509	557	58	22	9	13	659	42	36	110
36	Female—White	5,378	793	104	42	28	25	992	60	50	72
37	All other	2,871	468	51	21	15	9	564	34	31	89
38	WASHINGTON	19,199	1,061	89	55	40	31	1,276	115	104	208
39	Both sexes—White	18,626	996	72	44	35	29	1,176	105	96	190
40	All other	573	65	17	11	5	2	100	10	8	18
41	Male—White	11,540	608	40	19	20	17	704	64	58	134
42	All other	357	36	8	4	1	2	51	7	5	8
43	Female—White	7,086	388	32	25	15	12	472	41	38	56
44	All other	216	29	9	7	4	-	49	3	3	10
45	Cities of 100,000 or more—White	7,336	344	21	5	11	14	395	26	25	46
46	All other	218	7	3	-	1	-	11	-	-	4
47	Male—White	4,484	210	15	1	6	7	239	14	11	29
48	All other	150	3	1	-	-	-	4	-	-	2
49	Female—White	2,852	134	6	4	5	7	156	12	14	17
50	All other	68	4	2	-	1	-	7	-	-	2
51	Cities of 25,000 to 100,000—White	943	53	4	4	1	2	64	6	5	9
52	All other	13	3	-	-	-	-	3	-	-	1
53	Male—White	568	30	1	1	1	1	34	5	4	8
54	All other	10	3	-	-	-	-	3	-	-	-
55	Female—White	375	23	3	3	-	1	30	1	1	1
56	All other	3	-	-	-	-	-	-	-	-	1
57	Cities of 10,000 to 25,000—White	1,323	90	1	6	4	4	105	8	4	10
58	All other	17	1	-	-	-	-	1	-	-	-
59	Male—White	792	57	1	4	3	2	67	6	4	8
60	All other	7	1	-	-	-	-	1	-	-	-
61	Female—White	531	33	-	2	1	2	38	2	-	2
62	All other	10	-	-	-	-	-	-	-	-	-
63	Cities of 2,500 to 10,000—White	1,318	98	9	2	2	-	111	10	8	13
64	All other	24	4	1	-	1	-	6	-	-	1
65	Male—White	790	63	4	-	1	-	68	5	6	10
66	All other	11	1	1	-	1	-	3	-	-	-
67	Female—White	528	35	5	2	1	-	43	5	2	3
68	All other	13	3	-	-	-	-	3	-	-	1
69	Rural—White	7,706	411	37	27	17	9	501	55	54	112
70	All other	301	50	13	11	3	2	79	10	8	12
71	Male—White	4,906	248	19	13	9	7	296	34	33	79
72	All other	179	28	6	4	-	2	40	7	5	6
73	Female—White	2,800	163	18	14	8	2	205	21	21	33
74	All other	122	22	7	7	3	-	39	3	3	6
75	WEST VIRGINIA	17,837	2,679	296	119	63	67	3,224	204	203	380
76	Both sexes—White	16,207	2,469	281	111	60	62	2,983	189	184	337
77	All other	1,630	210	15	8	3	5	241	15	19	43
78	Male—White	9,241	1,393	130	59	31	30	1,643	110	117	201
79	All other	955	107	6	6	3	3	125	8	9	19
80	Female—White	6,966	1,076	151	52	29	32	1,340	79	67	136
81	All other	675	103	9	2	-	2	116	7	10	24
82	Cities of 25,000 to 100,000—White	2,709	248	18	11	9	4	290	28	22	48
83	All other	262	18	1	-	1	1	21	2	3	4
84	Male—White	1,520	155	8	6	4	3	176	17	14	26
85	All other	139	9	-	-	1	1	11	2	-	2
86	Female—White	1,189	93	10	5	5	1	114	11	8	22
87	All other	123	9	1	-	-	-	10	-	3	2
88	Cities of 10,000 to 25,000—White	1,169	118	13	7	-	1	139	6	14	14
89	All other	158	21	2	-	-	-	23	-	1	4
90	Male—White	647	69	7	4	-	-	80	5	9	9
91	All other	92	13	1	-	-	-	14	-	1	2
92	Female—White	522	49	6	3	-	1	59	1	5	5
93	All other	66	8	1	-	-	-	9	-	-	2
94	Cities of 2,500 to 10,000—White	1,807	196	28	7	2	6	239	16	15	39
95	All other	202	19	1	1	-	-	21	4	-	8
96	Male—White	1,032	106	14	7	2	2	131	6	7	19
97	All other	106	5	-	1	-	-	6	2	-	4
98	Female—White	775	90	14	-	-	4	108	10	8	20
99	All other	96	14	1	-	-	-	15	2	-	4

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
894	903	929	1,020	1,303	1,571	1,991	2,155	2,583	2,826	2,780	2,188	1,978	1,035	395	87	42	36	1
481	474	494	569	672	842	1,077	1,299	1,687	2,017	2,204	1,776	1,699	865	317	59	13	10	2
413	429	435	451	631	729	914	856	896	809	576	412	279	170	78	28	29	26	3
320	333	301	369	405	540	681	857	1,044	1,165	1,187	948	877	386	124	31	2	9	4
219	244	251	233	335	421	491	458	482	473	297	222	149	99	42	12	10	13	5
161	141	193	200	267	302	396	442	643	852	1,017	828	822	479	193	28	11	1	6
194	185	184	218	296	308	423	398	414	336	279	190	130	71	36	16	19	13	7
55	63	58	94	101	131	178	205	242	290	276	223	223	71	32	7	1	2	8
78	88	102	102	156	168	196	178	159	117	62	43	17	7	2	1	1	1	9
32	49	34	54	65	90	117	139	141	163	134	111	102	26	7	5	-	2	10
40	55	52	49	99	99	115	97	71	67	26	23	10	4	1	1	-	1	11
23	14	24	40	56	41	61	66	101	127	142	112	121	45	25	2	1	-	12
38	33	50	53	57	69	81	81	88	50	36	20	7	3	1	-	1	-	13
59	41	73	81	86	142	163	194	244	246	256	200	177	68	25	5	2	-	14
78	84	80	100	109	112	160	131	147	111	93	43	28	16	7	1	1	5	15
32	25	45	53	59	104	96	127	162	142	130	93	92	18	8	2	-	-	16
42	47	49	55	49	56	81	56	81	60	49	22	14	10	3	-	1	3	17
27	18	28	28	27	38	67	67	82	104	126	107	85	50	17	3	2	-	18
36	37	31	45	60	56	79	75	66	51	44	21	14	6	4	1	-	2	19
20	13	17	21	34	30	40	61	78	89	90	83	84	51	12	-	-	-	20
13	21	13	11	12	13	18	23	17	16	19	13	9	2	-	-	1	-	21
8	8	15	15	20	22	24	36	51	57	51	37	38	21	4	-	-	-	22
6	12	8	4	7	8	9	14	7	8	7	6	6	2	-	-	-	-	23
12	5	2	6	14	8	16	25	27	32	39	46	46	30	8	-	-	-	24
7	9	5	7	5	5	9	9	10	8	12	7	3	-	-	-	1	-	25
33	48	50	51	62	87	106	126	173	162	205	169	126	66	16	4	2	-	26
25	11	20	17	28	18	40	38	46	38	32	19	18	5	2	1	2	1	27
22	26	33	29	34	52	76	89	107	90	122	91	74	28	9	2	1	-	28
13	8	16	10	18	9	20	21	25	22	13	6	10	3	-	1	2	-	29
11	22	17	22	28	35	30	37	66	72	83	78	52	38	7	2	1	-	30
12	3	4	7	10	9	20	17	21	16	19	13	8	2	2	-	-	1	31
314	309	296	322	389	452	590	713	950	1,230	1,377	1,101	1,089	609	232	43	8	8	32
219	225	220	221	326	418	500	486	527	527	370	294	207	140	67	25	24	19	33
226	225	174	218	227	272	368	466	583	713	750	616	571	293	96	22	1	7	34
118	122	126	115	162	249	266	270	298	316	202	165	109	80	38	10	7	9	35
88	84	122	104	162	180	222	247	367	517	627	485	518	316	136	21	7	1	36
101	103	94	106	164	169	234	216	229	211	168	129	98	60	29	15	17	10	37
523	540	545	430	583	904	1,169	1,604	1,833	2,123	2,367	2,302	1,860	918	313	55	8	19	38
300	318	318	408	565	872	1,129	1,562	1,787	2,072	2,323	2,272	1,839	909	309	51	6	19	39
23	22	27	22	18	32	40	42	46	51	44	30	21	9	4	4	2	-	40
214	201	205	268	324	540	749	1,050	1,199	1,295	1,407	1,349	1,085	497	151	25	4	17	41
13	7	17	16	13	19	26	30	29	39	32	21	14	6	2	1	1	-	42
88	117	113	140	241	332	380	512	588	777	916	923	754	412	158	26	2	2	43
10	15	10	6	5	13	14	12	17	12	12	9	7	3	2	3	1	-	44
84	92	121	188	242	362	494	664	726	850	940	911	694	334	116	20	1	5	45
6	5	14	10	11	16	21	22	29	32	17	12	6	1	1	-	-	-	46
58	50	74	125	140	232	324	460	490	558	560	505	393	170	56	11	-	5	47
2	3	10	8	10	8	17	18	16	26	11	9	5	1	-	-	-	-	48
26	42	47	63	102	130	170	204	236	312	380	406	301	164	60	9	1	-	49
4	2	4	2	1	8	4	4	13	6	6	3	1	-	1	-	-	-	50
9	13	19	11	29	43	45	71	100	107	102	124	115	52	19	-	-	-	51
-	-	-	-	-	-	-	2	1	1	1	1	2	1	-	-	-	-	52
5	8	9	5	14	28	27	46	66	69	63	80	65	24	8	-	-	-	53
-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	54
4	5	10	6	15	15	18	25	34	38	39	44	50	28	11	-	-	-	55
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	56
24	15	27	32	57	70	75	112	114	141	173	155	117	66	12	4	1	1	57
1	1	1	1	2	-	1	2	2	1	1	1	-	1	-	1	-	-	58
14	10	13	18	29	40	51	69	80	78	107	88	71	33	3	1	1	1	59
-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	-	60
10	5	14	14	28	30	24	43	34	63	66	67	46	33	9	3	-	-	61
1	1	1	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	62
21	33	20	28	30	56	71	119	119	153	173	142	117	67	21	4	2	-	63
1	-	1	1	1	4	1	5	1	-	1	-	1	-	-	-	-	-	64
15	22	11	14	20	39	44	71	73	93	95	93	60	35	12	2	2	-	65
-	-	-	1	-	3	-	2	-	-	1	-	1	-	-	-	-	-	66
6	11	9	14	10	17	27	48	46	60	78	49	57	32	9	2	-	-	67
1	-	1	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	68
182	185	131	149	207	341	444	596	728	821	935	940	796	390	141	23	2	13	69
15	16	11	10	4	12	17	11	13	17	24	16	12	6	3	3	2	-	70
122	111	98	106	121	201	303	404	490	517	582	583	496	235	72	11	1	11	71
11	4	7	7	2	8	9	8	11	12	19	10	7	3	2	-	1	-	72
40	54	33	43	86	140	141	192	238	304	353	357	300	155	69	12	1	2	73
4	12	4	3	2	4	8	3	2	5	5	6	5	3	1	3	1	-	74
433	492	530	609	645	783	988	1,152	1,318	1,626	1,641	1,406	1,189	677	225	71	8	33	75
373	434	445	518	516	634	856	1,018	1,198	1,495	1,557	1,347	1,164	652	214	67	6	20	76
60	58	85	91	129	149	132	134	120	131	84	59	25	25	11	4	2	13	77
228	285	255	312	296	375	524	647	712	878	904	734	570	314	89	32	3	12	78
30	42	41	51	73	86	97	78	79	86	54	36	16	12	4	2	1	6	79
145	149	190	206	220	259	332	371	486	617	653	613	594	338	125	35	3	8	80
30	16	44	40	56	63	35	56	41	45	30	23	9	13	7	2	1	7	81
43	62	65	102	105	132	196	222	244	272	273	250	221	96	29	6	3	-	82
11	9	14	12	14	26	22	27	33	25	12	11	5	5	2	2	-	2	83
21	37	34	62	65	77	126	148	145	158	145	116	93	43	14	1	2	-	84
2	5	4	5	8	15	16	16	18	16	8	6	3	1	-	1	-	-	85
22	25	31	40	40	55	70	74	99	114	128	134	128	53	15	5	1	-	86
9	4	10	7	6	11	6	11	15	9	4	5	2	4	2	1	-	2	87
18	29	36	46	59	57	65	90	111	122	119	106	78	41	14	3	-	2	88
8	8	8	9	11	13	12	14	9	15	7	10	2	2	1	1	-	-	89
8	18	17	28	34	31	43	52	68	67	59	54	44	13	6	1	-	1	90
5	6	4	4	4	7	10	6	8	10	4	5	1	1	-	-	-	-	91
10	11	19	18	25	26	22	38	43	55	60	52	34	28	8	2	-	1	92
5	2	4	5	7	6	2	8	1	5	3	5	1	1	1	1	-	-	93
50	59	62	58	66	90	99	125	154	181	196	150	116	58	25	3	-	6	94
6	7	10	10	16	18	20	15	19	15	17	6	3	4	-	-	-	3	95
27	37	33	38	41	58	60	84	96	100	114	82	56	23	13	2	-	5	96
5	5	4	5	11	9	12	9	12	5	11	4	2	2	-	-	-	-	97
23	22	29	20	25	32	39	41	58	81	82	68	60	35	12	1	-	1	98
3	2	6	5	5	9	8	6	7	10	6	2	1	2	-	-	-	3	99

TABLE 11.—DEATHS BY AGE, SEX, RACE, AND POPULATION-SIZE

(Exclusive of

	AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	WEST VIRGINIA—Continued											
1	Rural	White	10,522	1,907	222	86	49	51	2,315	139	133	236
2		All other	1,008	152	11	7	2	4	176	9	15	27
3	Male	White	6,042	1,063	101	42	25	25	1,256	82	87	147
4		All other	618	80	5	5	2	2	94	4	8	11
5	Female	White	4,480	844	121	44	24	26	1,059	57	46	89
6		All other	390	72	6	2	-	2	82	5	7	16
7	WISCONSIN		30,678	2,006	165	90	74	46	2,381	217	197	335
8	Both sexes	White	30,316	1,949	156	86	73	45	2,309	208	192	323
9		All other	362	57	9	4	1	1	72	9	5	12
10	Male	White	17,070	1,124	84	44	39	27	1,316	126	109	195
11		All other	200	33	4	4	-	-	41	6	2	6
12	Female	White	13,246	825	72	42	34	18	991	82	83	128
13		All other	162	24	5	-	1	1	31	3	3	6
14	Cities of 100,000 or more	White	5,665	276	16	7	9	5	313	34	27	52
15		All other	119	10	-	1	1	-	12	3	2	1
16	Male	White	3,132	157	11	3	7	4	182	23	15	30
17		All other	68	6	-	1	-	-	7	3	1	1
18	Female	White	2,533	119	5	4	2	1	131	11	12	22
19		All other	51	4	-	-	1	-	5	-	1	-
20	Cities of 25,000 to 100,000	White	5,546	354	22	13	9	8	406	30	18	57
21		All other	29	3	1	1	-	-	5	2	-	-
22	Male	White	2,999	197	13	8	3	6	227	20	10	32
23		All other	17	2	1	1	-	-	4	1	-	-
24	Female	White	2,547	157	9	5	6	2	179	10	8	25
25		All other	12	1	-	-	-	-	1	1	-	-
26	Cities of 10,000 to 25,000	White	2,147	139	14	11	5	1	170	12	22	23
27		All other	8	1	-	-	-	-	1	-	-	-
28	Male	White	1,208	76	10	8	3	-	97	7	14	14
29		All other	7	1	-	-	-	-	1	-	-	-
30	Female	White	939	63	4	3	2	1	73	5	8	9
31		All other	1	-	-	-	-	-	-	-	-	-
32	Cities of 2,500 to 10,000	White	3,053	194	14	6	7	3	224	17	16	25
33		All other	14	2	-	1	-	-	3	-	-	1
34	Male	White	1,695	114	5	3	3	1	126	10	7	15
35		All other	8	1	-	1	-	-	2	-	-	-
36	Female	White	1,358	80	9	3	4	2	98	7	9	10
37		All other	6	1	-	-	-	-	1	-	-	1
38	Rural	White	13,905	986	90	49	43	28	1,196	115	109	166
39		All other	192	41	8	1	-	1	51	4	3	10
40	Male	White	8,036	580	45	22	23	16	686	66	63	104
41		All other	100	23	3	1	-	-	27	2	1	5
42	Female	White	5,869	406	45	27	20	12	510	49	46	62
43		All other	92	18	5	-	-	1	24	2	2	5
44	WYOMING		2,192	230	27	12	7	4	280	19	27	51
45	Both sexes	White	2,111	208	25	10	6	4	253	17	26	47
46		All other	81	22	2	2	1	-	27	2	1	4
47	Male	White	1,353	127	15	4	2	3	151	12	15	26
48		All other	46	11	1	1	-	-	13	2	1	4
49	Female	White	758	81	10	6	4	1	102	5	11	21
50		All other	35	11	1	1	1	-	14	-	-	-
51	Cities of 10,000 to 25,000	White	554	53	6	3	2	1	65	3	3	14
52		All other	18	4	-	-	-	-	4	-	-	-
53	Male	White	337	29	4	1	-	1	35	3	2	8
54		All other	10	2	-	-	-	-	2	-	-	-
55	Female	White	217	24	2	2	2	-	30	-	1	6
56		All other	8	2	-	-	-	-	2	-	-	-
57	Cities of 2,500 to 10,000	White	375	38	3	1	-	1	43	2	4	5
58		All other	6	1	-	-	-	-	1	-	-	-
59	Male	White	233	20	3	-	-	-	23	2	3	4
60		All other	4	1	-	-	-	-	1	-	-	-
61	Female	White	142	18	-	1	-	1	20	-	1	1
62		All other	2	-	-	-	-	-	-	-	-	-
63	Rural	White	1,182	117	16	6	4	2	145	12	19	28
64		All other	57	17	2	2	1	-	22	2	1	4
65	Male	White	783	78	8	3	2	2	93	7	10	14
66		All other	32	8	1	1	-	-	10	2	1	4
67	Female	White	399	39	8	3	2	-	52	5	9	14
68		All other	25	9	1	1	1	-	12	-	-	-

GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
262	284	282	312	286	355	496	581	689	920	969	841	749	457	146	55	3	12	1
35	34	53	60	88	92	78	78	59	76	48	32	15	14	8	1	2	8	2
172	193	171	184	156	209	295	363	403	553	586	482	377	235	56	28	1	6	3
20	26	29	37	50	55	59	47	41	55	31	21	10	8	4	1	1	6	4
90	91	111	128	130	146	201	218	286	367	383	359	372	222	90	27	2	6	5
15	8	24	23	38	37	19	31	18	21	17	11	5	6	4	-	1	2	6
458	440	522	640	902	1,271	1,696	2,224	2,726	3,274	3,775	3,883	3,343	1,733	550	109	16	6	7
423	427	514	622	884	1,249	1,671	2,190	2,709	3,248	3,751	3,864	3,330	1,726	546	108	16	6	8
15	13	8	18	18	22	25	34	17	26	24	19	13	7	4	1	-	-	9
253	251	291	361	499	772	971	1,325	1,604	1,875	2,084	2,131	1,747	653	254	41	5	5	10
7	8	4	6	11	14	11	20	14	17	14	10	7	3	1	-	-	-	11
170	176	223	261	385	477	700	865	1,105	1,373	1,667	1,733	1,583	873	292	67	11	1	12
8	7	4	12	7	8	14	14	3	9	10	9	6	4	3	1	-	-	13
73	93	107	134	225	328	461	558	586	636	647	613	464	227	65	19	2	1	14
1	5	6	8	11	11	12	14	8	10	7	4	1	2	1	-	-	-	15
43	51	54	88	130	217	291	344	356	351	329	301	209	83	27	8	-	-	16
-	2	3	3	6	7	7	7	7	4	4	3	1	1	1	-	-	-	17
30	42	53	46	95	111	170	214	230	285	318	312	255	144	38	11	2	1	18
1	3	3	5	5	4	5	7	1	6	3	1	-	1	-	-	-	-	19
70	74	96	131	168	264	332	433	514	601	698	660	565	319	91	14	4	1	20
1	1	1	-	1	3	6	4	1	1	2	-	-	-	1	-	-	-	21
37	42	51	70	96	160	195	264	299	328	382	346	262	140	32	4	1	1	22
1	1	1	-	-	1	2	3	-	1	2	-	-	-	-	-	-	-	23
33	32	45	61	72	104	137	169	215	273	316	314	303	179	59	10	3	-	24
-	-	-	-	1	2	4	1	1	-	-	-	-	-	1	-	-	-	25
30	36	39	43	74	90	122	125	189	251	245	276	228	127	38	7	-	-	26
1	2	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	27
18	19	27	27	38	59	69	74	114	155	120	153	118	62	20	3	-	-	28
-	2	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	29
12	17	12	16	36	31	53	51	75	96	125	123	110	65	18	4	-	-	30
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
38	47	47	55	76	106	141	185	223	328	395	418	431	195	69	16	1	-	32
2	-	1	-	-	3	-	-	-	-	2	1	1	-	-	-	-	-	33
21	28	27	32	46	64	88	118	119	187	217	242	210	99	33	6	-	-	34
1	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-	-	35
17	19	20	23	30	42	53	67	104	141	178	176	221	96	36	10	1	-	36
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	37
212	177	225	259	341	461	615	889	1,197	1,432	1,766	1,897	1,642	858	283	52	9	4	38
10	5	-	10	6	5	7	16	8	15	12	12	11	4	2	1	-	-	39
134	111	132	144	189	272	328	525	716	854	1,036	1,089	948	469	142	20	4	4	40
5	1	-	3	5	3	2	10	7	12	6	5	5	1	-	-	-	-	41
78	66	93	115	152	189	287	364	481	578	730	808	694	389	141	32	5	-	42
5	4	-	7	1	2	5	6	1	3	6	7	6	3	2	1	-	-	43
48	46	70	53	67	114	155	190	186	200	229	196	140	78	32	4	-	7	44
44	46	68	51	65	111	150	186	180	195	227	191	139	75	29	4	-	7	45
4	-	2	2	2	3	5	4	6	5	2	5	1	3	3	-	-	-	46
28	35	43	28	44	76	104	130	113	135	145	119	83	43	15	2	-	6	47
2	-	-	1	1	2	3	3	5	3	1	2	1	2	-	-	-	-	48
16	11	25	23	21	35	46	56	67	60	82	72	56	32	14	2	-	1	49
2	-	2	1	1	1	2	1	1	2	1	3	-	1	3	-	-	-	50
10	14	16	15	22	26	41	47	35	56	74	37	39	27	6	2	-	2	51
-	-	1	1	1	2	1	2	2	-	1	1	-	1	1	-	-	-	52
2	11	10	8	13	17	26	35	18	35	45	25	22	15	3	2	-	2	53
-	-	-	1	-	1	1	2	2	-	-	1	-	-	-	-	-	-	54
8	3	6	7	9	9	15	12	17	21	29	12	17	12	3	-	-	-	55
-	-	1	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	56
9	7	14	8	11	20	29	30	50	38	38	35	21	8	3	-	-	-	57
-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	58
5	4	9	5	7	13	20	19	32	25	21	19	17	5	-	-	-	-	59
-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	60
4	3	5	3	4	7	9	11	18	13	17	16	4	3	3	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	62
25	25	38	28	32	65	80	109	95	101	115	119	79	40	20	2	-	5	63
4	-	1	1	1	1	4	1	4	4	1	3	-	2	1	-	-	-	64
21	20	24	15	24	46	58	76	63	75	79	75	44	23	12	-	-	4	65
2	-	-	-	1	1	2	-	3	2	1	1	-	2	-	-	-	-	66
4	5	14	13	8	19	22	33	32	26	36	44	35	17	8	2	-	1	67
2	-	1	1	-	-	2	1	1	2	-	2	-	-	1	-	-	-	68

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
UNITED STATES, all ages	785,033	612,609	526,625	412,747	148,876	111,326	10,171	3,766	94,697	82,032	2,593	2,321	1,099	131	612	236	560	50
Under 1 year	64,987	48,962	52,021	38,610	29	48	102	64	12,157	9,687	608	495	20	21	34	30	16	7
1 to 4 years	13,173	11,129	10,295	8,431	16	19	34	43	2,548	2,346	252	268	8	6	15	12	5	4
5 to 9 years	6,254	4,667	5,182	3,695	18	15	14	14	954	879	75	54	6	2	4	3	1	5
10 to 14 years	6,470	4,478	5,237	3,437	34	24	25	12	1,093	943	67	50	5	4	7	4	2	4
15 to 19 years	11,878	8,789	9,199	5,845	157	88	69	30	2,309	2,686	102	114	21	11	21	14	-	1
20 to 24 years	15,631	11,812	11,468	7,807	293	204	176	56	5,531	3,590	121	135	10	3	27	14	5	3
25 to 29 years	16,458	13,173	11,689	8,803	416	409	175	68	4,035	3,776	86	91	20	9	16	16	21	1
30 to 34 years	18,503	15,003	12,795	9,844	887	793	194	85	4,415	4,189	94	80	46	3	13	7	59	2
35 to 39 years	22,921	17,531	15,401	10,894	1,935	1,442	295	86	5,072	5,001	79	90	56	9	19	8	64	1
40 to 44 years	30,522	22,341	19,730	13,650	3,822	2,581	398	105	6,340	5,917	80	61	84	7	16	16	52	4
45 to 49 years	42,475	28,310	26,641	17,399	7,632	4,658	567	151	7,367	5,994	103	68	101	9	31	27	33	4
50 to 54 years	56,010	35,591	33,646	21,234	12,853	7,096	945	201	8,292	6,933	84	84	100	10	58	29	32	4
55 to 59 years	66,452	41,527	40,931	25,726	16,658	9,289	1,012	218	7,536	6,170	114	96	99	9	84	16	18	3
60 to 64 years	75,209	50,477	47,599	32,053	19,096	12,282	1,258	332	6,869	5,683	138	95	115	12	113	15	21	5
65 to 69 years	84,925	62,630	55,825	41,505	20,120	14,873	1,229	445	7,377	5,682	154	104	113	3	95	17	12	1
70 to 74 years	85,749	68,895	57,244	46,690	21,304	17,186	1,240	499	5,678	4,368	138	141	98	5	38	5	13	1
75 to 79 years	72,528	65,206	47,526	44,744	19,937	16,740	935	471	3,905	3,150	121	93	83	7	17	1	4	-
80 to 84 years	55,846	55,703	38,657	40,487	13,945	12,733	752	412	2,337	1,989	89	79	61	1	3	2	2	-
85 to 89 years	27,560	31,041	18,882	22,332	6,851	7,043	329	265	1,418	1,349	51	52	27	-	2	-	-	-
90 to 94 years	8,460	11,402	5,356	7,495	2,273	2,986	105	98	686	787	21	36	19	-	-	-	-	-
95 to 99 years	1,813	2,760	1,012	1,699	463	656	21	24	308	370	5	11	4	-	-	-	-	-
100 years and over	434	729	133	212	72	132	10	5	209	382	9	18	1	-	-	-	-	-
Not stated	775	453	156	155	65	29	286	82	261	181	4	6	2	-	1	-	-	-
CITIES OF 100,000 OR MORE, all ages	233,958	189,078	130,554	107,583	70,423	55,569	3,773	994	28,019	24,663	62	55	738	99	239	94	150	21
Under 1 year	14,138	10,306	11,462	8,172	11	21	26	14	2,607	2,066	2	5	12	16	10	10	8	2
1 to 4 years	2,387	1,963	1,884	1,498	5	8	3	9	486	437	-	-	6	5	2	5	1	1
5 to 9 years	1,341	974	1,108	762	8	10	2	1	214	194	1	1	6	1	1	1	1	4
10 to 14 years	1,393	971	1,124	729	15	9	3	3	245	223	-	1	5	3	-	2	1	1
15 to 19 years	2,615	2,150	1,903	1,328	72	48	10	1	611	761	-	-	12	9	7	2	-	1
20 to 24 years	3,775	3,306	2,633	2,115	116	107	35	9	965	1,060	4	6	8	3	12	6	2	-
25 to 29 years	4,448	4,058	2,982	2,618	171	191	35	20	1,232	1,214	3	3	10	5	5	6	10	1
30 to 34 years	5,758	4,898	3,564	2,974	475	431	56	23	1,597	1,455	6	9	30	2	6	3	24	1
35 to 39 years	8,040	5,931	4,822	3,302	1,081	792	129	23	1,926	1,802	6	2	44	8	8	2	24	-
40 to 44 years	11,398	8,103	6,383	4,350	2,115	1,466	184	41	2,606	2,231	4	4	76	5	6	4	24	2
45 to 49 years	16,312	10,472	8,759	5,583	4,301	2,647	288	44	2,855	2,170	8	6	68	8	18	11	15	3
50 to 54 years	21,428	12,874	10,862	6,523	6,940	3,958	490	61	3,013	2,306	6	1	70	8	32	15	15	2
55 to 59 years	24,180	14,690	12,258	7,495	8,842	5,084	454	78	2,503	2,016	8	3	75	8	35	5	5	1
60 to 64 years	25,811	17,730	13,157	9,109	9,874	6,677	562	107	2,082	1,818	1	1	89	9	36	7	10	2
65 to 69 years	26,622	21,244	13,939	11,356	10,019	7,966	473	123	2,065	1,783	4	5	80	2	38	9	4	-
70 to 74 years	24,605	22,185	12,960	12,077	9,786	8,722	418	118	1,353	1,258	2	4	66	2	15	4	5	-
75 to 79 years	19,092	19,954	9,673	11,212	8,211	7,735	279	135	872	867	5	-	46	5	5	-	1	-
80 to 84 years	12,860	15,641	7,016	9,570	5,207	5,502	182	96	429	469	1	2	23	-	2	2	-	-
85 to 89 years	5,640	8,025	3,073	4,882	2,312	2,819	62	52	185	272	-	-	7	-	1	-	-	-
90 to 94 years	1,604	2,802	807	1,540	689	1,104	20	17	86	140	-	1	2	-	-	-	-	-
95 to 99 years	331	629	150	338	144	227	5	3	29	60	-	1	3	-	-	-	-	-
100 years and over	62	127	11	37	22	41	2	-	28	49	1	-	-	-	-	-	-	-
Not stated	118	45	24	13	7	4	55	16	32	12	-	-	-	-	-	-	-	-
CITIES OF 25,000 TO 100,000, all ages	90,830	75,881	61,171	51,686	18,626	14,946	908	360	9,847	8,813	58	41	119	9	55	23	46	3
Under 1 year	6,979	5,278	5,824	4,345	6	-	10	6	1,112	911	19	8	4	2	3	6	1	-
1 to 4 years	1,186	1,041	946	812	1	1	1	3	228	221	4	4	-	-	3	-	3	-
5 to 9 years	634	428	539	351	1	-	2	1	90	75	2	1	-	-	-	-	-	-
10 to 14 years	585	428	490	327	3	3	1	1	87	96	4	1	-	-	-	-	-	-
15 to 19 years	1,202	917	960	627	23	7	4	2	208	279	4	-	3	1	-	1	-	-
20 to 24 years	1,633	1,380	1,176	922	39	23	10	5	404	425	1	3	1	-	2	2	-	-
25 to 29 years	1,837	1,608	1,289	1,067	53	63	14	6	473	469	2	1	3	2	3	-	-	-
30 to 34 years	2,275	1,891	1,570	1,251	98	114	23	9	563	517	4	-	5	-	2	-	10	-
35 to 39 years	2,812	2,221	1,888	1,390	238	194	38	9	627	625	3	2	5	-	-	-	13	1
40 to 44 years	3,901	2,835	2,579	1,779	473	353	28	17	810	683	-	2	2	-	5	1	4	-
45 to 49 years	5,325	3,570	3,480	2,220	958	619	46	10	821	715	4	4	11	1	2	1	3	-
50 to 54 years	7,033	4,581	4,503	2,821	1,703	948	72	17	941	788	1	3	7	1	4	2	2	1
55 to 59 years	8,367	5,374	5,238	3,346	2,171	1,259	99	20	842	743	-	1	11	-	4	5	2	-
60 to 64 years	9,181	6,562	5,966	4,224	2,363	1,664	112	31	713	640	2	-	7	-	13	2	5	1
65 to 69 years	10,046	7,896	6,704	5,324	2,472	1,969	132	36	715	564	3	1	12	1	8	1	-	-
70 to 74 years	9,894	8,840	6,521	6,021	2,712	2,340	94	48	543	427	1	3	17	-	4	1	2	-
75 to 79 years	7,951	8,202	5,113	5,654	2,436	2,239	81	48	312	259	-	1	7	-	2	1	-	-
80 to 84 years	5,986	7,087	4,045	5,149	1,689	1,720	74	47	162	168	1	2	14	1	-	-	1	-
85 to 89 years	2,856	3,899	1,877	2,846	848	917	20	29	104	106	3	1	4	-	-	-	-	-
90 to 94 years	882	1,409	533	947	275	404	13	9	56	48	-	1	5	-	-	-	-	-
95 to 99 years	164	329	96	219	49	84	4	-	14	26	-	-	1	-	-	-	-	-
100 years and over	33	73	18	29	7	21	-	-	8	21	-	2	-	-	-	-	-	-
Not stated	68	32	16	15	8	4	30	6	14	7	-	-	-	-	-	-	-	-
CITIES OF 10,000 TO 25,000, all ages	60,909	50,133	43,033	35,486	11,076	8,677	575	255	6,113	5,649	51	51	30	4	20	8	11	3
Under 1 year	4,973	3,793	4,198	3,182	-	2	6	2	757	596	8	10	2	-	-	1	2	-
1 to 4 years	914	777	751	628	1	2	-	2	159	143	2	-	1	1	-	-	-	1
5 to 9 years	459	313	403	268	-	1	1	1	53	43	2	-	-	-	-	-	-	-
10 to 14 years	447	311	379	245	2	3	-	1	65	59	1	2	-	-	-	-	-	1
15 to 19 years	884	615	722	426	13	5	6	2	141	182	1	-	1	-	-	-	-	-
20 to 24 years	1,114	953	836	673	20	13	15	9	239	253	3	3	-	-	1	1	-	1
25 to 29 years	1,310	1,061	965	776	34	24	13	2	292	258	5	1	-	-	1	-	-	-
30 to 34 years	1,387	1,133	1,013	778	59	42	13	8	296	304	2	-	3	-	1	1	-	-
35 to 39 years	1,746	1,326	1,272	868	114	79	9	4	344	388	2	6	1	-	3	1	1	-
40 to 44 years	2,437	1,838	1,693	1,170	275	188	27	5	439	470	-	2	-	-	-	3	3	-
45 to 49 years	3,371	2,287	2,260	1,538	550	311	34	12	519	422	1	4	5	-	2	-	-	-
50 to 54 years	4,341	2,844	2,789	1,784	968	546	46	10	529	500	4	4	2	-	1	-	2	-
55 to 59 years	5,115	3,384	3,399	2,232	1,198	684	51	15	461	451	2	1	2	-	1	1	1	-
60 to 64 years	5,860	4,165	3,918	2,786	1,399	986	66	24	461	404	6	3	2	2	7	-	1	-
65 to 69 years	6,611	5,217	4,621	3,676	1,442	1,133	63	33	478	369	4	6	1	-	1	-	1	-
70 to 74 years	6,771	5,747	4,749	4,082	1,586	1,357	87	35	362	270	2	3	3	-	2	-	-	-
75 to 79 years	5,697	5,570	3,879	3,969	1,551	1,336	53	28	209	233	3	3	2	1	-	-	-	-
80 to 84 years	4,474	4,773	3,178	3,545	1,106	1,059	54	34	131	134	2	1	3	-	-	-	-	-
85 to 89 years	2,097	2,731	1,459	2,028	517	593	25	19	94	91	-	-	2	-	-	-	-	-
90 to 94 years	675	964	441	668	193	247	4	5	36	43	1	1	-	-	-	-	-	-
95 to 99 years	139	242	86	150	35	66	1	-	17	26	-	-	-	-	-	-	-	-
100 years and over	28	53	12	22	4	15	1	1	11	14	-	1	-	-	-	-	-	-
Not stated	59	36	10	12	9	5	20	3	20	16	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
CITIES OF 2,500 TO 10,000, all ages	79,003	62,312	59,039	46,505	11,090	8,221	843	385	7,782	7,064	121	108	56	6	53	17	19	6
Under 1 year	7,146	5,382	6,194	4,545	2	1	5	4	921	801	21	26	-	2	2	3	1	-
1 to 4 years	1,354	1,069	1,142	875	1	-	1	2	194	186	12	6	1	-	2	-	1	-
5 to 9 years	631	475	569	397	2	2	2	2	67	73	-	-	-	-	-	1	-	-
10 to 14 years	633	463	536	391	5	1	1	1	88	67	2	2	-	-	1	1	-	-
15 to 19 years	1,230	986	1,019	707	11	7	12	4	180	242	4	5	1	1	3	2	-	-
20 to 24 years	1,674	1,238	1,308	914	26	17	23	3	312	296	5	7	-	-	2	-	-	1
25 to 29 years	1,742	1,290	1,352	923	31	45	16	8	335	309	3	5	1	-	2	-	2	-
30 to 34 years	1,918	1,499	1,426	1,067	66	48	25	13	390	359	6	9	2	-	-	2	3	1
35 to 39 years	2,181	1,807	1,614	1,097	133	92	22	10	403	402	2	5	3	-	3	1	1	-
40 to 44 years	2,790	2,031	2,041	1,379	242	155	18	6	481	484	5	4	2	1	-	2	1	-
45 to 49 years	3,829	2,667	2,749	1,812	460	309	45	13	557	526	8	5	4	-	2	2	4	-
50 to 54 years	5,135	3,228	3,532	2,138	830	465	62	19	691	601	8	3	5	-	5	1	2	1
55 to 59 years	6,259	3,904	4,422	2,728	1,121	594	76	19	620	555	6	7	2	-	11	1	1	-
60 to 64 years	7,174	4,813	5,186	3,478	1,300	779	78	27	583	522	10	5	5	-	12	-	-	2
65 to 69 years	8,268	6,229	6,156	4,637	1,405	1,057	102	39	585	492	5	3	6	-	7	1	2	-
70 to 74 years	8,741	7,060	6,512	5,373	1,589	1,221	115	58	508	400	11	8	5	1	-	-	1	1
75 to 79 years	7,754	7,023	5,612	5,328	1,667	1,365	88	48	373	274	4	7	10	1	-	-	-	-
80 to 84 years	6,164	6,195	4,631	4,871	1,241	1,093	72	41	207	188	7	2	6	-	-	-	-	-
85 to 89 years	3,099	3,488	2,263	2,710	669	611	31	42	134	125	1	-	1	-	-	-	-	-
90 to 94 years	950	1,248	634	881	236	278	13	14	64	74	1	1	2	-	-	-	-	-
95 to 99 years	189	299	118	203	41	65	5	3	25	28	-	-	-	-	-	-	-	-
100 years and over	45	69	16	27	5	11	3	-	21	31	-	-	-	-	-	-	-	-
Not stated	97	69	18	24	7	5	28	11	43	29	-	-	-	-	1	-	-	-
RURAL, all ages	320,333	235,205	232,828	171,487	37,661	23,913	4,072	1,772	42,936	35,843	2,301	2,066	156	13	245	94	134	17
Under 1 year	31,751	24,203	24,343	18,366	10	24	55	38	6,760	5,313	558	446	2	1	19	10	4	5
1 to 4 years	7,332	6,279	5,572	4,618	8	8	29	27	1,481	1,359	234	258	-	-	8	7	-	2
5 to 9 years	3,189	2,477	2,572	1,917	7	2	7	9	530	494	70	52	-	1	3	1	-	1
10 to 14 years	3,412	2,305	2,708	1,745	9	8	20	6	608	498	60	44	-	1	6	1	1	2
15 to 19 years	5,947	4,141	4,595	2,757	38	21	37	21	1,169	1,222	93	111	4	-	11	9	-	-
20 to 24 years	7,435	4,935	5,517	3,183	92	44	93	30	1,611	1,556	108	116	1	-	10	5	3	1
25 to 29 years	7,121	5,156	5,101	3,419	127	86	97	32	1,703	1,526	73	81	6	2	5	10	9	-
30 to 34 years	7,165	5,582	5,222	3,774	189	158	77	32	1,589	1,554	76	62	6	1	4	1	22	-
35 to 39 years	8,142	6,446	5,805	4,237	369	285	97	40	1,772	1,804	66	75	3	1	5	4	25	-
40 to 44 years	9,996	7,534	7,034	4,972	717	419	141	36	2,004	2,049	71	49	4	1	5	6	20	2
45 to 49 years	13,838	9,314	9,393	6,246	1,363	772	154	72	2,615	2,161	82	49	13	-	7	13	11	1
50 to 54 years	18,073	12,064	12,160	7,968	2,412	1,179	275	94	3,118	2,738	65	73	16	1	16	11	11	-
55 to 59 years	22,531	14,175	15,614	9,925	3,326	1,668	332	86	3,110	2,405	98	84	9	1	33	4	9	2
60 to 64 years	27,183	17,207	19,372	12,478	4,160	2,196	440	143	3,030	2,299	119	86	12	1	45	6	5	-
65 to 69 years	33,378	22,044	24,405	16,512	4,782	2,748	459	214	3,534	2,474	138	89	14	-	41	6	5	1
70 to 74 years	35,738	25,063	26,502	19,137	5,631	3,546	546	242	2,912	2,013	120	123	7	2	15	-	5	-
75 to 79 years	32,034	24,457	23,249	18,581	6,072	4,065	434	212	2,139	1,517	109	82	18	-	10	-	3	-
80 to 84 years	26,382	22,007	19,787	17,352	4,702	3,359	370	194	1,408	1,030	78	72	15	-	1	-	1	-
85 to 89 years	13,868	12,898	10,210	9,866	2,505	2,103	191	123	901	755	47	51	13	-	1	-	-	-
90 to 94 years	4,349	4,979	2,941	3,459	880	953	55	53	444	482	19	32	10	-	-	-	-	-
95 to 99 years	990	1,261	562	789	194	214	6	18	223	230	5	10	-	-	-	-	-	-
100 years and over	266	407	76	97	34	44	4	4	143	247	8	15	1	-	-	-	-	-
Not stated	433	271	88	91	34	11	153	46	152	117	4	6	2	-	-	-	-	-
ALABAMA, all ages	15,761	13,021	8,438	6,502	251	122	200	145	6,869	6,250	3	2	-	-	-	-	-	-
Under 1 year	2,123	1,704	1,133	872	-	-	12	9	977	823	1	-	-	-	-	-	-	-
1 to 4 years	507	453	263	249	-	-	9	3	235	201	-	-	-	-	-	-	-	-
5 to 9 years	198	167	114	94	-	-	-	1	84	72	-	-	-	-	-	-	-	-
10 to 14 years	200	152	111	75	-	-	2	2	87	75	-	-	-	-	-	-	-	-
15 to 19 years	350	347	176	128	1	-	-	1	173	218	-	-	-	-	-	-	-	-
20 to 24 years	491	452	217	150	4	-	5	2	265	300	-	-	-	-	-	-	-	-
25 to 29 years	555	486	247	173	4	1	5	-	299	312	-	-	-	-	-	-	-	-
30 to 34 years	503	509	227	186	3	2	4	2	269	319	-	-	-	-	-	-	-	-
35 to 39 years	594	590	260	205	2	-	9	5	323	380	-	-	-	-	-	-	-	-
40 to 44 years	739	590	332	208	3	3	8	8	396	371	-	-	-	-	-	-	-	-
45 to 49 years	857	643	365	234	10	9	10	5	472	394	-	1	-	-	-	-	-	-
50 to 54 years	1,081	914	480	348	17	7	15	11	569	548	-	-	-	-	-	-	-	-
55 to 59 years	1,189	837	667	385	24	15	17	6	481	430	-	1	-	-	-	-	-	-
60 to 64 years	1,231	908	750	497	23	11	16	14	442	386	-	-	-	-	-	-	-	-
65 to 69 years	1,356	1,028	820	599	37	14	13	13	486	402	-	-	-	-	-	-	-	-
70 to 74 years	1,281	956	772	607	31	13	26	19	452	317	-	-	-	-	-	-	-	-
75 to 79 years	1,029	805	623	534	45	23	12	11	348	237	1	-	-	-	-	-	-	-
80 to 84 years	772	730	519	524	20	14	21	16	211	176	1	-	-	-	-	-	-	-
85 to 89 years	425	433	262	298	15	6	7	7	141	122	-	-	-	-	-	-	-	-
90 to 94 years	160	169	76	92	9	3	1	1	74	73	-	-	-	-	-	-	-	-
95 to 99 years	45	51	13	21	1	-	-	3	51	27	-	-	-	-	-	-	-	-
100 years and over	28	48	3	8	2	-	1	-	22	40	-	-	-	-	-	-	-	-
Not stated	47	49	8	15	-	1	7	6	32	27	-	-	-	-	-	-	-	-
ARIZONA, all ages	3,344	2,108	2,161	1,274	495	296	89	12	135	68	438	456	21	2	3	-	2	-
Under 1 year	573	465	413	319	2	-	-	-	13	16	144	130	1	-	-	-	-	-
1 to 4 years	180	158	77	66	2	-	-	-	2	3	98	87	-	-	-	-	1	-
5 to 9 years	48	42	20	20	-	1	-	-	2	1	26	20	-	-	-	-	-	-
10 to 14 years	45	30	25	18	1	-	-	-	2	1	15	11	-	-	-	-	-	-
15 to 19 years	66	73	40	41	6	2	-	1	-	3	18	26	2	-	-	-	-	-
20 to 24 years	82	67	64	40	4	2	1	-	3	3	10	22	-	-	-	-	-	-
25 to 29 years	95	60	60	40	7	7	3	-	9	3	16	9	-	1	-	-	-	-
30 to 34 years	103	60	66	39	7	6	5	1	10	1	13	13	2	-	-	-	-	-
35 to 39 years	118	81	77	50	15	15	6	2	13	1	7	13	-	-	-	-	-	-
40 to 44 years	126	90	85	58	22	19	4	1	8	2	7	9	-	1	-	-	-	-
45 to 49 years	200	76	129	45	41	18	10	-	4	4	15	9	1	-	-	-	-	-
50 to 54 years	202	104	131	56	55	26	2	-	11	7	3	15	-	-	-	-	-	-
55 to 59 years	232	121	153	75	42	27	8	-	16	3	8	16	4	-	1	-	-	-
60 to 64 years	275	127	180	67	62	32	12	3	11	6	9	19	-	-	1	-	-	-
65 to 69 years	282	124	185	70	61	37	12	-	9	7	11	10	3	-	1	-	-	-
70 to 74 years	250	127	162	85	57	27	10	-	10	3	11	14	-	-	-	-	-	-
75 to 79 years	204	119	133	77	46	31	6	2	6	-	9	9	3	-	-	-	1	-
80 to 84 years	148	85	98	59	29	14	7	-	5	1	8	11	3	-	-	-	-	-
85 to 89 years	74	56	48	38	19	16	1	1	-	-	4	3	2	-	-	-	-	-
90 to 94 years	34	26	16	13	13	8	2	-	-	2	3	3	-	-	-	-	-	-
95 to 99 years	4	7	-	1	1	5	-	-	1	1	2	-	-	-	-	-	-	-
100 years and over	3	7	1	-	1	3	-	-	-	-	1	4	-	-	-	-	-	-
Not stated	2	5	-	1	2	-	-	1	-	-	-	3	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ARKANSAS, all ages	9,240	7,162	6,070	4,458	168	100	305	229	2,694	2,375	3	-	-	-	-	-	-	-
Under 1 year	1,018	794	706	551	-	-	12	8	300	235	-	-	-	-	-	-	-	-
1 to 4 years	288	273	204	168	-	-	8	7	76	98	-	-	-	-	-	-	-	-
5 to 9 years	114	102	78	71	-	-	2	3	34	28	-	-	-	-	-	-	-	-
10 to 14 years	125	106	85	73	-	-	3	2	37	31	-	-	-	-	-	-	-	-
15 to 19 years	233	179	149	88	-	-	5	5	78	88	1	-	-	-	-	-	-	-
20 to 24 years	271	221	140	104	1	-	10	6	120	111	-	-	-	-	-	-	-	-
25 to 29 years	292	248	164	128	1	-	4	6	123	114	-	-	-	-	-	-	-	-
30 to 34 years	252	248	142	120	1	1	8	6	101	121	-	-	-	-	-	-	-	-
35 to 39 years	298	280	176	127	1	2	8	8	113	143	-	-	-	-	-	-	-	-
40 to 44 years	343	309	211	150	3	1	13	3	116	155	-	-	-	-	-	-	-	-
45 to 49 years	487	378	284	187	8	-	8	6	187	185	-	-	-	-	-	-	-	-
50 to 54 years	604	432	369	217	11	5	15	10	209	200	-	-	-	-	-	-	-	-
55 to 59 years	687	426	401	248	9	3	20	9	237	166	-	-	-	-	-	-	-	-
60 to 64 years	786	522	509	329	19	8	33	15	225	170	-	-	-	-	-	-	-	-
65 to 69 years	937	613	646	417	18	13	32	18	241	165	-	-	-	-	-	-	-	-
70 to 74 years	881	612	643	458	27	16	37	38	172	100	2	-	-	-	-	-	-	-
75 to 79 years	660	498	485	359	26	25	31	22	118	92	-	-	-	-	-	-	-	-
80 to 84 years	521	436	397	357	22	9	23	17	79	53	-	-	-	-	-	-	-	-
85 to 89 years	272	265	187	205	17	12	9	18	59	32	-	-	-	-	-	-	-	-
90 to 94 years	84	100	55	67	3	4	2	8	24	21	-	-	-	-	-	-	-	-
95 to 99 years	31	35	15	21	1	1	-	-	15	13	-	-	-	-	-	-	-	-
100 years and over	10	19	4	3	-	-	-	-	6	16	-	-	-	-	-	-	-	-
Not stated	66	66	20	12	-	-	22	16	24	38	-	-	-	-	-	-	-	-
CALIFORNIA, all ages	47,979	32,984	33,283	24,160	11,556	7,440	872	176	996	727	169	166	433	89	422	178	248	30
Under 1 year	2,581	2,005	2,449	1,895	4	1	5	2	59	42	19	21	9	15	27	22	9	7
1 to 4 years	486	383	457	354	-	2	-	-	8	9	6	5	5	3	8	7	2	3
5 to 9 years	248	168	228	157	3	1	-	-	7	1	2	1	4	-	3	3	1	5
10 to 14 years	258	166	239	143	2	3	1	-	4	7	2	2	3	3	5	4	2	4
15 to 19 years	512	335	458	293	11	5	3	-	12	9	6	7	8	7	14	13	-	1
20 to 24 years	847	509	732	441	33	32	15	2	32	16	5	4	4	2	24	11	2	1
25 to 29 years	921	601	743	480	68	61	20	4	42	33	9	6	9	7	15	9	15	1
30 to 34 years	1,061	683	797	548	114	85	18	4	50	29	7	7	22	2	11	7	42	1
35 to 39 years	1,505	901	1,067	684	261	139	32	5	52	54	9	5	20	7	17	7	47	-
40 to 44 years	2,014	1,102	1,469	812	345	203	44	2	84	60	4	7	24	4	8	13	36	1
45 to 49 years	2,844	1,471	1,986	1,108	608	282	60	13	92	43	11	3	38	7	21	15	28	-
50 to 54 years	3,737	1,879	2,495	1,327	945	434	117	10	94	72	8	4	21	9	37	21	20	2
55 to 59 years	4,421	2,238	2,851	1,537	1,260	578	98	14	108	77	11	14	35	4	49	15	9	1
60 to 64 years	5,193	2,912	3,371	2,059	1,458	749	141	14	93	66	8	3	31	7	80	11	13	3
65 to 69 years	5,599	3,508	3,751	2,446	1,499	956	106	24	118	63	13	4	39	3	62	12	11	-
70 to 74 years	5,503	3,932	3,637	2,743	1,632	1,075	90	12	52	62	13	33	48	4	23	3	8	-
75 to 79 years	4,451	4,061	2,798	2,788	1,506	1,188	46	33	35	39	11	8	40	4	13	1	2	-
80 to 84 years	3,513	3,346	2,312	2,456	1,090	837	34	21	29	20	11	9	34	1	2	2	1	-
85 to 89 years	1,618	1,849	1,064	1,321	497	505	16	9	14	9	7	5	18	-	2	-	-	-
90 to 94 years	503	716	305	457	166	234	7	5	4	10	4	10	17	-	-	-	-	-
95 to 99 years	116	159	63	100	45	52	1	-	5	4	-	3	2	-	-	-	-	-
100 years and over	20	34	9	10	9	19	-	-	-	2	2	3	-	-	-	-	-	-
Not stated	28	6	2	1	2	1	18	2	2	-	1	2	2	-	1	-	-	-
COLORADO, all ages	6,912	5,076	5,458	4,101	1,136	793	168	69	113	93	11	13	2	-	20	5	4	2
Under 1 year	655	458	641	451	1	-	2	-	5	2	3	3	-	-	3	2	-	-
1 to 4 years	137	124	134	123	-	-	1	1	-	-	-	-	-	-	2	-	-	-
5 to 9 years	61	52	59	51	-	-	2	-	-	1	-	-	-	-	-	-	-	-
10 to 14 years	66	57	63	56	-	-	1	1	1	-	-	-	-	-	1	-	-	-
15 to 19 years	104	66	100	65	-	-	3	-	1	-	-	1	-	-	-	-	-	-
20 to 24 years	129	96	123	91	2	-	4	1	-	1	-	2	-	-	-	-	-	1
25 to 29 years	109	108	98	97	5	2	3	3	2	4	-	2	-	-	-	-	1	-
30 to 34 years	129	125	113	109	5	6	6	2	4	6	1	2	-	-	-	-	-	-
35 to 39 years	173	116	146	104	16	7	4	2	5	3	1	-	-	-	-	-	1	-
40 to 44 years	207	157	171	140	17	13	7	2	11	2	-	-	-	-	1	-	-	-
45 to 49 years	305	241	246	200	40	27	10	4	7	7	1	1	-	-	1	2	-	-
50 to 54 years	404	240	319	197	63	33	13	4	6	6	-	-	1	-	2	-	-	-
55 to 59 years	507	299	384	223	102	59	8	3	7	14	2	-	-	-	3	-	1	-
60 to 64 years	591	356	428	267	128	73	18	6	14	8	-	1	-	-	2	-	1	1
65 to 69 years	738	467	569	352	137	89	12	9	15	15	2	1	-	-	3	1	-	-
70 to 74 years	814	602	613	463	164	121	24	8	11	10	-	-	-	-	2	-	-	-
75 to 79 years	784	557	552	401	206	143	19	7	5	6	1	-	1	-	-	-	-	-
80 to 84 years	605	510	426	390	149	109	18	7	12	4	-	-	-	-	-	-	-	-
85 to 89 years	301	298	218	219	68	70	10	6	5	3	-	-	-	-	-	-	-	-
90 to 94 years	78	113	49	78	26	32	1	2	2	1	-	-	-	-	-	-	-	-
95 to 99 years	14	25	6	18	7	7	1	-	-	-	-	-	-	-	-	-	-	-
100 years and over	-	8	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT, all ages	9,919	8,269	5,807	5,085	3,803	2,913	79	41	226	229	-	1	3	-	1	-	-	-
Under 1 year	495	393	470	379	-	-	3	-	22	14	-	-	-	-	-	-	-	-
1 to 4 years	74	53	71	48	-	-	-	1	3	4	-	-	-	-	-	-	-	-
5 to 9 years	56	32	52	29	-	-	-	-	4	3	-	-	-	-	-	-	-	-
10 to 14 years	51	38	51	34	-	-	-	-	-	4	-	-	-	-	-	-	-	-
15 to 19 years	102	71	90	63	1	1	-	-	11	7	-	-	-	-	-	-	-	-
20 to 24 years	162	106	144	97	8	1	-	-	10	8	-	-	-	-	-	-	-	-
25 to 29 years	168	131	147	120	7	6	-	-	14	5	-	-	-	-	-	-	-	-
30 to 34 years	180	144	157	110	17	25	-	-	6	9	-	-	-	-	-	-	-	-
35 to 39 years	242	171	175	121	53	36	3	-	11	14	-	-	-	-	-	-	-	-
40 to 44 years	317	275	206	188	93	67	4	3	14	16	-	1	-	-	-	-	-	-
45 to 49 years	543	388	292	205	223	167	3	-	25	16	-	-	-	-	-	-	-	-
50 to 54 years	807	504	409	258	375	229	11	1	12	16	-	-	-	-	-	-	-	-
55 to 59 years	973	629	466	325	484	283	6	2	16	19	-	-	-	-	1	-	-	-
60 to 64 years	1,075	800	550	405	511	373	4	3	9	19	-	-	1	-	-	-	-	-
65 to 69 years	1,226	940	655	535	538	381	10	5	22	19	-	-	1	-	-	-	-	-
70 to 74 years	1,168	1,060	614	568	527	463	5	4	22	25	-	-	-	-	-	-	-	-
75 to 79 years	1,037	1,003	517	592	495	390	13	10	11	11	-	-	1	-	-	-	-	-
80 to 84 years	777	840	455	542	308	284	8	6	6	8	-	-	-	-	-	-	-	-
85 to 89 years	327	481	196	324	122	143	4	5	5	9	-	-	-	-	-	-	-	-
90 to 94 years	101	158	68	103	28	52	2	1	3	2	-	-	-	-	-	-	-	-
95 to 99 years	35	49	22	38	13	11	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Not stated	3	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
DELAWARE, all ages	1,799	1,445	1,252	1,018	185	156	10	5	352	266	-	-	-	-	-	-	-	-
Under 1 year	131	90	96	51	-	-	1	-	34	39	-	-	-	-	-	-	-	-
1 to 4 years	24	14	18	11	-	-	-	-	6	3	-	-	-	-	-	-	-	-
5 to 9 years	12	8	7	7	-	-	-	-	5	1	-	-	-	-	-	-	-	-
10 to 14 years	17	6	11	5	-	-	-	-	6	1	-	-	-	-	-	-	-	-
15 to 19 years	23	17	14	7	-	-	-	-	9	10	-	-	-	-	-	-	-	-
20 to 24 years	33	27	26	19	1	-	-	-	6	8	-	-	-	-	-	-	-	-
25 to 29 years	30	24	21	14	-	-	-	1	9	9	-	-	-	-	-	-	-	-
30 to 34 years	41	41	18	23	3	1	-	1	20	16	-	-	-	-	-	-	-	-
35 to 39 years	53	42	33	31	1	-	-	1	19	10	-	-	-	-	-	-	-	-
40 to 44 years	80	43	51	20	4	4	-	-	25	19	-	-	-	-	-	-	-	-
45 to 49 years	118	74	66	43	14	11	1	-	37	20	-	-	-	-	-	-	-	-
50 to 54 years	112	85	75	49	14	11	1	-	22	25	-	-	-	-	-	-	-	-
55 to 59 years	159	86	115	60	23	15	1	-	20	13	-	-	-	-	-	-	-	-
60 to 64 years	166	122	119	81	22	25	2	-	23	16	-	-	-	-	-	-	-	-
65 to 69 years	180	144	125	97	22	24	1	1	32	22	-	-	-	-	-	-	-	-
70 to 74 years	204	181	137	126	34	19	1	-	32	16	-	-	-	-	-	-	-	-
75 to 79 years	178	179	127	132	22	25	1	-	28	22	-	-	-	-	-	-	-	-
80 to 84 years	128	162	100	146	17	9	-	1	11	6	-	-	-	-	-	-	-	-
85 to 89 years	75	83	66	70	4	8	-	-	5	5	-	-	-	-	-	-	-	-
90 to 94 years	29	28	24	21	4	4	-	-	1	3	-	-	-	-	-	-	-	-
95 to 99 years	3	7	3	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-
100 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA, all ages	4,299	3,700	2,331	1,981	374	272	55	49	1,518	1,392	3	2	14	3	1	1	3	-
Under 1 year	419	325	226	141	-	-	5	3	186	178	-	-	2	3	-	-	-	-
1 to 4 years	50	37	22	17	-	-	1	3	28	17	-	-	1	-	-	-	-	-
5 to 9 years	27	23	11	11	-	-	1	1	15	11	-	-	-	-	-	-	-	-
10 to 14 years	18	13	5	6	-	-	-	-	13	7	-	-	-	-	-	-	-	-
15 to 19 years	48	44	20	20	2	1	1	-	25	23	-	-	-	-	-	-	-	-
20 to 24 years	103	89	39	33	1	1	1	2	62	53	-	-	-	-	-	-	-	-
25 to 29 years	108	105	52	34	1	-	2	1	53	70	-	-	-	-	-	-	-	-
30 to 34 years	150	131	60	46	2	1	2	1	88	83	-	-	-	-	-	-	-	-
35 to 39 years	204	141	99	57	7	1	1	-	96	83	-	-	-	-	-	-	1	-
40 to 44 years	287	171	144	70	12	9	2	1	123	91	-	-	3	-	1	-	2	-
45 to 49 years	355	222	172	98	29	12	7	2	145	109	-	1	2	-	-	-	-	-
50 to 54 years	361	229	175	91	33	21	4	2	147	114	1	-	1	-	-	1	-	-
55 to 59 years	379	243	195	115	37	22	7	4	140	102	-	-	-	-	-	-	-	-
60 to 64 years	403	306	236	166	54	33	6	6	105	101	-	-	2	-	-	-	-	-
65 to 69 years	417	367	247	204	56	42	3	6	109	114	1	1	1	-	-	-	-	-
70 to 74 years	373	382	247	252	51	40	4	7	70	83	-	-	1	-	-	-	-	-
75 to 79 years	271	348	159	235	48	45	3	6	59	62	1	-	1	-	-	-	-	-
80 to 84 years	196	279	141	213	26	28	1	1	28	37	-	-	-	-	-	-	-	-
85 to 89 years	91	139	66	97	10	10	1	2	14	30	-	-	-	-	-	-	-	-
90 to 94 years	27	78	11	57	3	5	-	1	13	15	-	-	-	-	-	-	-	-
95 to 99 years	5	21	3	17	1	-	-	-	1	4	-	-	-	-	-	-	-	-
100 years and over	2	6	1	1	-	1	-	-	1	4	-	-	-	-	-	-	-	-
Not stated	5	1	-	-	1	-	3	-	1	1	-	-	-	-	-	-	-	-
FLORIDA, all ages	12,750	8,682	7,235	4,957	980	552	199	100	4,326	3,266	8	7	2	-	-	-	-	-
Under 1 year	1,105	880	862	523	-	-	1	1	437	353	5	3	-	-	-	-	-	-
1 to 4 years	234	170	133	101	-	-	-	-	101	68	-	1	-	-	-	-	-	-
5 to 9 years	104	70	66	43	-	-	-	-	38	27	-	-	-	-	-	-	-	-
10 to 14 years	132	72	77	37	1	-	-	-	54	35	-	-	-	-	-	-	-	-
15 to 19 years	217	196	109	84	4	1	1	1	102	110	1	-	-	-	-	-	-	-
20 to 24 years	372	267	183	103	4	-	3	1	182	162	-	1	-	-	-	-	-	-
25 to 29 years	398	317	168	130	6	-	2	1	222	186	-	-	-	-	-	-	-	-
30 to 34 years	487	407	189	169	3	5	7	1	288	232	-	-	-	-	-	-	-	-
35 to 39 years	536	411	219	155	11	11	7	2	298	242	1	1	-	-	-	-	-	-
40 to 44 years	861	494	279	181	20	10	8	4	354	299	-	-	-	-	-	-	-	-
45 to 49 years	817	558	408	228	35	20	12	6	361	304	1	-	-	-	-	-	-	-
50 to 54 years	972	639	469	241	66	34	8	4	429	360	-	-	-	-	-	-	-	-
55 to 59 years	1,017	607	525	303	111	44	21	9	360	251	-	-	-	-	-	-	-	-
60 to 64 years	1,111	659	708	434	119	58	24	9	260	158	-	-	-	-	-	-	-	-
65 to 69 years	1,248	715	782	484	136	70	29	9	300	152	-	-	1	-	-	-	-	-
70 to 74 years	1,220	746	815	522	147	84	32	18	226	122	-	-	-	-	-	-	-	-
75 to 79 years	957	670	656	483	153	83	15	11	133	92	-	1	-	-	-	-	-	-
80 to 84 years	656	507	457	387	100	71	16	6	82	43	-	-	1	-	-	-	-	-
85 to 89 years	344	337	246	248	48	48	4	12	46	29	-	-	-	-	-	-	-	-
90 to 94 years	104	111	67	80	14	9	2	3	21	19	-	-	-	-	-	-	-	-
95 to 99 years	22	27	14	18	-	1	1	1	7	7	-	-	-	-	-	-	-	-
100 years and over	13	14	3	2	1	2	-	-	9	10	-	-	-	-	-	-	-	-
Not stated	23	8	-	1	1	1	8	1	16	5	-	-	-	-	-	-	-	-
GEORGIA, all ages	17,619	14,035	8,978	6,669	187	100	485	349	7,964	6,917	1	-	4	-	-	-	-	-
Under 1 year	2,261	1,704	1,149	828	-	-	10	5	1,102	871	-	-	-	-	-	-	-	-
1 to 4 years	467	442	231	205	-	-	4	10	232	227	-	-	-	-	-	-	-	-
5 to 9 years	187	160	99	89	-	-	4	2	84	69	-	-	-	-	-	-	-	-
10 to 14 years	187	126	105	49	-	-	4	2	78	75	-	-	-	-	-	-	-	-
15 to 19 years	363	349	169	99	3	-	8	8	183	242	-	-	-	-	-	-	-	-
20 to 24 years	604	484	241	141	7	-	12	8	344	335	-	-	-	-	-	-	-	-
25 to 29 years	663	529	237	155	-	-	14	8	412	366	-	-	-	-	-	-	-	-
30 to 34 years	671	581	237	179	-	-	11	4	423	378	-	-	-	-	-	-	-	-
35 to 39 years	775	697	320	237	1	1	19	8	435	451	-	-	-	-	-	-	-	-
40 to 44 years	877	776	332	228	11	3	17	9	517	536	-	-	-	-	-	-	-	-
45 to 49 years	1,191	811	511	264	15	4	30	21	634	522	1	-	-	-	-	-	-	-
50 to 54 years	1,373	919	605	325	19	3	43	28	705	565	-	-	1	-	-	-	-	-
55 to 59 years	1,445	925	738	402	26	5	41	11	639	507	-	-	1	-	-	-	-	-
60 to 64 years	1,376	975	807	502	20	11	50	34	498	428	-	-	1	-	-	-	-	-
65 to 69 years	1,575	1,144	961	660	20	17	89	61	524	406	-	-	1	-	-	-	-	-
70 to 74 years	1,358	1,105	814	702	23	16	51	38	470	349	-	-	-	-	-	-	-	-
75 to 79 years	966	816	620	560	23	13	32	27	291	216	-	-	-	-	-	-	-	-
80 to 84 years	689	741	475	560	6	16	37	32	171	133	-	-	-	-	-	-	-	-
85 to 89 years	340	473	226	341	7	7	17	18	90	107	-	-	-	-	-	-	-	-
90 to 94 years	139	164	84	102	3	3	5	6	47	53	-	-	-	-	-	-	-	-
95 to 99 years	35	57	9	30	-	1	-	4	26	22	-	-	-	-	-	-	-	-
100 years and over	24	46	1	4	-	-	-	-	23	42	-	-	-	-	-	-	-	-
Not stated	53	31	7	7	3	-	7	7	36	17	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
IDAHO, all ages	2,788	1,674	2,269	1,386	400	238	73	13	9	4	27	31	2	1	8	1	-	-
Under 1 year	228	189	221	182	-	-	-	-	-	-	6	7	-	-	1	-	-	-
1 to 4 years	60	39	53	34	-	-	-	-	-	-	5	5	-	-	2	-	-	-
5 to 9 years	27	14	27	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 to 14 years	24	20	24	17	-	-	-	-	-	-	-	3	-	-	-	-	-	-
15 to 19 years	51	33	45	33	1	-	2	-	-	-	2	-	-	-	1	-	-	-
20 to 24 years	44	34	42	33	-	-	-	-	-	-	2	1	-	-	-	-	-	-
25 to 29 years	66	36	62	32	1	1	3	-	-	-	-	2	-	-	-	1	-	-
30 to 34 years	62	37	56	34	3	2	1	1	-	-	2	-	-	-	-	-	-	-
35 to 39 years	63	47	59	44	-	2	3	-	-	-	1	1	-	-	-	-	-	-
40 to 44 years	82	48	72	45	8	3	2	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	125	70	106	65	15	3	3	-	1	-	-	1	-	1	-	-	-	-
50 to 54 years	174	101	137	85	31	11	3	3	1	1	2	1	-	-	-	-	-	-
55 to 59 years	201	99	160	81	32	14	6	2	1	1	1	1	1	-	-	-	-	-
60 to 64 years	278	135	228	107	41	26	7	1	-	-	-	1	-	-	2	-	-	-
65 to 69 years	274	164	224	135	38	27	9	-	2	1	-	1	-	-	1	-	-	-
70 to 74 years	315	188	242	147	56	40	12	1	2	-	2	-	-	-	1	-	-	-
75 to 79 years	334	163	229	123	90	37	12	2	-	-	2	1	1	-	-	-	-	-
80 to 84 years	239	150	174	105	58	41	6	1	1	-	-	3	-	-	-	-	-	-
85 to 89 years	102	72	81	52	18	17	1	2	1	-	1	1	-	-	-	-	-	-
90 to 94 years	31	29	22	18	7	11	1	-	-	-	1	-	-	-	-	-	-	-
95 to 99 years	4	4	3	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-
100 years and over	3	2	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS, all ages	49,184	37,398	31,280	24,651	13,577	9,641	895	255	3,354	2,845	9	4	55	1	6	1	8	-
Under 1 year	2,702	1,959	2,484	1,790	1	1	1	-	216	168	-	-	-	-	-	-	-	-
1 to 4 years	587	433	524	385	-	-	-	-	63	48	-	-	-	-	-	-	-	-
5 to 9 years	309	235	283	204	-	-	-	-	25	30	1	1	-	-	-	-	-	-
10 to 14 years	348	226	316	199	2	1	3	1	27	25	-	-	-	-	-	-	-	-
15 to 19 years	626	425	543	339	11	3	4	-	86	82	-	-	2	1	-	-	-	-
20 to 24 years	787	632	657	509	11	11	6	4	110	107	-	1	3	-	-	-	-	-
25 to 29 years	914	744	746	583	24	22	11	3	133	136	-	-	-	-	-	-	-	-
30 to 34 years	1,060	837	760	624	78	56	13	7	183	149	1	1	1	-	-	-	4	-
35 to 39 years	1,474	992	1,040	674	166	106	21	6	238	205	2	-	4	-	-	1	3	-
40 to 44 years	1,935	1,342	1,272	901	335	189	37	11	284	241	1	-	5	-	1	-	-	-
45 to 49 years	2,906	1,920	1,755	1,235	761	420	63	11	324	253	-	1	2	-	1	-	-	-
50 to 54 years	4,079	2,381	2,275	1,430	1,309	659	112	18	375	274	-	-	6	-	2	-	-	-
55 to 59 years	4,620	2,814	2,589	1,706	1,580	838	125	17	318	253	1	-	4	-	2	-	1	-
60 to 64 years	5,075	3,255	2,821	1,973	1,822	1,011	122	26	301	245	1	-	8	-	-	-	-	-
65 to 69 years	5,594	4,008	3,345	2,474	1,844	1,274	122	25	271	235	2	-	10	-	-	-	-	-
70 to 74 years	5,622	4,542	3,456	2,821	1,877	1,539	104	38	179	144	-	-	6	-	-	-	-	-
75 to 79 years	4,745	4,446	2,778	2,797	1,757	1,490	76	35	132	124	-	-	2	-	-	-	-	-
80 to 84 years	3,606	3,477	2,263	2,285	1,246	1,100	43	29	53	63	-	-	1	-	-	-	-	-
85 to 89 years	1,611	1,888	1,040	1,229	517	610	19	17	35	52	-	-	-	-	-	-	-	-
90 to 94 years	455	657	249	392	193	246	4	4	9	15	-	-	-	-	-	-	-	-
95 to 99 years	101	159	52	90	38	54	3	2	7	13	-	-	1	-	-	-	-	-
100 years and over	19	23	10	10	5	10	-	-	4	3	-	-	-	-	-	-	-	-
Not stated	9	3	2	1	-	1	6	1	1	-	-	-	-	-	-	-	-	-
INDIANA, all ages	22,221	17,630	19,184	15,586	1,739	1,058	247	123	1,048	861	-	1	-	-	1	1	2	-
Under 1 year	1,570	1,045	1,482	984	-	-	1	1	87	60	-	-	-	-	-	-	-	-
1 to 4 years	289	233	267	221	-	-	-	-	21	12	-	-	-	-	-	-	1	-
5 to 9 years	176	120	168	116	-	-	2	1	6	3	-	-	-	-	-	-	-	-
10 to 14 years	184	138	173	126	-	-	1	1	10	11	-	-	-	-	-	-	-	-
15 to 19 years	322	229	303	200	-	-	3	-	16	29	-	-	-	-	-	-	-	-
20 to 24 years	379	261	349	225	3	1	2	3	25	32	-	-	-	-	-	-	-	-
25 to 29 years	384	307	341	274	1	4	3	1	39	28	-	-	-	-	-	-	-	-
30 to 34 years	419	355	367	297	11	10	4	1	37	47	-	-	-	-	-	-	-	-
35 to 39 years	553	422	482	346	24	14	7	2	60	60	-	-	-	-	-	-	-	-
40 to 44 years	756	490	623	403	47	20	3	6	83	60	-	-	-	-	-	1	-	-
45 to 49 years	987	699	814	578	95	44	7	6	71	70	-	1	-	-	-	-	-	-
50 to 54 years	1,303	873	1,022	751	172	58	14	2	95	62	-	-	-	-	-	-	-	-
55 to 59 years	1,651	1,089	1,348	922	190	89	26	7	85	71	-	-	-	-	1	-	1	-
60 to 64 years	2,066	1,404	1,726	1,235	218	100	35	5	87	64	-	-	-	-	-	-	-	-
65 to 69 years	2,405	1,879	2,074	1,655	199	124	26	9	106	91	-	-	-	-	-	-	-	-
70 to 74 years	2,740	2,229	2,379	2,014	250	142	33	24	78	49	-	-	-	-	-	-	-	-
75 to 79 years	2,528	2,276	2,196	2,049	229	164	25	24	78	39	-	-	-	-	-	-	-	-
80 to 84 years	2,087	2,051	1,869	1,868	160	140	27	10	31	33	-	-	-	-	-	-	-	-
85 to 89 years	1,063	1,066	934	951	92	86	15	10	22	19	-	-	-	-	-	-	-	-
90 to 94 years	279	374	236	304	37	50	-	7	6	13	-	-	-	-	-	-	-	-
95 to 99 years	56	61	44	47	10	10	-	1	2	3	-	-	-	-	-	-	-	-
100 years and over	8	13	5	8	-	1	1	-	2	4	-	-	-	-	-	-	-	-
Not stated	16	16	2	12	1	1	12	2	1	1	-	-	-	-	-	-	-	-
IOWA, all ages	14,474	11,203	11,882	9,307	2,317	1,738	154	59	118	97	2	2	-	-	-	-	1	-
Under 1 year	977	699	967	694	-	-	-	-	10	4	-	1	-	-	-	-	-	-
1 to 4 years	153	134	150	131	-	-	-	-	2	3	1	-	-	-	-	-	-	-
5 to 9 years	97	56	94	55	1	-	-	1	2	-	-	-	-	-	-	-	-	-
10 to 14 years	100	68	99	66	1	2	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	167	116	167	113	-	2	-	-	-	1	-	-	-	-	-	-	-	-
20 to 24 years	161	119	159	119	-	-	2	-	-	-	-	-	-	-	-	-	-	-
25 to 29 years	200	147	195	141	1	1	1	1	3	4	-	-	-	-	-	-	-	-
30 to 34 years	207	148	199	141	4	6	2	-	2	1	-	-	-	-	-	-	-	-
35 to 39 years	265	208	247	198	13	7	5	-	2	2	-	1	-	-	-	-	-	-
40 to 44 years	356	272	332	257	18	11	2	1	3	3	1	-	-	-	-	-	-	-
45 to 49 years	560	412	500	383	38	16	7	2	14	11	-	-	-	-	-	-	1	-
50 to 54 years	758	498	664	443	71	43	12	4	11	8	-	-	-	-	-	-	-	-
55 to 59 years	993	650	858	576	116	68	8	1	11	5	-	-	-	-	-	-	-	-
60 to 64 years	1,322	817	1,105	695	187	105	16	5	14	12	-	-	-	-	-	-	-	-
65 to 69 years	1,542	1,102	1,273	920	238	167	19	5	12	10	-	-	-	-	-	-	-	-
70 to 74 years	2,003	1,429	1,578	1,166	396	242	23	9	6	12	-	-	-	-	-	-	-	-
75 to 79 years	1,766	1,564	1,294	1,193	441	348	24	13	7	10	-	-	-	-	-	-	-	-
80 to 84 years	1,680	1,470	1,241	1,089	409	363	20	11	10	7	-	-	-	-	-	-	-	-
85 to 89 years	811	869	541	648	260	214	5	5	5	2	-	-	-	-	-	-	-	-
90 to 94 years	279	352	173	231	104	119	-	1	2	1	-	-	-	-	-	-	-	-
95 to 99 years	61	85	41	42	18	23	2	-	-	-	-	-	-	-	-	-	-	-
100 years and over	5	6	3	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	2	2	1	-	-	8	-	1	1	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
KANSAS, all ages	10,500	7,948	8,771	6,653	1,070	765	157	49	489	479	13	2	-	-	-	-	-	-
Under 1 year	642	503	605	471	-	-	1	1	34	30	2	1	-	-	-	-	-	-
1 to 4 years	123	123	116	118	-	-	-	-	7	5	-	-	-	-	-	-	-	-
5 to 9 years	77	58	72	52	-	-	-	1	5	5	-	-	-	-	-	-	-	-
10 to 14 years	102	38	97	36	-	-	-	-	5	2	-	-	-	-	-	-	-	-
15 to 19 years	163	91	145	76	-	1	2	-	16	14	-	-	-	-	-	-	-	-
20 to 24 years	147	116	136	101	2	1	1	-	8	14	-	-	-	-	-	-	-	-
25 to 29 years	177	144	159	132	2	3	1	-	15	9	-	-	-	-	-	-	-	-
30 to 34 years	180	131	157	114	4	3	1	1	18	13	-	-	-	-	-	-	-	-
35 to 39 years	208	158	191	140	1	2	-	2	15	14	1	-	-	-	-	-	-	-
40 to 44 years	283	229	241	191	10	4	4	1	28	33	-	-	-	-	-	-	-	-
45 to 49 years	393	275	339	228	13	11	7	1	34	35	-	-	-	-	-	-	-	-
50 to 54 years	567	376	493	324	34	19	9	3	29	30	2	-	-	-	-	-	-	-
55 to 59 years	700	472	585	405	53	22	17	-	44	45	1	-	-	-	-	-	-	-
60 to 64 years	948	625	810	522	76	53	16	1	45	49	1	-	-	-	-	-	-	-
65 to 69 years	1,174	829	964	696	126	74	20	7	62	52	2	-	-	-	-	-	-	-
70 to 74 years	1,342	949	1,092	793	177	104	21	7	50	45	2	-	-	-	-	-	-	-
75 to 79 years	1,271	1,024	996	820	224	163	24	8	28	33	1	-	-	-	-	-	-	-
80 to 84 years	1,136	940	913	757	184	154	16	9	23	20	-	-	-	-	-	-	-	-
85 to 89 years	602	568	463	450	115	96	10	5	14	17	-	-	-	-	-	-	-	-
90 to 94 years	214	244	165	195	41	39	2	1	6	8	-	1	-	-	-	-	-	-
95 to 99 years	39	48	29	29	7	14	-	1	3	4	-	-	-	-	-	-	-	-
100 years and over	8	7	3	5	1	2	1	-	2	2	1	-	-	-	-	-	-	-
Not stated	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
KENTUCKY, all ages	16,834	13,589	14,289	11,560	265	206	128	41	2,151	1,762	-	-	1	-	-	-	-	-
Under 1 year	2,162	1,576	1,985	1,456	-	-	-	-	177	120	-	-	-	-	-	-	-	-
1 to 4 years	590	482	546	444	-	-	-	-	44	38	-	-	-	-	-	-	-	-
5 to 9 years	219	154	198	137	-	-	-	-	21	17	-	-	-	-	-	-	-	-
10 to 14 years	184	112	163	96	-	-	-	-	21	16	-	-	-	-	-	-	-	-
15 to 19 years	360	277	313	230	-	-	1	2	46	45	-	-	-	-	-	-	-	-
20 to 24 years	436	371	352	313	-	-	9	1	75	57	-	-	-	-	-	-	-	-
25 to 29 years	484	352	389	301	3	-	6	1	86	50	-	-	-	-	-	-	-	-
30 to 34 years	506	346	422	269	2	-	4	4	78	73	-	-	-	-	-	-	-	-
35 to 39 years	515	393	404	307	3	4	6	-	102	82	-	-	-	-	-	-	-	-
40 to 44 years	612	466	499	349	3	1	3	-	107	116	-	-	-	-	-	-	-	-
45 to 49 years	785	551	612	407	6	3	1	1	165	140	-	-	1	-	-	-	-	-
50 to 54 years	846	618	638	474	14	7	3	3	191	134	-	-	-	-	-	-	-	-
55 to 59 years	1,045	783	833	638	24	8	11	2	177	135	-	-	-	-	-	-	-	-
60 to 64 years	1,232	863	1,017	704	32	23	15	1	168	135	-	-	-	-	-	-	-	-
65 to 69 years	1,544	1,285	1,314	1,059	29	35	14	2	187	169	-	-	-	-	-	-	-	-
70 to 74 years	1,726	1,433	1,506	1,259	34	20	19	9	167	145	-	-	-	-	-	-	-	-
75 to 79 years	1,453	1,394	1,257	1,236	52	44	14	5	130	109	-	-	-	-	-	-	-	-
80 to 84 years	1,201	1,166	1,058	1,038	43	32	11	7	91	89	-	-	-	-	-	-	-	-
85 to 89 years	666	620	575	586	18	15	5	-	68	39	-	-	-	-	-	-	-	-
90 to 94 years	193	260	165	224	1	8	2	3	25	25	-	-	-	-	-	-	-	-
95 to 99 years	50	62	38	42	1	6	-	-	11	14	-	-	-	-	-	-	-	-
100 years and over	16	18	5	4	-	-	1	-	10	14	-	-	-	-	-	-	-	-
Not stated	9	7	2	7	-	-	3	-	4	-	-	-	-	-	-	-	1	-
LOUISIANA, all ages	13,302	10,547	6,860	5,016	531	301	146	67	5,739	5,159	7	4	14	-	1	-	4	-
Under 1 year	1,774	1,383	816	609	-	-	1	2	953	770	4	2	-	-	-	-	-	-
1 to 4 years	325	270	162	128	-	-	-	1	161	141	2	-	-	-	-	-	-	-
5 to 9 years	113	104	66	51	-	-	-	-	47	53	-	-	-	-	-	-	-	-
10 to 14 years	144	106	75	45	-	-	-	-	69	61	-	-	-	-	-	-	-	-
15 to 19 years	262	210	126	76	-	1	1	-	135	133	-	-	-	-	-	-	-	-
20 to 24 years	388	292	190	93	2	1	5	2	191	196	-	-	-	-	-	-	-	-
25 to 29 years	402	314	175	106	3	1	3	1	221	206	-	-	-	-	-	-	-	-
30 to 34 years	414	382	175	125	1	2	6	4	231	251	-	-	-	-	-	-	1	-
35 to 39 years	523	457	248	147	2	3	5	-	265	287	-	-	2	-	-	-	1	-
40 to 44 years	613	522	299	180	11	5	6	1	294	336	-	-	2	-	-	-	1	-
45 to 49 years	828	602	410	232	16	10	5	4	395	356	-	-	2	-	-	-	-	-
50 to 54 years	995	697	471	283	43	10	14	6	467	396	-	2	-	-	-	-	-	-
55 to 59 years	1,099	698	590	309	45	28	11	3	452	358	-	-	-	-	1	-	-	-
60 to 64 years	1,136	787	638	398	72	36	16	4	408	349	-	-	2	-	-	-	-	-
65 to 69 years	1,303	967	715	531	79	45	17	7	490	384	1	-	1	-	-	-	-	-
70 to 74 years	1,091	858	642	538	89	41	11	3	346	276	-	-	2	-	-	-	1	-
75 to 79 years	832	723	487	459	71	46	19	8	252	210	-	-	3	-	-	-	-	-
80 to 84 years	514	550	304	381	52	33	12	8	146	128	-	-	-	-	-	-	-	-
85 to 89 years	329	365	196	228	29	25	3	6	101	106	-	-	-	-	-	-	-	-
90 to 94 years	124	158	59	67	10	11	2	2	53	78	-	-	-	-	-	-	-	-
95 to 99 years	37	68	7	23	4	2	-	-	26	43	-	-	-	-	-	-	-	-
100 years and over	18	33	3	2	1	-	-	1	14	30	-	-	-	-	-	-	-	-
Not stated	38	21	6	5	1	1	9	4	22	11	-	-	-	-	-	-	-	-
MAINE, all ages	5,737	4,731	4,629	3,825	1,058	879	29	14	9	7	11	6	1	-	-	-	-	-
Under 1 year	468	350	466	347	-	-	1	1	-	1	1	1	-	-	-	-	-	-
1 to 4 years	76	66	73	65	1	1	-	-	2	-	-	-	-	-	-	-	-	-
5 to 9 years	34	33	35	33	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10 to 14 years	53	22	52	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	77	35	69	35	7	-	-	-	-	-	1	-	-	-	-	-	-	-
20 to 24 years	87	86	78	62	9	3	-	-	-	1	-	-	-	-	-	-	-	-
25 to 29 years	57	68	51	66	6	2	-	-	-	-	-	-	-	-	-	-	-	-
30 to 34 years	84	64	75	63	8	1	-	-	1	-	-	-	-	-	-	-	-	-
35 to 39 years	87	87	75	72	12	14	-	-	-	1	-	-	-	-	-	-	-	-
40 to 44 years	135	124	108	98	27	23	-	-	-	2	-	1	-	-	-	-	-	-
45 to 49 years	199	158	171	125	27	32	-	1	-	-	1	-	-	-	-	-	-	-
50 to 54 years	276	196	204	143	68	53	4	-	-	-	-	-	-	-	-	-	-	-
55 to 59 years	388	285	291	223	88	60	6	1	1	-	2	1	-	-	-	-	-	-
60 to 64 years	537	350	377	266	155	82	3	1	1	1	1	-	-	-	-	-	-	-
65 to 69 years	671	472	507	367	154	102	7	1	1	1	2	1	-	-	-	-	-	-
70 to 74 years	769	631	609	478	153	149	4	2	2	-	1	2	-	-	-	-	-	-
75 to 79 years	714	620	553	470	160	148	1	2	-	-	-	-	-	-	-	-	-	-
80 to 84 years	595	553	483	452	105	117	2	4	1	-	1	-	1	-	-	-	-	-
85 to 89 years	309	357	253	300	55	56	1	1	-	-	-	-	-	-	-	-	-	-
90 to 94 years	98	149	80	122	18	27	-	-	-	-	-	-	-	-	-	-	-	-
95 to 99 years	22	40	20	34	2	6	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	1	5	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
MARYLAND, all ages	12,128	9,870	7,993	6,638	1,120	912	141	57	2,863	2,262	-	-	9	-	-	-	2	1
Under 1 year	1,071	856	672	545	-	-	1	4	398	307	-	-	-	-	-	-	-	-
1 to 4 years	189	183	113	115	-	-	2	3	74	65	-	-	-	-	-	-	-	-
5 to 9 years	93	68	72	46	-	-	-	-	21	22	-	-	-	-	-	-	-	-
10 to 14 years	69	64	39	42	-	-	1	1	29	21	-	-	-	-	-	-	-	-
15 to 19 years	169	164	102	73	-	-	-	-	67	91	-	-	-	-	-	-	-	-
20 to 24 years	231	171	125	80	2	2	1	1	103	88	-	-	-	-	-	-	-	-
25 to 29 years	301	214	162	131	3	1	4	1	132	81	-	-	-	-	-	-	-	-
30 to 34 years	318	233	170	133	8	5	5	2	135	92	-	-	-	-	-	-	-	1
35 to 39 years	429	260	240	154	19	9	3	3	166	94	-	-	-	-	-	-	1	-
40 to 44 years	554	352	309	182	32	20	8	1	205	149	-	-	-	-	-	-	-	-
45 to 49 years	752	452	458	275	57	27	8	2	228	148	-	-	1	-	-	-	-	-
50 to 54 years	957	596	574	347	96	54	12	1	273	194	-	-	2	-	-	-	-	-
55 to 59 years	1,085	675	709	396	146	90	11	6	218	183	-	-	1	-	-	-	-	-
60 to 64 years	1,206	817	796	534	186	97	22	3	200	183	-	-	2	-	-	-	-	-
65 to 69 years	1,347	1,040	919	712	183	133	17	7	246	188	-	-	2	-	-	-	-	-
70 to 74 years	1,203	1,113	900	818	137	153	11	6	154	136	-	-	-	-	-	-	1	-
75 to 79 years	980	1,073	750	833	116	145	14	7	99	88	-	-	1	-	-	-	-	-
80 to 84 years	692	870	539	712	89	97	7	3	57	58	-	-	-	-	-	-	-	-
85 to 89 years	342	444	269	360	44	46	6	3	23	35	-	-	-	-	-	-	-	-
90 to 94 years	94	169	58	121	18	24	3	3	15	21	-	-	-	-	-	-	-	-
95 to 99 years	19	43	12	27	2	6	-	-	5	10	-	-	-	-	-	-	-	-
100 years and over	10	4	3	-	1	1	-	-	6	3	-	-	-	-	-	-	-	-
Not stated	17	9	2	2	1	2	5	-	9	5	-	-	-	-	-	-	-	-
MASSACHUSETTS, all ages	26,570	24,028	16,083	14,207	9,880	9,375	121	64	424	371	7	4	48	4	3	-	4	3
Under 1 year	1,442	1,022	1,410	991	-	-	2	1	30	30	-	-	-	-	-	-	-	-
1 to 4 years	260	206	250	204	-	-	-	-	10	2	-	-	-	-	-	-	-	-
5 to 9 years	134	88	131	87	1	-	-	-	1	-	1	-	-	1	-	-	-	-
10 to 14 years	148	80	143	76	2	2	1	-	2	2	-	-	-	-	-	-	-	-
15 to 19 years	259	171	242	151	7	5	3	-	4	14	-	-	3	1	-	-	-	-
20 to 24 years	328	229	297	202	13	14	4	-	11	12	2	-	-	-	-	-	1	1
25 to 29 years	328	301	296	269	13	17	5	2	13	12	-	-	1	1	-	-	-	-
30 to 34 years	423	359	361	283	43	64	3	2	15	10	-	-	1	-	-	-	-	-
35 to 39 years	585	429	471	324	97	89	2	1	13	15	-	-	1	-	-	-	1	-
40 to 44 years	898	686	624	478	232	182	6	3	31	22	-	-	5	-	-	-	-	1
45 to 49 years	1,390	972	901	592	447	358	5	2	29	19	-	-	7	-	-	-	1	1
50 to 54 years	1,992	1,308	1,089	711	841	572	13	3	42	22	-	-	6	-	1	-	-	-
55 to 59 years	2,422	1,630	1,250	816	1,113	772	9	3	46	39	1	-	1	-	1	-	1	-
60 to 64 years	2,902	2,202	1,481	1,095	1,365	1,063	7	7	41	36	-	-	8	1	-	-	-	-
65 to 69 years	3,315	2,981	1,755	1,554	1,497	1,383	12	8	43	34	-	2	8	-	-	-	-	-
70 to 74 years	3,448	3,245	1,766	1,623	1,613	1,578	14	9	49	35	-	-	5	-	1	-	-	-
75 to 79 years	2,899	3,210	1,558	1,665	1,302	1,509	11	6	24	29	2	1	2	-	-	-	-	-
80 to 84 years	2,038	2,672	1,225	1,613	794	1,033	8	10	10	16	1	-	-	-	-	-	-	-
85 to 89 years	946	1,498	590	1,003	344	477	7	4	5	13	-	1	-	-	-	-	-	-
90 to 94 years	315	569	188	357	124	209	1	-	2	3	-	-	-	-	-	-	-	-
95 to 99 years	56	133	35	89	19	42	-	-	2	2	-	-	-	-	-	-	-	-
100 years and over	8	26	5	17	2	5	-	-	1	4	-	-	-	-	-	-	-	-
Not stated	34	11	15	7	11	1	8	3	-	-	-	-	-	-	-	-	-	-
MICHIGAN, all ages	30,095	22,638	19,763	15,148	8,351	6,066	435	130	1,455	1,235	73	56	16	2	-	-	2	1
Under 1 year	2,375	1,786	2,244	1,675	2	18	-	-	115	85	13	8	1	-	-	-	-	-
1 to 4 years	426	327	401	295	1	5	-	-	23	23	1	3	-	1	-	-	-	-
5 to 9 years	241	189	227	171	2	7	1	-	11	11	-	-	-	-	-	-	-	-
10 to 14 years	260	168	241	144	2	5	1	-	16	19	-	-	-	-	-	-	-	-
15 to 19 years	468	263	421	208	10	12	-	-	35	42	1	1	1	-	1	-	-	-
20 to 24 years	565	393	498	311	24	27	8	-	33	49	2	6	-	-	-	-	-	-
25 to 29 years	553	435	461	335	30	36	2	3	56	61	3	-	1	-	-	-	-	-
30 to 34 years	623	553	474	428	53	49	4	1	88	73	3	2	1	-	-	-	-	-
35 to 39 years	895	615	641	430	114	80	11	4	126	97	2	4	-	-	-	-	1	-
40 to 44 years	1,175	806	750	516	230	156	29	5	158	126	5	3	3	-	-	-	-	-
45 to 49 years	1,811	1,113	1,059	691	528	283	31	8	189	128	4	3	-	-	-	-	-	-
50 to 54 years	2,221	1,336	1,279	857	758	359	40	8	137	107	6	4	1	-	-	-	-	1
55 to 59 years	2,638	1,509	1,564	971	907	428	43	8	117	98	6	4	1	-	-	-	-	-
60 to 64 years	2,830	1,877	1,710	1,201	970	569	44	12	97	91	5	4	3	-	-	-	1	-
65 to 69 years	2,964	2,268	1,865	1,452	958	731	58	17	72	65	9	3	2	-	-	-	-	-
70 to 74 years	3,116	2,526	1,892	1,549	1,104	899	40	13	75	62	3	3	2	-	-	-	-	-
75 to 79 years	3,039	2,550	1,759	1,528	1,176	954	44	22	56	42	4	3	-	1	-	-	-	-
80 to 84 years	2,306	2,176	1,386	1,345	860	790	33	15	24	25	3	1	-	-	-	-	-	-
85 to 89 years	1,144	1,250	665	773	443	454	19	9	15	13	2	1	-	-	-	-	-	-
90 to 94 years	344	386	186	211	144	159	8	2	6	11	-	3	-	-	-	-	-	-
95 to 99 years	53	82	28	47	22	31	-	-	2	4	1	-	-	-	-	-	-	-
100 years and over	17	19	7	7	6	10	-	-	4	2	-	-	-	-	-	-	-	-
Not stated	31	11	5	3	7	4	19	3	-	1	-	-	-	-	-	-	-	-
MINNESOTA, all ages	15,042	11,098	9,170	6,806	5,534	4,114	111	57	111	52	110	88	4	1	-	-	2	-
Under 1 year	1,087	787	1,050	748	1	21	1	-	7	2	28	16	-	-	-	-	-	-
1 to 4 years	192	138	188	127	-	7	-	-	1	-	3	3	-	1	-	-	-	-
5 to 9 years	127	65	122	62	-	-	-	-	1	-	4	3	-	-	-	-	-	-
10 to 14 years	121	65	113	60	2	3	-	-	1	2	5	-	-	-	-	-	-	-
15 to 19 years	186	130	177	115	5	6	-	-	-	3	4	8	-	-	-	-	-	-
20 to 24 years	236	147	219	129	3	10	7	-	1	1	6	7	-	-	-	-	-	-
25 to 29 years	253	162	243	151	3	6	2	-	-	2	5	3	-	-	-	-	-	-
30 to 34 years	257	199	239	183	10	14	1	-	3	1	4	1	-	-	-	-	-	-
35 to 39 years	307	238	272	203	29	29	1	1	4	1	1	4	-	-	-	-	-	-
40 to 44 years	482	308	401	263	63	38	2	-	11	5	5	2	-	-	-	-	-	-
45 to 49 years	598	455	483	379	101	69	4	1	6	3	4	3	-	-	-	-	-	-
50 to 54 years	870	562	613	420	228	131	11	1	14	8	3	4	-	-	-	-	1	-
55 to 59 years	1,186	674	748	479	409	185	12	5	13	3	4	2	-	-	-	-	-	-
60 to 64 years	1,286	860	741	539	512	310	18	3	7	5	6	3	1	-	-	-	1	-
65 to 69 years	1,592	1,141	903	665	658	462	14	5	12	4	5	5	-	-	-	-	-	-
70 to 74 years	1,871	1,348	971	703	887	626	6	4	16	6	9	9	2	-	-	-	-	-
75 to 79 years	1,816	1,440	746	633	1,044	792	13	3	6	6	7	6	-	-	-	-	-	-
80 to 84 years	1,483	1,328	593	599	872	719	10	5	5	-	2	5	1	-	-	-	-	-
85 to 89 years	796	686	264	236	521	441	4	3	3	2	4	4	-	-	-	-	-	-
90 to 94 years	236	277	73	82	162	195	1	-	-	-	-	2	-	-	-	-	-	-
95 to 99 years	53	69	10	23	43	46	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	2	12	1	7	-	5	-	-	-	-	1	-	-	-	-	-	-	-
Not stated	5	7	-	-	1	1	4	6	-	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
MISSISSIPPI, all ages	12,428	10,404	5,316	4,004	88	47	111	77	6,885	6,251	18	21	10	4	-	-	-	-
Under 1 year	1,692	1,324	649	506	-	-	3	3	1,036	812	4	3	-	-	-	-	-	-
1 to 4 years	423	364	139	119	-	-	1	2	281	242	2	1	-	-	-	-	-	-
5 to 9 years	158	127	69	51	-	-	-	2	89	72	-	1	-	1	-	-	-	-
10 to 14 years	155	124	65	41	-	-	1	1	88	80	1	1	-	1	-	-	-	-
15 to 19 years	273	271	98	65	-	-	1	-	174	206	-	-	-	-	-	-	-	-
20 to 24 years	415	344	151	73	1	-	3	2	258	265	2	4	-	-	-	-	-	-
25 to 29 years	396	371	143	88	-	-	5	2	246	260	-	1	2	-	-	-	-	-
30 to 34 years	428	379	151	99	1	1	2	-	272	278	1	1	1	-	-	-	-	-
35 to 39 years	484	473	177	113	2	1	3	3	300	354	2	2	-	-	-	-	-	-
40 to 44 years	515	513	172	117	3	3	4	4	336	388	-	-	-	1	-	-	-	-
45 to 49 years	647	520	238	158	1	-	7	3	399	358	1	1	1	-	-	-	-	-
50 to 54 years	755	625	304	147	5	1	6	4	437	472	-	1	3	-	-	-	-	-
55 to 59 years	853	668	363	232	5	1	5	4	479	429	-	2	1	-	-	-	-	-
60 to 64 years	996	714	456	289	12	4	9	4	518	416	1	-	-	1	-	-	-	-
65 to 69 years	1,153	864	574	420	16	9	22	11	541	424	-	-	-	-	-	-	-	-
70 to 74 years	1,062	805	542	409	11	4	14	9	493	382	1	1	1	-	-	-	-	-
75 to 79 years	810	644	424	363	15	6	8	5	360	269	2	1	1	-	-	-	-	-
80 to 84 years	603	565	340	363	6	9	8	4	248	188	1	1	-	-	-	-	-	-
85 to 89 years	369	414	189	247	10	5	4	8	166	154	-	-	-	-	-	-	-	-
90 to 94 years	137	162	60	76	-	3	2	1	75	82	-	-	-	-	-	-	-	-
95 to 99 years	51	72	6	18	-	-	1	-	44	54	-	-	-	-	-	-	-	-
100 years and over	31	47	3	4	-	-	-	-	28	43	-	-	-	-	-	-	-	-
Not stated	22	14	3	6	-	-	2	5	17	3	-	-	-	-	-	-	-	-
MISSOURI, all ages	24,114	18,880	19,355	15,306	2,010	1,407	460	173	2,272	1,994	11	-	5	-	-	-	1	-
Under 1 year	1,722	1,297	1,519	1,141	-	-	3	1	200	155	-	-	-	-	-	-	-	-
1 to 4 years	373	348	331	296	-	-	-	2	42	48	-	-	-	-	-	-	-	-
5 to 9 years	137	147	127	131	-	-	1	-	8	16	-	-	1	-	-	-	-	-
10 to 14 years	186	111	170	98	-	-	2	1	14	12	-	-	-	-	-	-	-	-
15 to 19 years	347	246	310	195	3	-	1	-	33	51	-	-	-	-	-	-	-	-
20 to 24 years	372	288	301	224	1	-	4	-	64	64	2	-	-	-	-	-	-	-
25 to 29 years	395	320	302	246	2	5	10	-	79	69	1	-	1	-	-	-	-	-
30 to 34 years	458	430	366	320	6	9	7	3	78	98	1	-	-	-	-	-	-	-
35 to 39 years	590	518	460	358	7	7	13	2	106	151	3	-	-	-	-	-	1	-
40 to 44 years	817	610	635	437	33	12	13	3	134	158	1	-	1	-	-	-	-	-
45 to 49 years	1,118	769	846	564	51	39	22	5	199	161	-	-	-	-	-	-	-	-
50 to 54 years	1,569	964	1,153	728	127	59	28	7	260	170	1	-	-	-	-	-	-	-
55 to 59 years	1,897	1,141	1,477	899	177	88	37	9	206	145	-	-	-	-	-	-	-	-
60 to 64 years	2,203	1,426	1,737	1,153	236	121	39	15	191	137	-	-	-	-	-	-	-	-
65 to 69 years	2,659	1,969	2,121	1,601	286	177	45	22	225	169	-	-	2	-	-	-	-	-
70 to 74 years	2,979	2,306	2,425	1,922	313	219	67	28	173	137	1	-	-	-	-	-	-	-
75 to 79 years	2,622	2,308	2,118	1,920	314	249	69	28	120	111	1	-	-	-	-	-	-	-
80 to 84 years	2,085	1,918	1,688	1,649	250	190	56	20	71	59	-	-	-	-	-	-	-	-
85 to 89 years	1,128	1,154	913	959	155	139	21	17	39	39	-	-	-	-	-	-	-	-
90 to 94 years	376	464	296	363	58	71	7	6	15	24	-	-	-	-	-	-	-	-
95 to 99 years	74	122	53	89	9	19	2	1	10	13	-	-	-	-	-	-	-	-
100 years and over	9	15	4	7	1	3	1	-	3	5	-	-	-	-	-	-	-	-
Not stated	18	11	3	6	1	-	12	3	2	2	-	-	-	-	-	-	-	-
MONTANA, all ages	3,681	1,992	2,390	1,371	1,023	473	61	4	16	8	175	136	8	-	6	-	2	-
Under 1 year	254	184	212	156	-	1	-	-	-	-	42	27	-	-	-	-	-	-
1 to 4 years	71	43	52	27	-	-	-	-	1	-	18	16	-	-	-	-	-	-
5 to 9 years	30	26	24	24	1	-	-	-	-	-	5	2	-	-	-	-	-	-
10 to 14 years	38	25	28	19	-	-	-	-	-	-	10	6	-	-	-	-	-	-
15 to 19 years	68	43	58	30	-	-	-	-	-	-	10	13	-	-	-	-	-	-
20 to 24 years	69	46	63	32	-	3	-	1	-	-	5	10	1	-	-	-	-	-
25 to 29 years	70	43	63	32	2	3	-	-	1	-	4	8	-	-	-	-	-	-
30 to 34 years	81	47	62	39	8	5	1	-	1	-	7	3	-	-	-	-	2	-
35 to 39 years	78	44	58	42	12	-	1	-	-	-	7	2	-	-	-	-	-	-
40 to 44 years	121	68	97	60	13	5	2	1	1	1	8	1	-	-	-	-	-	-
45 to 49 years	154	92	102	74	46	14	4	-	-	-	2	4	-	-	-	-	-	-
50 to 54 years	268	104	162	81	93	20	4	-	1	2	6	1	1	-	1	-	-	-
55 to 59 years	340	152	204	110	122	41	6	-	1	-	5	1	1	-	1	-	-	-
60 to 64 years	383	152	248	98	117	48	8	-	4	1	3	5	-	-	3	-	-	-
65 to 69 years	396	183	247	124	132	53	6	-	2	-	8	6	1	-	-	-	-	-
70 to 74 years	399	228	226	130	150	87	11	-	2	-	9	11	-	-	1	-	-	-
75 to 79 years	393	233	225	129	154	95	7	1	-	1	7	7	-	-	-	-	-	-
80 to 84 years	298	147	174	89	102	51	8	1	-	-	11	6	3	-	-	-	-	-
85 to 89 years	151	87	72	48	50	33	1	-	2	1	5	5	1	-	-	-	-	-
90 to 94 years	31	31	10	19	19	11	1	-	-	-	1	1	-	-	-	-	-	-
95 to 99 years	4	10	3	7	1	2	-	-	-	1	-	-	-	-	-	-	-	-
100 years and over	1	4	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-
Not stated	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
NEBRASKA, all ages	7,047	5,283	5,204	3,921	1,579	1,180	124	47	111	111	26	23	2	1	-	-	1	-
Under 1 year	441	318	427	309	-	-	-	-	8	7	6	2	-	-	-	-	-	-
1 to 4 years	83	67	80	63	-	-	-	1	2	-	1	3	-	-	-	-	-	-
5 to 9 years	50	29	49	28	1	-	-	-	-	1	-	-	-	-	-	-	-	-
10 to 14 years	55	38	52	37	1	-	-	-	2	-	-	1	-	-	-	-	-	-
15 to 19 years	96	41	87	38	-	1	2	1	5	-	2	1	-	-	-	-	-	-
20 to 24 years	109	81	101	73	1	-	2	-	2	6	3	2	-	-	-	-	-	-
25 to 29 years	105	74	98	69	2	1	3	-	1	4	1	-	-	-	-	-	-	-
30 to 34 years	99	87	88	80	3	-	3	2	4	4	1	1	-	-	-	-	-	-
35 to 39 years	143	91	129	80	9	3	1	-	4	8	-	-	-	-	-	-	-	-
40 to 44 years	195	148	169	131	10	9	4	1	10	5	1	2	-	-	-	-	1	-
45 to 49 years	229	206	198	169	22	24	5	2	3	10	1	-	-	1	-	-	-	-
50 to 54 years	408	255	311	216	75	31	4	1	14	7	3	-	1	-	-	-	-	-
55 to 59 years	518	344	413	275	71	48	15	4	18	16	1	1	-	-	-	-	-	-
60 to 64 years	592	427	450	327	117	86	14	3	10	9	1	2	-	-	-	-	-	-
65 to 69 years	767	581	559	430	182	131	12	8	12	9	2	3	-	-	-	-	-	-
70 to 74 years	901	617	628	425	249	174	18	7	5	7	1	4	-	-	-	-	-	-
75 to 79 years	813	670	521	412	274	239	12	8	5	10	1	1	-	-	-	-	-	-
80 to 84 years	820	623	505	408	294	208	17	5	2	2	1	-	1	-	-	-	-	-
85 to 89 years	429	384	245	236	175	142	8	2	1	4	-	-	-	-	-	-	-	-
90 to 94 years	147	157	74	90	70	65	1	1	2	1	-	-	-	-	-	-	-	-
95 to 99 years	35	36	16	21	19	14	-	1	-	-	-	-	-	-	-	-	-	-
100 years and over	5	7	3	3	2	3	-	-	-	1	-	-	-	-	-	-	-	-
Not stated	7	2	1	1	2	1	3	-	1	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
NEVADA, all ages	935	433	619	338	202	47	49	3	7	8	46	36	9	-	3	1	-	-
Under 1 year	51	42	46	39	-	-	-	-	-	-	5	3	-	-	-	-	-	-
1 to 4 years	10	13	10	10	-	-	-	-	-	-	-	3	-	-	-	-	-	-
5 to 9 years	5	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 to 14 years	3	2	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
15 to 19 years	17	12	15	11	-	-	-	-	-	-	2	1	-	-	-	-	-	-
20 to 24 years	25	15	19	12	-	-	2	-	-	-	4	3	-	-	-	-	-	-
25 to 29 years	29	17	24	17	1	-	2	-	1	-	-	-	1	-	-	-	-	-
30 to 34 years	30	11	28	11	-	-	-	-	-	-	2	-	-	-	-	-	-	-
35 to 39 years	40	22	28	19	10	-	1	-	-	-	1	3	-	-	-	-	-	-
40 to 44 years	52	17	31	12	18	1	1	-	1	2	3	2	-	-	-	-	-	-
45 to 49 years	48	19	28	14	12	4	1	-	1	-	4	-	2	-	-	1	-	-
50 to 54 years	66	19	38	15	19	3	5	1	1	-	2	-	-	-	1	-	-	-
55 to 59 years	101	30	66	22	23	6	10	-	-	2	2	-	-	-	-	-	-	-
60 to 64 years	101	38	59	29	28	4	7	1	1	2	5	2	-	-	1	-	-	-
65 to 69 years	109	49	80	38	20	5	5	-	1	1	2	5	-	-	1	-	-	-
70 to 74 years	100	41	56	33	30	4	8	-	-	-	5	4	1	-	-	-	-	-
75 to 79 years	65	33	40	20	19	9	2	-	1	-	1	4	2	-	-	-	-	-
80 to 84 years	55	26	30	17	19	6	2	-	-	1	2	2	2	-	-	-	-	-
85 to 89 years	19	16	11	12	5	4	-	-	-	-	2	-	1	-	-	-	-	-
90 to 94 years	3	7	2	4	-	1	-	-	-	-	1	2	-	-	-	-	-	-
95 to 99 years	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
100 years and over	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Not stated	3	1	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE, all ages	3,266	2,807	2,302	2,027	929	746	33	32	1	2	-	-	1	-	-	-	-	-
Under 1 year	181	148	180	147	-	-	1	1	-	-	-	-	-	-	-	-	-	-
1 to 4 years	36	35	36	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 to 9 years	12	12	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 to 14 years	14	11	14	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	39	13	38	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	35	23	33	22	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25 to 29 years	38	31	37	29	1	1	-	-	-	1	-	-	-	-	-	-	-	-
30 to 34 years	39	42	35	38	4	3	-	-	-	1	-	-	-	-	-	-	-	-
35 to 39 years	58	46	48	41	10	5	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	75	63	63	50	12	13	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	123	97	93	77	29	18	1	2	-	-	-	-	-	-	-	-	-	-
50 to 54 years	181	129	113	87	66	39	2	3	-	-	-	-	-	-	-	-	-	-
55 to 59 years	262	169	157	106	105	58	-	5	-	-	-	-	-	-	-	-	-	-
60 to 64 years	321	236	214	135	104	99	3	2	-	-	-	-	-	-	-	-	-	-
65 to 69 years	406	307	266	203	132	102	7	2	1	-	-	-	-	-	-	-	-	-
70 to 74 years	447	385	292	257	149	123	5	5	-	-	-	-	1	-	-	-	-	-
75 to 79 years	453	384	295	269	152	113	6	2	-	-	-	-	-	-	-	-	-	-
80 to 84 years	322	364	220	265	98	93	4	6	-	-	-	-	-	-	-	-	-	-
85 to 89 years	169	202	121	150	48	51	-	1	-	-	-	-	-	-	-	-	-	-
90 to 94 years	36	83	25	58	11	24	-	1	-	-	-	-	-	-	-	-	-	-
95 to 99 years	8	22	6	19	2	2	-	1	-	-	-	-	-	-	-	-	-	-
100 years and over	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	4	4	2	4	2	3	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY, all ages	24,838	21,128	14,772	12,659	8,089	6,750	183	45	1,809	1,674	3	-	17	-	3	-	2	-
Under 1 year	1,433	975	1,226	818	-	-	3	1	202	158	-	-	2	-	-	-	-	-
1 to 4 years	230	182	190	143	-	-	-	-	40	39	-	-	-	-	-	-	-	-
5 to 9 years	143	125	122	108	-	-	-	-	21	17	-	-	-	-	-	-	-	-
10 to 14 years	166	110	140	96	4	-	-	-	22	14	-	-	-	-	-	-	-	-
15 to 19 years	251	180	214	140	6	2	1	-	30	38	-	-	-	-	-	-	-	-
20 to 24 years	339	283	291	212	12	7	4	-	32	64	-	-	-	-	-	-	-	-
25 to 29 years	368	350	299	255	16	27	1	-	52	68	-	-	-	-	-	-	-	-
30 to 34 years	532	448	414	314	46	46	3	1	87	87	-	-	1	-	-	-	1	-
35 to 39 years	666	551	463	359	63	72	4	1	113	119	-	-	3	-	-	-	-	-
40 to 44 years	1,034	760	631	460	244	175	6	2	152	123	-	-	1	-	-	-	-	-
45 to 49 years	1,502	1,088	857	596	486	367	13	2	143	123	-	-	2	-	1	-	-	-
50 to 54 years	2,167	1,401	1,119	704	846	552	17	1	183	144	-	-	1	-	-	-	1	-
55 to 59 years	2,541	1,680	1,313	879	1,053	631	22	3	152	167	-	-	1	-	-	-	-	-
60 to 64 years	2,880	2,038	1,493	1,079	1,175	823	31	3	177	133	1	-	2	-	1	-	-	-
65 to 69 years	2,915	2,502	1,586	1,351	1,162	1,027	28	7	137	117	-	-	2	-	-	-	-	-
70 to 74 years	2,936	2,591	1,629	1,464	1,157	1,019	14	5	133	103	1	-	2	-	-	-	-	-
75 to 79 years	2,250	2,310	1,260	1,392	909	846	8	5	72	67	-	-	-	-	1	-	-	-
80 to 84 years	1,519	2,000	915	1,283	549	686	7	9	47	42	1	-	-	-	-	-	-	-
85 to 89 years	704	1,052	449	710	236	314	1	1	18	27	-	-	-	-	-	-	-	-
90 to 94 years	212	394	133	231	70	147	-	4	9	12	-	-	-	-	-	-	-	-
95 to 99 years	43	91	26	55	14	28	-	-	3	8	-	-	-	-	-	-	-	-
100 years and over	6	17	1	10	1	1	-	-	4	6	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO, all ages	3,221	2,418	2,724	2,055	229	138	55	19	44	25	169	180	-	-	-	1	-	-
Under 1 year	797	640	747	598	-	-	-	-	5	4	45	38	-	-	-	-	-	-
1 to 4 years	198	213	158	164	-	-	-	-	2	1	38	48	-	-	-	-	-	-
5 to 9 years	47	35	46	29	-	-	-	-	-	2	1	4	-	-	-	-	-	-
10 to 14 years	53	45	51	39	1	-	-	-	-	-	1	4	-	-	-	-	-	-
15 to 19 years	86	61	78	51	1	-	2	-	-	1	5	9	-	-	-	-	-	-
20 to 24 years	77	69	65	54	1	2	-	1	1	1	10	11	-	-	-	-	-	-
25 to 29 years	67	78	64	63	2	3	-	-	1	1	-	10	-	-	-	1	-	-
30 to 34 years	80	62	66	55	5	3	3	2	2	1	4	1	-	-	-	-	-	-
35 to 39 years	86	79	65	67	9	7	3	1	4	1	5	3	-	-	-	-	-	-
40 to 44 years	91	77	76	68	8	7	1	-	3	1	3	3	-	-	-	-	-	-
45 to 49 years	127	101	110	84	8	10	-	1	7	3	2	3	-	-	-	-	-	-
50 to 54 years	141	99	104	80	26	10	4	-	3	1	4	8	-	-	-	-	-	-
55 to 59 years	173	121	137	106	22	8	6	1	3	2	5	4	-	-	-	-	-	-
60 to 64 years	193	97	148	88	24	6	11	-	3	1	7	2	-	-	-	-	-	-
65 to 69 years	237	142	190	119	32	17	5	3	2	1	8	2	-	-	-	-	-	-
70 to 74 years	256	184	219	130	22	16	5	5	3	2	7	11	-	-	-	-	-	-
75 to 79 years	187	134	143	113	29	14	3	2	-	-	12	5	-	-	-	-	-	-
80 to 84 years	169	100	136	76	23	17	2	-	2	1	6	6	-	-	-	-	-	-
85 to 89 years	100	59	82	46	9	9	4	1	2	-	3	3	-	-	-	-	-	-
90 to 94 years	34	28	26	19	5	7	1	-	-	-	2	2	-	-	-	-	-	-
95 to 99 years	9	4	8	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-
100 years and over	4	5	3	2	-	1	-	-	-	-	1	2	-	-	-	-	-	-
Not stated	9	7	2	4	1	1	5	2	1	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
NEW YORK, all ages	80,774	67,256	45,784	39,135	29,827	24,373	951	201	3,849	3,467	66	63	258	7	18	4	21	6
Under 1 year	3,963	2,987	3,828	2,745	5	2	6	6	310	218	10	15	3	-	-	1	1	-
1 to 4 years	712	579	662	526	6	1	1	-	39	51	2	-	1	1	-	-	1	-
5 to 9 years	476	301	438	276	5	3	-	-	33	22	-	-	-	-	-	-	-	-
10 to 14 years	471	306	417	260	9	2	-	-	43	44	-	-	2	-	-	-	-	-
15 to 19 years	778	549	651	419	35	25	1	-	88	102	-	3	2	-	1	-	-	-
20 to 24 years	1,067	841	863	638	54	41	9	3	133	156	6	3	2	-	-	-	-	-
25 to 29 years	1,224	1,119	946	822	73	87	13	5	185	204	2	-	3	-	-	1	2	-
30 to 34 years	1,701	1,371	1,195	972	223	176	18	2	245	216	6	5	11	-	-	-	3	-
35 to 39 years	2,305	1,732	1,430	1,034	493	408	31	8	322	280	1	1	23	1	1	-	4	-
40 to 44 years	3,547	2,502	2,008	1,450	1,028	730	47	6	423	311	5	2	32	1	1	-	3	2
45 to 49 years	5,110	3,343	2,680	1,798	1,912	1,226	90	6	389	308	7	3	29	-	3	-	-	2
50 to 54 years	7,127	4,323	3,520	2,192	2,988	1,806	141	10	429	308	3	4	38	1	4	1	4	1
55 to 59 years	8,210	5,317	3,960	2,691	3,788	2,517	127	18	293	285	4	4	35	2	2	-	1	-
60 to 64 years	9,181	6,697	4,451	3,313	4,255	3,082	146	26	287	272	4	2	34	1	2	-	2	1
65 to 69 years	9,793	7,964	5,115	4,178	4,293	3,517	107	17	250	244	5	7	20	-	3	1	-	-
70 to 74 years	9,325	8,712	4,999	4,682	4,065	3,829	81	28	165	189	1	4	13	-	1	-	-	-
75 to 79 years	7,413	7,731	3,953	4,393	3,286	3,200	52	26	109	110	5	2	8	-	-	-	-	-
80 to 84 years	5,177	6,287	3,018	3,875	2,057	2,304	43	21	55	83	3	4	1	-	-	-	-	-
85 to 89 years	2,359	3,231	1,407	2,066	910	1,103	10	12	29	48	2	2	1	-	-	-	-	-
90 to 94 years	657	1,086	364	658	268	416	7	5	18	26	-	1	-	-	-	-	-	-
95 to 99 years	130	243	64	149	62	85	1	2	3	6	-	1	-	-	-	-	-	-
100 years and over	19	31	10	14	8	13	1	-	-	4	-	-	-	-	-	-	-	-
Not stated	29	4	5	4	4	-	19	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA, all ages	17,554	14,198	11,226	8,472	95	63	60	52	6,066	5,521	106	90	1	-	-	-	-	-
Under 1 year	2,860	2,193	1,621	1,236	-	-	3	2	1,196	928	40	27	-	-	-	-	-	-
1 to 4 years	592	452	354	233	-	-	2	1	230	212	6	6	-	-	-	-	-	-
5 to 9 years	232	159	151	84	-	-	-	-	81	73	-	2	-	-	-	-	-	-
10 to 14 years	219	204	114	106	-	-	-	-	103	98	2	-	-	-	-	-	-	-
15 to 19 years	443	364	246	141	1	-	1	2	193	220	2	1	-	-	-	-	-	-
20 to 24 years	851	477	334	193	-	-	5	3	305	279	7	2	-	-	-	-	-	-
25 to 29 years	609	466	311	203	-	-	1	1	289	260	8	2	-	-	-	-	-	-
30 to 34 years	617	488	342	215	3	-	3	-	265	270	4	3	-	-	-	-	-	-
35 to 39 years	661	518	331	221	-	1	1	-	328	289	1	7	-	-	-	-	-	-
40 to 44 years	772	610	420	271	4	-	4	1	343	335	1	3	-	-	-	-	-	-
45 to 49 years	888	648	547	317	8	2	-	2	331	324	2	3	-	-	-	-	-	-
50 to 54 years	1,109	826	676	413	10	2	5	3	416	402	2	6	-	-	-	-	-	-
55 to 59 years	1,223	860	820	507	7	2	4	2	386	346	5	3	1	-	-	-	-	-
60 to 64 years	1,428	1,073	998	643	11	11	8	8	406	403	5	8	-	-	-	-	-	-
65 to 69 years	1,595	1,283	1,129	894	18	10	4	5	436	368	8	6	-	-	-	-	-	-
70 to 74 years	1,291	1,066	984	808	12	5	2	6	289	243	4	4	-	-	-	-	-	-
75 to 79 years	937	893	745	721	13	15	3	6	173	149	3	2	-	-	-	-	-	-
80 to 84 years	790	837	644	692	4	8	8	4	132	130	2	3	-	-	-	-	-	-
85 to 89 years	407	477	330	395	-	5	-	1	76	74	1	2	-	-	-	-	-	-
90 to 94 years	147	198	108	142	3	2	2	3	33	51	3	-	-	-	-	-	-	-
95 to 99 years	44	58	17	29	1	-	1	1	25	28	-	-	-	-	-	-	-	-
100 years and over	20	33	2	5	-	-	-	-	18	28	-	-	-	-	-	-	-	-
Not stated	19	15	4	3	-	-	3	1	12	11	-	-	-	-	-	-	-	-
NORTH DAKOTA, all ages	3,266	2,015	1,757	1,119	1,374	819	58	7	7	2	90	68	-	-	-	-	-	-
Under 1 year	283	209	258	192	-	-	1	-	-	-	26	17	-	-	-	-	-	-
1 to 4 years	50	44	43	32	-	-	-	-	-	-	7	12	-	-	-	-	-	-
5 to 9 years	33	21	29	18	-	-	-	-	-	-	4	3	-	-	-	-	-	-
10 to 14 years	41	17	36	16	-	-	-	-	-	-	5	1	-	-	-	-	-	-
15 to 19 years	53	38	49	34	1	1	-	-	-	-	3	3	-	-	-	-	-	-
20 to 24 years	68	48	64	45	-	1	1	-	-	-	3	2	-	-	-	-	-	-
25 to 29 years	54	33	49	30	2	1	-	-	1	-	2	2	-	-	-	-	-	-
30 to 34 years	67	39	62	37	2	1	-	-	-	-	3	1	-	-	-	-	-	-
35 to 39 years	75	32	63	30	6	2	1	-	1	-	4	-	-	-	-	-	-	-
40 to 44 years	79	46	60	35	16	10	1	-	1	-	1	1	-	-	-	-	-	-
45 to 49 years	113	89	88	70	22	18	2	-	-	-	1	1	-	-	-	-	-	-
50 to 54 years	164	114	98	84	62	27	1	-	-	-	3	3	-	-	-	-	-	-
55 to 59 years	261	137	146	89	109	45	2	-	2	-	2	3	-	-	-	-	-	-
60 to 64 years	293	165	147	86	138	77	3	-	-	-	5	2	-	-	-	-	-	-
65 to 69 years	371	203	174	85	189	112	4	-	-	-	4	6	-	-	-	-	-	-
70 to 74 years	406	207	153	70	240	130	4	3	-	-	9	4	-	-	-	-	-	-
75 to 79 years	347	217	97	64	238	151	8	1	2	-	2	1	-	-	-	-	-	-
80 to 84 years	281	199	81	65	194	130	3	-	-	2	3	2	-	-	-	-	-	-
85 to 89 years	172	108	51	29	118	77	1	-	-	-	2	2	-	-	-	-	-	-
90 to 94 years	44	40	9	5	34	34	-	1	-	-	1	-	-	-	-	-	-	-
95 to 99 years	3	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	1	2	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
Not stated	7	3	-	1	1	-	6	2	-	-	-	-	-	-	-	-	-	-
OHIO, all ages	43,207	34,930	32,857	27,443	6,885	4,987	505	184	2,940	2,312	3	2	12	2	2	-	3	-
Under 1 year	2,956	2,178	2,710	1,979	-	-	-	1	245	198	-	-	-	-	-	-	1	-
1 to 4 years	531	469	482	427	-	-	1	1	48	41	-	-	-	-	-	-	-	-
5 to 9 years	317	215	293	200	1	-	-	2	23	13	-	-	-	-	-	-	-	-
10 to 14 years	305	189	286	169	1	-	-	-	18	20	-	-	-	-	-	-	-	-
15 to 19 years	605	391	527	313	8	3	1	1	69	74	-	-	-	-	-	-	-	-
20 to 24 years	727	556	613	433	9	6	5	2	100	115	-	-	-	-	-	-	-	-
25 to 29 years	723	591	604	481	15	7	3	-	101	103	-	-	-	-	-	-	-	-
30 to 34 years	927	722	759	573	31	41	9	5	128	103	-	-	-	-	-	-	-	-
35 to 39 years	1,109	863	848	628	78	81	11	1	172	172	-	-	-	1	-	-	-	-
40 to 44 years	1,573	1,134	1,130	809	161	111	18	3	261	211	-	-	1	-	1	-	1	-
45 to 49 years	2,279	1,523	1,557	1,083	408	235	21	2	293	201	-	2	-	-	-	-	-	-
50 to 54 years	2,930	1,901	1,952	1,350	622	336	55	12	298	203	-	-	2	-	-	-	1	-
55 to 59 years	3,677	2,374	2,465	1,686	881	497	52	13	297	177	1	-	1	1	-	-	-	-
60 to 64 years	4,111	2,888	2,911	2,182	930	571	88	21	199	134	-	-	3	-	-	-	-	-
65 to 69 years	4,881	3,688	3,628	2,855	952	640	56	26	220	167	1	-	3	-	1	-	-	-
70 to 74 years	5,122	4,309	3,933	3,411	939	744	65	16	183	138	1	-	1	-	-	-	-	-
75 to 79 years	4,439	4,228	3,403	3,399	841	693	62	30	132	106	-	-	1	-	-	-	-	-
80 to 84 years	3,586	3,781	2,859	3,122	606	572	41	19	80	68	-	-	-	-	-	-	-	-
85 to 89 years	1,778	2,071	1,422	1,720	300	304	14	16	42	31	-	-	-	-	-	-	-	-
90 to 94 years	525	673	405	516	94	127	9	9	17	21	-	-	-	-	-	-	-	-
95 to 99 years	92	157	63	115	21	31	1	1	7	10	-	-	-	-	-	-	-	-
100 years and over	13	19	7	8	5	6	-	-	1	5	-	-	-	-	-	-	-	-
Not stated	21	10	-	4	2	2	13	3	6	1	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
OKLAHOMA, all ages	11,979	8,460	9,616	6,767	416	245	330	156	1,210	937	403	375	1	-	-	-	3	-
Under 1 year	1,238	948	1,032	775	-	-	-	-	125	106	81	67	-	-	-	-	-	-
1 to 4 years	297	247	245	184	-	-	1	2	31	34	20	27	-	-	-	-	-	-
5 to 9 years	153	103	126	78	-	-	-	-	14	19	13	6	-	-	-	-	-	-
10 to 14 years	132	96	98	81	-	1	-	-	22	9	12	5	-	-	-	-	-	-
15 to 19 years	219	178	189	118	1	2	6	2	30	38	13	18	-	-	-	-	-	-
20 to 24 years	272	208	189	136	1	-	7	1	55	43	20	28	-	-	-	-	-	-
25 to 29 years	255	228	184	161	2	-	6	1	47	43	16	23	-	-	-	-	-	-
30 to 34 years	293	280	216	206	3	1	3	7	55	44	16	22	-	-	-	-	-	-
35 to 39 years	363	289	277	198	4	-	12	2	56	67	14	22	-	-	-	-	-	-
40 to 44 years	418	299	330	217	5	1	8	3	59	66	15	12	-	-	-	-	1	-
45 to 49 years	526	370	421	285	8	2	10	5	71	63	16	15	-	-	-	-	-	-
50 to 54 years	675	421	533	325	28	8	17	9	82	68	14	11	-	-	-	-	1	-
55 to 59 years	822	508	653	402	24	10	24	4	102	69	19	23	-	-	-	-	-	-
60 to 64 years	982	598	789	485	38	22	39	12	84	55	32	24	-	-	-	-	-	-
65 to 69 years	1,228	739	992	615	45	20	43	15	113	67	35	22	-	-	-	-	-	-
70 to 74 years	1,344	860	1,098	745	70	33	56	20	95	44	24	18	1	-	-	-	-	-
75 to 79 years	1,093	760	887	653	79	54	40	16	65	28	22	9	-	-	-	-	-	-
80 to 84 years	961	702	809	595	59	47	30	17	51	36	11	7	-	-	-	-	1	-
85 to 89 years	494	406	410	338	36	32	19	13	24	17	5	6	-	-	-	-	-	-
90 to 94 years	164	152	124	127	10	8	7	3	20	8	3	6	-	-	-	-	-	-
95 to 99 years	36	38	29	31	2	3	1	-	4	4	-	-	-	-	-	-	-	-
100 years and over	8	18	2	2	-	1	1	3	4	9	1	3	-	-	-	-	-	-
Not stated	6	12	3	10	1	-	-	1	1	-	1	1	-	-	-	-	-	-
OREGON, all ages	7,355	4,604	5,590	3,754	1,452	748	144	36	30	20	62	33	40	5	24	8	13	-
Under 1 year	343	237	327	229	-	-	-	-	1	-	11	7	-	-	1	1	3	-
1 to 4 years	65	45	62	43	-	-	-	-	-	-	2	1	-	-	1	1	-	-
5 to 9 years	41	42	37	41	-	1	-	-	-	-	3	-	-	-	1	-	-	-
10 to 14 years	42	34	38	32	-	-	-	-	-	-	3	2	-	-	1	-	-	-
15 to 19 years	117	48	108	47	3	-	1	-	-	-	4	1	-	-	1	-	-	-
20 to 24 years	145	64	136	58	4	-	-	1	-	1	3	3	-	1	2	-	-	-
25 to 29 years	137	88	125	79	2	2	4	1	1	3	3	2	1	-	1	1	-	-
30 to 34 years	133	97	121	87	3	8	3	-	1	-	3	2	1	-	-	-	1	-
35 to 39 years	174	98	152	89	15	5	1	3	2	-	3	1	-	-	-	-	1	-
40 to 44 years	217	142	174	126	28	13	9	-	3	1	2	2	-	-	-	-	1	-
45 to 49 years	326	199	288	176	27	18	6	-	1	2	3	1	-	-	-	2	1	-
50 to 54 years	493	272	390	235	83	28	10	5	4	1	3	2	1	-	1	1	1	-
55 to 59 years	596	306	443	242	127	58	8	2	3	1	6	2	3	1	4	-	2	-
60 to 64 years	767	397	541	322	187	66	17	2	5	4	6	1	6	1	3	1	2	-
65 to 69 years	807	434	606	342	165	86	20	2	3	3	1	-	6	-	6	1	-	-
70 to 74 years	866	533	628	431	209	96	20	3	2	1	1	2	3	-	2	-	1	-
75 to 79 years	883	590	587	430	268	154	16	4	2	-	2	-	8	2	-	-	-	-
80 to 84 years	718	570	517	444	178	114	14	9	1	1	2	2	6	-	-	-	-	-
85 to 89 years	353	268	232	198	114	64	3	3	1	1	1	2	2	-	-	-	-	-
90 to 94 years	98	114	60	80	34	33	2	1	-	-	-	-	2	-	-	-	-	-
95 to 99 years	15	22	10	19	4	2	-	-	-	1	-	-	1	-	-	-	-	-
100 years and over	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	18	1	7	1	1	-	10	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA, all ages	59,975	48,773	41,939	35,510	13,713	9,896	460	147	3,820	3,212	4	2	30	1	3	-	6	5
Under 1 year	4,090	3,035	3,712	2,730	-	-	5	2	373	303	-	-	-	-	-	-	-	-
1 to 4 years	777	599	712	521	1	-	1	-	63	77	-	-	-	-	-	-	-	1
5 to 9 years	392	306	373	278	-	1	-	-	19	27	-	-	-	-	-	-	-	-
10 to 14 years	481	330	434	293	3	2	-	-	44	35	-	-	-	-	-	-	-	-
15 to 19 years	808	524	711	420	6	5	3	1	88	98	-	-	-	-	-	-	-	-
20 to 24 years	938	786	809	658	17	9	1	-	111	139	-	-	-	-	-	-	-	-
25 to 29 years	1,013	944	868	771	23	24	3	1	118	148	-	-	-	-	-	-	1	-
30 to 34 years	1,181	957	959	771	53	39	7	1	160	145	-	-	1	1	1	-	-	-
35 to 39 years	1,561	1,213	1,164	873	156	120	9	1	231	218	-	-	1	-	-	-	-	1
40 to 44 years	2,340	1,722	1,615	1,145	375	266	14	2	330	309	-	-	4	-	1	-	1	-
45 to 49 years	3,374	2,233	2,125	1,464	857	496	27	10	359	282	1	-	4	-	-	-	1	1
50 to 54 years	4,664	2,991	2,632	1,853	1,566	831	53	1	407	306	-	-	4	-	-	-	2	-
55 to 59 years	5,719	3,588	3,382	2,286	1,920	1,050	46	11	368	240	1	-	2	-	-	-	-	1
60 to 64 years	6,215	4,423	3,866	2,838	1,965	1,327	60	15	320	243	-	-	4	-	-	-	-	-
65 to 69 years	7,134	5,553	4,785	3,854	1,988	1,451	75	25	299	223	2	-	5	-	-	-	-	-
70 to 74 years	6,935	6,077	4,743	4,320	1,882	1,565	69	30	238	161	-	-	2	-	-	-	1	1
75 to 79 years	5,848	5,471	4,128	4,062	1,540	1,255	36	13	142	139	-	2	1	-	1	-	-	-
80 to 84 years	3,981	4,542	2,982	3,666	888	800	26	18	83	58	-	-	2	-	-	-	-	-
85 to 89 years	1,888	2,397	1,472	1,898	370	443	8	11	38	45	-	-	-	-	-	-	-	-
90 to 94 years	522	851	391	670	104	163	7	1	20	17	-	-	-	-	-	-	-	-
95 to 99 years	87	202	67	148	14	42	1	1	5	11	-	-	-	-	-	-	-	-
100 years and over	9	25	2	10	5	7	-	-	2	8	-	-	-	-	-	-	-	-
Not stated	18	4	7	1	-	-	9	3	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND, all ages	4,199	3,689	2,446	2,078	1,823	1,508	31	13	90	85	3	5	5	-	-	-	1	-
Under 1 year	247	158	241	151	-	-	-	-	5	7	-	-	-	-	-	-	1	-
1 to 4 years	45	40	43	39	-	-	-	-	2	1	-	-	-	-	-	-	-	-
5 to 9 years	21	16	17	15	-	-	-	-	4	1	-	-	-	-	-	-	-	-
10 to 14 years	17	15	17	14	-	-	-	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years	34	34	30	32	1	-	-	-	2	2	-	-	1	-	-	-	-	-
20 to 24 years	57	26	54	22	1	1	-	-	2	3	-	-	-	-	-	-	-	-
25 to 29 years	59	48	51	40	4	4	1	1	3	3	-	-	-	-	-	-	-	-
30 to 34 years	74	60	65	51	6	4	1	-	2	5	-	-	-	-	-	-	-	-
35 to 39 years	73	83	64	59	9	21	-	-	-	3	-	-	-	-	-	-	-	-
40 to 44 years	148	126	106	91	38	25	-	2	4	8	-	-	-	-	-	-	-	-
45 to 49 years	230	146	146	84	80	60	-	-	4	1	-	1	-	-	-	-	-	-
50 to 54 years	301	231	164	114	124	108	3	1	8	8	-	-	2	-	-	-	-	-
55 to 59 years	409	272	205	136	190	129	4	-	9	7	-	-	1	-	-	-	-	-
60 to 64 years	451	368	242	168	194	188	5	2	9	10	1	-	-	-	-	-	-	-
65 to 69 years	580	441	283	230	273	203	6	3	17	5	1	-	-	-	-	-	-	-
70 to 74 years	544	547	264	247	268	294	5	1	6	4	-	1	1	-	-	-	-	-
75 to 79 years	455	454	214	240	235	205	2	2	4	7	-	-	-	-	-	-	-	-
80 to 84 years	277	345	149	196	119	143	4	-	5	4	-	2	-	-	-	-	-	-
85 to 89 years	128	205	67	114	58	84	-	1	2	3	1	1	-	-	-	-	-	-
90 to 94 years	42	53	20	27	20	26	-	-	2	-	-	-	-	-	-	-	-	-
95 to 99 years	6	19	3	8	3	10	-	-	-	1	-	-	-	-	-	-	-	-
100 years and over	1	4	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
SOUTH CAROLINA, all ages	11,446	9,171	5,496	3,888	85	31	34	11	5,824	5,238	4	3	1	-	1	-	1	-
Under 1 year	2,045	1,509	829	571	-	-	1	-	1,214	936	1	2	-	-	-	-	-	-
1 to 4 years	460	394	179	136	-	-	-	-	281	258	-	-	-	-	-	-	-	-
5 to 9 years	156	156	75	53	1	-	-	-	80	103	-	-	-	-	-	-	-	-
10 to 14 years	140	102	59	43	-	-	-	-	81	59	-	-	-	-	-	-	-	-
15 to 19 years	292	253	114	58	1	-	-	-	177	195	-	-	-	-	-	-	-	-
20 to 24 years	433	365	183	92	-	-	2	-	248	273	-	-	-	-	-	-	-	-
25 to 29 years	473	356	169	82	-	-	-	-	304	274	-	-	-	-	-	-	-	-
30 to 34 years	426	399	157	130	1	1	2	-	266	268	-	-	-	-	-	-	-	-
35 to 39 years	406	411	152	125	-	-	1	-	253	286	-	-	-	-	-	-	-	-
40 to 44 years	582	473	222	143	6	-	2	-	350	330	1	-	-	-	-	-	1	-
45 to 49 years	741	510	294	138	8	-	1	1	438	371	-	-	-	-	-	-	-	-
50 to 54 years	876	654	392	210	11	1	4	-	467	443	-	-	1	-	1	-	-	-
55 to 59 years	874	640	450	243	13	1	2	-	408	396	1	-	-	-	-	-	-	-
60 to 64 years	872	634	508	311	9	6	2	2	552	315	1	-	-	-	-	-	-	-
65 to 69 years	859	643	531	411	10	3	7	2	311	227	-	-	-	-	-	-	-	-
70 to 74 years	687	499	457	334	10	3	5	3	215	159	-	-	-	-	-	-	-	-
75 to 79 years	463	441	302	311	9	7	1	1	151	122	-	-	-	-	-	-	-	-
80 to 84 years	350	365	255	291	3	5	1	1	91	67	-	1	-	-	-	-	-	-
85 to 89 years	187	205	129	138	3	1	-	-	55	66	-	-	-	-	-	-	-	-
90 to 94 years	61	93	22	50	-	-	1	1	38	42	-	-	-	-	-	-	-	-
95 to 99 years	17	27	6	9	-	2	-	-	11	16	-	-	-	-	-	-	-	-
100 years and over	12	16	2	1	-	1	-	-	10	14	-	-	-	-	-	-	-	-
Not stated	34	26	9	8	-	-	2	-	23	18	-	-	-	-	-	-	-	-
SOUTH DAKOTA, all ages	3,425	2,268	2,302	1,508	861	574	49	14	6	2	204	170	2	-	-	-	1	-
Under 1 year	303	199	250	166	-	1	1	-	-	-	52	32	-	-	-	-	-	-
1 to 4 years	65	60	48	37	-	-	-	-	-	-	17	23	-	-	-	-	-	-
5 to 9 years	30	27	25	25	-	-	-	-	1	-	4	4	-	-	-	-	-	-
10 to 14 years	36	28	33	20	-	-	-	-	-	-	3	8	-	-	-	-	-	-
15 to 19 years	61	44	45	33	1	-	1	-	-	-	14	11	-	-	-	-	-	-
20 to 24 years	76	46	63	36	-	-	1	-	-	-	12	10	-	-	-	-	-	-
25 to 29 years	48	27	37	19	1	-	1	-	-	-	9	8	-	-	-	-	-	-
30 to 34 years	60	42	52	36	1	-	-	1	-	-	7	5	-	-	-	-	-	-
35 to 39 years	69	53	63	42	4	3	-	-	-	-	2	8	-	-	-	-	-	-
40 to 44 years	91	59	74	51	10	4	2	-	-	-	5	4	-	-	-	-	-	-
45 to 49 years	132	83	108	72	13	8	-	1	-	-	10	2	1	-	-	-	-	-
50 to 54 years	181	103	145	82	25	16	1	-	1	-	9	5	-	-	-	-	-	-
55 to 59 years	253	132	201	112	40	15	4	-	1	1	6	4	-	-	-	-	1	-
60 to 64 years	312	161	198	103	88	44	8	2	-	1	17	11	1	-	-	-	-	-
65 to 69 years	352	221	237	149	98	57	7	3	1	-	9	12	-	-	-	-	-	-
70 to 74 years	424	269	245	170	162	95	7	-	-	-	10	4	-	-	-	-	-	-
75 to 79 years	359	276	187	136	159	129	5	1	-	-	8	10	-	-	-	-	-	-
80 to 84 years	358	232	188	124	162	102	3	4	-	-	5	2	-	-	-	-	-	-
85 to 89 years	146	139	79	69	57	64	8	-	1	-	3	6	-	-	-	-	-	-
90 to 94 years	55	49	20	16	34	30	-	2	-	-	1	1	-	-	-	-	-	-
95 to 99 years	7	15	4	10	2	5	-	-	-	-	1	-	-	-	-	-	-	-
100 years and over	3	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE, all ages	15,706	12,917	11,396	9,158	200	94	200	108	3,906	3,556	2	1	1	-	-	-	1	-
Under 1 year	1,831	1,419	1,403	1,102	-	-	3	1	425	315	-	1	-	-	-	-	-	-
1 to 4 years	447	376	354	299	-	-	-	1	93	76	-	-	-	-	-	-	-	-
5 to 9 years	173	133	145	104	-	-	-	-	28	29	-	-	-	-	-	-	-	-
10 to 14 years	157	133	107	91	-	-	1	-	49	42	-	-	-	-	-	-	-	-
15 to 19 years	354	304	250	170	-	-	1	1	103	133	-	-	-	-	-	-	-	-
20 to 24 years	496	390	321	228	1	1	3	2	170	159	-	-	-	-	-	-	1	-
25 to 29 years	493	413	289	227	-	-	6	5	198	181	-	-	-	-	-	-	-	-
30 to 34 years	536	459	318	237	1	-	2	3	215	219	-	-	-	-	-	-	-	-
35 to 39 years	592	458	361	250	3	1	8	2	219	205	-	-	1	-	-	-	-	-
40 to 44 years	673	580	403	309	5	-	8	2	257	269	-	-	-	-	-	-	-	-
45 to 49 years	830	632	514	343	7	5	5	5	303	279	1	-	-	-	-	-	-	-
50 to 54 years	985	740	647	435	15	6	15	8	308	291	-	-	-	-	-	-	-	-
55 to 59 years	1,057	801	751	535	18	5	8	7	280	254	-	-	-	-	-	-	-	-
60 to 64 years	1,260	931	955	687	26	13	14	6	265	225	-	-	-	-	-	-	-	-
65 to 69 years	1,548	1,159	1,149	849	30	15	30	13	339	282	-	-	-	-	-	-	-	-
70 to 74 years	1,527	1,202	1,222	961	28	13	33	13	244	215	-	-	-	-	-	-	-	-
75 to 79 years	1,190	1,122	948	924	33	16	25	10	184	172	-	-	-	-	-	-	-	-
80 to 84 years	898	881	767	772	16	8	19	14	95	87	1	-	-	-	-	-	-	-
85 to 89 years	454	528	364	454	16	6	15	10	59	58	-	-	-	-	-	-	-	-
90 to 94 years	135	172	98	136	-	3	3	2	34	31	-	-	-	-	-	-	-	-
95 to 99 years	43	43	23	28	1	1	1	-	18	14	-	-	-	-	-	-	-	-
100 years and over	9	25	2	9	-	1	-	-	7	15	-	-	-	-	-	-	-	-
Not stated	18	16	5	8	-	-	-	3	13	5	-	-	-	-	-	-	-	-
TEXAS, all ages	34,919	25,662	25,393	17,977	2,900	2,238	597	193	5,998	5,249	5	1	21	3	5	1	-	-
Under 1 year	4,353	3,391	3,827	2,808	11	2	6	3	708	575	-	-	1	2	-	1	-	-
1 to 4 years	872	788	729	646	3	2	1	-	138	140	-	-	1	-	-	-	-	-
5 to 9 years	382	299	309	226	1	-	1	-	70	73	-	-	1	-	-	-	-	-
10 to 14 years	385	324	302	254	-	1	1	-	82	69	-	-	-	-	-	-	-	-
15 to 19 years	758	682	585	496	10	5	8	2	154	179	-	-	1	-	-	-	-	-
20 to 24 years	950	817	684	554	31	22	18	2	216	239	1	-	-	-	-	-	-	-
25 to 29 years	958	879	662	579	52	58	12	8	231	236	1	-	-	-	-	-	-	-
30 to 34 years	1,104	968	712	560	70	91	12	8	308	309	1	-	1	-	-	-	-	-
35 to 39 years	1,216	1,042	793	590	84	102	26	6	313	344	-	-	-	-	-	-	-	-
40 to 44 years	1,512	1,127	975	616	106	106	25	8	405	397	-	-	1	-	-	-	-	-
45 to 49 years	1,861	1,173	1,198	678	149	111	27	4	483	380	-	-	3	-	1	-	-	-
50 to 54 years	2,300	1,415	1,535	764	196	155	44	10	522	486	-	-	2	-	1	-	-	-
55 to 59 years	2,675	1,554	1,887	940	262	190	57	14	466	390	-	-	3	-	-	-	-	-
60 to 64 years	2,914	1,682	2,129	1,131	308	206	66	20	409	325	-	-	1	-	1	-	-	-
65 to 69 years	3,329	2,104	2,389	1,446	358	257	56	21	521	380	1	-	2	-	2	-	-	-
70 to 74 years	3,196	2,175	2,338	1,611	346	251	92	25	419	287	-	-	1	1	-	-	-	-
75 to 79 years	2,477	1,867	1,770	1,444	371	230	65	20	270	173	-	-	1	-	-	-	-	-
80 to 84 years	2,011	1,771	1,592	1,459	264	195	36	19	118	98	-	-	1	-	-	-	-	-
85 to 89 years	1,116	1,044	842	828	176	131	20	15	77	70	1	-	-	-	-	-	-	-
90 to 94 years	374	400	263	265	65	83	4	2	42	50	-	-	-	-	-	-	-	-
95 to 99 years	92	98	50	62	22	21	1	3	19	11	-	1	-	-	-	-	-	-
100 years and over	40	53	9	10	12	18	2	1	16	24	-	-	1	-	-	-	-	-
Not stated	44	29	13	10	3	3	17	2	11	14	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
UTAH, all ages	2,651	1,867	2,079	1,406	499	425	21	2	15	14	17	19	8	-	9	1	3	-
Under 1 year	240	162	236	160	-	-	-	-	1	-	3	2	-	-	-	-	-	-
1 to 4 years	57	41	55	40	-	1	-	-	-	-	2	-	-	-	-	-	-	-
5 to 9 years	38	26	38	25	-	-	-	-	-	-	-	1	-	-	-	-	-	-
10 to 14 years	48	13	47	13	-	-	-	-	-	-	1	-	-	-	-	-	-	-
15 to 19 years	66	38	64	35	1	-	-	-	-	1	-	2	-	-	1	-	-	-
20 to 24 years	81	47	80	45	-	1	1	-	-	-	-	1	-	-	-	-	-	-
25 to 29 years	55	22	50	22	-	-	2	-	2	-	1	-	-	-	-	-	-	-
30 to 34 years	64	46	60	43	3	-	-	-	-	2	1	1	-	-	-	-	-	-
35 to 39 years	81	52	75	48	5	4	1	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	80	60	66	53	12	5	1	1	1	-	-	1	-	-	-	-	-	-
45 to 49 years	131	74	104	61	23	10	-	-	-	2	1	1	1	-	1	-	1	-
50 to 54 years	191	91	151	82	32	5	3	-	1	3	2	-	-	-	1	1	1	-
55 to 59 years	204	114	156	94	41	18	2	-	3	1	-	1	-	-	2	-	-	-
60 to 64 years	237	131	173	89	52	40	1	-	4	1	2	1	2	-	3	-	-	-
65 to 69 years	246	168	179	117	59	50	3	-	1	1	1	-	1	-	1	-	1	-
70 to 74 years	270	213	196	158	68	54	3	-	2	-	1	1	-	-	-	-	-	-
75 to 79 years	248	221	162	135	82	81	1	-	-	1	1	4	2	-	-	-	-	-
80 to 84 years	206	206	136	117	68	87	1	-	-	1	1	1	-	-	-	-	-	-
85 to 89 years	85	107	40	54	42	50	1	1	-	-	-	2	2	-	-	-	-	-
90 to 94 years	18	28	8	11	10	16	-	-	-	1	-	-	-	-	-	-	-	-
95 to 99 years	3	7	1	4	1	3	1	-	-	-	-	-	-	-	-	-	-	-
100 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT, all ages	2,435	1,967	1,975	1,628	417	320	39	16	4	3	-	-	-	-	-	-	-	-
Under 1 year	174	127	174	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 to 4 years	21	23	21	22	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5 to 9 years	18	10	18	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 to 14 years	17	17	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	27	16	26	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	32	21	31	19	1	2	-	-	-	-	-	-	-	-	-	-	-	-
25 to 29 years	27	25	24	21	3	2	-	2	-	-	-	-	-	-	-	-	-	-
30 to 34 years	35	28	33	24	1	4	1	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	44	40	38	34	6	6	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	57	54	47	44	9	10	1	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	90	56	74	51	14	4	2	1	-	-	-	-	-	-	-	-	-	-
50 to 54 years	111	84	86	69	24	15	-	-	1	-	-	-	-	-	-	-	-	-
55 to 59 years	172	121	138	97	31	22	2	2	1	-	-	-	-	-	-	-	-	-
60 to 64 years	211	157	164	124	45	33	3	-	1	-	-	-	-	-	-	-	-	-
65 to 69 years	331	184	272	145	52	36	6	2	1	1	-	-	-	-	-	-	-	-
70 to 74 years	309	248	237	193	67	54	5	1	-	-	-	-	-	-	-	-	-	-
75 to 79 years	297	277	231	215	61	58	5	4	-	-	-	-	-	-	-	-	-	-
80 to 84 years	272	242	209	210	59	30	4	2	-	-	-	-	-	-	-	-	-	-
85 to 89 years	141	166	103	133	31	30	7	2	-	1	-	-	-	-	-	-	-	-
90 to 94 years	39	47	28	39	11	8	-	-	-	-	-	-	-	-	-	-	-	-
95 to 99 years	5	18	3	15	2	3	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	4	1	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA, all ages	17,353	13,347	11,241	8,277	348	204	90	40	5,666	4,820	5	5	3	1	-	-	2	-
Under 1 year	2,192	1,772	1,374	1,058	-	-	4	1	813	708	-	4	1	1	-	-	-	-
1 to 4 years	434	392	295	245	-	-	1	4	138	143	-	-	-	-	-	-	-	-
5 to 9 years	173	122	116	73	-	-	-	-	57	49	-	-	-	-	-	-	-	-
10 to 14 years	159	118	106	64	1	-	-	-	52	54	-	-	-	-	-	-	-	-
15 to 19 years	365	257	201	100	-	-	-	-	164	157	-	-	-	-	-	-	-	-
20 to 24 years	539	355	312	161	3	-	5	-	219	194	-	-	-	-	-	-	-	-
25 to 29 years	577	326	330	138	1	2	2	1	243	185	1	-	-	-	-	-	-	-
30 to 34 years	552	377	295	191	3	1	3	1	251	184	-	-	-	-	-	-	-	-
35 to 39 years	802	418	356	193	9	5	4	2	233	218	-	-	-	-	-	-	-	-
40 to 44 years	740	563	390	258	11	8	4	1	332	296	1	-	-	-	-	-	2	-
45 to 49 years	961	610	516	294	15	6	9	2	421	307	-	1	-	-	-	-	-	-
50 to 54 years	1,172	819	642	379	33	13	6	4	490	423	-	-	1	-	-	-	-	-
55 to 59 years	1,315	840	813	427	39	15	5	-	457	398	1	-	-	-	-	-	-	-
60 to 64 years	1,526	1,057	996	609	42	30	6	4	481	414	-	-	1	-	-	-	-	-
65 to 69 years	1,658	1,188	1,120	822	37	24	8	6	473	336	-	-	-	-	-	-	-	-
70 to 74 years	1,484	1,296	1,129	987	50	26	8	4	297	279	-	-	-	-	-	-	-	-
75 to 79 years	1,170	1,018	901	797	44	27	3	4	222	190	-	-	-	-	-	-	-	-
80 to 84 years	1,026	952	828	795	37	23	12	4	148	130	1	-	-	-	-	-	-	-
85 to 89 years	485	550	369	465	12	13	5	1	98	71	1	-	-	-	-	-	-	-
90 to 94 years	166	229	120	185	4	7	-	1	42	36	-	-	-	-	-	-	-	-
95 to 99 years	43	44	28	26	3	2	-	-	12	16	-	-	-	-	-	-	-	-
100 years and over	12	30	1	9	1	2	-	-	10	19	-	-	-	-	-	-	-	-
Not stated	22	14	3	1	1	-	5	-	13	13	-	-	-	-	-	-	-	-
WASHINGTON, all ages	11,897	7,302	8,197	5,252	3,144	1,795	199	39	105	54	141	121	23	4	72	35	16	2
Under 1 year	644	417	607	387	1	1	-	-	4	-	29	26	-	-	2	3	1	-
1 to 4 years	111	104	95	84	1	-	-	-	-	1	13	15	-	-	2	4	-	-
5 to 9 years	71	44	64	41	-	-	-	-	-	-	7	3	-	-	-	-	-	-
10 to 14 years	63	41	57	37	-	1	1	-	-	-	5	3	-	-	-	-	-	-
15 to 19 years	142	66	127	53	6	3	1	-	-	2	5	5	-	2	3	1	-	-
20 to 24 years	227	96	201	84	10	2	3	-	2	1	9	6	-	-	1	3	1	-
25 to 29 years	208	132	186	105	12	10	3	2	2	3	3	9	-	-	-	3	2	-
30 to 34 years	222	123	192	109	13	4	-	-	3	3	8	7	2	-	1	-	5	-
35 to 39 years	284	146	236	128	25	12	7	-	4	2	8	4	1	-	1	-	2	-
40 to 44 years	337	246	273	210	46	30	5	1	4	1	4	2	1	-	2	2	2	-
45 to 49 years	559	345	429	273	101	59	10	-	6	2	8	4	3	-	2	7	-	-
50 to 54 years	775	394	558	303	191	76	20	1	13	5	4	5	3	-	6	4	-	-
55 to 59 years	1,080	524	731	385	304	125	15	2	10	7	2	2	1	1	16	1	1	1
60 to 64 years	1,228	605	820	423	347	161	32	4	10	11	5	2	-	1	14	3	-	-
65 to 69 years	1,334	789	842	535	429	237	24	5	15	6	8	3	2	-	14	2	-	1
70 to 74 years	1,439	928	910	588	473	320	24	8	14	4	8	6	4	-	5	2	1	-
75 to 79 years	1,370	932	805	608	531	308	13	7	8	3	7	6	3	-	2	-	1	-
80 to 84 years	1,099	761	659	514	403	236	23	4	5	2	5	5	3	-	1	-	-	-
85 to 89 years	503	415	312	274	179	136	6	2	3	-	3	3	-	-	-	-	-	-
90 to 94 years	153	160	94	95	55	62	2	1	1	1	1	1	-	-	-	-	-	-
95 to 99 years	26	29	12	14	12	11	1	1	1	-	-	3	-	-	-	-	-	-
100 years and over	5	3	4	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
Not stated	17	2	3	1	5	-	9	1	-	-	-	-	-	-	-	-	-	-

TABLE 12.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated				Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
WEST VIRGINIA, all ages	10,196	7,641	8,606	6,687	541	242	94	37	952	674	1	1	1	-	-	-	1	-
Under 1 year	1,500	1,179	1,390	1,075	1	-	2	3	106	103	1	-	-	-	-	-	-	-
1 to 4 years	268	277	250	264	-	-	-	-	18	13	-	-	-	-	-	-	-	-
5 to 9 years	118	86	110	79	-	-	-	-	8	7	-	-	-	-	-	-	-	-
10 to 14 years	126	77	117	67	-	-	-	-	9	10	-	-	-	-	-	-	-	-
15 to 19 years	220	160	201	135	-	1	-	-	19	24	-	-	-	-	-	-	-	-
20 to 24 years	258	175	224	142	2	-	2	3	30	30	-	-	-	-	-	-	-	-
25 to 29 years	327	165	280	149	3	-	2	-	42	16	-	-	-	-	-	-	-	-
30 to 34 years	296	234	246	184	4	5	5	1	40	44	-	-	1	-	-	-	-	-
35 to 39 years	363	246	295	204	15	2	2	-	51	39	-	1	-	-	-	-	-	-
40 to 44 years	369	276	279	212	14	7	3	1	73	56	-	-	-	-	-	-	-	-
45 to 49 years	461	322	319	239	52	20	4	-	86	63	-	-	-	-	-	-	-	-
50 to 54 years	621	387	447	308	71	24	6	-	97	55	-	-	-	-	-	-	-	-
55 to 59 years	725	427	556	342	77	27	14	2	78	56	-	-	-	-	-	-	-	-
60 to 64 years	791	527	628	458	73	25	11	3	78	41	-	-	-	-	-	-	1	-
65 to 69 years	964	662	797	577	74	35	7	5	86	45	-	-	-	-	-	-	-	-
70 to 74 years	958	683	828	614	61	36	15	3	54	30	-	-	-	-	-	-	-	-
75 to 79 years	770	636	684	582	46	26	4	5	36	23	-	-	-	-	-	-	-	-
80 to 84 years	586	603	539	570	23	19	8	5	16	9	-	-	-	-	-	-	-	-
85 to 89 years	326	351	291	325	19	10	4	3	12	13	-	-	-	-	-	-	-	-
90 to 94 years	93	132	85	119	4	4	-	2	4	7	-	-	-	-	-	-	-	-
95 to 99 years	34	37	32	35	-	-	-	-	2	2	-	-	-	-	-	-	-	-
100 years and over	4	4	3	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Not stated	18	15	5	6	2	1	5	1	6	7	-	-	-	-	-	-	-	-
WISCONSIN, all ages	17,270	13,408	11,818	9,398	5,129	3,807	123	45	88	67	105	95	7	-	-	-	-	-
Under 1 year	1,157	849	1,124	824	-	-	-	1	7	5	26	19	-	-	-	-	-	-
1 to 4 years	202	173	193	166	1	-	-	-	2	1	6	6	-	-	-	-	-	-
5 to 9 years	132	85	125	81	1	1	-	-	5	-	1	3	-	-	-	-	-	-
10 to 14 years	111	86	108	83	-	-	1	-	1	1	1	2	-	-	-	-	-	-
15 to 19 years	201	134	193	126	1	-	1	2	1	1	5	5	-	-	-	-	-	-
20 to 24 years	260	178	248	169	6	-	1	1	1	4	6	4	-	-	-	-	-	-
25 to 29 years	257	183	245	172	6	3	-	1	4	3	1	4	1	-	-	-	-	-
30 to 34 years	295	227	285	215	5	5	1	3	4	3	-	1	-	-	-	-	-	-
35 to 39 years	367	273	328	237	32	23	3	1	3	6	3	6	-	-	-	-	-	-
40 to 44 years	510	392	438	339	58	45	3	1	5	4	5	3	1	-	-	-	-	-
45 to 49 years	786	485	639	403	129	73	4	1	9	6	4	2	1	-	-	-	-	-
50 to 54 years	982	714	731	560	228	140	12	-	8	8	3	6	-	-	-	-	-	-
55 to 59 years	1,345	879	938	650	371	213	18	2	13	8	6	6	1	-	-	-	-	-
60 to 64 years	1,618	1,108	1,091	778	498	325	15	4	6	2	7	1	1	-	-	-	-	-
65 to 69 years	1,892	1,382	1,271	983	595	387	9	3	8	7	9	2	-	-	-	-	-	-
70 to 74 years	2,098	1,677	1,277	1,098	792	565	15	6	5	5	8	5	1	-	-	-	-	-
75 to 79 years	2,141	1,742	1,142	990	972	737	17	6	2	1	7	8	1	-	-	-	-	-
80 to 84 years	1,754	1,589	956	934	800	642	11	7	1	-	6	6	-	-	-	-	-	-
85 to 89 years	856	877	403	450	443	421	7	2	2	1	1	3	-	-	-	-	-	-
90 to 94 years	255	295	92	114	159	177	3	1	1	1	-	2	-	-	-	-	-	-
95 to 99 years	41	68	11	22	29	45	1	-	-	-	-	1	-	-	-	-	-	-
100 years and over	5	11	4	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-
WYOMING, all ages	1,399	793	1,039	623	263	132	51	3	13	9	29	26	4	-	-	-	-	-
Under 1 year	138	92	127	81	-	-	-	-	1	1	10	10	-	-	-	-	-	-
1 to 4 years	26	24	24	21	-	-	-	-	-	-	2	3	-	-	-	-	-	-
5 to 9 years	14	5	12	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-
10 to 14 years	16	11	15	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-
15 to 19 years	30	21	26	21	-	-	-	-	-	-	3	-	1	-	-	-	-	-
20 to 24 years	30	18	28	16	2	-	-	-	1	-	1	2	-	-	-	-	-	-
25 to 29 years	35	11	32	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
30 to 34 years	43	27	35	24	8	1	-	-	-	1	-	1	-	-	-	-	-	-
35 to 39 years	29	24	27	22	1	-	-	1	1	-	-	1	-	-	-	-	-	-
40 to 44 years	45	22	36	20	5	1	3	-	-	1	1	-	-	-	-	-	-	-
45 to 49 years	78	36	55	32	17	3	4	-	1	1	1	-	-	-	-	-	-	-
50 to 54 years	107	48	77	41	24	5	3	-	2	-	-	2	1	-	-	-	-	-
55 to 59 years	133	57	86	38	37	18	7	-	3	-	-	1	-	-	-	-	-	-
60 to 64 years	118	68	79	51	29	16	5	-	-	-	4	1	1	-	-	-	-	-
65 to 69 years	138	62	104	48	26	12	5	-	2	-	1	2	-	-	-	-	-	-
70 to 74 years	146	83	99	61	35	20	11	1	-	1	1	-	-	-	-	-	-	-
75 to 79 years	121	75	81	55	31	17	7	-	1	1	1	2	-	-	-	-	-	-
80 to 84 years	84	56	57	38	25	18	1	-	-	-	-	-	1	-	-	-	-	-
85 to 89 years	45	33	27	21	16	10	-	1	-	1	2	-	-	-	-	-	-	-
90 to 94 years	15	17	12	6	3	8	-	-	-	2	-	1	-	-	-	-	-	-
95 to 99 years	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
100 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	1	1	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-

536909 O - 43 - 16

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. Race is shown for population-size groups for total population or

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	65b	69	83
UNITED STATES	1,397,642	1,088	713	454	3,785	1,293	54,358	4,893	1,178	17,728	807	159,926	1,640	33,879	3,309	1,836	118,584
Both sexes—White	1,213,511	731	603	425	2,792	1,064	39,008	3,275	532	11,128	715	149,256	1,307	31,620	3,056	1,137	103,554
All other	184,131	357	110	29	993	229	15,350	1,618	646	6,600	92	10,670	333	2,259	253	699	15,030
Male—White	685,672	446	380	221	1,527	570	24,129	1,828	271	8,441	449	71,984	630	11,787	475	474	51,790
All other	99,361	205	70	9	492	115	8,126	883	330	4,452	50	4,384	167	734	39	174	7,129
Female—White	527,839	285	243	204	1,465	494	14,879	1,447	261	2,687	266	77,272	677	19,833	2,581	663	51,764
All other	84,770	152	40	20	501	114	7,224	735	316	2,148	42	6,286	166	1,525	214	525	7,901
Cities of 100,000 or more	423,036	118	160	89	482	173	19,077	1,776	39	5,630	162	57,012	482	12,330	1,033	190	30,828
Male	233,958	68	101	45	238	90	12,180	981	20	4,175	108	27,399	225	4,248	171	72	14,387
Female	189,078	50	59	44	244	83	6,897	795	19	1,455	54	29,613	257	8,082	862	118	16,441
Cities of 25,000 to 100,000	166,711	98	83	48	308	98	5,846	589	45	2,215	83	20,277	194	4,391	396	147	14,740
Male	90,830	61	56	28	139	54	3,510	308	25	1,579	51	9,135	86	1,531	68	48	6,992
Female	75,881	37	27	22	169	44	2,336	281	20	636	32	11,142	108	2,860	328	99	7,748
Cities of 10,000 to 25,000	111,042	61	51	30	267	67	3,436	341	63	1,165	65	13,074	116	2,899	275	120	10,037
Male	60,909	36	22	12	125	33	1,973	181	31	823	34	5,974	55	1,044	51	42	4,769
Female	50,133	25	29	18	142	34	1,463	160	32	342	31	7,100	61	1,855	224	78	5,268
Cities of 2,500 to 10,000	141,315	119	74	46	410	112	4,734	430	106	1,594	103	15,578	162	3,397	361	214	12,567
Male	79,003	75	48	21	200	51	2,719	237	51	1,135	62	7,319	87	1,334	54	58	6,181
Female	62,312	44	26	25	210	61	2,015	193	55	459	41	8,259	75	2,063	307	156	6,386
Rural	555,538	692	345	241	2,318	843	21,265	1,757	925	7,124	394	53,985	686	10,862	1,244	1,165	50,412
Male	320,333	411	203	126	1,117	457	11,873	1,004	474	5,181	244	26,541	344	4,364	170	428	26,590
Female	235,205	281	142	115	1,201	386	9,392	753	451	1,943	150	27,444	342	6,498	1,074	737	23,822
ALABAMA	28,782	21	27	12	132	72	1,383	114	123	528	61	1,904	39	350	33	184	2,377
Both sexes—White	15,658	11	20	10	54	57	567	41	47	122	47	1,336	18	236	23	79	1,311
All other	13,124	10	7	2	78	15	816	73	76	404	14	568	21	114	10	105	1,066
Male—White	8,889	9	9	4	22	31	312	25	22	85	25	615	6	101	4	30	676
All other	6,872	8	5	1	39	11	393	43	38	257	7	185	13	39	1	26	502
Female—White	6,769	2	11	6	32	26	255	16	25	37	22	721	12	135	19	49	635
All other	6,252	2	2	1	39	4	423	30	38	147	7	383	8	75	9	79	564
Cities of 100,000 or more—White	1,536	1	1	2	3	-	50	5	-	10	6	186	2	36	4	3	138
All other	1,692	1	2	1	5	-	161	14	1	56	5	77	2	16	2	4	137
Male—White	879	1	-	1	2	-	33	3	-	7	2	65	2	16	-	1	64
All other	844	-	2	-	1	-	88	10	-	37	3	23	-	4	-	1	74
Female—White	657	-	1	1	1	-	17	2	-	3	4	101	-	20	4	2	74
All other	848	1	-	1	4	-	73	4	1	19	2	54	2	12	2	3	63
Cities of 25,000 to 100,000—White	1,943	-	1	1	6	2	83	4	2	49	4	141	2	41	5	4	134
All other	1,480	1	-	1	9	2	98	12	8	59	3	75	1	18	-	7	149
Male—White	1,090	-	-	1	2	1	47	3	1	37	2	68	-	13	1	2	65
All other	758	1	-	1	3	1	52	6	5	38	1	24	1	3	-	2	65
Female—White	853	-	1	-	4	1	36	1	1	12	2	73	2	28	4	2	69
All other	722	-	-	-	6	1	46	6	3	21	2	51	-	15	-	5	84
Cities of 10,000 to 25,000—White	744	2	1	-	1	-	32	3	-	4	4	81	-	11	2	3	63
All other	875	2	3	-	10	1	52	5	5	26	-	39	3	9	3	5	81
Male—White	431	2	1	-	1	-	22	2	-	2	1	37	-	5	-	-	31
All other	456	1	2	-	7	1	26	3	2	21	-	12	1	3	-	2	32
Female—White	313	-	-	-	-	-	10	1	-	2	3	44	-	6	2	3	32
All other	419	1	1	-	3	-	26	2	3	5	-	27	2	6	3	3	49
Cities of 2,500 to 10,000—White	1,396	1	1	-	2	3	45	-	4	6	3	141	1	25	-	7	115
All other	959	4	-	-	8	2	47	7	1	35	-	42	-	5	-	8	88
Male—White	817	1	1	-	1	2	29	-	2	5	3	60	1	9	-	2	68
All other	493	4	-	-	6	2	20	2	1	23	-	11	-	2	-	1	40
Female—White	579	-	-	-	1	1	18	-	2	1	-	81	-	16	-	5	47
All other	466	-	-	-	2	-	27	5	-	12	-	31	-	3	-	7	48
Rural—White	10,039	7	16	7	42	52	357	29	41	53	30	807	13	123	12	62	861
All other	8,118	2	2	-	46	10	458	35	61	228	6	335	15	66	5	81	611
Male—White	5,672	5	7	2	16	28	181	17	19	34	17	385	3	58	3	25	448
All other	4,321	2	1	-	22	7	207	22	30	138	3	115	11	27	1	20	291
Female—White	4,367	2	9	5	26	24	176	12	22	19	13	422	10	65	9	37	413
All other	3,797	-	1	-	24	3	251	13	31	90	3	220	4	39	4	61	320
ARIZONA	5,452	3	5	-	38	6	611	56	-	72	2	370	5	64	9	8	274
Both sexes—White	4,327	1	1	-	27	4	452	20	-	49	1	341	4	53	8	7	248
All other	1,125	2	4	-	11	2	159	36	-	23	1	29	1	11	1	1	26
Male—White	2,745	-	-	-	7	3	304	14	-	35	-	169	2	27	-	4	150
All other	599	2	1	-	7	1	86	22	-	12	-	16	1	3	1	-	13
Female—White	1,582	1	1	-	20	1	148	6	-	14	1	172	2	26	8	3	98
All other	526	-	3	-	4	1	73	14	-	11	1	13	-	8	-	1	13
Cities of 25,000 to 100,000—White	1,645	1	-	-	4	2	260	9	-	24	-	128	1	20	4	3	96
All other	173	-	-	-	1	-	23	2	-	8	-	13	1	2	-	-	11
Male—White	1,027	-	-	-	1	1	190	6	-	16	-	59	1	7	-	2	61
All other	114	-	-	-	-	-	17	2	-	7	-	8	1	1	-	-	8
Female—White	618	1	-	-	3	1	70	3	-	8	-	69	-	13	4	1	35
All other	59	-	-	-	1	-	6	-	-	1	-	5	-	1	-	-	3
Cities of 2,500 to 10,000—White	1,006	-	-	-	4	-	43	4	-	9	1	96	2	10	2	-	52
All other	46	-	-	-	-	-	4	1	-	-	-	3	-	1	-	-	7
Male—White	627	-	-	-	1	-	30	4	-	6	-	42	1	5	-	-	23
All other	28	-	-	-	-	-	4	-	-	-	-	1	-	1	-	-	1
Female—White	379	-	-	-	3	-	13	-	-	3	1	54	1	5	2	-	23
All other	18	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	6
Rural—White	1,676	-	1	-	19	2	149	7	-	16	-	117	1	23	2	4	100
All other	906	2	4	-	10	2	132	33	-	15	1	13	-	8	1	1	8
Male—White	1,091	-	-	-	5	2	84	4	-	13	-	68	-	15	-	2	63
All other	457	2	1	-	7	1	65	20	-	5	-	7	-	1	1	-	4
Female—White	585	-	1	-	14	-	65	3	-	3	-	49	1	8	2	2	37
All other	449	-	3	-	3	1	67	13	-	10	1	6	-	7	-	1	4

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

selected States only; in each of these States (exclusive of cities of 100,000 or more) the population of "All other races" in 1940 constituted 5 percent or more of the numbered 100,000 or more)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5,733	26,325	107,166	252,650	84,982	8,864	13,971	10,789	11,537	11,876	7,536	99,954	3,034	4,922	13,922	33,341	17,102	7,929	39,969	61,544	169,025
4,792	23,271	102,350	226,901	68,746	8,049	10,680	9,482	9,978	11,172	7,214	83,789	2,229	3,635	12,999	27,818	16,536	3,417	35,955	54,670	139,625
941	3,054	4,816	25,749	16,236	815	3,291	1,307	1,559	704	322	16,165	805	1,287	923	5,523	566	4,512	4,014	6,874	29,400
2,814	11,854	72,392	123,917	38,543	6,717	5,878	5,839	5,298	7,404	2,380	45,085	...	...	7,050	15,931	12,458	2,655	27,657	36,185	80,433
495	1,509	2,835	13,505	9,006	616	1,737	742	820	454	105	8,619	...	...	510	3,030	445	3,635	3,248	4,970	15,721
1,978	11,417	29,958	102,984	30,203	1,332	4,802	3,643	4,680	3,768	4,834	38,704	2,229	3,635	5,949	11,887	4,078	762	8,298	18,485	59,192
446	1,545	1,981	12,244	7,230	199	1,554	565	739	250	217	7,546	805	1,287	413	2,493	121	877	766	1,904	13,679
1,475	8,886	35,460	89,569	21,567	3,123	2,235	3,021	3,493	5,400	2,362	26,753	767	976	3,742	8,563	5,675	2,552	9,913	18,647	41,276
874	4,221	24,883	47,198	12,448	2,611	1,223	1,814	1,795	3,494	816	13,314	...	...	2,013	4,923	4,052	2,002	7,417	10,902	23,450
601	4,665	10,577	42,371	9,119	512	1,012	1,207	1,698	1,906	1,546	13,439	767	976	1,729	3,640	1,623	550	2,496	5,745	17,826
657	2,904	15,195	30,405	8,945	1,106	1,360	1,255	1,403	1,555	951	11,888	322	459	1,687	4,103	2,144	925	4,545	6,935	18,409
385	1,386	10,434	15,918	4,948	898	762	752	722	1,045	297	6,108	...	...	893	2,331	1,557	675	3,382	4,345	10,323
272	1,518	4,761	14,487	3,997	208	598	503	681	510	654	5,780	322	459	794	1,772	587	250	1,163	2,590	8,086
439	1,964	9,885	19,365	6,110	706	1,000	894	1,054	895	673	8,498	260	343	1,204	2,770	1,353	539	3,133	4,852	13,038
241	995	6,886	10,185	3,352	572	483	553	545	611	214	4,516	...	...	635	1,539	1,011	416	2,399	3,127	7,424
198	969	2,999	9,180	2,758	134	517	341	509	284	459	3,982	260	343	569	1,231	342	123	734	1,725	5,614
633	2,298	11,470	23,874	8,434	928	1,576	1,235	1,243	1,048	805	10,670	345	526	1,523	3,904	1,635	760	4,486	6,564	17,351
362	1,169	8,009	12,877	4,621	758	839	768	678	707	264	5,868	...	...	818	2,224	1,230	607	3,448	4,295	9,829
271	1,129	3,461	10,997	3,813	170	737	467	565	341	541	4,802	345	526	705	1,680	405	153	1,038	2,269	7,522
2,529	10,273	35,156	89,437	39,926	3,001	7,800	4,384	4,344	2,978	2,745	42,145	1,340	2,618	5,766	14,001	6,295	3,153	17,892	26,546	78,951
1,447	5,592	25,015	51,244	22,180	2,494	4,308	2,694	2,378	2,001	894	23,898	...	...	3,201	7,944	5,053	2,590	14,259	18,486	45,128
1,082	4,681	10,141	38,193	17,746	507	3,492	1,690	1,966	977	1,851	18,247	1,340	2,618	2,565	6,057	1,242	563	3,633	8,060	33,823
143	479	1,116	3,420	2,480	148	486	256	203	141	73	2,581	104	241	225	1,021	173	425	776	1,349	5,584
85	284	805	1,925	1,345	96	259	167	107	92	62	1,353	44	97	180	622	157	99	561	812	2,527
58	195	311	1,495	1,135	52	227	89	96	49	11	1,228	60	144	45	399	16	326	215	537	3,057
43	164	567	1,120	730	85	160	106	67	69	25	774	...	...	96	354	108	84	441	547	1,373
28	109	156	800	611	40	110	51	49	34	4	673	...	...	22	218	12	254	181	398	1,554
42	120	238	805	615	11	99	61	40	23	37	579	44	97	84	268	49	15	120	265	1,154
30	86	155	695	524	12	117	38	47	15	7	555	60	144	23	181	4	72	34	139	1,503
3	32	135	205	97	9	10	19	10	17	7	98	4	6	27	60	23	4	54	78	211
6	23	36	210	123	6	12	15	11	10	1	93	8	15	7	59	5	63	21	66	418
1	15	98	125	53	9	7	9	5	13	1	60	...	...	17	39	18	3	39	47	123
3	8	10	95	51	4	4	11	3	8	-	47	...	...	2	36	4	51	17	44	203
2	17	37	80	44	-	3	10	5	4	6	38	4	6	10	21	5	1	15	31	88
3	15	26	115	72	2	8	4	8	2	1	46	8	15	5	23	1	12	4	22	215
13	29	138	319	125	17	22	14	12	9	8	149	5	6	21	56	28	7	46	92	348
1	18	66	203	165	4	29	8	9	5	-	168	10	16	7	33	-	48	27	49	171
7	18	94	174	74	15	19	14	7	3	5	82	...	...	9	28	17	6	33	56	186
-	8	31	119	85	4	15	5	6	4	-	91	...	...	4	15	-	39	21	28	80
6	11	44	145	51	2	3	-	5	6	3	67	5	6	12	28	11	1	13	36	162
1	10	35	84	80	-	14	3	3	1	-	77	10	16	3	18	-	9	6	21	91
4	5	60	95	48	4	12	9	6	6	4	62	2	3	8	32	9	7	20	48	93
-	15	22	113	87	8	13	10	1	8	-	101	4	3	1	32	2	25	17	31	138
2	3	44	52	30	4	5	3	3	5	1	38	...	...	5	19	6	6	16	36	49
-	9	9	57	47	6	4	5	1	5	-	54	...	...	1	12	1	18	15	24	75
2	2	16	43	18	-	7	6	3	1	3	24	2	3	3	13	3	1	4	12	44
-	6	13	56	40	2	9	5	-	3	-	47	4	3	-	20	1	7	2	7	63
10	16	92	167	124	11	22	18	12	12	6	135	7	7	19	58	14	7	55	59	191
8	15	23	101	76	6	24	8	14	4	3	120	3	11	4	26	1	24	9	49	183
3	6	64	106	70	11	17	13	10	9	3	82	...	...	9	32	11	6	39	36	106
3	9	13	53	42	6	10	4	5	1	1	58	...	...	3	13	-	19	6	38	97
7	10	28	61	54	-	5	5	2	3	3	53	7	7	10	26	3	1	16	23	85
5	6	10	48	34	-	14	4	9	3	2	62	3	11	1	13	1	5	3	11	86
55	202	380	1,139	951	55	193	107	67	48	37	909	26	75	105	416	83	74	386	535	1,684
43	124	164	868	684	28	149	48	61	22	7	746	35	99	26	249	8	166	141	342	2,147
30	122	267	663	503	46	112	67	42	39	15	512	...	...	56	236	56	63	314	372	909
22	75	93	476	386	20	77	26	34	16	3	423	...	...	12	142	7	127	122	264	1,099
25	80	113	476	448	9	81	40	25	9	22	397	26	75	49	180	27	11	72	163	775
21	49	71	392	298	8	72	22	27	6	4	323	35	99	14	107	1	39	19	78	1,048
38	58	271	614	452	24	275	42	41	27	22	227	15	17	86	191	62	32	220	309	906
22	51	263	580	323	21	178	40	34	24	17	190	8	14	76	157	59	20	190	258	586
16	7	8	34	129	3	97	2	7	3	5	37	7	3	10	34	3	12	30	51	320
17	24	203	388	202	19	101	24	20	19	7	119	...	...	42	89	42	15	147	191	361
6	3	4	21	72	3	52	2	1	-	-	24	...	...	5	17	1	10	23	32	156
5	27	60	192	121	2	77	16	14	5	10	71	8	14	34	68	17	5	43	67	225
10	4	4	13	57	-	45	-	6	3	5	13	7	3	5	17	2	2	7	19	162
9	25	95	209	113	10	58	7	16	10	7	59	3	5	31	55	24	10	56	80	211
-	3	3	10	14	2	12	-	-	1	2	10	1	-	1	8	-	6	3	9	27
7	9	74	128	70	9	29	5	8	7	2	36	...	...	17	26	14	6	45	52	139
-	2	2	8	7	2	9	-	-	-	-	5	...	...	1	4	-	5	2	8	15
2	16	21	81	43	1	29	2	8	3	5	23	3	5	14	29	10	4	11	28	72
-	1	1	2	7	-	3	-	-	1	2	5	1	-	-	4	-	1	1	1	12
3	11	73	173	83	5	47	11	6	7	4	52	1	3	17	38	20	1	40	57	131
-	-	2	4	2	1	3	-	1	1	-	6	1	-	-	-	-	2	1	-	6
1	7	52	115	48	5	30	8	2	6	3	29	...	...	8	27	14	1	33	48	75
-	-	-	4	2	1	2	-	-	-	-	5	...	...	-	-	-	2	1	-	4
2	4	21	58	35	-	17	3	4	1	1	23	1	3	9	11	6	-	7	9	56
-	-	2	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	2
10	15	95	198	127	6	73	22	12	7	6	79	4	6	28	64	15	9	94	121	244
16	4	3	20	113	-	82	2	6	1	3	21	5	3	9	26	3	4	26	42	287
9	8	77	145	84	5	42	11	10	6	2	54	...	...	17	36	14	8	69	91	147
6	1	2	9	63	-	41	2	1	-	-	14	...	...	4	13	1	3	20	24	139
1	7	18	53	43	1	31	11	2	1	4	25	4	6	11	28	1	1	25	30	97
10	3	1	11	50	-	41	-	5	1	3	7	5	3	5	13	2	1	6	18	148

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
ARKANSAS	16,402	56	10	3	70	57	947	40	164	240	13	1,260	20	197	25	72	1,274
Both sexes—White	11,330	32	8	3	52	47	551	18	86	96	11	1,026	16	158	20	29	913
All other	5,072	24	2	-	18	10	396	22	78	144	2	234	4	39	5	43	361
Male—White	6,543	15	3	1	31	21	308	15	37	71	5	477	6	72	3	12	498
All other	2,697	13	1	-	10	7	189	15	40	87	1	75	3	19	1	15	162
Female—White	4,787	17	5	2	21	26	243	3	49	25	6	549	10	86	17	17	415
All other	2,375	11	1	-	8	3	207	7	38	57	1	159	1	20	4	28	199
Cities of 25,000 to 100,000—White	1,274	-	2	-	4	1	38	-	2	32	-	136	3	18	4	-	116
All other	592	1	-	-	-	1	53	2	1	58	-	32	-	4	1	4	49
Male—White	738	-	-	-	1	1	22	-	1	26	-	58	1	8	1	-	73
All other	325	1	-	-	-	-	26	2	-	27	-	12	-	4	-	1	25
Female—White	536	-	2	-	3	-	16	-	1	6	-	78	2	10	3	-	43
All other	267	-	-	-	-	1	27	-	1	31	-	20	-	-	1	3	24
Cities of 10,000 to 25,000—White	1,020	2	-	1	3	-	45	-	3	7	2	119	1	21	2	3	64
All other	514	2	-	-	1	1	33	2	6	12	-	24	-	5	1	10	46
Male—White	609	-	-	-	3	-	26	-	1	4	-	47	1	9	-	-	40
All other	252	1	-	-	-	-	12	2	4	9	-	7	-	3	1	4	17
Female—White	411	2	-	1	-	-	19	-	2	3	2	72	-	12	2	3	24
All other	262	1	-	-	1	1	21	-	2	3	-	17	-	2	-	6	29
Cities of 2,500 to 10,000—White	1,589	4	1	1	8	6	54	2	5	12	1	151	3	23	1	1	111
All other	716	2	1	-	2	1	52	4	9	12	-	37	1	8	1	5	42
Male—White	936	2	1	-	4	3	33	2	2	7	1	74	1	12	-	-	68
All other	369	2	1	-	1	1	18	3	5	8	-	12	1	3	-	-	21
Female—White	653	2	-	1	4	3	21	-	3	5	-	77	2	11	1	1	43
All other	347	-	-	-	1	-	34	1	4	4	-	25	-	5	1	5	21
Rural—White	7,447	26	5	1	37	40	414	16	76	45	8	620	9	96	13	25	622
All other	3,250	19	1	-	15	7	258	14	62	62	2	141	3	22	2	24	224
Male—White	4,260	13	2	1	23	17	227	13	33	34	4	298	3	43	2	12	317
All other	1,751	9	-	-	9	6	133	8	31	43	1	44	2	9	-	10	99
Female—White	3,187	13	3	-	14	23	187	3	43	11	4	322	6	53	11	13	305
All other	1,499	10	1	-	6	1	125	6	31	19	1	97	1	13	2	14	125
CALIFORNIA	80,943	32	22	5	112	58	3,423	318	2	1,239	19	10,148	30	1,672	144	50	6,366
Both sexes—White	77,487	23	22	4	107	57	3,002	275	2	1,083	19	9,814	28	1,601	135	49	6,133
All other	3,456	9	-	1	5	1	421	43	-	156	-	334	2	71	9	1	233
Male—White	45,711	17	10	3	54	43	1,998	142	2	850	13	4,719	18	678	20	32	2,979
All other	2,268	5	-	-	3	-	298	24	-	125	-	204	-	28	3	-	131
Female—White	31,776	6	12	1	53	14	1,004	133	-	233	6	5,095	10	923	115	17	3,154
All other	1,188	4	-	1	2	1	123	19	-	31	-	130	2	43	6	1	102
Cities of 100,000 or more—White	33,816	8	8	1	28	15	1,206	110	1	392	6	4,724	11	716	64	21	2,632
All other	1,713	4	-	1	1	-	203	23	-	73	-	199	1	42	8	-	116
Male—White	19,491	5	3	1	13	12	824	59	1	313	4	2,205	8	317	8	15	1,227
All other	1,075	2	-	-	-	-	143	13	-	58	-	115	-	12	2	-	54
Female—White	14,325	3	5	-	15	3	382	51	-	79	2	2,519	3	399	56	8	1,405
All other	638	2	-	1	1	-	60	10	-	15	-	84	1	30	6	-	62
Cities of 25,000 to 100,000—White	10,738	6	2	1	10	8	327	50	-	122	5	1,403	3	225	23	3	938
All other	582	-	-	-	-	-	49	5	-	8	-	38	-	11	1	-	29
Male—White	5,915	4	-	1	6	6	195	24	-	90	4	607	1	90	3	1	425
All other	261	-	-	-	-	-	39	3	-	5	-	25	-	6	1	-	17
Female—White	4,823	2	2	-	4	2	132	26	-	32	1	796	2	135	20	2	513
All other	121	-	-	-	-	-	10	2	-	3	-	13	-	5	-	-	12
Cities of 10,000 to 25,000—White	5,637	2	3	1	7	4	158	18	-	59	1	706	2	110	15	3	477
All other	139	1	-	-	1	-	11	-	-	5	-	18	-	1	-	-	11
Male—White	3,251	2	-	-	2	4	100	7	-	45	1	335	2	45	2	1	234
All other	88	1	-	-	-	-	7	-	-	4	-	7	-	1	-	-	6
Female—White	2,386	-	3	1	5	-	58	11	-	14	-	371	-	65	13	2	243
All other	51	-	-	-	1	-	4	-	-	1	-	11	-	-	-	-	5
Cities of 2,500 to 10,000—White	7,269	2	3	-	25	5	287	41	1	74	3	868	3	155	10	9	576
All other	186	-	-	-	1	-	20	2	-	7	-	17	-	3	-	-	12
Male—White	4,314	1	2	-	13	4	178	22	1	56	1	431	2	68	3	6	286
All other	136	-	-	-	1	-	16	1	-	6	-	13	-	2	-	-	11
Female—White	2,955	1	1	-	12	1	109	19	-	18	2	437	1	87	7	3	290
All other	50	-	-	-	-	-	4	1	-	1	-	4	-	1	-	-	1
Rural—White	20,027	5	6	1	37	25	1,024	56	-	436	4	2,113	9	395	23	13	1,510
All other	1,036	4	-	-	2	1	158	13	-	63	-	62	1	14	-	1	65
Male—White	12,740	5	5	1	20	17	701	30	-	346	3	1,141	5	158	4	11	807
All other	708	2	-	-	2	-	93	7	-	52	-	44	-	7	-	-	43
Female—White	7,287	-	1	-	17	8	323	26	-	90	1	972	4	237	19	2	703
All other	328	2	-	-	-	1	45	6	-	11	-	18	1	7	-	1	22
COLORADO	11,988	5	5	9	61	25	416	42	1	144	5	1,249	22	175	20	1	934
Both sexes—White	11,725	5	5	9	61	22	391	39	1	132	5	1,222	21	171	19	1	909
All other	263	-	-	-	-	3	25	3	-	12	-	27	1	4	1	-	25
Male—White	6,762	3	3	5	32	9	254	18	-	102	3	598	15	74	2	-	407
All other	150	-	-	-	-	2	20	2	-	9	-	8	1	-	-	-	14
Female—White	4,963	2	2	4	29	13	137	21	1	30	2	624	6	97	17	1	442
All other	113	-	-	-	-	1	5	1	-	3	-	19	-	4	1	-	11
Cities of 100,000 or more	3,874	1	2	1	18	7	155	17	1	54	1	475	8	53	7	-	265
Male	2,145	-	1	-	11	4	108	7	-	44	1	211	7	21	-	-	122
Female	1,729	1	1	1	7	3	47	10	1	10	-	264	1	32	7	-	143
Cities of 25,000 to 100,000	1,128	2	-	2	2	-	56	5	-	15	1	113	1	22	2	1	105
Male	629	1	-	1	1	-	35	2	-	10	1	56	-	11	-	-	44
Female	499	1	-	1	1	-	21	3	-	5	-	57	1	11	2	1	61
Cities of 10,000 to 25,000	919	-	-	1	5	2	34	5	-	3	-	103	4	18	2	-	74
Male	510	-	-	-	1	1	14	2	-	-	-	48	2	9	1	-	43
Female	409	-	-	1	4	1	20	3	-	3	-	55	2	9	1	-	31

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
82	237	699	1,837	1,671	81	332	188	111	89	63	1,409	60	104	121	421	134	208	467	780	2,860
57	182	583	1,278	1,091	65	240	130	76	70	54	920	27	59	106	333	126	63	367	569	1,868
25	55	116	559	580	16	92	58	35	19	9	489	33	45	15	88	8	145	100	211	992
39	100	425	756	575	53	131	88	35	53	23	541	...	...	64	187	98	56	286	388	1,070
11	31	54	325	312	10	45	28	18	11	6	286	...	...	9	55	6	114	81	145	514
18	82	158	522	516	12	109	42	41	17	31	379	27	59	42	146	28	7	81	181	798
14	24	62	234	268	6	47	30	19	8	3	203	33	45	6	33	2	31	19	66	478
5	16	101	197	97	7	14	7	4	8	6	94	4	1	5	29	11	7	28	48	229
2	7	34	84	49	1	5	5	4	3	-	53	2	2	2	21	1	22	10	14	65
4	6	72	113	42	6	9	5	1	7	3	60	...	...	2	17	7	5	21	24	142
-	5	13	65	25	1	2	2	-	2	-	32	...	...	1	12	1	16	7	9	34
1	10	29	84	55	1	5	2	3	1	3	34	4	1	3	12	4	2	7	24	87
2	2	21	19	24	-	3	3	4	1	-	21	2	2	1	9	-	6	3	5	31
5	11	74	147	62	7	9	7	12	14	4	94	1	6	13	36	19	8	29	36	153
1	3	7	64	65	2	10	7	6	2	-	50	5	4	5	8	1	18	14	13	86
4	5	61	96	32	5	2	5	9	13	1	59	...	...	8	18	16	8	23	21	92
1	2	4	37	35	1	4	3	2	-	-	23	...	...	2	5	-	16	11	8	38
1	6	13	51	30	2	7	2	3	1	3	35	1	6	5	18	3	-	6	15	61
-	1	3	27	30	1	6	4	4	2	-	27	5	4	3	3	1	2	3	5	48
6	27	128	192	118	11	24	30	18	11	7	126	4	7	18	45	22	11	62	97	241
3	5	14	103	88	4	11	9	8	1	-	85	2	7	1	6	1	24	14	31	124
4	14	90	110	71	11	10	19	7	8	1	74	...	...	10	22	17	9	54	62	133
2	3	10	53	46	-	5	5	2	-	-	49	...	...	1	4	1	18	12	19	63
2	13	38	82	47	-	14	11	11	3	6	52	4	7	8	23	5	2	8	35	108
1	2	4	50	40	4	6	4	6	1	-	36	2	7	-	2	-	6	2	12	61
41	128	280	742	814	40	193	86	42	37	37	606	18	45	70	223	74	37	248	388	1,245
19	40	61	308	380	9	66	37	17	13	9	301	24	32	7	53	5	81	82	153	717
27	75	202	437	430	31	110	59	18	25	18	348	...	...	44	130	58	34	188	281	703
8	21	27	170	208	8	34	18	12	9	6	182	...	...	5	34	4	64	51	109	379
14	53	78	305	384	9	83	27	24	12	19	258	18	45	26	93	16	3	60	107	542
11	19	34	138	174	1	32	19	5	4	3	119	24	32	2	19	1	17	11	44	338
236	1,383	7,625	16,181	3,459	760	464	521	613	1,492	430	4,466	99	181	738	1,610	1,546	308	3,518	3,370	8,303
218	1,341	7,518	15,685	3,280	728	437	493	589	1,438	415	4,276	91	167	709	1,533	1,467	234	3,344	3,225	7,945
18	42	107	496	179	32	27	28	24	54	15	190	8	14	29	77	79	74	174	145	358
127	717	5,252	9,086	2,024	617	239	308	323	926	164	2,389	...	...	394	846	1,083	177	2,520	2,224	4,717
15	21	75	323	114	29	16	17	13	40	5	115	...	...	16	37	69	64	153	117	208
91	624	2,266	6,599	1,256	111	198	185	266	512	251	1,887	91	167	315	687	384	57	824	1,001	3,228
3	21	32	173	65	3	11	11	11	14	10	75	8	14	13	40	10	10	21	28	150
80	611	3,239	7,171	1,386	365	91	198	258	836	178	1,918	33	61	257	581	703	105	1,190	1,265	3,347
6	29	55	251	83	19	11	17	10	26	7	116	6	6	12	36	38	32	67	53	162
53	314	2,195	4,054	879	302	52	134	130	532	74	1,042	...	...	146	321	505	77	859	845	1,964
4	14	38	146	56	18	6	12	5	19	4	69	...	...	5	20	33	29	60	43	95
27	297	1,044	3,117	507	63	39	64	128	304	104	876	33	61	111	260	198	28	331	420	1,383
2	15	17	105	27	1	5	5	5	7	3	47	6	6	7	16	5	3	7	10	67
27	180	1,242	2,099	399	82	62	81	86	183	65	604	13	21	103	232	189	30	454	391	1,069
3	5	11	62	16	2	1	5	5	7	1	22	1	1	5	12	9	8	17	10	38
16	97	834	1,132	228	74	37	48	48	115	22	295	...	...	60	128	128	21	317	253	605
3	2	7	46	12	-	1	1	3	5	-	15	...	...	3	8	9	7	12	7	24
11	83	408	967	171	8	25	33	38	68	43	309	13	21	43	104	61	9	137	138	464
-	3	4	16	4	2	-	4	2	2	1	7	1	1	2	4	-	1	5	3	14
13	113	629	1,118	223	39	34	46	52	78	38	332	9	15	55	122	104	9	256	212	574
1	-	9	12	8	1	3	-	2	3	-	4	-	-	-	7	4	7	9	6	15
6	60	440	636	145	34	15	27	28	53	11	178	...	...	27	78	76	6	194	130	327
-	-	9	7	5	1	1	-	-	3	-	2	...	...	-	2	3	6	8	5	10
7	53	189	482	78	5	19	19	24	25	27	154	9	15	28	44	28	3	62	82	247
1	-	-	5	3	-	2	-	2	-	-	2	-	-	-	5	1	1	1	1	5
31	101	713	1,332	295	74	74	45	57	90	49	399	18	20	95	193	126	16	396	309	774
2	1	5	28	14	1	1	1	3	5	1	12	1	1	-	4	3	4	6	9	22
15	51	493	759	168	62	40	27	37	61	20	243	...	...	52	110	93	13	312	214	470
2	-	2	21	10	1	1	-	1	4	-	9	...	...	-	-	3	4	5	7	16
16	50	220	573	127	12	34	18	20	29	29	156	18	20	43	83	33	3	84	95	304
-	1	3	7	4	-	-	1	2	1	1	3	1	1	-	4	-	-	1	2	6
67	336	1,695	3,965	977	168	176	123	136	251	85	1,023	18	50	199	405	345	74	1,048	1,048	2,181
6	7	27	143	58	9	11	5	4	13	6	36	-	6	12	18	25	23	75	67	121
37	195	1,290	2,505	604	145	95	72	80	165	37	631	...	...	109	209	281	60	838	782	1,351
6	5	19	103	31	9	7	4	4	9	1	20	...	...	8	7	21	18	68	55	63
30	141	405	1,460	373	23	81	51	56	86	48	392	18	50	90	196	64	14	210	266	830
-	2	8	40	27	-	4	1	-	4	5	16	-	6	4	11	4	5	7	12	58
76	270	871	1,892	887	121	165	142	153	98	70	894	30	42	139	303	231	26	336	572	1,556
75	263	863	1,851	865	118	164	140	148	96	68	875	29	41	138	299	230	24	333	568	1,524
1	7	8	41	22	3	1	2	5	2	2	19	1	1	1	4	1	2	3	4	32
35	129	632	1,064	452	94	83	89	84	61	23	466	...	...	87	184	178	21	243	376	876
-	2	4	22	13	3	1	1	3	-	-	14	...	...	1	1	1	2	3	3	20
40	134	231	787	413	24	81	51	64	35	45	409	29	41	51	115	52	3	90	192	648
1	5	4	19	9	-	-	1	2	2	2	5	1	1	-	3	-	-	-	1	12
30	82	305	683	193	45	30	30	49	37	19	341	5	5	29	71	94	8	115	139	499
13	34	212	381	107	35	14	16	23	20	7	186	...	...	17	46	74	8	78	80	277
17	48	93	302	86	10	16	14	26	17	12	175	5	5	12	25	20	-	37	59	222
3	19	87	166	82	13	6	8	17	13	4	107	1	-	14	19	20	3	25	49	145
-	4	63	92	39	9	3	6	8	8	2	71	...	...	10	12	16	3	15	27	79
3	15	24	74	43	4	3	2	9	5	2	36	1	-	4	7	4	-	10	22	66
8	14	78	129	69	7	18	10	15	7	9	51	2	1	12	31	14	2	27	36	128
4	6	54	69	31	6	8	5	8	5	5	28	...	...	11	17	11	2	21	23	75
4	8	24	60	38	1	10	5	7	2	4	23	2	1	1	14	3	-	6	13	53

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
COLORADO—Continued																	
Cities of 2,500 to 10,000	1,537	2	2	2	12	1	46	5	-	12	1	145	3	18	3	-	123
Male	871	2	1	2	9	-	32	2	-	8	-	71	2	8	-	-	59
Female	666	-	1	-	3	1	14	3	-	4	1	74	1	10	3	-	64
Rural	4,530	-	1	3	24	15	125	10	-	60	2	413	6	64	6	-	387
Male	2,757	-	1	2	10	6	85	7	-	49	1	220	5	25	1	-	213
Female	1,773	-	-	1	14	9	40	3	-	11	1	193	1	39	5	-	154
CONNECTICUT	18,188	8	7	2	11	-	562	50	-	158	3	2,650	23	616	25	4	1,514
Both sexes—White	17,728	7	7	2	10	-	521	39	-	131	3	2,613	20	604	23	4	1,482
All other	460	1	-	-	1	-	41	11	-	27	-	37	3	12	2	-	32
Male—White	9,689	3	2	1	4	-	342	19	-	100	3	1,253	8	210	2	2	675
All other	230	1	-	-	1	-	18	5	-	20	-	16	1	3	-	-	15
Female—White	8,039	4	5	1	6	-	179	20	-	31	-	1,360	12	394	21	2	807
All other	230	-	-	-	-	-	23	6	-	7	-	21	2	9	2	-	17
Cities of 100,000 or more	5,034	3	5	-	1	-	143	14	-	50	-	770	5	167	7	-	390
Male	2,748	2	1	-	1	-	95	7	-	35	-	362	2	62	-	-	172
Female	2,286	1	4	-	-	-	48	7	-	15	-	408	3	105	7	-	218
Cities of 25,000 to 100,000	4,950	2	-	2	5	-	158	15	-	46	1	698	10	190	6	3	416
Male	2,692	2	-	1	3	-	98	9	-	36	1	342	3	65	1	1	183
Female	2,258	-	-	1	2	-	58	6	-	10	-	356	7	125	5	2	233
Cities of 10,000 to 25,000	1,947	1	-	-	1	-	85	9	-	11	-	288	3	74	1	-	149
Male	1,060	-	-	-	-	-	54	2	-	11	-	140	2	19	-	-	70
Female	887	1	-	-	1	-	31	7	-	-	-	148	1	55	1	-	79
Cities of 2,500 to 10,000	593	-	-	-	-	-	5	-	-	4	-	85	-	20	-	1	62
Male	319	-	-	-	-	-	3	-	-	2	-	46	-	10	-	1	28
Female	274	-	-	-	-	-	2	-	-	2	-	39	-	10	-	-	34
Rural	5,664	2	2	-	4	-	173	12	-	47	2	809	5	165	11	-	497
Male	3,100	-	1	-	1	-	110	8	-	36	2	379	2	57	1	-	237
Female	2,564	2	1	-	3	-	63	6	-	11	-	430	3	108	10	-	260
DELAWARE	3,244	-	-	1	8	1	144	17	-	54	1	332	5	80	5	1	270
Both sexes—White	2,626	-	-	1	6	1	84	7	-	27	1	294	2	73	3	1	236
All other	618	-	-	-	2	-	60	10	-	27	-	38	3	7	2	-	34
Male—White	1,447	-	-	-	2	1	47	3	-	20	1	127	1	29	-	-	126
All other	352	-	-	-	-	-	29	7	-	12	-	16	3	2	-	-	22
Female—White	1,179	-	-	1	4	-	37	4	-	7	-	167	1	44	3	1	110
All other	266	-	-	-	2	-	31	3	-	15	-	22	-	5	2	-	12
Cities of 100,000 or more—White	1,073	-	-	1	1	-	27	2	-	6	1	137	1	36	2	1	87
All other	230	-	-	-	1	-	24	2	-	9	-	17	1	2	1	-	12
Male—White	562	-	-	-	1	-	17	1	-	5	1	54	-	12	-	-	40
All other	111	-	-	-	-	-	7	1	-	4	-	8	1	1	-	-	5
Female—White	511	-	-	1	-	-	10	1	-	1	-	83	1	24	2	1	47
All other	119	-	-	-	1	-	17	1	-	5	-	9	-	1	1	-	7
Cities of 2,500 to 10,000—White	304	-	-	-	2	-	13	1	-	1	-	38	1	6	-	-	28
All other	93	-	-	-	1	-	11	3	-	2	-	6	-	-	-	-	8
Male—White	157	-	-	-	1	-	7	-	-	-	-	19	1	1	-	-	16
All other	58	-	-	-	-	-	8	3	-	2	-	2	-	-	-	-	6
Female—White	147	-	-	-	1	-	6	1	-	1	-	19	-	5	-	-	12
All other	35	-	-	-	1	-	3	-	-	-	-	4	-	-	-	-	-
Rural—White	1,249	-	-	-	3	1	44	4	-	20	-	119	-	31	1	-	121
All other	295	-	-	-	-	-	25	5	-	16	-	15	2	5	1	-	16
Male—White	728	-	-	-	-	1	23	2	-	15	-	54	-	16	-	-	70
All other	183	-	-	-	-	-	14	3	-	6	-	6	2	1	-	-	11
Female—White	521	-	-	-	3	-	21	2	-	5	-	65	-	15	1	-	51
All other	112	-	-	-	-	-	11	2	-	10	-	9	-	4	1	-	5
DISTRICT OF COLUMBIA	7,999	3	3	-	9	1	477	46	1	150	4	956	8	166	12	4	580
Both sexes—White	5,062	1	2	-	5	-	158	19	1	54	4	704	3	121	8	4	360
All other	2,937	2	1	-	4	1	319	27	-	96	-	252	5	45	4	-	220
Male—White	2,760	-	-	-	3	-	114	10	1	42	3	313	2	47	1	1	161
All other	1,539	1	-	-	2	1	169	13	-	68	-	131	2	17	2	-	92
Female—White	2,302	1	2	-	2	-	44	9	-	12	1	391	1	74	7	3	199
All other	1,398	1	1	-	2	-	150	14	-	28	-	121	3	28	2	-	128
FLORIDA	21,632	27	12	2	35	23	876	56	82	502	34	1,919	23	351	27	60	2,076
Both sexes—White	14,023	11	7	1	16	18	344	25	27	133	28	1,570	13	281	17	26	1,238
All other	7,609	16	5	1	19	5	532	31	55	369	6	349	10	70	10	34	838
Male—White	8,414	6	4	1	7	8	229	15	13	99	18	771	10	138	2	7	691
All other	4,336	9	3	-	4	3	288	20	27	254	2	150	8	24	3	10	429
Female—White	5,609	5	3	-	9	10	115	10	14	34	10	799	3	143	15	19	547
All other	3,273	7	2	1	15	2	244	11	28	115	4	199	2	46	7	24	409
Cities of 100,000 or more—White	3,530	2	1	-	-	3	108	3	2	33	6	461	2	75	4	3	261
All other	2,019	6	2	-	1	2	218	10	3	119	-	83	1	26	4	10	218
Male—White	2,101	1	-	-	-	2	69	1	-	25	4	225	2	30	1	-	150
All other	1,127	4	1	-	-	1	115	9	2	80	-	32	1	10	1	3	104
Female—White	1,429	1	1	-	-	1	39	2	2	8	2	236	-	45	3	3	111
All other	892	2	1	-	1	1	103	1	1	39	-	51	-	16	3	7	114
Cities of 25,000 to 100,000—White	1,914	2	1	-	1	-	37	6	-	9	8	260	3	45	1	-	179
All other	685	2	1	-	2	-	42	3	3	27	-	38	-	12	2	2	98
Male—White	1,087	1	-	-	1	-	26	4	-	9	5	123	1	18	-	-	81
All other	384	1	1	-	1	-	24	2	2	20	-	17	-	4	1	1	48
Female—White	827	1	1	-	-	-	11	2	-	-	3	137	2	27	1	-	98
All other	301	1	-	-	1	-	18	1	1	7	-	21	-	8	1	1	50

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
16	49	96	252	115	11	31	27	18	10	7	102	7	5	29	57	21	1	48	85	175
8	23	66	141	54	7	18	21	13	6	-	53	...	...	18	35	15	1	37	59	100
8	26	30	111	61	4	13	6	5	4	7	49	7	5	11	22	6	-	11	26	75
19	106	305	862	428	45	80	67	54	31	31	293	15	31	55	125	82	12	121	263	609
10	64	241	403	234	40	41	42	35	22	9	162	...	...	32	75	63	9	95	190	365
9	42	64	259	194	5	39	25	19	9	22	131	15	31	23	50	19	3	26	73	244
43	320	1,908	3,938	704	122	60	128	139	216	106	1,189	25	34	202	270	229	38	432	734	1,718
40	306	1,890	3,865	676	120	58	125	136	214	104	1,148	23	33	201	260	224	28	424	718	1,669
3	14	18	73	28	2	2	3	3	2	2	41	2	1	1	10	5	10	8	16	49
19	147	1,272	2,018	389	106	34	75	78	126	32	596	...	...	112	130	176	18	334	467	936
2	3	11	31	16	-	1	2	-	2	1	18	...	...	1	6	3	8	7	12	26
21	159	618	1,847	287	14	24	50	58	88	72	552	23	33	89	130	48	10	90	251	733
1	11	7	42	12	2	1	1	3	-	1	23	2	1	-	4	2	2	1	4	23
16	100	563	1,059	191	39	17	32	33	68	39	311	6	9	50	71	64	22	103	201	485
9	43	399	529	109	34	8	19	22	42	15	156	...	...	29	34	47	18	81	134	281
7	57	164	530	82	5	9	13	11	26	24	155	6	9	21	37	17	4	22	67	204
13	85	527	1,014	192	30	17	34	41	65	23	353	10	11	63	73	58	5	96	210	480
6	35	355	511	118	28	12	19	22	39	6	198	...	...	29	33	45	2	77	133	279
7	50	172	503	74	2	5	15	19	26	17	155	10	11	34	40	13	3	19	77	201
1	21	174	440	76	7	11	19	17	19	11	133	2	4	22	37	29	4	57	74	167
-	10	124	237	44	7	5	15	6	12	2	57	...	...	15	18	22	2	43	54	89
1	11	50	203	32	-	6	4	11	7	9	76	2	4	7	19	7	2	14	20	78
1	7	81	152	14	3	1	2	4	7	2	44	1	1	6	11	4	1	15	27	52
-	2	40	83	4	3	1	1	2	3	1	22	...	...	1	6	4	-	12	13	31
1	5	21	69	10	-	-	1	2	4	1	22	1	1	5	5	-	1	3	14	21
12	107	583	1,273	231	43	14	41	44	57	31	348	6	9	61	78	74	6	161	222	534
6	60	365	689	130	34	9	23	26	32	9	181	...	...	39	45	61	4	128	145	282
6	47	218	584	101	9	5	18	18	25	22	167	6	9	22	33	13	2	33	77	252
11	62	241	647	175	20	37	22	26	25	8	367	8	3	23	63	33	21	95	135	303
8	54	225	537	121	17	23	20	23	20	7	293	6	2	18	45	33	9	74	109	246
3	8	16	110	54	3	14	2	3	5	1	74	2	1	5	18	-	12	21	26	57
4	29	163	267	70	15	12	15	15	12	2	141	...	...	15	34	26	6	53	71	140
1	3	12	71	30	3	8	2	3	2	-	36	...	...	3	5	-	10	20	21	31
4	25	62	270	51	2	11	5	8	8	5	152	6	2	3	11	7	3	21	38	106
2	5	4	39	24	-	6	-	-	3	1	38	2	1	2	13	-	2	1	5	26
4	27	104	205	47	11	7	9	11	11	3	130	3	1	4	19	13	2	26	42	92
2	3	2	30	19	-	2	1	1	1	1	34	1	-	2	9	-	5	8	12	28
2	15	74	97	27	10	3	7	7	6	1	61	...	...	4	15	9	2	17	27	47
1	-	2	17	9	-	1	1	1	-	-	13	...	...	1	3	-	4	8	9	14
2	12	30	108	20	1	4	2	4	5	2	69	3	1	-	4	4	-	9	15	45
1	3	-	13	10	-	1	-	-	1	1	21	1	-	1	6	-	1	-	3	14
-	6	28	54	13	2	4	3	1	2	1	37	2	-	1	8	4	1	8	13	26
1	-	3	17	7	1	4	-	-	1	-	12	1	-	2	2	-	2	3	2	6
-	4	18	24	7	2	2	3	1	1	-	13	...	...	1	7	2	1	6	4	16
-	-	2	13	2	1	2	-	-	1	-	8	...	...	2	-	-	2	2	1	1
-	2	10	30	6	-	2	-	-	1	1	24	2	-	-	1	2	-	2	9	10
1	-	1	4	5	-	2	-	-	-	-	4	1	-	-	2	-	-	1	1	5
4	21	93	278	61	4	12	8	11	7	3	126	1	1	13	18	16	6	40	54	128
-	5	11	63	28	2	8	1	2	3	-	28	-	1	1	7	-	5	10	12	23
2	10	71	146	36	3	7	5	7	5	1	67	...	...	10	12	15	3	30	40	77
-	3	8	41	19	2	5	1	2	1	-	15	...	...	-	2	-	4	10	11	16
2	11	22	132	25	1	5	3	4	2	2	59	1	1	3	6	1	3	10	14	51
-	2	3	22	9	-	3	-	-	2	-	13	-	1	1	5	-	1	-	1	7
26	134	558	1,334	442	43	125	60	74	98	38	726	17	19	70	283	128	75	176	315	838
16	100	488	830	244	28	60	36	40	87	32	460	10	11	52	141	113	17	104	226	523
10	34	70	504	198	15	65	24	34	11	6	266	7	8	18	142	15	58	72	89	315
8	43	339	424	148	23	42	19	19	69	14	217	...	...	30	80	69	11	82	130	295
6	15	42	232	105	12	37	14	13	8	-	134	...	...	8	71	11	42	55	71	165
8	57	149	406	96	5	18	17	21	18	18	243	10	11	22	61	44	6	22	96	228
4	19	28	272	93	3	28	10	21	3	6	132	7	8	10	71	4	16	17	18	150
125	321	1,509	2,931	1,425	155	277	157	177	168	76	1,635	79	152	184	607	263	365	756	1,005	3,160
68	227	1,325	2,081	791	99	150	104	103	129	65	1,017	41	84	153	411	244	81	560	668	1,867
57	94	184	850	634	56	127	53	74	39	11	618	38	68	31	196	19	284	196	337	1,293
41	136	995	1,257	442	84	83	58	61	87	22	594	...	...	81	226	174	63	423	447	1,121
32	59	112	473	363	34	66	37	37	24	2	357	...	...	18	108	13	232	154	259	722
27	91	330	824	349	15	67	46	42	42	43	423	41	84	72	185	70	18	137	221	746
25	35	72	377	271	22	61	16	37	15	9	261	38	68	13	88	6	52	42	78	571
18	60	331	557	181	30	28	20	34	35	15	241	11	17	38	102	80	25	129	145	471
10	20	73	246	149	20	23	13	28	15	3	142	6	13	10	56	6	95	47	61	280
9	39	247	341	96	27	15	13	19	23	6	130	...	...	19	56	53	17	95	87	299
7	16	45	128	77	10	15	11	11	7	1	76	...	...	4	36	5	82	34	46	153
7	21	84	216	85	3	13	7	15	12	9	111	11	17	19	46	27	8	34	58	172
3	4	28	118	72	10	8	2	17	8	2	66	6	13	6	20	1	13	13	15	127
9	45	250	319	72	8	13	12	9	22	10	105	6	6	19	33	48	5	72	78	221
5	6	20	77	48	5	11	12	9	3	2	64	5	4	2	27	4	21	9	31	88
7	23	181	176	31	6	7	3	4	18	3	68	...	...	8	13	38	3	47	46	136
3	8	12	49	31	-	6	10	3	1	1	36	...	...	1	13	4	11	9	22	44
2	22	69	143	41	2	6	9	5	4	7	37	6	6	11	20	10	2	25	32	85
2	-	8	28	17	5	5	2	6	2	1	28	5	4	1	14	-	10	-	9	44

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis encephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
FLORIDA—Continued																	
Cities of 10,000 to 25,000—White	1,323	1	-	-	-	1	20	4	1	4	1	149	-	36	4	1	124
All other	765	1	-	-	1	2	49	6	5	31	2	36	-	4	1	2	87
Male—White	801	1	-	-	-	-	16	1	1	4	1	81	-	17	-	-	69
All other	412	1	-	-	-	1	29	3	4	19	-	12	-	2	-	2	47
Female—White	522	-	-	-	-	1	4	3	-	-	-	68	-	19	4	1	55
All other	353	-	-	-	1	1	20	3	1	12	2	24	-	2	1	-	40
Cities of 2,500 to 10,000—White	1,828	3	3	1	1	3	45	2	4	36	2	186	3	31	2	4	152
All other	1,134	-	1	-	6	-	77	8	8	85	2	53	3	10	-	5	97
Male—White	1,121	2	3	1	-	1	35	1	2	28	2	97	2	22	-	2	97
All other	650	-	-	-	1	-	40	5	5	52	1	18	3	1	-	3	43
Female—White	707	1	-	-	1	2	10	1	2	8	-	89	1	9	2	2	55
All other	484	-	1	-	5	-	37	3	3	33	1	35	-	9	-	2	54
Rural—White	5,428	3	2	-	14	11	134	10	20	51	11	514	5	94	6	18	522
All other	3,006	7	1	1	9	1	146	4	36	107	2	139	6	18	3	15	338
Male—White	3,304	1	1	-	6	5	83	8	10	33	6	245	5	51	1	5	294
All other	1,763	3	1	-	2	1	80	1	14	83	1	71	4	7	1	1	187
Female—White	2,124	2	1	-	8	6	51	2	10	18	5	269	-	43	5	13	228
All other	1,243	4	-	1	7	-	66	3	22	24	1	68	2	11	2	14	151
GEORGIA	31,654	54	18	9	140	62	1,305	106	83	513	37	2,149	38	380	29	205	3,246
Both sexes—White	16,768	22	14	8	70	36	476	32	34	124	26	1,476	21	281	19	108	1,619
All other	14,886	32	4	1	70	26	829	74	49	389	11	673	17	99	10	97	1,627
Male—White	9,650	10	10	5	40	20	313	21	17	90	20	670	14	128	2	41	842
All other	7,969	18	3	-	30	16	372	43	27	259	7	214	4	31	2	17	807
Female—White	7,118	12	4	3	30	16	163	11	17	34	6	806	7	153	17	67	777
All other	6,917	14	1	1	40	10	457	31	22	130	4	459	13	68	8	80	820
Cities of 100,000 or more—White	1,731	1	3	-	5	1	59	7	-	14	4	202	-	33	1	10	135
All other	1,946	2	1	-	5	3	164	21	-	61	-	129	2	9	2	12	197
Male—White	964	1	2	-	3	-	37	3	-	8	3	89	-	13	-	4	63
All other	1,055	1	1	-	4	2	74	11	-	45	-	39	1	3	1	1	108
Female—White	767	-	1	-	2	1	22	4	-	6	1	113	-	20	1	6	72
All other	891	1	-	-	1	1	90	10	-	16	-	90	1	8	1	11	89
Cities of 25,000 to 100,000—White	2,058	1	-	-	2	1	71	4	2	28	5	212	2	42	3	14	194
All other	2,389	1	-	1	10	2	167	23	1	60	-	106	4	21	-	21	267
Male—White	1,132	-	-	-	1	1	52	1	1	23	4	86	2	15	-	4	80
All other	1,278	1	-	-	5	1	79	13	1	43	-	42	1	7	-	5	128
Female—White	926	1	-	-	1	-	19	3	1	5	1	126	-	27	3	10	114
All other	1,111	-	-	1	5	1	88	10	-	17	-	64	3	14	-	16	139
Cities of 10,000 to 25,000—White	1,228	-	2	-	7	1	35	5	1	7	-	111	1	22	-	4	93
All other	1,161	-	-	-	10	3	69	3	2	27	-	59	1	10	1	8	119
Male—White	702	-	1	-	4	1	24	4	-	4	-	48	1	9	-	1	52
All other	623	-	-	-	5	3	31	-	-	17	-	16	1	4	-	2	63
Female—White	526	-	1	-	3	-	11	1	1	3	-	63	-	13	-	3	41
All other	538	-	-	-	5	-	38	3	2	10	-	43	-	8	1	6	56
Cities of 2,500 to 10,000—White	1,878	1	3	1	6	2	40	1	3	8	5	163	2	40	3	11	172
All other	1,568	4	1	-	7	1	76	4	10	28	1	82	1	8	4	15	206
Male—White	1,089	1	3	1	4	-	32	-	2	4	3	75	-	20	1	5	78
All other	768	1	1	-	2	-	29	2	4	18	-	14	-	3	-	2	94
Female—White	789	-	-	-	2	2	8	1	1	4	2	88	2	20	2	6	94
All other	800	3	-	-	5	1	47	2	6	10	1	68	1	5	4	13	112
Rural—White	9,873	19	6	7	50	31	271	15	28	67	12	788	16	144	12	69	1,025
All other	7,822	25	2	-	38	17	353	23	36	213	10	297	9	51	3	41	838
Male—White	5,763	8	4	4	28	18	168	13	14	51	10	372	11	71	1	27	569
All other	4,245	15	1	-	14	10	159	17	22	136	7	103	1	14	1	7	414
Female—White	4,110	11	2	3	22	13	103	2	14	16	2	418	5	73	11	42	456
All other	3,577	10	1	-	24	7	194	6	14	77	3	194	8	37	2	34	424
IDAHO	4,462	6	2	2	18	1	87	9	-	29	1	495	11	103	15	-	390
Both sexes—White	4,379	6	2	2	16	1	79	8	-	27	1	490	10	103	13	-	385
All other	83	-	-	-	2	-	8	1	-	2	-	5	1	-	2	-	5
Male—White	2,742	1	2	2	3	1	56	4	-	19	1	280	5	40	6	-	220
All other	46	-	-	-	-	-	6	-	-	-	-	3	-	-	-	-	4
Female—White	1,637	5	-	-	13	-	23	4	-	8	-	210	5	63	7	-	165
All other	37	-	-	-	2	-	2	1	-	2	-	2	1	-	2	-	1
Cities of 25,000 to 100,000	312	-	-	-	-	-	4	-	-	4	-	48	-	1	1	-	32
Male	206	-	-	-	-	-	1	-	-	3	-	30	-	-	-	-	20
Female	106	-	-	-	-	-	3	-	-	1	-	18	-	1	1	-	12
Cities of 10,000 to 25,000	794	1	-	-	3	-	12	2	-	4	-	93	-	20	1	-	78
Male	483	-	-	-	-	-	8	2	-	3	-	51	-	12	-	-	37
Female	311	1	-	-	3	-	4	-	-	1	-	42	-	8	1	-	41
Cities of 2,500 to 10,000	815	1	-	-	3	-	11	1	-	6	1	88	3	20	3	-	72
Male	508	-	-	-	2	-	8	1	-	4	1	52	1	8	1	-	43
Female	307	1	-	-	1	-	3	-	-	2	-	36	2	12	2	-	29
Rural	2,541	4	2	2	12	1	60	6	-	15	-	266	8	62	10	-	208
Male	1,591	1	2	2	1	1	45	1	-	9	-	150	4	20	5	-	124
Female	950	3	-	-	11	-	15	5	-	6	-	116	4	42	5	-	84
ILLINOIS	86,582	28	21	43	94	60	3,241	312	7	1,009	21	11,533	96	2,374	262	15	6,574
Both sexes—White	80,299	28	20	38	83	55	2,538	207	6	767	20	11,056	75	2,277	254	13	6,097
All other	6,283	-	1	5	11	5	703	105	1	242	1	497	21	97	8	2	477
Male—White	45,752	16	13	20	42	31	1,825	122	3	598	16	5,494	35	852	37	7	3,062
All other	3,432	-	1	1	3	2	412	62	-	171	1	222	13	35	2	2	220
Female—White	34,547	12	7	18	41	24	913	85	3	169	4	5,542	40	1,425	217	6	3,035
All other	2,851	-	-	4	8	3	291	43	1	71	-	275	8	62	6	-	257

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5	27	153	202	53	13	19	11	8	12	6	143	2	5	16	36	21	5	38	46	156
8	13	13	73	65	5	10	9	15	2	4	84	-	8	1	20	1	30	17	29	131
3	17	116	120	33	10	10	6	4	6	1	84	...	...	9	20	14	4	30	31	92
5	5	6	42	38	2	5	4	9	1	-	42	...	...	1	9	-	22	12	24	65
2	10	37	82	20	3	9	5	4	6	5	59	2	5	7	16	7	1	8	15	64
3	8	7	31	27	3	5	5	6	1	4	42	-	8	-	11	1	8	5	5	66
8	26	184	276	122	9	14	10	23	15	11	127	-	7	16	82	23	9	86	86	236
6	17	23	128	100	8	15	11	10	7	1	91	9	11	4	26	5	42	32	52	181
5	14	132	155	68	7	11	7	16	12	6	78	...	...	10	37	18	7	62	56	125
3	11	11	76	62	6	7	7	8	5	-	58	...	...	3	14	2	36	28	42	99
3	12	52	121	54	2	3	3	7	3	5	49	-	7	6	25	5	2	24	30	111
3	6	12	52	38	2	8	4	2	2	1	33	9	11	1	12	3	6	4	10	82
30	69	407	727	363	39	76	51	29	45	23	401	22	49	64	178	72	37	235	313	783
28	38	55	326	272	18	68	8	12	12	1	237	18	32	14	67	3	96	91	164	613
17	43	319	465	214	34	40	29	18	28	6	234	...	...	35	100	51	32	189	227	469
14	21	38	178	155	16	33	5	6	10	-	145	...	...	9	36	2	81	71	125	361
13	28	88	262	149	5	36	22	11	17	17	167	22	49	29	78	21	5	46	86	314
14	17	17	148	117	2	35	3	6	2	1	92	18	32	5	51	1	15	20	39	252
175	391	1,365	3,999	2,640	164	548	224	233	152	73	3,372	124	201	264	1,077	233	648	939	1,289	5,169
95	184	1,038	2,084	1,233	96	266	135	118	112	60	1,810	56	90	195	649	210	119	634	778	2,440
80	207	327	1,915	1,407	68	282	89	115	40	13	1,562	68	111	69	428	23	529	305	511	2,729
50	105	768	1,195	662	75	140	82	68	87	22	1,024	...	...	112	361	158	100	493	529	1,376
46	104	182	1,061	769	45	150	49	69	22	5	878	...	...	45	243	19	439	241	344	1,408
45	79	270	889	571	21	126	53	50	25	38	786	56	90	83	288	52	19	141	249	1,064
34	103	145	854	638	23	132	40	46	18	8	684	68	111	24	185	4	90	64	167	1,321
13	25	171	238	69	9	10	11	8	31	14	198	3	4	16	60	34	11	49	76	206
5	27	44	344	137	10	14	14	19	7	3	224	9	2	14	56	6	109	29	44	221
8	13	122	139	34	7	4	8	4	23	6	97	...	...	11	36	25	6	32	56	107
2	10	28	188	76	7	9	8	10	3	2	120	...	...	9	26	5	88	20	24	129
5	12	49	99	35	2	6	3	4	8	8	101	3	4	5	24	9	5	17	20	99
3	17	16	156	61	3	5	6	9	4	1	104	9	2	5	30	1	21	9	20	92
11	15	152	315	124	12	26	14	21	11	11	170	5	5	34	83	37	12	61	101	257
14	49	55	388	250	13	40	18	14	5	2	219	11	10	8	59	4	100	48	78	320
8	6	109	165	70	9	14	6	15	9	3	93	...	...	18	44	24	7	44	67	151
8	14	30	212	142	7	21	9	8	3	-	125	...	...	7	36	3	77	37	52	161
3	9	43	150	54	3	12	8	6	2	8	77	5	5	16	39	13	5	17	34	106
6	35	25	176	108	6	19	9	6	2	2	94	11	10	1	23	1	23	11	26	159
11	19	105	162	77	6	18	6	8	13	4	145	8	6	17	54	16	7	58	61	138
4	12	31	142	123	6	22	10	10	4	1	157	4	4	3	33	1	41	22	42	177
4	10	75	90	36	6	6	4	5	10	1	83	...	...	8	32	14	6	45	40	78
1	10	14	74	65	3	9	6	6	1	-	97	...	...	2	18	1	33	16	27	98
7	9	30	72	41	-	12	2	3	3	3	62	8	6	9	22	2	1	13	21	60
3	2	17	68	58	3	13	4	4	3	1	60	4	4	1	15	-	8	6	15	79
11	13	143	208	103	11	29	22	12	16	5	236	4	15	25	86	24	9	88	78	279
11	21	39	159	148	12	30	9	17	6	2	176	3	19	9	41	1	48	24	54	291
7	8	100	114	60	10	19	12	7	14	3	127	...	...	13	55	17	8	61	56	169
7	9	21	83	80	7	10	4	7	2	-	97	...	...	5	21	1	40	22	41	141
4	5	43	94	43	1	10	10	5	2	2	109	4	15	12	31	7	1	27	22	110
4	12	18	76	68	5	20	5	10	4	2	79	3	19	4	20	-	8	2	13	150
49	112	467	1,161	860	58	183	82	69	41	26	1,061	36	60	103	366	99	80	378	482	1,560
46	98	158	882	749	27	176	38	55	18	5	786	41	76	35	239	11	231	182	293	1,720
23	88	362	687	462	43	97	52	37	31	9	624	...	...	62	194	78	73	311	310	871
28	61	89	504	406	21	101	22	38	13	3	439	...	...	22	142	9	201	146	200	879
26	44	105	474	398	15	86	30	32	10	17	437	36	60	41	172	21	7	67	152	689
18	37	69	378	343	6	75	16	17	5	2	347	41	76	13	97	2	30	36	93	841
23	88	361	677	235	39	10	59	45	25	29	290	13	15	70	138	85	11	180	287	613
22	88	359	674	229	39	9	58	45	24	29	288	13	14	69	134	84	11	177	282	590
1	2	2	3	6	-	1	1	-	1	-	2	-	1	1	4	1	-	3	5	23
15	52	275	421	132	33	5	40	22	18	8	171	...	...	44	71	67	9	134	222	363
1	1	2	2	1	-	-	1	-	-	-	-	...	...	-	4	1	-	2	4	14
7	34	84	253	97	6	4	18	23	6	21	117	13	14	25	63	17	2	43	60	227
-	1	-	1	5	-	1	-	-	1	-	2	-	1	1	-	-	-	1	1	9
1	10	33	41	12	-	-	4	4	3	4	18	-	-	1	3	8	-	16	21	43
-	7	29	25	6	-	-	3	4	3	1	10	...	...	1	2	6	-	13	14	28
1	3	4	16	6	-	-	1	-	-	3	8	-	-	-	1	2	-	3	7	15
5	15	69	120	40	8	1	12	8	3	3	55	2	4	12	31	8	-	27	47	110
3	7	55	71	24	8	-	8	2	3	1	31	...	...	9	17	7	-	20	33	71
2	8	14	49	16	-	1	4	6	-	2	24	2	4	3	14	1	-	7	14	39
3	16	76	110	52	7	2	17	8	4	7	55	6	-	14	28	14	3	33	36	115
2	10	55	68	29	6	2	14	6	2	1	35	...	...	9	14	11	3	21	30	69
1	6	21	42	23	1	-	3	2	2	6	20	6	-	5	14	3	-	12	8	46
14	47	183	406	131	24	7	26	25	15	15	162	5	11	43	76	55	8	104	183	345
11	29	138	259	74	19	3	16	10	10	5	95	...	...	25	42	44	6	82	149	209
3	18	45	147	57	5	4	10	15	5	10	67	5	11	18	34	11	2	22	34	136
313	1,890	5,563	20,323	3,894	660	411	740	815	883	590	8,886	149	191	912	1,456	1,055	373	2,640	3,556	7,992
296	1,581	5,449	18,817	3,271	627	375	677	766	859	580	6,475	125	173	870	1,335	1,029	192	2,491	3,352	7,445
17	109	114	1,506	423	33	36	63	49	24	10	411	24	18	42	121	26	181	149	204	547
174	821	3,876	10,481	1,952	519	196	431	404	591	194	3,400	...	...	473	775	793	145	1,902	2,281	4,371
13	52	65	775	246	25	19	31	25	14	-	196	...	...	24	62	20	156	114	152	296
122	760	1,573	8,336	1,319	108	179	246	362	268	386	3,075	125	173	397	560	236	47	589	1,071	3,074
4	57	49	731	177	8	17	32	24	10	10	215	24	18	18	59	6	25	35	52	251

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
ILLINOIS—Continued																	
Cities of 100,000 or more—White	33,782	4	8	12	18	32	1,301	107	1	211	5	5,091	29	1,057	108	3	2,049
All other	4,354	-	1	5	10	4	545	89	-	90	1	368	20	63	7	1	289
Male—White	19,391	3	5	7	10	21	889	60	-	171	4	2,598	11	379	16	1	1,001
All other	2,338	-	1	1	2	2	318	52	-	64	1	152	13	24	2	1	125
Female—White	14,391	1	3	5	8	11	412	47	1	40	1	2,495	18	678	92	2	1,048
All other	2,016	-	-	4	8	2	227	37	-	26	-	216	7	39	5	-	164
Cities of 25,000 to 100,000—White	10,629	4	1	8	12	9	219	24	2	110	5	1,543	9	315	34	1	842
All other	651	-	-	-	-	1	43	6	-	24	-	84	-	10	1	-	76
Male—White	5,825	3	-	5	6	5	132	16	2	87	3	739	3	115	7	1	394
All other	365	-	-	-	-	-	27	4	-	15	-	34	-	3	-	-	35
Female—White	4,804	1	1	3	6	4	87	8	-	23	2	804	6	200	27	-	448
All other	286	-	-	-	-	1	16	2	-	9	-	30	-	7	1	-	41
Cities of 10,000 to 25,000—White	5,879	3	1	2	5	2	142	11	-	75	2	749	6	155	13	1	511
All other	314	-	-	-	-	-	32	1	-	14	-	17	1	11	-	-	35
Male—White	3,214	1	1	1	-	-	79	6	-	58	1	355	3	56	2	1	236
All other	171	-	-	-	-	-	20	1	-	9	-	8	-	4	-	-	22
Female—White	2,665	2	-	1	5	2	63	5	-	17	1	394	3	99	11	-	275
All other	143	-	-	-	-	-	12	-	-	5	-	9	1	7	-	-	13
Cities of 2,500 to 10,000—White	7,989	1	3	5	15	4	158	18	1	47	3	1,077	11	242	27	1	716
All other	212	-	-	-	1	-	6	1	-	3	-	12	-	1	-	-	20
Male—White	4,465	-	3	4	7	1	99	12	-	37	3	520	5	91	3	-	362
All other	112	-	-	-	1	-	5	-	-	1	-	3	-	-	-	-	11
Female—White	3,524	1	-	1	8	3	59	6	1	10	-	557	6	151	24	1	354
All other	100	-	-	-	-	-	1	1	-	2	-	9	-	1	-	-	9
Rural—White	22,020	16	7	11	33	8	718	47	2	324	5	2,576	20	508	72	7	1,979
All other	752	-	-	-	-	-	77	8	1	111	-	36	-	12	-	1	57
Male—White	12,857	9	4	3	19	4	428	28	1	245	5	1,284	13	211	9	4	1,069
All other	446	-	-	-	-	-	42	5	-	82	-	25	-	4	-	1	27
Female—White	9,163	7	3	8	14	4	292	19	1	79	-	1,292	7	297	63	3	910
All other	306	-	-	-	-	-	35	3	1	29	-	11	-	8	-	-	30
INDIANA	39,851	20	14	23	47	33	1,191	163	7	475	17	4,510	53	994	158	14	3,998
Both sexes—White	37,937	20	13	23	44	33	1,023	136	7	405	17	4,383	47	956	151	11	3,819
All other	1,914	-	1	-	3	-	168	27	-	70	-	127	6	38	7	3	179
Male—White	21,170	17	6	12	19	10	577	65	2	294	12	2,018	25	384	18	9	1,915
All other	1,051	-	-	-	-	-	97	16	-	52	-	58	2	11	1	-	87
Female—White	16,767	3	7	11	25	23	446	71	5	111	5	2,365	22	572	133	2	1,904
All other	863	-	1	-	3	-	71	11	-	18	-	69	4	27	6	3	92
Cities of 100,000 or more	8,238	-	5	3	4	7	317	45	1	121	6	949	10	239	24	6	754
Male	4,502	-	-	2	3	3	196	27	1	86	4	413	6	96	2	3	356
Female	3,736	-	3	1	1	4	121	18	-	35	2	536	4	143	22	3	398
Cities of 25,000 to 100,000	6,897	3	5	4	11	4	199	24	-	81	1	799	10	189	30	1	617
Male	3,858	3	4	2	4	2	119	10	-	64	-	362	4	76	3	1	305
Female	3,039	-	1	2	7	2	80	14	-	17	1	437	6	113	27	-	312
Cities of 10,000 to 25,000	2,942	-	1	1	4	1	74	9	-	25	1	340	1	69	13	-	313
Male	1,805	-	-	1	1	-	40	4	-	18	1	148	1	26	1	-	155
Female	1,337	-	1	-	3	1	34	5	-	7	-	192	-	43	12	-	158
Cities of 2,500 to 10,000	4,328	4	2	2	5	7	94	18	-	37	-	520	6	118	21	1	486
Male	2,329	4	1	-	1	2	44	5	-	30	-	235	4	51	4	1	229
Female	1,999	-	1	2	4	5	50	13	-	7	-	285	2	67	17	-	257
Rural	17,446	13	3	15	23	14	507	67	6	211	9	1,902	26	379	70	6	1,828
Male	9,927	10	1	7	10	3	275	35	1	148	7	918	12	146	9	4	957
Female	7,519	3	2	6	13	11	232	32	5	63	2	984	14	233	61	2	871
IOWA	25,677	5	13	9	37	7	352	42	-	221	5	3,562	26	641	75	2	2,788
Both sexes—White	25,457	5	13	9	37	7	346	40	-	209	5	3,534	26	632	75	2	2,768
All other	220	-	-	-	-	-	6	2	-	12	-	28	-	9	-	-	20
Male—White	14,353	4	7	5	19	2	196	26	-	157	2	1,893	17	282	14	1	1,447
All other	121	-	-	-	-	-	4	-	-	8	-	15	-	3	-	-	10
Female—White	11,104	1	6	4	18	5	150	14	-	52	3	1,841	9	350	61	1	1,321
All other	99	-	-	-	-	-	2	2	-	4	-	13	-	6	-	-	10
Cities of 100,000 or more	1,593	-	-	-	4	1	26	6	-	17	1	265	2	39	2	-	168
Male	859	-	-	-	2	-	16	3	-	10	1	107	1	14	-	-	78
Female	734	-	-	-	2	1	10	3	-	7	-	158	1	25	2	-	90
Cities of 25,000 to 100,000	4,814	2	1	-	4	-	74	11	-	40	2	659	5	121	15	-	501
Male	2,668	2	1	-	3	-	46	5	-	31	-	285	4	48	4	-	231
Female	2,146	-	-	-	1	-	28	6	-	9	2	374	1	73	11	-	270
Cities of 10,000 to 25,000	1,741	1	2	-	4	1	19	6	-	14	-	237	1	54	7	-	193
Male	957	1	-	-	3	-	11	5	-	9	-	105	-	24	3	-	95
Female	784	-	2	-	1	1	8	1	-	5	-	132	1	30	4	-	98
Cities of 2,500 to 10,000	4,201	-	2	1	5	1	74	5	-	71	1	582	2	121	10	1	474
Male	2,350	-	1	1	1	1	39	3	-	57	1	278	2	51	1	1	250
Female	1,851	-	1	-	4	-	35	2	-	14	-	304	-	70	9	-	224
Rural	13,328	2	8	8	20	4	159	14	-	79	1	1,819	16	306	41	1	1,452
Male	7,640	1	5	4	10	1	88	10	-	58	-	933	10	148	6	-	803
Female	5,688	1	3	4	10	3	71	4	-	21	1	886	6	158	35	1	649
KANSAS	18,448	6	9	6	59	11	370	35	2	202	9	2,163	17	441	56	10	1,940
Both sexes—White	17,465	6	8	5	52	11	324	21	1	185	9	2,074	16	424	53	10	1,844
All other	983	-	1	1	7	-	46	14	1	37	-	89	1	17	3	-	96
Male—White	9,998	2	2	2	26	8	194	14	-	121	6	1,002	10	173	7	6	1,021
All other	502	-	1	1	5	-	27	10	-	24	-	41	1	4	-	-	37
Female—White	7,467	4	6	3	26	3	130	7	1	44	3	1,072	6	251	46	4	823
All other	481	-	-	-	2	-	19	4	1	13	-	48	-	13	3	-	59

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-148, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
113	735	2,074	9,254	1,220	294	61	263	300	508	256	2,656	45	72	316	447	406	116	930	1,280	2,400
9	70	61	1,186	279	24	5	38	32	17	5	268	19	8	30	80	18	144	96	143	329
87	366	1,508	5,303	808	253	31	154	137	347	86	1,303	...	...	172	262	311	91	696	902	1,420
7	31	38	604	162	18	5	23	16	9	-	131	...	...	16	44	13	126	71	103	163
46	369	566	3,951	412	41	30	109	163	161	170	1,353	45	72	144	185	95	25	234	378	980
2	39	23	582	117	6	-	15	16	8	5	137	19	8	14	36	5	18	25	40	166
51	186	897	2,309	402	93	45	108	100	85	75	853	13	25	109	222	149	19	281	454	1,015
5	15	17	101	49	3	8	9	9	2	2	56	2	4	7	15	3	13	30	21	55
29	103	617	1,183	241	70	24	64	57	61	32	452	...	...	56	133	115	12	211	271	576
3	8	8	53	32	2	2	3	6	2	-	25	...	...	5	9	3	10	25	14	37
22	83	280	1,126	161	23	21	44	43	24	43	401	13	25	53	89	34	7	70	183	439
2	7	9	48	17	1	6	6	3	-	2	31	2	4	2	6	-	3	5	7	18
15	85	432	1,255	240	41	45	54	63	62	43	450	10	14	93	111	75	9	201	267	636
1	5	10	57	29	1	7	2	3	1	2	21	1	-	2	9	1	11	5	8	27
8	40	307	673	121	34	24	35	33	46	16	233	...	...	49	61	53	9	145	166	361
1	1	7	30	16	1	4	1	-	-	-	9	...	...	2	4	1	8	3	8	11
7	45	125	582	119	7	21	19	30	16	27	217	10	14	44	50	22	-	56	101	275
-	4	3	27	13	-	3	1	3	1	2	12	1	-	-	5	-	3	2	-	16
29	149	626	1,554	295	54	48	83	88	64	60	709	25	21	100	150	89	21	296	361	838
1	10	8	41	10	-	3	8	3	-	1	22	-	3	-	6	-	5	6	10	31
15	75	437	834	170	42	28	52	55	44	15	382	...	...	54	89	68	14	221	242	481
1	7	5	22	7	-	2	2	1	-	-	8	...	...	-	1	-	4	5	8	18
14	74	189	720	125	12	20	31	33	20	45	327	25	21	46	61	21	7	75	119	357
-	3	3	19	3	-	1	6	2	-	1	14	-	3	-	5	-	1	1	2	13
88	426	1,420	4,445	1,114	145	176	169	215	140	146	1,807	32	41	252	405	310	27	783	990	2,556
1	9	18	121	56	5	13	6	2	4	-	44	2	3	3	11	4	8	12	22	105
55	237	1,007	2,488	612	120	89	126	122	93	45	1,030	...	...	142	230	246	19	629	700	1,533
1	5	7	66	29	4	6	2	2	3	-	23	...	...	1	4	3	8	10	19	67
33	189	413	1,957	502	25	87	43	93	47	101	777	32	41	110	175	64	8	154	290	1,023
-	4	11	55	27	1	7	4	-	1	-	21	2	3	2	7	1	-	2	3	38
160	737	3,317	6,786	2,258	206	314	272	310	245	243	3,433	52	115	418	735	558	108	1,506	1,839	4,522
152	686	3,257	6,464	2,076	201	292	267	295	237	242	3,259	50	106	403	700	548	70	1,460	1,780	4,304
8	51	60	322	182	5	22	5	15	8	1	174	2	9	15	35	10	38	46	59	218
92	357	2,357	3,541	1,110	159	176	159	149	163	62	1,717	...	...	231	425	421	48	1,080	1,120	2,420
5	21	39	183	112	4	13	1	6	6	-	92	...	...	10	18	9	29	34	43	102
60	329	900	2,923	966	42	116	108	146	74	180	1,542	50	106	172	275	127	22	380	660	1,884
3	30	21	159	70	1	9	4	9	2	1	82	2	9	5	17	1	9	12	16	116
30	150	701	1,293	497	42	45	45	68	57	36	708	10	27	89	165	124	38	308	372	944
19	72	497	684	268	36	30	25	30	38	11	349	...	...	50	108	91	28	228	243	497
11	78	204	609	229	6	15	20	38	19	25	359	10	27	39	57	33	10	80	129	447
25	135	572	1,147	402	39	69	53	58	61	52	542	6	15	76	168	105	34	284	301	775
15	68	430	616	220	30	45	32	32	37	15	276	...	...	39	97	74	26	222	197	428
10	67	142	531	182	9	24	21	26	24	37	266	6	15	37	71	31	8	62	104	347
10	63	284	507	152	26	22	21	20	15	22	243	3	7	33	58	39	4	124	133	304
5	23	210	270	78	18	13	12	8	13	3	123	...	...	20	37	31	3	93	78	171
5	40	74	237	74	8	9	9	12	2	19	120	3	7	13	21	8	1	31	55	133
20	68	397	704	225	28	24	30	27	25	20	420	7	16	42	82	53	4	151	204	460
12	36	280	355	108	24	9	16	12	22	2	228	...	...	24	48	47	2	107	125	261
8	32	117	349	117	4	15	14	15	3	18	192	7	16	18	34	6	2	44	79	199
75	321	1,363	3,135	982	71	154	123	137	87	113	1,520	26	50	178	262	237	28	639	829	2,039
46	179	979	1,799	548	55	92	75	73	59	31	833	...	...	108	153	187	18	464	520	1,165
29	142	384	1,336	434	16	62	48	64	28	82	687	26	50	70	109	50	10	175	309	874
104	537	2,633	4,100	1,389	173	101	205	252	147	188	1,584	58	64	318	568	330	32	647	1,192	3,270
104	533	2,617	4,068	1,371	172	100	204	250	146	187	1,569	58	64	317	563	328	28	635	1,184	3,251
-	4	16	32	18	1	1	1	2	1	1	15	-	-	1	5	2	4	12	8	19
54	266	1,826	2,222	759	136	53	122	139	112	72	882	...	...	161	328	257	17	463	728	1,884
-	-	8	18	10	1	-	1	1	1	-	10	...	...	1	2	1	3	9	4	11
50	267	791	1,846	612	36	47	82	111	34	115	687	58	64	156	235	71	11	172	456	1,367
-	4	8	14	8	-	1	-	1	-	1	5	-	-	-	3	1	1	3	4	8
5	35	198	216	65	13	7	11	14	10	10	70	5	4	21	38	16	3	48	64	209
3	12	139	115	35	10	2	10	10	8	4	35	...	...	6	20	11	3	42	39	123
2	23	59	101	30	3	5	1	4	2	6	35	5	4	15	18	5	-	6	25	86
15	85	562	861	205	40	18	30	37	39	27	323	8	7	63	119	59	13	132	223	513
9	50	395	449	104	27	10	22	17	34	11	188	...	...	32	63	41	9	99	144	304
6	35	167	412	101	13	8	8	20	5	16	135	8	7	31	56	18	4	33	79	209
7	28	184	241	78	13	5	16	20	17	11	152	3	5	19	46	19	3	50	74	211
5	11	121	122	35	9	4	9	14	11	5	89	...	...	12	21	16	-	38	48	131
2	17	63	119	43	4	1	7	6	6	6	63	3	5	7	25	3	3	12	26	80
15	78	409	704	231	26	12	36	46	21	35	247	4	7	41	96	42	3	83	168	547
12	38	269	370	129	22	7	26	28	17	12	149	...	...	20	62	31	1	63	92	315
3	40	140	334	102	4	5	10	18	4	23	98	4	7	21	34	11	2	20	76	232
62	311	1,280	2,078	810	81	59	112	135	60	105	792	38	41	174	269	194	10	334	663	1,790
25	155	910	1,184	466	69	30	56	71	43	40	451	...	...	92	164	159	7	230	409	1,022
37	156	370	894	344	12	29	56	64	17	65	361	38	41	82	105	35	3	104	254	768
93	406	1,660	2,993	1,002	122	99	188	176	94	116	1,650	38	46	190	360	253	62	524	848	2,192
90	371	1,624	2,825	956	117	91	178	166	92	111	1,533	33	44	182	336	247	34	504	814	2,094
3	35	36	168	46	5	8	10	10	2	5	117	5	2	8	24	6	28	20	34	98
48	199	1,181	1,564	490	98	58	109	91	57	44	876	...	...	101	185	189	25	368	522	1,199
2	18	27	71	28	3	2	7	5	1	2	60	...	...	5	10	4	20	15	23	48
42	172	443	1,261	466	19	33	69	75	35	67	657	33	44	81	151	58	9	136	292	895
1	17	9	97	18	2	6	3	5	1	3	57	5	2	3	14	2	8	5	11	50

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
KANSAS—Continued																	
Cities of 100,000 or more	2,504	1	2	1	10	1	80	10	-	45	1	300	3	56	5	1	218
Male	1,382	-	1	1	9	-	47	7	-	30	1	130	2	21	1	1	109
Female	1,122	1	1	-	1	1	33	3	-	15	-	170	1	35	4	-	109
Cities of 25,000 to 100,000	1,051	-	1	2	5	-	26	1	-	11	-	115	2	30	3	-	128
Male	559	-	1	1	3	-	15	1	-	8	-	49	2	10	-	-	66
Female	492	-	-	1	2	-	11	-	-	3	-	66	-	20	3	-	62
Cities of 10,000 to 25,000	2,655	-	-	-	8	2	47	4	1	36	1	327	1	63	8	3	268
Male	1,428	-	-	-	4	1	27	4	-	21	1	151	1	25	1	3	132
Female	1,207	-	-	-	4	1	20	-	1	15	-	176	-	38	7	-	136
Cities of 2,500 to 10,000	2,480	1	2	1	6	2	43	5	-	13	1	311	6	58	13	3	246
Male	1,430	-	-	-	2	2	29	4	-	11	-	149	2	25	3	-	146
Female	1,050	1	2	1	4	-	14	1	-	2	1	162	4	33	10	3	100
Rural	9,778	4	4	2	30	6	174	15	1	97	6	1,110	5	234	27	3	1,080
Male	5,701	2	1	1	13	5	103	8	-	75	4	564	4	96	2	2	605
Female	4,077	2	3	1	17	1	71	7	1	22	2	546	1	138	25	1	475
KENTUCKY	30,403	84	25	32	242	52	1,746	202	14	304	34	2,537	34	467	62	48	2,663
Both sexes—White	26,489	74	22	31	216	51	1,446	164	13	198	31	2,319	26	404	59	47	2,311
All other	3,914	10	3	1	26	1	300	38	1	106	3	218	8	63	3	1	352
Male—White	14,682	46	15	17	107	31	712	98	8	139	12	1,029	16	171	6	21	1,165
All other	2,152	3	3	-	11	1	168	27	-	75	2	89	4	18	-	1	157
Female—White	11,807	28	7	14	109	20	734	66	5	59	19	1,290	10	233	53	26	1,146
All other	1,762	7	-	1	15	-	132	11	1	31	1	129	4	45	3	-	195
Cities of 100,000 or more—White	3,294	2	1	2	8	2	83	15	-	17	4	384	3	69	7	-	255
All other	919	1	-	-	3	-	72	17	-	12	-	51	2	15	1	1	79
Male—White	1,770	1	-	-	6	2	57	11	-	10	2	184	3	27	1	-	118
All other	494	-	-	-	1	-	47	12	-	10	-	22	-	5	-	1	29
Female—White	1,524	1	1	2	2	-	26	4	-	7	2	200	-	42	6	-	137
All other	425	1	-	-	2	-	25	5	-	2	-	29	2	10	1	-	50
Cities of 25,000 to 100,000—White	2,548	3	2	2	5	1	146	15	2	40	1	281	4	45	10	2	220
All other	573	-	-	-	1	-	49	4	-	22	-	36	-	11	1	-	46
Male—White	1,369	3	2	1	3	-	83	10	2	25	-	109	2	12	1	1	95
All other	301	-	-	-	-	-	32	3	-	14	-	16	-	3	-	-	22
Female—White	1,179	-	-	1	2	1	63	5	-	15	1	172	2	31	9	1	125
All other	272	-	-	-	1	-	17	1	-	8	-	20	-	8	1	-	24
Cities of 10,000 to 25,000—White	896	1	-	-	5	1	58	7	1	5	3	90	1	12	4	1	80
All other	263	1	-	-	1	-	15	2	-	3	-	7	1	6	-	-	22
Male—White	495	1	-	-	1	-	32	4	1	3	-	35	-	5	-	1	44
All other	140	-	-	-	-	-	8	1	-	3	-	2	-	1	-	-	10
Female—White	401	-	-	-	4	1	26	3	-	2	3	55	1	7	4	-	36
All other	123	1	-	-	1	-	7	1	-	-	-	5	1	5	-	-	12
Cities of 2,500 to 10,000—White	2,791	10	1	1	9	4	135	12	-	14	4	249	5	49	5	4	249
All other	672	3	1	-	5	-	57	4	-	12	-	38	1	9	-	-	75
Male—White	1,570	7	1	-	4	3	63	8	-	11	2	107	1	30	1	2	122
All other	370	1	1	-	2	-	27	1	-	7	-	14	1	2	-	-	34
Female—White	1,221	3	-	1	5	1	72	4	-	3	2	142	4	19	4	2	127
All other	302	2	-	-	3	-	30	3	-	5	-	24	-	7	-	-	41
Rural—White	16,960	58	18	26	189	43	1,024	115	10	122	19	1,315	13	231	33	40	1,507
All other	1,487	5	2	1	16	1	107	11	1	57	3	86	4	22	1	-	150
Male—White	9,478	34	12	16	93	28	477	65	5	90	8	594	10	97	3	17	786
All other	847	2	2	-	8	1	54	10	-	41	2	35	3	7	-	-	62
Female—White	7,482	24	6	10	96	17	547	50	5	32	11	721	3	134	30	23	721
All other	640	3	-	1	8	-	53	1	1	16	1	51	1	15	1	-	68
LOUISIANA	23,849	61	17	4	45	36	1,212	80	77	564	8	2,022	28	377	39	67	1,606
Both sexes—White	12,921	26	9	1	18	21	454	28	31	105	5	1,344	11	283	19	17	799
All other	10,928	35	8	3	27	15	758	52	46	459	3	678	17	94	20	50	807
Male—White	7,537	16	4	1	11	5	311	17	15	87	2	696	5	81	2	2	430
All other	5,765	16	5	1	11	6	419	28	21	298	2	299	8	28	3	8	381
Female—White	5,384	10	5	-	7	16	143	11	16	18	3	648	6	202	17	15	369
All other	5,163	19	3	2	16	9	339	24	25	161	1	379	9	66	17	42	426
Cities of 100,000 or more—White	3,901	1	2	1	-	2	164	10	1	42	-	460	3	121	14	1	232
All other	2,259	-	2	1	-	1	209	17	-	101	-	179	4	19	5	4	170
Male—White	2,110	1	1	1	-	-	118	7	1	37	-	226	1	28	2	-	109
All other	1,174	-	2	-	-	-	128	8	-	63	-	78	1	4	-	-	80
Female—White	1,791	-	1	-	-	2	46	3	-	5	-	254	2	93	12	1	123
All other	1,085	-	-	1	-	1	81	9	-	38	-	101	3	15	5	4	90
Cities of 25,000 to 100,000—White	1,183	1	3	-	-	2	33	4	4	9	-	133	-	38	-	2	81
All other	1,166	5	1	1	3	2	86	4	1	54	1	65	2	13	1	8	93
Male—White	708	-	-	-	-	-	25	4	1	6	-	62	-	11	-	-	46
All other	584	-	1	1	2	-	39	3	1	33	-	23	-	2	-	2	35
Female—White	475	1	3	-	-	2	8	-	3	1	-	71	-	25	-	2	35
All other	582	5	-	-	1	2	47	1	-	21	1	42	2	11	1	6	58
Cities of 10,000 to 25,000—White	474	-	-	-	3	3	13	-	-	2	-	57	-	12	-	-	25
All other	452	2	-	-	4	-	24	5	-	22	1	17	1	9	-	3	21
Male—White	268	-	-	-	2	1	10	-	-	-	-	30	-	3	-	-	13
All other	239	1	-	-	1	-	14	3	-	15	1	8	-	-	-	-	13
Female—White	206	-	-	-	1	2	3	-	-	2	-	27	-	9	-	-	12
All other	193	1	-	-	3	-	10	2	-	7	-	9	1	9	-	3	8
Cities of 2,500 to 10,000—White	1,819	4	1	-	5	3	70	8	2	22	1	150	-	22	2	5	96
All other	1,589	3	-	-	2	-	112	3	8	99	-	107	3	16	1	9	108
Male—White	1,076	2	1	-	3	2	41	3	-	18	-	84	-	12	-	1	45
All other	839	2	-	-	2	-	63	2	3	70	-	48	2	6	-	-	50
Female—White	743	2	-	-	2	1	29	5	2	4	1	66	-	10	2	4	51
All other	750	1	-	-	-	-	49	1	5	29	-	59	1	10	1	9	58

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 183, 184	Homicide 165-188	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
12	63	251	402	147	23	14	27	25	19	13	217	6	4	33	62	35	21	68	102	226
9	29	179	198	73	22	10	18	14	11	5	112	...	...	24	33	25	15	50	73	122
3	34	72	204	74	1	4	9	11	8	8	105	6	4	9	29	10	6	18	29	104
4	15	107	174	51	6	8	7	10	7	6	88	2	2	12	27	11	6	32	39	113
3	8	81	92	20	4	4	6	7	7	2	46	...	...	5	17	5	6	23	20	47
1	7	26	82	31	2	4	1	3	-	4	42	2	2	7	10	6	-	9	19	66
10	66	242	420	122	18	18	21	28	12	15	249	4	1	18	63	34	11	62	124	328
3	39	162	200	64	14	9	13	13	7	5	146	...	...	6	35	23	9	49	77	183
7	27	80	220	58	4	9	8	15	5	10	103	4	1	12	28	11	2	13	47	145
20	55	226	383	142	16	12	19	25	10	13	195	4	7	24	64	33	4	91	114	312
9	27	166	226	76	11	9	12	15	7	6	113	...	...	11	34	26	4	61	68	176
11	28	60	157	66	5	3	7	10	3	7	82	4	7	13	30	7	-	30	46	136
47	207	854	1,614	540	59	47	114	88	46	69	901	22	32	103	144	140	20	271	469	1,213
28	114	820	919	285	50	28	67	47	26	28	519	...	...	60	76	114	11	200	307	719
21	93	214	695	255	9	19	47	41	20	41	382	22	32	43	68	26	9	71	162	494
161	470	1,523	4,547	2,823	170	732	258	203	179	130	2,146	71	169	298	940	305	401	916	1,515	3,900
141	410	1,354	3,847	2,448	154	668	233	171	155	118	1,742	63	157	285	861	292	259	831	1,375	3,513
20	60	189	700	375	16	64	25	32	24	12	404	8	12	13	79	13	142	85	140	387
87	229	884	2,073	1,358	121	365	140	67	106	41	1,000	...	...	155	513	231	225	668	933	1,893
10	26	97	366	209	11	40	9	15	13	3	219	...	...	9	51	9	117	68	108	213
54	181	470	1,774	1,090	33	303	93	104	49	77	742	63	157	130	348	61	34	163	442	1,620
10	34	72	334	166	5	24	16	17	11	9	185	8	12	4	28	4	25	17	32	174
20	53	360	551	190	28	32	35	36	36	20	230	8	9	31	91	46	12	98	169	387
3	15	89	154	86	4	8	3	10	8	3	97	2	1	2	15	4	29	30	35	67
10	25	229	264	116	21	19	24	15	23	4	113	...	...	15	57	35	10	71	104	193
2	6	53	71	47	4	7	1	2	5	2	48	...	...	1	9	2	23	21	25	38
10	28	131	287	74	7	13	11	21	13	16	117	8	9	16	34	11	2	27	65	194
1	9	36	83	39	-	1	2	8	3	1	49	2	1	1	6	2	6	9	10	29
13	36	177	470	158	24	28	24	13	24	11	145	5	11	26	82	25	11	64	148	276
2	7	14	140	42	3	7	8	4	4	-	52	-	1	1	18	1	18	10	11	62
9	17	124	262	89	20	12	15	5	19	3	80	...	...	16	47	17	7	46	94	138
2	2	3	72	19	1	3	3	3	2	-	22	...	...	1	9	-	16	9	11	33
4	19	53	208	69	4	16	9	8	5	8	65	5	11	10	35	8	4	18	54	138
-	5	11	68	23	2	4	3	1	2	-	30	-	1	-	9	1	2	1	-	29
5	20	45	129	70	3	15	10	11	8	4	64	3	4	7	18	13	10	30	49	109
-	5	2	32	26	1	8	4	1	1	-	49	3	1	1	10	2	15	2	9	33
5	13	28	76	43	2	7	6	3	5	2	34	...	...	4	8	12	7	24	28	63
-	3	1	16	14	-	3	1	-	1	-	29	...	...	-	5	2	12	1	8	19
-	7	17	53	27	1	8	4	8	3	2	30	3	4	3	12	1	3	6	21	46
-	2	1	16	12	1	5	3	1	-	-	20	3	1	1	5	-	3	1	1	14
14	29	172	397	247	17	70	28	19	17	14	186	5	19	28	98	43	44	103	139	355
5	10	21	123	66	-	14	6	8	6	1	74	2	2	2	11	3	26	4	26	57
10	15	110	211	134	15	37	17	7	12	6	105	...	...	17	61	38	35	81	96	201
2	3	9	72	41	-	6	2	5	2	-	45	...	...	2	7	3	22	3	22	34
4	14	62	186	113	2	33	11	12	5	8	81	5	19	9	35	5	9	22	43	154
3	7	12	51	25	-	8	4	3	4	1	29	2	2	-	4	-	4	1	4	23
89	272	800	2,300	1,783	82	323	136	92	70	69	1,117	42	114	195	574	165	182	536	870	2,386
10	23	43	251	155	8	27	6	9	5	8	132	1	7	7	25	3	54	39	59	168
53	159	393	1,260	976	63	290	78	37	47	26	668	...	...	103	342	129	166	446	611	1,298
4	12	31	136	88	6	21	2	5	3	1	75	...	...	5	21	2	44	34	42	89
36	113	207	1,040	807	19	233	58	55	23	43	449	42	114	92	232	36	16	90	259	1,088
6	11	12	116	67	2	6	4	4	2	7	57	1	7	2	4	1	10	5	17	79
121	413	1,205	4,284	2,064	98	313	199	212	184	77	2,054	94	142	210	961	181	253	620	1,011	2,910
60	190	907	2,448	999	65	115	142	123	136	59	1,044	31	60	137	475	157	55	426	624	1,497
61	223	298	1,836	1,065	33	198	57	89	48	18	1,010	63	82	73	486	24	198	194	387	1,413
42	101	676	1,373	581	55	60	83	65	95	23	562	...	...	67	271	119	48	332	440	859
37	95	155	924	586	23	105	26	51	33	6	509	...	...	44	250	23	161	156	275	772
18	89	231	1,075	418	10	55	59	58	41	36	482	31	60	70	204	38	7	94	184	638
24	128	143	912	479	10	93	31	38	15	12	501	63	82	29	236	1	37	38	112	641
6	47	240	1,088	239	19	19	37	37	66	17	357	4	13	20	88	38	13	62	133	304
12	48	29	474	221	6	32	6	15	20	3	179	7	9	19	142	9	45	39	54	178
5	26	162	580	131	16	9	15	15	43	6	164	...	...	10	52	29	12	46	86	171
7	17	13	219	131	5	16	1	8	12	1	81	...	...	12	75	9	36	34	42	91
1	21	78	506	108	3	10	22	22	23	11	193	4	15	10	36	9	1	16	47	133
5	31	16	255	90	1	16	5	7	8	2	98	7	9	7	67	-	9	5	12	87
7	12	124	171	55	6	11	11	12	12	6	94	-	4	14	50	24	10	46	55	151
7	9	44	164	99	3	11	11	7	5	1	142	11	9	5	61	-	31	17	40	149
5	5	99	103	34	5	7	3	6	8	2	51	...	...	6	25	21	9	34	38	90
4	5	25	96	53	3	5	5	2	3	-	67	...	...	3	32	-	25	12	30	72
2	7	25	68	21	1	4	8	6	4	4	43	-	4	8	25	3	1	12	17	61
3	4	19	68	46	-	6	6	5	2	1	75	11	9	2	29	-	6	5	10	77
5	1	29	91	43	4	3	5	1	3	8	40	-	1	2	18	5	-	18	31	53
1	5	17	86	44	2	4	2	3	1	2	50	1	5	-	20	2	10	6	13	49
3	1	23	49	25	4	1	2	1	1	4	23	...	...	-	8	2	-	12	21	29
-	3	12	44	25	1	1	1	3	1	2	24	...	...	-	13	2	9	5	9	28
2	-	6	42	18	-	2	3	-	2	4	17	-	1	2	10	3	-	4	10	24
1	2	5	42	19	1	3	1	-	-	-	26	1	5	-	7	-	1	1	4	21
7	26	158	317	147	6	19	23	16	16	4	149	7	12	14	81	29	6	65	103	223
7	34	43	262	122	8	34	11	11	6	3	130	7	11	9	55	2	29	35	61	238
5	13	116	186	87	4	10	18	12	14	1	78	...	...	7	46	22	4	50	72	119
2	16	24	124	55	6	19	7	7	4	1	70	...	...	5	30	2	26	24	40	129
2	13	42	131	60	2	9	5	4	2	3	71	7	12	7	35	7	2	15	31	104
5	18	19	138	67	2	15	4	4	2	2	60	7	11	4	25	-	3	11	21	109

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
LOUISIANA—Continued																	
Rural—White	5,544	20	3	-	10	11	174	6	24	30	4	544	8	92	3	9	365
All other	5,482	25	5	1	18	12	327	23	37	183	1	310	7	37	13	26	415
Male—White	3,375	13	2	-	6	2	117	3	13	24	2	294	4	27	-	1	217
All other	2,929	13	2	-	6	6	175	12	17	117	1	142	5	16	3	6	203
Female—White	2,169	7	1	-	4	9	57	3	11	6	2	250	4	65	3	8	148
All other	2,553	12	3	1	12	6	152	11	20	66	-	168	2	21	10	20	212
MAINE	10,468	4	9	1	18	4	225	29	-	59	3	1,323	15	268	8	3	1,074
Both sexes—White	10,434	4	9	1	18	4	222	29	-	58	3	1,323	15	268	8	3	1,073
All other	34	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1
Male—White	5,716	1	4	1	8	1	138	13	-	38	2	582	5	106	1	1	522
All other	21	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1
Female—White	4,718	3	5	-	10	3	84	16	-	20	1	741	10	162	7	2	551
All other	13	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	1,791	-	-	-	1	2	42	2	-	15	-	245	3	45	3	-	177
Male	945	-	-	-	-	-	28	1	-	12	-	104	3	16	1	-	84
Female	846	-	-	-	1	2	14	1	-	3	-	141	-	29	2	-	93
Cities of 10,000 to 25,000	1,215	-	-	-	2	1	23	2	-	12	-	138	6	35	-	-	132
Male	628	-	-	-	1	-	13	-	-	10	-	52	2	13	-	-	56
Female	587	-	-	-	1	1	10	2	-	2	-	86	4	22	-	-	76
Cities of 2,500 to 10,000	1,031	1	1	-	3	-	41	6	-	5	-	133	2	31	-	-	82
Male	560	-	1	-	-	-	19	4	-	2	-	60	-	9	-	-	38
Female	471	1	-	-	3	-	22	2	-	3	-	73	2	22	-	-	44
Rural	6,431	3	8	1	12	1	119	19	-	27	3	807	4	157	5	3	683
Male	3,604	1	3	1	7	1	80	8	-	15	2	366	-	68	-	1	345
Female	2,827	2	5	-	5	-	39	11	-	12	1	441	4	89	5	2	338
MARYLAND	21,998	22	20	3	77	9	1,214	92	-	367	14	2,549	26	579	33	3	1,693
Both sexes—White	16,861	9	15	2	35	6	625	31	-	146	11	2,209	15	522	29	1	1,295
All other	5,137	13	5	1	42	3	589	61	-	221	3	340	11	57	4	2	398
Male—White	9,254	5	10	-	15	2	410	15	-	112	6	1,033	8	170	3	1	582
All other	2,874	7	3	-	29	1	363	30	-	161	1	158	6	18	-	2	190
Female—White	7,607	4	5	2	20	4	215	16	-	34	5	1,176	7	352	26	-	713
All other	2,263	6	2	1	13	2	226	31	-	60	2	182	5	39	4	-	208
Cities of 100,000 or more—White	7,894	4	8	-	3	2	292	18	-	48	3	1,140	10	274	14	1	548
All other	2,903	2	3	-	27	1	396	30	-	98	1	205	5	35	2	2	205
Male—White	4,253	1	5	-	1	1	216	8	-	42	1	521	5	84	2	1	224
All other	1,595	-	2	-	18	-	248	15	-	72	1	99	3	11	-	2	88
Female—White	3,641	3	3	-	2	1	76	10	-	6	2	619	5	190	12	-	324
All other	1,308	2	1	-	9	1	148	15	-	26	-	106	2	24	2	-	117
Cities of 25,000 to 100,000—White	728	1	1	-	4	-	16	2	-	9	1	91	1	20	4	-	56
All other	38	-	-	-	-	-	3	-	-	2	-	3	-	-	-	-	8
Male—White	395	1	1	-	2	-	8	2	-	5	-	31	-	4	1	-	32
All other	26	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	7
Female—White	333	-	-	-	2	-	8	-	-	4	1	60	1	16	3	-	24
All other	12	-	-	-	-	-	1	-	-	2	-	3	-	-	-	-	1
Cities of 10,000 to 25,000—White	654	1	-	-	3	-	21	3	-	3	1	75	-	21	-	-	60
All other	205	-	-	-	-	-	14	8	-	6	-	15	-	2	-	-	24
Male—White	333	1	-	-	1	-	12	2	-	3	1	38	-	8	-	-	29
All other	117	-	-	-	-	-	6	3	-	5	-	11	-	-	-	-	14
Female—White	321	-	-	-	2	-	9	1	-	-	-	37	-	13	-	-	31
All other	88	-	-	-	-	-	8	5	-	1	-	4	-	2	-	-	10
Cities of 2,500 to 10,000—White	766	-	1	1	2	1	19	1	-	2	-	99	2	23	2	-	76
All other	132	1	-	-	-	-	3	1	-	3	-	5	-	3	-	-	17
Male—White	412	-	1	-	2	-	11	1	-	1	-	43	2	12	-	-	27
All other	67	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	9
Female—White	354	-	-	1	-	1	8	-	-	1	-	56	-	11	2	-	49
All other	65	1	-	-	-	-	2	1	-	1	-	3	-	3	-	-	8
Rural—White	6,819	3	5	1	23	3	277	7	-	84	6	804	2	184	9	-	555
All other	1,859	10	2	1	15	2	173	22	-	112	2	112	6	17	2	-	144
Male—White	3,861	2	3	-	9	1	163	2	-	61	4	400	1	62	-	-	270
All other	1,069	7	1	-	11	1	106	12	-	82	-	46	3	7	-	-	72
Female—White	2,958	1	2	1	14	2	114	5	-	23	2	404	1	122	9	-	265
All other	790	3	1	1	4	1	67	10	-	30	2	66	3	10	2	-	72
MASSACHUSETTS	50,598	3	29	12	41	12	1,524	118	1	318	8	7,311	32	1,533	65	8	4,601
Both sexes—White	49,730	3	28	12	38	12	1,425	112	1	286	7	7,219	30	1,515	64	8	4,527
All other	868	-	1	-	3	-	99	6	-	32	1	92	2	18	1	-	74
Male—White	26,084	2	21	7	19	7	948	57	-	221	7	3,383	18	497	15	5	1,969
All other	486	-	1	-	2	-	58	2	-	19	1	49	-	5	1	-	32
Female—White	23,646	1	7	5	19	5	477	55	1	65	-	3,836	12	1,018	49	3	2,558
All other	382	-	-	-	1	-	41	4	-	13	-	43	2	13	-	-	42
Cities of 100,000 or more	20,073	3	10	1	20	9	761	51	1	127	2	2,944	12	580	20	2	1,711
Male	10,601	2	8	-	11	4	521	25	-	93	2	1,415	6	186	4	2	734
Female	9,472	1	2	1	9	5	240	26	1	34	-	1,529	6	394	16	-	977
Cities of 25,000 to 100,000	12,718	-	10	4	7	2	277	29	-	62	1	1,891	8	401	15	1	1,246
Male	6,504	-	8	2	2	2	164	13	-	50	1	859	5	132	3	-	551
Female	6,214	-	2	2	5	-	113	16	-	12	-	1,032	3	269	12	1	695
Cities of 10,000 to 25,000	8,300	-	3	2	8	-	194	14	-	50	1	1,227	9	254	18	3	773
Male	4,314	-	3	1	3	-	131	7	-	41	1	570	4	87	5	2	313
Female	3,986	-	-	1	5	-	63	7	-	9	-	657	5	167	13	1	460
Cities of 2,500 to 10,000	3,104	-	2	1	4	-	69	4	-	13	-	425	-	100	7	1	291
Male	1,712	-	-	1	4	-	47	2	-	9	-	201	-	32	2	-	142
Female	1,392	-	2	-	-	-	22	2	-	4	-	224	-	68	5	1	149
Rural	6,403	-	4	4	2	1	223	20	-	66	4	824	3	198	5	1	580
Male	3,439	-	3	3	1	1	143	12	-	47	4	387	3	65	2	1	261
Female	2,964	-	1	1	1	-	80	8	-	19	-	437	-	133	3	-	319

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
35	104	356	781	515	30	63	66	57	39	24	404	20	30	87	238	61	26	237	302	766
34	127	165	850	579	14	117	27	53	16	9	509	37	48	40	208	11	83	97	219	799
24	56	276	455	304	26	33	45	31	29	10	246	...	...	44	140	45	23	190	223	450
24	54	81	441	322	8	64	12	31	13	2	267	...	...	24	100	10	65	81	154	452
11	48	80	326	211	4	30	21	26	10	14	158	20	30	43	98	16	3	47	79	316
10	73	84	409	257	6	53	15	22	3	7	242	37	48	16	108	1	18	16	65	347
44	175	1,106	1,813	598	50	65	83	84	56	64	765	20	29	121	220	111	9	211	449	1,352
43	175	1,102	1,811	595	50	65	82	84	56	64	763	18	28	121	219	111	9	207	446	1,347
1	-	4	2	3	-	-	1	-	-	-	2	2	1	-	1	-	-	4	3	5
23	102	760	975	324	36	41	56	45	35	20	404	...	...	59	124	89	3	147	305	745
-	-	4	-	-	-	-	-	-	-	-	2	...	...	-	-	-	-	4	3	4
20	73	342	836	271	14	24	26	39	21	44	359	18	28	62	95	22	6	60	141	602
1	-	-	2	3	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	1
4	22	195	343	86	13	8	6	17	9	11	117	4	5	24	41	11	5	28	87	220
1	12	135	164	47	9	5	5	8	7	6	57	...	...	10	26	9	1	16	55	123
3	10	60	179	39	4	3	1	9	2	5	60	4	5	14	15	2	4	12	32	97
6	19	134	206	73	6	6	15	12	9	8	99	3	3	19	27	12	2	23	53	129
2	12	94	112	35	3	2	12	7	4	1	50	...	...	7	15	10	1	16	31	67
4	7	40	94	38	3	4	3	5	5	7	49	3	3	12	12	2	1	7	22	62
5	20	124	158	38	1	5	8	8	11	5	81	1	1	10	22	8	-	19	49	152
3	9	89	74	20	1	4	8	3	6	3	42	...	...	4	15	5	-	13	28	100
2	11	35	84	18	-	1	-	5	5	2	39	1	1	6	7	3	-	6	21	52
29	114	653	1,106	401	30	46	54	47	27	40	468	12	20	68	130	80	2	141	260	851
17	69	446	625	222	23	30	31	27	18	10	257	...	...	38	68	65	1	106	194	459
12	45	207	481	179	7	16	23	20	9	30	211	12	20	30	62	15	1	35	68	392
73	434	1,725	4,058	1,282	113	382	114	176	148	103	2,170	36	61	227	551	239	139	564	857	1,845
55	335	1,524	3,356	829	87	194	93	135	127	97	1,649	28	43	197	375	217	28	465	677	1,399
18	99	201	702	453	26	188	21	41	21	6	521	8	18	30	176	22	111	99	180	446
38	175	1,115	1,706	475	77	103	53	68	89	38	847	...	...	98	212	151	21	350	443	823
8	46	123	350	268	23	101	14	29	15	1	250	...	...	18	97	18	85	82	133	244
17	160	409	1,650	354	10	91	40	87	38	59	802	28	43	99	163	66	7	115	234	578
10	53	78	352	185	3	87	7	12	6	5	271	8	18	12	79	4	26	17	47	202
20	165	844	1,685	384	36	66	45	65	80	44	679	6	18	89	129	111	14	178	281	590
13	54	128	406	282	15	83	10	28	17	1	299	6	10	17	92	17	81	31	76	225
14	81	636	839	222	33	38	26	30	51	21	300	...	...	39	72	72	11	119	183	354
8	24	80	187	169	14	43	8	19	12	-	139	...	...	9	52	13	60	24	55	122
8	84	208	846	162	3	28	19	35	29	23	379	6	18	50	57	39	3	59	98	236
7	30	48	219	113	1	40	2	9	5	1	160	6	10	8	40	4	21	7	21	103
3	14	67	120	32	3	9	3	5	4	3	76	-	2	10	32	14	1	15	31	78
-	-	2	1	2	-	1	1	-	-	-	7	-	-	-	2	-	-	2	1	3
3	6	44	64	22	2	7	1	4	3	-	37	...	...	7	23	11	-	9	18	47
-	-	2	1	2	-	1	1	-	-	-	3	...	...	-	2	-	-	2	1	2
-	8	23	56	10	1	2	2	1	1	3	39	-	2	3	9	3	1	6	13	31
-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1
2	12	54	143	27	1	9	4	3	3	5	61	3	-	13	21	9	-	13	28	55
1	4	5	27	16	2	11	2	1	-	2	23	-	1	1	5	-	4	5	10	16
2	6	34	65	9	1	3	4	-	3	1	29	...	...	3	14	6	-	9	17	32
-	1	3	18	7	2	4	2	1	-	1	13	...	...	-	3	-	4	4	8	7
-	6	20	78	18	-	6	-	3	-	4	32	3	-	10	7	3	-	4	11	23
1	3	2	9	9	-	7	-	-	-	1	10	-	1	1	2	-	-	1	2	9
3	13	50	122	33	8	7	3	4	2	5	94	3	4	7	25	6	-	27	40	81
1	7	3	18	14	-	4	1	1	1	-	19	-	1	-	1	-	5	2	9	12
2	7	36	60	24	7	5	1	2	2	1	54	...	...	4	12	6	-	23	24	42
1	3	1	6	10	-	1	1	-	1	-	10	...	...	-	-	-	5	2	8	4
1	6	14	62	9	1	2	2	2	-	4	40	3	4	3	13	-	-	4	16	39
-	4	2	12	4	-	3	-	1	-	-	9	-	1	-	1	-	-	-	1	8
27	131	509	1,286	353	39	103	38	58	38	40	739	16	19	78	168	77	13	232	297	595
3	34	63	250	139	9	89	7	11	3	3	173	2	6	12	76	5	21	59	84	190
17	75	365	678	198	34	50	21	32	30	15	427	...	...	45	91	58	10	190	201	346
1	18	37	138	80	7	52	2	9	2	-	85	...	...	9	40	5	16	50	61	109
10	56	144	608	155	5	53	17	26	8	25	312	16	19	33	77	21	3	42	96	247
2	16	26	112	59	2	37	5	2	1	3	88	2	6	3	36	-	5	9	23	81
158	1,029	5,242	11,453	2,685	370	233	314	379	509	297	2,789	106	93	515	797	540	58	773	2,033	4,609
153	1,014	5,204	11,284	2,626	365	227	309	377	504	294	2,747	103	90	510	776	533	55	758	1,998	4,514
5	15	38	169	59	5	6	5	2	5	3	42	3	3	5	19	7	3	15	35	95
89	467	3,456	5,551	1,396	294	122	188	205	314	95	1,341	...	...	276	432	379	36	578	1,171	2,518
2	10	25	88	37	3	2	3	2	3	1	21	...	...	2	15	5	3	14	26	54
64	547	1,748	5,733	1,230	71	105	121	172	190	199	1,406	103	90	234	346	154	19	180	827	1,996
3	5	13	81	22	2	4	2	-	2	2	21	3	3	3	4	2	-	1	9	41
80	412	1,634	4,957	1,140	144	90	134	154	237	120	956	55	37	191	310	173	30	288	837	1,840
42	189	1,121	2,464	614	111	50	79	79	147	45	452	...	...	106	177	117	20	219	505	1,051
38	223	513	2,493	526	33	40	55	75	90	75	504	55	37	85	133	56	10	69	332	789
50	261	1,577	2,658	638	97	66	80	90	139	70	773	21	32	118	192	142	14	193	480	1,093
18	117	1,021	1,282	325	79	34	48	52	84	16	369	...	...	67	102	101	9	138	262	588
12	144	556	1,376	313	18	32	32	38	55	54	404	21	32	51	90	41	5	55	218	505
25	170	984	1,854	400	68	40	40	70	61	49	468	13	13	100	119	112	7	113	317	721
17	81	629	872	216	54	23	27	36	43	13	237	...	...	48	63	83	5	90	181	428
8	89	355	982	184	14	17	13	34	18	36	231	13	13	52	56	29	2	23	136	293
7	57	360	668	154	23	12	18	22	29	15	196	6	3	38	56	36	2	69	139	277
4	29	240	344	93	21	6	13	12	18	5	105	...	...	21	35	30	1	55	89	151
3	28	120	324	61	2	6	5	10	11	10	91	6	3	17	21	6	1	14	50	126
16	129	687	1,316	353	38	25	42	43	43	43	396	11	8	68	120	77	5	110	260	678
10	61	470	677	185	32	11	24	28	25	17	199	...	...	36	70	53	4	90	160	354
6	68	217	639	168	6	14	18	15	18	26	197	11	8	32	50	24	1	20	100	324

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
MICHIGAN	52,733	17	10	32	93	18	1,561	196	6	565	21	6,345	47	1,370	161	7	4,695
Both sexes—White	49,893	15	10	29	84	14	1,264	143	5	442	21	6,112	41	1,308	152	7	4,533
All other	2,840	2	-	3	9	4	297	53	1	123	-	233	6	62	9	-	162
Male—White	28,549	9	9	15	39	6	824	82	4	331	16	3,059	17	468	26	5	2,240
All other	1,546	1	-	2	4	4	160	28	1	87	-	100	3	15	2	-	68
Female—White	21,344	6	1	14	45	8	440	61	1	111	5	3,053	24	840	126	2	2,293
All other	1,294	1	-	1	5	-	137	25	-	36	-	133	3	47	7	-	94
Cities of 100,000 or more	17,344	6	4	16	27	6	727	100	2	220	13	2,299	22	470	58	-	1,254
Male	9,803	2	3	9	10	3	451	53	2	185	11	1,140	9	170	9	-	593
Female	7,541	4	1	7	17	3	276	47	-	55	2	1,159	13	300	49	-	661
Cities of 25,000 to 100,000	7,863	2	2	1	12	3	148	21	2	107	2	977	7	206	17	-	681
Male	4,312	1	2	1	5	2	94	15	1	71	2	468	5	70	3	-	297
Female	3,551	1	-	-	7	1	54	6	1	36	-	509	2	136	14	-	384
Cities of 10,000 to 25,000	3,296	-	-	2	5	2	73	9	-	20	1	399	3	113	11	1	286
Male	1,820	-	-	-	3	-	42	2	-	9	1	189	-	42	4	-	123
Female	1,476	-	-	2	2	2	31	7	-	11	-	210	3	71	7	1	163
Cities of 2,500 to 10,000	4,717	1	-	3	8	-	81	12	-	24	-	570	1	113	15	-	426
Male	2,607	1	-	1	3	-	46	7	-	16	-	271	1	43	3	-	199
Female	2,110	-	-	2	5	-	35	5	-	8	-	299	-	70	12	-	227
Rural	19,513	8	4	10	41	7	532	54	2	194	5	2,100	14	468	60	6	2,048
Male	11,553	6	4	6	22	5	351	33	2	157	2	1,091	5	158	9	5	1,096
Female	7,960	2	-	4	19	2	181	21	-	37	3	1,009	9	310	51	1	952
MINNESOTA	26,140	1	8	9	30	7	678	72	1	246	37	3,723	26	661	78	4	2,594
Both sexes—White	25,772	1	8	9	30	7	636	68	1	232	37	3,685	26	656	78	4	2,572
All other	368	-	-	-	-	-	42	4	-	14	-	38	-	5	-	-	22
Male—White	14,815	1	6	6	11	2	377	42	1	185	26	1,902	15	248	15	4	1,309
All other	227	-	-	-	-	-	26	1	-	9	-	23	-	2	-	-	13
Female—White	10,957	-	2	3	19	5	259	26	-	47	11	1,783	11	408	63	-	1,263
All other	141	-	-	-	-	-	16	3	-	5	-	15	-	3	-	-	9
Cities of 100,000 or more	8,651	1	-	-	6	1	178	19	1	109	11	1,330	5	229	29	1	835
Male	4,793	1	-	-	2	-	120	11	1	81	6	657	1	79	8	1	388
Female	3,858	-	-	-	4	1	58	8	-	28	5	673	4	150	21	-	447
Cities of 25,000 to 100,000	391	-	-	-	-	-	4	3	-	12	-	52	1	5	-	1	39
Male	219	-	-	-	-	-	1	1	-	11	-	31	1	1	-	1	25
Female	172	-	-	-	-	-	3	2	-	1	-	21	-	4	-	-	14
Cities of 10,000 to 25,000	1,721	-	-	1	4	-	52	3	-	15	3	217	1	45	6	-	185
Male	958	-	-	-	-	-	28	2	-	12	2	97	1	23	1	-	92
Female	763	-	-	1	4	-	24	1	-	3	1	120	-	22	5	-	93
Cities of 2,500 to 10,000	3,443	-	1	1	3	1	108	14	-	42	8	474	1	83	6	-	315
Male	1,948	-	1	1	1	-	59	7	-	33	6	246	1	30	3	-	161
Female	1,495	-	-	-	2	1	49	7	-	9	2	228	-	53	3	-	154
Rural	11,934	-	7	7	17	5	336	33	-	68	15	1,650	18	299	37	2	1,220
Male	7,124	-	5	5	8	2	195	22	-	57	12	894	11	117	3	2	656
Female	4,810	-	2	2	9	3	141	11	-	11	3	756	7	182	34	-	564
MISSISSIPPI	22,832	35	30	4	138	40	957	65	150	439	16	1,485	27	294	23	121	1,747
Both sexes—White	9,643	9	14	4	35	23	275	11	38	57	7	878	8	168	6	36	811
All other	13,189	26	16	-	103	17	682	54	112	382	9	607	19	126	17	85	936
Male—White	5,515	7	6	3	16	13	168	5	21	46	5	425	3	83	-	13	415
All other	6,913	15	9	-	52	6	320	31	61	245	3	207	11	53	4	24	410
Female—White	4,128	2	8	1	19	10	107	6	17	11	2	453	5	85	6	23	398
All other	6,276	11	7	-	51	11	362	23	51	137	6	400	8	73	13	61	526
Cities of 25,000 to 100,000—White	607	2	-	-	1	-	13	-	1	5	-	55	-	3	2	3	45
All other	549	1	-	-	4	-	22	4	-	20	-	41	2	10	-	5	42
Male—White	365	2	-	-	-	-	8	-	1	3	-	23	-	1	-	2	27
All other	263	1	-	-	2	-	12	2	-	18	-	9	-	2	-	-	20
Female—White	242	-	-	-	1	-	5	-	-	2	-	32	-	2	2	1	18
All other	286	-	-	-	2	-	10	2	-	2	-	32	2	8	-	5	22
Cities of 10,000 to 25,000—White	1,054	-	2	2	3	-	22	1	3	16	-	96	-	21	-	3	93
All other	1,238	1	2	-	5	-	50	2	11	35	1	63	-	7	1	8	129
Male—White	600	-	-	2	1	-	14	1	2	15	-	48	-	6	-	-	46
All other	623	-	2	-	4	-	20	2	5	16	-	21	-	3	-	-	59
Female—White	454	-	2	-	2	-	8	-	1	1	-	48	-	15	-	3	47
All other	615	1	-	-	1	-	30	-	6	19	1	42	-	4	1	8	70
Cities of 2,500 to 10,000—White	1,076	1	-	-	1	1	29	2	2	3	3	89	1	29	-	2	84
All other	1,035	1	2	-	7	-	55	9	5	46	1	58	1	14	2	6	66
Male—White	651	1	-	-	1	1	23	-	2	3	2	50	-	16	-	-	48
All other	521	-	1	-	2	-	20	3	4	26	-	19	1	5	1	1	20
Female—White	425	-	-	-	-	-	6	2	-	-	1	39	1	13	-	2	36
All other	514	1	1	-	5	-	35	6	1	20	1	39	-	9	1	5	46
Rural—White	6,906	6	12	2	30	22	211	8	32	33	4	658	7	115	4	28	589
All other	10,367	23	12	-	87	17	555	39	96	281	7	445	16	95	14	66	699
Male—White	3,899	4	6	1	14	12	123	4	16	25	3	304	3	60	-	11	294
All other	5,506	14	6	-	44	6	268	24	52	185	3	158	10	43	3	23	311
Female—White	3,907	2	6	1	16	10	88	4	16	8	1	334	4	55	4	17	295
All other	4,861	9	6	-	43	11	287	15	44	96	4	287	6	52	11	43	388
MISSOURI	42,994	49	16	18	169	43	1,669	108	25	597	12	5,027	33	970	111	21	3,707
Both sexes—White	38,711	42	15	18	151	41	1,292	87	23	424	12	4,699	30	905	103	16	3,392
All other	4,283	7	1	-	18	2	377	21	2	173	-	328	3	65	8	5	315
Male—White	21,825	32	8	7	69	21	822	53	17	316	4	2,229	17	363	13	10	1,753
All other	2,289	3	1	-	6	-	206	9	1	117	-	156	2	17	-	3	134
Female—White	16,886	10	7	11	82	20	470	34	6	108	8	2,470	13	542	90	6	1,639
All other	1,994	4	-	-	12	2	171	12	1	56	-	172	1	48	8	2	181

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS; UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
212	1,043	4,713	10,066	2,666	330	350	449	484	444	305	2,853	96	195	672	1,348	701	173	2,169	2,253	6,067
200	974	4,600	9,504	2,479	314	335	417	464	431	301	2,684	85	176	656	1,272	685	109	2,088	2,162	5,777
12	69	113	562	187	16	15	32	20	13	4	169	11	19	16	76	16	64	81	91	290
107	490	3,302	5,212	1,501	265	180	252	241	291	104	1,416	...	...	338	707	516	69	1,593	1,438	3,377
9	31	70	299	121	13	8	19	9	7	1	88	...	...	11	46	12	57	57	68	145
93	484	1,298	4,292	978	49	155	165	223	140	197	1,268	85	178	318	565	169	40	495	724	2,400
3	38	43	263	68	3	7	13	11	6	3	81	11	19	5	30	4	7	24	23	145
78	443	1,508	3,360	824	135	75	155	147	215	100	977	34	75	234	464	247	88	619	599	1,742
47	224	1,099	1,832	523	115	36	93	78	148	41	498	...	...	124	258	172	72	480	400	933
31	219	410	1,528	301	20	39	62	69	67	59	479	34	75	110	206	75	16	139	199	809
35	145	770	1,470	404	53	54	60	79	68	54	401	15	23	90	257	102	30	311	300	954
18	61	542	764	241	46	29	35	38	48	17	186	...	...	46	145	72	22	235	184	546
17	84	228	706	163	7	25	25	41	20	37	215	15	23	44	112	30	8	76	116	408
20	40	306	570	178	19	29	27	41	24	17	176	6	13	52	105	36	11	146	173	382
10	13	223	295	102	14	15	17	24	20	6	89	...	...	24	59	28	8	110	127	221
10	27	83	275	76	5	14	10	17	4	11	87	6	13	28	46	8	3	36	46	161
10	81	469	890	229	32	36	38	55	26	31	269	11	13	72	134	49	10	176	252	580
4	36	337	434	146	26	18	20	27	17	10	156	...	...	34	82	37	5	134	160	333
6	45	132	456	83	6	18	18	28	9	21	113	11	13	38	52	12	5	42	92	247
69	334	1,659	3,776	1,031	91	156	169	162	111	103	1,030	30	71	224	388	267	34	917	929	2,409
37	187	1,171	2,186	610	77	90	106	83	65	31	575	...	...	121	209	219	19	691	635	1,489
32	147	488	1,590	421	14	66	63	79	46	72	455	30	71	103	179	48	15	226	294	920
95	549	2,792	3,853	1,581	167	122	207	240	186	215	1,091	44	67	374	650	386	46	669	1,400	3,231
90	544	2,773	3,815	1,541	166	118	204	238	185	214	1,067	44	66	373	634	385	41	659	1,381	3,184
5	5	19	38	40	1	4	3	2	1	1	24	-	1	1	16	1	5	10	19	47
53	275	1,921	2,112	835	143	72	143	138	119	64	608	...	...	207	375	300	25	498	932	1,845
3	3	16	16	25	1	1	3	2	1	1	13	...	...	1	10	1	3	6	13	34
37	269	852	1,703	706	23	46	61	100	66	150	459	44	66	166	259	85	16	161	449	1,339
2	2	3	22	15	-	3	-	-	-	-	11	-	1	-	6	-	2	4	6	13
20	194	1,223	1,259	491	62	28	53	66	78	68	322	16	19	104	184	145	24	225	434	881
10	91	828	633	258	50	20	37	37	46	22	166	...	...	52	124	106	17	164	282	494
10	103	395	626	233	12	8	16	29	32	46	156	16	19	52	60	39	7	61	152	387
2	5	31	46	45	-	3	3	7	-	8	3	1	-	6	3	5	-	8	15	85
1	2	21	19	28	-	2	3	5	-	2	1	...	...	4	2	2	-	3	5	47
1	3	10	27	17	-	1	-	2	-	4	2	1	-	2	1	3	-	5	10	38
9	37	175	226	101	8	10	17	22	9	14	86	4	4	32	42	21	-	55	99	218
5	19	115	121	56	8	6	11	15	8	4	45	...	...	23	20	13	-	43	68	120
4	18	60	105	45	-	4	6	7	1	10	41	4	4	9	22	8	-	12	31	98
15	59	319	542	219	20	14	25	29	30	21	139	2	13	55	143	45	2	87	162	445
11	32	222	294	99	18	7	19	14	20	5	92	...	...	26	78	38	2	64	104	254
4	27	97	248	120	2	7	6	15	10	16	47	2	13	29	65	7	-	23	58	191
49	254	1,044	1,780	725	77	67	109	116	69	106	541	21	31	177	278	170	20	294	890	1,602
29	134	751	1,061	419	68	38	76	69	46	32	317	...	...	103	161	142	9	230	486	964
20	120	293	719	306	9	29	33	47	23	74	224	21	31	74	117	28	11	64	204	638
111	449	707	2,452	1,897	95	372	208	216	79	59	2,227	100	208	138	696	123	403	607	892	5,222
50	190	534	1,173	760	55	126	107	77	49	32	869	27	70	93	389	103	68	388	420	1,683
61	259	173	1,279	1,137	40	246	101	139	30	27	1,358	73	138	45	307	20	335	219	472	3,539
22	108	394	643	414	47	62	60	42	37	13	495	...	...	51	217	77	64	299	289	952
28	122	95	670	620	31	148	59	84	25	12	709	...	...	29	160	17	267	185	321	1,882
28	82	140	530	346	8	64	47	35	12	19	374	27	70	42	172	26	4	89	131	731
35	137	78	609	517	9	98	42	55	5	15	649	73	138	16	147	3	68	34	151	1,657
3	4	33	95	32	2	3	4	8	4	3	52	3	2	14	26	9	3	29	34	114
4	6	4	44	47	2	7	8	9	-	1	91	6	4	-	7	-	20	9	20	109
3	2	28	50	22	2	2	2	3	3	2	31	...	...	7	14	7	2	23	27	68
1	5	-	13	33	1	5	4	4	-	-	42	...	...	-	6	-	15	7	14	47
-	2	5	45	10	-	1	2	5	1	1	21	3	2	7	12	2	1	6	7	46
3	1	4	31	14	1	2	4	5	-	1	49	6	4	-	1	-	5	2	6	62
3	8	76	139	65	2	12	8	9	10	4	86	6	6	12	49	9	3	46	58	181
4	34	17	152	98	4	15	13	17	2	3	155	10	11	2	54	3	34	25	47	245
-	5	58	62	39	2	5	4	5	9	2	53	...	...	6	25	6	3	34	38	109
2	21	9	71	42	4	8	4	10	1	1	81	...	...	1	24	1	29	23	28	131
3	3	18	77	26	-	7	4	4	1	2	33	6	6	6	24	3	-	12	20	72
2	13	8	81	54	-	7	9	7	1	2	74	10	11	1	10	2	5	2	19	114
7	14	81	156	69	7	8	8	13	12	3	92	4	6	10	53	7	13	60	60	146
7	20	29	109	106	6	9	11	14	5	3	104	6	12	4	28	2	40	16	55	176
3	9	58	84	41	7	4	3	9	11	1	49	...	...	8	33	4	13	38	40	89
4	9	20	50	56	4	5	6	10	5	3	51	...	...	3	15	2	28	12	38	97
4	5	23	72	28	-	4	5	4	1	2	43	4	6	2	20	3	-	22	20	57
3	11	9	59	50	2	4	5	4	-	-	53	6	12	1	13	-	12	4	17	79
37	164	344	783	594	44	103	87	47	23	22	639	14	56	57	261	78	49	253	268	1,242
46	199	123	974	888	28	215	69	99	23	20	1,008	51	111	39	238	15	241	169	350	3,009
16	92	250	447	312	36	51	51	25	14	8	362	...	...	30	145	60	46	204	184	686
19	87	66	336	489	22	130	45	60	19	8	535	...	...	25	115	14	195	143	241	1,607
21	72	94	338	282	8	52	36	22	9	14	277	14	56	27	116	18	3	49	84	556
27	112	57	438	399	6	85	24	39	4	12	473	51	111	14	123	1	46	26	109	1,402
155	1,128	2,861	7,455	3,524	227	401	377	380	404	253	3,883	82	117	360	862	507	193	1,095	1,835	4,520
141	987	2,554	6,754	3,115	208	348	344	326	382	242	3,465	71	98	349	752	492	100	1,021	1,707	4,025
14	141	127	701	409	19	53	33	54	22	11	418	11	19	11	110	15	93	74	128	495
84	507	1,745	3,746	1,727	162	201	215	157	259	82	1,976	...	...	192	415	400	79	780	1,029	2,335
6	80	80	360	238	15	23	18	31	10	5	207	...	...	6	61	11	75	58	86	264
57	480	789	3,008	1,388	46	147	129	169	123	160	1,489	71	98	157	337	92	21	241	678	1,690
8	61	47	341	171	4	30	15	23	12	6	211	11	19	5	49	4	18	16	42	231

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
MISSOURI—Continued																	
Cities of 100,000 or more	14,586	6	1	4	20	4	666	36	2	283	3	1,989	8	397	30	10	1,038
Male	8,082	4	-	1	10	1	429	18	1	211	-	972	4	144	3	7	468
Female	6,504	2	1	3	10	3	237	18	1	72	3	1,017	4	253	27	3	570
Cities of 25,000 to 100,000	2,468	2	2	-	5	1	84	5	-	62	-	304	2	42	7	1	254
Male	1,394	2	2	-	2	-	60	5	-	45	-	124	-	19	2	-	132
Female	1,074	-	-	-	3	1	24	-	-	17	-	180	2	23	5	1	122
Cities of 10,000 to 25,000	2,809	1	1	2	10	1	73	10	3	28	-	342	2	75	8	-	227
Male	1,497	1	1	2	7	-	52	6	3	19	-	147	2	29	-	-	110
Female	1,312	-	-	-	3	1	21	4	-	9	-	195	-	46	8	-	117
Cities of 2,500 to 10,000	4,191	4	-	2	26	3	153	10	3	81	2	462	1	78	14	2	338
Male	2,319	4	-	-	7	2	93	6	1	64	-	215	1	31	1	-	180
Female	1,872	-	-	2	19	1	60	4	2	17	2	247	-	47	13	2	158
Rural	18,940	36	12	10	108	34	693	47	17	143	7	1,930	20	378	52	8	1,850
Male	10,822	24	6	4	49	18	394	27	13	94	4	927	12	157	7	6	997
Female	8,118	12	6	6	59	16	299	20	4	49	3	1,003	8	221	45	2	853
MONTANA	5,673	2	5	9	6	13	194	20	-	62	9	644	6	110	17	1	486
Both sexes—White	5,322	2	5	9	1	7	146	12	-	54	5	624	6	109	16	-	483
All other	351	-	-	-	5	6	48	8	-	8	4	20	-	1	1	1	3
Male—White	3,474	1	3	7	1	3	121	9	-	43	3	351	3	58	1	-	267
All other	207	-	-	-	4	4	22	4	-	6	-	11	-	1	-	-	2
Female—White	1,848	1	2	2	-	4	25	3	-	11	2	273	3	51	15	-	196
All other	144	-	-	-	1	2	26	4	-	2	4	8	-	-	1	1	1
Cities of 25,000 to 100,000	959	-	1	2	-	1	68	4	-	12	1	121	-	20	1	-	70
Male	636	-	1	2	-	1	62	3	-	7	1	64	-	10	-	-	33
Female	323	-	-	-	-	-	6	1	-	5	-	57	-	10	1	-	37
Cities of 10,000 to 25,000	814	-	-	-	1	1	8	3	-	3	1	101	3	17	4	-	70
Male	494	-	-	-	1	-	6	2	-	3	-	59	1	9	-	-	33
Female	320	-	-	-	-	1	2	1	-	-	1	42	2	8	4	-	37
Cities of 2,500 to 10,000	824	-	2	-	-	2	10	3	-	5	1	101	1	13	3	-	88
Male	522	-	2	-	-	1	7	3	-	5	1	55	1	8	1	-	51
Female	302	-	-	-	-	1	3	-	-	-	-	46	-	5	2	-	37
Rural	3,076	2	2	7	5	9	108	10	-	42	6	321	2	60	9	1	258
Male	2,029	1	-	5	4	5	68	5	-	34	1	184	1	32	-	-	172
Female	1,047	1	2	2	1	4	40	5	-	8	5	137	1	28	9	1	86
NEBRASKA	12,330	6	3	6	34	4	184	25	-	96	10	1,688	13	340	36	-	1,348
Both sexes—White	12,055	6	3	6	33	4	151	22	-	82	10	1,660	13	332	36	-	1,325
All other	275	-	-	-	1	-	33	3	-	14	-	28	-	8	-	-	23
Male—White	6,907	4	3	4	15	3	97	10	-	66	7	807	7	133	8	-	715
All other	140	-	-	-	1	-	20	1	-	9	-	12	-	3	-	-	13
Female—White	5,148	2	-	2	16	1	54	12	-	16	3	853	6	199	28	-	610
All other	135	-	-	-	-	-	13	2	-	5	-	16	-	5	-	-	10
Cities of 100,000 or more	2,354	-	-	-	1	-	60	5	-	34	-	323	2	86	3	-	248
Male	1,316	-	-	-	-	-	44	1	-	23	-	146	1	22	1	-	122
Female	1,038	-	-	-	1	-	16	4	-	11	-	177	1	44	2	-	126
Cities of 25,000 to 100,000	804	1	-	-	-	-	6	4	-	6	-	146	1	29	2	-	88
Male	438	-	-	-	-	-	3	1	-	5	-	67	1	8	-	-	49
Female	366	1	-	-	-	-	3	3	-	1	-	79	-	21	2	-	39
Cities of 10,000 to 25,000	956	1	1	-	6	1	11	1	-	8	-	132	-	26	3	-	112
Male	508	1	1	-	3	-	6	1	-	5	-	48	-	8	-	-	55
Female	448	-	-	-	3	1	5	-	-	3	-	84	-	18	3	-	57
Cities of 2,500 to 10,000	1,352	1	-	-	5	1	20	2	-	6	2	169	2	41	4	-	156
Male	775	1	-	-	2	1	13	-	-	6	1	75	2	22	-	-	81
Female	577	-	-	-	3	-	7	2	-	-	1	94	-	19	4	-	75
Rural	6,864	3	2	6	22	2	87	13	-	42	8	918	8	178	24	-	744
Male	4,010	2	2	4	11	2	51	8	-	36	6	483	3	76	7	-	421
Female	2,854	1	-	2	11	-	36	5	-	6	2	435	5	102	17	-	323
NEVADA	1,368	4	-	-	4	-	56	4	-	35	1	151	2	19	1	-	88
Both sexes—White	1,258	4	-	-	4	-	40	3	-	32	1	144	2	18	1	-	85
All other	110	-	-	-	-	-	16	1	-	3	-	7	-	1	-	-	3
Male—White	870	4	-	-	2	-	35	2	-	24	1	88	2	7	-	-	55
All other	65	-	-	-	-	-	11	1	-	1	-	3	-	-	-	-	2
Female—White	388	-	-	-	2	-	5	1	-	8	-	56	-	11	1	-	30
All other	45	-	-	-	-	-	5	-	-	2	-	4	-	1	-	-	1
Cities of 10,000 to 25,000—White	288	-	-	-	1	-	7	1	-	10	-	39	-	5	-	-	20
All other	10	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Male—White	184	-	-	-	1	-	6	-	-	8	-	23	-	3	-	-	12
All other	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female—White	104	-	-	-	-	-	1	1	-	2	-	16	-	2	-	-	8
All other	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Cities of 2,500 to 10,000—White	300	-	-	-	1	-	10	2	-	9	-	27	-	7	-	-	20
All other	21	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2
Male—White	213	-	-	-	-	-	10	2	-	4	-	15	-	2	-	-	16
All other	12	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
Female—White	87	-	-	-	1	-	-	-	-	5	-	12	-	5	-	-	4
All other	9	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Rural—White	670	4	-	-	2	-	23	-	-	13	1	78	2	6	1	-	45
All other	79	-	-	-	-	-	11	1	-	3	-	6	-	-	-	-	1
Male—White	473	4	-	-	1	-	19	-	-	12	1	50	2	2	-	-	27
All other	48	-	-	-	-	-	8	1	-	1	-	3	-	-	-	-	-
Female—White	197	-	-	-	1	-	4	-	-	1	-	28	-	4	1	-	18
All other	31	-	-	-	-	-	3	-	-	2	-	3	-	-	-	-	1

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
47	378	936	2,770	857	92	43	109	152	227	102	1,346	24	31	98	246	155	102	322	642	1,410
25	183	645	1,504	506	70	24	64	74	152	41	724	...	...	49	132	123	79	233	386	795
22	195	291	1,266	351	22	19	45	78	75	61	622	24	31	49	114	32	23	89	256	615
9	54	207	433	213	11	13	25	13	15	10	174	5	4	10	55	30	11	70	98	237
3	27	147	238	119	9	5	11	6	10	1	111	...	...	5	35	26	7	53	56	132
6	27	60	195	94	2	8	14	7	5	9	63	5	4	5	20	4	4	17	42	105
11	59	219	495	200	15	26	28	35	25	19	276	6	9	23	62	34	11	79	111	283
7	29	143	239	108	11	10	19	17	20	9	147	...	...	11	31	26	8	57	68	158
4	30	76	256	92	4	16	9	18	5	10	129	6	9	12	31	8	3	22	43	125
17	79	285	722	373	24	60	27	37	28	17	343	11	17	31	102	51	19	120	173	476
11	34	203	395	197	21	33	14	19	17	4	178	...	...	24	52	42	16	87	101	266
6	45	82	327	176	3	27	13	18	11	13	165	11	17	7	50	9	3	33	72	210
71	558	1,014	3,035	1,881	85	259	188	143	109	105	1,744	36	56	198	397	237	50	504	811	2,114
44	314	687	1,730	1,035	66	152	125	72	70	32	1,023	...	...	109	226	194	44	408	504	1,248
27	244	327	1,305	846	19	107	63	71	39	73	721	36	58	89	171	43	6	96	307	866
30	122	407	956	352	52	37	62	48	50	53	272	13	8	57	126	93	18	182	366	785
30	118	399	923	290	50	24	61	48	50	50	267	11	7	55	119	92	14	173	338	724
-	4	8	33	62	2	13	1	-	-	3	5	2	1	2	7	1	4	9	28	61
20	69	311	627	177	42	18	39	31	36	14	164	...	...	30	67	75	9	124	268	462
-	2	6	22	37	2	12	1	-	-	1	3	...	...	1	4	1	3	6	23	29
10	49	88	296	113	8	6	22	17	14	36	103	11	7	25	52	17	5	49	70	262
-	2	2	11	25	-	1	-	-	-	2	2	2	1	1	3	-	1	3	5	32
7	14	60	196	36	8	5	8	8	15	7	57	-	-	4	28	13	3	29	58	104
4	11	42	143	24	6	4	6	7	10	2	33	...	...	2	14	12	2	20	50	60
3	3	18	53	12	2	1	2	1	3	5	24	-	-	2	14	1	1	9	8	44
6	20	74	155	36	9	4	5	8	7	15	27	2	1	11	25	11	2	28	55	101
4	13	60	97	19	9	3	4	4	5	3	15	...	...	4	12	7	2	15	43	61
2	7	14	58	17	-	1	1	4	2	12	12	2	1	7	13	4	-	13	12	40
1	16	64	141	44	8	2	14	6	7	8	36	2	1	11	24	11	2	33	48	116
1	9	52	90	25	6	2	8	3	4	4	18	...	...	7	16	8	1	27	35	71
-	7	12	51	19	2	-	6	3	3	4	18	2	1	4	8	3	1	6	13	45
16	72	209	464	236	27	26	35	26	23	23	152	9	6	31	49	58	11	92	205	464
11	38	163	319	146	23	21	22	17	17	6	101	...	...	18	29	49	7	68	163	299
5	34	46	145	90	4	5	13	9	6	17	51	9	6	13	20	9	4	24	42	165
60	231	1,027	2,007	700	94	49	108	134	89	99	841	16	33	110	277	216	27	280	584	1,555
59	229	1,016	1,961	683	92	47	106	131	88	98	830	16	33	109	267	214	18	276	575	1,524
1	2	11	46	17	2	2	2	3	1	1	11	-	-	1	10	2	9	4	9	31
33	125	732	1,120	384	71	29	69	74	57	31	474	...	...	52	158	177	12	204	366	860
1	1	6	21	6	2	-	1	-	1	1	3	...	...	1	6	1	5	4	6	15
26	104	284	841	299	21	18	37	57	31	67	356	16	33	57	109	37	6	72	209	664
-	1	5	25	11	-	2	1	3	-	-	8	-	-	-	4	1	4	-	3	16
12	32	267	388	110	20	9	20	22	27	16	105	2	7	25	73	48	11	39	117	262
4	17	196	206	63	14	4	11	10	21	4	59	...	...	15	44	36	8	27	75	142
8	15	71	182	47	6	5	9	12	6	12	46	2	7	10	29	12	3	12	42	120
3	18	78	135	32	6	2	5	7	3	9	49	1	1	7	8	7	-	20	32	98
1	10	57	76	19	5	2	3	3	3	2	23	...	...	3	7	6	-	16	18	50
2	8	21	59	13	1	-	2	4	-	7	26	1	1	4	1	1	-	4	14	48
4	22	77	143	44	6	6	4	10	8	6	73	3	5	8	27	18	2	27	42	119
3	8	50	76	27	3	2	3	7	5	3	45	...	...	4	17	14	2	21	27	63
1	14	27	67	17	3	4	1	3	3	3	28	3	5	4	10	4	-	6	15	56
7	12	109	196	60	13	2	10	12	15	8	101	1	5	11	38	28	1	33	63	218
4	5	82	112	32	11	-	6	4	7	5	59	...	...	6	22	19	1	26	40	130
3	7	27	84	28	2	2	4	8	8	3	42	1	5	5	16	9	-	7	23	88
34	147	496	1,145	454	49	30	69	83	36	60	513	9	15	59	131	115	13	161	330	858
22	86	353	671	249	40	21	47	50	22	18	291	...	...	25	74	103	6	118	212	490
12	61	143	474	205	9	9	22	33	14	42	222	9	15	34	57	12	7	43	118	368
5	20	92	208	67	12	6	18	13	14	4	71	4	5	11	30	36	12	88	122	165
4	19	91	197	54	12	5	16	12	14	3	62	4	5	10	30	35	12	79	118	142
1	1	1	11	13	-	1	2	1	-	1	9	-	-	1	-	1	-	9	4	23
2	12	68	139	40	10	3	11	7	10	-	39	...	...	4	13	24	8	60	101	99
-	1	1	6	9	-	-	2	-	-	-	5	...	...	-	-	1	-	7	3	12
2	7	23	58	14	2	2	5	5	4	3	23	4	5	6	17	11	4	19	17	43
1	-	-	5	4	-	1	-	1	-	1	4	-	-	1	-	-	-	2	1	11
1	1	33	59	12	4	2	2	5	4	1	12	1	1	2	6	5	3	7	13	31
-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	3
1	1	21	40	11	3	2	2	3	1	-	5	...	...	-	4	3	2	4	11	17
-	-	1	-	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	-	2
-	-	12	19	1	1	-	-	2	3	1	7	1	1	2	2	2	1	3	2	14
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
1	4	24	42	17	1	2	3	2	5	1	14	-	1	2	10	15	4	19	20	37
-	-	-	2	2	-	1	1	-	-	1	2	-	-	-	-	-	-	4	-	2
-	3	20	34	12	1	-	1	1	5	-	11	...	...	2	3	10	2	17	17	25
-	-	-	1	1	-	-	1	-	-	-	1	...	...	-	-	-	-	3	-	1
1	1	4	8	5	-	2	2	1	-	1	3	-	1	-	7	5	2	2	3	12
-	-	-	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	1
2	14	34	98	25	7	1	11	5	5	1	36	3	3	6	14	15	5	53	85	74
1	1	-	8	11	-	-	1	1	-	-	5	-	-	1	-	1	-	5	4	18
1	8	27	65	17	6	1	8	3	4	-	23	...	...	2	6	11	4	39	73	57
-	1	-	5	8	-	-	1	-	-	-	3	...	...	-	-	1	-	4	3	9
1	6	7	31	8	1	-	3	2	1	1	13	3	3	4	8	4	1	14	12	17
1	-	-	3	3	-	-	-	1	-	-	2	-	-	1	-	-	-	1	1	9

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
NEW HAMPSHIRE	6,073	2	6	2	13	-	126	15	-	41	4	788	7	153	12	3	583
Both sexes—White	6,069	2	6	2	13	-	126	15	-	41	4	787	7	153	12	3	583
All other	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male—White	3,264	1	2	2	8	-	82	9	-	31	2	373	5	54	-	-	254
All other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	2,805	1	4	-	5	-	44	6	-	10	2	414	2	99	12	3	329
All other	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cities of 25,000 to 100,000	1,808	-	2	2	9	-	54	5	-	17	1	221	3	35	-	-	164
Male	956	-	1	2	6	-	34	3	-	12	1	107	3	12	-	-	77
Female	852	-	1	-	3	-	20	2	-	5	-	114	-	23	-	-	87
Cities of 10,000 to 25,000	1,057	-	3	-	-	-	19	3	-	11	1	151	-	35	2	-	112
Male	557	-	1	-	-	-	13	2	-	10	-	68	-	11	-	-	48
Female	500	-	2	-	-	-	6	1	-	1	1	83	-	24	2	-	64
Cities of 2,500 to 10,000	503	-	-	-	1	-	9	1	-	3	1	62	2	10	2	-	49
Male	266	-	-	-	-	-	7	1	-	2	-	32	1	2	-	-	17
Female	237	-	-	-	1	-	2	-	-	1	1	30	1	8	2	-	32
Rural	2,705	2	1	-	3	-	44	6	-	10	1	354	2	73	8	3	258
Male	1,487	1	-	-	2	-	28	3	-	7	1	166	1	29	-	-	112
Female	1,218	1	1	-	1	-	16	3	-	3	-	188	1	44	8	3	146
NEW JERSEY	45,966	9	17	9	35	9	1,705	147	-	467	21	6,416	70	1,508	120	10	3,944
Both sexes—White	42,458	8	17	8	25	9	1,304	95	-	307	21	6,168	63	1,443	112	10	3,681
All other	3,508	1	-	1	10	-	401	52	-	160	-	248	7	65	8	-	263
Male—White	23,004	7	7	5	13	7	855	52	-	236	12	3,050	24	456	23	5	1,738
All other	1,834	1	-	1	6	-	208	30	-	114	-	95	5	21	1	-	111
Female—White	19,454	1	10	3	12	2	449	43	-	71	9	3,118	39	987	89	5	1,943
All other	1,674	-	-	-	4	-	193	22	-	46	-	153	2	44	7	-	152
Cities of 100,000 or more—White	12,235	2	1	4	9	5	421	26	-	86	4	1,858	22	422	56	2	983
All other	1,375	-	-	-	3	-	180	34	-	53	-	91	5	20	3	-	90
Male—White	6,755	2	-	2	6	3	299	14	-	65	3	967	8	140	8	1	481
All other	738	-	-	-	1	-	97	23	-	42	-	29	4	6	1	-	39
Female—White	5,480	-	1	2	3	2	122	12	-	21	1	891	14	282	28	1	502
All other	637	-	-	-	2	-	83	11	-	11	-	62	1	14	2	-	51
Cities of 25,000 to 100,000—White	8,974	2	7	-	4	-	244	15	-	44	1	1,398	18	354	21	5	769
All other	720	-	-	-	1	-	73	8	-	24	-	57	1	15	2	-	59
Male—White	4,794	2	3	-	1	-	165	8	-	35	1	698	9	105	5	2	353
All other	374	-	-	-	-	-	34	1	-	18	-	27	1	5	-	-	28
Female—White	4,180	-	4	-	3	-	79	7	-	9	-	700	9	249	16	3	416
All other	346	-	-	-	1	-	39	7	-	6	-	30	-	10	2	-	31
Cities of 10,000 to 25,000—White	5,814	2	3	-	4	1	134	18	-	23	4	897	3	215	20	-	505
All other	450	-	-	1	-	-	39	3	-	19	-	43	-	8	3	-	35
Male—White	3,018	2	-	-	2	1	81	8	-	18	3	407	-	61	4	-	225
All other	206	-	-	1	-	-	16	1	-	9	-	16	-	1	-	-	15
Female—White	2,796	-	3	-	2	-	53	10	-	5	1	490	3	154	16	-	280
All other	244	-	-	-	-	-	23	2	-	10	-	27	-	7	3	-	20
Cities of 2,500 to 10,000—White	6,112	-	4	-	3	-	199	13	-	45	8	837	7	218	12	-	567
All other	321	-	-	-	2	-	41	2	-	14	-	19	-	8	-	-	26
Male—White	3,180	-	2	-	2	-	130	8	-	33	4	378	3	60	2	-	247
All other	189	-	-	-	2	-	23	-	-	10	-	8	-	4	-	-	8
Female—White	2,932	-	2	-	1	-	69	5	-	12	4	459	4	158	10	-	320
All other	152	-	-	-	-	-	18	2	-	4	-	11	-	4	-	-	18
Rural—White	9,323	2	2	4	5	3	306	23	-	109	4	1,178	13	234	23	3	857
All other	642	1	-	-	4	-	68	5	-	50	-	38	1	14	-	-	53
Male—White	5,257	1	2	3	2	3	180	14	-	85	1	600	4	90	4	2	432
All other	347	1	-	-	3	-	38	5	-	35	-	15	-	5	-	-	21
Female—White	4,066	1	-	1	3	-	126	9	-	24	3	578	9	144	19	1	425
All other	295	-	-	-	1	-	30	-	-	15	-	23	1	9	-	-	32
NEW MEXICO	5,639	11	1	1	81	18	317	34	-	62	2	316	4	58	10	8	232
Both sexes—White	5,220	11	1	1	49	9	260	30	-	55	2	306	3	57	9	8	226
All other	419	-	-	-	32	9	57	4	-	7	-	10	1	1	1	-	6
Male—White	3,008	4	1	-	23	7	139	14	-	35	2	158	1	37	-	4	123
All other	213	-	-	-	21	3	27	-	-	3	-	6	1	-	-	-	3
Female—White	2,212	7	-	1	26	2	121	16	-	20	-	148	2	20	9	4	103
All other	206	-	-	-	11	6	30	4	-	4	-	4	-	1	1	-	3
Cities of 25,000 to 100,000—White	404	-	1	-	-	2	56	3	-	3	-	23	1	7	-	-	14
All other	12	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	1
Male—White	224	-	1	-	-	2	35	-	-	1	-	9	1	1	-	-	5
All other	7	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-
Female—White	180	-	-	-	-	-	21	3	-	2	-	14	-	6	-	-	9
All other	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Cities of 10,000 to 25,000—White	520	1	-	-	6	1	29	4	-	5	-	37	-	5	1	2	33
All other	20	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-
Male—White	303	-	-	-	5	1	11	1	-	4	-	17	-	3	-	2	16
All other	17	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
Female—White	217	1	-	-	1	-	18	3	-	1	-	20	-	2	1	-	17
All other	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000—White	1,288	3	-	-	14	2	71	11	-	25	-	108	-	21	3	4	64
All other	25	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	2
Male—White	770	1	-	-	5	1	43	7	-	17	-	63	-	16	-	1	39
All other	13	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	2
Female—White	518	2	-	-	9	1	28	4	-	8	-	45	-	5	3	3	25
All other	12	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 53, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
22	115	682	1,259	299	40	26	47	48	42	39	430	12	12	65	105	74	2	86	236	677
22	115	682	1,259	298	40	26	47	48	41	39	429	12	12	65	105	74	2	86	236	677
-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
12	56	457	678	164	32	15	25	27	22	13	209	...	...	32	48	61	1	63	142	384
-	-	-	-	-	-	-	-	-	1	-	1	...	...	-	-	-	-	-	-	-
10	59	225	581	134	8	11	22	21	19	26	220	12	12	33	57	13	1	23	94	293
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	24	196	415	67	11	8	17	13	17	10	150	3	2	20	34	26	2	15	56	201
4	11	119	218	34	10	5	9	7	10	4	66	...	...	9	17	19	1	9	29	117
4	13	77	197	33	1	3	8	6	7	6	84	3	2	11	17	7	1	6	27	84
5	24	117	172	49	5	3	9	6	7	9	66	1	3	13	20	8	-	9	62	132
3	11	79	87	29	3	1	5	4	6	4	27	...	...	7	11	7	-	6	38	76
2	13	38	85	20	2	2	4	2	1	5	39	1	3	6	9	1	-	3	24	56
-	12	63	123	24	5	5	5	4	4	2	29	2	1	7	8	5	-	11	10	43
-	9	41	60	14	5	3	2	3	2	-	14	...	...	5	3	4	-	11	6	22
-	3	22	63	10	-	2	3	1	2	2	15	2	1	2	5	1	-	-	4	21
9	55	306	549	159	19	10	16	25	14	18	185	6	6	25	43	35	-	51	108	301
5	25	218	313	87	14	6	9	13	5	5	103	...	...	11	17	31	-	37	69	169
4	30	88	236	72	5	4	7	12	9	13	82	6	6	14	26	4	-	14	39	132
124	863	3,795	10,157	2,043	302	214	338	394	521	256	3,197	81	98	364	833	602	105	993	1,748	4,451
112	793	3,690	9,524	1,785	284	187	308	348	502	247	2,904	71	80	346	707	590	66	928	1,625	4,090
12	70	105	633	258	18	27	30	46	19	9	293	10	18	18	126	12	39	65	123	361
63	347	2,551	5,051	962	242	109	183	192	333	74	1,403	...	...	171	428	414	44	721	991	2,255
8	30	71	330	146	13	16	15	25	11	3	130	...	...	9	69	8	28	52	84	193
49	446	1,139	4,495	823	42	78	125	156	169	173	1,501	71	80	175	279	176	22	207	634	1,835
4	40	34	303	112	5	11	15	21	8	6	163	10	18	9	57	4	11	13	39	168
34	256	984	2,818	582	104	70	76	90	169	75	657	23	24	76	229	126	16	219	486	1,240
5	29	39	227	103	7	12	20	15	8	1	107	4	7	5	63	4	21	20	47	152
17	126	666	1,518	312	90	43	42	58	109	24	323	...	...	36	137	89	15	168	304	679
4	15	27	113	60	7	5	12	11	5	1	46	...	...	-	38	2	15	16	38	81
17	130	318	1,300	270	14	27	34	32	60	51	334	23	24	40	92	37	1	51	182	561
1	14	12	114	43	-	7	8	4	3	-	61	4	7	5	25	2	6	4	9	71
30	173	777	2,010	367	64	33	87	89	135	68	577	16	18	89	159	163	18	145	312	762
4	13	26	130	59	2	6	2	12	4	4	61	1	6	3	20	4	5	11	33	74
19	72	525	1,048	206	55	22	56	42	91	20	269	...	...	45	106	111	14	106	185	415
2	7	18	74	31	1	6	1	6	2	2	26	...	...	2	9	4	3	9	16	41
11	101	252	962	161	9	11	31	47	44	48	308	16	18	44	53	52	4	39	127	347
2	6	8	56	28	1	-	1	6	2	2	35	1	6	1	11	-	2	2	17	33
12	116	558	1,250	193	35	29	45	56	60	34	443	9	10	53	94	77	4	132	227	548
1	14	11	96	30	4	1	4	6	2	1	36	2	-	7	15	3	3	6	14	43
6	48	384	629	110	31	14	28	33	34	12	207	...	...	22	52	54	3	103	134	302
-	3	6	49	13	2	-	1	2	1	-	13	...	...	5	9	1	2	4	9	27
6	68	174	621	83	4	15	17	23	26	22	236	9	10	31	42	23	1	29	93	246
1	11	5	47	17	2	1	3	4	1	1	23	2	-	2	6	2	1	2	5	16
19	97	578	1,357	240	32	20	43	42	58	30	472	9	12	49	102	93	8	144	253	541
2	2	9	57	28	2	3	3	6	1	2	31	1	1	1	13	-	2	11	6	28
10	43	402	703	123	24	11	21	19	37	6	222	...	...	23	56	59	3	114	147	288
2	2	5	24	20	2	2	1	3	-	-	17	...	...	1	6	-	2	10	6	11
9	54	176	654	117	8	9	22	23	21	24	250	9	12	26	46	34	5	30	106	253
-	-	4	33	8	-	1	2	3	1	2	14	1	1	-	7	-	-	1	-	17
17	151	793	2,089	403	49	33	57	71	80	40	755	14	16	79	123	131	20	288	347	999
-	12	20	123	38	3	5	1	7	4	1	58	2	4	2	15	1	8	17	23	64
11	58	574	1,133	211	42	19	36	40	62	12	382	...	...	45	77	101	9	230	221	571
-	3	15	70	22	1	3	-	3	3	-	28	...	...	1	7	1	6	13	15	33
6	93	219	956	192	7	16	21	31	18	28	373	14	16	34	46	30	11	58	126	428
-	9	5	53	16	2	2	1	4	1	1	30	2	4	1	8	-	2	4	8	31
30	76	148	399	426	24	285	59	44	33	19	248	28	38	58	212	50	33	177	280	1,617
27	76	146	383	371	24	272	56	40	31	18	242	25	36	55	203	48	30	163	268	1,679
3	-	2	16	55	-	13	3	4	2	1	6	3	2	3	9	2	3	14	12	138
16	39	106	222	223	14	138	37	19	16	5	153	...	...	23	125	33	25	132	193	941
2	-	2	9	20	-	8	1	3	2	-	6	...	...	2	3	1	2	9	6	73
11	37	40	161	148	10	134	19	21	15	13	89	25	36	32	78	15	5	31	75	738
1	-	-	7	35	-	5	2	1	-	1	-	3	2	1	6	1	1	5	6	65
3	10	13	39	24	2	15	5	7	4	1	27	5	1	4	12	5	1	11	25	80
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2
1	6	12	18	19	1	6	5	4	1	1	17	...	...	1	5	5	1	7	19	40
-	-	-	1	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	-	1
2	4	1	21	5	1	9	-	3	3	-	10	5	1	3	7	-	-	4	6	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
-	11	24	56	25	3	15	6	6	3	1	22	2	4	7	29	8	2	32	30	110
-	-	1	2	3	-	1	-	1	-	-	1	-	-	-	1	-	1	-	2	3
-	6	16	36	14	2	8	5	3	3	-	14	...	...	4	19	6	-	25	19	63
-	-	1	2	3	-	1	-	1	-	-	1	...	...	-	-	-	1	-	2	2
-	5	8	20	11	1	7	1	3	-	1	8	2	4	3	10	2	2	7	11	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
2	15	40	115	114	8	67	9	6	7	8	73	6	7	14	63	10	7	38	76	277
-	-	-	2	1	-	2	-	-	-	-	-	1	-	-	1	1	-	2	3	4
2	8	27	68	68	5	33	7	3	4	2	44	...	...	5	40	5	6	31	57	162
-	-	-	1	1	-	-	-	-	-	-	-	...	...	-	-	1	-	1	-	2
-	7	13	47	46	3	34	2	3	3	6	29	6	7	9	23	5	1	7	19	115
-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-	1	3	2

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW MEXICO—Continued																	
Rural—White	3,008	7	-	1	29	4	104	12	-	22	2	138	2	24	5	2	115
All other	362	-	-	-	31	9	50	4	-	4	-	6	1	1	1	-	3
Male—White	1,711	3	-	-	13	3	50	6	-	13	2	69	-	17	-	1	63
All other	176	-	-	-	20	3	22	-	-	1	-	2	1	-	-	-	1
Female—White	1,297	4	-	1	16	1	54	6	-	9	-	69	2	7	5	1	52
All other	186	-	-	-	11	6	28	4	-	3	-	4	-	1	1	-	2
NEW YORK	148,030	29	71	34	105	18	5,660	507	3	2,024	61	21,108	189	5,397	424	17	10,014
Both sexes—White	140,271	27	68	34	90	17	4,551	356	3	1,456	60	20,345	174	5,226	406	15	9,684
All other	7,759	2	3	-	15	1	1,109	151	-	568	1	763	15	171	18	2	330
Male—White	76,562	16	40	18	35	10	3,080	202	2	1,132	42	10,000	78	1,738	71	7	4,363
All other	4,212	2	3	-	15	-	661	74	-	401	-	334	10	41	1	1	146
Female—White	63,709	11	28	16	55	7	1,471	154	1	324	18	10,345	96	3,488	335	8	5,319
All other	3,547	-	-	-	-	1	448	77	-	167	1	429	5	130	17	1	184
Cities of 100,000 or more	91,647	17	50	11	56	15	3,999	381	3	1,159	23	13,924	149	3,671	240	13	5,020
Male	49,767	9	34	8	29	8	2,678	212	2	873	16	6,896	64	1,166	45	7	2,215
Female	41,880	8	16	3	27	7	1,321	169	1	286	7	7,028	85	2,505	195	6	2,805
Cities of 25,000 to 100,000	9,364	1	7	2	8	1	224	24	-	118	8	1,289	8	292	33	-	807
Male	4,898	-	3	1	4	-	151	13	-	90	5	562	3	92	5	-	343
Female	4,466	1	4	1	4	1	73	11	-	28	3	727	5	200	28	-	464
Cities of 10,000 to 25,000	8,862	2	5	3	9	2	200	31	-	80	6	1,185	5	288	38	1	817
Male	4,639	2	2	-	5	2	120	12	-	56	4	555	4	92	7	-	327
Female	4,223	-	3	3	4	-	80	19	-	24	2	630	1	196	31	1	490
Cities of 2,500 to 10,000	7,278	3	1	2	6	-	168	10	-	53	5	968	5	271	28	-	637
Male	3,887	3	1	1	2	-	108	6	-	41	4	439	3	101	4	-	288
Female	3,391	-	-	1	4	-	60	4	-	12	1	529	2	170	24	-	360
Rural	30,879	6	8	16	26	-	1,069	61	-	614	19	3,742	22	875	85	3	2,713
Male	17,583	4	3	8	10	-	684	33	-	473	13	1,882	14	328	11	1	1,338
Female	13,296	2	5	8	16	-	385	28	-	141	6	1,860	8	547	74	2	1,375
NORTH CAROLINA	31,752	29	20	12	199	83	1,415	156	28	379	17	2,089	56	472	46	144	2,991
Both sexes—White	19,968	12	15	11	110	70	521	42	15	107	14	1,587	33	345	31	106	1,969
All other	11,784	17	5	1	89	13	894	114	13	272	3	502	23	127	15	38	1,022
Male—White	11,381	7	7	5	56	41	321	25	5	76	7	693	18	161	6	33	1,027
All other	6,173	12	2	-	41	7	396	60	9	164	2	159	12	42	-	9	485
Female—White	8,587	5	8	6	54	29	200	17	10	31	7	894	15	184	25	73	942
All other	5,611	5	3	1	48	6	498	54	4	108	1	343	11	85	15	29	537
Cities of 100,000 or more—White	476	-	-	1	-	-	9	2	-	5	-	60	1	11	-	1	36
All other	418	1	-	-	9	-	30	2	-	5	-	19	-	5	-	-	50
Male—White	270	-	-	1	-	-	7	2	-	4	-	19	-	2	-	1	16
All other	222	1	-	-	4	-	19	1	-	3	-	7	-	1	-	-	33
Female—White	206	-	-	-	-	-	2	-	-	1	-	41	1	9	-	-	20
All other	196	-	-	-	5	-	11	1	-	2	-	12	-	4	-	-	17
Cities of 25,000 to 100,000—White	2,171	1	-	-	13	-	69	6	-	18	1	222	2	49	2	3	193
All other	1,875	2	-	-	21	3	168	30	-	43	-	96	2	22	4	5	167
Male—White	1,201	1	-	-	8	-	41	2	-	15	1	89	1	26	-	1	94
All other	935	2	-	-	10	2	70	18	-	23	-	26	2	6	-	1	87
Female—White	970	-	-	-	5	-	28	4	-	3	-	133	1	23	2	2	99
All other	940	-	-	-	11	1	98	12	-	20	-	70	-	16	4	4	80
Cities of 10,000 to 25,000—White	1,442	1	-	-	6	5	32	7	1	10	1	121	-	27	1	3	149
All other	1,050	-	-	-	9	1	98	7	-	26	1	55	2	12	-	3	75
Male—White	843	1	-	-	3	3	16	5	-	5	1	56	-	11	-	1	78
All other	545	-	-	-	3	1	39	5	-	14	-	18	-	1	-	-	30
Female—White	599	-	-	-	3	2	16	2	1	5	-	65	-	16	1	2	73
All other	505	-	-	-	6	-	59	2	-	12	1	37	2	11	-	3	45
Cities of 2,500 to 10,000—White	1,432	-	-	1	7	5	37	1	1	4	2	130	3	29	-	3	146
All other	786	1	-	-	5	1	38	4	2	20	-	44	-	10	1	3	71
Male—White	809	-	-	1	5	3	21	-	-	3	-	49	3	17	-	1	71
All other	394	1	-	-	1	-	13	3	1	11	-	17	-	5	-	-	27
Female—White	623	-	-	-	2	2	16	1	1	1	2	81	-	12	-	2	75
All other	392	-	-	-	4	1	25	1	1	9	-	27	-	5	1	3	44
Rural—White	14,447	10	15	9	84	60	374	26	13	70	10	1,054	27	229	28	96	1,445
All other	7,655	13	5	1	45	8	560	71	11	178	2	288	19	78	10	27	659
Male—White	8,258	5	7	3	40	35	236	16	5	49	5	480	14	105	6	29	770
All other	4,077	8	2	-	23	4	255	33	8	113	2	91	10	29	-	8	308
Female—White	6,189	5	8	6	44	25	138	10	8	21	5	574	13	124	22	67	675
All other	3,578	5	3	1	22	4	305	38	3	65	-	197	9	49	10	19	351
NORTH DAKOTA	5,281	3	3	2	13	5	97	17	-	36	2	623	6	134	13	-	470
Both sexes—White	5,114	2	2	2	13	5	70	14	-	31	2	618	6	131	13	-	465
All other	167	1	1	-	-	-	27	3	-	5	-	5	-	3	-	-	5
Male—White	3,169	2	1	-	7	5	34	6	-	19	2	357	2	75	1	-	263
All other	97	1	1	-	-	-	16	2	-	4	-	2	-	2	-	-	4
Female—White	1,945	-	1	2	6	-	36	8	-	12	-	261	4	56	12	-	202
All other	70	-	-	-	-	-	11	1	-	1	-	3	-	1	-	-	1
Cities of 25,000 to 100,000	300	-	-	-	1	-	6	2	-	4	-	39	-	6	-	-	31
Male	188	-	-	-	-	-	4	1	-	1	-	21	-	3	-	-	20
Female	112	-	-	-	1	-	2	1	-	3	-	18	-	3	-	-	11
Cities of 10,000 to 25,000	478	-	-	-	-	-	4	3	-	6	-	59	-	12	1	-	31
Male	274	-	-	-	-	-	1	2	-	3	-	30	-	7	1	-	14
Female	204	-	-	-	-	-	3	1	-	3	-	29	-	5	-	-	17
Cities of 2,500 to 10,000	507	-	-	1	1	1	8	1	-	1	-	50	-	12	2	-	55
Male	300	-	-	-	-	1	2	1	-	-	-	27	-	7	-	-	27
Female	207	-	-	1	1	-	6	-	-	1	-	23	-	5	2	-	28
Rural	3,996	3	3	1	11	4	79	11	-	25	2	475	6	104	10	-	353
Male	2,504	3	2	-	7	4	43	4	-	19	2	261	2	60	-	-	205
Female	1,492	-	1	1	4	-	36	7	-	6	-	194	4	44	10	-	147

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intes- 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
22	40	69	173	208	11	175	36	21	17	8	120	12	24	30	99	25	20	82	137	1,212
3	-	1	11	51	-	10	3	3	2	1	4	2	2	3	7	1	2	11	6	129
13	19	51	100	122	6	91	20	9	8	2	78	...	...	13	61	17	18	69	98	676
2	-	1	5	16	-	7	1	2	2	-	4	...	...	2	3	-	1	8	4	68
9	21	18	73	86	5	84	16	12	9	6	42	12	24	17	38	8	2	13	39	536
1	-	-	6	35	-	3	2	1	-	1	-	2	2	1	4	1	1	3	2	61
464	3,324	13,288	35,840	6,403	1,053	555	1,086	1,169	1,703	912	8,011	219	272	1,321	2,322	1,907	372	2,821	5,793	13,534
432	3,152	12,999	34,438	5,951	1,013	517	1,044	1,117	1,658	892	7,615	183	244	1,271	2,120	1,864	248	2,683	5,490	12,828
32	172	289	1,402	452	40	38	42	52	45	20	396	36	28	50	202	43	124	138	303	706
266	1,496	9,159	17,835	3,390	865	276	620	594	1,033	287	3,708	...	...	678	1,210	1,330	186	2,048	3,423	7,322
16	76	194	661	264	34	20	24	26	27	6	187	...	...	24	117	31	97	109	225	385
166	1,656	3,840	16,603	2,561	148	241	424	523	625	605	3,907	183	244	593	910	534	62	635	2,067	5,506
16	96	95	741	188	6	18	18	26	18	14	209	36	28	26	85	12	27	29	78	321
312	2,274	8,035	22,901	4,204	697	329	702	684	1,251	539	4,258	142	177	787	1,450	1,211	306	1,436	3,498	7,723
196	1,038	5,668	11,626	2,377	598	183	397	369	781	168	2,002	...	...	428	844	846	235	1,068	2,275	4,406
116	1,236	2,367	11,275	1,827	99	146	305	315	470	371	2,256	142	177	359	606	365	71	368	1,223	3,317
25	178	977	1,973	395	76	30	69	87	95	65	621	13	15	97	135	104	14	196	417	962
13	79	668	961	221	60	16	48	42	62	18	281	...	...	55	80	72	10	149	250	541
12	99	309	1,012	172	16	14	21	45	33	47	340	13	15	42	55	32	4	47	167	421
19	165	928	1,875	368	52	37	58	87	89	64	614	17	17	81	152	100	14	199	336	918
8	87	655	911	204	43	15	38	35	52	18	315	...	...	42	76	71	13	159	191	518
11	78	273	964	164	9	22	20	52	37	46	299	17	17	39	76	29	1	40	145	400
20	136	724	1,610	242	48	35	54	68	58	62	521	8	9	75	138	103	8	173	297	712
13	72	503	823	132	39	18	36	38	38	23	257	...	...	39	73	78	5	123	161	415
7	64	221	787	110	9	17	18	30	20	39	264	8	9	36	65	25	3	50	136	297
88	571	2,624	7,461	1,196	180	124	203	243	210	182	1,997	39	54	261	447	389	30	817	1,245	3,219
52	296	1,859	4,175	720	159	84	125	136	127	66	1,040	...	...	138	254	294	20	658	771	1,827
36	275	765	3,306	476	21	60	78	107	83	116	957	39	54	143	193	95	10	159	474	1,392
202	438	1,501	4,039	2,723	141	809	230	236	127	78	3,273	99	237	374	1,284	286	374	1,261	1,260	4,644
118	269	1,271	2,734	1,558	107	420	139	142	90	65	1,924	48	132	298	782	263	101	918	814	2,787
84	169	230	1,305	1,165	34	389	91	94	37	13	1,349	51	105	76	502	23	273	343	446	1,857
76	141	903	1,531	854	88	247	86	78	63	26	1,110	...	...	169	455	201	81	724	538	1,542
41	80	110	683	666	29	215	48	53	21	6	713	...	...	41	279	18	207	291	309	963
42	128	368	1,203	724	19	173	53	64	27	39	814	48	132	129	327	62	20	194	276	1,245
43	89	120	622	499	5	174	43	41	16	7	636	51	105	35	223	5	66	52	137	894
2	5	75	49	34	4	9	5	4	6	-	24	2	2	11	14	4	3	30	17	50
-	16	12	41	59	2	13	6	2	2	-	41	-	3	2	18	-	21	6	16	37
2	3	57	23	19	4	9	2	3	3	-	15	...	...	7	6	3	2	23	12	25
-	8	5	16	35	2	6	4	1	-	-	19	...	...	1	7	-	14	6	13	16
-	2	18	26	15	-	-	3	1	3	-	9	2	2	4	8	1	1	7	5	25
-	8	7	25	24	-	7	2	1	2	-	22	-	3	1	11	-	7	-	3	21
6	30	220	339	117	12	15	15	17	14	16	168	5	7	35	75	39	16	92	89	265
10	22	38	248	137	6	24	18	24	8	2	243	4	8	7	86	6	67	39	56	259
5	17	144	185	54	11	8	10	8	10	8	83	...	...	22	44	25	12	68	58	150
3	6	14	135	71	5	16	9	13	5	1	116	...	...	3	44	4	45	34	39	125
1	13	76	154	63	1	7	5	9	4	8	85	5	7	13	31	14	4	24	31	115
7	16	24	113	66	1	8	9	11	3	1	127	4	8	4	42	2	22	5	17	134
13	7	115	180	88	7	24	10	9	10	4	156	6	13	22	65	19	11	67	65	187
8	17	26	100	98	6	38	15	13	6	5	140	7	6	3	32	1	36	39	44	121
8	5	95	102	56	7	10	7	1	9	2	92	...	...	12	38	15	9	52	38	107
6	12	14	56	58	5	23	10	6	2	3	69	...	...	1	18	1	27	30	35	58
5	2	20	78	32	-	14	3	8	1	2	64	6	13	10	27	4	2	15	27	80
2	5	12	44	40	1	15	5	7	4	2	71	7	6	2	14	-	9	9	9	63
8	18	108	215	104	18	28	12	8	12	4	131	2	11	13	58	22	8	58	54	171
7	10	12	98	94	6	30	1	6	4	2	96	3	4	2	23	1	18	30	35	104
6	8	80	118	52	17	16	9	2	8	2	81	...	...	5	32	15	4	50	38	92
5	8	7	47	44	4	15	-	3	3	-	50	...	...	1	13	-	16	27	21	51
2	10	28	97	52	1	12	3	6	4	2	50	2	12	8	26	7	4	8	16	79
2	2	5	51	50	2	15	1	3	1	2	46	3	4	1	10	1	2	3	14	53
89	209	753	1,951	1,215	66	344	97	104	48	41	1,445	33	99	217	570	179	63	671	589	2,114
59	104	142	818	777	14	284	51	49	17	4	829	37	84	62	343	15	151	229	295	1,336
55	108	527	1,103	653	49	204	58	64	33	14	839	...	...	123	335	143	54	531	392	1,168
27	46	70	429	458	13	155	25	30	11	2	459	...	...	35	197	13	105	194	201	713
34	101	226	848	562	17	140	39	40	15	27	606	33	99	94	235	36	9	140	197	946
32	58	72	389	319	1	129	26	19	6	2	370	37	84	27	146	2	26	35	94	623
21	79	421	825	304	42	29	45	51	35	41	309	10	19	53	161	58	14	124	330	886
20	75	421	808	287	41	26	42	51	34	41	308	9	18	53	150	58	13	121	323	841
1	4	-	17	17	1	3	3	-	1	-	1	1	1	-	11	-	1	3	7	45
9	40	319	495	180	39	15	25	32	23	13	186	...	...	33	86	51	9	101	234	505
-	3	-	10	8	1	2	1	-	1	-	-	...	...	-	7	1	1	3	4	24
11	35	102	313	107	2	11	17	19	11	28	122	9	18	20	64	7	4	20	89	336
1	1	-	7	9	-	1	2	-	-	-	1	1	1	-	4	-	-	-	3	21
3	6	35	38	19	2	-	3	3	1	1	9	-	-	7	7	6	1	11	19	40
1	4	24	22	13	2	-	1	2	-	1	2	...	...	5	5	6	1	10	13	26
2	2	11	16	6	-	-	2	1	1	-	7	-	-	2	2	-	-	1	6	14
-	8	50	81	33	2	2	6	3	3	1	26	-	3	7	20	3	1	15	27	71
-	4	36	34	19	2	2	4	1	2	-	17	...	...	4	12	2	1	13	21	42
-	4	14	47	14	-	-	2	2	1	1	9	-	3	3	8	1	-	2	6	29
6	7	56	72	24	3	3	2	5	4	2	34	1	1	7	19	4	2	8	31	84
3	3	46	47	14	3	-	1	3	1	1	23	...	...	4	11	4	1	7	18	45
3	4	10	25	10	-	3	1	2	3	1	11	1	1	3	8	-	1	1	13	39
12	58	280	634	228	35	24	34	40	27	37	240	9	15	32	115	45	10	90	253	691
5	32	213	402	142	33	15	20	26	21	11	144	...	...	20	65	39	7	74	186	416
7	26	67	232	86	2	9	14	14	6	26	96	9	15	12	50	6	3	16	67	275

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
OHIO	78,137	31	16	27	183	31	2,677	273	6	911	46	9,665	64	2,104	288	20	7,382
Both sexes—White	72,861	31	14	25	164	25	2,004	192	6	700	43	9,284	59	2,006	279	16	6,973
All other	5,276	-	2	2	19	6	673	81	-	211	3	361	5	98	9	4	409
Male—White	40,247	20	10	12	74	13	1,231	99	5	525	33	4,370	23	682	42	7	3,470
All other	2,960	-	2	1	9	2	373	42	-	145	1	166	1	34	1	2	198
Female—White	32,614	11	4	13	90	12	773	93	1	175	10	4,914	36	1,324	237	9	3,503
All other	2,316	-	-	1	10	4	300	39	-	66	2	215	4	64	8	2	211
Cities of 100,000 or more	30,589	5	5	7	40	6	1,429	133	2	492	21	3,966	26	870	112	8	2,539
Male	16,823	5	4	2	18	3	858	69	1	349	14	1,855	13	293	17	2	1,217
Female	13,766	-	1	5	22	3	571	64	1	143	7	2,111	13	577	95	6	1,322
Cities of 25,000 to 100,000	7,929	3	2	3	20	4	222	28	1	69	3	1,024	9	229	28	-	779
Male	4,196	3	2	2	10	3	137	9	1	42	2	428	3	81	5	-	388
Female	3,733	-	-	1	10	1	85	19	-	27	1	596	6	148	23	-	391
Cities of 10,000 to 25,000	6,030	2	2	2	18	-	155	16	1	46	5	697	5	172	16	2	617
Male	3,261	2	1	1	6	-	92	13	1	34	3	309	1	52	1	-	280
Female	2,769	-	1	1	12	-	63	3	-	12	2	388	4	120	15	2	337
Cities of 2,500 to 10,000	8,105	4	1	4	23	2	182	25	-	55	5	1,024	7	219	32	3	818
Male	4,360	3	-	1	10	1	117	16	-	37	5	486	3	80	5	2	374
Female	3,743	1	1	3	13	1	65	9	-	18	-	538	4	139	27	1	444
Rural	25,486	17	6	11	82	19	689	71	2	249	12	2,954	17	614	100	7	2,629
Male	14,567	7	5	7	39	8	400	34	2	208	10	1,458	4	210	15	5	1,409
Female	10,919	10	1	4	43	11	289	37	-	41	2	1,496	13	404	85	2	1,220
OKLAHOMA	20,439	35	9	6	120	63	986	86	54	243	15	2,007	32	347	33	69	1,852
Both sexes—White	17,510	17	8	6	99	60	616	47	35	167	8	1,874	27	311	33	59	1,639
All other	2,929	18	1	-	21	3	370	39	19	76	7	133	5	36	-	10	213
Male—White	10,362	9	5	3	46	32	378	27	16	121	6	859	11	147	4	25	946
All other	1,617	10	1	-	10	-	180	18	9	42	5	44	-	18	-	3	113
Female—White	7,148	8	3	3	53	28	238	20	19	46	2	1,015	16	164	29	34	693
All other	1,312	8	-	-	11	3	190	21	10	34	2	89	5	18	-	7	100
Cities of 100,000 or more—White	2,805	-	3	1	14	4	88	8	1	31	1	369	4	44	4	3	243
All other	484	-	1	-	1	1	67	7	1	14	1	28	1	5	-	-	46
Male—White	1,638	-	2	-	4	3	46	5	-	20	1	160	2	20	2	1	134
All other	270	-	1	-	1	-	38	2	-	8	1	8	-	2	-	-	21
Female—White	1,167	-	1	1	10	1	42	3	1	11	-	209	2	24	2	2	109
All other	214	-	-	-	-	1	29	5	1	6	-	20	1	3	-	-	25
Cities of 25,000 to 100,000—White	546	-	1	1	-	-	32	1	-	8	-	62	-	15	-	-	48
All other	146	2	-	-	1	-	12	-	3	6	-	8	1	1	-	-	9
Male—White	322	-	1	-	-	-	20	-	-	7	-	31	-	8	-	-	27
All other	72	2	-	-	1	-	6	-	2	2	-	-	-	1	-	-	7
Female—White	224	-	-	1	-	-	12	1	-	1	-	31	-	7	-	-	21
All other	74	-	-	-	-	-	6	-	1	4	-	8	1	-	-	-	2
Cities of 10,000 to 25,000—White	2,319	2	2	1	8	3	79	6	1	46	-	237	3	47	3	9	229
All other	370	2	-	-	1	-	49	2	2	11	-	20	-	5	-	1	29
Male—White	1,347	1	1	-	2	1	49	4	-	32	-	91	1	21	-	4	136
All other	200	2	-	-	-	-	30	1	1	5	-	12	-	1	-	1	18
Female—White	972	1	1	1	6	2	30	2	1	14	-	146	2	26	3	5	93
All other	170	-	-	-	1	-	19	1	1	6	-	8	-	4	-	-	11
Cities of 2,500 to 10,000—White	2,827	1	-	1	15	3	115	10	2	32	1	293	6	46	4	4	268
All other	361	2	-	-	3	-	36	6	4	8	-	14	-	4	-	2	37
Male—White	1,708	-	-	1	10	2	80	8	1	24	1	125	2	22	1	-	145
All other	193	1	-	-	1	-	13	4	2	6	-	6	-	1	-	-	21
Female—White	1,119	1	-	-	5	1	35	2	1	8	-	168	4	24	3	4	123
All other	168	1	-	-	2	-	23	2	2	2	-	8	-	3	-	2	16
Rural—White	9,013	14	2	2	62	50	302	22	31	50	6	913	14	159	22	45	851
All other	1,568	12	-	-	15	2	206	24	9	37	6	63	3	21	-	7	92
Male—White	5,347	8	1	2	30	26	183	10	15	38	4	452	6	76	1	20	504
All other	882	5	-	-	7	-	93	11	4	21	4	18	-	13	-	2	46
Female—White	3,666	6	1	-	32	24	119	12	16	12	2	461	8	83	21	23	347
All other	686	7	-	-	8	2	113	13	5	16	2	45	3	8	-	5	46
OREGON	11,959	4	3	3	7	8	257	32	1	131	3	1,481	7	250	35	5	1,191
Both sexes—White	11,724	4	3	3	6	7	237	29	1	122	3	1,465	7	245	35	5	1,174
All other	235	-	-	-	1	1	20	3	-	9	-	16	-	5	-	-	17
Male—White	7,186	2	1	1	4	4	158	20	1	90	3	733	5	100	6	3	657
All other	169	-	-	-	1	-	12	2	-	7	-	14	-	1	-	-	14
Female—White	4,538	2	2	2	2	3	79	9	-	32	-	732	2	145	29	2	517
All other	66	-	-	-	-	1	8	1	-	2	-	2	-	4	-	-	3
Cities of 100,000 or more	3,687	1	-	-	1	4	83	11	-	39	1	510	1	99	7	2	342
Male	2,147	1	-	-	1	1	49	7	-	32	1	245	1	37	2	-	183
Female	1,540	-	-	-	-	3	34	4	-	7	-	265	-	62	5	2	159
Cities of 25,000 to 100,000	663	-	-	-	-	-	28	2	-	19	-	68	-	12	1	-	50
Male	419	-	-	-	-	-	19	2	-	10	-	38	-	6	-	-	25
Female	244	-	-	-	-	-	9	-	-	9	-	30	-	6	1	-	25
Cities of 10,000 to 25,000	810	1	-	-	-	-	9	-	-	10	-	122	1	15	2	-	96
Male	491	1	-	-	-	-	8	-	-	6	-	61	1	5	1	-	56
Female	319	-	-	-	-	-	1	-	-	4	-	61	-	10	1	-	40
Cities of 2,500 to 10,000	1,740	-	-	1	-	-	31	5	-	15	1	199	1	33	8	1	183
Male	1,017	-	-	-	-	-	20	4	-	9	1	86	1	13	-	1	107
Female	723	-	-	1	-	-	11	1	-	6	-	113	-	20	8	-	76
Rural	5,059	2	3	2	6	4	106	14	1	48	1	582	4	91	17	2	520
Male	3,281	-	1	1	4	3	74	9	1	40	1	317	2	40	3	2	300
Female	1,778	2	2	1	2	1	32	5	-	8	-	265	2	51	14	-	220

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
291	1,596	6,519	13,860	4,040	458	680	592	664	664	530	5,208	143	178	783	1,715	1,061	293	2,475	3,599	9,064
269	1,481	6,317	13,092	3,690	433	622	561	615	648	525	4,836	123	160	752	1,555	1,046	158	2,322	3,415	8,410
22	105	202	768	350	25	58	31	49	16	5	372	20	18	31	160	15	135	153	184	654
179	733	4,411	6,858	2,048	361	344	348	292	425	159	2,536	...	...	404	898	767	121	1,793	2,130	4,824
12	54	132	388	214	20	32	27	23	7	1	213	...	...	17	95	12	108	128	135	365
90	758	1,906	6,234	1,642	72	278	213	323	223	366	2,300	123	160	348	657	279	37	529	1,285	3,586
10	51	70	380	136	5	26	4	26	9	4	159	20	18	14	65	3	27	25	49	289
105	610	2,423	5,344	1,563	200	206	243	270	312	208	1,903	66	59	289	709	429	193	846	1,333	3,617
66	275	1,684	2,751	934	163	112	152	121	199	66	981	...	...	160	411	296	154	639	864	2,095
39	335	739	2,613	629	37	94	91	149	113	142	922	66	59	129	298	133	39	207	469	1,522
35	195	772	1,302	381	42	75	58	77	65	59	524	14	22	84	200	93	22	268	362	855
20	91	535	635	198	32	42	41	35	42	16	259	...	...	45	115	68	17	201	228	460
15	104	237	667	183	10	33	17	42	23	43	265	14	22	39	85	25	5	67	134	395
19	103	623	1,058	304	35	47	37	44	43	45	359	8	13	53	144	89	8	182	301	759
13	53	452	337	167	27	21	26	27	25	17	192	...	...	24	76	74	5	143	176	410
6	50	171	521	137	8	26	11	17	18	28	167	8	13	29	68	15	3	39	125	349
32	132	699	1,472	409	54	59	80	68	61	65	595	13	25	90	173	91	19	265	393	904
22	70	480	737	216	47	30	51	31	44	15	314	...	...	44	105	64	16	212	215	507
10	62	219	735	193	7	29	29	37	17	50	281	13	25	46	68	27	3	53	178	397
100	556	2,002	4,684	1,383	127	293	174	205	183	153	1,627	42	59	267	489	359	51	914	1,210	2,929
70	298	1,392	2,606	747	112	171	105	101	122	46	1,003	...	...	148	286	277	37	726	762	1,717
30	258	610	2,078	636	15	122	69	104	61	107	624	42	59	119	203	82	14	188	428	1,212
110	516	1,250	2,662	1,714	114	171	270	175	111	102	1,337	52	92	235	716	197	147	586	924	3,201
93	266	1,206	2,357	1,401	101	132	228	151	96	89	1,115	45	72	214	636	188	68	538	814	2,694
17	50	44	305	313	13	39	42	24	15	13	222	7	20	21	80	9	79	48	110	507
54	161	878	1,421	760	86	77	149	86	71	30	682	...	...	113	374	151	56	398	570	1,610
11	51	29	173	166	7	22	24	12	10	6	127	...	...	11	44	6	39	40	82	304
39	105	328	936	641	15	55	79	65	25	59	433	45	72	101	262	37	12	140	244	1,084
6	19	15	132	147	6	17	18	12	5	7	95	7	20	10	36	3	20	8	28	203
12	48	244	451	145	22	12	26	27	28	8	155	3	7	34	121	44	9	101	123	367
1	3	5	67	38	1	4	8	5	4	-	48	-	1	3	20	-	15	7	16	65
6	25	185	274	92	18	6	14	15	20	1	91	...	...	15	70	34	7	70	87	208
1	1	5	42	19	1	2	2	4	3	-	28	...	...	3	13	-	10	3	13	38
6	23	59	177	53	4	6	12	12	8	7	64	3	7	19	51	10	2	31	36	159
-	2	-	25	19	-	2	6	1	1	-	20	-	1	-	7	-	5	4	3	27
5	3	55	61	47	-	4	4	3	6	3	32	-	-	11	14	11	2	15	18	84
1	3	-	23	7	3	1	1	1	-	-	13	2	-	-	2	-	4	-	7	35
2	2	39	38	18	-	2	2	2	4	1	17	...	...	8	6	9	-	15	13	50
1	1	-	14	4	2	-	1	-	-	-	5	...	...	-	1	-	3	-	5	14
3	1	16	23	29	-	2	2	1	2	2	15	-	-	3	8	2	2	-	5	34
-	2	-	9	3	1	1	-	1	-	-	8	2	-	-	1	-	1	-	2	21
9	34	189	308	181	16	16	24	29	17	10	141	7	8	24	71	18	10	63	99	369
2	14	4	37	47	3	7	6	-	-	1	19	1	2	-	8	2	15	5	12	63
3	20	130	181	96	12	7	16	15	15	2	81	...	...	15	46	16	9	44	71	225
-	6	4	22	20	-	6	2	-	-	-	11	...	...	-	4	2	8	4	8	32
6	14	59	127	85	4	9	8	14	2	8	60	7	8	9	25	2	1	19	28	144
2	8	-	15	27	3	1	4	-	-	1	8	1	2	-	4	-	7	1	4	31
16	28	204	401	208	17	18	31	19	10	19	159	8	11	40	107	31	4	95	141	459
3	5	7	44	28	-	5	1	1	3	3	29	1	2	5	10	3	16	5	16	58
10	18	146	234	124	17	11	26	13	6	10	107	...	...	21	67	24	4	72	102	274
-	4	3	23	17	-	2	1	-	1	1	20	...	...	2	1	2	16	4	8	33
6	10	58	167	84	-	7	5	6	4	9	52	8	11	19	40	7	-	23	39	185
3	1	4	21	11	-	3	-	1	2	2	9	1	2	3	9	1	-	1	8	25
51	153	514	1,136	820	46	82	143	73	35	49	628	27	46	105	323	84	43	264	433	1,415
10	25	28	134	193	6	22	26	17	8	9	113	3	15	13	40	4	29	31	59	286
33	96	378	694	430	39	51	91	41	26	16	386	...	...	54	185	68	36	197	297	853
9	19	17	72	106	4	12	18	8	6	5	63	...	...	6	25	2	22	29	48	187
18	57	136	442	390	7	31	52	32	9	33	242	27	46	51	138	16	7	67	136	562
1	6	11	62	87	2	10	8	9	2	4	50	3	15	7	15	2	7	2	11	99
47	274	1,316	1,713	564	84	31	73	81	61	68	1,059	14	29	112	184	205	32	399	740	1,455
46	272	1,308	1,687	552	83	28	70	80	60	67	1,041	14	28	112	174	199	25	384	720	1,428
1	2	8	26	12	1	3	3	1	1	1	18	-	1	-	10	6	7	15	20	27
24	151	968	1,038	336	68	8	41	45	36	23	595	...	...	63	100	152	19	300	537	894
1	2	7	16	6	1	1	2	-	1	-	13	...	...	-	6	5	7	12	18	20
22	121	340	649	216	15	20	29	35	24	44	446	14	28	49	74	47	6	84	183	534
-	-	1	10	6	-	2	1	1	-	1	5	-	1	-	4	1	-	3	2	7
14	92	468	588	155	27	8	17	24	36	18	313	2	5	34	43	85	6	106	164	381
7	49	357	326	102	22	3	9	14	22	5	153	...	...	18	27	61	4	81	105	222
7	43	111	262	53	5	5	8	10	14	13	160	2	5	16	16	24	2	25	59	159
2	6	53	82	70	5	1	3	4	2	5	63	-	-	2	1	7	-	10	28	139
1	5	37	48	50	3	-	2	1	1	2	38	...	...	2	1	6	-	8	17	97
1	1	16	34	20	2	1	1	3	1	3	25	-	-	-	-	1	-	2	11	42
2	11	80	94	26	4	1	3	6	2	7	71	1	1	6	22	16	2	29	51	119
2	5	66	59	12	3	-	2	2	2	3	40	...	...	5	9	11	2	18	39	72
-	6	14	35	14	1	1	1	4	-	4	31	1	1	1	13	5	-	11	12	47
16	55	190	268	54	14	3	13	9	5	11	176	2	3	26	47	21	1	52	98	198
8	29	125	164	28	9	-	9	6	5	5	104	...	...	12	30	16	1	38	73	113
8	26	65	104	26	5	3	4	3	-	6	72	2	3	14	17	5	-	14	25	85
13	110	525	681	259	34	18	37	38	16	27	436	9	20	44	71	76	23	202	399	618
7	65	390	457	150	32	6	21	22	7	8	273	...	...	26	39	63	19	167	321	410
6	45	135	224	109	2	12	16	16	9	19	163	9	20	18	32	13	4	35	78	208

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
PENNSYLVANIA	108,748	52	56	27	168	23	3,867	274	3	1,295	62	13,128	162	3,450	319	20	8,899
Both sexes—White	101,665	47	53	25	137	22	3,062	198	3	918	61	12,547	147	3,323	311	17	8,387
All other	7,083	5	3	2	31	1	805	76	-	377	1	581	15	127	8	3	512
Male—White	56,112	29	34	12	63	8	1,919	105	2	663	29	5,947	61	1,047	54	12	4,134
All other	3,863	4	1	1	11	-	448	39	-	257	-	269	6	37	1	-	245
Female—White	45,553	18	19	13	74	14	1,143	93	1	255	32	6,600	86	2,276	257	5	4,253
All other	3,220	1	2	1	20	1	357	37	-	120	1	312	9	90	7	3	267
Cities of 100,000 or more—White	30,937	10	13	7	29	3	1,021	61	-	271	5	4,248	36	1,063	81	6	2,259
All other	4,747	3	1	2	20	-	608	52	-	257	-	416	8	78	5	2	298
Male—White	16,669	6	10	5	15	1	694	39	-	198	-	2,029	16	327	13	3	1,036
All other	2,561	3	1	1	7	-	346	26	-	176	-	192	3	23	1	-	130
Female—White	14,268	4	3	2	14	2	327	22	-	73	5	2,219	20	736	68	3	1,223
All other	2,186	-	-	1	13	-	262	26	-	81	-	224	5	55	4	2	168
Cities of 25,000 to 100,000—White	12,445	8	6	4	12	4	341	22	1	112	11	1,574	23	442	51	-	1,048
All other	674	-	-	-	1	-	54	6	-	29	-	44	2	11	2	-	62
Male—White	6,704	4	4	-	4	2	205	7	-	82	5	711	7	115	12	-	511
All other	389	-	-	-	1	-	29	4	-	23	-	17	1	5	-	-	35
Female—White	5,741	4	2	4	8	2	136	15	1	30	6	863	16	327	39	-	537
All other	285	-	-	-	-	-	25	2	-	6	-	27	1	6	2	-	27
Cities of 10,000 to 25,000—White	11,089	4	6	2	12	3	321	28	-	59	13	1,358	24	355	23	1	867
All other	562	1	1	-	6	-	42	6	-	22	-	41	1	16	-	-	50
Male—White	6,150	2	2	2	4	1	188	13	-	41	7	637	12	108	7	1	420
All other	304	1	-	-	1	-	19	4	-	16	-	20	-	5	-	-	29
Female—White	4,939	2	4	-	8	2	133	15	-	18	6	721	12	247	16	-	447
All other	258	-	1	-	5	-	23	2	-	6	-	21	1	11	-	-	21
Cities of 2,500 to 10,000—White	13,045	1	8	4	16	3	374	31	1	71	13	1,580	19	478	44	6	1,070
All other	249	1	1	-	-	1	20	2	-	2	1	27	-	8	-	-	19
Male—White	7,121	1	5	-	11	-	223	15	1	51	6	730	7	162	6	5	518
All other	137	-	-	-	-	-	16	-	-	1	-	11	-	2	-	-	9
Female—White	5,924	-	3	4	5	3	151	16	-	20	7	850	12	316	38	1	552
All other	112	1	1	-	-	1	4	2	-	1	1	16	-	6	-	-	10
Rural—White	34,149	24	20	8	68	9	1,005	56	1	405	19	3,787	45	985	112	4	3,143
All other	851	-	-	-	4	-	81	10	-	67	-	53	4	14	1	1	83
Male—White	19,468	16	13	5	29	4	609	31	1	291	11	1,840	19	335	16	3	1,649
All other	472	-	-	-	2	-	38	5	-	41	-	29	2	2	-	-	42
Female—White	14,681	8	7	3	39	5	396	25	-	114	8	1,947	26	650	96	1	1,494
All other	379	-	-	-	2	-	43	5	-	26	-	24	2	12	1	1	41
RHODE ISLAND	7,888	-	1	1	4	1	255	18	-	68	2	1,094	5	279	9	1	644
Both sexes—White	7,699	-	1	1	4	1	232	17	-	62	2	1,076	5	271	9	1	635
All other	189	-	-	-	-	-	23	1	-	6	-	18	-	8	-	-	9
Male—White	4,100	-	1	1	2	-	160	10	-	45	2	500	4	89	2	1	307
All other	99	-	-	-	-	-	13	-	-	5	-	8	-	3	-	-	1
Female—White	3,599	-	-	-	2	1	72	7	-	17	-	576	1	182	7	-	328
All other	90	-	-	-	-	-	10	1	-	1	-	10	-	5	-	-	8
Cities of 100,000 or more	2,906	-	-	-	1	1	114	8	-	26	1	408	-	101	3	-	230
Male	1,553	-	-	-	1	-	84	5	-	20	1	189	-	31	1	-	113
Female	1,353	-	-	-	-	1	30	3	-	6	-	219	-	70	2	-	117
Cities of 25,000 to 100,000	3,193	-	1	1	3	-	88	5	-	35	-	444	2	116	5	-	258
Male	1,655	-	1	1	1	-	49	2	-	26	-	194	2	41	-	-	130
Female	1,538	-	-	-	2	-	39	3	-	9	-	250	-	75	5	-	128
Cities of 10,000 to 25,000	783	-	-	-	-	-	28	4	-	6	1	105	1	30	-	-	70
Male	436	-	-	-	-	-	22	3	-	3	1	58	1	9	-	-	28
Female	347	-	-	-	-	-	6	1	-	3	-	47	-	21	-	-	42
Cities of 2,500 to 10,000	243	-	-	-	-	-	5	-	-	1	-	31	-	5	-	-	21
Male	125	-	-	-	-	-	3	-	-	1	-	12	-	1	-	-	6
Female	118	-	-	-	-	-	2	-	-	-	-	19	-	4	-	-	15
Rural	763	-	-	-	-	-	20	1	-	-	-	106	2	27	1	1	65
Male	430	-	-	-	-	-	15	-	-	-	-	55	1	10	1	1	31
Female	333	-	-	-	-	-	5	1	-	-	-	51	1	17	-	-	34
SOUTH CAROLINA	20,617	62	20	4	209	73	775	77	125	353	14	1,140	44	269	10	123	1,860
Both sexes—White	9,545	17	12	4	89	45	217	15	21	55	9	769	16	171	4	44	863
All other	11,072	45	8	-	120	28	558	62	104	298	5	371	28	98	6	79	997
Male—White	5,615	11	9	2	46	25	133	9	11	35	7	300	9	77	1	16	493
All other	5,831	26	5	-	64	15	258	33	55	204	4	117	17	27	2	19	404
Female—White	3,930	6	3	2	43	20	84	6	10	20	2	469	7	94	3	28	370
All other	5,241	19	3	-	56	13	300	29	49	94	1	254	11	71	4	60	503
Cities of 25,000 to 100,000—White	1,656	3	2	-	6	5	49	6	-	28	1	133	1	45	2	2	131
All other	1,451	11	-	-	11	3	128	23	3	71	1	57	2	12	-	10	107
Male—White	934	1	1	-	3	4	36	4	-	18	1	43	1	17	-	-	76
All other	767	7	-	-	5	2	64	6	1	52	1	21	1	2	-	3	46
Female—White	722	2	1	-	3	1	13	2	-	10	-	90	-	28	2	2	55
All other	684	4	-	-	6	1	64	17	2	19	-	36	1	10	-	7	61
Cities of 10,000 to 25,000—White	636	1	1	1	10	4	26	-	-	2	-	55	-	12	-	1	62
All other	586	3	-	-	6	2	34	4	3	16	-	23	3	12	-	4	72
Male—White	362	-	1	-	6	2	19	-	-	1	-	18	-	4	-	-	41
All other	278	1	-	-	4	1	13	3	1	11	-	4	2	5	-	-	31
Female—White	274	1	-	1	4	2	7	-	-	1	-	37	-	8	-	1	21
All other	308	2	-	-	2	1	21	1	2	5	-	19	1	7	-	4	41
Cities of 2,500 to 10,000—White	1,321	2	2	1	8	5	38	2	3	7	1	135	3	18	-	8	107
All other	1,094	3	2	-	11	2	89	7	6	36	-	34	3	18	-	10	101
Male—White	771	2	1	1	5	1	23	1	2	5	1	55	2	11	-	1	56
All other	562	1	1	-	6	-	40	5	3	26	-	9	2	6	-	2	48
Female—White	550	-	1	-	3	4	15	1	1	2	-	80	1	7	-	7	51
All other	532	2	1	-	5	2	49	2	3	10	-	25	1	12	-	8	53

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
384	2,313	9,166	22,680	5,786	588	668	713	918	966	611	8,441	242	305	1,143	2,280	1,264	254	2,469	4,663	11,089
357	2,201	8,911	21,363	5,247	563	606	666	856	936	600	7,922	212	277	1,105	2,024	1,241	145	2,355	4,421	10,401
27	112	255	1,317	539	25	62	47	62	30	11	519	30	28	40	256	23	109	114	242	688
223	1,041	6,272	11,364	3,044	481	333	388	441	631	197	3,955	...	...	577	1,155	946	107	1,888	2,979	5,971
15	49	151	683	322	18	28	25	32	20	4	261	...	...	14	139	20	81	88	183	411
134	1,180	2,639	9,999	2,203	82	273	278	415	305	403	3,967	212	277	526	869	295	38	467	1,442	4,430
12	63	104	634	217	7	34	22	30	10	7	258	30	28	26	117	3	28	26	59	277
92	694	2,842	7,197	1,602	176	146	176	242	372	169	2,286	57	65	255	499	365	59	544	1,138	2,848
18	74	168	948	338	16	35	27	42	20	7	282	20	14	26	184	15	80	59	143	461
65	319	1,995	3,638	933	148	79	110	136	242	62	1,063	...	...	133	291	254	47	428	718	1,616
10	30	103	483	203	11	11	16	21	15	3	131	...	...	10	100	13	58	43	102	289
27	375	847	3,559	669	28	67	66	106	130	107	1,223	57	65	122	208	111	12	116	420	1,232
8	44	65	465	135	5	24	11	21	5	4	151	20	14	16	84	2	22	16	41	192
41	268	1,223	2,549	601	76	55	80	104	111	81	892	24	32	134	260	173	9	264	506	1,283
4	5	27	96	58	2	7	4	6	1	2	79	2	5	4	27	4	10	25	30	65
29	125	859	1,329	350	67	32	48	55	78	22	445	...	...	56	146	127	6	206	313	742
1	3	16	49	32	1	5	2	4	1	-	44	...	...	1	18	3	6	23	27	38
12	163	364	1,220	251	9	23	32	49	33	59	447	24	32	78	114	46	3	58	193	541
3	2	11	47	26	1	2	2	2	-	2	35	2	5	3	9	1	4	2	3	27
49	207	1,980	1,992	596	72	63	88	107	116	73	982	30	35	163	269	136	19	231	518	1,187
2	11	25	73	59	2	8	5	5	1	-	58	5	3	6	18	1	5	15	26	48
28	105	761	1,061	354	61	32	49	52	61	25	496	...	...	90	157	99	13	192	352	697
1	4	15	38	34	1	6	3	3	-	-	31	...	...	1	8	1	4	13	19	27
21	102	319	931	242	11	31	39	55	35	48	486	30	35	73	112	37	6	39	166	490
1	7	10	35	25	1	2	2	2	1	-	27	5	3	5	10	-	1	2	7	21
40	270	1,200	2,679	608	79	76	98	117	121	80	1,049	32	30	158	287	157	14	309	617	1,325
1	5	11	35	18	2	3	2	3	5	1	26	1	5	-	4	-	3	2	12	28
25	129	851	1,403	351	65	42	50	57	77	31	525	...	...	87	164	103	10	239	431	740
1	3	5	19	12	2	3	1	2	3	-	15	...	...	-	3	-	3	1	10	15
15	141	349	1,276	257	14	34	48	60	44	49	524	32	30	71	123	34	4	70	186	585
-	2	6	16	6	-	-	1	1	2	1	11	1	5	-	1	-	-	1	2	13
135	742	2,566	6,946	1,840	160	266	224	286	216	197	2,713	69	115	393	709	430	44	1,007	1,642	3,758
2	17	24	165	66	3	9	9	6	3	1	74	2	1	4	23	3	11	13	31	66
76	363	1,806	3,933	1,056	140	148	131	141	153	57	1,426	...	...	211	397	363	31	823	1,165	2,176
2	9	12	94	41	3	3	3	2	1	1	40	...	...	2	10	3	10	8	25	42
59	379	760	3,013	784	20	118	93	145	63	140	1,287	69	115	182	312	67	13	184	477	1,582
-	8	12	71	25	-	6	6	4	2	-	34	2	1	2	13	-	1	5	6	24
27	157	808	1,750	351	69	40	43	67	90	58	703	10	14	88	116	77	6	102	290	640
24	151	791	1,715	345	69	36	43	63	89	58	687	7	14	87	111	75	6	99	286	626
3	6	17	35	6	-	4	-	4	1	-	16	3	-	1	5	2	-	3	4	14
15	67	525	842	187	61	20	26	34	57	19	338	...	...	47	62	56	4	79	171	366
1	5	13	17	5	-	2	-	-	-	-	9	...	...	1	1	2	-	2	4	7
9	84	266	873	158	8	16	17	29	32	39	349	7	14	40	49	19	2	20	115	260
2	1	4	18	1	-	2	-	4	1	-	7	3	-	-	4	-	-	1	-	7
9	57	330	619	121	26	9	17	29	36	22	250	5	4	33	36	27	4	41	112	226
3	28	216	304	62	24	5	11	15	20	5	127	...	...	17	22	20	3	32	65	129
6	29	114	315	59	2	4	6	14	16	17	123	5	4	16	14	7	1	9	47	97
14	63	317	776	135	23	15	18	28	36	21	261	4	8	33	47	33	2	32	123	246
12	28	218	360	76	21	6	10	15	25	6	122	...	...	20	24	22	1	25	73	146
2	35	99	416	59	2	9	8	15	11	15	139	4	8	13	23	11	1	7	50	100
4	18	53	153	45	8	6	5	3	11	7	99	-	1	8	11	5	-	13	18	70
1	5	38	80	26	7	5	3	3	8	4	50	...	...	3	7	5	-	11	14	41
3	13	15	73	19	1	1	2	-	3	3	49	-	1	5	4	-	-	2	4	29
-	2	28	54	12	1	3	-	1	2	2	24	-	-	4	6	2	-	2	7	30
-	1	16	30	6	-	2	-	1	1	1	16	...	...	2	2	2	-	1	5	16
-	1	12	24	6	1	1	-	-	1	1	8	-	-	2	4	-	-	1	2	14
-	17	80	148	38	11	7	3	6	5	6	69	1	1	10	16	10	-	14	30	68
-	10	50	85	22	9	4	2	2	3	3	32	...	...	6	8	9	-	12	18	41
-	7	30	63	16	2	3	1	4	2	3	37	1	1	4	8	1	-	2	12	27
135	278	687	2,482	1,966	104	554	114	115	67	45	1,981	97	203	189	753	124	262	686	832	3,587
53	123	707	1,175	802	61	207	57	54	47	33	860	40	69	137	417	115	53	463	417	1,304
82	155	180	1,307	1,164	43	347	57	61	20	10	1,121	57	134	52	336	9	209	223	415	2,283
28	58	531	651	446	54	120	34	32	37	10	506	...	...	77	250	88	50	378	305	776
38	79	98	672	570	36	182	33	30	15	2	611	...	...	20	190	7	169	187	306	1,246
25	65	176	524	356	7	87	23	22	10	23	354	40	69	60	167	27	3	85	112	528
44	76	82	635	594	7	165	24	31	5	8	510	57	134	32	146	2	40	36	109	1,037
10	22	152	193	113	12	14	10	9	16	7	143	9	11	24	78	25	9	76	66	243
7	22	20	151	171	3	35	9	9	5	2	165	6	4	7	68	2	61	32	44	189
5	8	113	89	59	11	10	4	3	11	1	76	...	...	13	50	16	8	60	43	149
5	13	6	85	86	3	13	3	3	4	-	85	...	...	3	39	2	50	24	33	101
5	14	39	104	54	1	4	6	6	5	6	67	9	11	11	28	9	1	16	23	94
2	9	14	66	85	-	22	6	6	1	2	82	6	4	4	29	-	11	8	11	88
5	2	52	69	47	5	12	3	2	1	2	65	4	4	8	33	9	3	21	28	86
3	9	14	69	60	5	21	2	6	-	-	52	4	5	1	12	-	14	12	23	92
2	-	39	39	25	4	6	3	2	-	-	34	...	...	3	24	5	3	13	20	48
1	5	5	30	24	4	8	-	3	-	-	25	...	...	1	6	-	12	9	18	51
3	2	13	30	22	1	6	-	-	1	2	31	4	4	5	9	4	-	8	8	38
2	4	9	39	36	1	13	2	3	-	-	27	4	5	-	6	-	2	3	5	41
8	21	129	146	104	12	26	10	9	9	5	95	6	9	21	71	15	2	62	59	182
6	14	19	149	87	5	38	6	10	2	1	124	6	15	1	37	3	25	30	46	148
3	8	93	87	56	9	16	7	4	8	-	56	...	...	9	37	9	2	53	45	102
3	7	11	71	46	3	22	4	7	1	-	63	...	...	-	23	1	18	26	31	76
5	13	36	59	48	3	10	3	5	1	5	39	6	9	12	34	6	-	9	14	60
3	7	8	78	41	2	16	2	3	1	1	61	6	15	1	14	2	7	4	15	72

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
SOUTH CAROLINA—Continued																	
Rural—White	5,932	11	7	2	65	31	104	7	18	18	7	446	12	96	2	33	563
All other	7,941	28	6	-	92	21	307	28	92	175	4	257	20	56	6	55	717
Male—White	3,548	8	6	1	32	18	55	4	9	11	5	184	6	45	1	15	320
All other	4,224	17	4	-	49	12	141	19	50	115	3	83	12	14	2	14	369
Female—White	2,384	3	1	1	33	13	49	3	9	7	2	262	6	51	1	18	243
All other	3,717	11	2	-	43	9	166	9	42	60	1	174	8	42	4	41	348
SOUTH DAKOTA	5,693	4	3	1	32	13	165	26	-	41	3	636	8	164	13	2	528
Both sexes—White	5,308	1	3	1	18	13	89	12	-	32	3	628	7	159	13	2	522
All other	385	3	-	-	14	-	76	14	-	9	-	8	1	5	-	-	6
Male—White	3,212	1	3	-	10	5	54	8	-	26	3	345	2	84	1	1	304
All other	213	1	-	-	6	-	42	7	-	5	-	5	-	4	-	-	4
Female—White	2,096	-	-	1	8	8	35	4	-	6	-	283	5	75	12	1	218
All other	172	2	-	-	8	-	34	7	-	4	-	3	1	1	-	-	2
Cities of 25,000 to 100,000	349	-	1	-	1	1	7	1	-	2	1	47	-	8	-	-	32
Male	209	-	1	-	1	-	3	-	-	1	1	21	-	5	-	-	19
Female	140	-	-	-	-	1	4	1	-	1	-	26	-	3	-	-	13
Cities of 10,000 to 25,000	634	-	-	-	1	-	9	2	-	7	-	79	-	17	1	1	65
Male	392	-	-	-	-	-	4	1	-	7	-	51	-	9	-	1	39
Female	242	-	-	-	1	-	5	1	-	-	-	28	-	8	1	-	26
Cities of 2,500 to 10,000	764	-	-	-	3	3	30	4	-	12	-	76	2	20	2	1	77
Male	455	-	-	-	2	1	21	2	-	8	-	40	1	7	-	-	45
Female	309	-	-	-	1	2	9	2	-	4	-	36	1	13	2	1	32
Rural	3,946	4	2	1	27	9	119	19	-	20	2	434	6	119	10	-	354
Male	2,369	2	2	-	13	4	68	12	-	15	2	238	1	67	1	-	205
Female	1,577	2	-	1	14	5	51	7	-	5	-	196	5	52	9	-	149
TENNESSEE	28,623	41	34	16	162	51	2,139	200	50	426	42	2,338	65	366	39	120	2,461
Both sexes—White	21,156	35	24	15	127	44	1,384	120	31	174	38	1,919	46	301	31	105	1,834
All other	7,467	6	10	1	35	7	755	80	19	252	4	419	19	65	8	15	627
Male—White	11,796	22	14	7	60	28	685	66	19	139	25	815	19	149	2	39	924
All other	3,910	3	6	-	20	1	378	42	9	164	4	152	10	28	1	-	256
Female—White	9,360	13	10	8	67	16	699	54	12	35	13	1,104	27	152	29	66	910
All other	3,557	3	4	1	15	6	377	38	10	88	-	267	9	37	7	15	371
Cities of 100,000 or more—White	4,808	1	4	1	16	2	207	22	3	51	5	565	9	88	11	11	416
All other	3,534	-	2	-	11	5	350	47	3	123	1	198	8	45	5	5	307
Male—White	2,664	1	2	1	7	-	118	12	1	43	5	230	3	35	1	6	212
All other	1,816	-	1	-	6	1	172	26	2	85	1	71	4	18	1	-	127
Female—White	2,144	-	2	-	9	2	89	10	2	8	-	335	6	53	10	5	204
All other	1,718	-	1	-	5	4	178	21	1	38	-	127	4	27	4	5	180
Cities of 25,000 to 100,000—White	174	-	-	-	1	-	6	-	-	1	-	19	1	3	1	-	17
All other	35	-	-	-	1	-	3	1	-	-	-	2	-	-	-	-	-
Male—White	103	-	-	-	1	-	6	-	-	1	-	12	-	2	-	-	8
All other	16	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Female—White	71	-	-	-	-	-	-	-	-	-	-	7	1	1	1	-	9
All other	19	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-
Cities of 10,000 to 25,000—White	737	-	-	-	2	1	35	-	2	5	-	62	4	13	-	3	66
All other	362	-	1	-	5	-	31	2	2	8	-	16	1	2	-	1	29
Male—White	416	-	-	-	1	-	14	-	1	4	-	23	1	6	-	2	32
All other	187	-	1	-	4	-	15	1	2	5	-	5	1	2	-	-	10
Female—White	321	-	-	-	1	1	21	-	1	1	-	39	3	7	-	1	34
All other	175	-	-	-	1	-	16	1	-	3	-	11	-	-	-	1	10
Cities of 2,500 to 10,000—White	1,757	4	5	1	10	3	124	9	4	6	3	137	4	29	2	8	166
All other	652	1	1	1	5	-	59	1	1	6	2	35	2	7	1	1	59
Male—White	952	2	2	1	6	3	61	2	2	3	2	60	2	17	-	2	71
All other	330	-	1	-	3	-	35	1	-	2	2	11	2	2	-	-	17
Female—White	805	2	3	-	4	-	63	7	2	3	1	77	2	12	2	6	95
All other	322	1	-	1	2	-	24	-	1	4	-	24	-	5	1	1	42
Rural—White	13,680	30	15	13	98	38	1,012	89	22	111	30	1,136	28	168	17	83	1,169
All other	2,884	5	6	-	13	2	312	29	13	115	1	168	8	11	2	8	232
Male—White	7,661	19	10	5	45	25	486	52	15	88	18	490	13	89	1	29	601
All other	1,561	3	3	-	7	-	154	14	5	72	1	65	3	6	-	-	102
Female—White	6,019	11	5	8	53	13	526	37	7	23	12	646	15	79	16	54	568
All other	1,323	2	3	-	6	2	158	15	8	43	-	103	5	5	2	8	130
TEXAS	60,581	132	24	6	225	156	3,494	218	157	806	48	5,261	89	870	77	314	4,547
Both sexes—White	49,298	81	17	5	164	120	2,780	168	89	441	41	4,616	63	750	56	217	3,598
All other	11,283	51	7	1	41	36	714	50	68	365	7	645	26	120	21	97	949
Male—White	28,890	40	12	1	74	61	1,470	93	45	318	25	2,334	31	355	6	87	1,918
All other	6,029	29	6	-	21	19	376	27	32	257	4	240	9	46	2	24	444
Female—White	20,408	41	5	4	110	59	1,310	75	44	123	16	2,282	32	395	50	130	1,680
All other	5,254	22	1	1	20	17	338	23	36	108	3	405	17	74	19	73	505
Cities of 100,000 or more—White	9,907	2	1	1	10	8	681	50	2	99	6	1,064	7	177	15	20	694
All other	2,676	7	2	-	5	3	198	21	4	107	-	186	7	28	6	12	226
Male—White	5,756	-	1	-	3	2	371	28	2	67	3	527	4	81	1	6	362
All other	1,469	4	2	-	2	2	111	10	1	78	-	78	1	8	-	-	109
Female—White	4,151	2	-	1	7	6	310	22	-	32	3	537	3	96	14	14	332
All other	1,207	3	-	-	3	1	87	11	3	29	-	108	6	20	6	12	117
Cities of 25,000 to 100,000—White	6,124	14	6	-	25	17	381	36	3	92	9	593	12	107	10	21	429
All other	1,365	1	3	-	5	3	100	8	3	57	1	99	2	22	3	4	122
Male—White	3,484	6	4	-	7	11	210	18	1	62	4	257	3	55	3	9	231
All other	744	-	3	-	3	-	55	5	1	40	1	42	-	8	-	1	53
Female—White	2,640	8	2	-	18	6	171	18	2	30	5	336	9	52	7	12	198
All other	641	1	-	-	2	3	45	3	2	17	-	57	2	14	3	3	69

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
30	78	374	767	538	52	155	54	54	21	19	557	21	45	84	235	66	39	304	264	813
66	110	127	938	846	30	253	40	36	15	7	780	41	110	43	219	4	109	149	302	1,854
18	42	286	436	306	30	88	20	23	18	9	340	...	...	52	139	58	37	252	197	477
29	54	76	486	414	26	139	26	17	10	2	440	...	...	16	122	4	89	128	224	1,018
12	36	88	331	232	2	67	14	11	3	10	217	21	45	32	96	8	2	52	67	336
37	56	51	452	432	4	114	14	19	3	5	340	41	110	27	97	-	20	21	78	836
20	108	468	790	353	32	30	64	42	37	48	369	17	15	70	148	67	6	148	286	936
17	105	466	760	306	29	19	62	42	37	44	363	14	10	67	142	67	5	140	275	835
3	3	2	30	47	3	11	2	-	-	4	6	3	5	3	6	-	1	8	11	101
13	58	330	442	166	24	13	40	24	19	14	248	...	...	38	88	59	4	107	182	476
2	1	1	21	25	3	5	1	-	-	1	2	...	...	2	4	-	-	7	7	57
4	47	136	318	120	5	6	22	18	18	30	115	14	10	29	54	8	1	33	93	359
1	2	1	9	22	-	6	1	-	-	3	4	3	5	1	2	-	1	1	4	44
2	2	58	33	22	2	-	3	3	2	5	12	1	1	4	10	11	-	9	12	56
2	2	36	17	15	2	-	3	-	2	3	8	...	...	2	8	9	-	5	8	35
-	-	22	16	7	-	-	-	3	-	2	4	1	1	2	2	2	-	4	4	21
2	10	58	109	27	-	2	7	3	7	5	38	3	1	7	20	5	-	12	33	103
2	6	38	59	22	-	1	5	1	4	-	31	...	...	2	14	4	-	11	19	61
-	4	20	50	5	-	1	2	2	3	5	7	3	1	5	6	1	-	1	14	42
4	19	67	94	39	5	2	10	4	8	5	41	2	1	11	30	10	2	18	29	133
3	11	52	46	24	5	1	5	2	4	4	23	...	...	6	19	9	2	13	19	80
1	8	15	48	15	-	1	5	2	4	1	18	2	1	5	11	1	-	5	10	53
12	77	285	554	265	25	26	44	32	20	33	278	11	12	48	88	41	4	109	212	644
8	40	205	341	150	20	16	28	21	9	8	188	...	...	30	51	37	2	85	143	357
4	37	80	213	115	5	10	16	11	11	25	90	11	12	18	37	4	2	24	69	287
158	534	1,325	3,431	2,799	164	481	203	234	141	95	1,921	74	145	254	743	242	418	752	1,147	4,812
116	363	1,192	2,516	2,014	125	362	156	155	128	84	1,383	40	104	235	578	229	159	618	900	3,471
42	171	133	915	785	39	119	47	79	13	11	538	34	41	19	165	13	259	134	247	1,341
60	194	854	1,475	1,066	106	192	99	76	92	20	773	...	...	124	322	172	137	491	593	1,957
22	94	82	440	415	27	59	25	39	9	5	283	...	...	9	94	9	215	96	171	742
56	169	358	1,041	948	19	170	57	79	36	64	610	40	104	111	256	57	22	127	307	1,514
20	77	51	475	370	12	60	22	40	4	6	255	34	41	10	71	4	44	38	76	599
25	71	466	618	331	29	45	28	46	52	19	268	8	6	64	133	59	33	144	213	738
20	78	65	450	358	24	32	19	42	8	4	258	14	16	9	103	4	140	62	106	612
9	40	322	367	158	27	29	20	23	34	5	136	...	...	36	67	40	27	109	133	405
12	35	39	215	180	15	10	13	22	5	2	123	...	...	4	63	3	117	43	73	327
16	31	144	251	173	2	16	8	23	18	14	132	8	6	28	66	19	6	35	80	333
8	43	26	235	178	9	22	6	20	3	2	135	14	16	5	40	1	23	19	33	285
-	5	16	28	11	2	3	1	1	-	-	11	-	-	4	8	2	1	1	7	24
-	1	-	10	5	-	1	1	1	-	-	2	-	-	-	-	-	1	-	1	5
-	2	11	15	6	2	2	1	-	-	-	5	...	...	2	5	2	-	1	5	14
-	-	-	3	2	-	-	-	1	-	-	2	...	...	-	-	-	1	-	1	4
-	3	5	13	5	-	1	-	1	-	-	6	-	-	2	3	-	1	-	2	10
-	1	-	7	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
8	11	60	82	60	3	14	5	4	2	3	60	-	5	12	27	14	5	34	23	112
2	12	9	41	29	3	10	-	4	-	2	31	1	1	-	6	1	11	7	21	73
4	5	44	43	35	3	8	2	3	2	-	42	...	...	6	17	7	5	26	16	64
2	9	6	18	15	1	5	-	4	-	1	15	...	...	-	4	1	8	5	13	34
4	6	16	39	25	-	6	3	1	-	3	18	-	5	6	10	7	-	8	7	48
-	3	3	23	14	2	5	-	-	-	1	16	1	1	-	2	-	3	2	8	39
8	25	128	217	168	12	35	18	14	7	13	113	2	12	18	41	20	21	38	83	249
5	11	8	91	80	1	19	4	8	1	1	60	8	1	-	15	6	33	14	21	83
4	14	88	124	89	9	16	11	10	4	4	63	...	...	9	17	16	18	31	51	138
2	7	4	47	45	-	9	2	5	1	-	32	...	...	-	7	4	26	10	13	40
4	11	40	93	79	3	19	7	4	3	9	50	2	12	9	24	4	3	7	32	111
3	4	4	44	35	1	10	2	3	-	1	28	8	1	-	8	2	7	4	8	43
75	251	522	1,571	1,444	79	265	104	90	67	49	931	30	81	137	369	134	99	401	574	2,348
15	69	51	323	313	11	57	23	24	4	4	187	11	23	10	41	2	74	51	98	568
43	133	369	926	778	65	137	65	40	52	11	527	...	...	71	216	107	87	324	388	1,336
6	43	33	157	173	11	35	10	7	3	2	111	...	...	5	20	1	63	38	71	337
32	118	153	645	666	14	128	39	50	15	38	404	30	81	66	153	27	12	77	186	1,012
9	26	18	166	140	-	22	13	17	1	2	76	11	23	5	21	1	11	13	27	231
338	626	4,314	7,513	5,228	315	1,308	542	537	338	261	3,938	165	326	533	2,167	656	608	2,028	2,881	9,535
287	532	3,928	5,959	4,205	264	1,179	431	414	298	241	3,042	97	247	486	1,809	630	279	1,789	2,423	7,532
51	94	386	1,554	1,023	51	129	111	123	40	20	896	68	79	47	358	26	329	239	458	2,003
150	319	2,831	3,579	2,206	204	637	264	195	211	86	1,841	...	...	269	1,052	452	221	1,379	1,666	4,449
26	45	228	821	554	41	58	62	56	31	6	488	...	...	28	202	19	270	194	318	1,046
128	213	1,097	2,380	1,999	60	542	167	219	87	155	1,201	97	247	217	757	178	58	410	757	3,083
23	49	158	733	469	10	71	49	67	9	14	408	68	79	19	156	7	59	45	140	957
42	111	1,070	1,337	687	61	184	77	85	86	52	483	19	35	107	393	171	82	303	442	1,243
9	20	109	419	227	18	32	20	26	9	4	184	9	11	12	108	10	134	37	72	394
20	57	767	790	355	48	101	45	40	58	16	280	...	...	61	223	107	58	231	305	736
4	10	68	231	127	16	11	15	12	7	-	89	...	...	5	64	6	109	31	46	212
22	54	303	547	332	13	83	32	45	28	36	203	19	35	46	170	64	24	72	137	507
5	10	41	188	100	2	21	5	14	2	4	95	9	11	7	44	4	25	6	26	182
40	63	519	746	456	34	163	45	38	47	23	371	2	27	61	256	79	43	249	302	805
4	12	51	197	130	5	10	16	11	7	1	73	7	12	4	49	5	19	32	49	258
22	32	361	418	242	28	89	22	18	39	8	208	...	...	32	158	57	33	179	208	451
2	9	32	103	76	5	7	6	4	5	1	36	...	...	3	28	3	11	24	33	144
18	31	159	328	214	6	74	23	20	8	15	165	2	27	29	98	22	10	70	94	354
2	3	19	94	54	-	3	10	7	2	-	37	7	12	1	21	2	8	8	16	114

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
TEXAS—Continued																	
Cities of 10,000 to 25,000—White	3,333	7	2	1	16	10	164	13	6	44	-	305	3	51	5	15	259
All other	809	4	-	-	2	2	49	4	3	13	1	53	4	7	4	9	90
Male—White	1,990	2	1	-	9	6	94	8	1	31	-	131	2	30	-	9	142
All other	402	2	-	-	1	1	27	2	1	11	1	18	2	3	1	1	44
Female—White	1,343	5	1	1	7	4	70	5	5	13	-	174	1	21	5	6	117
All other	407	2	-	-	1	1	22	2	2	2	-	35	2	4	3	8	46
Cities of 2,500 to 10,000—White	7,576	14	2	1	33	20	412	24	7	53	7	645	9	99	9	35	521
All other	1,569	7	-	-	8	4	108	9	9	78	1	68	3	14	4	17	128
Male—White	4,422	9	2	-	17	7	220	16	2	36	5	343	5	42	-	11	257
All other	793	4	-	-	4	2	52	5	3	46	1	23	1	6	1	3	60
Female—White	3,154	5	-	1	16	13	192	8	5	17	2	302	4	57	9	24	264
All other	776	3	-	-	4	2	56	4	6	32	-	45	2	8	3	14	69
Rural—White	22,358	44	6	2	100	65	1,142	45	71	153	19	2,009	32	316	17	126	1,695
All other	4,844	32	2	1	21	24	259	8	49	110	4	239	10	49	4	55	382
Male—White	13,238	23	4	1	38	35	575	23	39	122	13	1,076	17	147	2	52	926
All other	2,621	19	1	-	11	14	131	5	26	82	1	79	5	21	-	19	178
Female—White	9,120	21	2	1	62	30	567	22	32	31	6	933	15	169	15	74	769
All other	2,223	13	1	1	10	10	128	3	23	28	3	160	5	28	4	36	204
UTAH	4,518	2	2	-	9	1	54	13	-	31	1	468	10	101	26	1	353
Both sexes—White	4,432	2	2	-	9	1	49	11	-	23	1	459	10	100	25	1	347
All other	86	-	-	-	-	-	5	2	-	8	-	9	-	1	1	-	6
Male—White	2,599	2	2	-	5	1	41	8	-	20	1	228	8	39	1	-	163
All other	52	-	-	-	-	-	1	1	-	7	-	5	-	-	1	-	3
Female—White	1,833	-	-	-	4	-	8	3	-	3	-	231	2	61	24	1	184
All other	34	-	-	-	-	-	4	1	-	1	-	4	-	1	-	-	3
Cities of 100,000 or more	1,390	-	-	-	-	1	15	5	-	10	1	171	3	39	6	1	109
Male	793	-	-	-	-	1	11	4	-	8	1	80	3	17	1	-	56
Female	597	-	-	-	-	-	4	1	-	2	-	91	-	22	5	1	53
Cities of 25,000 to 100,000	391	-	-	-	4	-	7	1	-	2	-	43	-	8	3	-	27
Male	222	-	-	-	2	-	5	1	-	2	-	16	-	4	-	-	8
Female	169	-	-	-	2	-	2	-	-	-	-	27	-	4	3	-	19
Cities of 10,000 to 25,000	293	-	-	-	1	-	4	-	-	10	-	18	-	4	-	-	29
Male	169	-	-	-	1	-	4	-	-	10	-	8	-	-	-	-	13
Female	124	-	-	-	-	-	-	-	-	-	-	10	-	4	-	-	16
Cities of 2,500 to 10,000	769	1	2	-	1	-	15	4	-	5	-	74	4	12	7	-	59
Male	451	1	2	-	1	-	13	2	-	4	-	39	3	3	1	-	26
Female	318	-	-	-	-	-	2	2	-	1	-	35	1	9	6	-	33
Rural	1,675	1	-	-	3	-	13	3	-	4	-	162	3	38	10	-	129
Male	1,016	1	-	-	1	-	9	2	-	3	-	90	2	15	-	-	63
Female	659	-	-	-	2	-	4	1	-	1	-	72	1	23	10	-	66
VERMONT	4,402	4	2	2	-	-	118	15	-	28	2	546	5	111	6	1	408
Both sexes—White	4,395	4	2	2	-	-	117	15	-	28	2	546	5	111	6	1	408
All other	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male—White	2,431	1	1	1	-	-	82	8	-	21	-	247	2	39	1	-	197
All other	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	1,964	3	1	1	-	-	35	7	-	7	2	299	3	72	5	1	211
All other	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cities of 25,000 to 100,000	287	-	-	-	-	-	6	1	-	2	-	43	2	8	-	-	11
Male	154	-	-	-	-	-	6	-	-	1	-	17	1	2	-	-	7
Female	133	-	-	-	-	-	-	1	-	1	-	26	1	6	-	-	4
Cities of 10,000 to 25,000	338	-	-	-	-	-	17	1	-	2	1	49	-	15	2	-	26
Male	166	-	-	-	-	-	10	-	-	2	-	23	-	5	-	-	12
Female	172	-	-	-	-	-	7	1	-	-	1	26	-	10	2	-	14
Cities of 2,500 to 10,000	994	1	-	2	-	-	30	3	-	12	-	121	1	21	1	-	67
Male	536	-	-	1	-	-	18	1	-	9	-	45	-	6	1	-	50
Female	458	1	-	1	-	-	12	2	-	3	-	76	1	15	-	-	37
Rural	2,783	3	2	-	-	-	65	10	-	12	1	333	2	67	3	1	284
Male	1,579	1	1	-	-	-	48	7	-	9	-	162	1	26	-	-	128
Female	1,204	2	1	-	-	-	17	3	-	3	1	171	1	41	3	1	156
VIRGINIA	30,700	31	45	11	193	45	1,535	136	3	430	14	2,344	44	543	41	48	2,942
Both sexes—White	20,198	16	36	9	129	37	699	61	2	134	13	1,833	26	367	28	29	1,783
All other	10,502	15	9	2	64	8	836	75	1	296	1	511	18	156	13	19	1,159
Male—White	11,677	10	23	8	61	20	392	41	1	107	7	800	14	164	5	11	907
All other	5,676	11	5	-	27	3	401	43	-	204	1	221	5	40	-	7	571
Female—White	8,521	6	13	1	68	17	307	20	1	27	6	1,033	12	223	23	18	876
All other	4,826	4	4	2	37	5	435	32	1	92	-	290	13	116	13	12	588
Cities of 100,000 or more—White	2,469	1	1	-	2	6	92	6	1	16	1	302	1	54	2	1	231
All other	1,766	1	2	-	4	-	171	14	-	55	-	85	2	33	-	1	214
Male—White	1,403	-	1	-	1	3	61	4	1	15	1	132	-	23	-	-	107
All other	946	-	2	-	2	-	80	5	-	40	-	36	1	8	-	-	105
Female—White	1,066	1	-	-	1	3	31	2	-	1	-	170	1	31	2	1	124
All other	820	1	-	-	2	-	91	9	-	15	-	49	1	25	-	1	109
Cities of 25,000 to 100,000—White	2,397	-	2	-	3	2	56	8	-	22	-	255	1	54	6	2	207
All other	1,645	4	2	-	7	1	139	16	-	39	-	89	5	28	1	3	172
Male—White	1,395	-	2	-	1	1	31	3	-	18	-	108	1	24	3	1	97
All other	845	3	2	-	4	-	60	12	-	24	-	42	-	7	-	1	85
Female—White	1,002	-	-	-	2	1	25	5	-	4	-	147	-	30	3	1	110
All other	800	1	-	-	3	1	79	4	-	15	-	47	5	21	1	2	87

* Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
29	39	268	550	284	15	101	28	43	14	15	232	4	12	26	124	40	18	110	142	538
6	4	20	133	47	3	11	15	9	6	1	58	6	4	2	22	2	9	22	37	147
20	27	203	214	156	12	52	21	19	10	7	150	...	...	17	71	30	12	84	95	324
3	2	13	68	12	3	4	6	5	5	1	31	...	...	1	14	2	6	14	26	71
9	12	65	136	128	3	49	7	24	4	8	82	4	12	9	53	10	6	26	47	214
3	2	7	65	35	-	7	9	4	1	-	27	6	4	1	8	-	3	8	11	76
45	50	578	836	689	48	239	85	66	44	47	453	19	39	70	325	82	38	356	355	1,221
8	16	60	209	141	5	17	20	30	5	3	140	11	10	5	38	1	46	37	67	241
24	29	426	515	354	38	129	55	34	30	15	276	...	...	41	180	63	32	277	244	688
4	5	31	109	72	3	7	8	10	4	1	74	...	...	3	18	1	36	30	45	121
21	21	152	321	335	10	110	30	32	14	32	177	19	39	29	145	19	6	79	111	533
4	11	29	100	69	2	10	12	20	1	2	66	11	10	2	20	-	10	7	22	120
131	269	1,493	2,690	2,089	106	492	196	182	107	104	1,503	53	134	222	711	258	98	771	1,182	3,725
24	42	146	596	478	20	59	40	47	13	11	441	35	42	24	141	8	121	111	233	963
73	174	1,074	1,642	1,099	78	265	121	84	74	40	929	...	...	118	420	195	86	608	814	2,250
15	19	84	310	267	14	29	27	25	10	3	258	...	...	16	78	7	108	95	168	498
58	95	419	1,048	990	28	226	75	98	33	64	574	53	154	104	291	63	12	163	368	1,475
11	23	62	286	211	6	30	13	22	3	8	183	35	42	8	63	1	13	16	65	465
26	119	390	828	209	48	21	54	40	31	29	266	5	22	68	159	58	9	202	279	585
26	117	387	816	208	45	20	53	40	30	29	264	5	22	67	158	56	9	200	275	565
-	2	3	12	1	1	1	1	-	1	-	2	-	-	1	1	2	-	2	4	20
18	62	291	472	115	35	10	29	26	16	10	133	...	...	40	96	49	9	145	200	324
-	1	3	7	-	1	1	1	-	1	-	1	...	...	1	-	2	-	2	4	9
8	55	96	344	93	10	10	24	14	14	19	131	5	22	27	62	7	-	55	75	241
-	1	-	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	11
5	42	146	283	52	11	7	14	14	15	5	83	-	5	18	33	21	3	48	68	154
3	19	108	151	33	8	3	7	9	8	2	37	...	...	9	20	18	3	37	45	91
2	23	40	132	19	3	4	7	5	7	3	46	-	5	9	13	3	-	11	23	63
3	12	49	69	17	8	1	4	1	3	1	20	-	1	6	15	5	1	18	19	43
3	7	35	40	7	7	-	2	1	1	1	13	...	...	1	9	5	1	12	13	26
-	5	14	29	10	1	1	2	-	2	-	7	-	1	5	6	-	-	6	6	17
1	12	37	61	16	2	1	1	1	-	4	14	-	1	2	4	4	-	12	16	38
-	6	29	35	5	2	-	-	-	-	-	7	...	...	1	3	3	-	7	11	24
1	6	8	26	11	-	1	1	1	-	4	7	-	1	1	1	1	-	5	5	14
4	13	59	131	39	10	4	13	8	3	6	42	2	4	15	36	5	1	33	50	107
2	8	43	74	25	8	3	8	5	3	2	24	...	...	10	24	3	1	23	39	51
2	5	16	57	14	2	1	5	3	-	4	18	2	4	5	12	2	-	10	11	56
15	40	97	284	85	15	8	22	16	10	13	107	3	11	27	71	23	4	91	126	243
10	23	79	179	45	11	5	13	11	5	5	53	...	...	20	40	22	4	68	98	141
3	17	18	105	40	4	3	9	5	5	8	54	3	11	7	31	1	-	23	30	102
15	101	440	841	235	25	25	34	47	22	33	276	5	11	51	103	55	8	89	178	562
15	101	439	841	235	25	25	33	47	22	33	275	5	11	51	103	55	8	89	178	559
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	3
5	53	310	482	114	20	14	19	20	13	5	151	...	...	31	62	46	4	71	102	309
-	-	1	-	-	-	-	1	-	-	-	1	...	...	-	-	-	-	-	-	1
8	48	129	359	121	5	11	14	27	9	28	124	5	11	20	41	9	4	18	76	250
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	5	28	51	12	4	4	5	3	1	3	12	-	2	7	13	3	-	8	18	34
-	2	17	34	3	4	2	4	-	1	-	7	...	...	5	6	2	-	7	8	18
1	3	11	17	9	-	2	1	3	-	3	5	-	2	2	7	1	-	1	10	16
2	7	46	53	9	2	1	1	8	4	3	20	1	2	4	8	3	-	7	9	35
2	4	24	30	3	1	-	-	2	3	1	8	...	...	2	4	3	-	6	5	16
-	3	22	23	6	1	1	1	6	1	2	12	1	2	2	4	-	-	1	4	19
4	18	99	204	55	6	2	5	7	9	4	63	1	1	7	27	17	5	8	33	140
2	13	72	118	23	3	1	3	3	4	1	28	...	...	6	14	13	2	5	19	75
2	5	27	86	32	3	1	2	4	5	3	35	1	1	1	13	4	3	3	14	65
6	71	267	533	159	13	18	23	29	8	23	181	3	6	33	55	32	3	66	118	353
1	34	198	300	85	12	11	13	15	5	3	109	...	...	18	38	28	2	53	70	201
5	37	69	233	74	1	7	10	14	3	20	72	3	6	15	17	4	1	13	48	152
158	482	1,729	4,664	2,415	189	569	157	201	144	87	2,723	89	147	306	1,023	366	285	1,045	1,363	4,155
108	327	1,408	3,117	1,461	133	360	97	116	123	68	1,736	52	74	255	675	339	74	774	945	2,736
50	155	323	1,547	954	56	209	60	85	21	19	987	37	73	51	348	27	211	269	418	1,419
62	175	1,027	1,776	808	120	205	59	72	87	31	953	...	...	151	366	266	50	645	685	1,568
24	76	186	820	533	41	103	38	46	15	7	525	...	...	31	185	21	175	222	312	777
46	152	379	1,341	653	13	155	38	44	36	37	783	52	74	104	309	73	24	129	260	1,168
26	79	137	727	421	15	106	22	39	6	12	462	37	73	20	163	6	36	47	106	642
12	28	265	424	117	13	19	15	13	25	9	218	8	7	19	55	51	5	86	123	240
9	34	55	295	161	7	25	17	17	4	3	161	8	10	1	45	5	62	32	72	161
8	10	192	231	68	12	9	8	8	14	4	110	...	...	10	33	34	4	63	93	143
6	18	28	171	86	4	15	10	10	3	2	78	...	...	1	24	2	46	28	56	79
4	18	73	193	49	1	10	7	5	11	5	108	8	7	9	22	17	1	23	30	97
3	18	27	124	75	3	10	7	7	1	1	83	8	10	-	21	3	16	4	16	82
8	38	261	328	125	23	30	13	21	21	7	238	4	7	25	88	52	7	83	115	285
7	16	73	192	171	10	51	8	13	5	5	209	5	6	8	55	4	42	20	57	182
5	17	192	180	74	18	22	9	14	14	3	133	...	...	16	56	39	2	63	84	164
4	5	41	91	96	6	24	7	6	4	3	108	...	...	4	27	4	34	17	33	91
3	21	69	148	51	5	8	4	7	7	4	105	4	7	9	32	13	5	20	31	121
3	11	32	101	75	4	27	1	7	1	2	101	5	6	4	28	-	8	3	24	91

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
VIRGINIA—Continued																	
Cities of 10,000 to 25,000—White	810	-	1	-	2	-	32	1	-	15	-	79	-	11	-	-	76
All other	252	1	-	-	-	-	19	-	-	7	-	20	-	7	-	2	28
Male—White	457	-	-	-	1	-	16	-	-	14	-	36	-	6	-	-	32
All other	123	1	-	-	-	-	6	-	-	3	-	11	-	3	-	1	14
Female—White	353	-	1	-	1	-	16	1	-	1	-	43	-	5	-	-	44
All other	129	-	-	-	-	-	13	-	-	4	-	9	-	4	-	1	14
Cities of 2,500 to 10,000—White	1,751	2	3	1	12	-	59	5	-	31	-	139	4	43	4	5	152
All other	459	-	-	-	4	-	33	2	-	13	-	28	1	5	2	1	40
Male—White	1,029	1	2	1	3	-	31	3	-	25	-	60	2	18	1	-	85
All other	253	-	-	-	1	-	17	-	-	7	-	11	1	-	-	-	16
Female—White	722	1	1	-	9	-	28	2	-	6	-	79	2	25	3	5	67
All other	206	-	-	-	3	-	16	2	-	6	-	17	-	5	2	1	24
Rural—White	12,771	13	29	8	110	29	460	41	1	50	12	1,058	20	225	16	21	1,117
All other	6,380	9	5	2	49	7	474	43	1	182	1	289	10	83	10	12	705
Male—White	7,393	9	18	7	55	16	253	31	-	35	6	464	11	93	1	10	586
All other	3,509	7	1	-	20	3	238	26	-	130	1	121	3	22	-	5	351
Female—White	5,378	4	11	1	55	13	207	10	1	15	6	594	9	132	15	11	531
All other	2,871	2	4	2	29	4	236	17	1	52	-	168	7	61	10	7	354
WASHINGTON	19,199	4	5	3	50	9	598	82	-	231	16	2,398	8	442	59	3	1,856
Both sexes—White	18,626	3	4	3	32	9	520	71	-	209	15	2,351	8	432	57	3	1,819
All other	573	1	1	-	18	-	78	11	-	22	1	47	-	10	2	-	37
Male—White	11,540	2	3	2	18	6	348	39	-	180	10	1,165	2	201	14	2	990
All other	357	1	1	-	8	-	46	9	-	12	1	29	-	5	-	-	22
Female—White	7,086	1	1	1	14	3	172	32	-	29	5	1,186	6	231	43	1	829
All other	216	-	-	-	10	-	32	2	-	10	-	18	-	5	2	-	15
Cities of 100,000 or more	7,554	1	1	1	3	3	229	24	-	81	6	1,019	2	167	20	1	748
Male	4,634	1	1	1	-	2	161	13	-	68	4	502	-	80	4	1	403
Female	2,920	-	-	-	3	1	68	11	-	13	2	517	2	87	16	-	341
Cities of 25,000 to 100,000	956	-	-	-	5	2	14	6	-	13	2	128	-	22	3	-	99
Male	578	-	-	-	2	1	9	3	-	10	2	62	-	12	-	-	50
Female	378	-	-	-	3	1	5	3	-	3	-	66	-	10	3	-	49
Cities of 10,000 to 25,000	1,340	-	1	-	2	-	38	4	-	21	1	172	1	36	4	-	123
Male	799	-	-	-	2	-	25	3	-	17	-	73	1	19	2	-	54
Female	541	-	1	-	-	-	13	1	-	4	1	99	-	17	2	-	71
Cities of 2,500 to 10,000	1,342	1	1	-	5	-	24	8	-	12	1	156	-	28	13	-	134
Male	801	1	1	-	4	-	13	4	-	12	-	72	-	13	3	-	68
Female	541	-	-	-	1	-	11	4	-	-	1	84	-	15	10	-	66
Rural	8,007	2	2	2	35	4	293	40	-	104	6	923	5	189	19	2	752
Male	5,085	1	2	1	18	3	186	25	-	85	5	485	1	82	5	1	435
Female	2,922	1	-	1	17	1	107	15	-	19	1	438	4	107	14	1	317
WEST VIRGINIA	17,837	31	27	13	173	24	765	86	-	284	14	1,569	22	330	41	7	1,420
Both sexes—White	16,207	30	27	13	157	24	635	69	-	190	13	1,471	17	306	37	5	1,317
All other	1,630	1	-	-	16	-	130	17	-	94	1	98	5	24	4	2	103
Male—White	9,241	24	18	6	80	11	313	38	-	147	5	654	9	118	4	4	674
All other	955	1	-	-	8	-	81	9	-	60	1	44	3	5	1	1	52
Female—White	6,966	6	9	7	77	13	322	31	-	43	8	817	8	188	33	1	643
All other	675	-	-	-	8	-	49	8	-	34	-	54	2	19	3	1	51
Cities of 25,000 to 100,000—White	2,709	-	3	1	10	3	114	8	-	34	-	295	2	69	4	1	255
All other	262	-	-	-	4	-	23	3	-	9	-	26	-	4	1	-	17
Male—White	1,520	-	3	-	4	2	66	6	-	27	-	129	1	26	-	1	123
All other	139	-	-	-	1	-	14	1	-	3	-	12	-	1	-	-	10
Female—White	1,189	-	-	1	6	1	48	2	-	7	-	166	1	43	4	-	132
All other	123	-	-	-	3	-	9	2	-	6	-	14	-	3	1	-	7
Cities of 10,000 to 25,000—White	1,169	-	1	-	4	-	49	4	-	12	2	137	1	32	1	-	80
All other	158	-	-	-	-	-	14	-	-	4	-	9	1	1	-	-	14
Male—White	647	-	-	-	3	-	27	2	-	10	1	52	-	12	-	-	37
All other	92	-	-	-	-	-	10	-	-	3	-	5	1	-	-	-	7
Female—White	522	-	1	-	1	-	22	2	-	2	1	85	1	20	1	-	51
All other	66	-	-	-	-	-	4	-	-	1	-	4	-	1	-	-	7
Cities of 2,500 to 10,000—White	1,807	7	3	1	10	3	79	1	-	38	1	174	2	44	2	1	156
All other	202	-	-	-	-	-	16	2	-	13	-	14	2	6	1	-	16
Male—White	1,032	5	1	-	7	-	35	-	-	34	1	82	1	17	-	1	74
All other	106	-	-	-	-	-	9	1	-	7	-	6	1	2	-	-	9
Female—White	775	2	2	1	3	3	44	1	-	4	-	92	1	27	2	-	82
All other	96	-	-	-	-	-	7	1	-	6	-	8	1	4	1	-	7
Rural—White	10,522	23	20	11	133	18	393	56	-	108	10	865	12	161	30	3	818
All other	1,008	1	-	-	12	-	77	12	-	68	1	49	2	13	2	2	58
Male—White	6,042	19	14	6	66	9	185	30	-	76	3	391	7	63	4	2	440
All other	618	1	-	-	7	-	48	7	-	47	1	21	1	2	1	1	20
Female—White	4,480	4	6	5	67	9	208	26	-	30	7	474	5	98	26	1	378
All other	390	-	-	-	5	-	29	5	-	21	-	28	1	11	1	1	30
WISCONSIN	30,678	7	4	18	32	2	720	55	1	214	13	4,268	35	904	153	6	2,949
Both sexes—White	30,316	6	4	18	31	2	677	54	1	202	13	4,244	34	898	151	6	2,917
All other	362	1	-	-	1	-	43	1	-	12	-	24	1	6	2	-	23
Male—White	17,070	3	3	6	17	2	404	30	-	158	7	2,139	12	341	22	2	1,467
All other	200	-	-	-	-	-	24	-	-	9	-	11	1	1	2	-	13
Female—White	13,246	3	1	12	14	-	273	24	1	44	6	2,105	22	557	129	4	1,450
All other	162	1	-	-	1	-	19	1	-	3	-	13	-	5	-	-	10
Cities of 100,000 or more	5,784	3	-	-	9	1	213	13	1	48	1	852	6	204	30	-	626
Male	3,200	2	-	-	4	1	142	8	-	42	1	417	3	71	6	-	288
Female	2,584	1	-	-	5	-	71	5	1	6	-	435	3	133	24	-	340

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 53, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5	8	70	177	69	6	6	2	5	7	6	54	3	2	11	20	10	1	24	23	86
-	4	10	41	5	1	11	1	-	-	-	18	2	1	1	10	1	8	11	13	30
2	6	44	111	39	6	3	1	2	4	4	24	...	...	6	7	9	-	18	13	53
-	3	5	20	1	1	4	1	-	-	-	6	...	...	-	2	-	6	8	10	17
1	2	26	66	30	-	3	1	3	3	2	30	3	2	5	13	1	1	6	10	33
-	1	5	21	4	-	7	-	-	-	-	12	2	1	1	8	1	2	3	3	13
13	19	152	299	105	15	28	9	11	16	9	136	6	7	18	67	26	3	64	89	219
5	9	14	65	39	-	8	4	2	1	2	46	-	1	3	19	2	10	11	27	62
10	6	100	181	60	14	15	6	10	10	5	77	...	...	11	28	20	2	52	56	134
2	3	8	35	26	-	3	3	1	1	-	20	...	...	2	12	2	9	10	23	40
3	13	32	118	45	1	13	3	1	6	4	59	6	7	7	39	6	1	12	33	85
3	6	6	30	13	-	5	1	1	-	2	26	-	1	1	7	-	1	1	4	22
72	234	678	1,889	1,045	78	277	58	66	54	37	1,090	31	51	182	445	200	58	517	595	1,906
29	92	171	954	578	38	114	30	53	11	9	553	22	55	38	219	15	89	195	249	984
37	136	499	1,073	567	70	156	35	38	45	15	609	...	...	108	242	164	42	449	439	1,074
12	47	104	503	324	30	57	17	29	7	2	313	...	...	24	120	13	80	159	190	550
35	98	179	816	478	6	121	23	28	9	22	481	31	51	74	203	36	18	68	156	832
17	45	67	451	254	8	57	13	24	4	7	240	22	55	14	99	2	9	36	59	434
85	414	2,110	3,306	823	127	66	131	141	111	99	1,208	27	29	150	360	349	44	658	1,064	2,113
81	400	2,093	3,239	781	125	55	128	134	107	98	1,176	26	28	147	350	340	36	634	1,059	2,053
4	14	17	67	42	2	11	3	7	4	1	32	1	1	3	10	9	8	24	25	60
48	230	1,591	1,942	495	106	30	87	82	67	26	677	...	...	91	206	271	27	504	781	1,297
1	9	15	48	21	2	7	2	5	1	1	23	...	...	3	6	7	6	18	18	32
33	170	502	1,297	286	19	25	41	52	40	72	499	26	28	56	144	69	9	130	278	756
3	5	2	21	21	-	4	1	2	3	-	9	1	1	-	4	2	2	6	7	28
54	155	963	1,301	290	61	20	37	53	48	32	459	9	6	50	126	168	23	244	385	786
20	81	728	730	185	53	9	25	32	31	11	285	...	...	26	75	130	18	193	261	500
14	74	235	571	107	8	11	12	21	17	21	174	9	6	24	51	38	5	51	124	286
4	12	112	181	24	1	6	7	6	8	4	73	-	1	6	23	16	2	40	36	100
2	7	84	116	10	1	3	4	4	4	1	36	...	...	3	10	14	1	31	30	66
2	5	28	65	14	-	3	3	2	4	3	37	-	1	3	13	2	1	9	6	34
6	26	167	211	39	9	2	5	14	7	11	82	2	6	15	36	21	3	41	55	177
4	14	113	130	21	9	2	4	8	5	1	48	...	...	12	21	17	2	30	41	121
2	12	54	81	18	-	-	1	6	2	10	34	2	6	3	15	4	1	11	14	56
5	33	133	206	54	11	5	12	9	8	11	108	3	5	12	41	14	5	43	87	156
3	22	103	117	32	8	2	8	8	7	3	56	...	...	8	24	10	3	33	65	98
2	11	30	89	22	3	3	4	1	1	8	50	3	5	4	17	4	2	10	22	58
36	188	735	1,407	416	45	33	70	59	40	41	488	13	11	67	134	130	11	290	521	894
20	115	578	895	270	37	21	48	35	21	11	275	...	...	45	82	107	9	235	402	544
16	73	157	512	146	8	12	22	24	19	30	213	13	11	22	52	23	2	55	119	350
85	312	952	2,357	1,467	112	500	123	120	111	79	1,252	41	83	241	703	190	139	481	1,180	2,503
80	289	905	2,118	1,335	104	471	106	111	100	75	1,106	36	71	229	647	185	85	440	1,085	2,318
5	23	47	239	132	8	29	17	9	11	4	146	5	12	12	58	5	54	41	95	185
48	159	635	1,209	718	83	232	72	59	63	15	659	...	...	124	365	150	72	345	786	1,342
3	14	26	141	82	5	12	11	5	7	-	90	...	...	6	24	4	47	33	79	100
32	130	270	909	617	21	239	34	52	37	60	447	36	71	105	282	35	13	95	299	976
2	9	21	98	50	3	17	6	4	4	4	56	5	12	6	32	1	7	8	16	85
12	31	236	408	178	16	36	15	27	32	11	188	5	5	23	83	43	18	77	149	319
2	3	7	53	16	3	4	2	1	3	1	22	-	1	1	4	2	6	5	9	30
9	16	167	231	95	14	19	10	14	20	2	102	...	...	15	48	32	11	56	90	181
1	2	4	26	9	2	2	1	-	2	-	13	...	...	1	-	1	4	3	7	19
3	15	69	177	81	2	17	5	13	12	9	86	5	5	8	35	11	7	21	59	138
1	1	3	27	7	1	2	1	1	1	1	9	-	1	-	4	1	2	2	2	11
5	24	108	134	61	10	20	16	7	5	6	105	2	3	14	54	8	4	36	62	154
-	5	8	17	10	1	3	1	4	2	-	15	2	-	2	5	-	8	2	8	22
2	13	64	71	32	9	8	13	4	3	-	64	...	...	11	31	8	4	26	40	100
-	4	4	9	4	1	2	1	2	2	-	6	...	...	-	2	-	7	2	6	14
3	11	44	63	29	1	12	3	3	2	6	41	2	3	3	23	-	-	10	22	54
-	1	4	8	6	-	1	-	2	-	-	9	2	-	2	3	-	1	-	2	8
12	21	142	233	123	14	34	19	11	19	8	123	6	4	24	52	25	6	53	110	246
-	3	6	24	16	2	6	4	1	1	-	27	-	1	2	2	1	6	4	10	16
4	11	100	129	63	11	16	13	6	12	2	76	...	...	12	32	18	5	42	74	148
-	1	3	13	8	1	1	2	1	-	-	16	...	...	1	-	1	6	4	7	6
8	10	42	104	60	3	18	6	5	7	6	47	6	4	12	20	7	1	11	36	96
-	2	3	11	8	1	5	2	-	1	-	11	-	1	1	2	-	-	-	3	10
51	213	419	1,343	975	64	381	56	66	44	50	690	23	59	168	458	109	57	274	764	1,599
3	12	26	145	90	2	16	10	3	5	3	82	3	10	7	45	2	34	30	68	117
33	119	304	778	528	49	189	36	35	28	11	417	...	...	86	254	92	52	221	582	913
2	7	15	93	61	1	7	7	2	3	-	55	...	...	4	22	2	30	24	59	61
18	94	115	565	447	15	192	20	31	16	39	273	23	59	82	204	17	5	53	182	686
1	5	11	52	29	1	9	3	1	2	3	27	3	10	3	23	-	4	6	9	56
108	575	2,594	6,084	1,529	197	135	247	254	269	249	1,780	48	88	376	623	426	44	899	1,402	3,379
106	571	2,577	6,028	1,487	196	129	245	250	268	248	1,755	47	87	371	616	423	41	882	1,390	3,341
2	4	17	56	42	1	6	2	4	1	1	25	1	1	5	7	3	3	17	12	38
64	224	1,833	3,283	822	187	69	161	142	194	72	956	...	...	205	362	334	29	669	912	1,904
1	1	15	30	24	1	3	1	1	1	-	12	...	...	1	6	3	3	13	8	15
42	277	744	2,740	665	29	60	84	103	84	176	799	47	87	166	254	89	12	213	478	1,437
1	3	2	26	18	-	3	1	3	-	1	13	1	1	4	1	-	-	4	4	23
18	132	524	1,218	251	54	21	41	46	95	45	277	7	10	52	92	90	10	147	238	509
12	62	389	619	157	50	11	29	25	69	15	135	...	...	31	50	71	7	103	148	292
6	69	145	597	94	4	10	12	21	26	30	142	7	10	21	42	19	3	44	90	217

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY SEX, RACE, AND

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
WISCONSIN—Continued																	
Cities of 25,000 to 100,000	5,575	-	-	2	-	-	117	7	-	41	1	816	6	174	14	4	552
Male	3,016	-	-	-	-	-	78	3	-	31	1	378	3	64	2	1	240
Female	2,559	-	-	2	-	-	39	4	-	10	-	438	3	110	12	3	292
Cities of 10,000 to 25,000	2,155	-	-	4	1	-	59	4	-	9	2	285	1	75	17	-	208
Male	1,215	-	-	1	-	-	31	3	-	8	1	139	-	33	5	-	108
Female	940	-	-	3	1	-	28	1	-	1	1	146	1	42	12	-	100
Cities of 2,500 to 10,000	3,067	-	1	1	3	-	53	1	-	13	3	451	-	93	15	-	330
Male	1,703	-	-	1	1	-	26	-	-	9	1	240	-	35	1	-	169
Female	1,364	-	1	-	2	-	27	1	-	4	2	211	-	58	14	-	161
Rural	14,097	4	3	11	19	1	278	30	-	103	6	1,864	22	358	77	2	1,342
Male	8,136	1	3	4	12	1	151	16	-	77	3	976	7	139	10	1	725
Female	5,961	3	-	7	7	-	127	14	-	26	3	888	15	219	67	1	617
WYOMING	2,192	3	4	-	4	5	28	9	1	41	-	238	3	35	6	1	164
Both sexes—White	2,111	2	4	-	3	5	26	7	1	34	-	234	1	35	6	1	162
All other	81	1	-	-	1	-	2	2	-	7	-	4	2	-	-	-	2
Male—White	1,353	2	3	-	1	2	18	3	1	26	-	134	-	14	1	1	107
All other	46	1	-	-	-	-	2	1	-	2	-	2	1	-	-	-	2
Female—White	758	-	1	-	2	3	8	4	-	8	-	100	1	21	5	-	55
All other	35	-	-	-	1	-	-	1	-	5	-	2	1	-	-	-	-
Cities of 10,000 to 25,000	572	-	-	-	3	1	7	-	-	8	-	71	-	9	2	-	40
Male	347	-	-	-	1	-	5	-	-	5	-	35	-	6	1	-	32
Female	225	-	-	-	2	1	2	-	-	3	-	36	-	3	1	-	8
Cities of 2,500 to 10,000	381	-	-	-	-	-	3	-	-	14	-	44	-	13	1	-	28
Male	237	-	-	-	-	-	2	-	-	12	-	24	-	3	-	-	16
Female	144	-	-	-	-	-	1	-	-	2	-	20	-	10	1	-	12
Rural	1,239	3	4	-	1	4	18	9	1	19	-	123	3	13	3	1	96
Male	815	3	3	-	-	2	13	4	1	11	-	77	1	5	-	1	61
Female	424	-	1	-	1	2	5	5	-	8	-	46	2	8	3	-	35

*Refer to complete International List titles, table XI, Part I.

POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

on p. 240)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 53, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 14C, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
21	86	532	1,102	226	39	21	41	40	64	44	338	10	18	65	118	70	16	182	260	568
10	46	380	580	117	33	11	23	18	41	11	172	...	...	34	67	56	13	127	157	319
11	40	152	522	109	6	10	18	22	25	33	166	10	18	31	51	14	3	55	103	249
7	46	192	399	118	16	10	22	12	14	14	114	2	6	23	40	46	5	72	96	236
2	22	136	237	64	15	6	12	9	11	3	58	...	...	11	22	35	2	58	61	122
5	24	56	162	54	1	4	10	3	3	11	56	2	6	12	18	11	3	14	35	114
13	50	268	584	143	17	15	26	29	23	20	192	5	3	46	66	43	1	78	132	349
10	24	180	306	70	13	8	19	16	16	6	115	...	...	23	39	31	1	59	74	210
3	26	88	278	73	4	7	7	13	7	14	77	5	3	23	27	12	-	19	58	139
49	271	1,068	2,783	791	71	68	117	127	73	126	859	24	51	190	307	177	12	420	676	1,717
31	141	783	1,576	438	57	36	79	75	48	37	488	...	...	107	190	144	9	335	480	976
18	130	305	1,207	353	14	32	38	52	25	89	371	24	51	83	117	33	3	85	196	741
12	49	166	346	153	22	8	23	22	10	15	153	3	7	35	70	37	10	104	152	253
11	48	166	335	136	22	7	22	22	10	15	151	3	7	34	67	36	9	100	147	242
1	1	-	11	17	-	1	1	-	-	-	2	-	-	1	3	1	1	4	5	11
6	31	135	205	90	22	5	13	15	7	6	80	...	...	18	42	32	5	74	107	147
1	-	-	7	7	-	1	1	-	-	-	1	...	...	-	2	1	1	3	4	6
5	17	31	130	46	-	2	9	7	3	9	71	3	7	16	25	4	4	26	40	95
-	1	-	4	10	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	5
3	13	58	87	36	5	-	8	8	3	5	34	2	3	8	24	14	4	19	36	61
-	8	45	51	22	5	-	5	6	1	2	15	...	...	5	13	12	2	15	21	34
3	5	13	36	14	-	-	3	2	2	3	19	2	3	3	11	2	2	4	15	27
2	10	19	77	29	1	4	2	3	2	2	27	-	2	10	10	6	1	13	17	41
1	7	13	48	20	1	3	1	2	2	1	16	...	...	2	6	5	1	10	17	24
1	3	6	29	9	-	1	1	1	-	1	11	-	2	8	4	1	-	3	-	17
7	26	89	182	88	16	4	13	11	5	8	92	1	2	17	36	17	5	72	99	151
6	18	77	113	55	16	3	8	7	4	3	50	...	...	11	25	16	3	52	73	95
1	10	12	69	33	-	1	5	4	1	5	42	1	2	6	11	1	2	20	26	56

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. Certain towns, townships, and districts are numbered 10,000

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
ALABAMA																	
Birmingham—White	1,536	1	1	2	3	-	50	5	-	10	6	166	2	36	4	3	139
All other	1,692	1	2	1	5	-	161	14	1	56	5	77	2	16	2	4	137
Anniston—White	192	-	1	-	1	-	5	-	-	2	-	11	2	3	-	-	10
All other	138	-	-	-	-	-	6	-	-	4	1	6	-	2	-	-	8
Gadsden—White	236	-	-	-	3	-	16	1	1	1	2	23	-	3	-	-	12
All other	127	1	-	-	2	-	14	4	-	6	-	5	-	2	-	-	10
Mobile—White	615	-	-	-	-	1	28	3	1	14	-	45	-	11	2	1	37
All other	467	-	-	-	7	-	21	2	2	7	1	23	-	3	-	1	45
Montgomery—White	415	-	-	1	-	1	14	-	-	2	2	41	-	19	2	2	50
All other	599	-	-	1	-	2	47	6	4	34	-	27	-	8	-	5	78
Tuscaloosa—White	485	-	-	-	2	-	20	-	-	30	-	21	-	5	1	1	25
All other	149	-	-	-	-	-	10	-	2	8	1	14	1	3	-	1	8
Bessemer—White	96	-	-	-	-	-	2	1	-	1	-	12	-	-	-	-	8
All other	205	-	-	-	2	-	15	-	1	9	-	12	2	2	1	1	18
Decatur—White	89	-	-	-	-	-	3	-	-	-	2	11	-	3	-	-	7
All other	53	1	-	-	1	1	1	-	-	4	-	2	-	3	-	1	3
Dothan—White	74	-	1	-	-	-	3	-	-	-	-	7	-	2	-	-	6
All other	75	-	-	-	-	-	7	-	1	1	-	6	-	-	-	-	5
Fairfield—White	45	-	-	-	-	-	1	-	-	-	-	8	-	1	1	-	3
All other	102	-	1	-	1	-	4	4	-	2	-	7	-	2	-	-	8
Florence—White	119	-	-	-	1	-	5	1	-	-	1	13	-	3	-	1	7
All other	45	-	-	-	1	-	3	-	-	2	-	2	-	1	-	-	-
Huntsville—White	106	2	-	-	-	-	13	-	-	-	1	9	-	-	1	-	4
All other	88	1	-	-	1	-	8	-	1	2	-	2	1	-	1	-	11
Phenix City—White	112	-	-	-	-	-	2	1	-	2	-	10	-	1	-	1	11
All other	79	-	-	-	-	-	5	-	1	1	-	1	-	-	-	-	10
Selma—White	103	-	-	-	-	-	3	-	-	1	-	11	-	1	-	1	17
All other	228	-	2	-	4	-	9	1	1	5	-	7	-	1	1	3	26
ARIZONA																	
Phoenix	1,159	1	-	-	2	2	154	4	-	24	-	102	1	15	2	1	83
Tucson	659	-	-	-	3	-	129	7	-	8	-	39	1	7	2	2	24
ARKANSAS																	
Fort Smith—White	357	-	2	-	2	1	9	-	2	2	-	39	-	9	-	-	38
All other	54	1	-	-	-	-	3	-	-	-	-	4	-	1	-	1	7
Little Rock—White	917	-	-	-	2	-	29	-	-	30	-	97	3	9	4	-	78
All other	538	-	-	-	-	1	50	2	1	58	-	28	-	3	1	3	42
Blytheville—White	117	-	-	-	1	-	3	-	3	1	1	8	-	-	-	-	8
All other	76	-	-	-	-	-	4	1	3	1	-	-	-	-	-	-	4
El Dorado—White	96	-	-	-	-	-	6	-	-	1	-	12	-	1	-	-	12
All other	54	-	-	-	-	-	3	-	-	2	-	3	-	1	-	3	4
Hot Springs—White	254	-	-	1	-	-	10	-	-	2	-	34	-	2	1	3	12
All other	64	-	-	-	-	-	5	-	-	1	-	5	-	-	-	1	7
Jonesboro—White	123	-	-	-	-	-	6	-	-	-	1	18	-	1	-	-	7
All other	18	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
North Little Rock—White	128	-	-	-	2	-	6	-	-	-	-	9	1	5	-	-	6
All other	92	1	-	-	-	1	8	1	1	3	-	6	-	-	-	-	11
Pine Bluff—White	190	-	-	-	-	-	9	-	-	2	-	29	-	9	-	-	8
All other	155	1	-	-	1	-	7	-	2	2	-	8	-	4	1	3	14
Texarkana[1]—White	112	2	-	-	-	-	5	-	-	1	-	9	-	3	1	-	11
All other	55	-	-	-	-	-	5	-	-	2	-	2	-	-	-	3	5
CALIFORNIA																	
Long Beach	2,095	-	-	-	4	-	44	2	-	23	1	318	1	33	5	2	184
Los Angeles—White	16,154	5	4	-	13	4	599	67	-	186	2	2,312	4	342	35	8	1,219
All other	1,009	3	-	1	-	-	115	13	-	50	-	103	-	27	6	-	86
Oakland—White	3,562	-	2	-	3	1	75	2	-	28	-	444	2	76	2	5	333
All other	186	-	-	-	-	-	18	3	-	6	-	19	-	4	-	-	14
Sacramento	1,507	-	-	-	1	3	88	5	-	18	-	157	-	28	1	1	134
San Diego	2,550	1	-	1	5	1	83	5	1	23	3	312	2	54	7	-	184
San Francisco—White	8,111	2	2	-	3	6	335	32	-	119	-	1,202	2	186	17	5	593
All other	355	1	-	-	-	-	54	4	-	12	-	56	1	8	1	-	20
Alameda	417	-	-	-	-	-	12	3	-	-	-	63	-	6	2	-	40
Alhambra	399	-	-	-	-	-	9	1	-	1	-	70	-	11	-	-	41
Bakersfield	491	-	-	-	-	-	22	3	-	7	-	58	-	11	2	-	31
Belvedere (twp.)[2]	251	-	-	-	1	1	32	6	-	3	-	31	-	9	-	-	10
Berkeley	896	-	-	1	-	-	18	5	-	8	-	121	1	25	1	-	86
Beverly Hills	244	1	-	-	-	-	7	-	-	1	-	33	-	3	1	-	24
Burbank	268	-	-	-	-	-	7	5	-	2	-	30	1	5	-	-	15
Fresno	902	2	-	-	2	1	56	4	-	12	1	95	-	17	4	-	63
Glendale	863	-	-	-	1	-	19	2	-	11	-	117	-	18	-	-	85
Huntington Park	298	-	-	-	-	-	9	-	-	3	-	40	-	3	1	1	25
Inglewood	291	-	-	-	-	-	5	-	-	3	1	41	-	5	1	-	15
Pasadena	1,215	-	1	-	-	-	28	-	-	13	-	183	-	25	2	-	124
Riverside	515	1	-	-	-	2	17	3	-	8	1	58	-	12	1	-	42
San Bernardino	609	1	-	-	3	1	39	8	-	7	-	83	-	4	-	-	43
San Jose	900	-	1	-	-	-	17	2	-	15	1	108	-	25	1	-	88
Santa Ana	433	-	-	-	1	-	10	6	-	8	-	52	-	12	1	-	61
Santa Barbara	428	-	-	-	-	-	9	2	-	9	-	72	-	10	1	2	31
Santa Monica	686	-	-	-	-	-	8	3	-	6	1	82	-	9	3	-	62
South Gate	203	-	-	-	-	-	8	-	-	2	-	27	-	3	2	-	16

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941

classified as urban under special rule. Race is shown for those cities in which the 1940 population for "all other races" formed 10 percent or more of the total or or more)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
3	32	135	205	97	9	10	19	10	17	7	98	4	6	27	60	23	4	54	78	211
6	23	36	210	125	6	12	15	11	10	1	93	8	15	7	59	5	63	21	66	418
-	6	10	24	30	4	4	-	-	2	-	19	2	1	1	7	3	-	8	7	29
-	2	3	10	20	-	1	-	-	-	-	21	3	-	1	6	-	5	3	4	32
6	4	9	48	9	1	6	1	1	1	-	26	-	1	6	7	1	1	7	16	23
1	1	2	12	18	-	3	-	1	-	-	9	1	3	-	2	-	7	1	2	20
3	7	53	111	38	4	2	7	7	4	2	71	2	1	8	23	7	1	12	31	78
-	-	33	76	49	3	13	2	1	3	-	78	4	4	1	11	-	13	11	21	32
2	11	38	51	18	6	1	4	3	2	3	25	-	3	5	13	10	3	17	17	49
-	14	26	86	61	1	9	5	3	2	-	40	2	5	5	12	-	20	11	17	68
2	1	28	85	30	2	9	2	1	-	3	8	1	-	1	6	7	2	2	21	169
-	1	2	19	17	-	3	1	4	-	-	20	-	4	-	2	-	3	1	5	19
-	1	10	12	7	2	-	3	-	-	-	6	-	1	1	2	2	2	4	7	12
-	-	8	23	22	-	4	2	-	1	-	25	-	1	-	9	2	9	6	4	26
1	1	9	14	9	-	2	-	-	-	-	7	-	-	1	4	1	2	3	1	8
-	-	-	4	6	1	-	2	-	-	-	3	1	-	-	1	-	2	3	4	9
-	-	3	9	3	2	-	-	1	1	-	11	-	-	-	5	-	-	1	6	13
-	4	-	8	4	1	1	-	-	1	-	13	-	-	-	2	-	1	3	2	15
-	-	5	5	2	-	-	1	-	1	-	2	-	-	-	2	-	-	1	5	7
-	4	4	12	6	-	-	-	-	1	-	10	1	1	-	9	-	6	1	2	16
1	2	3	16	10	-	3	2	2	2	1	8	1	1	1	4	3	-	2	9	16
-	-	1	11	6	3	2	-	-	1	-	3	-	-	-	1	-	1	-	1	6
1	-	6	12	9	-	-	1	2	1	1	7	1	1	2	7	-	1	3	6	15
-	-	3	6	6	-	-	2	-	1	-	11	-	1	-	1	-	1	1	6	21
1	1	11	12	6	-	7	1	-	-	-	11	-	-	2	5	2	2	2	9	12
-	1	1	9	15	-	-	2	-	-	-	10	1	-	-	-	-	3	1	3	15
-	-	13	15	2	-	-	1	1	1	2	10	-	-	1	3	1	-	4	5	10
-	6	5	40	22	3	6	2	1	3	-	26	1	-	1	9	-	2	2	9	30
2	12	70	155	64	8	35	3	9	10	5	41	2	4	21	42	19	12	36	63	155
7	16	28	64	63	4	35	4	7	1	4	28	2	1	11	21	5	4	23	26	83
3	1	36	50	21	1	9	1	2	2	1	35	3	1	1	10	4	1	8	15	46
-	2	5	7	4	-	-	-	-	1	-	8	-	-	-	1	-	3	1	2	3
2	15	63	147	76	6	5	6	2	6	5	59	1	-	4	19	7	6	20	33	183
2	5	29	77	45	1	5	5	4	2	-	45	2	2	2	20	1	19	9	12	62
1	-	12	7	6	1	2	-	1	2	1	5	-	1	2	5	4	1	12	4	25
-	2	3	5	15	2	5	1	1	-	-	6	-	-	-	-	-	2	5	1	15
2	1	7	12	7	1	-	1	1	-	1	11	-	-	1	4	1	-	1	3	10
-	-	1	7	4	-	1	1	1	-	-	3	1	2	-	-	-	5	3	-	9
1	3	14	47	14	2	-	2	2	4	2	34	1	2	3	7	3	2	8	8	30
1	1	1	16	6	-	-	-	-	1	-	5	1	-	-	-	-	1	1	1	10
-	1	6	18	13	1	3	-	2	1	-	11	-	1	3	7	2	-	1	7	13
-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	1	3	5
-	1	6	23	5	1	2	1	2	1	-	16	-	1	1	7	5	1	2	3	21
-	-	1	8	10	-	1	2	-	-	-	5	-	1	5	2	-	1	3	4	17
1	3	17	21	10	1	2	2	2	5	-	9	-	-	1	4	4	2	2	8	39
-	-	-	19	24	-	2	1	3	-	-	30	1	-	-	1	1	5	1	2	22
-	2	12	19	7	-	-	1	2	1	-	8	-	1	2	2	-	2	3	3	15
-	-	-	9	3	-	1	1	1	1	-	1	2	1	-	4	-	4	-	2	8
4	30	239	456	85	21	6	13	11	31	16	122	1	5	16	33	36	3	77	83	192
41	291	1,411	3,564	631	160	56	105	133	375	91	845	19	33	147	303	341	53	647	533	1,775
3	13	32	151	46	10	6	13	8	18	3	68	4	5	9	26	15	19	46	30	100
9	70	365	822	155	45	4	21	28	72	22	251	3	6	23	57	60	8	123	126	317
1	5	6	32	12	1	3	1	1	1	-	17	-	1	-	2	4	7	6	7	15
3	29	103	352	92	19	6	11	13	20	2	77	1	2	10	21	30	7	69	71	133
5	32	237	508	112	20	11	14	26	45	11	162	4	5	18	73	56	13	108	113	295
19	162	894	1,703	318	101	10	35	48	294	37	467	5	10	44	96	184	23	172	342	652
1	8	7	34	18	7	-	2	-	6	3	25	2	-	2	6	15	4	9	13	30
-	9	39	87	14	4	1	-	3	10	5	20	-	2	3	5	10	1	11	16	43
-	5	47	86	9	3	-	1	2	3	4	23	1	1	2	11	6	-	16	14	32
3	3	43	92	27	3	12	6	5	4	3	15	-	4	8	18	11	3	33	23	41
1	3	13	33	16	1	2	3	1	6	-	17	1	-	5	9	4	2	8	12	21
1	14	114	176	31	3	3	3	9	11	6	64	-	3	8	12	9	1	36	42	84
1	6	31	60	8	-	-	3	1	4	-	13	-	-	-	6	10	-	6	5	20
-	9	30	54	5	1	1	6	1	3	4	22	1	1	5	12	3	-	15	8	24
6	11	81	162	40	7	10	9	9	20	5	42	3	1	12	30	14	4	46	43	87
2	20	116	170	31	7	2	11	5	12	4	56	2	2	9	7	17	-	28	21	88
-	8	31	63	10	3	2	2	3	7	1	13	-	-	2	2	6	1	19	10	33
-	4	28	76	9	4	-	4	1	10	1	26	-	-	2	10	3	-	10	9	23
3	33	151	242	45	11	1	9	11	8	8	73	1	-	13	20	16	3	32	40	119
1	5	62	107	26	4	5	3	6	7	5	30	-	3	6	7	8	1	24	23	37
1	8	55	91	27	5	9	5	7	14	3	37	-	1	6	27	14	9	29	19	53
2	12	120	170	21	12	2	5	8	22	7	45	1	-	1	19	17	4	48	25	103
-	7	47	92	20	1	5	3	5	3	-	15	-	1	5	6	7	-	16	12	37
1	3	67	60	12	3	2	2	2	10	5	18	2	1	4	5	7	4	24	15	45
2	14	113	139	28	2	1	3	3	13	2	34	-	1	6	16	16	1	31	25	64
-	5	20	40	11	1	2	2	-	1	-	13	-	-	2	5	6	-	5	6	26

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	85
CALIFORNIA—Continued																	
Stockton	811	1	-	-	2	3	44	4	-	11	-	77	1	23	1	-	56
Albany	79	-	-	-	-	-	1	-	-	2	-	11	-	2	-	-	3
Anaheim	146	-	-	-	1	-	4	2	-	-	-	23	-	5	2	-	9
Bell	114	-	-	-	-	-	2	-	-	-	-	19	-	2	-	-	9
Brawley	105	-	-	-	1	-	9	-	-	5	-	3	-	-	1	-	3
Burlingame	126	-	-	-	-	-	3	1	-	1	-	19	-	2	-	-	7
Compton	191	-	-	-	1	-	3	-	-	3	-	29	-	1	-	-	18
El Centro—White	75	-	-	-	-	-	6	-	-	2	-	4	-	2	-	-	5
All other	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eureka	236	-	-	-	-	-	4	2	-	1	-	27	-	8	-	-	24
Fullerton	102	-	-	-	-	-	3	-	-	-	-	13	-	1	1	-	12
Lodi	109	-	1	-	-	-	-	-	-	2	-	14	-	2	-	-	9
Lynwood	111	-	-	-	-	-	1	1	-	-	-	9	-	3	1	-	11
Maywood	100	-	-	-	1	-	1	-	-	1	-	19	-	3	-	-	9
Merced	112	-	-	-	-	-	5	-	-	1	-	20	-	-	-	-	9
Modesto	370	1	1	-	2	1	16	-	-	4	-	47	-	5	2	1	22
Monrovia	211	-	-	-	-	-	24	-	-	4	-	22	-	2	-	-	23
Monterey	97	-	-	-	-	-	5	-	-	1	1	12	-	3	-	-	7
National City	157	-	-	-	-	1	3	1	-	2	-	15	-	3	1	-	13
Ontario	155	-	-	-	-	-	3	-	-	1	-	11	-	4	1	-	10
Palo Alto	198	-	-	-	-	-	2	1	-	2	-	28	-	5	-	-	20
Pomona	294	-	-	-	-	-	12	1	-	1	-	34	-	4	1	-	27
Redlands	185	-	-	-	-	-	6	1	-	2	-	25	-	1	-	-	14
Redondo Beach	163	1	-	-	-	-	2	-	-	1	-	19	-	6	1	-	18
Redwood City	126	-	-	-	-	-	5	-	-	-	-	20	-	-	-	-	18
Richmond	260	-	1	1	1	1	1	-	-	3	-	32	-	7	-	-	16
Salinas—White	148	-	-	-	-	1	5	1	-	5	-	23	-	6	-	-	15
All other	7	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
San Buenaventura	127	-	-	-	-	-	3	-	-	2	-	16	-	1	-	-	12
San Gabriel	127	-	-	-	-	-	5	1	-	3	-	15	-	3	-	-	7
San Leandro	165	-	-	-	-	-	4	1	-	1	-	22	1	8	-	-	14
San Mateo	211	-	-	-	-	-	10	1	-	3	-	30	1	3	1	-	18
Santa Cruz	313	-	-	-	-	-	6	1	-	2	-	41	-	6	1	-	32
Santa Rosa	205	1	-	-	-	-	2	-	-	3	-	25	-	4	1	1	17
South Pasadena	186	-	-	-	-	-	3	1	-	2	-	23	-	3	-	-	22
Vallejo	241	-	-	-	1	-	7	1	-	1	-	29	-	3	1	1	13
Whittier	211	-	-	-	-	-	3	1	-	1	-	27	-	3	-	-	21
COLORADO																	
Denver	3,874	1	2	1	18	7	155	17	1	54	1	475	8	53	7	-	285
Colorado Springs	584	1	-	2	-	-	35	2	-	6	1	61	1	10	-	1	53
Pueblo	544	1	-	-	2	-	21	3	-	9	-	52	-	12	2	-	52
Boulder	193	-	-	1	-	-	7	1	-	2	-	18	-	3	1	-	13
Fort Collins	123	-	-	-	-	-	2	1	-	-	-	19	1	2	-	-	15
Grand Junction	145	-	-	-	-	-	4	1	-	1	-	15	1	5	-	-	4
Greeley	227	-	-	-	2	2	10	-	-	-	-	33	1	3	-	-	25
Trinidad	231	-	-	-	3	-	11	2	-	-	-	18	1	5	1	-	17
CONNECTICUT																	
Bridgeport	1,618	1	4	-	-	-	46	5	-	15	-	246	2	38	-	-	126
Hartford	1,724	1	-	-	1	-	45	4	-	22	-	284	1	74	4	-	117
New Haven	1,692	1	1	-	-	-	52	5	-	13	-	240	2	55	3	-	147
Bristol	266	-	-	-	-	-	8	2	-	-	-	40	2	12	-	1	19
Meriden	411	-	-	-	-	-	25	2	-	3	-	63	2	18	-	-	34
Middletown	516	-	-	-	-	-	24	-	-	16	-	55	-	11	-	1	34
New Britain	625	1	-	1	1	-	23	-	-	2	-	88	1	35	2	-	30
New London	302	-	-	-	-	-	6	-	-	7	-	44	-	8	-	-	30
Norwalk	418	-	-	-	-	-	12	-	-	2	-	63	-	16	-	-	51
Stamford	577	-	-	1	1	-	13	3	-	5	-	76	2	20	-	-	53
Torrington	222	-	-	-	-	-	4	-	-	2	-	29	-	4	-	-	24
Waterbury	994	1	-	-	3	-	33	7	-	4	-	134	3	41	4	1	91
West Hartford (town)	327	-	-	-	-	-	5	-	-	-	1	54	-	12	-	-	22
West Haven (town)	292	-	-	-	-	-	3	1	-	5	-	52	-	13	-	-	26
Ansonia	199	-	-	-	1	-	3	1	-	4	-	33	-	10	-	-	19
Danbury	328	-	-	-	-	-	9	2	-	2	-	51	-	13	-	-	15
Derby	95	-	-	-	-	-	4	-	-	-	-	12	-	3	-	-	12
East Hartford (town)	177	-	-	-	-	-	3	-	-	-	-	26	-	4	-	-	20
Naugatuck	157	-	-	-	-	-	4	1	-	1	-	25	-	3	-	-	15
Norwich	393	-	-	-	-	-	31	3	-	1	-	49	-	16	-	-	25
Shelton	120	1	-	-	-	-	26	-	-	-	-	9	1	6	-	-	12
Stratford (town)	191	-	-	-	-	-	1	-	-	1	-	39	1	5	-	-	15
Wallingford	149	-	-	-	-	-	4	1	-	1	-	26	1	7	-	-	10
Willimantic	138	-	-	-	-	-	-	1	-	1	-	18	-	7	1	-	6
DELAWARE																	
Wilmington—White	1,073	-	-	1	1	-	27	2	-	6	1	137	1	36	2	1	87
All other	230	-	-	-	1	-	24	2	-	9	-	17	1	2	1	-	12
DISTRICT OF COLUMBIA																	
Washington—White	5,062	1	2	-	5	-	158	19	1	54	4	704	3	121	8	4	360
All other	2,937	2	1	-	4	1	319	27	-	96	-	252	5	45	4	-	220

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
6	6	45	161	27	9	3	6	9	22	3	50	2	1	9	17	14	4	34	33	127
2	2	7	28	1	-	-	-	2	3	-	3	-	-	-	2	1	-	3	3	3
-	1	12	31	5	2	-	1	1	2	-	17	-	-	-	1	-	-	7	5	15
-	2	10	30	5	-	-	-	1	2	1	4	1	-	3	3	1	-	7	10	4
2	2	8	11	18	-	12	4	1	2	-	1	-	-	-	3	1	-	4	4	10
-	2	21	22	3	2	-	2	-	2	-	7	1	1	1	2	3	-	5	4	15
-	2	16	37	8	1	1	1	2	3	1	12	1	1	1	4	5	1	12	5	22
1	2	4	8	9	1	3	2	1	2	-	7	-	-	1	1	3	1	3	2	5
-	-	1	3	1	-	2	-	-	1	-	2	-	-	-	-	-	-	-	1	2
-	3	42	43	5	-	-	2	3	1	2	14	-	-	2	2	4	1	7	11	28
-	1	10	18	3	1	-	1	1	-	3	9	-	1	2	4	-	-	8	1	9
-	-	8	19	4	2	1	2	-	-	1	10	1	2	1	4	1	-	3	3	19
-	3	12	20	3	3	-	1	1	-	1	12	1	-	2	3	4	1	9	1	8
-	2	7	14	4	1	-	-	1	2	-	6	1	2	2	2	-	-	2	9	11
2	1	12	20	6	2	2	-	3	1	-	2	-	-	4	8	1	1	5	2	5
1	6	30	86	15	4	4	2	2	1	1	15	-	1	8	13	6	2	16	11	44
-	5	25	45	8	1	-	2	4	2	-	10	-	-	-	4	2	-	9	3	16
1	2	7	16	2	-	1	-	1	3	-	5	-	-	-	2	4	2	3	6	13
-	3	14	24	10	-	1	-	2	-	-	8	-	-	1	10	1	-	8	8	28
1	1	19	36	10	1	1	1	-	1	4	15	-	-	2	-	1	1	11	3	17
-	7	23	29	9	1	-	2	1	4	2	13	-	-	1	3	6	-	11	9	19
2	7	38	49	9	4	1	-	2	6	6	17	-	1	1	5	7	-	21	9	29
-	3	22	44	9	-	-	3	2	1	1	7	-	1	3	3	1	-	5	7	26
-	5	8	39	10	-	1	-	3	3	1	15	-	-	3	3	3	-	7	4	10
-	2	15	21	2	3	-	3	-	3	-	6	-	-	-	4	1	-	8	5	10
1	6	28	39	9	-	-	3	3	6	2	28	1	1	2	6	7	1	12	16	26
-	2	12	19	4	1	2	2	3	1	1	6	-	-	3	10	3	-	4	5	14
-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
-	2	19	22	4	-	1	1	-	-	1	4	-	-	-	3	3	-	11	8	14
-	2	16	29	5	-	1	1	1	2	-	5	-	1	1	1	3	-	7	1	17
-	3	16	40	3	1	1	2	-	3	1	7	-	-	1	4	5	1	8	4	14
-	3	31	24	5	3	-	1	2	3	2	6	1	-	-	4	6	-	11	18	24
-	8	49	83	6	1	-	2	3	1	1	18	-	1	3	-	6	1	6	9	26
-	9	17	46	16	1	1	2	2	6	1	14	-	1	1	2	2	-	6	5	19
-	7	25	44	6	2	-	-	1	1	1	6	-	-	2	-	3	1	3	8	22
1	1	26	52	10	2	-	-	1	7	1	11	1	-	3	11	9	2	11	14	21
-	6	28	39	4	-	1	3	4	5	3	14	-	1	1	2	5	-	12	4	23
30	82	305	683	193	45	30	30	49	37	19	341	5	5	29	71	94	8	115	139	499
-	10	53	102	27	7	1	4	8	3	1	52	1	-	4	9	9	-	15	20	85
3	9	34	64	55	6	5	4	9	10	3	55	-	-	10	10	11	3	10	29	60
1	4	13	35	16	2	-	3	3	1	-	17	-	-	5	3	5	-	5	5	29
3	3	13	21	4	-	-	1	2	1	2	7	-	-	1	-	-	-	5	7	13
3	1	11	21	5	2	-	3	4	3	3	16	1	-	2	3	3	-	-	8	25
1	3	31	15	12	1	4	2	1	-	1	5	1	1	2	18	4	-	12	6	31
-	3	10	37	32	2	14	1	5	2	3	6	-	-	2	7	2	2	5	10	30
2	36	204	345	66	17	2	13	12	23	9	92	2	5	15	34	26	12	33	61	126
8	33	220	345	73	10	14	11	8	19	19	81	1	2	16	23	21	7	34	64	162
6	31	139	369	52	12	1	8	13	26	11	138	3	2	19	14	17	3	36	76	197
2	4	14	44	12	2	1	3	4	3	2	31	-	2	2	6	1	1	3	9	36
-	8	81	67	19	1	-	2	5	4	2	13	-	2	5	2	2	-	7	12	32
2	4	38	141	21	2	2	3	3	4	3	76	-	2	2	4	2	1	10	16	39
1	12	67	120	21	7	2	5	3	11	3	42	2	-	11	11	12	-	16	26	69
-	6	18	90	16	-	1	-	3	4	1	13	-	1	4	6	1	-	2	13	28
2	8	52	62	21	2	3	1	3	7	2	28	-	-	3	3	2	-	7	18	50
-	7	76	116	18	2	2	5	2	7	3	39	2	1	5	6	6	1	9	39	57
2	3	13	46	9	2	1	6	3	3	-	19	-	-	5	3	6	-	7	14	17
3	20	95	198	35	7	2	8	8	13	4	48	6	2	22	22	14	2	19	45	99
1	3	50	58	11	3	-	1	2	7	1	27	-	1	3	6	9	-	5	9	36
-	10	23	72	9	2	3	-	5	2	2	17	-	-	1	4	3	-	11	9	17
-	3	10	38	9	-	1	3	-	3	1	12	1	-	3	4	5	-	13	6	16
-	-	28	89	15	2	2	2	2	4	1	22	-	-	5	8	3	2	11	18	22
-	-	3	23	6	-	-	1	1	2	-	4	-	1	2	3	1	-	4	3	10
-	2	30	30	4	-	-	3	3	-	3	11	-	-	5	3	3	1	5	9	12
-	2	21	37	5	-	1	1	3	2	1	6	-	-	1	2	1	-	3	9	13
-	1	29	103	15	-	4	5	1	2	1	29	-	2	3	9	6	-	6	11	41
-	2	12	16	6	1	-	-	1	-	-	5	-	-	2	1	2	-	3	4	10
-	6	18	40	6	4	-	2	2	3	-	14	-	1	-	2	3	-	4	7	17
-	2	10	31	6	-	-	2	3	2	2	13	-	-	-	3	2	1	6	4	12
1	3	13	33	4	-	3	-	1	1	2	17	1	-	1	2	3	-	2	3	14
4	27	104	205	47	11	7	9	11	11	3	130	3	1	4	19	13	2	26	42	92
2	3	2	30	19	-	2	1	1	1	1	34	1	-	2	9	-	5	8	12	28
16	100	488	830	244	28	60	36	40	87	32	460	10	11	52	141	113	17	104	226	523
10	34	70	504	198	15	65	24	34	11	6	266	7	8	18	142	15	58	72	89	315

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE		Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
FLORIDA																		
Jacksonville	White	1,225	2	1	-	-	2	35	1	1	10	4	142	1	19	-	1	90
	All other	1,142	4	1	-	-	2	121	7	3	50	-	41	-	13	2	7	137
Miami	White	1,364	-	-	-	-	-	48	1	1	15	2	191	1	28	1	1	99
	All other	467	2	1	-	1	-	54	2	-	41	-	16	1	7	1	-	30
Tampa	White	943	-	-	-	-	1	25	1	-	8	-	128	-	28	3	1	72
	All other	410	-	-	-	-	-	43	1	-	28	-	26	-	6	1	3	51
Miami Beach		204	-	-	-	-	-	2	2	-	-	2	29	-	5	-	-	9
Orlando	White	364	-	1	-	1	-	10	2	-	3	1	36	-	7	-	-	34
	All other	140	-	-	-	1	-	11	-	-	9	-	8	-	6	2	-	19
Pensacola	White	330	2	-	-	-	-	9	1	-	2	5	40	1	8	-	-	23
	All other	224	2	-	-	-	-	11	1	3	4	-	11	-	1	-	1	22
St. Petersburg	White	784	-	-	-	-	-	12	-	-	3	-	126	1	16	1	-	96
	All other	158	-	1	-	1	-	9	1	-	3	-	12	-	3	-	1	32
West Palm Beach	White	233	-	-	-	-	-	4	1	-	1	-	29	1	9	-	-	17
	All other	162	-	-	-	-	-	11	1	-	11	-	7	-	2	-	-	25
Clearwater	White	62	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	7
	All other	34	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	9
Daytona Beach	White	204	1	-	-	-	-	3	2	-	1	-	27	-	6	2	-	22
	All other	96	-	-	-	-	-	5	2	-	4	-	7	-	-	-	-	12
Fort Lauderdale	White	130	-	-	-	-	-	3	-	-	-	-	21	-	3	-	-	14
	All other	62	-	-	-	-	1	2	-	-	6	-	1	-	-	-	-	5
Fort Myers	White	77	-	-	-	-	1	-	1	-	-	-	11	-	1	1	-	4
	All other	59	-	-	-	-	-	4	-	1	2	-	5	-	-	-	-	10
Gainesville	White	109	-	-	-	-	-	2	-	-	1	1	7	-	2	-	-	7
	All other	97	-	-	-	-	-	7	-	-	2	-	4	-	1	-	-	15
Key West	White	126	-	-	-	-	-	4	-	-	-	-	10	-	1	1	1	11
	All other	45	-	-	-	-	-	2	2	-	1	-	2	-	-	-	-	7
Lakeland	White	205	-	-	-	-	-	3	-	1	-	-	25	-	10	-	-	22
	All other	67	-	-	-	1	1	8	-	-	4	1	2	-	1	-	-	9
Panama City	White	48	-	-	-	-	-	1	-	-	-	-	5	-	1	-	-	3
	All other	31	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	2
St. Augustine	White	114	-	-	-	-	-	-	-	-	1	-	13	-	4	-	-	11
	All other	61	1	-	-	-	-	3	1	-	-	-	5	-	-	-	-	7
Sanford	White	71	-	-	-	-	-	2	1	-	-	-	4	-	3	-	-	10
	All other	75	-	-	-	-	-	4	-	1	4	-	4	-	-	-	-	6
Sarasota	White	111	-	-	-	-	-	-	-	-	-	-	15	-	4	-	-	7
	All other	47	-	-	-	-	-	3	1	-	5	-	4	-	1	-	-	2
Tallahassee	White	66	-	-	-	-	-	2	-	-	1	-	4	-	1	-	-	6
	All other	91	-	-	-	-	-	6	-	3	1	1	1	-	-	-	2	3
GEORGIA																		
Atlanta	White	1,751	1	3	-	5	1	59	7	-	14	4	202	-	33	1	10	135
	All other	1,946	2	1	-	5	3	164	21	-	61	-	129	2	9	2	12	197
Augusta	White	473	-	-	-	-	1	36	-	1	19	-	49	-	11	-	2	45
	All other	489	-	-	-	2	-	42	6	-	25	-	18	1	7	-	2	47
Columbus	White	418	-	-	-	-	-	8	2	1	2	2	30	-	3	-	-	48
	All other	389	1	-	-	1	-	30	3	-	9	-	25	-	2	-	2	51
Macon	White	390	-	-	-	2	-	3	-	-	3	1	41	1	8	1	3	24
	All other	537	-	-	1	2	-	39	8	-	11	-	25	-	4	-	8	45
Rome	White	199	-	-	-	-	-	8	1	-	1	-	27	-	3	1	2	24
	All other	102	-	-	-	4	1	10	-	-	-	-	3	-	1	-	1	8
Savannah	White	578	1	-	-	-	-	16	1	-	3	2	65	1	17	1	7	53
	All other	872	-	-	-	1	1	46	6	1	15	-	35	3	7	-	8	136
Albany	White	108	-	-	-	-	-	4	1	1	-	-	12	-	1	-	-	8
	All other	207	-	-	-	-	-	9	-	1	5	-	17	1	5	-	3	28
Athens	White	141	-	1	-	1	-	3	-	-	-	-	14	-	4	-	-	14
	All other	122	-	-	-	3	1	6	1	-	2	-	6	-	-	1	1	15
Brunswick	White	83	-	-	-	1	-	1	-	-	1	-	6	-	2	-	-	9
	All other	120	-	-	-	1	-	10	-	-	3	-	3	-	1	-	1	9
Dalton	White	105	-	-	-	-	1	5	1	-	1	-	9	-	-	-	1	7
	All other	15	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	2
Decatur	White	101	-	1	-	-	-	-	-	-	1	-	10	-	4	-	2	6
	All other	38	-	-	-	1	-	4	-	-	1	-	2	-	-	-	-	3
District 1511 (Fulton Co.) [2]	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Point	White	88	-	-	-	-	-	5	1	-	2	-	9	-	1	-	-	1
	All other	36	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	1
Gainesville	White	89	-	-	-	2	-	1	-	-	-	-	8	-	-	-	1	12
	All other	43	-	-	-	2	-	5	-	-	-	-	2	-	-	-	-	3
Griffin	White	91	-	-	-	-	-	3	-	-	1	-	5	-	2	-	-	7
	All other	119	-	-	-	2	-	4	1	-	4	-	3	-	1	-	-	13
La Grange	White	111	-	-	-	2	-	5	-	-	-	-	10	-	2	-	-	6
	All other	109	-	-	-	-	-	10	1	-	2	-	3	-	1	-	1	7
Moultrie	White	69	-	-	-	-	-	1	-	-	-	-	7	1	1	-	-	7
	All other	53	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	6
Thomasville	White	58	-	-	-	-	-	4	1	-	-	-	6	-	1	-	-	6
	All other	99	-	-	-	-	-	4	-	1	2	-	7	-	-	-	1	12
Valdosta	White	68	-	-	-	-	-	-	1	-	-	-	6	-	2	-	-	3
	All other	102	-	-	-	-	-	5	-	-	3	-	5	-	-	-	1	7
Waycross	White	113	-	-	-	1	-	3	-	-	1	-	9	-	2	-	-	6
	All other	98	-	-	-	1	-	7	-	-	4	-	7	-	2	-	-	13

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 95a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
3	7	86	158	71	7	18	5	11	11	4	88	2	8	14	47	28	12	62	63	209
6	4	42	141	91	15	16	9	10	12	2	75	3	7	6	22	1	50	29	30	183
8	45	161	239	57	13	6	9	15	15	5	76	4	7	12	30	34	8	51	47	134
1	6	18	56	33	2	6	1	12	1	1	26	3	4	3	21	2	40	9	18	48
5	8	84	160	53	10	4	6	8	9	6	77	5	2	12	25	18	5	16	35	128
3	10	13	49	25	3	1	3	6	2	-	41	-	2	1	13	3	5	9	13	49
-	6	44	36	3	5	1	-	-	2	2	9	-	1	2	7	6	2	7	5	17
2	6	35	72	17	-	2	1	4	7	2	32	1	-	5	7	10	-	19	9	38
-	1	-	11	12	-	1	1	2	-	-	11	2	-	1	5	2	5	4	5	21
3	18	24	41	19	1	7	4	2	2	-	22	3	1	6	9	7	1	8	29	34
2	1	10	37	13	4	5	6	2	1	2	27	2	3	-	12	-	6	4	11	20
3	12	120	143	24	2	3	5	2	10	3	31	1	2	3	6	17	1	26	25	90
2	-	4	12	12	1	2	3	3	-	-	16	1	-	-	7	-	7	-	4	21
1	5	27	27	9	-	-	2	1	1	3	11	1	2	3	4	8	1	12	10	43
1	4	6	17	11	-	3	2	2	2	-	10	-	1	1	3	2	3	1	11	25
-	3	8	10	3	-	-	-	-	-	1	8	-	-	-	1	1	-	1	1	11
-	1	-	3	2	2	-	-	2	-	-	3	-	-	-	-	-	-	-	2	5
1	1	24	37	5	2	3	3	-	-	2	22	-	1	3	3	3	-	6	7	17
-	4	1	7	5	1	4	2	2	-	-	8	-	-	-	-	-	4	5	5	18
1	4	17	24	3	3	-	-	2	1	-	7	-	-	1	2	3	1	4	5	11
1	1	1	1	6	1	1	1	1	1	-	12	-	1	-	5	-	2	1	4	7
1	2	4	9	3	-	3	1	-	3	-	14	-	-	3	2	-	-	3	-	10
2	-	1	11	3	-	-	-	-	1	-	2	-	-	-	2	-	4	2	3	6
-	-	14	10	5	2	3	1	3	1	1	15	-	-	1	4	4	2	3	5	15
-	-	-	13	13	-	-	-	-	-	-	11	-	3	-	2	-	6	2	4	14
1	3	6	26	7	-	3	1	1	2	-	17	-	-	1	4	1	1	1	3	20
-	-	3	6	3	-	1	-	-	-	-	4	-	-	-	1	-	1	-	2	10
-	3	18	30	10	2	3	3	1	3	-	16	1	-	-	8	1	-	6	8	31
3	-	2	8	9	-	1	-	3	-	-	2	-	1	1	-	-	1	1	-	8
-	-	10	7	2	-	-	-	-	-	-	3	1	2	1	2	-	-	4	1	5
-	-	-	3	7	-	1	-	-	-	-	1	-	1	-	-	1	3	1	1	5
1	6	14	17	8	1	-	1	1	-	1	19	-	-	1	1	3	1	-	1	9
-	4	-	4	4	-	1	1	-	-	-	12	-	-	-	3	-	-	1	4	10
-	-	10	9	2	-	3	-	-	-	1	4	-	1	4	5	2	-	2	3	5
-	-	3	7	4	-	1	-	3	-	1	10	-	1	-	1	-	3	3	1	18
-	4	17	17	2	2	1	1	-	2	-	11	-	1	-	3	2	-	6	6	10
1	2	1	2	2	-	-	1	2	-	-	1	-	-	-	2	-	5	1	1	10
-	1	11	6	3	1	-	-	-	-	-	7	-	-	1	1	1	-	2	6	12
1	1	1	8	7	1	-	4	2	-	3	18	-	1	-	4	-	1	-	2	20
13	25	171	238	69	9	10	11	8	31	14	198	3	4	16	60	34	11	49	76	206
5	27	44	344	137	10	14	14	19	7	3	224	9	2	14	56	6	109	29	44	221
3	7	46	68	29	2	6	2	6	1	1	35	1	-	3	17	6	-	19	21	36
2	23	15	107	47	2	10	1	2	-	-	29	2	-	1	8	-	11	10	18	51
3	1	30	51	32	2	6	1	3	6	1	38	-	-	12	23	7	6	13	14	73
1	5	15	51	46	1	7	3	-	2	-	37	1	3	-	10	2	18	13	17	53
3	2	25	69	27	3	8	6	5	2	3	28	1	2	8	14	6	2	12	19	58
5	3	5	76	35	4	7	2	1	2	-	75	4	2	1	12	-	35	14	11	100
1	4	12	17	16	1	2	1	4	-	-	16	1	1	-	9	3	2	8	9	25
1	5	3	5	16	-	5	-	1	-	-	7	1	-	2	3	-	3	1	2	21
1	1	39	110	20	4	4	4	3	2	6	53	2	2	11	20	15	2	9	38	65
5	15	17	149	106	6	11	12	10	1	2	71	3	5	4	26	2	33	10	30	95
2	1	13	6	4	1	-	2	-	-	-	13	-	-	2	4	-	1	6	13	13
-	2	11	27	24	-	4	1	2	-	-	21	2	-	-	7	-	6	4	5	22
-	1	17	14	4	1	1	1	2	3	-	20	-	2	-	6	2	1	8	2	19
1	1	3	15	11	-	3	2	1	-	1	19	-	-	-	2	-	-	2	5	20
-	-	5	25	3	-	2	-	1	1	1	4	-	-	1	5	-	1	1	2	11
-	-	1	21	20	-	-	3	-	1	-	9	-	1	-	2	1	2	3	7	21
2	1	3	14	7	-	4	-	1	1	-	7	1	-	3	6	2	-	8	1	19
-	-	-	-	4	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2
2	1	14	20	4	-	-	-	1	1	-	11	1	-	5	2	4	-	3	2	6
-	-	1	8	6	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	7
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	6	17	8	-	1	-	-	3	-	12	1	-	-	1	-	-	4	5	7
-	1	1	6	4	1	2	-	-	-	-	3	-	-	2	-	-	2	-	3	5
-	2	5	6	5	-	1	1	-	-	2	14	-	-	3	5	-	1	4	4	12
-	2	-	1	-	-	2	-	-	-	-	10	-	-	-	-	-	3	4	1	8
2	1	10	8	11	1	2	-	1	1	-	4	-	-	-	9	1	-	5	5	12
-	2	2	22	13	2	2	1	-	1	-	9	-	1	-	7	-	4	1	8	16
1	-	17	7	4	1	4	-	1	1	-	17	2	2	-	5	3	2	2	7	10
1	-	4	7	5	1	2	-	4	-	-	28	1	2	-	3	-	7	1	1	17
1	3	1	7	5	-	2	-	-	-	-	8	2	1	-	4	2	-	3	4	9
-	1	2	10	4	-	1	1	1	1	-	4	-	-	-	4	-	7	1	2	4
1	-	6	7	9	-	-	-	-	-	-	5	-	-	1	-	-	1	3	1	6
-	2	2	9	18	1	1	1	-	-	-	13	-	-	-	3	-	3	1	3	15
-	3	4	15	1	-	-	-	-	1	-	11	-	-	2	2	1	-	5	5	6
-	1	1	8	6	1	2	-	1	1	-	15	1	-	-	-	-	5	2	4	33
-	2	4	15	12	2	1	2	1	1	1	18	1	1	-	5	1	-	6	10	8
2	-	3	8	8	-	1	1	1	-	-	23	-	-	-	4	-	1	3	2	7

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
IDAHO																	
Boise City	312	-	-	-	-	-	4	-	-	4	-	48	-	1	1	-	32
Coeur d'Alene	121	-	-	-	-	-	4	1	-	-	-	18	-	3	-	-	17
Idaho Falls	121	-	-	-	1	-	-	-	-	1	-	18	-	2	-	-	10
Lewiston	115	-	-	-	-	-	3	-	-	1	-	17	-	3	1	-	19
Nampa	135	-	-	-	1	-	3	-	-	-	-	10	-	4	-	-	11
Pocatello	189	1	-	-	-	-	1	-	-	2	-	16	-	5	-	-	14
Twin Falls	113	-	-	-	1	-	1	1	-	-	-	14	-	3	-	-	7
ILLINOIS																	
Chicago—White	32,640	3	6	12	18	31	1,281	105	1	196	5	4,948	27	1,021	102	3	1,981
All other	4,311	-	1	5	10	4	544	89	-	88	1	360	19	61	7	1	296
Peoria	1,185	1	2	-	-	1	21	2	-	17	-	151	3	38	6	-	71
Alton	368	-	-	-	-	-	7	1	-	2	-	51	-	10	-	-	28
Aurora	596	-	-	-	-	-	12	2	-	6	-	84	1	19	4	-	55
Belleville	371	-	-	-	1	-	10	-	-	7	-	51	1	4	1	-	31
Berwyn	384	-	-	-	-	-	13	2	-	2	1	69	1	13	-	-	25
Bloomington	408	-	-	1	-	-	6	1	-	2	-	66	-	14	-	-	32
Cicero	480	1	-	-	-	-	9	-	-	-	-	83	1	25	4	-	24
Danville	453	-	-	1	-	-	9	2	-	4	-	54	1	11	2	-	45
Decatur	664	1	-	-	4	-	9	-	-	11	-	78	-	17	3	-	53
East St. Louis—White	624	-	-	-	2	-	15	1	1	5	-	73	1	17	1	-	59
All other	218	-	-	-	-	-	10	3	-	7	-	13	-	1	-	-	26
Elgin	756	-	-	-	-	4	30	2	1	41	-	72	-	14	1	-	41
Evanston	579	-	-	-	-	-	17	-	-	2	-	117	-	21	-	-	66
Galesburg	373	-	-	-	-	-	6	-	-	2	-	44	-	9	-	-	49
Joliet	650	-	-	-	1	1	18	4	-	4	2	94	-	22	1	-	38
Maywood	249	-	-	1	-	-	6	1	-	-	1	36	-	6	-	-	19
Moline	361	1	-	-	1	-	2	1	-	2	-	54	-	11	5	-	33
Oak Park	623	-	-	-	-	-	7	3	-	4	1	113	-	18	4	-	34
Quincy	536	-	-	-	1	-	9	1	-	5	-	78	1	17	-	-	52
Rockford	898	1	-	2	1	1	26	3	-	9	-	134	1	28	5	-	62
Rock Island	493	-	-	-	1	2	15	-	-	1	-	69	-	15	1	1	47
Springfield	897	-	-	3	-	-	13	3	-	15	-	125	-	28	2	-	77
Waukegan	299	-	1	-	-	2	13	-	-	3	-	49	1	7	1	-	32
Blue Island	161	-	-	-	1	-	5	-	-	2	-	26	-	6	1	-	11
Brookfield	80	-	-	-	-	-	-	-	-	2	-	19	1	2	1	-	9
Cairo—White	106	-	-	-	1	-	8	-	-	-	-	10	-	5	-	-	14
All other	97	-	-	-	-	-	13	-	-	2	-	4	-	-	-	-	15
Calumet City	105	-	-	-	-	-	3	-	-	-	-	15	1	2	-	-	9
Canton	155	-	-	-	-	-	2	-	-	4	-	20	-	5	-	-	13
Centralia	145	-	1	-	-	-	6	-	-	3	-	20	-	2	-	-	10
Champaign	248	-	-	1	-	-	2	-	-	3	-	28	-	8	1	-	19
Chicago Heights	221	-	-	-	1	-	11	2	-	3	-	25	2	4	1	-	14
Dixon	111	-	-	-	-	-	-	1	-	-	-	20	1	1	-	-	17
East Moline	297	2	-	-	-	-	13	-	-	22	-	30	-	4	-	-	25
Elmhurst	122	-	-	-	-	-	2	-	-	1	-	15	-	3	-	-	7
Elmwood Park	77	-	-	-	-	-	3	-	-	-	-	9	-	2	-	-	8
Forest Park	159	-	-	-	-	-	2	-	-	-	-	22	-	7	1	-	13
Freeport	283	-	-	1	-	-	1	-	-	1	-	32	-	4	-	-	26
Granite City	208	-	-	-	-	-	4	-	-	1	-	28	-	6	-	-	16
Harrisburg	151	-	-	-	-	-	10	1	-	1	-	13	-	7	-	-	13
Harvey	151	-	-	-	-	-	5	-	-	1	-	15	-	4	1	-	12
Highland Park	120	-	-	-	-	-	2	-	-	-	-	19	-	3	-	-	7
Jacksonville	475	-	-	-	-	-	13	2	-	20	-	35	-	8	1	-	32
Kankakee	258	-	-	-	-	-	4	-	-	1	-	32	1	8	1	-	35
Kewanee	202	-	-	-	-	-	6	-	-	1	-	31	-	2	-	-	20
La Grange	123	-	-	-	-	-	1	-	-	4	-	19	-	7	-	-	8
La Salle	135	-	-	-	-	-	3	2	-	1	1	18	-	4	-	-	13
Lincoln	232	-	-	-	-	-	21	1	-	4	-	30	-	3	-	-	11
Mattoon	189	-	-	-	-	1	2	-	-	-	-	17	-	7	-	-	25
Melrose Park	97	-	-	-	-	-	-	-	-	1	-	14	-	3	-	-	8
Mount Vernon	199	-	-	-	1	-	5	-	-	1	-	14	1	6	-	-	17
Ottawa	172	-	-	-	-	-	6	1	-	1	-	22	-	4	-	-	8
Park Ridge	106	-	-	-	-	-	1	-	-	-	-	16	-	2	-	-	12
Pekin	170	-	-	-	-	-	5	-	-	1	-	23	-	6	-	-	10
Sterling	141	-	-	-	-	1	-	-	-	1	-	19	-	7	1	-	15
Streator	194	-	-	-	-	-	5	1	-	2	1	26	-	8	1	-	17
Urbana	153	-	-	-	1	-	1	1	-	2	-	19	-	5	1	-	20
West Frankfort	118	1	-	-	-	-	9	-	-	2	-	13	-	1	1	1	11
Wilmette	141	-	-	-	-	-	-	-	-	1	-	29	-	8	1	-	15
Winnetka	91	-	-	-	-	-	-	-	-	-	-	19	-	2	-	-	11
INDIANA																	
Fort Wayne	1,278	-	-	-	-	-	36	9	-	10	1	158	1	36	5	-	90
Gary—White	731	-	-	1	-	1	37	3	-	9	-	85	-	25	3	-	49
All other	282	-	-	-	-	-	36	5	-	2	-	14	-	6	-	-	28
Indianapolis—White	4,181	-	3	2	3	5	117	9	1	56	4	507	2	131	7	3	421
All other	814	-	-	-	1	-	62	16	-	30	-	55	4	13	4	3	83
South Bend	952	-	-	-	-	1	29	3	-	14	1	130	3	28	5	-	83
Anderson	448	-	-	-	-	-	12	1	-	4	-	44	1	8	-	-	45
East Chicago [3]	510	1	1	-	2	1	28	3	-	4	-	54	4	17	3	-	33
Elkhart	360	-	-	2	1	-	7	1	-	2	-	45	-	10	2	-	40
Evansville	1,194	-	2	-	2	1	47	3	-	18	-	143	1	30	6	-	120
Hammond	524	-	-	-	1	-	14	2	-	6	1	64	-	10	4	-	31

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
1	10	33	41	12	-	-	4	4	3	4	18	-	-	1	3	8	-	16	21	43
-	-	5	33	7	2	-	3	3	-	-	2	-	-	1	2	-	-	1	2	17
-	3	9	20	8	1	-	2	1	-	1	4	1	2	3	10	-	-	3	7	14
-	3	9	18	2	2	-	-	2	-	-	8	-	-	2	3	4	-	3	4	11
2	-	10	23	8	-	1	2	-	-	-	12	-	2	1	4	1	-	7	13	20
3	6	20	17	6	3	-	4	2	2	2	18	1	-	3	9	2	-	9	12	31
-	3	16	9	9	-	-	1	-	1	-	11	-	-	2	3	1	-	4	9	17
107	697	1,975	9,023	1,168	288	56	282	292	489	246	2,568	44	71	301	423	393	113	881	1,234	2,269
9	70	60	1,176	275	24	5	36	31	16	5	267	19	8	29	80	18	144	96	143	324
6	38	100	241	56	6	5	3	9	20	10	89	1	1	16	24	13	3	49	46	136
-	9	23	72	22	2	2	3	3	4	1	36	2	1	2	16	4	2	12	14	39
3	4	59	113	18	7	2	11	7	2	3	40	2	2	9	17	3	-	18	32	61
2	11	17	85	6	4	1	2	4	10	5	42	-	-	1	6	4	-	11	14	40
-	8	23	94	9	4	-	2	1	5	3	46	1	1	4	5	5	2	6	14	25
1	8	47	83	13	1	2	5	5	1	3	29	-	4	4	5	3	-	13	21	38
1	10	23	127	16	4	2	6	4	5	5	44	-	1	8	4	14	1	16	11	31
8	9	38	98	14	3	5	6	4	1	2	41	-	1	5	6	3	1	8	27	44
5	12	47	146	38	5	3	5	6	4	3	59	-	1	6	17	11	2	19	27	72
2	18	42	115	24	9	8	6	3	5	4	47	-	2	7	14	13	3	30	29	68
1	6	4	24	21	1	4	5	4	1	-	20	-	3	2	6	-	8	15	11	22
2	8	46	189	83	5	3	6	11	6	4	43	1	2	1	4	6	-	9	30	91
2	6	61	130	12	4	2	4	4	4	2	41	-	-	10	12	8	1	10	20	33
-	6	42	84	13	3	2	4	1	3	2	29	-	-	2	5	5	2	8	21	31
5	8	33	113	35	7	2	4	10	6	6	72	-	-	9	20	8	3	33	34	57
1	4	23	64	7	1	-	1	1	3	1	18	1	1	2	2	2	-	10	10	27
3	5	43	63	5	5	-	6	4	4	4	21	1	-	3	6	8	2	13	19	36
-	12	39	198	17	5	2	8	4	2	5	55	-	1	6	6	3	-	9	14	53
4	10	50	136	22	6	5	3	3	5	2	48	1	1	1	12	8	1	11	13	32
6	17	87	151	23	13	2	11	11	5	11	65	1	2	15	25	18	-	25	35	102
2	8	55	89	14	1	2	10	4	-	4	21	1	3	9	16	12	2	12	17	61
4	15	96	191	35	4	3	5	12	7	6	72	-	2	9	21	9	2	19	45	76
4	7	18	45	4	2	1	4	3	4	1	22	4	1	1	12	5	-	4	17	31
-	2	16	35	6	-	-	2	1	2	1	15	-	-	2	4	2	1	8	8	4
-	5	5	12	5	-	1	-	-	-	-	4	-	-	-	-	1	1	3	2	7
-	2	3	20	6	1	4	-	-	-	-	2	-	1	3	4	1	-	3	9	9
-	2	1	14	18	-	4	-	-	-	1	9	1	-	-	2	1	3	1	2	4
-	2	11	18	4	1	1	1	2	2	1	5	-	-	5	4	-	-	6	3	9
-	-	13	33	3	1	-	-	2	1	1	12	-	-	3	6	8	1	4	4	19
-	5	8	18	15	-	3	-	-	2	2	11	-	1	-	4	-	-	8	10	16
1	5	29	43	11	-	3	1	2	3	2	24	-	-	5	7	4	1	9	14	22
-	3	17	41	9	2	1	4	5	6	1	13	1	1	9	1	2	3	17	4	18
-	1	8	24	1	2	-	-	2	1	-	11	-	-	1	3	1	-	4	2	10
1	-	13	73	33	3	1	5	4	3	1	12	2	1	3	4	3	-	8	4	27
1	2	7	25	3	-	-	8	2	-	2	11	-	-	5	5	5	-	4	8	6
-	3	4	19	4	-	-	1	1	2	2	5	-	2	1	2	-	-	1	2	6
-	3	11	43	3	1	-	1	2	4	1	16	-	-	2	3	1	-	-	5	18
2	3	34	60	10	1	-	4	4	5	4	26	1	-	1	4	2	-	6	19	32
1	1	9	47	10	1	3	1	3	4	-	16	2	-	4	4	2	1	9	7	28
-	5	8	22	2	2	2	4	1	-	-	22	-	-	-	5	-	1	9	13	10
-	1	13	37	3	4	1	-	1	2	1	6	-	-	4	4	1	1	10	6	18
1	2	16	25	7	1	-	-	2	1	-	11	-	-	-	-	1	-	5	7	10
2	3	29	152	9	1	-	1	7	2	2	27	-	-	-	2	7	2	1	28	89
-	3	26	47	4	3	8	1	6	-	2	21	-	-	3	8	1	-	4	9	30
1	3	14	42	10	1	2	4	3	2	1	20	-	1	3	6	1	1	6	12	9
-	3	11	33	4	1	1	-	-	-	-	6	-	-	1	4	1	1	3	2	13
-	-	14	27	3	2	-	3	1	2	2	6	-	-	1	-	3	-	3	10	16
-	2	11	37	19	2	4	2	2	1	2	15	-	-	17	1	1	-	5	3	38
-	1	6	48	3	3	1	1	1	-	3	22	-	2	3	1	1	-	8	10	23
1	3	1	22	2	-	-	1	1	1	1	7	-	-	-	2	2	-	6	5	16
-	2	3	26	13	3	4	4	1	1	4	14	1	1	1	10	3	2	11	13	37
1	-	6	56	3	-	1	2	1	-	1	23	-	1	-	2	1	-	3	9	20
-	1	14	25	1	1	-	-	1	1	-	11	-	-	1	-	2	-	3	10	4
-	2	13	34	7	-	2	1	2	4	1	13	1	-	2	2	6	-	6	13	16
1	5	13	29	8	-	-	3	2	2	-	6	-	-	5	4	1	1	3	5	9
1	8	16	38	15	1	-	-	1	2	1	14	-	1	3	1	1	-	5	5	20
1	-	16	18	6	2	1	-	1	1	2	13	1	-	1	9	6	-	3	3	19
1	2	4	21	4	-	4	-	1	2	2	7	1	-	2	2	-	-	11	5	10
-	2	13	27	3	2	-	1	1	2	1	9	-	2	4	-	3	-	8	1	8
-	3	6	21	2	-	-	-	-	2	-	6	-	-	-	-	1	-	2	3	13
5	16	108	229	59	7	3	11	14	8	8	143	1	4	18	30	17	-	45	71	135
4	15	51	100	43	7	6	11	6	6	7	42	2	1	14	28	14	5	38	46	72
1	9	6	45	36	1	-	1	3	1	-	12	1	2	3	9	3	10	8	9	31
16	67	424	627	258	19	15	19	29	32	19	360	5	14	39	68	71	10	143	175	520
3	18	21	138	73	1	11	-	7	2	-	83	1	3	4	18	4	11	21	27	97
1	25	91	154	48	7	10	3	9	8	2	68	-	3	11	12	15	2	53	44	89
2	14	50	67	17	1	4	-	1	1	4	20	1	-	7	13	13	2	20	23	73
1	7	32	86	54	4	9	7	6	4	4	16	-	1	13	10	3	3	26	25	48
2	1	41	50	26	5	1	4	1	3	2	25	-	-	-	7	7	2	13	13	47
2	19	90	211	63	3	15	5	8	13	11	113	-	4	5	25	20	6	36	47	125
3	9	46	95	29	4	1	10	7	6	1	29	-	2	8	17	7	3	38	19	57

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
INDIANA—Continued																	
Kokomo	408	1	-	-	-	1	15	2	-	3	-	46	-	14	1	1	31
Lafayette	392	-	-	-	1	-	8	2	-	6	-	44	-	13	-	-	33
Marion	342	-	-	1	-	-	11	2	-	6	-	34	1	13	1	-	38
Michigan City	281	-	-	1	-	-	6	-	-	11	-	35	1	9	2	-	20
Mishawaka	242	-	-	-	-	-	4	-	-	3	-	30	-	6	-	-	18
Muncie	528	-	-	-	2	-	10	6	-	7	-	48	1	13	5	-	50
New Albany	347	-	-	-	-	-	10	1	-	-	-	40	-	9	-	-	28
Richmond	430	1	-	-	1	1	11	1	-	4	-	55	-	13	3	-	30
Terre Haute	891	-	2	-	1	-	16	-	-	7	-	117	1	24	3	-	100
Bedford	174	-	-	-	1	-	7	-	-	3	-	15	-	3	1	-	22
Bloomington	172	-	-	-	-	-	6	1	-	1	-	24	-	1	-	-	19
Columbus	133	-	-	-	-	-	4	1	-	-	-	18	-	3	-	-	13
Connersville	179	-	-	-	-	-	4	1	-	1	-	17	-	4	-	-	20
Crawfordsville	157	-	-	-	-	-	2	-	-	1	-	18	1	1	2	-	21
Elwood	147	-	-	-	-	-	3	-	-	2	-	25	-	-	2	-	20
Frankfort	158	-	-	-	-	-	4	-	-	1	-	22	-	6	2	-	17
Goshen	114	-	-	-	-	-	1	1	-	1	-	7	-	4	-	-	18
Huntington	192	-	-	-	-	-	4	-	-	2	-	16	-	7	-	-	21
Jeffersonville [3]	164	-	-	1	-	-	5	-	-	3	-	26	-	3	-	-	10
La Porte	222	-	-	-	-	-	3	-	-	2	-	36	-	15	2	-	20
Logansport	261	-	-	-	1	-	7	2	-	3	-	24	-	4	2	-	25
New Castle	195	-	-	-	-	1	4	-	-	-	-	18	-	4	1	-	18
Peru	181	-	-	-	-	-	5	-	-	2	-	28	-	4	-	-	20
Shelbyville	155	-	1	-	1	-	3	2	-	-	1	12	-	4	-	-	20
Vincennes	218	-	-	-	1	-	7	-	-	2	-	17	-	6	-	-	22
Whiting	120	-	-	-	-	-	5	1	-	1	-	17	-	-	1	-	7
IOWA																	
Des Moines	1,593	-	-	-	4	1	26	6	-	17	1	265	2	39	2	-	168
Burlington	338	-	-	-	-	-	4	3	-	5	1	52	-	8	1	-	32
Cedar Rapids	637	-	-	-	-	-	11	2	-	5	-	93	2	16	4	-	75
Clinton	310	1	-	-	-	-	6	-	-	1	-	38	-	19	-	-	38
Council Bluffs	425	-	-	-	-	-	3	-	-	6	-	54	-	11	1	-	57
Davenport	785	-	-	-	1	-	21	3	-	7	-	118	-	16	3	-	61
Dubuque	547	-	-	-	-	-	9	-	-	2	1	71	-	17	2	-	59
Mason City	256	-	-	-	-	-	2	-	-	2	-	41	-	5	1	-	23
Ottumwa	324	-	-	-	-	-	2	1	-	-	-	34	-	8	-	-	45
Sioux City	712	1	-	-	3	-	11	-	-	9	-	102	2	11	2	-	63
Waterloo	480	-	1	-	-	-	5	2	-	3	-	56	1	10	1	-	48
Ames	69	-	-	-	-	-	-	-	-	1	-	13	1	2	-	-	8
Boone	168	1	-	-	1	-	-	1	-	-	-	13	-	8	-	-	21
Fort Dodge	219	-	1	-	1	-	4	1	-	1	-	38	-	9	-	-	15
Fort Madison	159	-	-	-	-	-	3	-	-	-	-	14	-	4	1	-	13
Iowa City	217	-	-	-	-	-	1	1	-	2	-	32	-	5	1	-	27
Keokuk	214	-	-	-	2	-	-	-	-	3	-	24	-	6	2	-	29
Marshalltown	195	-	1	-	-	-	2	1	-	3	-	37	-	9	1	-	18
Muscatine	254	-	-	-	-	1	5	2	-	2	-	32	-	3	1	-	28
Newton	108	-	-	-	-	-	2	-	-	-	-	14	-	5	-	-	13
Oskaloosa	138	-	-	-	-	-	2	-	-	2	-	20	-	3	1	-	21
KANSAS																	
Kansas City—White	970	1	2	-	3	-	29	2	-	16	1	114	1	25	1	-	76
All other	304	-	-	1	2	-	18	4	-	9	-	32	1	9	2	-	25
Wichita	1,230	-	-	-	5	1	35	4	-	20	-	154	1	22	2	1	117
Hutchinson	287	-	1	-	2	-	4	-	-	4	-	30	2	9	1	-	39
Topeka	764	-	-	2	3	-	22	1	-	7	-	85	-	21	2	-	89
Arkansas City	126	-	-	-	-	1	2	-	-	2	-	15	-	-	1	-	15
Atchison [3]	152	-	-	-	1	-	2	-	-	-	-	15	-	5	1	-	9
Chanute	132	-	-	-	-	-	1	-	-	1	-	16	-	4	-	-	22
Coffeyville [3]	168	-	-	-	2	1	4	-	1	1	-	24	-	3	-	-	14
El Dorado	102	-	-	-	-	-	3	-	-	1	-	9	-	4	-	-	7
Emporia	165	-	-	-	1	-	2	1	-	3	-	24	-	4	2	-	13
Fort Scott	164	-	-	-	-	-	5	-	-	4	-	12	-	1	-	-	8
Independence [3]	156	-	-	-	-	-	4	1	-	5	-	7	-	4	-	-	18
Lawrence	184	-	-	-	1	-	2	1	-	2	-	32	-	5	-	-	30
Leavenworth [3]	265	-	-	-	-	-	7	-	-	6	-	40	-	11	-	1	31
Manhattan	134	-	-	-	1	-	1	-	-	2	-	16	-	1	1	-	14
Newton	124	-	-	-	-	-	1	-	-	-	-	20	-	1	2	-	15
Ottawa	122	-	-	-	-	-	1	1	-	-	-	18	-	3	-	-	19
Parsons	219	-	-	-	1	-	2	-	-	2	-	20	1	3	1	-	15
Pittsburg	200	-	-	-	1	-	3	-	-	4	-	31	-	9	-	2	17
Salina	222	-	-	-	-	-	7	-	-	3	1	28	-	7	-	-	23
KENTUCKY																	
Louisville—White	3,294	2	1	2	8	2	83	15	-	17	4	384	3	69	7	-	255
All other	919	1	-	-	3	-	72	17	-	12	-	51	2	15	1	1	79
Ashland	285	-	-	-	1	-	25	1	-	2	1	24	-	5	3	-	20
Covington	811	-	-	1	2	-	35	2	-	7	-	107	-	14	4	-	79
Lexington—White	624	1	2	-	-	-	62	8	-	28	-	59	1	8	-	-	43
All other	295	-	-	-	1	-	34	4	-	14	-	17	-	3	-	-	28
Newport	380	-	-	1	1	-	11	-	-	-	-	44	-	7	3	-	33
Owensboro	350	1	-	-	1	-	13	2	-	4	-	47	2	8	-	1	25
Paducah—White	259	1	-	-	-	1	7	2	2	3	-	17	1	5	1	1	32
All other	117	-	-	-	-	-	8	-	-	4	-	2	-	4	-	-	8

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
4	9	32	67	25	1	8	-	3	4	1	37	-	2	6	12	4	-	15	17	46
1	11	27	95	12	2	3	7	5	1	5	23	-	1	5	10	3	-	15	22	37
3	3	41	43	18	1	3	2	4	-	2	13	-	-	4	10	9	3	14	14	48
1	10	18	36	13	1	1	3	2	3	2	30	-	-	1	6	3	1	11	7	47
1	5	21	36	10	3	3	2	1	3	2	17	3	1	2	8	2	-	16	11	34
-	15	54	67	37	4	3	5	4	3	5	38	-	1	11	10	13	8	18	26	64
2	10	10	88	24	2	2	2	1	5	1	31	1	-	5	15	4	1	12	14	29
1	7	34	67	21	5	10	2	3	3	2	55	1	1	2	7	3	1	22	22	41
2	15	76	139	53	3	6	4	12	12	10	95	-	2	7	18	14	4	28	41	79
-	7	20	35	10	-	1	-	1	-	-	9	-	-	3	4	1	-	10	5	16
1	4	17	21	10	1	-	1	-	3	2	13	-	2	1	6	3	-	8	7	20
-	-	20	23	5	1	2	1	-	1	-	5	-	1	3	2	1	-	4	6	19
2	6	18	36	16	3	1	1	2	-	2	12	-	-	2	4	2	-	4	8	13
-	7	15	39	3	2	-	1	2	-	1	14	-	-	-	2	4	1	2	6	12
1	2	10	23	9	3	3	-	-	-	1	15	-	1	1	2	4	-	6	4	10
-	4	19	21	8	1	1	-	1	1	2	13	-	-	4	3	3	-	5	7	13
-	2	11	20	7	1	1	-	-	-	2	6	-	-	4	2	1	-	6	10	9
-	2	17	44	6	1	1	2	-	1	1	6	1	1	1	1	3	-	12	9	33
-	2	11	19	13	4	2	1	5	1	1	21	-	-	4	5	1	-	8	4	14
-	2	23	32	6	3	1	-	1	-	4	11	-	1	-	3	4	1	11	12	29
1	2	24	55	16	2	1	3	2	1	2	27	1	-	2	7	4	-	4	13	26
2	4	14	31	14	-	4	1	1	2	-	18	-	1	2	7	2	1	17	12	16
-	7	20	29	11	2	1	2	1	1	1	14	-	-	-	2	1	-	10	3	17
-	5	18	25	6	1	-	4	1	-	-	23	-	-	-	1	1	-	3	4	19
2	6	16	36	7	1	2	4	2	2	1	26	1	-	3	5	2	-	4	15	28
1	1	11	18	5	-	1	-	1	2	2	10	-	-	3	2	2	1	10	8	10
5	35	198	216	65	13	7	11	14	10	10	70	5	4	21	38	16	3	48	64	209
-	2	27	49	16	2	4	-	2	5	4	25	2	1	2	7	5	-	11	22	46
2	17	85	81	25	7	3	3	3	9	-	54	2	-	7	18	9	-	12	30	62
-	2	33	57	10	4	1	5	1	1	2	27	1	-	2	7	7	-	12	8	27
1	3	37	83	17	5	2	3	3	4	1	35	1	1	4	10	1	2	10	20	50
2	15	90	142	29	6	2	3	9	7	2	54	1	-	5	24	16	3	21	38	86
1	8	74	117	28	3	1	4	3	5	2	23	-	-	9	6	6	2	14	19	61
1	6	43	39	11	1	-	1	4	1	2	10	-	1	5	9	1	1	5	13	28
3	6	25	67	19	5	1	-	2	-	4	25	-	1	7	5	2	-	15	12	35
2	18	78	135	35	5	2	6	8	4	7	38	1	2	14	19	4	5	15	35	75
3	8	70	91	15	2	2	5	2	3	3	32	-	1	8	14	8	-	17	28	43
-	1	11	4	5	1	-	-	-	-	-	4	-	-	2	1	-	-	4	2	9
1	1	20	24	6	2	-	2	3	-	2	21	1	-	2	3	2	-	6	9	18
-	3	20	22	9	1	3	3	1	1	2	37	-	2	2	5	3	-	8	10	17
-	3	12	29	7	1	-	1	-	5	1	12	-	1	3	6	2	1	3	9	28
2	5	34	18	14	2	-	-	4	2	3	7	-	-	-	3	4	-	4	13	33
3	5	18	34	6	3	-	3	2	3	1	18	2	-	4	6	1	1	8	9	21
1	1	14	27	8	2	1	2	6	1	1	8	-	-	2	6	3	-	8	9	23
-	5	27	43	10	1	-	-	3	4	-	28	-	1	2	9	4	1	5	2	35
-	1	17	18	3	-	-	4	-	-	-	7	-	1	1	5	-	-	3	4	10
-	3	11	22	10	-	1	1	1	1	1	10	-	-	1	2	-	-	1	7	17
4	19	103	159	62	8	2	6	7	12	8	91	1	1	11	22	15	6	27	48	87
-	14	9	47	14	2	1	4	2	1	1	49	2	-	1	8	1	10	1	6	28
8	30	139	196	71	13	11	17	16	6	4	77	3	3	21	32	19	5	40	48	111
2	5	36	33	21	4	-	2	2	-	4	19	1	2	1	7	5	2	13	12	24
2	10	71	141	30	2	8	5	8	7	2	69	1	-	11	20	6	4	19	27	89
-	5	4	24	2	1	1	1	3	-	-	18	-	-	1	2	4	1	1	7	15
-	2	7	36	10	-	1	3	2	-	1	17	1	-	2	5	1	1	4	7	19
-	1	16	26	6	2	-	2	1	-	1	5	-	-	2	1	1	1	5	5	13
1	4	14	23	8	-	2	1	2	-	1	14	-	-	-	3	2	1	1	11	30
4	1	10	12	6	-	1	2	-	-	-	14	-	-	2	-	3	1	3	4	15
-	2	6	26	8	-	3	2	2	1	2	22	-	-	-	-	2	1	4	13	21
-	10	15	43	9	1	1	2	1	2	1	15	1	-	-	6	2	1	2	6	16
-	5	26	13	12	2	2	3	2	-	1	17	-	-	-	4	4	3	2	5	18
-	3	21	27	9	2	-	-	1	-	1	7	-	-	2	3	4	-	3	4	26
1	5	15	45	8	-	1	1	1	2	4	31	-	1	2	6	3	-	4	15	24
-	2	24	13	7	-	1	-	2	-	1	8	-	-	1	12	1	-	8	7	11
-	2	7	21	7	3	1	-	1	-	-	9	-	-	-	2	1	-	4	8	19
1	7	11	13	6	1	1	-	4	-	1	8	-	-	-	2	2	-	4	1	18
1	6	19	34	7	2	2	-	3	4	-	20	-	-	2	7	2	-	4	13	48
-	6	19	38	6	3	1	2	1	2	-	21	1	-	1	5	1	1	6	8	11
2	5	28	26	11	1	-	2	2	1	1	23	1	-	3	5	1	-	7	10	24
20	53	360	551	190	28	32	35	36	36	20	230	8	9	31	91	46	12	98	169	387
3	15	89	154	86	4	8	3	10	8	3	97	2	1	2	15	4	29	30	35	67
3	8	23	47	19	-	10	1	3	1	2	12	1	1	3	16	1	2	12	12	26
3	10	40	168	38	13	3	15	3	11	3	53	-	-	11	32	12	4	19	52	70
1	3	44	109	54	6	4	1	4	6	1	41	-	3	2	10	9	2	15	32	65
-	2	9	76	21	-	4	1	-	-	-	23	-	-	-	7	1	8	2	5	37
2	8	32	76	19	4	4	5	4	4	-	21	1	2	3	13	-	-	5	25	52
2	5	25	51	16	3	6	4	2	3	2	24	2	2	6	13	1	2	10	19	48
4	5	16	54	22	1	3	1	-	3	3	9	1	3	2	4	2	2	10	12	29
-	2	2	29	11	-	1	2	1	-	-	14	-	1	-	5	-	9	1	2	11

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	15	14-22	28	30	36	45-55	58	61	63b	69	83
KENTUCKY—Continued																	
Bowling Green—White	211	-	-	-	2	-	16	3	-	-	1	23	1	3	1	-	18
All other	56	-	-	-	1	-	7	-	-	-	-	3	-	2	-	-	2
Fort Thomas	107	-	-	-	-	-	3	-	-	-	-	16	-	4	1	-	12
Frankfort—White	163	-	-	-	1	-	17	1	-	-	1	21	-	1	-	-	17
All other	29	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	2
Henderson—White	156	-	-	-	-	-	10	1	1	2	1	17	-	2	-	1	13
All other	45	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	6
Hopkinsville—White	125	-	-	-	-	-	6	2	-	-	-	8	-	2	1	-	14
All other	121	1	-	-	-	-	6	-	-	-	-	-	1	3	-	-	11
Middlesborough	146	1	-	-	2	1	7	1	-	3	-	5	-	-	1	-	7
LOUISIANA																	
New Orleans—White	3,901	1	2	1	-	2	164	10	1	42	-	460	3	121	14	1	232
All other	2,259	-	2	1	-	1	209	17	-	101	-	179	4	19	5	4	170
Alexandria—White	180	-	-	-	-	2	7	-	-	2	-	17	-	7	-	-	9
All other	175	-	1	-	-	-	4	1	-	9	-	2	-	5	-	-	15
Baton Rouge—White	295	-	2	-	-	-	6	-	-	5	-	34	-	9	-	-	29
All other	244	1	-	-	1	1	15	-	-	10	-	18	-	4	1	4	22
Monroe—White	184	1	-	-	-	-	3	1	2	-	-	20	-	7	-	1	7
All other	208	2	-	-	1	-	23	-	-	4	-	15	-	1	-	-	23
Shreveport—White	524	-	1	-	-	-	17	3	2	2	-	62	-	13	-	1	36
All other	539	2	-	1	1	1	44	3	1	31	1	30	2	3	-	4	33
Bogalusa—White	76	-	-	-	1	-	3	-	-	-	-	7	-	1	-	-	8
All other	78	-	-	-	1	-	8	-	-	6	-	4	-	4	-	2	5
Gretna—White	58	-	-	-	-	-	5	-	-	-	-	11	-	1	-	-	2
All other	30	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	1
Lafayette—White	93	-	-	-	1	2	4	-	-	-	-	9	-	4	-	-	1
All other	98	-	-	-	2	-	6	1	-	5	-	3	-	2	-	-	3
Lake Charles—White	138	-	-	-	-	-	1	-	-	2	-	14	-	2	-	-	8
All other	135	2	-	-	-	-	4	3	-	6	1	6	1	2	-	-	5
New Iberia—White	109	-	-	-	1	1	-	-	-	-	-	16	-	4	-	-	6
All other	91	-	-	-	1	-	5	1	-	4	-	2	-	1	-	1	7
MAINE																	
Bangor	475	-	-	-	-	-	19	2	-	10	-	66	-	9	1	-	48
Lewiston	421	-	-	-	-	-	10	-	-	2	-	71	1	10	-	-	41
Portland	897	-	-	-	1	2	13	-	-	3	-	108	2	26	2	-	88
Auburn	187	-	-	-	1	-	2	1	-	-	-	26	1	6	-	-	21
Augusta	250	-	-	-	-	-	8	-	-	9	-	16	-	11	-	-	36
Bath	150	-	-	-	1	-	1	1	-	-	-	19	-	6	-	-	12
Biddeford	200	-	-	-	-	1	5	-	-	1	-	24	2	3	-	-	20
South Portland	151	-	-	-	-	-	-	-	-	1	-	17	2	5	-	-	18
Waterville	170	-	-	-	-	-	5	-	-	1	-	18	1	2	-	-	14
Westbrook	107	-	-	-	-	-	2	-	-	-	-	18	-	2	-	-	11
MARYLAND																	
Baltimore—White	7,894	4	8	-	3	2	292	18	-	48	3	1,140	10	274	14	1	548
All other	2,903	2	3	-	27	1	396	30	-	98	1	205	5	35	2	2	205
Cumberland	371	1	-	-	3	-	6	-	-	2	-	40	1	8	2	-	26
Hagerstown	395	-	1	-	1	-	13	2	-	9	1	54	-	12	2	-	38
Annapolis—White	84	-	-	-	-	-	-	-	-	-	1	12	-	4	-	-	6
All other	70	-	-	-	-	-	4	4	-	2	-	6	-	1	-	-	9
Cambridge—White	99	1	-	-	-	-	3	1	-	1	-	15	-	2	-	-	11
All other	58	-	-	-	-	-	6	2	-	2	-	4	-	-	-	-	9
District 12 (Baltimore Co.)[2]	83	-	-	-	-	-	5	1	-	1	-	6	-	4	-	-	7
District 13 (Baltimore Co.)[2]	97	-	-	-	-	-	3	-	-	1	-	11	-	3	-	-	4
Frederick—White	156	-	-	-	1	-	2	-	-	-	-	21	-	6	-	-	20
All other	29	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	4
Salisbury—White	145	-	-	-	2	-	10	2	-	-	-	10	-	3	-	-	12
All other	38	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	2
MASSACHUSETTS																	
Boston—White	9,178	2	3	-	9	2	378	20	1	55	-	1,284	3	232	8	2	742
All other	435	-	-	-	3	-	60	3	-	16	-	48	-	8	1	-	33
Cambridge	1,350	-	1	-	-	-	51	7	-	8	1	196	2	26	2	-	134
Fall River	1,510	-	2	1	3	3	57	5	-	5	-	356	1	53	1	-	102
Lowell	1,200	-	-	-	2	2	43	-	-	6	-	164	1	34	5	-	122
New Bedford	1,269	-	1	-	1	-	50	5	-	5	1	177	1	51	-	-	147
Somerville	1,026	-	-	-	-	-	27	2	-	2	-	151	1	29	-	-	100
Springfield	1,568	-	1	-	2	2	33	3	-	8	-	226	-	59	1	-	144
Worcester	2,537	1	2	-	-	-	62	6	-	22	-	342	3	83	2	-	182
Arlington (town)	407	-	-	-	-	-	5	-	-	2	-	66	-	18	-	-	45
Belmont (town)	224	-	-	-	-	-	-	2	-	1	-	37	-	10	-	-	23
Beverly	273	-	-	-	-	-	1	-	-	2	-	56	-	6	-	-	19
Brockton	759	-	2	-	-	-	6	-	-	1	-	116	-	25	-	-	89
Brookline (town)	626	-	-	-	-	-	8	1	-	4	-	102	-	22	2	-	66
Chelsea	395	-	-	-	1	-	9	1	-	4	-	64	-	12	1	-	35
Chicopee	329	-	1	1	-	-	12	1	-	1	-	40	-	10	-	-	26
Everett	451	-	-	-	-	-	12	2	-	-	-	62	-	11	1	-	60
Fitchburg	434	-	3	-	-	-	10	-	-	-	-	61	-	9	1	-	37
Haverhill	574	-	-	-	-	-	6	-	-	3	-	91	2	17	-	-	73
Holyoke	597	-	1	-	2	-	18	1	-	4	-	72	-	30	1	-	46
Lawrence	924	-	-	-	2	-	14	4	-	4	1	132	2	28	-	-	107
Lynn	1,253	-	-	2	-	-	30	1	-	11	-	181	1	45	-	-	129

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
3	4	9	22	21	1	1	2	3	-	2	17	1	1	3	2	2	3	9	16	21
-	-	-	9	2	-	1	1	-	-	-	10	-	-	-	3	-	5	1	1	8
1	3	11	18	3	-	-	4	2	3	-	2	-	-	1	1	1	-	1	4	16
-	3	3	13	16	-	2	1	2	2	1	13	1	-	-	4	5	-	8	7	23
-	2	-	4	3	-	-	2	1	1	-	2	-	1	-	1	-	-	1	1	3
-	3	6	32	13	-	4	2	3	1	-	10	1	2	2	4	1	2	3	7	12
-	-	1	2	5	-	3	-	-	-	-	12	-	-	-	3	-	3	-	2	3
-	-	9	26	7	-	1	-	-	1	1	14	-	-	1	2	3	1	6	3	17
-	1	1	16	15	1	4	1	-	-	-	24	3	-	1	2	2	6	-	4	18
1	9	7	19	11	2	7	1	1	1	-	9	-	1	-	6	1	5	3	13	21
6	47	240	1,088	239	19	19	37	37	66	17	357	4	13	20	88	38	13	62	133	304
12	48	29	474	221	6	32	6	15	20	3	179	7	9	19	142	9	45	39	54	178
2	1	27	22	9	1	1	1	-	-	-	15	-	-	-	11	-	1	9	13	23
2	-	11	25	27	-	3	2	1	-	-	17	2	1	-	5	-	4	4	9	25
2	4	19	38	9	1	1	2	4	5	-	24	-	1	2	15	4	2	15	14	48
2	3	7	36	9	1	2	1	1	2	-	34	2	-	3	19	-	2	4	6	33
2	2	14	36	5	1	2	2	3	3	4	18	-	2	3	5	4	2	6	5	23
1	1	1	35	14	1	2	5	1	-	1	17	4	4	-	6	-	7	3	9	27
1	5	64	75	32	3	7	6	5	4	2	37	-	1	9	19	16	5	16	23	57
2	5	25	68	49	1	4	3	4	3	-	74	3	4	2	31	-	18	6	16	64
2	-	3	15	8	-	-	2	-	-	3	4	-	-	-	4	-	-	5	4	6
-	1	4	8	1	-	1	-	1	-	-	12	-	-	-	6	1	3	2	2	6
1	-	3	13	4	1	-	1	-	2	-	3	-	-	-	-	2	-	2	2	5
-	1	4	10	1	1	-	-	-	-	-	1	-	-	-	1	-	1	1	1	3
-	-	5	22	7	1	-	-	-	-	-	8	-	-	-	1	1	-	4	6	17
-	1	6	13	19	1	-	1	-	1	-	4	1	1	-	7	-	1	2	4	14
1	-	15	22	14	1	1	1	1	1	4	11	-	1	-	9	1	-	2	11	15
1	2	3	28	15	-	2	1	2	-	2	21	-	2	-	5	-	2	-	4	15
1	1	3	19	10	1	2	1	-	-	1	14	-	-	2	4	1	-	3	8	10
-	-	-	27	8	-	1	-	-	-	-	12	-	2	-	1	1	3	1	2	11
1	-	48	88	23	2	2	-	7	-	3	19	-	1	1	13	2	-	4	21	83
-	10	41	63	19	-	3	2	1	5	1	48	1	2	9	10	1	4	9	17	40
3	12	106	192	44	11	3	4	9	4	7	50	3	2	14	18	8	1	15	49	97
1	2	27	24	9	1	2	2	2	2	1	25	1	-	5	4	2	-	1	3	15
1	6	19	48	21	1	2	-	1	2	1	16	1	-	1	4	2	1	5	7	31
1	-	19	23	6	3	1	1	2	1	1	15	-	-	1	4	2	-	4	10	16
2	6	16	31	16	1	-	7	1	2	2	9	1	1	3	10	2	-	3	9	22
-	3	20	32	5	-	-	-	2	-	2	12	-	1	2	1	2	1	5	5	15
-	2	21	28	8	-	1	4	3	2	1	17	-	1	4	2	-	-	4	12	19
1	-	12	20	8	-	-	1	1	-	-	5	-	-	3	2	2	-	1	7	11
20	165	844	1,685	384	36	66	45	65	80	44	679	6	18	89	129	111	14	178	281	590
13	54	128	406	282	15	83	10	28	17	1	299	6	10	17	92	17	81	31	76	225
3	5	32	63	17	-	5	2	3	1	1	45	-	-	7	19	7	1	6	17	48
-	9	37	58	17	3	5	2	2	3	2	38	-	2	3	15	7	-	11	15	33
-	1	6	25	3	-	3	-	-	1	1	2	1	-	2	3	1	-	2	5	5
-	2	-	8	6	-	3	-	1	-	1	9	-	-	-	2	-	1	-	3	8
-	-	7	15	2	1	1	2	1	-	1	16	1	-	1	4	1	-	-	6	6
-	1	2	11	4	-	3	1	-	-	-	5	-	-	-	-	-	-	2	2	4
2	1	7	11	4	-	1	-	-	-	1	7	-	-	2	5	2	-	2	4	10
-	7	6	27	5	-	2	-	1	-	-	12	-	-	1	2	-	-	4	2	6
-	2	17	33	8	-	2	-	-	1	-	6	-	-	4	4	1	-	1	9	18
-	1	1	2	2	-	2	-	-	-	-	5	-	-	1	3	-	2	-	-	2
-	1	11	33	5	-	1	2	1	1	2	20	1	-	3	3	4	-	5	2	11
1	-	2	5	4	2	2	1	-	-	1	2	-	1	-	-	-	1	2	5	1
38	213	710	2,340	568	69	52	44	69	137	57	586	24	16	88	144	75	18	118	438	835
2	8	12	80	30	2	1	2	2	4	1	20	2	1	2	9	3	-	6	19	52
3	38	108	308	73	11	4	7	17	11	5	49	9	2	16	21	15	4	23	53	145
5	31	42	466	40	14	4	14	5	10	12	84	4	5	15	15	11	-	13	43	88
5	16	80	296	71	8	5	13	12	17	7	64	4	1	11	17	6	1	24	32	133
3	17	180	212	73	10	4	10	13	9	6	51	3	2	14	14	17	2	20	27	143
8	22	97	249	45	4	4	11	10	10	5	62	3	2	4	19	11	1	18	30	99
2	30	223	299	75	10	9	15	8	17	14	106	2	3	18	29	13	3	24	47	142
16	37	182	707	167	16	7	18	18	22	13	134	4	5	23	42	22	1	42	148	203
1	12	55	72	27	1	-	4	4	2	5	21	1	1	3	4	3	-	3	10	42
1	5	28	51	7	3	-	-	2	2	2	8	-	1	2	4	3	-	3	7	22
1	5	31	66	8	1	-	-	2	1	1	24	-	1	5	3	3	-	4	11	22
2	12	110	145	32	7	1	1	7	14	1	34	-	2	4	17	8	1	17	41	64
-	6	128	94	30	5	1	2	5	5	8	29	-	1	6	4	9	1	10	24	53
-	10	43	74	32	3	3	1	1	7	4	23	3	2	5	7	2	1	1	12	34
2	8	38	62	7	1	2	3	4	6	4	24	2	1	7	13	5	-	8	12	28
-	4	57	97	22	8	1	-	3	4	1	28	1	-	7	9	4	-	9	13	35
1	13	63	82	21	4	3	3	1	3	3	26	-	2	3	10	5	1	8	17	44
1	12	55	125	26	5	1	3	6	7	4	34	2	2	2	9	2	-	8	32	46
2	9	82	137	27	4	10	7	4	8	3	32	3	1	4	9	8	-	3	28	41
1	29	102	184	45	4	6	6	6	18	5	67	1	5	7	16	6	2	16	43	61
3	27	185	195	67	12	10	10	9	10	2	88	2	-	10	14	19	4	19	44	123

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
MASSACHUSETTS—Continued																	
Malden	626	-	-	-	-	-	12	1	-	5	-	103	1	16	1	-	53
Medford	570	-	-	-	1	1	10	1	-	2	-	92	-	17	1	-	48
Melrose	247	-	-	-	-	-	3	-	-	-	-	38	-	8	-	-	25
Newton	640	-	-	-	-	-	8	2	-	2	-	93	-	17	-	1	67
Pittsfield	498	-	-	1	-	-	7	1	-	1	-	65	-	14	4	-	56
Quincy	645	-	1	-	-	-	10	3	-	5	-	114	-	19	-	-	59
Revere	360	-	-	-	-	-	9	1	-	1	-	50	-	15	-	-	30
Salem	498	-	-	-	1	-	9	1	-	2	-	81	-	12	2	-	31
Taunton	657	-	1	-	-	1	36	2	-	4	-	75	-	16	1	-	54
Waltham	435	-	1	-	-	-	34	1	-	3	-	59	1	12	-	-	50
Watertown (town)	316	-	-	-	-	-	8	3	-	-	-	41	1	12	-	-	38
Adams (town)	119	-	-	-	-	-	3	2	-	-	-	21	-	5	1	1	9
Amesbury (town)	144	-	-	-	-	-	1	-	-	-	-	33	-	2	-	-	20
Andover (town)	129	-	-	-	-	-	-	-	-	-	-	20	2	4	-	-	21
Anthol (town)	135	-	-	-	-	-	1	-	-	-	-	10	-	5	-	-	18
Attleboro	243	-	-	-	-	-	9	-	-	1	-	34	-	11	-	-	20
Braintree (town)	168	-	-	-	-	-	9	-	-	1	-	24	1	5	-	-	13
Clinton (town)	129	-	-	-	-	-	2	-	-	-	-	19	-	5	1	-	13
Danvers (town)	413	-	-	-	-	-	12	1	-	4	-	27	-	8	-	-	23
Dedham (town)	161	-	-	-	-	-	3	-	-	1	-	35	-	2	1	-	11
Easthampton (town)	86	-	1	-	-	-	2	-	-	-	-	12	-	-	1	-	9
Fairhaven (town)	101	-	1	-	1	-	1	-	-	1	-	9	-	9	-	-	14
Framingham (town)	260	-	-	1	1	-	7	-	-	1	-	37	1	7	-	-	24
Gardner	245	-	-	-	1	-	9	-	-	2	-	23	-	9	1	-	21
Gloucester	303	-	-	-	-	-	10	-	-	1	-	36	1	11	-	-	31
Greenfield (town)	177	-	-	-	-	-	2	1	-	4	-	33	-	3	1	-	18
Leominster	229	-	-	-	1	-	3	-	-	2	-	37	-	13	-	-	22
Lexington (town)	199	-	-	-	-	-	14	2	-	4	-	28	-	6	1	-	15
Marblehead (town)	138	-	-	-	-	-	2	-	-	1	-	16	-	6	-	-	17
Marlborough	177	-	-	-	-	-	2	-	-	-	-	25	-	10	-	-	11
Methuen (town)	249	-	-	-	1	-	8	-	-	-	-	41	-	9	-	-	30
Milford (town)	165	-	-	-	-	-	4	-	-	1	-	24	-	3	-	-	23
Milton (town)	184	-	-	-	-	-	2	-	-	1	-	32	-	2	1	-	17
Natick (town)	161	-	-	-	-	-	1	1	-	-	-	24	-	7	-	-	12
Needham (town)	120	-	-	-	1	-	4	-	-	1	-	21	-	3	-	-	11
Newburyport	198	-	-	-	-	-	1	-	-	1	-	37	-	-	1	-	27
North Adams	269	-	-	-	-	-	4	-	-	-	-	37	-	8	1	1	16
Northampton	451	-	-	-	-	-	16	1	-	15	-	47	-	12	1	-	34
North Attleborough (town)	137	-	-	1	-	-	3	1	-	-	-	22	-	5	-	-	11
Northbridge (town)	69	-	1	-	-	-	2	-	-	-	-	6	-	3	-	-	9
Norwood (town)	170	-	-	-	-	-	-	-	-	-	-	31	1	6	1	-	9
Peabody	208	-	-	-	1	-	7	1	-	1	1	22	-	5	2	-	21
Plymouth (town)	173	-	-	-	-	-	2	-	-	2	-	30	2	4	-	-	15
Reading (town)	138	-	-	-	-	-	2	-	-	-	-	25	-	4	-	-	7
Saugus (town)	133	-	-	-	-	-	4	-	-	-	-	16	-	8	-	-	20
Southbridge (town)	135	-	-	-	-	-	1	-	-	-	-	26	-	2	-	-	13
Stoneham (town)	110	-	-	-	-	-	2	-	-	-	-	20	-	2	1	-	6
Swampscott (town)	106	-	-	-	-	-	-	-	-	1	-	13	-	6	-	-	7
Wakefield (town)	181	-	-	-	-	-	3	-	-	1	-	29	-	3	1	1	23
Webster (town)	133	-	-	-	-	-	5	2	-	-	-	19	-	6	-	-	11
Wellesley (town)	116	-	-	-	-	-	2	-	-	1	-	18	-	2	-	-	7
Westfield	225	-	-	-	-	-	8	-	-	2	-	35	-	5	1	-	22
West Springfield (town)	151	-	-	-	-	-	6	-	-	-	-	28	-	4	-	-	7
Weymouth (town)	221	-	-	-	-	-	5	-	-	-	-	39	-	5	-	-	18
Winchester (town)	114	-	-	-	-	-	3	-	-	-	-	24	1	4	-	-	12
Winthrop (town)	211	-	-	-	1	-	3	-	-	-	-	53	-	9	-	-	29
Woburn	216	-	-	-	-	-	4	2	-	-	-	29	-	6	1	-	26
MICHIGAN																	
Detroit—White	12,441	4	3	15	18	1	454	56	1	125	15	1,712	14	354	41	-	876
All other	1,906	-	-	3	5	3	227	38	-	65	-	162	5	37	5	-	98
Flint	1,262	1	1	-	4	2	22	5	-	17	-	158	1	30	2	-	93
Grand Rapids	1,735	1	-	-	-	-	24	1	1	13	-	267	2	49	10	-	187
Ann Arbor	376	-	-	-	-	-	6	-	-	1	-	61	1	7	-	-	34
Battle Creek	548	-	-	-	1	-	4	-	-	7	-	56	-	13	-	-	43
Bay City	535	-	-	-	-	-	13	1	-	5	-	68	1	19	-	-	56
Dearborn	447	-	-	-	-	-	6	-	-	5	-	54	-	9	-	-	40
Hamtramck	335	-	-	-	-	-	20	1	-	5	-	34	-	10	4	-	15
Highland Park	438	-	-	-	-	-	12	-	-	5	1	60	-	11	1	-	29
Jackson	629	-	-	-	-	-	13	2	-	7	-	87	-	19	4	-	59
Kalamazoo	889	-	-	-	-	-	23	3	-	25	-	93	1	20	1	-	86
Lansing	724	-	1	-	2	-	2	4	-	9	-	105	2	16	1	-	78
Muskegon	497	-	-	-	1	-	2	-	-	8	-	54	-	20	1	-	41
Pontiac	729	2	1	-	1	2	19	4	2	12	1	68	-	11	2	-	61
Port Huron	377	-	-	-	1	-	8	2	-	1	-	57	-	14	-	-	27
Royal Oak	207	-	-	-	1	-	2	-	-	2	-	29	-	4	-	-	10
Saginaw	874	-	-	-	5	-	12	4	-	12	-	108	1	24	3	-	73
Wyandotte	258	-	-	1	-	1	6	-	-	3	-	43	1	9	-	-	21
Adrian	198	-	-	-	-	-	2	1	-	1	-	25	-	5	-	-	14
Alpena	125	-	-	-	2	-	4	1	-	-	-	12	-	6	-	-	7
Benton Harbor	212	-	-	-	-	-	2	-	-	2	-	21	-	8	-	-	14
Birmingham	85	-	-	-	-	-	2	-	-	1	1	8	-	4	-	-	6
Ecorse[3]	96	-	-	-	1	1	8	-	-	-	-	5	-	3	1	-	4
Escanaba	161	-	-	-	-	-	4	-	-	-	-	20	-	4	1	-	19
Ferndale	136	-	-	-	-	1	1	-	-	2	-	19	-	5	2	-	6

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	10	76	138	22	6	4	5	2	7	4	44	1	-	7	5	5	-	15	20	62
4	9	56	128	28	5	1	4	5	7	6	48	-	-	4	3	8	1	11	20	49
-	7	51	55	7	1	1	2	2	1	-	12	1	-	5	2	4	-	2	11	29
2	14	93	136	37	5	2	4	7	4	2	39	-	1	4	3	15	-	10	19	53
-	3	39	130	18	3	1	6	4	5	2	48	1	1	10	15	9	1	14	20	39
2	13	85	120	34	6	5	5	2	1	1	40	1	2	6	16	7	1	4	21	62
-	8	41	82	24	1	1	2	1	7	1	13	-	1	4	11	4	-	7	14	32
2	9	59	151	30	5	5	2	3	4	4	25	-	1	2	6	1	-	8	18	44
1	14	54	202	45	4	7	4	2	6	1	26	-	4	4	5	5	1	5	20	57
2	11	50	81	28	2	-	4	1	6	6	21	2	1	4	4	3	-	4	14	30
1	11	56	51	14	1	1	2	7	4	-	19	-	2	3	3	4	-	4	9	21
-	7	14	14	-	-	-	2	2	1	-	13	-	-	3	4	4	-	1	1	11
-	6	20	22	6	1	1	-	-	2	-	13	-	-	3	-	-	-	1	3	10
1	3	18	23	5	-	-	1	1	-	2	7	-	1	1	-	-	-	4	6	9
1	3	5	45	6	2	-	-	1	-	2	8	-	-	1	6	3	-	1	3	14
1	6	35	42	6	2	1	-	3	4	2	9	-	1	5	3	5	-	-	11	32
-	6	15	38	10	-	-	1	3	2	2	11	-	-	-	-	3	1	1	7	15
-	1	17	26	5	1	1	-	1	2	1	7	-	-	4	-	1	-	3	6	13
2	4	21	181	37	1	1	1	4	4	1	21	2	-	-	2	6	-	1	23	26
-	1	29	30	2	4	-	1	2	-	2	6	-	2	1	1	1	-	5	7	14
-	2	12	21	5	-	1	1	-	2	-	1	-	-	1	2	1	-	1	4	7
-	-	13	21	7	-	-	2	1	-	-	5	-	1	1	1	1	-	3	5	4
-	2	30	70	16	3	3	4	2	1	2	2	-	-	4	5	4	-	4	9	20
-	2	19	56	23	2	1	2	3	-	4	18	-	-	3	6	1	-	2	11	26
1	13	35	60	14	4	1	1	2	1	-	30	-	-	1	2	6	-	1	14	27
2	1	17	24	8	1	1	1	1	3	2	16	-	-	5	4	2	-	3	5	19
1	2	29	47	8	3	2	-	3	1	3	9	1	-	4	5	6	1	2	8	16
-	5	24	38	10	3	1	4	3	2	1	8	-	-	4	1	3	-	3	10	9
-	4	14	40	3	-	1	-	1	1	-	7	-	-	1	1	2	-	1	8	12
3	4	38	35	7	1	-	1	-	1	1	8	1	-	2	1	4	-	-	3	19
1	8	18	40	21	3	-	-	1	2	1	17	1	-	4	2	2	-	3	10	26
1	3	25	24	7	1	-	1	4	2	1	7	-	-	2	3	1	-	4	5	19
1	4	20	44	7	1	1	-	2	1	1	13	-	3	-	5	2	-	4	6	14
2	3	26	30	8	1	1	-	1	-	1	14	1	-	4	1	2	-	2	7	12
-	1	18	26	2	1	-	1	1	1	1	3	-	-	1	2	1	-	2	5	13
-	1	33	46	16	1	-	-	1	1	-	9	-	-	2	5	1	-	-	2	13
-	4	23	72	10	3	-	1	-	3	4	38	1	-	2	9	4	-	3	10	15
1	8	26	147	21	1	1	1	1	1	1	12	-	-	3	7	5	-	5	23	61
-	2	21	20	5	2	-	-	-	-	1	19	-	1	4	2	2	-	5	2	8
-	-	4	20	7	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	12
1	3	24	36	17	3	1	1	2	1	1	8	-	-	1	2	-	-	4	5	12
1	5	20	50	6	2	6	-	2	5	-	6	1	-	4	7	3	-	4	2	23
-	3	25	37	7	-	-	1	1	1	2	15	1	-	2	5	1	1	3	4	9
-	4	22	27	3	2	1	-	1	1	2	5	-	-	3	2	4	1	2	5	15
1	2	13	26	7	-	-	3	2	1	-	11	-	-	2	-	3	-	1	5	8
-	4	18	25	3	1	1	1	1	2	1	9	-	-	2	2	2	-	3	7	11
1	2	11	29	8	1	1	1	1	-	-	3	-	-	4	1	-	-	1	3	12
-	4	19	18	2	1	-	1	1	2	-	5	-	1	2	2	1	-	1	3	16
-	2	24	37	7	-	1	1	2	1	1	13	1	-	1	-	2	-	1	7	19
-	2	20	34	7	1	1	1	2	-	-	4	-	-	2	4	-	-	-	4	8
1	6	24	18	4	2	-	-	1	3	1	7	-	-	1	-	1	-	2	1	14
2	5	19	49	9	5	6	1	4	1	-	10	-	1	3	3	8	1	4	10	11
-	1	23	27	7	-	3	-	-	2	1	8	-	-	-	3	3	1	5	8	14
-	5	26	57	7	2	-	1	1	1	1	11	1	-	2	2	3	-	5	15	14
-	3	20	14	3	2	1	-	1	1	1	5	-	1	2	2	2	-	1	1	10
-	5	23	38	8	1	-	1	2	-	1	6	-	1	2	1	4	1	6	8	8
-	8	34	30	13	3	-	1	2	1	1	11	1	-	1	3	-	-	4	14	21
58	334	1,169	2,359	577	104	55	113	113	188	79	690	20	55	183	323	189	36	440	446	1,225
8	52	74	408	105	13	4	21	13	8	2	120	9	15	10	57	11	47	41	42	198
7	22	94	212	82	6	9	11	11	7	9	84	4	2	17	56	22	3	68	37	163
5	35	172	381	60	12	7	10	10	12	10	83	1	3	24	28	25	2	70	74	156
2	6	51	54	18	1	-	-	4	3	1	22	-	2	5	16	3	-	13	11	54
1	22	37	114	27	4	2	5	4	5	7	29	4	2	4	17	5	2	23	32	78
1	13	49	91	32	2	1	6	4	4	4	30	1	-	6	18	3	-	19	10	78
3	13	37	89	25	4	6	7	4	6	2	19	1	2	8	17	7	2	23	13	45
1	8	24	68	26	4	2	6	6	8	6	9	-	2	3	11	8	5	12	6	31
3	8	61	90	18	7	-	4	6	5	3	20	1	1	5	9	8	2	15	15	38
3	8	61	128	20	7	2	3	6	4	1	31	-	-	4	19	5	1	29	23	83
3	16	72	210	44	5	2	5	10	8	3	54	1	1	8	15	15	2	22	38	103
2	6	81	119	29	5	6	8	5	7	2	45	1	3	10	24	5	1	33	22	90
2	10	40	89	35	3	9	2	6	-	3	20	1	-	9	29	8	-	18	18	68
5	6	72	99	65	2	9	6	10	4	10	25	3	2	9	27	16	3	29	48	93
2	8	37	66	10	5	2	1	5	3	5	31	-	1	5	12	4	3	18	12	37
2	2	26	32	7	2	1	1	6	1	-	8	1	1	1	8	2	1	15	6	28
5	12	98	176	37	1	8	6	3	8	6	45	1	5	10	23	10	8	27	38	105
-	7	24	45	11	1	4	-	-	2	1	13	-	1	3	12	3	-	15	8	23
1	-	27	33	9	2	2	-	3	2	-	12	1	1	6	4	3	1	8	9	24
-	1	15	30	1	-	-	2	-	-	-	15	-	-	1	4	-	-	6	4	14
3	-	27	35	25	-	4	-	-	-	2	5	-	-	1	12	3	2	9	12	25
1	3	6	7	1	1	1	1	-	-	-	13	-	1	2	5	-	-	7	4	10
2	3	8	14	5	-	-	2	3	-	2	4	-	2	-	5	2	-	6	4	11
3	-	6	35	9	-	1	-	4	3	-	10	-	-	2	1	1	2	7	13	16
-	1	15	22	6	3	-	-	3	-	1	6	-	1	3	4	3	-	11	5	16

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
MICHIGAN—Continued																	
Grosse Pointe Park	80	-	-	-	-	-	1	-	-	2	-	8	-	2	1	-	4
Holland	120	-	-	-	-	-	2	-	-	-	-	21	-	7	-	-	10
Iron Mountain	107	-	-	-	1	-	6	-	-	-	-	17	-	2	-	-	10
Ironwood	129	-	-	-	1	-	6	-	-	-	-	21	-	3	-	-	18
Lincoln Park	67	-	-	-	-	-	2	-	-	-	-	7	-	2	-	-	2
Marquette	132	-	-	-	-	-	1	1	-	-	-	20	-	5	-	-	18
Menominee	124	-	-	-	-	-	2	1	-	3	-	9	-	8	1	-	13
Midland	80	-	-	-	-	-	-	-	-	-	-	8	-	4	-	-	7
Monroe	210	-	-	-	-	-	4	-	-	1	-	28	1	2	1	-	18
Mount Clemens	170	-	-	-	-	-	5	-	-	2	-	16	-	3	1	-	26
Muskegon Heights	119	-	-	-	-	-	2	-	-	-	-	15	-	4	-	-	10
Niles	113	-	-	-	-	-	3	-	-	-	-	9	-	6	-	-	15
Owosso	171	-	-	-	-	-	1	-	-	3	-	26	-	7	-	1	15
River Rouge [3]	135	-	-	2	-	-	8	2	-	-	-	19	2	5	-	-	5
St. Clair Shores	78	-	-	-	-	-	2	2	-	-	-	9	-	1	-	-	2
Sault Ste. Marie	169	-	-	-	-	-	-	-	-	3	-	20	-	4	1	-	10
Traverse City	139	-	-	-	-	-	3	-	-	-	-	17	-	4	-	-	16
Ypsilanti [3]	142	-	-	-	-	-	2	1	-	-	-	19	-	9	2	-	17
MINNESOTA																	
Duluth	1,107	-	-	-	2	-	18	4	-	16	2	179	-	27	3	-	93
Minneapolis	4,772	1	-	-	2	1	87	10	-	58	4	733	3	125	16	-	493
St. Paul	2,772	-	-	-	2	-	73	5	1	35	5	418	2	77	10	1	249
Rochester	391	-	-	-	-	-	4	3	-	12	-	52	1	5	-	1	39
Albert Lea	111	-	-	-	-	-	5	-	-	-	1	13	-	2	-	-	7
Austin	145	-	-	-	-	-	1	1	-	1	-	21	-	5	1	-	9
Brainerd	137	-	-	-	-	-	1	-	-	1	-	15	-	4	-	-	24
Faribault	151	-	-	-	-	-	3	2	-	-	-	20	-	6	2	-	7
Fergus Falls	228	-	-	1	-	-	28	-	-	3	1	15	-	2	1	-	25
Hibbing	139	-	-	-	1	-	2	-	-	-	-	18	-	5	-	-	15
Mankato	159	-	-	-	-	-	3	-	-	-	-	25	-	2	-	-	20
St. Cloud	228	-	-	-	-	-	7	-	-	1	-	35	-	4	1	-	25
South St. Paul	76	-	-	-	1	-	-	-	-	2	-	9	-	3	1	-	10
Virginia	109	-	-	-	-	-	-	-	-	3	1	14	-	5	-	-	12
Winona	258	-	-	-	2	-	2	-	-	4	-	32	1	7	-	-	31
MISSISSIPPI																	
Jackson—White	324	1	-	-	1	-	2	-	1	3	-	34	-	1	1	1	31
All other	333	-	-	-	4	-	11	2	-	12	-	24	1	10	-	2	23
Meridian—White	283	1	-	-	-	-	11	-	-	2	-	21	-	2	1	2	14
All other	216	1	-	-	-	-	11	2	-	8	-	17	1	-	-	3	19
Biloxi—White	156	-	-	-	-	-	4	-	-	1	-	8	-	3	-	-	8
All other	46	-	-	-	1	-	1	-	-	2	-	1	-	-	-	1	6
Clarksdale—White	46	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	2
All other	89	-	-	-	1	-	4	1	1	1	-	6	-	-	-	1	1
Columbus—White	105	-	-	-	-	-	3	-	-	-	-	11	-	3	-	1	10
All other	107	-	2	-	-	-	4	-	1	3	-	3	-	-	-	1	7
Greenville—White	95	-	-	-	-	-	4	-	-	1	-	11	-	3	-	-	6
All other	226	1	-	-	1	-	10	1	1	7	-	15	-	2	-	3	33
Greenwood—White	54	-	-	-	-	-	3	-	1	2	-	6	-	-	-	-	2
All other	116	-	-	-	-	-	9	-	1	4	-	9	-	-	-	-	7
Gulfport—White	134	-	1	-	-	-	3	1	-	10	-	13	-	2	-	-	21
All other	48	-	-	-	-	-	1	-	-	1	-	3	-	-	1	-	4
Hattiesburg—White	139	-	-	1	1	-	1	-	-	-	-	12	-	2	-	2	14
All other	133	-	-	-	1	-	3	-	1	4	-	4	-	1	-	1	11
Laurel—White	111	-	1	-	-	-	1	-	1	-	-	14	-	-	-	-	11
All other	130	-	-	-	-	-	8	-	-	2	-	1	-	1	-	1	25
Natchez—White	76	-	-	-	-	-	1	-	-	1	-	4	-	1	-	-	7
All other	142	-	-	-	1	-	4	-	1	4	-	9	-	1	-	-	9
Vicksburg—White	138	-	-	1	2	-	2	-	1	1	-	14	-	6	-	-	12
All other	203	-	-	-	-	-	6	-	5	7	1	12	-	2	-	-	26
MISSOURI																	
Kansas City—White	3,944	2	-	-	6	1	107	4	-	50	2	543	3	93	6	1	316
All other	750	-	-	-	3	-	60	7	-	39	-	59	-	11	-	2	49
St. Louis—White	8,016	2	1	4	10	3	287	18	2	131	1	1,226	4	262	20	4	557
All other	1,876	2	-	-	1	-	212	7	-	63	-	161	1	31	4	3	116
Joplin	486	1	-	-	2	-	38	2	-	8	-	56	-	8	-	-	44
St. Joseph	1,034	-	2	-	1	-	26	1	-	46	-	120	1	16	1	1	117
Springfield	671	1	-	-	2	1	17	1	-	4	-	84	1	7	2	-	78
University City	277	-	-	-	-	-	3	1	-	4	-	44	-	11	4	-	15
Cape Girardeau	202	-	-	1	-	1	4	3	1	-	-	24	-	6	1	-	15
Carthage	134	-	1	-	-	-	7	-	1	-	-	10	-	3	1	-	11
Clayton	102	-	-	-	-	-	1	-	-	1	-	17	-	1	-	-	2
Columbia [3]	215	-	-	1	-	-	6	-	-	4	-	30	1	9	-	-	21
Hannibal	248	-	-	-	2	-	8	-	-	2	-	31	-	7	3	-	15
Independence	243	-	-	-	-	-	3	1	1	2	-	26	-	5	1	-	22
Jefferson City	241	-	-	-	1	-	9	-	-	6	-	30	1	6	-	-	17
Kirksville	121	-	-	-	-	-	2	1	-	-	-	16	-	4	-	-	10
Kirkwood	141	-	-	-	-	-	4	-	-	4	-	8	-	6	-	-	15
Maplewood	121	-	-	-	-	-	4	-	-	-	-	22	-	4	-	-	4
Moberly	180	-	-	-	1	-	3	1	-	3	-	14	-	3	-	-	15
Poplar Bluff	165	-	-	-	1	-	8	-	-	-	-	21	-	2	-	-	14
Richmond Heights	92	-	-	-	-	-	2	2	-	-	-	14	-	1	1	-	5
St. Charles	149	-	-	-	1	-	4	-	-	1	-	29	-	5	-	-	12
Sedalia	283	1	-	-	4	-	4	2	-	5	-	24	-	6	1	-	31
Webster Groves	172	-	-	-	-	-	4	-	-	-	-	26	-	7	-	-	18

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	-	18	17	4	-	-	1	2	3	-	5	-	-	1	2	-	-	2	1	6
-	2	18	11	9	-	1	-	1	1	1	1	2	1	3	2	-	-	4	3	20
-	-	9	22	2	2	1	-	-	1	2	2	-	-	-	-	2	-	6	7	15
1	1	8	22	3	1	1	1	2	2	1	7	-	-	2	5	4	-	3	9	9
1	-	7	13	4	-	1	-	2	-	-	4	-	1	1	3	-	-	6	3	8
-	-	8	29	6	-	-	1	-	-	2	7	-	-	2	5	2	1	4	6	14
-	2	9	16	2	-	1	1	3	1	1	12	-	-	2	7	-	-	1	11	18
-	-	10	10	2	-	1	1	2	1	-	11	-	-	2	5	-	-	2	5	9
2	6	17	33	17	3	2	3	5	1	1	5	1	2	2	6	3	1	9	12	24
-	1	15	39	7	1	1	6	2	2	1	8	-	1	1	4	3	-	7	3	15
2	3	9	16	8	-	4	1	-	1	-	6	-	1	-	10	1	-	6	9	11
3	6	13	21	5	-	-	1	1	-	2	6	-	-	1	1	-	-	5	5	10
-	2	11	26	6	1	1	2	2	-	-	14	-	-	1	6	4	1	6	8	27
-	4	9	20	10	2	-	-	1	1	-	3	1	1	4	6	1	1	5	10	13
-	1	10	13	6	-	1	1	-	-	-	3	-	-	5	3	1	-	6	6	6
-	3	13	29	10	2	1	2	1	4	-	9	-	-	6	1	1	2	7	14	26
1	-	7	23	6	-	3	-	2	1	-	4	1	1	2	4	2	-	6	7	27
-	1	11	34	13	1	2	1	2	-	1	4	-	-	2	2	-	-	7	3	8
2	19	141	182	46	8	4	8	8	10	11	30	-	3	9	24	26	4	30	55	143
13	114	738	592	296	29	11	33	42	37	37	177	10	6	61	106	90	13	138	246	450
5	61	344	485	149	25	13	12	16	31	20	115	6	10	34	54	29	7	57	133	288
2	5	31	46	45	-	3	3	7	-	6	3	1	-	6	3	5	-	8	15	85
-	4	22	7	4	1	1	3	1	-	1	8	-	1	1	5	-	-	4	6	14
3	3	10	20	5	2	1	2	2	2	-	4	1	1	2	9	3	-	10	10	16
-	1	15	18	8	-	2	2	1	-	-	5	-	-	5	3	1	-	3	6	22
2	12	13	13	12	-	-	-	4	-	1	11	-	1	4	2	1	-	3	18	14
-	3	11	37	35	-	-	2	2	2	-	10	-	-	1	3	2	-	1	1	42
-	1	16	29	8	-	-	1	1	-	1	-	2	-	3	3	-	-	7	7	19
1	2	17	18	7	3	-	2	3	1	4	12	1	-	3	1	1	-	7	5	21
2	5	20	24	11	-	4	2	1	1	3	14	-	1	6	10	3	-	5	16	27
-	1	11	9	2	1	1	1	3	-	-	3	-	-	-	1	1	-	3	6	7
-	3	7	19	3	-	-	1	1	1	3	2	-	-	3	2	4	-	4	9	12
1	2	33	32	6	1	1	1	3	2	1	17	-	-	4	3	5	-	8	15	24
1	3	26	38	11	-	1	3	7	3	2	24	2	2	8	18	4	1	17	18	59
3	6	3	18	34	2	5	7	4	-	-	57	3	3	-	5	-	13	7	10	64
2	1	7	57	21	2	2	1	1	1	1	28	1	-	6	8	5	2	12	16	55
1	-	1	26	13	-	2	1	5	-	1	34	3	1	-	2	-	7	2	10	45
2	-	5	35	8	-	3	-	1	4	-	13	4	-	1	9	1	1	7	9	29
-	-	1	14	3	-	-	-	-	-	-	4	-	-	-	-	-	1	3	2	6
-	-	7	3	4	-	-	-	2	1	-	8	-	-	1	2	-	-	1	1	10
-	9	-	7	8	1	1	2	2	-	-	10	-	1	-	1	-	4	1	6	20
-	-	10	13	7	-	-	-	1	-	-	8	-	-	-	5	1	-	7	4	21
-	1	-	17	13	-	1	1	3	-	-	16	2	1	-	-	2	1	2	6	20
-	1	5	13	2	1	1	3	1	1	2	5	-	1	2	5	-	-	2	3	22
-	2	1	19	16	1	5	5	2	-	2	25	-	3	-	3	-	11	2	6	49
-	-	9	4	5	-	1	-	-	-	2	7	-	-	1	3	-	1	2	1	4
1	5	3	6	7	1	3	1	1	-	-	17	1	3	-	2	-	1	4	2	28
-	-	8	22	8	1	2	2	-	-	-	11	-	1	1	1	1	-	3	5	17
-	-	1	11	1	-	-	-	1	-	-	10	-	-	-	1	-	3	1	2	5
-	-	10	11	10	-	2	2	1	1	-	11	1	-	4	7	2	1	11	8	24
2	-	1	16	15	-	1	-	2	1	-	19	1	-	-	6	1	6	4	9	23
-	3	4	13	7	-	1	1	1	-	-	3	-	2	-	8	1	-	4	12	23
-	2	3	13	8	1	-	1	1	1	-	15	3	2	1	13	-	3	2	6	17
-	3	6	8	5	-	1	-	2	2	-	5	1	2	-	6	1	-	4	6	10
1	8	5	34	4	-	2	1	2	-	-	13	1	1	-	2	-	-	2	4	33
1	1	12	17	9	-	1	-	-	1	-	15	-	-	2	3	2	-	5	9	21
-	7	2	15	21	-	2	2	3	-	1	26	2	-	1	6	-	4	4	4	44
14	118	363	762	247	22	9	30	42	55	45	257	4	5	29	65	51	15	97	179	401
1	30	18	146	70	3	2	10	12	5	-	67	1	2	1	15	3	17	10	23	84
28	189	495	1,544	386	58	22	57	72	157	50	614	13	14	59	116	97	28	186	389	710
4	41	60	318	154	9	10	12	26	10	7	208	6	10	9	50	4	42	29	51	215
2	5	48	73	31	2	-	8	7	3	1	40	-	2	3	18	2	1	19	14	48
2	32	86	182	113	3	5	11	2	5	2	66	1	1	1	18	17	4	16	45	90
4	9	49	123	54	5	6	4	4	5	5	44	3	-	4	13	8	5	31	27	70
1	8	24	55	15	1	2	2	-	2	2	24	1	1	2	6	3	1	4	12	29
3	3	17	31	8	2	7	1	4	4	1	16	-	-	1	8	4	1	5	7	23
-	2	10	26	7	-	1	-	-	1	-	19	-	1	-	3	1	-	5	7	17
-	3	9	19	6	-	1	-	1	2	1	9	1	-	-	5	2	-	3	8	10
2	6	12	31	16	1	-	3	3	1	-	14	-	-	1	5	2	3	7	8	28
1	3	25	55	16	1	-	3	4	1	2	26	1	2	1	1	5	-	5	8	20
-	6	33	25	23	2	3	5	5	2	1	35	-	-	1	4	-	-	5	8	24
1	8	15	33	26	-	2	7	5	4	1	16	-	1	7	6	6	-	6	8	19
1	-	6	31	8	-	2	1	1	1	1	11	-	-	2	1	2	-	2	7	11
-	2	7	38	9	-	1	-	4	2	2	10	-	1	2	2	2	-	4	4	14
-	4	12	22	7	-	-	-	-	1	-	14	-	-	1	-	3	-	6	10	7
-	6	14	28	15	3	2	1	1	-	2	23	3	-	-	5	2	2	2	6	25
-	4	11	20	23	2	4	2	-	-	4	8	-	1	1	9	-	2	7	6	15
1	2	9	21	5	-	-	1	-	-	-	7	-	2	1	3	-	-	3	2	10
-	2	7	30	6	-	1	-	-	3	1	12	1	-	2	7	-	-	2	5	18
2	5	25	49	18	3	1	2	6	1	1	41	-	-	1	1	2	-	11	9	27
-	3	7	36	7	1	1	2	1	2	2	15	-	1	2	2	3	3	6	8	15

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 85
MONTANA																	
Butte	638	-	1	1	-	-	57	4	-	4	1	72	-	14	1	-	36
Great Falls	321	-	-	1	-	1	11	-	-	8	-	49	-	6	-	-	34
Anaconda	144	-	-	-	-	-	3	-	-	-	-	24	-	1	1	-	12
Billings	261	-	-	-	-	-	3	3	-	1	1	25	2	7	2	-	25
Helena	194	-	-	-	1	-	2	-	-	1	-	27	1	3	1	-	12
Missoula	215	-	-	-	-	1	-	-	-	1	-	25	-	6	-	-	21
NEBRASKA																	
Omaha	2,354	-	-	-	1	-	60	5	-	34	-	323	2	66	3	-	248
Lincoln	804	1	-	-	-	-	6	4	-	6	-	146	1	29	2	-	88
Beatrice	115	1	-	-	2	-	1	-	-	1	-	11	-	5	-	-	19
Fremont	147	-	1	-	-	1	1	-	-	-	-	27	-	5	-	-	15
Grand Island	176	-	-	-	1	-	3	-	-	2	-	31	-	5	1	-	18
Hastings	161	-	-	-	2	-	2	-	-	-	-	24	-	3	-	-	29
Norfolk	113	-	-	-	-	-	1	1	-	2	-	18	-	3	-	-	9
North Platte	136	-	-	-	-	-	2	-	-	-	-	13	-	3	1	-	10
Scottsbluff	108	-	-	-	1	-	1	-	-	3	-	8	-	2	1	-	12
NEVADA																	
Reno	298	-	-	-	1	-	9	1	-	10	-	40	-	5	-	-	20
NEW HAMPSHIRE																	
Concord	519	-	-	1	-	-	22	2	-	12	-	50	-	9	-	-	39
Manchester	932	-	-	1	7	-	25	2	-	5	-	123	2	20	-	-	95
Nashua	357	-	2	-	2	-	7	1	-	-	1	48	1	6	-	-	30
Berlin	149	-	-	-	-	-	3	-	-	-	-	18	-	6	-	-	11
Claremont (town)	97	-	-	-	-	-	2	-	-	-	-	14	-	4	-	-	7
Dover	174	-	1	-	-	-	4	-	-	2	-	24	-	6	-	-	23
Keene	172	-	1	-	-	-	2	1	-	1	-	28	-	5	1	-	26
Laconia	162	-	-	-	-	-	2	-	-	3	1	18	-	7	-	-	16
Portsmouth	180	-	-	-	-	-	3	1	-	5	-	30	-	3	1	-	16
Rochester	123	-	1	-	-	-	3	1	-	-	-	19	-	4	-	-	13
NEW JERSEY																	
Camden—White	1,116	1	-	1	2	-	39	6	-	5	-	150	2	36	2	-	81
All other	201	-	-	-	-	-	20	1	-	5	-	10	-	5	1	-	12
Elizabeth	1,057	1	-	-	-	-	33	4	-	12	-	161	3	34	1	-	84
Jersey City—White	3,089	-	-	-	4	4	133	4	-	20	-	320	6	90	8	1	274
All other	200	-	-	-	1	-	29	6	-	1	-	19	1	2	-	-	19
Newark—White	4,040	-	1	2	2	-	135	4	-	16	3	612	7	153	13	1	271
All other	680	-	-	-	2	-	102	24	-	27	-	44	4	11	1	-	30
Paterson	1,605	-	-	-	-	1	37	4	-	6	1	235	1	66	7	-	170
Trenton	1,622	-	-	1	1	-	73	7	-	47	-	198	3	45	6	-	132
Atlantic City—White	639	-	-	-	-	-	20	1	-	-	-	86	-	27	-	-	69
All other	277	-	-	-	-	-	27	4	-	5	-	17	-	4	-	-	31
Bayonne	666	-	-	-	-	-	27	3	-	4	-	103	5	25	-	-	50
Belleville	226	-	-	-	-	-	6	-	-	1	-	35	1	13	1	-	17
Bloomfield	384	-	-	-	-	-	7	1	-	1	-	60	-	14	1	1	32
Clifton	388	-	-	-	-	-	2	1	-	3	-	63	2	22	-	1	43
East Orange	757	-	-	-	1	-	12	2	-	6	-	120	2	20	1	1	68
Garfield	204	-	-	-	-	-	8	-	-	1	-	36	-	10	-	-	26
Hackensack—White	218	-	1	-	-	-	3	-	-	1	-	25	1	7	-	-	25
All other	29	-	-	-	-	-	4	-	-	2	-	5	1	-	-	-	1
Hoboken	628	-	-	-	-	-	20	-	-	6	-	73	1	18	2	1	43
Irvington	487	-	-	-	-	-	8	2	-	1	-	90	1	31	5	-	29
Kearny	333	-	1	-	1	-	6	2	-	2	-	51	-	2	1	-	22
Montclair—White	368	-	-	-	-	-	4	-	-	4	-	47	-	12	-	-	29
All other	86	-	-	-	-	-	8	1	-	2	-	7	-	3	1	-	6
New Brunswick	374	1	-	-	-	-	16	-	-	6	-	55	1	23	-	-	33
North Bergen (twp.) [2]	368	-	-	-	2	-	18	-	-	1	-	52	2	13	1	-	26
Orange—White	307	-	1	-	-	-	6	1	-	2	-	45	-	10	2	-	27
All other	67	-	-	-	-	-	5	1	-	2	-	6	-	2	1	-	2
Passaic	585	1	-	-	1	-	25	2	-	5	1	105	1	27	1	-	61
Perth Amboy	374	-	1	-	-	-	18	-	-	2	-	69	-	7	1	-	25
Plainfield—White	356	-	-	-	-	-	10	-	-	1	-	66	-	13	-	-	37
All other	58	-	-	-	-	-	8	-	-	2	-	9	-	2	-	-	4
Teaneck (twp.) [2]	174	-	1	-	-	-	4	-	-	-	-	34	-	6	-	-	11
Union City	596	-	-	-	-	-	22	-	-	4	-	82	-	27	2	-	50
West New York	307	-	1	-	-	-	10	-	-	1	-	41	1	15	2	-	27
West Orange	211	-	-	-	-	-	3	-	-	1	-	34	-	9	1	1	23
Woodbridge (twp.) [2]	227	-	1	-	-	-	10	2	-	2	-	39	-	7	-	-	11
Asbury Park—White	152	-	-	-	-	-	6	1	-	-	-	16	-	9	-	-	14
All other	68	-	-	1	-	-	10	-	-	2	-	7	-	2	-	-	5
Bergenfield	85	-	2	-	-	-	1	-	-	-	-	17	-	3	2	-	7
Bridgeton—White	198	-	-	-	-	-	1	-	-	-	-	26	-	5	1	-	20
All other	32	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	2
Burlington—White	92	-	-	-	1	-	4	-	-	-	-	12	-	4	-	-	6
All other	11	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1
Carteret	109	-	-	-	-	-	9	-	-	-	-	19	-	4	-	-	5
Cliffside Park	129	-	-	-	-	1	2	-	-	1	1	15	-	8	-	-	8
Collingswood	149	-	-	-	-	-	2	1	-	1	-	20	-	7	-	-	15
Cranford (twp.) [2]	120	-	1	-	-	-	3	1	-	-	-	25	-	6	-	-	9
Dover	125	-	-	-	-	-	3	-	-	1	-	17	-	7	-	-	9

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 95a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4	10	33	146	25	6	-	6	5	10	6	41	-	-	3	11	9	2	21	41	68
3	4	27	50	11	2	5	2	3	3	1	16	-	-	1	17	4	1	3	17	36
4	3	11	29	3	2	-	1	2	3	2	3	-	-	2	2	-	-	12	6	18
-	6	28	30	9	5	3	1	2	1	8	10	1	1	4	12	2	1	8	19	41
-	6	13	66	8	1	-	2	4	3	2	9	-	-	2	3	4	-	3	7	13
2	5	22	30	16	1	1	1	-	-	3	5	1	-	3	8	5	1	5	23	29
12	32	267	388	110	20	9	20	22	27	16	105	2	7	25	73	48	11	39	117	262
3	18	78	135	32	6	2	5	7	3	9	49	1	1	7	8	7	-	20	32	98
-	4	8	23	8	-	-	-	-	-	-	5	-	1	1	2	-	-	5	5	13
-	1	15	28	10	1	-	-	2	-	1	5	-	-	-	3	5	-	2	9	15
-	2	13	21	5	-	2	2	1	2	2	10	1	-	2	7	2	1	7	12	23
2	1	16	17	7	1	-	1	-	1	1	14	-	2	-	3	2	-	2	6	25
-	12	9	13	4	2	1	-	-	-	1	16	-	-	2	8	1	-	1	1	8
1	1	12	21	-	2	1	-	4	5	1	18	1	1	2	3	5	1	5	4	19
1	1	4	20	10	-	2	1	3	-	-	5	1	1	1	1	3	-	5	5	16
1	1	34	60	12	4	2	2	5	4	1	14	1	1	2	6	5	3	7	13	34
2	5	42	175	26	4	1	3	4	3	2	35	1	-	2	7	9	-	2	12	51
5	17	113	172	33	4	5	8	8	11	3	75	2	1	11	20	12	1	9	34	108
1	4	41	68	8	3	2	6	1	3	5	40	-	1	7	7	5	1	4	10	42
2	3	17	27	8	1	-	1	1	-	3	10	-	1	2	4	-	-	1	15	15
-	3	8	16	10	1	1	-	1	-	2	3	-	-	1	2	-	-	-	6	16
-	4	22	22	10	1	1	2	-	2	1	8	-	-	1	5	1	-	4	8	22
-	5	14	18	9	-	-	1	2	-	1	16	1	-	1	3	3	-	-	15	18
-	4	19	34	2	1	-	2	1	2	2	8	-	-	5	2	2	-	1	7	23
2	2	23	31	7	1	-	2	1	3	-	16	-	1	3	-	1	-	2	6	20
1	3	14	24	3	-	1	1	-	-	-	5	-	1	-	4	1	-	1	5	18
3	21	110	226	71	5	14	9	10	15	3	90	6	3	10	20	10	1	22	43	99
-	3	6	33	30	1	1	-	1	2	-	23	-	1	-	11	-	5	6	4	20
5	18	113	190	72	12	1	12	9	12	11	50	1	3	6	22	10	1	20	51	105
7	84	151	793	147	27	21	12	28	55	23	136	7	3	20	41	20	5	57	116	272
1	6	2	34	15	2	1	-	3	1	-	19	-	1	3	9	1	1	2	8	13
13	84	306	1,017	149	31	11	28	32	51	26	213	6	11	29	79	54	4	72	180	424
4	12	9	130	38	1	5	18	10	5	-	39	3	2	1	32	1	13	7	23	82
1	33	167	291	90	17	9	9	7	15	6	88	2	3	6	52	23	2	27	51	178
5	24	159	351	73	15	19	8	5	21	7	106	2	4	6	26	11	5	26	57	199
1	10	87	118	29	4	3	2	5	7	6	56	-	3	3	6	14	3	8	19	52
2	2	12	43	29	2	3	1	4	2	1	31	1	3	2	6	2	3	6	9	25
2	15	73	132	51	4	3	4	6	9	3	36	3	1	8	12	4	1	7	27	48
1	9	17	52	4	3	2	-	1	4	2	12	-	-	4	4	3	1	6	7	20
-	8	38	77	10	2	-	5	2	3	5	38	-	1	5	6	11	-	10	11	35
-	6	30	55	18	2	-	4	5	8	1	33	1	3	8	6	13	1	11	11	35
1	14	91	184	24	5	1	7	4	12	4	49	1	1	8	9	12	-	7	25	65
1	5	11	30	8	2	-	1	2	4	2	11	-	1	1	6	2	1	2	7	26
1	5	23	41	10	3	-	1	3	1	-	20	-	-	3	3	2	-	7	6	26
1	-	-	4	1	-	1	-	-	-	-	2	-	-	-	4	-	-	1	1	1
2	12	25	234	27	3	3	5	10	10	6	27	-	1	3	10	6	3	7	28	42
2	9	38	107	15	3	4	7	3	6	3	31	2	1	4	10	13	1	7	14	40
3	5	16	106	17	-	1	3	4	5	3	24	-	1	5	2	7	-	5	13	25
1	11	34	95	12	5	3	5	8	4	1	34	-	-	2	5	6	-	2	10	34
-	2	-	13	5	-	-	-	3	-	-	5	-	1	-	1	2	1	2	13	10
1	5	23	74	18	2	2	3	3	5	5	20	1	1	2	20	7	1	13	10	25
2	5	16	103	15	2	3	6	8	8	1	19	-	2	3	6	4	2	2	17	29
1	12	19	74	11	2	2	5	1	2	5	20	2	-	2	4	7	1	3	9	31
-	4	4	14	4	-	-	-	1	1	1	9	-	1	1	3	-	-	1	-	4
3	6	51	77	20	3	1	7	5	8	7	25	-	-	10	8	14	3	12	24	71
2	7	43	72	11	2	1	4	4	4	3	20	2	1	2	6	5	-	7	21	34
-	4	41	70	14	2	1	5	2	4	1	15	-	-	4	10	3	-	7	15	31
-	-	2	14	3	-	-	-	2	-	-	6	-	-	-	1	-	-	-	1	4
1	2	16	36	6	1	-	1	3	3	2	12	-	-	3	2	3	-	1	8	18
4	13	36	157	28	9	2	8	6	19	3	27	-	-	4	13	14	1	3	20	42
1	11	14	79	16	2	2	3	3	4	4	22	2	-	1	7	3	-	6	4	25
-	1	20	43	8	1	1	1	1	5	1	11	1	-	3	6	1	-	7	5	23
1	3	23	36	14	2	-	1	2	1	2	23	1	2	1	3	9	-	6	10	15
1	5	10	37	7	-	-	-	-	1	1	9	-	-	-	1	4	-	5	4	21
-	1	3	12	3	-	-	1	1	-	-	5	-	-	-	1	-	-	1	4	9
-	1	7	20	2	-	1	-	2	1	-	8	-	1	-	-	2	-	3	2	3
1	2	13	42	8	-	4	3	-	2	1	20	-	-	3	8	2	1	4	8	23
-	-	-	6	3	-	1	-	2	1	-	4	-	-	-	-	-	1	1	2	4
-	1	10	20	4	-	1	-	1	-	-	7	-	-	-	6	1	-	1	5	8
-	-	1	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-
-	2	9	13	9	1	2	-	2	2	1	4	-	-	1	8	1	-	4	6	7
-	4	11	26	7	2	-	2	4	2	-	6	-	1	2	3	3	-	5	5	10
1	2	15	34	4	1	2	1	1	-	2	14	-	-	1	1	1	-	3	9	11
1	-	17	22	5	-	-	3	1	-	-	7	-	-	-	1	4	1	-	5	8
-	-	14	23	3	-	-	2	3	1	-	6	-	-	1	1	1	-	9	4	20

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW JERSEY—Continued																	
Englewood—White	158	-	-	-	-	-	3	1	-	3	-	27	-	4	-	-	12
All other	33	-	-	-	-	-	4	-	-	-	-	1	-	-	-	-	-
Gloucester	188	-	-	-	-	-	7	-	-	-	-	34	-	8	-	-	18
Harrison	166	-	-	-	1	-	6	2	-	-	-	19	-	3	-	-	12
Hawthorne	126	-	-	-	-	-	2	2	-	1	-	25	-	6	1	-	8
Hillside (twp.) [2]	152	-	-	-	-	-	6	-	-	1	1	28	-	6	1	-	8
Linden	173	-	-	-	-	-	7	1	-	2	-	24	-	8	-	-	7
Lodi	80	-	-	-	-	-	1	-	-	-	-	12	-	5	1	-	7
Long Branch	224	-	-	-	-	-	7	-	-	2	1	36	-	3	1	-	28
Lyndhurst (twp.) [2]	172	-	-	-	-	-	6	-	-	2	-	24	-	7	-	-	9
Maplewood (twp.) [2]	204	-	-	-	-	-	7	-	-	-	-	23	-	9	1	-	24
Millburn (twp.) [2]	76	-	-	-	-	-	-	-	-	-	-	22	-	3	-	-	8
Millville	184	-	-	-	-	-	5	1	-	-	-	22	-	4	-	-	21
Morristown	202	-	-	-	1	-	5	1	-	1	-	27	-	6	-	-	17
Neptune (twp.) [2]—White	146	-	-	-	-	-	1	-	-	-	-	20	-	5	1	-	30
All other	28	-	-	-	-	-	-	-	-	4	-	2	-	-	1	-	3
North Plainfield	122	-	-	-	1	-	3	1	-	1	-	15	-	5	-	-	15
Nutley	184	-	-	-	-	-	5	1	-	1	-	34	-	2	2	-	10
Pennsauken (twp.) [2]	166	-	-	-	-	-	4	1	-	-	-	23	-	4	-	-	18
Phillipsburg	205	-	-	-	-	-	8	2	-	-	-	20	-	16	1	-	14
Pleasantville—White	120	-	-	-	-	-	6	1	-	-	1	14	-	5	-	-	9
All other	42	-	-	-	-	-	4	-	-	-	-	4	-	1	1	-	3
Rahway	188	-	-	-	-	-	4	2	-	1	-	37	-	7	2	-	10
Red Bank—White	125	-	-	-	-	-	2	-	-	2	-	24	-	4	-	-	9
All other	21	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	5
Ridgefield Park	115	-	-	-	-	-	2	1	-	-	-	16	1	5	-	-	13
Ridgewood	158	1	-	-	-	-	2	-	-	1	-	23	-	6	1	-	18
Roselle—White	110	-	-	-	-	-	3	-	-	1	-	20	-	4	-	-	8
All other	27	-	-	-	-	-	6	1	-	-	-	2	-	1	1	-	3
Rutherford	187	1	-	-	-	-	2	-	-	-	-	34	1	7	1	-	15
South Orange	148	-	-	-	-	-	1	-	-	1	-	21	-	2	-	-	14
South River	66	-	-	-	-	-	1	-	-	-	-	12	-	-	-	-	11
Summit	161	-	-	-	-	-	-	-	-	2	-	28	-	6	1	-	15
Union (twp.) [2]	201	-	-	-	-	-	4	-	-	5	-	31	1	3	2	-	11
Weehawken (twp.) [2]	164	-	-	-	-	-	3	-	-	1	-	27	-	4	-	-	13
Westfield	172	-	-	-	-	-	3	-	-	1	-	30	-	8	1	-	13
NEW MEXICO																	
Albuquerque	416	-	1	-	-	2	59	3	-	4	-	24	1	7	-	-	15
Clovis	114	-	-	-	2	-	7	1	-	1	-	7	-	-	-	-	10
Hobbs	35	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	5
Roswell	155	1	-	-	3	1	12	1	-	1	-	10	-	1	1	1	7
Santa Fe	236	-	-	-	2	-	11	2	-	3	-	20	-	2	-	1	11
NEW YORK																	
Albany	1,617	-	1	-	2	2	47	5	-	18	5	217	2	55	3	1	104
Buffalo	6,455	1	5	3	4	-	256	22	-	60	4	820	11	237	31	2	520
New York City [4]—White	69,139	13	42	7	35	11	2,582	206	3	631	13	11,176	116	2,940	162	6	3,456
All other	5,896	2	2	-	11	1	901	121	-	346	-	598	13	130	8	2	244
Rochester	3,429	1	-	-	2	1	82	8	-	34	-	459	1	113	17	2	258
Syracuse	2,334	-	-	-	1	-	63	12	-	34	-	299	-	91	7	-	232
Utica	1,475	-	-	1	-	-	28	1	-	26	1	185	5	58	7	-	103
Yonkers	1,302	-	-	-	1	-	40	6	-	10	-	170	1	47	5	-	103
Amsterdam	327	-	1	-	-	-	8	1	-	2	-	49	-	9	2	-	36
Auburn	428	-	-	-	3	-	4	3	-	6	-	56	1	14	2	-	50
Binghamton	1,017	-	-	1	1	1	36	3	-	22	1	106	-	34	4	-	93
Elmira	552	-	1	-	-	-	6	-	-	12	-	74	-	16	2	-	46
Jamestown	458	-	1	-	-	-	10	-	-	-	-	56	-	9	1	-	51
Kingston	419	-	-	-	-	-	10	-	-	3	-	57	-	8	-	-	55
Mount Vernon	631	-	-	-	-	-	17	4	-	11	-	117	-	34	2	-	31
Newburgh	436	-	1	-	-	-	10	1	-	3	2	64	1	15	2	-	48
New Rochelle [3]	533	1	1	-	-	-	13	2	-	9	-	94	1	16	2	-	49
Niagara Falls	739	-	-	-	-	-	12	4	-	7	-	111	2	26	3	-	43
Poughkeepsie	499	-	1	-	3	-	8	-	-	3	-	78	-	12	-	-	36
Rome	391	-	-	-	-	-	22	-	-	7	1	34	-	15	4	-	22
Schenectady	1,033	-	1	-	-	-	20	1	-	13	-	149	-	38	4	-	92
Troy	1,080	-	-	1	-	-	30	1	-	12	4	128	1	25	1	-	91
Watertown	434	-	-	-	1	-	6	2	-	4	-	53	2	12	2	-	43
White Plains	387	-	-	-	-	-	12	2	-	4	-	63	-	9	2	-	21
Batavia	201	-	-	-	1	-	6	-	-	1	-	16	-	6	1	-	11
Beacon	174	-	-	2	-	-	9	-	-	5	-	19	-	7	-	-	12
Cohoes	277	-	1	-	-	1	5	-	-	1	-	31	-	9	-	-	40
Corning	183	-	-	-	2	-	4	1	-	3	-	25	-	7	1	-	14
Cortland	192	-	-	-	-	-	2	1	-	-	-	29	-	4	1	-	18
Dunkirk	206	-	-	-	1	-	3	2	-	1	-	25	-	10	1	-	23
Endicott	131	-	-	-	-	-	2	1	-	3	-	18	-	11	-	-	12
Floral Park	122	-	1	-	-	-	3	-	-	-	-	28	-	3	-	-	4
Freeport	197	-	-	-	-	-	5	-	-	1	-	31	-	5	-	1	12
Fulton	152	-	-	-	-	-	2	2	-	2	-	23	-	4	-	-	19
Garden City	94	-	-	-	-	-	-	-	-	-	-	15	-	2	2	-	11
Geneva	160	-	-	-	-	-	3	2	-	1	-	19	-	4	-	-	29
Glen Cove	119	-	-	-	-	-	3	1	-	2	-	22	-	8	-	-	6
Glens Falls	244	-	-	-	-	-	3	-	-	3	-	39	-	4	-	-	27
Gloversville	309	-	2	-	-	-	2	-	-	2	-	40	-	11	-	-	39
Hempstead	228	-	-	-	-	-	6	1	-	2	-	29	1	7	1	-	13

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 92c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
-	3	16	41	4	1	1	-	4	1	1	12	1	1	1	1	1	-	1	7	11
-	2	-	10	3	-	-	-	-	1	-	3	-	-	-	1	1	-	1	1	5
-	3	18	27	11	3	4	1	1	2	1	15	1	-	3	2	1	-	3	8	17
-	3	9	48	12	2	1	-	-	4	-	11	-	1	2	3	2	1	6	7	11
-	3	9	24	4	1	-	-	2	-	1	13	2	-	1	3	1	-	2	2	13
-	1	21	41	2	1	2	4	-	2	1	6	-	-	-	2	1	-	2	2	13
1	4	10	30	14	4	2	2	3	2	1	4	1	-	3	7	3	-	6	7	20
-	6	8	11	4	-	-	-	1	2	1	3	-	-	1	7	1	-	1	3	5
-	5	17	44	3	3	-	2	2	3	3	16	1	-	3	2	-	-	5	11	26
1	8	21	27	10	-	1	2	2	-	-	16	-	-	3	2	4	-	2	6	19
-	4	22	39	5	1	1	2	1	3	2	23	-	-	1	4	5	-	4	9	14
-	-	9	15	2	-	-	-	-	-	1	7	-	-	-	1	2	-	2	2	2
-	8	7	47	6	1	3	2	1	1	-	20	1	2	2	4	2	-	6	7	11
-	-	20	44	4	2	-	1	2	1	1	17	-	-	1	4	2	-	6	11	28
-	2	9	40	4	-	-	-	-	-	1	6	-	-	1	1	3	-	2	3	17
-	1	-	8	3	-	-	-	-	-	-	1	-	-	3	1	-	-	1	-	-
-	2	11	26	3	1	-	2	1	-	-	10	-	-	-	2	4	-	4	2	13
-	4	20	33	4	2	1	2	-	1	2	14	1	-	2	4	2	-	2	6	29
-	4	12	33	6	1	1	2	4	1	1	23	-	-	1	5	1	-	3	2	16
-	2	20	42	10	1	-	2	-	1	2	23	-	-	2	2	-	-	3	12	22
-	2	7	28	2	1	-	1	1	3	-	16	-	-	1	-	2	-	4	6	10
1	2	1	12	1	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	7
2	4	16	44	9	-	-	3	1	2	1	12	-	-	1	2	4	-	4	6	14
1	4	13	35	-	-	-	-	-	-	-	3	-	-	-	1	1	-	4	6	16
-	-	1	3	2	-	-	1	-	-	-	1	-	-	-	-	-	1	-	2	1
-	2	20	27	4	-	-	-	1	1	1	10	-	1	2	-	-	-	-	4	4
-	3	20	37	2	1	2	1	1	1	-	13	-	-	1	-	3	-	-	9	12
-	2	10	20	3	2	-	-	2	2	-	2	-	1	3	3	-	-	3	7	14
-	4	-	3	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
-	6	24	42	6	1	-	1	3	2	2	12	-	-	2	-	1	-	3	7	14
1	4	14	41	5	-	-	3	-	6	1	11	-	-	2	2	2	-	2	4	11
-	-	6	12	4	-	-	-	-	2	1	-	1	-	1	1	2	-	1	4	7
-	2	14	36	1	1	-	-	3	2	2	15	2	1	2	3	2	-	3	7	13
-	6	24	33	6	1	-	1	4	1	2	25	-	1	4	4	4	-	7	5	16
1	1	13	46	4	2	-	2	3	3	1	6	-	-	2	1	2	1	3	5	20
1	5	17	40	2	2	-	-	1	2	-	15	-	-	-	1	2	1	5	6	16
3	10	13	40	24	2	15	5	7	4	1	28	5	1	4	12	5	1	12	26	82
-	2	3	10	8	2	3	1	2	1	1	3	-	1	2	14	1	-	11	6	15
-	1	2	2	3	1	1	1	-	-	-	-	-	-	-	2	1	1	2	5	4
-	2	10	25	6	-	8	1	3	1	-	12	1	2	1	7	1	2	13	8	13
-	6	10	21	11	-	4	3	2	1	-	8	1	1	4	7	5	-	6	13	81
4	40	125	488	52	13	3	9	13	20	7	99	3	3	15	24	15	6	33	58	125
17	159	542	1,533	294	66	27	69	51	65	48	372	10	17	62	109	55	6	148	231	598
235	1,759	6,336	17,590	3,178	518	239	551	520	1,043	402	2,996	81	121	594	1,039	996	173	986	2,654	5,749
28	141	218	1,080	348	34	30	38	34	36	15	281	28	20	36	153	34	111	97	234	521
13	79	340	938	125	19	9	17	23	32	24	187	13	3	25	50	48	2	70	119	315
6	62	244	525	73	22	13	23	21	22	17	126	-	5	21	40	34	1	50	86	204
6	11	118	429	69	13	4	5	14	13	10	116	5	7	18	16	12	-	31	66	97
3	23	112	318	65	12	4	10	8	20	16	81	2	1	16	19	17	7	21	50	114
1	6	33	63	5	4	-	2	5	6	2	27	1	-	6	3	2	-	6	19	28
1	11	39	97	16	4	2	1	4	5	2	16	-	2	4	3	7	-	7	15	53
3	16	112	190	53	3	2	2	6	6	9	68	2	1	7	15	7	-	21	44	148
1	7	55	120	16	3	3	8	8	8	3	43	1	2	7	10	6	1	17	21	55
-	18	44	92	14	6	2	3	1	4	7	31	-	1	6	8	4	1	19	22	47
1	4	61	76	14	2	1	-	6	1	1	42	-	2	6	3	4	-	5	10	47
2	17	65	120	26	5	6	6	5	4	2	36	2	-	2	7	12	2	11	26	59
-	10	50	92	17	4	-	1	4	5	1	30	-	1	4	8	4	-	7	15	36
1	8	52	103	22	5	1	3	7	11	4	34	1	1	3	5	10	3	9	15	47
3	9	65	142	45	7	2	6	11	11	8	41	2	2	8	14	12	3	21	48	71
1	11	50	110	15	-	-	2	5	8	4	34	2	1	14	7	7	-	8	21	58
4	6	34	90	17	8	-	6	3	-	1	40	-	-	3	10	2	1	7	16	58
1	19	124	209	40	6	3	17	6	7	9	68	1	-	6	12	11	2	19	58	97
3	24	98	311	55	10	5	5	7	16	6	68	-	-	10	15	3	1	20	44	85
2	7	46	81	20	7	3	-	2	1	5	18	-	2	9	11	5	-	12	24	54
1	5	49	77	18	2	-	7	7	2	1	25	1	-	2	4	8	-	7	19	39
1	3	13	45	11	1	2	1	3	1	3	25	-	1	-	6	3	-	6	8	26
-	5	16	36	9	2	-	-	1	2	-	17	-	-	1	1	7	-	4	5	14
-	5	30	73	8	1	-	3	6	1	3	14	1	-	4	5	1	-	3	9	22
-	4	14	29	6	-	3	1	2	4	3	13	2	-	1	3	4	-	5	8	24
1	2	24	42	8	1	2	1	2	-	2	21	-	1	1	3	3	-	3	7	13
-	-	26	43	15	3	-	5	1	3	3	5	-	-	2	1	1	-	4	8	20
1	5	13	18	5	1	1	1	-	-	1	11	-	-	1	6	1	-	4	4	11
-	6	11	29	7	-	-	1	1	1	1	11	-	-	1	2	1	-	2	6	3
1	7	16	56	8	1	-	-	-	4	-	16	-	-	-	3	3	-	2	3	22
-	2	21	30	2	2	3	-	2	-	2	5	-	-	2	2	-	-	2	6	19
-	3	10	14	2	-	-	-	1	2	-	9	-	-	1	1	2	-	6	2	11
-	1	11	30	6	-	-	3	2	-	2	18	-	1	2	2	1	-	2	3	18
-	5	12	27	5	-	-	2	1	2	-	4	-	-	2	2	-	-	3	5	7
-	7	23	61	10	2	-	1	-	1	-	21	-	1	1	7	2	-	3	8	20
1	9	45	75	4	-	2	5	3	3	3	13	-	1	2	2	3	-	4	14	24
-	3	22	50	3	1	1	1	3	2	2	16	-	-	2	4	5	1	8	15	29

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW YORK—Continued																	
Hornell	202	-	-	-	-	-	1	1	-	2	-	24	1	7	2	-	24
Hudson	180	-	-	-	-	-	8	1	-	2	-	23	-	10	1	-	20
Irondequoit (town)	166	-	-	-	-	-	2	-	-	1	2	31	-	6	2	-	15
Ithaca	236	-	-	-	-	-	6	-	-	1	-	38	-	6	2	-	28
Johnson City	147	-	-	-	-	-	1	-	-	-	-	23	-	1	-	-	9
Johnstown	164	-	-	-	-	-	3	-	-	1	-	21	-	4	3	-	11
Kenmore	142	-	1	-	-	-	5	1	-	5	-	25	-	3	-	-	15
Lackawanna	245	-	-	-	2	-	9	1	-	1	-	24	-	7	5	-	14
Little Falls	105	-	-	-	-	-	2	-	-	-	-	13	-	4	-	-	11
Lockport	324	-	-	-	-	-	3	1	-	3	-	44	-	11	5	-	21
Lynbrook	152	-	-	-	-	-	2	-	-	-	-	21	-	5	-	-	12
Mamaroneck	115	-	-	-	-	-	1	-	-	-	-	20	-	-	-	-	8
Massena	90	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	5
Middletown	467	-	-	-	1	-	22	2	-	14	1	49	1	14	-	-	41
Mineola	81	-	-	-	-	-	3	-	-	-	-	11	-	4	-	-	4
North Tonawanda	175	-	-	-	2	-	5	-	-	-	-	28	-	4	-	-	22
Ogdensburg	355	-	-	-	-	-	14	3	-	8	-	38	-	8	2	-	38
Olean	229	-	-	1	-	-	4	2	-	1	1	38	-	6	2	-	22
Oneida	139	-	-	-	-	-	1	-	-	-	-	17	-	2	-	-	12
Oneonta	156	-	-	-	-	-	3	-	-	-	-	26	1	3	-	-	24
Ossining [3]	168	-	-	-	-	-	2	1	-	2	-	20	-	4	-	-	8
Oswego	291	1	-	-	-	1	4	-	-	1	-	34	-	5	1	-	30
Peekskill	177	-	-	-	-	-	8	2	-	-	-	22	-	11	-	-	20
Plattsburgh	156	-	-	-	-	-	2	1	-	2	-	19	-	10	2	-	14
Port Chester	200	1	-	-	-	-	7	2	-	2	1	19	-	11	3	-	17
Rensselaer	142	-	-	-	-	-	3	-	-	1	-	15	-	5	-	-	10
Rockville Centre	170	-	-	-	-	-	1	1	-	-	-	30	-	8	-	-	15
Saratoga Springs	202	-	-	-	-	-	7	-	-	6	-	31	1	8	-	-	12
Scarsdale	102	-	-	-	-	-	4	1	-	-	-	16	-	5	-	-	9
Tonawanda	103	-	-	-	-	-	2	-	-	-	-	15	-	3	-	-	10
Valley Stream	122	-	-	-	-	-	3	-	-	-	-	16	-	3	-	-	9
Watervliet	170	-	-	-	-	-	4	-	-	-	1	16	-	7	1	-	19
NORTH CAROLINA																	
Charlotte—White	476	-	-	1	-	-	9	2	-	5	-	60	1	11	-	1	38
All other	418	1	-	-	9	-	30	2	-	5	-	19	-	5	-	-	50
Asheville—White	351	-	-	-	2	-	17	-	-	1	1	47	-	4	2	-	34
All other	180	-	-	-	5	-	11	2	-	3	-	10	-	3	-	1	25
Durham—White	333	-	-	-	-	-	7	2	-	2	-	36	1	10	-	1	27
All other	280	1	-	-	7	1	21	5	-	7	-	18	1	3	2	-	25
Greensboro—White	323	-	-	-	4	-	11	1	-	1	-	31	-	12	-	-	20
All other	202	-	-	-	5	-	18	2	-	6	-	4	-	1	-	2	15
High Point—White	209	-	-	-	4	-	6	-	-	1	-	20	1	5	-	1	22
All other	96	-	-	-	-	-	6	2	-	5	-	1	-	2	-	1	4
Raleigh—White	340	-	-	-	1	-	19	1	-	8	-	23	-	4	-	1	29
All other	250	-	-	-	2	-	23	6	-	6	-	18	-	2	-	1	23
Rocky Mount—White	98	-	-	-	2	-	1	-	-	-	-	6	-	2	-	-	8
All other	135	-	-	-	-	-	12	2	-	4	-	11	-	2	-	-	6
Wilmington—White	199	-	-	-	-	-	3	-	-	1	-	20	-	3	-	-	16
All other	271	1	-	-	-	-	21	1	-	4	-	13	-	4	2	-	26
Winston-Salem—White	318	1	-	-	-	-	5	2	-	4	-	39	-	9	-	-	37
All other	461	-	-	-	2	2	56	10	-	8	-	21	1	5	-	-	43
Burlington	99	-	-	-	-	-	5	1	-	2	-	9	-	4	-	1	6
Concord—White	98	-	-	-	-	-	4	-	-	-	-	12	-	1	1	-	18
All other	33	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	4
Elizabeth City—White	72	-	-	-	-	-	1	-	-	1	-	5	-	1	-	-	7
All other	55	-	-	-	-	-	8	-	-	2	-	1	-	-	-	-	4
Fayetteville—White	138	-	-	-	3	-	4	-	-	1	-	9	-	3	-	-	12
All other	112	-	-	-	-	-	8	1	-	2	-	7	-	1	-	-	1
Gastonia—White	128	-	-	-	-	-	-	-	-	-	-	19	-	3	-	-	11
All other	61	-	-	-	1	-	2	1	-	1	-	6	-	-	-	1	6
Goldsboro—White	77	-	-	-	-	-	1	-	1	1	-	4	-	1	-	-	6
All other	158	-	-	-	1	-	19	1	-	4	1	6	1	2	-	-	12
Greenville—White	47	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	6
All other	79	-	-	-	2	-	9	2	-	2	-	11	1	2	-	-	1
Hickory—White	82	-	-	-	1	1	3	-	-	1	1	5	-	2	-	-	3
All other	30	-	-	-	1	-	2	-	-	-	-	2	-	1	-	-	1
Kinston—White	75	-	-	-	-	-	2	-	-	-	-	7	-	1	-	-	6
All other	90	-	-	-	-	-	6	-	-	3	-	3	-	1	-	-	11
Lexington—White	68	-	-	-	-	1	2	-	-	1	-	4	-	1	-	-	11
All other	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
New Bern—White	63	-	-	-	-	-	2	-	-	-	-	7	-	3	-	-	2
All other	104	-	-	-	-	-	11	-	-	-	-	6	-	1	-	1	9
Reidsville—White	51	-	-	-	1	2	2	-	-	-	-	1	-	2	-	-	4
All other	36	-	-	-	-	-	4	-	-	1	-	1	-	1	-	-	3
Salisbury—White	123	-	-	-	-	-	1	2	-	1	-	7	-	2	-	-	16
All other	66	-	-	-	1	-	2	-	-	3	-	8	-	-	-	1	8
Shelby—White	81	1	-	-	1	-	-	2	-	-	-	4	-	1	-	-	15
All other	21	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2
Statesville—White	101	-	-	-	-	-	1	1	-	2	-	11	-	-	-	-	15
All other	23	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4
Thomasville—White	66	-	-	-	-	1	1	-	-	-	-	6	-	1	-	1	6
All other	22	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1
Wilson—White	88	-	-	-	-	-	4	-	-	1	-	8	-	2	-	1	7
All other	153	-	-	-	3	-	19	2	-	3	-	2	-	1	-	-	7

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	2	24	43	7	-	-	-	-	5	2	15	1	1	5	3	1	-	5	7	18
-	4	11	41	6	1	-	1	2	1	1	23	1	-	1	2	2	-	2	4	12
-	4	16	29	7	-	-	-	-	4	1	7	-	-	-	4	5	-	5	6	21
4	2	24	41	4	-	2	-	1	1	1	24	2	1	5	2	2	1	3	11	30
-	4	20	32	7	1	1	1	-	1	2	8	-	-	5	6	3	-	4	5	13
-	4	31	39	6	1	-	-	1	-	2	12	-	-	-	-	2	-	-	11	12
1	2	18	22	6	1	1	-	3	-	-	5	-	-	3	-	1	-	4	3	17
2	4	22	36	29	1	-	6	5	3	1	11	-	1	4	9	1	2	12	4	29
-	5	16	17	4	4	1	1	1	1	-	4	1	-	1	1	1	-	4	8	7
1	3	27	87	17	2	1	1	3	3	5	19	1	-	3	2	-	1	10	17	33
-	7	14	38	1	-	1	1	-	-	-	8	-	-	2	2	6	-	5	6	21
-	-	13	25	4	1	1	-	1	2	2	5	1	1	1	1	1	-	7	7	13
-	-	12	16	7	1	1	2	-	-	-	7	-	3	3	7	-	-	4	4	8
3	7	62	83	31	4	3	2	7	1	3	44	1	-	-	3	4	-	8	12	44
-	5	5	24	4	-	-	-	-	1	-	5	-	-	1	2	3	1	-	3	7
1	10	12	34	7	1	-	-	1	2	1	6	-	-	2	1	2	-	7	8	19
-	1	22	98	19	1	2	2	3	2	3	15	1	1	1	6	1	1	3	21	41
1	6	14	53	3	2	2	3	2	2	1	17	1	1	3	6	5	-	7	7	16
1	4	8	28	4	2	1	-	-	3	1	9	-	-	2	6	3	-	6	4	25
-	5	22	22	5	-	-	-	1	-	2	9	1	-	1	3	2	-	1	7	18
1	3	22	23	12	2	1	-	5	1	1	13	-	-	1	5	1	3	2	5	32
1	1	32	63	12	1	2	-	4	3	3	23	-	2	-	6	3	-	4	15	39
-	1	15	33	7	-	-	3	4	2	1	16	1	-	3	4	2	-	4	3	15
-	-	16	22	8	1	2	3	2	4	1	15	-	-	2	-	2	-	5	7	16
-	3	17	43	8	2	1	2	1	5	1	8	1	-	1	5	2	-	5	5	27
-	4	24	40	5	1	-	1	-	1	1	9	-	-	-	3	-	-	2	5	12
-	1	19	43	2	1	-	1	1	2	-	9	-	-	2	4	2	1	5	5	17
-	2	23	54	6	-	-	-	5	3	1	15	-	-	-	1	2	2	2	6	15
1	1	12	11	4	-	-	-	2	4	-	7	1	-	3	1	2	1	3	4	10
-	1	16	16	6	3	-	-	1	1	2	10	-	-	2	4	-	-	-	4	7
-	2	17	22	3	2	-	-	2	1	-	9	-	1	1	2	2	-	4	7	16
-	4	15	39	8	1	-	3	3	4	-	8	-	-	2	1	-	-	5	4	25
2	5	75	49	34	4	9	5	4	6	-	24	2	2	11	14	4	3	30	17	50
-	16	12	41	59	2	13	6	2	2	-	41	-	3	2	18	-	21	6	16	37
2	3	45	55	17	-	2	5	3	1	3	13	-	-	11	11	6	1	13	14	58
2	1	6	27	13	1	1	2	-	1	-	30	1	-	1	3	1	6	2	4	18
1	4	43	51	15	2	2	3	2	5	2	27	2	3	5	17	8	3	11	8	33
-	4	10	23	18	2	5	2	4	1	-	33	-	1	1	21	-	7	5	7	45
2	8	35	49	18	5	2	4	3	-	4	20	-	1	2	9	7	2	14	20	40
-	1	1	25	14	-	1	1	8	1	-	32	-	-	1	7	2	8	8	7	32
-	9	13	30	12	1	2	-	1	-	3	16	-	-	5	10	2	3	11	7	24
-	1	5	9	8	1	2	2	-	-	-	20	-	-	-	-	2	5	2	4	14
-	4	27	49	21	2	1	1	3	3	1	43	-	-	2	7	4	2	18	12	54
3	3	4	32	18	-	-	2	4	-	-	28	1	-	1	14	1	7	8	9	34
-	1	13	17	3	-	1	-	2	-	-	11	1	1	-	6	4	-	-	6	13
3	-	1	17	12	-	1	2	-	-	1	26	1	2	-	7	-	5	1	4	15
-	-	20	35	7	1	3	-	2	1	2	17	-	1	4	9	4	2	12	10	26
1	12	5	32	25	-	1	3	1	3	-	31	-	-	1	15	-	17	7	11	34
1	3	24	53	24	1	2	2	1	4	1	21	2	1	6	6	4	3	13	12	37
1	-	6	83	29	2	13	4	7	2	1	43	1	5	2	19	-	12	6	10	67
1	1	7	5	4	1	-	-	-	1	-	14	-	-	1	5	1	1	12	3	14
-	-	5	7	9	-	-	1	-	-	1	12	-	1	1	3	1	-	1	6	14
1	-	-	4	4	-	1	-	-	-	-	4	1	-	-	-	-	2	-	2	6
-	1	8	9	4	1	1	-	-	-	-	8	1	-	2	2	1	-	4	5	10
1	3	-	10	3	1	3	-	-	-	-	8	-	-	-	2	-	1	4	1	3
3	-	10	16	8	-	5	-	-	2	-	11	-	-	1	8	1	1	8	8	24
1	2	2	6	18	1	3	1	1	1	2	6	-	1	-	3	-	5	10	8	21
3	-	3	11	9	1	6	2	1	1	-	8	-	2	4	6	1	3	5	7	22
-	-	1	7	5	-	4	-	3	1	-	8	-	1	-	-	-	3	1	4	5
-	-	4	14	8	-	-	-	-	1	1	8	-	-	1	5	2	-	5	2	12
2	-	1	16	8	2	9	3	2	1	-	15	-	-	2	4	-	4	2	5	15
1	-	7	8	-	-	1	1	1	1	-	2	-	-	1	2	3	-	1	2	4
1	2	5	5	9	-	4	3	-	-	-	2	1	1	-	2	-	2	2	3	7
1	-	9	15	1	-	1	1	1	-	-	8	-	-	2	4	1	2	6	1	12
-	-	1	4	1	-	-	1	-	1	-	5	-	-	-	1	-	3	1	2	3
-	-	7	11	4	-	-	2	1	-	1	8	-	1	-	4	1	1	5	2	11
-	1	2	8	11	1	4	2	3	-	-	13	1	-	-	2	-	5	3	2	8
1	-	4	4	7	-	3	-	-	-	-	10	1	-	1	2	-	1	4	4	6
-	2	-	4	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1
-	1	7	7	2	1	-	-	-	1	-	14	-	1	2	1	1	-	-	3	8
1	2	3	9	13	1	2	-	1	-	1	21	-	-	-	2	-	2	2	5	11
-	2	6	6	4	-	-	1	-	1	-	1	-	2	1	3	-	-	5	2	5
-	-	2	1	5	-	1	-	1	-	-	7	1	-	-	3	-	1	2	-	4
-	-	16	21	10	1	1	-	1	-	-	11	1	1	1	3	1	-	4	7	15
-	3	3	9	3	-	-	1	-	-	-	8	2	-	-	2	-	1	2	3	6
-	1	5	19	4	-	3	-	1	-	1	2	-	1	1	2	-	1	1	2	13
-	-	-	2	4	-	-	3	-	-	1	1	-	-	-	-	-	1	-	-	3
1	-	9	13	4	-	2	-	-	-	-	11	1	2	1	10	4	2	2	5	6
-	-	2	1	1	-	2	-	-	-	-	4	-	-	-	-	-	1	1	2	3
1	1	5	4	4	1	-	1	1	-	-	12	-	1	-	5	-	-	4	5	5
-	1	3	1	2	-	1	-	-	-	-	1	-	1	-	-	-	1	5	2	1
1	1	3	11	7	1	1	1	2	2	-	16	2	1	2	-	1	-	2	2	7
1	-	1	12	11	-	4	1	2	2	1	36	1	2	1	10	1	3	2	2	23

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NORTH DAKOTA																	
Fargo	300	-	-	-	1	-	6	2	-	4	-	39	-	6	-	-	31
Bismarck	118	-	-	-	-	-	2	1	-	2	-	15	-	4	-	-	2
Grand Forks	198	-	-	-	-	-	1	1	-	2	-	31	-	4	1	-	18
Minot	162	-	-	-	-	-	1	1	-	2	-	13	-	4	-	-	11
OHIO																	
Akron [3]	2,191	2	2	-	3	-	56	3	-	25	3	290	3	84	9	-	166
Canton	1,138	-	-	-	4	-	46	8	-	11	-	135	1	28	5	-	87
Cincinnati—White	4,865	1	-	-	2	1	160	16	1	62	1	691	3	138	18	-	421
All other	890	-	-	-	1	2	128	18	-	38	-	67	-	11	1	2	68
Cleveland—White	8,573	1	2	2	15	2	298	28	-	102	11	1,235	10	308	38	2	603
All other	1,214	1	-	-	2	-	194	23	-	39	2	88	-	16	2	1	73
Columbus—White	3,303	-	1	2	2	-	93	14	1	50	-	440	2	77	11	-	318
All other	575	-	-	-	2	1	80	6	-	26	-	45	1	11	1	1	50
Dayton—White	2,361	-	-	-	2	-	99	6	-	47	-	275	2	50	13	-	229
All other	335	-	-	-	-	-	33	2	-	16	-	22	-	8	-	-	28
Toledo [3]	3,550	-	-	1	2	-	177	5	-	55	2	458	2	103	11	1	340
Youngstown [3]	1,594	-	-	2	5	-	65	4	-	21	2	222	2	36	3	1	156
Cleveland Heights	381	-	-	-	-	-	3	1	1	3	-	70	-	17	-	-	33
East Cleveland	388	-	-	-	-	-	2	2	-	-	-	78	1	19	3	-	34
Elyria	288	-	-	-	1	-	8	-	-	4	-	42	1	6	1	-	28
Hamilton	572	-	-	-	2	2	20	3	-	6	-	75	-	18	2	-	46
Lakewood	585	-	-	-	-	-	7	1	-	4	1	86	-	21	7	-	69
Lima	466	-	1	-	2	-	9	2	-	6	-	64	2	14	-	-	43
Lorain	403	-	-	-	-	2	15	1	-	3	-	59	-	15	1	-	41
Mansfield	480	-	-	1	1	-	19	3	-	6	-	49	1	12	1	-	43
Marion	375	-	-	-	4	-	10	-	-	5	-	29	-	8	3	-	37
Massillon	317	-	-	-	2	-	5	2	-	2	-	38	-	9	-	-	27
Middletown	331	-	-	-	1	-	22	2	-	1	-	39	1	11	1	-	38
Newark	411	-	-	-	2	-	12	1	-	3	-	39	1	11	1	-	46
Norwood	323	-	-	-	-	-	7	-	-	2	-	50	-	6	5	-	27
Portsmouth	454	3	-	-	2	-	21	1	-	5	1	52	-	15	2	-	34
Springfield [3]	917	-	1	1	2	-	29	5	-	7	-	114	1	23	1	-	98
Steubenville	393	-	-	-	-	-	5	1	-	1	-	39	1	7	-	-	52
Warren	363	-	-	1	-	-	11	2	-	2	-	46	-	5	-	-	39
Zanesville	482	-	-	-	1	-	17	1	-	9	1	55	-	12	-	-	44
Alliance	294	-	-	-	1	-	9	2	-	3	1	48	2	8	-	-	21
Ashland	123	-	-	-	1	-	4	-	-	-	-	13	1	8	-	-	10
Ashtabula	256	-	-	-	-	-	3	-	-	3	-	31	-	3	2	-	24
Barberton	205	1	-	-	-	-	7	-	-	-	1	33	-	5	-	-	15
Bellaire	174	-	-	-	-	-	6	-	-	2	-	15	1	6	-	-	19
Cambridge	193	-	-	-	1	-	2	-	-	-	-	20	-	3	1	-	21
Campbell [3]	112	-	-	-	-	-	11	1	-	-	-	12	-	2	1	-	6
Chillicothe	242	-	-	-	1	-	6	1	-	2	-	30	-	4	-	-	18
Coshocton	149	-	-	-	1	-	2	-	-	-	-	12	-	2	1	-	25
Cuyahoga Falls	182	-	-	1	-	-	3	1	-	1	-	20	-	6	-	-	25
East Liverpool	271	-	-	-	1	-	18	1	-	2	1	23	-	6	2	-	23
Euclid	140	-	-	-	-	-	2	-	-	2	-	20	-	5	-	-	13
Findlay	287	1	-	-	-	-	2	-	1	1	-	20	-	5	-	-	40
Fostoria	165	-	-	-	1	-	2	-	-	2	-	14	-	12	-	-	14
Fremont	176	-	-	-	1	-	3	-	-	-	-	27	1	8	1	-	13
Garfield Heights	103	-	-	-	-	-	2	1	-	-	-	25	-	2	-	-	4
Ironton	187	-	-	-	-	-	4	-	-	7	-	18	-	4	-	-	23
Lancaster	234	-	1	1	-	-	4	2	-	4	-	24	-	5	1	-	26
Marietta	200	-	1	-	1	-	5	-	-	2	1	23	-	9	-	-	27
Martins Ferry	151	-	-	-	-	-	4	-	-	1	-	19	-	7	-	1	11
Mount Vernon	180	-	-	-	-	-	7	-	-	4	-	16	-	2	-	-	20
New Philadelphia	152	-	-	-	1	-	1	2	-	-	-	17	-	2	1	1	17
Niles	129	-	-	-	-	-	3	-	-	1	1	13	-	3	-	-	10
Painesville	164	-	-	-	-	-	4	-	-	-	-	21	-	4	2	-	17
Parma	105	-	-	-	2	-	2	-	-	-	-	18	-	1	-	-	9
Piqua	195	-	-	-	-	-	6	-	-	2	-	23	-	6	-	-	31
Salem	144	-	-	-	-	-	3	-	-	-	-	14	-	3	-	-	20
Sandusky	373	-	-	-	3	-	8	3	-	3	-	39	-	14	2	-	31
Shaker Heights	122	-	-	-	-	-	5	-	-	1	-	19	-	5	-	-	14
Struthers	94	-	-	-	-	-	3	-	-	1	-	8	-	6	-	-	11
Tiffin	216	-	-	-	-	-	8	-	-	1	-	55	-	3	-	-	19
Wooster	125	-	-	-	1	-	1	1	-	-	-	13	-	6	2	-	17
Xenia [3]	187	-	-	-	2	-	5	1	-	1	-	14	-	7	-	-	23
OKLAHOMA																	
Oklahoma City—White	1,579	-	3	1	10	2	39	2	-	12	1	200	1	20	1	2	141
All other	236	-	1	-	1	-	27	4	1	7	1	16	1	3	-	-	22
Tulsa—White	1,226	-	-	-	4	2	49	6	1	19	-	169	3	24	3	1	102
All other	248	-	-	-	-	1	40	3	-	7	-	12	-	2	-	-	24
Enid	292	-	1	1	-	-	17	-	-	5	-	26	-	10	-	-	25
Muskogee—White	261	-	-	-	-	-	15	1	-	4	-	36	-	5	-	-	24
All other	139	2	-	-	1	-	12	-	3	5	-	8	1	1	-	-	8
Ada	146	-	1	-	2	-	10	-	-	-	-	12	-	3	2	2	11
Ardmore—White	148	-	-	-	1	-	5	-	-	-	-	18	-	2	-	-	17
All other	47	-	-	-	-	-	3	-	-	3	-	2	-	-	-	-	2
Bartlesville	150	-	-	-	-	-	7	-	-	7	-	19	1	4	-	-	12
Chickasha—White	160	-	-	-	1	-	2	-	-	1	-	19	-	2	1	-	14
All other	21	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	3

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
3	6	35	38	19	2	-	3	3	1	1	9	-	-	7	7	6	1	11	19	40
-	6	10	23	8	1	1	-	1	-	1	7	-	1	2	7	-	-	7	6	11
-	-	21	29	14	-	-	4	1	1	-	16	-	-	3	9	3	-	3	10	26
-	2	19	29	11	1	1	2	1	2	-	3	-	2	2	4	-	1	5	11	34
6	41	167	416	121	17	7	18	25	17	17	143	4	1	32	53	44	17	89	101	209
5	14	130	184	69	6	2	8	8	18	6	48	3	2	16	49	15	6	41	48	135
19	104	455	1,019	213	38	37	30	42	51	39	312	8	4	38	93	68	13	94	217	458
1	13	62	133	47	6	10	4	6	3	1	46	3	1	3	34	3	36	17	33	92
27	211	633	1,419	457	56	28	74	75	104	70	460	10	26	92	198	126	23	204	378	1,247
4	27	14	144	73	6	3	5	10	2	-	90	8	4	9	40	3	28	34	40	229
6	48	345	528	152	16	33	20	24	39	30	263	11	5	29	59	46	10	109	152	367
5	8	35	77	35	5	9	6	4	3	-	45	2	1	4	8	1	14	9	19	61
9	58	196	419	106	15	36	22	14	17	11	145	6	3	15	58	51	7	80	109	261
-	7	8	53	23	2	9	3	2	2	-	21	2	1	2	10	2	12	13	9	45
16	42	242	686	186	28	27	41	46	38	20	226	3	9	33	76	47	12	103	139	375
7	37	136	266	81	7	5	12	14	20	14	104	6	2	16	31	23	15	53	88	158
1	11	57	66	10	3	-	4	2	4	4	23	-	-	1	3	7	-	4	12	41
1	14	48	43	17	4	1	8	4	4	10	12	1	1	4	16	4	-	8	8	41
1	5	19	57	9	2	-	3	4	2	1	32	1	3	4	7	1	-	7	15	24
2	17	43	124	29	2	6	4	3	4	2	25	4	1	9	16	4	4	22	24	53
2	14	82	77	32	4	-	-	4	3	5	32	1	1	6	9	7	1	10	25	74
2	10	39	77	21	4	4	3	7	6	2	43	1	1	6	14	1	-	14	16	52
2	13	45	55	11	3	3	-	1	6	4	22	-	1	5	13	9	1	14	20	38
2	15	57	79	15	3	4	4	3	4	1	47	2	1	1	11	5	1	18	24	47
2	4	34	85	13	-	4	3	3	1	1	19	1	1	7	14	4	-	14	19	50
2	6	39	41	23	1	1	-	4	1	3	29	1	-	2	6	6	-	16	14	37
1	2	27	48	15	2	8	4	4	1	1	17	-	-	9	11	5	2	16	12	30
2	4	25	71	22	-	6	3	5	4	2	34	-	2	4	6	8	-	17	27	53
-	11	28	63	13	2	4	5	1	4	7	15	-	2	3	7	3	1	7	13	39
4	15	30	69	26	1	16	3	7	4	4	23	2	2	3	13	5	5	12	19	55
3	29	83	138	55	6	12	7	7	9	4	81	-	3	7	15	8	-	31	45	92
1	8	34	70	14	2	2	3	6	6	1	25	-	1	6	16	6	2	11	30	43
2	8	38	57	25	1	2	3	5	2	6	21	-	1	1	7	5	3	29	10	31
5	9	46	82	31	2	2	1	7	-	1	24	-	1	6	16	5	2	18	29	55
-	4	37	54	12	2	2	-	2	1	2	10	1	-	-	6	2	2	8	19	35
3	2	10	23	7	-	1	1	1	1	2	5	-	1	1	3	2	-	3	7	13
-	7	29	30	10	-	1	1	3	2	7	12	-	1	3	7	3	-	11	22	41
2	-	11	38	9	3	-	-	-	2	4	9	2	1	2	9	3	-	8	16	24
1	3	15	31	22	2	-	-	-	1	-	17	1	-	1	5	2	-	3	7	14
1	2	16	28	13	3	2	2	1	1	2	17	1	2	1	5	2	-	9	10	27
1	2	9	21	9	-	1	1	1	3	1	7	-	1	-	2	7	-	4	3	6
-	6	15	42	8	2	4	1	3	2	2	23	-	-	1	8	3	-	6	14	40
1	1	19	23	10	2	-	-	1	1	1	5	-	1	1	2	1	-	6	2	29
-	1	19	29	13	1	-	-	2	1	1	6	1	-	4	4	8	-	8	8	21
-	4	18	64	11	1	1	1	1	1	2	20	1	1	5	9	5	-	6	12	31
1	5	15	26	4	2	-	3	-	-	-	3	-	-	-	2	2	-	5	5	25
1	7	44	65	16	-	-	-	1	1	-	13	-	-	1	5	3	-	8	14	38
1	1	19	30	10	-	1	1	1	2	-	10	-	-	3	3	2	-	3	13	20
-	3	25	35	8	-	-	-	1	3	1	5	-	-	2	5	1	-	5	11	17
-	4	11	16	4	-	-	1	-	2	1	6	-	-	2	1	2	-	1	7	11
-	-	11	30	7	-	7	-	3	-	1	20	-	1	1	8	1	2	3	18	18
1	1	18	39	15	-	5	1	-	2	1	27	-	-	2	5	3	-	9	12	25
-	3	19	39	9	2	3	-	1	1	-	15	-	-	-	4	2	-	4	7	22
-	3	12	20	6	2	2	2	2	-	3	10	-	-	3	7	2	-	1	12	21
1	4	19	32	9	1	-	4	4	3	1	7	-	1	1	6	2	1	4	8	23
-	1	21	28	7	2	-	1	1	-	-	6	-	-	5	-	1	-	10	5	22
1	6	22	18	3	-	1	-	1	1	2	8	-	1	-	3	2	1	3	8	17
-	8	14	31	14	2	1	-	1	-	-	5	-	-	-	5	2	1	7	3	22
-	2	12	16	4	1	1	1	-	1	2	8	-	-	2	2	3	-	1	2	15
1	1	35	19	9	1	1	2	1	2	-	12	-	2	1	8	3	-	3	7	19
-	3	13	20	7	1	2	1	1	-	5	10	-	-	1	5	4	-	10	5	16
1	3	39	67	18	-	5	7	3	2	1	26	-	-	2	6	9	1	12	14	54
1	2	23	19	5	1	-	-	-	1	1	7	-	-	-	-	1	-	1	2	14
-	2	6	16	4	1	-	1	1	2	-	5	-	-	-	3	4	-	5	5	10
1	4	18	49	8	3	2	4	3	1	2	5	-	-	6	1	2	-	4	10	27
-	1	15	19	4	-	1	-	2	2	-	5	-	-	-	3	-	-	5	7	20
-	7	14	41	9	-	3	1	2	1	-	15	1	-	2	2	2	-	6	6	22
8	25	142	256	83	14	6	14	19	15	6	94	1	4	17	70	28	5	56	76	207
-	-	2	40	23	-	1	2	1	1	-	21	-	1	1	14	-	7	5	7	26
4	23	102	195	62	8	6	12	8	13	2	61	2	3	17	51	18	4	45	47	160
1	3	3	27	15	1	3	6	4	3	-	27	-	-	2	6	-	8	2	9	39
2	2	24	39	29	-	2	1	1	1	1	17	-	-	9	8	5	2	9	7	48
3	1	31	24	18	-	2	3	2	5	2	15	-	-	2	8	6	-	6	12	38
1	3	-	21	7	3	1	1	1	-	-	13	2	-	-	2	-	4	-	6	33
1	1	9	16	16	1	1	3	4	1	2	7	1	1	5	5	-	2	7	5	15
1	6	23	11	16	-	-	3	-	-	1	7	1	1	1	9	-	-	3	5	17
-	2	-	3	12	-	-	1	-	-	-	2	-	1	-	1	1	3	-	5	6
1	2	8	23	15	1	1	2	-	-	1	4	2	-	1	4	1	2	4	8	20
-	-	17	12	16	1	1	3	1	5	-	6	-	1	3	6	2	1	4	11	30
-	-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	6

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
OKLAHOMA—Continued																	
Durant	135	1	-	-	-	1	8	-	-	2	-	7	-	3	-	1	10
El Reno	140	1	-	-	-	-	6	-	-	-	-	22	-	4	-	1	18
Guthrie—White	107	-	-	-	-	-	5	-	-	3	-	14	-	1	-	-	14
All other	29	-	-	-	-	-	1	-	-	-	-	3	-	2	-	-	4
Lawton	208	-	1	1	1	-	6	1	-	1	-	16	-	7	-	2	18
McAlester—White	165	1	-	-	1	-	5	-	-	3	-	11	1	1	-	1	20
All other	34	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-	4
Norman	248	-	-	-	-	-	22	3	-	25	-	12	-	2	-	2	39
Okmulgee—White	147	-	-	-	1	1	4	-	-	2	-	10	-	6	-	-	8
All other	54	1	-	-	-	-	9	-	-	3	-	-	-	1	-	1	6
Ponca City	146	-	-	-	1	1	5	-	1	-	-	21	1	2	-	-	9
Sapulpa—White	110	-	-	-	-	-	1	-	-	1	-	9	-	2	-	-	9
All other	24	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2
Seminole	95	-	-	-	-	-	2	-	-	2	-	11	-	3	-	-	8
Shawnee	202	-	-	-	-	-	11	2	-	2	-	25	-	-	-	-	15
Stillwater	102	-	-	-	1	-	3	-	-	1	-	16	-	5	-	-	9
Wewoka—White	52	-	-	-	-	-	3	-	1	-	-	6	-	-	-	-	4
All other	19	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-	2
OREGON																	
Portland	3,687	1	-	-	1	4	83	11	-	39	1	510	1	99	7	2	342
Salem	663	-	-	-	-	-	28	2	-	19	-	68	-	12	1	-	50
Astoria	126	1	-	-	-	-	2	-	-	1	-	19	1	2	-	-	14
Bend	91	-	-	-	-	-	2	-	-	1	-	11	-	1	-	-	10
Eugene	306	-	-	-	-	-	4	-	-	-	-	45	-	8	2	-	43
Klamath Falls	159	-	-	-	-	-	-	-	-	6	-	23	-	2	-	-	10
Medford	128	-	-	-	-	-	1	-	-	2	-	24	-	2	-	-	19
PENNSYLVANIA																	
Erie	1,248	-	-	2	2	1	35	1	-	13	-	190	-	50	7	-	124
Philadelphia—White	20,167	4	8	3	11	1	654	32	-	177	3	2,837	25	719	45	4	1,542
All other	3,771	1	-	1	9	-	499	40	-	224	-	346	8	54	2	2	222
Pittsburgh—White	6,709	5	2	1	16	1	232	19	-	63	1	871	6	168	18	2	569
All other	918	2	1	1	11	-	101	12	-	32	-	66	-	21	3	-	74
Reading	1,320	1	-	-	-	-	58	3	-	10	1	157	2	66	9	-	119
Scranton	1,551	-	3	1	-	-	50	6	-	9	-	197	3	63	2	-	107
Aliquippa—White	167	1	-	-	-	-	7	2	-	1	-	17	1	2	1	-	11
All other	38	-	-	-	-	-	4	1	-	1	-	3	1	1	-	-	3
Allentown	1,133	1	-	-	2	1	35	-	-	20	-	139	-	48	7	-	107
Altoona	896	1	-	-	-	-	17	-	-	13	-	95	2	28	4	-	86
Bethlehem	531	-	-	-	-	-	17	2	-	4	-	82	-	22	4	-	44
Chester—White	559	-	-	1	-	-	26	-	-	2	-	60	2	19	1	-	44
All other	161	-	-	-	-	-	10	2	-	2	-	7	-	1	-	-	13
Easton	506	1	-	-	-	-	14	1	-	3	-	73	-	25	3	-	43
Harrisburg	1,061	-	-	-	-	1	32	1	-	10	1	134	3	29	2	-	80
Haverford (twp.) [2]	274	-	-	-	-	-	8	1	-	3	-	62	1	11	-	-	17
Hazleton	364	-	-	-	-	-	7	1	-	1	-	46	1	18	1	-	31
Johnstown	788	1	2	1	1	-	35	2	-	9	-	105	2	21	-	-	45
Lancaster	746	-	-	-	2	-	14	-	-	6	-	92	1	27	1	-	84
Lebanon	325	1	-	-	-	-	9	-	-	3	-	43	-	12	3	-	34
Lower Merion (twp.) [2]	323	-	-	-	-	-	5	1	-	2	-	40	-	10	2	-	30
McKeesport	614	-	-	-	-	1	14	-	-	8	-	64	-	14	2	-	53
New Castle	514	-	-	-	-	1	18	1	-	3	-	58	1	17	2	-	53
Norristown	638	-	-	-	-	-	39	3	-	22	1	67	3	13	2	-	42
Sharon	258	-	1	-	1	-	7	2	-	2	1	31	-	10	3	-	23
Upper Darby (twp.) [2]	240	-	-	-	-	-	5	1	-	-	1	35	1	9	-	-	19
Washington	344	1	-	1	-	-	6	1	-	4	-	29	-	7	1	-	50
Wilkes-Barre	981	-	3	1	2	-	42	1	-	9	1	119	3	41	3	-	49
Wilkinsburg	328	-	-	-	1	-	5	2	-	1	-	39	-	13	1	-	33
Williamsport	580	-	-	-	1	-	8	2	1	4	4	80	-	26	4	-	50
York	750	1	-	-	3	-	11	1	-	8	2	108	3	29	8	-	66
Abington (twp.) [2]	130	-	-	-	-	-	-	-	-	-	-	18	1	3	-	-	7
Ambridge	155	-	-	-	-	-	8	1	-	4	-	18	-	4	2	-	14
Arnold	71	-	-	-	-	-	2	-	-	-	-	6	-	2	-	-	8
Beaver Falls	174	-	-	-	-	-	8	1	-	3	-	23	-	4	1	-	14
Bellevue	126	-	-	-	-	-	5	2	-	1	-	19	-	4	-	-	6
Berwick	141	-	-	-	-	-	5	1	-	1	-	11	-	6	-	-	17
Braddock—White	156	-	-	-	-	-	6	-	-	1	-	13	1	4	-	-	10
All other	27	-	-	-	-	-	1	1	-	3	-	2	-	-	-	-	1
Bradford	216	-	-	-	-	-	4	-	-	1	-	23	-	6	-	1	24
Bristol	130	-	-	-	-	-	6	-	-	1	-	12	-	3	-	-	7
Butler	232	1	-	-	-	-	5	1	-	3	-	39	-	6	-	-	16
Canonsburg	115	-	-	-	-	-	1	-	-	2	-	13	-	5	-	-	9
Carbondale	229	-	-	-	1	-	5	1	-	-	-	38	1	6	1	-	20
Carlisle	191	-	-	-	1	-	4	-	-	2	-	22	-	9	1	-	18
Carnegie	133	-	-	-	-	-	5	-	-	-	-	16	-	4	1	-	6
Chambersburg	204	-	-	-	-	-	7	-	-	6	1	27	-	3	1	-	12
Charleroi	96	-	-	-	-	-	4	1	-	-	-	6	1	1	-	-	7
Cheltenham (twp.) [2]	156	-	-	1	-	1	2	-	-	-	-	19	-	4	-	-	16
Clairton—White	98	-	-	-	-	-	5	-	-	-	-	16	1	3	-	-	11
All other	27	1	-	-	-	-	2	-	-	1	-	2	-	-	-	-	2
Coatesville—White	112	-	-	-	-	-	3	-	-	1	-	16	-	5	-	-	6
All other	41	-	-	-	1	-	6	1	-	-	-	4	-	-	-	-	2
Columbia	155	-	1	-	-	-	5	1	-	2	2	17	-	4	-	-	10
Connellsville	154	1	1	-	1	-	7	-	-	2	-	17	1	6	-	-	11

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	4	12	14	9	2	1	1	3	1	-	16	-	-	2	4	4	-	1	4	23
1	2	12	23	8	2	1	1	4	-	-	2	-	-	3	3	3	-	3	3	17
-	1	13	18	4	-	1	-	2	-	1	6	-	-	1	1	-	1	3	3	15
-	2	1	6	1	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	5
1	4	14	35	22	1	4	1	2	2	-	10	-	1	1	11	1	1	7	10	26
-	4	15	28	10	1	-	-	3	1	2	15	-	1	1	2	1	5	-	4	28
1	-	-	1	5	-	1	-	-	-	-	4	-	-	-	2	1	2	1	1	5
1	-	8	24	17	2	1	2	-	1	1	11	-	-	-	5	-	-	6	7	57
1	3	10	18	14	1	2	1	2	3	-	9	1	1	3	4	1	1	1	10	29
-	6	2	3	5	1	1	2	-	-	-	-	1	-	-	-	-	1	2	3	6
1	1	9	21	14	2	1	3	1	1	-	15	1	-	2	3	3	-	2	7	18
-	2	11	27	4	-	2	2	3	1	-	6	-	-	-	8	-	-	1	7	14
-	-	-	4	1	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	9
1	2	9	6	9	-	2	1	1	-	-	5	-	-	-	4	-	1	6	4	18
-	4	13	25	12	-	3	2	3	1	2	14	1	2	1	3	1	1	12	5	42
-	2	5	15	11	2	-	-	-	-	-	11	-	-	-	1	1	-	1	6	12
-	-	2	7	4	1	-	1	-	-	-	3	-	-	-	3	-	-	4	3	10
-	-	-	3	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4
14	92	468	588	155	27	8	17	24	36	18	313	2	5	34	43	85	6	106	164	381
2	6	53	82	70	5	1	3	4	2	5	65	-	-	2	1	7	-	10	28	139
-	1	11	18	2	-	-	-	-	-	-	13	1	-	1	1	2	-	3	8	25
-	1	7	14	4	-	-	1	3	-	3	7	-	-	1	4	1	-	4	6	10
1	4	38	24	14	3	-	1	1	1	2	34	-	-	1	3	7	-	11	14	45
1	-	17	21	3	-	1	1	1	-	2	8	-	1	2	10	4	2	6	15	23
-	5	7	17	3	1	-	-	1	1	-	9	-	-	1	4	2	-	5	8	16
4	14	115	214	61	4	9	6	11	14	9	69	5	3	14	32	14	4	40	62	119
60	457	1,789	5,087	957	116	87	125	156	230	111	1,553	32	33	152	285	250	40	339	660	1,783
15	53	116	813	243	10	29	20	34	15	7	210	17	11	19	152	12	67	44	99	377
19	155	641	1,282	455	36	36	27	54	98	38	472	15	17	62	139	67	14	127	296	685
2	20	44	131	90	6	5	7	8	5	-	66	3	1	7	31	2	12	13	43	98
6	39	145	259	68	12	4	8	11	14	3	78	4	8	8	20	17	2	24	40	124
4	30	160	359	66	8	11	10	10	16	8	120	1	6	19	24	18	-	16	81	143
-	3	16	30	6	2	2	1	-	3	1	14	-	-	3	3	4	-	6	9	21
-	-	3	4	8	-	-	1	1	-	-	-	-	-	1	1	-	1	1	-	3
2	19	80	272	40	7	5	4	6	17	8	56	3	5	18	26	19	1	24	42	119
6	21	85	208	38	7	2	4	7	8	3	73	4	4	8	18	13	1	20	35	85
2	13	48	104	25	4	3	1	6	3	5	29	1	3	7	9	9	1	13	23	47
2	14	56	126	22	2	3	4	7	4	1	37	-	3	7	9	12	1	17	16	61
2	3	8	28	8	-	4	1	2	-	1	19	2	2	-	10	1	1	9	10	15
4	16	53	92	16	2	1	10	7	3	3	29	-	-	8	11	9	-	8	22	49
4	21	109	233	50	8	4	11	4	7	4	126	1	1	5	22	11	2	18	31	96
1	5	37	62	8	-	1	-	2	4	-	15	-	1	5	2	2	-	4	10	22
2	11	31	71	12	1	2	2	4	1	6	16	1	2	6	17	4	-	8	21	40
1	23	46	129	60	8	2	8	10	9	2	75	1	3	13	18	7	-	19	36	94
2	16	88	121	37	7	5	4	8	9	9	49	1	1	8	28	6	-	13	27	82
1	5	24	64	20	1	6	1	-	5	1	35	1	3	1	6	4	1	4	8	29
-	6	33	71	14	2	-	1	2	2	2	24	1	1	3	6	4	-	10	20	31
3	12	55	118	54	7	2	-	6	7	3	51	1	1	5	16	8	1	16	28	64
1	17	58	74	30	-	2	4	4	3	2	35	2	1	4	10	11	1	13	25	63
1	17	46	157	37	3	-	4	5	4	3	49	-	2	7	11	4	1	11	22	62
3	4	37	45	15	1	1	1	2	-	4	9	1	1	1	5	7	-	10	10	20
1	9	28	35	6	1	-	1	6	1	2	22	1	-	1	4	6	-	8	9	28
2	9	40	66	31	2	5	3	2	1	1	14	-	-	3	5	3	1	3	14	39
3	19	71	214	46	7	3	11	7	9	12	93	2	3	12	17	12	3	15	45	103
1	4	33	67	21	-	3	2	3	-	2	25	-	-	6	5	2	-	3	13	43
-	6	82	105	20	1	3	5	6	5	6	36	2	-	3	10	7	1	14	25	63
1	20	83	149	35	5	3	-	5	7	2	40	1	-	3	18	12	2	22	35	69
-	3	12	44	3	-	1	-	1	1	-	8	1	1	2	6	1	-	3	2	12
1	2	10	30	11	-	2	1	2	4	-	13	-	1	-	2	3	1	6	5	10
-	3	5	9	3	-	-	1	1	2	1	7	1	2	-	2	-	-	2	4	10
-	2	15	27	10	-	1	2	2	3	2	14	1	-	2	7	2	1	4	3	22
-	2	19	18	12	2	-	-	-	-	-	14	-	-	4	-	3	-	2	3	10
-	6	9	28	9	1	-	-	3	1	-	9	-	2	3	-	2	-	4	4	19
1	1	13	18	11	-	3	3	1	3	1	21	2	-	3	8	-	-	4	17	11
-	-	1	4	3	-	-	-	-	-	-	4	-	-	-	2	-	-	-	1	4
-	2	29	32	12	1	-	-	3	3	2	22	1	1	2	6	3	1	7	4	26
2	1	11	27	3	-	1	2	1	2	1	7	-	3	3	5	3	-	1	11	17
-	7	28	40	12	1	1	1	1	1	1	9	-	-	5	6	4	2	2	11	29
3	1	9	17	10	2	-	1	1	-	1	12	-	-	-	6	2	-	2	5	13
-	1	12	41	13	5	1	1	2	1	1	24	-	1	8	6	3	-	3	9	24
-	2	13	36	10	-	1	1	-	-	-	27	-	-	1	7	3	2	2	8	21
1	2	15	27	8	1	-	2	-	7	-	12	1	-	4	1	2	-	2	6	10
1	7	21	26	15	2	1	-	2	-	-	26	-	-	3	6	8	-	2	6	21
-	3	9	12	5	1	1	-	-	2	-	19	-	-	3	4	3	-	1	6	7
1	6	10	36	6	2	3	1	-	1	2	17	1	1	1	3	4	-	3	5	10
2	2	12	12	4	-	-	1	-	-	-	5	1	1	1	2	1	-	3	3	10
1	1	3	2	3	-	1	-	-	-	-	2	1	-	-	1	-	-	3	-	1
1	-	13	9	9	-	1	1	-	3	1	15	-	-	-	-	2	1	5	6	14
-	4	-	7	3	1	-	-	-	1	-	2	1	-	1	2	-	-	1	1	3
-	-	17	31	6	-	2	-	3	2	-	12	-	1	-	7	3	-	2	5	22
-	3	14	35	4	-	1	1	-	3	-	11	-	1	2	2	4	1	2	5	18

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
PENNSYLVANIA—Continued																	
Conshohocken	115	-	-	-	-	-	3	-	-	1	-	19	1	2	-	-	9
Coraopolis	93	-	-	-	-	-	1	-	-	-	-	13	1	2	-	-	8
Darby—White	112	-	-	-	1	-	1	-	-	-	-	13	-	5	1	-	6
All other	16	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-
Dickson City	95	-	-	-	-	-	7	-	-	-	-	12	-	2	1	-	9
Donora	96	-	1	-	2	-	5	-	-	1	-	10	-	5	-	-	4
Dormont	103	-	-	-	-	-	3	-	-	-	-	9	-	5	-	-	15
Du Bois	140	-	1	-	1	-	2	1	-	1	-	14	1	5	-	-	13
Dunmore	213	-	-	-	-	-	9	1	-	-	-	27	-	7	-	-	16
Duquesne	195	-	-	-	-	-	10	1	-	2	-	26	-	5	1	-	14
Ellwood City	102	-	-	-	-	-	1	1	-	-	-	11	-	4	-	-	4
Farrell—White	87	-	-	-	-	-	6	-	-	-	-	10	-	2	-	-	4
All other	14	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	2
Greensburg	218	-	-	-	-	-	4	1	-	2	1	24	1	8	-	-	12
Hanover	146	-	-	-	-	-	2	1	-	-	1	14	1	7	-	-	21
Hanover (twp.)[2]	24	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	2
Harrison (twp.)[2]	74	-	-	-	-	-	2	-	-	-	-	17	-	1	-	-	4
Homestead—White	138	-	-	-	2	-	5	1	-	1	-	21	1	3	1	-	11
All other	57	-	-	-	1	-	2	1	-	5	-	5	-	1	-	-	8
Indiana	95	-	-	-	-	-	-	-	-	-	-	12	-	3	-	-	10
Jeannette	146	-	-	-	-	-	1	1	-	2	-	21	-	9	1	-	4
Kingston	206	-	1	-	-	-	4	-	-	-	-	25	-	8	-	-	11
Lansdowne	111	1	-	-	-	-	3	-	-	-	-	20	-	5	-	-	10
Latrobe	125	-	-	-	-	-	2	-	-	-	-	16	-	5	-	-	16
Lewistown	165	-	-	-	-	-	3	-	-	-	-	16	-	7	2	-	12
Lock Haven	127	-	-	-	-	-	2	1	-	-	-	13	-	4	-	-	12
McKees Rocks	222	-	-	-	1	-	7	1	-	3	-	21	1	7	-	-	13
Mahanoy City	163	-	-	-	-	-	7	-	-	-	-	9	1	7	1	-	10
Meadville	225	-	-	-	-	-	5	-	-	4	1	28	-	5	-	-	21
Monessen	139	-	-	-	-	-	10	-	-	-	-	10	-	3	-	-	15
Mount Carmel	179	-	-	-	-	-	8	-	-	1	1	17	3	5	1	-	14
Mount Lebanon (twp.)[2]	128	-	-	-	-	-	4	-	-	-	-	17	-	-	-	-	19
Munhall	114	-	-	-	-	-	3	-	-	1	-	19	-	6	-	-	10
Nanticoke	239	-	1	-	-	1	13	-	-	1	-	22	1	7	1	-	15
New Kensington	217	-	-	-	-	-	9	-	-	3	-	24	-	9	-	-	25
North Braddock	136	-	-	-	-	-	-	-	-	-	-	18	-	3	1	-	18
Oil City	257	-	-	-	-	-	7	1	-	-	-	29	-	11	-	-	30
Old Forge	106	-	1	-	-	-	5	-	-	1	-	13	-	1	-	-	12
Phoenixville	130	-	-	-	2	-	1	-	-	3	-	22	-	1	-	-	13
Pittston	198	-	-	-	-	-	8	1	-	-	-	23	-	2	-	-	8
Plains (twp.)[2]	96	-	-	-	-	-	7	-	-	-	-	10	1	3	-	-	5
Plymouth	172	-	-	-	-	-	11	-	-	1	1	16	1	3	-	-	14
Pottstown	239	-	-	-	-	-	2	1	-	2	-	28	-	11	-	-	23
Pottsville	305	-	-	-	-	-	10	1	-	3	1	32	-	13	-	-	17
Shaler (twp.)[2]	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Shamokin	290	-	-	-	-	-	15	1	-	1	3	32	-	14	1	-	19
Shenandoah	234	-	-	-	-	-	9	1	-	1	-	24	2	5	1	-	14
Steelton—White	93	-	-	-	-	-	3	1	-	-	1	12	-	4	1	-	8
All other	33	-	-	-	-	-	3	-	-	-	-	4	-	1	-	-	1
Stowe (twp.)[2]	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury	210	1	-	-	-	-	5	-	-	2	-	25	-	7	-	-	11
Swissvale	162	-	-	-	-	-	2	1	-	-	-	24	-	10	-	-	9
Tamaqua	142	-	-	-	-	-	3	-	-	-	-	14	-	6	-	-	11
Uniontown	309	-	-	-	4	-	3	1	-	3	-	44	2	9	-	-	25
Vandergrift	95	-	-	-	-	-	2	-	-	-	-	15	-	5	-	-	7
Warren	179	-	-	-	-	-	2	2	-	-	-	28	-	6	-	-	13
Waynesboro	105	-	-	-	-	-	-	-	-	1	-	15	-	4	1	-	8
West Chester—White	199	-	-	1	-	1	8	-	-	-	-	30	-	2	1	-	12
All other	45	-	-	-	-	-	2	1	-	-	-	1	-	3	-	-	5
RHODE ISLAND																	
Providence	2,906	-	-	-	1	1	114	8	-	26	1	408	-	101	3	-	230
Central Falls	231	-	1	-	-	-	7	1	-	1	-	36	-	8	-	-	29
Cranston	692	-	-	1	2	-	28	2	-	18	-	80	-	25	1	-	58
East Providence (town)	351	-	-	-	-	-	6	-	-	3	-	43	-	16	1	-	27
Newport	389	-	-	-	-	-	14	1	-	7	-	60	-	16	1	-	30
Pawtucket	789	-	-	-	-	-	17	-	-	3	-	111	1	18	2	-	58
Warwick	272	-	-	-	-	-	5	-	-	1	-	42	-	10	-	-	28
Woonsocket	469	-	-	-	1	-	11	1	-	2	-	72	1	23	-	-	28
Bristol (town)	120	-	-	-	-	-	6	-	-	-	-	14	-	4	-	-	15
Cumberland (town)	101	-	-	-	-	-	4	1	-	-	-	20	-	2	-	-	6
Johnston (town)	92	-	-	-	-	-	1	1	-	1	-	9	-	6	-	-	10
Lincoln (town)	93	-	-	-	-	-	4	1	-	1	-	15	1	2	-	-	7
North Providence (town)	85	-	-	-	-	-	-	-	-	-	1	9	-	3	-	-	11
Westerly (town)	119	-	-	-	-	-	5	1	-	1	-	16	-	4	-	-	7
West Warwick (town)	173	-	-	-	-	-	8	-	-	3	-	22	-	9	-	-	13
SOUTH CAROLINA																	
Charleston—White	482	2	-	-	2	-	10	1	-	6	-	44	-	16	-	-	39
All other	593	8	-	-	7	-	50	9	2	28	-	26	-	7	-	5	46
Columbia—White	643	1	2	-	1	2	24	3	-	11	1	44	1	17	-	-	50
All other	410	1	-	-	1	-	32	10	1	22	1	12	1	4	-	2	30
Greenville—White	288	-	-	-	1	3	8	1	-	7	-	24	-	8	1	1	18
All other	238	1	-	-	2	2	24	2	-	17	-	12	1	-	-	2	21

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 53, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	2	7	19	4	-	-	1	2	1	-	10	1	1	1	2	-	-	6	7	15
-	1	4	25	5	1	-	-	-	-	-	6	-	2	1	-	1	-	4	7	11
1	5	9	26	3	2	-	1	2	-	-	12	-	-	4	8	1	-	5	2	4
-	1	-	4	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	3	1
1	2	16	14	5	3	-	-	-	-	-	5	-	-	1	1	-	-	1	8	9
-	1	6	15	13	1	-	2	2	-	-	8	-	-	1	1	2	-	4	3	9
1	1	15	17	5	2	2	2	-	2	1	6	-	-	1	3	-	-	4	1	8
1	3	12	20	7	1	1	3	1	2	2	10	-	-	1	2	1	-	4	10	20
1	4	19	61	4	1	5	-	-	3	2	16	-	-	3	3	-	-	6	10	15
-	1	15	29	28	4	3	-	1	5	1	12	-	-	3	2	2	-	4	11	15
-	3	7	9	10	2	1	2	1	2	1	6	1	-	6	5	2	-	2	5	16
1	2	9	10	5	-	-	-	1	1	-	8	2	-	-	4	4	-	-	7	11
-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	2
1	3	26	45	12	1	2	1	-	2	-	16	1	-	-	6	3	2	3	12	29
1	1	10	24	5	1	1	2	3	-	1	12	-	-	4	2	2	-	1	6	23
-	1	1	8	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	2	1
1	-	5	7	6	2	1	2	1	-	1	7	1	-	2	1	4	-	2	1	6
-	4	15	19	13	-	-	-	-	2	2	9	-	1	2	4	2	-	5	7	7
-	1	2	3	13	-	1	-	1	-	-	2	-	-	1	2	-	2	-	3	3
1	2	11	20	2	-	-	1	2	-	-	10	2	-	1	-	-	1	-	4	13
2	3	17	24	6	1	1	-	1	2	-	19	-	1	2	2	1	-	6	8	11
2	4	24	47	7	3	1	3	3	-	1	53	-	1	3	2	3	-	3	5	12
1	1	16	26	3	-	-	1	1	-	-	6	-	1	1	-	1	1	2	4	7
1	-	8	32	4	-	1	-	2	-	1	7	-	-	3	4	2	-	4	5	12
-	6	24	33	7	1	-	-	4	2	1	15	-	-	1	4	-	-	5	8	14
1	3	10	32	4	-	1	2	2	-	3	8	1	1	3	5	-	-	2	2	15
1	5	28	29	12	1	-	3	1	6	2	21	2	2	4	5	2	-	2	13	29
1	6	11	35	9	-	1	-	3	2	1	21	1	-	-	1	-	1	2	13	20
-	1	24	41	19	-	2	3	3	3	1	10	-	-	11	8	5	2	1	5	22
2	2	8	19	5	3	1	4	2	2	2	12	1	-	3	2	1	-	7	11	14
-	2	14	31	15	-	-	1	3	1	2	15	-	-	2	2	-	-	4	15	22
2	5	16	18	9	2	-	1	2	5	1	9	-	-	1	2	4	-	1	3	7
-	-	15	19	6	-	1	-	2	2	2	7	1	-	1	2	2	-	1	5	9
1	7	15	39	11	1	1	5	4	-	4	19	-	-	2	5	2	-	2	19	40
-	3	14	27	10	1	-	3	7	3	2	13	1	1	5	11	2	1	7	13	23
-	1	17	23	16	-	1	-	1	1	1	14	2	-	-	3	1	1	2	5	7
2	1	38	30	7	3	-	1	1	1	2	25	-	1	4	3	1	-	5	16	38
-	4	3	15	10	-	2	1	2	-	2	12	-	1	1	2	-	-	1	9	8
-	3	9	21	3	-	-	-	2	-	-	20	-	-	2	1	1	-	2	7	17
2	6	20	43	16	2	-	1	2	2	-	12	2	2	3	3	1	1	3	12	23
-	1	4	20	9	2	-	1	2	1	1	9	-	-	1	3	2	-	-	4	10
-	3	7	35	9	2	1	6	1	1	2	13	-	3	3	2	1	-	6	6	24
2	3	20	34	12	-	1	6	2	2	3	32	-	2	5	3	5	-	9	10	21
1	8	33	55	14	2	1	-	5	3	3	35	2	-	4	8	1	-	3	16	34
-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2
2	2	23	66	18	2	2	-	1	4	4	18	1	-	1	8	-	1	8	14	29
-	2	10	54	19	1	2	4	1	1	2	20	-	1	1	2	3	-	5	16	33
-	1	7	15	3	-	-	1	-	-	-	11	-	-	3	1	1	-	7	2	11
-	-	1	6	3	-	-	1	-	-	-	9	-	-	-	1	1	1	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	25	51	5	2	2	3	3	2	2	23	-	-	2	4	1	-	4	6	22
-	6	23	26	12	-	-	2	-	2	-	23	-	-	2	3	2	-	2	2	11
1	6	23	31	3	-	-	-	1	-	1	11	1	-	1	2	-	-	3	9	15
-	9	40	43	14	-	5	2	3	3	1	20	-	1	8	6	3	1	9	14	36
-	2	13	11	5	2	-	-	-	1	1	9	-	-	2	1	-	-	3	5	11
1	2	27	32	4	2	2	-	1	2	-	6	-	1	1	7	-	-	1	11	28
-	7	10	22	5	-	1	-	2	1	1	5	-	-	1	4	1	-	1	2	13
-	2	17	31	8	1	2	-	2	1	-	17	-	-	1	24	6	-	6	5	21
1	-	2	6	7	-	1	1	-	-	-	5	1	-	-	3	-	-	-	4	2
9	57	330	619	121	26	9	17	29	36	22	250	5	4	33	36	27	4	41	112	226
1	1	24	42	8	1	2	4	3	5	2	22	1	-	2	3	2	-	3	7	15
3	11	50	208	39	4	2	3	7	8	2	31	1	-	7	4	10	2	4	30	51
1	11	41	74	16	5	4	2	-	4	7	29	-	-	3	7	4	-	6	8	33
1	5	41	89	15	5	2	1	3	2	2	36	-	1	3	3	4	-	3	17	27
4	23	83	209	30	7	3	5	7	7	4	75	2	4	8	11	4	-	6	32	55
1	3	33	58	6	-	-	1	3	7	-	26	-	-	6	3	4	-	3	17	15
3	9	45	96	21	1	2	2	5	3	4	42	-	3	4	16	5	-	7	12	50
-	2	7	25	3	2	1	2	1	3	1	18	-	-	-	1	2	-	4	2	6
-	1	9	19	8	1	1	2	-	-	-	9	-	-	1	1	1	-	3	3	9
1	1	5	23	6	-	2	-	-	2	-	15	-	-	-	1	-	-	1	3	4
-	2	12	13	4	1	-	-	1	-	-	11	-	1	-	1	-	-	1	3	12
1	4	5	13	4	2	-	-	-	3	3	6	-	-	4	2	1	-	-	3	10
1	2	6	29	10	1	1	1	-	2	1	12	-	-	3	1	-	-	-	-	15
1	6	9	31	10	1	1	-	1	1	2	28	-	-	-	4	1	-	4	4	14
3	10	51	61	30	3	4	2	2	6	4	32	3	1	8	14	6	1	37	17	67
5	15	4	67	56	1	12	4	4	1	-	28	3	2	4	31	1	19	16	18	114
3	7	55	72	44	6	5	2	1	6	2	63	5	4	6	38	11	3	15	26	112
1	2	6	34	57	2	16	4	3	2	-	75	1	-	1	16	-	20	9	11	33
3	4	20	38	19	3	4	4	4	4	-	26	1	5	3	12	5	3	11	15	32
1	3	4	27	27	-	2	1	2	1	1	21	-	-	1	10	-	12	4	8	29

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
SOUTH CAROLINA—Continued																	
Spartanburg—White	243	-	-	-	2	-	7	1	-	4	-	21	-	4	1	1	24
All other	210	1	-	-	1	1	22	2	-	4	-	7	-	1	-	1	10
Anderson—White	159	-	-	1	4	1	8	-	-	-	-	16	-	2	-	-	10
All other	98	-	-	-	1	-	2	1	-	-	-	3	-	2	-	1	13
Florence—White	99	1	-	-	1	1	5	-	-	1	-	10	-	3	-	-	13
All other	137	1	-	-	-	-	10	1	-	5	-	10	1	-	-	1	20
Greenwood—White	90	-	1	-	-	-	3	-	-	-	-	11	-	2	-	-	11
All other	70	1	-	-	-	1	3	-	-	3	-	2	-	2	-	-	13
Orangeburg—White	70	-	-	-	1	1	3	-	-	-	-	6	-	-	-	-	7
All other	102	1	-	-	1	1	3	-	1	2	-	4	-	2	-	1	7
Rock Hill—White	116	-	-	-	3	1	1	-	-	-	-	7	-	3	-	-	7
All other	64	-	-	-	3	-	9	2	-	2	-	-	1	2	-	1	4
Sumter—White	102	-	-	-	1	-	6	-	-	1	-	5	-	2	-	1	14
All other	115	-	-	-	1	-	7	-	2	4	-	4	1	4	-	-	15
SOUTH DAKOTA																	
Sioux Falls	349	-	1	-	1	1	7	1	-	2	1	47	-	8	-	-	32
Aberdeen	157	-	-	-	1	-	2	-	-	2	-	17	-	5	-	-	21
Huron	100	-	-	-	-	-	1	-	-	1	-	15	-	1	-	-	9
Mitchell	117	-	-	-	-	-	1	1	-	2	-	16	-	4	-	-	11
Rapid City	147	-	-	-	-	-	2	1	-	2	-	19	-	3	-	-	15
Watertown	113	-	-	-	-	-	3	-	-	-	-	12	-	4	1	1	9
TENNESSEE																	
Chattanooga—White	944	-	2	1	3	2	53	3	1	10	3	108	2	15	3	1	72
All other	710	-	1	-	1	4	79	10	1	22	1	26	-	4	3	1	67
Knoxville—White	864	-	1	-	7	-	39	6	-	10	-	85	2	14	3	7	78
All other	280	-	-	-	2	-	34	2	-	8	-	13	1	7	-	-	23
Memphis—White	1,647	-	1	-	2	-	69	6	2	18	-	212	3	34	3	1	141
All other	1,654	-	1	-	6	1	171	22	2	59	-	104	6	28	1	3	151
Nashville—White	1,353	1	-	-	4	-	46	7	-	13	2	162	2	25	2	2	125
All other	890	-	-	-	2	-	66	13	-	34	-	55	1	6	1	1	66
Johnson City—White	174	-	-	-	1	-	6	-	-	1	-	19	1	3	1	-	17
All other	35	-	-	-	1	-	3	1	-	-	-	2	-	-	-	-	-
Bristol [6]	123	-	-	-	-	1	3	-	-	-	-	4	2	3	-	1	10
Clarksville—White	82	-	-	-	1	-	5	-	-	2	-	6	1	1	-	-	5
All other	81	-	-	-	2	-	4	-	-	1	-	4	1	-	-	-	10
Cleveland—White	85	-	-	-	-	-	6	-	-	1	-	8	-	-	-	-	6
All other	28	-	-	-	3	-	3	-	-	1	-	-	-	-	-	-	1
Columbia—White	89	-	-	-	-	-	5	-	-	-	-	7	-	3	-	1	19
All other	55	-	1	-	-	-	2	-	-	1	-	7	-	-	-	-	2
Dyersburg—White	70	-	-	-	-	-	4	-	1	-	-	4	-	-	-	-	3
All other	27	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1
Jackson—White	172	-	-	-	-	-	12	-	1	1	-	20	-	4	-	-	9
All other	150	-	-	-	-	-	19	2	2	5	-	4	-	1	-	1	13
Kingsport	137	-	-	-	1	-	1	-	-	1	-	13	1	2	-	1	16
TEXAS																	
Dallas—White	2,379	1	-	1	-	1	115	8	-	25	-	292	2	50	2	1	201
All other	750	4	2	-	4	3	61	8	1	46	-	44	3	8	1	3	70
Fort Worth—White	1,486	-	-	-	2	4	63	2	1	11	-	186	1	31	5	4	133
All other	332	-	-	-	-	-	12	2	1	6	-	25	2	1	-	2	41
Houston—White	2,876	1	1	-	3	2	166	7	-	33	3	325	-	49	5	6	153
All other	1,285	3	-	-	-	-	102	9	2	48	-	94	2	16	3	5	86
San Antonio—White	3,166	-	-	-	5	1	337	33	1	30	3	261	4	47	3	9	202
All other	309	-	-	-	1	-	23	2	-	7	-	23	-	3	2	2	29
Abilene	294	1	-	-	1	1	17	-	-	3	1	16	2	5	-	1	14
Amarillo	385	-	-	-	4	-	10	-	1	3	1	39	-	6	2	-	39
Austin—White	822	1	-	-	2	5	66	4	-	26	-	87	2	10	1	3	53
All other	224	1	-	-	3	-	19	2	-	19	-	13	-	1	-	-	24
Beaumont—White	415	-	2	-	-	1	22	-	-	1	-	52	3	13	-	-	37
All other	293	-	2	-	-	-	28	2	2	10	1	19	-	7	2	1	24
Corpus Christi	678	2	-	-	5	2	40	6	2	11	1	37	-	6	-	2	38
El Paso	1,226	2	3	-	8	3	116	14	-	16	1	99	6	22	3	4	72
Galveston—White	507	-	-	-	-	-	29	3	-	16	-	68	-	8	-	-	38
All other	184	-	-	-	-	-	5	1	-	12	-	24	-	4	-	-	20
Laredo	191	3	-	-	-	1	26	3	-	5	-	9	-	-	-	5	14
Lubbock	204	-	-	-	2	-	7	-	-	4	-	14	-	6	2	-	14
Port Arthur—White	293	2	1	-	-	1	6	-	1	2	-	42	-	7	1	-	19
All other	106	-	-	-	-	-	6	-	-	1	-	13	1	2	1	2	5
San Angelo	330	2	-	-	1	-	22	4	-	1	1	29	-	8	-	1	18
Tyler—White	185	-	-	-	-	-	3	-	-	-	-	33	-	4	1	-	9
All other	98	-	1	-	-	-	4	1	-	1	-	3	-	1	-	-	9
Waco—White	474	1	-	-	1	1	27	4	-	6	2	43	-	11	-	4	59
All other	191	-	-	-	-	3	13	-	-	4	-	11	-	4	-	-	25
Wichita Falls	409	-	-	-	3	2	15	-	-	8	2	41	-	4	-	2	20
Big Spring	121	-	1	-	1	-	7	2	-	3	-	5	-	1	-	-	6
Borger	69	-	-	-	-	-	5	-	-	1	-	4	-	-	1	-	6
Brownsville	276	-	-	-	4	-	35	9	3	5	-	19	-	-	-	-	9
Brownwood	201	-	-	-	2	1	6	-	-	-	-	13	-	4	-	2	11
Bryan—White	83	-	-	-	-	-	1	-	1	-	-	7	-	2	-	3	3
All other	62	-	-	-	-	-	2	1	-	1	-	6	1	1	-	-	10
Cleburne	127	2	-	-	2	-	2	-	-	-	-	12	-	2	-	1	17
Corsicana—White	131	-	-	1	1	1	2	-	-	-	-	16	-	6	1	1	11
All other	63	-	-	-	-	-	2	-	-	-	-	1	1	-	1	-	12

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	1	26	22	20	-	1	2	2	-	1	22	-	1	7	14	3	2	13	8	32
-	2	6	23	31	-	5	-	-	1	1	41	2	2	1	11	1	10	3	7	13
-	-	8	14	16	2	3	1	-	-	1	20	2	1	3	9	1	-	2	8	26
-	-	7	10	9	-	4	-	1	-	-	15	1	1	1	2	-	1	2	6	15
-	-	13	8	9	1	-	-	-	-	-	4	-	1	-	2	1	2	3	4	16
-	3	2	18	14	1	3	-	3	-	-	7	-	-	-	3	-	8	-	1	25
1	-	7	8	2	-	1	-	1	-	1	13	-	-	3	3	1	1	6	3	11
-	2	2	12	10	1	2	1	-	-	-	5	-	-	-	1	-	-	1	1	7
-	-	2	12	7	-	1	2	-	-	-	12	1	-	1	2	1	-	1	2	8
1	-	-	11	10	-	8	-	1	-	-	13	1	3	-	4	-	4	1	7	15
3	1	14	14	4	2	5	-	-	-	-	9	-	2	1	12	4	-	5	6	12
-	1	2	9	5	-	3	-	1	-	-	5	-	-	-	-	-	-	2	1	11
1	1	8	13	9	-	2	-	1	1	-	7	1	-	-	5	1	-	4	5	13
2	3	1	9	12	3	1	1	-	-	-	7	2	1	-	2	-	1	6	7	19
2	2	58	33	22	2	-	3	3	2	5	12	1	1	4	10	11	-	9	12	56
-	2	21	27	4	-	-	-	1	4	3	6	-	-	1	3	2	-	1	13	21
1	1	5	12	7	-	-	1	1	1	-	8	1	1	1	5	1	-	3	6	18
1	2	10	18	3	-	2	1	1	1	-	9	1	-	1	3	1	-	1	5	22
-	2	13	31	6	-	-	2	-	1	1	10	1	-	3	6	-	-	2	2	25
-	3	9	21	7	-	-	3	-	-	1	5	-	-	1	3	1	-	5	7	17
3	15	74	111	68	4	10	5	4	9	4	59	2	2	12	32	18	6	31	45	151
4	6	7	80	89	2	10	3	10	1	1	55	1	3	2	16	1	37	13	17	132
3	10	69	119	57	5	14	5	6	10	3	51	2	-	16	25	8	7	15	60	129
2	3	3	31	23	1	3	2	2	1	1	18	3	2	-	9	-	23	7	9	49
7	21	197	218	111	11	8	11	21	18	6	85	3	3	21	47	14	4	51	58	240
6	44	36	214	164	11	11	7	23	5	1	95	5	9	6	50	3	34	28	50	295
12	25	126	170	95	9	13	7	15	15	6	73	1	1	15	29	19	16	47	50	218
8	25	19	125	82	10	8	7	7	1	1	92	5	2	1	28	-	46	14	30	136
-	5	16	28	11	2	3	1	1	-	-	11	-	-	4	8	2	1	1	7	24
-	1	-	10	5	-	1	1	1	-	-	2	-	-	-	-	-	1	-	1	5
1	1	8	20	5	-	3	1	1	1	2	16	-	2	-	2	3	-	5	4	24
2	4	7	6	9	-	1	-	-	-	-	5	-	1	1	2	3	-	3	3	14
-	8	1	10	2	-	1	-	1	-	-	3	-	-	-	4	-	2	2	9	16
2	1	10	10	7	-	1	1	1	-	1	7	-	-	3	3	2	1	1	5	8
-	-	2	5	3	1	1	-	-	-	-	1	-	-	-	1	-	2	1	-	3
-	-	5	6	4	1	1	1	-	-	-	14	-	1	1	3	2	2	1	3	9
1	3	4	8	6	-	-	-	-	-	-	8	1	-	-	-	-	2	-	1	8
-	1	7	7	7	-	3	-	1	1	-	6	-	-	-	7	1	-	1	-	16
-	1	-	4	3	-	2	-	-	-	-	2	-	-	-	-	-	-	1	2	7
-	1	20	24	12	2	2	-	1	-	-	8	-	-	1	6	2	1	14	3	28
1	-	2	11	14	2	6	-	2	-	2	14	-	1	-	-	-	5	3	8	32
3	3	3	12	17	-	3	2	1	-	-	7	-	1	6	5	2	1	9	6	20
10	28	361	249	102	16	25	18	16	17	13	104	7	7	27	90	51	24	75	115	305
2	11	59	75	64	4	16	3	3	4	-	52	5	3	6	30	1	45	10	20	79
8	7	200	225	74	10	8	14	9	8	8	75	3	4	15	54	27	11	50	74	159
2	2	14	54	29	4	4	4	3	1	-	18	-	2	2	15	2	22	2	9	51
11	36	254	535	168	17	29	13	30	32	16	148	3	8	37	109	56	21	98	137	359
4	6	25	249	94	8	9	10	18	1	3	95	2	4	3	52	4	61	20	38	209
13	40	255	328	343	18	122	32	30	29	15	156	6	16	28	140	37	26	80	116	420
1	1	11	41	40	2	3	3	2	3	1	19	2	2	1	11	3	6	5	5	55
3	2	24	33	24	4	9	1	3	2	3	18	-	-	2	15	7	5	18	19	40
5	9	35	48	24	2	1	6	3	4	1	23	-	1	4	26	6	4	17	17	44
8	2	57	106	65	1	4	3	3	2	4	55	-	7	7	22	6	4	33	31	144
-	3	4	23	20	-	-	1	-	1	1	18	1	2	-	8	-	1	8	7	44
3	6	55	49	24	3	3	3	5	4	1	30	-	1	3	21	7	1	11	11	43
-	1	14	42	23	2	2	2	7	-	-	21	-	5	2	8	1	3	6	7	49
9	7	36	73	90	2	29	9	4	4	1	26	1	1	7	35	12	5	27	37	111
5	13	73	127	90	10	75	9	9	11	6	75	1	4	12	49	11	7	39	62	171
4	2	69	80	24	3	-	1	5	9	1	18	1	1	3	16	4	6	17	26	55
-	1	16	38	14	-	-	-	1	-	-	7	-	2	-	6	-	1	3	6	25
-	-	7	10	28	1	15	-	-	-	1	4	-	-	1	9	-	-	5	6	38
4	4	25	19	19	2	4	3	1	1	1	6	-	3	2	11	2	4	14	13	19
1	4	14	38	23	2	4	3	-	2	1	22	-	3	8	9	4	1	14	21	37
-	-	2	14	16	-	-	1	2	1	-	11	2	-	1	3	-	-	1	8	13
2	7	22	37	23	2	10	5	-	2	-	27	1	4	4	18	6	-	11	14	48
-	4	20	23	8	1	3	-	1	2	2	17	-	2	1	3	1	1	12	9	26
-	1	4	13	16	-	-	2	-	-	-	2	1	1	-	4	-	4	4	2	24
2	4	44	74	15	2	4	4	4	4	-	35	-	1	5	10	9	1	21	24	52
-	2	1	36	13	1	2	-	-	2	-	3	-	-	1	9	1	3	5	8	44
2	3	50	62	27	1	8	8	1	3	1	26	1	1	2	23	7	11	15	24	36
-	2	7	18	8	2	7	2	1	2	-	7	-	-	2	8	-	-	6	7	16
1	6	6	7	7	1	-	-	-	1	-	-	-	1	-	7	2	-	4	2	7
1	1	8	21	30	1	37	1	2	-	1	12	-	2	3	6	-	2	7	6	51
3	2	10	16	32	1	5	3	2	-	2	11	-	1	3	9	4	5	9	10	34
-	-	7	10	6	-	-	1	2	1	1	7	-	-	-	5	1	1	6	2	16
-	1	3	9	3	-	-	-	1	1	-	-	-	1	1	2	1	4	-	3	10
-	3	13	18	12	1	-	2	-	-	-	2	-	-	1	6	1	1	2	3	24
1	1	16	8	9	-	1	-	3	-	-	7	-	-	-	7	2	1	12	5	18
1	-	1	6	2	-	2	-	2	1	-	8	1	-	1	-	-	1	1	8	11

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
TEXAS—Continued																	
Del Rio	177	1	-	-	-	1	14	-	-	2	-	12	1	1	-	1	11
Denison—White	170	1	-	-	2	-	5	-	-	4	-	13	-	4	-	1	22
All other	48	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	8
Denton—White	124	-	-	-	1	1	7	-	-	2	-	15	-	2	-	-	9
All other	14	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2
Greenville—White	110	-	-	-	-	-	2	-	-	1	-	11	-	-	-	-	9
All other	45	-	-	-	1	-	1	-	-	-	1	3	-	-	-	-	2
Harlingen	126	-	1	-	1	-	13	-	-	3	-	6	1	1	-	-	9
Highland Park—White	65	-	-	-	-	-	1	-	-	-	-	11	-	1	-	-	6
All other	9	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Longview—White	115	1	-	-	-	1	5	-	-	2	-	7	-	-	-	-	10
All other	67	-	-	-	-	-	2	-	-	1	-	4	-	-	-	-	5
McAllen	135	1	-	-	-	2	9	-	-	-	-	10	-	1	-	1	8
Marshall—White	131	-	-	-	-	-	6	1	-	-	-	11	-	4	-	1	20
All other	112	1	-	-	-	2	9	-	1	3	-	9	1	1	-	7	10
Palestine—White	97	-	-	-	-	-	5	1	1	3	-	13	-	1	-	1	7
All other	63	-	-	-	-	-	4	-	1	-	-	5	1	1	1	1	1
Pampa	112	-	-	-	-	-	5	-	-	5	-	9	-	4	-	-	9
Paris—White	188	1	-	-	-	-	6	-	-	2	-	24	-	3	-	-	24
All other	59	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	13
Sherman—White	133	-	-	-	-	1	3	-	-	-	-	12	-	2	2	-	13
All other	28	-	-	-	1	-	1	-	-	2	-	5	-	-	-	-	5
Sweetwater	82	-	-	-	-	-	3	-	-	2	-	9	1	1	-	-	2
Temple—White	118	-	-	-	1	1	2	-	-	-	-	17	-	6	-	-	10
All other	45	1	-	-	-	-	2	1	-	1	-	3	-	1	2	-	8
Terrell—White	157	-	-	-	-	1	8	-	-	9	-	11	-	3	-	2	15
All other	38	-	-	-	-	-	3	1	-	1	-	4	-	-	-	-	2
Texarkana [6]—White	137	-	-	-	-	-	6	-	-	-	-	24	-	-	1	-	8
All other	81	1	-	-	-	-	12	-	1	-	-	5	-	-	-	1	6
University Park	57	-	-	-	-	-	1	-	-	2	-	9	-	2	-	-	2
Victoria—White	141	-	-	-	1	-	11	-	1	-	-	6	-	1	-	1	7
All other	25	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
UTAH																	
Salt Lake City	1,390	-	-	-	-	1	15	5	-	10	1	171	3	39	6	1	109
Ogden	391	-	-	-	4	-	7	1	-	2	-	43	-	8	3	-	27
Logan	110	-	-	-	1	-	-	-	-	-	-	6	-	2	-	-	12
Provo	183	-	-	-	-	-	4	-	-	10	-	12	-	2	-	-	17
VERMONT																	
Burlington	287	-	-	-	-	-	6	1	-	2	-	43	2	8	-	-	11
Barre	117	-	-	-	-	-	8	-	-	2	1	19	-	6	1	-	12
Rutland	221	-	-	-	-	-	9	1	-	-	-	30	-	9	1	-	14
VIRGINIA																	
Norfolk—White	1,043	1	-	-	2	4	49	4	-	6	-	122	1	13	1	-	97
All other	819	-	2	-	4	-	100	6	-	24	-	26	2	9	-	1	103
Richmond—White	1,426	-	1	-	-	2	43	2	1	10	1	180	-	41	1	1	134
All other	947	1	-	-	-	-	71	8	-	31	-	59	-	24	-	-	111
Alexandria—White	307	-	-	-	-	-	10	-	-	3	-	37	-	9	1	-	21
All other	118	-	-	-	1	-	11	-	-	6	-	10	-	1	-	-	3
Arlington (county) [7]	430	-	-	-	-	-	10	1	-	6	-	47	-	10	-	-	25
Danville—White	220	-	-	-	-	2	6	3	-	2	-	19	-	2	1	-	18
All other	166	-	-	-	-	-	14	2	-	1	-	8	-	1	-	2	27
Lynchburg—White	272	-	1	-	-	-	5	1	-	3	-	35	-	5	1	1	26
All other	158	-	-	-	-	-	16	2	-	5	-	11	-	-	-	-	23
Newport News—White	238	-	1	-	1	-	4	-	-	3	-	27	-	6	1	-	18
All other	299	3	1	-	1	-	31	4	-	7	-	21	1	7	1	-	26
Petersburg—White	191	-	-	-	2	-	3	1	-	-	-	17	-	3	-	1	17
All other	250	-	-	-	2	1	27	2	-	2	-	17	1	5	-	1	25
Portsmouth—White	327	-	-	-	-	-	10	2	-	1	-	31	1	5	1	-	43
All other	409	1	-	-	2	-	21	5	-	5	-	11	3	8	-	-	53
Roanoke—White	485	-	-	-	-	-	13	-	-	5	-	45	-	16	1	-	42
All other	172	-	1	-	1	-	14	1	-	12	-	8	-	4	-	-	14
Charlottesville—White	149	-	-	-	-	-	1	-	-	1	-	15	-	3	-	-	26
All other	66	-	-	-	-	-	2	-	-	2	-	8	-	3	-	-	12
Fredericksburg—White	77	-	-	-	-	-	1	-	-	-	-	11	-	1	-	-	3
All other	33	-	-	-	-	-	2	-	-	2	-	-	-	1	-	-	2
Martinsville—White	64	-	-	-	1	-	2	-	-	-	-	3	-	1	-	-	6
All other	31	1	-	-	-	-	4	-	-	1	-	1	-	1	-	1	2
Staunton—White	323	-	1	-	1	-	23	-	-	14	-	22	-	4	-	-	23
All other	29	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	3
Suffolk—White	93	-	-	-	-	-	2	-	-	-	-	12	-	2	-	-	11
All other	76	-	-	-	-	-	6	-	-	1	-	6	-	2	-	1	8
Winchester	121	-	-	-	-	-	5	1	-	1	-	18	-	-	-	-	8
WASHINGTON																	
Seattle [3]	4,773	-	1	-	2	3	170	17	-	52	5	647	-	96	13	1	479
Spokane	1,513	-	-	1	1	-	23	4	-	12	-	200	2	44	4	-	157
Tacoma	1,268	1	-	-	-	-	36	3	-	17	1	172	-	27	3	-	110
Bellingham	318	-	-	-	-	-	4	1	-	4	1	59	-	8	2	-	38
Everett	303	-	-	-	-	-	2	2	-	4	-	30	-	8	-	-	33
Yakima	335	-	-	-	5	2	8	3	-	5	1	39	-	6	1	-	28

See footnotes at end of table.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	2	12	11	27	-	15	2	2	-	2	10	1	2	-	8	-	-	-	-	38
1	1	13	15	15	1	2	-	1	2	1	28	-	2	1	5	1	1	4	5	19
1	-	1	6	6	1	-	1	-	-	1	6	-	-	-	2	-	-	-	2	8
1	4	14	16	6	-	1	4	3	-	1	6	-	-	1	-	1	-	3	12	14
-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2
1	-	8	18	12	1	1	2	2	-	1	9	-	-	1	2	2	1	7	9	10
3	-	3	10	2	-	-	4	-	-	-	4	-	1	-	2	-	-	-	1	7
1	-	1	10	11	1	6	1	1	1	-	9	2	-	1	3	2	2	5	9	27
3	-	13	7	2	-	-	-	2	-	-	4	-	-	-	1	1	-	2	3	8
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
1	-	10	13	4	-	1	3	1	1	-	10	1	-	2	4	1	3	9	4	21
-	-	1	9	5	-	-	-	-	2	-	4	2	2	-	3	-	1	3	2	21
-	2	6	10	11	-	15	-	4	1	-	7	-	2	3	4	-	1	3	5	29
-	2	15	14	6	-	-	-	1	1	2	10	-	1	1	2	2	-	3	9	19
-	-	1	25	4	-	-	1	-	1	-	3	-	-	-	2	-	-	3	4	24
3	1	9	12	3	-	1	-	1	-	1	7	1	-	-	-	3	-	3	10	10
-	-	1	15	2	1	-	2	3	-	-	15	-	-	-	-	-	-	-	3	6
1	2	11	10	7	2	1	1	1	-	2	9	-	-	1	8	-	-	4	7	13
2	1	16	12	18	1	1	2	-	-	1	31	-	-	1	8	3	-	5	6	20
-	-	1	9	4	-	2	4	1	-	-	9	-	-	-	2	-	-	1	-	9
1	1	15	16	11	1	-	1	1	-	-	6	-	-	-	5	2	1	1	7	31
-	-	-	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	7
2	1	3	13	9	2	1	2	1	-	-	5	-	-	-	7	2	-	-	2	14
-	1	10	20	5	-	4	-	-	-	-	4	-	-	-	2	2	-	4	4	25
-	1	-	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	6	1	8
1	3	13	22	11	-	1	-	2	1	-	9	-	-	1	2	1	-	-	2	39
-	-	-	4	5	-	2	-	-	-	-	5	-	-	-	2	-	-	-	-	9
-	2	16	15	9	-	-	1	5	1	-	12	1	-	1	2	3	-	5	10	15
-	-	2	13	4	-	2	2	2	1	-	1	1	-	-	4	-	1	3	6	13
1	2	10	3	4	-	-	-	-	-	-	1	-	-	1	7	3	-	1	1	7
3	-	9	22	12	1	2	-	5	2	-	10	-	1	2	8	1	1	9	5	20
1	1	1	6	2	-	1	1	-	-	-	1	-	-	-	-	-	-	1	1	5
5	42	148	283	52	11	7	14	14	15	5	83	-	5	18	33	21	3	48	68	154
3	12	49	69	17	8	1	4	1	3	1	20	-	1	6	15	5	1	18	19	43
1	3	14	28	2	-	-	-	-	-	2	7	-	-	1	4	1	-	4	6	16
-	9	23	33	14	2	1	1	1	-	2	7	-	1	1	-	3	-	8	10	22
1	5	28	51	12	4	4	5	3	1	3	12	-	2	7	13	3	-	8	18	34
-	1	4	26	5	1	-	-	4	-	-	7	1	1	1	2	3	-	-	4	8
2	6	42	27	4	1	1	1	4	4	3	13	-	1	3	6	-	-	7	5	27
8	6	124	162	53	7	12	6	5	16	1	55	5	3	13	32	22	3	34	77	101
3	23	28	148	69	4	14	7	9	2	2	50	4	7	1	23	2	29	14	39	64
6	22	141	262	64	6	7	9	8	9	8	165	3	4	6	23	29	2	52	46	139
6	11	27	147	92	3	11	10	8	2	1	111	4	3	-	22	3	33	18	33	97
2	6	39	40	14	2	6	1	-	2	-	28	1	2	5	10	7	1	17	14	31
1	1	4	23	6	1	5	1	1	-	-	15	-	-	-	3	-	4	2	2	17
2	7	54	71	16	3	8	3	7	3	2	43	-	-	6	16	13	4	7	15	51
-	3	17	35	17	-	6	1	6	5	-	26	-	1	1	6	2	-	6	11	24
2	-	1	21	25	1	6	-	2	-	-	19	-	1	1	7	-	5	4	2	14
1	5	32	27	10	1	-	2	1	3	-	35	-	1	1	11	9	1	12	10	32
-	2	6	24	9	-	1	-	1	-	1	18	-	1	-	3	1	2	1	7	24
1	1	26	31	20	4	1	-	2	-	2	19	2	-	3	13	4	-	9	18	21
-	2	17	43	28	1	5	2	4	2	-	23	1	-	1	9	-	10	9	14	25
-	2	14	20	12	2	2	2	-	3	-	26	1	-	2	4	8	1	11	7	30
-	1	8	22	26	1	14	2	3	-	1	38	-	3	-	9	2	4	1	2	32
1	8	42	38	13	4	4	2	2	2	2	31	-	1	3	11	4	2	13	22	28
-	7	28	31	56	4	13	1	1	3	2	56	4	1	6	15	-	12	2	21	37
2	6	41	82	25	8	7	3	3	3	1	41	-	2	4	22	6	1	8	24	74
3	3	5	12	19	1	3	1	1	-	1	31	-	-	-	4	-	2	1	3	27
-	1	23	27	8	2	-	-	1	-	2	3	-	-	3	5	4	-	3	6	15
-	-	4	10	2	1	3	1	-	-	-	4	-	-	1	3	-	1	2	3	4
-	2	9	11	6	1	1	1	1	1	-	9	1	-	3	2	1	-	5	1	6
-	-	1	4	-	-	1	-	-	-	-	4	-	1	-	1	-	1	4	4	5
-	1	4	12	5	-	3	-	-	-	1	-	-	1	2	3	1	-	2	2	14
-	-	1	5	-	-	2	-	-	-	-	1	1	-	-	2	-	2	1	2	3
1	4	21	94	46	1	-	-	3	1	1	20	1	1	1	3	2	1	2	3	29
-	3	2	5	1	-	-	-	-	-	-	3	-	-	-	1	1	2	-	-	2
1	-	6	11	3	1	1	1	-	4	1	10	1	-	2	1	1	-	7	5	10
-	1	1	16	2	-	4	-	-	-	-	5	1	-	-	2	-	2	4	4	10
1	-	8	23	1	1	2	-	-	1	1	13	-	-	-	7	1	-	5	6	18
23	81	559	909	164	44	13	22	37	34	19	250	5	2	31	68	107	15	151	241	512
5	35	203	202	92	6	5	9	8	4	5	132	3	2	12	36	36	5	43	78	144
6	39	201	190	34	11	2	6	8	10	8	77	1	2	7	22	25	3	50	66	130
1	4	41	48	8	-	2	3	3	4	1	28	-	-	1	4	4	1	10	11	27
1	4	40	64	8	1	-	3	2	1	1	31	-	-	2	8	5	1	7	14	31
2	4	31	69	8	-	4	1	1	3	2	14	-	1	3	11	7	-	23	11	42

TABLE 14.—DEATHS FROM SELECTED CAUSES, BY RACE

(See headnote

AREA AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
WASHINGTON—Continued																	
Aberdeen	199	-	-	-	-	-	4	-	-	6	-	24	-	9	2	-	18
Bremerton	159	-	-	-	2	-	2	1	-	1	-	22	-	2	-	-	15
Hoquiam	110	-	-	-	-	-	2	1	-	1	-	12	-	2	-	-	7
Longview	95	-	-	-	-	-	4	2	-	1	-	8	1	-	-	-	7
Olympia	170	-	1	-	-	-	2	-	-	4	1	21	-	6	1	-	18
Vancouver	225	-	-	-	-	-	3	-	-	4	-	30	-	7	1	-	33
Walla Walla	260	-	-	-	-	-	17	-	-	4	-	32	-	8	-	-	16
Wenatchee	122	-	-	-	-	-	4	-	-	-	-	23	-	2	-	-	13
WEST VIRGINIA																	
Charleston—White	612	-	-	-	3	1	26	4	-	9	-	71	-	16	-	-	35
All other	110	-	-	-	-	-	14	-	-	2	-	9	-	1	1	-	7
Clarksburg	324	-	-	-	-	-	7	1	-	2	-	32	-	8	1	-	24
Huntington	888	-	1	-	10	2	50	2	-	22	-	73	1	21	-	1	90
Parkersburg	345	-	1	1	-	-	19	1	-	5	-	42	-	5	1	-	42
Wheeling	692	-	1	-	1	-	21	3	-	3	-	87	1	22	2	-	74
Beckley—White	106	-	-	-	1	-	9	1	-	1	-	4	-	1	-	-	4
All other	44	-	-	-	-	-	3	-	-	2	-	-	1	-	-	-	1
Bluefield [6]—White	163	-	-	-	-	-	2	-	-	1	-	20	-	1	-	-	8
All other	51	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-	3
Fairmont	289	-	-	-	1	-	7	1	-	1	-	40	-	12	1	-	23
Martinsburg	209	-	-	-	-	-	11	-	-	4	1	23	-	4	-	-	27
Morgantown	181	-	1	-	-	-	7	-	-	2	1	24	-	7	-	-	13
Moundsville	180	-	-	-	1	-	19	2	-	2	-	21	1	4	-	-	19
South Charleston	104	-	-	-	1	-	1	-	-	3	-	12	-	4	-	-	4
WISCONSIN																	
Milwaukee	5,784	3	-	-	9	1	213	13	1	48	1	852	6	204	30	-	528
Appleton	259	-	-	-	-	-	7	1	-	-	-	38	1	8	-	-	22
Beloit	276	-	-	-	-	-	9	-	-	1	-	38	1	6	-	1	21
Eau Claire	285	-	-	-	-	-	6	-	-	4	-	26	1	12	2	1	31
Fond du Lac	318	-	-	-	-	-	6	1	-	1	-	59	-	5	-	1	31
Green Bay	429	-	-	-	-	-	10	-	-	2	-	56	1	14	3	-	38
Kenosha	428	-	-	-	-	-	8	1	-	1	-	70	-	15	-	1	40
La Crosse	376	-	-	-	-	-	10	-	-	4	-	55	1	10	1	-	39
Madison	523	-	-	-	-	-	9	-	-	6	1	88	-	14	2	-	45
Oshkosh	460	-	-	1	-	-	4	1	-	3	-	57	-	22	-	-	60
Racine	621	-	-	-	-	-	9	1	-	9	-	98	-	21	2	-	61
Sheboygan	392	-	-	1	-	-	10	-	-	3	-	55	-	14	1	-	36
Superior	409	-	-	-	-	-	11	1	-	1	-	56	-	13	-	-	38
Wausau	295	-	-	-	-	-	6	-	-	2	-	41	1	6	1	-	35
Wauwatosa	218	-	-	-	-	-	6	1	-	2	-	36	-	8	2	-	20
West Allis	286	-	-	-	-	-	6	-	-	2	-	43	-	6	-	-	15
Ashland	132	-	-	-	-	-	3	1	-	3	-	15	-	4	-	-	8
Beaver Dam	127	-	-	-	1	-	4	-	-	-	1	18	-	3	-	-	12
Chippewa Falls	127	-	-	-	-	-	1	-	-	-	-	20	-	1	1	-	14
Cudahy	72	-	-	1	-	-	3	-	-	1	-	9	-	3	-	-	3
Janesville	229	-	-	-	-	-	6	-	-	-	-	33	1	6	3	-	27
Manitowoc	230	-	-	1	-	-	6	1	-	1	-	31	-	9	3	-	26
Marinette	157	-	-	-	-	-	4	-	-	1	-	24	-	4	1	-	17
Marshfield	93	-	-	-	-	-	-	-	-	-	-	8	-	2	1	-	9
Menasha	92	-	-	-	-	-	7	-	-	-	-	10	-	2	1	-	7
Neenah	106	-	-	2	-	-	2	-	-	1	-	15	-	5	-	-	14
Shorewood	97	-	-	-	-	-	2	1	-	-	-	21	-	2	-	-	11
South Milwaukee	82	-	-	-	-	-	3	1	-	1	-	8	-	6	-	-	13
Stevens Point	134	-	-	-	-	-	7	-	-	-	-	18	-	8	2	-	8
Two Rivers	69	-	-	-	-	-	1	-	-	-	-	6	-	4	1	-	2
Watertown	121	-	-	-	-	-	5	-	-	-	-	15	-	9	-	-	13
Waukesha	194	-	-	-	-	-	4	-	-	1	1	20	-	4	2	-	19
Wisconsin Rapids	93	-	-	-	-	-	1	-	-	-	-	14	-	3	2	-	5
WYOMING																	
Casper	161	-	-	-	1	-	3	-	-	4	-	21	-	3	1	-	10
Cheyenne	203	-	-	-	2	1	1	-	-	4	-	24	-	2	-	-	9
Laramie	103	-	-	-	-	-	1	-	-	-	-	13	-	-	1	-	7
Sheridan	105	-	-	-	-	-	2	-	-	-	-	13	-	4	-	-	14

* Refer to complete International List titles, table XI, Part I.
[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.
[3] Figures by race not available for selected causes of death.
[4] Includes figures for Bronx, Brooklyn, Manhattan, Queens, and Richmond Boroughs, which are not tabulated separately.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] Classified as urban under special rule. See text, p. 2, Part I.
[8] Includes data for Bluefield, W. Va., only.

AND BY EACH CITY OF 10,000 OR MORE IN 1940: 1941—Continued

on p. 274)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 53, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	3	21	35	3	2	1	-	3	1	2	8	1	1	1	8	4	-	4	7	30
1	3	17	31	7	1	1	2	1	3	2	5	-	-	3	7	1	-	5	8	18
-	2	23	15	3	-	-	-	3	-	1	4	-	2	2	2	1	-	5	5	17
1	2	9	17	1	-	-	-	3	2	1	7	-	-	2	3	1	1	7	2	13
-	5	12	26	3	4	-	1	1	-	-	10	-	1	2	5	4	1	3	13	25
1	5	32	29	7	1	-	2	3	1	1	7	-	-	1	3	5	-	5	6	38
1	5	38	38	11	-	-	-	-	-	3	35	1	2	3	3	4	-	7	6	26
1	1	15	20	4	1	-	-	-	-	1	6	-	-	1	5	1	1	5	8	10
5	8	44	101	48	5	9	5	6	2	4	39	2	2	5	24	13	4	17	39	65
1	-	2	24	9	2	2	1	1	2	1	8	-	1	1	1	-	3	2	5	10
2	1	34	43	27	3	2	2	5	4	2	24	-	2	1	11	3	2	17	17	40
5	9	67	139	54	6	21	6	9	12	4	45	2	1	12	26	11	6	20	43	117
-	6	41	46	17	1	1	-	2	2	1	16	-	-	2	10	4	2	7	23	47
1	10	55	108	37	2	5	3	5	13	-	78	1	-	3	15	14	7	19	31	70
-	2	5	17	4	-	6	1	-	1	-	13	-	-	3	8	1	1	2	4	17
-	3	-	8	2	-	1	1	-	2	-	1	-	-	-	3	-	4	-	4	8
1	6	13	15	12	3	4	3	1	2	-	14	-	1	2	10	3	-	8	7	26
-	-	3	8	6	1	1	-	3	-	-	9	-	-	2	-	-	2	1	1	5
2	8	38	32	11	4	2	2	2	2	2	27	3	1	3	9	1	1	7	16	30
1	1	10	23	13	2	1	2	-	-	3	20	-	-	3	12	-	3	4	9	32
1	7	20	21	11	-	1	1	-	-	-	12	-	-	-	7	1	-	8	11	25
-	2	22	14	6	1	5	4	4	-	1	13	-	1	-	2	2	1	3	11	19
-	-	5	13	6	-	2	3	1	-	-	11	1	-	3	8	-	-	5	7	14
18	122	534	1,216	251	54	21	41	46	95	45	277	7	10	52	92	90	10	147	238	509
3	4	23	50	5	3	1	2	2	3	2	25	-	-	4	6	2	-	15	9	23
2	10	25	49	17	3	2	5	2	1	1	17	-	1	4	4	3	-	11	13	29
-	6	44	40	17	1	4	-	-	1	-	10	1	2	1	10	4	1	15	8	37
2	3	25	66	5	2	3	1	1	4	3	24	-	-	7	7	3	-	6	14	38
-	2	37	86	20	3	1	7	3	3	2	31	-	2	5	11	5	1	14	23	49
-	9	51	68	15	2	1	5	2	4	2	36	1	-	4	12	4	4	16	16	40
-	5	26	80	22	3	1	3	3	4	4	28	-	-	2	16	2	-	2	20	35
2	7	57	114	20	3	1	2	1	7	3	27	1	1	8	8	10	-	25	22	39
-	8	40	86	14	5	3	4	1	5	3	30	1	2	6	7	5	3	5	24	60
1	7	46	140	19	4	-	3	11	12	9	34	3	1	11	8	8	2	20	35	46
2	7	54	61	18	3	-	1	4	11	5	16	1	3	4	4	3	-	12	22	41
2	2	33	94	27	3	1	1	4	3	3	18	-	3	1	6	7	2	15	24	40
3	6	26	58	10	1	-	4	1	-	-	18	1	2	2	10	3	1	9	9	39
2	1	18	47	6	2	-	3	2	1	3	16	-	-	4	2	4	-	6	7	19
2	9	27	63	11	1	3	-	3	5	4	8	1	1	2	7	7	2	11	14	33
-	4	16	29	9	-	1	3	-	2	1	8	-	1	1	1	4	-	2	6	10
2	1	13	24	6	-	-	1	-	1	2	7	-	-	-	1	1	-	7	7	15
-	4	14	23	13	1	2	2	-	-	1	2	-	1	-	2	1	-	2	4	18
-	1	7	13	4	-	-	-	2	-	-	2	-	-	2	3	2	3	4	3	6
-	11	18	39	12	1	1	3	3	1	3	9	1	-	3	3	10	1	9	8	17
1	3	31	39	11	2	1	-	1	1	1	18	-	1	2	2	5	-	6	10	17
1	2	13	26	13	1	-	1	3	1	-	7	-	-	2	1	3	-	3	5	24
-	1	5	23	6	2	3	1	-	1	1	5	-	1	1	3	-	-	1	5	14
-	1	6	18	3	2	-	1	3	4	2	5	-	-	2	2	1	-	4	4	7
1	1	3	13	5	1	-	-	-	1	-	5	-	2	3	4	2	-	3	5	18
-	3	9	20	5	1	1	1	-	1	-	6	-	-	-	-	1	-	2	-	10
-	-	5	16	3	-	-	1	-	-	-	1	1	-	-	2	6	-	4	4	7
2	3	10	23	5	-	-	3	-	1	-	8	-	-	-	5	4	-	8	7	12
-	2	5	12	6	-	-	1	-	-	1	10	-	-	2	-	1	-	2	1	12
-	3	3	32	4	1	-	1	-	-	1	12	-	-	1	2	-	-	3	6	10
-	4	27	32	10	3	1	2	-	-	1	8	-	-	2	3	4	1	8	13	24
-	2	7	17	3	1	-	1	-	-	-	1	-	-	2	6	1	-	4	8	15
-	2	11	33	6	2	-	2	3	-	3	12	2	2	-	5	2	-	7	10	16
2	7	24	27	17	2	-	3	2	2	1	10	-	-	5	9	10	-	6	13	20
1	1	15	8	8	1	-	-	2	-	-	6	-	1	3	4	1	2	4	10	14
-	3	8	19	5	-	-	3	1	1	1	6	-	-	-	6	1	2	2	3	11

VITAL STATISTICS OF THE UNITED STATES

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes	28,782	3,827	499	218	142	101	365	352	697	943	1,041	1,012	1,184	1,329	1,500	1,995	2,026	2,139	2,384	2,237	1,834	1,502	858	329	96	76	96
	White—M	8,889	1,145	128	68	44	32	114	113	177	226	256	234	271	343	385	512	708	789	870	829	680	560	284	86	14	6	15
	F	6,769	881	122	54	42	34	95	77	129	152	174	190	210	219	248	366	406	522	626	639	568	554	311	96	24	8	22
	All other—M	6,872	978	135	51	29	20	84	87	173	265	299	269	323	396	472	569	481	442	486	452	349	212	141	74	31	22	32
	F	6,252	823	114	45	27	15	72	75	218	300	312	319	380	371	395	548	431	386	402	317	237	176	122	73	27	40	27
1,2	Typhoid, paratyphoid fever	21	-	-	-	1	-	1	2	6	1	1	2	1	2	-	-	1	3	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	-	4	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	27	2	1	1	1	1	1	-	3	2	2	2	3	1	-	-	4	1	-	-	-	-	1	-	-	-	1
	White—M	9	1	-	-	1	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F	11	-	1	1	-	1	1	-	1	-	-	-	2	1	-	-	2	-	-	-	-	-	1	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	2	-	1	1	1	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	152	90	28	8	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	22	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	39	24	10	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	25	8	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	72	9	18	13	16	2	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	31	7	6	8	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	1	9	1	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	1	1	3	2	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,383	7	8	3	2	3	3	22	93	186	170	168	130	118	101	100	82	60	58	37	17	6	1	-	-	-	8
	White—M	312	-	1	-	-	-	1	-	6	13	21	39	33	36	26	33	36	24	21	13	6	1	1	-	-	-	1
	F	255	1	-	2	1	-	-	2	10	23	24	17	27	16	25	18	18	15	21	19	9	5	-	-	-	-	2
	All other—M	393	2	4	1	1	2	2	5	29	65	47	46	36	40	33	31	16	16	11	2	2	-	-	-	-	-	2
	F	423	4	3	-	-	1	-	15	48	85	78	66	34	26	17	18	12	5	5	3	-	-	-	-	-	-	3
14-22	Tuberculosis (other forms)	114	11	5	3	-	-	6	7	10	7	7	12	7	12	9	6	4	1	3	-	2	2	-	-	-	-	-
	White—M	25	3	-	-	-	-	-	2	4	1	1	2	2	3	2	1	1	1	1	-	1	-	-	-	-	-	-
	F	16	-	2	2	-	-	2	-	-	-	-	3	1	1	2	1	1	-	-	-	1	-	-	-	-	-	-
	All other—M	43	3	2	1	-	-	4	2	2	2	4	6	2	6	2	2	2	-	2	-	-	1	-	-	-	-	-
	F	30	5	1	-	-	-	-	3	4	4	2	1	2	2	3	2	-	-	-	-	-	1	-	-	-	-	-
27	Dysentery	69	23	12	8	3	-	1	-	1	-	1	1	-	2	2	-	2	1	2	2	2	3	2	1	-	-	-
	White—M	18	7	1	1	1	-	1	-	-	-	-	1	-	-	2	-	-	1	1	1	-	1	-	-	-	-	-
	F	27	9	5	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	1	1	-	-	-
	All other—M	9	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	2	5	1	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-
28	Malaria	123	8	4	4	3	3	5	7	3	4	8	4	8	6	6	9	14	7	4	7	4	3	2	-	-	-	-
	White—M	22	-	-	1	-	2	1	-	-	-	-	2	3	1	1	2	1	1	-	2	2	2	1	-	-	-	-
	F	25	1	2	1	-	-	1	2	-	1	-	-	2	2	-	2	2	2	1	3	1	1	1	-	-	-	-
	All other—M	38	4	-	2	1	-	2	2	1	1	5	-	-	2	-	4	8	2	3	1	-	-	-	-	-	-	-
	F	38	3	2	-	2	1	1	3	2	2	3	2	3	1	5	1	3	2	-	1	1	-	-	-	-	-	-
30	Syphilis	526	77	3	-	-	-	1	6	12	29	40	29	45	68	49	41	36	36	29	6	8	6	1	1	-	-	3
	White—M	85	2	-	-	-	-	1	1	1	-	-	-	4	13	8	11	10	15	11	3	3	-	-	1	-	-	1
	F	37	3	-	-	-	-	-	2	-	1	5	3	1	4	4	2	1	2	5	-	1	3	-	-	-	-	-
	All other—M	257	44	2	-	-	-	-	2	2	10	18	14	24	40	23	22	21	16	9	3	3	1	1	-	-	-	2
	F	147	28	1	-	-	-	-	1	9	18	17	12	16	11	14	6	4	3	4	-	1	2	-	-	-	-	-
33	Influenza	993	167	42	17	6	6	27	15	14	16	30	33	31	37	46	58	41	44	78	79	67	69	45	15	6	2	2
	White—M	261	44	12	5	-	2	9	4	4	4	5	8	2	9	6	12	17	7	22	24	22	24	15	3	-	-	1
	F	271	33	6	3	2	1	9	5	2	2	7	3	12	8	9	13	8	10	19	22	28	35	22	9	2	-	1
	All other—M	230	43	12	4	2	1	6	1	7	5	7	10	6	11	14	18	8	13	17	19	13	3	5	3	1	1	-
	F	231	47	12	5	2	2	3	5	1	5	11	12	11	9	17	15	8	14	20	14	4	7	3	-	3	1	-
35	Measles	120	35	18	10	7	9	16	2	7	3	3	1	2	-	-	1	2	1	1	2	-	-	-	-	-	-	-
	White—M	45	12	8	3	4	4	4	-	2	1	1	1	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	53	14	8	4	2	5	8	2	3	1	2	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	All other—M	12	5	2	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	4	-	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	61	4	9	6	3	6	10	9	6	3	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	25	2	1	2	1	4	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	1	5	3	1	2	2	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	1	1	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	681	-	-	-	-	1	1	1	1	4	8	11	22	27	49	62	100	107	93	80	64	26	18	3	1	-	2
	White—M	266	-	-	-	-	1	-	1	-	2	3	2	5	12	14	16	34	42	44	35	31	13	9	1	-	-	1
	F	236	-	-	-	-	-	-	-	-	2	1	5	5	6	13	20	34	39	33	34	24	12	6	1	1	-	-
	All other—M	89	-	-	-	-	-	1	-	-	-	-	2	4	7	19	12	15	9	9	4	5	-	1	1	-	-	-
	F	90	-	-	-	-	-	-	-	1	-	4	2	8	2	3	14	17	17	7	7	4	1	2	-	-	-	1
48,49	Cancer of female genital organs	407	-	-	-	-	-	-	-	2	5	7	26	35	56	65	62	44	40	31	14	11	7	2	-	-	-	-
	White—F	218	-	-	-	-	-	-	-	2	3	5	12	15	24	33	29	28	27	16	11	6	7	-	-	-	-	-
	All other—F	189	-	-	-	-	-	-	-	-	2	2	14	20	32	32	33	16	13	15	3	5	-	2	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
50	Cancer of breast	160	-	-	-	-	-	-	-	-	-	4	5	9	21	17	18	20	14	10	25	9	5	-	1	-	1	1
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	100	-	-	-	-	-	-	-	-	-	3	1	3	17	8	11	15	10	6	18	4	4	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	56	-	-	-	-	-	-	-	-	-	1	4	6	4	9	7	5	3	4	6	4	1	-	-	-	1	1
45,47, 51-55	Cancer (other sites)	656	3	2	2	2	1	4	9	8	7	5	19	22	26	39	54	79	71	79	69	65	56	23	6	2	2	1
	White—M	347	3	1	-	-	1	2	3	4	3	4	6	7	12	18	25	42	44	43	39	43	37	9	1	-	-	-
	F	167	-	-	-	1	-	1	5	1	-	-	6	8	3	9	14	20	15	21	18	14	13	11	5	1	1	-
	All other—M	94	-	1	1	1	-	1	1	1	1	1	5	4	6	8	7	11	7	13	9	6	5	3	-	1	1	-
	F	48	-	-	1	-	-	-	-	2	3	-	2	3	5	4	8	6	5	2	3	2	1	-	-	-	-	1
58	Acute rheumatic fever	39	-	-	1	2	2	5	7	4	2	2	-	2	1	1	2	1	1	1	3	1	1	-	-	-	-	-
	White—M	6	-	-	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	2	3	4	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	3	2	-	1	1	-	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	2	-	2	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	350	-	2	-	-	1	3	3	14	10	9	5	16	11	23	25	41	47	45	43	32	15	5	-	-	-	-
	White—M	101	-	1	-	-	-	1	1	5	2	3	1	2	1	5	3	16	10	20	15	11	3	1	-	-	-	-
	F	135	-	1	-	-	-	1	-	7	4	2	3	2	2	7	7	10	27	17	21	15	7	2	-	-	-	-
	All other—M	39	-	-	-	-	-	1	1	1	1	1	-	2	-	2	5	7	4	3	3	3	3	2	-	-	-	-
	F	75	-	-	-	-	1	-	1	1	3	3	1	10	8	9	10	8	6	5	4	3	2	-	-	-	-	-
63b	Exophthalmic goiter	33	-	-	-	-	-	-	-	2	2	3	5	2	1	1	5	2	4	3	2	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	2	2	2	-	-	-	4	2	2	3	1	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	1	3	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	184	-	-	-	-	-	-	1	-	5	4	11	17	4	15	26	12	15	25	18	14	11	5	1	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	2	4	8	5	2	-	-	-	-	-
	F	49	-	-	-	-	-	-	1	-	1	-	1	2	-	5	8	2	4	7	5	5	5	2	1	-	-	-
	All other—M	26	-	-	-	-	-	-	-	-	-	1	-	3	-	2	6	2	3	5	2	1	-	1	-	-	-	-
	F	79	-	-	-	-	-	-	-	-	4	3	10	11	4	4	10	6	6	9	3	3	4	2	-	-	-	-
77	Alcoholism (ethylism)	28	-	-	-	-	-	1	-	-	1	2	3	3	3	7	3	1	1	1	1	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	1	-	-	-	-	1	2	2	4	1	-	1	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,377	2	3	2	-	-	-	2	8	9	16	22	55	93	133	243	243	280	346	329	274	172	111	20	4	4	6
	White—M	676	1	1	-	-	-	-	-	1	1	2	4	11	15	21	36	64	82	114	130	86	67	37	2	-	-	1
	F	635	1	-	1	-	-	-	-	2	2	2	1	7	15	23	46	51	68	107	92	92	70	44	7	2	1	1
	All other—M	502	-	2	-	-	-	-	2	3	2	3	13	17	26	45	64	55	61	59	54	50	20	16	7	1	1	1
	F	564	-	-	1	-	-	-	-	2	4	9	4	20	37	44	97	73	69	66	53	46	15	14	4	1	2	3
80-82, 84-88	Other diseases of nervous system, etc.*	350	55	11	7	5	4	16	12	15	24	23	15	15	21	22	27	12	15	21	10	8	10	2	-	-	-	-
	White—M	94	12	2	4	2	3	5	2	4	8	5	6	5	4	3	7	5	3	6	4	1	2	1	-	-	-	-
	F	122	19	4	2	1	-	3	3	3	4	7	3	3	9	7	14	4	10	8	5	6	6	1	-	-	-	-
	All other—M	78	14	2	-	2	1	4	1	3	8	8	3	4	6	10	5	3	-	2	1	1	-	-	-	-	-	-
	F	56	10	3	1	-	-	4	6	3	4	3	3	3	2	2	1	-	2	5	-	-	2	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	143	27	7	8	2	3	9	5	10	3	7	6	10	4	5	5	5	11	6	3	4	1	-	1	1	-	-
	White—M	43	6	2	4	-	1	1	-	5	1	3	-	1	2	-	2	3	5	2	1	2	1	-	-	1	-	-
	F	42	8	2	2	1	-	4	3	1	-	1	4	3	1	2	2	-	3	2	2	1	-	-	-	-	-	-
	All other—M	28	6	2	1	1	1	1	1	2	1	1	1	3	-	2	1	1	-	1	-	1	-	-	1	-	-	-
	F	30	7	1	1	-	1	3	1	2	1	2	1	3	1	1	-	1	3	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	479	1	3	-	1	-	9	14	11	10	21	14	22	19	30	35	40	39	50	51	50	40	14	1	1	-	3
	White—M	164	1	2	-	1	-	3	8	3	2	9	2	5	6	8	6	11	13	19	15	24	19	6	-	-	-	1
	F	120	-	-	-	-	-	1	3	3	3	7	4	4	3	6	9	5	9	16	16	13	15	1	1	1	-	-
	All other—M	109	-	1	-	-	-	3	2	2	1	2	6	6	4	10	13	14	8	8	11	9	2	5	-	-	-	2
	F	86	-	-	-	-	-	2	1	3	4	3	2	7	8	6	7	10	9	7	9	4	4	2	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,116	-	-	-	1	-	-	-	3	5	7	20	36	81	81	143	163	170	147	129	69	39	11	7	1	1	2
	White—M	567	-	-	-	-	-	-	-	-	2	1	4	15	39	42	66	102	96	66	74	34	20	4	2	-	-	-
	F	238	-	-	-	1	-	-	-	-	-	2	8	1	5	8	19	25	42	44	39	23	15	4	2	-	-	-
	All other—M	156	-	-	-	-	-	-	-	2	-	1	5	7	22	15	29	18	14	22	8	7	-	1	2	1	-	2
	F	155	-	-	-	-	-	-	-	1	3	3	3	13	15	16	29	18	18	15	8	5	4	2	1	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,420	7	1	3	4	1	9	9	22	22	36	49	89	129	213	290	333	377	477	427	344	319	167	58	14	7	13
	White—M	1,120	3	-	-	2	-	1	3	5	2	4	5	13	22	44	66	101	140	191	164	136	133	59	19	5	-	2
	F	805	4	-	2	-	1	3	3	3	4	4	14	16	19	15	36	53	96	111	107	107	121	71	12	-	-	3
	All other—M	800	-	-	-	1	-	2	1	8	4	14	9	16	42	78	102	103	81	104	97	63	36	18	9	6	5	1
	F	695	-	1	1	1	-	3	2	6	12	14	21	44	46	76	86	76	60	71	59	38	29	19	18	3	2	7
107-109	Pneumonia (all forms)	1,487	431	72	28	14	10	21	15	25	33	30	37	33	46	54	71	61	69	87	87	90	101	34	25	3	4	6
	White—M	469	117	14	9	4	3	6	3	8	8	9	9	7	12	16	20	21	27	34	31	37	43	13	12	2	3	1
	F	344	97	13	5	2	4	2	3	1	7	5	2	5	5	4	7	10	14	25	28	38	40	18	6	1	1	1
	All other—M	381	119	27	5	4	3	10	6	5	8	8	12	11	21	17	28	18	15	20	18	8	11	1	2	-	-	4
	F	293	98	18	9	4	-	3	3	11	10	8	14	10	8	17	16	12	13	8	10	7	7	2	5	-	-	-
117	Ulcer of stomach or duodenum	148	-	-	-	-	-	-	-	2	4	11	14	12	12	7	20	17	15	11	9	10	1	1	2	-	-	-
	White—M	85	-	-	-	-	-	-	-	2	2	5	9	4	5	3	11	14	8	7	5	8	-	-	2	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	2	1	-	1	-	-	-	-
	All other—M	40	-	-	-	-	-	-	-	-	1	5	3	7	4	2	5	2	4	3	2	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	1	1	-	3	1	2	-	2	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	486	279	97	21	4	2	7	-	2	3	3	5	2	5	2	4	5	8	5	7	5	11	7	1	-	1	-
	White—M	160	90	30	8	-	1	1	-	-	-	1	-	-	1	-	1	3	5	4	5	3	2	5	-	-	-	-
	F	99	54	22	4	1	1	2	-	1	-	2	-	-	-	-	-	-	1	1	-	1	6	2	-	-	1	-
	All other-M	110	66	27	4	1	-	3	-	1	2	-	1	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	117	69	18	5	2	-	1	-	-	1	-	4	1	3	1	3	2	1	-	2	-	3	-	1	-	-	-
121	Appendicitis	256	2	1	3	2	-	17	27	28	24	22	17	16	17	13	14	16	14	9	8	5	-	-	1	-	-	-
	White—M	106	1	-	3	-	-	7	11	14	11	6	3	7	8	2	5	3	9	5	7	3	-	-	1	-	-	-
	F	61	1	1	-	2	-	4	11	5	7	6	1	3	1	1	3	9	2	2	-	2	-	-	-	-	-	-
	All other-M	51	-	-	-	-	-	1	4	3	2	6	8	2	3	9	4	3	3	2	1	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	5	1	6	4	4	5	4	5	1	2	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	17	3	-	-	1	-	4	7	2	9	7	12	8	15	20	20	17	15	15	16	5	4	2	1	-	3
	White—M	67	10	3	-	-	-	-	2	2	1	-	1	1	1	4	8	6	7	6	5	6	3	-	1	-	-	-
	F	40	4	-	-	-	-	-	-	1	-	3	1	2	1	2	2	5	5	4	3	5	-	2	-	-	-	-
	All other-M	49	2	-	-	-	-	-	2	2	-	3	2	1	2	8	6	5	3	1	4	2	2	-	1	1	-	2
	F	47	1	-	-	-	1	-	-	2	1	3	3	8	4	1	4	4	2	4	3	3	-	2	-	-	-	1
124	Cirrhosis of the liver	141	-	1	-	-	-	-	-	-	-	3	3	8	11	9	14	25	25	15	11	10	3	2	-	-	-	1
	White—M	69	-	-	-	-	-	-	-	-	-	1	-	2	3	5	7	15	15	8	3	7	2	1	-	-	-	-
	F	23	-	1	-	-	-	-	-	-	-	-	-	1	1	2	2	5	3	1	6	1	-	-	-	-	-	-
	All other-M	34	-	-	-	-	-	-	-	-	-	2	2	3	5	2	3	3	6	4	2	-	1	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	2	1	2	-	2	-	-	-	-	-	1
126,127	Biliary calculi, etc.*	73	1	-	-	-	-	-	1	1	-	-	2	-	8	5	11	6	17	6	11	2	-	2	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	5	3	6	1	-	-	-	-	-	-
	F	37	1	-	-	-	-	-	-	1	-	-	1	-	4	3	7	2	9	3	3	1	-	2	-	-	-	-
	All other-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,581	1	7	4	1	2	13	10	13	22	40	63	79	134	145	224	229	259	328	333	258	219	122	44	15	5	11
	White—M	774	1	3	1	-	1	4	4	3	2	5	8	15	26	29	56	59	88	107	116	89	87	52	14	2	2	-
	F	579	-	3	1	1	-	1	1	2	3	6	15	15	21	17	26	37	48	73	91	70	79	42	16	5	-	6
	All other-M	673	-	1	-	-	-	4	2	4	6	12	17	24	44	55	75	70	59	86	84	63	30	18	9	4	2	4
	F	555	-	-	2	-	1	4	3	4	11	17	23	25	43	44	67	63	64	62	42	36	23	10	5	4	1	1
137	Diseases of the prostate	129	-	-	-	-	-	-	-	-	-	-	2	-	-	2	10	9	17	18	24	19	14	8	3	1	1	1
	White—M	71	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	11	15	16	11	5	3	-	-	-
	All other-M	58	-	-	-	-	-	-	-	-	-	-	2	-	-	1	9	5	13	7	9	3	3	3	-	1	1	1
140, 142a, 147	Puerperal septicemia	104	-	-	-	-	-	-	-	22	32	19	17	7	6	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	44	-	-	-	-	-	-	-	5	13	13	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	60	-	-	-	-	-	-	-	17	19	6	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	120	-	-	-	-	-	-	2	25	26	23	16	17	7	3	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	44	-	-	-	-	-	-	1	6	12	7	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	76	-	-	-	-	-	-	1	19	14	16	7	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	121	-	-	-	-	-	-	-	23	27	26	18	19	7	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	53	-	-	-	-	-	-	-	9	11	9	11	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	68	-	-	-	-	-	-	-	14	16	17	7	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	225	188	13	1	2	-	3	6	4	-	1	2	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White—M	96	82	6	-	1	-	-	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	72	4	1	-	-	2	-	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	All other-M	22	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	15	1	-	-	-	1	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,021	1,021	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	354	354	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	268	268	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	218	218	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	173	-	-	-	-	-	-	1	12	16	19	10	19	22	16	13	15	13	8	5	1	2	-	-	-	-	1
	White—M	108	-	-	-	-	-	-	-	4	5	10	6	10	15	10	9	12	12	6	5	1	2	-	-	-	-	1
	F	49	-	-	-	-	-	-	1	7	8	8	3	6	5	3	3	3	1	1	-	-	-	-	-	-	-	-
	All other-M	12	-	-	-	-	-	-	-	-	3	-	-	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide	425	1	-	1	1	1	2	4	28	81	89	63	56	36	28	12	8	6	3	1	2	1	-	-	-	-	1
	White—M	84	-	-	-	-	1	2	-	2	7	21	8	11	10	10	4	2	2	3	-	1	-	-	-	-	-	-
	F	15	1	-	-	1	-	-	-	1	2	2	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	All other-M	254	-	-	1	-	-	-	3	16	53	49	42	39	20	15	5	5	4	-	1	1	-	-	-	-	-	-
	F	72	-	-	-	-	-	-	1	9	19	17	12	3	5	1	3	-	-	-	-	-	1	-	-	-	-	1
170	Motor-vehicle accidents	776	6	4	5	9	5	38	40	79	99	89	74	57	36	41	55	39	28	28	13	13	7	4	1	-	-	6
	White—M	441	3	-	4	5	2	20	20	42	60	56	48	28	24	23	29	24	15	9	8	10	4	3	-	-	-	4
	F	120	3	2	-	2	2	7	10	15	13	8	12	9	1	6	7	7	5	5	2	1	2	-	-	-	-	1
	All other-M	181	-	1	1	2	1	8	8	21	24	23	10	17	9	10	15	5	6	11	3	2	1	1	1	-	-	1
	F	34	-	1	-	-	-	3	2	1	2	2	4	3	2	2	4	3	2	3	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,349	74	34	20	16	18	56	57	89	129	114	78	93	70	60	65	42	54	49	55	51	56	39	17	5	4	4
	White—M	547	28	16	7	6	2	16	24	35	74	52	40	46	27	26	26	22	26	13	16	15	13	12	5	-	-	-
	F	265	14	6	3	6	9	17	5	14	4	6	8	8	9	4	4	5	9	15	23	27	28	23	10	5	1	2
	All other-M	398	19	3	4	2	5	10	20	37	40	50	24	36	28	26	24	12	15	12	8	7	10	2	-	-	2	2
	F	139	13	9	6	2	2	13	8	3	11	6	6	3	6	4	11	3	4	9	8	2	5	2	2	-	1	-
	All other causes*	4,888	1,276	90	38	31	17	62	49	82	85	126	118	171	159	185	246	250	250	292	320	305	291	225	118	41	44	17
	White—M	1,130	335	15	7	7	4	16	14	10	13	25	14	25	30	46	43	73	74	87	77	74	67	50	19	4	1	-
	F	951	248	18	9	8	6	13	7	17	17	23	24	25	26	26	45	38	42	58	63	68	79	54	25	6	3	3
	All other-M	1,389	384	31	16	7	4	13	17	16	20	26	24	42	41	56	70	63	75	72	103	96	82	62	37	15	9	8
	F	1,418	309	26	6	9	3	20	11	39	35	52	56	79	62	57	88	76	59	75	77	67	63	59	37	16	31	6

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	All causes	5,452	1,038	189	68	54	25	90	73	139	149	155	163	199	216	276	306	353	402	406	377	325	233	130	60	11	10	7
	White—M	2,745	415	42	15	15	7	20	26	46	69	70	78	98	111	190	188	203	254	258	229	185	132	68	31	1	2	2
	F	1,582	319	38	14	9	5	21	18	44	42	47	46	67	78	63	82	102	102	107	110	110	73	53	21	6	3	2
	All other—M	599	158	55	20	17	9	28	17	20	13	25	25	20	15	20	14	29	21	24	21	19	16	6	3	3	1	-
	F	526	146	54	19	13	4	21	12	29	25	13	14	14	12	13	22	19	25	17	17	9	12	3	5	1	4	3
1,2	Typhoid, paratyphoid fever	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	38	23	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	1	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	611	5	9	4	3	-	16	18	48	40	47	49	50	66	70	60	44	38	22	10	5	4	-	1	1	-	1
	White—M	304	1	2	-	-	-	-	1	5	11	15	20	25	45	54	40	26	30	16	7	4	2	-	-	-	-	-
	F	148	2	1	1	-	-	-	4	18	13	16	14	14	18	10	13	15	5	4	-	-	-	-	-	-	-	-
	All other—M	86	2	2	1	3	-	8	7	12	3	11	10	6	2	4	2	3	3	1	3	-	1	-	1	1	-	-
	F	73	-	4	2	-	-	8	6	13	13	5	5	5	1	2	5	-	-	1	-	1	1	-	-	-	-	1
14-22	Tuberculosis (other forms)	58	9	4	4	5	4	9	3	4	2	3	3	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	14	2	1	1	2	-	-	-	-	-	1	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	22	2	1	2	3	3	6	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	4	1	-	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	36	25	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	2	-	-	-	-	-
	White—M	12	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	11	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	72	11	1	-	-	1	-	2	2	2	2	1	7	4	8	8	11	4	6	1	1	-	-	-	-	-	-
	White—M	35	4	-	-	-	-	-	-	-	-	-	-	3	3	4	6	4	4	5	1	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	2	-	1	2	1	1	-	1	1	5	-	-	-	-	-	-	-	-	-	-
	All other—M	12	2	-	-	-	-	-	-	-	1	-	-	2	1	3	-	2	-	1	-	-	-	-	-	-	-	-
	F	11	5	1	-	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Influenza	76	27	3	2	3	-	-	1	1	2	1	1	2	1	7	4	1	4	2	3	5	2	1	3	-	-	-
	White—M	46	16	3	1	1	-	-	-	1	2	-	1	-	1	3	3	1	2	2	2	3	2	1	1	-	-	-
	F	25	8	-	1	1	-	-	1	-	-	1	-	2	-	3	1	-	2	-	1	2	-	-	2	-	-	-
	All other—M	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	93	25	31	14	8	4	8	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	41	11	15	8	2	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	8	12	4	6	1	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	175	-	-	-	1	-	-	-	-	-	1	4	6	7	6	12	28	23	28	26	17	10	4	2	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	-	4	3	3	3	6	15	10	16	9	7	4	3	1	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	1	-	1	4	2	5	9	10	11	14	8	6	1	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	2	1	-	-	-	-	-	-
	F	9	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	1	-	-	1	-	-	-
48,49	Cancer of female genital organs	52	-	-	-	-	-	-	-	-	-	1	1	7	5	6	6	8	9	4	3	-	1	-	-	-	1	-
	White—F	52	-	-	-	-	-	-	-	-	-	1	1	7	5	6	6	8	9	4	3	-	1	-	-	-	1	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
50	Cancer of breast	27	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	6	3	2	2	2	2	2	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	5	3	1	2	2	1	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	116	1	1	-	1	-	1	1	2	1	1	1	-	4	10	12	14	16	13	13	12	6	6	-	-	-	-
	White—M	84	-	1	-	1	-	1	1	1	-	-	1	-	2	7	8	11	14	8	9	10	5	4	-	-	-	-
	F	24	1	-	-	-	-	-	-	-	1	1	-	-	1	2	4	2	1	2	4	2	1	2	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	64	-	-	-	-	-	-	-	-	3	1	-	3	3	6	8	6	8	10	8	5	1	2	-	-	-	-
	White—M	27	-	-	-	-	-	-	-	-	3	-	-	1	1	1	2	1	6	6	3	2	-	1	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	3	1	4	4	3	1	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	9	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	2	1	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	10	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	1	2	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	274	1	1	-	-	-	-	-	-	-	1	-	6	6	12	15	17	35	48	43	32	31	17	6	-	2	1
	White—M	150	1	-	-	-	-	-	-	-	-	-	-	2	2	8	7	7	18	30	34	17	15	7	2	-	-	-
	F	98	-	1	-	-	-	-	-	-	-	1	-	4	3	3	5	6	12	15	7	13	15	8	4	-	-	1
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	2	1	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	-	-	-	-	-	-	2	-
80-82, 84-88	Other diseases of nervous system, etc.*	57	16	4	2	1	-	1	-	2	3	3	2	1	2	1	1	6	6	3	1	-	1	1	-	-	-	-
	White—M	25	4	3	2	1	-	-	-	1	1	2	1	1	-	1	-	3	4	1	-	-	-	-	-	-	-	-
	F	24	9	-	-	-	-	1	-	1	2	-	1	-	1	-	1	3	1	1	1	-	1	1	-	-	-	-
	All other—M	6	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	38	13	5	1	2	-	3	1	1	3	1	1	-	1	2	1	-	-	2	1	-	-	-	-	-	-	-
	White—M	17	2	1	1	1	-	3	-	1	2	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	5	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	6	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	58	-	-	-	1	-	-	1	2	1	3	3	3	7	2	5	8	2	9	4	5	1	-	-	1	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	5	2	5	3	2	-	-	-	1	-	-
	F	27	-	-	-	1	-	-	1	2	1	-	3	-	6	2	3	1	-	4	-	3	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	271	-	-	-	-	-	-	-	-	1	1	4	5	11	19	33	42	36	39	35	24	13	5	2	-	1	-
	White—M	203	-	-	-	-	-	-	-	-	1	-	2	3	9	18	30	32	27	28	21	15	10	5	1	-	1	-
	F	60	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	9	8	10	13	9	3	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	614	2	-	-	-	-	-	1	1	3	4	6	15	13	19	36	53	85	84	86	82	61	37	22	2	2	-
	White—M	388	-	-	-	-	-	-	-	-	1	2	1	9	7	9	23	38	55	59	57	50	40	23	15	-	1	-
	F	192	2	-	-	-	-	-	1	-	2	1	4	5	6	8	10	13	22	21	25	29	20	14	7	2	-	-
	All other—M	21	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	5	3	1	3	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	3	1	3	-	1	-	-	-	1	-
107-109	Pneumonia (all forms)	376	174	32	9	8	3	4	4	2	5	4	5	6	7	10	10	15	11	16	9	13	18	9	1	-	-	1
	White—M	156	62	8	2	2	1	2	1	1	1	-	4	3	5	8	8	7	5	10	3	10	8	5	-	-	-	-
	F	96	53	4	1	1	1	1	1	1	2	3	1	1	1	1	2	3	3	4	4	2	5	1	-	-	-	-
	All other—M	68	34	14	2	2	-	1	1	-	2	-	-	-	1	-	-	4	-	2	1	-	2	2	-	-	-	-
	F	56	25	6	4	3	1	-	1	-	-	1	-	2	-	1	-	1	3	-	1	1	3	1	1	-	-	1
117	Ulcer of stomach or duodenum	24	-	-	-	-	-	-	-	-	-	-	-	3	1	1	6	4	3	3	2	1	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	3	3	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
119,120	Diarrhea, enteritis, etc.*	275	211	34	8	1	2	-	-	-	-	-	1	-	2	-	1	-	2	2	1	1	5	4	-	-	-	-
	White—M	101	85	7	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	3	-	-	-	-
	F	77	66	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	All other—M	52	33	9	3	1	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-
	F	45	27	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
121	Appendicitis	42	-	-	-	-	-	3	3	5	3	5	2	6	3	3	1	1	2	2	2	-	-	-	1	-	-	-
	White—M	24	-	-	-	-	-	1	1	4	2	2	2	2	1	3	1	1	1	2	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	2	2	1	-	3	-	4	1	-	-	-	1	-	1	-	-	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	41	3	3	-	-	-	1	-	1	1	2	1	1	1	2	4	5	4	2	5	3	2	-	-	-	-	-
	White—M	20	1	-	-	-	-	-	-	-	1	1	1	1	-	1	2	1	3	1	4	2	1	-	-	-	-	-
	F	14	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	1	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	2	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	27	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	2	4	5	4	1	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	3	3	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	22	1	-	-	-	-	-	-	-	-	-	1	-	-	5	5	4	1	1	1	1	1	1	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	227	1	-	-	1	-	3	2	2	3	3	6	3	8	9	7	17	30	31	34	39	16	5	4	2	1	-
	White—M	119	-	-	-	-	-	2	1	1	-	1	2	2	3	5	2	8	18	18	19	17	13	3	4	-	-	-
	F	71	-	-	-	-	-	1	1	1	2	2	4	1	2	2	3	5	8	8	11	16	2	2	-	-	-	-
	All other—M	24	1	-	-	1	-	-	-	-	-	-	-	-	3	-	1	2	2	3	3	5	1	-	-	1	1	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	2	2	1	1	-	-	-	1	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	5	5	5	2	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	5	4	3	2	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	15	-	-	-	-	-	-	-	3	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	10	-	-	-	-	-	-	-	4	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	7	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	86	79	2	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	41	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	31	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	191	191	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	62	-	-	-	-	-	-	-	5	4	7	6	5	7	5	2	2	6	5	5	1	1	-	1	-	-	-
	White—M	42	-	-	-	-	-	-	-	1	2	5	3	4	3	4	2	1	5	5	5	-	1	-	1	-	-	-
	F	17	-	-	-	-	-	-	-	2	2	2	2	1	4	1	-	1	1	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	32	1	-	-	-	-	-	-	1	4	3	4	3	5	2	3	1	3	-	2	-	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	2	1	1	1	3	2	-	1	2	-	2	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	2	2	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	220	3	6	4	1	4	10	9	20	27	23	13	20	9	14	21	6	9	5	8	5	3	-	-	-	-	-
	White—M	147	1	2	3	1	-	3	7	15	22	15	10	9	4	13	16	5	6	4	6	3	2	-	-	-	-	-
	F	43	-	4	-	-	3	5	1	4	3	4	3	6	1	-	3	1	2	-	-	2	1	-	-	-	-	-
	All other—M	23	1	-	-	-	1	2	1	1	1	4	-	4	3	-	1	-	1	1	2	-	-	-	-	-	-	-
	F	7	1	-	1	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	309	22	15	6	4	2	8	19	16	21	22	19	22	14	17	7	13	14	11	7	20	10	14	3	2	1	-
	White—M	191	9	7	1	3	2	4	10	12	15	20	13	17	10	12	6	9	13	6	2	13	3	4	-	-	-	-
	F	67	6	6	2	1	-	1	1	2	2	-	3	3	3	2	-	1	1	2	3	6	6	10	3	2	1	-
	All other—M	32	5	-	1	-	-	1	5	2	3	1	2	2	1	3	1	-	-	2	1	1	1	-	-	-	-	-
	F	19	2	2	2	-	-	2	3	-	1	1	1	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-
	All other causes*	683	189	26	5	10	4	16	5	13	12	8	19	17	20	28	28	30	38	47	50	40	35	20	14	3	2	4
	White—M	288	78	3	2	3	2	2	3	3	3	2	7	6	4	16	13	17	18	25	27	21	17	6	8	-	-	2
	F	182	44	6	1	2	1	4	1	4	4	2	4	9	13	7	10	5	6	12	13	9	7	10	4	2	1	1
	All other—M	99	29	8	1	4	1	6	1	3	2	2	4	1	1	4	1	5	3	5	3	5	5	2	2	1	-	-
	F	116	38	9	1	1	-	4	-	3	3	2	4	1	2	1	4	3	11	5	7	5	6	2	2	-	1	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	16,402	1,612	303	124	80	54	216	251	412	492	540	500	578	652	865	1,036	1,093	1,308	1,550	1,493	1,158	957	537	184	66	29	132
	White—M	6,543	718	118	45	28	21	80	88	154	151	169	151	185	227	300	395	430	561	696	707	542	442	213	60	16	4	42
	F	4,787	559	97	32	28	18	74	75	91	110	134	127	137	154	195	232	260	352	448	512	406	383	233	79	22	3	28
	All other—M	2,697	300	33	25	12	8	34	37	79	120	123	101	113	116	187	209	237	225	241	174	118	79	59	24	15	6	24
	F	2,375	235	55	22	12	9	28	31	88	111	114	121	143	155	185	200	166	170	165	100	92	53	32	21	13	16	38
1,2	Typhoid paratyphoid fever	56	-	-	-	1	1	4	6	8	6	3	3	5	3	4	3	2	5	1	-	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	1	3	1	1	2	2	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	3	3	3	1	1	-	2	1	-	1	-	1	-	-	1	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	1	1	-	2	-	-	-	2	1	2	1	3	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	1	1	-	1	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	3	2	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	70	51	10	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	White—M	31	25	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	21	15	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—M	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	8	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	57	2	14	15	8	6	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	1	8	3	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	1	5	8	4	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	1	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	947	3	3	1	1	-	1	16	52	100	114	95	87	73	80	67	52	71	51	41	21	10	1	-	-	-	7
	White—M	308	1	-	-	-	-	-	-	7	12	13	30	25	30	30	35	27	32	22	24	10	5	-	-	-	-	5
	F	243	-	-	-	-	-	-	3	8	14	37	25	26	19	18	11	12	21	20	14	9	4	1	-	-	-	1
	All other—M	189	2	-	1	1	-	-	6	10	33	33	20	20	8	18	9	7	9	7	3	2	-	-	-	-	-	-
	F	207	-	3	-	-	-	1	7	27	41	31	20	16	16	14	12	6	9	2	-	-	1	-	-	-	-	1
14-22	Tuberculosis (other forms)	40	3	2	2	1	-	4	2	1	5	4	4	1	3	1	2	1	1	1	-	1	1	-	-	-	-	-
	White—M	15	2	-	2	-	-	-	-	-	1	-	1	1	1	1	1	1	1	1	-	1	1	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	15	-	-	-	1	-	3	2	-	2	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	103	30	26	8	3	1	1	1	-	-	2	-	-	-	-	5	2	3	3	5	6	4	2	1	-	-	-
	White—M	38	11	9	4	2	-	1	-	-	-	1	-	-	-	-	2	-	-	-	3	2	2	1	-	-	-	-
	F	41	11	14	4	1	1	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	2	-	1	-	-	-
	All other—M	12	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	-	1	-	-	-	-
	F	12	5	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
28	Malaria	164	19	9	4	2	3	12	10	6	5	7	7	7	8	5	11	8	5	15	9	5	3	3	1	-	-	-
	White—M	37	6	1	-	-	1	3	1	1	-	1	2	2	1	3	2	2	1	2	4	3	-	1	-	-	-	-
	F	49	9	4	-	1	2	4	5	3	1	2	1	2	2	1	1	-	1	5	3	-	2	-	-	-	-	-
	All other—M	40	2	1	3	1	-	4	2	-	1	2	4	1	1	1	4	5	3	1	1	1	1	1	-	-	-	-
	F	38	2	3	1	-	-	1	2	2	3	2	-	2	4	-	4	1	-	7	1	1	-	1	1	-	-	-
30	Syphilis	240	22	3	-	1	-	-	-	4	9	10	14	17	19	38	24	30	20	14	9	4	1	1	-	-	-	-
	White—M	71	6	-	-	-	-	-	-	1	1	1	2	4	5	12	10	13	10	3	1	2	-	-	-	-	-	-
	F	25	3	-	-	-	-	-	-	-	1	3	1	3	2	6	1	2	-	2	-	1	-	-	-	-	-	-
	All other—M	87	7	-	-	1	-	-	-	1	3	2	4	7	11	12	10	11	7	7	3	1	-	-	-	-	-	-
	F	57	6	3	-	-	-	-	-	2	4	4	7	3	1	8	3	4	3	2	5	-	1	1	-	-	-	-
33	Influenza	607	64	21	3	1	3	9	11	15	12	10	6	19	24	22	33	50	43	42	54	59	43	41	13	4	1	4
	White—M	182	19	6	1	1	-	1	3	4	3	-	-	5	2	3	7	13	14	15	23	23	21	13	2	1	1	1
	F	199	20	7	-	-	3	3	3	3	4	-	4	3	4	8	10	8	12	15	16	25	19	22	9	2	-	1
	All other—M	118	17	1	2	-	-	3	2	3	3	3	1	5	11	7	5	15	8	5	10	7	3	4	2	1	-	-
	F	108	8	7	-	-	-	2	3	5	2	7	1	6	7	6	11	14	9	7	5	4	-	2	-	-	-	2
35	Measles	49	12	14	1	3	1	3	4	4	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	White—M	20	8	8	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	2	4	1	2	-	2	2	4	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	4	1	1	-	-	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	493	1	-	-	-	-	2	-	-	6	10	6	7	21	31	56	53	61	68	85	44	25	13	1	-	-	5
	White—M	214	1	-	-	-	-	2	-	-	3	3	4	2	7	13	27	26	19	30	42	20	11	3	-	-	-	1
	F	194	-	-	-	-	-	-	-	-	3	5	1	3	8	9	16	20	26	30	30	18	13	9	1	-	-	2
	All other—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	-	12	4	10	4	-	1	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	2	1	2	6	6	5	7	4	2	3	2	1	-	-	-	-	2
48,49	Cancer of female genital organs	237	-	-	-	-	-	-	-	2	1	8	17	12	29	42	33	24	20	16	15	9	1	3	1	-	-	4
	White—F	151	-	-	-	-	-	-	-	-	1	6	9	6	19	26	16	17	13	11	13	7	1	3	1	-	-	2
	All other—F	86	-	-	-	-	-	-	-	2	-	2	8	6	10	16	17	7	7	5	2	2	-	-	-	-	-	2

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Contd.																											
50	Cancer of breast	108	-	-	-	-	1	-	-	-	-	2	3	6	13	14	13	11	10	12	8	1	7	3	1	1	-	2
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	1	2	6	10	12	10	9	10	11	7	1	7	3	-	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	17	-	-	-	-	1	-	-	-	-	1	1	-	3	2	3	2	-	1	1	-	-	-	-	1	-	1
45,47, 51-55	Cancer (other sites)	422	-	1	1	3	-	2	4	5	-	7	7	14	12	24	31	33	63	59	51	45	32	18	5	4	-	1
	White—M	263	-	-	1	2	-	1	2	4	-	4	4	8	7	13	19	16	39	45	38	26	21	9	1	2	-	1
	F	114	-	-	-	1	-	1	2	1	-	1	2	4	3	4	10	12	18	7	10	16	10	8	2	2	-	-
	All other—M	32	-	1	-	-	-	-	-	-	-	2	1	1	2	4	1	3	3	7	2	1	1	1	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	-	1	2	-	-	-	-	-	-
58	Acute rheumatic fever	20	-	-	-	-	-	3	6	1	2	-	1	-	-	-	-	1	2	1	1	-	-	1	1	-	-	-
	White—M	6	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-
	All other—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	197	-	1	-	-	-	1	2	5	-	3	8	7	3	8	26	10	27	35	32	11	12	3	1	-	-	2
	White—M	72	-	-	-	-	-	-	2	2	-	1	1	2	-	1	6	5	4	13	20	6	3	3	1	-	-	2
	F	86	-	1	-	-	-	1	-	2	-	-	3	2	1	3	13	3	17	19	10	4	7	-	-	-	-	-
	All other—M	19	-	-	-	-	-	-	-	-	-	2	2	-	1	3	4	1	2	1	1	-	2	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	-	-	2	3	1	1	3	1	4	2	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	1	-	-	3	3	3	-	2	4	4	4	-	-	-	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	4	2	3	-	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	72	-	-	-	-	-	-	-	-	1	-	3	4	4	4	6	8	7	14	7	8	2	4	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	1	4	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	4	4	3	-	1	-	-	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	2	1	1	3	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	-	3	2	4	2	4	3	3	5	-	-	1	-	-	-	-	-
77	Alcoholism (ethylism)	20	-	-	-	-	-	-	-	-	1	1	1	1	4	3	2	1	3	1	1	1	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	2	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,274	2	-	2	-	2	-	1	6	5	6	5	16	27	70	92	131	149	210	226	120	120	52	14	3	4	11
	White—M	498	2	-	-	-	1	-	1	2	3	2	2	1	7	17	20	38	65	97	98	55	54	22	6	1	1	3
	F	415	-	-	1	-	1	-	-	1	1	1	2	3	5	18	32	34	39	58	95	44	49	25	3	1	-	2
	All other—M	162	-	-	-	-	-	-	-	2	1	2	1	2	2	14	16	29	21	23	15	11	11	3	2	1	1	5
	F	199	-	-	1	-	-	-	-	1	-	1	-	10	13	21	24	30	24	32	18	10	6	2	3	-	2	1
80-82, 84-88	Other diseases of nervous system, etc.*	187	17	6	4	3	1	9	11	9	8	3	6	4	13	10	13	8	8	13	8	14	13	3	2	-	-	1
	White—M	83	9	1	4	1	-	4	3	3	3	3	1	2	4	6	6	4	4	5	5	7	6	1	1	-	-	-
	F	66	3	3	-	2	-	4	6	2	2	-	4	-	6	2	2	1	3	6	3	6	7	2	1	-	-	1
	All other—M	18	1	1	-	-	1	-	2	3	1	-	1	1	1	1	2	2	-	1	-	-	-	-	-	-	-	-
	F	20	4	1	-	-	-	1	-	1	2	-	-	1	2	1	3	1	1	1	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	82	8	3	3	1	4	7	6	4	4	5	7	6	1	4	4	2	3	-	4	3	-	2	1	-	-	-
	White—M	39	2	-	2	1	1	2	5	2	2	3	4	4	1	2	2	1	-	-	3	1	-	1	-	-	-	-
	F	18	1	2	-	-	3	2	-	2	-	1	2	-	-	2	-	-	1	-	-	1	-	-	1	-	-	-
	All other—M	11	2	-	1	-	-	2	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	F	14	3	1	-	-	-	1	1	-	1	-	-	2	-	-	-	1	2	-	1	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	237	3	-	-	1	-	4	3	8	5	5	6	7	8	10	20	15	18	22	33	20	21	20	3	4	-	1
	White—M	100	2	-	-	1	-	1	2	6	1	1	1	3	2	3	7	6	8	8	16	9	13	8	-	2	-	-
	F	82	-	-	-	-	-	3	1	2	1	3	3	2	2	1	4	5	7	7	14	9	6	8	2	1	-	1
	All other—M	31	-	-	-	-	-	-	-	-	2	1	1	1	3	3	4	3	1	4	1	2	1	3	-	1	-	-
	F	24	1	-	-	-	-	-	-	-	1	-	1	1	1	3	5	1	2	3	2	-	1	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	699	-	-	-	-	-	-	-	-	2	7	6	24	41	54	70	78	87	99	103	69	37	15	3	2	-	2
	White—M	425	-	-	-	-	-	-	-	-	-	3	4	15	16	32	45	47	61	64	65	40	23	9	-	1	-	-
	F	158	-	-	-	-	-	-	-	-	-	1	1	4	8	4	9	16	21	22	28	23	13	5	2	-	-	1
	All other—M	54	-	-	-	-	-	-	-	-	1	-	-	1	3	13	8	12	1	4	7	2	1	1	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	1	3	1	4	14	5	8	3	4	9	3	4	-	-	1	1	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,837	6	1	1	-	-	4	5	3	15	26	16	42	50	93	118	177	220	268	254	223	168	85	32	13	-	17
	White—M	756	2	-	-	-	-	1	2	-	4	4	-	11	16	28	46	71	103	128	115	103	67	42	9	-	-	4
	F	522	3	-	1	-	-	1	1	2	4	5	6	8	8	17	12	33	49	66	92	80	78	31	13	7	-	3
	All other—M	325	-	1	-	-	-	1	2	1	4	10	6	10	12	20	35	43	38	49	36	25	15	6	5	2	-	4
	F	234	1	-	-	-	-	1	-	-	3	7	4	13	14	28	25	28	30	25	11	15	8	6	5	4	-	6
107-109	Pneumonia (all forms)	1,084	260	58	20	17	6	12	10	23	22	11	17	33	31	41	47	41	73	77	75	62	70	33	12	8	2	3
	White—M	593	92	18	5	4	5	5	1	12	4	4	4	9	10	16	21	13	32	27	31	29	30	9	7	4	-	1
	F	317	69	20	5	5	-	2	6	1	4	2	2	5	9	5	8	13	19	27	32	22	33	19	5	2	1	1
	All other—M	194	50	11	5	2	-	3	1	6	5	4	3	11	4	12	10	13	18	15	8	5	5	3	-	2	-	-
	F	160	49	9	5	6	1	2	2	4	9	1	8	8	8	8	8	2	6	8	4	6	2	2	-	-	1	1
117	Ulcer of stomach or duodenum	81	-	-	-	-	-	-	-	-	4	2	3	4	7	11	15	5	11	8	4	-	2	3	-	-	-	2
	White—M	53	-	-	-	-	-	-	-	-	3	1	2	3	4	8	11	2	7	7	2	-	1	1	-	-	-	1
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	-	1	2	-	-	-	1
	All other—M	10	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	332	176	72	12	6	1	5	1	1	1	2	2	1	3	1	9	3	5	3	4	6	7	8	2	-	-	1
	White—M	131	68	36	6	3	1	1	-	1	-	1	-	-	-	-	3	1	2	1	1	1	1	3	1	-	-	-
	F	109	62	17	3	2	-	3	-	-	-	1	1	1	1	1	2	1	-	-	-	4	5	4	1	-	-	-
	All other—M	45	22	5	3	1	-	-	-	-	1	-	1	-	1	-	3	-	3	1	2	-	1	1	-	-	-	-
	F	47	24	14	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	-	1
121	Appendicitis	188	1	1	1	1	1	8	25	20	29	19	11	5	13	8	7	10	10	8	7	1	1	-	-	-	-	1
	White—M	88	-	1	-	1	1	3	13	7	14	8	2	2	7	3	6	7	4	5	3	1	-	-	-	-	-	-
	F	42	1	-	-	-	-	2	6	7	4	4	3	-	2	4	-	1	1	2	3	-	1	-	-	-	-	1
	All other—M	28	-	-	-	-	-	1	2	3	5	5	2	2	1	1	-	2	2	1	1	-	-	-	-	-	-	-
	F	30	-	-	1	-	-	2	4	3	6	2	4	1	3	-	1	-	3	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	111	12	1	2	-	-	1	-	4	8	5	8	6	5	6	9	3	9	12	8	4	4	2	-	-	-	2
	White—M	35	7	-	-	-	-	1	-	2	1	1	4	1	2	1	2	-	3	3	4	1	1	1	-	-	-	-
	F	41	3	1	1	-	-	-	-	-	5	2	1	1	2	2	3	2	3	7	4	2	1	-	-	-	-	1
	All other—M	16	1	-	-	-	-	-	-	1	1	1	2	2	-	1	3	-	-	2	-	1	1	-	-	-	-	-
	F	19	1	-	1	-	-	-	-	1	1	1	1	2	1	2	1	1	3	-	-	-	1	1	-	-	-	1
124	Cirrhosis of the liver	89	-	-	-	-	-	-	-	2	-	-	5	2	3	8	11	14	8	14	10	5	2	1	3	1	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	-	2	2	3	5	6	7	8	7	5	4	2	-	1	1	-	-
	F	17	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	3	5	1	-	1	2	-	-	-
	All other—M	11	-	-	-	-	-	-	-	1	-	-	2	-	-	-	2	3	-	3	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	63	-	-	-	-	-	-	-	-	-	-	3	1	2	8	4	5	10	9	5	8	6	-	1	-	-	1
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	5	3	3	4	3	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	3	3	5	2	4	3	-	1	-	-	1
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
150-152	Nephritis	1,409	5	-	3	2	-	8	5	9	11	16	20	33	49	75	100	123	136	215	181	178	135	62	21	6	3	13
	White—M	541	2	-	1	1	-	5	2	3	5	5	3	4	14	22	30	34	41	89	78	91	68	30	8	-	1	4
	F	379	1	-	2	-	-	2	3	3	4	4	8	11	9	13	26	26	32	54	54	55	45	20	5	2	-	-
	All other—M	286	1	-	-	1	-	1	-	-	1	1	1	4	12	19	25	38	44	46	36	20	17	8	4	3	1	3
	F	203	1	-	-	-	-	-	-	3	1	6	8	14	14	21	19	25	19	26	13	12	5	4	4	1	1	6
157	Diseases of the prostate	75	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	8	10	16	11	10	7	-	1	1	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	13	8	8	4	-	1	-	-
	All other—M	31	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	5	5	3	3	2	3	-	-	1	-
140, 142a, 147	Puerperal septicemia	60	-	-	-	-	-	-	1	13	12	11	13	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	7	8	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	33	-	-	-	-	-	-	1	6	4	7	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	57	-	-	-	-	-	-	3	13	12	11	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2
	White—F	30	-	-	-	-	-	-	1	4	7	7	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	27	-	-	-	-	-	-	2	9	5	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	47	-	-	-	-	-	-	-	4	11	9	11	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	4	8	6	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	18	-	-	-	-	-	-	-	-	3	3	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	121	104	6	-	-	2	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	64	55	3	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	36	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	421	421	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	134	-	-	-	-	-	-	1	5	9	8	13	15	9	18	11	15	11	7	3	3	4	-	1	-	-	-
	White—M	98	-	-	-	-	-	-	-	3	3	5	7	10	8	13	10	13	10	4	5	3	3	-	1	-	-	-
	F	28	-	-	-	-	-	-	1	1	4	2	6	4	1	1	1	2	1	3	-	-	1	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	208	-	-	-	-	-	-	1	14	34	31	31	27	19	15	16	7	3	4	2	-	-	-	-	-	-	4
	White—M	56	-	-	-	-	-	-	-	3	5	4	6	7	7	3	9	5	2	3	1	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	1	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	114	-	-	-	-	-	-	1	8	20	20	20	13	10	8	7	2	1	1	1	-	-	-	-	-	-	2
	F	31	-	-	-	-	-	-	-	2	7	6	5	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents	467	4	4	2	3	4	20	23	61	51	55	35	34	23	20	21	23	18	31	15	5	7	3	-	-	1	4
	White—M	286	1	4	1	-	3	12	10	37	34	43	19	21	13	11	11	16	8	19	9	4	6	2	-	-	-	2
	F	81	3	-	1	3	1	4	11	11	11	3	4	4	3	3	4	3	6	3	2	-	-	1	-	-	-	-
	All other—M	81	-	-	-	-	-	4	2	12	6	6	9	6	6	4	3	4	4	8	3	1	1	-	-	-	-	2
	F	19	-	-	-	-	-	-	-	1	-	3	3	3	1	2	3	-	-	1	1	-	-	-	-	-	1	-
169, 171-195	Other accidents	780	50	17	20	13	9	38	45	60	62	55	38	30	42	35	28	32	33	30	30	32	27	21	18	3	2	10
	White—M	388	17	7	6	3	3	13	28	31	39	39	25	18	29	20	16	17	18	13	14	11	8	8	3	1	-	5
	F	181	17	4	2	5	2	12	8	8	6	5	1	2	4	3	4	6	9	9	12	16	16	14	12	1	1	2
	All other—M	145	10	3	5	3	2	6	9	19	15	7	9	9	6	10	7	7	3	5	1	3	2	1	2	-	-	1
	F	66	6	3	7	2	2	7	2	2	2	4	3	1	3	2	1	2	3	3	3	2	1	-	1	1	1	2
	All other causes*	2,426	528	27	15	9	5	38	26	42	34	68	57	78	78	102	122	104	143	175	184	178	182	126	46	16	15	28
	White—M	872	192	11	7	4	2	14	9	13	7	17	17	17	27	27	33	40	52	72	79	72	84	44	19	2	1	10
	F	666	147	7	3	2	-	12	10	8	9	24	17	23	17	23	25	18	30	47	56	52	59	53	16	4	1	3
	All other—M	446	108	5	1	1	2	5	4	9	9	14	5	14	14	25	30	27	33	36	26	27	14	17	6	5	3	6
	F	442	81	4	4	2	1	7	3	12	9	13	18	24	20	27	34	19	28	20	23	27	25	12	5	5	10	9

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	All causes	80,943	4586	398	212	148	111	416	424	847	1,356	1,522	1,744	2406	3116	4315	5,616	6,659	8,105	9,107	9,435	8,512	6859	3467	1,219	275	54	34
	White—M	45,711	2458	213	110	79	55	231	242	472	780	831	929	1360	1858	2654	3,557	4,209	4,968	5,356	5,359	4,350	3436	1,577	478	109	18	22
	F	31,776	1898	165	82	61	48	158	146	298	475	545	657	828	1017	1403	1,771	2,127	2,822	3,426	3,830	4,009	3314	1835	696	152	29	4
	All other—M	2,268	123	12	10	3	4	17	16	40	67	90	152	145	156	190	180	212	225	243	144	101	77	41	25	7	2	6
	F	1,188	107	8	10	5	4	10	20	37	34	56	46	73	85	68	108	111	90	82	102	52	32	14	20	7	5	2
1,2	Typhoid, paratyphoid fever	32	1	-	-	-	-	3	5	3	2	4	3	3	1	3	2	-	1	1	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	-	-	1	4	2	1	1	2	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	22	7	-	1	-	-	1	4	2	-	-	-	1	1	-	-	2	-	2	-	1	-	-	-	-	-	-
	White—M	10	4	-	-	-	-	-	2	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	3	-	1	-	-	1	2	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	112	76	24	4	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	54	38	11	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	53	33	13	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	58	3	4	4	5	4	12	2	2	1	1	1	4	6	1	3	2	2	1	-	-	-	-	-	-	-	-
	White—M	43	2	3	3	4	3	5	1	2	1	1	1	4	6	1	2	2	1	1	-	-	-	-	-	-	-	-
	F	14	1	-	1	1	1	7	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13*	Tuberculosis of respiratory system, etc.*	3,423	12	10	10	6	3	22	39	119	245	242	293	340	330	368	336	303	287	203	127	73	36	14	4	-	-	1
	White—M	1,998	5	5	3	1	2	6	9	35	89	86	129	178	201	255	250	225	215	148	87	39	25	6	3	-	-	-
	F	1,004	5	3	6	5	1	11	20	69	118	109	111	118	84	65	67	48	53	55	34	28	7	7	-	-	-	-
	All other—M	298	-	2	-	-	-	2	4	5	23	25	34	30	35	45	18	27	17	18	6	6	2	1	-	-	-	-
	F	123	2	-	1	-	-	3	6	10	15	22	19	16	10	3	1	3	2	6	-	-	2	-	1	-	-	1
14-22	Tuberculosis (other forms)	318	10	25	17	8	7	19	19	17	18	17	13	21	21	14	20	25	15	11	8	5	4	3	1	-	-	-
	White—M	142	4	10	8	3	3	9	10	6	7	7	2	8	11	11	10	10	9	3	4	2	3	1	1	-	-	-
	F	133	5	11	8	4	4	8	6	7	6	8	7	8	7	1	10	11	5	7	4	3	1	2	-	-	-	-
	All other—M	24	1	1	-	1	-	1	1	3	3	2	2	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-
	F	19	-	3	1	-	-	1	2	1	2	-	2	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-
27	Dysentery	78	28	2	6	-	1	1	3	-	4	3	1	1	1	1	1	4	4	5	6	3	1	1	-	1	-	-
	White—M	38	18	1	2	-	-	-	3	-	1	1	1	1	1	-	1	1	-	1	3	1	-	-	-	-	-	-
	F	34	8	-	3	-	1	1	-	-	2	1	-	-	-	1	-	3	4	3	3	2	-	1	-	1	-	-
	All other—M	5	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,239	28	-	-	-	-	-	1	6	11	16	26	84	105	114	173	180	189	147	64	50	20	5	2	-	-	-
	White—M	850	13	-	-	-	-	-	1	2	5	5	17	52	68	79	122	129	135	111	55	39	14	1	2	-	-	-
	F	233	9	-	-	-	-	-	-	4	5	5	4	19	23	17	31	33	31	18	18	10	3	3	-	-	-	-
	All other—M	125	1	-	-	-	-	-	-	-	1	2	4	10	13	14	13	15	21	17	10	1	2	1	-	-	-	-
	F	31	3	-	-	-	-	-	-	-	-	4	1	3	1	4	7	3	2	1	1	-	1	-	-	-	-	-
33	Influenza	383	39	12	5	1	1	9	3	3	7	5	11	12	18	19	25	26	24	24	25	31	40	29	10	4	-	-
	White—M	201	15	8	2	1	-	6	2	-	4	2	3	4	11	14	21	20	14	15	13	16	17	6	5	2	-	-
	F	187	19	3	3	-	-	3	1	3	3	3	7	7	7	4	4	3	9	9	12	15	23	23	5	1	-	-
	All other—M	8	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
35	Measles	9	2	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	5	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	19	1	-	-	1	2	1	1	3	4	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	13	1	-	-	-	1	1	-	3	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,439	-	1	3	-	1	2	1	2	2	15	31	66	131	203	372	524	599	744	703	519	364	130	22	4	-	-
	White—M	2,357	-	-	2	-	1	1	1	1	2	9	16	41	63	105	202	269	339	395	387	269	184	58	10	2	-	-
	F	1,914	-	1	1	-	-	1	-	1	-	4	13	21	58	88	143	224	235	324	299	242	176	71	12	2	-	-
	All other—M	123	-	-	-	-	-	-	-	-	-	2	1	3	6	7	17	25	21	18	13	6	3	1	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	1	1	6	3	10	6	4	7	4	2	1	-	-	-	-	-
48,49	Cancer of female genital organs	1,285	-	-	1	-	-	1	2	2	4	17	29	60	95	139	154	176	155	173	115	91	52	11	8	-	-	-
	White—F	1,243	-	-	1	-	-	1	1	2	3	16	28	55	88	132	150	171	152	170	115	89	50	11	8	-	-	-
	All other—F	42	-	-	-	-	-	-	1	-	1	1	1	5	7	7	4	5	3	3	-	2	2	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
50	Cancer of breast	1,110	-	-	-	-	-	-	-	-	-	2	14	36	91	114	133	139	162	121	117	89	61	24	7	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	5	-	1	1	-	-	-	-
	F	1,074	-	-	-	-	-	-	-	-	-	2	14	34	85	112	128	132	159	118	112	89	59	23	7	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	2	6	2	2	4	3	1	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,314	4	8	3	4	2	17	15	21	28	32	34	69	113	218	300	363	420	468	474	315	282	92	30	6	-	-
	White—M	2,347	3	5	2	2	-	8	8	12	19	21	26	42	66	136	205	261	290	335	362	230	219	72	19	4	-	-
	F	864	1	3	1	2	2	9	5	9	6	8	8	24	41	71	80	91	116	112	102	81	59	20	11	2	-	-
	All other—M	81	-	-	-	-	-	-	-	-	1	2	-	2	5	8	11	7	13	16	8	4	4	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	4	1	5	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	30	-	-	-	-	-	2	7	3	1	3	1	5	3	-	-	1	1	-	1	1	-	1	-	-	-	-
	White—M	18	-	-	-	-	-	2	3	2	-	2	1	2	3	-	-	-	1	-	-	1	-	1	-	-	-	-
	F	10	-	-	-	-	-	-	3	1	1	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,672	1	-	1	-	-	4	8	5	12	11	11	12	39	51	99	162	233	317	303	233	118	45	6	1	-	-
	White—M	678	-	-	-	-	-	2	3	2	6	5	2	7	18	25	41	53	100	126	126	95	55	12	2	-	-	-
	F	923	1	-	1	-	-	2	4	3	6	4	9	4	21	25	50	98	119	177	168	134	62	33	4	-	-	-
	All other—M	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	11	4	-	1	-	-	1	-	-
	F	43	-	-	-	-	-	-	1	-	-	2	-	1	1	-	7	9	8	3	7	4	-	-	-	-	-	-
63b	Exophthalmic goiter	144	1	-	-	-	-	-	-	4	2	3	4	2	16	15	19	9	18	19	10	14	6	1	1	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	2	-	1	-	2	4	3	2	2	3	-	-	-	-	1	-	-	-
	F	115	1	-	-	-	-	-	-	3	-	3	3	-	12	10	16	7	15	15	10	13	6	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	50	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	3	6	7	6	10	4	1	3	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	6	4	5	4	3	1	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	1	6	1	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
77	Alcoholism (ethylism)	155	-	-	-	-	-	-	-	-	4	3	14	16	13	23	18	17	17	14	11	5	2	-	-	-	-	-
	White—M	117	-	-	-	-	-	-	-	-	2	3	8	8	10	16	13	16	14	11	11	3	2	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	-	4	7	3	6	2	-	2	1	-	2	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,366	6	1	2	1	1	1	2	6	11	24	32	43	102	200	324	472	679	868	1,018	1,116	874	409	140	29	3	2
	White—M	2,979	4	-	2	-	1	-	1	3	5	13	15	28	49	88	155	238	353	434	516	501	363	152	49	8	1	-
	F	3,154	2	1	-	-	-	1	1	3	5	8	14	13	46	103	152	199	295	390	476	593	499	249	82	19	2	1
	All other—M	131	-	-	-	1	-	-	-	-	-	3	2	-	2	2	7	19	22	22	19	13	7	6	4	1	-	1
	F	102	-	-	-	-	-	-	-	-	1	-	1	2	5	7	10	18	9	22	7	9	5	2	5	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	642	28	17	9	7	6	11	7	22	25	31	28	40	35	46	45	55	46	57	47	36	23	17	3	1	-	-
	White—M	350	14	9	3	3	2	7	3	12	14	19	16	23	20	25	23	29	30	31	29	17	10	9	1	1	-	-
	F	270	12	8	6	4	3	4	4	9	10	9	11	15	14	19	18	25	16	25	17	18	13	8	2	-	-	-
	All other—M	15	2	-	-	-	-	-	-	1	1	1	1	2	-	1	4	1	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	236	28	3	5	6	4	21	15	22	12	15	10	8	13	10	13	7	12	10	10	3	6	-	1	1	-	1
	White—M	127	15	3	2	4	2	7	7	17	8	8	6	5	4	6	7	6	4	6	5	1	3	-	-	-	-	1
	F	91	9	-	3	2	2	13	7	2	4	5	3	2	8	3	6	1	6	3	5	2	3	-	1	1	-	-
	All other—M	15	3	-	-	-	-	1	1	3	-	2	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,383	-	-	-	-	1	4	13	17	31	42	54	93	89	108	113	130	138	128	134	139	87	37	22	2	1	-
	White—M	717	-	-	-	-	-	3	7	9	14	25	24	49	44	65	57	83	79	72	67	62	36	16	4	-	1	-
	F	624	-	-	-	-	1	1	5	4	17	15	27	41	43	39	51	44	55	50	67	73	50	21	18	2	-	-
	All other—M	21	-	-	-	-	-	-	-	-	-	-	2	2	1	3	3	1	1	5	-	2	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	1	4	-	2	1	1	1	1	2	2	3	1	-	2	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	7,625	3	-	-	-	-	1	-	-	3	9	38	85	251	414	689	882	1,114	1,209	1,172	850	564	252	72	15	-	2
	White—M	5,252	3	-	-	-	-	-	-	-	2	8	29	69	220	360	569	698	789	840	705	475	315	130	30	8	-	2
	F	2,266	-	-	-	-	-	1	-	-	1	1	8	10	23	48	106	168	310	355	451	371	246	120	40	7	-	-
	All other—M	75	-	-	-	-	-	-	-	-	-	-	-	4	8	4	11	13	9	11	9	4	2	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	3	6	3	7	-	1	2	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	16,181	9	1	-	1	-	8	11	21	27	49	84	162	269	548	884	1,257	1,741	2,128	2,483	2,525	2215	1,209	427	96	22	4
	White—M	9,086	5	-	-	-	-	3	4	10	11	27	48	94	175	367	587	837	1,106	1,274	1,391	1,290	1108	543	155	43	5	3
	F	6,599	4	1	-	1	-	4	7	6	13	20	30	51	75	141	245	359	577	795	1,035	1,195	1,074	643	260	50	13	-
	All other—M	323	-	-	-	-	-	1	-	3	2	1	6	11	14	26	29	34	37	44	33	29	24	16	9	2	2	-
	F	173	-	-	-	-	-	-	-	2	1	1	-	6	5	14	23	27	21	15	24	11	9	7	3	1	2	1
107-109	Pneumonia (all forms)	3,076	478	74	28	12	7	23	18	25	34	54	67	89	110	143	145	192	223	236	279	282	280	174	75	22	4	2
	White—M	1,825	249	37	16	7	2	10	5	13	13	23	34	51	65	99	108	137	160	164	190	152	157	89	32	7	3	-
	F	1,089	200	34	10	5	3	11	12	11	21	27	28	26	31	35	30	43	52	64	77	117	115	81	41	13	1	1
	All other—M	106	16	2	1	-	2	2	-	1	-	2	5	6	9	7	6	6	8	8	7	7	6	2	1	1	-	1
	F	58	13	1	1	-	-	-	1	-	-	2	-	6	5	2	1	6	3	-	5	6	2	2	1	1	-	-
117	Ulcer of stomach or duodenum	760	1	-	-	-	-	1	-	-	4	4	14	35	42	70	121	99	119	96	71	42	32	7	2	-	-	-
	White—M	617	-	-	-	-	-	1	-	-	2	2	12	25	36	53	102	88	95	75	61	33	24	6	2	-	-	-
	F	111	-	-	-	-	-	-	-	-	2	2	2	8	6	11	13	7	15	19	10	7	8	1	-	-	-	-
	All other—M	29	1	-	-	-	-	-	-	-	-	-	-	2	-	6	6	4	7	2	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX,	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	464	345	30	6	3	1	6	-	-	2	3	3	5	9	5	9	7	7	10	2	2	7	2	1	1	-	-
	White—M	239	186	14	3	2	-	2	-	-	1	-	3	2	6	1	6	3	3	4	2	-	1	-	-	-	-	-
	F	198	159	15	2	1	1	4	-	-	1	2	-	1	2	4	3	4	3	5	-	2	6	2	-	1	-	-
	All other-M	16	11	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	11	7	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
121	Appendicitis	521	2	4	6	1	7	24	22	29	27	30	30	27	37	40	47	39	44	43	23	22	10	7	-	-	-	-
	White—M	308	1	2	4	1	2	15	12	18	11	18	16	16	25	29	32	28	24	24	13	8	6	5	-	-	-	-
	F	185	1	2	2	-	5	7	9	10	13	11	11	7	10	10	12	12	18	15	10	14	4	2	-	-	-	-
	All other-M	17	-	-	-	-	-	2	-	-	-	-	2	2	1	1	2	1	2	4	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	1	3	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	613	38	2	6	3	2	2	2	2	7	13	19	19	32	33	44	47	63	88	66	55	43	19	8	-	-	-
	White—M	323	22	1	4	1	1	2	1	1	3	5	5	5	11	19	24	28	37	47	40	28	20	14	4	-	-	-
	F	266	14	1	-	2	1	-	1	1	4	6	12	13	18	13	18	16	23	39	25	27	23	5	4	-	-	-
	All other-M	13	1	-	1	-	-	-	-	-	-	-	2	-	1	1	-	2	2	2	1	-	-	-	-	-	-	-
	F	11	1	-	1	-	-	-	-	-	-	2	-	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,492	1	2	-	-	-	-	1	1	5	17	40	102	136	196	191	186	204	172	109	70	41	14	4	-	-	-
	White—M	926	1	1	-	-	-	-	1	-	1	5	17	58	81	118	120	136	143	103	72	39	19	9	2	-	-	-
	F	512	-	1	-	-	-	-	-	1	4	11	22	41	48	72	64	43	55	60	31	31	21	5	2	-	-	-
	All other-M	40	-	-	-	-	-	-	-	-	-	-	1	1	3	6	4	6	6	8	4	-	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	2	4	-	3	1	-	1	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	430	1	1	-	-	-	-	-	1	1	1	14	16	14	28	39	52	57	56	61	42	27	17	2	1	1	-
	White—M	164	1	1	-	-	-	-	-	-	-	-	5	3	5	11	17	23	19	25	23	12	12	6	-	1	-	-
	F	251	-	-	-	-	-	-	-	1	1	1	7	12	6	14	19	29	38	29	36	29	15	11	2	-	1	-
	All other-M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	4,466	2	3	-	2	1	4	11	21	27	45	51	102	138	214	272	358	455	534	652	638	538	293	79	22	4	-
	White—M	2,389	2	3	-	1	-	-	5	7	14	24	20	50	76	111	166	215	271	298	356	319	274	129	37	10	1	-
	F	1,887	-	-	-	-	-	4	5	9	10	16	24	43	50	87	91	125	156	220	275	304	255	158	42	11	2	-
	All other-M	115	-	-	-	-	-	-	1	2	3	3	4	4	6	13	8	9	18	13	10	9	7	6	-	1	-	-
	F	75	-	-	-	1	1	-	-	3	-	2	3	5	6	3	7	9	12	3	11	6	2	-	-	-	1	-
137	Diseases of the prostate	489	-	-	-	-	-	-	-	-	-	-	1	1	2	1	5	26	49	70	110	99	75	37	12	1	-	-
	White—M	480	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	26	49	67	109	98	73	37	11	1	-	-
	All other-M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	2	-	1	-	-	-
140, 142a, 147	Puerperal septicemia	99	-	-	-	-	-	-	-	8	24	31	12	15	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	91	-	-	-	-	-	-	-	7	23	29	10	15	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	8	-	-	-	-	-	-	-	1	1	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	57	-	-	-	-	-	-	-	7	14	10	11	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	4	14	10	11	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	4	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145,146, 149,150	Other puerperal causes	124	-	-	-	-	-	-	-	11	24	32	20	31	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	114	-	-	-	-	-	-	-	9	24	30	18	27	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	10	-	-	-	-	-	-	-	2	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	738	607	29	8	10	3	11	9	12	9	10	1	4	4	4	4	4	3	5	-	1	-	-	-	-	-	-
	White—M	394	315	16	8	4	2	5	4	9	8	7	1	1	2	3	3	2	2	4	-	-	-	-	-	-	-	-
	F	315	271	12	1	6	1	3	5	2	1	2	-	3	1	1	1	2	1	1	-	1	-	-	-	-	-	-
	All other-M	16	11	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,610	1,610	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	846	846	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	687	687	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,546	-	-	-	-	-	-	1	22	68	102	136	137	159	171	174	182	137	115	76	50	23	8	2	-	-	3
	White—M	1,083	-	-	-	-	-	-	1	14	38	61	80	93	107	114	119	124	100	96	60	42	21	8	2	-	-	3
	F	384	-	-	-	-	-	-	-	4	22	36	45	37	44	50	45	34	31	16	13	7	-	-	-	-	-	-
	All other-M	69	-	-	-	-	-	-	-	3	6	5	10	7	8	5	7	4	6	3	3	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	2	-	1	-	-	2	3	-	-	-	-	-	1	-	-	-	-	-
165-168	Homicide	308	7	1	2	-	2	3	3	14	19	34	47	38	30	35	21	18	16	9	4	3	-	-	-	-	-	2
	White—M	177	3	-	1	-	1	3	3	6	12	14	21	22	17	20	16	15	15	4	3	1	-	-	-	-	-	-
	F	57	1	-	-	-	-	-	-	6	4	7	13	4	3	7	2	2	1	3	1	2	-	-	-	-	-	1
	All other-M	64	2	-	1	-	-	-	-	2	2	11	11	11	9	8	3	1	-	2	-	-	-	-	-	-	-	1
	F	10	1	1	-	-	1	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	3,518	10	24	15	27	20	66	66	246	350	314	227	250	232	287	274	213	240	238	195	127	81	23	6	-	1	6
	White—M	2,520	4	12	11	16	13	41	49	188	273	230	162	189	174	198	195	165	169	156	137	81	53	16	4	-	1	3
	F	824	6	12	3	10	7	19	14	66	62	68	50	41	37	58	65	42	59	71	55	44	26	6	2	-	-	1
	All other-M	153	-	-	1	1	-	4	3	9	14	14	14	19	18	10	11	6	9	11	2	2	2	1	-	-	-	2
	F	21	-	-	-	-	-	2	-	3	1	2	1	1	3	1	3	-	3	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	3,370	99	70	42	26	21	69	89	106	183	179	171	168	183	198	224	173	189	197	201	241	275	172	73	15	-	6
	White—M	2,224	58	44	17	18	13	50	69	82	159	153	144	140	157	153	188	140	134	126	104	97	92	52	23	5	-	6
	F	1,001	36	23	16	5	7	17	14	16	14	18	17	15	21	33	27	20	46	62	93	142	180	119	48	10	-	-
	All other-M	117	2	2	5	-	1	1	3	6	8	6	9	13	5	10	8	12	8	8	4	1	3	1	1	-	-	-
	F	28	3	1	4	3	-	1	3	2	2	2	1	-	-	-	1	1	1	1	-	1	-	-	1	-	-	-
	All other causes*	6,930	1,101	47	28	19	12	64	44	60	105	96	146	193	224	299	320	343	436	580	732	728	668	413	196	53	18	5
	White—M	3,729	623	25	18	9	5	40	23	32	47	44	61	91	119	164	181	196	259	351	418	395	328	197	78	17	6	4
	F	2,892	430	20	10	9	6	22	16	25	53	46	65	89	89	118	118	128	164	210	276	314	329	209	104	32	10	-
	All other-M	171	30	1	-	-	1	1	3	-	1	4	16	6	8	8	10	11	10	13	9	13	9	6	9	1	-	1
	F	138	18	1	-	1	-	1	2	3	4	2	4	7	8	9	11	8	3	6	29	6	4	1	5	3	2	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	All causes	11,988	1,113	130	63	34	34	113	123	170	225	217	254	289	364	546	644	806	947	1,205	1,416	1,341	1,115	599	191	39	8	2
	White—M	6,762	644	61	35	17	22	61	64	103	129	106	124	166	195	296	395	494	574	718	801	777	593	296	76	14	-	1
	F	4,963	451	67	28	17	12	51	57	65	92	102	117	113	155	231	234	285	346	450	592	551	506	295	112	25	8	1
	All other—M	150	11	2	-	-	-	-	2	1	-	3	5	7	12	9	9	13	17	20	13	7	12	5	2	-	-	-
	F	113	7	-	-	-	-	1	-	1	4	6	8	3	2	10	6	14	10	17	10	6	4	3	1	-	-	-
1,2	Typhoid, paratyphoid fever	5	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	-	1	3	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	61	39	13	4	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	19	7	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	20	6	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	25	-	-	3	2	3	8	4	-	-	-	-	1	-	-	1	-	-	-	-	1	2	-	-	-	-	-
	White—M	9	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	13	-	-	2	1	1	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	416	-	2	-	1	-	1	4	11	27	33	33	46	44	48	45	33	28	23	16	14	6	-	1	-	-	-
	White—M	254	-	1	-	1	-	-	-	2	10	15	16	29	29	34	36	28	16	15	8	9	4	-	1	-	-	-
	F	137	-	1	-	-	-	1	4	8	16	16	14	13	11	10	8	5	8	7	8	5	2	-	-	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	1	2	4	4	4	1	-	3	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	42	1	3	2	-	2	2	1	2	3	1	4	4	2	2	1	2	2	6	-	-	1	1	-	-	-	-
	White—M	18	-	2	1	-	1	1	-	-	1	-	3	-	-	2	-	1	1	4	-	-	-	1	-	-	-	-
	F	21	1	1	1	-	1	1	1	2	2	-	1	3	1	-	1	1	1	2	-	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	13	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	144	8	-	-	-	-	-	1	-	-	2	2	4	8	21	18	20	25	10	17	5	2	1	-	-	-	-
	White—M	102	3	-	-	-	-	-	1	-	-	-	2	1	3	16	14	18	16	10	13	3	1	1	-	-	-	-
	F	30	5	-	-	-	-	-	-	-	-	1	-	3	4	2	4	-	7	-	2	2	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	205	28	5	4	2	2	4	-	2	2	3	6	3	5	10	9	9	11	14	25	15	25	12	6	3	-	-
	White—M	97	13	2	1	-	2	1	-	2	1	-	2	1	2	6	2	6	4	11	18	7	9	4	2	1	-	-
	F	106	15	3	3	2	-	3	-	-	1	3	3	2	3	4	7	3	6	3	7	8	16	8	4	2	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	17	4	2	1	4	-	2	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	8	2	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	9	2	1	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	594	-	-	-	-	-	-	-	-	-	4	2	8	11	32	38	63	76	99	92	90	49	25	5	-	-	-
	White—M	327	-	-	-	-	-	-	-	-	-	2	1	5	8	17	19	27	50	53	44	49	34	16	2	-	-	-
	F	260	-	-	-	-	-	-	-	-	-	2	1	3	3	14	18	35	26	45	47	39	15	9	3	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	141	-	-	-	-	-	-	-	1	1	1	3	6	10	24	15	22	13	18	10	6	6	4	-	-	1	-
	White—F	135	-	-	-	-	-	-	-	1	1	1	3	5	10	22	15	22	13	16	10	6	5	4	-	-	1	-
	All other—F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	1	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
50	Cancer of breast	124	-	-	-	-	-	-	-	-	-	2	1	1	6	21	14	16	10	16	18	7	5	6	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	116	-	-	-	-	-	-	-	-	-	2	1	1	6	21	12	13	10	14	18	7	4	6	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	390	-	-	1	1	1	-	3	2	6	4	5	4	15	18	32	37	40	41	60	61	37	17	5	-	-	-
	White—M	270	-	-	1	1	1	-	-	-	6	1	3	1	10	11	26	26	29	29	43	46	20	13	3	-	-	-
	F	113	-	-	-	-	-	-	3	2	-	3	1	3	5	6	6	9	11	12	14	15	17	4	2	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	22	-	1	-	-	-	1	4	9	-	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	15	-	1	-	-	-	1	3	7	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	175	-	-	-	-	-	2	2	1	2	3	1	-	5	4	8	19	20	28	30	22	19	7	2	-	-	-
	White—M	74	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	9	8	9	14	15	9	4	1	-	-	-
	F	97	-	-	-	-	-	2	2	1	-	1	1	-	4	4	7	10	11	18	15	7	10	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	20	-	-	-	-	-	-	-	-	-	-	2	1	2	3	1	3	1	2	2	2	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	2	1	1	2	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	37	-	-	-	-	-	1	-	-	1	2	4	3	3	6	3	6	5	1	2	-	-	-	-	-	-	-
	White—M	30	-	-	-	-	-	1	-	-	-	-	2	3	3	6	3	4	5	1	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	934	5	2	-	-	1	3	1	2	2	-	-	4	8	31	33	58	98	126	164	171	143	62	17	2	-	1
	White—M	467	4	-	-	-	1	2	1	1	2	-	-	1	-	13	15	26	42	72	93	76	78	34	4	2	-	-
	F	442	1	2	-	-	-	1	-	1	-	-	-	3	8	17	16	28	53	46	68	94	64	26	13	-	-	1
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	5	2	1	1	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	1	-	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	150	11	3	4	3	-	3	6	8	5	5	7	9	5	10	7	10	9	13	15	7	5	3	2	-	-	-
	White—M	84	4	2	2	2	-	3	2	5	2	4	4	6	3	7	4	8	4	5	6	4	4	2	1	-	-	-
	F	63	5	1	2	1	-	-	3	3	3	1	3	3	2	3	3	2	5	8	9	3	1	1	1	-	-	-
	All other—M	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 11b	Diseases of ear, nose, and throat	76	18	3	4	-	2	7	5	4	5	2	3	1	2	-	3	1	6	2	3	2	1	2	-	-	-	-
	White—M	35	8	2	2	-	1	3	-	2	2	1	1	1	1	-	1	1	2	1	3	2	1	-	-	-	-	-
	F	40	10	1	2	-	1	3	5	2	3	1	2	-	1	-	2	-	4	1	-	-	-	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	270	2	-	-	-	-	9	8	9	14	12	10	15	11	14	18	21	27	18	29	27	14	11	1	-	-	-
	White—M	129	2	-	-	-	-	2	3	6	8	4	4	7	2	5	8	7	16	11	20	10	8	5	1	-	-	-
	F	134	-	-	-	-	-	7	5	2	5	8	6	8	8	9	10	11	11	7	8	17	6	6	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	871	-	-	-	-	-	-	1	-	4	3	5	11	17	51	58	101	114	138	167	101	70	17	12	1	-	-
	White—M	632	-	-	-	-	-	-	-	-	1	3	4	8	13	39	50	84	87	97	114	69	47	10	6	-	-	-
	F	231	-	-	-	-	-	-	1	-	3	-	1	2	2	12	8	17	25	40	52	32	23	6	6	1	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
90b,91, 92a,b,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,892	2	1	-	-	1	1	5	2	8	8	14	16	24	51	90	104	159	248	324	328	264	180	46	13	3	-
	White—M	1,064	1	-	-	-	-	1	2	-	4	4	7	9	12	31	59	65	102	157	1[illegible]7	184	142	88	16	3	-	-
	F	787	1	1	-	-	1	-	3	2	4	4	7	7	12	20	28	35	55	82	140	138	116	89	29	10	3	-
	All other—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	6	3	2	5	2	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	4	1	1	1	-	-	-
107-109	Pneumonia (all forms)	682	169	33	4	2	3	2	4	6	7	3	13	10	19	17	27	29	35	53	66	72	56	34	15	3	-	-
	White—M	355	84	11	2	1	-	2	3	2	2	-	5	5	12	9	16	17	17	34	28	42	34	18	9	2	-	-
	F	307	79	21	2	1	3	-	1	4	5	3	6	5	7	7	10	11	17	16	38	29	19	16	6	1	-	-
	All other—M	12	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	3	-	-	-	-	-
	F	8	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	121	-	-	-	-	-	-	1	1	-	2	8	4	6	13	16	18	12	11	12	7	9	1	-	-	-	-
	White—M	94	-	-	-	-	-	-	-	1	-	2	7	2	5	11	14	15	9	10	6	7	5	-	-	-	-	-
	F	24	-	-	-	-	-	-	1	-	-	-	1	2	1	2	2	2	2	1	5	-	4	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
119,120	Diarrhea, enteritis, etc.*	165	105	19	4	5	-	-	1	-	-	2	1	1	1	4	3	1	3	-	2	3	6	3	1	-	-	-
	White—M	83	56	8	4	3	-	-	-	-	-	-	-	-	-	3	2	1	1	-	1	1	1	1	1	-	-	-
	F	81	49	10	-	2	-	-	1	-	-	2	1	1	1	1	1	-	2	-	1	2	5	2	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	142	-	2	1	1	2	9	9	15	13	9	7	7	10	11	9	7	9	9	6	4	2	-	-	-	-	-
	White—M	89	-	2	-	-	1	5	5	9	7	6	6	7	6	7	8	4	5	5	2	3	1	-	-	-	-	-
	F	51	-	-	1	1	1	4	4	6	6	3	1	-	4	4	1	3	4	2	4	1	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	153	13	1	-	1	1	2	-	-	1	3	6	7	10	10	9	7	12	23	17	18	10	1	-	1	-	-
	White—M	84	7	-	-	1	1	2	-	-	1	2	2	3	3	3	4	5	9	13	8	16	4	-	-	-	-	-
	F	64	6	1	-	-	-	-	-	-	-	1	2	4	7	6	5	2	2	9	9	2	6	1	-	1	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	98	-	-	-	-	-	1	1	-	-	-	3	5	5	8	13	12	9	14	15	7	3	2	-	-	-	-
	White—M	61	-	-	-	-	-	-	1	-	-	-	2	1	4	5	7	9	5	10	10	5	-	2	-	-	-	-
	F	35	-	-	-	-	-	1	-	-	-	-	1	3	1	2	6	3	4	4	5	2	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	70	-	-	-	-	-	-	-	-	-	1	1	3	6	4	9	6	6	10	7	9	5	3	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	4	1	4	2	1	2	5	2	1	1	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	1	1	3	2	2	5	4	4	8	2	7	4	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	894	3	2	1	-	1	-	7	5	3	8	11	6	17	22	40	57	66	118	138	147	146	69	22	4	1	-
	White—M	466	2	1	1	-	1	-	1	3	2	3	3	3	5	11	12	37	43	64	73	81	70	37	10	3	-	-
	F	409	1	1	-	-	-	-	6	2	1	5	8	3	11	11	25	17	21	51	63	63	75	32	11	1	1	-
	All other—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	2	2	1	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-
137	Diseases of the prostate	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	17	13	22	25	4	1	-	-	-
	White—M	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	16	13	22	24	4	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	30	-	-	-	-	-	-	-	2	9	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	2	8	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	17	-	-	-	-	-	-	-	2	3	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	2	3	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	25	-	-	-	-	-	-	-	2	6	2	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	2	6	2	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	139	115	6	4	1	1	4	-	1	3	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	87	75	1	1	1	1	3	-	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	51	39	5	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	303	303	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	231	-	-	-	-	-	-	2	7	12	12	18	22	21	20	27	17	22	19	12	11	9	-	-	-	-	-
	White—M	178	-	-	-	-	-	-	1	6	10	6	12	15	14	13	23	14	17	18	11	9	9	-	-	-	-	-
	F	52	-	-	-	-	-	-	1	1	2	5	6	7	7	7	4	3	5	1	1	2	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	26	1	-	-	-	-	1	-	-	-	2	2	2	6	2	2	2	2	1	3	-	-	-	-	-	-	-
	White—M	21	1	-	-	-	-	1	-	-	-	1	2	1	5	2	1	2	1	1	3	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	336	2	5	2	4	1	17	13	27	35	26	22	19	19	16	18	22	25	22	15	13	8	2	3	-	-	-
	White—M	243	2	2	2	1	-	7	11	20	29	24	14	19	11	7	14	18	18	17	10	10	5	1	1	-	-	-
	F	90	-	3	-	3	1	10	1	7	6	2	8	-	7	9	4	4	6	5	5	3	3	1	2	-	-	-
	All other—M	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	572	31	17	15	5	5	11	21	31	33	22	17	26	26	25	24	31	24	28	31	42	55	33	15	3	-	1
	White—M	376	22	11	9	2	4	10	19	28	27	18	14	22	21	21	20	25	18	13	12	23	20	12	4	-	-	1
	F	192	8	6	6	3	1	1	2	3	6	3	3	3	5	4	4	5	6	15	19	19	35	21	11	3	-	-
	All other—M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,248	242	8	5	1	6	16	14	14	17	23	20	31	30	48	52	69	70	74	103	127	131	99	36	9	3	-
	White—M	657	148	5	2	1	4	10	9	6	7	7	7	15	15	16	30	32	41	38	63	81	62	42	13	3	-	-
	F	565	90	3	3	-	2	6	5	8	9	15	11	16	13	29	20	36	25	34	39	46	69	55	22	6	3	-
	All other—M	15	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	2	-	-	-	1	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	-	2	-	1	3	1	-	1	-	1	-	-	1	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	All causes	18,188	888	57	29	22	19	88	89	173	268	299	324	413	592	931	1,311	1,602	1,875	2,166	2,228	2,040	1,617	808	259	84	2	4
	White—M	9,689	475	30	19	15	7	52	51	91	152	154	174	231	303	518	795	956	1,065	1,203	1,146	1,025	771	322	98	35	-	3
	F	8,039	379	22	9	7	11	29	34	64	98	126	135	157	258	372	488	610	781	921	1,035	992	832	472	156	49	1	1
	All other—M	230	22	2	-	-	1	4	-	11	10	14	6	11	14	25	12	17	10	23	22	12	6	5	3	-	-	-
	F	250	14	3	1	-	-	3	4	7	8	5	9	14	17	16	16	19	19	19	25	11	8	9	2	-	1	-
1,2	Typhoid, paratyphoid fever	8	-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	11	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	562	-	2	4	-	1	2	4	21	38	49	56	46	48	60	57	57	41	37	20	9	9	1	-	-	-	-
	White—M	342	-	-	3	-	1	-	-	5	15	18	34	27	31	40	43	43	32	29	13	4	4	-	-	-	-	-
	F	179	-	1	1	-	-	1	2	11	21	27	20	14	15	13	13	10	9	7	5	5	5	1	-	-	-	-
	All other—M	18	-	-	-	-	-	-	-	3	-	1	-	3	2	5	1	1	-	1	1	-	-	-	-	-	-	-
	F	23	-	1	-	-	-	1	2	2	2	3	2	2	2	2	-	3	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	50	2	2	-	-	-	1	1	6	4	6	3	2	3	3	4	1	4	3	4	-	1	-	-	-	-	-
	White—M	19	1	-	-	-	-	-	-	-	3	2	1	1	1	-	4	1	2	2	1	-	-	-	-	-	-	-
	F	20	1	2	-	-	-	1	1	3	-	2	2	-	1	1	-	-	2	1	2	-	1	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
27	Dysentery	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	158	6	-	-	-	-	-	2	-	-	2	2	8	10	15	20	31	23	17	10	7	5	-	-	-	-	-
	White—M	100	1	-	-	-	-	-	2	-	-	1	-	3	4	7	12	24	18	13	6	5	4	-	-	-	-	-
	F	31	1	-	-	-	-	-	-	-	-	1	2	1	2	5	5	4	4	1	3	1	1	-	-	-	-	-
	All other—M	20	2	-	-	-	-	-	-	-	-	-	-	3	2	3	3	3	1	2	1	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-
33	Influenza	84	5	3	-	1	1	-	1	3	1	3	3	3	5	5	5	3	4	3	3	8	10	7	6	-	1	-
	White—M	36	2	2	-	-	-	-	1	-	-	-	1	2	2	1	4	2	2	2	2	3	8	1	1	-	-	-
	F	44	3	1	-	1	1	-	-	3	1	2	2	1	3	4	1	1	2	1	-	4	2	6	5	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
35	Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,247	-	-	-	-	-	1	-	1	-	7	9	14	38	69	107	129	164	213	205	156	96	28	9	1	-	-
	White—M	864	-	-	-	-	-	-	-	1	-	5	4	10	13	37	65	72	94	127	103	75	44	10	4	-	-	-
	F	568	-	-	-	-	-	1	-	-	-	2	5	4	24	31	39	57	68	84	99	80	52	17	4	1	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	3	1	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	310	-	-	-	-	-	-	-	1	2	2	8	13	26	24	41	47	45	37	28	19	11	5	1	-	-	-
	White—F	303	-	-	-	-	-	-	-	1	2	2	8	11	26	23	41	46	45	35	28	18	11	5	1	-	-	-
	All other—F	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
50	Cancer of breast	301	-	-	-	-	-	-	-	-	1	2	4	12	19	31	32	39	37	39	27	33	15	8	1	1	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	F	294	-	-	-	-	-	-	-	-	1	2	4	11	19	31	32	37	36	39	26	31	15	8	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	792	-	1	-	1	1	4	2	5	8	8	8	17	34	49	78	89	110	107	111	74	53	27	5	-	-	-
	White—M	584	-	-	-	-	-	3	1	4	4	5	5	9	23	33	59	71	89	73	84	59	38	19	5	-	-	-
	F	195	-	1	-	1	1	1	1	1	4	3	2	7	8	15	19	17	19	32	25	15	15	8	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	23	-	-	-	-	-	2	3	1	4	2	2	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	2	1	1	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	616	-	2	-	-	1	1	1	4	1	1	3	3	14	23	45	79	103	92	111	81	38	12	1	-	-	-
	White—M	210	-	2	-	-	-	-	1	-	-	1	1	1	7	11	19	27	30	35	32	24	14	5	-	-	-	-
	F	394	-	-	-	-	1	1	-	4	1	-	2	2	5	11	24	52	71	56	77	55	24	7	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	-	1	-	3	1	2	2	2	2	2	5	4	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	2	4	4	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	44	-	-	-	-	-	-	-	-	-	1	3	8	5	5	6	9	5	-	1	1	-	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	1	2	6	5	4	4	7	5	-	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,514	1	-	-	1	-	1	-	3	3	7	6	4	29	57	76	120	156	233	262	226	207	86	27	8	-	1
	White—M	675	-	-	-	1	-	1	-	2	1	4	4	2	10	25	36	53	70	121	124	105	78	23	11	3	-	1
	F	807	1	-	-	-	-	-	-	1	2	3	2	2	18	30	39	60	83	107	134	119	125	60	16	5	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	3	1	2	2	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	2	1	1	2	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	153	5	2	1	1	1	3	3	4	7	14	6	10	2	10	12	14	10	14	13	14	6	1	-	-	-	-
	White—M	84	4	1	-	-	1	2	1	3	3	7	5	5	-	7	7	10	5	10	7	4	2	1	-	-	-	-
	F	66	1	1	-	1	-	1	2	1	3	7	1	5	2	3	5	4	5	4	6	10	4	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	43	3	2	-	1	2	2	3	4	3	1	-	-	3	3	6	3	2	2	1	1	-	1	-	-	-	-
	White—M	19	2	1	-	1	-	1	1	1	3	1	-	-	-	-	4	2	-	1	-	-	-	1	-	-	-	-
	F	21	1	1	-	-	1	1	2	3	-	-	-	-	3	1	2	1	2	1	1	1	-	-	-	-	-	-
	All other—M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	320	-	-	-	-	-	2	12	7	13	15	19	20	23	27	35	20	24	35	17	15	26	8	1	1	-	-
	White—M	147	-	-	-	-	-	-	6	3	7	5	7	12	6	13	17	10	14	14	11	7	11	3	-	1	-	-
	F	159	-	-	-	-	-	1	4	4	4	10	11	8	15	14	17	10	8	20	5	8	14	5	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	2	-	1	-	-	-	2	-	1	-	1	1	1	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,908	-	-	-	-	-	-	1	2	-	5	8	29	63	128	200	257	254	281	256	215	127	60	15	6	-	1
	White—M	1,272	-	-	-	-	-	-	1	2	-	2	4	24	55	98	150	196	175	198	152	112	72	20	6	5	-	-
	F	618	-	-	-	-	-	-	-	-	-	2	4	4	7	30	47	60	78	79	103	101	55	37	9	1	-	1
	All other—M	11	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	3	-	2	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,938	2	-	-	-	-	1	3	7	9	17	19	24	37	103	190	289	401	545	614	659	586	310	89	32	1	-
	White—M	2,018	2	-	-	-	-	1	1	3	5	10	7	15	21	58	122	164	226	290	309	339	271	126	33	15	-	-
	F	1,847	-	-	-	-	-	-	2	4	4	7	11	9	13	41	64	118	166	242	289	313	311	182	53	17	1	-
	All other—M	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	5	6	5	2	-	1	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	3	4	8	10	2	2	2	2	-	-	-
107-109	Pneumonia (all forms)	620	76	10	5	-	1	2	4	3	8	4	7	12	16	28	44	43	54	57	73	52	60	40	15	6	-	-
	White—M	353	39	5	2	-	1	1	-	1	4	2	5	7	10	19	34	34	35	28	43	29	31	17	5	1	-	-
	F	243	27	5	3	-	-	1	4	1	4	-	2	2	5	7	9	9	18	29	30	22	27	23	10	5	-	-
	All other—M	14	6	-	-	-	-	-	-	1	-	2	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	10	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	2	-	-	-	-	-
117	Ulcer of stomach or duodenum	122	-	-	-	-	-	-	-	-	2	5	4	2	6	8	18	22	20	18	9	4	2	2	-	-	-	-
	White—M	106	-	-	-	-	-	-	-	-	1	5	4	1	5	7	15	21	19	14	7	4	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	4	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
119,120	Diarrhea, enteritis, etc.*	60	37	3	-	-	-	1	-	3	2	-	1	1	-	1	-	-	3	2	3	3	-	-	-	-	-	-
	White—M	34	22	2	-	-	-	-	-	3	1	-	1	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F	24	13	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	2	1	2	2	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	128	2	2	3	1	1	6	3	8	10	2	4	9	4	12	15	12	11	10	5	2	5	1	-	-	-	-
	White—M	75	1	2	2	1	1	4	1	3	6	2	3	6	3	7	6	6	6	5	3	2	4	1	-	-	-	-
	F	50	1	-	1	-	-	2	2	5	3	-	1	3	1	4	9	6	5	5	1	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	139	9	1	-	-	-	1	2	-	-	2	4	3	4	7	7	7	22	22	16	13	12	5	1	1	-	-
	White—M	78	8	-	-	-	-	1	2	-	-	-	1	-	3	3	3	5	9	13	11	7	9	2	-	1	-	-
	F	58	1	1	-	-	-	-	-	-	-	2	3	2	1	4	4	2	12	9	5	5	3	3	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	216	-	-	-	-	-	-	1	-	4	4	5	9	17	22	28	21	30	26	25	15	5	2	1	1	-	-
	White—M	126	-	-	-	-	-	-	-	-	1	2	4	5	6	9	19	10	22	19	14	11	3	1	-	-	-	-
	F	88	-	-	-	-	-	-	1	-	2	2	1	4	11	12	9	11	8	7	11	4	2	1	1	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	106	-	-	-	-	-	-	-	-	-	1	3	2	4	11	11	15	9	22	7	10	7	3	1	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	6	4	8	1	3	2	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	2	1	4	8	7	9	5	14	6	7	5	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,189	1	1	-	-	-	4	3	7	11	12	13	18	40	53	73	88	107	150	170	191	134	79	27	7	-	-
	White—M	596	1	-	-	-	-	3	2	5	4	7	4	9	12	23	39	53	59	68	87	93	76	39	9	3	-	-
	F	552	-	1	-	-	-	1	1	2	7	5	8	7	26	24	31	30	45	76	77	95	56	38	18	4	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	-	5	3	-	2	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	3	3	1	3	3	-	1	-	-	-	-
137	Diseases of the prostate	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	13	10	18	22	9	3	2	1	-	-
	White—M	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	13	10	18	21	9	3	2	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140, 142a, 147	Puerperal, septicemia	25	-	-	-	-	-	-	-	-	8	8	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	-	7	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	10	-	-	-	-	-	-	-	-	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	24	-	-	-	-	-	-	-	1	5	4	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	-	5	4	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	202	160	7	3	2	-	5	4	4	1	6	1	1	2	-	3	1	2	-	-	-	-	-	-	-	-	-
	White—M	112	88	3	2	2	-	3	3	2	1	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	89	72	4	1	-	-	2	1	1	-	1	-	1	2	-	3	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	229	-	-	-	-	-	-	-	2	12	17	15	30	26	19	25	25	23	12	12	8	1	2	-	-	-	-
	White—M	176	-	-	-	-	-	-	-	1	11	10	11	23	18	11	20	20	21	11	10	7	-	2	-	-	-	-
	F	48	-	-	-	-	-	-	-	1	1	7	3	7	6	8	5	4	2	-	2	1	1	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	38	2	-	-	-	-	-	-	1	1	5	3	4	6	9	4	2	1	-	-	-	-	-	-	-	-	-
	White—M	18	1	-	-	-	-	-	-	1	-	1	2	3	3	5	-	1	1	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	1	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	432	1	-	4	4	4	18	13	27	44	29	21	23	22	29	35	34	39	32	23	17	11	2	-	-	-	-
	White—M	334	1	-	3	2	1	11	12	21	33	21	17	19	16	23	30	24	31	23	18	16	10	2	-	-	-	-
	F	90	-	-	1	2	3	7	1	3	8	8	2	4	6	6	5	10	8	9	5	1	1	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	734	33	8	2	1	-	21	12	20	34	26	33	35	29	47	36	39	47	56	64	70	66	35	14	4	-	2
	White—M	467	14	6	2	1	-	16	10	16	29	21	30	30	28	41	29	28	29	33	29	31	26	10	5	1	-	2
	F	251	18	2	-	-	-	2	2	1	4	4	2	4	1	5	6	8	18	23	35	39	40	25	9	3	-	-
	All other—M	12	1	-	-	-	-	2	-	3	1	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,435	263	8	7	8	5	8	11	24	28	27	30	36	50	69	91	99	107	85	113	114	114	80	43	15	-	-
	White—M	734	152	5	5	7	2	5	5	12	16	12	14	9	20	33	47	60	51	53	58	60	52	35	17	4	-	-
	F	658	102	-	2	1	3	3	6	11	11	12	14	26	28	33	41	37	54	31	49	54	61	43	25	11	-	-
	All other—M	22	6	1	-	-	-	-	-	1	1	2	1	-	1	3	1	-	2	-	1	-	-	1	1	-	-	-
	F	21	3	2	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	1	5	-	1	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	All causes	3,244	221	18	7	6	7	20	23	40	60	54	82	95	123	192	197	247	288	324	365	357	290	158	57	10	-	3
	White—M	1,447	97	5	5	4	4	7	11	14	27	21	21	34	55	81	90	139	143	148	172	150	117	70	28	3	-	1
	F	1,179	51	4	2	2	3	7	5	7	19	15	25	32	24	54	60	75	106	122	145	157	156	78	25	5	-	-
	All other—M	352	34	6	-	-	-	5	6	9	6	9	20	19	25	37	22	20	23	32	32	28	11	5	1	-	-	2
	F	266	39	3	-	-	-	1	1	10	8	9	16	10	19	20	25	13	16	22	16	22	6	5	3	2	-	-
1,2	Typhoid, paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	144	-	1	-	-	-	-	-	10	11	16	18	8	14	12	15	11	10	9	7	2	-	-	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	6	3	2	5	6	8	5	4	2	4	2	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	2	4	3	4	2	4	3	1	2	5	4	3	-	-	-	-	-	-	-
	All other—M	29	-	-	-	-	-	-	-	2	2	2	7	3	3	1	4	4	-	1	-	-	-	-	-	-	-	-
	F	31	-	1	-	-	-	-	-	6	5	5	4	1	2	2	2	-	1	2	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	17	1	1	-	-	1	2	-	1	-	2	-	2	1	4	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	7	-	1	-	-	-	1	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	54	4	-	-	-	-	-	-	1	2	2	4	4	-	7	8	8	2	6	1	5	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	6	1	4	-	4	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	All other—M	12	2	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	-	1	-	1	-	-	-	-	-	-
	F	15	2	-	-	-	-	-	-	1	1	-	2	2	-	3	2	-	1	1	-	-	-	-	-	-	-	-
33	Influenza	34	8	1	-	-	-	-	1	1	-	-	1	1	3	-	3	-	-	1	3	4	3	3	1	-	-	-
	White—M	13	2	1	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	1	2	2	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	2	1	1	1	-	-	-
	All other—M	6	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
35	Measles	6	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	141	-	-	-	-	-	-	-	-	1	-	-	3	5	10	9	16	18	30	22	12	10	6	1	-	-	-
	White—M	66	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	9	8	15	11	8	5	1	-	-	-	-
	F	63	-	-	-	-	-	-	-	-	1	-	-	2	1	3	3	6	9	13	10	4	5	5	1	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	63	-	-	-	-	-	-	-	1	-	-	3	4	4	8	9	8	5	4	5	7	4	1	-	-	-	-
	White—F	50	-	-	-	-	-	-	-	1	-	-	1	4	1	6	7	8	4	4	5	4	4	1	-	-	-	-
	All other—F	13	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	-	1	-	-	3	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
50	Cancer of breast	44	-	-	-	-	-	-	-	-	-	-	2	-	1	8	3	5	2	4	6	8	3	1	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	2	-	1	7	1	4	2	3	5	7	3	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	84	-	-	-	-	-	1	-	1	1	-	-	2	3	6	8	10	10	10	12	12	4	3	1	-	-	-
	White—M	60	-	-	-	-	-	1	-	-	-	-	-	1	3	1	6	9	7	7	9	8	4	3	1	-	-	-
	F	17	-	-	-	-	-	-	-	1	1	-	-	1	-	2	2	1	3	2	2	2	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	80	-	-	-	-	-	-	1	-	-	-	1	1	1	6	6	12	10	8	16	12	5	1	-	-	-	-
	White—M	29	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	6	3	2	6	4	4	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	7	6	10	8	1	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	270	-	-	-	-	-	-	-	-	-	2	1	3	2	11	13	15	35	41	42	45	33	19	7	-	-	1
	White—M	126	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	4	17	16	19	22	15	13	5	-	-	-
	F	110	-	-	-	-	-	-	-	-	-	1	1	1	-	4	5	8	14	17	18	17	16	6	2	-	-	-
	All other—M	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	3	6	4	2	2	-	-	-	-	1
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	1	4	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	23	1	-	-	-	-	1	2	1	3	-	-	1	2	2	1	2	-	2	2	1	2	-	-	-	-	-
	White—M	12	1	-	-	-	-	1	1	1	1	-	-	-	1	2	-	2	-	-	-	-	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 116	Diseases of ear, nose, and throat	11	-	-	-	-	-	1	1	-	-	-	-	-	2	-	1	2	2	1	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	62	-	-	-	-	-	1	-	4	2	4	-	2	6	1	-	6	6	7	4	8	9	2	-	-	-	-
	White—M	29	-	-	-	-	-	1	-	1	1	2	-	1	4	-	-	5	1	4	2	3	4	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	2	1	2	-	1	1	-	-	1	4	1	2	4	5	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	241	-	-	-	-	-	-	-	-	-	1	1	5	16	22	25	31	26	32	38	21	16	6	1	-	-	-
	White—M	163	-	-	-	-	-	-	-	-	-	1	1	4	14	16	19	24	16	21	25	9	9	3	1	-	-	-
	F	62	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	4	10	7	9	12	7	3	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	3	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
90h,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	647	-	-	-	-	-	-	3	3	4	2	9	7	14	28	35	44	72	74	94	98	86	53	16	5	-	-
	White—M	267	-	-	-	-	-	-	-	2	1	1	1	3	4	12	16	24	37	27	41	37	31	21	8	1	-	-
	F	270	-	-	-	-	-	-	1	1	3	1	3	1	3	6	12	15	29	31	35	44	47	28	7	3	-	-
	All other—M	71	-	-	-	-	-	-	2	-	-	-	1	2	4	9	1	3	4	10	14	12	5	3	1	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	4	1	3	1	6	2	2	6	4	5	3	1	-	1	-	-
107-109	Pneumonia (all forms)	141	27	6	1	-	1	-	2	-	2	-	6	5	6	7	9	9	8	6	7	13	11	10	5	-	-	-
	White—M	57	10	1	1	-	1	-	2	-	1	-	1	1	4	3	5	6	3	3	2	6	3	2	2	-	-	-
	F	40	5	1	-	-	-	-	-	-	1	-	3	-	-	-	2	1	-	3	3	5	7	6	3	-	-	-
	All other—M	24	5	3	-	-	-	-	-	-	-	-	1	2	2	3	1	-	3	-	1	1	1	1	-	-	-	-
	F	20	7	1	-	-	-	-	-	-	-	-	1	2	-	1	1	2	2	-	1	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	20	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	1	3	-	3	3	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	1	1	-	3	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
119,120	Diarrhea, enteritis, etc.*	37	28	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	White—M	12	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	11	7	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other—M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	1	-	-	-	-	1	1	2	-	2	-	1	3	1	3	2	1	3	1	-	-	-	-	-	-	-
	White—M	15	1	-	-	-	-	-	1	2	-	1	-	1	-	-	2	2	1	3	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	28	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	5	2	2	4	4	-	2	-	-	-
	White—M	15	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	1	-	2	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	3	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	25	1	-	-	-	-	-	-	-	-	1	1	-	3	4	3	3	3	3	1	1	1	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	-	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	2	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	367	-	-	-	-	-	-	1	1	1	1	4	7	7	18	13	29	33	42	55	56	59	32	8	-	-	-
	White—M	141	-	-	-	-	-	-	-	-	1	-	-	3	3	5	2	13	14	21	22	24	19	13	1	-	-	-
	F	152	-	-	-	-	-	-	1	-	-	-	3	2	2	6	5	9	6	13	25	23	35	17	5	-	-	-
	All other—M	38	-	-	-	-	-	-	-	1	-	-	-	1	-	4	2	3	8	4	4	5	3	1	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	4	5	4	4	4	2	1	2	-	-	-
137	Diseases of the prostate	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	1	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	8	-	-	-	-	-	-	-	1	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	33	-	-	-	-	-	-	-	-	3	3	2	1	4	4	2	5	4	1	-	2	2	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	2	3	2	1	3	4	2	3	3	-	-	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	21	2	-	-	-	-	1	-	1	1	2	4	4	3	2	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	6	1	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	1	-	1	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	95	-	-	5	2	-	8	4	6	13	6	4	7	5	5	4	6	6	4	4	5	1	-	-	-	-	-
	White—M	53	-	-	3	2	-	3	-	4	10	4	1	3	2	5	2	3	5	2	2	1	1	-	-	-	-	-
	F	21	-	-	2	-	-	3	2	-	2	1	-	1	-	-	2	1	-	2	1	4	-	-	-	-	-	-
	All other—M	20	-	-	-	-	-	2	2	2	1	1	3	2	3	-	-	2	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	155	6	1	-	2	3	2	3	3	8	5	7	11	8	7	4	9	9	8	10	6	12	7	2	1	-	1
	White—M	71	3	-	-	1	1	-	2	2	8	2	3	6	1	4	1	7	9	5	3	2	5	4	1	-	-	1
	F	38	1	-	-	1	2	1	-	-	-	1	2	3	1	1	-	2	-	2	5	4	7	3	1	1	-	-
	All other—M	21	-	1	-	-	-	1	-	1	-	2	2	2	5	2	3	-	-	-	2	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	255	44	2	-	-	2	-	-	1	3	3	9	11	9	13	16	11	14	21	21	28	23	11	11	4	-	-
	White—M	110	19	1	-	-	2	-	-	1	2	-	5	2	4	4	5	7	6	10	11	6	10	6	7	2	-	-
	F	97	16	1	-	-	-	-	-	-	-	1	2	7	1	5	7	2	6	8	6	15	12	4	3	1	-	-
	All other—M	23	5	-	-	-	-	-	-	-	-	1	2	1	1	2	1	2	1	2	2	3	-	-	-	-	-	-
	F	25	4	-	-	-	-	-	-	-	1	1	-	1	3	2	3	-	1	1	2	2	1	1	1	1	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	All causes	7,999	744	38	24	12	13	50	31	92	192	213	281	345	458	577	590	622	709	784	755	619	475	230	105	26	8	6
	White—M	2,760	231	7	6	5	5	12	5	23	41	55	64	107	158	208	212	239	298	306	302	210	168	77	14	4	1	4
	F	2,502	144	8	9	1	2	12	6	21	36	35	48	58	80	112	114	141	205	252	299	286	242	109	63	17	2	-
	All other—M	1,559	188	13	5	4	5	15	13	25	62	53	86	97	129	147	149	140	107	111	71	61	28	14	13	1	1	1
	F	1,398	181	10	4	2	1	11	7	23	53	70	83	83	91	110	115	102	101	115	83	62	37	30	15	4	4	1
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Tuberculosis of respiratory system, etc.*	477	3	1	-	1	-	2	3	26	64	51	65	65	52	31	40	24	18	11	11	7	2	-	-	-	-	-
	White—M	114	-	1	-	-	-	1	-	2	1	3	9	16	16	15	16	9	9	8	6	2	-	-	-	-	-	-
	F	44	1	-	-	-	-	-	-	2	7	6	2	8	4	1	3	2	1	-	5	1	1	-	-	-	-	-
	All other—M	169	-	-	-	1	-	-	-	9	28	12	28	24	21	12	14	11	3	2	-	4	-	-	-	-	-	-
	F	150	2	-	-	-	-	1	3	13	28	30	26	17	11	3	7	2	5	1	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	46	1	7	1	-	1	2	-	2	4	6	2	6	3	1	4	3	1	1	1	-	-	-	-	-	-	-
	White—M	10	-	2	1	-	1	-	-	-	-	1	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-
	F	9	-	2	-	-	-	-	-	1	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	13	-	1	-	-	-	2	-	1	2	1	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	14	1	2	-	-	-	-	-	-	-	4	-	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	150	7	1	-	-	-	-	-	1	1	4	12	12	20	29	16	15	14	10	5	1	1	-	-	-	1	-
	White—M	42	1	-	-	-	-	-	-	-	1	1	-	3	4	10	2	4	7	6	3	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	-	1	1	-	1	1	4	-	-	1	2	-	-	-	-	-	-	-
	All other—M	68	4	1	-	-	-	-	-	-	-	-	7	6	14	12	8	9	4	1	-	1	1	-	-	-	-	-
	F	28	2	-	-	-	-	-	-	-	-	2	4	3	1	6	2	2	3	2	-	-	-	-	-	-	1	-
33	Influenza	35	10	-	1	-	-	1	-	-	1	-	3	2	-	-	-	-	5	-	3	2	3	1	3	-	-	-
	White—M	8	1	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	2	-	-	-
	All other—M	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	11	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-
35	Measles	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	380	-	-	-	-	-	-	-	-	-	1	7	8	26	25	27	50	51	61	58	31	23	10	2	-	-	-
	White—M	143	-	-	-	-	-	-	-	-	-	-	1	2	7	8	5	17	28	27	23	15	9	1	-	-	-	-
	F	127	-	-	-	-	-	-	-	-	-	-	2	3	6	9	7	14	14	19	21	12	10	8	2	-	-	-
	All other—M	79	-	-	-	-	-	-	-	-	-	-	1	2	9	6	13	17	8	7	10	1	4	1	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	3	1	4	2	2	2	1	8	4	3	-	-	-	-	-	-
48,49	Cancer of female genital organs	131	-	-	-	-	-	-	-	-	-	3	9	8	16	14	13	12	15	17	11	8	4	1	-	-	-	-
	White—F	92	-	-	-	-	-	-	-	-	-	1	5	4	12	11	11	5	12	11	8	7	4	1	-	-	-	-
	All other—F	39	-	-	-	-	-	-	-	-	-	2	4	4	4	3	2	7	3	6	3	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
50	Cancer of breast	120	-	-	-	-	-	-	-	-	-	-	2	5	8	21	15	19	19	12	8	5	3	1	-	1	1	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	-	1	4	4	14	9	14	15	12	7	5	3	-	-	1	1	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	1	1	4	7	5	3	4	-	1	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	325	-	1	-	1	2	-	1	2	3	6	6	7	12	19	34	32	46	46	46	29	14	14	5	1	-	-
	White—M	169	-	-	-	1	2	-	-	1	2	4	2	3	5	9	10	15	25	27	30	16	9	10	-	-	-	-
	F	82	-	-	-	-	-	-	1	1	1	1	2	1	4	5	10	9	11	10	9	8	5	2	2	-	-	-
	All other—M	50	-	-	-	-	-	-	-	-	-	1	1	1	4	3	9	6	6	9	4	4	-	1	1	-	-	-
	F	24	-	1	-	-	-	-	-	-	-	-	1	2	1	2	5	2	4	-	3	1	-	1	-	1	-	-
58	Acute rheumatic fever	8	-	-	-	-	1	3	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	166	-	-	-	-	-	-	-	2	1	1	3	6	5	8	7	10	24	37	29	16	13	4	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	4	8	10	10	2	5	-	-	-	-	-
	F	74	-	-	-	-	-	-	-	2	-	-	2	-	-	2	2	2	10	18	13	13	7	3	-	-	-	-
	All other—M	17	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	2	6	1	-	-	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	4	4	3	5	1	1	-	-	-	-	-
63b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	2	1	1	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	2	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	18	-	-	-	-	-	-	-	-	-	1	2	4	4	3	3	1	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	580	-	-	-	-	-	-	-	-	1	1	4	7	32	49	42	55	72	80	77	70	53	23	8	4	2	-
	White—M	161	-	-	-	-	-	-	-	-	1	1	2	2	10	7	11	14	24	26	16	21	17	9	-	-	-	-
	F	199	-	-	-	-	-	-	-	-	-	-	-	-	5	19	6	12	18	22	43	30	31	8	3	2	-	-
	All other—M	92	-	-	-	-	-	-	-	-	-	-	1	1	6	10	9	13	16	13	6	8	3	1	3	1	1	-
	F	128	-	-	-	-	-	-	-	-	-	-	1	4	11	13	16	16	14	19	12	11	2	5	2	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	67	8	2	1	-	1	1	-	2	3	6	2	5	3	7	5	6	3	1	4	4	1	1	-	-	-	1
	White—M	26	2	-	1	-	-	1	-	1	1	1	1	1	2	3	1	4	1	1	1	2	-	1	-	-	-	1
	F	17	1	1	-	-	-	-	-	1	-	2	-	-	-	3	-	1	2	-	3	2	1	-	-	-	-	-
	All other—M	14	2	1	-	-	1	-	-	-	2	2	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	10	3	-	-	-	-	-	-	-	-	1	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	26	7	-	-	-	-	1	-	-	-	-	3	-	1	1	3	-	3	2	1	1	1	2	-	-	-	-
	White—M	8	1	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	1	-	-	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1	-	-	-	-
	All other—M	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	134	-	-	1	-	-	-	2	3	5	3	8	11	9	11	11	14	14	12	12	5	8	3	1	1	-	-
	White—M	43	-	-	-	-	-	-	1	1	1	-	2	3	3	3	2	7	5	3	4	-	4	2	1	1	-	-
	F	57	-	-	1	-	-	-	-	1	3	2	3	4	2	4	2	6	7	6	8	4	3	1	-	-	-	-
	All other—M	15	-	-	-	-	-	-	-	1	-	-	2	1	2	3	3	-	-	1	-	1	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	1	1	1	3	2	1	4	1	2	2	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	558	-	-	-	-	-	-	-	-	2	-	2	17	23	52	66	70	61	75	74	53	47	11	3	1	-	1
	White—M	339	-	-	-	-	-	-	-	-	-	-	-	11	17	40	45	49	39	44	43	26	19	4	1	-	-	1
	F	149	-	-	-	-	-	-	-	-	-	-	1	1	3	3	10	11	17	24	27	22	23	5	2	-	-	-
	All other—M	42	-	-	-	-	-	-	-	-	1	-	1	4	1	6	9	4	3	4	2	3	2	2	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	6	2	3	2	2	3	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,334	1	1	1	-	-	1	1	3	11	9	17	32	52	91	110	126	133	167	176	157	132	75	33	2	2	1
	White—M	424	-	-	-	-	-	-	-	-	2	1	5	6	13	35	30	40	50	63	66	49	40	19	5	-	-	-
	F	406	1	-	-	-	-	-	1	3	3	1	3	4	5	5	19	29	30	44	60	67	70	39	19	2	1	-
	All other—M	232	-	1	-	-	-	1	-	-	2	5	1	15	17	22	32	32	23	23	29	13	7	4	5	-	-	-
	F	272	-	-	1	-	-	-	-	-	4	2	8	7	17	29	29	25	30	37	21	28	15	13	4	-	1	1
107-109	Pneumonia (all forms)	407	75	6	6	-	1	4	2	1	9	5	10	13	27	29	22	28	29	29	35	29	29	6	10	2	-	-
	White—M	140	15	2	1	-	1	1	1	1	3	1	4	5	12	10	12	13	13	8	12	12	6	3	3	1	-	-
	F	86	7	-	4	-	-	1	-	-	-	-	1	2	2	1	1	6	5	9	11	13	16	3	3	1	-	-
	All other—M	99	25	2	-	-	-	1	1	-	4	2	2	2	8	16	5	6	7	6	5	2	4	-	1	-	-	-
	F	82	28	2	1	-	-	1	-	-	2	2	3	4	5	2	4	3	4	6	7	2	3	-	3	-	-	-
117	Ulcer of stomach or duodenum	43	-	-	-	-	-	-	-	-	-	-	3	1	2	7	6	3	7	6	6	2	-	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	2	3	3	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	3	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	125	113	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-
	White—M	42	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	18	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	37	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
121	Appendicitis	60	-	-	2	-	1	5	-	2	4	4	7	5	3	7	3	2	4	3	6	1	-	1	-	-	-	-
	White—M	19	-	-	1	-	-	-	-	-	2	2	3	3	2	1	-	1	-	-	3	-	-	1	-	-	-	-
	F	17	-	-	-	-	1	4	-	-	1	1	1	-	-	-	-	-	3	3	2	1	-	-	-	-	-	-
	All other—M	14	-	-	-	-	-	1	-	1	1	1	1	2	1	3	1	1	1	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	1	-	-	2	-	-	3	2	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	74	2	-	-	-	1	-	-	-	3	4	2	2	7	6	7	3	7	11	8	3	5	2	1	-	-	-
	White—M	19	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	5	3	1	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	2	2	4	2	3	1	-	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	1	1	-	1	2	1	3	-	1	2	1	-	-	-	-	-	-	-
	F	21	1	-	-	-	1	-	-	-	1	3	2	1	2	4	1	1	-	2	-	-	-	1	1	-	-	-
124	Cirrhosis of the liver	98	-	-	-	-	-	-	2	-	1	2	2	9	19	8	9	11	13	10	5	3	4	-	-	-	-	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	1	9	15	5	7	7	11	7	3	1	3	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	-	-	1	-	-	3	3	2	1	2	2	1	1	1	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	38	-	-	-	-	-	-	-	-	-	-	1	1	-	5	2	4	5	7	3	7	2	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	2	3	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	1	4	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-
130-132	Nephritis	726	-	-	-	1	-	-	1	-	5	14	16	25	42	63	50	53	77	99	103	84	47	26	17	3	-	-
	White—M	217	-	-	-	-	-	-	-	-	-	1	2	7	6	13	23	15	27	28	40	25	21	7	1	1	-	-
	F	243	-	-	-	-	-	-	-	-	2	2	5	2	7	11	4	7	24	41	42	44	19	17	14	2	-	-
	All other—M	134	-	-	-	1	-	-	1	-	1	7	3	7	15	20	9	18	13	19	5	12	2	1	-	-	-	-
	F	132	-	-	-	-	-	-	-	-	2	4	6	9	14	19	14	13	13	11	16	3	5	1	2	-	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	6	2	2	3	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	2	2	2	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	-	-	1	-	-	-	-
140, 142a, 147	Puerperal septicemia—White—F	17	-	-	-	-	-	-	-	3	3	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	1	-	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		7	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	7	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	1	3	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	70	59	2	1	2	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	26	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	17	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	283	283	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	128	-	-	-	-	-	-	-	-	7	20	14	17	14	15	12	6	6	9	3	3	1	1	-	-	-	-
	White—M	69	-	-	-	-	-	-	-	-	4	13	6	8	7	7	6	4	2	8	2	1	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	1	4	5	8	6	6	5	2	4	1	1	1	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	2	2	3	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
165-168	Homicide	75	1	-	-	-	-	-	1	3	8	12	13	11	7	6	2	4	5	-	-	-	2	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	1	1	1	-	-	3	-	1	3	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	42	-	-	-	-	-	-	-	1	4	4	9	8	6	3	2	3	1	-	-	-	1	-	-	-	-	-
	F	16	1	-	-	-	-	-	-	1	1	6	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	176	2	-	3	1	-	12	8	12	22	15	13	14	14	11	10	8	5	15	4	5	1	-	-	-	-	1
	White—M	82	-	-	-	1	-	3	1	6	11	10	5	3	10	5	4	4	2	9	3	4	1	-	-	-	-	-
	F	22	-	-	1	-	-	2	1	1	2	2	1	3	2	-	3	1	2	-	-	1	-	-	-	-	-	-
	All other—M	55	1	-	2	-	-	3	5	3	9	2	7	7	1	6	2	1	-	5	-	-	-	-	-	-	-	1
	F	17	1	-	-	-	-	4	1	2	-	1	-	1	1	-	1	2	1	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	315	13	3	4	2	1	11	3	12	10	15	14	20	23	18	17	14	18	17	19	31	26	14	6	2	-	2
	White—M	130	4	-	-	2	-	6	1	4	6	9	11	11	13	11	9	5	6	5	7	9	5	3	1	-	-	2
	F	96	3	-	1	-	-	-	-	-	2	1	1	2	2	-	1	5	8	8	10	18	19	9	4	2	-	-
	All other—M	71	4	2	2	-	1	5	2	8	2	4	2	6	8	6	6	3	3	4	-	2	-	-	1	-	-	-
	F	18	2	1	1	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	2	2	2	2	-	-	-	-
	All other causes*	714	146	4	3	2	3	4	4	12	14	19	27	26	32	36	51	46	43	39	37	56	51	30	18	9	2	-
	White—M	241	57	2	1	-	1	-	-	4	2	3	5	8	8	13	15	19	20	11	15	17	22	14	2	1	1	-
	F	205	32	1	1	-	1	2	1	5	5	3	4	5	7	9	9	9	10	9	15	25	23	10	12	7	-	-
	All other—M	132	30	1	1	1	1	-	3	1	1	7	9	4	8	10	14	9	8	8	3	6	3	2	2	-	-	-
	F	136	27	-	-	1	-	2	-	2	6	6	9	9	9	4	13	9	5	11	4	8	3	4	2	1	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	All causes	21,652	1,985	187	102	75	40	174	204	413	639	715	894	947	1,155	1,375	1,611	1,624	1,770	1,963	1,966	1,627	1,163	681	215	49	27	31
	White M	8,414	663	59	31	28	15	66	76	114	190	176	199	237	307	455	543	657	851	947	994	824	573	298	85	15	4	7
	F	5,609	524	43	30	22	6	43	37	86	104	131	175	168	195	254	279	356	501	563	624	577	464	308	92	20	4	3
	All other M	4,336	442	47	29	16	9	38	54	103	182	222	288	299	354	362	429	360	260	301	226	133	83	46	21	7	9	16
	F	3,273	356	38	12	9	10	27	35	110	163	186	232	243	299	304	360	251	158	152	122	93	43	29	19	7	10	5
1,2	Typhoid, paratyphoid fever	27	-	-	-	1	2	1	1	1	8	7	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	White M	6	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other M	9	-	-	-	-	-	-	-	-	3	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	4	2	-	-	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	35	26	5	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	9	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	23	1	5	3	6	2	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White M	8	-	2	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	1	2	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	876	5	3	-	-	1	2	5	43	99	119	121	85	76	87	60	52	39	31	29	12	7	-	-	-	-	-
	White M	229	2	-	-	-	-	-	1	3	6	15	16	15	18	28	23	25	24	21	22	6	4	-	-	-	-	-
	F	115	-	-	-	-	-	-	1	3	13	15	19	6	10	9	7	6	7	5	6	5	3	-	-	-	-	-
	All other M	288	1	2	-	-	-	1	2	13	34	39	40	37	33	32	23	18	7	4	1	1	-	-	-	-	-	-
	F	244	2	1	-	-	1	1	1	24	46	50	46	27	15	18	7	3	1	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	56	3	3	1	1	1	1	-	2	1	5	9	8	3	3	7	2	2	1	1	2	-	-	-	-	-	-
	White M	15	2	-	-	1	-	1	-	-	-	-	2	-	-	2	4	1	1	1	-	-	-	-	-	-	-	-
	F	10	-	2	-	-	-	-	-	-	-	2	2	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	All other M	20	1	1	1	-	1	-	-	1	-	2	4	3	1	1	2	1	-	-	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	1	1	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	37	11	5	1	1	1	-	-	-	-	1	-	1	2	1	2	2	1	1	2	2	3	-	-	-	-	-
	White M	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-
	F	8	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	All other M	13	3	2	-	-	1	-	-	-	-	1	-	-	2	-	-	1	1	1	-	-	1	-	-	-	-	-
	F	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
28	Malaria	82	4	1	2	-	1	4	4	2	7	3	5	8	8	9	4	3	2	3	4	3	2	3	-	-	-	-
	White M	13	1	-	-	-	-	2	1	1	-	-	-	1	-	1	-	-	1	2	-	1	1	1	-	-	-	-
	F	14	1	-	1	-	-	1	1	-	1	1	1	1	-	-	1	-	-	-	2	1	-	2	-	-	-	-
	All other M	27	-	-	-	-	1	-	2	-	4	2	1	4	2	5	1	1	1	1	1	-	1	-	-	-	-	-
	F	28	2	1	1	-	-	1	-	1	2	-	3	2	6	3	2	2	-	-	1	1	-	-	-	-	-	-
30	Syphilis	502	58	1	-	-	-	-	3	5	17	23	47	66	54	55	58	37	22	27	9	9	7	1	1	-	-	2
	White M	99	8	-	-	-	-	-	-	-	1	2	5	8	5	7	15	15	11	9	5	6	2	-	-	-	-	-
	F	34	5	-	-	-	-	-	1	-	2	1	2	5	5	4	1	1	-	4	2	-	-	1	-	-	-	-
	All other M	254	28	-	-	-	-	-	-	-	5	15	31	37	30	28	33	13	11	11	2	3	5	-	1	-	-	1
	F	115	17	1	-	-	-	-	2	5	9	5	9	16	14	16	9	8	-	3	-	-	-	-	-	-	-	1
33	Influenza	517	63	17	8	5	-	6	10	10	11	15	22	21	33	27	45	32	20	27	46	34	32	18	9	4	-	2
	White M	136	18	8	1	-	-	2	3	1	3	2	3	1	3	3	5	8	9	12	16	9	16	7	5	1	-	-
	F	128	13	1	3	2	-	-	3	2	1	4	3	4	5	3	8	9	3	5	16	17	11	9	3	3	-	-
	All other M	148	14	5	3	2	-	3	3	5	4	5	10	10	13	14	19	9	4	5	13	3	2	1	-	-	-	1
	F	105	18	3	1	1	-	1	1	2	3	4	6	6	12	7	13	6	4	5	1	5	3	1	1	-	-	1
35	Measles	17	3	1	3	1	-	1	-	1	3	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	White M	5	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	10	1	1	3	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	34	5	1	-	2	-	9	5	3	1	1	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M	18	3	-	-	1	-	5	1	1	1	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	1	-	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	719	-	-	-	1	-	1	-	-	5	2	14	25	21	61	62	82	90	111	90	94	39	15	4	1	-	1
	White M	326	-	-	-	-	-	1	-	-	3	-	4	8	10	21	21	32	51	58	47	41	20	7	2	-	-	-
	F	275	-	-	-	1	-	-	-	-	1	1	7	6	4	18	24	30	28	41	38	48	17	8	2	1	-	-
	All other M	76	-	-	-	-	-	-	-	-	-	-	3	7	5	12	11	15	6	10	1	3	2	-	-	-	-	1
	F	42	-	-	-	-	-	-	-	-	1	1	-	4	2	10	6	5	5	2	4	2	-	-	-	-	-	-
48,49	Cancer of female genital organs	330	-	-	-	-	-	-	-	-	2	7	20	29	43	44	56	27	42	25	15	17	2	1	-	-	-	-
	White F	237	-	-	-	-	-	-	-	-	1	1	13	18	25	30	38	19	39	21	14	15	2	1	-	-	-	-
	All other F	93	-	-	-	-	-	-	-	-	1	6	7	11	18	14	18	8	3	4	1	2	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
50	Cancer of breast	158	-	-	-	-	-	-	-	-	-	1	5	9	18	19	14	22	18	19	11	9	8	3	1	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	-	-	4	7	16	13	10	17	15	18	10	7	7	3	1	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	1	2	2	6	4	5	3	1	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	712	-	3	1	2	2	1	1	2	4	13	9	11	34	56	65	75	65	88	108	89	45	30	6	2	-	-
	White—M	444	-	1	-	1	1	-	1	-	-	2	6	4	14	29	31	47	48	66	73	35	34	17	3	1	-	-
	F	158	-	2	-	-	1	-	-	2	4	4	-	2	13	13	15	12	11	15	22	16	10	12	3	1	-	-
	All other—M	74	-	-	1	1	-	-	-	-	-	2	-	2	5	10	13	12	4	6	11	6	-	1	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	5	3	3	2	4	6	4	2	1	2	2	1	-	-	-	-	-
58	Acute rheumatic fever	23	-	-	-	-	-	1	4	3	1	1	-	-	2	2	1	2	1	2	1	1	-	1	-	-	-	-
	White—M	10	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	1	-	1	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	351	-	-	-	-	-	-	5	1	3	4	7	7	9	23	34	28	45	64	52	40	14	14	-	-	-	1
	White—M	138	-	-	-	-	-	-	3	-	2	1	3	1	-	6	5	12	20	28	21	16	11	8	-	-	-	1
	F	143	-	-	-	-	-	-	2	-	1	2	2	1	3	7	7	7	19	32	27	24	3	6	-	-	-	-
	All other—M	24	-	-	-	-	-	-	-	1	-	-	-	1	1	3	8	6	-	2	2	-	-	-	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	1	2	4	5	7	14	3	6	2	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	27	-	-	-	-	-	-	-	-	-	1	4	4	4	1	1	1	4	2	3	2	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	4	2	3	2	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	60	1	1	-	-	-	2	-	1	1	1	3	3	4	8	6	4	10	3	4	5	2	-	-	-	1	-
	White—M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	4	4	2	-	-	-	-	-
	All other—M	10	-	1	-	-	-	-	-	-	-	1	1	-	2	1	2	-	2	-	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	2	-	1	1	-	2	3	2	5	2	1	4	-	-	-	-	-	-	-	1	-
77	Alcoholism (ethylism)	57	-	-	-	-	-	-	-	-	1	1	7	8	8	11	5	4	4	4	3	1	-	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	1	-	5	5	3	5	3	3	3	4	3	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,076	2	1	-	-	-	-	2	5	8	22	18	45	89	136	197	216	234	299	323	233	132	83	19	6	2	4
	White—M	691	-	1	-	-	-	-	1	1	2	2	2	3	15	26	41	49	82	115	143	106	65	30	5	1	1	-
	F	547	1	-	-	-	-	-	-	3	1	1	4	8	12	21	21	36	69	93	94	79	50	43	8	2	-	1
	All other—M	429	-	-	-	-	-	-	-	-	2	10	4	17	29	37	60	67	43	56	54	23	13	6	3	2	-	3
	F	409	1	-	-	-	-	-	1	1	3	9	8	17	33	52	75	64	40	35	32	25	4	4	3	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	216	25	5	3	1	2	4	9	12	14	9	10	13	15	10	14	12	8	12	10	10	9	7	1	-	-	1
	White—M	84	10	2	2	1	-	1	4	7	7	2	4	2	4	5	3	5	3	6	2	6	5	3	-	-	-	-
	F	65	5	1	1	-	-	2	3	1	1	3	1	5	5	3	4	4	5	3	7	2	4	4	1	-	-	-
	All other—M	34	5	1	-	-	2	1	1	3	4	3	-	2	1	-	2	3	-	2	1	2	-	-	-	-	-	1
	F	33	5	1	-	-	-	-	1	1	2	1	5	4	5	2	5	-	-	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	125	19	3	4	2	2	7	9	4	5	6	9	7	9	9	9	5	4	4	2	2	2	1	-	1	-	-
	White—M	41	3	1	1	1	-	3	1	-	2	2	3	3	2	5	3	2	1	4	1	1	1	-	-	1	-	-
	F	27	4	1	2	1	1	1	6	2	-	-	1	1	1	2	1	-	-	-	1	1	-	1	-	-	-	-
	All other—M	32	9	1	1	-	-	1	-	1	3	2	3	3	3	1	3	-	1	-	-	-	-	-	-	-	-	-
	F	25	3	-	-	-	1	2	2	1	-	2	2	-	3	1	2	3	2	-	-	-	1	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	321	2	-	-	1	-	2	1	3	8	9	11	17	25	25	39	27	24	23	36	27	22	16	3	-	-	-
	White—M	136	1	-	-	-	-	1	-	1	7	3	3	4	9	14	15	12	11	10	20	9	8	7	1	-	-	-
	F	91	1	-	-	-	-	-	-	-	-	1	4	4	3	5	4	10	8	6	10	16	11	6	2	-	-	-
	All other—M	59	-	-	-	1	-	1	1	-	-	5	4	5	6	4	11	4	2	5	5	1	2	2	-	-	-	-
	F	35	-	-	-	-	-	-	-	2	1	-	-	4	7	2	9	1	3	2	1	1	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,509	-	-	1	-	-	-	-	-	2	4	18	34	75	117	160	177	244	215	213	145	70	28	5	-	1	-
	White—M	995	-	-	1	-	-	-	-	-	1	1	5	14	44	67	107	129	169	150	145	101	44	16	1	-	-	-
	F	330	-	-	-	-	-	-	-	-	1	1	2	3	5	14	24	30	52	58	65	39	21	12	3	-	-	-
	All other—M	112	-	-	-	-	-	-	-	-	-	2	5	12	17	21	16	9	13	6	3	4	4	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	6	5	9	15	13	9	10	1	-	1	1	-	1	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,931	5	3	-	-	1	1	8	12	10	25	50	73	126	170	240	245	322	357	400	342	291	165	56	15	12	2
	White—M	1,257	2	2	-	-	1	-	2	5	2	2	8	16	36	51	82	96	150	176	203	175	144	70	25	8	1	-
	F	824	1	-	-	-	-	1	1	2	2	7	3	10	8	20	35	40	92	103	132	131	125	78	26	4	3	-
	All other—M	473	1	1	-	-	-	-	1	2	2	10	20	21	41	53	61	59	54	51	41	18	17	14	-	1	4	1
	F	377	1	-	-	-	-	-	4	3	4	6	19	26	41	46	62	50	26	27	24	18	5	3	5	2	4	1
107-109	Pneumonia (all forms)	908	195	33	16	13	2	14	9	18	28	32	36	42	35	39	55	56	50	50	54	44	38	32	9	6	1	1
	White—M	306	59	11	4	4	1	2	4	4	6	8	4	14	5	11	19	26	23	18	23	23	15	16	4	1	1	-
	F	221	47	7	4	3	-	5	-	3	6	5	4	4	5	6	5	12	14	18	19	16	18	13	5	2	-	-
	All other—M	215	47	8	6	4	-	3	1	6	9	12	15	12	16	14	16	12	8	9	9	4	1	1	-	1	-	1
	F	166	42	7	2	2	1	4	4	5	7	7	13	12	9	8	15	6	5	5	3	1	4	2	-	2	-	-
117	Ulcer of stomach or duodenum	155	-	-	-	-	-	-	1	1	7	5	16	12	17	15	17	16	18	11	8	6	3	2	-	-	-	-
	White—M	84	-	-	-	-	-	-	1	-	2	-	7	8	6	11	11	7	13	6	4	4	2	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	4	-	2	2	2	-	-	-	-	-	-
	All other—M	34	-	-	-	-	-	-	-	1	1	3	7	3	5	3	3	1	3	2	1	-	1	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	3	1	1	1	5	1	2	4	2	1	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	277	164	22	9	2	2	7	4	1	1	3	2	10	6	5	7	5	2	6	3	7	4	1	3	1	-	-
	White—M	83	51	6	3	1	-	2	1	-	1	-	-	1	1	2	1	2	-	3	2	3	1	-	2	-	-	-
	F	67	44	5	2	-	-	3	-	-	-	-	-	-	-	1	1	2	1	-	1	3	2	1	-	1	-	-
	All other-M	66	36	7	3	1	1	1	2	1	-	-	-	4	3	2	2	1	1	-	-	-	-	-	1	-	-	-
	F	61	33	4	1	-	1	1	1	-	-	3	2	5	2	-	3	-	-	3	-	1	1	-	-	-	-	-
121	Appendicitis	157	-	1	1	-	2	11	13	12	13	11	18	15	6	10	6	7	8	4	7	5	6	1	-	-	-	-
	White—M	58	-	-	-	-	1	7	4	4	4	5	3	4	-	2	3	6	3	2	4	2	3	1	-	-	-	-
	F	46	-	1	1	-	1	2	2	5	3	2	3	4	2	2	2	1	5	1	3	3	3	-	-	-	-	-
	All other-M	37	-	-	-	-	-	2	6	3	4	3	8	4	2	3	1	-	-	1	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	1	-	2	1	4	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	177	8	3	2	-	-	1	2	5	6	5	14	11	13	15	16	15	9	14	16	6	11	5	-	-	-	-
	White—M	61	2	1	1	-	-	-	2	2	1	-	4	1	1	5	7	5	2	5	6	5	7	4	-	-	-	-
	F	42	2	1	-	-	-	-	-	-	-	2	-	4	2	3	1	7	5	3	7	1	4	-	-	-	-	-
	All other-M	37	2	-	1	-	-	1	-	1	2	1	4	2	4	3	5	2	2	4	3	-	-	-	-	-	-	-
	F	37	2	1	-	-	-	-	-	2	3	2	6	4	6	4	3	1	-	2	-	-	-	1	-	-	-	-
124	Cirrhosis of the liver	168	-	-	-	-	-	-	1	-	-	2	6	8	15	21	23	13	20	22	15	6	10	3	1	-	-	-
	White—M	87	-	-	-	-	-	-	-	-	-	1	2	3	8	10	11	7	15	13	9	5	2	1	-	-	-	-
	F	42	-	-	-	-	-	-	1	-	-	-	-	3	3	3	3	6	3	5	5	1	6	2	1	-	-	-
	All other-M	24	-	-	-	-	-	-	-	-	-	-	1	1	1	6	7	1	2	3	1	-	1	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	3	1	3	2	2	1	-	1	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	76	-	-	-	-	-	-	-	-	-	1	1	4	9	7	5	8	11	10	9	3	7	1	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	3	3	3	2	2	1	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	3	4	1	3	7	8	6	5	1	5	-	-	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	1,635	4	4	2	2	1	4	2	11	16	19	26	43	73	94	145	171	165	206	205	189	148	78	26	-	1	-
	White—M	594	1	1	-	2	-	2	1	3	2	1	5	7	8	22	39	51	57	80	97	96	69	40	10	-	-	-
	F	423	2	3	1	-	-	1	-	1	4	3	6	7	12	20	29	32	43	43	58	58	60	30	10	-	-	-
	All other-M	357	-	-	1	-	1	-	-	4	6	9	8	9	26	29	38	57	38	59	31	22	9	4	5	-	1	-
	F	261	1	-	-	-	-	1	1	3	4	6	7	20	27	23	39	31	27	24	19	13	10	4	1	-	-	-
137	Diseases of the prostate	124	-	-	-	-	-	-	-	-	-	-	1	-	3	2	8	8	11	20	24	22	12	9	3	-	1	-
	White—M	85	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	5	14	20	20	10	7	3	-	1	-
	All other-M	39	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	5	6	6	4	2	2	2	-	-	-	-
140, 142a, 147	Puerperal septicemia	79	-	-	-	-	-	-	-	18	15	14	19	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	9	6	9	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	38	-	-	-	-	-	-	-	9	9	5	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	78	-	-	-	-	-	-	2	23	12	7	17	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	37	-	-	-	-	-	-	-	11	4	3	8	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	41	-	-	-	-	-	-	2	12	8	4	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	74	-	-	-	-	-	-	-	8	15	20	17	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	4	7	13	13	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	27	-	-	-	-	-	-	-	4	8	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	184	159	8	3	-	1	4	1	2	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	81	73	1	2	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	72	60	5	1	-	-	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other-M	18	16	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	607	607	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	263	-	-	-	-	-	-	-	10	22	30	29	29	25	20	19	20	16	15	13	10	2	-	-	-	-	3
	White—M	174	-	-	-	-	-	-	-	3	14	21	12	19	18	11	13	16	11	13	12	7	2	-	-	-	-	2
	F	70	-	-	-	-	-	-	-	6	5	8	12	8	5	8	4	4	4	2	1	3	-	-	-	-	-	-
	All other-M	13	-	-	-	-	-	-	-	-	2	1	2	2	2	1	1	-	1	-	-	-	-	-	-	-	-	1
	F	6	-	-	-	-	-	-	-	1	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	365	2	-	-	-	-	-	4	31	58	54	70	55	34	24	16	5	4	4	-	-	-	1	-	-	-	3
	White—M	63	2	-	-	-	-	-	2	2	6	6	11	11	6	7	4	2	2	2	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	3	2	6	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other-M	232	-	-	-	-	-	-	2	18	41	33	47	34	24	15	10	2	2	1	-	-	-	1	-	-	-	2
	F	52	-	-	-	-	-	-	-	10	8	13	6	8	2	1	1	1	-	1	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents	756	5	5	5	8	6	22	20	63	91	75	62	64	60	58	44	40	29	29	27	20	18	3	-	-	-	2
	White—M	423	4	2	2	4	4	16	10	34	57	47	33	34	24	33	22	18	15	17	18	14	10	3	-	-	-	2
	F	137	1	3	1	3	-	5	2	13	10	15	10	10	14	7	6	9	8	5	5	3	7	-	-	-	-	-
	All other-M	154	-	-	2	1	1	1	8	11	20	7	13	16	18	13	14	11	6	4	4	3	1	-	-	-	-	-
	F	42	-	-	-	-	1	-	-	5	4	6	6	4	4	5	2	2	-	3	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,005	49	22	19	15	6	31	48	62	82	76	63	57	63	49	35	32	47	56	44	39	48	43	15	1	-	3
	White—M	447	15	8	7	7	3	8	20	32	48	38	29	25	36	23	15	19	21	20	22	14	19	11	6	-	-	1
	F	221	15	3	2	4	1	7	4	5	9	5	5	8	1	5	1	6	15	24	15	19	27	30	8	1	-	1
	All other-M	259	14	9	6	1	-	12	17	21	21	29	25	20	21	16	13	5	9	6	4	4	2	2	1	-	-	1
	F	78	5	2	4	3	2	4	7	4	4	4	4	4	5	5	6	2	2	6	3	2	-	-	-	-	-	-
	All other causes*	2,709	555	28	17	11	4	30	29	36	59	78	101	90	121	140	134	169	176	198	179	191	159	116	53	12	8	5
	White—M	901	166	9	6	2	2	10	12	7	8	13	14	23	22	43	36	55	93	87	71	82	75	46	16	2	-	1
	F	657	125	3	5	2	2	7	5	10	12	15	26	10	19	29	18	43	38	46	48	58	65	46	19	5	1	-
	All other-M	628	152	5	4	5	-	9	6	8	15	21	28	28	33	30	46	43	33	45	34	33	19	11	10	3	4	3
	F	523	112	11	2	2	-	4	6	11	24	29	33	29	47	38	34	28	12	20	26	18	10	13	8	2	3	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	All causes	31,654	3,965	465	224	126	94	347	313	712	1,088	1,192	1,252	1,472	1,653	2,002	2,292	2,370	2,351	2,719	2,463	1,782	1,430	813	303	92	70	84
	White—M	9,650	1,159	115	69	31	20	103	109	180	260	251	248	340	360	556	667	805	877	1,050	888	675	516	250	92	9	1	17
	F	7,118	833	103	55	34	23	91	51	107	149	163	183	246	240	289	354	418	547	738	756	600	608	366	111	35	4	14
	All other—M	7,969	1,102	129	54	28	21	84	78	183	344	412	425	455	517	635	706	640	499	525	470	291	171	90	47	26	23	36
	F	6,917	871	118	46	33	30	69	75	242	335	366	378	451	536	522	565	507	428	406	349	216	133	107	53	22	42	17
1,2	Typhoid, paratyphoid fever	54	-	1	1	1	-	4	3	8	8	6	4	5	4	3	3	2	-	1	-	-	-	-	-	-	-	-
	White—M	10	-	1	1	-	-	-	-	-	-	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	2	1	2	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	All other—M	18	-	-	-	-	-	2	1	3	4	2	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	1	-	1	-	4	2	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	6	-	2	1	-	2	2	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	3	-	2	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	1	2	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	140	87	33	9	4	2	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	40	27	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	30	20	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	30	16	10	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	24	9	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	62	10	3	16	13	8	7	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	6	-	3	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	1	5	4	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	16	4	-	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	2	3	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,305	5	4	3	1	-	2	12	100	153	181	157	137	134	105	81	60	73	44	32	12	4	2	-	-	-	3
	White—M	313	1	-	-	-	-	1	-	2	9	16	25	36	37	40	36	28	38	20	16	7	1	-	-	-	-	-
	F	163	-	1	1	-	-	-	1	9	11	13	18	22	16	11	7	9	19	12	7	2	2	1	-	-	-	1
	All other—M	372	2	2	1	1	-	-	3	29	43	65	48	31	42	39	26	13	9	7	8	1	1	1	-	-	-	-
	F	457	2	1	1	-	-	1	8	60	90	87	66	48	39	15	12	10	7	5	1	2	-	-	-	-	-	2
14-22	Tuberculosis (other forms)	106	6	10	2	2	3	6	2	6	15	5	12	10	2	5	5	6	5	2	1	-	-	1	-	-	-	-
	White—M	21	1	1	-	-	-	-	-	1	2	-	1	2	-	3	2	4	3	-	1	-	-	-	-	-	-	-
	F	11	2	3	-	-	1	-	-	-	2	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	All other—M	43	1	5	2	2	-	5	2	2	6	5	4	2	1	-	2	2	-	2	-	-	-	-	-	-	-	-
	F	31	2	1	-	-	2	1	-	3	5	-	7	6	1	1	1	-	-	-	-	-	-	1	-	-	-	-
27	Dysentery	105	40	9	2	1	-	1	-	-	2	2	2	4	2	5	3	2	3	5	4	5	6	5	1	1	-	-
	White—M	31	13	-	2	-	-	-	-	-	1	1	-	1	1	1	1	-	1	3	1	1	3	1	-	-	-	-
	F	19	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	1	2	3	1	-	-	-
	All other—M	23	11	4	-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-
	F	32	12	3	-	1	-	1	-	-	-	-	2	2	-	2	1	1	1	-	1	3	1	-	-	1	-	-
28	Malaria	83	6	6	1	1	1	8	-	2	7	3	2	3	6	4	7	9	5	2	4	5	1	-	-	-	-	-
	White—M	17	1	1	1	-	-	-	-	-	2	1	-	-	3	-	1	2	3	1	-	1	-	-	-	-	-	-
	F	17	3	-	-	1	-	3	-	1	2	-	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-
	All other—M	27	-	5	-	-	1	3	-	-	1	-	2	2	1	2	1	5	-	-	-	4	-	-	-	-	-	-
	F	22	2	-	-	-	-	2	-	1	2	2	-	1	1	2	4	1	1	-	2	-	1	-	-	-	-	-
30	Syphilis	513	56	4	1	-	-	3	5	8	20	45	42	49	61	62	54	36	24	27	10	5	-	-	-	-	-	1
	White—M	90	8	-	-	-	-	-	-	-	-	1	2	3	12	11	16	7	11	9	7	3	-	-	-	-	-	-
	F	34	5	1	1	-	-	-	-	1	1	1	3	5	4	1	2	2	2	4	-	1	-	-	-	-	-	-
	All other—M	259	24	2	-	-	-	2	1	2	9	28	24	29	33	36	25	22	8	11	2	-	-	-	-	-	-	1
	F	130	19	1	-	-	-	1	4	5	10	15	13	12	12	14	11	5	3	3	1	1	-	-	-	-	-	-
33	Influenza	947	142	26	12	5	4	13	12	18	19	32	35	53	60	54	65	44	46	61	49	66	58	38	20	8	4	3
	White—M	243	44	9	1	3	1	2	3	8	1	5	3	14	6	7	13	13	12	20	18	26	18	13	4	1	-	-
	F	206	23	6	6	1	-	3	3	3	1	4	5	5	4	5	12	4	6	14	14	23	27	21	10	5	1	-
	All other—M	252	45	5	2	-	2	4	3	5	9	13	12	17	20	22	22	14	15	16	4	10	5	1	1	2	1	2
	F	246	30	6	3	1	1	4	3	2	8	10	15	17	30	20	18	13	13	11	13	7	10	3	5	-	2	1
35	Measles	156	37	32	14	7	3	23	4	9	7	4	2	-	4	1	1	1	-	2	2	1	2	-	-	-	-	-
	White—M	44	12	14	2	2	1	5	-	1	1	2	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	49	6	6	5	3	2	12	1	4	2	-	1	-	1	1	-	1	-	2	1	-	1	-	-	-	-	-
	All other—M	28	10	6	5	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	9	6	2	2	-	3	2	3	3	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	37	3	3	4	4	-	8	4	5	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	1	2	2	3	-	4	2	2	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	1	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	768	-	-	-	2	-	1	3	1	5	9	24	23	47	55	72	99	110	133	92	51	26	9	3	-	-	3
	White—M	294	-	-	-	1	-	1	-	1	1	4	5	4	11	18	24	38	46	62	38	22	14	1	2	-	-	1
	F	255	-	-	-	1	-	-	-	-	-	2	1	6	6	17	20	31	40	51	42	17	12	8	-	-	-	1
	All other—M	109	-	-	-	-	-	-	2	-	2	1	5	7	14	13	16	16	8	10	6	8	-	-	-	-	-	1
	F	110	-	-	-	-	-	-	1	-	2	2	13	6	16	7	12	14	16	10	6	4	-	-	1	-	-	-
48,49	Cancer of female genital organs	457	-	-	-	-	-	-	1	1	5	18	20	46	59	54	64	57	51	31	25	13	7	3	-	-	-	2
	White—F	251	-	-	-	-	-	-	1	-	1	7	9	25	32	22	41	27	30	18	19	11	6	2	-	-	-	-
	All other—F	206	-	-	-	-	-	-	-	1	4	11	11	21	27	32	23	30	21	13	6	2	1	1	-	-	-	2

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
50	Cancer of breast	201	-	-	-	-	-	-	-	-	-	2	11	13	14	27	25	36	20	13	16	15	6	1	1	-	-	1
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	131	-	-	-	-	-	-	-	-	-	1	7	5	7	17	12	27	16	10	12	12	3	1	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	69	-	-	-	-	-	-	-	-	-	1	4	8	7	10	13	9	3	3	4	3	3	-	-	-	-	1
45,47, 51-55	Cancer (other sites)	723	2	1	-	-	1	5	9	12	12	18	15	21	36	47	68	77	87	106	91	55	31	19	7	1	1	1
	White-----M	375	-	-	-	-	1	3	4	4	5	8	5	7	10	21	28	39	47	67	53	38	19	10	6	-	-	-
	F	169	1	-	-	-	-	1	3	4	3	5	3	5	8	10	18	15	22	21	20	11	10	7	1	-	-	1
	All other-M	105	-	1	-	-	-	1	1	2	3	1	1	4	10	4	15	16	11	11	15	5	1	2	-	-	1	-
	F	74	1	-	-	-	-	-	1	2	1	4	6	5	8	12	7	7	7	7	3	1	1	-	-	1	-	-
58	Acute rheumatic fever	38	-	-	-	1	-	6	9	5	2	1	1	1	-	1	2	3	1	2	1	1	1	-	-	-	-	-
	White-----M	14	-	-	-	-	-	2	3	2	1	1	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	All other-M	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	2	2	3	1	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	380	-	-	-	-	-	5	9	10	9	8	8	11	22	22	29	49	51	61	42	25	14	4	-	-	-	1
	White-----M	128	-	-	-	-	-	-	5	3	2	4	4	6	5	5	7	14	12	26	15	14	4	1	-	-	-	1
	F	153	-	-	-	-	-	3	3	5	1	2	2	2	4	10	9	22	24	27	23	5	9	2	-	-	-	-
	All other-M	31	-	-	-	-	-	2	-	1	3	1	-	-	3	2	5	3	2	6	1	2	-	-	-	-	-	-
	F	68	-	-	-	-	-	-	1	1	3	1	2	3	10	5	8	10	13	2	3	4	1	1	-	-	-	-
63b	Exophthalmic goiter	29	-	-	-	-	-	-	-	-	1	-	1	3	3	8	4	-	1	4	2	1	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	-	2	2	4	3	-	1	1	2	1	-	-	-	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	205	-	-	-	-	-	-	-	-	7	8	7	13	14	17	9	25	17	24	25	16	12	9	2	-	-	-
	White-----M	41	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	3	8	5	4	7	3	1	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	3	1	3	1	5	2	9	9	8	12	7	3	3	1	-	-	-
	All other-M	17	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	1	3	4	1	-	1	-	-	-	-
	F	80	-	-	-	-	-	-	-	-	7	4	6	9	12	8	5	8	4	5	4	4	2	2	-	-	-	-
77	Alcoholism (ethylism)	71	-	-	-	-	-	2	-	2	2	5	4	13	11	9	8	2	3	7	1	1	-	-	1	-	-	-
	White-----M	36	-	-	-	-	-	-	-	-	-	1	1	7	7	4	3	2	3	6	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	27	-	-	-	-	-	1	-	1	2	4	2	5	3	3	4	-	-	1	-	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,246	2	1	-	2	-	-	4	4	11	18	56	107	191	289	343	350	359	443	411	282	215	102	32	9	3	12
	White-----M	842	1	1	-	1	-	-	3	-	1	2	6	13	22	46	64	83	112	139	145	91	72	30	9	-	-	1
	F	777	-	-	-	-	-	-	-	1	5	2	5	10	27	35	47	52	86	122	124	109	92	45	10	4	-	1
	All other-M	807	1	-	-	1	-	-	-	2	3	10	26	45	56	103	112	108	81	102	70	39	26	8	4	2	-	8
	F	820	-	-	-	-	-	-	1	1	2	4	19	39	86	105	120	107	80	80	72	43	25	19	9	3	3	2
80-82, 84-88	Other diseases of nervous system, etc.*	316	65	14	5	2	2	7	8	18	26	19	29	22	16	7	11	7	17	21	11	5	2	2	-	-	-	-
	White-----M	84	12	7	2	-	1	4	-	4	4	7	7	3	4	1	3	2	6	10	4	2	-	1	-	-	-	-
	F	71	12	2	-	-	1	1	1	3	8	1	5	8	6	1	-	2	5	7	5	1	1	1	-	-	-	-
	All other-M	89	17	4	1	1	-	2	6	3	7	6	10	7	1	4	5	1	6	4	2	1	1	-	-	-	-	-
	F	72	24	1	2	1	-	-	1	8	7	5	7	4	5	1	3	2	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	175	32	6	6	5	1	9	9	16	13	5	15	8	11	5	5	9	3	7	-	3	2	1	2	-	-	2
	White-----M	50	9	1	3	1	1	4	3	3	5	1	4	-	4	2	-	4	2	1	-	1	1	-	-	-	-	-
	F	45	7	2	1	2	-	3	2	-	2	-	6	2	4	1	3	1	-	4	-	1	1	1	2	-	-	-
	All other-M	46	13	1	1	2	-	2	1	6	2	-	2	4	2	1	2	2	1	2	-	1	-	-	-	-	-	1
	F	34	3	2	1	-	-	-	3	7	4	4	3	2	1	1	-	2	-	-	-	-	-	-	-	-	-	1
90a,92b, 92c,93c, 95b	Chronic rheumatic dissasss of heart	391	1	-	-	-	-	11	15	14	9	18	19	13	16	24	26	38	45	34	42	25	22	11	3	1	1	3
	White-----M	105	1	-	-	-	-	4	5	4	3	3	1	1	4	6	3	9	10	18	10	8	10	4	-	-	-	1
	F	79	-	-	-	-	-	1	2	3	2	6	6	3	2	2	2	6	7	5	9	5	9	7	1	-	-	1
	All other-M	104	-	-	-	-	-	2	3	2	1	3	5	3	3	9	12	13	15	5	14	8	3	-	2	1	-	-
	F	103	-	-	-	-	-	4	5	5	3	6	7	6	7	7	9	10	13	6	9	4	-	-	-	-	1	1
94	Diseases of coronary arteries, angina pectoris	1,365	-	-	-	-	-	-	-	2	6	24	26	52	70	149	157	177	179	194	146	93	61	20	6	-	1	2
	White-----M	768	-	-	-	-	-	-	-	-	1	4	5	21	30	92	99	118	120	113	79	45	28	11	2	-	-	-
	F	270	-	-	-	-	-	-	-	-	-	-	1	6	5	16	13	20	29	51	52	35	29	9	3	-	-	1
	All other-M	182	-	-	-	-	-	-	-	-	3	7	11	11	17	28	21	26	20	17	10	8	2	-	1	-	-	-
	F	145	-	-	-	-	-	-	-	2	2	13	9	14	18	13	24	13	10	13	5	5	2	-	-	-	1	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,999	9	2	1	-	1	6	10	20	45	65	82	145	185	304	386	416	415	513	515	374	255	167	48	16	9	10
	White-----M	1,195	1	-	-	-	-	1	3	4	7	9	9	27	33	71	98	136	141	195	168	137	86	46	18	2	-	3
	F	889	6	-	-	-	-	2	1	1	6	9	7	10	12	30	39	57	77	127	150	127	118	90	12	5	-	3
	All other-M	1,061	1	2	-	-	-	2	2	3	14	26	31	52	79	116	132	131	109	103	127	65	29	17	9	6	3	2
	F	854	1	-	1	-	1	1	4	12	18	21	35	56	61	87	117	92	88	88	70	45	22	14	9	3	6	2
107-109	Pneumonia (all forms)	1,693	411	97	34	11	9	32	25	39	46	51	64	60	81	77	91	77	78	100	101	67	74	39	20	5	1	3
	White-----M	419	102	25	10	1	1	7	9	9	5	5	17	10	12	23	20	17	18	26	32	23	24	17	4	1	-	1
	F	365	62	23	8	4	1	8	3	1	5	7	9	4	8	7	13	13	18	32	39	27	38	16	15	3	-	1
	All other-M	517	144	21	9	3	1	11	6	11	20	19	23	28	34	23	38	31	26	27	18	12	8	1	1	1	-	1
	F	392	103	28	7	3	6	6	7	18	16	20	15	18	27	24	20	16	16	15	12	5	4	5	-	-	1	-
117	Ulcer of stomach or duodenum	164	1	1	-	-	-	-	-	6	4	12	9	12	12	18	23	21	14	14	5	5	4	2	1	-	-	-
	White-----M	75	-	-	-	-	-	-	-	3	2	3	5	7	4	7	9	14	6	6	1	3	1	1	1	-	-	-
	F	21	-	1	-	-	-	-	-	-	-	1	1	-	1	-	3	2	2	4	2	1	3	-	-	-	-	-
	All other-M	45	1	-	-	-	-	-	-	-	2	6	2	4	4	9	5	4	3	3	-	1	-	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	3	-	2	1	1	3	2	6	1	1	1	2	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	548	368	67	24	6	-	6	-	1	2	3	6	8	5	6	8	4	4	9	3	6	5	5	1	1	-	-
	White—M	140	111	11	5	2	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	1	-	3	1	-	-	-
	F	126	84	13	6	2	-	2	-	-	-	-	1	-	1	-	2	1	1	5	-	3	3	1	-	1	-	-
	All other-M	150	106	18	5	2	-	1	-	1	2	-	-	1	1	2	3	2	-	-	1	1	2	1	-	-	-	-
	F	132	67	25	8	-	-	3	-	-	-	3	5	6	2	3	3	1	1	2	2	1	-	-	-	-	-	-
121	Appendicitis	224	-	2	-	3	3	11	15	17	17	14	19	16	23	20	16	11	13	12	8	4	-	-	-	-	-	-
	White—M	82	-	-	-	-	-	5	6	9	5	4	5	6	10	7	4	6	8	4	3	-	-	-	-	-	-	-
	F	53	-	1	-	-	1	3	4	-	3	1	2	4	3	7	4	3	4	5	4	4	-	-	-	-	-	-
	All other-M	49	-	1	-	3	2	2	2	3	3	4	8	4	5	3	3	2	1	2	1	-	-	-	-	-	-	-
	F	40	-	-	-	-	-	1	3	5	6	5	4	2	5	3	5	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	233	20	4	4	-	3	5	-	5	8	9	16	15	20	19	24	21	15	15	11	13	3	1	1	-	-	1
	White—M	68	7	1	3	-	1	1	-	2	-	2	-	3	3	3	10	6	7	8	4	5	1	1	-	-	-	-
	F	50	4	2	-	-	-	2	-	1	3	3	4	4	2	5	3	4	3	2	4	2	2	-	1	-	-	-
	All other-M	69	7	1	1	-	2	2	-	-	4	-	8	5	5	6	7	8	4	3	2	3	-	-	-	-	-	1
	F	46	2	-	-	-	-	-	-	2	2	4	4	3	10	5	4	3	1	2	1	3	-	-	-	-	-	-
124	Cirrhosis of the liver	152	-	-	-	-	1	-	1	-	1	4	5	7	14	19	17	20	17	19	11	8	4	3	1	-	-	-
	White—M	87	-	-	-	-	-	-	-	-	-	2	2	4	9	10	10	15	8	12	7	5	2	1	-	-	-	-
	F	25	-	-	-	-	1	-	-	-	-	1	1	2	-	-	4	2	4	4	3	-	1	1	1	-	-	-
	All other-M	22	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	2	5	2	-	2	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	-	1	1	1	-	4	5	-	1	-	1	1	1	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	73	-	-	-	-	-	-	-	1	2	1	2	4	5	7	8	10	12	7	5	5	1	3	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	6	4	2	-	1	1	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	1	1	1	1	3	5	7	3	6	2	2	4	-	2	-	-	-	-
	All other-M	5	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	3,372	-	6	5	5	5	13	11	18	29	44	53	95	150	209	289	353	380	402	446	355	288	150	46	9	4	7
	White—M	1,024	-	-	-	1	2	2	2	7	4	3	8	20	25	42	74	100	124	132	140	154	118	49	14	1	1	1
	F	786	-	2	1	3	2	3	1	3	6	7	10	20	21	21	28	47	74	98	130	114	115	61	18	1	-	-
	All other-M	878	-	2	2	1	-	4	5	2	7	15	20	24	63	83	110	117	106	93	102	53	32	17	8	6	1	5
	F	684	-	2	2	-	1	4	3	6	12	19	15	31	41	63	77	89	76	79	74	34	23	23	6	1	2	1
137	Diseases of the prostate	138	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	13	22	23	24	19	15	7	4	1	-	1
	White—M	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9	15	15	14	14	4	2	1	-	1
	All other-M	58	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	8	13	8	9	5	1	3	2	-	-	-
140, 142a, 147	Puerperal septicemia	124	-	-	-	-	-	-	2	26	27	28	19	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	56	-	-	-	-	-	-	-	5	7	13	15	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	68	-	-	-	-	-	-	2	21	20	15	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	107	-	-	-	-	-	-	2	23	20	19	20	21	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	7	8	8	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	66	-	-	-	-	-	-	2	16	12	11	11	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	94	-	-	-	-	-	-	1	11	24	17	12	24	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	49	-	-	-	-	-	-	-	4	11	11	4	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	45	-	-	-	-	-	-	1	7	13	6	8	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	264	222	15	1	4	1	7	2	1	5	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	112	95	5	-	2	-	6	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	83	71	6	-	-	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other-M	45	37	2	1	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	19	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,077	1,077	..	..	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	361	361	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...
	F	288	288	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	243	243	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	185	185	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	233	-	-	-	-	-	-	1	8	30	26	20	23	21	39	21	18	9	12	5	-	-	-	-	-	-	-
	White—M	158	-	-	-	-	-	-	-	5	20	16	10	16	15	26	15	11	9	10	5	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	-	-	3	8	4	6	7	5	10	5	4	-	-	-	-	-	-	-	-	-	-
	All other-M	19	-	-	-	-	-	-	1	-	2	5	2	-	1	3	1	2	-	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	648	2	2	1	-	-	1	3	43	133	105	120	85	40	45	19	11	12	16	2	2	1	1	1	-	-	3
	White—M	100	-	-	-	-	-	1	-	3	14	9	12	16	9	10	7	5	6	6	1	-	-	-	-	-	-	1
	F	19	-	1	-	-	-	-	-	1	6	4	1	1	2	-	1	-	-	-	-	2	-	-	-	-	-	-
	All other-M	439	1	-	1	-	-	-	3	29	89	77	93	56	24	30	11	5	6	9	1	-	-	1	1	-	-	2
	F	90	1	1	-	-	-	-	-	10	24	15	14	12	5	5	-	1	-	1	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents	939	7	12	6	4	11	42	33	91	135	110	88	79	52	53	60	54	27	30	26	7	4	1	2	-	-	5
	White—M	493	1	6	2	1	3	16	16	44	76	61	54	41	23	28	33	26	18	21	14	5	2	-	1	-	-	1
	F	141	2	4	1	1	6	12	7	25	14	12	10	8	6	7	3	10	3	4	3	1	1	1	-	-	-	-
	All other-M	241	3	2	3	1	1	6	8	21	38	33	20	23	16	15	19	14	4	3	6	-	1	-	1	-	-	3
	F	64	1	-	-	1	1	8	2	1	7	4	4	7	7	3	5	4	2	2	3	1	-	-	-	-	-	1
169, 171-195	Other accidents	1,289	102	34	28	14	20	57	42	88	106	120	73	73	66	49	60	47	38	62	49	47	47	40	14	3	1	9
	White—M	529	22	6	12	3	4	15	26	44	66	56	32	43	27	20	30	27	20	21	17	8	13	11	3	-	-	3
	F	249	15	11	6	3	2	14	5	6	2	8	6	3	3	4	7	4	8	21	24	27	32	26	8	3	-	1
	All other-M	344	34	12	4	3	4	12	7	32	31	42	31	22	29	20	19	11	5	9	5	6	1	-	-	-	-	5
	F	167	31	5	6	5	10	16	4	6	7	14	4	5	7	5	4	5	5	11	3	6	1	3	3	-	1	-
	All other causes*	4,383	1,246	69	40	27	15	40	47	71	110	130	129	175	183	177	225	205	195	260	245	190	259	167	86	37	45	11
	White—M	1,101	319	15	14	4	2	12	17	15	19	19	20	23	29	45	53	62	63	81	84	55	80	41	24	3	-	2
	F	922	217	9	9	6	2	8	5	14	23	22	22	34	37	31	41	37	47	74	49	46	87	57	26	13	3	3
	All other-M	1,183	378	23	10	2	5	14	14	17	30	35	30	42	44	44	83	58	40	62	62	54	56	35	16	8	17	4
	F	1,177	332	22	7	15	6	6	11	25	38	54	57	76	73	57	48	48	45	43	50	35	35	34	20	13	25	2

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	All causes	4,462	417	40	23	16	20	41	44	84	78	102	99	110	130	195	275	300	413	458	503	497	389	174	60	8	5	1
	White—M	2,742	221	17	14	9	13	27	24	48	42	66	60	62	82	124	171	198	276	271	310	331	238	100	30	4	3	1
	F	1,637	182	17	5	6	6	14	17	33	33	33	37	46	48	68	99	97	134	162	188	162	147	71	29	3	-	-
	All other—M	46	7	4	2	1	-	-	-	3	2	-	2	1	-	1	3	3	2	3	5	3	1	2	1	-	-	-
	F	37	7	2	2	-	1	-	3	-	1	3	-	1	-	2	2	2	1	2	-	1	3	1	-	1	2	-
1,2	Typhoid, paratyphoid fever	6	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	87	1	-	-	1	-	-	1	4	5	9	4	5	7	11	14	3	7	7	4	4	-	-	-	-	-	-
	White—M	56	-	-	-	1	-	-	-	1	2	2	1	3	5	9	13	3	6	5	1	4	-	-	-	-	-	-
	F	23	1	-	-	-	-	-	-	1	1	6	2	2	2	1	1	-	1	2	3	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	-	-	-	-	-	-	1	1	-	-	-	3	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	29	1	-	1	-	-	-	-	-	-	-	1	-	-	5	2	2	5	3	7	-	2	-	-	-	-	-
	White—M	19	-	-	1	-	-	-	-	-	-	-	1	-	-	3	1	1	4	1	6	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
33	Influenza	64	13	2	1	-	1	1	2	1	1	2	2	-	2	3	1	3	4	5	3	7	6	4	-	-	-	-
	White—M	40	9	-	1	-	1	1	1	1	-	-	1	-	1	3	1	3	2	2	1	3	5	4	-	-	-	-
	F	22	4	2	-	-	-	-	-	-	1	2	1	-	1	-	-	-	2	3	2	3	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	229	-	-	-	-	-	-	-	1	-	-	4	5	9	12	22	24	27	26	38	35	22	6	-	-	-	-
	White—M	153	-	-	-	-	-	-	-	1	-	-	2	2	7	9	15	18	16	17	28	23	12	3	-	-	-	-
	F	75	-	-	-	-	-	-	-	-	-	-	2	1	2	3	7	6	11	9	9	12	10	3	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	50	-	-	-	-	-	-	-	1	-	1	1	3	2	6	5	10	2	6	6	6	1	-	-	-	-	-
	White—F	50	-	-	-	-	-	-	-	1	-	1	1	3	2	6	5	10	2	6	6	6	1	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
50	Cancer of breast	45	-	-	-	-	-	-	-	-	-	1	1	-	3	5	9	4	8	5	5	3	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	1	1	-	3	5	8	4	8	5	5	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	171	-	2	1	1	-	1	-	3	-	1	8	1	7	12	11	13	22	18	27	21	15	5	2	-	-	-
	White—M	126	-	2	1	-	-	1	-	2	-	1	5	1	4	6	8	9	18	11	20	18	14	4	1	-	-	-
	F	42	-	-	-	1	-	-	-	1	-	-	3	-	3	6	3	4	2	7	7	2	1	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever	11	-	-	-	-	-	-	3	2	1	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	103	-	-	-	-	-	1	3	-	1	3	1	-	2	1	7	15	14	17	18	16	4	-	-	-	-	-
	White—M	40	-	-	-	-	-	1	-	-	-	2	1	-	1	-	1	7	7	7	3	9	1	-	-	-	-	-
	F	63	-	-	-	-	-	-	3	-	1	1	-	-	1	1	6	8	7	10	15	7	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	15	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	2	1	1	2	-	-	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	1	1	-	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	390	3	-	-	-	-	-	-	2	2	1	1	2	3	10	25	25	44	54	66	60	58	29	5	-	-	-
	White—M	220	2	-	-	-	-	-	-	1	1	1	-	1	1	5	12	10	26	29	43	34	36	15	3	-	-	-
	F	165	1	-	-	-	-	-	-	1	1	-	1	1	2	5	13	13	18	23	22	26	22	14	2	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	56	7	-	-	-	-	3	-	4	2	1	2	4	1	1	3	3	5	4	6	5	3	2	-	-	-	-
	White—M	24	1	-	-	-	-	2	-	1	1	1	-	3	-	1	3	-	1	2	3	3	2	-	-	-	-	-
	F	29	4	-	-	-	-	1	-	3	1	-	1	1	1	-	-	3	4	2	3	2	1	2	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	23	3	1	-	1	-	3	2	2	-	1	3	-	1	-	1	2	2	-	1	-	-	-	-	-	-	-
	White—M	15	2	1	-	-	-	3	1	1	-	1	2	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	88	-	-	-	1	1	3	3	6	2	4	-	2	6	4	5	6	13	7	6	10	5	2	1	1	-	-
	White—M	52	-	-	-	-	-	2	1	5	2	2	-	1	2	3	4	4	6	4	5	6	4	-	-	1	-	-
	F	34	-	-	-	1	1	1	2	-	-	2	-	1	4	-	1	2	7	3	1	4	1	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	361	-	-	-	-	-	-	-	1	1	3	1	5	11	14	34	42	60	49	51	49	27	9	4	-	-	-
	White—M	275	-	-	-	-	-	-	-	-	-	2	1	5	9	12	26	34	49	35	38	36	20	6	2	-	-	-
	F	84	-	-	-	-	-	-	-	1	1	1	-	-	2	2	8	8	11	13	13	13	7	2	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	677	1	-	-	-	1	1	-	2	1	2	6	4	4	18	24	40	68	97	105	136	99	45	20	2	1	-
	White—M	421	1	-	-	-	-	-	-	1	-	1	2	3	2	14	11	25	47	59	58	98	58	27	11	2	1	-
	F	255	-	-	-	-	-	1	-	1	1	1	4	1	2	4	13	15	21	38	47	37	40	18	9	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	171	27	1	6	-	2	4	2	4	-	2	5	7	7	7	4	12	7	15	16	14	18	7	3	1	-	-
	White—M	92	9	1	-	-	-	2	-	1	-	1	3	1	5	3	4	10	6	13	10	9	10	2	2	-	-	-
	F	75	18	-	4	-	2	2	2	3	-	1	2	6	2	4	-	2	1	2	6	5	8	4	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
117	Ulcer of stomach or duodenum	39	-	-	-	-	-	-	-	1	1	-	1	3	3	3	5	4	5	2	5	3	2	1	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	1	1	-	1	1	3	2	4	4	4	2	5	2	2	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
119,120	Diarrhea, enteritis, etc.*	10	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	59	-	2	2	2	2	5	1	7	1	1	1	4	3	5	5	4	5	2	2	3	-	2	-	-	-	-
	White—M	40	-	1	2	1	1	3	-	5	1	1	1	3	1	4	4	3	4	-	2	2	-	1	-	-	-	-
	F	18	-	1	-	1	1	2	1	2	-	-	-	1	2	1	-	1	1	2	-	1	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	45	2	-	-	1	-	1	1	1	2	1	-	1	-	4	3	4	7	4	4	6	2	-	1	-	-	-
	White—M	22	1	-	-	1	-	1	-	1	1	-	-	-	-	1	1	2	4	4	2	1	2	-	-	-	-	-
	F	23	1	-	-	-	-	-	1	-	1	1	-	1	-	3	2	2	3	-	2	5	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	25	-	1	-	-	-	1	-	-	1	-	-	-	-	1	1	1	4	2	5	4	2	2	-	-	-	-
	White—M	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	4	2	4	2	-	2	-	-	-	-
	F	6	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	4	6	5	2	3	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	4	5	2	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	290	-	-	-	1	-	2	-	1	5	6	4	5	2	13	20	15	31	41	52	44	28	13	6	1	-	-
	White—M	171	-	-	-	1	-	2	-	1	3	4	3	-	1	5	11	11	20	25	32	29	12	7	3	1	-	-
	F	117	-	-	-	-	-	-	-	-	2	2	1	5	1	8	9	4	11	15	20	15	15	6	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
137	Diseases of the prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	2	5	5	5	2	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	2	5	5	5	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	13	-	-	-	-	-	-	-	3	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	3	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	7	-	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	70	63	-	-	1	-	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	44	41	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	21	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	85	-	-	-	-	-	-	1	1	5	9	5	11	8	8	9	8	7	6	2	2	2	1	-	-	-	-
	White—M	67	-	-	-	-	-	-	-	1	2	8	4	9	4	7	6	7	6	6	2	2	2	1	-	-	-	-
	F	17	-	-	-	-	-	-	1	-	3	1	1	2	4	1	2	1	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	11	-	-	-	-	-	-	-	-	-	2	3	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	180	2	2	1	1	3	7	9	18	18	11	11	9	11	9	12	17	11	9	7	3	7	1	-	-	-	1
	White—M	134	1	1	1	1	3	4	6	13	11	10	10	6	10	6	6	13	10	8	5	3	4	1	-	-	-	1
	F	43	1	1	-	-	-	3	3	5	7	1	1	3	1	3	6	2	1	1	1	-	3	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	287	17	16	5	5	4	4	11	11	15	22	12	17	17	18	13	8	21	13	19	12	13	8	4	1	1	-
	White—M	222	12	10	4	2	3	3	11	7	12	20	12	14	16	17	12	7	17	11	12	7	8	5	-	-	-	-
	F	60	5	6	-	2	1	1	-	4	3	2	-	2	1	1	1	1	4	2	6	5	5	3	4	1	-	-
	All other—M	4	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	All other causes*	516	113	9	4	1	4	-	3	5	7	8	16	12	9	14	29	26	20	36	37	45	65	34	14	2	3	-
	White—M	301	64	1	2	1	3	-	2	1	4	4	8	2	3	6	22	19	10	25	23	33	39	19	8	-	2	-
	F	197	47	3	1	-	1	-	1	4	2	3	8	10	6	8	7	6	10	10	13	11	25	14	5	2	-	-
	All other—M	12	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-
	F	6	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	All causes	86,582	4,661	450	253	180	137	544	574	1,051	1,419	1,658	1,897	2,486	3,277	4,826	6,460	7,434	8,330	9,602	10,164	9,191	7,083	3,499	1,112	260	42	12
	White——M—	45,752	2,496	225	135	95	69	285	321	558	674	781	871	1,227	1,644	2,579	3,696	4,294	4,765	5,311	5,437	4,611	3,552	1,576	446	93	15	8
	F—	34,547	1791	176	86	71	52	204	201	342	524	608	687	786	1,101	1,666	2,107	2,561	3,010	3,773	4,398	4,322	3,414	1,856	642	146	20	3
	All other-M—	3,432	216	28	17	10	8	26	27	68	113	153	189	247	291	327	383	326	310	283	185	134	54	35	9	8	4	1
	F—	2,851	168	21	15	4	8	31	25	83	108	136	150	206	241	254	274	253	245	235	144	124	63	32	15	13	3	-
1,2	Typhoid, paratyphoid fever——	28	1	-	-	1	-	3	2	2	1	2	3	3	2	1	2	1	1	2	-	-	1	-	-	-	-	-
	White——M—	16	1	-	-	1	-	1	1	2	-	-	1	1	2	-	1	1	1	2	-	-	1	-	-	-	-	-
	F—	12	-	-	-	-	-	2	1	-	1	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other-M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis——	21	5	4	-	-	-	-	2	1	1	1	-	-	4	1	1	-	-	1	-	-	-	-	-	-	-	-
	White——M—	13	3	2	-	-	-	-	1	1	1	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-
	F—	7	2	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever——	43	-	4	3	2	5	13	3	5	2	-	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White——M—	20	-	3	1	-	2	5	1	2	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	18	-	1	1	1	3	6	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M—	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough——	94	60	21	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	42	29	6	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	41	25	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M—	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria——	60	4	1	8	6	8	19	5	-	-	-	2	-	3	-	2	-	-	-	-	1	1	-	-	-	-	-
	White——M—	31	2	-	4	3	5	11	2	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	24	1	1	3	2	3	6	3	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	All other-M—	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*—	3,241	7	5	4	4	1	7	25	180	273	380	318	323	284	295	344	258	211	152	103	63	21	3	-	-	-	-
	White——M—	1,625	3	1	1	2	-	2	3	32	67	130	126	165	151	175	241	180	147	94	66	29	8	2	-	-	-	-
	F—	913	3	1	-	-	-	1	6	82	126	148	104	76	61	65	56	47	42	42	30	31	11	1	-	-	-	-
	All other-M—	412	-	1	2	1	1	2	7	25	36	45	54	56	49	40	34	26	17	8	5	1	2	-	-	-	-	-
	F—	291	1	2	1	1	-	2	9	41	44	57	34	26	23	15	13	5	5	8	2	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)—	312	16	28	10	6	5	19	7	20	28	20	13	24	22	14	22	18	12	14	8	4	1	1	-	-	-	-
	White——M—	122	5	12	3	2	1	5	2	8	7	9	4	8	10	7	11	7	7	10	2	1	1	-	-	-	-	-
	F—	85	4	11	1	4	-	5	3	4	6	4	4	4	3	3	7	6	3	4	5	3	-	1	-	-	-	-
	All other-M—	62	3	3	3	-	2	5	1	4	7	5	3	8	6	3	4	3	1	-	1	-	-	-	-	-	-	-
	F—	43	4	2	3	-	2	4	1	4	8	2	2	4	3	1	-	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery——	43	11	3	-	1	1	4	-	1	1	-	-	-	2	-	1	-	-	4	3	1	6	2	1	1	-	-
	White——M—	22	7	2	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	3	2	-	2	1	-	-	-	-
	F—	20	4	1	-	-	1	2	-	-	1	-	-	-	-	-	1	-	-	1	1	1	4	1	1	1	-	-
	All other-M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria——	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	2	-	1	-	-	-	-	-
	White——M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	All other-M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis——	1,009	17	2	-	-	-	2	2	11	8	19	32	52	89	146	161	131	130	99	55	37	10	2	4	-	-	-
	White——M—	598	7	-	-	-	-	2	-	3	4	3	9	21	49	78	104	86	92	62	39	27	9	1	2	-	-	-
	F—	169	3	2	-	-	-	-	1	6	3	3	10	14	10	19	19	17	21	21	12	6	1	-	1	-	-	-
	All other-M—	171	5	-	-	-	-	-	1	1	-	7	10	10	21	37	29	22	14	7	2	4	-	1	-	-	-	-
	F—	71	2	-	-	-	-	-	-	1	1	6	3	7	9	12	9	6	3	9	2	-	-	-	1	-	-	-
33	Influenza——	523	59	21	19	7	3	8	6	9	8	9	10	22	20	21	25	29	24	32	43	61	39	30	13	5	-	-
	White——M—	259	28	14	11	2	-	3	3	4	4	4	7	10	11	10	15	18	14	14	24	27	16	12	7	1	-	-
	F—	221	27	6	8	4	2	5	2	3	3	4	2	7	9	7	7	7	7	14	13	33	23	18	6	4	-	-
	All other-M—	19	4	-	-	1	1	-	-	-	-	-	-	1	-	-	2	2	1	4	2	1	-	-	-	-	-	-
	F—	24	-	1	-	-	-	-	1	2	1	1	1	4	-	4	1	2	2	-	4	-	-	-	-	-	-	-
35	Measles——	91	10	18	6	11	7	19	10	2	2	-	2	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	White——M—	44	2	11	2	8	3	5	5	2	2	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F—	42	8	6	3	3	3	12	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other-M—	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)—	21	2	-	1	-	-	4	4	5	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
	White——M—	16	1	-	1	-	-	4	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other-M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum——	5,504	1	-	-	1	-	1	2	3	6	15	42	85	167	320	513	652	765	875	853	896	361	125	19	2	-	-
	White——M—	2,968	-	-	-	1	-	1	1	1	3	9	17	38	62	170	289	374	428	502	453	364	196	49	8	-	-	-
	F—	2,316	1	-	-	-	-	-	-	2	3	5	23	41	86	126	195	248	300	337	384	319	162	71	11	2	-	-
	All other-M—	121	-	-	-	-	-	-	1	-	-	-	2	4	12	13	10	15	19	21	9	9	3	3	-	-	-	-
	F—	101	-	-	-	-	-	-	-	-	-	1	-	2	7	11	19	15	18	15	7	4	-	2	-	-	-	-
48,49	Cancer of female genital organs—	1,361	-	-	-	-	-	-	1	1	7	18	49	67	110	165	178	189	174	139	127	73	43	15	5	-	-	-
	White——F—	1,259	-	-	-	-	-	-	1	-	7	17	40	59	92	152	164	176	167	133	124	68	43	15	5	-	-	-
	All other-F—	102	-	-	-	-	-	-	-	1	-	1	9	12	18	13	14	13	7	6	3	5	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
50	Cancer of breast	1,132	-	-	-	-	-	-	-	-	1	6	21	49	74	136	159	159	135	149	104	87	35	14	3	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	-	-	1	-	2	1	-	-	-	-	-
	F	1,082	-	-	-	-	-	-	-	-	1	6	19	44	71	129	152	150	131	143	102	83	34	14	3	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	2	4	3	5	2	9	4	5	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,536	8	6	8	7	5	14	14	37	22	36	41	90	127	227	321	375	453	502	501	333	277	99	25	7	-	1
	White—M	2,516	5	4	3	4	4	8	7	21	12	26	25	52	75	147	218	265	321	364	382	257	223	69	19	4	-	1
	F	885	3	2	3	3	1	6	6	15	9	7	14	29	41	64	89	90	111	123	109	70	52	29	6	3	-	-
	All other—M	100	-	-	2	-	-	-	1	-	1	2	1	7	7	11	7	15	16	15	10	5	1	1	-	-	-	-
	F	35	-	-	-	-	-	-	-	1	-	1	1	2	4	5	7	5	5	2	-	1	1	-	-	-	-	-
58	Acute rheumatic fever	96	1	1	-	-	2	14	14	15	9	7	13	1	5	1	2	-	-	5	4	1	1	-	-	-	-	-
	White—M	35	-	1	-	-	-	4	4	5	3	3	7	1	2	-	2	-	-	3	-	-	-	-	-	-	-	-
	F	40	-	-	-	-	-	2	10	5	3	4	6	-	3	-	-	-	-	1	4	1	1	-	-	-	-	-
	All other—M	13	1	-	-	-	1	4	-	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	4	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,374	1	1	-	1	1	5	11	19	12	11	24	19	40	95	168	298	340	441	409	286	153	34	5	-	-	-
	White—M	852	-	-	-	1	-	4	6	5	8	5	13	9	17	36	49	95	115	153	143	123	57	10	3	-	-	-
	F	1,425	1	1	-	-	1	1	4	13	4	5	10	7	14	49	105	189	213	277	257	155	93	24	2	-	-	-
	All other—M	35	-	-	-	-	-	-	-	-	-	1	1	2	2	4	5	5	1	4	5	5	-	-	-	-	-	-
	F	62	-	-	-	-	-	-	1	1	-	-	-	1	7	6	9	9	11	7	4	3	3	-	-	-	-	-
63b	Exophthalmic goiter	262	-	-	-	-	-	-	1	1	2	3	6	10	14	31	35	40	35	33	24	18	5	4	-	-	-	-
	White—M	37	-	-	-	-	-	-	-	1	-	1	2	2	3	5	5	7	5	2	1	2	1	-	-	-	-	-
	F	217	-	-	-	-	-	-	1	-	2	2	4	7	10	25	29	30	29	31	23	16	4	4	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	15	-	1	-	-	-	-	1	-	-	-	1	-	-	2	3	-	3	-	1	1	2	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	-	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	65	-	-	-	-	-	-	-	-	1	1	3	10	15	9	7	7	7	3	1	1	-	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	1	-	2	9	10	8	6	6	6	3	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,574	13	2	-	1	-	5	2	8	17	15	33	55	140	280	402	500	717	898	1,158	1,053	797	368	84	21	5	-
	White—M	3,062	7	1	-	1	-	3	1	7	10	6	10	20	50	110	168	249	361	453	554	481	374	159	29	6	2	-
	F	3,035	6	1	-	-	-	2	1	1	6	4	13	23	58	122	171	192	289	378	550	538	411	203	51	14	1	-
	All other—M	220	-	-	-	-	-	-	-	-	1	1	4	9	12	18	32	25	34	37	25	16	3	1	1	-	1	-
	F	257	-	-	-	-	-	-	-	-	-	4	6	3	20	30	31	34	33	30	29	18	9	5	3	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	802	55	19	18	5	4	18	20	25	32	31	45	42	53	42	53	62	63	59	77	45	22	11	1	-	-	-
	White—M	419	22	8	10	3	1	12	15	18	20	21	21	23	24	19	35	27	40	27	34	25	10	4	-	-	-	-
	F	323	28	9	7	2	3	4	4	3	10	9	22	13	22	17	17	29	21	25	41	19	11	6	1	-	-	-
	All other—M	34	2	-	1	-	-	1	-	4	1	1	-	5	5	3	1	5	1	1	1	-	1	1	-	-	-	-
	F	26	3	2	-	-	-	1	1	-	1	-	2	1	2	3	-	1	1	6	1	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	313	27	7	4	6	2	31	14	16	22	17	17	21	12	19	18	13	19	18	6	8	12	3	-	1	-	-
	White—M	174	13	5	2	4	2	12	7	9	16	9	9	13	6	11	9	8	13	9	5	5	6	1	-	-	-	-
	F	122	11	2	2	1	-	15	6	7	6	8	8	6	5	7	7	5	6	8	1	2	6	2	-	1	-	-
	All other—M	13	2	-	-	1	-	2	1	-	-	-	-	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-
	F	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,690	1	-	-	1	1	12	34	45	66	69	74	93	106	118	145	118	133	159	187	144	108	58	14	3	-	1
	White—M	821	-	-	-	-	1	5	10	21	33	24	31	45	42	55	74	68	73	81	100	66	57	25	7	2	-	1
	F	760	-	-	-	1	-	7	20	17	29	40	37	36	52	56	53	44	54	71	83	69	50	33	7	1	-	-
	All other—M	52	1	-	-	-	-	-	-	2	2	3	3	5	4	4	9	4	2	5	2	6	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	4	5	2	2	3	7	8	3	9	2	4	2	2	3	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,563	1	-	-	-	-	-	3	3	6	11	25	90	189	389	586	667	793	855	779	576	365	168	50	5	1	1
	White—M	3,876	-	-	-	-	-	-	2	1	5	5	17	65	146	304	479	513	580	577	501	349	216	88	25	3	-	-
	F	1,573	1	-	-	-	-	-	1	2	1	4	4	17	32	73	84	141	196	269	271	222	146	80	25	2	1	1
	All other—M	65	-	-	-	-	-	-	-	-	-	-	3	3	10	6	16	7	7	4	4	3	2	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	2	1	5	1	6	7	6	10	5	3	2	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	20,323	18	6	5	2	2	15	22	54	62	96	154	260	507	855	1,336	1,743	2,138	2,626	2,965	2,982	2,523	1,545	457	113	15	2
	White—M	10,481	10	4	3	1	-	8	12	27	28	43	65	135	267	475	787	1,038	1,204	1,453	1,563	1,437	1,181	566	154	33	6	1
	F	8,336	8	2	2	1	2	5	9	24	22	36	48	67	134	235	323	513	736	994	1,287	1,461	1,315	746	290	69	7	-
	All other—M	775	-	-	-	-	-	-	-	1	5	5	15	41	46	70	128	106	108	95	63	40	21	20	4	4	2	1
	F	731	-	-	-	-	-	2	1	2	7	12	26	37	60	75	98	86	90	84	52	44	26	13	9	7	-	-
107-109	Pneumonia (all forms)	3,171	493	103	25	16	15	22	28	29	50	67	74	128	123	158	186	214	220	245	251	275	243	135	57	11	3	-
	White—M	1,693	247	48	15	12	7	9	12	18	25	29	33	66	63	97	128	134	132	143	133	141	109	58	27	8	1	-
	F	1,098	173	42	6	3	6	11	14	8	16	25	16	27	33	35	38	58	57	71	105	117	130	75	29	2	1	-
	All other—M	227	43	8	2	1	1	2	1	1	4	9	14	19	16	23	14	14	18	15	7	9	3	2	1	-	-	-
	F	153	30	5	2	-	1	-	1	2	5	4	11	16	11	3	8	8	13	16	6	8	1	-	-	1	1	-
117	Ulcer of stomach or duodenum	660	3	-	-	-	-	-	1	2	7	11	20	29	44	75	93	107	86	72	47	29	24	8	2	-	-	-
	White—M	519	1	-	-	-	-	-	1	2	4	8	18	20	31	58	81	90	76	57	34	26	17	5	-	-	-	-
	F	108	2	-	-	-	-	-	-	-	3	2	1	3	6	12	7	14	10	11	13	12	7	3	2	-	-	-
	All other—M	25	-	-	-	-	-	-	-	-	-	-	1	6	5	4	4	2	-	3	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	411	231	42	12	7	1	6	5	3	7	5	6	5	9	6	5	5	10	11	4	8	12	8	2	-	1	-
	White—M	196	118	17	6	4	-	2	1	2	2	4	3	3	3	3	1	3	5	2	2	3	5	6	1	-	-	-
	F	179	88	22	6	3	1	1	4	1	5	-	3	2	5	2	3	2	4	9	2	5	7	2	1	-	1	-
	All other-M	19	13	1	-	-	-	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	17	12	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	740	1	3	11	9	9	39	51	55	50	36	36	47	54	68	74	50	49	34	29	16	12	7	-	-	-	-
	White—M	431	-	3	5	4	7	20	27	36	27	18	24	31	31	41	41	29	33	21	15	7	6	5	-	-	-	-
	F	246	1	-	6	5	2	15	19	18	17	16	9	11	15	18	22	19	15	12	12	8	5	1	-	-	-	-
	All other-M	31	-	-	-	-	-	1	3	1	4	1	3	1	3	4	8	-	-	-	2	-	-	-	-	-	-	-
	F	32	-	-	-	-	-	3	2	-	2	1	-	4	5	5	3	2	1	1	-	1	1	1	-	-	-	-
122	Hernia, intestinal obstruction	815	47	6	3	2	3	4	3	8	13	15	18	29	40	59	74	68	83	104	80	81	51	15	7	-	2	-
	White—M	404	33	2	3	2	2	1	2	5	5	8	1	12	19	25	31	29	49	56	41	38	29	8	3	-	-	-
	F	362	12	2	-	-	1	3	1	3	8	6	14	10	14	26	40	33	30	47	38	42	20	7	4	-	1	-
	All other-M	25	2	2	-	-	-	-	-	-	-	-	1	4	3	4	2	3	2	-	-	1	-	-	-	-	1	-
	F	24	-	-	-	-	-	-	-	-	-	1	2	3	4	4	1	3	2	1	1	-	2	-	-	-	-	-
124	Cirrhosis of the liver	883	2	2	-	-	-	-	1	3	2	6	23	32	57	92	102	130	117	105	86	73	29	18	2	1	-	-
	White—M	591	-	-	-	-	-	-	-	1	-	3	12	19	38	64	68	95	90	70	50	51	20	8	1	1	-	-
	F	268	1	2	-	-	-	-	1	2	1	2	9	12	16	27	31	31	25	33	36	19	9	10	1	-	-	-
	All other-M	14	1	-	-	-	-	-	-	-	1	1	2	-	2	-	2	1	1	1	-	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	590	-	1	-	-	-	-	-	-	3	8	14	19	30	58	63	82	81	77	63	49	28	11	2	-	1	-
	White—M	194	-	1	-	-	-	-	-	-	1	2	4	2	10	16	26	24	30	27	23	18	5	5	-	-	-	-
	F	388	-	-	-	-	-	-	-	-	2	6	8	16	20	39	35	57	50	50	40	31	23	6	2	-	1	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	6,886	8	1	6	4	3	15	14	36	51	74	76	117	180	283	437	476	608	811	1,027	1,082	953	475	138	24	5	2
	White—M	3,400	4	-	4	2	1	5	11	14	21	49	28	44	76	123	207	225	326	414	549	525	475	223	62	10	2	-
	F	3,075	4	1	1	1	1	10	3	19	26	19	32	42	69	117	180	208	234	349	452	533	445	242	75	10	2	2
	All other-M	196	-	-	-	1	-	-	-	2	3	1	6	13	20	18	25	21	26	26	15	10	3	3	2	1	-	-
	F	215	-	-	1	-	1	-	-	1	1	5	10	18	15	25	25	22	22	22	11	14	10	7	1	3	1	-
137	Diseases of the prostate	623	-	-	-	-	-	-	-	-	-	-	-	1	-	8	15	28	61	97	153	124	97	33	6	-	-	-
	White—M	574	-	-	-	-	-	-	-	-	-	-	-	1	-	3	12	24	50	88	145	119	93	33	6	-	-	-
	All other-M	49	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	4	11	9	8	5	4	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	149	-	-	-	-	-	-	-	10	39	36	40	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	125	-	-	-	-	-	-	-	5	30	35	35	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	24	-	-	-	-	-	-	-	5	9	1	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	68	-	-	-	-	-	-	-	5	15	14	15	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	60	-	-	-	-	-	-	-	2	14	12	14	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	8	-	-	-	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	123	-	-	-	-	-	-	-	6	27	28	19	30	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	113	-	-	-	-	-	-	-	4	22	27	19	28	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	10	-	-	-	-	-	-	-	2	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	912	766	28	17	10	12	17	11	10	8	6	8	7	5	4	2	2	1	-	-	-	-	-	-	-	-	-
	White—M	473	389	15	11	5	10	10	3	7	5	5	4	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	397	344	7	4	5	2	6	8	3	3	1	4	3	2	2	1	2	-	-	-	-	-	-	-	-	-	-
	All other-M	24	18	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	15	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,456	1,456	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	775	775	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	560	560	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,055	-	-	-	-	-	-	-	17	44	56	75	88	108	98	112	148	95	82	58	46	22	5	1	-	-	-
	White—M	793	-	-	-	-	-	-	-	11	20	42	50	67	72	72	85	117	75	68	46	42	21	5	-	-	-	-
	F	236	-	-	-	-	-	-	-	6	19	12	24	20	31	23	25	30	17	12	12	4	1	-	-	-	-	-
	All other-M	20	-	-	-	-	-	-	-	-	3	1	1	1	4	2	2	1	3	1	-	-	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide	373	5	1	4	-	-	1	2	18	53	51	55	36	41	41	26	20	7	6	3	2	-	1	-	-	-	-
	White—M	145	5	-	2	-	-	1	-	6	18	17	16	8	21	20	12	7	5	3	2	1	-	1	-	-	-	-
	F	47	-	1	2	-	-	-	-	-	7	6	6	3	5	5	5	6	-	-	-	1	-	-	-	-	-	-
	All other-M	156	-	-	-	-	-	-	2	9	23	23	29	18	15	15	9	7	2	3	1	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	3	5	5	4	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,640	11	9	16	17	17	85	80	216	245	195	176	180	175	165	212	195	166	183	134	94	56	11	1	-	-	1
	White—M	1,902	8	6	9	10	7	48	61	153	193	136	131	132	117	118	156	142	128	138	90	69	40	8	1	-	-	1
	F	589	3	3	5	6	9	35	16	57	48	42	32	37	34	34	39	43	32	38	39	24	10	3	-	-	-	-
	All other-M	114	-	-	2	1	-	2	2	4	3	10	10	9	20	12	15	8	3	5	4	1	3	-	-	-	-	-
	F	35	-	-	-	-	1	-	1	2	1	7	3	2	4	1	2	2	3	2	1	-	3	-	-	-	-	-
169, 171-195	Other accidents	3,556	96	55	35	25	12	85	124	124	126	159	157	158	198	227	249	234	217	232	253	278	264	168	62	14	2	4
	White—M	2,281	53	30	21	12	5	62	88	102	93	123	118	122	153	187	200	181	156	146	117	106	111	65	22	3	1	4
	F	1,071	34	18	10	11	6	19	30	14	17	23	18	19	28	28	41	37	50	78	128	165	149	99	40	10	1	-
	All other-M	152	6	6	1	-	1	2	5	8	13	10	18	12	15	10	7	15	9	6	2	3	3	-	-	-	-	-
	F	52	3	1	3	2	-	2	1	-	3	3	3	5	2	4	1	1	2	2	6	4	1	2	-	1	-	-
	All other causes*	6,368	1,224	51	32	25	16	55	49	66	90	122	153	193	203	311	325	411	376	477	565	563	527	324	151	52	7	-
	White—M	3,259	708	29	16	8	10	26	27	26	34	38	59	77	74	136	146	250	201	264	319	279	279	159	69	22	3	-
	F	2,681	432	19	13	14	4	23	19	33	43	64	69	80	92	143	157	134	157	191	221	262	239	160	81	27	4	-
	All other-M	208	50	2	1	3	1	2	1	2	4	6	6	10	10	16	13	15	13	14	17	11	5	3	-	3	-	-
	F	220	34	1	2	-	1	4	2	5	9	14	19	26	27	16	9	12	5	8	8	11	4	2	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	All causes	39,851	2,615	242	119	91	70	296	322	551	640	691	774	975	1,246	1,686	2,176	2,740	3,470	4,284	4,969	4,804	4,138	2,129	653	117	21	32
	White—M	21,170	1,483	125	61	45	36	170	174	306	354	345	382	493	673	916	1,208	1,564	1,979	2,299	2,662	2,450	2,065	1,041	273	54	6	15
	F	16,767	985	97	58	41	25	117	127	200	229	279	308	362	429	628	811	1,018	1,340	1,788	2,180	2,237	2,018	1,047	361	58	9	15
	All other—M	1,051	87	13	-	3	6	6	10	16	25	39	37	60	83	71	95	87	87	106	78	78	31	22	6	2	2	1
	F	863	60	7	-	2	3	3	11	29	32	28	47	60	61	71	62	71	64	91	49	39	33	19	15	3	4	1
1,2	Typhoid, paratyphoid fever	20	1	-	-	-	-	1	2	-	1	1	2	-	-	1	3	3	1	-	1	1	1	1	-	-	-	-
	White—M	17	1	-	-	-	-	1	1	-	1	1	1	-	-	1	3	3	1	-	1	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	14	1	2	1	-	1	1	3	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	1	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	23	3	3	1	1	5	2	3	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	12	1	-	1	-	1	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	2	3	-	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	31	13	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	15	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	33	2	4	2	2	2	6	5	1	2	1	-	-	3	-	-	1	1	-	-	-	1	-	-	-	-	-
	White—M	10	1	-	-	1	2	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	23	1	4	2	1	-	5	3	-	2	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,191	7	5	-	1	-	1	10	43	116	125	95	106	89	100	95	85	82	83	60	51	29	7	1	-	-	-
	White—M	577	3	3	-	-	-	1	1	11	38	46	39	45	45	56	67	51	55	45	36	20	10	4	1	-	-	-
	F	446	2	-	-	1	-	-	8	16	57	59	40	35	28	28	21	23	25	30	21	31	18	3	-	-	-	-
	All other—M	97	1	2	-	-	-	-	-	2	8	12	8	17	13	13	4	7	1	5	3	-	1	-	-	-	-	-
	F	71	1	-	-	-	-	-	1	14	13	8	8	9	3	3	3	4	1	3	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	163	15	8	7	4	2	11	10	6	10	9	11	8	5	15	3	3	9	11	6	6	3	1	-	-	-	-
	White—M	65	9	4	3	2	1	3	3	-	3	3	4	3	3	7	2	-	6	3	4	2	-	-	-	-	-	-
	F	71	3	4	4	2	1	8	3	3	4	3	5	2	-	6	1	2	3	7	2	4	3	1	-	-	-	-
	All other—M	16	2	-	-	-	-	-	1	2	2	2	1	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	-	3	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	34	16	2	3	-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	1	2	2	-	1	-	-	-
	White—M	17	9	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-
	F	17	7	1	1	-	-	-	-	-	1	1	1	1	-	-	-	1	1	-	-	1	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	1	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	475	16	1	-	-	-	1	3	5	4	10	30	43	44	43	54	69	62	40	27	15	4	3	1	-	-	-
	White—M	294	9	-	-	-	-	-	3	3	-	5	11	23	22	25	32	51	47	32	17	9	2	3	-	-	-	-
	F	111	5	-	-	-	-	-	-	2	3	3	15	10	10	10	11	14	8	6	7	4	2	-	1	-	-	-
	All other—M	52	2	-	-	-	-	1	-	-	-	1	2	6	9	6	9	4	7	1	2	2	-	-	-	-	-	-
	F	18	-	1	-	-	-	-	-	-	1	1	2	4	3	2	2	-	-	1	1	-	-	-	-	-	-	-
33	Influenza	595	74	11	6	4	1	9	4	11	11	7	13	9	16	15	25	19	31	34	63	66	92	47	19	6	2	-
	White—M	299	42	9	2	2	-	4	1	8	2	5	5	8	12	9	15	12	18	19	36	22	37	22	7	2	-	-
	F	263	30	2	4	1	1	5	3	2	5	1	5	1	1	6	5	6	12	14	25	44	52	24	11	3	-	-
	All other—M	20	2	-	-	1	-	-	-	1	-	-	2	-	3	-	3	1	1	-	2	-	2	-	-	1	1	-
	F	13	-	-	-	-	-	-	-	-	4	1	1	-	-	-	2	-	-	1	-	-	1	1	1	-	1	-
35	Measles	50	12	9	9	4	2	7	3	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	8	9	4	3	1	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	4	-	5	1	1	3	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	17	1	-	1	2	-	2	5	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	12	1	-	-	1	-	2	3	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,108	1	1	1	1	-	1	-	5	2	8	17	17	53	93	135	180	279	344	375	324	187	71	11	1	-	1
	White—M	1,047	-	-	-	1	-	1	-	3	2	2	10	9	24	47	57	87	138	184	203	157	86	33	1	1	-	1
	F	1,017	1	1	1	-	-	-	-	2	-	6	5	6	27	46	74	90	130	153	167	162	99	38	9	-	-	-
	All other—M	28	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	6	5	4	4	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	5	2	1	1	1	-	1	-	-	-
48,49	Cancer of female genital organs	580	-	-	-	-	-	-	-	2	-	9	24	36	36	59	68	82	77	75	51	39	19	2	-	-	-	1
	White—F	550	-	-	-	-	-	-	-	2	-	8	23	33	33	55	66	77	73	71	48	39	19	2	-	-	-	1
	All other—F	30	-	-	-	-	-	-	-	-	-	1	1	3	3	4	2	5	4	4	3	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
50	Cancer of breast	410	-	-	-	-	-	-	-	-	-	1	6	15	17	43	36	47	65	55	50	35	30	4	5	1	-	-
	White——M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	1	-	1	-	-	-
	F	391	-	-	-	-	-	-	-	-	-	1	5	14	16	41	35	46	63	51	48	34	28	4	4	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	2	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,412	4	1	2	1	4	5	4	12	10	10	12	39	51	76	98	160	173	185	197	174	130	50	9	3	-	2
	White——M	964	4	-	1	-	3	4	3	6	7	4	7	18	24	49	67	110	126	133	134	128	88	41	5	1	-	1
	F	407	-	1	1	1	-	1	1	6	3	6	3	19	24	23	24	39	46	47	61	44	42	8	4	2	-	1
	All other—M	29	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	8	1	4	1	2	-	1	-	-	-	-
	F	12	-	-	-	-	1	-	-	-	-	-	1	1	2	1	1	3	-	1	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	53	-	1	-	-	1	9	13	2	5	1	2	-	4	-	2	2	2	1	2	2	2	2	-	-	-	-
	White——M	25	-	1	-	-	-	5	6	1	3	-	-	-	1	-	1	-	1	1	1	2	1	1	-	-	-	-
	F	22	-	-	-	-	-	1	6	1	2	1	2	-	3	-	1	1	1	-	1	-	1	1	-	-	-	-
	All other—M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	994	1	1	1	-	1	3	4	8	5	8	14	8	16	35	60	103	152	197	175	116	64	19	1	1	-	1
	White——M	384	-	-	-	-	-	-	1	3	1	2	8	3	8	9	19	36	49	69	76	57	32	9	1	1	-	-
	F	572	1	1	1	-	1	3	3	5	2	6	6	2	6	20	35	62	100	121	96	58	32	10	-	-	-	1
	All other—M	11	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	1	-	-	2	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	1	-	-	2	1	4	3	4	3	7	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	158	-	-	-	-	-	-	1	-	-	3	5	8	5	10	27	17	24	26	21	6	4	1	-	-	-	-
	White——M	18	-	-	-	-	-	-	-	-	-	2	2	1	1	3	2	1	4	-	1	-	1	-	-	-	-	-
	F	133	-	-	-	-	-	-	1	-	-	1	2	7	4	6	23	15	20	24	20	6	3	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	14	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	3	-	2	1	1	-	-	-	-
	White——M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	41	-	-	-	-	-	-	-	-	-	1	-	6	9	11	3	3	1	4	3	-	-	-	-	-	-	-
	White——M	28	-	-	-	-	-	-	-	-	-	-	-	3	8	4	2	3	1	4	3	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,998	4	1	-	1	-	2	3	6	5	11	12	30	59	103	170	253	391	533	723	710	615	280	71	11	1	3
	White——M	1,915	-	-	-	-	-	1	1	3	3	5	6	11	23	41	68	124	207	270	371	338	291	129	19	4	-	-
	F	1,904	4	1	-	1	-	1	2	1	-	5	3	12	26	50	86	115	162	234	334	355	312	144	49	5	1	3
	All other—M	87	-	-	-	-	-	-	-	1	2	1	1	3	4	3	7	2	10	18	10	13	6	3	2	1	-	-
	F	92	-	-	-	-	-	-	-	1	-	-	2	4	6	9	9	12	12	11	8	6	6	4	1	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	422	35	16	7	4	2	9	11	13	14	21	12	13	23	20	34	20	34	36	30	37	19	7	4	1	-	-
	White——M	212	18	9	5	3	2	3	5	7	8	6	3	7	13	7	18	11	18	16	12	21	12	5	2	1	-	-
	F	187	16	5	2	1	-	5	4	6	6	12	6	6	8	12	12	8	15	20	17	15	7	2	2	-	-	-
	All other—M	12	1	-	-	-	-	1	-	-	-	2	1	-	2	-	3	1	-	-	-	1	-	-	-	-	-	-
	F	11	-	2	-	-	-	-	2	-	-	1	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	160	20	11	3	6	2	11	8	13	9	7	6	8	10	6	4	5	4	5	4	6	7	5	-	-	-	-
	White——M	92	11	4	-	3	-	7	4	10	4	3	5	7	8	3	4	2	2	3	1	4	4	3	-	-	-	-
	F	60	7	5	3	3	1	4	3	2	5	4	1	1	2	3	-	3	2	2	3	2	3	1	-	-	-	-
	All other—M	5	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
90a,92b, 92c,93a, 95b	Chronic rheumatic diseases of heart	737	2	-	-	-	-	6	20	15	6	11	29	31	32	42	50	52	67	72	89	91	74	39	9	-	-	-
	White——M	357	1	-	-	-	-	2	6	6	-	5	11	12	16	21	28	30	40	38	47	35	33	23	3	-	-	-
	F	329	1	-	-	-	-	4	13	7	6	5	16	15	12	15	19	18	20	28	37	51	41	16	5	-	-	-
	All other—M	21	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	3	4	1	4	-	-	-	-	-	-	-
	F	30	-	-	-	-	-	-	1	2	-	-	1	2	2	4	2	1	3	5	1	5	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,317	4	-	-	-	-	-	-	3	1	6	13	55	97	210	262	363	446	475	542	396	316	97	23	4	1	3
	White——M	2,357	2	-	-	-	-	-	-	1	1	3	13	43	84	168	218	297	327	329	353	254	196	52	12	2	1	1
	F	900	2	-	-	-	-	-	-	1	-	2	-	10	9	35	40	56	109	136	183	141	116	45	11	2	-	2
	All other—M	39	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	6	6	7	5	1	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	4	4	3	1	-	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,786	6	3	1	1	2	7	11	19	13	25	37	86	116	183	280	431	620	862	1,050	1,174	1,059	572	187	27	5	9
	White——M	3,541	5	1	1	1	1	3	8	6	7	10	15	38	51	93	169	249	378	475	550	586	520	280	72	14	1	7
	F	2,923	1	2	-	-	1	3	3	13	5	11	16	35	42	64	80	148	209	339	466	554	523	281	109	13	3	2
	All other—M	183	-	-	-	-	-	1	-	-	-	1	3	6	14	10	20	20	17	29	20	25	10	5	2	-	-	-
	F	139	-	-	-	-	-	-	-	-	1	3	3	7	9	16	11	14	16	19	14	9	6	6	4	-	1	-
107-109	Pneumonia (all forms)	1,663	347	45	18	12	8	20	15	12	22	32	35	42	36	47	64	76	83	114	148	168	171	101	37	5	3	2
	White——M	811	169	24	6	4	2	7	10	7	14	13	17	19	22	25	38	44	46	51	72	78	74	46	18	4	1	-
	F	703	142	18	12	8	4	12	4	4	3	12	13	12	7	14	19	22	31	54	64	84	91	53	17	1	-	2
	All other—M	92	20	3	-	-	2	-	1	-	3	6	3	7	5	4	5	7	4	4	9	4	3	1	-	-	1	-
	F	57	16	-	-	-	-	1	-	1	2	1	2	4	2	4	2	3	2	5	3	2	3	1	2	-	1	-
117	Ulcer of stomach or duodenum	206	-	1	-	-	-	-	1	3	1	3	4	10	15	20	19	26	30	26	15	14	11	7	-	-	-	-
	White——M	159	-	1	-	-	-	-	1	2	-	2	4	7	14	18	17	20	26	19	12	8	5	3	-	-	-	-
	F	42	-	-	-	-	-	-	-	1	1	1	-	-	1	2	2	4	4	7	3	6	6	4	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	314	195	26	10	4	1	7	2	2	2	3	2	2	4	5	3	3	2	8	10	4	10	4	3	2	-	-
	White—M	176	115	17	8	1	1	5	-	-	-	-	-	-	3	3	2	1	-	3	7	2	3	4	1	-	-	-
	F	116	65	6	2	3	-	2	2	2	2	3	2	2	1	2	-	1	1	4	3	2	7	-	2	2	-	-
	All other—M	13	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	272	-	1	1	3	2	14	14	23	20	19	12	14	22	24	21	26	19	17	8	10	1	1	-	-	-	-
	White—M	159	-	1	1	1	2	5	10	14	13	14	7	6	10	13	14	14	11	11	5	5	1	1	-	-	-	-
	F	108	-	-	-	2	-	9	4	8	6	4	5	7	11	11	7	12	8	6	3	5	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	310	25	2	2	2	1	3	1	3	2	8	15	8	9	15	20	26	36	25	36	32	25	12	2	-	-	-
	White—M	149	19	-	1	1	-	3	-	2	1	1	5	3	2	6	10	12	18	15	17	16	11	6	-	-	-	-
	F	146	5	2	1	-	1	-	1	1	1	7	6	4	4	8	9	14	18	10	19	14	13	6	2	-	-	-
	All other—M	6	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	245	-	-	-	-	1	1	2	1	-	1	8	6	18	20	23	34	32	38	29	18	8	4	1	-	-	-
	White—M	163	-	-	-	-	-	-	2	-	-	1	2	3	15	14	16	25	23	25	17	15	4	1	-	-	-	-
	F	74	-	-	-	-	1	1	-	1	-	-	5	3	2	5	7	7	7	13	11	3	4	3	1	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	243	-	-	-	-	-	1	-	-	-	1	3	6	8	14	33	26	25	29	44	28	13	9	2	-	-	1
	White—M	62	-	-	-	-	-	1	-	-	-	-	-	1	1	5	4	12	7	5	11	9	2	2	1	-	-	1
	F	180	-	-	-	-	-	-	-	-	-	-	3	5	7	9	29	14	18	24	33	19	11	7	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,433	4	3	-	1	1	5	8	11	23	15	24	29	73	90	132	193	271	447	584	587	540	293	81	14	2	2
	White—M	1,717	1	2	-	1	1	3	5	4	8	8	10	16	30	48	58	87	143	233	296	294	288	132	43	6	-	-
	F	1,542	3	1	-	-	-	1	3	6	14	6	11	9	30	33	61	89	109	183	276	271	241	150	34	7	2	2
	All other—M	92	-	-	-	-	-	1	-	-	-	1	1	2	6	3	5	7	13	19	4	15	4	9	2	-	-	-
	F	82	-	-	-	-	-	-	-	1	1	-	2	2	7	6	8	10	6	12	8	7	7	2	2	1	-	-
137	Diseases of the prostate	200	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	12	22	47	39	39	19	9	6	-	-
	White—M	188	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	10	21	42	36	39	18	9	6	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	-	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	52	-	-	-	-	-	-	-	6	14	11	4	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	50	-	-	-	-	-	-	-	6	14	11	3	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	52	-	-	-	-	-	-	-	8	13	6	6	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	7	12	5	6	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	63	-	-	-	-	-	-	-	9	12	15	12	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	59	-	-	-	-	-	-	-	8	12	15	11	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	418	361	12	3	6	1	10	7	3	2	-	1	1	3	1	4	1	1	-	-	-	1	-	-	-	-	-
	White—M	231	210	3	2	4	-	3	3	-	1	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	172	140	7	1	1	1	7	4	3	1	-	1	-	1	-	3	-	1	-	-	-	1	-	-	-	-	-
	All other—M	10	6	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	735	735	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	425	425	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	558	-	-	-	-	-	-	3	20	19	39	42	52	48	51	77	63	39	31	32	22	17	3	-	-	-	-
	White—M	421	-	-	-	-	-	-	2	13	12	26	29	40	34	34	57	50	33	25	29	17	17	3	-	-	-	-
	F	127	-	-	-	-	-	-	1	7	6	12	12	12	11	17	19	12	6	5	3	4	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	108	-	-	-	-	-	5	5	3	7	10	12	13	18	8	11	5	5	2	2	-	1	-	-	-	-	1
	White—M	48	-	-	-	-	-	4	2	1	2	3	4	5	10	6	5	2	2	-	1	-	1	-	-	-	-	-
	F	22	-	-	-	-	-	1	3	-	-	3	2	1	4	1	3	1	1	1	1	-	-	-	-	-	-	-
	All other—M	29	-	-	-	-	-	-	-	2	4	2	5	5	3	1	3	1	2	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents	1,506	4	9	6	9	12	55	57	151	181	135	100	89	88	77	100	90	73	92	66	52	32	18	-	-	-	-
	White—M	1,080	3	4	4	5	9	38	39	104	151	102	73	67	66	56	66	57	48	61	51	40	23	13	-	-	-	-
	F	380	-	5	2	4	1	17	14	44	37	28	25	21	21	15	26	28	23	29	14	12	9	5	-	-	-	-
	All other—M	34	1	-	-	-	1	-	3	2	1	4	1	1	1	6	5	4	1	2	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	1	-	1	1	2	1	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,839	62	21	20	14	10	44	52	88	56	61	71	65	87	98	83	79	111	110	130	188	195	133	47	10	1	5
	White—M	1,120	58	10	15	9	6	34	32	66	48	47	60	57	71	78	67	68	76	57	66	79	64	44	22	1	1	4
	F	660	23	9	5	4	2	9	15	16	6	10	8	7	10	14	11	10	29	51	64	108	126	89	25	9	-	-
	All other—M	43	-	2	-	-	1	1	3	4	1	3	2	1	6	4	5	1	6	1	-	1	-	-	-	-	-	-
	F	16	1	-	-	1	1	-	2	2	1	1	1	-	-	2	-	-	-	1	-	-	3	-	-	-	-	-
	All other causes*	3,775	626	29	12	8	8	36	32	39	39	54	79	85	110	141	174	187	205	282	348	388	416	316	129	25	6	1
	White—M	1,943	363	17	4	2	4	22	14	19	23	25	29	35	47	66	79	96	116	147	188	213	205	161	55	11	2	-
	F	1,657	230	10	8	5	4	14	17	17	12	25	39	41	49	64	82	80	82	118	150	164	207	149	73	13	3	1
	All other—M	71	22	1	-	-	-	-	1	2	1	1	1	-	4	3	6	8	3	5	5	5	1	2	-	-	-	-
	F	104	11	1	-	1	-	-	-	1	3	3	10	9	10	8	7	3	4	12	5	6	3	4	1	1	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	All causes	25,677	1,676	150	71	56	30	155	168	283	280	347	355	473	628	972	1,256	1,643	2,139	2,644	3,432	3,330	3,150	1,880	631	126	11	13
	White—M	14,353	967	68	38	31	13	95	100	167	161	197	205	263	352	545	747	982	1,308	1,530	1,997	1,759	1,670	806	277	61	4	10
	F	1,1104	694	58	33	24	16	56	68	115	119	143	147	205	269	401	490	645	805	1,092	1,417	1,554	1,463	867	351	65	6	1
	All other—M	121	10	3	-	-	-	2	-	-	-	3	2	2	4	15	11	11	14	12	6	7	10	5	2	-	1	1
	F	99	5	1	-	1	1	-	-	1	-	4	1	3	3	11	8	5	12	10	12	10	7	2	1	-	-	1
1,2	Typhoid, paratyphoid fever	5	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	1	3	2	-	-	-	1	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	2	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	1	1	-	2	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	37	25	6	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	15	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	10	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	1	1	-	1	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	352	-	-	2	-	-	-	3	8	15	26	21	33	35	50	41	27	39	25	18	10	11	6	1	-	-	1
	White—M	196	-	-	-	-	-	-	2	3	6	15	10	12	18	20	33	17	21	15	13	2	4	4	-	-	-	1
	F	150	-	-	2	-	-	-	1	5	9	10	11	19	17	10	7	10	17	9	5	8	7	2	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	42	2	4	2	-	-	2	-	4	1	1	-	5	2	5	4	4	1	1	-	2	2	-	-	-	-	-
	White—M	26	1	4	-	-	-	1	-	3	-	-	-	5	-	4	2	2	-	1	-	1	2	-	-	-	-	-
	F	14	1	-	2	-	-	1	-	-	1	1	-	-	2	1	2	1	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	10	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-
	White—M	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	221	4	-	-	-	-	1	1	2	-	6	4	6	11	30	26	32	30	31	19	8	6	4	-	-	-	-
	White—M	157	2	-	-	-	-	-	1	1	-	3	2	6	7	21	20	26	22	20	16	4	4	2	-	-	-	-
	F	52	2	-	-	-	-	1	-	1	-	2	2	-	4	8	5	3	7	8	3	4	2	-	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
33	Influenza	330	44	7	4	-	2	2	4	2	2	4	9	10	7	4	18	17	9	14	35	37	48	31	17	3	-	-
	White—M	177	28	3	1	-	1	2	2	2	-	3	2	8	3	2	11	8	5	6	19	16	26	18	8	3	-	-
	F	149	15	4	3	-	1	-	2	-	2	1	7	2	4	2	6	9	2	8	16	21	22	13	9	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
35	Measles	18	5	4	-	1	2	1	1	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	11	2	2	-	-	2	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,675	1	-	-	-	-	-	-	3	2	8	2	13	29	63	104	140	224	262	331	242	176	59	14	2	-	-
	White—M	872	-	-	-	-	-	-	-	1	1	3	1	4	12	26	46	77	124	146	200	107	95	25	3	1	-	-
	F	785	1	-	-	-	-	-	-	2	1	5	1	9	17	34	53	61	99	111	131	132	80	34	11	1	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	-	2	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	411	-	-	-	-	-	-	-	-	2	7	11	16	27	49	50	54	54	48	39	28	12	11	2	1	-	-
	White—F	407	-	-	-	-	-	-	-	-	2	7	11	16	27	48	50	52	54	48	38	28	12	11	2	1	-	-
	All other—F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
50	Cancer of breast	361	-	-	-	-	-	-	-	-	-	-	3	14	20	34	47	46	46	46	37	29	24	12	2	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	358	-	-	-	-	-	-	-	-	-	-	3	14	20	34	45	45	46	46	37	29	24	12	2	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,115	-	2	3	5	3	8	4	12	10	8	13	16	27	63	75	106	111	141	177	139	111	57	18	4	1	1
	White—M	819	-	2	-	4	1	5	4	6	6	5	12	13	14	43	48	76	83	104	139	104	92	41	12	3	1	1
	F	291	-	-	3	1	2	3	-	6	4	2	1	3	13	20	27	30	25	37	38	35	18	16	6	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	26	-	-	-	1	-	2	5	5	-	3	2	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	1	-	1	2	4	-	3	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	3	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	641	1	1	-	-	1	-	3	5	-	6	7	9	7	12	26	56	76	98	135	106	62	22	8	-	-	-
	White—M	282	1	-	-	-	1	-	1	2	-	4	2	3	4	6	12	24	29	34	68	47	27	13	4	-	-	-
	F	350	-	1	-	-	-	-	2	3	-	2	5	6	3	5	13	30	44	64	65	59	35	9	4	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	75	-	-	-	-	-	-	-	1	2	-	1	2	-	-	8	10	15	14	13	7	2	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	3	-	2	-	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	1	2	-	1	2	-	-	3	9	12	11	13	5	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	21	-	-	-	-	-	-	-	-	-	-	4	1	3	1	2	2	6	2	-	-	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	4	1	3	1	2	2	6	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,788	5	-	1	-	1	-	2	6	3	7	9	15	35	54	97	154	230	351	517	518	467	220	84	11	1	-
	White—M	1,447	1	-	-	-	1	-	2	4	2	3	4	7	16	24	49	90	129	186	291	265	241	85	41	6	-	-
	F	1,321	4	-	1	-	-	-	-	2	1	4	5	8	18	28	47	63	97	164	223	250	224	134	42	5	1	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	1	-	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	2	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	288	10	4	3	5	1	2	9	12	4	5	9	12	16	15	17	25	19	32	35	20	21	11	1	-	-	-
	White—M	147	5	-	3	1	-	2	5	5	1	3	6	7	9	3	9	15	13	17	16	11	11	4	1	-	-	-
	F	140	5	3	-	4	1	-	4	7	3	2	3	5	7	12	8	10	6	15	19	9	10	7	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	104	18	5	2	1	2	4	5	5	2	3	3	6	3	3	7	11	3	3	3	5	5	4	1	-	-	-
	White—M	54	11	4	2	-	1	2	-	1	2	2	1	3	2	1	4	6	2	1	2	3	2	2	-	-	-	-
	F	50	7	1	-	1	1	2	5	4	-	1	2	3	1	2	3	5	1	2	1	2	3	2	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	537	2	-	1	2	-	7	12	7	3	13	10	19	20	26	30	40	48	55	61	73	69	30	7	2	-	-
	White—M	266	1	-	1	1	-	3	5	1	1	5	6	9	10	9	15	22	24	31	30	43	34	10	4	1	-	-
	F	267	1	-	-	1	-	4	7	6	2	8	4	10	9	17	14	18	23	24	31	29	35	20	3	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,633	-	-	-	-	-	1	1	1	1	6	9	28	57	123	166	242	324	380	441	386	295	126	37	7	1	1
	White—M	1,826	-	-	-	-	-	-	1	1	-	5	9	22	46	101	140	179	249	267	282	256	175	86	21	4	1	1
	F	791	-	-	-	-	-	1	-	-	1	1	-	6	10	19	25	61	74	111	157	128	118	60	16	3	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	2	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,100	11	4	2	-	-	3	7	9	14	13	11	18	47	85	135	208	308	449	662	736	780	405	160	29	-	4
	White—M	2,222	7	3	1	-	-	2	4	6	7	4	8	10	30	56	84	122	199	264	371	369	389	198	74	10	-	4
	F	1,846	4	1	1	-	-	1	3	3	7	8	3	8	16	27	47	86	103	184	285	361	387	207	85	19	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	3	-	3	3	3	-	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	3	3	1	-	-	-	-	-
107-109	Pneumonia (all forms)	1,059	174	28	6	4	1	13	9	11	7	13	12	8	18	24	21	38	57	76	106	138	148	94	46	6	1	-
	White—M	582	96	13	5	1	1	8	4	8	4	11	8	5	11	16	14	24	35	48	65	77	69	41	15	2	1	-
	F	463	75	14	1	3	-	5	5	3	3	2	3	3	7	7	5	14	21	27	39	60	78	53	31	4	-	-
	All other—M	8	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	173	-	-	-	-	-	-	-	-	1	1	3	7	11	16	27	24	21	19	18	8	12	5	-	-	-	-
	White—M	136	-	-	-	-	-	-	-	-	1	1	3	6	8	12	22	19	15	17	15	6	10	1	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	5	6	2	3	2	2	4	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
119,120	Diarrhea, enteritis, etc.*	101	48	7	3	1	-	-	-	4	-	2	1	1	-	2	5	2	1	3	3	8	5	2	3	-	-	-
	White—M	53	29	2	1	1	-	-	-	1	-	2	-	1	-	1	-	1	1	-	3	4	3	2	1	-	-	-
	F	47	18	5	2	-	-	-	-	3	-	-	1	-	-	1	5	1	-	3	-	4	2	-	2	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	205	-	-	1	3	5	13	19	16	10	10	10	14	16	16	13	14	15	13	9	2	2	4	-	-	-	-
	White—M	122	-	-	1	2	2	7	7	9	6	6	4	10	14	10	9	6	11	7	7	1	-	3	-	-	-	-
	F	82	-	-	-	1	3	6	12	7	4	4	6	4	2	5	4	8	4	6	2	1	2	1	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	252	19	1	-	-	-	1	1	1	2	3	3	6	5	12	18	20	22	27	30	39	24	13	3	1	1	-
	White—M	139	11	1	-	-	-	1	1	1	1	2	2	1	3	7	13	11	15	13	16	16	14	6	3	1	-	-
	F	111	8	-	-	-	-	-	-	-	1	1	1	4	1	5	5	9	7	14	14	23	10	7	-	-	1	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	147	-	-	-	-	-	-	-	-	-	2	4	4	6	11	8	24	25	19	18	11	7	7	1	-	-	-
	White—M	112	-	-	-	-	-	-	-	-	-	1	3	2	4	7	4	20	21	16	14	10	4	5	1	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	1	1	2	2	4	4	4	4	2	4	1	3	2	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	188	-	-	-	-	-	-	-	-	1	1	4	3	6	11	20	16	16	25	24	28	20	11	2	-	-	-
	White—M	72	-	-	-	-	-	-	-	-	-	1	1	1	2	6	6	7	8	10	12	6	6	5	1	-	-	-
	F	115	-	-	-	-	-	-	-	-	1	-	3	2	4	5	14	9	8	14	12	22	14	6	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,584	1	1	-	1	1	2	2	6	6	8	11	13	34	54	75	101	140	176	258	267	250	133	35	7	1	1
	White—M	882	1	-	-	-	1	1	1	3	2	2	7	7	17	26	47	67	87	101	142	148	134	71	13	4	-	-
	F	687	-	1	-	1	-	1	1	3	4	6	4	6	16	27	28	34	53	71	115	119	113	59	22	3	-	-
	All other-M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	2	2	-	-	1	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	1
137	Diseases of the prostate	214	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	18	36	42	35	53	21	4	1	-	-
	White—M	213	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	18	36	42	35	53	21	4	1	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	58	-	-	-	-	-	-	-	4	13	13	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	4	13	13	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	-	6	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	-	6	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	40	-	-	-	-	-	-	-	2	8	6	9	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	2	8	6	9	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	318	279	10	3	3	1	7	2	3	1	1	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	161	142	4	2	3	1	4	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	156	136	6	1	-	-	3	2	3	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	568	568	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	328	328	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	235	235	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	330	-	-	-	-	-	-	-	12	13	21	23	33	27	36	42	24	30	30	20	9	5	4	-	-	-	1
	White—M	257	-	-	-	-	-	-	-	8	8	14	17	23	23	27	34	20	27	24	17	7	4	3	-	-	-	1
	F	71	-	-	-	-	-	-	-	4	5	7	6	9	4	9	8	3	3	6	3	2	1	1	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	32	1	-	-	-	-	1	-	2	2	4	2	4	2	6	-	3	3	-	1	-	-	1	-	-	-	-
	White—M	17	-	-	-	-	-	1	-	1	-	1	1	2	2	1	-	3	3	-	1	-	-	1	-	-	-	-
	F	11	1	-	-	-	-	-	-	1	2	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	647	4	4	7	3	3	17	20	70	80	60	46	34	36	44	36	42	34	23	37	23	21	2	-	-	-	1
	White—M	463	-	3	3	2	1	13	14	41	63	43	34	29	26	33	23	29	25	19	26	16	17	2	-	-	-	1
	F	172	4	1	4	1	2	5	6	29	17	14	10	5	10	8	12	12	9	4	11	6	4	-	-	-	-	-
	All other-M	9	-	-	-	-	-	1	-	-	-	2	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,192	36	22	17	20	3	35	33	46	41	40	38	39	47	44	41	57	56	65	88	111	133	116	49	11	1	3
	White—M	728	16	12	8	9	1	25	27	40	35	35	38	37	42	37	35	49	41	39	50	40	53	41	14	3	-	1
	F	456	20	9	9	10	1	9	6	6	6	5	-	2	5	7	5	8	14	26	38	71	80	74	35	8	1	1
	All other-M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1
	F	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other causes*	2,719	412	14	9	4	1	28	20	21	23	35	36	57	59	89	95	97	157	179	255	302	379	268	135	40	4	-
	White—M	1,492	266	12	8	3	-	17	15	13	14	17	14	26	23	42	57	54	91	103	140	161	201	136	56	22	1	-
	F	1,211	142	2	1	1	1	11	5	8	9	18	22	31	35	44	38	43	65	74	114	141	175	132	78	18	3	-
	All other-M	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	All causes	18,448	1,145	119	62	41	24	135	140	254	263	321	311	366	512	668	943	1,172	1,573	2,003	2,291	2,295	2,076	1,170	458	87	15	4
	White—M	9,998	606	52	55	19	10	72	97	147	139	162	162	192	255	359	536	655	902	1,110	1,290	1,244	1,113	588	208	36	5	4
	F	7,467	472	58	26	20	14	53	36	77	102	135	118	144	196	240	346	427	576	777	904	991	920	551	235	44	5	-
	All other—M	502	36	6	-	1	-	5	5	16	8	15	18	16	28	34	31	45	46	64	52	27	23	14	6	3	3	-
	F	481	31	3	1	1	-	5	2	14	14	9	13	14	33	35	30	45	49	52	45	33	20	17	9	4	2	-
1,2	Typhoid, paratyphoid fever	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	1	-	-	-	1	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	1	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	59	48	6	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	28	21	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	20	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	1	-	-	5	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	1	-	-	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	370	-	1	1	-	-	-	3	27	31	38	35	30	30	27	27	27	31	28	16	18	2	-	-	-	-	-
	White—M	194	-	-	1	-	-	-	1	6	6	17	17	18	17	14	21	19	21	18	9	9	-	-	-	-	-	-
	F	130	-	1	-	-	-	-	1	7	19	17	16	9	12	8	5	4	8	9	7	5	2	-	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	8	1	3	-	3	-	3	1	3	2	1	-	2	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	1	6	5	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	35	3	3	-	-	-	1	2	4	2	1	1	1	2	2	5	4	2	-	1	-	1	-	-	-	-	-
	White—M	14	1	2	-	-	-	1	2	-	-	1	-	1	1	1	3	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
	All other—M	10	2	-	-	-	-	-	-	1	1	-	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	8	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	202	3	1	-	-	-	-	-	-	3	3	5	10	15	25	22	31	32	25	16	5	4	2	-	-	-	-
	White—M	121	1	-	-	-	-	-	-	-	-	1	3	4	4	18	14	20	22	19	14	2	-	1	-	-	-	-
	F	44	1	1	-	-	-	-	-	-	2	2	-	5	3	5	4	2	7	4	2	2	3	1	-	-	-	-
	All other—M	24	1	-	-	-	-	-	-	-	-	-	2	1	8	1	1	6	2	2	-	1	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	3	1	-	-	-	-	-	-	-	-	-
33	Influenza	353	46	7	4	1	2	3	3	-	7	7	2	9	11	9	12	18	18	18	27	39	51	33	21	4	1	-
	White—M	184	31	2	2	-	2	2	3	-	5	3	-	5	5	3	3	7	13	8	13	23	27	15	9	2	1	-
	F	155	15	5	2	1	-	1	-	-	2	3	1	3	3	6	9	10	4	9	12	15	23	18	11	2	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	1	1	-	1	-	-	-
35	Measles	35	7	6	2	1	1	7	6	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	21	5	3	1	-	-	5	4	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	12	2	3	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	-	1	-	-	1	2	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,026	1	-	-	-	-	1	1	-	2	1	4	18	28	36	64	83	139	163	190	159	89	40	6	1	-	-
	White—M	538	1	-	-	-	-	1	1	-	1	1	2	10	14	12	33	37	76	84	106	82	48	24	3	-	-	-
	F	445	-	-	-	-	-	-	-	-	1	-	2	6	10	18	28	41	58	70	81	71	40	15	3	1	-	-
	All other—M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	1	5	1	2	1	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	2	4	4	2	4	-	1	-	-	-	-
48,49	Cancer of female genital organs	273	-	-	-	-	-	-	-	-	2	4	4	10	25	22	35	42	24	36	27	23	13	4	2	-	-	-
	White—F	264	-	-	-	-	-	-	-	-	2	4	4	10	23	18	35	40	24	36	27	23	12	4	2	-	-	-
	All other—F	9	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-	1	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
50	Cancer of breast	208	-	-	-	-	-	-	-	-	-	2	5	13	15	26	23	23	27	24	20	15	10	5	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	202	-	-	-	-	-	-	-	-	-	2	5	13	15	26	23	20	27	24	18	14	10	5	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	656	-	-	5	1	-	5	2	7	3	8	7	12	19	29	43	58	82	81	89	91	68	36	10	-	-	-
	White—M	468	-	-	2	-	-	5	1	5	1	4	4	10	17	17	27	40	51	55	66	77	52	27	5	-	-	-
	F	161	-	-	3	1	-	-	1	1	2	4	3	2	1	10	15	13	26	19	20	13	13	9	5	-	-	-
	All other—M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	5	2	1	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-
58	Acute rheumatic fever	17	-	-	-	1	-	2	4	1	1	-	-	-	1	-	1	1	2	2	-	-	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	441	-	-	-	1	-	-	3	4	5	6	1	5	4	12	17	22	67	94	82	52	49	15	2	-	-	-
	White—M	175	-	-	-	-	-	-	3	2	3	6	-	3	1	6	5	8	24	28	36	18	21	8	1	-	-	-
	F	251	-	-	-	1	-	-	-	2	2	-	1	2	2	4	9	12	38	63	45	34	28	7	1	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	4	3	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	56	-	-	-	-	-	-	-	-	-	1	-	4	5	3	5	9	10	10	6	2	1	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	1	-	3	2	3	4	6	9	9	6	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	-	1	-	1	2	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	19	-	-	-	1	-	-	-	-	-	1	1	1	3	1	2	2	2	3	-	1	1	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	1	2	-	1	1	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,940	5	1	1	-	-	-	2	1	1	4	1	7	17	38	76	115	183	254	345	354	300	177	48	9	1	-
	White—M	1,021	5	1	1	-	-	-	1	1	-	2	1	4	8	21	34	69	97	138	195	177	150	92	21	3	-	-
	F	825	-	-	-	-	-	-	-	-	1	2	-	3	9	13	33	38	73	93	138	167	145	76	25	6	1	-
	All other—M	37	-	-	-	-	-	-	1	-	-	-	-	-	-	2	4	2	5	8	5	4	2	3	1	-	-	-
	F	59	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	8	15	7	6	3	6	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	242	6	5	-	3	1	10	3	11	5	7	8	10	11	6	17	19	24	28	24	28	10	7	1	-	-	-
	White—M	128	4	2	-	1	-	6	1	9	3	4	3	6	4	1	7	10	13	15	12	16	5	5	1	-	-	-
	F	104	2	2	-	2	1	4	2	2	2	2	5	3	5	4	9	9	9	11	12	11	5	2	-	-	-	-
	All other—M	5	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	93	9	3	1	1	4	6	7	4	3	4	-	5	4	2	5	3	8	9	5	4	4	2	-	-	-	-
	White—M	48	4	1	-	1	1	3	4	3	3	-	-	4	1	1	3	-	3	6	4	2	4	-	-	-	-	-
	F	42	5	2	1	-	3	3	1	1	-	4	-	-	3	1	2	3	5	3	1	2	-	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	406	1	-	-	-	-	4	4	3	8	8	11	8	14	21	17	33	51	47	63	49	53	25	6	-	-	-
	White—M	199	1	-	-	-	-	2	3	1	4	4	4	3	6	6	10	20	16	26	30	25	25	12	1	-	-	-
	F	172	-	-	-	-	-	1	1	1	4	3	6	5	6	11	6	8	12	18	27	20	26	12	5	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	2	2	4	2	-	-	-	-	-
	F	17	-	-	-	-	-	1	-	1	-	1	-	-	1	3	-	3	1	1	4	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,660	1	-	-	-	-	-	-	-	1	4	7	16	36	93	124	158	217	249	286	215	160	58	26	8	-	1
	White—M	1,181	1	-	-	-	-	-	-	-	1	3	6	12	26	74	101	123	170	161	196	142	99	28	13	4	-	1
	F	443	-	-	-	-	-	-	-	-	-	1	1	4	8	11	19	33	45	62	84	71	61	29	12	2	-	-
	All other—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	2	2	5	5	2	-	1	1	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	1	-	-	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,993	4	1	-	1	-	3	6	8	4	12	21	16	42	57	110	154	237	375	481	493	506	304	128	25	5	-
	White—M	1,564	2	-	-	1	-	-	3	4	2	6	6	7	20	38	62	83	135	208	253	260	254	153	53	12	2	-
	F	1,261	2	1	-	-	-	3	2	3	2	5	12	8	12	12	39	55	82	138	194	220	240	146	73	11	1	-
	All other—M	71	-	-	-	-	-	-	-	1	-	-	1	-	6	3	2	5	9	16	18	3	3	2	1	-	1	-
	F	97	-	-	-	-	-	-	1	-	-	1	2	1	4	4	7	11	11	13	16	10	9	3	1	2	1	-
107-109	Pneumonia (all forms)	649	124	27	9	3	2	8	1	9	7	11	9	12	12	17	24	38	33	40	46	65	67	54	29	2	-	-
	White—M	308	63	14	1	-	1	4	-	5	3	5	6	4	7	8	15	16	14	15	21	32	36	24	11	1	-	-
	F	311	54	12	8	2	1	4	1	3	3	4	2	6	4	8	5	21	15	22	25	33	31	29	17	1	-	-
	All other—M	22	3	-	-	1	-	-	-	1	1	2	1	2	1	-	4	-	2	3	-	-	-	-	1	-	-	-
	F	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	122	-	-	-	-	-	-	-	-	1	1	6	2	11	10	16	15	16	14	11	9	6	3	1	-	-	-
	White—M	98	-	-	-	-	-	-	-	-	1	1	5	2	8	10	14	14	14	11	7	7	2	2	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	4	2	4	1	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 23

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	99	54	4	3	3	1	-	1	-	1	-	-	1	2	2	2	2	2	2	7	4	5	1	1	1	-	-
	White—M	58	29	3	2	3	1	-	1	-	-	-	-	-	2	2	1	-	1	1	5	2	3	1	-	1	-	-
	F	33	19	-	1	-	-	-	-	-	1	-	-	1	-	-	1	2	1	1	1	2	2	-	1	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	188	1	1	1	3	2	10	13	23	12	11	15	9	15	10	21	9	8	9	5	4	4	2	-	-	-	-
	White—M	109	1	-	1	2	1	4	8	12	6	4	14	4	11	6	11	6	3	5	2	3	3	2	-	-	-	-
	F	69	-	1	-	1	1	5	5	10	6	7	1	4	3	2	8	3	4	4	2	1	1	-	-	-	-	-
	All other—M	7	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	176	9	-	1	1	-	2	1	1	4	4	6	5	5	11	13	13	12	15	20	19	18	13	3	-	-	-
	White—M	91	6	-	1	-	-	2	1	1	3	1	3	1	1	4	6	8	6	9	10	11	8	6	5	-	-	-
	F	75	2	-	-	1	-	-	-	-	1	3	2	4	3	6	6	3	5	6	9	7	10	7	-	-	-	-
	All other—M	5	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	94	1	-	-	-	-	-	-	1	-	-	-	-	4	4	10	12	10	16	12	13	7	4	-	-	-	-
	White—M	57	1	-	-	-	-	-	-	1	-	-	-	-	4	3	5	7	5	12	6	7	3	3	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	4	6	6	4	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	116	-	-	-	-	-	-	-	-	1	1	1	-	5	5	16	8	16	20	17	15	8	2	-	1	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	7	10	8	5	3	-	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	1	1	1	-	5	4	7	4	9	10	7	10	5	2	-	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,650	2	-	1	1	-	4	3	5	4	13	13	23	27	40	66	105	154	174	227	289	296	141	54	6	2	-
	White—M	876	1	-	1	-	-	1	2	1	1	5	6	13	7	17	34	51	88	94	127	153	175	68	30	1	-	-
	F	657	1	-	-	1	-	2	1	4	1	5	5	9	14	19	25	42	47	67	87	128	109	65	19	5	1	-
	All other—M	60	-	-	-	-	-	-	-	-	-	2	1	-	1	2	3	6	8	9	6	5	8	6	2	-	1	-
	F	57	-	-	-	-	-	1	-	-	2	1	1	1	5	2	4	6	11	4	7	3	4	2	3	-	-	-
137	Diseases of the prostate	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	15	28	40	35	21	6	-	-	-
	White—M	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	15	28	40	35	20	6	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	38	-	-	-	-	-	-	-	4	7	7	4	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	3	7	6	4	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	12	-	-	-	-	-	-	-	1	1	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	1	1	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	34	-	-	-	-	-	-	-	3	6	8	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	3	6	8	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	190	159	8	2	2	1	1	3	4	4	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	101	86	4	-	1	-	-	1	1	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	81	67	4	1	1	1	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	253	-	-	-	-	-	-	-	2	14	24	19	27	26	27	35	24	16	18	9	7	5	-	-	-	-	-
	White—M	189	-	-	-	-	-	-	-	-	9	18	13	21	16	16	28	20	14	14	8	7	5	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	2	5	5	4	6	10	11	5	4	1	4	1	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	62	1	-	1	-	-	-	-	-	6	8	12	11	8	3	3	1	3	2	2	1	-	-	-	-	-	-
	White—M	25	1	-	-	-	-	-	-	-	2	2	4	5	4	2	1	1	1	1	1	-	-	-	-	-	-	-
	F	9	-	-	1	-	-	-	-	-	-	1	1	-	1	-	2	-	2	-	1	-	-	-	-	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	3	4	5	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents	524	3	3	3	3	3	20	25	58	53	43	29	25	28	28	34	30	33	29	26	27	16	3	-	-	-	2
	White—M	368	1	2	2	2	2	11	21	46	37	30	18	20	22	22	22	20	20	15	17	23	11	2	-	-	-	2
	F	136	2	1	1	1	1	8	4	11	14	13	8	4	3	5	9	9	13	12	8	4	4	1	-	-	-	-
	All other—M	15	-	-	-	-	-	1	-	-	1	-	2	1	2	1	3	1	-	1	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	848	16	22	18	10	2	25	29	43	36	35	38	26	26	39	27	35	41	64	53	70	91	57	35	9	-	1
	White—M	522	12	11	14	7	-	11	25	33	33	27	34	20	24	27	24	24	28	38	30	25	38	23	9	4	-	1
	F	292	2	11	4	2	2	11	4	6	2	6	2	3	2	10	3	8	11	22	22	44	52	34	24	5	-	-
	All other—M	23	2	-	-	-	-	2	-	4	-	2	2	3	-	1	-	3	2	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	3	-	1	1	-	2	-	-	-
	All other causes*	1,732	276	17	7	3	3	13	12	24	24	35	34	28	48	57	64	71	86	137	149	185	192	161	79	21	6	-
	White—M	878	142	5	5	1	1	7	7	12	11	13	9	12	20	26	36	38	50	77	85	95	102	72	42	8	2	-
	F	773	123	8	2	2	2	5	5	10	11	21	23	12	24	23	27	27	33	55	58	83	88	85	36	10	2	-
	All other—M	37	6	3	-	-	-	1	-	1	1	-	-	-	-	5	-	2	1	2	6	3	2	1	-	2	1	-
	F	44	5	1	-	-	-	-	-	1	1	1	2	4	4	3	1	4	2	3	2	4	-	3	1	1	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes	30,403	3,738	578	238	153	103	373	296	637	807	836	852	908	1,078	1,336	1,464	1,828	2,095	2,809	3,159	2,847	2,367	1,286	453	112	34	16
	White—M	14,682	1,985	293	125	74	54	198	163	314	361	398	428	413	505	619	655	868	1,064	1,357	1,559	1,323	1,110	598	168	39	6	5
	F	11,807	1,456	235	96	69	44	137	96	232	314	302	273	311	350	411	484	648	728	1,096	1,288	1,285	1,077	581	235	48	4	7
	All other—M	2,152	177	26	10	6	2	21	21	46	75	86	78	102	107	166	191	177	168	167	167	130	91	68	25	11	10	4
	F	1,762	120	24	7	4	3	17	16	45	57	50	73	82	116	140	134	135	135	169	145	109	89	39	25	14	14	-
1,2	Typhoid, paratyphoid fever	84	2	-	3	1	-	6	10	11	10	10	7	6	4	5	1	3	3	-	2	-	-	-	-	-	-	-
	White—M	46	1	-	1	1	-	4	7	5	4	5	5	1	2	4	1	1	2	-	2	-	-	-	-	-	-	-
	F	28	1	-	2	-	-	1	2	5	5	4	2	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	25	5	2	-	2	-	4	2	8	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	2	2	-	1	-	4	-	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	32	3	5	2	1	2	11	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	3	4	-	1	2	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	1	2	-	-	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	242	148	54	17	6	2	12	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	107	73	20	8	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	109	64	23	8	4	1	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	5	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	6	7	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	52	7	9	9	11	4	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	31	2	8	6	3	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	5	1	3	8	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,746	16	6	4	4	3	5	14	90	174	211	160	146	134	143	115	100	97	120	105	52	29	15	1	1	-	1
	White—M	712	6	2	2	2	1	1	2	18	39	76	69	60	68	77	57	47	44	63	41	22	10	3	-	1	-	1
	F	734	7	3	1	2	2	2	6	40	90	104	58	56	45	34	34	41	43	49	61	30	16	10	-	-	-	-
	All other—M	168	2	1	1	-	-	-	2	11	19	21	16	14	15	20	18	10	4	7	2	-	2	2	1	-	-	-
	F	132	1	-	-	-	-	2	4	21	26	10	17	16	6	12	6	2	6	1	1	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	202	13	25	9	4	2	9	5	11	15	14	17	8	14	11	4	7	7	9	6	8	4	-	-	-	-	-
	White—M	98	4	14	7	2	2	7	2	1	4	8	10	1	4	5	-	3	5	8	4	4	3	-	-	-	-	-
	F	66	9	7	2	2	-	-	-	5	7	3	5	5	6	3	2	2	2	1	1	3	1	-	-	-	-	-
	All other—M	27	-	3	-	-	-	2	3	4	2	1	1	2	3	2	1	2	-	-	-	1	-	-	-	-	-	-
	F	11	-	1	-	-	-	-	-	1	2	2	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
27	Dysentery	253	115	50	16	5	2	4	-	2	1	-	2	-	4	-	-	2	7	5	10	8	12	6	1	-	-	1
	White—M	116	53	24	9	4	-	2	-	1	-	-	1	-	1	-	-	2	4	1	5	3	4	2	-	-	-	-
	F	125	56	24	6	1	2	2	-	1	1	-	1	-	3	-	-	-	1	4	5	5	7	4	1	-	-	1
	All other—M	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
28	Malaria	14	2	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	3	2	1	-	-	-	-	-
	White—M	8	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	304	40	-	-	1	-	3	1	5	5	4	16	23	28	36	32	26	28	23	14	8	4	4	2	-	-	1
	White—M	139	18	-	-	-	-	1	-	2	-	1	6	12	11	15	13	18	12	13	9	4	2	2	-	-	-	-
	F	59	11	-	-	1	-	2	-	2	3	3	4	4	4	4	5	2	4	1	1	3	2	2	1	-	-	-
	All other—M	75	7	-	-	-	-	-	-	-	-	-	4	5	7	13	13	6	8	6	3	1	-	-	1	-	-	1
	F	31	4	-	-	-	-	-	1	1	2	-	2	2	6	4	1	-	4	3	1	-	-	-	-	-	-	-
33	Influenza	972	133	38	17	10	4	13	5	13	19	18	13	25	29	26	34	32	44	61	90	99	112	88	38	8	3	-
	White—M	432	71	20	10	3	3	8	2	9	5	4	5	12	11	11	12	11	20	24	37	38	45	48	19	4	-	-
	F	409	46	13	7	6	1	5	2	3	12	11	5	7	10	6	13	15	20	25	44	51	54	34	14	3	2	-
	All other—M	65	5	2	-	1	-	-	1	-	-	2	2	3	5	6	3	3	1	7	4	7	6	5	2	-	-	-
	F	66	11	3	-	-	-	-	-	1	2	1	1	3	3	3	6	3	3	5	5	3	7	1	3	1	1	-
35	Measles	160	48	27	10	10	6	18	10	6	4	5	2	1	4	-	-	2	-	-	3	1	3	-	-	-	-	-
	White—M	72	28	11	4	4	3	6	4	2	1	4	1	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F	85	20	15	6	6	2	12	6	3	3	1	1	1	4	-	-	1	-	-	1	1	2	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	34	9	3	3	1	3	7	3	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	4	-	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	5	3	-	-	2	5	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,189	1	2	-	-	-	-	1	3	7	8	17	25	27	65	71	132	169	173	200	154	92	31	7	4	-	-
	White—M	549	1	2	-	-	-	-	-	2	5	3	8	8	11	27	25	62	88	81	91	73	45	13	3	1	-	-
	F	549	-	-	-	-	-	-	1	1	2	5	5	14	11	33	37	57	65	77	100	74	43	17	4	3	-	-
	All other—M	54	-	-	-	-	-	-	-	-	-	-	3	2	1	3	5	8	11	10	4	4	2	1	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	5	5	5	5	3	2	-	-	-	-	-
48,49	Cancer of female genital organs	385	-	-	-	-	-	-	-	2	-	9	14	19	39	53	44	47	41	46	31	22	11	6	1	-	-	-
	White—F	331	-	-	-	-	-	-	-	2	-	7	14	16	32	46	42	41	33	35	27	20	10	5	1	-	-	-
	All other—F	54	-	-	-	-	-	-	-	-	-	2	-	3	7	7	2	6	8	11	4	2	1	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
50	Cancer of breast	218	-	-	-	-	-	-	-	-	-	1	2	10	14	21	26	26	32	31	16	24	9	5	1	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F	190	-	-	-	-	-	-	-	-	-	1	2	8	12	19	20	21	27	28	15	22	9	5	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	5	5	1	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	745	1	1	2	2	2	7	4	7	9	5	9	14	14	57	53	70	81	108	109	86	67	30	5	2	-	-
	White—M	476	1	-	1	1	2	4	-	3	6	2	7	9	8	32	28	39	53	75	79	61	46	17	1	1	-	-
	F	220	-	1	1	1	-	3	4	2	3	3	1	4	5	17	17	26	22	26	26	22	20	13	3	-	-	-
	All other—M	35	-	-	-	-	-	-	-	1	-	-	1	1	-	6	6	4	4	4	2	3	1	-	1	1	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	2	3	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	34	-	-	-	-	2	5	5	5	1	2	1	2	2	-	2	2	1	2	1	-	-	1	-	-	-	-
	White—M	16	-	-	-	-	1	2	2	3	-	-	-	1	2	-	-	-	1	2	1	-	-	1	-	-	-	-
	F	10	-	-	-	-	1	1	1	2	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	467	1	1	-	1	-	3	6	12	7	7	9	9	17	18	18	56	63	70	71	60	22	13	3	-	-	-
	White—M	171	-	-	-	-	-	1	3	2	4	3	3	4	7	5	7	19	32	21	24	17	10	7	2	-	-	-
	F	233	-	1	-	1	-	2	3	9	1	2	6	3	4	7	6	28	23	42	40	38	10	6	1	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	1	2	-	1	-	2	3	1	3	1	2	1	1	-	-	-	-	-
	F	45	1	-	-	-	-	-	-	1	1	-	-	1	6	4	2	8	5	6	5	4	1	-	-	-	-	-
63b	Exophthalmic goiter	62	-	-	-	-	-	-	-	2	2	3	1	2	2	5	7	7	9	10	5	6	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-
	F	53	-	-	-	-	-	-	-	2	2	3	1	2	1	5	4	6	7	10	3	6	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	48	1	-	-	-	-	-	1	1	1	-	2	2	-	3	3	4	3	6	10	4	5	2	-	-	-	-
	White—M	21	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	2	4	2	4	2	-	-	-	-
	F	26	-	-	-	-	-	-	1	1	1	-	1	1	-	2	1	3	3	4	5	2	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	44	-	-	1	1	1	-	-	3	-	2	4	6	6	3	5	7	1	2	1	1	-	-	-	-	-	-
	White—M	32	-	-	-	1	1	-	-	2	-	1	2	5	4	3	4	5	1	1	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,663	7	3	1	2	1	1	3	5	9	18	23	30	55	105	141	194	273	385	454	413	324	149	50	15	1	1
	White—M	1,165	4	1	-	1	1	1	1	4	4	7	4	8	18	35	53	74	132	167	237	177	143	68	18	7	-	-
	F	1,146	2	2	1	1	-	-	-	1	4	8	12	16	23	42	54	71	89	173	186	201	159	71	26	3	-	1
	All other—M	157	1	-	-	-	-	-	-	-	-	2	3	3	4	8	17	23	27	22	14	17	10	6	3	1	-	-
	F	195	-	-	-	-	-	-	2	-	1	1	4	3	10	20	17	26	29	23	17	18	12	4	3	4	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	313	37	12	7	5	5	11	10	16	9	13	19	7	11	18	10	25	18	32	15	18	6	6	3	-	-	-
	White—M	156	16	6	4	3	2	6	6	8	3	6	10	4	6	7	4	12	13	14	10	10	2	3	1	-	-	-
	F	132	20	5	2	2	2	4	3	7	5	5	6	2	4	7	4	11	5	18	4	8	3	3	2	-	-	-
	All other—M	14	1	-	1	-	1	1	-	-	-	2	-	-	-	3	2	2	-	-	-	-	1	-	-	-	-	-
	F	11	-	1	-	-	-	-	1	1	1	-	3	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	161	18	10	6	4	3	18	7	10	8	9	8	5	4	5	7	8	4	7	9	5	5	-	1	-	-	-
	White—M	87	12	6	4	3	-	10	3	6	3	7	6	1	3	4	5	4	1	3	2	2	2	-	-	-	-	-
	F	54	4	3	2	1	3	8	3	1	5	-	2	2	1	-	2	4	3	2	3	3	1	-	1	-	-	-
	All other—M	10	1	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	1	3	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	470	1	-	1	-	1	6	11	11	8	17	12	13	24	27	37	26	38	44	65	56	54	13	3	2	-	-
	White—M	229	1	-	1	-	-	5	3	5	3	4	6	5	8	12	15	16	15	24	32	34	34	5	1	-	-	-
	F	181	-	-	-	-	1	1	7	5	4	9	6	6	11	9	15	7	14	15	26	21	15	6	1	2	-	-
	All other—M	26	-	-	-	-	-	-	-	1	1	1	-	-	1	2	3	1	3	5	5	1	-	1	1	-	-	-
	F	34	-	-	-	-	-	-	1	-	-	3	-	2	4	4	4	2	6	-	2	-	5	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,523	-	-	1	-	-	2	-	4	6	8	22	36	72	97	121	169	180	215	207	206	106	52	16	2	1	-
	White—M	884	-	-	-	-	-	1	-	1	2	4	8	18	45	61	73	118	111	130	112	111	54	31	4	-	-	-
	F	470	-	-	1	-	-	1	-	2	4	2	7	9	14	18	28	39	46	66	80	81	43	19	10	-	-	-
	All other—M	97	-	-	-	-	-	-	-	-	-	1	4	4	8	8	11	8	17	9	7	9	6	2	2	-	1	-
	F	72	-	-	-	-	-	-	-	1	-	1	3	5	5	10	9	4	6	10	8	5	3	-	-	2	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,547	22	4	1	1	-	12	16	26	25	33	33	62	99	161	222	323	410	646	798	660	580	302	87	15	9	-
	White—M	2,073	13	1	-	1	-	5	7	11	11	12	15	25	45	70	91	149	210	307	393	282	264	124	29	6	2	-
	F	1,774	8	2	1	-	-	5	7	12	11	14	10	20	26	40	62	109	132	247	311	301	270	137	42	7	-	-
	All other—M	366	1	1	-	-	-	1	1	3	-	3	3	7	12	23	39	36	40	46	47	46	21	25	5	2	4	-
	F	334	-	-	-	-	-	1	1	-	3	4	5	10	16	28	30	29	28	46	47	31	25	16	11	-	3	-
107-109	Pneumonia (all forms)	1,851	523	122	36	15	10	22	10	26	31	20	27	37	50	37	62	51	68	110	139	160	144	100	34	12	5	-
	White—M	926	296	63	22	7	3	10	4	17	11	11	16	14	22	12	20	24	40	54	69	79	63	46	16	5	2	-
	F	681	187	48	11	6	7	10	5	8	12	3	8	12	15	8	18	13	22	38	49	65	67	47	16	5	1	-
	All other—M	144	26	8	2	2	-	-	-	-	7	4	-	7	10	9	14	7	5	12	13	6	9	2	2	1	-	-
	F	100	14	5	1	-	-	2	1	1	1	2	3	4	3	8	10	7	1	6	8	10	5	5	-	1	2	-
117	Ulcer of stomach or duodenum	170	-	-	-	-	-	-	-	-	3	8	8	6	15	21	20	22	16	22	16	8	3	2	-	-	-	-
	White—M	121	-	-	-	-	-	-	-	-	3	5	7	4	13	15	15	15	10	17	9	6	1	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	5	5	5	5	1	1	1	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	-	-	2	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table II, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
119,120	Diarrhea, enteritis, etc.*	752	459	122	29	14	3	7	-	1	2	3	3	1	5	2	1	4	8	9	12	14	17	12	3	1	-	-
	White—M	365	236	68	14	8	2	4	-	-	-	-	-	-	2	-	-	1	5	3	7	5	6	3	1	-	-	-
	F	303	187	47	13	5	-	2	-	1	1	2	2	-	2	1	-	-	2	5	5	8	9	8	2	1	-	-
	All other-M	40	25	3	1	1	-	-	-	-	1	1	1	-	-	-	-	3	1	-	-	-	2	1	-	-	-	-
	F	24	11	4	1	-	1	1	-	-	-	-	-	1	1	1	1	-	-	1	-	1	-	-	-	-	-	-
121	Appendicitis	258	-	2	4	4	4	25	26	23	15	16	10	17	15	16	14	18	12	17	7	10	3	-	-	-	-	-
	White—M	140	-	2	3	3	3	13	16	9	5	11	7	9	7	8	9	7	5	11	5	7	-	-	-	-	-	-
	F	93	-	-	1	1	1	10	9	14	7	4	2	4	4	4	4	7	7	6	2	3	3	-	-	-	-	-
	All other-M	9	-	-	-	-	-	-	1	-	1	-	-	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	2	-	-	2	1	1	2	3	2	1	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	13	4	1	-	2	3	1	5	4	6	6	6	16	9	18	18	19	18	23	9	15	5	1	1	-	-
	White—M	67	5	1	-	-	1	1	1	2	2	1	1	2	6	2	6	4	9	4	7	1	5	5	1	-	-	-
	F	104	6	1	1	-	1	2	-	3	2	4	3	2	8	5	9	9	8	13	12	7	8	-	-	-	-	-
	All other-M	15	-	2	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	2	-	-	-	-	1	-	-
	F	17	2	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	1	-	2	1	2	-	-	-	-	-
124	Cirrhosis of the liver	179	2	-	-	-	-	-	1	-	1	4	7	12	14	14	20	11	24	26	23	12	5	3	-	-	-	-
	White—M	106	2	-	-	-	-	-	1	-	-	2	4	8	10	6	14	4	16	19	10	7	-	3	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	1	2	-	2	3	4	3	5	3	6	11	4	5	-	-	-	-	-
	All other-M	13	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	3	-	2	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	2	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	130	2	-	-	-	-	1	-	1	-	3	6	5	9	8	11	12	15	16	16	14	9	2	-	-	-	-
	White—M	41	-	-	-	-	-	1	-	-	-	2	2	1	3	1	3	4	3	7	6	6	2	-	-	-	-	-
	F	77	2	-	-	-	-	-	-	1	-	-	3	4	5	4	5	8	11	8	10	7	7	2	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,146	8	7	4	4	3	12	5	9	16	16	27	41	63	80	103	151	167	288	337	313	288	146	44	8	2	4
	White—M	1,000	4	4	1	4	3	9	3	7	7	7	11	12	18	32	39	56	76	124	162	161	166	76	17	-	-	1
	F	742	2	2	2	-	-	2	2	1	7	8	9	16	18	28	28	50	51	97	122	117	99	54	20	4	1	2
	All other-M	219	2	1	-	-	-	1	-	-	1	-	2	3	8	12	20	25	29	36	31	16	14	11	3	2	1	1
	F	185	-	-	1	-	-	-	-	1	1	1	5	10	19	8	16	20	11	31	22	19	9	5	4	2	-	-
137	Diseases of the prostate	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	9	18	32	21	22	9	6	-	-	-
	White—M	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	13	29	21	21	6	6	-	-	-
	All other-M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	3	-	1	3	-	-	-	-
140, 142a, 147	Puerperal septicemia	71	-	-	-	-	-	-	-	5	12	22	14	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	63	-	-	-	-	-	-	-	5	11	18	13	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	8	-	-	-	-	-	-	-	-	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	84	-	-	-	-	-	-	-	16	18	12	16	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	78	-	-	-	-	-	-	-	14	18	12	14	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	6	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	85	-	-	-	-	-	-	-	5	24	10	16	18	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	4	22	9	15	17	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	6	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	298	272	8	3	2	-	4	3	3	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	155	138	4	3	1	-	2	3	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	130	121	4	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	940	940	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	513	513	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	305	-	-	-	-	-	-	1	14	16	24	24	26	26	36	29	25	22	31	16	11	2	1	-	-	-	1
	White—M	231	-	-	-	-	-	-	1	4	12	18	15	21	19	27	20	20	18	27	15	11	2	1	-	-	-	-
	F	61	-	-	-	-	-	-	-	9	3	5	7	4	7	6	7	3	4	4	1	-	-	-	-	-	-	1
	All other-M	9	-	-	-	-	-	-	-	1	1	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	401	3	-	-	1	-	2	5	29	56	60	57	47	48	28	27	16	6	7	5	2	1	1	-	-	-	-
	White—M	225	3	-	-	1	-	1	4	15	28	30	28	28	29	15	17	10	5	4	5	1	-	1	-	-	-	-
	F	34	-	-	-	-	-	1	1	5	4	5	4	3	3	2	4	1	-	1	-	-	-	-	-	-	-	-
	All other-M	117	-	-	-	-	-	-	-	4	19	22	20	15	13	9	6	5	1	1	-	1	1	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	5	5	3	5	1	3	2	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	916	4	4	3	5	12	41	37	121	137	88	81	55	47	41	51	48	47	34	28	14	9	6	1	-	-	2
	White—M	668	2	2	3	3	8	27	22	87	103	63	69	42	37	25	34	36	35	24	21	9	7	6	1	-	-	2
	F	163	1	2	-	2	4	8	11	28	23	10	9	6	7	10	10	7	9	5	4	5	2	-	-	-	-	-
	All other-M	68	1	-	-	-	-	4	4	4	10	12	1	5	2	5	5	5	3	4	3	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	2	-	2	1	3	2	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,515	86	24	22	24	16	51	62	96	102	92	91	88	67	81	64	52	43	59	85	93	111	74	29	3	-	-
	White—M	933	48	15	11	10	7	23	44	69	83	77	77	69	54	61	43	38	33	31	38	35	31	28	7	1	-	-
	F	442	33	9	8	10	7	20	12	16	10	8	5	5	6	8	13	4	8	21	42	54	75	44	22	2	-	-
	All other-M	108	2	-	2	1	1	6	6	11	9	5	6	14	6	8	8	9	1	3	2	3	3	2	-	-	-	-
	F	32	3	-	1	3	1	2	-	-	-	2	3	-	1	4	-	1	1	4	3	1	2	-	-	-	-	-
	All other causes*	3,006	796	33	26	12	10	37	25	26	47	50	64	71	73	102	86	127	130	158	195	273	291	202	116	38	13	5
	White—M	1,408	423	13	9	4	4	25	17	9	13	21	24	27	29	46	40	63	55	80	86	131	136	96	41	13	2	1
	F	1,272	309	18	15	8	6	9	6	12	26	21	26	33	26	35	32	48	58	64	85	121	134	93	67	18	-	2
	All other-M	173	35	1	-	-	-	2	1	3	3	4	6	7	9	13	8	9	9	6	15	12	10	7	4	3	4	2
	F	155	29	1	2	-	-	1	1	2	5	4	8	4	9	8	6	7	8	8	9	9	11	6	4	4	7	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	All causes	23,849	3,157	287	151	85	72	217	250	472	680	716	796	960	1,135	1,430	1,692	1,797	1,923	2,270	1,949	1,555	1,064	694	282	105	51	59
	White—M	7,537	817	67	47	26	22	66	75	127	197	181	182	255	316	431	528	646	726	811	742	577	368	228	71	11	4	16
	F	5,384	611	65	34	16	14	51	45	77	96	108	131	150	186	246	299	340	438	583	582	513	422	259	80	25	5	10
	All other—M	5,765	957	84	40	22	17	47	69	135	191	221	232	268	297	397	467	453	410	492	349	255	146	101	53	26	14	22
	F	5,163	772	71	30	21	19	53	61	133	196	206	251	287	336	356	398	358	349	384	276	210	128	106	78	43	30	11
1,2	Typhoid, paratyphoid fever	61	-	1	-	-	1	3	9	6	10	10	3	1	4	6	3	-	1	1	-	1	-	-	-	-	-	1
	White—M	18	-	-	-	-	1	-	3	-	2	1	-	-	3	1	2	-	-	1	-	1	-	-	-	-	-	1
	F	10	-	-	-	-	-	1	1	2	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	16	-	-	-	-	-	1	1	3	4	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	1	-	-	-	1	4	1	1	4	1	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	5	1	1	-	1	-	1	2	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	45	33	8	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	10	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	36	3	8	6	7	7	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	2	5	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	1	1	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,212	6	5	3	1	-	4	8	66	123	165	123	135	127	129	94	54	52	49	52	18	9	2	2	-	-	5
	White—M	311	1	-	-	-	-	-	-	2	10	17	17	30	34	53	45	27	20	25	14	9	4	-	2	-	-	1
	F	143	2	-	-	-	-	-	-	6	9	20	17	15	15	9	11	7	7	8	6	5	4	2	-	-	-	-
	All other—M	419	1	4	1	-	-	3	5	18	57	58	40	53	43	46	31	11	18	12	11	2	1	-	-	-	-	4
	F	339	2	1	2	1	-	1	3	40	47	70	49	37	35	21	7	9	7	4	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	80	6	4	2	2	-	3	3	6	9	5	9	5	6	6	2	4	2	1	1	2	-	1	-	1	-	-
	White—M	17	5	1	-	-	-	-	-	1	-	-	2	1	-	1	-	4	1	-	-	-	-	1	-	-	-	-
	F	11	-	-	1	-	-	1	-	-	2	1	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-
	All other—M	28	1	2	-	1	-	2	2	2	-	2	4	2	3	3	-	-	1	-	-	2	-	-	-	1	-	-
	F	24	-	1	1	1	-	-	1	3	7	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	56	12	1	7	-	-	-	-	1	1	3	2	2	4	-	1	5	2	9	2	2	-	2	-	-	-	-
	White—M	13	4	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	2	1	-	-	-	1	-	-	-	-
	F	10	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-
	All other—M	20	5	-	4	-	-	-	-	-	-	1	-	-	2	-	1	2	-	4	1	-	-	-	-	-	-	-
	F	13	1	1	1	-	-	-	-	1	-	-	2	1	1	-	-	-	-	4	1	-	-	-	-	-	-	-
28	Malaria	77	5	9	3	3	-	6	4	2	1	4	2	1	3	2	5	3	5	6	5	2	2	3	1	-	-	-
	White—M	15	1	2	2	-	-	1	-	-	-	1	-	-	-	-	-	-	2	3	-	1	-	2	-	-	-	-
	F	16	-	3	-	-	-	2	1	-	1	2	1	-	-	-	1	2	1	-	1	-	-	1	-	-	-	-
	All other—M	21	-	2	-	2	-	2	2	1	-	1	1	-	1	1	1	1	-	2	2	-	1	-	1	-	-	-
	F	25	4	2	1	1	-	1	1	1	-	-	-	1	2	1	3	-	2	1	2	1	1	-	-	-	-	-
30	Syphilis	564	90	4	3	1	-	1	-	2	18	19	32	57	65	57	55	52	41	31	21	11	-	1	1	-	-	4
	White—M	87	5	-	-	-	-	1	-	-	-	-	2	5	7	7	11	10	14	12	8	4	-	-	-	-	-	1
	F	18	7	-	-	-	-	-	-	-	2	-	1	1	-	1	-	3	1	-	1	1	-	-	-	-	-	-
	All other—M	298	40	1	2	1	-	-	-	1	6	8	16	34	44	33	35	29	20	8	10	6	-	1	1	-	-	2
	F	161	38	3	1	-	-	-	-	1	10	11	13	17	12	16	9	10	6	11	2	-	-	-	-	-	-	1
33	Influenza	614	169	36	9	9	3	7	12	4	14	12	10	14	13	22	33	26	23	42	45	37	25	26	14	4	4	1
	White—M	159	44	8	3	2	1	2	-	1	1	2	1	6	1	4	9	7	11	10	10	8	9	12	6	-	-	1
	F	127	32	7	2	3	-	-	3	-	1	1	2	-	2	1	5	6	3	8	12	15	9	9	4	1	1	-
	All other—M	169	60	11	3	2	-	2	4	-	5	4	5	3	4	4	12	5	6	13	8	8	3	5	1	-	1	-
	F	159	35	10	1	2	2	3	5	3	7	5	2	5	6	13	7	8	3	11	15	6	4	-	3	3	2	-
35	Measles	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	8	-	1	1	-	-	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	843	1	-	1	2	1	1	-	1	3	6	23	23	53	56	77	120	136	120	102	71	29	8	5	-	1	3
	White—M	309	1	-	1	1	1	1	-	-	1	1	4	10	16	17	27	43	54	43	41	33	11	3	-	-	-	-
	F	249	-	-	-	-	-	-	-	-	1	1	4	4	10	18	18	26	40	36	43	27	13	4	3	-	-	1
	All other—M	167	-	-	-	1	-	-	-	1	-	-	7	4	13	15	16	35	29	23	11	5	3	-	2	-	1	1
	F	118	-	-	-	-	-	-	-	-	1	4	8	5	14	6	16	16	13	18	7	6	2	1	-	-	-	1
48,49	Cancer of female genital organs	354	-	-	-	-	-	-	2	1	6	3	21	22	37	43	49	50	39	33	25	7	7	6	-	-	-	3
	White—F	192	-	-	-	-	-	-	2	1	3	1	7	6	15	25	25	32	22	21	18	4	6	2	-	-	-	2
	All other—F	162	-	-	-	-	-	-	-	-	3	2	14	16	22	18	24	18	17	12	7	3	1	4	-	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																											
50	Cancer of breast	182	-	-	-	-	-	-	-	-	-	6	7	9	19	21	24	12	13	20	10	12	6	2	-	-	-	1
	White——M—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	111	-	-	-	-	-	-	-	-	-	4	4	7	15	10	17	8	7	18	6	8	5	1	-	-	-	1
	All other—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	47	-	-	-	-	-	-	-	-	-	2	2	2	4	10	6	4	6	2	3	4	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	663	2	-	1	-	2	6	4	4	10	10	11	12	35	48	69	86	89	85	77	57	32	16	4	1	-	2
	White——M—	384	1	-	-	-	1	2	1	2	3	4	6	5	14	21	33	55	54	54	54	39	20	11	3	-	-	1
	F—	96	-	-	-	-	-	1	1	1	1	2	-	1	3	8	9	12	10	16	11	8	7	5	-	-	-	-
	All other—M—	131	-	-	-	-	-	2	-	1	3	3	2	3	12	15	17	12	22	14	10	8	4	-	1	1	-	1
	F—	52	1	-	1	-	1	1	2	-	3	1	3	3	6	4	10	7	3	1	2	2	1	-	-	-	-	-
58	Acute rheumatic fever	28	-	-	1	1	-	5	5	1	4	1	1	1	-	1	-	2	-	2	-	1	1	-	1	-	-	-
	White——M—	5	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-
	All other—M—	8	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F—	9	-	-	1	1	-	1	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	377	-	-	-	-	-	1	2	6	2	3	3	10	15	25	32	51	66	57	55	29	13	7	-	-	-	-
	White——M—	81	-	-	-	-	-	-	1	2	-	1	2	1	-	8	6	9	10	13	15	7	4	2	-	-	-	-
	F—	202	-	-	-	-	-	-	-	1	2	1	1	2	4	7	13	27	43	37	34	19	7	4	-	-	-	-
	All other—M—	28	-	-	-	-	-	-	-	2	-	-	-	1	4	4	3	5	4	3	-	2	-	-	-	-	-	-
	F—	66	-	-	-	-	-	1	1	1	-	1	-	6	7	6	10	10	9	4	6	1	2	1	-	-	-	-
63b	Exophthalmic goiter	39	-	-	-	-	-	-	-	2	1	1	-	5	1	3	7	8	4	6	1	-	-	-	-	-	-	-
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	17	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	4	2	5	1	-	-	-	-	-	-	-
	All other—M—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F—	17	-	-	-	-	-	-	-	1	1	-	-	2	1	2	5	2	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	67	1	1	-	-	-	-	-	2	-	1	4	5	2	7	5	5	8	7	8	4	2	1	2	2	-	-
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	15	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	2	3	2	2	-	-	-	-	-
	All other—M—	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	1	-	-	1	-	-	-	-
	F—	42	1	1	-	-	-	-	-	1	-	1	4	3	2	6	3	5	4	3	3	1	-	1	1	2	-	-
77	Alcoholism (ethylism)	23	-	-	-	-	-	-	-	1	-	1	2	3	4	2	6	3	-	-	-	-	1	-	-	-	-	-
	White——M—	19	-	-	-	-	-	-	-	1	-	1	2	3	2	2	5	3	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,806	5	-	-	-	1	-	1	4	8	9	28	39	58	107	183	199	177	256	193	150	95	57	23	6	-	7
	White——M—	430	2	-	-	-	-	-	-	3	-	1	5	9	14	18	34	58	56	71	70	41	32	13	4	-	-	1
	F—	369	2	-	-	-	-	-	-	-	3	3	2	6	8	13	36	32	42	59	54	46	35	19	6	2	-	1
	All other—M—	381	1	-	-	-	1	-	-	1	2	3	7	8	12	37	60	47	37	64	36	29	14	12	7	1	-	2
	F—	426	-	-	-	-	-	-	1	-	3	2	14	16	24	41	53	62	42	62	33	34	14	13	6	3	-	3
80-82, 84-88	Other diseases of nervous system, etc.*	218	28	7	3	5	2	8	10	9	10	9	17	17	17	15	8	16	13	6	9	5	2	1	1	-	-	-
	White——M—	68	5	-	3	1	-	2	3	6	3	3	7	5	3	4	2	5	5	1	5	2	1	1	1	-	-	-
	F—	61	5	5	-	2	1	3	1	1	1	1	5	3	7	5	1	7	2	4	3	3	1	-	-	-	-	-
	All other—M—	46	8	2	-	-	-	2	3	1	2	4	2	6	3	4	2	3	4	-	-	-	-	-	-	-	-	-
	F—	43	10	-	-	2	1	1	3	1	4	1	3	3	4	2	3	1	2	1	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	121	27	8	4	5	4	11	5	5	9	5	3	3	6	7	2	1	3	1	6	4	-	1	-	-	-	1
	White——M—	42	4	5	4	1	1	6	2	3	1	2	1	2	2	2	1	-	-	-	4	1	-	-	-	-	-	-
	F—	18	4	1	-	1	1	2	-	1	-	1	-	-	1	2	-	-	2	-	1	1	-	-	-	-	-	-
	All other—M—	37	11	-	-	2	1	1	1	1	7	2	1	1	2	2	-	-	1	-	-	2	-	1	-	-	-	1
	F—	24	8	2	-	1	1	2	2	-	1	-	1	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	413	1	-	-	-	1	9	7	11	11	13	12	11	20	35	30	44	35	48	48	29	15	17	12	1	2	1
	White——M—	101	-	-	-	-	-	2	-	2	4	3	1	2	4	9	4	5	12	13	20	10	5	4	1	-	-	-
	F—	89	-	-	-	-	-	1	1	3	1	3	5	3	2	6	5	8	5	11	11	10	4	7	3	-	-	-
	All other—M—	95	-	-	-	-	1	2	3	1	3	3	2	4	7	7	7	15	7	15	6	3	2	3	1	1	1	1
	F—	128	1	-	-	-	-	4	3	5	3	4	4	2	7	13	14	16	11	9	11	6	4	3	7	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,205	-	-	-	-	-	-	-	4	3	8	15	35	60	110	137	175	172	193	128	90	44	14	6	5	4	2
	White——M—	676	-	-	-	-	-	-	-	1	-	5	6	14	33	68	71	112	99	118	62	55	24	3	-	2	1	2
	F—	231	-	-	-	-	-	-	-	-	-	-	2	1	8	12	19	23	34	44	39	23	15	6	4	1	-	-
	All other—M—	155	-	-	-	-	-	-	-	-	1	2	5	9	10	11	30	25	20	18	12	5	3	1	1	1	1	-
	F—	143	-	-	-	-	-	-	-	3	2	1	2	11	9	19	17	15	19	13	15	7	2	4	1	1	2	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,284	6	1	-	2	-	8	10	18	16	29	50	93	161	237	338	373	496	626	588	507	361	235	82	29	8	10
	White——M—	1,373	-	-	-	1	-	2	1	2	3	5	11	20	42	55	99	124	178	210	219	183	120	69	23	3	-	3
	F—	1,075	2	-	-	-	-	1	2	3	2	6	6	5	15	32	49	59	108	149	169	175	155	99	27	8	1	2
	All other—M—	924	1	1	-	-	-	2	2	5	5	7	15	33	37	82	105	97	102	147	105	80	51	28	8	7	1	3
	F—	912	3	-	-	1	-	3	5	8	6	11	18	35	67	68	85	93	108	120	95	69	35	39	24	11	6	2
107-109	Pneumonia (all forms)	1,450	516	61	35	10	7	14	14	18	29	33	43	37	54	50	73	69	55	83	76	50	69	33	11	5	3	2
	White——M—	422	127	16	8	2	3	-	5	1	7	10	9	10	9	12	20	24	22	34	34	28	23	14	2	-	1	1
	F—	291	86	16	5	1	-	6	2	3	6	4	3	5	16	5	11	6	11	22	20	10	30	13	8	2	-	-
	All other—M—	417	170	15	15	5	4	5	3	5	5	11	18	9	14	22	27	25	12	15	15	6	7	6	1	2	-	-
	F—	320	133	14	7	2	-	3	4	9	11	8	13	13	15	11	15	14	10	12	7	6	9	-	-	1	2	1
117	Ulcer of stomach or duodenum	98	1	-	-	1	-	-	-	2	2	4	4	11	10	12	9	7	14	10	6	4	1	-	-	-	-	-
	White——M—	55	1	-	-	-	-	-	-	-	2	1	4	5	7	8	6	3	8	5	2	3	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	1	-	-	-	-	-	-
	All other—M—	23	-	-	-	-	-	-	-	2	-	2	-	4	2	3	1	3	3	-	2	-	1	-	-	-	-	-
	F—	10	-	-	-	1	-	-	-	-	-	1	-	1	1	1	2	-	2	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																											
119,120	Diarrhea, enteritis, etc.*	313	200	33	12	2	3	6	2	-	1	3	1	2	8	4	3	3	6	4	6	4	5	2	-	1	1	1
	White—M	60	42	4	1	-	-	3	-	-	1	-	-	1	3	-	1	1	-	-	2	-	1	-	-	-	-	-
	F	55	26	5	3	-	1	1	-	-	-	1	-	1	2	3	1	-	1	1	3	1	3	1	-	-	-	1
	All other—M	105	69	14	6	1	1	-	-	-	-	1	-	-	2	-	1	2	2	1	1	2	1	1	-	-	-	-
	F	93	63	10	2	1	1	2	2	-	-	1	1	-	1	1	-	-	3	2	-	1	-	-	-	1	1	-
121	Appendicitis	199	-	-	2	4	4	15	16	24	15	7	15	13	10	8	11	11	11	14	6	10	2	-	-	-	-	1
	White—M	83	-	-	-	4	2	6	6	8	6	3	6	6	6	2	6	5	4	7	1	3	1	-	-	-	-	1
	F	59	-	-	-	-	2	5	3	9	4	1	3	1	2	5	1	2	5	4	5	6	1	-	-	-	-	-
	All other—M	26	-	-	-	-	-	1	1	5	1	2	3	4	2	-	2	1	1	2	-	1	-	-	-	-	-	-
	F	31	-	-	2	-	-	3	6	2	4	1	3	2	-	1	2	3	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	212	24	3	2	-	-	3	2	4	3	8	12	10	12	19	23	7	18	17	16	13	7	7	2	-	-	-
	White—M	65	10	-	1	-	-	2	2	1	2	-	-	4	5	4	5	2	3	7	5	6	2	4	-	-	-	-
	F	58	7	-	-	-	-	-	-	-	-	2	2	5	1	8	4	4	5	2	5	6	4	1	2	-	-	-
	All other—M	51	3	2	-	-	-	1	-	3	1	2	3	-	2	4	8	-	9	7	4	1	-	1	-	-	-	-
	F	38	4	1	1	-	-	-	-	-	-	4	7	1	4	3	6	1	1	1	2	-	1	1	-	-	-	-
124	Cirrhosis of the liver	184	3	1	-	-	-	-	-	1	2	8	4	8	17	21	14	21	28	16	18	11	5	3	-	1	-	2
	White—M	95	1	-	-	-	-	-	-	-	1	1	2	6	10	16	6	11	15	6	12	6	2	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	1	1	5	4	4	4	5	7	3	2	1	2	-	-	-	1
	All other—M	33	2	-	-	-	-	-	-	1	1	3	1	1	-	1	2	5	7	1	2	3	1	1	-	-	-	1
	F	15	-	1	-	-	-	-	-	-	-	3	-	-	2	-	2	1	1	2	1	-	1	-	-	1	-	-
126,127	Biliary calculi, etc.*	77	1	-	-	-	-	-	-	-	-	4	-	3	5	8	10	8	7	7	12	7	3	2	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	2	4	3	2	2	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	4	4	5	6	4	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	3	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,054	10	2	-	1	2	4	12	10	12	25	47	64	82	132	164	180	203	295	252	213	163	110	41	19	9	2
	White—M	562	2	1	-	1	-	2	2	4	-	7	6	14	15	26	44	41	69	82	81	60	47	45	9	4	-	-
	F	482	2	-	-	-	-	1	3	3	5	2	7	16	15	20	24	33	36	74	70	71	60	29	6	3	1	1
	All other—M	509	4	1	-	-	1	-	3	2	1	8	12	7	23	43	36	62	53	82	63	44	28	17	10	5	3	1
	F	501	2	-	-	-	1	1	4	1	6	8	22	27	29	43	60	44	45	57	38	38	28	19	16	7	5	-
137	Diseases of the prostate	101	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	14	19	18	24	10	4	3	1	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	8	14	8	4	2	-	-	-
	All other—M	53	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	11	11	10	10	2	-	1	1	-	-
140, 142a, 147	Puerperal septicemia	94	-	-	-	-	-	-	-	15	18	17	21	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	-	5	6	8	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	63	-	-	-	-	-	-	-	10	12	9	15	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	60	-	-	-	-	-	-	-	13	18	7	8	6	5	1	-	-	-	-	-	-	-	-	-	-	-	2
	White—F	30	-	-	-	-	-	-	-	6	9	3	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	30	-	-	-	-	-	-	-	7	9	4	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	2
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	82	-	-	-	-	-	-	-	7	19	15	18	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	-	-	-	-	-	-	-	-	7	7	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	52	-	-	-	-	-	-	-	7	12	8	10	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	210	177	9	4	1	2	4	4	4	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	67	54	5	1	-	-	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	70	61	1	3	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	44	37	3	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	25	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	961	961	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	271	271	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	204	204	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	250	250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	236	236	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	181	-	-	-	-	-	-	1	3	15	15	23	24	16	25	13	14	16	10	3	1	2	-	-	-	-	-
	White—M	119	-	-	-	-	-	-	-	-	9	8	14	15	12	16	12	9	11	7	3	1	2	-	-	-	-	-
	F	38	-	-	-	-	-	-	1	3	3	3	3	6	3	6	1	2	4	3	-	-	-	-	-	-	-	-
	All other—M	23	-	-	-	-	-	-	-	-	3	4	6	3	1	2	-	3	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	253	-	1	-	-	1	-	2	25	39	52	35	32	15	14	17	9	4	4	2	-	-	-	-	-	-	1
	White—M	48	-	-	-	-	-	-	1	4	2	4	5	6	6	2	9	5	2	-	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	161	-	1	-	-	-	-	1	16	27	38	24	21	8	9	6	4	1	4	-	-	-	-	-	-	-	1
	F	37	-	-	-	-	-	-	-	5	10	9	5	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	620	4	2	5	4	4	27	30	68	100	65	50	38	24	38	23	24	25	36	23	16	8	4	-	1	-	1
	White—M	332	1	1	1	2	2	8	16	32	68	43	24	16	11	22	12	13	15	18	13	8	3	3	-	-	-	-
	F	94	-	1	2	1	-	8	5	16	8	6	7	9	2	5	3	3	3	5	5	3	2	-	-	-	-	-
	All other—M	156	2	-	2	1	-	5	9	17	18	14	18	10	10	9	6	7	5	10	5	4	2	-	-	1	-	1
	F	38	1	-	-	-	2	6	-	3	6	2	1	3	1	2	2	1	2	3	-	1	1	1	-	-	-	-
169, 171-195	Other accidents	1,011	69	38	24	15	11	33	57	79	100	65	56	60	49	41	47	34	38	38	35	35	45	24	12	2	1	3
	White—M	440	14	13	11	7	3	9	22	36	57	39	31	31	27	18	20	16	22	15	17	8	13	7	2	1	-	1
	F	184	9	11	7	4	2	8	7	6	5	4	3	7	4	5	2	3	5	10	15	23	24	16	3	1	-	-
	All other—M	275	22	4	2	1	3	9	23	32	29	21	20	22	12	16	22	12	8	6	1	1	3	1	3	-	-	2
	F	112	24	10	4	3	3	7	5	5	9	1	2	-	6	2	3	3	3	7	2	3	5	-	4	-	1	-
	All other causes*	2,510	790	42	19	9	14	31	25	38	47	62	79	119	105	109	121	116	107	118	120	128	100	105	59	26	18	3
	White—M	710	211	9	7	2	5	13	9	10	11	16	12	27	27	34	35	47	32	44	35	42	34	27	16	1	2	2
	F	566	153	7	6	2	1	7	8	6	11	13	24	23	20	26	27	18	26	26	34	36	34	37	14	7	-	-
	All other—M	649	257	17	4	3	3	3	4	9	10	12	18	24	22	18	32	38	24	28	30	31	16	23	13	5	6	1
	F	585	169	9	2	2	5	8	4	13	15	21	27	45	36	31	27	13	25	20	21	19	16	18	16	13	10	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	All causes	10,468	818	65	26	27	24	67	75	112	153	125	148	174	259	357	472	673	887	1,143	1,400	1,334	1,146	666	247	62	6	2
	White—M	5,716	467	32	15	17	10	33	53	76	87	57	83	87	135	198	276	385	535	668	766	714	590	309	98	22	1	2
	F	4,718	348	32	11	9	14	33	22	35	65	68	64	86	121	158	196	284	349	470	629	620	553	357	149	40	5	-
	All other—M	21	1	1	-	1	-	1	-	1	-	-	1	-	-	1	-	3	2	3	3	-	3	-	-	-	-	-
	F	13	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	1	1	2	2	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	3	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	18	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	4	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	225	1	3	-	-	-	-	2	10	23	16	19	20	15	22	18	18	25	13	12	4	4	-	-	-	-	-
	White—M	138	1	1	-	-	-	-	1	1	12	9	14	7	8	16	15	16	19	8	4	4	2	-	-	-	-	-
	F	84	-	2	-	-	-	-	1	8	11	7	5	13	7	6	3	2	6	4	7	-	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	29	-	1	1	-	1	5	1	2	1	1	3	-	1	3	1	3	1	1	2	-	1	-	-	-	-	-
	White—M	13	-	-	1	-	-	2	1	-	-	-	1	-	-	1	1	2	1	1	2	-	-	-	-	-	-	-
	F	16	-	1	-	-	1	3	-	2	1	1	2	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	59	4	-	-	-	-	1	-	1	-	1	3	6	1	10	6	5	7	8	5	1	-	-	-	-	-	-
	White—M	38	1	-	-	-	-	-	-	1	-	1	2	3	-	6	4	5	5	7	3	-	-	-	-	-	-	-
	F	20	2	-	-	-	-	1	-	-	-	-	1	3	1	4	2	-	2	1	2	1	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	180	27	4	2	2	1	1	2	2	1	3	1	2	-	3	5	7	13	7	13	17	22	18	5	1	1	-
	White—M	87	17	1	2	2	-	1	-	2	-	1	1	1	-	1	2	5	10	4	9	6	9	12	-	1	-	-
	F	73	10	3	-	-	1	-	2	-	1	2	-	1	-	2	3	2	3	3	4	11	13	6	5	-	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	17	6	3	2	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	7	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	3	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	629	-	-	-	-	-	-	-	-	-	1	6	4	13	18	35	56	93	90	110	95	76	25	6	1	-	-
	White—M	315	-	-	-	-	-	-	-	-	-	-	3	3	7	6	13	23	58	48	51	53	39	11	-	-	-	-
	F	314	-	-	-	-	-	-	-	-	-	1	3	1	6	12	22	33	35	42	59	42	37	14	6	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	177	-	-	-	-	-	-	-	-	1	3	4	9	24	16	18	23	17	22	21	13	5	1	-	-	-	-
	White—F	177	-	-	-	-	-	-	-	-	1	3	4	9	24	16	18	23	17	22	21	13	5	1	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
50	Cancer of breast	140	-	-	-	-	-	-	-	-	-	-	1	5	9	11	23	18	14	15	20	8	12	4	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	139	-	-	-	-	-	-	-	-	-	-	1	5	9	11	23	18	14	15	19	8	12	4	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	377	-	1	2	-	-	2	1	3	2	7	4	4	10	10	23	36	34	63	58	58	38	15	6	-	-	-
	White—M	266	-	-	2	-	-	-	1	2	1	4	4	3	4	7	16	22	24	50	44	39	31	9	3	-	-	-
	F	111	-	1	-	-	-	2	-	1	1	3	-	1	6	3	7	14	10	13	14	19	7	6	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	15	1	-	-	-	1	1	2	3	1	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	1	1	1	2	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	268	-	1	-	-	-	-	2	5	3	4	2	-	7	9	5	22	31	44	53	52	23	5	-	-	-	-
	White—M	106	-	-	-	-	-	-	1	2	2	2	-	-	2	5	1	6	12	15	18	25	12	3	-	-	-	-
	F	162	-	1	-	-	-	-	1	3	1	2	2	-	5	4	4	16	19	29	35	27	11	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	2	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	15	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	2	1	1	-	-	1	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	2	1	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,074	1	1	-	-	-	-	-	-	2	-	-	5	9	20	37	71	91	155	212	206	150	92	18	4	-	-
	White—M	522	-	-	-	-	-	-	-	-	2	-	-	2	3	8	18	39	48	78	102	100	80	37	4	1	-	-
	F	551	1	1	-	-	-	-	-	-	-	-	-	3	6	12	19	31	43	77	110	106	70	55	14	3	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	83	12	1	-	-	1	4	2	1	5	3	7	4	6	4	-	4	9	7	7	3	3	-	-	-	-	-
	White—M	52	8	1	-	-	1	2	1	1	1	2	3	4	4	3	-	1	6	6	4	2	2	-	-	-	-	-
	F	30	4	-	-	-	-	2	1	-	4	1	4	-	2	1	-	2	3	1	3	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	44	9	1	-	-	1	2	4	4	2	3	-	1	-	-	-	1	3	3	1	3	4	1	-	1	-	-
	White—M	23	6	1	-	-	-	1	3	3	1	1	-	1	-	-	-	-	1	1	-	1	2	1	-	-	-	-
	F	20	3	-	-	-	1	1	1	1	1	2	-	-	-	-	-	1	2	1	1	2	2	-	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	175	-	-	-	-	-	1	-	4	1	3	4	3	9	7	5	13	12	19	22	28	26	11	7	-	-	-
	White—M	102	-	-	-	-	-	1	-	2	1	1	2	2	4	4	3	11	7	11	12	17	18	2	4	-	-	-
	F	73	-	-	-	-	-	-	-	2	-	2	2	1	5	3	2	2	5	8	10	11	8	9	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,106	-	-	-	-	-	-	-	1	-	2	1	17	23	54	86	111	155	184	188	135	83	45	14	6	-	1
	White—M	760	-	-	-	-	-	-	-	1	-	-	-	15	21	43	78	87	112	128	119	74	50	19	8	4	-	1
	F	342	-	-	-	-	-	-	-	-	-	2	1	2	2	11	8	24	41	56	68	61	32	26	6	2	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,813	1	-	-	1	-	1	-	4	5	4	8	4	23	39	68	97	146	212	299	306	315	196	68	16	2	-
	White—M	975	1	-	-	1	-	1	-	2	4	3	5	1	13	19	43	54	85	131	167	158	161	88	32	6	-	-
	F	836	-	-	-	-	-	-	-	2	1	1	3	2	10	20	25	43	60	81	132	148	154	108	34	10	2	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	438	88	11	1	1	-	4	5	2	2	5	7	6	7	12	16	20	23	41	39	46	54	29	15	3	1	-
	White—M	237	50	5	-	1	-	1	3	1	-	3	5	4	4	9	10	9	17	21	22	24	28	14	5	-	1	-
	F	198	37	6	1	-	-	3	2	1	2	2	2	2	3	3	6	11	6	19	16	22	26	15	10	3	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	50	-	-	-	-	-	-	-	-	1	-	1	3	4	1	5	5	8	3	8	7	3	1	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	1	-	-	1	4	1	4	1	8	2	7	6	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	4	-	1	1	1	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
119,120	Diarrhea, enteritis, etc.*	65	48	4	-	-	1	1	-	1	2	-	-	-	-	-	-	1	-	-	2	2	-	3	-	-	-	-
	White—M	41	31	2	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	F	24	17	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	83	-	1	3	4	1	6	11	8	4	1	2	5	6	3	5	2	6	6	7	1	1	-	-	-	-	-
	White—M	56	-	-	2	2	-	2	8	6	4	-	2	4	3	2	5	2	3	4	5	1	1	-	-	-	-	-
	F	26	-	1	1	2	1	4	3	2	-	1	-	1	2	1	-	-	3	2	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	84	4	1	-	-	-	-	-	1	3	7	1	2	3	2	4	5	10	5	14	6	9	5	1	1	-	-
	White—M	45	3	1	-	-	-	-	-	1	1	1	1	-	2	2	3	3	5	2	9	3	3	4	1	-	-	-
	F	39	1	-	-	-	-	-	-	-	2	6	-	2	1	-	1	2	5	3	5	3	6	1	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	56	-	-	-	-	-	-	-	-	-	-	1	2	4	7	3	4	8	10	8	3	5	1	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	2	7	6	6	1	2	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2	1	4	2	2	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	64	-	-	-	-	-	-	-	-	-	2	1	2	2	3	9	6	4	10	14	4	4	2	1	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	3	8	1	-	1	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	2	1	2	2	3	5	5	2	7	6	3	4	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	765	-	-	2	-	2	-	3	3	9	3	2	8	16	20	34	39	68	95	120	140	111	54	30	5	1	-
	White—M	404	-	-	1	-	1	-	2	3	4	1	-	1	8	7	16	29	35	51	70	83	52	31	8	1	-	-
	F	359	-	-	1	-	1	-	1	-	5	2	2	7	8	13	18	10	33	44	49	57	58	23	22	4	1	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	11	14	18	10	5	-	1	-	-
	White—M	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	10	14	18	10	5	-	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	20	-	-	-	-	-	-	-	-	2	4	3	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	-	2	4	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	10	-	-	-	-	-	-	-	1	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	19	-	-	-	-	-	-	-	-	7	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	-	7	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	121	108	2	1	1	1	1	-	2	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	59	56	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	62	52	2	1	-	1	1	-	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Prematurs birth	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	111	-	-	-	-	-	-	2	3	12	7	5	6	9	14	9	11	7	7	5	8	4	1	-	-	-	1
	White—M	89	-	-	-	-	-	-	2	2	8	4	4	4	8	13	7	9	5	6	5	8	4	1	-	-	-	1
	F	22	-	-	-	-	-	-	-	1	4	3	1	2	1	1	2	2	2	1	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	211	1	4	-	4	3	18	10	19	23	12	12	7	7	9	8	19	12	11	16	8	5	2	1	-	-	-
	White—M	147	1	3	-	2	1	9	7	15	19	9	10	5	6	7	5	11	9	7	12	7	1	1	-	-	-	-
	F	60	-	1	-	1	2	9	3	4	4	3	2	2	1	1	3	7	3	3	4	1	4	1	1	-	-	-
	All other—M	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	449	23	9	10	4	3	11	18	20	22	15	24	19	20	20	12	24	18	31	26	42	32	26	17	3	-	-
	White—M	305	12	8	4	4	2	8	17	19	17	11	20	14	19	17	11	21	13	24	17	19	16	9	3	-	-	-
	F	141	11	1	6	-	1	2	1	1	5	4	3	5	1	3	1	2	5	7	9	23	16	17	14	3	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,169	245	13	1	5	4	5	8	9	11	11	12	13	23	33	30	43	65	66	104	118	145	124	60	20	1	-
	White—M	606	145	6	1	1	3	3	3	7	4	3	4	6	9	16	14	20	38	43	56	63	65	58	30	8	-	-
	F	560	100	6	-	4	1	2	5	2	7	8	8	7	14	17	16	23	27	23	47	55	79	66	30	12	1	-
	All other—M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	All causes	21,998	1,927	183	66	70	53	161	133	333	402	515	551	689	906	1,204	1,553	1,760	2,023	2,387	2,316	2,053	1,562	786	263	62	14	26
	White—M	9,254	673	54	21	24	16	72	40	102	128	169	183	262	349	523	682	866	1,004	1,099	1,048	880	635	319	79	14	4	8
	F	7,607	549	55	18	29	16	46	43	73	83	133	140	166	203	304	402	492	634	852	977	985	812	409	148	33	1	4
	All other—M	2,874	398	38	16	11	9	21	29	67	103	132	135	167	205	229	275	219	202	248	155	100	57	23	15	5	6	9
	F	2,263	307	36	11	8	12	22	21	91	88	81	93	94	149	148	194	183	183	188	136	88	58	35	21	10	3	5
1,2	Typhoid, paratyphoid fever	22	-	1	-	1	1	1	3	2	2	2	3	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	1	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	1	1	-	-	-	-	-	2	3	2	3	2	1	2	1	-	-	2	-	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	3	-	2	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	77	50	21	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	11	7	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	29	21	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	-	-	-	2	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,214	11	8	2	1	1	9	12	91	123	130	129	116	115	97	106	88	66	59	24	16	6	2	1	-	-	1
	White—M	410	1	-	-	-	-	2	1	6	10	22	27	42	47	51	53	53	38	33	12	8	4	-	-	-	-	-
	F	215	-	2	-	1	-	-	1	11	23	36	28	17	16	9	6	16	17	17	5	6	2	-	1	-	-	1
	All other—M	363	4	4	-	-	1	4	3	24	42	38	59	39	44	33	33	15	7	6	5	-	-	2	-	-	-	-
	F	226	6	2	2	-	-	3	7	50	48	34	15	18	8	4	14	4	4	3	2	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	92	5	9	2	2	4	7	4	12	8	6	4	7	4	3	1	7	3	3	-	-	1	-	-	-	-	-
	White—M	15	3	-	-	-	-	2	-	-	-	-	-	2	-	1	-	4	1	1	-	-	1	-	-	-	-	-
	F	16	1	1	-	-	2	-	-	1	-	-	1	3	1	1	-	2	1	2	-	-	-	-	-	-	-	-
	All other—M	30	-	4	2	-	1	2	1	6	5	2	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	31	1	4	-	2	1	3	3	5	3	4	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	41	28	3	1	-	1	-	-	1	-	-	-	-	1	-	-	2	1	1	1	-	1	-	-	-	-	-
	White—M	16	10	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	10	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	367	16	2	1	1	-	-	-	3	3	15	11	39	43	50	55	45	38	21	11	9	3	1	-	-	-	-
	White—M	112	2	-	-	-	-	-	-	-	1	-	3	17	7	16	17	15	17	7	6	4	-	-	-	-	-	-
	F	34	3	-	-	-	-	-	-	-	-	1	-	1	2	8	6	2	4	3	1	1	2	-	-	-	-	-
	All other—M	161	8	1	-	-	-	-	-	1	1	9	4	16	24	18	27	23	11	9	3	4	1	1	-	-	-	-
	F	60	3	1	1	1	-	-	-	2	1	5	4	5	10	8	5	5	6	2	1	-	-	-	-	-	-	-
33	Influenza	177	29	10	5	2	1	1	1	3	4	4	6	3	7	7	13	11	12	12	8	12	10	13	1	2	-	-
	White—M	59	9	3	2	-	1	1	-	1	-	-	3	-	1	3	8	6	3	4	1	5	2	5	1	-	-	-
	F	59	11	5	3	1	-	-	-	1	1	-	-	1	1	2	1	1	1	6	6	3	6	8	-	1	-	-
	All other—M	26	4	2	-	1	-	-	-	-	3	3	-	-	2	1	1	1	4	-	1	2	-	-	-	1	-	-
	F	33	5	-	-	-	-	-	1	1	-	1	3	2	3	1	3	3	4	2	-	2	2	-	-	-	-	-
35	Measles	13	5	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	2	1	-	-	1	2	2	1	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	6	1	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,103	-	1	-	-	-	1	1	-	2	1	7	18	34	61	94	118	145	204	172	136	74	27	3	1	1	2
	White—M	516	-	1	-	-	-	1	1	-	1	1	3	4	16	24	40	67	81	105	76	56	29	9	1	-	-	-
	F	452	-	-	-	-	-	-	-	-	-	-	2	9	11	25	38	29	52	73	76	73	44	16	1	1	-	2
	All other—M	85	-	-	-	-	-	-	-	-	-	-	1	2	5	10	9	14	10	17	12	4	-	-	1	-	-	-
	F	50	-	-	-	-	-	-	-	-	1	-	1	3	2	2	7	8	2	9	8	3	1	2	-	-	1	-
48,49	Cancer of female genital organs	374	-	-	-	-	-	-	-	1	2	6	16	29	26	43	56	51	38	43	32	22	7	2	-	-	-	-
	White—F	302	-	-	-	-	-	-	-	-	-	4	11	23	22	33	44	45	31	32	29	20	6	2	-	-	-	-
	All other—F	72	-	-	-	-	-	-	-	1	2	2	5	6	4	10	12	6	7	11	3	2	1	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
50	Cancer of breast	267	-	-	-	-	-	-	-	-	-	1	4	5	20	25	39	29	31	29	40	28	11	4	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	235	-	-	-	-	-	-	-	-	-	1	2	2	18	21	35	25	26	26	38	27	11	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	2	3	2	4	4	4	5	3	2	1	-	-	-	-	-	1
45,47, 51-55	Cancer (other sites)	805	1	3	2	-	1	1	7	9	5	8	8	15	24	51	94	91	96	100	128	75	55	25	5	1	-	-
	White—M	516	-	1	1	-	-	1	4	4	4	4	3	8	12	31	59	61	66	61	89	49	37	18	2	1	-	-
	F	187	1	2	-	-	1	-	2	4	1	4	2	6	6	12	16	15	17	23	29	21	15	7	3	-	-	-
	All other—M	73	-	-	1	-	-	-	-	1	-	-	1	1	5	5	17	7	11	10	6	5	3	-	-	-	-	-
	F	29	-	-	-	-	-	-	1	-	-	-	2	-	1	3	2	8	2	6	4	-	-	-	-	-	-	-
58	Acute rheumatic fever	26	-	-	-	1	-	3	4	6	1	4	3	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	579	2	-	-	-	-	2	3	-	4	3	5	6	14	26	45	67	89	111	92	74	26	8	2	-	-	-
	White—M	170	-	-	-	-	-	-	-	-	1	-	-	2	3	9	7	24	23	38	27	24	8	4	-	-	-	-
	F	352	-	-	-	-	-	2	2	-	3	2	4	1	4	14	26	40	54	66	62	48	18	4	2	-	-	-
	All other—M	18	2	-	-	-	-	-	1	-	-	1	-	-	3	1	3	-	1	4	1	1	-	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	1	3	4	2	9	3	11	3	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter	33	-	-	-	-	-	-	-	-	1	5	1	3	1	2	5	3	1	3	3	3	2	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	3	1	1	1	2	4	3	1	3	2	2	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	58	-	-	-	-	-	-	-	1	2	3	4	8	15	8	5	3	3	4	-	-	-	-	-	-	-	-
	White—M	40	-	-	-	-	-	-	-	1	1	2	3	4	12	4	3	3	3	4	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	1	1	1	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,693	5	4	-	2	-	1	3	1	4	5	17	16	42	88	118	148	195	249	253	240	181	89	22	7	1	2
	White—M	582	4	1	-	2	-	-	-	-	-	3	6	6	11	19	27	45	71	90	94	102	56	33	10	-	1	1
	F	713	1	3	-	-	-	-	3	-	3	-	5	4	8	19	37	50	81	101	118	113	107	45	10	5	-	-
	All other—M	190	-	-	-	-	-	-	-	1	-	1	2	3	9	22	30	26	22	27	21	10	9	6	1	-	-	-
	F	208	-	-	-	-	-	1	-	-	1	1	4	3	14	28	24	27	21	31	20	15	9	5	1	2	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	174	24	4	3	4	1	4	3	11	7	8	4	7	9	8	16	14	6	12	11	10	3	3	1	-	-	1
	White—M	70	10	-	1	2	-	2	2	4	4	2	-	1	6	4	6	6	4	4	6	2	1	2	1	-	-	-
	F	60	6	2	2	2	-	-	-	5	2	2	-	1	2	2	7	6	2	6	3	7	1	1	-	-	-	1
	All other—M	26	5	1	-	-	-	1	1	-	-	2	3	5	-	2	1	-	-	2	1	1	1	-	-	-	-	-
	F	18	3	1	-	-	1	1	-	2	1	2	1	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	73	17	2	-	1	2	5	1	8	2	4	1	6	4	4	4	5	2	-	3	1	-	1	-	-	-	-
	White—M	38	7	1	-	-	1	4	-	5	1	3	1	4	2	-	1	3	1	-	3	1	-	-	-	-	-	-
	F	17	3	1	-	1	-	1	1	1	-	1	-	1	1	1	1	2	1	-	-	-	-	1	-	-	-	-
	All other—M	8	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	-	-	-	1	-	-	2	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	434	-	-	-	-	-	5	14	9	13	20	21	28	20	43	28	28	44	47	39	37	20	14	3	1	-	-
	White—M	175	-	-	-	-	-	1	4	2	6	7	2	13	10	15	13	15	15	18	16	18	9	8	2	1	-	-
	F	160	-	-	-	-	-	1	4	4	6	9	10	9	7	18	11	5	18	11	17	13	11	5	1	-	-	-
	All other—M	46	-	-	-	-	-	2	4	2	-	3	5	1	2	4	2	3	4	8	2	3	-	1	-	-	-	-
	F	53	-	-	-	-	-	1	2	1	1	1	4	5	1	6	2	5	7	10	4	3	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,725	-	-	-	-	-	-	-	1	6	8	13	33	85	115	201	225	242	255	235	163	102	30	6	1	1	3
	White—M	1,115	-	-	-	-	-	-	-	1	3	3	8	24	57	83	148	155	167	162	140	92	58	12	-	1	-	1
	F	409	-	-	-	-	-	-	-	-	1	3	-	5	10	7	21	41	48	67	80	65	41	15	5	-	-	-
	All other—M	123	-	-	-	-	-	-	-	-	1	2	2	2	12	19	18	15	16	18	10	3	3	-	-	-	1	1
	F	78	-	-	-	-	-	-	-	-	1	-	3	2	6	6	14	14	11	8	5	3	-	3	1	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,058	5	2	-	-	-	6	2	6	9	16	24	43	92	182	227	310	438	564	633	598	505	280	101	24	5	6
	White—M	1,706	1	-	-	-	-	1	-	1	4	4	4	15	28	66	94	150	229	260	274	241	196	102	29	3	1	3
	F	1,650	1	2	-	-	-	2	1	2	1	4	7	8	19	40	56	87	124	200	282	305	271	163	58	17	-	-
	All other—M	350	3	-	-	-	-	2	1	1	3	6	4	7	23	27	39	37	39	61	40	28	16	3	4	1	3	2
	F	352	-	-	-	-	-	1	-	2	1	2	9	13	22	29	38	36	46	43	37	24	22	12	10	3	1	1
107-109	Pneumonia (all forms)	1,105	232	37	16	9	4	11	7	10	22	27	20	38	42	49	70	79	78	83	61	81	64	42	19	3	1	-
	White—M	416	67	11	4	3	1	4	1	3	4	4	9	14	10	17	38	34	31	39	28	41	26	20	5	1	1	-
	F	295	56	9	2	5	1	5	3	3	4	6	2	6	5	5	9	13	23	19	21	31	35	19	11	2	-	-
	All other—M	242	66	10	6	1	1	-	2	3	8	11	4	12	11	20	18	23	17	13	7	5	1	2	1	-	-	-
	F	152	43	7	4	-	1	2	1	1	6	6	5	6	16	7	5	9	7	12	5	4	2	1	2	-	-	-
117	Ulcer of stomach or duodenum	113	-	-	-	-	-	-	-	1	3	3	6	8	9	8	23	19	10	9	7	4	-	3	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	-	2	3	1	4	8	6	15	16	7	6	5	2	-	2	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	2	-	1	-	-	-	-
	All other—M	23	-	-	-	-	-	-	-	1	1	-	4	4	1	1	8	2	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
119,120	Diarrhea, enteritis, etc.*	382	315	26	2	5	2	3	1	1	1	2	4	2	2	2	4	2	2	1	2	1	1	-	1	-	-	-
	White—M	103	82	9	-	1	2	1	-	-	-	-	-	1	-	-	2	1	-	1	1	-	1	-	1	-	-	-
	F	91	76	5	2	-	-	-	-	1	-	-	2	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-
	All other—M	101	85	7	-	2	-	1	-	-	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	87	72	5	-	2	-	1	1	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	114	-	3	3	1	3	6	7	6	7	9	8	8	4	11	7	6	5	13	3	3	-	-	1	-	-	-
	White—M	53	-	3	2	-	-	3	3	3	4	4	4	4	2	6	4	3	1	5	-	1	-	-	1	-	-	-
	F	40	-	-	1	-	3	3	1	1	-	1	3	2	-	4	3	2	3	8	3	2	-	-	-	-	-	-
	All other—M	14	-	-	-	1	-	-	3	-	3	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	176	17	-	1	1	1	2	-	3	2	6	5	6	11	13	15	9	19	19	14	14	13	4	1	-	-	-
	White—M	68	9	-	-	-	-	2	-	-	-	3	3	2	3	4	4	1	8	8	5	7	5	3	1	-	-	-
	F	67	4	-	-	1	-	-	-	3	-	1	1	2	2	4	4	5	8	10	7	7	7	1	-	-	-	-
	All other—M	29	1	-	1	-	1	-	-	-	2	2	1	2	3	4	6	-	2	1	2	-	1	-	-	-	-	-
	F	12	3	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	148	-	-	1	-	-	-	-	-	-	-	8	8	17	22	17	25	16	11	7	8	5	2	1	-	-	-
	White—M	89	-	-	-	-	-	-	-	-	-	-	4	3	11	17	10	15	10	10	3	2	3	1	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	2	3	3	3	4	8	3	-	2	6	2	1	1	-	-	-
	All other—M	15	-	-	1	-	-	-	-	-	-	-	1	2	1	2	2	1	3	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	103	-	2	-	-	-	-	-	1	-	2	4	5	2	7	7	12	10	23	12	9	5	1	1	-	-	-
	White—M	38	-	-	-	-	-	-	-	1	-	-	2	4	-	3	2	5	3	8	3	3	3	1	-	-	-	-
	F	59	-	1	-	-	-	-	-	-	-	2	2	1	1	3	5	6	6	14	9	6	2	-	1	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,170	4	-	-	-	1	1	2	9	7	22	26	38	73	107	128	174	224	285	311	308	260	131	43	13	2	3
	White—M	847	1	-	-	-	-	1	-	1	2	7	10	12	20	44	41	68	98	110	138	128	93	55	12	4	1	1
	F	802	2	-	-	-	-	-	1	3	4	6	5	11	17	23	29	47	64	103	113	147	134	63	26	4	-	-
	All other—M	250	-	-	-	-	-	-	-	1	-	5	5	7	13	22	25	28	31	42	24	16	16	7	2	3	1	2
	F	271	1	-	-	-	1	-	1	4	1	4	6	8	23	18	33	31	31	30	36	15	17	6	3	2	-	-
137	Diseases of the prostate	118	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	7	18	21	19	19	21	5	2	-	-	-
	White—M	100	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	15	18	17	15	21	5	2	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	3	2	4	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	36	-	-	-	-	-	-	-	6	6	6	6	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	2	6	5	5	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	4	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	19	-	-	-	-	-	-	-	5	2	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	-	1	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	42	-	-	-	-	-	-	-	4	9	6	12	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	-	-	-	-	-	-	-	4	4	4	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	-	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	227	188	11	2	1	1	7	2	2	1	2	4	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	98	80	3	2	-	1	4	1	1	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	99	84	7	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	18	15	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	9	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	551	551	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	239	-	-	-	-	-	-	1	5	13	28	26	20	26	21	18	27	23	11	10	3	5	1	1	-	-	-
	White—M	151	-	-	-	-	-	-	-	2	10	13	19	11	10	16	12	18	17	8	8	1	4	1	1	-	-	-
	F	66	-	-	-	-	-	-	1	3	2	9	6	6	11	4	6	7	5	1	2	2	1	-	-	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	1	5	1	3	5	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
165-168	Homicide	139	1	-	-	1	-	1	-	9	24	25	18	26	11	8	8	-	3	3	1	-	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	2	5	3	2	3	1	4	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	85	-	-	-	-	-	1	-	4	14	14	11	19	6	7	4	-	3	2	-	-	-	-	-	-	-	-
	F	26	1	-	-	-	-	-	-	5	7	5	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	564	4	1	4	4	4	36	15	38	51	54	40	45	31	31	27	43	37	43	25	18	8	-	1	1	-	3
	White—M	350	2	-	2	-	2	20	8	25	38	35	25	22	20	18	19	30	27	27	14	8	6	-	1	-	-	1
	F	115	2	1	2	4	1	12	5	9	9	11	6	3	4	7	4	5	3	12	8	6	1	-	-	-	-	-
	All other—M	82	-	-	-	-	1	2	1	3	4	7	6	18	7	4	4	7	6	4	3	3	-	-	-	-	-	2
	F	17	-	-	-	-	-	2	1	1	-	1	3	2	-	2	-	1	1	-	-	1	1	-	-	1	-	-
169, 171-195	Other accidents	857	48	10	15	18	13	27	25	46	28	38	38	37	52	54	41	47	48	49	56	54	64	31	13	3	-	2
	White—M	443	14	4	6	10	6	13	11	28	17	24	21	24	32	35	22	29	29	21	30	25	26	12	2	1	-	1
	F	234	16	2	2	6	3	9	6	5	3	3	5	2	3	7	5	10	12	19	24	24	37	19	10	2	-	-
	All other—M	133	10	1	4	2	1	5	7	13	7	10	8	11	13	9	11	3	6	5	2	3	1	-	-	-	-	1
	F	47	8	3	3	-	3	-	1	-	1	1	4	-	4	3	3	5	1	4	-	2	-	-	1	-	-	-
	All other causes*	1,443	366	19	5	9	4	11	12	19	25	28	36	38	58	74	74	63	78	94	103	107	109	67	34	5	3	2
	White—M	593	144	10	-	5	1	6	3	9	9	14	12	10	18	28	31	33	38	50	49	44	45	25	7	2	-	-
	F	497	97	3	3	2	2	4	6	5	5	9	11	17	19	28	23	18	24	24	39	47	56	35	18	1	1	-
	All other—M	180	66	-	1	1	1	1	3	2	6	2	5	4	10	12	9	7	5	12	11	8	5	1	6	-	1	1
	F	173	59	6	1	1	-	-	-	3	5	3	8	7	11	6	11	5	11	8	4	8	3	6	3	2	1	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	All causes	50,598	2,464	168	118	85	95	222	228	430	557	629	782	1,014	1,584	2,362	3,300	4,052	5,104	6,296	6,693	6,109	4,710	2,444	884	189	34	45
	White—M	26,084	1,412	92	61	47	50	132	146	252	314	314	407	570	862	1,353	1,943	2,372	2,853	3,264	3,393	2,871	2,027	941	313	54	7	34
	F	23,646	992	71	56	34	45	87	78	156	216	288	349	414	663	952	1,286	1,591	2,165	2,945	3,210	3,180	2,656	1,484	566	131	22	11
	All other—M	486	30	4	1	3	2	2	2	7	14	14	16	15	36	37	49	50	49	51	55	28	11	5	2	2	1	-
	F	382	30	1	-	1	-	1	2	15	13	13	10	15	23	20	22	39	37	36	35	30	16	14	3	2	4	-
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	29	7	2	2	-	1	-	1	2	2	2	3	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	21	6	1	1	-	1	-	-	1	2	1	3	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	1	1	1	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	2	-	1	1	-	4	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	2	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	41	28	4	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	19	14	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	19	13	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	2	1	3	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,524	3	2	2	-	-	3	2	48	116	126	154	149	151	148	162	124	114	99	65	31	18	5	1	-	-	1
	White—M	948	1	-	1	-	-	2	-	17	48	50	79	90	101	118	120	97	81	71	39	20	9	4	1	-	-	1
	F	477	2	1	1	-	-	-	1	20	60	63	67	51	33	27	29	24	28	25	25	10	9	1	-	-	-	-
	All other—M	58	-	-	-	-	-	1	-	2	2	9	4	3	13	3	11	1	5	3	1	-	-	-	-	-	-	-
	F	41	-	1	-	-	-	-	1	9	8	4	4	5	4	-	2	2	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	118	2	7	6	-	-	5	6	7	8	6	6	4	8	9	13	5	16	3	3	2	1	1	-	-	-	-
	White—M	57	2	4	3	-	-	4	6	1	4	-	2	2	4	5	6	2	7	2	1	2	-	-	-	-	-	-
	F	55	-	2	3	-	-	1	-	6	4	5	4	1	4	4	6	3	7	1	2	-	1	1	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-
	White—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	318	4	-	-	-	-	-	-	3	2	3	6	14	23	30	46	59	43	39	22	14	8	2	-	-	-	-
	White—M	221	1	-	-	-	-	-	-	1	2	1	3	8	17	21	33	37	36	28	18	10	3	2	-	-	-	-
	F	65	2	-	-	-	-	-	-	2	-	2	2	3	3	7	8	13	3	11	3	2	5	-	-	-	-	-
	All other—M	19	1	-	-	-	-	-	-	-	-	-	-	3	2	-	3	6	2	-	1	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	-	-	1	-	-	-	-	-	-
33	Influenza	283	21	9	1	2	-	3	2	7	4	3	1	8	13	17	13	11	18	18	24	30	35	25	13	3	2	-
	White—M	113	12	6	-	1	-	2	1	4	-	-	-	5	6	5	5	5	10	10	11	6	13	8	2	-	1	-
	F	168	9	3	1	1	-	1	1	3	4	3	1	3	7	12	7	6	8	8	13	23	22	17	11	3	1	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	8	-	-	-	-	-	1	2	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	1	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,554	-	-	1	-	1	-	-	1	3	8	13	43	94	172	282	375	484	605	579	497	267	90	13	2	-	4
	White—M	1,853	-	-	1	-	1	-	-	-	2	5	6	26	45	80	152	227	259	330	292	252	128	36	8	1	-	2
	F	1,647	-	-	-	-	-	-	-	1	1	3	7	16	48	90	126	144	218	273	280	241	137	54	5	1	-	2
	All other—M	54	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	7	2	7	4	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	812	-	-	1	-	-	-	-	1	1	6	13	32	68	90	100	103	101	103	89	52	38	19	5	-	-	-
	White—F	802	-	-	1	-	-	-	-	1	1	6	13	32	56	88	98	102	101	103	88	51	37	19	5	-	-	-
	All other—F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	1	1	1	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
50	Cancer of breast	837	-	-	-	-	-	-	-	-	-	2	6	20	45	75	83	99	116	122	99	80	52	25	10	3	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	2	-	2	-	-	-	-	-	-
	F	820	-	-	-	-	-	-	-	-	-	1	6	20	45	75	79	97	115	117	98	78	51	25	10	3	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,128	1	3	1	2	3	8	10	14	8	13	23	30	58	102	187	241	314	332	324	220	155	64	11	2	1	1
	White—M	1,521	1	2	-	-	1	7	6	10	5	7	16	18	35	62	132	179	220	237	246	164	117	46	8	-	1	1
	F	567	-	1	1	2	2	1	4	4	3	6	6	11	20	34	50	57	90	88	74	54	36	18	3	2	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	3	3	2	1	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	1	4	2	1	2	-	-	-	-	-
58	Acute rheumatic fever	32	-	-	1	-	-	3	3	3	2	4	2	2	3	1	2	2	2	-	2	-	-	-	-	-	-	-
	White—M	18	-	-	-	-	-	1	2	2	2	2	2	2	-	1	-	2	2	-	-	-	-	-	-	-	-	-
	F	12	-	-	1	-	-	2	1	-	-	1	-	-	3	-	2	-	-	-	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,533	-	1	-	-	1	-	3	8	6	4	10	8	20	54	102	150	240	276	282	219	104	38	5	1	-	1
	White—M	497	-	-	-	-	1	-	1	4	5	3	5	4	8	29	39	40	80	79	92	63	32	11	1	-	-	-
	F	1,018	-	1	-	-	-	-	2	3	1	1	5	4	12	23	61	108	159	191	190	153	72	26	4	1	-	1
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	4	-	3	-	1	-	-	-	-
63b	Exophthalmic goiter	65	-	-	-	-	-	-	-	2	-	2	6	2	3	5	6	5	8	8	11	5	1	1	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	1	-	-	2	1	1	2	1	-	1	1	2	2	1	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	-	2	3	1	2	3	5	5	7	7	9	3	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	179	-	-	-	-	-	-	-	-	-	4	6	26	26	39	25	14	12	14	9	2	-	1	-	-	-	1
	White—M	149	-	-	-	-	-	-	-	-	-	4	4	21	24	31	22	13	9	10	7	2	-	1	-	-	-	1
	F	27	-	-	-	-	-	-	-	-	-	-	2	5	2	6	3	1	3	3	2	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,601	10	3	-	-	-	4	2	7	6	13	12	34	76	138	236	349	478	674	799	770	593	279	97	18	3	-
	White—M	1,969	8	1	-	-	-	2	2	5	3	6	5	18	29	54	114	176	212	310	335	323	228	102	27	8	1	-
	F	2,558	2	2	-	-	-	2	-	1	1	6	7	15	46	79	117	165	258	352	447	442	362	173	70	10	1	-
	All other—M	32	-	-	-	-	-	-	-	1	1	-	-	1	1	-	3	3	2	8	9	2	-	1	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	1	1	-	-	-	5	2	5	6	4	8	3	3	3	-	-	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	458	35	5	4	7	6	8	15	14	16	16	24	22	19	31	35	33	44	37	35	19	22	8	2	-	-	1
	White—M	268	19	3	3	4	3	4	10	10	10	10	14	14	13	23	21	18	20	22	22	8	13	2	1	-	-	1
	F	185	16	2	1	3	3	4	5	4	5	6	9	8	6	7	13	14	24	15	13	11	9	6	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	158	30	7	6	2	4	4	9	12	7	9	4	5	6	9	9	9	8	4	9	3	1	-	-	1	-	-
	White—M	89	21	4	4	1	2	2	5	7	4	5	2	3	2	5	6	3	5	2	3	3	-	-	-	-	-	-
	F	64	7	3	2	1	2	2	4	5	3	4	1	2	4	3	2	6	3	2	6	-	1	-	-	1	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,029	-	-	-	1	-	8	16	33	32	32	55	54	79	89	93	96	81	88	108	69	59	25	10	1	-	-
	White—M	467	-	-	-	-	-	3	7	18	15	13	21	21	41	44	43	44	42	34	54	32	24	7	3	1	-	-
	F	547	-	-	-	1	-	5	9	14	17	19	33	30	36	42	50	49	38	54	53	37	35	18	7	-	-	-
	All other—M	10	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	2	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,242	1	-	-	-	-	-	-	-	1	7	30	49	161	298	468	577	714	889	804	656	545	173	59	5	1	4
	White—M	3,456	1	-	-	-	-	-	-	-	1	3	26	42	131	236	385	439	494	551	519	376	158	72	18	-	-	4
	F	1,748	-	-	-	-	-	-	-	-	-	4	4	6	29	58	81	132	213	334	279	276	186	99	41	5	1	-
	All other—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	2	5	3	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	1	1	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	11,453	6	2	-	1	1	8	10	20	21	29	33	66	157	295	501	760	1,118	1,518	1,903	1,985	1,708	900	345	62	14	10
	White—M	5,551	3	1	-	-	-	6	5	12	13	14	17	41	73	178	286	441	647	759	923	900	740	333	132	17	2	8
	F	5,733	2	1	-	1	1	2	4	8	8	15	15	24	77	109	204	298	444	735	953	1,045	959	561	211	43	11	2
	All other—M	88	-	-	-	-	-	-	1	-	-	-	1	-	2	6	7	14	15	12	15	9	4	2	-	-	-	-
	F	81	1	-	-	-	-	-	-	-	-	-	-	1	5	2	4	7	12	12	12	11	5	4	2	2	1	-
107-109	Pneumonia (all forms)	2,402	265	45	15	7	7	11	14	16	24	25	34	45	74	92	120	147	197	234	249	248	245	177	86	20	3	2
	White—M	1,283	158	25	4	3	3	9	9	10	8	14	19	27	46	59	89	102	127	123	154	100	105	73	31	3	-	2
	F	1,062	100	19	10	3	3	2	5	6	15	11	15	17	24	31	28	36	67	103	109	146	138	102	54	16	2	-
	All other—M	35	3	1	1	1	1	-	-	-	-	-	-	1	3	2	3	5	2	5	4	-	2	-	-	1	-	-
	F	22	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	1	3	2	2	-	2	1	-	1	-
117	Ulcer of stomach or duodenum	370	1	-	-	-	-		-	-	3	5	10	18	30	38	47	58	53	32	34	21	16	2	2	-	-	-
	White—M	294	1	-	-	-	-	-	-	-	3	4	8	14	25	32	39	46	47	23	25	15	11	1	-	-	-	-
	F	71	-	-	-	-	-	-	-	-	-	-	2	3	4	6	8	11	6	9	8	6	5	1	2	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
119,120	Diarrhea, enteritis, etc.*	233	166	5	4	3	-	1	-	3	6	3	2	4	5	4	3	5	4	4	1	2	5	2	1	-	-	-
	White—M	122	96	3	1	2	-	1	-	1	2	1	1	3	3	1	-	-	4	-	-	-	1	2	-	-	-	-
	F	105	65	1	3	1	-	-	-	2	4	2	1	1	2	3	3	5	-	4	1	2	4	-	1	-	-	-
	All other-M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	314	-	6	8	4	11	14	14	20	9	11	15	17	12	30	31	25	25	21	17	16	6	2	-	-	-	-
	White—M	188	-	4	4	2	9	6	8	6	5	8	12	13	7	20	24	20	11	9	11	6	2	1	-	-	-	-
	F	121	-	2	4	2	2	8	6	13	3	3	3	3	5	9	7	4	14	12	6	10	4	1	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	379	13	2	-	-	-	2	5	6	4	8	6	3	15	13	26	35	43	42	56	46	30	22	1	-	-	1
	White—M	205	11	1	-	-	-	2	4	5	2	5	2	1	3	6	17	20	26	19	29	25	13	13	1	-	-	-
	F	172	2	1	-	-	-	-	1	1	2	3	4	2	12	6	9	15	17	22	27	21	17	9	-	-	-	1
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	509	-	-	-	-	-	1	-	1	4	4	9	29	40	55	72	61	63	66	47	28	18	7	3	-	-	1
	White—M	314	-	-	-	-	-	-	-	1	1	1	3	17	21	37	42	43	45	44	35	11	6	6	-	-	-	1
	F	190	-	-	-	-	-	1	-	-	3	3	6	12	16	18	30	18	17	22	11	17	12	1	3	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	297	-	-	-	-	-	-	-	-	-	1	5	11	11	19	28	40	29	46	37	36	15	11	5	3	-	-
	White—M	95	-	-	-	-	-	-	-	-	-	-	1	6	4	4	3	8	15	17	15	13	5	3	1	-	-	-
	F	199	-	-	-	-	-	-	-	-	-	1	4	4	7	15	25	30	14	29	22	23	10	8	4	3	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,789	6	-	-	1	3	7	9	13	20	14	26	46	82	139	175	207	301	401	415	387	327	160	39	9	1	1
	White—M	1,341	3	-	-	1	-	4	5	9	12	6	15	26	33	64	88	101	141	210	201	184	158	61	15	3	1	-
	F	1,406	3	-	-	-	3	3	4	3	8	6	10	18	47	71	84	103	153	186	209	200	166	98	24	6	-	1
	All other-M	21	-	-	-	-	-	-	-	-	-	2	-	1	2	4	2	1	3	3	2	1	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	2	4	2	3	2	3	1	-	-	-	-
137	Diseases of the prostate	294	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	11	24	39	64	62	52	20	11	6	-	-
	White—M	290	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	24	38	64	60	52	20	11	6	-	-
	All other-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	106	-	-	-	-	-	-	-	1	22	21	21	25	14	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	103	-	-	-	-	-	-	-	1	20	21	20	25	14	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other-F	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	25	-	-	-	-	-	-	-	1	1	3	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	1	3	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	68	-	-	-	-	-	-	-	4	10	16	15	16	6	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	66	-	-	-	-	-	-	-	4	10	14	15	16	6	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other-F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	515	407	18	9	4	9	14	7	13	10	5	7	4	4	2	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	276	222	8	4	1	5	8	5	5	5	2	4	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	234	181	10	5	3	3	6	2	8	5	3	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	797	797	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	432	432	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	346	346	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	540	-	-	-	-	-	-	2	12	18	47	37	41	55	55	59	56	46	34	38	22	13	3	-	-	-	2
	White—M	379	-	-	-	-	-	-	2	4	14	23	24	27	42	38	39	45	36	28	28	14	10	3	-	-	-	2
	F	154	-	-	-	-	-	-	-	6	4	23	13	14	12	16	18	11	10	6	10	8	3	-	-	-	-	-
	All other-M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	58	3	1	-	-	1	-	2	7	5	4	4	2	4	6	6	5	3	1	2	1	-	-	-	-	-	1
	White—M	36	1	1	-	-	-	-	2	4	3	2	3	-	4	5	4	3	2	1	-	1	-	-	-	-	-	-
	F	19	2	-	-	-	1	-	-	3	2	2	1	2	-	-	1	1	1	-	2	-	-	-	-	-	-	1
	All other-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	773	2	3	12	16	15	41	14	48	92	54	30	32	29	40	56	51	46	76	44	40	22	7	1	-	-	2
	White—M	578	1	1	6	10	9	27	13	36	75	41	25	27	22	29	39	40	34	57	31	28	14	7	-	-	-	2
	F	180	1	2	6	6	6	14	1	12	9	12	4	4	5	10	15	9	12	18	13	12	8	-	1	-	-	-
	All other-M	14	-	-	-	-	-	-	-	-	4	1	1	1	1	1	2	2	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,033	55	19	18	19	15	43	38	61	51	68	64	75	72	98	121	113	122	166	186	196	217	137	56	16	3	4
	White—M	1,171	34	13	10	14	6	27	28	54	44	55	51	58	59	84	92	81	77	94	88	78	56	45	14	6	-	3
	F	827	20	6	8	4	9	15	10	6	4	10	9	16	11	14	27	31	42	66	96	118	160	90	41	10	3	1
	All other-M	26	-	-	-	-	-	-	-	1	3	2	3	1	2	-	2	1	3	4	1	-	1	1	1	-	-	-
	F	9	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	All other causes*	3,664	595	21	19	10	13	26	41	40	43	49	76	72	125	160	185	223	233	301	354	366	337	237	108	37	6	7
	White—M	1,807	360	12	14	6	6	12	23	22	22	25	32	31	58	73	96	128	135	151	166	171	128	81	39	9	1	6
	F	1,774	216	9	5	3	7	13	17	17	18	23	41	40	60	83	85	91	92	147	159	187	207	155	68	27	3	1
	All other-M	43	8	-	-	1	-	1	-	-	2	-	3	-	3	4	3	1	1	3	5	4	1	-	1	1	1	-
	F	40	11	-	-	-	-	-	1	1	1	1	-	1	4	-	1	3	5	-	4	4	1	1	-	-	1	-

*Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 24

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	All causes	52,733	4161	318	191	132	112	430	428	731	958	988	1,176	1,510	1,981	2,924	3,557	4,147	4,707	5,232	5,642	5,589	4,482	2,384	730	135	36	42
	White—M	28,549	2246	162	108	75	57	230	244	431	530	493	531	766	1,009	1,618	2,077	2,514	2,724	2,881	3,036	2,979	2,279	1,127	338	50	13	31
	F	21,344	1,693	140	68	44	48	178	149	220	338	374	478	514	677	982	1,224	1,407	1,782	2,200	2,461	2,504	2,150	1,236	372	78	17	10
	All other—M	1,546	129	8	8	4	4	11	16	37	35	60	92	129	166	193	144	124	106	83	80	60	27	17	6	3	4	-
	F	1,294	93	8	7	9	3	11	19	43	55	61	75	101	129	131	112	102	95	68	65	46	26	14	14	4	2	1
1,2	Typhoid, paratyphoid fever	17	1	-	-	-	-	2	1	2	1	2	4	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	2	1	1	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F	6	1	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	4	2	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	4	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	32	-	1	8	2	3	12	-	1	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	-	1	3	-	1	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	5	1	-	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	93	69	15	4	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	39	28	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	35	7	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	-	1	3	2	1	9	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,561	6	5	4	1	1	6	17	81	143	148	145	157	139	146	152	120	113	76	53	26	15	5	2	-	-	-
	White—M	824	2	3	2	-	-	2	5	9	37	54	55	82	72	94	114	98	84	50	29	18	11	3	-	-	-	-
	F	440	1	1	-	-	-	1	5	27	63	56	58	38	37	31	27	14	23	22	21	8	4	1	2	-	-	-
	All other—M	160	-	1	2	-	1	-	1	19	15	17	17	22	26	17	6	6	4	3	3	-	-	-	-	-	-	-
	F	137	3	-	-	1	-	3	6	26	28	21	15	15	4	4	5	2	2	1	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	196	7	9	7	3	6	8	13	10	13	18	15	18	16	13	11	8	4	4	8	4	-	1	-	-	-	-
	White—M	82	-	3	4	-	3	3	5	2	5	9	6	6	6	8	5	5	3	2	3	3	-	1	-	-	-	-
	F	61	3	4	2	-	3	4	-	4	4	4	6	7	7	-	2	3	1	1	5	1	-	-	-	-	-	-
	All other—M	28	2	-	1	1	-	-	4	1	-	4	3	4	1	3	3	-	-	1	-	-	-	-	-	-	-	-
	F	25	2	2	-	2	-	1	4	3	4	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	43	28	5	1	2	-	1	-	-	1	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	1
	White—M	27	15	4	1	1	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1
	F	12	10	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	565	14	1	1	-	-	2	3	5	5	5	20	33	41	87	85	85	70	50	38	14	5	1	1	-	-	1
	White—M	331	6	-	1	-	-	-	-	1	3	1	7	12	20	50	52	55	51	35	23	10	2	1	-	-	-	1
	F	111	7	-	-	-	-	1	2	3	1	2	5	6	8	9	15	16	10	9	10	4	2	-	1	-	-	-
	All other—M	87	-	1	-	-	-	-	-	-	-	1	8	10	9	21	13	12	6	4	2	-	-	-	-	-	-	-
	F	36	1	-	-	-	-	1	1	1	1	1	-	5	4	7	5	2	3	2	1	-	1	-	-	-	-	-
33	Influenza	427	56	14	6	3	-	2	3	7	5	7	12	16	9	15	21	22	17	30	38	47	47	36	12	2	-	-
	White—M	225	29	5	3	2	-	1	1	4	3	2	6	6	6	9	12	10	10	18	22	25	26	20	5	-	-	-
	F	187	26	9	3	1	-	1	2	1	1	4	4	9	3	3	8	12	7	12	15	20	21	16	7	2	-	-
	All other—M	11	1	-	-	-	-	-	-	1	1	1	1	-	-	3	1	-	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
35	Measles	68	19	18	7	6	4	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	9	11	2	3	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	9	7	4	2	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	21	1	-	-	1	-	6	6	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	1	-	-	1	-	3	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,906	-	-	-	1	1	1	2	2	7	12	25	35	80	163	270	330	391	436	454	378	209	90	15	2	1	1
	White—M	1,576	-	-	-	1	1	1	1	2	2	8	8	15	40	81	146	195	238	240	251	191	104	41	6	2	1	1
	F	1,231	-	-	-	-	-	-	1	-	5	4	10	16	31	66	109	124	139	185	198	183	103	48	9	-	-	-
	All other—M	61	-	-	-	-	-	-	-	-	-	-	4	3	7	9	7	6	10	7	3	3	1	1	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	3	1	2	7	8	5	4	4	2	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	828	-	-	-	-	-	-	-	-	2	16	32	54	72	97	118	94	117	83	63	40	25	14	1	-	-	-
	White—F	771	-	-	-	-	-	-	-	-	2	14	27	48	66	85	110	91	108	82	59	39	25	14	1	-	-	-
	All other—F	57	-	-	-	-	-	-	-	-	-	2	5	6	6	12	8	3	9	1	4	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
50	Cancer of breast	563	-	-	-	-	-	-	-	-	-	2	15	18	49	71	78	65	62	79	52	34	22	12	3	-	1	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	3	1	-	-	-	-	-	-	-
	F	527	-	-	-	-	-	-	-	-	-	2	12	15	46	63	75	59	58	75	50	34	22	12	3	-	1	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	3	3	3	5	3	4	2	1	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,048	6	8	3	4	5	9	13	15	26	26	27	51	83	147	173	211	238	265	263	244	158	51	17	1	1	3
	White—M	1,475	3	3	2	1	3	4	9	10	17	17	13	33	50	95	114	156	187	194	202	197	128	39	12	1	1	2
	F	524	3	5	1	3	2	5	4	4	8	7	14	16	32	45	50	52	63	65	59	42	27	12	4	-	-	1
	All other—M	38	-	-	-	-	-	-	-	-	1	2	-	1	1	5	4	2	6	5	2	5	3	-	1	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	1	-	2	5	1	2	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	47	-	-	-	1	1	9	11	5	5	2	1	1	3	1	-	3	-	2	-	1	1	-	-	-	-	-
	White—M	17	-	-	-	1	-	6	4	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	1	3	5	3	3	2	1	1	2	-	-	1	-	1	-	1	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,370	1	1	-	1	1	5	8	8	10	11	9	18	27	54	99	160	201	245	223	169	93	20	4	-	-	2
	White—M	468	1	-	-	-	-	3	1	6	4	5	6	7	9	19	40	52	61	72	77	59	34	8	4	-	-	-
	F	840	-	1	-	1	1	2	6	2	5	4	3	6	13	27	53	101	128	163	143	108	59	12	-	-	-	2
	All other—M	15	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	4	2	3	1	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	1	-	-	1	-	4	4	7	6	7	8	8	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	161	-	-	-	-	-	-	-	-	-	3	5	6	5	12	32	22	24	21	16	10	5	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	1	2	-	4	10	5	3	1	-	-	-	-	-	-	-	-
	F	126	-	-	-	-	-	-	-	-	-	2	3	4	4	8	19	17	21	20	13	10	5	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	55	-	-	-	-	-	-	-	-	-	1	6	4	9	12	4	6	2	4	6	-	-	-	-	-	-	1
	White—M	45	-	-	-	-	-	-	-	-	-	-	3	4	7	10	3	6	1	4	6	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,695	9	2	1	1	1	3	3	6	5	14	25	43	90	168	248	361	483	641	768	794	622	317	67	17	4	2
	White—M	2,240	6	2	-	1	-	1	2	3	2	6	17	17	39	76	97	188	235	320	375	391	285	141	27	7	1	1
	F	2,293	3	-	1	-	1	2	1	3	3	7	6	18	33	81	128	157	227	305	374	386	333	173	38	9	3	1
	All other—M	68	-	-	-	-	-	-	-	-	-	1	-	3	6	5	12	5	8	9	9	8	1	-	-	1	-	-
	F	94	-	-	-	-	-	-	-	-	-	-	2	5	12	6	11	11	13	7	10	9	3	3	2	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	575	54	14	10	7	2	18	12	19	33	32	24	28	23	38	36	39	45	38	53	29	11	8	2	-	-	-
	White—M	318	25	7	7	5	2	7	9	8	20	19	13	20	15	21	20	24	22	23	24	17	7	2	1	-	-	-
	F	237	27	7	2	1	-	11	1	9	12	12	10	8	7	13	14	14	22	15	29	12	4	6	1	-	-	-
	All other—M	13	2	-	-	1	-	-	2	1	-	1	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	1	-	-	-	-	1	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	212	38	5	4	1	7	15	13	9	11	12	13	11	8	11	9	14	4	6	9	4	3	3	2	-	-	-
	White—M	107	23	1	2	-	3	5	7	2	6	8	8	6	4	7	4	6	2	2	5	2	1	1	-	-	-	-
	F	93	13	4	2	1	4	10	6	7	2	3	3	4	4	3	4	5	2	4	4	2	2	2	2	-	-	-
	All other—M	9	1	-	-	-	-	-	-	-	1	1	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,043	-	-	-	1	-	15	22	29	30	22	35	74	60	76	98	91	92	86	96	100	66	40	7	1	1	1
	White—M	490	-	-	-	-	-	4	10	18	14	10	15	40	20	27	45	45	57	36	58	46	25	17	5	-	-	-
	F	484	-	-	-	-	-	9	9	9	13	9	17	26	33	38	44	43	31	45	40	53	40	22	1	1	-	1
	All other—M	31	-	-	-	1	-	-	1	1	2	2	-	2	5	5	4	-	4	2	-	1	-	1	-	-	-	-
	F	38	-	-	-	-	-	2	2	1	1	1	3	6	2	6	5	3	-	3	-	-	1	-	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	4,713	-	-	-	-	-	-	-	1	11	10	21	100	210	321	477	561	640	696	620	511	336	146	43	2	1	6
	White—M	3,302	-	-	-	-	-	-	-	1	3	5	14	75	163	273	380	447	476	477	375	309	203	77	16	1	1	6
	F	1,298	-	-	-	-	-	-	-	-	7	4	4	17	25	37	83	99	152	213	235	198	129	69	25	1	-	-
	All other—M	70	-	-	-	-	-	-	-	-	1	-	3	6	14	6	12	7	7	4	5	3	2	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	1	-	2	8	5	2	8	5	2	5	1	2	-	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	10,066	9	4	3	2	2	4	12	22	34	43	74	141	225	445	548	781	970	1,169	1,419	1,618	1,433	784	258	50	13	3
	White—M	5,212	7	4	2	1	-	2	6	10	13	19	34	66	104	218	327	457	546	643	726	830	688	361	126	15	4	3
	F	4,292	2	-	1	1	2	1	5	11	16	22	30	48	62	139	163	243	367	483	644	751	726	412	126	32	5	-
	All other—M	299	-	-	-	-	-	-	1	-	2	1	4	16	25	52	37	44	31	22	24	19	8	8	2	-	3	-
	F	263	-	-	-	-	-	1	-	1	3	1	6	11	34	36	21	37	26	21	25	18	11	3	4	3	1	-
107-109	Pneumonia (all forms)	2,239	498	61	21	6	2	18	15	20	30	40	55	59	86	126	107	123	125	161	176	174	184	105	36	9	-	2
	White—M	1,276	272	32	9	2	1	15	5	13	13	23	18	29	53	75	73	88	83	94	105	94	108	49	16	4	-	2
	F	791	194	27	10	4	-	3	10	6	16	10	20	15	12	32	26	24	31	61	62	77	75	54	17	5	-	-
	All other—M	110	17	2	2	-	1	-	-	1	1	3	14	9	12	19	2	8	5	2	5	2	1	2	2	-	-	-
	F	62	15	-	-	-	-	-	-	-	-	4	3	6	9	-	6	3	6	4	4	1	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	330	-	1	-	-	-	-	-	-	4	8	13	11	23	33	60	44	38	33	23	22	14	2	1	-	-	-
	White—M	265	-	-	-	-	-	-	-	-	3	7	11	7	19	29	46	34	35	28	17	18	9	1	1	-	-	-
	F	49	-	1	-	-	-	-	-	-	-	-	2	3	-	3	11	7	2	4	6	4	5	1	-	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	1	1	-	1	3	-	2	3	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
119,120	Diarrhea, enteritis, etc.*	350	247	23	6	3	3	2	2	1	4	1	5	4	4	3	7	5	4	2	8	6	5	4	1	-	-	-
	White—M	180	125	13	4	-	3	1	-	-	3	1	3	3	-	3	6	3	-	2	5	3	2	-	-	-	-	-
	F	155	109	9	2	3	-	1	2	1	1	-	2	1	4	-	1	2	3	-	3	3	3	4	1	-	-	-
	All other—M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	449	-	2	10	7	3	17	32	36	28	27	28	33	37	36	32	39	28	16	12	18	7	1	-	-	-	-
	White—M	252	-	1	6	2	2	5	16	24	18	16	14	17	20	23	19	23	15	9	6	11	5	-	-	-	-	-
	F	165	-	1	4	4	1	10	15	11	10	11	10	8	11	9	10	15	12	7	6	7	2	1	-	-	-	-
	All other—M	19	-	-	-	-	-	2	1	-	-	-	2	4	4	3	1	1	1	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	1	-	-	-	1	-	-	2	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	484	46	5	5	1	3	1	6	4	1	10	21	13	21	25	33	48	45	41	53	40	37	18	4	1	-	2
	White—M	241	34	4	3	-	1	1	5	1	1	5	8	5	11	14	18	24	19	18	27	16	14	8	2	1	-	1
	F	223	11	-	1	1	2	-	1	2	-	3	13	5	9	9	13	22	26	22	26	23	22	9	2	-	-	1
	All other—M	9	-	1	1	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	1	-	1	-	1	-	-	-	-
124	Cirrhosis of the liver	444	-	-	-	1	-	1	1	2	-	6	11	17	28	48	61	62	61	47	54	22	19	3	-	-	-	-
	White—M	291	-	-	-	-	-	-	1	-	-	2	4	13	16	31	46	42	45	35	29	14	11	2	-	-	-	-
	F	140	-	-	-	1	-	1	-	2	-	4	7	4	8	14	12	18	16	12	24	8	8	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	305	-	-	-	1	-	-	-	1	2	3	11	15	16	24	28	35	37	44	35	28	18	5	2	-	-	-
	White—M	104	-	-	-	1	-	-	-	-	-	-	1	3	7	10	9	12	15	13	13	11	7	1	1	-	-	-
	F	197	-	-	-	-	-	-	-	1	2	3	9	12	7	14	18	23	22	31	22	17	11	4	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,853	3	1	3	1	1	7	9	15	25	27	42	61	102	142	180	221	282	307	384	427	363	189	51	5	3	2
	White—M	1,416	1	-	1	1	-	3	5	10	15	10	21	33	37	57	85	118	135	140	203	231	189	89	27	2	3	-
	F	1,268	2	-	2	-	1	4	4	5	10	13	15	18	46	62	74	92	132	148	165	185	166	97	22	3	-	2
	All other—M	88	-	1	-	-	-	-	-	-	-	2	4	5	9	12	12	6	5	11	8	6	5	2	-	-	-	-
	F	81	-	-	-	-	-	-	-	-	-	2	2	5	10	11	9	5	10	8	8	5	3	1	2	-	-	-
137	Diseases of the prostate	327	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	8	30	40	65	81	60	31	8	-	-	-
	White—M	319	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	7	30	40	62	79	59	31	8	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	96	-	-	-	-	-	-	-	7	18	23	26	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	85	-	-	-	-	-	-	-	6	17	20	21	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	11	-	-	-	-	-	-	-	1	1	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	68	-	-	-	-	-	-	-	8	11	18	9	14	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	60	-	-	-	-	-	-	-	8	10	15	8	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	127	-	-	-	-	-	-	-	6	28	28	34	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	116	-	-	-	-	-	-	-	6	27	27	29	15	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	11	-	-	-	-	-	-	-	-	1	1	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	672	579	25	10	2	4	14	5	4	7	4	7	2	1	2	2	1	2	1	-	-	-	-	-	-	-	-
	White—M	338	295	11	7	2	1	3	3	2	2	1	5	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	F	318	273	13	1	-	3	11	2	2	4	2	2	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	All other—M	11	9	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,348	1,348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	707	707	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	565	565	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	701	-	-	-	-	-	-	1	18	34	55	59	53	68	77	81	63	64	56	38	22	7	2	2	-	-	1
	White—M	516	-	-	-	-	-	-	1	15	22	37	34	33	44	59	63	47	51	49	32	18	7	2	2	-	-	-
	F	169	-	-	-	-	-	-	-	3	11	13	24	16	21	17	18	16	12	7	6	4	-	-	-	-	-	1
	All other—M	12	-	-	-	-	-	-	-	-	-	3	1	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	173	6	-	1	-	1	3	3	10	8	24	26	29	15	19	12	5	2	6	2	-	-	-	-	-	-	1
	White—M	69	1	-	-	-	1	-	2	5	4	8	7	9	5	13	4	3	-	4	2	-	-	-	-	-	-	1
	F	40	4	-	1	-	-	3	-	2	3	8	4	4	-	3	3	1	2	2	-	-	-	-	-	-	-	-
	All other—M	57	-	-	-	-	-	-	1	3	1	6	13	14	10	3	5	1	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,169	15	15	13	21	21	96	80	215	263	160	121	130	124	147	144	160	105	112	101	74	32	16	4	-	-	-
	White—M	1,593	7	4	8	13	5	65	52	158	211	124	87	93	94	109	111	124	80	81	71	57	26	10	3	-	-	-
	F	495	7	11	5	7	14	26	25	54	44	31	32	27	22	31	29	31	20	26	27	14	5	6	1	-	-	-
	All other—M	57	-	-	-	-	1	4	2	1	3	4	2	7	7	7	3	3	4	5	2	1	1	-	-	-	-	-
	F	24	1	-	-	1	1	1	1	2	5	1	-	3	1	-	1	2	1	-	1	2	-	-	-	-	-	-
169, 171-195	Other accidents	2,253	89	38	34	25	16	94	97	111	90	85	80	105	95	104	127	114	110	113	153	166	188	152	42	12	3	10
	White—M	1,438	58	23	20	18	11	63	67	93	78	67	63	85	71	84	108	91	78	63	77	67	70	54	16	3	1	9
	F	724	27	14	13	7	5	28	28	11	8	11	9	9	13	12	15	19	32	47	73	98	118	95	24	7	1	-
	All other—M	68	2	-	-	-	-	2	2	7	2	5	6	10	8	7	4	4	-	2	2	1	-	1	1	1	1	-
	F	23	2	1	1	-	-	1	-	-	2	2	2	1	3	1	-	-	-	1	1	-	-	2	1	1	-	1
	All other causes*	4,999	1,008	42	26	22	23	40	33	43	62	80	118	122	184	252	217	244	298	321	359	484	495	337	145	33	8	3
	White—M	2,636	587	21	17	16	17	17	20	23	26	28	45	44	74	110	115	145	176	183	210	260	257	168	60	14	1	2
	F	2,112	361	18	7	4	5	21	11	15	29	41	55	61	86	123	85	86	111	132	142	212	233	164	84	18	7	1
	All other—M	119	34	1	1	-	-	1	-	1	3	2	7	4	9	6	12	8	9	3	6	7	2	2	-	1	-	-
	F	132	26	2	1	2	1	1	2	4	4	9	11	13	15	13	5	5	2	3	1	5	3	3	1	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	All causes	26,140	1,874	128	84	59	59	192	186	316	383	415	456	545	790	1,053	1,432	1,860	2,146	2,733	3,219	3,256	2,811	1,482	513	122	14	12
	White—M	14,815	1,052	76	52	28	32	122	115	182	229	248	250	302	466	588	852	1,169	1,271	1,575	1,844	1,803	1,475	789	236	53	1	5
	F	10,957	769	49	29	29	27	62	63	121	139	157	197	233	301	449	552	669	852	1,132	1,333	1,428	1,323	690	275	69	12	7
	All other—M	227	35	3	-	1	-	5	6	4	7	5	7	5	16	10	18	17	15	17	27	13	8	7	-	-	1	-
	F	141	18	-	3	1	-	3	2	9	8	5	2	5	7	6	10	5	8	9	15	12	5	6	2	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	1	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	30	26	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	8	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	1	1	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	678	4	1	-	1	-	2	2	26	48	59	59	47	59	82	56	47	49	47	37	30	17	3	-	2	-	-
	White—M	377	1	-	-	-	-	1	-	7	22	21	19	25	40	50	45	31	35	28	23	20	6	2	-	1	-	-
	F	259	1	1	-	1	-	-	1	10	19	35	39	21	17	29	9	14	13	15	11	10	11	1	-	1	-	-
	All other—M	26	1	-	-	-	-	-	1	3	4	-	1	-	2	3	2	1	1	4	3	-	-	-	-	-	-	-
	F	16	1	-	-	-	-	1	-	6	3	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	72	-	7	3	2	-	-	1	2	8	2	8	4	2	4	8	9	2	4	4	-	1	1	-	-	-	-
	White—M	42	-	2	2	-	-	-	-	1	5	2	6	2	1	3	6	6	-	2	3	-	1	-	-	-	-	-
	F	26	-	4	1	2	-	-	1	-	1	-	2	2	1	1	2	3	2	2	1	-	-	1	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	246	4	-	-	-	-	1	-	-	5	3	4	6	13	26	41	45	35	23	23	10	4	2	1	-	-	-
	White—M	185	3	-	-	-	-	1	-	-	1	1	2	4	9	19	33	37	30	15	20	6	3	-	1	-	-	-
	F	47	1	-	-	-	-	-	-	-	4	2	1	1	3	7	6	7	3	4	3	2	1	2	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	2	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
33	Influenza	260	33	6	4	1	1	3	5	5	2	6	3	6	6	11	7	7	8	14	23	28	38	25	12	4	2	-
	White—M	140	21	2	3	1	1	1	2	1	2	4	1	2	4	7	5	4	4	7	12	13	22	16	3	1	1	-
	F	118	11	4	1	-	-	2	3	4	-	2	2	4	2	4	2	3	4	7	11	15	16	8	9	3	1	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	37	-	-	-	-	1	10	6	8	3	3	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	26	-	-	-	-	1	8	3	7	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	2	3	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,819	1	-	2	-	-	-	-	-	3	4	10	16	42	76	128	163	230	287	326	274	172	70	12	3	-	-
	White—M	1,013	-	-	2	-	-	-	-	-	1	3	6	6	28	37	69	89	132	180	179	159	88	33	7	-	-	-
	F	785	-	-	-	-	-	-	-	-	2	1	4	10	14	37	55	73	97	105	144	115	84	34	5	3	-	-
	All other—M	11	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	3	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	370	-	-	-	-	-	-	2	-	4	6	10	21	33	34	46	47	39	46	36	27	16	1	2	-	-	-
	White—F	366	-	-	-	-	-	-	2	-	4	6	10	21	31	34	46	46	39	45	36	27	16	1	2	-	-	-
	All other—F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Contd.																											
50	Cancer of breast	341	-	-	-	-	-	-	-	-	-	3	7	16	26	37	45	43	34	42	32	29	20	6	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	336	-	-	-	-	-	-	-	-	-	3	6	16	26	37	45	42	34	42	31	27	20	6	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,193	-	2	1	3	4	9	9	15	11	15	20	18	43	60	80	103	137	152	176	176	111	34	9	3	1	1
	White—M	880	-	2	1	2	3	8	7	7	10	12	10	11	27	44	53	74	100	109	134	143	88	28	5	1	-	1
	F	298	-	-	-	1	1	1	2	8	1	3	9	7	13	16	26	26	35	43	39	32	23	6	3	2	1	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	-	3	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
58	Acute rheumatic fever	26	-	-	-	-	3	-	5	3	2	1	1	2	1	1	2	1	1	-	1	1	1	-	-	-	-	-
	White—M	15	-	-	-	-	1	-	3	2	2	1	1	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	2	-	2	1	-	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	-	-	-	1	1	2	1	7	2	5	5	9	13	16	24	52	70	121	129	99	81	17	3	1	-	2
	White—M	248	-	-	-	-	1	1	-	3	1	3	3	7	5	9	7	26	20	43	40	36	30	11	1	1	-	-
	F	408	-	-	-	1	-	1	1	4	1	2	2	2	8	7	17	26	49	77	87	62	51	6	2	-	-	2
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	78	-	-	-	-	-	-	-	3	-	-	1	1	5	7	9	9	9	10	9	7	5	3	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	-	1	1	1	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	3	-	-	-	-	3	6	6	5	9	9	8	6	5	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	33	-	-	-	-	-	-	-	-	-	-	3	5	4	5	6	3	4	-	1	-	1	-	1	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	1	5	3	4	6	2	4	-	1	-	1	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,594	6	1	-	1	-	1	-	3	2	6	12	15	42	73	102	203	235	345	436	451	389	184	71	13	2	1
	White—M	1,309	3	1	-	-	-	-	-	1	2	4	6	6	20	31	37	106	115	184	239	232	185	104	28	5	-	-
	F	1,263	2	-	-	1	-	1	-	2	-	2	6	8	21	42	62	96	118	159	191	215	203	80	43	8	2	1
	All other—M	13	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	3	2	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	2	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	287	23	5	4	3	2	11	8	8	11	8	9	10	16	17	16	16	13	26	29	33	14	5	-	-	-	-
	White—M	153	12	4	1	1	2	3	3	4	4	4	6	4	9	9	8	10	8	14	16	22	8	1	-	-	-	-
	F	129	10	1	3	1	-	6	5	4	7	4	3	6	7	8	8	6	4	12	13	11	6	4	-	-	-	-
	All other—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	95	12	4	4	1	2	7	5	6	1	5	7	3	6	7	2	4	3	8	2	4	-	2	-	-	-	-
	White—M	53	4	2	3	-	2	4	4	4	-	3	5	1	3	4	1	3	2	2	2	4	-	-	-	-	-	-
	F	37	5	2	-	1	-	2	1	2	1	2	2	2	3	3	1	1	1	6	-	-	-	2	-	-	-	-
	All other—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	549	-	-	-	-	2	1	10	15	12	10	13	22	24	31	35	50	55	63	63	56	51	28	8	-	-	-
	White—M	275	-	-	-	-	1	-	4	8	6	4	6	11	14	13	22	26	27	28	35	31	24	13	2	-	-	-
	F	269	-	-	-	-	1	1	4	7	6	6	7	11	10	18	13	24	26	35	28	24	27	15	6	-	-	-
	All other—M	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,792	1	-	-	-	-	-	-	1	-	9	15	34	68	123	197	280	320	418	451	400	319	119	26	9	1	1
	White—M	1,921	1	-	-	-	-	-	-	1	-	6	12	27	55	96	151	223	232	297	302	242	186	67	17	6	-	-
	F	852	-	-	-	-	-	-	-	-	-	2	3	7	10	25	44	56	86	120	145	157	132	51	9	3	1	1
	All other—M	16	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	2	1	4	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,853	4	1	1	-	1	3	5	9	11	15	19	21	42	83	142	236	308	429	604	720	639	383	147	28	1	1
	White—M	2,112	3	-	1	-	-	1	2	4	5	10	9	15	23	40	81	152	195	241	343	392	321	187	73	14	-	-
	F	1,703	1	-	-	-	1	2	3	5	6	4	10	6	16	41	59	78	112	186	253	324	314	193	73	14	1	1
	All other—M	16	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	4	-	-	4	1	2	1	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	4	3	2	2	1	-	-	-
107-109	Pneumonia (all forms)	1,321	185	18	10	8	2	9	12	11	9	19	16	18	30	24	42	54	81	98	145	164	200	105	45	13	2	1
	White—M	695	97	7	2	3	1	6	8	6	6	12	7	12	11	13	24	25	50	54	83	82	106	50	26	3	-	1
	F	588	79	11	6	5	1	3	2	4	3	6	7	5	17	10	15	26	30	42	60	80	92	53	19	10	2	-
	All other—M	23	5	-	-	-	-	-	1	1	-	1	2	1	1	-	3	3	-	2	1	2	-	-	-	-	-	-
	F	15	4	-	2	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	2	2	-	-	-	-
117	Ulcer of stomach or duodenum	167	-	-	-	-	-	-	-	-	-	3	5	8	14	9	17	21	19	23	16	20	7	5	-	-	-	-
	White—M	143	-	-	-	-	-	-	-	-	-	3	5	6	11	7	16	18	18	20	12	16	7	4	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	3	1	2	4	4	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	122	61	10	2	2	1	-	-	2	2	3	5	2	2	3	1	2	4	2	5	6	2	4	1	-	-	-
	White—M	72	39	4	1	1	1	-	-	2	1	1	3	1	1	2	1	1	1	1	3	3	2	2	1	-	-	-
	F	46	18	6	1	1	-	-	-	-	1	2	2	1	1	1	-	1	3	1	2	3	-	2	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	207	1	2	5	5	2	10	16	22	11	10	7	13	9	14	16	20	6	13	10	9	3	3	-	-	-	-
	White—M	143	1	2	2	1	1	6	10	12	9	8	6	9	7	12	13	15	4	10	6	6	2	1	-	-	-	-
	F	61	-	-	3	4	1	4	5	10	2	2	1	4	2	2	3	5	-	3	4	3	1	2	-	-	-	-
	All other-M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	240	22	3	-	1	-	-	-	3	5	3	5	5	8	8	23	13	26	25	25	26	17	18	4	-	-	-
	White—M	138	14	3	-	-	-	-	-	1	2	2	2	3	5	4	9	5	16	14	18	10	13	15	2	-	-	-
	F	100	8	-	-	1	-	-	-	2	3	1	3	2	3	4	14	7	10	11	7	15	4	3	2	-	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	186	2	1	-	-	-	-	1	2	1	-	6	7	11	6	18	29	20	23	24	17	10	3	4	1	-	-
	White—M	119	1	1	-	-	-	-	1	2	-	-	3	5	4	5	15	20	13	15	11	12	7	2	2	-	-	-
	F	66	1	-	-	-	-	-	-	-	1	-	3	1	7	1	3	9	7	8	13	5	3	1	2	1	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	215	-	-	-	-	-	-	-	-	-	-	1	4	7	11	23	20	26	28	34	29	19	8	5	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	-	-	-	2	1	3	7	7	6	13	8	6	9	1	1	-	-	-
	F	150	-	-	-	-	-	-	-	-	-	-	1	2	6	8	16	13	20	15	26	22	10	7	4	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,091	4	-	-	-	-	1	5	9	15	15	13	16	32	47	66	64	83	113	146	176	162	93	21	7	-	3
	White—M	608	2	-	-	-	-	1	1	5	10	10	6	8	16	26	39	41	42	57	81	93	97	57	12	3	-	1
	F	459	2	-	-	-	-	-	4	4	4	3	7	7	14	18	24	22	40	55	60	81	64	35	9	4	-	2
	All other-M	13	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	3	1	1	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	1	1	2	1	-	-	-	-	-	-
137	Diseases of the prostate	201	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	8	9	29	34	37	46	23	7	2	-	-
	White—M	199	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	8	9	29	33	36	46	23	7	2	-	-
	All other-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	44	-	-	-	-	-	-	-	1	7	9	6	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	44	-	-	-	-	-	-	-	1	7	9	6	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,146	Puerperal toxemias	26	-	-	-	-	-	-	-	-	9	5	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	-	8	5	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	41	-	-	-	-	-	-	-	1	10	4	10	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	1	10	4	10	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	374	313	12	2	4	4	11	5	4	8	1	-	2	-	4	2	1	1	-	-	-	-	-	-	-	-	-
	White—M	207	170	9	1	3	2	4	3	2	6	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	166	142	3	1	1	2	7	2	2	2	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	650	650	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	375	375	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	259	259	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	386	-	-	-	-	-	-	-	6	14	20	30	36	32	52	44	49	41	25	13	12	7	5	-	-	-	-
	White—M	300	-	-	-	-	-	-	-	4	11	13	21	26	23	39	34	41	34	19	13	10	7	5	-	-	-	-
	F	85	-	-	-	-	-	-	-	2	3	7	9	10	8	13	10	8	7	6	-	2	-	-	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	46	1	-	1	-	-	3	3	1	8	1	5	3	4	2	7	2	-	2	1	-	1	1	-	-	-	-
	White—M	25	-	-	1	-	-	1	2	-	3	-	5	1	2	1	5	2	-	1	1	-	-	-	-	-	-	-
	F	16	1	-	-	-	-	2	1	1	3	1	-	-	1	1	2	-	-	1	-	-	1	1	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	669	4	9	3	5	8	32	19	74	64	61	51	33	41	26	34	41	46	43	30	16	25	3	-	1	-	-
	White—M	498	4	8	2	4	3	20	16	45	48	46	37	22	37	18	25	34	36	31	26	12	20	3	-	1	-	-
	F	161	-	1	1	1	5	11	3	28	16	14	12	10	4	6	8	7	10	12	4	4	4	-	-	-	-	-
	All other-M	6	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,400	52	23	25	12	12	36	42	42	56	61	43	57	65	63	73	82	76	79	110	112	145	93	34	7	-	-
	White—M	932	28	13	19	8	7	30	33	37	49	54	39	51	58	51	64	73	54	52	60	59	51	32	9	1	-	-
	F	449	23	9	6	3	5	5	7	5	6	7	3	5	7	11	7	9	21	25	48	53	93	60	25	6	-	-
	All other-M	13	1	1	-	1	-	1	1	-	1	-	1	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-
	All other causes*	2,706	459	19	13	7	12	33	23	27	39	39	40	52	75	88	113	135	155	192	244	284	288	235	99	28	5	2
	White—M	1,461	261	14	7	4	4	20	13	16	21	20	20	24	44	37	66	83	82	105	137	152	145	132	38	14	-	2
	F	1,206	185	5	6	3	8	11	10	10	17	18	20	28	29	51	44	52	70	84	104	129	141	102	61	14	4	-
	All other-M	29	10	-	-	-	-	2	-	-	-	1	-	-	2	-	2	-	3	3	1	2	2	-	-	-	1	-
	F	10	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	All causes	22,832	3,016	385	200	126	76	285	279	544	759	767	807	957	1,028	1,167	1,380	1,521	1,710	2,017	1,867	1,454	1,168	783	299	123	78	36
	White—M	5,515	652	54	50	27	9	69	66	99	155	148	154	182	179	246	315	373	477	612	567	447	354	203	62	7	3	5
	F	4,128	509	52	25	25	19	53	42	65	75	90	100	117	124	161	152	237	297	440	422	374	376	260	80	18	4	11
	All other—M	6,913	1,040	150	78	30	25	89	89	174	260	248	274	302	336	401	440	480	519	541	495	363	249	166	75	44	28	17
	F	6,276	815	129	47	44	23	74	82	206	269	281	279	356	389	359	473	431	417	424	383	270	189	154	82	54	43	3
1,2	Typhoid, paratyphoid fever	35	-	-	-	1	1	4	1	2	5	4	4	4	1	-	2	-	2	2	-	-	1	-	-	-	-	1
	White—M	7	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	15	-	-	-	-	-	2	1	1	2	2	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	1	1	2	-	-	1	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	30	8	3	1	2	-	4	5	1	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	1	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	3	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	138	90	27	8	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	13	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	52	35	7	3	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	31	14	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	40	1	7	12	5	5	5	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	13	-	1	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	3	3	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	11	-	2	3	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	957	2	2	3	-	-	5	19	85	138	129	119	107	66	65	53	53	47	32	16	12	3	1	-	-	-	-
	White—M	168	-	-	-	-	-	-	-	1	6	9	21	20	14	19	16	19	16	15	3	8	-	1	-	-	-	-
	F	107	-	-	-	-	-	-	-	4	9	12	11	16	10	5	4	11	8	7	6	3	1	-	-	-	-	-
	All other—M	320	1	1	2	-	-	2	4	26	53	47	44	37	21	27	15	12	14	8	3	1	2	-	-	-	-	-
	F	362	1	1	1	-	-	3	15	54	70	61	43	34	21	14	18	11	9	2	4	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	65	3	-	3	-	2	4	2	5	7	8	9	6	2	3	2	3	4	1	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	31	1	-	1	-	1	3	2	2	3	4	6	2	-	2	1	-	2	-	1	-	-	-	-	-	-	-
	F	23	2	-	1	-	-	1	-	3	4	2	3	1	2	-	-	2	2	-	-	-	-	-	-	-	-	-
27	Dysentery	151	51	29	12	3	1	2	2	-	2	1	2	2	1	2	4	1	6	3	10	3	10	-	3	-	-	1
	White—M	31	11	7	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	5	-	-	-	-	-
	F	23	5	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1	3	-	-	-	-	-
	All other—M	55	18	8	3	2	1	1	-	-	1	1	1	2	1	1	2	-	2	2	4	-	2	-	2	-	-	1
	F	42	17	9	4	-	-	1	2	-	1	-	1	-	-	-	1	1	1	1	1	1	-	-	1	-	-	-
28	Malaria	150	20	3	8	4	-	11	6	8	10	5	5	4	10	3	9	14	7	6	5	7	2	1	2	-	-	-
	White—M	21	3	-	2	-	-	-	-	1	2	1	-	2	-	-	3	4	-	1	1	-	1	-	-	-	-	-
	F	17	4	-	-	-	-	4	-	1	2	-	-	-	1	-	-	-	-	-	1	4	-	-	-	-	-	-
	All other—M	61	9	1	4	2	-	3	3	4	3	1	2	-	6	3	4	4	4	5	2	1	-	-	-	-	-	-
	F	51	4	2	2	2	-	4	3	2	3	3	3	2	3	-	2	6	3	-	1	2	1	1	2	-	-	-
30	Syphilis	439	51	12	1	1	-	6	3	10	18	20	31	40	48	49	36	31	21	22	21	10	5	2	1	-	-	-
	White—M	46	-	-	-	-	-	-	1	-	-	-	2	2	4	6	4	7	5	8	6	1	-	-	-	-	-	-
	F	11	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	1	-	-	-	-	-
	All other—M	245	29	9	-	1	-	2	-	1	10	10	20	21	30	30	25	20	8	11	7	6	3	1	1	-	-	-
	F	137	18	3	1	-	-	4	2	9	8	10	9	17	13	12	7	3	6	3	7	3	1	1	-	-	-	-
33	Influenza	912	190	39	17	9	7	17	10	20	18	21	27	24	28	19	44	50	52	53	60	54	73	50	17	6	5	2
	White—M	173	39	6	3	1	-	4	3	3	3	1	6	2	3	4	4	8	9	12	10	16	17	12	6	-	-	1
	F	183	30	6	1	-	3	1	4	1	2	2	1	5	1	3	3	7	8	10	17	20	30	22	5	-	1	-
	All other—M	289	75	15	6	1	2	7	2	7	7	6	8	7	11	8	15	16	20	18	15	10	15	11	2	3	2	-
	F	267	46	12	7	7	2	5	1	9	6	12	12	10	13	4	22	19	15	13	18	8	11	5	4	3	2	1
35	Measles	72	22	11	3	4	1	9	3	4	3	1	-	1	-	2	-	1	1	2	2	1	1	-	-	-	-	-
	White—M	19	3	2	1	-	-	2	2	3	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	27	8	4	1	3	1	2	-	1	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-
	All other—M	10	5	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	6	4	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	3	-	2	2	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	570	2	-	-	-	-	-	3	3	2	3	4	15	27	49	44	84	79	89	69	46	29	14	7	-	-	1
	White—M	184	-	-	-	-	-	-	2	1	-	-	1	3	7	13	12	22	32	31	28	19	9	2	2	-	-	-
	F	152	2	-	-	-	-	-	1	1	-	-	-	4	7	10	8	18	21	27	19	15	11	7	-	-	-	1
	All other—M	128	-	-	-	-	-	-	-	-	2	2	3	3	7	10	18	24	12	19	14	6	4	3	1	-	-	-
	F	106	-	-	-	-	-	-	-	1	-	1	-	5	6	16	6	20	14	12	8	6	5	2	4	-	-	-
48,49	Cancer of female genital organs	316	-	-	-	-	-	-	-	2	2	7	16	28	40	48	33	41	34	38	11	9	2	1	3	1	-	-
	White—F	135	-	-	-	-	-	-	-	-	-	1	3	9	12	26	15	21	15	19	5	7	1	-	1	-	-	-
	All other—F	181	-	-	-	-	-	-	-	2	2	6	13	19	28	22	18	20	19	19	6	2	1	1	2	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
50	Cancer of breast	123	-	-	-	-	-	-	-	-	-	3	4	15	7	19	14	18	6	9	14	9	2	3	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	1	3	2	4	12	10	12	6	7	8	3	1	3	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	2	1	13	3	7	3	6	-	2	4	5	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	476	-	2	-	1	-	5	4	16	4	7	7	23	28	26	31	40	58	61	66	47	27	17	4	1	-	1
	White—M	239	-	1	-	-	-	3	1	4	3	4	2	10	12	9	13	18	28	40	39	27	15	8	2	-	-	-
	F	94	-	-	-	-	-	1	2	4	-	1	1	2	6	6	5	9	9	5	15	11	6	8	1	1	-	1
	All other—M	77	-	-	-	-	-	-	-	3	1	-	2	4	2	5	7	8	16	9	6	8	5	-	1	-	-	-
	F	66	-	1	-	1	-	1	1	5	-	2	2	7	8	6	6	5	5	7	6	1	1	1	-	-	-	-
58	Acute rheumatic fever	27	1	1	-	-	-	5	5	1	3	-	1	-	1	-	1	2	3	1	-	-	1	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other—M	11	-	1	-	-	-	3	1	1	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-
	F	8	1	-	-	-	-	1	2	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	294	-	1	-	-	3	3	4	6	3	6	6	9	14	22	22	20	36	42	47	19	19	10	2	-	-	-
	White—M	83	-	1	-	-	1	1	1	1	-	1	1	1	2	3	3	1	12	12	21	8	10	2	1	-	-	-
	F	85	-	-	-	-	2	2	2	-	1	2	1	4	3	4	3	2	9	17	13	9	8	3	-	-	-	-
	All other—M	53	-	-	-	-	-	-	-	4	2	2	1	2	2	7	5	7	4	7	8	-	-	2	-	-	-	-
	F	73	-	-	-	-	-	-	1	1	-	1	3	2	7	8	11	10	11	6	5	2	1	3	1	-	-	-
65b	Exophthalmic goiter	23	-	-	-	-	-	-	-	-	1	2	3	1	3	3	4	2	1	1	-	1	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	1	3	1	3	2	-	1	-	-	-	-	-	1	-	-	-	-
69	Pellagra (except alcoholic)	121	-	-	-	-	-	-	1	2	1	5	6	10	7	11	10	13	11	15	14	5	7	2	-	1	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	4	3	-	1	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	4	1	5	3	-	1	-	-	-	-	-
	All other—M	24	-	-	-	-	-	-	1	-	-	1	-	2	-	1	3	1	3	1	3	4	3	-	-	1	-	-
	F	61	-	-	-	-	-	-	-	2	1	4	5	6	4	6	5	6	7	5	5	1	2	2	-	-	-	-
77	Alcoholism (ethylism)	21	-	-	-	-	-	-	-	-	-	1	3	2	3	4	1	1	1	4	-	-	-	1	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	2	2	1	4	1	-	-	2	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,747	3	-	2	1	1	4	2	5	8	8	20	32	73	96	164	164	194	286	266	172	136	72	19	10	4	5
	White—M	415	1	-	-	-	-	-	-	-	3	2	1	3	8	20	34	35	49	76	63	62	27	26	4	1	-	-
	F	396	1	-	-	1	-	-	1	-	-	-	3	3	14	15	21	24	35	71	71	39	66	24	5	1	-	1
	All other—M	410	1	-	2	-	1	1	1	-	5	3	10	6	19	31	38	49	38	68	62	29	22	9	5	5	1	4
	F	526	-	-	-	-	-	3	-	5	-	3	6	20	32	30	71	56	72	71	70	42	21	13	5	3	3	-
80-82, 84-88	Other diseases of nervous system, etc.*	203	33	7	1	4	2	7	7	12	18	13	7	14	10	8	7	9	10	9	11	6	7	-	1	-	-	-
	White—M	66	11	3	-	1	-	3	1	7	4	4	4	4	2	1	3	3	4	2	1	3	5	-	-	-	-	-
	F	48	8	1	-	1	1	1	2	1	1	3	1	5	3	3	2	2	2	5	5	-	1	-	-	-	-	-
	All other—M	54	8	2	1	1	1	2	2	2	9	3	2	2	4	2	2	2	3	1	3	1	1	-	-	-	-	-
	F	35	6	1	-	1	-	1	2	2	4	3	-	3	1	2	-	2	1	1	2	2	-	-	1	-	-	-
89,104, 115	Diseases of ear, nose, and throat	111	24	5	2	1	2	10	7	5	7	4	7	6	6	4	7	5	2	1	2	1	1	2	-	-	-	-
	White—M	22	8	-	1	-	-	-	1	1	3	-	2	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	F	28	5	2	1	-	-	4	1	1	-	1	1	3	2	2	2	1	-	-	-	-	1	1	-	-	-	-
	All other—M	26	3	-	-	1	-	3	2	2	-	2	1	2	2	-	3	2	1	-	1	-	-	1	-	-	-	-
	F	35	8	3	-	-	2	3	3	1	4	1	3	-	2	-	2	1	-	-	1	1	-	-	-	-	-	-
90a,92b, 92c,93c. 95b	Chronic rheumatic diseases of heart	449	2	-	-	-	2	6	7	6	4	8	9	17	16	27	40	38	45	51	52	47	34	25	10	2	1	-
	White—M	108	-	-	-	-	1	3	1	3	-	4	-	3	-	2	9	7	12	15	9	17	16	4	2	-	-	-
	F	82	1	-	-	-	-	-	2	-	1	-	2	2	-	1	1	4	9	14	12	10	9	12	2	-	-	-
	All other—M	122	1	-	-	-	-	1	3	-	1	1	4	5	5	12	8	13	14	13	19	7	6	4	3	1	1	-
	F	137	-	-	-	-	1	2	1	3	2	3	3	7	11	12	22	14	10	9	12	13	3	5	3	1	-	-
94	Diseases of coronary arteries, angina pectoris	707	-	-	-	-	-	-	-	-	2	2	8	22	28	43	76	94	99	121	94	57	37	17	6	-	-	1
	White—M	394	-	-	-	-	-	-	-	-	-	-	3	14	13	23	44	55	60	68	58	27	18	8	3	-	-	-
	F	140	-	-	-	-	-	-	-	-	-	1	-	-	6	3	9	14	14	31	19	21	15	4	2	-	-	1
	All other—M	95	-	-	-	-	-	-	-	-	-	-	4	4	3	12	10	14	14	14	11	4	2	2	1	-	-	-
	F	78	-	-	-	-	-	-	-	-	2	1	1	4	6	5	13	11	11	8	6	5	2	3	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,452	6	-	1	2	2	7	9	14	23	30	44	64	115	131	196	226	274	324	322	272	206	118	42	13	9	2
	White—M	643	2	-	-	1	-	2	3	2	3	1	3	7	14	21	40	59	71	103	110	87	66	38	9	1	-	-
	F	530	4	-	-	-	-	2	1	-	4	4	8	8	1	9	19	25	51	74	76	94	80	49	17	3	-	1
	All other—M	670	-	-	1	-	-	1	1	4	6	7	11	19	44	54	67	74	93	97	69	49	34	16	11	5	6	1
	F	609	-	-	-	1	2	2	4	8	10	18	22	30	56	47	70	68	59	50	67	42	26	15	5	4	3	-
107-109	Pneumonia (all forms)	985	262	30	18	15	6	13	15	15	24	22	18	31	45	52	42	42	44	54	63	53	59	45	8	6	3	-
	White—M	241	60	5	3	2	1	4	2	2	6	5	5	6	5	9	11	12	12	19	14	14	24	15	3	2	-	-
	F	163	30	2	-	3	1	2	2	4	1	1	1	3	4	2	-	4	6	13	21	19	21	19	3	1	-	-
	All other—M	331	98	15	11	6	1	3	4	5	9	7	6	13	20	25	17	14	19	13	15	12	8	8	-	1	1	-
	F	250	74	8	4	4	3	4	7	4	8	9	6	9	16	16	14	12	7	9	13	8	6	3	2	2	2	-
117	Ulcer of stomach or duodenum	95	-	-	-	-	-	-	-	1	2	5	10	14	7	10	10	8	11	4	6	4	2	1	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	3	4	10	2	5	4	3	6	2	4	2	2	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	-	1	-	-	-	-	-	-
	All other—M	31	-	-	-	-	-	-	-	1	1	2	3	4	4	2	3	4	3	1	2	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
119,120	Diarrhea, enteritis, etc.*	372	195	90	23	9	6	-	-	2	2	2	1	3	3	1	1	1	2	3	7	7	5	3	2	3	1	-
	White—M	62	36	9	6	2	1	-	-	1	-	-	-	-	1	-	-	1	-	1	1	2	1	-	-	-	-	-
	F	64	27	13	6	1	-	-	-	-	-	1	-	-	-	-	1	-	1	2	2	1	4	2	2	1	-	-
	All other-M	148	85	39	5	2	4	-	-	-	-	1	1	2	2	-	-	-	1	-	3	1	-	1	-	1	-	-
	F	98	47	29	6	4	1	-	-	1	2	-	-	1	-	1	-	-	-	-	1	3	-	-	-	1	1	-
121	Appendicitis	208	1	-	-	3	3	16	21	26	16	13	14	13	8	15	10	16	9	11	5	5	2	-	1	-	-	-
	White—M	60	1	-	-	1	1	5	5	8	6	6	3	4	2	5	2	4	1	3	2	1	-	-	-	-	-	-
	F	47	-	-	-	-	1	3	4	7	1	3	4	1	2	-	1	5	4	7	1	1	1	-	1	-	-	-
	All other-M	59	-	-	-	1	1	3	8	8	5	-	5	3	2	6	6	3	2	1	2	2	1	-	-	-	-	-
	F	42	-	-	-	1	-	5	4	3	4	4	2	5	2	4	1	4	2	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	216	16	5	1	1	1	2	1	3	5	5	16	15	13	19	15	24	17	19	13	15	4	3	1	1	-	1
	White—M	42	5	-	-	-	-	1	-	-	1	1	1	2	1	3	2	3	6	6	3	4	1	2	-	-	-	-
	F	35	5	-	-	-	-	-	-	-	-	-	2	1	2	3	2	7	3	2	4	4	-	-	-	-	-	-
	All other-M	84	3	3	1	-	1	-	-	2	1	3	4	8	3	6	7	9	7	7	5	7	3	1	1	1	-	1
	F	55	3	2	-	1	-	1	1	1	3	1	9	4	7	7	4	5	1	4	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	79	-	-	-	-	-	-	-	-	1	1	4	2	6	5	12	13	13	10	5	1	4	1	-	-	-	1
	White—M	37	-	-	-	-	-	-	-	-	1	1	2	-	3	1	5	8	4	4	4	-	2	1	-	-	-	1
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	3	1	-	1	-	-	-	-	-
	All other-M	25	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	3	4	3	-	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	59	-	-	-	-	-	-	-	1	1	2	2	5	5	9	4	5	7	5	6	3	2	1	1	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	3	3	-	1	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	1	4	-	1	3	-	-	1	-	-	-
	All other-M	12	-	-	-	-	-	-	-	1	-	1	-	1	3	1	1	2	-	1	-	-	1	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	-	3	1	4	-	1	2	1	2	-	-	-	-	-	-	-
130-132	Nephritis	2,227	4	4	5	-	1	13	11	7	25	29	36	68	98	142	171	192	241	314	282	235	171	115	35	17	8	3
	White—M	495	1	1	-	-	-	5	-	-	3	3	3	4	13	21	28	31	63	77	78	68	55	30	9	-	2	-
	F	374	-	-	1	-	-	4	2	1	6	3	4	2	4	15	16	25	36	57	56	56	39	33	10	2	-	2
	All other-M	709	3	3	2	-	1	2	4	1	5	8	7	27	33	49	60	69	76	95	98	74	49	26	12	5	-	-
	F	649	-	-	2	-	-	2	5	5	11	15	22	35	48	57	67	67	66	85	50	37	28	26	4	10	6	1
137	Diseases of the prostate	119	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	14	25	25	15	13	9	3	1	1	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	8	7	7	6	2	-	-	-
	All other-M	75	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	10	15	17	8	6	3	1	1	1	-
140, 142a, 147	Puerperal septicemia	100	-	-	-	-	-	-	1	14	28	12	23	16	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	3	5	4	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	73	-	-	-	-	-	-	1	11	23	8	16	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	104	-	-	-	-	-	-	1	22	23	25	12	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	9	9	5	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	68	-	-	-	-	-	-	1	13	14	20	7	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	104	-	-	-	-	-	-	1	7	20	26	18	16	13	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	4	5	13	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	70	-	-	-	-	-	-	1	3	15	13	15	12	9	2	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	138	119	4	6	1	-	4	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	51	47	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	42	37	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	29	22	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	696	696	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	217	217	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	172	172	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	123	-	-	-	-	-	-	-	4	16	10	11	9	12	15	10	13	7	10	4	1	1	-	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	-	10	5	6	5	6	8	10	8	5	9	3	1	1	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	2	4	3	2	2	5	3	-	2	2	1	-	-	-	-	-	-	-	-
	All other-M	17	-	-	-	-	-	-	-	1	2	2	3	1	1	3	-	3	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	403	-	-	-	-	-	-	3	35	77	75	69	50	30	20	17	5	4	10	2	3	1	-	1	-	-	1
	White—M	64	-	-	-	-	-	-	-	1	7	11	9	10	6	4	9	2	1	2	1	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	267	-	-	-	-	-	-	1	19	51	56	46	34	19	15	8	3	3	7	1	3	-	-	-	-	-	1
	F	68	-	-	-	-	-	-	2	15	18	8	11	6	5	1	-	-	-	1	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents	607	4	3	8	5	5	22	22	61	76	66	69	48	44	39	23	24	25	18	22	14	6	2	-	1	-	-
	White—M	299	2	2	4	-	-	10	10	28	43	38	36	18	24	19	9	10	15	9	11	6	3	2	-	-	-	-
	F	89	1	1	1	4	3	2	1	13	7	9	13	6	4	3	1	4	2	5	4	2	2	-	-	1	-	-
	All other-M	185	-	-	3	-	2	10	8	18	21	15	18	21	15	14	10	9	7	4	6	4	-	-	-	-	-	-
	F	34	1	-	-	1	-	-	3	2	5	4	2	3	1	3	3	1	1	-	1	2	1	-	-	-	-	-
169, 171-195	Other accidents	892	54	19	28	24	10	42	54	64	72	83	55	52	38	30	40	24	28	32	28	28	34	32	10	2	4	5
	White—M	289	7	4	7	4	-	12	16	25	34	34	24	23	12	13	14	11	8	6	11	7	11	6	-	-	-	-
	F	131	7	2	1	8	2	8	7	3	3	1	3	2	-	1	4	4	4	4	11	16	16	16	6	1	-	1
	All other-M	321	19	4	15	3	2	14	25	30	29	36	22	23	19	12	17	6	11	13	5	3	3	4	1	-	1	4
	F	151	21	9	5	9	6	8	6	6	6	12	6	4	7	4	5	3	5	9	1	2	4	6	3	1	3	-
	All other causes*	4,656	1155	78	37	20	11	49	44	72	89	100	105	150	162	168	222	239	294	329	316	291	261	233	120	58	42	11
	White—M	779	184	11	12	7	2	9	11	6	10	11	13	20	23	28	32	38	50	67	67	59	55	38	19	3	1	3
	F	633	145	5	3	1	3	12	8	5	9	15	11	20	19	22	15	28	34	51	46	32	56	56	24	7	3	3
	All other-M	1,681	459	35	14	5	4	18	13	31	30	24	35	44	52	54	78	101	124	106	112	119	77	74	33	20	15	4
	F	1,563	367	27	8	7	2	10	12	30	40	50	46	66	68	64	97	72	86	105	91	81	73	65	44	28	23	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes	42,994	3,019	373	173	94	79	284	297	593	660	715	888	1,108	1,427	1,887	2,533	3,038	3,629	4,628	5,285	4,930	3,983	2,282	840	196	24	29
	White—M	21,825	1,522	173	82	47	29	128	172	314	306	314	379	480	681	919	1,308	1,691	2,012	2,432	2,805	2,501	1,994	1,089	361	64	6	16
	F	16,886	1,142	147	71	40	40	131	99	195	224	251	332	367	452	608	794	996	1,289	1,800	2,169	2,197	1,859	1,115	440	109	10	9
	All other—M	2,289	200	28	10	2	2	9	14	33	66	81	79	110	136	199	261	206	191	227	174	121	71	39	15	10	3	2
	F	1,994	155	25	10	5	8	16	12	51	64	69	98	151	158	161	170	145	137	169	137	111	59	39	24	13	5	2
1,2	Typhoid, paratyphoid fever	49	-	2	2	-	1	2	3	4	4	5	4	6	2	4	1	3	2	1	1	2	-	-	-	-	-	-
	White—M	32	-	1	2	-	1	-	2	3	3	3	3	4	2	2	1	2	2	1	-	-	-	-	-	-	-	-
	F	10	-	1	-	-	-	1	1	-	1	-	-	1	-	2	-	-	-	-	1	2	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	3	4	-	1	-	1	1	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	8	1	3	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	1	1	-	2	2	3	2	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	-	-	1	2	1	1	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	169	114	24	9	9	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	69	48	10	3	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	82	53	10	5	5	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	43	4	6	9	7	4	9	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	1	6	4	3	2	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	3	-	5	4	2	4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,669	12	8	1	3	-	5	11	86	127	138	145	146	150	145	161	138	124	104	77	51	29	7	1	-	-	-
	White—M	822	2	1	1	-	-	2	2	14	29	39	61	66	84	96	104	94	86	50	42	28	17	4	-	-	-	-
	F	470	5	4	-	1	-	1	2	34	45	51	46	41	29	23	25	26	31	43	30	21	8	3	1	-	-	-
	All other—M	206	3	2	-	1	-	-	3	15	22	22	15	19	25	19	28	12	7	6	4	1	2	-	-	-	-	-
	F	171	2	1	-	1	-	2	4	23	31	26	23	20	12	7	4	6	-	5	1	1	2	-	-	-	-	-
14-22	Tuberculosis (other forms)	108	5	4	7	-	2	5	3	12	7	1	6	5	5	9	11	5	5	12	2	1	1	-	-	-	-	-
	White—M	53	4	1	3	-	-	2	3	6	3	-	1	2	2	6	6	2	3	8	-	-	1	-	-	-	-	-
	F	34	-	3	4	-	1	2	-	1	-	-	3	2	3	2	2	2	2	4	2	1	-	-	-	-	-	-
	All other—M	9	1	-	-	-	-	-	-	2	1	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	1	1	-	3	3	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	71	30	11	1	2	-	-	1	1	1	1	-	2	1	1	2	-	1	1	4	3	3	3	2	-	-	-
	White—M	33	15	3	-	1	-	-	1	1	1	-	-	1	1	1	1	-	1	-	2	1	1	1	1	-	-	-
	F	27	9	4	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	2	2	2	2	1	-	-	-
	All other—M	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	25	-	-	2	1	-	1	1	-	-	-	2	2	1	2	-	-	2	5	3	1	2	-	-	-	-	-
	White—M	17	-	-	2	1	-	1	1	-	-	-	1	-	1	1	-	-	1	3	2	1	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	597	28	1	-	1	-	1	1	5	6	8	22	38	35	58	93	81	68	66	47	24	9	3	1	1	-	-
	White—M	316	9	1	-	1	-	1	1	2	-	2	10	12	18	29	49	48	48	43	20	15	4	2	-	1	-	-
	F	108	12	-	-	-	-	-	-	2	-	3	4	5	3	10	11	15	7	13	16	3	3	1	-	-	-	-
	All other—M	117	5	-	-	-	-	-	-	-	4	1	4	10	10	14	25	9	8	10	9	5	2	-	1	-	-	-
	F	56	2	-	-	-	-	-	-	1	2	2	4	11	4	5	8	9	5	-	2	1	-	-	-	-	-	-
33	Influenza	994	128	30	10	2	2	6	12	11	17	13	10	14	23	23	36	47	49	77	99	117	110	92	52	12	2	-
	White—M	476	61	13	2	-	-	1	3	6	8	9	4	8	17	11	18	24	22	34	51	59	49	50	22	3	1	-
	F	439	59	12	7	2	1	5	6	4	7	2	6	5	4	7	12	19	19	35	40	53	58	41	28	7	-	-
	All other—M	40	5	2	1	-	-	-	1	-	2	-	-	1	-	3	6	2	4	4	1	3	1	1	2	1	-	-
	F	39	3	3	-	-	1	-	2	1	-	2	-	-	2	2	-	2	4	4	7	2	2	-	-	1	1	-
35	Measles	114	24	25	10	5	5	19	4	8	3	2	-	3	1	-	1	1	1	-	1	1	-	-	-	-	-	-
	White—M	56	11	14	6	3	3	10	1	6	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	47	8	9	4	-	2	8	3	2	1	1	-	3	1	-	1	1	1	-	1	1	-	-	-	-	-	-
	All other—M	6	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	-	2	3	-	-	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	2	-	-	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,284	1	-	-	-	1	1	-	4	4	10	20	30	50	111	159	240	311	386	388	315	166	73	9	2	2	1
	White—M	1,135	-	-	-	-	1	1	-	2	1	3	7	16	18	43	84	125	151	199	197	156	91	35	4	-	1	-
	F	1,024	1	-	-	-	-	-	-	2	3	5	10	11	23	49	68	93	146	165	184	147	73	36	5	1	1	1
	All other—M	87	-	-	-	-	-	-	-	-	-	2	2	3	3	15	5	19	8	13	6	6	2	2	-	1	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	1	-	6	4	2	3	6	9	1	6	-	-	-	-	-	-
48,49	Cancer of female genital organs	680	-	-	-	-	-	-	-	1	2	13	26	43	67	70	83	70	88	73	80	31	21	9	3	-	-	-
	White—F	609	-	-	-	-	-	-	-	-	2	10	20	34	58	62	71	66	82	70	74	29	19	9	3	-	-	-
	All other—F	71	-	-	-	-	-	-	-	1	-	3	6	9	9	8	12	4	6	3	6	2	2	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
50	Cancer of breast	466	-	-	-	-	-	-	-	1	-	2	11	15	40	42	56	72	50	54	49	27	25	17	4	1	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	-	-	-	-	-	-
	F	416	-	-	-	-	-	-	-	1	-	1	9	13	33	38	53	65	42	49	46	24	24	15	5	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	2	2	6	4	3	6	6	3	2	1	1	2	1	1	-	-
45,47, 51-55	Cancer (other sites)	1,597	3	1	2	6	2	5	6	9	8	11	21	24	58	82	137	163	221	209	213	192	135	71	14	3	-	1
	White—M	1,085	2	-	-	1	-	1	3	4	2	6	11	12	28	54	87	125	151	136	164	149	91	46	10	2	-	-
	F	421	1	1	2	5	2	3	3	4	4	5	9	9	21	21	31	32	58	62	42	39	40	21	4	1	-	1
	All other—M	69	-	-	-	-	-	-	-	-	1	-	-	1	6	6	13	6	11	10	5	3	4	3	-	-	-	-
	F	22	-	-	-	-	-	1	-	1	1	-	1	2	3	1	6	-	1	1	2	1	-	1	-	-	-	-
58	Acute rheumatic fever	33	-	1	-	-	-	-	4	5	2	-	-	3	1	-	-	2	3	2	3	3	2	2	-	-	-	-
	White—M	17	-	-	-	-	-	-	3	3	1	-	-	2	1	-	-	2	1	-	2	2	-	-	-	-	-	-
	F	13	-	1	-	-	-	-	1	2	1	-	-	1	-	-	-	-	1	1	1	1	1	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	970	-	1	1	-	1	1	4	9	11	3	6	9	24	39	69	99	127	171	160	126	82	23	3	1	-	-
	White—M	363	-	-	-	-	-	1	3	5	4	1	2	3	10	14	26	31	44	66	74	38	33	7	1	-	-	-
	F	542	-	1	1	-	1	-	1	4	6	2	4	4	6	13	34	63	78	94	82	86	45	14	2	1	-	-
	All other—M	17	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	-	2	2	2	1	1	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	-	-	2	6	10	7	3	5	9	2	-	3	1	-	-	-	-
63b	Exophthalmic goiter	111	-	-	-	-	-	-	-	1	1	2	4	4	5	12	11	19	19	16	9	5	2	1	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	5	1	-	-	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	1	1	2	1	3	2	10	9	17	18	10	8	5	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	21	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	3	1	5	5	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	-	-	1	2	5	5	3	5	1	4	4	-	-	-	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	1	2	3	4	3	4	1	3	4	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,707	3	1	1	-	-	1	1	5	5	11	20	34	54	108	178	246	338	519	640	675	494	279	75	17	-	2
	White—M	1,753	2	1	1	-	-	-	-	3	2	5	10	9	15	37	79	127	191	262	311	322	220	115	34	6	-	1
	F	1,639	1	-	-	-	-	1	1	2	3	3	6	16	26	40	73	90	110	203	289	317	260	150	38	9	-	1
	All other—M	134	-	-	-	-	-	-	-	-	-	2	1	3	2	10	9	13	19	26	22	11	7	8	1	-	-	-
	F	181	-	-	-	-	-	-	-	-	-	1	3	6	11	21	17	16	18	28	18	25	7	6	2	2	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	386	24	9	6	1	3	11	15	9	14	7	14	25	11	19	25	24	33	33	53	22	17	7	3	1	-	-
	White—M	212	10	6	4	1	1	5	7	5	8	5	9	17	6	11	14	16	18	18	27	13	7	4	-	-	-	-
	F	147	11	2	1	-	2	6	5	4	4	2	5	7	5	8	8	5	13	11	23	9	10	3	3	-	-	-
	All other—M	14	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	4	1	-	-	-	-	-	-	-
	F	13	1	-	1	-	-	-	2	-	2	-	-	1	-	-	2	1	-	-	2	-	-	-	-	1	-	-
89,104, 115	Diseases of ear, nose, and throat	155	12	5	13	1	1	15	7	13	7	6	7	10	4	10	8	12	6	5	5	6	1	1	-	-	-	-
	White—M	84	8	4	3	1	-	5	3	9	4	2	4	9	4	2	3	7	6	1	3	5	-	1	-	-	-	-
	F	57	3	1	7	-	1	9	4	1	2	4	2	1	-	5	4	5	-	4	2	1	1	-	-	-	-	-
	All other—M	6	-	-	2	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	1	-	-	1	-	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,128	2	-	-	1	2	9	12	20	22	19	30	29	45	50	71	77	82	122	158	138	130	72	33	4	-	-
	White—M	507	1	-	-	-	1	-	5	11	12	9	13	12	17	18	36	32	41	61	82	61	54	28	11	2	-	-
	F	480	1	-	-	1	-	6	4	6	9	6	11	13	15	22	18	31	32	48	57	69	71	40	19	1	-	-
	All other—M	80	-	-	-	-	1	1	2	1	1	2	4	3	4	6	12	10	2	7	12	6	3	2	-	1	-	-
	F	61	-	-	-	-	-	2	1	2	-	2	2	1	9	4	5	4	7	6	7	2	2	2	3	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,661	1	-	-	-	-	-	-	-	3	7	18	38	81	131	203	289	333	428	473	326	201	88	28	8	-	5
	White—M	1,745	-	-	-	-	-	-	-	-	1	3	12	26	63	92	151	219	233	274	305	191	110	48	13	1	-	3
	F	789	1	-	-	-	-	-	-	-	1	2	3	8	3	26	27	59	90	138	161	124	85	40	14	6	-	1
	All other—M	80	-	-	-	-	-	-	-	-	-	1	3	1	8	9	17	8	7	10	5	5	3	-	1	1	-	1
	F	47	-	-	-	-	-	-	-	-	1	1	-	3	7	4	8	3	3	6	2	6	3	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,455	12	3	-	2	1	7	11	18	15	26	45	78	126	201	343	505	673	1,001	1,189	1,216	1,055	637	225	50	10	6
	White—M	3,746	6	2	-	1	1	3	7	8	6	7	13	36	57	94	171	277	377	520	617	605	537	289	85	20	3	4
	F	3,008	6	1	-	1	-	4	3	10	7	11	17	20	30	57	88	149	221	374	486	553	489	322	127	27	4	1
	All other—M	360	-	-	-	-	-	-	-	-	-	6	5	7	16	21	47	36	45	60	48	62	19	11	3	3	1	-
	F	341	-	-	-	-	-	-	1	-	2	2	10	15	23	29	37	43	30	47	38	26	10	15	10	-	2	1
107-109	Pneumonia (all forms)	2,530	409	83	32	9	10	31	19	25	23	34	38	47	69	90	116	113	155	185	233	266	286	149	94	11	1	2
	White—M	1,251	204	37	13	4	3	12	9	13	9	17	13	17	37	41	54	71	90	91	125	129	143	73	42	3	-	1
	F	949	143	34	13	5	3	13	10	3	11	10	9	16	17	19	30	23	43	69	94	122	133	73	47	7	1	1
	All other—M	198	35	9	3	-	1	3	-	2	1	6	6	6	12	24	21	13	16	18	8	9	3	1	1	-	-	-
	F	132	27	3	3	-	3	3	-	7	2	1	10	8	3	6	11	6	6	7	6	6	7	2	4	1	-	-
117	Ulcer of stomach or duodenum	227	-	-	-	-	-	-	-	-	1	8	5	13	19	21	25	36	29	25	21	12	5	5	2	-	-	-
	White—M	162	-	-	-	-	-	-	-	-	1	5	3	10	14	17	19	25	24	19	13	6	3	3	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	3	2	-	1	1	4	9	4	4	6	6	2	2	2	-	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	2	1	2	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
119,120	Diarrhea, enteritis, etc.*	401	253	53	10	4	5	1	1	-	4	2	4	1	4	2	5	3	5	5	10	10	11	5	3	-	-	-
	White—M	201	140	28	7	1	1	-	1	-	2	-	1	-	1	1	1	1	1	2	5	3	4	1	-	-	-	-
	F	147	83	19	2	2	3	1	-	-	1	2	2	1	1	-	3	2	3	1	2	5	7	4	3	-	-	-
	All other—M	23	15	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	30	15	3	-	1	1	-	-	-	-	-	1	-	2	1	-	-	1	1	2	2	-	-	-	-	-	-
121	Appendicitis	377	-	3	2	2	3	19	30	24	19	18	27	26	31	37	29	31	23	15	16	14	8	-	-	-	-	-
	White—M	215	-	2	1	2	2	7	19	12	9	10	15	15	19	27	17	17	11	7	11	7	5	-	-	-	-	-
	F	129	-	1	1	-	1	11	9	8	8	6	8	5	8	6	10	12	12	8	5	7	3	-	-	-	-	-
	All other—M	18	-	-	-	-	-	-	2	2	-	1	2	1	4	2	2	2	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	1	-	2	2	1	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	380	21	4	2	1	-	4	2	3	7	7	14	22	11	15	35	25	36	35	47	41	27	15	5	1	-	-
	White—M	157	14	2	2	1	-	4	-	-	2	1	7	1	2	5	12	9	16	12	26	17	11	8	4	1	-	-
	F	169	3	2	-	-	-	-	2	2	3	2	3	13	7	6	16	13	14	20	20	20	15	7	1	-	-	-
	All other—M	31	3	-	-	-	-	-	-	-	1	3	3	3	-	2	4	2	4	2	-	3	1	-	-	-	-	-
	F	23	1	-	-	-	-	-	-	1	1	1	1	5	2	2	3	1	2	1	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	404	-	1	-	-	-	1	-	-	2	4	8	15	21	51	49	41	39	58	50	38	11	15	-	-	-	-
	White—M	259	-	-	-	-	-	-	-	-	-	1	4	7	15	34	29	29	28	43	32	23	6	8	-	-	-	-
	F	123	-	1	-	-	-	-	-	-	1	3	4	5	3	12	18	9	9	13	18	15	5	7	-	-	-	-
	All other—M	10	-	-	-	-	-	1	-	-	1	-	-	-	2	-	2	3	1	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	3	1	5	-	-	1	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	253	-	-	-	-	-	-	-	-	1	2	8	11	11	17	16	30	25	36	43	22	18	9	4	-	-	-
	White—M	82	-	-	-	-	-	-	-	-	-	1	2	2	3	5	4	7	11	14	12	9	6	3	3	-	-	-
	F	160	-	-	-	-	-	-	-	-	-	1	6	9	7	12	10	20	14	22	28	12	12	6	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	-	-	-
130-132	Nephritis	3,883	7	1	1	-	3	4	8	21	25	20	32	74	110	133	208	256	360	478	600	615	512	286	103	21	2	3
	White—M	1,976	5	-	-	-	1	-	3	13	12	8	13	22	31	45	95	136	184	251	322	336	274	164	55	5	-	1
	F	1,489	2	-	-	-	2	4	5	8	9	6	13	29	51	50	68	74	122	177	233	247	221	110	43	14	-	1
	All other—M	207	-	-	1	-	-	-	-	-	1	3	2	10	10	20	22	23	28	26	25	18	7	6	3	-	1	1
	F	211	-	1	-	-	-	-	-	-	3	3	4	13	18	18	23	23	26	24	20	14	10	6	2	2	1	-
137	Diseases of the prostate	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11	24	46	61	54	51	19	4	3	-	-
	White—M	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	20	41	57	49	50	19	4	3	-	-
	All other—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	5	4	5	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	82	-	-	-	-	-	-	-	9	10	24	25	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	71	-	-	-	-	-	-	-	8	8	19	22	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	11	-	-	-	-	-	-	-	1	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	50	-	-	-	-	-	-	-	11	9	10	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	43	-	-	-	-	-	-	-	11	7	10	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	7	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149.150	Other puerperal causes	67	-	-	-	-	-	-	-	4	9	17	21	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	55	-	-	-	-	-	-	-	3	8	13	17	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	12	-	-	-	-	-	-	-	1	1	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	380	316	12	2	3	3	5	6	4	-	2	2	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
	White—M	192	170	9	1	1	1	-	4	1	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	157	136	5	1	2	2	5	2	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	All other—M	6	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	862	862	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	415	415	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	337	337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	507	-	-	-	-	-	-	-	14	22	35	40	39	45	53	59	45	59	32	26	20	10	5	2	-	-	1
	White—M	400	-	-	-	-	-	-	-	10	14	26	28	30	38	37	47	38	53	23	24	16	9	4	2	-	-	1
	F	92	-	-	-	-	-	-	-	4	8	9	11	6	4	15	10	4	5	8	2	4	1	1	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	3	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
165-168	Homicide	193	5	-	-	-	-	1	1	4	24	25	33	25	17	25	9	6	3	6	5	2	1	-	-	-	-	1
	White—M	79	4	-	-	-	-	-	-	1	7	11	11	6	9	11	5	3	1	5	3	1	-	-	-	-	-	1
	F	21	1	-	-	-	-	-	-	3	4	-	5	1	3	2	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	75	-	-	-	-	-	-	-	-	12	11	12	16	4	9	2	3	2	1	1	1	1	-	-	-	-	-
	F	18	-	-	-	-	-	1	1	-	1	3	5	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,095	2	9	5	5	9	28	30	135	131	83	77	60	73	71	66	64	60	64	59	40	16	7	-	-	-	1
	White—M	780	1	3	2	3	5	16	22	96	105	65	58	48	56	48	42	45	44	39	39	29	10	4	-	-	-	-
	F	241	1	5	2	2	3	10	7	36	20	8	12	8	11	18	18	14	10	21	17	10	4	3	-	-	-	1
	All other—M	58	-	-	1	-	-	1	1	2	4	9	6	4	4	3	4	5	4	4	3	1	2	-	-	-	-	-
	F	16	-	1	-	-	1	1	-	1	2	1	1	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,835	57	28	21	18	6	46	52	73	65	62	48	69	78	79	98	83	77	125	153	194	209	129	46	16	-	3
	White—M	1,029	28	12	9	10	2	28	42	59	41	48	36	51	58	58	70	57	44	76	77	72	82	50	14	2	-	3
	F	678	23	13	8	7	3	17	7	8	17	9	7	6	11	11	16	14	29	42	70	117	123	76	31	13	-	-
	All other—M	86	2	-	1	-	-	1	3	6	7	4	5	8	7	9	7	11	2	4	3	2	3	1	-	-	-	-
	F	42	4	3	3	1	1	-	-	-	-	1	-	4	2	1	5	1	2	3	3	3	1	2	1	1	-	-
	All other causes*	3,641	680	40	21	8	10	33	45	34	48	73	82	116	134	168	157	196	191	228	302	314	331	253	124	44	7	2
	White—M	1,754	360	13	13	6	4	18	23	17	18	25	23	33	47	73	74	108	103	121	154	152	174	122	56	15	1	1
	F	1,468	236	16	7	2	6	13	20	13	21	34	44	50	51	59	54	61	70	88	124	143	140	126	64	22	4	-
	All other—M	212	52	6	-	-	-	2	1	-	4	7	6	7	10	19	19	17	13	12	11	8	8	3	3	3	1	-
	F	207	32	5	1	-	-	-	1	4	5	7	9	26	26	17	10	10	5	7	13	11	9	2	1	4	1	1

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	All causes	5,673	458	45	33	21	15	56	63	111	115	113	128	122	189	246	372	492	535	579	627	626	445	218	62	14	5	5
	White—M	3,474	212	23	12	10	7	25	28	58	63	65	71	71	112	152	259	332	373	385	387	386	284	123	30	4	1	1
	F	1,848	157	8	10	5	4	24	19	30	36	35	44	42	66	88	101	151	146	177	217	225	141	81	30	9	2	-
	All other—M	207	42	8	5	2	4	5	10	10	6	5	10	7	9	2	9	8	10	11	12	7	14	8	1	-	-	2
	F	144	27	6	6	4	-	2	6	13	10	8	3	2	2	4	3	1	6	6	11	8	6	6	1	1	2	-
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	2	1	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	1	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	-	1	2	3	1	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	194	-	-	1	1	-	2	8	17	11	9	7	6	14	24	27	22	18	10	9	3	5	-	-	-	-	-
	White—M	121	-	-	-	-	-	-	-	1	1	-	3	3	9	20	24	21	18	10	7	2	2	-	-	-	-	-
	F	25	-	-	-	-	-	-	1	1	1	6	-	2	4	4	3	1	-	-	1	-	1	-	-	-	-	-
	All other—M	22	-	-	-	-	-	2	5	5	3	-	2	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-
	F	26	-	-	1	1	-	-	2	10	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	20	2	1	2	2	1	-	1	-	2	2	-	1	-	2	1	-	2	-	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	1	-	-	-	-	2	1	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	62	1	-	-	-	-	-	1	-	-	1	3	3	5	2	5	11	13	6	8	3	-	-	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-	-	3	4	1	3	9	9	5	6	3	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	4	1	1	-	-	-	-	-	-	-
	All other—M	6	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	90	18	3	1	2	1	3	-	3	2	-	-	2	4	4	1	2	2	5	9	8	8	8	2	2	-	-
	White—M	42	7	1	-	-	-	2	-	-	-	-	-	1	1	4	1	1	2	3	4	4	7	1	2	1	-	-
	F	38	5	1	1	1	1	1	-	2	2	-	-	1	3	-	-	1	-	2	4	4	1	7	-	1	-	-
	All other—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	3	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	295	-	-	-	-	-	-	-	1	-	2	6	2	5	7	27	37	50	40	53	34	18	15	-	-	-	-
	White—M	180	-	-	-	-	-	-	-	-	-	2	4	-	1	4	18	23	27	24	34	22	13	8	-	-	-	-
	F	105	-	-	-	-	-	-	-	1	-	-	2	2	3	3	9	12	21	14	17	11	5	5	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	83	-	-	-	-	-	-	-	-	-	1	4	3	8	9	8	13	10	15	4	6	2	-	-	-	-	-
	White—F	82	-	-	-	-	-	-	-	-	-	1	4	3	8	9	8	13	10	15	4	5	2	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
50	Cancer of breast	48	-	-	-	-	-	-	-	-	-	-	-	2	4	7	5	11	4	7	5	2	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	-	2	4	7	5	11	4	6	5	2	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	218	-	-	1	-	-	2	2	4	1	4	3	2	5	17	17	32	26	29	24	24	16	7	-	1	-	1
	White—M	171	-	-	-	-	-	-	1	3	1	2	2	1	4	14	14	24	24	21	19	21	13	5	-	1	-	1
	F	39	-	-	1	-	-	2	1	1	-	2	1	1	1	3	2	7	2	6	4	3	1	1	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
58	Acute rheumatic fever	6	1	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	110	-	-	-	1	-	-	1	2	-	2	2	2	2	1	5	19	16	16	24	9	6	2	-	-	-	-
	White—M	58	-	-	-	1	-	-	-	1	-	-	1	2	1	-	4	8	10	8	14	4	3	1	-	-	-	-
	F	51	-	-	-	-	-	-	1	1	-	2	1	-	1	-	1	11	6	8	10	5	3	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	3	2	2	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	-	3	1	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	19	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	3	-	2	1	1	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	3	-	2	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	486	-	-	-	1	-	-	-	1	2	3	1	5	7	7	26	43	32	61	82	100	79	23	11	1	1	-
	White—M	287	-	-	-	1	-	-	-	-	1	1	1	2	4	3	12	23	23	39	47	57	49	16	7	-	1	-
	F	196	-	-	-	-	-	-	-	1	1	2	-	3	3	3	13	20	9	22	34	43	30	7	4	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	76	9	4	-	-	-	1	-	5	6	5	3	4	3	2	6	5	8	5	6	1	2	1	2	-	-	-
	White—M	38	2	1	-	-	-	1	-	2	3	2	-	4	1	-	2	2	4	5	4	1	2	1	1	-	-	-
	F	31	5	3	-	-	-	-	-	1	3	2	3	-	1	1	3	3	3	-	2	-	-	-	1	-	-	-
	All other—M	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	30	3	2	1	-	1	4	2	3	-	3	3	3	-	-	2	-	2	-	-	1	-	-	-	-	-	-
	White—M	20	3	1	-	-	1	3	-	3	-	1	2	2	-	-	1	-	2	-	-	1	-	-	-	-	-	-
	F	10	-	1	1	-	-	1	2	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	122	-	-	-	-	-	1	1	2	8	3	4	4	8	7	9	8	12	11	16	7	14	5	2	-	-	-
	White—M	69	-	-	-	-	-	-	1	1	5	2	3	2	5	4	4	3	5	6	12	2	9	5	-	-	-	-
	F	49	-	-	-	-	-	1	-	1	3	1	1	2	3	3	5	4	6	4	4	5	4	-	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	407	-	-	-	-	-	-	-	2	-	1	4	3	16	15	35	46	62	71	41	63	36	10	-	2	-	-
	White—M	311	-	-	-	-	-	-	-	2	-	1	3	3	12	11	30	45	49	54	25	42	28	8	-	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	-	1	-	4	4	4	1	12	15	16	20	8	2	-	1	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e 95a,c	Diseases of heart (other forms)	956	-	-	1	-	-	3	3	6	4	5	3	11	11	23	44	72	104	110	157	182	114	76	22	3	2	-
	White—M	627	-	-	1	-	-	2	-	3	2	3	3	9	7	15	33	56	81	73	104	116	68	41	9	1	-	-
	F	296	-	-	-	-	-	1	3	2	2	2	-	2	4	8	10	16	20	32	49	59	38	32	13	2	1	-
	All other—M	22	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	5	2	5	6	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	1	-
107-109	Pneumonia (all forms)	282	66	6	7	1	1	3	4	7	2	4	7	11	5	5	14	13	13	21	20	18	17	10	5	1	1	-
	White—M	135	26	3	-	-	1	1	2	5	2	3	2	5	5	4	7	7	6	17	9	11	9	7	3	-	-	-
	F	75	17	-	4	-	-	1	-	2	-	1	4	3	-	1	5	6	5	3	6	7	7	1	1	1	-	-
	All other—M	34	15	2	1	1	-	1	1	-	-	-	1	3	-	-	2	-	1	1	2	-	1	1	1	-	-	-
	F	18	8	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	1	-
117	Ulcer of stomach or duodenum	52	-	-	-	-	-	-	-	-	4	-	-	2	6	5	6	7	7	4	9	1	1	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	2	-	-	2	5	3	6	5	7	4	7	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	2	-	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
119,120	Diarrhea, enteritis, etc.*	37	22	7	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	White—M	18	12	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other—M	12	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	62	-	-	-	2	3	3	7	3	4	5	2	3	1	5	6	11	1	2	-	3	1	-	-	-	-	-
	White—M	39	-	-	-	1	1	2	3	2	4	4	-	2	-	4	4	6	1	2	-	2	1	-	-	-	-	-
	F	22	-	-	-	1	2	1	4	1	-	1	2	1	1	1	2	4	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	48	3	-	-	-	-	2	-	2	-	2	2	-	2	4	5	7	-	6	2	4	4	2	1	-	-	-
	White—M	31	3	-	-	-	-	1	-	1	-	1	2	-	1	2	3	6	-	4	1	2	2	2	-	-	-	-
	F	17	-	-	-	-	-	1	-	1	-	1	-	-	1	2	2	1	-	2	1	2	2	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	50	-	-	-	-	-	-	-	-	-	1	2	2	3	9	11	3	4	3	3	5	4	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	1	1	2	1	7	9	2	3	2	3	3	2	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	1	-	2	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	53	-	-	1	-	-	-	-	-	-	2	1	3	4	7	3	6	7	8	4	2	3	2	-	-	-	-
	White—M	14	-	-	1	-	-	-	-	-	-	2	-	-	1	2	2	-	-	2	1	-	1	2	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	1	2	3	4	1	5	7	6	3	2	2	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	272	-	1	-	-	-	2	1	2	1	5	3	2	5	10	20	24	29	46	42	43	27	8	1	-	-	-
	White—M	164	-	1	-	-	-	1	1	1	1	3	2	-	4	4	14	15	18	30	28	23	16	1	1	-	-	-
	F	103	-	-	-	-	-	1	-	-	-	2	1	2	1	6	6	8	11	16	14	19	11	5	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
137	Diseases of the prostate	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	9	7	7	8	3	-	-	-	-
	White—M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	9	7	7	8	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	13	-	-	-	-	-	-	-	2	3	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	2	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	4	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	57	52	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	28	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	22	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	93	-	-	-	-	-	-	-	2	7	5	8	3	10	11	10	15	6	7	4	3	1	1	-	-	-	-
	White—M	75	-	-	-	-	-	-	-	1	5	4	6	3	7	7	8	14	6	7	3	3	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	2	-	2	-	3	4	2	1	-	-	1	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	18	1	-	-	-	-	-	1	-	2	2	1	2	-	2	3	1	2	-	-	-	-	-	-	-	-	1
	White—M	9	-	-	-	-	-	-	-	-	2	1	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	182	1	-	-	-	1	2	4	19	22	17	15	9	10	11	10	11	13	13	12	9	2	1	-	-	-	-
	White—M	124	-	-	-	-	1	-	2	13	13	13	9	7	7	10	10	6	9	10	5	6	2	1	-	-	-	-
	F	49	-	-	-	-	-	2	1	6	8	4	2	2	1	1	-	5	4	3	7	3	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	366	16	7	7	2	4	13	18	16	15	14	25	14	29	16	29	16	21	20	24	20	20	11	6	2	-	1
	White—M	268	10	6	5	2	2	10	11	13	12	12	20	12	24	15	24	16	20	15	10	8	11	6	3	1	-	-
	F	70	5	-	2	-	-	2	4	-	2	-	3	-	1	1	4	-	-	5	11	12	9	5	3	1	-	-
	All other—M	23	1	-	-	-	2	1	1	3	1	2	2	2	4	-	1	-	1	-	1	-	-	-	-	-	-	1
	F	5	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	All other causes*	643	107	6	4	4	1	6	4	8	12	12	13	9	18	22	31	51	61	52	56	65	56	33	9	2	1	-
	White—M	361	49	4	3	2	-	1	3	3	5	6	6	3	7	8	20	33	40	35	34	44	38	14	3	-	-	-
	F	230	46	1	-	1	-	5	1	3	6	4	7	5	9	12	10	17	16	15	18	19	14	13	5	2	1	-
	All other—M	23	5	-	-	-	1	-	-	1	-	-	-	1	1	1	1	1	4	1	1	-	1	4	-	-	-	-
	F	29	7	1	1	1	-	-	-	1	1	2	-	-	1	1	-	-	1	1	3	2	3	2	1	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	All causes	12,330	759	72	32	22	24	79	93	137	190	179	186	234	343	435	663	862	1,019	1,348	1,518	1,483	1,443	813	304	71	12	9
	White—M	6,907	427	34	18	11	17	50	53	89	104	103	94	139	183	225	390	499	581	753	895	807	816	428	145	35	5	6
	F	5,148	309	33	13	11	7	28	37	40	73	70	82	83	141	195	248	327	416	569	606	659	621	380	156	36	6	2
	All other—M	140	14	3	-	-	-	-	2	7	5	2	5	4	12	4	18	19	11	14	6	6	4	1	2	-	-	1
	F	135	9	2	1	-	-	1	1	1	8	4	5	8	7	11	7	17	11	12	11	11	2	4	1	-	1	-
1,2	Typhoid, paratyphoid fever	8	-	-	1	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	34	26	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	4	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	184	-	1	-	-	-	-	3	10	16	14	18	12	15	11	26	16	14	9	9	3	3	4	-	-	-	-
	White—M	97	-	-	-	-	-	-	1	4	3	6	9	8	4	7	17	11	9	6	6	1	2	3	-	-	-	-
	F	54	-	-	-	-	-	-	1	2	7	5	7	2	9	2	6	3	3	2	2	2	1	-	-	-	-	-
	All other—M	20	-	1	-	-	-	-	-	4	1	1	2	1	-	1	3	2	2	1	-	-	-	1	-	-	-	-
	F	13	-	-	-	-	-	-	1	-	5	2	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	25	-	1	-	1	-	-	1	3	3	3	-	1	1	2	4	-	1	2	1	-	1	-	-	-	-	-
	White—M	10	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-	1	2	1	-	-	-	-	-	-	-
	F	12	-	1	-	-	-	-	-	2	3	2	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	96	1	-	-	-	-	-	-	1	1	-	3	9	-	11	15	18	10	12	6	6	3	-	-	-	-	-
	White—M	68	1	-	-	-	-	-	-	-	-	-	1	5	-	9	9	10	8	10	5	6	2	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	1	1	-	-	3	-	2	4	4	-	1	-	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	1	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
33	Influenza	249	21	6	5	2	1	-	1	1	3	2	1	5	8	4	5	12	9	19	14	25	45	42	15	3	-	-
	White—M	129	13	4	3	1	-	-	-	1	-	1	-	3	3	3	2	4	5	11	7	15	23	21	8	1	-	-
	F	116	8	2	1	1	1	-	1	-	3	1	1	1	5	1	3	6	4	8	7	10	22	21	7	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
35	Measles	5	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	2	-	-	-	-	1	1	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	7	2	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	851	-	-	-	-	-	-	-	1	1	5	2	13	9	25	51	73	98	147	159	121	107	30	8	-	-	1
	White—M	460	-	-	-	-	-	-	-	1	1	4	2	7	2	12	28	33	55	76	91	63	61	19	4	-	-	1
	F	381	-	-	-	-	-	-	-	-	-	1	-	6	7	11	22	36	42	70	67	58	46	11	4	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	180	-	-	-	-	-	-	-	2	-	2	4	4	13	22	18	30	28	23	17	12	2	1	2	-	-	-
	White—F	174	-	-	-	-	-	-	-	2	-	2	4	3	13	21	18	29	27	22	17	12	2	1	1	-	-	-
	All other—F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 25

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
50	Cancer of breast	161	-	-	-	-	-	-	-	-	-	-	4	4	7	16	26	24	19	20	23	9	6	2	-	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F	157	-	-	-	-	-	-	-	-	-	-	4	4	7	16	26	24	19	18	21	9	6	2	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	496	1	-	-	-	-	6	2	1	4	5	11	6	15	26	31	49	66	53	70	73	40	28	6	3	-	-
	White—M	344	-	-	-	-	-	4	1	1	3	3	7	4	8	13	22	35	49	32	58	55	28	17	3	1	-	-
	F	141	1	-	-	-	-	2	1	-	1	2	3	2	7	11	8	11	16	18	12	18	12	11	3	2	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	13	-	-	-	1	1	-	1	3	1	-	-	1	-	-	-	2	-	1	1	1	-	-	-	-	-	-
	White—M	7	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	340	-	-	-	-	-	2	2	4	3	1	2	3	6	9	15	28	43	59	64	46	35	14	3	1	-	-
	White—M	133	-	-	-	-	-	-	-	-	2	-	1	-	4	4	9	12	15	22	32	12	12	7	1	-	-	-
	F	199	-	-	-	-	-	2	2	4	1	1	1	3	1	4	5	15	27	37	31	33	22	7	2	1	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	36	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	2	7	8	3	-	3	1	1	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	1	-	1	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	2	5	6	2	-	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	9	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,348	2	-	-	-	-	-	2	1	1	1	4	9	15	19	48	82	122	184	214	255	220	119	39	9	1	1
	White—M	715	1	-	-	-	-	-	1	-	-	1	4	2	6	5	21	41	59	97	120	140	128	61	22	6	-	-
	F	610	1	-	-	-	-	-	1	1	1	-	-	7	8	13	23	38	61	82	91	114	90	57	17	3	1	1
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	4	1	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	1	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	192	14	7	3	-	1	2	8	4	10	4	8	12	14	15	12	9	9	21	17	10	9	3	-	-	-	-
	White—M	108	7	2	1	-	1	1	2	1	8	2	3	6	10	8	8	4	5	15	10	7	6	1	-	-	-	-
	F	80	7	4	2	-	-	1	5	2	2	2	5	6	4	7	4	5	3	6	7	3	3	2	-	-	-	-
	All other—M	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	60	7	4	-	1	-	2	6	4	1	2	3	-	2	2	5	3	2	3	3	5	3	2	-	-	-	-
	White—M	33	2	2	-	-	-	1	2	3	1	2	2	-	1	2	3	1	1	3	3	4	-	-	-	-	-	-
	F	26	4	2	-	1	-	1	4	1	-	-	1	-	1	-	2	2	1	-	-	1	3	2	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	231	-	-	-	-	-	1	2	6	8	5	3	3	11	8	16	17	19	19	30	34	33	9	7	-	-	-
	White—M	125	-	-	-	-	-	1	1	4	4	3	2	2	5	5	9	12	10	9	17	13	19	6	3	-	-	-
	F	104	-	-	-	-	-	-	1	2	4	2	1	1	5	3	7	5	8	10	13	21	14	3	4	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,027	-	1	-	-	-	2	-	1	2	-	2	7	31	50	90	113	121	161	172	122	99	39	13	1	-	-
	White—M	732	-	1	-	-	-	2	-	1	1	-	2	5	26	40	70	92	86	112	114	80	66	27	7	-	-	-
	F	284	-	-	-	-	-	-	-	-	1	-	-	2	4	8	16	20	34	48	57	42	33	12	6	1	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,007	6	-	-	-	-	3	9	11	12	8	11	14	23	38	67	123	165	239	308	312	349	208	82	18	-	1
	White—M	1,120	3	-	-	-	-	2	6	10	4	3	4	8	11	14	42	68	110	135	178	179	197	105	34	6	-	1
	F	841	3	-	-	-	-	1	3	1	6	5	6	6	8	22	20	46	53	97	123	127	151	103	48	12	-	-
	All other—M	21	-	-	-	-	-	-	-	-	2	-	-	-	3	1	2	3	2	3	2	2	1	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	6	-	4	5	4	-	-	-	-	-	-
107-109	Pneumonia (all forms)	451	70	12	1	3	2	2	5	2	5	3	8	5	11	10	17	20	26	42	30	53	54	47	17	4	2	-
	White—M	255	37	6	1	1	2	-	3	1	3	2	4	5	6	5	13	14	20	25	13	27	33	21	11	1	1	-
	F	183	29	4	-	2	-	2	2	1	2	1	3	-	4	5	4	5	6	17	16	25	21	25	6	3	-	-
	All other—M	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-
117	Ulcer of stomach or duodenum	94	-	-	-	-	-	-	-	1	1	3	-	4	6	6	15	14	15	12	5	7	2	2	1	-	-	-
	White—M	71	-	-	-	-	-	-	-	1	1	2	-	3	5	5	13	11	12	6	4	5	1	2	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	3	6	1	2	1	-	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	49	24	2	1	1	1	-	1	1	-	2	-	2	-	1	-	2	2	2	2	2	1	1	-	1	-	-
	White—M	29	15	-	-	-	-	-	1	-	-	2	-	2	-	1	-	1	1	-	2	1	1	1	-	1	-	-
	F	18	8	1	1	1	1	-	-	1	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	108	-	1	1	1	2	6	7	7	12	10	6	8	7	5	7	8	8	6	3	2	1	-	-	-	-	-
	White—M	69	-	-	-	1	2	4	3	5	10	7	4	4	4	3	7	5	4	4	1	1	-	-	-	-	-	-
	F	37	-	1	1	-	-	2	4	2	2	2	2	3	3	2	-	3	4	2	2	1	1	-	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	134	6	1	1	-	-	3	-	1	-	3	-	5	2	3	7	15	17	14	17	17	12	7	3	-	-	-
	White—M	74	4	-	-	-	-	-	-	1	-	2	-	2	1	3	5	9	4	8	10	13	6	4	2	-	-	-
	F	57	2	1	1	-	-	2	-	-	-	-	-	3	1	-	2	6	13	5	7	4	6	3	1	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	89	-	-	-	-	-	-	-	-	-	-	2	6	1	6	9	13	9	9	9	12	10	3	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	-	1	5	1	3	7	9	4	4	7	10	4	2	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	4	4	5	2	2	6	1	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	99	-	-	-	-	-	1	-	-	-	-	1	1	2	5	11	6	14	14	15	13	12	3	1	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	4	6	4	3	2	1	-	-	-	-
	F	67	-	-	-	-	-	1	-	-	-	-	1	1	-	2	6	4	10	8	11	10	10	2	1	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-152	Nephritis	841	1	1	-	-	1	5	2	4	5	4	4	12	10	27	26	48	71	108	126	130	139	75	33	6	2	1
	White—M	474	1	-	-	-	1	2	-	4	2	3	3	7	6	13	10	29	41	58	79	63	86	45	16	5	-	-
	F	356	-	1	-	-	-	3	2	-	2	1	1	5	4	14	15	19	25	49	47	66	52	30	16	1	2	1
	All other-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	1	-	1	1	-	-	-	-	-
157	Diseases of the prostate	94	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	7	13	16	27	16	8	3	-	-
	White—M	93	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	7	13	15	27	16	8	3	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	16	-	-	-	-	-	-	-	1	5	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	1	5	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	25	-	-	-	-	-	-	-	1	5	7	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	1	5	7	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	110	88	3	3	-	1	2	2	1	3	3	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	White—M	52	40	1	2	-	1	2	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	57	47	2	1	-	-	-	1	-	1	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	216	-	-	-	-	-	-	-	7	11	8	10	26	24	25	25	17	22	9	12	10	8	2	-	-	-	-
	White—M	177	-	-	-	-	-	-	-	3	8	7	8	20	19	19	19	16	19	9	12	9	7	2	-	-	-	-
	F	37	-	-	-	-	-	-	-	3	3	1	2	6	5	5	6	1	3	-	-	1	1	-	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	27	-	-	-	-	-	-	1	-	4	3	3	3	4	2	-	3	-	1	2	1	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	1	-	1	1	1	2	2	1	-	1	-	-	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other-M	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	280	4	3	1	3	5	8	9	26	31	25	16	9	20	13	29	24	17	10	11	7	6	1	-	-	-	2
	White—M	204	2	2	1	1	3	5	9	19	24	19	11	7	15	11	19	19	9	7	9	4	5	1	-	-	-	2
	F	72	2	1	-	2	2	3	-	7	6	6	5	1	5	2	8	5	8	3	2	3	1	-	-	-	-	-
	All other-M	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	584	15	13	6	2	4	23	16	16	18	21	19	24	30	22	29	26	21	39	48	55	69	43	18	5	-	2
	White—M	366	6	9	5	2	4	17	13	14	15	17	15	21	25	20	24	22	16	26	28	21	25	16	3	1	-	1
	F	209	9	4	1	-	-	6	2	2	2	4	2	3	4	2	4	4	5	13	20	32	44	27	15	4	-	-
	All other-M	6	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes*	1,253	193	9	7	3	3	6	10	13	20	27	25	17	47	43	54	60	60	94	114	123	143	111	47	16	7	1
	White—M	649	120	5	3	2	2	6	5	10	7	15	8	7	16	11	24	35	29	59	66	59	73	50	22	10	4	1
	F	578	68	4	4	1	1	-	5	2	13	12	17	8	27	31	30	22	30	33	48	60	70	59	24	6	3	-
	All other-M	11	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	-	1	-	-	1	-	-	-
	F	15	2	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	-	1	-	3	-	2	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	All causes	1,368	93	11	4	5	3	7	5	29	40	46	41	62	69	67	85	131	139	158	141	98	81	55	10	2	2	4
	White—M	870	46	3	2	4	1	5	2	15	21	27	28	39	48	41	62	99	94	105	94	61	51	16	2	1	-	3
	F	388	39	5	2	1	2	2	1	11	12	17	11	19	13	18	19	28	34	43	37	29	23	16	5	-	-	1
	All other—M	65	5	-	-	-	-	-	1	2	4	2	2	1	4	7	4	2	7	4	6	4	4	3	1	1	1	-
	F	45	3	3	-	-	-	-	1	1	3	-	-	3	4	1	-	2	4	6	4	4	3	-	2	-	1	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	56	-	-	-	-	-	-	2	2	5	2	1	6	5	4	6	8	2	7	4	2	1	1	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	1	1	1	3	1	2	5	8	2	7	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	1	1	3	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	35	1	-	-	-	-	-	-	-	-	1	-	1	3	2	4	-	12	5	5	-	-	-	-	1	-	-
	White—M	24	1	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	8	3	5	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	4	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Influenza	5	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	68	-	-	-	-	-	-	-	-	-	2	2	1	3	3	3	11	9	14	12	4	4	-	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	1	2	1	2	1	3	9	7	10	6	4	4	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	4	5	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	15	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	3	1	1	1	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	2	1	1	1	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
50	Cancer of breast	14	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	-	2	3	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	-	1	3	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	54	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	9	8	11	9	4	1	2	-	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	7	5	6	8	4	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	1	-	-	2	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	19	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	2	2	3	2	3	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	-	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	1	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	2	1	-	1	1	2	2	1	-	-	2	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	88	1	-	-	-	-	-	-	-	-	1	-	-	1	-	5	7	16	18	17	8	10	3	-	-	-	1
	White—M	55	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	9	11	12	5	6	-	-	-	-	1
	F	30	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	7	6	5	2	4	3	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	8	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	5	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	20	-	-	-	-	-	-	-	1	1	1	2	-	-	1	5	-	4	1	1	2	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	-	2	1	1	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	92	-	-	-	-	-	-	-	-	-	1	2	1	6	5	6	14	17	15	11	11	3	-	-	-	-	-
	White—M	68	-	-	-	-	-	-	-	-	-	1	-	-	5	4	5	12	14	12	6	6	3	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	3	3	5	5	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	208	1	-	-	-	-	-	-	-	2	3	3	4	10	6	6	22	21	35	27	29	21	13	4	-	1	-
	White—M	139	1	-	-	-	-	-	-	-	-	3	2	1	8	6	5	16	17	20	16	19	16	8	1	-	-	-
	F	58	-	-	-	-	-	-	-	-	2	-	1	3	1	-	1	5	3	11	10	9	5	5	2	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	1	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-
107-109	Pneumonia (all forms)	82	10	1	-	-	-	-	-	-	1	-	1	1	3	7	4	7	6	5	4	4	5	2	-	-	1	-
	White—M	37	4	-	-	-	-	-	-	-	1	-	-	-	1	5	4	6	6	3	3	1	3	-	-	-	-	-
	F	13	2	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	3	1	1	-	-	-	-
	All other—M	9	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
117	Ulcer of stomach or duodenum	12	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	3	-	1	2	1	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	3	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
119,120	Diarrhea, enteritis, etc.*	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	18	-	-	-	-	1	-	1	-	2	1	-	2	1	2	-	2	2	2	1	1	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	13	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	1	1	3	-	1	1	-	-	-	-	-
	White—M	7	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	14	-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	3	1	2	1	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	2	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	71	-	-	-	-	-	-	-	-	2	1	2	1	4	2	3	4	7	10	11	9	8	5	2	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	2	4	6	8	3	6	2	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	3	2	2	5	1	3	2	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
137	Diseases of the prostate	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	1	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145,146, 149,150	Other puerperal causes	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	11	9	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	38	-	-	-	-	-	-	-	2	3	3	4	1	2	5	3	5	2	3	1	2	-	-	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	1	3	3	1	1	2	3	4	2	1	1	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	2	1	-	1	-	1	3	-	1	-	2	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	12	-	-	-	-	-	-	-	2	2	-	1	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	88	2	1	1	1	-	2	-	8	7	8	8	6	7	4	8	8	7	3	5	1	1	1	-	-	-	1
	White—M	60	1	1	-	1	-	2	-	5	6	6	6	4	5	3	6	6	3	2	1	1	-	1	-	-	-	-
	F	19	1	-	1	-	-	-	-	3	1	1	1	2	1	-	1	2	3	1	-	-	-	-	-	-	-	1
	All other—M	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	122	6	4	2	2	1	2	2	4	9	7	10	13	12	3	9	6	5	7	3	2	6	2	3	-	-	2
	White—M	101	4	2	1	1	1	2	2	3	9	6	10	12	9	3	8	6	4	6	2	2	3	2	1	-	-	2
	F	17	2	2	1	1	-	-	-	-	-	1	-	1	2	-	1	-	-	1	1	-	3	-	1	-	-	-
	All other—M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other causes*	135	24	2	-	-	-	1	-	4	1	4	-	6	3	7	6	11	12	6	15	12	15	5	1	-	-	-
	White—M	80	14	-	-	-	-	1	-	3	-	1	-	4	3	3	5	7	7	3	12	9	5	3	-	-	-	-
	F	39	9	1	-	-	-	-	-	1	1	3	-	2	-	2	1	4	1	3	1	1	7	2	-	-	-	-
	All other—M	8	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	1	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	1	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	All causes	6,073	329	26	16	13	16	24	25	52	58	69	81	104	138	220	310	431	557	713	852	837	686	371	119	30	1	15
	White—M	3,264	181	14	8	7	7	12	14	39	35	38	39	58	75	125	181	282	321	405	446	453	322	189	36	8	-	11
	F	2,805	148	12	8	6	9	12	11	13	23	30	41	46	63	97	129	169	236	307	385	384	364	202	83	22	1	4
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	7	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	126	-	-	1	-	-	-	1	1	5	13	7	11	11	12	18	15	8	9	7	3	4	-	-	-	-	-
	White—M	82	-	-	1	-	-	-	-	-	1	4	2	7	8	10	14	14	7	5	5	2	2	-	-	-	-	-
	F	44	-	-	-	-	-	-	1	1	4	9	5	4	3	2	4	1	1	4	2	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	15	-	1	-	-	-	2	-	-	1	-	-	-	-	3	1	1	1	3	1	-	1	-	-	-	-	-
	White—M	9	-	1	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	41	2	-	-	-	-	-	-	-	-	-	1	1	2	-	5	6	8	4	6	1	3	1	-	-	-	1
	White—M	31	1	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	5	4	5	1	3	1	-	-	-	1
	F	10	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	74	3	2	-	4	2	-	2	3	-	1	-	2	1	3	5	3	2	3	5	7	15	6	5	-	-	-
	White—M	39	2	2	-	2	1	-	-	3	-	-	-	2	1	-	4	2	2	3	3	4	3	3	2	-	-	-
	F	35	1	-	-	2	1	-	2	-	-	1	-	-	-	3	1	1	-	-	2	3	12	3	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	365	-	-	-	-	-	-	-	1	1	-	1	4	8	15	19	48	51	67	52	49	33	10	6	-	-	-
	White—M	192	-	-	-	-	-	-	-	1	1	-	-	4	5	8	7	25	32	41	22	24	17	4	1	-	-	-
	F	173	-	-	-	-	-	-	-	-	-	-	1	-	3	7	12	23	19	26	30	25	16	6	5	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	105	-	-	-	-	-	-	-	1	-	-	6	4	11	8	11	14	18	10	14	4	2	2	-	-	-	-
	White—F	104	-	-	-	-	-	-	-	1	-	-	5	4	11	8	11	14	18	10	14	4	2	2	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Contd.																											
50	Cancer of breast	79	-	-	-	-	-	-	-	-	-	-	1	5	4	8	7	14	10	15	9	4	-	2	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	-	1	5	4	8	7	14	10	15	9	4	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	239	-	-	1	-	-	-	-	-	-	2	4	4	5	11	16	18	32	29	44	34	22	12	3	2	-	-
	White—M	180	-	-	1	-	-	-	-	-	-	2	4	2	4	7	13	14	22	17	30	31	20	10	2	1	-	-
	F	59	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	4	10	12	14	3	2	2	1	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	153	-	-	1	-	-	-	2	1	1	-	2	2	-	3	7	13	19	23	32	23	18	4	2	-	-	-
	White—M	54	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	3	4	11	8	12	5	3	-	-	-	-
	F	99	-	-	1	-	-	-	2	1	-	-	2	1	-	1	3	10	15	12	24	11	13	1	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	3	4	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	3	4	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	1	-	-	1	1	-	-	-	-	-	1
	White—M	12	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	1	-	-	1	1	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	583	2	-	-	-	-	-	1	2	-	1	1	4	5	21	28	27	63	55	104	102	95	57	13	2	-	-
	White—M	254	1	-	-	-	-	-	-	1	-	1	-	2	1	7	12	14	39	26	50	42	36	20	2	-	-	-
	F	329	1	-	-	-	-	-	1	1	-	-	1	2	4	14	16	13	24	29	54	60	59	37	11	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	59	1	5	1	1	-	1	1	-	3	1	3	2	2	5	3	6	5	8	2	5	3	1	-	-	-	-
	White—M	36	-	2	1	1	-	-	1	-	2	-	3	2	1	2	3	3	2	6	1	4	2	-	-	-	-	-
	F	23	1	3	-	-	-	1	-	-	1	1	-	-	1	3	-	3	3	2	1	1	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	22	3	1	-	1	-	1	-	3	-	-	1	1	2	1	-	1	1	3	1	1	1	-	-	-	-	-
	White—M	12	2	-	-	1	-	1	-	3	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	115	-	-	-	-	-	-	-	3	5	2	3	5	3	3	5	8	10	21	16	13	8	6	4	-	-	-
	White—M	56	-	-	-	-	-	-	-	2	2	-	1	2	1	3	3	2	7	12	8	7	1	4	1	-	-	-
	F	59	-	-	-	-	-	-	-	1	3	2	2	3	2	-	2	6	3	9	8	6	7	2	3	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	682	-	-	-	-	-	-	-	-	1	-	3	9	8	23	45	87	78	101	136	88	58	32	8	3	-	2
	White—M	457	-	-	-	-	-	-	-	-	1	-	2	7	7	18	36	70	48	66	92	55	33	16	4	-	-	2
	F	225	-	-	-	-	-	-	-	-	-	-	1	2	1	5	9	17	30	35	44	33	25	16	4	3	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,259	2	-	-	-	1	2	1	-	2	3	4	6	16	30	35	67	97	162	211	262	215	104	29	6	-	4
	White—M	678	1	-	-	-	1	1	1	-	2	1	3	1	9	17	25	48	61	87	114	137	109	49	5	3	-	3
	F	581	1	-	-	-	-	1	-	-	-	2	1	5	7	13	10	19	36	75	97	125	106	55	24	3	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	225	30	2	2	2	-	-	-	1	-	1	2	5	3	8	6	7	16	25	21	37	24	25	7	2	-	1
	White—M	125	18	2	1	2	-	-	-	1	-	-	2	1	2	6	2	5	10	16	13	19	10	13	2	-	-	-
	F	99	12	-	1	-	-	-	-	-	-	-	-	2	1	2	4	2	6	9	8	18	14	12	5	2	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	40	-	-	-	-	-	-	-	-	-	3	2	1	4	4	2	3	4	5	6	5	1	-	-	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	1	2	1	4	3	2	2	4	4	4	5	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	2	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Contd.																											
119,120	Diarrhea, enteritis, etc.*	28	16	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	1	1	1	-	-	-	-
	White—M	15	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	11	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	47	-	1	-	-	1	2	2	3	1	5	2	-	-	5	5	2	3	4	6	2	2	1	-	-	-	-
	White—M	25	-	-	-	-	-	1	-	2	1	4	2	-	-	3	1	1	1	1	4	2	1	1	-	-	-	-
	F	22	-	1	-	-	1	1	2	1	-	1	-	-	-	2	4	1	2	3	2	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	48	1	-	2	-	-	1	-	1	-	-	1	1	2	-	3	8	1	7	8	7	2	2	-	-	-	1
	White—M	27	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	6	-	6	2	4	1	1	-	-	-	1
	F	21	1	-	1	-	-	1	-	1	-	-	1	-	-	-	1	2	1	1	6	3	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	42	-	-	-	-	-	-	-	-	-	-	2	2	2	9	4	5	6	7	3	1	1	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	2	4	4	2	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	3	2	3	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	39	-	-	-	-	-	-	-	-	-	-	1	1	6	2	5	2	7	7	4	4	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	4	5	1	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	5	2	5	2	3	2	3	4	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	460	1	-	-	-	2	1	1	2	1	6	3	8	7	10	20	20	47	60	48	84	66	25	15	1	-	2
	White—M	209	-	-	-	-	1	1	1	-	-	1	1	5	3	4	9	10	26	36	24	45	30	7	5	-	-	-
	F	220	1	-	-	-	1	-	-	2	1	5	2	3	4	6	11	10	21	23	24	39	36	18	10	1	-	2
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	5	9	9	6	-	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	5	9	9	6	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	12	-	-	-	-	-	-	-	1	3	-	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	1	3	-	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	8	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	65	59	1	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	29	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	30	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	74	-	-	-	-	-	-	-	3	8	7	8	3	3	5	7	5	6	8	7	3	1	-	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	3	4	6	6	3	3	4	6	4	3	8	7	3	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	4	1	2	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	88	-	-	-	3	2	6	2	9	8	7	2	3	4	3	8	8	5	5	4	2	4	1	-	-	-	-
	White—M	63	-	-	-	-	1	3	1	8	8	7	2	2	4	1	5	7	3	5	2	2	2	-	-	-	-	-
	F	23	-	-	-	3	1	3	1	1	-	-	-	1	-	2	3	1	2	-	2	-	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	236	12	2	1	1	1	3	7	11	5	5	7	7	8	10	12	16	22	17	18	18	31	14	4	2	-	2
	White—M	142	9	2	1	1	-	2	6	11	5	4	5	7	7	8	10	7	16	10	9	7	7	5	1	-	-	2
	F	94	3	-	-	-	1	1	1	-	-	1	2	-	1	2	2	9	6	7	9	11	24	9	3	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	564	81	2	2	1	3	3	3	5	7	4	5	6	17	16	26	24	31	45	57	66	64	59	23	12	1	1
	White—M	295	51	-	-	-	2	1	3	3	3	3	-	3	7	12	14	16	16	23	32	35	30	25	11	4	-	1
	F	269	30	2	2	1	1	2	-	2	4	1	5	3	10	4	12	8	15	22	25	31	34	34	12	8	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																											
	All causes	45,986	2,408	156	106	88	62	268	276	451	622	718	980	1,217	1,794	2,590	3,568	4,221	4,918	5,417	5,527	4,580	3,519	1,758	606	134	23	1
	White—M	23,004	1,229	67	54	42	27	122	144	221	307	318	463	550	881	1,356	1,982	2,388	2,699	2,776	2,800	2,177	1,471	686	203	40	2	1
	F	19,454	819	54	33	33	23	108	96	142	219	282	361	432	637	965	1,257	1,513	1,905	2,385	2,488	2,243	1,968	1,025	382	83	11	-
	All other—M	1,834	204	17	10	7	6	21	22	30	32	52	69	116	153	146	185	153	181	139	136	73	48	18	9	3	4	-
	F	1,674	156	18	9	6	6	17	14	38	64	68	87	119	123	123	144	167	133	117	103	67	42	27	12	8	6	-
1,2	Typhoid, paratyphoid fever	9	-	-	-	-	-	-	-	1	1	1	-	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	2	-	-	-	1	-	2	1	1	2	1	1	-	4	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	1	-	-	1	-	1	1	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	-	1	-	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	35	24	4	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	-	1	1	-	-	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	7	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,705	4	2	1	3	2	2	16	48	134	149	170	152	179	155	173	167	146	99	53	28	17	5	-	-	-	-
	White—M	855	1	2	-	-	2	-	4	8	32	46	62	53	90	100	111	113	102	66	33	18	9	3	-	-	-	-
	F	449	1	-	-	2	-	-	4	17	55	60	64	36	43	31	27	26	26	25	16	9	6	1	-	-	-	-
	All other—M	208	1	-	1	-	-	1	4	8	12	17	16	35	28	17	26	16	14	5	3	1	2	1	-	-	-	-
	F	193	1	-	-	1	-	1	4	15	35	26	28	28	18	7	9	12	4	3	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	147	7	6	5	3	2	4	4	10	11	15	13	12	5	11	4	12	6	10	5	2	-	-	-	-	-	-
	White—M	52	4	1	1	-	1	-	2	2	4	6	4	4	1	6	1	6	2	3	4	-	-	-	-	-	-	-
	F	43	1	-	-	-	-	2	2	1	3	5	3	3	1	4	2	4	3	6	1	2	-	-	-	-	-	-
	All other—M	30	-	1	1	3	-	2	-	3	3	1	4	4	3	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	22	2	4	3	-	1	-	-	4	1	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	14	4	-	-	-	-	1	-	-	-	1	-	1	-	-	3	1	1	-	2	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	467	13	1	-	-	-	2	1	-	6	8	13	36	39	51	81	57	62	46	25	15	6	4	1	-	-	-
	White—M	236	-	-	-	-	-	1	-	-	3	1	7	15	14	27	43	33	39	24	16	7	3	2	1	-	-	-
	F	71	3	-	-	-	-	-	1	-	1	3	-	2	6	5	12	7	13	7	4	4	2	1	-	-	-	-
	All other—M	114	6	1	-	-	-	1	-	-	1	-	4	13	15	11	22	15	8	10	5	2	-	-	-	-	-	-
	F	46	4	-	-	-	-	-	-	-	1	4	2	6	4	8	4	2	2	5	-	2	1	1	-	-	-	-
33	Influenza	229	16	9	2	2	-	1	3	5	5	5	5	8	11	9	16	12	15	17	23	20	23	15	6	1	-	-
	White—M	110	8	2	2	1	-	1	1	-	1	3	4	5	6	5	8	5	8	8	11	10	12	5	3	1	-	-
	F	96	4	4	-	1	-	-	2	5	3	2	1	2	4	3	6	6	4	7	11	8	10	10	3	-	-	-
	All other—M	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	-	-	-	-	-
	F	11	1	2	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-	-
35	Measles	26	8	3	3	2	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	6	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	1	2	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	21	1	-	-	-	-	5	4	1	-	2	-	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	3	3	1	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	2	1	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,121	-	-	-	-	-	-	-	6	3	8	51	53	99	177	302	412	486	496	450	343	196	64	14	1	-	-
	White—M	1,652	-	-	-	-	-	-	-	4	2	5	20	23	55	99	155	221	255	261	249	182	85	30	5	1	-	-
	F	1,368	-	-	-	-	-	-	-	2	1	3	10	28	39	71	132	178	192	217	188	156	109	33	9	-	-	-
	All other—M	49	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	7	10	9	7	3	-	1	-	-	-	-
	F	52	-	-	-	-	-	-	-	-	-	-	-	2	3	5	8	6	9	9	6	2	2	-	-	-	-	-
48,49	Cancer of female genital organs	726	-	-	-	-	-	-	-	-	2	2	28	33	58	99	104	97	101	72	59	39	19	9	4	-	-	-
	White—F	664	-	-	-	-	-	-	-	-	2	1	25	24	49	95	96	87	89	70	56	38	19	9	4	-	-	-
	All other—F	62	-	-	-	-	-	-	-	-	-	1	3	9	9	4	8	10	12	2	3	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
50	Cancer of breast	613	-	-	-	-	-	-	-	1	-	4	13	21	49	57	76	71	72	82	65	33	40	24	5	-	-	-
	White——M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	588	-	-	-	-	-	-	-	1	-	2	11	19	48	55	73	68	70	78	64	31	40	23	5	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	2	2	1	1	2	2	3	2	3	1	2	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,956	1	3	4	5	2	8	13	11	18	16	28	37	74	110	208	245	255	275	291	188	105	49	11	3	-	-
	White——M	1,595	1	1	4	3	-	4	5	6	11	7	19	20	53	70	146	188	193	202	208	140	76	29	7	2	-	-
	F	498	-	1	-	1	2	4	7	4	4	8	8	10	17	33	55	48	52	69	78	45	29	19	4	-	-	-
	All other—M	46	-	-	-	1	-	-	1	1	-	1	-	5	1	4	4	7	9	4	5	1	-	1	-	1	-	-
	F	17	-	1	-	-	-	-	-	-	1	-	1	2	3	3	3	2	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	70	-	-	-	-	-	17	10	6	5	10	3	5	6	-	4	2	-	-	-	2	-	-	-	-	-	-
	White——M	24	-	-	-	-	-	4	5	3	3	1	1	1	3	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	39	-	-	-	-	-	10	4	3	2	8	1	4	3	-	2	2	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	1,508	1	1	-	-	-	2	7	7	12	7	10	11	25	64	111	180	263	308	228	152	102	18	1	-	-	-
	White——M	456	1	1	-	-	-	1	4	2	5	1	5	5	8	25	33	45	79	81	80	45	27	7	1	-	-	-
	F	987	-	-	-	-	-	1	2	4	5	4	3	4	12	35	68	122	177	220	144	103	72	11	-	-	-	-
	All other—M	21	-	-	-	-	-	-	-	1	2	1	2	1	2	1	1	2	2	2	-	3	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	1	-	-	1	-	1	3	3	9	11	5	5	2	1	2	-	-	-	-	-
63b	Exophthalmic goiter	120	-	-	-	-	-	-	-	1	1	5	8	4	12	12	17	15	18	10	13	3	3	-	-	-	-	-
	White——M	23	-	-	-	-	-	-	-	1	-	2	2	1	4	2	1	4	5	-	-	-	1	-	-	-	-	-
	F	89	-	-	-	-	-	-	-	-	1	3	5	3	7	10	14	10	10	9	13	2	2	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	3	2	-	1	-	-	-	-	-
	White——M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	109	-	-	-	-	1	-	-	-	1	3	6	14	10	18	25	11	5	8	3	2	2	-	-	-	-	-
	White——M	84	-	-	-	-	-	-	-	-	-	2	4	12	8	14	19	9	5	7	1	2	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	-	2	-	1	2	5	1	-	1	1	-	-	-	-	-	-	-
	All other—M	9	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	1	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,944	7	3	-	-	-	2	1	-	9	14	15	27	101	171	258	344	462	596	642	563	459	206	55	6	3	-
	White——M	1,738	6	-	-	-	-	-	1	-	4	6	7	10	39	58	119	170	225	289	288	254	171	72	17	2	-	-
	F	1,943	1	1	-	-	-	2	-	-	4	6	5	12	39	82	113	144	206	283	315	290	276	128	35	2	1	-
	All other—M	111	-	-	-	-	-	-	-	-	-	-	-	3	12	17	15	10	13	9	14	8	7	1	1	-	1	-
	F	152	-	2	-	-	-	-	-	-	1	2	3	2	11	14	11	20	18	15	25	11	5	7	2	2	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	412	32	13	10	-	4	10	13	13	18	24	26	25	30	29	24	22	27	31	31	21	6	3	-	-	-	-
	White——M	207	17	4	4	-	1	3	5	7	10	14	14	11	15	15	12	10	11	20	20	11	3	-	-	-	-	-
	F	169	6	6	4	-	3	6	6	6	8	8	9	10	12	12	11	12	14	11	10	9	3	3	-	-	-	-
	All other—M	21	5	2	-	-	-	-	1	-	-	1	3	2	2	1	1	-	1	-	1	1	-	-	-	-	-	-
	F	15	4	1	2	-	-	1	1	-	-	1	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	124	10	6	3	3	7	6	6	7	9	8	5	5	4	6	8	8	8	4	5	3	1	1	-	1	-	-
	White——M	63	5	4	2	-	1	4	-	3	7	7	3	2	3	4	5	3	5	3	1	-	1	-	-	-	-	-
	F	49	3	1	1	2	4	2	4	4	1	1	1	3	-	2	3	5	2	1	4	3	-	1	-	1	-	-
	All other—M	8	2	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	863	-	-	-	1	3	18	21	21	36	51	62	68	62	81	81	63	63	65	64	41	32	25	7	-	-	-
	White——M	347	-	-	-	-	1	5	8	8	21	19	24	32	29	27	31	14	34	33	26	14	13	7	1	-	-	-
	F	446	-	-	-	-	1	9	10	11	14	30	30	32	28	49	40	38	28	29	32	24	19	18	6	-	-	-
	All other—M	30	-	-	-	-	1	1	1	2	-	-	4	2	1	2	6	4	2	1	1	2	-	-	-	-	-	-
	F	40	-	-	-	1	-	1	2	-	1	2	4	2	4	3	4	7	1	2	5	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,795	-	-	-	-	-	-	-	1	3	9	31	65	143	295	392	512	559	578	530	383	209	79	22	5	1	-
	White——M	2,551	-	-	-	-	-	-	-	-	1	6	26	44	106	227	310	395	391	357	332	222	88	38	8	-	-	-
	F	1,139	-	-	-	-	-	-	-	1	2	2	4	15	25	51	68	95	157	208	192	140	119	40	14	5	1	-
	All other—M	71	-	-	-	-	-	-	-	-	-	1	1	5	8	11	10	10	8	12	4	-	-	1	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	1	4	4	4	12	3	1	2	1	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	10,157	11	-	-	-	1	8	11	27	29	36	63	105	208	362	625	880	1,165	1,422	1,612	1,448	1,217	642	230	49	6	-
	White——M	5,031	8	-	-	-	-	2	3	9	15	24	32	46	90	219	356	502	662	732	800	653	524	248	91	15	-	-
	F	4,493	2	-	-	-	1	3	5	13	12	10	18	35	79	96	202	313	418	607	732	747	656	376	133	32	3	-
	All other—M	330	1	-	-	-	-	3	2	3	1	2	5	9	16	26	35	29	50	40	50	24	21	9	3	-	1	-
	F	303	-	-	-	-	-	-	1	2	1	-	8	15	23	21	32	36	35	43	30	24	16	9	3	2	2	-
107-109	Pneumonia (all forms)	1,814	308	33	14	11	3	14	12	15	14	25	41	59	88	89	120	119	147	141	150	134	161	78	22	15	1	-
	White——M	852	131	16	5	4	-	4	5	7	6	10	18	28	46	50	75	74	86	71	69	51	62	28	4	2	-	-
	F	727	109	9	5	6	2	8	4	5	7	8	16	15	22	22	26	36	45	56	73	78	95	50	17	12	1	-
	All other—M	134	36	4	3	-	-	1	3	1	-	5	5	8	14	12	8	6	11	8	8	1	2	-	-	-	-	-
	F	101	32	4	1	1	1	1	-	2	1	2	2	8	6	5	11	3	5	6	2	4	2	-	1	1	-	-
117	Ulcer of stomach or duodenum	302	1	-	-	-	-	-	-	1	1	11	12	17	25	38	40	45	39	33	18	17	3	-	1	-	-	-
	White——M	242	1	-	-	-	-	-	-	1	1	9	10	13	21	32	33	35	32	25	12	14	2	-	1	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	2	-	2	4	4	4	6	5	8	4	3	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	2	2	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
119,120	Diarrhea, enteritis, etc.*	214	123	10	4	1	1	5	2	5	3	3	1	-	6	5	7	6	8	9	4	5	6	-	-	-	-	-
	White—M	109	71	3	1	-	-	3	1	4	2	1	-	-	-	1	3	3	4	6	2	2	2	-	-	-	-	-
	F	78	35	4	2	1	1	2	1	1	1	2	1	-	6	3	4	2	3	2	1	2	4	-	-	-	-	-
	All other—M	16	10	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	F	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
121	Appendicitis	338	-	-	8	4	5	11	16	25	10	11	22	19	28	34	36	29	19	20	28	12	3	-	-	-	-	-
	White—M	183	-	-	5	2	2	5	11	11	9	6	12	11	18	19	21	18	9	8	11	7	-	-	-	-	-	-
	F	125	-	-	3	2	2	4	4	9	1	4	7	6	7	11	13	10	8	11	15	5	3	-	-	-	-	-
	All other—M	15	-	-	-	-	1	-	1	2	-	1	-	2	1	1	1	1	1	1	2	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	2	-	5	-	-	3	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	394	21	4	-	1	-	-	1	1	7	7	9	19	17	24	28	45	38	44	46	39	35	4	3	1	-	-
	White—M	192	12	3	-	-	-	-	1	1	1	3	1	5	8	9	9	27	22	23	29	22	11	3	2	-	-	-
	F	156	7	-	-	1	-	-	-	-	3	3	5	11	3	10	12	13	13	20	16	15	21	1	1	1	-	-
	All other—M	25	2	1	-	-	-	-	-	-	2	1	1	2	1	1	3	3	3	-	1	2	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	2	1	5	4	4	2	-	1	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	521	1	1	-	-	-	-	1	1	4	3	11	25	40	59	76	68	63	65	58	26	11	5	3	-	-	-
	White—M	333	-	1	-	-	-	-	-	1	1	2	6	16	21	32	50	51	43	49	35	15	7	1	2	-	-	-
	F	169	1	-	-	-	-	-	1	-	3	1	5	7	18	23	22	16	19	15	21	10	4	4	1	-	-	-
	All other—M	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	1	-	-	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	256	-	-	-	-	-	-	-	2	1	5	10	9	20	20	22	27	38	34	28	25	10	5	-	-	-	-
	White—M	74	-	-	-	-	-	-	-	1	-	-	3	1	10	4	4	8	10	10	8	12	2	1	-	-	-	-
	F	173	-	-	-	-	-	-	-	1	1	4	6	8	9	18	15	19	28	23	19	12	8	4	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	3,197	5	-	1	1	-	4	5	18	16	22	41	59	107	161	203	276	342	402	446	478	354	183	57	11	5	-
	White—M	1,403	2	-	1	1	-	2	3	7	11	10	14	23	47	63	90	132	155	172	211	218	144	73	18	4	2	-
	F	1,501	1	-	-	-	-	2	2	10	3	12	18	28	43	75	81	104	152	201	205	236	191	101	33	5	-	-
	All other—M	130	1	-	-	-	-	-	-	1	1	-	3	2	10	7	14	15	15	15	17	13	8	4	2	-	2	-
	F	163	1	-	-	-	-	-	-	-	1	-	6	8	7	16	18	25	20	14	13	11	11	5	4	2	1	-
137	Diseases of the prostate	248	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	10	25	40	60	41	36	24	4	1	-	-
	White—M	236	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	10	24	35	59	40	34	24	3	1	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	1	1	2	-	1	-	-	-
140, 142a, 147	Puerperal septicemia	81	-	-	-	-	-	-	-	8	18	18	21	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	71	-	-	-	-	-	-	-	5	14	15	19	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	36	-	-	-	-	-	-	-	2	7	13	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	-	5	12	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	8	-	-	-	-	-	-	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	62	-	-	-	-	-	-	-	4	8	9	23	11	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	2	7	8	20	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	10	-	-	-	-	-	-	-	2	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	364	305	10	11	3	1	8	6	5	5	1	2	2	2	1	-	1	-	-	-	-	1	-	-	-	-	-
	White—M	171	149	3	3	1	1	4	3	-	2	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	175	141	7	8	2	-	3	2	4	3	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	833	833	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	428	428	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	602	-	-	-	-	-	-	1	8	30	22	34	53	57	66	85	76	49	45	43	22	4	7	-	-	-	-
	White—M	414	-	-	-	-	-	-	1	6	16	16	24	31	36	41	59	61	33	36	31	16	3	4	-	-	-	-
	F	176	-	-	-	-	-	-	-	2	12	5	10	21	20	24	24	14	16	9	10	5	1	3	-	-	-	-
	All other—M	8	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
165-168	Homicide	105	6	1	2	-	-	3	2	2	9	11	10	13	10	11	12	5	2	-	3	1	2	-	-	-	-	-
	White—M	44	2	1	1	-	-	3	-	1	4	3	2	5	3	4	8	1	1	-	3	1	1	-	-	-	-	-
	F	22	3	-	-	-	-	-	2	-	1	-	1	2	4	3	2	3	-	-	-	-	1	-	-	-	-	-
	All other—M	28	1	-	-	-	-	-	-	-	2	5	4	5	3	4	2	1	1	-	-	-	-	-	-	-	-	-
	F	11	-	-	1	-	-	-	-	1	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	993	3	2	5	12	7	35	32	65	78	57	51	54	64	69	96	85	80	76	70	29	12	8	2	-	-	1
	White—M	721	1	1	3	6	5	19	26	51	61	39	36	40	45	47	72	67	60	55	49	20	9	8	2	-	-	1
	F	207	1	-	2	6	1	12	5	10	12	14	7	9	13	18	20	13	16	18	17	8	3	2	-	-	-	-
	All other—M	52	-	1	-	-	1	2	-	4	3	3	6	3	5	4	3	5	4	3	4	1	-	-	-	-	-	-
	F	13	1	-	-	-	-	2	1	-	2	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,748	57	27	12	17	14	51	44	66	63	61	68	61	75	109	113	108	122	109	145	150	133	99	35	7	2	-
	White—M	991	26	11	7	8	7	28	31	55	50	37	60	43	57	82	86	73	72	60	65	50	40	32	7	4	-	-
	F	634	19	12	2	5	4	14	7	6	9	12	6	7	9	21	19	28	42	46	77	99	93	66	27	3	1	-
	All other—M	84	7	2	2	2	1	4	5	3	4	9	1	5	7	6	8	6	7	3	1	-	-	-	1	-	-	-
	F	39	5	2	1	2	2	5	1	2	-	3	1	6	2	-	-	1	1	-	2	1	-	1	-	-	1	-
	All other causes*	3,642	604	16	15	17	6	36	38	35	47	59	85	110	121	191	212	210	251	276	327	317	309	199	123	33	5	-
	White—M	1,709	338	9	12	13	4	19	18	19	22	27	41	43	41	70	110	109	131	139	146	150	137	73	30	8	-	-
	F	1,636	189	6	2	4	1	13	17	14	17	21	33	47	54	94	86	82	96	124	186	159	172	123	90	22	4	-
	All other—M	147	45	1	-	-	-	1	2	1	1	2	4	4	16	14	9	8	14	9	8	5	-	-	1	2	-	-
	F	150	32	-	1	-	1	3	1	1	7	9	7	16	10	13	7	11	10	4	7	3	-	3	2	1	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes	5,639	1,437	267	72	40	32	82	96	147	146	145	142	165	168	228	240	294	290	379	420	321	269	159	62	13	9	16
	White M	3,008	747	105	24	15	14	46	52	81	66	66	74	77	85	118	134	165	183	227	246	175	161	95	32	9	3	8
	White F	2,212	598	108	24	20	12	29	39	51	57	66	60	75	73	95	90	115	94	139	151	129	93	56	26	2	3	7
	All other M	213	50	26	11	2	1	1	1	5	11	1	6	9	6	9	7	8	10	10	10	12	8	5	2	-	1	1
	All other F	206	42	28	13	3	5	6	4	10	12	12	2	4	4	6	9	6	3	3	13	5	7	3	2	2	2	-
1,2	Typhoid, paratyphoid fever	11	1	-	-	1	-	1	4	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White M	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White F	7	1	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	81	46	24	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	23	12	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	26	20	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	21	11	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	11	3	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	1	6	3	2	1	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	7	-	2	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	6	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	317	1	3	-	-	1	3	3	20	38	27	23	32	31	39	31	21	14	9	9	9	2	-	-	-	-	1
	White M	139	-	-	-	-	-	-	-	6	8	10	10	12	9	25	21	16	7	5	4	5	1	-	-	-	-	-
	White F	121	-	1	-	-	-	1	-	10	16	11	11	15	19	14	6	4	5	1	4	1	1	-	-	-	-	1
	All other M	27	-	1	-	-	-	-	-	-	7	-	1	4	3	-	3	1	2	3	-	2	-	-	-	-	-	-
	All other F	30	1	1	-	-	1	2	3	4	7	6	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	4	2	1	2	-	2	3	2	4	3	1	2	2	2	1	2	1	-	-	-	-	-	-	-	-	-
	White M	14	-	-	1	1	-	-	2	1	1	-	1	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-
	White F	16	4	2	-	1	-	2	-	1	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	108	76	18	2	1	1	-	-	1	1	-	2	2	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	White M	59	45	6	-	-	1	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	White F	42	30	9	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	62	13	-	-	-	-	-	-	-	-	1	2	2	6	9	8	6	5	4	3	3	-	-	-	-	-	-
	White M	35	8	-	-	-	-	-	-	-	-	-	1	1	2	7	5	3	4	2	1	1	-	-	-	-	-	-
	White F	20	5	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	1	1	1	1	-	-	-	-	-	-
	All other M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	All other F	4	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	91	23	6	2	1	2	2	1	-	-	1	3	1	2	5	3	5	3	7	9	4	3	5	3	-	-	-
	White M	46	14	3	-	1	1	2	1	-	-	-	1	-	1	3	2	2	-	3	5	3	-	2	2	-	-	-
	White F	38	7	3	2	-	1	-	-	-	-	1	1	-	1	2	-	3	3	4	4	1	3	2	-	-	-	-
	All other M	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
35	Measles	74	19	30	13	1	5	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	22	8	7	1	-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	26	7	12	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	13	1	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	13	3	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	156	-	-	-	-	-	-	1	-	-	-	2	4	9	8	12	18	22	23	22	18	10	4	2	-	-	1
	White M	87	-	-	-	-	-	-	1	-	-	-	2	3	6	3	6	11	13	16	11	8	2	2	2	-	-	1
	White F	64	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	5	9	7	11	10	7	1	-	-	-	-
	All other M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
	All other F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	50	-	-	-	-	-	-	-	-	1	2	3	6	4	6	10	6	2	3	3	3	-	1	-	-	-	-
	White F	49	-	-	-	-	-	-	-	-	1	2	3	6	4	5	10	6	2	3	3	3	-	1	-	-	-	-
	All other F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
50	Cancer of breast	21	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	7	1	3	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	7	1	3	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	89	1	-	-	-	-	2	1	1	-	-	1	-	3	4	8	6	13	13	12	10	5	5	3	-	-	1
	White—M	70	-	-	-	-	-	2	1	1	-	-	1	-	3	3	3	6	12	10	9	8	4	4	2	-	-	1
	F	15	1	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	1	2	2	1	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	58	-	-	-	-	-	-	-	4	1	-	1	2	-	2	4	9	9	5	8	7	4	2	-	-	-	-
	White—M	37	-	-	-	-	-	-	-	1	1	-	1	1	-	1	3	5	7	3	5	4	3	2	-	-	-	-
	F	20	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	4	2	2	3	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	10	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	1
	White—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	10	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	1	3	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	232	-	-	-	-	-	-	1	-	1	1	-	1	4	9	14	22	18	41	33	36	31	13	5	-	1	1
	White—M	123	-	-	-	-	-	-	-	-	-	1	-	1	1	3	8	10	12	22	21	17	17	7	1	-	1	1
	F	103	-	-	-	-	-	-	1	-	1	-	-	-	3	4	5	12	6	19	11	18	13	6	4	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	45	6	4	-	1	-	2	4	4	-	2	-	5	2	3	1	4	1	2	3	1	-	-	-	-	-	-
	White—M	24	5	1	-	1	-	-	-	4	-	1	-	2	2	1	-	4	1	1	1	-	-	-	-	-	-	-
	F	19	1	3	-	-	-	1	4	-	-	1	-	3	-	2	-	-	-	1	2	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	30	3	-	-	-	3	4	5	1	1	2	-	2	2	2	-	1	-	2	1	-	-	-	1	-	-	-
	White—M	16	2	-	-	-	1	3	1	1	-	2	-	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	2	1	3	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	76	-	-	-	-	-	-	6	1	1	2	2	4	7	7	6	6	5	11	7	5	4	1	-	-	-	1
	White—M	39	-	-	-	-	-	-	3	1	1	1	-	1	5	3	4	4	2	5	4	3	2	-	-	-	-	-
	F	37	-	-	-	-	-	-	3	-	-	1	2	3	2	4	2	2	3	6	3	2	2	1	-	-	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	148	-	-	-	-	-	-	-	-	1	2	1	1	5	10	11	20	16	24	28	15	11	3	-	-	-	-
	White—M	106	-	-	-	-	-	-	-	-	-	2	1	1	3	6	8	16	14	18	22	6	6	3	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	1	-	-	-	1	4	3	4	2	6	6	8	5	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	399	3	-	1	1	-	5	4	2	3	2	4	7	8	13	21	26	40	53	76	45	45	30	5	3	1	3
	White—M	222	-	-	-	1	-	2	4	1	3	1	3	1	3	6	12	10	24	25	42	29	31	16	4	3	-	1
	F	161	2	-	1	-	-	1	-	1	-	1	1	5	4	5	7	15	14	28	30	16	12	14	1	-	1	2
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-	1	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	1	-	-	-	-	-
107-109	Pneumonia (all forms)	335	128	34	13	2	4	5	2	6	4	2	2	8	3	12	6	14	15	19	17	15	14	8	2	-	-	-
	White—M	177	89	13	6	1	2	3	2	2	2	1	1	5	3	6	2	11	8	12	8	6	8	5	1	-	-	-
	F	110	40	9	6	1	1	1	-	4	2	1	1	3	-	4	3	2	7	7	6	7	2	2	1	-	-	-
	All other—M	16	8	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	3	-	-	-	-	-
	F	32	11	11	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	24	-	-	-	-	-	-	-	-	1	1	1	1	2	1	4	2	2	6	1	2	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	5	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	1	-	1	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
119,120	Diarrhea, enteritis, etc.*	285	228	39	3	5	1	-	1	-	-	1	-	-	-	-	3	-	-	-	1	-	-	2	1	-	-	-
	White—M	138	114	15	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
	F	134	108	20	-	2	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	59	-	1	-	-	4	6	7	10	4	1	2	1	7	4	3	4	1	1	1	2	-	-	-	-	-	-
	White—M	37	-	1	-	-	1	1	3	10	1	1	2	1	7	2	2	2	1	-	1	1	-	-	-	-	-	-
	F	19	-	-	-	-	2	5	4	-	2	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	44	7	-	-	-	-	-	1	-	1	3	2	2	1	2	4	3	2	6	6	1	1	-	2	-	-	-
	White—M	19	2	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	1	6	2	-	1	-	1	-	-	-
	F	21	5	-	-	-	-	-	1	-	-	2	-	2	-	1	3	1	1	-	4	1	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	33	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	1	5	7	3	3	2	1	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	3	4	1	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	2	2	3	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	19	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	3	1	1	4	2	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	1	1	1	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	248	1	2	3	-	-	3	3	4	-	4	4	9	9	8	11	20	19	34	36	33	20	17	6	2	-	-
	White—M	153	-	-	3	-	-	2	1	3	-	1	2	3	3	5	7	8	14	20	26	25	15	10	3	2	-	-
	F	89	1	2	-	-	-	1	2	1	-	3	2	6	6	3	3	12	4	13	10	7	5	5	3	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	6	6	1	2	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	5	6	1	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	28	-	-	-	-	-	-	-	3	8	7	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	2	7	7	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	15	-	-	-	-	-	-	1	2	3	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	1	2	3	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	23	-	-	-	-	-	-	-	5	3	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	5	2	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	58	52	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	23	22	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	28	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	125	125	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	50	-	-	-	-	-	-	1	2	4	5	10	4	4	9	3	1	1	1	1	2	1	-	-	-	-	1
	White—M	33	-	-	-	-	-	-	1	1	2	2	7	4	4	5	-	1	1	1	-	2	1	-	-	-	-	1
	F	15	-	-	-	-	-	-	-	1	2	2	2	-	-	4	3	-	-	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	33	1	-	-	-	-	1	-	5	4	7	3	6	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	25	1	-	-	-	-	-	-	4	4	5	3	3	1	2	-	1	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	177	1	2	2	2	-	6	12	16	13	17	14	13	12	15	9	12	8	8	9	2	3	1	-	-	-	-
	White—M	132	-	-	-	-	-	5	9	10	11	15	11	10	9	8	8	11	8	6	6	2	2	1	-	-	-	-
	F	31	-	2	2	2	-	1	3	4	1	2	1	1	2	6	1	-	-	2	-	-	1	-	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	280	16	13	9	6	2	12	12	29	25	15	19	13	11	10	18	14	9	9	9	9	11	5	3	-	-	1
	White—M	193	6	6	4	3	2	8	9	23	22	12	16	12	8	7	15	10	6	5	5	2	8	3	1	-	-	-
	F	75	9	7	4	3	-	3	3	3	3	1	2	1	3	3	3	3	3	3	4	7	3	2	2	-	-	-
	All other—M	6	-	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	6	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other causes*	1,555	594	80	14	11	7	18	16	28	19	27	22	19	22	38	38	54	76	81	107	87	93	58	28	8	7	5
	White—M	805	314	42	5	4	4	10	9	11	8	8	6	7	8	18	21	24	39	51	61	46	53	35	12	4	2	3
	F	650	250	32	4	6	3	8	7	12	10	18	16	11	13	17	16	24	29	27	41	34	33	20	13	2	2	2
	All other—M	53	21	2	1	1	-	-	-	1	1	-	-	1	-	1	-	4	5	2	3	5	2	1	1	-	1	-
	F	47	9	4	4	-	-	-	-	4	-	1	-	-	1	2	1	2	3	1	2	2	5	2	-	2	2	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	148,030	6,950	501	317	255	218	777	777	1,327	1,908	2,343	3,072	4,037	6,049	8,453	11,450	13,527	15,878	17,757	18,037	15,144	11,464	5,590	1,743	373	50	33
	White—M	76,562	3,639	250	159	136	124	443	426	687	926	1,052	1,436	1,954	3,083	4,682	6,649	7,875	8,852	9,515	9,145	7,291	5,118	2,327	639	127	19	28
	F	63,709	2,753	213	132	98	84	279	262	444	682	914	1,150	1,450	2,186	3,030	4,008	5,026	6,421	7,712	8,539	7,619	6,200	3,181	1,059	236	27	4
	All other—M	4,212	324	17	11	11	4	33	45	91	141	192	265	351	464	428	478	335	329	278	180	122	59	32	18	3	-	1
	F	3,547	234	21	15	10	6	22	44	105	159	205	221	282	316	313	315	291	276	252	175	112	87	50	27	7	4	-
1,2	Typhoid, paratyphoid fever	29	-	-	1	-	-	-	2	2	-	-	2	2	4	-	3	3	6	3	1	-	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	1	1	-	-	1	1	2	-	3	2	3	2	-	-	-	-	-	-	-	-
	F	11	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	1	3	1	1	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	71	10	4	4	2	1	4	2	5	6	1	2	6	7	3	3	5	4	1	-	1	-	-	-	-	-	-
	White—M	40	6	1	2	1	1	2	-	4	3	1	-	3	5	1	2	3	3	1	-	1	-	-	-	-	-	-
	F	28	4	3	2	1	-	2	2	1	3	-	2	2	-	2	1	2	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	34	2	2	2	3	1	9	2	6	2	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	18	1	-	2	1	1	7	1	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	16	1	2	-	2	-	2	1	3	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	105	76	15	5	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	35	25	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	40	8	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	15	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	-	-	3	3	1	3	3	-	2	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	10	-	-	1	3	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,660	10	15	15	4	6	15	35	179	382	503	555	542	596	602	608	514	417	288	179	120	52	20	1	1	-	1
	White—M	3,080	4	6	2	-	1	7	6	36	98	145	229	251	329	415	431	383	317	201	125	58	25	8	1	1	-	1
	F	1,471	4	5	7	-	2	3	10	53	145	210	190	143	144	93	87	88	76	74	44	57	25	11	-	-	-	-
	All other—M	661	2	2	3	2	2	3	9	32	59	70	74	99	93	74	68	31	17	12	6	3	-	-	-	-	-	-
	F	448	-	2	3	2	1	2	10	58	80	78	62	49	30	20	22	12	7	1	4	2	2	1	-	-	-	-
14-22	Tuberculosis (other forms)	507	17	10	16	8	3	22	28	36	33	48	37	44	42	49	28	20	26	14	14	10	2	-	-	-	-	-
	White—M	202	5	6	5	5	1	9	8	8	9	11	8	19	23	24	14	10	16	9	4	7	2	-	-	-	-	-
	F	154	7	2	7	1	1	7	10	12	7	17	6	14	10	14	7	7	8	5	9	3	-	-	-	-	-	-
	All other—M	74	5	-	2	-	-	4	7	8	4	8	12	4	4	7	5	1	2	-	1	-	-	-	-	-	-	-
	F	77	-	2	2	2	1	2	3	8	13	12	11	8	5	4	2	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery	63	2	3	2	4	3	-	1	-	-	2	-	-	1	5	6	4	8	4	2	6	8	1	1	-	-	-
	White—M	20	1	1	-	3	2	-	-	-	-	1	-	-	-	2	3	1	2	1	-	-	3	-	-	-	-	-
	F	37	-	2	1	1	1	-	-	-	-	-	-	-	1	3	2	3	6	3	2	6	4	1	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
28	Malaria	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	2,024	35	1	-	-	-	2	6	7	23	31	52	124	203	209	293	305	266	218	144	65	33	5	1	1	-	-
	White—M	1,132	10	1	-	-	-	1	2	5	1	9	9	37	89	109	178	202	173	141	102	41	19	3	-	-	-	-
	F	324	5	-	-	-	-	1	1	1	8	1	7	17	21	35	40	47	46	41	26	15	9	1	1	1	-	-
	All other—M	401	11	-	-	-	-	-	2	1	5	11	25	44	77	53	57	39	28	29	9	6	3	1	-	-	-	-
	F	167	9	-	-	-	-	-	1	-	9	10	11	26	16	12	18	17	19	7	7	3	2	-	-	-	-	-
33	Influenza	561	60	24	15	5	8	12	11	6	15	6	9	11	13	23	26	22	31	38	48	47	74	34	18	5	-	-
	White—M	266	28	11	10	4	3	4	8	2	6	3	3	2	8	12	18	10	15	22	26	18	34	12	5	2	-	-
	F	277	27	10	5	1	5	6	3	4	9	3	6	5	4	10	8	12	16	16	22	29	38	22	13	3	-	-
	All other—M	9	4	1	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-
35	Measles	48	6	10	9	3	3	11	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	29	4	7	6	1	1	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	15	2	2	3	1	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Poliomyelitis, poliomyelitis (acute)	61	-	-	1	1	1	12	19	8	3	5	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	-	-	1	-	-	8	10	7	3	2	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	1	1	4	8	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	9,882	2	1	1	-	-	5	1	7	13	40	73	146	328	592	910	1,257	1,537	1,633	1,513	1,060	552	181	30	-	-	-
	White—M	5,216	1	1	1	-	-	2	-	3	3	20	39	68	149	286	491	720	854	912	761	565	258	73	9	-	-	-
	F	4,345	1	-	-	-	-	3	1	3	9	18	28	67	148	264	384	451	633	680	715	482	290	107	21	-	-	-
	All other—M	192	-	-	-	-	-	-	-	1	-	-	4	4	18	28	23	25	36	22	20	8	3	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	1	2	2	7	13	14	12	21	14	19	17	5	1	1	-	-	-	-
48,49	Cancer of female genital organs	2,391	-	-	-	-	-	-	2	5	5	20	58	123	202	285	324	324	324	282	219	115	76	23	3	1	-	-
	White—F	2,233	-	-	-	-	-	-	2	5	5	16	49	107	173	260	304	305	313	286	218	114	72	23	2	1	-	-
	All other—F	158	-	-	-	-	-	-	-	-	-	4	9	16	29	25	20	19	11	16	3	1	4	-	1	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
50	Cancer of breast	2,278	-	-	-	-	-	-	-	-	1	11	49	84	205	256	275	299	285	281	215	163	105	37	8	3	1	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	5	2	3	-	-	-	-	-
	F	2,179	-	-	-	-	-	-	-	-	1	11	45	80	190	239	263	289	273	272	206	160	101	37	8	3	1	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	82	-	-	-	-	-	-	-	-	-	-	4	4	14	17	10	8	10	9	4	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	6,557	6	10	13	11	18	28	23	31	60	64	88	158	250	462	688	842	934	967	779	627	335	127	29	8	-	1
	White—M	4,767	-	5	8	9	11	15	15	20	44	38	57	88	159	325	508	629	692	708	601	489	238	85	18	4	-	1
	F	1,588	5	5	3	2	5	11	6	10	14	21	28	58	78	114	152	190	217	233	165	130	93	39	9	4	-	-
	All other—M	142	-	-	1	-	-	1	1	1	1	1	2	10	9	16	24	17	20	16	10	4	4	2	2	-	-	-
	F	60	1	-	1	-	-	1	1	-	1	4	5	4	4	7	4	6	5	10	3	4	-	1	-	-	-	-
58	Acute rheumatic fever	189	-	1	-	4	1	28	23	18	18	20	23	16	15	9	1	4	5	2	-	2	-	1	-	-	-	-
	White—M	78	-	1	-	3	1	11	8	6	4	8	13	8	6	2	-	1	3	2	-	1	-	-	-	-	-	-
	F	98	-	-	-	1	-	14	11	12	11	10	9	6	9	7	1	2	1	-	-	1	-	1	-	-	-	-
	All other—M	10	-	-	-	-	-	2	2	-	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,397	2	3	1	2	-	4	10	8	17	19	18	41	85	194	398	658	901	1,026	964	636	307	87	15	1	-	-
	White—M	1,738	1	3	1	2	-	2	4	1	3	7	8	13	22	73	123	212	278	326	306	215	106	25	7	-	-	-
	F	3,488	1	-	-	-	-	2	5	5	12	10	8	21	48	106	242	414	598	684	650	416	199	60	8	1	-	-
	All other—M	41	-	-	-	-	-	-	-	1	1	1	1	2	5	3	8	9	5	-	5	1	1	-	-	-	-	-
	F	130	-	-	-	-	-	-	1	1	1	1	1	5	10	12	25	23	22	16	5	4	1	2	-	-	-	-
63b	Exophthalmic goiter	424	-	-	-	-	-	-	-	2	7	13	11	17	32	52	52	60	61	64	31	14	6	1	-	-	-	1
	White—M	71	-	-	-	-	-	-	-	-	1	2	2	5	8	7	11	13	11	5	3	1	1	-	-	-	-	1
	F	335	-	-	-	-	-	-	-	1	6	10	7	11	24	39	37	47	49	57	28	13	5	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	1	-	1	2	1	-	6	3	-	1	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	17	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	3	2	2	3	-	-	1	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	413	-	-	-	-	-	-	-	1	8	12	26	62	59	72	62	46	38	19	6	3	3	-	-	-	-	-
	White—M	300	-	-	-	-	-	-	-	1	2	4	14	41	45	57	49	38	29	12	6	1	1	-	-	-	-	-
	F	69	-	-	-	-	-	-	-	-	2	5	3	11	8	11	7	7	5	7	-	1	2	-	-	-	-	-
	All other—M	31	-	-	-	-	-	-	-	-	1	2	8	6	4	3	6	1	1	-	-	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	1	3	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	10,014	9	6	1	3	1	3	7	11	12	21	62	92	212	371	589	847	1,170	1,491	1,607	1,522	1218	560	159	34	3	5
	White—M	4,365	5	3	1	-	1	-	3	7	6	9	22	37	77	162	249	378	550	685	701	662	509	223	61	11	1	2
	F	5,319	4	3	-	3	-	3	4	4	6	8	28	37	103	177	305	433	571	765	874	838	697	332	98	23	2	1
	All other—M	148	-	-	-	-	-	-	-	-	-	2	3	7	13	14	18	20	22	23	9	10	3	2	-	-	-	-
	F	184	-	-	-	-	-	-	-	-	-	2	9	11	19	18	17	16	27	18	23	12	9	3	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	1,236	75	22	15	11	14	42	41	45	65	54	61	69	91	78	84	111	91	92	73	58	31	10	3	-	-	-
	White—M	647	42	17	5	5	5	20	25	23	29	27	26	28	48	43	47	68	45	55	39	35	12	4	1	-	-	-
	F	519	30	5	8	4	7	18	12	20	29	22	28	35	41	28	34	59	41	35	33	23	19	6	2	-	-	-
	All other—M	44	1	-	1	1	1	1	3	2	5	5	4	4	3	5	3	2	3	1	1	-	-	-	-	-	-	-
	F	26	2	-	1	1	1	3	1	-	2	2	3	2	1	2	-	2	2	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	464	54	17	7	10	7	25	14	29	17	23	26	23	32	24	44	35	30	13	14	9	5	3	3	-	-	-
	White—M	266	31	7	3	7	5	11	8	16	11	16	12	18	22	11	24	23	19	6	7	3	4	1	1	-	-	-
	F	166	18	6	4	3	2	12	5	12	5	5	13	2	7	11	18	10	11	6	6	6	1	1	2	-	-	-
	All other—M	16	1	2	-	-	-	-	1	1	1	-	-	3	-	1	2	2	-	1	1	-	-	-	-	-	-	-
	F	16	4	2	-	-	-	2	-	-	-	2	1	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	3,324	-	-	1	8	5	42	84	137	144	191	231	284	316	342	276	254	198	234	200	166	118	68	22	5	-	-
	White—M	1,498	-	-	1	2	2	16	33	65	73	91	106	120	131	164	124	122	96	113	89	60	48	32	2	4	-	-
	F	1,656	-	-	-	3	3	19	43	59	59	88	106	147	165	151	143	121	97	119	106	106	66	35	19	1	-	-
	All other—M	76	-	-	-	1	-	5	4	6	5	3	7	7	9	14	5	5	2	1	2	-	-	-	-	-	-	-
	F	96	-	-	-	2	-	2	4	7	7	9	10	10	11	13	4	6	5	1	3	-	2	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	13,288	1	-	-	1	-	-	-	1	11	19	62	193	532	886	1,393	1,812	1,971	2,059	1,818	1,308	778	346	81	14	2	-
	White—M	9,159	1	-	-	1	-	-	-	1	5	10	47	150	426	718	1,120	1,427	1,421	1,386	1,096	729	422	161	36	1	1	-
	F	3,840	-	-	-	-	-	-	-	-	6	4	8	22	80	136	224	350	516	640	702	572	346	177	44	12	1	-
	All other—M	194	-	-	-	-	-	-	-	-	-	3	4	17	18	21	31	26	24	23	12	4	7	4	-	-	-	-
	F	95	-	-	-	-	-	-	-	-	-	2	3	4	8	11	18	9	10	10	8	3	3	4	1	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	35,840	12	5	3	5	5	12	22	35	54	78	147	255	594	1,218	2,200	2,889	3,999	5,083	5,946	5,398	4591	2389	727	151	20	6
	White—M	17,835	5	2	1	3	2	5	12	25	29	31	71	123	316	633	1,260	1,646	2,252	2,681	2,978	2,452	1975	993	265	63	7	5
	F	16,603	7	2	2	-	2	6	9	9	22	38	58	86	192	450	755	1,061	1,555	2,225	2,841	2,841	2553	1357	436	85	10	1
	All other—M	661	-	-	-	-	-	1	-	-	2	5	11	19	48	69	90	83	88	83	63	49	27	14	9	-	-	-
	F	741	-	1	-	-	1	-	1	1	1	4	7	25	38	66	95	99	104	94	64	56	56	25	17	3	3	-
107-109	Pneumonia (all forms)	5,842	763	109	30	22	14	40	44	64	55	80	132	172	234	292	402	408	510	527	595	535	470	227	99	14	3	1
	White—M	3,124	383	47	13	12	8	20	22	33	24	34	68	89	122	176	255	247	301	304	323	276	215	96	50	4	2	-
	F	2,284	293	55	14	6	5	17	20	26	25	30	32	48	85	80	102	138	184	208	259	249	247	128	44	9	1	1
	All other—M	255	46	3	2	3	-	2	-	3	2	8	20	23	27	25	34	11	15	9	8	8	2	-	3	1	-	-
	F	179	41	4	1	1	1	1	2	2	4	8	12	12	20	11	11	12	10	8	5	2	6	3	2	-	-	-
117	Ulcer of stomach or duodenum	1,055	2	-	-	-	-	-	-	2	7	17	33	51	94	126	152	147	124	119	96	48	24	9	2	-	-	-
	White—M	865	-	-	-	-	-	-	-	1	4	11	22	42	76	112	133	132	102	98	79	30	15	6	2	-	-	-
	F	148	1	-	-	-	-	-	-	1	1	3	5	5	8	11	13	15	20	19	16	18	9	3	-	-	-	-
	All other—M	34	1	-	-	-	-	-	-	-	2	2	5	2	10	2	6	-	2	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
119,120	Diarrhea, enteritis, etc.*	555	353	50	5	1	1	1	4	9	15	11	10	13	11	8	18	13	12	12	9	5	7	4	1	2	-	-
	White—M	276	182	14	3	-	1	-	2	4	9	2	4	6	2	6	10	7	5	5	5	3	3	1	1	1	-	-
	F	241	136	15	2	1	-	1	2	5	6	9	6	7	9	2	7	5	7	7	4	2	4	3	-	1	-	-
	All other—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	15	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	1,086	2	6	28	25	15	49	45	52	47	47	47	63	67	96	102	100	98	75	73	28	23	3	1	-	-	-
	White—M	620	-	4	14	12	8	30	27	28	29	26	22	36	41	54	66	54	57	44	39	18	10	1	-	-	-	-
	F	424	1	2	13	13	5	19	13	21	14	16	21	23	23	36	32	44	37	30	33	9	12	2	1	-	-	-
	All other—M	24	1	-	-	-	-	-	1	-	4	2	1	3	3	1	3	2	2	-	1	-	-	-	-	-	-	-
	F	18	-	-	1	-	-	-	2	3	-	1	3	1	-	3	1	-	-	1	-	1	1	-	-	-	-	-
122	Hernia, intestinal obstruction	1,189	33	9	5	-	5	9	9	11	9	8	33	38	59	77	86	104	159	133	141	107	90	34	9	1	-	-
	White—M	594	21	5	2	-	3	5	5	5	6	3	13	17	32	36	46	53	86	63	75	52	45	18	3	-	-	-
	F	523	10	4	3	-	2	4	3	4	3	5	14	13	21	33	35	47	69	66	65	54	45	16	6	1	-	-
	All other—M	26	2	-	-	-	-	-	-	1	-	-	3	4	3	2	3	1	2	4	1	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	1	1	-	-	3	4	3	6	2	3	2	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	1,703	3	2	-	-	-	3	3	4	4	13	48	74	165	197	250	212	220	200	155	88	42	18	2	-	-	-
	White—M	1,033	2	1	-	-	-	2	1	-	2	4	24	44	95	120	187	150	145	110	88	46	24	8	-	-	-	-
	F	625	1	1	-	-	-	-	2	4	2	8	21	26	62	70	74	58	72	88	65	41	18	10	2	-	-	-
	All other—M	27	-	-	-	-	-	-	-	-	-	-	1	1	4	5	7	3	3	1	1	1	-	-	-	-	-	-
	F	18	-	-	-	-	-	1	-	-	-	1	2	3	4	2	2	1	-	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	912	-	-	-	-	-	-	-	1	3	7	22	30	45	80	101	116	123	135	96	82	44	20	5	2	-	-
	White—M	287	-	-	-	-	-	-	-	1	1	3	9	12	14	16	22	38	32	50	31	30	16	9	3	-	-	-
	F	605	-	-	-	-	-	-	-	-	2	4	13	17	28	62	74	76	88	83	65	51	27	11	2	2	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	1	1	1	-	1	1	-	-	-	-	-
130-132	Nephritis	8,011	3	1	1	3	5	23	18	54	59	102	129	181	311	411	572	643	789	1,003	1,172	1,076	858	438	128	28	2	1
	White—M	3,708	1	-	1	2	2	13	8	28	31	48	60	78	128	190	300	330	389	488	533	508	339	178	43	9	1	-
	F	3,907	2	-	-	1	3	9	9	20	23	39	54	67	128	171	230	275	372	474	618	547	508	256	83	18	1	1
	All other—M	187	-	-	-	-	-	-	-	2	4	4	7	17	28	24	18	20	16	21	9	9	5	1	2	-	-	-
	F	209	-	1	-	-	-	1	1	4	1	11	8	19	29	26	24	18	12	20	12	12	6	3	-	1	-	-
137	Diseases of the prostate	898	-	-	-	-	-	-	-	-	1	-	1	1	1	8	21	39	101	188	203	184	112	51	6	1	-	-
	White—M	868	-	-	-	-	-	-	-	-	-	-	1	1	1	5	18	36	97	162	198	180	112	51	6	-	-	-
	All other—M	30	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	3	4	6	5	4	-	-	-	1	-	-
140, 142a, 147	Puerperal septicemia	219	-	-	-	-	-	-	-	11	42	54	52	39	20	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	183	-	-	-	-	-	-	-	5	36	45	45	35	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	36	-	-	-	-	-	-	-	6	6	9	7	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	70	-	-	-	-	-	-	-	8	12	11	20	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	64	-	-	-	-	-	-	-	6	11	11	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	202	-	-	-	-	-	-	-	5	39	41	55	42	18	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	180	-	-	-	-	-	-	-	3	36	34	50	37	18	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	22	-	-	-	-	-	-	-	2	3	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,321	1,067	52	22	14	9	31	21	15	22	4	14	9	13	9	5	7	-	2	2	2	1	-	-	-	-	-
	White—M	678	526	28	16	7	5	22	10	12	10	3	7	5	8	6	4	2	-	2	1	1	1	-	-	-	-	-
	F	593	499	23	6	7	4	8	10	2	12	1	6	1	5	1	1	5	-	-	1	1	-	-	-	-	-	-
	All other—M	24	22	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	20	1	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,322	2,322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,210	1,210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	910	910	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	85	85	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,907	-	-	-	-	-	-	4	32	81	123	160	183	184	231	226	203	170	124	104	55	29	14	3	1	-	-
	White—M	1,330	-	-	-	-	-	-	2	22	35	76	97	112	122	159	165	143	124	99	80	49	28	13	3	1	-	-
	F	534	-	-	-	-	-	-	1	9	19	45	57	65	57	68	55	59	46	23	24	6	1	1	-	-	-	-
	All other—M	31	-	-	-	-	-	-	-	-	5	2	5	4	4	4	4	1	-	2	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	1	2	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	372	19	1	1	1	1	8	4	19	37	49	53	41	44	35	19	18	6	13	3	1	1	-	-	-	-	-
	White—M	186	8	-	1	1	-	1	2	7	18	23	25	18	17	21	14	12	5	9	2	1	1	-	-	-	-	-
	F	62	9	1	-	-	1	7	1	-	5	4	7	6	9	3	2	3	-	3	1	-	-	-	-	-	-	-
	All other—M	97	-	-	-	-	-	-	-	12	9	18	18	12	15	8	2	1	1	1	-	-	-	-	-	-	-	-
	F	27	2	-	-	-	-	-	1	-	5	4	3	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,821	2	12	20	24	24	120	81	189	287	199	149	168	157	221	218	177	209	195	172	118	66	21	4	-	-	8
	White—M	2,048	1	6	10	15	16	87	57	137	214	151	112	118	113	172	163	128	135	140	118	81	49	15	2	-	-	8
	F	635	1	6	9	8	8	28	19	45	41	33	26	32	30	39	45	44	60	47	52	37	17	6	2	-	-	-
	All other—M	109	-	-	-	-	-	3	3	6	8	12	9	13	13	8	10	4	11	7	2	-	-	-	-	-	-	-
	F	29	-	-	1	1	-	2	2	1	4	3	2	5	1	2	-	1	3	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	5,795	153	56	52	41	34	130	124	144	199	174	238	293	323	345	415	368	337	431	480	513	491	299	120	21	6	8
	White—M	3,423	80	28	23	20	23	89	99	115	152	128	180	224	231	284	324	273	200	230	239	197	180	82	26	7	2	7
	F	2,067	56	22	25	18	11	32	17	19	27	24	29	38	52	37	60	83	124	192	233	314	329	216	91	14	4	-
	All other—M	225	8	2	1	3	-	5	8	8	16	17	27	25	32	16	27	11	9	3	1	2	1	1	1	-	-	1
	F	78	9	4	3	-	-	4	-	2	4	5	2	6	8	8	4	1	4	6	7	-	1	-	2	-	-	-
	All other causes*	10,876	1,848	74	38	34	35	80	83	126	135	221	276	329	475	582	598	659	718	805	959	972	914	558	262	79	13	3
	White—M	5,458	1,055	42	23	15	20	44	43	59	60	85	118	136	214	278	305	377	390	441	485	479	440	228	94	19	5	3
	F	4,866	677	29	13	18	14	33	29	58	58	100	116	146	205	263	263	254	307	344	453	477	463	318	164	57	7	-
	All other—M	276	72	2	1	-	1	3	4	6	5	16	13	18	19	21	18	15	13	11	14	12	3	7	1	1	-	-
	F	276	44	1	1	1	-	-	7	3	12	20	29	29	37	20	12	13	8	9	7	4	8	5	3	2	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CUASES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes	31,752	5,053	512	248	164	120	391	423	807	1,128	1,075	1,105	1,179	1,382	1,536	1,935	2,083	2,501	2,878	2,357	1,830	1,627	884	345	102	53	34
	White—M	11,381	1,624	167	85	48	56	151	114	248	339	312	348	332	428	555	691	831	1,017	1,151	998	761	656	330	111	19	2	7
	F	8,587	1,238	98	57	53	28	84	106	143	196	204	215	222	272	321	418	511	662	909	819	742	704	401	147	30	5	4
	All other—M	6,173	1,236	129	57	24	28	81	105	195	312	297	269	329	344	333	418	392	411	444	293	176	134	77	38	25	18	12
	F	5,611	955	118	49	39	12	75	98	221	281	262	273	296	338	327	408	349	411	374	247	151	133	76	51	28	28	11
1,2	Typhoid, paratyphoid fever	29	-	-	2	-	1	6	2	2	4	2	1	3	2	-	1	2	1	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	-	1	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	12	-	-	1	-	-	3	-	-	3	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	6	1	2	1	1	1	1	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	1	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	-	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	1	3	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	199	125	42	19	8	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	56	40	8	5	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	36	9	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	41	27	10	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	48	22	15	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	83	6	13	19	13	12	15	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	41	4	10	6	9	5	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	29	2	1	7	3	6	7	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	-	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,415	4	6	1	-	3	8	38	129	207	171	154	133	119	108	116	70	52	45	25	9	10	2	1	-	-	4
	White—M	321	-	2	-	-	1	-	1	4	12	25	33	35	37	40	51	20	21	17	10	5	5	1	1	-	-	-
	F	200	2	-	-	-	-	-	3	10	22	22	20	20	14	16	12	21	11	10	8	4	4	1	-	-	-	-
	All other—M	396	1	2	1	-	2	2	10	35	70	49	45	37	34	27	35	12	14	13	4	-	1	-	-	-	-	2
	F	498	1	2	-	-	-	6	24	80	103	75	56	41	34	25	18	17	6	5	3	-	-	-	-	-	-	2
14-22	Tuberculosis (other forms)	156	10	7	4	5	4	7	5	29	17	12	10	8	10	7	6	3	3	4	2	3	-	-	-	-	-	-
	White—M	25	1	1	1	-	-	1	-	4	2	1	2	1	2	2	1	-	1	2	1	-	-	-	-	-	-	-
	F	17	1	2	-	1	-	-	-	1	2	2	1	1	1	-	3	1	-	-	-	1	-	-	-	-	-	-
	All other—M	60	5	2	1	2	3	2	4	10	6	2	6	4	6	2	2	2	-	-	-	1	-	-	-	-	-	-
	F	54	3	2	2	2	1	4	1	14	7	7	1	2	1	3	-	-	2	2	-	-	-	-	-	-	-	-
27	Dysentery	88	46	12	4	1	1	2	-	1	1	-	1	2	-	1	3	2	1	2	1	1	2	3	1	-	-	-
	White—M	32	22	2	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	1	-	-	-
	F	20	7	2	2	1	-	-	-	1	1	-	1	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-
	All other—M	25	12	8	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F	11	5	-	2	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
28	Malaria	28	3	-	-	-	-	2	2	1	3	1	1	1	3	-	1	2	2	2	2	1	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	1	1	1	-	-	-	-	-
	All other—M	9	1	-	-	-	-	2	-	1	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
30	Syphilis	379	53	3	2	1	1	1	5	8	15	30	31	34	45	38	28	27	22	15	8	7	1	-	1	-	-	3
	White—M	76	6	-	-	1	-	-	-	1	-	1	4	4	9	11	9	9	9	7	3	2	-	-	-	-	-	-
	F	31	3	-	-	-	-	-	-	-	2	2	5	2	3	4	1	4	1	-	2	2	-	-	-	-	-	-
	All other—M	164	23	3	1	-	1	1	1	1	5	16	10	18	21	18	12	12	8	5	3	3	-	-	-	-	-	2
	F	108	21	-	1	-	-	-	4	6	8	11	12	10	12	5	8	2	4	3	-	-	1	-	1	-	-	1
33	Influenza	823	180	27	18	3	6	13	18	17	21	20	24	16	30	31	36	39	54	42	63	47	43	42	26	4	3	-
	White—M	264	42	12	3	2	2	7	5	7	4	5	2	3	7	8	10	12	22	15	34	18	13	15	14	1	1	-
	F	241	48	4	4	1	2	2	4	2	5	5	7	5	4	9	14	11	13	14	13	22	20	22	8	2	-	-
	All other—M	168	43	7	6	-	2	3	7	5	6	9	9	5	10	9	7	5	14	8	5	2	3	-	-	1	-	-
	F	152	47	4	5	-	-	1	2	3	6	1	6	3	9	5	5	11	5	5	11	5	7	5	4	-	2	-
35	Measles	104	31	14	11	7	2	14	6	2	3	4	3	-	1	-	1	1	1	-	1	2	-	-	-	-	-	-
	White—M	29	9	5	5	1	-	4	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	46	15	6	2	5	1	5	-	-	2	2	2	-	1	-	1	1	1	-	-	2	-	-	-	-	-	-
	All other—M	11	3	1	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	4	2	2	1	-	4	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	17	-	4	1	1	1	5	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	3	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	1	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Cancer of digestive organs, peritoneum	750	-	-	-	-	1	1	-	2	3	8	15	16	37	57	59	86	106	136	91	63	49	17	2	1	-	-
	White—M	289	-	-	-	-	1	1	-	1	3	3	3	2	12	20	22	32	48	54	40	26	16	5	-	-	-	-
	F	290	-	-	-	-	-	-	-	-	-	2	6	3	8	18	21	30	35	58	35	30	30	11	2	1	-	-
	All other—M	86	-	-	-	-	-	-	-	1	-	3	2	6	9	8	8	12	10	12	12	3	-	-	-	-	-	-
	F	85	-	-	-	-	-	-	-	-	-	-	4	5	8	11	8	12	13	12	4	4	3	1	-	-	-	-
48,49	Cancer of female genital organs	394	-	-	-	-	-	-	-	-	5	10	19	28	53	43	58	48	39	32	32	10	11	2	1	-	-	3
	White—F	252	-	-	-	-	-	-	-	-	3	6	13	13	33	29	36	33	24	24	19	7	8	2	1	-	-	1
	All other—F	142	-	-	-	-	-	-	-	-	2	4	6	15	20	14	22	15	15	8	13	3	3	-	-	-	-	2

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
50	Cancer of breast	196	-	-	-	-	-	-	-	-	-	4	6	16	25	21	23	19	24	19	17	12	8	1	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	132	-	-	-	-	-	-	-	-	-	2	2	10	15	12	16	9	18	15	13	11	7	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	2	4	6	10	7	7	10	6	3	4	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	749	-	-	3	3	3	9	8	14	15	20	18	30	42	47	64	83	89	89	77	47	51	24	12	1	-	-
	White—M	401	-	-	1	1	2	5	1	5	6	10	7	16	23	20	26	42	49	53	47	32	31	17	6	1	-	-
	F	220	-	-	2	2	-	2	4	3	3	3	5	9	11	15	23	29	26	23	23	10	16	6	5	-	-	-
	All other—M	73	-	-	-	-	1	2	1	2	5	5	3	2	3	5	7	8	7	8	4	4	4	1	1	-	-	-
	F	55	-	-	-	-	-	-	2	4	1	2	3	3	5	7	8	4	7	5	3	1	-	-	-	-	-	-
58	Acute rheumatic fever	56	1	-	1	-	1	9	14	6	9	1	3	1	4	-	1	2	2	1	-	-	-	-	-	-	-	-
	White—M	18	-	-	-	-	1	4	3	2	2	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	1	4	3	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	12	-	-	-	-	-	2	3	1	3	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	-	1	-	-	2	4	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	472	-	1	-	-	-	4	4	16	7	8	12	8	20	24	42	63	75	70	53	33	26	5	1	-	-	-
	White—M	161	-	-	-	-	-	1	-	8	3	3	4	2	6	7	16	20	24	20	21	11	13	2	-	-	-	-
	F	184	-	-	-	-	-	2	3	4	3	3	4	1	3	7	8	23	30	33	26	18	12	3	1	-	-	-
	All other—M	42	-	-	-	-	-	-	-	2	1	1	-	2	1	5	6	7	5	7	3	2	-	-	-	-	-	-
	F	85	-	1	-	-	-	1	1	2	-	1	4	3	10	5	12	13	16	10	3	2	1	-	-	-	-	-
63b	Exophthalmic goiter	46	-	-	-	-	-	-	1	-	2	1	1	-	2	7	9	4	9	4	5	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	1	-	2	-	-	-	1	3	4	1	9	2	2	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	2	-	2	1	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	144	1	-	-	-	-	-	-	-	2	3	8	12	8	5	11	11	19	20	21	11	6	4	1	1	-	-
	White—M	33	1	-	-	-	-	-	-	-	-	1	1	-	-	1	4	2	3	7	6	3	2	1	1	-	-	-
	F	73	-	-	-	-	-	-	-	-	-	2	5	2	1	2	4	7	12	12	12	8	3	2	-	1	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	1	-	-	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	2	-	2	8	6	1	2	1	4	-	2	-	1	-	-	-	-	-
77	Alcoholism (ethylism)	68	-	-	-	-	-	1	-	1	4	8	8	13	8	8	8	3	-	5	1	-	-	-	-	-	-	-
	White—M	46	-	-	-	-	-	-	-	1	2	5	7	8	3	6	7	3	-	3	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	14	-	-	-	-	-	1	-	-	2	2	-	3	3	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,991	5	-	-	-	-	2	3	3	9	17	32	64	105	159	265	291	396	481	414	315	245	122	45	9	5	4
	White—M	1,027	1	-	-	-	-	1	-	1	1	4	10	14	27	42	70	91	145	185	164	128	84	41	14	2	-	2
	F	942	-	-	-	-	-	1	2	-	2	4	5	11	22	40	53	86	105	147	148	134	107	58	16	1	-	-
	All other—M	485	3	-	-	-	-	-	-	2	2	3	5	21	32	33	56	56	63	80	53	24	28	13	3	3	3	2
	F	537	1	-	-	-	-	-	1	-	4	6	12	18	24	44	86	58	83	69	49	29	26	10	12	3	2	-
80-82, 84-88	Other diseases of nervous system, etc.*	420	53	16	7	12	3	17	18	26	35	31	26	24	27	21	23	23	13	13	10	16	4	1	-	-	-	1
	White—M	140	23	6	2	1	3	5	7	7	5	6	5	6	9	5	10	12	6	6	6	6	4	-	-	-	-	-
	F	107	17	3	1	5	-	7	3	2	10	4	4	4	7	6	6	7	4	6	2	9	-	-	-	-	-	-
	All other—M	85	6	2	3	2	-	3	4	9	11	13	2	8	7	3	3	2	2	1	1	1	-	1	-	-	-	1
	F	88	7	5	1	4	-	2	4	8	9	8	15	6	4	7	4	2	1	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	202	59	9	8	5	1	13	14	11	10	12	6	8	6	5	7	3	7	4	4	2	2	1	4	-	1	-
	White—M	76	18	3	4	2	1	4	5	3	5	5	2	3	4	-	4	2	3	2	2	1	2	-	1	-	-	-
	F	42	16	2	2	2	-	2	1	-	1	2	1	1	1	2	-	-	3	1	1	-	-	1	3	-	-	-
	All other—M	41	16	1	1	1	-	5	3	5	1	2	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-
	F	43	9	3	1	-	-	2	5	3	3	3	3	3	1	2	-	-	1	1	1	1	-	-	-	-	1	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	438	-	-	-	-	1	7	19	18	11	11	16	21	25	21	25	34	45	49	42	31	32	18	10	1	1	-
	White—M	141	-	-	-	-	-	1	1	8	3	2	3	3	4	6	7	13	18	19	18	15	13	6	1	-	-	-
	F	128	-	-	-	-	-	3	5	3	1	4	6	6	5	3	4	7	9	14	14	13	16	8	6	1	-	-
	All other—M	80	-	-	-	-	1	1	4	4	1	3	4	5	9	5	12	9	8	7	2	1	1	2	1	-	-	-
	F	89	-	-	-	-	-	2	9	3	6	2	3	7	7	7	2	5	10	9	8	2	2	2	2	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,501	2	-	-	-	-	-	-	6	5	10	30	36	60	141	165	200	195	228	178	120	80	35	7	2	1	-
	White—M	903	1	-	-	-	-	-	-	2	2	3	14	16	32	98	107	139	129	134	106	57	43	18	2	-	-	-
	F	368	1	-	-	-	-	-	-	3	2	2	5	5	6	18	27	32	42	76	56	50	27	12	4	-	-	-
	All other—M	110	-	-	-	-	-	-	-	1	-	3	4	9	10	14	13	13	10	9	10	6	5	3	-	-	-	-
	F	120	-	-	-	-	-	-	-	-	1	2	7	6	12	11	18	16	14	9	6	7	5	2	1	2	1	-
90b,91, 92a,d,e, 93ab,d,e, 95a,c	Diseases of heart (other forms)	4,039	28	3	5	-	3	11	16	23	42	51	76	108	132	198	272	391	493	589	471	419	365	219	79	31	6	8
	White—M	1,531	10	2	2	-	2	5	6	6	13	15	24	29	36	66	98	145	199	237	182	176	157	83	31	5	-	2
	F	1,203	9	-	1	-	-	2	4	5	5	11	13	19	22	27	51	83	111	197	180	164	161	102	26	7	2	1
	All other—M	683	5	1	1	-	1	1	3	6	5	13	23	32	34	46	64	94	97	82	58	45	25	18	12	11	2	2
	F	622	4	-	1	-	-	3	3	6	19	12	16	28	40	57	59	69	86	73	51	34	22	16	10	8	2	3
107-109	Pneumonia (all forms)	1,900	754	120	42	22	13	29	25	24	36	38	45	37	52	55	70	56	80	82	90	75	75	46	22	10	1	1
	White—M	570	213	37	14	6	4	11	5	10	11	5	12	8	11	17	15	22	31	22	32	27	31	17	5	4	-	-
	F	483	163	17	5	3	1	4	10	5	3	5	6	8	9	7	22	11	25	28	32	37	39	23	17	3	-	-
	All other—M	500	229	37	12	3	5	10	6	4	16	19	13	13	16	20	14	14	13	22	19	7	3	1	-	2	1	1
	F	347	149	29	11	10	3	4	4	5	6	9	14	8	16	11	19	9	11	10	7	4	2	5	-	1	-	-
117	Ulcer of stomach or duodenum	141	-	1	-	-	-	-	1	1	6	10	12	5	13	14	17	19	10	12	6	11	2	1	-	-	-	-
	White—M	88	-	-	-	-	-	-	1	-	5	7	7	1	8	7	12	14	7	8	4	6	1	-	-	-	-	-
	F	19	-	1	-	-	-	-	-	-	-	-	2	2	1	1	1	1	1	2	1	4	1	1	-	-	-	-
	All other—M	29	-	-	-	-	-	-	-	1	1	3	3	1	4	5	3	3	2	1	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	809	587	105	28	9	5	5	2	2	3	5	4	3	4	3	2	8	5	11	4	7	4	1	2	-	-	-
	White—M	247	172	33	12	4	3	2	-	2	3	3	2	-	1	1	-	1	2	3	1	1	1	-	-	-	-	-
	F	173	121	15	8	2	-	-	1	-	-	-	-	2	-	-	1	3	2	7	1	6	2	1	1	-	-	-
	All other—M	215	164	29	3	2	2	2	1	-	-	1	1	1	1	1	1	1	-	1	2	-	1	-	1	-	-	-
	F	174	130	28	5	1	-	1	-	-	-	1	1	-	2	1	-	3	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	230	2	1	2	4	4	16	22	22	19	12	16	21	16	19	8	8	9	8	11	6	3	-	1	-	-	-
	White—M	86	1	-	1	2	2	3	4	7	6	2	6	8	10	9	2	6	3	6	4	3	1	-	-	-	-	-
	F	53	1	1	-	2	1	5	4	7	5	2	2	3	1	4	1	-	3	1	6	3	-	-	1	-	-	-
	All other—M	48	-	-	-	-	-	5	8	2	3	5	3	8	4	3	3	1	1	-	1	-	1	-	-	-	-	-
	F	43	-	-	1	-	1	3	6	6	5	3	5	2	1	3	2	1	2	1	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	256	18	6	-	2	1	5	3	6	9	20	15	11	19	15	14	18	12	24	13	9	10	4	2	-	-	-
	White—M	78	6	2	-	1	1	2	2	3	1	3	3	2	6	3	2	5	4	11	7	6	6	1	1	-	-	-
	F	64	7	2	-	-	-	-	1	-	3	5	4	3	4	4	3	6	3	8	3	2	4	1	1	-	-	-
	All other—M	53	4	2	-	1	-	3	-	1	1	5	4	3	2	6	5	5	3	4	2	1	-	1	-	-	-	-
	F	41	1	-	-	-	-	-	-	2	4	7	4	3	7	2	4	2	2	1	1	-	-	1	-	-	-	-
124	Cirrhosis of the liver	127	-	-	1	-	-	-	2	1	1	3	5	8	14	13	16	14	12	11	14	6	3	2	1	-	-	-
	White—M	63	-	-	1	-	-	-	-	-	1	1	1	4	8	9	7	7	6	6	7	2	1	1	1	-	-	-
	F	27	-	-	-	-	-	-	1	-	-	-	1	1	5	-	1	6	3	3	4	1	1	-	-	-	-	-
	All other—M	21	-	-	-	-	-	-	-	-	-	1	2	2	-	3	6	1	1	1	1	1	1	1	-	-	-	-
	F	16	-	-	-	-	-	-	1	1	-	1	1	1	1	1	2	-	2	1	2	2	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	78	-	-	-	-	-	-	-	-	-	4	5	4	7	6	13	4	11	12	4	2	3	2	1	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	2	3	2	6	1	3	6	-	1	1	1	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	3	3	2	3	3	4	3	6	5	3	1	1	1	1	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	1	-	-	-	-	-	-	-
150-152	Nephritis	3,273	5	1	4	2	5	7	14	23	42	39	70	98	149	180	261	274	386	510	393	308	298	145	35	10	9	5
	White—M	1,110	1	-	2	2	3	2	2	7	9	10	13	22	25	40	64	99	132	182	160	136	125	60	8	3	-	3
	F	814	-	-	-	-	1	-	5	5	10	9	8	15	23	34	43	42	94	117	119	110	119	48	10	2	-	-
	All other—M	713	2	1	2	-	-	-	2	7	9	10	25	27	50	56	77	79	86	114	64	38	32	20	7	2	3	-
	F	636	2	-	-	-	1	5	5	4	14	10	24	34	51	50	77	54	74	97	50	24	22	17	10	3	6	2
137	Diseases of the prostate	123	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	10	7	23	24	27	13	10	2	1	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	3	14	16	22	11	8	2	-	-	-
	All other—M	39	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	5	4	9	8	5	2	2	-	1	-	-
140, 142a, 147	Puerperal septicemia	99	-	-	-	-	-	-	-	14	15	32	16	13	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	48	-	-	-	-	-	-	-	5	9	14	9	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	51	-	-	-	-	-	-	-	9	6	18	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,o, 144,148	Puerperal toxemias	113	-	-	-	-	-	-	2	22	29	28	13	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	59	-	-	-	-	-	-	-	9	17	17	5	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	54	-	-	-	-	-	-	2	13	12	11	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	124	-	-	-	-	-	-	-	11	17	33	21	26	15	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	73	-	-	-	-	-	-	-	4	11	21	11	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	51	-	-	-	-	-	-	-	7	6	12	10	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	374	331	9	4	4	3	9	4	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	169	150	5	2	1	1	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	129	115	4	1	1	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	41	36	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	30	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,284	1,284	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	455	455	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	327	327	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	286	-	-	-	-	-	-	1	16	29	38	34	30	25	23	18	20	21	21	7	2	1	-	-	-	-	-
	White—M	201	-	-	-	-	-	-	-	6	21	23	25	25	18	19	12	15	15	13	7	1	1	-	-	-	-	-
	F	62	-	-	-	-	-	-	1	5	6	10	8	3	6	3	3	5	6	6	-	-	-	-	-	-	-	-
	All other—M	18	-	-	-	-	-	-	-	4	2	3	1	1	1	1	2	-	-	2	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	374	5	-	-	-	-	2	4	56	77	80	46	50	30	16	11	4	3	5	2	1	-	-	-	-	-	2
	White—M	81	-	-	-	-	-	-	1	3	10	16	11	13	11	2	5	1	1	4	2	1	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	1	2	2	3	4	1	1	3	-	-	1	1	-	-	-	-	-	-	-	1
	All other—M	207	1	-	-	-	-	-	2	23	53	44	27	27	12	10	6	1	-	-	-	-	-	-	-	-	-	1
	F	66	4	-	-	-	-	2	-	8	12	17	4	9	6	1	-	2	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,261	4	7	5	13	3	76	56	153	226	149	113	71	70	62	70	50	47	33	24	14	8	5	2	-	-	-
	White—M	724	3	2	3	2	2	38	27	84	136	91	73	38	37	35	39	31	30	19	17	10	4	3	-	-	-	-
	F	194	1	2	1	7	1	16	15	34	30	19	11	9	4	9	7	4	5	8	6	1	3	1	-	-	-	-
	All other—M	291	-	1	1	2	-	12	12	29	55	35	26	24	23	15	21	13	10	5	1	3	1	-	2	-	-	-
	F	52	-	2	-	2	-	10	2	6	5	4	3	-	6	3	3	2	2	1	-	-	-	1	-	-	-	-
169, 171-195	Other accidents	1,280	142	39	27	22	13	49	64	85	96	75	76	63	58	47	50	41	61	46	46	44	67	36	11	2	-	-
	White—M	538	37	12	9	7	5	20	28	48	49	35	41	36	33	32	27	22	31	17	11	11	17	9	1	-	-	-
	F	276	32	13	4	7	4	7	12	4	5	7	8	-	3	3	6	7	13	20	19	24	44	25	8	1	-	-
	All other—M	309	41	6	11	1	2	8	19	29	34	30	23	24	18	8	14	8	13	4	10	5	1	-	-	-	-	-
	F	137	32	8	3	7	2	14	5	4	8	3	4	3	4	4	3	4	4	5	6	4	5	2	2	1	-	-
	All other causes*	3,841	1,308	64	25	24	25	41	45	64	90	69	109	141	131	137	159	150	189	229	201	169	203	136	74	29	26	3
	White—M	1,211	407	20	9	6	14	16	11	13	21	24	28	30	41	42	53	56	71	76	84	52	72	40	21	3	1	-
	F	1,069	310	13	7	7	5	10	14	22	25	8	25	33	31	35	39	37	45	69	70	67	77	70	35	11	3	1
	All other—M	789	333	14	5	7	4	9	12	7	15	13	25	40	29	24	36	25	37	44	28	22	24	12	9	5	9	1
	F	772	258	17	4	4	2	6	8	22	29	24	31	38	30	36	31	32	36	40	19	28	30	14	9	10	13	1

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes	5,281	492	43	25	16	10	54	58	91	116	87	106	107	125	202	278	398	458	574	613	564	480	280	84	7	3	10
	White—M	3,169	257	20	12	7	4	29	36	50	65	51	64	70	77	112	161	257	288	367	397	343	278	170	43	3	1	7
	White—F	1,945	192	11	10	6	5	18	16	35	46	31	38	32	45	88	111	134	163	197	203	216	195	106	40	4	-	3
	All other—M	97	26	5	-	2	-	4	5	3	3	3	3	5	2	1	3	4	5	4	9	4	3	2	1	-	-	-
	All other—F	70	17	7	3	1	1	3	1	3	2	2	1	-	1	1	3	3	2	6	4	1	4	2	-	-	2	-
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	97	-	2	-	1	-	4	2	6	12	7	7	13	5	7	4	8	6	3	6	2	1	1	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	1	1	3	5	1	5	2	5	3	2	3	1	1	1	-	-	-	-
	White—F	36	-	1	-	-	-	-	1	3	8	4	4	6	2	1	-	1	1	1	2	1	-	-	-	-	-	-
	All other—M	16	-	1	-	1	-	3	-	2	2	1	-	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	All other—F	11	-	-	-	-	-	1	1	1	1	1	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	17	1	4	1	-	-	-	-	-	1	-	2	2	1	1	-	2	1	-	1	-	-	-	-	-	-	-
	White—M	6	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	1	1	-	-	-	-	-	1	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	All other—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	36	3	-	-	-	-	-	-	1	1	4	-	2	1	2	7	3	3	3	3	3	-	-	-	-	-	-
	White—M	19	2	-	-	-	-	-	-	-	-	2	-	1	-	1	4	1	2	2	3	1	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	1	1	1	-	2	-	-	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	65	10	1	-	-	-	-	3	-	1	2	4	-	1	2	4	4	2	3	4	5	6	11	1	-	-	1
	White—M	40	3	1	-	-	-	-	1	-	1	2	2	-	1	1	2	2	1	1	3	4	3	11	1	-	-	-
	White—F	21	4	-	-	-	-	-	1	-	-	-	2	-	-	1	2	2	1	2	1	1	3	-	-	-	-	1
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	352	-	-	-	-	-	-	-	-	-	2	3	1	8	14	22	44	44	56	54	62	51	10	-	-	-	1
	White—M	225	-	-	-	-	-	-	-	-	-	1	3	-	6	9	11	29	28	41	30	40	22	4	-	-	-	1
	White—F	125	-	-	-	-	-	-	-	-	-	1	-	1	2	5	10	15	16	15	24	21	9	6	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	51	-	-	-	-	-	-	-	-	-	-	2	1	2	9	8	2	7	6	7	3	2	2	-	-	-	-
	White—F	49	-	-	-	-	-	-	-	-	-	-	2	1	2	9	7	2	7	5	7	3	2	2	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Contd.																											
50	Cancer of breast	46	-	-	-	-	-	-	-	-	-	-	-	1	6	8	8	6	3	8	1	3	-	2	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	1	6	8	8	6	3	7	1	3	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	174	-	-	3	2	-	2	-	3	2	2	2	5	5	12	6	13	17	23	26	19	18	10	3	-	-	1
	White—M	130	-	-	2	2	-	1	-	1	2	-	1	3	3	9	6	6	12	18	23	17	14	8	1	-	-	1
	F	43	-	-	1	-	-	1	-	2	-	2	1	2	2	3	-	6	5	5	3	2	4	2	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	134	-	-	-	-	-	-	-	4	-	1	2	2	2	1	5	11	14	31	28	22	8	3	-	-	-	-
	White—M	75	-	-	-	-	-	-	-	3	-	1	2	1	1	1	3	3	8	17	15	14	4	2	-	-	-	-
	F	56	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	8	5	13	12	8	4	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	13	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	4	2	1	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	4	2	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	470	2	-	-	-	-	1	-	-	3	-	1	6	7	11	24	34	49	70	91	65	71	22	9	2	1	1
	White—M	265	-	-	-	-	-	1	-	-	1	-	1	2	3	5	10	20	24	46	49	37	45	13	5	-	1	-
	F	202	1	-	-	-	-	-	-	-	2	-	-	4	4	6	14	13	25	24	40	27	26	9	4	2	-	1
	All other—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	84	16	2	4	1	-	1	1	7	3	4	4	1	3	2	8	7	3	4	5	2	3	3	-	-	-	-
	White—M	51	7	1	2	-	-	-	1	5	1	2	4	1	3	1	4	4	1	4	4	2	2	2	-	-	-	-
	F	29	7	1	2	1	-	-	-	2	2	2	-	-	-	1	4	3	2	-	-	-	1	1	-	-	-	-
	All other—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	21	2	1	1	-	-	2	-	3	1	-	-	-	1	1	3	2	-	1	1	1	1	-	-	-	-	-
	White—M	9	1	-	1	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
	F	11	1	-	-	-	-	1	-	1	1	-	-	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	79	-	-	-	-	1	2	1	-	4	-	3	3	3	8	3	11	10	5	8	8	7	2	-	-	-	-
	White—M	40	-	-	-	-	-	-	1	-	-	-	1	3	3	1	-	9	4	3	4	4	6	1	-	-	-	-
	F	35	-	-	-	-	1	1	-	-	3	-	1	-	-	7	3	2	6	2	3	4	1	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	421	-	-	-	-	-	-	-	-	1	2	-	6	4	17	38	41	63	71	70	48	36	21	3	-	-	-
	White—M	319	-	-	-	-	-	-	-	-	-	1	-	6	4	10	35	37	49	56	53	28	22	15	3	-	-	-
	F	102	-	-	-	-	-	-	-	-	1	1	-	-	-	7	3	4	14	15	17	20	14	6	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	825	2	-	-	-	-	2	2	4	4	7	5	4	9	18	29	64	73	113	122	144	134	67	20	2	-	-
	White—M	495	2	-	-	-	-	1	1	3	2	4	3	3	4	11	20	40	51	63	80	89	68	39	10	1	-	-
	F	313	-	-	-	-	-	1	1	-	2	3	2	1	5	7	9	23	21	48	38	54	62	26	9	1	-	-
	All other—M	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	1	2	1	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	-	-
107-109	Pneumonia (all forms)	239	72	3	-	4	-	3	2	2	2	3	3	4	10	1	11	9	18	15	18	16	18	14	10	-	-	1
	White—M	140	35	1	-	2	-	-	1	1	1	1	1	4	6	-	6	7	16	12	14	12	7	8	4	-	-	1
	F	86	32	-	-	1	-	2	1	-	1	2	2	-	4	1	4	2	1	3	4	3	11	6	6	-	-	-
	All other—M	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	6	2	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	42	-	-	-	-	-	-	-	-	1	1	2	1	1	4	4	6	9	6	2	4	-	-	1	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	1	1	2	1	1	3	4	6	9	5	2	3	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	29	16	2	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	3	3	-	1	-	-	-	-
	White—M	15	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	-	1	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	45	-	1	1	-	-	5	2	4	5	2	1	3	3	5	1	3	3	3	2	-	1	-	-	-	-	-
	White—M	25	-	1	-	-	-	3	-	1	3	-	1	2	2	4	1	1	2	2	2	-	-	-	-	-	-	-
	F	17	-	-	1	-	-	2	2	3	1	2	-	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	51	5	1	-	-	-	-	1	1	2	1	-	1	1	3	2	6	4	5	8	5	3	2	-	-	-	-
	White—M	32	3	1	-	-	-	-	1	1	2	-	-	1	1	-	1	4	2	2	6	3	3	1	-	-	-	-
	F	19	2	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	2	3	2	2	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	1	-	-	-	-	-	-	1	-	1	-	2	1	1	4	6	3	6	3	1	1	3	1	-	-	-
	White—M	23	1	-	-	-	-	-	-	-	-	1	-	2	-	1	2	5	1	6	2	-	-	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	-	1	1	1	1	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	1	1	-	2	1	4	5	7	11	2	2	1	3	1	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	5	1	-	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	1	-	1	1	3	5	3	6	1	2	-	3	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-152	Nephritis	309	-	-	-	-	-	-	3	3	4	5	3	6	5	8	15	24	22	45	45	51	46	17	7	-	-	-
	White—M	186	-	-	-	-	-	-	2	1	3	4	1	3	1	2	7	15	15	25	31	28	30	12	6	-	-	-
	F	122	-	-	-	-	-	-	1	2	1	1	2	3	4	6	8	9	7	20	14	23	15	5	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
137	Diseases of the prostate	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	11	11	1	-	1	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	10	11	1	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	10	-	-	-	-	-	-	-	-	2	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	5	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	14	-	-	-	-	-	-	-	-	1	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	13	-	-	-	-	-	-	-	-	1	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	53	45	1	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	28	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	17	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	58	-	-	-	-	-	-	-	-	8	3	5	4	5	5	5	4	3	6	4	4	1	-	-	-	-	1
	White—M	51	-	-	-	-	-	-	-	-	7	3	5	4	5	5	5	3	2	4	3	3	1	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-188	Homicide	14	1	1	-	-	-	-	-	-	2	3	1	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	9	1	1	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	124	1	-	-	2	-	5	4	11	17	10	12	4	6	9	11	10	11	4	5	2	-	-	-	-	-	-
	White—M	101	1	-	-	1	-	5	2	9	15	10	10	1	6	8	9	6	8	4	4	2	-	-	-	-	-	-
	F	20	-	-	-	1	-	-	1	2	2	-	1	2	-	1	2	4	3	-	1	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	330	10	9	7	2	5	13	27	20	22	9	15	19	12	16	12	19	14	18	14	23	16	19	7	-	-	2
	White—M	234	8	5	4	-	3	10	20	12	17	8	11	16	11	14	11	16	11	15	12	9	8	8	5	-	-	2
	F	89	1	3	2	2	2	3	6	8	5	1	3	2	1	2	1	3	3	5	2	14	7	11	2	-	-	-
	All other—M	4	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other causes*	755	130	9	7	2	2	8	7	16	11	9	19	7	14	27	36	46	58	57	67	55	72	69	21	3	2	1
	White—M	412	63	1	3	1	-	3	5	9	6	6	13	6	11	13	18	28	31	31	41	32	40	42	6	2	-	1
	F	304	52	5	2	-	1	5	1	7	5	3	6	1	3	14	16	17	25	21	24	22	31	25	15	1	-	-
	All other—M	20	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	-	-	-	-
	F	19	6	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	2	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	All causes	78,157	5,154	425	248	188	139	532	494	996	1,283	1,514	1,649	1,972	2,707	3,802	4,831	6,051	6,999	8,549	9,431	8,667	7,357	3,849	1,198	249	32	31
	White—M	40,247	2,710	202	123	89	69	294	287	536	627	622	799	937	1,309	1,986	2,629	3,378	3,909	4,636	4,937	4,306	3,506	1,736	508	85	12	15
	F	32,614	1,980	181	106	82	59	202	169	317	441	488	619	690	923	1,320	1,698	2,196	2,754	3,521	4,171	4,122	3,713	2,040	652	147	14	9
	All other—M	2,960	246	25	8	8	7	23	18	69	100	101	128	172	264	293	301	299	202	225	185	133	80	42	17	7	1	6
	F	2,316	198	17	11	9	4	13	20	74	115	103	103	173	211	203	203	178	134	167	138	106	68	31	21	10	5	1
1,2	Typhoid, paratyphoid fever	31	1	3	1	-	-	1	3	3	1	2	4	2	-	-	1	3	2	2	1	1	-	-	-	-	-	-
	White—M	20	1	-	1	-	-	-	3	3	-	1	3	2	-	-	1	1	-	2	1	1	-	-	-	-	-	-
	F	11	-	3	-	-	-	1	-	-	1	1	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	7	-	-	2	-	2	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	5	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	27	2	-	1	-	2	7	3	2	-	1	2	2	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	White—M	12	2	-	1	-	1	2	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	4	1	1	-	1	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	185	129	31	5	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	74	54	12	-	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	90	64	14	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	31	1	2	1	4	5	11	-	3	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	13	-	-	1	3	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	2	-	-	3	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,677	15	7	8	3	1	8	17	131	243	257	287	255	239	253	227	204	171	154	101	68	20	7	1	-	-	-
	White—M	1,231	3	-	4	-	-	2	1	23	57	79	104	115	106	148	135	124	116	107	63	32	6	5	1	-	-	-
	F	773	3	4	3	1	-	1	5	46	84	100	104	68	48	49	51	48	43	41	31	29	12	2	-	-	-	-
	All other—M	373	3	2	-	1	-	5	5	19	39	36	45	37	63	38	33	23	10	3	5	5	1	-	-	-	-	-
	F	300	6	1	1	1	1	-	6	43	63	42	34	35	22	18	8	9	2	3	2	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	273	16	18	10	6	6	10	9	20	24	24	19	15	18	13	11	14	17	12	6	3	2	-	-	-	-	-
	White—M	99	8	6	3	3	-	4	2	6	4	8	9	3	7	3	4	4	12	5	5	3	-	-	-	-	-	-
	F	93	6	7	5	2	4	5	3	9	7	2	5	5	8	3	5	6	2	6	1	-	2	-	-	-	-	-
	All other—M	42	1	3	1	-	1	-	2	3	5	5	1	3	3	4	2	4	3	1	-	-	-	-	-	-	-	-
	F	39	1	2	1	1	1	1	2	2	8	9	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	34	14	4	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	3	-	5	3	-	-	-	-
	White—M	20	8	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	3	3	-	-	-	-
	F	10	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	911	34	2	-	-	-	1	3	7	8	15	35	58	86	105	136	131	101	87	63	30	6	3	-	-	-	-
	White—M	525	15	2	-	-	-	-	2	3	3	4	12	22	28	61	75	88	71	66	43	24	3	3	-	-	-	-
	F	175	9	-	-	-	-	1	-	-	4	6	11	15	28	16	26	18	17	9	11	4	-	-	-	-	-	-
	All other—M	145	4	-	-	-	-	-	-	2	-	3	6	14	22	19	26	20	9	11	7	-	2	-	-	-	-	-
	F	66	6	-	-	-	-	-	1	2	1	2	6	7	8	9	9	5	4	1	2	2	1	-	-	-	-	-
33	Influenza	974	88	26	14	10	6	8	8	16	16	13	19	26	27	38	41	55	47	67	95	115	109	91	33	5	1	-
	White—M	446	46	12	8	5	2	4	6	10	4	8	8	10	16	15	25	26	23	30	46	53	43	28	15	3	-	-
	F	464	38	12	5	5	3	4	2	5	10	4	9	11	7	18	14	24	17	29	42	59	65	61	18	2	-	-
	All other—M	35	1	1	-	-	1	-	-	1	2	-	1	3	3	5	2	1	3	6	3	1	-	1	-	-	-	-
	F	29	3	1	1	-	-	-	-	-	-	1	1	2	1	-	-	4	4	2	4	2	1	1	-	-	1	-
35	Measles	117	28	15	15	9	6	27	6	1	-	1	3	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-
	White—M	63	15	10	9	2	6	17	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	46	12	3	5	6	-	8	4	-	-	1	2	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other—M	6	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	46	3	3	1	1	2	9	8	6	7	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	1	1	1	-	1	6	5	6	6	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	2	1	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,422	1	-	1	1	-	3	3	5	7	17	33	63	139	228	338	466	594	707	734	544	371	139	26	1	1	-
	White—M	2,260	1	-	1	1	-	3	2	5	5	9	13	24	64	122	176	262	339	384	379	250	162	47	10	1	-	-
	F	2,005	-	-	-	-	-	-	1	-	1	8	18	29	63	87	144	184	242	301	334	283	203	91	15	-	1	-
	All other—M	83	-	-	-	-	-	-	-	-	1	-	1	3	3	15	9	11	8	8	12	5	5	1	1	-	-	-
	F	74	-	-	-	-	-	-	-	-	-	-	1	7	9	4	9	9	5	14	9	6	1	-	-	-	-	-
48,49	Cancer of female genital organs	1,314	1	-	-	-	-	-	-	2	6	10	44	69	108	149	170	152	164	163	129	78	47	16	4	-	-	2
	White—F	1,240	1	-	-	-	-	-	-	2	6	10	40	57	95	139	158	147	161	155	126	76	47	16	2	-	-	2
	All other—F	74	-	-	-	-	-	-	-	-	-	-	4	12	13	10	12	5	3	8	3	2	-	-	2	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Contd.																											
50	Cancer of breast	929	-	-	-	-	-	-	-	-	1	4	13	39	59	90	109	123	130	122	95	65	52	22	4	1	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	3	3	-	1	-	-	-	-
	F	880	-	-	-	-	-	-	-	-	1	3	13	38	54	85	99	113	128	118	89	62	52	21	4	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	-	1	4	5	7	8	-	3	3	-	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	3,000	3	4	1	10	10	12	12	21	32	39	54	59	92	160	237	324	376	430	447	334	222	94	23	1	1	2
	White—M	2,094	2	4	1	4	5	6	6	11	19	21	29	33	58	106	151	214	266	312	344	258	167	60	14	1	1	1
	F	789	1	-	-	6	5	5	5	10	11	16	23	24	25	44	65	93	95	105	90	72	52	33	9	-	-	-
	All other—M	83	-	-	-	-	-	1	-	-	1	1	1	2	4	7	15	13	13	8	11	3	1	1	-	-	-	1
	F	34	-	-	-	-	-	-	1	-	1	1	1	-	5	3	6	4	2	5	2	1	2	-	-	-	-	-
58	Acute rheumatic fever	64	-	-	1	1	-	12	9	7	2	5	4	5	-	3	6	1	-	2	1	1	3	1	-	-	-	-
	White—M	23	-	-	-	-	-	6	2	3	1	2	2	2	-	-	2	-	-	1	-	1	1	-	-	-	-	-
	F	36	-	-	1	1	-	5	6	3	1	3	2	2	-	2	4	1	-	1	1	-	2	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,104	2	5	-	-	-	8	6	12	13	14	26	23	50	77	131	281	325	387	343	254	123	33	8	2	-	1
	White—M	682	1	4	-	-	-	3	1	6	3	2	13	8	14	20	40	75	103	130	121	75	44	12	6	1	-	-
	F	1,324	1	1	-	-	-	5	3	5	8	11	11	9	26	42	81	193	216	248	213	151	77	19	2	1	-	1
	All other—M	34	-	-	-	-	-	-	1	1	1	-	1	2	3	5	3	3	-	5	4	3	1	1	-	-	-	-
	F	64	-	-	-	-	-	-	1	-	1	1	1	4	7	10	7	10	6	4	5	5	1	1	-	-	-	-
63b	Exophthalmic goiter	288	-	-	-	-	-	-	-	-	3	6	6	8	10	18	33	36	47	42	41	24	9	4	1	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	1	1	-	-	-	2	6	9	8	5	5	4	1	-	-	-	-	-
	F	237	-	-	-	-	-	-	-	-	1	4	5	8	9	15	25	27	38	37	36	20	8	3	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-	-	1	-	-	-	-
69	Pellagra (except alcoholic)	20	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	5	2	3	4	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	3	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	107	-	-	-	-	-	1	-	-	-	1	8	8	16	16	18	8	11	8	9	1	2	-	-	-	-	-
	White—M	91	-	-	-	-	-	-	-	-	-	1	7	6	12	14	17	7	10	6	8	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,382	12	-	3	2	1	5	4	10	9	18	31	62	136	226	373	519	712	1,003	1,292	1,223	1,072	494	133	34	4	4
	White—M	3,470	8	-	1	-	-	3	2	2	7	7	18	25	55	79	163	237	348	514	633	581	510	213	48	12	3	1
	F	3,503	2	-	1	2	1	2	2	7	2	10	10	24	50	108	165	237	311	439	617	600	540	268	81	22	-	2
	All other—M	198	1	-	1	-	-	-	-	-	-	-	1	7	10	14	25	22	25	32	16	22	13	7	2	-	-	-
	F	211	1	-	-	-	-	-	-	1	-	1	2	6	21	25	20	23	28	18	26	20	9	6	2	-	1	1
80-82, 84-88	Other diseases of nervous system, etc.*	817	59	16	10	6	5	23	20	37	30	25	33	40	33	62	60	45	71	71	68	51	37	7	8	-	-	-
	White—M	418	31	4	4	3	2	12	12	20	17	12	18	18	13	31	27	25	38	46	38	25	16	2	4	-	-	-
	F	351	25	11	6	3	2	9	8	15	13	9	14	18	17	24	25	17	29	25	28	25	20	4	4	-	-	-
	All other—M	32	2	1	-	-	-	2	-	2	-	2	-	2	3	4	6	3	1	-	2	-	1	1	-	-	-	-
	F	16	1	-	-	-	1	-	-	-	-	2	1	2	-	3	2	-	3	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	291	25	10	4	6	8	27	8	16	14	10	7	14	24	23	17	16	17	11	13	8	6	5	2	-	-	-
	White—M	179	18	5	3	3	6	13	6	13	4	5	4	10	17	15	6	9	14	5	11	6	2	3	1	-	-	-
	F	90	7	3	1	3	2	12	2	2	7	5	3	4	3	5	9	6	3	3	2	2	4	2	-	-	-	-
	All other—M	12	-	-	-	-	-	2	-	1	1	-	-	-	2	-	2	1	-	2	-	-	-	-	1	-	-	-
	F	10	-	2	-	-	-	-	-	-	2	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,596	-	-	1	-	1	10	27	53	27	42	58	66	95	108	92	125	153	139	195	181	144	60	18	1	-	-
	White—M	733	-	-	-	-	-	3	13	24	16	16	23	25	48	50	42	58	80	65	79	91	67	27	6	-	-	-
	F	758	-	-	1	-	1	6	13	24	9	24	30	37	30	44	42	57	67	64	109	84	71	33	12	-	-	-
	All other—M	54	-	-	-	-	-	-	1	2	1	2	3	2	8	9	5	7	3	3	3	3	2	-	-	-	-	-
	F	51	-	-	-	-	-	1	-	3	1	-	2	2	9	5	3	3	3	7	4	3	4	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	6,519	1	1	-	-	-	1	1	4	8	23	44	98	223	396	559	744	879	1,065	1,002	726	493	198	45	6	1	1
	White—M	4,411	-	-	-	-	-	-	1	3	3	13	31	69	165	298	436	562	610	698	637	437	309	108	28	3	-	-
	F	1,906	1	1	-	-	-	1	-	1	4	8	10	14	35	69	90	150	250	344	352	282	184	88	17	3	1	1
	All other—M	132	-	-	-	-	-	-	-	-	-	1	3	7	18	17	19	23	14	16	10	3	-	1	-	-	-	-
	F	70	-	-	-	-	-	-	-	-	1	1	-	8	5	12	14	9	5	7	3	4	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	13,860	17	3	2	1	-	16	20	36	38	56	94	98	218	438	643	954	1,260	1,727	2,207	2,326	2,182	1,100	335	74	12	3
	White—M	6,858	11	2	1	1	-	6	11	20	18	29	42	54	92	237	358	535	688	896	1,117	1,064	1,001	502	146	21	5	1
	F	6,234	5	1	1	-	-	10	8	14	17	19	43	29	75	116	193	305	490	746	1,020	1,196	1,132	576	179	51	7	1
	All other—M	388	1	-	-	-	-	-	-	1	2	1	4	7	21	47	46	53	47	41	38	35	25	14	4	-	-	1
	F	380	-	-	-	-	-	-	1	1	1	7	5	8	30	38	46	61	35	44	32	31	24	8	6	2	-	-
107-109	Pneumonia (all forms)	3,066	464	65	32	13	8	26	20	30	42	40	56	76	96	131	150	196	193	238	306	309	278	192	85	17	2	1
	White—M	1,602	252	26	14	5	3	20	9	9	27	14	28	36	53	78	94	117	114	128	171	149	132	81	35	6	1	-
	F	1,178	167	32	16	7	5	4	9	16	6	18	16	21	18	24	41	49	65	91	118	149	142	109	44	9	1	1
	All other—M	179	21	6	1	-	-	1	1	3	3	5	9	10	13	20	13	27	11	10	11	6	3	2	2	1	-	-
	F	107	24	1	1	1	-	1	1	2	6	3	3	9	12	9	2	3	3	9	6	5	1	-	4	1	-	-
117	Ulcer of stomach or duodenum	458	-	-	-	-	-	-	-	-	2	6	23	20	37	57	60	67	41	52	42	32	12	6	1	-	-	-
	White—M	361	-	-	-	-	-	-	-	-	2	4	18	16	31	48	53	54	34	38	32	22	8	2	1	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	2	5	2	2	6	5	8	6	10	8	10	4	4	-	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	1	4	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Contd.																											
119,120	Diarrhea, enteritis, etc.*	680	458	66	14	12	3	6	1	1	6	3	4	6	5	8	9	12	11	10	10	10	10	11	4	-	-	-
	White—M	344	236	35	6	1	3	3	-	1	2	2	-	3	-	4	6	7	7	7	6	5	5	4	1	-	-	-
	F	278	181	27	7	9	-	2	1	-	4	1	3	2	3	2	2	4	4	2	4	5	5	7	3	-	-	-
	All other-M	32	21	3	-	1	-	1	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	26	20	1	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	592	-	3	12	12	4	33	37	42	35	19	20	34	40	46	46	57	51	46	24	17	10	3	1	-	-	-
	White—M	348	-	3	7	7	2	23	21	24	19	12	14	19	22	31	24	33	31	28	12	7	7	2	-	-	-	-
	F	213	-	-	5	4	2	10	15	17	15	6	5	11	14	10	18	20	19	16	11	10	3	1	1	-	-	-
	All other-M	27	-	-	-	1	-	-	1	1	-	1	1	4	3	4	4	4	1	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	664	41	5	1	2	2	3	1	3	10	12	15	21	37	35	52	63	72	72	77	59	50	22	8	1	-	-
	White—M	292	30	2	1	2	2	2	1	1	1	3	9	5	9	11	19	28	31	33	33	36	15	16	1	1	-	-
	F	323	10	2	-	-	-	1	-	1	8	7	4	12	23	18	24	32	38	38	39	20	34	5	7	-	-	-
	All other-M	23	1	-	-	-	-	-	-	1	-	-	1	1	1	2	5	3	-	-	3	3	1	1	-	-	-	-
	F	26	-	1	-	-	-	-	-	-	1	2	1	3	4	4	4	-	3	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	664	-	-	-	-	-	1	1	3	2	6	19	31	39	68	72	80	80	92	80	50	30	9	-	1	-	-
	White—M	425	-	-	-	-	-	1	-	3	1	4	8	21	26	39	49	55	55	64	44	29	21	5	-	-	-	-
	F	223	-	-	-	-	-	-	1	-	1	2	11	8	10	26	21	22	24	27	35	21	9	4	-	1	-	-
	All other-M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	530	-	-	-	-	-	-	-	1	2	2	14	20	19	52	64	67	53	80	65	48	29	9	5	-	-	-
	White—M	159	-	-	-	-	-	-	-	-	-	-	5	4	2	17	19	20	15	26	21	23	6	-	1	-	-	-
	F	366	-	-	-	-	-	-	-	1	2	2	9	14	16	35	45	47	38	52	44	25	23	9	4	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	5,208	11	3	1	3	-	8	7	20	28	36	46	83	141	203	285	368	437	645	794	834	755	373	107	18	2	-
	White—M	2,536	8	1	1	2	-	3	3	9	11	15	23	35	59	81	139	195	232	321	389	422	351	182	48	5	1	-
	F	2,300	3	2	-	1	-	2	4	8	14	16	15	29	57	83	93	141	178	267	366	389	386	180	56	9	1	-
	All other-M	213	-	-	-	-	-	-	-	2	2	4	3	6	11	17	26	26	16	37	27	17	9	5	2	3	-	-
	F	159	-	-	-	-	-	3	-	1	1	1	5	13	14	22	27	6	11	20	12	6	9	6	1	1	-	-
137	Diseases of the prostate	479	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	18	41	59	114	111	83	37	6	1	-	-
	White—M	466	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	17	38	56	113	109	82	37	6	1	-	-
	All other-M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	2	1	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	143	-	-	-	-	-	-	1	14	36	39	24	21	7	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	123	-	-	-	-	-	-	1	12	30	34	23	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	20	-	-	-	-	-	-	-	2	6	5	1	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	59	-	-	-	-	-	-	1	8	13	10	13	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	51	-	-	-	-	-	-	1	5	11	9	13	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	8	-	-	-	-	-	-	-	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	119	-	-	-	-	-	-	-	10	38	22	16	21	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	109	-	-	-	-	-	-	-	9	35	20	16	17	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	10	-	-	-	-	-	-	-	1	1	2	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	783	664	34	16	2	5	14	11	12	5	1	6	3	5	1	-	1	1	2	-	-	-	-	-	-	-	-
	White—M	404	337	19	10	-	3	11	5	8	2	-	3	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	348	300	14	6	1	2	3	6	4	3	1	3	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other-M	17	14	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	14	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,715	1,715	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	898	898	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	657	657	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,061	-	-	-	-	-	-	5	21	42	64	80	95	94	92	121	106	126	91	57	34	22	8	2	-	-	1
	White—M	767	-	-	-	-	-	-	3	15	30	39	52	65	61	66	83	74	100	74	46	30	20	8	1	-	-	-
	F	279	-	-	-	-	-	-	2	5	12	23	27	30	30	25	34	31	24	17	11	4	2	-	1	-	-	1
	All other-M	12	-	-	-	-	-	-	-	-	-	2	1	-	1	1	4	1	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	293	5	1	-	-	-	-	3	20	40	32	34	49	27	25	19	14	11	4	3	4	1	-	-	-	-	1
	White—M	121	3	1	-	-	-	-	2	7	14	13	9	14	13	8	13	9	7	2	3	3	-	-	-	-	-	-
	F	37	1	-	-	-	-	-	1	3	6	1	5	5	2	5	1	2	2	1	-	1	1	-	-	-	-	-
	All other-M	108	1	-	-	-	-	-	-	7	16	15	13	23	9	12	5	3	2	1	-	-	-	-	-	-	-	1
	F	27	-	-	-	-	-	-	-	3	4	3	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,475	13	12	15	18	22	93	66	240	260	198	158	138	141	159	162	169	149	155	133	92	51	24	2	1	-	4
	White—M	1,793	5	5	10	15	14	57	48	167	201	154	124	103	99	111	111	119	111	124	92	63	37	18	2	1	-	2
	F	529	8	7	5	1	7	29	18	55	40	29	22	23	31	34	43	38	32	26	39	26	10	6	-	-	-	-
	All other-M	128	-	-	-	1	1	5	-	13	14	11	11	12	10	14	7	11	5	4	2	3	2	-	-	-	-	2
	F	25	-	-	-	1	-	2	-	5	5	4	1	-	1	-	1	1	1	1	-	-	2	-	-	-	-	-
169, 171-195	Other accidents	3,599	109	48	42	27	21	86	115	125	144	129	138	145	149	171	194	189	205	231	227	342	374	274	79	26	-	9
	White—M	2,130	55	25	22	14	11	50	82	96	116	102	111	117	113	136	150	141	143	132	114	137	143	83	22	7	-	8
	F	1,285	38	17	15	12	9	34	28	21	20	18	16	14	14	25	30	39	51	92	103	198	226	191	56	18	-	-
	All other-M	135	8	4	2	-	1	1	4	6	8	8	9	10	20	10	11	8	8	5	5	3	3	-	-	-	-	1
	F	49	8	2	3	1	-	1	1	2	-	1	2	4	2	-	3	1	3	2	5	4	2	-	1	1	-	-
	All other causes*	7,510	1,194	38	34	28	14	56	58	54	89	108	155	185	276	340	387	440	443	569	649	706	757	604	257	59	8	2
	White—M	5,766	655	21	13	12	4	25	34	36	32	38	55	69	119	151	197	270	259	327	326	361	342	284	111	22	1	2
	F	3,174	432	15	18	15	8	27	17	15	46	54	69	80	107	156	144	133	159	208	286	314	395	306	136	31	3	-
	All other-M	503	64	1	2	-	2	2	3	2	3	4	11	10	28	19	28	25	15	22	21	19	10	7	5	3	1	-
	F	287	43	1	1	1	-	2	4	1	8	12	20	28	24	14	20	12	10	12	16	12	10	7	5	3	3	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	All causes	20,439	2,186	261	151	73	59	256	228	397	480	483	573	652	717	896	1,096	1,330	1,580	1,967	2,204	1,853	1,663	900	316	74	26	18
	White—M	10,362	1,032	113	74	33	26	126	98	176	197	192	222	293	343	439	578	701	866	1,080	1,224	1,006	898	465	141	32	3	4
	F	7,148	775	87	46	26	27	78	82	122	137	162	214	200	221	292	342	416	519	650	798	723	659	363	138	34	6	11
	All other—M	1,617	206	24	18	8	1	27	54	43	75	63	71	70	75	87	97	121	116	148	120	87	63	29	23	4	5	2
	F	1,312	173	37	13	6	5	25	14	56	71	66	66	89	78	78	79	92	79	89	62	37	43	23	14	4	12	1
1,2	Typhoid, paratyphoid fever	35	-	-	1	-	-	6	3	4	7	4	2	2	2	-	-	-	2	-	1	-	-	-	-	1	-	-
	White—M	9	-	-	-	-	-	1	2	-	2	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	1	1	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	2	-	2	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	9	-	1	-	-	-	3	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	120	93	17	5	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	46	35	5	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	53	44	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	63	7	13	11	11	7	11	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	32	4	6	5	5	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	2	6	6	6	3	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	986	4	5	2	1	-	5	13	62	102	105	106	89	84	86	84	63	50	53	37	20	8	5	1	-	-	1
	White—M	378	-	-	-	-	-	-	1	8	18	24	34	40	46	46	48	29	23	29	18	8	5	-	1	-	-	-
	F	238	1	2	-	-	-	-	3	7	24	31	33	19	19	19	18	15	12	12	11	9	1	2	-	-	-	-
	All other—M	180	2	-	1	1	-	1	5	18	22	18	23	12	9	13	13	11	11	10	4	2	2	2	-	-	-	-
	F	190	1	3	1	-	-	4	4	29	38	32	16	18	10	8	5	8	4	2	4	1	-	1	-	-	-	1
14-22	Tuberculosis (other forms)	86	10	8	2	4	-	3	1	5	5	2	10	4	5	2	5	5	8	2	-	3	1	1	-	-	-	-
	White—M	27	3	2	-	1	-	1	-	1	1	1	2	1	2	1	2	3	2	1	-	2	-	1	-	-	-	-
	F	20	1	3	1	-	-	1	-	1	1	-	1	2	-	1	1	1	4	-	-	1	1	-	-	-	-	-
	All other—M	18	1	-	1	2	-	-	-	1	3	-	5	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-
	F	21	5	3	-	1	-	1	1	2	-	1	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	62	24	10	-	1	-	1	-	-	-	2	-	-	2	1	3	-	2	2	2	3	5	3	1	-	-	-
	White—M	27	12	2	-	1	-	-	-	-	-	1	-	-	1	-	3	-	1	-	1	-	3	2	-	-	-	-
	F	24	4	7	-	-	-	1	-	-	-	1	-	-	1	1	-	-	1	1	1	3	1	1	1	-	-	-
	All other—M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria	54	1	2	3	2	-	2	1	2	2	3	3	1	1	5	1	5	3	4	5	2	4	-	1	1	-	-
	White—M	16	-	1	1	-	-	1	-	-	-	1	-	1	-	2	-	1	1	1	3	1	2	-	-	-	-	-
	F	19	-	1	-	2	-	1	1	2	-	1	1	-	-	1	-	2	-	3	2	1	1	-	-	-	-	-
	All other—M	9	1	-	1	-	-	-	-	-	2	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-	1	-	1	1	-	-
30	Syphilis	243	10	2	2	-	1	2	-	1	7	7	14	21	19	25	26	28	23	27	19	4	3	1	1	-	-	-
	White—M	121	7	-	1	-	1	1	-	-	1	1	3	9	9	11	16	13	15	16	14	2	1	-	-	-	-	-
	F	46	2	1	-	-	-	1	-	1	2	3	2	6	1	6	1	9	2	6	3	-	-	-	-	-	-	-
	All other—M	42	-	-	-	-	-	-	-	-	2	1	3	3	4	4	9	3	5	3	-	2	2	-	1	-	-	-
	F	34	1	1	1	-	-	-	-	-	2	2	6	3	5	4	-	3	1	2	2	-	-	1	-	-	-	-
33	Influenza	543	69	22	12	3	2	10	8	9	7	6	6	14	5	11	22	27	33	44	58	42	62	43	23	2	3	-
	White—M	247	31	8	3	2	1	4	4	5	2	2	3	5	3	2	8	14	16	25	28	20	30	21	9	-	1	-
	F	211	20	11	5	1	1	4	3	2	2	3	2	5	2	6	12	10	10	12	22	16	29	20	12	1	-	-
	All other—M	38	7	3	1	-	-	2	1	1	2	-	-	1	-	1	-	-	3	4	3	4	1	1	2	1	-	-
	F	47	11	-	3	-	-	-	-	1	1	1	1	3	-	2	2	3	4	3	5	2	2	1	-	-	2	-
35	Measles	21	7	2	2	3	-	3	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	3	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	15	1	2	1	1	1	4	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	1	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	889	-	-	-	-	-	-	1	-	3	4	13	13	26	47	64	100	117	152	148	103	65	27	5	-	1	-
	White—M	446	-	-	-	-	-	-	-	-	1	2	5	6	8	25	34	48	63	82	75	54	31	9	3	-	-	-
	F	388	-	-	-	-	-	-	-	-	2	2	6	6	15	20	21	42	47	62	69	47	33	15	1	-	-	-
	All other—M	27	-	-	-	-	-	-	1	-	-	-	2	-	2	2	5	4	1	4	3	1	-	2	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	6	6	4	1	1	1	1	1	-	1	-
48,49	Cancer of female genital organs	325	-	1	-	-	-	-	-	-	-	4	17	22	35	42	40	40	31	35	23	19	13	1	2	-	-	-
	White—F	293	-	1	-	-	-	-	-	-	-	3	14	15	31	38	35	40	26	34	22	18	13	1	2	-	-	-
	All other—F	32	-	-	-	-	-	-	-	-	-	1	3	7	4	4	5	-	5	1	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
50	Cancer of breast	171	-	-	-	-	-	-	-	-	-	3	5	5	15	24	25	15	19	22	17	12	6	2	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	149	-	-	-	-	-	-	-	-	-	2	5	4	13	19	22	14	17	18	16	11	6	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	-	1	4	1	1	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	622	-	1	1	1	1	4	5	6	6	11	9	20	16	39	43	47	73	84	89	74	59	26	7	-	-	-
	White—M	410	-	-	1	1	1	2	3	2	3	7	3	11	7	25	30	31	40	53	63	59	42	21	5	-	-	-
	F	185	-	1	-	-	-	2	2	4	2	4	6	7	7	10	12	12	27	27	25	15	15	5	2	-	-	-
	All other—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	4	3	2	1	-	2	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	3	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	32	-	-	-	1	-	7	3	5	3	1	2	1	1	-	-	1	1	1	-	3	1	1	-	-	-	-
	White—M	11	-	-	-	1	-	3	-	3	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	4	3	2	1	1	1	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-
61	Diabetes mellitus	347	-	-	1	-	2	3	2	3	2	6	4	8	11	11	20	35	47	57	61	41	21	10	1	1	-	-
	White—M	147	-	-	-	-	2	1	1	-	1	1	-	1	7	3	7	11	19	28	24	21	11	7	1	1	-	-
	F	164	-	-	1	-	-	1	1	3	1	4	2	5	2	5	9	20	20	26	34	19	9	2	-	-	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	3	3	3	3	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	1	-	-	-	-	1	1	1	3	2	1	5	-	-	1	1	1	-	-	-	-
63b	Exophthalmic goiter	33	-	-	-	-	-	-	-	2	1	-	2	-	2	3	4	3	7	3	2	3	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	2	1	-	2	-	1	2	4	2	6	3	2	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	69	1	-	-	-	-	-	-	2	-	-	1	-	2	3	4	8	10	11	7	9	9	2	-	-	-	-
	White—M	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	2	5	5	1	-	-	-	-
	F	34	-	-	-	-	-	-	-	2	-	-	1	-	-	2	3	6	6	4	4	1	4	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	2	-	-	-	-	-	-
77	Alcoholism (ethylism)	32	-	-	-	-	-	-	-	-	-	3	3	6	5	3	3	3	1	2	1	1	-	1	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	2	2	5	3	3	3	3	1	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	1,852	8	-	4	2	1	2	2	3	5	6	9	15	37	61	92	142	187	268	329	270	246	114	39	9	1	-
	White—M	948	4	-	1	1	-	1	1	1	3	4	1	5	8	26	41	68	102	143	184	144	152	60	12	4	-	-
	F	693	2	-	1	1	1	-	-	1	-	1	4	8	15	20	36	49	56	87	129	110	100	49	18	5	-	-
	All other—M	113	2	-	2	-	-	-	-	-	1	1	1	-	6	5	8	10	15	23	13	10	6	4	5	-	1	-
	F	100	-	-	-	-	-	1	1	1	1	-	3	2	8	10	7	15	14	15	3	6	8	1	4	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	233	27	7	3	2	3	7	9	11	5	12	11	13	16	16	8	18	17	13	12	12	8	3	-	-	-	-
	White—M	110	12	3	1	1	2	3	3	8	3	6	4	4	9	10	4	10	8	6	3	6	3	1	-	-	-	-
	F	85	8	3	2	1	1	1	4	3	-	4	5	5	5	3	2	5	8	6	7	5	5	2	-	-	-	-
	All other—M	21	2	-	-	-	-	1	2	-	1	-	1	3	2	3	1	1	1	1	1	1	-	-	-	-	-	-
	F	17	5	1	-	-	-	2	-	-	1	2	1	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	110	14	2	4	3	-	12	5	8	6	3	3	5	4	6	6	7	4	8	3	2	4	1	-	-	-	-
	White—M	54	6	1	3	1	-	3	-	6	1	3	1	3	3	3	3	6	2	5	1	1	2	-	-	-	-	-
	F	39	8	1	1	-	-	8	4	1	4	-	1	2	-	2	1	1	1	3	1	-	-	-	-	-	-	-
	All other—M	11	-	-	-	1	-	-	1	1	1	-	-	-	1	1	1	-	1	-	-	-	2	1	-	-	-	-
	F	6	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	316	-	-	1	-	1	4	10	10	3	4	11	8	9	25	11	25	25	31	43	47	29	13	5	1	-	-
	White—M	161	-	-	-	-	-	3	6	5	1	-	3	2	5	11	5	14	15	20	20	27	15	5	3	1	-	-
	F	105	-	-	-	-	-	1	2	4	2	3	7	1	2	9	5	8	6	8	14	17	9	8	1	-	-	-
	All other—M	31	-	-	1	-	-	-	2	-	-	-	-	1	1	3	1	1	4	1	8	3	3	2	-	-	-	-
	F	19	-	-	-	-	1	-	-	1	-	1	1	4	1	2	-	2	-	2	1	-	2	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,250	-	-	-	-	1	1	-	1	3	9	11	20	35	65	120	136	156	188	199	132	109	46	13	4	1	-
	White—M	878	-	-	-	-	-	1	-	-	1	4	5	11	31	53	97	104	117	125	135	86	72	27	7	2	-	-
	F	328	-	-	-	-	1	-	-	1	1	3	5	4	3	9	20	25	37	58	56	43	35	19	6	1	1	-
	All other—M	29	-	-	-	-	-	-	-	-	1	-	1	3	-	2	2	4	2	3	6	3	1	-	-	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	3	-	2	2	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,862	12	2	3	-	2	4	5	10	11	19	12	40	65	81	151	189	266	386	448	382	328	173	50	17	4	2
	White—M	1,421	3	1	1	-	-	1	1	4	3	8	6	11	31	36	71	112	158	216	266	202	179	85	17	7	-	2
	F	936	5	1	1	-	2	3	1	3	7	8	4	15	14	25	52	46	78	120	143	159	134	78	27	9	1	-
	All other—M	173	2	-	1	-	-	-	1	2	-	1	-	9	10	12	14	18	16	33	20	17	9	4	3	-	1	-
	F	132	2	-	-	-	-	-	2	1	1	2	2	5	10	8	14	15	14	17	19	4	6	6	3	1	2	-
107-109	Pneumonia (all forms)	1,171	296	72	30	9	8	26	14	10	17	20	16	25	19	27	36	50	55	70	89	92	87	74	24	2	2	1
	White—M	513	126	34	13	3	3	8	7	3	7	5	6	14	7	12	14	26	27	35	40	38	35	35	13	1	1	-
	F	430	103	19	7	4	4	10	5	3	7	8	4	4	4	7	10	12	20	25	40	40	42	38	11	1	1	1
	All other—M	128	35	7	6	1	-	4	1	2	3	4	2	3	6	6	7	8	5	4	7	11	6	-	-	-	-	-
	F	100	32	12	4	1	1	4	1	2	-	3	4	4	2	2	5	4	3	6	2	3	4	1	-	-	-	-
117	Ulcer of stomach or duodenum	114	-	-	-	-	-	-	1	1	2	4	7	9	11	9	14	12	12	8	9	7	6	2	-	-	-	-
	White—M	86	-	-	-	-	-	-	-	1	1	3	6	6	10	8	8	8	11	6	7	6	5	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	1	2	1	1	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	171	92	19	8	2	2	1	-	-	4	1	-	2	3	-	3	3	2	4	8	5	7	4	-	1	-	-
	White—M	77	41	9	4	1	-	-	-	-	1	1	-	-	2	-	1	2	1	2	4	2	5	1	-	-	-	-
	F	55	27	3	3	1	2	1	-	-	2	-	-	1	-	-	1	-	-	1	4	3	2	3	-	1	-	-
	All other-M	22	12	3	1	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	17	12	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	270	-	1	4	3	5	26	29	35	26	12	16	18	12	18	16	14	13	12	8	-	1	1	-	-	-	-
	White—M	149	-	1	3	2	1	14	10	20	16	6	11	8	7	9	12	10	8	6	5	-	-	-	-	-	-	-
	F	79	-	-	1	1	4	6	12	10	4	4	4	5	2	6	4	4	4	5	1	-	1	1	-	-	-	-
	All other-M	24	-	-	-	-	-	5	6	2	5	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	1	1	3	1	1	-	4	2	3	-	-	-	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	175	17	6	2	-	1	4	5	2	5	3	14	7	6	10	8	13	16	9	13	14	12	8	-	-	-	-
	White—M	86	8	4	1	-	1	-	3	-	-	-	4	5	1	7	6	5	9	6	6	8	6	6	-	-	-	-
	F	65	3	1	1	-	-	3	2	2	4	3	8	2	5	3	2	6	7	1	3	3	5	1	-	-	-	-
	All other-M	12	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-
	F	12	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	2	1	-	1	1	-	-	-	-
124	Cirrhosis of the liver	111	1	-	-	-	-	-	-	1	-	-	1	2	7	10	15	14	16	14	8	11	8	2	1	-	-	-
	White—M	71	-	-	-	-	-	-	-	1	-	-	1	2	4	6	9	10	10	9	6	4	7	1	1	-	-	-
	F	25	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	4	4	2	4	1	1	-	-	-	-
	All other-M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	3	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	102	1	-	-	-	-	-	1	-	1	2	4	3	1	4	8	15	9	16	18	9	9	-	1	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	3	6	3	5	4	-	-	-	-	-
	F	59	1	-	-	-	-	-	-	-	1	2	2	2	1	2	5	10	5	7	13	3	5	-	-	-	-	-
	All other-M	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-
130-132	Nephritis	1,337	3	1	-	1	-	6	10	10	16	20	22	27	28	53	71	98	140	163	212	166	167	91	26	5	1	-
	White—M	682	2	-	-	1	-	3	4	4	7	6	6	10	15	25	31	48	75	78	115	92	100	46	12	2	-	-
	F	433	1	1	-	-	-	2	4	4	9	11	7	9	7	17	18	24	45	49	62	60	52	39	11	1	-	-
	All other-M	127	-	-	-	-	-	1	1	1	-	1	-	3	1	5	10	13	15	26	19	9	12	6	3	1	-	-
	F	95	-	-	-	-	-	-	1	1	-	2	9	5	5	6	12	13	5	10	16	5	3	-	-	1	1	-
137	Diseasee of the prostate	162	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	7	15	18	35	32	36	11	3	-	1	-
	White—M	144	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	13	13	33	31	33	11	2	-	-	-
	All other-M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	1	3	-	1	-	1	-
140, 142a, 147	Puerperal septicemia	52	-	-	-	-	-	-	1	7	8	5	19	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	45	-	-	-	-	-	-	1	5	7	5	18	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	7	-	-	-	-	-	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	46	-	-	-	-	-	-	-	8	9	7	13	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	7	6	7	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	5	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145,146, 149,150	Other puerperal causes	46	-	-	-	-	-	-	1	6	7	13	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	1	3	6	9	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	15	-	-	-	-	-	-	-	3	1	4	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	235	209	9	3	2	-	5	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	115	98	5	2	2	-	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	101	91	3	1	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	718	718	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	374	374	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	262	262	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	197	-	-	-	-	-	-	-	5	11	20	22	26	16	14	13	17	20	11	8	9	4	-	-	-	-	1
	White—M	151	-	-	-	-	-	-	-	3	5	12	14	18	10	12	13	14	19	9	8	9	4	-	-	-	-	1
	F	37	-	-	-	-	-	-	-	2	4	6	7	7	4	2	-	2	1	2	-	-	-	-	-	-	-	-
	All other-M	6	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	147	2	-	-	-	-	1	-	4	19	24	32	19	12	11	8	10	3	-	2	-	-	-	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	1	5	7	17	9	2	4	6	4	1	-	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	1	-	1	-	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	59	1	-	-	-	-	-	-	2	8	11	9	5	7	5	2	6	1	-	2	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	6	4	4	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	586	3	4	3	3	3	16	15	65	65	42	42	52	44	33	33	29	28	33	32	23	11	5	1	-	-	1
	White—M	398	2	2	2	3	2	10	9	36	51	30	29	38	31	25	20	14	22	20	23	16	8	4	1	-	-	-
	F	140	1	2	1	-	1	4	4	27	10	8	8	8	11	6	11	7	4	11	8	5	2	1	-	-	-	-
	All other-M	40	-	-	-	-	-	2	2	1	4	3	4	6	2	2	1	7	1	1	1	1	1	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	924	40	26	21	7	12	35	45	63	63	47	49	56	46	37	34	47	37	43	47	49	69	29	12	7	2	1
	White—M	570	20	13	12	3	5	24	32	46	47	35	32	43	31	31	29	33	22	30	16	20	31	10	3	2	-	-
	F	244	11	8	5	3	6	6	10	8	7	4	11	7	3	4	-	5	10	9	28	25	38	19	9	5	2	1
	All other-M	82	5	2	1	1	-	2	2	8	7	8	5	6	8	1	4	8	4	4	3	3	-	-	-	-	-	-
	F	28	4	3	3	-	1	3	1	1	2	-	1	-	4	1	1	1	1	-	-	1	-	-	-	-	-	-
	All other causes*	2,691	518	25	21	8	5	40	31	29	46	46	53	74	107	112	101	102	132	172	211	252	264	200	98	23	10	11
	White—M	1,297	240	13	15	1	2	26	10	13	13	19	22	21	47	40	54	46	55	103	120	135	127	110	51	12	1	1
	F	964	174	4	4	3	-	10	13	7	20	16	20	31	39	44	31	33	53	43	74	100	113	76	36	10	1	9
	All other-M	252	67	3	2	2	1	3	6	2	7	10	6	9	7	16	9	13	15	15	17	12	12	7	7	1	2	1
	F	178	37	5	-	2	2	1	2	7	6	1	5	13	14	12	7	10	9	11	-	5	12	7	4	-	6	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	All causes	11,959	580	47	30	21	12	83	76	165	209	225	230	272	359	525	765	902	1,164	1,241	1,399	1,473	1,288	621	212	37	4	19
	White—M	7,186	327	25	20	9	8	37	38	112	140	131	127	168	211	321	483	578	745	791	857	871	709	349	96	14	1	18
	F	4,538	229	20	10	11	2	42	32	47	59	82	95	97	139	194	268	302	390	430	530	588	567	265	114	21	3	1
	All other—M	169	16	1	-	-	2	4	4	5	5	6	6	6	6	5	10	18	22	16	9	12	9	4	2	1	-	-
	F	66	8	1	-	1	-	-	2	1	5	6	2	1	3	5	4	4	7	4	3	2	3	3	-	1	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	8	-	-	2	1	-	-	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	257	1	3	2	1	-	1	1	8	16	22	29	16	17	23	27	17	26	19	7	10	5	4	1	-	-	1
	White—M	158	-	1	1	1	-	-	-	2	6	10	13	9	10	16	20	15	17	17	5	7	3	3	1	-	-	1
	F	79	1	1	1	-	-	1	1	1	7	9	15	7	7	5	6	2	6	2	2	2	2	1	-	-	-	-
	All other—M	12	-	1	-	-	-	-	-	4	1	-	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	2	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	32	-	-	1	-	1	1	1	1	7	2	2	-	2	1	3	3	2	1	3	-	-	-	-	-	-	1
	White—M	20	-	-	-	-	-	-	-	1	5	2	2	-	2	1	2	1	1	1	1	-	-	-	-	-	-	1
	F	9	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	131	-	-	-	-	-	1	-	-	2	1	2	2	5	10	22	20	30	13	12	8	2	1	-	-	-	-
	White—M	90	-	-	-	-	-	1	-	-	-	-	1	-	4	8	13	15	20	10	9	6	2	1	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	2	1	1	2	1	2	6	3	8	1	3	2	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
33	Influenza	125	3	3	1	-	-	-	4	-	1	4	1	4	6	2	9	5	8	8	13	10	26	12	3	2	-	-
	White—M	74	3	2	1	-	-	-	1	-	1	1	1	2	4	1	5	4	5	4	9	5	16	6	1	2	-	-
	F	47	-	1	-	-	-	-	1	-	-	3	-	2	2	1	4	1	3	3	4	5	10	5	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	9	1	2	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	6	-	2	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	697	-	1	-	-	-	-	-	2	-	2	4	10	18	27	53	90	104	105	89	88	63	36	4	-	-	1
	White—M	381	-	-	-	-	-	-	-	2	-	1	2	7	10	13	24	50	52	58	52	43	41	24	1	-	-	1
	F	305	-	1	-	-	-	-	-	-	-	1	2	3	8	14	27	38	49	44	37	45	22	11	3	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	155	-	-	-	-	-	-	-	-	1	2	5	7	11	12	24	18	15	19	16	10	9	6	-	-	-	-
	White—F	154	-	-	-	-	-	-	-	-	1	2	5	7	11	12	24	18	15	19	16	10	9	5	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Contd.																											
50	Cancer of breast	138	-	-	-	-	-	-	-	-	-	-	1	2	8	16	18	20	15	19	20	8	6	4	1	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	136	-	-	-	-	-	-	-	-	-	-	1	2	8	16	18	19	15	19	20	7	6	4	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	491	-	-	1	-	1	3	3	5	6	7	7	8	17	11	35	64	55	72	70	68	44	9	5	1	1	-
	White—M	350	-	-	1	-	1	1	1	3	4	3	5	4	8	9	19	43	38	58	55	51	34	9	1	1	1	-
	F	137	-	-	-	-	-	2	2	2	2	4	2	2	9	2	16	21	16	13	14	17	9	-	4	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	250	-	-	-	-	-	-	4	2	1	4	4	3	4	2	13	19	44	43	40	40	18	7	2	-	-	-
	White—M	100	-	-	-	-	-	-	2	1	-	1	1	3	-	2	4	9	17	18	11	19	9	3	-	-	-	-
	F	145	-	-	-	-	-	-	2	1	1	2	3	-	4	-	8	9	27	24	29	21	9	3	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
63b	Exophthalmic goiter	35	-	-	-	-	-	-	-	1	2	-	2	1	2	3	4	4	5	4	3	4	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	1	2	-	1	-	2	3	4	1	5	3	3	4	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	25	-	-	-	-	-	-	-	-	-	3	2	3	1	2	5	5	2	1	1	-	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	1	2	1	2	5	5	2	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,191	1	2	-	-	-	-	-	-	1	3	5	7	12	32	63	57	134	142	214	213	187	78	33	4	-	3
	White—M	657	-	1	-	-	-	-	-	-	-	3	1	2	2	16	33	31	82	79	123	121	103	40	16	1	-	3
	F	517	1	1	-	-	-	-	-	-	-	-	4	5	10	16	30	24	50	60	87	89	83	38	17	2	-	-
	All other—M	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	3	3	2	1	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	156	5	3	1	2	-	6	4	8	7	3	8	6	13	10	11	6	13	10	14	11	11	2	1	-	-	1
	White—M	89	1	2	-	1	-	-	4	7	4	1	5	2	11	4	8	2	10	7	7	6	5	1	-	-	-	1
	F	66	4	1	1	1	-	6	-	1	2	2	3	4	2	6	3	4	3	3	7	5	6	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	47	8	1	-	-	-	5	1	6	2	2	3	2	1	2	1	2	-	2	2	2	3	2	-	-	-	-
	White—M	24	7	1	-	-	-	1	-	3	1	-	2	1	-	1	1	-	-	1	1	1	1	2	-	-	-	-
	F	22	-	-	-	-	-	4	1	3	1	2	1	1	1	1	-	2	-	1	1	1	2	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	274	-	-	-	-	1	6	5	6	7	7	8	8	9	25	20	23	19	23	34	31	27	12	2	1	-	-
	White—M	151	-	-	-	-	1	2	2	4	7	4	5	4	4	12	12	12	11	16	20	14	14	5	1	1	-	-
	F	121	-	-	-	-	-	3	3	2	-	3	3	4	5	13	8	11	8	7	13	17	13	7	1	-	-	-
	All other—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,316	-	-	-	-	-	-	-	-	-	3	4	18	24	91	126	142	176	206	199	158	119	39	7	1	-	3
	White—M	968	-	-	-	-	-	-	-	-	-	2	3	15	20	76	102	108	137	154	136	109	73	25	4	1	-	3
	F	340	-	-	-	-	-	-	-	-	-	1	-	3	4	15	24	29	37	52	63	49	46	14	3	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,713	5	1	-	-	-	2	-	7	6	13	6	11	27	42	76	100	155	224	251	316	299	123	40	6	1	2
	White—M	1,038	3	-	-	-	-	-	-	5	4	8	3	9	12	26	53	66	106	142	153	187	167	73	18	2	-	1
	F	649	2	1	-	-	-	2	-	2	2	5	3	2	12	14	21	32	46	61	96	125	126	49	22	4	1	1
	All other—M	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	-	4	4	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	2	-	2	-	-	-	-	-
107-109	Pneumonia (all forms)	439	52	4	1	3	-	6	6	6	6	4	5	15	17	16	18	19	44	27	40	46	42	33	23	3	2	1
	White—M	262	24	2	-	1	-	1	5	4	4	3	3	12	12	9	12	10	30	17	32	25	20	18	17	-	-	1
	F	169	24	2	1	2	-	5	1	2	2	1	2	3	5	5	6	8	14	9	8	21	22	15	6	3	2	-
	All other—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	84	-	-	-	-	-	-	-	1	1	-	2	3	3	8	6	13	17	10	5	5	7	3	-	-	-	-
	White—M	68	-	-	-	-	-	-	-	-	1	-	2	2	2	7	4	13	14	7	5	5	4	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	3	2	-	-	3	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Contd.																											
119,120	Diarrhea, enteritis, etc.*	31	15	1	-	-	-	-	-	-	-	-	4	1	3	-	1	-	3	-	-	3	-	-	-	-	-	-
	White—M	8	3	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	20	9	1	-	-	-	-	-	-	-	-	3	-	1	-	1	-	2	-	-	3	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	73	-	-	1	-	-	5	5	7	5	2	3	2	4	5	7	5	7	3	5	4	3	-	-	-	-	-
	White—M	41	-	-	1	-	-	3	2	4	3	1	3	-	4	1	5	3	4	1	2	3	1	-	-	-	-	-
	F	29	-	-	-	-	-	2	3	3	2	1	-	1	-	4	2	2	1	2	3	1	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	81	2	1	-	-	-	2	-	1	-	1	5	1	3	-	6	7	9	9	11	13	4	4	1	1	-	-
	White—M	45	2	-	-	-	-	2	-	1	-	-	3	1	-	-	5	4	6	5	7	7	1	-	-	1	-	-
	F	35	-	1	-	-	-	-	-	-	-	1	2	-	2	-	1	3	3	4	4	6	3	4	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	61	-	-	-	-	-	-	-	-	-	4	1	2	2	10	10	9	4	6	2	6	4	1	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	3	-	1	1	4	7	7	2	4	1	3	3	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	1	1	6	3	2	2	2	1	3	1	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	68	-	-	-	-	-	-	-	-	-	-	2	-	4	3	8	9	4	11	4	12	6	4	1	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	3	1	4	1	2	1	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	2	-	4	2	5	4	1	8	3	8	5	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,059	-	-	-	-	-	1	1	4	4	6	7	14	23	23	47	85	105	128	164	184	161	85	16	1	-	-
	White—M	595	-	-	-	-	-	-	-	1	2	1	3	7	10	11	25	50	62	85	102	102	84	43	6	1	-	-
	F	446	-	-	-	-	-	1	1	3	2	4	4	7	13	12	21	34	38	39	61	81	75	41	9	-	-	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	2	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	8	22	19	16	10	2	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	8	22	19	16	10	2	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	14	-	-	-	-	-	-	-	-	3	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	3	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	20	-	-	-	-	-	-	-	-	3	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	-	3	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	112	81	5	2	-	-	6	1	3	2	5	2	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	White—M	63	44	3	2	-	-	1	-	3	1	4	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	49	37	2	-	-	-	5	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	205	-	-	-	-	-	-	1	9	15	7	13	19	23	12	20	24	28	12	9	6	5	2	-	-	-	-
	White—M	152	-	-	-	-	-	-	1	4	9	3	8	13	17	10	17	19	23	9	8	6	5	2	-	-	-	-
	F	47	-	-	-	-	-	-	-	4	5	4	6	5	6	2	3	4	5	2	1	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185-168	Homicide	32	1	-	1	-	1	-	-	1	2	2	9	3	2	2	3	1	1	1	1	1	-	-	-	-	-	-
	White—M	19	1	-	1	-	1	-	-	1	-	2	5	1	1	1	2	1	-	1	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	399	2	5	3	3	3	8	14	38	41	29	19	23	23	37	20	24	30	21	21	23	8	3	-	-	-	1
	White—M	300	1	4	3	2	1	6	9	28	34	19	16	16	19	30	16	18	22	17	12	19	5	2	-	-	-	1
	F	84	1	-	-	1	1	2	4	10	7	8	1	5	3	6	3	4	7	4	9	4	3	1	-	-	-	-
	All other—M	12	-	-	-	-	1	-	1	-	-	2	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	740	31	5	7	8	3	16	15	32	48	51	35	45	44	50	49	38	34	30	37	41	52	45	14	5	-	5
	White—M	537	17	4	5	3	2	11	9	25	42	48	30	39	35	39	46	35	30	24	26	21	20	18	2	1	-	5
	F	183	14	1	2	5	1	3	4	7	4	2	4	5	7	8	1	1	4	6	10	19	32	27	12	4	-	-
	All other—M	18	-	-	-	-	-	2	2	-	2	1	1	1	2	2	1	2	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,175	180	9	6	3	2	11	7	11	16	20	16	26	29	46	56	69	65	63	87	132	157	96	56	12	-	-
	White—M	691	115	3	3	1	2	7	1	8	10	10	6	12	20	19	36	47	43	43	54	85	78	60	25	3	-	-
	F	462	61	6	3	2	-	4	5	3	6	10	10	14	8	27	19	22	19	19	31	43	77	35	30	8	-	-
	All other—M	16	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	1	2	3	1	-	1	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	All causes	108,748	7,125	580	313	265	218	698	811	1,332	1,724	1,957	2,138	2,774	4,062	5,607	7,655	9,307	10,633	12,887	13,012	11,319	8,523	4,285	1,373	289	34	22
	White—M	56,112	3,717	302	147	137	128	373	437	720	827	894	1,019	1,329	2,004	3,009	4,251	5,348	5,891	6,828	6,694	5,704	3,896	1,850	502	82	7	16
	F	45,553	2,732	218	122	106	75	279	295	426	647	796	811	994	1,413	1,970	2,685	3,347	4,180	5,330	5,915	5,330	4,484	2,352	834	191	17	4
	All other—M	3,863	373	27	21	8	7	19	44	88	111	119	162	232	336	365	413	371	324	306	241	144	85	38	20	5	2	2
	F	3,220	303	33	23	14	8	27	35	98	139	148	146	219	309	263	306	241	243	223	162	141	58	45	17	11	8	-
1,2	Typhoid, paratyphoid fever	52	2	-	-	-	-	3	4	4	5	6	2	3	5	3	4	7	2	1	1	-	-	-	-	-	-	-
	White—M	29	1	-	-	-	-	2	1	3	1	4	-	1	3	1	2	6	2	1	1	-	-	-	-	-	-	-
	F	18	1	-	-	-	-	1	2	1	3	2	2	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	56	14	3	2	5	1	6	5	6	1	3	2	2	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	34	8	2	2	3	-	3	5	5	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	5	1	-	1	1	3	-	1	-	1	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	27	4	1	3	3	-	3	3	3	-	-	1	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	White—M	12	3	1	3	-	-	-	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	1	-	-	3	-	3	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	168	106	36	8	8	2	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	63	40	13	2	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	74	47	14	4	4	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	9	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	23	4	4	1	2	-	5	3	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	8	1	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	3	2	-	2	-	3	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,867	20	15	11	11	1	18	32	192	380	396	363	338	347	323	395	335	246	206	128	66	31	11	1	-	-	1
	White—M	1,919	8	7	4	2	1	4	4	45	78	116	121	162	190	221	265	248	173	139	77	31	16	6	1	-	-	-
	F	1,143	4	3	1	4	-	7	13	67	175	179	148	84	71	47	75	59	53	59	44	31	14	4	-	-	-	1
	All other—M	448	3	1	1	1	-	2	6	30	46	45	57	52	64	42	44	23	13	7	6	4	1	-	-	-	-	-
	F	357	5	4	5	4	-	5	9	50	81	56	37	40	22	13	11	5	7	1	1	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	274	15	15	10	5	3	12	10	20	8	18	17	16	19	20	22	13	17	12	12	7	2	-	1	-	-	-
	White—M	105	4	7	3	2	1	2	1	8	3	3	4	7	4	8	10	10	10	7	7	3	1	-	-	-	-	-
	F	93	9	4	2	2	-	6	5	3	2	10	6	2	6	9	4	1	6	5	5	4	1	-	1	-	-	-
	All other—M	39	1	1	3	-	-	1	2	4	2	2	3	4	8	2	5	1	-	-	-	-	-	-	-	-	-	-
	F	37	1	3	2	1	2	3	2	5	1	3	4	3	1	1	3	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	42	16	2	2	1	1	1	1	1	1	1	-	1	1	-	5	-	-	-	2	6	-	-	-	-	-	-
	White—M	20	8	-	2	1	1	-	1	1	-	-	-	1	1	-	3	-	-	-	1	-	-	-	-	-	-	-
	F	19	7	2	-	-	-	1	-	-	1	1	-	-	-	-	2	-	-	-	1	4	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,295	54	1	1	-	-	4	4	11	9	39	47	79	143	181	164	185	147	115	87	28	10	3	3	-	-	-
	White—M	663	17	1	1	-	-	3	1	3	-	10	20	39	62	69	92	107	88	76	51	15	6	1	1	-	-	-
	F	255	9	-	-	-	-	1	3	7	7	10	12	10	35	27	25	35	27	20	15	7	2	2	1	-	-	-
	All other—M	257	16	-	-	-	-	-	-	-	1	7	5	25	29	44	33	34	22	15	19	5	2	-	-	-	-	-
	F	120	12	-	-	-	-	-	-	1	1	12	10	5	17	21	14	9	10	4	2	1	-	-	1	-	-	-
33	Influenza	1,111	116	22	11	8	6	7	11	17	20	13	20	28	36	70	68	61	79	78	107	113	112	68	36	4	-	-
	White—M	557	66	14	7	2	5	5	4	10	8	5	12	10	20	39	37	38	43	43	47	51	49	25	15	2	-	-
	F	492	43	7	4	5	1	2	6	7	9	8	5	14	12	23	23	17	29	34	55	61	61	43	21	2	-	-
	All other—M	39	4	-	-	1	-	-	-	-	2	-	-	2	3	5	7	4	5	1	4	-	1	-	-	-	-	-
	F	23	3	1	-	-	-	-	1	-	1	-	3	2	1	3	1	2	2	-	1	1	1	-	-	-	-	-
35	Measles	114	34	16	10	9	8	22	7	-	1	-	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-	-
	White—M	46	13	5	4	6	4	9	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	56	18	8	5	3	3	11	2	-	1	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-
	All other—M	8	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	62	4	3	1	4	3	10	13	6	3	5	5	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	White—M	29	1	2	-	2	-	6	7	4	2	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	32	2	1	1	2	3	4	6	2	1	2	4	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	6,278	2	1	-	-	1	5	3	7	14	25	39	95	208	351	555	712	904	1,077	986	717	414	122	32	5	1	2
	White—M	3,219	1	1	-	-	-	3	2	3	6	13	17	38	90	161	298	403	503	602	493	350	177	47	9	1	-	1
	F	2,814	1	-	-	-	1	2	1	3	5	12	17	49	91	162	210	275	375	449	476	356	228	74	22	4	-	1
	All other—M	153	-	-	-	-	-	-	-	1	1	-	3	5	13	19	35	19	21	14	9	8	3	-	1	-	1	-
	F	92	-	-	-	-	-	-	-	-	2	-	2	3	14	9	12	15	5	12	8	3	6	1	-	-	-	-
48,49	Cancer of female genital organs	1,797	-	-	1	1	-	-	2	3	9	27	49	93	177	204	220	218	229	205	175	112	49	15	6	2	-	-
	White—F	1,665	-	-	-	1	-	-	2	2	7	23	40	81	147	182	204	207	220	199	168	110	49	15	6	2	-	-
	All other—F	132	-	-	1	-	-	-	-	1	2	4	9	12	30	22	16	11	9	6	7	2	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
50	Cancer of breast	1,259	-	-	-	-	-	-	1	-	2	7	21	42	89	122	155	151	185	161	139	88	57	31	6	1	1	-
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	6	5	3	2	-	2	-	-	-
	F	1,183	-	-	-	-	-	-	1	-	2	6	19	41	81	115	143	141	178	152	128	85	55	31	4	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	1	2	1	8	5	9	6	5	3	6	-	-	-	-	-	1	-
45,47, 51-55	Cancer (other sites)	3,794	5	5	11	12	5	16	25	28	35	42	57	75	141	225	348	448	528	522	480	422	232	99	24	7	-	2
	White—M	2,699	4	3	8	7	3	11	16	18	23	26	37	47	82	143	231	334	375	392	371	313	167	68	15	3	-	2
	F	938	1	1	2	5	2	5	9	8	12	15	13	20	47	64	89	99	129	119	96	98	62	30	9	3	-	-
	All other—M	116	-	1	-	-	-	-	-	1	-	1	4	5	7	12	19	13	19	10	10	9	3	1	-	1	-	-
	F	41	-	-	1	-	-	-	-	1	-	-	3	3	5	6	9	2	5	1	3	2	-	-	-	-	-	-
58	Acute rheumatic fever	162	-	3	2	-	1	17	31	19	19	14	15	7	5	5	8	4	1	3	3	2	2	1	-	-	-	-
	White—M	61	-	3	1	-	-	5	11	10	8	2	6	3	-	5	1	2	-	2	1	-	1	-	-	-	-	-
	F	86	-	-	1	-	1	11	13	6	11	11	9	3	4	-	7	1	1	1	2	2	1	1	-	-	-	-
	All other—M	6	-	-	-	-	-	-	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	4	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,450	-	-	1	1	1	4	14	12	17	21	28	51	65	155	266	399	539	668	578	399	177	53	3	-	-	-
	White—M	1,047	-	-	-	1	-	2	1	6	10	9	12	23	25	39	82	98	162	206	165	134	59	13	-	-	-	-
	F	2,276	-	-	1	-	1	2	11	4	6	10	12	24	30	95	165	284	361	446	401	263	117	40	3	-	-	-
	All other—M	37	-	-	-	-	-	-	2	1	-	-	2	1	2	4	1	6	6	5	5	1	1	-	-	-	-	-
	F	90	-	-	-	-	-	-	-	1	1	2	2	3	8	17	18	11	10	11	5	1	-	-	-	-	-	-
63b	Exophthalmic goiter	319	-	-	-	-	-	-	1	3	6	5	10	10	14	28	33	56	47	47	22	25	9	2	1	-	-	-
	White—M	54	-	-	-	-	-	-	-	-	4	1	3	2	5	6	4	15	4	6	2	2	-	-	-	-	-	-
	F	257	-	-	-	-	-	-	1	3	2	4	7	7	9	18	27	41	42	41	20	23	9	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	5	3	5	1	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	180	-	-	1	-	-	-	-	-	-	8	9	27	22	26	32	17	15	8	6	7	2	-	-	-	-	-
	White—M	142	-	-	1	-	-	-	-	-	-	7	4	20	12	22	25	15	15	8	6	7	2	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	3	5	4	3	2	2	2	-	-	-	-	-	-	-	-	-
	All other—M	14	-	-	-	-	-	-	-	-	-	-	2	2	5	1	4	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,899	10	6	2	-	2	6	12	9	13	19	32	95	195	340	519	764	983	1,268	1,464	1,367	1,069	564	126	29	3	2
	White—M	4,154	5	3	-	-	1	2	6	6	11	5	14	37	77	131	218	367	473	622	725	668	475	241	41	5	-	1
	F	4,253	5	2	2	-	1	3	6	3	2	11	14	41	75	157	237	321	445	581	706	657	570	315	77	20	2	-
	All other—M	245	-	1	-	-	-	-	-	-	-	1	3	4	16	19	25	41	31	36	22	23	13	4	4	1	-	1
	F	267	-	-	-	-	-	1	-	-	-	2	1	13	27	33	39	35	34	29	11	19	11	4	4	3	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	1,085	83	25	18	15	10	29	26	48	44	38	48	55	55	56	77	99	89	86	83	62	29	7	3	-	-	-
	White—M	549	46	15	8	8	8	18	14	22	21	16	25	25	24	30	37	41	50	43	46	34	14	3	1	-	-	-
	F	465	34	9	7	6	1	9	10	22	14	16	19	27	25	22	33	52	36	40	33	27	15	4	2	-	-	-
	All other—M	49	3	-	1	-	-	1	1	3	5	3	3	2	4	3	6	6	1	2	4	1	-	-	-	-	-	-
	F	24	-	1	2	1	1	1	1	1	4	3	1	1	2	1	1	-	2	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	384	35	16	10	4	12	23	22	27	18	16	14	12	29	28	22	24	20	17	14	9	7	5	-	-	-	-
	White—M	223	22	10	4	3	10	12	15	20	10	10	7	6	16	16	12	14	14	7	7	3	2	3	-	-	-	-
	F	134	10	4	4	1	2	10	6	4	8	4	5	5	7	10	9	9	6	10	7	6	5	2	-	-	-	-
	All other—M	15	2	2	2	-	-	-	1	2	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	1	-	1	-	-	1	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	2,313	1	2	1	2	5	34	80	101	86	89	97	127	145	196	159	162	179	204	211	191	147	59	28	6	1	-
	White—M	1,041	-	1	-	-	4	19	35	46	37	38	46	53	71	86	73	73	89	93	98	93	52	24	11	1	-	-
	F	1,160	1	1	1	2	1	14	39	48	43	43	46	62	64	97	81	81	82	103	109	94	93	34	16	5	-	-
	All other—M	49	-	-	-	-	-	-	4	3	4	4	3	6	3	5	2	3	1	5	4	-	1	-	1	-	-	-
	F	63	-	-	-	-	-	1	2	4	2	4	2	6	7	8	3	5	7	5	2	4	1	1	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	9,166	2	1	1	-	2	-	2	10	20	30	74	171	378	664	948	1,155	1,302	1,414	1,293	922	532	191	40	9	2	3
	White—M	6,272	-	1	-	-	1	-	-	3	10	18	44	128	287	521	729	867	945	918	810	582	280	96	24	5	-	3
	F	2,639	2	-	1	-	-	-	1	5	9	7	24	24	70	106	187	254	325	466	466	333	247	91	15	4	2	-
	All other—M	151	-	-	-	-	-	-	-	2	-	2	3	9	10	26	21	24	19	20	10	3	1	1	-	-	-	-
	F	104	-	-	-	-	1	-	1	-	1	3	3	10	11	11	11	10	13	10	7	4	4	3	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	22,680	18	8	4	4	4	28	20	60	69	107	103	226	436	746	1,256	1,758	2,322	3,261	3,691	3,530	2,864	1,541	511	101	9	3
	White—M	11,364	8	3	1	3	3	12	9	31	37	49	48	113	203	384	688	998	1,290	1,731	1,857	1,765	1,252	663	184	27	3	2
	F	9,999	8	5	3	1	-	12	10	25	29	43	42	69	135	252	408	612	850	1,351	1,684	1,670	1,561	840	315	70	3	1
	All other—M	683	-	-	-	-	1	-	1	3	2	7	4	19	44	67	85	80	103	93	77	43	28	17	6	2	1	-
	F	634	2	-	-	-	-	4	-	1	1	8	9	25	54	43	75	68	79	86	73	52	23	21	6	2	2	-
107-109	Pneumonia (all forms)	4,675	887	140	37	25	21	32	40	56	56	77	97	101	144	203	292	317	326	439	399	369	347	188	67	12	3	-
	White—M	2,487	454	65	14	11	10	14	18	27	26	33	48	46	78	125	178	202	203	260	208	195	165	81	21	5	-	-
	F	1,711	320	58	17	11	10	15	20	18	16	32	31	30	35	41	67	85	100	147	175	155	176	100	43	6	3	-
	All other—M	283	63	11	3	1	1	1	1	6	5	4	9	15	17	28	27	21	14	24	10	12	4	4	2	-	-	-
	F	194	50	6	3	2	-	2	1	5	9	8	9	10	14	9	20	9	9	8	6	7	2	3	1	1	-	-
117	Ulcer of stomach or duodenum	588	1	1	-	1	-	-	1	3	4	11	27	21	53	81	89	78	68	52	48	21	22	5	1	-	-	-
	White—M	481	-	-	-	1	-	-	-	3	3	10	26	20	44	67	78	63	54	41	41	13	15	2	-	-	-	-
	F	82	-	-	-	-	-	-	1	-	1	1	-	1	5	11	6	12	9	10	7	7	7	3	1	-	-	-
	All other—M	18	-	1	-	-	-	-	-	-	-	-	1	-	3	1	4	2	4	1	-	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	668	426	55	17	11	5	8	3	6	8	8	7	6	11	9	10	10	12	14	18	8	8	5	3	-	-	-
	White—M	333	226	31	8	4	1	6	1	4	2	2	5	4	3	2	6	4	3	7	8	4	2	-	-	-	-	-
	F	273	162	21	7	5	4	2	1	2	4	6	2	2	4	4	4	4	7	6	10	4	5	4	3	-	-	-
	All other—M	28	20	-	1	1	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-
	F	34	18	3	1	1	-	-	1	-	1	-	-	-	4	2	-	-	2	1	-	-	-	-	-	-	-	-
121	Appendicitis	713	2	7	10	15	9	33	46	55	35	31	41	33	49	49	59	70	48	61	31	22	6	1	-	-	-	-
	White—M	388	1	4	5	7	5	18	21	34	26	17	22	19	30	27	31	36	30	25	17	11	1	1	-	-	-	-
	F	278	1	3	4	7	4	13	20	16	8	11	16	9	16	16	26	27	17	34	14	11	5	-	-	-	-	-
	All other—M	25	-	-	1	-	-	1	1	-	-	2	3	4	2	4	1	5	1	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	1	-	1	4	5	1	1	-	1	1	2	1	2	-	2	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	918	55	12	7	4	3	5	9	7	12	13	10	29	48	51	84	90	89	93	118	85	51	33	8	2	-	-
	White—M	441	35	10	5	3	2	4	8	2	4	5	5	10	21	20	30	44	49	46	58	39	20	15	5	1	-	-
	F	415	17	1	1	1	1	1	1	4	4	4	4	14	22	26	43	41	37	46	56	42	30	16	2	1	-	-
	All other—M	32	1	1	-	-	-	-	-	1	1	1	-	3	2	3	4	4	1	1	3	3	1	1	1	-	-	-
	F	30	2	-	1	-	-	-	-	-	3	3	1	2	3	2	7	1	2	-	1	1	-	1	-	-	-	-
124	Cirrhosis of the liver	966	1	1	-	-	-	3	4	5	-	13	20	29	62	109	124	123	134	123	107	56	39	10	3	-	-	-
	White—M	631	1	-	-	-	-	3	1	1	-	6	9	22	35	79	76	85	96	95	66	28	22	6	-	-	-	-
	F	305	-	1	-	-	-	-	3	3	-	7	9	7	23	24	42	36	36	26	40	25	17	4	2	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	-	-	2	-	3	3	6	2	1	1	1	-	-	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	1	1	-	3	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	611	3	-	-	1	-	-	-	1	4	7	11	22	41	56	68	74	80	79	73	49	31	8	3	-	-	-
	White—M	197	3	-	-	-	-	-	-	-	-	1	2	3	10	21	16	29	30	29	31	14	4	3	1	-	-	-
	F	403	-	-	-	1	-	-	-	1	4	6	9	17	27	34	51	44	50	49	42	35	26	5	2	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	8,441	7	2	1	3	4	11	23	43	55	66	82	142	273	351	494	703	882	1,095	1,318	1,268	974	482	128	32	-	2
	White—M	3,955	3	2	-	1	3	3	9	22	21	33	37	49	90	159	233	369	428	559	639	580	455	205	47	7	-	1
	F	3,967	3	-	1	2	1	6	12	17	29	25	31	62	117	155	200	271	408	475	634	647	499	269	79	23	-	1
	All other—M	261	1	-	-	-	-	2	1	2	4	4	8	8	26	19	32	33	24	35	26	14	15	6	1	-	-	-
	F	258	-	-	-	-	-	-	1	2	1	4	6	23	40	18	29	30	22	26	19	27	5	2	1	2	-	-
137	Diseases of the prostate	625	-	-	-	-	-	-	-	-	-	-	1	-	3	8	17	29	48	102	140	139	95	35	8	-	-	-
	White—M	590	-	-	-	-	-	-	-	-	-	-	-	-	2	5	13	28	46	94	133	134	93	34	8	-	-	-
	All other—M	35	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	2	8	7	5	2	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	242	-	-	-	-	-	-	1	13	60	66	55	33	14	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	212	-	-	-	-	-	-	1	8	52	57	49	31	14	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	30	-	-	-	-	-	-	-	5	8	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	122	-	-	-	-	-	-	-	7	21	30	24	27	9	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	111	-	-	-	-	-	-	-	5	20	29	21	23	9	4	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	11	-	-	-	-	-	-	-	2	1	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	183	-	-	-	-	-	-	1	10	27	43	35	47	18	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	166	-	-	-	-	-	-	-	9	26	37	32	43	17	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	17	-	-	-	-	-	-	1	1	1	6	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,143	982	39	15	15	3	18	12	10	11	10	6	4	4	3	2	3	1	-	4	1	-	-	-	-	-	-
	White—M	577	499	21	7	6	2	8	7	5	3	4	5	2	3	1	-	3	-	-	1	-	-	-	-	-	-	-
	F	526	449	16	8	8	1	10	4	4	7	6	1	2	1	2	2	-	1	-	3	1	-	-	-	-	-	-
	All other—M	14	11	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,280	2,280	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,155	1,155	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	869	869	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,264	-	-	-	-	-	-	6	26	81	104	81	105	98	134	153	139	98	116	72	26	17	6	2	-	-	-
	White—M	946	-	-	-	-	-	-	4	14	54	69	61	71	72	97	111	112	81	95	63	18	17	5	2	-	-	-
	F	295	-	-	-	-	-	-	2	12	24	32	18	30	24	35	39	27	15	21	8	7	-	1	-	-	-	-
	All other—M	20	-	-	-	-	-	-	-	-	1	3	2	3	2	2	3	-	2	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	254	7	1	1	-	-	1	3	14	25	26	38	33	35	21	16	15	9	3	4	-	2	-	-	-	-	-
	White—M	107	4	1	-	-	-	-	1	6	12	10	10	10	12	9	8	11	6	2	3	-	2	-	-	-	-	-
	F	38	3	-	-	-	-	-	1	3	4	4	4	3	5	4	3	1	2	-	1	-	-	-	-	-	-	-
	All other—M	81	-	-	1	-	-	1	-	3	7	7	16	13	16	8	5	2	1	1	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	1	2	2	5	8	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,469	4	9	15	30	45	131	90	200	246	173	148	129	131	144	176	165	154	172	144	92	49	16	3	-	-	3
	White—M	1,888	1	4	8	19	30	86	69	162	201	147	117	93	99	112	129	134	122	127	104	68	39	11	3	-	-	3
	F	467	3	4	3	9	12	40	14	34	30	19	24	23	23	22	37	27	29	41	36	22	10	5	-	-	-	-
	All other—M	88	-	-	-	2	2	3	6	2	11	4	5	12	9	10	7	4	3	3	4	1	-	-	-	-	-	-
	F	26	-	1	4	-	1	2	1	2	4	3	2	1	-	-	3	-	-	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	4,663	133	58	48	37	35	114	148	171	177	197	212	193	246	239	332	312	296	317	339	368	360	233	81	14	1	2
	White—M	2,979	67	32	29	25	21	65	108	139	152	161	171	158	197	195	262	248	192	183	171	160	135	82	21	4	-	1
	F	1,442	47	22	16	9	12	46	28	18	14	24	25	18	23	24	52	47	91	124	160	201	223	149	59	9	1	-
	All other—M	185	11	1	2	2	1	1	12	13	8	11	16	14	22	18	14	13	7	7	4	3	2	-	-	-	-	1
	F	59	8	3	1	1	1	2	-	1	3	1	-	3	4	2	4	4	6	3	4	4	-	2	1	1	-	-
	All other causes*	9,043	1,792	70	50	28	25	83	91	117	122	153	189	264	306	412	480	605	554	660	714	736	776	491	245	65	13	2
	White—M	4,624	1,012	38	19	16	11	44	53	54	53	60	77	105	133	205	268	335	315	362	380	382	370	215	90	21	4	2
	F	3,870	647	28	26	11	11	33	34	50	55	77	87	108	130	170	181	232	206	270	313	340	396	268	150	41	6	-
	All other—M	303	85	3	5	-	1	5	1	9	9	8	6	21	19	14	18	27	23	17	15	6	5	2	3	1	-	-
	F	246	48	1	-	1	2	1	3	4	5	8	19	30	24	23	13	11	10	11	6	8	5	6	2	2	3	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	All causes	7,888	405	44	19	16	6	37	32	68	83	107	134	156	274	376	532	681	819	1,021	1,091	909	622	331	95	25	5	-
	White—M	4,100	241	20	8	11	4	17	17	31	55	56	72	73	144	226	291	399	441	562	537	451	272	125	40	6	1	-
	F	3,599	151	23	9	5	2	15	14	32	23	45	55	80	118	144	223	265	358	436	542	447	339	199	53	18	3	-
	All other—M	99	6	1	1	-	-	4	-	3	2	3	2	-	4	4	10	10	10	18	7	4	5	3	2	-	-	-
	F	90	7	-	1	-	-	1	1	2	3	3	5	3	8	2	8	7	10	5	5	7	6	4	-	1	1	-
1,2	Typhoid, paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	255	-	2	-	-	-	1	1	9	19	33	32	13	29	17	33	26	14	14	9	2	1	-	-	-	-	-
	White—M	160	-	1	-	-	-	-	-	1	11	14	15	10	22	12	19	20	14	12	6	2	1	-	-	-	-	-
	F	72	-	1	-	-	-	-	1	6	5	16	14	3	5	5	9	4	-	1	2	-	-	-	-	-	-	-
	All other—M	13	-	-	-	-	-	1	-	1	2	2	-	-	1	-	4	1	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	1	3	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	18	-	1	-	-	-	-	-	1	2	-	1	1	2	2	1	2	3	1	-	1	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	2	-	-	-	2	1	-	1	2	1	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	68	1	-	-	-	-	-	-	1	-	-	-	3	2	5	15	8	12	12	5	3	1	-	-	-	-	-
	White—M	45	1	-	-	-	-	-	-	-	-	-	-	2	2	4	7	7	9	8	4	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	1	1	4	1	1	1	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	38	3	3	1	-	-	-	-	1	1	1	-	1	1	1	1	2	2	4	3	5	5	2	-	1	-	-
	White—M	16	2	1	1	-	-	-	-	1	1	1	-	-	-	1	-	1	-	2	1	2	1	1	-	-	-	-
	F	22	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	2	3	4	1	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	527	-	-	-	-	-	-	-	-	1	1	3	12	17	33	44	71	77	83	85	69	21	10	-	-	-	-
	White—M	265	-	-	-	-	-	-	-	-	1	1	1	3	7	19	24	40	36	48	39	33	8	5	-	-	-	-
	F	254	-	-	-	-	-	-	-	-	-	-	2	9	10	14	20	28	41	33	45	35	12	5	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	124	-	-	-	-	-	-	-	-	-	1	2	4	11	9	15	14	22	14	20	8	4	-	-	-	-	-
	White—F	121	-	-	-	-	-	-	-	-	-	1	2	3	11	9	15	14	21	14	20	7	4	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																											
50	Cancer of breast	132	-	-	-	-	-	-	-	-	1	1	1	4	5	17	18	15	21	17	10	8	9	4	-	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	1	1	1	4	5	17	18	15	19	17	10	7	9	4	-	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	311	2	1	1	2	-	1	1	4	2	4	3	6	14	15	25	30	33	55	48	32	23	6	2	1	-	-
	White—M	233	1	1	1	2	-	1	1	2	1	3	1	3	11	9	20	24	26	43	35	27	17	3	1	-	-	-
	F	72	1	-	-	-	-	-	-	2	1	1	2	3	2	5	5	5	7	11	13	4	6	2	1	1	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	279	-	-	-	-	-	-	1	-	1	1	5	3	8	7	15	29	43	52	61	36	12	4	-	1	-	-
	White—M	89	-	-	-	-	-	-	1	-	1	1	2	1	1	1	6	7	13	16	15	16	5	2	-	1	-	-
	F	182	-	-	-	-	-	-	-	-	-	-	2	2	6	6	9	22	30	35	42	20	7	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	-	-	-
63b	Exophthalmic goiter	9	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	3	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	644	-	1	-	-	-	-	-	1	2	-	2	2	11	34	39	42	77	99	111	107	67	37	9	3	-	-
	White—M	307	-	-	-	-	-	-	-	-	-	-	2	2	6	17	13	26	39	52	60	51	24	9	5	1	-	-
	F	328	-	1	-	-	-	-	-	1	2	-	-	-	5	16	24	16	36	46	50	55	42	28	4	2	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	57	7	2	1	2	-	3	-	4	2	4	4	2	3	3	-	4	2	5	2	3	3	1	-	-	-	-
	White—M	30	4	1	-	1	-	2	-	3	1	2	3	-	1	1	-	2	1	3	2	1	1	1	-	-	-	-
	F	23	2	1	1	1	-	1	-	1	-	1	1	2	1	2	-	2	1	2	-	2	2	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	27	2	2	-	1	-	2	1	1	3	-	3	2	4	-	-	1	-	4	1	-	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	1	-	1	1	-	3	1	4	-	-	-	-	3	1	-	-	-	-	-	-	-
	F	9	1	2	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	157	-	-	-	-	-	2	5	5	4	5	9	11	11	17	10	9	11	21	16	8	5	6	2	-	-	-
	White—M	67	-	-	-	-	-	-	3	2	2	2	3	6	5	8	8	2	6	9	3	2	4	2	-	-	-	-
	F	84	-	-	-	-	-	-	2	2	2	3	6	5	6	9	2	7	5	9	13	6	1	4	2	-	-	-
	All other—M	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	808	-	-	-	-	-	-	-	-	1	2	5	9	24	46	67	114	136	141	131	74	32	19	6	-	1	-
	White—M	525	-	-	-	-	-	-	-	-	1	2	5	3	13	41	52	80	98	85	73	43	14	11	4	-	-	-
	F	266	-	-	-	-	-	-	-	-	-	-	-	6	11	5	12	32	33	52	58	30	16	8	2	-	1	-
	All other—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	-	1	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,750	-	1	-	-	-	1	2	8	-	4	4	19	34	51	78	121	162	251	296	289	252	127	36	11	3	-
	White—M	842	-	1	-	-	-	1	-	3	-	2	2	9	17	29	38	74	87	135	148	129	110	42	12	2	1	-
	F	873	-	-	-	-	-	-	2	5	-	2	2	9	15	21	37	46	72	110	144	156	137	83	23	8	1	-
	All other—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	6	4	1	1	-	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	3	4	2	-	1	1	-
107-109	Pneumonia (all forms)	313	38	10	5	1	-	4	2	7	4	2	5	6	5	13	22	20	20	24	35	32	29	19	9	1	-	-
	White—M	171	24	3	3	-	-	-	1	2	3	2	2	5	4	9	15	11	12	12	23	17	11	8	4	-	-	-
	F	136	14	6	2	1	-	3	1	4	1	-	3	1	1	4	7	8	7	11	12	15	18	11	5	1	-	-
	All other—M	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	69	-	-	-	-	-	-	-	-	-	1	1	2	2	12	10	14	6	7	3	8	3	-	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	-	1	2	2	11	9	13	5	7	3	7	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	1	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Con.																											
119,120	Diarrhea, enteritis, etc.*	40	20	2	-	-	-	2	1	3	1	1	1	1	1	-	1	-	2	1	-	-	1	2	-	-	-	-
	White—M	20	14	2	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	16	3	-	-	-	-	1	1	2	-	1	1	1	1	-	-	-	1	1	-	-	1	2	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	43	-	2	1	1	-	1	1	3	2	3	3	2	4	1	2	4	3	3	6	1	-	-	-	-	-	-
	White—M	26	-	2	1	-	-	1	1	1	1	3	1	1	3	1	1	3	1	1	4	-	-	-	-	-	-	-
	F	17	-	-	-	1	-	-	-	2	1	-	2	1	1	-	1	1	2	2	2	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	67	4	-	1	-	-	-	-	1	1	2	2	1	7	3	3	5	8	4	13	7	4	-	1	-	-	-
	White—M	34	3	-	-	-	-	-	-	1	1	1	1	-	2	1	1	1	6	2	7	4	2	-	1	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	1	1	1	4	2	2	3	2	2	6	3	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	90	-	-	-	-	-	-	-	-	-	-	3	4	9	12	12	11	13	12	8	5	1	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	-	3	3	7	9	8	6	7	7	6	1	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	6	5	2	4	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	58	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	11	10	13	10	4	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	2	6	3	2	-	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	8	7	7	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	703	-	-	-	-	-	2	2	2	3	4	6	10	22	30	60	56	67	100	105	115	62	46	9	2	-	-
	White—M	338	-	-	-	-	-	-	1	1	3	1	4	2	12	17	33	33	27	47	42	64	27	18	5	1	-	-
	F	349	-	-	-	-	-	2	1	1	-	2	2	8	10	10	26	23	36	50	62	50	35	26	4	1	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	2	-	-	-	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-
137	Diseases of the prostate	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	10	12	9	4	4	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	10	12	9	4	4	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	10	-	-	-	-	-	-	-	1	3	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	6	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	88	76	6	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	47	42	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	34	3	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	77	-	-	-	-	-	-	-	1	6	5	8	3	6	6	9	7	8	9	7	2	-	-	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	1	5	5	4	2	3	6	7	2	6	8	5	2	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	1	-	4	1	2	-	2	4	2	1	2	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	6	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	102	1	-	2	2	1	2	3	4	8	10	5	5	7	4	5	10	8	9	9	1	5	1	-	-	-	-
	White—M	79	-	-	-	1	1	1	1	4	7	8	4	5	5	4	5	8	5	9	6	1	3	1	-	-	-	-
	F	20	1	-	2	1	-	1	2	-	1	2	-	-	2	-	-	-	3	-	3	-	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	290	17	4	2	3	4	6	4	6	9	3	7	5	9	12	13	20	17	33	38	34	23	13	6	2	-	-
	White—M	171	15	1	1	3	3	5	4	4	8	2	6	4	8	11	7	15	11	20	17	13	11	1	1	-	-	-
	F	115	2	3	1	-	1	1	-	2	1	1	1	1	-	1	5	3	6	13	21	21	12	12	5	2	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	523	115	5	3	2	1	8	5	3	6	8	9	14	21	16	25	28	35	23	47	46	55	30	15	2	1	-
	White—M	281	71	3	1	2	-	3	3	1	4	4	5	5	6	8	15	15	21	16	22	23	28	17	7	1	-	-
	F	234	42	2	2	-	1	4	2	2	2	4	4	9	15	8	9	13	14	7	25	23	25	12	7	1	1	-
	All other—M	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes	20,617	3,554	423	201	101	129	312	242	545	798	829	825	817	1,055	1,251	1,530	1,514	1,506	1,502	1,186	904	715	392	154	44	28	60
	White—M	5,615	830	76	39	26	38	76	59	115	185	169	160	153	230	303	407	465	519	548	472	312	259	132	23	6	2	11
	F	3,930	571	64	34	16	22	53	43	58	92	82	131	125	143	139	211	244	319	416	340	319	297	139	51	11	2	8
	All other—M	5,831	1,215	153	60	35	33	80	81	177	248	304	266	253	352	438	469	409	353	311	215	151	91	55	38	11	10	23
	F	5,241	938	130	68	24	36	103	59	195	273	274	268	286	330	371	443	396	315	227	159	122	68	66	42	16	14	18
1,2	Typhoid, paratyphoid fever	62	2	-	-	-	2	3	7	9	8	9	7	3	3	3	4	-	-	2	-	-	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	3	-	1	2	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	26	-	-	-	-	2	-	2	4	5	4	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
	F	19	2	-	-	-	-	3	1	3	2	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	6	1	-	1	1	4	1	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	9	2	-	-	-	1	2	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	209	149	35	13	5	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	46	36	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	31	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	64	44	12	3	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	56	38	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	73	4	8	11	9	12	25	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	25	-	2	4	5	6	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	20	-	3	4	2	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	15	3	2	2	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	1	1	2	1	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	775	3	-	2	-	-	7	11	72	109	115	91	77	65	71	52	35	25	28	5	1	3	1	-	1	-	1
	White—M	133	-	-	-	-	-	-	1	2	4	12	10	10	12	23	21	8	11	13	2	-	3	1	-	-	-	-
	F	84	1	-	-	-	-	1	1	-	14	14	8	6	7	8	4	5	5	8	2	-	-	-	-	-	-	-
	All other—M	258	1	-	2	-	-	2	1	26	36	36	36	30	31	21	15	8	5	4	1	1	-	-	-	1	-	1
	F	300	1	-	-	-	-	4	8	44	55	53	37	31	15	19	12	14	4	3	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	77	4	7	6	-	-	-	3	6	15	9	11	2	5	5	2	-	-	1	-	-	-	-	-	-	-	1
	White—M	9	-	2	-	-	-	-	-	3	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	33	1	3	2	-	-	-	3	1	9	4	5	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1
	F	29	2	1	3	-	-	-	-	2	6	4	5	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	90	41	6	7	1	1	3	-	-	1	3	-	2	-	5	5	-	3	2	2	2	3	1	1	1	-	-
	White—M	17	8	-	1	-	1	-	-	-	1	2	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F	23	5	2	3	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	2	2	3	-	1	-	-	-
	All other—M	23	18	1	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	27	10	3	3	-	-	2	-	-	-	1	-	-	-	3	2	-	1	1	-	-	-	-	-	1	-	-
28	Malaria	125	19	7	4	1	3	7	6	10	8	8	7	4	3	4	6	10	2	4	3	2	5	1	-	-	-	1
	White—M	11	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	1	-	1	-	1	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-
	All other—M	55	8	2	3	1	1	3	3	3	4	4	3	1	-	2	3	6	-	2	2	1	2	1	-	-	-	-
	F	49	8	3	1	-	2	4	2	7	3	3	3	1	3	-	3	2	1	-	1	-	1	-	-	-	-	1
30	Syphilis	353	50	2	-	2	1	-	1	9	18	36	35	39	27	41	25	20	20	12	11	2	2	1	-	-	-	1
	White—M	35	3	-	-	-	-	-	-	-	1	-	1	6	3	3	2	3	5	4	2	-	1	1	-	-	-	-
	F	20	4	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	3	1	3	-	1	-	-	-	-	-
	All other—M	204	29	2	-	2	-	-	1	4	7	23	25	22	18	27	16	9	8	4	5	2	-	-	-	-	-	-
	F	94	14	-	-	-	1	-	-	5	7	13	9	10	4	10	6	6	4	3	1	-	-	-	-	-	-	1
33	Influenza	673	134	29	18	8	3	16	9	14	27	16	24	24	28	25	56	35	38	33	22	37	33	30	7	1	4	2
	White—M	149	34	9	3	2	-	-	-	3	4	2	3	6	5	5	13	3	10	13	4	6	13	9	2	-	-	-
	F	129	19	4	2	1	2	3	2	2	1	-	1	4	4	1	7	8	8	5	7	17	13	14	1	1	2	-
	All other—M	192	46	9	5	3	1	4	5	5	7	5	7	7	9	8	18	10	10	8	4	10	4	2	3	-	2	-
	F	203	35	7	8	2	-	9	2	4	15	9	13	7	10	11	18	14	10	7	7	4	3	5	1	-	-	2
35	Measles	138	44	25	9	5	8	20	7	3	6	4	2	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-
	White—M	35	10	8	3	-	2	6	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	28	9	1	2	1	2	4	3	1	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	45	18	9	1	3	3	4	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	7	7	3	1	1	6	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	1	-	1	-	-	3	3	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	433	-	1	1	-	-	-	-	2	5	7	9	17	35	29	65	65	60	52	29	37	11	4	-	-	-	4
	White—M	153	-	1	-	-	-	-	-	1	2	-	1	3	5	7	28	23	26	21	16	11	7	1	-	-	-	-
	F	143	-	-	-	-	-	-	-	1	2	2	2	6	11	8	12	16	23	23	10	20	3	3	-	-	-	1
	All other—M	67	-	-	1	-	-	-	-	-	1	1	1	3	9	11	12	13	4	5	2	3	-	-	-	-	-	1
	F	70	-	-	-	-	-	-	-	-	-	4	5	5	10	3	13	13	7	3	1	3	1	-	-	-	-	2
48,49	Cancer of female genital organs	280	-	-	-	-	-	-	-	-	2	6	19	28	38	38	40	32	22	31	11	9	3	1	1	-	-	1
	White—F	171	-	-	-	-	-	-	-	-	-	1	8	10	20	21	22	22	14	30	10	7	3	1	1	-	-	1
	All other—F	109	-	-	-	-	-	-	-	-	2	5	11	18	18	17	18	10	8	1	1	2	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
50	Cancer of breast	92	1	-	-	-	-	-	-	-	-	2	3	10	8	9	16	20	10	5	3	2	2	1	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	64	1	-	-	-	-	-	-	-	-	1	1	4	4	9	12	13	7	4	3	2	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	1	2	6	4	-	4	7	3	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	335	1	-	-	-	1	5	6	1	6	8	14	10	23	27	26	33	36	45	42	29	10	8	4	-	-	-
	White—M	146	-	-	-	-	-	2	3	-	3	3	5	5	6	14	9	12	17	22	21	14	6	3	1	-	-	-
	F	91	1	-	-	-	-	1	1	-	1	1	6	1	6	2	7	10	11	14	13	7	4	3	2	-	-	-
	All other—M	50	-	-	-	-	-	2	1	1	2	2	3	2	4	4	2	6	5	6	5	3	-	2	-	-	-	-
	F	48	-	-	-	-	1	-	1	-	-	2	-	2	7	7	8	5	3	3	3	5	-	-	1	-	-	-
58	Acute rheumatic fever	44	-	-	-	-	1	7	9	7	5	4	4	1	2	-	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	1	2	-	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	17	-	-	-	-	-	2	5	-	3	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	2	1	2	1	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	269	-	2	1	1	-	-	7	7	5	8	3	9	25	19	22	35	36	38	25	16	7	2	1	-	-	-
	White—M	77	-	1	-	1	-	-	-	3	2	3	-	2	6	7	4	6	14	12	10	5	1	-	-	-	-	-
	F	94	-	-	1	-	-	-	3	2	1	-	-	2	3	2	6	13	17	17	12	10	4	1	-	-	-	-
	All other—M	27	-	1	-	-	-	-	-	-	1	2	-	2	3	5	2	6	-	4	1	-	-	-	-	-	-	-
	F	71	-	-	-	-	-	-	4	2	1	3	3	3	13	5	10	10	5	5	2	1	2	1	1	-	-	-
65b	Exophthalmic goiter	10	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	123	-	-	-	-	-	1	1	1	2	5	9	8	11	13	15	9	5	11	11	11	7	3	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	4	2	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	1	1	5	4	4	4	-	-	-	-	-
	All other—M	19	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	3	-	1	2	2	1	1	-	-	-	-
	F	60	-	-	-	-	-	1	1	1	2	4	7	5	8	7	8	4	3	3	4	1	-	1	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	1	2	1	3	8	4	3	3	3	-	1	-	-	-	-	-	-	-	1
	White—M	23	-	-	-	-	-	-	-	-	-	-	3	7	4	3	3	2	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,860	2	-	-	-	-	2	-	5	19	24	34	58	108	147	232	226	232	271	198	128	107	42	17	1	3	4
	White—M	493	-	-	-	-	-	1	-	-	3	2	1	6	12	26	42	62	81	90	70	41	36	15	3	-	-	2
	F	370	2	-	-	-	-	-	-	2	2	1	4	9	9	13	24	39	31	69	65	40	41	16	2	1	-	-
	All other—M	494	-	-	-	-	-	1	-	2	11	10	16	25	43	55	70	52	55	65	40	24	17	3	3	-	1	1
	F	503	-	-	-	-	-	-	-	1	3	11	13	18	44	53	96	73	65	47	23	23	13	8	9	-	2	1
80-82, 84-88	Other diseases of nervous system, etc.*	228	37	7	5	3	4	10	10	15	19	23	18	7	12	3	16	10	9	10	2	7	1	-	-	-	-	-
	White—M	56	5	-	2	1	-	2	4	1	6	4	5	-	3	-	4	4	4	5	2	4	-	-	-	-	-	-
	F	44	7	3	1	1	-	1	1	3	1	-	3	1	2	-	6	4	3	5	-	1	1	-	-	-	-	-
	All other—M	68	16	2	1	-	-	1	2	7	8	11	7	3	4	2	1	1	1	-	-	1	-	-	-	-	-	-
	F	60	9	2	1	1	4	6	3	4	4	8	3	3	3	1	5	1	1	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	155	36	7	4	3	4	18	13	6	10	4	3	3	3	4	1	4	2	2	5	2	-	1	-	-	-	-
	White—M	28	3	2	2	1	2	5	2	1	1	1	-	2	1	-	-	3	1	-	1	-	-	-	-	-	-	-
	F	25	3	-	2	1	1	6	4	2	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	All other—M	38	15	1	-	1	1	3	3	3	4	1	2	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-
	F	44	15	4	-	-	-	4	4	-	5	1	-	1	2	3	1	-	-	1	3	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	278	1	-	1	-	2	4	3	6	9	12	12	17	18	24	16	33	27	26	17	22	17	8	-	2	-	1
	White—M	58	1	-	-	-	-	1	-	-	2	-	1	4	3	2	1	6	6	10	4	8	5	2	-	2	-	-
	F	65	-	-	-	-	-	-	1	2	2	4	3	1	2	3	1	1	9	8	4	8	10	6	-	-	-	-
	All other—M	79	-	-	-	-	-	2	2	2	1	3	4	3	4	12	7	15	9	3	6	5	1	-	-	-	-	-
	F	76	-	-	1	-	2	1	-	2	4	5	4	9	9	7	7	11	3	5	3	1	1	-	-	-	-	1
94	Diseases of coronary arteries, angina pectoris	887	-	-	-	-	-	-	-	1	2	7	19	34	56	85	109	128	131	107	93	68	32	15	-	-	-	-
	White—M	531	-	-	-	-	-	-	-	1	-	1	8	13	32	46	77	82	81	71	59	35	17	8	-	-	-	-
	F	176	-	-	-	-	-	-	-	-	1	1	4	2	5	6	8	17	38	27	24	23	13	7	-	-	-	-
	All other—M	98	-	-	-	-	-	-	-	-	-	2	2	8	13	23	12	17	4	7	6	3	1	-	-	-	-	-
	F	82	-	-	-	-	-	-	-	-	1	3	5	11	6	10	12	12	8	2	4	7	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,482	7	1	1	1	6	7	12	20	31	50	61	68	123	191	292	275	272	301	258	194	147	98	39	12	5	10
	White—M	651	-	-	-	-	1	1	3	7	3	3	10	8	18	39	52	74	88	103	91	64	45	32	6	1	1	1
	F	524	2	1	-	-	-	1	1	-	2	2	7	9	10	10	30	29	48	82	80	77	75	36	16	4	-	2
	All other—M	672	4	-	-	-	2	2	4	4	15	26	21	28	47	72	109	90	73	58	47	27	14	13	8	3	-	5
	F	635	1	-	1	1	3	3	4	9	11	19	23	23	48	70	101	82	63	58	40	26	13	17	9	4	4	2
107-109	Pneumonia (all forms)	1,295	421	78	38	9	15	25	17	19	46	48	34	38	58	52	50	60	59	56	48	37	41	20	18	3	1	2
	White—M	297	87	12	5	1	4	4	5	-	10	8	4	8	10	10	15	20	13	15	28	16	13	7	-	1	-	1
	F	227	61	11	6	2	1	3	4	1	5	6	5	8	6	3	5	10	14	17	11	12	23	7	6	-	-	-
	All other—M	378	145	22	11	2	2	3	4	8	11	18	11	8	23	22	17	17	16	13	7	6	-	3	6	1	1	1
	F	391	128	33	16	4	8	15	4	10	20	16	14	14	19	17	13	13	16	11	2	3	5	3	6	1	-	-
117	Ulcer of stomach or duodenum	104	1	-	-	-	-	-	-	1	4	7	10	9	10	12	15	8	9	6	8	1	1	1	-	-	-	1
	White—M	54	-	-	-	-	-	-	-	-	-	1	4	2	6	9	7	7	6	4	5	1	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-
	All other—M	36	1	-	-	-	-	-	-	1	2	5	4	7	3	3	7	-	1	-	1	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	554	396	89	22	4	5	7	2	1	-	3	2	2	2	-	1	3	2	2	3	3	3	1	1	-	-	-
	White—M	120	97	10	2	1	1	2	1	-	-	1	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-
	F	87	66	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	All other—M	182	119	35	8	2	4	2	1	1	-	2	1	1	-	-	1	-	1	-	1	2	1	-	-	-	-	-
	F	165	114	32	8	-	-	3	-	-	-	-	-	1	1	-	-	2	1	-	1	1	-	-	1	-	-	-
121	Appendicitis	114	1	-	1	-	1	12	3	17	9	11	13	6	10	10	3	4	4	4	2	1	1	-	-	-	-	1
	White—M	34	-	-	1	-	-	4	-	5	2	2	5	2	4	1	1	2	1	1	1	1	1	-	-	-	-	-
	F	23	-	-	-	-	1	5	-	1	3	2	2	1	1	-	1	2	2	1	-	-	-	-	-	-	-	1
	All other—M	33	1	-	-	-	-	1	2	7	1	5	4	1	2	4	1	-	1	2	1	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	2	1	4	3	2	2	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	115	12	1	-	1	2	4	1	3	6	6	3	5	7	5	11	11	9	13	2	6	4	1	-	-	1	1
	White—M	32	4	-	-	1	1	1	-	1	1	-	1	1	1	1	1	3	1	6	1	3	4	-	-	-	-	-
	F	22	-	-	-	-	1	-	1	-	3	1	2	2	-	-	2	2	4	3	-	1	-	-	-	-	-	-
	All other—M	30	5	-	-	-	-	-	-	1	-	3	-	2	1	2	3	4	1	3	1	1	-	1	-	-	1	1
	F	31	3	1	-	-	-	3	-	1	2	2	-	-	5	2	5	2	3	1	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	67	-	-	-	-	-	1	-	-	-	1	5	2	9	6	15	9	6	9	2	2	-	-	-	-	-	-
	White—M	37	-	-	-	-	-	1	-	-	-	-	1	1	6	5	4	4	4	8	2	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	1	1	-	1	-	-	-	-	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	1	-	2	-	6	5	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	43	-	-	-	-	-	-	-	-	1	1	1	2	-	5	4	5	6	10	3	3	1	-	-	-	-	1
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	1	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	-	1	-	4	2	3	2	6	1	2	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-
130-132	Nephritis	1,981	4	1	4	6	2	6	7	15	26	39	54	69	114	168	184	215	239	237	207	149	128	71	20	5	3	8
	White—M	506	-	-	2	2	-	-	1	1	6	5	5	6	18	24	36	54	63	70	84	53	45	22	7	-	-	2
	F	354	-	-	-	2	-	2	1	4	2	2	6	6	16	11	22	23	36	52	44	46	49	22	6	1	-	1
	All other—M	611	2	1	1	-	2	4	2	3	7	19	19	28	44	67	74	65	85	75	49	25	20	11	6	1	-	1
	F	510	2	-	1	2	-	-	3	7	11	13	24	29	36	66	52	73	55	40	30	25	14	16	1	3	3	4
137	Diseases of the prostate	46	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	5	5	4	9	7	9	3	-	1	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	7	5	7	1	-	1	-	-
	All other—M	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	3	-	2	2	2	2	-	-	-	-
140, 142a, 147	Puerperal septicemia	97	-	-	-	-	-	-	-	13	25	22	21	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	3	11	8	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	57	-	-	-	-	-	-	-	10	14	14	9	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	102	-	-	-	-	-	-	2	23	35	13	14	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	1	5	10	1	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	73	-	-	-	-	-	-	1	18	25	12	7	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	101	-	-	-	-	-	-	1	10	21	22	16	19	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	2	7	9	7	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	61	-	-	-	-	-	-	1	8	14	13	9	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	189	159	10	2	-	2	4	1	5	2	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1
	White—M	77	66	2	1	-	2	-	-	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	60	51	3	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	All other—M	20	17	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	25	3	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	753	753	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	250	250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	190	190	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	124	-	-	-	-	-	-	-	1	5	14	27	8	16	13	19	5	10	3	2	-	1	-	-	-	-	-
	White—M	88	-	-	-	-	-	-	-	1	3	9	17	4	13	7	15	5	8	3	2	-	1	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	1	2	8	4	1	5	4	-	2	-	-	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	262	-	-	-	-	-	-	1	23	56	58	42	26	22	11	10	6	5	1	-	-	-	-	-	-	-	1
	White—M	50	-	-	-	-	-	-	-	1	4	10	8	4	5	4	5	5	3	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	169	-	-	-	-	-	-	1	14	39	41	26	19	14	6	5	1	2	-	-	-	-	-	-	-	-	1
	F	40	-	-	-	-	-	-	-	8	13	7	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	686	6	8	2	5	10	29	26	90	115	76	62	33	36	33	41	20	30	21	25	10	1	2	-	-	-	5
	White—M	378	3	3	2	2	3	13	10	44	81	51	28	16	16	15	23	16	15	11	16	6	-	2	-	-	-	2
	F	85	-	4	-	2	3	4	5	9	7	8	11	4	6	5	6	-	5	3	2	1	-	-	-	-	-	-
	All other—M	187	2	1	-	1	3	10	9	29	23	17	18	11	12	12	11	3	8	6	6	2	-	-	-	-	-	3
	F	36	1	-	-	-	1	2	2	8	4	-	5	2	2	1	1	1	2	1	1	1	1	-	-	-	-	-
169, 171-195	Other accidents	832	66	32	16	21	22	41	44	68	64	59	53	37	42	51	30	27	28	24	22	25	33	15	7	1	1	3
	White—M	305	23	6	4	4	7	11	17	22	26	31	29	17	17	23	12	10	6	11	6	7	7	6	-	-	1	2
	F	112	8	1	1	-	5	3	6	10	3	-	4	1	-	1	3	1	4	7	10	12	19	8	4	1	-	-
	All other—M	306	17	17	8	12	5	12	17	33	30	25	18	17	22	23	7	11	8	5	5	6	4	-	3	-	-	1
	F	109	18	8	3	5	5	15	4	3	5	3	2	2	3	4	8	5	10	1	1	-	3	1	-	-	-	-
	All other causes*	3,055	1,193	65	32	14	17	37	27	57	70	87	78	107	114	134	138	157	160	129	114	90	102	60	38	16	10	9
	White—M	617	196	11	2	4	5	8	8	10	11	12	6	17	21	23	27	43	47	42	35	25	42	17	4	1	-	-
	F	432	128	8	5	2	3	7	1	4	7	13	14	21	11	16	16	20	26	20	29	25	26	14	12	3	-	1
	All other—M	1,087	512	31	12	5	3	13	8	14	16	26	23	21	40	49	58	61	50	39	21	23	24	15	9	5	5	4
	F	919	357	15	13	3	6	9	10	29	36	36	35	48	42	46	37	33	37	28	29	17	10	14	13	7	5	4

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes	5,693	502	62	25	14	24	57	64	105	122	75	102	122	150	215	284	385	473	573	693	655	590	285	104	22	4	8
	White—M	3,212	251	20	8	10	10	25	33	47	64	39	53	67	86	121	171	245	294	342	414	351	353	142	54	6	3	3
	F	2,096	167	13	10	4	10	23	20	33	36	19	37	45	55	81	98	127	149	209	265	266	230	133	48	15	1	2
	All other—M	213	52	13	3	-	1	5	3	14	12	9	7	2	5	11	10	8	18	10	10	8	5	4	1	1	-	1
	F	172	32	16	4	-	3	4	8	11	10	8	5	8	4	2	5	5	12	12	4	10	2	6	1	-	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	32	20	5	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	1	1	-	-	1	4	1	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	165	5	6	-	-	-	-	4	17	17	11	15	12	9	13	12	15	12	4	7	3	2	1	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	-	1	3	8	5	3	9	6	5	6	2	4	1	1	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	2	3	2	2	4	2	3	2	8	1	1	2	2	1	-	-	-	-	-
	All other—M	42	3	2	-	-	-	-	-	8	8	4	2	1	2	1	3	2	3	1	1	-	-	1	-	-	-	-
	F	34	2	4	-	-	-	-	4	7	5	2	3	2	2	-	1	-	2	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	26	1	3	-	-	-	2	2	4	1	-	-	1	4	-	2	2	1	1	-	-	2	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	7	1	2	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	41	1	-	-	-	-	-	-	-	-	1	3	4	3	1	6	7	5	4	3	1	2	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	3	1	2	1	5	4	4	3	1	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	99	14	1	1	1	2	1	1	-	1	2	-	1	7	2	5	3	2	6	11	11	15	5	4	1	1	1
	White—M	53	7	1	1	-	1	-	1	-	1	2	-	1	5	1	3	1	2	2	7	9	6	1	1	-	-	-
	F	37	3	-	-	1	1	-	-	-	-	-	-	-	2	1	-	2	-	4	4	2	9	4	2	1	1	-
	All other—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	307	-	-	-	-	-	1	-	-	1	1	3	-	9	20	14	39	36	30	63	49	30	10	1	-	-	-
	White—M	176	-	-	-	-	-	1	-	-	1	-	1	-	5	11	10	25	20	17	41	18	18	7	1	-	-	-
	F	128	-	-	-	-	-	-	-	-	-	1	2	-	4	8	4	14	14	13	22	31	12	3	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46,49	Cancer of female genital organs	53	-	-	-	-	-	-	-	-	-	1	4	4	2	6	5	8	4	10	3	4	2	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	-	-	1	4	4	2	6	5	8	3	10	3	4	2	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Contd.																											
50	Cancer of breast	50	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	6	10	8	5	5	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	6	9	8	5	5	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	226	1	-	2	-	-	3	3	1	5	3	3	2	6	12	17	14	26	28	37	34	20	5	3	1	-	-
	White—M	169	1	-	-	-	-	2	1	1	5	1	2	2	4	5	9	10	21	24	31	28	16	3	2	1	-	-
	F	54	-	-	2	-	-	1	2	-	-	2	1	-	2	7	8	4	2	4	6	6	4	2	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	1	1	2	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	164	-	-	-	-	-	-	2	1	-	-	-	1	2	5	11	16	18	39	23	25	15	6	-	-	-	-
	White—M	84	-	-	-	-	-	-	-	1	-	-	-	1	1	-	6	8	10	18	13	14	9	3	-	-	-	-
	F	75	-	-	-	-	-	-	1	-	-	-	-	-	1	4	4	8	7	21	10	11	6	2	-	-	-	-
	All other—M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	13	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	3	1	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	3	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	528	2	-	-	-	-	-	-	-	1	1	1	2	6	14	27	36	62	62	98	94	84	29	9	-	-	-
	White—M	304	-	-	-	-	-	-	-	-	-	1	-	1	2	6	18	21	38	35	59	55	50	15	3	-	-	-
	F	218	1	-	-	-	-	-	-	-	1	-	1	1	4	8	8	15	24	26	39	38	33	13	6	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	89	13	-	1	-	3	-	5	3	3	4	4	3	7	5	5	5	11	5	8	2	2	-	-	-	-	-
	White—M	48	7	-	1	-	2	-	3	1	2	1	1	1	5	3	3	4	5	2	4	1	2	-	-	-	-	-
	F	32	3	-	-	-	-	-	2	2	1	1	2	2	2	2	2	1	6	1	4	1	-	-	-	-	-	-
	All other—M	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	20	1	1	2	-	1	-	1	1	-	-	-	1	2	2	-	4	2	-	2	-	-	-	-	-	-	-
	White—M	13	1	1	-	-	-	-	-	1	-	-	-	1	1	1	-	3	2	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	108	-	-	-	-	1	-	3	4	1	-	5	8	6	8	6	12	9	7	14	13	8	3	-	-	-	-
	White—M	58	-	-	-	-	-	-	2	1	-	-	1	5	1	4	4	9	6	4	5	7	6	3	-	-	-	-
	F	47	-	-	-	-	1	-	1	3	1	-	4	3	5	4	1	2	3	3	8	6	2	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	468	-	-	-	-	-	-	-	-	2	-	3	7	6	21	36	60	61	82	77	58	33	17	4	1	-	-
	White—M	330	-	-	-	-	-	-	-	-	1	-	1	3	5	18	26	49	44	56	52	37	24	12	2	-	-	-
	F	136	-	-	-	-	-	-	-	-	1	-	1	4	1	3	10	11	16	26	25	21	9	5	2	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	790	2	1	-	1	-	3	1	5	4	2	4	6	8	19	27	38	63	102	143	127	146	60	23	3	1	1
	White—M	442	-	-	-	1	-	2	-	2	3	1	2	2	4	13	16	26	40	60	73	69	90	26	11	-	1	-
	F	318	1	1	-	-	-	1	1	3	1	1	2	3	3	3	9	9	21	35	66	54	55	33	12	3	-	1
	All other—M	21	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	3	4	2	1	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-	1	-	-	-	-
107-109	Pneumonia (all forms)	254	68	14	2	-	5	3	3	2	5	2	2	6	8	9	8	5	13	21	15	16	26	13	7	1	-	-
	White—M	133	25	4	1	-	3	1	1	-	3	1	2	3	5	7	4	4	7	17	8	10	15	7	5	-	-	-
	F	83	21	5	1	-	1	1	2	2	2	1	-	2	3	2	4	1	2	3	6	5	11	5	2	1	-	-
	All other—M	21	11	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-
	F	17	11	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	32	-	-	-	-	-	-	-	-	-	-	2	1	3	3	4	4	5	5	-	3	1	1	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	4	4	1	-	3	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	30	10	5	1	2	-	1	-	-	-	-	1	-	1	-	1	-	2	1	1	-	3	-	-	-	1	-
	White—M	15	3	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	2	-	-	-	1	-
	F	6	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	64	1	-	-	1	4	9	9	6	5	1	3	1	3	3	4	7	-	4	3	-	-	-	-	-	-	-
	White—M	40	1	-	-	1	1	4	5	4	2	1	3	1	2	1	4	4	-	4	2	-	-	-	-	-	-	-
	F	22	-	-	-	-	3	4	3	2	3	-	-	-	1	2	-	3	-	-	1	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	42	2	-	-	-	-	-	-	1	1	1	1	1	3	5	2	2	5	4	3	6	2	3	-	-	-	-
	White—M	24	2	-	-	-	-	-	-	1	1	1	-	1	2	1	1	2	4	1	3	3	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	-	1	3	-	3	1	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	37	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	3	5	7	5	3	1	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	4	1	1	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	6	4	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	48	-	-	1	-	-	-	-	-	-	-	-	1	1	2	4	6	9	5	6	3	5	5	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	2	1	2	-	-	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	5	3	3	2	3	5	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	369	1	1	-	3	-	1	3	2	8	2	2	5	7	15	9	19	38	44	62	53	56	29	6	2	-	1
	White—M	248	-	1	-	3	-	-	1	-	2	2	2	4	3	11	5	12	28	31	44	32	37	22	5	2	-	1
	F	115	-	-	-	-	-	1	2	2	4	-	-	1	4	4	4	6	10	13	17	21	18	7	1	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
137	Diseases of the prostate	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	3	8	6	8	2	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	3	8	6	8	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	17	-	-	-	-	-	-	-	-	6	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	6	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	6	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	9	-	-	-	-	-	-	1	-	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	70	63	2	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	38	34	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	26	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	67	-	-	-	-	-	-	-	1	4	3	7	5	5	5	13	6	8	4	2	2	1	1	-	-	-	-
	White—M	59	-	-	-	-	-	-	-	-	4	3	6	4	5	4	11	4	8	4	2	2	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	6	1	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	148	-	2	4	-	1	2	7	15	22	16	10	10	3	5	11	13	5	12	4	4	2	-	-	-	-	-
	White—M	107	-	-	1	-	1	1	7	10	15	13	5	9	3	2	6	11	4	10	3	4	2	-	-	-	-	-
	F	33	-	2	2	-	-	1	-	4	5	2	4	1	-	1	5	2	1	2	1	-	-	-	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	286	9	7	1	1	3	14	12	22	20	7	9	13	15	12	11	17	7	10	18	28	28	11	8	1	-	2
	White—M	182	4	6	-	1	1	7	9	17	18	4	7	10	15	10	8	11	4	8	11	13	11	2	2	1	-	2
	F	93	4	1	1	-	1	6	1	5	2	1	1	3	-	1	3	6	3	2	7	13	17	9	6	-	-	-
	All other—M	7	-	-	-	-	1	1	2	-	-	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	All other causes*	804	137	13	5	2	2	9	3	15	9	7	9	17	15	20	33	28	47	61	71	79	95	76	37	12	1	1
	White—M	388	70	3	1	1	-	3	2	6	5	4	5	7	8	9	19	16	22	31	40	34	48	31	20	2	1	-
	F	324	47	1	3	1	1	4	1	3	1	2	2	10	6	10	13	8	15	23	28	36	43	40	16	9	-	1
	All other—M	53	16	4	-	-	-	1	-	3	2	1	2	-	1	1	1	1	6	2	1	4	4	1	1	1	-	-
	F	39	4	5	1	-	1	1	-	3	1	-	-	-	-	-	-	3	4	5	2	5	-	4	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	All causes	28,623	3,250	431	183	119	90	306	290	658	886	906	995	1,050	1,253	1,462	1,725	1,858	2,191	2,707	2,729	2,312	1,779	982	507	86	34	34
	White—M	11,796	1,406	175	91	48	40	145	108	251	325	295	321	372	416	526	677	777	995	1,209	1,285	1,006	802	395	101	25	2	5
	F	9,360	1,103	183	54	46	37	104	91	171	251	252	240	253	311	353	449	547	706	877	987	950	794	470	141	29	10	11
	All other—M	3,910	425	53	22	14	4	28	49	103	171	198	215	220	257	304	308	280	265	339	244	184	96	59	34	18	7	13
	F	3,557	316	40	18	11	9	29	42	133	159	181	219	205	269	279	291	254	225	282	215	172	87	58	31	14	15	5
1,2	Typhoid, paratyphoid fever	41	-	-	2	1	1	3	1	8	3	5	5	1	3	2	1	2	1	1	1	-	-	-	-	-	-	-
	White—M	22	-	-	-	1	1	1	1	5	1	2	2	-	3	1	-	1	1	1	1	-	-	-	-	-	-	-
	F	13	-	-	1	-	-	1	-	2	1	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	34	9	1	3	1	-	2	5	3	3	2	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	14	4	1	1	-	-	1	1	2	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	10	2	-	-	1	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	2	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	16	-	2	3	2	1	5	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	1	1	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	182	107	32	10	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	60	44	10	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	42	12	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	20	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	51	7	10	6	9	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	28	2	7	5	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	2	3	-	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,139	13	12	7	3	1	9	21	124	243	220	229	177	177	154	150	121	147	140	95	52	31	10	3	-	-	-
	White—M	685	7	5	4	1	1	2	1	19	45	51	55	58	60	54	67	47	68	60	38	21	16	4	1	-	-	-
	F	699	4	3	2	-	-	2	4	30	75	68	58	50	53	47	38	52	60	58	46	28	14	6	1	-	-	-
	All other—M	378	2	3	1	2	-	2	4	23	59	49	51	39	40	31	26	14	9	14	6	2	-	-	1	-	-	-
	F	377	-	1	-	-	-	3	12	52	64	52	65	50	24	22	19	8	10	8	5	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	200	7	20	3	3	3	10	11	19	20	17	10	4	10	13	13	5	10	5	7	5	1	3	-	-	-	1
	White—M	86	3	5	1	-	2	4	4	6	5	7	5	2	2	3	4	2	5	-	5	1	-	-	-	-	-	-
	F	54	1	9	2	1	-	2	2	4	4	4	-	1	3	3	3	1	1	3	2	4	1	2	-	-	-	1
	All other—M	42	1	4	-	1	1	2	1	3	5	4	2	-	3	3	5	2	3	2	-	-	-	1	-	-	-	-
	F	58	2	2	-	1	-	2	4	6	6	2	3	1	2	4	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	110	48	20	4	2	1	2	-	-	-	1	1	-	1	2	-	1	3	2	5	7	7	2	1	-	-	-
	White—M	41	20	8	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	2	1	1	-	-	-
	F	50	20	10	1	1	1	2	-	-	-	1	-	-	-	-	-	1	2	1	2	5	3	-	-	-	-	-
	All other—M	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	F	9	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	50	4	1	1	-	-	1	3	2	1	-	4	1	3	2	5	-	5	1	5	4	6	1	-	-	-	-
	White—M	19	2	-	1	-	-	-	1	-	-	-	1	-	2	-	3	-	1	-	3	2	2	1	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	2	2	4	-	-	-	-	-
	All other—M	9	2	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	2	1	1	-	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis	426	32	1	2	-	1	-	4	6	19	19	34	54	54	39	39	26	29	27	19	13	2	2	2	-	-	2
	White—M	139	7	-	2	-	1	-	-	2	4	5	8	19	14	15	10	10	19	12	7	2	1	1	-	-	-	-
	F	35	5	-	-	-	-	-	-	-	2	2	5	5	4	1	4	-	2	1	2	2	-	-	-	-	-	-
	All other—M	164	6	1	-	-	-	-	1	1	8	5	13	24	23	16	17	12	7	11	7	9	-	1	1	-	-	1
	F	88	14	-	-	-	-	-	3	3	5	7	8	6	13	7	8	4	1	3	3	-	1	-	1	-	-	1
33	Influenza	979	131	29	10	7	6	11	10	15	14	25	22	22	37	32	38	55	49	77	103	105	86	66	21	6	2	2
	White—M	369	50	10	6	3	3	5	2	4	3	7	7	5	13	9	10	22	20	31	43	37	35	34	7	3	-	-
	F	338	51	9	2	2	2	3	4	5	4	7	5	7	6	5	11	7	18	23	39	48	38	29	11	1	-	1
	All other—M	132	13	3	1	1	-	3	1	1	1	4	4	7	11	6	9	14	5	10	12	11	9	2	-	2	1	1
	F	140	17	7	1	1	1	-	3	3	6	7	6	3	7	12	8	12	6	13	9	9	4	1	3	-	1	-
35	Measles	152	32	17	11	10	3	16	7	4	4	2	5	3	3	-	2	2	-	5	2	2	1	1	-	-	-	-
	White—M	57	12	8	4	5	2	9	2	3	2	2	1	1	-	-	1	1	-	1	1	2	-	-	-	-	-	-
	F	81	16	6	4	5	1	5	5	1	2	-	2	2	3	-	1	1	-	4	1	-	1	1	-	-	-	-
	All other—M	6	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	42	4	3	5	5	3	10	8	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	25	4	1	4	3	1	4	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	13	-	2	1	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	942	-	-	-	-	-	1	-	1	7	10	18	24	36	56	83	105	128	141	132	98	87	27	7	-	-	1
	White—M	388	-	-	-	-	-	1	-	-	1	5	7	13	15	19	33	47	53	68	85	34	18	8	1	-	-	-
	F	416	-	-	-	-	-	-	-	-	4	4	8	5	12	26	34	38	57	52	57	58	43	16	4	-	-	-
	All other—M	75	-	-	-	-	-	-	-	1	1	1	1	2	7	8	6	14	9	10	5	6	3	1	1	-	-	1
	F	63	-	-	-	-	-	-	-	-	1	-	2	4	2	5	10	6	9	11	5	2	3	2	1	-	-	-
48,49	Cancer of female genital organs	406	-	-	-	-	-	-	1	2	2	10	19	32	52	54	41	55	44	47	18	17	7	3	-	-	-	2
	White—F	287	-	-	-	-	-	-	-	2	2	7	13	21	30	39	31	40	32	34	18	13	5	-	-	-	-	2
	All other—F	119	-	-	-	-	-	-	1	-	-	3	6	11	22	15	10	15	12	13	2	4	2	3	-	-	-	-

*Refer to complete International List titles, table II, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Contd.																											
50	Cancer of breast	242	-	-	-	-	-	-	-	-	2	2	6	7	24	32	27	33	29	31	22	16	6	5	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	185	-	-	-	-	-	-	-	-	1	1	4	5	14	25	21	27	23	25	17	12	5	5	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	1	1	1	2	10	6	6	6	6	6	5	4	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	748	3	5	2	1	3	6	2	12	15	16	15	18	32	44	64	68	86	87	114	65	59	23	7	-	-	1
	White—M	426	1	2	-	1	1	4	-	7	10	7	6	8	12	21	22	38	55	57	73	49	35	11	5	-	-	1
	F	216	1	3	1	-	1	1	2	2	5	6	4	3	9	15	29	21	23	20	30	9	18	11	2	-	-	-
	All other—M	76	1	-	1	-	-	-	-	1	-	3	3	5	7	5	8	5	7	8	9	7	5	1	-	-	-	-
	F	30	-	-	-	-	1	1	-	2	-	-	2	2	4	3	5	4	1	2	2	-	1	-	-	-	-	-
58	Acute rheumatic fever	85	-	-	4	-	2	6	9	6	1	5	3	5	-	3	4	3	3	4	3	4	-	-	-	-	-	-
	White—M	19	-	-	2	-	2	1	4	2	-	-	2	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F	27	-	-	2	-	-	3	5	3	1	3	-	3	-	1	-	2	-	2	-	2	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	1	-	1	-	1	-	1	-	-	2	1	-	1	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	2	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	366	2	-	-	1	-	3	3	6	7	8	3	4	12	19	27	35	65	53	50	38	22	7	-	-	-	1
	White—M	149	1	-	-	1	-	2	-	5	2	2	1	2	1	6	11	14	24	18	22	28	9	2	-	-	-	-
	F	152	1	-	-	-	-	1	1	-	4	2	2	2	4	5	7	15	28	27	26	10	12	4	-	-	-	1
	All other—M	28	-	-	-	-	-	-	-	1	1	1	-	-	2	3	7	2	4	4	1	2	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	2	-	-	3	-	-	5	5	2	4	9	4	1	-	1	1	-	-	-	-
63b	Exophthalmic goiter	39	-	-	-	-	-	-	-	-	2	2	3	1	3	2	8	4	3	7	1	2	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	1	1	2	-	2	1	6	3	3	6	1	2	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	120	-	-	-	-	-	-	-	1	3	2	4	5	8	5	7	11	13	14	22	15	6	2	-	1	-	1
	White—M	39	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	6	8	9	7	-	1	-	-	-	-
	F	66	-	-	-	-	-	-	-	1	-	-	3	2	4	3	4	8	6	5	13	8	6	1	-	1	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	3	1	1	2	3	1	1	1	1	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	51	-	-	-	-	-	1	-	-	1	3	5	11	4	9	7	4	4	2	-	-	-	-	-	-	-	-
	White—M	45	-	-	-	-	-	1	-	-	-	3	2	10	4	8	6	4	3	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,461	12	2	1	1	1	1	2	4	11	13	33	47	67	129	171	214	272	358	405	332	231	114	27	4	9	2
	White—M	924	3	-	-	-	-	1	1	1	6	4	8	7	12	36	59	61	112	153	158	150	113	46	10	-	2	1
	F	910	6	2	1	1	1	-	1	1	1	-	8	7	18	30	45	69	89	123	180	160	100	52	12	2	1	-
	All other—M	256	1	-	-	-	-	-	-	-	-	4	5	15	15	22	29	33	38	34	25	17	6	10	1	-	1	-
	F	371	2	-	-	-	-	-	-	2	4	5	12	18	22	41	38	51	33	46	42	25	12	6	4	2	5	1
80-82, 84-88	Other diseases of nervous system, etc.*	339	34	16	5	1	1	11	11	17	13	16	18	15	18	20	21	19	25	22	29	11	10	6	-	1	-	1
	White—M	128	11	11	3	1	-	5	4	4	4	5	9	7	3	7	7	9	8	9	12	2	5	2	-	-	-	-
	F	107	10	4	1	-	1	2	3	7	3	2	4	3	8	3	9	5	11	7	9	7	4	4	-	-	-	-
	All other—M	62	11	1	1	-	-	4	2	6	3	3	4	3	3	6	1	3	1	4	4	-	-	-	-	1	-	1
	F	42	2	-	-	-	-	-	2	-	3	6	1	2	4	4	4	2	3	2	4	2	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	158	32	5	6	3	4	11	5	9	8	13	6	9	6	10	6	9	3	4	3	4	-	1	1	-	-	-
	White—M	60	13	2	2	1	1	8	2	3	3	6	5	6	-	3	2	1	1	1	1	1	-	-	-	-	-	-
	F	58	9	1	3	1	2	3	2	5	3	1	1	1	4	2	4	5	2	2	1	3	-	1	-	-	-	-
	All other—M	22	7	1	-	1	-	-	-	-	2	2	-	-	1	4	-	2	-	1	-	-	-	-	1	-	-	-
	F	20	3	1	1	-	1	2	1	1	-	4	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	534	-	-	-	1	1	17	11	12	10	14	11	17	15	27	28	54	52	64	79	55	31	27	5	3	-	-
	White—M	194	-	-	-	1	1	6	4	5	3	5	-	5	8	9	6	22	17	26	34	18	14	9	1	-	-	-
	F	189	-	-	-	-	-	5	4	5	1	5	6	6	3	7	6	14	18	18	19	19	14	15	3	1	-	-
	All other—M	94	-	-	-	-	-	4	1	2	1	1	2	2	2	7	7	14	8	13	13	10	3	2	-	2	-	-
	F	77	-	-	-	-	-	2	2	-	5	3	3	4	2	4	9	4	9	7	13	8	-	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,325	-	-	-	-	-	1	-	3	4	4	14	34	60	80	124	156	205	214	175	118	88	29	15	1	-	-
	White—M	834	-	-	-	-	-	-	-	3	2	1	7	24	37	51	87	106	144	151	106	67	45	18	5	-	-	-
	F	358	-	-	-	-	-	-	-	-	1	-	1	6	10	11	21	34	46	68	60	41	41	11	6	1	-	-
	All other—M	82	-	-	-	-	-	-	-	-	-	-	4	1	6	10	11	11	10	12	7	6	2	-	2	-	-	-
	F	51	-	-	-	-	-	1	-	-	1	3	2	3	7	8	5	5	5	3	2	4	-	-	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,451	9	6	-	2	-	5	12	16	18	29	36	56	97	160	242	277	357	475	495	491	385	185	56	11	7	6
	White—M	1,475	3	4	-	2	-	1	7	1	5	8	17	18	32	45	82	120	155	223	254	231	186	79	19	2	-	1
	F	1,041	6	2	-	-	-	3	1	9	10	6	5	8	17	21	45	70	97	128	164	183	152	79	27	3	4	1
	All other—M	440	-	-	-	-	-	-	3	2	-	6	9	12	21	47	53	44	56	71	47	29	18	9	6	5	-	2
	F	475	-	-	-	-	-	1	1	4	3	9	5	18	27	47	62	43	49	53	50	48	27	18	4	1	3	2
107-109	Pneumonia (all forms)	1,820	444	85	35	15	4	23	19	32	31	31	41	42	42	57	80	71	100	133	134	127	132	89	33	15	2	3
	White—M	897	171	35	18	6	-	8	2	12	11	6	11	7	10	25	30	25	30	54	62	57	69	51	10	8	-	1
	F	610	148	33	6	5	2	9	9	8	5	4	11	9	10	10	18	15	26	49	50	58	52	50	16	6	2	1
	All other—M	283	72	13	6	3	1	3	5	4	10	10	8	16	14	13	16	18	23	15	10	6	6	3	5	2	-	1
	F	230	53	4	5	1	1	3	3	8	5	11	11	10	8	9	18	13	21	13	12	6	5	5	2	1	-	-
117	Ulcer of stomach or duodenum	164	-	-	-	-	-	-	-	2	3	5	11	13	19	18	29	12	14	12	13	8	3	2	-	-	-	-
	White—M	106	-	-	-	-	-	-	-	1	2	4	7	8	13	14	15	8	12	6	8	4	2	2	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	3	-	3	3	1	1	-	-	-	-	-
	All other—M	27	-	-	-	-	-	-	-	1	1	1	3	1	2	1	9	1	1	2	1	3	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	1	1	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Contd.																											
119,120	Diarrhea, enteritis, etc.*	481	299	70	20	6	4	3	-	4	1	1	3	3	3	2	4	5	6	13	8	9	8	6	3	-	-	-
	White—M	192	135	25	11	1	-	1	-	-	-	-	-	-	-	1	-	-	1	3	4	2	6	1	1	-	-	-
	F	170	97	33	6	3	2	2	-	-	1	-	-	2	-	-	1	2	3	5	2	6	2	2	1	-	-	-
	All other—M	59	37	7	1	1	1	-	-	1	-	-	2	-	1	1	1	1	1	1	-	1	-	1	1	-	-	-
	F	60	30	5	2	1	1	-	-	3	-	1	1	1	2	-	2	2	1	4	2	-	-	2	-	-	-	-
121	Appendicitis	203	1	2	1	1	1	13	22	25	12	16	15	6	7	16	11	16	11	12	10	1	3	1	-	-	-	-
	White—M	99	1	1	-	-	1	7	8	14	3	5	11	4	4	8	6	6	5	7	6	-	1	1	-	-	-	-
	F	57	-	1	1	1	-	5	9	6	5	6	1	1	-	2	2	4	5	4	1	1	2	-	-	-	-	-
	All other—M	25	-	-	-	-	-	-	3	3	2	2	1	-	1	5	2	2	1	1	2	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	1	2	2	2	3	2	1	2	1	1	4	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	234	24	3	2	3	-	5	3	6	11	4	12	9	15	18	13	16	23	21	22	12	8	4	-	-	-	-
	White—M	76	7	2	2	-	-	3	1	2	3	-	2	-	3	1	2	7	11	9	11	3	4	1	-	-	-	-
	F	79	11	1	-	2	-	-	2	3	3	2	1	2	4	5	5	5	6	7	8	7	2	3	-	-	-	-
	All other—M	39	4	-	-	-	-	-	-	-	1	1	5	3	3	7	1	3	4	2	3	1	1	-	-	-	-	-
	F	40	2	-	-	1	-	-	-	1	4	1	4	4	5	5	5	1	2	3	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	141	-	1	-	-	-	1	-	-	-	1	5	9	11	10	18	18	18	22	15	7	4	-	1	-	-	-
	White—M	92	-	1	-	-	-	-	-	-	-	1	3	7	6	9	8	11	16	14	9	4	2	-	1	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	1	1	3	-	8	5	2	6	6	3	1	-	-	-	-	-
	All other—M	9	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	95	-	-	-	-	-	-	-	-	-	1	2	7	4	8	8	14	11	14	7	7	6	6	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	3	3	2	-	1	-	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	1	1	6	3	4	6	8	8	9	4	5	4	5	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	1	-	-	-	-	-
130-132	Nephritis	1,921	7	1	2	5	-	5	7	10	11	20	32	61	78	93	131	143	170	262	281	271	181	106	30	10	3	1
	White—M	773	5	-	-	4	-	4	2	7	3	6	4	12	22	31	48	58	72	92	143	116	81	48	14	1	-	-
	F	610	1	1	1	1	-	1	3	3	5	8	10	17	20	15	32	30	49	82	84	100	83	46	12	4	2	-
	All other—M	283	-	-	-	-	-	-	2	-	2	3	6	14	10	26	23	29	28	48	39	27	11	8	2	3	1	1
	F	255	1	-	1	-	-	-	-	-	1	3	12	18	26	21	28	26	21	40	15	28	6	4	2	2	-	-
137	Diseases of the prostate	185	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	16	41	39	45	26	10	-	1	-	-
	White—M	147	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	9	30	33	35	24	9	-	1	-	-
	All other—M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	11	6	8	2	1	-	-	-	-
140, 142a, 147	Puerperal septicemia	74	-	-	-	-	-	-	-	12	16	16	17	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	40	-	-	-	-	-	-	-	5	7	6	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other—F	34	-	-	-	-	-	-	-	7	9	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	56	-	-	-	-	-	-	-	8	10	18	5	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	42	-	-	-	-	-	-	-	5	7	16	4	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	14	-	-	-	-	-	-	-	3	3	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145,146, 149,150	Other puerperal causes	89	-	-	-	-	-	-	1	6	19	13	19	21	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	62	-	-	-	-	-	-	1	5	13	9	15	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	27	-	-	-	-	-	-	-	1	6	4	6	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	254	223	5	4	2	1	5	3	2	1	2	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	124	113	2	1	1	-	2	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	111	96	2	3	1	1	2	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	9	6	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	743	743	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	256	256	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	242	-	-	-	-	-	-	-	12	24	28	16	21	23	29	19	20	18	13	10	5	1	2	1	-	-	-
	White—M	172	-	-	-	-	-	-	-	6	17	24	7	16	12	18	15	17	14	10	8	5	1	1	1	-	-	-
	F	57	-	-	-	-	-	-	-	6	4	4	6	3	10	9	4	2	3	3	2	-	-	1	-	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	3	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	418	1	1	-	-	-	-	2	33	76	68	62	50	41	35	19	10	10	3	4	-	1	1	-	-	-	1
	White—M	137	-	1	-	-	-	-	1	5	26	18	20	17	12	16	5	5	7	3	3	-	-	-	-	-	-	-
	F	22	1	-	-	-	-	-	-	1	6	-	3	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	215	-	-	-	-	-	-	1	15	38	41	35	25	20	18	13	5	2	-	1	-	-	1	-	-	-	-
	F	44	-	-	-	-	-	-	-	12	6	11	4	3	6	-	-	-	-	-	-	-	1	-	-	-	-	1
170	Motor-vehicle accidents	752	3	3	3	6	5	22	31	104	112	77	60	56	48	46	42	38	26	25	24	16	4	1	-	-	-	-
	White—M	491	2	-	2	1	4	11	19	68	80	48	39	38	34	28	28	28	17	14	16	14	1	1	-	-	-	-
	F	127	1	1	-	2	1	10	6	21	19	10	9	7	4	8	6	2	6	3	8	1	2	-	-	-	-	-
	All other—M	98	-	-	1	1	-	-	6	9	8	18	7	9	7	9	5	6	2	8	-	1	1	-	-	-	-	-
	F	38	-	2	-	2	-	1	-	6	5	1	5	2	3	3	3	2	1	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,147	71	31	11	11	17	35	39	77	78	77	73	73	70	47	40	37	35	52	52	87	70	52	22	6	2	2
	White—M	593	30	12	6	4	8	19	21	45	57	43	51	49	46	31	27	17	20	23	18	21	25	12	6	2	-	-
	F	307	22	11	4	4	5	8	7	12	9	9	6	6	2	5	5	7	9	20	26	41	39	34	14	2	-	-
	All other—M	171	7	6	1	2	1	4	8	16	10	21	13	17	17	8	4	11	2	4	4	2	4	3	1	1	2	2
	F	76	12	2	-	1	3	4	3	4	2	4	3	1	5	3	4	2	4	5	4	3	2	3	1	1	-	-
	All other causes*	3,995	948	47	20	10	11	52	37	53	69	90	111	113	152	184	198	197	200	305	324	285	287	188	72	27	9	6
	White—M	1,541	433	21	10	3	4	28	13	18	25	20	20	25	34	53	74	84	82	138	144	110	105	70	18	10	-	1
	F	1,294	294	13	5	6	7	22	15	15	19	32	26	27	34	45	40	50	67	79	106	113	144	92	32	8	1	2
	All other—M	622	139	6	5	1	-	1	8	9	15	16	25	20	37	44	48	30	35	52	40	35	22	15	12	2	2	3
	F	538	82	7	-	-	-	3	1	11	10	22	40	41	47	42	36	33	16	38	34	27	16	11	10	7	6	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	All causes	60,581	7,744	856	366	271	167	681	709	1,440	1,767	1,837	2,072	2,258	2,659	3,034	3,715	4,209	4,596	5,433	5,371	4,344	3,782	2,160	774	190	93	73
	White—M	28,890	3,644	388	155	118	72	311	305	603	733	726	794	903	1,106	1,374	1,775	2,206	2,503	2,803	2,776	2,206	1,892	1,038	332	73	23	33
	F	20,408	2,813	344	144	102	58	226	255	503	578	643	659	698	730	793	929	1,144	1,357	1,724	1,887	1,694	1,673	974	350	86	29	15
	All other—M	6,029	709	65	34	25	15	71	82	155	217	252	310	313	406	487	525	469	411	526	420	271	119	78	42	19	17	11
	F	5,254	578	59	33	26	22	73	69	179	239	236	309	344	397	380	486	390	325	380	288	173	98	70	50	12	24	14
1,2	Typhoid, paratyphoid fever	132	2	3	3	-	1	10	17	15	15	20	13	12	6	2	2	5	-	3	1	1	1	-	-	-	-	-
	White—M	40	1	1	1	-	1	4	3	4	6	5	3	5	1	-	1	2	-	1	-	1	-	-	-	-	-	-
	F	41	1	-	1	-	-	6	8	4	3	4	7	2	1	-	-	2	-	1	1	-	-	-	-	-	-	-
	All other—M	29	-	-	-	-	-	-	2	5	4	6	2	3	3	2	-	-	-	1	-	-	1	-	-	-	-	-
	F	22	-	2	1	-	-	-	4	2	2	5	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	5	3	3	1	1	4	2	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	1	1	1	1	-	1	2	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	-	-	2	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	225	173	31	8	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	74	57	11	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	110	82	16	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	21	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	15	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	158	13	24	19	30	17	39	9	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	61	3	8	9	14	5	17	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	59	8	10	5	8	6	17	1	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	All other—M	19	1	4	3	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	1	2	2	2	3	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,494	15	18	7	3	3	16	54	291	428	427	419	356	257	253	216	224	167	151	90	57	27	14	-	-	-	1
	White—M	1,470	9	8	4	1	2	7	10	92	125	135	154	140	117	121	119	135	94	82	65	30	12	8	-	-	-	-
	F	1,310	2	7	2	-	1	5	33	141	195	191	160	135	80	71	62	63	51	48	22	22	14	5	-	-	-	-
	All other—M	376	1	2	1	1	-	2	3	18	39	50	53	40	42	43	25	17	17	14	2	4	-	1	-	-	-	1
	F	338	3	1	-	1	-	2	8	40	69	51	52	41	18	18	10	9	5	7	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	218	23	27	14	9	1	11	10	19	16	22	11	9	9	8	9	6	4	4	3	-	2	1	-	-	-	-
	White—M	93	6	10	8	4	-	5	3	9	5	9	5	3	5	4	4	4	1	3	3	-	1	1	-	-	-	-
	F	75	11	11	4	4	1	1	6	9	4	8	3	3	1	1	3	1	3	-	-	-	1	-	-	-	-	-
	All other—M	27	3	3	-	-	-	3	1	1	3	1	2	3	1	3	1	1	-	1	-	-	-	-	-	-	-	-
	F	23	3	3	2	1	-	2	-	-	4	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	340	172	37	7	3	3	3	2	1	2	1	6	8	5	9	4	10	6	13	12	9	11	9	4	-	2	1
	White—M	148	78	17	2	1	2	-	-	-	1	1	2	1	1	4	1	7	4	6	4	4	7	3	1	-	-	1
	F	158	70	15	3	2	1	1	2	-	1	-	1	4	1	4	-	2	2	4	7	5	4	4	3	-	2	-
	All other—M	24	11	3	1	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	1	-	-	-	-	-	-	-
	F	30	13	2	1	-	-	2	-	1	-	-	2	2	1	1	1	-	-	2	-	-	-	2	-	-	-	-
28	Malaria	157	23	11	3	5	4	8	6	8	8	7	5	3	5	5	7	7	6	6	11	11	3	2	2	-	-	1
	White—M	45	6	5	-	-	1	3	2	1	1	1	2	1	1	1	3	3	2	1	3	3	3	1	1	-	-	-
	F	44	9	3	2	1	1	2	2	1	3	3	1	1	-	1	1	1	2	-	5	4	-	1	-	-	-	-
	All other—M	32	3	1	-	1	2	1	1	2	2	1	1	1	1	1	2	3	1	2	2	3	-	-	1	-	-	-
	F	36	5	2	1	3	-	2	1	4	2	2	1	-	3	2	1	-	1	3	1	1	-	-	-	-	-	1
30	Syphilis	806	87	6	3	-	2	2	4	8	14	34	45	67	88	89	77	86	70	64	32	17	7	1	-	-	-	3
	White—M	318	17	2	-	-	-	-	-	1	2	7	6	12	42	39	32	43	44	36	18	9	5	1	-	-	-	2
	F	123	26	2	1	-	-	2	1	4	4	6	8	8	6	10	10	10	10	7	4	3	2	-	-	-	-	1
	All other—M	257	24	2	2	-	-	-	2	2	4	12	19	28	28	35	30	27	10	20	7	5	-	-	-	-	-	-
	F	108	20	-	-	-	2	-	1	1	4	9	14	19	12	5	5	6	6	1	3	-	-	-	-	-	-	-
33	Influenza	1,937	304	58	25	15	5	30	29	40	45	47	50	61	56	62	100	112	101	125	152	164	161	116	55	17	5	2
	White—M	779	139	28	7	5	1	8	10	14	9	14	16	25	14	19	37	56	40	55	67	74	68	43	22	7	1	-
	F	764	110	18	13	8	3	15	13	10	17	23	21	17	17	16	28	23	37	48	60	77	84	68	28	5	3	2
	All other—M	198	31	6	1	-	-	4	2	6	8	4	5	12	12	11	19	19	10	14	14	6	6	1	2	4	1	-
	F	196	24	6	4	2	1	3	4	10	11	6	8	7	13	16	16	14	14	8	11	7	3	4	3	1	-	-
35	Measles	81	23	21	5	3	3	11	5	5	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	47	15	10	3	3	2	5	3	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	6	11	1	-	1	3	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	48	5	3	4	2	1	10	8	5	5	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	25	1	2	4	1	-	8	3	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	16	2	1	-	1	-	1	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	4	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,109	2	-	2	-	-	-	-	1	9	10	34	49	77	133	207	246	304	357	304	195	121	44	10	2	1	1
	White—M	1,030	1	-	1	-	-	-	-	1	2	4	11	21	23	60	88	115	170	192	151	96	65	23	4	1	-	1
	F	813	1	-	1	-	-	-	-	-	5	5	12	19	30	40	72	93	116	127	121	94	52	18	5	1	1	-
	All other—M	140	-	-	-	-	-	-	-	-	1	-	2	5	11	21	25	21	10	21	20	2	1	-	-	-	-	-
	F	126	-	-	-	-	-	-	-	-	1	1	9	4	13	12	22	17	8	17	12	3	3	3	1	-	-	-
48,49	Cancer of female genital organs	784	-	1	-	-	-	1	-	3	2	13	44	56	94	100	111	96	67	76	59	33	20	4	3	1	-	-
	White—F	631	-	1	-	-	-	1	-	1	1	10	37	39	71	78	90	76	55	63	52	31	19	2	3	1	-	-
	All other—F	153	-	-	-	-	-	-	-	2	1	3	7	17	23	22	21	20	12	13	7	2	1	2	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
50	Cancer of breast	377	-	-	-	-	-	-	-	-	1	5	11	28	33	42	43	60	53	31	24	27	12	5	-	-	-	2
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
	F	318	-	-	-	-	-	-	-	-	1	3	8	28	24	37	35	53	43	27	22	21	11	5	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	-	-	-	-	-	-	-	-	-	2	3	-	9	5	8	7	8	2	2	5	1	-	-	-	-	2
45,47, 51-55	Cancer (other sites)	1,991	5	5	4	7	2	17	11	13	15	25	37	44	96	129	208	180	265	243	249	183	157	66	23	2	1	4
	White—M	1,299	2	3	4	6	1	9	7	8	9	14	26	24	56	69	125	113	182	151	180	137	117	41	12	2	-	1
	F	520	3	2	-	1	1	2	4	4	4	8	7	18	23	41	52	54	56	70	55	44	39	22	8	-	1	1
	All other—M	100	-	-	-	-	-	3	-	-	-	1	3	1	4	14	17	9	16	14	10	2	1	1	3	-	-	1
	F	72	-	-	-	-	-	3	-	1	2	2	1	1	13	5	14	4	11	8	4	-	-	2	-	-	-	1
58	Acute rheumatic fever	89	1	-	-	2	-	13	10	12	4	4	5	3	1	2	4	2	3	8	4	8	2	-	-	-	-	1
	White—M	31	1	-	-	1	-	6	3	7	1	1	2	-	1	1	1	-	-	2	1	2	1	-	-	-	-	-
	F	32	-	-	-	-	-	6	5	2	1	3	2	1	-	-	-	1	3	3	2	1	1	-	-	-	-	1
	All other—M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	2	-	-	-	-	-	-
	F	17	-	-	-	1	-	1	2	3	1	-	1	2	-	-	2	-	-	1	-	3	-	-	-	-	-	-
61	Diabetes mellitus	870	2	-	-	1	-	5	13	13	12	9	14	16	21	49	73	89	123	129	124	103	47	18	5	2	1	1
	White—M	355	-	-	-	1	-	3	5	3	5	8	7	9	4	16	29	38	47	45	56	39	22	12	3	2	-	1
	F	395	1	-	-	-	-	2	5	9	6	1	4	4	10	17	27	37	58	67	60	57	25	4	1	-	-	-
	All other—M	46	1	-	-	-	-	-	1	1	1	-	1	2	3	5	6	4	7	8	3	1	-	1	1	-	-	-
	F	74	-	-	-	-	-	-	2	-	-	-	2	1	4	11	11	10	11	9	5	6	-	1	-	-	1	-
63b	Exophthalmic goiter	77	-	-	-	-	-	-	-	2	3	6	5	9	12	9	8	3	7	4	5	4	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	2	1	5	2	6	10	6	6	-	3	1	4	4	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	1	1	3	3	1	2	2	-	3	2	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	314	2	1	1	-	-	1	1	1	2	3	10	10	20	24	25	25	30	42	44	29	26	12	2	3	-	-
	White—M	87	1	1	-	-	-	1	-	-	-	-	-	2	1	3	6	8	8	10	14	11	11	7	1	2	-	-
	F	130	-	-	1	-	-	-	1	-	-	1	3	2	8	12	5	11	14	21	20	13	13	3	1	1	-	-
	All other—M	24	1	-	-	-	-	-	-	-	-	-	3	1	2	2	4	-	3	3	2	3	-	-	-	-	-	-
	F	73	-	-	-	-	-	-	-	1	2	2	4	5	9	7	10	6	5	8	8	2	2	2	-	-	-	-
77	Alcoholism (ethylism)	61	-	-	-	-	-	-	-	1	3	2	3	5	11	11	9	7	2	2	2	1	1	-	-	-	-	1
	White—M	47	-	-	-	-	-	-	-	-	-	-	2	4	10	11	7	5	2	2	2	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,547	16	2	1	1	1	9	6	15	20	29	55	83	144	218	343	378	484	689	683	561	471	237	78	11	5	7
	White—M	1,918	3	1	1	-	-	6	3	7	9	13	16	26	41	62	123	155	225	317	311	243	213	107	27	4	2	3
	F	1,680	10	-	-	1	1	2	1	5	7	8	15	26	49	67	86	128	167	224	255	245	230	113	32	6	-	2
	All other—M	444	2	1	-	-	-	1	-	1	3	4	9	11	19	38	62	51	49	67	58	42	10	9	5	-	-	2
	F	505	1	-	-	-	-	-	2	2	1	4	15	20	35	51	72	44	43	81	59	31	18	8	14	1	3	-
80-82, 84-88	Other diseases of nervous system, etc.*	693	115	30	15	7	7	19	28	37	30	23	31	37	23	24	33	48	39	46	33	25	26	10	6	-	-	1
	White—M	323	46	11	9	3	2	9	13	18	12	10	10	18	11	12	16	22	24	26	13	18	13	5	4	-	-	-
	F	234	36	14	3	4	4	6	10	9	8	6	10	13	6	9	13	21	8	14	15	5	12	5	2	-	-	1
	All other—M	75	15	2	2	-	1	2	1	9	6	5	3	3	3	2	2	3	6	4	4	2	-	-	-	-	-	-
	F	61	18	3	1	-	-	2	4	3	4	2	8	3	3	1	2	2	1	2	1	-	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	338	60	19	8	16	6	22	22	19	15	16	17	17	15	10	11	16	7	14	12	9	5	2	-	-	-	-
	White—M	159	32	8	2	4	3	9	11	9	8	8	8	9	9	2	6	7	4	8	4	5	2	1	-	-	-	-
	F	128	23	9	4	10	3	10	10	6	4	7	3	4	2	4	4	6	1	3	7	4	3	1	-	-	-	-
	All other—M	26	3	1	2	1	-	-	1	1	1	1	1	3	1	3	-	3	1	2	1	-	-	-	-	-	-	-
	F	25	2	1	-	1	-	3	-	3	2	-	5	1	3	1	1	-	1	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	626	4	-	-	-	-	17	21	16	20	24	21	19	31	41	40	46	49	69	62	57	58	24	7	-	-	-
	White—M	319	1	-	-	-	-	7	6	9	10	7	11	8	9	21	18	28	24	44	39	29	32	13	3	-	-	-
	F	213	3	-	-	-	-	4	11	4	6	13	9	7	13	12	11	11	20	17	15	23	23	9	2	-	-	-
	All other—M	45	-	-	-	-	-	3	4	2	-	4	-	2	2	3	8	1	2	5	4	2	-	2	1	-	-	-
	F	49	-	-	-	-	-	3	-	1	4	-	1	2	7	5	3	6	3	3	4	3	3	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,314	2	-	-	-	1	1	6	13	12	20	58	88	192	314	424	534	554	651	581	403	274	141	27	6	2	10
	White—M	2,831	1	-	-	-	1	1	3	7	2	15	29	46	127	219	306	384	398	433	349	249	160	74	12	6	2	9
	F	1,097	1	-	-	-	-	-	3	3	7	3	13	20	31	40	70	101	106	178	208	136	108	58	12	-	-	1
	All other—M	228	-	-	-	-	-	-	-	1	1	1	7	14	22	29	25	22	36	27	19	12	5	5	2	-	-	-
	F	158	-	-	-	-	-	-	-	2	2	1	9	8	12	26	25	27	16	13	7	6	1	4	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,513	35	6	5	1	1	10	22	41	45	51	92	153	260	340	510	659	764	1,024	1,154	852	840	443	152	27	15	11
	White—M	3,579	21	2	2	-	-	3	5	18	15	14	20	55	82	131	226	318	402	513	595	441	415	226	64	6	2	5
	F	2,380	9	3	2	-	1	4	12	13	13	16	28	29	48	62	95	135	209	311	391	333	381	188	73	18	5	3
	All other—M	821	1	1	1	1	-	1	4	6	3	8	16	30	63	81	85	111	83	117	95	53	27	22	5	2	4	1
	F	733	4	-	-	-	-	2	1	4	14	13	28	39	69	66	104	97	70	83	73	25	17	7	10	1	4	2
107-109	Pneumonia (all forms)	3,291	1,033	155	67	22	15	58	40	45	64	80	78	86	100	103	128	126	133	174	199	199	188	122	58	10	6	2
	White—M	1,427	466	72	23	5	6	27	14	21	26	26	19	28	35	46	48	49	67	78	85	100	91	60	30	3	1	1
	F	1,235	390	83	28	11	6	19	14	13	27	34	34	29	42	21	32	30	44	58	79	79	92	55	24	7	3	1
	All other—M	356	97	12	9	3	1	7	4	7	7	6	16	13	12	28	25	24	16	23	24	10	4	6	1	-	1	-
	F	273	80	8	7	3	2	5	8	4	4	14	9	16	11	8	23	23	6	15	11	10	1	1	3	-	1	-
117	Ulcer of stomach or duodenum	315	2	-	-	-	1	1	-	4	7	7	12	28	36	35	36	28	39	32	16	13	9	7	2	-	-	-
	White—M	204	-	-	-	-	-	-	-	2	2	5	8	22	23	27	27	21	22	22	10	9	2	2	-	-	-	-
	F	60	1	-	-	-	1	-	-	1	1	1	2	2	3	3	2	4	11	7	4	3	7	5	2	-	-	-
	All other—M	41	1	-	-	-	-	1	-	1	4	1	1	4	7	4	6	3	5	1	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	1	2	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
119,120	Diarrhea, enteritis, etc.*	1,308	899	164	23	12	7	18	7	2	3	4	10	12	8	8	8	12	9	19	20	18	23	12	6	2	2	-
	White—M	637	457	83	7	6	1	11	5	-	-	2	3	4	4	2	3	3	2	8	7	11	10	4	2	1	1	-
	F	542	367	66	12	4	4	5	2	2	-	2	4	6	2	2	2	6	3	11	11	5	13	7	4	1	1	-
	All other—M	58	39	6	3	-	-	-	-	-	2	-	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-	-
	F	71	36	9	1	2	2	2	-	-	1	-	3	1	2	3	2	1	3	-	1	1	-	1	-	-	-	-
121	Appendicitis	542	6	2	6	9	6	29	51	59	24	34	46	38	43	42	34	35	18	22	19	5	8	4	2	-	-	-
	White—M	264	2	1	5	5	2	15	15	22	8	12	22	18	22	26	22	24	11	12	9	2	6	3	-	-	-	-
	F	167	3	1	-	2	3	11	24	19	10	11	9	11	7	12	6	9	5	7	9	3	2	1	2	-	-	-
	All other—M	62	-	-	-	2	1	2	6	13	3	5	9	4	8	3	1	2	2	1	-	-	-	-	-	-	-	-
	F	49	1	-	1	-	-	1	6	5	3	6	6	5	6	1	5	-	-	2	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	537	64	8	7	2	2	2	3	9	9	24	20	24	36	35	35	44	45	46	45	33	26	13	5	-	-	-
	White—M	195	32	3	3	1	-	1	2	3	2	3	2	4	4	10	8	15	17	22	21	22	10	8	2	-	-	-
	F	219	16	3	3	1	1	1	1	5	3	8	9	11	20	14	16	19	21	18	20	8	13	5	3	-	-	-
	All other—M	56	11	1	-	-	1	-	-	1	2	5	7	-	5	3	5	6	1	3	2	1	2	-	-	-	-	-
	F	67	5	1	1	-	-	-	-	-	2	8	2	9	7	8	6	4	6	3	2	2	1	-	-	-	-	-
124	Cirrhosis of the liver	338	1	1	-	-	-	1	1	1	3	4	9	25	23	32	39	46	45	25	39	22	13	7	-	-	-	1
	White—M	211	1	1	-	-	-	1	1	-	1	4	5	13	17	21	25	35	24	15	24	7	10	6	-	-	-	-
	F	87	-	-	-	-	-	-	-	1	2	-	2	11	3	8	8	8	15	4	10	10	3	1	-	-	-	1
	All other—M	31	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	2	4	5	5	4	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	261	1	-	-	-	-	-	-	1	5	3	6	14	10	19	11	29	26	30	43	25	20	14	4	-	-	-
	White—M	86	1	-	-	-	-	-	-	1	3	1	1	4	1	4	3	13	12	8	15	7	7	5	-	-	-	-
	F	155	-	-	-	-	-	-	-	-	2	2	5	7	7	11	8	14	12	20	26	17	13	7	4	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	2	1	-	1	1	-	2	-	-	-	-
130-132	Nephritis	3,938	21	9	8	2	3	15	19	25	35	66	70	94	159	192	274	326	394	521	521	474	417	194	71	14	9	5
	White—M	1,841	9	2	4	-	3	4	12	6	10	23	19	24	49	64	110	169	189	258	286	246	211	93	40	6	3	1
	F	1,201	7	4	3	-	-	7	4	10	15	20	26	30	39	50	62	72	112	157	151	155	162	85	21	2	4	1
	All other—M	488	2	2	1	1	-	3	2	2	4	10	9	11	30	41	55	48	51	68	54	46	28	9	6	3	2	-
	F	408	3	1	-	1	-	1	1	7	6	13	14	29	41	37	47	37	42	38	30	27	16	7	4	3	-	3
137	Diseases of the prostate	357	-	-	-	-	-	-	-	-	-	-	1	-	-	6	11	13	36	58	54	65	64	35	10	3	-	1
	White—M	297	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	31	41	44	59	62	34	10	2	-	1
	All other—M	60	-	-	-	-	-	-	-	-	-	-	1	-	-	5	5	7	5	17	10	6	2	1	-	1	-	-
140, 142a, 147	Puerperal septicemia	165	-	-	-	-	-	-	1	28	39	36	31	22	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	97	-	-	-	-	-	-	-	12	20	24	20	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	68	-	-	-	-	-	-	1	14	19	12	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	141	-	-	-	-	-	-	1	29	37	30	21	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	108	-	-	-	-	-	-	1	19	27	28	15	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	33	-	-	-	-	-	-	-	10	10	2	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	185	-	-	-	-	-	-	-	28	30	48	32	32	15	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	139	-	-	-	-	-	-	-	13	26	37	24	26	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	46	-	-	-	-	-	-	-	15	4	11	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	533	460	12	5	8	4	11	7	9	4	3	2	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	269	234	8	1	4	3	7	1	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	217	187	3	3	4	-	2	5	2	1	2	1	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	28	24	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	15	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,167	2,167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,052	1,052	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	757	757	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	202	202	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	156	156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	658	-	-	-	-	-	-	3	35	49	60	66	82	75	57	56	67	47	33	25	14	5	2	-	-	-	-
	White—M	452	-	-	-	-	-	-	2	10	25	34	40	45	55	41	42	54	40	24	21	13	4	2	-	-	-	-
	F	178	-	-	-	-	-	-	-	21	18	23	24	17	18	16	12	11	5	8	4	1	-	-	-	-	-	-
	All other—M	19	-	-	-	-	-	-	-	1	4	3	1	-	2	-	2	2	2	1	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	608	6	-	1	1	-	1	4	42	95	98	109	74	60	43	25	15	14	9	8	1	2	-	-	-	-	2
	White—M	221	3	-	1	-	-	-	2	14	20	33	34	28	25	20	15	10	10	5	2	1	-	-	-	-	-	-
	F	58	2	-	-	-	-	1	-	9	11	6	7	6	6	3	2	-	2	3	-	-	-	-	-	-	-	-
	All other—M	270	-	-	-	-	-	-	1	15	45	47	60	37	25	19	6	5	2	1	5	-	-	-	-	-	-	2
	F	59	1	-	-	1	-	-	1	4	19	10	8	5	4	1	2	-	-	-	1	-	2	-	-	-	-	-
170	Motor-vehicle accidents	2,028	10	14	20	16	16	70	58	218	268	190	174	181	143	128	102	108	105	84	52	41	20	6	1	-	-	3
	White—M	1,379	6	5	10	6	12	35	37	122	193	132	124	120	107	93	68	74	75	68	43	31	15	3	-	-	-	2
	F	410	3	9	9	9	2	23	13	65	46	32	29	35	19	20	18	22	24	14	5	7	4	2	-	-	-	-
	All other—M	194	-	-	-	1	1	6	8	22	26	19	17	22	17	13	15	10	5	3	4	2	1	1	1	-	-	-
	F	45	1	-	1	-	1	6	-	9	3	7	4	4	-	2	1	2	1	1	-	1	-	-	-	-	-	1
169, 171-195	Other accidents	2,881	152	85	51	38	23	99	134	198	230	183	184	163	165	136	140	107	106	101	125	127	160	138	42	11	1	6
	White—M	1,666	58	39	23	16	10	48	72	133	174	133	125	109	113	98	91	70	70	54	63	48	58	39	13	4	-	5
	F	757	43	33	19	13	10	22	25	25	21	27	21	17	19	12	21	25	20	35	51	74	94	95	29	6	-	-
	All other—M	318	13	8	3	4	3	16	30	29	29	18	30	26	24	22	19	9	10	7	6	4	6	-	-	-	1	1
	F	140	18	5	6	3	-	13	7	9	6	5	8	11	9	4	9	3	6	5	5	1	2	4	-	1	-	-
	All other causes*	8,003	1,853	100	41	47	28	115	93	131	135	168	211	249	288	321	351	412	472	528	563	558	555	457	199	79	43	6
	White—M	3,587	881	45	19	26	14	49	42	50	42	49	58	76	94	125	158	219	261	261	271	257	258	213	81	27	11	-
	F	2,680	622	39	16	13	5	42	32	54	52	61	72	73	88	91	69	92	118	148	192	210	248	205	91	38	9	-
	All other—M	876	201	6	3	4	1	10	6	9	10	19	30	33	52	51	66	54	54	70	64	57	24	19	14	9	8	2
	F	860	149	10	3	4	8	14	13	18	31	39	51	67	54	54	58	47	39	49	36	34	25	20	13	5	15	4

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	All causes	4,518	402	40	25	25	8	64	61	104	128	77	110	133	140	205	282	318	368	414	483	489	412	192	48	10	-	2
	White—M	2,599	238	24	12	16	3	38	47	65	81	52	63	81	79	127	186	199	226	241	287	245	205	83	18	3	-	2
	F	1,833	160	14	13	9	5	25	15	35	46	22	45	52	59	71	87	112	129	167	212	216	204	105	27	7	-	-
	All other—M	52	4	2	-	-	-	-	1	1	-	3	1	-	1	4	5	5	11	5	3	3	1	2	-	-	-	-
	F	34	2	-	-	-	-	1	-	3	1	-	3	-	1	3	4	2	2	1	1	5	2	2	1	-	-	-
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	54	-	-	-	-	-	-	1	3	5	2	4	2	4	3	5	12	3	7	2	1	-	-	-	-	-	-
	White—M	41	-	-	-	-	-	-	-	-	3	1	2	2	4	3	4	11	3	6	2	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	2	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	13	2	-	-	-	-	1	1	2	1	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	8	1	-	-	-	-	-	1	1	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	31	1	-	-	-	-	-	-	-	-	1	1	2	4	3	4	4	5	5	1	-	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	4	2	3	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	47	4	-	-	2	1	2	1	2	1	1	1	1	1	-	-	3	2	3	3	8	4	7	-	-	-	-
	White—M	25	2	-	-	1	-	1	1	1	-	-	1	-	1	-	-	2	2	2	1	4	2	4	-	-	-	-
	F	22	2	-	-	1	1	1	-	1	1	1	-	1	-	-	-	1	-	1	2	4	2	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	205	-	-	-	1	-	-	-	-	-	1	2	5	2	10	17	22	22	25	38	39	13	8	-	-	-	-
	White—M	94	-	-	-	1	-	-	-	-	-	1	1	4	1	3	11	11	10	10	19	15	5	2	-	-	-	-
	F	107	-	-	-	-	-	-	-	-	-	-	1	1	1	6	6	9	12	14	19	24	8	6	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	48	-	-	-	-	-	-	-	-	-	1	3	3	2	7	5	6	6	6	4	2	3	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	-	-	1	1	3	2	7	5	6	6	6	4	2	3	-	-	-	-	-
	All other—F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
50	Cancer of breast	34	-	-	-	-	-	-	-	-	-	-	3	1	2	4	5	7	3	1	3	2	3	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	3	1	2	4	4	7	3	1	3	2	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	181	-	-	2	-	2	2	3	4	3	3	3	2	8	9	14	19	17	15	22	28	14	9	2	-	-	-
	White—M	134	-	-	2	-	1	1	2	2	2	3	3	1	4	8	10	13	13	10	17	23	13	5	1	-	-	-
	F	45	-	-	-	-	1	1	1	2	1	-	-	1	4	1	4	6	3	5	5	4	1	4	1	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	2	2	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	2	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	101	-	-	-	-	1	1	1	2	2	2	2	2	-	-	4	6	9	17	23	16	13	-	-	-	-	-
	White—M	39	-	-	-	-	1	1	1	1	-	2	1	-	-	-	1	3	2	4	6	9	7	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	1	2	-	1	2	-	-	3	3	7	13	17	8	6	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	26	-	-	-	-	-	-	-	-	2	-	1	1	1	3	4	4	2	2	2	1	3	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	2	-	1	1	1	3	4	4	2	1	1	1	3	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	353	-	-	-	-	-	-	-	1	1	3	1	4	1	12	20	27	35	47	52	61	58	24	5	1	-	-
	White—M	183	-	-	-	-	-	-	-	-	-	2	-	2	1	6	9	12	18	27	21	27	26	10	2	-	-	-
	F	184	-	-	-	-	-	-	-	1	1	1	1	2	-	4	10	14	15	20	31	34	32	14	3	1	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	53	8	-	1	-	-	3	4	1	3	1	3	2	1	4	8	3	2	4	2	2	1	-	-	-	-	-
	White—M	32	4	-	-	-	-	2	4	1	1	1	-	1	1	2	5	1	2	3	1	2	1	-	-	-	-	-
	F	19	3	-	1	-	-	1	-	-	2	-	3	1	-	2	2	2	-	1	1	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	26	3	1	-	1	-	-	5	1	2	2	1	2	-	1	-	1	1	3	-	-	1	1	-	-	-	-
	White—M	18	3	1	-	-	-	-	4	1	1	2	-	1	-	1	-	1	-	1	-	-	1	1	-	-	-	-
	F	8	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	119	-	-	-	-	-	4	7	14	5	6	6	4	7	14	10	5	11	7	8	8	5	-	-	-	-	-
	White—M	62	-	-	-	-	-	3	5	9	2	5	3	2	3	8	5	2	4	3	2	2	4	-	-	-	-	-
	F	55	-	-	-	-	-	1	2	4	3	1	3	2	4	6	4	5	7	4	4	6	1	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	390	-	-	-	-	-	-	-	1	-	1	6	8	13	20	48	49	60	59	42	44	27	10	1	1	-	-
	White—M	291	-	-	-	-	-	-	-	-	-	1	5	8	8	15	39	44	50	41	30	27	16	5	1	1	-	-
	F	96	-	-	-	-	-	-	-	1	-	-	1	-	5	5	9	4	10	16	12	17	11	5	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,g, 95a,c	Diseases of heart (other forms)	828	-	-	-	-	-	1	5	3	4	5	1	7	18	26	42	59	72	105	150	118	138	57	14	3	-	-
	White—M	472	-	-	-	-	-	-	3	1	3	3	1	5	7	20	30	35	48	59	88	69	65	28	6	1	-	-
	F	344	-	-	-	-	-	1	2	2	1	2	-	2	11	6	10	23	22	45	61	47	72	28	7	2	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-
107-109	Pneumonia (all forms)	162	31	2	1	3	-	1	1	3	3	3	3	5	5	4	6	9	7	10	22	19	9	13	1	1	-	-
	White—M	90	15	-	-	2	-	1	-	2	1	2	1	2	2	3	5	6	5	6	15	10	5	8	-	1	-	-
	F	71	16	2	1	1	-	-	1	1	2	1	2	3	3	1	1	3	2	4	7	8	4	7	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	48	-	-	-	-	-	1	-	-	-	1	1	3	4	3	2	5	5	9	8	3	-	1	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	5	5	5	6	3	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	4	2	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
119,120	Diarrhea, enteritis, etc.*	21	11	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	White—M	10	3	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	10	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	54	-	-	1	1	1	5	5	7	3	3	3	4	3	1	2	6	2	1	3	2	-	1	-	-	-	-
	White—M	29	-	-	-	-	-	1	3	5	3	2	2	1	3	1	1	2	1	1	1	2	-	-	-	-	-	-
	F	24	-	-	1	1	1	4	2	2	-	1	1	3	-	-	1	4	1	-	1	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	40	4	2	-	1	-	1	-	-	2	1	2	2	-	3	1	1	4	4	3	6	1	2	-	-	-	-
	White—M	26	4	2	-	1	-	1	-	-	1	-	1	1	-	3	1	-	3	3	2	2	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	1	1	4	-	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	31	1	-	-	-	-	-	-	-	-	-	-	4	2	4	4	7	4	-	1	1	1	1	1	-	-	-
	White—M	16	1	-	-	-	-	-	-	-	-	-	-	3	-	1	3	2	3	-	-	1	1	-	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	4	1	-	1	-	-	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	5	3	5	-	1	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	1	2	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	2	4	2	3	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	266	-	4	2	-	-	1	3	2	10	4	3	2	12	11	13	15	27	28	38	44	34	14	1	-	-	-
	White—M	133	-	3	2	-	-	-	2	-	5	2	3	1	6	8	7	8	10	20	22	17	14	3	-	-	-	-
	F	131	-	1	-	-	-	1	1	2	5	2	-	1	6	3	6	7	17	8	14	25	20	11	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	7	7	2	2	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	7	7	2	2	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	14	-	-	-	-	-	-	-	-	4	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	-	4	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	68	56	2	1	1	-	3	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	40	34	1	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	21	1	1	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	58	-	-	-	-	-	-	-	3	5	1	11	7	5	9	6	4	2	3	1	1	-	-	-	-	-	-
	White—M	49	-	-	-	-	-	-	-	2	5	1	8	6	4	7	5	4	2	3	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	-	-	-	-	-	-	-	1	-	-	1	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	1	-	-	1	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	202	-	1	5	4	-	12	7	30	28	12	7	13	10	11	16	7	12	11	9	4	3	-	-	-	-	-
	White—M	145	-	1	2	4	-	7	6	22	22	7	4	11	7	7	12	5	7	8	8	2	3	-	-	-	-	-
	F	55	-	-	3	-	-	5	1	8	6	4	3	2	3	4	4	2	4	3	1	2	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	279	9	17	5	4	2	17	11	11	28	15	21	19	11	15	15	13	7	6	9	17	10	11	4	2	-	-
	White—M	200	6	10	3	4	-	12	9	10	25	14	18	17	9	13	12	12	6	4	2	8	2	4	-	-	-	-
	F	75	3	7	2	-	2	5	1	1	3	-	2	2	1	2	3	1	1	2	7	9	8	7	4	2	-	-
	All other—M	4	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	490	104	8	2	7	1	5	2	7	8	2	11	17	16	23	23	20	39	28	29	29	63	29	15	2	-	2
	White—M	254	63	4	-	3	1	2	2	4	2	-	4	6	7	10	16	15	25	15	12	12	31	13	5	-	-	2
	F	218	39	3	2	4	-	2	-	2	5	2	7	11	9	11	6	5	11	10	16	17	30	14	10	2	-	-
	All other—M	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	F	11	1	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	2	-	1	-	1	2	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,402	301	17	10	15	4	28	34	43	53	52	63	84	111	146	195	293	368	515	557	574	514	307	86	23	2	9
	White—M	2,431	174	6	8	6	1	18	17	27	32	27	35	44	57	90	110	171	210	330	309	297	272	141	39	5	-	5
	F	1,964	127	11	2	6	3	10	17	16	21	25	28	40	54	56	84	121	157	183	248	277	242	165	47	18	2	4
	All other—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	118	-	-	-	-	-	-	-	3	5	4	11	13	10	12	7	17	11	15	7	1	1	1	-	-	-	-
	White—M	82	-	-	-	-	-	-	-	1	1	2	4	8	7	11	6	15	9	10	6	-	1	1	-	-	-	-
	F	35	-	-	-	-	-	-	-	2	4	2	7	5	3	1	1	2	2	4	1	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	15	1	-	-	-	1	-	1	1	-	-	-	2	2	-	3	1	1	1	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	1	1	-	-	-	-	-	-	-
	F	7	1	-	-	-	1	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	28	1	-	-	-	-	-	-	-	-	-	1	2	3	2	3	5	2	6	3	-	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	5	1	6	2	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	71	6	-	1	-	-	1	2	1	-	1	-	-	2	1	1	2	3	9	11	6	9	13	2	-	-	-
	White—M	40	3	-	1	-	-	-	1	-	-	1	-	-	2	1	1	2	2	8	3	3	5	5	2	-	-	-
	F	31	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	8	3	4	8	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Poliomyelitis, polioencephalitis (acute)	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	246	-	-	-	-	-	-	-	-	-	1	2	2	4	7	7	20	31	37	52	46	27	10	-	-	-	-
	White—M	122	-	-	-	-	-	-	-	-	-	1	-	1	-	4	4	10	13	20	32	18	15	4	-	-	-	-
	F	124	-	-	-	-	-	-	-	-	-	-	2	1	4	3	3	10	18	17	20	28	12	6	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	83	-	-	-	-	-	-	-	-	-	2	1	5	11	5	13	5	11	9	8	7	3	3	-	-	-	-
	White—F	83	-	-	-	-	-	-	-	-	-	2	1	5	11	5	13	5	11	9	8	7	3	3	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
50	Cancer of breast	51	-	-	-	-	-	-	-	-	-	-	-	5	5	6	6	4	5	6	6	3	4	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	-	5	5	6	6	4	5	6	6	3	4	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	166	-	-	-	-	-	2	1	1	2	1	-	1	4	10	11	15	18	29	25	20	16	5	5	-	-	-
	White—M	125	-	-	-	-	-	2	1	1	1	-	-	1	3	6	8	12	13	21	20	17	12	2	5	-	-	-
	F	41	-	-	-	-	-	-	-	-	1	1	-	-	1	4	3	3	5	8	5	3	4	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	111	-	-	-	-	-	-	-	-	-	-	3	-	-	3	4	11	15	23	21	19	10	1	1	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	5	8	13	4	4	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	8	10	15	8	15	6	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	408	-	-	-	-	-	-	-	-	1	-	1	-	2	8	10	23	38	60	67	79	72	37	6	3	-	1
	White—M	197	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	11	15	35	32	40	41	12	2	-	-	1
	F	211	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	12	23	25	35	39	31	25	4	3	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	60	3	1	-	1	1	2	3	2	3	5	3	3	2	3	6	5	1	3	5	3	3	1	1	-	-	-
	White—M	30	-	1	-	-	-	-	3	1	2	1	2	2	1	2	3	3	-	3	2	2	2	-	-	-	-	-
	F	29	3	-	-	1	1	2	-	1	1	4	1	1	1	1	3	2	1	-	3	1	1	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	13	1	1	-	-	-	1	3	1	-	-	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	8	1	1	-	-	-	-	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	101	-	-	1	-	-	-	1	-	1	2	1	2	3	4	3	8	12	13	19	10	10	10	1	-	-	-
	White—M	53	-	-	1	-	-	-	1	-	1	1	1	-	2	2	3	3	8	9	8	5	3	5	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	5	4	4	11	5	7	5	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	440	-	-	-	-	-	-	1	-	-	2	3	1	5	14	30	56	67	70	49	63	52	17	8	1	-	1
	White—M	310	-	-	-	-	-	-	-	-	-	1	3	1	5	12	25	35	50	58	33	39	32	11	5	-	-	-
	F	129	-	-	-	-	-	-	1	-	-	1	-	-	-	2	5	20	17	12	16	24	20	6	3	1	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	841	1	-	-	-	-	-	-	-	1	2	2	8	11	14	27	51	60	117	124	147	137	108	21	6	2	2
	White—M	482	1	-	-	-	-	-	-	-	1	-	2	5	7	8	17	34	42	80	66	82	74	51	10	1	-	1
	F	359	-	-	-	-	-	-	-	-	-	2	-	3	4	6	10	17	18	37	58	65	63	57	11	5	2	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	164	23	4	-	1	-	1	-	1	2	3	1	2	4	5	3	6	10	12	12	26	26	13	7	1	-	1
	White—M	74	8	2	-	-	-	-	-	1	2	-	1	1	3	3	2	4	5	4	7	12	11	6	2	-	-	-
	F	90	15	2	-	1	-	1	-	-	-	3	-	1	1	2	1	2	5	8	5	14	15	7	5	1	-	1
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	25	-	-	-	-	-	-	-	-	-	-	2	3	2	5	3	-	1	3	3	2	-	1	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	-	1	3	2	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
119,120	Diarrhea, enteritis, etc.*	25	17	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	14	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	5	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	34	-	1	-	2	-	2	2	6	3	-	1	-	-	2	2	1	2	5	3	-	1	-	1	-	-	-
	White—M	19	-	1	-	1	-	2	-	3	2	-	1	-	-	1	-	-	1	3	3	-	1	-	-	-	-	-
	F	14	-	-	-	1	-	-	2	3	1	-	-	-	-	1	1	1	1	2	-	-	-	-	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	2	-	-	-	-	1	1	-	-	2	-	-	1	1	2	4	4	6	7	7	7	2	-	-	-	-
	White—M	20	1	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	1	3	2	2	4	2	-	-	-	-
	F	27	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	3	5	5	3	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	22	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	5	1	1	5	1	2	2	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	-	1	2	-	1	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	3	1	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	33	-	-	-	-	-	-	-	-	1	-	1	2	4	1	1	1	3	3	9	5	-	1	1	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	-	1	2	3	1	1	-	3	3	8	3	-	1	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	276	1	-	-	-	-	1	1	-	2	1	2	5	3	7	13	20	25	34	49	47	33	21	7	3	-	1
	White—M	151	1	-	-	-	-	-	-	-	1	-	-	4	2	2	6	10	15	21	27	25	18	13	4	2	-	-
	F	124	-	-	-	-	-	1	1	-	1	1	2	1	1	5	7	10	10	12	22	22	15	8	3	1	-	1
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	6	5	6	3	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	6	5	6	3	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	5	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	9	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	51	40	1	-	1	-	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	27	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	13	1	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	55	-	-	-	-	-	-	-	-	-	6	2	2	5	2	9	5	6	5	5	5	3	-	-	-	-	-
	White—M	46	-	-	-	-	-	-	-	-	-	5	2	-	4	2	7	4	5	5	5	4	3	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	1	1	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	8	1	-	-	1	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	89	-	-	1	2	1	3	3	7	11	7	8	7	3	4	3	5	6	6	6	3	1	1	-	-	-	1
	White—M	71	-	-	1	2	-	3	1	6	8	7	5	6	3	4	2	4	4	4	6	3	1	-	-	-	-	1
	F	18	-	-	-	-	1	-	2	1	3	-	3	1	-	-	1	1	2	2	-	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	178	11	5	2	4	-	3	8	7	7	6	4	5	7	7	7	6	9	8	12	14	22	16	5	3	-	-
	White—M	102	4	1	2	2	-	3	6	6	7	5	4	4	6	7	6	4	7	6	6	4	7	3	1	1	-	-
	F	76	7	4	-	2	-	-	2	1	-	1	-	1	1	-	1	2	2	2	6	10	15	13	4	2	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	465	89	-	3	1	1	4	2	5	3	3	4	9	11	15	20	14	25	27	40	55	67	39	20	6	-	2
	White—M	244	55	-	2	-	1	3	1	4	2	-	2	5	4	10	9	6	12	16	23	28	31	19	8	1	-	2
	F	219	34	-	1	-	-	1	1	1	1	3	2	4	7	5	11	8	12	11	17	27	36	20	12	5	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	All causes	30,700	3,964	421	205	124	76	295	277	622	894	903	929	1,020	1,303	1,571	1,991	2,155	2,583	2,826	2,780	2,188	1,978	1,035	595	87	42	36
	White—M	11,677	1,378	142	83	50	21	116	107	201	320	333	301	369	405	540	681	857	1,044	1,165	1,187	948	877	386	124	31	2	9
	F	8,521	1,059	127	58	35	29	73	64	100	161	141	193	200	267	302	396	442	643	852	1,017	828	822	479	193	28	11	1
	All other—M	5,676	814	76	27	19	16	57	52	164	219	244	251	253	335	421	491	458	482	475	297	222	149	99	42	12	10	13
	F	4,826	715	76	37	20	10	49	54	157	194	185	184	218	296	308	423	398	414	336	279	190	130	71	36	16	19	13
1,2	Typhoid, paratyphoid fever	31	-	1	2	-	-	1	2	4	2	5	5	-	2	1	1	2	1	1	1	-	-	-	-	-	-	-
	White—M	10	-	-	1	-	-	1	-	1	-	3	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	-	-	2	1	-	3	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	45	8	4	4	2	-	2	1	3	4	2	5	3	1	2	-	2	-	-	2	-	-	-	-	-	-	-
	White—M	23	3	1	1	2	-	2	-	1	2	1	4	2	-	1	-	2	-	-	1	-	-	-	-	-	-	-
	F	13	3	3	2	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
8	Scarlet fever	11	3	2	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	193	119	51	13	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	61	40	13	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	68	40	17	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	27	15	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	24	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	45	1	6	9	8	9	9	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	20	-	3	2	3	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	2	4	3	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,535	11	6	4	2	2	6	22	113	199	178	144	156	155	105	98	102	75	70	70	34	16	4	1	-	1	1
	White—M	392	-	3	-	-	-	-	1	12	20	22	26	35	43	34	33	43	32	27	32	21	7	-	-	-	1	-
	F	307	3	-	1	-	-	1	5	16	32	28	27	25	28	18	14	21	16	19	34	8	7	3	1	-	-	-
	All other—M	401	4	1	1	2	2	3	5	28	51	62	43	38	30	33	34	23	16	19	4	2	2	-	-	-	-	-
	F	435	4	2	2	-	-	2	11	57	96	66	48	40	34	20	17	15	11	5	-	3	-	1	-	-	-	1
14-22	Tuberculosis (other forms)	136	3	11	10	2	2	6	10	20	12	5	10	8	11	8	4	1	6	2	1	3	-	1	-	-	-	-
	White—M	41	1	-	2	1	-	3	4	3	3	1	4	5	3	3	2	-	4	1	-	1	-	-	-	-	-	-
	F	20	-	4	2	-	-	1	1	1	-	-	-	1	2	2	-	-	2	-	1	2	-	1	-	-	-	-
	All other—M	43	-	3	2	1	2	2	-	10	7	2	4	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	32	2	4	4	-	-	-	5	6	2	2	2	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	143	87	15	6	4	2	1	-	-	1	-	-	-	1	-	3	3	2	4	5	3	4	2	-	-	-	-
	White—M	38	23	3	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	-	-	-
	F	50	29	8	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	-	-	-	-	-
	All other—M	32	21	3	1	-	-	1	-	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-
	F	23	14	1	1	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-
28	Malaria	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	430	46	5	-	-	-	1	1	5	14	16	38	43	50	37	55	37	34	23	16	4	1	2	-	-	-	2
	White—M	107	6	2	-	-	-	-	-	-	1	-	6	15	12	5	10	18	14	8	8	1	-	1	-	-	-	-
	F	27	3	1	-	-	-	-	-	1	1	2	4	1	1	2	1	1	3	2	2	1	-	1	-	-	-	-
	All other—M	204	16	1	-	-	-	-	1	1	2	7	21	17	29	25	33	15	15	12	5	2	-	-	-	-	-	2
	F	92	21	1	-	-	-	1	-	3	10	7	7	10	8	5	11	3	2	1	1	-	1	-	-	-	-	-
33	Influenza	775	152	35	5	7	2	11	2	14	11	11	18	27	30	27	35	43	47	52	67	46	61	43	20	6	1	2
	White—M	240	39	13	-	3	-	2	1	2	3	4	7	5	9	7	9	18	14	17	22	21	23	13	6	4	-	-
	F	241	38	8	1	1	1	2	1	1	-	2	1	6	4	7	6	9	10	15	36	20	31	28	11	1	1	-
	All other—M	164	47	9	3	3	1	3	-	4	5	2	9	7	12	4	10	8	14	12	5	1	2	1	2	-	-	-
	F	130	28	5	1	-	-	4	-	7	3	3	1	9	5	9	10	10	9	8	4	4	5	1	1	1	-	2
35	Measles	168	59	27	14	5	4	17	8	10	6	3	4	1	3	-	-	1	-	1	2	1	1	1	-	-	-	-
	White—M	66	20	7	8	1	1	9	5	4	3	2	2	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	66	22	15	5	3	2	3	3	2	2	1	2	1	1	-	-	1	-	-	1	1	-	1	-	-	-	-
	All other—M	20	11	2	1	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	6	3	-	1	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	1	1	-	1	-	2	4	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	997	-	1	-	-	-	-	-	5	2	9	8	18	29	66	112	109	149	141	136	94	80	30	7	-	-	1
	White—M	378	-	1	-	-	-	-	-	1	-	3	1	8	7	20	38	33	55	57	62	45	33	11	3	-	-	-
	F	397	-	-	-	-	-	-	-	2	-	3	6	4	10	23	36	33	60	55	62	40	40	19	3	-	-	1
	All other—M	134	-	-	-	-	-	-	-	2	2	3	-	2	7	17	24	25	16	20	7	7	1	-	1	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	-	1	4	5	6	14	18	18	9	5	2	6	-	-	-	-	-
48,49	Cancer of female genital organs	394	-	-	-	-	-	-	1	1	1	12	25	30	46	41	62	41	38	29	35	18	9	5	2	-	-	-
	White—F	268	-	-	-	-	-	-	1	-	1	10	14	20	30	23	35	29	25	22	31	15	7	4	1	-	-	-
	All other—F	126	-	-	-	-	-	-	-	1	-	2	11	10	16	18	27	12	13	7	4	1	2	1	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Contd.																											
50	Cancer of breast	214	-	-	-	-	-	-	-	-	-	2	5	13	19	21	29	25	24	30	23	10	6	5	1	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	175	-	-	-	-	-	-	-	-	-	2	5	9	12	16	23	19	21	28	20	9	6	4	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	4	7	5	6	6	3	2	1	-	-	1	-	1	-	-
45,47, 51-55	Cancer (other sites)	739	1	3	-	2	-	5	5	8	11	10	11	18	28	50	77	77	84	111	82	64	58	23	9	1	1	-
	White—M	419	1	1	-	1	-	3	3	3	4	6	5	11	10	26	39	46	43	62	53	47	36	12	6	1	-	-
	F	193	-	-	-	-	-	1	2	3	3	2	4	5	7	8	25	17	26	27	21	12	16	10	3	-	1	-
	All other—M	87	-	1	-	-	-	-	-	-	3	-	-	1	3	10	10	14	11	17	6	4	6	1	-	-	-	-
	F	40	-	1	-	1	-	1	-	2	1	2	2	1	8	6	3	-	4	5	2	1	-	-	-	-	-	-
58	Acute rheumatic fever	44	-	-	-	1	-	11	3	4	5	4	3	2	2	3	-	1	1	-	1	1	-	1	-	1	-	-
	White—M	14	-	-	-	1	-	2	1	3	2	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
	F	12	-	-	-	-	-	6	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	F	13	-	-	-	-	-	2	1	-	-	2	2	1	1	2	-	-	1	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	543	1	1	-	-	1	4	2	7	9	9	8	10	13	37	47	49	91	88	81	47	28	7	1	-	1	1
	White—M	164	-	1	-	-	-	2	-	2	3	3	4	3	-	3	8	14	29	28	29	22	10	3	-	-	-	-
	F	223	-	-	-	-	1	1	1	-	5	-	1	3	6	12	17	11	36	47	43	20	14	4	1	-	-	-
	All other—M	40	-	-	-	-	-	1	1	3	-	3	1	-	1	4	5	3	5	5	4	2	2	-	-	-	-	-
	F	116	1	-	-	-	-	-	-	2	1	3	2	4	6	18	17	21	21	8	5	3	2	-	-	-	1	1
63b	Exophthalmic goiter	41	-	-	-	-	-	-	1	-	-	-	2	2	3	4	4	9	3	4	7	2	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	1	3	6	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	1	-	-	-	2	1	2	2	-	2	1	1	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	48	-	-	-	-	-	-	1	-	-	1	-	2	-	4	3	4	7	7	3	9	4	3	-	-	-	-
	White—M	11	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	1	3	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	6	2	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	-	-	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	1	-	1	-	1	1	-	-	-	-
77	Alcoholism (ethylism)	81	-	-	-	-	1	-	-	2	4	9	9	19	13	5	5	8	3	1	-	2	-	-	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	2	5	5	12	10	1	2	6	3	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	All other—M	25	-	-	-	-	-	-	-	2	1	3	4	5	2	3	2	2	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,942	3	1	2	-	1	3	2	7	9	12	18	53	75	178	228	302	374	447	411	324	298	130	47	12	3	2
	White—M	907	1	1	-	-	-	1	2	3	4	5	3	17	11	26	49	84	100	147	146	134	111	43	14	5	-	-
	F	878	-	-	1	-	-	-	-	-	2	1	2	5	10	37	46	49	90	156	155	121	129	61	26	5	-	-
	All other—M	571	2	-	1	-	-	1	-	3	2	2	8	12	26	65	59	65	90	97	52	41	30	11	1	2	1	-
	F	588	-	-	-	-	1	1	-	1	1	4	5	19	28	50	74	104	94	67	58	28	28	15	6	-	2	2
80-82, 84-88	Other diseases of nervous system, etc.*	331	45	15	5	5	7	15	17	22	18	14	16	14	25	19	17	12	22	13	10	10	6	3	1	-	-	-
	White—M	128	15	6	2	2	3	5	7	6	7	6	2	4	11	9	5	6	10	4	7	6	1	2	-	-	-	-
	F	92	13	4	2	2	2	4	3	3	3	3	4	5	6	3	7	6	7	6	2	1	5	-	1	-	-	-
	All other—M	70	12	4	1	-	2	5	3	6	5	3	5	3	5	6	2	-	4	2	-	1	-	1	-	-	-	-
	F	43	5	1	-	1	-	1	4	7	3	2	5	2	3	1	3	-	1	1	1	2	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	158	33	7	3	4	-	19	6	7	16	4	6	4	10	6	4	7	9	3	3	3	3	-	-	1	-	-
	White—M	62	9	4	1	4	-	5	3	4	8	4	1	4	3	4	1	2	2	1	1	-	1	-	-	-	-	-
	F	46	6	1	2	-	-	8	2	1	4	-	3	-	5	2	1	4	2	1	2	1	-	-	-	1	-	-
	All other—M	24	7	1	-	-	-	3	1	1	3	-	1	-	1	-	1	-	3	-	-	1	1	-	-	-	-	-
	F	26	11	1	-	-	-	3	-	1	1	-	1	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	482	1	-	-	-	-	5	11	15	10	9	18	17	28	23	37	36	44	55	54	36	47	23	12	1	-	-
	White—M	175	1	-	-	-	-	1	3	6	1	2	6	6	4	5	9	12	18	23	19	15	25	12	7	-	-	-
	F	152	-	-	-	-	-	2	4	8	4	3	6	4	9	3	9	8	10	19	21	14	18	5	4	1	-	-
	All other—M	76	-	-	-	-	-	1	1	-	2	2	3	3	5	9	7	6	10	6	6	6	4	4	1	-	-	-
	F	79	-	-	-	-	-	1	3	1	3	2	3	4	10	6	12	10	6	7	8	1	-	2	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,729	1	-	1	-	-	-	-	-	5	14	22	47	92	136	197	211	263	248	214	137	97	30	11	-	1	2
	White—M	1,027	-	-	1	-	-	-	-	-	3	7	9	28	54	87	119	134	165	157	123	69	54	14	5	-	-	-
	F	379	1	-	-	-	-	-	-	-	-	-	4	5	4	13	22	35	50	68	67	60	36	10	4	-	-	-
	All other—M	186	-	-	-	-	-	-	-	-	1	5	5	9	22	23	32	25	25	16	12	3	2	3	1	-	-	2
	F	137	-	-	-	-	-	-	-	-	1	2	4	7	12	13	24	17	23	7	12	5	5	3	1	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,664	8	2	-	-	-	5	9	10	15	32	43	72	150	223	322	394	534	611	712	578	516	291	102	22	8	5
	White—M	1,776	-	-	-	-	-	2	2	3	4	10	13	27	33	71	91	150	201	257	300	244	224	108	28	7	-	1
	F	1,341	2	1	-	-	-	1	3	1	4	8	5	10	29	29	45	60	125	167	247	200	221	129	43	9	2	-
	All other—M	820	3	-	-	-	-	1	2	-	3	5	16	19	47	70	108	103	107	107	72	66	40	32	14	1	2	2
	F	727	3	1	-	-	-	1	2	6	4	9	9	16	41	53	78	81	101	80	93	68	31	22	17	5	4	2
107-109	Pneumonia (all forms)	1,640	524	76	37	18	10	14	17	27	31	27	36	37	50	61	82	71	77	98	83	95	90	51	20	4	3	1
	White—M	568	145	28	12	5	3	9	8	7	8	7	12	7	10	24	32	32	36	38	34	38	46	18	7	4	-	-
	F	412	115	16	8	7	4	1	4	5	9	6	8	7	6	8	10	13	17	24	32	39	36	25	11	-	1	-
	All other—M	369	137	15	9	4	2	1	2	8	10	6	9	16	21	19	26	16	17	15	12	8	7	6	1	-	1	1
	F	291	127	19	8	2	1	3	3	7	4	8	7	7	13	10	14	10	7	21	5	10	1	2	1	-	1	-
117	Ulcer of stomach or duodenum	189	-	-	-	-	-	-	-	1	5	11	9	14	22	26	29	12	16	18	8	7	7	2	1	1	-	-
	White—M	120	-	-	-	-	-	-	-	1	2	3	8	7	12	17	20	9	11	14	4	5	4	1	1	1	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	-	2	-	1	-	1	-	-	-	-	-
	All other—M	41	-	-	-	-	-	-	-	-	1	5	1	3	4	5	9	2	1	3	3	2	1	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	2	2	-	2	3	1	-	1	2	1	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	569	424	64	22	8	-	4	1	1	2	1	2	3	3	4	2	1	1	4	4	5	6	7	-	-	-	-
	White—M	205	158	24	10	1	-	-	-	-	-	-	1	1	1	-	1	-	1	1	1	-	2	3	-	-	-	-
	F	155	104	21	7	4	-	3	-	-	-	1	-	-	1	-	1	1	-	-	2	4	3	3	-	-	-	-
	All other-M	103	79	12	2	1	-	1	1	1	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	106	83	7	3	2	-	-	-	-	1	-	1	-	1	2	-	-	-	2	1	1	1	1	-	-	-	-
121	Appendicitis	157	1	-	4	3	1	17	13	17	13	6	10	8	7	16	10	8	10	6	4	2	-	-	-	-	-	1
	White—M	59	-	-	-	3	1	5	3	7	2	4	3	4	2	3	4	4	6	6	1	1	-	-	-	-	-	-
	F	38	1	-	3	-	-	7	4	2	5	-	2	3	1	4	2	1	2	-	-	1	-	-	-	-	-	-
	All other-M	58	-	-	-	-	-	2	3	6	4	2	4	1	3	7	2	1	2	-	1	-	-	-	-	-	-	-
	F	22	-	-	1	-	-	3	3	2	2	-	1	-	1	2	2	2	-	-	2	-	-	-	-	-	-	1
122	Hernia, intestinal obstruction	201	12	-	2	1	3	1	2	3	3	5	7	6	12	17	12	20	21	24	14	13	15	5	1	2	-	-
	White—M	72	3	-	1	-	1	-	-	1	2	3	-	1	5	7	3	5	11	6	11	3	7	2	-	-	-	-
	F	44	1	-	1	-	1	1	-	-	-	1	3	-	2	2	-	5	3	8	3	3	6	3	1	-	-	-
	All other-M	46	6	-	-	1	-	-	1	-	1	1	1	2	2	4	5	8	4	4	-	4	1	-	-	1	-	-
	F	39	2	-	-	-	1	-	1	2	-	-	3	3	3	4	4	2	3	6	-	3	1	-	-	1	-	-
124	Cirrhosis of the liver	144	2	-	-	-	-	-	-	-	1	3	7	11	9	14	15	24	12	19	7	7	8	5	-	-	-	-
	White—M	87	-	-	-	-	-	-	-	-	-	3	5	4	5	10	12	13	8	13	5	4	4	1	-	-	-	-
	F	36	2	-	-	-	-	-	-	-	-	-	1	4	1	3	1	6	2	4	2	3	3	4	-	-	-	-
	All other-M	15	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	3	2	2	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	87	-	-	-	-	-	-	-	2	1	1	2	4	6	10	7	9	9	8	7	11	10	-	-	-	-	-
	White—M	31	-	-	-	-	-	-	-	1	-	-	-	-	4	4	1	2	1	2	5	3	8	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	1	1	-	1	2	-	4	2	5	6	5	1	7	2	-	-	-	-	-
	All other-M	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	-	1	1	-	-	-	-	-	-
130-132	Nephritis	2,723	5	2	3	3	-	3	8	10	18	26	39	53	118	136	192	234	291	373	370	355	285	151	37	6	4	1
	White—M	953	2	1	-	2	-	-	3	1	9	7	8	5	20	28	52	72	108	132	144	148	135	62	15	1	-	-
	F	783	-	-	-	-	-	1	2	6	3	4	9	13	25	27	28	51	60	104	129	138	104	63	13	2	1	-
	All other-M	525	2	1	1	-	-	-	1	1	5	6	10	18	37	44	56	66	67	71	51	42	23	17	5	1	-	-
	F	462	1	-	2	1	-	2	2	2	1	9	12	17	36	37	56	45	56	66	46	29	23	9	4	2	3	1
137	Diseases of the prostate	144	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	9	17	25	34	18	20	13	2	1	-	-
	White—M	100	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	14	13	24	17	15	11	1	1	-	-
	All other-M	44	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	7	3	12	10	1	5	2	1	-	-	-
140, 142a, 147	Puerperal septicemia	89	-	-	-	-	-	-	-	18	21	11	22	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	7	12	7	12	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	37	-	-	-	-	-	-	-	11	9	4	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	58	-	-	-	-	-	-	2	7	11	9	11	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	2	3	2	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	32	-	-	-	-	-	-	2	5	8	7	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141bde,f, 142b,143, 145,146, 149,150	Other puerperal causes	89	-	-	-	-	-	-	-	7	21	18	21	16	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	48	-	-	-	-	-	-	-	5	11	10	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	41	-	-	-	-	-	-	-	2	10	8	7	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	306	260	6	5	4	3	7	6	1	5	3	1	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	151	127	4	2	3	1	1	3	-	2	3	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	F	104	90	2	3	1	2	1	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other-M	31	24	-	-	-	-	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	19	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,023	1,023	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	366	366	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	309	309	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	366	-	-	-	-	-	-	1	8	37	37	33	41	37	36	32	30	29	16	18	5	4	1	-	-	-	1
	White—M	266	-	-	-	-	-	-	1	5	24	25	25	24	22	28	22	28	27	15	15	4	3	1	-	-	-	1
	F	73	-	-	-	-	-	-	-	3	5	9	4	13	13	7	10	4	1	-	2	1	1	-	-	-	-	-
	All other-M	21	-	-	-	-	-	-	-	-	5	3	2	3	2	3	-	-	1	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	285	2	1	-	3	-	1	3	25	57	55	38	29	24	14	12	6	8	1	2	3	-	1	-	-	-	-
	White—M	50	1	-	-	1	-	-	-	1	9	2	7	8	4	4	5	2	2	1	1	2	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	4	6	2	2	1	2	2	1	2	1	-	-	1	-	-	-	-	-	-
	All other-M	175	-	1	-	1	-	-	-	13	36	44	26	18	15	6	6	2	5	-	1	-	-	1	-	-	-	-
	F	36	1	-	-	1	-	1	3	7	6	7	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,043	4	10	6	5	5	38	34	113	177	153	95	71	52	54	58	49	40	36	35	13	7	4	2	-	-	2
	White—M	645	1	4	4	2	3	15	19	68	126	91	53	46	28	37	34	27	23	20	25	8	6	3	1	-	-	1
	F	129	2	2	1	1	1	8	5	16	18	5	9	5	13	6	5	6	3	8	8	5	1	-	1	-	-	-
	All other-M	222	1	2	-	2	1	7	7	21	31	29	33	18	10	10	16	15	13	3	1	-	-	1	-	-	-	1
	F	47	-	2	1	-	-	8	3	8	2	8	-	2	1	1	3	1	1	5	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,363	96	27	30	16	13	42	34	91	86	132	88	76	71	67	57	56	63	59	58	68	52	42	26	2	1	10
	White—M	685	30	7	17	5	2	20	17	42	51	85	57	52	47	38	37	30	35	24	27	27	12	13	5	-	-	5
	F	260	20	12	4	5	7	7	3	1	7	10	6	3	1	4	6	4	10	17	19	30	34	28	19	2	1	-
	All other-M	312	25	3	3	2	3	8	12	42	25	34	24	18	19	23	9	13	11	12	10	6	4	-	2	-	-	4
	F	106	21	5	6	4	1	7	2	6	3	3	1	3	4	2	5	9	7	6	2	5	2	1	-	-	-	1
	All other causes*	3,288	1,028	40	15	15	8	41	48	31	47	63	89	84	108	116	141	149	177	198	200	162	239	149	92	26	18	4
	White—M	1,191	384	14	7	7	1	19	19	11	13	15	22	27	31	34	43	62	69	86	78	59	107	49	25	7	1	1
	F	954	253	9	4	3	2	9	14	6	11	14	23	18	22	33	37	34	45	63	65	61	96	72	49	7	4	-
	All other-M	586	218	6	1	1	2	7	8	6	9	12	16	13	23	23	28	31	38	30	33	23	17	17	13	6	6	1
	F	557	175	11	3	4	3	6	7	8	14	22	28	26	32	26	33	22	25	19	24	19	19	11	5	6	7	2

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	All causes	19,199	1,061	89	55	40	31	115	104	208	323	340	345	430	583	904	1,169	1,604	1,853	2,125	2,367	2,302	1,860	918	313	55	8	19
	White—M	11,540	608	40	19	20	17	64	58	134	214	201	205	268	324	540	749	1,050	1,199	1,295	1,407	1,349	1,085	497	151	25	4	17
	F	7,086	388	32	25	15	12	41	38	56	86	117	113	140	241	332	380	512	588	777	916	923	754	412	158	26	2	2
	All other—M	357	36	8	4	1	2	7	5	8	15	7	17	16	13	19	26	30	29	39	32	21	14	6	2	1	1	-
	F	216	29	9	7	4	-	3	3	10	10	15	10	6	5	13	14	12	17	12	12	9	7	3	2	3	1	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	50	30	6	9	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	2	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	-	-	-	-	1	2	1	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	2	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	598	3	6	1	-	1	-	5	22	36	54	51	40	47	64	51	64	42	47	30	23	8	2	-	-	-	1
	White—M	348	1	3	-	-	-	-	1	4	9	20	17	29	26	41	36	51	32	34	23	15	4	1	-	-	-	1
	F	172	1	1	1	-	-	-	1	11	15	24	22	9	19	16	9	10	6	9	7	6	4	1	-	-	-	-
	All other—M	46	1	2	-	-	1	-	2	3	6	3	9	1	1	2	3	3	4	3	-	2	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	1	4	6	7	3	1	1	5	3	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	82	2	3	1	4	1	6	4	5	10	3	6	4	6	6	2	7	6	2	1	1	-	1	1	-	-	-
	White—M	39	-	1	-	2	1	2	1	3	6	3	2	2	2	2	1	4	6	1	-	-	-	-	-	-	-	-
	F	32	-	2	1	1	-	2	2	2	3	-	3	2	4	3	-	3	-	1	1	1	-	1	-	-	-	-
	All other—M	9	1	-	-	1	-	2	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	14	7	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	231	3	-	1	-	-	-	-	3	2	3	3	11	15	17	32	43	37	25	18	9	4	4	1	-	-	-
	White—M	180	-	-	-	-	-	-	-	2	-	1	1	8	10	15	28	35	34	19	14	6	3	4	-	-	-	-
	F	29	1	-	1	-	-	-	-	-	2	1	-	3	3	2	2	3	2	4	3	1	-	-	1	-	-	-
	All other—M	12	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	-	1	1	2	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-
33	Influenza	142	7	3	3	1	-	1	2	3	-	1	2	4	4	10	8	10	11	9	14	18	20	5	5	1	-	-
	White—M	75	3	-	1	1	-	1	1	2	-	1	2	3	1	7	6	5	6	5	7	9	10	3	1	-	-	-
	F	59	3	1	1	-	-	-	1	1	-	-	-	1	3	3	1	5	5	3	6	9	9	2	4	1	-	-
	All other—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
35	Measles	4	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	-	1	1	1	-	1	2	3	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	10	-	1	-	1	-	-	1	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,125	-	1	-	-	-	-	-	1	-	4	6	14	25	57	98	121	155	196	154	153	93	35	8	-	1	3
	White—M	613	-	-	-	-	-	-	-	-	-	2	3	5	12	29	50	66	98	107	76	79	65	17	1	-	1	2
	F	486	-	1	-	-	-	-	-	1	-	2	3	8	13	27	47	49	53	85	73	71	28	17	7	-	-	1
	All other—M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	2	2	2	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	307	-	-	-	-	-	-	-	-	1	4	11	18	24	43	34	39	41	27	28	19	14	4	-	-	-	-
	White—F	303	-	-	-	-	-	-	-	-	1	4	10	18	24	42	34	38	41	26	28	19	14	4	-	-	-	-
	All other—F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
50	Cancer of breast	209	-	-	-	-	-	-	-	-	-	4	3	5	18	22	26	32	19	31	23	15	6	2	2	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	204	-	-	-	-	-	-	-	-	-	4	3	5	18	22	25	31	17	31	23	14	6	2	2	1	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	757	1	3	2	-	-	3	4	5	5	12	6	12	24	46	64	76	97	92	109	89	73	29	4	1	-	-
	White—M	549	1	3	1	-	-	3	2	4	4	6	2	8	12	25	39	59	77	67	85	68	56	24	2	1	-	-
	F	193	-	-	1	-	-	-	1	1	1	6	4	4	10	20	22	16	19	22	23	19	17	5	2	-	-	-
	All other—M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	1	2	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	442	-	-	-	-	-	2	1	5	7	4	1	4	11	16	24	38	45	86	83	57	39	18	1	-	-	-
	White—M	201	-	-	-	-	-	1	-	2	3	2	-	2	5	6	11	14	21	35	38	25	27	9	-	-	-	-
	F	231	-	-	-	-	-	1	1	3	4	2	1	2	6	10	13	23	23	49	39	32	12	9	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	59	-	-	-	-	-	-	-	1	1	2	2	-	1	5	7	10	12	8	5	4	1	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	3	3	2	-	1	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	1	-	1	2	-	1	2	6	7	8	6	5	3	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	68	-	-	-	-	-	-	-	-	-	1	2	10	10	11	11	4	7	8	3	1	-	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	-	1	8	7	8	8	4	6	7	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	10	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,856	2	2	-	-	-	2	1	1	3	5	6	15	27	41	90	163	214	259	316	310	245	116	30	7	-	1
	White—M	990	2	-	-	-	-	2	-	-	3	2	5	9	7	17	47	88	122	139	172	167	126	61	16	4	-	1
	F	829	-	2	-	-	-	-	1	1	-	3	1	6	20	22	41	73	83	110	138	142	115	54	14	3	-	-
	All other—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	9	5	-	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	1	1	4	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	206	13	8	1	3	1	4	10	4	8	9	9	9	8	9	12	24	12	13	20	13	11	5	-	-	-	-
	White—M	127	8	4	-	2	1	3	7	3	6	5	3	6	3	5	5	17	8	10	14	9	8	-	-	-	-	-
	F	72	4	2	1	1	-	1	3	-	2	4	5	3	5	4	7	6	3	3	6	4	3	5	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	85	6	1	4	3	-	6	3	1	3	6	2	3	4	4	9	5	7	7	4	1	3	3	-	-	-	-
	White—M	48	3	-	2	-	-	3	-	1	3	4	1	3	3	1	7	5	4	3	2	-	1	2	-	-	-	-
	F	33	2	1	2	2	-	3	3	-	-	1	1	-	1	2	2	-	3	4	2	1	2	1	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	414	-	-	-	-	-	-	4	7	2	10	13	11	19	28	34	26	46	43	57	55	35	19	3	2	-	-
	White—M	230	-	-	-	-	-	-	1	5	-	3	9	6	11	14	20	17	21	28	33	28	22	10	1	1	-	-
	F	170	-	-	-	-	-	-	2	2	2	7	4	4	5	12	12	7	25	15	24	26	12	9	2	-	-	-
	All other—M	9	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	2,110	-	-	-	-	-	-	-	-	-	5	7	26	50	126	187	270	306	317	324	267	150	57	13	4	-	1
	White—M	1,591	-	-	-	-	-	-	-	-	-	4	5	20	42	109	164	226	237	238	223	178	95	40	8	1	-	1
	F	502	-	-	-	-	-	-	-	-	-	1	2	6	6	15	22	41	66	76	99	88	55	17	5	3	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	3	2	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,306	1	2	-	-	-	2	3	5	6	9	11	17	40	84	120	219	272	413	584	572	556	272	99	13	2	4
	White—M	1,942	1	1	-	-	-	1	1	-	4	5	5	5	23	50	75	141	176	250	338	331	324	150	49	7	1	4
	F	1,297	-	-	-	-	-	1	1	5	2	3	6	10	16	30	40	73	88	153	236	233	227	120	47	6	-	-
	All other—M	46	-	-	-	-	-	-	1	-	-	-	-	-	1	3	4	3	5	8	9	5	5	1	1	-	-	-
	F	21	-	1	-	-	-	-	-	-	-	1	-	2	-	1	1	2	3	2	1	3	-	1	2	-	1	-
107-109	Pneumonia (all forms)	681	127	8	3	2	3	4	5	5	8	7	7	5	17	24	31	25	38	52	64	107	72	49	14	3	2	-
	White—M	420	60	6	1	1	2	1	2	2	6	5	6	2	12	14	21	20	26	39	44	71	45	26	7	1	-	-
	F	227	48	1	1	1	1	3	3	1	1	1	1	2	5	10	8	5	10	13	20	34	25	22	7	2	2	-
	All other—M	17	11	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
	F	17	8	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	2	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	127	-	-	-	-	-	-	-	-	-	2	5	1	10	11	15	17	21	15	9	9	8	4	-	-	-	-
	White—M	106	-	-	-	-	-	-	-	-	-	2	5	-	8	8	15	16	18	11	8	6	6	3	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	3	1	3	2	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
119,120	Diarrhea, enteritis, etc.*	66	32	2	1	-	2	-	-	-	1	-	2	-	2	1	2	4	-	4	2	2	2	7	-	-	-	-
	White—M	30	16	-	-	-	1	-	-	-	-	-	1	-	1	-	-	2	-	3	1	1	1	3	-	-	-	-
	F	25	10	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	-	1	-	1	1	4	-	-	-	-
	All other—M	7	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	131	-	-	2	4	1	13	4	9	13	6	9	5	3	7	10	9	7	15	7	3	3	1	-	-	-	-
	White—M	87	-	-	1	1	-	5	3	7	10	5	6	3	2	5	6	7	4	13	4	3	1	1	-	-	-	-
	F	41	-	-	1	3	1	8	1	1	3	1	3	2	1	2	4	2	2	2	2	-	2	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	141	9	-	3	-	-	-	1	1	2	-	3	4	5	8	11	12	16	7	20	19	10	8	2	-	-	-
	White—M	82	4	-	2	-	-	-	1	1	2	-	3	-	3	5	6	5	7	7	11	11	6	6	2	-	-	-
	F	52	3	-	1	-	-	-	-	-	-	-	-	3	2	3	4	6	8	-	9	7	4	2	-	-	-	-
	All other—M	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	111	-	1	-	-	-	-	-	-	1	2	5	2	7	6	12	20	16	15	7	5	5	5	1	1	-	-
	White—M	67	-	-	-	-	-	-	-	-	-	-	3	2	3	3	11	15	12	9	2	2	3	2	-	-	-	-
	F	40	-	1	-	-	-	-	-	-	1	2	1	-	4	3	1	4	4	6	5	3	2	2	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
126,127	Biliary calculi, etc.*	99	-	-	-	-	-	-	-	-	-	-	3	-	6	5	9	17	12	18	11	6	9	1	2	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	4	5	1	-	-	2	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	3	-	5	3	5	12	9	14	6	5	9	1	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,208	1	-	-	-	-	3	2	8	4	12	11	14	27	35	73	107	110	165	186	185	151	82	25	6	1	-
	White—M	677	1	-	-	-	-	-	1	5	2	3	8	9	13	19	40	62	65	98	103	103	87	43	11	3	1	-
	F	499	-	-	-	-	-	3	1	3	2	8	2	4	13	14	28	41	43	60	78	82	63	38	14	2	-	-
	All other—M	23	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	3	2	5	4	-	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	1	-	-	-	-	1	-	-
137	Diseases of the prostate	140	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	12	14	27	37	28	16	2	-	-	-
	White—M	138	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	12	14	26	36	28	16	2	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	27	-	-	-	-	-	-	-	-	7	8	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	-	7	7	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	12	-	-	-	-	-	-	-	1	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	1	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	17	-	-	-	-	-	-	-	1	5	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	1	5	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	150	122	2	3	1	1	2	4	-	6	-	3	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-
	White—M	91	74	1	1	1	-	1	2	-	4	-	3	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	F	56	46	1	2	-	1	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	All other—M	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	206	206	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	349	-	-	-	-	-	-	1	11	27	21	28	38	39	35	27	36	32	13	12	17	6	4	1	1	-	-
	White—M	271	-	-	-	-	-	-	-	8	19	14	19	29	30	25	23	31	28	9	10	16	5	3	1	1	-	-
	F	69	-	-	-	-	-	-	1	3	7	7	8	7	9	8	4	4	2	4	2	1	1	1	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	44	2	-	-	-	-	-	1	3	4	5	3	5	7	-	3	8	2	-	-	-	1	-	-	-	-	-
	White—M	27	2	-	-	-	-	-	1	1	3	4	2	2	4	-	2	4	2	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	3	-	-	-	-	1	-	-	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	658	1	8	5	4	8	21	13	57	63	54	33	38	21	47	37	50	57	36	39	36	20	5	3	-	-	2
	White—M	504	-	5	1	3	3	14	11	48	54	43	25	26	12	33	30	37	48	26	33	31	14	5	1	-	-	1
	F	130	-	3	3	-	5	7	2	7	6	8	5	9	9	12	7	12	8	9	4	5	6	-	2	-	-	1
	All other—M	18	-	-	1	-	-	-	-	-	3	2	3	2	-	2	-	1	1	1	2	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,084	48	22	9	8	8	22	25	28	70	59	59	55	54	65	60	52	58	62	68	77	80	60	27	4	-	4
	White—M	781	33	9	5	4	7	17	18	22	66	55	53	53	49	56	54	46	43	46	35	37	29	25	10	-	-	4
	F	278	12	11	4	3	1	3	7	5	3	2	4	-	4	7	5	6	9	16	32	40	49	35	17	3	-	-
	All other—M	18	1	2	-	-	-	1	-	1	1	-	2	2	1	2	1	-	1	-	1	-	1	-	-	1	-	-
	F	7	2	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other causes*	1,681	283	7	5	8	3	12	5	16	19	22	20	45	41	70	67	88	122	121	140	191	208	105	69	11	2	3
	White—M	973	175	4	3	4	2	5	3	11	7	10	12	26	20	37	37	57	74	70	96	112	118	43	37	6	1	3
	F	671	101	1	2	4	1	5	2	4	10	12	8	18	20	33	28	29	47	50	43	73	84	59	32	5	-	-
	All other—M	18	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	4	3	1	-	-	1	-
	F	19	4	1	-	-	-	2	-	1	2	-	-	-	-	-	2	1	1	-	-	2	1	2	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes	17,837	2,679	296	119	63	67	204	203	380	433	492	530	609	645	783	988	1,152	1,318	1,628	1,641	1,406	1189	677	225	71	8	33
	White—M	9,241	1,393	130	59	31	30	110	117	201	228	285	255	312	296	375	524	647	712	878	904	734	570	314	89	32	3	12
	F	6,966	1076	151	52	29	32	79	67	136	145	149	190	206	220	259	332	371	488	617	653	613	594	338	125	35	3	8
	All other—M	955	107	6	6	3	3	8	9	19	30	42	41	51	73	86	97	78	79	86	54	36	16	12	4	2	1	6
	F	675	103	9	2	-	2	7	10	24	30	16	44	40	56	63	35	56	41	45	30	23	9	13	7	2	1	7
1,2	Typhoid, paratyphoid fever	31	-	-	-	1	1	1	5	3	7	5	1	1	1	1	2	-	1	-	1	-	-	-	-	-	-	-
	White—M	24	-	-	-	1	1	-	2	3	6	4	1	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	27	6	2	1	-	-	2	3	5	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	2	2	-	-	-	2	3	4	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	-	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	2	1	2	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	173	117	35	10	2	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	80	57	12	2	2	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	77	51	18	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	3	6	4	4	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	2	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	4	2	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	765	4	2	4	-	-	1	9	50	85	84	80	67	65	63	57	55	52	34	31	9	9	4	-	-	-	-
	White—M	313	2	-	2	-	-	-	4	13	29	31	27	27	24	31	25	31	29	16	11	5	4	2	-	-	-	-
	F	322	2	2	-	-	-	1	1	24	40	38	40	27	23	24	20	17	19	16	17	4	5	2	-	-	-	-
	All other—M	81	-	-	1	-	-	-	1	4	8	11	9	7	13	6	9	5	4	2	1	-	-	-	-	-	-	-
	F	49	-	-	1	-	-	-	3	9	8	4	4	6	5	2	3	2	-	-	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	86	11	7	4	1	2	4	5	5	7	7	5	4	4	5	2	-	6	3	2	1	1	-	-	-	-	-
	White—M	38	4	4	1	1	-	3	1	1	2	5	1	2	3	3	1	-	4	1	1	-	-	-	-	-	-	-
	F	31	7	3	1	-	2	1	1	1	1	2	2	1	-	2	1	-	1	2	1	1	1	-	-	-	-	-
	All other—M	9	-	-	2	-	-	-	2	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	115	84	11	2	2	1	-	-	-	-	-	-	1	-	1	-	1	-	2	1	5	3	1	-	-	-	-
	White—M	59	42	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-	-	-	-
	F	50	37	5	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	1	-	-	-	-	-
	All other—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	284	26	-	-	-	-	-	-	1	6	7	13	27	39	40	31	25	26	28	8	3	1	1	-	-	-	2
	White—M	147	8	-	-	-	-	-	-	-	1	1	8	12	16	20	19	14	19	21	3	3	-	1	-	-	-	1
	F	43	5	-	-	-	-	-	-	1	2	4	-	6	6	5	2	4	2	4	1	-	1	-	-	-	-	-
	All other—M	60	6	-	-	-	-	-	-	-	-	2	2	4	10	13	7	7	4	3	2	-	-	-	-	-	-	-
	F	34	7	-	-	-	-	-	-	-	3	-	3	5	7	2	3	-	1	-	2	-	-	-	-	-	-	1
33	Influenza	422	48	7	5	1	3	8	12	11	6	4	14	10	17	7	22	14	25	45	35	40	44	30	12	2	-	-
	White—M	204	22	2	4	-	1	3	5	6	2	3	5	6	6	5	13	5	13	25	17	19	20	15	6	1	-	-
	F	191	23	5	1	1	2	4	7	5	2	-	8	4	7	1	4	6	11	17	18	21	24	14	5	1	-	-
	All other—M	15	2	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	-	3	-	-	-	1	1	-	-	-
	F	12	1	-	-	-	-	1	-	-	2	1	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-
35	Measles	75	20	19	4	1	1	10	7	5	2	2	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—M	38	12	9	2	-	-	5	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	8	9	2	1	1	4	2	2	1	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	1	-	1	1	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	1	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	696	1	-	-	-	-	1	1	1	2	7	9	10	20	33	59	81	87	148	106	75	38	12	4	1	-	-
	White—M	342	-	-	-	-	-	-	-	-	1	1	3	2	7	14	31	38	53	77	58	33	17	6	1	-	-	-
	F	312	1	-	-	-	-	1	1	1	1	5	5	7	11	15	22	37	30	60	43	41	21	6	3	1	-	-
	All other—M	26	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	3	2	7	3	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	4	2	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	263	-	-	-	-	-	-	2	2	1	7	9	24	32	46	32	32	21	25	10	14	3	1	2	-	-	-
	White—F	246	-	-	-	-	-	-	2	1	1	7	9	21	29	40	30	31	21	24	10	14	3	1	2	-	-	-
	All other—F	17	-	-	-	-	-	-	-	1	-	-	-	3	3	6	2	1	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
50	Cancer of breast	121	-	-	-	-	-	-	-	-	-	-	4	5	10	19	10	17	16	16	15	4	5	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	109	-	-	-	-	-	-	-	-	-	-	2	5	10	17	9	14	15	16	14	4	5	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	2	-	1	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	489	1	1	-	-	1	5	3	5	7	8	6	17	19	24	37	42	57	75	76	48	33	17	2	2	1	2
	White—M	311	-	1	-	-	1	-	2	4	5	6	1	10	10	14	23	29	36	48	55	35	19	8	-	2	-	2
	F	150	1	-	-	-	-	5	1	1	2	-	5	7	8	6	12	10	18	22	17	12	14	6	2	-	1	-
	All other—M	18	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	5	2	1	-	2	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	2	-	2	-	-	1	-	-	-	-
58	Acute rheumatic fever	22	-	-	-	-	-	5	3	3	3	2	-	-	1	-	-	-	2	-	2	-	1	-	-	-	-	-
	White—M	9	-	-	-	-	-	3	2	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	2	-	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other—M	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	330	-	-	-	-	-	-	4	7	4	5	5	4	8	18	22	37	51	55	49	39	10	10	1	1	-	-
	White—M	118	-	-	-	-	-	-	1	2	1	3	1	1	4	5	4	21	15	16	22	14	-	7	-	1	-	-
	F	186	-	-	-	-	-	-	3	3	3	2	4	3	2	8	14	13	32	38	26	23	10	3	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	1	-	-	-	-	2	5	2	3	3	1	-	2	-	-	-	-	-	-
63b	Exophthalmic goiter	41	-	-	-	-	-	-	-	-	1	3	-	3	2	2	2	8	4	6	3	4	1	1	-	-	-	1
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	3	-	3	2	2	1	5	3	6	2	3	1	1	-	-	-	1
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	34	-	-	-	-	-	-	-	-	-	1	4	5	12	3	3	3	-	-	3	-	-	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	1	2	5	8	3	1	3	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,420	2	-	2	-	2	1	3	3	3	8	12	15	18	58	88	102	165	188	217	247	171	85	23	5	1	1
	White—M	674	1	-	2	-	1	1	-	-	2	2	4	6	9	24	39	51	76	92	116	128	78	32	9	1	1	1
	F	643	1	-	-	-	1	-	2	3	1	5	4	6	7	24	40	33	69	78	93	115	92	51	14	4	-	-
	All other—M	52	-	-	-	-	-	-	-	-	-	1	2	1	-	3	7	5	12	11	6	3	-	1	-	-	-	-
	F	51	-	-	-	-	-	-	1	-	-	-	2	2	2	7	2	13	8	7	2	3	1	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	206	26	10	3	5	2	10	7	12	8	15	7	9	9	8	4	17	11	12	12	8	6	2	2	-	-	1
	White—M	108	16	3	2	4	1	5	2	7	4	7	1	5	4	1	2	11	9	5	7	6	4	2	-	-	-	1
	F	82	8	7	1	1	1	3	4	3	4	6	5	3	4	6	2	6	2	6	4	2	2	-	2	-	-	-
	All other—M	7	-	-	-	-	-	2	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	3	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
89, 104, 115	Diseases of ear, nose, and throat	85	14	2	3	1	1	6	6	4	7	9	6	2	2	2	4	1	3	6	1	1	1	1	1	1	-	-
	White—M	48	9	1	3	-	-	4	4	4	5	6	1	2	1	1	1	1	1	2	1	1	-	-	-	-	-	-
	F	32	5	1	-	1	-	2	2	-	2	2	5	-	-	-	2	-	2	4	-	-	1	1	1	1	-	-
	All other—M	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b, 92c, 93c, 95b	Chronic rheumatic diseases of heart	312	-	-	-	-	1	7	8	22	4	19	7	9	9	10	16	20	24	38	42	31	28	13	3	1	-	-
	White—M	159	-	-	-	-	1	1	4	9	1	13	2	2	3	5	11	15	12	18	26	16	12	7	1	-	-	-
	F	150	-	-	-	-	-	4	4	9	3	4	5	6	2	4	5	5	9	17	14	15	15	6	2	1	-	-
	All other—M	14	-	-	-	-	-	-	-	2	-	1	-	-	3	1	-	-	3	3	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	2	-	2	-	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	952	1	-	-	-	-	-	-	1	5	1	5	34	36	64	101	119	143	154	122	84	47	23	8	2	-	2
	White—M	635	-	-	-	-	-	-	-	1	3	-	2	25	24	48	72	91	103	100	71	52	27	13	1	2	-	-
	F	270	1	-	-	-	-	-	-	-	1	1	-	6	8	15	22	21	32	52	50	27	20	9	5	-	-	-
	All other—M	26	-	-	-	-	-	-	-	-	1	-	1	-	4	1	4	3	6	1	1	3	-	-	-	-	-	1
	F	21	-	-	-	-	-	-	-	-	-	-	2	3	-	-	3	4	2	1	-	2	-	1	2	-	-	1
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of heart (other forms)	2,357	6	2	1	-	-	5	4	12	13	17	34	38	49	93	145	188	219	313	365	338	309	138	47	12	2	7
	White—M	1,209	3	1	1	-	-	1	3	7	4	12	16	19	25	42	63	103	106	165	208	175	182	62	24	5	1	1
	F	909	3	1	-	-	-	4	1	1	7	4	12	14	11	23	55	54	84	117	140	145	138	66	20	7	1	1
	All other—M	141	-	-	-	-	-	-	-	2	-	1	1	2	4	18	22	20	20	17	14	9	6	3	-	-	-	2
	F	98	-	-	-	-	-	-	-	2	2	-	5	3	9	10	5	11	9	14	3	9	3	7	3	-	-	3
107-109	Pneumonia (all forms)	1,045	336	53	19	9	6	11	4	16	17	16	18	21	27	22	37	41	39	54	77	71	71	51	20	8	1	2
	White—M	514	177	24	8	2	4	3	1	8	11	8	11	5	11	9	17	20	22	29	46	34	27	23	9	5	-	-
	F	428	125	25	10	5	2	7	3	7	6	7	3	7	10	3	10	19	13	17	30	34	41	28	11	3	1	1
	All other—M	67	22	1	1	2	-	-	-	-	-	1	-	5	4	6	8	1	4	4	1	3	2	2	-	-	-	-
	F	38	12	3	-	-	-	1	-	1	-	-	2	4	2	4	2	1	-	4	-	-	1	-	-	-	-	1
117	Ulcer of stomach or duodenum	112	1	-	-	-	-	-	-	3	2	6	7	7	6	10	17	15	12	9	8	7	1	1	-	-	-	-
	White—M	83	1	-	-	-	-	-	-	3	2	5	5	6	3	8	13	12	8	4	7	4	1	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	3	3	5	1	2	-	-	-	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	500	364	79	12	4	1	5	1	2	1	-	2	-	-	-	3	1	3	3	3	3	8	1	3	1	-	-
	White—M	232	180	31	5	4	-	3	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	-	-	1	-	-
	F	239	183	44	7	-	1	2	-	2	-	-	2	-	-	-	1	1	-	2	2	2	6	1	3	-	-	-
	All other—M	12	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	17	12	2	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	123	-	2	1	1	2	11	12	12	8	7	6	8	11	8	5	8	11	5	4	1	-	-	-	-	-	-
	White—M	72	-	1	1	1	-	5	8	6	4	4	2	4	6	6	3	6	6	5	3	1	-	-	-	-	-	-
	F	34	-	1	-	-	2	3	2	6	3	3	2	3	1	2	-	1	4	-	1	-	-	-	-	-	-	-
	All other—M	11	-	-	-	-	-	2	2	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	120	8	3	1	-	-	3	1	1	2	2	4	2	11	4	11	7	15	6	13	14	7	3	2	-	-	-
	White—M	59	3	2	1	-	-	2	1	1	2	-	1	1	4	2	4	5	6	5	6	8	3	1	1	-	-	-
	F	52	5	1	-	-	-	1	-	-	-	-	3	-	7	2	6	-	8	1	5	6	4	2	1	-	-	-
	All other—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	111	-	-	-	-	-	-	-	1	1	1	6	7	3	8	24	6	12	15	12	3	7	4	1	-	-	-
	White—M	63	-	-	-	-	-	-	-	1	-	-	3	3	1	4	14	2	10	12	8	2	2	-	1	-	-	-
	F	37	-	-	-	-	-	-	-	-	1	1	2	3	1	2	9	3	1	2	2	1	5	4	-	-	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	79	-	-	-	-	-	-	-	-	-	-	2	5	8	4	11	13	8	10	9	6	1	2	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	4	1	1	-	1	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	2	4	5	2	9	11	6	6	8	5	1	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,252	4	2	2	1	4	6	9	12	13	16	15	24	33	54	64	106	124	162	181	147	147	91	25	7	-	3
	White—M	659	3	1	2	1	2	5	4	7	6	9	4	8	12	21	36	58	61	88	89	86	88	48	14	5	-	1
	F	447	-	1	-	-	2	1	4	5	6	5	5	9	12	12	21	29	52	52	75	51	55	39	9	1	-	1
	All other—M	90	-	-	-	-	-	-	-	-	1	1	2	3	6	10	5	13	10	16	10	6	3	2	-	1	-	1
	F	56	1	-	-	-	-	-	1	-	-	1	4	4	3	11	2	6	1	6	7	4	1	2	2	-	-	-
137	Diseases of the prostate	79	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	8	7	16	22	17	5	1	-	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	8	7	14	18	17	5	1	-	-	-
	All other—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	41	-	-	-	-	-	-	-	5	8	5	12	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	4	6	5	10	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	37	-	-	-	-	-	-	1	10	4	5	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	-	9	4	5	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	1	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	46	-	-	-	-	-	-	-	6	5	6	9	12	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	6	4	6	8	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	6	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	241	220	6	1	3	-	4	2	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	113	4	-	1	-	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	105	98	2	1	2	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	703	703	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	365	365	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	282	282	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	190	-	-	-	-	-	-	1	10	23	16	18	25	18	15	16	18	12	7	4	6	1	-	-	-	-	-
	White—M	150	-	-	-	-	-	-	-	7	15	9	14	22	15	14	15	17	9	6	4	3	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	1	3	8	4	4	3	3	1	1	1	3	-	-	3	-	-	-	-	-	-
	All other—M	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	139	1	-	-	-	-	2	2	6	23	19	21	23	16	10	2	7	1	4	1	1	-	-	-	-	-	-
	White—M	72	-	-	-	-	-	1	1	2	11	11	12	11	6	5	-	5	1	4	1	1	-	-	-	-	-	-
	F	13	1	-	-	-	-	1	1	2	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	47	-	-	-	-	-	-	-	1	6	6	7	11	9	4	2	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	481	4	-	3	4	5	28	13	68	55	37	45	43	29	20	29	21	24	19	20	5	5	3	-	-	-	1
	White—M	345	3	-	1	3	4	19	12	44	41	28	32	35	21	14	20	17	16	11	13	4	4	3	-	-	-	-
	F	95	1	-	2	1	1	7	1	19	9	6	6	6	6	4	5	3	6	4	5	1	1	-	-	-	-	1
	All other—M	33	-	-	-	-	-	2	-	4	4	3	6	2	1	1	4	1	-	4	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,180	53	21	18	11	12	37	49	48	75	112	98	89	63	56	64	56	45	51	47	40	62	46	20	3	-	4
	White—M	786	29	10	8	3	6	26	33	41	60	98	84	75	50	38	53	41	28	34	20	14	13	12	8	-	-	2
	F	299	20	10	9	8	5	9	14	4	8	4	8	3	5	8	2	10	13	14	23	25	48	34	11	3	-	1
	All other—M	79	3	-	-	-	-	1	1	3	7	9	4	9	8	9	8	5	4	3	1	1	1	-	1	-	-	1
	F	16	1	1	1	-	1	1	1	-	-	1	2	2	-	1	1	-	-	-	3	-	-	-	-	-	-	-
	All other causes*	1,994	612	25	16	10	10	19	24	20	23	31	36	41	51	71	64	87	91	126	144	128	151	131	48	25	3	7
	White—M	1,039	338	14	10	3	4	8	15	12	7	17	10	14	19	35	36	43	57	81	90	69	67	64	13	9	1	3
	F	806	224	11	6	6	4	10	7	8	13	12	20	23	24	26	23	33	29	34	49	52	79	65	33	13	-	2
	All other—M	77	28	-	-	1	1	1	1	-	-	-	-	3	1	5	4	7	2	6	3	5	3	1	2	1	1	1
	F	72	22	-	-	-	1	-	1	-	3	2	6	1	7	5	1	4	3	5	2	2	2	1	-	2	1	1

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																											
	All causes	30,678	2006	165	90	74	46	217	197	335	438	440	522	640	902	1,271	1,696	2,224	2,726	3,274	3,775	3,883	3,343	1,733	550	109	16	6
	White—M	17,070	1,124	84	44	39	27	126	109	195	253	251	291	361	499	772	971	1,325	1,604	1,875	2,084	2,131	1,747	853	254	41	5	5
	F	13,246	825	72	42	34	18	82	83	128	170	176	223	261	385	477	700	865	1,105	1,373	1,667	1,733	1,583	873	292	67	11	1
	All other—M	200	33	4	4	-	-	6	2	6	7	6	4	6	11	14	11	20	14	17	14	10	7	3	1	-	-	-
	F	162	24	5	-	1	1	3	3	6	8	7	4	12	7	8	14	14	3	9	10	9	6	4	3	1	-	-
1,2	Typhoid, paratyphoid fever	7	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	-	2	2	-	1	6	4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	2	2	-	-	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	32	26	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	15	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	720	5	4	1	1	1	3	7	34	54	71	62	62	46	68	55	75	64	47	28	20	8	2	1	-	-	1
	White—M	404	2	3	-	-	-	-	5	7	13	21	29	36	26	52	40	62	47	33	13	8	5	1	1	-	-	-
	F	273	2	1	-	1	1	-	-	19	34	45	31	23	18	14	15	8	16	14	15	11	3	1	-	-	-	1
	All other—M	24	1	-	1	-	-	2	1	2	3	2	1	1	1	2	-	5	1	-	-	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	1	1	6	4	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	55	-	2	2	1	1	1	1	1	2	5	4	3	3	6	4	5	2	1	5	3	2	-	1	-	-	-
	White—M	30	-	-	1	1	1	1	1	1	1	3	3	1	1	3	2	2	2	1	3	1	-	-	1	-	-	-
	F	24	-	1	1	-	-	-	-	-	1	2	1	2	2	3	2	3	-	-	2	2	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	8	2	2	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	214	3	1	-	-	-	-	1	2	2	2	3	12	16	23	30	37	29	28	11	5	7	1	1	-	-	-
	White—M	158	-	-	-	-	-	-	1	1	-	1	2	7	12	14	25	30	24	19	9	5	6	1	1	-	-	-
	F	44	2	1	-	-	-	-	-	1	1	1	1	4	4	6	5	4	5	6	2	-	1	-	-	-	-	-
	All other—M	9	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
33	Influenza	331	46	11	3	1	2	5	6	5	9	5	8	7	13	12	13	14	13	20	20	45	41	18	10	4	-	-
	White—M	176	31	5	2	1	2	3	4	1	5	4	5	4	6	8	10	8	11	12	7	19	19	5	3	1	-	-
	F	149	13	3	1	-	-	2	2	4	4	1	3	3	7	4	3	6	2	8	13	26	22	12	7	3	-	-
	All other—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
35	Measles	27	4	4	2	2	1	6	3	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	1	2	2	-	1	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	1	-	2	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	-	1	-	-	-	6	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,150	1	1	1	-	-	2	1	-	2	10	11	26	55	74	145	206	286	331	374	352	185	76	10	1	-	-
	White—M	1,215	-	1	1	-	-	1	1	-	1	4	6	15	24	41	78	117	180	164	253	201	102	39	6	-	-	-
	F	922	1	-	-	-	-	1	-	-	1	5	5	10	31	32	65	86	105	164	140	151	83	37	4	1	-	-
	All other—M	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	2	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	454	-	-	-	-	-	1	-	-	-	8	11	22	43	48	58	51	55	56	50	31	17	3	-	-	-	-
	White—F	449	-	-	-	-	-	1	-	-	-	8	11	20	41	49	58	50	55	56	50	31	17	3	-	-	-	-
	All other—F	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
50	Cancer of breast	411	-	-	1	-	-	-	-	-	1	4	5	14	14	43	53	56	57	63	48	28	16	7	1	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	4	-	1	1	-	-	-	-	-
	F	400	-	-	1	-	-	-	-	-	1	4	5	13	14	42	51	56	57	59	48	26	15	7	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,253	-	4	3	5	2	6	9	15	14	11	14	32	35	72	85	127	140	180	178	154	117	36	16	-	-	-
	White—M	915	-	3	1	4	1	4	2	6	11	8	5	18	18	46	56	95	103	137	147	123	86	29	12	-	-	-
	F	334	-	1	1	1	1	2	7	8	3	3	9	13	17	26	29	32	37	42	29	31	31	7	4	-	-	-
	All other—M	4	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	35	-	-	1	1	-	4	6	3	4	1	2	6	3	-	1	1	1	-	-	-	1	-	-	-	-	-
	White—M	12	-	-	-	-	-	1	2	-	-	1	2	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	22	-	-	1	1	-	3	3	3	4	-	-	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	904	1	-	1	-	-	3	3	5	6	6	9	4	16	18	61	93	128	155	172	138	68	16	1	-	-	-
	White—M	341	1	-	1	-	-	2	1	1	2	4	3	4	11	7	15	25	39	65	65	61	26	7	1	-	-	-
	F	557	-	-	-	-	-	1	2	4	4	2	6	-	5	11	45	66	88	90	105	77	42	9	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	153	-	-	-	-	-	-	-	-	1	2	2	-	9	13	15	21	27	28	24	7	3	1	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	3	5	4	1	1	-	-	-	-	-	-
	F	129	-	-	-	-	-	-	-	-	1	1	2	-	6	10	12	18	22	24	23	6	3	1	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	40	-	-	-	-	-	-	-	-	1	3	3	1	5	4	6	7	2	4	2	1	1	-	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	1	3	3	1	3	4	5	5	2	4	2	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,940	4	3	1	1	-	1	1	3	6	7	10	22	49	88	137	191	268	359	521	508	452	234	63	8	3	-
	White—M	1,457	3	1	-	-	-	-	1	1	4	5	3	8	23	45	60	88	142	192	262	276	214	108	16	3	2	-
	F	1,460	1	2	1	1	-	1	-	2	2	1	7	14	25	43	77	100	124	162	253	231	234	126	47	5	1	-
	All other—M	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	4	-	3	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	1	1	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	361	34	8	4	5	1	6	11	11	16	15	17	14	13	29	9	23	23	37	36	23	22	3	1	-	-	-
	White—M	199	22	4	-	3	1	6	8	4	9	9	9	5	9	14	4	13	17	18	17	13	11	2	1	-	-	-
	F	159	12	3	4	2	-	-	3	7	7	6	7	9	4	15	5	10	6	19	19	9	11	1	-	-	-	-
	All other—M	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	108	10	3	1	-	1	5	9	5	4	3	5	6	6	8	6	4	7	4	6	4	3	3	3	-	-	-
	White—M	64	5	2	1	-	1	1	3	5	3	2	4	4	1	7	5	3	5	1	4	2	1	2	2	-	-	-
	F	42	4	1	-	-	-	4	6	-	1	1	1	2	5	1	1	3	2	3	2	1	2	1	1	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	575	-	-	-	-	-	6	11	14	13	19	19	19	40	41	39	37	45	55	65	65	54	23	9	1	-	-
	White—M	294	-	-	-	-	-	2	4	5	6	10	9	10	24	23	25	19	25	33	27	30	28	12	2	-	-	-
	F	277	-	-	-	-	-	4	6	9	7	9	10	9	16	17	14	18	20	21	38	34	26	11	7	1	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,594	1	-	-	-	-	-	2	1	2	3	15	37	77	147	178	264	343	416	386	361	219	119	20	2	-	1
	White—M	1,833	-	-	-	-	-	-	1	1	-	3	10	30	63	120	146	211	252	292	272	213	138	70	9	1	-	1
	F	744	1	-	-	-	-	-	1	-	2	-	5	5	13	25	30	51	88	123	111	147	81	49	11	1	-	-
	All other—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	1	3	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,084	4	-	-	1	-	2	12	8	14	15	17	39	81	124	230	361	530	688	942	1,106	1,105	598	171	32	4	-
	White—M	3,288	3	-	-	-	-	-	6	4	10	9	11	21	52	84	134	210	306	397	508	598	562	277	60	14	2	-
	F	2,740	1	-	-	1	-	2	6	4	4	6	6	18	26	37	86	146	219	286	427	502	537	317	89	18	2	-
	All other—M	30	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	2	4	2	3	3	3	2	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	1	3	4	3	3	2	1	-	-	-
107-109	Pneumonia (all forms)	1,198	274	23	11	5	5	7	9	7	10	17	20	22	29	38	58	48	73	90	96	116	134	68	27	9	2	-
	White—M	646	132	13	5	3	-	3	3	4	8	10	16	14	20	30	38	31	41	52	40	60	66	38	16	3	-	-
	F	516	123	9	5	2	4	3	6	3	2	7	4	5	8	8	18	16	31	37	54	55	67	30	11	6	2	-
	All other—M	21	12	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	1	1	2	-	-	-	-	-	-	-
	F	15	7	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	1	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	197	1	-	-	-	-	-	-	-	3	3	7	4	9	25	29	27	25	24	14	18	5	1	2	2	-	-
	White—M	167	1	-	-	-	-	-	-	-	1	3	7	4	7	24	26	25	22	19	9	13	3	-	1	2	-	-
	F	29	-	-	-	-	-	-	-	-	2	-	-	-	2	1	3	1	3	5	5	3	2	1	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
119,120	Diarrhea, enteritis, etc.*	135	73	9	3	4	-	1	-	3	2	3	4	1	-	1	3	2	3	3	3	4	7	5	-	1	-	-
	White—M	69	39	3	1	2	-	1	-	2	2	1	-	-	-	1	1	2	3	-	1	2	4	4	-	-	-	-
	F	60	30	6	1	2	-	-	-	1	-	2	4	1	-	-	2	-	-	3	2	1	3	1	-	1	-	-
	All other-M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	247	-	3	7	6	4	16	10	12	13	5	17	11	16	18	33	17	17	16	12	10	1	2	1	-	-	-
	White—M	161	-	1	6	2	1	9	6	7	5	5	13	10	12	12	23	13	13	8	7	6	1	-	1	-	-	-
	F	84	-	2	1	4	3	5	4	5	8	-	4	1	4	6	10	4	4	8	5	4	-	2	-	-	-	-
	All other-M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	254	16	4	-	-	-	3	-	-	2	6	4	9	9	10	17	13	31	22	33	31	26	15	1	2	-	-
	White—M	142	10	3	-	-	-	3	-	-	2	3	1	4	4	5	8	8	16	11	18	19	17	8	-	2	-	-
	F	108	6	1	-	-	-	-	-	-	-	3	2	4	5	5	8	4	15	11	15	12	9	7	1	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	269	-	-	-	-	-	-	-	2	1	-	7	12	18	31	33	38	35	29	24	21	11	7	-	-	-	-
	White—M	184	-	-	-	-	-	-	-	1	1	-	6	8	12	21	24	32	22	18	17	15	4	3	-	-	-	-
	F	84	-	-	-	-	-	-	-	1	-	-	1	4	6	10	8	6	13	11	7	6	7	4	-	-	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	249	1	-	-	-	-	-	-	2	2	-	4	4	10	19	27	29	36	38	33	21	19	4	-	-	-	-
	White—M	72	-	-	-	-	-	-	-	1	-	-	1	1	-	5	8	9	7	12	11	9	6	2	-	-	-	-
	F	176	1	-	-	-	-	-	-	1	2	-	3	3	10	13	19	20	29	26	22	12	13	2	-	-	-	-
	All other-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,780	-	1	-	2	1	5	5	13	16	16	23	33	53	67	89	140	142	174	258	295	258	140	45	3	1	-
	White—M	956	-	-	-	-	1	2	2	8	12	12	11	14	24	38	38	79	81	96	132	151	156	77	20	2	-	-
	F	799	-	1	-	2	-	3	3	5	4	4	12	17	29	26	48	57	60	76	123	141	101	62	23	1	1	-
	All other-M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	2	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	-	1	1	1	-	-	2	-	-	-
137	Diseases of the prostate	232	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	16	37	51	49	43	16	11	1	-	-
	White—M	231	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	16	37	51	48	43	16	11	1	-	-
	All other-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	48	-	-	-	-	-	-	-	1	12	6	14	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	1	12	5	14	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	30	-	-	-	-	-	-	-	3	6	6	3	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	-	-	-	-	-	-	-	3	6	6	3	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	58	-	-	-	-	-	-	-	2	10	15	12	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	57	-	-	-	-	-	-	-	2	10	15	12	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	376	317	19	5	6	2	8	5	5	-	1	3	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	205	175	12	1	4	1	3	1	3	-	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	166	137	7	4	2	1	5	4	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	623	623	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	362	362	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other-M	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,184	Suicide	426	-	-	-	-	-	-	2	3	14	26	50	39	27	49	51	44	45	28	24	14	9	1	-	-	-	-
	White—M	334	-	-	-	-	-	-	1	2	10	22	36	33	23	36	38	35	39	21	18	13	6	1	-	-	-	-
	F	89	-	-	-	-	-	-	1	1	3	3	13	6	4	13	13	9	6	7	6	1	3	-	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	44	3	1	-	-	1	2	1	-	5	4	7	3	3	3	2	3	2	2	-	1	-	-	-	-	-	1
	White—M	29	3	1	-	-	1	1	-	-	2	3	4	2	2	1	2	2	2	2	-	-	-	-	-	-	-	1
	F	12	-	-	-	-	-	1	1	-	2	1	2	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	All other-M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	899	3	10	7	9	6	38	23	83	106	63	59	47	44	53	60	56	56	62	51	42	15	4	1	-	-	1
	White—M	669	2	5	3	7	5	25	18	62	82	47	43	32	33	44	50	44	40	43	38	32	9	3	1	-	-	1
	F	213	-	5	4	2	1	13	4	20	22	14	14	15	9	8	10	12	14	16	13	10	6	1	-	-	-	-
	All other-M	13	1	-	-	-	-	-	-	1	2	1	-	-	2	1	-	-	2	3	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,402	48	29	18	12	12	43	34	56	52	47	41	48	58	57	64	100	70	86	102	133	140	100	33	17	-	2
	White—M	912	21	15	9	6	7	29	29	45	46	40	40	42	50	47	52	80	53	65	62	67	51	39	11	4	-	2
	F	478	25	14	9	6	5	12	5	10	4	7	1	6	6	9	12	19	17	21	40	66	89	60	22	13	-	-
	All other-M	8	2	-	-	-	-	2	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	All other causes*	2,711	506	18	13	10	5	28	18	31	28	29	26	52	79	79	98	127	154	187	207	280	354	229	121	26	6	-
	White—M	1,421	294	9	8	5	3	15	4	20	12	17	8	28	33	37	48	71	88	113	109	143	180	109	58	8	1	-
	F	1,261	199	8	5	4	2	12	14	11	16	10	18	24	43	41	48	55	68	73	98	136	173	120	63	17	5	-
	All other-M	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	22	8	1	-	1	-	1	-	-	-	2	-	-	3	1	1	1	-	-	-	1	1	-	-	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	All causes	2,192	230	27	12	7	4	19	27	51	48	46	70	53	67	114	155	190	186	200	229	196	140	78	32	4	-	7
	White—M	1,353	127	15	4	2	3	12	15	26	28	35	43	28	44	76	104	150	113	135	145	119	83	43	15	2	-	6
	White—F	758	81	10	6	4	1	5	11	21	16	11	25	25	21	35	46	56	67	60	82	72	56	32	14	2	-	1
	All other—M	46	11	1	1	-	-	2	1	4	2	-	-	1	1	2	3	3	5	3	1	2	1	2	-	-	-	-
	All other—F	35	11	1	1	1	-	-	-	-	2	-	2	1	1	1	2	1	1	2	1	3	-	1	3	-	-	-
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	28	-	-	-	1	-	-	-	4	3	1	1	2	2	2	2	1	4	1	2	2	-	-	-	-	-	-
	White—M	18	-	-	-	1	-	-	-	-	2	-	-	2	1	2	2	-	3	1	2	2	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	4	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	1	1	-	1	-	1	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	White—F	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	41	4	-	-	-	-	-	-	-	1	-	3	2	1	5	8	6	5	3	3	-	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	2	1	1	3	5	3	5	3	3	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-
	All other—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other—F	5	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	48	10	2	4	-	-	1	3	-	1	-	2	2	2	-	2	1	3	2	3	2	6	-	1	-	-	1
	White—M	28	5	-	2	-	-	-	1	-	-	-	2	1	2	-	2	1	2	2	3	2	2	-	-	-	-	1
	White—F	13	1	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-
	All other—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	120	-	-	-	-	-	-	-	-	-	1	1	2	5	7	12	16	17	26	20	7	6	-	-	-	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	1	-	1	3	4	8	12	6	14	15	5	4	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	10	12	5	2	2	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	24	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	3	2	1	1	2	-	-	1	-	-	-
	White—F	24	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	3	2	1	1	2	-	-	1	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
50	Cancer of breast	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	2	2	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	2	2	-	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	80	-	1	-	-	-	1	1	1	-	1	3	1	1	5	8	11	10	15	11	7	3	-	-	-	-	-
	White—M	61	-	1	-	-	-	1	1	1	-	-	2	1	1	2	6	9	8	10	10	6	2	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	2	4	1	1	1	-	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	35	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	3	6	3	9	5	2	2	-	-	-	-
	White—M	14	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	1	2	5	2	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	1	4	3	2	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	164	1	-	-	-	-	1	-	-	1	1	-	2	3	4	13	15	28	18	27	21	17	8	3	-	-	1
	White—M	107	1	-	-	-	-	1	-	-	-	1	-	1	2	2	9	11	17	13	16	12	12	5	3	-	-	1
	F	55	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	10	5	11	9	5	3	-	-	-	-
	All other—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	33	2	1	-	-	-	1	2	-	-	1	2	2	3	2	3	5	2	3	-	3	-	-	1	-	-	-
	White—M	19	2	-	-	-	-	1	2	-	-	1	1	-	2	1	1	3	1	3	-	1	-	-	-	-	-	-
	F	13	-	1	-	-	-	-	-	-	-	-	1	2	1	1	2	2	1	-	-	1	-	-	1	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	12	3	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1
	White—M	6	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
	F	5	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	49	-	-	-	-	-	-	1	4	-	1	2	3	1	6	5	3	4	6	7	4	1	1	-	-	-	-
	White—M	31	-	-	-	-	-	-	1	1	-	1	1	1	1	3	3	3	3	5	4	2	1	1	-	-	-	-
	F	17	-	-	-	-	-	-	-	3	-	-	-	2	-	3	2	-	1	1	3	2	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	168	-	-	-	-	-	-	-	-	-	1	1	-	2	13	20	31	27	25	19	16	6	5	-	-	-	-
	White—M	135	-	-	-	-	-	-	-	-	-	1	-	-	1	12	18	25	22	24	12	12	5	3	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	5	1	7	4	1	2	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	346	-	-	-	-	-	-	-	1	-	2	5	5	5	11	21	22	29	40	59	60	48	24	8	2	-	4
	White—M	205	-	-	-	-	-	-	-	1	-	1	2	2	3	9	15	12	18	26	37	34	26	11	6	1	-	3
	F	130	-	-	-	-	-	-	-	-	-	1	3	3	2	2	6	9	12	12	21	24	21	11	1	1	-	1
	All other—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-
107-109	Pneumonia (all forms)	105	29	6	3	-	1	1	1	1	1	1	2	1	8	1	5	7	5	4	6	6	7	5	4	-	-	-
	White—M	62	17	4	-	-	-	-	1	-	-	1	2	1	6	1	2	5	4	2	4	4	4	3	1	-	-	-
	F	33	9	2	3	-	1	-	-	-	1	-	-	-	1	-	3	1	-	2	2	2	3	2	1	-	-	-
	All other—M	5	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-
117	Ulcer of stomach or duodenum	22	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	6	2	2	1	1	2	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	6	2	2	1	1	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 15.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
119,120	Diarrhea, enteritis, etc.*	8	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	23	1	-	1	-	-	-	1	2	2	6	-	-	3	1	1	2	2	-	1	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	2	2	3	-	-	3	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	9	1	-	1	-	-	-	1	-	-	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	22	2	-	-	-	-	-	-	1	-	-	1	-	-	1	3	1	3	4	1	3	1	1	-	-	-	-
	White—M	15	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	4	1	2	1	1	-	-	-	-
	F	7	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	2	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	3	-	-	3	1	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	-	2	1	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	153	-	-	-	-	-	-	-	6	-	1	4	2	2	7	7	14	9	19	26	20	19	15	2	-	-	-
	White—M	80	-	-	-	-	-	-	-	1	-	-	3	1	1	3	4	11	4	9	11	12	9	10	1	-	-	-
	F	71	-	-	-	-	-	-	-	5	-	1	1	1	1	4	3	3	5	9	14	8	10	5	1	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	1	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 147	Puerperal septicemia	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	35	33	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	All other—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	37	-	-	-	-	-	-	-	1	3	7	4	1	5	6	3	5	2	-	-	-	-	-	-	-	-	-
	White—M	32	-	-	-	-	-	-	-	1	2	7	4	1	3	4	3	5	2	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	10	-	-	-	-	-	-	1	2	2	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	104	-	3	-	1	-	4	3	12	13	9	9	4	5	8	8	8	4	2	5	3	1	1	1	-	-	-
	White—M	74	-	3	-	-	-	3	2	7	11	8	6	4	3	4	6	6	2	2	4	1	1	-	1	-	-	-
	F	26	-	-	-	1	-	1	1	4	1	1	3	-	2	4	1	2	2	-	1	1	-	1	-	-	-	-
	All other—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	152	4	7	2	2	1	6	8	9	9	10	14	8	7	14	5	8	4	5	4	10	5	8	2	-	-	-
	White—M	107	2	5	1	-	1	4	5	5	6	8	11	6	5	12	4	7	4	3	2	8	4	4	-	-	-	-
	F	40	1	2	-	2	-	2	2	3	3	2	3	2	2	1	1	1	-	2	2	2	1	4	2	-	-	-
	All other—M	4	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	204	58	1	1	-	1	-	3	2	5	1	8	8	5	8	9	14	9	10	20	16	11	4	8	2	-	-
	White—M	114	33	-	1	-	1	-	1	2	3	1	4	2	3	6	7	6	5	4	12	10	7	2	3	1	-	-
	F	80	22	-	-	-	-	-	2	-	2	-	4	5	2	2	1	8	3	5	8	5	4	1	5	1	-	-
	All other—M	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941

(Exclusive of stillbirths. Counties are subdivided into individual cities having populations of 10,000 or more in 1940 and into the area outside these cities. Certain towns, townships, and districts are classified as urban under special rule)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
ALABAMA (total)	28,782	21,965	5,553	743	28,715	21,876	5,470	743
Autauga	222	196	23	-	216	195	13	-
Baldwin	356	285	35	-	309	293	-	-
Barbour	350	311	36	-	341	310	31	-
Bibb	223	178	44	-	171	171	-	-
Blount	212	179	27	-	175	175	-	-
Bullock	249	226	21	-	229	229	-	-
Butler	268	239	29	-	280	241	39	-
Calhoun	636	493	143	-	640	497	143	-
Outside city	306	240	66	-	254	243	11	-
Anniston	330	253	77	-	386	254	132	-
Chambers	437	373	46	-	434	383	51	-
Cherokee	162	142	20	-	132	132	-	-
Chilton	245	196	40	-	235	216	15	-
Choctaw	171	150	21	-	157	148	9	-
Clarke	293	268	25	-	271	262	8	-
Clay	141	130	9	-	129	128	-	-
Cleburne	123	112	11	-	104	104	-	-
Coffee	222	188	31	-	218	186	32	-
Colbert	298	227	69	-	290	229	59	-
Conecuh	203	190	13	-	203	187	16	-
Coosa	131	110	18	1	112	111	-	1
Covington	316	288	17	-	310	284	14	-
Crenshaw	219	202	17	-	208	208	-	-
Cullman	286	235	50	-	271	230	41	-
Dale	187	162	24	-	163	163	-	-
Dallas	822	648	167	-	955	656	291	-
Outside city	491	410	76	-	416	411	-	-
Selma	331	238	91	-	539	245	291	-
De Kalb	304	282	20	-	279	279	-	-
Elmore	341	263	68	5	307	261	41	5
Escambia	285	240	35	10	274	233	31	10
Etowah	690	554	134	-	723	559	164	-
Outside city	327	279	46	-	272	272	-	-
Gadsden	363	275	88	-	451	287	164	-
Fayette	174	148	7	-	171	142	-	-
Franklin	182	136	36	-	188	132	48	-
Geneva	198	171	25	-	174	163	9	-
Greene	228	219	7	-	223	223	-	-
Hale	306	281	19	-	285	279	4	-
Henry	174	162	12	-	158	158	-	-
Houston	360	301	54	-	422	303	118	-
Outside city	211	185	24	-	187	187	-	-
Dothan	149	116	30	-	235	116	118	-
Jackson	329	293	34	-	298	292	5	-
Jefferson	5,353	3,144	1,958	57	5,521	3,127	2,115	57
Outside cities	1,677	1,035	535	57	1,176	1,044	70	57
Bessemer	301	201	99	-	257	207	50	-
Birmingham	3,228	1,850	1,256	-	3,706	1,797	1,692	-
Fairfield	147	78	68	-	382	79	303	-
Lamar	133	116	7	-	116	116	-	-
Lauderdale	410	329	77	-	428	336	90	-
Outside city	246	203	41	-	204	204	-	-
Florence	164	126	36	-	224	132	90	-
Lawrence	194	172	21	-	187	176	10	-
Lee	395	354	37	-	376	362	13	-
Limestone	288	256	31	-	280	255	25	-
Lowndes	296	277	17	-	280	279	-	-
Macon	362	260	102	-	553	272	279	-
Madison	652	555	91	-	657	564	88	-
Outside city	458	399	56	-	404	404	-	-
Huntsville	194	156	35	-	253	160	88	-
Marengo	374	336	36	-	335	326	9	-
Marion	161	131	25	-	132	131	-	-
Marshall	279	245	25	-	267	250	10	-
Mobile	2,035	1,217	550	263	2,141	1,249	625	263
Outside city	953	499	211	241	776	519	14	241
Mobile	1,082	718	339	22	1,365	730	611	22
Monroe	255	229	26	-	224	224	-	-
Montgomery	1,414	993	353	37	1,505	983	406	37
Outside city	400	306	64	26	392	305	12	26
Montgomery	1,014	687	289	11	1,113	678	394	11
Morgan	360	309	48	-	345	300	45	-
Outside city	218	192	25	-	186	183	3	-
Decatur	142	117	23	-	159	117	42	-
Perry	304	278	25	-	275	275	-	-
Pickens	223	212	10	-	208	208	-	-
Pike	323	281	41	-	331	269	62	-
Randolph	244	222	21	-	235	217	17	-
Russell	417	364	48	-	380	360	20	-
Outside city	226	210	15	-	204	204	-	-
Phenix City	191	154	33	-	176	156	20	-
St. Clair	267	226	39	-	247	234	13	-
Shelby	290	228	52	-	240	234	6	-
Sumter	330	302	27	1	327	304	22	1
Talladega	549	416	115	-	547	416	109	-
Tallapoosa	311	262	47	-	317	259	56	-
ALABAMA—Contd.								
Tuscaloosa	1,042	519	114	369	1,095	525	154	369
Outside city	408	330	53	8	367	328	31	8
Tuscaloosa	634	189	61	361	728	197	123	361
Walker	548	391	152	-	531	397	134	-
Washington	150	132	18	-	128	128	-	-
Wilcox	356	320	35	-	327	327	-	-
Winston	144	111	20	-	127	111	-	-
ARIZONA (total)	5,452	2,822	2,037	315	5,989	3,088	2,302	315
Apache	275	64	209	-	324	67	255	-
Cochise	364	179	179	-	352	183	165	-
Coconino	235	121	76	-	253	137	74	-
Gila	247	130	114	-	244	137	107	-
Graham	123	88	35	-	117	88	29	-
Greenlee	129	74	36	-	121	74	31	-
Maricopa	1,918	990	559	276	2,104	1,092	631	276
Outside city	759	430	251	68	634	433	109	68
Phoenix	1,159	560	328	208	1,470	659	522	208
Mohave	88	35	49	-	80	36	41	-
Navajo	315	185	125	-	332	194	135	-
Pima	833	484	333	-	1,073	559	494	-
Outside city	174	121	52	-	130	109	21	-
Tucson	659	363	281	-	943	450	473	-
Pinal	354	194	77	6	362	210	66	6
Santa Cruz	77	51	25	-	76	52	23	-
Yavapai	285	124	119	33	319	130	149	33
Yuma	209	105	101	-	232	129	102	-
ARKANSAS (total)	16,402	12,904	2,652	615	16,250	12,908	2,488	615
Arkansas	172	148	23	-	148	142	6	-
Ashley	225	191	33	-	195	184	11	-
Baxter	65	54	10	-	66	56	9	-
Benton	393	329	46	-	369	329	21	-
Boone	132	124	4	-	139	124	11	-
Bradley	115	103	12	-	102	101	1	-
Calhoun	65	59	6	-	56	56	-	-
Carroll	140	124	14	-	129	128	-	-
Chicot	205	170	29	-	208	174	25	-
Clark	169	147	19	-	152	144	5	-
Clay	210	186	18	-	192	185	3	-
Cleburne	87	64	17	-	87	65	13	-
Cleveland	78	69	9	-	61	61	-	-
Columbia	137	120	4	-	134	121	-	-
Conway	186	155	30	-	195	156	39	-
Craighead	399	286	111	-	453	300	152	-
Outside city	258	203	54	-	211	210	-	-
Jonesboro	141	83	57	-	242	90	152	-
Crawford	220	176	43	-	174	173	-	-
Crittenden	424	368	55	-	366	366	-	-
Cross	144	109	34	-	110	109	1	-
Dallas	101	93	8	-	89	89	-	-
Desha	237	200	35	-	209	197	12	-
Drew	145	130	13	-	152	133	18	-
Faulkner	231	189	40	-	221	187	33	-
Franklin	120	102	18	-	106	98	8	-
Fulton	78	69	7	-	71	68	-	-
Garland	454	304	148	-	585	338	242	-
Outside city	136	103	33	-	101	101	-	-
Hot Springs	318	201	115	-	484	237	242	-
Grant	78	69	9	-	70	70	-	-
Greene	227	200	27	-	222	196	26	-
Hempstead	240	216	24	-	235	211	24	-
Hot Spring	147	126	18	-	121	119	-	-
Howard	97	89	6	-	89	87	-	-
Independence	169	144	20	-	191	143	35	-
Izard	82	62	13	-	62	62	-	-
Jackson	183	174	9	-	176	170	6	-
Jefferson	690	579	98	2	670	584	73	2
Outside city	345	306	33	2	311	307	-	2
Pine Bluff	345	273	65	-	359	277	73	-
Johnson	119	101	18	-	112	101	11	-
Lafayette	106	97	8	-	98	98	-	-
Lawrence	167	133	33	-	133	133	-	-
Lee	269	254	15	-	256	256	-	-
Lincoln	165	152	11	2	156	154	-	2
Little River	96	87	9	-	84	84	-	-
Logan	223	179	42	-	263	181	80	-
Lonoke	238	201	37	-	195	195	-	-
Madison	90	74	14	-	71	71	-	-
Marion	44	41	2	-	41	41	-	-
Miller	284	234	49	-	354	240	113	-
Outside city	117	104	12	-	95	94	-	-
Texarkana[2]	167	130	37	-	259	146	113	-
Mississippi	671	581	89	-	612	567	44	-
Outside city	478	418	59	-	410	404	5	-
Blytheville	193	163	30	-	202	163	39	-
Monroe	189	173	15	-	175	171	4	-

[1] Includes deaths in unknown institution.
[2] Includes data for Texarkana, Ark., only.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
ARKANSAS—Contd.								
Montgomery	54	44	10	-	43	43	-	-
Nevada	142	119	23	-	133	117	16	-
Newton	61	57	4	-	56	56	-	-
Ouachita	270	230	40	-	272	239	33	-
Perry	65	53	12	-	50	50	-	-
Phillips	500	419	79	-	481	421	59	-
Pike	69	59	9	-	57	57	-	-
Poinsett	259	201	57	-	190	190	-	-
Polk	140	108	8	-	134	107	-	-
Pope	180	152	28	-	181	146	35	-
Prairie	101	89	11	-	90	90	-	-
Pulaski	2,162	1,066	483	567	2,445	1,082	737	567
Outside cities	487	345	66	54	413	333	1	54
Little Rock	1,455	577	346	513	1,876	602	735	513
North Little Rock	220	144	71	-	156	147	1	-
Randolph	131	115	15	-	114	114	-	-
St. Francis	278	225	44	-	234	225	-	-
Saline	185	122	32	31	242	140	71	31
Scott	53	45	7	-	47	45	-	-
Searcy	84	73	8	-	76	73	-	-
Sebastian	565	371	177	13	674	382	273	13
Outside city	154	118	33	-	121	112	6	-
Fort Smith	411	253	144	13	553	270	267	13
Sevier	103	96	7	-	105	94	10	-
Sharp	74	67	7	-	63	63	-	-
Stone	45	39	5	-	39	39	-	-
Union	379	313	64	-	383	324	58	-
Outside city	229	199	29	-	194	194	-	-
El Dorado	150	114	35	-	189	130	58	-
Van Buren	85	69	14	-	64	64	-	-
Washington	356	255	85	-	426	280	147	-
White	257	228	29	-	244	221	23	-
Woodruff	180	146	33	-	148	147	-	-
Yell	118	108	9	-	104	103	-	-
CALIFORNIA (total)	80,943	37,402	37,092	4,023	81,421	37,603	37,355	4,023
Alameda	6,263	2,981	2,893	148	6,107	2,948	2,749	148
Outside cities	958	386	487	12	1,250	431	702	12
Alameda	417	230	175	-	339	234	90	-
Albany	79	46	32	-	83	46	37	-
Berkeley	896	437	406	-	758	429	261	-
Oakland	3,748	1,784	1,733	136	3,583	1,723	1,658	136
San Leandro	185	98	60	-	94	85	1	-
Alpine	5	5	-	-	6	6	-	-
Amador	110	65	19	26	90	64	-	26
Butte	603	298	298	-	591	299	235	-
Calaveras	118	58	27	26	106	68	9	26
Colusa	152	69	81	-	156	71	84	-
Contra Costa	958	474	474	-	834	478	355	-
Outside city	698	343	347	-	620	347	272	-
Richmond	260	131	127	-	214	131	83	-
Del Norte	66	31	16	19	65	31	15	19
El Dorado	150	72	53	25	146	81	40	25
Fresno	1,796	764	1,004	2	1,780	770	982	2
Outside city	894	454	429	2	700	490	201	2
Fresno	902	310	575	-	1,080	280	781	-
Glenn	133	88	44	-	116	89	27	-
Humboldt	543	253	263	-	540	256	260	-
Outside city	307	157	136	-	231	158	64	-
Eureka	236	96	127	-	309	98	196	-
Imperial	469	227	225	-	444	219	206	-
Outside cities	276	136	123	-	313	141	153	-
Brawley	105	48	57	-	75	43	32	-
El Centro	88	43	45	-	56	35	21	-
Inyo	85	41	30	-	80	46	20	-
Kern	1,221	429	749	-	1,262	470	753	-
Outside city	730	284	417	-	983	377	589	-
Bakersfield	491	145	332	-	279	93	164	-
Kings	325	118	207	-	323	118	205	-
Lake	110	80	15	12	108	93	-	12
Lassen	105	47	40	13	108	47	41	13
Los Angeles	31,841	15,628	14,300	1,071	31,991	15,542	14,545	1,071
Outside cities	6,157	2,662	2,445	861	6,179	2,765	2,272	861
Alhambra	399	218	159	7	299	208	80	7
Bell	114	62	48	-	110	59	50	-
Belvedere (twp.)[3]	251	118	131	-	144	115	29	-
Beverly Hills	244	148	94	-	163	160	3	-
Burbank	268	151	111	1	197	154	57	1
Compton	191	78	95	8	147	79	51	8
Glendale	863	416	408	7	1,028	411	576	7
Huntington Park	298	172	115	1	234	154	57	1
Inglewood	291	128	153	-	280	119	158	-
Long Beach	2,095	1,088	922	-	1,880	1,076	724	-
Los Angeles	17,163	8,462	8,153	155	18,129	8,365	9,297	155
Lynwood	111	50	54	-	75	51	-	-
Maywood	100	55	45	-	133	50	82	-
Monrovia	211	106	96	3	183	106	72	3
Pasadena	1,215	679	497	7	1,119	653	440	7
CALIFORNIA—Con.								
Los Angeles—Contd.								
Pomona	294	173	105	-	265	165	92	-
Redondo Beach	163	100	60	-	104	99	1	-
San Gabriel	127	69	55	-	62	60	-	-
Santa Monica	686	359	318	-	752	363	385	-
South Gate	203	116	83	-	150	113	35	-
South Pasadena	186	101	62	21	149	106	8	21
Whittier	211	117	91	-	209	111	96	-
Madera	233	77	155	-	253	85	167	-
Marin	517	208	253	44	476	217	206	44
Mariposa	62	36	25	-	46	42	4	-
Mendocino	460	189	71	142	443	188	51	142
Merced	445	169	273	-	470	176	291	-
Outside city	333	128	203	-	351	137	211	-
Merced	112	41	70	-	119	39	80	-
Modoc	79	56	7	-	73	55	-	-
Mono	25	16	9	-	21	17	4	-
Monterey	786	377	402	-	796	407	382	-
Outside cities	534	263	265	-	633	298	328	-
Monterey	97	53	43	-	69	52	17	-
Salinas	155	61	94	-	94	57	37	-
Napa	718	163	185	360	802	167	264	360
Nevada	219	105	89	-	213	108	79	-
Orange	1,567	879	642	-	1,587	887	624	-
Outside cities	886	479	389	-	1,059	503	530	-
Anaheim	146	84	52	-	94	80	3	-
Fullerton	102	56	41	-	114	53	52	-
Santa Ana	433	260	160	-	300	251	39	-
Placer	385	198	181	-	399	193	201	-
Plumas	122	57	60	-	121	64	52	-
Riverside	1,263	610	571	17	1,267	639	544	17
Outside city	748	370	339	-	597	412	142	-
Riverside	515	240	232	17	670	227	402	17
Sacramento	2,094	886	1,152	17	2,064	849	1,197	17
Outside city	587	286	275	17	308	282	2	17
Sacramento	1,507	600	877	-	1,756	567	1,155	-
San Benito	132	67	53	12	131	77	42	12
San Bernardino	2,026	926	778	290	2,070	983	771	290
Outside cities	1,077	445	329	290	973	524	147	290
Ontario	155	94	59	-	93	92	-	-
Redlands	185	110	66	-	178	108	64	-
San Bernardino	609	277	324	-	826	259	560	-
San Diego	3,604	1,680	1,721	34	3,695	1,746	1,745	34
Outside cities	897	466	366	30	690	530	99	30
National City	157	45	110	-	169	43	123	-
San Diego	2,550	1,169	1,245	4	2,836	1,173	1,523	4
San Francisco, coextensive with San Francisco (city)	8,466	3,520	4,170	572	9,084	3,440	4,875	572
San Joaquin	1,850	607	897	332	1,842	612	887	332
Outside cities	930	256	339	332	1,193	293	564	332
Lodi	109	41	67	-	118	41	77	-
Stockton	811	310	491	-	531	278	246	-
San Luis Obispo	504	219	248	8	495	227	236	8
San Mateo	1,077	460	521	77	1,063	490	476	77
Outside cities	614	246	283	75	516	282	145	75
Burlingame	126	79	46	-	80	75	-	-
Redwood City	126	52	70	-	58	47	10	-
San Mateo	211	83	122	2	409	86	321	2
Santa Barbara	798	338	396	-	852	355	416	-
Outside city	370	149	171	-	449	168	223	-
Santa Barbara	428	189	225	-	403	187	193	-
Santa Clara	2,281	920	1,012	305	2,289	906	1,033	305
Outside cities	1,183	390	462	305	1,466	416	717	305
Palo Alto	198	101	95	-	212	97	114	-
San Jose	900	429	455	-	611	393	202	-
Santa Cruz	660	333	269	-	651	334	260	-
Outside city	347	168	164	-	363	176	183	-
Santa Cruz	313	165	105	-	288	158	77	-
Shasta	338	158	159	-	330	164	143	-
Sierra	26	13	10	3	20	12	5	3
Siskiyou	323	150	167	-	318	159	155	-
Solano	519	244	179	82	465	232	156	82
Outside city	278	130	58	82	237	136	4	82
Vallejo	241	114	121	-	248	96	152	-
Sonoma	976	454	368	98	963	479	324	98
Outside city	771	359	261	98	810	396	256	98
Santa Rosa	205	95	107	-	153	83	68	-
Stanislaus	734	326	184	204	729	336	172	204
Outside city	364	229	117	2	325	244	85	2
Modesto	370	97	67	202	404	92	107	202
Sutter	175	87	81	-	147	81	59	-
Tehama	163	80	82	-	164	82	81	-
Trinity	46	26	20	-	45	29	16	-
Tulare	917	479	328	-	890	484	291	-
Tuolumne	129	65	57	-	134	68	54	-
Ventura	662	279	298	81	644	281	282	81
Outside city	535	220	230	81	551	231	239	81
San Buenaventura	127	59	68	-	93	50	43	-
Yolo	289	122	160	3	297	135	158	3
Yuba	220	97	121	-	219	101	118	-

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In nonresident institution	In resident institution	Total[1]	In no institution	In nonresident institution	In resident institution
COLORADO (total)	11,988	6,085	5,017	620	12,108	6,061	5,161	620
Adams	214	107	103	-	358	113	241	-
Alamosa	100	60	38	-	121	59	62	-
Arapahoe	264	133	120	6	195	140	42	6
Archuleta	28	25	3	-	25	25	-	-
Baca	66	40	24	-	48	35	11	-
Bent	116	53	36	27	102	52	22	27
Boulder	394	216	172	-	404	217	183	-
Outside city	201	111	88	-	197	107	89	-
Boulder	193	105	84	-	207	110	94	-
Chaffee	95	46	48	-	114	47	67	-
Cheyenne	15	7	8	-	14	7	7	-
Clear Creek	35	16	18	-	18	18	-	-
Conejos	100	76	22	-	72	70	-	-
Costilla	45	31	14	-	29	29	-	-
Crowley	53	40	13	-	41	41	-	-
Custer	21	17	4	-	16	16	-	-
Delta	149	114	23	-	153	124	18	-
Denver, coextensive with Denver (city)	5,874	1,735	2,039	26	4,349	1,692	2,555	26
Dolores	11	8	3	-	6	6	-	-
Douglas	32	15	16	-	20	20	-	-
Eagle	33	16	17	-	28	22	6	-
Elbert	41	19	21	-	22	22	-	-
El Paso	720	340	266	108	747	339	293	108
Outside city	136	59	44	30	103	57	14	30
Colorado Springs	584	281	222	78	644	282	279	78
Fremont	209	112	86	10	203	110	82	10
Garfield	114	67	44	-	110	67	41	-
Gilpin	22	12	10	-	12	12	-	-
Grand	30	21	6	-	28	25	-	-
Gunnison	67	38	29	-	53	35	18	-
Hinsdale	5	5	-	-	3	3	-	-
Huerfano	166	128	34	-	141	128	11	-
Jackson	14	9	4	-	11	11	-	-
Jefferson	320	149	158	8	216	152	51	8
Kiowa	31	19	11	-	18	16	1	-
Kit Carson	65	32	28	-	59	31	22	-
Lake	73	42	29	-	70	45	23	-
La Plata	146	85	57	-	155	90	60	-
Larimer	360	197	63	87	322	193	51	87
Outside city	237	100	47	82	218	99	51	82
Fort Collins	123	97	16	5	104	94	-	5
Las Animas	387	231	149	-	352	229	115	-
Outside city	156	105	47	-	131	102	25	-
Trinidad	231	126	102	-	221	127	90	-
Lincoln	55	35	20	-	35	34	1	-
Logan	137	64	71	-	138	68	70	-
Mesa	319	207	94	9	313	206	89	9
Outside city	174	119	50	1	150	117	25	1
Grand Junction	145	88	44	8	163	89	64	8
Mineral	8	3	1	-	3	3	-	-
Moffat	37	21	5	-	31	20	-	-
Montezuma	99	77	21	-	89	73	16	-
Montrose	153	98	48	5	149	100	42	5
Morgan	178	95	83	-	169	86	82	-
Otero	236	136	99	1	254	141	112	1
Ouray	23	15	7	-	21	14	6	-
Park	23	13	10	-	14	11	3	-
Phillips	51	37	14	-	50	39	10	-
Pitkin	24	13	11	-	21	13	8	-
Prowers	117	74	41	-	145	79	65	-
Pueblo	933	304	327	300	981	304	374	300
Outside city	389	63	57	267	465	72	125	267
Pueblo	544	241	270	33	516	232	251	33
Rio Blanco	29	19	7	-	23	18	2	-
Rio Grande	136	86	16	-	143	86	6	-
Routt	91	46	41	-	90	49	36	-
Saguache	42	31	2	-	32	32	-	-
San Juan	20	8	12	-	19	9	10	-
San Miguel	30	21	7	-	28	19	7	-
Sedgwick	37	21	15	-	33	18	14	-
Summit	13	5	1	-	11	5	-	-
Teller	65	31	31	3	52	31	18	3
Washington	47	30	16	-	31	30	-	-
Weld	552	266	254	30	493	263	197	30
Outside city	325	186	139	-	190	187	2	-
Greeley	227	80	115	30	303	76	195	30
Yuma	118	66	47	-	105	69	31	-
CONNECTICUT (total)	18,188	9,197	7,795	877	18,047	9,179	7,682	877
Fairfield	4,397	2,207	2,030	145	4,293	2,190	1,945	145
Outside cities	1,145	612	396	134	879	594	147	134
Bridgeport	1,618	726	888	1	1,738	712	1,025	1
Danbury	328	176	145	3	374	177	188	3
Norwalk	418	231	184	2	449	228	218	2
Shelton	120	50	64	5	132	50	77	5
Stamford	577	301	274	-	597	313	282	-
Stratford (town)	191	111	79	-	124	116	8	-
CONNECTICUT—Con.								
Hartford	4,453	2,170	2,144	47	4,503	2,137	2,234	47
Outside cities	1,334	756	534	7	1,132	758	343	7
Bristol	266	134	126	-	272	133	134	-
East Hartford (town)	177	98	79	-	103	98	5	-
Hartford	1,724	721	970	7	2,170	697	1,456	7
New Britain	625	299	297	16	643	295	315	16
West Hartford (town)	327	162	138	17	189	156	1	17
Litchfield	919	526	383	-	824	533	281	-
Outside city	697	419	271	-	585	426	152	-
Torrington	222	107	112	-	239	107	129	-
Middlesex	928	349	243	312	899	359	203	312
Outside city	412	226	164	3	276	237	26	3
Middletown	516	123	79	309	623	122	177	309
New Haven	4,933	2,580	2,100	129	5,037	2,590	2,200	129
Outside cities	944	578	344	1	682	605	52	1
Ansonia	199	102	97	-	104	97	7	-
Derby	95	51	43	-	215	53	161	-
Meriden	411	215	182	9	486	218	258	9
Naugatuck	157	98	56	4	99	95	-	4
New Haven	1,692	812	751	45	2,045	790	1,122	45
Wallingford	149	50	52	47	102	52	3	47
Waterbury	994	497	471	21	1,111	499	589	21
West Haven (town)	292	179	104	2	193	181	8	2
New London	1,571	770	535	230	1,586	780	546	230
Outside cities	876	409	235	214	635	409	1	214
New London	302	157	125	13	419	155	242	13
Norwich	593	204	175	3	532	216	303	3
Tolland	346	197	127	11	312	205	82	11
Windham	641	398	233	3	587	385	191	3
Outside city	503	317	181	1	409	301	104	1
Willimantic	138	81	52	2	178	84	87	2
DELAWARE (total)	3,244	1,935	1,075	214	3,241	1,938	1,071	214
Kent	551	354	90	105	522	357	59	105
New Castle	2,047	1,122	803	104	2,096	1,121	854	104
Outside city	744	401	246	93	564	402	68	93
Wilmington	1,303	721	557	11	1,532	719	786	11
Sussex	646	459	182	5	623	460	158	5
DISTRICT OF COLUMBIA	7,999	3,319	4,046	602	8,670	3,253	4,801	602
FLORIDA (total)	21,632	13,485	7,098	485	23,123	14,349	7,652	485
Alachua	499	389	98	11	512	395	105	11
Outside city	293	242	41	10	251	241	-	10
Gainesville	206	147	57	1	261	154	105	1
Baker	54	39	14	-	36	36	-	-
Bay	178	142	33	2	186	145	39	2
Outside city	99	78	18	2	75	71	2	2
Panama City	79	64	15	-	111	74	37	-
Bradford	112	97	13	-	107	107	-	-
Brevard	194	147	34	9	192	158	23	9
Broward	383	255	111	-	460	312	133	-
Outside city	191	128	55	-	187	153	21	-
Fort Lauderdale	192	127	56	-	273	159	112	-
Calhoun	49	44	4	-	43	43	-	-
Charlotte	52	41	11	-	46	46	-	-
Citrus	84	72	7	-	73	73	-	-
Clay	143	75	40	19	119	84	1	19
Collier	32	21	10	-	24	24	-	-
Columbia	189	157	32	-	328	164	164	-
Dade	2,684	1,220	1,428	1	3,074	1,417	1,621	1
Outside cities	649	315	319	1	667	348	299	1
Miami	1,831	808	1,001	-	1,981	872	1,096	-
Miami Beach	204	97	106	-	426	199	226	-
De Soto	94	53	40	-	115	59	55	-
Dixie	70	56	12	-	53	51	-	-
Duval	2,695	1,479	1,157	8	2,812	1,489	1,259	8
Outside city	330	207	120	-	269	243	7	-
Jacksonville	2,365	1,272	1,087	8	2,543	1,246	1,252	8
Escambia	849	595	246	1	903	588	308	1
Outside city	295	216	76	1	281	217	62	1
Pensacola	554	379	170	-	622	371	246	-
Flagler	38	25	13	-	34	33	1	-
Franklin	65	54	10	-	54	54	-	-
Gadsden	616	259	30	327	624	269	28	327
Gilchrist	37	31	6	-	30	30	-	-
Glades	16	11	4	-	6	6	-	-
Gulf	65	59	6	-	63	63	-	-
Hamilton	100	89	10	-	92	92	-	-
Hardee	101	76	24	-	86	74	12	-
Hendry	36	28	5	-	35	31	-	-
Hernando	67	58	3	-	64	51	-	-
Highlands	112	72	37	-	127	80	45	-
Hillsborough	2,081	1,071	989	11	2,094	1,081	990	11
Outside city	728	424	298	-	713	432	275	-
Tampa	1,353	647	691	11	1,381	649	715	11
Holmes	91	80	9	-	89	84	5	-
Indian River	85	69	16	-	83	72	11	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
FLORIDA—Contd.								
Jackson	350	317	18	-	326	310	-	-
Jefferson	163	150	13	-	154	154	-	-
Lafayette	36	32	3	-	31	31	-	-
Lake	281	207	69	-	300	224	71	-
Lee	185	113	52	-	202	123	57	-
Outside city	49	29	17	-	36	35	-	-
Fort Myers	136	84	35	-	166	88	57	-
Leon	345	255	81	1	360	262	88	1
Outside city	188	148	36	1	208	149	58	1
Tallahassee	157	107	45	-	152	113	32	-
Levy	139	128	11	-	129	129	-	-
Liberty	39	31	8	-	31	31	-	-
Madison	149	129	20	-	140	128	12	-
Manatee	267	164	100	-	286	172	111	-
Marion	372	295	75	-	394	309	85	-
Martin	57	40	16	-	59	41	17	-
Monroe	177	141	21	-	182	148	17	-
Outside city	6	3	2	-	4	4	-	-
Key West	171	138	19	-	178	144	17	-
Nassau	137	110	25	-	121	121	-	-
Okaloosa	106	84	7	-	110	94	-	-
Okeechobee	28	17	11	-	20	20	-	-
Orange	847	491	323	2	962	515	406	2
Outside city	343	201	131	2	325	225	79	2
Orlando	504	290	192	-	637	290	327	-
Osceola	150	98	42	-	174	111	48	-
Palm Beach	814	444	249	13	946	513	277	13
Outside city	419	237	122	-	334	284	1	-
West Palm Beach	395	207	127	13	612	229	276	13
Pasco	178	135	38	3	182	150	27	3
Pinellas	1,275	680	512	45	1,727	865	769	45
Outside cities	237	121	77	35	388	150	202	35
Clearwater	98	67	28	-	131	83	46	-
St. Petersburg	942	492	407	10	1,208	632	521	10
Polk	912	558	516	-	937	581	310	-
Outside city	640	405	212	-	624	423	170	-
Lakeland	272	153	104	-	313	158	140	-
Putnam	260	205	54	-	274	213	58	-
St. Johns	252	147	103	-	271	160	110	-
Outside city	77	59	18	-	53	53	-	-
St. Augustine	175	88	85	-	218	107	110	-
St. Lucie	123	94	29	-	133	98	35	-
Santa Rosa	154	134	18	-	139	139	-	-
Sarasota	216	106	108	-	237	113	123	-
Outside city	58	34	24	-	41	33	7	-
Sarasota	158	72	84	-	196	80	116	-
Seminole	271	174	76	-	241	161	60	-
Outside city	125	81	29	-	94	75	-	-
Sanford	146	93	47	-	147	86	60	-
Sumter	134	112	15	-	125	116	1	-
Suwannee	201	173	19	-	179	169	-	-
Taylor	129	121	8	-	118	117	1	-
Union	79	40	13	26	71	45	-	26
Volusia	663	460	172	6	744	536	169	6
Outside city	363	264	82	6	352	299	38	6
Daytona Beach	300	196	90	-	392	237	131	-
Wakulla	38	28	10	-	30	30	-	-
Walton	134	116	8	-	133	118	-	-
Washington	100	94	5	-	91	91	-	-
GEORGIA (total)	31,654	23,428	6,907	708	31,736	23,407	7,007	708
Appling	79	59	17	-	57	57	-	-
Atkinson	49	44	5	-	42	42	-	-
Bacon	74	70	3	-	72	70	-	-
Baker	41	36	4	-	35	35	-	-
Baldwin	658	134	35	489	661	133	39	489
Banks	70	56	5	-	77	55	-	-
Barrow	136	115	21	-	112	112	-	-
Bartow	274	214	52	-	256	216	34	-
Ben Hill	150	131	18	-	144	131	11	-
Berrien	95	76	12	-	99	79	11	-
Bibb	1,202	697	470	21	1,308	703	570	21
Outside city	275	161	84	21	211	174	7	21
Macon	927	536	386	-	1,097	529	563	-
Bleckley	90	82	8	-	75	75	-	-
Brantley	59	53	6	-	52	52	-	-
Brooks	185	144	40	-	175	141	34	-
Bryan	79	61	18	-	61	61	-	-
Bulloch	159	136	21	-	154	139	15	-
Burke	313	273	39	-	273	272	-	-
Butts	118	109	8	-	112	112	-	-
Calhoun	110	101	5	-	104	102	-	-
Camden	91	80	10	-	81	80	-	-
Candler	76	63	13	-	83	66	17	-
Carroll	295	272	21	-	279	263	13	-
Catoosa	77	68	9	-	77	67	10	-
Charlton	39	28	8	-	33	29	-	-
GEORGIA—Contd.								
Chatham	1,773	1,098	649	12	1,916	1,109	786	12
Outside city	323	224	95	1	262	249	9	1
Savannah	1,450	874	554	11	1,654	860	777	11
Chattahoochee	75	34	39	-	74	28	46	-
Chattooga	78	60	17	-	77	61	16	-
Cherokee	186	141	42	-	180	139	40	-
Clarke	345	212	126	-	421	221	199	-
Outside city	82	56	25	-	58	57	-	-
Athens	263	156	101	-	363	164	199	-
Clay	77	71	6	-	72	72	-	-
Clayton	117	88	26	-	103	102	-	-
Clinch	41	36	5	-	38	36	2	-
Cobb	387	295	74	-	348	298	33	-
Coffee	192	161	31	-	190	164	26	-
Colquitt	291	202	88	-	293	202	91	-
Outside city	169	122	46	-	120	120	-	-
Moultrie	122	80	42	-	173	82	91	-
Columbia	87	68	19	-	64	63	-	-
Cook	94	79	13	-	82	76	6	-
Coweta	233	178	48	-	222	175	43	-
Crawford	95	86	9	-	90	90	-	-
Crisp	189	171	10	-	193	168	13	-
Dade	39	29	6	-	31	28	-	-
Dawson	23	17	5	-	16	16	-	-
Decatur	262	225	34	-	271	220	49	-
De Kalb	752	519	212	-	842	509	313	-
Outside cities	367	273	83	-	603	273	310	-
Atlanta (part)	246	152	88	-	145	145	-	-
Decatur	139	94	41	-	94	91	3	-
Dodge	184	156	27	-	179	155	24	-
Dooly	166	146	13	-	153	152	-	-
Dougherty	396	305	86	-	397	298	97	-
Outside city	81	74	7	-	72	72	-	-
Albany	315	231	79	-	325	226	97	-
Douglas	82	74	7	-	77	76	-	-
Early	153	136	11	-	145	136	-	-
Echols	17	16	1	-	16	16	-	-
Effingham	99	84	15	-	87	87	-	-
Elbert	202	170	31	-	204	167	37	-
Emanuel	241	204	27	-	224	202	12	-
Evans	81	71	10	-	67	67	-	-
Fannin	132	121	5	-	123	119	-	-
Fayette	73	61	11	-	63	62	-	-
Floyd	549	378	158	10	594	379	205	10
Outside city	248	169	67	10	176	166	-	10
Rome	301	209	91	-	418	213	205	-
Forsyth	50	39	11	-	41	40	1	-
Franklin	115	105	8	-	118	108	8	-
Fulton	4,535	2,594	1,780	40	4,807	2,584	2,006	40
Outside cities	977	564	352	39	686	568	76	39
Atlanta (part)	3,431	1,948	1,383	1	4,044	1,939	1,930	1
Atlanta (total)	3,677	2,101	1,471	1	4,189	2,084	1,930	1
District 1511, Center Hill[3]	3	3	-	-	3	3	-	-
East Point	124	79	45	-	74	74	-	-
Gilmer	79	66	2	-	81	67	-	-
Glascock	26	15	10	-	16	16	-	-
Glynn	288	198	88	-	300	205	95	-
Outside city	85	57	27	-	62	62	-	-
Brunswick	203	141	61	-	238	143	95	-
Gordon	118	93	23	-	106	94	12	-
Grady	151	137	13	-	142	136	5	-
Greene	129	123	6	-	121	121	-	-
Gwinnett	230	191	35	-	187	187	-	-
Habersham	128	114	13	-	158	110	47	-
Hall	300	241	55	-	323	243	80	-
Outside city	168	131	37	-	166	132	34	-
Gainesville	132	110	18	-	157	111	46	-
Hancock	82	79	3	-	79	79	-	-
Haralson	84	64	19	-	79	64	14	-
Harris	104	86	16	-	89	89	-	-
Hart	127	118	8	-	118	117	-	-
Heard	45	40	5	-	39	39	-	-
Henry	174	155	14	-	155	154	-	-
Houston	105	94	10	-	96	96	-	-
Irwin	70	61	8	-	73	62	10	-
Jackson	160	135	17	-	152	152	6	-
Jasper	93	89	3	-	91	91	-	-
Jeff Davis	77	68	4	-	81	71	-	-
Jefferson	172	150	22	-	148	148	-	-
Jenkins	110	96	13	-	136	99	35	-
Johnson	48	36	12	-	32	32	-	-
Jones	69	59	10	-	62	62	-	-
Lamar	119	108	11	-	106	106	-	-
Lanier	38	30	5	-	30	30	-	-
Laurens	328	248	80	-	363	242	121	-
Lee	88	79	6	-	83	83	-	-
Liberty	97	82	13	-	95	86	4	-

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
GEORGIA—Contd.								
Lincoln	48	44	4	-	43	43	-	-
Long	21	17	4	-	17	17	-	-
Lowndes	270	222	44	-	292	228	63	-
Outside city	100	86	14	-	91	91	-	-
Valdosta	170	136	30	-	201	137	63	-
Lumpkin	37	33	4	-	33	33	-	-
McDuffie	98	83	15	-	79	79	-	-
McIntosh	80	74	6	-	73	73	-	-
Macon	187	166	13	-	184	165	10	-
Madison	115	82	30	-	79	79	-	-
Marion	74	69	5	-	69	69	-	-
Meriwether	237	221	13	-	231	228	-	-
Miller	63	50	10	-	51	51	-	-
Mitchell	228	206	21	-	205	204	-	-
Monroe	142	130	12	-	129	129	-	-
Montgomery	72	63	7	-	62	62	-	-
Morgan	121	108	11	-	116	108	8	-
Murray	72	55	17	-	56	56	-	-
Muscogee	946	545	360	11	988	556	386	11
Outside city	139	83	40	11	104	83	9	11
Columbus	807	462	320	-	884	473	377	-
Newton	186	157	17	-	172	157	-	-
Oconee	71	64	7	-	63	62	-	-
Oglethorpe	131	112	19	-	115	115	-	-
Paulding	101	90	3	-	102	94	-	-
Peach	121	113	7	-	110	110	-	-
Pickens	77	60	8	-	78	62	5	-
Pierce	99	85	14	-	80	80	-	-
Pike	113	103	7	-	106	104	-	-
Polk	226	186	38	-	195	183	10	-
Pulaski	88	75	11	-	94	78	16	-
Putnam	117	113	4	-	113	113	-	-
Quitman	40	35	4	-	36	36	-	-
Rabun	37	31	4	-	34	34	-	-
Randolph	166	153	12	-	168	147	20	-
Richmond	1,148	699	363	83	1,302	705	511	83
Outside city	186	119	57	9	142	130	-	9
Augusta	962	580	306	74	1,160	575	511	74
Rockdale	86	81	5	-	83	83	-	-
Schley	64	61	2	-	62	62	-	-
Screven	197	173	16	-	171	166	-	-
Seminole	69	48	15	-	67	44	16	-
Spalding	337	288	47	-	347	289	56	-
Outside city	127	115	10	-	119	117	-	-
Griffin	210	173	37	-	228	172	56	-
Stephens	60	27	33	-	59	23	36	-
Stewart	86	82	4	-	83	83	-	-
Sumter	294	234	42	-	302	229	49	-
Talbot	80	76	3	-	76	76	-	-
Taliaferro	61	57	3	-	58	57	-	-
Tattnall	119	62	16	38	102	59	5	38
Taylor	71	63	5	-	62	58	-	-
Telfair	138	123	12	-	122	120	-	-
Terrell	186	169	13	-	175	175	-	-
Thomas	309	238	62	4	364	241	114	4
Outside city	152	124	23	1	130	124	-	1
Thomasville	157	114	39	3	234	117	114	3
Tift	186	138	9	-	185	138	-	-
Toombs	141	115	19	-	159	119	28	-
Towns	28	28	-	-	28	27	-	-
Treutlen	70	58	12	-	58	58	-	-
Troup	498	401	92	-	519	396	120	-
Outside city	278	235	39	-	266	227	37	-
La Grange	220	166	53	-	253	169	83	-
Turner	78	74	2	-	73	73	-	-
Twiggs	102	84	18	-	87	87	-	-
Union	51	47	3	-	47	47	-	-
Upson	206	186	20	-	192	183	9	-
Walker	231	177	44	-	182	171	-	-
Walton	223	200	21	-	210	195	14	-
Ware	294	204	89	-	344	208	136	-
Outside city	83	59	24	-	67	67	-	-
Waycross	211	145	65	-	277	141	136	-
Warren	98	85	12	-	87	87	-	-
Washington	233	194	38	-	238	196	42	-
Wayne	72	57	15	-	89	63	26	-
Webster	24	22	1	-	21	21	-	-
Wheeler	48	44	4	-	43	43	-	-
White	54	52	1	-	52	52	-	-
Whitfield	225	174	50	-	225	169	55	-
Outside city	105	86	18	-	80	79	-	-
Dalton	120	88	32	-	145	90	55	-
Wilcox	75	69	5	-	70	70	-	-
Wilkes	154	139	15	-	174	139	35	-
Wilkinson	120	99	19	-	95	95	-	-
Worth	185	168	14	-	189	187	1	-

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
IDAHO (total)	4,462	2,384	1,634	189	4,446	2,412	1,589	189
Ada	482	238	241	1	576	238	337	1
Outside city	170	91	76	1	154	92	61	1
Boise City	312	147	165	-	422	146	276	-
Adams	34	20	12	-	37	20	11	-
Bannock	277	121	146	-	286	128	148	-
Outside city	88	52	30	-	59	51	-	-
Pocatello	189	69	116	-	227	77	148	-
Bear Lake	56	37	14	-	58	36	12	-
Benewah	58	41	14	-	61	45	13	-
Bingham	209	109	44	55	188	110	22	55
Blaine	47	29	17	-	48	33	15	-
Boise	19	8	11	-	12	12	-	-
Bonner	141	67	68	-	117	64	48	-
Bonneville	176	97	72	-	227	99	119	-
Outside city	55	32	21	-	31	31	-	-
Idaho Falls	121	65	51	-	196	68	119	-
Boundary	48	28	19	-	50	28	21	-
Butte	9	6	3	-	8	6	-	-
Camas	14	9	5	-	8	8	-	-
Canyon	367	164	125	26	371	171	123	26
Outside city	232	110	65	7	185	115	18	7
Nampa	135	54	60	19	186	56	105	19
Caribou	18	3	14	-	37	5	31	-
Cassia	96	51	43	-	89	50	38	-
Clark	7	4	3	-	4	4	-	-
Clearwater	124	48	31	44	125	51	29	44
Custer	40	26	12	-	26	23	3	-
Elmore	57	43	12	-	40	38	-	-
Franklin	54	37	16	-	56	42	14	-
Fremont	84	54	13	1	70	54	-	1
Gem	86	50	34	-	79	54	25	-
Gooding	65	42	23	-	87	40	47	-
Idaho	109	73	19	2	101	73	12	2
Jefferson	67	47	16	-	47	45	-	-
Jerome	65	37	27	-	38	37	-	-
Kootenai	228	127	26	12	213	124	11	12
Outside city	107	68	14	-	63	61	-	-
Coeur d'Alene	121	59	12	12	150	63	11	12
Latah	172	108	60	2	166	109	54	2
Lemhi	62	43	12	-	54	43	3	-
Lewis	36	27	9	-	26	25	-	-
Lincoln	18	12	4	-	13	12	-	-
Madison	57	42	13	-	64	46	17	-
Minidoka	64	39	24	-	74	49	23	-
Nez Perce	192	83	89	13	225	88	120	13
Outside city	77	38	32	3	44	38	-	3
Lewiston	115	45	57	10	181	50	120	10
Oneida	34	26	8	-	34	26	8	-
Owyhee	32	11	20	-	13	11	-	-
Payette	78	50	27	-	70	46	22	-
Power	30	13	16	-	29	13	16	-
Shoshone	213	78	109	24	207	81	101	24
Teton	35	15	20	-	27	15	12	-
Twin Falls	282	151	117	9	289	144	130	9
Outside city	169	92	66	7	213	93	107	7
Twin Falls	113	59	51	2	76	51	23	2
Valley	40	26	12	-	23	23	-	-
Washington	80	44	14	-	73	43	4	-
Yellowstone National Park (part)	-	-	-	-	-	-	-	-
ILLINOIS (total)	86,582	45,830	35,385	4,287	85,497	45,386	34,791	4,287
Adams	787	408	326	37	849	398	392	37
Outside city	251	144	79	27	184	149	7	27
Quincy	536	264	247	10	665	249	385	10
Alexander	300	211	66	-	349	212	107	-
Outside city	97	71	22	-	72	72	-	-
Cairo	203	140	44	-	277	140	107	-
Bond	148	110	31	-	105	105	-	-
Boone	178	93	78	7	178	93	78	7
Brown	104	78	25	-	80	80	-	-
Bureau	442	273	162	5	447	272	169	5
Calhoun	89	66	23	-	69	69	-	-
Carroll	226	165	58	1	193	166	26	1
Cass	187	128	45	1	190	125	48	1
Champaign	683	390	291	-	683	367	314	-
Outside cities	282	153	128	-	258	147	109	-
Champaign	248	152	96	-	239	138	101	-
Urbana	153	85	67	-	186	82	104	-
Christian	369	202	166	-	356	197	159	-
Clark	239	194	42	-	192	192	-	-
Clay	181	141	31	-	157	146	-	-
Clinton	227	145	65	13	219	156	48	13
Outside city	220	140	63	13	214	151	48	13
Centralia (part)	7	5	2	-	5	5	-	-
Coles	410	276	99	30	411	281	92	30
Outside city	221	166	52	1	205	173	30	1
Mattoon	189	110	47	29	206	108	62	29

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
ILLINOIS—Contd.								
Cook	43,522	21,095	21,039	1,004	43,279	20,601	21,317	1,004
Outside cities	2,740	988	1,138	583	3,950	1,030	2,287	583
Berwyn	384	229	154	-	340	222	118	-
Blue Island	161	94	67	-	196	92	104	-
Brookfield	80	50	22	8	59	51	-	8
Calumet City	105	68	37	-	74	74	-	-
Chicago	36,951	17,973	18,293	396	35,619	17,500	17,475	396
Chicago Heights	221	92	128	-	259	85	174	-
Cicero	480	300	179	-	297	296	-	-
Elgin (part)	4	1	3	-	2	-	2	-
Elmwood Park	77	36	40	-	40	37	-	-
Evanston	579	305	258	8	760	300	441	8
Forest Park	159	72	46	-	111	69	-	-
Harvey	151	70	80	-	171	71	100	-
La Grange	123	68	54	-	60	60	-	-
Maywood	249	147	92	9	142	133	-	9
Melrose Park	97	45	52	-	127	45	82	-
Oak Park	623	354	262	-	863	343	520	-
Park Ridge	106	65	41	-	63	56	7	-
Wilmette	141	79	61	-	81	78	1	-
Winnetka	91	59	32	-	65	59	6	-
Crawford	236	177	17	-	240	172	12	-
Cumberland	115	94	20	-	91	91	-	-
De Kalb	400	219	168	10	401	212	178	10
De Witt	217	124	92	1	195	123	71	1
Douglas	179	129	49	-	179	131	47	-
Du Page	894	500	361	8	783	504	255	8
Outside city	772	437	302	8	605	444	137	8
Elmhurst	122	63	59	-	178	60	118	-
Edgar	319	226	92	-	314	223	91	-
Edwards	94	78	11	1	78	76	-	1
Effingham	235	159	76	-	268	162	106	-
Fayette	268	221	43	3	272	221	47	3
Ford	140	102	36	-	136	111	24	-
Franklin	474	387	77	-	448	388	49	-
Outside city	356	292	56	-	313	294	18	-
West Frankfort	118	95	21	-	135	94	31	-
Fulton	478	318	155	2	457	316	138	2
Outside city	323	224	95	2	229	227	-	2
Canton	155	94	60	-	228	89	138	-
Gallatin	114	104	8	-	103	101	-	-
Greene	238	182	50	-	197	185	7	-
Grundy	194	134	54	6	178	136	36	6
Hamilton	153	136	10	-	143	134	2	-
Hancock	311	226	82	1	252	227	23	1
Hardin	84	75	9	-	83	75	8	-
Henderson	104	70	33	-	68	68	-	-
Henry	506	315	178	1	509	318	172	1
Outside city	304	215	80	1	277	217	41	1
Kewanee	202	100	98	-	232	101	131	-
Iroquois	344	251	91	2	316	261	53	2
Jackson	405	297	106	-	398	291	107	-
Jasper	137	104	24	-	105	105	-	-
Jefferson	355	283	70	-	356	282	71	-
Outside city	156	130	25	-	133	132	-	-
Mount Vernon	199	153	45	-	223	150	71	-
Jersey	129	95	34	-	105	99	6	-
Jo Daviess	265	187	69	1	194	185	-	1
Johnson	108	95	13	-	95	95	-	-
Kane	1,818	666	607	418	2,017	668	776	418
Outside cities	470	223	173	28	399	228	115	28
Aurora	596	268	322	-	740	266	469	-
Elgin (part)	752	175	112	390	878	174	192	390
Elgin (total)	756	176	115	390	880	174	194	390
Kankakee	1,207	354	165	688	1,209	363	158	688
Outside city	949	183	81	685	870	185	-	685
Kankakee	258	171	84	3	339	178	158	3
Kendall	116	72	40	-	78	72	-	-
Knox	625	350	267	-	624	349	269	-
Outside city	252	154	93	-	162	156	-	-
Galesburg	373	196	174	-	462	193	269	-
Lake	1,079	501	512	56	1,103	539	498	56
Outside cities	660	292	302	56	738	329	343	56
Highland Park	120	80	40	-	116	76	40	-
Waukegan	299	129	170	-	249	134	115	-
La Salle	1,071	594	445	4	1,088	592	465	4
Outside cities	570	351	199	1	499	356	115	1
La Salle	135	45	89	-	175	44	131	-
Ottawa	172	98	66	3	188	91	94	3
Streator	194	102	91	-	226	101	125	-
Lawrence	231	185	38	1	187	181	-	1
Lee	459	226	75	155	462	227	78	155
Outside city	348	148	43	154	328	153	19	154
Dixon	111	78	32	1	134	74	59	1
Livingston	377	261	92	20	367	254	90	20
Logan	422	162	142	116	424	159	148	116
Outside city	190	99	69	22	125	103	-	22
Lincoln	232	63	73	94	299	56	148	94
McDonough	341	209	126	5	346	208	133	5
ILLINOIS—Contd.								
McHenry	435	262	160	-	390	268	117	-
McLean	800	439	347	9	849	436	399	9
Outside city	392	242	138	9	366	243	110	9
Bloomington	408	197	209	-	483	193	289	-
Macon	891	433	433	16	949	431	492	16
Outside city	227	123	84	16	150	123	5	16
Decatur	664	310	349	-	799	308	489	-
Macoupin	499	328	161	5	379	327	43	5
Madison	1,630	732	630	247	1,616	746	596	247
Outside cities	1,054	495	296	247	854	515	67	247
Alton	368	143	223	-	501	138	361	-
Granite City	208	94	111	-	261	93	168	-
Marion	445	291	150	2	445	291	150	2
Outside city	307	215	90	2	208	206	-	2
Centralia (part)	138	76	60	-	235	85	150	-
Centralia (total)	145	81	62	-	240	90	150	-
Marshall	134	107	25	1	117	109	7	1
Mason	192	143	48	-	136	136	-	-
Massac	183	163	20	-	192	169	23	-
Menard	116	75	41	-	71	71	-	-
Mercer	173	105	52	2	133	106	13	2
Monroe	157	113	34	-	120	111	-	-
Montgomery	358	199	158	-	426	199	227	-
Morgan	684	274	145	262	750	274	211	262
Outside city	209	140	66	2	152	141	8	2
Jacksonville	475	134	79	260	598	133	205	260
Moultrie	180	104	31	43	147	104	-	43
Ogle	299	215	65	3	243	212	7	3
Peoria	1,893	775	740	377	1,989	761	850	377
Outside city	708	249	110	349	641	264	28	349
Peoria	1,185	526	630	28	1,348	497	822	28
Perry	257	178	78	-	261	180	80	-
Piatt	134	84	29	-	104	84	-	-
Pike	295	230	61	-	224	224	-	-
Pope	80	66	14	-	66	66	-	-
Pulaski	202	185	13	-	182	182	-	-
Putnam	60	35	24	-	35	34	-	-
Randolph	321	233	45	29	314	236	34	29
Richland	177	130	40	-	232	135	87	-
Rock Island	1,340	605	529	204	1,339	601	532	204
Outside cities	189	114	73	2	130	128	-	2
East Moline	297	40	55	202	242	40	-	202
Moline	361	187	174	-	515	173	342	-
Rock Island	493	264	227	-	452	260	190	-
St. Clair	1,918	1,069	820	10	1,872	1,080	775	10
Outside cities	705	415	286	-	516	433	80	-
Belleville	371	201	153	10	455	200	221	10
East St. Louis	842	453	381	-	921	447	474	-
Saline	403	320	82	1	411	331	79	1
Outside city	252	205	47	-	242	216	26	-
Harrisburg	151	115	35	1	169	115	53	1
Sangamon	1,278	512	754	11	1,400	517	872	11
Outside city	381	172	198	11	252	184	57	11
Springfield	897	340	556	-	1,148	333	815	-
Schuyler	118	89	29	-	96	88	8	-
Scott	107	87	20	-	86	85	-	-
Shelby	302	212	84	2	269	203	60	2
Stark	98	72	22	-	68	68	-	-
Stephenson	468	261	187	15	538	264	252	15
Outside city	185	122	59	-	127	121	-	-
Freeport	283	139	128	15	411	143	252	15
Tazewell	459	278	179	-	391	291	98	-
Outside city	289	186	101	-	205	199	4	-
Pekin	170	92	78	-	186	92	94	-
Union	469	158	30	279	464	160	25	279
Vermilion	1,051	558	370	99	1,102	574	405	99
Outside city	598	305	176	99	471	326	24	99
Danville	453	253	194	-	631	248	381	-
Wabash	127	108	10	-	118	105	-	-
Warren	238	157	76	4	249	159	85	4
Washington	179	147	32	-	147	147	-	-
Wayne	210	180	27	-	168	168	-	-
White	215	188	21	3	194	189	2	3
Whiteside	434	289	128	6	387	288	84	6
Outside city	295	193	84	6	202	188	-	6
Sterling	141	96	44	-	185	100	84	-
Will	1,210	648	509	51	1,237	667	519	51
Outside city	560	350	158	51	458	390	17	51
Joliet	650	298	351	-	779	277	502	-
Williamson	580	435	144	-	556	428	128	-
Winnebago	1,266	579	682	8	1,259	581	653	8
Outside city	368	175	175	8	319	186	108	8
Rockford	898	404	487	-	940	395	545	-
Woodford	183	136	42	1	152	136	10	1

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
INDIANA (total)	39,851	26,207	11,297	1,740	39,701	26,220	11,139	1,740
Adams	228	154	70	3	227	153	71	3
Allen	1,648	851	665	125	1,707	829	746	125
Outside city	370	197	99	74	349	222	53	74
Fort Wayne	1,278	654	566	49	1,358	607	693	49
Bartholomew	324	231	80	4	315	239	64	4
Outside city	191	148	35	4	164	158	2	4
Columbus	133	83	45	-	151	81	62	-
Benton	130	81	40	-	94	86	-	-
Blackford	165	125	36	1	156	123	31	1
Boone	311	231	71	-	301	226	68	-
Brown	70	58	11	-	53	53	-	-
Carroll	168	128	37	-	124	121	-	-
Cass	648	295	163	184	679	304	185	184
Outside city	387	135	67	184	327	140	-	184
Logansport	261	160	96	-	352	164	185	-
Clark	381	267	112	-	364	287	76	-
Outside city	217	170	46	-	186	185	-	-
Jeffersonville	164	97	66	-	178	102	76	-
Clay	304	241	57	6	295	245	44	6
Clinton	344	255	80	3	317	258	50	3
Outside city	186	140	41	3	142	139	-	3
Frankfort	158	115	39	-	175	119	50	-
Crawford	123	111	12	-	111	111	-	-
Daviess	344	229	111	1	382	228	150	1
Dearborn	254	200	50	-	206	202	-	-
Decatur	271	175	55	38	265	178	46	38
De Kalb	305	217	81	3	308	221	82	3
Delaware	792	479	290	16	791	482	287	16
Outside city	264	160	88	16	186	170	-	16
Muncie	528	319	202	-	605	312	287	-
Dubois	253	200	28	3	199	193	-	3
Elkhart	791	614	147	23	779	609	140	23
Outside cities	317	257	34	21	287	264	-	21
Elkhart	360	269	89	1	373	264	104	1
Goshen	114	88	24	1	119	81	36	1
Fayette	261	167	91	-	265	168	94	-
Outside city	82	55	26	-	53	53	-	-
Connersville	179	112	65	-	212	115	94	-
Floyd	466	336	116	10	516	346	158	10
Outside city	119	76	31	10	120	86	24	10
New Albany	347	260	85	-	396	260	134	-
Fountain	201	146	54	-	141	140	-	-
Franklin	155	116	33	2	120	115	-	2
Fulton	213	155	56	1	207	157	47	1
Gibson	342	277	58	3	331	280	43	3
Grant	707	498	119	62	667	486	93	62
Outside city	365	259	56	62	309	242	4	62
Marion	342	259	83	-	358	244	89	-
Greene	380	304	75	-	365	302	63	-
Hamilton	323	226	51	3	294	224	1	3
Hancock	226	188	38	-	189	189	-	-
Harrison	188	169	17	1	162	161	-	1
Hendricks	235	199	33	3	210	207	-	3
Henry	505	315	140	48	514	324	140	48
Outside city	310	185	76	48	382	213	120	48
New Castle	195	130	64	-	132	111	20	-
Howard	559	410	141	2	545	399	142	2
Outside city	151	117	29	2	122	120	-	2
Kokomo	408	293	112	-	423	279	142	-
Huntington	380	303	62	12	365	308	42	12
Outside city	188	149	25	12	174	162	-	12
Huntington	192	154	37	-	191	146	42	-
Jackson	291	232	44	-	280	228	34	-
Jasper	187	129	56	1	195	137	57	1
Jay	282	196	77	6	265	195	64	6
Jefferson	391	187	49	154	404	192	57	154
Jennings	188	139	24	19	164	141	-	19
Johnson	308	235	45	26	263	237	-	26
Knox	504	360	138	-	516	372	138	-
Outside city	286	199	81	-	220	206	8	-
Vincennes	218	161	57	-	296	166	130	-
Kosciusko	342	244	76	21	341	261	59	21
Lagrange	177	128	47	-	154	131	23	-
Lake	2,584	1,264	1,176	57	2,587	1,282	1,167	57
Outside cities	417	235	120	40	358	245	4	40
East Chicago	510	214	283	2	562	233	327	2
Gary	1,013	501	474	-	1,038	498	532	-
Hammond	524	252	244	15	580	257	304	15
Whiting	120	62	55	-	49	49	-	-
La Porte	745	422	275	45	826	424	343	45
Outside cities	242	142	90	9	161	152	-	9
La Porte	222	111	109	1	332	107	223	1
Michigan City	281	169	76	35	333	165	120	35
Lawrence	423	297	118	2	391	283	99	2
Outside city	249	188	58	2	183	181	-	2
Bedford	174	109	60	-	208	102	99	-
INDIANA—Contd.								
Madison	956	652	273	21	923	641	252	21
Outside cities	361	251	85	21	295	257	17	21
Anderson	448	307	135	-	464	295	160	-
Elwood	147	94	53	-	164	89	75	-
Marion	5,471	3,263	1,917	256	6,085	3,260	2,536	256
Outside city	476	270	156	43	677	444	164	43
Indianapolis	4,995	2,993	1,761	213	5,408	2,816	2,372	213
Marshall	274	202	67	1	274	208	59	1
Martin	98	78	19	-	76	76	-	-
Miami	380	264	104	6	380	264	105	6
Outside city	199	138	51	6	156	136	9	6
Peru	181	126	53	-	224	128	96	-
Monroe	331	246	49	1	310	248	22	1
Outside city	159	128	18	1	132	131	-	1
Bloomington	172	118	31	-	178	117	22	-
Montgomery	348	250	96	1	340	242	96	1
Outside city	191	138	52	1	131	129	1	1
Crawfordsville	157	112	44	-	209	113	95	-
Morgan	253	191	54	2	228	192	28	2
Newton	103	77	25	-	81	80	-	-
Noble	309	206	65	27	315	217	53	27
Ohio	40	28	12	-	30	30	-	-
Orange	188	147	27	2	171	153	-	2
Owen	142	129	10	3	124	121	-	3
Parke	245	188	51	6	241	193	42	6
Perry	168	144	23	-	153	143	10	-
Pike	177	136	40	-	143	133	10	-
Porter	322	203	107	-	307	222	73	-
Posey	235	177	46	7	183	175	-	7
Pulaski	137	118	18	1	121	115	5	1
Putnam	259	170	80	6	219	169	43	6
Randolph	347	249	88	10	335	243	82	10
Ripley	238	176	62	-	248	173	75	-
Rush	249	190	52	7	227	194	25	7
St. Joseph	1,536	902	573	58	1,500	892	549	58
Outside cities	342	186	98	56	280	192	31	56
Mishawaka	242	144	97	1	265	145	119	1
South Bend	952	572	378	1	955	555	399	1
Scott	100	81	19	-	89	81	8	-
Shelby	354	276	73	5	346	276	64	5
Outside city	199	159	35	5	168	162	-	5
Shelbyville	155	117	38	-	178	114	64	-
Spencer	228	185	32	10	183	173	-	10
Starke	162	121	39	-	118	117	-	-
Steuben	208	152	46	6	212	160	44	6
Sullivan	315	235	73	4	297	228	63	4
Switzerland	118	97	19	1	95	93	-	1
Tippecanoe	655	296	289	56	819	309	439	56
Outside city	263	130	91	40	206	144	22	40
Lafayette	392	166	198	16	613	165	417	16
Tipton	174	132	38	-	166	143	19	-
Union	67	51	10	5	59	53	-	5
Vanderburgh	1,515	868	460	165	1,739	882	670	165
Outside city	321	106	61	151	394	198	43	151
Evansville	1,194	762	399	14	1,345	684	627	14
Vermillion	254	165	85	4	251	155	92	4
Vigo	1,252	794	406	38	1,266	769	445	38
Outside city	361	224	93	31	262	217	-	31
Terre Haute	891	570	313	7	1,004	552	445	7
Wabash	322	225	81	13	306	223	68	13
Warren	97	69	24	3	85	66	16	3
Warrick	202	161	41	-	161	161	-	-
Washington	194	174	18	2	172	170	-	2
Wayne	805	489	177	120	789	478	173	120
Outside city	375	184	59	118	497	188	173	118
Richmond	430	305	118	2	292	290	-	2
Wells	262	187	51	-	268	181	43	-
White	183	140	40	3	140	137	-	3
Whitley	201	139	53	4	176	144	26	4
IOWA (total)	25,677	15,619	8,222	1,260	25,743	15,600	8,300	1,260
Adair	138	104	20	-	116	100	-	-
Adams	95	74	18	-	74	74	-	-
Allamakee	192	139	40	10	160	132	14	10
Appanoose	263	177	83	-	256	164	89	-
Audubon	121	77	37	-	77	73	-	-
Benton	200	136	59	3	176	140	32	3
Black Hawk	739	387	318	27	737	372	332	27
Outside city	259	132	98	27	302	128	147	27
Waterloo	480	255	220	-	435	244	185	-
Boone	349	178	93	62	321	177	64	62
Outside city	181	90	35	52	151	95	2	52
Boone	168	88	58	10	170	82	62	10
Bremer	211	155	52	4	215	153	57	4
Buchanan	335	141	66	128	311	142	41	128
Buena Vista	195	136	58	-	187	137	49	-
Butler	174	125	48	1	126	125	-	1
Calhoun	174	120	48	3	166	118	43	3

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	Deaths of residents of area: Total[1]	In no institution	In non-resident institution	In resident institution	Deaths occurring in area: Total[1]	In no institution	In non-resident institution	In resident institution
IOWA—Continued								
Carroll	223	130	88	-	287	134	145	-
Cass	203	147	49	3	198	146	47	3
Cedar	166	120	41	4	124	119	-	4
Cerro Gordo	407	200	171	25	441	199	204	25
Outside city	151	93	48	5	110	92	8	5
Mason City	256	107	123	20	331	107	196	20
Cherokee	243	105	39	97	236	102	35	97
Chickasaw	146	99	42	1	150	96	46	1
Clarke	106	61	43	-	110	60	48	-
Clay	145	94	50	-	150	93	56	-
Clayton	228	184	38	4	202	183	12	4
Clinton	490	280	187	18	504	287	195	18
Outside city	180	115	48	16	133	117	-	16
Clinton	310	165	139	2	371	170	195	2
Crawford	169	123	43	-	149	125	21	-
Dallas	259	173	63	-	240	178	41	-
Davis	95	76	13	5	76	71	-	5
Decatur	151	101	42	-	149	107	35	-
Delaware	197	145	39	3	166	144	10	3
Des Moines	441	211	228	-	489	222	264	-
Outside city	103	63	40	-	75	74	-	-
Burlington	338	148	188	-	414	148	264	-
Dickinson	111	79	27	5	109	89	15	5
Dubuque	701	379	277	42	755	380	330	42
Outside city	154	104	47	3	109	106	-	3
Dubuque	547	275	230	39	646	274	330	39
Emmet	114	82	27	2	120	83	30	2
Fayette	291	203	86	-	272	197	75	-
Floyd	187	133	46	7	184	133	44	7
Franklin	134	91	42	-	138	92	46	-
Fremont	150	99	49	1	137	97	38	1
Greene	152	91	58	2	136	89	44	2
Grundy	109	81	27	-	84	84	-	-
Guthrie	165	121	31	5	131	117	-	5
Hamilton	195	130	53	2	182	131	39	2
Hancock	131	79	49	3	75	72	-	3
Hardin	216	150	63	2	207	148	56	2
Harrison	209	149	52	-	157	147	-	-
Henry	314	117	76	121	291	111	59	121
Howard	139	97	35	3	132	99	27	3
Humboldt	115	81	22	-	86	74	-	-
Ida	107	81	26	-	100	82	18	-
Iowa	177	133	36	4	150	133	12	4
Jackson	223	148	56	5	203	143	37	5
Jasper	302	175	115	9	257	171	76	9
Outside city	194	119	63	9	123	113	1	9
Newton	108	56	52	-	134	58	75	-
Jefferson	157	96	56	5	165	101	59	5
Johnson	363	195	159	4	925	198	717	4
Outside city	146	71	72	-	131	74	54	-
Iowa City	217	124	87	4	794	124	663	4
Jones	200	125	66	8	196	123	65	8
Keokuk	176	147	25	-	152	142	3	-
Kossuth	192	127	58	-	168	121	41	-
Lee	503	238	245	8	567	247	300	8
Outside cities	130	72	46	3	88	74	-	3
Fort Madison	159	84	69	5	190	91	94	5
Keokuk	214	82	130	-	289	82	206	-
Linn	922	570	316	26	916	562	317	26
Outside city	285	190	68	25	209	182	-	23
Cedar Rapids	637	380	248	3	707	380	317	3
Louisa	146	111	30	3	118	114	-	3
Lucas	157	103	35	4	150	104	26	4
Lyon	126	88	35	-	118	90	25	-
Madison	148	105	39	2	125	105	18	2
Mahaska	294	203	84	3	312	205	98	3
Outside city	156	111	41	3	115	110	2	3
Oskaloosa	138	92	43	-	197	95	96	-
Marion	299	150	90	55	271	159	55	55
Marshall	394	201	150	41	447	205	201	41
Outside city	199	107	49	41	154	110	1	41
Marshalltown	195	94	101	-	293	93	200	-
Mills	148	75	31	42	120	78	-	42
Mitchell	135	104	29	2	112	100	10	2
Monona	135	82	49	1	105	84	18	1
Monroe	173	124	39	7	152	125	16	7
Montgomery	173	123	41	3	169	124	35	3
Muscatine	391	248	125	15	388	248	123	15
Outside city	137	81	39	15	104	88	-	15
Muscatine	254	167	86	-	284	160	123	-
O'Brien	185	133	44	7	180	138	34	7
Osceola	82	49	29	-	83	50	28	-
Page	385	156	39	160	388	158	31	160
Palo Alto	145	115	28	-	136	114	20	-
Plymouth	212	144	67	-	210	146	63	-
Pocahontas	120	96	20	-	100	96	-	-
Polk	1,850	941	773	51	2,132	947	1,037	51
Outside city	257	136	69	46	201	152	1	46
Des Moines	1,593	805	704	5	1,931	795	1,036	5
IOWA—Continued								
Pottawattamie	656	355	282	6	730	367	347	6
Outside city	231	131	91	6	145	138	-	6
Council Bluffs	425	224	191	-	585	229	347	-
Poweshiek	187	120	60	-	177	118	52	-
Ringgold	105	88	17	-	80	80	-	-
Sac	148	105	37	-	110	104	5	-
Scott	1,021	510	443	54	1,062	506	483	54
Outside city	236	115	86	35	164	109	20	35
Davenport	785	395	357	19	898	397	463	19
Shelby	144	94	38	5	125	95	18	5
Sioux	221	147	70	-	211	151	56	-
Story	259	150	94	15	236	154	66	15
Outside city	190	115	60	15	150	111	23	15
Ames	69	35	34	-	86	43	43	-
Tama	226	156	51	12	184	156	8	12
Taylor	151	124	14	-	131	123	-	-
Union	192	144	43	4	202	145	51	4
Van Buren	164	117	37	7	120	110	-	7
Wapello	495	298	153	37	528	302	184	37
Outside city	171	87	44	35	147	95	17	35
Ottumwa	324	211	109	2	381	207	167	2
Warren	189	145	37	-	157	154	-	-
Washington	197	130	57	8	167	127	30	8
Wayne	151	117	25	2	129	116	6	2
Webster	354	179	161	5	388	179	195	5
Outside city	135	78	50	4	80	75	-	4
Fort Dodge	219	101	111	1	308	104	195	1
Winnebago	114	83	26	3	115	87	23	3
Winneshiek	219	162	45	-	203	155	36	-
Woodbury	898	448	397	39	1,048	446	549	39
Outside city	186	94	50	39	139	93	8	39
Sioux City	712	354	347	-	909	353	543	-
Worth	102	75	20	5	74	69	-	5
Wright	178	126	44	-	162	129	25	-
KANSAS (total)	18,448	11,446	5,892	700	18,467	11,425	5,953	700
Allen	241	179	58	-	238	179	55	-
Anderson	141	106	24	-	114	104	-	-
Atchison	251	151	88	5	233	147	75	5
Outside city	99	54	36	5	74	57	6	5
Atchison	152	97	52	-	159	90	69	-
Barber	82	54	27	-	55	53	-	-
Barton	203	103	98	-	238	106	131	-
Bourbon	255	161	83	-	292	154	122	-
Outside city	91	61	27	-	58	57	-	-
Fort Scott	164	100	56	-	234	97	122	-
Brown	210	137	59	-	201	136	53	-
Butler	275	143	127	-	231	142	86	-
Outside city	173	96	74	-	98	98	-	-
El Dorado	102	47	53	-	133	44	86	-
Chase	64	39	21	1	38	36	-	1
Chautauqua	92	64	22	-	68	63	-	-
Cherokee	328	227	95	3	278	225	49	3
Cheyenne	33	26	5	-	32	28	4	-
Clark	38	25	13	-	34	23	11	-
Clay	156	113	8	-	164	113	-	-
Cloud	197	130	57	8	234	130	95	8
Coffey	114	88	24	-	88	86	-	-
Comanche	29	24	4	-	24	23	-	-
Cowley	413	244	118	48	427	240	137	48
Outside city	287	168	70	48	305	162	93	48
Arkansas City	126	78	48	-	122	78	44	-
Crawford	479	304	161	-	484	303	168	-
Outside city	279	171	95	-	357	176	169	-
Pittsburg	200	133	66	-	127	127	-	-
Decatur	77	61	16	-	69	60	9	-
Dickinson	264	193	52	6	241	191	32	6
Doniphan	125	98	26	-	104	103	-	-
Douglas	284	200	73	-	277	197	70	-
Outside city	100	62	32	-	72	63	-	-
Lawrence	184	138	41	-	205	134	70	-
Edwards	61	42	18	-	46	45	-	-
Elk	68	57	10	1	57	56	-	1
Ellis	108	58	49	-	173	59	114	-
Ellsworth	103	73	23	6	122	73	43	6
Finney	81	42	38	-	94	40	54	-
Ford	172	87	68	13	220	92	109	13
Franklin	235	169	52	-	220	162	45	-
Outside city	113	80	24	-	82	72	-	-
Ottawa	122	89	28	-	138	90	45	-
Geary	155	85	68	-	157	87	70	-
Gove	44	36	8	-	44	35	9	-
Graham	46	39	7	-	38	38	-	-
Grant	17	11	5	-	9	9	-	-
Gray	29	18	10	-	18	17	-	-
Greeley	12	9	3	-	9	9	-	-
Greenwood	158	108	46	-	140	110	23	-
Hamilton	17	9	8	-	18	8	10	-
Harper	151	71	80	-	190	78	112	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
KANSAS—Contd.								
Harvey	216	89	121	-	325	110	207	-
Outside city	92	46	44	-	157	64	92	-
Newton	124	43	77	-	168	46	115	-
Haskell	15	10	4	-	10	8	-	-
Hodgeman	23	17	6	-	19	19	-	-
Jackson	162	119	32	9	137	113	13	9
Jefferson	119	90	28	-	86	86	-	-
Jewell	113	94	18	-	98	98	-	-
Johnson	291	203	82	-	231	224	-	-
Kearny	22	12	3	-	21	13	-	-
Kingman	97	62	34	-	90	60	30	-
Kiowa	41	33	8	-	32	32	-	-
Labette	376	256	74	45	376	259	71	45
Outside city	157	122	24	10	191	125	55	10
Parsons	219	134	50	35	185	134	16	35
Lane	24	14	10	-	12	12	-	-
Leavenworth	442	220	189	28	566	219	314	28
Outside city	177	97	59	19	296	99	176	19
Leavenworth	265	123	130	9	270	120	138	9
Lincoln	74	52	20	-	52	50	-	-
Linn	137	114	20	-	116	116	-	-
Logan	28	16	9	-	14	14	-	-
Lyon	269	154	110	4	284	149	131	4
Outside city	104	74	26	4	79	75	-	4
Emporia	165	80	84	-	205	74	131	-
McPherson	215	126	79	3	209	127	70	3
Marion	171	100	55	3	154	93	41	3
Marshall	224	169	54	-	207	167	40	-
Meade	47	32	15	-	29	29	-	-
Miami	282	145	34	100	256	153	-	100
Mitchell	127	75	50	-	131	70	60	-
Montgomery	548	391	141	7	542	393	133	7
Outside cities	224	153	57	7	166	154	-	7
Coffeyville	168	124	44	-	182	126	56	-
Independence	156	114	40	-	194	113	77	-
Morris	122	107	12	-	107	101	3	-
Morton	22	17	5	-	21	15	6	-
Nemaha	187	120	61	-	172	113	54	-
Neosho	242	183	56	2	228	176	48	2
Outside city	110	81	26	2	79	77	-	2
Chanute	132	102	30	-	149	99	48	-
Ness	57	43	8	-	52	43	-	-
Norton	137	70	67	-	188	70	118	-
Osage	193	153	30	10	158	148	-	10
Osborne	87	70	17	-	74	74	-	-
Ottawa	105	81	23	-	85	81	4	-
Pawnee	179	51	19	98	164	48	-	98
Phillips	94	82	10	1	83	81	1	1
Pottawatomie	127	93	32	2	114	93	19	2
Pratt	100	59	41	-	103	60	43	-
Rawlins	66	52	8	-	62	51	4	-
Reno	486	269	209	1	468	274	188	1
Outside city	199	112	83	1	148	112	32	1
Hutchinson	287	157	126	-	320	162	156	-
Republic	150	109	32	-	136	107	20	-
Rice	148	91	54	1	141	93	47	1
Riley	225	122	83	15	225	124	83	15
Outside city	91	48	25	15	66	51	-	15
Manhattan	134	74	58	-	159	73	83	-
Rooks	84	58	26	-	57	57	-	-
Rush	75	32	41	-	53	30	22	-
Russell	91	64	24	-	58	58	-	-
Saline	294	173	116	-	314	176	133	-
Outside city	72	50	19	-	55	54	-	-
Salina	222	123	97	-	259	122	133	-
Scott	31	17	13	-	39	19	19	-
Sedgwick	1,414	678	692	28	1,565	696	826	28
Outside city	184	121	62	-	289	143	140	-
Wichita	1,230	557	630	28	1,276	553	686	28
Seward	61	33	25	-	71	31	36	-
Shawnee	1,080	564	343	173	1,209	573	462	173
Outside city	316	110	63	143	323	116	63	143
Topeka	764	454	280	30	886	457	399	30
Sheridan	30	24	6	-	23	23	-	-
Sherman	65	43	21	-	68	43	25	-
Smith	97	84	3	-	95	80	-	-
Stafford	92	49	42	-	84	50	34	-
Stanton	12	8	2	-	9	9	-	-
Stevens	15	10	5	-	11	11	-	-
Sumner	287	182	84	9	274	184	66	9
Thomas	60	46	7	-	56	47	-	-
Trego	39	24	12	-	26	26	-	-
Wabaunsee	80	61	17	-	57	56	-	-
Wallace	15	7	8	-	7	7	-	-
Washington	153	119	21	-	119	118	-	-
Wichita	23	12	11	-	12	12	-	-
Wilson	189	128	50	10	183	128	45	10
Woodson	92	70	21	-	74	73	-	-
Wyandotte	1,473	811	587	60	1,706	792	848	60
Outside city	199	85	54	55	146	83	-	55
Kansas City	1,274	726	533	5	1,560	706	848	5
KENTUCKY (total)	30,403	23,048	6,016	870	30,115	22,981	5,795	870
Adair	182	163	19	-	160	160	-	-
Allen	168	158	3	-	164	157	-	-
Anderson	110	93	17	-	95	95	-	-
Ballard	94	84	10	-	89	89	-	-
Barren	275	234	37	-	343	234	103	-
Bath	120	105	15	-	108	108	-	-
Bell	464	375	89	-	525	381	144	-
Outside city	318	265	53	-	322	269	53	-
Middlesborough	146	110	36	-	203	112	91	-
Boone	123	101	22	-	101	101	-	-
Bourbon	231	172	55	-	228	174	51	-
Boyd	434	323	109	-	441	330	110	-
Outside city	149	123	24	-	127	126	-	-
Ashland	285	200	85	-	314	204	110	-
Boyle	203	162	16	-	235	164	25	-
Bracken	134	112	21	-	106	106	-	-
Breathitt	180	170	10	-	163	163	-	-
Breckinridge	194	178	16	-	181	181	-	-
Bullitt	111	99	12	-	103	103	-	-
Butler	127	114	11	-	114	114	-	-
Caldwell	160	151	8	-	164	151	13	-
Calloway	176	144	23	-	187	146	31	-
Campbell	818	503	314	-	679	500	179	-
Outside cities	331	218	113	-	396	224	172	-
Fort Thomas	107	63	44	-	69	62	7	-
Newport	380	222	157	-	214	214	-	-
Carlisle	90	80	9	-	86	78	7	-
Carroll	112	102	10	-	98	98	-	-
Carter	265	241	18	-	258	233	19	-
Casey	136	123	6	-	121	121	-	-
Christian	660	444	42	164	738	448	115	164
Outside city	414	224	23	164	476	228	84	164
Hopkansville	246	220	19	-	262	220	31	-
Clark	248	195	37	-	247	193	33	-
Clay	188	176	12	-	171	171	-	-
Clinton	83	76	6	-	76	76	-	-
Crittenden	131	117	14	-	119	119	-	-
Cumberland	105	95	.10	-	99	99	-	-
Daviess	532	430	102	-	539	427	112	-
Outside city	182	157	25	-	160	160	-	-
Owensboro	350	273	77	-	379	267	112	-
Edmonson	96	92	4	-	93	93	-	-
Elliott	80	69	11	-	69	69	-	-
Estill	134	126	5	-	126	126	-	-
Fayette	1,133	553	319	256	1,301	571	470	256
Outside city	214	103	45	65	186	115	3	65
Lexington	919	450	274	191	1,115	456	467	191
Fleming	160	144	13	-	139	139	-	-
Floyd	440	302	42	-	393	298	-	-
Franklin	279	201	72	6	286	202	78	6
Outside city	87	66	21	-	67	67	-	-
Frankfort	192	135	51	6	219	135	78	6
Fulton	203	171	23	-	212	178	15	-
Gallatin	54	47	7	-	49	49	-	-
Garrard	110	95	11	-	94	94	-	-
Grant	150	121	26	-	124	122	-	-
Graves	382	337	44	-	383	332	51	-
Grayson	167	155	12	-	148	148	-	-
Green	118	109	9	-	107	107	-	-
Greenup	228	184	44	-	182	182	-	-
Hancock	98	89	9	-	88	88	-	-
Hardin	325	227	98	-	287	226	61	-
Harlan	699	519	175	-	690	512	173	-
Harrison	191	154	31	2	189	154	28	2
Hart	164	148	16	-	150	150	-	-
Henderson	347	293	54	-	343	298	45	-
Outside city	146	126	20	-	128	128	-	-
Henderson	201	167	34	-	215	170	45	-
Henry	120	103	14	1	103	102	-	1
Hickman	104	93	10	-	93	93	-	-
Hopkins	443	386	48	1	430	386	34	1
Jackson	110	99	8	-	97	97	-	-
Jefferson	5,029	2,685	1,939	401	5,364	2,674	2,287	401
Outside city	816	321	139	356	839	361	121	356
Louisville	4,213	2,364	1,800	45	4,525	2,313	2,166	45
Jessamine	139	118	21	-	115	115	-	-
Johnson	266	225	39	-	288	234	54	-
Kenton	1,096	612	464	-	1,235	609	607	-
Outside city	285	206	79	-	206	206	-	-
Covington	811	406	385	-	1,029	403	607	-
Knott	69	49	18	-	82	52	24	-
Knox	305	278	26	-	285	278	6	-
Larue	112	101	11	-	99	99	-	-
Laurel	191	169	14	-	194	168	17	-
Lawrence	202	174	27	-	191	164	26	-
Lee	66	57	9	-	55	55	-	-
Leslie	77	69	8	-	78	71	7	-
Letcher	336	257	76	-	315	249	64	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
KENTUCKY—Contd.								
Lewis	175	153	19	-	150	150	-	-
Lincoln	187	166	17	-	172	163	9	-
Livingston	108	99	9	-	95	95	-	-
Logan	310	287	15	1	307	295	6	1
Lyon	91	77	1	13	93	80	-	13
McCracken	526	381	142	1	561	385	175	1
Outside city	150	126	23	1	129	128	-	1
Paducah	376	255	119	-	432	257	175	-
McCreary	124	105	15	-	105	105	-	-
McLean	99	91	8	-	87	87	-	-
Madison	344	248	50	-	369	253	61	-
Magoffin	115	110	5	-	104	104	-	-
Marion	184	156	24	-	185	158	24	-
Marshall	157	132	25	-	129	128	-	-
Martin	84	75	9	-	74	74	-	-
Mason	225	183	36	3	235	184	41	3
Meade	102	85	17	-	91	91	-	-
Menifee	48	44	3	-	45	44	1	-
Mercer	174	148	22	-	176	151	21	-
Metcalfe	106	94	12	-	96	96	-	-
Monroe	132	123	9	-	123	123	-	-
Montgomery	166	135	29	-	163	131	30	-
Morgan	131	123	7	-	125	125	-	-
Muhlenberg	395	372	11	1	384	363	6	1
Nelson	207	181	26	-	181	181	-	-
Nicholas	130	105	20	-	122	104	12	-
Ohio	249	232	13	-	234	230	-	-
Oldham	97	62	14	9	102	66	12	9
Owen	135	120	15	-	118	118	-	-
Owsley	33	31	1	-	31	31	-	-
Pendleton	112	93	19	-	90	90	-	-
Perry	306	195	111	-	324	192	132	-
Pike	591	455	110	-	536	437	73	-
Powell	78	72	5	-	70	70	-	-
Pulaski	297	264	26	-	277	263	6	-
Robertson	30	26	4	-	26	26	-	-
Rockcastle	131	120	9	-	114	114	-	-
Rowan	111	99	12	-	103	103	-	-
Russell	89	82	6	-	83	83	-	-
Scott	183	148	30	-	178	150	23	-
Shelby	222	167	43	11	212	171	29	11
Simpson	145	131	13	-	146	131	13	-
Spencer	59	52	7	-	51	51	-	-
Taylor	171	162	8	-	168	160	8	-
Todd	169	164	4	-	162	162	-	-
Trigg	134	128	5	-	131	130	-	-
Trimble	51	47	4	-	45	45	-	-
Union	174	155	15	-	170	160	5	-
Warren	485	414	63	-	485	413	64	-
Outside city	218	200	16	-	213	213	-	-
Bowling Green	267	214	47	-	272	200	64	-
Washington	115	100	15	-	98	98	-	-
Wayne	135	129	6	-	128	128	-	-
Webster	227	200	27	-	194	194	-	-
Whitley	265	237	21	-	254	236	14	-
Wolfe	84	78	3	-	83	78	3	-
Woodford	130	81	48	-	115	77	38	-
LOUISIANA (total)	23,849	14,840	7,912	592	24,066	14,935	8,016	592
Acadia	353	270	79	-	336	269	63	-
Allen	191	134	39	-	163	145	1	-
Ascension	239	172	66	-	174	169	3	-
Assumption	160	133	27	-	133	132	-	-
Avoyelles	381	295	83	-	307	294	13	-
Beauregard	164	126	35	-	149	137	12	-
Bienville	217	153	63	-	148	148	-	-
Bossier	309	188	118	-	192	186	4	-
Caddo	1,524	840	679	-	2,186	859	1,321	-
Outside city	461	268	193	-	311	283	28	-
Shreveport	1,063	572	486	-	1,875	576	1,293	-
Calcasieu	497	361	131	-	447	370	71	-
Outside city	224	165	55	-	191	186	-	-
Lake Charles	273	196	76	-	256	184	71	-
Caldwell	83	61	9	4	72	62	2	4
Cameron	40	32	8	-	31	31	-	-
Catahoula	104	79	23	-	73	73	-	-
Claiborne	217	155	61	-	157	154	2	-
Concordia	171	142	29	-	169	149	20	-
De Soto	306	239	64	-	254	242	12	-
East Baton Rouge	898	560	332	1	859	570	287	1
Outside city	359	213	145	-	535	335	199	-
Baton Rouge	539	347	187	1	324	235	88	1
East Carroll	218	172	27	-	171	171	-	-
East Feliciana	452	144	19	288	436	144	-	288
Evangeline	153	123	24	-	140	123	-	-
Franklin	191	141	35	-	150	136	11	-
Grant	157	71	46	-	96	79	-	-
LOUISIANA—Con.								
Iberia	398	312	85	-	328	301	27	-
Outside city	198	154	44	-	155	155	-	-
New Iberia	200	158	41	-	173	146	27	-
Iberville	357	252	101	-	320	255	61	-
Jackson	131	88	35	-	91	80	8	-
Jefferson	452	260	192	-	274	274	-	-
Outside city	364	205	159	-	216	216	-	-
Gretna	88	55	33	-	58	58	-	-
Jefferson Davis	218	161	54	-	177	160	16	-
Lafayette	362	251	106	-	638	258	372	-
Outside city	171	124	45	-	127	125	-	-
Lafayette	191	127	61	-	511	133	372	-
Lafourche	311	227	82	-	251	228	22	-
La Salle	91	60	27	-	66	64	2	-
Lincoln	176	126	35	-	163	129	27	-
Livingston	106	73	32	-	71	71	-	-
Madison	205	155	35	-	166	160	-	-
Morehouse	287	215	57	-	247	216	31	-
Natchitoches	411	324	84	-	357	329	26	-
Orleans, coextensive with New Orleans	6,160	2,911	3,044	181	7,473	2,887	4,375	181
Ouachita	626	338	209	18	786	363	211	18
Outside city	234	122	70	18	179	151	10	18
Monroe	392	216	139	-	607	212	201	-
Plaquemines	116	84	27	-	94	87	2	-
Pointe Coupee	248	206	38	1	218	211	-	1
Rapides	921	466	322	85	1,361	485	736	85
Outside city	566	274	186	85	1,021	289	612	85
Alexandria	355	192	156	-	340	196	124	-
Red River	130	101	28	-	96	95	-	-
Richland	289	218	41	-	224	217	6	-
Sabine	175	114	47	-	138	114	7	-
St. Bernard	52	31	21	-	36	36	-	-
St. Charles	91	63	28	-	58	58	-	-
St. Helena	61	47	12	-	43	43	-	-
St. James	163	131	30	-	132	132	-	-
St. John the Baptist	171	130	41	-	129	129	-	-
St. Landry	667	527	136	-	555	524	22	-
St. Martin	207	168	33	-	173	168	1	-
St. Mary	333	270	52	-	286	272	-	-
St. Tammany	251	156	94	-	166	163	1	-
Tangipahoa	469	269	199	-	386	281	105	-
Tensas	163	122	35	-	126	123	-	-
Terrebonne	319	234	84	-	246	227	18	-
Union	147	111	30	-	108	108	-	-
Vermilion	289	212	63	1	240	210	17	1
Vernon	180	100	46	-	149	115	-	-
Washington	318	178	139	-	236	170	66	-
Outside city	164	98	66	-	95	95	-	-
Bogalusa	154	80	73	-	141	75	66	-
Webster	268	171	89	-	205	169	27	-
West Baton Rouge	130	110	19	-	110	110	-	-
West Carroll	133	88	31	-	81	81	-	-
West Feliciana	131	98	20	13	109	96	-	13
Winn	132	91	32	-	110	93	8	-
MAINE (total)	10,468	7,046	2,788	393	10,451	7,084	2,743	393
Androscoggin	922	543	282	73	994	526	371	73
Outside cities	314	223	82	-	170	167	1	-
Auburn	187	119	60	4	167	156	-	4
Lewiston	421	201	140	69	657	203	370	69
Aroostook	883	660	214	1	869	647	214	1
Cumberland	1,788	1,073	663	25	1,883	1,088	747	25
Outside cities	633	438	158	16	498	436	28	16
Portland	897	448	435	9	1,193	476	703	9
South Portland	151	114	37	-	103	103	-	-
Westbrook	107	73	33	-	89	73	16	-
Franklin	270	206	57	-	256	211	42	-
Hancock	448	353	92	-	435	368	64	-
Kennebec	1,004	597	250	128	1,048	608	280	128
Outside cities	584	392	133	37	508	383	61	37
Augusta	250	99	56	91	286	113	78	91
Waterville	170	106	61	-	254	112	141	-
Knox	391	309	69	7	390	311	67	7
Lincoln	264	199	44	-	246	201	26	-
Oxford	511	354	150	-	435	348	80	-
Penobscot	1,270	820	250	147	1,313	838	270	147
Outside city	797	604	154	3	649	595	52	3
Bangor	473	216	96	144	664	243	238	144
Piscataquis	219	158	57	-	191	149	39	-
Sagadahoc	274	174	85	9	267	178	71	9
Outside city	124	85	33	5	92	84	-	5
Bath	150	89	52	4	175	94	71	4
Somerset	448	311	127	3	422	309	107	3
Waldo	317	245	67	-	300	251	46	-
Washington	475	389	77	-	441	383	47	-
York	984	655	304	-	961	688	272	-
Outside city	784	536	226	-	689	542	131	-
Biddeford	200	119	78	-	272	126	141	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
MARYLAND (total)	21,998	12,727	8,021	995	21,967	12,828	7,882	995
Allegany	807	489	295	12	902	491	388	12
Outside city	436	280	155	-	360	284	76	-
Cumberland	571	209	140	12	542	207	312	12
Anne Arundel	905	436	251	212	781	467	102	212
Outside city	751	347	187	211	589	362	16	211
Annapolis	154	89	64	1	192	105	86	1
Baltimore	1,714	946	501	229	1,361	982	106	229
Outside cities	1,534	818	451	229	1,222	846	105	229
District 12[3]	83	56	26	-	61	61	-	-
District 15[3]	97	72	24	-	78	75	1	-
Baltimore (city)	10,797	5,854	4,583	211	11,624	5,799	5,460	211
Calvert	123	75	47	-	116	84	31	-
Caroline	219	161	57	1	154	152	1	1
Carroll	655	335	132	186	720	327	207	186
Cecil	395	226	122	45	370	240	84	45
Charles	218	145	73	-	168	149	19	-
Dorchester	423	277	102	42	404	277	84	42
Outside city	266	188	55	42	209	167	-	42
Cambridge	157	109	47	-	195	110	84	-
Frederick	669	392	262	5	724	385	324	5
Outside city	484	284	189	4	494	283	200	4
Frederick	185	108	73	1	230	102	124	1
Garrett	252	189	61	-	180	178	-	-
Harford	414	271	131	5	411	299	102	5
Howard	198	137	61	-	148	147	1	-
Kent	165	140	25	-	155	144	11	-
Montgomery	754	475	273	4	681	478	197	4
Prince Georges	919	475	417	8	676	476	163	8
Queen Annes	169	145	22	1	148	147	-	1
St. Marys	193	144	49	-	174	147	27	-
Somerset	322	231	90	1	263	224	38	1
Talbot	244	184	58	-	299	190	107	-
Washington	712	480	201	31	697	482	184	31
Outside city	317	246	55	16	261	245	-	16
Hagerstown	395	234	146	15	436	237	184	15
Wicomico	439	303	134	2	553	305	246	2
Outside city	258	187	69	-	212	186	26	-
Salisbury	183	116	65	2	341	119	220	2
Worcester	312	237	74	-	258	258	-	-
MASSACHUSETTS (total)	50,598	26,329	19,211	3,761	50,709	26,272	19,365	3,761
Barnstable	548	366	157	2	564	399	144	2
Berkshire	1,406	835	560	2	1,388	844	533	2
Outside cities	520	324	192	1	385	328	55	1
Adams (town)	119	82	35	1	108	80	27	1
North Adams	269	180	86	-	275	184	85	-
Pittsfield	498	249	247	-	620	252	366	-
Bristol	4,544	2,524	1,369	532	4,477	2,536	1,293	532
Outside cities	647	410	199	15	553	425	89	15
Attleboro	243	152	82	3	327	156	159	3
Fairhaven (town)	101	63	31	4	65	58	-	4
Fall River	1,510	756	480	201	1,598	755	569	201
New Bedford	1,269	786	414	62	1,239	786	388	62
North Attleborough (town)	137	91	41	-	96	92	-	-
Taunton	637	266	122	247	599	264	88	247
Dukes	69	37	32	-	67	42	25	-
Essex	6,135	3,406	2,177	383	5,878	3,413	1,919	383
Outside cities	592	368	200	-	499	373	122	-
Amesbury (town)	144	76	57	2	141	76	47	2
Andover (town)	129	79	45	1	101	87	1	1
Beverly	273	188	79	1	313	190	116	1
Danvers (town)	413	76	46	287	384	77	13	287
Gloucester	303	194	99	5	289	194	86	5
Haverhill	574	253	258	36	583	259	258	36
Lawrence	924	526	368	24	953	512	416	24
Lynn	1,253	751	465	4	1,185	747	402	4
Marblehead (town)	138	89	48	-	110	87	22	-
Methuen (town)	249	146	86	11	191	147	28	11
Newburyport	198	114	58	2	218	114	78	2
Peabody	208	102	88	5	172	105	52	5
Salem	498	282	207	5	552	281	263	5
Saugus (town)	133	89	41	-	105	96	2	-
Swampscott (town)	106	73	32	-	82	68	13	-
Franklin	568	341	217	6	535	337	191	6
Outside city	391	255	127	6	344	255	82	6
Greenfield (town)	177	86	90	-	191	82	109	-
Hampden	3,437	1,734	1,474	207	3,527	1,738	1,580	207
Outside cities	567	275	211	75	415	273	63	75
Chicopee	329	188	116	24	217	193	-	24
Holyoke	597	266	301	29	680	263	388	29
Springfield	1,568	784	698	75	1,805	787	928	75
Westfield	225	128	91	4	317	129	181	4
West Springfield (town)	151	93	57	-	93	93	-	-
Hampshire	963	426	270	243	880	421	190	243
Outside cities	426	281	147	10	300	250	33	10
Easthampton (town)	86	40	38	-	53	42	-	-
Northampton	451	125	85	233	527	129	157	233
MASSACHUSETTS—Continued								
Middlesex	10,555	5,788	4,033	457	9,978	5,679	3,569	457
Outside cities	1,507	767	646	47	1,354	763	498	47
Arlington (town)	407	257	146	-	357	255	100	-
Belmont (town)	224	137	64	17	147	128	-	17
Cambridge	1,350	616	572	146	1,406	612	627	146
Everett	451	279	150	-	393	267	102	-
Framingham (town)	260	139	113	-	288	141	145	-
Lexington (town)	199	86	38	65	160	85	-	65
Lowell	1,200	544	557	59	1,325	530	694	59
Malden	626	357	227	21	597	343	209	21
Marlborough	177	121	51	2	194	116	73	2
Medford	570	319	234	7	445	319	116	7
Melrose	247	158	82	-	262	153	105	-
Natick (town)	161	93	64	1	160	91	63	1
Newton	640	433	179	9	666	443	195	9
Reading (town)	138	95	42	-	91	90	-	-
Somerville	1,026	557	374	62	866	526	253	62
Stoneham (town)	110	67	42	-	144	72	70	-
Wakefield (town)	181	119	56	-	142	122	14	-
Waltham	435	242	160	21	501	242	228	21
Watertown (town)	316	205	106	-	199	197	1	-
Winchester (town)	114	73	40	-	121	68	53	-
Woburn	216	124	90	-	160	116	43	-
Nantucket	57	32	24	-	54	36	17	-
Norfolk	3,562	1,963	1,234	247	3,274	1,999	882	247
Outside cities	1,151	533	337	241	922	500	154	241
Braintree (town)	168	111	50	-	172	118	45	-
Brookline (town)	626	375	230	2	599	391	137	2
Dedham (town)	161	111	42	3	115	111	1	3
Milton (town)	184	112	61	-	157	122	26	-
Needham (town)	120	71	44	-	112	66	44	-
Norwood (town)	170	102	65	-	204	107	94	-
Quincy	645	339	295	-	652	362	285	-
Wellesley (town)	116	63	51	-	82	73	7	-
Weymouth (town)	221	146	59	1	259	149	89	1
Plymouth	2,179	1,254	687	78	2,039	1,276	515	78
Outside cities	1,247	743	365	57	1,012	774	98	57
Brockton	759	399	262	20	842	385	350	20
Plymouth (town)	173	112	60	1	185	117	67	1
Suffolk	10,579	4,691	4,968	638	12,004	4,615	6,465	638
Boston	9,613	4,170	4,582	638	11,007	4,099	6,035	638
Chelsea	395	184	197	-	554	171	382	-
Revere	360	202	115	-	262	210	2	-
Winthrop (town)	211	135	74	-	181	135	46	-
Worcester	5,996	2,932	2,009	966	6,044	2,937	2,042	966
Outside cities	1,785	1,025	487	232	1,627	1,028	324	232
Athol (town)	135	86	42	2	95	86	1	2
Clinton (town)	129	80	41	6	140	77	55	6
Fitchburg	434	226	196	-	448	223	212	-
Gardner	245	88	76	81	316	87	148	81
Leominster	229	136	87	-	216	136	74	-
Milford (town)	165	101	55	-	209	109	83	-
Northbridge (town)	69	47	22	-	63	48	15	-
Southbridge (town)	135	83	52	-	142	82	60	-
Webster (town)	133	96	37	-	124	97	27	-
Worcester	2,537	964	914	645	2,664	964	1,043	645
MICHIGAN (total)	52,733	28,875	20,745	2,192	52,670	28,922	20,642	2,192
Alcona	56	49	7	-	50	50	-	-
Alger	113	56	55	2	94	57	35	2
Allegan	506	324	172	-	495	333	139	-
Alpena	203	139	51	11	224	143	70	11
Outside city	78	57	17	4	63	59	-	4
Alpena	125	82	34	7	161	84	70	7
Antrim	119	89	22	6	103	97	-	6
Arenac	96	63	33	-	90	66	24	-
Baraga	95	65	27	-	70	65	1	-
Barry	272	201	60	4	264	198	55	4
Bay	793	511	250	25	840	514	294	25
Outside city	258	162	68	25	196	168	-	25
Bay City	535	349	182	-	644	346	294	-
Benzie	98	74	22	-	100	81	16	-
Berrien	1,072	646	286	134	1,075	685	235	134
Outside cities	747	453	140	134	691	494	42	134
Benton Harbor	212	131	77	-	241	128	113	-
Niles	113	62	49	-	143	63	80	-
Branch	377	253	92	29	366	260	75	29
Calhoun	1,174	652	420	94	1,233	665	470	94
Outside city	626	356	172	94	592	377	118	94
Battle Creek	548	296	248	-	641	288	352	-
Cass	306	206	97	-	292	215	77	-
Charlevoix	172	118	47	4	159	119	33	4
Cheboygan	179	125	41	5	156	124	19	5
Chippewa	288	163	121	2	292	166	122	2
Outside city	119	70	45	2	77	74	-	2
Sault Ste. Marie	169	93	76	-	215	92	122	-
Clare	112	82	26	2	109	84	23	2
Clinton	317	222	86	8	303	218	76	8

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
MICHIGAN—Contd.								
Crawford	53	24	28	1	82	27	54	1
Delta	375	235	136	2	363	231	128	2
Outside city	214	142	68	2	157	133	-	2
Escanaba	161	93	68	-	226	98	128	-
Dickinson	239	171	59	4	236	169	59	4
Outside city	132	95	29	3	109	92	10	3
Iron Mountain	107	76	30	1	127	77	49	1
Eaton	411	296	99	11	354	293	49	11
Emmet	160	95	61	2	223	102	119	2
Genesee	1,892	989	889	-	1,880	980	883	-
Outside city	630	383	244	-	515	396	119	-
Flint	1,262	606	645	-	1,365	584	764	-
Gladwin	85	65	20	-	75	64	10	-
Gogebic	338	194	143	-	357	198	158	-
Outside city	209	112	97	-	251	122	128	-
Ironwood	129	82	46	-	106	76	30	-
Grand Traverse	431	166	95	169	459	163	127	169
Outside city	292	82	40	169	284	81	34	169
Traverse City	139	84	55	-	175	82	93	-
Gratiot	376	271	71	31	345	263	49	31
Hillsdale	417	289	107	-	378	279	86	-
Houghton	574	378	145	24	574	366	148	24
Huron	324	216	90	9	307	216	76	9
Ingham	1,246	723	502	-	1,305	721	567	-
Outside city	522	310	198	-	420	310	94	-
Lansing	724	413	304	-	885	411	473	-
Ionia	444	316	84	30	396	315	36	30
Iosco	90	76	14	-	81	81	-	-
Iron	187	101	59	27	174	97	50	27
Isabella	245	180	46	12	228	179	30	12
Jackson	1,092	539	437	65	1,099	536	443	65
Outside city	463	259	118	63	319	255	1	63
Jackson	629	280	319	2	780	281	442	2
Kalamazoo	1,320	618	411	258	1,327	603	446	258
Outside city	431	254	151	13	310	253	39	13
Kalamazoo	889	364	260	245	1,017	350	407	245
Kalkaska	52	36	16	-	33	33	-	-
Kent	2,510	1,424	855	168	2,597	1,419	932	168
Outside city	775	455	215	94	846	468	270	94
Grand Rapids	1,735	969	640	74	1,751	951	662	74
Keweenaw	44	32	4	-	35	35	-	-
Lake	61	51	10	-	56	56	-	-
Lapeer	433	258	93	68	389	249	68	68
Leelanau	88	68	16	3	75	71	-	3
Lenawee	642	440	174	11	619	433	157	11
Outside city	446	308	113	11	420	314	77	11
Adrian	196	132	61	-	199	119	80	-
Livingston	270	182	75	-	303	202	89	-
Luce	166	32	23	108	164	31	23	108
Mackinac	97	73	19	-	85	81	-	-
Macomb	909	530	364	-	814	552	251	-
Outside cities	661	397	251	-	487	415	85	-
Mount Clemens	170	90	80	-	278	91	186	-
St. Clair Shores	78	45	33	-	49	46	-	-
Manistee	249	190	54	3	236	189	43	3
Marquette	469	242	213	9	499	246	239	9
Outside city	337	187	141	4	299	187	106	4
Marquette	132	55	72	5	200	59	133	5
Mason	235	155	79	-	220	153	67	-
Mecosta	240	174	53	12	209	163	33	12
Menominee	272	129	134	9	309	131	169	9
Outside city	148	76	63	9	122	77	36	9
Menominee	124	53	71	-	187	54	133	-
Midland	243	177	57	6	206	174	-	6
Outside city	163	120	19	6	121	113	-	6
Midland	80	57	18	-	85	61	-	-
Missaukee	84	74	10	-	74	74	-	-
Monroe	610	377	194	26	589	396	157	26
Outside city	400	258	111	26	299	273	-	26
Monroe	210	119	83	-	290	123	157	-
Montcalm	399	286	95	12	384	280	91	12
Montmorency	32	24	8	-	24	24	-	-
Muskegon	900	465	386	15	900	472	380	15
Outside cities	284	152	107	14	189	153	16	14
Muskegon	497	252	222	1	649	257	364	1
Muskegon Heights	119	61	57	-	62	62	-	-
Newaygo	225	157	57	2	210	159	43	2
Oakland	2,238	1,119	938	144	2,025	1,121	715	144
Outside cities	1,081	600	458	-	921	626	255	-
Birmingham	85	50	34	-	42	42	-	-
Ferndale	136	71	65	-	73	63	10	-
Pontiac	729	298	277	144	848	292	408	144
Royal Oak	207	100	104	-	141	98	42	-
Oceana	185	118	51	12	181	119	48	12
Ogemaw	105	72	25	6	98	68	24	6
Ontonagon	113	72	38	2	90	68	20	2
Osceola	163	113	47	2	163	118	42	2
Oscoda	20	16	3	-	16	15	-	-
MICHIGAN—Contd.								
Otsego	88	57	28	3	92	62	27	3
Ottawa	522	369	135	9	495	365	116	9
Outside city	402	294	91	9	362	293	55	9
Holland	120	75	44	-	133	72	61	-
Presque Isle	98	68	29	-	67	66	-	-
Roscommon	32	23	9	-	28	27	-	-
Saginaw	1,366	778	548	18	1,403	783	585	18
Outside city	492	285	180	16	355	302	31	16
Saginaw	874	493	368	2	1,048	481	554	2
St. Clair	891	631	227	27	861	643	179	27
Outside city	514	377	108	27	435	395	13	27
Port Huron	377	254	119	-	426	248	166	-
St. Joseph	393	244	130	12	409	243	144	12
Sanilac	339	284	45	4	308	285	18	4
Schoolcraft	74	50	18	-	74	58	12	-
Shiawassee	492	321	148	15	483	320	141	15
Outside city	321	213	88	15	262	218	24	15
Owosso	171	108	60	-	221	102	117	-
Tuscola	469	283	95	77	411	271	47	77
Van Buren	454	306	108	14	427	318	70	14
Washtenaw	1,062	486	277	265	1,580	539	688	265
Outside cities	544	227	80	221	524	238	37	221
Ann Arbor	376	172	149	44	923	215	610	44
Ypsilanti	142	87	48	-	127	86	41	-
Wayne	17,541	7,772	9,429	146	17,656	7,653	9,879	146
Outside cities	1,338	544	765	-	2,231	559	1,648	-
Dearborn	447	198	236	-	314	228	63	-
Detroit	14,347	6,357	7,699	144	13,712	6,196	7,242	144
Ecorse	96	35	61	-	33	33	-	-
Grosse Pointe Park	80	50	30	-	53	52	-	-
Hamtramck	335	134	200	-	322	134	188	-
Highland Park	438	231	202	2	539	229	308	2
Lincoln Park	67	22	44	-	23	23	-	-
River Rouge	135	72	63	-	97	74	23	-
Wyandotte	258	129	129	-	332	125	207	-
Wexford	211	137	57	13	215	136	63	13
MINNESOTA (total)	26,140	13,410	10,910	1,464	26,618	13,497	11,311	1,464
Aitkin	146	102	38	-	102	95	4	-
Anoka	247	103	65	76	194	111	6	76
Becker	238	143	92	1	231	142	88	1
Beltrami	255	128	115	3	268	131	123	3
Benton	122	74	48	-	65	65	-	-
Outside city	104	65	39	-	55	55	-	-
St. Cloud (part)	18	11	7	-	10	10	-	-
Big Stone	87	59	28	-	105	65	38	-
Blue Earth	348	196	150	2	358	194	162	2
Outside city	189	123	66	-	118	118	-	-
Mankato	159	73	84	2	240	76	162	2
Brown	238	113	93	31	275	116	127	31
Carlton	294	132	86	75	282	131	75	75
Carver	165	113	52	-	151	118	33	-
Cass	200	91	102	-	227	103	119	-
Chippewa	160	96	64	-	165	90	75	-
Chisago	161	94	49	8	113	91	-	8
Clay	230	127	102	-	210	135	75	-
Clearwater	92	67	24	-	81	64	17	-
Cook	22	12	10	-	18	18	-	-
Cottonwood	117	81	34	-	113	78	34	-
Crow Wing	272	162	103	-	239	170	120	-
Outside city	135	88	45	-	113	103	10	-
Brainerd	137	74	58	-	183	67	110	-
Dakota	339	135	120	46	254	146	18	46
Outside city	263	108	72	46	225	119	16	46
South St. Paul	76	27	48	-	29	27	2	-
Dodge	97	77	19	-	80	79	-	-
Douglas	194	122	65	4	183	125	50	4
Faribault	233	176	54	1	201	175	24	1
Fillmore	238	175	45	-	202	177	4	-
Freeborn	248	173	74	-	265	180	84	-
Outside city	137	101	35	-	102	102	-	-
Albert Lea	111	72	39	-	163	78	84	-
Goodhue	342	194	145	1	352	190	159	1
Grant	107	71	36	-	71	71	-	-
Hennepin	5,395	2,350	2,839	137	6,018	2,339	3,472	137
Outside city	623	291	296	26	714	315	360	26
Minneapolis	4,772	2,059	2,543	111	5,304	2,024	3,112	111
Houston	155	97	56	-	122	97	23	-
Hubbard	120	83	19	7	106	81	-	7
Isanti	159	90	31	31	156	96	24	31
Itasca	275	138	110	16	265	146	94	16
Jackson	134	74	56	-	120	73	43	-
Kanabec	78	55	22	-	56	56	-	-
Kandiyohi	278	133	71	71	273	135	68	71
Kittson	98	51	46	-	88	50	37	-
Koochiching	160	76	82	-	151	80	70	-
Lac qui Parle	131	78	53	-	112	76	36	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
MINNESOTA—Contd.								
Lake	87	42	44	-	88	47	41	-
Lake of the Woods	35	22	11	-	22	21	-	-
Le Sueur	186	134	51	-	149	131	18	-
Lincoln	83	52	27	-	103	56	47	-
Lyon	196	123	64	-	178	120	48	-
McLeod	145	98	47	-	138	98	40	-
Mahnomen	63	41	22	-	54	41	13	-
Marshall	189	122	66	-	154	119	35	-
Martin	180	133	44	-	185	142	39	-
Meeker	144	94	50	-	135	93	42	-
Mille Lacs	178	110	62	3	146	108	31	3
Morrison	238	138	88	12	213	134	67	12
Mower	268	154	110	1	263	157	103	1
Outside city	123	92	28	1	102	98	2	1
Austin	145	62	82	-	161	59	101	-
Murray	93	64	28	-	83	64	18	-
Nicollet	342	69	62	211	331	73	47	211
Nobles	163	108	47	-	166	103	54	-
Norman	134	88	45	-	105	90	14	-
Olmsted	510	182	129	195	1,010	190	625	195
Outside city	119	87	24	4	91	87	-	4
Rochester	391	95	105	191	919	103	625	191
Otter Tail	583	264	178	140	598	267	191	140
Outside city	355	215	139	-	284	212	72	-
Fergus Falls	228	49	39	140	314	55	119	140
Pennington	127	57	70	-	160	54	106	-
Pine	194	130	58	3	177	128	42	3
Pipestone	104	54	47	1	110	54	54	1
Polk	383	195	184	-	374	199	170	-
Pope	130	71	58	-	181	74	56	-
Ramsey	2,973	1,146	1,728	77	3,148	1,146	1,903	77
Outside city	201	76	86	37	131	91	3	37
St. Paul	2,772	1,070	1,642	40	3,017	1,055	1,900	40
Red Lake	54	29	25	-	27	27	-	-
Redwood	146	107	39	-	117	104	12	-
Renville	194	140	53	-	135	134	1	-
Rice	292	157	77	50	298	157	85	50
Outside city	141	87	37	12	130	87	28	12
Faribault	151	70	40	38	168	70	57	38
Rock	73	55	18	-	76	58	18	-
Roseau	117	72	44	-	113	71	41	-
St. Louis	1,961	825	990	129	1,986	824	1,015	129
Outside cities	606	321	281	-	520	330	189	-
Duluth	1,107	387	589	129	1,208	384	695	129
Hibbing	139	71	57	-	137	68	52	-
Virginia	109	46	63	-	121	42	79	-
Scott	146	76	39	28	123	76	18	28
Sherburne	90	49	27	12	77	61	-	12
Outside city	69	44	25	-	56	56	-	-
St. Cloud (part)	21	5	2	12	21	5	-	12
Sibley	118	94	24	-	93	91	2	-
Stearns	597	332	225	38	647	332	276	38
Outside city	408	244	131	31	327	247	48	31
St. Cloud (part)	189	88	94	7	320	85	228	7
St. Cloud (total)	228	104	103	19	351	100	228	19
Steele	177	107	65	1	180	114	63	1
Stevens	90	52	37	-	92	53	39	-
Swift	152	112	39	-	150	109	40	-
Todd	241	167	71	-	219	166	51	-
Traverse	67	49	18	-	48	44	4	-
Wabasha	159	83	73	-	162	88	71	-
Wadena	138	73	65	-	160	74	86	-
Waseca	122	75	47	-	111	78	32	-
Washington	281	156	113	9	251	162	79	9
Watonwan	129	79	14	35	116	77	4	35
Wilkin	86	44	42	-	103	43	60	-
Winona	393	256	136	-	392	262	130	-
Outside city	155	109	45	-	111	111	-	-
Winona	238	147	91	-	281	151	130	-
Wright	276	196	69	9	239	197	32	9
Yellow Medicine	138	93	44	-	145	96	48	-
MISSISSIPPI[1] (total)	22,832	17,794	4,144	676	22,575	17,771	3,915	676
Adams	341	253	86	1	410	252	156	1
Outside city	123	102	20	1	232	99	131	1
Natchez	218	151	66	-	178	153	25	-
Alcorn	245	194	48	-	261	200	60	-
Amite	197	162	26	-	177	168	-	-
Attala	286	226	60	-	280	226	54	-
Benton	80	68	12	-	68	68	-	-
Bolivar	827	661	160	-	806	660	141	-
Calhoun	166	142	19	-	148	141	2	-
Carroll	174	154	19	1	150	149	-	1
Chickasaw	205	179	23	-	216	177	36	-
Choctaw	121	107	13	-	106	106	-	-
Claiborne	157	136	21	-	137	136	1	-
Clarke	200	152	35	-	171	154	-	-
MISSISSIPPI—Con.								
Clay	205	185	18	-	183	181	-	-
Coahoma	550	481	66	-	517	497	18	-
Outside city	415	369	44	-	386	386	-	-
Clarksdale	135	112	22	-	131	111	18	-
Copiah	361	311	49	-	315	315	-	-
Covington	148	126	21	-	123	123	-	-
De Soto	258	216	40	-	223	220	-	-
Forrest	433	284	124	-	450	286	137	-
Outside city	161	107	29	-	141	111	3	-
Hattiesburg	272	177	95	-	309	175	134	-
Franklin	110	91	18	-	88	88	-	-
George	99	81	18	-	79	79	-	-
Greene	85	74	11	-	72	72	-	-
Grenada	201	161	40	-	231	161	70	-
Hancock	111	86	25	-	97	89	8	-
Harrison	576	378	166	24	631	390	206	24
Outside cities	194	146	46	-	208	154	51	-
Biloxi	202	127	69	-	211	131	72	-
Gulfport	180	105	51	24	212	105	83	24
Hinds	1,105	752	353	4	1,308	752	528	4
Outside city	448	359	84	-	381	357	17	-
Jackson	657	393	249	4	927	395	511	4
Holmes	451	385	66	-	431	380	51	-
Humphreys	287	250	35	-	257	255	-	-
Issaquena	62	55	7	-	53	53	-	-
Itawamba	117	102	14	-	105	105	-	-
Jackson	223	162	59	-	225	175	50	-
Jasper	175	139	36	-	136	136	-	-
Jefferson	155	135	20	-	133	133	-	-
Jefferson Davis	128	106	21	-	104	104	-	-
Jones	470	333	128	2	566	346	210	2
Outside city	229	167	54	2	183	178	-	2
Laurel	241	166	74	-	383	168	210	-
Kemper	214	183	30	-	182	180	2	-
Lafayette	192	163	28	-	270	161	108	-
Lamar	105	88	17	-	103	90	13	-
Lauderdale	752	483	210	55	891	481	352	55
Outside city	253	197	55	-	220	206	12	-
Meridian	499	286	155	55	671	275	340	55
Lawrence	119	96	23	-	94	94	-	-
Leake	155	127	23	-	125	125	-	-
Lee	343	279	64	-	356	268	88	-
Leflore	625	539	83	1	606	529	76	1
Outside city	455	414	39	1	409	408	-	1
Greenwood	170	125	44	-	197	121	76	-
Lincoln	302	238	63	1	294	232	61	1
Lowndes	407	345	59	-	398	340	58	-
Outside city	195	185	10	-	188	188	-	-
Columbus	212	160	49	-	210	152	58	-
Madison	414	368	46	-	396	365	31	-
Marion	204	150	41	-	206	153	38	-
Marshall	257	228	28	-	229	228	-	-
Monroe	337	298	39	-	339	296	43	-
Montgomery	168	149	19	-	164	142	22	-
Neshoba	257	183	63	-	230	179	42	-
Newton	237	176	46	-	227	177	28	-
Noxubee	321	282	39	-	308	279	29	-
Oktibbeha	245	220	23	-	245	219	22	-
Panola	349	302	46	-	297	296	-	-
Pearl River	175	131	44	-	170	132	38	-
Perry	86	65	21	-	62	62	-	-
Pike	376	294	80	-	381	292	88	-
Pontotoc	171	143	28	-	155	141	14	-
Prentiss	161	129	29	-	186	132	50	-
Quitman	325	250	75	-	305	248	57	-
Rankin	764	153	59	549	728	162	17	549
Scott	193	155	37	-	176	151	25	-
Sharkey	191	158	33	-	156	155	1	-
Simpson	192	140	51	-	212	136	75	-
Smith	134	108	26	-	103	103	-	-
Stone	53	48	5	-	50	50	-	-
Sunflower	591	505	85	-	564	506	57	-
Tallahatchie	375	333	42	-	377	338	39	-
Tate	179	149	30	-	143	143	-	-
Tippah	159	126	33	-	123	123	-	-
Tishomingo	146	119	24	-	119	117	-	-
Tunica	249	239	10	-	247	247	-	-
Union	187	145	42	-	208	142	66	-
Walthall	125	92	32	-	126	89	37	-
Warren	505	334	168	-	614	336	276	-
Outside city	164	133	31	-	136	135	-	-
Vicksburg	341	201	137	-	478	201	276	-
Washington	846	636	162	38	875	641	185	38
Outside city	525	416	68	38	456	417	-	38
Greenville	321	220	94	-	419	224	185	-
Wayne	132	114	15	-	113	112	1	-
Webster	145	126	19	-	124	124	-	-
Wilkinson	247	198	47	-	241	196	45	-
Winston	200	167	18	-	182	167	-	-
Yalobusha	164	138	26	-	146	131	15	-
Yazoo	451	375	76	-	472	384	88	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
MISSOURI (total)	42,994	26,481	13,889	1,766	43,128	26,408	14,057	1,766
Adair	237	177	58	-	359	173	182	-
Outside city	116	92	23	-	93	93	-	-
Kirksville	121	85	35	-	266	80	182	-
Andrew	130	101	26	2	125	104	-	2
Atchison	125	92	30	-	88	87	-	-
Audrain	262	172	81	2	284	180	86	2
Barry	242	201	40	-	200	191	9	-
Barton	142	126	16	-	131	125	6	-
Bates	260	204	47	1	224	193	27	1
Benton	108	94	12	-	98	95	-	-
Bollinger	86	63	23	-	63	63	-	-
Boone	432	305	107	3	477	310	147	3
Outside city	217	169	37	2	171	169	-	2
Columbia	215	136	70	1	306	141	147	1
Buchanan	1,204	629	315	237	1,320	635	426	237
Outside city	170	127	38	1	128	127	-	1
St. Joseph	1,034	502	277	236	1,192	508	426	236
Butler	410	308	101	1	489	314	174	1
Outside city	245	197	47	1	194	193	-	1
Poplar Bluff	165	111	54	-	295	121	174	-
Caldwell	149	126	22	-	123	122	-	-
Callaway	454	168	54	223	433	170	34	225
Camden	93	75	18	-	74	74	-	-
Cape Girardeau	405	256	147	1	570	266	303	1
Outside city	203	134	68	1	131	130	-	1
Cape Girardeau	202	122	79	-	439	136	303	-
Carroll	232	185	45	-	221	188	30	-
Carter	35	28	7	-	28	28	-	-
Cass	256	207	36	-	238	221	6	-
Cedar	159	131	22	-	138	132	-	-
Chariton	191	169	20	2	171	168	-	2
Christian	132	100	32	-	99	99	-	-
Clark	97	79	16	2	79	77	-	2
Clay	355	213	92	42	411	230	127	42
Clinton	177	149	26	-	148	147	-	-
Cole	337	208	99	29	404	212	162	29
Outside city	96	72	23	-	69	68	-	-
Jefferson City	241	136	76	29	335	144	162	29
Cooper	202	154	43	1	235	158	73	1
Crawford	98	75	23	-	70	70	-	-
Dade	115	96	14	-	97	92	-	-
Dallas	104	83	19	1	87	85	-	1
Daviess	149	122	24	2	125	122	1	2
De Kalb	105	86	17	-	88	86	-	-
Dent	119	95	23	-	92	91	-	-
Douglas	141	131	10	-	124	124	-	-
Dunklin	421	344	48	-	373	338	-	-
Franklin	351	248	101	3	323	258	62	3
Gasconade	144	113	28	-	115	111	2	-
Gentry	169	144	20	3	141	136	1	3
Greene	938	653	251	24	1,158	659	466	24
Outside city	267	193	63	9	265	192	61	9
Springfield	671	460	188	15	893	467	405	15
Grundy	209	174	27	6	208	175	27	6
Harrison	182	153	22	3	177	151	17	3
Henry	252	200	18	-	240	200	-	-
Hickory	64	54	8	-	54	54	-	-
Holt	128	104	18	-	109	103	1	-
Howard	149	110	39	-	127	105	22	-
Howell	223	184	31	1	214	182	18	1
Iron	124	92	22	-	142	96	35	-
Jackson	5,455	2,712	2,426	186	5,617	2,696	2,580	186
Outside cities	518	263	93	148	471	315	-	148
Independence	243	153	84	1	244	151	88	1
Kansas City	4,694	2,296	2,249	37	4,902	2,230	2,492	37
Jasper	1,051	682	313	-	1,119	684	380	-
Outside cities	440	282	118	-	366	284	40	-
Carthage	134	92	39	-	167	92	75	-
Joplin (part)	477	308	153	-	586	308	265	-
Joplin (total)	486	316	157	-	596	318	265	-
Jefferson	311	234	71	3	278	243	31	3
Johnson	307	256	39	3	275	247	20	3
Knox	97	73	23	-	67	67	-	-
Laclede	216	175	40	-	235	177	57	-
Lafayette	315	256	46	7	264	254	-	7
Lawrence	338	241	87	7	418	244	164	7
Lewis	149	111	35	2	113	110	-	2
Lincoln	160	131	26	1	141	139	-	1
Linn	279	218	54	6	272	216	49	6
Livingston	238	189	43	6	233	184	43	6
McDonald	126	99	26	-	95	95	-	-
Macon	268	212	49	3	238	213	20	3
Madison	102	85	16	-	87	87	-	-
Maries	93	75	18	-	76	76	-	-
Marion	344	183	155	6	396	183	207	6
Outside city	96	60	30	6	70	64	-	6
Hannibal	248	123	125	-	326	119	207	-
MISSOURI—Con.								
Mercer	87	67	9	-	85	73	-	-
Miller	136	115	20	-	124	118	5	-
Mississippi	251	195	53	-	203	201	-	-
Moniteau	138	113	25	-	119	110	9	-
Monroe	157	114	35	6	121	112	2	6
Montgomery	161	129	29	2	125	123	-	2
Morgan	133	121	10	-	122	121	-	-
New Madrid	442	373	51	-	387	385	-	-
Newton	282	215	59	-	297	221	66	-
Outside city	273	207	58	-	287	211	66	-
Joplin (part)	9	8	1	-	10	10	-	-
Nodaway	295	214	73	4	309	212	89	4
Oregon	95	82	7	-	79	78	1	-
Osage	112	78	32	-	78	77	-	-
Ozark	80	71	8	-	71	71	-	-
Pemiscot	446	384	52	3	383	377	-	3
Perry	115	84	31	-	85	85	-	-
Pettis	429	316	108	-	429	315	111	-
Outside city	146	114	32	-	109	109	-	-
Sedalia	283	202	76	-	320	206	111	-
Phelps	262	189	65	5	290	203	80	5
Pike	282	215	64	1	278	212	63	1
Platte	155	124	28	-	121	121	-	-
Polk	214	184	28	-	193	180	11	-
Pulaski	181	135	27	-	163	142	-	-
Putnam	139	118	12	-	119	109	-	-
Ralls	115	81	30	3	81	78	-	3
Randolph	313	250	62	1	339	246	92	1
Outside city	133	116	16	1	112	111	-	1
Moberly	180	134	46	-	227	135	92	-
Ray	218	165	30	5	187	161	-	5
Reynolds	72	52	19	-	52	52	-	-
Ripley	97	83	7	-	90	78	-	-
St. Charles	297	190	82	24	317	203	88	24
Outside city	148	96	36	15	121	104	-	15
St. Charles	149	94	46	9	196	99	88	9
St. Clair	138	109	15	-	124	107	1	-
St. Francois	447	247	66	132	413	253	28	132
St. Louis	2,548	1,204	1,119	145	2,692	1,225	1,204	145
Outside cities	1,643	770	704	120	1,646	807	642	120
Clayton	102	45	56	-	379	48	331	-
Kirkwood	141	64	63	9	84	56	14	9
Maplewood	121	58	45	-	94	60	-	-
Richmond Heights	92	41	50	-	252	40	211	-
University City	277	136	122	16	145	129	-	16
Webster Groves	172	90	79	-	92	85	6	-
St. Louis (city)	9,892	4,044	5,357	360	10,535	3,948	6,114	360
Ste. Genevieve	110	94	16	-	91	91	-	-
Saline	357	264	55	38	346	270	40	36
Schuyler	99	71	28	-	69	69	-	-
Scotland	92	73	19	-	76	76	-	-
Scott	290	200	71	-	246	207	-	-
Shannon	88	77	9	-	70	70	-	-
Shelby	157	131	22	-	141	135	2	-
Stoddard	362	310	43	5	312	307	-	5
Stone	87	81	6	-	78	78	-	-
Sullivan	135	102	25	6	105	99	-	6
Taney	93	79	14	-	80	80	-	-
Texas	198	168	28	1	170	169	-	1
Vernon	492	228	55	205	485	231	49	205
Warren	90	73	14	3	70	67	-	3
Washington	157	138	17	-	137	136	-	-
Wayne	123	88	35	-	85	85	-	-
Webster	158	129	27	-	127	124	-	-
Worth	59	48	11	-	44	44	-	-
Wright	174	156	16	-	167	158	7	-
MONTANA (total)	5,673	2,620	2,683	207	5,626	2,620	2,633	207
Beaverhead	79	48	23	6	83	57	19	6
Big Horn	109	55	53	-	87	50	37	-
Blaine	68	36	32	-	46	31	15	-
Broadwater	18	7	11	-	29	16	13	-
Carbon	100	55	24	-	79	54	-	-
Carter	24	15	6	-	15	15	-	-
Cascade	435	134	298	-	482	135	345	-
Outside city	114	44	69	-	53	50	1	-
Great Falls	321	90	229	-	429	85	344	-
Chouteau	57	25	32	-	48	25	23	-
Custer	101	32	65	-	147	38	105	-
Daniels	39	21	18	-	39	19	20	-
Dawson	68	28	40	-	82	27	55	-
Deer Lodge	353	71	114	147	364	67	149	147
Outside city	189	5	36	147	218	9	61	147
Anaconda	144	66	78	-	146	58	88	-
Fallon	32	12	5	-	32	12	-	-
Fergus	142	70	71	-	151	69	82	-
Flathead	238	155	55	28	242	162	52	28

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
MONTANA—Contd.								
Gallatin	160	88	63	3	157	85	62	3
Garfield	24	12	12	-	17	9	8	-
Glacier	123	65	27	-	112	61	19	-
Golden Valley	20	9	10	-	7	7	-	-
Granite	49	31	13	5	34	29	-	5
Hill	126	49	76	-	141	49	92	-
Jefferson	40	29	7	-	45	38	2	-
Judith Basin	34	18	16	-	17	17	-	-
Lake	148	73	73	-	137	72	64	-
Lewis and Clark	277	108	161	8	304	103	192	8
Outside city	83	26	49	8	99	27	63	8
Helena	194	82	112	-	205	76	129	-
Liberty	10	6	4	-	9	6	3	-
Lincoln	62	32	30	-	53	30	23	-
McCone	22	14	7	-	14	8	6	-
Madison	76	62	8	-	61	57	-	-
Meagher	26	12	7	3	18	11	-	3
Mineral	25	12	9	-	20	14	1	-
Missoula	272	105	165	-	320	109	210	-
Outside city	57	27	28	-	28	28	-	-
Missoula	215	78	137	-	292	81	210	-
Musselshell	61	32	28	-	61	31	29	-
Park	114	64	48	-	123	66	55	-
Petroleum	9	4	5	-	7	7	-	-
Phillips	56	19	37	-	49	20	29	-
Pondera	72	32	40	-	72	30	42	-
Powder River	23	11	11	-	13	12	-	-
Powell	54	16	36	2	50	16	32	2
Prairie	28	16	12	-	28	17	11	-
Ravalli	127	67	59	-	123	70	53	-
Richland	83	42	41	-	73	44	29	-
Roosevelt	84	39	29	-	90	44	24	-
Rosebud	78	38	40	-	79	40	39	-
Sanders	49	21	27	-	29	25	3	-
Sheridan	47	20	26	-	41	21	19	-
Silver Bow	735	381	351	-	691	370	321	-
Outside city	97	68	29	-	204	115	89	-
Butte	638	313	322	-	487	255	232	-
Stillwater	57	37	18	-	45	36	7	-
Sweet Grass	33	22	7	-	28	23	-	-
Teton	62	26	36	-	39	24	15	-
Toole	46	19	22	-	38	19	13	-
Treasure	11	7	4	-	5	5	-	-
Valley	76	29	46	-	75	28	47	-
Wheatland	33	23	9	-	25	24	-	-
Wibaux	21	9	4	-	17	9	-	-
Yellowstone	377	157	212	5	433	157	268	5
Outside city	116	53	57	5	106	57	43	5
Billings	261	104	155	-	327	100	225	-
Yellowstone National Park (part)	-	-	-	-	-	-	-	-
NEBRASKA (total)	12,330	7,767	3,699	470	12,203	7,693	3,650	470
Adams	335	154	53	126	352	149	76	126
Outside city	174	50	13	111	158	47	-	111
Hastings	161	104	40	15	194	102	76	15
Antelope	126	97	28	-	115	100	15	-
Arthur	8	4	4	-	4	4	-	-
Banner	11	6	5	-	4	4	-	-
Blaine	15	7	8	-	7	7	-	-
Boone	92	68	19	-	77	73	-	-
Box Butte	77	36	41	-	108	38	70	-
Boyd	54	41	13	-	52	41	10	-
Brown	54	32	22	-	63	32	31	-
Buffalo	228	166	57	1	258	161	90	1
Burt	100	72	25	-	77	67	9	-
Butler	118	91	26	-	97	85	11	-
Cass	177	117	42	15	130	112	-	15
Cedar	102	80	21	-	82	79	2	-
Chase	43	27	16	-	41	26	15	-
Cherry	69	39	26	-	62	38	20	-
Cheyenne	78	38	40	-	80	38	42	-
Clay	138	107	22	-	117	103	6	-
Colfax	84	60	23	-	59	59	-	-
Cuming	119	65	53	-	115	66	49	-
Custer	189	144	29	-	167	135	16	-
Dakota	109	69	39	-	68	63	5	-
Dawes	94	67	18	1	97	68	19	1
Dawson	165	108	52	-	168	107	54	-
Deuel	27	19	5	-	25	18	1	-
Dixon	88	65	19	-	68	64	1	-
Dodge	250	172	22	-	248	173	3	-
Outside city	103	74	12	-	81	79	-	-
Fremont	147	98	10	-	167	94	3	-
Douglas	2,492	1,227	1,146	67	2,752	1,225	1,404	67
Outside city	138	50	43	43	100	56	-	43
Omaha	2,354	1,177	1,103	24	2,652	1,169	1,404	24
Dundy	47	26	3	-	46	24	-	-
NEBRASKA—Con.								
Fillmore	103	82	21	-	94	81	13	-
Franklin	71	44	22	-	45	44	-	-
Frontier	59	46	11	-	44	44	-	-
Furnas	92	71	20	-	97	73	23	-
Gage	313	165	80	59	322	163	81	59
Outside city	198	98	35	59	170	98	5	59
Beatrice	115	67	45	-	152	65	76	-
Garden	33	21	10	-	29	24	4	-
Garfield	32	30	2	-	33	28	5	-
Gosper	29	24	4	-	20	20	-	-
Grant	8	4	4	-	3	3	-	-
Greeley	65	54	10	-	53	52	-	-
Hall	252	144	90	10	305	152	135	10
Outside city	76	53	22	-	51	51	-	-
Grand Island	176	91	68	10	254	101	135	10
Hamilton	92	64	21	-	79	61	13	-
Harlan	69	48	20	-	45	44	-	-
Hayes	26	21	5	-	19	19	-	-
Hitchcock	51	41	7	-	45	41	3	-
Holt	145	104	32	-	132	105	17	-
Hooker	9	7	2	-	7	7	-	-
Howard	81	67	13	-	61	60	1	-
Jefferson	129	93	29	-	122	94	27	-
Johnson	85	70	12	-	71	64	5	-
Kearney	78	54	17	7	78	53	17	7
Keith	58	28	27	-	55	31	22	-
Keya Paha	13	9	4	-	9	9	-	-
Kimball	23	11	12	-	29	14	15	-
Knox	136	113	22	-	112	111	1	-
Lancaster	1,021	551	374	85	1,170	547	524	85
Outside city	217	88	48	79	239	83	76	79
Lincoln	804	463	326	6	931	464	448	6
Lincoln	213	139	70	-	240	143	93	-
Outside city	77	53	21	-	59	57	1	-
North Platte	136	86	49	-	181	86	92	-
Logan	18	14	4	-	15	15	-	-
Loup	15	13	2	-	13	13	-	-
McPherson	10	4	6	-	3	3	-	-
Madison	303	161	66	76	351	182	113	76
Outside city	190	92	22	76	166	90	-	76
Norfolk	113	69	44	-	185	72	113	-
Merrick	88	64	21	-	70	62	4	-
Morrill	59	47	12	-	47	43	4	-
Nance	76	62	14	-	67	60	7	-
Nemaha	126	84	39	1	110	81	28	1
Nuckolls	91	68	22	-	82	64	17	-
Otoe	158	99	56	1	149	97	49	1
Pawnee	87	59	20	-	86	60	19	-
Perkins	36	27	9	-	23	23	-	-
Phelps	89	66	21	-	126	76	47	-
Pierce	70	49	21	-	60	50	10	-
Platte	143	100	42	-	158	99	59	-
Polk	69	62	7	-	66	63	3	-
Red Willow	107	75	32	-	112	78	34	-
Richardson	201	149	15	-	191	150	-	-
Rock	20	15	3	-	20	17	-	-
Saline	161	116	39	-	130	118	11	-
Sarpy	74	51	22	-	56	52	4	-
Saunders	172	118	52	-	150	118	32	-
Scotts Bluff	285	165	112	-	278	161	111	-
Outside city	177	95	75	-	98	92	1	-
Scottsbluff	108	70	37	-	180	69	110	-
Seward	149	109	39	-	133	112	21	-
Sheridan	88	60	25	-	84	66	14	-
Sherman	55	47	8	-	55	50	5	-
Sioux	28	17	9	-	16	15	-	-
Stanton	49	39	10	-	34	34	-	-
Thayer	106	91	13	-	92	83	7	-
Thomas	15	10	4	-	10	10	-	-
Thurston	86	59	27	-	85	62	23	-
Valley	70	48	15	-	69	47	14	-
Washington	115	67	51	5	79	62	12	5
Wayne	74	50	15	-	73	52	11	-
Webster	99	89	9	-	88	87	-	-
Wheeler	11	11	-	-	11	11	-	-
York	152	93	39	16	153	91	43	16
NEVADA (total)	1,368	607	675	38	1,400	658	656	38
Churchill	81	46	35	-	81	49	32	-
Clark	188	70	115	-	202	93	106	-
Douglas	33	18	15	-	24	24	-	-
Elko	128	59	66	-	133	65	65	-
Esmeralda	22	9	5	7	15	8	-	7
Eureka	13	8	4	1	11	10	-	1
Humboldt	58	24	34	-	69	29	40	-
Lander	28	13	15	-	21	10	11	-
Lincoln	35	19	16	-	36	25	11	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
NEVADA—Continued								
Lyon	51	25	26	-	38	25	13	-
Mineral	23	10	13	-	31	9	22	-
Nye	70	37	12	-	67	40	5	-
Ormsby	34	15	11	1	40	15	17	1
Pershing	44	26	9	-	39	29	-	-
Storey	16	9	6	-	10	6	3	-
Washoe	432	163	237	29	478	165	282	29
Outside city	134	48	56	29	268	53	185	29
Reno	298	115	181	-	210	112	97	-
White Pine	112	56	56	-	105	56	49	-
NEW HAMPSHIRE (total)	6,073	3,445	2,012	463	6,114	3,507	1,984	463
Belknap	327	204	108	14	328	208	105	14
Outside city	165	115	50	-	111	111	-	-
Laconia	162	89	58	14	217	97	105	14
Carroll	244	155	76	-	250	164	76	-
Cheshire	454	248	161	34	437	259	132	34
Outside city	282	155	89	33	197	158	-	33
Keene	172	93	72	1	240	101	132	1
Coos	393	234	106	37	397	239	103	37
Outside city	244	154	45	37	239	166	34	37
Berlin	149	80	61	-	158	73	69	-
Grafton	517	313	165	33	589	326	224	33
Hillsborough	1,738	938	730	21	1,736	930	736	21
Outside cities	449	265	156	-	474	260	180	-
Manchester	932	527	377	13	888	526	337	13
Nashua	357	146	197	8	374	144	219	8
Merrimack	940	443	205	275	937	436	210	275
Outside city	421	290	111	14	379	282	77	14
Concord	519	153	94	261	558	154	133	261
Rockingham	743	435	247	43	745	454	223	43
Outside city	563	348	168	36	538	361	127	36
Portsmouth	180	87	79	7	207	93	96	7
Strafford	475	321	129	6	460	325	109	6
Outside cities	178	142	31	-	142	141	-	-
Dover	174	86	75	3	186	87	77	3
Rochester	123	93	23	3	132	97	32	3
Sullivan	242	154	85	-	235	166	66	-
Outside city	145	83	59	-	121	89	29	-
Claremont (town)	97	71	26	-	114	77	37	-
NEW JERSEY (total)	45,966	23,822	19,119	2,479	45,441	24,012	18,415	2,479
Atlantic	1,765	1,118	528	105	1,929	1,205	607	105
Outside cities	687	424	149	103	698	451	133	103
Atlantic City	916	577	335	2	1,109	632	474	2
Pleasantville	162	117	44	-	122	122	-	-
Bergen	3,818	2,123	1,561	37	3,435	2,132	1,160	37
Outside cities	2,076	1,141	837	37	1,504	1,165	197	37
Bergenfield	85	48	35	-	48	48	-	-
Cliffside Park	129	74	52	-	70	70	-	-
Englewood	191	96	90	-	351	95	256	-
Garfield	204	102	98	-	101	101	7	-
Hackensack	247	132	107	-	589	137	451	-
Lodi	80	45	34	-	43	43	-	-
Lyndhurst (twp.)[3]	172	86	85	-	86	86	-	-
Ridgefield Park	115	77	34	-	76	76	-	-
Ridgewood	158	110	44	-	113	106	7	-
Rutherford	187	120	66	-	114	114	-	-
Teaneck (twp.)[3]	174	92	79	-	340	91	249	-
Burlington	1,204	745	322	130	1,178	771	272	130
Outside city	1,101	681	286	127	1,091	712	247	127
Burlington	103	64	36	3	87	59	25	3
Camden	2,947	1,712	1,102	89	2,988	1,727	1,132	89
Outside cities	1,127	651	373	85	1,044	641	307	85
Camden	1,317	742	552	-	1,620	766	825	-
Collingswood	149	101	44	4	100	96	-	4
Gloucester	188	101	85	-	97	97	-	-
Pennsauken (twp.)[3]	166	117	48	-	127	127	-	-
Cape May	453	304	108	13	421	365	15	13
Cumberland	979	558	352	63	999	559	372	63
Outside cities	565	299	199	63	503	306	130	63
Bridgeton	230	133	96	-	307	129	178	-
Millville	184	126	57	-	189	124	64	-
Essex	8,857	4,243	4,222	338	8,767	4,132	4,259	338
Outside cities	632	222	210	196	891	208	485	196
Belleville	226	116	109	-	159	115	43	-
Bloomfield	384	220	161	-	239	219	14	-
East Orange	757	456	294	-	572	433	136	-
Irvington	487	247	233	3	406	243	157	3
Maplewood (twp.)[3]	204	119	72	11	118	106	1	11
Millburn (twp.)[3]	76	46	28	-	45	45	-	-
Montclair	454	253	199	-	386	256	128	-
Newark	4,720	2,083	2,491	127	4,988	2,022	2,823	127
Nutley	184	97	85	-	96	96	-	-
Orange	374	177	190	-	663	186	472	-
South Orange	148	87	61	-	87	87	-	-
West Orange	211	120	89	1	117	116	-	1

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
NEW JERSEY—Con.								
Gloucester	885	601	261	14	731	596	113	14
Hudson	6,923	3,073	3,587	242	6,677	2,996	3,427	242
Outside cities	406	85	102	219	442	74	146	219
Bayonne	666	336	328	1	564	330	233	1
Harrison	166	79	87	-	77	77	-	-
Hoboken	628	258	370	-	682	255	427	-
Jersey City	3,289	1,400	1,862	16	3,600	1,355	2,221	16
Kearny	333	171	161	-	302	188	114	-
North Bergen (twp.)[3]	368	188	173	6	189	183	-	6
Union City	596	305	289	-	309	285	23	-
Weehawken (twp.)[3]	164	87	75	-	361	98	263	-
West New York	307	164	140	-	151	151	-	-
Hunterdon	455	318	117	3	369	336	11	3
Mercer	2,424	1,132	915	335	2,581	1,141	1,056	335
Outside city	802	411	315	63	743	431	240	63
Trenton	1,622	721	600	272	1,838	710	816	272
Middlesex	2,022	1,121	867	9	1,980	1,136	809	9
Outside cities	872	516	336	9	750	530	192	9
Carteret	109	55	54	-	52	52	-	-
New Brunswick	374	182	188	-	553	181	372	-
Perth Amboy	374	200	168	-	449	204	245	-
South River	66	42	24	-	41	41	-	-
Woodbridge (twp.)[3]	227	128	97	-	135	129	-	-
Monmouth	2,316	1,198	760	305	2,367	1,285	708	305
Outside cities	1,552	805	448	272	1,266	867	62	272
Asbury Park	220	106	106	-	116	116	-	-
Long Branch	224	122	92	-	493	133	357	-
Neptune (twp.)[3]	174	80	58	33	365	96	235	33
Red Bank	146	85	56	-	127	73	54	-
Morris	1,861	771	474	589	1,844	790	432	589
Outside cities	1,534	572	352	589	1,246	595	50	589
Dover	125	79	46	-	214	78	136	-
Morristown	202	120	76	-	384	117	246	-
Ocean	529	286	225	9	535	310	211	9
Passaic	3,186	1,597	1,518	28	3,414	1,583	1,782	28
Outside cities	462	252	208	1	479	273	204	1
Clifton	388	221	165	-	217	216	-	-
Hawthorne	126	82	42	-	84	84	-	-
Passaic	585	261	313	-	816	249	550	-
Paterson	1,605	781	790	27	1,818	761	1,028	27
Salem	481	300	164	15	435	310	107	15
Somerset	867	439	283	136	797	442	212	136
Outside city	745	373	229	136	721	375	205	136
North Plainfield	122	66	54	-	76	67	7	-
Sussex	332	206	118	4	337	221	110	4
Union	3,074	1,615	1,409	-	3,108	1,609	1,454	-
Outside cities	299	157	138	-	254	158	90	-
Cranford (twp.)[3]	120	72	42	-	118	76	14	-
Elizabeth	1,057	527	516	-	1,297	527	763	-
Hillside (twp.)[3]	152	90	62	-	89	89	-	-
Linden	173	71	101	-	72	72	-	-
Plainfield	414	207	200	-	538	201	335	-
Rahway	188	113	72	-	197	105	92	-
Roselle	137	68	70	-	70	70	-	-
Summit	161	93	68	-	254	92	160	-
Union (twp.)[3]	201	116	82	-	117	117	-	-
Westfield	172	103	60	-	102	102	-	-
Warren	608	362	226	15	549	366	166	15
Outside city	403	252	131	15	273	257	-	15
Phillipsburg	205	110	95	-	276	109	166	-
NEW MEXICO (total)	5,639	4,025	1,424	69	5,720	4,105	1,408	60
Bernalillo	822	537	274	-	1,029	558	456	-
Outside city	406	326	77	-	387	352	35	-
Albuquerque	416	211	197	-	642	206	421	-
Catron	42	33	8	-	36	35	-	-
Chaves	201	133	66	-	208	147	60	-
Outside city	46	37	9	-	48	48	-	-
Roswell	155	96	57	-	160	99	60	-
Colfax	189	107	79	-	185	105	79	-
Curry	141	80	58	-	155	85	67	-
Outside city	27	16	11	-	20	20	-	-
Clovis	114	64	47	-	135	65	67	-
De Baca	46	34	12	-	51	39	12	-
Dona Ana	320	254	39	-	293	256	-	-
Eddy	275	175	80	-	270	169	82	-
Grant	212	130	74	-	247	132	108	-
Guadalupe	91	81	10	-	84	84	-	-
Harding	47	42	5	-	41	41	-	-
Hidalgo	56	44	5	-	79	57	9	-
Lea	71	34	29	-	68	37	22	-
Outside city	36	20	11	-	31	22	4	-
Hobbs	35	14	18	-	37	15	18	-
Lincoln	88	59	28	-	85	63	22	-
Luna	104	71	33	-	101	72	29	-
McKinley	229	118	110	-	199	127	72	-
Mora	142	114	27	-	118	112	6	-

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
NORTH DAKOTA—Con.								
Golden Valley	28	11	17	-	33	11	22	-
Grand Forks	333	154	117	59	385	151	168	59
Outside city	135	59	24	50	119	63	-	50
Grand Forks	198	95	93	9	266	88	168	9
Grant	54	31	23	-	40	30	10	-
Griggs	47	41	4	-	41	39	-	-
Hettinger	58	39	18	-	42	41	-	-
Kidder	51	32	17	-	35	31	1	-
La Moure	81	53	24	-	60	56	-	-
Logan	36	28	7	-	24	24	-	-
McHenry	122	67	51	-	68	64	-	-
McIntosh	53	43	9	-	43	43	-	-
McKenzie	45	23	22	-	20	20	-	-
McLean	129	81	46	-	90	77	13	-
Mercer	60	36	12	-	48	36	-	-
Morton	169	100	68	-	162	105	56	-
Mountrail	83	41	40	-	42	37	4	-
Nelson	75	43	31	-	65	43	21	-
Oliver	24	20	4	-	17	17	-	-
Pembina	126	98	28	-	116	95	18	-
Pierce	81	32	49	-	98	27	71	-
Ramsey	157	67	87	3	185	67	115	3
Ransom	81	58	23	-	60	59	-	-
Renville	34	20	13	-	21	21	-	-
Richland	158	93	43	-	125	94	8	-
Rolette	146	55	90	-	169	54	115	-
Sargent	55	48	6	-	45	45	-	-
Sheridan	46	30	15	-	26	25	-	-
Sioux	52	38	12	-	63	38	23	-
Slope	20	12	7	-	13	13	-	-
Stark	123	64	55	-	161	58	101	-
Steele	37	29	8	-	38	29	9	-
Stutsman	298	78	94	120	318	78	116	120
Towner	51	32	13	-	35	28	-	-
Traill	100	75	19	-	83	75	6	-
Walsh	192	114	56	22	201	120	59	22
Ward	254	123	129	-	368	124	240	-
Outside city	92	45	47	-	67	44	23	-
Minot	162	78	82	-	301	80	217	-
Wells	89	48	41	-	91	47	44	-
Williams	125	61	63	-	143	58	84	-
OHIO (total)	78,137	48,725	25,130	2,885	77,963	48,552	25,137	2,885
Adams	277	241	34	2	244	242	-	2
Allen	795	494	254	34	897	495	355	34
Outside city	329	201	89	34	283	206	38	34
Lima	466	293	165	-	614	289	317	-
Ashland	320	226	80	7	307	230	65	7
Outside city	197	148	40	7	155	146	-	7
Ashland	123	78	40	-	152	84	65	-
Ashtabula	855	587	244	14	832	601	212	14
Outside city	599	422	155	14	561	435	107	14
Ashtabula	256	165	89	-	271	166	105	-
Athens	600	398	93	107	555	398	49	107
Auglaize	328	260	58	10	261	251	-	10
Belmont	1,054	768	252	22	1,010	759	210	22
Outside cities	729	535	185	22	576	520	32	22
Bellaire	174	133	41	-	194	135	59	-
Martins Ferry	151	100	46	-	240	104	119	-
Brown	240	211	28	-	206	206	-	-
Butler	1,278	757	505	10	1,287	751	521	10
Outside cities	375	252	111	7	267	255	-	7
Hamilton	572	325	244	3	657	320	334	3
Middletown	331	180	150	-	363	176	187	-
Carroll	193	156	23	9	165	153	-	9
Champaign	328	260	66	1	304	257	46	1
Clark	1,229	786	346	77	1,186	769	320	77
Outside city	312	198	64	47	278	196	34	47
Springfield	917	588	282	30	908	573	286	30
Clermont	444	364	74	4	363	357	-	4
Clinton	311	262	40	6	275	261	7	6
Columbiana	1,033	768	233	21	1,030	760	240	21
Outside cities	618	478	113	21	493	465	4	21
East Liverpool	271	193	78	-	326	196	128	-
Salem	144	97	42	-	211	99	108	-
Coshocton	362	280	74	3	355	280	69	3
Outside city	213	172	34	3	173	167	-	3
Coshocton	149	108	40	-	182	113	69	-
Crawford	469	324	98	16	459	315	98	16
Cuyahoga	12,568	6,720	5,389	186	12,648	6,623	5,553	186
Outside cities	957	583	325	3	1,001	603	260	3
Cleveland	9,787	4,876	4,545	181	9,892	4,734	4,870	181
Cleveland Heights	381	321	54	1	320	318	-	1
East Cleveland	388	185	199	1	459	210	247	1
Euclid	140	101	32	-	117	108	3	-
Garfield Heights	103	81	21	-	83	83	-	-
Lakewood	585	402	164	-	599	396	173	-
Parma	105	73	25	-	78	72	-	-
Shaker Heights	122	98	24	-	99	99	-	-
OHIO—Continued								
Darke	415	319	80	10	407	323	68	10
Defiance	266	195	67	3	263	188	70	3
Delaware	346	248	83	6	323	253	57	6
Erie	628	359	212	40	624	373	193	40
Outside city	255	163	49	39	220	181	-	39
Sandusky	373	196	163	1	404	192	193	1
Fairfield	524	382	120	3	509	387	104	3
Outside city	290	218	52	3	233	215	-	3
Lancaster	234	164	68	-	276	172	104	-
Fayette	288	219	55	6	246	223	10	6
Franklin	4,787	2,702	1,705	258	5,233	2,711	2,124	258
Outside city	909	576	258	61	751	582	105	61
Columbus	3,878	2,126	1,447	197	4,482	2,129	2,019	197
Fulton	294	226	63	-	302	232	66	-
Gallia	366	207	47	111	421	214	95	111
Geauga	200	167	27	-	169	160	2	-
Greene	473	368	82	2	442	374	38	2
Outside city	286	215	52	2	240	221	3	2
Xenia	187	151	30	-	202	153	35	-
Guernsey	498	412	77	3	489	414	64	3
Outside city	305	265	32	3	271	265	-	3
Cambridge	193	147	45	-	218	149	64	-
Hamilton	7,433	3,643	3,180	543	7,665	3,598	3,459	543
Outside cities	1,355	683	423	238	905	661	-	238
Cincinnati	5,755	2,767	2,631	305	6,581	2,758	3,459	305
Norwood	323	193	126	-	179	179	-	-
Hancock	537	393	121	10	587	395	168	10
Outside cities	212	161	38	10	186	165	9	10
Findlay	287	216	61	-	328	210	106	-
Fostoria (part)	38	16	22	-	73	20	53	-
Hardin	385	265	94	-	391	278	88	-
Harrison	205	165	34	3	180	177	-	3
Henry	247	187	48	7	229	192	25	7
Highland	366	301	60	2	346	294	48	2
Hocking	238	196	37	4	227	198	24	4
Holmes	207	165	29	6	201	164	23	6
Huron	466	340	68	12	450	339	52	12
Jackson	345	288	52	1	279	278	-	1
Jefferson	954	623	296	24	941	605	310	24
Outside city	581	388	141	24	391	367	-	24
Steubenville	393	235	155	-	550	238	310	-
Knox	419	277	137	3	439	280	154	3
Outside city	239	175	60	3	216	175	37	3
Mount Vernon	180	102	77	-	223	105	117	-
Lake	551	368	154	19	554	373	118	19
Outside city	387	257	103	18	331	262	7	18
Painesville	164	111	51	1	223	111	111	1
Lawrence	531	365	158	6	519	359	154	6
Outside city	344	243	93	6	247	241	-	6
Ironton	187	122	65	-	272	118	154	-
Licking	834	642	179	10	802	643	147	10
Outside city	423	360	52	10	379	357	11	10
Newark	411	282	127	-	423	286	136	-
Logan	414	327	78	7	394	334	52	7
Lorain	1,217	805	375	21	1,198	797	367	21
Outside cities	526	382	120	14	452	382	48	14
Elyria	288	174	101	7	326	168	146	7
Lorain	403	249	154	-	420	247	173	-
Lucas	4,041	1,986	1,799	237	4,117	1,965	1,899	237
Outside city	491	293	189	6	316	297	7	6
Toledo	3,550	1,693	1,610	231	3,801	1,668	1,892	231
Madison	226	149	57	18	161	143	-	18
Mahoning	2,273	1,293	933	-	2,309	1,276	992	-
Outside cities	473	317	128	-	398	319	50	-
Campbell	112	63	46	-	65	64	-	-
Struthers	94	66	28	-	62	62	-	-
Youngstown (part)	1,594	847	731	-	1,784	831	942	-
Youngstown (total)	1,594	847	731	-	1,784	831	942	-
Marion	536	419	111	6	521	414	101	6
Outside city	161	131	25	5	138	129	4	5
Marion	375	288	86	1	383	285	97	1
Medina	367	257	92	13	364	257	88	13
Meigs	303	274	27	-	269	267	-	-
Mercer	288	199	81	5	288	194	86	5
Miami	626	402	207	9	645	414	213	9
Outside city	451	283	132	9	397	292	87	9
Piqua	195	119	75	-	248	122	126	-
Monroe	210	179	25	3	180	177	-	3
Montgomery	3,466	1,918	1,311	186	3,842	1,905	1,698	186
Outside city	770	528	189	35	975	553	372	35
Dayton	2,696	1,390	1,122	151	2,867	1,352	1,326	151
Morgan	188	152	26	-	198	151	36	-
Morrow	195	165	27	-	173	171	-	-
Muskingum	854	553	276	12	887	549	314	12
Outside city	372	265	92	10	274	263	1	10
Zanesville	482	288	184	2	613	286	313	2
Noble	155	134	19	-	137	132	3	-
Ottawa	326	233	37	6	321	249	9	6

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	Deaths of residents of area: Total[1]	In no institution	In nonresident institution	In resident institution	Deaths occurring in area: Total[1]	In no institution	In nonresident institution	In resident institution
OHIO—Continued								
Paulding	171	130	36	3	161	134	24	3
Perry	331	278	40	10	278	268	-	10
Pickaway	358	226	55	72	340	235	32	72
Pike	157	133	24	-	138	138	-	-
Portage	530	381	136	7	521	407	102	7
Preble	303	228	60	10	242	228	-	10
Putnam	261	210	46	-	207	204	-	-
Richland	852	578	226	20	855	577	233	20
Outside city	372	254	84	20	334	260	36	20
Mansfield	480	324	142	-	521	317	197	-
Ross	608	412	121	66	603	420	108	66
Outside city	366	232	60	66	328	241	14	66
Chillicothe	242	180	61	-	275	179	94	-
Sandusky	477	336	122	-	477	338	124	-
Outside city	301	215	76	-	347	224	114	-
Fremont	176	121	46	-	130	114	10	-
Scioto	881	586	288	-	922	587	331	-
Outside city	427	309	114	-	307	303	-	-
Portsmouth	454	277	174	-	615	284	331	-
Seneca	597	429	140	26	595	435	132	26
Outside cities	254	192	47	14	238	196	28	14
Fostoria (part)	127	96	31	-	107	90	16	-
Fostoria (total)	165	112	53	-	180	110	69	-
Tiffin	216	141	62	12	250	149	88	12
Shelby	309	224	72	13	297	224	60	13
Stark	2,693	1,541	794	285	2,711	1,522	836	285
Outside cities	944	481	155	281	840	484	46	281
Alliance	294	194	92	-	315	187	120	-
Canton	1,138	647	458	-	1,203	631	548	-
Massillon	317	219	89	4	353	220	122	4
Summit	3,094	1,726	1,171	115	3,085	1,726	1,165	115
Outside cities	516	245	133	115	438	283	18	115
Akron	2,191	1,225	914	-	2,297	1,188	1,054	-
Barberton	205	153	66	-	211	129	81	-
Cuyahoga Falls	182	123	58	-	139	126	12	-
Trumbull	1,166	734	398	25	1,066	738	295	25
Outside cities	674	420	224	24	473	429	15	24
Niles	129	88	41	-	79	79	-	-
Warren	363	226	133	1	514	230	280	1
Youngstown (part)	-	-	-	-	-	-	-	-
Tuscarawas	810	619	159	13	792	611	148	13
Outside city	658	503	129	13	685	504	148	13
New Philadelphia	152	116	30	-	107	107	-	-
Union	225	185	31	1	192	183	-	1
Van Wert	307	242	60	-	293	242	44	-
Vinton	127	120	4	3	122	119	-	3
Warren	398	282	92	21	317	285	8	21
Washington	549	425	106	8	550	422	107	8
Outside city	349	276	61	7	277	269	-	7
Marietta	200	149	45	1	273	153	107	1
Wayne	586	443	98	25	543	445	56	25
Outside city	461	354	70	25	391	352	11	25
Wooster	125	89	28	-	152	93	45	-
Williams	329	253	74	1	283	253	28	1
Wood	601	480	102	11	544	487	39	11
Wyandot	245	197	40	6	203	196	1	6
OKLAHOMA (total)	20,439	13,645	5,311	719	19,967	13,503	4,988	719
Adair	148	130	14	-	123	122	-	-
Alfalfa	118	73	45	-	103	71	32	-
Atoka	149	110	31	-	111	110	-	-
Beaver	75	58	14	-	69	55	11	-
Beckham	169	113	50	-	167	115	46	-
Blaine	181	123	49	-	144	120	18	-
Bryan	342	254	79	-	305	248	46	-
Outside city	207	157	46	-	155	155	-	-
Durant	135	97	33	-	150	93	46	-
Caddo	374	255	107	-	289	250	37	-
Canadian	253	182	62	1	258	185	65	1
Outside city	113	87	23	1	111	87	23	1
El Reno	140	95	39	-	147	98	42	-
Carter	395	292	84	8	395	292	80	8
Outside city	200	160	36	-	144	143	1	-
Ardmore	195	132	48	8	251	149	79	8
Cherokee	174	143	22	-	184	144	33	-
Choctaw	259	201	53	-	241	204	28	-
Cimarron	37	22	14	-	21	21	-	-
Cleveland	306	102	36	158	271	102	1	158
Outside city	58	37	16	-	39	38	-	-
Norman	248	65	20	158	232	64	1	158
Coal	75	57	18	-	56	56	-	-
Comanche	350	220	94	-	358	217	102	-
Outside city	142	89	47	-	120	88	32	-
Lawton	208	131	47	-	238	129	70	-
Cotton	102	72	20	-	78	71	-	-
Craig	323	132	23	160	324	131	23	160
Creek	480	370	84	-	441	381	30	-
Outside city	346	270	51	-	318	282	6	-
Sapulpa	134	100	33	-	123	99	24	-
OKLAHOMA—Con.								
Custer	229	127	94	-	371	129	235	-
Delaware	148	117	21	-	115	115	-	-
Dewey	97	86	8	-	85	85	-	-
Ellis	90	65	14	-	110	67	25	-
Garfield	433	226	159	42	495	236	213	42
Outside city	141	85	51	2	86	84	-	2
Enid	292	141	108	40	409	152	213	40
Garvin	242	184	50	-	205	170	28	-
Grady	360	245	75	1	369	249	60	1
Outside city	179	119	39	1	119	118	-	1
Chickasha	181	126	36	-	250	131	60	-
Grant	125	81	40	-	75	74	-	-
Greer	130	91	26	1	119	90	14	1
Harmon	62	51	9	-	58	51	3	-
Harper	57	44	9	-	44	41	-	-
Haskell	125	114	11	-	115	115	-	-
Hughes	217	166	49	-	200	168	31	-
Jackson	177	151	25	-	146	142	4	-
Jefferson	114	81	28	-	108	87	20	-
Johnston	109	76	33	-	68	68	-	-
Kay	434	258	151	1	402	246	129	1
Outside city	288	181	83	1	220	168	26	1
Ponca City	146	77	68	-	182	78	103	-
Kingfisher	148	115	25	-	118	109	1	-
Kiowa	185	128	43	-	170	128	32	-
Latimer	98	71	23	-	173	71	100	-
Le Flore	320	268	49	-	287	265	21	-
Lincoln	260	204	51	-	204	198	4	-
Logan	276	196	61	17	258	198	43	17
Outside city	140	109	29	-	100	100	-	-
Guthrie	156	87	32	17	158	98	43	17
Love	78	56	20	-	54	54	-	-
McClain	115	84	24	-	84	82	-	-
McCurtain	287	239	35	-	244	234	-	-
McIntosh	205	159	31	4	189	159	-	4
Major	100	75	25	-	70	69	-	-
Marshall	129	107	20	-	108	106	-	-
Mayes	163	101	26	-	191	107	19	-
Murray	110	74	22	-	125	77	33	-
Muskogee	758	435	224	88	912	444	360	88
Outside city	358	180	84	85	251	165	1	85
Muskogee	400	255	140	3	661	279	359	3
Noble	128	92	27	-	103	92	-	-
Nowata	146	106	33	-	130	103	20	-
Okfuskee	225	187	32	-	200	182	12	-
Oklahoma	2,075	1,118	910	9	2,557	1,122	1,387	9
Outside city	260	182	93	3	172	162	6	3
Oklahoma City	1,815	936	817	6	2,385	960	1,381	6
Okmulgee	499	379	107	-	490	374	101	-
Outside city	298	228	59	-	271	216	40	-
Okmulgee	201	151	48	-	219	158	61	-
Osage	296	184	63	42	268	184	38	42
Ottawa	387	275	102	2	337	273	57	2
Pawnee	185	124	55	1	178	119	57	1
Payne	309	219	85	-	302	221	76	-
Outside city	207	155	47	-	198	156	37	-
Stillwater	102	64	38	-	104	65	39	-
Pittsburg	453	311	46	52	431	306	25	52
Outside city	254	201	27	-	190	190	-	-
McAlester	199	110	19	52	241	116	25	52
Pontotoc	309	197	108	-	317	192	121	-
Outside city	163	101	58	-	93	93	-	-
Ada	146	96	50	-	224	99	121	-
Pottawatomie	448	301	140	-	426	294	126	-
Outside city	246	175	66	-	178	171	5	-
Shawnee	202	126	74	-	248	123	121	-
Pushmataha	146	105	29	-	115	106	3	-
Roger Mills	54	41	12	-	41	40	-	-
Rogers	186	145	25	-	200	146	39	-
Seminole	421	278	123	-	368	277	72	-
Outside cities	255	181	65	-	179	178	-	-
Seminole	95	51	36	-	113	58	45	-
Wewoka	71	46	22	-	76	41	27	-
Sequoyah	172	142	27	-	134	132	-	-
Stephens	249	168	68	-	227	155	60	-
Texas	92	67	21	-	71	66	-	-
Tillman	159	117	39	-	138	113	23	-
Tulsa	1,831	1,073	673	34	1,814	1,050	678	34
Outside city	357	240	107	1	229	223	3	1
Tulsa	1,474	833	566	33	1,585	827	675	33
Wagoner	207	174	26	-	175	175	-	-
Washington	264	177	84	3	251	179	69	3
Outside city	114	78	34	2	82	79	1	2
Bartlesville	150	99	50	1	169	100	68	1
Washita	141	99	34	-	112	94	10	-
Woods	127	88	35	-	128	89	37	-
Woodward	239	94	27	95	264	92	52	95

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
OREGON (total)	11,959	6,254	4,415	819	12,108	6,296	4,515	819
Baker	214	126	86	-	209	126	82	-
Benton	184	119	41	-	188	124	38	-
Clackamas	576	365	189	-	533	363	151	-
Clatsop	278	149	126	2	277	157	116	2
Outside city	152	95	55	2	118	105	9	2
Astoria	126	54	71	-	159	52	107	-
Columbia	210	127	78	2	182	151	26	2
Coos	300	141	113	18	300	147	108	18
Crook	44	21	22	-	41	24	17	-
Curry	42	28	14	-	36	27	9	-
Deschutes	143	68	70	-	157	75	76	-
Outside city	52	25	26	-	43	30	13	-
Bend	91	43	44	-	114	45	63	-
Douglas	277	147	99	29	254	150	74	29
Gilliam	22	12	9	-	14	13	-	-
Grant	67	33	9	-	64	33	5	-
Harney	54	35	16	-	49	35	12	-
Hood River	94	52	36	-	99	53	41	-
Jackson	394	250	113	18	396	256	110	18
Outside city	256	176	66	17	227	176	24	17
Medford	128	74	47	1	169	80	86	1
Jefferson	12	5	7	-	5	4	1	-
Josephine	154	80	73	-	162	87	75	-
Klamath	338	149	175	13	334	156	164	13
Outside city	179	80	85	13	122	94	14	13
Klamath Falls	159	69	90	-	212	62	150	-
Lake	51	32	17	-	55	34	21	-
Lane	688	403	246	19	667	404	223	19
Outside city	382	236	134	-	238	230	-	-
Eugene	306	167	112	19	429	174	223	19
Lincoln	145	89	54	-	135	95	38	-
Linn	368	239	105	-	340	240	80	-
Malheur	134	72	50	-	140	75	51	-
Marion	1,093	441	283	363	1,133	438	327	363
Outside city	430	248	136	46	345	237	61	46
Salem	663	195	147	317	788	201	266	317
Morrow	49	36	11	-	48	37	8	-
Multnomah	4,229	2,140	1,700	213	4,625	2,100	2,106	213
Outside city	542	257	106	153	514	286	29	153
Portland	3,687	1,883	1,594	60	4,111	1,814	2,077	60
Polk	183	114	63	-	144	114	30	-
Sherman	24	13	11	-	12	12	-	-
Tillamook	117	64	32	-	117	73	24	-
Umatilla	342	117	128	78	322	123	102	78
Union	168	73	89	-	166	74	86	-
Wallowa	62	38	24	-	58	40	18	-
Wasco	143	63	74	3	197	73	121	3
Washington	427	210	142	61	362	215	76	61
Wheeler	28	20	7	-	18	18	-	-
Yamhill	305	183	103	-	289	170	99	-
PENNSYLVANIA (total)	108,748	63,311	38,903	5,738	108,215	62,904	38,801	5,738
Adams	397	307	75	11	375	304	55	11
Allegheny	14,684	7,973	5,846	818	15,227	7,868	6,500	818
Outside cities	4,118	2,225	1,221	658	3,767	2,158	937	658
Bellevue	126	77	49	-	172	67	105	-
Braddock	183	84	98	-	257	83	174	-
Carnegie	133	82	51	-	67	67	-	-
Clairton	123	75	48	-	78	76	-	-
Coraopolis	93	63	30	-	66	65	1	-
Dormont	103	71	32	-	72	72	-	-
Duquesne	195	119	76	-	124	123	-	-
Harrison (twp.)[3]	74	40	34	-	233	59	174	-
Homestead	195	87	107	-	225	88	136	-
McKeesport	614	377	234	-	779	366	413	-
McKees Rocks	222	126	95	-	104	104	-	-
Mount Lebanon (twp.)[3]	128	64	47	16	97	79	-	16
Munhall	114	69	45	-	71	71	-	-
North Braddock	136	102	34	-	94	94	-	-
Pittsburgh	7,827	4,024	3,463	119	8,389	3,919	4,333	119
Shaler (twp.)[3]	9	5	3	-	72	65	5	-
Stowe (twp.)[3]	1	-	1	-	93	40	53	-
Swissvale	162	98	55	8	101	93	-	8
Wilkinsburg	328	185	123	17	366	179	169	17
Armstrong	765	563	193	8	664	562	94	8
Beaver	1,419	895	460	61	1,306	912	331	61
Outside cities	879	550	265	61	866	565	238	61
Aliquippa	205	133	72	-	134	134	-	-
Ambridge	155	106	49	-	106	106	-	-
Beaver Falls	174	101	73	-	194	101	93	-
Ellwood City (part)	6	5	1	-	6	6	-	-
Bedford	425	328	86	11	37[illegible]	327	34	11
Berks	2,924	1,831	868	225	3,011	1,827	957	223
Outside city	1,604	1,001	390	212	1,735	1,021	498	212
Reading	1,320	830	478	11	1,276	806	459	11
PENNSYLVANIA—Continued								
Blair	1,592	1,072	423	52	1,606	1,066	444	52
Outside city	696	451	161	52	606	443	68	52
Altoona	896	621	262	-	1,000	623	376	-
Bradford	684	454	209	20	722	443	258	20
Bucks	1,175	797	333	32	1,040	813	187	32
Outside city	1,045	709	291	32	931	730	162	32
Bristol	130	88	42	-	109	83	25	-
Butler	885	609	237	11	811	611	163	11
Outside city	653	442	177	11	647	453	157	11
Butler	232	167	60	-	164	158	6	-
Cambria	2,026	1,237	711	74	2,113	1,219	818	74
Outside city	1,238	779	383	74	1,143	786	282	74
Johnstown	788	458	328	-	970	433	536	-
Cameron	62	45	16	-	45	44	-	-
Carbon	625	410	185	30	534	409	95	30
Centre	543	392	120	31	624	397	196	31
Chester	1,697	947	564	164	1,683	988	510	164
Outside cities	1,170	668	329	155	1,031	700	157	155
Coatesville	153	93	57	2	103	93	8	2
Phoenixville	130	77	52	-	156	80	76	-
West Chester	244	109	126	7	393	115	269	7
Clarion	424	336	81	7	317	310	-	7
Clearfield	895	619	255	19	865	624	221	19
Outside city	755	530	204	19	658	541	97	19
Du Bois	140	89	51	-	207	83	124	-
Clinton	362	228	134	-	355	228	127	-
Outside city	235	157	78	-	178	153	25	-
Lock Haven	127	71	56	-	177	75	102	-
Columbia	530	353	176	1	516	354	161	1
Outside city	389	259	129	1	361	263	97	1
Berwick	141	94	47	-	155	91	64	-
Crawford	883	574	270	38	862	558	265	38
Outside city	658	457	164	37	548	448	62	37
Meadville	225	117	106	1	314	110	203	1
Cumberland	859	589	250	17	782	598	166	17
Outside city	668	470	183	15	526	482	27	15
Carlisle	191	119	67	2	256	114	139	2
Dauphin	2,248	1,381	575	286	2,327	1,383	652	286
Outside cities	1,061	588	184	288	900	594	18	288
Harrisburg	1,061	704	354	-	1,336	699	636	-
Steelton	126	89	37	-	91	90	-	-
Delaware	3,012	1,720	1,050	210	2,746	1,736	777	210
Outside cities	1,539	906	508	104	1,193	831	237	104
Chester	720	400	317	-	719	390	329	-
Darby	128	63	53	11	281	64	205	11
Haverford (twp.)[3]	274	167	102	-	126	125	-	-
Lansdowne	111	78	33	-	74	74	-	-
Upper Darby (twp.)[3]	240	106	37	95	353	252	6	95
Elk	323	199	110	12	311	201	97	12
Erie	2,007	1,180	699	111	2,014	1,173	719	111
Outside city	759	455	200	96	640	460	77	96
Erie	1,248	725	499	15	1,374	713	642	15
Fayette	1,956	1,372	526	55	1,924	1,368	500	55
Outside cities	1,493	1,061	376	53	1,220	1,057	109	53
Connellsville	154	108	46	-	218	113	105	-
Uniontown	309	203	104	2	486	198	286	2
Forest	57	46	9	-	48	46	-	-
Franklin	743	539	180	24	860	553	283	24
Outside cities	434	318	97	19	456	328	109	19
Chambersburg	204	147	52	5	265	149	111	5
Waynesboro	105	74	31	-	139	76	63	-
Fulton	106	88	18	-	90	90	-	-
Greene	408	307	87	13	390	311	65	13
Huntingdon	452	315	121	15	443	319	108	15
Indiana	714	498	179	36	665	485	143	36
Outside city	619	428	154	36	604	424	143	36
Indiana	95	70	25	-	61	61	-	-
Jefferson	614	436	163	15	579	424	140	15
Juniata	175	135	40	-	139	139	-	-
Lackawanna	3,232	2,035	1,001	181	3,306	2,017	1,090	181
Outside cities	1,038	577	295	158	927	590	166	158
Carbondale	229	154	75	-	300	149	151	-
Dickson City	95	63	32	-	64	64	-	-
Dunmore	213	132	58	20	170	131	17	20
Old Forge	106	73	32	-	71	71	-	-
Scranton	1,551	1,036	509	3	1,774	1,012	756	3
Lancaster	2,362	1,436	765	130	2,369	1,437	769	130
Outside cities	1,461	942	372	123	1,207	969	82	123
Columbia	155	94	59	-	146	93	53	-
Lancaster	746	400	334	7	1,016	375	634	7
Lawrence	957	571	366	15	942	569	357	15
Outside cities	347	228	103	14	248	230	3	14
Ellwood City (part)	96	51	45	-	113	57	56	-
Ellwood City (total)	102	56	46	-	119	63	56	-
New Castle	514	292	218	1	581	282	298	1
Lebanon	767	508	227	28	749	511	196	28
Outside city	442	308	112	18	336	305	-	18
Lebanon	325	200	115	10	413	206	196	10

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
PENNSYLVANIA—Con.								
Lehigh	2,020	1,103	792	123	2,320	1,077	1,120	123
Outside cities	751	463	255	33	763	463	267	33
Allentown	1,133	555	486	90	1,486	543	853	90
Bethlehem (part)	136	85	51	-	71	71	-	-
Luzerne	4,374	2,828	1,402	128	4,299	2,816	1,341	128
Outside cities	2,094	1,357	604	128	1,603	1,255	219	128
Hanover (twp.)[3]	24	16	8	-	108	108	-	-
Hazleton	364	227	137	-	448	227	221	-
Kingston	206	145	61	-	249	140	109	-
Nanticoke	239	152	84	-	327	150	172	-
Pittston	198	129	66	-	126	122	4	-
Plains (twp.)[3]	96	63	32	-	95	93	-	-
Plymouth	172	106	64	-	99	98	-	-
Wilkes-Barre	981	628	346	-	1,244	623	616	-
Lycoming	1,151	721	395	30	1,169	717	418	30
Outside city	571	358	183	29	438	360	49	29
Williamsport	580	363	212	1	731	357	369	1
McKean	581	383	184	13	571	389	169	13
Outside city	365	248	103	13	345	260	72	13
Bradford	216	135	81	-	226	129	97	-
Mercer	1,027	650	307	64	1,067	669	329	64
Outside cities	668	447	155	64	659	472	119	64
Farrell	101	55	46	-	56	56	-	-
Sharon	258	148	106	-	352	141	210	-
Mifflin	409	261	139	9	466	268	189	9
Outside city	244	168	67	9	367	184	174	9
Lewistown	165	93	72	-	99	84	15	-
Monroe	328	214	107	6	361	236	115	6
Montgomery	3,185	1,880	993	272	3,199	1,881	998	272
Outside cities	1,584	1,028	498	38	1,095	898	135	38
Abington (twp.)[3]	130	74	50	-	444	152	282	-
Cheltenham (twp.)[3]	156	104	44	5	148	129	6	5
Conshohocken	115	62	51	-	57	57	-	-
Lower Merion (twp.)[3]	323	204	114	-	403	229	172	-
Norristown	638	256	151	229	748	262	256	229
Pottstown	239	152	85	-	304	154	147	-
Montour	312	118	50	143	489	110	235	143
Northampton	1,778	1,040	690	45	1,477	1,043	384	45
Outside cities	877	558	273	44	908	575	287	44
Bethlehem (part)	395	198	196	-	221	221	-	-
Bethlehem (total)	531	283	247	-	292	292	-	-
Easton	506	284	221	1	348	247	97	1
Northumberland	1,405	975	394	28	1,220	971	213	28
Outside cities	726	506	185	28	698	561	102	28
Mount Carmel	179	123	55	-	114	114	-	-
Shamokin	290	211	79	-	163	163	-	-
Sunbury	210	135	75	-	245	133	111	-
Perry	279	225	50	-	228	224	-	-
Philadelphia, coextensive with Philadelphia (city)	23,938	10,422	12,059	1,128	24,375	10,111	12,807	1,128
Pike	85	68	16	-	77	77	-	-
Potter	238	150	68	17	187	138	30	17
Schuylkill	2,630	1,708	756	160	2,597	1,688	740	160
Outside cities	1,786	1,180	439	160	1,779	1,204	407	160
Mahanoy City	163	113	50	-	107	107	-	-
Pottsville	305	173	130	-	498	165	332	-
Shenandoah	234	145	87	-	124	123	1	-
Tamaqua	142	92	50	-	89	89	-	-
Snyder	196	147	39	9	161	152	-	9
Somerset	803	549	217	20	787	557	187	20
Sullivan	65	43	22	-	43	43	-	-
Susquehanna	399	304	85	3	340	309	21	3
Tioga	435	312	120	3	414	309	101	3
Union	238	191	36	7	239	191	36	7
Venango	751	447	202	97	764	453	209	97
Outside city	494	282	110	97	455	284	69	97
Oil City	257	165	92	-	309	169	140	-
Warren	710	311	163	234	682	313	133	234
Outside city	531	214	81	234	452	217	-	234
Warren	179	97	82	-	230	96	133	-
Washington	1,947	1,310	538	89	1,818	1,300	422	89
Outside cities	1,296	867	335	89	1,142	879	170	89
Canonsburg	115	64	50	-	149	68	81	-
Charleroi	96	72	22	-	65	64	1	-
Donora	96	65	31	-	56	56	-	-
Washington	344	242	100	-	406	233	170	-
Wayne	371	265	71	33	341	267	36	33
Westmoreland	3,018	1,910	839	258	2,770	1,925	579	258
Outside cities	2,007	1,268	473	256	1,851	1,304	84	256
Arnold	71	41	30	-	42	42	-	-
Greensburg	218	140	75	2	356	125	228	2
Jeannette	146	94	52	-	92	92	-	-
Latrobe	125	88	37	-	210	93	117	-
Monessen	139	91	48	-	89	89	-	-
New Kensington	217	125	92	-	271	121	150	-
Vandergrift	95	63	32	-	59	59	-	-
Wyoming	180	141	39	-	138	138	-	-
York	1,906	1,320	522	60	1,884	1,310	511	60
Outside cities	1,010	725	225	60	914	783	69	60
Hanover	146	98	48	-	168	83	85	-
York	750	497	249	-	802	444	357	-
RHODE ISLAND (total)	7,888	4,475	2,958	405	7,864	4,453	2,959	405
Bristol	247	164	76	6	168	162	-	6
Outside city	127	81	45	-	81	81	-	-
Bristol (town)	120	83	31	6	87	81	-	6
Kent	601	411	188	1	445	428	15	1
Outside cities	156	97	58	-	96	96	-	-
Warwick	272	193	78	1	226	211	13	1
West Warwick (town)	173	121	52	-	123	121	2	-
Newport	566	332	230	1	540	325	212	1
Outside city	177	123	52	-	130	122	6	-
Newport	389	209	178	1	410	203	206	1
Providence	6,092	3,339	2,331	383	6,319	3,288	2,612	383
Outside cities	283	167	100	13	276	168	93	13
Central Falls	231	145	86	-	208	140	68	-
Cranston	692	272	148	270	948	271	400	270
Cumberland (town)	101	71	30	-	72	72	-	-
East Providence (town)	351	221	126	-	231	223	3	-
Johnston (town)	92	60	31	-	63	60	-	-
Lincoln (town)	93	67	26	-	73	72	-	-
North Providence (town)	85	50	35	-	55	52	3	-
Pawtucket	789	466	285	31	733	454	240	31
Providence	2,906	1,558	1,267	60	3,140	1,520	1,551	60
Woonsocket	469	262	197	9	520	256	254	9
Washington	382	229	133	14	392	250	120	14
Outside city	263	152	97	14	242	167	61	14
Westerly (town)	119	77	36	-	150	83	59	-
SOUTH CAROLINA (total)	20,617	15,427	4,715	321	20,523	15,469	4,588	321
Abbeville	190	166	24	-	172	167	5	-
Aiken	586	427	158	-	557	428	129	-
Allendale	151	134	17	-	136	136	-	-
Anderson	805	633	171	-	795	627	167	-
Outside city	548	461	87	-	427	427	-	-
Anderson	257	172	84	-	368	200	167	-
Bamberg	191	174	17	-	170	170	-	-
Barnwell	194	164	30	-	159	159	-	-
Beaufort	361	328	31	-	319	314	5	-
Berkeley	348	281	63	-	340	286	54	-
Calhoun	221	192	29	-	193	193	-	-
Charleston	1,764	987	772	-	1,790	989	796	-
Outside city	689	453	236	-	552	476	72	-
Charleston	1,075	534	536	-	1,238	513	724	-
Cherokee	249	180	68	-	236	179	57	-
Chester	322	278	44	-	306	272	34	-
Chesterfield	331	279	49	-	273	273	-	-
Clarendon	382	349	32	-	362	361	-	-
Colleton	271	225	45	-	269	229	39	-
Darlington	505	402	101	-	447	397	49	-
Dillon	315	254	59	-	255	255	-	-
Dorchester	286	233	53	-	277	229	48	-
Edgefield	219	189	30	-	180	180	-	-
Fairfield	245	217	26	-	220	219	-	-
Florence	689	525	163	-	865	535	330	-
Outside city	453	373	80	-	394	369	25	-
Florence	236	152	83	-	471	166	305	-
Georgetown	298	251	43	-	247	246	1	-
Greenville	1,297	758	530	-	1,336	757	571	-
Outside city	771	537	227	-	673	537	128	-
Greenville	526	221	303	-	663	220	443	-
Greenwood	400	331	59	-	403	334	60	-
Outside city	240	208	29	-	199	199	-	-
Greenwood	160	123	30	-	204	135	60	-
Hampton	225	199	26	-	199	199	-	-
Horry	417	353	63	-	438	385	53	-
Jasper	159	141	18	-	170	154	16	-
Kershaw	288	233	55	-	281	232	49	-
Lancaster	265	233	28	-	242	228	14	-
Laurens	359	309	43	5	342	307	30	5
Lee	224	191	33	-	189	189	-	-
Lexington	402	284	115	-	305	291	13	-
McCormick	123	105	18	-	104	104	-	-
Marion	347	253	80	-	326	253	61	-
Marlboro	394	331	62	-	389	332	57	-
Newberry	301	235	66	-	282	235	47	-
Oconee	326	293	33	-	298	289	9	-
Orangeburg	822	634	187	-	851	643	208	-
Outside city	650	541	108	-	542	542	-	-
Orangeburg	172	93	79	-	309	101	208	-
Pickens	320	250	68	-	260	250	10	-
Richland	1,626	682	591	316	2,225	683	1,171	316
Outside city	573	265	133	142	953	287	481	142
Columbia	1,053	417	458	174	1,272	396	690	174
Saluda	129	113	16	-	111	111	-	-
Spartanburg	1,238	956	293	-	1,213	945	258	-
Outside city	785	603	173	-	551	536	6	-
Spartanburg	453	333	120	-	662	409	252	-

[1] Includes deaths in unknown institution.
[3] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
SOUTH CAROLINA—Continued								
Sumter	654	505	149	-	648	503	145	-
Outside city	437	376	61	-	374	374	-	-
Sumter	217	129	88	-	274	129	145	-
Union	296	250	46	-	285	253	32	-
Williamsburg	485	440	18	-	481	442	-	-
York	597	500	93	-	577	506	70	-
Outside city	417	371	44	-	423	369	53	-
Rock Hill	180	129	49	-	154	137	17	-
SOUTH DAKOTA (total)	5,693	3,498	1,825	232	5,365	3,389	1,616	232
Armstrong	-	-	-	-	-	-	-	-
Aurora	46	35	11	-	34	34	-	-
Beadle	156	88	40	3	170	92	42	3
Outside city	56	36	12	1	37	35	1	1
Huron	100	52	28	2	133	57	41	2
Bennett	31	22	7	-	20	18	-	-
Bon Homme	82	66	16	-	62	62	-	-
Brookings	139	79	56	-	134	79	55	-
Brown	227	140	83	1	257	147	107	1
Outside city	70	43	25	-	41	40	1	-
Aberdeen	157	97	58	1	216	107	106	1
Brule	45	31	14	-	54	36	18	-
Buffalo	25	17	8	-	26	16	10	-
Butte	85	62	22	-	77	59	17	-
Campbell	26	20	6	-	17	17	-	-
Charles Mix	121	81	39	-	111	80	30	-
Clark	79	55	24	-	61	51	10	-
Clay	97	72	24	-	80	71	8	-
Codington	153	85	68	-	183	85	98	-
Outside city	40	27	13	-	28	28	-	-
Watertown	113	58	55	-	155	57	98	-
Corson	57	36	21	-	32	32	-	-
Custer	44	29	15	-	46	27	19	-
Davison	137	61	74	-	209	65	144	-
Outside city	20	5	14	-	4	4	-	-
Mitchell	117	56	60	-	205	61	144	-
Day	129	85	43	-	120	82	36	-
Deuel	77	49	26	-	59	48	11	-
Dewey	44	25	19	-	36	23	13	-
Douglas	56	43	12	-	41	41	-	-
Edmunds	58	32	25	-	38	27	11	-
Fall River	95	37	48	10	113	37	66	10
Faulk	44	26	17	-	44	27	15	-
Grant	84	45	39	-	66	39	27	-
Gregory	55	37	18	-	49	32	17	-
Haakon	35	24	10	-	25	23	-	-
Hamlin	87	56	12	13	80	56	-	13
Hand	65	47	18	-	59	45	14	-
Hanson	38	22	16	-	23	23	-	-
Harding	16	8	7	-	7	7	-	-
Hughes	55	35	20	-	106	38	68	-
Hutchinson	106	80	26	-	101	79	22	-
Hyde	26	18	8	-	17	17	-	-
Jackson	17	11	3	-	10	8	-	-
Jerauld	39	32	5	-	29	28	1	-
Jones	23	17	6	-	21	20	1	-
Kingsbury	111	86	16	4	81	76	-	4
Lake	88	52	34	-	81	47	32	-
Lawrence	170	99	66	4	156	94	57	4
Lincoln	95	62	28	2	77	62	10	2
Lyman	45	26	18	-	17	16	-	-
McCook	75	59	16	-	57	57	-	-
McPherson	66	40	14	11	66	40	14	11
Marshall	91	62	28	-	88	61	25	-
Meade	94	56	31	3	61	49	7	3
Mellette	33	24	9	-	23	23	-	-
Miner	67	55	12	-	58	52	6	-
Minnehaha	496	275	189	7	541	272	228	7
Outside city	147	104	36	-	96	94	2	-
Sioux Falls	349	171	153	7	445	178	226	7
Moody	79	64	14	-	62	60	2	-
Pennington	206	95	73	25	264	104	119	25
Outside city	59	39	18	-	49	42	6	-
Rapid City	147	56	55	25	215	62	113	25
Perkins	53	38	11	-	40	34	6	-
Potter	31	19	10	-	20	18	2	-
Roberts	157	96	57	-	125	88	37	-
Sanborn	56	31	22	-	34	31	-	-
Shannon	85	40	44	-	82	34	48	-
Spink	141	95	25	20	130	98	12	20
Stanley	14	6	8	-	6	6	-	-
Sully	15	11	4	-	10	10	-	-
Todd	74	45	28	-	66	42	23	-
Tripp	81	58	23	-	79	57	22	-
Turner	95	69	24	-	62	62	-	-
Union	86	55	28	-	46	44	-	-
Walworth	80	50	10	-	71	56	15	-
Washabaugh	22	17	5	-	17	17	-	-
Washington	23	20	3	-	22	22	-	-
Yankton	254	59	66	129	281	61	91	129
Ziebach	31	26	5	-	25	25	-	-

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
TENNESSEE (total)	28,623	20,516	6,839	895	29,193	20,514	7,422	895
Anderson	193	155	34	-	150	148	-	-
Bedford	254	215	33	-	250	213	32	-
Benton	98	90	7	-	92	91	-	-
Bledsoe	72	64	8	-	63	63	-	-
Blount	349	290	58	-	343	294	49	-
Bradley	259	223	35	-	261	227	33	-
Outside city	146	130	15	-	133	133	-	-
Cleveland	113	93	20	-	128	94	33	-
Campbell	234	199	21	-	233	198	15	-
Cannon	75	66	9	-	83	66	17	-
Carroll	257	235	18	-	240	237	-	-
Carter	271	211	57	-	262	214	47	-
Cheatham	72	55	11	-	54	52	-	-
Chester	104	93	11	-	97	97	-	-
Claiborne	163	132	29	-	134	132	2	-
Clay	51	44	7	-	42	42	-	-
Cocke	262	232	19	-	237	225	-	-
Coffee	223	189	18	-	219	200	1	-
Crockett	104	85	17	-	85	84	-	-
Cumberland	85	67	18	-	73	65	8	-
Davidson	3,079	1,695	1,104	259	3,486	1,713	1,491	259
Outside city	836	400	195	236	851	432	181	236
Nashville	2,243	1,295	909	23	2,635	1,281	1,310	23
Decatur	64	56	8	-	55	55	-	-
De Kalb	144	125	17	-	116	115	-	-
Dickson	153	127	21	-	129	129	-	-
Dyer	309	261	47	-	319	264	54	-
Outside city	212	177	34	-	180	179	-	-
Dyersburg	97	84	13	-	139	85	54	-
Fayette	291	271	14	-	273	267	-	-
Fentress	40	30	10	-	27	27	-	-
Franklin	208	174	25	-	200	170	22	-
Gibson	404	351	45	-	379	354	9	-
Giles	272	235	32	1	264	233	26	1
Grainger	150	134	16	-	136	136	-	-
Greene	378	285	71	-	404	288	95	-
Grundy	88	74	13	-	78	78	-	-
Hamblen	217	190	27	-	235	197	38	-
Hamilton	2,110	1,236	775	52	2,262	1,237	926	52
Outside city	456	277	118	52	424	288	79	52
Chattanooga	1,654	959	657	-	1,838	949	847	-
Hancock	54	50	4	-	44	44	-	-
Hardeman	374	152	25	197	351	154	-	197
Hardin	140	124	15	-	132	132	-	-
Hawkins	209	180	29	-	183	175	8	-
Haywood	280	242	31	-	293	247	38	-
Henderson	154	141	12	-	140	139	-	-
Henry	263	216	41	-	276	223	45	-
Hickman	133	118	15	-	116	116	-	-
Houston	60	54	5	-	54	54	-	-
Humphreys	126	111	15	-	110	110	-	-
Jackson	102	93	7	-	91	90	-	-
Jefferson	208	175	29	-	211	182	25	-
Johnson	114	103	10	-	102	101	-	-
Knox	1,880	1,033	670	170	2,003	1,037	790	170
Outside city	736	396	169	168	621	403	50	168
Knoxville	1,144	637	501	2	1,382	634	740	2
Lake	89	80	8	-	79	79	-	-
Lauderdale	246	223	23	-	214	214	-	-
Lawrence	210	165	33	-	201	160	29	-
Lewis	50	46	4	-	48	48	-	-
Lincoln	300	253	40	-	316	256	48	-
Loudon	159	124	28	-	145	125	11	-
McMinn	203	156	46	-	197	154	43	-
McNairy	155	136	19	-	133	133	-	-
Macon	130	117	12	-	117	117	-	-
Madison	585	453	130	1	609	438	170	1
Outside city	263	213	48	1	204	203	-	1
Jackson	322	240	82	-	405	235	170	-
Marion	188	144	41	-	151	147	-	-
Marshall	204	168	15	-	179	160	-	-
Maury	453	382	68	-	424	375	46	-
Outside city	309	266	42	-	265	263	1	-
Columbia	144	116	26	-	159	112	45	-
Meigs	48	40	8	-	37	37	-	-
Monroe	224	199	25	-	217	196	21	-
Montgomery	396	347	47	2	393	349	42	2
Outside city	233	210	21	2	207	205	-	2
Clarksville	163	137	26	-	186	144	42	-
Moore	52	48	4	-	50	50	-	-
Morgan	71	63	-	2	67	65	-	2
Obion	328	274	44	2	303	272	25	2
Overton	87	76	10	-	81	73	8	-
Perry	65	62	3	-	64	64	-	-
Pickett	19	16	3	-	16	16	-	-
Polk	84	70	14	-	79	73	6	-
Putnam	175	158	7	-	173	161	-	-

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	Deaths of residents of area: Total[1]	In no institution	In nonresident institution	In resident institution	Deaths occurring in area: Total[1]	In no institution	In nonresident institution	In resident institution
TENNESSEE—Con.								
Rhea	146	134	12	-	141	139	1	-
Roane	233	187	17	1	253	190	31	1
Robertson	288	246	38	-	260	239	18	-
Rutherford	378	282	66	28	378	286	56	28
Scott	91	78	13	-	77	77	-	-
Sequatchie	41	38	3	-	38	38	-	-
Sevier	234	208	20	-	220	212	3	-
Shelby	4,123	2,081	1,864	174	4,848	2,089	2,581	174
Outside city	822	405	261	155	682	418	108	155
Memphis	3,301	1,676	1,603	19	4,166	1,671	2,473	19
Smith	140	120	20	-	122	122	-	-
Stewart	124	111	13	-	107	107	-	-
Sullivan	554	418	134	1	515	411	102	1
Outside cities	294	249	44	1	246	245	-	1
Bristol[5]	123	84	39	-	80	79	1	-
Kingsport	137	85	51	-	189	87	101	-
Sumner	298	262	35	-	257	255	2	-
Tipton	236	190	45	-	196	196	-	-
Trousdale	48	44	4	-	45	45	-	-
Unicoi	103	79	22	-	89	76	11	-
Union	62	55	6	-	57	56	-	-
Van Buren	24	19	4	-	19	19	-	-
Warren	240	211	29	-	237	211	25	-
Washington	495	354	138	1	571	350	220	1
Outside city	286	213	70	1	315	209	105	1
Johnson City	209	141	68	-	256	141	115	-
Wayne	116	107	8	-	105	105	-	-
Weakley	304	256	42	4	291	256	30	4
White	156	130	22	-	155	133	18	-
Williamson	227	182	42	-	218	187	29	-
Wilson	311	243	67	-	314	238	75	-
TEXAS (total)	60,581	42,415	16,035	1,071	60,424	42,333	15,966	1,071
Anderson	358	299	55	-	361	295	62	-
Outside city	198	176	22	-	168	168	-	-
Palestine	160	123	33	-	193	127	62	-
Andrews	4	4	-	-	4	4	-	-
Angelina	277	199	78	-	279	192	86	-
Aransas	37	34	3	-	32	32	-	-
Archer	45	30	15	-	30	28	2	-
Armstrong	25	19	6	-	18	18	-	-
Atascosa	174	160	14	-	165	165	-	-
Austin	160	139	21	-	154	142	12	-
Bailey	31	23	7	-	23	22	-	-
Bandera	42	31	11	-	26	26	-	-
Bastrop	253	233	17	-	244	230	13	-
Baylor	64	32	32	-	69	39	30	-
Bee	184	147	37	-	195	148	47	-
Bell	415	329	81	4	513	326	181	4
Outside city	252	203	45	4	222	210	8	4
Temple	163	126	36	-	291	116	173	-
Bexar	4,252	2,502	1,541	196	4,377	2,529	1,639	196
Outside city	777	464	118	193	715	476	43	193
San Antonio	3,475	2,038	1,423	3	3,662	2,053	1,596	3
Blanco	34	27	5	-	38	29	8	-
Borden	5	4	1	-	3	3	-	-
Bosque	172	153	12	-	160	154	-	-
Bowie	495	391	100	-	450	386	59	-
Outside city	277	228	46	-	231	225	1	-
Texarkana[6]	218	163	54	-	219	161	58	-
Brazoria	254	186	63	2	200	184	14	2
Brazos	261	191	67	-	281	197	83	-
Outside city	116	91	24	-	94	92	2	-
Bryan	145	100	43	-	187	105	81	-
Brewster	53	46	7	-	48	44	4	-
Briscoe	32	24	8	-	21	21	-	-
Brooks	73	68	5	-	62	62	-	-
Brown	316	210	92	-	319	204	99	-
Outside city	115	80	27	-	85	76	-	-
Brownwood	201	130	65	-	234	128	99	-
Burleson	144	128	16	-	127	127	-	-
Burnet	94	76	9	-	90	79	-	-
Caldwell	270	240	23	-	269	239	20	-
Calhoun	59	51	8	-	51	51	-	-
Callahan	96	66	8	-	86	64	-	-
Cameron	929	809	118	-	904	800	102	-
Outside cities	527	473	52	-	464	464	-	-
Brownsville	276	242	34	-	285	244	41	-
Harlingen	126	94	32	-	155	92	61	-
Camp	104	101	2	-	103	100	-	-
Carson	30	22	8	-	28	28	-	-
Cass	280	251	21	-	260	247	6	-
Castro	21	17	4	-	19	17	2	-
Chambers	54	43	10	-	43	43	-	-
Cherokee	500	294	76	130	520	299	91	130
Childress	124	91	32	-	113	86	27	-

AREA	Deaths of residents of area: Total[1]	In no institution	In nonresident institution	In resident institution	Deaths occurring in area: Total[1]	In no institution	In nonresident institution	In resident institution
TEXAS—Continued								
Clay	93	72	21	-	69	69	-	-
Cochran	17	15	1	-	15	13	-	-
Coke	40	27	13	-	26	26	-	-
Coleman	149	116	32	-	148	119	29	-
Collin	379	304	72	-	353	298	55	-
Collingsworth	76	54	22	-	70	52	18	-
Colorado	194	172	18	-	172	166	5	-
Comal	156	128	28	-	162	132	30	-
Comanche	187	145	39	-	141	140	-	-
Concho	51	41	9	-	35	34	-	-
Cooke	210	161	48	-	214	163	50	-
Coryell	162	132	27	3	129	126	-	3
Cottle	69	60	8	-	69	64	5	-
Crane	15	10	5	-	13	9	4	-
Crockett	19	10	9	-	15	15	-	-
Crosby	62	58	4	-	55	55	-	-
Culberson	14	6	8	-	13	9	4	-
Dallam	54	28	15	-	30	30	-	-
Dallas	3,840	2,100	1,692	3	4,070	2,095	1,911	3
Outside cities	580	337	236	-	592	370	193	-
Dallas	3,129	1,695	1,393	3	3,393	1,640	1,718	3
Highland Park	74	40	34	-	43	43	-	-
University Park	57	28	29	-	42	42	-	-
Dawson	128	119	9	-	123	120	2	-
Deaf Smith	54	42	12	-	42	41	1	-
Delta	98	84	14	-	89	83	6	-
Denton	356	258	89	-	333	254	72	-
Outside city	218	170	43	-	174	166	1	-
Denton	138	88	46	-	159	88	71	-
De Witt	284	235	49	-	284	237	47	-
Dickens	53	42	11	-	48	39	9	-
Dimmit	138	129	9	-	122	122	-	-
Donley	67	52	15	-	53	50	3	-
Duval	152	139	9	-	140	136	1	-
Eastland	259	177	77	-	298	175	120	-
Ector	92	43	49	-	69	37	32	-
Edwards	34	25	2	-	30	23	-	-
Ellis	511	412	85	-	493	406	73	-
El Paso	1,598	897	690	-	1,686	908	765	-
Outside city	372	230	135	-	320	244	64	-
El Paso	1,226	667	555	-	1,366	664	701	-
Erath	207	159	46	-	204	161	41	-
Falls	333	286	41	-	346	290	50	-
Fannin	365	298	35	-	339	293	12	-
Fayette	301	244	55	1	284	243	39	1
Fisher	95	70	25	-	83	64	19	-
Floyd	78	56	20	-	66	57	7	-
Foard	32	22	4	-	30	21	-	-
Fort Bend	290	220	65	5	284	227	52	5
Franklin	76	72	3	-	74	72	2	-
Freestone	184	171	13	-	180	167	13	-
Frio	135	121	13	-	133	121	12	-
Gaines	48	40	5	-	47	43	-	-
Galveston	868	358	491	-	993	371	608	-
Outside city	177	91	72	-	110	97	2	-
Galveston	691	267	419	-	883	274	606	-
Garza	41	37	4	-	34	34	-	-
Gillespie	87	73	9	-	93	79	5	-
Glasscock	2	-	2	-	-	-	-	-
Goliad	74	65	8	-	64	64	-	-
Gonzales	269	238	19	-	243	231	-	-
Gray	143	83	58	-	134	78	56	-
Outside city	31	22	9	-	21	21	-	-
Pampa	112	61	49	-	113	57	56	-
Grayson	699	451	231	11	733	451	267	11
Outside cities	320	229	77	11	248	234	-	11
Denison	218	122	93	-	235	118	117	-
Sherman	161	100	61	-	250	99	150	-
Gregg	469	250	98	-	465	252	84	-
Outside city	287	167	61	-	220	169	49	-
Longview	182	83	37	-	245	83	35	-
Grimes	199	146	37	-	198	146	34	-
Guadalupe	271	242	26	-	264	243	21	-
Hale	153	102	51	-	158	100	58	-
Hall	93	68	24	-	90	66	24	-
Hamilton	115	102	13	-	105	105	-	-
Hansford	19	14	4	-	15	15	-	-
Hardeman	86	65	21	-	74	58	16	-
Hardin	150	124	24	-	124	123	-	-
Harris	4,776	2,482	2,245	8	4,754	2,446	2,251	8
Outside city	615	329	272	-	387	320	55	-
Houston	4,161	2,153	1,973	8	4,367	2,126	2,196	8
Harrison	505	448	50	-	510	451	51	-
Outside city	262	238	22	-	241	241	-	-
Marshall	243	210	28	-	269	210	51	-
Hartley	13	7	5	-	37	7	15	-

[1] Includes deaths in unknown institution.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
TEXAS—Continued								
Haskell	95	69	25	-	94	70	23	-
Hays	173	140	32	-	166	142	24	-
Hemphill	31	21	2	-	27	20	-	-
Henderson	235	211	21	-	219	210	7	-
Hidalgo	1,137	995	102	-	1,122	992	89	-
Outside city	1,002	883	81	-	970	884	45	-
McAllen	135	112	21	-	152	108	44	-
Hill	368	308	58	-	321	302	19	-
Hockley	84	51	33	-	67	50	17	-
Hood	71	61	10	-	53	53	-	-
Hopkins	300	244	26	-	290	244	11	-
Houston	253	226	23	-	241	223	17	-
Howard	186	114	51	-	196	119	54	-
Outside city	65	40	20	-	66	44	22	-
Big Spring	121	74	31	-	130	75	32	-
Hudspeth	23	10	13	-	13	13	-	-
Hunt	433	370	57	2	412	367	42	2
Outside city	278	238	34	2	244	235	7	2
Greenville	155	132	23	-	168	132	35	-
Hutchinson	90	49	41	-	71	46	25	-
Outside city	21	13	8	-	18	14	4	-
Borger	69	36	33	-	53	32	21	-
Irion	29	17	12	-	13	13	-	-
Jack	78	54	23	-	73	57	16	-
Jackson	91	81	9	-	74	74	-	-
Jasper	153	128	24	-	155	143	11	-
Jeff Davis	21	18	3	-	17	17	-	-
Jefferson	1,299	797	483	-	1,343	788	538	-
Outside cities	192	126	66	-	191	136	55	-
Beaumont	708	425	274	-	763	421	335	-
Port Arthur	399	246	143	-	389	231	148	-
Jim Hogg	34	32	2	-	32	32	-	-
Jim Wells	185	160	23	-	196	164	27	-
Johnson	352	288	62	-	338	289	48	-
Outside city	225	188	36	-	224	186	37	-
Cleburne	127	100	26	-	114	103	11	-
Jones	171	131	39	-	183	140	43	-
Karnes	170	142	24	-	158	138	15	-
Kaufman	446	270	48	110	436	273	36	110
Outside city	251	207	37	-	212	209	2	-
Terrell	195	63	11	110	224	64	34	110
Kendall	61	53	7	-	52	52	-	-
Kenedy	8	5	3	-	6	6	-	-
Kent	20	17	3	-	16	16	-	-
Kerr	150	95	42	9	317	102	201	9
Kimble	32	25	5	-	28	28	-	-
King	7	4	3	-	6	6	-	-
Kinney	47	36	11	-	40	36	4	-
Kleberg	116	93	23	-	120	94	25	-
Knox	64	42	21	-	65	42	23	-
Lamar	468	338	129	-	521	335	185	-
Outside city	221	171	50	-	174	170	4	-
Paris	247	167	79	-	347	165	181	-
Lamb	84	38	40	-	83	43	40	-
Lampasas	84	63	21	-	95	67	27	-
La Salle	84	83	1	-	82	82	-	-
Lavaca	245	196	47	1	255	191	63	1
Lee	105	94	11	-	95	95	-	-
Leon	163	139	23	-	134	134	-	-
Liberty	243	175	56	-	249	179	52	-
Limestone	276	238	38	-	267	239	28	-
Lipscomb	34	29	4	-	28	27	-	-
Live Oak	60	51	6	-	60	56	-	-
Llano	52	47	2	-	47	45	-	-
Loving	-	-	-	-	-	-	-	-
Lubbock	313	202	110	-	398	227	171	-
Outside city	109	69	40	-	85	65	20	-
Lubbock	204	133	70	-	313	162	151	-
Lynn	76	66	9	-	58	57	-	-
McCulloch	121	113	8	-	133	124	9	-
McLennan	1,137	731	317	87	1,173	728	357	87
Outside city	472	284	100	87	370	283	-	87
Waco	665	447	217	-	803	445	357	-
McMullen	13	12	1	-	9	9	-	-
Madison	90	72	18	-	78	69	9	-
Marion	109	107	2	-	110	110	-	-
Martin	26	26	-	-	26	26	-	-
Mason	53	48	5	-	48	48	-	-
Matagorda	186	128	26	-	180	142	-	-
Maverick	124	115	6	-	117	111	3	-
Medina	188	170	15	-	180	167	10	-
Menard	27	25	2	-	21	21	-	-
Midland	118	86	32	-	118	83	35	-
Milam	286	260	25	1	272	256	15	1
Mills	55	41	14	-	42	42	-	-
Mitchell	108	88	20	-	99	86	13	-
Montague	190	162	27	-	164	156	8	-
Montgomery	240	172	64	-	238	175	62	-
TEXAS—Continued								
Moore	29	12	6	-	27	13	-	-
Morris	71	60	10	-	61	61	-	-
Motley	22	19	3	-	21	20	1	-
Nacogdoches	241	198	43	-	238	193	45	-
Navarro	462	361	100	1	441	347	93	1
Outside city	268	228	39	1	221	220	-	1
Corsicana	194	133	61	-	220	127	93	-
Newton	117	103	14	-	96	96	-	-
Nolan	149	89	60	-	177	101	76	-
Outside city	67	41	26	-	67	47	20	-
Sweetwater	82	48	34	-	110	54	56	-
Nueces	1,034	742	275	-	1,066	757	294	-
Outside city	356	286	64	-	338	305	28	-
Corpus Christi	678	456	211	-	728	452	266	-
Ochiltree	29	27	2	-	27	26	1	-
Oldham	12	6	6	-	6	6	-	-
Orange	193	140	49	1	183	138	42	1
Palo Pinto	236	163	67	-	247	167	74	-
Panola	173	151	15	-	157	151	-	-
Parker	222	176	33	-	221	182	26	-
Parmer	25	19	6	-	18	18	-	-
Pecos	82	74	5	-	79	74	1	-
Polk	187	154	19	-	179	150	13	-
Potter	395	184	205	-	494	181	311	-
Outside city	15	10	5	-	46	12	34	-
Amarillo (part)	380	174	200	-	448	169	277	-
Amarillo (total)	385	177	202	-	452	173	277	-
Presidio	134	130	4	-	132	131	1	-
Rains	59	54	5	-	52	52	-	-
Randall	37	30	7	-	41	35	5	-
Outside city	32	27	5	-	37	31	5	-
Amarillo (part)	5	3	2	-	4	4	-	-
Reagan	16	7	8	-	11	7	4	-
Real	9	8	1	-	6	6	-	-
Red River	247	204	42	-	220	198	22	-
Reeves	76	74	2	-	78	78	-	-
Refugio	98	75	4	-	102	78	-	-
Roberts	9	5	3	-	7	7	-	-
Robertson	268	247	20	-	242	241	-	-
Rockwall	65	58	6	-	55	55	-	-
Runnels	170	122	48	-	149	121	28	-
Rusk	384	338	43	-	362	333	27	-
Sabine	78	72	6	-	67	67	-	-
San Augustine	81	76	5	-	76	76	-	-
San Jacinto	81	72	7	-	72	71	1	-
San Patricio	298	252	46	-	265	247	18	-
San Saba	82	74	7	-	73	73	-	-
Schleicher	25	18	7	-	19	19	-	-
Scurry	73	51	22	-	68	53	15	-
Shackelford	64	51	12	-	51	51	-	-
Shelby	237	210	24	-	225	210	15	-
Sherman	17	11	3	-	8	8	-	-
Smith	640	511	126	-	623	502	119	-
Outside city	357	296	60	-	296	291	4	-
Tyler	283	215	66	-	327	211	115	-
Somervell	40	36	3	-	40	39	-	-
Starr	116	113	3	-	113	112	1	-
Stephens	71	50	6	-	72	52	-	-
Sterling	9	6	3	-	6	6	-	-
Stonewall	31	26	5	-	25	25	-	-
Sutton	27	24	3	-	24	24	-	-
Swisher	50	42	8	-	45	43	2	-
Tarrant	2,188	1,184	930	44	2,263	1,189	999	44
Outside city	370	214	111	43	289	215	30	43
Fort Worth	1,818	970	819	1	1,974	974	969	1
Taylor	498	287	123	53	504	289	122	53
Outside city	204	116	25	49	186	119	4	49
Abilene	294	171	98	4	318	170	118	4
Terrell	29	26	3	-	28	28	-	-
Terry	76	52	24	-	70	49	21	-
Throckmorton	40	30	8	-	26	26	-	-
Titus	149	132	16	-	129	126	3	-
Tom Green	414	267	146	-	542	278	263	-
Outside city	84	69	15	-	159	82	76	-
San Angelo	330	198	131	-	383	196	187	-
Travis	1,228	568	402	228	1,253	569	424	228
Outside city	182	122	55	2	144	121	21	2
Austin	1,046	446	347	226	1,109	448	403	226
Trinity	71	64	7	-	62	62	-	-
Tyler	98	82	13	-	86	82	4	-
Upshur	187	156	29	-	181	155	25	-
Upton	20	12	8	-	22	17	5	-
Uvalde	164	144	20	-	161	148	13	-
Val Verde	198	168	30	-	210	173	37	-
Outside city	21	14	7	-	17	17	-	-
Del Rio	177	154	23	-	193	156	37	-
Van Zandt	232	191	33	-	201	194	-	-
Victoria	251	185	63	-	260	189	70	-
Outside city	85	74	9	-	71	71	-	-
Victoria	166	111	54	-	189	118	70	-

[1] Includes deaths in unknown institution.

536909 O - 43 - 31

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
TEXAS—Continued								
Walker	173	107	29	36	163	108	19	36
Waller	131	108	22	-	137	106	31	-
Ward	58	34	17	-	52	30	15	-
Washington	251	210	40	-	264	218	46	-
Webb	238	213	24	1	226	211	14	1
Outside city	47	44	3	-	39	39	-	-
Laredo	191	169	21	1	187	172	14	1
Wharton	338	248	83	-	353	252	93	-
Wheeler	114	85	29	-	117	85	32	-
Wichita	697	309	248	132	755	303	311	132
Outside city	288	90	61	132	246	93	13	132
Wichita Falls	409	219	187	-	509	210	298	-
Wilbarger	141	106	34	-	149	111	38	-
Willacy	139	118	20	-	128	113	14	-
Williamson	422	315	104	2	389	314	73	2
Wilson	136	122	14	-	127	122	5	-
Winkler	24	18	6	-	23	14	9	-
Wise	167	135	30	-	167	140	25	-
Wood	241	211	23	-	211	207	2	-
Yoakum	14	6	3	-	8	5	-	-
Young	162	117	44	-	151	114	37	-
Zapata	36	35	1	-	34	34	-	-
Zavala	106	96	10	-	108	95	13	-
UTAH (total)	4,518	2,632	1,710	115	4,560	2,629	1,755	115
Beaver	56	37	10	-	49	40	-	-
Box Elder	126	84	31	-	116	79	26	-
Cache	244	160	84	-	235	150	85	-
Outside city	134	85	49	-	74	74	-	-
Logan	110	75	35	-	161	76	85	-
Carbon	125	64	57	-	120	61	55	-
Daggett	6	3	3	-	3	3	-	-
Davis	113	79	34	-	78	78	-	-
Duchesne	47	38	8	-	34	34	-	-
Emery	58	51	7	-	50	50	-	-
Garfield	23	18	5	-	19	19	-	-
Grand	19	14	5	-	29	21	8	-
Iron	65	38	26	-	81	36	45	-
Juab	64	42	22	-	42	42	-	-
Kane	13	6	7	-	14	7	7	-
Millard	54	45	8	-	59	55	1	-
Morgan	14	8	6	-	13	13	-	-
Piute	9	6	3	-	5	5	-	-
Rich	16	13	3	-	13	13	-	-
Salt Lake	1,844	914	909	1	2,011	891	1,097	1
Outside city	454	239	212	-	265	235	30	-
Salt Lake City	1,390	675	697	1	1,746	656	1,067	1
San Juan	21	14	7	-	16	16	-	-
Sanpete	136	123	10	-	121	118	-	-
Sevier	100	82	17	-	101	80	21	-
Summit	76	45	23	-	80	54	18	-
Tooele	78	52	26	-	59	58	1	-
Uintah	83	62	21	-	81	63	18	-
Utah	500	268	131	100	490	272	117	100
Outside city	317	190	94	32	286	188	65	32
Provo	183	78	37	68	204	84	52	68
Wasatch	40	26	14	-	39	29	10	-
Washington	86	58	27	-	72	57	15	-
Wayne	16	9	7	-	6	6	-	-
Weber	486	273	199	14	524	279	231	14
Outside city	95	53	28	14	67	53	-	14
Ogden	391	220	171	-	457	226	231	-
VERMONT (total)	4,402	2,795	1,363	181	4,322	2,787	1,291	181
Addison	211	151	60	-	169	150	19	-
Bennington	280	190	85	2	275	193	80	2
Caledonia	302	219	81	1	291	207	82	2
Chittenden	552	306	241	-	667	307	355	-
Outside city	265	173	92	-	236	172	64	-
Burlington	287	133	149	-	431	135	291	-
Essex	70	54	16	-	48	48	-	-
Franklin	330	225	93	9	313	226	76	9
Grand Isle	43	35	8	-	33	33	-	-
Lamoille	140	93	47	-	129	93	36	-
Orange	220	160	58	1	194	154	39	1
Orleans	273	209	59	-	278	218	53	-
Rutland	556	345	186	9	557	344	187	9
Outside city	335	232	91	8	270	231	27	8
Rutland	221	113	95	1	287	113	160	1
Washington	575	302	173	98	555	295	161	98
Outside city	458	227	132	98	413	221	93	98
Barre	117	75	41	-	142	74	68	-
Windham	378	189	110	53	395	197	115	53
Windsor	472	317	146	8	418	322	88	8

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
VIRGINIA[7] (total)	30,700	21,595	7,263	1,512	30,464	21,674	6,945	1,512
Accomack	451	405	38	-	398	390	-	-
Albemarle	252	167	82	-	606	183	420	-
Alexandria (city)	425	249	174	-	406	238	168	-
Alleghany	182	132	50	-	153	131	22	-
Amelia	108	90	18	-	88	88	-	-
Amherst	236	138	39	59	205	146	-	59
Appomattox	96	86	10	-	82	82	-	-
Arlington[8]	430	270	157	-	260	258	1	-
Augusta	474	347	103	23	387	349	15	23
Bath	75	53	22	-	61	48	13	-
Bedford	350	253	53	44	306	240	22	44
Bland	77	58	18	-	58	58	-	-
Botetourt	165	125	35	1	139	120	11	1
Bristol (city)[9]	107	71	36	-	176	74	102	-
Brunswick	200	171	29	-	166	166	-	-
Buchanan	312	201	109	-	266	203	61	-
Buckingham	168	145	22	-	141	140	-	-
Buena Vista (city)	27	24	3	-	26	26	-	-
Campbell	245	182	63	-	183	183	-	-
Caroline	179	149	30	-	155	155	-	-
Carroll	226	195	31	-	191	191	-	-
Charles City	46	40	6	-	41	41	-	-
Charlotte	180	155	23	-	152	152	-	-
Charlottesville (city)	215	132	83	-	155	123	32	-
Chesterfield	297	213	80	-	223	210	-	-
Clarke	87	72	15	-	70	70	-	-
Clifton Forge (city)	62	41	21	-	129	42	87	-
Craig	53	41	12	-	40	40	-	-
Culpeper	143	120	21	-	118	117	-	-
Cumberland	90	83	7	-	87	87	-	-
Danville (city)	386	267	89	-	564	280	235	-
Dickenson	177	145	32	-	151	139	12	-
Dinwiddie	540	167	30	342	509	167	-	342
Elizabeth City	362	191	168	3	364	176	185	3
Essex	88	74	14	-	72	72	-	-
Fairfax	364	234	115	11	275	244	13	11
Fauquier	231	173	58	-	187	174	13	-
Floyd	113	98	14	-	92	92	-	-
Fluvanna	90	73	17	-	66	66	-	-
Franklin	258	227	26	-	214	213	-	-
Frederick	153	104	43	3	103	96	-	3
Fredericksburg (city)	110	60	49	-	222	75	147	-
Giles	155	116	8	-	151	114	-	-
Gloucester	110	98	12	-	97	97	-	-
Goochland	104	75	12	17	90	73	-	17
Grayson	206	185	21	-	188	188	-	-
Greene	63	46	17	-	42	42	-	-
Greensville	160	138	22	-	138	138	-	-
Halifax	418	354	53	-	391	356	25	-
Hampton (city)	99	53	46	-	180	55	125	-
Hanover	246	196	49	-	204	204	-	-
Harrisonburg (city)	114	62	52	-	265	66	198	-
Henrico	350	256	89	-	350	260	87	-
Henry	254	192	51	-	206	193	-	-
Highland	47	45	2	-	43	43	-	-
Hopewell (city)	88	59	27	-	79	57	22	-
Isle of Wight	152	137	15	-	134	134	-	-
James City	62	45	17	-	46	46	-	-
King and Queen	112	101	10	-	98	98	-	-
King George	66	58	8	-	53	53	-	-
King William	121	101	20	-	101	101	-	-
Lancaster	113	104	9	-	102	102	-	-
Lee	359	300	57	-	340	297	42	-
Loudoun	230	176	52	-	210	178	30	-
Louisa	155	124	30	1	120	119	-	1
Lunenburg	125	101	24	-	101	101	-	-
Lynchburg (city)	430	267	157	6	577	271	300	6
Madison	86	70	16	-	70	70	-	-
Martinsville (city)	95	62	31	-	119	62	57	-
Mathews	87	79	8	-	74	74	-	-
Mecklenburg	328	288	39	-	288	287	-	-
Middlesex	88	81	7	-	80	80	-	-
Montgomery	248	181	64	-	242	190	51	-
Nansemond	316	284	31	1	286	285	-	1
Nelson	177	136	41	-	138	138	-	-
New Kent	44	38	6	-	44	44	-	-
Newport News (city)	537	300	237	-	595	312	283	-
Norfolk	431	280	144	-	370	299	71	-
Norfolk (city)	1,862	1,140	699	3	1,905	1,095	783	3
Northampton	264	223	40	1	303	238	64	1
Northumberland	150	135	15	-	136	136	-	-
Nottoway	195	153	42	-	295	157	138	-
Orange	171	140	31	-	138	138	-	-

[1] Includes deaths in unknown institution.
[7] Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Alexandria, Arlington County, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[8] Classified as urban under special rule. See text, p. 2, Part II.
[9] Includes data for Bristol, Va., only.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
VIRGINIA[7]—Contd.								
Page	181	136	45	-	164	144	20	-
Patrick	148	130	17	-	152	132	19	-
Petersburg (city)	441	337	87	16	541	354	170	16
Pittsylvania	608	425	130	22	450	409	1	22
Portsmouth (city)	736	521	213	1	717	499	216	1
Powhatan	78	67	9	1	72	69	-	1
Prince Edward	179	142	36	-	244	151	92	-
Prince George	156	119	33	2	137	128	6	2
Prince William	198	159	42	-	156	155	2	-
Princess Anne	484	200	82	201	535	235	98	201
Pulaski	196	143	48	3	207	145	59	3
Radford (city)	76	54	13	-	72	56	-	-
Rappahannock	75	62	11	-	57	57	-	-
Richmond	77	68	8	-	66	66	-	-
Richmond (city)	2,373	1,444	731	187	2,758	1,471	1,089	187
Roanoke	478	256	137	85	429	253	91	85
Roanoke (city)	657	437	211	-	900	477	417	-
Rockbridge	255	200	55	-	243	201	41	-
Rockingham	302	215	87	-	206	206	-	-
Russell	229	190	39	-	210	182	27	-
Scott	252	212	36	-	215	213	-	-
Shenandoah	256	189	64	-	229	192	37	-
Smyth	378	209	70	98	382	204	80	98
Southampton	326	278	47	-	315	276	39	-
South Norfolk (city)	95	66	29	-	63	63	-	-
Spotsylvania	124	93	31	-	98	98	-	-
Stafford	105	65	40	-	69	69	-	-
Staunton (city)	352	93	39	219	408	110	77	219
Suffolk (city)	169	120	48	-	218	124	93	-
Surry	103	92	11	-	91	91	-	-
Sussex	168	147	21	-	152	152	-	-
Tazewell	411	268	142	-	426	268	158	-
Warren	103	75	13	-	105	80	7	-
Warwick	112	65	36	5	82	70	-	5
Washington	357	273	63	-	334	278	55	-
Westmoreland	124	116	7	-	117	117	-	-
Williamsburg (city)	175	12	12	151	187	16	20	151
Winchester (city)	121	77	41	-	236	93	139	-
Wise	508	411	69	6	497	413	54	6
Wythe	206	167	36	-	168	163	3	-
York	100	82	18	-	80	80	-	-
WASHINGTON (total)	19,199	9,248	8,408	960	19,106	9,199	8,365	960
Adams	46	36	8	-	38	35	1	-
Asotin	67	45	21	-	45	43	-	-
Benton	93	54	39	-	59	57	2	-
Chelan	285	136	133	6	307	138	152	6
Outside city	163	84	69	4	144	92	44	4
Wenatchee	122	52	64	2	163	46	108	2
Clallam	204	105	97	-	202	105	95	-
Clark	509	236	247	4	490	230	229	4
Outside city	284	151	128	-	144	141	1	-
Vancouver	225	85	119	4	346	89	228	4
Columbia	55	28	26	-	52	28	23	-
Cowlitz	325	176	135	-	319	177	129	-
Outside city	230	136	81	-	188	134	41	-
Longview	95	40	54	-	131	43	88	-
Douglas	59	37	20	-	37	33	3	-
Ferry	51	38	13	-	42	39	3	-
Franklin	71	30	41	-	93	30	62	-
Garfield	26	17	6	-	23	21	2	-
Grant	76	44	22	-	56	43	-	-
Grays Harbor	578	276	278	6	574	284	268	6
Outside cities	269	132	122	6	186	136	39	6
Aberdeen	199	94	102	-	271	92	174	-
Hoquiam	110	50	54	-	117	56	55	-
Island	64	41	15	-	50	41	1	-
Jefferson	87	47	37	-	93	55	36	-
King	6,022	2,868	2,900	70	6,064	2,805	3,002	70
Outside city	1,249	669	511	25	1,123	770	223	25
Seattle	4,773	2,199	2,389	45	4,941	2,035	2,779	45
Kitsap	501	231	240	12	466	238	198	12
Outside city	342	162	158	11	282	167	102	11
Bremerton	159	69	82	1	184	71	96	1
Kittitas	195	84	107	-	201	86	111	-
Klickitat	101	57	36	-	71	58	9	-
Lewis	423	244	155	11	413	250	139	11
Lincoln	103	51	46	-	69	50	15	-
Mason	100	46	52	-	106	48	56	-
Okanogan	165	93	64	-	172	94	71	-
Pacific	138	70	63	-	120	70	45	-
Pend Oreille	67	36	16	-	63	41	6	-
WASHINGTON—Con.								
Pierce	2,360	973	1,006	331	2,389	960	1,055	331
Outside city	1,092	377	361	327	812	354	112	327
Tacoma	1,268	596	645	4	1,577	606	941	4
San Juan	24	12	10	-	14	14	-	-
Skagit	568	210	161	193	554	209	149	193
Skamania	33	19	10	-	31	25	-	-
Snohomish	938	538	302	88	909	541	270	88
Outside city	635	371	172	84	509	364	52	84
Everett	303	167	130	4	400	177	218	4
Spokane	2,120	879	979	202	2,258	879	1,097	202
Outside city	607	181	203	198	583	203	142	198
Spokane	1,513	698	776	4	1,655	676	955	4
Stevens	167	94	71	-	165	99	65	-
Thurston	385	221	152	-	365	225	128	-
Outside city	215	136	74	-	146	136	3	-
Olympia	170	85	78	-	219	89	125	-
Wahkiakum	22	15	5	-	17	15	-	-
Walla Walla	351	144	156	37	432	136	245	37
Outside city	91	47	33	2	69	47	7	2
Walla Walla	260	97	123	35	363	89	238	35
Whatcom	629	357	251	-	622	357	243	-
Outside city	311	186	113	-	255	189	60	-
Bellingham	318	171	138	-	367	168	183	-
Whitman	253	143	86	-	216	137	51	-
Yakima	938	517	402	-	929	503	406	-
Outside city	603	339	246	-	559	342	201	-
Yakima	335	178	156	-	370	161	205	-
WEST VIRGINIA (total)	17,837	12,563	4,730	349	17,838	12,552	4,743	349
Barbour	175	144	26	-	172	145	26	-
Berkeley	322	219	102	-	352	218	133	-
Outside city	113	82	30	-	82	81	-	-
Martinsburg	209	137	72	-	270	137	133	-
Boone	226	155	71	-	153	152	1	-
Braxton	213	175	14	-	202	174	2	-
Brooke	204	132	66	3	135	132	-	3
Cabell	1,037	619	325	79	1,155	612	447	79
Outside city	189	132	50	6	142	134	1	6
Huntington (part)	848	487	275	73	1,013	478	446	73
Huntington (total)	888	515	286	73	1,132	504	539	73
Calhoun	90	72	18	-	68	68	-	-
Clay	114	89	25	-	85	85	-	-
Doddridge	100	87	11	-	89	87	-	-
Fayette	654	513	136	1	625	503	117	1
Gilmer	98	88	10	-	84	84	-	-
Grant	73	64	7	-	63	61	-	-
Greenbrier	365	304	60	-	363	318	45	-
Hampshire	126	107	18	-	111	110	-	-
Hancock	268	174	91	-	172	167	-	-
Hardy	85	74	11	-	73	73	-	-
Harrison	782	578	197	-	780	582	193	-
Outside city	458	366	88	-	371	370	-	-
Clarksburg	324	212	109	-	409	212	193	-
Jackson	145	117	19	-	130	117	5	-
Jefferson	191	153	35	-	159	151	5	-
Kanawha	1,919	1,249	655	5	2,033	1,246	775	5
Outside cities	1,093	735	347	5	738	723	6	5
Charleston	722	442	276	-	1,188	448	737	-
South Charleston	104	72	32	-	107	75	32	-
Lewis	302	159	38	105	301	161	35	105
Lincoln	179	135	41	-	135	132	-	-
Logan	536	420	116	-	515	421	94	-
McDowell	960	580	378	-	917	576	340	-
Marion	642	467	172	2	640	457	180	2
Outside city	353	261	89	2	380	251	126	2
Fairmont	289	206	83	-	260	206	54	-
Marshall	435	273	132	28	388	266	93	28
Outside city	255	170	76	7	265	165	92	7
Moundsville	180	103	56	21	123	101	1	21
Mason	240	160	25	50	215	160	-	50
Mercer	685	475	200	-	806	490	302	-
Outside city	471	337	129	-	416	346	65	-
Bluefield[10]	214	138	71	-	390	144	237	-
Mineral	221	165	56	-	226	169	57	-
Mingo	288	220	68	-	327	238	89	-
Monongalia	483	324	144	-	480	324	141	-
Outside city	302	199	89	-	290	198	77	-
Morgantown	181	125	55	-	190	126	64	-
Monroe	114	105	8	-	101	101	-	-
Morgan	97	75	22	-	71	71	-	-
Nicholas	166	122	40	-	171	129	39	-
Ohio	809	472	312	-	1,021	475	514	-
Outside city	117	64	50	-	94	68	25	-
Wheeling	692	408	262	-	927	407	489	-
Pendleton	87	72	15	-	73	73	-	-
Pleasants	70	58	10	-	53	53	-	-

[1] Includes deaths in unknown institution.
[7] See footnote on p. 480.
[10] Includes data for Bluefield, W. Va., only.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
WEST VIRGINIA—Continued								
Pocahontas	145	107	38	-	185	109	76	-
Preston	293	251	40	1	327	238	87	1
Putnam	145	121	24	-	118	118	-	-
Raleigh	687	435	248	-	712	439	270	-
Outside city	537	351	182	-	341	338	-	-
Beckley	150	84	66	-	371	101	270	-
Randolph	267	208	54	2	295	211	78	2
Ritchie	137	124	13	-	127	127	-	-
Roane	237	124	47	66	242	129	46	66
Summers	225	161	61	3	211	164	44	3
Taylor	182	123	58	-	162	124	38	-
Tucker	95	87	8	-	91	90	1	-
Tyler	132	102	29	-	119	99	19	-
Upshur	174	135	25	-	180	130	27	-
Wayne	325	255	66	-	357	261	93	-
Outside city	285	227	55	-	238	235	-	-
Huntington (part)	40	28	11	-	119	26	93	-
Webster	136	116	19	-	113	113	-	-
Wetzel	212	158	51	1	206	161	44	1
Wirt	59	47	12	-	45	45	-	-
Wood	626	422	198	3	698	429	266	3
Outside city	281	205	72	3	208	205	-	3
Parkersburg	345	217	126	-	490	224	266	-
Wyoming	259	193	65	-	206	184	21	-
WISCONSIN (total)	30,678	16,758	12,094	1,503	30,629	16,792	12,016	1,503
Adams	95	70	19	-	86	71	9	-
Ashland	214	109	96	8	272	109	155	8
Outside city	82	53	29	-	53	53	-	-
Ashland	132	56	67	8	219	56	155	8
Barron	329	220	103	1	343	219	119	1
Bayfield	181	104	77	-	128	100	28	-
Brown	752	362	352	25	837	358	439	25
Outside city	323	154	142	24	193	153	10	24
Green Bay	429	208	210	1	644	205	429	1
Buffalo	149	91	54	-	109	89	20	-
Burnett	118	71	45	-	122	82	39	-
Calumet	159	131	28	-	126	125	-	-
Chippewa	440	222	128	89	443	237	117	89
Outside city	313	148	79	85	269	163	21	85
Chippewa Falls	127	74	49	4	174	74	96	4
Clark	305	200	81	23	240	193	23	23
Columbia	390	248	112	28	386	253	103	28
Crawford	186	126	59	-	194	139	54	-
Dane	1,164	583	476	97	1,559	588	866	97
Outside city	641	338	199	97	545	341	100	97
Madison	523	245	277	-	1,014	247	766	-
Dodge	521	290	192	35	447	295	114	35
Outside cities	370	223	109	35	281	230	13	35
Beaver Dam	127	51	75	-	148	47	101	-
Watertown (part)	24	16	8	-	18	18	-	-
Door	184	131	53	-	193	141	52	-
Douglas	589	233	300	56	585	232	297	56
Outside city	180	59	65	56	133	62	15	56
Superior	409	174	235	-	452	170	282	-
Dunn	277	185	72	17	253	187	48	17
Eau Claire	427	211	205	9	497	206	281	9
Outside city	142	68	63	9	75	65	-	9
Eau Claire	285	143	142	-	422	141	281	-
Florence	41	30	11	-	30	30	-	-
Fond du Lac	662	377	256	29	705	373	303	29
Outside city	344	217	104	23	277	215	39	23
Fond du Lac	318	160	152	6	428	158	264	6
Forest	107	82	23	-	96	85	9	-
Grant	462	327	110	14	407	326	56	14
Green	266	142	104	19	280	141	120	19
Green Lake	137	95	39	3	127	95	29	3
Iowa	221	119	93	7	213	120	86	7
Iron	86	49	37	-	51	51	-	-
Jackson	186	122	61	2	154	114	37	2
Jefferson	441	291	113	35	420	288	95	35
Outside city	344	238	79	25	279	235	17	25
Watertown (part)	97	53	34	10	141	53	78	10
Watertown (total)	121	69	42	10	159	71	78	10
Juneau	215	157	48	9	204	158	36	9
Kenosha	539	248	276	8	534	260	259	8
Outside city	111	57	50	3	95	82	10	3
Kenosha	428	191	226	5	439	178	249	5
Kewaunee	154	123	31	-	138	123	15	-
La Crosse	557	274	246	37	722	276	409	37
Outside city	181	89	60	32	129	88	9	32
La Crosse	376	185	186	5	593	188	400	5
Lafayette	190	132	56	1	159	132	25	1
Langlade	214	145	68	-	204	144	60	-
WISCONSIN—Con.								
Lincoln	260	116	141	-	275	122	148	-
Manitowoc	552	327	206	17	531	335	179	17
Outside cities	253	162	78	11	181	162	8	11
Manitowoc	230	126	98	6	277	134	137	6
Two Rivers	69	39	30	-	73	39	34	-
Marathon	638	354	239	45	600	336	219	45
Outside city	343	226	117	-	226	218	8	-
Wausau	295	128	122	45	374	118	211	45
Marinette	370	206	131	33	327	203	91	33
Outside city	213	117	69	27	136	109	-	27
Marinette	157	89	62	6	191	94	91	6
Marquette	108	86	22	-	92	91	1	-
Milwaukee	7,278	3,210	3,584	360	7,420	3,155	3,781	360
Outside cities	739	242	265	225	1,778	290	1,261	225
Cudahy	72	41	30	-	40	40	-	-
Milwaukee	5,784	2,540	3,014	127	5,169	2,451	2,481	127
Shorewood	97	56	40	-	72	58	14	-
South Milwaukee	82	57	25	-	70	54	16	-
Wauwatosa	218	119	84	8	141	118	9	8
West Allis	286	155	126	-	150	144	-	-
Monroe	293	211	70	11	300	213	74	11
Oconto	268	181	86	-	237	178	59	-
Oneida	163	80	83	-	180	88	92	-
Outagamie	631	379	243	9	654	381	264	9
Outside city	372	246	117	9	324	248	67	9
Appleton	259	133	126	-	330	133	197	-
Ozaukee	168	104	39	-	141	108	-	-
Pepin	74	43	19	-	65	45	-	-
Pierce	220	133	83	2	195	132	61	2
Polk	238	156	69	-	229	155	59	-
Portage	307	184	118	5	298	182	111	5
Outside city	173	108	65	-	124	104	20	-
Stevens Point	134	76	53	5	174	78	91	5
Price	149	111	35	-	132	108	22	-
Racine	910	414	418	77	889	411	401	77
Outside city	289	135	89	64	275	142	69	64
Racine	621	279	329	13	614	269	332	13
Richland	209	125	72	12	204	122	70	12
Rock	808	439	344	22	785	436	325	22
Outside cities	303	169	111	22	250	175	53	22
Beloit	276	142	132	-	287	143	142	-
Janesville	229	128	101	-	248	118	130	-
Rusk	132	88	41	-	121	83	35	-
St. Croix	269	174	83	11	224	174	38	11
Sauk	391	262	113	15	360	253	91	15
Sawyer	109	55	53	-	110	65	45	-
Shawano	351	189	140	20	322	190	110	20
Sheboygan	761	389	353	8	800	390	392	8
Outside city	369	224	128	8	304	230	57	8
Sheboygan	392	165	225	-	496	160	335	-
Taylor	167	112	55	-	148	111	37	-
Trempealeau	264	176	83	5	226	167	54	5
Vernon	257	159	91	7	189	154	28	7
Vilas	86	60	24	-	71	71	-	-
Walworth	429	273	127	27	439	293	116	27
Washburn	103	63	40	-	68	67	1	-
Washington	295	200	79	14	305	208	83	14
Waukesha	673	409	215	40	693	431	217	40
Outside city	479	296	139	40	458	317	98	40
Waukesha	194	113	76	-	235	114	119	-
Waupaca	385	226	100	52	337	222	55	52
Waushara	153	118	26	-	136	123	1	-
Winnebago	919	444	331	143	888	446	298	143
Outside cities	261	91	49	121	238	104	13	121
Menasha	92	44	48	-	42	42	-	-
Neenah	106	49	57	-	134	47	87	-
Oshkosh	460	260	177	22	474	253	198	22
Wood	332	202	114	16	374	203	155	16
Outside cities	146	92	49	5	99	94	-	5
Marshfield	93	48	34	11	166	48	107	11
Wisconsin Rapids	93	62	31	-	109	61	48	-
WYOMING (total)	2,192	1,021	922	97	2,198	1,062	876	97
Albany	133	58	74	-	147	64	81	-
Outside city	30	20	10	-	28	28	-	-
Laramie	103	38	64	-	119	36	81	-
Big Horn	90	59	26	-	86	57	27	-
Campbell	49	21	28	-	46	21	25	-
Carbon	98	49	14	1	107	60	4	1
Converse	66	32	31	-	59	30	28	-
Crook	39	30	-	-	40	32	-	-
Fremont	158	87	62	5	149	85	54	5
Goshen	105	74	19	2	100	80	6	2

[1] Includes deaths in unknown institution.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total[1]	In no institution	In non-resident institution	In resident institution	Total[1]	In no institution	In non-resident institution	In resident institution
WYOMING—Contd.								
Hot Springs	60	26	26	-	52	23	21	-
Johnson	43	22	6	-	38	24	-	-
Laramie	259	115	140	-	295	121	173	-
Outside city	56	22	34	-	72	26	45	-
Cheyenne	205	93	106	-	223	95	128	-
Lincoln	87	41	44	-	82	40	42	-
Natrona	198	83	113	-	196	87	109	-
Outside city	37	17	19	-	25	25	-	-
Casper	161	66	94	-	171	62	109	-
Niobrara	51	24	15	-	52	21	13	-
Park	86	42	27	-	80	39	17	-
Platte	66	30	35	-	63	33	30	-
WYOMING—Contd.								
Sheridan	181	66	91	23	183	66	93	23
Outside city	76	28	25	23	46	23	-	23
Sheridan	105	38	66	-	137	43	93	-
Sublette	22	11	11	-	5	5	-	-
Sweetwater	178	58	115	-	188	66	118	-
Teton	8	4	4	-	8	5	3	-
Uinta	125	43	16	65	129	52	12	65
Washakie	41	18	22	1	45	22	22	1
Weston	47	28	3	-	48	29	-	-
Yellowstone National Park (part)	2	-	2	-	-	-	-	-
Yellowstone National Park (total)	2	-	2	-	-	-	-	-

[1] Includes deaths in unknown institution.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—All causes	3,827	392	400	400	319	290	270	302	283	270	269	326	306
Cerebrospinal (meningococcus) meningitis—6	2	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	2	-	-	-	-	-	1	-	-	-	-	1	-
Whooping cough—9	90	4	8	17	15	9	6	6	8	6	5	5	8
Diphtheria (infection by C. diphtheriae)—10	9	1	1	3	-	1	-	-	-	1	1	1	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-
Tetanus—12	7	-	1	-	1	-	1	1	1	-	1	1	-
Tuberculosis of respiratory system, etc.*—13	7	1	1	3	-	1	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	9	2	-	-	1	-	1	5	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	23	-	-	-	-	1	4	9	1	3	3	2	-
Malaria—28	8	-	-	-	-	1	1	1	-	2	2	1	-
Syphilis—30	77	11	7	5	13	4	7	4	3	3	9	10	1
Influenza—33	187	57	40	27	13	1	2	2	2	1	1	12	9
Measles—35	35	-	3	7	10	7	2	2	1	2	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	-	1	-	-	-	3	-	-	-	-
Diseases of thymus gland—64	20	-	2	1	1	1	2	-	2	1	6	3	1
Rickets—70	2	-	-	1	-	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	5	1	1	-	1	-	-	-	-	1	-	1	-
Anemias (except splenic anemia)—73	6	1	-	-	1	-	-	-	1	-	1	-	2
Encephalitis (nonepidemic)—80	7	3	-	-	-	1	-	-	1	1	-	1	-
Meningitis (not due to meningococcus)—81	24	4	3	2	1	1	1	-	4	-	2	1	5
Intracranial lesions of vascular origin—83	2	-	-	-	-	1	-	1	-	-	-	-	-
Convulsions—86	19	-	4	-	2	3	2	2	2	1	-	2	1
Diseases of ear and mastoid process—89	3	-	2	-	-	-	-	-	-	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	5	-	-	-	2	-	-	1	-	1	1	-	-
Diseases of circulatory system—90-103	12	1	2	3	1	-	-	-	-	1	1	2	1
Pneumonia (all forms)—107-109	431	56	73	85	42	28	10	13	14	17	20	33	40
Other diseases of respiratory system—104-106,110-114	47	7	10	7	3	3	1	1	3	-	2	5	5
Diseases of buccal cavity, etc.*—115	8	-	2	-	1	2	-	-	1	1	1	-	-
Diseases of stomach—117,118	7	1	-	-	2	-	-	-	-	-	1	2	1
Diarrhea, enteritis, etc.*—119	279	3	6	3	10	24	48	57	56	20	24	15	13
Hernia—122a	2	-	1	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	15	-	4	2	1	3	2	-	2	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	6	1	-	1	-	1	-	-	1	-	-	-	2
Diseases, genito-urinary system—130,131,133-139	7	-	2	1	1	-	1	1	-	-	1	-	-
Diseases of skin and cellular tissue—151-153	12	1	1	3	-	1	1	1	-	3	-	-	1
Congenital malformations—157	188	19	11	16	14	11	12	19	10	15	14	30	17
Congenital debility—158	100	9	5	6	9	7	6	11	15	12	7	13	-
Premature birth—159	1,021	99	95	81	83	92	74	74	74	94	83	87	85
Injury at birth—160	265	16	14	15	20	33	25	36	15	22	23	21	25
Other diseases peculiar to first year—161	143	15	12	16	9	7	13	6	14	19	11	8	13
Accidental mechanical suffocation—182	31	1	3	6	1	1	1	1	2	2	5	3	5
Other violence or accident—166-181,183-195	53	3	4	3	4	1	3	8	7	3	4	6	7
Ill-defined and unknown causes—199,200	649	75	79	84	53	42	41	37	39	38	37	57	67
All other causes*	14	-	1	1	3	1	1	1	1	-	1	2	2
ARIZONA—All causes	1,038	107	53	67	81	106	107	98	73	96	77	82	91
Cerebrospinal (meningococcus) meningitis—6	3	1	-	1	-	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	23	1	1	3	3	3	3	-	1	1	1	-	6
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	1	-	1	1	-	-	1	-	1	-	-
Tuberculosis of meninges, etc.*—14	7	-	-	-	1	1	1	-	1	1	1	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	1	1	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	1	-	-	-
Dysentery—27	25	-	-	-	4	5	8	1	3	-	-	4	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	11	3	-	-	-	1	-	3	-	-	2	1	1
Influenza—33	27	13	-	3	3	-	1	-	1	1	1	2	2
Measles—35	25	-	-	2	2	2	2	5	4	1	2	1	4
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of thymus gland—64	3	1	-	-	-	-	1	-	-	-	-	1	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	-	1	-	-	1	-	-	1	-
Anemias (except splenic anemia)—73	3	-	-	-	-	1	-	-	-	-	1	1	-
Encephalitis (nonepidemic)—80	6	-	-	1	-	2	-	-	-	-	3	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	1	1	-	-	-	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	-	-	-	1	1	2	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	1	-	1	1	-	1	-	-	-
Other diseases, nervous system—82,84,85,87,88	3	1	-	-	-	1	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	1	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	174	30	19	13	11	12	10	10	8	12	12	22	15
Other diseases of respiratory system—104-106,110-114	16	3	2	-	2	3	1	-	-	3	1	-	1
Diseases of buccal cavity, etc.*—115	2	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	211	6	1	4	15	21	36	27	18	32	19	20	12
Hernia—122a	1	-	-	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	1	-	-	-	1	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	-	-	1	1	-	-	1	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	-	-	-	-	1	-	-	-	-	1	-	1
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	1	-	-	-	-	1	-	1
Congenital malformations—157	79	10	3	5	6	8	6	13	6	7	5	5	7
Congenital debility—158	26	1	2	-	1	5	3	4	3	3	1	1	2
Premature birth—159	191	18	13	18	20	22	20	12	7	12	12	11	23
Injury at birth—160	46	5	3	3	5	3	2	5	2	6	5	2	5
Other diseases peculiar to first year—161	43	6	2	5	1	5	6	1	4	4	2	3	4
Accidental mechanical suffocation—182	1	-	-	-	-	-	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	25	3	3	3	-	-	1	4	3	3	2	2	1
Ill-defined and unknown causes—199,200	44	3	1	4	4	2	3	5	7	5	4	3	3
All other causes*	3	1	-	-	-	-	-	2	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	1,812	199	161	169	146	127	168	150	154	126	153	145	114
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	-	-	-	1	1	-	-	-	-
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	51	5	2	4	5	5	1	4	5	6	8	4	2
Diphtheria (infection by C. diphtheriae)—10	2	-	1	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	-	1	-	1	-	-	1	-
Tetanus—12	2	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	3	-	1	1	-	1	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	1	-	-	-	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	-	-
Dysentery—27	30	-	-	1	-	1	9	6	3	2	4	3	1
Malaria—28	19	1	-	2	2	1	2	3	2	5	1	-	-
Syphilis—30	22	1	2	2	2	2	3	3	1	1	2	2	1
Influenza—33	64	23	16	12	6	1	-	1	-	1	-	2	2
Measles—35	12	-	1	3	5	2	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	2	-	1	-	-	-	1	-	-	-	3	1
Diseases of thymus gland—64	3	-	-	-	-	-	-	-	-	-	1	2	-
Rickets—70	1	-	-	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	1	-	-	-	-	-	1
Anemias (except splenic anemia)—73	5	-	1	-	-	1	-	2	-	-	1	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	1	1	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	8	1	2	-	-	1	-	2	1	-	-	1	-
Intracranial lesions of vascular origin—83	2	-	-	1	-	-	-	-	-	1	-	-	-
Convulsions—86	4	1	1	-	-	-	-	-	-	-	-	2	-
Diseases of ear and mastoid process—89	3	-	1	-	-	1	-	-	-	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of circulatory system—90-103	9	1	1	1	-	3	-	-	-	-	-	1	2
Pneumonia (all forms)—107-109	260	50	43	36	26	12	11	8	10	11	10	18	25
Other diseases of respiratory system—104-106,110-114	23	1	1	5	3	-	1	2	1	-	3	4	2
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of stomach—117,118	9	2	1	-	-	-	-	2	1	-	2	1	-
Diarrhea, enteritis, etc.*—119	176	4	4	4	1	7	31	30	20	18	28	19	10
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	12	2	2	1	-	2	1	-	2	-	1	1	-
Peritonitis (cause not stated)—129	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,125-128	6	1	-	1	-	2	-	-	-	1	-	-	1
Diseases, genito-urinary system—130,131,133-139	6	-	1	1	1	-	-	-	1	-	1	-	1
Diseases of skin and cellular tissue—151-153	4	-	-	-	1	-	-	-	-	1	1	-	1
Congenital malformations—157	104	11	10	10	8	8	9	7	8	9	8	5	11
Congenital debility—158	67	5	5	2	2	4	4	8	9	7	7	10	4
Premature birth—159	421	43	23	32	39	36	49	34	39	31	37	29	29
Injury at birth—160	113	14	11	7	9	9	8	9	11	10	8	10	7
Other diseases peculiar to first year—161	58	1	4	7	4	3	7	5	11	4	10	2	-
Accidental mechanical suffocation—182	20	1	2	2	3	1	1	4	-	1	1	2	2
Other violence or accident—166-181,183-195	34	-	2	1	6	2	4	4	2	2	4	4	3
Ill-defined and unknown causes—199,200	224	25	22	31	19	21	21	11	22	14	13	18	7
All other causes*	5	2	-	-	2	-	-	1	-	-	-	-	-
CALIFORNIA—All causes	4,586	414	310	386	380	362	385	400	374	381	412	366	416
Cerebrospinal (meningococcus) meningitis—6	7	2	1	-	-	1	1	-	-	-	1	1	-
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	76	5	7	5	7	9	9	11	5	5	4	6	3
Diphtheria (infection by C. diphtheriae)—10	3	-	-	1	1	-	-	-	-	-	-	1	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-
Tetanus—12	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	12	-	-	-	2	1	-	-	4	2	2	1	-
Tuberculosis of meninges, etc.*—14	5	-	1	1	-	1	1	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	5	1	-	-	-	-	-	1	1	-	-	1	1
Septicemia and purulent infection—24	5	-	-	-	-	-	1	2	1	1	-	-	-
Dysentery—27	28	-	2	2	1	-	2	3	4	2	1	7	4
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	26	2	1	4	2	-	4	1	3	4	-	1	4
Influenza—33	39	14	7	3	3	2	-	-	-	1	2	6	1
Measles—35	2	-	-	-	-	-	1	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	2	3	1	-	-	-	-	3	-	1	-
Diseases of thymus gland—64	66	4	5	10	7	6	5	4	5	8	5	3	4
Rickets—70	3	1	-	-	-	1	-	1	-	-	-	-	-
Hemorrhagic conditions—72	9	-	-	-	1	-	3	1	-	-	1	1	2
Anemias (except splenic anemia)—73	6	-	-	2	-	-	1	1	-	2	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	18	2	2	2	2	1	-	1	1	-	3	2	2
Intracranial lesions of vascular origin—83	6	-	-	-	2	2	1	-	-	-	1	-	-
Convulsions—86	6	1	-	-	-	2	-	-	-	1	1	-	1
Diseases of ear and mastoid process—89	20	3	2	2	2	1	-	-	1	-	2	2	5
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	-	-	1	1	-	-	-	-	1
Diseases of circulatory system—90-103	19	2	3	-	1	-	2	1	4	1	5	-	-
Pneumonia (all forms)—107-109	478	70	34	54	39	28	29	42	24	32	37	43	46
Other diseases of respiratory system—104-106,110-114	33	4	-	5	1	6	4	2	3	2	2	3	1
Diseases of buccal cavity, etc.*—115	4	-	1	-	-	-	-	-	2	-	1	-	-
Diseases of stomach—117,118	4	-	1	-	-	-	-	-	1	1	-	1	-
Diarrhea, enteritis, etc.*—119	343	21	22	24	26	26	50	33	21	30	41	32	37
Hernia—122a	7	1	-	1	1	1	-	1	-	-	-	-	2
Intestinal obstruction—122b	31	1	5	4	4	1	3	2	-	1	2	2	6
Peritonitis (cause not stated)—129	1	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,125-128	9	-	1	-	2	-	-	3	1	1	1	-	-
Diseases, genito-urinary system—130,131,133-139	20	2	-	1	1	2	-	3	3	3	1	3	1
Diseases of skin and cellular tissue—151-153	5	-	-	-	-	-	-	1	3	-	1	-	-
Congenital malformations—157	607	61	40	42	46	51	56	60	55	47	50	41	58
Congenital debility—158	70	5	8	7	6	2	5	7	2	6	9	7	6
Premature birth—159	1,610	132	96	136	145	129	141	136	136	146	151	118	144
Injury at birth—160	501	40	30	35	39	50	41	39	46	44	44	44	49
Other diseases peculiar to first year—161	342	27	28	29	35	25	37	28	30	22	26	28	27
Accidental mechanical suffocation—182	49	6	1	7	1	5	3	1	5	7	5	2	6
Other violence or accident—166-181,183-195	68	5	7	4	1	5	4	8	9	8	6	6	5
Ill-defined and unknown causes—199,200	12	2	3	-	-	1	-	2	1	-	2	1	-
All other causes*	14	-	-	-	1	2	-	3	3	-	3	2	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO—All causes	1,113	117	77	86	86	82	86	79	96	115	94	91	104
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	1	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	39	2	3	5	3	5	2	5	1	3	1	7	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	-	1	-	2
Dysentery—27	9	1	1	-	-	-	-	1	2	2	2	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	8	-	1	-	1	-	2	2	-	1	-	-	1
Influenza—33	28	16	5	3	1	1	-	-	-	1	1	-	-
Measles—35	4	-	-	-	-	2	2	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	1	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	14	3	-	1	3	1	-	2	2	-	2	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	2	-	-	-	-	1	-	-	-	-	-	1	-
Anemias (except splenic anemia)—75	1	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	4	-	-	-	2	-	-	-	1	1	-	-	-
Meningitis (not due to meningococcus)—81	3	-	1	1	-	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	5	-	-	-	-	-	1	1	-	-	1	1	1
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	13	2	1	1	-	-	1	-	2	3	2	1	-
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	1	-	-	-	-	1	1	-	-
Diseases of circulatory system—90-103	5	1	-	1	1	-	-	1	-	1	-	-	-
Pneumonia (all forms)—107-109	189	30	12	13	12	14	9	5	8	16	17	10	23
Other diseases of respiratory system—104-106,110-114	16	3	-	4	1	1	-	1	1	1	1	1	2
Diseases of buccal cavity, etc.*—115	2	-	-	1	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	2	-	-	-	1	-	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	105	5	6	2	3	3	3	4	19	26	24	6	4
Hernia—122a	2	-	1	-	-	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	11	-	-	-	2	-	3	1	1	2	1	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	6	1	-	-	1	-	-	-	1	-	1	1	1
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	115	8	7	7	14	9	11	9	15	8	3	15	9
Congenital debility—158	25	2	1	2	1	3	3	2	2	5	2	1	1
Premature birth—159	303	28	24	28	24	28	31	28	23	22	16	24	29
Injury at birth—160	117	12	7	12	8	9	14	9	7	6	8	9	16
Other diseases peculiar to first year—161	47	-	3	5	3	4	3	3	8	5	4	3	6
Accidental mechanical suffocation—182	13	3	2	1	-	-	-	1	1	2	1	2	-
Other violence or accident—166-181,183-195	21	-	-	-	3	-	1	1	1	3	4	4	4
Ill-defined and unknown causes—199,200	9	-	1	-	1	1	-	1	-	2	-	2	1
All other causes*	1	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT—All causes	888	94	78	80	62	54	74	74	72	62	84	79	77
Cerebrospinal (meningococcus) meningitis—6	2	-	1	-	-	-	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	8	1	-	-	-	-	2	1	-	1	1	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	1	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	6	1	1	-	-	-	-	-	1	1	2	-	-
Influenza—33	5	3	-	-	-	-	-	-	-	-	-	-	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	-	1	-	2	-	1	-	1	1	-	2	1
Rickets—70	3	-	1	-	1	-	-	-	-	-	-	-	1
Hemorrhagic conditions—72	1	-	-	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—75	1	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	3	2	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	1	-	-	-	-	1	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	3	1	-	-	1	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	76	11	17	7	6	4	5	3	3	5	7	5	7
Other diseases of respiratory system—104-106,110-114	11	3	1	2	1	-	-	1	-	2	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	1	-	1	-	-
Diarrhea, enteritis, etc.*—119	37	2	1	7	1	4	-	3	2	2	4	7	4
Hernia—122a	4	-	-	1	-	-	-	1	-	-	-	2	-
Intestinal obstruction—122b	5	-	1	-	-	-	1	1	2	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive system—116,121,123-128	4	1	-	-	-	-	1	2	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	1	1	-	-	-	-	-	-	-
Congenital malformations—157	160	11	12	13	10	15	14	13	18	13	16	12	13
Congenital debility—158	7	-	1	2	-	1	1	-	-	2	-	-	-
Premature birth—159	270	28	19	15	21	18	24	23	22	19	29	28	24
Injury at birth—160	135	16	14	12	9	6	14	15	10	6	14	11	8
Other diseases peculiar to first year—161	76	7	5	9	6	4	8	6	9	5	5	5	7
Accidental mechanical suffocation—182	17	6	-	3	1	-	-	1	-	2	1	2	1
Other violence or accident—166-181,183-195	18	-	-	3	1	-	1	1	1	4	2	1	4
Ill-defined and unknown causes—199,200	6	-	-	1	-	-	1	1	1	1	-	-	1
All other causes*	6	1	-	-	-	1	1	1	-	-	1	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—All causes	221	25	19	29	11	19	18	16	13	23	21	15	14
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	4	3	-	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	1	-	-	-	-	-	-	2	-	-	-
Influenza—33	8	4	1	1	-	-	-	-	-	-	-	1	1
Measles—35	1	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	2	-	-	-	-	-	1	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	1	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	27	4	4	4	3	2	1	1	-	1	2	2	3
Other diseases of respiratory system—104-106,110-114	3	-	-	1	2	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	1	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	28	-	1	3	-	2	1	-	6	6	4	2	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	1	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)—129	1	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	-	-	1	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	23	3	1	3	1	3	3	2	1	2	1	2	1
Congenital debility—158	4	1	-	1	-	-	-	-	-	1	-	1	-
Premature birth—159	63	5	3	5	2	6	8	9	4	8	5	5	3
Injury at birth—160	12	1	-	-	-	3	-	3	-	1	3	-	1
Other diseases peculiar to first year—161	17	1	3	2	-	1	2	1	1	1	3	1	1
Accidental mechanical suffocation—182	3	-	1	1	-	-	-	-	-	-	1	-	-
Other violence or accident—166-181,183-195	5	1	-	1	-	2	1	-	-	-	-	-	-
Ill-defined and unknown causes—199,200	1	1	-	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA—All causes	744	63	54	39	51	47	71	53	65	95	85	65	56
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	1	1	1	1	1	1	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	1	-	-	-	-	1	1	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	6	-	1	-	1	-	-	-	2	1	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	7	3	-	-	2	1	1	-	-	-	-	-	-
Influenza—33	10	5	1	-	-	-	-	-	-	1	1	1	1
Measles—35	1	-	-	-	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	-	1	-	-	2	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	1	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	1	1	-	1	-	-	-	-	1	-	2
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	4	1	-	-	-	-	1	-	-	-	-	2	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms)—107-109	75	8	5	15	10	4	3	6	4	3	5	6	6
Other diseases of respiratory system—104-106,110-114	7	1	1	-	-	2	-	-	1	-	1	-	1
Diseases of buccal cavity, etc.*—115	3	1	-	-	-	1	-	-	-	-	-	1	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	113	5	5	1	3	1	3	5	12	31	28	14	9
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	1	-	-	1	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	3	1	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations—157	59	3	6	2	7	2	7	4	3	4	12	7	2
Congenital debility—158	15	3	1	1	-	1	4	2	-	-	1	1	1
Premature birth—159	283	24	21	11	16	25	37	26	33	30	20	16	24
Injury at birth—160	71	1	5	4	4	4	10	3	5	7	10	11	7
Other diseases peculiar to first year—161	45	5	5	1	3	2	2	4	2	12	4	4	1
Accidental mechanical suffocation—182	11	-	1	1	2	-	-	-	3	1	2	-	1
Other violence or accident—166-181,183-195	6	1	-	1	-	1	-	1	-	2	-	-	-
Ill-defined and unknown causes—199,200	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	1,985	201	161	157	169	170	157	163	146	156	160	146	199
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	1	-	-	-	1	2	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	4	-	1	3	1	3	2	3	3	1	3	2
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	8	-	1	-	1	1	-	1	1	1	1	-	1
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	1	2	-	-	1	-	-	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	1	-	-	1	-	-
Septicemia and purulent infection—24	2	-	-	1	-	-	-	-	1	-	-	-	-
Dysentery—27	11	-	2	-	-	-	1	4	1	-	-	-	3
Malaria—28	4	-	-	-	2	-	-	-	-	-	2	-	-
Syphilis—30	58	3	5	8	5	8	1	4	5	4	5	2	8
Influenza—33	63	16	12	13	8	3	3	1	-	-	-	3	4
Measles—35	3	-	-	1	-	-	1	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	1	-	-	1	1	1	1	1	-	-	2	-
Diseases of thymus gland—64	11	-	1	1	-	-	1	1	1	3	-	1	2
Rickets—70	5	1	-	-	-	1	1	-	-	-	1	-	1
Hemorrhagic conditions—72	4	-	-	-	-	1	-	-	1	-	1	1	-
Anemias (except splenic anemia)—73	6	-	-	-	1	1	1	1	1	-	-	1	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	8	1	3	-	-	1	1	-	1	-	1	-	-
Intracranial lesions of vascular origin—83	2	1	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	12	-	1	-	2	3	3	-	-	-	1	1	1
Diseases of ear and mastoid process—89	3	-	2	-	-	-	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	-	1	-	-	-	2	1	-	-
Diseases of circulatory system—90-103	10	1	-	1	2	1	1	1	1	-	-	1	1
Pneumonia (all forms)—107-109	195	24	18	30	19	21	10	11	8	8	10	11	25
Other diseases of respiratory syntem—104-106,110-114	23	5	2	4	1	-	1	1	2	-	2	3	2
Diseases of buccal cavity, etc.*—115	7	-	1	1	-	2	-	-	2	-	1	-	-
Diseases of stomach—117,118	8	1	-	1	1	1	1	1	-	-	-	1	1
Diarrhea, enteritis, etc.*—119	164	9	4	8	12	25	19	22	13	12	11	10	19
Hernia—122a	3	-	-	1	-	-	-	-	-	-	2	-	-
Intestinal obstruction—122b	5	1	-	-	-	-	1	2	-	-	1	-	-
Peritonitis (cause not stated)—129	3	1	-	-	-	-	-	-	1	-	-	1	-
Other diseases, digestive system—116,121,123-128	3	-	-	-	-	1	2	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	8	-	1	1	2	1	-	-	-	3	-	-	-
Diseases of skin and cellular tissue—151-153	4	-	-	-	2	-	-	-	-	1	1	-	-
Congenital malformations—157	159	14	15	8	11	13	12	13	11	20	15	14	13
Congenital debility—158	52	10	5	2	3	3	2	7	1	7	6	2	4
Premature birth—159	607	57	42	44	48	42	48	58	49	48	57	54	60
Injury at birth—160	162	14	9	9	13	18	16	7	11	19	15	14	17
Other diseases peculiar to first year—161	99	8	8	3	12	4	7	15	10	8	8	5	11
Accidental mechanical suffocation—182	17	-	4	-	2	1	4	-	1	1	-	3	1
Other violence or accident—166-181,183-195	39	6	7	3	4	-	4	-	4	1	6	1	3
Ill-defined and unknown causes—199,200	157	21	18	14	12	11	9	8	12	12	10	12	18
All other causes*	8	1	-	-	-	2	2	1	1	-	-	-	1
GEORGIA—All causes	3,965	426	329	411	329	307	335	361	344	247	265	288	323
Cerebrospinal (meningococcus) meningitis—6	6	-	1	-	-	-	2	-	-	-	3	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	87	9	3	8	11	10	5	8	12	4	10.	4	3
Diphtheria (infection by C. diphtheriae)—10	10	2	2	2	-	-	-	-	1	-	-	2	1
Erysipelas—11	2	-	-	-	-	-	1	1	-	-	-	-	-
Tetanus—12	4	-	1	-	-	-	-	-	1	1	-	-	1
Tuberculosis of respiratory system, etc.*—13	5	-	-	3	-	-	1	-	-	-	-	1	-
Tuberculosis of meninges, etc.*—14	2	-	1	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	4	-	-	1	-	-	-	1	1	-	1	-	-
Septicemia and purulent infection—24	5	-	-	-	-	1	1	1	-	1	1	-	-
Dysentery—27	40	-	2	-	1	2	7	7	13	2	3	1	2
Malaria—28	6	-	-	-	-	-	2	1	-	2	1	-	-
Syphilis—30	56	6	4	8	4	3	2	6	7	8	5	1	2
Influenza—33	142	55	35	20	7	3	2	3	-	-	3	4	10
Measles—35	37	-	2	4	12	7	7	2	1	-	-	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	1	1	1	-	1	-	1	2	-	-	2	-
Diseases of thymus gland—64	19	1	2	4	2	1	1	3	1	1	1	1	1
Rickets—70	3	1	-	1	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	8	1	1	1	1	-	-	-	3	1	-	-	-
Anemias (except splenic anemia)—73	5	-	-	2	1	-	-	1	-	-	1	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	1	1	-	-	1	-	-
Meningitis (not due to meningococcus)—81	28	3	4	3	1	4	2	3	1	1	2	1	3
Intracranial lesions of vascular origin—83	2	-	-	1	-	-	-	-	-	1	-	-	-
Convulsions—86	32	3	2	2	6	4	3	3	-	2	1	3	3
Diseases of ear and mastoid process—89	9	-	1	1	2	1	1	-	-	-	-	1	2
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	1	-	-	1	-
Diseases of circulatory system—90-103	11	4	2	-	-	1	1	1	-	-	1	1	-
Pneumonia (all forms)—107-109	411	48	52	74	52	25	12	13	10	12	19	35	59
Other diseases of respiratory system—104-106,110-114	40	4	6	8	5	3	1	1	2	1	1	3	5
Diseases of buccal cavity, etc.*—115	7	1	-	1	1	1	-	-	-	3	-	-	-
Diseases of stomach—117,118	20	1	1	3	1	1	1	4	3	-	1	2	2
Diarrhea, enteritis, etc.*—119	368	10	5	12	12	30	63	94	70	28	18	12	14
Hernia—122a	4	-	-	-	2	-	-	-	1	-	-	-	1
Intestinal obstruction—122b	16	3	1	2	-	1	2	2	1	-	1	3	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	1	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	3	-	-	-	-	-	-	-	2	-	-	1	-
Diseases of skin and cellular tissue—151-153	12	2	-	3	-	-	1	1	1	1	-	2	1
Congenital malformations—157	222	22	16	18	15	20	12	21	28	16	23	21	12
Congenital debility—158	428	48	36	55	37	30	26	35	37	32	33	25	34
Premature birth—159	1,077	102	79	79	96	98	123	88	84	70	71	97	90
Injury at birth—160	228	16	21	22	20	13	21	18	20	16	18	22	19
Other diseases peculiar to first year—161	173	16	9	20	11	15	10	15	14	19	20	12	12
Accidental mechanical suffocation—182	56	12	8	8	3	7	1	1	2	4	1	4	5
Other violence or accident—166-181,183-195	55	11	8	7	4	5	3	2	1	3	8	4	1
Ill-defined and unknown causes—199,200	291	43	24	34	20	19	17	20	25	16	16	21	36
All other causes*	17	1	-	3	2	1	2	3	1	1	1	1	1

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IDAHO—All causes	417	47	28	62	32	33	34	29	29	24	42	20	37
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	2	1	2	1	3	2	2	1	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza—33	13	7	1	2	-	1	-	-	-	-	1	1	-
Measles—35	1	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	4	2	1	1	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	2	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	-	1	-	-	1	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	3	-	-	1	-	-	-	1	1	-	-	-	-
Intracranial lesions of vascular origin—83	3	-	-	-	-	1	-	-	-	-	1	1	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	27	4	3	6	4	1	-	-	1	-	1	3	4
Other diseases of respiratory system—104-106,110-114	4	-	-	1	1	1	-	1	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.*—119	9	-	-	1	-	1	2	1	1	-	1	1	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	1	-	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	63	5	10	6	3	3	1	8	5	7	5	2	8
Congenital debility—158	9	-	-	3	-	1	1	1	-	1	2	-	-
Premature birth—159	138	19	8	20	11	8	14	7	10	8	17	6	10
Injury at birth—160	62	2	1	10	5	9	6	6	4	4	5	3	7
Other diseases peculiar to first year—161	22	1	2	4	1	1	2	1	4	1	2	-	3
Accidental mechanical suffocation—182	11	1	-	2	1	1	-	-	-	-	2	1	3
Other violence or accident—166-181,183-195	8	2	-	1	1	-	2	1	-	1	-	-	-
Ill-defined and unknown causes—199,200	7	-	-	1	1	1	2	-	-	1	-	-	1
All other causes*—	2	-	1	-	-	-	-	-	-	-	1	-	-
ILLINOIS—All causes	4,661	449	379	405	354	356	348	394	399	383	399	420	375
Cerebrospinal (meningococcus) meningitis—6	5	-	1	1	1	-	-	-	1	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	60	7	5	5	1	3	3	5	11	7	-	9	4
Diphtheria (infection by C. diphtheriae)—10	4	1	1	-	-	-	-	1	-	-	-	1	-
Erysipelas—11	1	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	7	2	-	1	1	1	-	-	-	-	1	1	-
Tuberculosis of meninges, etc.*—14	4	1	-	-	-	1	1	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	12	-	2	1	-	-	-	2	1	1	1	1	3
Septicemia and purulent infection—24	3	-	-	-	-	-	-	1	-	-	1	1	-
Dysentery—27	11	-	-	-	-	-	1	3	3	3	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	17	-	5	3	4	2	-	-	1	1	1	-	-
Influenza—33	59	22	14	9	1	1	1	-	-	-	5	3	3
Measles—35	10	1	-	2	3	3	-	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	-	1	-	-	1	-	1	-	1	-	1	1
Diseases of thymus gland—64	51	5	5	8	5	3	2	3	1	2	5	5	7
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	6	1	-	-	-	-	1	-	2	-	2	-	-
Anemias (except splenic anemia)—73	5	2	-	-	-	-	-	-	1	2	-	-	-
Encephalitis (nonepidemic)—80	8	-	2	2	-	-	-	1	-	-	1	1	1
Meningitis (not due to meningococcus)—81	31	3	6	2	3	5	1	1	2	2	1	1	4
Intracranial lesions of vascular origin—83	13	1	-	1	1	2	-	2	1	-	1	3	1
Convulsions—86	9	1	-	-	1	-	1	2	-	-	1	-	3
Diseases of ear and mastoid process—89	15	3	2	1	2	-	1	1	-	-	1	-	4
Other diseases, nervous system—82,84,85,87,88	7	1	-	-	1	1	-	-	-	-	1	-	3
Diseases of circulatory system—90-103	20	-	-	3	3	-	2	-	1	1	2	3	5
Pneumonia (all forms)—107-109	493	99	61	69	30	26	25	21	18	28	36	35	45
Other diseases of respiratory system—104-106,110-114	59	14	7	6	3	3	2	5	-	2	8	4	5
Diseases of buccal cavity, etc.*—115	8	2	1	2	-	-	1	-	1	-	-	1	-
Diseases of stomach—117,118	10	-	-	-	2	-	-	1	-	1	1	3	2
Diarrhea, enteritis, etc.*—119	231	17	7	9	9	15	21	30	26	33	41	15	8
Hernia—122a	8	-	1	3	-	1	-	-	1	-	-	-	2
Intestinal obstruction—122b	39	8	4	3	2	3	3	3	4	3	3	5	-
Peritonitis (cause not stated)—129	2	-	1	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	7	-	2	1	-	-	-	-	1	-	3	-	-
Diseases, genito-urinary system—130,131,133-139	17	2	-	3	-	4	1	2	-	3	1	-	1
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	-	1	1	-	-	1	-	-
Congenital malformations—157	766	64	72	57	52	54	78	68	65	55	58	87	56
Congenital debility—158	25	1	2	2	1	1	1	3	3	5	2	2	2
Premature birth—159	1,456	106	98	121	129	134	110	157	144	124	120	118	115
Injury at birth—160	692	41	46	42	61	58	50	66	63	66	61	80	58
Other diseases peculiar to first year—161	318	28	15	33	23	26	32	26	33	27	23	22	30
Accidental mechanical suffocation—182	58	8	7	8	3	4	2	-	5	6	5	7	3
Other violence or accident—166-181,183-195	54	3	5	4	7	2	6	5	9	3	5	2	3
Ill-defined and unknown causes—199,200	20	4	3	2	2	-	1	-	-	2	-	4	2
All other causes*—	30	3	2	1	2	2	-	2	1	4	5	5	3

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—All causes	2,615	292	190	238	187	187	170	209	222	231	235	231	223
Cerebrospinal (meningococcus) meningitis—6	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	3	-	-	-	2	1	-	-	-	-	-	-	-
Whooping cough—9	31	3	-	7	4	2	2	2	3	2	3	2	1
Diphtheria (infection by C. diphtheriae)—10	2	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	-	-	1	1
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	7	-	2	1	1	-	2	-	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	11	2	1	3	-	-	1	1	2	-	-	-	1
Tuberculosis (other forms)—15-22	4	1	1	-	-	-	-	-	-	2	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	1	1	-	-	-	-	1	-
Dysentery—27	16	-	-	-	1	-	-	3	3	4	4	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	16	1	1	2	-	-	1	-	-	1	3	2	5
Influenza—33	74	37	9	8	3	2	-	2	-	-	3	4	6
Measles—35	12	-	1	-	5	3	3	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	1	-	-	1	-	-	-	-	2	1	-	-
Diseases of thymus gland—64	18	2	1	1	2	1	-	-	3	1	1	2	4
Rickets—70	4	-	-	-	1	-	-	-	-	-	1	1	1
Hemorrhagic conditions—72	3	-	1	1	-	-	-	-	-	-	-	-	1
Anemias (except splenic anemia)—73	6	2	-	-	1	-	-	1	1	-	-	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	24	4	2	2	3	2	1	2	-	3	1	2	2
Intracranial lesions of vascular origin—83	4	1	1	-	-	1	-	1	-	-	-	-	-
Convulsions—86	7	1	1	1	-	-	-	1	-	-	1	-	2
Diseases of ear and mastoid process—89	15	4	2	-	3	2	-	-	-	1	-	1	2
Other diseases, nervous system—82,84,85,87,88	3	-	1	-	-	-	-	-	-	1	-	-	1
Diseases of circulatory system—90-103	13	2	1	3	2	1	-	2	1	-	1	-	-
Pneumonia (all forms)—107-109	347	82	16	42	26	30	9	17	10	23	32	33	27
Other diseases of respiratory system—104-106,110-114	24	2	4	3	1	-	-	1	1	-	5	4	3
Diseases of buccal cavity, etc.*—115	3	-	-	-	1	-	-	-	-	1	-	-	1
Diseases of stomach—117,118	5	-	2	-	-	-	-	1	2	-	-	-	-
Diarrhea, enteritis, etc.*—119	195	3	4	7	5	8	5	31	25	44	37	17	9
Hernia—122a	3	-	-	1	-	-	-	1	-	1	-	-	-
Intestinal obstruction—122b	22	1	-	2	3	2	3	3	3	5	-	-	-
Peritonitis (cause not stated)—129	4	1	1	-	-	1	1	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	-	-	-	1	-	-	1
Diseases, genito-urinary system—130,131,133-139	7	-	-	-	-	-	1	2	-	1	-	2	1
Diseases of skin and cellular tissue—151-153	3	-	-	1	1	-	-	-	-	1	-	-	-
Congenital malformations—157	361	31	23	24	29	31	25	27	35	22	31	46	37
Congenital debility—158	52	2	5	6	1	4	3	3	7	2	10	6	3
Premature birth—159	735	52	56	72	55	53	73	66	70	66	59	55	53
Injury at birth—160	294	36	24	21	17	16	23	23	32	22	20	25	35
Other diseases peculiar to first year—161	187	15	22	23	12	18	14	10	20	15	9	19	10
Accidental mechanical suffocation—182	35	1	4	2	4	3	-	4	1	3	10	2	1
Other violence or accident—166-181,183-195	31	3	4	2	2	3	-	2	3	2	1	4	5
Ill-defined and unknown causes—199,200	5	-	-	1	-	-	2	1	-	-	-	-	1
All other causes*—	15	1	-	-	1	2	-	2	-	4	1	2	2
IOWA—All causes	1,676	191	140	137	145	129	125	132	117	136	148	122	154
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	25	-	-	1	4	3	3	4	1	5	4	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	2	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	4	-	-	1	1	-	-	1	-	-	-	-	1
Dysentery—27	4	-	-	-	-	-	-	-	-	2	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	1	1	1	-	-	1	-	-	-	-	-
Influenza—33	44	20	8	2	3	1	-	2	-	-	2	2	4
Measles—35	5	1	-	-	1	-	2	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	1	-	-	1	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	19	2	1	1	2	4	-	-	3	2	1	1	2
Rickets—70	1	-	1	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	5	-	1	-	-	-	1	2	1	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	2	-	-	-	-	1	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	2	1	-	-	-	-	-	-	-	2	1	-
Intracranial lesions of vascular origin—83	5	1	-	-	-	-	-	-	-	-	2	1	1
Convulsions—86	1	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	12	1	1	1	-	2	-	-	1	1	2	2	1
Other diseases, nervous system—82,84,85,87,88	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	10	4	1	-	2	-	-	-	-	-	-	3	-
Pneumonia (all forms)—107-109	174	47	26	18	9	10	7	5	6	4	17	11	14
Other diseases of respiratory system—104-106,110-114	10	1	4	1	-	-	-	-	-	1	1	1	1
Diseases of buccal cavity, etc.*—115	5	2	-	-	1	1	-	-	-	-	-	1	-
Diseases of stomach—117,118	3	1	-	-	-	1	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	48	4	1	2	3	4	5	4	5	3	6	4	7
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	18	-	1	2	5	1	2	-	1	1	1	1	3
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive system—116,121,123-128	3	1	-	-	1	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	2	-	1	-	-	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue—151-153	3	-	-	-	1	-	-	-	-	-	1	-	1
Congenital malformations—157	279	25	23	23	19	26	22	29	26	19	18	24	25
Congenital debility—158	19	3	1	3	-	-	-	1	-	4	5	1	3
Premature birth—159	568	38	41	49	57	49	40	46	39	61	50	45	53
Injury at birth—160	242	30	17	20	17	15	25	21	17	18	27	14	21
Other diseases peculiar to first year—161	82	6	6	7	11	5	7	10	8	10	4	4	4
Accidental mechanical suffocation—182	14	-	2	4	-	3	-	-	2	2	-	1	-
Other violence or accident—166-181,183-195	27	-	1	-	3	3	4	4	3	2	3	1	3
Ill-defined and unknown causes—199,200	13	-	1	-	1	-	3	-	-	1	2	1	4
All other causes*—	6	1	-	-	-	-	1	-	2	-	-	1	1

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	1,145	129	104	107	93	103	90	96	94	69	85	91	84
Cerebrospinal (meningococcus) meningitis—6	2	-	-	1	-	-	-	1	-	-	-	-	-
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	48	3	4	8	4	4	7	3	7	3	-	1	4
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	2	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	1
Dysentery—27	2	-	-	-	-	-	-	1	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	-	-	-	-	2	1	-	-	-
Influenza—33	46	22	8	8	1	-	-	-	-	-	-	4	3
Measles—35	7	-	1	1	3	1	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	1	-	-	-	-	-	2	-
Diseases of thymus gland—64	18	3	1	-	-	3	1	4	2	1	-	2	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	1	-	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	5	-	-	-	1	-	1	2	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	4	-	1	-	1	2	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	5	-	-	1	1	1	-	-	1	-	-	-	1
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	1	1	-	-	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	6	1	-	-	-	1	-	-	1	2	1	-	-
Pneumonia (all forms)—107-109	124	26	24	12	10	6	4	8	2	6	8	11	7
Other diseases of respiratory system—104-106,110-114	7	2	2	-	1	-	-	-	1	-	-	-	1
Diseases of buccal cavity, etc.*—115	5	-	1	-	-	-	1	1	1	-	-	-	1
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	1	1	-	-	-
Diarrhea, enteritis, etc.*—119	54	3	4	2	4	4	3	6	6	5	7	7	3
Hernia—122a	2	-	-	1	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	7	-	-	1	1	2	-	1	1	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,125-128	2	-	-	-	-	1	-	-	-	-	-	1	-
Diseases, genito-urinary system—130,131,133-139	5	-	-	3	-	-	1	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	159	17	12	19	13	14	12	14	13	8	17	11	9
Congenital debility—158	13	2	2	1	-	-	1	2	2	1	-	1	1
Premature birth—159	360	32	19	31	34	46	38	25	30	18	32	21	34
Injury at birth—160	141	8	12	11	11	9	13	12	13	9	12	18	13
Other diseases peculiar to first year—161	63	6	8	5	6	5	5	6	3	6	6	4	3
Accidental mechanical suffocation—162	8	1	1	-	1	-	-	3	-	-	-	2	-
Other violence or accident—166-181,183-195	12	-	2	1	-	-	1	2	1	2	1	-	2
Ill-defined and unknown causes—199,200	14	1	-	-	-	2	-	4	1	2	-	4	-
All other causes*	5	-	1	-	-	1	-	-	1	1	1	-	-
KENTUCKY—All causes	3,738	419	312	380	282	243	270	374	332	294	307	262	263
Cerebrospinal (meningococcus) meningitis—6	5	-	1	-	-	-	-	-	1	-	-	1	2
Scarlet fever—8	3	-	1	2	-	-	-	-	-	-	-	-	-
Whooping cough—9	148	21	13	16	9	13	12	17	8	8	11	15	5
Diphtheria (infection by C. diphtheriae)—10	7	-	-	1	-	1	-	-	-	-	3	2	-
Erysipelas—11	4	-	-	-	2	1	-	-	-	-	-	-	1
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	16	-	-	-	2	2	2	3	3	2	1	1	-
Tuberculosis of meninges, etc.*—14	10	2	-	1	-	5	-	-	-	-	-	1	1
Tuberculosis (other forms)—15-22	3	-	-	1	-	-	-	-	2	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	115	-	-	3	1	1	9	30	33	19	17	2	-
Malaria—28	2	-	-	-	-	-	1	-	1	-	-	-	-
Syphilis—30	40	4	2	6	2	1	3	4	1	5	5	3	4
Influenza—33	133	60	32	19	2	3	1	1	1	-	2	2	10
Measles—35	48	2	3	13	9	8	3	3	1	4	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	16	-	-	2	3	1	-	1	-	1	5	3	-
Diseases of thymus gland—64	6	-	-	-	1	1	1	-	-	1	1	-	1
Rickets—70	4	-	-	-	-	1	-	-	1	-	1	-	1
Hemorrhagic conditions—72	6	-	-	4	-	-	-	-	-	-	1	-	1
Anemias (except splenic anemia)—73	2	-	-	1	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	5	-	2	-	-	-	1	-	-	-	-	-	2
Meningitis (not due to meningococcus)—81	18	3	-	1	1	1	-	2	2	2	3	2	1
Intracranial lesions of vascular origin—83	7	-	1	-	-	-	1	1	1	-	1	1	1
Convulsions—86	12	2	3	1	1	1	1	-	1	2	-	-	-
Diseases of ear and mastoid process—89	7	1	-	2	1	-	1	-	-	1	-	-	1
Other diseases, nervous system—82,84,85,87,88	2	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	25	4	4	4	2	2	-	1	1	4	2	-	1
Pneumonia (all forms)—107-109	523	112	76	84	44	21	18	21	15	25	30	35	44
Other diseases of respiratory system—104-106,110-114	29	3	4	7	7	1	1	1	-	-	2	2	1
Diseases of buccal cavity, etc.*—115	7	1	1	2	2	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	15	-	2	-	1	-	2	-	3	2	1	1	3
Diarrhea, enteritis, etc.*—119	459	9	9	9	5	17	44	107	99	69	58	20	13
Hernia—122a	2	-	1	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	2	2	-	1	-	2	2	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,125-128	7	1	-	-	-	-	-	1	1	1	2	1	-
Diseases, genito-urinary system—130,131,133-139	8	1	-	1	1	-	-	-	1	-	1	1	2
Diseases of skin and cellular tissue—151-153	13	2	1	2	3	-	-	1	-	1	-	2	1
Congenital malformations—157	272	15	16	27	21	26	22	30	19	23	20	22	31
Congenital debility—158	218	19	20	19	22	13	18	19	20	19	17	14	18
Premature birth—159	940	110	69	97	79	83	76	80	63	58	74	78	74
Injury at birth—160	285	26	19	25	23	25	26	26	25	26	21	22	19
Other diseases peculiar to first year—161	162	9	14	15	23	6	14	12	17	12	17	15	8
Accidental mechanical suffocation—162	60	6	7	10	5	1	8	3	4	2	2	6	6
Other violence or accident—166-181,183-195	33	1	5	-	5	3	1	2	3	1	4	4	4
Ill-defined and unknown causes—199,200	32	3	3	2	3	1	4	3	4	3	1	1	4
All other causes*	20	2	2	-	2	2	-	3	1	2	1	4	1

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA—All causes	3,157	347	310	268	241	210	233	251	287	237	256	263	254
Cerebrospinal (meningococcus) meningitis—6	5	1	-	-	-	1	-	1	1	-	-	-	1
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	33	3	5	3	2	3	4	3	2	2	3	1	2
Diphtheria (infection by C. diphtheriae)—10	3	1	-	-	-	-	-	-	-	1	-	-	1
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1
Tetanus—12	17	2	1	-	1	1	2	3	1	1	-	3	2
Tuberculosis of respiratory system, etc.*—13	6	1	-	-	-	-	1	2	-	-	1	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	5	-	-	-	1	2	-	-	1	1	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	-	1	1	-	2	-	-	-
Dysentery—27	12	-	-	-	-	-	1	3	-	1	2	3	2
Malaria—28	5	-	-	-	-	1	-	2	1	1	-	-	-
Syphilis—30	90	7	5	7	6	5	5	12	8	9	9	7	10
Influenza—33	169	67	41	20	15	7	2	5	-	-	2	5	5
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	2	-	-	1	-
Diseases of thymus gland—64	22	3	2	-	1	1	2	-	3	2	4	3	1
Rickets—70	4	-	-	-	-	1	1	-	-	1	-	-	1
Hemorrhagic conditions—72	5	1	-	-	-	-	2	-	1	-	-	1	-
Anemias (except splenic anemia)—73	2	1	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	1	1	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	18	3	1	3	1	2	-	3	-	1	1	2	1
Intracranial lesions of vascular origin—83	5	-	-	-	1	1	-	1	-	-	-	2	-
Convulsions—86	7	-	-	-	1	-	-	-	3	-	-	3	-
Diseases of ear and mastoid process—89	13	1	2	2	1	1	1	2	2	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	-	2	1	2	-	-	-	1	1	-	2	-
Pneumonia (all forms)—107-109	516	57	85	66	41	22	13	24	35	27	43	47	56
Other diseases of respiratory system—104-106,110-114	41	7	3	1	3	2	2	2	4	-	8	4	5
Diseases of buccal cavity, etc.*—115	5	-	-	-	1	-	-	3	-	-	1	-	-
Diseases of stomach—117,118	14	-	-	5	-	-	1	-	1	3	2	1	1
Diarrhea, enteritis, etc.*—119	200	14	7	16	17	16	31	21	28	10	14	17	9
Hernia—122a	3	-	-	-	-	1	1	1	-	-	-	-	-
Intestinal obstruction—122b	21	4	1	1	3	-	3	3	1	1	-	2	2
Peritonitis (cause not stated)—129	4	1	-	-	-	1	-	-	1	1	-	-	-
Other diseases, digestive system—116,121,123-128	10	-	-	2	-	2	1	-	1	-	1	1	2
Diseases, genito-urinary system—130,131,133-139	17	2	2	1	1	1	2	2	1	3	1	1	-
Diseases of skin and cellular tissue—151-153	11	-	1	1	-	1	1	1	-	3	1	2	-
Congenital malformations—157	177	14	17	14	15	18	16	12	18	13	13	12	15
Congenital debility—158	75	4	7	6	5	9	12	5	7	11	-	3	6
Premature birth—159	961	85	68	65	76	66	87	76	97	91	97	80	75
Injury at birth—160	263	16	22	19	18	17	23	24	29	25	27	27	16
Other diseases peculiar to first year—161	178	27	15	13	9	18	8	15	21	13	12	14	13
Accidental mechanical suffocation—182	29	5	4	4	6	-	1	1	1	1	1	4	1
Other violence or accident—166-181,183-195	44	6	3	2	4	3	1	4	5	3	4	3	6
Ill-defined and unknown causes—199,200	118	12	12	13	7	7	6	13	11	6	6	7	18
All other causes*	27	1	3	2	3	-	2	3	-	3	3	4	3
MAINE—All causes	818	87	62	84	74	69	59	50	57	53	65	83	75
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	1	-	-	2	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	2	1	2	-	1	1	-	1	1	-	3	2
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	1	-	-	-
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	-	-	-	1	-	-	-	2
Influenza—33	27	12	3	5	1	1	1	-	-	1	-	1	2
Measles—35	6	1	-	-	-	1	-	1	1	-	-	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	1	-	-	-	-	-	-	1	1
Diseases of thymus gland—64	17	4	1	2	-	-	3	1	2	-	2	1	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	-	-	1	-	-	1	-
Anemias (except splenic anemia)—73	3	-	-	-	1	-	-	1	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	1	-	1	-	-	-	-	-	1	2
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	1	-	-	-	-
Convulsions—86	6	1	-	1	-	-	1	-	1	-	1	1	-
Diseases of ear and mastoid process—89	6	-	-	-	2	2	-	1	1	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	1	-	-	1	-	-	-
Pneumonia (all forms)—107-109	88	21	10	13	6	6	2	2	1	1	6	11	9
Other diseases of respiratory system—104-106,110-114	14	-	3	1	1	-	2	-	-	-	3	2	2
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	6	1	-	1	-	1	-	1	-	-	1	1	-
Diarrhea, enteritis, etc.*—119	48	6	1	2	6	3	-	5	9	5	3	5	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	1	-	-	-	-	-	-	1	2	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	-	-	-	-	1	-	2	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	2	1	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	108	9	6	7	14	8	10	9	2	11	10	11	11
Congenital debility—158	32	2	1	4	1	2	4	2	3	2	4	5	2
Premature birth—159	220	14	18	20	23	20	23	18	25	11	8	22	18
Injury at birth—160	98	4	7	11	9	13	9	4	3	9	13	8	8
Other diseases peculiar to first year—161	49	6	7	7	3	5	1	2	2	2	8	3	3
Accidental mechanical suffocation—182	11	-	1	1	2	-	-	-	-	2	1	2	2
Other violence or accident—166-181,183-195	13	1	-	4	1	-	1	1	-	1	1	1	2
Ill-defined and unknown causes—199,200	9	-	2	-	1	2	-	-	-	-	-	-	4
All other causes*	8	1	-	2	1	-	-	-	1	2	1	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—All causes	1,927	158	144	153	157	132	123	161	145	174	221	194	165
Cerebrospinal (meningococcus) meningitis—6	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	50	2	4	7	8	6	2	8	1	2	3	3	4
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	-	-	-	1	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	11	1	2	-	-	-	3	2	-	1	1	1	-
Tuberculosis of meninges, etc.*—14	4	-	-	1	1	1	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery—27	28	1	1	-	2	-	1	2	3	8	6	4	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	16	1	1	1	3	1	-	2	-	1	2	1	3
Influenza—33	29	5	4	4	6	-	2	-	-	1	3	1	3
Measles—35	5	-	-	-	4	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	1	-	-	-	-	-	-	-	2	1
Diseases of thymus gland—64	22	6	2	3	-	3	2	2	1	-	-	-	3
Rickets—70	5	-	-	-	1	1	-	-	-	2	-	1	-
Hemorrhagic conditions—72	2	-	-	-	-	-	-	-	-	-	2	-	-
Anemias (except splenic anemia)—73	5	-	1	-	-	-	-	-	-	-	1	1	2
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	14	3	1	-	-	-	-	-	1	2	3	2	2
Intracranial lesions of vascular origin—83	5	-	-	-	-	1	2	-	1	-	-	1	-
Convulsions—86	3	-	1	-	1	-	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	11	2	3	1	1	-	1	-	-	-	1	1	1
Other diseases, nervous system—82,84,85,87,88	6	1	-	-	3	-	-	-	2	-	-	-	-
Diseases of circulatory system—90-103	6	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms)—107-109	232	34	26	27	24	19	11	11	5	12	25	13	25
Other diseases of respiratory system—104-106,110-114	18	-	2	4	2	2	-	1	2	2	1	-	2
Diseases of buccal cavity, etc.*—115	6	-	1	-	2	-	-	-	-	-	-	1	2
Diseases of stomach—117,118	3	1	-	-	-	-	-	-	-	1	-	1	-
Diarrhea, enteritis, etc.*—119	315	7	14	11	4	6	7	18	44	59	91	43	20
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	17	1	2	-	1	1	2	4	2	-	3	-	1
Peritonitis (cause not stated)—129	3	1	-	-	-	1	-	-	-	-	-	1	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	1	1
Diseases, genito-urinary system—130,131,133-139	5	-	1	1	-	-	1	-	1	-	-	1	-
Diseases of skin and cellular tissue—151-153	4	-	-	1	-	-	1	2	-	-	-	-	-
Congenital malformations—157	188	16	12	16	18	11	13	14	14	18	13	22	21
Congenital debility—158	26	2	2	6	1	-	2	4	-	1	3	3	2
Premature birth—159	551	41	31	39	51	54	45	53	50	53	39	54	41
Injury at birth—160	149	14	19	11	11	16	17	14	8	9	9	15	6
Other diseases peculiar to first year—161	106	7	8	5	6	5	9	20	3	10	5	10	18
Accidental mechanical suffocation—182	19	2	-	6	2	1	-	1	1	1	-	1	4
Other violence or accident—166-181,183-195	33	4	2	4	2	1	2	1	4	-	6	6	1
Ill-defined and unknown causes—199,200	6	-	2	2	1	-	-	-	-	-	1	-	-
All other causes*	10	2	1	1	1	1	-	-	-	-	1	3	-
MASSACHUSETTS—All causes	2,464	252	215	220	213	198	191	221	183	192	203	174	202
Cerebrospinal (meningococcus) meningitis—6	7	-	1	-	2	2	-	-	2	-	-	-	-
Scarlet fever—8	2	-	-	-	1	-	-	-	1	-	-	-	-
Whooping cough—9	28	2	1	4	2	2	2	4	4	3	2	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	1	-	-	-	-	2	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	1	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	6	-	-	-	3	-	2	-	-	-	-	-	1
Dysentery—27	4	-	-	-	-	2	-	-	2	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	1	-	1	-	1	-	1	-	-	-
Influenza—33	21	12	3	1	1	-	-	1	-	-	-	-	3
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	1	-	-	-	-	-	-	1
Diseases of thymus gland—64	25	2	1	2	2	2	3	3	1	3	3	2	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	-	-	1	1	1	-	-	-	-
Anemias (except splenic anemia)—73	4	-	1	-	-	-	-	-	-	1	1	-	1
Encephalitis (nonepidemic)—80	2	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	21	3	2	4	1	2	-	1	2	-	1	2	3
Intracranial lesions of vascular origin—83	10	-	1	2	-	1	1	2	-	-	1	1	1
Convulsions—86	6	1	1	1	-	1	-	-	-	1	-	-	1
Diseases of ear and mastoid process—89	11	3	1	-	2	1	1	1	1	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	6	-	-	1	1	-	-	-	-	1	-	2	1
Diseases of circulatory system—90-103	7	2	1	1	1	-	1	-	-	-	-	-	1
Pneumonia (all forms)—107-109	265	49	26	42	31	20	11	8	9	14	13	22	20
Other diseases of respiratory system—104-106,110-114	45	8	6	7	4	5	1	3	-	-	3	2	6
Diseases of buccal cavity, etc.*—115	7	1	-	-	-	-	1	-	-	-	1	1	3
Diseases of stomach—117,118	3	-	1	1	-	-	-	1	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	166	17	13	10	17	14	19	24	12	17	13	4	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	13	2	-	2	1	2	1	-	1	-	3	1	-
Peritonitis (cause not stated)—129	3	-	-	-	1	1	-	-	-	-	-	1	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	11	2	2	1	-	1	1	-	-	1	-	2	1
Diseases of skin and cellular tissue—151-153	5	1	-	-	1	-	1	-	1	1	-	-	-
Congenital malformations—157	407	33	37	31	27	38	27	46	42	36	31	25	34
Congenital debility—158	31	2	3	4	1	4	4	2	2	1	3	1	4
Premature birth—159	797	61	68	72	76	59	73	64	63	66	79	59	57
Injury at birth—160	273	35	28	16	18	17	24	23	18	24	25	23	22
Other diseases peculiar to first year—161	184	12	13	11	15	19	12	27	18	15	14	14	14
Accidental mechanical suffocation—182	27	1	-	4	-	-	2	1	1	2	4	6	6
Other violence or accident—166-181,183-195	35	1	2	2	2	2	3	5	2	3	3	3	7
Ill-defined and unknown causes—199,200	8	-	-	-	1	1	-	2	-	-	-	1	3
All other causes*	7	1	1	-	1	-	-	-	-	-	2	-	2

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	4,161	377	347	350	321	323	328	318	345	367	391	350	344
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	1	-	-	1	-	1	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	69	2	6	5	9	10	4	2	10	7	2	7	5
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	1	-	1	-	-	-	-	-	-	-	1	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	6	-	2	-	-	1	-	-	-	2	-	1	-
Tuberculosis of meninges, etc.*—14	2	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	5	1	-	1	-	1	-	-	-	2	-	-	-
Septicemia and purulent infection—24	10	1	1	-	-	-	3	1	2	-	1	1	-
Dysentery—27	28	1	1	2	-	-	3	1	5	15	2	1	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	14	3	1	3	3	-	1	1	-	1	-	-	1
Influenza—33	56	20	11	3	4	1	-	-	2	3	5	3	4
Measles—35	19	3	2	6	5	-	2	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	2	1	-	2	1	-	-	-	-	2	-	-
Diseases of thymus gland—64	93	7	8	11	7	7	8	7	4	4	9	10	11
Rickets—70	3	-	-	-	1	2	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	-	-	2	-	1	-	1	-	1	1
Anemias (except splenic anemia)—73	10	-	-	1	2	-	1	-	1	1	3	-	1
Encephalitis (nonepidemic)—80	5	3	-	1	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	30	5	3	3	3	1	-	1	-	3	6	1	4
Intracranial lesions of vascular origin—83	9	-	-	-	1	2	-	1	2	-	3	-	-
Convulsions—86	12	-	3	-	2	2	-	2	1	-	1	-	1
Diseases of ear and mastoid process—89	28	3	4	3	4	2	3	-	2	3	2	1	1
Other diseases, nervous system—82,84,85,87,88	7	1	-	1	-	1	2	-	2	-	-	-	-
Diseases of circulatory system—90-103	12	1	2	1	1	1	-	1	1	-	-	3	1
Pneumonia (all forms)—107-109	498	75	61	49	46	39	28	19	28	36	42	46	31
Other diseases of respiratory system—104-106,110-114	56	6	8	11	5	2	2	1	3	2	7	4	5
Diseases of buccal cavity, etc.*—115	4	-	-	-	-	2	-	-	-	-	1	1	-
Diseases of stomach—117,118	3	-	2	-	-	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	247	10	13	15	12	12	10	11	31	47	60	14	12
Hernia—122a	10	-	-	-	1	3	-	1	1	1	1	2	-
Intestinal obstruction—122b	36	1	4	6	4	3	5	2	2	3	1	1	4
Peritonitis (cause not stated)—129	4	-	1	1	-	-	-	-	1	-	-	-	1
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	-	1	1	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	5	1	-	1	-	1	-	-	-	1	-	-	1
Diseases of skin and cellular tissue—151-153	6	-	-	-	-	1	-	-	2	-	1	1	1
Congenital malformations—157	579	36	37	39	37	39	42	49	58	58	56	64	64
Congenital debility—158	57	5	4	4	5	6	2	7	4	8	4	4	4
Premature birth—159	1,348	113	103	105	104	119	127	117	118	108	118	111	105
Injury at birth—160	423	36	34	36	35	26	48	47	33	28	29	28	43
Other diseases peculiar to first year—161	293	31	22	22	22	22	26	22	27	26	23	27	23
Accidental mechanical suffocation—182	54	4	7	6	2	4	2	8	1	2	3	8	7
Other violence or accident—166-181,183-195	55	2	2	7	3	7	7	7	3	5	1	5	6
Ill-defined and unknown causes—199,200	19	2	3	1	1	2	-	2	2	1	2	1	2
All other causes*—	23	1	1	4	-	-	2	4	1	1	4	2	3
MINNESOTA—All causes	1,874	211	170	176	156	143	139	148	151	140	144	159	157
Cerebrospinal (meningococcus) meningitis—6	3	1	-	1	-	-	1	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	1	2	2	3	3	6	1	-	2	2	3	1
Diphtheria (infection by C. diphtheriae)—10	1	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	1	-	-	2	1	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	1	-	-	-	-	-	1	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	1	1	-	-	-	-	-	1
Influenza—33	33	10	6	5	2	2	-	-	1	1	1	-	5
Measles—35	1	-	-	-	-	-	-	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	1	-	2	-	-	-	1	1
Diseases of thymus gland—64	11	1	-	1	1	1	1	1	2	-	-	2	1
Rickets—70	6	-	-	-	-	-	2	1	-	-	1	-	2
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	6	-	-	-	2	-	-	2	1	-	-	1	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	12	2	1	1	1	1	2	1	-	-	1	1	1
Intracranial lesions of vascular origin—83	6	-	2	-	1	-	1	-	-	-	-	2	-
Convulsions—86	6	1	-	2	-	-	1	1	-	-	-	1	-
Diseases of ear and mastoid process—89	2	-	-	-	1	-	-	-	-	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	1	-	-	-	-	-	1	1	1
Diseases of circulatory system—90-103	5	-	1	1	1	-	-	-	-	-	1	-	1
Pneumonia (all forms)—107-109	185	42	30	19	16	8	7	5	8	6	12	17	15
Other diseases of respiratory system—104-106,110-114	18	3	3	5	-	-	2	-	-	1	2	1	1
Diseases of buccal cavity, etc.*—115	7	1	-	2	1	-	-	1	-	-	-	-	2
Diseases of stomach—117,118	3	-	-	1	-	-	-	-	-	-	1	-	1
Diarrhea, enteritis, etc.*—119	61	8	3	2	6	5	5	3	7	9	4	4	5
Hernia—122a	3	1	-	-	-	1	-	-	-	-	-	1	-
Intestinal obstruction—122b	19	2	2	1	3	3	1	1	1	1	1	-	3
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases, digestive system—116,121,123-128	3	2	-	-	-	-	-	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	8	-	-	3	1	2	-	-	1	-	-	-	1
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	-	1	-	-	1	-	-	1
Congenital malformations—157	313	31	23	29	23	30	26	22	35	25	15	36	20
Congenital debility—158	16	2	1	2	2	1	1	1	1	1	2	1	1
Premature birth—159	650	62	55	56	35	49	60	71	53	53	53	46	57
Injury at birth—160	253	19	21	22	24	16	15	20	28	22	28	21	17
Other diseases peculiar to first year—161	107	9	15	9	6	11	4	5	9	13	11	10	5
Accidental mechanical suffocation—182	26	5	1	2	-	4	-	2	1	-	2	3	6
Other violence or accident—166-181,183-195	31	2	1	5	2	1	2	3	1	2	4	3	5
Ill-defined and unknown causes—199,200	20	2	1	4	1	1	-	4	-	2	3	-	2
All other causes*—	8	1	1	1	1	1	-	1	-	1	-	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI—All causes	3,016	328	299	322	254	280	212	219	241	191	209	230	251
Cerebrospinal (meningococcus) meningitis—6	8	-	-	5	1	-	-	1	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	90	9	7	8	15	9	6	4	9	6	6	5	6
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1
Tetanus—12	2	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	2	-	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	1	-	-	1	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	1	-	-	-	-	1	-	2	-	-
Dysentery—27	51	1	-	-	1	6	5	16	10	5	4	2	1
Malaria—28	20	-	1	-	1	3	2	4	1	2	1	3	2
Syphilis—30	51	3	5	4	13	7	4	2	3	1	4	3	2
Influenza—33	190	58	47	31	9	11	2	2	-	1	4	8	17
Measles—35	22	-	1	3	5	3	4	2	1	1	-	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	-	-	1	-	3	-	1	1	-	-	-	-
Diseases of thymus gland—64	6	-	-	1	-	1	1	-	-	-	2	1	-
Rickets—70	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	8	2	-	2	-	1	-	-	2	1	-	-	-
Anemias (except splenic anemia)—73	6	1	-	-	-	1	-	1	1	1	1	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	12	2	1	1	2	2	-	-	-	1	1	-	2
Intracranial lesions of vascular origin—83	3	1	1	-	-	-	1	-	-	-	-	-	-
Convulsions—86	17	2	1	2	-	2	-	-	4	1	-	2	3
Diseases of ear and mastoid process—89	10	-	2	3	1	-	1	1	-	-	1	1	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	-	1	-	-	-	-	-	3	-
Diseases of circulatory system—90-103	8	3	2	1	-	-	-	1	-	-	1	-	-
Pneumonia (all forms)—107-109	262	37	35	37	27	19	6	8	17	8	15	24	29
Other diseases of respiratory system—104-106,110-114	21	1	6	4	1	1	1	1	-	-	1	2	3
Diseases of buccal cavity, etc.*—115	6	-	-	1	-	1	-	-	2	-	-	1	1
Diseases of stomach—117,118	9	2	-	-	1	3	2	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	195	7	4	10	9	10	36	36	31	14	21	15	4
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	16	3	1	1	1	2	1	1	1	1	-	3	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	-	2	-	-	-	-	-	-	-	1	-
Diseases, genito-urinary system—130,131,133-139	6	1	-	-	1	-	-	2	-	-	1	-	1
Diseases of skin and cellular tissue—151-153	4	-	-	1	-	-	1	-	-	1	-	-	1
Congenital malformations—157	119	13	13	7	12	14	4	8	9	8	5	14	12
Congenital debility—158	83	6	4	8	3	7	4	9	11	7	11	2	11
Premature birth—159	696	55	54	62	63	74	58	56	48	60	57	59	50
Injury at birth—160	181	19	16	14	14	12	9	14	17	21	11	16	18
Other diseases peculiar to first year—161	73	7	2	9	7	7	6	5	8	6	5	5	8
Accidental mechanical suffocation—182	22	3	2	3	-	-	5	1	1	1	1	2	3
Other violence or accident—166-181,183-195	40	2	3	5	3	7	4	3	3	2	1	2	5
Ill-defined and unknown causes—199,200	739	87	90	94	63	50	47	38	60	41	49	55	65
All other causes*	15	2	1	-	1	2	1	1	1	1	2	2	1
MISSOURI—All causes	3,019	334	281	280	222	218	254	272	212	229	254	241	224
Cerebrospinal (meningococcus) meningitis—6	3	-	1	1	-	-	-	-	-	-	-	-	1
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	114	15	7	16	8	12	13	18	6	7	5	3	4
Diphtheria (infection by C. diphtheriae)—10	4	-	2	1	-	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	3	-	-	-	-	1	-	-	1	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	12	1	2	1	1	4	-	2	-	1	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	2	-	-	-	-	-	-	-	-	2	-
Tuberculosis (other forms)—15-22	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	9	-	1	-	-	1	-	2	1	-	2	1	1
Dysentery—27	30	-	1	1	1	-	8	5	1	8	3	1	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	28	3	2	3	1	1	2	3	2	3	2	5	1
Influenza—33	128	58	23	26	5	1	-	1	-	-	1	5	8
Measles—35	24	1	-	6	7	5	3	-	-	-	2	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	1	1	1	-	-	1	-	-	-	2	-	-
Diseases of thymus gland—64	39	2	2	4	1	5	2	4	2	4	2	7	4
Rickets—70	2	-	-	-	-	-	-	-	-	2	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	1	-	-	-	-	-	1
Anemias (except splenic anemia)—73	3	-	-	1	-	-	-	-	2	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	1	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	12	1	-	2	2	-	2	2	-	-	1	-	2
Intracranial lesions of vascular origin—83	3	-	-	-	1	-	1	-	-	-	-	1	-
Convulsions—86	8	2	-	1	2	-	1	-	-	-	-	-	2
Diseases of ear and mastoid process—89	6	2	-	1	1	-	-	1	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of circulatory system—90-103	17	-	-	5	2	-	1	1	3	1	2	1	1
Pneumonia (all forms)—107-109	409	86	58	52	43	19	10	17	13	22	21	31	37
Other diseases of respiratory system—104-106,110-114	19	2	3	2	2	1	2	1	-	2	-	2	2
Diseases of buccal cavity, etc.*—115	5	-	1	2	-	1	-	-	1	-	-	-	-
Diseases of stomach—117,118	9	-	-	-	2	-	-	-	1	3	1	-	2
Diarrhea, enteritis, etc.*—119	253	4	8	10	4	6	37	40	29	33	49	25	8
Hernia—122a	6	1	2	-	-	-	1	-	-	1	-	1	-
Intestinal obstruction—122b	15	1	2	-	2	2	1	3	2	1	1	-	-
Peritonitis (cause not stated)—129	2	1	-	-	-	-	-	-	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	5	-	2	1	-	-	1	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	11	-	1	4	-	-	1	-	4	-	-	-	1
Diseases of skin and cellular tissue—151-153	4	1	-	-	-	-	1	1	1	-	-	-	-
Congenital malformations—157	316	26	24	24	25	29	27	25	28	26	28	25	29
Congenital debility—158	61	6	2	3	3	3	5	8	3	7	9	6	6
Premature birth—159	862	74	71	61	65	79	89	79	63	63	78	72	68
Injury at birth—160	295	25	28	29	24	22	27	32	22	21	18	26	21
Other diseases peculiar to first year—161	168	11	17	9	9	16	10	14	16	20	15	10	19
Accidental mechanical suffocation—182	23	2	3	6	-	1	1	1	3	-	1	5	-
Other violence or accident—166-181,183-195	41	-	9	1	4	3	1	5	3	2	6	7	-
Ill-defined and unknown causes—199,200	36	4	4	5	5	2	2	4	-	2	3	4	1
All other causes*	18	3	-	1	2	2	2	2	2	-	2	1	1

*Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 32

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—All causes	458	51	37	39	28	42	35	35	38	34	35	29	35
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	4	-	-	-	-	2	-	1	-	-	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	1	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	18	9	1	3	2	1	1	-	1	-	-	-	-
Measles—35	1	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	1	-	1	-	-	-	-	-	1
Diseases of thymus gland—64	2	-	-	-	-	1	-	-	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	1	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	1	-	-	-	1	-	-	-	-	1
Diseases of ear and mastoid process—89	1	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	3	1	-	-	-	1	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	1	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	66	11	10	7	4	7	2	2	4	2	5	6	6
Other diseases of respiratory system—104-106,110-114	9	-	1	1	2	2	2	-	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	22	2	-	1	1	-	1	1	6	3	3	2	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	1	-	-	1	-	-	-	-	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	52	2	3	3	3	5	7	8	4	5	3	4	5
Congenital debility—158	10	1	1	1	2	1	1	1	-	1	-	-	1
Premature birth—159	126	12	8	12	4	12	14	13	14	8	14	8	7
Injury at birth—160	39	2	4	5	1	6	1	1	4	3	5	4	3
Other diseases peculiar to first year—161	30	3	3	2	3	-	2	3	2	6	2	2	2
Accidental mechanical suffocation—182	6	2	-	-	-	1	1	-	1	1	-	-	-
Other violence or accident—166-181,183-195	12	2	1	1	-	-	1	2	1	1	1	1	1
Ill-defined and unknown causes—199,200	10	-	3	-	1	1	-	1	-	2	1	-	1
All other causes*	6	1	1	-	1	2	-	-	-	-	1	-	-
NEBRASKA—All causes	759	88	77	76	45	62	56	85	62	43	58	54	55
Cerebrospinal (meningococcus) meningitis—6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	-	1	3	3	4	2	5	2	2	3	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	-	1	-	2
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza—33	21	11	6	-	1	-	-	-	-	-	1	2	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	1	-	-	-	-	-	-	1	-	1	-
Diseases of thymus gland—64	5	1	-	2	1	-	-	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	1	1	-	1	-	-	-
Meningitis (not due to meningococcus)—81	5	-	1	2	-	-	-	-	-	-	-	1	1
Intracranial lesions of vascular origin—83	2	-	1	1	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	1	-	1	1	-	-	-	-	1	-	-
Diseases of ear and mastoid process—89	2	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	7	1	2	-	-	-	1	1	-	1	1	-	-
Pneumonia (all forms)—107-109	70	17	8	7	5	7	4	1	3	1	4	2	11
Other diseases of respiratory system—104-106,110-114	9	-	3	-	-	1	-	1	2	-	1	-	1
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	1	-	-	-	-	1
Diseases of stomach—117,118	2	-	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	24	1	4	3	-	2	3	2	4	-	2	2	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	1	-	1	-	-	1	1	-	1	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	2	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations—157	88	6	5	13	4	3	8	14	8	6	7	8	6
Congenital debility—158	14	2	1	1	1	1	2	1	1	2	-	2	-
Premature birth—159	277	21	28	27	17	28	19	30	21	20	27	20	19
Injury at birth—160	95	12	10	7	3	7	8	8	15	3	7	9	6
Other diseases peculiar to first year—161	45	5	2	6	1	4	4	13	3	1	2	2	2
Accidental mechanical suffocation—182	6	-	1	-	1	1	-	-	-	-	-	3	-
Other violence or accident—166-181,183-195	13	1	-	-	3	2	-	1	2	1	-	-	3
Ill-defined and unknown causes—199,200	13	1	1	1	2	-	1	3	-	1	1	1	1
All other causes*	3	-	-	1	-	-	1	1	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	93	7	10	9	8	6	8	12	8	8	5	8	4
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	1	-	-	-	-	-	-	-	1	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—15	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza—33	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	1	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	1	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	10	2	1	-	1	-	1	-	-	2	1	-	2
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	1	-	-	-	-	-	-	-
Disease of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	4	-	-	-	-	-	1	1	-	1	-	1	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	9	1	1	1	-	-	1	3	-	-	1	-	1
Congenital debility—158	1	-	-	1	-	-	-	-	-	-	-	-	-
Premature birth—159	30	3	5	2	3	-	2	3	3	4	2	2	1
Injury at birth—160	11	-	1	2	1	2	2	1	1	-	-	1	-
Other diseases peculiar to first year—161	7	-	-	-	1	3	-	1	2	-	-	-	-
Accidental mechanical suffocation—182	1	-	-	-	-	-	-	-	-	-	-	1	-
Other violence or accident—166-181,183-195	7	-	1	2	-	-	1	1	-	1	-	1	-
Ill-defined and unknown causes—199,200	3	-	-	-	-	-	-	2	-	-	-	1	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE—All causes	329	29	30	22	36	20	23	30	24	25	31	22	37
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	1	-	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	1	-	-	2	-	1	1	-	1	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	2	1	-	-	-	-	-	-	-	-	1	-	-
Influenza—33	3	-	1	1	1	-	-	-	-	-	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	1	1	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	-	-	1	1	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	1	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	1	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	1	-	-	1	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	1	-	1
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	1	-	-	1	-	-	-	-	-
Pneumonia (all forms)—107-109	30	3	1	2	8	2	-	2	1	1	3	1	6
Other diseases of respiratory system—104-106,110-114	2	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	1	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	16	2	-	-	-	1	2	1	2	1	4	-	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	59	4	11	3	3	3	5	8	7	4	4	4	3
Congenital debility—158	3	-	-	1	-	-	-	1	-	-	-	1	-
Premature birth—159	105	8	8	8	9	9	9	8	8	9	11	7	11
Injury at birth—160	45	6	5	3	6	1	3	4	3	4	4	2	4
Other diseases peculiar to first year—161	20	1	1	-	2	2	-	2	2	2	2	2	4
Accidental mechanical suffocation—182	9	1	2	-	-	-	1	-	-	1	-	1	3
Other violence or accident—166-181,183-195	3	-	-	1	1	-	-	-	-	1	-	-	-
Ill-defined and unknown causes—199,200	1	-	-	-	-	-	-	-	-	-	-	1	-
All other causes*	1	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY—All causes	2,408	217	183	226	195	194	189	205	194	177	206	225	197
Cerebrospinal (meningococcus) meningitis—6	2	2	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	24	3	-	2	1	1	2	1	3	1	3	2	5
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	4	1	1	-	-	-	-	1	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	5	1	1	-	-	-	1	-	-	-	2	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	2	-	-	-
Septicemia and purulent infection—24	4	-	1	-	1	-	-	-	1	-	1	-	-
Dysentery—27	4	-	-	-	-	-	-	-	1	-	3	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	1	-	1	2	2	1	4	-	-	-	1	1
Influenza—33	16	3	2	1	2	-	-	1	1	-	2	1	3
Measles—35	8	1	-	1	-	4	-	1	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	1	-	-	-	1	1	-	1	-	-	-
Diseases of thymus gland—64	24	2	2	5	1	2	3	2	1	1	-	2	3
Rickets—70	1	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	2	-	-	-	1	-	-	-	-
Anemias (except splenic anemia)—73	7	-	1	-	-	-	-	-	2	1	2	-	1
Encephalitis (nonepidemic)—80	3	1	-	-	1	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	17	1	3	1	2	2	1	3	1	1	1	-	1
Intracranial lesions of vascular origin—83	7	1	1	-	-	1	-	1	-	2	-	-	1
Convulsions—86	4	-	-	-	1	1	1	-	1	-	-	-	-
Diseases of ear and mastoid process—89	4	-	-	1	1	1	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	8	3	1	-	-	1	-	-	-	-	1	-	2
Diseases of circulatory system—90-103	12	-	-	1	1	-	-	5	-	-	1	4	-
Pneumonia (all forms)—107-109	308	49	34	47	33	16	17	20	11	17	19	16	29
Other diseases of respiratory system—104-106,110-114	19	3	2	3	-	3	1	-	2	1	1	3	-
Diseases of buccal cavity, etc.*—115	5	-	-	1	1	-	1	1	-	-	1	-	-
Diseases of stomach—117,118	3	1	-	1	-	-	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.*—119	123	6	3	13	6	10	7	9	11	18	19	18	3
Hernia—122a	2	1	-	-	-	-	-	-	-	-	-	-	1
Intestinal obstruction—122b	19	1	1	3	1	2	3	2	2	-	-	2	2
Peritonitis (cause not stated)—129	5	-	1	-	-	1	2	-	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	1	-	1	-	-	-	-	-	1	-	1	-
Diseases, genito-urinary system—130,131,133-139	8	2	1	-	-	-	-	-	2	-	-	2	1
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations—157	305	23	22	29	26	23	28	27	17	22	28	26	34
Congenital debility—158	38	3	3	4	3	2	1	2	4	5	4	5	2
Premature birth—159	833	56	60	66	68	66	76	77	82	59	78	83	62
Injury at birth—160	282	25	18	19	15	31	17	21	24	23	18	28	23
Other diseases peculiar to first year—161	202	15	20	19	14	14	18	21	17	12	14	24	14
Accidental mechanical suffocation—182	27	5	3	-	5	3	-	-	3	2	2	2	2
Other violence or accident—166-181,183-195	39	3	-	3	4	3	5	5	4	4	5	1	2
Ill-defined and unknown causes—199,200	12	-	1	-	3	3	-	-	1	-	-	1	3
All other causes*	15	3	-	2	1	1	2	-	1	3	1	1	-
NEW MEXICO—All causes	1,437	169	85	100	88	76	110	151	208	159	118	95	78
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	46	9	5	5	4	1	6	7	4	-	4	-	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	1	-	-	-	-	2	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	76	-	-	-	-	2	9	18	16	18	3	8	2
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	-	-	-	1	-	1	1	4	-	1	3	2
Influenza—33	23	13	5	1	-	-	-	-	-	-	1	2	1
Measles—35	19	2	1	6	3	-	2	1	2	2	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	-	-	-	1	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	1	-	1	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	2	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	1	1
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	1	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	4	-	-	-	3	-	-	-	-	-	-	-	1
Pneumonia (all forms)—107-109	128	29	13	8	11	3	9	5	7	15	6	10	12
Other diseases of respiratory system—104-106,110-114	3	-	-	-	-	-	1	-	1	-	-	-	1
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of stomach—117,118	2	-	-	-	-	-	-	1	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	228	3	-	4	2	9	19	38	69	43	25	9	7
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	1
Intestinal obstruction—122b	6	-	1	-	-	1	1	-	2	-	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	52	8	6	2	5	5	-	7	3	5	2	7	2
Congenital debility—158	34	-	2	1	2	2	3	5	6	5	4	3	1
Premature birth—159	212	35	14	18	17	16	14	16	23	20	16	15	10
Injury at birth—160	43	4	1	6	5	5	5	7	3	1	3	2	1
Other diseases peculiar to first year—161	45	4	1	8	6	3	3	-	4	2	9	3	2
Accidental mechanical suffocation—182	8	-	-	1	-	-	-	-	1	1	-	1	4
Other violence or accident—166-181,183-195	10	1	2	2	-	-	-	1	-	1	-	2	1
Ill-defined and unknown causes—199,200	457	58	34	37	28	29	34	40	59	44	43	27	24
All other causes*	3	1	-	-	1	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—All causes	6,950	624	581	636	562	565	574	561	558	527	596	559	607
Cerebrospinal (meningococcus) meningitis—6	10	1	1	2	1	-	-	-	1	-	-	2	2
Scarlet fever—8	2	-	-	-	-	-	-	1	-	1	-	-	-
Whooping cough—9	76	8	5	9	5	7	3	2	4	6	7	10	10
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	1	-	-	-	-	-	-	1	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	10	-	-	1	1	-	3	2	-	1	-	-	2
Tuberculosis of meninges, etc.*—14	10	-	-	1	2	-	3	1	1	-	1	-	1
Tuberculosis (other forms)—15-22	7	3	1	1	1	-	-	-	-	-	1	-	-
Septicemia and purulent infection—24	11	-	1	1	-	1	1	1	-	1	3	2	-
Dysentery—27	2	-	-	-	-	-	-	-	1	1	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis—30	35	-	4	3	2	4	1	2	4	4	7	2	2
Influenza—33	60	10	13	6	5	3	1	5	-	2	2	5	8
Measles—35	6	-	1	2	1	-	-	-	1	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	1	1	-	-	2	-	-	-	-	-	-	3
Diseases of thymus gland—64	64	10	7	5	3	1	6	3	6	7	4	6	6
Rickets—70	8	-	-	3	2	1	-	-	-	-	2	-	-
Hemorrhagic conditions—72	7	1	1	1	-	1	-	1	-	-	-	1	1
Anemias (except splenic anemia)—73	8	1	-	1	-	1	-	-	1	3	-	-	1
Encephalitis (nonepidemic)—80	5	1	-	-	-	-	-	-	-	1	-	2	1
Meningitis (not due to meningococcus)—81	43	4	5	8	2	4	5	4	1	2	2	2	4
Intracranial lesions of vascular origin—83	9	-	1	1	3	-	1	1	1	-	-	-	1
Convulsions—86	9	-	2	-	-	1	2	1	-	-	1	1	1
Diseases of ear and mastoid process—89	35	3	4	4	5	8	4	2	-	1	-	2	2
Other diseases, nervous system—82,84,85,87,88	18	-	3	2	1	1	2	-	2	1	3	1	2
Diseases of circulatory system—90-103	13	-	3	2	1	1	2	1	-	2	-	-	1
Pneumonia (all forms)—107-109	763	95	101	87	75	56	44	44	34	42	59	58	68
Other diseases of respiratory system—104-106,110-114	67	8	7	9	5	6	4	4	6	1	5	9	3
Diseases of buccal cavity, etc.*—115	15	1	1	2	2	-	3	1	1	1	-	2	1
Diseases of stomach—117,118	9	2	-	1	-	1	-	1	2	-	-	1	1
Diarrhea, enteritis, etc.*—119	353	37	24	29	29	32	25	22	27	41	44	26	17
Hernia—122a	7	2	-	-	1	1	-	-	1	1	-	1	-
Intestinal obstruction—122b	26	2	2	2	5	2	-	4	-	-	5	-	4
Peritonitis (cause not stated)—129	6	1	-	-	1	1	1	-	-	1	-	1	-
Other diseases, digestive system—116,121,123-128	13	-	3	-	1	-	1	1	1	2	1	1	2
Diseases, genito-urinary system—130,131,133-139	15	2	-	3	-	2	1	1	2	1	1	-	2
Diseases of skin and cellular tissue—151-153	16	4	1	3	2	-	1	1	1	2	-	1	-
Congenital malformations—157	1,087	105	81	92	76	87	86	87	101	87	83	89	93
Congenital debility—158	40	3	-	2	4	6	3	2	2	2	4	5	7
Premature birth—159	2,322	175	182	197	195	192	219	208	193	164	204	192	201
Injury at birth—160	1,058	101	74	93	64	89	89	99	90	80	100	97	82
Other diseases peculiar to first year—161	485	30	38	42	38	40	42	41	48	51	37	30	48
Accidental mechanical suffocation—182	83	4	4	8	9	7	8	7	4	6	7	3	16
Other violence or accident—166-181,183-195	90	3	7	12	12	3	6	7	16	7	8	3	6
Ill-defined and unknown causes—199,200	14	1	-	1	3	-	1	-	2	2	1	-	3
All other causes*	43	5	3	-	4	4	6	4	4	2	4	3	4
NORTH CAROLINA—All causes	5,053	524	501	525	421	364	365	508	397	328	392	380	348
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	3	-	1	1	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	125	8	10	19	21	8	16	10	7	6	10	5	5
Diphtheria (infection by C. diphtheriae)—10	6	1	-	2	1	-	-	-	-	1	-	1	-
Erysipelas—11	3	-	-	-	-	1	-	1	-	-	-	1	-
Tetanus—12	3	-	1	-	-	-	-	1	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	-	1	-	-	1	1	-	-	-	1
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	1	1	1	-	-	-	-	1
Tuberculosis (other forms)—15-22	6	-	1	-	-	-	1	-	1	-	-	2	1
Septicemia and purulent infection—24	5	-	-	-	-	1	1	-	2	1	-	-	-
Dysentery—27	46	-	-	-	1	1	4	14	15	6	3	1	1
Malaria—28	3	-	-	-	-	-	-	-	-	1	1	1	-
Syphilis—30	53	5	3	5	5	2	4	5	1	4	8	6	5
Influenza—33	180	42	59	34	17	5	1	2	1	-	5	4	10
Measles—35	31	2	1	5	6	9	4	2	1	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	13	-	2	-	1	3	-	3	2	1	1	-	-
Diseases of thymus gland—64	32	4	3	6	3	3	2	3	4	-	1	1	2
Rickets—70	3	-	-	-	-	-	-	-	-	-	3	-	-
Hemorrhagic conditions—72	8	1	-	-	1	1	-	1	-	1	1	2	-
Anemias (except splenic anemia)—73	4	-	-	-	-	-	1	1	1	-	-	1	-
Encephalitis (nonepidemic)—80	8	1	-	1	-	-	-	1	-	2	2	1	-
Meningitis (not due to meningococcus)—81	24	2	1	3	3	5	2	1	2	-	1	1	3
Intracranial lesions of vascular origin—83	5	-	-	-	2	-	-	3	-	-	-	-	-
Convulsions—86	15	-	2	1	1	2	1	2	-	-	5	1	-
Diseases of ear and mastoid process—89	22	4	2	3	4	2	-	-	1	1	1	1	3
Other diseases, nervous system—82,84,85,87,88	6	-	-	1	-	-	-	-	3	-	-	-	2
Diseases of circulatory system—90-103	30	2	1	1	2	4	4	4	2	1	3	3	3
Pneumonia (all forms)—107-109	754	118	127	141	70	39	26	25	18	20	42	64	64
Other diseases of respiratory system—104-106,110-114	65	6	8	13	6	3	3	-	3	2	6	6	9
Diseases of buccal cavity, etc.*—115	21	2	3	1	-	3	-	3	1	-	2	4	2
Diseases of stomach—117,118	6	1	1	-	1	-	1	-	-	1	-	-	1
Diarrhea, enteritis, etc.*—119	587	5	6	17	16	20	75	143	110	71	55	50	19
Hernia—122a	2	-	-	-	-	1	-	1	-	-	-	-	-
Intestinal obstruction—122b	16	2	-	3	-	3	-	2	1	3	2	-	-
Peritonitis (cause not stated)—129	3	-	3	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	6	-	-	-	1	-	1	2	2	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	8	-	-	-	-	1	-	-	2	1	-	3	1
Diseases of skin and cellular tissue—151-153	23	8	3	4	2	-	1	2	-	1	1	1	-
Congenital malformations—157	331	28	32	30	27	31	23	28	24	25	29	27	27
Congenital debility—158	141	13	13	6	6	8	7	19	18	11	13	17	10
Premature birth—159	1,284	122	111	118	123	115	103	118	92	99	119	79	85
Injury at birth—160	314	37	29	21	28	21	23	31	28	27	23	23	23
Other diseases peculiar to first year—181	199	32	10	10	17	22	14	14	21	13	17	16	13
Accidental mechanical suffocation—182	89	20	11	14	5	1	1	4	2	2	3	9	17
Other violence or accident—166-181,183-195	61	5	5	5	7	6	7	7	2	2	2	5	8
Ill-defined and unknown causes—199,200	476	51	51	59	40	37	35	50	26	22	30	44	31
All other causes*	22	2	2	2	3	2	3	2	1	2	3	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	492	50	38	49	48	39	38	35	37	39	33	42	44
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	1	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	11	1	1	1	1	1	-	1	1	1	-	1	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	1	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	1	-	-	-	-	-	-	-	1	1	-
Influenza—33	10	3	2	3	1	-	-	-	-	-	-	-	1
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	-	2	1	-	1	1
Diseases of thymus gland—64	2	-	-	-	-	-	1	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	1	-	-	1	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	1	1	-	-	-	-	1	-	-	1	2	-
Intracranial lesions of vascular origin—83	2	1	-	-	-	-	1	-	-	-	-	-	-
Convulsions—86	8	3	-	2	-	-	2	1	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	3	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms)—107-109	72	11	7	12	8	9	3	1	2	3	5	5	6
Other diseases of respiratory system—104-106,110-114	7	2	-	1	-	1	1	-	-	-	-	2	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhea, enteritis, etc.*—119	16	2	2	1	1	2	2	-	-	3	1	-	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	2	-	-	-	1	-	-	2	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	-	1	-	-	1	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	45	4	1	6	4	5	1	1	9	1	5	6	2
Congenital debility—158	7	1	1	1	1	2	-	-	1	-	-	-	-
Premature birth—159	161	13	13	11	18	11	16	17	13	13	14	9	13
Injury at birth—160	48	4	3	1	6	1	4	7	3	9	1	4	5
Other diseases peculiar to first year—161	28	1	1	3	3	1	2	3	2	2	3	2	5
Accidental mechanical suffocation—182	6	1	-	-	-	2	-	-	1	-	1	-	1
Other violence or accident—166-181,183-195	6	-	-	1	-	-	1	1	-	-	1	2	-
Ill-defined and unknown causes—199,200	18	-	4	3	1	1	1	-	2	2	-	2	2
All other causes*—	3	-	-	1	-	1	-	-	-	-	-	1	-
OHIO—All causes	5,154	468	353	431	386	398	430	415	436	465	484	433	435
Cerebrospinal (meningococcus) meningitis—6	7	3	1	-	-	-	-	-	-	1	1	-	1
Scarlet fever—8	2	-	-	-	1	-	-	-	-	-	-	1	-
Whooping cough—9	129	7	10	16	11	11	15	7	18	7	15	6	6
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas—11	4	1	1	-	1	-	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	15	1	2	2	1	2	1	1	1	2	-	1	1
Tuberculosis of meninges, etc.*—14	9	-	-	-	2	-	-	3	-	1	1	1	1
Tuberculosis (other forms)—15-22	7	-	-	1	2	1	2	-	-	-	-	1	-
Septicemia and purulent infection—24	5	-	-	-	-	-	-	-	-	1	1	1	2
Dysentery—27	14	-	-	-	-	-	1	1	4	4	2	2	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	34	7	2	2	1	2	2	4	3	1	8	1	1
Influenza—33	88	24	16	15	2	-	3	1	5	2	9	5	8
Measles—35	28	1	-	8	5	8	3	1	-	-	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	1	1	2	1	-	-	1	-	1	-	-	1
Diseases of thymus gland—64	61	10	6	5	1	1	5	6	5	3	5	10	4
Rickets—70	4	-	-	-	-	-	-	-	2	2	-	-	-
Hemorrhagic conditions—72	6	1	-	-	3	-	-	2	-	-	-	-	-
Anemias (except splenic anemia)—73	12	2	2	1	-	1	1	-	1	1	2	-	1
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	1	-	1	-	-
Meningitis (not due to meningococcus)—81	28	2	5	2	2	5	3	1	1	1	2	1	3
Intracranial lesions of vascular origin—83	12	2	1	1	2	1	1	-	1	2	-	-	1
Convulsions—86	10	1	-	1	-	1	2	-	1	-	-	2	2
Diseases of ear and mastoid process—89	13	2	-	1	1	1	3	-	-	-	-	2	3
Other diseases, nervous system—82,84,85,87,88	19	-	1	2	2	2	1	-	4	2	2	1	2
Diseases of circulatory system—90-103	18	-	1	2	3	2	-	-	1	2	1	1	5
Pneumonia (all forms)—107,109	464	83	37	51	42	42	28	19	14	24	32	45	47
Other diseases of respiratory system—104-106,110-114	37	7	2	4	3	3	2	2	2	-	4	5	3
Diseases of buccal cavity, etc.*—115	8	-	3	-	2	1	-	1	-	-	-	1	-
Diseases of stomach—117,118	6	1	-	-	1	-	1	-	1	-	1	-	1
Diarrhea, enteritis, etc.*—119	458	15	15	26	19	13	14	43	66	102	94	32	19
Hernia—122a	1	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	40	5	3	4	-	2	1	7	4	4	1	4	5
Peritonitis (cause not stated)—129	5	1	1	1	1	-	-	1	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	1	-	-	-	-	1	-
Diseases, genito-urinary system—130,131,133-139	14	2	1	-	3	-	1	2	2	-	-	3	-
Diseases of skin and cellular tissue—151-153	10	-	1	2	-	-	2	2	1	-	1	1	-
Congenital malformations—157	664	41	57	49	46	62	52	50	56	68	66	46	71
Congenital debility—158	100	6	7	9	2	8	7	10	7	16	17	9	2
Premature birth—159	1,715	146	96	125	138	129	187	155	148	145	134	161	151
Injury at birth—160	520	35	34	53	50	41	52	53	44	37	37	40	44
Other diseases peculiar to first year—161	328	33	24	25	28	40	27	22	28	19	24	34	28
Accidental mechanical suffocation—182	82	7	8	8	1	6	1	5	6	5	4	4	7
Other violence or accident—166-181,183-195	64	7	5	5	4	6	4	9	4	8	8	4	2
Ill-defined and unknown causes—199,200	74	10	9	8	5	4	5	4	3	6	6	5	9
All other causes*—	26	4	1	1	2	3	1	2	4	-	3	2	3

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA—All causes	2,186	275	219	198	194	172	175	176	172	145	141	161	162
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	93	4	9	13	14	18	11	16	4	2	1	1	-
Diphtheria (infection by C. diphtheriae)—10	7	-	3	3	-	-	1	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	1	-	-
Tetanus—12	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	1	-	1	1	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	-	2	-	-	-	-	-	-	1	-	1
Tuberculosis (other forms)—15-22	6	-	-	1	2	1	-	-	1	1	-	-	-
Septicemia and purulent infection—24	3	1	1	-	-	-	-	-	-	-	-	1	-
Dysentery—27	24	-	-	-	2	-	2	9	1	6	2	2	-
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	10	1	1	1	-	2	1	-	-	2	1	-	1
Influenza—33	69	32	14	10	4	2	-	-	-	-	1	1	5
Measles—35	7	-	-	1	-	1	1	3	-	-	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	12	1	-	-	-	3	2	2	1	-	1	-	2
Rickets—70	2	-	-	-	-	-	-	-	-	1	1	-	-
Hemorrhagic conditions—72	2	-	1	1	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	1	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	1	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	16	4	1	1	5	-	-	2	-	-	1	1	1
Intracranial lesions of vascular origin—83	8	-	-	1	1	2	-	1	1	-	-	-	2
Convulsions—86	7	-	-	1	1	-	-	-	1	-	1	3	-
Diseases of ear and mastoid process—89	9	2	2	-	1	1	1	-	1	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	2	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	13	1	3	3	-	1	-	-	-	1	1	1	2
Pneumonia (all forms)—107-109	296	89	62	41	24	12	7	6	5	9	11	13	17
Other diseases of respiratory system—104-106,110-114	19	3	3	-	4	1	1	-	1	-	2	3	1
Diseases of buccal cavity, etc.*—115	2	-	-	1	-	-	-	-	-	-	-	1	-
Diseases of stomach—117,118	9	1	1	-	2	-	-	-	1	1	-	3	-
Diarrhea, enteritis, etc.*—119	92	5	2	3	5	1	9	16	13	12	14	10	2
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-
Intestinal obstruction—122b	16	1	2	3	-	-	-	2	3	1	-	2	2
Peritonitis (cause not stated)—129	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	4	1	-	1	-	-	1	-	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	3	1	1	-	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	1	1	-	-	1	-	-	-	-
Congenital malformations—157	209	21	18	16	20	12	11	16	29	16	13	16	21
Congenital debility—158	107	11	5	6	9	7	7	11	11	10	15	6	9
Premature birth—159	716	54	55	48	66	75	87	64	58	47	43	64	55
Injury at birth—160	160	13	16	16	11	18	9	11	13	13	15	9	16
Other diseases peculiar to first year—161	125	7	9	11	10	7	11	13	16	8	6	11	16
Accidental mechanical suffocation—182	17	1	3	2	2	2	1	-	2	2	-	1	1
Other violence or accident—166-181,183-195	28	3	-	3	3	2	2	2	3	3	3	3	1
Ill-defined and unknown causes—199,200	61	15	5	5	2	1	7	1	3	6	4	6	6
All other causes*	11	-	-	3	2	-	1	-	1	1	1	2	-
OREGON—All causes	580	61	45	42	39	58	53	48	45	35	53	50	51
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	8	-	1	-	1	-	1	2	-	-	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1
Dysentery—27	2	-	-	-	-	-	-	-	-	1	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	3	2	-	1	-	-	-	-	-	-	-	-	-
Measles—35	1	1	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	1	1	1	2	-	-	-	1	1	-	2	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	1	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	4	1	-	-	-	-	1	-	1	1	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	4	1	1	1	-	-	1	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	5	1	-	-	-	1	-	1	-	-	-	1	1
Pneumonia (all forms)—107-109	52	13	8	3	1	2	4	2	3	1	1	7	7
Other diseases of respiratory system—104-106,110-114	6	1	1	1	-	1	2	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	1	-	-	-	-	-	1	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*—119	15	1	-	1	1	1	1	1	-	-	7	-	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	1	-	-	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	4	1	1	-	1	1	-	-	-	-	-	-	-
Congenital malformations—157	81	5	5	8	6	12	9	5	7	5	7	7	5
Congenital debility—158	16	-	-	1	3	3	1	1	-	1	3	2	1
Premature birth—159	184	14	10	14	15	15	16	23	15	12	21	16	13
Injury at birth—160	82	10	9	3	7	6	8	4	5	6	6	8	10
Other diseases peculiar to first year—161	48	6	4	5	1	8	5	3	6	2	3	1	2
Accidental mechanical suffocation—182	14	2	-	2	-	1	-	1	-	1	3	2	2
Other violence or accident—166-181,183-195	20	1	3	-	-	2	1	1	3	3	-	2	4
Ill-defined and unknown causes—199,200	6	-	-	1	-	-	1	1	2	-	1	-	-
All other causes*	5	-	-	-	-	1	1	1	-	1	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—All causes	7,125	683	594	649	638	630	514	595	551	550	603	536	582
Cerebrospinal (meningococcus) meningitis—6	14	2	-	2	3	1	-	1	1	1	-	1	2
Scarlet fever—8	4	1	-	1	-	-	-	-	-	-	-	2	-
Whooping cough—9	106	14	8	8	8	6	8	11	12	8	7	11	5
Diphtheria (infection by C. diphtheriae)—10	4	-	-	2	1	-	-	-	-	-	-	1	-
Erysipelas—11	2	1	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—15	20	2	-	1	3	1	2	-	4	1	2	2	2
Tuberculosis of meninges, etc.*—14	15	4	-	-	1	1	1	2	2	1	1	1	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	1	-	1	-	-	-	1	1
Dysentery—27	16	-	1	1	-	1	-	-	1	6	3	3	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	54	6	7	7	5	4	5	6	4	3	2	3	2
Influenza—33	116	28	19	12	11	6	5	5	2	6	7	5	10
Measles—35	34	-	1	5	13	12	1	1	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	18	4	-	-	1	1	-	-	1	3	3	5	-
Diseases of thymus gland—64	107	12	13	9	3	5	9	8	5	9	12	14	8
Rickets—70	7	1	-	-	2	1	-	-	1	1	-	1	-
Hemorrhagic conditions—72	10	1	1	1	1	2	-	-	-	-	1	1	2
Anemias (except splenic anemia)—73	9	-	-	1	-	1	-	-	1	2	1	1	2
Encephalitis (nonepidemic)—80	4	-	1	-	-	-	-	-	-	-	2	-	1
Meningitis (not due to meningococcus)—81	36	5	3	7	5	1	1	3	-	2	2	3	4
Intracranial lesions of vascular origin—83	10	1	1	4	1	-	-	-	-	-	1	1	1
Convulsions—86	31	1	3	4	3	3	1	4	4	3	1	2	2
Diseases of ear and mastoid process—89	23	2	4	5	1	2	1	2	2	-	-	1	3
Other diseases, nervous system—82,84,85,87,88	12	1	2	-	2	-	-	1	1	1	1	2	1
Diseases of circulatory system—90-103	22	2	2	4	1	2	3	1	1	1	2	1	2
Pneumonia (all forms)—107-109	887	147	103	108	92	74	36	45	33	45	54	68	82
Other diseases of respiratory system—104-106,110-114	78	14	6	13	8	5	2	7	4	3	8	2	6
Diseases of buccal cavity, etc.*—115	9	2	-	3	-	-	1	-	1	-	1	1	-
Diseases of stomach—117,118	11	1	1	2	-	1	1	1	1	-	1	1	1
Diarrhea, enteritis, etc.*—119	426	22	32	32	25	27	13	44	43	61	76	22	29
Hernia—122a	6	-	-	1	1	1	-	-	1	1	1	-	-
Intestinal obstruction—122b	49	6	-	2	5	5	4	8	1	6	3	2	7
Peritonitis (cause not stated)—129	11	1	-	-	1	3	4	1	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	11	-	-	2	2	-	-	1	2	-	2	1	1
Diseases, genito-urinary system—130,131,133-139	16	1	-	4	2	3	1	-	-	1	-	1	3
Diseases of skin and cellular tissue—151-153	9	-	-	2	1	-	1	1	-	2	1	-	1
Congenital malformations—157	982	75	75	86	82	96	71	93	90	70	92	76	76
Congenital debility—158	111	6	4	6	12	3	9	5	13	12	12	18	11
Premature birth—159	2,280	194	175	181	198	221	210	206	177	186	176	163	173
Injury at birth—160	889	61	78	75	78	75	75	88	81	64	66	63	85
Other diseases peculiar to first year—161	457	43	35	36	45	45	33	33	42	40	49	21	35
Accidental mechanical suffocation—182	75	9	7	8	8	5	5	3	8	4	3	7	8
Other violence or accident—166-181,183-195	69	6	7	7	6	6	6	6	9	2	4	3	7
Ill-defined and unknown causes—199,200	24	2	-	3	3	1	3	1	-	2	5	2	2
All other causes*	47	5	4	4	4	8	2	6	3	2	1	3	5
RHODE ISLAND—All causes	405	47	34	27	30	39	40	32	36	30	24	30	36
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	1	-	-	-	-	-	-	-	-	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—15	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	1	-	-	-	-	-
Influenza—33	3	-	2	1	-	-	-	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of thymus gland—64	4	1	-	-	-	1	-	-	1	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	1	-	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	1	1	-	-	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	1	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	38	3	6	2	4	7	2	-	3	2	4	2	3
Other diseases of respiratory system—104-106,110-114	5	1	-	-	-	2	-	1	1	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	20	3	2	1	2	1	3	1	-	3	2	1	1
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	1
Intestinal obstruction—122b	3	1	-	-	-	-	-	-	1	-	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	76	11	6	5	9	5	9	7	8	3	1	7	5
Congenital debility—158	11	1	-	1	1	2	2	-	-	1	-	1	2
Premature birth—159	116	12	5	10	7	12	8	16	8	11	12	6	9
Injury at birth—160	69	10	6	1	5	6	7	5	10	6	3	6	4
Other diseases peculiar to first year—161	22	1	4	-	-	-	3	1	1	3	1	3	5
Accidental mechanical suffocation—182	8	1	-	2	-	2	1	-	-	-	1	-	1
Other violence or accident—166-181,183-195	10	-	-	-	2	1	2	-	2	1	-	2	-
Ill-defined and unknown causes—199,200	1	-	-	1	-	-	-	-	-	-	-	-	-
All other causes*	4	-	1	-	-	-	1	-	-	-	-	1	1

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	3,554	371	344	364	247	246	287	345	299	251	251	265	284
Cerebrospinal (meningococcus) meningitis—6	6	-	2	1	-	-	-	-	-	2	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	149	7	11	14	21	10	25	20	10	12	5	11	3
Diphtheria (infection by C. diphtheriae)—10	4	1	1	-	-	-	-	-	1	-	-	-	1
Erysipelas—11	2	-	-	-	-	1	-	-	1	-	-	-	-
Tetanus—12	3	-	-	-	-	-	2	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*—15	3	-	-	-	-	1	-	1	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	1	-	-	-	-	1	1	-	-	1	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	41	-	1	-	2	5	6	9	14	1	1	2	-
Malaria—28	19	-	-	-	2	1	3	2	2	1	4	2	2
Syphilis—30	50	5	4	4	3	5	5	9	5	3	2	2	3
Influenza—33	134	44	34	31	4	2	1	1	-	-	5	3	9
Measles—35	44	3	2	1	10	9	11	4	1	1	-	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	13	1	2	2	-	-	2	2	2	-	-	1	1
Diseases of thymus gland—64	21	6	1	3	1	1	1	4	1	1	1	-	1
Rickets—70	4	-	-	-	-	-	1	1	-	2	-	-	-
Hemorrhagic conditions—72	4	-	-	-	-	-	-	1	1	-	1	1	-
Anemias (except splenic anemia)—73	4	-	-	2	-	-	-	-	-	-	1	-	1
Encephalitis (nonepidemic)—80	2	-	-	-	1	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	19	2	3	3	1	2	-	1	3	2	2	-	-
Intracranial lesions of vascular origin—83	2	-	-	1	1	-	-	-	-	-	-	-	-
Convulsions—86	14	1	-	2	1	2	1	1	1	2	1	1	1
Diseases of ear and mastoid process—89	2	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	-	-	2	-	-
Diseases of circulatory system—90-103	10	-	-	1	2	1	2	-	2	-	-	1	1
Pneumonia (all forms)—107-109	421	63	65	79	35	21	15	15	12	14	23	30	49
Other diseases of respiratory system—104-106,110-114	48	13	6	7	2	-	1	3	5	1	3	3	4
Diseases of buccal cavity, etc.*—115	8	1	1	1	-	1	-	-	-	1	1	1	1
Diseases of stomach—117,118	16	-	-	1	-	1	1	4	3	2	1	2	1
Diarrhea, enteritis, etc.*—119	396	4	6	5	7	21	59	99	71	42	39	28	15
Hernia—122a	2	-	-	-	-	1	-	-	-	1	-	-	-
Intestinal obstruction—122b	10	2	1	-	2	-	2	-	1	2	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	9	-	-	4	-	2	-	2	-	-	1	-	-
Diseases, genito-urinary system—130,131,133-139	7	2	-	-	1	1	1	-	-	-	1	-	1
Diseases of skin and cellular tissue—151-153	12	2	3	-	-	-	-	-	1	1	1	2	2
Congenital malformations—157	159	19	17	14	9	10	7	19	15	11	13	13	12
Congenital debility—158	66	3	6	4	1	11	11	4	9	6	3	4	4
Premature birth—159	753	65	77	68	57	55	53	61	64	52	57	71	78
Injury at birth—160	115	11	5	16	4	11	12	9	11	13	8	7	8
Other diseases peculiar to first year—161	154	14	14	12	11	10	9	11	13	19	14	8	19
Accidental mechanical suffocation—182	35	6	4	7	1	2	2	1	-	2	1	5	4
Other violence or accident—166-181,183-195	37	1	2	2	3	3	3	2	4	2	3	6	6
Ill-defined and unknown causes—199,200	748	94	75	79	65	55	50	57	44	54	56	58	61
All other causes*	1	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH DAKOTA—All causes	502	57	57	55	39	44	42	42	41	37	34	24	30
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	20	-	2	1	-	4	1	2	1	2	3	2	2
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	2	-	1	-	-	-	1	-	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	14	6	5	1	-	-	1	-	-	1	-	-	-
Measles—35	1	-	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	8	1	-	1	2	-	-	-	1	-	1	1	1
Rickets—70	2	-	-	-	-	2	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	2	1	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	2	-	-	-	-	-
Convulsions—86	7	-	3	2	2	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of circulatory system—90-103	3	1	-	1	-	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	68	20	9	6	7	4	6	1	4	4	4	3	-
Other diseases of respiratory system—104-106,110-114	6	2	1	-	-	-	-	1	-	-	1	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	10	-	-	1	-	-	1	2	3	1	1	-	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	2	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	3	1	-	1	-	1	-	-	-	-	-	-	-
Congenital malformations—157	63	5	8	3	3	7	5	6	9	6	3	4	4
Congenital debility—158	14	2	2	1	-	2	-	2	-	-	3	2	-
Premature birth—159	148	11	10	23	11	16	14	13	14	7	10	10	9
Injury at birth—160	46	3	8	7	4	-	2	4	2	8	2	-	6
Other diseases peculiar to first year—161	34	1	5	3	2	4	7	4	4	1	1	2	-
Accidental mechanical suffocation—182	4	-	-	-	-	2	-	-	-	-	1	-	1
Other violence or accident—166-181,183-195	6	1	-	1	1	-	-	1	1	-	-	-	1
Ill-defined and unknown causes—199,200	15	2	2	1	3	1	1	-	1	2	1	-	1
All other causes*	6	-	1	1	1	-	2	-	-	-	-	-	1

* Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—All causes	3,250	366	338	305	230	226	259	311	285	245	235	215	235
Cerebrospinal (meningococcus) meningitis—6	9	1	3	1	-	-	-	-	1	-	2	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	107	10	11	19	12	14	7	10	6	4	6	5	3
Diphtheria (infection by C. diphtheriae)—10	7	-	2	-	1	1	-	-	1	-	1	1	-
Erysipelas—11	1	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	13	1	-	1	2	-	2	2	2	1	1	1	-
Tuberculosis of meninges, etc.*—14	4	-	2	-	-	-	1	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	3	-	-	-	-	1	-	-	-	1	-	1	-
Septicemia and purulent infection—24	7	-	-	-	-	1	-	2	-	1	1	1	1
Dysentery—27	48	-	2	-	-	-	7	10	12	4	9	4	-
Malaria—28	4	-	-	-	-	-	-	-	2	-	2	-	-
Syphilis—30	32	4	1	3	2	4	1	3	3	6	1	4	-
Influenza—33	131	48	36	23	10	2	-	-	-	-	2	3	7
Measles—35	32	1	2	3	11	8	4	2	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	2	-	-	-	2	1	2	-	1	1	1	1
Diseases of thymus gland—64	7	1	-	2	-	-	1	-	-	-	-	-	3
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	-	-	1	2	-	1	2	-	-	-
Anemias (except splenic anemia)—73	8	2	-	-	-	1	-	2	1	1	-	-	1
Encephalitis (nonepidemic)—80	2	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	9	2	2	1	-	1	1	-	1	-	-	-	1
Intracranial lesions of vascular origin—83	12	1	-	1	3	-	-	3	1	1	1	-	1
Convulsions—86	15	2	1	2	2	-	3	1	2	-	-	-	2
Diseases of ear and mastoid process—89	15	2	2	3	-	-	-	1	2	-	1	1	3
Other diseases, nervous system—82,84,85,87,88	8	1	2	1	-	-	-	1	2	-	-	1	-
Diseases of circulatory system—90-103	12	-	2	2	1	3	1	-	-	-	2	-	1
Pneumonia (all forms)—107-109	444	86	74	57	39	26	18	21	18	15	23	28	59
Other diseases of respiratory system—104-106,110-114	21	2	3	4	1	1	4	2	-	1	2	-	1
Diseases of buccal cavity, etc.*—115	9	1	2	2	1	-	-	-	1	1	-	-	1
Diseases of stomach—117,118	7	-	-	-	-	-	1	2	3	-	-	1	-
Diarrhea, enteritis, etc.*—119	299	9	9	5	4	9	21	79	66	41	31	15	10
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	24	2	1	6	1	-	-	4	3	-	2	1	4
Peritonitis (cause not stated)—129	1	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	-	-	-	-	1	-	-	-	-	-	1
Diseases, genito-urinary system—130,131,133-139	11	3	3	-	-	-	-	1	2	-	1	1	-
Diseases of skin and cellular tissue—151-153	10	3	1	1	1	-	-	-	-	1	1	-	2
Congenital malformations—157	223	18	20	13	12	13	27	13	20	25	23	21	18
Congenital debility—158	86	3	5	5	5	4	12	9	14	11	5	5	8
Premature birth—159	743	60	57	62	51	67	79	58	63	68	54	64	60
Injury at birth—160	254	34	22	23	18	17	29	28	16	18	17	14	18
Other diseases peculiar to first year—161	140	13	12	9	6	14	12	15	17	14	10	9	9
Accidental mechanical suffocation—182	33	4	4	8	4	1	-	5	-	1	2	2	2
Other violence or accident—166-181,183-195	42	3	2	3	3	4	2	4	2	5	8	3	3
Ill-defined and unknown causes—199,200	379	43	54	45	34	30	21	27	20	21	26	27	31
All other causes*	19	3	1	-	4	1	1	3	2	1	-	1	2
TEXAS—All causes	7,744	813	862	663	618	645	731	684	616	559	557	596	600
Cerebrospinal (meningococcus) meningitis—6	5	1	1	-	-	1	1	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	173	17	8	18	24	22	26	13	9	7	7	9	13
Diphtheria (infection by C. diphtheriae)—10	13	2	1	1	1	-	1	-	-	1	-	3	3
Erysipelas—11	2	1	-	-	-	-	1	-	-	-	-	-	-
Tetanus—12	53	2	2	6	6	5	3	7	8	6	2	4	2
Tuberculosis of respiratory system, etc.*—13	15	-	2	2	4	1	2	1	1	1	-	1	-
Tuberculosis of meninges, etc.*—14	14	1	1	-	1	-	-	2	3	4	1	1	-
Tuberculosis (other forms)—15-22	9	-	-	1	-	1	1	1	2	-	-	1	2
Septicemia and purulent infection—24	7	1	-	-	-	1	2	-	1	-	-	1	1
Dysentery—27	172	4	7	5	12	14	43	32	18	10	12	8	7
Malaria—28	23	-	1	-	-	3	4	5	1	1	5	2	1
Syphilis—30	87	7	8	8	9	6	10	9	3	4	8	4	11
Influenza—33	304	114	87	38	25	6	4	3	3	5	8	14	17
Measles—35	23	4	2	3	5	4	-	1	3	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	17	3	2	-	1	3	3	2	-	1	-	1	1
Diseases of thymus gland—64	45	6	7	1	9	4	2	2	4	3	-	5	2
Rickets—70	5	1	1	-	1	1	1	-	-	-	-	-	-
Hemorrhagic conditions—72	17	2	3	1	-	2	2	2	-	1	1	1	2
Anemias (except splenic anemia)—73	11	2	-	-	-	2	1	2	-	-	1	2	1
Encephalitis (nonepidemic)—80	6	-	-	-	1	-	1	1	-	1	-	2	-
Meningitis (not due to meningococcus)—81	46	6	5	3	2	4	5	5	-	1	3	3	9
Intracranial lesions of vascular origin—83	16	1	1	1	-	1	2	2	2	1	2	-	3
Convulsions—86	53	9	4	4	4	2	5	3	3	9	4	3	3
Diseases of ear and mastoid process—89	28	1	2	3	6	1	1	2	1	-	3	2	6
Other diseases, nervous system—82,84,85,87,88	10	1	2	-	-	1	1	2	1	1	-	-	1
Diseases of circulatory system—90-103	45	4	6	3	1	6	4	5	7	4	4	1	-
Pneumonia (all forms)—107-109	1,033	153	145	147	103	63	45	50	42	54	54	75	102
Other diseases of respiratory system—104-106,110-114	81	12	13	11	3	6	3	2	5	3	4	7	12
Diseases of buccal cavity, etc.*—115	20	1	1	2	4	1	3	3	-	-	1	1	3
Diseases of stomach—117,118	54	1	6	6	4	5	9	1	5	7	1	4	5
Diarrhea, enteritis, etc.*—119	899	50	29	39	47	105	184	141	87	50	59	60	48
Hernia—122a	10	1	2	-	1	1	2	-	1	1	1	-	-
Intestinal obstruction—122b	54	4	2	5	2	4	5	4	7	3	4	6	8
Peritonitis (cause not stated)—129	8	-	1	-	1	-	-	-	2	1	2	1	-
Other diseases, digestive system—116,121,123-128	34	2	3	2	4	4	4	1	6	1	4	2	1
Diseases, genito-urinary system—130,131,133-139	24	3	1	1	-	2	2	1	3	3	3	2	3
Diseases of skin and cellular tissue—151-153	16	2	1	-	3	-	1	-	3	1	-	3	2
Congenital malformations—157	460	40	39	46	36	39	41	56	36	31	36	30	30
Congenital debility—158	285	24	24	29	32	17	23	28	28	15	27	19	19
Premature birth—159	2,187	214	146	155	164	181	183	180	197	193	190	205	159
Injury at birth—160	560	44	43	42	46	52	46	47	55	57	31	46	51
Other diseases peculiar to first year—161	314	25	23	40	22	30	20	23	26	26	41	19	19
Accidental mechanical suffocation—182	46	4	4	3	3	4	2	4	1	4	3	5	9
Other violence or accident—166-181,183-195	102	5	8	10	5	10	10	9	11	9	7	11	7
Ill-defined and unknown causes—199,200	342	37	33	27	22	28	19	29	30	32	26	30	31
All other causes*	36	1	5	-	4	4	3	3	1	7	2	2	4

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—All causes	402	41	35	45	38	34	14	28	31	33	33	33	39
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	1	3	-	-	2	-	-	-	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	1	-	-	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	1	-	-	-	-	-
Influenza—33	4	1	2	-	1	-	-	-	-	-	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	1	-	1	1	1	-	-	-	-	-	-	1
Rickets—70	1	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	-	-	-	1	-	1	-
Anemias (except splenic anemia)—73	1	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	1	1	2	1	-	-	-	-	1	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	1	-	-	-	-	-	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	31	5	5	3	1	1	-	2	-	5	4	2	3
Other diseases of respiratory system—104-106,110-114	4	1	-	2	-	-	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	11	3	1	2	1	-	-	1	1	-	1	-	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	1	1	1	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	56	5	5	2	2	7	2	4	8	2	5	7	7
Congenital debility—158	3	-	-	-	-	1	-	-	-	-	-	-	2
Premature birth—159	159	15	11	17	13	14	8	12	11	17	17	12	12
Injury at birth—160	45	4	4	6	7	4	2	2	4	4	3	-	5
Other diseases peculiar to first year—161	28	3	2	3	6	1	-	2	2	3	2	-	4
Accidental mechanical suffocation—182	6	1	2	1	-	-	-	-	-	-	-	2	-
Other violence or accident—166-181,183-195	3	1	-	-	-	-	-	-	-	1	-	1	-
Ill-defined and unknown causes—199,200	14	1	1	-	1	2	-	1	2	-	1	4	1
All other causes*	1	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT—All causes	301	27	31	34	37	27	26	19	18	19	23	19	21
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	1	-	-	-
Influenza—33	6	1	1	1	-	-	-	-	-	-	1	2	-
Measles—35	1	-	-	-	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	1	-	-	-	1	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	2	-	-	-	-	-	-	1	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	23	6	4	1	1	1	2	1	1	1	3	-	2
Other diseases of respiratory system—104-106,110-114	7	-	-	1	1	-	-	1	1	-	2	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	3	1	-	-	-	-	-	-	-	1	1	-	-
Diarrhea, enteritis, etc.*—119	17	-	2	3	3	1	1	2	-	2	1	2	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	1	-	-	-	-	-	-	-	1
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	-	2	-	-
Other diseases, digestive system—116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	1	-	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations—157	40	3	5	3	4	4	3	4	2	3	2	4	3
Congenital debility—158	8	2	-	-	-	-	2	-	-	-	2	-	2
Premature birth—159	103	8	10	16	11	14	11	5	5	5	5	6	7
Injury at birth—160	36	4	3	3	4	4	1	3	5	3	3	2	1
Other diseases peculiar to first year—161	22	1	2	3	6	2	1	2	-	1	1	2	1
Accidental mechanical suffocation—182	5	-	1	1	1	-	1	-	1	-	-	-	-
Other violence or accident—166-181,183-195	7	-	1	1	1	-	1	1	1	-	-	-	1
Ill-defined and unknown causes—199,200	4	1	1	-	-	-	1	-	-	-	-	-	1
All other causes*	1	-	-	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	3,964	368	380	413	319	304	247	320	348	332	350	296	287
Cerebrospinal (meningococcus) meningitis—6	8	-	1	2	-	3	-	-	-	1	1	-	-
Scarlet fever—8	3	1	-	1	-	-	-	-	-	-	-	1	-
Whooping cough—9	119	21	15	8	15	11	8	12	10	2	4	10	3
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	4	-	1	-	1	1	-	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	11	-	2	-	1	1	1	1	1	1	-	3	-
Tuberculosis of meninges, etc.*—14	2	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	1	-	1	-	-	-	-	-	-	-	1	-
Dysentery—27	87	-	1	1	2	3	4	17	19	18	16	6	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	46	5	3	6	5	4	4	2	4	2	1	8	2
Influenza—33	152	48	41	28	8	9	2	-	1	3	4	2	6
Measles—35	59	1	-	19	15	11	3	4	1	1	-	1	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	1	1	-	-	-	1	-	-	1	-
Diseases of thymus gland—64	20	1	4	2	2	2	1	-	3	1	2	-	2
Rickets—70	6	-	-	1	-	-	-	-	1	1	3	-	-
Hemorrhagic conditions—72	8	1	-	3	-	2	-	-	-	-	2	-	-
Anemias (except splenic anemia)—73	7	1	-	1	2	-	-	-	-	1	-	2	-
Encephalitis (nonepidemic)—80	3	-	-	-	1	-	-	-	-	1	-	-	1
Meningitis (not due to meningococcus)—81	15	1	1	2	4	1	1	-	-	2	-	-	3
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	2	-	-	1
Convulsions—86	21	2	1	3	3	2	1	2	-	-	-	4	3
Diseases of ear and mastoid process—89	11	1	-	1	1	3	-	-	-	1	1	-	3
Other diseases, nervous system—82,84,85,87,88	6	-	1	-	-	-	1	2	-	1	-	1	-
Diseases of circulatory system—90-105	12	-	-	2	-	1	2	-	-	1	1	2	3
Pneumonia (all forms)—107-109	524	73	81	83	55	24	29	15	18	23	31	39	53
Other diseases of respiratory system—104-106,110-114	43	8	5	5	2	3	2	2	2	2	4	4	4
Diseases of buccal cavity, etc.*—115	7	-	-	2	-	-	2	-	-	1	2	-	-
Diseases of stomach—117,118	14	1	-	-	-	1	1	3	2	3	1	2	-
Diarrhea, enteritis, etc.*—119	424	5	5	8	9	11	22	66	78	83	87	41	9
Hernia—122a	2	-	-	-	-	-	2	-	-	-	-	-	-
Intestinal obstruction—122b	10	1	-	1	2	2	-	1	-	-	3	-	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	1	1	-	-	-
Other diseases, digestive system—116,121,123-128	6	-	-	1	-	1	-	3	-	-	-	1	-
Diseases, genito-urinary system—130,131,133-139	8	1	1	-	-	-	1	-	2	-	2	1	-
Diseases of skin and cellular tissue—151-153	10	-	3	1	-	-	-	-	1	1	2	-	2
Congenital malformations—157	260	24	32	28	18	23	6	21	18	22	24	23	21
Congenital debility—158	169	9	6	23	13	14	11	14	22	16	17	13	11
Premature birth—159	1,023	76	92	96	97	97	83	80	94	76	84	68	80
Injury at birth—160	307	27	24	23	26	27	24	28	24	28	23	31	24
Other diseases peculiar to first year—161	189	16	20	20	11	20	13	18	17	13	14	9	18
Accidental mechanical suffocation—182	46	2	8	6	4	4	2	4	3	2	1	1	9
Other violence or accident—166-181,183-195	56	12	3	6	1	-	7	1	8	4	4	6	4
Ill-defined and unknown causes—199,200	234	28	26	28	18	19	14	19	13	18	14	15	22
All other causes*	16	-	2	-	1	1	-	5	3	2	2	-	-
WASHINGTON—All causes	1,061	94	83	85	89	86	95	100	71	84	101	83	90
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	30	-	4	2	3	2	4	3	3	3	2	1	3
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	-	1	-	1	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	-	-	1	1	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	1	-	-	-
Dysentery—27	7	-	-	1	1	-	-	1	-	2	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	-	-	-	-	-	-	-	-	-	2	-
Influenza—33	7	3	1	1	-	-	-	1	-	1	-	-	-
Measles—35	1	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	21	-	3	3	3	1	2	1	-	2	3	2	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	1	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	1	1	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	1	1	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	1	-	1	1	1	-	-	1	1	1	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	1	-	1	-	-	-	-
Convulsions—86	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	5	1	-	-	-	-	3	-	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	-	-	-	-	-	1	1	1	-
Diseases of circulatory system—90-105	1	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	127	15	11	10	9	4	13	8	6	8	12	13	18
Other diseases of respiratory system—104-106,110-114	9	-	-	2	2	-	-	1	-	-	3	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	32	-	1	-	2	-	2	6	-	7	7	4	3
Hernia—122a	2	-	1	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	7	1	1	-	-	-	1	-	-	-	1	3	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	1	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	2	-	-	-	-	-	-	1	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	122	7	14	11	9	13	12	13	11	7	7	5	13
Congenital debility—158	13	1	2	1	1	1	2	2	1	-	1	-	1
Premature birth—159	360	42	24	38	30	33	31	32	24	26	34	23	23
Injury at birth—160	128	12	11	6	7	13	10	14	14	9	12	11	9
Other diseases peculiar to first year—161	83	6	4	5	14	9	8	7	6	6	5	10	3
Accidental mechanical suffocation—182	24	-	2	1	1	2	2	-	2	4	5	1	4
Other violence or accident—166-181,183-195	27	2	3	-	2	3	2	1	-	2	3	3	6
Ill-defined and unknown causes—199,200	12	-	-	1	1	2	-	1	-	1	2	2	2
All other causes*	8	1	1	1	1	2	-	1	-	-	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA—All causes	2,679	276	214	214	187	170	142	223	287	280	287	215	184
Cerebrospinal (meningococcus) meningitis—6	6	-	2	1	-	1	-	-	-	-	-	2	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough—9	117	15	10	9	18	7	7	7	11	10	7	9	7
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	1	-	1	-	1	-
Erysipelas—11	5	-	-	-	1	-	-	-	1	1	1	1	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	1	-	-	-	-	1	-	1	-	-	1
Tuberculosis of meninges, etc.*—14	9	-	-	2	1	2	1	1	-	-	1	-	1
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	1	-	-	-	1	-
Septicemia and purulent infection—24	4	-	-	-	-	-	-	-	1	-	2	1	-
Dysentery—27	84	1	-	1	1	2	1	13	18	22	22	3	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	26	3	4	1	3	3	1	1	3	-	1	5	1
Influenza—33	48	25	10	1	1	2	-	-	1	3	3	1	1
Measles—35	20	-	-	2	2	5	3	3	-	-	-	2	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	1	3	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	21	1	7	2	2	1	1	2	3	-	-	1	1
Rickets—70	3	-	-	1	-	-	-	-	-	-	1	1	-
Hemorrhagic conditions—72	5	-	-	1	1	1	-	-	-	-	1	1	-
Anemias (except splenic anemia)—73	5	-	-	-	-	-	1	3	-	-	-	-	1
Encephalitis (nonepidemic)—80	2	-	1	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	10	1	-	3	-	2	-	-	1	-	-	2	1
Intracranial lesions of vascular origin—83	2	1	-	-	-	-	-	-	-	1	-	-	-
Convulsions—86	11	1	-	2	1	2	2	-	1	1	-	1	-
Diseases of ear and mastoid process—89	11	-	2	1	-	1	1	-	2	-	3	-	1
Other diseases, nervous system—82,84,85,87,88	3	-	-	1	-	1	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	11	1	3	1	-	1	-	1	-	1	3	-	-
Pneumonia (all forms)—107-109	336	81	31	39	25	14	10	11	12	15	31	34	33
Other diseases of respiratory system—104-106,110-114	18	1	1	2	3	3	1	1	1	-	3	-	2
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	12	1	1	-	1	2	1	1	2	1	-	2	-
Diarrhea, enteritis, etc.*—119	364	5	5	6	3	7	4	34	94	102	76	17	11
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	1	3	-	-	1	1	-	1	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	-	1	-	-	-	1	-	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	8	-	1	-	1	-	-	1	1	2	1	1	-
Diseases of skin and cellular tissue—151-153	10	2	-	1	-	-	2	1	1	1	1	-	1
Congenital malformations—157	220	17	19	15	18	15	15	18	25	19	18	23	18
Congenital debility—158	68	3	1	6	5	1	3	4	11	8	14	8	4
Premature birth—159	703	70	60	70	56	59	57	61	47	52	57	58	56
Injury at birth—160	193	17	16	14	15	22	13	25	18	14	15	14	12
Other diseases peculiar to first year—161	115	11	12	10	13	4	8	16	13	8	7	7	6
Accidental mechanical suffocation—182	20	1	2	2	2	-	-	2	2	-	-	7	2
Other violence or accident—166-181,183-195	34	-	2	1	2	4	2	3	4	4	6	3	3
Ill-defined and unknown causes—199,200	136	16	18	17	7	7	6	8	13	10	9	8	17
All other causes*	13	1	1	1	2	1	1	2	2	1	1	-	-
WISCONSIN—All causes	2,006	191	189	213	168	162	173	159	131	145	182	136	177
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	4	3	1	2	1	1	1	4	4	2	2	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	-	3	1	1	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	1	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	1	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	2	-	-	-	-	1	-	-	-	-	-	-
Influenza—33	46	8	16	11	2	2	1	2	1	-	1	-	2
Measles—35	4	1	-	-	1	1	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	31	2	2	1	4	-	1	4	1	5	2	3	6
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	1	-	1	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	1	1	-	-	-	-
Encephalitis (nonepidemic)—80	5	-	-	2	1	-	-	-	-	-	1	-	1
Meningitis (not due to meningococcus)—81	15	-	3	2	1	1	2	2	-	2	-	1	1
Intracranial lesions of vascular origin—83	4	-	1	-	-	-	-	1	-	2	-	-	-
Convulsions—86	9	1	1	1	-	3	-	-	-	1	1	1	-
Diseases of ear and mastoid process—89	5	1	1	1	-	-	1	-	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	5	-	-	1	-	-	-	-	-	-	3	1	-
Diseases of circulatory system—90-103	7	-	1	-	2	-	2	1	-	1	-	-	-
Pneumonia (all forms)—107-109	274	51	52	42	25	18	13	9	6	6	15	21	18
Other diseases of respiratory system—104-106,110-114	20	1	2	5	3	-	4	1	1	-	1	1	1
Diseases of buccal cavity, etc.*—115	3	-	1	-	-	1	-	-	-	-	-	-	1
Diseases of stomach—117,118	2	-	-	-	-	-	-	1	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	73	4	2	5	5	5	5	2	9	9	12	5	10
Hernia—122a	1	-	-	-	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	15	-	2	2	1	4	-	1	1	1	2	-	1
Peritonitis (cause not stated)—129	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	3	-	-	1	-	-	-	-	-	1	-	1	-
Diseases, genito-urinary system—130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue—151-153	8	-	-	-	1	2	1	-	1	-	1	2	-
Congenital malformations—157	317	28	25	31	31	23	28	27	21	23	25	29	26
Congenital debility—158	19	-	2	3	-	4	2	1	2	1	1	1	2
Premature birth—159	623	48	40	59	49	55	71	57	39	46	64	41	54
Injury at birth—160	250	17	14	24	18	20	19	27	22	26	19	14	30
Other diseases peculiar to first year—161	148	16	14	16	13	13	10	10	15	12	7	10	12
Accidental mechanical suffocation—182	16	1	2	3	1	1	-	1	3	1	-	-	3
Other violence or accident—166-181,183-195	37	3	2	1	3	4	8	5	2	1	3	3	2
Ill-defined and unknown causes—199,200	15	2	2	-	4	1	-	2	-	-	1	-	3
All other causes*	7	1	-	-	1	1	-	-	2	-	1	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—All causes	230	26	23	22	21	20	14	18	18	17	15	17	19
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	2	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	2	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	1	-	1	1	-	-	-	-	1	-
Influenza—33	10	8	1	-	-	-	-	-	-	-	-	-	1
Measles—35	1	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	1	-	-	1	1	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	1	-	-	-	-	2	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	1	-	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	29	3	5	1	7	1	3	2	2	1	1	-	3
Other diseases of respiratory system—104-106,110-114	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	1	-	-	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	6	-	-	1	1	-	-	-	2	1	-	1	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive system—116,121,123-128	2	1	-	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	33	2	7	3	2	2	4	2	3	2	3	-	3
Congenital debility—158	12	1	-	-	-	4	1	1	-	1	2	2	-
Premature birth—159	70	6	5	7	6	9	1	6	4	5	7	8	6
Injury at birth—160	23	-	3	2	4	2	-	2	4	3	1	1	1
Other diseases peculiar to first year—161	11	2	-	1	1	-	1	2	-	1	-	1	2
Accidental mechanical suffocation—182	2	-	-	-	-	1	-	-	-	-	-	1	-
Other violence or accident—166-181,183-195	2	1	-	-	-	-	-	-	1	-	-	-	-
Ill-defined and unknown causes—199,200	2	-	-	-	-	-	-	1	-	-	-	-	1
All other causes*	2	-	1	1	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos	10 mos.	11 mos.
ALABAMA	3,827	1,041	232	179	317	228	129	112	2,238	359	225	184	147	135	117	104	96	81	72	69
January	392	104	12	22	39	30	23	9	239	27	20	18	19	19	9	9	15	8	5	4
February	400	79	17	23	34	23	14	19	209	51	32	19	19	13	15	14	10	6	9	3
March	400	81	15	19	31	30	17	20	213	51	40	17	13	13	18	7	7	11	6	4
April	319	85	27	7	23	23	11	14	190	23	15	26	5	8	10	17	4	9	9	3
May	290	120	17	8	15	10	10	7	187	22	14	11	13	8	5	6	10	6	3	5
June	270	84	18	6	23	15	6	4	156	26	17	12	8	13	9	5	7	3	6	8
July	302	74	23	22	17	18	11	8	173	22	12	15	11	11	9	9	8	7	12	13
August	283	74	22	12	22	9	8	3	150	26	12	19	10	16	11	8	8	6	8	9
September	270	91	17	14	39	10	4	8	183	25	10	6	11	6	8	3	7	2	5	6
October	269	88	23	5	21	16	3	9	165	23	12	12	13	7	8	7	8	8	1	5
November	326	88	19	22	30	24	12	1	196	34	19	16	13	13	8	12	6	3	4	2
December	306	73	22	19	23	20	10	10	177	29	22	13	12	8	9	7	6	12	4	7
ARIZONA	1,038	176	35	28	47	44	39	33	402	88	81	72	79	68	61	53	42	35	25	32
January	107	18	4	3	3	5	6	3	42	20	8	6	6	8	5	3	3	2	3	1
February	53	8	3	2	5	-	1	1	20	9	2	1	4	3	2	1	7	1	-	3
March	67	13	3	2	2	2	4	2	28	7	2	5	9	4	4	1	2	1	3	1
April	81	19	1	3	2	2	3	6	36	2	10	4	5	6	5	5	3	3	-	2
May	106	19	5	2	3	7	1	4	41	12	6	6	9	7	6	6	5	4	2	2
June	107	17	2	2	5	2	6	2	36	9	17	5	11	5	9	8	-	3	4	-
July	98	14	3	2	7	7	4	1	38	4	7	10	2	9	6	7	3	2	2	8
August	73	7	4	2	2	3	-	2	20	-	4	13	9	4	4	7	6	2	1	3
September	96	16	3	1	1	5	3	5	34	10	7	4	8	6	6	3	4	11	2	1
October	77	12	1	3	7	4	3	5	35	3	5	5	6	5	6	4	3	2	2	1
November	82	11	2	2	4	3	1	2	25	5	9	7	5	7	4	5	3	1	5	6
December	91	22	4	4	6	4	7	-	47	7	4	6	5	4	4	3	3	3	1	4
ARKANSAS	1,812	431	121	86	125	114	67	55	999	134	110	94	80	85	78	67	53	39	38	35
January	199	36	18	10	9	16	9	10	106	24	13	5	5	13	8	5	7	3	6	4
February	161	34	6	9	7	16	8	5	85	13	11	6	12	5	7	7	4	2	6	3
March	169	40	10	7	15	9	11	6	98	12	15	5	6	4	8	6	4	4	4	3
April	146	37	10	8	9	5	2	3	74	5	13	15	2	2	5	12	3	3	5	7
May	127	41	7	5	9	6	5	3	76	3	7	9	6	6	3	4	5	3	4	1
June	168	46	11	8	16	11	4	1	97	8	5	6	6	7	9	9	4	8	4	5
July	150	32	10	6	8	2	4	7	69	18	9	8	9	9	4	7	6	4	4	3
August	154	37	13	8	20	8	6	4	96	8	7	5	6	9	9	4	4	3	-	3
September	126	34	12	5	9	6	4	4	74	10	5	4	8	5	10	2	3	1	1	3
October	153	42	14	4	9	5	5	5	84	10	9	17	8	6	6	2	7	2	1	1
November	145	30	3	11	9	16	5	3	77	10	11	6	7	13	6	7	2	4	1	1
December	114	22	9	5	5	14	4	4	63	13	5	8	5	6	3	2	4	2	2	1
CALIFORNIA	4,586	1,743	362	246	315	210	145	106	3,127	294	226	190	179	129	93	94	79	68	57	50
January	414	145	31	17	20	25	22	9	269	28	28	22	21	7	13	9	3	2	4	8
February	310	115	15	13	19	13	16	11	202	19	26	7	15	9	7	6	8	6	5	2
March	386	142	30	18	30	12	13	5	250	37	9	22	20	11	4	11	5	3	6	8
April	380	164	28	17	26	17	9	6	267	21	18	17	10	12	8	4	12	4	4	3
May	362	150	32	18	26	19	10	7	262	27	16	10	9	9	8	4	5	5	3	4
June	385	151	34	19	33	20	10	8	275	24	19	13	13	5	5	10	7	8	3	3
July	400	135	39	22	30	18	14	12	270	24	15	17	21	14	5	10	7	3	6	8
August	374	154	37	22	27	14	5	10	269	23	15	18	8	8	7	9	6	8	2	3
September	381	150	33	19	31	15	8	10	266	21	24	14	13	11	5	3	8	7	4	5
October	412	157	24	35	24	21	12	9	282	28	17	13	17	12	9	12	6	8	7	1
November	366	132	19	19	23	21	11	10	235	19	17	16	15	12	16	9	9	7	7	4
December	416	148	40	27	26	15	15	9	280	23	22	23	17	19	6	7	5	7	6	1
COLORADO	1,113	311	72	55	85	43	31	28	625	111	80	65	40	50	38	24	26	22	20	12
January	117	31	2	6	8	2	4	2	55	19	10	4	4	10	4	4	2	2	1	2
February	77	25	4	1	3	5	1	4	43	11	4	6	1	2	2	1	-	2	2	3
March	86	27	3	6	12	5	1	3	57	4	6	3	3	2	2	1	1	3	4	-
April	86	23	4	10	7	4	5	1	54	8	5	3	2	3	2	1	3	1	1	3
May	82	21	10	4	9	5	3	1	53	5	6	4	5	3	2	-	2	2	-	-
June	86	35	8	5	10	3	2	2	65	8	4	2	1	1	1	-	1	1	2	-
July	79	27	6	6	9	5	1	2	56	6	5	2	-	2	2	-	-	2	3	1
August	96	21	10	3	7	1	6	2	50	11	4	6	3	5	5	2	4	2	2	2
September	115	26	3	2	4	5	3	2	45	13	14	11	6	9	2	5	5	2	3	-
October	94	14	7	6	1	2	2	3	35	10	8	11	5	6	7	5	4	2	1	-
November	91	25	6	3	10	1	2	3	50	10	6	5	6	2	6	3	1	1	-	1
December	104	36	9	3	5	5	1	3	62	6	8	8	4	5	3	2	3	2	1	-
CONNECTICUT	888	340	89	55	77	44	22	21	648	54	47	27	20	23	18	10	13	9	15	4
January	94	34	10	6	9	7	2	-	68	7	7	2	2	2	3	-	1	-	2	-
February	76	26	5	4	7	4	1	3	50	2	3	7	3	4	1	3	-	2	-	1
March	80	34	1	5	6	1	2	1	50	4	9	3	1	1	1	3	2	-	4	2
April	62	25	8	4	5	3	2	2	49	2	4	1	-	4	2	-	-	-	-	-
May	54	23	7	1	5	-	1	2	39	-	2	2	3	2	1	2	3	-	-	-
June	74	30	11	7	5	3	1	1	58	4	3	-	1	2	1	-	1	-	3	1
July	74	33	8	6	6	6	2	1	62	1	2	2	1	3	2	-	-	-	1	-
August	72	26	8	6	9	3	-	1	53	11	1	1	2	-	1	1	-	1	1	-
September	62	22	2	5	6	3	4	2	44	7	5	-	2	1	1	1	-	-	1	-
October	84	34	13	5	5	5	1	1	64	6	6	2	1	1	1	-	1	2	-	-
November	79	30	6	1	7	6	5	3	60	5	2	4	2	3	1	-	-	2	-	-
December	77	23	8	5	7	3	1	4	51	5	3	3	2	-	3	-	5	2	3	-
DELAWARE	221	50	18	12	17	8	4	4	113	16	18	15	10	4	10	10	5	6	10	4
January	23	6	1	1	1	-	1	-	10	-	5	1	1	1	-	1	-	1	2	1
February	19	2	1	1	1	1	-	-	6	2	2	1	-	-	1	2	2	1	1	1
March	29	-	3	4	3	1	-	-	11	3	3	4	2	-	2	-	1	1	2	-
April	11	1	-	-	2	2	-	-	5	2	1	1	-	-	-	-	1	1	-	-
May	19	3	5	1	2	1	-	-	12	2	1	1	-	-	-	-	-	2	1	-
June	18	9	-	2	-	1	-	1	13	-	1	-	-	1	1	2	-	-	-	-
July	16	9	2	1	2	-	-	-	14	-	-	-	-	1	1	-	-	-	-	-
August	13	4	-	-	1	-	-	-	5	1	-	4	-	-	1	-	-	-	1	1
September	23	6	2	1	1	1	-	1	12	1	3	-	2	-	1	2	-	-	2	-
October	21	3	1	1	2	1	1	1	10	3	2	1	-	1	1	2	-	-	1	-
November	15	5	1	-	1	-	2	-	9	1	-	1	1	-	1	-	1	-	-	1
December	14	2	2	-	1	-	-	1	6	1	-	1	4	-	1	1	-	-	-	-

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total, deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DISTRICT OF COLUMBIA	744	229	52	43	48	36	68	37	513	54	27	29	24	26	13	22	12	8	9	7
January	63	17	1	5	5	2	3	3	36	4	4	4	2	3	2	3	-	2	2	1
February	54	19	3	3	3	2	7	2	39	3	1	3	1	4	-	1	1	-	1	-
March	39	10	1	6	2	-	4	2	25	7	1	2	1	-	-	-	1	-	1	1
April	51	13	5	1	4	4	5	1	33	4	3	3	4	-	2	-	2	-	-	-
May	47	17	4	4	5	2	3	1	38	2	4	-	-	1	-	2	1	-	1	-
June	71	27	5	6	4	6	8	4	60	1	1	-	-	4	3	1	-	-	-	1
July	53	19	6	2	4	3	4	-	38	5	-	1	1	1	1	2	1	1	1	1
August	65	20	5	3	4	4	3	6	45	5	1	1	1	2	1	4	3	-	1	1
September	95	31	3	2	7	4	10	10	67	9	2	3	4	3	2	4	-	1	-	-
October	85	20	7	5	3	4	2	4	45	10	5	7	6	3	1	3	1	2	1	1
November	65	19	5	2	3	2	9	4	44	4	3	4	1	3	-	2	2	1	-	1
December	56	17	7	4	4	3	10	-	45	-	2	1	3	2	1	-	-	1	1	-
FLORIDA	1,985	557	147	101	143	132	100	64	1,244	142	116	104	75	48	60	45	46	33	41	31
January	201	55	11	9	16	10	11	7	119	19	16	16	9	2	6	4	1	2	2	5
February	161	33	9	7	12	18	4	7	90	16	15	10	4	7	3	4	6	-	2	4
March	157	40	12	6	9	6	5	4	82	15	11	11	9	6	6	4	5	2	5	1
April	169	55	9	11	10	8	10	4	107	8	8	12	9	8	7	2	4	2	2	-
May	170	36	17	7	12	9	8	4	93	13	9	10	13	7	7	4	4	1	6	3
June	157	50	10	3	11	9	4	8	95	7	10	4	4	2	7	4	9	8	2	5
July	163	49	16	9	10	17	9	2	112	7	6	3	7	3	8	5	4	3	4	1
August	146	37	14	10	12	11	12	6	102	8	6	7	2	7	3	1	3	2	2	3
September	156	52	9	12	14	11	6	3	107	12	6	6	3	1	4	5	4	5	1	2
October	160	54	14	7	11	12	9	5	112	12	10	3	2	1	2	6	3	2	4	3
November	146	48	14	8	11	3	8	8	100	11	5	8	5	1	3	3	1	2	6	1
December	199	48	12	12	15	18	14	6	125	14	14	14	8	3	4	3	2	4	5	3
GEORGIA	3,965	942	289	201	335	246	167	151	2,311	359	254	209	160	135	131	94	95	77	75	65
January	426	84	23	19	48	31	24	15	244	46	37	24	17	10	14	13	9	6	3	3
February	329	64	17	10	28	24	21	19	183	31	29	23	9	17	10	7	5	4	5	6
March	411	93	33	24	34	19	16	12	231	43	32	23	17	11	15	11	7	6	7	8
April	329	87	27	16	19	18	15	12	194	21	24	19	15	3	8	9	17	7	8	4
May	307	89	23	9	20	19	12	12	184	22	15	15	8	10	11	6	8	11	8	9
June	335	106	30	19	18	15	9	4	201	33	9	13	15	13	10	9	9	9	8	6
July	361	83	22	18	19	27	7	10	186	28	22	25	12	18	15	13	8	9	16	9
August	344	75	22	14	28	22	19	6	186	29	21	21	18	17	14	9	8	7	6	8
September	247	68	19	16	28	13	8	9	161	23	13	7	9	12	7	2	5	3	4	1
October	265	69	20	14	27	16	7	8	161	24	13	11	12	8	15	5	6	5	2	3
November	288	61	23	24	33	29	10	8	188	20	22	14	12	5	5	4	6	4	3	5
December	323	63	30	18	33	16	19	16	192	39	17	14	16	11	7	6	7	6	5	3
IDAHO	417	162	31	17	36	16	15	8	285	26	29	16	13	13	10	6	7	3	4	5
January	47	17	3	-	5	1	-	1	27	8	4	1	1	2	1	1	1	1	-	-
February	28	11	-	1	1	1	-	1	15	4	3	-	3	1	-	-	1	-	1	-
March	62	23	4	5	5	2	3	1	43	3	5	4	2	1	1	1	-	2	-	-
April	32	11	6	-	3	1	-	1	22	-	1	4	-	1	-	-	1	-	1	2
May	33	8	3	-	5	3	1	-	20	3	2	1	1	2	-	1	1	-	-	2
June	34	16	3	2	4	-	2	1	28	-	2	1	-	1	-	-	1	-	1	-
July	29	12	2	2	3	5	-	-	24	1	-	-	-	1	2	1	-	-	-	-
August	29	14	2	1	2	-	2	-	21	-	2	2	-	1	2	1	-	-	-	-
September	24	12	-	2	2	-	2	-	18	-	2	1	-	1	1	-	1	-	-	-
October	42	16	3	2	2	2	2	3	30	5	2	1	1	-	1	1	1	-	-	-
November	20	4	3	-	1	1	1	-	10	-	4	-	3	1	2	-	-	-	-	-
December	37	18	2	2	3	-	2	-	27	2	2	1	2	1	-	-	-	-	1	1
ILLINOIS	4,661	1,891	403	266	374	235	128	118	3,215	284	208	190	145	133	90	101	84	82	69	60
January	449	127	20	20	24	25	14	11	241	34	28	24	26	24	13	16	12	14	6	11
February	379	104	25	23	30	26	11	16	235	26	22	17	18	19	9	6	7	7	6	7
March	405	137	27	22	29	13	20	8	256	30	24	19	14	6	9	13	4	15	7	8
April	354	155	25	26	26	20	11	4	267	19	11	11	6	11	5	4	6	3	7	4
May	356	154	44	20	29	7	6	10	270	16	9	14	7	5	7	6	6	6	7	3
June	348	135	35	23	35	28	9	5	270	15	11	10	4	7	7	9	4	2	7	2
July	394	149	52	18	34	19	9	14	295	19	13	9	14	8	9	9	4	6	5	3
August	399	176	33	21	33	17	11	5	296	18	12	15	11	10	5	7	10	6	5	4
September	383	142	32	15	35	24	13	9	270	24	16	16	7	10	9	8	7	8	6	2
October	399	132	32	23	29	20	9	13	258	29	19	26	15	14	9	8	8	4	3	6
November	420	144	35	36	44	18	7	16	300	31	21	14	11	8	4	8	8	5	5	5
December	375	136	43	19	26	18	8	7	257	23	22	15	12	11	4	7	8	6	5	5
INDIANA	2,615	771	197	145	211	123	92	70	1,609	191	153	136	107	85	68	77	62	57	40	30
January	292	68	13	13	21	10	15	11	151	22	15	19	27	10	11	14	7	5	7	4
February	190	64	18	12	19	8	8	6	135	16	7	6	5	2	4	3	5	6	1	-
March	238	65	23	19	11	12	5	7	142	13	18	7	7	11	9	9	8	5	5	4
April	187	58	8	12	19	7	7	4	115	11	9	8	8	5	3	9	4	6	4	5
May	187	57	13	10	16	11	5	1	113	12	10	12	6	7	3	8	5	6	3	2
June	170	70	17	12	15	6	4	4	128	10	8	6	4	2	1	3	2	4	1	1
July	209	67	14	10	13	11	9	6	130	13	16	9	4	7	4	10	7	3	4	2
August	222	69	17	13	22	14	8	9	152	16	10	12	6	5	7	1	4	2	3	4
September	231	57	20	11	22	9	5	10	134	18	17	14	7	12	5	6	5	6	2	5
October	235	56	14	14	12	9	8	4	117	26	15	21	18	5	10	7	7	1	7	1
November	231	68	23	12	20	14	13	4	154	15	16	10	7	7	7	6	4	3	1	1
December	223	72	17	7	21	12	5	4	138	19	12	12	8	12	4	1	4	10	2	1
IOWA	1,676	615	148	97	140	85	45	50	1,180	96	92	58	51	46	39	32	27	22	21	12
January	191	40	14	13	15	9	11	6	108	16	15	15	12	6	6	3	4	4	2	-
February	140	45	12	10	12	9	4	6	98	10	9	5	3	6	4	1	1	1	1	1
March	137	53	7	11	15	5	2	3	96	7	12	2	1	5	1	5	4	3	1	-
April	145	61	10	7	14	4	2	4	102	7	8	4	1	4	7	3	6	3	-	-
May	129	57	13	4	8	7	1	3	93	9	6	7	2	2	-	3	2	2	-	3
June	125	45	12	6	14	4	4	4	89	6	3	2	7	5	4	2	1	3	3	-
July	132	47	17	15	12	8	3	3	105	5	6	5	2	2	1	2	1	-	2	1
August	117	47	13	5	12	5	1	5	88	3	8	1	5	2	3	2	-	-	4	1
September	136	62	8	5	11	15	3	2	106	11	6	2	2	3	-	1	2	2	1	-
October	148	60	14	10	8	5	5	5	107	10	6	2	7	5	4	2	1	1	3	-
November	122	44	11	8	10	4	2	2	81	4	7	4	6	6	1	6	2	1	1	3
December	154	54	17	3	9	10	7	7	107	8	6	9	3	-	8	2	3	2	3	3

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS	1,145	401	73	61	92	62	27	32	748	57	69	56	47	31	25	29	24	21	19	19
January	129	32	4	7	7	9	4	9	72	8	12	6	6	5	3	7	4	4	1	1
February	104	22	7	6	10	3	4	2	54	6	9	11	6	2	3	1	3	3	2	4
March	107	30	9	5	6	7	4	1	62	5	12	4	8	2	4	1	2	4	2	1
April	93	31	5	8	9	6	3	2	64	2	5	4	2	5	1	3	3	2	-	2
May	103	46	8	3	7	3	2	-	69	10	7	4	2	3	1	1	1	1	3	1
June	90	42	7	6	6	3	-	3	67	5	6	1	1	3	1	1	1	1	1	2
July	96	35	4	6	12	5	1	2	65	7	3	5	5	1	1	1	2	1	1	4
August	94	35	7	3	8	8	1	3	65	3	1	5	6	2	-	3	5	1	2	1
September	69	20	2	5	5	7	-	5	44	2	5	3	2	2	3	5	1	1	1	-
October	85	31	6	5	12	6	2	3	65	1	2	3	2	2	2	3	1	1	2	1
November	91	40	7	3	5	3	3	2	63	4	4	6	4	-	4	1	-	1	3	1
December	84	37	7	4	5	2	3	-	58	4	3	4	3	4	2	2	1	1	1	1
KENTUCKY	5,738	756	327	168	246	234	181	133	2,045	324	261	203	162	151	138	106	87	104	70	87
January	419	85	21	21	36	24	26	24	237	44	28	20	17	13	12	9	8	12	11	8
February	312	58	21	16	23	26	16	12	172	32	28	13	6	11	6	7	13	7	8	9
March	380	70	38	16	31	25	21	17	218	36	23	21	9	12	13	10	12	13	3	10
April	282	70	34	16	19	24	9	11	183	23	10	12	8	6	10	9	2	5	7	7
May	243	79	20	11	15	14	11	6	156	22	17	8	6	5	7	3	6	7	3	3
June	270	68	26	7	17	21	15	7	161	26	18	9	10	12	7	6	4	10	2	5
July	374	64	31	13	12	19	11	9	159	26	34	32	30	22	16	15	11	9	11	9
August	332	52	24	19	14	15	15	13	152	18	30	24	16	16	17	17	7	16	4	15
September	294	53	27	8	17	12	10	2	129	31	17	23	18	21	16	10	11	10	3	5
October	307	44	39	18	13	24	11	11	160	25	21	17	22	21	19	3	3	8	5	3
November	262	55	24	11	25	16	13	11	155	20	21	14	11	2	6	9	3	4	10	7
December	263	58	22	12	24	14	23	10	163	21	14	10	9	10	9	8	7	3	3	6
LOUISIANA	3,157	867	180	138	234	251	148	113	1,931	266	197	157	132	90	88	78	68	62	48	40
January	347	70	15	19	19	30	25	7	185	35	31	14	28	18	11	7	7	2	5	4
February	310	53	15	14	15	32	13	12	154	31	28	22	20	11	9	11	8	3	5	8
March	268	60	14	5	14	16	21	14	144	30	19	14	11	10	16	6	7	5	-	6
April	241	67	15	4	16	19	12	6	139	18	12	21	8	11	8	7	6	7	3	1
May	210	60	11	12	20	14	11	9	157	12	10	9	7	7	7	5	5	3	6	2
June	253	76	18	12	13	20	8	7	154	23	11	8	7	5	4	9	3	6	2	1
July	251	77	11	8	28	23	11	7	165	18	9	10	11	3	4	5	7	8	6	5
August	287	95	21	18	22	30	11	10	207	17	10	9	8	6	5	3	4	7	8	3
September	257	85	16	13	18	14	16	9	171	18	13	8	1	4	4	4	6	-	5	3
October	256	98	9	13	17	16	3	9	165	23	16	12	5	2	6	9	4	8	5	1
November	263	64	16	8	26	22	6	12	154	18	22	17	15	6	7	5	6	7	1	5
December	254	62	19	12	26	15	11	11	156	23	16	13	11	7	7	7	5	6	2	1
MAINE	818	226	50	56	72	40	22	25	491	65	61	49	36	23	16	20	20	15	12	10
January	87	10	3	3	6	5	7	3	37	9	14	11	4	4	2	2	1	2	1	-
February	62	19	5	3	8	4	2	2	43	4	2	2	1	2	2	-	1	4	1	-
March	84	23	2	5	9	2	3	3	47	10	6	5	5	3	-	3	1	2	2	-
April	74	18	5	8	7	4	1	1	44	4	5	1	6	2	1	3	3	2	2	1
May	69	22	4	3	7	6	1	3	46	6	2	2	2	1	2	3	1	2	-	2
June	59	31	5	3	7	-	2	2	50	3	5	1	-	-	-	-	-	-	-	-
July	50	20	4	4	1	2	-	2	33	3	2	4	3	-	2	-	1	-	1	1
August	57	23	3	3	3	-	1	1	34	5	3	3	2	2	2	3	-	1	1	1
September	53	14	4	4	4	6	-	-	32	4	3	3	2	-	-	1	5	-	2	1
October	65	17	4	6	8	3	1	2	41	4	3	5	4	3	2	2	1	-	-	-
November	83	13	4	10	6	5	2	3	43	7	7	7	1	3	1	3	4	2	2	3
December	75	16	7	4	6	3	2	3	41	6	9	5	6	3	2	-	2	-	-	1
MARYLAND	1,927	462	132	87	124	106	71	44	1,026	146	118	101	65	93	74	67	75	63	61	38
January	158	36	11	7	12	7	3	6	82	18	11	6	10	7	6	3	5	4	3	3
February	144	26	8	7	9	8	11	2	71	10	9	12	4	9	4	3	8	6	4	4
March	153	41	9	4	5	6	6	1	72	17	9	10	3	4	6	5	7	8	10	2
April	157	41	12	4	13	2	5	3	80	12	19	5	3	6	7	3	10	5	6	1
May	132	51	10	7	7	6	5	1	87	5	7	3	2	6	4	4	5	3	3	3
June	123	45	10	5	13	9	2	2	86	4	3	1	5	5	3	1	2	6	4	3
July	161	54	9	6	11	8	5	3	96	11	3	10	2	8	8	4	3	8	7	1
August	145	30	12	9	5	10	2	3	71	13	8	4	7	8	6	6	10	7	5	-
September	174	37	10	11	9	10	10	4	91	10	15	6	3	13	9	10	3	3	6	5
October	221	26	11	9	12	18	9	8	93	20	12	16	15	14	6	14	8	7	7	9
November	194	41	18	11	11	15	8	6	110	15	14	16	5	6	5	8	6	4	2	3
December	165	34	12	7	17	7	5	5	87	11	8	12	6	7	10	6	8	2	4	4
MASSACHUSETTS	2,464	850	206	140	172	112	101	81	1,662	182	127	110	72	64	48	54	56	44	24	21
January	252	71	17	8	22	6	11	7	142	20	18	14	8	12	6	9	8	8	4	3
February	215	76	16	12	19	9	9	9	150	10	11	11	5	6	6	3	-	4	5	4
March	220	68	18	8	15	5	8	9	131	20	15	14	6	9	5	6	7	4	1	2
April	213	82	10	10	15	7	20	7	151	13	9	10	5	2	7	2	6	3	3	2
May	198	67	17	15	8	11	7	4	129	19	7	5	5	9	4	7	4	6	2	1
June	191	68	21	16	16	10	7	6	144	12	9	1	8	4	2	4	4	-	1	2
July	221	67	22	18	19	14	8	11	159	17	12	8	7	2	2	2	4	6	1	1
August	183	72	17	12	13	8	4	5	131	13	10	6	6	2	3	9	-	-	1	2
September	192	64	22	9	13	12	6	11	137	15	6	6	3	4	3	2	8	1	2	3
October	203	70	18	15	16	11	8	5	143	15	13	9	4	1	1	2	6	7	1	1
November	174	75	10	9	7	9	6	3	119	8	7	14	8	7	4	3	2	1	1	-
December	202	70	18	8	9	10	7	4	126	20	10	10	7	6	5	5	7	4	2	-
MICHIGAN	4,161	1,303	358	201	344	215	132	125	2,678	300	266	186	143	139	95	91	73	73	60	57
January	377	111	32	12	25	18	10	17	225	28	28	18	22	13	9	12	8	3	7	4
February	347	96	22	18	31	18	11	9	205	19	32	18	13	10	6	12	8	11	4	9
March	350	100	30	12	27	14	10	7	200	30	24	21	9	12	12	12	8	5	10	7
April	321	90	28	23	28	17	6	7	199	20	23	11	16	9	9	10	6	10	6	2
May	323	112	28	13	26	17	13	11	218	19	16	13	11	13	6	5	6	5	7	4
June	328	124	41	12	29	16	12	11	245	20	18	9	7	9	7	2	1	2	6	4
July	318	114	31	23	42	20	6	7	243	16	12	15	4	5	2	5	5	3	3	5
August	345	116	27	15	31	18	10	13	230	25	16	11	13	15	6	2	7	11	4	5
September	367	109	29	16	25	22	9	12	222	34	16	18	12	16	15	8	7	8	5	4
October	391	118	33	11	23	16	13	8	222	37	38	25	13	15	7	11	10	6	2	5
November	350	114	33	19	31	13	15	10	235	30	20	15	11	8	8	8	2	5	4	4
December	344	99	26	27	26	26	17	13	234	22	23	12	12	14	8	4	5	4	2	4

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA	1,874	688	175	112	150	85	63	52	1,325	113	93	78	45	46	43	39	34	17	19	22
January	211	66	10	10	13	12	14	5	130	11	14	17	6	9	8	12	1	1	-	2
February	170	55	13	10	17	9	3	4	111	16	5	7	7	4	8	3	2	2	4	1
March	176	57	18	4	18	7	6	4	114	10	20	7	2	3	3	5	8	1	1	2
April	136	45	7	14	11	3	4	5	89	14	6	5	2	5	2	3	5	1	3	1
May	143	63	8	7	15	3	4	6	106	7	7	7	4	3	2	3	1	1	1	1
June	139	54	13	10	13	5	4	2	101	6	9	5	2	4	3	-	4	2	1	2
July	148	65	18	9	11	3	3	3	112	7	7	2	1	5	4	3	-	4	-	3
August	151	62	21	9	14	10	7	3	126	7	3	2	4	3	2	1	-	-	2	1
September	140	62	19	6	10	6	6	4	113	8	3	4	2	-	2	4	1	1	1	1
October	144	59	17	7	10	9	3	8	113	7	7	4	3	1	2	1	3	-	1	2
November	159	45	17	12	12	11	5	3	105	11	7	11	5	2	6	2	5	2	1	2
December	157	55	14	14	6	7	4	5	105	9	5	7	7	7	1	2	4	2	4	4
MISSISSIPPI	3,016	763	209	138	198	166	102	92	1,868	286	204	157	160	111	110	71	72	69	53	55
January	328	66	25	12	22	28	10	10	173	41	27	8	24	14	17	2	3	8	6	5
February	299	58	17	14	23	18	15	9	154	34	24	15	15	17	12	10	4	6	5	3
March	322	66	26	16	25	10	11	12	166	27	33	24	14	15	13	10	5	7	2	6
April	254	66	21	12	18	13	8	6	144	27	15	12	10	9	5	10	6	8	2	6
May	260	78	17	11	18	8	10	7	149	22	16	12	8	14	9	2	10	6	9	3
June	212	59	14	5	12	8	7	6	111	19	11	11	8	4	7	6	6	8	11	10
July	219	62	15	8	14	11	7	7	124	13	7	11	14	8	11	5	7	4	7	8
August	241	68	12	13	9	12	6	13	133	23	13	19	13	7	10	3	7	6	2	5
September	191	61	14	9	13	13	3	6	119	18	12	9	9	6	4	-	8	3	3	-
October	209	57	16	10	11	13	5	5	117	20	15	13	16	3	2	11	5	3	-	4
November	230	63	15	11	21	12	8	7	135	18	16	9	16	4	12	5	5	5	2	3
December	251	59	19	17	12	20	12	4	143	24	15	14	13	10	8	7	6	5	4	2
MISSOURI	3,019	908	202	117	213	160	116	77	1,793	207	215	183	110	98	90	71	78	64	54	53
January	334	69	14	5	23	28	19	13	171	26	32	26	17	11	7	8	9	8	8	11
February	281	71	19	13	24	18	12	6	163	28	21	12	5	10	11	6	10	8	3	4
March	280	63	13	15	19	10	18	8	146	16	17	19	13	15	10	7	8	9	13	7
April	222	78	13	9	12	10	7	7	136	11	17	15	5	10	3	5	4	8	4	4
May	216	92	15	7	12	12	4	5	147	13	11	6	10	3	6	5	5	5	1	4
June	254	95	21	8	13	12	7	4	160	16	18	15	7	6	4	7	8	3	7	3
July	272	90	20	9	19	8	4	5	155	14	15	23	8	10	9	6	7	8	11	6
August	212	66	16	13	16	11	7	2	131	15	17	10	5	10	5	4	8	1	4	2
September	229	70	13	9	22	13	7	4	138	19	16	15	10	7	7	4	4	2	-	7
October	254	70	18	9	18	16	7	7	143	16	23	14	12	8	18	10	4	2	-	4
November	241	74	23	11	17	9	11	6	151	19	14	15	8	6	7	7	8	1	1	4
December	224	70	19	9	18	13	13	10	152	14	14	13	10	2	3	2	3	9	2	-
MONTANA	438	135	24	11	39	28	19	9	265	37	22	16	19	19	17	6	12	12	6	7
January	51	8	4	-	1	5	6	1	25	7	2	3	1	4	1	1	-	5	1	1
February	37	11	-	1	1	3	2	1	19	2	2	2	5	3	1	1	1	1	-	-
March	39	10	2	-	7	2	4	3	28	1	-	2	3	2	-	-	1	-	-	2
April	28	8	1	1	2	-	1	2	13	3	1	-	1	3	3	-	2	1	-	1
May	42	13	4	2	3	1	3	-	26	8	3	-	1	-	2	-	-	1	1	-
June	35	10	3	1	5	3	1	1	24	3	1	2	1	-	-	-	-	-	2	2
July	35	14	4	1	5	4	-	1	29	-	1	-	1	1	1	-	-	1	1	-
August	38	18	1	1	1	3	-	-	24	2	2	2	-	-	3	2	1	2	-	-
September	34	14	-	1	4	1	1	-	21	1	3	2	3	1	2	1	-	-	-	-
October	35	13	2	1	4	3	-	-	23	5	1	-	-	2	1	1	2	-	-	-
November	29	11	2	1	1	2	1	-	18	1	1	-	-	2	1	-	4	1	-	1
December	35	7	1	1	5	1	-	-	15	4	5	3	3	1	2	-	1	-	1	-
NEBRASKA	759	278	69	34	61	40	29	15	526	61	24	27	30	20	21	11	9	12	10	8
January	86	21	7	6	3	6	2	2	47	10	2	3	5	5	5	1	-	3	4	1
February	77	27	4	3	7	2	1	1	45	7	6	4	3	3	4	1	2	1	-	1
March	76	31	7	3	9	3	3	2	58	7	1	2	2	1	-	2	2	-	1	-
April	45	13	4	-	6	1	2	3	29	7	2	2	1	1	1	-	-	1	-	1
May	62	24	3	4	5	3	3	-	42	6	-	2	-	2	1	3	2	3	-	1
June	56	18	12	3	1	4	3	-	41	3	-	2	3	2	3	-	-	1	1	-
July	85	33	8	3	9	7	4	2	66	5	3	-	3	3	-	1	1	2	1	-
August	62	28	9	4	4	2	2	2	51	2	2	1	3	1	1	1	-	-	-	-
September	43	19	3	1	5	3	1	-	32	5	2	1	1	-	-	-	-	-	1	1
October	58	25	7	1	5	3	-	3	44	1	1	4	3	1	2	-	1	-	-	1
November	54	22	2	3	4	4	4	-	39	1	4	3	3	-	2	-	-	1	-	1
December	55	17	3	3	3	2	4	-	32	7	1	3	3	1	2	2	1	-	2	1
NEVADA	93	33	9	6	6	1	1	-	56	5	8	7	3	3	3	-	4	2	1	1
January	7	4	-	-	-	-	-	-	4	-	-	1	1	1	-	-	-	-	-	-
February	10	1	3	1	1	-	-	-	6	-	2	-	1	1	-	-	-	-	-	-
March	9	5	-	-	1	-	-	-	6	-	1	-	-	-	1	-	1	-	-	-
April	8	4	-	-	1	-	-	-	5	-	1	1	-	-	-	-	-	1	-	-
May	6	3	-	2	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	1
June	8	3	1	1	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-
July	12	5	1	-	1	-	-	-	7	2	-	-	-	1	-	-	1	-	1	-
August	8	2	1	1	-	1	1	-	6	-	-	1	-	-	1	-	-	-	-	-
September	8	3	-	-	1	-	-	-	4	-	1	1	-	-	-	-	1	1	-	-
October	5	1	1	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-
November	8	2	1	-	1	-	-	-	4	-	1	2	1	-	-	-	-	-	-	-
December	4	-	1	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
NEW HAMPSHIRE	329	120	29	15	29	13	7	10	223	13	24	19	11	7	6	8	5	4	1	8
January	29	9	3	2	3	1	1	2	21	2	1	1	2	-	1	-	1	-	-	-
February	30	16	4	-	2	-	1	-	23	-	-	3	1	-	-	1	2	-	-	-
March	22	10	1	3	1	1	-	1	17	-	-	1	-	1	1	-	-	2	-	-
April	36	9	5	-	4	-	-	-	18	2	6	2	1	1	2	1	-	-	-	3
May	20	9	-	1	1	-	1	1	13	-	3	-	1	-	-	1	-	1	-	1
June	23	11	2	1	1	1	-	1	17	2	1	2	-	1	-	-	-	-	-	-
July	30	10	3	2	3	1	-	1	20	2	1	-	2	1	-	1	-	1	-	2
August	24	8	2	1	3	3	-	1	18	1	2	1	-	-	1	-	1	-	-	-
September	25	9	3	1	5	1	1	-	20	-	2	-	-	1	-	1	1	-	-	-
October	31	10	1	2	4	4	1	1	23	-	2	3	-	1	1	1	-	-	-	-
November	22	10	2	-	2	-	-	1	15	2	1	2	2	-	-	-	-	-	-	-
December	37	9	3	2	-	1	2	1	18	2	5	4	2	1	-	2	-	-	1	2

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY	2,408	818	235	126	180	129	106	68	1,662	159	97	104	75	67	52	58	43	32	30	29
January	217	59	17	10	14	13	12	2	127	19	5	20	11	10	5	5	4	6	1	4
February	183	66	16	7	13	13	5	7	127	8	8	4	5	8	3	7	6	3	1	3
March	226	64	23	5	17	13	7	6	135	19	12	7	7	8	11	10	6	5	4	2
April	195	65	11	10	12	8	10	10	126	17	7	11	7	8	8	3	1	4	1	2
May	194	71	16	18	18	11	5	3	140	6	8	11	3	2	3	4	3	3	3	8
June	189	82	22	7	14	9	8	3	145	7	6	9	3	2	4	3	5	2	2	1
July	205	74	18	11	14	15	9	7	148	15	8	7	6	2	6	6	2	2	3	-
August	194	77	23	6	19	12	8	6	151	12	5	3	3	6	2	3	2	2	3	2
September	177	65	16	14	5	11	8	3	122	11	8	10	7	6	1	5	2	-	4	1
October	206	64	24	11	20	7	13	6	145	21	7	5	9	5	1	4	4	2	2	1
November	225	72	22	16	13	15	16	11	165	14	13	11	4	3	3	3	5	2	2	-
December	197	59	27	13	21	2	5	4	131	10	10	6	10	7	5	5	3	1	4	5
NEW MEXICO	1,437	265	44	42	68	63	38	46	566	120	137	102	111	93	79	61	51	45	40	32
January	169	29	5	6	9	11	7	5	72	21	13	9	12	12	8	4	6	5	5	2
February	85	19	4	2	5	5	4	1	40	6	6	8	2	2	6	2	5	3	1	4
March	100	27	4	7	11	7	3	3	62	7	5	3	4	5	4	1	3	3	1	2
April	88	31	3	5	6	3	5	1	54	4	3	6	4	4	2	4	1	3	3	-
May	76	20	2	6	7	2	2	7	46	5	10	2	3	-	1	-	3	3	1	2
June	110	18	5	4	5	3	1	1	37	7	13	8	10	7	10	5	4	-	7	2
July	151	25	4	3	5	5	1	4	47	17	17	11	16	16	10	7	3	2	2	3
August	208	18	4	3	6	6	6	8	51	19	20	20	31	10	13	18	9	5	8	4
September	159	25	2	3	4	4	3	8	49	9	16	13	10	16	8	12	7	6	5	8
October	118	25	4	1	2	4	2	4	42	12	18	5	6	6	9	6	2	8	2	2
November	95	19	3	2	4	7	1	2	38	7	11	10	6	9	5	-	1	4	2	2
December	78	9	4	-	4	6	3	2	28	6	5	7	7	6	3	2	7	3	3	1
NEW YORK	6,950	2,428	857	408	547	317	201	196	4,954	421	344	307	192	176	149	111	93	64	71	68
January	624	200	70	34	46	24	16	20	410	41	31	29	25	26	13	14	9	10	9	7
February	581	184	69	31	38	19	14	16	371	40	28	34	26	22	19	13	7	6	6	9
March	636	202	69	39	45	27	28	20	430	37	41	35	27	13	10	10	13	6	7	7
April	562	201	56	28	47	18	13	10	373	41	33	25	12	15	12	13	12	9	8	9
May	565	207	85	33	34	17	10	21	407	29	37	14	13	11	22	11	9	3	3	6
June	574	217	89	37	51	20	14	10	438	34	16	19	9	7	15	11	7	5	9	4
July	581	219	75	35	48	24	20	12	433	29	25	26	4	7	13	5	3	4	5	7
August	558	216	65	30	59	26	13	18	427	31	17	22	12	11	7	5	10	3	7	6
September	527	176	72	33	38	42	19	15	395	28	26	22	12	15	4	5	7	4	4	5
October	596	208	68	36	48	39	14	25	438	38	34	22	13	13	10	9	5	8	3	3
November	559	193	76	28	41	24	21	14	397	39	25	29	19	13	9	9	4	6	5	4
December	607	205	63	44	52	37	19	15	435	34	51	30	20	23	15	6	7	-	5	1
NORTH CAROLINA	5,053	1,151	311	189	343	234	205	184	2,597	448	369	318	276	236	194	167	137	132	89	90
January	524	103	23	26	38	21	37	22	270	58	42	44	29	11	24	15	10	11	3	7
February	501	100	30	18	33	18	28	25	252	61	32	22	25	19	28	24	13	11	8	6
March	525	93	28	16	37	23	28	17	242	57	50	29	20	31	21	18	19	18	10	10
April	421	114	27	18	32	24	12	20	247	28	23	21	14	16	7	14	12	17	11	11
May	364	108	20	16	33	24	8	12	221	27	21	25	10	17	8	7	5	7	7	9
June	365	99	25	16	18	8	13	10	189	24	28	12	16	19	9	12	16	14	15	11
July	508	108	29	14	31	17	14	17	230	47	35	27	47	24	24	21	19	14	10	10
August	397	95	18	10	30	19	13	15	200	32	22	28	30	20	22	11	9	11	5	7
September	328	85	27	13	22	16	10	9	182	24	15	32	13	19	10	9	7	12	2	3
October	392	91	33	21	23	18	15	11	212	29	29	21	20	28	15	12	10	6	7	3
November	380	85	26	11	29	17	14	13	175	31	40	30	25	18	13	16	11	4	10	7
December	348	70	25	10	17	29	13	13	177	30	32	27	27	14	13	8	6	7	1	6
NORTH DAKOTA	492	159	40	17	36	27	19	10	308	42	36	29	19	14	5	10	12	6	5	6
January	50	14	1	2	2	-	3	-	22	8	7	4	2	5	-	1	-	-	-	1
February	38	12	-	1	3	1	1	1	19	3	1	4	2	2	1	-	4	2	-	-
March	49	11	4	1	4	5	1	4	30	6	2	5	-	1	1	1	2	-	1	-
April	48	16	6	2	4	2	1	1	32	4	3	-	2	-	-	1	3	2	1	-
May	39	9	5	1	1	2	2	-	20	3	7	-	1	1	2	1	2	1	1	-
June	38	16	4	2	4	1	4	1	32	2	1	1	-	-	1	-	-	-	-	1
July	35	14	5	3	4	3	-	-	29	3	1	1	-	1	-	-	-	-	-	-
August	37	14	1	1	1	4	3	1	25	2	5	1	3	-	-	-	-	-	-	1
September	39	12	5	2	6	1	1	-	27	3	2	3	-	1	-	2	-	-	1	-
October	33	13	2	1	3	3	-	-	22	3	2	1	2	1	-	1	1	-	-	-
November	42	15	1	1	2	2	2	1	24	3	3	5	4	2	-	-	-	-	1	-
December	44	13	6	-	2	3	1	1	26	2	2	4	3	-	-	3	-	1	-	3
OHIO	5,134	1,700	408	266	349	258	183	146	3,310	345	297	231	205	143	121	116	114	95	90	67
January	468	137	28	31	35	28	12	7	278	34	32	20	26	18	15	14	11	5	11	4
February	353	104	23	24	18	15	24	15	223	27	23	11	14	9	7	10	8	4	10	7
March	431	142	30	20	29	19	13	14	267	25	29	21	20	9	20	13	7	6	6	8
April	386	143	40	21	22	23	10	5	264	17	17	17	6	9	7	9	14	10	11	5
May	398	149	27	25	33	22	10	15	281	21	14	15	14	9	3	9	6	8	11	7
June	430	182	57	20	26	23	9	17	334	16	18	11	11	8	6	3	6	9	6	2
July	415	158	48	20	31	9	12	6	280	20	16	21	14	13	5	12	9	11	4	10
August	436	133	35	22	26	29	18	12	275	34	22	18	13	19	11	12	10	11	6	5
September	465	153	20	15	24	21	18	18	269	39	37	23	31	13	11	10	12	8	5	7
October	484	132	36	20	25	24	18	17	272	43	34	31	29	14	17	8	15	8	8	5
November	433	135	35	25	39	23	21	9	287	32	21	26	12	14	10	8	8	8	3	4
December	435	134	31	23	41	22	18	11	280	37	34	17	15	8	9	8	8	7	9	3
OKLAHOMA	2,186	663	187	90	155	117	80	77	1,369	179	114	85	72	65	53	62	44	58	37	48
January	273	39	16	10	19	21	20	17	142	35	10	15	17	14	10	11	6	7	2	4
February	219	43	14	6	17	11	9	6	106	23	11	14	10	7	9	5	7	11	7	9
March	198	48	10	8	18	8	7	5	104	18	19	7	8	4	10	5	6	3	7	7
April	194	54	19	8	10	8	12	12	123	21	6	10	4	3	4	9	2	3	4	5
May	172	64	19	7	11	9	4	5	119	10	10	5	3	6	3	2	3	5	3	3
June	175	78	23	6	3	8	5	4	127	12	12	6	2	3	3	5	1	1	-	3
July	176	61	16	5	8	11	7	5	113	9	10	6	7	4	7	1	6	8	2	3
August	172	81	10	7	15	7	1	4	125	11	7	5	3	3	-	6	5	2	1	4
September	143	46	16	3	16	5	4	3	93	11	10	5	3	6	2	5	2	2	3	1
October	141	40	18	8	10	9	3	5	93	9	7	3	3	8	1	5	2	6	1	3
November	161	43	14	8	16	10	7	4	102	14	6	6	3	4	3	5	3	9	4	2
December	162	66	12	14	12	10	1	7	122	8	6	3	9	3	1	3	1	1	3	4

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos	10 mos.	11 mos.
OREGON	580	209	54	31	45	25	14	16	394	44	39	23	14	13	21	8	8	5	6	5
January	61	21	1	5	5	1	-	1	34	10	7	3	-	1	4	-	1	-	1	-
February	45	16	1	4	6	-	-	2	29	3	1	1	2	3	2	1	1	2	-	-
March	42	19	4	2	4	1	1	-	31	3	2	-	1	2	2	-	-	-	-	1
April	39	20	2	2	1	1	2	1	29	3	2	-	1	1	2	1	-	-	-	-
May	58	18	5	6	4	6	3	2	44	3	3	2	-	1	1	2	1	-	1	-
June	53	21	6	-	1	4	1	4	37	6	-	4	-	-	1	2	1	1	1	-
July	48	11	8	3	3	4	2	2	33	1	1	4	2	2	4	-	-	-	-	1
August	45	17	4	3	6	1	2	1	34	2	4	-	-	1	-	1	1	-	1	1
September	35	14	5	-	3	-	1	1	24	1	2	1	3	1	1	-	1	-	-	1
October	53	24	6	2	1	3	-	1	37	2	7	3	1	-	1	-	-	1	1	-
November	50	15	9	2	3	1	-	-	30	6	2	5	2	1	1	-	1	-	1	1
December	51	13	3	2	8	3	2	1	32	4	8	-	2	-	2	1	1	1	-	-
PENNSYLVANIA	7,125	2,367	509	364	589	401	258	213	4,701	457	396	322	237	208	165	183	153	120	86	97
January	683	187	50	30	44	33	34	21	399	52	47	49	17	25	25	22	8	19	8	12
February	594	194	39	31	45	32	23	19	383	33	43	23	20	23	16	21	15	3	8	6
March	649	192	40	29	63	34	11	23	392	49	44	30	20	22	18	21	11	17	13	12
April	638	202	51	38	55	37	15	18	416	37	27	20	20	24	18	21	22	14	6	13
May	630	216	36	46	58	45	21	20	442	35	23	25	21	9	12	15	19	11	8	10
June	514	232	40	30	43	24	15	13	397	23	27	11	7	13	4	8	7	4	5	8
July	595	225	43	26	56	35	22	19	426	30	26	27	15	12	11	14	14	9	3	8
August	551	200	37	27	46	34	32	13	389	33	27	18	17	10	10	8	11	14	10	4
September	550	196	37	21	40	32	21	17	364	32	25	22	28	21	13	14	13	3	8	7
October	603	161	52	33	52	36	23	14	371	50	37	39	30	15	19	11	12	10	5	4
November	536	186	33	28	34	24	20	23	348	41	28	27	22	16	8	15	7	10	6	8
December	582	176	51	25	53	35	21	13	374	42	42	31	20	18	11	13	14	6	6	5
RHODE ISLAND	405	153	23	15	34	17	10	7	259	44	23	18	20	12	6	6	6	4	4	3
January	47	12	3	1	7	1	2	1	27	8	2	4	1	2	-	1	-	1	-	1
February	34	9	-	3	5	2	-	-	19	3	4	-	3	1	-	-	1	1	1	1
March	27	8	2	2	1	1	1	1	16	3	1	1	2	1	-	1	-	-	2	-
April	30	10	-	2	4	1	1	-	18	2	3	1	3	1	-	-	1	-	-	1
May	39	17	-	-	2	2	-	1	22	4	3	3	1	3	1	1	-	1	-	-
June	40	12	2	1	5	3	-	1	24	4	4	1	3	1	2	1	-	-	-	-
July	32	20	1	2	-	1	2	-	26	5	1	-	-	-	-	-	-	-	-	-
August	36	15	3	1	3	2	-	-	24	2	-	2	1	1	2	2	2	-	-	-
September	30	12	6	-	1	1	1	3	24	2	2	2	-	-	-	-	-	-	-	-
October	24	11	2	1	2	-	-	-	16	3	2	-	3	-	-	-	-	-	-	-
November	30	16	-	2	-	1	1	-	20	3	1	2	3	-	-	-	-	-	1	-
December	36	11	4	-	4	2	2	-	23	5	-	2	-	2	1	-	2	1	-	-
SOUTH CAROLINA	3,554	700	223	167	294	168	127	113	1,812	321	240	228	221	141	150	120	96	77	75	73
January	371	64	26	18	32	30	18	16	204	43	28	27	11	17	12	7	7	3	8	4
February	344	65	20	14	28	25	19	7	178	41	23	23	16	12	17	11	6	8	4	5
March	364	71	21	19	31	17	11	16	186	44	27	20	16	11	11	19	10	9	4	7
April	247	49	22	11	20	14	12	4	132	15	15	16	12	6	9	7	12	7	7	9
May	246	58	18	8	26	7	12	8	137	23	15	9	10	8	11	10	6	7	7	3
June	287	61	15	5	19	16	5	7	128	23	18	8	36	13	17	12	7	11	8	6
July	345	63	19	14	25	13	3	10	147	26	22	26	27	13	21	12	8	12	15	16
August	299	61	17	7	26	14	7	20	152	23	20	21	25	16	14	9	5	5	5	4
September	251	56	20	17	18	14	8	6	139	21	9	14	15	14	12	9	10	1	3	4
October	251	47	22	14	20	10	5	7	125	20	23	19	22	5	8	9	5	5	4	6
November	265	59	10	20	20	10	9	3	131	21	20	26	11	10	8	10	12	4	7	5
December	284	46	13	20	29	18	18	9	153	21	20	19	20	16	10	5	8	5	3	4
SOUTH DAKOTA	502	174	44	14	51	30	8	12	313	39	24	24	19	17	16	11	12	12	10	5
January	57	10	3	-	4	5	-	3	25	5	6	4	4	4	5	-	2	1	1	-
February	57	19	1	3	3	2	2	2	32	7	4	1	1	3	2	4	1	-	1	1
March	55	23	5	2	4	3	-	2	39	2	3	1	3	-	2	-	1	1	1	2
April	39	16	2	1	1	2	1	1	24	2	2	3	2	-	1	-	1	2	1	1
May	44	9	9	1	7	2	1	2	31	4	1	1	1	1	4	-	1	-	-	-
June	42	14	5	3	3	2	1	-	28	5	2	2	1	1	-	2	-	-	1	-
July	42	19	2	1	1	4	1	-	28	4	1	3	1	1	-	-	-	1	2	1
August	41	19	5	2	1	1	1	-	29	3	-	2	1	2	2	1	1	-	-	-
September	37	10	4	-	2	5	-	1	22	2	2	1	-	4	-	-	1	4	1	-
October	34	11	3	-	1	2	1	1	19	3	1	2	2	-	-	1	2	3	1	-
November	24	12	2	-	3	-	-	-	17	-	-	3	2	-	-	1	1	-	-	-
December	30	12	3	1	1	2	-	-	19	2	2	1	1	1	-	2	1	-	1	-
TENNESSEE	3,250	730	187	134	242	206	147	99	1,745	305	198	182	156	136	131	92	92	74	65	74
January	366	67	18	10	27	19	28	17	186	44	29	18	17	18	11	12	9	9	5	8
February	338	61	14	18	21	17	20	10	161	43	17	17	16	20	19	9	13	10	6	7
March	305	49	15	13	29	24	11	14	155	31	25	13	13	9	17	11	7	11	7	6
April	230	49	19	10	17	20	8	10	133	21	11	10	9	11	6	7	10	1	4	7
May	226	65	12	15	15	14	12	8	141	18	11	12	5	6	7	3	6	5	4	8
June	259	83	18	8	31	19	5	7	171	12	12	13	8	14	8	4	6	4	2	5
July	311	67	21	7	19	10	11	10	145	22	20	16	22	11	23	10	14	10	10	9
August	285	61	15	13	19	17	11	6	142	24	21	19	15	10	10	11	8	8	11	6
September	245	65	15	5	17	19	15	3	139	26	15	14	13	6	9	6	4	4	5	4
October	235	46	14	12	19	12	7	3	113	19	19	23	14	9	12	6	5	5	2	8
November	215	60	8	9	10	17	9	4	117	19	7	16	18	10	2	7	5	4	7	3
December	235	57	18	14	18	18	10	7	142	26	11	11	6	12	7	6	5	3	2	4
TEXAS	7,744	1,925	565	301	598	478	247	237	4,351	599	477	424	348	315	284	225	222	195	140	164
January	813	163	44	26	58	73	47	31	442	83	52	47	33	36	36	27	19	15	8	15
February	662	130	44	36	46	42	32	36	366	81	50	33	28	27	19	12	15	14	7	10
March	663	138	42	31	57	48	20	24	360	60	41	37	32	21	27	27	23	12	16	7
April	618	168	40	22	47	39	15	17	348	41	34	24	30	29	32	21	18	16	10	15
May	645	175	45	21	44	29	17	17	348	45	37	47	31	37	22	9	16	21	14	18
June	731	162	45	16	48	37	17	17	342	44	54	48	42	43	36	27	33	28	17	17
July	684	168	62	25	41	34	16	13	359	45	42	41	37	27	28	25	19	21	23	17
August	616	176	60	39	46	33	11	17	382	37	36	23	18	13	21	27	17	14	12	16
September	559	181	59	21	50	27	18	11	367	31	21	26	19	21	10	12	16	11	8	17
October	557	158	46	22	51	35	11	14	337	44	38	27	26	15	14	10	17	10	10	9
November	596	169	40	25	54	40	21	18	367	38	39	35	24	21	19	9	13	20	6	7
December	600	157	38	17	56	41	22	22	333	52	33	36	28	25	20	19	16	13	9	16

TABLE 18.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: EACH STATE, 1941—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UTAH	402	152	41	25	40	20	8	6	292	20	18	15	10	11	6	11	6	5	5	3
January	41	12	3	1	6	1	3	-	28	2	2	2	2	1	-	3	1	-	2	-
February	35	11	2	3	-	4	3	-	23	-	2	2	1	1	-	3	-	2	1	-
March	43	16	3	2	4	1	1	2	29	4	1	1	2	3	-	1	-	1	1	-
April	38	14	7	4	4	1	-	-	30	1	3	2	-	-	-	-	-	-	1	1
May	34	14	2	1	3	5	-	-	25	4	1	1	1	1	-	-	1	-	-	-
June	14	6	2	2	1	-	-	-	11	1	-	-	-	1	1	-	-	-	-	-
July	28	12	5	1	-	1	-	2	21	-	2	1	-	-	2	-	1	1	-	-
August	31	9	5	2	8	3	-	-	27	1	-	-	1	-	1	1	-	-	-	-
September	33	18	2	4	4	-	-	-	28	2	-	1	1	-	-	-	-	-	-	1
October	33	16	3	1	2	2	-	-	24	1	4	2	-	1	-	-	1	-	-	-
November	33	11	1	3	2	2	1	-	20	2	2	2	1	2	1	1	1	1	-	-
December	39	13	6	1	6	-	-	2	28	2	1	1	1	1	1	2	1	-	-	1
VERMONT	301	107	25	11	24	17	12	4	200	22	21	10	11	9	7	5	3	5	4	4
January	27	9	2	1	2	2	1	-	17	3	2	1	3	-	1	-	-	-	-	-
February	31	11	3	1	2	-	2	-	19	4	2	-	1	1	-	1	1	1	-	1
March	34	13	5	1	1	5	1	-	26	2	2	1	1	1	1	-	-	-	-	-
April	37	9	5	2	4	3	1	2	26	1	4	-	1	1	-	2	-	-	1	1
May	27	15	2	2	-	1	1	1	22	2	1	-	1	-	-	-	1	-	-	-
June	26	10	-	-	3	2	2	-	17	2	1	-	2	1	1	-	-	1	-	1
July	19	8	1	1	3	-	-	-	13	-	1	1	-	1	-	1	-	2	-	-
August	18	6	1	1	3	-	1	-	12	3	-	1	1	-	-	-	-	-	1	-
September	19	8	2	2	-	-	-	-	12	1	2	2	-	1	-	-	-	-	-	1
October	23	4	2	-	3	3	-	1	13	2	4	2	-	2	-	-	-	-	-	-
November	19	7	2	-	1	-	1	-	11	1	-	-	1	1	2	-	-	1	2	-
December	21	7	-	-	2	1	2	-	12	1	2	2	-	-	2	1	1	-	-	-
VIRGINIA	3,964	949	241	170	275	211	147	159	2,152	303	254	245	211	160	145	126	118	109	75	66
January	368	68	24	22	25	14	14	17	184	39	21	28	26	20	12	7	13	11	5	2
February	380	91	24	13	21	31	17	13	210	25	25	22	24	20	10	16	10	10	4	4
March	413	93	22	17	35	20	18	24	229	31	23	21	18	10	18	11	11	19	8	14
April	319	81	24	14	24	16	12	11	182	19	18	18	7	10	13	11	14	10	7	10
May	304	92	25	13	26	18	10	18	202	18	15	6	8	12	7	13	5	4	8	6
June	247	75	18	14	16	12	5	8	148	14	11	15	11	6	8	6	8	7	6	7
July	320	81	26	14	19	18	7	8	173	20	25	25	13	12	10	7	7	14	9	5
August	348	85	12	13	20	16	18	13	177	27	15	16	26	18	18	13	14	8	10	6
September	332	66	14	16	21	11	9	15	152	33	30	31	24	16	13	9	8	10	3	3
October	350	75	18	8	27	19	15	12	174	27	31	20	21	18	18	15	10	5	6	5
November	296	60	22	14	17	22	8	11	154	28	21	24	19	7	8	13	9	5	6	2
December	287	82	12	12	24	14	14	9	167	22	19	19	14	11	10	5	9	6	3	2
WASHINGTON	1,061	388	107	58	66	44	37	36	736	72	67	43	30	27	27	16	14	13	5	11
January	94	50	6	5	2	3	2	2	70	4	6	4	4	-	2	2	-	1	1	-
February	83	27	6	5	7	-	3	1	49	9	7	1	2	7	4	1	2	1	-	-
March	85	35	9	6	2	5	1	1	59	7	3	4	1	1	4	1	-	2	1	2
April	89	35	9	9	5	2	2	3	65	6	7	3	1	3	-	-	1	1	-	2
May	86	48	5	3	6	3	4	3	72	3	1	4	4	1	-	-	1	-	-	-
June	95	29	16	3	10	3	1	4	66	6	7	3	2	2	2	2	1	-	2	2
July	100	24	19	6	7	5	4	2	67	6	5	4	4	4	3	2	2	-	-	3
August	71	29	6	9	6	3	1	3	57	3	3	1	-	1	2	2	-	1	-	1
September	84	30	9	1	4	4	3	4	55	8	4	2	2	4	3	2	2	2	-	-
October	101	33	9	3	5	9	8	4	71	6	7	5	2	-	3	1	3	3	-	-
November	83	25	5	5	5	3	8	5	56	7	5	5	5	1	2	1	-	1	-	-
December	90	23	8	3	7	4	-	4	49	7	12	7	3	3	2	2	2	1	1	1
WEST VIRGINIA	2,679	592	182	106	185	155	101	88	1,409	215	187	201	160	107	89	83	69	55	47	57
January	276	50	16	13	20	16	17	20	152	23	23	18	17	9	7	4	10	5	4	4
February	214	54	15	9	16	15	4	10	123	18	11	14	11	8	10	4	5	3	3	4
March	214	64	14	9	18	14	9	3	131	16	12	11	9	4	8	3	5	4	4	7
April	187	46	19	8	18	14	3	8	116	9	8	10	12	5	6	6	1	7	4	3
May	170	47	14	17	16	8	6	7	115	11	8	5	6	3	-	7	3	4	4	4
June	142	51	13	3	16	12	6	-	101	8	6	6	5	1	2	4	2	4	1	2
July	223	57	19	7	17	7	7	7	121	14	14	16	17	11	8	6	5	3	4	4
August	287	53	12	6	11	16	7	7	112	26	20	26	23	19	15	16	9	4	4	13
September	280	39	7	11	12	13	16	9	107	35	23	25	15	14	16	12	12	7	6	8
October	287	44	17	9	11	14	6	9	110	25	25	38	22	21	7	9	8	9	9	4
November	215	49	18	7	11	17	11	7	120	17	21	15	13	5	6	8	3	4	1	2
December	184	38	18	7	19	9	9	1	101	13	18	17	10	7	4	4	6	1	3	2
WISCONSIN	2,006	712	158	101	166	81	56	59	1,331	136	109	111	59	71	49	35	33	34	23	15
January	191	59	7	7	13	11	5	5	107	17	11	16	8	9	4	7	3	8	1	-
February	189	57	11	6	11	3	3	8	99	17	13	19	9	8	8	4	2	2	4	4
March	213	60	17	14	11	8	8	7	125	23	10	16	5	11	5	3	7	1	5	2
April	168	55	7	10	21	6	3	9	111	11	10	14	3	6	1	7	1	2	2	-
May	162	55	20	4	15	7	6	6	113	6	12	3	1	5	6	5	4	1	3	3
June	173	71	13	11	18	7	3	4	127	11	9	7	3	4	3	2	-	5	1	1
July	159	67	18	10	11	4	5	3	118	6	8	5	5	5	2	1	3	1	3	2
August	131	54	15	7	13	9	1	6	105	6	5	3	2	4	1	1	-	4	-	-
September	145	52	14	9	14	6	8	2	105	8	4	5	4	5	4	-	4	4	1	1
October	182	59	16	10	16	7	4	1	113	12	11	5	6	4	4	2	3	1	1	-
November	136	49	10	7	9	4	5	4	88	8	9	7	6	4	6	1	3	2	1	1
December	177	74	8	6	14	9	5	4	120	11	7	11	7	6	5	2	3	3	1	1
WYOMING	230	77	19	11	19	14	5	7	152	13	12	10	11	5	6	2	5	4	6	4
January	26	5	2	1	1	1	-	-	10	3	1	4	2	-	3	-	1	1	-	1
February	23	4	1	3	4	1	-	-	13	2	1	1	2	-	1	1	1	-	1	-
March	22	11	1	1	1	-	-	-	14	3	1	1	-	1	-	-	1	-	-	1
April	21	9	1	1	1	1	1	-	14	-	1	-	1	1	-	-	1	1	1	1
May	20	10	1	2	-	2	-	3	18	-	1	-	1	-	-	-	-	-	-	-
June	14	3	2	-	2	1	-	1	9	1	3	-	-	-	-	-	-	-	1	-
July	18	4	3	-	3	2	-	1	15	1	-	2	1	-	1	-	-	-	-	-
August	18	8	-	-	1	1	1	-	11	2	-	1	-	-	1	1	1	1	-	-
September	17	6	2	1	2	-	1	-	12	1	1	-	1	1	-	-	-	-	1	-
October	15	5	4	-	1	1	1	1	13	-	1	-	-	1	-	-	-	-	-	-
November	17	7	2	1	1	2	-	-	13	-	2	-	-	1	-	-	-	-	1	-
December	19	5	-	1	2	2	1	1	12	-	-	1	3	-	-	-	-	1	1	1

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA		
	Total deaths under 1 year	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	113,949	45,467	12,528	55,954	860	307	2,660	270	173	595	253	254	1,305	2,563	626	1,397
Under 1 month	69,559	30,455	7,855	31,249	509	186	1,543	120	89	193	182	142	695	1,861	423	843
White	57,527	25,742	6,977	24,808	270	122	876	105	87	118	115	110	514	1,764	415	805
All other races	12,032	4,713	878	6,441	239	64	667	15	2	75	47	32	181	97	8	38
1 to 11 months	44,390	15,012	4,673	24,705	351	121	1,117	150	84	402	91	112	610	702	203	554
White	33,347	11,545	3,774	18,028	118	52	588	132	83	209	58	72	408	662	200	510
All other races	11,043	3,467	899	6,677	233	69	529	18	1	193	33	40	202	40	3	44
Cerebrospinal (meningococcus) meningitis—6	157	58	20	79	1	-	1	-	-	3	1	1	1	2	-	5
Scarlet fever—8	29	9	1	19	-	-	2	-	-	-	-	1	-	-	-	1
Whooping cough—9	2,572	692	287	1,593	19	7	64	3	2	18	7	9	35	30	21	25
Diphtheria (infection by C. diphtheriae)—10	99	16	11	72	-	1	8	-	-	1	-	1	1	1	1	1
Erysipelas—11	54	15	5	34	-	-	1	-	-	1	-	-	3	-	-	1
Tetanus—12	115	27	16	72	5	1	1	-	-	-	-	-	2	-	-	1
Tuberculosis of respiratory system, etc.*—13	234	120	9	105	3	-	4	1	-	4	1	-	2	9	2	1
Tuberculosis of meninges, etc.*—14	154	77	10	67	1	-	1	3	1	3	-	-	2	4	-	1
Tuberculosis (other forms)—15-22	107	61	7	39	4	1	4	-	-	2	-	-	1	3	-	2
Septicemia and purulent infection—24	129	72	11	46	-	-	-	-	-	1	-	1	1	4	-	1
Dysentery—27	1,106	216	172	718	2	2	19	5	1	19	4	3	23	12	3	13
Malaria—28	115	8	9	98	1	1	6	-	-	-	-	2	17	-	-	-
Syphilis—30	1,042	427	119	496	35	3	39	4	-	7	3	5	14	15	1	10
Influenza—33	3,042	599	341	2,102	34	18	115	5	7	15	3	8	53	12	4	23
Measles—35	604	120	57	427	2	5	28	3	-	22	1	2	9	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	238	63	24	151	2	-	3	1	-	1	1	1	6	4	1	5
Diseases of thymus gland—64	1,012	497	106	409	2	-	18	-	-	3	1	1	1	37	8	21
Rickets—70	95	39	6	50	-	-	2	-	-	-	-	-	1	2	1	-
Hemorrhagic conditions—72	179	54	26	99	-	1	4	-	1	2	1	-	1	4	2	3
Anemias (except splenic anemia)—73	186	80	27	79	3	-	3	-	-	3	2	1	2	3	1	2
Encephalitis (nonepidemic)—80	117	43	9	65	2	-	5	3	-	3	-	-	3	1	-	-
Meningitis (not due to meningococcus)—81	633	300	66	267	10	1	13	-	-	3	2	-	6	11	-	7
Intracranial lesions of vascular origin—83	203	81	28	94	-	-	2	-	-	1	-	-	2	2	2	2
Convulsions—86	401	70	58	273	1	2	16	1	2	1	-	2	2	1	1	4
Diseases of ear and mastoid process—89	398	206	31	161	-	-	3	2	-	2	-	-	3	10	3	7
Other diseases, nervous system—82,84,85,87,88	180	84	21	75	-	1	4	-	2	1	1	1	-	3	-	-
Diseases of circulatory system—90-103	448	148	38	260	2	-	10	-	-	2	-	-	9	8	2	9
Pneumonia (all forms)—107-109	13,687	4,984	1,401	7,302	101	35	295	42	27	105	30	43	187	233	60	185
Other diseases of respiratory system—104-106,110-114	1,169	476	104	589	12	1	34	4	1	11	2	4	17	22	3	8
Diseases of buccal cavity, etc.*—115	222	93	26	103	1	1	6	2	-	-	1	1	-	3	1	-
Diseases of stomach—117,118	300	57	34	209	1	-	6	-	-	-	2	-	7	3	-	1
Diarrhea, enteritis, etc.*—119	9,220	3,083	1,061	5,076	55	26	198	55	44	112	23	18	135	139	60	144
Hernia—122a	99	51	15	33	-	-	2	1	-	-	-	-	-	4	1	2
Intestinal obstruction—122b	671	263	73	335	2	2	11	-	-	2	1	3	8	18	3	10
Peritonitis (cause not stated)—129	81	41	5	35	-	-	-	-	-	-	-	-	1	1	-	-
Other diseases, digestive system—116,121,123-128	187	64	12	111	2	-	4	1	-	2	1	2	3	8	-	1
Diseases, genito-urinary system—130,131,133-139	297	119	36	142	1	-	6	1	-	2	-	3	3	13	1	6
Diseases of skin and cellular tissue—151-153	245	87	14	144	3	2	7	1	-	2	-	-	4	2	-	3
Congenital malformations—157	11,796	5,530	1,321	4,945	59	20	109	31	16	32	19	18	67	344	90	173
Congenital debility—158	2,887	560	315	2,012	11	8	81	-	3	23	4	13	50	22	9	39
Premature birth—159	33,341	15,436	3,904	14,001	272	84	665	63	38	90	94	51	276	990	197	425
Injury at birth—160	10,889	5,360	1,315	4,214	61	27	177	13	15	18	21	19	73	296	87	118
Other diseases peculiar to first year—161	6,310	3,157	652	2,501	55	10	78	14	8	21	9	7	42	203	45	94
Accidental mechanical suffocation—182	1,263	494	124	645	12	3	16	-	-	1	2	2	16	27	8	14
Other violence or accident—166-181,183-195	1,566	578	166	822	7	7	39	9	2	14	5	7	22	37	7	24
Ill-defined and unknown causes—199,200	5,510	604	392	4,514	73	35	541	-	3	41	10	24	190	6	-	6
All other causes*	562	248	43	271	3	2	9	2	-	1	1	-	4	13	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	COLORADO			CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	411	191	511	613	54	241	67	41	113	744	768	270	947	1,035	450	2,480
Under 1 month	248	100	279	442	24	182	43	20	50	513	524	180	540	628	266	1,417
White	242	100	272	423	23	182	32	16	36	294	322	107	348	345	154	735
All other races	4	-	7	19	1	-	11	4	14	219	202	73	192	283	112	682
1 to 11 months	165	91	232	171	10	59	24	21	63	231	244	90	407	407	184	1,063
White	162	91	228	157	10	57	15	9	40	81	146	40	224	180	84	494
All other races	3	-	4	14	-	2	9	12	23	150	98	50	183	227	100	569
Cerebrospinal (meningococcus) meningitis—6	2	-	-	1	-	1	-	-	-	-	2	1	1	2	1	3
Scarlet fever—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	15	8	16	5	-	3	1	3	3	6	3	5	18	25	7	55
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	10
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Tetanus—12	-	-	-	-	-	-	-	-	-	-	5	1	2	1	1	2
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	3	-	1	4	2	-	3
Tuberculosis of meninges, etc.*—14	-	1	-	1	-	-	-	-	1	-	1	-	-	-	1	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	1	-	-	-	1	1	-	1	3	-	1
Septicemia and purulent infection—24	1	-	2	-	-	-	1	-	-	-	1	-	1	1	2	2
Dysentery—27	-	3	6	-	-	-	-	-	1	6	2	2	7	5	5	30
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	5
Syphilis—30	-	4	4	5	-	1	1	-	3	7	27	10	21	16	5	35
Influenza—33	7	9	12	4	-	1	-	-	8	10	14	8	41	20	19	103
Measles—35	-	4	-	-	-	-	1	-	-	1	1	-	2	8	3	26
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	1	1	-	-	-	-	-	-	2	1	5	3	1	5
Diseases of thymus gland—64	5	2	7	7	-	2	2	1	-	3	6	1	4	9	-	10
Rickets—70	1	-	-	2	-	1	-	-	-	-	2	2	1	-	-	3
Hemorrhagic conditions—72	-	1	1	1	-	-	-	-	-	1	1	-	3	1	1	6
Anemias (except splenic anemia)—73	-	-	1	1	-	-	-	-	1	-	1	2	3	4	1	-
Encephalitis (nonepidemic)—80	-	-	4	-	-	-	-	-	-	1	1	-	-	-	2	1
Meningitis (not due to meningococcus)—81	-	2	1	1	-	-	1	-	-	6	2	-	6	19	1	8
Intracranial lesions of vascular origin—83	1	1	3	1	-	-	-	-	-	-	1	-	1	-	-	2
Convulsions—86	-	1	-	1	1	1	-	-	-	-	1	3	8	3	6	23
Diseases of ear and mastoid process—89	13	-	-	2	-	-	-	-	-	4	1	-	2	5	1	3
Other diseases, nervous system—82,84,85,87,88	2	-	1	1	-	-	-	-	-	1	-	1	3	1	-	1
Diseases of circulatory system—90-103	1	2	2	3	-	-	-	-	-	1	2	2	6	2	2	7
Pneumonia (all forms)—107-109	45	24	100	58	1	17	4	9	14	75	67	24	104	99	46	266
Other diseases of respiratory system—104-106,110-114	9	2	5	7	-	4	-	1	2	7	6	-	15	8	5	27
Diseases of buccal cavity, etc.*—115	-	2	-	1	-	-	-	-	-	3	2	-	5	1	-	6
Diseases of stomach—117,118	-	-	2	2	-	-	-	-	1	-	2	1	5	2	2	18
Diarrhea, enteritis, etc.*—119	36	20	49	29	1	7	7	6	15	113	61	15	88	90	48	230
Hernia—122a	-	1	1	2	-	2	-	-	-	-	2	1	-	2	-	2
Intestinal obstruction—122b	5	-	6	-	-	5	1	-	1	2	2	-	3	5	2	9
Peritonitis (cause not stated)—129	-	-	1	1	-	-	1	-	-	-	2	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	4	-	-	1	-	1	-	-	-	3	-	-	2
Diseases, genito-urinary system—130,131,133-139	3	1	2	1	-	-	-	-	-	-	3	2	3	-	-	3
Diseases of skin and cellular tissue—151-155	-	-	-	1	-	1	-	-	-	3	1	1	2	4	-	8
Congenital malformations—157	42	28	47	107	6	47	6	3	14	59	76	17	66	79	29	114
Congenital debility—158	8	3	14	3	-	4	-	-	4	15	17	7	28	50	44	334
Premature birth—159	121	57	125	181	11	78	28	10	25	283	274	88	245	345	127	605
Injury at birth—160	60	9	48	95	6	36	4	3	5	71	72	25	65	87	35	104
Other diseases peculiar to first year—161	20	6	21	55	4	17	8	2	7	45	51	12	36	89	15	89
Accidental mechanical suffocation—182	5	-	8	12	2	3	-	1	2	11	5	3	9	18	4	34
Other violence or accident—166-181,183-195	5	1	15	10	2	6	-	2	3	6	18	6	15	9	7	39
Ill-defined and unknown causes—199,200	3	1	5	4	-	2	-	-	1	-	23	28	106	33	26	232
All other causes*	-	-	1	5	-	1	-	-	1	-	5	-	3	3	1	15

* Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	IDAHO			ILLINOIS			INDIANA			IOWA			KANSAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All Causes	88	82	247	2,739	516	1,406	1,267	265	1,083	556	247	873	433	176	536
Under 1 month	62	60	163	1,970	359	886	806	175	629	407	190	583	287	118	343
White	62	60	159	1,761	347	862	730	173	627	400	189	582	257	114	340
All other races	-	-	4	209	12	24	75	2	2	7	1	1	30	4	3
1 to 11 months	26	22	84	769	157	520	462	90	454	149	57	290	146	58	193
White	26	22	74	653	149	505	396	89	453	144	57	289	126	54	187
All other races	-	-	10	116	8	15	66	1	1	5	-	1	20	4	6
Cerebrospinal (meningococcus) meningitis—6	-	-	-	2	1	2	-	1	-	1	-	-	-	1	1
Scarlet fever—8	-	-	-	-	-	-	2	-	1	-	-	1	-	-	1
Whooping cough—9	2	2	10	25	10	25	12	5	14	8	4	13	17	6	25
Diphtheria (infection by C. diphtheriae)—10	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	1	5	1	1	4	-	3	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	2	1	1	6	-	5	1	-	-	2	-	-
Tuberculosis (other forms)—15-22	-	-	-	11	-	1	2	-	2	1	-	-	-	1	-
Septicemia and purulent infection—24	-	-	-	3	-	-	2	-	1	1	-	3	1	-	1
Dysentery—27	-	-	1	2	2	7	7	1	8	1	-	3	1	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	-	-	1	13	2	2	8	2	6	3	-	1	1	1	1
Influenza—33	4	3	6	22	9	28	20	12	42	12	3	29	4	10	32
Measles—35	1	-	-	4	-	6	5	1	6	1	1	3	2	3	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	1	-	1	1	4	1	1	3	-	-	3	3	-	-
Diseases of thymus gland—64	3	-	1	29	9	13	11	2	5	7	3	9	4	2	12
Rickets—70	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-
Hemorrhagic conditions—72	-	1	2	1	2	3	1	-	2	2	1	2	-	-	2
Anemias (except splenic anemia)—73	-	-	-	4	1	-	3	1	2	-	-	1	2	-	3
Encephalitis (nonepidemic)—80	-	-	3	4	-	4	1	-	-	-	-	2	-	-	1
Meningitis (not due to meningococcus)—81	1	1	1	21	4	6	10	3	11	3	1	2	1	1	2
Intracranial lesions of vascular origin—83	-	1	2	6	1	6	2	-	2	2	1	2	3	1	1
Convulsions—86	-	-	1	2	3	4	3	-	4	-	1	-	-	-	-
Diseases of ear and mastoid process—89	-	-	1	9	1	5	5	1	9	5	1	6	1	1	1
Other diseases, nervous system—82,84,85,87,88	-	-	-	4	-	3	1	-	2	1	-	-	1	-	-
Diseases of circulatory system—90-103	-	1	-	12	3	5	3	2	8	1	1	8	4	-	2
Pneumonia (all forms)—107-109	4	5	18	284	46	163	156	35	146	51	22	101	52	17	55
Other diseases of respiratory system—104-106,110-114	2	1	1	38	4	17	16	2	6	6	2	2	1	2	4
Diseases of buccal cavity, etc.*—115	-	1	-	6	1	1	1	1	1	2	-	3	1	1	3
Diseases of stomach—117,118	-	1	-	3	2	5	1	2	2	-	-	3	-	-	2
Diarrhea, enteritis, etc.*—119	1	1	7	89	27	115	99	12	84	19	6	23	27	5	22
Hernia—122a	-	-	-	4	3	1	2	-	1	1	-	-	1	1	-
Intestinal obstruction—122b	-	-	2	19	4	16	7	1	14	2	4	12	5	-	2
Peritonitis (cause not stated)—129	-	-	-	2	-	-	2	-	2	-	1	-	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	4	1	2	-	-	2	-	-	3	1	-	1
Diseases, genito-urinary system—130,131,133-139	-	-	-	8	2	7	5	-	2	1	-	1	3	-	2
Diseases of skin and cellular tissue—151-153	-	-	-	2	-	1	2	-	1	1	-	2	-	-	-
Congenital malformations—157	12	12	39	459	90	217	171	35	155	85	39	155	58	18	83
Congenital debility—158	2	2	5	9	6	10	17	5	30	4	3	12	3	2	8
Premature birth—159	34	28	76	884	156	416	391	82	262	203	96	269	152	64	144
Injury at birth—160	14	13	35	447	77	168	143	32	119	87	40	115	47	26	68
Other diseases peculiar to first year—161	3	4	15	209	33	76	92	20	75	29	9	44	20	9	34
Accidental mechanical suffocation—182	3	1	7	29	5	24	15	2	18	4	1	9	3	2	3
Other violence or accident—168-181,183-195	1	1	6	32	3	19	14	2	15	8	4	15	6	1	5
Ill-defined and unknown causes—199,200	-	2	5	7	2	11	5	-	-	-	3	10	4	-	10
All other causes*	1	-	1	21	3	6	6	1	8	3	-	3	2	1	2

*Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	KENTUCKY			LOUISIANA			MAINE			MARYLAND			MASSACHUSETTS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	716	356	2,666	964	423	1,770	208	86	524	986	71	870	1,976	181	527
Under 1 month	466	192	1,387	665	271	995	136	53	302	534	46	446	1,329	116	217
White	402	171	1,324	299	151	472	135	53	300	369	44	319	1,296	115	214
All other races	64	21	63	366	120	523	1	-	2	165	2	127	33	1	3
1 to 11 months	250	164	1,279	299	152	775	72	33	222	452	25	424	647	45	110
White	195	141	1,208	118	77	311	72	33	222	236	15	239	627	45	107
All other races	55	23	71	181	75	464	-	-	-	216	10	185	20	-	3
Cerebrospinal (meningococcus) meningitis—6	-	-	5	2	-	3	-	-	3	1	-	-	5	1	1
Scarlet fever—8	-	-	3	1	-	-	-	-	-	-	-	-	1	-	1
Whooping cough—9	10	9	129	7	7	19	2	3	9	21	2	27	23	3	2
Diphtheria (infection by C. diphtheriae)—10	1	-	6	1	-	2	1	-	-	-	-	-	-	-	-
Erysipelas—11	1	2	1	-	-	1	-	-	-	-	-	1	-	1	-
Tetanus—12	-	-	-	4	1	12	-	-	-	1	-	1	1	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	11	1	-	5	-	-	1	10	-	1	3	-	-
Tuberculosis of meninges, etc.*—14	-	-	10	-	-	1	-	-	-	3	-	1	1	1	-
Tuberculosis (other forms)—15-22	-	1	2	2	1	2	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	2	-	2	-	-	1	1	-	-	5	-	1
Dysentery—27	14	11	90	3	-	9	-	-	1	11	2	15	3	1	-
Malaria—28	-	-	2	-	1	4	-	-	-	-	-	-	-	-	-
Syphilis—30	9	7	24	29	14	47	1	1	2	4	-	12	1	1	2
Influenza—33	24	7	102	15	25	129	3	-	24	9	2	18	17	1	3
Measles—35	2	2	44	-	-	-	2	1	3	3	-	2	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	2	12	-	1	2	1	1	1	3	-	2	1	1	-
Diseases of thymus gland—64	2	1	3	9	4	9	2	-	15	17	-	5	20	2	3
Rickets—70	2	1	1	1	-	3	-	-	-	3	-	2	-	-	-
Hemorrhagic conditions—72	2	-	4	2	1	2	1	-	1	-	-	2	3	-	-
Anemias (except splenic anemia)—73	-	-	2	2	-	-	-	2	1	4	-	1	4	-	-
Encephalitis (nonepidemic)—80	1	-	4	3	-	-	-	1	-	-	-	1	1	-	1
Meningitis (not due to meningococcus)—81	6	3	9	7	2	9	3	-	2	7	-	7	17	1	3
Intracranial lesions of vascular origin—83	1	-	6	4	-	1	-	-	1	2	-	3	8	1	1
Convulsions—86	1	1	10	-	-	7	1	1	4	1	1	1	4	1	1
Diseases of ear and mastoid process—89	2	2	3	5	-	8	2	1	3	7	-	4	8	1	2
Other diseases, nervous system—82,84,85,87,88	-	-	2	-	-	-	-	-	-	6	-	-	6	-	-
Diseases of circulatory system—90-103	3	3	19	4	2	3	-	-	2	3	-	3	4	2	1
Pneumonia (all forms)—107-109	76	57	390	156	59	301	23	6	59	111	7	114	226	11	28
Other diseases of respiratory system—104-106,110-114	4	2	23	6	5	30	1	4	9	8	1	9	37	2	6
Diseases of buccal cavity, etc.*—115	1	-	6	1	-	4	1	-	-	4	1	1	7	-	-
Diseases of stomach—117,118	3	2	10	1	4	9	2	-	4	1	-	2	2	-	1
Diarrhea, enteritis, etc.*—119	67	48	344	47	32	121	7	4	37	152	7	156	145	6	15
Hernia—122a	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	1	6	5	2	14	1	1	2	8	1	8	11	-	2
Peritonitis (cause not stated)—129	-	-	-	3	-	1	-	-	-	2	-	1	2	-	1
Other diseases, digestive system—116,121,123-128	2	-	5	3	1	6	-	-	-	1	-	1	1	-	-
Diseases, genito-urinary system—130,131,133-139	3	1	4	5	2	10	-	-	3	2	-	3	8	1	2
Diseases of skin and cellular tissue—151-153	-	1	12	3	-	8	-	-	2	4	-	-	5	-	-
Congenital malformations—157	62	26	184	47	21	109	38	10	60	108	5	75	322	31	54
Congenital debility—158	25	13	180	16	8	51	5	5	22	7	1	18	24	1	6
Premature birth—159	234	107	599	379	136	446	68	22	130	281	26	244	621	56	120
Injury at birth—160	76	28	179	98	40	125	21	14	63	86	7	56	221	17	35
Other diseases peculiar to first year—161	45	8	109	57	19	102	13	4	32	58	6	42	145	13	26
Accidental mechanical suffocation—182	5	2	53	2	2	25	3	2	6	8	1	10	18	3	6
Other violence or accident—166-181,183-195	9	4	20	14	9	21	1	3	9	19	-	14	33	-	2
Ill-defined and unknown causes—199,200	6	1	25	10	21	87	1	-	8	2	-	4	5	2	1
All other causes*	5	2	13	5	3	19	4	-	4	6	1	3	7	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Citiss of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	2,299	415	1,447	637	314	923	394	256	2,366	1,070	352	1,597	126	63	249
Under 1 month	1,587	269	822	475	254	596	247	151	1,270	700	208	885	93	51	121
White	1,452	268	817	489	254	578	149	95	508	564	188	842	93	51	102
All other races	135	1	5	6	-	18	98	56	762	136	20	43	-	-	19
1 to 11 months	712	146	625	162	60	327	147	105	1,096	370	144	712	33	12	128
White	655	143	604	160	60	300	59	31	319	292	130	648	31	9	83
All other races	57	3	21	2	-	27	88	74	777	78	14	64	2	3	45
Cerebrospinal (meningococcus) meningitis—6	3	-	1	-	1	2	1	1	6	-	-	3	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough—9	31	7	31	8	3	15	10	6	74	22	20	72	1	-	3
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-
Erysipelas—11	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1
Tetanus—12	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	1	1	-	3	-	-	2	8	-	4	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	2	-	-	-	4	-	-	-
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	1	1	-	-	-	-	2
Septicemia and purulent infection—24	7	-	3	-	-	2	-	1	3	9	-	-	-	-	-
Dysentery—27	14	4	10	-	-	1	4	3	44	4	7	19	-	-	1
Malaria—28	-	-	-	-	-	-	-	2	18	-	-	-	-	-	-
Syphilis—30	8	1	5	2	1	1	7	8	36	13	4	11	-	-	1
Influenza—33	20	5	31	7	2	24	16	17	157	14	14	100	2	-	16
Measles—35	12	2	5	-	-	1	-	1	21	5	-	19	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	1	4	1	-	4	1	-	5	2	1	3	1	-	2
Diseases of thymus gland—64	56	3	34	2	1	8	-	1	5	23	3	13	1	1	-
Rickets—70	2	-	1	1	-	5	-	-	1	-	-	2	-	-	-
Hemorrhagic conditions—72	3	-	3	-	-	-	1	-	7	1	-	1	-	-	-
Anemias (except splenic anemia)—73	9	1	-	2	1	3	3	-	3	1	-	2	-	-	-
Encephalitis (nonepidemic)—80	2	2	1	-	-	1	-	-	-	-	-	2	-	-	1
Meningitis (not due to meningococcus)—81	16	2	12	2	4	6	3	-	9	6	2	4	1	-	1
Intracranial lesions of vascular origin—83	4	2	3	2	3	1	1	-	2	1	1	1	-	-	-
Convulsions—86	3	3	6	1	1	4	1	2	14	-	1	7	-	2	1
Diseases of ear and mastoid process—89	20	-	8	1	-	1	1	2	7	3	1	2	-	-	1
Other diseases, nervous system—82,84,85,87,88	3	-	4	1	2	1	-	-	4	-	1	1	1	-	2
Diseases of circulatory system—90-103	6	2	4	2	-	3	1	-	7	3	-	14	-	-	1
Pneumonia (all forms)—107-109	237	51	210	52	19	114	45	25	192	124	50	235	8	8	50
Other diseases of respiratory system—104-106,110-114	27	7	22	6	2	10	4	4	13	9	-	10	4	1	4
Diseases of buccal cavity, etc.*—115	3	-	1	3	1	3	1	-	5	1	1	3	-	-	-
Diseases of stomach—117,118	1	-	2	1	1	1	1	-	8	2	1	6	-	-	-
Diarrhea, enteritis, etc.*—119	100	29	118	21	8	32	21	11	163	47	40	166	6	-	16
Hernia—122a	6	-	4	-	-	3	-	-	-	2	-	4	-	-	-
Intestinal obstruction—122b	21	3	12	6	3	10	-	-	16	4	2	9	1	-	2
Peritonitis (cause not stated)—129	3	-	1	1	-	-	-	-	-	-	-	2	-	-	-
Other diseases, digestive system—116,121,123-128	1	-	1	-	-	3	-	1	2	2	-	3	-	-	-
Diseases, genito-urinary system—130,131,133-139	4	-	1	1	2	5	-	-	6	6	1	4	-	1	1
Diseases of skin and cellular tissue—151-153	5	-	1	3	-	-	1	-	3	4	-	-	-	-	-
Congenital malformations—157	325	65	189	114	47	152	24	15	80	121	27	168	13	10	29
Congenital debility—158	19	7	31	2	3	11	8	6	69	19	5	37	3	3	4
Premature birth—159	826	134	388	229	143	278	116	81	499	363	102	397	53	24	49
Injury at birth—160	255	37	131	103	38	112	46	24	111	118	41	136	17	5	17
Other diseases peculiar to first year—161	169	33	91	34	21	52	19	7	47	96	12	58	8	4	18
Accidental mechanical suffocation—182	21	6	27	12	4	10	-	2	20	8	3	12	1	1	4
Other violence or accident—166-181,183-195	24	4	27	11	1	19	3	4	33	14	4	23	2	1	9
Ill-defined and unknown causes—199,200	8	3	8	2	2	18	47	30	662	7	4	25	1	1	8
All other causes*—	9	1	13	3	-	5	8	-	7	7	2	9	2	-	4

* Refer to complete International List titles, table XI, Part I.

ABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	262	104	393	16	29	48	168	27	134	1,584	340	484	175	304	958
Under 1 month	193	81	252	11	16	29	120	20	83	1,120	240	302	74	137	355
White	185	81	248	11	16	27	120	20	83	960	223	272	72	134	326
All other races	8	-	4	-	-	2	-	-	-	160	17	30	2	3	29
1 to 11 months	69	23	141	5	13	19	48	7	51	464	100	182	101	167	603
White	62	22	138	5	11	15	48	7	51	366	83	144	100	166	547
All other races	7	1	3	-	2	4	-	-	-	98	17	38	1	1	56
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	4	17	1	-	2	4	-	3	14	2	8	3	10	33
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	4	-	1	2	-	2
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Septicemia and purulent infection—24	1	1	1	-	-	-	1	-	-	2	1	1	-	-	-
Dysentery—27	-	-	-	-	1	-	1	-	-	3	-	1	23	19	34
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	1	2	-	-	9	1	3	-	6	7
Influenza—33	2	2	17	-	-	1	-	-	3	9	2	5	3	6	14
Measles—35	-	-	-	-	-	-	-	1	-	3	1	4	1	3	15
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	3	-	-	-	2	-	1	2	-	2	-	-	1
Diseases of thymus gland—64	2	2	1	-	-	1	2	-	-	12	5	7	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	1	1	1	1	1	1	1
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	1	4	2	1	-	-	2
Encephalitis (nonepidemic)—80	-	-	3	-	-	-	-	-	-	1	2	-	-	1	1
Meningitis (not due to meningococcus)—81	1	-	4	-	-	-	1	-	-	10	3	4	1	1	-
Intracranial lesions of vascular origin—83	-	2	-	-	1	-	-	-	2	3	2	2	-	-	-
Convulsions—86	1	2	1	-	-	-	-	-	-	2	1	1	1	-	-
Diseases of ear and mastoid process—89	1	-	1	-	-	-	1	-	1	4	-	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	-	4	2	2	-	-	1
Diseases of circulatory system—90-103	3	-	4	-	-	1	-	-	2	9	1	2	-	2	2
Pneumonia (all forms)—107-109	24	6	40	1	4	5	9	3	18	199	39	70	11	31	86
Other diseases of respiratory system—104-106,110-114	5	1	3	-	-	1	1	-	1	13	3	3	-	-	3
Diseases of buccal cavity, etc.*—115	-	-	2	-	-	-	1	-	-	2	2	1	-	1	1
Diseases of stomach—117,118	-	-	2	-	-	-	1	-	-	1	-	2	-	1	1
Diarrhea, enteritis, etc.*—119	9	-	15	1	3	-	8	3	5	85	16	22	26	58	144
Hernia—122a	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Intestinal obstruction—122b	1	-	5	-	-	-	-	-	1	12	3	4	2	-	4
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-
Diseases, genito-urinary system—130,131,133-139	-	-	2	-	-	-	-	-	1	5	1	2	-	-	1
Diseases of skin and cellular tissue—151-153	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	32	9	47	1	2	6	28	5	26	195	41	69	9	14	29
Congenital debility—158	2	2	10	-	1	-	2	-	1	18	8	12	3	9	22
Premature birth—159	108	38	151	6	10	14	54	8	43	580	115	158	42	64	106
Injury at birth—160	36	20	39	2	3	6	28	4	13	170	40	52	14	9	20
Other diseases peculiar to first year—161	17	11	17	2	1	4	10	2	8	131	27	44	6	20	19
Accidental mechanical suffocation—182	2	-	4	-	1	-	7	1	1	16	7	4	1	2	5
Other violence or accident—166-181,183-195	3	2	8	1	2	4	3	-	-	24	8	7	3	1	6
Ill-defined and unknown causes—199,200	1	2	10	1	-	2	-	-	1	11	-	1	21	43	393
All other causes*	-	-	3	-	-	-	-	-	1	10	1	4	1	1	1

*Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	NEW YORK			NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	5,151	402	1,397	948	315	3,792	72	42	378	2,912	517	1,705	628	331	1,227
Under 1 month	3,710	293	951	523	156	1,918	43	29	236	2,001	343	966	423	213	733
White	3,402	285	917	291	106	1,176	43	29	218	1,772	337	940	358	189	630
All other races	308	8	34	232	50	742	-	-	18	229	6	26	65	24	103
1 to 11 months	1,441	109	446	423	159	1,874	29	13	142	911	174	739	205	118	494
White	1,258	107	423	175	82	1,032	29	13	117	756	165	720	161	89	380
All other races	183	2	23	248	77	842	-	-	25	155	9	19	44	29	114
Cerebrospinal (meningococcus) meningitis—6	8	1	1	-	-	6	-	-	2	3	1	3	-	-	-
Scarlet fever—8	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Whooping cough—9	53	4	19	30	10	85	1	1	9	52	16	61	21	15	57
Diphtheria (infection by C. diphtheriae)—10	-	-	-	1	1	4	-	-	-	-	1	-	-	-	7
Erysipelas—11	2	-	-	1	-	2	-	-	1	2	-	2	-	-	1
Tetanus—12	-	-	-	-	-	3	-	-	1	-	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	9	-	1	2	-	2	-	-	-	13	1	1	1	-	3
Tuberculosis of meninges, etc.*—14	10	-	-	1	-	3	-	-	-	6	-	3	3	-	1
Tuberculosis (other forms)—15-22	7	-	-	1	1	4	-	-	1	5	1	1	1	1	4
Septicemia and purulent infection—24	11	-	-	-	-	5	-	1	-	3	-	2	1	-	2
Dysentery—27	1	-	1	5	2	39	-	-	-	4	1	9	5	5	14
Malaria—28	1	-	-	-	-	3	-	-	-	-	-	-	1	-	-
Syphilis—30	30	1	4	14	7	32	1	-	2	23	2	9	4	1	5
Influenza—33	36	9	15	21	16	143	-	-	10	29	13	46	9	12	48
Measles—35	2	1	3	5	2	24	1	-	-	17	3	8	1	1	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	1	3	2	1	10	-	-	5	4	-	4	-	-	1
Diseases of thymus gland—64	40	7	17	5	5	22	1	-	1	36	5	20	8	1	3
Rickets—70	5	1	2	-	-	3	-	-	-	3	-	1	1	-	1
Hemorrhagic conditions—72	3	-	4	2	1	5	-	-	2	3	1	2	1	-	1
Anemias (except splenic anemia)—73	2	-	6	-	1	3	-	-	1	5	2	5	1	-	1
Encephalitis (nonepidemic)—80	4	-	1	2	-	6	-	-	1	2	-	-	-	-	2
Meningitis (not due to meningococcus)—81	30	6	7	7	1	18	-	-	6	16	1	11	4	5	7
Intracranial lesions of vascular origin—83	4	-	5	-	-	5	-	-	2	7	1	4	2	1	5
Convulsions—86	7	1	1	1	1	13	-	-	8	4	-	6	2	-	5
Diseases of ear and mastoid process—89	31	1	3	7	2	13	1	-	-	3	1	9	2	3	4
Other diseases, nervous system—82,84,85,87,88	14	1	3	-	2	4	-	1	-	9	2	8	-	1	1
Diseases of circulatory system—90-103	8	2	3	7	-	23	-	-	3	12	1	5	9	-	4
Pneumonia (all forms)—107-109	597	21	145	131	50	573	13	4	55	243	61	160	53	44	199
Other diseases of respiratory system—104-106,110-114	52	2	13	10	3	52	-	-	7	21	2	14	6	2	11
Diseases of buccal cavity, etc.*—115	12	1	2	3	1	17	-	-	-	3	-	5	-	-	2
Diseases of stomach—117,118	4	-	5	-	3	3	-	-	2	2	-	4	1	1	7
Diarrhea, enteritis, etc.*—119	257	20	76	95	45	447	1	-	15	228	32	198	22	13	57
Hernia—122a	6	1	-	1	-	1	-	-	-	1	-	-	1	-	-
Intestinal obstruction—122b	17	4	5	3	-	13	1	1	3	20	3	17	9	-	7
Peritonitis (cause not stated)—129	5	-	1	-	1	2	-	-	-	4	-	1	1	-	-
Other diseases, digestive system—116,121,123-128	8	1	4	-	-	6	-	-	3	2	-	-	1	-	3
Diseases, genito-urinary system—130,131,133-139	12	1	2	2	-	6	-	-	1	7	-	7	-	1	2
Diseases of skin and cellular tissue—151-155	10	1	5	-	1	22	-	-	1	6	2	2	2	-	1
Congenital malformations—157	777	56	234	73	14	244	12	5	28	375	73	216	64	40	105
Congenital debility—158	10	3	27	21	4	116	-	2	5	37	10	53	20	10	77
Premature birth—159	1,737	138	447	290	81	913	27	19	115	1,053	173	489	236	117	363
Injury at birth—160	794	73	191	67	28	219	7	5	36	322	51	147	55	30	75
Other diseases peculiar to first year—161	380	23	82	55	10	134	4	2	22	203	36	89	52	17	56
Accidental mechanical suffocation—182	54	8	21	16	3	70	-	-	6	35	3	24	7	2	8
Other violence or accident—166-181,183-195	61	6	23	10	3	48	2	-	4	28	7	29	6	3	19
Ill-defined and unknown causes—199,200	5	4	5	53	14	409	-	-	18	43	8	23	13	3	45
All other causes*	31	3	9	2	1	19	-	1	2	16	3	7	2	2	7

* Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	188	130	262	3,730	857	2,538	339	17	49	580	363	2,611	72	62	368
Under 1 month	138	100	156	2,600	591	1,510	219	8	32	309	206	1,297	51	45	217
White	134	99	147	2,249	583	1,470	215	8	29	175	129	495	50	44	196
All other races	4	1	9	351	8	40	4	-	3	134	77	802	1	1	21
1 to 11 months	50	30	106	1,130	266	1,028	120	9	17	271	157	1,314	21	17	151
White	49	30	97	897	259	991	115	9	16	101	71	430	21	12	95
All other races	1	-	9	233	7	37	5	-	1	170	86	884	-	5	56
Cerebrospinal (meningococcus) meningitis—6	-	-	-	9	-	5	1	-	-	2	1	3	-	-	-
Scarlet fever—8	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Whooping cough—9	1	-	5	49	11	46	2	-	-	21	13	115	2	2	16
Diphtheria (infection by C. diphtheriae)—10	-	-	-	2	1	1	-	-	-	2	-	2	-	1	-
Erysipelas—11	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
Tubsrculosis of respiratory system, etc.*—13	-	-	1	15	-	5	-	-	-	1	1	1	-	-	5
Tuberculosis of meninges, etc.*—14	-	-	-	9	1	5	-	-	-	3	-	1	-	-	-
Tubsrculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Sspticemia and purulent infection—24	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	2	9	1	6	-	-	-	1	6	34	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	1	-	18	-	-	-
Syphilis—30	-	-	-	31	4	19	1	-	-	17	2	31	-	-	1
Influenza—33	2	-	1	35	8	73	3	-	-	13	11	110	-	-	14
Measles—35	-	-	1	10	4	20	-	-	-	7	5	32	-	-	1
Other infectious and parasitic diseasss—1-5,7,23,25,26,29,31,32,34,36-44	-	-	1	4	4	10	1	-	-	-	1	12	-	-	1
Diseases of thymus gland—64	4	2	3	57	11	39	4	-	-	2	2	17	4	-	4
Rickets—70	-	-	-	3	1	3	-	-	-	1	-	3	-	-	2
Hemorrhagic conditions—72	-	1	-	4	1	5	-	-	-	1	1	2	-	-	1
Anemias (except splenic anemia)—73	1	-	1	4	4	1	1	-	1	-	2	2	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	3	-	1	1	-	-	1	-	1	1	-	-
Meningitis (not due to meningococcus)—81	-	1	3	21	5	10	2	1	-	4	-	15	-	2	1
Intracranial lesions of vascular origin—83	1	-	-	5	3	2	-	-	-	2	-	-	1	-	1
Convulsions—86	-	-	-	8	6	17	2	-	-	1	-	13	-	-	7
Diseases of ear and mastoid process—89	2	1	1	11	1	11	-	-	-	-	-	2	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	8	1	3	1	-	-	-	-	2	-	1	1
Diseases of circulatory system—90-103	2	-	3	12	2	8	-	-	-	2	-	8	-	-	3
Pneumonia (all forms)—107-109	9	5	38	417	100	370	31	2	5	75	37	309	4	7	57
Other diseases of respiratory system—104-106,110-114	2	3	1	46	2	30	4	-	1	4	3	41	1	-	5
Diseases of buccal cavity, etc.*—115	1	-	1	5	-	4	-	-	-	4	1	3	-	-	-
Diseases of stomach—117,118	-	-	1	4	2	5	-	-	-	-	1	15	-	-	-
Diarrhsa, enteritis, etc.*—119	2	1	12	195	50	181	16	2	2	65	51	280	-	1	9
Hernia—122a	-	-	-	1	3	2	1	-	-	1	-	1	-	-	-
Intestinal obstruction—122b	-	-	2	28	7	14	3	-	-	-	3	7	-	-	2
Peritonitis (cause not stated)—129	-	-	-	6	-	5	-	-	-	-	-	1	-	-	1
Other diseases, digestive system—116,121,125-128	-	-	-	3	2	6	-	-	-	1	2	6	-	-	1
Diseases, genito-urinary system—130,131,133-139	2	-	-	7	3	6	-	-	-	1	2	4	-	-	1
Diseases of skin and cellular tissue—151-153	3	-	1	3	1	5	-	-	-	2	2	8	1	-	2
Congenital malformations—157	22	23	36	503	133	346	65	4	7	28	22	109	11	7	45
Congsnital debility—158	4	6	6	33	10	68	8	-	3	9	7	50	2	1	11
Premature birth—159	66	47	71	1,257	291	732	94	6	18	191	108	454	30	30	88
Injury at birth—160	32	18	32	510	127	252	60	1	8	24	23	68	5	5	36
Other diseases peculiar to first year—161	20	12	14	278	42	137	19	1	2	37	19	98	4	3	27
Accidental mechanical suffocation—182	2	4	8	46	5	24	7	-	1	6	2	27	-	-	4
Other violence or accident—166-181,183-195	7	3	10	31	5	33	9	-	1	4	7	26	1	1	4
Ill-defined and unknown causes—199,200	1	2	3	11	4	9	1	-	-	44	27	677	4	1	10
All other causes*	-	1	4	29	1	17	2	-	2	-	-	1	1	-	5

*Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	TENNESSEE			TEXAS			UTAH			VERMONT			VIRGINIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	924	275	2,051	2,837	1,332	3,575	144	84	174	61	64	176	892	252	2,820
Under 1 month	548	124	1,073	1,668	699	1,984	108	63	121	46	46	108	512	147	1,493
White	337	96	934	1,361	626	1,605	107	63	119	46	46	108	314	113	1,010
All other races	211	28	139	307	73	379	1	-	2	-	-	-	198	34	483
1 to 11 months	376	151	978	1,169	633	1,591	36	21	53	15	18	68	380	105	1,327
White	233	106	803	991	550	1,324	36	21	50	15	18	68	141	74	785
All other races	143	45	175	178	83	267	-	-	3	-	-	-	239	31	542
Cerebrospinal (meningococcus) meningitis—6	1	2	6	2	1	2	-	-	-	-	-	-	1	1	6
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Whooping cough—9	24	9	74	52	25	96	3	1	3	-	-	-	10	5	104
Diphtheria (infection by C. diphtheriae)—10	2	-	5	3	3	7	-	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-
Tetanus—12	-	-	-	7	8	38	-	-	-	-	-	-	1	1	2
Tuberculosis of respiratory system, etc.*—13	1	1	11	9	-	6	-	-	-	-	-	-	4	1	6
Tuberculosis of meninges, etc.*—14	1	-	3	9	-	5	1	1	-	-	-	-	-	-	2
Tuberculosis (other forms)—15-22	2	-	1	7	-	2	-	-	-	1	-	-	-	-	1
Septicemia and purulent infection—24	4	2	1	2	2	3	-	-	-	-	-	-	1	-	2
Dysentery—27	7	13	28	38	54	80	-	-	1	-	-	-	7	9	71
Malaria—28	-	1	3	3	2	18	-	-	-	-	-	-	-	-	-
Syphilis—30	18	1	13	42	16	29	-	-	1	-	-	1	15	1	30
Influenza—33	15	12	104	84	42	178	1	1	2	-	2	4	22	10	120
Measles—35	4	2	26	3	5	15	-	-	1	-	-	1	6	2	51
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	9	5	3	9	-	-	-	-	-	-	2	-	3
Diseases of thymus gland—64	5	-	2	23	9	13	1	1	3	-	-	2	4	3	13
Rickets—70	-	-	-	5	-	-	1	-	-	-	-	-	-	-	6
Hemorrhagic conditions—72	2	-	4	6	5	6	-	1	1	-	-	-	2	1	5
Anemias (except splenic anemia)—73	3	-	5	6	2	3	-	1	-	-	-	1	2	-	5
Encephalitis (nonepidemic)—80	1	-	1	3	1	2	-	-	-	-	-	-	1	-	2
Meningitis (not due to meningococcus)—81	5	-	4	20	6	20	3	2	2	-	1	2	6	1	8
Intracranial lesions of vascular origin—83	4	1	7	6	1	9	-	-	-	-	-	-	1	-	2
Convulsions—86	2	1	12	9	7	37	-	-	-	-	-	-	1	-	20
Diseases of ear and mastoid process—89	5	2	8	17	4	7	-	1	1	-	-	-	5	-	6
Other diseases, nervous system—82,84,85,87,88	3	-	5	4	1	5	-	-	1	-	-	-	3	-	3
Diseases of circulatory system—90-103	1	-	11	13	3	29	-	-	-	-	1	-	3	1	8
Pneumonia (all forms)—107-109	115	45	284	384	188	501	13	4	14	2	6	15	120	24	390
Other diseases of respiratory system—104-106,110-114	8	1	12	25	15	41	1	-	3	3	1	3	9	4	30
Diseases of buccal cavity, etc.*—115	4	1	4	7	6	7	-	-	-	-	-	-	2	1	4
Diseases of stomach—117,118	1	1	5	9	6	39	-	-	-	-	1	2	2	2	10
Diarrhea, enteritis, etc.*—119	68	40	191	339	183	577	6	1	4	4	1	12	115	27	282
Hernia—122a	-	-	-	6	1	3	-	-	-	-	-	-	1	-	1
Intestinal obstruction—122b	6	4	14	15	12	27	1	2	1	-	-	2	3	-	7
Peritonitis (cause not stated)—129	-	-	1	1	2	5	-	-	-	-	1	1	-	-	2
Other diseases, digestive system—116,121,123-128	-	-	2	11	1	22	-	-	1	-	-	1	1	1	4
Diseases, genito-urinary system—130,131,133-139	5	-	6	8	9	7	-	-	1	-	1	1	2	1	5
Diseases of skin and cellular tissue—151-153	3	-	7	6	2	8	-	-	-	-	1	-	-	-	10
Congenital malformations—157	79	16	128	173	64	223	20	11	25	10	6	24	52	16	192
Congenital debility—158	16	6	64	55	57	173	1	-	2	-	1	7	17	7	145
Premature birth—159	277	56	410	952	363	852	52	36	71	21	27	55	273	86	664
Injury at birth—160	90	16	148	240	106	214	25	9	11	11	8	17	85	21	201
Other diseases peculiar to first year—161	61	10	69	136	48	130	10	6	12	6	3	13	64	9	116
Accidental mechanical suffocation—182	9	2	22	14	12	20	3	-	3	1	1	3	19	4	23
Other violence or accident—166-181,183-195	13	6	23	24	18	60	-	1	2	1	1	5	11	3	42
Ill-defined and unknown causes—199,200	49	20	310	59	54	229	2	5	7	1	-	3	15	9	210
All other causes*	8	4	7	15	4	17	-	-	1	-	-	1	3	1	12

*Refer to complete International List titles, table XI, Part I.

TABLE 19.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION-SIZE GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1941—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH AND RACE	WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	498	102	461	405	215	2,059	783	196	1,027	57	39	134
Under 1 month	384	80	272	268	114	1,029	536	132	663	41	29	82
White	378	79	259	244	105	947	530	131	645	38	28	75
All other races	6	1	13	22	9	82	6	1	18	3	1	7
1 to 11 months	114	22	169	139	101	1,030	247	64	364	18	10	52
White	109	19	152	122	91	960	239	63	341	15	10	42
All other races	5	3	37	17	10	70	8	1	23	1	-	10
Cerebrospinal (meningococcus) meningitis—6	-	-	-	1	2	3	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	2	-	-	-	-	-	-
Whooping cough—9	7	3	20	13	5	99	9	2	15	2	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	3	-	-	-	-	-	2
Erysipelas—11	2	-	-	1	-	4	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	1	-	-	4	1	-	4	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	1	-	1	8	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	2	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	4	1	-	-	-	-	-
Dysentery—27	3	1	3	9	10	65	-	-	2	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	2	4	7	15	2	-	1	-	-	4
Influenza—33	-	2	5	7	3	38	10	7	29	-	-	10
Measles—35	-	-	1	3	2	15	1	-	3	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	5	-	-	-	-	-	-
Diseases of thymus gland—64	11	-	10	3	2	16	14	5	12	1	1	1
Rickets—70	-	-	-	1	-	2	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	1	1	-	4	-	1	2	-	-	-
Anemias (except splenic anemia)—73	-	-	2	1	1	3	1	1	-	1	-	2
Encephalitis (nonepidemic)—80	-	-	2	1	-	1	1	-	4	-	-	-
Meningitis (not due to meningococcus)—81	5	-	2	2	-	8	6	1	8	-	1	1
Intracranial lesions of vascular origin—83	2	-	-	1	-	1	1	2	1	-	-	1
Convulsions—86	-	-	1	2	2	7	2	2	5	-	-	-
Diseases of ear and mastoid process—89	3	-	2	3	-	8	2	-	3	1	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	2	1	1	1	1	-	4	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	1	10	1	-	6	-	-	-
Pneumonia (all forms)—107-109	49	9	69	32	24	280	99	14	161	4	6	19
Other diseases of respiratory system—104-106,110-114	5	1	3	1	3	14	11	2	7	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	2	-	1	-	-	1
Diseases of stomach—117,118	-	-	-	1	-	11	1	-	1	-	-	1
Diarrhea, enteritis, etc.*—119	12	3	17	44	26	294	29	8	36	-	3	3
Hernia—122a	-	-	2	-	-	-	1	-	-	-	-	-
Intestinal obstruction—122b	2	-	5	1	1	6	7	1	7	2	-	-
Peritonitis (cause not stated)—129	1	-	1	-	-	-	-	-	1	-	-	-
Other diseases, digestive system—116,121,123-128	-	-	-	-	-	2	1	-	2	-	-	2
Diseases, genito-urinary system—130,131,133-139	-	-	2	-	-	8	-	-	1	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	1	-	9	3	-	5	-	-	-
Congenital malformations—157	57	10	55	34	25	161	121	39	157	8	10	15
Congenital debility—158	-	3	10	5	6	57	2	3	14	2	2	8
Premature birth—159	185	41	134	148	54	503	250	66	307	24	10	36
Injury at birth—160	70	15	43	41	17	135	108	19	123	7	2	14
Other diseases peculiar to first year—161	47	9	27	25	15	75	63	12	73	1	3	7
Accidental mechanical suffocation—182	11	3	10	5	2	13	8	2	6	1	-	1
Other violence or accident—166-181,183-195	14	1	12	8	2	24	17	4	16	-	-	2
Ill-defined and unknown causes—199,200	2	1	9	6	3	127	3	3	9	1	1	-
All other causes*	1	-	7	1	-	12	4	2	1	1	-	1

* Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941

(Exclusive of stillbirths. Race is shown for selected States only; sex for the United States only. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (total)—All causes	113,949	33,248	8,697	5,461	8,536	6,109	4,080	3,428	69,559	8,574	6,814	5,770	4,622	3,901	3,355	2,898	2,595	2,248	1,847	1,766
Cerebrospinal (meningococcus) meningitis—6	157	-	-	1	-	2	1	-	4	11	20	23	28	6	17	11	13	13	4	7
Scarlet fever—8	29	-	-	-	1	1	1	1	4	3	1	1	5	-	1	2	4	2	3	3
Whooping cough—9	2,572	1	-	1	4	10	45	92	153	429	397	280	222	192	189	158	156	142	128	126
Diphtheria (infection by C. diphtheriae)—10	99	-	-	-	1	2	1	2	6	6	3	11	4	12	4	8	7	6	13	19
Erysipelas—11	54	-	-	-	4	6	3	5	18	16	6	2	2	2	2	1	2	3	-	-
Tetanus—12	115	2	2	1	30	53	18	-	104	3	2	-	2	-	1	1	-	1	1	-
Tuberculosis of respiratory system, etc.*—13	234	3	2	-	-	3	6	-	14	5	26	14	12	23	15	25	23	30	26	21
Tuberculosis of meninges, etc.*—14	154	-	-	-	1	1	1	1	4	2	6	6	14	14	18	19	19	16	18	18
Tuberculosis (other forms)—15-22	107	-	-	-	-	-	1	-	1	3	3	9	9	8	15	12	9	10	16	12
Septicemia and purulent infection—24	129	-	-	-	2	6	10	16	34	21	17	7	9	8	8	11	4	4	2	4
Dysentery—27	1,106	1	-	-	9	25	24	26	85	93	108	152	129	120	87	92	83	65	54	38
Malaria—28	115	-	-	-	6	3	3	2	14	12	11	15	11	6	9	9	10	5	7	6
Syphilis—30	1,042	182	47	33	69	68	50	37	486	154	127	83	62	33	28	14	14	15	15	11
Influenza—33	3,042	8	5	9	57	115	129	126	449	358	362	302	271	267	265	195	165	178	123	107
Measles—35	604	1	2	1	5	10	13	27	59	50	51	38	28	37	38	56	70	60	58	59
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	238	-	2	2	3	7	6	12	32	19	25	14	22	14	24	24	18	13	18	15
Diseasss of thymus gland—64	1,012	97	61	48	89	64	41	43	443	126	123	110	65	33	33	26	17	13	9	14
Rickets—70	95	1	-	1	1	3	-	2	8	6	12	10	7	7	12	9	5	10	4	5
Hemorrhagic conditions—72	179	18	13	16	39	20	11	5	122	15	7	7	3	3	5	4	5	-	2	6
Anemias (except splenic anemia)—73	186	2	2	3	4	7	2	7	27	21	25	20	9	13	17	14	9	8	10	13
Encephalitis (nonepidemic)—80	117	2	-	-	2	4	1	4	13	10	10	12	10	11	10	12	9	4	9	7
Meningitis (not due to meningococcus)—81	633	-	-	2	12	15	18	26	73	70	68	69	68	46	55	41	42	49	26	26
Intracranial lesions of vascular origin—83	203	6	6	6	10	7	-	-	35	46	20	17	17	13	14	5	10	7	7	12
Convulsions—86	401	17	16	31	56	39	19	22	200	44	25	22	16	17	17	8	22	13	7	10
Diseases of ear and mastoid process—89	398	-	-	-	1	3	5	8	17	45	47	50	41	38	34	30	25	29	21	21
Other diseases, nervous system-82,84,85,87,88	180	9	7	5	17	12	3	3	56	15	15	8	13	17	8	10	14	11	6	7
Diseases of circulatory system—90-103	446	21	6	12	17	25	19	22	122	56	64	42	36	22	15	17	21	19	17	15
Pneumonia (all forms)—107-109	13,687	74	124	194	467	610	628	645	2,742	1,825	1,642	1,503	1,204	1,035	850	778	656	576	445	431
Other diseases of respiratory system—104-106,110-114	1,169	19	13	25	48	42	58	48	253	180	119	143	84	90	58	63	49	49	39	42
Diseases of buccal cavity, etc.*—115	222	1	1	-	4	5	8	3	22	25	13	18	14	18	19	19	20	21	21	12
Diseases of stomach—117,118	300	2	5	6	21	17	14	17	82	53	46	38	9	15	9	23	7	7	5	6
Diarrhea, enteritis, etc.*—119	9,220	8	7	11	62	244	452	400	1,184	1,185	1,096	1,034	975	825	735	577	524	421	328	336
Hernia—122a	99	1	-	1	3	3	5	7	20	28	14	7	10	6	1	4	7	2	1	1
Intestinal obstruction—122b	671	-	1	-	20	41	27	26	115	60	63	75	60	69	68	53	44	26	23	15
Peritonitis (cause not stated)—129	81	1	-	-	6	7	7	13	34	10	14	6	4	4	4	1	1	1	-	2
Other diseases, digestive sys.116,121,123-128	187	1	1	8	13	16	17	5	61	20	21	16	17	6	13	9	5	7	8	4
Diseases, genito-urinary sys.130,131,133-139	297	6	6	1	16	8	18	14	69	48	31	34	23	18	12	21	15	6	9	11
Diseases of skin and cellular tissue-151-153	245	4	4	6	21	32	20	30	117	40	11	18	16	11	7	5	9	3	5	3
Congenital malformations—157	11,796	2,711	885	757	1,460	1,062	612	510	7,997	1,044	658	505	351	301	236	184	167	139	114	100
Congenital debility—158	2,887	598	158	148	268	200	164	133	1,669	353	264	189	116	87	67	36	41	30	17	18
Premature birth—159	33,341	20,017	4,253	1,984	2,611	1,947	936	530	32,278	650	218	94	47	25	9	4	8	4	3	1
Injury at birth—160	10,889	5,746	1,827	1,149	1,307	402	163	68	10,662	91	28	27	20	17	10	9	6	7	7	7
Other diseases peculiar to first year—161	6,310	2,460	807	668	1,113	486	186	115	5,835	190	90	61	32	21	27	18	9	10	7	10
Accidental mechanical suffocation—182	1,263	25	20	18	47	38	34	84	266	272	235	158	129	86	38	26	24	12	11	6
Other violence or accident—166-181,183-195	1,566	119	33	33	45	40	43	51	364	150	174	130	105	95	83	103	91	88	92	91
Ill-defined and unknown causes—199,200	5,510	1,070	377	274	537	377	244	218	3,097	625	441	349	249	183	130	114	103	89	68	64
All other causes*	562	14	4	6	27	21	15	22	109	90	57	41	42	27	38	37	33	24	40	24
UNITED STATES (male)—All causes	64,987	19,261	5,007	3,301	5,045	3,377	2,317	1,947	40,255	4,849	3,862	3,211	2,567	2,146	1,843	1,628	1,419	1,228	1,026	955
Cerebrospinal (meningococcus) meningitis—6	89	-	-	1	-	1	1	-	3	7	10	17	13	4	11	9	7	3	3	2
Scarlet fever—8	20	-	-	-	-	1	-	1	2	3	1	-	4	-	-	1	3	2	3	1
Whooping cough—9	1,294	1	-	1	3	3	26	42	76	210	211	133	117	107	105	83	81	64	56	51
Diphtheria (infection by C. diphtheriae)—10	52	-	-	-	1	1	-	1	3	5	1	4	2	6	4	7	2	3	7	8
Erysipelas—11	26	-	-	-	2	4	1	2	9	5	4	1	-	1	2	-	1	3	-	-
Tetanus—12	64	1	1	1	16	29	9	-	57	3	1	-	1	-	1	-	-	1	-	-
Tuberculosis of respiratory system, etc.*—13	115	-	2	-	-	3	2	-	7	3	14	11	9	11	8	6	12	14	7	13
Tuberculosis of meninges, etc.*—14	73	-	-	-	1	1	1	1	4	2	2	2	8	6	8	7	12	4	7	11
Tuberculosis (other forms)—15-22	59	-	-	-	-	-	-	-	-	2	2	5	7	3	9	5	6	7	4	9
Septicemia and purulent infection—24	78	-	-	-	-	4	7	10	21	14	10	5	4	5	5	5	3	1	1	4
Dysentery—27	615	1	-	-	4	12	15	16	48	46	66	89	72	68	46	48	46	36	24	26
Malaria—28	53	-	-	-	1	-	2	1	4	8	4	7	5	2	6	5	5	1	3	3
Syphilis—30	580	101	22	18	41	38	23	21	264	91	75	42	31	18	16	8	10	8	9	8
Influenza—33	1,715	4	5	5	32	76	67	71	260	202	215	174	155	137	138	113	96	103	62	60
Measles—35	327	1	2	-	2	4	10	16	35	25	36	18	16	18	19	36	31	31	28	34
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	129	-	2	1	1	4	4	6	18	10	18	7	11	7	11	12	12	6	8	9
Diseasss of thymus gland—64	644	57	42	36	58	38	23	26	280	86	71	71	47	21	20	16	13	5	6	8
Rickets—70	46	-	-	-	-	1	-	1	2	4	9	2	3	4	7	5	4	6	-	-
Hemorrhagic conditions—72	112	11	7	9	25	15	7	5	79	9	2	4	3	2	3	3	2	-	-	5
Anemias (except splenic anemia)—73	91	2	-	2	-	3	1	4	12	12	15	9	4	6	5	5	6	4	5	8
Encephalitis (nonepidemic)—80	45	2	-	-	-	1	-	2	5	2	3	7	4	6	3	4	3	-	7	1
Meningitis (not due to meningococcus)—81	364	-	-	1	8	7	12	15	43	36	40	43	35	28	36	20	21	34	16	12
Intracranial lesions of vascular origin—83	122	2	4	3	4	6	-	-	19	27	11	13	11	7	9	2	7	3	4	9
Convulsions—86	217	10	9	20	31	21	12	10	113	25	11	13	10	11	9	4	9	4	4	4
Diseases of ear and mastoid process—89	241	-	-	-	1	1	1	3	6	25	34	34	25	19	24	16	13	22	14	11
Other diseases, nervous system-82,84,85,87,88	98	5	6	1	9	6	-	1	28	11	8	4	8	9	2	6	7	7	3	5
Diseases of circulatory system—90-103	247	9	3	8	15	14	13	8	70	37	30	23	17	13	8	10	9	10	11	9
Pneumonia (all forms)—107-109	7,754	39	79	117	278	323	362	376	1,574	1,027	921	866	678	582	466	430	377	327	271	235
Other diseases of respiratory system—104-106,110-114	685	12	10	15	31	21	32	26	147	99	68	82	54	53	37	41	25	26	25	28
Diseases of buccal cavity, etc.*—115	133	-	-	-	3	3	4	1	11	20	5	16	12	10	11	14	7	13	8	6
Diseases of stomach—117,118	178	1	1	2	11	9	10	13	47	36	27	21	5	10	7	15	2	4	3	1
Diarrhea, enteritis, etc.*—119	5,233	2	5	6	36	143	288	230	710	683	628	568	552	460	403	339	285	222	187	196
Hernia—122a	85	1	-	1	3	1	3	6	15	22	14	7	8	6	1	3	6	2	-	1
Intestinal obstruction—122b	424	-	-	-	14	29	17	19	79	32	37	53	36	45	48	25	28	19	15	7
Peritonitis (cause not stated)—129	51	-	-	-	6	3	3	10	22	9	6	4	4	1	1	1	1	1	-	1
Other diseases, digestive sys.116,121,123-128	105	1	1	2	8	11	10	4	37	10	10	11	7	3	9	4	3	3	4	4
Diseases, genito-urinary sys.130,131,133-139	189	3	4	1	14	5	12	12	51	32	19	19	15	11	8	15	7	2	6	4
Diseases of skin and cellular tissue-151-153	128	1	1	2	4	16	10	21	55	25	4	8	10	10	3	2	5	2	2	2
Congenital malformations—157	6,396	1,372	511	467	835	569	513	268	4,535	612	372	271	178	146	117	97	86	64	68	50
Congenital debility—158	1,668	346	104	93	154	120	102	85	1,004	212	148	108	55	46	29	20	15	19	6	6
Premature birth—159	18,961	11,575	2,382	1,116	1,498	1,058	516	295	18,440	316	103	45	26	15	4	4	4	2	1	1
Injury at birth—160	6,701	3,549	1,056	740	835	242	104	43	6,569	59	13	10	12	6	8	8	5	5	2	4
Other diseases peculiar to first year—161	3,772	1,448	495	409	680	279	110	88	3,489	115	56	32	16	13	18	11	6	6	4	6
Accidental mechanical suffocation—182	721	15	13	14	31	17	15	44	149	157	149	83	78	43	19	15	11	5	8	4
Other violence or accident—166-181,183-195	910	74	21	24	31	24	23	34	231	80	104	77	42	61	52	55	51	54	59	44
Ill-defined and unknown causes—199,200	3,049	609	216	181	301	196	137	116	1,756	343	237	166	135	89	73	68	56	56	38	32
All other causes*	328	6	3	4	17	14	9	13	66	50	37	26	24	17	14	23	18	14	27	12

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (female)——All causes	48,962	13,987	3,690	2,160	3,491	2,732	1,763	1,481	29,304	3,725	2,952	2,559	2,055	1,755	1,512	1,272	1,176	1,020	821	811
Cerebrospinal (meningococcus) meningitis——6	68	-	-	-	-	1	-	-	1	4	10	6	15	2	6	2	6	10	1	5
Scarlet fever——8	9	-	-	-	1	-	1	-	2	-	-	1	1	-	1	1	1	-	-	2
Whooping cough——9	1,278	-	-	-	1	7	19	50	77	219	186	147	105	85	84	75	75	78	72	75
Diphtheria (infection by C. diphtheriae)——10	47	-	-	-	-	1	1	1	3	1	2	7	2	6	-	1	5	3	6	11
Erysipelas——11	28	-	-	-	2	2	2	3	9	11	2	1	2	1	-	1	1	-	-	-
Tetanus——12	51	1	1	-	14	24	7	-	47	-	1	-	1	-	-	1	-	-	1	-
Tuberculosis of respiratory system, etc.*——13	119	3	-	-	-	-	4	-	7	2	12	3	3	12	7	19	11	16	19	8
Tuberculosis of meninges, etc.*——14	81	-	-	-	-	-	-	-	-	-	4	4	6	8	10	12	7	12	11	7
Tuberculosis (other forms)——15-22	48	-	-	-	-	-	1	-	1	1	1	4	2	5	6	7	3	3	12	3
Septicemia and purulent infection——24	51	-	-	-	2	2	3	6	15	7	7	2	5	3	3	6	1	3	1	-
Dysentery——27	491	-	-	-	5	13	9	10	37	47	42	63	57	52	41	44	37	29	30	12
Malaria——28	62	-	-	-	5	3	1	1	10	4	7	8	6	4	3	4	5	4	4	3
Syphilis——30	462	81	25	15	28	30	27	16	222	63	52	41	31	15	12	6	4	7	6	3
Influenza——33	1,327	4	-	4	25	39	62	55	189	156	147	128	116	130	127	82	69	75	61	47
Measles——35	277	-	-	1	3	6	3	11	24	25	15	20	12	19	19	20	39	29	30	25
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	109	-	-	1	2	3	2	6	14	9	7	7	11	7	13	12	6	7	10	6
Diseases of thymus gland——64	368	40	19	12	31	26	18	17	163	40	52	39	18	12	13	10	4	8	3	6
Rickets——70	49	1	-	1	1	2	-	1	6	2	3	8	4	3	5	4	1	4	4	5
Hemorrhagic conditions——72	67	7	6	7	14	5	4	-	43	6	5	3	-	1	2	1	3	-	2	1
Anemias (except splenic anemia)——73	95	-	2	1	4	4	1	3	15	9	10	11	5	7	12	9	3	4	5	5
Encephalitis (nonepidemic)——80	72	-	-	-	2	3	1	2	8	8	7	5	6	5	7	8	6	4	2	6
Meningitis (not due to meningococcus)——81	269	-	-	1	4	8	6	11	30	34	28	26	33	18	19	21	21	15	10	14
Intracranial lesions of vascular origin——83	81	4	2	3	6	1	-	-	16	19	9	4	6	6	5	3	3	4	3	3
Convulsions——86	184	7	7	11	25	18	7	12	87	19	14	9	6	6	8	4	13	9	3	6
Diseases of ear and mastoid process——89	157	-	-	-	-	2	4	5	11	20	13	16	18	19	10	14	12	7	7	10
Other diseases, nervous system-82,84,85,87,88	82	4	1	4	8	6	3	2	28	4	7	4	5	8	6	4	7	4	3	2
Diseases of circulatory system——90-103	199	12	3	4	2	11	6	14	52	19	34	19	19	9	7	7	12	9	6	6
Pneumonia (all forms)——107-109	5,933	35	45	77	189	287	266	269	1,168	798	721	637	526	453	384	348	279	249	174	196
Other diseases of respiratory system——104-106,110-114	484	7	3	10	17	21	26	22	106	81	51	61	30	37	21	22	24	23	14	14
Diseases of buccal cavity, etc.*——115	89	1	1	-	1	2	4	2	11	5	8	2	2	8	8	5	13	8	13	6
Diseases of stomach——117,118	122	1	4	4	10	8	4	4	35	17	19	17	4	5	2	8	5	3	2	5
Diarrhea, enteritis, etc.*——119	3,987	6	2	5	26	101	164	170	474	502	468	466	423	365	332	238	239	199	141	140
Hernia——122a	14	-	-	-	-	2	2	1	5	4	-	-	2	-	-	1	1	-	1	-
Intestinal obstruction——122b	247	-	1	-	6	12	10	7	36	28	26	22	24	24	20	28	16	7	8	8
Peritonitis (cause not stated)——129	30	1	-	-	-	4	4	3	12	1	8	2	-	3	3	-	-	-	-	1
Other diseases, digestive sys.116,121,123-128	82	-	-	6	5	5	7	1	24	10	11	5	10	3	4	5	2	4	4	-
Diseases, genito-urinary sys.130,131,133-139	108	3	2	-	2	3	6	2	18	16	12	15	8	7	4	6	8	4	3	7
Diseases of skin and cellular tissue-151-153	117	3	3	4	17	16	10	9	62	15	7	10	6	1	4	3	4	1	3	1
Congenital malformations——157	5,400	1,339	374	290	625	493	299	242	3,662	432	286	234	173	155	119	87	81	75	46	50
Congenital debility——158	1,219	252	54	55	114	80	62	48	665	141	116	81	61	41	38	16	26	11	11	13
Premature birth——159	14,360	8,442	1,871	868	1,113	889	420	235	13,838	334	115	49	21	10	5	-	4	2	2	-
Injury at birth——160	4,188	2,197	771	409	472	160	59	25	4,093	32	13	17	8	11	2	1	1	2	5	3
Other diseases peculiar to first year——161	2,538	1,012	312	259	433	207	76	47	2,346	75	34	29	16	8	9	7	3	4	3	4
Accidental mechanical suffocation——182	542	10	7	4	16	21	19	40	117	115	86	75	51	43	19	11	13	7	3	2
Other violence or accident——166-181,183-195	656	45	12	9	14	16	20	17	133	70	70	53	63	34	31	48	40	34	33	47
Ill-defined and unknown causes——199,200	2,461	461	161	93	236	181	107	102	1,341	280	204	183	114	94	57	46	47	33	30	32
All other causes*	234	8	1	2	10	7	6	9	43	40	20	15	18	10	24	14	15	10	13	12
UNITED STATES (white)——All causes	90,874	28,396	7,277	4,483	6,783	4,722	3,204	2,662	57,527	6,570	5,276	4,411	3,384	2,949	2,409	2,127	1,925	1,629	1,362	1,305
Cerebrospinal (meningococcus) meningitis——6	124	-	-	1	-	1	-	-	2	11	18	19	20	3	12	9	11	10	3	6
Scarlet fever——8	28	-	-	-	1	1	1	1	4	3	1	1	4	-	1	2	4	2	3	3
Whooping cough——9	1,951	-	-	-	4	7	34	76	121	360	332	220	162	138	134	112	112	92	80	88
Diphtheria (infection by C. diphtheriae)——10	79	-	-	-	-	1	-	2	3	5	2	9	2	10	4	8	7	4	9	16
Erysipelas——11	44	-	-	-	2	6	3	2	13	12	6	2	2	2	1	1	2	3	-	-
Tetanus——12	69	-	2	1	20	31	8	-	62	2	2	-	1	-	1	-	-	-	1	-
Tuberculosis of respiratory system, etc.*——13	132	3	2	-	-	2	3	-	10	5	19	8	5	11	9	14	13	17	13	6
Tuberculosis of meninges, etc.*——14	120	-	-	-	-	1	1	1	3	2	4	4	11	11	15	17	15	10	14	14
Tuberculosis (other forms)——15-22	53	-	-	-	-	-	-	-	-	1	1	6	5	2	6	5	5	6	9	7
Septicemia and purulent infection——24	109	-	-	-	2	6	8	13	29	15	16	6	9	5	8	10	4	3	2	4
Dysentery——27	849	1	-	-	4	20	19	19	63	77	80	119	96	91	75	67	54	54	42	31
Malaria——28	54	-	-	-	4	2	2	1	9	5	2	8	6	1	6	4	6	2	3	2
Syphilis——30	395	59	15	12	23	23	19	13	164	68	56	37	22	16	7	5	7	6	5	2
Influenza——33	2,149	6	3	6	44	87	98	94	338	271	251	215	185	177	183	135	112	124	86	72
Measles——35	469	1	1	1	4	9	11	23	50	41	37	31	17	31	21	49	57	44	47	44
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	178	-	1	2	3	6	2	10	24	11	20	10	14	11	17	21	14	10	15	11
Diseases of thymus gland——64	911	92	50	44	83	58	40	40	407	118	112	96	57	29	27	22	10	12	8	13
Rickets——70	53	1	-	1	1	2	-	2	7	5	6	8	3	6	3	5	2	7	3	3
Hemorrhagic conditions——72	145	17	12	7	32	17	8	3	96	11	5	7	3	2	5	4	5	-	1	6
Anemias (except splenic anemia)——73	159	2	2	2	4	7	1	6	24	15	23	20	7	13	13	12	8	7	8	9
Encephalitis (nonepidemic)——80	101	1	-	-	2	3	1	3	10	8	7	12	9	11	10	10	7	3	7	7
Meningitis (not due to meningococcus)——81	517	-	-	2	11	14	18	24	69	63	55	52	57	40	40	31	31	40	19	20
Intracranial lesions of vascular origin——83	179	6	4	5	9	7	-	-	31	41	18	15	16	10	11	5	8	7	6	11
Convulsions——86	263	11	10	23	33	24	9	17	127	30	16	13	7	14	14	5	16	8	5	8
Diseases of ear and mastoid process——89	342	-	-	-	1	2	5	8	16	39	40	41	35	32	31	28	23	22	20	15
Other diseases, nervous system-82,84,85,87,88	164	9	7	5	17	10	3	3	54	13	13	7	11	14	8	9	13	10	6	6
Diseases of circulatory system——90-103	382	19	6	11	14	22	19	17	108	48	53	37	30	19	13	15	16	18	11	14
Pneumonia (all forms)——107-109	10,259	57	94	163	367	474	508	514	2,177	1,420	1,250	1,138	878	767	561	544	466	413	322	323
Other diseases of respiratory system——104-106,110-114	848	14	9	16	27	25	42	30	163	126	91	109	67	67	46	45	36	37	29	32
Diseases of buccal cavity, etc.*——115	178	-	1	-	3	4	7	3	18	21	12	12	11	13	13	17	18	18	18	7
Diseases of stomach——117,118	198	1	4	5	16	13	9	11	59	34	33	24	6	10	4	13	4	5	3	3
Diarrhea, enteritis, etc.*——119	7,040	7	5	8	45	196	379	322	962	946	868	790	698	640	531	422	397	304	239	243
Hernia——122a	74	1	-	1	3	2	5	6	18	20	10	5	9	3	1	3	2	1	1	1
Intestinal obstruction——122b	587	-	1	-	17	31	20	23	92	54	57	70	51	66	62	44	37	22	19	13
Peritonitis (cause not stated)——129	72	1	-	-	6	6	7	12	32	5	14	5	4	4	4	1	1	1	-	1
Other diseases, digestive sys.116,121,123-128	139	1	1	4	7	11	14	3	41	14	16	12	14	5	11	7	4	4	7	4
Diseases, genito-urinary sys.130,131,133-139	234	6	5	1	13	7	16	10	58	35	22	28	17	16	10	16	13	5	6	8
Diseases of skin and cellular tissue-151-153	187	4	2	5	17	22	17	24	91	31	9	12	11	8	6	3	8	3	4	1
Congenital malformations——157	11,034	2,571	819	699	1,351	998	581	482	7,501	982	612	461	328	295	222	170	156	126	102	89
Congenital debility——158	1,909	376	101	86	149	116	114	97	1,039	245	204	143	84	55	44	24	28	23	11	9
Premature birth——159	27,818	17,199	3,598	1,618	2,045	1,483	715	376	27,034	468	167	74	37	16	8	2	5	3	3	1
Injury at birth——160	9,807	5,210	1,658	1,043	1,167	339	135	61	9,611	74	24	22	16	17	10	9	6	7	7	4
Other diseases peculiar to first year——161	5,508	2,137	696	589	928	388	140	93	4,951	130	74	56	21	15	21	11	8	8	6	7
Accidental mechanical suffocation——182	986	13	12	13	33	27	25	63	186	210	194	130	100	69	28	24	20	9	11	5
Other violence or accident——166-181,183-195	1,220	87	22	22	32	37	31	35	266	123	144	104	81	77	60	76	70	65	75	79
Ill-defined and unknown causes——199,200	2,476	469	132	102	218	157	114	102	1,294	284	232	179	122	91	60	56	52	34	36	36
All other causes*	476	14	4	5	21	17	12	17	90	68	48	34	33	26	34	35	30	20	37	21

*Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 34

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATED AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white male)——All causes	52,152	16,493	4,230	2,708	3,991	2,667	1,826	1,542	33,457	3,770	3,021	2,479	1,904	1,637	1,303	1,193	1,039	890	758	701
Cerebrospinal (meningococcus) meningitis——6	69	-	-	1	-	1	-	-	2	7	8	13	11	2	7	8	6	1	2	2
Scarlet fever——8	19	-	-	-	-	1	-	1	2	3	1	-	3	-	-	1	3	2	3	1
Whooping cough——9	965	-	-	-	3	1	20	34	58	174	184	103	84	61	66	54	59	39	32	31
Diphtheria (infection by C. diphtheriae)——10	40	-	-	-	-	-	-	1	1	4	-	4	1	5	4	7	2	2	4	6
Erysipelas——11	21	-	-	-	1	4	1	1	7	3	4	1	-	1	1	-	1	3	-	-
Tetanus——12	45	-	1	1	13	20	6	-	41	2	1	-	-	-	1	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	68	-	2	-	-	2	2	-	6	3	11	6	4	7	8	3	6	8	5	3
Tuberculosis of meninges, etc.*——14	56	-	-	-	-	1	1	1	3	2	1	2	6	3	7	7	9	3	5	8
Tuberculosis (other forms)——15-22	34	-	-	-	-	-	-	-	-	1	-	4	4	-	5	3	4	4	3	6
Septicemia and purulent infection——24	67	-	-	-	-	4	6	8	18	12	10	4	4	3	3	4	3	1	1	4
Dysentery——27	474	1	-	-	1	9	12	15	36	37	53	71	54	51	38	35	30	30	18	21
Malaria——28	23	-	-	-	-	-	1	1	2	3	-	3	4	-	4	3	3	1	-	-
Syphilis——30	220	36	9	8	9	16	9	7	94	41	33	15	11	9	3	2	5	3	3	1
Influenza——33	1,215	3	3	3	24	62	55	57	207	148	151	126	103	90	96	76	65	73	41	39
Measles——35	249	1	1	-	2	3	8	15	30	21	24	15	9	15	10	31	25	23	23	23
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	101	-	1	1	1	4	1	5	13	6	15	5	7	6	8	11	9	5	7	9
Diseases of thymus gland——64	580	54	35	33	53	36	22	24	257	80	65	63	41	20	15	13	9	4	5	8
Rickets——70	26	-	-	-	-	1	-	1	2	3	4	2	2	3	2	2	2	4	-	-
Hemorrhagic conditions——72	90	10	6	3	20	12	4	3	58	8	2	4	3	2	3	3	2	-	-	5
Anemias (except splenic anemia)——73	75	2	-	1	-	3	-	4	10	8	14	9	2	6	4	4	5	4	4	5
Encephalitis (nonepidemic)——80	39	1	-	-	-	1	-	2	4	2	2	7	3	6	3	4	2	-	5	1
Meningitis (not due to meningococcus)——81	304	-	-	1	7	7	12	15	42	32	34	33	30	24	28	15	17	27	12	10
Intracranial lesions of vascular origin——83	104	2	2	3	3	6	-	-	16	22	11	11	10	5	7	2	5	3	3	9
Convulsions——86	140	7	5	16	18	11	4	8	69	18	7	9	6	8	7	3	6	2	2	3
Diseases of ear and mastoid process——89	208	-	-	-	1	1	1	3	6	21	30	27	21	17	21	15	11	18	13	8
Other diseases, nervous system——82,84,85,87,88	87	5	6	1	9	4	-	1	26	9	7	4	6	7	2	5	7	6	3	5
Diseases of circulatory system——90-103	213	8	3	7	12	12	13	7	62	33	22	20	13	12	7	9	9	9	8	9
Pneumonia (all forms)——107-109	5,843	30	65	96	214	265	283	301	1,254	816	706	664	491	458	309	303	257	237	198	174
Other diseases of respiratory system——104-106,110-114	500	10	8	10	17	11	22	17	95	70	52	65	44	41	30	28	18	17	20	20
Diseases of buccal cavity, etc.*——115	106	-	-	-	2	2	3	1	8	17	4	11	9	9	8	12	6	11	7	4
Diseases of stomach——117,118	121	-	1	2	9	7	7	9	35	23	19	13	5	6	3	8	1	4	3	1
Diarrhea, enteritis, etc.*——119	4,048	1	5	3	27	117	250	192	595	553	506	432	415	362	281	255	216	161	132	142
Hernia——122a	64	1	-	1	3	1	3	5	14	18	10	5	7	3	1	2	2	1	-	1
Intestinal obstruction——122b	377	-	-	-	13	24	16	17	70	28	32	50	32	44	44	20	22	17	13	5
Peritonitis (cause not stated)——129	43	-	-	-	6	3	3	9	21	4	6	3	4	1	1	1	1	1	-	-
Other diseases, digestive sys.——116,121,123-128	76	1	1	1	3	8	7	2	23	8	6	8	5	3	8	3	2	2	4	4
Diseases, genito-urinary sys.——130,131,133-139	146	3	3	1	11	4	10	8	40	24	15	15	13	10	6	10	5	2	3	3
Diseases of skin and cellular tissue——151-153	103	1	-	1	4	13	10	18	47	21	3	6	6	7	3	1	4	2	2	1
Congenital malformations——157	5,975	1,304	476	426	764	536	298	254	4,058	578	546	247	160	140	109	92	81	58	63	43
Congenital debility——158	1,121	218	70	55	87	72	70	61	633	157	114	83	40	28	20	15	11	14	3	3
Premature birth——159	15,931	9,967	2,038	913	1,169	833	403	206	15,529	239	84	38	19	10	4	2	2	2	1	1
Injury at birth——160	6,071	3,245	964	673	741	208	85	41	5,957	48	11	8	10	6	8	8	5	5	2	3
Other diseases peculiar to first year——161	3,154	1,244	425	346	570	221	82	58	2,946	73	48	29	12	9	14	6	5	5	4	3
Accidental mechanical suffocation——182	584	8	9	10	21	12	11	38	109	127	124	71	62	35	15	14	11	5	8	3
Other violence or accident——166-181,183-195	721	56	12	18	21	21	15	25	168	66	84	64	36	50	37	45	40	41	50	40
Ill-defined and unknown causes——199,200	1,356	268	76	70	119	76	64	57	730	157	127	84	72	38	33	28	28	19	19	21
All other causes*	280	6	3	3	13	11	6	11	53	40	30	22	20	16	11	22	17	11	26	12
UNITED STATES (white female)——All causes	38,722	11,903	3,047	1,775	2,792	2,055	1,378	1,120	24,070	2,800	2,255	1,932	1,480	1,312	1,106	934	886	739	604	604
Cerebrospinal (meningococcus) meningitis——6	55	-	-	-	-	-	-	-	-	4	10	6	9	1	5	1	5	9	1	4
Scarlet fever——8	9	-	-	-	1	-	1	-	2	-	-	1	1	-	1	1	1	-	-	2
Whooping cough——9	986	-	-	-	1	6	14	42	63	186	148	117	78	57	68	58	53	53	48	57
Diphtheria (infection by C. diphtheriae)——10	39	-	-	-	-	1	-	1	2	1	2	5	1	5	-	1	5	2	5	10
Erysipelas——11	23	-	-	-	1	2	2	1	6	9	2	1	2	1	-	1	1	-	-	-
Tetanus——12	24	-	1	-	7	11	2	-	21	-	1	-	1	-	-	-	-	-	1	-
Tuberculosis of respiratory system, etc.*——13	64	3	-	-	-	-	1	-	4	2	8	2	1	4	3	11	9	9	8	3
Tuberculosis of meninges, etc.*——14	64	-	-	-	-	-	-	-	-	-	3	2	5	8	8	10	6	7	9	6
Tuberculosis (other forms)——15-22	19	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	2	6	1
Septicemia and purulent infection——24	42	-	-	-	2	2	2	5	11	3	6	2	5	2	3	6	1	2	1	-
Dysentery——27	375	-	-	-	3	11	7	6	27	40	27	48	42	40	37	32	24	24	24	10
Malaria——28	31	-	-	-	4	2	1	-	7	2	2	5	2	1	2	1	3	1	3	2
Syphilis——30	175	23	6	4	14	7	10	6	70	27	23	22	11	7	4	3	2	3	2	1
Influenza——33	934	3	-	3	20	25	43	37	131	123	100	89	82	87	87	59	47	51	45	33
Measles——35	220	-	-	1	2	6	3	8	20	20	13	16	8	16	11	18	32	21	24	21
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	77	-	-	1	2	2	1	5	11	5	5	5	7	5	9	10	5	5	8	2
Diseases of thymus gland——64	331	38	15	11	30	22	18	16	150	38	47	33	16	9	12	9	1	8	5	5
Rickets——70	32	1	-	1	1	1	-	1	5	2	2	6	1	3	1	3	-	3	3	3
Hemorrhagic conditions——72	55	7	6	4	12	5	4	-	38	3	3	3	-	-	2	1	3	-	1	1
Anemias (except splenic anemia)——73	84	-	2	1	4	4	1	2	14	7	9	11	5	7	9	8	3	3	4	4
Encephalitis (nonepidemic)——80	62	-	-	-	2	2	1	1	6	6	5	5	6	5	7	6	5	3	2	6
Meningitis (not due to meningococcus)——81	213	-	-	1	4	7	6	9	27	31	21	19	27	18	12	16	14	13	7	10
Intracranial lesions of vascular origin——83	75	4	2	2	6	1	-	-	15	19	7	4	6	3	4	3	3	4	3	2
Convulsions——86	123	4	5	7	15	15	5	9	58	12	9	4	1	6	7	2	10	6	3	5
Diseases of ear and mastoid process——89	134	-	-	-	-	1	4	5	10	18	10	14	14	15	10	13	12	4	7	7
Other diseases, nervous system——82,84,85,87,88	77	4	1	4	8	6	3	2	28	4	6	3	5	7	6	4	6	4	3	1
Diseases of circulatory system——90-103	169	11	3	4	2	10	6	10	46	15	31	17	17	7	6	6	7	9	3	5
Pneumonia (all forms)——107-109	4,416	27	29	67	153	209	225	213	923	604	544	474	387	331	252	241	209	176	126	149
Other diseases of respiratory system——104-106,110-114	348	4	1	6	10	14	20	13	68	56	39	44	23	26	16	17	18	20	9	12
Diseases of buccal cavity, etc.*——115	72	-	1	-	1	2	4	2	10	4	8	1	2	4	5	5	12	7	11	3
Diseases of stomach——117,118	77	1	3	3	7	6	2	2	24	11	14	11	1	4	1	5	3	1	-	2
Diarrhea, enteritis, etc.*——119	2,992	6	-	5	18	79	129	130	367	393	362	358	283	278	250	169	181	143	107	101
Hernia——122a	10	-	-	-	-	1	2	1	4	2	-	-	2	-	-	1	-	-	1	-
Intestinal obstruction——122b	210	-	1	-	4	7	4	6	22	26	25	20	19	22	8	24	15	5	6	8
Peritonitis (cause not stated)——129	29	1	-	-	-	3	4	3	11	1	6	2	-	3	-	-	-	-	-	1
Other diseases, digestive sys.——116,121,123-128	63	-	-	3	4	3	7	1	18	6	10	4	9	2	-	4	2	2	3	-
Diseases, genito-urinary sys.——130,131,133-139	88	3	2	-	2	3	6	2	18	11	7	13	4	6	-	6	8	3	3	5
Diseases of skin and cellular tissue——151-153	84	3	2	4	13	9	7	6	44	10	6	6	5	1	3	2	4	1	2	-
Congenital malformations——157	5,059	1,287	343	273	587	462	283	228	3,443	404	266	214	168	145	113	78	75	68	39	46
Congenital debility——158	788	158	31	31	62	44	44	36	406	88	90	60	44	27	24	9	17	9	8	6
Premature birth——159	11,887	7,232	1,560	705	876	650	312	170	11,505	229	83	36	18	6	4	-	3	1	2	-
Injury at birth——160	3,736	1,965	692	370	426	131	50	20	3,654	26	13	14	6	11	2	1	1	2	5	1
Other diseases peculiar to first year——161	2,154	893	271	223	358	167	58	35	2,005	57	26	27	9	6	7	5	3	3	2	4
Accidental mechanical suffocation——182	402	5	3	3	12	15	14	25	77	83	70	59	38	34	13	10	9	4	3	2
Other violence or accident——166-181,183-195	499	31	10	4	11	16	16	10	98	57	60	40	45	27	23	31	30	24	25	39
Ill-defined and unknown causes——199,200	1,120	201	56	32	99	81	50	45	564	127	105	95	50	53	27	28	24	15	17	15
All other causes*	196	8	1	2	8	6	6	6	37	28	18	12	13	10	23	13	13	9	11	9

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro)—All causes	21,834	4,672	1,380	938	1,680	1,330	836	731	11,567	1,861	1,457	1,272	1,149	880	877	710	623	559	440	419
Cerebrospinal (meningococcus) meningitis—6	29	-	-	-	-	1	1	-	2	-	2	4	7	3	4	2	1	3	-	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	583	-	-	1	-	3	11	16	31	62	59	54	54	50	50	40	39	45	44	35
Diphtheria (infection by C. diphtheriae)—10	18	-	-	-	1	1	1	-	3	1	1	1	2	2	-	-	-	2	4	2
Erysipelas—11	9	-	-	-	1	-	-	3	4	4	-	-	-	-	1	-	-	-	-	-
Tetanus—12	45	2	-	-	10	21	6	-	41	1	-	-	1	-	-	1	-	1	-	-
Tuberculosis of respiratory system, etc.*—13	87	-	-	-	-	1	3	-	4	-	5	5	6	10	6	9	5	12	11	14
Tuberculosis of meninges, etc.*—14	29	-	-	-	1	-	-	-	1	-	2	1	2	2	3	2	3	6	3	4
Tuberculosis (other forms)—15-22	44	-	-	-	-	-	1	-	1	2	1	1	4	4	8	6	4	2	6	5
Septicemia and purulent infection—24	18	-	-	-	-	-	2	3	5	5	1	1	-	3	2	1	-	-	-	-
Dysentery—27	244	-	-	-	5	5	5	6	21	14	28	31	33	27	9	24	28	11	12	6
Malaria—28	61	-	-	-	2	1	1	1	5	7	9	7	5	5	3	5	4	3	4	4
Syphilis—30	625	121	32	21	45	43	28	22	312	82	71	45	38	16	19	9	7	9	8	9
Influenza—33	847	2	2	2	13	26	29	30	104	82	106	83	83	87	80	58	48	48	34	34
Measles—35	110	-	1	-	1	1	1	3	7	7	13	7	10	5	14	6	9	14	8	10
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	56	-	1	-	-	1	4	2	8	6	5	4	6	3	7	3	4	3	3	4
Diseases of thymus gland—64	94	4	11	4	6	6	1	3	35	7	9	13	7	4	6	4	6	1	1	1
Rickets—70	34	-	-	-	-	1	-	-	1	1	6	2	4	1	7	4	3	3	-	2
Hemorrhagic conditions—72	31	1	1	8	7	3	3	1	24	4	2	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	26	-	-	1	-	-	1	1	3	5	2	-	2	-	4	2	1	1	2	4
Encephalitis (nonepidemic)—80	13	-	-	-	-	1	-	-	1	1	3	-	1	-	-	2	2	1	2	-
Meningitis (*not due to meningococcus*)—81	108	-	-	-	1	1	-	1	3	7	13	16	11	6	13	8	10	6	7	6
Intracranial lesions of vascular origin—83	20	-	2	1	1	-	-	-	4	4	2	1	1	2	3	-	2	-	-	1
Convulsions—86	152	6	6	8	22	15	8	5	70	13	9	9	9	2	3	3	5	5	2	2
Diseases of ear and mastoid process—89	50	-	-	-	-	1	-	-	1	6	7	9	4	5	3	2	2	6	-	5
Other diseases, nervous system—82,84,85,87,88	15	-	-	-	-	2	-	-	2	1	2	1	2	3	-	1	1	1	-	1
Diseases of circulatory system—90-103	61	2	-	1	3	3	-	4	13	6	11	5	6	3	2	2	5	1	6	1
Pneumonia (all forms)—107-109	3,147	16	28	29	94	134	114	118	533	368	358	340	297	245	267	213	177	147	106	96
Other diseases of respiratory system—104-106,110-114	301	5	4	9	21	15	14	18	86	52	26	33	16	22	10	15	13	10	10	8
Diseases of buccal cavity, etc.*—115	42	1	-	-	1	1	1	-	4	4	1	6	3	4	6	1	2	3	3	5
Diseases of stomach—117,118	100	1	1	1	5	4	5	6	23	18	13	13	3	5	5	10	3	2	2	3
Diarrhea, enteritis, etc.*—119	2,035	1	2	3	17	46	65	76	210	228	217	224	259	171	190	142	121	106	83	84
Hernia—122a	24	-	-	-	-	1	-	1	2	6	3	2	1	3	-	1	5	1	-	-
Intestinal obstruction—122b	81	-	-	-	3	10	6	3	22	6	6	5	9	3	4	9	7	4	4	2
Peritonitis (cause not stated)—129	8	-	-	-	-	1	-	1	2	4	-	1	-	-	-	-	-	-	-	1
Other diseases, digestive sys.116,121,123-128	46	-	-	4	6	5	3	2	20	6	4	4	3	1	2	2	1	2	1	-
Diseases, genito-urinary sys.130,131,133-139	59	-	1	-	3	1	2	4	11	11	9	6	6	2	2	4	1	1	3	3
Diseases of skin and cellular tissue—151-153	53	-	2	1	4	9	2	6	24	8	2	6	5	3	1	1	1	-	1	1
Congenital malformations—157	711	153	61	52	101	60	28	28	463	56	44	40	21	14	13	13	11	13	12	11
Congenital debility—158	944	214	57	60	117	83	48	33	612	103	56	43	31	30	23	11	13	7	6	9
Premature birth—159	5,341	2,716	635	352	550	447	217	152	5,089	179	51	18	8	9	1	2	3	1	-	-
Injury at birth—160	1,027	508	167	101	129	59	28	6	998	16	2	4	4	-	-	-	-	-	-	3
Other diseases peculiar to first year—161	942	300	108	94	173	89	45	21	830	57	16	5	8	6	6	7	1	2	1	3
Accidental mechanical suffocation—182	265	12	7	5	14	10	9	21	78	58	39	28	26	16	10	2	4	3	-	1
Other violence or accident—166-181,183-195	325	32	11	11	11	3	11	15	94	25	29	25	24	15	22	26	19	19	17	10
Ill-defined and unknown causes—199,200	2,937	595	240	168	307	212	128	114	1,764	329	203	163	117	87	64	55	49	50	31	25
All other causes*	78	-	-	1	5	3	2	5	16	19	9	6	9	-	4	2	3	4	3	3
UNITED STATES (Negro male)—All causes	12,147	2,677	758	570	1,013	679	468	384	6,549	1,014	789	685	613	471	499	397	353	301	247	229
Cerebrospinal (meningococcus) meningitis—6	18	-	-	-	-	-	1	-	1	-	2	4	2	2	4	1	-	2	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	291	-	-	1	-	2	6	8	17	32	24	26	29	23	34	25	20	22	21	18
Diphtheria (infection by C. diphtheriae)—10	12	-	-	-	1	1	-	-	2	1	1	-	1	1	-	-	-	1	3	2
Erysipelas—11	4	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-
Tetanus—12	19	1	-	-	3	9	3	-	16	1	-	-	1	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*—13	37	-	-	-	-	1	-	-	1	-	3	4	4	3	2	1	3	5	2	9
Tuberculosis of meninges, etc.*—14	15	-	-	-	1	-	-	-	1	-	1	-	2	2	1	-	2	1	2	3
Tuberculosis (other forms)—15-22	20	-	-	-	-	-	-	-	-	1	1	-	3	2	3	2	2	2	1	3
Septicemia and purulent infection—24	11	-	-	-	-	-	1	2	3	2	-	1	-	2	2	1	-	-	-	-
Dysentery—27	135	-	-	-	3	3	3	2	11	8	13	17	18	17	7	12	16	6	6	4
Malaria—28	30	-	-	-	1	-	1	-	2	5	4	4	1	2	2	2	2	-	3	3
Syphilis—30	350	65	13	10	31	21	12	12	164	48	42	27	20	9	12	6	5	5	5	7
Influenza—33	481	1	2	2	8	13	12	13	51	50	61	48	49	46	42	37	28	27	21	21
Measles—35	64	-	1	-	-	1	1	-	3	3	11	3	6	3	7	4	4	7	5	8
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	26	-	1	-	-	-	3	1	5	2	3	2	4	1	3	1	3	1	1	-
Diseases of thymus gland—64	62	3	7	3	5	2	1	2	23	6	6	8	5	1	5	3	3	1	1	-
Rickets—70	18	-	-	-	-	-	-	-	-	1	5	-	1	1	3	3	2	2	-	-
Hemorrhagic conditions—72	21	1	1	6	5	3	3	1	20	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	15	-	-	1	-	-	1	-	2	3	1	-	2	-	1	1	1	-	1	3
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-
Meningitis (not due to *meningococcus*)—81	55	-	-	-	1	-	-	-	1	4	6	9	5	4	7	4	4	5	4	2
Intracranial lesions of vascular origin—83	14	-	2	-	1	-	-	-	3	4	-	1	1	1	2	-	2	-	-	-
Convulsions—86	73	3	4	4	12	10	7	2	42	7	4	4	4	2	2	1	2	2	2	1
Disease of ear and mastoid process—89	29	-	-	-	-	-	-	-	-	4	4	7	-	2	3	1	2	4	-	2
Other diseases, nervous system—82,84,85,87,88	10	-	-	-	-	2	-	-	2	1	1	-	2	2	-	1	-	1	-	-
Diseases of circulatory system—90-103	34	1	-	1	3	2	-	1	8	4	8	3	4	1	1	1	-	1	3	-
Pneumonia (all forms)—107-109	1,748	8	13	19	62	57	73	66	298	192	194	186	172	133	148	116	111	81	64	53
Other diseases of respiratory system—104-106,110-114	169	2	2	5	14	9	8	9	49	28	14	17	9	11	5	10	7	7	5	7
Diseases of buccal cavity, etc.*—115	28	-	-	-	1	1	1	-	3	3	1	5	3	1	3	1	1	2	1	2
Diseases of stomach—117,118	55	1	-	-	2	2	3	4	12	12	8	7	-	4	4	7	1	-	-	-
Diarrhea, enteritis, etc.*—119	1,101	1	-	3	9	25	33	38	109	122	112	126	128	92	111	78	68	54	53	48
Hernia—122a	20	-	-	-	-	-	-	1	1	4	3	2	1	3	-	1	4	1	-	-
Intestinal obstruction—122b	48	-	-	-	1	5	1	2	9	4	5	3	4	1	3	5	6	2	2	2
Peritonitis (cause not stated)—129	7	-	-	-	-	-	-	1	1	4	-	1	-	-	-	-	-	-	-	1
Other diseases, digestive sys.116,121,123-128	28	-	-	1	5	3	3	2	14	2	3	3	2	-	1	1	1	1	-	-
Diseases, genito-urinary sys.130,131,133-139	40	-	1	-	3	1	2	4	11	7	4	4	2	1	2	4	1	-	3	1
Diseases of skin and cellular tissue—151-153	24	-	1	1	-	3	-	3	8	4	1	2	4	3	-	-	1	-	-	1
Congenital malformations—157	401	87	33	38	67	31	14	14	284	31	25	23	16	6	8	5	5	6	5	7
Congenital debility—158	331	125	34	36	67	47	32	22	363	54	31	23	14	17	9	5	4	5	3	3
Premature birth—159	2,937	1,557	335	198	318	213	112	88	2,821	77	19	5	6	5	-	2	2	-	-	-
Injury at birth—160	599	287	90	63	88	32	19	2	581	11	2	2	2	-	-	-	-	-	-	1
Other diseases peculiar to first year—161	583	189	68	59	105	54	27	10	512	40	8	3	2	4	4	5	1	1	-	3
Accidental mechanical suffocation—182	131	7	4	4	10	4	4	6	39	29	24	12	14	7	4	1	-	-	-	1
Other violence or accident—166-181,183-195	176	18	9	6	9	3	6	8	61	13	19	13	6	9	14	10	10	9	9	3
Ill-defined and unknown causes—199,200	1,655	340	157	108	174	117	71	57	1,004	180	107	77	58	47	38	38	27	33	18	10
All other causes*	40	-	-	1	3	2	2	2	10	7	7	3	4	-	3	1	1	3	1	-

*Refer to complete International List titles, table II, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE 1941—Continued

(See headnote on p. 526)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro female)——All causes	9,687	1,995	622	368	667	651	368	347	5,018	867	668	587	536	409	378	313	270	258	193	190
Cerebrospinal (meningococcus) meningitis——6	11	-	-	-	-	1	-	-	1	-	-	-	5	1	-	1	1	1	-	1
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	272	-	-	-	-	1	5	8	14	30	35	28	25	27	16	15	19	23	23	17
Diphtheria (infection by C. diphtheriae)——10	6	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	1	1	-
Erysipelas——11	5	-	-	-	1	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-
Tetanus——12	26	1	-	-	7	12	5	-	25	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	50	-	-	-	-	-	3	-	3	-	2	1	2	7	4	8	2	7	9	5
Tuberculosis of meninges, etc.*——14	14	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	5	1	1
Tuberculosis (other forms)——15-22	24	-	-	-	-	-	1	-	1	1	-	1	1	2	5	4	2	-	5	2
Septicemia and purulent infection——24	7	-	-	-	-	-	1	1	2	3	1	-	-	1	-	-	-	-	-	-
Dysentery——27	109	-	-	-	2	2	2	4	10	6	15	14	15	10	2	12	12	5	6	2
Malaria——28	31	-	-	-	1	1	-	1	3	2	5	3	4	3	1	3	2	3	1	1
Syphilis——30	275	56	19	11	14	22	16	10	148	34	29	18	18	7	7	3	2	4	3	2
Influenza——33	366	1	-	-	5	13	17	17	53	32	45	35	34	41	38	21	20	21	13	13
Measles——35	46	-	-	-	1	-	-	3	4	4	2	4	4	2	7	2	5	7	3	2
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	30	-	-	-	-	1	1	1	3	4	2	2	2	2	4	2	1	2	2	4
Diseases of thymus gland——64	32	1	4	1	1	4	-	1	12	1	3	5	2	3	1	1	3	-	-	1
Rickets——70	16	-	-	-	-	1	-	-	1	-	1	2	3	-	4	1	1	1	-	2
Hemorrhagic conditions——72	10	-	-	2	2	-	-	-	4	3	2	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)——73	11	-	-	-	-	-	-	1	1	2	1	-	-	-	3	1	-	1	1	1
Encephalitis (nonepidemic)——80	8	-	-	-	-	1	-	-	1	1	2	-	-	-	-	2	1	1	-	-
Meningitis (not due to meningococcus)——81	51	-	-	-	-	1	-	1	2	3	7	7	6	2	6	4	6	1	3	4
Intracranial lesions of vascular origin——83	6	-	-	1	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	1
Convulsions——86	59	3	2	4	10	5	1	3	28	6	5	5	5	-	1	2	3	3	-	1
Diseases of ear and mastoid process——89	21	-	-	-	-	1	-	-	1	2	3	2	4	3	-	1	-	2	-	3
Other diseases, nervous system-82,84,85,87,88	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1
Diseases of circulatory system——90-103	27	1	-	-	-	1	-	3	5	2	3	2	2	2	1	1	5	-	3	1
Pneumonia (all forms)——107-109	1,399	8	15	10	32	77	41	52	235	176	164	154	125	112	119	97	66	66	42	43
Other diseases of respiratory system——104-106,110-114	132	3	2	4	7	6	6	9	37	24	12	16	7	11	5	5	6	3	5	1
Diseases of buccal cavity, etc.*——115	16	1	-	-	-	-	-	-	1	1	-	1	-	3	3	-	1	1	2	3
Diseases of stomach——117,118	45	-	1	1	3	2	2	2	11	6	5	6	3	1	1	3	2	2	2	3
Diarrhea, enteritis, etc.*——119	934	-	2	-	8	21	32	38	101	106	105	98	131	79	79	64	53	52	30	36
Hernia——122a	4	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-
Intestinal obstruction——122b	35	-	-	-	2	5	5	1	13	2	1	2	5	2	1	4	1	2	2	-
Peritonitis (cause not stated)——129	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	18	-	-	3	1	2	-	-	6	4	1	1	1	1	1	1	-	1	1	-
Diseases, genito-urinary sys.130,131,133-139	19	-	-	-	-	-	-	-	-	4	5	2	4	1	-	-	-	1	-	2
Diseases of skin and cellular tissue-151-153	29	-	1	-	4	6	2	3	16	4	1	4	1	-	1	1	-	-	1	-
Congenital malformations——157	310	66	28	14	34	29	14	14	199	25	19	17	5	8	5	8	6	7	7	4
Congenital debility——158	413	89	23	24	50	36	16	11	249	49	25	20	17	13	14	6	9	2	3	6
Premature birth——159	2,404	1,159	300	154	232	234	105	64	2,248	102	32	13	2	4	1	-	1	1	-	-
Injury at birth——160	428	221	77	38	41	27	9	4	417	5	-	2	2	-	-	-	-	-	-	2
Other diseases peculiar to first year——161	359	111	40	35	68	35	18	11	318	17	8	2	6	2	2	2	-	1	1	-
Accidental mechanical suffocation——182	134	5	3	1	4	6	5	15	39	29	15	16	12	9	6	1	4	3	-	-
Other violence or accident——166-181,183-195	149	14	2	5	2	-	3	7	33	12	10	12	18	6	8	16	9	10	8	7
Ill-defined and unknown causes——199,200	1,302	255	103	60	133	95	57	57	760	149	96	86	59	40	28	17	22	17	13	15
All other causes*——	38	-	-	-	2	1	-	3	6	12	2	3	5	-	1	1	2	1	2	3
UNITED STATES (other races)——All causes	1,241	180	40	40	73	57	40	35	465	123	81	87	89	72	69	61	47	60	45	42
Cerebrospinal (meningococcus) meningitis——6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	58	1	-	-	-	-	-	-	1	7	6	6	6	4	5	6	5	5	4	3
Diphtheria (infection by C. diphtheriae)——10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Erysipelas——11	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	15	-	-	-	-	-	-	-	-	-	2	1	1	2	-	2	3	1	2	1
Tuberculosis of meninges, etc.*——14	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-
Tuberculosis (other forms)——15-22	10	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	2	1	-
Septicemia and purulent infection——24	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Dysentery——27	13	-	-	-	-	-	-	1	1	2	-	2	-	2	3	1	1	-	-	1
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	22	2	-	-	1	2	3	2	10	4	-	1	2	1	2	-	-	-	2	-
Influenza——33	46	-	-	1	-	2	2	2	7	5	5	4	3	3	2	2	5	6	3	1
Measles——35	25	-	-	-	-	-	1	1	2	2	1	-	1	1	3	1	4	2	3	5
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
Diseases of thymus gland——64	7	1	-	-	-	-	-	-	1	1	2	1	1	-	-	-	1	-	-	-
Rickets——70	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
Hemorrhagic conditions——72	3	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)——73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	3	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	10	-	-	-	-	-	-	1	1	-	-	1	-	-	2	2	1	3	-	-
Intracranial lesions of vascular origin——83	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-
Convulsions——86	6	-	-	-	1	-	2	-	3	1	-	-	-	1	-	-	1	-	-	-
Diseases of ear and mastoid process——89	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	3	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	281	1	2	2	6	2	6	13	32	37	34	25	29	23	22	21	13	16	17	12
Other diseases of respiratory system——104-106,110-114	20	-	-	-	-	2	2	-	4	2	2	1	1	1	2	3	-	2	-	2
Diseases of buccal cavity, etc.*——115	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of stomach——117,118	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*——119	145	-	-	-	-	2	8	2	12	11	11	20	18	14	14	13	6	11	6	9
Hernia——122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	3	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-
Peritonitis (cause not stated)——129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	1	1	-	2	1	-	-	-	-	-	1	-	-	-	1
Congenital malformations——157	51	7	5	6	8	4	3	-	33	6	2	4	2	2	1	1	-	-	-	-
Congenital debility——158	34	8	-	2	2	1	2	3	18	5	4	3	1	2	-	1	-	-	-	-
Premature birth——159	182	102	20	14	16	17	4	2	175	3	-	2	2	-	-	-	-	-	-	-
Injury at birth——160	55	28	4	5	11	4	-	1	53	1	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	60	23	3	5	12	9	1	1	54	3	-	-	3	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	12	-	1	-	-	1	-	-	2	4	2	-	3	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	21	-	-	-	2	-	1	1	4	2	1	1	-	3	1	1	2	4	-	2
Ill-defined and unknown causes——199,200	97	6	5	4	12	8	2	2	39	10	6	7	10	5	6	3	2	5	1	3
All other causes*——	8	-	-	-	1	1	1	-	3	3	-	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (other races male)—All causes	688	91	19	23	41	31	23	21	249	65	52	47	50	38	41	36	27	37	21	25
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	38	1	-	-	-	-	-	-	1	4	3	4	4	3	5	4	2	3	3	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	1	-	1
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	6	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	10	-	-	-	1	1	2	2	8	2	-	-	-	-	1	-	-	-	1	-
Influenza—33	19	-	-	-	-	1	-	1	2	4	3	-	3	1	-	-	3	3	-	-
Measles—35	14	-	-	-	-	-	1	1	2	1	1	-	1	-	2	1	2	1	-	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-
Intracranial lesions of vascular origin—83	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-
Convulsions—86	4	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	163	1	1	2	2	1	6	9	22	19	21	16	15	13	9	11	9	9	11	8
Other diseases of respiratory system—104-106,110-114	16	-	-	-	-	1	2	-	3	1	2	-	1	1	2	3	-	2	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	84	-	-	-	-	1	5	-	6	8	10	10	9	6	11	8	1	7	2	6
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations—157	20	1	2	3	4	2	1	-	13	3	1	1	2	-	-	-	-	-	-	-
Congenital debility—158	16	3	-	2	-	1	-	2	8	1	3	2	1	1	-	-	-	-	-	-
Premature birth—159	93	51	9	5	11	12	1	1	90	-	-	2	1	-	-	-	-	-	-	-
Injury at birth—160	31	17	2	4	6	2	-	-	31	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	35	15	2	4	5	4	1	-	31	2	-	-	2	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	-	-	-	1	-	-	1	1	1	-	2	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	15	-	-	-	1	-	-	1	2	1	1	-	-	2	1	-	1	4	-	1
Ill-defined and unknown causes—199,200	58	1	3	3	8	3	2	2	22	6	3	5	5	4	4	2	1	4	1	1
All other causes*	8	-	-	-	1	1	1	-	3	3	-	1	-	1	-	-	-	-	-	-
UNITED STATES (other races female) All causes	553	89	21	17	32	26	17	14	216	58	29	40	39	34	28	25	20	23	24	17
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	20	-	-	-	-	-	-	-	-	3	3	2	2	1	-	2	3	2	1	1
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	2	-
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Dysentery—27	7	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	12	2	-	-	-	1	1	-	4	2	-	1	2	1	1	-	-	-	1	-
Influenza—33	27	-	-	1	-	1	2	1	5	1	2	4	-	2	2	2	2	3	3	1
Measles—35	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	3	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	1	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhagic conditions—72	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-105	3	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	118	-	1	-	4	1	-	4	10	18	13	9	14	10	13	10	4	7	6	4
Other diseases of respiratory system—104-106,110-114	4	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	61	-	-	-	-	1	3	2	6	3	1	10	9	8	3	5	5	4	4	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases, genito-urinary sys. 130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	1
Congenital malformations—157	31	6	3	3	4	2	2	-	20	3	1	3	-	2	1	1	-	-	-	-
Congenital debility—158	18	5	-	-	2	-	2	1	10	4	1	1	-	1	-	1	-	-	-	-
Premature birth—159	89	51	11	9	5	5	3	1	85	3	-	-	1	-	-	-	-	-	-	-
Injury at birth—160	24	11	2	1	5	2	-	1	22	1	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	25	8	1	1	7	5	-	1	23	1	-	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	1	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	8	-	-	-	1	-	1	-	2	1	-	1	-	1	-	1	1	-	-	1
Ill-defined and unknown causes—199,200	39	5	2	1	4	5	-	-	17	4	3	2	5	1	2	1	1	1	-	2
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TAPLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (white)—All causes	2,026	616	131	94	167	125	76	59	1,268	183	112	93	56	61	48	45	42	44	41	33
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough—9	41	-	-	-	1	2	-	-	3	7	9	4	1	4	1	3	2	4	1	2
Diphtheria (infection by C. diphtheriae)—10	8	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	2	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	16	-	-	-	-	-	-	-	-	-	2	3	2	3	-	2	1	2	1	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	5	1	-	-	-	-	1	1	3	-	2	-	-	-	-	-	-	-	-	-
Influenza—33	77	-	-	-	1	10	3	3	17	9	7	9	3	10	6	5	6	4	-	1
Measles—35	26	-	-	-	2	-	-	5	7	3	3	4	1	1	1	-	1	1	3	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Diseases of thymus gland—64	15	4	-	-	3	1	-	-	8	1	2	1	2	-	-	-	-	-	-	1
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	2	-	-	-
Meningitis (not due to meningococcus)—81	14	-	-	-	1	1	-	-	2	-	1	-	1	1	3	1	1	3	-	1
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Convulsions—86	8	-	2	3	-	1	1	-	7	-	-	-	-	-	-	1	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
Other diseases, nervous system-82,84,85,87,88	5	-	1	-	1	-	-	-	2	-	-	-	-	1	-	1	-	1	-	-
Diseases of circulatory system—90-103	10	-	-	-	-	1	-	1	2	2	-	-	1	-	1	2	-	1	-	1
Pneumonia (all forms)—107-109	214	-	2	7	10	11	18	11	59	49	19	8	11	15	11	8	13	7	7	7
Other diseases of respiratory system—104-106,110-114	22	-	1	-	2	3	-	1	7	4	2	2	1	-	1	1	-	1	2	1
Diseases of buccal cavity, etc.*—115	8	-	-	-	1	-	-	-	1	2	1	1	-	-	-	1	-	-	2	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	144	-	1	-	-	5	3	4	13	22	22	24	9	13	4	8	3	9	10	7
Hernia—122a	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	12	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	5	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	9	-	-	-	1	1	-	1	3	2	1	-	2	-	-	-	1	-	-	-
Congenital malformations—157	154	42	15	11	21	9	3	5	106	14	10	8	2	4	3	2	3	1	-	1
Congenital debility—158	50	10	1	3	6	2	2	3	27	9	3	6	2	1	-	1	1	-	-	-
Premature birth—159	622	384	70	28	48	41	21	9	601	14	5	-	1	-	-	1	-	-	-	-
Injury at birth—160	195	100	22	21	31	6	3	-	183	9	-	1	-	-	-	-	-	1	1	-
Other diseases peculiar to first year—161	89	32	10	9	17	8	8	1	85	2	-	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	16	2	-	-	1	-	-	1	4	4	4	2	1	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	36	-	-	2	1	3	-	1	7	5	2	2	2	2	4	1	2	2	5	2
Ill-defined and unknown causes—199,200	186	41	5	9	18	18	13	11	115	15	16	11	5	3	2	3	3	3	5	5
All other causes*	9	-	1	-	-	1	-	-	2	5	-	-	-	-	-	-	-	-	1	1
ALABAMA (all other races)—All causes	1,601	425	101	85	150	103	53	53	970	176	113	91	91	74	69	59	54	37	31	38
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	49	-	-	-	-	1	-	-	1	6	2	9	6	4	5	2	4	4	2	4
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	6	1	-	-	-	3	2	-	6	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	7	-	-	-	1	-	-	-	1	-	1	-	1	-	-	2	1	-	1	-
Malaria—28	7	-	-	-	1	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1
Syphilis—30	72	15	4	2	6	4	2	2	35	8	5	4	5	2	4	3	1	1	3	1
Influenza—33	90	-	-	-	2	2	5	5	14	11	10	7	11	4	9	6	7	4	4	3
Measles—35	9	-	-	-	-	-	-	1	1	3	-	-	-	1	1	-	-	1	2	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of thymus gland—64	5	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	-	-	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	4	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Meningitis (not due to meningococcus)—81	10	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	1	-	2
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	11	-	-	-	2	2	1	1	6	2	-	1	-	-	-	-	1	1	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms)—107-109	217	1	2	3	8	10	6	8	38	36	28	26	22	18	12	9	13	8	4	3
Other diseases of respiratory system—104-106,110-114	25	-	1	-	2	2	1	1	7	5	1	2	2	3	-	2	1	1	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	7	-	-	-	-	1	-	-	1	1	1	1	-	-	1	2	-	-	-	-
Diarrhea, enteritis, etc.*—119	135	-	-	-	1	1	2	3	7	12	14	10	17	21	14	11	11	5	7	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	1	-	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	34	7	5	4	5	5	2	-	28	-	1	1	-	-	-	2	-	-	-	2
Congenital debility—158	50	8	3	1	8	2	3	-	25	6	3	4	4	4	1	2	-	-	-	1
Premature birth—159	399	220	41	25	40	29	11	10	376	16	3	1	-	2	-	1	-	-	-	-
Injury at birth—160	70	44	7	8	8	2	-	1	70	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	54	20	3	7	9	2	3	1	45	6	-	1	1	-	1	-	-	-	-	-
Accidental mechanical suffocation—182	15	1	-	-	1	-	1	3	8	3	2	1	2	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	17	5	1	1	1	-	-	-	8	1	3	-	-	1	1	1	1	1	-	-
Ill-defined and unknown causes—199,200	463	103	34	30	50	34	14	14	279	53	35	21	15	11	12	10	7	7	4	9
All other causes*	5	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARIZONA—All causes	1,038	176	35	28	47	44	39	33	402	88	81	72	79	68	61	53	42	35	25	32
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	23	-	-	-	1	-	-	-	1	3	4	2	1	1	2	1	4	-	2	2
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas—11	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-
Tuberculosis of meninges, etc.*—14	7	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	-	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery—27	25	-	-	-	-	-	2	1	3	-	2	1	4	2	4	3	1	2	2	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	11	2	-	-	-	2	-	-	4	1	2	1	-	-	1	-	-	-	2	-
Influenza—33	27	1	-	-	-	1	1	1	4	9	2	1	2	3	-	3	1	1	-	1
Measles—35	25	-	-	-	-	1	1	1	3	1	1	-	1	1	2	1	5	3	2	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	6	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms)—107-109	174	-	1	3	4	4	6	5	23	16	22	18	19	21	14	13	14	5	4	5
Other diseases of respiratory system—104-106,110-114	16	-	-	-	1	1	1	-	3	2	1	1	-	-	2	1	-	3	1	2
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	211	-	1	-	1	2	6	4	14	19	28	27	25	24	15	19	8	13	7	12
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	79	13	9	6	8	5	4	7	52	8	2	4	2	1	4	1	1	2	1	1
Congenital debility—158	26	2	-	-	2	-	1	-	5	6	2	2	2	3	3	1	1	-	1	-
Premature birth—159	191	107	16	9	16	15	11	4	178	6	2	4	1	-	-	-	-	-	-	-
Injury at birth—160	46	29	5	5	3	2	1	-	45	-	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	43	20	2	3	6	2	2	1	36	3	1	-	2	-	-	-	1	-	-	-
Accidental mechanical suffocation—182	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	25	-	1	1	-	1	1	3	7	4	3	1	-	3	3	1	-	1	1	1
Ill-defined and unknown causes—199,200	44	2	-	-	3	4	-	4	13	1	3	5	7	3	4	1	1	4	-	2
All other causes*	3	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
ARKANSAS (white)—All causes	1,277	329	86	70	89	78	47	40	739	95	75	66	55	47	50	41	36	25	26	22
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	40	-	-	-	-	-	4	2	6	7	7	6	2	2	3	2	3	1	1	-
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Erysipelas—11	3	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Dysentery—27	22	-	-	-	-	1	-	-	1	1	1	-	9	2	2	2	1	1	2	-
Malaria—28	15	-	-	-	2	1	2	-	5	2	-	-	-	-	2	-	4	1	1	-
Syphilis—30	9	2	-	1	-	-	-	-	3	3	1	1	-	-	-	-	-	1	-	-
Influenza—33	39	-	-	-	-	3	3	3	9	5	2	2	5	2	6	3	3	-	1	1
Measles—35	10	-	-	1	-	-	-	-	1	-	1	-	1	-	-	2	2	2	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-
Diseases of thymus gland—64	3	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	1
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of circulatory system—90-103	7	-	-	-	2	1	-	1	4	2	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	161	5	1	2	4	12	12	10	46	18	15	11	9	13	10	12	7	4	10	6
Other diseases of respiratory system—104-106,110-114	12	-	1	1	-	-	-	1	3	2	1	1	-	1	1	-	1	2	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	6	-	-	-	-	1	-	-	1	1	1	1	-	-	-	2	-	-	-	-
Diarrhea, enteritis, etc.*—119	130	-	-	-	1	2	1	4	8	15	17	17	13	17	12	4	9	8	4	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	10	-	-	-	1	-	-	1	2	-	2	2	-	2	1	1	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive sys.—116,121,123-128	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	3	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	91	18	11	5	16	7	7	4	68	4	2	4	2	2	2	4	1	1	1	-
Congenital debility—158	42	7	2	1	3	6	6	-	25	5	5	1	1	1	2	1	1	-	-	-
Premature birth—159	333	204	41	31	20	19	5	6	326	4	-	3	-	-	-	-	-	-	-	-
Injury at birth—160	98	41	15	17	15	7	1	-	96	-	1	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	46	13	5	3	9	8	-	1	39	4	-	3	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	13	1	-	1	1	-	1	3	7	1	2	1	1	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	25	-	-	2	1	1	-	-	4	1	5	2	-	2	1	5	1	2	-	2
Ill-defined and unknown causes—199,200	114	38	10	5	11	5	4	3	76	10	7	6	7	1	3	1	-	1	1	1
All other causes*	4	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (all other races)—All causes	535	102	35	16	36	36	20	15	260	39	35	28	25	38	28	26	17	14	12	13
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	11	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1	3	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	8	-	-	-	-	-	-	-	-	2	-	-	2	1	-	1	2	-	-	-
Malaria—28	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2
Syphilis—30	13	2	2	-	-	2	-	-	6	1	1	1	1	1	1	-	-	1	-	-
Influenza—33	25	1	-	-	-	3	-	-	4	4	4	-	1	2	2	3	2	1	-	2
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Pneumonia (all forms)—107-109	99	-	-	-	6	5	1	1	13	5	14	11	9	10	12	5	7	4	4	5
Other diseases of respiratory system—104-106,110-114	11	1	-	2	-	-	2	1	6	2	1	-	-	1	-	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	46	-	-	-	-	-	2	3	5	3	6	2	3	5	6	7	3	4	1	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	4	-	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	13	2	-	3	1	2	1	-	9	1	1	1	-	1	-	-	-	-	-	-
Congenital debility—158	25	5	1	-	-	3	6	1	16	2	-	3	1	2	-	-	1	-	-	-
Premature birth—159	88	49	15	4	8	3	3	3	85	3	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	15	13	-	1	-	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	12	2	-	1	3	5	-	-	11	-	-	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	7	1	1	-	1	-	1	-	4	2	1	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	9	-	-	-	-	-	1	-	1	-	-	1	-	1	-	4	-	1	-	1
Ill-defined and unknown causes—199,200	110	26	16	5	16	9	3	5	80	10	4	4	4	3	2	-	-	1	2	-
All other causes*	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA (white)—All causes	4,356	1,672	353	232	291	198	137	101	2,984	277	215	184	163	126	85	86	72	63	54	47
Cerebrospinal (meningococcus) meningitis—6	7	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	71	-	-	-	-	-	2	2	4	13	15	7	8	7	4	2	5	3	2	1
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Erysipelas—11	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	10	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	-
Tuberculosis of meninges, etc.*—14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
Septicemia and purulent infection—24	4	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
Dysentery—27	26	-	-	-	2	1	2	1	6	5	3	2	1	4	1	2	-	-	1	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	22	8	1	1	1	-	1	-	10	3	2	-	3	-	-	-	-	3	1	-
Influenza—33	34	-	-	-	-	-	1	-	1	4	4	3	2	2	7	2	4	2	2	1
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	1	1	-	1	3	-	1	-	-	1	1	1	1	-	-	-
Diseases of thymus gland—64	62	4	3	2	3	3	-	-	15	12	12	6	3	5	3	2	1	-	1	2
Rickets—70	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Hemorrhagic conditions—72	9	3	-	1	-	1	1	-	6	-	-	1	1	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	6	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	1	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	18	-	-	1	-	1	-	-	2	3	2	2	2	1	-	1	2	1	1	1
Intracranial lesions of vascular origin—83	6	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	1
Convulsions—86	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-
Diseases of ear and mastoid process—89	20	-	-	-	-	-	-	1	1	3	2	2	3	2	2	-	1	2	1	1
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Diseases of circulatory system—90-103	19	5	1	-	-	2	1	-	9	1	3	1	1	1	-	-	-	2	-	1
Pneumonia (all forms)—107-109	449	-	5	9	16	18	16	22	86	55	65	54	46	32	16	31	18	14	13	19
Other diseases of respiratory system—104-106,110-114	30	1	-	1	1	5	3	3	14	6	1	1	2	1	2	-	2	1	-	-
Diseases of buccal cavity, etc.*—115	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	325	-	-	-	1	9	24	12	46	50	40	36	35	34	23	23	11	14	7	8
Hernia—122a	7	-	-	-	-	1	1	1	3	2	-	-	2	-	-	-	-	-	-	-
Intestinal obstruction—122b	29	-	-	-	-	-	-	1	1	4	2	5	2	6	2	1	2	-	3	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	8	1	-	-	-	-	-	-	1	1	-	2	1	-	2	-	1	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	19	-	-	-	1	-	2	4	7	6	2	3	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	3	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	586	144	46	37	75	42	37	29	410	53	28	21	19	12	12	9	9	8	3	2
Congenital debility—158	67	16	2	2	3	3	3	2	31	9	5	5	7	3	-	2	2	1	2	-
Premature birth—159	1,533	1,016	185	102	94	77	29	12	1,515	14	1	2	1	-	-	-	-	-	-	-
Injury at birth—160	479	308	61	45	36	13	1	1	465	9	1	3	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	331	156	47	31	56	15	8	1	314	2	5	4	2	-	1	-	1	-	2	-
Accidental mechanical suffocation—182	47	-	-	-	-	-	2	4	6	10	7	6	6	4	1	2	3	1	-	1
Other violence or accident—166-181,183-195	62	4	2	-	1	3	1	-	11	5	5	6	7	4	2	2	2	4	8	8
Ill-defined and unknown causes—199,200	10	4	-	-	-	-	-	1	5	1	-	2	1	1	-	-	-	-	-	-
All other causes*	14	2	-	-	-	1	1	1	5	-	2	2	2	1	1	-	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CALIFORNIA (all other races)——All causes	230	71	9	14	24	12	8	5	143	17	11	6	16	3	8	8	7	5	3	3
Cerebrospinal (meningococcus) meningitis——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	5	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Tuberculosis of meninges, etc.*——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	4	-	1	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Influenza——33	5	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	1	-	1	-
Measles——35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	4	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system——82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	29	-	-	1	2	-	-	1	4	4	3	-	6	-	3	2	3	1	1	2
Other diseases of respiratory system——104-106,110-114	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Diseases of buccal cavity, etc.*——115	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of stomach——117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*——119	18	-	-	-	-	2	1	-	3	3	1	2	3	-	1	2	2	1	-	-
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases, genito-urinary sys.——130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue——151-153	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Congenital malformations——157	21	3	-	-	6	2	1	1	13	4	1	1	1	-	1	-	-	-	-	-
Congenital debility——158	3	1	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Premature birth——159	77	49	6	5	10	3	2	1	76	-	-	-	1	-	-	-	-	-	-	-
Injury at birth——160	22	10	2	4	3	2	-	-	21	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	11	6	-	1	1	2	-	-	10	-	-	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	6	1	-	-	1	-	-	1	3	1	1	-	-	-	-	1	-	-	-	-
Ill-defined and unknown causes——199,200	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLORADO——All causes	1,113	311	72	55	85	43	31	28	625	111	80	65	40	50	38	24	26	22	20	12
Cerebrospinal (meningococcus) meningitis——6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	39	-	-	-	-	1	2	2	5	8	10	6	2	-	3	-	-	1	3	1
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*——14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Dysentery——27	9	-	-	-	-	-	-	-	-	2	-	3	-	1	-	2	-	-	1	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	8	1	1	-	-	-	-	2	4	-	1	3	-	-	-	-	-	-	-	-
Influenza——33	28	-	-	-	-	-	-	1	1	7	4	1	2	3	2	1	-	2	3	2
Measles——35	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of thymus gland——64	14	1	-	1	2	-	1	-	5	2	2	2	1	1	-	-	-	1	-	-
Rickets——70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhagic conditions——72	2	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	4	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	3	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-
Intracranial lesions of vascular origin——83	5	-	-	-	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-
Convulsions——86	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	13	-	-	-	-	-	-	-	-	1	-	2	2	3	1	-	3	1	-	-
Other diseases, nervous system——82,84,85,87,88	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Diseases of circulatory system——90-103	5	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
Pneumonia (all forms)——107-109	169	1	2	3	5	9	10	8	38	26	22	15	11	15	12	6	7	8	5	4
Other diseases of respiratory system——104-106,110-114	16	-	1	-	-	-	-	-	1	2	2	5	1	-	-	-	2	1	2	-
Diseases of buccal cavity, etc.*——115	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Diseases of stomach——117,118	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*——119	105	-	1	-	-	4	2	2	9	16	17	13	9	8	11	7	7	3	3	2
Hernia——122a	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	11	-	-	-	-	-	-	-	-	3	3	1	1	1	2	-	-	-	-	-
Peritonitis (cause not stated)——129	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	6	-	-	-	-	1	-	-	1	-	2	1	-	-	1	-	1	-	-	-
Diseases of skin and cellular tissue——151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	115	30	5	8	15	8	6	5	77	15	4	2	4	5	3	1	1	2	1	-
Congenital debility——158	25	2	1	-	4	2	1	2	12	7	4	-	1	-	-	-	-	-	-	1
Premature birth——159	303	184	38	29	30	8	2	4	295	7	-	-	1	-	-	-	-	-	-	-
Injury at birth——160	117	71	16	9	14	5	2	-	117	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	47	15	5	5	8	2	4	1	40	3	-	-	-	-	1	1	1	-	-	1
Accidental mechanical suffocation——182	13	-	-	-	2	1	-	1	4	3	3	-	2	-	1	-	-	-	-	-
Other violence or accident——166-181,183-195	21	2	1	-	1	-	1	-	5	2	3	3	-	1	-	3	2	1	1	-
Ill-defined and unknown causes——199,200	9	2	1	-	1	-	-	-	4	1	1	-	1	2	-	-	-	-	-	-
All other causes*	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CONNECTICUT—All causes	888	340	89	55	77	44	22	21	648	54	47	27	20	23	18	10	13	9	15	4
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	8	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	6	2	-	-	-	-	-	1	3	1	1	-	-	1	-	-	-	-	-	-
Influenza—33	5	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	1	-	-	-	1	1	-	3	1	1	2	1	-	1	-	-	-	-	-
Rickets—70	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Hemorrhagic conditions—72	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms)—107-109	76	1	1	3	9	3	3	4	24	8	7	11	7	4	3	3	2	2	4	1
Other diseases of respiratory system—104-106,110-114	11	-	-	-	-	-	-	-	-	1	2	-	2	1	1	1	2	-	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	37	-	-	-	1	3	3	2	9	6	4	6	2	1	1	2	2	1	2	1
Hernia—122a	4	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	1	-	-	1	2	-	-	-	-	1	1	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	4	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	160	48	13	9	18	11	2	5	106	16	16	1	3	7	3	-	3	2	3	-
Congenital debility—158	7	1	1	1	1	-	-	-	4	1	1	-	-	-	-	-	1	-	-	-
Premature birth—159	270	159	47	18	19	11	8	4	286	3	1	-	-	-	-	-	-	-	-	-
Injury at birth—160	135	89	21	11	9	4	1	-	135	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	76	34	5	12	14	7	3	-	75	-	-	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	17	-	-	-	1	1	-	-	2	5	5	1	-	1	1	1	-	-	1	-
Other violence or accident—166-181,183-195	18	-	-	1	1	-	-	1	3	2	5	-	2	1	1	-	-	1	3	-
Ill-defined and unknown causes—199,200	6	3	-	-	-	-	-	2	5	-	-	1	-	-	-	-	-	-	-	-
All other causes*	6	1	-	-	-	-	-	-	1	2	1	-	-	1	-	-	1	-	-	-
DELAWARE—All causes	221	50	18	12	17	8	4	4	113	16	18	15	10	4	10	10	5	6	10	4
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-
Influenza—33	8	-	-	1	-	-	1	-	2	-	1	-	1	-	-	-	-	2	-	2
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	-	-	-	-	2	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	27	-	1	2	1	-	-	1	5	4	1	3	1	1	2	1	2	2	5	-
Other diseases of respiratory system—104-106,110-114	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	28	-	-	-	-	1	-	3	4	4	2	5	4	1	3	2	-	-	1	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	23	2	1	3	1	2	-	-	9	-	4	4	2	1	1	-	-	1	1	-
Congenital debility—158	4	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Premature birth—159	63	37	11	4	7	1	1	-	61	-	1	1	-	-	-	-	-	-	-	-
Injury at birth—160	12	5	3	-	3	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	17	3	1	2	4	1	-	-	11	2	2	-	-	-	-	2	-	-	-	-
Accidental mechanical suffocation—182	3	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-
Ill-defined and unknown causes—199,200	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DISTRICT OF COLUMBIA (white)——All causes	375	144	33	22	24	14	38	19	294	22	11	11	4	12	3	7	2	7	2	-
Cerebrospinal (meningococcus) meningitis——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* ——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	2	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza——33	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Measles——35	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	22	-	-	-	-	2	6	3	11	1	1	1	1	2	1	1	-	2	1	-
Other diseases of respiratory system——104-106,110-114	3	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*——115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of stomach——117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ——119	55	-	-	-	1	2	15	9	27	8	3	5	2	6	-	-	1	3	-	-
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	43	11	1	3	5	4	2	2	28	3	4	2	-	1	1	4	-	-	-	-
Congenital debility——158	4	2	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Premature birth——159	141	87	18	11	10	5	6	2	139	2	-	-	-	-	-	-	-	-	-	-
Injury at birth——160	55	28	13	6	3	-	2	-	52	2	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year——161	24	13	1	2	5	1	-	2	24	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	5	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Ill-defined and unknown causes——199,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIST. OF COL. (all other races)——All causes	369	85	19	21	24	22	30	18	219	32	16	18	20	14	10	15	10	1	7	7
Cerebrospinal (meningococcus) meningitis——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Tuberculosis of meninges, etc.* ——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	6	-	1	-	-	-	-	-	1	1	3	-	-	-	-	1	-	-	-	-
Influenza——33	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-
Measles——35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	4	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	1	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	53	2	-	2	-	1	10	3	18	5	4	6	5	1	2	5	1	-	1	5
Other diseases of respiratory system——104-106,110-114	4	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
Diseases of buccal cavity, etc.* ——115	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Diseases of stomach——117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* ——119	58	-	-	-	-	2	9	7	18	12	2	4	5	4	2	5	3	1	2	-
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Congenital malformations——157	16	2	2	-	-	-	1	-	5	2	2	2	1	1	2	1	-	-	-	-
Congenital debility——158	11	4	-	-	-	-	1	-	5	1	3	1	-	1	-	-	-	-	-	-
Premature birth——159	142	56	15	17	18	17	6	7	136	6	-	-	-	-	-	-	-	-	-	-
Injury at birth——160	16	8	1	2	4	-	1	-	16	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	21	13	-	-	2	1	2	-	18	2	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	6	-	-	-	-	-	-	1	1	-	-	2	2	-	-	-	-	-	-	1
Other violence or accident——166-181,183-195	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
Ill-defined and unknown causes——199,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
FLORIDA (white)—All causes	1,167	395	65	58	69	77	60	33	777	79	61	55	38	32	35	24	23	18	25	20
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	13	-	-	-	-	-	-	-	-	3	1	-	2	-	1	1	2	2	1	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Ersipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	5	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	1	-
Malaria—28	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Syphilis—30	13	4	-	-	1	1	-	-	6	2	-	3	-	-	1	1	-	-	-	-
Influenza—33	31	-	1	-	2	3	1	2	9	5	2	2	2	3	2	3	-	-	-	3
Measles—35	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-
Diseases of thymus gland—64	9	1	-	-	1	4	-	-	6	-	1	1	-	-	-	1	-	-	-	-
Rickets—70	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-
Hemorrhagic conditions—72	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	4	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	1	1	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions—86	5	-	1	1	1	1	-	-	4	-	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	8	-	1	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	1
Pneumonia (all forms)—107-109	106	1	3	1	3	3	5	6	22	16	12	13	7	8	5	6	5	2	5	5
Other diseases of respiratory system—104-106,110-114	11	-	-	1	1	-	-	-	2	2	1	3	1	-	1	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-
Diseases of stomach—117,118	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	95	-	-	-	-	1	12	7	20	12	7	10	9	7	8	4	5	5	6	2
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	6	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1
Diseases of skin and cellular tissue-151-153	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Congenital malformations—157	133	25	4	12	16	11	11	6	85	10	13	6	4	2	6	2	1	1	3	-
Congenital debility—158	18	5	1	2	-	3	-	-	11	2	2	1	-	-	-	1	-	-	-	1
Premature birth—159	411	246	44	24	25	33	16	6	394	12	4	-	-	-	-	-	1	-	-	-
Injury at birth—160	127	77	19	7	8	5	8	1	125	-	-	-	2	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	57	22	8	6	5	7	-	-	48	1	2	4	-	-	2	-	-	-	-	-
Accidental mechanical suffocation—182	11	-	-	-	-	-	2	-	2	-	3	1	-	2	2	1	-	-	-	-
Other violence or accident—166-181,183-195	26	2	-	-	1	-	1	-	4	3	2	2	-	3	1	1	2	2	3	3
Ill-defined and unknown causes—199,200	41	12	3	2	2	2	2	2	25	5	5	2	2	-	-	1	-	-	-	1
All other causes*	5	-	-	-	-	-	1	-	1	1	-	-	-	-	2	-	-	1	-	-
FLORIDA (all other races)—All causes	798	162	62	43	74	55	40	31	467	63	55	49	37	16	25	21	23	15	16	11
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	13	-	-	-	-	-	-	-	-	3	1	3	1	1	1	-	1	1	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	7	1	-	-	1	4	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dysentery—27	6	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-
Malaria—28	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Syphilis—30	45	13	1	3	5	2	4	1	29	3	5	3	1	2	-	-	1	-	1	-
Influenza—33	32	-	-	-	1	2	-	3	6	2	8	1	3	2	2	4	3	-	-	1
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Intracranial lesions of vascular origin—83	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	7	-	1	1	1	1	-	1	5	-	-	2	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	89	-	-	5	3	4	3	4	19	9	14	10	8	4	5	7	2	4	4	3
Other diseases of respiratory system—104-106,110-114	12	-	-	1	1	3	1	1	7	-	1	3	-	-	-	-	-	-	1	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Diseases of stomach—117,118	6	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	69	-	-	-	-	-	3	4	7	5	7	12	11	-	8	3	5	6	2	3
Hernia—122a	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	26	3	3	3	4	1	1	1	16	2	1	1	2	1	1	-	-	-	2	-
Congenital debility—158	34	9	1	1	6	5	1	1	24	3	1	3	-	1	-	1	-	1	-	-
Premature birth—159	196	89	28	9	23	14	15	7	185	7	2	2	-	-	-	-	-	-	-	-
Injury at birth—160	35	10	12	4	5	2	1	-	34	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	42	12	6	9	7	3	1	-	38	4	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	1	-	1	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	13	-	-	-	-	-	-	1	1	1	3	1	-	-	1	-	4	1	1	-
Ill-defined and unknown causes—199,200	116	25	9	5	15	10	7	5	76	12	4	3	6	1	3	4	4	-	2	1
All other causes*	3	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, BY SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
GEORGIA (white)—All causes	1,992	535	181	110	182	106	81	59	1,234	177	119	96	59	55	56	43	38	40	45	32
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	47	-	-	-	-	1	1	2	4	11	7	3	5	-	4	4	1	4	1	3
Diphtheria (infection by C. diphtheriae)—10	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	1	1
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
Dysentery—27	17	-	-	-	-	-	-	-	-	-	1	4	2	2	1	1	1	1	2	2
Malaria—28	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-
Syphilis—30	13	1	1	1	1	-	1	-	5	5	2	1	-	-	-	-	-	-	-	-
Influenza—33	67	-	1	-	2	1	1	3	8	4	12	7	8	6	7	4	2	3	3	3
Measles—35	18	-	-	-	1	-	3	1	5	1	-	1	-	-	1	-	5	2	3	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	16	4	3	1	-	-	-	2	10	1	1	3	-	-	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	7	-	-	-	-	1	-	-	1	3	1	-	-	-	-	2	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Meningitis (not due to meningococcus)—81	15	-	-	-	-	-	1	-	1	3	3	2	1	1	3	-	-	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	7	-	-	2	2	1	-	-	5	1	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	8	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	2	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	-	-	-	-	1	-	-	1	1	1	1	-	-	2	-	1	1	-	1
Pneumonia (all forms)—107-109	164	2	2	5	8	4	13	13	47	28	14	15	9	9	9	6	6	8	7	6
Other diseases of respiratory system—104-106,110-114	16	-	-	-	-	1	1	1	3	2	1	2	-	3	2	-	-	-	2	1
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1	-
Diseases of stomach—117,118	5	-	-	-	1	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	195	-	-	-	-	3	4	6	13	34	21	24	18	15	13	17	12	8	13	7
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Intestinal obstruction—122b	10	-	-	-	-	2	-	-	2	2	-	-	1	2	1	-	1	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	-	-	-	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	166	32	14	12	20	10	8	7	103	22	13	9	2	7	3	2	1	2	1	1
Congenital debility—158	107	38	11	7	18	7	4	5	90	1	7	4	-	1	1	-	1	1	-	1
Premature birth—159	649	361	96	43	46	43	30	8	627	15	6	1	-	-	-	-	-	-	-	-
Injury at birth—160	160	60	30	27	31	9	-	1	158	1	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	103	30	18	9	22	11	4	3	97	4	1	-	-	-	1	-	-	-	-	-
Accidental mechanical suffocation—182	21	-	1	-	-	-	1	2	4	6	6	3	-	1	1	-	-	-	-	-
Other violence or accident—166-181,183-195	19	-	1	-	-	2	2	-	5	-	4	-	1	1	-	3	1	3	-	1
Ill-defined and unknown causes—199,200	103	6	3	2	10	5	7	4	37	23	11	9	4	4	3	-	3	2	2	5
All other causes*	12	1	-	1	-	1	-	-	3	-	1	-	2	1	2	-	-	-	3	-
GEORGIA (all other races)—All causes	1,973	407	108	91	173	140	86	72	1,077	182	135	113	101	80	75	51	57	37	32	33
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	40	-	-	-	-	-	1	1	2	6	9	2	3	2	6	1	2	2	2	3
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	3	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Dysentery—27	23	-	-	-	-	1	1	-	2	3	3	2	3	4	-	2	3	1	-	-
Malaria—28	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Syphilis—30	43	12	2	-	9	4	5	1	33	4	2	-	2	-	1	1	-	-	-	-
Influenza—33	75	-	1	-	1	2	1	3	8	9	11	12	5	6	4	7	6	3	3	1
Measles—35	19	-	-	-	-	1	-	-	1	2	3	1	3	-	4	-	2	1	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	-	-	2	-	2	1	1	-	1	-	1	-	-	-	-	1
Diseases of thymus gland—64	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Rickets—70	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	5	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	1	-	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	15	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	3	1	2	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	25	1	-	2	4	1	2	1	11	2	4	1	2	-	-	2	1	1	1	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	247	1	-	1	8	12	11	12	45	33	29	21	26	22	18	15	14	7	8	9
Other diseases of respiratory system—104-106,110-114	24	-	1	-	2	2	-	1	6	3	6	4	-	2	-	1	-	1	-	1
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Diseases of stomach—117,118	15	-	-	-	-	1	-	2	3	4	2	1	-	-	1	3	-	1	-	-
Diarrhea, enteritis, etc.*—119	173	-	-	-	2	6	3	3	14	18	15	18	18	22	20	10	11	10	9	8
Hernia—122a	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
Intestinal obstruction—122b	6	-	-	-	1	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	8	-	-	-	-	2	1	-	3	2	-	1	-	1	1	-	-	-	-	-
Congenital malformations—157	56	12	6	5	9	4	2	4	42	3	2	3	2	1	-	-	1	1	-	1
Congenital debility—158	321	114	31	35	56	33	7	2	278	13	4	6	7	4	3	1	3	1	-	1
Premature birth—159	428	207	49	24	47	44	18	15	402	18	3	2	2	-	-	-	1	-	-	-
Injury at birth—160	66	38	6	10	7	1	1	-	63	2	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	70	13	7	9	10	11	7	4	61	5	-	1	-	-	1	1	-	1	-	-
Accidental mechanical suffocation—182	35	3	-	2	2	1	-	3	11	8	5	4	3	3	1	-	-	-	-	-
Other violence or accident—166-181,183-195	36	3	3	-	3	2	-	2	13	3	2	7	4	2	1	-	1	-	2	1
Ill-defined and unknown causes—199,200	188	5	2	2	8	8	21	16	60	33	24	18	12	8	10	5	6	6	2	2
All other causes*	5	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
IDAHO—All causes	417	162	31	17	36	16	15	8	285	26	29	16	13	13	10	6	7	3	4	5
Cerebrospinal (meningococcus) meningitis—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	-	-	-	-	-	-	-	-	2	2	4	1	1	1	1	1	-	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Influenza—33	13	1	-	-	-	-	-	-	1	4	2	1	-	1	2	-	1	1	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms)—107-109	27	-	-	-	2	-	1	2	5	6	5	2	4	1	-	-	-	-	1	3
Other diseases of respiratory system—104-106,110-114	4	-	-	-	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	9	-	-	-	-	-	2	1	3	-	1	-	-	2	1	1	1	-	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	63	14	2	3	11	7	2	1	40	4	8	1	3	4	2	1	-	-	-	-
Congenital debility—158	9	4	1	1	1	1	-	-	8	-	-	-	1	-	-	-	-	-	-	-
Premature birth—159	138	94	11	7	11	6	4	1	134	2	-	2	-	-	-	-	-	-	-	-
Injury at birth—160	62	34	15	2	4	1	2	-	58	-	2	-	-	-	-	-	-	1	-	1
Other diseases peculiar to first year—161	22	11	2	4	3	-	-	-	20	1	-	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	11	-	-	-	-	-	-	-	-	1	4	3	2	-	-	-	-	-	1	-
Other violence or accident—166-181,183-195	8	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-	4	-	-	-
Ill-defined and unknown causes—199,200	7	2	-	-	1	-	2	-	5	-	-	1	-	-	-	-	-	1	-	-
All other causes*	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
ILLINOIS—All causes	4,661	1,691	403	266	374	235	128	118	3,215	284	208	190	145	133	90	101	84	82	69	60
Cerebrospinal (meningococcus) meningitis—8	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	60	-	-	-	-	-	1	3	4	11	9	8	4	4	5	2	5	3	3	4
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1
Erysipelas—11	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	7	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	-
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
Tuberculosis (other forms)—15-22	12	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	3	2	1
Septicemia and purulent infection—24	3	-	-	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	-	-
Dysentery—27	11	-	-	-	-	-	-	-	-	-	1	1	1	4	1	-	1	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	17	3	1	1	3	1	-	1	10	4	1	1	1	-	-	-	-	-	-	-
Influenza—33	59	-	-	-	-	2	1	1	4	4	3	6	5	5	8	7	2	4	4	7
Measles—35	10	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	1	2	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	1	-
Diseases of thymus gland—64	51	6	4	-	3	3	3	2	21	7	7	5	1	2	2	1	1	1	1	2
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic conditions—72	6	2	2	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	1
Anemias (except splenic anemia)—73	5	1	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	1	-
Encephalitis (nonepidemic)—80	8	-	-	-	-	2	-	1	3	1	-	1	-	-	-	1	-	2	-	-
Meningitis (not due to meningococcus)—81	31	-	-	-	-	1	-	1	2	1	7	3	4	3	2	2	1	2	2	2
Intracranial lesions of vascular origin—83	13	-	-	1	-	-	-	-	1	6	1	-	-	1	1	-	1	-	-	2
Convulsions—86	9	1	1	1	-	-	-	1	4	1	-	-	-	2	-	-	1	1	-	-
Diseases of ear and mastoid process—89	15	-	-	-	-	-	-	-	-	3	-	1	4	2	1	1	1	-	1	1
Other diseases, nervous system—82,84,85,87,88	7	1	-	1	1	-	-	-	3	-	1	1	-	1	1	-	-	-	-	-
Diseases of circulatory system—90-103	20	2	-	1	-	2	-	1	6	4	1	5	1	-	-	1	1	-	-	1
Pneumonia (all forms)—107-109	493	5	4	6	11	20	24	27	97	65	60	46	52	46	25	22	28	25	18	11
Other diseases of respiratory system—104-106,110-114	59	2	-	2	-	1	1	2	8	5	8	9	6	6	4	5	2	3	1	2
Diseases of buccal cavity, etc.*—115	8	-	-	-	-	1	-	-	1	1	2	-	-	-	1	-	1	1	1	-
Diseases of stomach—117,118	10	1	1	-	1	1	-	-	4	1	-	2	-	-	-	3	-	-	-	-
Diarrhea, enteritis, etc.*—119	231	2	-	2	3	7	10	11	35	33	23	27	23	20	21	15	12	10	9	3
Hernia—122a	8	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	1	-	-	-
Intestinal obstruction—122b	39	-	-	-	2	2	1	2	7	8	5	1	2	3	3	3	2	3	2	-
Peritonitis (cause not stated)—129	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	7	-	-	-	-	-	1	-	1	1	-	2	1	1	-	-	-	1	-	-
Diseases, genito-urinary sys.130,131,133-139	17	2	-	-	1	-	-	2	5	1	1	1	2	3	1	1	-	1	1	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	766	173	54	51	107	73	35	28	521	69	39	35	25	17	6	15	13	10	8	8
Congenital debility—158	25	4	1	-	-	2	2	1	10	10	-	4	-	-	-	-	-	-	-	1
Premature birth—159	1,456	917	192	91	116	69	28	18	1,451	15	8	-	-	1	-	-	1	-	-	-
Injury at birth—160	692	407	102	74	75	20	8	-	686	2	-	-	2	-	-	1	-	-	1	-
Other diseases peculiar to first year—161	318	151	40	33	47	21	7	3	302	7	3	2	-	1	2	-	-	-	1	-
Accidental mechanical suffocation—182	58	-	-	1	-	1	3	5	10	13	11	5	4	6	-	2	2	2	2	1
Other violence or accident—166-181,183-195	54	4	1	1	1	3	-	1	11	2	6	9	2	2	1	5	4	3	1	8
Ill-defined and unknown causes—199,200	20	5	-	-	2	-	1	2	10	1	3	4	1	-	-	-	-	-	-	1
All other causes*	30	2	-	-	-	-	1	2	5	4	4	4	1	-	1	6	-	1	3	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
INDIANA—All causes	2,615	771	197	145	211	125	92	70	1,609	191	153	136	107	85	68	77	62	57	40	30
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Whooping cough—9	31	-	-	-	-	-	-	-	-	5	2	1	4	6	4	3	4	-	1	1
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	7	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	1	1	1
Tuberculosis of meninges, etc.*—14	11	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	1	1	1	1
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1
Septicemia and purulent infection—24	3	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Dysentery—27	16	-	-	-	-	-	-	-	-	3	-	3	2	1	1	3	1	1	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	16	2	-	-	1	-	3	1	7	5	3	1	-	-	-	-	-	-	-	-
Influenza—33	74	-	-	-	2	2	1	3	8	7	7	9	7	6	8	8	3	4	7	-
Measles—35	12	-	-	-	-	-	-	-	-	2	-	1	2	-	-	3	1	1	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	-	-	1
Diseases of thymus gland—64	18	1	2	1	-	1	1	1	7	-	2	5	3	-	-	-	-	1	-	-
Rickets—70	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-
Hemorrhagic conditions—72	3	-	-	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	6	-	-	-	2	-	-	-	2	1	-	1	-	-	-	2	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	24	-	-	-	1	-	-	2	3	3	4	1	2	4	1	2	2	2	-	-
Intracranial lesions of vascular origin—83	4	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-
Convulsions—86	7	2	2	-	1	-	-	-	5	-	1	-	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	15	-	-	-	-	-	1	-	1	1	3	3	3	-	1	2	-	1	-	-
Other diseases, nervous system-82,84,85,87,88	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Diseases of circulatory system—90-103	13	-	-	2	1	1	1	2	7	1	1	1	-	1	1	-	1	-	-	-
Pneumonia (all forms)—107-109	347	-	3	4	6	12	14	13	52	38	43	44	39	24	24	20	21	22	13	7
Other diseases of respiratory system—104-106,110-114	24	2	1	2	1	1	1	1	9	2	2	3	1	-	-	1	2	1	2	1
Diseases of buccal cavity, etc.*—115	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1
Diseases of stomach—117,118	5	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	195	-	-	-	4	2	10	15	51	32	33	20	17	15	12	11	9	6	5	4
Hernia—122a	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
Intestinal obstruction—122b	22	-	-	-	1	1	1	1	4	-	3	4	2	1	1	4	1	-	-	2
Peritonitis (cause not stated)—129	4	-	-	-	2	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	7	-	-	-	-	-	1	-	1	1	1	2	-	-	-	2	-	-	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	361	85	29	27	49	28	13	12	243	30	24	13	7	12	8	6	3	7	2	6
Congenital debility—158	52	8	1	1	5	3	8	-	26	7	2	5	5	2	-	1	1	1	1	1
Premature birth—159	735	442	84	59	54	41	20	11	711	16	5	3	-	-	-	-	-	-	-	-
Injury at birth—160	294	149	42	27	50	12	6	1	287	2	-	1	-	1	-	-	1	-	2	-
Other diseases peculiar to first year—161	187	75	31	20	26	15	6	-	173	7	3	1	-	1	2	-	-	-	-	-
Accidental mechanical suffocation—182	35	-	-	-	2	-	2	2	6	10	4	6	3	2	-	1	1	1	1	-
Other violence or accident—166-181,183-195	31	2	-	-	-	1	-	2	5	5	6	3	2	-	2	2	3	3	-	-
Ill-defined and unknown causes—199,200	5	1	1	-	-	1	1	-	4	-	1	-	-	-	-	-	-	-	-	-
All other causes*	15	1	-	-	-	-	-	1	2	3	-	1	1	1	-	1	2	-	2	2
IOWA—All causes	1,676	615	148	97	140	85	45	50	1,180	98	92	58	51	46	39	32	27	22	21	12
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	25	-	-	-	-	-	-	1	1	4	8	1	2	-	1	2	2	4	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-	1
Dysentery—27	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-
Influenza—33	44	-	-	-	2	2	1	2	7	2	6	6	5	4	6	3	3	1	1	-
Measles—35	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
Diseases of thymus gland—64	19	1	1	-	3	1	1	-	7	5	3	-	1	1	-	1	-	-	-	1
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	5	1	-	1	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	3	-	-	-
Intracranial lesions of vascular origin—83	5	-	-	1	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	12	-	-	-	-	-	1	-	1	1	1	1	2	2	-	-	1	1	-	2
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	10	-	1	-	-	-	-	-	1	2	2	2	-	1	-	1	-	1	-	-
Pneumonia (all forms)—107-109	174	-	2	3	4	3	6	3	21	23	35	21	17	16	10	8	10	7	3	3
Other diseases of respiratory system—104-106,110-114	10	-	-	-	-	1	1	-	2	2	1	2	-	2	-	-	-	-	1	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-	-
Diseases of stomach—117,118	3	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	48	-	-	-	1	5	5	15	24	-	-	-	7	6	3	3	-	1	2	2
Hernia—122a	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	18	-	-	-	1	1	-	-	2	1	2	2	1	1	3	2	2	1	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	279	69	20	17	38	24	9	14	191	30	14	11	8	4	5	6	2	1	7	-
Congenital debility—158	19	5	1	1	1	-	2	1	11	1	3	1	2	-	1	-	-	-	-	-
Premature birth—159	568	383	81	31	31	31	11	8	556	7	3	-	-	2	-	-	-	-	-	-
Injury at birth—160	242	129	34	33	38	5	1	1	239	1	-	-	2	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	82	41	7	9	17	6	1	-	81	-	1	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	14	-	-	-	-	2	-	2	4	3	2	2	1	1	-	-	1	-	-	-
Other violence or accident—166-181,183-195	27	1	-	1	2	-	1	1	6	2	2	2	1	3	4	3	1	-	3	-
Ill-defined and unknown causes—199,200	13	4	1	-	1	-	2	1	9	1	-	1	-	-	-	1	-	-	-	1
All other causes*	6	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS—All causes	1,145	401	73	61	92	62	27	32	748	57	69	56	47	31	25	29	24	21	19	19
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	48	-	-	-	-	-	1	1	2	7	13	6	8	3	1	2	3	-	3	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Influenza—33	46	-	-	-	2	1	2	2	7	3	9	4	5	5	2	2	2	3	2	2
Measles—35	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Diseases of thymus gland—64	18	4	1	-	1	-	1	1	8	4	3	2	1	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-
Intracranial lesions of vascular origin—83	5	1	-	-	-	2	-	-	3	-	1	-	1	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	6	1	-	1	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	124	2	-	1	6	3	6	4	22	7	18	17	9	7	11	11	6	4	6	6
Other diseases of respiratory system—104-106,110-114	7	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	2	1	-	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1	1	-
Diseases of stomach—117,118	2	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	54	-	-	-	1	1	3	1	6	8	6	6	8	2	3	4	1	2	4	4
Hernia—122a	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	7	-	-	-	-	1	1	-	2	-	1	-	2	1	-	-	1	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases, genito-urinary sys.130,131,133-139	5	-	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	159	35	11	15	18	17	5	14	115	14	7	4	5	5	-	4	2	3	-	-
Congenital debility—158	13	3	-	2	2	-	-	-	7	3	2	-	-	-	-	-	-	-	1	-
Premature birth—159	360	239	33	25	30	20	5	3	355	2	-	2	-	-	1	-	-	-	-	-
Injury at birth—160	141	86	19	13	14	6	-	2	140	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	63	23	6	3	13	8	-	2	55	4	1	-	1	-	-	-	-	1	-	1
Accidental mechanical suffocation—182	8	1	-	-	1	-	-	-	2	2	-	3	1	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	12	1	-	-	-	-	1	-	2	-	1	2	1	3	1	1	-	1	-	-
Ill-defined and unknown causes—199,200	14	4	-	-	2	-	-	1	7	1	1	-	-	-	2	1	-	1	-	1
All other causes*	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
KENTUCKY (white)—All causes	3,441	715	294	154	224	219	165	126	1,897	296	242	186	146	139	127	93	79	93	64	79
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-
Scarlet fever—8	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
Whooping cough—9	137	-	-	-	-	-	2	6	8	28	26	18	7	9	7	8	8	10	8	4
Diphtheria (infection by C. diphtheriae)—10	7	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	2
Erysipelas—11	3	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	13	-	-	-	-	-	-	-	-	1	3	1	-	-	1	2	-	1	2	2
Tuberculosis of meninges, etc.*—14	10	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	1	1	1	1
Tuberculosis (other forms)—15-22	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	109	-	-	-	-	1	1	5	7	12	6	11	14	14	12	7	10	8	2	6
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis—30	29	5	2	3	3	3	3	3	22	1	-	2	3	1	-	-	-	-	-	-
Influenza—33	117	1	-	1	4	10	9	8	33	23	12	12	3	8	6	3	5	5	4	3
Measles—35	48	-	-	-	-	2	2	3	7	4	6	5	1	6	1	5	-	5	4	4
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	16	-	-	1	-	-	-	1	2	1	3	1	-	-	2	-	3	-	4	-
Diseases of thymus gland—64	5	-	2	-	1	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Hemorrhagic conditions—72	5	-	-	1	1	-	-	-	2	-	-	2	-	-	-	-	1	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2
Meningitis (not due to meningococcus)—81	18	-	-	-	1	-	4	1	6	1	1	-	3	1	1	2	-	3	-	-
Intracranial lesions of vascular origin—83	6	1	-	-	-	1	-	-	2	1	-	1	-	-	1	-	-	-	-	1
Convulsions—86	11	-	-	2	2	1	-	2	7	1	1	-	1	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	-	1
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	23	4	-	1	1	1	2	1	10	2	1	-	1	1	1	3	1	-	2	1
Pneumonia (all forms)—107-109	483	2	2	6	15	32	33	34	124	78	57	43	27	28	28	22	16	24	18	20
Other diseases of respiratory system—104-106,110-114	26	-	1	1	1	2	2	1	8	6	2	2	3	1	1	-	1	-	-	2
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	1	-	1	-	-	1	-	2	1	-	-	-	-	-
Diseases of stomach—117,118	13	-	1	-	-	1	2	1	5	2	1	1	1	1	1	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	423	-	-	-	1	9	16	13	39	41	50	51	52	48	38	25	22	25	13	19
Hernia—122a	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	10	-	-	-	1	-	-	1	2	-	1	-	-	1	3	-	3	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	6	-	-	-	1	2	-	-	3	-	-	-	1	-	1	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	6	-	-	-	2	1	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	12	-	1	2	2	2	-	-	7	3	1	-	-	-	-	-	-	1	-	-
Congenital malformations—157	259	54	25	22	33	30	19	10	193	20	16	5	10	3	4	1	1	1	1	4
Congenital debility—158	198	29	18	17	23	12	18	7	124	21	17	14	4	8	6	-	2	2	-	-
Premature birth—159	861	435	162	54	58	71	38	16	834	13	10	4	-	-	-	-	-	-	-	-
Injury at birth—160	270	125	60	27	37	14	2	-	265	-	2	-	2	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	149	51	17	13	26	12	7	5	131	8	4	2	2	1	-	1	-	-	-	-
Accidental mechanical suffocation—182	57	5	-	2	5	7	2	4	25	14	6	3	4	2	1	1	1	-	-	-
Other violence or accident—166-181,183-195	30	2	1	-	-	1	-	-	4	5	3	4	2	-	1	2	-	3	3	3
Ill-defined and unknown causes—199,200	30	1	2	1	5	2	1	-	12	4	3	2	1	1	2	3	-	-	1	1
All other causes*	16	-	-	-	1	-	-	-	1	2	2	1	1	-	2	1	-	2	2	2

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KENTUCKY (all other races)——All causes	297	41	33	14	22	15	16	7	148	28	19	17	16	12	11	13	8	11	6	8
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	11	-	-	-	-	-	1	1	2	2	3	-	-	-	1	1	-	1	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	6	-	-	-	-	-	-	1	1	1	-	1	1	-	-	2	-	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis—30	11	1	1	-	1	1	1	-	5	1	-	1	1	2	-	1	-	-	-	-
Influenza—33	16	-	-	-	1	-	1	-	2	3	1	2	1	-	2	1	1	1	2	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	40	-	2	-	2	4	-	-	8	5	2	3	5	4	2	4	1	4	-	2
Other diseases of respiratory system—104-106,110-114	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Diseases of buccal cavity, etc.* —115	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	36	-	-	-	-	1	-	-	1	4	6	2	4	3	5	3	4	2	1	1
Hernia—122a	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	13	2	2	3	-	1	2	1	11	-	-	-	-	-	1	-	-	-	-	1
Congenital debility—158	20	1	2	1	4	-	6	1	15	1	1	1	1	-	-	-	-	-	-	1
Premature birth—159	79	31	20	7	5	4	4	3	74	2	1	2	-	-	-	-	-	-	-	-
Injury at birth—160	13	3	3	1	4	-	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	13	3	3	1	2	2	-	-	11	-	1	-	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	3	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Other violence or accident——166-181,183-195	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
Ill-defined and unknown causes—199,200	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other causes*	4	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-
LOUISIANA (white)——All causes	1,428	476	100	68	98	81	53	46	922	117	78	63	57	42	27	31	35	14	27	15
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	13	-	-	-	-	-	-	1	1	2	1	2	2	2	2	-	1	-	-	-
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus—12	4	-	1	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc* -13	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Tuberculosis of meninges, etc. * —14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1
Septicemia and purulent infection—24	3	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
Dysentery—27	6	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	1	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis—30	12	4	-	-	1	-	1	-	6	1	1	3	-	-	-	-	-	-	1	-
Influenza—33	76	-	-	-	1	7	2	2	12	10	12	5	12	6	6	2	3	3	3	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of thymus gland—64	14	2	2	1	3	-	-	1	9	1	1	1	-	-	1	1	-	-	-	-
Rickets—70	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Meningitis (not due to meningococcus)—81	7	-	-	-	-	1	-	-	1	-	1	-	2	-	-	1	-	1	1	-
Intracranial lesions of vascular origin—83	4	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-
Convulsions—86	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Pneumonia (all forms)—107-109	213	1	-	1	7	16	11	10	46	42	25	21	17	13	10	12	11	6	5	5
Other diseases of respiratory system—104-106,110-114	16	-	1	-	1	-	2	-	4	1	-	2	2	2	-	1	2	-	1	1
Diseases of buccal cavity, etc.* —115	4	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	1	-
Diseases of stomach—117,118	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-
Diarrhea, enteritis, etc.* —119	68	-	-	-	-	3	6	5	14	16	6	7	3	3	4	2	3	3	6	1
Hernia—122a	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	15	-	-	-	1	1	-	-	2	-	2	2	2	2	1	1	2	-	1	-
Peritonitis (cause not stated)—129	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	7	1	-	-	-	-	2	-	3	1	-	-	-	-	-	1	1	-	-	1
Diseases of skin and cellular tissue-151-153	6	-	-	-	1	-	-	1	2	3	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	115	28	3	5	11	10	7	5	69	14	7	7	4	5	1	2	3	-	2	1
Congenital debility—158	27	7	2	1	1	2	3	1	17	2	4	1	-	3	-	-	-	-	-	-
Premature birth—159	475	303	55	29	31	21	11	10	460	11	3	-	1	-	-	-	-	-	-	-
Injury at birth—160	153	86	20	20	22	5	-	-	153	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	86	36	12	11	10	6	3	4	82	-	3	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation—182	8	-	2	-	-	1	-	-	3	1	2	1	-	-	-	1	-	-	-	-
Other violence or accident——166-181,183-195	16	-	-	-	1	-	1	2	4	1	1	1	3	1	-	2	1	-	1	1
Ill-defined and unknown causes—199,200	26	7	2	-	2	2	1	-	14	4	2	1	3	1	-	1	-	-	-	-
All other causes*	13	1	-	-	2	-	1	1	5	-	1	1	1	-	1	1	1	1	-	1

* Refer to complete International List titles, table XI, Part I.

536909 O - 43 - 35

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOUISIANA (all other races)——All causes	1,729	391	80	70	136	170	95	67	1,009	149	119	94	75	48	61	47	33	48	21	25
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	20	-	-	-	-	-	-	-	-	1	4	2	3	1	2	3	1	2	1	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	13	-	-	-	4	6	2	-	12	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	6	-	-	-	2	-	-	-	2	-	3	-	-	-	-	-	-	1	-	-
Malaria—28	4	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-
Syphilis—30	78	19	2	2	2	6	5	5	41	12	9	7	4	-	2	-	-	1	1	1
Influenza—33	93	-	-	-	1	2	5	1	9	9	13	9	12	11	9	5	3	7	2	4
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland—64	8	1	1	-	-	1	-	1	4	-	1	2	-	-	-	1	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	11	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	-	-	1	1
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Convulsions—86	6	-	-	1	-	1	-	-	2	-	1	1	-	-	2	-	-	-	-	-
Diseases of ear and mastoid process—89	10	-	-	-	-	-	-	-	-	2	2	3	2	-	-	-	-	1	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	7	-	-	-	-	1	-	-	1	-	1	2	-	-	-	1	1	-	1	-
Pneumonia (all forms)—107-109	303	1	4	2	10	25	12	17	71	43	38	30	20	17	24	14	14	17	6	9
Other diseases of respiratory system—104-106,110-114	25	-	-	2	4	3	2	3	14	2	1	1	-	2	1	1	-	1	-	2
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach—117,118	10	-	-	-	1	-	1	-	2	1	2	3	-	1	-	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	132	-	-	-	1	10	8	8	27	21	14	13	17	2	7	12	4	8	4	3
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	1	1	-	2	-	1	-	1	-	-	2	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	7	-	-	-	-	1	-	1	2	-	-	1	1	-	-	-	1	2	-	-
Diseases, genito-urinary sys. 130,131,133-139	10	-	-	-	-	-	-	-	-	5	1	1	1	1	-	1	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	2	-	-
Congenital malformations—157	62	12	2	3	12	8	1	1	39	3	7	5	1	1	2	-	1	2	-	1
Congenital debility—158	48	7	2	3	7	9	3	2	33	5	-	1	-	3	2	-	2	-	1	1
Premature birth—159	486	229	41	29	49	67	36	18	469	14	1	1	1	-	-	-	-	-	-	-
Injury at birth—160	110	58	11	8	17	10	4	-	108	2	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	92	31	9	10	10	11	4	3	78	5	3	-	2	1	-	2	-	-	-	1
Accidental mechanical suffocation—182	21	-	-	1	-	-	4	2	7	2	5	4	1	-	1	-	-	1	-	-
Other violence or accident—166-181,183-195	28	2	-	2	1	-	2	-	7	2	2	2	-	3	2	2	2	2	2	2
Ill-defined and unknown causes—199,200	92	31	8	7	13	5	2	1	67	10	5	2	1	4	-	-	1	1	1	-
All other causes*	14	-	-	-	2	1	1	1	5	4	-	-	1	-	2	-	1	1	-	-
MAINE——All causes	818	226	50	56	72	40	22	25	491	65	61	49	36	23	16	20	20	15	12	10
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	-	-	-	-	-	1	1	2	3	3	1	-	-	-	1	2	1	1	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-
Influenza—33	27	-	-	-	-	1	3	2	6	3	2	3	3	2	-	1	2	2	3	-
Measles—35	6	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	17	-	-	4	2	1	-	-	7	-	3	5	2	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Convulsions—86	6	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	1	-	-	-
Diseases of ear and mastoid process—89	6	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	2	-	1	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Pneumonia (all forms)—107-109	88	-	-	1	1	1	4	7	14	9	15	11	10	5	4	7	5	6	1	1
Other diseases of respiratory system—104-106,110-114	14	-	-	-	2	1	-	-	3	3	3	1	2	-	1	-	-	-	1	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of stomach—117,118	6	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	1	-	-	1
Diarrhea, enteritis, etc.*—119	48	-	-	-	-	1	1	3	5	7	5	9	4	3	3	3	2	3	1	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	1	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	108	20	9	15	18	10	3	5	80	6	10	4	3	2	1	1	-	-	1	-
Congenital debility—158	32	2	2	1	2	3	2	-	12	11	2	1	2	2	1	-	1	-	-	-
Premature birth—159	220	133	23	10	19	14	7	1	207	10	2	-	-	-	-	-	-	-	1	-
Injury at birth—160	98	51	12	13	16	3	1	-	96	-	1	-	-	-	-	-	1	-	-	-
Other diseases peculiar to first year—161	49	18	4	12	8	3	-	1	46	2	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	11	-	-	-	-	-	-	-	-	1	3	4	2	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	13	-	-	-	1	-	-	1	2	-	3	2	2	1	-	1	-	-	-	2
Ill-defined and unknown causes—199,200	9	1	-	-	1	-	-	1	3	4	-	1	1	-	-	-	-	-	-	-
All other causes*	8	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	2	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MARYLAND (white)——All causes	1,222	343	99	49	81	79	51	30	732	87	68	65	30	55	37	26	37	35	33	17
Cerebrospinal (meningococcus) meningitis——6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	23	-	-	-	-	-	-	-	-	2	2	2	-	3	2	3	3	2	3	1
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of meninges, etc.*——14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	18	-	-	-	-	4	-	-	4	3	-	3	-	-	3	1	2	1	1	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	5	1	1	-	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Influenza——33	20	-	-	-	-	-	-	1	1	-	4	3	1	-	1	1	3	4	1	1
Measles——35	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of thymus gland——64	15	-	-	-	-	1	-	1	2	3	4	3	1	-	-	1	-	-	1	-
Rickets——70	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (not due to meningococcus)——81	10	-	-	-	-	-	1	-	1	1	-	1	1	1	1	1	-	2	-	1
Intracranial lesions of vascular origin——83	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-
Convulsions——86	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process——89	7	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	1	-
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-
Diseases of circulatory system——90-103	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Pneumonia (all forms)——107-109	123	1	2	2	1	8	8	4	26	13	11	13	8	11	8	8	10	5	9	1
Other diseases of respiratory system——104-106,110-114	10	-	-	-	-	-	1	-	1	2	-	3	1	1	1	-	-	-	1	-
Diseases of buccal cavity, etc.*——115	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Diseases of stomach——117,118	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.*——119	158	-	-	-	-	9	16	9	34	16	21	12	8	18	10	7	9	11	7	5
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	13	-	-	-	-	4	1	2	7	2	-	3	1	-	-	-	-	-	-	-
Peritonitis (cause not stated)——129	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations——157	164	24	9	15	20	17	9	6	100	19	8	10	-	14	4	2	2	1	3	1
Congenital debility——158	19	3	1	1	5	2	-	-	12	2	-	2	1	-	-	-	1	-	-	1
Premature birth——159	375	229	59	15	22	18	12	1	356	9	4	1	3	1	-	-	-	1	-	-
Injury at birth——160	112	60	19	9	14	5	2	1	110	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year——161	68	25	8	6	12	7	-	4	62	4	-	-	-	-	-	-	-	1	-	1
Accidental mechanical suffocation——182	15	-	-	-	3	1	-	-	4	3	3	2	2	-	-	-	-	1	-	-
Other violence or accident——166-181,183-195	19	-	-	1	2	3	-	-	6	3	2	1	1	1	2	-	1	-	-	2
Ill-defined and unknown causes——199,200	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
All other causes*	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
MARYLAND (all other races)——All causes	705	119	33	38	43	27	20	14	294	59	50	36	35	38	37	41	38	28	28	21
Cerebrospinal (meningococcus) meningitis——6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	27	-	-	-	-	-	-	1	1	3	4	2	1	3	3	2	4	2	2	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Tuberculosis of respiratory system, etc.*——13	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	2
Tuberculosis of meninges, etc.*——14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)——15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	10	-	-	-	-	-	-	-	-	-	3	-	2	-	1	2	-	1	-	1
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	11	2	-	1	2	-	-	-	5	2	2	2	-	-	-	-	-	-	-	-
Influenza——33	9	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	1	1	1	2
Measles——35	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1
Diseases of thymus gland——64	7	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-
Rickets——70	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1
Hemorrhagic conditions——72	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1
Other diseases, nervous system-82,84,85,87,88	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Pneumonia (all forms)——107-109	109	1	1	1	1	-	2	1	7	13	10	8	8	6	12	10	14	11	7	3
Other diseases of respiratory system——104-106,110-114	8	-	-	-	-	-	2	-	2	-	-	2	-	-	1	-	2	-	1	-
Diseases of buccal cavity, etc.*——115	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-
Diseases of stomach——117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.*——119	157	-	-	-	1	1	7	5	14	15	18	15	17	15	13	17	11	6	9	7
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-
Peritonitis (cause not stated)——129	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	3	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Congenital malformations——157	24	3	1	1	3	1	2	2	13	3	1	-	-	3	-	1	-	-	2	1
Congenital debility——158	7	1	-	-	1	-	-	-	2	2	-	-	-	3	-	-	-	-	-	-
Premature birth——159	176	82	19	21	23	15	3	2	165	8	2	-	-	-	-	-	1	-	-	-
Injury at birth——160	37	16	4	6	5	3	1	-	35	-	-	2	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	38	12	6	5	3	6	2	1	35	1	-	-	-	1	1	-	-	-	-	-
Accidental mechanical suffocation——182	4	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	14	-	-	2	1	-	-	-	3	3	-	-	2	-	2	-	3	-	1	-
Ill-defined and unknown causes——199,200	5	2	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	1
All other causes*	7	-	-	1	-	-	-	-	1	3	2	-	-	-	-	-	-	-	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MASSACHUSETTS—All causes	2,464	850	206	140	172	112	101	81	1,662	182	127	110	72	64	48	54	56	44	24	21
Cerebrospinal (meningococcus) meningitis—6	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Whooping cough—9	28	-	-	-	-	-	-	1	1	6	5	1	2	3	2	3	2	1	-	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	6	-	-	-	-	-	1	-	1	1	3	-	-	-	1	-	-	-	-	-
Dysentery—27	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Influenza—33	21	-	-	-	-	-	-	-	-	-	4	3	1	3	-	2	2	4	-	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of thymus gland—64	25	2	1	2	5	-	-	-	10	2	2	4	3	-	2	1	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	4	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Meningitis (not due to meningococcus)—81	21	-	-	-	-	-	1	-	1	2	1	3	2	-	1	3	3	3	1	1
Intracranial lesions of vascular origin—83	10	-	1	1	1	-	-	-	3	3	1	1	1	-	-	-	1	-	-	-
Convulsions—86	6	-	-	-	2	1	-	-	3	-	-	-	-	2	-	-	-	-	1	-
Diseases of ear and mastoid process—89	11	-	-	-	-	-	2	-	2	-	-	2	-	-	-	1	-	3	2	1
Other diseases, nervous system—82,84,85,87,88	6	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	1	1	-	1
Diseases of circulatory system—90-103	7	-	-	-	-	-	1	1	2	1	3	-	-	1	-	-	-	-	-	-
Pneumonia (all forms)—107-109	265	-	2	6	9	14	11	13	55	37	35	33	17	19	14	16	15	12	6	6
Other diseases of respiratory system—104-106,110-114	45	2	1	-	2	2	2	3	12	2	6	5	5	4	4	2	2	1	1	1
Diseases of buccal cavity, etc.*—115	7	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	2	-	-
Diseases of stomach—117,118	3	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	166	-	-	-	1	9	24	21	55	40	17	9	7	10	1	9	10	5	-	3
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	13	-	-	-	-	2	1	-	3	1	1	-	1	2	4	-	-	1	-	-
Peritonitis (cause not stated)—129	3	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	11	-	-	-	1	-	1	-	2	1	-	4	-	1	-	-	1	-	2	-
Diseases of skin and cellular tissue—151-153	5	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-
Congenital malformations—157	407	108	22	21	34	30	24	25	264	42	16	15	19	13	11	8	7	6	5	1
Congenital debility—158	31	5	1	2	1	-	-	-	9	8	4	7	1	-	2	-	-	-	-	-
Premature birth—159	797	493	111	57	54	25	21	11	772	15	7	2	1	-	-	-	-	-	-	-
Injury at birth—160	273	143	46	25	33	8	5	2	262	3	3	1	-	-	-	1	2	1	-	-
Other diseases peculiar to first year—161	184	92	17	25	26	14	2	-	176	4	1	2	-	-	-	-	-	-	-	1
Accidental mechanical suffocation—182	27	1	1	-	1	-	1	1	5	3	5	5	5	2	-	-	2	-	-	-
Other violence or accident—166-181,183-195	35	-	1	-	-	2	1	1	5	4	7	4	3	2	1	1	2	2	3	1
Ill-defined and unknown causes—199,200	8	2	1	-	-	2	-	1	6	-	1	1	-	-	-	-	-	-	-	-
All other causes*	7	-	-	-	-	-	-	-	-	2	1	2	-	-	-	1	-	1	-	-
MICHIGAN—All causes	4,161	1,303	358	201	344	215	132	125	2,678	300	266	186	143	139	95	91	73	73	60	57
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	69	-	-	-	-	-	-	-	-	11	13	10	5	2	4	4	4	6	6	4
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	3	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	6	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1
Septicemia and purulent infection—24	10	-	-	-	-	-	-	1	1	3	2	1	-	3	-	-	-	-	-	-
Dysentery—27	28	-	-	-	-	1	2	2	5	1	1	4	1	6	3	1	1	3	1	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	14	2	1	-	-	1	-	-	4	4	2	-	1	-	1	1	-	1	-	-
Influenza—33	56	-	-	-	-	2	2	1	5	3	6	7	7	6	2	1	6	6	3	4
Measles—35	19	-	-	-	-	1	-	1	2	-	-	1	-	1	1	5	2	2	3	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	-	-	-	4	4	2	-	-	-	-	-	2	-	-	-	-
Diseases of thymus gland—64	93	10	4	6	4	5	5	3	37	11	14	10	7	3	5	3	-	2	-	1
Rickets—70	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Hemorrhagic conditions—72	6	-	-	-	3	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-
Anemias (except splenic anemia)—73	10	-	-	-	-	-	-	1	1	1	3	-	-	1	-	1	-	2	-	1
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	30	-	-	-	2	2	1	3	8	6	3	2	1	4	3	1	2	-	-	-
Intracranial lesions of vascular origin—83	9	-	-	-	1	-	-	-	1	3	2	-	1	-	-	-	1	-	1	-
Convulsions—86	12	1	-	1	1	-	-	-	3	2	2	2	-	-	-	1	1	-	1	-
Diseases of ear and mastoid process—89	28	-	-	-	-	-	-	1	1	3	7	2	1	3	2	2	2	1	3	1
Other diseases, nervous system—82,84,85,87,88	7	-	-	-	1	1	-	-	2	1	2	-	-	-	-	-	1	1	-	-
Diseases of circulatory system—90-103	12	-	-	-	1	-	2	-	3	-	3	-	2	-	-	1	-	3	-	-
Pneumonia (all forms)—107-109	498	1	5	5	21	12	23	25	92	64	75	56	46	45	29	24	21	13	16	17
Other diseases of respiratory system—104-106,110-114	56	1	-	-	1	-	3	4	9	13	9	8	5	-	1	5	2	2	1	1
Diseases of buccal cavity, etc.*—115	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-
Diseases of stomach—117,118	3	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	247	-	-	1	2	14	15	13	45	36	24	26	19	23	23	16	12	9	5	9
Hernia—122a	10	-	-	1	-	-	1	2	4	2	2	-	1	-	-	-	-	1	-	-
Intestinal obstruction—122b	36	-	-	-	-	-	2	2	4	2	2	5	5	6	4	2	-	4	-	2
Peritonitis (cause not stated)—129	4	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	5	1	-	-	-	-	1	-	2	-	1	2	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	6	-	-	-	1	-	-	1	2	3	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	579	126	49	23	62	60	34	25	379	61	40	20	21	16	6	10	8	9	6	3
Congenital debility—158	57	20	2	1	3	1	1	4	32	7	5	3	2	1	1	1	-	3	1	1
Premature birth—159	1,348	821	181	81	119	65	28	16	1,311	19	11	3	3	1	-	-	-	-	-	-
Injury at birth—160	423	204	74	55	54	23	4	3	417	3	-	-	-	1	1	1	-	-	-	1
Other diseases peculiar to first year—161	293	111	39	21	64	22	5	5	267	13	3	3	2	1	2	1	1	-	-	-
Accidental mechanical suffocation—182	54	1	1	1	-	1	1	1	6	10	15	9	3	4	2	1	3	-	-	1
Other violence or accident—166-181,183-195	55	3	1	2	-	1	-	3	10	9	8	4	4	3	2	2	4	1	4	4
Ill-defined and unknown causes—199,200	19	1	1	3	4	1	-	-	10	2	1	3	1	1	-	-	-	-	-	1
All other causes*	23	-	-	-	-	1	-	-	1	2	4	1	2	3	-	3	2	-	4	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA—All causes	1,874	688	175	112	150	85	63	52	1,325	113	93	78	45	46	43	39	34	17	19	22
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	-	-	-	1	-	1	-	2	7	9	1	-	2	-	1	1	1	1	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	1	1	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	33	-	-	-	-	2	1	-	3	5	6	1	4	2	4	4	3	1	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-
Diseases of thymus gland—64	11	-	-	1	3	-	-	1	5	2	1	2	-	-	-	1	-	-	-	-
Rickets—70	6	1	-	-	1	2	-	-	4	1	-	-	-	-	-	-	-	-	-	1
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	6	-	-	1	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	12	-	-	-	-	-	-	-	-	1	-	1	3	1	2	1	-	1	-	2
Intracranial lesions of vascular origin—83	6	-	-	1	1	1	-	-	3	1	-	-	1	-	1	-	-	-	-	-
Convulsions—86	6	-	-	1	-	1	-	-	2	-	3	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Diseases of circulatory system—90-103	5	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-
Pneumonia (all forms)—107-109	185	-	1	5	5	5	8	6	30	29	25	27	18	15	10	12	7	4	4	4
Other diseases of respiratory system—104-106,110-114	18	-	-	-	-	-	2	1	3	1	2	2	1	-	1	4	-	2	1	1
Diseases of buccal cavity, etc.*—115	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	1	-
Diseases of stomach—117,118	3	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.●—119	61	-	-	1	-	-	10	8	19	10	9	9	2	-	2	2	3	2	2	1
Hernia—122a	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	19	-	-	-	-	2	-	2	4	-	2	1	1	2	2	2	2	-	1	2
Peritonitis (cause not stated)—129	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1
Diseases, genito-urinary sys.130,131,133-139	8	-	-	-	2	-	-	1	3	1	1	2	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Congenital malformations—157	315	66	27	17	42	22	20	17	211	26	15	13	7	10	10	6	4	5	3	3
Congenital debility—158	16	5	1	-	1	1	-	1	9	1	2	1	-	1	-	-	1	-	1	-
Premature birth—159	650	424	93	36	46	28	10	4	641	6	-	2	1	-	-	-	-	-	-	-
Injury at birth—160	253	155	31	29	22	6	4	2	249	2	-	-	-	1	1	-	-	-	-	-
Other diseases peculiar to first year—161	107	33	17	16	21	8	5	3	103	-	3	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	26	-	-	1	-	-	-	2	3	7	-	5	2	4	3	-	-	-	1	1
Other violence or accident—166-181,183-195	31	-	-	-	2	1	2	2	7	3	3	2	2	1	3	-	5	-	2	3
Ill-defined and unknown causes—199,200	20	2	4	3	1	2	-	-	12	3	2	1	-	-	-	1	1	-	-	-
All other causes*	8	-	-	-	-	-	-	-	-	1	3	2	-	1	-	-	-	-	1	-
MISSISSIPPI (white)—All causes	1,161	390	92	51	83	75	39	32	752	87	65	36	49	34	33	25	27	15	19	19
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	24	-	-	-	-	-	-	-	-	7	9	-	6	-	-	1	-	1	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dysentery—27	16	-	-	-	-	1	-	1	2	2	1	2	1	-	5	1	-	1	-	1
Malaria—28	7	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	2	-	-	1
Syphilis—30	4	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
Influenza—33	69	1	-	1	-	5	2	1	10	11	8	5	11	4	8	2	2	3	4	1
Measles—35	11	-	-	-	-	-	-	2	2	1	1	1	-	1	-	-	2	-	2	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	1	1	1	1	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hemorrhagic conditions—72	4	-	1	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-	1	1
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Convulsions—86	8	1	1	2	2	-	-	-	6	-	-	-	-	-	-	1	1	-	-	-
Diseases of ear and mastoid process—89	7	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	1
Other diseases, nervous system-82,84,85,87,88	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	-	-
Diseases of circulatory system—90-103	7	-	-	-	1	1	-	1	3	-	1	-	1	-	1	-	-	1	-	-
Pneumonia (all forms)—107-109	90	-	3	3	2	8	9	5	30	10	12	7	5	7	6	5	4	2	1	1
Other diseases of respiratory system—104-106,110-114	8	-	-	1	-	-	-	-	1	-	1	2	-	1	1	1	-	-	-	1
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1
Diseases of stomach—117,118	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	63	-	-	-	-	-	3	1	4	10	5	6	8	5	6	3	4	2	4	6
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	10	-	-	-	-	1	-	1	2	2	1	-	2	3	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	3	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Congenital malformations—157	84	15	4	6	12	11	6	3	57	11	3	3	1	3	1	-	2	2	1	-
Congenital debility—158	28	8	-	1	1	3	2	2	17	5	1	1	-	3	-	1	-	-	-	-
Premature birth—159	389	243	54	15	26	22	10	7	377	6	3	1	1	-	-	-	-	-	1	-
Injury at birth—160	118	73	16	11	9	6	1	1	117	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	40	11	4	5	11	7	-	1	39	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	8	-	-	-	1	1	1	1	4	2	1	-	1	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	11	-	-	1	-	-	-	-	1	1	-	-	1	1	-	2	2	-	2	1
Ill-defined and unknown causes—199,200	98	26	6	4	13	7	4	2	62	7	15	-	3	2	1	1	1	1	3	2
All other causes*	13	-	-	-	1	-	-	1	2	4	-	1	2	1	1	-	2	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSISSIPPI (all other races)——All causes	1,855	383	117	87	115	91	63	60	916	199	139	121	111	77	77	46	45	54	34	36
Cerebrospinal (meningococcus) meningitis——6	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	66	-	-	1	-	-	1	3	5	5	12	8	7	7	2	4	2	7	4	3
Diphtheria (infection by C. diphtheriae)——10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Tuberculosis of meninges, etc.*——14	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Septicemia and purulent infection——24	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Dysentery——27	35	-	-	-	1	-	2	3	6	-	5	3	4	2	3	-	5	4	1	2
Malaria——28	13	-	-	-	1	-	1	-	2	1	3	-	-	3	1	1	-	-	2	-
Syphilis——30	47	7	-	-	2	2	1	2	14	7	7	5	3	2	3	2	2	-	-	2
Influenza——33	121	-	-	-	1	4	5	1	11	9	20	13	14	15	13	5	5	6	6	4
Measles——35	11	-	-	-	-	-	-	-	-	1	2	1	3	-	2	1	-	1	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	6	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	-	-	-
Diseases of thymus gland——64	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	4	-	-	1	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-
Intracranial lesions of vascular origin——83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions——86	9	1	1	-	-	2	2	-	6	-	-	-	2	-	-	-	1	-	-	-
Diseases of ear and mastoid process——89	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Other diseases, nervous system——82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	172	1	-	2	5	2	9	3	22	24	15	16	19	15	24	16	6	7	6	2
Other diseases of respiratory system——104-106,110-114	13	-	-	1	1	-	1	-	3	3	2	1	2	-	-	1	-	1	-	-
Diseases of buccal cavity, etc.*——115	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	7	1	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	1
Diarrhea, enteritis, etc.*——119	132	-	-	1	1	4	4	4	14	25	13	15	11	6	7	7	9	10	4	11
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	6	-	-	-	-	2	1	1	4	-	1	-	-	-	1	-	-	-	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Diseases of skin and cellular tissue——151-153	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	35	9	1	1	1	2	1	1	16	3	4	3	1	-	2	1	1	2	1	1
Congenital debility——158	55	12	-	2	4	3	1	2	24	7	8	7	4	2	1	-	-	1	-	1
Premature birth——159	307	170	42	18	22	17	10	9	288	13	3	-	1	2	-	-	-	-	-	-
Injury at birth——160	63	34	6	9	5	1	2	-	57	3	-	1	-	-	-	-	-	-	-	2
Other diseases peculiar to first year——161	33	4	1	6	10	3	-	2	26	4	1	-	1	1	-	-	-	-	-	-
Accidental mechanical suffocation——182	14	-	-	-	1	2	-	1	4	4	1	-	3	-	-	-	1	1	-	-
Other violence or accident——166-181,183-195	29	1	1	-	-	-	2	2	6	3	2	4	2	1	-	2	1	3	3	2
Ill-defined and unknown causes——199,200	641	142	65	44	59	43	20	26	399	82	34	36	29	18	12	4	9	9	6	3
All other causes*	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
MISSOURI——All causes	3,019	908	202	117	213	160	116	77	1,793	207	215	183	110	98	90	71	78	64	54	56
Cerebrospinal (meningococcus) meningitis——6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1
Scarlet fever——8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough——9	114	-	-	-	-	-	3	3	6	21	16	19	6	9	5	6	7	4	9	6
Diphtheria (infection by C. diphtheriae)——10	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	3	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	12	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	5	1	1
Tuberculosis of meninges, etc.*——14	4	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-
Tuberculosis (other forms)——15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia and purulent infection——24	9	-	-	-	-	-	2	-	2	1	1	1	-	-	1	1	1	1	-	-
Dysentery——27	30	-	-	-	-	2	-	3	5	-	3	5	2	1	3	2	3	2	4	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	28	3	-	1	1	3	1	-	9	5	6	4	2	1	-	-	1	-	-	-
Influenza——33	128	-	-	-	8	1	6	3	18	12	22	16	9	11	9	5	5	7	7	7
Measles——35	24	-	-	-	1	-	-	-	1	4	2	2	1	1	3	5	2	-	-	3
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	6	-	-	-	1	-	-	-	1	-	-	-	-	1	-	2	-	2	-	-
Diseases of thymus gland——64	39	3	4	1	1	4	2	1	16	4	6	6	3	-	-	2	1	-	1	-
Rickets——70	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Hemorrhagic conditions——72	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (except splenic anemia)——73	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)——81	12	-	-	1	1	-	2	-	4	1	2	1	-	-	-	1	2	-	-	1
Intracranial lesions of vascular origin——83	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Convulsions——86	8	1	-	1	2	1	1	-	6	-	1	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	-
Other diseases, nervous system——82,84,85,87,88	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	17	2	-	-	1	1	-	-	4	1	3	2	-	-	-	-	1	2	2	2
Pneumonia (all forms)——107-109	409	4	4	1	15	29	12	16	81	52	57	50	36	26	20	17	20	20	14	16
Other diseases of respiratory system——104-106,110-114	19	1	-	-	1	-	-	2	4	2	1	2	4	1	1	1	1	-	1	1
Diseases of buccal cavity, etc.*——115	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1
Diseases of stomach——117,118	9	-	-	-	-	-	1	-	1	1	1	1	2	1	1	1	-	-	-	-
Diarrhea, enteritis, etc.*——119	253	1	-	-	1	6	6	7	21	37	40	30	20	26	30	11	13	9	7	9
Hernia——122a	6	-	-	-	1	-	1	-	2	-	-	2	-	1	-	-	1	-	-	-
Intestinal obstruction——122b	15	-	-	-	1	1	-	1	3	-	1	2	2	1	1	2	2	-	1	-
Peritonitis (cause not stated)——129	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	5	-	-	-	1	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	11	-	-	1	1	-	1	-	3	-	1	-	-	2	1	2	1	-	1	-
Diseases of skin and cellular tissue——151-153	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-
Congenital malformations——157	316	87	32	21	42	31	18	6	237	23	19	9	8	6	4	3	2	4	-	1
Congenital debility——158	61	13	2	3	4	3	4	5	34	7	6	5	3	1	1	1	2	1	-	-
Premature birth——159	862	535	87	44	68	51	32	20	837	14	5	4	2	-	-	-	-	-	-	-
Injury at birth——160	295	165	48	31	27	9	7	1	288	4	1	-	-	-	-	2	-	-	-	-
Other diseases peculiar to first year——161	166	74	22	8	30	12	5	5	156	2	5	1	-	1	1	-	-	-	-	-
Accidental mechanical suffocation——182	23	-	-	-	-	1	4	1	6	4	5	2	2	-	1	2	1	-	-	-
Other violence or accident——166-181,183-195	41	6	1	-	1	1	3	-	12	4	5	2	3	5	1	1	3	2	-	3
Ill-defined and unknown causes——199,200	36	13	2	2	2	2	1	2	24	1	-	3	2	-	1	1	1	2	1	-
All other causes*	18	-	-	-	-	-	3	-	3	3	2	3	1	-	-	1	2	1	-	2

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MONTANA—All causes	438	135	24	11	39	28	19	9	265	37	22	16	19	19	17	6	12	12	6	7
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	18	-	-	-	-	-	1	2	3	5	-	3	1	3	-	-	-	2	1	-
Measles—35	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
Diseases of thymus gland—64	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	66	-	1	-	2	1	4	3	11	13	6	3	7	9	5	1	3	5	1	2
Other diseases of respiratory system—104-106,110-114	9	-	-	-	1	-	-	-	1	1	-	-	-	2	-	-	2	1	1	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	22	-	-	-	-	2	-	-	2	3	2	2	-	1	3	1	6	1	-	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	52	18	1	1	11	5	3	2	41	3	2	1	2	-	-	1	-	-	1	1
Congenital debility—158	10	2	1	-	-	-	2	-	5	2	2	1	-	-	-	-	-	-	-	-
Premature birth—159	126	78	16	3	13	9	4	1	124	-	-	-	-	-	2	-	-	-	-	-
Injury at birth—160	39	25	2	4	4	2	1	-	38	-	-	1	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	30	8	2	2	6	7	2	-	27	1	-	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	1	-	-	1	-	-	2	1	1	-	1	-	-	1	-	-	-	-
Other violence or accident—166-181,183-195	12	2	-	-	-	-	-	-	2	-	1	2	1	2	2	-	-	1	-	1
Ill-defined and unknown causes—199,200	10	1	-	1	1	1	-	-	4	2	1	-	1	1	1	-	-	-	-	-
All other causes*	6	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	-	-	-
NEBRASKA—All causes	759	278	69	34	61	40	29	15	526	61	24	27	30	20	21	11	9	12	10	8
Cerebrospinal (meningococcus) meningitis—8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	1	-	-	-	-	-	-	1	11	3	2	2	-	3	2	-	1	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	21	1	-	-	-	-	-	1	2	3	4	4	2	2	2	-	-	1	-	1
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2
Diseases of thymus gland—64	5	-	1	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	1	-	-	1	1	-	-	2	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Convulsions—86	4	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	7	1	-	1	-	1	-	-	3	1	2	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	70	-	2	1	-	1	4	2	10	12	3	7	9	5	7	4	4	4	3	2
Other diseases of respiratory system—104-106,110-114	9	-	-	-	1	-	-	-	1	3	-	1	-	-	-	3	1	-	-	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Diseases of stomach—117,118	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	24	1	1	-	1	-	4	-	7	1	1	4	1	2	4	-	2	-	-	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases, genito-urinary sys.—130,131,133-139	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	88	14	7	4	13	14	8	3	63	5	4	3	4	5	1	1	-	1	1	-
Congenital debility—158	14	8	-	1	-	1	1	-	11	2	1	-	-	-	-	-	-	-	-	-
Premature birth—159	277	182	32	15	22	12	6	2	271	4	-	-	1	1	-	-	-	-	-	-
Injury at birth—160	95	53	17	6	12	2	1	1	92	1	-	-	1	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	45	14	8	5	9	3	1	2	42	2	-	-	-	-	-	-	-	-	1	-
Accidental mechanical suffocation—182	6	-	-	1	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	13	-	-	-	-	1	-	1	2	-	1	2	2	2	1	-	-	2	1	-
Ill-defined and unknown causes—199,200	13	3	-	-	2	1	2	-	8	1	2	-	1	-	-	-	1	-	-	-
All other causes*	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—*Continued*

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEVADA—All causes	93	33	9	6	6	1	1	-	56	5	8	7	3	3	3	-	4	2	1	1
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	10	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	2	1	-	-
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	9	3	2	1	1	-	-	-	7	1	-	-	-	1	-	-	-	-	-	-
Congenital debility—158	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Premature birth—159	30	20	5	3	1	-	-	-	29	-	1	-	-	-	-	-	-	-	-	-
Injury at birth—160	11	7	1	1	2	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	7	2	1	1	1	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	7	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	1	-	1	-
Ill-defined and unknown causes—199,200	3	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE—All causes	329	120	29	15	29	13	7	10	223	13	24	19	11	7	6	8	5	4	1	8
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza—33	3	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Pneumonia (all forms)—107-109	30	-	-	-	-	1	-	1	2	3	7	4	2	2	4	2	-	2	-	2
Other diseases of respiratory system—104-106,110-114	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	16	-	-	-	-	1	2	3	6	2	-	2	1	-	-	3	1	-	-	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	59	14	4	4	7	7	1	2	39	2	4	4	1	-	2	1	2	1	1	2
Congenital debility—158	3	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Premature birth—159	105	75	13	3	4	2	1	2	100	2	1	-	1	-	-	-	1	-	-	-
Injury at birth—160	45	23	10	3	9	-	-	-	45	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	20	6	1	4	6	1	-	-	18	-	1	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	9	-	-	-	-	-	-	-	-	-	3	4	1	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	3	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-
Ill-defined and unknown causes—199,200	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 mo.	1 mos.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK—All causes	6,950	2,428	857	408	547	317	201	196	4,954	421	344	307	192	176	149	111	93	64	71	68
Cerebrospinal (meningococcus) meningitis—6	10	-	-	-	-	-	-	-	-	-	3	1	2	-	1	1	2	-	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Whooping cough—9	76	-	-	-	-	-	-	1	1	18	17	10	8	2	7	4	4	5	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	10	2	-	-	-	-	-	-	2	-	2	1	-	1	1	-	-	-	1	2
Tuberculosis of meninges, etc.*—14	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	3	2
Tuberculosis (other forms)—15-22	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	2
Septicemia and purulent infection—24	11	-	-	-	1	-	1	1	3	1	2	-	1	-	1	2	-	-	1	-
Dysentery—27	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	35	5	2	-	1	1	1	3	13	6	9	3	2	2	-	-	-	-	-	-
Influenza—33	60	-	-	-	2	1	1	2	6	4	5	11	7	2	9	3	5	2	6	-
Measles—35	6	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-
Diseases of thymus gland—64	64	6	4	2	3	1	1	4	21	10	2	10	6	3	4	1	1	3	-	3
Rickets—70	8	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	2	-	1	-
Hemorrhagic conditions—72	7	1	1	-	3	-	-	-	5	-	-	1	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	8	-	-	-	-	-	-	1	1	-	2	1	-	3	-	1	-	-	-	-
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	43	-	-	-	-	1	2	3	6	4	4	9	6	2	2	1	5	1	2	1
Intracranial lesions of vascular origin—83	9	-	1	-	-	1	-	-	2	-	2	1	2	1	-	-	-	-	-	1
Convulsions—86	9	1	-	3	-	-	1	1	6	-	-	-	-	-	-	1	1	-	-	1
Diseases of ear and mastoid process—89	35	-	-	-	-	1	-	2	3	6	3	3	3	-	5	6	1	1	2	2
Other diseases, nervous system-82,84,85,87,88	18	4	2	2	3	-	1	1	13	-	1	-	-	1	1	1	1	-	-	-
Diseases of circulatory system—90-103	13	1	-	1	-	-	-	-	2	4	3	1	-	1	1	-	1	-	-	-
Pneumonia (all forms)—107-109	763	8	11	21	36	32	25	38	171	93	105	97	60	63	45	33	25	26	25	20
Other diseases of respiratory system—104-106,110-114	67	1	-	-	1	2	3	2	9	15	8	11	5	4	3	3	2	-	3	4
Diseases of buccal cavity, etc.*—115	15	-	-	-	-	-	2	1	3	1	2	1	1	1	-	1	2	2	-	1
Diseases of stomach—117,118	9	-	-	-	-	-	-	-	-	-	3	3	-	2	-	-	-	-	-	1
Diarrhea, enteritis, etc.*—119	353	-	1	-	4	23	24	28	80	68	56	29	22	33	22	15	14	4	5	5
Hernia—122a	7	-	-	-	-	-	-	2	2	4	-	-	1	-	-	-	-	-	-	-
Intestinal obstruction—122b	26	-	-	-	1	-	2	1	4	1	3	7	3	3	2	2	-	-	1	-
Peritonitis (cause not stated)—129	6	-	-	-	1	1	1	1	4	-	1	-	1	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	13	-	-	1	2	1	3	-	7	1	1	-	1	2	1	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	15	-	-	-	1	-	2	1	4	4	1	3	1	-	1	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	16	-	-	-	2	-	2	4	8	-	1	4	-	1	-	-	1	-	1	-
Congenital malformations—157	1,067	233	73	61	137	105	55	44	708	102	52	55	34	30	23	18	14	9	10	12
Congenital debility—158	40	9	1	2	3	2	4	3	24	2	5	2	1	1	2	1	2	-	-	-
Premature birth—159	2,322	1,451	337	156	167	89	40	24	2,264	36	18	1	1	1	1	-	-	-	-	-
Injury at birth—160	1,058	451	348	102	102	24	12	4	1,043	6	1	5	-	1	1	1	-	-	-	-
Other diseases peculiar to first year—161	485	228	72	55	70	24	13	10	472	4	3	2	-	-	-	1	-	1	-	2
Accidental mechanical suffocation—182	83	-	1	1	1	-	2	5	10	17	13	19	10	5	2	3	1	-	2	1
Other violence or accident—166-181,183-195	90	20	2	1	1	3	2	4	33	5	8	8	5	3	4	6	3	5	4	6
Ill-defined and unknown causes—199,200	14	6	-	-	1	1	-	-	8	-	-	2	-	1	-	1	1	1	-	-
All other causes*	43	1	1	-	4	4	1	4	15	6	3	2	3	2	5	1	2	2	1	1
NORTH CAROLINA (white)—All causes	2,862	728	200	116	176	130	117	106	1,573	235	202	167	148	135	97	87	68	66	41	43
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	76	-	-	-	-	-	4	4	8	9	11	11	7	11	5	3	2	4	3	2
Diphtheria (infection by C. diphtheriae)—10	6	-	-	-	-	-	-	1	1	-	-	1	-	-	1	2	-	-	-	1
Erysipelas—11	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Tetanus—12	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc*-13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia and purulent infection—24	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Dysentery—27	29	-	-	-	-	1	-	-	1	1	2	6	4	3	2	4	3	2	-	1
Malaria—28	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Syphilis—30	9	2	-	-	-	-	1	-	3	2	-	1	1	1	-	-	-	-	-	1
Influenza—33	90	-	-	-	-	4	8	5	17	11	6	8	10	7	10	8	2	4	6	1
Measles—35	24	-	1	-	-	-	1	-	2	4	2	1	2	-	-	1	5	3	3	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Diseases of thymus gland—64	27	1	1	-	2	1	1	4	10	5	5	2	1	3	-	-	-	1	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Hemorrhagic conditions—72	5	-	-	-	1	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Encephalitis (nonepidemic)—80	8	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	1	-	-	-
Meningitis (not due to meningococcus)—81	20	-	-	-	-	2	1	2	5	2	1	2	1	2	3	-	-	1	2	1
Intracranial lesions of vascular origin—83	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	6	-	-	1	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-
Diseases of ear and mastoid process—89	17	-	-	-	-	-	-	-	-	3	4	1	2	-	2	1	1	3	-	-
Other diseases, nervous system-82,84,85,87,88	6	-	-	-	1	1	-	-	2	-	2	-	-	1	-	-	-	1	-	-
Diseases of circulatory system—90-103	21	-	-	1	-	-	1	-	2	1	1	2	5	3	2	1	1	1	1	1
Pneumonia (all forms)—107-109	376	3	1	-	9	15	22	25	75	62	37	40	43	32	20	16	22	13	6	10
Other diseases of respiratory system—104-106,110-114	37	1	-	1	1	-	3	2	8	2	5	5	2	2	1	3	1	5	-	3
Diseases of buccal cavity, etc.*—115	12	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	-	1	2	-
Diseases of stomach—117,118	5	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	293	1	-	-	-	2	5	4	12	32	39	28	40	36	31	20	18	19	10	8
Hernia—122a	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	-	-	-	-	2	-	2	-	-	-	-	3	2	3	-	-	1	-
Peritonitis (cause not stated)—129	3	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	18	1	-	-	4	-	2	3	10	2	2	2	1	-	-	1	-	-	-	-
Congenital malformations—157	265	71	17	16	32	24	15	17	192	19	12	10	5	9	3	5	4	-	2	4
Congenital debility—158	55	6	5	-	7	1	3	3	25	9	11	6	-	-	-	4	-	-	-	-
Premature birth—159	782	467	119	50	47	36	24	10	753	15	5	5	2	1	-	-	-	1	-	-
Injury at birth—160	229	109	38	28	34	9	4	2	224	1	2	1	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	107	37	13	12	19	6	3	5	95	4	3	3	-	-	2	-	-	-	-	-
Accidental mechanical suffocation—182	45	-	-	1	1	2	1	4	9	12	11	6	3	2	2	-	-	-	-	-
Other violence or accident—166-181,183-195	28	1	-	1	-	-	1	1	4	1	6	1	1	1	1	5	1	1	1	5
Ill-defined and unknown causes—199,200	208	28	5	5	16	20	13	13	100	29	23	20	10	8	2	5	4	3	3	1
All other causes*	13	-	-	-	2	-	-	-	2	3	1	1	1	2	-	1	1	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY—All causes	2,408	818	235	126	190	129	106	68	1,662	159	97	104	75	67	52	58	43	32	30	29
Cerebrospinal (meningococcus) meningitis—6	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	24	-	-	-	-	-	-	-	-	2	5	2	1	4	5	1	-	-	2	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-
Tuberculosis of meninges, etc.*—14	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Septicemia and purulent infection—24	4	-	-	-	-	2	1	1	4	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	-	1	2	2	-	-	-	5	1	2	1	1	-	2	-	-	-	-	1
Influenza—33	16	-	-	-	-	-	-	-	-	2	-	2	3	3	-	2	1	1	1	1
Measles—35	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	24	2	3	1	-	-	1	1	8	5	2	2	2	1	1	1	1	-	-	1
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	2	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	7	1	-	1	1	-	-	-	3	1	-	-	-	2	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	3	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	17	-	-	-	-	1	1	1	3	3	3	1	2	1	-	1	-	2	-	1
Intracranial lesions of vascular origin—83	7	-	-	1	-	1	-	-	2	3	-	-	2	-	-	-	-	-	-	-
Convulsions—86	4	-	-	-	2	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1
Other diseases, nervous system—82,84,85,87,88	8	-	-	-	1	-	-	-	1	2	-	-	-	1	-	1	-	1	1	1
Diseases of circulatory system—90-103	12	-	-	1	-	-	1	-	2	2	2	-	1	-	1	1	-	1	2	-
Pneumonia (all forms)—107-109	308	4	2	5	9	16	17	17	70	32	25	32	22	28	22	28	21	7	9	12
Other diseases of respiratory system—104-106,110-114	19	-	-	1	-	1	-	1	3	3	2	2	1	3	1	2	-	-	-	2
Diseases of buccal cavity, etc.*—115	5	-	1	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	123	-	-	-	-	9	13	8	30	21	14	17	13	6	5	5	5	3	4	-
Hernia—122a	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	19	-	1	-	-	-	1	2	4	2	1	1	1	4	-	-	3	2	1	-
Peritonitis (cause not stated)—129	5	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	8	-	-	-	-	1	2	-	3	1	-	1	1	-	-	-	-	-	1	1
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	305	87	20	10	34	22	29	12	214	24	15	18	12	2	5	2	7	2	1	3
Congenital debility—158	38	3	2	-	2	2	2	5	16	4	5	8	1	1	3	-	-	-	-	-
Premature birth—159	833	492	126	50	66	42	24	12	812	21	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	262	135	43	27	29	16	3	1	254	2	2	-	2	1	-	-	1	-	-	-
Other diseases peculiar to first year—161	202	84	33	25	29	13	6	4	194	4	2	1	-	-	1	-	-	-	-	-
Accidental mechanical suffocation—182	27	1	-	-	-	-	-	-	1	4	7	5	4	5	-	-	-	1	-	-
Other violence or accident—166-181,183-195	39	5	-	1	2	-	1	2	11	7	3	3	2	-	1	2	2	3	4	1
Ill-defined and unknown causes—199,200	12	2	2	-	-	2	-	-	6	1	2	2	-	-	-	1	-	-	-	-
All other causes*	15	-	-	-	1	1	1	-	3	1	-	1	-	1	2	3	1	1	2	-
NEW MEXICO—All causes	1,437	265	44	42	68	63	38	46	566	120	137	102	111	93	79	61	51	45	40	32
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	46	-	-	-	-	-	-	1	1	6	7	3	7	3	4	6	3	2	1	3
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	76	-	-	-	-	1	1	1	3	8	8	11	9	8	6	7	7	4	2	3
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	3	-	-	-	-	2	1	6	3	1	-	-	-	1	-	2	-	-	-
Influenza—33	23	-	-	-	-	-	2	1	3	5	2	2	1	2	3	1	1	2	-	1
Measles—35	19	-	-	-	-	-	1	-	1	-	-	-	-	5	3	1	4	2	2	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of thymus gland—64	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	1	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	4	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	128	-	-	2	1	8	4	11	26	16	12	15	9	13	10	8	2	10	4	3
Other diseases of respiratory system—104-106,110-114	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	228	1	-	1	1	2	3	2	10	18	46	19	31	20	23	16	13	12	9	11
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	52	11	2	4	10	3	2	1	33	4	3	4	3	2	2	1	-	-	-	-
Congenital debility—158	34	5	-	-	1	3	3	3	15	2	7	4	5	-	1	-	-	-	-	-
Premature birth—159	212	137	12	12	14	20	7	5	207	4	1	-	-	-	-	-	-	-	-	-
Injury at birth—160	43	24	5	4	7	2	-	-	42	-	-	-	-	-	-	1	-	-	-	-
Other diseases peculiar to first year—161	45	20	2	6	8	5	-	-	41	1	-	1	1	-	-	-	-	1	-	-
Accidental mechanical suffocation—182	8	-	1	-	-	-	-	-	1	-	1	-	3	3	-	-	-	-	-	-
Other violence or accident—166-181,183-195	10	1	-	-	-	-	1	-	2	-	1	-	1	1	-	-	1	1	2	1
Ill-defined and unknown causes—199,200	457	63	21	12	23	18	12	19	168	51	46	35	37	33	23	15	14	11	16	8
All other causes*	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NORTH CAROLINA (all other races)—All causes	2,191	403	111	73	167	104	88	78	1,024	213	167	151	128	101	97	80	89	68	48	47
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	49	-	-	-	-	1	1	1	3	6	5	4	3	5	1	1	2	7	6	6
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Tuberculosis of meninges, etc.*—14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-
Septicemia and purulent infection—24	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Dysentery—27	17	-	-	-	-	-	-	-	-	1	-	3	5	1	1	3	2	-	-	1
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis—30	44	4	1	5	3	2	4	1	20	6	8	5	1	2	1	-	-	1	-	-
Influenza—33	90	-	-	1	-	3	5	4	13	6	9	12	9	10	11	3	6	4	4	3
Measles—35	7	-	-	-	1	-	-	1	2	-	1	-	1	-	-	1	1	1	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	-	-	-	1	1	-	2	1	1	-	2	-	1	2	1	-	-	-
Diseases of thymus gland—64	5	1	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	1
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Intracranial lesions of vascular origin—83	4	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1
Convulsions—86	9	1	-	1	4	1	-	-	7	-	-	1	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	-	-	-	-	-	-	1	1	2	2	1	2	-	-	-	1	-	-	-
Pneumonia (all forms)—107-109	378	1	8	-	9	6	11	10	45	46	54	45	33	33	31	31	23	17	11	9
Other diseases of respiratory system—104-106,110-114	28	1	-	1	1	-	2	2	7	3	3	1	2	2	1	2	2	2	3	-
Diseases of buccal cavity, etc.*—115	9	-	-	-	-	-	1	-	1	-	-	2	1	-	2	-	2	-	-	1
Diseases of stomach—117,118	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	294	-	-	-	3	4	5	11	23	30	20	42	35	24	31	22	19	14	18	16
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	6	-	-	-	-	-	1	-	1	-	3	-	1	-	1	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	5	-	-	-	-	1	-	2	3	-	-	-	1	-	-	-	-	-	-	1
Congenital malformations—157	66	10	9	6	10	3	3	3	44	6	1	6	2	1	-	4	1	-	1	-
Congenital debility—158	86	12	2	-	3	5	4	8	34	23	10	2	6	1	4	2	-	2	2	-
Premature birth—159	502	243	54	33	66	45	19	15	475	15	9	1	-	-	-	1	-	1	-	-
Injury at birth—160	85	49	12	5	11	4	-	2	83	2	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	92	25	4	7	27	11	5	3	82	4	2	1	-	1	-	-	1	1	-	-
Accidental mechanical suffocation—182	44	2	1	1	3	1	-	6	14	13	4	4	3	1	5	-	-	-	-	-
Other violence or accident—166-181,183-195	33	9	-	2	1	-	4	1	17	2	2	2	1	-	2	-	1	3	-	3
Ill-defined and unknown causes—199,200	268	45	19	10	20	15	20	7	136	36	27	15	17	12	3	5	5	8	1	3
All other causes*	9	-	-	-	1	-	-	-	1	3	2	-	-	1	-	1	-	1	-	-
NORTH DAKOTA—All causes	492	159	40	17	36	27	19	10	308	42	36	29	19	14	5	10	12	6	5	6
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	11	-	-	-	-	-	-	1	1	3	1	2	-	1	1	-	-	-	1	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Influenza—33	10	-	-	-	-	-	-	-	-	-	2	1	-	3	1	1	-	1	-	1
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-
Diseases of thymus gland—64	2	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	6	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	1	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Convulsions—86	8	-	-	1	1	2	-	1	5	-	1	1	-	-	1	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Pneumonia (all forms)—107-109	72	1	1	-	3	-	2	3	10	16	10	9	11	2	-	3	6	1	1	3
Other diseases of respiratory system—104-106,110-114	7	-	-	-	-	2	1	-	3	1	-	1	-	1	-	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	16	-	-	-	-	-	4	-	4	3	3	2	1	1	-	1	-	1	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	5	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	1	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	3	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	45	8	4	3	3	4	4	2	28	7	5	2	-	2	-	1	-	-	-	-
Congenital debility—158	7	2	1	-	2	-	-	1	6	-	-	-	-	1	-	-	-	-	-	-
Premature birth—159	161	107	16	5	14	8	4	-	154	3	2	1	1	-	-	-	-	-	-	-
Injury at birth—160	48	27	11	5	3	1	-	-	47	-	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	28	8	4	2	4	6	1	1	26	1	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	6	-	1	-	-	-	-	-	1	1	-	2	-	-	1	-	1	-	-	-
Other violence or accident—166-181,183-195	6	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	-	-
Ill-defined and unknown causes—199,200	18	4	1	1	1	1	1	-	9	1	1	4	1	-	-	-	1	1	-	-
All other causes*	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OHIO—All causes	5,134	1,700	408	266	349	258	183	146	3,310	345	297	231	205	143	121	116	114	95	90	67
Cerebrospinal (meningococcus) meningitis—6	7	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	2	-	-	-
Scarlet fever—8	2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Whooping cough—9	129	-	-	-	-	-	1	8	9	9	19	17	16	11	10	12	9	7	3	7
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas—11	4	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	15	-	-	-	-	-	1	-	1	1	-	1	2	1	1	1	1	3	3	-
Tuberculosis of meninges, etc.*—14	9	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	-	-	1
Tuberculosis (other forms)—15-22	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1
Septicemia and purulent infection—24	5	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	1	1	-	-
Dysentery—27	14	-	-	-	-	1	1	1	3	-	-	2	4	1	-	1	2	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	34	3	1	1	-	1	1	-	7	10	6	3	-	3	-	1	3	1	-	-
Influenza—33	88	-	-	-	1	1	3	3	8	9	11	10	9	8	9	6	5	3	5	5
Measles—35	28	-	-	-	-	2	-	1	3	-	4	-	1	1	2	6	1	2	3	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8	-	-	-	-	1	-	1	2	-	-	-	-	1	1	-	1	1	1	1
Diseases of thymus gland—64	61	6	5	7	5	6	2	3	34	8	3	5	5	2	1	1	-	-	1	1
Rickets—70	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-
Hemorrhagic conditions—72	6	-	-	-	1	1	1	-	3	-	-	1	-	-	-	-	2	-	-	-
Anemias (except splenic anemia)—73	12	-	1	-	-	-	-	-	1	-	4	-	2	-	-	1	1	-	2	1
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Meningitis (not due to meningococcus)—81	28	-	-	-	-	-	-	-	-	5	3	4	4	2	3	1	1	2	3	-
Intracranial lesions of vascular origin—83	12	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	3	1	-	1
Convulsions—86	10	-	-	-	2	3	1	-	6	-	-	-	-	2	1	-	-	-	-	1
Diseases of ear and mastoid process—89	13	-	-	-	-	-	1	-	1	1	1	1	1	-	1	2	1	3	1	-
Other diseases, nervous system—82,84,85,87,88	19	1	-	2	-	2	1	-	6	1	2	1	3	-	-	2	1	1	1	1
Diseases of circulatory system—90-103	18	-	-	-	2	1	1	2	6	1	3	2	2	-	-	-	1	3	-	-
Pneumonia (all forms)—107-109	464	4	4	7	22	19	21	15	92	75	55	45	43	39	23	22	20	16	25	9
Other diseases of respiratory system—104-106,110-114	37	-	-	-	1	1	1	1	4	7	5	4	2	6	3	3	1	-	-	2
Diseases of buccal cavity, etc.*—115	8	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2	2	2	-
Diseases of stomach—117,118	6	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	1	-
Diarrhea, enteritis, etc.*—119	458	-	-	-	1	9	29	23	62	64	64	53	52	32	35	24	22	19	16	15
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	40	-	-	-	-	-	-	4	4	4	5	6	5	3	2	5	2	2	1	1
Peritonitis (cause not stated)—129	5	1	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	14	-	-	-	-	-	1	-	1	1	2	-	2	2	-	2	2	-	-	2
Diseases of skin and cellular tissue—151-153	10	-	-	-	1	2	-	3	6	2	-	1	-	-	-	-	1	-	-	-
Congenital malformations—157	664	168	46	51	68	66	27	36	482	56	32	28	21	12	11	6	12	12	6	6
Congenital debility—158	100	15	2	4	4	2	2	7	36	14	19	14	8	1	2	1	3	2	-	-
Premature birth—159	1,715	1,071	222	93	105	99	54	19	1,663	25	12	7	4	2	1	-	-	-	-	1
Injury at birth—160	520	266	80	56	88	20	13	5	508	3	2	1	2	2	-	1	-	1	-	-
Other diseases peculiar to first year—161	328	144	36	42	55	17	13	4	311	4	3	4	2	-	-	2	-	2	-	-
Accidental mechanical suffocation—182	62	-	3	-	4	-	1	4	12	17	18	7	4	2	-	1	-	-	1	-
Other violence or accident—166-181,183-195	64	4	2	1	1	2	3	2	15	5	8	2	3	5	4	5	3	4	6	4
Ill-defined and unknown causes—199,200	74	15	5	1	5	2	-	1	29	13	6	7	5	-	1	3	5	2	1	2
All other causes*	26	2	1	1	2	-	-	3	9	1	2	1	3	1	2	1	2	1	3	-
OKLAHOMA (white)—All causes	1,807	597	158	70	122	98	89	63	1,177	144	91	65	57	48	41	46	33	40	28	39
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	79	-	-	-	-	-	3	10	13	13	15	8	8	3	2	6	1	4	2	4
Diphtheria (infection by C. diphtheriae)—10	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dysentery—27	16	-	-	-	-	-	-	-	-	1	3	1	-	-	2	1	3	4	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	9	-	-	-	1	1	-	-	2	2	-	3	-	1	-	1	-	-	-	-
Influenza—33	51	1	-	1	2	1	2	4	11	5	5	6	7	3	2	4	2	2	3	1
Measles—35	5	-	-	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	9	2	1	-	-	-	-	1	4	1	1	1	1	-	-	1	-	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhagic conditions—72	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	12	-	-	-	-	-	-	2	2	2	2	2	1	1	1	-	-	-	-	1
Intracranial lesions of vascular origin—83	6	1	1	-	-	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-
Convulsions—86	4	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Diseases of ear and mastoid process—89	9	-	-	-	-	-	-	-	-	3	1	-	1	2	-	1	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	2	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	9	-	-	1	-	1	-	-	2	2	1	-	1	1	-	1	-	-	-	1
Pneumonia (all forms)—107-109	229	-	-	3	7	10	14	14	48	36	23	16	21	14	15	12	9	13	7	15
Other diseases of respiratory system—104-106,110-114	13	-	-	-	1	-	-	-	1	6	1	1	-	1	-	1	-	-	1	1
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Diseases of stomach—117,118	6	-	-	-	2	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	68	-	-	1	-	3	4	6	14	10	5	5	3	7	5	3	5	4	3	4
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	11	-	-	-	-	-	1	-	1	2	1	-	3	-	5	-	-	1	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	3	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	189	48	21	12	22	12	7	7	130	16	12	8	1	2	2	3	5	5	3	2
Congenital debility—158	82	34	5	4	7	2	-	2	54	7	6	3	1	2	2	4	-	2	-	1
Premature birth—159	636	379	93	24	49	46	21	11	623	7	4	-	2	-	-	-	-	-	-	-
Injury at birth—160	143	75	24	12	13	8	5	2	139	1	-	1	-	-	1	-	-	1	-	-
Other diseases peculiar to first year—161	105	48	11	8	13	7	6	2	95	5	1	2	-	-	1	1	-	-	-	-
Accidental mechanical suffocation—182	12	-	-	-	-	-	-	1	1	4	2	1	3	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	23	2	-	1	-	-	2	-	5	5	2	1	-	-	1	1	2	2	2	2
Ill-defined and unknown causes—199,200	38	6	1	2	2	3	3	-	17	6	2	3	3	2	1	1	2	1	-	-
All other causes*	10	-	-	-	-	1	-	-	1	1	1	-	1	2	1	2	-	-	1	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (all other races)——All causes	379	66	29	20	33	19	11	14	192	35	23	20	15	17	12	16	11	18	11	9
Cerebrospinal (meningococcus) meningitis——6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	14	-	-	-	-	-	-	1	1	3	1	1	1	-	-	2	-	2	2	1
Diphtheria (infection by C. diphtheriae)——10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Tuberculosis of meninges, etc.*——14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis (other forms)——15-22	4	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1	-	-
Septicemia and purulent infection——24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dysentery——27	8	-	-	-	-	-	-	1	1	1	2	2	-	1	-	1	-	-	-	-
Malaria——28	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis——30	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza——33	18	-	-	-	1	1	-	1	3	2	-	4	-	1	-	1	2	2	2	1
Measles——35	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Rickets——70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhagic conditions——72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-
Intracranial lesions of vascular origin——83	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Convulsions——86	3	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
Diseases of ear and mastoid process——89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system——82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	4	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms)——107-109	67	1	1	-	4	1	1	4	12	10	6	4	4	5	6	6	2	4	5	3
Other diseases of respiratory system——104-106,110-114	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-
Diseases of buccal cavity, etc.*——115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	3	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*——119	24	-	-	-	-	1	-	2	3	1	3	2	2	1	1	3	3	3	-	2
Hernia——122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	5	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue——151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	20	2	2	1	3	4	1	-	13	1	2	1	2	1	-	-	-	-	-	-
Congenital debility——158	25	5	3	7	2	1	2	1	21	-	1	-	2	1	-	-	-	-	-	-
Premature birth——159	80	42	15	5	6	5	1	-	74	6	-	-	-	-	-	-	-	-	-	-
Injury at birth——160	17	8	3	2	2	2	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	20	6	2	1	8	1	1	-	19	-	-	-	-	1	-	-	-	-	-	-
Accidental mechanical suffocation——182	5	1	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
Other violence or accident——166-181,183-195	5	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	-	-
Ill-defined and unknown causes——199,200	25	-	3	4	4	3	1	2	17	2	2	-	1	-	-	1	-	-	-	-
All other causes*	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OREGON——All causes	580	209	54	31	45	25	14	16	394	44	39	23	14	13	21	8	8	5	6	5
Cerebrospinal (meningococcus) meningitis——6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	6	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of meninges, etc.*——14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)——15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dysentery——27	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza——33	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Measles——35	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	9	-	-	-	-	-	-	-	-	2	3	-	1	1	-	1	1	-	-	-
Rickets——70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-
Intracranial lesions of vascular origin——83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Convulsions——86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Other diseases, nervous system——82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	5	-	-	-	-	1	-	-	1	2	-	1	-	-	-	1	-	-	-	-
Pneumonia (all forms)——107-109	52	-	-	1	2	-	2	4	9	12	9	7	-	3	2	2	2	1	4	1
Other diseases of respiratory system——104-106,110-114	6	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-
Diseases of buccal cavity, etc.*——115	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases of stomach——117,118	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*——119	15	-	-	-	1	1	-	2	4	1	2	3	1	1	1	1	-	1	-	-
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue——151-153	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-
Congenital malformations——157	81	15	8	5	11	7	6	2	54	7	6	4	3	3	3	-	1	-	-	-
Congenital debility——158	16	5	3	1	-	1	-	1	11	1	3	-	-	-	1	-	-	-	-	-
Premature birth——159	184	117	25	15	12	4	3	3	179	2	-	2	1	-	-	-	-	-	-	-
Injury at birth——160	82	57	13	4	5	1	-	-	80	1	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year——161	46	14	3	5	12	8	1	1	44	1	-	-	-	-	1	-	-	-	-	-
Accidental mechanical suffocation——182	14	-	-	-	-	-	-	1	1	5	2	-	3	-	2	-	-	-	1	-
Other violence or accident——166-181,183-195	20	1	-	-	1	-	1	-	3	3	5	1	3	-	-	-	2	2	-	1
Ill-defined and unknown causes——199,200	6	-	2	-	1	1	-	-	4	1	1	-	-	-	-	-	-	-	-	-
All other causes*	5	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PENNSYLVANIA—All causes	7,125	2,567	509	364	589	401	258	213	4,701	457	396	322	237	208	165	183	153	120	86	97
Cerebrospinal (meningococcus) meningitis—6	14	-	-	-	-	-	-	-	-	1	1	4	2	-	-	1	3	1	-	1
Scarlet fever—8	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	1
Whooping cough—9	106	-	-	-	-	-	-	4	4	9	18	12	9	11	7	8	4	9	5	10
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
Erysipelas—11	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	20	-	-	-	-	-	-	-	-	-	1	2	1	6	1	3	3	1	1	1
Tuberculosis of meninges, etc.* —14	15	-	-	-	-	-	-	-	-	1	-	-	2	3	2	1	1	2	1	2
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-
Dysentery—27	16	-	-	-	-	-	-	1	1	4	3	1	1	3	1	-	-	-	2	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	54	8	-	2	3	6	-	1	20	7	12	1	6	2	2	-	1	1	1	1
Influenza—33	116	-	-	-	2	1	4	2	9	12	15	12	7	14	11	10	7	7	5	7
Measles—35	34	-	-	-	-	-	-	-	-	-	-	2	1	-	1	9	8	3	5	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	18	-	-	-	-	-	1	-	1	1	1	3	2	2	-	2	1	2	3	-
Diseases of thymus gland—64	107	9	5	8	15	8	12	7	64	7	11	4	8	2	2	2	4	1	1	1
Rickets—70	7	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	-	-	-	-
Hemorrhagic conditions—72	10	1	2	-	1	3	2	-	9	-	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	9	-	-	-	-	1	-	-	1	2	2	2	-	-	-	-	1	-	-	1
Encephalitis (nonepidemic)—80	4	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	36	-	-	-	2	1	1	3	7	5	6	3	2	2	2	3	1	3	1	1
Intracranial lesions of vascular origin—83	10	-	-	-	-	-	-	-	-	1	2	1	2	-	-	2	1	-	1	-
Convulsions—86	31	-	-	1	1	4	1	2	9	3	2	1	1	4	3	1	1	3	-	3
Diseases of ear and mastoid process—89	23	-	-	-	-	1	-	-	1	2	5	2	1	3	4	-	4	-	-	1
Other diseases, nervous system-82,84,85,87,88	12	-	-	-	1	-	-	-	1	2	2	2	1	1	1	-	1	1	-	-
Diseases of circulatory system—90-103	22	-	-	-	1	3	-	-	4	1	3	3	3	1	1	2	2	-	2	-
Pneumonia (all forms)—107-109	887	8	4	10	30	42	36	39	169	102	106	113	79	71	55	60	43	42	20	27
Other diseases of respiratory system—104-106,110-114	78	-	-	1	5	1	4	2	13	12	10	7	6	7	6	3	3	3	5	3
Diseases of buccal cavity, etc.* —115	9	-	-	-	-	-	1	-	1	3	-	1	-	-	1	-	1	1	1	-
Diseases of stomach—117,118	11	-	-	1	2	-	-	1	4	1	2	1	-	1	-	2	-	-	-	-
Diarrhea, enteritis, etc.* —119	426	-	-	-	5	11	35	27	78	70	50	45	42	29	24	27	28	14	9	10
Hernia—122a	6	-	-	-	-	-	1	-	1	2	-	-	2	1	-	-	-	-	-	-
Intestinal obstruction—122b	49	-	-	-	2	6	2	-	10	5	5	9	3	5	4	2	1	2	-	3
Peritonitis (cause not stated)—129	11	-	-	-	-	1	-	4	5	-	4	-	-	-	1	-	1	-	-	-
Other diseases, digestive sys.116,121,123-128	11	-	-	-	-	-	1	1	2	2	-	1	1	-	1	2	-	-	2	-
Diseases, genito-urinary sys.130,131,133-139	16	-	2	-	-	-	1	2	5	4	-	1	-	-	1	2	1	1	1	-
Diseases of skin and cellular tissue-151-153	9	-	-	-	-	1	3	-	4	1	-	-	-	1	1	-	-	1	-	1
Congenital malformations—157	982	238	62	59	129	105	47	44	684	79	59	41	26	15	16	17	17	11	11	8
Congenital debility—158	111	17	5	7	6	6	8	11	60	17	14	8	2	5	2	2	-	1	-	-
Premature birth—159	2,280	1,398	258	124	182	137	65	41	2,205	46	16	5	2	3	1	-	2	-	-	-
Injury at birth—160	889	503	103	92	110	31	22	5	866	10	5	1	1	1	1	1	1	-	-	2
Other diseases peculiar to first year—161	457	175	64	52	84	26	9	8	418	13	10	9	2	1	1	-	2	1	-	-
Accidental mechanical suffocation—182	75	1	-	1	2	1	-	5	10	15	17	8	10	8	1	2	2	2	-	-
Other violence or accident—166-181,183-195	69	4	3	3	2	-	-	2	14	5	5	10	3	2	5	11	3	4	5	2
Ill-defined and unknown causes—199,200	24	5	-	2	3	1	1	-	12	1	4	1	3	-	-	1	-	-	1	1
All other causes*	47	-	1	1	1	2	1	-	6	8	5	3	5	3	4	4	2	2	3	2
RHODE ISLAND—All causes	405	153	23	15	34	17	10	7	259	44	23	18	20	12	6	6	6	4	4	3
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.* —14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Influenza—33	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	38	-	-	-	-	-	-	1	1	8	4	6	8	2	2	3	-	1	2	1
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-
Diseases of buccal cavity, etc.* —115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.* —119	20	-	-	-	-	-	1	2	3	7	4	1	1	1	-	-	2	1	-	-
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	76	20	2	2	7	7	6	2	46	9	9	1	4	1	2	-	2	-	-	2
Congenital debility—158	11	-	1	-	-	1	-	-	2	3	2	1	1	1	1	-	-	-	-	-
Premature birth—159	116	79	9	7	11	3	2	-	111	5	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	69	44	9	3	9	2	-	1	68	-	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	22	10	2	3	5	2	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	8	-	-	-	-	-	-	1	1	3	-	1	1	2	-	-	-	-	-	-
Other violence or accident—166-181,183-195	10	-	-	-	1	-	-	-	1	-	2	3	2	-	1	-	-	1	-	-
Ill-defined and unknown causes—199,200	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
All other causes*	4	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-

* Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (white)—All causes	1,401	351	106	71	106	65	48	52	799	133	93	71	74	46	41	38	31	23	24	28
Cerebrospinal (meningococcus) meningitis—6	4	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	67	-	-	-	-	-	-	3	3	14	7	9	6	5	5	7	5	-	4	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	15	-	-	-	-	-	1	-	1	2	-	2	4	3	-	-	1	-	-	-
Malaria—28	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
Syphilis—30	7	-	-	1	-	-	-	-	1	2	2	-	1	1	-	-	-	-	-	-
Influenza—33	53	-	-	-	1	4	2	5	12	14	4	2	2	2	2	6	3	2	2	2
Measles—35	19	1	-	-	-	-	1	1	3	3	-	1	-	-	1	2	2	3	2	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Diseases of thymus gland—64	16	2	-	1	4	2	2	2	13	2	-	-	-	1	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	8	-	-	-	-	-	-	-	-	3	1	1	1	1	-	1	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of circulatory system—90-103	5	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-
Pneumonia (all forms)—107-109	148	-	-	2	10	3	7	10	32	20	23	15	18	10	8	3	3	8	1	7
Other diseases of respiratory system—104-106,110-114	14	-	-	-	-	1	1	-	2	2	1	-	2	3	1	1	-	1	-	1
Diseases of buccal cavity, etc.*—115	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	163	-	-	-	2	3	3	7	15	20	20	20	24	9	12	9	13	4	9	8
Hernia—122a	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of skin and cellular tissue-151-153	8	-	-	-	-	3	-	-	3	1	-	1	1	-	-	-	2	-	-	-
Congenital malformations—157	117	28	8	10	14	9	8	5	82	5	6	4	4	3	6	3	-	1	2	1
Congenital debility—158	17	1	-	1	2	1	-	1	6	4	2	2	1	-	-	1	-	1	-	-
Premature birth—159	417	241	52	30	30	26	12	6	397	12	4	3	1	-	-	-	-	-	-	-
Injury at birth—160	77	28	19	12	10	3	1	2	75	2	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	88	29	15	5	21	4	1	3	78	5	3	-	-	1	-	-	-	1	-	-
Accidental mechanical suffocation—182	23	-	-	-	1	3	2	1	7	4	6	3	1	2	-	-	-	-	-	-
Other violence or accident—166-181,183-195	11	-	-	-	-	-	-	2	2	1	1	1	-	1	1	3	1	-	-	-
Ill-defined and unknown causes—199,200	95	21	9	9	9	3	6	2	59	15	9	3	2	3	1	1	1	-	-	1
All other causes*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA (all other races)—All causes	2,153	349	117	96	188	123	79	61	1,013	188	147	157	147	95	109	82	65	54	51	45
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	82	-	-	-	-	-	5	3	8	10	4	6	11	6	10	5	10	2	6	4
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-
Erysipelas—11	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Tetanus—12	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis of meninges, etc.*—14	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	28	-	-	-	1	-	1	-	2	1	1	5	6	4	2	2	1	1	2	1
Malaria—28	16	-	-	-	-	-	-	-	-	2	1	3	4	-	1	1	2	1	-	1
Syphilis—30	43	10	2	1	5	1	1	2	22	4	2	3	5	-	3	-	-	2	2	-
Influenza—33	81	-	-	-	1	2	1	2	6	11	10	10	9	9	3	9	4	4	3	3
Measles—35	25	-	-	-	-	-	-	-	-	-	3	1	2	2	3	1	2	3	5	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	-	-	-	-	1	2	3	-	-	-	1	1	2	-	2	1	-	-
Diseases of thymus gland—64	5	-	1	-	1	-	-	-	2	-	-	1	-	-	2	-	-	-	-	-
Rickets—70	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-
Hemorrhagic conditions—72	3	-	1	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	11	-	-	-	-	-	-	-	-	1	2	2	-	1	1	1	1	-	1	1
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	14	-	1	1	4	1	2	1	10	-	-	-	2	-	1	-	1	-	-	-
Diseases of ear and mastoid process—89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	5	-	-	1	1	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-
Pneumonia (all forms)—107-109	273	2	1	2	10	13	9	8	45	28	28	37	27	26	29	19	14	8	4	8
Other diseases of respiratory system—104-106,110-114	34	1	-	1	2	3	1	-	8	11	3	4	3	2	1	1	-	1	-	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	1
Diseases of stomach—117,118	15	-	-	-	1	-	1	-	2	2	3	2	1	2	1	-	-	-	1	1
Diarrhea, enteritis, etc.*—119	233	-	-	-	2	3	6	3	14	18	20	27	38	22	24	16	11	16	12	15
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	7	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	7	-	-	2	1	1	-	-	4	1	-	1	-	-	-	-	-	-	1	-
Diseases, genito-urinary sys.130,131,133-139	5	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	4	-	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	42	2	3	3	4	2	-	-	14	8	5	5	3	1	-	-	4	1	1	-
Congenital debility—158	49	8	1	5	3	5	3	1	26	5	7	1	2	1	3	-	-	1	1	2
Premature birth—159	336	153	31	24	41	30	15	13	307	14	8	3	1	2	-	-	1	-	-	-
Injury at birth—160	38	18	5	4	7	2	1	-	37	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	66	11	8	8	17	5	6	1	56	5	1	1	1	-	1	1	-	-	-	-
Accidental mechanical suffocation—182	12	-	-	-	-	2	-	-	2	3	3	1	1	-	-	-	1	1	-	-
Other violence or accident—166-181,183-195	26	-	2	1	1	-	-	1	5	-	3	3	5	-	2	3	2	1	2	-
Ill-defined and unknown causes—199,200	653	144	60	43	81	51	26	22	427	54	40	37	19	15	15	20	8	7	8	3
All other causes*	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH DAKOTA—All causes	502	174	44	14	31	30	8	12	313	39	24	24	19	17	16	11	12	12	10	5
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	20	-	-	-	-	-	-	1	1	4	1	3	2	1	2	1	2	1	1	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc*-13	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	14	-	-	-	1	-	1	-	2	-	3	-	2	2	1	3	-	1	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	8	1	1	-	-	1	-	-	3	1	1	1	1	-	-	-	-	1	-	-
Rickets—70	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Convulsions—86	7	1	-	1	-	-	1	1	4	1	1	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system-82,84,85,87,88	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of circulatory system—90-103	3	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	68	-	2	-	1	1	-	4	8	14	8	10	7	2	4	3	2	4	4	2
Other diseases of respiratory system—104-106,110-114	6	-	-	-	-	-	1	-	1	1	2	1	-	-	1	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	10	-	-	-	-	-	1	-	1	-	2	1	2	-	-	1	1	-	-	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	3	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	63	18	7	2	4	11	4	1	47	3	1	2	1	4	1	2	2	-	-	-
Congenital debility—158	14	5	1	-	1	1	-	2	10	-	1	2	-	1	-	-	-	-	-	-
Premature birth—159	148	105	21	5	9	4	-	1	145	2	-	1	-	-	-	-	-	-	-	-
Injury at birth—160	46	30	5	4	3	3	-	-	45	-	-	-	-	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	34	12	6	2	10	3	-	-	33	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	4	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-
Other violence or accident—166-181,183-195	6	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	1	-	-	-
Ill-defined and unknown causes—199,200	15	1	1	-	2	-	-	-	4	3	1	-	2	1	2	1	-	1	-	-
All other causes*	6	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-
TENNESSEE (white)—All causes	2,509	593	127	111	178	160	117	81	1,367	249	154	159	107	100	95	77	70	49	43	59
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	86	-	-	-	-	2	2	3	7	10	8	5	9	7	13	5	10	2	3	7
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-
Erysipelas—11	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	11	1	-	-	-	-	-	-	1	-	2	1	-	-	2	1	-	3	1	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Septicemia and purulent infection—24	7	-	-	-	-	2	-	-	2	-	1	-	-	-	-	2	1	-	1	-
Dysentery—27	40	-	-	-	-	1	1	-	2	5	4	5	4	4	3	3	1	3	4	2
Malaria—28	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Syphilis—30	12	-	-	-	2	3	2	-	7	1	1	1	2	-	-	-	-	-	-	-
Influenza—33	101	-	-	-	3	-	5	8	16	15	7	8	9	7	10	10	7	6	1	5
Measles—35	28	-	-	-	-	1	1	4	6	2	3	1	3	2	1	-	4	2	1	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	1	2
Diseases of thymus gland—64	7	-	-	-	3	-	-	-	3	-	1	2	-	-	-	-	1	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	6	-	-	-	4	-	-	-	4	-	1	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)—73	7	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis (not due to meningococcus)—81	5	-	-	-	1	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-
Intracranial lesions of vascular origin—83	9	-	-	-	2	-	-	-	2	2	1	-	-	-	1	2	-	-	-	1
Convulsions—86	8	-	-	-	2	1	-	-	3	1	1	-	-	-	-	-	2	-	-	1
Diseases of ear and mastoid process—89	12	-	-	-	-	-	-	-	-	1	2	1	-	2	3	-	-	-	-	3
Other diseases, nervous system-82,84,85,87,88	7	1	-	-	-	1	-	-	2	1	-	-	-	1	-	1	1	-	-	1
Diseases of circulatory system—90-103	12	1	-	-	-	-	5	1	7	3	1	1	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	319	-	4	4	10	21	21	20	80	58	34	27	18	28	14	15	11	11	12	11
Other diseases of respiratory system—104-106,110-114	15	-	-	1	1	1	1	-	4	4	2	1	-	2	1	-	1	-	-	-
Diseases of buccal cavity, etc.*—115	7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	-	-
Diseases of stomach—117,118	7	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	232	-	-	-	1	4	15	4	24	23	25	35	20	19	22	16	15	12	13	8
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	18	-	-	-	-	-	-	-	-	4	-	-	2	3	2	3	2	1	-	1
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	9	-	1	-	-	-	-	-	1	2	1	-	1	2	-	1	1	-	-	-
Diseases of skin and cellular tissue-151-153	8	-	1	-	1	-	2	1	5	2	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	209	47	10	18	20	17	12	7	131	27	8	12	7	6	5	3	3	2	1	4
Congenital debility—158	72	16	1	1	4	3	10	4	39	10	9	4	4	3	2	-	-	-	-	1
Premature birth—159	578	342	52	28	54	54	19	10	559	11	6	2	-	-	-	-	-	-	-	-
Injury at birth—160	216	97	31	31	34	9	4	4	210	4	1	-	-	-	-	-	-	-	1	-
Other diseases peculiar to first year—161	101	39	11	9	12	12	2	1	86	4	3	2	4	-	1	1	-	-	-	-
Accidental mechanical suffocation—182	26	-	-	2	4	1	-	1	8	9	2	1	5	-	1	-	-	-	-	-
Other violence or accident—166-181,183-195	30	1	-	-	2	2	-	-	5	7	2	3	3	-	2	1	1	3	-	3
Ill-defined and unknown causes—199,200	260	48	16	17	17	25	15	13	149	37	21	18	10	9	3	3	4	1	1	4
All other causes*	13	-	-	-	1	1	-	-	2	2	-	1	-	2	-	3	1	1	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (all other races)——All causes	741	137	60	25	64	46	30	18	378	56	44	43	49	38	38	15	22	25	22	15
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	21	-	-	-	-	-	-	-	-	5	1	1	2	1	4	-	1	3	2	1
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	2	-
Malaria—28	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Syphilis—30	20	6	4	-	-	4	2	-	16	1	-	1	1	-	-	-	1	-	-	-
Influenza—33	30	-	-	-	-	1	-	-	1	2	3	5	2	7	3	3	2	2	-	-
Measles—35	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of thymus gland—64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis (not due to meningococcus)——81	4	-	-	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
Intracranial lesions of vascular origin——83	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Convulsions—86	7	-	-	-	-	2	-	-	2	-	-	1	1	-	-	1	-	-	-	2
Diseases of ear and mastoid process——89	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	125	1	1	1	6	5	6	5	25	12	8	10	16	13	11	3	8	8	8	3
Other diseases of respiratory system—104-106,110-114	6	-	-	-	1	-	1	-	2	-	1	3	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	67	-	-	1	2	2	1	1	7	8	10	5	14	6	6	2	2	3	2	2
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	6	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	1	1	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations—157	14	1	1	1	3	-	-	-	6	1	-	1	2	1	1	1	-	-	1	-
Congenital debility—158	14	4	3	1	1	1	1	-	11	1	-	-	-	-	2	-	-	-	-	-
Premature birth—159	165	75	32	8	21	14	6	3	159	3	1	1	1	-	-	-	-	-	-	-
Injury at birth—160	38	18	7	3	6	3	1	-	38	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year——161	39	13	6	4	6	4	3	-	36	3	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation——182	7	1	-	-	-	1	-	2	4	-	-	-	2	-	1	-	-	-	-	-
Other violence or accident——166-181,183-195	12	2	-	-	2	-	-	-	4	-	2	-	1	1	1	-	-	1	1	1
Ill-defined and unknown causes——199,200	119	16	6	4	15	8	8	4	61	18	13	10	2	5	-	2	4	4	-	-
All other causes*	6	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	1	-	-	1
TEXAS (white)——All causes	6,457	1,644	473	249	476	366	204	180	3,592	494	400	364	300	259	244	194	188	162	118	142
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	139	-	-	-	1	1	-	7	9	36	14	16	8	9	8	9	9	4	7	10
Diphtheria (infection by C. diphtheriae)—10	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	1	3
Erysipelas—11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tetanus—12	48	-	1	-	16	22	4	-	43	2	1	-	-	-	1	-	-	-	1	-
Tuberculosis of respiratory system, etc.*—13	11	-	1	-	-	1	-	-	2	-	3	-	-	1	1	-	-	1	2	1
Tuberculosis of meninges, etc.*—14	12	-	-	-	-	1	-	1	2	-	-	-	2	1	2	2	1	-	1	1
Tuberculosis (other forms)—15-22	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1
Septicemia and purulent infection—24	7	-	-	-	1	-	-	-	1	2	1	-	1	-	-	1	-	-	-	1
Dysentery—27	148	-	-	-	1	1	2	2	6	12	21	19	14	15	16	10	10	9	7	9
Malaria—28	15	-	-	-	2	1	-	-	3	-	1	5	-	-	2	2	-	1	1	-
Syphilis—30	43	3	4	-	3	3	2	-	15	9	6	5	-	3	1	1	-	-	2	1
Influenza—33	249	-	1	-	6	14	19	13	53	37	26	22	14	19	21	16	14	18	4	5
Measles—35	21	-	-	-	-	-	-	1	1	2	1	1	-	3	1	2	2	2	2	4
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	12	-	-	-	-	-	-	1	1	1	-	1	1	2	1	-	2	1	1	1
Diseases of thymus gland—64	42	6	2	4	5	9	1	2	29	6	3	1	1	-	1	1	-	-	-	-
Rickets—70	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1
Hemorrhagic conditions—72	13	2	2	-	1	2	1	-	8	1	-	-	2	-	1	1	-	-	-	-
Anemias (except splenic anemia)—73	11	-	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-	2	1	1
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	1	-	1	-	1	-	-	-	2	-	-	-	-	1
Meningitis (not due to meningococcus)——81	37	-	-	-	1	-	1	2	4	4	2	4	9	2	2	-	2	5	1	2
Intracranial lesions of vascular origin——83	13	1	1	-	3	-	-	-	5	1	-	3	1	-	1	-	-	1	-	1
Convulsions—86	32	-	3	2	5	3	2	2	17	3	1	3	-	1	1	-	1	2	1	2
Diseases of ear and mastoid process——89	26	-	-	-	-	-	-	2	2	3	4	3	4	2	1	4	-	-	2	1
Other diseases, nervous system—82,84,85,87,88	8	-	-	-	2	1	-	-	3	-	-	-	2	2	-	-	-	-	-	1
Diseases of circulatory system——90-103	40	1	2	1	2	5	1	2	14	5	5	5	3	2	1	-	2	1	-	2
Pneumonia (all forms)——107-109	856	3	13	17	43	52	41	38	207	112	86	87	65	56	54	52	45	35	26	31
Other diseases of respiratory system—104-106,110-114	62	1	-	2	2	1	4	5	15	10	3	8	7	7	2	3	3	1	2	1
Diseases of buccal cavity, etc.*—115	19	-	-	-	-	1	-	1	2	3	2	1	2	-	3	2	2	-	-	2
Diseases of stomach—117,118	41	-	1	2	6	5	1	2	17	8	9	3	1	1	-	-	1	1	-	-
Diarrhea, enteritis, etc.*—119	324	-	1	2	10	21	20	12	66	74	96	91	102	89	75	57	58	46	30	40
Hernia—122a	5	1	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	1
Intestinal obstruction—122b	43	-	-	-	1	4	2	-	7	7	7	6	-	2	5	4	4	-	1	-
Peritonitis (cause not stated)—129	6	-	-	-	-	1	1	1	3	-	1	1	1	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	26	-	1	1	2	2	3	-	9	2	3	1	4	-	1	-	1	2	2	1
Diseases, genito-urinary sys.—130,131,133-139	19	1	-	-	-	1	1	-	3	4	1	3	1	1	-	2	2	1	1	-
Diseases of skin and cellular tissue—151-153	9	-	-	-	-	1	1	1	3	-	2	1	1	1	-	1	-	-	-	-
Congenital malformations—157	421	101	36	25	53	33	25	19	292	30	20	18	11	5	13	8	5	7	6	6
Congenital debility—158	230	25	12	8	21	17	10	11	104	25	24	20	16	11	9	3	5	8	4	1
Premature birth—159	1,809	1,122	233	84	144	101	38	28	1,750	39	11	3	2	2	2	-	-	-	-	-
Injury at birth—160	495	231	93	67	61	21	5	8	486	3	-	2	-	1	2	-	-	-	1	-
Other diseases peculiar to first year——161	253	89	43	22	48	18	8	4	232	8	9	-	1	1	-	-	-	-	1	1
Accidental mechanical suffocation——182	32	1	1	1	3	-	-	2	8	8	5	1	5	3	1	1	-	-	-	-
Other violence or accident——166-181,183-195	83	8	4	1	3	2	3	5	26	9	5	6	3	8	4	2	4	6	3	7
Ill-defined and unknown causes——199,200	237	46	18	10	28	19	6	7	135	20	21	17	9	8	6	7	7	3	3	1
All other causes*	32	2	-	-	1	2	1	-	6	5	3	2	1	1	3	1	4	2	3	1

*Refer to complete International List titles, table II, Part I.

536909 O - 43 - 36

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TEXAS (all other races)——All causes	1,287	281	92	52	122	112	43	57	759	105	77	60	48	56	40	31	34	33	22	22
Cerebrospinal (meningococcus) meningitis——6	3	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	34	-	-	-	-	1	-	2	3	5	4	3	5	4	1	-	-	3	2	4
Diphtheria (infection by C. diphtheriae)——10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Erysipelas——11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus——12	5	-	-	-	3	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-
Tuberculosis of meninges, etc.*——14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis (other forms)——15-22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	24	-	-	-	-	1	-	-	1	3	3	3	3	5	-	1	2	2	-	1
Malaria——28	8	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	2	2	1	-
Syphilis——30	44	15	3	2	1	5	-	2	28	5	3	1	2	1	1	-	1	1	-	1
Influenza——33	55	1	1	2	2	1	1	7	15	6	9	2	3	2	10	2	-	4	1	1
Measles——35	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	5	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-
Diseases of thymus gland——64	3	-	1	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Rickets——70	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	4	1	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis (not due to meningococcus)——81	9	-	-	-	-	-	-	-	-	1	1	2	2	-	-	1	-	1	1	-
Intracranial lesions of vascular origin——83	3	-	2	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Convulsions——86	21	2	2	-	5	2	-	1	12	7	-	1	-	-	-	-	-	1	-	-
Diseases of ear and mastoid process——89	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Other diseases, nervous system——82,84,85,87,88	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of circulatory system——90-103	5	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	1
Pneumonia (all forms)——107-109	177	1	1	3	10	10	7	5	37	13	18	18	13	17	11	9	17	10	7	7
Other diseases of respiratory system——104-106,110-114	19	-	-	1	4	1	-	2	8	1	1	2	2	3	-	-	2	-	-	-
Diseases of buccal cavity, etc.*——115	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	13	-	-	-	1	1	2	-	4	4	1	2	1	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*——119	75	-	1	-	3	4	3	6	17	7	6	9	5	7	8	5	5	3	3	-
Hernia——122a	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-
Intestinal obstruction——122b	11	-	-	-	-	1	2	1	4	-	1	1	1	1	-	2	-	1	-	-
Peritonitis (cause not stated)——129	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Other diseases, digestive sys.——116,121,123-128	8	-	-	1	-	2	-	-	3	1	2	1	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	5	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissue——151-153	7	-	-	-	3	2	-	-	5	-	1	-	-	-	-	1	-	-	-	-
Congenital malformations——157	39	7	3	2	7	1	3	2	25	3	2	3	2	-	-	1	-	2	-	1
Congenital debility——158	55	6	6	2	5	6	1	5	31	12	7	1	1	1	2	-	-	-	-	-
Premature birth——159	358	186	44	19	34	36	14	10	343	10	3	2	-	-	-	-	-	-	-	-
Injury at birth——160	65	30	5	5	11	9	3	1	64	-	-	-	-	-	-	-	-	-	-	1
Other diseases peculiar to first year——161	61	7	9	5	17	10	3	2	53	4	-	-	1	-	-	1	-	-	-	2
Accidental mechanical suffocation——182	14	-	-	-	-	-	-	2	2	6	1	1	1	2	1	-	-	-	-	-
Other violence or accident——166-181,183-195	19	1	1	-	1	-	1	-	4	3	2	-	2	1	-	4	2	1	-	-
Ill-defined and unknown causes——199,200	105	23	12	8	14	14	2	7	80	6	4	5	1	4	2	-	1	1	1	-
All other causes*	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-
UTAH——All causes	402	152	41	25	40	20	8	6	292	20	18	15	10	11	6	11	6	5	5	3
Cerebrospinal (meningococcus) meningitis——6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever——8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough——9	7	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-	1	-	-
Diphtheria (infection by C. diphtheriae)——10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas——11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus——12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*——13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*——14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculosis (other forms)——15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection——24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery——27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Malaria——28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis——30	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Influenza——33	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-
Measles——35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other infectious and parasitic diseases——1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland——64	5	-	1	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-
Rickets——70	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions——72	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)——73	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)——80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)——81	7	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
Intracranial lesions of vascular origin——83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions——86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process——89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other diseases, nervous system——82,84,85,87,88	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system——90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)——107-109	31	-	1	1	1	1	-	2	6	3	1	4	4	3	-	3	1	1	3	2
Other diseases of respiratory system——104-106,110-114	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-
Diseases of buccal cavity, etc.*——115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach——117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*——119	11	-	-	-	-	1	4	-	5	-	1	1	1	2	-	-	1	-	-	-
Hernia——122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction——122b	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
Peritonitis (cause not stated)——129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.——116,121,123-128	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.——130,131,133-139	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue——151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations——157	56	8	6	4	7	10	2	-	37	7	4	4	-	-	2	-	-	-	1	1
Congenital debility——158	3	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Premature birth——159	159	104	21	13	14	4	1	1	158	-	-	1	-	-	-	-	-	-	-	-
Injury at birth——160	45	27	7	2	5	2	-	-	43	-	-	1	-	-	1	-	-	-	-	-
Other diseases peculiar to first year——161	28	9	4	4	7	1	-	1	26	-	-	-	1	1	-	-	-	-	-	-
Accidental mechanical suffocation——182	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	-	-
Other violence or accident——166-181,183-195	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Ill-defined and unknown causes——199,200	14	2	1	-	3	-	1	-	7	-	4	1	1	1	-	-	-	-	-	-
All other causes*	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VERMONT—All causes	301	107	25	11	24	17	12	4	200	22	21	10	11	9	7	5	3	5	4	4
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Influenza—33	6	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	23	-	-	-	1	3	-	-	4	5	2	4	3	1	2	-	-	1	-	1
Other diseases of respiratory system—104-106,110-114	7	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	17	-	-	-	-	-	-	-	-	-	5	-	2	1	1	3	2	-	2	1
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Peritonitis (cause not stated)—129	2	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	2	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	40	12	4	3	4	1	3	3	30	5	2	-	1	1	1	-	-	-	-	-
Congenital debility—158	8	-	-	1	-	-	2	-	3	2	2	1	-	-	-	-	-	-	-	-
Premature birth—159	103	66	11	4	5	9	4	-	99	2	-	-	1	-	-	-	-	1	-	-
Injury at birth—160	36	22	4	1	8	1	-	-	36	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	22	6	6	1	6	1	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	7	-	-	-	-	-	1	-	1	1	1	-	1	-	1	1	-	1	-	-
Ill-defined and unknown causes—199,200	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-
All other causes*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
VIRGINIA (white)—All causes	2,437	669	163	112	175	126	93	99	1,437	180	156	137	111	92	68	61	65	57	43	30
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	1
Scarlet fever—8	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Whooping cough—9	80	-	-	-	-	-	1	3	4	19	10	6	4	7	7	2	6	6	5	4
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	3	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	3	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-
Dysentery—27	52	-	-	-	-	3	1	-	4	4	5	11	4	6	5	4	3	3	1	2
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	9	-	-	-	-	1	-	1	2	3	3	1	-	-	-	-	-	-	-	-
Influenza—33	77	-	-	1	2	7	4	6	20	7	11	4	8	4	5	5	7	5	1	-
Measles—35	42	-	-	-	-	1	1	2	4	8	4	2	-	3	3	-	5	4	4	5
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	1	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-
Diseases of thymus gland—64	15	2	-	-	3	2	2	1	10	2	1	-	-	-	1	-	1	-	-	-
Rickets—70	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	7	1	-	1	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	2
Anemias (except splenic anemia)—73	6	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	1
Encephalitis (nonepidemic)—80	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	12	-	-	-	-	-	-	1	1	1	-	2	1	-	1	3	-	2	1	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Convulsions—86	11	1	1	-	2	-	-	1	5	3	-	1	-	1	-	-	-	1	-	-
Diseases of ear and mastoid process—89	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	-
Other diseases, nervous system—82,84,85,87,88	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-
Diseases of circulatory system—90-103	3	1	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	260	-	-	8	5	14	14	17	58	30	32	35	26	23	6	11	12	10	11	6
Other diseases of respiratory system—104-106,110-114	14	1	-	-	-	-	1	-	2	1	3	1	1	-	1	3	1	1	-	-
Diseases of buccal cavity, etc.*—115	5	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	1	1	-	-
Diseases of stomach—117,118	4	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	262	-	-	-	-	4	14	10	28	32	27	38	34	23	21	17	14	13	11	4
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	4	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	5	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	1	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	4	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	8	-	-	2	-	-	1	-	3	3	1	-	1	-	-	-	-	-	-	-
Congenital malformations—157	217	42	21	13	29	19	11	8	143	13	11	11	11	7	5	4	2	4	4	2
Congenital debility—158	76	19	3	5	3	7	5	8	50	7	12	3	1	1	1	-	1	-	-	-
Premature birth—159	675	403	84	34	54	39	21	17	652	16	4	2	1	-	-	-	-	-	-	-
Injury at birth—160	239	131	31	26	33	6	3	4	234	2	1	-	1	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	128	42	15	17	25	13	3	2	117	4	2	1	-	2	2	-	-	-	-	-
Accidental mechanical suffocation—182	25	-	2	-	-	1	-	4	7	3	6	4	2	2	1	-	-	-	-	-
Other violence or accident—166-181,183-195	29	3	-	-	-	-	-	2	5	-	7	1	5	3	-	1	2	1	3	1
Ill-defined and unknown causes—199,200	118	25	6	4	14	6	5	6	64	14	8	8	5	5	4	3	5	1	-	1
All other causes*	11	-	-	1	1	-	1	2	5	-	1	-	2	-	1	-	1	-	-	1

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VIRGINIA (all other races)—All causes	1,527	280	78	58	100	.85	54	60	715	123	98	108	100	68	77	65	53	52	32	36
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	39	-	-	-	-	-	-	1	1	5	1	5	2	4	1	9	4	2	4	1
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas—11	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	8	-	-	-	-	-	1	-	1	-	1	-	2	-	1	1	-	-	1	1
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	35	-	-	-	-	2	-	-	2	-	3	7	3	5	1	5	7	-	2	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	37	3	2	2	3	3	2	1	16	7	3	4	3	1	1	-	1	-	-	1
Influenza—33	75	-	-	-	1	1	1	4	7	8	6	3	8	12	6	4	4	7	4	6
Measles—35	17	-	-	-	-	-	1	1	2	-	3	1	1	-	2	1	1	4	-	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	5	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-
Rickets—70	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1
Hemorrhagic conditions—72	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Convulsions—86	10	1	-	-	1	2	1	-	5	1	-	1	1	-	-	-	1	1	-	-
Diseases of ear and mastoid process—89	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1
Other diseases, nervous system—82,84,85,87,88	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of circulatory system—90-103	9	-	-	-	-	-	-	1	1	2	2	-	1	-	1	-	2	-	-	-
Pneumonia (all forms)—107-109	264	-	-	3	7	12	8	17	47	25	25	37	27	12	28	18	10	17	5	13
Other diseases of respiratory system—104-106,110-114	29	1	1	-	-	-	1	3	6	6	-	6	3	1	-	3	2	-	1	1
Diseases of buccal cavity, etc.*—115	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	10	-	-	-	-	1	1	1	3	1	1	1	-	-	1	1	-	1	1	-
Diarrhea, enteritis, etc.*—119	162	-	-	-	-	1	4	4	9	14	23	18	29	17	15	9	10	8	6	4
Hernia—122a	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Intestinal obstruction—122b	6	-	-	-	-	3	-	-	3	-	-	1	-	1	-	-	-	-	1	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	4	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1
Diseases of skin and cellular tissue—151-153	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations—157	43	8	6	1	6	2	2	-	25	7	3	4	-	-	2	1	-	1	-	-
Congenital debility—158	93	12	1	2	11	8	4	5	43	16	5	7	3	3	3	3	6	1	2	1
Premature birth—159	348	167	38	26	38	28	15	16	328	13	4	-	1	2	-	-	-	-	-	-
Injury at birth—160	68	32	11	9	8	4	3	-	67	-	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	61	22	9	5	9	6	2	-	53	2	2	-	1	-	1	1	-	-	1	-
Accidental mechanical suffocation—182	21	2	2	1	1	3	-	-	9	2	2	3	2	2	-	1	-	-	-	-
Other violence or accident—166-181,183-195	27	3	2	3	-	-	-	-	8	1	1	3	1	2	5	1	-	2	2	1
Ill-defined and unknown causes—199,200	116	29	6	5	12	8	6	5	71	7	7	5	7	3	4	4	2	3	2	1
All other causes*	5	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1
WASHINGTON—All causes	1,061	388	107	58	66	44	37	36	736	72	67	43	30	27	27	16	14	13	5	11
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	30	-	-	-	-	-	1	2	3	7	6	2	-	3	6	1	1	1	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Tuberculosis of meninges, etc.*—14	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	7	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	1	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-
Influenza—33	7	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	1	1	-
Measles—35	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of thymus gland—64	21	2	1	-	-	-	1	-	4	1	7	3	3	2	-	-	-	1	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Meningitis (not due to meningococcus)—81	7	-	-	-	-	-	1	1	2	1	-	-	-	1	2	-	-	1	-	-
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Convulsions—86	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-
Other diseases, nervous system—82,84,85,87,88	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Diseases of circulatory system—90-103	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	127	1	2	2	2	5	7	6	25	20	21	18	10	4	5	5	5	4	4	6
Other diseases of respiratory system—104-106,110-114	9	1	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	1	-	1
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	52	-	-	-	-	-	4	3	10	9	1	4	3	2	-	2	-	-	-	1
Hernia—122a	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Intestinal obstruction—122b	7	-	-	-	-	1	1	-	2	-	1	2	-	-	2	-	-	-	-	-
Peritonitis (cause not stated)—129	2	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	122	28	15	12	11	12	4	7	89	12	6	2	1	6	3	-	-	2	-	1
Congenital debility—158	13	2	3	1	-	1	1	2	10	1	-	1	-	-	1	-	-	-	-	-
Premature birth—159	360	236	45	20	26	16	8	5	356	4	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	128	76	20	12	13	2	1	2	126	-	-	1	-	-	-	-	-	1	-	-
Other diseases peculiar to first year—161	83	37	19	9	10	3	2	1	81	-	-	-	1	-	-	1	-	-	-	-
Accidental mechanical suffocation—182	24	-	-	-	-	-	-	3	3	3	7	2	4	2	-	1	2	-	-	-
Other violence or accident—166-181,183-195	27	2	1	1	1	-	-	-	5	3	9	2	1	1	3	1	2	-	-	-
Ill-defined and unknown causes—199,200	12	3	-	1	-	1	1	-	6	1	3	2	-	-	-	-	-	-	-	-
All other causes*	8	-	-	-	1	1	1	-	3	3	1	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WEST VIRGINIA—All causes	2,679	592	182	106	185	155	101	88	1,409	215	187	201	160	107	89	83	69	55	47	57
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	-
Scarlet fever—8	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	117	-	-	-	-	-	6	5	11	19	13	16	14	7	6	8	6	6	6	5
Diphtheria (infection by C. diphtheriae)—10	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1
Erysipelas—11	5	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	2	1	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	9	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	-	3
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Septicemia and purulent infection—24	4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	1
Dysentery—27	84	1	-	-	[illegible]	-	1	1	4	7	10	17	11	7	6	8	2	4	5	3
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	26	2	3	-	1	1	-	2	9	5	4	1	4	1	1	-	-	-	-	1
Influenza—33	48	-	-	-	-	2	5	1	8	7	5	6	2	3	3	2	2	5	3	2
Measles—35	20	-	-	-	-	-	-	1	1	4	3	-	2	-	1	3	2	1	1	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	1
Diseases of thymus gland—64	21	2	1	-	2	3	-	1	9	4	3	3	-	-	2	-	-	-	-	-
Rickets—70	3	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
Hemorrhagic conditions—72	5	-	-	-	-	1	1	1	3	1	-	1	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	5	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	10	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	1	-	1	2
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Convulsions—86	11	1	-	-	2	3	-	2	8	1	1	-	1	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	11	-	-	-	-	-	-	1	1	-	1	3	3	3	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	3	-	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-
Diseases of circulatory system—90-103	11	-	-	-	1	-	-	1	2	3	2	1	-	-	-	-	-	1	2	-
Pneumonia (all forms)—107-109	336	2	6	2	9	17	17	12	65	38	43	44	38	17	18	24	13	15	10	11
Other diseases of respiratory system—104-106,110-114	18	-	2	-	-	-	-	-	2	1	2	1	3	1	2	1	-	3	1	1
Diseases of buccal cavity, etc.*—115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach—117,118	12	-	-	-	-	3	1	1	5	1	2	1	-	-	1	1	-	-	-	1
Diarrhea, enteritis, etc.*—119	364	2	-	1	1	5	9	13	31	38	45	48	45	42	30	23	26	12	8	18
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	8	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	2	1
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	8	-	-	-	2	-	-	-	2	1	-	1	2	-	1	-	1	-	-	-
Diseases of skin and cellular tissue—151-153	10	-	-	-	1	1	1	2	5	2	-	1	1	-	-	-	1	-	-	-
Congenital malformations—157	220	53	18	11	25	20	11	11	149	21	12	9	10	6	3	3	2	3	1	1
Congenital debility—158	68	5	2	2	3	9	7	2	30	8	8	8	9	1	-	1	3	-	-	-
Premature birth—159	703	383	92	41	61	56	22	13	668	17	6	5	3	1	1	1	-	-	1	-
Injury at birth—160	193	79	33	28	31	9	4	3	187	2	-	4	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	115	37	16	12	23	10	4	4	106	4	1	1	-	-	1	-	1	-	1	-
Accidental mechanical suffocation—182	20	-	-	-	-	1	2	-	3	4	4	4	1	2	-	1	-	-	1	-
Other violence or accident—166-181,183-195	34	4	1	-	1	1	-	-	7	7	-	4	4	4	2	2	2	-	1	1
Ill-defined and unknown causes—199,200	136	21	7	7	20	11	9	6	81	15	12	11	4	5	4	2	1	-	-	1
All other causes*	13	-	-	1	1	-	-	-	2	1	1	3	1	-	2	-	1	-	1	1
WISCONSIN—All causes	2,006	712	156	101	166	81	56	59	1,331	136	109	111	59	71	49	35	33	34	23	15
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	26	-	-	-	-	-	-	-	-	3	6	4	2	5	-	-	1	2	1	2
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-
Tubsrculosis of meninges, etc.*—14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery—27	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	3	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Influenza—33	46	-	-	1	-	1	2	3	7	7	6	10	3	2	4	-	2	4	1	-
Measles—35	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	31	4	1	-	4	-	2	2	13	3	4	3	2	3	1	-	-	1	1	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	3	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)—80	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-
Meningitis (not due to meningococcus)—81	15	-	-	-	-	-	1	1	2	5	-	1	1	2	1	-	1	2	-	-
Intracranial lesions of vascular origin—83	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-
Convulsions—86	9	1	-	-	-	-	-	2	3	1	1	-	1	-	1	-	1	-	1	-
Diseases of ear and mastoid process—89	5	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-
Other diseases, nervous system—82,84,85,87,88	5	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Diseases of circulatory system—90-103	7	-	-	-	1	-	1	1	3	-	-	1	2	-	-	-	1	-	-	-
Pneumonia (all forms)—107-109	274	-	3	3	8	8	13	10	45	40	41	37	23	22	13	23	6	12	8	4
Other diseases of respiratory system—104-106,110-114	20	1	-	1	-	-	1	-	3	5	3	5	-	1	-	1	-	2	-	-
Diseases of buccal cavity, etc.*—115	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Diseases of stomach—117,118	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	73	-	-	-	-	3	2	5	10	18	8	9	3	5	6	1	5	3	1	4
Hernia—122a	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	15	-	-	-	3	-	-	-	3	-	1	2	1	3	3	1	1	-	-	-
Peritonitis (cause not stated)—129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases, digestive sys.—116,121,123-128	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	8	-	-	-	-	1	1	3	5	-	-	-	1	-	1	1	-	-	-	-
Congenital malformations—157	317	63	28	21	36	29	14	16	207	21	17	16	9	13	14	3	11	1	2	3
Congenital debility—158	19	6	1	1	1	-	-	2	11	7	-	-	-	1	-	-	-	-	-	-
Premature birth—159	623	410	69	35	51	21	13	4	603	7	6	6	-	1	-	-	-	-	-	-
Injury at birth—160	250	148	38	20	31	6	2	3	248	-	-	-	-	-	-	-	-	1	1	-
Other diseases peculiar to first year—161	148	71	16	16	25	9	-	2	139	3	1	2	-	1	-	1	1	-	-	-
Accidental mechanical suffocation—182	16	-	-	-	1	-	-	1	2	5	2	1	3	2	1	-	-	-	-	-
Other violence or accident—166-181,183-195	37	4	-	-	2	2	1	2	11	4	3	3	3	4	1	-	1	1	4	2
Ill-defined and unknown causes—199,200	15	3	-	2	1	-	-	-	6	1	3	1	1	2	-	-	-	1	-	-
All other causes*	7	1	-	-	-	-	-	1	2	2	1	-	-	-	1	-	-	1	-	-

*Refer to complete International List titles, table XI, Part I.

TABLE 20.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1941—Continued

(See headnote on p. 526)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WYOMING—All causes	230	77	19	11	19	14	5	7	152	13	12	10	11	5	6	2	5	4	6	4
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae)—10	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Erysipelas—11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus—12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of meninges, etc.*—14	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia and purulent infection—24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	4	2	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-
Influenza—33	10	-	-	-	-	1	-	-	1	1	1	2	3	-	1	-	1	-	-	-
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,38-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland—64	3	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Rickets—70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions—72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)—73	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Encephalitis (nonepidemic)—80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Convulsions—86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other diseases, nervous system—82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system—90-103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)—107-109	29	1	-	-	-	1	2	2	6	2	1	5	3	1	3	1	2	2	2	3
Other diseases of respiratory system—104-106,110-114	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of stomach—117,118	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhea, enteritis, etc.*—119	6	-	-	-	-	-	1	-	1	2	1	-	-	2	-	-	-	-	-	-
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Peritonitis (cause not stated)—129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diseases, genito-urinary sys.—130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue—151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	33	8	2	4	8	3	1	2	26	5	1	-	-	-	-	-	1	-	-	-
Congenital debility—158	12	2	1	1	1	2	-	2	9	-	1	-	1	-	1	-	-	-	-	-
Premature birth—159	70	48	8	3	5	4	1	1	70	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	23	14	4	1	2	2	-	-	23	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	11	1	3	2	4	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Other violence or accident—166-181,183-195	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Ill-defined and unknown causes—199,200	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other causes*	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI, Part I.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total [1]	In no institution	In nonresident institution	In resident institution	Total [1]	In no institution	In nonresident institution	In resident institution
NEW MEXICO—Con.								
Otero	109	89	16	-	111	96	7	-
Quay	107	63	38	-	110	65	38	-
Rio Arriba	261	211	50	-	230	205	25	-
Roosevelt	103	80	20	-	93	74	15	-
Sandoval	238	216	22	-	214	214	-	-
San Juan	72	47	20	-	60	44	10	-
San Miguel	420	255	99	65	436	263	108	65
Santa Fe	329	251	73	4	343	251	88	4
Outside city	93	79	14	-	82	82	-	-
Santa Fe	236	172	59	4	261	169	88	4
Sierra	63	46	13	-	66	53	8	-
Socorro	171	156	14	-	181	150	31	-
Taos	188	151	37	-	177	150	27	-
Torrance	112	98	14	-	96	96	-	-
Union	85	61	22	-	88	64	22	-
Valencia	305	255	49	-	266	261	5	-
NEW YORK (total)	148,030	70,556	65,490	12,209	147,688	70,059	65,662	12,209
Albany	2,638	1,551	929	87	2,696	1,534	993	87
Outside cities	574	369	148	21	488	385	9	21
Albany	1,617	904	616	66	1,851	875	901	66
Cohoes	277	176	98	-	251	168	83	-
Watervliet	170	102	67	-	106	106	-	-
Allegany	514	344	143	16	477	346	104	16
Broome	1,790	745	759	281	1,835	739	811	281
Outside cities	495	254	205	36	533	258	38	36
Binghamton	1,017	366	403	245	1,081	360	474	245
Endicott	131	59	71	-	169	61	108	-
Johnson City	147	66	80	-	252	60	191	-
Cattaraugus	904	544	332	24	964	537	399	24
Outside city	675	418	229	24	680	414	219	24
Olean	229	126	103	-	304	123	180	-
Cayuga	837	483	301	5	837	480	303	5
Outside city	409	264	117	-	304	271	4	-
Auburn	428	219	184	5	533	209	299	5
Chautauqua	1,450	877	508	32	1,403	886	474	32
Outside cities	766	504	223	30	604	520	45	30
Dunkirk	206	149	54	2	245	145	98	2
Jamestown	458	224	231	-	554	221	331	-
Chemung	852	418	389	38	863	419	399	38
Outside city	300	162	105	30	205	170	2	30
Elmira	552	256	284	8	658	249	397	8
Chenango	479	300	125	53	471	299	118	53
Clinton	622	366	185	70	628	359	199	70
Outside city	466	283	116	66	337	271	-	66
Plattsburgh	156	83	69	4	291	88	199	4
Columbia	579	374	169	32	576	393	149	32
Outside city	399	282	111	4	345	306	35	4
Hudson	180	92	58	28	231	87	114	28
Cortland	411	257	132	21	421	261	138	21
Outside city	219	136	63	20	164	144	-	20
Cortland	192	121	69	1	257	117	138	1
Delaware	511	350	125	32	487	355	74	32
Dutchess	2,009	711	540	746	2,110	713	658	746
Outside cities	1,536	382	275	672	1,410	394	334	672
Beacon	174	72	56	46	172	69	56	46
Poughkeepsie	499	257	209	28	528	250	248	28
Erie	8,950	4,517	3,710	672	8,954	4,515	3,715	672
Outside cities	2,005	1,025	553	415	1,499	1,070	8	415
Buffalo	6,455	3,256	2,914	247	6,987	3,206	3,489	247
Kenmore	142	81	50	10	89	79	-	10
Lackawanna	245	89	156	-	313	94	218	-
Tonawanda	103	66	37	-	66	66	-	-
Essex	459	311	137	7	499	329	153	7
Franklin	533	335	193	4	609	356	249	4
Fulton	656	397	221	14	659	400	221	14
Outside cities	183	116	63	2	130	120	7	2
Gloversville	309	184	118	2	405	183	214	2
Johnstown	164	97	40	10	124	97	-	10
Genesee	539	310	190	1	594	312	242	1
Outside city	338	201	105	1	256	204	-	1
Batavia	201	109	85	-	338	108	242	-
Greene	385	256	110	14	363	263	84	14
Hamilton	62	43	18	-	51	51	-	-
Herkimer	706	470	203	22	703	477	191	22
Outside city	601	403	166	22	570	410	127	22
Little Falls	105	67	37	-	133	67	64	-
Jefferson	1,141	714	357	22	1,149	713	363	22
Outside city	707	469	176	17	580	477	40	17
Watertown	434	245	181	5	569	236	323	5
Lewis	253	172	67	8	227	169	44	8
Livingston	582	285	162	131	510	294	85	131
Madison	564	388	157	10	567	389	158	10
Outside city	425	316	95	10	361	319	30	10
Oneida	139	72	62	-	206	71	128	-
Monroe	4,881	2,270	1,761	802	4,980	2,258	1,868	802
Outside cities	1,286	538	279	463	1,131	546	114	463
Irondequoit (town)	186	94	70	-	103	103	-	-
Rochester	3,429	1,638	1,412	339	3,746	1,609	1,754	339
NEW YORK—Con.								
Montgomery	655	407	233	5	653	411	238	5
Outside city	328	214	105	3	231	212	13	3
Amsterdam	327	193	128	2	422	199	215	2
Nassau	5,553	1,919	1,528	27	3,283	1,952	1,221	27
Outside cities	2,268	1,198	989	27	2,136	1,243	811	27
Floral Park	122	65	54	-	76	64	11	-
Freeport	197	123	71	-	139	127	12	-
Garden City	94	58	34	-	54	52	2	-
Glen Cove	119	56	62	-	173	59	114	-
Hempstead	228	125	103	-	128	108	18	-
Lynbrook	152	85	63	-	81	79	-	-
Mineola	81	43	37	-	292	53	238	-
Rockville Centre	170	99	64	-	122	98	14	-
Valley Stream	122	67	51	-	82	69	1	-
New York City [4]	75,035	32,007	37,942	4,466	74,531	31,219	38,301	4,466
Niagara	1,721	874	731	108	1,638	865	661	108
Outside cities	483	273	124	82	407	284	38	82
Lockport	324	160	136	26	329	158	144	26
Niagara Falls	739	330	408	-	740	315	425	-
North Tonawanda	175	111	63	-	162	108	54	-
Oneida	3,037	1,372	1,016	623	3,027	1,363	1,016	623
Outside cities	1,171	541	286	336	924	557	28	336
Rome	391	168	172	50	564	166	347	50
Utica	1,475	663	558	237	1,539	640	641	237
Onondaga	3,367	1,854	1,237	38	3,414	1,846	1,290	38
Outside city	1,033	611	290	4	906	640	65	4
Syracuse	2,334	1,243	947	34	2,508	1,206	1,225	34
Ontario	682	376	243	57	755	397	294	57
Outside city	522	286	179	54	563	297	210	54
Geneva	160	90	64	3	192	100	84	3
Orange	1,893	993	602	278	1,971	1,008	667	278
Outside cities	990	608	306	67	948	635	240	67
Middletown	467	159	128	180	539	150	209	180
Newburgh	436	226	168	31	484	223	218	31
Orleans	405	279	108	17	382	279	85	17
Oswego	906	617	243	29	838	616	178	29
Outside cities	463	333	95	28	393	334	25	28
Fulton	152	110	42	-	147	109	38	-
Oswego	291	174	106	1	298	173	115	1
Otsego	672	454	188	14	733	464	242	14
Outside city	516	354	136	14	520	359	137	14
Oneonta	156	100	52	-	213	105	105	-
Putnam	191	121	69	1	172	133	38	1
Rensselaer	1,741	1,020	630	82	1,769	1,001	684	82
Outside cities	519	364	150	-	402	365	35	-
Rensselaer	142	91	49	-	89	89	-	-
Troy	1,080	565	431	82	1,278	547	649	82
Rockland	1,238	344	298	579	1,287	358	330	579
St. Lawrence	1,311	776	330	157	1,509	779	325	157
Outside cities	866	599	228	4	790	607	144	4
Massena	90	51	28	-	61	47	1	-
Ogdensburg	355	126	74	153	458	125	180	153
Saratoga	855	565	257	16	795	595	170	16
Outside city	653	449	184	13	546	466	65	13
Saratoga Springs	202	116	73	3	249	129	105	3
Schenectady	1,383	809	501	55	1,381	795	509	55
Outside city	350	194	102	51	288	200	32	51
Schenectady	1,033	615	399	4	1,093	595	477	4
Schoharie	280	208	48	8	244	211	9	8
Schuyler	195	121	74	-	169	117	52	-
Seneca	503	163	120	212	479	163	96	212
Steuben	1,096	644	438	-	1,187	639	532	-
Outside cities	711	433	268	-	756	434	292	-
Corning	183	108	75	-	230	106	124	-
Hornell	202	103	95	-	221	99	116	-
Suffolk	3,879	1,185	672	1,799	3,823	1,263	740	1,799
Sullivan	484	298	163	14	547	357	161	14
Tioga	368	259	104	4	337	259	73	4
Tompkins	498	286	173	12	509	288	183	12
Outside city	262	159	78	12	221	157	43	12
Ithaca	236	127	95	-	288	131	140	-
Ulster	1,177	652	454	39	1,172	679	420	39
Outside city	758	428	274	38	553	451	49	38
Kingston	419	224	180	1	619	228	371	1
Warren	451	307	132	6	495	314	172	6
Outside city	207	145	54	6	161	152	3	6
Glens Falls	244	162	78	-	334	162	169	-
Washington	613	445	135	28	554	440	80	28
Wayne	689	405	173	107	632	411	111	107
Westchester	5,410	2,535	2,538	272	5,526	2,532	2,429	272
Outside cities	1,795	795	779	205	1,780	823	730	205
Mamaroneck	115	52	58	-	53	48	1	-
Mount Vernon	631	309	307	6	584	290	281	6
New Rochelle	533	245	273	13	523	243	260	13
Ossining	168	65	68	35	169	65	69	35
Peekskill	177	113	62	-	202	114	87	-
Port Chester	200	90	110	-	274	91	183	-
Scarsdale	102	45	57	-	41	41	-	-
White Plains	387	179	202	1	447	177	265	1
Yonkers	1,302	642	622	12	1,253	640	573	12
Wyoming	402	279	112	9	410	278	123	9
Yates	253	174	75	3	253	179	70	3

[1] Includes deaths in unknown institution.
[4] Data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.

TABLE 16.—DEATHS OF RESIDENTS OF EACH STATE, COUNTY, AND CITY, AND DEATHS OCCURRING IN EACH STATE, COUNTY, AND CITY, BY INSTITUTION: 1941—Continued

(See headnote on p. 455)

AREA	DEATHS OF RESIDENTS OF AREA				DEATHS OCCURRING IN AREA			
	Total [1]	In no institution	In non-resident institution	In resident institution	Total [1]	In no institution	In non-resident institution	In resident institution
NORTH CAROLINA (total)	31,752	22,544	7,649	881	31,956	22,577	7,793	881
Alamance	436	329	102	1	358	316	37	1
Outside city	337	265	69	1	293	255	36	1
Burlington	99	64	33	-	65	61	1	-
Alexander	112	97	14	-	93	92	-	-
Alleghany	69	63	6	-	66	62	-	-
Anson	265	214	46	1	259	216	40	1
Ashe	185	166	13	-	165	161	-	-
Avery	107	69	38	-	115	70	44	-
Beaufort	459	354	85	6	492	345	130	6
Bertie	247	220	24	-	229	220	6	-
Bladen	278	235	43	-	231	231	-	-
Brunswick	176	131	45	-	157	133	24	-
Buncombe	1,054	671	362	1	1,367	704	638	1
Outside city	523	322	191	1	634	331	291	1
Asheville	531	349	171	-	733	373	347	-
Burke	428	166	68	171	426	175	62	171
Cabarrus	420	291	121	2	378	288	87	2
Outside city	289	195	89	2	288	199	86	2
Concord	131	96	32	-	90	89	1	-
Caldwell	290	236	50	-	274	232	41	-
Camden	50	40	10	-	40	40	-	-
Carteret	191	152	37	2	180	155	23	2
Caswell	141	106	30	-	100	99	-	-
Catawba	356	255	98	-	360	256	103	-
Outside city	244	181	62	-	212	185	26	-
Hickory	112	74	36	-	148	71	77	-
Chatham	209	189	26	3	195	172	13	3
Cherokee	147	108	34	-	143	107	28	-
Chowan	104	93	11	-	99	99	-	-
Clay	37	34	2	-	31	31	-	-
Cleveland	382	258	117	4	366	258	101	4
Outside city	280	196	77	4	202	195	-	4
Shelby	102	62	40	-	164	63	101	-
Columbus	427	308	107	-	405	312	86	-
Craven	396	308	56	-	395	313	40	-
Outside city	229	168	40	-	172	167	-	-
New Bern	167	140	16	-	223	148	40	-
Cumberland	637	379	244	6	860	410	371	6
Outside city	387	235	146	2	309	239	66	2
Fayetteville	250	144	98	4	551	171	305	4
Currituck	75	66	9	-	65	65	-	-
Dare	51	43	8	-	38	38	-	-
Davidson	450	337	87	1	409	339	67	1
Outside cities	260	221	36	1	217	216	-	1
Lexington	82	63	18	-	98	70	27	-
Thomasville	88	53	33	-	94	53	40	-
Davie	124	101	21	2	100	98	-	2
Duplin	400	315	69	-	310	308	-	-
Durham	789	430	333	20	1,165	431	710	20
Outside city	176	92	65	18	112	91	1	16
Durham	613	338	268	4	1,053	340	709	4
Edgecombe	497	389	98	4	466	386	71	4
Outside city	386	306	70	4	373	303	61	4
Rocky Mount (part)	111	83	28	-	93	83	10	-
Forsyth	1,120	673	430	8	1,211	678	518	8
Outside city	341	234	99	7	289	236	45	7
Winston-Salem	779	439	331	1	922	442	473	1
Franklin	271	211	50	-	211	204	-	-
Gaston	598	437	134	10	541	423	106	10
Outside city	409	308	75	10	315	302	3	10
Gastonia	189	129	59	-	226	121	103	-
Gates	87	78	9	-	74	74	-	-
Graham	42	33	9	-	33	33	-	-
Granville	259	196	50	-	250	193	43	-
Greene	128	90	36	-	87	87	-	-
Guilford	1,235	744	459	8	1,286	760	502	8
Outside cities	405	258	132	-	315	271	29	-
Greensboro	525	284	227	8	644	283	353	8
High Point	305	202	100	-	327	206	120	-
Halifax	536	417	113	6	524	419	99	6
Harnett	368	272	50	-	336	269	10	-
Haywood	255	177	78	-	243	176	67	-
Henderson	227	163	63	-	233	166	66	-
Hertford	183	159	22	2	156	154	-	2
Hoke	169	115	53	-	218	118	99	-
Hyde	65	53	11	-	53	53	-	-
Iredell	395	277	110	-	469	280	182	-
Outside city	271	201	83	-	275	205	63	-
Statesville	124	76	47	-	194	75	119	-
Jackson	177	147	26	-	172	148	21	-
Johnston	443	335	100	4	362	333	25	4
Jones	79	68	8	-	71	71	-	-
Lee	175	111	62	-	179	112	66	-
Lenoir	451	311	104	13	490	307	170	13
Outside city	266	199	52	13	210	197	-	13
Kinston	165	112	52	-	280	110	170	-
Lincoln	198	144	46	-	201	139	60	-
NORTH CAROLINA—Continued								
McDowell	180	119	61	-	184	118	66	-
Macon	120	96	18	-	141	102	30	-
Madison	183	160	23	-	155	155	-	-
Martin	251	207	39	5	211	202	4	5
Mecklenburg	1,266	747	408	19	1,388	752	459	19
Outside city	372	232	104	19	324	257	48	19
Charlotte	894	515	304	-	1,064	495	411	-
Mitchell	97	85	9	-	84	82	-	-
Montgomery	155	130	18	-	140	136	-	-
Moore	270	191	76	1	281	200	80	1
Nash	513	325	174	13	626	323	290	13
Outside city	391	260	117	13	281	257	11	13
Rocky Mount (part)	122	65	57	-	345	66	279	-
Rocky Mount (total)	233	148	85	-	438	149	289	-
New Hanover	609	300	291	14	748	303	429	14
Outside city	139	82	43	14	112	83	15	14
Wilmington	470	218	248	-	636	220	414	-
Northampton	177	155	22	-	156	156	-	-
Onslow	242	191	37	1	212	201	-	1
Orange	187	142	44	-	142	142	-	-
Pamlico	84	70	11	-	70	70	-	-
Pasquotank	228	184	33	7	249	191	49	7
Outside city	99	78	13	7	94	87	-	7
Elizabeth City	127	106	20	-	155	104	49	-
Pender	178	143	34	-	143	143	-	-
Perquimans	89	73	16	-	76	76	-	-
Person	210	160	45	4	178	155	19	4
Pitt	533	434	91	6	509	433	70	6
Outside city	407	333	66	6	335	329	-	6
Greenville	126	101	25	-	174	104	70	-
Polk	78	50	28	-	82	51	30	-
Randolph	365	289	71	3	332	279	50	3
Richmond	403	337	55	9	385	333	34	9
Robeson	757	578	151	25	770	575	167	25
Rockingham	432	297	112	14	412	300	90	14
Outside city	345	237	90	14	289	236	39	14
Reidsville	87	60	22	-	123	64	51	-
Rowan	565	406	146	7	536	392	137	7
Outside city	376	272	94	7	284	257	-	7
Salisbury	189	134	52	-	272	135	137	-
Rutherford	337	266	67	2	330	266	62	2
Sampson	410	335	61	7	342	333	2	7
Scotland	218	194	22	-	206	197	9	-
Stanly	226	177	44	2	239	190	47	2
Stokes	156	113	40	-	112	111	-	-
Surry	369	291	74	4	391	283	104	4
Swain	72	60	12	-	65	57	8	-
Transylvania	105	83	22	-	95	82	13	-
Tyrrell	55	40	14	-	60	41	18	-
Union	313	246	57	5	305	246	52	5
Vance	312	215	93	3	300	214	83	3
Wake	1,135	633	326	170	1,178	641	365	170
Outside city	545	386	141	15	430	395	19	15
Raleigh	590	247	185	155	748	246	346	155
Warren	246	217	23	-	225	220	-	-
Washington	141	125	16	-	126	126	-	-
Watauga	145	98	41	-	130	97	26	-
Wayne	843	433	17	283	844	436	-	283
Outside city	628	276	9	283	557	274	-	283
Goldsboro	215	157	8	-	287	162	-	-
Wilkes	352	274	74	-	333	272	60	-
Wilson	505	338	158	2	533	343	184	2
Outside city	266	184	77	2	204	186	12	2
Wilson	239	154	81	-	329	157	172	-
Yadkin	129	99	26	-	101	99	-	-
Yancey	105	93	12	-	94	94	-	-
NORTH DAKOTA (total)	5,281	2,859	2,073	228	5,302	2,837	2,112	228
Adams	20	14	4	-	20	15	-	-
Barnes	143	64	61	16	145	65	62	16
Benson	106	62	39	-	79	63	12	-
Billings	15	7	8	-	9	9	-	-
Bottineau	118	53	63	-	118	55	61	-
Bowman	31	19	12	-	22	18	4	-
Burke	57	34	22	-	42	32	9	-
Burleigh	157	55	102	-	287	60	222	-
Outside city	39	16	23	-	16	15	1	-
Bismarck	118	39	79	-	271	45	221	-
Cass	473	242	210	8	591	244	325	8
Outside city	173	98	68	4	183	107	69	4
Fargo	300	144	144	4	408	137	258	4
Cavalier	106	68	38	-	108	72	33	-
Dickey	86	68	17	-	80	69	10	-
Divide	54	29	21	-	51	29	18	-
Dunn	49	23	26	-	22	22	-	-
Eddy	61	27	34	-	54	25	29	-
Emmons	82	52	29	-	52	51	1	-
Foster	52	26	26	-	50	28	22	-

[1] Includes deaths in unknown institution.